R3850-1.1

Length of Stay by Diagnosis, United States, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii

Discussion of the Data 1

Source of the Data. 1

Data Quality. 2

Coverage 3

Organization of Length of Stay Tables. 5

Definition of Multiple Diagnosis Patients 5

Definition of Operated Patients 5

Explanation of Statistics. 6

Defining the Extended Stay Case 7

Length of Stay Tables 17

Summary of All Patients. 18

Summary of All Patients Except Newborn 19

Diagnosis Groups 1-398 20

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.9	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — see Choledocholithiasis
Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — see Choledocholithiasis
Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — see Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	5	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21613	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	857079	3.2	10	1	1	3	4	5	6	14
20-34	510893	3.7	21	<1	1	3	4	6	10	25
35-49	190080	5.4	35	1	1	4	6	11	16	30
50-64	147997	5.9	37	1	1	4	7	12	16	30
65+	144286	6.7	44	1	2	5	8	13	18	34
B. *Operated*										
0-19 YRS	331715	2.9	11	<1	1	2	3	6	8	16
20-34	613979	3.5	9	<1	1	3	4	6	8	15
35-49	285580	4.5	19	<1	1	3	6	9	12	21
50-64	256552	5.3	27	1	1	4	7	11	15	24
65+	258679	6.2	42	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	661127	4.6	34	1	1	3	5	8	11	32
20-34	387695	5.8	47	1	1	4	7	12	18	35
35-49	392579	6.7	46	1	2	5	8	13	19	34
50-64	653319	7.4	47	1	2	6	9	14	19	35
65+	1314352	9.1	66	2	3	7	11	18	23	44
B. *Operated*										
0-19 YRS	244087	5.5	78	<1	1	3	6	11	20	56
20-34	617486	5.4	38	1	2	4	6	9	14	34
35-49	439077	7.2	58	1	2	5	8	14	20	42
50-64	556632	9.4	94	1	2	7	12	19	27	54
65+	820844	12.2	139	2	2	9	16	26	35	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1850335	4.1	27	1	1	3	4	7	11	25
B. *Operated*	1746505	4.2	20	<1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	3409072	7.2	54	1	2	5	9	15	20	38
B. *Operated*	2678126	8.6	95	1	2	6	11	19	27	54
1. SINGLE DX	3596840	4.1	21	1	1	3	5	8	12	23
2. MULTIPLE DX	6087198	7.8	73	1	2	5	10	16	23	46
A. NOT OPERATED	5259407	6.1	45	1	1	4	7	13	18	35
B. OPERATED	4424631	6.9	70	1	1	4	8	15	22	45
TOTAL 0-19 YRS	2094008	3.9	27	1	1	3	4	6	9	27
20-34	2130053	4.5	28	1	1	3	5	8	12	28
35-49	1307316	6.2	44	1	1	4	8	12	17	34
50-64	1614500	7.6	61	1	2	5	10	15	21	41
65+	2538161	9.6	90	2	2	7	12	20	27	52
GRAND TOTAL	**9684038**	**6.5**	**57**	**1**	**1**	**4**	**8**	**14**	**20**	**40**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	368750	3.6	21	1	1	3	4	6	9	24
20-34	510813	3.7	21	<1	1	3	4	6	10	25
35-49	190080	5.4	35	1	1	4	6	11	16	30
50-64	147997	5.9	37	1	1	4	7	12	16	30
65+	144286	6.7	44	1	2	5	8	13	18	34
B. Operated										
0-19 YRS	331508	2.9	11	<1	1	2	3	5	8	16
20-34	613979	3.5	9	<1	1	3	4	6	8	15
35-49	285580	4.5	19	<1	1	3	6	9	12	21
50-64	256552	5.3	27	1	1	4	7	11	15	24
65+	258679	6.2	42	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	378241	4.7	42	1	1	3	5	8	13	37
20-34	387695	5.8	47	1	1	4	7	12	18	35
35-49	392579	6.7	46	1	2	5	8	13	19	34
50-64	653319	7.4	47	1	2	6	9	14	19	35
65+	1314352	9.1	66	2	3	7	11	18	23	44
B. Operated										
0-19 YRS	233583	4.9	53	<1	1	3	5	10	16	42
20-34	617486	5.4	38	1	2	4	6	9	14	34
35-49	439077	7.2	58	1	2	5	8	14	20	42
50-64	556632	9.4	94	1	2	7	12	19	27	54
65+	820844	12.2	139	2	2	9	16	26	35	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1362006	4.5	29	1	1	3	5	9	13	28
B. Operated	1746298	4.2	20	<1	1	3	5	9	12	22
2. MULTIPLE DX										
A. Not Operated	3126186	7.5	57	1	2	5	9	15	21	39
B. Operated	2667622	8.6	93	1	2	6	10	19	27	54
1. SINGLE DX	3108304	4.3	24	<1	1	3	5	9	12	24
2. MULTIPLE DX	5793808	8.0	74	1	2	5	10	17	24	46
A. NOT OPERATED	4488192	6.6	50	1	1	4	8	14	19	36
B. OPERATED	4413920	6.8	69	1	1	4	8	15	22	45
TOTAL 0-19 YRS	1312082	4.0	31	<1	1	3	4	7	11	30
20-34	2130053	4.5	28	1	1	3	5	8	12	28
35-49	1307316	6.2	44	1	1	4	8	12	17	34
50-64	1614500	7.6	61	1	2	5	10	15	21	41
65+	2538161	9.6	90	2	2	7	12	20	27	52
GRAND TOTAL	**8902112**	**6.7**	**59**	**1**	**1**	**4**	**8**	**14**	**20**	**40**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	8330	3.2	6	1	1	3	4	6	7	12
20-34	3440	3.2	5	1	1	3	4	6	7	11
35-49	1520	3.6	7	1	1	3	5	6	8	14
50-64	842	4.0	10	1	1	3	5	7	9	14
65+	762	4.3	10	1	2	4	5	8	10	16
B. *Operated*										
0-19 YRS.	172	5.6	28	2	2	4	6	10	13	36
20-34	239	5.2	10	2	2	5	6	8	11	19
35-49	99	5.8	15	1	2	5	8	11	14	19
50-64	50	7.3	30	1	2	6	10	12	21	26
65+	28	6.8	20	2	2	6	8	11	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	11575	3.7	8	1	1	3	4	6	8	14
20-34	4317	3.6	8	1	1	3	5	7	8	13
35-49	2560	4.5	13	1	2	4	5	8	10	17
50-64	2955	5.0	14	1	2	4	6	9	11	20
65+	5090	6.3	30	2	2	5	8	12	15	27
B. *Operated*										
0-19 YRS.	245	7.9	65	2	3	5	8	16	25	64
20-34	322	7.4	41	2	2	5	9	14	19	36
35-49	291	8.7	64	2	3	6	11	15	23	39
50-64	268	11.6	151	2	3	8	13	23	36	66
65+	447	12.8	144	3	4	9	16	25	33	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14804	3.3	6	1	1	3	4	6	7	12
B. *Operated*	588	5.7	18	1	2	5	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	26497	4.4	14	1	2	3	5	8	11	18
B. *Operated*	1542	10.0	106	2	3	7	12	20	27	61
1. SINGLE DX	15392	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	28039	4.7	21	1	2	4	6	9	12	22
A. NOT OPERATED	41301	4.0	11	1	1	3	5	7	10	16
B. OPERATED	2130	6.8	65	2	2	6	10	17	24	50
TOTAL 0-19 YRS.	20322	3.6	8	1	1	3	4	6	8	14
20-34	8318	3.7	8	1	1	3	5	7	8	14
35-49	4439	4.4	15	1	1	4	5	8	11	19
50-64	4115	5.3	25	1	2	4	6	9	13	24
65+	6327	6.5	39	2	2	5	8	12	16	30
GRAND TOTAL	**43521**	**4.3**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	71	7.4	48	2	2	5	9	17	24	33
20-34	157	10.9	56	3	4	9	14	19	23	39
35-49	125	11.6	88	2	4	9	16	22	23	45
50-64	92	12.9	102	3	3	9	17	29	35	46
65+	116	11.5	75	2	3	10	15	21	29	48
B. *Operated*										
0-19 YRS.	22	10.9	160	2	3	8	13	17	36	63
20-34	62	11.1	55	2	4	9	15	21	26	35
35-49	76	11.5	96	2	3	10	16	20	22	49
50-64	74	11.6	65	2	3	10	15	26	27	34
65+	90	14.0	160	2	3	12	17	23	32	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	49	8.2	47	3	3	5	10	15	23	35
20-34	161	16.2	471	2	4	12	19	36	61	99
35-49	250	14.3	151	3	4	11	17	32	46	99
50-64	298	15.5	196	2	4	12	21	32	49	99+
65+	492	15.9	164	3	4	13	21	31	46	75
B. *Operated*										
0-19 YRS.	19	14.5	206	3	4	11	13	38	53	56
20-34	95	15.6	157	2	4	14	18	28	55	99+
35-49	175	16.7	212	4	5	13	20	30	50	90
50-64	256	16.7	186	3	5	13	21	32	43	82
65+	419	19.5	225	3	5	15	26	40	52	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	561	11.1	76	2	3	9	15	21	29	42
B. *Operated*	324	12.1	96	2	3	10	16	22	27	54
2. MULTIPLE DX										
A. *Not Operated*	1250	15.2	160	3	4	12	19	32	47	67
B. *Operated*	964	17.7	207	3	5	14	22	36	51	84
1. SINGLE DX	885	11.6	83	2	3	9	15	21	29	46
2. MULTIPLE DX	2214	16.3	193	3	4	13	20	33	49	91
A. NOT OPERATED	1811	13.9	151	3	3	11	17	27	40	64
B. OPERATED	1288	16.3	185	3	4	13	20	32	46	80
TOTAL 0-19 YRS.	161	9.0	85	2	3	6	11	19	26	57
20-34	475	13.7	155	2	4	11	17	24	39	93
35-49	626	14.1	148	3	4	11	17	28	36	84
50-64	720	15.2	169	3	4	12	20	31	42	88
65+	1117	16.6	183	3	4	13	21	33	46	75
GRAND TOTAL	**3099**	**14.9**	**167**	**3**	**4**	**12**	**19**	**29**	**41**	**82**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	<1	<1	1	2	3	4	4
20-34	18	2.7	2	<1	<1	3	3	5	5	5
35-49	6	3.0	8	<1	<1	2	4	8	8	8
50-64	8	1.5	2	<1	<1	1	1	4	5	5
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	695	1.9	1	<1	<1	2	2	3	4	6
20-34	1827	2.0	2	<1	<1	2	3	4	4	6
35-49	496	2.2	3	<1	<1	2	3	4	5	9
50-64	158	2.5	4	<1	<1	2	3	5	6	9
65+	36	2.8	3	<1	1	2	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.0	2	<1	<1	1	3	4	5	6
20-34	35	2.3	4	<1	<1	1	2	5	8	8
35-49	13	3.2	7	<1	<1	3	4	8	9	9
50-64	11	5.8	44	<1	1	2	7	18	19	19
65+	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*										
0-19 YRS	171	3.0	14	<1	<1	2	3	5	7	19
20-34	654	3.0	8	<1	1	2	4	5	7	11
35-49	288	3.5	9	<1	1	3	4	7	8	13
50-64	145	4.2	16	<1	1	3	4	9	11	21
65+	72	5.2	15	1	2	4	7	11	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.2	2	<1	<1	2	3	4	5	8
B. *Operated*	3212	2.1	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	90	2.7	10	<1	<1	2	3	6	8	19
B. *Operated*	1330	3.4	10	<1	1	3	4	6	9	16
1. SINGLE DX	3256	2.1	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	1420	3.3	10	<1	1	2	4	6	8	17
A. NOT OPERATED	134	2.6	7	<1	<1	2	3	5	8	18
B. OPERATED	4542	2.4	5	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	902	2.1	4	<1	<1	2	2	4	5	8
20-34	2534	2.3	4	<1	<1	2	3	4	5	8
35-49	803	2.7	6	<1	<1	2	3	5	7	10
50-64	322	3.4	11	<1	1	2	4	7	9	19
65+	115	4.2	12	1	1	3	5	9	12	18
GRAND TOTAL	**4676**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7222	2.9	3	1	1	3	4	5	6	8
20-34	1714	3.3	4	1	1	3	4	6	7	11
35-49	680	3.9	9	1	1	3	5	7	9	15
50-64	412	4.1	6	1	1	4	5	7	9	12
65+	340	4.7	15	1	2	4	6	8	10	24
B. *Operated*										
0-19 YRS	218	3.4	7	<1	1	3	4	7	9	15
20-34	110	4.8	24	<1	1	3	6	12	17	56
35-49	53	6.0	36	<1	1	4	8	13	17	33
50-64	38	8.1	156	2	2	5	10	13	18	78
65+	19	9.4	56	2	2	7	14	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8120	3.2	5	1	1	3	4	5	7	11
20-34	2860	4.0	12	1	1	3	5	7	9	16
35-49	1846	4.6	19	1	2	4	5	8	10	18
50-64	1969	5.0	13	1	2	4	6	9	11	19
65+	3202	6.2	26	2	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	293	5.8	42	1	2	4	7	10	13	52
20-34	210	8.0	79	1	2	5	9	16	24	48
35-49	168	9.4	108	2	3	7	11	18	24	69
50-64	181	11.5	110	2	3	9	14	23	29	80
65+	213	14.3	205	2	3	9	18	33	46	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10368	3.1	4	1	1	3	4	5	7	10
B. *Operated*	438	4.8	32	<1	1	3	6	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	17997	4.2	14	1	2	3	5	8	10	18
B. *Operated*	1065	9.5	113	2	2	6	11	20	29	66
1. SINGLE DX	10806	3.2	6	1	1	3	4	5	7	12
2. MULTIPLE DX	19062	4.5	21	1	2	3	5	8	11	21
A. NOT OPERATED	28365	3.8	10	1	1	3	5	7	9	16
B. OPERATED	1503	8.1	94	1	2	5	10	17	25	64
TOTAL 0-19 YRS	15853	3.1	5	1	1	3	4	5	6	11
20-34	4894	3.9	14	1	1	3	5	7	9	17
35-49	2747	4.8	24	1	2	4	6	9	11	21
50-64	2600	5.4	24	1	2	4	6	10	12	22
65+	3774	6.5	39	2	2	5	8	12	16	34
GRAND TOTAL	**29868**	**4.0**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.4	35	2	2	4	6	17	20	20
20-34	13	6.8	100	<1	1	3	6	17	34	38
35-49	7	28.4	1031	4	4	17	41	84	93	93
50-64	10	6.8	26	2	2	5	10	15	15	15
65+	14	11.6	50	3	4	9	18	19	24	26
B. *Operated*										
0-19 YRS	39	9.6	265	<1	<1	4	9	24	55	74
20-34	32	8.4	71	1	2	5	11	17	29	40
35-49	29	13.6	158	1	1	9	24	33	35	42
50-64	28	11.2	136	2	2	6	15	26	32	54
65+	17	15.5	163	2	2	14	21	34	43	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	17.9	341	1	3	10	28	38	62	69
20-34	31	10.7	134	1	1	8	12	29	39	51
35-49	27	18.0	459	1	3	9	21	57	77	77
50-64	59	9.6	53	2	3	8	12	19	25	37
65+	91	13.4	114	3	4	10	18	27	42	79
B. *Operated*										
0-19 YRS	25	12.2	124	1	2	9	20	32	56	99+
20-34	52	24.0	425	3	4	18	38	63	76	99+
35-49	49	19.4	273	3	4	14	31	48	81	99+
50-64	78	19.1	269	2	3	17	25	39	50	85
65+	95	23.5	407	2	4	19	33	59	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	10.8	214	2	2	6	15	20	36	91
B. *Operated*	145	11.1	165	1	1	6	14	30	36	62
2. MULTIPLE DX										
A. *Not Operated*	222	12.8	161	2	3	9	15	28	41	77
B. *Operated*	299	20.8	336	2	3	16	29	50	69	99+
1. SINGLE DX	199	11.0	177	1	1	6	14	27	37	68
2. MULTIPLE DX	521	17.4	277	2	3	12	23	42	60	99+
A. NOT OPERATED	276	12.4	171	2	3	8	15	26	40	77
B. OPERATED	444	17.6	300	1	2	13	25	45	60	99+
TOTAL 0-19 YRS	88	11.3	216	<1	1	6	14	31	49	90
20-34	128	15.1	284	1	2	9	18	41	53	86
35-49	112	18.1	334	1	2	12	25	45	74	99+
50-64	175	13.9	182	2	2	10	20	30	39	59
65+	217	17.8	265	3	4	14	23	43	58	99+
GRAND TOTAL	**720**	**15.7**	**257**	**1**	**2**	**10**	**21**	**39**	**53**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	850	2.8	7	1	1	2	3	4	5	8
20-34	314	3.0	2	1	1	3	4	5	5	7
35-49	84	3.5	3	1	2	3	5	6	7	9
50-64	35	3.9	4	1	2	4	5	6	8	9
65+	16	3.2	2	2	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	124	2.0	2	1	1	2	2	3	4	10
20-34	24	1.9	1	1	1	2	3	3	3	3
35-49	5	1.4		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1781	3.2	3	1	1	3	4	5	7	10
20-34	548	3.7	4	1	2	3	4	6	7	11
35-49	216	4.0	4	2	2	4	5	6	8	12
50-64	138	5.4	10	2	2	5	7	10	11	16
65+	96	6.3	26	2	3	5	7	11	15	32
B. *Operated*										
0-19 YRS	87	3.3	16	1	1	2	4	7	8	26
20-34	26	5.7	18	1	2	5	6	13	15	17
35-49	6	5.5	11	1	1	6	8	9	9	9
50-64	11	9.3	66	1	2	5	16	21	25	25
65+	5	18.2	138	12	12	12	22	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1299	2.9	5	1	1	3	4	5	5	8
B. *Operated*	153	1.9	2	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	2779	3.6	5	1	2	3	4	6	8	11
B. *Operated*	135	4.9	33	1	1	2	6	12	16	31
1. SINGLE DX	1452	2.8	5	1	1	2	3	5	5	8
2. MULTIPLE DX	2914	3.6	6	1	2	3	4	6	8	13
A. NOT OPERATED	4078	3.3	5	1	1	3	4	6	7	11
B. OPERATED	288	3.3	18	1	1	2	3	7	12	23
TOTAL 0-19 YRS	2842	3.0	5	1	1	3	4	5	6	9
20-34	912	3.4	4	1	2	3	4	5	7	11
35-49	311	3.9	4	1	2	3	5	6	7	10
50-64	184	5.3	13	2	2	4	7	9	11	20
65+	117	6.4	33	2	2	5	7	12	16	37
GRAND TOTAL	**4366**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1244	5.2	13	1	2	4	7	10	12	16
20-34	94	7.1	45	2	2	5	8	15	22	37
35-49	63	6.9	24	2	3	6	9	11	15	28
50-64	94	8.4	32	2	3	7	10	14	20	34
65+	244	10.1	54	3	4	9	12	17	22	53
B. Operated										
0-19 YRS	35	9.0	22	2	3	10	12	14	16	20
20-34	11	12.5	115	2	2	10	14	32	33	33
35-49	6	8.3	17	3	3	8	12	14	14	14
50-64	8	7.4	28	1	2	6	11	15	16	16
65+	17	18.3	194	6	7	12	22	45	51	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1930	6.6	24	2	2	5	9	12	15	25
20-34	592	10.1	77	2	3	7	12	22	28	42
35-49	702	10.6	65	3	4	9	13	19	27	42
50-64	1643	12.1	77	3	5	10	15	22	29	47
65+	6622	13.6	94	4	5	11	16	23	32	58
B. Operated										
0-19 YRS	166	14.1	144	3	4	11	16	31	40	70
20-34	216	17.5	203	4	5	12	23	39	50	99+
35-49	245	19.6	248	4	5	14	30	45	57	99+
50-64	564	22.3	272	6	7	18	29	46	61	99+
65+	1689	23.3	265	7	9	18	29	47	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1739	6.2	25	1	2	5	8	11	14	27
B. Operated	77	11.3	85	2	3	10	13	20	32	51
2. MULTIPLE DX										
A. Not Operated	11489	11.8	84	3	4	10	15	21	29	50
B. Operated	2880	21.8	259	5	7	17	28	45	61	99+
1. SINGLE DX	1816	6.4	28	2	2	5	8	12	15	29
2. MULTIPLE DX	14369	13.8	135	3	4	11	17	27	37	71
A. NOT OPERATED	13228	11.1	80	2	3	9	14	20	27	47
B. OPERATED	2957	21.5	258	5	7	17	28	45	60	99+
TOTAL 0-19 YRS	3375	6.5	29	2	2	5	8	12	15	29
20-34	913	11.5	116	2	3	8	14	25	34	58
35-49	1016	12.5	123	3	4	9	15	28	37	64
50-64	2309	14.4	144	4	5	11	17	29	39	72
65+	8572	15.4	142	4	6	12	18	29	40	76
GRAND TOTAL	**16185**	**13.0**	**128**	**3**	**3**	**10**	**16**	**26**	**35**	**68**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	903	7.0	19	2	2	6	10	13	15	21
20-34	203	5.7	18	2	2	4	7	11	13	17
35-49	125	6.8	32	2	3	5	9	14	17	33
50-64	111	6.0	21	2	2	4	7	14	16	24
65+	86	6.6	19	2	3	5	9	11	13	26
B. Operated										
0-19 YRS	60	7.9	81	1	1	5	11	14	16	51
20-34	22	10.0	131	1	1	7	11	28	36	46
35-49	19	9.2	32	1	2	9	12	16	20	23
50-64	23	9.4	141	1	1	6	13	18	32	57
65+	19	13.7	69	3	4	12	19	27	29	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	871	7.5	31	2	2	6	10	14	16	30
20-34	273	6.5	41	2	2	5	8	12	16	34
35-49	279	7.9	40	2	3	6	9	15	21	32
50-64	415	8.8	42	3	3	7	11	16	22	31
65+	742	11.1	108	3	4	8	13	20	31	70
B. Operated										
0-19 YRS	111	13.4	123	2	3	10	17	28	38	54
20-34	94	18.9	305	2	4	13	25	48	67	99+
35-49	94	17.7	236	3	4	13	24	37	45	76
50-64	149	19.1	338	2	4	13	28	45	58	99
65+	225	20.8	264	4	5	16	26	44	60	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1428	6.7	20	2	2	5	10	12	15	21
B. Operated	143	9.4	91	1	2	7	13	18	28	52
2. MULTIPLE DX										
A. Not Operated	2580	8.7	59	2	3	7	11	16	21	39
B. Operated	673	18.5	264	3	4	13	24	43	57	82
1. SINGLE DX	1571	6.9	27	2	2	6	10	13	15	26
2. MULTIPLE DX	3253	10.7	117	2	3	8	13	21	32	64
A. NOT OPERATED	4008	8.0	46	2	2	6	10	15	18	34
B. OPERATED	816	16.9	245	2	3	12	22	39	53	81
TOTAL 0-19 YRS	1945	7.6	34	2	2	6	10	14	16	29
20-34	592	8.3	99	2	2	5	9	16	29	65
35-49	517	9.5	86	2	3	7	11	19	27	45
50-64	698	10.6	125	2	3	7	13	21	31	62
65+	1072	12.8	151	3	4	9	15	26	36	72
GRAND TOTAL	**4824**	**9.5**	**91**	**2**	**3**	**7**	**11**	**18**	**27**	**56**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3845	3.4	4	1	1	3	4	6	7	11
20-34	2102	3.9	6	1	2	3	5	7	8	12
35-49	418	4.5	7	2	2	4	6	9	10	13
50-64	70	4.7	10	2	2	4	6	10	11	16
65+	24	5.9	10	1	2	5	8	10	12	13
B. *Operated*										
0-19 YRS	54	5.0	17	1	2	4	6	9	12	26
20-34	49	3.8	8	1	2	3	5	8	10	15
35-49	10	5.0	12	2	2	4	6	10	13	13
50-64	6	8.3	7	4	4	8	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1493	4.3	10	1	2	4	5	8	10	15
20-34	988	4.9	13	1	2	4	6	9	11	19
35-49	286	6.0	15	2	2	5	8	11	15	19
50-64	114	8.5	64	2	3	7	10	15	20	48
65+	69	11.4	91	2	3	9	13	24	34	92
B. *Operated*										
0-19 YRS	66	6.6	21	1	2	5	8	13	15	25
20-34	56	6.9	19	2	3	7	8	11	19	95
35-49	23	13.0	121	4	4	11	18	30	67	99+
50-64	18	21.8	353	4	5	17	30	53	64	68
65+	18	15.2	91	4	6	12	19	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6459	3.7	5	1	2	3	5	6	8	11
B. *Operated*	119	4.7	13	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	2950	5.0	17	1	2	4	6	9	12	21
B. *Operated*	181	9.9	95	2	3	7	12	20	31	89
1. SINGLE DX	6578	3.7	5	1	2	3	5	6	8	12
2. MULTIPLE DX	3131	5.3	23	1	2	4	6	10	13	27
A. NOT OPERATED	9409	4.1	9	1	2	3	5	7	9	15
B. OPERATED	300	7.8	69	2	2	5	9	16	25	63
TOTAL 0-19 YRS	5458	3.7	6	1	2	3	4	6	8	12
20-34	3195	4.3	8	1	2	4	5	7	9	16
35-49	737	5.4	16	2	2	4	7	10	13	20
50-64	208	8.4	88	2	2	6	10	16	22	63
65+	111	10.8	81	2	3	9	13	24	33	76
GRAND TOTAL	**9709**	**4.2**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1175	3.4	6	1	1	3	4	6	7	12
20-34	316	4.6	8	1	2	4	6	8	9	15
35-49	150	5.3	13	1	2	5	7	9	12	19
50-64	254	5.7	17	1	2	5	7	10	14	24
65+	579	6.7	21	2	2	6	8	12	15	24
B. *Operated*										
0-19 YRS	22	8.0	198	<1	<1	4	6	21	45	62
20-34	29	4.1	13	<1	<1	3	6	10	11	14
35-49	18	6.1	28	<1	<1	5	8	13	18	21
50-64	20	6.0	16	<1	2	5	8	11	14	17
65+	43	6.9	22	2	2	5	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2227	3.9	9	1	1	3	5	7	9	14
20-34	491	5.7	18	2	2	5	7	10	12	19
35-49	367	6.9	18	2	3	6	8	12	14	24
50-64	969	7.5	40	2	3	6	9	14	18	31
65+	3380	9.7	63	2	3	8	12	19	25	41
B. *Operated*										
0-19 YRS	68	9.9	77	2	3	7	13	22	29	90
20-34	64	9.1	95	1	2	6	9	21	30	52
35-49	45	10.8	152	2	2	7	13	21	31	74
50-64	136	13.2	189	2	3	9	16	29	47	99+
65+	363	16.4	219	3	4	12	20	36	45	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2474	4.7	13	1	1	4	6	9	11	19
B. *Operated*	132	6.2	49	<1	<1	5	8	12	16	38
2. MULTIPLE DX										
A. *Not Operated*	7434	7.3	45	2	2	5	9	14	19	34
B. *Operated*	676	14.0	190	2	3	10	17	32	42	86
1. SINGLE DX	2606	4.7	15	1	1	4	6	9	12	20
2. MULTIPLE DX	8110	7.8	60	2	2	6	9	16	21	40
A. NOT OPERATED	9908	6.6	38	1	2	5	8	13	18	32
B. OPERATED	808	12.8	175	1	3	9	16	28	40	79
TOTAL 0-19 YRS	3492	3.9	12	1	1	3	5	7	9	15
20-34	900	5.5	21	1	2	5	7	9	12	21
35-49	580	6.7	29	2	2	6	8	12	15	27
50-64	1379	7.7	54	2	2	6	9	14	19	38
65+	4365	9.8	75	2	3	8	12	19	26	44
GRAND TOTAL	**10716**	**7.1**	**51**	**1**	**2**	**5**	**8**	**14**	**20**	**37**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	459	5.6	13	1	2	5	7	9	12	21
20-34	1390	6.9	19	2	3	6	9	12	16	23
35-49	451	7.4	25	2	3	6	10	14	17	22
50-64	190	8.6	52	2	3	7	11	16	23	42
65+	85	7.5	25	2	3	7	9	12	14	33
B. *Operated*										
0-19 YRS	5	8.0	114	1	1	2	11	30	30	30
20-34	59	6.5	36	<1	1	6	9	13	17	32
35-49	48	6.4	38	1	1	4	9	15	21	24
50-64	27	8.0	42	1	1	7	12	20	22	22
65+	17	9.9	60	<1	1	10	15	21	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	6.3	17	2	2	5	8	11	15	21
20-34	941	7.7	38	2	3	6	9	14	19	29
35-49	428	9.0	34	3	3	7	11	16	20	32
50-64	389	9.9	57	2	3	8	12	18	24	39
65+	386	10.5	54	3	4	9	13	18	24	39
B. *Operated*										
0-19 YRS	15	11.6	52	2	3	11	15	17	28	32
20-34	105	12.5	128	2	3	10	15	27	37	60
35-49	70	12.6	103	2	2	10	17	29	33	90
50-64	94	13.9	169	1	3	11	16	27	39	74
65+	99	15.4	192	2	4	13	19	31	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2575	6.9	22	2	2	6	9	12	16	24
B. *Operated*	156	7.1	43	1	1	5	10	16	22	30
2. MULTIPLE DX										
A. *Not Operated*	2404	8.6	42	2	3	7	11	16	20	32
B. *Operated*	383	13.6	147	2	3	11	17	28	37	61
1. SINGLE DX	2731	6.9	23	2	2	6	9	12	16	24
2. MULTIPLE DX	2787	9.3	60	2	3	7	12	17	22	39
A. NOT OPERATED	4979	7.7	32	2	3	6	10	14	18	28
B. OPERATED	539	11.7	126	1	2	9	15	24	33	59
TOTAL 0-19 YRS	739	6.0	17	2	2	5	8	11	14	22
20-34	2495	7.4	32	2	3	6	9	13	18	26
35-49	997	8.4	37	2	3	7	11	16	20	33
50-64	700	10.0	72	2	3	8	13	18	25	45
65+	587	10.9	78	3	4	9	14	19	25	49
GRAND TOTAL	**5518**	**8.1**	**43**	**2**	**3**	**7**	**10**	**15**	**19**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2038	4.1	6	1	2	4	5	7	8	12
20-34	627	4.8	8	1	2	4	6	8	10	15
35-49	112	5.3	8	2	2	5	7	9	11	14
50-64	30	7.8	21	3	3	7	11	13	16	22
65+	4	8.3	22	4	4	7	11	15	15	15
B. *Operated*										
0-19 YRS	26	6.0	22	1	1	5	8	13	17	20
20-34	23	6.7	31	1	2	4	10	15	19	22
35-49	6	6.3	7	3	3	6	8	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2455	4.5	7	2	2	4	5	8	9	14
20-34	813	5.3	15	2	2	4	6	9	11	18
35-49	122	6.5	18	2	3	6	8	12	13	27
50-64	47	7.3	30	2	2	6	8	15	19	26
65+	17	8.6	84	2	2	7	9	12	31	42
B. *Operated*										
0-19 YRS	81	7.3	55	1	2	6	9	14	15	50
20-34	46	8.8	41	2	3	8	11	20	22	31
35-49	8	9.3	33	5	5	8	9	19	23	23
50-64	6	13.2	35	7	7	11	19	22	22	22
65+	4	12.0	66	7	7	9	17	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2811	4.4	7	1	2	4	5	8	9	14
B. *Operated*	55	6.3	24	1	1	5	8	13	17	22
2. MULTIPLE DX										
A. *Not Operated*	3454	4.8	10	2	2	4	6	8	10	15
B. *Operated*	145	8.2	50	1	3	6	10	15	22	35
1. SINGLE DX	2866	4.4	7	1	2	4	6	8	9	15
2. MULTIPLE DX	3599	4.9	12	2	2	4	6	9	11	16
A. NOT OPERATED	6265	4.6	9	2	2	4	6	8	10	15
B. OPERATED	200	7.7	43	1	2	6	10	15	21	32
TOTAL 0-19 YRS	4600	4.4	7	1	2	4	5	8	9	14
20-34	1509	5.2	14	2	2	4	6	9	11	20
35-49	248	6.0	14	2	2	5	8	10	13	23
50-64	83	7.9	28	2	3	7	11	15	20	25
65+	25	9.1	68	2	2	7	10	15	28	42
GRAND TOTAL	**6465**	**4.7**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	4.2	8	1	2	4	5	7	8	15
20-34	154	4.2	6	1	2	4	5	7	9	14
35-49	76	4.5	7	2	2	4	5	10	11	13
50-64	32	5.8	23	2	2	5	6	11	12	27
65+	20	6.9	13	2	2	7	9	12	13	14
B. *Operated*										
0-19 YRS	9	3.6	4	1	1	4	5	6	7	7
20-34	6	5.7	8	3	3	5	6	10	11	11
35-49	5	8.8	21	3	3	7	13	14	14	14
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	4.7	6	1	2	4	6	8	10	12
20-34	100	5.0	18	2	2	4	6	8	10	26
35-49	74	5.4	7	2	2	5	7	9	11	14
50-64	47	7.2	22	2	3	6	9	13	18	22
65+	49	8.8	28	3	3	8	11	15	18	26
B. *Operated*										
0-19 YRS	6	6.7	1	3	3	6	9	13	13	13
20-34	10	8.1	1	3	3	8	11	13	15	15
35-49	7	13.0	6	5	5	9	20	24	25	25
50-64	4	12.5	3	7	7	12	17	19	19	19
65+	9	16.7	31	4	5	12	22	40	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	4.5	9	1	2	4	5	8	10	14
B. *Operated*	22	5.5	13	1	2	5	7	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	384	5.7	16	2	2	5	7	10	13	22
B. *Operated*	36	11.4	80	3	3	9	14	22	25	50
1. SINGLE DX	535	4.5	9	1	2	4	5	8	10	14
2. MULTIPLE DX	420	6.2	24	2	2	5	7	11	15	25
A. NOT OPERATED	897	5.0	12	2	2	4	6	9	11	17
B. OPERATED	58	9.2	62	2	3	7	12	18	23	48
TOTAL 0-19 YRS	360	4.4	7	1	2	4	5	8	10	14
20-34	270	4.7	11	1	2	4	6	8	10	15
35-49	162	5.4	13	2	2	4	6	10	12	21
50-64	84	6.9	24	2	3	6	9	12	18	25
65+	79	9.1	50	2	3	8	11	15	23	43
GRAND TOTAL	**955**	**5.2**	**16**	**2**	**2**	**4**	**6**	**10**	**12**	**22**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	366	4.8	8	1	2	4	6	8	10	14
20-34	538	4.7	8	1	2	4	6	8	10	16
35-49	88	5.0	12	1	1	5	7	10	11	17
50-64	35	4.9	21	<1	1	4	8	13	14	17
65+	30	5.5	21	1	1	4	7	12	16	17
B. *Operated*										
0-19 YRS	59	3.4	5	<1	1	3	5	7	8	10
20-34	223	3.3	9	<1	<1	2	4	8	10	14
35-49	61	3.8	21	<1	1	2	4	9	13	26
50-64	22	5.0	14	2	2	4	7	10	14	15
65+	9	3.0	7	<1	<1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	6.0	16	2	3	5	8	10	13	20
20-34	492	5.6	17	2	2	5	7	10	12	19
35-49	116	6.7	24	1	2	6	9	14	16	25
50-64	76	9.1	59	1	1	8	12	16	26	37
65+	151	10.1	92	1	2	8	13	19	25	84
B. *Operated*										
0-19 YRS	52	6.7	72	<1	1	4	9	14	19	54
20-34	174	6.9	105	1	1	5	8	11	18	71
35-49	82	8.2	76	<1	1	6	11	19	27	45
50-64	38	8.7	81	1	2	6	12	23	28	42
65+	45	15.0	203	2	2	10	23	39	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1057	4.8	9	1	2	4	6	8	10	16
B. *Operated*	374	3.5	11	<1	<1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1109	6.7	33	1	2	5	8	13	16	30
B. *Operated*	391	8.3	109	1	1	5	10	18	29	56
1. SINGLE DX	1431	4.4	10	1	1	4	6	8	10	16
2. MULTIPLE DX	1500	7.1	53	1	2	5	9	13	18	39
A. NOT OPERATED	2166	5.7	22	1	2	5	7	10	13	23
B. OPERATED	765	5.9	66	<1	1	3	7	12	18	42
TOTAL 0-19 YRS	751	5.2	16	1	2	4	6	9	11	19
20-34	1427	5.1	24	1	2	4	6	9	11	20
35-49	347	6.1	35	1	1	5	8	13	17	32
50-64	171	7.6	53	1	1	5	11	15	23	37
65+	235	10.2	109	1	2	7	13	21	32	87
GRAND TOTAL	**2931**	**5.8**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	3.4	9	<1	<1	3	4	7	9	16
20-34	55	5.3	18	<1	2	4	7	9	15	24
35-49	34	8.8	76	<1	1	7	11	22	31	34
50-64	36	7.1	45	<1	1	5	9	12	13	41
65+	28	8.4	139	1	1	6	10	14	22	64
B. Operated										
0-19 YRS	24	5.9	55	<1	<1	4	7	12	20	36
20-34	53	10.1	173	<1	1	6	13	26	36	74
35-49	84	9.8	146	1	2	7	11	20	25	74
50-64	88	9.2	111	1	2	6	11	22	32	56
65+	53	8.7	151	1	1	7	10	16	21	83
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	321	4.7	13	<1	1	4	6	9	12	17
20-34	145	7.0	62	1	1	5	8	13	21	48
35-49	148	9.0	115	1	3	6	10	15	27	60
50-64	209	10.2	176	1	2	7	11	18	31	82
65+	361	10.7	106	2	3	8	13	19	26	73
B. Operated										
0-19 YRS	31	14.8	324	<1	1	8	20	43	60	64
20-34	95	17.4	397	1	2	9	25	49	81	99+
35-49	151	16.2	303	2	3	10	19	38	56	84
50-64	221	14.5	248	2	2	9	17	36	51	98
65+	244	17.7	301	2	3	12	23	43	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	276	5.4	40	<1	<1	4	7	10	15	34
B. Operated	302	9.3	134	<1	1	6	11	19	29	71
2. MULTIPLE DX										
A. Not Operated	1184	8.3	95	1	2	6	10	16	21	60
B. Operated	742	16.3	299	2	3	10	20	42	60	99+
1. SINGLE DX	578	7.5	93	<1	1	5	9	15	23	57
2. MULTIPLE DX	1926	11.4	188	1	2	7	13	25	42	83
A. NOT OPERATED	1460	7.6	86	<1	1	5	9	15	20	56
B. OPERATED	1044	14.3	261	1	2	9	17	37	54	95
TOTAL 0-19 YRS	499	5.1	39	<1	1	4	6	10	14	37
20-34	348	10.1	184	1	1	6	10	25	38	88
35-49	417	11.8	196	1	2	7	14	25	39	75
50-64	554	11.6	191	1	2	8	12	25	44	81
65+	686	12.9	192	1	2	9	15	29	42	90
GRAND TOTAL	**2504**	**10.5**	**169**	**1**	**2**	**7**	**12**	**23**	**37**	**78**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.1	6	1	1	3	4	7	7	8
20-34	22	6.3	16	<1	1	5	9	13	14	16
35-49	17	4.5	6	1	1	5	6	7	9	10
50-64	9	6.0	11	2	2	5	8	11	12	12
65+	7	5.4	20	3	3	3	6	13	15	15
B. Operated										
0-19 YRS	35	4.9	9	2	3	4	5	10	11	16
20-34	17	6.8	25	1	1	7	10	15	16	16
35-49	9	6.1	47	1	1	3	11	17	21	21
50-64	6	8.8	96	1	1	6	9	26	28	28
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	4.7	21	1	1	4	6	9	10	31
20-34	35	6.2	25	2	2	5	7	13	19	22
35-49	27	6.0	23	1	2	4	8	11	13	25
50-64	14	5.8	35	2	2	4	7	10	22	25
65+	18	9.7	69	2	4	6	14	25	30	30
B. Operated										
0-19 YRS	29	4.3	7	2	2	3	5	7	10	15
20-34	39	8.5	83	1	2	6	10	17	30	46
35-49	19	9.3	72	1	1	6	12	23	28	33
50-64	17	20.9	489	4	4	14	22	66	76	82
65+	11	12.7	125	3	4	8	14	33	38	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	4.8	11	1	1	4	7	9	12	16
B. Operated	69	5.7	25	1	1	4	7	11	16	27
2. MULTIPLE DX										
A. Not Operated	157	5.9	30	1	2	4	7	11	16	30
B. Operated	115	9.8	148	2	2	6	11	22	36	63
1. SINGLE DX	149	5.2	18	1	1	4	7	10	14	21
2. MULTIPLE DX	272	7.6	83	1	2	5	8	15	25	45
A. NOT OPERATED	237	5.6	24	1	2	4	7	10	14	29
B. OPERATED	184	8.3	105	1	2	5	10	16	27	47
TOTAL 0-19 YRS	152	4.4	13	1	2	3	5	8	10	16
20-34	113	7.1	64	1	2	5	9	14	17	40
35-49	72	6.5	37	1	1	5	8	12	22	31
50-64	46	11.8	247	2	3	7	14	26	44	82
65+	38	9.4	78	2	3	6	11	25	30	39
GRAND TOTAL	**421**	**6.8**	**61**	**1**	**2**	**5**	**8**	**13**	**20**	**40**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	4.1	10	<1	1	3	6	7	9	17
20-34	158	4.2	10	1	1	3	5	8	10	19
35-49	105	4.9	9	1	2	4	6	9	10	17
50-64	34	5.9	11	2	3	5	7	12	12	16
65+	18	6.6	28	1	2	5	8	13	20	23
B. *Operated*										
0-19 YRS	32	4.7	9	1	1	4	7	9	10	12
20-34	552	5.1	19	1	2	4	7	10	13	21
35-49	350	4.9	17	1	1	3	7	10	12	21
50-64	110	6.3	32	1	2	4	8	16	19	25
65+	28	7.1	30	1	2	6	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	6.4	21	2	2	5	8	12	15	26
20-34	354	6.5	40	1	2	5	8	12	17	34
35-49	337	7.9	45	2	2	6	10	15	21	35
50-64	246	8.9	36	2	3	7	12	16	22	30
65+	211	9.9	61	3	3	8	12	21	23	41
B. *Operated*										
0-19 YRS	51	10.0	68	1	2	8	14	23	26	35
20-34	505	10.0	104	2	2	7	13	22	30	55
35-49	456	11.7	160	2	2	8	15	24	35	71
50-64	243	13.8	172	2	3	9	18	29	44	60
65+	135	14.7	150	2	3	12	20	31	44	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	4.6	11	1	1	4	6	8	10	19
B. *Operated*	1072	5.2	20	1	2	4	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	1355	7.8	42	2	2	6	10	15	20	34
B. *Operated*	1390	11.7	140	2	2	8	15	25	35	61
1. SINGLE DX	1492	5.0	17	1	2	4	7	10	13	21
2. MULTIPLE DX	2745	9.8	96	2	2	7	12	21	27	53
A. NOT OPERATED	1775	7.0	37	1	2	5	9	14	19	32
B. OPERATED	2462	8.9	98	1	2	6	11	20	26	54
TOTAL 0-19 YRS	395	6.1	26	1	2	5	8	11	16	28
20-34	1569	6.9	55	1	2	5	8	14	20	40
35-49	1248	8.2	85	1	2	6	10	17	23	52
50-64	633	10.2	95	2	2	7	13	22	28	54
65+	392	11.2	95	2	3	8	14	23	31	51
GRAND TOTAL	**4237**	**8.1**	**73**	**1**	**2**	**5**	**10**	**17**	**23**	**45**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	22	2	2	6	10	11	11	11
20-34										
35-49	3	13.3	32	7	7	15	17	18	18	18
50-64	5	9.2	41	5	5	6	12	20	20	20
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	4	20.0	31	15	15	18	23	28	28	28
50-64	8	8.0	71	1	1	5	11	22	26	26
65+	3	10.3	72	2	2	10	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	9	1	1	4	6	9	9	9
20-34	6	6.3	29	1	1	4	11	15	15	15
35-49	13	7.9	31	2	3	7	10	14	21	23
50-64	21	4.7	11	1	1	4	7	9	11	12
65+	28	7.8	36	2	3	6	10	14	17	31
B. *Operated*										
0-19 YRS	10	4.0	3	2	2	4	5	6	7	7
20-34	14	6.2	19	2	2	6	6	9	18	20
35-49	20	7.0	23	1	1	6	10	14	15	16
50-64	21	10.5	90	2	2	10	13	16	31	46
65+	16	17.3	322	<1	2	8	30	47	50	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	9.0	33	2	3	7	12	18	20	20
B. *Operated*	18	10.1	80	1	1	8	18	24	27	28
2. MULTIPLE DX										
A. *Not Operated*	75	6.5	26	1	1	5	9	12	15	29
B. *Operated*	81	9.4	111	2	2	6	11	19	36	50
1. SINGLE DX	31	9.6	59	1	2	8	15	20	26	28
2. MULTIPLE DX	156	8.0	72	1	2	6	10	15	26	48
A. NOT OPERATED	88	6.9	27	1	2	5	10	13	16	28
B. OPERATED	99	9.5	105	1	2	6	11	20	30	50
TOTAL 0-19 YRS	21	4.6	8	1	2	4	6	9	10	11
20-34	23	5.7	20	1	2	5	6	12	17	20
35-49	40	9.1	41	1	2	8	13	18	21	28
50-64	55	7.8	57	1	1	6	10	15	19	45
65+	48	11.1	147	2	2	6	12	30	43	51
GRAND TOTAL	**187**	**8.3**	**70**	**1**	**2**	**6**	**10**	**16**	**26**	**47**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.4	5	1	1	4	6	7	8	9
20-34	11	4.8	6	1	2	5	6	8	9	9
35-49	54	6.7	157	1	2	5	7	9	10	92
50-64	188	6.8	59	1	1	5	8	15	20	44
65+	133	5.9	34	1	1	4	7	13	18	30
B. *Operated*										
0-19 YRS	24	3.8	8	1	2	3	5	6	10	15
20-34	98	4.9	24	1	1	3	6	9	17	27
35-49	302	6.9	79	1	1	4	8	15	19	46
50-64	938	6.4	65	1	1	4	8	14	20	46
65+	960	6.2	54	1	1	4	7	14	19	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.2	12	1	2	4	7	10	12	17
20-34	41	8.5	115	1	2	6	9	16	23	66
35-49	175	7.4	64	1	1	5	9	14	26	43
50-64	630	8.5	88	1	2	6	9	19	29	52
65+	738	9.7	101	1	2	7	12	22	31	55
B. *Operated*										
0-19 YRS	21	5.3	16	1	1	4	8	11	14	14
20-34	74	10.9	125	1	2	7	15	28	34	56
35-49	415	13.8	215	1	2	9	18	31	46	83
50-64	1696	13.5	189	2	2	9	19	31	42	77
65+	2164	12.9	206	2	2	8	17	30	48	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	6.3	60	1	1	5	7	12	18	39
B. *Operated*	2322	6.3	60	1	1	4	8	14	19	42
2. MULTIPLE DX										
A. *Not Operated*	1625	8.9	91	1	2	6	10	19	30	54
B. *Operated*	4370	13.2	198	2	2	9	17	31	45	84
1. SINGLE DX	2724	6.3	60	1	1	4	8	14	19	42
2. MULTIPLE DX	5995	12.0	173	1	2	8	16	28	40	78
A. NOT OPERATED	2027	8.4	86	1	2	6	10	18	28	52
B. OPERATED	6692	10.8	161	1	2	6	14	26	37	75
TOTAL 0-19 YRS	102	4.7	11	1	1	4	6	9	12	16
20-34	224	7.6	80	1	2	5	9	16	25	46
35-49	946	10.0	151	1	2	6	12	24	35	70
50-64	3452	10.3	140	1	2	6	13	25	35	66
65+	3995	10.5	153	1	2	6	13	24	37	77
GRAND TOTAL	**8719**	**10.2**	**148**	**1**	**2**	**6**	**13**	**24**	**35**	**70**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	8.3	98	1	1	4	9	27	30	30
50-64	88	6.6	32	1	2	5	7	16	18	30
65+	110	7.1	58	1	2	5	9	14	17	46
B. *Operated*										
0-19 YRS										
20-34	6	6.3	15	3	3	5	9	13	13	13
35-49	39	13.9	252	1	2	11	15	25	38	94
50-64	177	13.2	149	2	2	11	17	29	36	81
65+	237	11.3	121	1	2	7	16	25	33	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	6.0	19	2	2	5	7	15	15	15
35-49	57	11.7	128	2	2	9	14	27	31	64
50-64	342	8.7	97	1	2	6	10	20	30	56
65+	532	9.7	95	1	2	7	12	20	29	48
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	6	11.2	33	1	2	12	15	17	17	17
35-49	106	19.3	204	2	4	15	26	43	51	76
50-64	687	18.6	229	2	4	15	24	37	50	84
65+	1041	19.7	319	2	3	14	26	47	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	7.0	49	1	2	5	8	15	18	41
B. *Operated*	459	12.2	142	1	2	9	16	26	35	62
2. MULTIPLE DX										
A. *Not Operated*	944	9.4	97	1	2	6	11	20	30	52
B. *Operated*	1842	19.2	278	2	3	15	25	43	56	93
1. SINGLE DX	668	10.6	119	1	2	7	14	24	32	49
2. MULTIPLE DX	2786	15.9	238	2	3	11	21	37	50	87
A. NOT OPERATED	1153	9.0	89	1	2	6	11	19	28	50
B. OPERATED	2301	17.8	258	2	3	14	24	40	53	92
TOTAL 0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	25	7.3	24	2	2	5	11	15	16	17
35-49	213	15.7	199	2	2	12	21	37	44	76
50-64	1294	14.4	191	2	2	10	19	32	43	77
65+	1920	15.1	242	2	2	10	20	36	49	87
GRAND TOTAL	**3454**	**14.8**	**219**	**2**	**2**	**10**	**20**	**34**	**47**	**85**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	17	6.5	43	1	1	5	8	12	23	28
50-64	53	7.2	51	1	2	5	10	15	17	43
65+	115	7.7	83	1	1	5	9	16	25	55
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	11.2	57	1	2	9	17	22	25	25
35-49	66	15.5	107	4	5	14	19	24	35	60
50-64	216	13.6	98	2	4	12	17	24	28	58
65+	377	15.1	110	2	3	13	20	27	32	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	21	8.0	105	1	1	4	10	19	35	43
35-49	102	6.5	62	1	1	4	8	13	23	46
50-64	387	9.0	77	1	2	5	10	17	24	49
65+	1003	9.6	82	2	2	7	12	20	26	44
B. *Operated*										
0-19 YRS	5	15.4	65	5	5	18	22	24	24	24
20-34	48	15.9	210	3	4	13	19	26	35	95
35-49	254	18.5	178	3	6	15	24	36	45	67
50-64	1087	19.5	174	5	7	16	24	36	47	78
65+	2544	20.7	188	4	7	18	26	39	49	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	7.4	68	1	1	5	9	15	23	47
B. *Operated*	669	14.6	105	2	4	13	19	26	32	53
2. MULTIPLE DX										
A. *Not Operated*	1515	9.0	80	1	2	6	11	19	25	45
B. *Operated*	3938	20.2	184	4	7	17	25	38	48	77
1. SINGLE DX	858	13.0	106	1	2	11	17	25	30	51
2. MULTIPLE DX	5453	17.0	180	2	4	14	22	34	44	71
A. NOT OPERATED	1704	8.8	79	1	2	6	11	18	25	45
B. OPERATED	4607	19.3	177	4	6	16	24	36	46	74
TOTAL 0-19 YRS	11	9.3	63	3	3	5	16	22	24	24
20-34	79	13.2	173	1	2	11	17	25	31	81
35-49	439	14.8	161	1	2	12	20	31	41	62
50-64	1743	15.8	164	2	3	13	20	31	42	68
65+	4039	17.1	176	2	4	14	23	34	44	71
GRAND TOTAL	**6311**	**16.5**	**172**	**2**	**4**	**14**	**22**	**33**	**43**	**69**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	12.0		12	12	12	12	12	12	12
50-64	5	10.2	125	3	3	4	16	29	29	29
65+	6	6.8	21	3	3	5	6	15	16	16
B. *Operated*										
0-19 YRS	3	13.3	6	11	11	13	15	16	16	16
20-34	3	16.0	100	6	6	16	23	26	26	26
35-49	12	15.3	79	7	8	12	20	28	36	37
50-64	28	15.6	106	5	6	12	21	31	33	46
65+	24	16.4	90	4	7	14	22	33	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	16	6.3	27	1	1	5	7	15	19	20
50-64	38	9.3	87	1	2	5	13	23	28	42
65+	77	8.6	93	1	2	5	9	20	29	54
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	14	21.4	366	8	10	16	22	35	73	84
35-49	51	15.8	125	4	6	12	21	30	38	55
50-64	186	20.2	210	7	9	17	24	37	47	92
65+	322	21.1	187	7	9	17	26	41	55	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	7.9	53	3	3	5	12	17	26	29
B. *Operated*	70	15.8	87	6	7	13	22	30	35	44
2. MULTIPLE DX										
A. *Not Operated*	133	8.4	82	1	2	5	9	21	27	48
B. *Operated*	574	20.3	194	7	8	17	24	39	51	92
1. SINGLE DX	84	14.5	90	3	5	12	20	29	34	43
2. MULTIPLE DX	707	18.1	195	3	5	15	23	36	46	86
A. NOT OPERATED	147	8.4	79	1	2	5	9	20	27	46
B. OPERATED	644	19.8	184	7	8	16	24	37	43	88
TOTAL 0-19 YRS	4	14.3	8	11	11	14	16	17	17	17
20-34	21	17.0	304	2	3	13	20	28	54	84
35-49	80	13.8	109	2	4	11	18	26	37	53
50-64	257	17.9	194	3	5	14	22	34	45	87
65+	429	18.4	187	3	5	15	23	36	49	78
GRAND TOTAL	**791**	**17.7**	**185**	**3**	**5**	**14**	**22**	**34**	**45**	**83**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.0	27	2	2	5	10	13	13	13
35-49	25	4.7	14	<1	1	4	6	9	15	15
50-64	99	5.4	31	1	1	4	7	10	18	31
65+	240	5.9	32	1	1	4	7	11	17	29
B. *Operated*										
0-19 YRS	8	13.3	93	3	4	9	20	29	30	30
20-34	39	12.7	81	2	4	10	16	24	28	48
35-49	267	11.1	23	3	6	11	13	16	19	24
50-64	1184	12.0	28	5	7	11	14	18	21	28
65+	2175	13.8	57	3	8	12	16	22	26	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.4	60	5	5	7	9	20	31	31
20-34	41	8.2	59	1	1	5	10	18	24	39
35-49	224	7.6	76	1	2	5	9	18	24	41
50-64	950	7.8	49	2	2	6	9	15	21	35
65+	2767	9.7	87	2	2	7	12	21	28	49
B. *Operated*										
0-19 YRS	22	14.5	82	4	5	12	21	26	33	37
20-34	137	15.6	117	5	6	13	18	27	35	62
35-49	854	14.6	83	4	7	13	17	24	31	58
50-64	4627	15.8	89	6	8	14	19	27	33	57
65+	14184	18.9	131	7	9	16	23	33	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	5.7	30	1	1	4	7	11	17	28
B. *Operated*	3673	13.0	46	3	7	12	15	20	24	39
2. MULTIPLE DX										
A. *Not Operated*	3992	9.1	78	2	2	6	11	19	26	46
B. *Operated*	19824	18.0	121	7	9	15	22	31	39	67
1. SINGLE DX	4041	12.3	49	2	5	12	15	20	24	37
2. MULTIPLE DX	23816	16.5	125	3	5	14	21	30	37	63
A. NOT OPERATED	4360	8.8	75	1	2	6	11	19	25	44
B. OPERATED	23497	17.2	113	6	8	15	21	29	37	63
TOTAL 0-19 YRS	40	13.0	79	4	5	9	18	28	31	37
20-34	221	13.6	106	2	4	12	17	25	32	51
35-49	1370	12.6	77	2	4	11	16	22	27	54
50-64	6860	13.9	81	3	5	12	17	24	30	50
65+	19366	16.9	128	3	6	14	21	30	38	64
GRAND TOTAL	**27857**	**15.9**	**116**	**3**	**5**	**14**	**20**	**28**	**36**	**60**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	3.7	3	1	1	4	4	6	7	7
35-49	22	3.2	6	<1	<1	3	4	7	8	8
50-64	108	6.1	51	1	1	4	7	14	18	41
65+	214	6.2	42	1	2	4	7	13	17	29
B. *Operated*										
0-19 YRS	4	7.3	16	4	4	7	10	12	12	12
20-34	44	10.3	38	2	3	10	13	18	23	25
35-49	227	11.0	53	2	2	10	15	19	24	36
50-64	952	12.2	43	2	3	12	16	20	24	30
65+	1567	13.4	86	2	3	13	17	23	28	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	8.4	49	1	2	6	13	19	23	26
35-49	168	8.6	98	1	2	5	10	17	26	61
50-64	622	8.9	92	1	2	5	10	20	28	50
65+	1587	10.0	102	2	2	7	12	21	30	52
B. *Operated*										
0-19 YRS	8	24.6	219	10	11	20	30	50	56	56
20-34	72	15.6	61	6	8	14	21	26	36	86
35-49	516	15.3	88	3	5	13	19	26	33	57
50-64	2874	16.8	105	4	7	15	20	29	37	58
65+	6516	19.2	150	4	7	17	24	34	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	5.9	42	1	1	4	7	12	16	28
B. *Operated*	2794	12.8	69	2	3	12	16	21	26	43
2. MULTIPLE DX										
A. *Not Operated*	2403	9.6	99	2	2	6	12	21	29	51
B. *Operated*	9986	18.3	135	4	7	16	23	32	41	67
1. SINGLE DX	3150	12.0	70	2	3	11	16	21	26	42
2. MULTIPLE DX	12389	16.6	140	3	4	14	21	31	39	65
A. NOT OPERATED	2759	9.1	93	1	2	6	11	20	28	51
B. OPERATED	12780	17.0	126	3	5	15	21	30	38	64
TOTAL 0-19 YRS	14	16.4	223	1	2	12	21	37	52	56
20-34	152	12.0	62	2	3	11	17	24	26	38
35-49	933	12.8	89	2	3	11	16	24	29	54
50-64	4556	14.5	100	2	4	13	18	26	33	53
65+	9884	16.5	145	3	4	14	21	31	39	66
GRAND TOTAL	**15539**	**15.6**	**129**	**2**	**4**	**14**	**20**	**29**	**37**	**62**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.2	52	1	1	2	4	5	15	38
20-34	11	5.8	17	1	1	5	10	11	12	12
35-49	40	5.6	59	<1	1	4	6	12	17	45
50-64	64	6.5	33	1	1	5	9	12	20	27
65+	113	7.0	48	1	1	5	8	14	19	42
B. *Operated*										
0-19 YRS	40	12.1	130	2	2	9	15	25	28	66
20-34	24	9.7	34	2	2	8	14	18	20	22
35-49	75	10.6	36	2	4	9	13	19	22	32
50-64	158	13.3	105	2	3	11	18	27	31	45
65+	227	12.7	81	2	2	11	17	24	27	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.5	31	1	1	4	6	12	18	29
20-34	41	5.3	18	1	1	4	7	12	13	18
35-49	107	9.3	134	1	1	5	12	19	33	60
50-64	317	8.2	77	1	1	6	10	19	24	43
65+	768	10.7	87	2	2	8	14	22	29	49
B. *Operated*										
0-19 YRS	37	18.4	261	2	4	12	25	49	53	63
20-34	64	15.0	165	3	3	11	19	30	53	95
35-49	188	15.5	128	2	4	13	20	30	41	89
50-64	675	17.9	163	4	6	15	23	34	45	67
65+	1583	20.5	178	5	8	18	26	38	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	6.3	45	1	1	5	8	12	19	41
B. *Operated*	524	12.4	84	2	3	11	16	24	28	47
2. MULTIPLE DX										
A. *Not Operated*	1298	9.6	86	1	2	7	12	20	28	49
B. *Operated*	2547	19.3	174	4	7	16	25	36	48	73
1. SINGLE DX	777	10.4	79	1	2	9	14	22	27	44
2. MULTIPLE DX	3845	16.0	165	2	3	13	21	32	42	66
A. NOT OPERATED	1551	9.0	81	1	2	6	12	19	25	47
B. OPERATED	3071	18.1	165	3	5	15	23	34	45	70
TOTAL 0-19 YRS	167	9.7	136	1	1	5	12	23	34	61
20-34	140	10.5	105	1	2	8	13	23	30	68
35-49	410	12.0	117	1	2	9	16	25	34	63
50-64	1214	14.2	146	2	3	11	19	29	37	65
65+	2691	16.5	162	2	4	14	22	33	42	65
GRAND TOTAL	**4622**	**15.1**	**155**	**2**	**3**	**12**	**20**	**31**	**40**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	22	4.8	22	<1	1	4	6	8	15	23
50-64	96	7.1	59	1	2	5	9	13	19	45
65+	161	8.0	50	1	2	6	10	17	23	35
B. *Operated*										
0-19 YRS	2	22.0	72	16	16	22	28	28	28	28
20-34	2	16.5	13	14	14	16	19	19	19	19
35-49	36	13.5	111	1	1	15	20	27	29	45
50-64	144	14.9	119	2	3	14	19	27	33	59
65+	226	17.3	186	2	3	15	22	32	42	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	6.4	10	2	3	6	9	11	12	12
35-49	129	7.6	111	1	2	5	8	15	19	75
50-64	691	8.3	60	1	2	6	11	17	22	38
65+	1386	10.3	74	2	2	8	14	20	27	44
B. *Operated*										
0-19 YRS	4	19.5	97	10	10	28	46	99+	99+	99+
20-34	21	15.7	124	3	5	13	26	32	36	38
35-49	241	19.0	186	3	6	16	24	37	52	69
50-64	1296	19.9	192	4	7	16	25	37	48	76
65+	2515	21.5	169	5	8	19	27	39	47	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	7.4	51	1	2	5	9	15	22	34
B. *Operated*	410	16.1	155	2	3	15	21	29	39	61
2. MULTIPLE DX										
A. *Not Operated*	2223	9.5	72	1	2	7	12	19	25	43
B. *Operated*	4077	20.8	178	4	8	18	26	38	48	70
1. SINGLE DX	692	12.6	131	1	2	10	18	25	32	55
2. MULTIPLE DX	6300	16.8	170	2	4	14	22	33	43	65
A. NOT OPERATED	2505	9.2	70	1	2	7	12	19	25	40
B. OPERATED	4487	20.4	178	4	7	18	26	38	47	70
TOTAL 0-19 YRS	9	14.2	131	1	1	14	28	64	99+	99+
20-34	40	11.8	90	2	3	8	15	29	33	38
35-49	428	14.3	179	1	2	11	19	29	41	69
50-64	2227	15.4	171	2	3	12	20	32	42	65
65+	4288	17.1	164	2	4	15	23	34	42	62
GRAND TOTAL	**6992**	**16.4**	**168**	**2**	**3**	**14**	**22**	**32**	**42**	**63**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	41	3	3	7	11	19	19	19
20-34	10	3.9	9	1	1	3	5	9	10	10
35-49	207	4.9	37	1	1	3	5	11	16	41
50-64	971	5.5	44	1	1	3	6	12	17	36
65+	1060	6.5	49	1	1	4	8	15	21	36
B. *Operated*										
0-19 YRS	15	6.7	15	<1	2	7	9	12	14	14
20-34	38	9.5	25	2	3	9	13	17	18	20
35-49	549	9.5	41	2	2	9	12	18	21	31
50-64	2344	10.3	61	1	2	9	14	20	24	37
65+	2616	10.4	64	2	2	9	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.5	58	1	2	4	11	21	25	27
20-34	72	6.2	53	1	1	4	8	12	15	45
35-49	1381	7.5	54	1	2	5	9	17	23	33
50-64	6951	8.4	74	1	2	6	11	18	24	43
65+	9254	9.6	82	1	2	7	12	20	27	48
B. *Operated*										
0-19 YRS	21	11.4	77	3	3	8	17	26	30	31
20-34	96	14.0	104	3	4	11	17	28	35	52
35-49	1739	13.4	112	2	3	11	17	26	32	60
50-64	9890	14.2	117	2	4	12	18	27	34	56
65+	13320	15.2	136	2	4	12	20	29	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2253	5.9	46	1	1	4	7	13	19	36
B. *Operated*	5562	10.3	61	1	2	9	14	20	24	37
2. MULTIPLE DX										
A. *Not Operated*	17674	8.9	77	1	2	6	11	19	26	45
B. *Operated*	25066	14.7	127	2	4	12	19	28	36	60
1. SINGLE DX	7815	9.0	60	1	2	7	12	19	23	37
2. MULTIPLE DX	42740	12.3	115	2	2	10	16	25	33	55
A. NOT OPERATED	19927	8.6	75	1	2	6	11	19	25	44
B. OPERATED	30628	13.9	118	2	3	11	18	27	34	57
TOTAL 0-19 YRS	57	8.8	54	2	2	7	12	19	26	31
20-34	216	10.1	82	1	2	8	13	20	27	51
35-49	3876	10.3	86	1	2	8	14	21	27	47
50-64	20156	11.3	101	2	2	9	15	23	30	51
65+	26250	12.4	115	2	2	10	16	25	33	55
GRAND TOTAL	**50555**	**11.8**	**108**	**2**	**2**	**9**	**16**	**24**	**31**	**53**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	12	1	1	4	8	10	10	10
20-34	23	5.6	79	<1	1	4	5	8	21	45
35-49	29	6.0	31	1	2	3	8	13	19	25
50-64	98	4.8	15	<1	1	4	7	9	12	19
65+	100	6.2	41	1	1	4	8	16	19	33
B. *Operated*										
0-19 YRS	25	5.4	18	1	1	5	8	11	14	15
20-34	64	9.0	44	1	2	8	13	15	22	34
35-49	243	6.2	49	<1	1	2	10	15	18	36
50-64	891	6.9	61	1	1	3	11	17	21	35
65+	869	7.0	78	1	1	3	11	18	24	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.5	9	1	2	3	6	9	10	12
20-34	59	5.0	15	1	1	5	6	8	12	23
35-49	80	8.1	165	<1	1	4	10	19	26	77
50-64	316	8.1	71	1	1	6	10	16	23	45
65+	364	8.1	79	1	2	6	10	16	23	45
B. *Operated*										
0-19 YRS	27	13.4	276	2	3	9	18	25	36	88
20-34	89	15.0	169	3	3	12	17	28	42	72
35-49	243	14.7	212	2	2	13	19	29	41	95
50-64	1267	14.3	176	1	2	12	20	31	41	83
65+	1463	14.6	191	1	2	11	21	35	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	5.6	32	1	1	4	7	12	17	32
B. *Operated*	2092	6.9	66	1	1	3	11	17	22	37
2. MULTIPLE DX										
A. *Not Operated*	844	7.8	78	1	1	5	10	16	22	45
B. *Operated*	3089	14.5	186	1	2	12	20	32	42	73
1. SINGLE DX	2349	6.8	62	1	1	3	10	17	22	37
2. MULTIPLE DX	3933	13.1	170	1	2	10	18	30	40	70
A. NOT OPERATED	1101	7.3	68	1	1	5	9	15	22	43
B. OPERATED	5181	11.4	151	1	1	8	16	27	36	63
TOTAL 0-19 YRS	84	7.6	111	1	2	5	9	15	20	67
20-34	235	9.9	105	1	2	7	13	20	26	51
35-49	595	9.9	146	1	1	6	14	22	31	64
50-64	2572	10.6	131	1	1	7	15	25	33	59
65+	2796	11.1	149	1	2	7	16	27	37	61
GRAND TOTAL	**6282**	**10.7**	**139**	**1**	**1**	**7**	**15**	**25**	**35**	**60**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	216	3.4	24	<1	1	3	4	5	8	18
20-34	49	3.7	13	1	1	3	4	7	9	24
35-49	38	5.1	23	1	1	4	5	12	14	25
50-64	50	6.0	39	1	1	4	7	12	20	34
65+	70	6.8	38	<1	1	5	11	14	18	34
B. Operated										
0-19 YRS	295	7.4	46	1	2	5	10	15	19	38
20-34	185	7.2	53	1	2	5	9	16	21	37
35-49	226	7.9	49	1	2	6	10	16	22	35
50-64	278	8.4	45	1	2	7	11	17	23	32
65+	359	8.9	86	1	2	6	12	19	29	46
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	425	4.5	31	1	1	3	5	9	13	23
20-34	112	6.1	51	1	1	4	7	14	21	39
35-49	96	6.5	35	1	1	5	9	12	21	30
50-64	198	8.4	129	1	1	5	10	18	31	77
65+	317	9.6	135	1	2	6	12	21	33	72
B. Operated										
0-19 YRS	184	12.2	153	2	2	9	14	26	44	54
20-34	121	12.3	137	2	2	8	16	30	34	60
35-49	160	12.6	204	2	2	8	14	32	42	97
50-64	375	14.0	198	2	3	10	16	29	44	73
65+	688	15.2	197	2	3	11	19	34	46	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	425	4.4	29	<1	1	3	4	10	13	24
B. Operated	1343	8.1	58	1	2	6	10	16	23	37
2. MULTIPLE DX										
A. Not Operated	1146	6.9	83	1	1	4	8	15	22	50
B. Operated	1526	14.0	189	2	3	10	17	31	44	74
1. SINGLE DX	1768	7.2	53	1	1	5	9	15	21	36
2. MULTIPLE DX	2676	11.0	156	1	2	7	14	25	36	68
A. NOT OPERATED	1573	6.2	69	1	1	4	7	14	20	47
B. OPERATED	2871	11.2	137	1	2	8	14	24	34	60
TOTAL 0-19 YRS	1122	6.3	62	1	1	4	8	13	19	47
20-34	467	7.9	76	1	1	5	10	17	26	43
35-49	520	8.9	99	1	2	6	11	19	27	49
50-64	901	10.6	134	1	2	7	13	23	32	68
65+	1434	12.0	157	1	2	8	15	27	37	63
GRAND TOTAL	**4444**	**9.5**	**118**	**1**	**2**	**6**	**12**	**21**	**31**	**56**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	13	1.9	1	1	1	2	3	3	3	3
35-49	50	5.9	46	1	1	4	6	12	25	33
50-64	30	4.4	9	<1	1	4	6	8	9	14
65+	28	5.3	17	2	2	4	6	12	15	20
B. Operated										
0-19 YRS	25	4.0	7	<1	<1	3	5	8	9	9
20-34	294	4.9	16	<1	1	4	7	9	11	17
35-49	517	5.4	18	1	1	5	7	10	13	21
50-64	576	5.7	17	1	1	5	8	11	13	19
65+	489	6.0	31	1	2	4	8	12	15	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	65	6.4	45	<1	1	5	8	15	19	34
35-49	130	6.9	40	1	1	5	8	14	22	31
50-64	168	6.5	34	1	1	5	9	13	18	31
65+	202	8.5	83	1	2	6	9	17	24	54
B. Operated										
0-19 YRS	10	7.7	44	1	2	5	8	19	24	24
20-34	178	7.9	71	1	2	5	10	17	24	47
35-49	309	7.7	41	1	3	6	10	15	20	36
50-64	513	8.4	49	2	3	7	11	16	21	30
65+	694	9.5	63	2	3	7	12	19	25	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	5.1	28	1	1	4	6	10	14	32
B. Operated	1902	5.6	21	1	1	4	7	11	13	22
2. MULTIPLE DX										
A. Not Operated	568	7.3	55	1	1	5	9	15	21	35
B. Operated	1704	8.7	56	2	2	7	11	16	23	36
1. SINGLE DX	2020	5.5	21	1	1	4	7	11	13	22
2. MULTIPLE DX	2272	8.3	56	1	2	6	11	17	22	36
A. NOT OPERATED	686	6.9	51	1	1	5	8	14	20	34
B. OPERATED	3606	7.0	40	1	2	5	9	14	19	31
TOTAL 0-19 YRS	39	4.8	18	<1	1	4	6	9	12	24
20-34	547	6.0	39	1	1	4	7	11	16	35
35-49	1006	6.3	30	1	2	5	8	13	16	30
50-64	1287	6.8	34	1	2	5	9	13	17	28
65+	1413	8.1	56	1	2	6	10	16	22	36
GRAND TOTAL	**4292**	**7.0**	**42**	**1**	**2**	**5**	**9**	**14**	**19**	**32**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.4	23	1	1	1	4	12	12	12
35-49	9	3.4	20	<1	<1	1	4	11	14	14
50-64	49	2.8	33	<1	<1	<1	2	5	8	39
65+	62	5.3	57	<1	<1	2	7	14	20	42
B. *Operated*										
0-19 YRS	28	3.0	4	<1	<1	2	5	6	6	8
20-34	104	3.5	15	<1	<1	2	4	8	9	23
35-49	422	3.0	11	<1	<1	2	3	6	9	18
50-64	1022	2.8	9	<1	<1	2	3	6	8	15
65+	1975	3.2	12	<1	<1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	22	10.5	283	<1	1	7	10	21	46	81
35-49	40	4.3	30	1	1	2	4	10	16	27
50-64	73	7.2	63	<1	1	4	11	16	25	39
65+	236	8.1	68	1	1	5	10	19	28	43
B. *Operated*										
0-19 YRS	18	3.8	13	<1	1	2	4	8	13	15
20-34	74	7.3	95	<1	1	4	9	16	26	56
35-49	307	5.1	56	<1	<1	2	6	12	20	39
50-64	1110	4.9	45	<1	1	3	5	11	17	35
65+	3278	6.3	64	1	1	3	8	14	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.1	44	<1	<1	1	4	11	16	40
B. *Operated*	3551	3.1	11	<1	<1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	375	7.6	75	1	1	5	10	17	25	41
B. *Operated*	4787	5.9	60	1	1	3	7	14	20	41
1. SINGLE DX	3677	3.1	12	<1	<1	2	3	6	9	18
2. MULTIPLE DX	5162	6.1	61	1	1	3	7	14	20	41
A. NOT OPERATED	501	6.7	70	<1	<1	4	8	16	23	41
B. OPERATED	8338	4.7	41	<1	1	2	5	10	16	34
TOTAL 0-19 YRS	51	3.3	7	<1	<1	2	4	6	8	15
20-34	205	5.6	77	<1	<1	3	7	12	19	50
35-49	778	3.9	30	<1	<1	2	4	9	13	29
50-64	2254	4.0	30	<1	<1	2	4	9	13	29
65+	5551	5.3	48	<1	1	3	6	12	18	37
GRAND TOTAL	**8339**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**11**	**16**	**35**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	24	2.0	2	<1	<1	2	3	3	5	6
35-49	124	4.0	22	<1	1	2	4	10	14	25
50-64	177	5.0	31	1	1	3	6	11	16	29
65+	176	6.9	53	1	1	5	8	15	22	39
B. *Operated*										
0-19 YRS	14	4.6	8	<1	<1	5	7	8	9	9
20-34	599	5.7	11	<1	1	6	8	10	12	15
35-49	2975	6.0	10	1	2	6	8	10	11	16
50-64	4571	6.6	13	2	2	6	8	11	12	17
65+	4676	7.2	15	2	3	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.1	43	3	3	4	9	19	21	21
20-34	124	7.3	75	1	1	4	9	17	25	44
35-49	703	7.7	84	1	1	5	9	17	25	45
50-64	1772	9.3	100	1	2	6	12	20	28	53
65+	2228	10.9	110	1	2	8	14	23	33	67
B. *Operated*										
0-19 YRS	12	8.8	20	2	3	8	10	17	18	18
20-34	559	7.7	31	2	3	7	9	12	15	35
35-49	3570	8.2	36	2	3	7	10	14	18	35
50-64	7223	9.5	57	3	4	8	11	16	21	43
65+	10306	10.7	71	3	4	9	12	18	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	5.2	37	1	1	3	6	12	17	34
B. *Operated*	12835	6.7	13	2	2	6	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	4834	9.7	103	1	2	7	13	21	29	57
B. *Operated*	21670	9.8	60	3	4	8	11	17	23	45
1. SINGLE DX	13337	6.6	14	1	2	6	8	11	13	18
2. MULTIPLE DX	26504	9.8	68	2	3	8	11	17	24	47
A. NOT OPERATED	5336	9.3	98	1	2	6	12	21	29	54
B. OPERATED	34505	8.6	45	2	3	7	10	14	19	37
TOTAL 0-19 YRS	34	6.5	22	<1	1	7	8	11	18	21
20-34	1306	6.6	26	1	2	6	8	11	14	27
35-49	7372	7.2	31	1	2	6	9	12	16	31
50-64	13743	8.5	50	2	3	7	10	14	19	39
65+	17386	9.7	63	2	3	8	11	17	23	46
GRAND TOTAL	**39841**	**8.7**	**52**	**2**	**3**	**7**	**10**	**15**	**20**	**41**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	61	3.7	6	1	2	3	4	5	7	18
35-49	228	4.1	13	2	2	3	4	6	9	14
50-64	246	4.6	20	2	3	4	4	6	10	21
65+	232	4.4	9	2	2	4	5	7	11	18
B. *Operated*										
0-19 YRS	6	3.5	4	1	1	3	6	6	6	6
20-34	432	5.2	16	1	1	4	7	11	13	19
35-49	525	5.9	23	1	2	4	8	12	14	21
50-64	418	5.8	30	1	2	4	7	11	15	25
65+	342	5.4	35	2	2	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	128	4	4	12	20	20	20	20
20-34	78	5.5	48	1	1	3	7	14	20	39
35-49	236	6.3	45	1	2	4	8	11	18	44
50-64	387	7.0	76	1	2	4	7	15	22	44
65+	427	8.6	67	2	3	6	11	17	24	39
B. *Operated*										
0-19 YRS	6	2.3	6	1	1	1	3	7	7	7
20-34	404	8.2	56	1	2	7	10	14	18	39
35-49	729	10.1	82	2	2	8	13	19	27	52
50-64	767	11.1	132	2	2	7	14	24	36	62
65+	761	10.9	130	2	2	7	13	24	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	4.3	13	2	2	4	4	6	10	19
B. *Operated*	1723	5.6	25	1	2	4	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	1130	7.4	66	1	2	5	9	16	22	42
B. *Operated*	2667	10.3	107	2	2	7	13	21	30	59
1. SINGLE DX	2491	5.2	22	1	2	4	6	10	13	20
2. MULTIPLE DX	3797	9.4	97	1	2	7	12	20	27	53
A. NOT OPERATED	1898	6.1	47	1	2	4	6	12	18	38
B. OPERATED	4390	8.5	80	1	2	6	10	17	24	49
TOTAL 0-19 YRS	15	4.0	24	1	1	3	5	7	17	20
20-34	975	6.4	37	1	1	5	8	13	16	26
35-49	1718	7.5	55	1	2	5	10	14	20	41
50-64	1818	8.1	89	1	2	5	10	18	25	52
65+	1762	8.4	87	2	2	5	10	18	26	47
GRAND TOTAL	6288	7.8	71	1	2	5	10	16	22	46

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	47	3.7	5	1	1	3	4	5	8	13
50-64	199	3.5	3	1	2	3	4	5	6	11
65+	300	4.0	15	1	1	3	4	6	10	23
B. *Operated*										
0-19 YRS	5	8.8	11	6	6	9	10	14	14	14
20-34	40	6.3	7	2	3	6	8	9	11	14
35-49	230	6.1	13	1	1	6	8	10	12	16
50-64	1116	6.1	16	1	1	6	8	10	12	17
65+	1311	6.5	20	1	2	7	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	66	4	4	6	16	19	19	19
20-34	7	4.6	13	1	1	3	8	10	10	10
35-49	59	5.8	56	1	1	3	6	10	25	38
50-64	315	5.8	54	1	1	4	6	12	18	41
65+	671	8.0	98	1	2	4	10	17	27	49
B. *Operated*										
0-19 YRS	3	7.0	36	1	1	7	11	13	13	13
20-34	95	7.4	23	1	2	7	9	13	15	26
35-49	588	8.0	27	1	2	7	9	14	17	29
50-64	2719	8.6	43	1	2	8	10	15	20	36
65+	3831	10.2	75	2	2	8	12	19	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	3.8	10	1	1	3	4	5	8	17
B. *Operated*	2702	6.3	18	1	2	6	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	1055	7.2	83	1	2	4	8	15	25	45
B. *Operated*	7236	9.4	59	2	2	8	11	17	22	42
1. SINGLE DX	3250	5.9	17	1	2	6	8	10	12	19
2. MULTIPLE DX	8291	9.1	62	1	2	8	11	17	23	43
A. NOT OPERATED	1603	6.1	61	1	1	4	6	12	19	40
B. OPERATED	9938	8.5	49	1	2	7	10	15	20	38
TOTAL 0-19 YRS	11	8.5	26	1	3	7	12	16	19	19
20-34	144	6.9	19	1	2	7	9	13	15	19
35-49	924	7.2	26	1	2	7	9	12	16	28
50-64	4349	7.5	37	1	2	7	9	13	17	31
65+	6113	8.9	66	1	2	7	11	17	23	44
GRAND TOTAL	11541	8.2	52	1	2	7	10	15	20	39

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.8	3	1	1	2	3	5	7	8
20-34	35	2.5	2	1	1	2	4	4	5	7
35-49	187	2.0	3	<1	1	1	2	4	6	9
50-64	527	2.6	13	1	1	2	3	5	7	12
65+	385	3.3	17	1	1	2	3	6	10	22
B. *Operated*										
0-19 YRS	31	7.7	8	3	5	7	9	12	13	16
20-34	131	7.8	10	4	5	7	9	12	15	18
35-49	187	8.1	15	4	4	8	9	12	14	25
50-64	359	10.1	31	3	5	9	12	17	20	34
65+	225	12.1	64	3	6	10	14	22	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.8	132	1	1	4	10	27	38	42
20-34	75	3.4	10	1	1	2	4	6	10	17
35-49	438	3.6	22	1	1	2	4	8	13	21
50-64	1390	4.5	39	1	1	2	5	10	16	33
65+	1444	6.1	69	1	1	3	7	14	21	38
B. *Operated*										
0-19 YRS	32	8.4	11	5	5	7	10	13	15	18
20-34	185	10.2	43	4	5	8	13	18	23	37
35-49	639	12.9	87	5	6	10	15	23	31	59
50-64	1562	14.3	91	5	6	12	18	25	32	50
65+	1742	18.2	160	5	7	15	22	33	43	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1154	2.7	12	1	1	2	3	5	8	15
B. *Operated*	933	9.8	35	3	5	8	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	3366	5.1	50	1	1	3	6	12	17	35
B. *Operated*	4160	15.5	123	5	6	12	19	28	36	62
1. SINGLE DX	2087	5.9	34	1	1	4	8	12	16	26
2. MULTIPLE DX	7526	10.8	117	1	1	8	15	23	31	56
A. NOT OPERATED	4520	4.5	42	1	1	2	5	10	16	31
B. OPERATED	5093	14.4	112	5	6	11	18	26	34	59
TOTAL 0-19 YRS	102	7.2	35	1	2	6	9	12	17	37
20-34	426	7.7	32	1	2	7	9	14	17	30
35-49	1451	8.1	68	1	1	7	11	17	22	39
50-64	3838	8.7	80	1	1	7	12	19	25	41
65+	3796	11.7	144	1	2	9	16	26	34	59
GRAND TOTAL	**9613**	**9.7**	**103**	**1**	**1**	**7**	**13**	**22**	**28**	**51**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	13	4.2	10	1	1	4	7	8	10	11
35-49	6	3.7	3	2	2	4	5	6	6	6
50-64	24	5.1	48	1	1	3	5	10	21	34
65+	72	5.0	37	1	1	3	6	8	14	38
B. *Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	17	7.4	45	1	2	4	13	18	21	22
35-49	44	6.5	35	1	1	4	9	15	20	26
50-64	95	7.3	59	2	2	4	9	15	22	44
65+	193	8.7	103	1	2	5	11	22	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	4	1	1	5	5	5	5	5
20-34	13	6.0	27	1	2	4	8	14	19	21
35-49	21	6.3	38	1	1	5	10	13	19	26
50-64	63	7.0	86	1	1	3	6	24	28	42
65+	196	8.8	87	1	2	5	11	23	30	43
B. *Operated*										
0-19 YRS	6	5.5	24	<1	<1	4	11	12	12	12
20-34	28	10.3	86	1	3	7	12	21	26	47
35-49	90	11.0	127	1	2	8	13	25	33	61
50-64	222	13.2	145	2	3	10	19	29	39	93
65+	543	15.1	160	2	3	11	21	32	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	4.7	33	1	1	3	6	8	13	36
B. *Operated*	354	7.9	80	1	2	4	10	19	26	44
2. MULTIPLE DX										
A. *Not Operated*	302	8.0	79	1	1	5	10	21	28	42
B. *Operated*	889	14.0	152	2	3	10	19	30	40	69
1. SINGLE DX	476	7.1	70	1	2	4	9	16	24	40
2. MULTIPLE DX	1191	12.5	140	2	2	9	17	28	37	60
A. NOT OPERATED	424	7.1	68	1	1	4	8	16	26	41
B. OPERATED	1243	12.3	139	2	2	8	17	27	37	61
TOTAL 0-19 YRS	22	3.0	10	<1	<1	2	5	7	11	12
20-34	76	7.6	54	1	1	6	9	18	21	41
35-49	161	8.9	91	1	1	6	11	19	26	45
50-64	404	10.4	120	1	2	7	13	26	33	59
65+	1004	11.9	138	2	2	8	16	27	35	58
GRAND TOTAL	**1667**	**10.9**	**126**	**1**	**2**	**7**	**14**	**26**	**33**	**55**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49	11	3.8	17	1	1	2	5	10	14	14
50-64	103	5.4	20	1	1	4	8	10	15	22
65+	357	5.9	23	1	2	4	8	12	16	24
B. *Operated*										
0-19 YRS	6	5.0	10	1	1	5	8	9	9	9
20-34	5	9.8	28	3	3	9	14	16	16	16
35-49	40	5.9	31	<1	1	4	8	13	16	29
50-64	1644	6.5	27	1	2	5	9	13	16	23
65+	5131	6.8	25	1	2	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	5	1	1	2	3	6	8	8
20-34	4	12.8	212	1	1	8	21	34	34	34
35-49	40	6.7	40	1	1	6	8	12	15	38
50-64	801	7.7	73	1	2	5	9	16	23	45
65+	4457	9.6	85	2	2	7	12	20	28	48
B. *Operated*										
0-19 YRS	18	8.7	34	2	2	8	15	17	18	19
20-34	6	17.0	492	2	2	8	17	57	61	61
35-49	74	10.9	96	2	4	8	12	24	35	48
50-64	3019	9.8	76	2	2	8	12	20	25	43
65+	16645	10.6	76	2	3	8	13	20	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	5.7	22	1	1	4	8	12	16	22
B. *Operated*	6826	6.7	26	1	2	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	5311	9.3	83	2	2	7	11	19	27	48
B. *Operated*	19762	10.5	76	2	3	8	13	20	26	46
1. SINGLE DX	7300	6.6	25	1	2	6	9	12	16	24
2. MULTIPLE DX	25073	10.2	78	2	3	8	13	20	26	46
A. NOT OPERATED	5785	9.0	79	1	2	6	11	19	26	47
B. OPERATED	26588	9.5	66	2	3	7	12	18	24	42
TOTAL 0-19 YRS	36	6.0	27	1	1	4	8	15	17	19
20-34	15	13.5	240	1	2	9	15	34	54	61
35-49	165	8.2	67	1	1	6	10	17	24	43
50-64	5567	8.5	62	1	2	7	11	17	22	39
65+	26590	9.6	69	2	3	7	12	19	25	44
GRAND TOTAL	**32373**	**9.4**	**68**	**2**	**2**	**7**	**12**	**18**	**24**	**43**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	4	<1	1	2	5	6	6	6
20-34	64	4.0	7	<1	1	4	5	6	11	12
35-49	32	4.4	19	1	1	4	5	7	10	25
50-64	5	3.2	4	1	1	3	4	6	6	6
65+	7	8.0	42	2	2	7	14	17	17	17
B. *Operated*										
0-19 YRS	46	5.8	22	1	1	5	7	13	17	22
20-34	574	4.9	14	1	1	4	6	10	13	18
35-49	235	4.4	11	1	1	4	6	8	10	18
50-64	93	5.0	18	<1	2	4	6	10	14	21
65+	78	6.5	30	2	2	5	8	14	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.0	12	1	1	4	7	9	11	16
20-34	182	5.5	17	1	2	5	6	9	13	22
35-49	53	5.3	14	1	2	5	6	10	14	18
50-64	31	7.0	118	<1	1	3	6	12	35	54
65+	32	7.0	60	<1	1	5	9	17	35	99+
B. *Operated*										
0-19 YRS	40	9.4	42	2	3	8	14	17	24	26
20-34	294	9.1	73	1	2	7	11	19	26	52
35-49	116	6.7	27	1	2	5	9	14	17	24
50-64	100	9.4	117	2	2	6	11	19	24	62
65+	156	10.0	76	2	3	8	13	18	22	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	4.1	12	1	1	4	5	7	11	19
B. *Operated*	1026	5.0	15	1	2	4	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	326	5.7	30	1	1	5	6	10	15	36
B. *Operated*	706	8.9	71	2	2	7	11	17	23	54
1. SINGLE DX	1154	4.9	15	1	1	4	6	10	13	19
2. MULTIPLE DX	1032	7.9	60	1	2	6	10	16	21	50
A. NOT OPERATED	454	5.3	25	1	1	4	6	10	15	34
B. OPERATED	1732	6.6	42	1	2	5	8	14	17	35
TOTAL 0-19 YRS	134	6.3	28	1	1	5	8	14	17	25
20-34	1114	6.0	33	1	2	4	8	12	16	31
35-49	436	5.1	17	1	1	4	6	10	14	22
50-64	229	7.1	78	1	2	4	8	14	21	56
65+	273	8.6	62	2	2	7	11	17	21	51
GRAND TOTAL	**2186**	**6.3**	**39**	**1**	**2**	**4**	**8**	**13**	**17**	**35**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	8	1	1	3	6	8	8	8
20-34	3	7.0	91	1	1	2	14	18	18	18
35-49	14	2.8	3	<1	1	2	3	5	7	8
50-64	83	3.3	12	<1	1	2	4	6	10	20
65+	157	5.3	20	1	1	4	7	11	15	22
B. *Operated*										
0-19 YRS	13	4.1	19	<1	1	2	4	13	14	14
20-34	93	3.8	12	1	1	3	4	9	11	17
35-49	506	3.9	14	1	1	3	4	8	11	19
50-64	2605	4.7	24	1	1	3	5	10	15	24
65+	5617	5.1	25	1	2	4	6	10	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.6	34	1	1	4	11	16	18	18
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	34	4.6	29	2	2	3	4	10	19	25
50-64	310	6.3	42	1	1	4	8	14	18	35
65+	1098	3.9	97	1	1	6	11	20	27	50
B. *Operated*										
0-19 YRS	13	12.8	101	1	2	11	20	27	31	32
20-34	54	6.0	36	1	1	4	7	12	24	26
35-49	353	6.9	54	1	2	4	8	16	24	37
50-64	3058	7.9	72	1	2	5	10	17	24	43
65+	11264	9.1	97	2	2	6	11	20	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	4.5	18	1	1	3	6	10	14	21
B. *Operated*	8834	4.9	24	1	1	3	6	10	15	24
2. MULTIPLE DX										
A. *Not Operated*	1455	8.2	85	1	1	5	10	18	25	49
B. *Operated*	14742	8.8	91	2	2	6	11	19	27	49
1. SINGLE DX	9096	4.9	24	1	1	3	6	10	15	23
2. MULTIPLE DX	16197	8.8	90	1	2	6	11	19	27	49
A. NOT OPERATED	1717	7.7	76	1	1	5	10	17	23	45
B. OPERATED	23576	7.3	69	1	2	5	9	16	23	43
TOTAL 0-19 YRS	42	7.4	59	1	1	4	11	18	25	32
20-34	152	4.6	22	1	1	3	5	10	16	25
35-49	907	5.1	32	1	1	3	5	11	16	29
50-64	6056	6.4	51	1	2	4	7	15	19	39
65+	18136	7.8	77	1	2	5	9	17	24	46
GRAND TOTAL	**25293**	**7.4**	**70**	**1**	**2**	**5**	**9**	**16**	**23**	**43**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.4	8	<1	1	3	4	7	8	17
20-34	4	3.5	11	1	1	3	6	8	8	8
35-49	15	3.7	13	<1	1	2	5	6	13	15
50-64	38	4.6	8	1	1	4	7	9	9	12
65+	52	6.2	45	1	1	4	7	12	21	37
B. *Operated*										
0-19 YRS	93	10.2	26	3	6	9	12	16	19	32
20-34	40	10.5	28	3	3	10	13	18	20	23
35-49	218	10.4	36	2	3	10	13	17	19	29
50-64	503	10.5	32	2	3	10	13	18	21	28
65+	534	11.1	47	2	2	10	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.8	25	1	1	4	5	10	17	30
20-34	26	6.5	41	1	1	4	9	16	21	27
35-49	94	6.9	34	1	2	6	10	13	17	33
50-64	420	8.4	86	1	2	5	10	19	27	47
65+	720	10.3	93	1	2	7	13	23	29	50
B. *Operated*										
0-19 YRS	63	16.1	192	5	7	11	17	30	42	84
20-34	59	12.7	74	2	4	11	16	23	28	51
35-49	300	12.8	74	2	4	11	16	23	29	46
50-64	1322	15.1	111	3	6	13	18	27	35	61
65+	2292	16.4	126	3	6	14	21	30	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	4.7	22	1	1	3	6	9	12	25
B. *Operated*	1388	10.7	38	2	3	10	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	1330	9.1	84	1	2	6	12	20	27	48
B. *Operated*	4036	15.7	119	3	6	13	19	29	36	61
1. SINGLE DX	1542	10.1	39	1	2	9	13	17	21	30
2. MULTIPLE DX	5366	14.0	118	2	3	12	18	27	35	58
A. NOT OPERATED	1484	8.6	80	1	2	6	11	19	26	45
B. OPERATED	5424	14.4	103	2	5	12	18	26	33	57
TOTAL 0-19 YRS	271	9.1	83	1	2	7	11	17	25	43
20-34	129	10.5	57	1	2	9	14	20	23	36
35-49	627	10.9	59	1	2	10	14	20	24	41
50-64	2283	12.7	96	2	3	11	16	23	30	56
65+	3598	14.3	115	2	3	12	18	27	35	56
GRAND TOTAL	**6908**	**13.2**	**103**	**2**	**3**	**11**	**17**	**25**	**32**	**54**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	1.7	2	<1	1	1	2	3	4	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	4.0	8	1	1	4	6	8	8	8
50-64	10	3.0	6	1	1	2	4	7	8	8
65+	6	6.2	85	2	2	3	3	23	25	25
B. *Operated*										
0-19 YRS	57	3.1	5	1	1	3	4	6	7	11
20-34	11	7.3	69	1	1	4	9	21	28	29
35-49	21	3.5	7	1	1	3	3	8	11	11
50-64	61	3.4	4	1	1	3	4	6	7	11
65+	78	3.8	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.7	45	<1	<1	3	4	10	21	32
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	6	5.3	2	3	3	5	6	7	7	7
50-64	20	5.4	26	1	1	4	6	14	18	20
65+	24	11.2	172	1	2	7	12	30	47	52
B. *Operated*										
0-19 YRS	18	3.6	5	<1	<1	3	6	7	8	8
20-34	2	14.5	313	2	2	14	27	27	27	27
35-49	18	4.7	15	1	2	4	5	11	14	15
50-64	52	4.8	14	2	2	3	5	10	16	16
65+	95	7.5	66	2	2	4	8	16	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	2.4	10	<1	1	1	2	4	7	21
B. *Operated*	228	3.7	8	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	77	6.9	81	1	1	4	7	16	25	50
B. *Operated*	185	6.2	44	1	2	4	7	14	18	36
1. SINGLE DX	304	3.4	9	1	1	3	4	6	8	13
2. MULTIPLE DX	262	6.4	55	1	2	4	7	14	20	41
A. NOT OPERATED	153	4.6	50	<1	1	2	5	9	16	45
B. OPERATED	413	4.8	26	1	2	3	5	9	14	31
TOTAL 0-19 YRS	153	2.9	11	<1	1	2	4	6	7	16
20-34	17	7.1	74	1	1	4	7	25	28	29
35-49	50	4.2	9	1	2	3	5	8	11	15
50-64	143	4.2	11	1	1	3	5	8	12	17
65+	203	6.5	60	1	2	4	7	14	24	43
GRAND TOTAL	**566**	**4.7**	**32**	**1**	**1**	**3**	**5**	**9**	**15**	**34**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.9	22	<1	1	2	5	8	15	25
20-34	92	4.8	19	1	1	4	6	10	12	25
35-49	149	6.9	55	1	2	4	8	13	24	41
50-64	185	8.9	74	1	2	6	11	20	31	38
65+	154	10.4	97	1	2	8	14	26	31	51
B. *Operated*										
0-19 YRS	207	11.5	72	1	2	10	15	18	24	50
20-34	216	12.0	56	3	5	10	15	20	26	43
35-49	256	13.0	100	2	4	11	16	22	33	54
50-64	342	16.3	164	3	6	13	19	29	42	69
65+	237	17.2	182	4	6	14	21	32	42	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	5.0	52	1	1	3	5	11	19	43
20-34	131	9.5	100	1	2	6	12	25	31	47
35-49	299	9.2	106	1	2	6	11	21	35	61
50-64	531	11.8	159	2	2	7	15	27	38	71
65+	539	14.3	170	2	3	10	18	34	45	79
B. *Operated*										
0-19 YRS	267	19.6	278	3	5	15	26	45	65	99+
20-34	214	17.0	247	3	4	12	20	42	61	92
35-49	282	19.1	262	4	6	14	24	40	63	99+
50-64	511	24.9	372	5	7	19	32	55	72	97
65+	491	27.7	405	6	8	22	35	60	72	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	7.4	64	1	1	5	9	16	27	38
B. *Operated*	1258	14.3	126	3	5	12	17	26	36	64
2. MULTIPLE DX										
A. *Not Operated*	1690	11.2	144	1	2	7	14	26	39	65
B. *Operated*	1765	23.0	350	4	6	17	30	55	68	99+
1. SINGLE DX	1953	11.9	115	1	2	9	15	24	32	58
2. MULTIPLE DX	3455	17.2	284	2	3	12	23	41	58	93
A. NOT OPERATED	2385	10.1	124	1	2	6	12	24	34	57
B. OPERATED	3023	19.4	275	3	6	14	24	43	60	92
TOTAL 0-19 YRS	779	11.6	171	1	1	8	15	26	43	83
20-34	653	12.1	138	2	2	9	15	25	34	65
35-49	986	12.7	162	2	2	9	16	27	40	80
50-64	1569	16.7	256	2	3	12	21	38	54	85
65+	1421	19.0	288	3	4	14	25	42	58	88
GRAND TOTAL	**5408**	**15.3**	**229**	**2**	**3**	**11**	**19**	**34**	**50**	**83**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.7	5	<1	<1	2	3	6	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	14.5	13	12	12	14	17	17	17	17
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	5	21.0	289	4	4	21	38	38	38	38
B. Operated										
0-19 YRS	39	12.3	125	2	3	9	15	24	29	65
20-34	23	11.8	113	1	2	11	14	20	35	53
35-49	17	9.9	55	1	1	11	15	17	24	28
50-64	23	15.0	82	2	4	14	20	27	33	35
65+	11	17.4	227	2	2	18	23	38	51	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	7.1	56	<1	1	4	9	21	25	25
20-34	9	10.2	77	2	2	11	13	24	30	30
35-49	16	7.9	81	1	1	5	7	27	30	31
50-64	16	13.8	218	1	2	9	18	43	48	50
65+	19	14.5	153	3	4	11	18	30	43	52
B. Operated										
0-19 YRS	56	18.0	189	3	4	15	24	40	47	63
20-34	29	24.2	583	2	3	13	43	67	82	99+
35-49	22	29.0	544	3	5	29	45	69	94	99+
50-64	47	28.9	493	5	7	22	41	73	76	99+
65+	54	29.7	520	4	7	22	45	78	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	8.8	138	<1	<1	4	11	31	38	38
B. Operated	113	12.9	113	2	2	11	17	25	29	57
2. MULTIPLE DX										
A. Not Operated	89	10.3	117	1	1	7	13	25	31	51
B. Operated	208	25.5	451	3	5	18	40	64	79	99+
1. SINGLE DX	132	12.3	118	1	2	10	17	25	32	55
2. MULTIPLE DX	297	21.0	399	2	3	15	29	54	72	99+
A. NOT OPERATED	108	10.1	120	1	1	6	13	25	32	51
B. OPERATED	321	21.1	368	2	4	15	28	53	71	99+
TOTAL 0-19 YRS	133	12.9	153	1	2	10	17	27	40	64
20-34	62	17.2	364	2	2	11	19	58	67	98
35-49	57	16.8	337	1	2	11	28	45	63	99
50-64	88	22.0	378	2	4	16	29	53	73	92
65+	89	24.5	428	3	4	20	36	56	83	99+
GRAND TOTAL	**429**	**18.3**	**328**	**2**	**2**	**13**	**24**	**47**	**65**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	3.7	26	<1	1	3	4	6	9	32
20-34	61	2.5	3	1	1	2	3	5	5	11
35-49	55	3.1	7	1	1	2	3	6	10	15
50-64	41	3.0	4	1	1	2	3	5	8	10
65+	40	4.9	36	1	1	1	5	9	14	36
B. Operated										
0-19 YRS	92	6.9	27	1	2	5	9	15	19	23
20-34	309	4.6	6	2	3	4	5	7	9	16
35-49	287	4.9	10	2	2	4	5	8	11	19
50-64	222	6.1	31	2	3	5	6	10	15	37
65+	113	6.7	32	2	3	5	7	12	16	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	150	4.5	36	1	1	3	5	9	13	28
20-34	73	3.8	9	1	1	3	4	6	10	17
35-49	87	4.6	24	1	1	3	5	9	15	28
50-64	115	7.0	75	1	2	4	7	17	29	72
65+	166	10.0	113	1	2	6	14	22	33	59
B. Operated										
0-19 YRS	126	12.0	202	2	3	7	12	27	43	73
20-34	358	6.4	49	2	3	5	7	11	16	31
35-49	362	7.3	44	2	3	5	8	14	20	35
50-64	382	8.9	76	3	3	6	10	17	25	60
65+	350	12.9	184	3	4	8	15	27	43	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	286	3.4	16	1	1	3	4	6	9	22
B. Operated	1023	5.5	18	2	3	4	6	9	13	21
2. MULTIPLE DX										
A. Not Operated	591	6.4	66	1	1	4	7	15	22	54
B. Operated	1578	9.1	103	2	3	6	10	18	27	60
1. SINGLE DX	1309	5.0	18	1	2	4	5	9	12	21
2. MULTIPLE DX	2169	8.4	94	2	2	5	9	17	26	58
A. NOT OPERATED	877	5.4	52	1	1	3	6	12	18	44
B. OPERATED	2601	7.7	72	2	3	5	8	15	21	48
TOTAL 0-19 YRS	457	6.9	88	1	1	4	8	15	23	57
20-34	801	5.2	27	1	2	4	6	9	12	23
35-49	791	5.8	29	2	2	4	6	11	15	30
50-64	760	7.5	62	2	2	5	8	15	20	48
65+	669	10.7	139	2	3	7	13	22	36	70
GRAND TOTAL	**3478**	**7.1**	**68**	**1**	**2**	**5**	**8**	**14**	**20**	**48**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.3	25	<1	1	2	3	6	7	36
20-34	38	5.2	32	<1	1	3	5	13	19	24
35-49	134	6.2	40	1	1	4	7	15	18	29
50-64	379	6.9	62	1	1	5	8	17	23	34
65+	584	7.7	64	1	2	5	10	17	22	40
B. *Operated*										
0-19 YRS	65	7.4	62	1	2	5	9	14	22	44
20-34	102	6.5	23	1	1	5	9	12	16	22
35-49	277	6.6	35	1	1	5	9	12	16	30
50-64	664	7.6	52	1	1	6	10	16	21	33
65+	975	8.5	82	1	1	5	12	19	26	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.6	31	1	1	3	5	9	12	37
20-34	687	6.9	60	1	1	5	8	15	21	45
35-49	2835	7.7	60	1	2	5	10	17	23	42
50-64	9396	9.1	81	1	2	6	11	20	27	46
65+	15246	10.5	95	2	2	8	13	22	29	50
B. *Operated*										
0-19 YRS	187	11.0	114	2	2	8	13	22	33	46
20-34	832	11.6	117	2	3	9	14	24	34	53
35-49	3035	11.8	124	2	2	9	15	25	33	59
50-64	9324	13.3	141	2	3	10	18	28	37	64
65+	13306	14.7	163	2	3	11	19	31	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1193	7.0	58	1	1	5	8	16	21	38
B. *Operated*	2083	7.9	63	1	1	5	10	17	23	39
2. MULTIPLE DX										
A. *Not Operated*	28386	9.6	87	1	2	7	12	21	28	48
B. *Operated*	26684	13.8	150	2	3	10	18	29	38	64
1. SINGLE DX	3276	7.5	61	1	1	5	10	17	23	39
2. MULTIPLE DX	55070	11.6	122	2	2	9	15	25	33	58
A. NOT OPERATED	29579	9.5	86	1	2	7	12	20	27	47
B. OPERATED	28767	13.3	146	2	3	10	17	28	37	63
TOTAL 0-19 YRS	532	7.1	73	1	1	4	9	14	23	41
20-34	1659	9.2	91	1	2	7	11	20	27	50
35-49	6281	9.6	94	1	2	7	12	21	28	49
50-64	19763	11.0	113	1	2	8	14	24	32	56
65+	30111	12.2	129	2	2	9	16	26	35	60
GRAND TOTAL	**58346**	**11.4**	**119**	**2**	**2**	**8**	**15**	**24**	**33**	**58**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.4	5	<1	<1	1	3	5	7	14
20-34	147	3.9	17	<1	1	2	5	8	11	19
35-49	65	3.7	13	<1	1	2	5	7	10	20
50-64	65	5.2	27	1	1	3	7	12	14	29
65+	35	5.8	43	1	1	3	8	16	20	27
B. *Operated*										
0-19 YRS	291	6.7	24	1	1	6	9	14	16	22
20-34	705	6.3	22	1	1	6	9	11	15	23
35-49	289	7.2	35	1	2	6	9	16	20	26
50-64	148	9.6	82	1	2	8	12	17	25	49
65+	105	11.5	102	1	2	9	16	25	33	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.0	21	<1	<1	2	5	9	15	23
20-34	286	5.7	30	1	1	4	7	12	16	29
35-49	146	6.4	34	1	1	5	8	14	17	29
50-64	200	6.6	45	1	1	4	9	16	19	31
65+	198	10.2	112	1	1	7	13	23	31	51
B. *Operated*										
0-19 YRS	129	10.4	110	2	2	8	13	22	28	69
20-34	406	10.5	79	2	3	8	14	21	26	48
35-49	227	12.0	96	2	3	9	16	24	29	41
50-64	268	13.7	125	2	2	11	18	27	35	56
65+	270	17.1	178	2	3	14	23	35	45	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	4.0	19	<1	1	2	5	9	13	21
B. *Operated*	1538	7.2	38	1	2	6	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	927	6.8	54	1	1	4	9	16	21	36
B. *Operated*	1300	12.8	121	2	3	10	16	26	34	54
1. SINGLE DX	1915	6.6	36	1	1	5	9	13	18	28
2. MULTIPLE DX	2227	10.3	102	1	2	7	14	23	29	49
A. NOT OPERATED	1304	6.0	46	1	1	4	8	14	18	33
B. OPERATED	2838	9.8	84	1	2	7	12	21	27	46
TOTAL 0-19 YRS	582	6.6	46	1	1	5	9	14	18	28
20-34	1544	7.1	43	1	1	6	9	14	19	29
35-49	727	8.2	59	1	2	6	11	18	23	34
50-64	681	9.9	94	1	1	8	13	21	28	49
65+	608	13.2	148	1	2	10	18	30	38	52
GRAND TOTAL	**4142**	**8.6**	**75**	**1**	**1**	**6**	**11**	**18**	**25**	**44**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	504	3.9	19	<1	<1	3	5	9	12	20
20-34	43	5.5	44	1	1	4	6	10	17	38
35-49	22	4.4	6	1	1	4	5	7	10	12
50-64	55	5.6	35	1	1	4	7	13	18	29
65+	112	6.0	38	<1	1	4	8	14	21	29
B. *Operated*										
0-19 YRS	354	7.3	70	<1	1	4	10	20	25	38
20-34	56	16.3	216	<1	2	13	27	33	44	64
35-49	39	10.3	127	1	2	6	12	29	38	43
50-64	82	7.8	83	1	2	5	9	17	27	48
65+	110	9.1	104	2	2	7	10	19	28	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	847	5.1	37	<1	1	3	6	11	15	29
20-34	67	6.6	23	1	1	5	9	13	17	21
35-49	74	9.6	134	1	1	6	12	22	34	60
50-64	353	7.0	47	1	1	5	9	15	21	40
65+	1109	8.8	75	1	2	6	12	18	25	40
B. *Operated*										
0-19 YRS	338	15.2	219	1	2	10	21	36	48	72
20-34	97	25.3	372	2	5	23	37	54	62	97
35-49	77	19.1	371	1	3	11	32	41	67	77
50-64	307	14.9	197	2	3	10	20	35	46	62
65+	750	14.1	164	3	4	10	17	28	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	736	4.5	25	<1	<1	3	5	10	14	26
B. *Operated*	641	8.6	99	1	1	5	10	22	30	46
2. MULTIPLE DX										
A. *Not Operated*	2450	7.2	61	1	1	5	9	15	22	39
B. *Operated*	1569	15.4	212	2	3	10	20	36	46	76
1. SINGLE DX	1377	6.4	64	<1	1	4	8	15	23	40
2. MULTIPLE DX	4019	10.4	136	1	2	7	13	24	35	63
A. NOT OPERATED	3186	6.6	54	<1	1	4	8	14	20	37
B. OPERATED	2210	13.4	189	1	2	9	18	32	43	70
TOTAL 0-19 YRS	2043	6.8	83	<1	1	4	8	16	24	47
20-34	263	15.4	267	1	2	8	24	39	51	71
35-49	212	12.6	230	1	2	6	15	36	43	76
50-64	797	10.0	122	1	2	7	13	23	33	54
65+	2081	10.6	113	1	2	8	13	23	31	60
GRAND TOTAL	**5396**	**9.4**	**121**	**1**	**1**	**6**	**12**	**22**	**32**	**57**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	4.3	11	<1	<1	4	6	8	11	14
20-34	104	6.4	56	1	1	4	7	15	22	39
35-49	93	6.0	39	<1	1	4	7	14	22	31
50-64	145	5.7	39	<1	1	4	7	12	15	41
65+	299	5.1	41	<1	1	3	6	11	20	33
B. *Operated*										
0-19 YRS	89	11.9	156	1	2	8	16	34	49	80
20-34	110	14.0	219	1	2	8	27	37	47	74
35-49	125	15.8	301	1	2	7	27	41	50	75
50-64	132	16.3	304	1	2	10	25	40	50	77
65+	155	11.0	125	1	2	7	13	29	35	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	6.5	50	<1	1	4	7	13	20	37
20-34	138	7.5	77	<1	1	4	9	17	29	44
35-49	194	7.7	81	1	1	5	9	17	29	43
50-64	495	7.2	67	1	1	5	9	16	22	45
65+	1278	7.8	86	1	1	5	10	18	26	43
B. *Operated*										
0-19 YRS	127	24.2	459	2	4	14	37	57	68	93
20-34	207	24.5	349	2	4	24	34	49	62	99+
35-49	267	25.4	358	3	4	25	38	52	62	99+
50-64	479	26.5	404	3	5	25	40	61	72	99+
65+	911	18.3	284	2	4	12	27	41	56	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	5.3	36	<1	1	4	7	11	17	35
B. *Operated*	611	13.8	224	1	2	8	21	35	47	72
2. MULTIPLE DX										
A. *Not Operated*	2413	7.5	77	1	1	5	9	17	25	43
B. *Operated*	1991	22.3	353	3	4	16	34	51	63	99+
1. SINGLE DX	1431	8.9	134	1	1	5	10	26	35	58
2. MULTIPLE DX	4404	14.2	256	1	1	8	20	38	50	79
A. NOT OPERATED	3233	6.9	67	1	1	4	8	15	24	40
B. OPERATED	2602	20.3	336	2	3	13	31	47	60	92
TOTAL 0-19 YRS	703	9.8	177	<1	1	5	10	28	40	68
20-34	559	14.9	262	1	1	8	25	38	48	89
35-49	679	15.9	292	1	1	8	27	41	52	86
50-64	1251	15.4	302	1	1	8	23	42	57	90
65+	2643	11.3	179	1	1	7	14	29	40	66
GRAND TOTAL	**5835**	**12.9**	**231**	**1**	**1**	**7**	**16**	**35**	**47**	**76**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	3.4	11	<1	1	3	4	6	9	22
20-34	127	4.4	23	1	1	3	6	10	15	25
35-49	247	4.7	25	<1	1	3	6	10	13	20
50-64	534	6.5	68	1	1	4	8	15	21	41
65+	759	7.0	68	1	1	4	9	16	23	44
B. *Operated*										
0-19 YRS	142	8.0	57	1	1	6	11	18	24	35
20-34	203	8.2	62	1	2	6	11	17	23	45
35-49	466	8.0	77	1	2	6	10	16	21	39
50-64	1099	8.1	59	1	2	6	11	17	22	38
65+	1301	9.4	80	1	2	7	12	20	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	4.8	43	1	1	3	5	9	15	39
20-34	191	6.1	42	1	1	4	7	13	16	41
35-49	577	7.0	63	1	1	5	9	15	19	46
50-64	2017	8.9	96	1	1	6	11	19	26	49
65+	4021	9.7	100	1	2	7	12	22	29	49
B. *Operated*										
0-19 YRS	102	13.0	144	2	3	9	17	25	36	68
20-34	217	15.9	259	1	2	10	22	39	53	92
35-49	623	13.3	160	2	3	9	16	29	40	65
50-64	2151	14.7	181	2	3	11	19	32	43	67
65+	4080	16.5	197	3	4	12	22	35	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1840	6.0	55	1	1	4	7	14	19	36
B. *Operated*	3211	8.6	70	1	2	6	11	18	24	41
2. MULTIPLE DX										
A. *Not Operated*	7067	9.0	94	1	1	6	11	20	28	49
B. *Operated*	7173	15.6	191	2	3	11	20	34	45	75
1. SINGLE DX	5051	7.7	67	1	1	5	10	17	23	40
2. MULTIPLE DX	14240	12.3	154	1	2	9	16	28	38	65
A. NOT OPERATED	8907	8.4	87	1	1	5	11	19	26	47
B. OPERATED	10384	13.4	164	2	2	10	17	29	40	67
TOTAL 0-19 YRS	678	6.3	63	1	1	4	8	14	21	42
20-34	738	9.3	128	1	1	6	11	22	32	60
35-49	1913	9.0	103	1	1	6	11	19	28	54
50-64	5801	10.7	128	1	2	7	14	24	33	57
65+	10161	12.2	147	1	2	9	16	27	37	63
GRAND TOTAL	**19291**	**11.1**	**135**	**1**	**2**	**8**	**14**	**25**	**34**	**60**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	3.8	10	1	1	3	5	9	10	10
65+	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	210	3.2	6	<1	1	2	4	7	8	12
20-34	505	3.0	4	1	1	3	4	5	6	9
35-49	626	3.2	3	1	1	3	4	5	6	9
50-64	765	3.4	3	1	2	3	4	5	6	9
65+	570	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	10	3.6	4	1	1	3	5	7	8	8
65+	11	5.1	9	2	2	4	7	10	12	12
B. *Operated*										
0-19 YRS	59	4.4	19	<1	1	3	5	11	11	25
20-34	112	4.1	10	1	2	3	5	7	10	19
35-49	226	3.9	7	1	1	3	5	7	9	15
50-64	449	4.0	8	1	2	3	5	7	9	15
65+	510	5.4	22	1	2	4	6	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.6	5	1	1	2	3	6	9	10
B. *Operated*	2676	3.4	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	28	3.8	7	1	1	3	5	8	9	12
B. *Operated*	1356	4.5	14	1	2	4	5	8	11	19
1. SINGLE DX	2695	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX	1384	4.5	14	1	2	4	5	8	11	19
A. NOT OPERATED	47	3.3	6	1	1	2	4	7	9	12
B. OPERATED	4032	3.8	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	275	3.4	9	<1	1	2	4	8	10	12
20-34	620	3.2	6	1	1	3	4	5	7	11
35-49	857	3.4	4	1	1	3	4	5	7	11
50-64	1232	3.7	5	1	2	3	4	6	7	11
65+	1095	4.5	13	1	2	4	5	8	10	18
GRAND TOTAL	**4079**	**3.7**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	11	<1	1	2	3	6	10	18
20-34	40	3.0	6	<1	1	2	4	6	7	15
35-49	99	2.2	2	<1	1	2	3	4	5	10
50-64	189	2.5	8	<1	<1	2	3	5	6	17
65+	242	2.8	7	<1	1	2	3	6	8	15
B. *Operated*										
0-19 YRS	161	3.9	16	1	1	2	4	9	13	19
20-34	208	5.8	23	1	1	5	9	12	16	20
35-49	591	3.8	18	<1	1	2	5	10	13	20
50-64	1502	3.6	17	<1	1	2	4	9	12	19
65+	1841	4.0	19	<1	1	2	4	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.4	6	1	1	3	5	7	9	10
20-34	65	4.2	16	1	1	3	5	11	13	20
35-49	142	5.0	79	<1	1	2	6	8	12	31
50-64	446	3.8	15	1	1	3	5	8	10	20
65+	968	5.3	27	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	107	7.0	59	1	1	5	9	13	17	43
20-34	260	7.7	45	1	2	6	10	15	22	34
35-49	841	6.1	33	1	1	4	9	13	17	30
50-64	3058	6.2	38	1	1	4	9	14	18	30
65+	5934	7.7	67	1	1	5	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	2.6	7	<1	1	2	3	5	7	15
B. *Operated*	4303	3.9	19	<1	1	2	5	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1664	4.8	28	1	1	3	6	10	13	23
B. *Operated*	10200	7.1	55	1	1	5	10	16	20	35
1. SINGLE DX	4912	3.8	17	<1	1	2	4	10	12	20
2. MULTIPLE DX	11864	6.8	52	1	1	4	9	15	20	34
A. NOT OPERATED	2273	4.2	23	1	1	3	5	9	12	22
B. OPERATED	14503	6.2	46	1	1	4	9	14	18	32
TOTAL 0-19 YRS	350	4.7	30	1	1	3	6	10	14	25
20-34	573	6.3	33	1	1	5	9	13	17	26
35-49	1673	5.0	31	<1	1	3	7	11	15	25
50-64	5195	5.1	30	1	1	3	7	12	16	27
65+	8985	6.5	54	1	1	4	9	15	20	34
GRAND TOTAL	**16776**	**5.9**	**44**	**1**	**1**	**3**	**8**	**13**	**18**	**31**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	1.8	1	<1	1	1	2	3	4	7
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	8	3.3	10	<1	<1	2	4	9	10	10
50-64	4	1.8		1	1	2	2	2	2	2
65+	7	6.0	27	1	1	4	10	14	15	15
B. *Operated*										
0-19 YRS	480	2.1	3	<1	1	2	2	4	6	9
20-34	205	3.0	8	<1	1	2	3	6	9	13
35-49	231	3.6	11	<1	1	2	5	8	11	16
50-64	227	4.4	16	<1	1	3	6	10	12	16
65+	171	4.2	21	<1	1	2	5	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.7	1	<1	<1	1	2	3	4	4
20-34	5	4.4	36	<1	<1	2	6	15	15	15
35-49	7	1.9	1	1	1	2	3	3	3	3
50-64	13	9.2	173	<1	1	6	9	21	45	51
65+	38	7.4	27	1	2	6	11	14	18	22
B. *Operated*										
0-19 YRS	132	3.5	18	1	1	2	3	9	11	24
20-34	67	6.6	64	<1	1	3	9	16	18	47
35-49	142	6.1	39	<1	1	3	9	13	18	31
50-64	271	7.8	46	1	1	6	12	18	22	32
65+	273	9.4	108	1	2	6	13	22	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.4	6	<1	<1	2	3	4	7	14
B. *Operated*	1314	3.2	11	<1	1	2	3	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	83	5.7	48	<1	1	3	7	13	15	41
B. *Operated*	885	7.3	65	1	1	4	10	17	23	41
1. SINGLE DX	1388	3.1	10	<1	1	2	3	8	10	16
2. MULTIPLE DX	968	7.1	64	1	1	4	10	17	22	41
A. NOT OPERATED	157	4.1	31	<1	1	2	5	11	14	22
B. OPERATED	2199	4.8	37	<1	1	2	6	12	16	28
TOTAL 0-19 YRS	685	2.3	6	1	1	2	2	4	7	12
20-34	279	3.8	24	<1	1	2	5	9	13	18
35-49	388	4.5	23	<1	1	2	5	10	14	23
50-64	515	6.3	38	<1	1	4	9	15	18	29
65+	489	7.4	76	1	1	4	9	17	23	46
GRAND TOTAL	**2356**	**4.8**	**36**	**<1**	**1**	**2**	**6**	**12**	**16**	**28**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	3	1	1	2	4	6	7	8
20-34	25	3.0	11	<1	<1	2	3	5	9	17
35-49	29	2.7	5	<1	<1	2	3	5	8	10
50-64	27	3.5	7	<1	<1	3	5	7	8	11
65+	25	3.5	21	<1	1	2	4	8	14	22
B. *Operated*										
0-19 YRS	2284	2.7	4	<1	1	2	3	5	6	10
20-34	2236	2.7	5	<1	<1	2	3	5	7	13
35-49	2646	2.6	5	<1	<1	2	3	5	7	12
50-64	2399	2.8	7	<1	<1	2	3	5	7	14
65+	1151	3.3	9	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.0	19	<1	<1	1	3	6	14	21
20-34	43	3.7	17	<1	<1	2	5	7	14	20
35-49	63	4.3	15	<1	1	3	6	11	12	19
50-64	68	4.0	10	<1	1	3	5	9	11	15
65+	112	5.8	22	<1	1	5	7	11	13	27
B. *Operated*										
0-19 YRS	439	4.8	45	1	1	3	5	10	15	27
20-34	824	4.2	23	1	1	3	5	8	12	23
35-49	1467	4.2	21	1	1	3	5	8	12	23
50-64	1948	4.6	23	1	1	3	5	10	14	23
65+	1455	6.1	44	1	2	4	8	13	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.1	8	<1	1	2	4	6	8	17
B. *Operated*	10716	2.8	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	323	4.5	18	<1	<1	3	6	10	13	20
B. *Operated*	6133	4.8	30	1	1	3	6	10	15	28
1. SINGLE DX	10861	2.8	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	6456	4.8	29	1	1	3	6	10	14	27
A. NOT OPERATED	468	4.1	15	<1	<1	3	5	9	12	20
B. OPERATED	16849	3.5	15	<1	1	2	4	7	10	20
TOTAL 0-19 YRS	2799	3.1	11	<1	1	2	4	5	7	16
20-34	3128	3.1	11	<1	<1	2	4	6	8	16
35-49	4205	3.2	11	<1	<1	2	4	6	9	17
50-64	4442	3.6	15	<1	1	2	4	8	11	19
65+	2743	4.9	30	1	1	3	6	10	15	31
GRAND TOTAL	**17317**	**3.5**	**15**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.9	8	<1	<1	2	3	6	8	15
20-34	19	4.3	18	<1	<1	3	5	12	15	16
35-49	22	3.0	15	<1	<1	1	3	7	12	18
50-64	30	2.2	4	<1	<1	1	3	5	8	9
65+	14	5.9	41	<1	<1	3	12	22	80	99+
B. *Operated*										
0-19 YRS	2326	2.4	6	<1	<1	2	3	5	7	12
20-34	846	2.8	7	<1	<1	2	3	6	8	13
35-49	621	2.9	13	<1	<1	2	3	6	8	16
50-64	566	2.9	11	<1	<1	2	3	5	8	14
65+	373	3.5	17	<1	<1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.5	13	<1	<1	2	5	8	11	17
20-34	37	3.6	7	<1	1	3	5	8	9	11
35-49	32	4.9	25	1	1	3	7	11	15	24
50-64	54	6.2	23	1	1	5	9	14	16	17
65+	108	7.3	45	1	1	6	10	15	20	33
B. *Operated*										
0-19 YRS	562	4.0	43	<1	<1	2	4	9	12	37
20-34	458	4.0	35	<1	<1	2	4	9	13	23
35-49	511	4.5	27	<1	<1	3	5	10	13	29
50-64	670	5.3	52	<1	1	3	6	12	16	40
65+	623	7.7	99	<1	1	4	10	19	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	3.2	13	<1	<1	2	4	7	13	21
B. *Operated*	4732	2.7	9	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	331	5.3	28	<1	<1	3	7	12	15	26
B. *Operated*	2824	5.2	55	<1	<1	3	6	12	18	36
1. SINGLE DX	4894	2.7	9	<1	<1	2	3	5	8	14
2. MULTIPLE DX	3155	5.2	52	<1	<1	3	6	12	18	35
A. NOT OPERATED	493	4.6	24	<1	<1	3	6	11	15	25
B. OPERATED	7556	3.6	27	<1	<1	2	4	8	12	25
TOTAL 0-19 YRS	3065	2.7	13	<1	<1	2	3	6	8	17
20-34	1360	3.2	17	<1	<1	2	4	7	10	18
35-49	1186	3.6	20	<1	<1	2	4	8	11	23
50-64	1320	4.2	33	<1	<1	2	4	9	13	33
65+	1118	6.2	69	<1	1	3	7	15	21	43
GRAND TOTAL	**8049**	**3.7**	**27**	**<1**	**<1**	**2**	**4**	**8**	**12**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	6	1.2	1	<1	<1	1	1	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	820	1.9	1	<1	<1	2	2	3	3	5
20-34	1708	1.8	1	<1	<1	2	2	3	3	4
35-49	1300	1.9	1	<1	<1	2	2	3	3	5
50-64	594	2.2	2	<1	1	2	2	3	4	7
65+	343	2.3	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
20-34	11	1.3		<1	<1	1	1	2	3	3
35-49	9	1.2		<1	<1	1	1	2	3	3
50-64	8	2.9	2	1	1	2	4	5	5	5
65+	9	4.7	6	2	2	5	6	9	9	9
B. *Operated*										
0-19 YRS	114	2.3	3	<1	1	2	2	4	6	9
20-34	562	2.5	4	<1	1	2	3	4	6	10
35-49	998	2.7	4	<1	1	2	3	5	7	12
50-64	688	3.0	7	1	1	2	3	5	8	14
65+	530	4.4	39	1	2	3	5	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.5		<1	<1	1	2	2	3	3
B. *Operated*	4765	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	42	2.4	4	<1	<1	2	3	5	6	9
B. *Operated*	2892	3.0	12	<1	1	2	3	5	8	15
1. SINGLE DX	4780	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	2934	3.0	11	<1	1	2	3	5	8	15
A. NOT OPERATED	57	2.2	3	<1	<1	2	2	5	5	9
B. OPERATED	7657	2.4	5	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	942	1.9	1	<1	<1	2	2	3	3	6
20-34	2287	2.0	1	<1	<1	2	2	3	4	7
35-49	2309	2.3	3	<1	<1	2	2	4	5	9
50-64	1291	2.7	4	<1	1	2	3	4	6	12
65+	885	3.6	25	1	1	2	4	6	9	17
GRAND TOTAL	**7714**	**2.4**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	79	2.9	4	<1	<1	2	4	5	7	10
35-49	112	3.1	5	<1	1	3	4	6	7	11
50-64	28	3.4	5	<1	<1	3	5	6	7	11
65+	7	2.1	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	13	5.1	10	<1	<1	6	7	9	10	10
20-34	1704	5.5	5	1	2	6	7	8	8	11
35-49	5198	6.0	6	1	2	6	7	8	9	13
50-64	827	5.8	9	<1	1	6	7	8	9	12
65+	95	6.8	22	1	2	7	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	235	3.3	7	<1	1	2	4	6	8	12
35-49	638	3.5	10	<1	1	2	5	7	9	14
50-64	159	4.2	19	<1	1	3	6	9	13	23
65+	82	6.4	21	2	2	5	8	13	17	75
B. *Operated*										
0-19 YRS	36	6.4	15	1	2	6	8	12	19	99+
20-34	5784	6.2	10	1	2	6	7	9	11	16
35-49	29893	6.7	10	2	3	7	8	9	11	17
50-64	6457	7.0	13	1	2	7	8	11	13	20
65+	900	10.0	53	2	4	8	12	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.1	4	<1	<1	3	4	6	7	10
B. *Operated*	7837	5.9	7	1	2	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1116	3.8	12	<1	1	3	5	8	10	17
B. *Operated*	43070	6.7	11	2	2	7	8	10	12	18
1. SINGLE DX	8064	5.8	7	1	2	6	7	8	9	12
2. MULTIPLE DX	44186	6.7	12	1	2	7	8	10	12	18
A. NOT OPERATED	1343	3.6	11	<1	1	3	5	7	10	14
B. OPERATED	50907	6.6	11	1	2	6	8	9	11	18
TOTAL 0-19 YRS	52	5.9	13	1	1	6	8	10	14	98
20-34	7802	5.9	9	1	2	6	7	9	10	15
35-49	35841	6.5	9	1	2	6	8	9	11	16
50-64	7471	6.8	13	1	2	7	8	10	13	20
65+	1084	9.4	49	2	3	8	11	16	22	38
GRAND TOTAL	**52250**	**6.5**	**11**	**1**	**2**	**6**	**8**	**9**	**11**	**18**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.6	3	<1	<1	2	3	5	6	6
20-34	86	3.3	5	<1	1	2	5	7	7	9
35-49	103	4.3	9	<1	1	4	6	8	9	14
50-64	36	3.3	8	<1	<1	2	5	7	10	12
65+	13	3.9	19	<1	1	2	4	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64										
65+	4	13.0	400	3	3	3	23	43	43	43
B. *Operated*										
0-19 YRS	4	4.0	11	2	2	3	6	9	9	9
20-34	141	5.3	13	<1	1	5	7	9	10	20
35-49	367	6.1	10	1	2	6	8	9	10	17
50-64	152	6.1	29	1	2	5	8	11	14	32
65+	62	6.9	41	1	2	6	9	14	18	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*	245	3.8	8	<1	1	2	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	9	7.8	175	2	2	3	5	28	43	43
B. *Operated*	726	6.0	17	1	2	6	8	9	12	22
1. SINGLE DX	249	3.7	8	<1	1	2	6	7	8	12
2. MULTIPLE DX	735	6.0	19	1	2	6	8	9	12	23
A. NOT OPERATED	13	6.1	124	1	2	3	4	13	37	43
B. OPERATED	971	5.4	16	1	1	5	7	9	11	20
TOTAL 0-19 YRS	11	3.1	6	<1	1	2	3	7	9	9
20-34	231	4.5	11	<1	1	4	7	8	9	19
35-49	475	5.6	11	1	1	6	7	9	10	17
50-64	188	5.6	26	1	1	5	8	10	14	27
65+	79	6.7	54	1	2	5	9	14	18	83
GRAND TOTAL	**984**	**5.4**	**17**	**1**	**1**	**5**	**7**	**9**	**11**	**21**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	11	3.7	7	1	1	3	6	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	412	5.5	3	3	4	5	6	7	8	11
20-34	1564	5.5	3	3	4	5	6	7	8	11
35-49	524	6.2	4	4	4	5	7	8	9	15
50-64	333	7.2	5	4	5	7	8	10	11	16
65+	175	8.7	13	4	5	8	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	5	2	2	3	6	7	7	7
20-34	11	5.0	9	<1	1	4	7	9	10	10
35-49	9	4.9	11	<1	<1	4	7	10	11	11
50-64	3	8.3	12	5	5	8	11	12	12	12
65+	7	6.4	10	2	2	8	9	10	10	10
B. *Operated*										
0-19 YRS	294	6.2	6	4	4	6	7	8	9	19
20-34	1750	6.0	5	3	4	6	7	8	10	15
35-49	1448	7.1	8	4	5	7	8	10	12	18
50-64	1010	8.7	24	5	5	8	10	13	16	25
65+	789	12.0	50	6	6	10	14	21	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.3	5	1	1	3	4	7	8	8
B. *Operated*	3008	6.0	5	3	4	6	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	35	5.4	9	<1	1	5	8	10	11	12
B. *Operated*	5291	7.7	20	4	4	7	9	12	16	25
1. SINGLE DX	3026	6.0	5	3	4	6	7	8	10	15
2. MULTIPLE DX	5326	7.7	20	4	4	7	9	12	16	25
A. NOT OPERATED	53	4.7	9	1	1	4	7	9	10	12
B. OPERATED	8299	7.1	15	4	4	6	8	11	13	22
TOTAL 0-19 YRS	714	5.8	5	3	4	5	6	8	9	15
20-34	3336	5.8	4	3	4	6	7	8	9	13
35-49	1982	6.9	7	4	4	6	8	10	12	17
50-64	1348	8.3	20	5	5	7	9	12	15	23
65+	972	11.4	45	5	6	9	13	19	24	40
GRAND TOTAL	**8352**	**7.1**	**15**	**4**	**4**	**6**	**8**	**11**	**13**	**22**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	10	3	3	8	9	9	9	9
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.3	6	<1	<1	2	6	7	8	8
20-34	64	3.3	6	<1	<1	3	5	6	7	12
35-49	60	3.3	7	<1	<1	2	5	6	8	14
50-64	44	2.9	6	<1	<1	2	3	5	7	15
65+	20	3.0	5	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.4	1	1	1	2	3	4	4	4
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64										
65+	3	3.0	7	<1	<1	2	5	6	6	6
B. *Operated*										
0-19 YRS	9	7.0	10	3	3	7	9	11	13	13
20-34	69	5.0	8	1	2	5	6	8	9	15
35-49	109	5.1	9	<1	1	6	7	9	11	14
50-64	42	5.7	24	1	1	4	7	11	17	24
65+	37	5.4	19	<1	1	3	8	12	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.3	11	1	1	2	5	9	9	9
B. *Operated*	207	3.2	6	<1	<1	2	5	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	10	3.6	7	<1	<1	3	6	8	9	9
B. *Operated*	266	5.3	12	1	2	5	7	9	12	17
1. SINGLE DX	215	3.2	6	<1	<1	2	5	6	8	14
2. MULTIPLE DX	276	5.2	12	1	1	5	7	9	12	17
A. NOT OPERATED	18	3.4	8	<1	1	2	6	9	9	9
B. OPERATED	473	4.4	11	<1	1	4	6	8	10	16
TOTAL 0-19 YRS	31	4.7	10	<1	1	5	7	9	9	13
20-34	141	4.1	7	<1	1	4	6	7	9	14
35-49	173	4.4	9	<1	1	4	6	8	9	14
50-64	86	4.3	17	<1	<1	3	6	8	15	22
65+	60	4.5	15	<1	1	3	6	10	12	17
GRAND TOTAL	**491**	**4.3**	**11**	**<1**	**1**	**3**	**6**	**8**	**10**	**16**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	17	2.4	3	<1	1	2	3	3	6	8
20-34	87	2.9	8	1	1	2	3	4	6	20
35-49	57	2.6	2	1	1	2	3	4	5	9
50-64	48	2.7	5	<1	1	2	3	6	8	11
65+	28	2.3	2	<1	<1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.3	16	<1	<1	3	7	10	10	10
20-34	29	5.1	28	<1	1	4	5	14	17	23
35-49	41	3.2	8	<1	<1	3	4	6	7	17
50-64	48	5.0	39	1	2	3	6	9	12	42
65+	67	6.1	27	2	2	4	7	14	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	237	2.7	5	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	189	5.0	27	1	1	3	6	10	15	25
1. SINGLE DX	239	2.7	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	189	5.0	27	1	1	3	6	10	15	25
A. NOT OPERATED	2	3.0	8	1	1	3	5	5	5	5
B. OPERATED	426	3.7	16	<1	1	3	4	7	10	22
TOTAL 0-19 YRS	21	2.8	5	<1	<1	2	3	5	9	10
20-34	116	3.4	14	<1	1	3	4	6	9	24
35-49	99	2.8	5	<1	1	2	4	5	7	13
50-64	96	3.8	23	<1	1	2	4	8	10	30
65+	96	5.0	23	1	1	3	6	11	15	24
GRAND TOTAL	**428**	**3.7**	**16**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	7	3.1	7	1	1	3	5	7	8	8
20-34	34	2.1	4	<1	<1	2	2	4	7	9
35-49	41	5.3	26	<1	1	3	6	12	17	24
50-64	96	3.6	15	<1	1	2	4	8	12	20
65+	130	3.5	19	1	1	2	3	7	11	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	4.5	12	1	1	4	7	8	8	8
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	8	3.9	12	1	1	3	5	10	11	11
B. Operated										
0-19 YRS	7	3.1	6	<1	<1	2	6	6	6	6
20-34	24	5.6	23	<1	2	5	7	8	14	25
35-49	64	5.4	18	1	1	4	7	11	14	23
50-64	151	6.4	46	1	1	4	8	15	19	27
65+	303	5.8	37	1	1	4	7	13	18	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	3	1	1	2	4	5	5	5
B. Operated	308	3.6	17	<1	1	2	4	8	11	21
2. MULTIPLE DX										
A. Not Operated	19	3.7	9	1	1	3	6	8	10	11
B. Operated	549	5.9	36	1	1	4	7	13	18	26
1. SINGLE DX	312	3.6	17	<1	1	2	4	8	11	21
2. MULTIPLE DX	568	5.8	35	1	1	4	7	13	17	26
A. NOT OPERATED	23	3.5	8	1	1	3	5	7	9	11
B. OPERATED	857	5.1	30	1	1	3	6	12	16	25
TOTAL 0-19 YRS	15	3.1	5	<1	1	3	5	6	8	8
20-34	62	3.6	14	<1	<1	2	5	8	9	23
35-49	110	5.2	20	1	1	4	7	11	15	24
50-64	250	5.3	35	1	1	3	7	13	17	25
65+	443	5.1	32	1	1	3	6	12	16	26
GRAND TOTAL	**880**	**5.0**	**30**	**1**	**1**	**3**	**6**	**11**	**16**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	73	1.5		<1	<1	1	2	2	2	4
20-34	18	2.1	1	<1	<1	2	3	4	5	5
35-49	11	3.9	19	<1	1	2	4	11	15	15
50-64	20	3.0	16	<1	<1	2	3	6	13	19
65+	13	2.4	6	<1	<1	2	2	5	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	6.3	10	2	2	7	8	9	9	9
B. Operated										
0-19 YRS	13	2.3	2	<1	<1	2	4	4	5	5
20-34	8	6.1	129	1	1	2	4	25	34	34
35-49	10	5.0	13	<1	1	4	6	11	12	12
50-64	12	4.7	28	1	1	3	5	12	19	20
65+	17	4.2	18	1	1	3	4	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	135	2.1	5	<1	<1	2	2	3	5	16
2. MULTIPLE DX										
A. Not Operated	11	3.3	9	<1	<1	2	5	8	9	9
B. Operated	60	4.3	29	1	1	3	4	9	15	33
1. SINGLE DX	135	2.1	5	<1	<1	2	2	3	5	16
2. MULTIPLE DX	71	4.1	26	1	1	3	4	9	14	31
A. NOT OPERATED	11	3.3	9	<1	<1	2	5	8	9	9
B. OPERATED	195	2.8	14	<1	<1	2	3	5	9	20
TOTAL 0-19 YRS	90	1.6	1	<1	<1	1	2	2	4	5
20-34	27	3.2	39	<1	<1	2	3	5	10	34
35-49	22	4.3	15	<1	1	2	6	11	13	15
50-64	33	3.6	20	<1	<1	2	3	7	17	20
65+	34	3.8	13	1	1	2	4	9	13	16
GRAND TOTAL	**206**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**5**	**9**	**19**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	15	2	2	3	6	10	10	10
20-34	17	3.4	7	<1	1	2	5	8	9	9
35-49	20	3.2	6	<1	1	2	5	7	8	9
50-64	41	5.3	81	1	1	3	5	11	20	54
65+	44	6.0	36	1	1	4	7	14	17	34
B. *Operated*										
0-19 YRS	43	8.9	18	1	3	9	11	14	17	19
20-34	145	10.4	32	2	2	10	13	17	19	30
35-49	271	11.3	99	2	2	9	13	19	25	58
50-64	359	12.6	82	2	3	11	15	23	31	52
65+	247	15.8	175	2	4	12	20	31	36	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.3	88	1	1	4	12	23	31	32
20-34	19	2.8	5	<1	<1	2	4	7	8	8
35-49	26	7.4	76	2	2	4	8	14	24	44
50-64	104	7.6	91	1	2	5	10	14	26	54
65+	287	10.7	118	2	3	8	13	20	30	75
B. *Operated*										
0-19 YRS	51	17.2	209	2	4	13	23	33	48	68
20-34	132	16.4	196	3	6	13	20	29	46	99+
35-49	305	16.8	184	3	4	13	21	32	50	99+
50-64	562	18.2	214	4	6	14	21	36	54	93
65+	654	25.2	359	3	7	20	34	56	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	5.0	42	1	1	3	6	9	15	39
B. *Operated*	1065	12.6	102	2	3	10	15	22	30	57
2. MULTIPLE DX										
A. *Not Operated*	448	9.4	107	1	2	6	12	19	28	73
B. *Operated*	1704	20.4	277	3	6	16	26	47	61	99+
1. SINGLE DX	1191	11.8	101	2	2	10	14	21	30	56
2. MULTIPLE DX	2152	18.1	261	2	4	14	23	41	58	99
A. NOT OPERATED	574	8.4	96	1	2	6	10	18	25	59
B. OPERATED	2769	17.4	224	3	5	13	21	36	54	93
TOTAL 0-19 YRS	110	12.5	133	1	2	10	16	24	32	67
20-34	313	12.1	116	1	2	10	16	22	29	92
35-49	622	13.6	149	2	3	11	17	27	39	86
50-64	1066	14.8	169	2	3	11	18	30	45	77
65+	1232	19.2	298	2	3	14	24	46	61	99+
GRAND TOTAL	**3343**	**15.9**	**214**	**2**	**3**	**12**	**19**	**34**	**50**	**92**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
20-34	8	3.9	2	1	2	4	5	6	6	6
35-49	4	7.5	26	4	4	5	10	15	15	15
50-64	1	2.0		2	2	2	2	2	2	2
65+	6	4.3	13	1	1	4	5	10	11	11
B. *Operated*										
0-19 YRS	109	3.3	2	1	2	3	4	4	5	10
20-34	836	3.6	2	2	2	4	4	5	6	8
35-49	1051	3.8	2	2	2	4	4	5	6	9
50-64	702	4.2	4	2	3	4	5	6	7	10
65+	288	4.5	5	2	3	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	3.7	11	1	1	3	4	9	12	12
35-49	8	5.8	29	1	1	4	6	15	18	18
50-64	15	5.7	19	1	1	4	9	13	14	15
65+	16	6.8	14	2	3	6	10	12	13	14
B. *Operated*										
0-19 YRS	39	3.9	3	2	2	4	4	5	6	13
20-34	305	4.6	11	2	3	4	5	7	11	20
35-49	519	4.9	12	2	3	4	5	7	10	21
50-64	618	5.5	20	3	3	4	6	9	13	21
65+	419	7.1	46	3	3	5	8	13	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.7	12	<1	1	4	5	10	13	15
B. *Operated*	2986	3.9	3	2	2	4	5	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	49	5.7	17	1	1	4	9	12	14	18
B. *Operated*	1900	5.5	22	2	3	4	6	9	13	24
1. SINGLE DX	3007	3.9	3	2	2	4	5	5	6	10
2. MULTIPLE DX	1949	5.5	22	2	3	4	6	9	13	24
A. NOT OPERATED	70	5.4	15	1	1	4	7	11	14	17
B. OPERATED	4886	4.5	11	2	3	4	5	6	9	18
TOTAL 0-19 YRS	151	3.5	3	2	2	3	4	5	5	13
20-34	1158	3.9	4	2	2	4	4	5	6	12
35-49	1582	4.2	6	2	2	4	5	6	7	14
50-64	1336	4.8	12	2	3	4	5	7	10	18
65+	729	6.0	30	2	3	5	6	10	14	35
GRAND TOTAL	**4956**	**4.5**	**11**	**2**	**3**	**4**	**5**	**7**	**9**	**18**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	2	1	1	3	4	5	5	5
20-34	27	3.8	11	1	1	3	4	8	12	16
35-49	18	4.7	6	1	2	4	6	7	10	12
50-64	14	5.2	12	1	2	4	8	10	12	13
65+	10	6.5	33	<1	<1	5	10	15	16	16
B. *Operated*										
0-19 YRS	25	9.4	14	5	5	9	11	14	18	20
20-34	134	8.2	16	3	4	8	9	13	16	24
35-49	128	8.8	33	3	4	8	11	16	17	32
50-64	179	7.7	30	3	3	6	9	13	16	28
65+	102	9.0	78	2	3	6	10	18	21	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	83	1	1	3	5	23	25	25
20-34	50	5.4	20	1	1	4	7	10	14	24
35-49	62	6.0	33	1	2	5	8	11	15	35
50-64	65	7.5	43	1	1	6	9	14	21	34
65+	58	9.5	95	1	2	7	10	18	23	61
B. *Operated*										
0-19 YRS	29	13.9	252	2	4	10	15	23	29	90
20-34	154	11.3	91	3	4	9	14	21	31	60
35-49	254	11.6	117	3	4	9	13	20	29	72
50-64	343	11.1	119	3	4	8	13	21	28	70
65+	377	13.7	140	3	4	10	18	29	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	4.5	12	1	1	4	5	9	13	16
B. *Operated*	568	8.4	35	3	4	7	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	241	7.1	51	1	1	5	8	15	20	36
B. *Operated*	1157	12.1	126	3	4	9	15	24	33	69
1. SINGLE DX	647	7.9	34	2	3	7	10	14	17	28
2. MULTIPLE DX	1398	11.3	116	2	3	8	14	23	31	63
A. NOT OPERATED	320	6.5	42	1	1	5	8	13	18	35
B. OPERATED	1725	10.9	99	3	4	8	13	21	28	60
TOTAL 0-19 YRS	70	10.1	128	1	2	8	12	18	23	77
20-34	365	8.8	54	2	3	7	10	15	21	42
35-49	462	9.8	83	2	3	8	11	18	26	60
50-64	601	9.5	85	2	3	7	11	18	24	57
65+	547	12.3	126	3	4	9	16	25	33	63
GRAND TOTAL	**2045**	**10.2**	**93**	**2**	**3**	**8**	**12**	**20**	**27**	**56**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.7	4	<1	<1	2	4	6	6	6
35-49	10	2.9	4	<1	<1	3	5	6	6	6
50-64	3	5.3	20	1	1	5	9	10	10	10
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	28	2.7	4	<1	<1	2	3	5	8	9
20-34	2552	3.6	5	1	1	3	5	7	8	10
35-49	1012	4.5	7	1	1	4	6	8	9	12
50-64	269	4.5	8	1	1	4	7	8	9	11
65+	141	4.4	7	1	1	4	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	36	1.9	4	<1	<1	1	2	4	6	10
35-49	18	2.3	4	<1	<1	1	4	6	7	7
50-64	9	3.3	14	<1	<1	2	4	10	12	12
65+	8	7.0	30	2	2	6	8	16	19	19
B. *Operated*										
0-19 YRS	26	4.2	24	1	2	3	4	7	13	26
20-34	2097	4.7	8	1	1	5	6	8	9	12
35-49	1442	6.0	10	1	2	6	7	9	11	16
50-64	496	6.9	23	2	2	7	8	11	14	25
65+	288	7.1	29	2	2	6	9	13	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.4	6	<1	<1	3	5	7	8	10
B. *Operated*	4002	3.9	6	1	1	3	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	74	2.7	10	<1	<1	1	3	6	9	17
B. *Operated*	4349	5.5	13	1	2	5	7	9	11	17
1. SINGLE DX	4023	3.9	6	1	1	3	6	7	8	10
2. MULTIPLE DX	4423	5.5	13	1	2	5	7	9	11	17
A. NOT OPERATED	95	2.9	9	<1	<1	1	4	6	9	16
B. OPERATED	8351	4.8	10	1	1	5	6	8	10	15
TOTAL 0-19 YRS	57	3.3	13	<1	1	2	4	6	11	25
20-34	4691	4.1	7	1	1	4	6	7	9	11
35-49	2482	5.4	10	1	2	5	7	9	12	19
50-64	777	6.0	15	1	2	6	8	10	11	21
65+	439	6.2	23	1	2	6	8	11	14	24
GRAND TOTAL	**8446**	**4.7**	**10**	**1**	**1**	**5**	**6**	**8**	**10**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	10	4.1	9	<1	<1	4	5	9	10	10
65+	7	2.7	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	10	2.4	12	<1	<1	1	2	7	12	12
20-34	109	3.8	7	<1	<1	3	5	8	9	12
35-49	263	4.5	11	<1	1	4	6	8	11	17
50-64	407	4.9	29	<1	1	3	6	11	13	28
65+	516	4.9	21	1	1	3	6	11	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	8	3.5	4	1	1	3	5	6	6	6
50-64	36	5.9	57	<1	1	3	9	11	16	43
65+	60	8.7	96	<1	1	6	10	18	26	50
B. *Operated*										
0-19 YRS	11	7.3	98	1	1	3	6	26	31	31
20-34	117	5.2	17	1	1	4	6	9	14	24
35-49	343	6.1	26	1	2	6	8	11	14	31
50-64	743	7.2	42	1	2	6	10	15	17	27
65+	1254	9.5	92	2	2	7	12	20	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.3	6	<1	1	3	5	6	9	10
B. *Operated*	1305	4.7	21	<1	1	3	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	106	7.2	76	<1	1	5	9	16	22	49
B. *Operated*	2468	8.1	66	1	2	6	10	17	22	41
1. SINGLE DX	1327	4.7	20	<1	1	3	6	10	13	22
2. MULTIPLE DX	2574	8.1	67	1	2	6	10	17	22	41
A. NOT OPERATED	128	6.5	66	<1	1	4	8	14	19	49
B. OPERATED	3773	6.9	53	1	1	5	9	15	20	37
TOTAL 0-19 YRS	22	5.0	57	<1	<1	2	5	15	26	31
20-34	230	4.5	12	<1	1	4	6	8	12	18
35-49	616	5.4	20	1	1	5	7	10	13	25
50-64	1196	6.3	39	1	1	5	9	13	17	28
65+	1837	8.1	76	1	2	5	11	18	24	45
GRAND TOTAL	**3901**	**6.9**	**54**	**1**	**1**	**5**	**9**	**15**	**20**	**38**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	3.2	13	<1	1	2	4	7	9	22
20-34	141	3.7	9	<1	1	3	5	7	9	14
35-49	171	4.0	19	<1	1	2	5	9	12	24
50-64	217	4.1	12	<1	1	3	5	8	10	19
65+	325	5.7	42	1	1	3	7	14	17	35
B. *Operated*										
0-19 YRS	674	4.6	24	<1	1	3	6	10	13	22
20-34	865	4.6	17	1	1	3	6	9	11	18
35-49	891	4.7	27	1	1	3	6	10	13	25
50-64	1175	4.8	24	1	1	3	6	11	14	24
65+	1380	5.2	27	1	1	3	7	12	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	4.3	56	<1	1	2	5	9	11	29
20-34	249	6.0	67	<1	1	4	7	12	17	57
35-49	333	5.2	21	1	1	4	7	10	13	21
50-64	788	6.0	44	1	1	4	8	13	17	36
65+	2029	7.8	71	1	2	5	10	17	24	42
B. *Operated*										
0-19 YRS	320	9.7	132	1	2	6	12	22	27	66
20-34	657	8.2	105	1	2	6	9	17	24	59
35-49	996	8.3	85	1	2	6	10	17	23	57
50-64	1752	8.6	81	1	2	6	11	18	23	47
65+	3440	10.3	102	2	2	8	13	22	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	4.4	23	<1	1	3	5	9	13	23
B. *Operated*	4985	4.8	24	1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	3619	6.9	61	1	1	5	9	14	21	38
B. *Operated*	7165	9.4	97	1	2	7	12	20	27	54
1. SINGLE DX	6016	4.7	24	1	1	3	6	10	14	24
2. MULTIPLE DX	10784	8.5	86	1	2	6	11	18	25	51
A. NOT OPERATED	4650	6.3	54	1	1	4	8	13	19	37
B. OPERATED	12150	7.5	72	1	1	5	10	16	22	44
TOTAL 0-19 YRS	1391	5.5	58	<1	1	3	7	12	17	40
20-34	1912	5.9	56	1	1	4	7	11	16	42
35-49	2391	6.2	53	1	1	4	8	13	17	37
50-64	3932	6.7	56	1	1	4	9	14	20	39
65+	7174	8.4	80	1	2	6	11	18	25	47
GRAND TOTAL	**16800**	**7.2**	**67**	**1**	**1**	**5**	**9**	**15**	**22**	**43**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	90th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	1	1	1	2	3	4	4	4
20-34	40	3.8	7	<1	1	3	5	7	9	12
35-49	42	3.1	7	<1	1	3	4	5	6	7
50-64	28	3.7	7	<1	1	3	5	8	9	9
65+	29	5.1	9	1	1	5	7	10	10	11
B. *Operated*										
0-19 YRS	81	3.4	1	2	2	3	4	5	5	6
20-34	639	3.8	2	2	2	4	5	5	6	8
35-49	984	4.0	4	2	3	4	5	6	6	11
50-64	865	4.4	5	2	3	4	5	6	7	13
65+	437	4.9	5	3	3	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.3	7	<1	<1	4	6	8	9	9
20-34	77	3.9	7	<1	1	3	5	7	9	12
35-49	115	4.4	11	<1	1	4	6	8	10	18
50-64	151	4.9	16	1	1	5	7	9	10	12
65+	224	7.5	55	1	2	5	9	14	20	36
B. *Operated*										
0-19 YRS	24	5.0	9	2	2	4	7	10	11	12
20-34	259	4.6	6	2	3	4	5	7	9	14
35-49	567	5.5	18	3	3	4	6	9	12	20
50-64	806	5.9	18	2	3	5	6	10	14	23
65+	618	8.1	53	3	3	6	9	15	20	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	3.7	6	<1	1	3	5	7	9	11
B. *Operated*	3006	4.2	4	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	579	5.7	31	1	1	4	7	10	13	28
B. *Operated*	2274	6.2	28	3	3	5	7	11	15	27
1. SINGLE DX	3163	4.2	4	2	3	4	5	6	7	11
2. MULTIPLE DX	2853	6.1	28	2	3	5	7	11	15	27
A. NOT OPERATED	736	5.2	26	1	1	4	7	10	12	25
B. OPERATED	5280	5.1	15	2	3	4	5	8	11	21
TOTAL 0-19 YRS	135	3.6	3	1	2	3	4	6	7	11
20-34	1015	4.0	4	1	2	4	5	6	7	10
35-49	1708	4.5	10	2	3	4	5	7	9	15
50-64	1850	5.1	12	2	3	4	6	8	11	19
65+	1308	6.8	39	2	3	5	8	12	17	31
GRAND TOTAL	**6016**	**5.1**	**17**	**2**	**3**	**4**	**5**	**8**	**11**	**21**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	4.3	13	1	1	3	5	9	10	19
20-34	338	4.8	11	1	2	4	6	8	11	17
35-49	313	4.9	11	1	2	4	7	9	11	14
50-64	189	6.2	19	2	3	5	8	11	14	23
65+	168	6.7	23	2	2	6	9	12	15	27
B. *Operated*										
0-19 YRS	145	4.9	13	2	3	4	5	6	10	25
20-34	600	4.8	7	2	3	4	5	7	10	17
35-49	501	4.5	5	2	2	4	5	7	9	14
50-64	364	4.5	8	2	2	4	5	6	8	15
65+	125	5.2	16	2	2	4	6	7	9	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	5.6	31	1	2	4	7	10	13	19
20-34	578	5.5	13	1	2	5	7	10	12	17
35-49	856	6.4	21	2	2	5	8	11	15	23
50-64	1156	7.7	40	2	3	6	9	14	17	32
65+	1727	10.1	64	3	3	8	13	19	26	40
B. *Operated*										
0-19 YRS	79	7.2	54	2	3	5	8	13	23	45
20-34	335	6.7	35	2	3	5	7	12	17	30
35-49	470	6.8	44	2	3	5	8	13	16	37
50-64	524	7.7	45	2	3	5	9	16	21	43
65+	475	13.6	184	3	4	9	18	30	41	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1157	5.3	15	1	2	4	7	10	12	19
B. *Operated*	1735	4.7	8	2	2	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	4479	8.0	45	2	3	6	10	15	20	35
B. *Operated*	1883	8.8	86	2	3	6	10	18	26	59
1. SINGLE DX	2892	4.9	11	2	2	4	6	8	11	18
2. MULTIPLE DX	6362	8.2	57	2	3	6	10	16	21	40
A. NOT OPERATED	5636	7.4	40	2	2	6	9	14	18	33
B. OPERATED	3618	6.8	53	2	3	5	7	13	19	41
TOTAL 0-19 YRS	535	5.3	25	1	2	4	6	10	13	26
20-34	1851	5.4	15	2	2	4	6	9	12	20
35-49	2140	5.8	22	2	2	5	7	10	13	22
50-64	2233	7.0	36	2	3	5	9	13	17	34
65+	2495	10.3	86	3	3	8	13	20	28	48
GRAND TOTAL	**9254**	**7.2**	**45**	**2**	**3**	**5**	**8**	**14**	**18**	**34**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1403	5.6	9	2	2	5	7	9	11	15
20-34	759	5.5	12	1	2	5	7	9	11	17
35-49	779	5.7	10	2	2	5	7	9	11	17
50-64	1006	6.2	13	2	3	5	8	10	13	19
65+	837	7.0	20	2	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	14	4.2	3	1	2	4	5	6	8	8
20-34	20	6.4	33	1	1	5	6	12	20	26
35-49	23	4.9	10	2	2	4	7	9	11	15
50-64	36	5.8	29	1	2	4	7	12	21	23
65+	34	7.6	46	1	1	6	10	14	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	979	5.9	42	1	2	5	7	10	13	24
20-34	1364	6.1	25	1	2	5	7	11	14	25
35-49	2894	6.8	19	2	3	6	8	12	15	24
50-64	6221	7.6	28	2	3	7	9	13	16	26
65+	8205	8.7	41	3	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	40	12.5	316	1	2	6	12	26	50	97
20-34	179	10.7	127	2	2	7	13	21	33	58
35-49	424	11.7	104	2	3	9	14	23	31	55
50-64	903	12.5	117	3	4	10	15	25	34	60
65+	1117	14.2	135	3	4	11	17	28	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4784	6.0	13	2	2	5	8	10	12	18
B. *Operated*	127	6.0	28	1	2	4	8	11	18	27
2. MULTIPLE DX										
A. *Not Operated*	19663	7.7	33	2	3	7	9	14	17	29
B. *Operated*	2663	13.0	127	2	4	10	16	25	36	61
1. SINGLE DX	4911	6.0	13	2	2	5	8	10	12	19
2. MULTIPLE DX	22326	8.4	48	2	3	7	10	15	20	37
A. NOT OPERATED	24447	7.6	30	2	3	6	9	13	17	29
B. OPERATED	2790	12.7	125	2	3	10	15	25	35	59
TOTAL 0-19 YRS	2436	5.8	28	1	2	5	7	10	12	20
20-34	2322	6.2	30	1	2	5	8	11	14	26
35-49	4120	7.1	28	2	3	6	9	12	16	27
50-64	8166	8.0	39	2	3	7	10	14	18	33
65+	10193	9.1	53	3	3	7	11	16	22	40
GRAND TOTAL	27237	7.9	42	2	3	6	9	14	18	35

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2654	4.6	13	1	2	4	6	9	11	15
20-34	1539	4.6	10	1	2	4	6	8	11	16
35-49	604	5.6	13	2	2	5	7	10	13	18
50-64	390	7.0	30	2	3	6	9	12	14	23
65+	293	7.6	23	3	3	7	9	13	16	25
B. *Operated*										
0-19 YRS	25	8.5	147	2	3	5	8	11	26	66
20-34	26	5.4	10	2	2	4	6	10	12	16
35-49	14	6.6	10	2	2	7	9	10	11	11
50-64	9	10.6	64	3	3	9	13	25	27	27
65+	9	7.0	18	1	1	7	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2371	5.2	23	1	2	4	7	9	12	22
20-34	2780	5.1	28	2	2	5	8	11	14	25
35-49	1837	7.7	34	2	3	6	9	14	18	27
50-64	1968	9.3	60	2	3	7	11	16	21	40
65+	2461	11.4	79	3	4	9	14	20	26	45
B. *Operated*										
0-19 YRS	94	10.8	103	3	3	6	13	23	32	57
20-34	269	12.1	123	3	4	6	15	25	34	53
35-49	258	17.0	236	3	4	12	22	36	50	80
50-64	255	19.0	209	5	7	15	24	38	53	99
65+	352	23.8	270	7	9	19	29	45	58	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5680	5.0	14	1	2	4	7	9	12	18
B. *Operated*	84	7.3	60	2	2	6	9	11	16	53
2. MULTIPLE DX										
A. *Not Operated*	11417	7.9	50	2	2	6	10	15	19	35
B. *Operated*	1228	17.8	226	3	5	13	23	37	51	90
1. SINGLE DX	5764	5.1	15	1	2	4	7	9	12	18
2. MULTIPLE DX	12645	8.8	76	2	2	7	11	17	23	47
A. NOT OPERATED	17097	6.9	40	1	2	5	9	13	17	30
B. OPERATED	1312	17.1	222	3	4	12	22	37	51	85
TOTAL 0-19 YRS	5365	5.0	20	1	2	4	6	9	11	19
20-34	4614	6.0	30	1	2	5	7	11	14	27
35-49	2713	8.1	58	2	2	6	10	15	20	40
50-64	2622	9.9	79	2	3	8	12	18	25	51
65+	3115	12.4	113	3	4	10	15	23	32	51
GRAND TOTAL	18409	7.7	60	2	2	6	9	15	20	41

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1257	5.8	14	1	2	5	7	10	12	17
20-34	1489	5.5	13	2	2	5	7	9	11	18
35-49	1827	6.3	15	2	3	6	8	11	13	20
50-64	2615	6.6	19	2	3	6	8	11	14	20
65+	2302	7.3	25	2	3	6	9	12	15	24
B. *Operated*										
0-19 YRS	23	4.3	19	<1	1	3	5	10	14	20
20-34	115	4.3	24	<1	<1	3	5	9	13	27
35-49	136	6.1	47	<1	1	3	7	15	25	30
50-64	349	5.2	45	1	1	3	6	11	15	37
65+	413	5.5	50	1	2	3	6	12	21	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1210	5.8	25	1	2	5	7	10	14	22
20-34	4055	6.7	29	2	2	5	8	12	15	27
35-49	8272	7.7	30	2	3	6	9	13	17	30
50-64	17941	8.3	34	3	3	7	10	14	18	30
65+	23656	9.5	50	3	4	8	12	17	22	39
B. *Operated*										
0-19 YRS	69	8.9	57	2	2	8	11	17	22	41
20-34	1180	13.3	185	2	2	9	17	30	41	73
35-49	2546	14.5	165	2	3	11	18	32	41	74
50-64	6023	16.9	226	2	4	12	22	37	51	93
65+	7915	19.9	276	3	4	15	26	44	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9490	6.5	18	2	3	6	8	11	13	20
B. *Operated*	1036	5.3	44	<1	1	3	6	12	18	36
2. MULTIPLE DX										
A. *Not Operated*	55134	8.6	41	2	3	7	10	15	19	34
B. *Operated*	17733	17.6	242	2	4	13	23	39	54	98
1. SINGLE DX	10526	6.3	21	2	2	5	8	11	14	22
2. MULTIPLE DX	72867	10.8	105	2	3	8	13	21	30	62
A. NOT OPERATED	64624	8.2	38	2	3	7	10	15	19	32
B. OPERATED	18769	16.9	239	2	3	13	22	38	52	96
TOTAL 0-19 YRS	2559	5.9	21	1	2	5	8	10	13	21
20-34	6839	7.5	60	2	2	5	9	14	20	42
35-49	12781	8.8	63	2	3	7	10	16	23	43
50-64	26928	10.0	89	2	3	7	12	19	27	57
65+	34286	11.7	121	3	4	8	14	23	34	70
GRAND TOTAL	**83393**	**10.2**	**96**	**2**	**3**	**7**	**12**	**20**	**28**	**59**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.5	2	1	1	2	4	4	5	5
20-34	49	3.9	9	1	1	3	6	7	9	15
35-49	10	3.7	4	1	1	3	5	6	7	7
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	104	3.7	5	1	1	3	5	6	8	11
20-34	498	3.8	6	<1	1	4	5	7	8	11
35-49	46	4.1	14	<1	1	3	6	7	8	24
50-64	4	2.0		2	2	2	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.5	6	<1	1	3	5	7	9	10
20-34	74	4.6	12	1	2	4	5	8	13	19
35-49	13	4.7	7	1	2	4	6	9	11	11
50-64	4	3.3		3	3	3	4	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	127	4.6	9	1	1	4	6	8	11	14
20-34	959	4.8	9	1	1	5	6	8	10	16
35-49	157	5.8	10	1	2	6	7	9	10	19
50-64	13	5.4	16	<1	1	5	7	10	15	16
65+	4	5.8	15	2	2	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.5	6	1	1	3	5	7	8	14
B. *Operated*	654	3.8	6	<1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	117	4.4	10	1	2	3	5	8	11	17
B. *Operated*	1260	4.9	10	1	1	5	6	8	10	16
1. SINGLE DX	740	3.7	6	<1	1	3	5	7	8	11
2. MULTIPLE DX	1377	4.9	10	1	1	5	6	8	10	16
A. NOT OPERATED	203	4.0	9	1	1	3	5	7	10	15
B. OPERATED	1914	4.5	9	1	1	4	6	8	9	15
TOTAL 0-19 YRS	280	4.0	7	1	1	4	6	7	9	13
20-34	1580	4.4	9	<1	1	4	6	7	9	15
35-49	226	5.3	11	1	2	5	7	9	10	19
50-64	23	4.3	11	1	1	3	6	7	11	16
65+	8	4.1	10	1	1	3	6	9	10	10
GRAND TOTAL	**2117**	**4.5**	**9**	**1**	**1**	**4**	**6**	**8**	**9**	**15**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	737	2.9	8	1	1	2	4	6	8	16
20-34	484	4.2	11	1	1	3	5	8	10	18
35-49	392	4.5	18	1	1	3	6	8	10	23
50-64	292	4.1	11	1	1	3	5	8	10	22
65+	322	4.7	15	1	1	4	6	10	13	19
B. Operated										
0-19 YRS	71	5.1	15	1	2	4	7	10	11	23
20-34	83	5.7	22	<1	1	4	8	12	13	25
35-49	99	7.5	66	1	2	5	8	14	19	50
50-64	110	6.3	19	2	2	5	7	11	16	24
65+	61	7.6	34	2	3	6	9	14	16	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1018	3.9	20	1	1	3	5	8	12	21
20-34	1482	5.0	22	1	1	4	6	10	13	23
35-49	1719	5.6	28	1	2	4	7	10	14	27
50-64	2487	6.4	37	1	2	5	8	13	17	30
65+	5476	7.8	46	2	2	6	10	15	20	34
B. Operated										
0-19 YRS	96	9.4	129	2	2	5	10	20	41	83
20-34	257	9.0	74	1	2	6	11	19	29	68
35-49	335	9.4	73	2	2	7	12	18	22	37
50-64	533	12.1	123	2	3	9	15	25	30	59
65+	715	15.7	226	3	4	11	20	33	47	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2227	3.9	12	1	1	3	5	8	10	18
B. Operated	424	6.4	32	1	2	5	8	12	15	31
2. MULTIPLE DX										
A. Not Operated	12182	6.5	38	1	2	5	8	13	18	31
B. Operated	1936	12.4	154	2	3	9	16	26	36	67
1. SINGLE DX	2651	4.3	17	1	1	3	5	8	11	21
2. MULTIPLE DX	14118	7.3	58	1	2	5	9	15	20	40
A. NOT OPERATED	14409	6.1	35	1	1	4	8	12	17	30
B. OPERATED	2360	11.4	137	2	3	8	14	24	33	80
TOTAL 0-19 YRS	1922	3.9	23	1	1	3	4	8	11	23
20-34	2306	5.3	27	1	1	4	7	10	15	29
35-49	2545	6.0	36	1	2	4	7	12	16	30
50-64	3422	7.1	52	1	2	5	8	15	20	40
65+	6574	8.5	71	2	2	6	10	17	23	44
GRAND TOTAL	**16769**	**6.9**	**53**	**1**	**2**	**5**	**8**	**14**	**19**	**38**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	6.6	90	1	2	4	7	11	17	68
20-34	5	12.8	183	2	2	7	21	35	35	35
35-49	11	6.5	17	1	2	7	8	12	16	16
50-64	14	5.9	15	1	2	5	9	12	13	13
65+	46	8.0	40	2	3	6	10	14	26	30
B. Operated										
0-19 YRS	7	4.0	6	<1	<1	4	6	8	8	8
20-34	8	4.9	20	1	1	4	5	12	15	15
35-49	6	6.7	29	2	2	4	13	14	14	14
50-64	5	9.8	63	3	3	6	14	23	23	23
65+	9	5.6	12	1	1	5	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	228	9.7	87	2	2	7	12	20	29	58
20-34	109	9.7	129	2	2	7	10	20	29	69
35-49	133	11.0	123	2	3	8	13	21	27	70
50-64	359	11.5	97	2	4	9	14	24	32	54
65+	1713	11.4	87	3	4	9	14	22	29	58
B. Operated										
0-19 YRS	33	17.2	269	1	3	10	31	47	55	99+
20-34	51	13.9	180	4	5	10	16	27	36	85
35-49	99	12.0	119	3	4	8	15	27	32	58
50-64	140	15.2	133	3	5	12	22	30	36	87
65+	472	19.8	252	4	6	15	27	40	57	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	7.2	62	2	2	5	8	13	18	41
B. Operated	34	5.9	23	1	2	5	8	13	15	23
2. MULTIPLE DX										
A. Not Operated	2542	11.2	92	3	3	8	14	22	29	58
B. Operated	795	17.5	218	4	5	13	24	37	48	86
1. SINGLE DX	166	7.0	54	2	2	5	8	13	17	34
2. MULTIPLE DX	3337	12.7	130	3	4	9	15	27	36	67
A. NOT OPERATED	2674	11.0	92	3	3	8	14	21	29	58
B. OPERATED	829	17.0	216	3	5	13	23	36	48	86
TOTAL 0-19 YRS	324	9.8	111	2	2	6	11	21	33	61
20-34	173	10.8	144	2	2	7	13	25	30	78
35-49	249	11.1	116	2	3	8	13	22	28	58
50-64	518	12.3	108	2	3	9	16	26	33	54
65+	2239	13.1	133	3	4	10	16	27	36	75
GRAND TOTAL	**3503**	**12.4**	**127**	**3**	**4**	**9**	**15**	**26**	**35**	**67**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	651	11.2	40	2	4	10	14	19	22	33
20-34	185	11.3	28	2	4	11	14	18	21	25
35-49	5	8.2	44	3	3	5	12	19	19	19
50-64										
65+										
B. *Operated*										
0-19 YRS	34	14.9	175	2	3	12	15	39	39	66
20-34	14	13.1	215	<1	1	10	17	26	50	57
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1076	11.1	51	2	3	10	14	18	23	37
20-34	430	12.7	37	4	6	12	15	21	25	31
35-49	28	11.5	23	4	6	12	14	18	21	22
50-64										
65+										
B. *Operated*										
0-19 YRS	169	15.8	203	2	3	13	19	37	49	99+
20-34	65	17.8	178	1	5	14	22	35	48	69
35-49	8	3.8	39	<1	<1	1	3	14	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	841	11.2	38	2	4	10	14	19	22	31
B. *Operated*	51	13.6	181	1	2	11	16	30	39	66
2. MULTIPLE DX										
A. *Not Operated*	1534	11.6	47	2	4	11	14	19	24	35
B. *Operated*	242	15.9	196	2	3	13	20	35	47	99+
1. SINGLE DX	892	11.3	46	2	3	10	14	19	22	36
2. MULTIPLE DX	1776	12.2	69	2	4	11	15	21	26	46
A. NOT OPERATED	2375	11.4	44	2	4	11	14	19	23	33
B. OPERATED	293	15.5	193	1	2	13	19	35	47	96
TOTAL 0-19 YRS	1930	11.6	64	2	3	10	14	20	25	44
20-34	694	12.8	54	3	5	12	15	21	25	40
35-49	44	9.1	38	<1	1	9	13	18	20	22
50-64										
65+										
GRAND TOTAL	**2668**	**11.9**	**62**	**2**	**4**	**11**	**14**	**20**	**25**	**43**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.7	31	1	1	1	3	6	9	20
20-34	31	3.4	12	<1	<1	2	4	7	9	18
35-49	34	4.2	26	<1	1	3	5	7	9	30
50-64	10	6.1	34	1	1	3	10	16	17	17
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	43	7.2	7	4	5	7	8	10	12	18
20-34	650	7.7	7	5	5	7	9	10	12	16
35-49	494	8.6	15	5	5	8	10	12	14	26
50-64	76	8.1	10	4	4	8	11	12	13	15
65+	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	9.1	265	1	1	4	6	38	68	99+
20-34	156	4.7	14	1	1	4	6	8	13	19
35-49	233	5.8	36	1	1	4	7	11	16	33
50-64	185	7.3	56	2	2	5	9	14	19	92
65+	87	9.4	64	2	3	7	11	19	27	44
B. *Operated*										
0-19 YRS	41	8.2	11	4	5	8	10	11	13	22
20-34	1154	9.2	41	5	5	8	10	13	17	41
35-49	1535	9.8	43	5	6	8	10	14	18	41
50-64	383	10.6	46	5	6	9	11	16	24	48
65+	27	15.0	293	3	5	9	16	26	58	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	3.2	28	1	1	1	4	7	9	23
B. *Operated*	1265	8.1	10	5	5	8	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	773	6.8	75	1	1	5	8	13	21	72
B. *Operated*	3140	9.7	45	5	6	8	10	14	19	42
1. SINGLE DX	1476	7.4	16	1	3	7	9	11	13	18
2. MULTIPLE DX	3913	9.1	52	3	4	8	10	14	19	48
A. NOT OPERATED	984	6.0	67	1	1	4	7	12	18	63
B. OPERATED	4405	9.2	35	5	5	8	10	13	16	38
TOTAL 0-19 YRS	330	6.1	113	1	1	4	7	10	19	97
20-34	1991	8.3	29	3	5	8	9	12	14	31
35-49	2296	9.0	38	3	5	8	10	13	17	38
50-64	654	9.3	47	2	4	8	11	15	21	49
65+	118	10.6	119	3	3	7	12	22	28	63
GRAND TOTAL	**5389**	**8.7**	**43**	**2**	**4**	**8**	**10**	**13**	**17**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	612	2.9	9	<1	<1	2	4	6	9	14
20-34	298	3.3	22	<1	<1	2	4	7	9	18
35-49	179	5.3	48	<1	<1	3	6	11	18	44
50-64	178	3.8	15	<1	<1	3	5	8	10	21
65+	132	5.6	26	1	1	4	8	13	15	24
B. *Operated*										
0-19 YRS	167	4.4	16	1	1	3	5	11	13	85
20-34	273	4.5	24	1	1	3	5	10	15	28
35-49	314	4.2	42	<1	1	3	5	8	11	24
50-64	192	4.1	15	<1	1	3	5	8	10	23
65+	87	7.6	98	1	1	4	10	16	23	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	883	4.9	26	<1	1	3	6	10	14	25
20-34	609	6.8	52	1	1	5	8	14	20	37
35-49	795	7.3	63	1	2	5	9	14	20	46
50-64	862	7.9	49	1	2	6	9	15	22	34
65+	1258	8.8	59	2	3	7	11	17	22	42
B. *Operated*										
0-19 YRS	182	10.7	139	1	2	7	14	29	49	99+
20-34	493	11.9	159	2	2	8	15	31	43	99+
35-49	711	10.5	127	1	2	7	12	24	33	66
50-64	621	9.9	108	1	2	7	12	22	32	52
65+	643	13.2	150	2	3	10	17	27	39	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1399	3.7	20	<1	<1	2	5	8	11	22
B. *Operated*	1033	4.6	34	<1	1	3	5	10	13	27
2. MULTIPLE DX										
A. *Not Operated*	4407	7.3	52	1	2	5	9	15	20	37
B. *Operated*	2650	11.3	136	1	2	8	14	26	37	80
1. SINGLE DX	2432	4.0	26	<1	<1	3	5	9	12	23
2. MULTIPLE DX	7057	8.8	87	1	2	6	11	19	27	53
A. NOT OPERATED	5806	6.4	47	<1	1	4	8	13	19	35
B. OPERATED	3683	9.4	117	1	1	6	11	22	32	70
TOTAL 0-19 YRS	1844	4.7	35	<1	<1	3	6	10	15	45
20-34	1673	7.3	84	<1	1	5	9	16	26	56
35-49	1999	7.8	86	1	1	5	9	16	24	53
50-64	1853	7.8	66	1	1	5	9	16	23	41
65+	2120	9.9	91	2	2	7	12	20	27	52
GRAND TOTAL	**9489**	**7.6**	**76**	**<1**	**1**	**5**	**9**	**16**	**24**	**49**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	35	3.9	3	1	2	4	5	6	8	8
35-49	110	4.0	7	1	1	3	5	8	10	11
50-64	139	4.6	9	1	2	4	6	8	10	18
65+	223	4.7	7	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS										
20-34	8	5.4	32	<1	<1	3	7	15	18	18
35-49	13	3.3	5	<1	1	2	4	7	8	8
50-64	51	4.7	16	1	2	3	6	9	16	17
65+	56	5.2	26	<1	1	3	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.8	11	1	2	7	8	11	14	14
20-34	67	4.5	12	1	2	4	5	8	12	19
35-49	292	5.5	11	2	2	5	7	10	13	17
50-64	674	6.3	25	2	2	5	7	11	15	28
65+	1493	7.5	39	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS										
20-34	12	4.7	21	1	1	3	5	13	16	16
35-49	58	7.4	60	1	2	5	9	16	29	35
50-64	173	10.4	101	2	2	7	14	21	33	50
65+	263	12.1	145	2	3	9	15	25	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	4.4	7	1	2	4	6	8	10	13
B. *Operated*	128	4.8	20	<1	1	3	6	11	16	20
2. MULTIPLE DX										
A. *Not Operated*	2536	6.9	32	2	2	5	8	13	17	27
B. *Operated*	506	10.8	120	2	2	8	14	22	34	58
1. SINGLE DX	637	4.5	10	1	2	4	6	8	10	17
2. MULTIPLE DX	3042	7.5	49	2	2	6	9	14	20	35
A. NOT OPERATED	3045	6.5	29	2	2	5	8	12	15	27
B. OPERATED	634	9.6	106	1	2	6	12	20	30	53
TOTAL 0-19 YRS	12	6.0	13	1	1	6	8	10	13	14
20-34	122	4.4	11	1	2	4	5	8	12	19
35-49	473	5.3	17	1	2	4	7	10	12	21
50-64	1037	6.7	38	2	2	5	8	13	18	34
65+	2035	7.7	53	2	2	6	9	15	20	36
GRAND TOTAL	**3679**	**7.0**	**43**	**2**	**2**	**5**	**8**	**14**	**18**	**34**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	391	2.9	4	1	1	2	3	5	7	12
20-34	142	2.9	4	1	1	2	4	5	7	12
35-49	188	3.6	9	1	1	3	4	6	8	17
50-64	209	4.2	15	1	1	3	5	8	10	21
65+	564	6.0	24	1	2	5	7	11	15	26
B. *Operated*										
0-19 YRS	8	4.3	10	1	1	3	5	9	11	11
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	4.3		1	4	4	5	5	5	5
50-64	9	9.7	46	3	3	8	13	21	23	23
65+	15	9.6	127	2	2	7	9	31	38	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3243	3.8	12	1	1	3	4	6	9	17
20-34	1806	4.2	19	1	1	3	5	8	10	19
35-49	2194	5.3	23	1	2	4	7	10	13	27
50-64	4646	6.7	35	1	2	5	8	13	17	30
65+	20175	9.0	57	2	3	7	11	17	22	41
B. *Operated*										
0-19 YRS	104	9.3	104	1	2	6	10	27	35	99+
20-34	165	8.2	88	1	1	5	10	18	28	54
35-49	231	9.5	69	1	2	7	12	21	26	40
50-64	555	13.0	156	2	3	9	17	27	37	7[illegible]
65+	1896	17.9	194	4	5	14	23	36	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1494	4.3	16	1	1	3	5	8	12	21
B. *Operated*	37	7.6	69	2	2	5	9	16	28	41
2. MULTIPLE DX										
A. *Not Operated*	32064	7.6	49	2	2	6	9	15	20	36
B. *Operated*	2951	15.4	180	2	3	12	21	32	46	80
1. SINGLE DX	1531	4.4	17	1	1	3	5	9	12	22
2. MULTIPLE DX	35015	8.3	64	2	2	6	10	17	23	44
A. NOT OPERATED	33558	7.5	48	2	2	6	9	15	19	35
B. OPERATED	2988	15.3	179	2	3	12	21	32	45	80
TOTAL 0-19 YRS	3746	3.8	15	1	1	3	4	7	9	21
20-34	2115	4.4	24	1	1	3	5	8	11	24
35-49	2616	5.5	27	1	2	4	7	10	14	29
50-64	5419	7.2	51	1	2	5	9	15	20	37
65+	22650	9.6	74	2	3	7	12	19	25	49
GRAND TOTAL	**36546**	**8.1**	**63**	**2**	**2**	**6**	**10**	**16**	**22**	**43**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	3.7	10	1	1	3	5	7	8	15
20-34	91	3.7	4	1	1	3	5	6	7	9
35-49	148	4.1	7	1	1	3	6	8	9	11
50-64	131	4.6	12	1	1	4	6	9	10	20
65+	346	5.0	20	1	1	4	6	9	11	27
B. *Operated*										
0-19 YRS	23	4.4	9	1	1	3	7	9	10	11
20-34	27	5.1	10	2	2	4	7	10	12	13
35-49	54	5.3	10	1	2	5	8	9	9	17
50-64	48	6.8	15	2	3	6	8	11	14	22
65+	110	7.1	19	2	3	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	4.6	19	1	1	4	6	8	10	17
20-34	343	4.9	14	1	1	4	6	8	11	17
35-49	703	5.3	16	1	2	4	6	9	12	20
50-64	1160	6.2	21	1	2	5	8	11	14	22
65+	5604	7.4	40	1	2	6	9	14	18	33
B. *Operated*										
0-19 YRS	59	7.1	32	2	2	6	9	14	17	35
20-34	154	7.4	26	2	2	6	9	15	18	24
35-49	449	8.2	39	2	3	7	11	15	18	24
50-64	618	10.1	57	3	4	8	12	19	24	40
65+	2120	11.5	73	3	4	10	14	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	874	4.4	13	1	1	4	6	8	10	18
B. *Operated*	262	6.2	15	2	2	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	8140	6.8	34	1	2	6	9	13	17	29
B. *Operated*	3400	10.6	65	3	4	9	13	19	25	42
1. SINGLE DX	1136	4.8	14	1	1	4	6	9	11	19
2. MULTIPLE DX	11540	7.9	46	2	2	6	10	15	20	34
A. NOT OPERATED	9014	6.6	33	1	2	5	8	12	16	29
B. OPERATED	3662	10.2	62	3	4	8	12	19	24	41
TOTAL 0-19 YRS	570	4.6	18	1	1	4	6	8	11	18
20-34	615	5.4	17	1	2	4	7	10	13	20
35-49	1354	6.1	24	1	2	5	8	11	15	21
50-64	1957	7.3	35	1	2	6	9	13	18	29
65+	8180	8.4	51	2	2	7	10	16	21	36
GRAND TOTAL	**12676**	**7.6**	**44**	**1**	**2**	**6**	**10**	**14**	**19**	**34**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1709	4.4	10	1	1	4	6	8	9	15
20-34	1866	6.0	20	1	2	5	7	11	13	24
35-49	396	6.6	21	1	2	6	8	12	16	24
50-64	27	5.3	21	1	1	4	6	8	18	21
65+	6	5.3	14	1	1	5	8	11	11	11
B. Operated										
0-19 YRS	16	6.7	14	2	2	6	8	13	15	15
20-34	34	8.8	62	2	2	7	12	15	24	41
35-49	12	7.3	24	2	2	7	8	14	19	20
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1617	5.6	20	1	2	5	7	11	13	23
20-34	2119	7.8	38	2	3	6	9	15	19	31
35-49	546	8.7	54	2	3	7	11	16	21	31
50-64	123	6.9	18	1	2	6	9	13	15	19
65+	32	7.4	16	2	2	7	11	13	15	16
B. Operated										
0-19 YRS	74	12.3	91	1	2	10	16	24	32	43
20-34	188	14.7	160	2	3	10	20	29	39	82
35-49	67	13.6	195	2	3	10	15	27	38	87
50-64	19	9.3	41	2	2	8	12	18	23	27
65+	6	21.8	295	11	11	14	26	52	55	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4004	5.4	16	1	2	4	7	9	12	22
B. Operated	63	7.9	42	2	2	7	11	14	18	39
2. MULTIPLE DX										
A. Not Operated	4437	7.1	34	1	2	6	9	13	17	28
B. Operated	354	13.8	150	2	3	10	18	28	38	75
1. SINGLE DX	4067	5.4	17	1	2	5	7	10	12	22
2. MULTIPLE DX	4791	7.6	46	1	2	6	9	15	19	32
A. NOT OPERATED	8441	6.3	26	1	2	5	8	11	15	26
B. OPERATED	417	12.9	136	2	2	10	17	27	35	66
TOTAL 0-19 YRS	3416	5.1	18	1	1	4	6	10	12	23
20-34	4207	7.3	39	2	2	6	9	14	18	31
35-49	1021	8.2	53	2	2	7	10	15	20	32
50-64	170	6.9	22	1	2	6	9	14	18	21
65+	44	9.1	74	2	2	8	11	15	19	55
GRAND TOTAL	**8858**	**6.6**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	902	2.3	11	<1	<1	1	2	5	7	15
20-34	258	2.9	8	<1	<1	2	4	7	9	15
35-49	176	4.6	24	1	1	3	6	11	13	18
50-64	309	3.7	15	<1	<1	2	5	9	11	16
65+	1371	3.7	19	<1	1	2	5	8	11	21
B. Operated										
0-19 YRS	172	6.1	29	1	2	5	7	12	16	27
20-34	69	6.3	28	1	2	5	8	14	16	24
35-49	67	7.0	19	2	2	7	8	12	14	25
50-64	116	8.1	55	2	3	7	10	15	17	43
65+	314	8.0	37	1	2	7	10	15	20	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1026	3.6	29	<1	<1	2	5	8	11	23
20-34	645	5.0	25	<1	1	4	7	11	14	24
35-49	972	5.3	33	1	1	4	7	11	14	25
50-64	2482	5.8	40	1	1	4	8	12	16	31
65+	10190	6.7	47	1	1	5	9	14	19	33
B. Operated										
0-19 YRS	203	11.4	196	1	2	7	14	23	39	63
20-34	273	10.4	152	2	2	7	11	22	35	65
35-49	453	10.1	72	2	3	8	13	20	25	50
50-64	1070	10.8	73	2	3	9	14	21	27	50
65+	3723	13.1	131	3	4	10	16	25	34	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3016	3.2	16	<1	<1	2	4	7	10	17
B. Operated	738	7.3	36	1	2	6	9	14	18	29
2. MULTIPLE DX										
A. Not Operated	15315	6.2	43	1	1	4	8	13	17	31
B. Operated	5722	12.2	120	2	3	9	15	24	32	66
1. SINGLE DX	3754	4.0	23	<1	<1	2	5	9	13	23
2. MULTIPLE DX	21037	7.8	71	1	1	5	10	16	22	44
A. NOT OPERATED	18331	5.7	40	<1	1	4	7	12	16	31
B. OPERATED	6460	11.7	113	2	3	9	14	23	31	63
TOTAL 0-19 YRS	2303	4.0	43	<1	<1	2	5	9	13	26
20-34	1245	5.9	56	<1	1	4	7	12	16	30
35-49	1668	6.6	47	1	1	5	9	14	18	31
50-64	3977	7.0	53	1	1	5	9	15	20	36
65+	15598	8.0	73	1	1	6	10	17	23	45
GRAND TOTAL	**26791**	**7.3**	**66**	**1**	**1**	**5**	**9**	**15**	**21**	**41**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.3	7	<1	<1	2	4	7	10	14
20-34	38	3.8	7	1	1	3	5	9	10	12
35-49	21	5.2	12	<1	1	4	7	11	12	13
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	10.3	121	3	3	5	18	23	23	23
B. *Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	4	6.3	17	1	1	7	9	10	10	10
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+	2	26.0	128	18	18	26	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	4.4	19	1	1	3	5	8	12	23
20-34	91	5.2	17	2	2	4	6	10	14	24
35-49	39	9.2	104	1	2	6	11	21	29	52
50-64	24	7.1	27	1	3	6	9	14	17	25
65+	12	8.3	31	3	3	7	11	17	20	21
B. *Operated*										
0-19 YRS	25	9.6	68	1	2	6	14	19	26	34
20-34	27	8.9	86	1	2	4	11	24	32	33
35-49	10	19.3	334	1	3	23	33	74	98	99+
50-64	5	11.4	101	5	5	8	15	29	29	29
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.0	11	<1	1	3	5	8	11	17
B. *Operated*	11	9.8	106	1	1	5	16	26	33	34
2. MULTIPLE DX										
A. *Not Operated*	405	5.3	30	1	1	4	6	11	15	27
B. *Operated*	67	10.9	123	1	2	6	17	30	34	92
1. SINGLE DX	131	4.5	21	<1	1	3	5	9	12	25
2. MULTIPLE DX	472	6.1	47	1	1	4	7	13	20	34
A. NOT OPERATED	525	5.0	26	1	1	4	6	11	14	25
B. OPERATED	78	10.7	120	1	2	6	17	30	34	87
TOTAL 0-19 YRS	325	4.6	23	1	1	3	5	10	13	24
20-34	160	5.5	28	1	2	4	6	11	16	32
35-49	71	9.6	124	<1	2	5	12	26	34	90
50-64	30	7.7	39	2	3	6	9	14	25	29
65+	17	10.8	78	3	3	7	16	23	30	34
GRAND TOTAL	**603**	**5.7**	**42**	**1**	**1**	**4**	**6**	**12**	**18**	**34**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	884	3.5	10	1	1	3	4	7	9	15
20-34	142	4.4	10	1	1	3	6	8	10	16
35-49	188	4.1	15	1	1	3	6	9	11	19
50-64	123	4.7	20	1	1	4	6	10	12	24
65+	279	4.2	22	1	1	3	5	8	12	26
B. *Operated*										
0-19 YRS	440	5.2	15	1	2	4	6	9	12	21
20-34	327	7.0	23	2	2	6	8	11	16	27
35-49	192	7.8	34	1	2	7	9	14	17	35
50-64	182	8.1	42	2	3	6	9	14	22	37
65+	177	9.3	94	1	2	7	11	18	20	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1105	4.6	17	<1	1	3	6	9	11	21
20-34	562	5.5	27	1	1	4	7	10	14	27
35-49	716	6.2	28	1	2	5	8	12	15	23
50-64	1316	7.2	44	1	2	5	9	14	18	37
65+	2742	7.5	52	1	1	6	9	15	20	37
B. *Operated*										
0-19 YRS	366	8.0	68	1	2	6	9	17	25	71
20-34	472	9.2	51	2	3	7	11	18	23	38
35-49	503	10.6	85	2	3	8	12	20	27	48
50-64	899	11.5	98	2	3	9	14	22	30	62
65+	1711	13.8	143	3	4	10	17	27	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1616	3.9	13	1	1	3	5	8	10	18
B. *Operated*	1318	7.0	36	1	2	6	8	12	18	30
2. MULTIPLE DX										
A. *Not Operated*	6441	6.6	41	1	1	5	8	13	18	33
B. *Operated*	3951	11.8	111	2	3	9	15	23	32	62
1. SINGLE DX	2934	5.3	26	1	1	4	7	10	13	25
2. MULTIPLE DX	10392	8.6	74	1	2	6	11	18	24	47
A. NOT OPERATED	8057	6.1	37	1	1	4	8	12	16	30
B. OPERATED	5269	10.6	97	2	3	8	13	21	29	56
TOTAL 0-19 YRS	2795	4.8	23	1	1	4	6	9	12	25
20-34	1503	6.9	35	1	2	5	8	13	18	30
35-49	1599	7.5	50	1	2	6	9	14	19	38
50-64	2520	8.7	67	1	2	7	11	17	24	46
65+	4909	9.6	94	1	2	7	12	20	27	54
GRAND TOTAL	**13326**	**7.8**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**44**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2885	2.1	2	1	1	2	3	4	5	7
20-34	551	2.2	2	1	1	2	3	4	5	7
35-49	102	2.6	3	1	1	2	3	5	6	9
50-64	25	3.3	6	<1	1	3	4	6	9	11
65+	9	2.1	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	1333	3.7	2	2	2	3	4	5	7	10
20-34	457	4.0	4	2	2	4	5	6	7	11
35-49	53	4.8	5	2	3	4	5	7	10	15
50-64	5	5.6	9	2	2	6	8	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1592	2.7	4	1	1	2	3	5	6	9
20-34	321	2.9	6	1	1	2	4	5	6	9
35-49	72	3.9	9	1	1	3	5	6	8	19
50-64	38	4.2	6	1	2	4	5	7	10	12
65+	23	5.8	17	1	2	4	9	12	14	16
B. *Operated*										
0-19 YRS	700	4.7	9	2	2	4	5	7	9	18
20-34	276	5.5	10	2	3	5	7	10	11	18
35-49	53	6.3	12	3	4	5	7	13	15	16
50-64	16	7.9	45	2	3	6	9	16	25	29
65+	6	11.3	49	5	5	8	19	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3572	2.2	2	1	1	2	3	4	5	7
B. *Operated*	1849	3.8	3	2	2	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	2046	2.8	4	1	1	2	4	5	6	10
B. *Operated*	1051	5.1	11	2	2	4	6	8	11	18
1. SINGLE DX	5421	2.7	3	1	1	2	4	5	6	8
2. MULTIPLE DX	3097	3.6	8	1	1	3	4	6	8	15
A. NOT OPERATED	5618	2.4	3	1	1	2	3	4	5	8
B. OPERATED	2900	4.3	6	2	2	4	5	7	8	15
TOTAL 0-19 YRS	6510	2.9	4	1	1	2	4	5	6	9
20-34	1605	3.4	6	1	1	3	4	6	7	12
35-49	280	4.1	9	1	1	4	5	7	10	16
50-64	84	4.7	16	1	2	4	6	9	11	25
65+	39	5.7	25	1	1	4	8	13	17	22
GRAND TOTAL	8518	3.0	5	1	1	3	4	5	7	11

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	672	4.3	6	1	2	4	6	8	9	11
20-34	69	3.6	4	1	1	3	4	6	7	10
35-49	25	4.0	6	1	1	3	5	8	9	9
50-64	9	5.0	16	2	2	3	5	11	15	15
65+	8	6.0	62	1	1	3	5	19	25	25
B. *Operated*										
0-19 YRS	444	3.2	9	<1	<1	2	4	7	9	14
20-34	284	2.9	7	<1	<1	2	4	6	8	13
35-49	159	2.8	5	<1	1	2	3	5	8	11
50-64	99	3.0	5	<1	1	2	4	6	7	12
65+	49	3.2	5	<1	<1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	517	4.7	9	1	2	4	6	9	11	14
20-34	82	4.2	5	1	2	4	6	7	9	11
35-49	65	5.3	13	1	2	4	7	10	12	20
50-64	47	5.8	12	2	3	5	7	9	14	18
65+	37	7.8	43	1	2	6	10	14	21	33
B. *Operated*										
0-19 YRS	229	5.5	22	<1	1	4	8	12	14	21
20-34	169	5.3	28	1	1	4	7	12	15	19
35-49	148	5.3	31	1	1	3	6	11	16	30
50-64	137	6.7	42	1	2	4	8	15	19	30
65+	127	7.3	41	1	2	5	9	17	23	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	4.3	7	1	2	4	6	8	9	12
B. *Operated*	1035	3.1	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	748	4.9	11	1	2	4	6	9	11	17
B. *Operated*	810	5.9	32	1	1	4	8	13	17	27
1. SINGLE DX	1818	3.6	7	<1	1	3	5	7	9	12
2. MULTIPLE DX	1558	5.4	22	1	2	4	7	11	14	24
A. NOT OPERATED	1531	4.6	9	1	2	4	6	8	10	15
B. OPERATED	1845	4.3	20	<1	1	3	5	9	13	23
TOTAL 0-19 YRS	1862	4.3	10	1	1	3	6	8	10	15
20-34	604	3.8	13	<1	1	3	5	8	10	17
35-49	397	4.2	17	<1	1	3	5	8	11	21
50-64	292	5.2	26	1	1	4	6	11	15	26
65+	221	6.4	37	1	1	4	8	14	21	27
GRAND TOTAL	3376	4.4	15	1	1	3	6	9	11	20

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	5.1	29	<1	1	3	6	14	18	19
20-34	111	13.4	211	1	2	9	18	30	43	85
35-49	30	12.3	107	<1	1	10	21	28	31	36
50-64	49	11.3	190	1	1	5	14	28	48	63
65+	93	10.1	79	1	2	8	14	22	31	41
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	10.5	156	1	1	5	13	30	41	54
20-34	184	14.7	242	1	2	10	20	32	47	99
35-49	146	12.3	121	1	2	9	18	28	34	81
50-64	265	13.1	178	2	3	9	16	29	44	71
65+	719	11.3	126	2	2	8	14	24	32	62
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	32.2	341	7	7	31	45	56	62	62
35-49	11	19.7	219	4	4	17	26	43	53	54
50-64	31	17.5	226	2	4	13	21	43	51	62
65+	64	17.4	308	2	2	13	22	39	54	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	11.0	143	1	1	7	15	26	33	69
B. *Operated*	6	4.7	13	<1	<1	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	1360	12.2	153	2	2	8	15	27	35	74
B. *Operated*	116	18.7	287	2	3	13	26	43	53	77
1. SINGLE DX	327	10.9	142	1	1	7	15	26	33	68
2. MULTIPLE DX	1476	12.7	167	2	2	9	16	29	40	74
A. NOT OPERATED	1681	12.0	152	1	2	8	15	27	35	73
B. OPERATED	122	18.0	282	2	3	13	25	43	52	76
TOTAL 0-19 YRS	86	8.0	103	1	1	4	10	19	30	51
20-34	305	14.7	241	1	2	10	20	33	47	99
35-49	188	12.6	126	1	2	9	18	29	34	70
50-64	346	13.2	185	2	3	9	17	30	47	70
65+	878	11.6	136	2	2	8	15	25	33	69
GRAND TOTAL	**1803**	**12.4**	**163**	**1**	**2**	**8**	**16**	**28**	**38**	**73**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294, 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	584	2.4	17	<1	1	1	2	4	6	23
20-34	398	4.9	73	<1	1	3	5	10	14	50
35-49	195	7.4	93	1	1	4	8	15	26	53
50-64	282	10.3	112	1	2	7	14	22	28	59
65+	1823	11.0	127	2	2	8	14	23	33	63
B. *Operated*										
0-19 YRS	14	4.1	21	1	1	2	6	9	16	18
20-34	14	4.2	9	<1	1	3	6	8	11	12
35-49	11	5.3	15	2	2	4	7	11	15	15
50-64	16	6.4	19	2	3	5	7	11	17	20
65+	51	10.7	107	2	3	7	15	21	25	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	618	6.1	77	1	1	3	6	14	25	50
20-34	1218	8.0	79	1	2	5	9	17	26	52
35-49	819	9.9	107	2	2	7	11	22	30	55
50-64	1360	11.9	110	2	3	8	16	26	34	59
65+	12134	12.3	141	2	3	9	15	26	37	99+
B. *Operated*										
0-19 YRS	44	12.3	256	1	1	7	15	40	74	99+
20-34	83	10.4	187	1	2	5	12	30	36	95
35-49	74	17.8	364	1	2	11	20	43	56	87
50-64	139	18.2	298	2	3	14	26	51	98	99+
65+	1151	19.9	291	3	5	15	27	49	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3282	8.5	109	1	1	5	10	20	27	55
B. *Operated*	106	7.8	67	1	2	5	9	18	21	47
2. MULTIPLE DX										
A. *Not Operated*	16149	11.6	132	2	3	8	14	25	35	90
B. *Operated*	1491	18.9	294	2	4	14	26	48	79	99+
1. SINGLE DX	3388	8.5	108	1	1	5	10	20	27	55
2. MULTIPLE DX	17640	12.2	150	2	3	8	15	27	39	99+
A. NOT OPERATED	19431	11.0	129	1	2	8	14	24	34	84
B. OPERATED	1597	18.2	287	2	3	14	25	46	75	99+
TOTAL 0-19 YRS	1260	4.6	60	1	1	2	4	10	19	48
20-34	1713	7.4	84	1	1	4	9	15	26	55
35-49	1099	9.9	126	1	2	7	11	22	31	58
50-64	1797	12.1	128	2	3	9	16	27	36	78
65+	15159	12.7	155	2	3	9	16	27	40	99+
GRAND TOTAL	**21028**	**11.6**	**145**	**2**	**2**	**8**	**15**	**26**	**37**	**95**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	17.8	281	1	1	9	33	40	40	40
65+	84	14.1	102	2	2	10	17	29	44	81
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	9.3	25	2	2	11	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	27.0		27	27	27	27	27	27	27
35-49	3	21.7	137	13	13	17	30	35	35	35
50-64	51	15.4	174	2	3	11	21	35	41	66
65+	701	12.7	158	2	3	9	16	27	42	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	34.0		34	34	34	34	34	34	34
50-64	4	35.0	951	10	10	25	56	79	79	79
65+	69	27.8	593	5	7	18	49	76	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	14.2	202	1	2	10	17	30	43	78
B. *Operated*	4	9.3	25	2	2	11	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	756	13.0	160	2	3	9	16	29	42	99+
B. *Operated*	74	28.3	595	5	7	18	49	78	98	99+
1. SINGLE DX	94	14.0	196	1	2	10	17	30	42	76
2. MULTIPLE DX	830	14.3	217	2	3	10	18	35	54	99+
A. NOT OPERATED	846	13.1	164	2	3	9	16	29	42	99+
B. OPERATED	78	27.3	583	5	6	18	48	77	97	99+
TOTAL 0-19 YRS										
20-34	1	27.0		27	27	27	27	27	27	27
35-49	5	21.0	168	6	6	17	34	35	35	35
50-64	60	16.9	239	2	3	11	22	36	44	78
65+	858	14.1	213	2	3	10	17	34	53	99+
GRAND TOTAL	**9[illegible]4**	**14.3**	**214**	**2**	**3**	**10**	**17**	**34**	**52**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	4	<1	<1	2	4	6	8	8
20-34	427	4.4	15	1	1	5	5	6	8	23
35-49	674	4.9	17	1	2	5	5	7	9	22
50-64	335	5.8	40	1	2	5	5	11	16	34
65+	119	6.5	32	2	2	5	8	13	16	65
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	5.1	6	3	3	4	6	9	10	10
50-64	3	13.3	142	5	5	8	22	27	27	27
65+	2	11.0	72	5	5	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	6.7	45	1	2	5	8	14	22	35
20-34	2030	6.5	33	1	2	5	8	13	19	30
35-49	3615	6.6	39	2	2	5	7	12	18	31
50-64	2596	7.8	56	2	2	6	9	15	22	40
65+	1013	10.5	104	2	3	7	13	21	29	58
B. *Operated*										
0-19 YRS	2	7.5	85	1	1	7	14	14	14	14
20-34	65	9.4	69	1	2	7	12	24	30	36
35-49	130	12.9	153	3	3	11	15	22	28	68
50-64	126	14.9	159	3	4	12	19	33	46	99+
65+	97	20.0	304	3	5	15	26	55	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1576	5.1	23	1	2	5	5	7	12	24
B. *Operated*	12	8.2	51	3	3	5	9	20	26	27
2. MULTIPLE DX										
A. *Not Operated*	9326	7.4	51	2	2	5	8	14	22	34
B. *Operated*	420	14.6	187	3	3	11	18	31	48	99+
1. SINGLE DX	1588	5.1	23	1	2	5	5	7	12	25
2. MULTIPLE DX	9746	7.7	59	2	2	5	9	15	23	38
A. NOT OPERATED	10902	7.0	47	1	2	5	8	14	21	34
B. OPERATED	432	14.4	185	3	3	11	18	31	47	99+
TOTAL 0-19 YRS	95	5.9	38	<1	1	4	6	14	17	33
20-34	2522	6.2	31	1	2	5	7	12	17	30
35-49	4426	6.6	40	1	2	5	7	12	18	31
50-64	3060	7.9	61	2	2	5	9	16	23	46
65+	1231	10.9	121	2	3	7	13	23	33	73
GRAND TOTAL	**11334**	**7.3**	**54**	**2**	**2**	**5**	**8**	**14**	**22**	**37**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	9.3	147	1	1	5	13	20	32	70
20-34	168	7.9	81	1	1	5	10	18	23	53
35-49	45	7.5	63	1	1	5	10	15	29	34
50-64	32	7.2	31	1	2	6	9	14	18	26
65+	35	7.1	85	1	2	5	8	13	15	56
B. *Operated*										
0-19 YRS										
20-34	5	6.2	18	2	2	5	10	12	12	12
35-49										
50-64	1	34.0		34	34	34	34	34	34	34
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	10.9	171	1	1	6	14	29	40	65
20-34	678	7.9	60	1	2	6	9	17	24	37
35-49	274	7.8	46	1	2	6	10	16	23	34
50-64	248	9.4	83	1	2	7	11	19	25	45
65+	545	9.0	79	2	3	7	11	17	25	47
B. *Operated*										
0-19 YRS	4	21.8	109	13	13	19	29	36	36	36
20-34	15	14.3	84	2	6	13	17	29	33	35
35-49	14	16.0	323	1	2	12	16	39	63	70
50-64	18	13.1	73	3	5	12	15	24	32	37
65+	36	17.4	283	2	3	12	24	47	56	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	8.0	87	1	1	5	10	17	23	55
B. *Operated*	6	10.8	143	2	2	7	12	32	34	34
2. MULTIPLE DX										
A. *Not Operated*	1921	8.7	77	1	2	6	10	18	26	46
B. *Operated*	87	16.0	201	2	3	13	20	36	48	68
1. SINGLE DX	355	8.0	88	1	1	5	10	17	23	55
2. MULTIPLE DX	2008	9.0	85	1	2	6	11	18	27	47
A. NOT OPERATED	2270	8.6	79	1	2	6	10	18	25	46
B. OPERATED	93	15.6	197	2	3	12	19	35	47	67
TOTAL 0-19 YRS	249	10.7	165	1	1	6	14	27	38	66
20-34	866	8.0	65	1	2	6	10	17	24	38
35-49	333	8.1	61	1	2	6	10	17	23	35
50-64	299	9.5	79	1	2	7	12	19	26	41
65+	616	9.4	95	2	3	7	11	18	26	54
GRAND TOTAL	**2363**	**8.8**	**95**	**1**	**2**	**6**	**10**	**18**	**26**	**47**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	322	20.1	319	2	3	17	28	49	63	99+
20-34	4037	14.8	175	1	2	11	20	32	42	64
35-49	2040	14.4	143	1	2	12	20	29	38	59
50-64	839	15.7	150	2	3	13	21	33	40	58
65+	218	16.4	134	2	4	14	22	32	39	49
B. *Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	43	10.2	172	2	3	5	9	32	48	99+
35-49	18	9.8	58	1	1	7	17	20	24	26
50-64	5	18.6	285	6	6	11	27	47	47	47
65+	5	16.0	33	10	10	14	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	22.7	423	2	4	17	35	56	75	99+
20-34	2133	15.9	184	2	3	12	21	34	45	70
35-49	1475	16.1	181	2	4	13	21	33	42	75
50-64	822	18.9	190	4	6	16	24	37	46	76
65+	379	20.3	276	3	5	16	27	43	59	95
B. *Operated*										
0-19 YRS	5	17.2	57	9	9	16	23	28	28	28
20-34	101	22.7	287	4	5	20	30	48	72	99+
35-49	94	22.8	215	4	8	21	28	38	50	81
50-64	60	28.1	285	11	14	25	32	51	69	99+
65+	28	27.1	332	8	9	20	35	54	64	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7456	15.1	170	1	2	12	20	32	42	65
B. *Operated*	73	11.0	140	2	2	7	14	25	39	93
2. MULTIPLE DX										
A. *Not Operated*	4972	17.0	202	2	4	14	22	35	47	77
B. *Operated*	288	24.2	266	5	7	21	30	47	62	99
1. SINGLE DX	7529	15.0	170	1	2	12	20	32	42	65
2. MULTIPLE DX	5260	17.4	208	2	4	14	23	36	47	79
A. NOT OPERATED	12428	15.9	184	2	3	13	21	34	43	71
B. OPERATED	361	21.5	268	3	5	19	28	44	56	99
TOTAL 0-19 YRS	492	20.9	351	2	3	17	29	51	68	99+
20-34	6314	15.3	181	2	3	12	20	33	43	69
35-49	3627	15.3	162	2	3	12	20	32	40	65
50-64	1726	17.7	180	3	4	15	23	35	43	75
65+	630	19.3	233	3	5	15	25	39	53	86
GRAND TOTAL	**12789**	**16.0**	**187**	**2**	**3**	**13**	**21**	**34**	**44**	**72**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	21.6	427	2	3	14	35	56	76	99+
20-34	248	13.0	121	2	2	10	18	25	31	52
35-49	78	10.2	67	1	2	9	13	20	26	43
50-64	34	12.8	91	1	2	10	19	26	33	38
65+	12	9.3	52	2	2	6	16	19	22	22
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	31.1	442	3	5	29	43	66	78	97
20-34	140	15.6	204	1	2	12	21	32	45	80
35-49	55	15.5	174	1	3	14	19	35	46	61
50-64	35	15.1	99	3	5	14	22	28	31	42
65+	16	19.4	443	1	2	8	32	52	67	73
B. *Operated*										
0-19 YRS	2	35.0	288	23	23	35	47	47	47	47
20-34	2	16.0	200	6	6	16	26	26	26	26
35-49	5	10.6	63	3	3	7	18	21	21	21
50-64	3	29.7	560	16	16	16	47	57	57	57
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	14.1	184	1	2	10	18	30	42	83
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	317	19.2	291	2	3	15	26	43	55	82
B. *Operated*	12	20.3	276	3	4	17	24	50	56	57
1. SINGLE DX	467	14.1	183	1	2	10	18	30	42	83
2. MULTIPLE DX	329	19.2	290	2	3	15	26	43	55	82
A. NOT OPERATED	783	16.2	233	2	3	12	22	38	48	80
B. OPERATED	13	19.4	267	3	8	16	24	49	55	57
TOTAL 0-19 YRS	167	25.8	450	3	4	19	41	58	79	99+
20-34	391	13.9	151	1	2	11	20	27	36	59
35-49	138	12.3	115	1	2	10	16	24	37	50
50-64	72	14.6	116	2	4	11	20	28	34	54
65+	28	15.0	293	1	2	7	18	39	55	73
GRAND TOTAL	**796**	**16.2**	**233**	**2**	**3**	**12**	**22**	**38**	**48**	**82**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	733	21.8	347	2	4	17	31	49	70	99+
20-34	6266	14.9	182	1	2	11	20	32	43	69
35-49	3245	14.3	148	1	3	11	19	30	39	59
50-64	1483	15.6	152	2	3	13	21	31	38	67
65+	376	16.7	186	2	3	14	22	34	42	80
B. *Operated*										
0-19 YRS	1	98.0		98	98	98	98	98	98	98
20-34	25	11.9	152	<1	1	9	15	33	38	47
35-49	35	11.0	78	3	3	9	16	23	29	41
50-64	10	12.9	87	3	3	10	21	26	26	26
65+	7	16.7	140	3	3	15	27	31	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	551	21.6	318	2	4	18	32	53	71	99+
20-34	4059	16.6	209	2	3	13	22	36	47	74
35-49	2796	16.2	184	2	4	13	21	33	43	71
50-64	1911	16.9	171	3	4	14	22	34	43	67
65+	817	18.0	195	3	5	14	24	37	48	70
B. *Operated*										
0-19 YRS	78	28.5	468	3	7	20	47	63	89	99+
20-34	200	28.7	433	4	7	22	42	67	86	99+
35-49	173	22.4	209	4	7	18	30	44	52	82
50-64	140	29.6	426	6	9	23	42	70	79	99+
65+	73	26.5	292	6	10	21	37	51	67	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12103	15.3	182	1	2	12	20	33	43	72
B. *Operated*	78	13.2	200	1	2	10	18	29	34	84
2. MULTIPLE DX										
A. *Not Operated*	10134	16.9	201	2	4	13	22	36	46	78
B. *Operated*	614	26.9	360	5	8	22	37	59	75	99+
1. SINGLE DX	12181	15.3	183	1	2	12	20	33	43	72
2. MULTIPLE DX	10748	17.5	216	2	4	14	23	37	49	83
A. NOT OPERATED	22237	16.0	192	2	3	13	21	34	44	74
B. OPERATED	692	25.3	360	4	6	20	35	56	73	99+
TOTAL 0-19 YRS	1313	21.9	342	2	4	17	32	52	71	99+
20-34	10550	15.8	201	1	2	12	21	35	45	75
35-49	6249	15.4	168	2	3	12	20	32	42	67
50-64	3544	16.8	180	2	4	14	22	34	43	72
65+	1273	18.1	202	3	4	14	24	38	48	76
GRAND TOTAL	**22929**	**16.3**	**199**	**2**	**3**	**13**	**22**	**35**	**46**	**77**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	27.7	596	2	3	24	54	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	23.6	512	1	2	21	45	88	99+	99+
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	2	24.0	882	3	3	45	86	99+	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	27.7	596	2	3	24	54	99+	99+	99+
B. Operated										
2. MULTIPLE DX										
A. Not Operated	97	23.6	512	1	2	21	45	88	99+	99+
B. Operated	2	24.0	882	3	3	45	86	99+	99+	99+
1. SINGLE DX	91	27.7	596	2	3	24	55	99+	99+	99+
2. MULTIPLE DX	99	23.6	511	1	2	21	46	94	99+	99+
A. NOT OPERATED	188	25.5	554	1	2	23	50	99+	99+	99+
B. OPERATED	2	24.0	882	3	3	72	99+	99+	99+	99+
TOTAL 0-19 YRS	190	25.5	553	1	2	23	50	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	190	25.5	553	1	2	23	50	99+	99+	99+

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	545	18.1	315	2	3	12	25	44	60	98
20-34	3118	13.6	146	1	2	10	18	29	37	64
35-49	3202	14.7	155	2	3	12	20	31	39	68
50-64	2553	17.4	185	2	4	14	23	34	43	71
65+	2026	20.9	232	2	4	16	28	41	50	73
B. Operated										
0-19 YRS										
20-34	21	21.4	312	3	4	14	36	49	54	59
35-49	18	16.8	194	3	4	12	22	32	48	58
50-64	20	17.1	140	3	4	14	25	36	43	47
65+	24	25.0	402	4	5	22	28	43	66	98
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	964	23.8	469	2	3	18	37	64	89	99+
20-34	5102	15.3	188	2	3	11	21	33	43	75
35-49	5403	16.3	184	2	3	13	22	34	43	64
50-64	5092	18.1	201	3	4	15	25	36	45	77
65+	5296	21.6	257	4	5	18	29	44	55	83
B. Operated										
0-19 YRS	43	33.4	504	5	7	35	52	99+	99+	99+
20-34	326	21.9	251	3	5	20	30	43	55	99+
35-49	466	23.6	233	5	8	21	31	43	56	97
50-64	463	25.3	300	6	9	23	36	49	60	91
65+	516	30.5	357	7	10	28	42	62	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11444	16.2	187	2	3	13	22	34	43	71
B. Operated	83	20.6	276	3	4	17	28	42	51	85
2. MULTIPLE DX										
A. Not Operated	21857	18.2	225	3	4	14	25	38	49	81
B. Operated	1814	26.2	306	5	8	23	35	52	68	99+
1. SINGLE DX	11527	16.3	188	2	3	13	22	34	43	71
2. MULTIPLE DX	23671	18.8	236	3	4	15	26	39	51	85
A. NOT OPERATED	33301	17.5	213	2	4	14	24	37	47	78
B. OPERATED	1897	25.9	306	5	8	22	35	52	67	99+
TOTAL 0-19 YRS	1552	22.1	426	2	3	16	33	59	80	99+
20-34	8567	15.0	177	2	3	11	20	32	42	73
35-49	9089	16.1	179	2	3	13	22	34	43	67
50-64	8128	18.4	205	3	4	15	25	37	46	76
65+	7862	22.0	262	3	5	18	30	44	56	87
GRAND TOTAL	35198	18.0	222	2	4	14	25	38	49	81

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	425	16.8	206	2	3	13	24	37	50	84
20-34	3125	14.8	144	2	3	12	20	30	38	59
35-49	2561	14.6	142	2	3	12	19	29	37	59
50-64	1576	16.3	148	2	4	14	22	32	40	64
65+	618	18.3	196	3	5	15	24	37	46	69
B. *Operated*										
0-19 YRS	3	14.3	49	7	7	15	19	21	21	21
20-34	5	8.8	34	3	3	7	15	15	15	15
35-49	14	11.0	60	1	2	10	16	22	23	24
50-64	15	15.9	173	3	5	12	21	39	43	44
65+	7	40.4	766	14	14	40	48	86	95	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	447	21.9	357	3	4	17	31	48	63	99
20-34	2678	16.7	190	2	3	13	23	35	44	69
35-49	2584	16.6	165	3	4	14	22	33	42	65
50-64	2230	18.2	187	3	5	15	24	36	44	74
65+	1401	21.2	239	4	6	18	28	42	53	79
B. *Operated*										
0-19 YRS	14	21.6	430	1	2	16	48	96	99+	99+
20-34	157	26.6	242	6	9	24	36	54	62	99+
35-49	186	24.6	244	5	8	24	32	41	53	91
50-64	183	25.2	242	8	9	22	32	45	60	99+
65+	142	35.6	438	9	13	32	50	75	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8305	15.4	152	2	3	13	21	31	40	63
B. *Operated*	44	17.3	297	2	3	14	21	40	46	95
2. MULTIPLE DX										
A. *Not Operated*	9340	18.0	201	3	4	15	24	37	46	75
B. *Operated*	682	27.5	303	7	9	25	36	55	68	99+
1. SINGLE DX	8349	15.4	153	2	3	13	21	31	40	63
2. MULTIPLE DX	10022	18.6	214	3	4	15	25	38	48	80
A. NOT OPERATED	17645	16.7	179	2	4	14	22	34	44	68
B. OPERATED	726	26.9	308	6	8	24	36	54	67	99+
TOTAL 0-19 YRS	889	19.4	291	2	4	15	27	44	59	99+
20-34	5965	16.0	171	2	3	13	21	33	43	65
35-49	5345	15.9	160	2	4	13	21	32	41	64
50-64	4004	17.8	177	3	4	15	24	35	44	73
65+	2168	21.4	258	4	6	17	28	43	57	86
GRAND TOTAL	**18371**	**17.1**	**188**	**2**	**4**	**14**	**23**	**35**	**45**	**72**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	13.6	221	1	2	9	18	31	45	81
20-34	1369	10.3	106	1	1	7	14	23	31	44
35-49	812	10.8	95	1	2	8	14	23	30	45
50-64	626	12.6	121	1	2	10	17	28	35	50
65+	551	11.2	118	1	2	8	15	24	32	60
B. *Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	7	7.7	40	3	3	3	13	17	18	18
35-49	6	7.5	30	2	2	7	15	83	99+	99+
50-64	9	9.0	42	2	3	7	15	19	19	19
65+	15	13.0	158	2	3	9	16	31	44	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	17.9	428	1	2	10	25	53	80	99+
20-34	1466	12.5	147	1	2	8	16	28	37	62
35-49	1090	12.8	141	1	2	9	17	26	35	64
50-64	1195	12.4	133	2	2	9	16	28	35	54
65+	3026	11.7	111	2	3	9	15	25	34	58
B. *Operated*										
0-19 YRS	10	24.7	557	<1	3	15	44	62	74	74
20-34	64	19.3	303	2	3	15	25	41	55	85
35-49	61	20.1	273	3	4	17	29	45	67	99+
50-64	141	17.5	229	3	4	13	23	38	51	99+
65+	343	17.9	205	3	4	14	23	39	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3682	11.2	119	1	2	8	15	25	33	51
B. *Operated*	40	9.7	84	2	2	7	14	21	39	99+
2. MULTIPLE DX										
A. *Not Operated*	7100	12.4	143	2	2	9	16	27	36	69
B. *Operated*	619	18.2	232	3	4	15	24	40	51	99+
1. SINGLE DX	3722	11.2	119	1	2	8	15	25	33	51
2. MULTIPLE DX	7719	12.9	153	2	3	9	17	28	38	72
A. NOT OPERATED	10782	12.0	135	1	2	9	16	26	35	61
B. OPERATED	659	17.7	227	3	4	14	23	40	51	99+
TOTAL 0-19 YRS	660	15.8	331	1	2	10	20	42	63	99+
20-34	2906	11.6	133	1	2	8	15	26	34	56
35-49	1969	12.2	129	1	2	9	16	26	35	61
50-64	1971	12.8	137	2	2	9	17	29	36	55
65+	3935	12.2	124	2	3	9	16	26	35	61
GRAND TOTAL	**11441**	**12.3**	**142**	**1**	**2**	**9**	**16**	**27**	**36**	**65**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	5.0	66	<1	1	2	4	9	18	44
20-34	976	5.8	51	<1	1	4	7	13	19	34
35-49	861	5.6	40	1	1	3	7	13	18	34
50-64	446	6.1	51	1	1	4	7	13	21	38
65+	276	5.7	33	1	1	4	7	12	16	31
B. *Operated*										
0-19 YRS	3	9.7	20	<1	<1	6	9	10	10	10
20-34	12	5.5	10	2	2	4	7	11	11	11
35-49	11	5.5	35	1	1	3	8	16	19	19
50-64	6	4.5	6	1	1	4	6	8	8	8
65+	12	8.6	100	1	2	5	8	29	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	7.8	122	1	1	4	8	25	34	83
20-34	2029	7.3	75	1	1	4	9	17	24	41
35-49	2316	6.9	61	1	1	4	8	16	23	37
50-64	1839	6.6	47	1	2	4	8	14	20	37
65+	1828	6.8	48	1	2	5	8	14	19	35
B. *Operated*										
0-19 YRS	16	14.8	234	1	1	7	23	36	47	52
20-34	166	8.0	103	1	1	4	10	21	29	47
35-49	154	9.4	120	1	2	6	12	21	29	50
50-64	115	13.6	135	2	2	10	20	31	40	71
65+	96	9.5	97	2	3	7	11	18	22	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2793	5.7	47	1	1	3	7	13	18	35
B. *Operated*	44	6.2	40	1	1	4	7	12	22	31
2. MULTIPLE DX										
A. *Not Operated*	8384	7.0	61	1	1	4	8	15	22	39
B. *Operated*	547	10.0	121	1	1	6	13	23	31	52
1. SINGLE DX	2837	5.7	47	1	1	3	7	13	18	35
2. MULTIPLE DX	8931	7.1	65	1	1	4	8	16	23	40
A. NOT OPERATED	11177	6.6	58	1	1	4	8	15	21	38
B. OPERATED	591	9.7	116	1	1	6	13	23	31	52
TOTAL 0-19 YRS	625	6.9	107	<1	1	3	6	18	32	56
20-34	3183	6.9	70	1	1	4	8	16	23	40
35-49	3342	6.7	59	1	1	4	8	15	22	35
50-64	2406	6.8	54	1	1	4	8	15	22	39
65+	2212	6.8	49	1	2	5	8	14	20	35
GRAND TOTAL	**11768**	**6.8**	**61**	**1**	**1**	**4**	**8**	**15**	**22**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	694	17.4	315	1	2	11	28	48	75	99+
20-34	2863	9.7	94	1	2	6	13	22	30	46
35-49	2341	10.7	95	1	3	8	15	24	30	45
50-64	1197	11.1	94	1	3	8	15	24	30	49
65+	649	12.5	115	2	3	9	17	27	36	51
B. *Operated*										
0-19 YRS	6	15.0	378	1	1	13	76	99+	99+	99+
20-34	18	18.8	409	2	3	11	24	57	66	69
35-49	19	16.2	186	1	2	11	27	34	41	45
50-64	10	23.1	84	12	13	22	26	37	43	43
65+	9	12.3	135	2	3	7	22	31	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1182	22.4	483	2	3	15	34	63	84	99+
20-34	4585	11.4	111	1	2	6	16	26	32	50
35-49	4149	12.0	117	2	2	9	16	27	32	50
50-64	2891	11.7	98	2	3	8	16	25	31	45
65+	2645	11.5	100	2	3	8	15	24	32	47
B. *Operated*										
0-19 YRS	52	32.3	525	5	6	25	49	67	85	99+
20-34	268	18.1	199	2	4	14	26	39	46	69
35-49	331	17.9	180	3	5	14	24	35	44	74
50-64	248	16.9	141	4	5	15	23	31	39	66
65+	221	19.7	239	4	5	15	28	41	50	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7744	11.1	120	1	2	8	15	26	34	56
B. *Operated*	62	17.4	241	1	2	14	27	44	64	99+
2. MULTIPLE DX										
A. *Not Operated*	15452	12.5	145	2	3	8	17	28	36	65
B. *Operated*	1120	18.8	213	3	5	15	25	39	49	80
1. SINGLE DX	7806	11.2	121	1	2	8	15	26	34	57
2. MULTIPLE DX	16572	12.9	152	2	3	9	17	29	37	68
A. NOT OPERATED	23196	12.0	137	1	2	8	16	27	35	62
B. OPERATED	1182	18.7	214	3	5	15	25	39	49	81
TOTAL 0-19 YRS	1934	20.8	432	1	2	14	33	59	84	99+
20-34	7734	11.0	111	1	2	7	15	25	32	50
35-49	6840	11.8	115	1	2	8	16	26	32	50
50-64	4346	11.9	101	2	3	9	16	26	31	48
65+	3524	12.2	116	2	3	9	16	26	35	53
GRAND TOTAL	**24378**	**12.4**	**143**	**2**	**2**	**8**	**17**	**28**	**36**	**64**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	798	11.5	222	1	1	5	15	36	46	99+
20-34	1792	9.3	113	1	1	5	12	22	33	55
35-49	810	9.1	120	1	1	5	12	23	30	51
50-64	341	8.0	81	1	1	5	11	21	26	41
65+	164	9.2	117	1	2	6	12	19	25	46
B. *Operated*										
0-19 YRS	22	4.8	22	<1	1	3	6	9	14	22
20-34	131	7.9	22	2	3	9	9	13	16	23
35-49	37	7.2	27	1	2	7	9	11	15	31
50-64	110	4.7	9	1	2	4	6	9	13	15
65+	47	5.4	9	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1202	13.8	318	1	1	7	18	43	65	99+
20-34	3479	10.5	144	1	1	6	14	26	36	63
35-49	2025	10.6	135	1	2	7	14	25	34	63
50-64	1143	10.5	119	1	2	7	14	23	31	54
65+	873	10.5	107	1	2	7	14	24	33	59
B. *Operated*										
0-19 YRS	52	17.9	466	1	2	8	39	58	80	99+
20-34	262	16.2	269	1	2	10	23	38	56	99
35-49	204	13.1	183	2	3	9	18	31	41	73
50-64	209	11.2	148	2	2	7	12	29	41	62
65+	114	12.0	142	2	3	8	16	28	34	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3905	9.6	135	1	1	5	12	25	35	66
B. *Operated*	407	6.4	20	1	2	6	9	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	8722	11.0	160	1	2	7	14	27	38	76
B. *Operated*	841	13.7	217	2	2	9	19	35	49	95
1. SINGLE DX	4312	9.3	125	1	1	5	11	23	34	61
2. MULTIPLE DX	9563	11.2	166	1	2	7	14	28	39	78
A. NOT OPERATED	12627	10.6	153	1	1	6	14	26	37	73
B. OPERATED	1248	11.3	164	2	2	7	13	28	40	78
TOTAL 0-19 YRS	2074	12.9	284	1	1	6	17	41	59	99+
20-34	5664	10.3	139	1	1	6	13	25	35	62
35-49	3136	10.3	132	1	1	6	13	24	33	62
50-64	1803	9.8	111	1	1	6	12	23	31	51
65+	1198	10.3	109	1	2	7	13	23	32	59
GRAND TOTAL	**13875**	**10.6**	**154**	**1**	**1**	**6**	**14**	**26**	**37**	**73**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	836	15.0	179	<1	1	10	28	34	35	42
20-34	5114	12.2	107	1	1	7	22	28	29	34
35-49	5512	11.0	100	1	2	6	21	28	29	34
50-64	2589	10.3	94	1	2	6	18	28	29	33
65+	715	10.8	95	1	2	7	18	27	30	38
B. *Operated*										
0-19 YRS	11	13.5	318	<1	<1	1	17	46	51	51
20-34	36	13.4	202	1	1	4	30	31	34	35
35-49	38	15.1	170	<1	<1	10	30	30	33	35
50-64	10	19.3	327	3	3	17	30	43	53	53
65+	8	16.9	128	2	3	18	28	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2145	21.1	232	1	1	23	33	40	44	59
20-34	11820	13.7	127	1	2	8	24	30	32	41
35-49	14089	11.6	104	2	2	7	20	28	30	38
50-64	10264	11.4	104	2	2	7	19	28	30	39
65+	4148	12.5	110	2	3	8	21	28	31	42
B. *Operated*										
0-19 YRS	81	30.0	312	<1	1	32	45	48	52	66
20-34	442	18.5	162	1	3	18	29	32	37	47
35-49	616	17.8	138	3	4	16	27	31	36	50
50-64	562	18.0	164	3	5	14	27	35	42	76
65+	327	18.8	155	4	6	16	26	35	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14766	11.5	107	1	2	6	21	28	30	35
B. *Operated*	103	14.9	203	<1	1	7	30	31	34	52
2. MULTIPLE DX										
A. *Not Operated*	42466	12.7	122	1	2	7	21	29	32	42
B. *Operated*	2028	18.7	165	2	4	16	28	35	42	62
1. SINGLE DX	14869	11.5	107	1	2	6	21	28	30	35
2. MULTIPLE DX	44494	13.0	126	1	2	8	22	29	32	43
A. NOT OPERATED	57232	12.4	118	1	2	7	21	29	31	41
B. OPERATED	2131	18.5	168	2	3	16	28	34	42	60
TOTAL 0-19 YRS	3073	19.6	230	1	1	21	32	38	44	54
20-34	17412	13.4	123	1	2	8	24	29	31	38
35-49	20255	11.6	105	1	2	7	21	28	30	38
50-64	13425	11.5	107	2	2	7	19	28	30	39
65+	5198	12.6	114	2	3	8	21	28	31	43
GRAND TOTAL	**59363**	**12.6**	**121**	**1**	**2**	**7**	**22**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	17.8	178	1	2	14	34	37	38	43
20-34	497	10.9	67	1	2	9	14	24	29	36
35-49	112	12.4	81	1	3	11	16	24	30	43
50-64	11	8.8	35	1	2	8	12	18	19	19
65+	7	17.0	157	1	1	21	27	32	33	33
B. *Operated*										
0-19 YRS										
20-34	4	8.5	35	3	3	8	13	15	15	15
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	18.4	298	2	4	14	20	39	56	91
20-34	1542	12.9	62	3	4	13	16	22	29	38
35-49	548	13.3	48	4	5	13	16	20	28	36
50-64	90	13.5	67	3	4	13	17	24	31	37
65+	24	12.7	39	3	5	13	17	19	23	28
B. *Operated*										
0-19 YRS	2	35.5	113	28	28	35	43	43	43	43
20-34	120	16.3	134	4	6	14	17	28	34	69
35-49	46	18.6	129	5	8	16	20	31	41	62
50-64	6	16.5	49	9	9	15	21	26	27	27
65+	4	15.3	14	10	10	16	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	657	11.5	77	1	2	10	15	25	29	38
B. *Operated*	5	7.4	32	3	3	4	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	2248	13.2	63	3	4	13	16	22	29	39
B. *Operated*	178	17.1	130	5	7	15	18	29	35	61
1. SINGLE DX	662	11.5	77	1	2	10	15	24	29	38
2. MULTIPLE DX	2426	13.4	69	3	4	13	17	23	30	42
A. NOT OPERATED	2905	12.8	67	2	4	12	16	23	29	38
B. OPERATED	183	16.9	130	4	7	15	18	29	35	61
TOTAL 0-19 YRS	76	18.6	249	2	4	14	23	38	43	85
20-34	2163	12.7	68	2	3	12	16	23	29	38
35-49	707	13.5	60	3	5	13	17	21	29	42
50-64	107	13.2	64	3	4	12	18	23	30	37
65+	39	13.9	59	2	4	14	18	22	29	33
GRAND TOTAL	**3088**	**13.0**	**72**	**2**	**4**	**12**	**16**	**24**	**30**	**41**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	16.8	266	1	1	10	29	38	45	65
20-34	525	13.2	114	1	2	9	22	28	30	37
35-49	145	13.5	119	1	2	10	21	28	30	44
50-64	32	10.5	93	1	2	6	19	26	28	30
65+	9	13.2	89	2	2	12	18	28	28	28
B. *Operated*										
0-19 YRS	2	12.0	242	<1	<1	11	23	23	23	23
20-34	6	19.5	188	1	1	25	30	31	31	31
35-49	1	23.0		23	23	23	23	23	23	23
50-64	2	8.5	13	6	6	8	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	490	22.8	304	1	1	25	35	43	52	73
20-34	1108	15.9	144	1	2	14	26	31	36	46
35-49	374	16.1	116	2	3	14	24	30	35	42
50-64	141	15.1	126	2	4	13	21	30	35	69
65+	81	14.6	89	2	3	14	21	26	31	42
B. *Operated*										
0-19 YRS	25	38.0	208	9	12	41	45	47	63	68
20-34	68	18.7	128	3	4	16	29	33	38	45
35-49	28	18.9	121	5	5	20	29	31	37	40
50-64	10	24.1	110	14	14	21	29	39	48	48
65+	11	17.7	138	6	7	14	25	36	43	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	933	14.0	152	1	1	10	23	30	36	50
B. *Operated*	11	16.5	146	<1	1	21	28	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	2194	17.4	180	1	2	15	28	35	42	59
B. *Operated*	142	22.4	190	4	6	20	31	44	45	62
1. SINGLE DX	944	14.1	152	1	1	10	23	30	36	50
2. MULTIPLE DX	2336	17.7	182	1	3	15	28	35	42	60
A. NOT OPERATED	3127	16.4	174	1	2	13	27	33	40	56
B. OPERATED	153	22.0	188	4	5	21	30	44	45	62
TOTAL 0-19 YRS	739	21.5	305	1	1	22	35	43	49	71
20-34	1707	15.2	136	1	2	13	25	30	34	44
35-49	548	15.6	118	2	3	13	23	30	35	43
50-64	185	14.7	125	2	3	12	21	30	34	64
65+	101	14.8	93	2	4	13	21	28	31	45
GRAND TOTAL	**3280**	**16.7**	**176**	**1**	**2**	**14**	**27**	**34**	**41**	**56**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	867	1.6	8	<1	<1	1	1	2	3	14
20-34	504	3.0	37	<1	<1	1	2	5	13	30
35-49	246	3.9	45	<1	<1	2	3	8	20	31
50-64	164	3.1	21	<1	<1	2	3	6	9	28
65+	58	2.8	8	<1	1	2	4	5	8	17
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	4	3.5	10	<1	<1	2	5	8	8	8
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	709	3.7	62	<1	<1	1	2	7	20	42
20-34	1131	4.8	50	<1	<1	2	6	9	18	32
35-49	839	5.5	49	<1	1	3	7	11	21	36
50-64	608	5.7	39	1	1	4	7	11	21	31
65+	307	5.9	44	1	1	4	7	14	20	33
B. *Operated*										
0-19 YRS	34	4.0	45	<1	<1	1	3	14	16	34
20-34	54	4.3	37	<1	<1	2	6	9	16	35
35-49	34	8.1	62	<1	<1	5	13	17	21	35
50-64	33	10.2	136	<1	1	6	12	30	38	47
65+	27	9.4	112	1	1	7	13	21	35	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1839	2.5	22	<1	<1	1	2	4	7	30
B. *Operated*	11	2.4	5	<1	<1	1	3	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	3594	5.0	50	<1	1	3	6	10	20	35
B. *Operated*	182	6.7	77	<1	<1	3	8	16	25	44
1. SINGLE DX	1850	2.5	22	<1	<1	1	2	4	7	30
2. MULTIPLE DX	3776	5.1	52	<1	<1	3	5	11	20	36
A. NOT OPERATED	5433	4.2	42	<1	<1	2	4	8	16	32
B. OPERATED	193	6.5	74	<1	<1	3	8	16	22	43
TOTAL 0-19 YRS	1614	2.6	33	<1	<1	1	2	4	8	32
20-34	1693	4.3	46	<1	<1	2	5	8	18	32
35-49	1121	5.3	49	<1	<1	3	6	11	21	35
50-64	806	5.3	41	<1	1	3	6	11	21	32
65+	392	5.7	45	1	1	4	7	13	19	37
GRAND TOTAL	**5626**	**4.2**	**44**	**<1**	**<1**	**2**	**4**	**8**	**16**	**33**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	8.8	126	<1	1	3	12	30	33	43
20-34	422	9.0	113	<1	1	4	12	28	30	43
35-49	84	9.4	116	<1	1	5	13	28	30	45
50-64	15	9.4	146	1	1	5	10	30	40	44
65+	10	5.8	40	1	1	4	7	16	21	21
B. *Operated*										
0-19 YRS										
20-34	3	13.3	184	5	5	6	23	29	29	29
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	473	19.3	385	1	1	11	30	48	61	79
20-34	1223	11.1	120	1	1	7	16	29	31	43
35-49	358	10.7	98	1	1	7	16	28	30	39
50-64	173	10.2	94	1	2	7	12	25	29	43
65+	113	9.5	109	2	2	6	11	24	29	52
B. *Operated*										
0-19 YRS	14	24.3	388	3	3	25	35	48	64	69
20-34	52	17.7	160	2	3	13	29	34	40	53
35-49	18	15.2	139	2	4	11	19	36	41	43
50-64	8	18.3	116	4	5	19	29	30	30	30
65+	9	14.3	389	2	3	7	12	45	66	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	739	9.0	116	<1	1	4	12	28	31	43
B. *Operated*	3	13.3	184	5	5	6	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	2340	12.5	179	1	1	7	19	30	38	62
B. *Operated*	101	17.9	213	2	3	13	29	36	44	67
1. SINGLE DX	742	9.0	116	<1	1	4	12	28	31	43
2. MULTIPLE DX	2441	12.7	181	1	1	7	20	30	38	64
A. NOT OPERATED	3079	11.7	166	1	1	6	17	30	36	60
B. OPERATED	104	17.8	211	2	3	12	29	35	44	67
TOTAL 0-19 YRS	695	16.2	331	<1	1	7	28	42	54	76
20-34	1700	10.8	122	1	1	6	15	29	31	44
35-49	460	10.6	104	1	1	7	16	28	30	40
50-64	196	10.5	100	1	2	7	12	27	30	45
65+	132	9.6	123	2	2	6	11	23	29	69
GRAND TOTAL	**3183**	**11.9**	**169**	**1**	**1**	**7**	**18**	**30**	**36**	**60**

109: Psychophysiologic disorder (306: 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	3.5	11	1	1	3	4	6	8	14
20-34	302	3.7	6	1	1	3	5	7	9	12
35-49	258	4.2	23	1	1	3	5	8	11	21
50-64	167	4.0	12	1	1	3	5	7	9	20
65+	98	4.6	19	1	1	3	6	10	11	25
B. *Operated*										
0-19 YRS	22	4.6	11	1	1	4	7	10	12	13
20-34	26	5.0	24	1	1	3	7	8	14	25
35-49	30	4.6	12	1	1	4	6	9	12	16
50-64	12	4.0	8	1	1	3	5	9	10	10
65+	4	4.8	11	<1	<1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	5.5	81	1	1	3	5	9	13	58
20-34	648	5.0	17	1	1	4	6	9	12	22
35-49	755	5.5	28	1	1	4	7	11	15	25
50-64	649	5.5	25	1	2	4	7	10	14	27
65+	726	6.2	29	1	2	5	8	11	14	27
B. *Operated*										
0-19 YRS	30	8.9	166	1	1	4	12	18	40	63
20-34	77	8.4	53	2	2	6	11	15	22	42
35-49	82	9.1	73	2	2	6	11	22	26	42
50-64	73	7.8	28	2	2	6	10	18	19	23
65+	66	10.1	66	3	3	8	12	19	31	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1097	3.9	14	1	1	3	5	7	9	16
B. *Operated*	94	4.6	14	1	1	3	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	3105	5.6	31	1	2	4	7	10	14	28
B. *Operated*	328	8.8	65	2	2	7	11	18	24	47
1. SINGLE DX	1191	3.9	14	1	1	3	5	7	9	16
2. MULTIPLE DX	3433	5.9	35	1	2	4	7	11	15	31
A. NOT OPERATED	4202	5.1	27	1	1	4	6	9	13	26
B. OPERATED	422	7.9	57	1	2	6	10	16	22	45
TOTAL 0-19 YRS	651	4.8	55	1	1	3	5	8	12	49
20-34	1053	4.9	18	1	1	4	6	9	12	22
35-49	1125	5.5	31	1	1	4	7	11	15	28
50-64	901	5.4	23	1	1	4	6	10	14	25
65+	894	6.3	32	1	2	5	8	12	15	31
GRAND TOTAL	**4624**	**5.4**	**30**	**1**	**1**	**4**	**7**	**10**	**14**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1871	11.9	197	1	1	7	16	30	43	80
20-34	2392	6.5	51	1	1	4	8	15	21	36
35-49	1342	6.7	54	1	1	4	9	15	21	37
50-64	443	7.1	55	1	1	4	9	17	24	33
65+	208	9.4	86	1	2	7	12	21	27	56
B. *Operated*										
0-19 YRS	22	8.7	140	1	1	4	7	24	37	50
20-34	38	5.2	52	1	1	3	5	12	25	33
35-49	20	5.6	34	1	1	3	7	15	19	22
50-64	9	7.1	41	1	1	5	9	18	22	22
65+	4	16.3	277	6	6	9	26	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2336	14.0	289	1	1	7	18	38	57	99
20-34	4310	8.0	73	1	1	5	10	18	25	39
35-49	2761	8.1	66	1	1	5	10	18	24	41
50-64	1192	8.8	82	1	2	6	11	20	27	43
65+	947	9.9	96	2	2	7	13	21	29	47
B. *Operated*										
0-19 YRS	108	15.9	411	<1	<1	7	22	50	78	99+
20-34	218	10.5	129	1	1	7	14	24	31	72
35-49	173	12.2	136	1	2	9	17	28	44	90
50-64	83	12.1	130	2	3	9	15	27	35	63
65+	49	17.5	204	4	6	14	21	35	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6256	8.3	102	1	1	5	10	20	29	52
B. *Operated*	93	6.8	79	1	1	3	7	18	28	46
2. MULTIPLE DX										
A. *Not Operated*	11546	9.5	123	1	1	6	12	22	31	62
B. *Operated*	631	12.7	189	1	1	8	17	30	43	88
1. SINGLE DX	6349	8.3	102	1	1	5	10	20	29	52
2. MULTIPLE DX	12177	9.6	127	1	1	6	12	22	31	63
A. NOT OPERATED	17802	9.0	116	1	1	5	11	21	30	59
B. OPERATED	724	11.9	179	1	1	8	16	28	41	85
TOTAL 0-19 YRS	4337	13.1	253	1	1	7	17	36	50	92
20-34	6958	7.5	68	1	1	5	10	17	24	39
35-49	4296	7.8	66	1	1	5	10	17	24	42
50-64	1727	8.5	78	1	2	6	11	19	26	41
65+	1208	10.2	101	1	2	7	13	22	30	48
GRAND TOTAL	**18526**	**9.2**	**119**	**1**	**1**	**5**	**11**	**21**	**30**	**60**

111: Miscellaneous mental disorders (307; 311-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2635	18.0	438	1	2	9	29	56	73	99+
20-34	2091	8.8	119	1	1	5	11	21	30	63
35-49	1383	8.2	77	1	1	5	10	18	25	41
50-64	724	11.0	139	1	2	7	15	24	32	55
65+	463	12.3	134	2	2	8	16	29	36	55
B. Operated										
0-19 YRS	46	7.8	169	1	1	3	7	41	60	99+
20-34	62	6.4	86	1	1	3	6	19	37	93
35-49	63	7.4	78	1	2	4	10	17	22	53
50-64	22	7.7	53	2	2	6	8	12	23	37
65+	20	7.6	46	1	2	4	12	19	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3690	21.0	514	2	2	12	35	65	88	99+
20-34	4232	10.1	136	1	2	6	13	25	35	71
35-49	3347	9.6	111	1	2	6	12	22	30	54
50-64	2453	10.3	112	2	2	7	13	23	31	51
65+	2713	11.3	118	2	3	8	14	25	34	58
B. Operated										
0-19 YRS	163	27.2	773	1	2	18	58	99	99+	99+
20-34	309	14.6	226	1	2	9	20	38	49	89
35-49	301	14.7	177	2	3	11	20	32	39	85
50-64	260	15.7	179	3	4	11	22	37	44	76
65+	283	17.2	203	3	4	13	23	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7296	12.4	248	1	2	6	15	34	51	96
B. Operated	213	7.2	93	1	1	4	8	19	32	99+
2. MULTIPLE DX										
A. Not Operated	16435	12.7	230	2	2	7	16	33	49	98
B. Operated	1316	17.0	283	2	3	11	24	44	62	99+
1. SINGLE DX	7509	12.3	244	1	2	6	15	34	51	97
2. MULTIPLE DX	17751	13.0	235	2	2	7	16	34	50	99+
A. NOT OPERATED	23731	12.6	235	1	2	7	16	33	50	98
B. OPERATED	1529	15.6	268	2	2	10	21	41	59	99+
TOTAL 0-19 YRS	6534	19.9	491	1	2	11	33	62	84	99+
20-34	6694	9.9	136	1	2	6	12	24	35	70
35-49	5094	9.5	107	1	2	6	12	22	29	54
50-64	3459	10.9	124	2	2	7	14	25	33	55
65+	3479	11.9	129	2	3	8	15	27	35	60
GRAND TOTAL	**25260**	**12.8**	**238**	**1**	**2**	**7**	**16**	**34**	**50**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	7.2	93	<1	1	4	9	26	67	99+
20-34	35	9.0	123	<1	1	4	12	30	34	60
35-49	12	10.5	147	1	2	5	12	30	41	43
50-64	9	11.8	41	1	1	15	16	16	16	16
65+	3	4.7	9	2	2	8	99+	99+	99+	99+
B. Operated										
0-19 YRS	7	3.7	5	<1	<1	3	6	7	7	7
20-34	3	12.0	219	2	2	5	23	29	29	29
35-49	4	3.3	6	2	2	2	5	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	213	12.1	235	1	2	7	16	29	40	99+
20-34	256	10.9	98	1	2	6	15	22	29	66
35-49	119	9.4	92	1	2	7	13	18	24	40
50-64	61	11.3	96	1	2	8	16	26	32	41
65+	28	11.4	129	1	2	8	16	27	59	99+
B. Operated										
0-19 YRS	31	9.4	118	2	2	6	10	20	31	55
20-34	29	5.1	47	<1	1	2	6	17	24	25
35-49	15	8.7	70	1	1	5	14	20	27	29
50-64	11	28.3	392	2	7	21	48	56	59	59
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	8.6	102	1	1	4	14	30	44	99+
B. Operated	16	5.6	45	<1	2	4	6	10	23	29
2. MULTIPLE DX										
A. Not Operated	677	11.1	141	1	2	7	15	25	34	90
B. Operated	86	10.2	167	1	2	5	13	28	39	58
1. SINGLE DX	115	8.2	95	1	1	4	13	28	42	99+
2. MULTIPLE DX	763	11.0	144	1	2	7	15	25	34	84
A. NOT OPERATED	776	10.8	137	1	2	7	15	25	34	99+
B. OPERATED	102	9.5	150	1	2	5	10	26	34	57
TOTAL 0-19 YRS	291	11.0	201	1	1	6	15	28	45	99+
20-34	323	10.2	99	1	1	7	15	22	29	58
35-49	150	9.3	92	1	2	6	13	19	24	43
50-64	82	13.5	156	1	2	10	18	31	39	57
65+	32	10.7	117	1	2	8	17	57	99+	99+
GRAND TOTAL	**878**	**10.6**	**138**	**1**	**2**	**7**	**15**	**25**	**34**	**98**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1578	10.3	23	2	3	11	12	15	17	24
20-34	282	7.1	25	1	2	6	10	13	16	25
35-49	153	8.8	56	1	2	8	11	17	21	32
50-64	84	8.5	51	1	2	7	12	18	19	40
65+	33	9.7	53	1	2	9	13	17	21	36
B. *Operated*										
0-19 YRS	158	13.2	57	3	5	12	15	21	30	47
20-34	109	8.6	88	1	2	6	10	19	23	52
35-49	142	7.7	78	1	1	5	9	20	24	38
50-64	102	8.8	115	1	1	5	11	18	29	58
65+	27	12.9	184	1	1	8	19	31	42	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1551	11.3	31	2	4	11	14	17	19	31
20-34	291	9.1	59	2	2	7	11	17	24	44
35-49	259	11.5	82	2	3	10	15	22	28	60
50-64	288	13.0	118	2	3	11	16	23	33	59
65+	222	17.0	155	3	5	14	21	33	45	72
B. *Operated*										
0-19 YRS	346	19.4	182	6	8	15	24	35	47	73
20-34	128	20.7	322	2	3	15	29	47	69	99+
35-49	252	18.1	373	2	2	12	23	47	72	99+
50-64	260	20.6	352	2	3	15	29	54	76	99+
65+	154	27.8	433	4	7	23	42	65	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2130	9.7	28	2	3	10	12	15	18	25
B. *Operated*	538	10.0	91	1	2	8	13	20	28	53
2. MULTIPLE DX										
A. *Not Operated*	2611	11.7	63	2	3	11	14	19	24	48
B. *Operated*	1140	20.7	320	2	4	15	28	48	68	99+
1. SINGLE DX	2668	9.8	41	1	2	10	12	16	19	33
2. MULTIPLE DX	3751	14.4	158	2	3	12	16	28	42	90
A. NOT OPERATED	4741	10.8	48	2	3	11	13	17	21	40
B. OPERATED	1678	17.2	272	2	3	13	22	41	56	99+
TOTAL 0-19 YRS	3633	11.7	49	2	4	11	14	17	22	41
20-34	810	10.2	114	2	2	7	12	20	33	57
35-49	806	12.4	183	1	2	9	15	26	41	99
50-64	734	14.6	215	2	3	11	18	33	51	97
65+	436	20.0	284	2	4	15	25	45	59	99+
GRAND TOTAL	**6419**	**12.5**	**114**	**2**	**3**	**11**	**15**	**22**	**33**	**69**

114: Parkinson's disease (332)

TYPE OF PATIENT, (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	20	1	1	5	9	10	10	10
20-34	12	6.1	25	1	1	5	8	14	17	18
35-49	24	8.8	81	2	2	5	8	28	53	99+
50-64	187	9.0	50	2	3	8	11	19	25	34
65+	577	9.6	55	2	3	8	12	19	25	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	11	12.5	91	1	3	10	18	27	28	28
50-64	10	10.1	53	3	3	9	13	22	24	24
65+	31	14.4	143	3	3	12	21	34	49	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	30	5	5	11	15	16	16	16
20-34	13	9.1	88	3	3	6	11	18	34	38
35-49	68	11.4	202	2	3	7	10	21	39	79
50-64	629	11.3	86	3	3	9	14	23	31	45
65+	4346	12.2	110	3	4	9	15	23	32	70
B. *Operated*										
0-19 YRS										
20-34	3	9.3	25	4	4	10	13	14	14	14
35-49	8	10.3	33	1	1	13	14	15	15	15
50-64	115	16.4	229	3	4	12	20	35	55	99+
65+	592	18.8	208	4	6	15	25	41	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	804	9.3	54	2	3	7	12	19	25	39
B. *Operated*	52	13.1	114	3	3	10	20	28	40	98
2. MULTIPLE DX										
A. *Not Operated*	5059	12.0	108	3	4	9	15	23	32	67
B. *Operated*	718	18.3	210	4	5	15	24	40	64	99+
1. SINGLE DX	856	9.6	59	2	3	8	12	20	27	41
2. MULTIPLE DX	5777	12.8	125	3	4	10	16	26	35	79
A. NOT OPERATED	5863	11.7	102	3	3	9	14	23	31	63
B. OPERATED	770	18.0	205	4	5	15	24	39	60	99+
TOTAL 0-19 YRS	7	7.6	28	1	1	8	11	15	16	16
20-34	28	7.8	54	1	2	5	10	14	20	38
35-49	111	10.8	152	2	3	7	13	24	37	89
50-64	941	11.4	100	2	3	9	14	24	31	53
65+	5546	12.6	120	3	4	10	16	25	35	79
GRAND TOTAL	**6633**	**12.4**	**118**	**3**	**3**	**9**	**15**	**25**	**34**	**77**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	7.5	24	1	2	6	11	16	16	17
20-34	753	8.2	39	1	2	7	11	16	20	29
35-49	998	9.9	53	1	2	9	13	19	23	33
50-64	337	9.3	46	1	2	8	14	18	23	29
65+	43	9.0	26	2	3	8	13	15	17	24
B. *Operated*										
0-19 YRS	4	6.8	43	<1	<1	5	12	15	15	15
20-34	137	8.0	89	1	2	6	11	16	21	91
35-49	121	7.0	48	1	2	4	10	16	19	36
50-64	58	8.0	39	1	2	6	11	17	19	2[c]
65+	5	12.8	24	5	5	14	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	6.8	23	2	2	6	9	13	17	22
20-34	700	11.4	95	2	3	9	15	22	29	54
35-49	1226	12.7	123	2	3	10	16	25	32	63
50-64	695	12.8	126	2	4	10	16	23	31	63
65+	212	10.9	103	2	3	8	13	23	31	66
B. *Operated*										
0-19 YRS	7	35.4	537	9	10	31	58	67	67	67
20-34	185	18.4	315	2	3	13	25	44	70	99+
35-49	351	15.8	217	2	4	11	20	34	49	97
50-64	268	19.0	318	3	4	15	25	57	95	99+
65+	65	21.2	420	3	4	13	29	60	75	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2163	9.2	47	1	2	8	13	18	22	30
B. *Operated*	325	7.7	63	1	2	5	11	16	19	39
2. MULTIPLE DX										
A. *Not Operated*	2867	12.2	115	2	3	10	15	24	31	62
B. *Operated*	876	17.9	290	2	4	13	23	43	68	99+
1. SINGLE DX	2488	9.0	49	1	2	8	13	17	22	30
2. MULTIPLE DX	3743	13.5	162	2	3	10	16	27	38	85
A. NOT OPERATED	5030	10.9	88	2	2	9	14	21	27	49
B. OPERATED	1201	15.1	249	2	2	11	19	36	60	99+
TOTAL 0-19 YRS	77	9.7	131	1	2	7	11	17	29	67
20-34	1775	10.5	103	1	2	8	14	21	29	59
35-49	2696	11.8	111	2	3	10	15	23	30	61
50-64	1358	13.0	151	2	3	10	16	25	36	96
65+	325	12.7	172	2	3	9	14	28	40	82
GRAND TOTAL	**6231**	**11.7**	**122**	**2**	**2**	**9**	**15**	**23**	**31**	**70**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2482	3.5	12	1	1	3	4	7	9	17
20-34	1587	3.6	11	1	1	3	4	7	9	17
35-49	756	3.9	13	1	1	3	5	8	10	17
50-64	481	4.1	14	1	1	3	5	7	10	20
65+	348	4.5	18	1	1	3	6	8	11	20
B. *Operated*										
0-19 YRS	42	7.1	24	2	2	6	12	13	17	19
20-34	62	6.0	23	1	2	4	7	14	17	21
35-49	35	6.6	106	<1	1	4	6	13	18	61
50-64	27	4.0	11	1	1	3	4	8	10	17
65+	17	3.6	4	1	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2925	4.6	23	1	1	3	6	9	13	24
20-34	2339	5.2	32	1	1	4	6	10	15	29
35-49	2057	6.1	42	1	2	4	7	12	16	36
50-64	2285	6.6	41	1	2	5	8	13	17	36
65+	3120	8.2	67	2	2	6	10	16	22	42
B. *Operated*										
0-19 YRS	132	10.8	146	2	2	7	15	22	31	90
20-34	213	8.6	66	2	2	7	11	18	24	52
35-49	204	11.3	128	2	2	8	14	23	38	90
50-64	277	13.1	177	2	2	9	17	31	41	72
65+	321	16.4	205	2	3	13	22	35	49	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5654	3.7	12	1	1	3	4	7	10	17
B. *Operated*	183	5.9	36	1	2	4	7	12	17	21
2. MULTIPLE DX										
A. *Not Operated*	12726	6.2	44	1	2	4	8	13	17	35
B. *Operated*	1147	12.6	159	2	2	9	16	27	40	72
1. SINGLE DX	5837	3.8	13	1	1	3	5	7	10	17
2. MULTIPLE DX	13873	6.7	56	1	2	5	8	14	19	41
A. NOT OPERATED	18380	5.4	35	1	1	4	7	11	15	31
B. OPERATED	1330	11.7	148	2	2	8	15	26	38	71
TOTAL 0-19 YRS	5581	4.3	22	1	1	3	5	9	12	23
20-34	4201	4.8	27	1	1	3	6	10	14	25
35-49	3052	5.9	45	1	1	4	7	12	16	37
50-64	3070	6.8	54	1	2	5	8	13	19	41
65+	3806	8.6	81	2	2	6	10	18	25	47
GRAND TOTAL	**19710**	**5.9**	**45**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1006	3.8	22	<1	1	3	4	7	11	25
20-34	1059	4.7	21	1	1	3	6	10	14	22
35-49	772	5.1	35	1	1	4	6	10	14	27
50-64	716	6.8	56	1	2	4	8	14	19	42
65+	1045	7.8	73	1	2	5	9	15	22	52
B. *Operated*										
0-19 YRS	853	5.5	35	1	1	4	7	11	16	35
20-34	716	6.6	65	1	1	4	8	14	18	42
35-49	697	6.6	55	1	1	4	9	14	18	43
50-64	643	6.7	48	1	2	4	8	15	20	35
65+	534	8.6	65	1	2	6	12	19	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1759	5.9	69	1	1	4	7	12	19	46
20-34	1600	8.1	106	1	2	5	9	17	28	65
35-49	1778	8.4	99	1	2	5	10	17	25	58
50-64	2847	10.9	152	2	3	7	13	22	36	79
65+	8543	11.9	126	2	3	9	14	25	36	68
B. *Operated*										
0-19 YRS	1558	8.9	143	1	2	5	10	21	35	82
20-34	1253	11.1	186	1	2	7	13	26	43	99+
35-49	1383	12.2	195	2	2	8	15	27	48	99+
50-64	1949	13.9	216	2	2	9	17	32	51	99+
65+	3348	16.7	234	2	3	12	22	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4598	5.6	43	1	1	4	7	11	16	36
B. *Operated*	3443	6.6	53	1	1	4	8	14	19	38
2. MULTIPLE DX										
A. *Not Operated*	16527	10.4	124	2	2	7	12	22	33	68
B. *Operated*	9491	13.5	211	2	2	9	17	32	49	99+
1. SINGLE DX	8041	6.0	48	1	1	4	7	13	18	37
2. MULTIPLE DX	26018	11.5	158	2	2	8	14	26	39	86
A. NOT OPERATED	21125	9.3	110	1	2	6	11	20	30	64
B. OPERATED	12934	11.6	178	1	2	7	15	28	42	93
TOTAL 0-19 YRS	5176	6.3	80	1	1	4	7	13	22	54
20-34	4628	7.9	107	1	1	5	9	17	27	72
35-49	4630	8.7	117	1	2	5	10	18	28	74
50-64	6155	10.9	157	2	2	7	13	24	38	86
65+	13470	12.7	153	2	3	9	16	28	40	79
GRAND TOTAL	**34059**	**10.2**	**137**	**1**	**2**	**7**	**12**	**23**	**35**	**76**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	957	2.6	3	1	1	2	3	5	6	8
20-34	2017	3.3	7	1	1	3	4	6	8	12
35-49	1351	3.7	8	1	1	3	5	7	9	14
50-64	443	3.7	8	1	1	3	5	7	9	14
65+	101	3.7	9	1	1	3	4	7	9	17
B. *Operated*										
0-19 YRS	44	3.8	7	1	2	3	5	8	10	11
20-34	183	3.9	9	1	1	3	5	8	10	16
35-49	160	4.3	7	1	2	4	6	7	9	15
50-64	61	4.7	12	1	1	4	6	10	12	16
65+	17	4.8	16	1	2	3	5	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	633	3.5	10	1	1	3	4	6	8	15
20-34	2332	4.5	13	1	2	4	6	8	11	19
35-49	2248	5.4	23	1	2	4	7	10	13	25
50-64	1192	5.1	18	1	2	4	6	10	12	19
65+	430	5.6	14	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	36	6.0	38	1	1	4	8	13	15	33
20-34	248	6.6	24	2	2	5	9	12	16	25
35-49	256	7.4	31	2	2	6	10	14	18	25
50-64	191	7.1	29	2	2	5	9	14	16	26
65+	81	7.5	51	2	2	6	10	12	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4869	3.3	7	1	1	3	4	6	8	12
B. *Operated*	465	4.1	9	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	6835	4.9	17	1	2	4	6	9	12	20
B. *Operated*	812	7.0	31	2	2	6	9	13	16	29
1. SINGLE DX	5334	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	7647	5.1	19	1	2	4	6	10	13	21
A. NOT OPERATED	11704	4.2	13	1	1	3	5	8	10	18
B. OPERATED	1277	6.0	25	1	2	4	8	12	15	24
TOTAL 0-19 YRS	1670	3.0	7	1	1	2	4	6	7	13
20-34	4780	4.1	11	1	1	3	5	8	10	18
35-49	4015	4.9	19	1	2	4	6	9	12	22
50-64	1887	4.9	17	1	2	4	6	10	12	19
65+	629	5.5	19	1	2	4	7	11	12	23
GRAND TOTAL	**12981**	**4.4**	**15**	**1**	**1**	**3**	**5**	**9**	**11**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	29	2.8	3	<1	1	2	4	6	7	7
35-49	56	3.3	5	<1	<1	3	4	7	8	10
50-64	44	3.5	6	<1	1	3	5	7	9	11
65+	13	3.5	6	<1	1	2	6	7	8	8
B. *Operated*										
0-19 YRS	119	2.5	31	<1	<1	2	2	4	4	26
20-34	1991	1.9	2	<1	<1	2	2	3	4	7
35-49	3551	2.0	2	<1	<1	2	2	3	4	7
50-64	3469	2.1	2	<1	<1	2	2	3	4	7
65+	2204	2.2	2	<1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.2	9	1	1	3	6	9	10	10
20-34	64	3.4	5	<1	<1	3	5	6	8	12
35-49	153	4.1	9	<1	1	3	5	8	9	12
50-64	191	4.7	14	<1	1	3	7	10	12	17
65+	136	5.2	14	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	56	2.8	7	<1	1	2	3	4	8	14
20-34	756	3.0	13	<1	1	2	3	5	7	16
35-49	1683	3.2	9	<1	1	2	4	6	9	15
50-64	2803	3.3	12	1	1	2	4	6	9	16
65+	2202	3.8	16	1	1	2	4	7	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.3	5	<1	1	3	4	7	8	10
B. *Operated*	11334	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	553	4.5	12	<1	1	4	6	9	11	16
B. *Operated*	7500	3.4	13	1	1	2	4	6	9	19
1. SINGLE DX	11479	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	8053	3.5	13	1	1	2	4	7	10	19
A. NOT OPERATED	698	4.3	11	<1	1	3	6	9	10	16
B. OPERATED	18834	2.6	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	187	2.7	22	<1	<1	2	3	4	6	14
20-34	2840	2.3	5	<1	<1	2	3	4	5	10
35-49	5443	2.5	5	<1	<1	2	3	4	6	11
50-64	6507	2.7	7	<1	1	2	3	5	7	14
65+	4555	3.1	10	<1	1	2	3	5	8	18
GRAND TOTAL	**19532**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	5.8	45	1	1	3	7	11	18	36
20-34	738	6.1	60	1	1	4	7	11	18	40
35-49	829	5.5	27	1	1	4	7	11	15	29
50-64	805	6.0	54	1	1	4	7	12	17	35
65+	584	6.5	46	1	2	5	8	13	17	33
B. *Operated*										
0-19 YRS	429	3.7	22	1	1	3	4	7	8	21
20-34	2312	3.8	10	1	1	3	5	7	9	15
35-49	2770	4.0	17	1	1	3	5	8	11	21
50-64	2573	3.7	15	1	1	3	4	7	10	19
65+	1153	4.4	22	1	1	3	5	9	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	8.3	125	1	1	5	9	19	26	55
20-34	855	7.6	80	1	2	5	9	16	25	46
35-49	1520	7.3	54	1	2	5	9	14	18	40
50-64	2462	7.9	63	2	2	6	10	15	20	46
65+	3199	8.9	71	2	3	7	11	17	23	52
B. *Operated*										
0-19 YRS	284	5.6	63	1	1	3	6	11	23	85
20-34	1384	6.2	67	1	2	4	7	12	19	46
35-49	2136	6.5	56	1	2	4	8	14	19	40
50-64	2595	7.1	76	1	2	4	9	16	23	63
65+	2040	10.9	169	2	2	7	14	25	39	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3299	6.0	46	1	1	4	7	12	16	34
B. *Operated*	9237	3.9	15	1	1	3	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	8289	8.1	68	1	2	6	10	16	22	49
B. *Operated*	8439	7.7	95	1	2	4	9	17	26	70
1. SINGLE DX	12536	4.4	24	1	1	3	5	9	12	25
2. MULTIPLE DX	16728	7.9	82	1	2	5	10	16	23	56
A. NOT OPERATED	11588	7.5	63	1	2	5	9	15	21	46
B. OPERATED	17676	5.7	57	1	1	3	6	12	18	44
TOTAL 0-19 YRS	1309	5.5	59	1	1	3	6	11	19	48
20-34	5289	5.3	45	1	1	3	6	10	15	38
35-49	7255	5.6	39	1	2	4	7	11	16	31
50-64	8435	6.2	55	1	2	4	7	13	18	44
65+	6976	8.5	94	1	2	6	10	18	26	59
GRAND TOTAL	**29264**	**6.4**	**60**	**1**	**2**	**4**	**8**	**13**	**19**	**45**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	6	<1	<1	1	2	4	9	10
20-34	7	4.1	21	<1	<1	2	7	12	13	13
35-49	8	2.9	4	<1	<1	2	4	6	6	6
50-64	8	2.0	3	<1	<1	1	3	5	5	5
65+	10	4.4	11	1	1	4	6	9	12	12
B. *Operated*										
0-19 YRS	240	4.8	15	2	2	4	6	9	10	19
20-34	462	4.6	10	1	2	4	5	8	9	17
35-49	497	4.4	6	1	2	4	5	7	8	12
50-64	1550	4.3	11	1	2	4	5	7	8	12
65+	1501	4.5	6	2	2	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	10	<1	<1	1	2	4	11	13
20-34	16	2.9	5	<1	<1	2	4	6	8	9
35-49	19	3.5	15	<1	<1	1	5	10	13	13
50-64	29	3.3	9	<1	1	3	4	6	10	14
65+	36	4.6	27	<1	1	3	5	14	16	23
B. *Operated*										
0-19 YRS	183	5.4	31	2	2	4	6	9	13	34
20-34	352	5.4	13	2	2	5	6	9	11	20
35-49	420	5.8	22	1	2	4	7	10	14	26
50-64	1565	5.3	11	2	2	4	6	9	11	19
65+	2100	5.5	14	2	2	5	7	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.0	9	<1	<1	2	4	7	10	13
B. *Operated*	4250	4.5	8	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	114	3.6	15	<1	1	2	4	9	13	19
B. *Operated*	4620	5.4	14	2	2	5	7	9	12	21
1. SINGLE DX	4296	4.4	9	1	2	4	5	7	9	13
2. MULTIPLE DX	4734	5.4	14	2	2	5	6	9	12	20
A. NOT OPERATED	160	3.4	13	<1	<1	2	4	8	12	16
B. OPERATED	8870	5.0	12	2	2	4	6	8	10	17
TOTAL 0-19 YRS	450	4.9	22	1	2	4	6	9	11	29
20-34	837	4.9	11	2	2	4	6	8	11	19
35-49	944	5.0	14	1	2	4	6	8	10	22
50-64	3152	4.8	11	1	2	4	6	8	9	17
65+	3647	5.1	11	2	2	4	6	8	10	17
GRAND TOTAL	**9030**	**4.9**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.2		1	1	1	1	2	3	3
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	16	2.4	4	<1	1	2	3	4	7	9
50-64	55	2.1	3	<1	1	1	2	4	6	10
65+	121	2.0	3	1	1	2	2	3	5	10
B. *Operated*										
0-19 YRS	17	2.4	2	1	1	2	3	5	6	6
20-34	32	2.8	2	1	1	3	4	5	5	7
35-49	130	2.8	4	1	1	2	3	5	7	13
50-64	345	2.8	3	1	1	2	3	5	6	8
65+	768	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.5	8	1	1	1	3	7	9	9
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	15	2.2	2	1	1	2	3	4	5	5
50-64	53	2.9	5	1	1	2	3	6	8	11
65+	167	4.0	13	1	1	3	5	9	12	17
B. *Operated*										
0-19 YRS	17	2.3	1	1	1	2	3	4	5	5
20-34	29	3.8	10	1	1	3	5	6	12	15
35-49	73	3.5	8	1	1	3	4	6	8	18
50-64	310	4.0	21	1	1	3	4	8	11	18
65+	1024	4.6	27	1	2	3	5	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	2.0	3	1	1	2	2	4	6	10
B. *Operated*	1292	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	246	3.6	11	1	1	3	4	8	11	16
B. *Operated*	1453	4.4	24	1	1	3	5	9	12	22
1. SINGLE DX	1502	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1699	4.3	23	1	1	3	5	9	12	21
A. NOT OPERATED	456	2.9	8	1	1	2	3	6	9	16
B. OPERATED	2745	3.6	15	1	1	3	4	7	10	18
TOTAL 0-19 YRS	56	2.1	2	1	1	2	2	4	5	9
20-34	68	3.2	6	1	1	3	4	6	7	14
35-49	234	3.0	6	1	1	2	3	5	7	17
50-64	763	3.2	11	1	1	2	4	6	8	16
65+	2080	3.8	17	1	1	3	4	7	10	18
GRAND TOTAL	**3201**	**3.5**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	2	<1	<1	1	2	4	5	5
20-34	8	1.9	1	1	1	2	3	3	3	3
35-49	10	3.3	18	1	1	2	3	10	15	15
50-64	20	2.7	4	<1	1	2	3	6	7	7
65+	46	3.1	6	1	1	2	4	5	10	16
B. *Operated*										
0-19 YRS	36	2.4	2	1	1	2	3	5	5	6
20-34	69	3.2	13	1	1	2	3	6	7	24
35-49	117	2.9	3	1	1	2	4	5	6	9
50-64	244	3.1	7	1	1	2	4	5	8	15
65+	524	2.9	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.2	12	<1	<1	1	5	8	11	13
20-34	19	2.5	4	<1	1	2	3	5	8	9
35-49	24	4.3	15	<1	1	3	5	10	14	15
50-64	46	5.1	54	1	1	3	6	11	14	48
65+	131	5.1	38	1	1	3	6	12	15	37
B. *Operated*										
0-19 YRS	37	3.4	8	1	1	3	4	5	10	16
20-34	68	4.4	15	1	1	3	5	11	13	19
35-49	100	3.5	7	<1	1	3	4	7	10	13
50-64	262	4.1	14	1	1	3	5	8	11	16
65+	718	4.5	23	1	1	3	5	9	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.8	7	1	1	2	3	5	7	16
B. *Operated*	990	3.0	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	241	4.7	34	1	1	3	6	10	14	36
B. *Operated*	1185	4.3	19	1	1	3	5	9	12	24
1. SINGLE DX	1083	2.9	5	<1	1	2	3	5	7	14
2. MULTIPLE DX	1426	4.3	22	1	1	3	5	9	13	25
A. NOT OPERATED	334	4.1	27	1	1	2	5	9	14	26
B. OPERATED	2175	3.7	13	1	1	3	4	7	10	20
TOTAL 0-19 YRS	103	2.9	6	<1	1	2	3	5	7	14
20-34	164	3.6	13	1	1	3	4	7	11	19
35-49	251	3.3	6	1	1	2	4	6	9	14
50-64	572	3.7	14	1	1	3	4	7	10	16
65+	1419	3.9	18	1	1	3	4	8	11	24
GRAND TOTAL	**2509**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	1.5		<1	<1	1	2	3	3	3
50-64	33	1.8	2	<1	<1	1	2	3	4	7
65+	161	1.9	2	<1	<1	2	2	3	3	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	2154	2.2	1	1	1	2	2	3	4	6
50-64	13889	2.2	1	1	1	2	2	3	4	5
65+	58354	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	56	1.9	3	<1	<1	1	2	4	6	7
50-64	388	2.5	16	<1	<1	1	2	5	8	14
65+	1775	2.5	8	<1	1	2	3	6	9	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	1400	2.6	3	1	2	2	3	4	5	10
50-64	11651	2.7	5	1	2	2	3	4	5	11
65+	59900	2.8	7	1	2	2	3	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	1.8	2	<1	<1	2	2	3	3	6
B. *Operated*	74397	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2219	2.5	9	<1	<1	2	3	6	9	14
B. *Operated*	72951	2.8	6	1	2	2	3	4	6	13
1. SINGLE DX	74602	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	75170	2.8	6	1	2	2	3	4	6	13
A. NOT OPERATED	2424	2.4	9	<1	<1	2	2	5	8	14
B. OPERATED	147348	2.5	4	1	2	2	3	4	4	10
TOTAL 0-19 YRS										
20-34										
35-49	3621	2.3	2	1	1	2	3	3	4	8
50-64	25961	2.4	3	1	1	2	3	3	4	9
65+	120190	2.5	4	1	2	2	3	4	5	10
GRAND TOTAL	**149772**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**10**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.0	2	<1	<1	1	3	4	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	2.0	2	<1	<1	1	3	4	4	4
B. Operated										
0-19 YRS	267	2.1	1	1	1	2	2	3	4	6
20-34	185	2.0	1	<1	1	2	2	3	4	5
35-49	259	2.1	1	<1	1	2	2	3	3	5
50-64	571	2.1	1	1	1	2	2	3	4	5
65+	636	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.2		<1	<1	1	1	2	2	2
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	7	2.1	5	<1	<1	1	2	6	7	7
50-64	12	2.3	6	<1	<1	1	2	7	8	8
65+	22	2.6	9	<1	<1	1	2	7	10	13
B. Operated										
0-19 YRS	160	2.9	6	<1	1	2	3	5	7	11
20-34	155	2.5	2	1	1	2	3	4	5	8
35-49	267	3.0	11	1	1	2	3	5	7	24
50-64	536	2.7	5	1	1	2	3	4	5	10
65+	946	2.8	9	1	1	2	3	4	7	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.1	2	<1	<1	1	3	4	5	5
B. Operated	1918	2.0	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	61	2.1	5	<1	<1	1	2	5	8	12
B. Operated	1964	2.8	7	1	1	2	3	4	6	14
1. SINGLE DX	1935	2.0	1	<1	1	2	2	3	3	5
2. MULTIPLE DX	2025	2.8	7	1	1	2	3	4	6	13
A. NOT OPERATED	78	2.1	4	<1	<1	1	2	4	7	12
B. OPERATED	3882	2.4	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	451	2.3	3	<1	1	2	3	4	5	10
20-34	346	2.2	1	<1	1	2	3	4	5	8
35-49	534	2.5	6	<1	1	2	3	4	5	12
50-64	1120	2.4	3	1	1	2	3	3	4	9
65+	1509	2.4	6	<1	1	2	3	3	5	12
GRAND TOTAL	**3960**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	2.2	5	<1	<1	1	3	4	7	12
20-34	32	3.1	5	1	1	3	4	6	7	10
35-49	31	2.7	3	1	1	2	3	5	7	7
50-64	43	3.6	6	1	1	3	4	6	10	11
65+	30	3.5	8	1	1	3	5	7	8	13
B. Operated										
0-19 YRS	5847	1.5		<1	<1	1	2	2	2	3
20-34	964	1.8		<1	1	2	2	2	3	4
35-49	488	1.9	1	<1	1	2	2	2	3	5
50-64	234	2.0	1	1	1	2	2	3	3	7
65+	169	2.2	3	<1	1	2	2	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	260	1.6	3	<1	<1	1	1	3	4	10
20-34	58	4.1	17	1	1	3	5	9	12	21
35-49	60	4.3	12	1	1	3	6	9	12	15
50-64	142	6.0	26	1	2	5	7	12	17	24
65+	233	6.6	33	1	2	5	8	13	17	33
B. Operated										
0-19 YRS	1463	1.6	1	<1	<1	2	2	2	2	4
20-34	354	2.2	3	1	1	2	2	3	4	12
35-49	253	2.6	11	1	1	2	2	4	6	13
50-64	232	4.0	32	1	1	2	4	9	12	27
65+	240	4.4	31	1	1	2	5	10	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	225	2.8	5	<1	1	2	3	6	8	11
B. Operated	7702	1.6	1	<1	<1	2	2	2	2	4
2. MULTIPLE DX										
A. Not Operated	753	4.4	23	<1	<1	3	6	10	13	23
B. Operated	2542	2.3	9	<1	<1	2	2	3	5	15
1. SINGLE DX	7927	1.6	1	<1	<1	2	2	2	2	4
2. MULTIPLE DX	3295	2.8	13	<1	<1	2	2	5	9	19
A. NOT OPERATED	978	4.0	19	<1	<1	3	5	9	12	21
B. OPERATED	10244	1.8	3	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS	7659	1.6	1	<1	<1	1	2	2	2	4
20-34	1408	2.0	2	<1	1	2	2	3	4	9
35-49	832	2.3	5	<1	1	2	2	3	5	11
50-64	651	3.7	20	1	1	2	4	8	11	20
65+	672	4.6	26	1	1	3	5	10	14	29
GRAND TOTAL	**11222**	**2.8**	**9**	**<1**	**<1**	**2**	**2**	**3**	**4**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	741	2.4	5	<1	<1	1	3	5	6	11
20-34	145	3.5	8	<1	<1	3	4	7	9	14
35-49	82	4.8	26	<1	<1	4	6	9	12	32
50-64	107	4.0	11	<1	1	3	5	7	11	17
65+	177	5.2	13	1	1	4	7	10	13	17
B. *Operated*										
0-19 YRS	825	1.8	2	<1	<1	1	2	3	4	9
20-34	783	2.3	2	<1	<1	2	3	4	5	8
35-49	1039	2.1	2	<1	<1	2	2	4	5	8
50-64	1415	2.0	2	<1	<1	2	2	3	4	6
65+	2432	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	682	3.4	5	<1	1	3	4	7	8	11
20-34	126	4.3	14	<1	1	3	6	9	12	19
35-49	152	5.7	24	1	1	4	8	11	14	23
50-64	220	5.4	28	1	1	4	7	12	16	25
65+	503	7.0	45	1	1	5	9	15	19	33
B. *Operated*										
0-19 YRS	341	3.0	7	<1	<1	2	4	6	8	15
20-34	398	3.4	11	1	1	2	4	6	8	16
35-49	851	3.0	10	1	1	2	3	5	7	20
50-64	1829	3.1	15	1	1	2	3	5	7	15
65+	3556	3.6	16	1	1	3	4	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1252	3.2	9	<1	<1	2	4	7	9	15
B. *Operated*	6494	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1683	5.0	25	<1	1	4	6	11	14	27
B. *Operated*	6975	3.4	14	1	1	2	4	6	8	19
1. SINGLE DX	7746	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	8658	3.7	17	1	1	3	4	7	10	21
A. NOT OPERATED	2935	4.3	19	<1	<1	3	5	9	13	21
B. OPERATED	13469	2.8	9	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	2589	2.6	5	<1	<1	2	3	5	7	11
20-34	1452	2.9	7	<1	1	2	3	5	7	12
35-49	2124	2.8	9	<1	1	2	3	5	7	14
50-64	3571	2.8	11	<1	1	2	3	5	7	15
65+	6668	3.5	15	1	1	2	4	6	10	20
GRAND TOTAL	**16404**	**3.1**	**11**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1347	3.7	5	1	2	3	5	6	8	11
20-34	295	3.8	6	1	1	3	5	7	9	12
35-49	190	4.0	7	1	1	3	5	8	9	13
50-64	167	3.7	6	1	1	3	5	7	9	12
65+	236	4.6	12	1	1	4	6	9	10	20
B. *Operated*										
0-19 YRS	254	3.3	10	<1	1	2	4	7	10	15
20-34	271	2.8	8	<1	<1	2	3	5	8	14
35-49	409	2.8	6	<1	<1	2	3	6	8	13
50-64	1152	2.5	7	1	1	2	3	4	5	11
65+	3236	2.3	2	1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1277	4.5	8	1	2	4	5	8	10	14
20-34	345	4.5	16	1	1	4	5	8	11	24
35-49	282	5.5	17	1	2	4	7	10	13	23
50-64	510	5.5	21	1	1	4	7	11	14	23
65+	885	5.9	27	1	1	5	8	11	14	23
B. *Operated*										
0-19 YRS	292	5.8	43	1	1	4	6	13	21	37
20-34	428	4.5	21	1	2	3	5	8	12	27
35-49	506	4.9	27	1	2	3	6	10	13	27
50-64	1632	4.4	24	1	2	3	5	9	12	29
65+	4444	3.8	17	1	2	2	4	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2235	3.8	6	1	1	3	5	7	8	12
B. *Operated*	5322	2.5	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	3299	5.1	17	1	2	4	6	10	12	21
B. *Operated*	7302	4.1	21	1	2	3	5	8	12	24
1. SINGLE DX	7557	2.9	5	1	1	2	3	5	7	11
2. MULTIPLE DX	10601	4.4	20	1	2	3	5	9	12	23
A. NOT OPERATED	5534	4.6	13	1	1	4	6	9	11	17
B. OPERATED	12624	3.4	14	1	1	2	3	7	10	20
TOTAL 0-19 YRS	3170	4.2	11	1	2	3	5	7	10	15
20-34	1339	4.0	14	<1	1	3	5	8	10	18
35-49	1387	4.3	17	1	1	3	5	8	11	21
50-64	3461	3.9	18	1	1	2	4	8	11	22
65+	8801	3.5	13	1	1	2	4	7	10	18
GRAND TOTAL	**18158**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	2.0	1	<1	<1	2	3	4	4	6
20-34	59	2.9	3	<1	<1	2	4	5	7	9
35-49	48	3.4	7	1	1	3	4	7	7	16
50-64	46	3.3	10	<1	1	2	4	6	11	17
65+	34	3.1	4	1	1	3	4	6	7	8
B. Operated										
0-19 YRS	46	2.3	7	<1	<1	2	2	3	10	13
20-34	50	2.6	3	<1	1	2	3	4	5	10
35-49	44	2.7	3	1	1	2	3	5	6	11
50-64	60	2.8	3	<1	1	2	4	5	6	8
65+	74	2.6	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	111	3.4	7	<1	<1	2	5	7	8	13
20-34	115	3.8	9	1	1	3	5	7	9	16
35-49	163	4.1	8	1	1	3	5	7	10	16
50-64	216	4.6	11	1	2	4	6	9	10	16
65+	291	5.9	28	1	2	4	7	12	15	26
B. Operated										
0-19 YRS	67	3.0	8	<1	1	2	3	5	9	18
20-34	103	3.3	8	1	2	3	4	5	8	18
35-49	122	4.7	27	1	2	3	5	9	13	34
50-64	227	5.0	49	1	2	3	5	9	13	31
65+	241	5.0	19	1	2	4	6	10	14	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	2.8	5	<1	1	2	4	5	7	12
B. Operated	274	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	896	4.6	16	1	1	4	6	9	12	19
B. Operated	760	4.5	27	1	2	3	5	9	12	23
1. SINGLE DX	540	2.7	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	1656	4.6	21	1	1	3	5	9	12	21
A. NOT OPERATED	1162	4.2	14	1	1	3	5	8	11	17
B. OPERATED	1034	4.0	22	1	1	3	4	8	10	21
TOTAL 0-19 YRS	303	2.8	6	<1	1	2	3	6	7	13
20-34	327	3.3	7	1	1	3	4	6	8	12
35-49	377	4.0	14	1	1	3	5	7	10	17
50-64	549	4.4	26	1	2	3	5	8	10	20
65+	640	5.0	22	1	1	4	6	10	14	22
GRAND TOTAL	**2196**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2924	2.8	6	<1	1	3	4	5	6	8
20-34	81	3.1	11	<1	<1	2	4	6	9	19
35-49	39	3.7	7	<1	<1	3	5	8	9	11
50-64	27	4.7	15	<1	<1	4	6	10	14	16
65+	19	4.1	19	<1	<1	3	4	11	15	17
B. Operated										
0-19 YRS	12517	1.2	1	<1	<1	<1	1	2	2	3
20-34	970	2.0	2	<1	1	2	2	3	3	6
35-49	786	2.0	1	<1	1	2	2	3	3	6
50-64	858	2.0	1	1	1	2	2	3	3	5
65+	354	2.1	4	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9727	3.3	5	1	1	3	4	6	7	11
20-34	272	4.3	8	1	1	4	5	8	10	13
35-49	207	4.8	12	1	1	4	6	9	11	15
50-64	219	5.4	15	1	1	5	7	11	13	17
65+	203	7.3	31	1	2	6	9	13	20	25
B. Operated										
0-19 YRS	10684	1.6	3	<1	<1	1	2	2	3	8
20-34	1324	2.4	3	1	1	2	3	4	5	11
35-49	1103	2.7	15	1	1	2	3	4	6	13
50-64	1166	2.7	6	1	1	2	3	4	6	16
65+	567	3.3	16	1	1	2	3	5	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3090	2.9	7	<1	1	3	4	5	6	9
B. Operated	15485	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	10628	3.5	6	1	1	3	4	6	8	13
B. Operated	14844	1.9	5	<1	<1	2	2	3	4	10
1. SINGLE DX	18575	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	25472	2.6	6	<1	<1	2	3	5	7	11
A. NOT OPERATED	13718	3.4	6	1	1	3	4	6	8	12
B. OPERATED	30329	1.6	3	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	35852	2.0	4	<1	<1	1	2	4	5	9
20-34	2647	2.5	4	<1	1	2	3	4	6	11
35-49	2135	2.7	10	1	1	2	3	4	6	12
50-64	2270	2.8	6	1	1	2	3	5	7	14
65+	1143	3.7	18	1	1	2	4	8	11	22
GRAND TOTAL	**44047**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	384	3.5	6	1	1	3	4	6	8	12
20-34	191	3.6	5	<1	1	3	4	6	8	10
35-49	102	4.1	7	2	2	4	5	6	9	17
50-64	55	5.7	39	1	2	4	6	11	16	40
65+	34	6.0	18	1	1	5	7	12	15	20
B. Operated										
0-19 YRS	1170	1.6	4	<1	<1	1	1	3	4	9
20-34	194	2.6	3	1	1	2	3	5	6	9
35-49	15	3.0	12	1	1	2	3	5	8	17
50-64	13	3.6	20	1	1	2	3	7	12	25
65+	95	3.6	10	<1	1	2	4	8	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	929	3.9	10	1	1	3	5	7	9	14
20-34	287	4.8	15	1	2	4	6	8	10	18
35-49	204	5.1	10	1	2	4	6	10	11	16
50-64	214	7.0	45	1	2	5	8	14	17	43
65+	255	9.2	65	2	3	7	11	17	26	43
B. Operated										
0-19 YRS	1506	2.2	9	<1	<1	1	2	4	6	15
20-34	344	3.5	14	1	1	3	4	7	9	19
35-49	297	3.9	30	1	1	3	4	8	11	24
50-64	312	6.1	101	1	2	3	5	14	25	56
65+	233	9.9	166	1	1	4	11	32	39	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	766	3.9	9	1	1	3	5	7	9	15
B. Operated	1748	2.1	6	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	1889	5.2	25	1	2	4	6	10	13	29
B. Operated	2692	3.7	41	<1	<1	2	3	7	12	36
1. SINGLE DX	2514	2.7	8	<1	<1	2	3	5	7	14
2. MULTIPLE DX	4581	4.3	35	<1	1	3	5	8	13	34
A. NOT OPERATED	2655	4.8	21	1	1	4	6	9	12	26
B. OPERATED	4440	3.1	28	<1	<1	2	3	5	10	31
TOTAL 0-19 YRS	3989	2.6	8	<1	<1	2	3	5	7	13
20-34	1016	3.7	11	1	1	3	4	7	9	17
35-49	757	4.1	19	1	1	3	5	8	11	17
50-64	716	5.9	65	1	2	3	6	12	18	45
65+	617	8.4	97	1	1	5	10	20	32	46
GRAND TOTAL	**7095**	**3.7**	**26**	**<1**	**<1**	**2**	**4**	**7**	**11**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	3.0	4	1	1	3	4	5	7	12
20-34	499	3.4	7	1	1	3	4	6	8	11
35-49	868	3.5	6	1	1	3	4	6	8	12
50-64	1216	3.4	6	1	1	3	4	6	8	12
65+	1291	3.7	7	1	1	3	5	7	9	13
B. Operated										
0-19 YRS	35	2.7	4	1	1	2	3	4	8	10
20-34	183	3.0	3	1	1	3	3	6	7	10
35-49	271	3.8	6	1	2	3	4	8	8	13
50-64	348	3.9	6	1	2	3	5	7	9	13
65+	154	4.6	9	1	2	3	6	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	3.5	8	1	1	3	4	6	8	16
20-34	681	4.3	8	1	2	4	5	8	10	13
35-49	1353	4.5	10	1	2	4	6	8	10	15
50-64	3183	4.7	10	1	2	4	6	8	10	16
65+	6004	5.3	15	1	2	4	7	10	12	18
B. Operated										
0-19 YRS	20	4.6	19	1	2	3	6	12	16	16
20-34	114	5.2	12	1	2	4	7	10	12	17
35-49	183	5.8	26	1	2	4	8	11	15	29
50-64	447	6.7	26	2	2	5	9	13	15	23
65+	540	7.9	35	2	2	6	10	15	19	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3985	3.5	7	1	1	3	4	6	8	13
B. Operated	991	3.8	6	1	2	3	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	11351	4.9	13	1	2	4	6	9	11	17
B. Operated	1304	6.9	29	2	2	6	9	14	17	25
1. SINGLE DX	4976	3.6	7	1	1	3	4	7	8	13
2. MULTIPLE DX	12655	5.2	15	1	2	4	7	10	12	19
A. NOT OPERATED	15336	4.6	11	1	2	4	6	8	11	16
B. OPERATED	2295	5.6	22	1	2	4	7	11	14	23
TOTAL 0-19 YRS	296	3.3	7	1	1	3	4	6	8	15
20-34	1477	3.9	8	1	1	3	5	7	9	13
35-49	2675	4.2	10	1	1	3	5	8	10	15
50-64	5194	4.5	11	1	2	4	6	8	11	16
65+	7989	5.2	16	1	2	4	7	10	12	19
GRAND TOTAL	**17631**	**4.7**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	3.3	5	<1	<1	3	5	7	7	7
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	96	2.2	1	1	1	2	3	3	4	5
20-34	782	2.3	1	1	1	2	3	3	4	6
35-49	1104	2.2	1	1	1	2	3	3	4	5
50-64	1127	2.3	1	1	1	2	3	3	4	5
65+	420	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	7	1.0		<1	<1	<1	1	1	1	1
35-49	9	2.6	22	<1	<1	1	1	10	15	15
50-64	9	2.0	2	<1	<1	1	3	4	4	4
65+	17	5.7	24	1	1	4	7	15	16	16
B. *Operated*										
0-19 YRS	29	2.8	1	1	1	3	3	4	5	5
20-34	192	2.3	1	1	1	2	3	3	5	6
35-49	327	2.5	1	1	1	2	3	4	4	8
50-64	409	2.6	2	1	1	2	3	4	5	7
65+	185	2.8	3	1	1	3	3	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.3	3	<1	<1	2	3	5	7	7
B. *Operated*	3529	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	45	3.3	17	<1	<1	1	4	9	15	16
B. *Operated*	1142	2.5	2	1	1	2	3	4	5	8
1. SINGLE DX	3542	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1187	2.6	2	1	1	2	3	4	5	8
A. NOT OPERATED	58	3.1	14	<1	<1	1	4	7	1~	16
B. OPERATED	4671	2.3	1	1	1	2	3	3	4	6
TOTAL 0-19 YRS	129	2.3	1	1	1	2	3	4	4	5
20-34	984	2.3	1	1	1	2	3	3	4	6
35-49	1441	2.3	1	1	1	2	3	3	4	6
50-64	1551	2.3	1	1	1	2	3	3	4	5
65+	624	2.6	3	1	1	2	3	4	5	9
GRAND TOTAL	**4729**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.7	5	<1	<1	2	3	6	8	10
20-34	120	3.3	7	<1	<1	3	4	6	8	16
35-49	131	3.5	5	1	1	3	4	6	8	12
50-64	134	3.5	5	1	1	4	4	6	7	11
65+	79	3.6	5	1	1	4	4	7	8	11
B. *Operated*										
0-19 YRS	2594	1.8	1	<1	<1	2	2	3	3	4
20-34	1530	2.0	1	1	1	2	2	3	4	6
35-49	1176	2.1	4	1	1	2	2	3	4	7
50-64	973	2.1	1	1	1	2	3	3	4	6
65+	366	2.4	5	1	1	2	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	2.9	8	<1	<1	2	3	6	8	14
20-34	120	3.5	6	<1	<1	3	4	7	8	12
35-49	163	4.5	16	1	1	3	6	9	13	20
50-64	220	4.6	12	1	1	4	6	9	12	17
65+	305	6.3	32	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	1993	2.0	2	<1	1	2	2	3	3	7
20-34	1342	2.3	2	1	1	2	3	3	4	9
35-49	1121	2.4	3	1	1	2	3	4	5	10
50-64	1121	2.8	10	1	1	2	3	4	6	14
65+	574	3.4	15	1	1	2	4	6	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	3.3	5	<1	1	3	4	6	8	12
B. *Operated*	6639	2.0	2	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	957	4.7	19	<1	1	4	6	10	12	20
B. *Operated*	6151	2.4	5	1	1	2	3	4	5	11
1. SINGLE DX	7196	2.1	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	7108	2.7	8	1	1	2	3	5	7	14
A. NOT OPERATED	1514	4.2	14	<1	1	3	5	8	11	17
B. OPERATED	12790	2.2	4	<1	1	2	2	3	4	9
TOTAL 0-19 YRS	4829	1.9	2	<1	<1	2	2	3	3	7
20-34	3112	2.2	2	1	1	2	3	3	4	8
35-49	2591	2.5	5	1	1	2	3	4	5	10
50-64	2448	2.7	7	1	1	2	3	4	6	13
65+	1324	3.8	18	1	1	2	4	8	11	20
GRAND TOTAL	**14304**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	6.4	18	2	3	5	8	12	14	20
20-34	71	6.1	9	2	2	6	8	11	12	13
35-49	25	7.8	100	1	2	5	8	16	37	43
50-64	9	5.9	13	1	1	7	8	11	12	12
65+	10	9.1	24	2	3	8	15	16	17	17
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	3	6.7	16	2	2	9	9	9	9	9
35-49	9	4.7	18	1	1	2	6	12	13	13
50-64	12	9.6	53	2	2	8	14	22	23	23
65+	3	8.3	16	4	4	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	9.4	153	2	2	6	10	18	30	72
20-34	69	7.3	50	2	2	6	8	11	19	40
35-49	76	7.2	25	1	2	6	10	14	18	23
50-64	130	7.8	42	2	2	6	10	14	20	35
65+	187	9.8	63	2	3	8	13	20	28	40
B. *Operated*										
0-19 YRS	9	12.7	53	2	2	14	18	21	22	22
20-34	17	15.2	267	2	2	8	26	44	52	55
35-49	44	7.8	42	1	2	5	12	16	22	26
50-64	66	10.3	113	2	2	9	15	20	25	65
65+	66	14.8	146	2	2	12	21	28	41	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	6.5	23	2	2	6	8	12	14	28
B. *Operated*	29	7.4	34	2	2	8	11	15	21	23
2. MULTIPLE DX										
A. *Not Operated*	574	8.6	70	2	2	6	10	17	24	41
B. *Operated*	202	11.8	124	2	2	9	16	24	30	55
1. SINGLE DX	326	6.6	24	2	2	6	8	12	15	26
2. MULTIPLE DX	776	9.5	86	2	2	7	12	20	27	48
A. NOT OPERATED	871	7.9	55	2	2	6	9	15	20	39
B. OPERATED	231	11.2	115	2	2	9	16	23	29	55
TOTAL 0-19 YRS	305	7.7	71	2	2	6	9	14	19	47
20-34	160	7.6	59	2	2	6	8	12	22	46
35-49	154	7.3	42	1	2	5	10	15	18	35
50-64	217	8.6	64	2	2	7	11	18	22	38
65+	266	11.0	86	2	2	8	14	23	30	48
GRAND TOTAL	**1102**	**8.6**	**69**	**2**	**2**	**6**	**10**	**17**	**23**	**43**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.7	3	1	1	4	5	6	6	6
20-34	68	4.4	27	1	1	3	5	8	10	37
35-49	88	4.2	9	1	2	4	5	7	9	18
50-64	69	4.6	15	1	1	3	7	9	11	22
65+	58	6.2	16	2	2	5	8	12	15	19
B. *Operated*										
0-19 YRS	23	5.7	19	<1	1	2	10	11	12	12
20-34	117	6.3	42	1	2	3	10	13	17	31
35-49	252	6.3	47	1	2	3	10	14	17	26
50-64	332	7.1	43	2	2	3	11	16	19	27
65+	158	7.5	47	2	2	4	12	16	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	6.0	32	1	1	4	8	12	16	31
20-34	259	5.5	30	1	1	4	7	11	14	30
35-49	539	5.7	28	1	2	4	7	10	15	27
50-64	1045	7.2	35	2	2	6	9	14	18	30
65+	1623	9.3	62	2	3	8	11	17	22	45
B. *Operated*										
0-19 YRS	43	9.7	78	1	2	8	14	22	26	37
20-34	224	9.7	67	2	2	9	13	20	28	45
35-49	686	10.5	85	2	2	9	14	21	26	55
50-64	1570	11.9	137	2	2	10	16	24	32	62
65+	1313	14.0	158	2	2	12	19	31	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	4.7	16	1	1	4	6	9	11	20
B. *Operated*	882	6.8	44	1	2	3	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	3511	7.8	48	2	2	6	10	15	20	36
B. *Operated*	3836	12.2	132	2	2	10	17	25	35	62
1. SINGLE DX	1183	6.2	38	1	2	3	10	14	17	27
2. MULTIPLE DX	7347	10.1	97	2	2	7	13	21	29	52
A. NOT OPERATED	3812	7.6	46	2	2	6	9	15	19	36
B. OPERATED	4718	11.2	120	2	2	9	15	24	32	57
TOTAL 0-19 YRS	129	6.9	45	1	1	4	10	15	21	32
20-34	668	6.9	48	1	2	4	10	14	21	40
35-49	1565	7.8	60	1	2	5	11	17	22	41
50-64	3016	9.6	94	2	2	7	13	21	26	51
65+	3152	11.1	107	2	2	8	15	23	32	55
GRAND TOTAL	**8530**	**9.6**	**90**	**2**	**2**	**7**	**13**	**20**	**27**	**50**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	3.3	7	1	1	3	4	6	8	14
20-34	638	3.8	10	1	1	3	5	7	8	14
35-49	1546	4.2	7	1	2	4	5	8	9	14
50-64	1646	4.5	10	1	2	4	6	8	10	16
65+	1210	4.7	14	1	2	4	6	9	10	16
B. *Operated*										
0-19 YRS	50	3.7	24	1	1	2	4	8	9	34
20-34	127	3.4	7	1	1	3	4	7	9	13
35-49	164	4.0	8	1	2	3	5	8	11	14
50-64	233	4.4	11	1	2	3	5	9	12	18
65+	114	5.8	32	1	2	4	8	11	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	4.3	14	1	2	3	5	8	9	26
20-34	1854	4.9	12	1	2	4	6	9	11	18
35-49	6439	5.5	18	2	2	4	7	10	13	21
50-64	10850	6.1	21	2	2	5	8	11	14	23
65+	13411	7.0	33	2	2	6	9	13	17	30
B. *Operated*										
0-19 YRS	59	7.1	54	1	1	4	9	17	24	34
20-34	368	7.3	44	1	2	6	9	15	18	35
35-49	999	8.4	48	2	2	7	11	16	21	36
50-64	1868	8.8	61	2	2	7	11	17	21	39
65+	1840	11.4	101	2	3	9	15	22	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5221	4.4	10	1	2	4	5	8	10	15
B. *Operated*	688	4.3	15	1	1	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	32832	6.3	26	2	2	5	8	11	15	26
B. *Operated*	5134	9.5	73	2	2	7	12	18	25	47
1. SINGLE DX	5909	4.4	11	1	2	4	5	8	10	15
2. MULTIPLE DX	37966	6.7	33	2	2	5	8	13	16	29
A. NOT OPERATED	38053	6.0	24	2	2	5	7	11	14	25
B. OPERATED	5822	8.9	69	2	2	7	12	18	23	45
TOTAL 0-19 YRS	568	4.2	18	1	1	3	5	8	11	27
20-34	2987	4.9	16	1	2	4	6	9	12	18
35-49	9148	5.6	20	2	2	4	7	10	14	23
50-64	14597	6.2	26	2	2	5	8	12	15	25
65+	16575	7.3	42	2	2	6	9	14	19	35
GRAND TOTAL	**43875**	**6.4**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	7	2	2	5	8	9	9	9
20-34	38	4.5	6	2	2	4	6	7	9	12
35-49	197	5.8	16	2	2	5	7	10	12	21
50-64	379	5.7	18	2	2	5	7	10	14	23
65+	609	6.5	20	2	3	6	8	11	14	25
B. *Operated*										
0-19 YRS										
20-34	7	5.4	13	2	2	5	6	12	13	13
35-49	36	5.3	26	2	2	3	7	10	17	25
50-64	77	4.3	23	1	2	2	4	10	14	28
65+	42	6.9	96	1	2	3	9	13	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	7.6	41	2	2	6	9	17	21	30
20-34	146	6.5	22	2	2	5	8	12	16	26
35-49	1227	7.1	25	2	2	6	9	13	15	25
50-64	4154	7.8	33	2	3	7	10	14	18	29
65+	11613	9.6	58	3	3	8	12	18	24	42
B. *Operated*										
0-19 YRS	10	7.3	45	1	1	5	8	19	21	21
20-34	37	8.6	59	2	3	7	10	18	21	42
35-49	235	8.5	50	2	2	7	12	17	19	33
50-64	806	9.7	86	2	2	7	13	20	28	44
65+	1454	14.8	164	2	4	11	19	30	40	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1230	6.1	18	2	2	5	8	11	14	23
B. *Operated*	162	5.2	43	1	2	3	6	11	14	43
2. MULTIPLE DX										
A. *Not Operated*	17166	9.0	50	2	3	7	11	16	22	38
B. *Operated*	2542	12.5	134	2	2	10	16	26	34	69
1. SINGLE DX	1392	6.0	21	2	2	5	7	11	14	24
2. MULTIPLE DX	19708	9.4	62	2	3	7	11	18	24	43
A. NOT OPERATED	18396	8.8	49	2	3	7	11	16	21	37
B. OPERATED	2704	12.1	132	2	2	9	15	25	33	67
TOTAL 0-19 YRS	43	7.2	36	1	2	6	9	17	20	30
20-34	228	6.5	26	2	2	5	8	12	17	27
35-49	1695	7.1	28	2	2	6	9	14	17	27
50-64	5416	7.9	41	2	2	6	10	15	19	32
65+	13718	10.0	71	2	3	8	12	19	25	46
GRAND TOTAL	**21100**	**9.2**	**60**	**2**	**3**	**7**	**11**	**17**	**23**	**42**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	4.3	18	1	1	3	4	10	15	17
20-34	43	4.3	13	<1	1	3	5	9	13	16
35-49	93	5.9	26	1	2	5	7	12	14	29
50-64	102	6.8	35	1	2	5	8	15	19	30
65+	82	7.6	51	2	2	6	9	14	20	43
B. *Operated*										
0-19 YRS	29	5.4	20	1	1	4	8	11	16	19
20-34	83	5.4	38	<1	1	3	6	12	19	32
35-49	124	7.5	83	1	2	4	9	17	22	51
50-64	161	7.9	56	1	2	5	11	17	24	47
65+	92	8.7	74	1	2	5	13	19	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	6.1	30	1	1	4	8	13	17	29
20-34	163	5.6	37	1	1	4	7	12	16	24
35-49	334	7.0	33	1	1	5	9	14	18	30
50-64	708	9.3	68	2	2	7	12	19	24	47
65+	1685	11.6	105	2	3	9	14	22	31	64
B. *Operated*										
0-19 YRS	66	12.3	256	1	2	6	17	24	48	74
20-34	313	10.7	140	2	2	7	14	23	35	79
35-49	571	11.6	146	2	2	8	15	24	34	64
50-64	1019	12.7	156	2	3	9	16	27	37	73
65+	1041	16.1	212	2	3	12	21	34	51	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	6.3	34	1	2	5	8	13	17	28
B. *Operated*	489	7.4	62	1	1	4	9	17	22	42
2. MULTIPLE DX										
A. *Not Operated*	2956	10.1	86	2	2	8	13	20	26	57
B. *Operated*	3010	13.4	178	2	2	10	17	30	42	80
1. SINGLE DX	831	6.9	51	1	2	4	9	16	20	36
2. MULTIPLE DX	5966	11.8	135	2	2	8	15	25	34	69
A. NOT OPERATED	3298	9.7	82	2	2	7	12	19	25	54
B. OPERATED	3499	12.6	166	2	2	9	16	28	39	76
TOTAL 0-19 YRS	183	8.0	118	1	1	4	9	18	23	71
20-34	602	8.2	96	1	2	5	10	18	25	59
35-49	1122	9.3	101	2	2	6	12	19	27	53
50-64	1990	10.8	115	2	2	8	14	23	31	59
65+	2900	13.0	147	2	3	10	16	27	39	76
GRAND TOTAL	**6797**	**11.2**	**128**	**2**	**2**	**8**	**14**	**24**	**33**	**66**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	9.8	28	3	3	10	13	16	19	20
20-34	214	9.9	18	2	4	10	13	14	16	21
35-49	2656	10.2	14	4	5	10	13	14	16	20
50-64	5934	11.0	17	4	6	11	13	16	18	22
65+	5091	11.5	24	5	6	11	14	17	19	27
B. *Operated*										
0-19 YRS	7	5.3	25	1	1	2	9	12	13	13
20-34	47	10.3	35	2	2	11	14	17	21	27
35-49	488	10.1	27	2	2	10	13	16	17	27
50-64	990	10.9	31	2	2	11	14	17	19	27
65+	458	12.9	47	2	3	12	16	21	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	12.5	83	4	5	11	13	24	29	57
20-34	456	9.9	30	3	4	10	12	15	18	30
35-49	6811	10.9	23	3	5	11	13	16	19	27
50-64	24177	12.0	31	5	6	11	14	18	21	31
65+	43312	13.4	52	5	7	12	16	21	26	41
B. *Operated*										
0-19 YRS	18	11.4	109	1	3	9	12	16	37	50
20-34	238	11.6	79	2	2	11	15	20	30	47
35-49	2681	11.5	60	2	2	11	15	20	25	41
50-64	7923	13.7	82	2	2	12	17	24	29	49
65+	7728	17.9	130	4	8	15	22	31	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13908	11.0	19	4	6	11	13	16	18	24
B. *Operated*	1990	11.1	35	2	2	11	14	18	21	30
2. MULTIPLE DX										
A. *Not Operated*	74816	12.7	43	5	7	12	15	20	24	38
B. *Operated*	18588	15.1	105	2	4	13	19	27	34	57
1. SINGLE DX	15898	11.0	21	3	6	11	13	16	18	25
2. MULTIPLE DX	93404	13.2	57	4	6	12	16	21	26	42
A. NOT OPERATED	88724	12.4	40	5	6	12	15	19	23	36
B. OPERATED	20578	14.7	100	2	3	13	18	26	32	55
TOTAL 0-19 YRS	98	11.4	78	2	3	10	13	19	29	55
20-34	955	10.3	40	2	3	10	13	16	20	34
35-49	12636	10.9	29	2	4	10	13	17	19	29
50-64	39024	12.1	40	3	6	11	14	19	22	34
65+	56589	13.9	63	5	7	12	16	22	28	45
GRAND TOTAL	**109302**	**12.9**	**52**	**4**	**6**	**12**	**15**	**20**	**25**	**41**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	7	1	1	3	5	8	10	10
20-34	166	3.5	7	1	1	3	4	7	9	12
35-49	1394	3.8	7	1	1	3	5	7	8	13
50-64	2692	3.9	7	1	1	3	5	7	9	13
65+	2483	4.2	8	1	2	4	5	8	9	14
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	39	3.2	8	1	1	2	4	7	8	17
35-49	445	3.4	10	1	1	2	3	8	10	15
50-64	850	3.3	10	1	1	2	3	7	10	16
65+	332	3.7	14	1	1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.5	18	2	2	4	7	9	13	23
20-34	590	4.8	10	1	2	4	6	9	11	16
35-49	6891	4.8	11	1	2	4	6	9	11	16
50-64	20709	5.2	13	1	2	4	7	9	11	18
65+	33015	6.0	19	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	20	4.4	14	2	2	2	7	9	13	16
20-34	208	6.3	63	2	2	4	8	13	16	34
35-49	3649	5.8	31	1	2	3	9	12	16	25
50-64	11981	6.5	40	1	2	4	10	14	17	29
65+	7715	8.6	71	2	2	6	12	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6746	4.0	8	1	1	3	5	7	9	13
B. *Operated*	1668	3.4	10	1	1	2	3	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	61253	5.6	16	2	2	5	7	10	13	20
B. *Operated*	23573	7.1	50	1	2	4	10	15	19	33
1. SINGLE DX	8414	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX	84826	6.0	26	2	2	5	8	12	15	25
A. NOT OPERATED	67999	5.4	16	1	2	4	7	10	12	20
B. OPERATED	25241	6.8	48	1	2	4	10	15	19	32
TOTAL 0-19 YRS	81	4.9	15	1	2	4	7	9	11	22
20-34	1003	4.8	21	1	1	4	6	9	12	18
35-49	12379	4.9	17	1	2	4	6	10	12	20
50-64	36232	5.5	22	1	2	4	7	11	14	22
65+	43545	6.3	29	2	2	5	8	12	16	27
GRAND TOTAL	**93240**	**5.8**	**25**	**1**	**2**	**4**	**7**	**11**	**15**	**24**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2		3	3	3	4	4	4	4
20-34	69	4.7	5	1	2	5	6	8	8	10
35-49	982	4.4	8	1	2	4	6	8	9	14
50-64	2222	5.0	10	1	2	4	6	9	11	16
65+	2368	5.6	18	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	3	7.3	46	2	2	5	12	15	15	15
20-34	10	5.8	36	1	1	4	7	15	21	21
35-49	153	6.1	21	1	2	5	9	12	15	20
50-64	391	6.9	27	1	2	6	10	13	17	23
65+	186	7.6	41	1	2	6	11	15	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.6	18	2	2	6	9	12	16	19
20-34	275	5.9	19	2	2	5	8	11	12	25
35-49	4514	5.7	14	2	2	5	7	10	13	18
50-64	16710	6.3	18	2	2	5	8	11	14	21
65+	29414	7.4	28	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	6	13.8	139	2	2	11	27	29	29	29
20-34	93	8.2	24	2	2	8	12	15	18	21
35-49	1786	8.8	45	2	2	8	12	16	19	31
50-64	6529	9.9	58	2	2	9	13	18	23	38
65+	5594	12.8	102	2	3	11	16	24	31	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5646	5.2	13	1	2	4	6	9	11	17
B. *Operated*	743	6.9	29	1	2	5	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	50950	6.8	24	2	3	6	8	12	15	25
B. *Operated*	14008	10.9	76	2	2	9	14	20	26	45
1. SINGLE DX	6389	5.4	15	1	2	4	7	10	12	20
2. MULTIPLE DX	64958	7.7	38	2	3	6	10	14	18	31
A. NOT OPERATED	56596	6.7	23	2	3	6	8	12	15	24
B. OPERATED	14751	10.7	74	2	2	9	14	20	26	44
TOTAL 0-19 YRS	51	7.2	36	2	2	5	9	15	19	29
20-34	447	6.2	19	2	2	5	8	12	14	21
35-49	7435	6.2	23	2	2	5	8	12	15	23
50-64	25852	7.1	30	2	2	6	9	13	17	27
65+	37562	8.1	43	2	3	6	10	15	19	33
GRAND TOTAL	**71347**	**7.5**	**36**	**2**	**2**	**6**	**9**	**14**	**18**	**31**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	19	2	2	9	11	12	12	12
20-34	45	4.0	10	1	1	4	5	9	10	15
35-49	470	4.1	8	1	2	3	5	8	10	14
50-64	1156	4.5	15	1	1	3	5	9	11	20
65+	1128	5.2	16	1	2	4	7	10	13	20
B. *Operated*										
0-19 YRS	11	5.1	24	1	1	3	8	13	17	17
20-34	140	4.3	18	1	2	2	5	11	14	17
35-49	3124	4.9	20	1	2	2	6	11	13	19
50-64	8819	5.6	27	1	2	3	9	12	15	21
65+	3648	6.4	37	1	2	3	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	7.6	59	1	1	6	9	15	18	44
20-34	196	5.1	14	1	2	4	6	9	12	22
35-49	3199	5.3	16	1	2	4	7	10	12	18
50-64	12081	6.2	22	1	2	5	8	12	14	23
65+	26298	8.0	42	2	3	6	10	15	19	34
B. *Operated*										
0-19 YRS	53	6.0	27	<1	1	3	10	13	17	19
20-34	380	6.4	66	1	2	3	9	13	16	41
35-49	7928	6.5	38	1	2	4	10	14	17	27
50-64	26395	7.9	55	2	2	6	11	16	20	34
65+	16414	10.7	97	2	2	9	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2803	4.7	14	1	2	4	6	9	12	19
B. *Operated*	15742	5.6	28	1	2	3	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	41821	7.3	35	2	2	6	9	14	17	30
B. *Operated*	51170	8.6	68	2	2	7	12	18	23	40
1. SINGLE DX	18545	5.5	26	1	2	3	9	12	15	22
2. MULTIPLE DX	92991	8.0	54	2	2	6	11	16	21	36
A. NOT OPERATED	44624	7.1	34	2	2	6	9	13	17	30
B. OPERATED	66912	7.9	60	1	2	5	11	17	21	37
TOTAL 0-19 YRS	115	6.7	39	1	1	5	10	14	16	35
20-34	761	5.5	41	1	2	3	8	12	14	30
35-49	14721	5.8	29	1	2	4	9	12	15	24
50-64	48451	7.0	42	1	2	5	10	14	18	30
65+	47488	8.8	62	2	2	7	11	17	23	40
GRAND TOTAL	111536	7.6	50	2	2	6	10	15	20	34

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	9.9	37	3	5	9	11	14	23	34
20-34	368	8.9	12	3	5	9	11	14	15	18
35-49	406	9.9	16	3	5	10	12	15	17	21
50-64	532	9.8	18	4	5	9	12	15	18	22
65+	549	11.1	25	4	6	10	14	17	21	29
B. *Operated*										
0-19 YRS	3	14.3	5	13	13	13	16	17	17	17
20-34	71	10.5	20	3	5	10	13	16	19	25
35-49	88	11.7	43	3	5	11	15	18	21	40
50-64	94	12.2	48	5	6	11	14	19	25	44
65+	81	13.1	41	5	7	12	16	21	28	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	10.5	15	5	6	10	12	15	17	23
20-34	586	10.2	33	3	4	9	12	16	19	26
35-49	1161	11.3	37	4	6	10	13	17	21	33
50-64	2339	12.0	37	5	6	11	14	19	22	32
65+	4580	13.7	56	5	7	12	16	22	28	42
B. *Operated*										
0-19 YRS	18	13.5	104	4	5	11	15	24	38	48
20-34	191	13.9	74	5	7	12	16	24	29	50
35-49	369	15.0	96	5	7	13	18	27	34	52
50-64	760	15.7	105	6	8	13	18	27	34	64
65+	1217	18.4	137	7	8	15	22	33	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1882	10.0	19	4	5	9	12	15	18	24
B. *Operated*	337	11.9	39	4	6	11	14	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	8704	12.7	48	5	6	11	15	20	25	39
B. *Operated*	2555	16.8	119	6	8	14	20	29	37	64
1. SINGLE DX	2219	10.3	23	4	5	10	12	16	19	27
2. MULTIPLE DX	11259	13.6	67	5	7	12	16	22	28	46
A. NOT OPERATED	10586	12.2	44	5	6	11	15	19	24	37
B. OPERATED	2892	16.2	112	6	7	13	19	28	36	61
TOTAL 0-19 YRS	86	11.1	41	4	5	10	12	16	23	43
20-34	1216	10.4	35	3	5	9	13	16	20	30
35-49	2024	11.7	47	4	6	10	14	18	23	37
50-64	3725	12.4	52	5	6	11	14	20	24	38
65+	6427	14.4	73	5	7	12	17	24	30	48
GRAND TOTAL	13478	13.1	61	5	6	11	15	21	27	44

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	19.5	118	3	3	17	29	34	35	36
20-34	29	15.8	165	2	3	13	23	31	36	58
35-49	25	17.9	115	4	5	16	29	33	35	36
50-64	23	19.0	121	3	6	19	29	32	36	42
65+	33	24.2	156	5	8	25	33	38	49	51
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	1	59.0		59	59	59	59	59	59	59
35-49	4	24.5	185	6	6	27	34	38	38	38
50-64										
65+	3	38.0	37	34	34	35	42	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	21.9	188	2	4	22	30	42	44	55
20-34	251	26.1	177	4	7	28	34	42	46	71
35-49	172	23.4	199	3	4	27	33	43	46	54
50-64	203	25.9	154	5	9	28	34	43	46	53
65+	383	28.9	212	5	8	30	38	47	54	63
B. *Operated*										
0-19 YRS	19	37.9	257	7	17	36	51	58	60	62
20-34	127	36.6	198	14	16	34	45	51	59	76
35-49	75	34.3	308	9	11	31	45	54	68	83
50-64	116	34.2	316	7	10	34	43	55	69	90
65+	162	37.9	323	11	16	37	51	67	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	19.5	144	3	4	16	29	34	36	53
B. *Operated*	9	33.3	211	6	13	34	40	53	59	59
2. MULTIPLE DX										
A. *Not Operated*	1066	26.4	194	4	7	28	35	44	48	61
B. *Operated*	499	36.2	285	10	14	35	46	57	71	99+
1. SINGLE DX	134	20.4	159	3	5	19	30	35	41	58
2. MULTIPLE DX	1565	29.5	243	4	8	30	40	48	56	83
A. NOT OPERATED	1191	25.7	193	4	7	28	34	43	48	60
B. OPERATED	508	36.1	284	10	14	35	46	57	70	99+
TOTAL 0-19 YRS	92	24.9	230	2	4	25	34	44	55	60
20-34	408	28.7	219	4	8	29	39	47	51	74
35-49	276	25.9	248	3	5	28	36	45	50	73
50-64	342	28.3	227	5	8	29	38	46	51	75
65+	581	31.2	257	6	10	31	42	53	60	99
GRAND TOTAL	**1699**	**28.8**	**243**	**4**	**8**	**29**	**39**	**48**	**56**	**81**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.8	5	<1	1	2	4	6	7	9
20-34	224	2.4	4	<1	1	2	3	5	7	10
35-49	375	2.6	4	<1	1	2	3	5	7	10
50-64	467	2.7	4	1	1	2	3	5	6	9
65+	381	3.3	7	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	11	5.4	8	2	2	5	6	10	11	11
50-64	19	3.6	7	2	2	2	4	8	11	12
65+	16	5.3	20	1	1	4	8	13	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	2.8	4	1	1	2	3	6	7	9
20-34	324	3.8	10	1	1	3	5	8	9	16
35-49	680	3.6	8	1	1	3	5	7	8	15
50-64	1665	4.4	10	1	1	3	6	8	10	16
65+	2826	5.9	25	1	2	5	7	11	14	26
B. *Operated*										
0-19 YRS	9	7.2	33	2	2	6	10	17	18	18
20-34	22	7.3	17	1	3	7	9	13	16	17
35-49	77	6.3	27	1	2	5	9	14	15	28
50-64	157	8.5	58	2	2	6	10	19	28	43
65+	243	11.1	99	2	3	8	13	26	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1596	2.8	5	<1	1	2	4	5	7	11
B. *Operated*	53	4.3	11	1	2	3	5	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	5623	5.0	18	1	1	4	6	10	13	21
B. *Operated*	508	9.3	74	2	2	7	11	19	29	47
1. SINGLE DX	1649	2.8	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	6131	5.3	24	1	1	4	7	10	14	27
A. NOT OPERATED	7219	4.5	16	1	1	3	6	9	12	19
B. OPERATED	561	8.9	70	2	2	7	11	18	28	43
TOTAL 0-19 YRS	289	3.0	6	1	1	2	4	6	7	13
20-34	574	3.4	9	1	1	2	4	7	9	15
35-49	1143	3.5	9	1	1	3	4	7	9	15
50-64	2308	4.3	14	1	1	3	6	8	11	19
65+	3466	6.0	31	1	2	4	7	12	15	30
GRAND TOTAL	**7780**	**4.8**	**21**	**1**	**1**	**4**	**6**	**9**	**13**	**23**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.3	2	<1	1	2	3	4	6	6
20-34	384	2.4	5	<1	1	2	3	4	6	9
35-49	713	2.5	4	<1	1	2	3	5	6	10
50-64	1421	3.0	7	<1	1	2	4	6	8	13
65+	1763	3.8	10	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	10	4.6	10	1	1	5	6	9	10	10
35-49	36	3.6	8	1	1	2	6	8	8	11
50-64	74	4.5	21	1	1	2	6	9	12	26
65+	80	5.3	14	1	2	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.8	8	<1	1	3	5	8	10	13
20-34	475	3.2	6	1	1	2	4	7	8	12
35-49	1580	4.1	13	1	1	3	5	8	10	18
50-64	6959	5.2	18	1	1	4	7	10	13	21
65+	20403	7.0	39	1	2	5	9	13	17	31
B. *Operated*										
0-19 YRS	18	7.5	29	1	2	4	12	15	18	19
20-34	31	4.7	13	1	1	4	6	11	12	16
35-49	135	7.0	33	1	1	5	9	15	19	27
50-64	742	9.5	66	2	2	8	12	19	24	46
65+	2449	13.0	112	3	4	10	16	26	34	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4314	3.2	8	<1	1	2	4	6	8	13
B. *Operated*	202	4.7	15	1	1	3	7	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	29492	6.4	33	1	2	5	8	12	16	29
B. *Operated*	3375	11.9	101	2	3	9	15	24	31	61
1. SINGLE DX	4516	3.3	8	<1	1	2	4	7	8	14
2. MULTIPLE DX	32867	6.9	43	1	2	5	9	14	18	33
A. NOT OPERATED	33806	5.9	31	1	1	4	8	12	15	28
B. OPERATED	3577	11.5	99	2	3	9	15	23	30	60
TOTAL 0-19 YRS	128	3.9	12	<1	1	3	5	8	12	17
20-34	900	3.0	6	<1	1	2	4	6	8	12
35-49	2464	3.6	12	1	1	3	5	8	10	18
50-64	9196	5.2	23	1	1	4	7	10	14	23
65+	24695	7.4	48	1	2	6	9	14	19	36
GRAND TOTAL	**37383**	**6.5**	**40**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	295	3.7	12	1	1	3	4	8	10	17
20-34	632	3.3	6	1	1	3	4	6	8	12
35-49	1140	3.5	9	1	1	3	4	6	9	13
50-64	1460	4.0	9	1	1	3	5	8	10	14
65+	1757	4.6	13	1	1	4	6	8	11	18
B. *Operated*										
0-19 YRS	44	5.3	15	<1	1	4	8	12	13	14
20-34	74	5.9	20	1	2	5	8	10	14	25
35-49	172	4.5	12	1	2	3	6	9	12	14
50-64	487	5.4	15	1	2	5	7	10	12	19
65+	1634	7.2	23	2	3	6	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	4.8	29	1	1	3	6	9	15	28
20-34	1715	4.2	11	1	1	3	5	8	10	17
35-49	4188	4.9	16	1	1	4	6	9	11	18
50-64	11275	6.0	24	1	2	5	7	11	14	24
65+	25814	7.3	38	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	128	8.9	124	1	2	6	10	17	29	68
20-34	224	8.3	105	1	2	6	9	15	22	67
35-49	819	8.6	78	2	2	6	11	17	24	43
50-64	3319	9.6	77	2	2	7	12	19	26	49
65+	14225	11.4	81	3	4	9	14	21	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5284	4.0	10	1	1	3	5	8	10	16
B. *Operated*	2411	6.5	21	2	2	6	8	12	14	24
2. MULTIPLE DX										
A. *Not Operated*	43535	6.6	32	1	2	5	8	12	16	28
B. *Operated*	18715	10.9	81	2	3	9	14	21	27	51
1. SINGLE DX	7695	4.8	15	1	1	4	6	9	12	19
2. MULTIPLE DX	62250	7.9	51	2	2	6	10	15	20	37
A. NOT OPERATED	48819	6.3	30	1	2	5	8	12	16	27
B. OPERATED	21126	10.4	76	2	3	8	13	20	26	49
TOTAL 0-19 YRS	1010	5.0	38	1	1	3	6	10	15	31
20-34	2645	4.4	19	1	1	3	5	8	11	19
35-49	6319	5.1	25	1	1	4	6	10	13	24
50-64	16541	6.5	36	1	2	5	8	12	16	30
65+	43430	8.6	54	2	3	7	11	16	21	39
GRAND TOTAL	**69945**	**7.5**	**48**	**2**	**2**	**6**	**9**	**15**	**19**	**36**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	5.9	30	1	2	4	7	12	16	30
20-34	33	5.5	14	1	2	5	8	10	13	17
35-49	150	6.1	31	2	2	5	8	11	14	20
50-64	856	6.3	21	2	2	5	8	12	15	24
65+	4232	7.2	33	2	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	7	5.4	19	1	1	4	9	12	12	12
20-34	6	4.7	5	1	1	5	5	8	8	8
35-49	17	5.5	42	1	1	2	8	17	20	21
50-64	45	9.4	37	2	2	7	12	19	22	26
65+	112	9.8	69	2	3	7	12	20	28	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	495	6.7	34	1	2	5	8	13	18	33
20-34	456	7.7	33	2	2	6	10	14	18	33
35-49	2849	8.1	43	2	3	7	10	15	20	34
50-64	19226	8.7	42	2	3	7	11	16	20	34
65+	96059	10.0	63	3	3	8	12	18	24	43
B. *Operated*										
0-19 YRS	104	14.1	210	2	2	9	19	33	49	69
20-34	140	9.6	97	1	1	6	13	22	30	44
35-49	495	10.7	80	2	2	9	14	19	26	46
50-64	2694	14.7	148	2	4	11	19	29	39	65
65+	9678	17.6	172	4	6	14	22	34	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5321	7.0	31	2	2	6	9	13	17	28
B. *Operated*	187	9.0	57	2	2	7	11	19	23	47
2. MULTIPLE DX										
A. *Not Operated*	119085	9.7	59	3	3	8	12	18	23	41
B. *Operated*	13111	16.6	166	3	5	13	21	33	43	75
1. SINGLE DX	5508	7.1	32	2	2	6	9	13	17	29
2. MULTIPLE DX	132196	10.4	74	3	3	8	13	20	26	47
A. NOT OPERATED	124406	9.6	58	3	3	8	12	18	23	40
B. OPERATED	13298	16.5	165	3	5	13	21	33	43	75
TOTAL 0-19 YRS	656	7.8	68	1	2	5	9	16	25	48
20-34	635	8.0	47	1	2	6	10	16	20	36
35-49	3511	8.4	49	2	3	7	10	16	20	37
50-64	22821	9.3	58	2	3	7	11	17	23	40
65+	110081	10.5	76	3	3	8	13	20	27	48
GRAND TOTAL	**137704**	**10.2**	**73**	**3**	**3**	**8**	**13**	**19**	**26**	**47**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	4.1	10	1	1	3	5	8	11	16
20-34	879	4.0	9	1	1	3	5	7	9	13
35-49	1010	4.5	15	1	1	3	6	8	11	22
50-64	899	5.2	17	1	2	4	6	10	12	21
65+	574	6.5	29	2	2	5	8	11	15	34
B. *Operated*										
0-19 YRS	262	4.1	18	1	1	2	7	10	13	21
20-34	314	5.8	30	1	2	3	9	12	14	24
35-49	671	5.0	27	1	2	2	7	12	14	24
50-64	1225	5.1	29	1	2	2	8	13	15	23
65+	673	6.7	52	1	2	3	11	16	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	559	6.2	48	1	2	4	7	12	17	32
20-34	1833	5.7	31	1	2	4	7	11	14	28
35-49	3474	6.4	32	2	2	5	8	12	16	29
50-64	6829	7.6	35	2	2	6	9	14	18	31
65+	10783	9.2	58	2	3	7	11	17	23	40
B. *Operated*										
0-19 YRS	314	8.1	144	1	1	3	10	17	33	74
20-34	621	10.2	111	1	2	7	13	24	32	53
35-49	1837	8.4	76	1	2	6	11	18	24	44
50-64	4914	9.4	88	2	2	7	13	20	27	45
65+	5007	12.9	145	2	2	10	17	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3643	4.8	17	1	2	4	6	9	11	21
B. *Operated*	3145	5.4	33	1	2	2	8	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	23478	8.0	47	2	2	6	10	15	20	35
B. *Operated*	12693	10.6	115	2	2	8	14	23	31	54
1. SINGLE DX	6788	5.1	24	1	2	3	7	11	14	25
2. MULTIPLE DX	36171	8.9	72	2	2	7	11	18	25	44
A. NOT OPERATED	27121	7.5	44	2	2	6	9	15	19	34
B. OPERATED	15838	9.6	103	1	2	7	13	21	29	50
TOTAL 0-19 YRS	1416	5.8	58	1	1	3	7	12	17	47
20-34	3647	6.1	43	1	2	4	7	12	16	37
35-49	6992	6.5	43	1	2	5	8	13	17	32
50-64	13867	7.8	54	2	2	6	10	16	21	37
65+	17037	10.1	86	2	2	8	13	21	28	47
GRAND TOTAL	**42959**	**8.3**	**67**	**2**	**2**	**6**	**11**	**17**	**23**	**42**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	3.9	7	1	1	3	6	7	10	11
50-64	52	4.7	8	1	2	4	6	9	10	12
65+	101	5.8	22	1	2	4	8	11	17	22
B. *Operated*										
0-19 YRS										
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	16	3.5	13	2	2	2	3	7	13	16
50-64	65	4.4	19	1	2	2	6	10	11	26
65+	20	4.2	31	2	2	3	9	13	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.8	8	3	3	6	9	11	12	12
20-34	9	5.6	15	2	2	4	9	11	13	13
35-49	226	5.7	15	1	2	5	8	11	13	17
50-64	1078	6.7	26	2	2	5	9	12	15	27
65+	4470	8.7	60	2	3	7	11	16	22	41
B. *Operated*										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	7	5.1	30	1	1	2	9	14	15	15
35-49	172	6.5	64	1	2	3	8	16	21	49
50-64	635	7.1	44	1	2	5	10	15	20	28
65+	865	12.2	125	2	2	9	16	26	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	5.3	17	1	2	4	7	10	12	20
B. *Operated*	103	4.7	22	2	2	3	6	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	5793	8.2	52	2	3	6	10	16	20	38
B. *Operated*	1682	9.7	94	2	2	7	13	21	27	53
1. SINGLE DX	270	5.1	19	1	2	3	7	10	12	22
2. MULTIPLE DX	7475	8.5	62	2	2	6	11	17	22	42
A. NOT OPERATED	5960	8.1	52	2	3	6	10	16	20	38
B. OPERATED	1785	9.4	91	2	2	7	12	20	27	52
TOTAL 0-19 YRS	13	6.5	8	2	3	6	9	10	12	12
20-34	18	5.7	24	1	2	3	9	14	15	15
35-49	428	5.9	34	1	2	4	7	13	16	25
50-64	1830	6.7	32	2	2	5	9	13	17	27
65+	5456	9.2	71	2	3	7	11	18	25	44
GRAND TOTAL	**7745**	**8.4**	**61**	**2**	**2**	**6**	**10**	**16**	**22**	**42**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.4	30	<1	<1	3	7	15	17	17
20-34	13	7.4	95	<1	1	3	8	24	32	34
35-49	35	6.0	55	<1	<1	2	8	15	19	35
50-64	21	5.8	82	<1	<1	1	6	18	29	37
65+	40	12.7	243	<1	1	6	18	36	52	62
B. *Operated*										
0-19 YRS	14	11.9	105	<1	2	8	16	29	33	34
20-34	90	17.3	110	4	5	16	23	30	39	56
35-49	125	15.6	96	2	3	15	20	27	36	64
50-64	113	20.4	227	2	4	17	26	40	47	90
65+	42	22.0	324	2	2	18	29	56	89	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.3	30	<1	<1	4	6	14	19	20
20-34	21	7.0	79	<1	1	3	9	17	28	38
35-49	39	8.9	95	<1	<1	5	12	26	31	38
50-64	65	13.2	188	<1	1	10	17	34	45	95
65+	143	18.2	240	2	3	16	27	36	72	99+
B. *Operated*										
0-19 YRS	19	18.0	374	1	2	10	20	48	66	74
20-34	114	22.1	189	4	6	20	32	43	54	99+
35-49	219	27.2	353	5	10	22	36	63	90	99+
50-64	294	29.7	423	5	9	24	44	74	99+	99+
65+	212	33.5	415	9	13	29	48	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	8.3	133	<1	<1	3	11	22	35	55
B. *Operated*	384	18.0	168	2	4	16	23	35	43	94
2. MULTIPLE DX										
A. *Not Operated*	281	14.4	205	<1	1	11	22	34	46	99+
B. *Operated*	858	28.8	384	6	9	24	41	68	96	99+
1. SINGLE DX	502	15.7	176	1	2	14	21	33	42	84
2. MULTIPLE DX	1139	25.2	378	2	5	21	36	63	90	99+
A. NOT OPERATED	399	12.6	191	<1	1	8	19	32	43	99+
B. OPERATED	1242	25.4	342	4	7	21	35	61	86	99+
TOTAL 0-19 YRS	55	11.4	191	<1	1	7	15	28	35	73
20-34	238	18.2	168	2	3	17	25	39	44	99+
35-49	418	20.3	287	1	2	17	27	46	70	99+
50-64	493	24.4	383	1	4	20	35	63	87	99+
65+	437	25.5	396	2	4	22	35	63	95	99+
GRAND TOTAL	**1641**	**22.3**	**336**	**1**	**3**	**19**	**32**	**53**	**77**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	17.5	25	14	14	17	21	21	21	21
20-34	2	12.0	242	<1	<1	11	23	23	23	23
35-49	4	19.5	358	4	4	14	33	46	46	46
50-64	10	20.5	90	5	5	22	26	31	36	36
65+	9	33.2	296	1	7	34	47	52	54	54
B. *Operated*										
0-19 YRS	2	33.0	8	31	31	33	35	35	35	35
20-34	7	44.1	707	16	17	44	77	96	99+	99+
35-49	25	36.4	277	17	20	37	65	99+	99+	99+
50-64	42	41.4	443	12	17	38	53	90	99+	99+
65+	20	41.7	556	9	12	43	75	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	27	23.7	225	1	4	23	33	46	50	54
B. *Operated*	96	40.2	425	12	17	39	60	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	123	36.6	425	7	14	35	55	90	99+	99+
A. NOT OPERATED	27	23.7	225	1	4	23	33	46	50	54
B. OPERATED	96	40.2	425	12	17	39	60	99+	99+	99+
TOTAL 0-19 YRS	4	25.3	91	14	14	26	33	35	35	35
20-34	9	37.0	762	<1	8	31	67	94	99+	99+
35-49	29	34.0	311	5	17	36	60	99+	99+	99+
50-64	52	37.4	442	10	15	35	51	86	97	99+
65+	29	39.0	476	6	12	43	57	88	99+	99+
GRAND TOTAL	123	36.6	425	7	14	35	55	90	99+	99+

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.0	22	<1	<1	6	9	14	15	16
20-34	15	5.5	49	<1	1	3	6	12	24	29
35-49	22	9.4	96	<1	<1	7	16	21	29	40
50-64	60	9.4	99	<1	1	6	13	20	28	49
65+	156	11.3	122	<1	1	9	14	23	34	58
B. *Operated*										
0-19 YRS	30	10.5	198	2	2	7	14	21	30	75
20-34	58	11.9	113	2	2	10	16	25	42	96
35-49	68	13.6	195	2	3	10	16	22	33	64
50-64	136	14.2	160	4	5	10	17	26	41	93
65+	235	14.3	139	4	5	11	17	28	35	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	8.6	47	1	2	7	12	19	22	30
20-34	37	11.9	180	1	2	8	15	30	43	64
35-49	93	12.5	185	1	2	9	14	23	34	63
50-64	356	15.8	229	2	3	11	20	35	45	94
65+	1190	18.0	203	3	4	15	23	37	51	88
B. *Operated*										
0-19 YRS	71	19.5	333	5	6	14	23	40	71	99
20-34	87	22.6	322	3	6	18	34	62	83	99+
35-49	144	22.6	378	4	7	14	32	57	75	99+
50-64	425	23.7	295	5	7	18	30	63	90	99+
65+	904	23.5	307	6	7	19	31	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	10.1	107	<1	1	6	13	22	30	49
B. *Operated*	527	13.7	152	3	4	10	16	27	37	79
2. MULTIPLE DX										
A. *Not Operated*	1724	16.8	207	2	4	13	22	36	48	90
B. *Operated*	1631	23.3	338	5	7	18	30	55	74	99+
1. SINGLE DX	796	12.5	139	1	2	10	15	25	34	74
2. MULTIPLE DX	3355	20.0	281	3	5	15	26	45	62	99+
A. NOT OPERATED	1993	15.9	198	1	3	12	21	34	45	84
B. OPERATED	2158	20.9	309	4	6	15	27	49	70	99+
TOTAL 0-19 YRS	165	13.4	222	1	2	10	17	27	38	96
20-34	197	16.2	247	2	2	12	23	41	64	99+
35-49	327	17.0	290	1	3	12	20	41	60	98
50-64	977	18.6	305	3	4	13	24	43	68	99+
65+	2485	19.2	243	3	5	15	25	40	56	99+
GRAND TOTAL	4151	18.5	262	2	4	14	24	41	59	99+

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	22	1	1	4	10	12	12	12
20-34	5	16.0	33	11	11	13	21	24	24	24
35-49	31	29.2	553	5	6	27	37	84	86	99+
50-64	137	24.7	339	4	6	20	34	51	63	81
65+	426	24.9	306	6	8	21	34	55	73	99+
B. *Operated*										
0-19 YRS	9	36.7	705	2	6	35	56	77	81	81
20-34	15	34.1	465	2	6	39	45	70	74	75
35-49	27	37.9	594	7	10	37	81	99+	99+	99+
50-64	76	30.9	440	8	11	32	64	99+	99+	99+
65+	185	33.2	387	9	11	30	51	69	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	604	24.8	325	5	7	21	34	54	73	99+
B. *Operated*	312	33.2	428	8	11	32	53	84	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	916	27.7	375	6	8	24	40	66	86	99+
A. NOT OPERATED	604	24.8	325	5	7	21	34	54	73	99+
B. OPERATED	312	33.2	428	8	11	32	53	84	99+	99+
TOTAL 0-19 YRS	14	25.6	679	1	2	14	36	71	79	81
20-34	20	29.6	414	3	8	24	43	59	72	75
35-49	58	33.2	581	6	8	29	49	94	99+	99+
50-64	213	26.9	382	5	7	22	44	69	99+	99+
65+	611	27.4	345	6	9	23	38	62	79	99+
GRAND TOTAL	**916**	**27.7**	**375**	**6**	**8**	**24**	**40**	**66**	**86**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	5.7	8	4	4	4	8	9	9	9
35-49	14	5.3	16	<1	1	4	7	11	13	14
50-64	92	5.0	65	1	1	3	5	10	15	50
65+	147	4.1	15	1	1	3	5	7	11	26
B. *Operated*										
0-19 YRS	7	5.0	20	1	1	2	9	11	11	11
20-34	20	8.0	89	2	2	6	8	16	30	44
35-49	229	6.8	27	1	2	6	9	14	17	23
50-64	2004	6.2	21	2	2	5	8	11	14	22
65+	3432	6.4	21	2	2	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	12.3	152	5	5	6	17	34	37	37
35-49	74	8.2	45	1	2	6	10	19	25	29
50-64	557	6.6	53	1	2	5	8	13	17	33
65+	1615	8.0	67	1	2	6	10	16	22	46
B. *Operated*										
0-19 YRS	16	9.6	130	1	2	6	11	16	39	49
20-34	25	7.6	47	2	2	4	10	21	22	24
35-49	528	8.4	52	2	2	7	11	15	21	43
50-64	5740	8.5	46	2	2	7	11	16	21	34
65+	11850	9.5	64	2	3	7	12	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	4.5	33	1	1	3	5	9	12	26
B. *Operated*	5692	6.4	22	2	2	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2254	7.7	63	1	2	6	9	15	21	46
B. *Operated*	18159	9.1	58	2	3	7	11	18	23	38
1. SINGLE DX	5950	6.3	22	1	2	5	8	12	15	23
2. MULTIPLE DX	20413	9.0	59	2	2	7	11	17	23	39
A. NOT OPERATED	2512	7.4	61	1	2	5	9	15	21	44
B. OPERATED	23851	8.5	51	2	2	7	10	16	21	36
TOTAL 0-19 YRS	26	7.7	90	1	1	5	10	15	23	49
20-34	55	8.2	72	2	2	5	9	21	23	44
35-49	845	7.9	45	2	2	6	10	15	20	39
50-64	8393	7.8	42	2	2	6	10	15	19	31
65+	17044	8.7	57	2	2	7	11	17	22	38
GRAND TOTAL	**26363**	**8.4**	**52**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	15.6	77	6	6	13	20	29	31	31
50-64	34	13.5	271	2	2	7	13	43	53	69
65+	119	17.9	368	2	4	12	21	35	67	89
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	4	13.0	405	1	1	4	24	43	43	43
35-49	28	14.8	197	2	3	10	20	43	57	99+
50-64	265	16.4	342	2	3	10	19	44	61	99
65+	527	18.1	261	2	3	13	25	43	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	162	16.9	334	2	3	11	20	35	62	88
B. *Operated*	825	17.4	285	2	3	12	23	43	56	99+
1. SINGLE DX										
2. MULTIPLE DX	987	17.4	293	2	3	12	22	43	57	99
A. NOT OPERATED	162	16.9	334	2	3	11	20	35	62	88
B. OPERATED	825	17.4	285	2	3	12	23	43	56	99+
TOTAL 0-19 YRS	2	20.0	98	13	13	20	27	27	27	27
20-34	5	10.6	332	1	1	2	15	43	43	43
35-49	35	15.0	170	2	3	11	20	38	52	99+
50-64	299	16.1	334	2	3	10	19	43	59	99
65+	646	18.1	260	2	4	13	24	42	54	99
GRAND TOTAL	987	17.4	293	2	3	12	22	43	57	99

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.7	14	1	1	2	4	9	14	14
20-34	23	5.7	17	1	2	5	7	13	15	16
35-49	96	7.9	64	2	2	6	9	14	22	47
50-64	272	9.3	63	2	3	7	12	19	27	49
65+	876	11.1	89	2	3	8	14	23	31	47
B. *Operated*										
0-19 YRS	8	6.1	30	1	1	5	9	14	16	16
20-34	27	8.3	111	1	2	5	10	14	23	56
35-49	66	9.7	100	1	2	7	12	18	32	53
50-64	132	8.3	52	2	2	7	10	17	25	59
65+	135	10.3	127	2	2	8	12	22	29	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	9.2	156	1	1	5	10	19	39	59
20-34	103	9.3	78	2	2	6	11	18	29	47
35-49	377	11.4	129	2	3	8	13	24	37	82
50-64	2414	12.1	115	3	3	9	15	25	34	55
65+	10180	14.2	149	3	4	11	18	29	39	82
B. *Operated*										
0-19 YRS	11	16.8	176	2	3	12	24	38	44	45
20-34	63	13.2	203	3	3	10	14	22	51	99
35-49	213	13.3	191	2	4	10	16	25	35	96
50-64	935	14.2	208	2	3	10	17	32	47	91
65+	1940	18.6	265	3	4	14	25	43	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1277	10.3	81	2	3	8	13	22	30	48
B. *Operated*	368	9.2	92	2	2	7	11	19	27	54
2. MULTIPLE DX										
A. *Not Operated*	13099	13.7	143	3	4	10	17	28	38	76
B. *Operated*	3162	16.8	246	3	4	12	22	39	54	99+
1. SINGLE DX	1645	10.1	84	2	2	8	12	22	29	49
2. MULTIPLE DX	16261	14.3	165	3	4	10	18	30	42	87
A. NOT OPERATED	14376	13.4	138	3	4	10	17	27	38	75
B. OPERATED	3530	16.0	236	2	4	11	20	37	52	99+
TOTAL 0-19 YRS	54	9.3	130	1	1	5	10	22	33	58
20-34	216	9.9	116	2	2	7	12	18	29	68
35-49	752	11.3	138	2	3	8	13	23	34	83
50-64	3753	12.3	135	2	3	9	15	26	36	71
65+	13131	14.6	166	3	4	11	18	31	42	90
GRAND TOTAL	17906	13.9	159	3	4	10	17	29	41	85

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	11.6	79	2	3	10	14	24	33	36
20-34	21	14.8	244	3	4	12	17	21	49	78
35-49	127	16.5	247	3	4	11	19	40	53	75
50-64	887	18.5	263	3	5	13	23	40	57	87
65+	4410	19.1	206	4	6	15	25	39	50	91
B. *Operated*										
0-19 YRS	4	15.3	210	2	2	13	27	33	33	33
20-34	15	9.3	23	2	3	10	13	18	75	99+
35-49	52	21.8	479	3	5	13	28	58	86	99+
50-64	262	26.8	503	5	7	19	39	71	88	99+
65+	667	28.5	399	6	8	24	40	66	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5461	18.9	216	4	6	15	25	39	51	88
B. *Operated*	1000	27.4	431	5	7	22	39	65	87	99+
1. SINGLE DX										
2. MULTIPLE DX	6461	20.2	259	4	6	16	27	43	58	99+
A. NOT OPERATED	5461	18.9	216	4	6	15	25	39	51	88
B. OPERATED	1000	27.4	431	5	7	22	39	66	87	99+
TOTAL 0-19 YRS	20	12.4	98	1	2	10	17	29	34	36
20-34	36	12.5	156	3	4	11	16	18	59	99+
35-49	179	18.0	318	3	4	12	21	46	59	92
50-64	1149	20.4	329	4	5	14	26	48	66	99+
65+	5077	20.4	241	4	6	16	27	43	56	99+
GRAND TOTAL	**6461**	**20.2**	**259**	**4**	**6**	**16**	**27**	**43**	**58**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	2	<1	1	3	4	5	6	6
20-34	78	3.4	5	1	1	3	5	7	8	11
35-49	328	3.9	7	1	1	3	5	7	10	13
50-64	1150	4.1	9	1	1	3	5	8	9	15
65+	3104	4.6	16	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	6	3.8	9	1	1	3	6	8	8	8
20-34	19	4.1	5	1	1	4	6	7	8	8
35-49	192	4.8	14	1	2	4	6	10	12	18
50-64	678	4.8	14	1	2	4	6	9	11	18
65+	782	5.1	23	1	2	4	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	5.9	12	2	2	5	8	11	12	18
20-34	178	4.4	10	1	1	4	5	9	10	16
35-49	1022	5.4	17	1	2	5	7	10	12	18
50-64	6040	5.8	20	2	2	5	7	10	13	21
65+	30265	7.3	43	2	2	6	9	14	18	35
B. *Operated*										
0-19 YRS	10	5.6	4	3	3	5	6	9	10	10
20-34	63	5.6	21	2	2	4	7	10	12	30
35-49	509	7.5	54	2	2	6	9	14	18	39
50-64	2794	7.9	38	2	2	6	10	15	20	32
65+	6512	10.3	89	2	3	8	13	20	27	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4671	4.4	13	1	1	4	6	8	10	17
B. *Operated*	1677	4.9	18	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	37559	7.0	39	2	2	6	9	13	17	32
B. *Operated*	9888	9.4	74	2	2	7	12	18	24	50
1. SINGLE DX	6348	4.6	15	1	1	4	6	9	11	17
2. MULTIPLE DX	47447	7.5	47	2	2	6	9	14	19	36
A. NOT OPERATED	42230	6.7	36	2	2	5	8	13	16	31
B. OPERATED	11565	8.8	68	2	2	7	11	17	23	46
TOTAL 0-19 YRS	81	5.3	11	1	2	5	7	10	11	17
20-34	338	4.4	11	1	1	4	6	9	10	15
35-49	2051	5.6	26	1	2	4	7	11	14	22
50-64	10662	6.1	25	1	2	5	8	11	15	25
65+	40663	7.6	50	2	2	6	9	14	19	37
GRAND TOTAL	**53795**	**7.2**	**44**	**2**	**2**	**6**	**9**	**14**	**18**	**35**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	6.0	71	<1	1	4	7	9	25	40
20-34	33	4.7	17	<1	1	4	5	11	12	20
35-49	150	7.8	59	2	2	6	9	13	18	51
50-64	711	9.2	81	1	2	7	11	19	25	46
65+	2933	11.2	105	2	3	8	14	22	30	57
B. Operated										
0-19 YRS	6	3.7	5	2	2	3	6	7	7	7
20-34	21	10.3	72	2	3	8	13	26	29	31
35-49	67	8.3	39	2	2	7	11	18	21	29
50-64	186	8.0	42	2	2	7	10	15	21	33
65+	261	11.4	118	2	3	9	14	25	31	76
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	10.0	101	1	2	7	12	21	24	61
20-34	94	9.7	100	1	2	7	10	21	32	52
35-49	620	10.7	92	2	3	8	13	22	31	58
50-64	4413	12.1	125	2	3	9	15	25	35	65
65+	24048	14.1	145	3	4	11	18	29	40	81
B. Operated										
0-19 YRS	11	18.1	509	2	3	9	25	51	77	79
20-34	60	12.8	138	2	2	8	18	31	33	56
35-49	268	13.7	151	2	3	10	16	31	43	96
50-64	1276	16.4	232	3	4	11	20	38	56	99+
65+	3668	20.8	311	4	5	16	28	50	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3847	10.7	99	2	3	8	14	21	29	55
B. Operated	541	9.7	82	2	2	7	12	20	28	50
2. MULTIPLE DX										
A. Not Operated	29239	13.7	142	3	4	10	17	28	39	77
B. Operated	5283	19.3	288	3	5	14	26	47	68	99+
1. SINGLE DX	4388	10.5	97	2	3	8	13	21	29	55
2. MULTIPLE DX	34522	14.6	168	3	4	11	18	31	44	93
A. NOT OPERATED	33086	13.4	138	3	4	10	17	27	38	74
B. OPERATED	5824	18.4	276	3	4	13	25	44	64	99+
TOTAL 0-19 YRS	101	9.7	141	1	2	6	11	21	30	72
20-34	208	9.9	101	1	2	7	11	22	31	52
35-49	1105	10.9	102	2	3	8	13	23	33	61
50-64	6586	12.5	143	2	3	9	15	27	38	73
65+	30910	14.6	167	3	4	11	18	31	43	92
GRAND TOTAL	**38910**	**14.1**	**162**	**3**	**4**	**10**	**18**	**30**	**42**	**88**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	13.8	237	1	1	10	14	36	52	60
20-34	39	19.2	498	1	3	9	23	54	72	94
35-49	249	16.1	193	2	3	12	20	38	48	65
50-64	1771	17.3	245	3	4	13	22	39	53	94
65+	9153	18.4	201	4	6	14	24	38	51	99+
B. Operated										
0-19 YRS	5	15.2	221	1	1	7	29	35	35	35
20-34	20	20.2	256	4	6	17	25	40	60	70
35-49	101	24.7	402	4	7	19	34	59	88	99+
50-64	409	25.4	448	4	6	19	36	60	79	99+
65+	1330	27.3	372	6	8	23	42	61	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	11229	18.2	209	4	5	14	23	38	51	97
B. Operated	1865	26.6	390	5	7	22	39	61	84	99+
1. SINGLE DX										
2. MULTIPLE DX	13094	19.4	244	4	5	15	25	43	57	99+
A. NOT OPERATED	11229	18.2	209	4	5	14	23	38	51	97
B. OPERATED	1865	26.6	390	5	7	22	39	61	84	99+
TOTAL 0-19 YRS	22	14.1	223	1	1	9	16	36	47	60
20-34	59	19.5	410	2	3	13	24	48	70	92
35-49	350	18.6	268	2	4	13	24	45	58	99+
50-64	2180	18.9	293	3	4	13	24	43	59	95
65+	10483	19.5	232	4	6	15	25	42	57	99+
GRAND TOTAL	**13094**	**19.4**	**244**	**4**	**5**	**15**	**25**	**43**	**57**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	11	1	1	3	6	10	11	11
20-34	52	4.0	19	<1	1	3	5	7	12	28
35-49	158	4.5	19	1	2	3	5	8	11	17
50-64	320	5.3	29	1	2	4	7	10	13	26
65+	782	6.4	43	2	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	18	6.2	23	1	1	5	11	12	15	16
20-34	52	7.5	67	1	2	4	10	17	23	98
35-49	135	10.1	96	1	2	7	14	22	31	47
50-64	308	7.3	65	1	2	5	10	16	22	41
65+	327	6.9	47	1	2	5	9	16	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	7.6	147	1	1	5	9	13	23	99
20-34	178	5.8	24	1	1	4	8	13	16	22
35-49	787	6.9	46	2	2	5	8	12	17	31
50-64	2388	8.3	73	2	2	6	10	15	22	56
65+	12063	9.8	84	2	3	7	12	19	27	59
B. *Operated*										
0-19 YRS	27	9.4	37	2	2	8	13	20	35	99+
20-34	108	14.1	245	1	2	11	17	33	53	92
35-49	294	12.9	164	2	2	9	16	29	39	86
50-64	1091	11.8	168	2	2	8	14	25	38	93
65+	2592	13.7	185	2	3	10	16	29	46	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1325	5.8	36	1	2	4	7	11	15	28
B. *Operated*	840	7.6	63	1	2	5	10	17	23	41
2. MULTIPLE DX										
A. *Not Operated*	15473	9.4	81	2	3	7	11	18	26	58
B. *Operated*	4112	13.1	180	2	3	9	16	28	43	92
1. SINGLE DX	2165	6.5	47	1	2	4	8	13	18	35
2. MULTIPLE DX	19585	10.2	104	2	3	7	12	20	29	67
A. NOT OPERATED	16798	9.1	78	2	3	7	11	18	25	56
B. OPERATED	4952	12.2	165	2	2	9	15	26	40	86
TOTAL 0-19 YRS	115	7.4	88	1	1	5	10	14	20	99+
20-34	390	8.1	104	1	1	5	11	17	25	75
35-49	1374	8.2	81	1	2	5	9	17	26	47
50-64	4107	8.9	98	2	2	6	11	18	26	64
65+	15764	10.2	101	2	3	7	12	21	29	66
GRAND TOTAL	**21750**	**9.8**	**100**	**2**	**3**	**7**	**12**	**20**	**28**	**65**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	4.0	15	<1	1	2	5	11	13	13
50-64	46	3.3	6	1	1	3	4	8	8	11
65+	116	5.5	33	1	1	4	7	10	16	32
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	9	5.8	18	2	2	5	7	13	15	15
35-49	116	6.6	23	1	2	6	10	13	15	22
50-64	531	6.6	42	1	2	4	10	14	16	25
65+	621	7.2	50	1	1	4	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.6	9	1	1	4	8	9	9	9
20-34	3	10.0	19	5	5	12	13	13	13	13
35-49	76	5.0	15	1	1	4	7	10	13	17
50-64	478	6.5	50	1	2	5	8	12	19	41
65+	2485	9.2	81	2	2	7	11	18	25	52
B. *Operated*										
0-19 YRS	11	10.2	67	2	2	9	16	22	27	27
20-34	38	10.3	195	1	2	5	11	27	39	72
35-49	457	10.8	120	2	2	9	14	21	34	58
50-64	3100	11.9	132	2	2	10	15	25	34	66
65+	5992	16.3	228	2	2	12	21	35	50	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	4.8	25	1	1	3	6	9	13	29
B. *Operated*	1279	6.9	44	1	2	5	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	3052	8.7	75	2	2	6	10	17	24	49
B. *Operated*	9598	14.6	197	2	2	11	19	32	45	81
1. SINGLE DX	1457	6.6	42	1	1	4	10	14	17	28
2. MULTIPLE DX	12650	13.2	174	2	2	10	17	29	40	76
A. NOT OPERATED	3230	8.4	73	2	2	6	10	17	23	49
B. OPERATED	10877	13.7	185	2	2	10	17	30	42	78
TOTAL 0-19 YRS	24	7.3	41	1	2	6	9	18	21	27
20-34	51	9.3	152	1	2	5	11	20	32	72
35-49	663	9.3	94	1	2	7	12	19	26	51
50-64	4155	10.5	116	1	2	8	13	22	30	61
65+	9214	13.6	188	2	2	10	17	30	43	80
GRAND TOTAL	**14107**	**12.5**	**164**	**2**	**2**	**9**	**16**	**27**	**38**	**74**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	38	3.9	15	<1	1	2	5	10	13	18
65+	142	4.3	17	<1	1	3	5	9	11	21
B. *Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	12	7.4	32	2	2	6	12	15	17	17
35-45	29	8.2	29	1	2	9	12	15	16	21
50-64	453	10.5	30	2	3	10	12	16	18	26
65+	933	11.5	36	2	2	11	14	18	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.0	43	6	6	11	17	19	19	19
20-34	6	2.2	1	<1	<1	2	3	3	3	3
35-49	19	3.9	9	<1	1	3	5	7	11	14
50-64	215	5.8	31	1	1	4	7	12	15	33
65+	1329	7.3	52	1	2	5	9	15	19	39
B. *Operated*										
0-19 YRS	13	14.5	189	2	2	11	15	33	50	54
20-34	33	14.1	108	1	2	12	18	30	51	99+
35-49	103	10.5	57	1	2	10	14	19	23	40
50-64	2037	14.6	135	2	5	12	17	25	35	73
65+	5527	16.6	145	3	5	14	20	30	40	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	4.1	16	<1	1	3	5	9	11	19
B. *Operated*	1430	11.0	34	2	2	11	14	18	21	29
2. MULTIPLE DX										
A. *Not Operated*	1572	7.1	49	1	2	5	9	14	19	39
B. *Operated*	7713	16.0	142	3	5	13	19	29	39	77
1. SINGLE DX	1616	10.2	37	1	2	10	13	17	20	29
2. MULTIPLE DX	9285	14.5	137	2	3	12	18	28	37	73
A. NOT OPERATED	1758	6.8	46	1	1	5	9	14	18	37
B. OPERATED	9143	15.2	129	2	5	13	18	28	36	73
TOTAL 0-19 YRS	19	12.4	148	1	2	10	15	24	42	54
20-34	53	10.8	95	1	2	10	14	21	33	98
35-49	155	9.0	51	1	2	9	13	17	21	29
50-64	2743	13.1	116	2	3	11	15	22	31	67
65+	7931	14.2	129	2	3	12	17	27	35	71
GRAND TOTAL	**10901**	**13.8**	**125**	**2**	**3**	**12**	**17**	**26**	**34**	**69**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	5.8	4	4	4	6	7	8	8	8
50-64	13	5.5	25	1	2	3	6	16	16	16
65+	11	4.4	21	<1	1	2	7	12	15	15
B. *Operated*										
0-19 YRS	23	5.3	65	1	2	2	4	12	23	39
20-34	50	7.7	101	1	1	3	10	18	25	54
35-49	104	9.3	139	1	1	5	12	19	30	71
50-64	233	9.1	64	1	2	8	12	18	23	40
65+	247	8.5	44	1	2	7	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.8	13	<1	<1	2	6	9	9	9
35-49	10	5.7	25	2	2	4	7	14	15	15
50-64	43	4.9	15	<1	1	3	6	10	12	18
65+	74	6.7	32	1	1	4	9	16	18	22
B. *Operated*										
0-19 YRS	12	6.2	16	1	2	5	9	12	13	13
20-34	49	13.0	151	2	2	9	19	31	36	56
35-49	139	14.2	172	1	2	11	19	31	39	77
50-64	550	13.7	160	2	2	10	17	28	40	85
65+	938	15.0	174	2	3	11	18	30	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.7	18	<1	1	3	6	11	16	16
B. *Operated*	657	8.6	71	1	2	7	11	18	23	40
2. MULTIPLE DX										
A. *Not Operated*	132	5.8	26	1	1	4	8	14	17	21
B. *Operated*	1688	14.4	168	2	3	11	18	29	39	75
1. SINGLE DX	689	8.5	69	1	2	7	11	17	22	40
2. MULTIPLE DX	1820	13.8	163	2	2	11	17	28	38	73
A. NOT OPERATED	164	5.6	24	<1	1	4	8	14	16	20
B. OPERATED	2345	12.8	147	2	2	10	16	27	36	69
TOTAL 0-19 YRS	38	5.4	44	1	2	3	7	12	14	39
20-34	105	9.9	127	1	1	6	13	28	33	55
35-49	257	11.8	158	1	2	9	15	27	37	74
50-64	839	11.6	131	2	2	9	15	25	34	63
65+	1270	13.2	149	2	2	10	16	26	36	70
GRAND TOTAL	**2509**	**12.3**	**143**	**2**	**2**	**9**	**15**	**25**	**35**	**69**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.6	6	2	3	5	7	9	10	10
20-34	22	6.7	18	2	2	6	9	14	15	16
35-49	44	5.0	23	1	1	3	7	12	16	20
50-64	102	4.3	13	1	1	3	6	9	11	19
65+	126	5.6	21	<1	1	4	9	12	14	18
B. *Operated*										
0-19 YRS	18	7.4	25	1	1	6	11	15	16	17
20-34	75	6.3	25	1	1	5	10	13	16	22
35-49	423	7.1	32	1	2	7	10	13	15	31
50-64	1573	8.0	37	1	2	8	11	15	17	25
65+	1609	8.6	45	1	2	8	12	16	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.7	9	4	4	7	11	11	11	11
20-34	49	7.9	23	1	1	7	11	14	18	19
35-49	114	7.0	30	1	1	6	10	14	17	26
50-64	403	7.0	37	1	1	6	10	14	17	27
65+	964	8.9	64	1	2	7	11	17	21	42
B. *Operated*										
0-19 YRS	30	12.0	139	2	3	9	15	23	36	58
20-34	145	11.6	94	2	3	10	14	23	29	53
35-49	1110	11.5	97	2	2	10	14	22	29	53
50-64	5299	12.5	112	2	4	10	15	23	32	63
65+	9219	14.7	156	2	3	12	18	29	40	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	5.2	18	1	1	4	8	11	14	19
B. *Operated*	3676	8.1	40	1	2	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	1537	8.2	54	1	2	7	11	16	20	35
B. *Operated*	15803	13.7	138	2	3	11	17	27	37	71
1. SINGLE DX	4000	7.9	39	1	2	6	11	15	18	27
2. MULTIPLE DX	17340	13.2	133	2	2	11	16	26	36	69
A. NOT OPERATED	1839	7.7	49	1	2	6	10	15	19	34
B. OPERATED	19501	12.7	124	2	2	10	16	24	35	66
TOTAL 0-19 YRS	63	9.4	80	2	2	7	12	18	23	55
20-34	291	9.2	64	1	2	8	12	18	23	47
35-49	1691	9.9	79	1	2	9	13	18	26	46
50-64	7377	11.1	96	2	3	9	14	21	28	57
65+	11918	13.3	139	2	3	11	17	26	37	72
GRAND TOTAL	21340	12.2	120	2	2	10	15	24	33	65

168: Miscellaneous diseases of arteries (443; 445-449)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	420	6.7	24	2	2	5	9	13	16	23
20-34	99	5.1	22	1	1	3	6	10	15	25
35-49	118	5.2	79	1	1	3	5	9	14	45
50-64	212	4.8	29	1	1	3	6	10	15	25
65+	319	6.2	48	1	1	4	8	12	20	32
B. *Operated*										
0-19 YRS	90	4.2	17	<1	1	2	6	10	13	21
20-34	158	5.8	35	<1	1	4	8	14	18	32
35-49	395	5.5	31	1	1	4	7	11	16	29
50-64	985	5.9	34	1	1	4	8	13	16	27
65+	1221	7.4	61	1	1	5	10	16	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	7.7	37	1	2	6	10	16	19	31
20-34	220	6.3	46	1	2	4	8	13	17	34
35-49	439	6.7	56	1	2	5	8	12	18	37
50-64	1126	6.9	58	1	2	5	8	13	17	40
65+	2750	8.9	76	2	3	7	11	18	24	50
B. *Operated*										
0-19 YRS	66	10.5	142	1	1	7	13	28	44	86
20-34	266	10.9	142	1	2	7	14	26	36	64
35-49	942	10.3	118	1	2	6	13	23	33	70
50-64	3769	11.8	144	2	2	8	15	26	37	73
65+	6440	14.8	206	2	3	11	19	33	47	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1165	5.9	37	1	1	4	7	12	16	28
B. *Operated*	2649	6.4	45	1	1	4	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	4662	8.0	67	1	2	6	10	16	22	43
B. *Operated*	11523	13.3	180	2	2	10	17	30	42	80
1. SINGLE DX	4014	6.3	43	1	1	4	8	14	18	32
2. MULTIPLE DX	16385	11.7	153	2	2	8	15	26	37	74
A. NOT OPERATED	6027	7.6	62	1	2	5	9	15	20	41
B. OPERATED	14372	11.9	161	1	2	8	15	27	39	74
TOTAL 0-19 YRS	923	7.1	43	1	2	5	9	14	19	35
20-34	763	7.8	62	1	2	5	9	17	25	49
35-49	1892	8.1	88	1	2	5	10	18	29	56
50-64	6092	9.7	114	1	2	7	12	21	30	62
65+	10729	12.2	163	2	2	8	16	27	39	75
GRAND TOTAL	20399	10.7	136	1	2	7	14	23	34	69

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	7.2	17	2	2	7	10	12	14	20
20-34	1372	7.4	16	2	3	7	9	12	14	21
35-49	1857	7.8	19	2	3	7	10	13	15	22
50-64	1955	8.1	19	2	4	8	10	14	16	21
65+	1735	8.5	22	3	4	8	11	13	16	23
B. *Operated*										
0-19 YRS	79	6.8	17	1	2	6	9	12	14	19
20-34	641	7.3	23	1	2	6	10	13	16	21
35-49	810	7.8	27	2	2	7	10	14	17	27
50-64	717	8.1	24	2	2	7	10	14	18	23
65+	557	9.1	25	2	3	9	12	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	8.6	32	2	2	8	11	14	19	32
20-34	1434	8.7	25	2	3	8	11	15	18	23
35-49	2911	9.2	34	3	4	8	11	15	19	32
50-64	5215	9.6	29	3	4	9	12	16	19	28
65+	8123	10.5	39	4	5	9	13	17	21	35
B. *Operated*										
0-19 YRS	71	9.8	36	1	3	9	12	17	20	34
20-34	806	10.7	78	2	3	9	13	20	24	42
35-49	1441	10.5	63	2	3	9	13	19	25	41
50-64	2454	11.1	56	3	4	10	14	19	23	42
65+	3576	12.8	77	3	5	11	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7062	8.0	19	2	3	7	10	13	15	21
B. *Operated*	2804	8.0	25	2	2	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	17813	9.8	35	3	4	9	12	16	20	31
B. *Operated*	8348	11.7	69	3	4	10	14	21	26	46
1. SINGLE DX	9866	8.0	21	2	3	7	10	13	16	22
2. MULTIPLE DX	26161	10.4	46	3	4	9	13	18	22	37
A. NOT OPERATED	24875	9.3	31	3	4	8	11	15	19	29
B. OPERATED	11152	10.8	61	2	3	9	13	19	24	41
TOTAL 0-19 YRS	423	8.0	26	2	2	7	11	14	17	26
20-34	4253	8.5	33	2	3	8	11	15	18	29
35-49	7019	8.9	36	2	3	8	11	15	19	31
50-64	10341	9.6	34	3	4	9	12	16	19	31
65+	13991	10.8	48	3	4	9	13	18	23	38
GRAND TOTAL	**36027**	**9.8**	**41**	**3**	**4**	**9**	**12**	**16**	**20**	**34**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	30	7.0	59	<1	<1	5	8	17	21	36
35-49	83	7.8	45	<1	1	6	10	16	21	37
50-64	149	8.8	66	1	2	6	12	17	24	49
65+	287	10.9	58	2	3	9	14	20	26	38
B. *Operated*										
0-19 YRS	93	3.4	3	2	2	3	4	5	7	11
20-34	2265	3.8	6	1	2	3	4	6	7	14
35-49	3320	4.2	10	1	2	4	5	7	8	17
50-64	2553	5.2	31	2	2	4	5	8	13	27
65+	974	9.9	102	2	3	6	13	24	31	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.7	116	1	1	4	17	21	21	21
20-34	83	6.5	49	<1	1	5	8	13	18	40
35-49	294	9.2	52	1	2	7	12	19	25	34
50-64	650	10.9	78	2	3	8	14	22	29	46
65+	2241	12.9	100	3	4	10	16	24	31	58
B. *Operated*										
0-19 YRS	21	6.0	26	1	1	5	7	14	18	20
20-34	627	5.9	54	2	2	4	6	10	16	39
35-49	1577	6.7	41	2	2	5	7	13	19	36
50-64	2042	8.9	92	2	3	6	10	19	28	56
65+	1978	17.2	232	3	4	13	24	37	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	9.7	60	1	2	8	13	19	24	38
B. *Operated*	9205	5.0	28	2	2	4	5	8	13	29
2. MULTIPLE DX										
A. *Not Operated*	3271	12.0	92	2	3	9	15	23	30	53
B. *Operated*	6245	10.6	140	2	3	6	13	25	35	63
1. SINGLE DX	9755	5.2	31	2	2	4	5	9	15	30
2. MULTIPLE DX	9516	11.1	124	2	3	7	14	24	33	59
A. NOT OPERATED	3821	11.7	88	2	3	9	15	23	29	50
B. OPERATED	15450	7.3	81	2	2	4	7	16	25	48
TOTAL 0-19 YRS	118	4.0	11	1	2	3	5	7	10	20
20-34	3005	4.3	19	1	2	4	5	7	9	22
35-49	5274	5.3	24	1	2	4	6	9	14	28
50-64	5394	7.4	65	2	2	5	8	15	23	44
65+	5480	13.8	154	2	3	10	18	29	39	66
GRAND TOTAL	**19271**	**8.1**	**86**	**2**	**2**	**5**	**9**	**19**	**26**	**48**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.1	1	<1	1	2	3	4	5	5
20-34	271	2.6	3	<1	1	2	3	5	6	7
35-49	359	3.1	7	<1	1	3	4	6	7	10
50-64	258	2.8	6	<1	<1	2	4	5	7	9
65+	203	3.5	10	<1	1	3	4	6	9	15
B. Operated										
0-19 YRS	93	3.8	5	<1	1	3	5	6	8	12
20-34	1522	4.3	4	2	2	4	5	7	8	10
35-49	2077	4.6	4	2	2	4	5	7	8	12
50-64	1304	4.7	5	2	2	4	6	7	8	12
65+	536	4.8	7	1	2	4	6	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	3.1	2	1	1	3	4	5	6	9
20-34	548	3.6	9	1	1	3	5	7	8	14
35-49	859	3.9	12	1	1	3	5	7	9	16
50-64	1053	4.2	14	1	1	3	5	8	9	17
65+	1466	5.3	22	1	2	4	7	10	13	24
B. Operated										
0-19 YRS	203	4.5	6	1	2	4	6	7	10	16
20-34	5583	4.9	6	2	3	5	6	8	9	13
35-49	9167	5.2	7	2	3	5	6	8	10	14
50-64	7498	5.7	11	2	3	5	7	9	11	19
65+	3716	7.0	24	3	3	6	8	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1139	2.9	6	<1	1	2	4	5	7	12
B. Operated	9532	4.5	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	3987	4.4	16	1	1	3	6	8	11	18
B. Operated	26167	5.5	11	2	3	5	6	9	11	19
1. SINGLE DX	6671	4.3	5	1	2	4	5	7	8	12
2. MULTIPLE DX	30154	5.4	11	2	2	5	6	9	11	18
A. NOT OPERATED	5126	4.1	14	1	1	3	5	8	10	17
B. OPERATED	31699	5.3	10	2	3	5	6	8	10	17
TOTAL 0-19 YRS	405	3.9	9	1	1	4	5	7	9	13
20-34	7924	4.6	6	2	2	4	6	7	9	12
35-49	12462	4.9	7	2	2	5	6	8	9	14
50-64	10113	5.3	10	2	2	5	6	9	11	18
65+	5921	6.2	22	2	2	5	7	11	14	25
GRAND TOTAL	**36825**	**5.2**	**10**	**2**	**2**	**5**	**6**	**8**	**10**	**17**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	156	5.0	25	1	1	3	6	12	14	24
20-34	419	6.9	22	1	1	6	10	12	15	23
35-49	453	6.8	21	1	2	6	10	12	14	23
50-64	531	6.9	29	1	1	6	10	13	16	26
65+	785	7.0	24	1	2	6	9	13	16	23
B. Operated										
0-19 YRS	526	2.9	9	1	1	2	3	4	8	18
20-34	1508	3.4	11	1	1	2	3	8	11	16
35-49	808	5.0	23	1	1	3	7	12	15	22
50-64	519	7.1	36	1	2	6	10	14	18	28
65+	540	8.8	57	1	2	8	12	16	21	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	278	4.9	32	1	1	3	6	12	15	26
20-34	862	6.8	42	1	1	5	9	14	17	26
35-49	1493	7.2	31	1	2	6	9	14	17	25
50-64	3267	7.6	39	1	2	6	10	14	19	29
65+	7552	8.3	43	2	3	7	11	15	20	35
B. Operated										
0-19 YRS	303	6.2	74	1	1	3	8	14	19	37
20-34	1503	5.8	54	1	1	3	7	13	19	35
35-49	1280	8.8	76	1	1	7	11	19	25	47
50-64	2196	11.2	102	2	2	9	14	21	29	61
65+	3500	13.5	126	2	3	11	17	26	35	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2344	6.8	24	1	1	6	10	13	15	24
B. Operated	3901	4.9	27	1	1	3	7	12	15	23
2. MULTIPLE DX										
A. Not Operated	13452	7.9	40	1	2	6	10	15	19	32
B. Operated	8782	10.7	107	1	2	8	14	22	30	56
1. SINGLE DX	6245	5.6	27	1	1	4	8	12	15	23
2. MULTIPLE DX	22234	9.0	69	1	2	7	11	17	23	45
A. NOT OPERATED	15796	7.7	38	1	2	6	10	14	18	31
B. OPERATED	12683	8.9	89	1	2	6	12	19	25	51
TOTAL 0-19 YRS	1263	4.4	33	1	1	3	4	11	14	26
20-34	4292	5.3	35	1	1	3	7	12	15	27
35-49	4034	7.3	44	1	2	6	10	15	19	34
50-64	6513	8.7	62	1	2	7	11	17	22	42
65+	12377	9.7	71	2	3	8	12	18	25	46
GRAND TOTAL	**28479**	**8.2**	**61**	**1**	**2**	**6**	**11**	**16**	**22**	**41**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16582	2.6	3	1	1	2	3	5	6	8
20-34	1696	3.1	3	<1	1	3	4	5	6	8
35-49	663	3.4	4	<1	1	3	4	6	7	9
50-64	396	3.9	8	1	1	3	5	7	8	17
65+	326	4.6	9	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	2165	2.0	4	<1	1	2	2	3	4	11
20-34	831	2.3	3	1	1	2	2	4	5	9
35-49	173	3.4	11	<1	1	2	4	8	9	17
50-64	102	3.7	15	<1	1	2	4	9	10	21
65+	47	3.5	12	1	1	2	4	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23154	3.4	5	1	1	3	4	6	7	11
20-34	3697	3.9	5	1	2	3	5	7	8	12
35-49	2217	4.7	9	1	2	4	6	8	10	16
50-64	2671	5.6	15	2	2	5	7	10	12	20
65+	4476	7.1	28	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	1771	3.2	18	1	1	2	3	7	10	20
20-34	592	4.4	22	1	1	3	5	9	12	22
35-49	350	6.2	41	1	1	4	8	12	16	27
50-64	386	7.7	77	1	2	5	10	14	21	50
65+	432	11.5	105	2	2	9	15	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19663	2.7	3	1	1	2	3	5	6	9
B. *Operated*	3318	2.2	5	<1	1	2	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	36215	4.1	10	1	1	3	5	7	10	16
B. *Operated*	3531	5.2	46	1	1	3	6	12	16	34
1. SINGLE DX	22981	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	39746	4.2	14	1	1	3	5	8	10	18
A. NOT OPERATED	55878	3.6	8	1	1	3	4	7	8	14
B. OPERATED	6849	3.8	28	1	1	2	4	9	13	26
TOTAL 0-19 YRS	43672	3.0	5	1	1	2	4	5	7	11
20-34	6816	3.5	6	1	1	3	4	6	8	12
35-49	3403	4.5	12	1	2	4	6	8	10	17
50-64	3555	5.6	22	1	2	5	7	10	13	23
65+	5281	7.3	35	2	2	6	9	14	17	30
GRAND TOTAL	**62727**	**3.7**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15612	3.5	4	1	1	3	4	6	7	10
20-34	987	3.9	4	1	2	4	5	6	8	10
35-49	994	4.6	6	2	2	4	5	8	9	14
50-64	1014	5.2	8	2	2	5	6	9	10	15
65+	1241	5.8	12	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	106	3.9	19	1	1	3	4	8	12	26
20-34	41	6.0	20	1	2	5	8	13	15	18
35-49	46	6.0	21	2	2	4	9	13	16	20
50-64	59	6.6	37	1	2	5	9	15	18	33
65+	48	6.4	27	1	2	5	8	15	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16212	4.3	7	1	2	4	5	7	9	14
20-34	2562	5.0	10	2	2	4	6	9	10	16
35-49	4055	5.9	17	2	2	5	7	10	13	21
50-64	10371	7.1	24	2	3	6	9	12	15	27
65+	22203	8.2	33	3	3	7	10	14	18	30
B. *Operated*										
0-19 YRS	247	7.5	32	2	2	6	10	15	20	43
20-34	224	8.1	30	2	2	7	11	16	18	30
35-49	440	9.5	70	2	3	8	11	17	24	40
50-64	1022	10.9	82	2	3	8	13	21	29	45
65+	1725	13.2	118	3	4	10	16	25	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19848	3.8	5	1	2	3	5	7	8	12
B. *Operated*	300	5.5	25	1	1	4	7	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	55403	6.5	24	2	2	5	8	12	15	25
B. *Operated*	3658	11.4	95	2	3	9	14	23	30	54
1. SINGLE DX	20148	3.8	6	1	2	3	5	7	8	12
2. MULTIPLE DX	59061	6.8	30	2	2	5	8	13	16	28
A. NOT OPERATED	75251	5.8	21	2	2	5	7	11	14	23
B. OPERATED	3958	10.9	92	2	3	8	14	22	29	53
TOTAL 0-19 YRS	32177	3.9	6	1	2	3	5	7	8	13
20-34	3814	4.9	11	2	2	4	6	9	11	17
35-49	5535	6.0	20	2	2	5	7	10	13	23
50-64	12466	7.2	29	2	3	6	9	13	16	29
65+	25217	8.4	40	3	3	7	10	15	19	33
GRAND TOTAL	**79209**	**6.1**	**26**	**2**	**2**	**5**	**7**	**11**	**15**	**26**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	12	1.4		<1	<1	1	2	3	3	3
35-49	5	2.2	2	1	1	2	3	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2248	2.2	1	1	1	2	3	3	4	5
20-34	4733	2.1	1	1	1	2	3	3	4	5
35-49	2235	2.2	1	1	1	2	3	3	4	5
50-64	1045	2.2	1	1	1	2	3	3	4	5
65+	246	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.2	1	<1	<1	1	1	2	3	6
20-34	118	1.9	9	<1	<1	1	2	4	5	16
35-49	102	1.8	3	<1	<1	1	2	3	6	9
50-64	46	2.0	5	<1	<1	1	2	3	4	15
65+	21	3.7	18	<1	<1	2	5	9	14	18
B. *Operated*										
0-19 YRS	3771	2.3	1	1	1	2	3	4	4	5
20-34	9277	2.4	2	1	1	2	3	4	4	7
35-49	5406	2.5	2	1	1	2	3	4	5	7
50-64	3050	2.7	3	1	1	2	3	4	5	9
65+	895	3.1	6	1	1	3	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	10507	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	340	1.9	6	<1	<1	1	2	3	5	10
B. *Operated*	22399	2.5	2	1	1	2	3	4	5	7
1. SINGLE DX	10531	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	22739	2.5	2	1	1	2	3	4	5	7
A. NOT OPERATED	364	1.9	6	<1	<1	1	2	3	5	10
B. OPERATED	32906	2.4	2	1	1	2	3	4	4	7
TOTAL 0-19 YRS	6076	2.2	1	1	1	2	3	3	4	5
20-34	14140	2.3	1	1	1	2	3	4	4	6
35-49	7748	2.4	2	1	1	2	3	4	4	7
50-64	4143	2.6	3	1	1	2	3	4	5	8
65+	1163	2.9	5	1	1	2	3	5	6	13
GRAND TOTAL	**33278**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	2.0	3	1	1	1	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	137	2.0	1	<1	1	2	2	3	4	5
20-34	218	2.1	3	<1	1	2	2	3	4	6
35-49	302	2.0	1	<1	<1	2	3	4	4	6
50-64	354	2.1	2	<1	1	2	2	3	4	8
65+	266	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	<1	<1	2	4	4	4	4
20-34	11	2.5	4	<1	<1	2	3	6	7	7
35-49	18	2.5	5	<1	<1	1	4	7	8	8
50-64	23	3.0	13	<1	<1	2	4	5	10	18
65+	20	3.2	5	<1	<1	3	5	7	8	8
B. *Operated*										
0-19 YRS	252	2.7	7	1	1	2	3	4	5	15
20-34	535	2.5	3	1	1	2	3	4	5	8
35-49	805	2.8	9	1	1	2	3	5	5	11
50-64	1011	2.8	5	1	1	2	3	5	6	12
65+	634	3.1	6	1	1	3	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	1277	2.1	2	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	77	2.8	7	<1	<1	2	4	6	8	15
B. *Operated*	3237	2.8	6	1	1	2	3	5	6	11
1. SINGLE DX	1288	2.1	2	<1	1	2	2	3	4	6
2. MULTIPLE DX	3314	2.8	6	1	1	2	3	5	6	11
A. NOT OPERATED	88	2.6	7	<1	<1	2	4	5	8	14
B. OPERATED	4514	2.6	5	1	1	2	3	4	5	10
TOTAL 0-19 YRS	397	2.5	5	<1	1	2	3	4	5	9
20-34	766	2.4	3	1	1	2	3	4	5	8
35-49	1127	2.6	7	<1	1	2	3	4	5	9
50-64	1391	2.6	4	1	1	2	3	4	5	11
65+	921	2.8	5	1	1	2	3	5	7	11
GRAND TOTAL	**4602**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	2.0	2	<1	<1	2	2	4	5	6
20-34	86	2.2	2	<1	1	2	3	4	5	5
35-49	10	2.0	2	<1	<1	2	3	4	4	4
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	54515	1.6	1	<1	1	2	2	2	2	3
20-34	12688	1.9	1	1	1	2	2	3	3	4
35-49	1335	2.0	1	1	1	2	2	3	4	7
50-64	194	2.2	1	1	1	2	2	4	5	8
65+	87	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1187	1.6	2	<1	<1	1	2	3	4	7
20-34	138	2.1	2	<1	<1	1	3	5	5	7
35-49	35	2.5	3	<1	<1	2	4	5	6	9
50-64	5	2.2	1	1	1	2	3	3	3	3
65+	9	5.2	7	<1	1	5	6	9	11	11
B. *Operated*										
0-19 YRS	34227	1.6	1	<1	1	2	2	2	3	4
20-34	2823	2.2	2	1	1	2	3	4	5	8
35-49	519	2.6	4	1	1	2	3	4	6	11
50-64	142	3.2	11	1	1	2	3	6	7	22
65+	82	3.6	14	1	1	2	4	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*	68819	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1374	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*	37793	1.7	1	<1	1	2	2	2	3	5
1. SINGLE DX	69168	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	39167	1.7	1	<1	1	2	2	2	3	5
A. NOT OPERATED	1723	1.8	2	<1	<1	1	2	4	5	7
B. OPERATED	106612	1.7	1	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	90175	1.6	1	<1	1	2	2	2	3	4
20-34	15735	1.9	1	1	1	2	2	3	3	5
35-49	1899	2.2	2	1	1	2	2	3	4	9
50-64	344	2.6	5	1	1	2	3	4	6	10
65+	182	2.9	8	1	1	2	3	5	8	16
GRAND TOTAL	**108335**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1909	2.9	3	1	1	3	4	5	6	9
20-34	1136	3.1	3	1	1	3	4	5	6	9
35-49	536	3.4	8	1	1	3	4	6	7	13
50-64	328	3.1	6	<1	1	2	4	6	7	13
65+	185	3.5	11	<1	1	2	4	7	12	16
B. *Operated*										
0-19 YRS	2239	2.5	6	<1	1	2	3	5	6	9
20-34	3187	2.4	4	<1	1	2	3	4	5	8
35-49	2803	2.2	3	<1	1	2	2	4	5	9
50-64	2597	2.3	4	<1	1	2	2	4	5	10
65+	1399	2.6	7	<1	1	2	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1909	3.8	6	1	1	3	5	7	8	13
20-34	1110	4.0	8	1	1	3	5	7	9	14
35-49	991	4.6	11	1	2	4	6	8	10	19
50-64	1054	5.0	15	1	1	4	6	9	12	21
65+	940	6.3	31	1	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	2198	3.2	18	<1	1	2	3	6	9	23
20-34	3255	3.1	12	1	1	2	3	5	8	15
35-49	3150	3.2	12	1	1	2	4	6	9	17
50-64	3377	3.8	20	1	1	2	4	8	11	24
65+	2300	5.1	51	1	1	3	5	11	17	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4094	3.1	4	1	1	3	4	5	7	11
B. *Operated*	12225	2.4	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	6004	4.6	13	1	1	4	6	8	11	19
B. *Operated*	14280	3.6	22	1	1	2	4	7	11	24
1. SINGLE DX	16319	2.6	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	20284	3.9	19	1	1	3	4	8	11	22
A. NOT OPERATED	10098	4.0	10	1	1	3	5	7	9	16
B. OPERATED	26505	3.0	14	1	1	2	3	5	8	19
TOTAL 0-19 YRS	8255	3.1	9	1	1	2	4	6	7	13
20-34	8688	3.0	8	1	1	2	3	5	7	13
35-49	7480	3.0	9	1	1	2	4	6	8	15
50-64	7356	3.4	14	1	1	2	4	7	10	20
65+	4824	4.5	35	1	1	3	5	10	14	28
GRAND TOTAL	**36603**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28449	4.2	6	2	2	4	5	7	9	12
20-34	6076	5.2	10	2	2	5	6	9	10	15
35-49	4547	5.7	10	2	3	5	7	9	11	16
50-64	4270	6.6	12	2	3	6	8	11	13	18
65+	6391	7.7	21	3	3	7	10	13	16	23
B. Operated										
0-19 YRS	252	6.0	28	1	2	4	6	12	15	26
20-34	156	7.9	28	1	2	7	11	15	18	22
35-49	272	8.8	36	2	2	6	12	16	20	33
50-64	423	9.2	48	2	2	6	12	18	22	35
65+	460	11.3	76	2	2	9	15	22	27	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33209	4.9	12	2	2	4	6	9	11	17
20-34	7286	6.4	24	2	3	5	8	11	14	24
35-49	6789	7.3	23	2	3	6	9	13	16	26
50-64	18409	8.4	31	3	3	7	10	15	18	29
65+	60492	10.8	59	3	4	9	13	19	24	41
B. Operated										
0-19 YRS	964	11.7	125	2	3	8	15	24	32	62
20-34	629	13.8	130	3	4	11	17	25	36	65
35-49	1382	13.9	123	3	4	11	17	25	37	66
50-64	3302	15.8	157	4	5	12	19	31	41	73
65+	8042	16.8	184	5	7	15	24	36	49	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49733	5.1	11	2	2	4	6	9	11	16
B. Operated	1563	9.1	52	2	2	7	12	18	22	36
2. MULTIPLE DX										
A. Not Operated	126185	8.5	44	2	3	7	11	16	20	34
B. Operated	14519	16.9	170	4	5	14	21	33	44	83
1. SINGLE DX	51296	5.2	12	2	2	4	6	9	11	16
2. MULTIPLE DX	142704	9.3	64	2	3	7	11	18	23	43
A. NOT OPERATED	177918	7.5	37	2	3	6	9	14	18	31
B. OPERATED	16082	16.1	164	3	5	13	20	32	43	81
TOTAL 0-19 YRS	62874	4.7	12	2	2	4	6	8	10	17
20-34	14347	6.3	28	2	2	5	7	11	14	27
35-49	14990	7.5	33	2	3	6	9	13	17	30
50-64	26404	9.0	51	3	3	7	11	16	21	38
65+	75385	11.4	76	3	4	9	14	21	27	45
GRAND TOTAL	**194000**	**8.2**	**53**	**2**	**3**	**6**	**10**	**16**	**21**	**38**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1011	3.0	3	1	1	3	4	5	6	9
20-34	552	3.2	3	1	1	3	4	5	7	9
35-49	437	3.8	4	1	2	3	5	6	8	10
50-64	600	4.1	5	1	2	4	5	7	8	12
65+	558	5.2	11	2	2	4	7	10	12	19
B. Operated										
0-19 YRS	7	4.4	8	2	2	3	7	9	9	9
20-34	6	3.5	4	1	1	3	5	6	7	7
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	8	5.1	39	1	1	4	8	17	19	19
65+	12	9.8	108	3	3	6	9	25	30	60
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1821	3.5	5	1	1	3	4	6	7	12
20-34	1310	3.7	5	1	1	3	5	6	8	12
35-49	1205	4.6	10	1	2	4	6	8	10	16
50-64	1855	5.6	13	2	2	5	7	10	13	19
65+	4456	7.3	27	2	3	6	9	13	16	27
B. Operated										
0-19 YRS	31	9.3	253	1	1	5	8	19	24	95
20-34	58	6.2	46	2	2	4	7	11	14	40
35-49	52	11.2	152	2	3	6	13	27	31	70
50-64	75	11.4	118	2	4	9	14	20	29	65
65+	232	13.8	122	3	6	11	18	26	31	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3056	3.7	6	1	1	3	5	7	8	12
B. Operated	37	6.2	50	1	2	4	7	11	19	40
2. MULTIPLE DX										
A. Not Operated	10647	5.6	19	2	2	4	7	11	14	23
B. Operated	448	11.8	131	2	3	9	15	24	29	58
1. SINGLE DX	3095	3.7	6	1	1	3	5	7	8	13
2. MULTIPLE DX	11095	5.8	25	2	2	4	7	11	14	25
A. NOT OPERATED	13705	5.1	16	1	2	4	6	10	13	21
B. OPERATED	485	11.4	127	2	3	8	14	24	29	57
TOTAL 0-19 YRS	2870	3.3	7	1	1	3	4	6	7	12
20-34	2028	3.6	6	1	1	3	4	6	8	12
35-49	1696	4.6	14	1	2	4	6	8	10	20
50-64	2338	5.5	17	2	2	5	7	10	13	20
65+	5258	7.3	32	2	3	6	9	14	17	29
GRAND TOTAL	**14190**	**5.4**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3912	3.2	4	1	1	3	4	6	7	10
20-34	450	3.6	4	<1	1	3	5	6	7	11
35-49	544	4.6	7	1	2	4	6	7	9	14
50-64	1028	5.8	16	2	2	5	7	10	12	20
65+	1402	6.3	16	2	3	5	8	11	14	21
B. *Operated*										
0-19 YRS	64	3.4	7	1	1	3	5	7	9	13
20-34	56	4.1	13	1	1	3	5	9	11	21
35-49	113	4.3	32	1	1	3	5	8	11	32
50-64	202	4.5	17	<1	1	3	6	10	11	22
65+	170	4.9	20	1	1	3	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4527	4.0	7	1	2	3	5	7	8	14
20-34	1178	4.9	17	1	2	4	6	8	11	17
35-49	2025	5.8	17	2	2	5	7	10	13	20
50-64	5344	7.4	32	2	3	6	9	13	17	29
65+	11130	8.3	41	2	3	7	10	15	19	33
B. *Operated*										
0-19 YRS	124	6.7	39	1	2	5	9	13	15	36
20-34	158	6.9	50	1	2	5	9	14	18	38
35-49	468	7.5	44	1	2	6	9	15	19	34
50-64	1124	9.2	79	1	2	7	12	18	25	48
65+	1560	12.1	128	2	3	9	15	25	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7336	4.3	10	1	1	4	5	8	10	16
B. *Operated*	605	4.4	19	1	1	3	6	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	24204	6.9	32	2	2	5	9	13	16	28
B. *Operated*	3434	10.1	98	2	2	7	13	21	28	57
1. SINGLE DX	7941	4.3	11	1	1	3	5	8	10	16
2. MULTIPLE DX	27638	7.3	41	2	2	6	9	14	18	33
A. NOT OPERATED	31540	6.3	28	2	2	5	8	12	15	27
B. OPERATED	4039	9.2	90	1	2	7	12	19	26	53
TOTAL 0-19 YRS	8627	3.7	6	1	1	3	5	6	8	13
20-34	1842	4.8	17	1	2	4	6	8	11	19
35-49	3150	5.8	21	2	2	5	7	10	14	21
50-64	7698	7.3	37	2	2	6	9	13	18	32
65+	14262	8.5	50	2	3	7	10	16	21	37
GRAND TOTAL	**35579**	**6.7**	**36**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	8	1	1	4	6	8	8	8
20-34	8	3.9	4	1	1	4	5	7	8	8
35-49	75	5.5	13	1	2	5	8	10	13	18
50-64	367	6.6	37	2	2	6	8	11	13	30
65+	581	7.8	46	2	2	6	9	15	19	34
B. *Operated*										
0-19 YRS	9	5.9	31	1	1	4	6	15	20	20
20-34	17	11.5	30	3	4	11	14	20	23	24
35-49	30	8.3	25	2	3	8	10	15	16	24
50-64	24	8.9	34	1	2	9	12	20	20	21
65+	29	8.9	45	2	2	8	11	16	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	9.5	296	1	2	5	7	15	41	86
20-34	35	5.5	19	1	1	5	7	11	13	21
35-49	307	8.0	53	2	3	6	10	14	21	43
50-64	2529	9.0	56	2	3	7	11	16	22	42
65+	5506	10.1	71	3	3	8	12	19	25	46
B. *Operated*										
0-19 YRS	15	11.2	43	5	5	10	14	22	26	28
20-34	63	12.2	61	4	5	10	14	20	27	45
35-49	122	13.9	135	2	4	11	16	27	36	63
50-64	369	16.4	190	3	4	12	20	36	53	99+
65+	620	18.6	245	3	5	15	24	40	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1037	7.2	40	2	2	6	9	13	17	32
B. *Operated*	109	8.9	34	2	2	8	11	16	21	28
2. MULTIPLE DX										
A. *Not Operated*	8400	9.7	66	2	3	8	12	18	24	45
B. *Operated*	1189	17.0	208	3	5	13	22	36	54	99+
1. SINGLE DX	1146	7.3	40	2	2	6	9	13	18	32
2. MULTIPLE DX	9589	10.6	90	2	3	8	13	20	28	57
A. NOT OPERATED	9437	9.4	64	2	3	7	11	18	23	44
B. OPERATED	1298	16.3	199	3	4	12	21	35	51	99+
TOTAL 0-19 YRS	53	8.8	148	1	2	6	10	16	22	84
20-34	123	9.7	51	1	3	8	12	18	22	42
35-49	534	9.0	72	2	3	7	11	17	24	47
50-64	3289	9.6	75	2	3	7	11	18	26	52
65+	6736	10.7	91	2	3	8	13	21	28	58
GRAND TOTAL	**10735**	**10.2**	**86**	**2**	**3**	**8**	**12**	**20**	**27**	**55**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28834	3.3	4	1	1	3	4	6	7	9
20-34	6740	4.0	6	1	2	4	5	7	8	12
35-49	5605	4.8	9	1	2	4	6	8	10	15
50-64	5264	5.5	12	2	2	5	7	10	12	17
65+	3555	6.1	16	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	127	3.9	8	1	1	3	5	7	9	14
20-34	94	4.3	12	1	1	3	5	9	11	18
35-49	89	6.4	25	1	2	5	10	14	17	21
50-64	100	7.6	26	2	2	7	9	14	18	26
65+	59	7.9	39	1	2	6	11	18	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17691	4.0	7	1	2	3	5	7	8	13
20-34	6080	5.0	11	1	2	4	6	9	11	16
35-49	7975	6.3	19	2	2	5	8	11	14	22
50-64	13591	7.2	25	2	3	6	9	13	16	26
65+	16392	8.3	37	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	270	7.7	61	2	2	6	10	13	18	37
20-34	321	9.4	70	2	2	8	12	18	23	35
35-49	518	11.7	112	3	4	9	14	22	28	59
50-64	937	12.0	91	2	3	10	15	23	30	53
65+	1082	14.2	129	3	4	11	18	28	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49998	4.0	7	1	2	3	5	7	9	13
B. *Operated*	469	5.7	22	1	2	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	61729	6.2	24	2	2	5	8	11	15	24
B. *Operated*	3128	12.1	107	2	3	10	15	23	31	57
1. SINGLE DX	50467	4.0	7	1	2	3	5	7	9	14
2. MULTIPLE DX	64857	6.5	29	2	2	5	8	12	16	27
A. NOT OPERATED	111727	5.2	17	1	2	4	6	10	12	21
B. OPERATED	3597	11.3	100	2	3	9	14	22	30	55
TOTAL 0-19 YRS	46922	3.6	5	1	2	3	4	6	7	11
20-34	13235	4.6	10	1	2	4	6	8	10	15
35-49	14187	5.9	20	2	2	5	7	10	13	22
50-64	19892	7.0	26	2	3	6	9	12	16	27
65+	21088	8.2	41	2	3	7	10	15	19	33
GRAND TOTAL	**115324**	**5.4**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	4.5	10	1	2	4	5	9	13	15
20-34	74	4.8	11	1	1	3	6	8	11	15
35-49	470	6.1	24	1	2	5	7	12	14	21
50-64	2714	6.8	27	2	2	5	8	12	16	27
65+	4196	7.4	33	2	3	6	9	13	18	30
B. *Operated*										
0-19 YRS	24	6.3	64	1	1	3	8	14	30	31
20-34	19	4.8	24	<1	1	2	7	14	16	16
35-49	79	5.4	26	1	1	4	8	10	12	30
50-64	181	8.0	85	1	2	5	9	17	27	50
65+	225	9.4	75	2	2	7	12	20	24	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	7.6	63	2	2	5	10	15	22	35
20-34	279	7.1	35	1	2	6	9	14	17	34
35-49	2156	7.5	42	2	3	6	9	14	18	30
50-64	14986	8.7	49	2	3	7	11	16	21	37
65+	32947	9.5	57	2	3	8	12	18	23	40
B. *Operated*										
0-19 YRS	49	8.9	81	1	1	7	12	19	27	45
20-34	84	11.1	74	2	3	9	13	22	28	47
35-49	371	11.9	136	2	3	9	14	27	37	88
50-64	2002	13.9	173	2	3	10	17	30	43	99
65+	3934	16.1	203	3	4	12	20	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7521	7.0	30	2	2	6	9	13	17	29
B. *Operated*	528	8.0	71	1	2	5	10	16	24	42
2. MULTIPLE DX										
A. *Not Operated*	50544	9.2	54	2	3	7	11	17	22	38
B. *Operated*	6440	15.0	189	3	4	11	19	32	47	99+
1. SINGLE DX	8049	7.1	33	2	2	6	9	13	17	30
2. MULTIPLE DX	56984	9.8	73	2	3	8	12	18	25	49
A. NOT OPERATED	58065	8.9	52	2	3	7	11	16	22	37
B. OPERATED	6968	14.5	184	2	3	10	18	31	45	99+
TOTAL 0-19 YRS	316	7.1	56	1	2	4	9	15	21	34
20-34	456	7.3	42	1	2	6	9	15	18	36
35-49	3076	7.8	53	2	2	6	9	15	20	38
50-64	19883	8.9	62	2	3	7	11	17	22	43
65+	41302	9.9	73	2	3	8	12	19	25	49
GRAND TOTAL	**65833**	**9.5**	**69**	**2**	**3**	**7**	**11**	**18**	**24**	**47**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	3.2	7	1	1	2	4	5	9	15
20-34	636	3.7	6	1	1	3	5	7	9	12
35-49	158	4.1	10	1	1	3	5	8	10	17
50-64	65	5.1	19	1	1	3	6	11	14	22
65+	51	6.3	22	1	2	5	8	12	18	21
B. *Operated*										
0-19 YRS	484	6.5	22	2	3	5	8	11	15	25
20-34	1932	6.1	15	2	3	5	7	11	14	20
35-49	608	6.7	21	2	3	5	8	12	16	26
50-64	279	7.4	38	2	3	5	9	15	19	32
65+	184	9.3	47	3	3	7	12	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.5	13	1	1	3	6	9	11	21
20-34	211	5.1	16	1	1	4	6	9	12	19
35-49	131	5.4	11	1	2	5	7	10	11	16
50-64	205	7.6	42	1	2	6	10	14	18	39
65+	308	9.8	59	2	3	7	13	20	27	37
B. *Operated*										
0-19 YRS	142	10.0	35	3	4	9	12	18	21	30
20-34	719	9.5	37	3	3	8	12	17	21	33
35-49	482	10.0	59	3	4	8	12	19	23	39
50-64	723	12.4	121	3	4	9	16	26	33	67
65+	1035	13.6	139	3	4	10	17	27	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1120	3.9	9	1	1	3	5	8	10	14
B. *Operated*	3487	6.5	21	2	3	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	924	7.2	40	1	2	5	9	15	19	34
B. *Operated*	3101	11.6	97	3	4	9	15	22	30	50
1. SINGLE DX	4607	5.9	19	1	2	5	7	11	14	23
2. MULTIPLE DX	4025	10.6	87	2	3	8	13	21	28	47
A. NOT OPERATED	2044	5.4	25	1	1	4	7	11	15	27
B. OPERATED	6588	8.9	63	2	3	6	11	18	23	42
TOTAL 0-19 YRS	905	6.1	24	1	2	5	8	12	16	25
20-34	2498	6.3	22	2	2	5	8	12	15	24
35-49	1379	7.5	36	2	3	6	9	14	19	29
50-64	1272	10.1	92	2	3	7	12	21	28	52
65+	1578	12.1	113	3	4	9	15	25	34	51
GRAND TOTAL	**8632**	**8.1**	**57**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1800	3.3	8	1	1	3	4	6	8	15
20-34	768	3.6	9	1	1	3	4	7	9	15
35-49	771	4.0	10	1	1	3	5	8	10	15
50-64	796	4.8	15	1	1	4	7	10	12	20
65+	1131	6.2	30	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	290	4.8	27	1	1	3	6	11	16	25
20-34	423	6.9	55	1	1	5	9	14	20	36
35-49	661	6.9	40	1	1	5	9	14	20	30
50-64	1071	7.5	48	1	1	6	10	15	21	31
65+	949	7.5	54	1	1	6	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3044	5.0	28	1	1	4	6	10	13	24
20-34	1561	5.4	22	1	1	4	7	11	14	24
35-49	2571	6.2	30	1	2	5	8	12	16	28
50-64	6637	7.6	42	2	2	6	9	14	19	32
65+	16926	9.5	58	2	3	8	12	18	23	40
B. *Operated*										
0-19 YRS	656	10.9	185	1	1	6	14	28	41	91
20-34	902	11.4	136	1	2	8	15	24	36	67
35-49	1702	12.4	157	2	2	9	16	27	39	68
50-64	4169	11.9	127	2	2	9	15	25	33	62
65+	6574	14.1	162	2	3	11	18	30	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5266	4.3	15	1	1	3	5	8	11	19
B. *Operated*	3394	7.1	48	1	1	5	9	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	30739	8.2	50	2	2	6	10	16	21	36
B. *Operated*	14003	12.9	152	2	2	10	17	28	38	70
1. SINGLE DX	8660	5.4	30	1	1	4	7	11	15	27
2. MULTIPLE DX	44742	9.7	87	2	2	7	12	20	27	50
A. NOT OPERATED	36005	7.6	47	1	2	6	10	15	20	34
B. OPERATED	17397	11.8	137	1	2	9	15	25	35	65
TOTAL 0-19 YRS	5790	5.2	44	1	1	3	6	10	15	35
20-34	3654	6.7	59	1	1	4	8	14	20	42
35-49	5705	7.8	76	1	2	5	10	16	23	46
50-64	12673	8.8	74	1	2	7	11	18	24	46
65+	25580	10.5	88	2	3	8	13	21	28	50
GRAND TOTAL	**53402**	**9.0**	**80**	**1**	**2**	**6**	**11**	**18**	**25**	**47**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	3.2	6	<1	1	3	4	6	7	12
20-34	167	3.3	13	<1	<1	2	4	6	9	16
35-49	74	4.3	23	<1	<1	3	5	8	11	30
50-64	54	3.4	16	<1	<1	3	4	6	10	25
65+	33	4.2	7	1	1	4	5	8	11	12
B. *Operated*										
0-19 YRS	7271	1.9	2	<1	<1	2	2	4	4	6
20-34	6508	2.3	2	<1	<1	2	3	4	5	7
35-49	2335	2.6	3	<1	1	2	3	4	5	7
50-64	1338	2.5	3	<1	1	2	3	4	5	9
65+	571	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	539	2.9	5	<1	<1	2	4	6	7	10
20-34	451	3.1	9	<1	<1	2	4	6	7	15
35-49	279	4.1	27	<1	1	3	5	8	11	26
50-64	274	4.9	31	<1	1	3	6	10	13	29
65+	258	5.9	48	1	1	4	7	12	17	33
B. *Operated*										
0-19 YRS	4575	2.4	3	<1	<1	2	3	4	5	8
20-34	4866	2.9	7	<1	1	2	4	5	6	12
35-49	3182	3.0	10	1	1	2	3	5	7	15
50-64	3148	3.3	19	1	1	2	3	5	9	23
65+	2371	3.7	17	1	2	2	4	7	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	3.5	12	<1	<1	3	4	6	9	17
B. *Operated*	18023	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1801	3.9	21	<1	1	3	5	7	10	23
B. *Operated*	18142	3.0	10	<1	1	2	3	5	7	15
1. SINGLE DX	18498	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	19943	3.1	11	<1	1	2	4	5	7	16
A. NOT OPERATED	2276	3.8	19	<1	<1	3	5	7	10	22
B. OPERATED	36165	2.6	6	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	12532	2.1	2	<1	<1	2	3	4	5	7
20-34	11992	2.6	5	<1	1	2	3	5	6	9
35-49	5870	2.9	9	<1	1	2	3	5	7	13
50-64	4814	3.2	16	1	1	2	3	5	8	19
65+	3233	3.7	17	1	1	2	4	7	10	21
GRAND TOTAL	**38441**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	408	3.6	4	1	1	3	5	6	8	10
20-34	136	4.2	7	1	1	4	5	7	9	15
35-49	129	3.8	5	1	1	3	5	6	8	12
50-64	115	4.2	7	1	1	4	5	8	9	15
65+	98	4.2	8	<1	1	4	6	8	10	15
B. *Operated*										
0-19 YRS	575	2.6	6	<1	<1	2	3	5	6	10
20-34	535	3.0	6	<1	1	2	4	5	7	11
35-49	562	3.3	7	<1	1	3	4	6	7	12
50-64	608	3.1	5	1	1	3	4	5	7	12
65+	506	3.2	6	1	1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	747	3.9	5	1	2	3	5	7	8	12
20-34	204	5.1	16	1	2	4	6	9	12	22
35-49	217	5.5	13	1	2	5	7	10	13	17
50-64	287	5.7	12	2	2	5	7	9	13	18
65+	620	8.3	38	2	3	7	11	15	19	34
B. *Operated*										
0-19 YRS	360	3.5	7	1	1	3	4	7	10	14
20-34	466	4.3	13	1	1	3	5	9	11	19
35-49	561	4.5	24	1	2	3	5	9	13	23
50-64	760	4.6	21	1	2	3	5	9	12	27
65+	895	6.3	48	1	2	4	7	13	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	886	3.9	6	1	1	3	5	7	8	12
B. *Operated*	2786	3.0	6	<1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	2075	5.7	21	1	2	5	7	11	14	24
B. *Operated*	3042	4.9	28	1	2	3	5	10	14	28
1. SINGLE DX	3672	3.2	6	<1	1	3	4	6	7	12
2. MULTIPLE DX	5117	5.2	25	1	2	4	6	10	14	27
A. NOT OPERATED	2961	5.2	17	1	2	4	6	10	13	20
B. OPERATED	5828	4.0	18	1	1	3	4	8	11	23
TOTAL 0-19 YRS	2090	3.4	6	1	1	3	4	6	8	12
20-34	1341	3.9	11	1	1	3	5	7	10	16
35-49	1469	4.1	15	1	1	3	5	7	10	19
50-64	1770	4.2	14	1	1	3	5	8	10	21
65+	2119	6.0	37	1	2	4	7	13	17	32
GRAND TOTAL	**8789**	**4.4**	**18**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1058	3.4	8	1	1	3	4	7	9	13
20-34	691	3.4	7	<1	1	3	4	6	8	13
35-49	995	3.4	6	1	1	3	4	7	8	12
50-64	888	3.6	7	1	1	3	5	7	8	12
65+	611	3.8	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	378	4.9	29	<1	<1	3	7	10	15	28
20-34	339	5.2	19	1	1	4	8	10	12	20
35-49	452	5.1	14	<1	1	4	8	10	12	17
50-64	577	5.3	19	<1	1	4	8	10	13	23
65+	765	6.1	51	<1	1	4	8	12	16	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1424	4.5	21	1	1	3	5	8	11	21
20-34	1970	4.4	16	1	1	4	6	8	10	16
35-49	3569	4.8	14	1	2	4	6	9	11	18
50-64	4994	5.0	15	1	2	4	6	9	11	19
65+	6979	6.3	29	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	717	10.2	128	<1	1	7	13	24	31	66
20-34	885	8.1	74	1	2	6	9	15	25	49
35-49	1908	8.0	60	1	2	6	10	15	20	42
50-64	3253	8.4	67	1	2	6	10	16	23	43
65+	5524	9.8	95	2	2	7	12	20	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4243	3.5	7	1	1	3	4	7	8	13
B. *Operated*	2511	5.5	29	<1	1	4	8	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	18936	5.4	21	1	2	4	7	10	13	23
B. *Operated*	12287	9.1	83	1	2	7	11	18	26	50
1. SINGLE DX	6754	4.2	16	<1	1	3	5	8	11	19
2. MULTIPLE DX	31223	6.8	49	1	2	5	8	13	18	37
A. NOT OPERATED	23179	5.0	19	1	2	4	6	9	12	21
B. OPERATED	14798	8.4	76	1	2	6	10	17	24	47
TOTAL 0-19 YRS	3577	5.3	45	1	1	3	6	11	17	35
20-34	3885	5.1	30	1	1	4	6	10	13	29
35-49	6924	5.5	28	1	2	4	7	10	13	25
50-64	9712	6.0	35	1	2	4	8	11	16	29
65+	13879	7.6	59	1	2	6	9	15	21	41
GRAND TOTAL	**37977**	**6.4**	**44**	**1**	**2**	**5**	**8**	**12**	**17**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.9	5	1	2	3	5	7	8	13
20-34	344	4.0	6	1	2	3	5	7	8	13
35-49	463	4.6	8	1	2	4	6	9	10	14
50-64	455	4.6	9	1	2	4	6	9	10	14
65+	423	5.5	18	1	2	4	7	10	13	20
B. *Operated*										
0-19 YRS	21	6.1	13	2	2	5	8	12	13	14
20-34	143	6.7	21	<1	2	6	9	12	15	23
35-49	367	7.5	19	1	2	7	10	13	16	20
50-64	428	7.3	33	<1	1	7	10	14	17	27
65+	335	7.6	33	<1	1	6	11	16	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	4.3	6	1	2	4	6	8	9	11
20-34	544	5.5	11	1	2	5	7	9	12	16
35-49	1170	6.1	20	2	2	5	7	11	14	20
50-64	1834	6.2	16	2	2	5	8	11	13	20
65+	3114	7.6	27	2	3	7	9	14	17	28
B. *Operated*										
0-19 YRS	33	6.5	18	1	2	5	9	11	15	20
20-34	372	8.5	38	2	3	7	11	16	20	31
35-49	1042	9.0	40	2	3	7	11	17	21	34
50-64	1863	9.2	45	2	3	8	11	17	21	36
65+	2892	10.6	70	2	3	9	13	20	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1756	4.7	11	1	2	4	6	9	11	16
B. *Operated*	1294	7.4	27	<1	2	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	6769	6.7	22	2	2	6	8	12	15	23
B. *Operated*	6202	9.8	56	2	3	8	12	18	23	38
1. SINGLE DX	3050	5.8	19	1	2	5	8	11	14	22
2. MULTIPLE DX	12971	8.2	40	2	3	7	10	15	20	33
A. NOT OPERATED	8525	6.3	20	2	2	5	8	11	14	23
B. OPERATED	7496	9.4	52	2	3	8	12	18	22	37
TOTAL 0-19 YRS	232	4.7	9	1	2	4	6	9	11	14
20-34	1403	6.0	21	1	2	5	8	11	15	23
35-49	3042	7.0	27	2	2	6	9	13	17	25
50-64	4580	7.4	31	2	2	6	9	14	17	27
65+	6764	8.8	48	2	3	7	11	16	21	36
GRAND TOTAL	**16021**	**7.7**	**37**	**2**	**2**	**6**	**10**	**15**	**19**	**31**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	4.4	8	1	2	3	6	7	8	16
20-34	163	4.5	5	1	2	4	6	7	9	13
35-49	264	5.0	7	2	2	5	6	8	10	15
50-64	391	5.2	6	2	3	5	6	8	10	14
65+	498	6.3	14	2	3	5	8	10	13	22
B. Operated										
0-19 YRS	17	6.8	5	3	4	6	9	10	10	10
20-34	121	7.7	13	3	3	7	10	13	15	17
35-49	245	8.7	33	3	3	8	10	14	19	38
50-64	339	9.1	37	3	3	8	11	15	18	37
65+	393	9.8	37	3	3	9	13	18	21	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	5.3	10	2	2	4	7	10	12	15
20-34	232	5.3	10	2	2	5	6	9	12	15
35-49	606	5.7	16	2	2	5	7	10	12	20
50-64	1455	6.7	21	2	3	6	8	11	15	22
65+	3387	8.8	41	3	4	7	11	16	20	33
B. Operated										
0-19 YRS	23	11.9	150	2	3	7	13	28	38	53
20-34	172	9.3	52	2	3	7	11	17	25	41
35-49	558	10.8	72	3	4	9	13	20	29	62
50-64	1486	11.4	93	3	4	9	14	21	29	58
65+	3669	14.0	124	4	5	11	17	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1351	5.5	10	2	2	5	7	9	11	17
B. Operated	1115	9.1	34	3	3	8	11	16	19	33
2. MULTIPLE DX										
A. Not Operated	5714	7.8	34	2	3	6	9	14	18	30
B. Operated	5908	12.9	112	3	4	10	16	25	34	59
1. SINGLE DX	2466	7.1	24	2	3	6	9	13	16	26
2. MULTIPLE DX	11622	10.4	80	3	4	8	12	20	27	50
A. NOT OPERATED	7065	7.3	30	2	3	6	9	13	17	28
B. OPERATED	7023	12.3	101	3	4	9	15	23	32	56
TOTAL 0-19 YRS	129	6.4	40	2	2	5	7	11	15	35
20-34	688	6.5	24	2	2	5	8	12	15	26
35-49	1673	7.7	42	2	3	6	9	14	19	39
50-64	3651	8.7	56	2	3	7	10	16	21	41
65+	7947	11.1	85	3	4	8	14	21	29	51
GRAND TOTAL	**14088**	**9.8**	**71**	**3**	**3**	**7**	**12**	**19**	**25**	**47**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	479	3.5	8	1	1	3	4	6	8	11
20-34	1864	3.7	5	1	1	3	5	6	8	12
35-49	1826	4.1	7	1	2	4	5	7	9	14
50-64	1258	4.3	6	1	2	4	5	8	9	12
65+	768	5.0	10	1	2	4	6	9	11	18
B. Operated										
0-19 YRS	23	6.7	19	1	2	6	9	12	15	20
20-34	237	8.5	25	2	3	8	10	15	17	27
35-49	380	8.8	24	2	3	8	11	15	19	27
50-64	274	9.5	37	3	4	9	11	16	22	31
65+	147	9.6	40	2	3	8	12	20	24	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	447	4.6	9	1	2	4	6	8	10	14
20-34	2479	4.8	14	1	2	4	6	9	11	16
35-49	3728	5.3	13	2	2	4	7	10	12	19
50-64	4555	5.9	18	2	2	5	7	10	13	21
65+	5818	7.2	29	2	3	6	9	13	16	27
B. Operated										
0-19 YRS	52	8.2	28	2	3	7	10	16	17	29
20-34	478	10.1	64	2	3	8	12	18	23	43
35-49	1071	9.9	45	2	3	9	13	18	23	34
50-64	1370	10.5	66	2	4	9	13	19	24	41
65+	1535	11.9	87	3	4	10	15	23	28	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6195	4.1	7	1	2	4	5	7	9	13
B. Operated	1061	9.0	30	2	3	8	11	16	20	28
2. MULTIPLE DX										
A. Not Operated	17030	6.0	21	2	2	5	7	11	14	23
B. Operated	4506	10.8	68	3	4	9	13	20	26	44
1. SINGLE DX	7256	4.8	13	1	2	4	6	9	11	19
2. MULTIPLE DX	21536	7.0	35	2	2	5	9	13	17	29
A. NOT OPERATED	23225	5.5	18	2	2	4	7	10	13	21
B. OPERATED	5567	10.4	62	2	3	9	13	19	24	42
TOTAL 0-19 YRS	1001	4.3	11	1	2	4	5	8	10	16
20-34	5058	5.1	19	1	2	4	6	9	12	20
35-49	7005	5.9	21	2	2	5	7	11	14	23
50-64	7460	6.6	30	2	2	5	8	12	16	27
65+	8268	7.9	43	2	3	6	10	15	20	33
GRAND TOTAL	**28792**	**6.5**	**30**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	129	4.2	6	1	2	4	5	7	8	15
20-34	883	4.3	6	1	2	4	5	7	9	11
35-49	980	4.7	7	2	2	4	6	8	9	13
50-64	1100	5.2	7	2	2	5	6	9	10	14
65+	944	6.1	13	2	3	5	8	10	12	18
B. Operated										
0-19 YRS	47	7.3	7	3	4	7	8	11	12	13
20-34	309	8.6	25	3	5	8	10	13	15	34
35-49	421	8.7	18	4	5	8	10	13	16	23
50-64	460	9.4	19	4	5	8	11	14	18	25
65+	439	11.6	52	4	5	11	14	18	24	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	4.6	6	1	2	4	5	8	9	14
20-34	784	4.9	8	2	2	4	5	8	10	15
35-49	1397	5.7	13	2	3	5	7	10	12	18
50-64	2669	6.6	15	2	3	6	8	11	13	22
65+	5579	8.6	43	3	3	7	10	15	20	34
B. Operated										
0-19 YRS	36	9.0	20	2	4	8	11	13	19	22
20-34	265	11.4	80	4	5	9	13	19	28	48
35-49	645	12.3	80	4	5	10	14	22	28	47
50-64	1393	13.8	109	4	5	11	16	27	36	54
65+	2806	17.0	168	5	6	13	21	33	45	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4035	5.1	9	2	2	4	6	8	10	15
B. Operated	1676	9.6	30	4	5	8	11	15	18	31
2. MULTIPLE DX										
A. Not Operated	10550	7.4	31	2	3	6	9	13	17	29
B. Operated	5145	15.2	140	4	6	12	18	29	40	69
1. SINGLE DX	5712	6.4	19	2	2	5	8	11	14	22
2. MULTIPLE DX	15695	10.0	80	3	3	7	12	19	27	50
A. NOT OPERATED	14586	6.6	26	2	3	6	8	12	15	26
B. OPERATED	6821	13.8	119	4	5	11	16	26	35	66
TOTAL 0-19 YRS	333	5.3	10	2	2	4	7	9	12	17
20-34	2241	5.9	24	2	3	5	7	10	13	25
35-49	3443	7.0	32	2	3	6	8	12	16	30
50-64	5622	8.3	48	2	3	7	10	15	20	40
65+	9768	10.9	93	3	4	8	13	21	29	55
GRAND TOTAL	**21407**	**9.0**	**66**	**2**	**3**	**7**	**11**	**17**	**24**	**46**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.7	4	<1	1	5	6	7	7	7
20-34	32	5.8	17	2	2	4	7	11	16	18
35-49	73	5.8	11	1	3	5	7	10	12	17
50-64	67	6.5	15	2	3	6	8	11	13	21
65+	75	7.4	24	2	3	7	9	11	16	32
B. Operated										
0-19 YRS	5	6.3	19	<1	<1	5	11	12	12	12
20-34	41	10.2	29	1	5	10	12	15	20	32
35-49	122	11.9	43	6	6	10	14	19	25	37
50-64	155	12.6	50	3	5	11	16	21	27	38
65+	138	13.1	65	4	5	12	16	21	24	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	5.6	11	1	2	5	7	11	12	12
20-34	51	6.3	28	1	2	5	9	13	15	30
35-49	133	9.8	20	2	2	6	9	13	16	22
50-64	190	7.6	23	2	3	6	9	14	16	26
65+	475	9.5	65	3	3	8	11	18	22	42
B. Operated										
0-19 YRS	6	18.0	433	4	4	12	17	55	59	59
20-34	63	13.7	74	4	6	11	17	27	34	52
35-49	252	17.0	120	6	7	14	21	28	40	60
50-64	463	18.8	191	5	7	15	23	36	49	76
65+	837	19.9	176	5	8	16	25	39	48	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	6.4	17	2	3	6	8	11	15	19
B. Operated	462	12.2	51	4	5	11	15	20	25	38
2. MULTIPLE DX										
A. Not Operated	858	8.4	47	2	3	7	10	15	20	36
B. Operated	1621	18.9	171	5	7	15	23	37	47	73
1. SINGLE DX	716	10.2	47	3	3	9	13	18	22	35
2. MULTIPLE DX	2479	15.3	153	3	4	12	19	31	42	67
A. NOT OPERATED	1112	8.0	41	2	3	7	10	15	19	31
B. OPERATED	2083	17.4	152	5	7	14	21	34	44	69
TOTAL 0-19 YRS	28	8.2	115	<1	2	5	9	14	21	59
20-34	187	9.6	52	2	3	6	12	18	27	39
35-49	580	12.2	69	3	3	9	15	23	29	49
50-64	875	14.3	142	3	4	11	18	28	38	64
65+	1525	15.4	150	3	4	12	19	31	41	67
GRAND TOTAL	**3195**	**14.1**	**134**	**3**	**4**	**11**	**18**	**28**	**38**	**63**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2377	2.7	3	1	1	2	3	5	5	9
20-34	3731	3.1	4	1	1	3	4	5	7	10
35-49	2650	3.6	7	1	1	3	4	6	8	12
50-64	1635	3.7	6	1	1	3	5	7	8	12
65+	1105	4.3	12	1	1	4	6	8	10	17
B. *Operated*										
0-19 YRS	77	4.8	12	1	2	4	6	11	13	15
20-34	269	5.1	20	<1	1	4	7	9	12	29
35-49	318	5.5	15	<1	1	5	8	11	13	18
50-64	280	5.4	25	<1	<1	4	8	11	13	24
65+	232	5.9	25	<1	<1	5	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4164	3.3	5	1	1	3	4	6	7	12
20-34	7867	4.3	10	1	2	4	5	8	10	16
35-49	9197	5.1	13	1	2	4	6	9	11	18
50-64	9805	5.5	16	2	2	5	7	10	12	19
65+	12701	6.7	28	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	204	5.7	14	1	2	5	7	11	13	17
20-34	1182	7.6	35	2	3	6	9	14	18	32
35-49	2060	8.2	42	2	3	7	10	15	19	35
50-64	2581	9.2	54	2	3	7	11	17	22	37
65+	3737	10.3	69	2	3	8	13	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11498	3.3	6	1	1	3	4	6	7	11
B. *Operated*	1176	5.4	20	<1	<1	4	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	43734	5.3	18	1	2	4	7	10	12	21
B. *Operated*	9764	9.1	55	2	3	7	11	17	22	38
1. SINGLE DX	12674	3.5	7	1	1	3	4	7	8	13
2. MULTIPLE DX	53498	6.0	27	1	2	5	7	11	15	26
A. NOT OPERATED	55232	4.9	16	1	2	4	6	9	12	19
B. OPERATED	10940	8.7	53	2	3	7	11	16	21	37
TOTAL 0-19 YRS	6822	3.2	5	1	1	3	4	6	7	12
20-34	13049	4.3	12	1	1	3	5	8	10	17
35-49	14225	5.2	18	1	2	4	6	10	12	21
50-64	14301	6.0	24	1	2	5	7	11	14	24
65+	17775	7.3	38	2	2	6	9	14	18	31
GRAND TOTAL	**66172**	**5.5**	**24**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	533	3.2	4	1	1	3	4	6	7	11
20-34	672	3.3	6	1	1	3	4	6	7	14
35-49	622	3.8	7	1	1	3	5	7	9	13
50-64	417	4.0	9	1	1	3	5	7	9	16
65+	275	4.5	13	1	1	4	6	8	11	18
B. *Operated*										
0-19 YRS	305	4.0	7	2	2	3	4	7	9	15
20-34	76	9.8	90	1	2	8	12	19	27	51
35-49	106	10.0	44	2	3	9	12	17	21	39
50-64	115	10.1	65	1	2	9	13	17	25	41
65+	106	13.2	134	1	2	11	18	25	32	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	808	3.8	11	1	1	3	5	7	9	17
20-34	1474	4.7	16	1	2	4	6	9	10	23
35-49	1678	4.9	12	1	2	4	6	9	12	18
50-64	1883	5.6	22	1	2	4	7	11	14	22
65+	2538	7.0	39	2	2	5	9	14	18	31
B. *Operated*										
0-19 YRS	152	6.7	30	2	2	5	8	14	18	30
20-34	288	11.3	157	2	3	8	13	23	30	95
35-49	540	13.0	101	3	4	10	17	26	32	61
50-64	750	14.9	167	3	4	12	18	29	42	63
65+	1155	17.4	181	3	5	14	22	36	46	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2519	3.6	7	1	1	3	5	7	8	14
B. *Operated*	708	7.9	62	1	2	5	10	17	21	41
2. MULTIPLE DX										
A. *Not Operated*	8381	5.6	24	1	2	4	7	10	14	24
B. *Operated*	2885	14.8	160	3	4	11	19	30	42	77
1. SINGLE DX	3227	4.6	22	1	1	3	5	9	12	24
2. MULTIPLE DX	11266	7.9	75	1	2	5	9	17	24	47
A. NOT OPERATED	10900	5.1	21	1	2	4	6	10	13	22
B. OPERATED	3593	13.4	148	2	3	10	17	28	38	66
TOTAL 0-19 YRS	1798	3.9	11	1	1	3	5	7	9	17
20-34	2510	5.2	38	1	1	4	6	10	14	30
35-49	2946	6.4	40	1	2	4	8	13	18	32
50-64	3165	7.7	73	1	2	5	9	16	23	45
65+	4074	9.9	103	2	2	7	12	21	30	55
GRAND TOTAL	**14493**	**7.2**	**65**	**1**	**2**	**5**	**8**	**15**	**22**	**44**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.3	2	<1	1	2	3	4	5	8
20-34	129	2.7	3	<1	1	2	4	5	6	9
35-49	40	3.5	8	<1	1	3	5	7	8	14
50-64	17	4.5	5	1	1	5	7	7	8	8
65+	14	5.6	12	1	2	5	7	10	13	14
B. *Operated*										
0-19 YRS	17769	3.5	2	2	2	3	4	5	6	9
20-34	12170	3.7	3	2	2	3	4	6	7	9
35-49	3569	4.2	4	2	2	4	5	7	8	11
50-64	1424	5.0	6	2	3	4	6	8	9	13
65+	449	6.1	10	3	3	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	2.7	3	<1	1	2	3	5	7	8
20-34	64	3.0	7	<1	<1	2	4	6	9	13
35-49	26	4.4	6	1	2	4	6	9	9	9
50-64	29	5.6	29	1	1	4	7	10	13	29
65+	20	8.4	47	<1	1	6	11	21	23	23
B. *Operated*										
0-19 YRS	3014	4.9	9	2	2	4	6	8	11	17
20-34	2849	5.2	11	2	3	4	6	9	11	17
35-49	1241	6.3	18	3	3	5	8	11	14	23
50-64	893	7.8	33	3	4	6	9	13	17	31
65+	590	9.7	57	3	4	8	12	16	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	2.8	4	<1	1	2	4	6	7	9
B. *Operated*	35381	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	257	3.7	13	<1	1	3	5	7	9	23
B. *Operated*	8587	5.8	19	2	3	5	7	10	13	22
1. SINGLE DX	35718	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX	8844	5.8	19	2	3	5	7	10	13	22
A. NOT OPERATED	594	3.2	8	<1	1	2	4	7	8	14
B. OPERATED	43968	4.2	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	21038	3.7	4	2	2	3	4	5	7	11
20-34	15212	4.0	5	2	2	4	5	6	7	11
35-49	4876	4.8	8	2	2	4	6	8	10	15
50-64	2363	6.0	18	2	3	5	7	10	13	23
65+	1073	8.1	40	3	3	6	10	14	18	32
GRAND TOTAL	**44562**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	7.8	14	3	3	8	10	12	14	20
20-34	52	5.8	12	1	2	5	8	11	13	14
35-49	30	6.9	12	2	3	6	9	11	14	17
50-64	37	8.1	23	2	3	7	10	16	18	23
65+	22	12.0	214	5	5	9	12	15	39	76
B. *Operated*										
0-19 YRS	3777	7.0	12	3	3	7	9	11	13	18
20-34	2077	6.8	11	3	3	6	8	11	13	18
35-49	1126	7.5	12	3	4	7	9	12	13	19
50-64	903	8.7	14	4	5	8	10	13	16	21
65+	450	9.9	22	5	5	9	12	16	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	8.5	22	1	3	7	12	16	17	20
20-34	25	7.3	22	2	2	7	10	13	16	21
35-49	27	8.8	28	2	3	7	11	18	20	21
50-64	31	10.4	45	1	2	10	14	21	23	23
65+	39	10.3	36	2	3	9	15	17	21	30
B. *Operated*										
0-19 YRS	1941	10.0	37	4	5	8	12	17	22	32
20-34	1267	9.5	33	4	4	8	11	16	20	33
35-49	1081	10.7	38	4	5	9	12	17	21	34
50-64	1321	12.7	57	5	6	11	15	21	27	41
65+	1304	15.7	115	6	7	13	19	26	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	7.7	38	2	3	7	9	13	15	21
B. *Operated*	8333	7.3	13	3	3	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	157	9.2	32	2	3	8	13	17	21	23
B. *Operated*	6914	11.6	60	4	5	10	14	20	25	42
1. SINGLE DX	8535	7.4	14	3	3	7	9	12	14	19
2. MULTIPLE DX	7071	11.6	60	4	5	10	14	20	25	42
A. NOT OPERATED	359	8.3	36	2	3	7	11	15	18	23
B. OPERATED	15247	9.3	39	3	4	8	11	16	20	34
TOTAL 0-19 YRS	5814	8.0	22	3	4	7	9	13	16	26
20-34	3421	7.8	21	3	3	7	9	13	15	25
35-49	2264	9.0	27	3	4	8	11	15	17	27
50-64	2292	11.0	43	4	5	9	13	18	23	36
65+	1815	14.1	98	5	6	11	17	24	32	61
GRAND TOTAL	**15606**	**9.3**	**39**	**3**	**4**	**8**	**11**	**16**	**20**	**34**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	298	2.2	3	<1	1	2	2	4	6	10
20-34	199	2.4	3	1	1	2	3	4	6	9
35-49	60	3.1	6	1	1	2	4	6	8	13
50-64	24	3.3	6	<1	1	3	4	7	8	9
65+	10	4.4	15	1	1	3	6	11	13	13
B. *Operated*										
0-19 YRS	1585	4.0	4	2	2	4	5	6	8	12
20-34	1084	4.3	4	2	2	4	5	7	8	12
35-49	288	4.9	7	2	2	4	6	9	10	15
50-64	102	6.0	11	2	3	5	7	10	12	19
65+	39	6.7	15	2	3	6	9	11	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	2.8	4	1	1	2	4	5	7	8
20-34	157	2.9	5	<1	1	2	4	5	6	12
35-49	53	4.5	9	<1	1	4	7	8	10	12
50-64	48	4.8	20	2	2	4	6	8	17	23
65+	35	5.1	16	1	1	4	6	10	16	17
B. *Operated*										
0-19 YRS	880	5.2	10	2	3	4	6	8	10	17
20-34	808	5.7	10	2	3	5	7	10	11	18
35-49	256	7.0	14	3	3	6	9	12	14	19
50-64	132	9.1	40	3	4	7	11	17	21	34
65+	123	11.2	56	3	4	9	14	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	591	2.4	4	1	1	2	3	4	6	11
B. *Operated*	3098	4.3	5	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	450	3.4	8	1	1	3	4	7	8	17
B. *Operated*	2199	6.2	17	2	3	5	7	11	14	22
1. SINGLE DX	3689	4.0	6	1	2	4	5	7	8	12
2. MULTIPLE DX	2649	5.7	17	2	2	5	7	10	13	21
A. NOT OPERATED	1041	2.9	6	1	1	2	4	6	7	12
B. OPERATED	5297	5.1	11	2	2	4	6	8	11	18
TOTAL 0-19 YRS	2920	4.1	7	1	2	4	5	7	8	13
20-34	2248	4.6	7	1	2	4	5	8	10	15
35-49	657	5.5	12	2	2	5	7	10	12	17
50-64	306	7.0	29	2	2	6	8	13	18	26
65+	207	9.0	47	2	3	7	12	18	21	36
GRAND TOTAL	**6338**	**4.7**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	1.4	1	<1	<1	1	1	2	3	6
20-34	74	2.1	3	<1	<1	1	3	4	6	7
35-49	60	2.2	3	<1	<1	2	3	4	5	10
50-64	57	2.8	5	<1	<1	2	3	6	8	12
65+	58	3.7	13	<1	1	2	5	8	13	17
B. *Operated*										
0-19 YRS	12334	1.9	1	<1	<1	2	2	3	4	5
20-34	12445	3.1	2	1	1	3	4	5	5	7
35-49	11732	3.5	3	1	2	3	4	5	6	8
50-64	16160	3.7	3	1	2	3	5	6	7	9
65+	12021	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	578	1.6	3	<1	<1	1	1	3	4	10
20-34	146	2.1	4	<1	<1	1	3	5	6	12
35-49	138	2.9	9	<1	<1	2	4	7	9	16
50-64	298	3.3	15	<1	<1	2	4	7	9	21
65+	525	4.5	23	<1	1	3	6	9	13	24
B. *Operated*										
0-19 YRS	7164	2.1	5	<1	<1	2	2	4	5	9
20-34	4330	3.7	4	1	2	3	4	6	7	11
35-49	6570	4.2	6	2	2	4	5	7	8	14
50-64	13698	4.9	11	2	2	4	6	8	10	17
65+	17539	6.1	20	2	3	5	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	2.2	5	<1	<1	1	3	4	6	12
B. *Operated*	64692	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1685	2.9	13	<1	<1	1	3	7	9	18
B. *Operated*	49301	4.7	14	1	2	4	6	8	11	19
1. SINGLE DX	65056	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX	50986	4.6	14	1	1	4	6	8	11	19
A. NOT OPERATED	2049	2.8	12	<1	<1	1	3	6	9	17
B. OPERATED	113993	3.9	8	1	1	3	5	7	8	15
TOTAL 0-19 YRS	20191	1.9	2	<1	<1	2	2	3	4	7
20-34	16995	3.2	2	1	1	3	4	5	6	8
35-49	18500	3.7	4	1	2	3	4	6	7	11
50-64	30213	4.2	7	1	2	4	5	7	8	14
65+	30143	5.3	14	2	2	4	6	9	12	21
GRAND TOTAL	**116042**	**3.9**	**8**	**1**	**1**	**3**	**5**	**7**	**8**	**15**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	1.2		<1	<1	1	1	2	2	4
20-34	15	1.9	4	<1	<1	1	2	3	8	9
35-49	8	1.9	2	<1	<1	1	3	4	4	4
50-64	14	2.6	3	1	1	2	3	5	7	7
65+	36	1.9	2	<1	1	1	2	3	6	7
B. *Operated*										
0-19 YRS	1107	2.0	2	<1	1	2	2	3	4	7
20-34	486	3.5	3	1	2	3	4	6	7	8
35-49	364	3.9	3	1	2	4	5	6	7	10
50-64	567	4.4	4	2	2	4	5	7	8	11
65+	982	5.7	10	2	3	5	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.7	139	<1	<1	1	2	4	6	74
20-34	8	1.6	2	<1	<1	1	2	4	5	5
35-49	12	3.7	35	1	1	2	3	10	20	22
50-64	39	2.6	4	<1	<1	2	3	5	8	9
65+	153	5.3	22	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	752	2.8	20	<1	1	2	3	5	8	16
20-34	212	4.6	11	2	2	4	6	7	9	22
35-49	258	5.6	21	2	2	5	7	10	13	21
50-64	767	6.6	23	2	3	5	8	12	15	26
65+	2456	9.8	63	3	4	8	12	18	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	1.7	2	<1	<1	1	2	3	4	8
B. *Operated*	3506	3.8	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	250	4.5	37	<1	1	3	5	10	13	22
B. *Operated*	4445	7.6	51	1	2	6	9	15	20	38
1. SINGLE DX	3636	3.7	7	1	1	3	5	7	8	13
2. MULTIPLE DX	4695	7.4	51	1	2	6	9	14	20	37
A. NOT OPERATED	380	3.5	27	<1	<1	2	4	8	11	21
B. OPERATED	7951	5.9	35	1	1	4	7	12	16	31
TOTAL 0-19 YRS	1954	2.3	11	<1	1	2	3	4	5	12
20-34	721	3.8	5	1	2	3	4	6	7	11
35-49	642	4.6	12	1	2	4	5	8	10	16
50-64	1387	5.6	16	2	2	5	7	10	12	22
65+	3627	8.4	50	2	3	6	10	15	21	38
GRAND TOTAL	**8331**	**5.8**	**35**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.8	3	<1	<1	1	2	3	6	7
20-34	7	2.6	3	<1	<1	2	4	5	5	5
35-49	9	1.8	2	<1	<1	1	2	4	5	5
50-64	9	2.1	1	1	1	2	3	4	4	4
65+	5	3.0	9	<1	<1	2	4	8	8	8
B. *Operated*										
0-19 YRS	1874	1.9	2	<1	<1	2	2	3	4	5
20-34	741	2.9	2	1	1	3	4	5	5	8
35-49	978	3.1	3	1	1	3	4	5	6	9
50-64	673	3.6	4	1	2	3	4	6	7	12
65+	281	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	1.7	2	<1	<1	1	2	3	5	8
20-34	23	2.0	2	<1	<1	1	2	4	5	6
35-49	30	3.3	9	<1	<1	2	4	8	9	12
50-64	60	4.1	12	<1	1	3	5	9	10	18
65+	57	6.2	35	<1	1	5	9	14	17	95
B. *Operated*										
0-19 YRS	466	3.0	28	<1	<1	2	3	5	6	20
20-34	387	4.1	6	1	2	4	5	7	8	15
35-49	796	4.8	20	1	2	4	6	8	11	20
50-64	962	5.7	29	2	2	5	7	10	13	24
65+	684	7.3	44	2	3	5	9	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.1	3	<1	<1	1	2	5	6	8
B. *Operated*	4547	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	268	3.4	15	<1	<1	2	5	8	10	19
B. *Operated*	3295	5.2	29	1	2	4	6	9	13	25
1. SINGLE DX	4599	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	3563	5.1	28	1	1	4	6	9	13	25
A. NOT OPERATED	320	3.2	13	<1	<1	2	4	8	10	18
B. OPERATED	7842	3.8	15	1	1	3	4	7	9	17
TOTAL 0-19 YRS	2460	2.1	7	<1	<1	2	2	3	4	8
20-34	1158	3.3	4	1	1	3	4	5	6	10
35-49	1813	3.9	11	1	1	3	5	7	8	13
50-64	1704	4.8	19	1	2	4	6	8	10	18
65+	1027	6.4	35	2	2	5	8	12	16	31
GRAND TOTAL	**8162**	**3.8**	**15**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	1	2	4	4	4
20-34	19	2.6	4	1	1	2	4	5	6	7
35-49	33	4.1	16	1	1	3	5	7	9	23
50-64	31	3.1	4	<1	1	2	5	6	7	8
65+	34	3.4	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	399	2.5	5	<1	<1	2	3	4	6	9
20-34	1283	3.8	5	1	2	3	5	6	8	11
35-49	2007	4.8	6	2	2	4	6	8	9	13
50-64	2329	5.5	8	2	2	5	7	9	10	15
65+	1608	6.2	10	2	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	11	<1	<1	1	4	8	11	12
20-34	53	3.1	16	<1	<1	1	4	7	9	23
35-49	120	3.4	13	<1	1	2	4	8	11	17
50-64	210	4.4	14	<1	1	3	6	9	11	18
65+	361	5.4	20	1	1	4	7	10	14	23
B. *Operated*										
0-19 YRS	169	4.3	17	<1	1	3	6	9	13	29
20-34	872	5.4	13	2	2	5	7	9	11	19
35-49	2171	7.0	24	2	3	6	8	12	15	25
50-64	3289	7.8	31	3	3	7	9	13	17	29
65+	3343	9.4	49	3	4	8	11	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	3.3	7	<1	1	3	4	6	7	14
B. *Operated*	7626	5.0	8	2	2	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	756	4.6	18	<1	1	3	6	9	12	21
B. *Operated*	9844	7.9	36	2	3	7	9	14	18	31
1. SINGLE DX	7750	5.0	8	1	2	5	6	8	10	15
2. MULTIPLE DX	10600	7.7	35	2	3	6	9	13	18	30
A. NOT OPERATED	880	4.4	16	<1	1	3	6	9	12	21
B. OPERATED	17470	6.6	26	2	2	6	8	11	15	27
TOTAL 0-19 YRS	587	3.0	9	<1	<1	2	3	6	8	16
20-34	2227	4.4	9	1	2	4	5	8	9	15
35-49	4331	5.8	17	2	2	5	7	10	12	21
50-64	5859	6.8	23	2	3	6	8	11	15	25
65+	5346	8.1	38	2	3	7	10	14	19	32
GRAND TOTAL	**18350**	**6.5**	**25**	**2**	**2**	**5**	**8**	**11**	**15**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	5	1	1	3	4	7	8	8
20-34	146	3.6	6	1	1	3	4	6	9	11
35-49	450	3.5	4	1	1	3	5	6	7	10
50-64	575	3.9	5	1	1	4	5	7	8	11
65+	448	4.3	7	1	2	4	5	8	9	14
B. *Operated*										
0-19 YRS	30	6.4	34	<1	1	6	8	11	15	31
20-34	43	7.1	18	2	3	7	9	11	13	24
35-49	130	7.2	15	2	2	7	9	11	14	20
50-64	168	7.6	17	2	2	7	10	12	14	23
65+	111	10.3	42	2	3	9	14	18	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	5.0	30	1	1	3	6	9	17	30
20-34	794	4.5	10	1	2	4	6	8	10	16
35-49	2529	4.6	8	1	2	4	6	8	10	15
50-64	4640	4.8	9	2	2	4	6	8	10	16
65+	7243	6.0	22	2	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	66	11.1	84	3	4	8	14	23	27	52
20-34	379	8.5	27	2	3	8	10	14	19	30
35-49	1136	8.8	40	2	3	8	10	15	20	31
50-64	1823	9.0	37	2	3	8	11	16	20	32
65+	1951	10.6	66	2	3	9	13	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1631	3.9	5	1	1	3	5	7	8	11
B. *Operated*	482	8.0	25	2	2	8	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	15286	5.3	16	2	2	4	7	9	12	20
B. *Operated*	5355	9.5	49	2	3	8	11	17	22	35
1. SINGLE DX	2113	4.8	13	1	2	4	6	9	11	18
2. MULTIPLE DX	20641	6.4	28	2	2	5	8	12	15	27
A. NOT OPERATED	16917	5.2	15	2	2	4	6	9	12	19
B. OPERATED	5837	9.4	47	2	3	8	11	17	22	34
TOTAL 0-19 YRS	188	7.3	56	1	2	5	9	15	23	36
20-34	1362	5.6	19	1	2	4	7	10	13	24
35-49	4245	5.7	20	1	2	5	7	10	13	22
50-64	7206	5.9	19	2	2	5	7	11	14	23
65+	9753	6.9	34	2	2	5	8	13	17	30
GRAND TOTAL	**22754**	**6.3**	**27**	**2**	**2**	**5**	**8**	**11**	**15**	**26**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	5	<1	<1	3	5	6	6	6
20-34	8	3.0	3	<1	<1	3	4	5	6	6
35-49	16	4.4	8	1	2	3	6	9	10	10
50-64	12	4.8	16	1	1	4	5	10	15	16
65+	8	4.9	24	<1	<1	3	7	13	15	15
B. *Operated*										
0-19 YRS	70	2.6	3	<1	1	2	3	4	5	10
20-34	269	3.6	4	1	2	3	4	5	6	10
35-49	355	3.7	7	1	2	3	4	6	7	16
50-64	401	4.1	5	2	2	4	5	7	8	13
65+	378	4.6	6	2	2	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	2	<1	<1	1	3	4	4	4
20-34	17	4.1	21	<1	1	2	5	10	15	18
35-49	29	5.6	34	<1	1	3	7	13	15	29
50-64	42	4.2	7	1	1	3	6	9	10	10
65+	91	6.5	39	1	2	5	7	14	15	37
B. *Operated*										
0-19 YRS	31	3.4	4	<1	1	3	4	6	7	10
20-34	145	5.0	20	2	2	4	5	9	11	17
35-49	253	5.7	15	2	2	5	7	10	13	20
50-64	375	6.3	21	2	3	5	7	11	15	28
65+	632	8.0	40	2	3	6	10	15	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.2	11	<1	1	3	5	8	10	16
B. *Operated*	1473	4.0	6	1	2	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	188	5.4	29	1	1	4	7	10	14	30
B. *Operated*	1436	6.7	29	2	3	5	8	13	17	29
1. SINGLE DX	1523	4.0	6	1	2	4	5	6	8	14
2. MULTIPLE DX	1624	6.6	29	2	2	5	8	13	17	29
A. NOT OPERATED	238	5.2	25	1	1	4	6	10	14	29
B. OPERATED	2909	5.3	19	2	2	4	6	10	13	23
TOTAL 0-19 YRS	116	2.8	3	<1	1	2	4	5	6	10
20-34	439	4.1	10	1	2	3	5	6	9	15
35-49	653	4.6	12	1	2	4	5	9	11	19
50-64	830	5.1	13	2	2	4	6	9	12	20
65+	1109	6.7	30	2	3	5	8	13	18	29
GRAND TOTAL	**3147**	**5.3**	**20**	**1**	**2**	**4**	**6**	**10**	**14**	**23**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	12	3.3	3	1	1	3	4	6	7	7
35-49	20	3.0	5	<1	<1	2	4	5	8	10
50-64	39	4.1	5	1	2	4	5	7	9	10
65+	70	5.4	80	<1	1	3	5	8	13	60
B. *Operated*										
0-19 YRS	188	2.8	7	<1	1	2	3	5	7	15
20-34	432	3.7	6	1	1	3	4	6	8	11
35-49	778	4.4	8	1	2	4	5	8	9	15
50-64	882	5.4	15	2	2	4	7	9	12	19
65+	924	7.4	34	2	3	6	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	3	<1	<1	2	3	5	7	7
20-34	13	4.2	17	1	1	3	4	12	14	14
35-49	58	4.5	10	1	1	4	6	8	11	18
50-64	134	4.8	14	1	2	4	6	9	11	21
65+	455	6.9	32	2	2	5	9	13	18	32
B. *Operated*										
0-19 YRS	91	5.5	32	1	1	3	7	11	15	32
20-34	252	6.8	31	1	2	5	9	13	16	24
35-49	779	7.5	35	2	2	6	9	14	18	31
50-64	1506	9.3	51	3	3	8	11	17	22	40
65+	2957	12.3	91	3	4	10	15	22	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	4.4	41	<1	1	3	5	7	10	42
B. *Operated*	3204	5.4	19	1	2	4	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	672	6.2	27	1	2	5	6	12	16	28
B. *Operated*	5585	10.5	73	2	3	8	13	19	26	50
1. SINGLE DX	3352	5.3	20	1	2	4	7	10	13	22
2. MULTIPLE DX	6257	10.0	70	2	3	8	12	19	25	48
A. NOT OPERATED	820	5.8	30	1	2	4	7	11	16	29
B. OPERATED	8789	8.6	59	2	2	7	11	17	22	41
TOTAL 0-19 YRS	298	3.6	16	<1	1	2	4	8	11	22
20-34	709	4.8	17	1	2	4	6	9	12	21
35-49	1635	5.8	23	1	2	5	7	11	14	25
50-64	2561	7.7	40	2	3	6	9	14	18	33
65+	4406	10.6	79	2	3	8	13	20	27	52
GRAND TOTAL	**9609**	**8.4**	**58**	**2**	**2**	**6**	**10**	**16**	**22**	**41**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	590	2.7	4	1	1	2	4	5	7	9
20-34	786	4.2	10	1	1	4	5	8	9	17
35-49	1287	4.7	11	1	1	4	6	9	11	17
50-64	1538	4.8	8	1	2	4	6	8	10	15
65+	1962	5.6	17	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	601	6.8	16	3	3	6	8	11	13	22
20-34	580	9.0	19	4	5	8	11	14	18	25
35-49	878	10.4	34	5	6	9	12	17	21	35
50-64	896	11.1	30	5	6	10	13	18	22	31
65+	999	12.9	56	5	7	11	15	20	25	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	474	4.0	17	1	1	3	5	8	10	22
20-34	1117	5.3	16	1	2	4	7	10	13	22
35-49	1878	6.1	19	2	2	5	8	11	14	21
50-64	3599	6.6	26	2	2	5	8	12	15	26
65+	9215	8.4	46	2	3	7	10	16	20	36
B. *Operated*										
0-19 YRS	660	10.0	82	4	4	8	11	17	27	60
20-34	1046	13.0	86	4	5	10	16	23	31	53
35-49	1608	14.5	105	5	6	12	17	26	33	70
50-64	2892	16.8	145	6	7	13	20	31	41	77
65+	6396	19.0	156	7	8	16	23	35	46	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5163	4.7	12	1	1	4	6	9	11	17
B. *Operated*	4884	10.5	38	4	5	9	13	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	16283	7.4	37	2	2	6	9	14	18	31
B. *Operated*	12602	16.9	144	5	7	14	21	31	42	75
1. SINGLE DX	10047	7.0	30	1	2	6	9	13	17	26
2. MULTIPLE DX	28885	11.6	106	2	3	9	15	23	31	57
A. NOT OPERATED	22446	6.7	32	1	2	5	8	13	16	28
B. OPERATED	16486	15.4	127	5	6	12	19	28	38	68
TOTAL 0-19 YRS	2325	6.1	40	1	1	5	8	11	14	31
20-34	3529	8.0	49	1	2	6	10	16	21	34
35-49	5581	8.8	60	2	3	7	11	17	22	40
50-64	8925	10.0	87	2	3	8	12	20	27	50
65+	18572	12.0	109	2	3	9	15	24	32	59
GRAND TOTAL	38932	10.4	91	2	3	8	13	21	28	52

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16346	2.8	3	1	1	2	4	5	6	9
20-34	7864	2.8	4	1	1	2	4	5	6	9
35-49	3650	3.2	5	1	1	3	4	6	7	11
50-64	2465	3.6	6	1	1	3	5	7	8	13
65+	2376	4.2	11	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	456	4.6	49	1	1	3	5	8	11	39
20-34	640	4.7	8	1	2	4	6	8	10	16
35-49	353	5.4	18	1	1	4	7	10	12	23
50-64	225	6.4	44	1	1	5	8	12	15	31
65+	169	7.3	45	1	1	6	10	15	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29769	3.6	7	1	2	3	4	6	7	13
20-34	10196	3.7	8	1	1	3	4	7	8	14
35-49	7174	4.5	12	1	2	4	6	8	10	17
50-64	9127	5.2	15	1	2	4	7	9	12	19
65+	18743	6.5	31	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	763	8.5	123	2	2	5	9	17	31	66
20-34	1056	7.1	41	1	2	5	9	13	17	32
35-49	998	8.9	54	2	3	7	11	16	20	43
50-64	1302	10.0	90	2	3	8	12	19	26	56
65+	2377	12.6	112	3	4	10	16	25	34	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34701	3.0	4	1	1	3	4	5	7	10
B. *Operated*	1843	5.3	29	1	1	4	6	10	12	26
2. MULTIPLE DX										
A. *Not Operated*	75009	4.6	16	1	2	4	6	8	11	20
B. *Operated*	6496	10.1	92	2	3	7	12	20	28	52
1. SINGLE DX	36544	3.1	6	1	1	3	4	6	7	11
2. MULTIPLE DX	81505	5.1	24	1	2	4	6	9	13	25
A. NOT OPERATED	109710	4.1	13	1	1	3	5	8	10	18
B. OPERATED	8339	9.1	82	2	2	7	11	18	25	49
TOTAL 0-19 YRS	49334	3.4	8	1	1	3	4	6	7	12
20-34	19756	3.5	9	1	1	3	4	7	8	14
35-49	12175	4.5	15	1	1	4	6	8	11	19
50-64	13119	5.4	24	1	2	4	7	10	13	24
65+	23665	6.9	41	2	2	5	8	13	18	34
GRAND TOTAL	118049	4.5	19	1	1	3	5	8	11	22

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.5	7	<1	1	5	6	8	9	9
20-34	242	4.7	7	1	2	4	6	8	10	13
35-49	1499	5.1	8	1	2	5	6	9	11	14
50-64	3095	5.1	9	1	2	5	7	9	10	14
65+	3806	5.1	12	1	2	4	7	9	11	17
B. Operated										
0-19 YRS	7	7.0	4	4	4	7	9	9	9	9
20-34	115	8.2	18	2	4	7	10	13	16	25
35-49	478	9.9	23	4	5	9	11	15	19	27
50-64	883	11.0	33	3	5	10	13	17	21	29
65+	732	12.4	52	2	4	12	16	21	24	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	9.2	190	2	2	6	9	14	40	67
20-34	224	5.4	10	2	2	5	7	10	11	16
35-49	1907	5.7	12	2	2	5	7	10	12	18
50-64	7148	5.9	15	2	2	5	7	10	13	19
65+	21900	7.1	30	2	2	6	9	13	16	27
B. Operated										
0-19 YRS	16	12.1	64	2	3	10	17	22	29	32
20-34	209	11.9	79	4	5	10	13	21	25	52
35-49	1314	12.2	50	4	5	11	15	21	26	42
50-64	3924	13.4	81	3	5	11	16	24	30	54
65+	7531	15.6	134	3	5	13	19	29	39	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8656	5.1	10	1	2	5	7	9	11	15
B. Operated	2215	11.1	37	3	5	10	13	18	22	31
2. MULTIPLE DX										
A. Not Operated	31200	6.7	26	2	2	6	8	12	15	25
B. Operated	12994	14.6	110	3	5	12	18	26	34	61
1. SINGLE DX	10871	6.3	21	1	2	5	8	12	14	23
2. MULTIPLE DX	44194	9.0	63	2	3	7	11	17	23	42
A. NOT OPERATED	39856	6.4	23	2	2	5	8	11	14	23
B. OPERATED	15209	14.0	101	3	5	12	17	25	33	58
TOTAL 0-19 YRS	58	8.6	94	1	2	6	9	18	21	64
20-34	790	7.3	37	2	2	6	9	13	16	32
35-49	5198	7.6	30	2	3	6	10	14	18	29
50-64	15050	8.0	44	2	2	6	10	15	20	33
65+	33969	8.9	65	2	3	7	11	17	23	43
GRAND TOTAL	**55065**	**8.5**	**56**	**2**	**2**	**7**	**10**	**16**	**22**	**39**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	2.7	4	<1	1	2	4	5	6	13
20-34	203	2.9	3	<1	1	3	4	5	6	10
35-49	171	3.4	7	<1	1	3	4	7	9	15
50-64	95	3.2	7	<1	1	2	4	6	9	13
65+	65	4.4	10	1	1	4	6	8	10	17
B. Operated										
0-19 YRS	582	3.0	6	<1	1	2	4	5	7	14
20-34	3754	3.2	4	1	1	3	4	5	7	10
35-49	3425	3.3	4	1	1	3	4	5	7	11
50-64	1952	3.6	6	1	1	3	4	6	8	12
65+	698	4.3	10	1	2	4	5	7	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	152	4.0	13	1	1	3	5	7	11	17
20-34	249	3.9	11	<1	1	3	5	7	10	17
35-49	294	4.3	15	1	1	3	5	8	10	20
50-64	327	4.9	22	1	1	4	6	9	13	21
65+	370	8.1	86	1	2	5	10	17	23	62
B. Operated										
0-19 YRS	357	4.1	14	1	1	3	5	8	9	19
20-34	3277	4.3	11	1	2	4	5	7	9	17
35-49	4072	4.5	17	1	2	4	5	8	10	19
50-64	3415	5.4	26	2	2	4	6	9	14	28
65+	1905	7.5	65	2	2	5	8	15	22	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	638	3.2	6	<1	1	3	4	6	8	12
B. Operated	10411	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	1392	5.3	37	1	1	4	6	11	15	30
B. Operated	13026	5.1	26	1	2	4	6	9	13	27
1. SINGLE DX	11049	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX	14418	5.2	27	1	2	4	6	9	13	27
A. NOT OPERATED	2030	4.7	28	1	1	3	6	9	12	24
B. OPERATED	23437	4.4	17	1	2	3	5	7	10	21
TOTAL 0-19 YRS	1195	3.4	10	1	1	3	4	6	8	16
20-34	7483	3.7	8	1	1	3	4	6	8	14
35-49	7962	4.0	11	1	1	3	5	7	8	16
50-64	5789	4.8	19	1	2	4	5	8	11	23
65+	3038	6.8	56	1	2	5	7	14	19	44
GRAND TOTAL	**25467**	**4.4**	**18**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2973	3.5	12	1	1	3	4	6	9	17
20-34	4224	4.7	13	1	1	4	6	9	11	19
35-49	3077	4.7	13	1	1	4	6	9	11	19
50-64	2028	4.6	15	1	1	4	6	9	11	19
65+	2238	4.6	17	1	1	3	6	9	12	21
B. *Operated*										
0-19 YRS	1006	6.2	43	1	1	4	8	14	18	36
20-34	2235	7.6	48	1	2	6	10	15	20	33
35-49	1787	7.6	47	1	1	6	10	16	20	34
50-64	1453	7.7	53	1	1	6	10	16	21	34
65+	1403	8.6	63	1	2	6	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2990	4.2	16	1	1	3	5	8	11	22
20-34	6428	5.5	22	1	2	4	7	10	13	25
35-49	6889	5.7	24	1	2	5	7	11	14	24
50-64	7899	5.9	23	1	2	5	7	11	14	24
65+	17179	7.0	42	1	2	5	9	13	18	32
B. *Operated*										
0-19 YRS	1326	10.0	108	1	2	7	12	22	32	50
20-34	4799	10.8	108	2	3	8	13	22	32	56
35-49	4941	11.3	120	2	3	8	14	23	34	61
50-64	5930	12.3	136	2	3	9	15	26	36	66
65+	9197	14.7	169	2	3	11	19	31	42	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14540	4.4	14	1	1	3	6	8	11	19
B. *Operated*	7884	7.6	51	1	1	6	10	16	21	35
2. MULTIPLE DX										
A. *Not Operated*	41385	6.1	31	1	2	5	8	12	15	28
B. *Operated*	26193	12.5	141	2	3	9	16	27	37	66
1. SINGLE DX	22424	5.5	29	1	1	4	7	11	15	29
2. MULTIPLE DX	67578	8.6	83	1	2	6	10	18	25	50
A. NOT OPERATED	55925	5.7	27	1	2	4	7	11	14	26
B. OPERATED	34077	11.4	124	2	2	8	14	24	34	61
TOTAL 0-19 YRS	8295	5.1	38	1	1	3	6	10	15	34
20-34	17686	7.0	52	1	2	5	8	14	20	39
35-49	16694	7.4	60	1	2	5	9	15	21	41
50-64	17310	8.1	73	1	2	5	10	16	24	46
65+	30017	9.2	93	1	2	6	11	19	27	53
GRAND TOTAL	**90002**	**7.9**	**71**	**1**	**2**	**5**	**9**	**16**	**23**	**46**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	2	4	4	5	6	7	7	7
20-34	89	8.2	83	2	2	5	9	18	21	55
35-49	184	7.7	59	1	2	5	9	15	25	39
50-64	238	8.7	58	2	2	7	11	18	21	42
65+	95	8.3	27	2	3	7	11	16	17	28
B. *Operated*										
0-19 YRS										
20-34	21	7.9	118	1	1	3	7	27	34	41
35-49	80	6.0	41	1	1	3	9	15	19	30
50-64	99	7.6	71	1	1	4	11	17	23	43
65+	36	5.4	28	1	1	3	8	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	14.3	141	2	3	9	28	31	33	34
20-34	715	10.8	94	2	3	7	13	28	30	43
35-49	2123	11.3	96	2	3	8	14	25	29	47
50-64	3067	12.1	97	3	3	9	16	24	31	49
65+	1548	12.3	103	3	4	9	15	24	32	52
B. *Operated*										
0-19 YRS	3	15.3	64	7	7	16	21	23	23	23
20-34	195	13.6	149	2	2	9	18	32	42	63
35-49	636	14.0	150	2	2	11	19	30	37	70
50-64	1074	15.4	189	2	3	12	20	32	43	73
65+	527	16.0	172	3	4	12	20	35	45	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	8.2	57	2	2	6	10	16	21	40
B. *Operated*	236	6.8	58	1	1	4	9	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	7473	11.8	98	2	3	9	15	25	31	48
B. *Operated*	2435	15.0	172	2	3	12	20	32	43	71
1. SINGLE DX	846	7.8	57	1	2	6	10	16	21	40
2. MULTIPLE DX	9908	12.6	118	2	3	9	16	27	34	55
A. NOT OPERATED	8083	11.5	96	2	3	8	15	24	30	48
B. OPERATED	2671	14.3	168	1	2	11	19	31	42	69
TOTAL 0-19 YRS	27	13.1	120	3	3	7	22	30	32	34
20-34	1020	11.1	106	2	3	7	14	28	32	53
35-49	3023	11.5	107	2	3	8	15	25	31	51
50-64	4478	12.6	120	2	3	9	16	26	34	54
65+	2206	12.9	119	2	4	10	16	26	34	58
GRAND TOTAL	**10754**	**12.2**	**115**	**2**	**3**	**9**	**16**	**26**	**33**	**53**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.7	9	1	1	3	5	8	9	12
20-34	83	4.4	15	1	1	3	5	9	13	19
35-49	116	6.3	25	1	2	5	8	13	17	26
50-64	213	6.7	33	1	1	5	9	14	17	27
65+	118	7.7	43	1	2	6	9	16	23	34
B. *Operated*										
0-19 YRS	72	4.4	56	1	1	2	4	8	13	42
20-34	400	2.6	7	1	1	2	3	5	7	15
35-49	386	3.0	23	<1	1	2	3	6	10	22
50-64	466	3.7	23	1	1	2	4	9	14	21
65+	243	4.4	25	1	1	2	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	6.3	35	1	2	4	9	12	16	35
20-34	262	7.4	46	1	2	6	9	13	20	35
35-49	705	9.3	66	2	2	7	11	18	24	44
50-64	1636	10.1	67	2	3	8	12	20	26	43
65+	1849	11.8	95	3	4	9	15	23	31	54
B. *Operated*										
0-19 YRS	96	8.3	139	1	1	4	10	20	29	67
20-34	361	6.4	57	1	1	4	8	15	19	43
35-49	704	8.0	77	1	1	5	11	19	26	50
50-64	1437	9.9	104	1	1	7	13	23	31	47
65+	1306	12.3	123	1	2	10	17	26	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	566	6.3	31	1	1	5	8	13	17	27
B. *Operated*	1567	3.4	21	1	1	2	3	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	4537	10.5	78	2	3	8	13	21	28	45
B. *Operated*	3904	10.0	106	1	1	7	14	23	30	49
1. SINGLE DX	2133	4.2	25	1	1	2	5	9	14	25
2. MULTIPLE DX	8441	10.2	91	1	2	8	13	22	29	47
A. NOT OPERATED	5103	10.0	75	2	3	8	12	20	27	45
B. OPERATED	5471	8.1	90	1	1	4	11	20	27	46
TOTAL 0-19 YRS	289	6.2	74	1	1	3	8	12	19	41
20-34	1106	5.1	37	1	1	3	6	11	16	30
35-49	1911	7.4	64	1	1	5	10	16	22	44
50-64	3752	9.0	79	1	1	7	12	20	27	44
65+	3516	11.4	103	1	2	9	15	24	31	52
GRAND TOTAL	**10574**	**9.0**	**84**	**1**	**1**	**6**	**12**	**20**	**27**	**45**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	4.9	12	1	2	4	6	8	12	20
20-34	593	5.6	16	1	2	5	7	10	12	18
35-49	281	6.1	19	1	2	5	7	11	15	26
50-64	262	6.4	28	1	2	5	8	11	16	28
65+	189	7.6	39	2	2	5	9	15	19	34
B. *Operated*										
0-19 YRS	37	6.2	50	1	1	3	7	18	23	28
20-34	127	6.5	73	1	1	4	8	16	21	42
35-49	141	6.6	74	1	1	3	8	14	23	44
50-64	161	6.1	39	1	1	3	9	15	21	28
65+	103	7.5	50	1	1	5	11	17	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	5.8	19	1	2	5	8	11	15	21
20-34	693	7.0	39	2	2	5	8	13	18	33
35-49	897	8.7	58	2	3	7	11	17	22	38
50-64	1743	9.6	72	2	3	7	11	19	25	46
65+	1955	10.6	76	3	3	8	13	20	27	50
B. *Operated*										
0-19 YRS	78	11.4	146	1	2	8	15	27	36	63
20-34	221	9.8	84	1	2	8	13	20	30	44
35-49	409	12.2	138	1	2	9	17	27	35	61
50-64	723	13.4	131	1	2	11	19	30	37	64
65+	767	16.8	183	2	3	13	23	34	46	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1562	5.9	21	1	2	5	7	11	14	26
B. *Operated*	569	6.6	58	1	1	4	9	16	21	37
2. MULTIPLE DX										
A. *Not Operated*	5548	9.3	66	2	3	7	11	18	24	44
B. *Operated*	2198	13.9	151	1	2	11	19	30	39	64
1. SINGLE DX	2131	6.1	31	1	2	5	8	12	16	28
2. MULTIPLE DX	7746	10.6	95	2	3	8	13	22	30	52
A. NOT OPERATED	7110	8.6	58	2	3	7	10	17	22	41
B. OPERATED	2767	12.4	141	1	2	9	17	28	36	61
TOTAL 0-19 YRS	612	6.2	38	1	2	5	7	12	18	29
20-34	1634	6.8	41	1	2	5	8	13	18	34
35-49	1728	9.0	76	1	2	6	11	18	25	45
50-64	2889	10.1	86	2	2	7	13	21	28	47
65+	3014	11.9	109	2	3	9	15	25	33	59
GRAND TOTAL	**9877**	**9.6**	**84**	**2**	**2**	**7**	**12**	**20**	**28**	**50**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	2.9	4	<1	1	2	4	6	7	9
20-34	1354	2.9	4	<1	1	2	4	5	7	9
35-49	1294	3.1	5	1	1	3	4	6	7	10
50-64	1316	3.6	6	1	1	3	5	7	8	12
65+	1231	4.8	12	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	1065	6.4	6	4	4	6	7	10	11	16
20-34	12241	6.5	6	4	4	6	7	9	11	15
35-49	11016	6.9	6	4	5	6	8	10	12	16
50-64	10047	7.5	9	4	5	7	8	11	13	18
65+	5679	9.1	17	5	5	8	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	4.0	8	1	1	3	5	7	9	16
20-34	1360	3.9	7	1	1	3	5	7	9	13
35-49	1850	4.4	10	1	1	4	5	8	10	14
50-64	3629	5.1	13	1	2	4	7	9	12	18
65+	7847	7.0	34	2	2	6	9	13	16	28
B. *Operated*										
0-19 YRS	740	8.7	19	4	5	8	10	14	17	24
20-34	9068	8.1	17	4	5	7	9	13	15	23
35-49	12084	8.7	22	4	5	8	10	14	17	26
50-64	18158	10.1	33	5	5	9	12	16	20	32
65+	21208	13.5	73	6	6	11	16	23	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5367	3.5	7	1	1	3	5	7	8	12
B. *Operated*	40048	7.2	9	4	5	7	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	14887	5.9	25	1	2	5	7	11	14	24
B. *Operated*	61258	10.7	47	5	5	9	13	18	22	38
1. SINGLE DX	45415	6.8	10	2	4	6	8	10	12	18
2. MULTIPLE DX	76145	9.8	46	3	4	8	12	17	21	36
A. NOT OPERATED	20254	5.3	21	1	1	4	7	10	13	22
B. OPERATED	101306	9.3	35	4	5	8	11	15	19	32
TOTAL 0-19 YRS	2178	6.7	14	2	3	6	8	11	13	21
20-34	24023	6.8	12	2	4	6	8	11	13	18
35-49	26244	7.4	16	3	4	7	9	12	14	21
50-64	33150	8.5	27	3	4	7	10	14	17	27
65+	35965	11.1	62	3	4	9	14	20	25	43
GRAND TOTAL	**121560**	**8.6**	**35**	**3**	**4**	**7**	**10**	**15**	**19**	**31**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	3.7	9	1	1	3	5	7	8	13
20-34	969	3.4	5	1	1	3	4	6	7	11
35-49	822	3.7	6	1	1	3	5	7	8	11
50-64	643	4.1	8	1	1	3	5	8	9	14
65+	543	5.2	11	1	2	4	7	9	11	17
B. *Operated*										
0-19 YRS	105	7.1	9	3	4	7	9	10	12	17
20-34	1197	7.3	11	4	4	6	8	11	14	19
35-49	1191	7.5	11	4	5	7	9	12	14	19
50-64	793	8.2	16	4	5	7	10	13	15	22
65+	567	10.4	29	5	5	9	12	17	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	4.3	8	1	2	3	5	8	9	18
20-34	1023	4.5	10	1	2	4	6	8	10	16
35-49	1146	5.1	11	1	2	4	7	9	11	16
50-64	1560	5.8	17	1	2	5	7	10	13	20
65+	2746	7.7	28	2	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	115	8.9	26	4	4	7	11	15	18	28
20-34	1634	8.7	28	4	5	7	10	15	18	30
35-49	2300	9.5	31	4	5	8	11	16	20	30
50-64	2375	11.4	53	5	6	9	14	19	24	42
65+	2852	15.0	90	6	7	12	18	27	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3122	3.9	7	1	1	3	5	7	9	13
B. *Operated*	3853	8.0	16	4	5	7	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	6627	6.2	21	1	2	5	8	11	14	22
B. *Operated*	9276	11.5	60	5	5	9	14	20	26	43
1. SINGLE DX	6975	6.2	16	1	2	6	8	11	13	20
2. MULTIPLE DX	15903	9.3	51	2	3	8	11	17	22	37
A. NOT OPERATED	9749	5.5	17	1	2	4	7	10	13	21
B. OPERATED	13129	10.5	50	4	5	8	12	18	23	39
TOTAL 0-19 YRS	517	5.7	17	1	2	5	7	10	13	21
20-34	4823	6.4	20	1	2	6	8	11	14	23
35-49	5459	7.3	24	2	2	6	9	13	16	25
50-64	5371	8.4	40	2	3	7	10	15	19	34
65+	6708	10.8	67	3	3	9	13	20	26	43
GRAND TOTAL	**22878**	**8.4**	**42**	**2**	**3**	**7**	**10**	**15**	**20**	**34**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	4	2	2	2	5	7	8	8
20-34	81	3.3	6	1	1	3	4	7	9	11
35-49	99	3.7	9	1	1	3	5	8	10	16
50-64	129	3.4	4	1	1	3	5	6	7	9
65+	188	4.9	13	1	1	4	7	10	11	20
B. *Operated*										
0-19 YRS	48	8.1	17	3	4	8	10	12	13	28
20-34	439	7.5	14	2	3	7	10	12	14	18
35-49	373	8.2	18	2	3	8	10	14	16	21
50-64	458	8.7	29	2	3	8	12	15	18	28
65+	664	11.0	47	2	3	10	15	20	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	7	1	1	3	6	8	9	9
20-34	88	4.5	7	1	2	4	6	9	9	11
35-49	150	5.0	14	1	1	4	6	10	13	19
50-64	243	6.3	22	1	2	5	8	11	15	27
65+	808	7.5	32	2	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	38	10.1	31	5	6	8	12	16	24	29
20-34	396	10.5	34	4	5	9	13	17	21	37
35-49	452	10.4	49	3	5	9	12	18	23	42
50-64	1011	12.8	69	3	5	11	16	21	27	52
65+	2710	16.5	117	4	6	14	20	29	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	4.0	9	1	1	3	5	8	10	15
B. *Operated*	1982	9.1	31	2	3	8	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	1304	6.8	27	1	2	6	9	12	16	27
B. *Operated*	4607	14.5	98	4	6	12	18	26	32	57
1. SINGLE DX	2491	8.1	31	1	2	7	11	15	18	28
2. MULTIPLE DX	5911	12.8	93	2	4	11	16	24	30	52
A. NOT OPERATED	1813	6.0	23	1	2	5	8	11	14	26
B. OPERATED	6589	12.9	84	3	4	11	16	23	30	51
TOTAL 0-19 YRS	113	7.7	25	2	2	7	10	12	16	28
20-34	1004	8.1	26	2	3	7	10	14	16	30
35-49	1074	8.3	35	1	2	7	10	15	19	30
50-64	1841	10.3	58	2	3	9	13	19	24	39
65+	4370	13.5	103	2	3	12	17	25	32	54
GRAND TOTAL	**8402**	**11.4**	**79**	**2**	**3**	**9**	**15**	**21**	**28**	**47**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	6.0	10	1	1	6	8	10	11	14
20-34	85	3.9	8	1	1	3	5	7	9	16
35-49	100	4.7	13	1	1	4	6	10	11	18
50-64	136	5.0	16	1	2	4	7	10	12	18
65+	219	6.4	19	1	2	6	9	13	15	24
B. *Operated*										
0-19 YRS	18	10.7	64	1	1	10	13	17	28	36
20-34	84	8.1	36	1	2	7	11	16	20	31
35-49	117	7.5	39	1	2	5	11	16	19	31
50-64	153	8.7	47	1	1	8	12	18	22	31
65+	117	10.6	79	1	2	9	16	22	29	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	9.7	45	2	2	9	12	19	22	37
20-34	153	5.6	15	1	2	5	7	10	13	19
35-49	253	6.7	35	1	2	5	8	13	17	34
50-64	431	7.2	28	2	2	6	9	13	18	25
65+	1175	9.2	54	2	3	8	11	17	22	41
B. *Operated*										
0-19 YRS	41	18.6	145	2	4	18	27	35	38	49
20-34	170	12.2	192	2	2	8	16	24	34	89
35-49	319	13.0	106	2	3	11	18	26	34	78
50-64	603	15.6	167	2	3	13	20	29	36	73
65+	1133	17.4	162	3	5	15	22	32	42	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	5.4	16	1	2	4	7	10	13	18
B. *Operated*	489	8.9	52	1	2	7	12	18	22	36
2. MULTIPLE DX										
A. *Not Operated*	2094	8.3	45	2	2	7	10	15	20	36
B. *Operated*	2266	16.0	161	2	3	13	21	30	40	76
1. SINGLE DX	1059	7.0	36	1	2	5	9	14	18	31
2. MULTIPLE DX	4360	12.3	120	2	3	9	16	24	32	57
A. NOT OPERATED	2664	7.7	40	2	2	6	10	14	19	34
B. OPERATED	2755	14.7	149	2	3	12	19	28	37	71
TOTAL 0-19 YRS	171	11.3	83	1	2	9	14	23	33	42
20-34	492	8.0	89	1	2	5	10	17	22	50
35-49	789	9.1	72	1	2	7	12	20	26	45
50-64	1323	11.0	111	1	2	8	14	22	29	55
65+	2644	12.6	117	2	3	10	16	25	33	56
GRAND TOTAL	**5419**	**11.2**	**108**	**2**	**2**	**8**	**15**	**23**	**30**	**53**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	5.0	10	1	2	4	6	9	11	17
20-34	1869	5.6	13	2	2	5	7	10	12	19
35-49	1978	6.1	17	2	2	5	8	11	13	21
50-64	1220	6.5	22	2	3	6	8	11	14	24
65+	774	6.9	23	2	3	6	8	12	14	28
B. *Operated*										
0-19 YRS	44	11.7	113	1	2	9	15	27	33	51
20-34	219	10.3	96	2	2	8	12	20	29	52
35-49	248	10.9	101	1	2	9	14	24	33	50
50-64	228	10.7	104	1	2	9	14	24	30	57
65+	137	10.4	105	1	2	9	13	19	39	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	6.0	19	1	2	5	8	11	13	24
20-34	3780	7.0	28	2	3	6	9	12	16	28
35-49	5693	7.7	33	2	3	6	9	14	18	30
50-64	4542	8.0	33	2	3	7	10	14	18	32
65+	4696	9.1	47	3	3	7	11	16	21	37
B. *Operated*										
0-19 YRS	90	15.7	241	2	3	11	17	35	53	86
20-34	794	17.3	228	3	5	13	21	37	51	93
35-49	1444	17.6	233	3	4	13	22	38	53	96
50-64	1563	17.4	221	3	5	14	21	35	53	91
65+	1543	18.2	197	4	6	14	22	36	49	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6158	6.1	18	2	2	5	8	11	13	22
B. *Operated*	876	10.7	102	1	2	9	13	23	32	54
2. MULTIPLE DX										
A. *Not Operated*	19031	8.0	36	2	3	7	10	14	18	32
B. *Operated*	5434	17.7	219	3	5	14	22	37	52	93
1. SINGLE DX	7034	6.6	30	2	2	5	8	12	16	30
2. MULTIPLE DX	24465	10.1	93	2	3	7	12	19	27	56
A. NOT OPERATED	25189	7.5	32	2	3	6	9	13	17	30
B. OPERATED	6310	16.7	208	2	4	13	21	35	50	92
TOTAL 0-19 YRS	771	7.0	58	1	2	5	8	13	18	40
20-34	6662	7.9	63	2	2	6	9	15	20	44
35-49	9363	9.0	77	2	3	7	11	17	24	51
50-64	7553	9.8	88	2	3	7	12	19	25	55
65+	7150	10.9	93	3	3	8	13	21	29	57
GRAND TOTAL	**31499**	**9.3**	**81**	**2**	**3**	**7**	**11**	**18**	**25**	**52**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	380	2.7	3	<1	1	2	4	5	6	9
20-34	488	3.4	5	1	1	3	4	6	7	12
35-49	468	4.0	9	1	1	3	5	7	9	15
50-64	690	4.4	12	1	1	4	5	8	10	18
65+	1183	5.3	16	1	2	5	7	9	12	19
B. *Operated*										
0-19 YRS	33	6.0	23	1	2	5	8	12	18	21
20-34	47	4.9	3	1	2	5	7	9	10	11
35-49	69	5.9	32	1	1	5	7	10	15	35
50-64	105	7.2	34	1	2	6	9	13	16	36
65+	145	9.8	82	2	3	8	12	16	23	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	678	3.5	5	1	1	3	4	7	8	12
20-34	1497	4.3	13	1	1	3	5	8	10	18
35-49	2316	5.5	19	1	2	4	7	10	13	23
50-64	4511	6.2	24	2	2	5	8	11	14	25
65+	13443	7.9	40	2	3	6	9	14	19	32
B. *Operated*										
0-19 YRS	87	8.3	90	2	2	5	10	16	29	53
20-34	314	8.0	54	2	2	6	10	15	23	44
35-49	573	9.5	77	2	3	8	11	17	24	52
50-64	1470	11.1	108	2	3	8	13	22	30	56
65+	3602	12.9	116	3	4	10	16	25	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3209	4.3	12	1	1	4	6	8	10	18
B. *Operated*	399	7.5	50	1	2	6	9	14	17	35
2. MULTIPLE DX										
A. *Not Operated*	22445	6.9	33	2	2	6	8	13	17	29
B. *Operated*	6046	11.8	109	3	3	9	15	24	32	60
1. SINGLE DX	3608	4.7	17	1	1	4	6	9	11	19
2. MULTIPLE DX	28491	8.0	53	2	2	6	10	15	21	39
A. NOT OPERATED	25654	6.6	31	1	2	5	8	12	16	28
B. OPERATED	6445	11.6	106	2	3	9	14	23	31	58
TOTAL 0-19 YRS	1178	3.7	13	1	1	3	4	7	9	16
20-34	2346	4.6	18	1	1	4	6	9	11	20
35-49	3426	6.0	31	1	2	5	7	11	14	27
50-64	6776	7.1	46	2	2	5	8	13	18	36
65+	18373	8.7	58	2	3	7	10	17	22	41
GRAND TOTAL	**32099**	**7.6**	**50**	**2**	**2**	**6**	**9**	**15**	**20**	**37**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	4.0	12	1	1	3	5	8	10	19
20-34	38	6.6	39	1	2	5	7	11	24	30
35-49	35	6.8	39	1	2	4	8	16	22	29
50-64	37	7.4	24	1	2	7	11	13	17	22
65+	36	7.4	31	1	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	46	6.0	58	<1	1	4	7	14	21	44
20-34	31	6.7	20	<1	1	6	11	13	14	15
35-49	31	8.3	42	1	2	6	12	17	25	27
50-64	34	10.1	105	1	2	6	14	24	36	40
65+	22	9.9	92	1	3	8	12	16	31	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	401	5.8	49	1	2	4	6	12	17	45
20-34	113	9.9	93	1	2	6	14	25	31	41
35-49	153	9.0	71	2	3	6	11	17	26	54
50-64	256	10.0	83	2	3	8	12	22	29	40
65+	350	10.9	93	2	3	9	13	20	29	55
B. *Operated*										
0-19 YRS	52	16.8	618	1	3	11	24	91	99+	99+
20-34	61	13.8	203	3	4	10	14	26	45	81
35-49	156	17.3	285	4	5	12	20	40	58	92
50-64	204	15.9	159	3	4	12	21	33	45	65
65+	239	18.4	211	3	5	14	22	40	50	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	5.1	22	1	1	4	6	10	14	25
B. *Operated*	164	8.0	63	1	1	5	11	16	23	43
2. MULTIPLE DX										
A. *Not Operated*	1273	8.8	79	2	2	5	11	18	25	49
B. *Operated*	732	16.6	227	3	4	12	21	37	56	99+
1. SINGLE DX	563	5.9	35	1	1	4	7	13	17	29
2. MULTIPLE DX	2005	11.7	147	2	3	6	15	26	37	60
A. NOT OPERATED	1672	7.9	67	1	2	5	10	16	24	41
B. OPERATED	896	15.2	206	2	3	11	19	34	50	93
TOTAL 0-19 YRS	752	6.0	71	1	1	4	6	13	19	94
20-34	243	10.2	117	1	2	6	13	23	30	58
35-49	375	12.2	173	2	3	8	14	26	39	76
50-64	531	12.1	118	2	3	9	15	26	35	56
65+	647	13.5	147	2	3	10	16	28	41	62
GRAND TOTAL	2568	10.5	129	1	2	7	13	23	33	69

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	484	5.1	15	1	1	4	7	10	13	19
20-34	74	4.8	10	1	2	4	7	11	12	12
35-49	44	4.8	9	1	1	4	6	10	10	13
50-64	35	4.8	17	1	2	4	6	8	11	23
65+	35	9.4	62	2	3	7	12	23	30	32
B. *Operated*										
0-19 YRS	253	4.1	18	1	2	2	4	8	12	21
20-34	165	3.9	13	1	1	3	5	8	11	21
35-49	91	4.0	14	1	1	3	4	9	11	20
50-64	83	4.1	15	1	1	3	5	10	11	22
65+	48	6.9	100	1	1	4	9	11	25	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	473	5.6	19	1	1	4	7	11	14	20
20-34	205	5.8	19	1	2	5	8	11	14	22
35-49	184	7.5	35	1	2	6	10	15	20	32
50-64	309	8.3	40	1	2	7	11	16	20	29
65+	541	11.2	108	3	3	8	14	22	29	59
B. *Operated*										
0-19 YRS	166	6.8	125	2	2	5	11	19	32	72
20-34	343	7.0	51	1	2	6	10	17	21	33
35-49	327	8.7	102	2	2	5	10	20	28	56
50-64	437	9.4	95	2	2	7	11	19	29	42
65+	402	14.5	156	2	3	12	18	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	5.3	18	1	1	4	7	10	13	21
B. *Operated*	640	4.2	22	1	2	3	5	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	1712	8.1	58	1	2	6	10	15	21	36
B. *Operated*	1695	10.1	111	2	2	7	13	22	30	56
1. SINGLE DX	1312	4.8	20	1	1	3	6	10	13	23
2. MULTIPLE DX	3407	9.1	85	1	2	7	11	19	26	47
A. NOT OPERATED	2384	7.3	48	1	2	5	9	14	19	33
B. OPERATED	2335	8.5	94	1	2	5	11	19	26	49
TOTAL 0-19 YRS	1396	5.6	33	1	2	4	7	11	15	28
20-34	787	6.2	33	1	2	4	8	13	17	28
35-49	646	7.4	67	1	2	5	9	16	22	39
50-64	864	8.3	67	1	2	6	11	17	23	39
65+	1026	12.2	128	2	3	9	15	25	34	60
GRAND TOTAL	4719	7.9	71	1	2	5	10	16	23	41

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	5.3	11	2	2	5	7	9	11	18
20-34	21	3.6	3	1	1	3	5	6	7	7
35-49	8	3.3	2	1	1	3	4	5	5	5
50-64	6	8.3	38	2	2	7	13	17	18	18
65+	5	4.8	5	3	3	4	6	8	8	8
B. *Operated*										
0-19 YRS	18	4.7	18	<1	1	3	6	13	14	14
20-34	10	4.6	14	1	1	3	6	11	13	13
35-49	9	8.2	111	<1	<1	8	8	24	35	35
50-64	9	3.2	27	1	1	2	2	11	17	17
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	6.1	13	2	3	5	8	11	14	18
20-34	43	5.1	12	1	1	4	7	10	12	16
35-49	37	8.9	115	2	2	6	8	18	31	58
50-64	33	8.2	36	2	3	7	10	16	24	26
65+	72	13.8	179	3	4	10	16	28	47	74
B. *Operated*										
0-19 YRS	39	8.2	95	1	1	5	10	23	31	44
20-34	46	9.5	104	2	2	7	10	20	30	58
35-49	40	10.2	74	2	2	8	14	19	27	43
50-64	48	12.8	61	3	3	12	16	25	28	32
65+	67	16.3	264	2	4	11	19	38	56	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	5.1	11	2	2	4	7	9	11	18
B. *Operated*	49	4.9	35	1	1	3	7	12	14	35
2. MULTIPLE DX										
A. *Not Operated*	370	8.0	66	2	3	6	9	15	20	48
B. *Operated*	240	12.0	141	2	2	9	15	26	33	64
1. SINGLE DX	261	5.1	16	1	2	4	6	9	13	19
2. MULTIPLE DX	610	9.5	99	2	2	7	11	19	28	58
A. NOT OPERATED	582	6.9	48	2	2	5	8	13	17	38
B. OPERATED	289	10.8	130	1	2	8	14	24	32	62
TOTAL 0-19 YRS	414	5.9	21	1	2	5	7	11	15	23
20-34	120	6.5	51	1	2	4	8	12	16	43
35-49	94	8.9	89	2	2	6	11	18	31	51
50-64	96	10.0	56	1	2	8	14	22	26	31
65+	147	14.4	214	3	3	10	17	29	50	75
GRAND TOTAL	**871**	**8.2**	**78**	**2**	**2**	**6**	**9**	**16**	**24**	**51**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	4.5	20	<1	1	3	6	9	15	22
20-34	29	6.3	141	<1	<1	2	6	13	19	64
35-49	40	3.0	10	<1	1	2	4	7	10	14
50-64	83	4.7	45	<1	1	2	4	10	18	37
65+	56	6.1	34	1	1	4	9	13	18	30
B. *Operated*										
0-19 YRS	125	7.0	57	<1	<1	4	9	18	25	34
20-34	182	8.3	88	<1	1	4	12	20	26	46
35-49	183	7.9	142	<1	1	3	9	19	32	60
50-64	271	6.3	61	1	1	3	7	16	22	40
65+	205	6.2	47	1	2	4	7	16	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	5.5	39	<1	<1	3	6	14	21	29
20-34	211	4.8	26	<1	1	3	6	11	13	28
35-49	380	6.2	64	1	1	4	7	14	17	40
50-64	794	7.1	62	1	1	5	9	16	20	37
65+	1830	9.9	76	1	2	8	13	21	27	46
B. *Operated*										
0-19 YRS	302	14.6	187	1	2	11	21	29	44	81
20-34	1144	12.5	205	<1	<1	7	17	32	44	66
35-49	1267	13.6	211	1	2	8	19	33	43	74
50-64	1923	12.5	165	2	2	8	17	29	41	70
65+	2156	15.3	214	2	3	11	21	35	47	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	4.8	42	<1	1	2	6	10	15	35
B. *Operated*	966	7.1	78	<1	1	4	9	18	24	46
2. MULTIPLE DX										
A. *Not Operated*	3457	8.2	69	1	1	6	11	18	24	43
B. *Operated*	6792	13.7	198	1	2	9	19	33	44	73
1. SINGLE DX	1236	6.6	71	<1	1	3	8	16	23	43
2. MULTIPLE DX	10249	11.9	161	1	2	8	15	28	38	67
A. NOT OPERATED	3727	8.0	68	1	1	6	10	18	24	42
B. OPERATED	7758	12.9	188	1	2	8	17	31	43	72
TOTAL 0-19 YRS	731	9.4	120	<1	<1	5	13	24	29	60
20-34	1566	10.9	174	<1	<1	5	15	27	39	62
35-49	1870	11.4	181	1	2	6	15	28	38	72
50-64	3071	10.3	134	1	2	6	13	24	35	59
65+	4247	12.4	153	1	2	9	16	28	38	67
GRAND TOTAL	**11485**	**11.3**	**154**	**1**	**2**	**7**	**15**	**26**	**37**	**64**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	15	1	1	3	5	7	14	16
20-34	21	5.6	12	1	2	5	9	11	11	12
35-49	18	5.9	25	<1	1	4	7	14	17	19
50-64	31	8.1	160	<1	2	6	8	13	18	73
65+	77	8.4	62	1	1	6	11	19	23	42
B. *Operated*										
0-19 YRS	13	8.1	57	<1	1	5	11	22	23	23
20-34	24	7.6	55	<1	1	4	12	20	23	24
35-49	27	6.0	31	1	2	3	9	15	16	22
50-64	42	9.2	154	1	1	4	12	18	44	55
65+	48	11.8	241	1	1	6	14	37	50	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	7.0	28	1	1	6	9	15	18	21
20-34	109	7.0	37	1	1	6	9	13	17	36
35-49	158	8.6	66	1	1	7	11	17	23	43
50-64	483	10.7	101	2	3	9	13	20	27	50
65+	2294	12.3	97	2	3	10	16	24	30	54
B. *Operated*										
0-19 YRS	42	15.5	167	2	3	13	21	36	54	99+
20-34	143	13.9	169	1	2	11	18	31	38	88
35-49	216	16.7	232	2	3	12	22	34	48	76
50-64	521	17.7	202	3	4	14	24	36	45	71
65+	1040	20.4	234	4	5	16	27	42	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	7.3	67	1	1	5	9	15	20	45
B. *Operated*	154	9.1	138	1	1	5	12	22	37	55
2. MULTIPLE DX										
A. *Not Operated*	3089	11.6	94	2	3	9	15	22	29	53
B. *Operated*	1962	18.7	222	3	4	15	25	39	51	89
1. SINGLE DX	315	8.2	102	1	1	5	10	19	24	53
2. MULTIPLE DX	5051	14.4	156	2	3	11	19	30	40	69
A. NOT OPERATED	3250	11.4	94	2	3	9	15	22	29	53
B. OPERATED	2116	18.0	222	2	3	14	24	38	51	87
TOTAL 0-19 YRS	114	9.9	99	1	1	7	14	22	30	73
20-34	297	10.3	112	1	1	7	14	23	33	59
35-49	419	12.5	167	1	2	8	17	27	38	61
50-64	1077	14.0	166	2	3	10	18	30	39	67
65+	3459	14.7	153	2	4	11	19	30	40	69
GRAND TOTAL	**5366**	**14.0**	**153**	**2**	**3**	**10**	**18**	**29**	**39**	**68**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1153	4.1	4	2	2	4	5	6	7	10
20-34	1523	4.2	4	2	2	4	5	7	8	10
35-49	432	4.5	5	2	2	4	6	7	8	11
50-64	259	5.0	5	2	2	5	6	8	9	12
65+	211	6.0	13	2	3	5	7	11	13	19
B. *Operated*										
0-19 YRS	61	5.1	6	1	2	5	6	8	9	15
20-34	91	5.8	9	2	3	5	7	10	11	17
35-49	38	7.0	14	3	4	6	8	12	16	19
50-64	24	8.8	39	2	3	7	9	20	25	26
65+	11	9.2	50	2	2	8	10	18	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1333	4.6	5	2	2	4	6	7	9	13
20-34	2389	5.1	8	2	2	5	6	8	10	15
35-49	1187	6.1	13	2	3	5	7	10	13	18
50-64	1385	6.9	14	3	3	6	9	11	14	20
65+	2713	8.8	36	3	4	7	11	15	19	31
B. *Operated*										
0-19 YRS	177	6.9	32	2	3	6	8	11	15	22
20-34	393	8.4	28	3	4	7	10	14	16	32
35-49	256	11.2	71	3	4	9	14	22	26	51
50-64	330	12.1	63	4	6	10	14	20	26	55
65+	483	15.2	120	5	6	12	19	27	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3578	4.4	5	2	2	4	5	7	8	12
B. *Operated*	225	6.3	15	2	3	5	8	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	9007	6.6	20	2	3	5	8	11	14	23
B. *Operated*	1639	11.4	78	3	4	9	14	21	27	50
1. SINGLE DX	3803	4.5	5	2	2	4	5	7	8	12
2. MULTIPLE DX	10646	7.3	32	2	3	6	9	13	17	29
A. NOT OPERATED	12585	5.9	17	2	2	5	7	10	13	21
B. OPERATED	1864	10.8	73	3	4	8	13	20	26	46
TOTAL 0-19 YRS	2724	4.6	7	2	2	4	5	7	8	13
20-34	4396	5.1	9	2	2	4	6	8	10	16
35-49	1913	6.4	23	2	3	5	8	11	15	26
50-64	1998	7.5	26	3	3	6	9	13	16	27
65+	3418	9.6	52	3	4	8	12	17	22	38
GRAND TOTAL	**14449**	**6.6**	**27**	**2**	**3**	**5**	**8**	**12**	**15**	**27**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1192	4.0	5	1	2	4	5	6	8	12
20-34	1665	4.1	5	2	2	4	5	7	8	12
35-49	472	4.7	7	2	2	4	6	8	9	15
50-64	290	5.3	11	2	2	5	7	9	11	19
65+	270	6.5	25	2	3	5	7	11	13	29
B. *Operated*										
0-19 YRS	115	5.0	17	1	1	4	6	9	11	25
20-34	184	6.0	19	2	2	5	7	10	13	20
35-49	100	6.2	13	2	2	6	7	11	13	17
50-64	78	8.4	34	1	2	7	12	17	20	26
65+	61	10.5	60	2	3	8	13	25	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1349	4.7	10	2	2	4	6	8	10	14
20-34	2261	5.0	9	2	2	4	6	8	10	16
35-49	1077	5.9	15	2	2	5	7	10	12	19
50-64	1255	7.3	26	3	3	6	9	13	15	27
65+	2403	8.8	37	3	3	7	11	15	19	32
B. *Operated*										
0-19 YRS	297	6.8	33	1	2	5	9	13	16	34
20-34	581	8.7	55	2	3	7	10	16	20	39
35-49	516	10.2	55	2	3	8	12	19	24	42
50-64	644	12.8	101	2	3	10	16	24	31	56
65+	857	15.1	140	3	5	12	19	29	40	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3889	4.4	8	2	2	4	5	7	9	14
B. *Operated*	538	6.7	27	1	2	5	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	8345	6.5	23	2	3	5	8	12	15	25
B. *Operated*	2895	11.6	96	2	3	9	15	23	31	60
1. SINGLE DX	4427	4.7	11	2	2	4	6	8	10	17
2. MULTIPLE DX	11240	7.8	47	2	3	6	9	15	20	38
A. NOT OPERATED	12234	5.8	19	2	2	5	7	10	14	23
B. OPERATED	3433	10.8	89	2	3	8	14	21	29	54
TOTAL 0-19 YRS	2953	4.7	11	1	2	4	6	8	10	16
20-34	4691	5.2	16	2	2	4	6	9	11	20
35-49	2165	6.7	27	2	2	5	8	12	16	29
50-64	2267	8.6	53	2	3	7	10	16	22	38
65+	3591	10.2	69	3	3	8	12	19	25	47
GRAND TOTAL	**15657**	**6.9**	**39**	**2**	**2**	**5**	**8**	**13**	**18**	**34**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	2.4	3	1	1	2	3	5	6	9
20-34	1788	2.2	3	<1	1	2	3	4	5	8
35-49	2071	2.2	3	<1	1	2	3	4	5	9
50-64	1187	2.4	3	1	1	2	3	5	6	8
65+	435	3.0	5	1	1	2	4	6	7	13
B. *Operated*										
0-19 YRS	84	7.3	20	2	3	7	10	11	13	28
20-34	905	7.2	18	2	2	7	9	12	15	23
35-49	1227	7.5	18	2	2	7	9	12	14	23
50-64	1163	8.2	19	2	3	8	10	13	16	23
65+	464	8.5	34	2	2	8	11	14	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	3.1	4	1	1	3	4	6	7	10
20-34	1252	3.0	6	1	1	2	4	6	8	11
35-49	1851	3.2	6	1	1	3	4	6	8	13
50-64	1826	3.7	9	1	1	3	5	7	10	15
65+	1403	5.1	16	1	2	4	6	10	13	20
B. *Operated*										
0-19 YRS	111	9.0	54	1	2	8	11	17	20	41
20-34	958	9.1	39	2	3	8	11	16	20	34
35-49	1535	9.1	43	2	3	8	11	17	21	31
50-64	2206	9.9	52	2	3	9	12	18	22	37
65+	1866	11.0	72	2	3	9	14	20	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5718	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	3843	7.8	21	2	2	8	10	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	6520	3.7	10	1	1	3	5	7	9	15
B. *Operated*	6676	9.9	54	2	3	9	12	18	23	38
1. SINGLE DX	9561	4.5	17	1	1	3	7	10	12	19
2. MULTIPLE DX	13196	6.8	42	1	1	5	9	14	18	31
A. NOT OPERATED	12238	3.1	7	1	1	2	4	6	8	14
B. OPERATED	10519	9.1	43	2	3	8	11	16	20	34
TOTAL 0-19 YRS	620	4.5	22	1	1	3	6	10	12	21
20-34	4903	4.7	22	1	1	3	7	10	13	22
35-49	6684	5.0	24	1	1	3	7	11	14	23
50-64	6382	6.4	34	1	1	5	9	13	17	28
65+	4168	7.9	51	1	2	6	10	16	20	35
GRAND TOTAL	**22757**	**5.9**	**33**	**1**	**1**	**4**	**8**	**12**	**16**	**27**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	677	2.2	2	1	1	2	3	4	5	6
20-34	6715	2.0	2	<1	1	2	2	3	4	6
35-49	7884	2.0	2	<1	1	2	2	4	4	7
50-64	4656	2.2	2	1	1	2	3	4	5	7
65+	1305	2.5	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	413	5.1	9	1	2	4	7	10	11	15
20-34	4116	5.2	11	1	2	5	7	10	11	16
35-49	5231	5.6	13	1	2	5	7	10	12	17
50-64	3707	6.1	16	2	2	5	8	11	13	19
65+	1463	7.0	20	2	2	6	9	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	2.6	2	1	1	2	3	4	6	8
20-34	2329	2.6	3	1	1	2	3	5	6	10
35-49	3420	2.7	4	1	1	2	3	5	6	10
50-64	3320	3.0	5	1	1	2	4	6	7	11
65+	1915	3.7	8	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	193	6.3	18	2	2	5	8	12	14	21
20-34	1856	6.6	19	2	2	6	9	12	14	22
35-49	3182	7.2	25	2	2	6	9	13	17	26
50-64	3892	8.2	31	2	3	7	10	15	18	27
65+	2872	10.0	59	2	3	8	13	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21237	2.1	2	1	1	2	3	4	5	7
B. *Operated*	14930	5.7	14	1	2	5	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	11229	2.9	5	1	1	2	4	5	7	11
B. *Operated*	11995	8.1	35	2	2	7	10	15	19	28
1. SINGLE DX	36167	3.6	10	1	1	2	5	8	10	15
2. MULTIPLE DX	23224	5.6	27	1	1	4	8	12	15	24
A. NOT OPERATED	32466	2.4	3	1	1	2	3	4	6	9
B. OPERATED	26925	6.8	25	2	2	6	9	12	16	24
TOTAL 0-19 YRS	1528	3.6	8	1	1	3	4	7	9	14
20-34	15016	3.5	10	1	1	2	5	8	10	15
35-49	19717	3.9	13	1	1	3	5	8	11	17
50-64	15575	4.8	19	1	1	3	6	10	13	20
65+	7555	6.5	38	1	1	5	9	14	17	28
GRAND TOTAL	**59391**	**4.4**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	2.9	6	<1	1	2	3	6	8	14
20-34	189	2.6	8	<1	1	2	3	4	6	12
35-49	162	3.0	6	<1	1	2	4	6	8	13
50-64	166	3.0	6	1	1	2	4	6	8	11
65+	131	4.6	11	1	1	3	6	9	13	14
B. *Operated*										
0-19 YRS	1326	6.4	16	<1	1	6	9	11	13	18
20-34	657	6.8	20	1	2	6	9	12	15	21
35-49	510	6.7	28	1	1	6	9	13	17	25
50-64	620	6.0	31	1	1	4	9	13	17	27
65+	417	5.8	32	1	1	4	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	4.0	13	<1	1	3	5	9	12	17
20-34	415	3.9	12	1	1	3	5	8	10	17
35-49	402	5.0	19	1	1	4	6	11	13	23
50-64	734	6.1	23	1	2	5	8	12	15	23
65+	1745	8.5	53	2	2	7	10	16	22	40
B. *Operated*										
0-19 YRS	1714	7.3	38	<1	1	7	10	14	17	27
20-34	1183	8.6	41	1	2	8	11	16	21	32
35-49	1337	9.2	63	2	2	8	12	18	23	38
50-64	2005	10.0	74	2	2	8	13	21	26	41
65+	2789	11.9	116	2	2	9	16	24	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	838	3.1	8	<1	1	2	4	6	9	14
B. *Operated*	3530	6.4	23	1	1	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	3628	6.7	38	1	2	5	8	14	18	31
B. *Operated*	9028	9.8	77	1	2	8	13	20	25	44
1. SINGLE DX	4368	5.8	22	1	1	5	8	11	14	21
2. MULTIPLE DX	12656	8.9	68	1	2	7	11	18	24	41
A. NOT OPERATED	4466	6.0	35	1	1	4	8	13	16	30
B. OPERATED	12558	8.8	64	1	2	7	11	18	23	40
TOTAL 0-19 YRS	3562	6.4	27	<1	1	6	9	12	15	23
20-34	2444	6.8	32	1	1	6	9	13	17	27
35-49	2411	7.6	49	1	2	6	10	16	20	33
50-64	3525	8.1	57	1	2	6	11	17	23	36
65+	5082	10.1	90	1	2	8	13	21	28	50
GRAND TOTAL	**17024**	**8.1**	**58**	**1**	**2**	**6**	**10**	**16**	**22**	**38**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	2.6	3	<1	1	2	3	5	7	9
20-34	417	2.1	2	<1	1	2	3	4	4	6
35-49	427	2.2	3	<1	1	2	3	4	6	8
50-64	256	2.4	3	<1	1	2	3	4	5	9
65+	77	2.5	3	1	1	2	3	5	5	8
B. Operated										
0-19 YRS	27	4.7	21	1	1	4	6	9	12	24
20-34	189	5.4	13	1	2	5	8	10	12	18
35-49	259	5.3	21	1	1	4	7	10	13	25
50-64	282	5.7	19	1	2	5	8	11	14	19
65+	258	5.7	21	1	2	4	8	11	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	4.0	6	<1	1	4	6	8	8	9
20-34	223	3.0	5	1	1	2	4	6	8	11
35-49	279	3.0	7	1	1	2	4	6	7	12
50-64	266	3.5	8	1	1	3	4	7	8	14
65+	230	5.4	41	1	1	4	5	12	16	26
B. Operated										
0-19 YRS	44	4.6	13	1	1	3	7	9	12	17
20-34	256	6.7	43	1	2	5	8	13	17	39
35-49	330	7.0	50	1	2	5	9	14	18	42
50-64	652	7.0	33	1	2	6	10	13	18	30
65+	1416	9.5	83	2	2	7	12	18	25	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1236	2.3	3	<1	1	2	3	4	5	8
B. Operated	1015	5.5	19	1	2	4	8	10	13	22
2. MULTIPLE DX										
A. Not Operated	1039	3.7	15	1	1	3	4	7	9	17
B. Operated	2698	8.3	64	2	2	6	10	16	22	41
1. SINGLE DX	2251	3.7	13	1	1	2	5	8	10	17
2. MULTIPLE DX	3737	7.0	54	1	2	5	9	14	19	36
A. NOT OPERATED	2275	2.9	9	1	1	2	4	5	7	14
B. OPERATED	3713	7.5	53	1	2	6	10	15	20	36
TOTAL 0-19 YRS	171	3.8	10	1	1	3	5	8	9	16
20-34	1085	3.9	18	1	1	3	5	8	11	20
35-49	1295	4.2	23	1	1	3	5	9	12	25
50-64	1456	5.3	24	1	1	4	7	11	14	23
65+	1981	8.3	71	1	2	6	10	17	22	43
GRAND TOTAL	**5988**	**5.8**	**41**	**1**	**1**	**4**	**7**	**12**	**17**	**31**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	329	2.8	3	1	1	2	4	5	6	8
20-34	286	3.1	16	<1	1	2	4	5	6	11
35-49	141	3.3	5	<1	1	3	4	6	7	11
50-64	114	3.3	5	1	1	3	4	6	8	10
65+	173	4.5	14	1	1	4	6	8	11	20
B. Operated										
0-19 YRS	379	2.3	4	<1	<1	2	3	5	6	11
20-34	638	2.9	6	<1	1	2	4	6	8	12
35-49	640	3.0	7	<1	1	2	4	6	8	11
50-64	780	3.0	7	1	1	2	3	6	7	14
65+	924	3.5	7	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	474	3.7	7	1	1	3	5	7	8	10
20-34	639	4.1	22	1	1	3	5	7	9	18
35-49	504	5.0	15	1	2	4	6	9	12	18
50-64	659	5.9	18	1	2	5	7	10	14	24
65+	2152	7.8	40	2	3	6	9	14	18	36
B. Operated										
0-19 YRS	689	3.3	8	<1	1	2	4	7	9	13
20-34	1456	4.7	24	<1	1	3	6	9	12	23
35-49	1706	5.1	24	1	1	4	6	11	14	25
50-64	2366	5.8	40	1	1	4	7	12	16	34
65+	4902	7.4	59	1	2	5	9	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1043	3.3	9	<1	1	3	4	6	7	11
B. Operated	3361	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	4428	6.2	30	1	2	5	8	11	15	28
B. Operated	11119	6.1	43	1	1	4	8	13	17	32
1. SINGLE DX	4404	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	15547	6.1	40	1	2	4	8	12	16	31
A. NOT OPERATED	5471	5.7	27	1	2	4	7	11	14	26
B. OPERATED	14480	5.4	37	1	1	4	7	11	15	29
TOTAL 0-19 YRS	1871	3.1	6	<1	1	2	4	6	8	12
20-34	3019	4.1	19	<1	1	3	5	8	10	18
35-49	2991	4.5	19	1	1	3	6	9	12	21
50-64	3919	5.2	30	1	1	4	6	10	14	27
65+	8151	7.0	49	1	2	5	9	14	18	36
GRAND TOTAL	**19951**	**5.5**	**34**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.0	2	<1	<1	1	3	4	5	7
20-34	25	2.3	3	<1	<1	1	3	5	6	7
35-49	16	2.4	5	<1	<1	2	3	4	8	10
50-64	20	2.6	2	<1	1	2	3	4	5	6
65+	37	3.3	6	<1	1	3	5	6	8	11
B. *Operated*										
0-19 YRS	1909	1.7	3	<1	<1	1	2	3	4	8
20-34	1007	2.8	4	<1	1	2	4	5	7	11
35-49	783	3.0	6	<1	<1	2	4	6	8	13
50-64	798	3.3	6	<1	1	3	4	6	8	13
65+	1074	4.0	11	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	1.7	1	<1	<1	1	2	3	4	6
20-34	45	4.0	10	<1	1	3	6	8	9	15
35-49	33	3.4	5	<1	1	3	4	6	9	10
50-64	82	5.2	26	<1	1	4	6	11	15	28
65+	317	6.3	35	1	2	4	8	13	17	31
B. *Operated*										
0-19 YRS	1906	2.2	5	<1	<1	2	2	4	6	11
20-34	1425	3.7	13	<1	1	3	4	8	10	17
35-49	1477	4.1	14	1	1	3	5	8	11	19
50-64	2256	4.8	23	1	1	3	6	10	13	23
65+	4265	6.5	42	1	2	5	8	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	2.6	4	<1	<1	2	4	5	6	10
B. *Operated*	5571	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	524	5.3	28	<1	1	4	7	11	15	28
B. *Operated*	11329	4.8	27	1	1	3	6	10	14	26
1. SINGLE DX	5695	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX	11853	4.8	27	1	1	3	6	10	14	26
A. NOT OPERATED	648	4.8	25	<1	1	3	6	10	14	26
B. OPERATED	16900	4.1	21	<1	1	3	5	9	12	23
TOTAL 0-19 YRS	3888	1.9	4	<1	<1	1	2	4	5	10
20-34	2502	3.3	10	<1	1	2	4	7	9	15
35-49	2309	3.7	11	<1	1	3	4	7	10	17
50-64	3156	4.4	19	1	1	3	5	9	12	20
65+	5693	6.0	37	1	2	4	7	12	16	31
GRAND TOTAL	**17548**	**4.1**	**21**	**<1**	**1**	**3**	**5**	**9**	**12**	**23**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2305	3.1	4	1	1	3	4	5	7	9
20-34	1293	3.2	6	<1	1	3	4	6	7	11
35-49	651	3.6	7	1	1	3	5	7	8	14
50-64	648	4.0	6	1	1	3	5	7	8	13
65+	1258	5.5	17	1	2	4	7	11	13	20
B. *Operated*										
0-19 YRS	1610	2.5	7	<1	<1	2	3	5	8	12
20-34	1349	3.0	6	<1	1	2	4	6	8	12
35-49	1332	3.1	8	<1	<1	2	4	6	9	15
50-64	1610	3.3	8	<1	1	3	4	6	9	14
65+	2066	4.3	16	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4581	4.1	8	1	1	3	5	7	9	14
20-34	3976	4.7	13	1	2	4	6	8	11	19
35-49	3100	5.7	17	1	2	5	7	10	13	21
50-64	5278	6.7	25	2	2	6	8	12	15	24
65+	23241	8.9	54	2	3	7	11	16	21	39
B. *Operated*										
0-19 YRS	2551	3.7	18	<1	<1	2	5	8	11	19
20-34	2694	5.3	40	1	1	4	7	11	15	32
35-49	3331	5.9	47	1	1	4	7	12	17	34
50-64	5804	6.9	55	1	2	5	9	14	19	38
65+	12783	9.5	88	2	2	7	12	19	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6155	3.8	8	1	1	3	5	7	9	14
B. *Operated*	7967	3.3	10	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	40176	7.4	41	2	2	6	9	14	18	33
B. *Operated*	27163	7.6	69	1	2	5	9	16	22	43
1. SINGLE DX	14122	3.5	9	<1	1	3	4	7	9	15
2. MULTIPLE DX	67339	7.5	52	1	2	6	9	15	19	37
A. NOT OPERATED	46331	6.9	39	1	2	5	9	13	17	31
B. OPERATED	35130	6.6	59	1	1	4	8	14	20	39
TOTAL 0-19 YRS	11047	3.6	10	<1	1	3	5	7	9	14
20-34	9312	4.4	19	1	1	3	5	8	11	21
35-49	8414	5.2	28	1	1	4	7	10	14	25
50-64	13340	6.3	37	1	2	5	8	12	16	30
65+	39348	8.8	63	2	2	7	11	17	22	43
GRAND TOTAL	**81461**	**6.8**	**47**	**1**	**2**	**5**	**8**	**14**	**18**	**34**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	1	<1	<1	4	4	4	4	4
20-34	7	4.3	3	2	2	4	6	7	7	7
35-49	90	2.8	6	<1	<1	2	4	6	7	14
50-64	142	3.6	11	<1	1	2	4	8	10	16
65+										
B. *Operated*										
0-19 YRS	21	5.1	12	<1	1	5	7	10	12	14
20-34	35	2.8	9	<1	<1	2	3	5	7	17
35-49	478	3.9	8	<1	1	3	6	8	9	13
50-64	7182	5.4	9	1	2	5	7	9	10	15
65+	12801	6.3	12	2	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.0	14	2	2	4	5	11	14	14
35-49	51	4.9	14	1	1	4	7	9	12	20
50-64	558	4.4	29	1	1	3	6	8	10	23
65+	1966	6.1	43	1	1	4	7	12	17	36
B. *Operated*										
0-19 YRS	36	7.5	26	2	2	7	9	16	20	23
20-34	62	4.4	15	<1	1	3	6	10	12	20
35-49	752	5.6	20	1	2	5	7	10	14	22
50-64	13597	7.1	23	2	3	6	9	12	15	23
65+	37944	9.0	43	3	4	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	3.3	9	<1	1	2	4	7	8	16
B. *Operated*	20517	5.9	11	2	2	6	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2583	5.7	39	1	1	4	7	11	15	34
B. *Operated*	52391	8.5	38	2	3	7	10	15	19	32
1. SINGLE DX	20763	5.9	11	1	2	5	7	10	12	17
2. MULTIPLE DX	54974	8.3	39	2	3	7	10	15	19	32
A. NOT OPERATED	2829	5.5	37	1	1	4	7	11	15	31
B. OPERATED	72908	7.7	32	2	3	6	9	14	17	29
TOTAL 0-19 YRS	57	6.6	22	1	2	6	8	12	17	23
20-34	112	3.9	13	<1	1	3	5	8	11	18
35-49	1288	5.0	16	1	1	4	7	9	12	19
50-64	21427	6.4	19	1	2	6	8	11	14	21
65+	52853	8.2	37	2	3	7	10	15	19	32
GRAND TOTAL	**75737**	**7.7**	**32**	**2**	**3**	**6**	**9**	**14**	**17**	**29**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	1	1	1	3	3	4	4	5
20-34	224	3.8	5	1	2	3	5	7	8	10
35-49	252	4.2	4	1	2	4	5	7	8	11
50-64	257	4.2	5	1	2	4	5	7	8	11
65+	135	4.5	5	1	2	4	6	8	8	10
B. *Operated*										
0-19 YRS	48	3.4	15	<1	<1	2	4	6	9	24
20-34	360	2.3	3	<1	<1	2	3	5	6	9
35-49	462	2.5	4	<1	<1	2	3	5	7	11
50-64	430	2.9	6	<1	1	2	3	6	7	15
65+	247	3.9	10	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.6	2	2	2	3	4	6	7	9
20-34	359	4.3	9	1	2	3	5	8	10	15
35-49	478	4.8	8	2	2	4	6	8	9	15
50-64	788	5.3	11	2	2	5	6	9	11	15
65+	777	6.0	18	2	3	5	7	10	13	19
B. *Operated*										
0-19 YRS	71	3.0	6	<1	1	2	4	7	9	10
20-34	487	3.7	18	<1	1	2	5	7	10	21
35-49	937	3.9	11	1	1	3	5	8	10	17
50-64	1393	5.2	19	1	1	4	7	11	13	21
65+	1412	7.0	39	2	2	5	9	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	899	4.1	5	1	2	4	5	7	8	11
B. *Operated*	1547	2.8	6	<1	1	2	3	6	7	33
2. MULTIPLE DX										
A. *Not Operated*	2435	5.3	13	2	2	5	7	9	11	16
B. *Operated*	4290	5.3	25	1	1	4	7	11	14	22
1. SINGLE DX	2446	3.3	6	<1	1	3	4	6	8	11
2. MULTIPLE DX	6725	5.3	21	1	2	4	7	10	13	21
A. NOT OPERATED	3334	4.9	11	1	2	4	6	8	10	15
B. OPERATED	5837	4.6	21	1	1	3	6	10	13	21
TOTAL 0-19 YRS	183	3.1	7	<1	1	2	4	6	8	12
20-34	1430	3.5	10	<1	1	3	4	7	9	14
35-49	2129	3.8	9	<1	1	3	5	7	9	14
50-64	2858	4.8	14	1	1	4	6	9	11	18
65+	2571	6.3	29	1	2	5	8	12	15	26
GRAND TOTAL	**9171**	**4.7**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.4	1	<1	<1	1	1	2	3	5
20-34	7	2.0	1	<1	<1	2	3	4	4	4
35-49	6	3.5	4	1	1	3	4	7	7	7
50-64	6	1.5	1	<1	<1	1	2	3	3	3
65+	5	3.2	5	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	1110	2.0	4	<1	<1	2	2	3	4	7
20-34	463	2.7	2	1	1	2	3	4	5	7
35-49	556	2.8	2	1	1	3	4	4	5	7
50-64	564	3.1	3	1	1	3	4	5	6	8
65+	592	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	1.6	2	<1	<1	1	2	3	4	9
20-34	10	2.5	2	<1	<1	2	4	5	5	5
35-49	11	3.4	8	<1	<1	2	6	8	8	8
50-64	32	4.0	14	<1	<1	2	6	10	12	15
65+	35	4.3	6	1	1	4	5	8	9	10
B. *Operated*										
0-19 YRS	1075	2.1	1	<1	<1	2	3	3	4	6
20-34	310	3.6	8	1	1	3	4	6	8	14
35-49	385	3.8	9	1	2	3	4	7	9	18
50-64	914	4.2	9	1	2	3	5	8	10	16
65+	982	5.1	17	2	2	4	6	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*	3685	2.7	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	185	2.7	6	<1	<1	1	4	6	8	12
B. *Operated*	3666	3.7	10	1	1	3	4	7	9	18
1. SINGLE DX	3743	2.7	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	3851	3.7	10	<1	1	3	4	7	9	17
A. NOT OPERATED	243	2.5	5	<1	<1	1	3	5	8	11
B. OPERATED	7351	3.2	7	1	1	3	4	5	7	14
TOTAL 0-19 YRS	2316	2.0	3	<1	<1	2	2	3	4	6
20-34	790	3.0	4	1	1	3	4	5	6	10
35-49	958	3.2	5	1	1	3	4	5	7	12
50-64	1916	3.6	6	1	2	3	4	6	8	14
65+	1614	4.4	12	1	2	3	5	8	11	19
GRAND TOTAL	**7594**	**3.2**	**7**	**<1**	**1**	**3**	**4**	**5**	**7**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	450	4.0	7	1	1	4	5	7	9	12
20-34	807	4.1	5	1	2	4	5	7	8	12
35-49	429	4.8	6	1	2	4	6	8	9	13
50-64	308	5.4	6	2	3	5	7	9	10	13
65+	218	5.5	7	2	2	5	7	9	10	13
B. *Operated*										
0-19 YRS	177	3.5	7	1	1	3	4	7	10	13
20-34	309	3.9	10	1	1	3	5	7	9	16
35-49	236	4.0	11	1	1	3	5	8	11	17
50-64	190	4.6	13	1	1	4	5	9	12	20
65+	140	5.3	15	2	2	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	4.2	7	1	1	4	5	7	10	14
20-34	390	5.2	10	1	2	5	7	9	11	15
35-49	395	5.4	9	2	2	5	7	9	11	14
50-64	554	6.2	12	2	3	6	8	10	12	17
65+	749	7.3	22	3	3	6	9	12	15	28
B. *Operated*										
0-19 YRS	102	4.9	14	1	1	4	6	11	13	16
20-34	230	5.1	23	1	1	4	6	10	13	26
35-49	296	5.9	32	1	2	5	7	11	14	24
50-64	414	7.8	39	2	2	6	10	15	20	32
65+	565	9.3	52	2	3	7	12	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2212	4.5	6	1	2	4	6	8	9	12
B. *Operated*	1052	4.2	11	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	2250	6.1	15	2	2	5	8	11	13	18
B. *Operated*	1607	7.4	42	1	2	6	10	15	19	31
1. SINGLE DX	3264	4.4	8	1	2	4	6	8	9	14
2. MULTIPLE DX	3857	6.7	26	2	2	5	8	12	15	27
A. NOT OPERATED	4462	5.3	11	1	2	5	7	9	11	16
B. OPERATED	2659	6.1	32	1	2	4	8	13	17	28
TOTAL 0-19 YRS	891	4.0	8	1	1	3	5	8	10	14
20-34	1736	4.4	10	1	1	4	6	8	10	15
35-49	1356	5.1	14	1	2	4	6	9	11	17
50-64	1466	6.3	20	2	2	5	8	11	14	22
65+	1672	7.6	32	2	3	6	9	14	18	29
GRAND TOTAL	**7121**	**5.6**	**19**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1404	1.5	1	<1	<1	1	2	2	2	4
20-34	345	1.9	1	<1	1	2	2	3	3	4
35-49	150	2.0	2	<1	<1	2	2	3	3	10
50-64	132	2.3	8	<1	1	2	2	3	4	11
65+	72	2.0	1	1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	1671	1.5		<1	<1	1	2	2	2	3
20-34	493	1.7	1	<1	<1	2	2	3	3	4
35-49	367	1.7		<1	<1	2	2	3	3	4
50-64	212	1.9	1	<1	<1	2	2	3	3	6
65+	140	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	1.5	1	<1	<1	1	2	2	3	5
20-34	140	2.2	2	<1	1	2	2	3	5	10
35-49	135	2.5	3	<1	1	2	3	5	6	11
50-64	147	2.7	5	<1	1	2	3	5	8	13
65+	154	3.5	10	1	1	2	4	7	10	16
B. *Operated*										
0-19 YRS	594	1.8	2	<1	<1	2	2	3	4	7
20-34	404	2.4	3	<1	1	2	3	4	5	10
35-49	444	2.6	5	<1	1	2	3	5	6	13
50-64	535	3.0	9	1	1	2	3	5	8	14
65+	543	4.6	26	1	1	3	5	10	13	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2103	1.6	1	<1	<1	2	2	2	3	4
B. *Operated*	2883	1.6	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	916	2.3	4	<1	<1	2	2	4	6	12
B. *Operated*	2520	2.9	10	<1	1	2	3	5	8	16
1. SINGLE DX	4986	1.6	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	3436	2.7	9	<1	1	2	3	5	7	14
A. NOT OPERATED	3019	1.8	2	<1	<1	2	2	3	4	8
B. OPERATED	5403	2.2	5	<1	<1	2	2	4	5	12
TOTAL 0-19 YRS	4009	1.5	1	<1	<1	1	2	2	3	4
20-34	1382	2.0	2	<1	<1	2	2	3	4	8
35-49	1096	2.2	3	<1	<1	2	2	3	5	10
50-64	1026	2.6	7	<1	1	2	3	5	6	13
65+	909	3.8	19	1	1	2	4	8	11	22
GRAND TOTAL	8422	2.1	4	<1	<1	2	2	3	5	10

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	2.1	3	<1	1	2	2	4	5	10
20-34	189	2.5	5	<1	1	2	3	5	5	14
35-49	132	2.6	6	<1	1	2	3	5	8	15
50-64	158	2.1	5	<1	<1	1	2	5	6	12
65+	55	2.7	5	<1	1	2	3	5	8	10
B. *Operated*										
0-19 YRS	2433	2.0	2	<1	1	2	2	4	5	7
20-34	1623	2.4	3	<1	1	2	3	4	5	11
35-49	1036	2.9	5	<1	1	2	3	5	7	11
50-64	1139	3.4	5	1	1	3	4	6	8	11
65+	505	3.8	9	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	2.9	7	<1	1	2	3	6	8	12
20-34	178	3.7	10	1	1	3	5	8	10	16
35-49	194	4.1	22	1	1	2	5	8	10	27
50-64	302	4.2	21	<1	1	3	5	9	12	22
65+	232	7.6	54	1	2	6	10	15	20	46
B. *Operated*										
0-19 YRS	1030	2.6	4	1	1	2	3	5	6	12
20-34	1224	3.5	16	1	1	2	4	6	9	22
35-49	1213	4.1	18	1	1	3	5	8	10	22
50-64	1800	5.2	35	1	2	4	6	9	12	26
65+	1215	6.4	51	1	2	4	7	13	19	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	800	2.3	4	<1	1	2	3	5	6	12
B. *Operated*	6736	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1109	4.6	26	1	1	3	6	10	13	28
B. *Operated*	6482	4.5	28	1	1	3	5	8	12	25
1. SINGLE DX	7536	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	7591	4.5	28	1	1	3	5	9	12	25
A. NOT OPERATED	1909	3.6	18	<1	1	2	4	8	11	20
B. OPERATED	13218	3.5	17	1	1	3	4	7	9	20
TOTAL 0-19 YRS	3932	2.2	3	<1	1	2	3	4	5	9
20-34	3214	2.9	9	<1	1	2	3	5	7	15
35-49	2575	3.5	13	1	1	3	4	7	9	17
50-64	3399	4.4	23	1	1	3	5	8	10	21
65+	2007	5.8	41	1	2	4	7	12	16	38
GRAND TOTAL	15127	3.6	17	1	1	2	4	7	9	20

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	21	1.9	1	<1	<1	1	2	4	4	5
35-49	53	1.8	1	<1	<1	1	2	3	4	6
50-64	27	2.4	2	<1	1	2	4	5	5	5
65+	8	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	299	1.9	2	<1	<1	2	2	3	4	6
20-34	2716	2.2	2	<1	<1	2	2	4	5	7
35-49	7246	2.2	2	<1	1	2	3	4	5	7
50-64	3684	2.2	2	<1	1	2	3	3	4	7
65+	1490	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	2	<1	<1	1	2	4	5	5
20-34	58	3.3	7	<1	1	3	4	7	9	14
35-49	105	3.4	8	<1	1	2	5	7	9	13
50-64	78	3.8	15	1	1	3	5	7	11	22
65+	38	5.3	46	1	1	3	7	10	13	41
B. *Operated*										
0-19 YRS	95	2.9	4	<1	1	2	3	6	7	11
20-34	1492	3.0	5	<1	1	2	4	5	7	11
35-49	4548	3.2	7	<1	1	2	4	6	7	12
50-64	3187	3.3	8	1	1	2	4	6	8	15
65+	1933	3.8	10	1	2	3	4	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	15435	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	287	3.7	15	<1	1	3	5	7	10	19
B. *Operated*	11255	3.3	7	1	1	2	4	6	8	14
1. SINGLE DX	15550	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	11542	3.3	7	1	1	2	4	6	8	14
A. NOT OPERATED	402	3.2	12	<1	1	2	4	6	9	15
B. OPERATED	26690	2.7	4	<1	1	2	3	5	6	11
TOTAL 0-19 YRS	408	2.1	3	<1	<1	2	2	3	4	9
20-34	4287	2.5	3	<1	<1	2	3	4	6	9
35-49	11952	2.6	4	<1	1	2	3	5	6	10
50-64	6976	2.8	5	<1	1	2	3	5	7	12
65+	3469	3.2	7	1	1	2	3	6	8	15
GRAND TOTAL	**27092**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.8	7	1	1	3	5	7	10	13
20-34	179	3.3	8	<1	1	3	4	6	7	9
35-49	97	3.1	5	<1	<1	2	5	6	8	9
50-64	40	3.2	9	<1	<1	2	4	7	10	13
65+	26	4.1	14	<1	1	3	6	10	12	15
B. *Operated*										
0-19 YRS	1467	2.7	2	1	1	3	4	4	5	7
20-34	2397	3.0	4	<1	1	3	4	5	6	8
35-49	1767	2.9	3	<1	1	2	4	5	6	10
50-64	1262	2.9	3	<1	1	2	4	5	6	11
65+	665	2.8	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	2.9	4	<1	<1	2	4	5	7	11
20-34	188	3.3	8	<1	1	2	5	7	9	13
35-49	198	4.1	19	<1	<1	3	5	9	11	24
50-64	168	4.5	17	<1	<1	3	6	9	13	21
65+	179	5.2	40	<1	1	4	6	10	15	27
B. *Operated*										
0-19 YRS	378	3.3	4	1	1	3	4	5	7	11
20-34	1331	3.8	7	1	2	3	4	6	8	14
35-49	1716	3.9	8	1	1	3	5	7	9	15
50-64	1468	4.4	15	1	2	3	5	8	11	19
65+	917	4.7	29	1	2	3	5	10	13	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	3.4	7	<1	1	3	4	6	8	11
B. *Operated*	7558	2.9	3	<1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	813	4.1	20	<1	1	3	5	8	11	21
B. *Operated*	5810	4.1	13	1	2	3	5	7	10	17
1. SINGLE DX	8013	2.9	3	<1	1	2	4	5	6	9
2. MULTIPLE DX	6623	4.1	14	1	1	3	5	7	10	18
A. NOT OPERATED	1268	3.9	15	<1	1	3	5	8	10	19
B. OPERATED	13368	3.4	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	2038	2.9	3	1	1	3	4	5	6	9
20-34	4095	3.3	5	<1	1	3	4	5	7	11
35-49	3778	3.4	7	<1	1	3	4	6	8	13
50-64	2938	3.7	11	1	1	3	4	7	9	17
65+	1787	4.0	21	1	1	3	4	8	11	22
GRAND TOTAL	**14636**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1351	2.5	3	1	1	2	3	4	5	8
20-34	2377	2.3	2	1	1	2	3	4	5	8
35-49	532	2.6	3	1	1	2	3	5	6	9
50-64	24	3.6	11	<1	<1	3	4	6	11	16
65+	9	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	1663	4.2	6	1	1	4	5	7	8	11
20-34	5632	4.3	6	1	1	4	6	7	8	12
35-49	1452	5.5	7	1	2	6	7	8	10	14
50-64	226	6.4	7	2	3	6	7	9	11	14
65+	107	8.6	18	3	5	8	10	12	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	919	3.1	5	1	1	3	4	5	7	11
20-34	1916	3.1	5	1	1	3	4	6	7	12
35-49	597	3.6	7	1	1	3	5	7	8	13
50-64	66	4.3	9	1	1	4	6	8	10	16
65+	54	7.3	48	1	2	5	9	15	19	37
B. *Operated*										
0-19 YRS	1653	5.0	8	1	2	5	6	8	10	14
20-34	10550	5.6	10	1	2	5	7	9	11	16
35-49	5095	6.9	15	2	4	6	8	10	13	21
50-64	655	8.3	21	3	5	7	9	13	16	26
65+	413	10.8	37	5	6	9	12	19	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4293	2.4	3	1	1	2	3	4	5	8
B. *Operated*	9080	4.6	7	1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	3552	3.3	7	1	1	3	4	6	8	13
B. *Operated*	18366	6.1	13	1	2	6	7	10	12	19
1. SINGLE DX	13373	3.9	6	1	1	4	5	7	8	12
2. MULTIPLE DX	21918	5.6	13	1	2	5	7	9	11	18
A. NOT OPERATED	7845	2.8	5	1	1	2	4	5	7	11
B. OPERATED	27446	5.6	12	1	2	5	7	9	11	17
TOTAL 0-19 YRS	5586	3.8	7	1	1	3	5	7	8	12
20-34	20475	4.6	9	1	1	4	6	8	9	14
35-49	7676	6.1	14	1	2	6	7	10	12	19
50-64	971	7.5	19	2	3	7	9	12	14	24
65+	583	9.9	36	3	5	8	11	18	22	33
GRAND TOTAL	**35291**	**5.0**	**11**	**1**	**1**	**5**	**6**	**8**	**10**	**16**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3108	4.2	5	1	2	4	5	7	8	11
20-34	7762	4.4	5	2	2	4	5	7	9	12
35-49	1025	5.0	8	2	2	4	6	8	10	15
50-64	73	5.0	7	2	2	4	6	8	9	14
65+	18	5.4	7	3	3	5	7	10	11	11
B. *Operated*										
0-19 YRS	746	5.2	14	1	1	5	7	9	11	19
20-34	4196	4.6	10	<1	1	4	6	8	10	15
35-49	1130	5.5	13	1	1	5	7	9	12	18
50-64	157	6.8	28	1	2	6	8	14	18	28
65+	47	8.4	80	1	2	6	10	17	24	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2084	4.9	7	2	2	4	6	8	10	14
20-34	6086	5.1	9	2	2	5	6	9	10	15
35-49	1286	6.1	13	2	3	5	8	11	12	18
50-64	166	7.7	21	3	3	7	10	14	16	24
65+	90	9.6	81	2	3	7	12	16	30	51
B. *Operated*										
0-19 YRS	1475	6.4	17	1	2	6	8	11	13	21
20-34	14163	5.8	14	1	2	6	7	10	12	19
35-49	4869	7.3	24	2	2	6	9	12	16	26
50-64	614	9.3	48	2	3	8	11	16	23	40
65+	220	14.2	167	3	4	11	18	26	37	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11986	4.4	5	2	2	4	5	7	9	12
B. *Operated*	6276	4.9	12	<1	1	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	9712	5.3	10	2	2	5	7	9	11	16
B. *Operated*	21341	6.4	21	1	2	6	8	11	14	23
1. SINGLE DX	18262	4.6	8	1	2	4	6	8	9	14
2. MULTIPLE DX	31053	6.0	18	1	2	5	7	10	13	21
A. NOT OPERATED	21698	4.8	8	2	2	4	6	8	10	14
B. OPERATED	27617	6.1	19	1	2	6	7	10	13	22
TOTAL 0-19 YRS	7413	4.9	9	1	2	4	6	8	10	15
20-34	32207	5.2	11	1	2	5	7	9	11	16
35-49	8310	6.6	20	1	2	6	8	11	14	23
50-64	1010	8.3	39	2	2	7	10	15	20	33
65+	375	11.9	135	2	3	9	15	23	34	83
GRAND TOTAL	**49315**	**5.5**	**15**	**1**	**2**	**5**	**7**	**9**	**12**	**19**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.3	3	1	1	3	4	6	6	7
20-34	240	3.3	6	<1	1	3	4	6	8	16
35-49	66	2.5	2	<1	1	2	3	5	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	201	3.1	5	<1	1	2	4	6	8	9
20-34	3873	4.2	7	<1	1	4	6	7	8	11
35-49	1939	5.6	6	1	2	6	7	8	9	13
50-64	121	5.4	7	1	2	6	7	8	10	12
65+	11	4.8	11	1	1	5	8	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.9	10	1	1	3	5	9	11	13
20-34	351	3.6	8	<1	1	3	5	7	9	12
35-49	156	3.6	8	<1	<1	3	5	7	8	15
50-64	15	5.5	38	<1	<1	4	8	10	21	25
65+	3	12.3	69	3	3	15	18	19	19	19
B. *Operated*										
0-19 YRS	263	4.3	9	1	1	4	6	8	10	15
20-34	12605	5.5	8	1	2	6	7	8	10	14
35-49	13228	6.6	7	2	4	6	8	9	11	16
50-64	1413	7.3	12	4	5	7	8	10	11	22
65+	173	8.3	19	3	5	7	9	13	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	3.1	5	1	1	3	4	6	7	11
B. *Operated*	6145	4.6	7	<1	1	5	6	8	8	12
2. MULTIPLE DX										
A. *Not Operated*	556	3.7	9	<1	1	3	5	7	9	15
B. *Operated*	27682	6.2	8	1	2	6	7	9	10	16
1. SINGLE DX	6478	4.6	7	<1	1	5	6	7	8	12
2. MULTIPLE DX	28238	6.1	8	1	2	6	7	9	10	16
A. NOT OPERATED	889	3.5	8	<1	1	3	5	7	8	15
B. OPERATED	33827	5.9	8	1	2	6	7	9	10	15
TOTAL 0-19 YRS	522	3.8	7	<1	1	3	5	7	9	13
20-34	17069	5.2	8	1	1	5	7	8	9	14
35-49	15389	6.5	7	2	4	6	7	9	10	16
50-64	1549	7.1	12	2	5	7	8	9	11	22
65+	187	8.1	19	2	4	7	9	13	16	22
GRAND TOTAL	**34716**	**5.8**	**8**	**1**	**2**	**6**	**7**	**9**	**10**	**15**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	<1	<1	2	3	3	3	3
20-34	10	2.7	4	<1	<1	2	4	6	7	7
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	29	2.0	1	<1	<1	2	2	3	4	5
20-34	361	2.6	4	<1	1	2	3	6	7	8
35-49	301	2.4	3	<1	<1	2	3	5	7	9
50-64	160	2.2	1	<1	1	2	3	3	4	7
65+	58	2.8	9	1	1	2	3	4	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.3	6	1	2	4	6	8	9	10
20-34	58	3.3	3	<1	2	3	4	6	7	8
35-49	18	3.5	6	1	1	3	5	7	9	9
50-64	5	3.4	2	2	2	4	4	5	5	5
65+	7	7.1	23	3	3	6	8	15	17	17
B. *Operated*										
0-19 YRS	75	2.8	6	<1	1	2	3	5	8	12
20-34	2018	4.5	14	1	1	4	6	8	10	15
35-49	1983	5.0	12	<1	1	5	7	9	10	16
50-64	644	4.2	15	1	1	3	6	8	9	18
65+	242	5.1	20	1	1	3	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.5	2	<1	<1	2	3	4	5	7
B. *Operated*	909	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	108	3.8	6	1	2	3	5	7	8	13
B. *Operated*	4962	4.7	13	<1	1	4	7	8	10	16
1. SINGLE DX	932	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	5070	4.6	13	1	1	4	7	8	10	16
A. NOT OPERATED	131	3.6	5	<1	1	3	4	7	8	11
B. OPERATED	5871	4.3	13	<1	1	3	6	8	10	16
TOTAL 0-19 YRS	131	2.8	5	<1	1	2	3	6	8	11
20-34	2447	4.2	12	<1	1	3	6	8	9	14
35-49	2305	4.6	11	<1	1	4	7	8	10	15
50-64	811	3.8	13	1	1	2	6	8	9	15
65+	308	4.7	19	1	1	3	7	10	14	22
GRAND TOTAL	**6002**	**4.3**	**12**	**<1**	**1**	**3**	**6**	**8**	**10**	**15**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.2	4	<1	1	3	4	6	7	11
20-34	504	3.3	4	1	1	3	4	5	6	9
35-49	111	3.8	6	<1	1	4	5	7	8	12
50-64	17	5.6	30	2	2	4	5	13	20	23
65+	15	5.5	7	2	2	5	7	9	10	10
B. *Operated*										
0-19 YRS	307	2.3	2	<1	1	2	3	4	6	7
20-34	2032	2.1	2	<1	1	2	3	4	5	7
35-49	1016	2.2	3	<1	<1	2	3	4	5	9
50-64	314	2.6	5	<1	1	2	3	5	7	10
65+	88	3.5	13	<1	1	2	4	7	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	270	4.0	6	1	2	4	5	7	7	14
20-34	703	4.6	7	1	2	4	6	8	9	13
35-49	214	5.4	16	1	2	5	7	9	11	19
50-64	107	6.5	15	2	3	6	8	10	15	24
65+	182	7.6	33	2	3	6	9	15	19	28
B. *Operated*										
0-19 YRS	240	3.6	10	<1	1	2	5	8	10	15
20-34	1484	3.9	13	<1	1	3	5	7	9	16
35-49	968	4.0	15	<1	1	3	6	8	10	19
50-64	376	4.7	20	1	1	3	6	10	13	23
65+	248	7.0	55	1	2	5	9	15	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	836	3.5	5	1	1	3	4	6	7	10
B. *Operated*	3757	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1476	5.1	14	1	2	4	6	9	11	19
B. *Operated*	3316	4.2	18	<1	1	3	6	8	11	20
1. SINGLE DX	4593	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	4792	4.5	17	1	1	3	6	9	11	20
A. NOT OPERATED	2312	4.5	11	1	2	4	6	8	10	17
B. OPERATED	7073	3.2	11	<1	1	2	4	6	8	16
TOTAL 0-19 YRS	1006	3.2	6	<1	1	3	4	6	7	14
20-34	4723	3.2	7	<1	1	2	4	6	8	12
35-49	2309	3.3	11	<1	1	2	4	7	9	14
50-64	814	4.2	16	<1	1	3	5	9	11	20
65+	533	6.6	41	1	2	5	8	14	19	34
GRAND TOTAL	9385	3.5	11	<1	1	3	4	7	9	16

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	8	2.9	5	<1	<1	2	4	6	7	7
35-49	19	4.6	10	<1	<1	5	8	8	9	9
50-64	22	3.3	9	<1	<1	2	5	8	10	12
65+	40	3.5	7	<1	<1	3	5	7	8	12
B. *Operated*										
0-19 YRS	17	3.8	7	<1	1	3	6	8	9	9
20-34	1169	5.6	4	2	3	6	7	8	9	12
35-49	2045	6.4	5	3	4	6	7	9	11	13
50-64	3066	7.0	6	4	4	7	8	10	11	15
65+	2615	7.4	8	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	72	2.0	3	<1	<1	1	2	5	7	7
35-49	136	3.4	12	<1	<1	2	5	8	10	15
50-64	186	3.4	8	<1	1	3	4	7	8	13
65+	371	4.9	21	1	1	4	6	10	14	28
B. *Operated*										
0-19 YRS	31	7.1	13	2	4	6	8	12	16	18
20-34	5015	6.3	6	3	4	6	7	9	10	14
35-49	9874	7.1	8	4	5	7	8	10	12	17
50-64	8558	8.0	11	4	5	7	9	12	14	19
65+	8238	8.8	21	4	5	8	10	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	3.6	8	<1	<1	2	6	8	9	12
B. *Operated*	8912	6.8	7	3	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	766	4.0	15	<1	1	3	5	9	12	20
B. *Operated*	31716	7.7	12	4	5	7	9	11	14	20
1. SINGLE DX	9005	6.7	7	3	4	6	8	10	11	15
2. MULTIPLE DX	32482	7.6	13	4	4	7	9	11	14	20
A. NOT OPERATED	859	4.0	15	<1	1	3	5	8	11	20
B. OPERATED	40628	7.5	11	4	4	7	9	11	13	19
TOTAL 0-19 YRS	53	5.7	13	1	1	6	7	9	13	18
20-34	6264	6.1	6	2	4	6	7	9	10	14
35-49	12074	6.9	8	4	4	7	8	10	12	17
50-64	11832	7.7	10	4	5	7	9	11	13	19
65+	11264	8.3	18	4	5	8	9	13	15	24
GRAND TOTAL	41487	7.4	12	3	4	7	9	11	13	19

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.8	1	<1	<1	1	3	4	4	4
20-34	34	1.6	1	<1	1	1	2	3	3	4
35-49	12	1.6	1	1	1	1	2	3	5	5
50-64										
65+										
B. Operated										
0-19 YRS	23	1.6	1	<1	<1	1	2	3	3	4
20-34	364	1.9	2	<1	<1	1	2	3	5	8
35-49	515	1.7	2	<1	<1	1	2	3	5	7
50-64	63	1.6	1	<1	<1	1	2	3	3	6
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.5	1	2	2	3	4	5	5	5
20-34	49	3.0	4	1	1	3	4	6	7	9
35-49	32	3.5	9	<1	<1	3	5	8	11	12
50-64	4	3.3	15	1	1	2	5	9	9	9
65+										
B. Operated										
0-19 YRS	34	3.1	7	<1	1	2	4	8	10	11
20-34	573	3.3	7	<1	1	2	5	7	8	11
35-49	870	3.6	10	<1	1	2	6	8	9	13
50-64	125	3.0	8	<1	<1	2	4	7	9	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	1.6	1	<1	1	1	2	3	4	6
B. Operated	965	1.7	2	<1	<1	1	2	2	4	7
2. MULTIPLE DX										
A. Not Operated	96	3.3	6	<1	1	3	4	6	9	12
B. Operated	1602	3.4	9	<1	1	2	5	7	9	13
1. SINGLE DX	1020	1.7	2	<1	<1	1	2	2	4	7
2. MULTIPLE DX	1698	3.4	9	<1	1	2	5	7	9	13
A. NOT OPERATED	151	2.6	5	<1	1	2	3	5	6	11
B. OPERATED	2567	2.8	7	<1	<1	2	3	7	8	11
TOTAL 0-19 YRS	77	2.5	4	<1	<1	2	3	5	7	11
20-34	1020	2.7	5	<1	<1	2	3	6	7	10
35-49	1429	2.9	8	<1	<1	2	4	7	8	12
50-64	192	2.5	6	<1	<1	2	2	6	8	12
65+										
GRAND TOTAL	**2718**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**7**	**8**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	355	2.1	2	<1	1	2	3	4	5	7
20-34	870	1.8	1	<1	<1	1	2	3	4	6
35-49	236	2.0	3	<1	<1	1	2	3	5	8
50-64	23	1.4		<1	<1	1	2	2	2	2
65+										
B. Operated										
0-19 YRS	782	1.8	1	<1	<1	2	2	3	4	6
20-34	8237	2.0	3	<1	<1	1	2	4	6	8
35-49	9606	2.0	3	<1	<1	1	2	4	6	8
50-64	1247	1.8	2	<1	<1	1	2	3	5	8
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	410	2.8	4	1	1	2	3	5	6	9
20-34	1044	2.8	5	<1	1	2	3	5	7	11
35-49	716	2.9	13	<1	<1	2	4	6	8	14
50-64	87	2.1	2	<1	1	2	2	4	6	8
65+										
B. Operated										
0-19 YRS	915	2.9	4	<1	1	2	4	5	7	11
20-34	14120	4.0	8	<1	1	3	6	8	9	13
35-49	21754	4.3	10	<1	1	4	6	8	9	13
50-64	2610	3.8	10	<1	1	2	6	8	9	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1484	1.9	2	<1	<1	1	2	3	4	7
B. Operated	19872	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	2257	2.8	7	<1	1	2	3	6	7	11
B. Operated	39299	4.1	9	<1	1	3	6	8	9	13
1. SINGLE DX	21356	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	41556	4.1	9	<1	1	3	6	8	9	13
A. NOT OPERATED	3741	2.4	5	<1	1	2	3	5	6	10
B. OPERATED	59171	3.4	8	<1	<1	2	5	7	8	12
TOTAL 0-19 YRS	2362	2.4	3	<1	1	2	3	5	6	9
20-34	24271	3.2	7	<1	<1	2	5	7	8	11
35-49	32312	3.6	9	<1	<1	2	6	7	9	13
50-64	3967	3.1	8	<1	<1	2	5	7	9	13
65+										
GRAND TOTAL	**62912**	**3.3**	**8**	**<1**	**<1**	**2**	**5**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	34	2.7	4	<1	1	2	3	6	7	8
50-64	40	2.8	7	<1	<1	2	3	6	8	14
65+	29	3.0	4	<1	1	2	4	6	6	10
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	28	2.2	4	<1	<1	2	2	5	7	10
35-49	945	1.7	2	<1	<1	1	2	2	3	7
50-64	3499	1.7	1	<1	<1	2	2	2	3	7
65+	1124	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	1	4	4	5	5	6	6	6
20-34	6	4.3	9	<1	<1	3	7	9	9	9
35-49	114	3.7	5	1	1	3	5	7	9	11
50-64	188	3.5	15	<1	1	2	4	8	9	20
65+	223	4.8	17	1	1	3	7	10	12	22
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	53	3.5	6	<1	1	2	5	6	7	10
35-49	1029	3.2	9	<1	<1	2	4	7	9	15
50-64	4907	3.1	12	<1	1	2	3	7	9	16
65+	2706	3.8	17	1	1	2	4	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.8	5	<1	1	2	3	6	7	12
B. *Operated*	5598	1.8	2	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	535	4.1	14	1	1	3	5	9	10	20
B. *Operated*	8696	3.3	13	<1	1	2	4	8	10	17
1. SINGLE DX	5703	1.8	2	<1	<1	2	2	2	3	7
2. MULTIPLE DX	9231	3.4	13	<1	1	2	4	8	10	17
A. NOT OPERATED	640	3.9	12	<1	1	3	5	8	10	18
B. OPERATED	14294	2.7	9	<1	<1	2	3	6	8	15
TOTAL 0-19 YRS	7	3.4	3	<1	<1	4	5	6	6	6
20-34	89	3.2	6	<1	<1	2	5	6	7	10
35-49	2122	2.6	6	<1	<1	2	3	6	8	13
50-64	8634	2.5	8	<1	<1	2	2	5	8	14
65+	4082	3.4	13	<1	1	2	3	7	10	17
GRAND TOTAL	**14934**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**6**	**8**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.3	3	<1	<1	2	3	5	7	9
20-34	426	2.4	5	<1	<1	2	3	4	6	10
35-49	114	2.6	5	<1	1	2	3	5	7	13
50-64	39	3.7	13	<1	<1	2	5	8	12	15
65+	39	4.3	17	<1	1	3	6	11	15	16
B. *Operated*										
0-19 YRS	450	2.7	4	<1	1	2	3	5	6	9
20-34	5418	2.8	5	<1	<1	2	4	6	7	10
35-49	3842	3.0	7	<1	<1	2	4	7	8	12
50-64	2080	2.8	8	<1	<1	2	3	7	8	13
65+	790	3.2	13	<1	1	2	3	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	158	3.1	7	<1	1	2	4	7	9	13
20-34	510	2.7	5	<1	<1	2	4	5	7	11
35-49	285	3.7	11	<1	1	2	5	8	10	15
50-64	194	4.7	27	<1	1	3	6	9	14	28
65+	309	7.0	39	1	2	5	9	14	17	36
B. *Operated*										
0-19 YRS	540	4.0	12	<1	1	3	5	7	9	22
20-34	7597	4.4	10	<1	1	4	6	8	9	15
35-49	10294	4.7	13	<1	1	5	7	8	10	16
50-64	6121	4.9	22	<1	1	4	7	9	12	21
65+	2976	6.9	73	1	1	4	8	15	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785	2.5	6	<1	<1	2	3	5	7	13
B. *Operated*	12580	2.9	7	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1456	4.1	19	<1	1	3	5	9	12	22
B. *Operated*	27528	4.9	21	<1	1	4	7	9	11	22
1. SINGLE DX	13365	2.9	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX	28984	4.8	21	<1	1	4	7	9	11	22
A. NOT OPERATED	2241	3.6	15	<1	1	2	4	8	10	19
B. OPERATED	40108	4.3	17	<1	1	3	6	8	10	19
TOTAL 0-19 YRS	1315	3.2	8	<1	1	2	4	6	8	13
20-34	13951	3.6	8	<1	1	3	5	7	8	12
35-49	14535	4.2	12	<1	1	3	6	8	9	15
50-64	8434	4.4	19	<1	1	3	6	9	11	19
65+	4114	6.2	61	1	1	3	8	13	19	43
GRAND TOTAL	**42349**	**4.2**	**17**	**<1**	**1**	**3**	**6**	**8**	**10**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	780	2.0	2	<1	1	2	2	3	4	7
20-34	1105	2.3	4	<1	1	2	3	4	5	10
35-49	238	2.7	4	<1	1	2	3	5	7	10
50-64	43	3.8	16	<1	1	2	4	7	11	23
65+	20	5.9	32	<1	1	3	9	11	18	25
B. *Operated*										
0-19 YRS	493	2.5	4	<1	<1	2	3	5	6	9
20-34	4189	3.1	6	<1	<1	2	5	7	8	10
35-49	2253	5.7	10	<1	1	6	8	9	10	14
50-64	1346	7.3	9	2	4	7	9	11	13	16
65+	660	8.2	14	3	4	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	592	2.5	3	<1	1	2	3	5	6	9
20-34	1447	2.8	6	<1	1	2	4	5	7	12
35-49	450	3.0	6	<1	<1	2	4	6	8	14
50-64	143	3.6	7	1	1	3	4	7	8	15
65+	149	7.7	117	1	1	5	8	15	23	53
B. *Operated*										
0-19 YRS	494	3.5	8	<1	1	2	5	7	9	13
20-34	11244	4.5	7	<1	1	5	6	8	9	13
35-49	6547	6.5	11	1	2	6	8	10	12	17
50-64	2356	8.3	16	3	4	8	10	13	15	23
65+	1401	9.7	41	2	4	9	11	16	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2186	2.3	4	<1	1	2	3	4	5	10
B. *Operated*	8941	4.9	11	<1	1	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	2781	3.1	13	<1	1	2	4	6	8	15
B. *Operated*	22042	5.8	14	1	1	6	7	10	12	18
1. SINGLE DX	11127	4.3	11	<1	1	3	7	9	10	14
2. MULTIPLE DX	24823	5.5	15	1	1	5	7	10	12	18
A. NOT OPERATED	4967	2.7	9	<1	1	2	3	5	7	13
B. OPERATED	30983	5.5	14	<1	1	5	7	9	11	17
TOTAL 0-19 YRS	2359	2.5	4	<1	1	2	3	5	6	10
20-34	17985	3.9	7	<1	1	3	6	7	8	12
35-49	9488	6.0	11	1	2	6	8	10	11	16
50-64	3888	7.7	14	2	3	7	9	12	14	20
65+	2230	9.1	39	2	3	8	11	15	19	30
GRAND TOTAL	**35950**	**5.1**	**14**	**<1**	**1**	**5**	**7**	**9**	**11**	**17**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	2	<1	<1	2	2	5	6	6
20-34	139	2.1	2	<1	<1	1	3	4	5	7
35-49	9	2.3	4	<1	<1	2	3	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	416	4.9	2	2	3	5	6	7	8	9
20-34	6241	4.9	3	3	3	5	6	7	8	10
35-49	633	5.2	4	3	3	5	6	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	2	<1	1	2	3	5	6	6
20-34	70	2.7	3	<1	<1	2	4	5	7	8
35-49	8	3.4	9	<1	<1	2	4	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	394	5.4	5	3	3	5	6	8	9	13
20-34	5950	5.3	4	3	3	5	6	7	9	12
35-49	892	5.8	7	3	3	5	7	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	7290	4.9	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	99	2.7	4	<1	<1	2	4	5	7	9
B. *Operated*	7236	5.3	5	3	3	5	6	7	9	12
1. SINGLE DX	7456	4.8	3	2	3	5	6	7	8	10
2. MULTIPLE DX	7335	5.3	5	3	3	5	6	7	9	12
A. NOT OPERATED	265	2.3	3	<1	<1	2	3	5	6	8
B. OPERATED	14526	5.1	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	849	5.0	4	2	3	5	6	7	8	11
20-34	12400	5.0	4	3	3	5	6	7	8	11
35-49	1542	5.5	6	3	3	5	6	8	9	13
50-64										
65+										
GRAND TOTAL	**14791**	**5.1**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	1.4	1	<1	1	1	1	2	3	7
20-34	233	1.6	4	<1	<1	1	2	3	4	6
35-49	45	1.4	1	1	1	1	2	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	5875	1.3		<1	<1	1	1	2	2	4
20-34	13152	1.2	1	<1	<1	<1	1	2	2	4
35-49	1489	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	1.5	1	<1	<1	1	2	3	4	7
20-34	189	1.8	3	<1	<1	1	2	3	5	11
35-49	42	1.4		<1	<1	1	2	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1524	1.7	3	<1	<1	<1	2	3	4	8
20-34	5051	2.0	6	<1	<1	1	2	4	6	11
35-49	1326	2.2	4	<1	<1	1	2	4	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	1.5	3	<1	1	1	2	2	3	6
B. *Operated*	20516	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	303	1.7	3	<1	<1	1	2	3	4	9
B. *Operated*	7901	2.0	5	<1	<1	1	2	4	6	10
1. SINGLE DX	20954	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX	8204	1.9	5	<1	<1	1	2	4	6	10
A. NOT OPERATED	741	1.5	3	<1	<1	1	2	2	4	7
B. OPERATED	28417	1.4	2	<1	<1	<1	1	2	3	7
TOTAL 0-19 YRS	7631	1.4	1	<1	<1	1	1	2	3	5
20-34	18625	1.4	2	<1	<1	<1	1	2	3	7
35-49	2902	1.6	2	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**29158**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	11	2.9	11	<1	<1	2	3	8	12	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.2	2	1	1	3	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	17	2.5	7	<1	<1	2	3	5	10	12
2. MULTIPLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	7	3.0	2	1	1	3	4	5	5	5
1. SINGLE DX	19	2.4	7	<1	<1	2	3	4	9	12
2. MULTIPLE DX	8	3.9	8	1	1	3	5	8	10	10
A. NOT OPERATED	3	4.7	22	1	1	3	8	10	10	10
B. OPERATED	24	2.6	6	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
20-34	18	3.4	10	<1	1	3	4	9	11	12
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
GRAND TOTAL	**27**	**2.9**	**7**	**<1**	**<1**	**2**	**3**	**5**	**10**	**12**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	855	1.6	1	<1	<1	1	2	3	3	5
20-34	2904	1.6	3	<1	<1	1	2	3	3	6
35-49	273	1.5	1	<1	<1	1	2	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	5681	1.5	1	<1	<1	1	2	2	3	5
20-34	33003	1.4	1	<1	<1	1	2	2	3	5
35-49	4498	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	2.1	3	<1	1	2	2	4	6	10
20-34	670	2.4	4	<1	1	2	3	5	6	11
35-49	74	2.3	6	<1	1	1	2	5	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	995	2.2	3	<1	1	2	3	4	6	11
20-34	5820	2.3	5	<1	1	2	3	5	6	11
35-49	1242	2.2	5	<1	1	2	3	4	6	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4032	1.6	2	<1	<1	1	2	3	3	6
B. *Operated*	43182	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	919	2.3	4	<1	1	2	3	5	6	11
B. *Operated*	8057	2.3	5	<1	1	2	3	4	6	11
1. SINGLE DX	47214	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	8976	2.3	5	<1	1	2	3	4	6	11
A. NOT OPERATED	4951	1.7	3	<1	<1	1	2	3	4	7
B. OPERATED	51239	1.5	2	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	7706	1.6	2	<1	<1	1	2	3	4	6
20-34	42397	1.5	2	<1	<1	1	2	3	4	7
35-49	6087	1.5	2	<1	<1	1	2	3	3	7
50-64										
65+										
GRAND TOTAL	**56190**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	2.9	4	1	1	3	4	5	7	10
20-34	899	2.4	4	<1	1	2	3	5	7	9
35-49	96	2.2	6	<1	1	1	2	4	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	616	2.0	2	<1	<1	2	2	3	5	8
20-34	5885	1.6	1	<1	<1	1	2	3	3	6
35-49	779	1.6	1	<1	<1	1	2	3	3	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.5	5	1	1	3	5	6	7	13
20-34	308	3.2	8	1	1	2	4	6	8	13
35-49	47	3.9	12	1	1	3	4	10	12	16
50-64										
65+										
B. *Operated*										
0-19 YRS	240	3.3	15	<1	1	2	4	6	9	15
20-34	1751	2.7	9	<1	1	2	3	5	7	12
35-49	318	3.0	8	<1	1	2	4	6	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1239	2.5	4	<1	1	2	3	5	7	9
B. *Operated*	7280	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	441	3.3	8	1	1	2	4	6	8	14
B. *Operated*	2309	2.8	9	<1	1	2	3	6	7	13
1. SINGLE DX	8519	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2750	2.9	9	<1	1	2	3	6	8	13
A. NOT OPERATED	1680	2.7	5	<1	1	2	3	5	7	11
B. OPERATED	9589	1.9	4	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	1186	2.5	6	<1	1	2	3	5	6	11
20-34	8843	1.9	4	<1	<1	1	2	4	5	9
35-49	1240	2.1	4	<1	<1	1	2	4	6	11
50-64										
65+										
GRAND TOTAL	**11269**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	801	2.1	2	<1	1	2	3	4	5	7
20-34	4508	2.3	2	<1	1	2	3	4	5	8
35-49	308	2.2	2	<1	1	2	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	28	2.1	2	<1	<1	2	3	4	6	6
20-34	124	2.4	5	<1	<1	2	3	4	5	13
35-49	9	2.2	2	1	1	2	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	3.0	5	<1	1	3	4	5	7	13
20-34	1055	3.2	6	1	1	3	4	6	7	12
35-49	100	3.3	6	<1	1	3	4	6	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.3	6	<1	1	3	5	7	9	9
20-34	97	3.7	13	1	1	2	4	9	11	19
35-49	7	6.4	18	1	1	7	8	12	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5617	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	161	2.3	5	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	1374	3.2	6	1	1	3	4	6	7	12
B. *Operated*	117	3.8	13	1	1	3	5	9	11	17
1. SINGLE DX	5778	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	1491	3.2	6	1	1	3	4	6	8	13
A. NOT OPERATED	6991	2.4	3	<1	1	2	3	4	5	9
B. OPERATED	278	2.9	9	<1	1	2	3	6	9	14
TOTAL 0-19 YRS	1061	2.3	3	<1	1	2	3	4	5	8
20-34	5784	2.5	3	<1	1	2	3	4	6	9
35-49	424	2.6	4	<1	1	2	3	5	6	10
50-64										
65+										
GRAND TOTAL	**7269**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.0	1	<1	<1	2	3	3	4	6
20-34	240	2.3	4	<1	<1	2	3	4	6	13
35-49	17	1.8	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	6	2.3	8	<1	<1	1	2	7	8	8
35-49	2	6.5	61	1	1	6	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	<1	1	3	4	5	6	7
20-34	81	3.0	9	<1	<1	2	4	5	8	18
35-49	9	2.3	1	<1	<1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	3.7	19	1	1	2	5	11	12	12
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.2	4	<1	<1	2	3	4	6	10
B. *Operated*	11	3.0	13	<1	<1	2	2	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	111	2.9	7	<1	<1	2	4	5	7	17
B. *Operated*	11	2.5	11	<1	<1	1	2	8	12	12
1. SINGLE DX	314	2.3	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX	122	2.9	7	<1	<1	2	4	5	7	17
A. NOT OPERATED	414	2.4	5	<1	<1	2	3	4	6	13
B. OPERATED	22	2.8	12	<1	<1	1	2	9	12	12
TOTAL 0-19 YRS	72	2.3	2	<1	<1	2	3	4	5	7
20-34	333	2.5	6	<1	<1	2	3	5	7	14
35-49	31	2.2	4	<1	<1	2	3	3	4	12
50-64										
65+										
GRAND TOTAL	**436**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**13**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	953	3.3	6	1	1	3	4	6	7	12
20-34	4402	3.3	6	1	1	3	4	6	7	13
35-49	405	3.7	8	1	1	3	4	7	8	15
50-64										
65+										
B. *Operated*										
0-19 YRS	119	4.1	14	<1	1	3	5	7	8	20
20-34	485	3.6	8	<1	1	3	4	7	9	16
35-49	56	4.1	21	<1	<1	3	5	8	11	30
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	3.4	10	1	1	3	4	6	9	18
20-34	1337	3.9	10	1	1	3	5	8	10	16
35-49	183	4.1	9	1	1	3	5	8	10	15
50-64										
65+										
B. *Operated*										
0-19 YRS	57	4.1	9	<1	<1	3	6	8	9	16
20-34	392	4.1	15	<1	<1	3	5	8	12	21
35-49	52	4.4	22	<1	<1	3	6	9	14	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5760	3.3	6	1	1	3	4	6	7	13
B. *Operated*	660	3.7	11	<1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1797	3.9	10	1	1	3	5	7	10	16
B. *Operated*	501	4.1	15	<1	<1	3	5	8	12	20
1. SINGLE DX	6420	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX	2298	3.9	11	<1	1	3	5	8	10	17
A. NOT OPERATED	7957	3.4	7	1	1	3	4	6	8	14
B. OPERATED	1161	3.9	13	<1	<1	3	5	8	10	18
TOTAL 0-19 YRS	1406	3.4	7	1	1	3	4	6	8	13
20-34	6616	3.5	8	1	1	3	4	6	8	15
35-49	696	3.9	10	1	1	3	5	7	10	16
50-64										
65+										
GRAND TOTAL	**9118**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1190	3.2	5	1	1	3	4	5	7	11
20-34	6276	3.8	6	1	2	3	5	7	8	13
35-49	205	4.4	8	2	2	4	5	8	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.8	8	<1	<1	3	5	7	10	12
20-34	76	5.6	42	1	1	3	6	15	22	28
35-49	3	5.7	52	1	1	2	11	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	551	3.5	6	1	2	3	4	6	7	14
20-34	2333	4.1	11	1	2	3	5	7	10	17
35-49	88	5.4	22	1	1	4	6	9	17	26
50-64										
65+										
B. *Operated*										
0-19 YRS	30	5.1	10	1	1	5	7	9	10	15
20-34	129	6.5	52	1	1	4	8	13	16	43
35-49	5	6.0	19	<1	<1	6	9	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7671	3.8	6	1	2	3	4	7	8	13
B. *Operated*	95	5.3	37	<1	1	3	5	12	22	28
2. MULTIPLE DX										
A. *Not Operated*	2972	4.1	10	1	2	3	5	7	9	17
B. *Operated*	164	6.3	43	1	1	4	8	12	15	40
1. SINGLE DX	7766	3.8	6	1	2	3	4	7	8	13
2. MULTIPLE DX	3136	4.2	12	1	2	3	5	7	10	18
A. NOT OPERATED	10643	3.8	7	1	2	3	5	7	9	14
B. OPERATED	259	5.9	41	1	1	4	7	12	16	34
TOTAL 0-19 YRS	1787	3.3	5	1	1	3	4	6	7	12
20-34	8814	4.0	8	1	2	3	5	7	9	15
35-49	301	4.8	12	1	2	4	6	9	11	19
50-64										
65+										
GRAND TOTAL	**10902**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4993	1.1	1	<1	<1	<1	1	1	2	4
20-34	19901	1.2	1	<1	<1	<1	1	1	2	4
35-49	1044	1.2	1	<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	651	1.2	1	<1	<1	<1	1	1	2	5
20-34	2744	1.2	1	<1	<1	<1	1	1	2	5
35-49	151	1.4	2	<1	<1	<1	1	3	4	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	554	1.6	2	<1	<1	1	2	3	4	7
20-34	2025	1.8	3	<1	<1	1	2	3	5	9
35-49	120	1.6	2	<1	<1	1	1	3	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	140	2.0	5	<1	<1	1	2	4	5	15
20-34	431	1.9	5	<1	<1	1	2	4	6	11
35-49	25	1.6	2	<1	<1	1	2	3	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25938	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*	3546	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	2699	1.7	6	<1	<1	1	2	3	4	9
B. *Operated*	564	1.9	5	<1	<1	1	2	4	6	12
1. SINGLE DX	29484	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	3263	1.8	6	<1	<1	1	2	3	5	10
A. NOT OPERATED	28637	1.2	1	<1	<1	<1	1	1	2	5
B. OPERATED	4110	1.3	1	<1	<1	<1	1	2	3	7
TOTAL 0-19 YRS	6306	1.2	1	<1	<1	1	1	2	2	5
20-34	25101	1.2	2	<1	<1	<1	1	2	2	5
35-49	1340	1.2	1	<1	<1	<1	1	1	3	5
50-64										
65+										
GRAND TOTAL	32747	1.2	1	<1	<1	<1	1	2	2	5

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.4	2	1	1	2	3	4	5	7
20-34	1689	3.5	15	<1	1	2	4	6	9	22
35-49	182	3.6	26	<1	1	2	4	6	9	23
50-64										
65+										
B. *Operated*										
0-19 YRS	22	3.5	13	<1	<1	2	5	9	12	15
20-34	190	4.3	32	<1	1	3	5	9	14	27
35-49	17	5.1	21	1	1	3	7	11	16	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.2	5	<1	1	3	4	6	7	12
20-34	518	4.6	24	<1	1	3	5	8	13	26
35-49	64	4.9	23	1	1	3	6	11	17	22
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.1	67	1	1	3	5	20	26	26
20-34	98	5.6	27	1	1	4	6	13	16	26
35-49	12	5.4	16	<1	2	5	6	11	14	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2026	3.4	15	<1	1	2	4	6	9	22
B. *Operated*	229	4.3	29	<1	1	3	5	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	614	4.3	22	<1	1	3	5	8	13	24
B. *Operated*	118	5.6	27	1	1	4	6	13	16	26
1. SINGLE DX	2255	3.5	16	<1	1	2	4	6	10	22
2. MULTIPLE DX	730	4.5	23	<1	1	3	5	9	14	25
A. NOT OPERATED	2640	3.6	17	<1	1	3	4	7	10	23
B. OPERATED	345	4.7	29	<1	1	3	6	10	15	26
TOTAL 0-19 YRS	237	2.8	6	<1	1	2	4	5	6	12
20-34	2493	3.8	19	<1	1	3	4	7	11	24
35-49	255	4.0	25	<1	1	3	4	6	11	22
50-64										
65+										
GRAND TOTAL	2985	3.7	18	<1	1	3	4	7	10	23

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	441	2.0	2	<1	<1	1	2	4	5	7
20-34	2287	2.1	4	<1	<1	2	2	4	5	11
35-49	125	2.2	4	<1	<1	2	3	4	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	53	2.0	2	<1	<1	2	3	3	4	7
20-34	289	2.2	4	<1	<1	2	3	5	6	9
35-49	26	2.5	7	<1	1	2	3	3	6	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	2.2	3	<1	<1	2	3	4	6	9
20-34	676	3.1	18	<1	<1	2	4	6	9	20
35-49	45	2.8	11	<1	<1	2	3	5	9	18
50-64										
65+										
B. *Operated*										
0-19 YRS	29	3.7	20	<1	<1	2	3	13	15	17
20-34	138	3.5	8	<1	<1	3	5	8	10	13
35-49	15	3.6	25	<1	<1	1	4	11	17	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2853	2.1	4	<1	<1	1	2	4	5	11
B. *Operated*	368	2.2	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	885	2.9	15	<1	<1	2	3	6	8	17
B. *Operated*	182	3.5	11	<1	<1	2	4	8	11	17
1. SINGLE DX	3221	2.1	4	<1	<1	2	2	4	5	11
2. MULTIPLE DX	1067	3.0	14	<1	<1	2	3	6	9	17
A. NOT OPERATED	3738	2.3	7	<1	<1	2	3	4	6	12
B. OPERATED	550	2.6	7	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	687	2.1	3	<1	<1	2	2	4	5	10
20-34	3390	2.4	7	<1	<1	2	3	4	6	12
35-49	211	2.5	7	<1	<1	2	3	4	7	18
50-64										
65+										
GRAND TOTAL	**4288**	**2.3**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1068	3.2	4	<1	1	3	4	6	7	10
20-34	2347	3.0	3	<1	1	3	4	5	6	8
35-49	72	3.2	4	<1	1	3	4	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	152	1.9	3	<1	<1	<1	2	4	6	8
20-34	285	2.1	3	<1	<1	1	3	5	6	10
35-49	4	2.8	8	<1	<1	1	4	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1315	3.5	4	<1	1	3	5	6	7	9
20-34	2741	3.5	6	<1	1	3	4	6	7	11
35-49	97	3.6	5	1	1	3	4	7	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	112	3.2	9	<1	<1	2	4	7	10	15
20-34	307	3.9	14	<1	<1	3	5	8	10	14
35-49	16	5.9	60	<1	<1	4	7	11	26	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3487	3.0	3	<1	1	3	4	5	6	9
B. *Operated*	441	2.0	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	4153	3.5	5	<1	1	3	4	6	7	10
B. *Operated*	435	3.8	15	<1	<1	3	5	8	10	15
1. SINGLE DX	3928	2.9	3	<1	<1	3	4	5	6	9
2. MULTIPLE DX	4588	3.5	6	<1	1	3	5	6	7	11
A. NOT OPERATED	7640	3.3	4	<1	1	3	4	6	7	10
B. OPERATED	876	2.9	10	<1	<1	2	4	6	8	13
TOTAL 0-19 YRS	2647	3.3	4	<1	<1	3	4	6	7	10
20-34	5680	3.2	5	<1	1	3	4	6	7	10
35-49	189	3.6	10	<1	1	3	4	7	8	12
50-64										
65+										
GRAND TOTAL	**8516**	**3.2**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	339	3.7	9	<1	1	3	5	8	10	16
20-34	2279	4.0	11	1	1	3	5	8	10	16
35-49	310	4.7	11	1	1	4	6	9	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.6	7	<1	1	3	5	7	10	12
20-34	194	3.4	12	<1	<1	2	4	7	9	18
35-49	20	3.8	10	<1	<1	3	5	9	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1033	3.6	13	<1	1	3	4	7	9	18
20-34	5546	4.0	15	<1	1	3	5	8	11	19
35-49	539	4.9	29	1	1	4	6	9	13	20
50-64										
65+										
B. *Operated*										
0-19 YRS	142	4.5	43	<1	<1	3	5	7	11	40
20-34	852	5.2	29	<1	1	4	7	11	15	28
35-49	76	4.9	19	<1	1	3	7	9	14	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2928	4.1	11	1	1	3	5	8	10	16
B. *Operated*	246	3.5	11	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	7118	4.0	16	<1	1	3	5	8	11	19
B. *Operated*	1070	5.1	30	<1	1	4	6	10	14	28
1. SINGLE DX	3174	4.0	11	<1	1	3	5	8	10	16
2. MULTIPLE DX	8188	4.2	18	<1	1	3	5	8	11	21
A. NOT OPERATED	10046	4.0	14	<1	1	3	5	8	11	18
B. OPERATED	1316	4.8	27	<1	<1	3	6	10	14	27
TOTAL 0-19 YRS	1546	3.7	15	<1	1	3	5	7	10	18
20-34	8871	4.1	15	<1	1	3	5	8	11	20
35-49	945	4.8	22	1	1	4	6	9	12	19
50-64										
65+										
GRAND TOTAL	11362	4.1	16	<1	1	3	5	8	11	19

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2870	2.2	7	<1	<1	1	3	4	6	12
20-34	11706	2.4	10	<1	<1	1	3	5	7	15
35-49	718	2.8	14	<1	<1	1	3	6	9	19
50-64										
65+										
B. *Operated*										
0-19 YRS	897	2.4	7	<1	<1	1	3	5	6	14
20-34	5939	2.5	8	<1	<1	2	3	5	6	14
35-49	448	2.7	16	<1	<1	2	3	5	6	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1366	2.9	10	<1	<1	2	4	6	8	15
20-34	5887	3.3	20	<1	<1	2	4	6	9	24
35-49	417	3.8	20	<1	<1	3	4	8	12	21
50-64										
65+										
B. *Operated*										
0-19 YRS	470	3.5	16	<1	<1	2	4	7	10	21
20-34	3307	3.4	22	<1	<1	2	4	7	10	23
35-49	789	1.9	9	<1	<1	<1	1	4	6	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15294	2.4	9	<1	<1	1	3	5	7	14
B. *Operated*	7284	2.5	8	<1	<1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	7670	3.3	19	<1	<1	2	4	6	9	22
B. *Operated*	4566	3.1	20	<1	<1	2	4	6	9	22
1. SINGLE DX	22578	2.4	9	<1	<1	1	3	5	7	14
2. MULTIPLE DX	12236	3.2	19	<1	<1	2	4	6	9	22
A. NOT OPERATED	22964	2.7	13	<1	<1	2	3	5	8	17
B. OPERATED	11850	2.8	13	<1	<1	2	3	5	7	17
TOTAL 0-19 YRS	5603	2.5	9	<1	<1	1	3	5	7	14
20-34	26839	2.8	13	<1	<1	2	3	5	8	18
35-49	2372	2.7	14	<1	<1	1	3	5	8	18
50-64										
65+										
GRAND TOTAL	34814	2.7	13	<1	<1	2	3	5	8	17

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	2.8	1	1	2	3	3	4	5	7
20-34	1735	3.0	3	1	2	3	3	4	5	7
35-49	127	3.3	8	1	2	3	4	4	5	14
50-64										
65+										
B. *Operated*										
0-19 YRS	213	3.5	8	1	2	3	4	5	6	12
20-34	1176	4.2	12	2	2	3	5	6	8	17
35-49	93	4.7	8	2	2	4	6	7	8	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	542	3.2	3	2	2	3	4	4	5	9
20-34	2346	3.5	10	1	2	3	4	5	6	13
35-49	171	3.6	5	1	2	3	4	5	7	15
50-64										
65+										
B. *Operated*										
0-19 YRS	576	4.7	16	2	2	4	5	8	11	24
20-34	5306	5.5	34	2	2	4	6	8	13	33
35-49	652	6.1	35	2	2	5	7	10	16	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2247	3.0	3	1	2	3	3	4	5	7
B. *Operated*	1482	4.1	11	2	2	3	5	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	3059	3.4	8	1	2	3	4	5	6	13
B. *Operated*	6534	5.5	32	2	2	4	6	8	13	32
1. SINGLE DX	3729	3.4	6	1	2	3	4	5	6	11
2. MULTIPLE DX	9593	4.8	26	2	2	4	5	7	11	27
A. NOT OPERATED	5306	3.2	6	1	2	3	4	4	5	10
B. OPERATED	8016	5.2	29	2	2	4	6	8	12	29
TOTAL 0-19 YRS	1716	3.7	8	2	2	3	4	6	7	16
20-34	10563	4.5	22	2	2	3	5	7	9	25
35-49	1043	5.2	26	2	2	4	6	8	12	32
50-64										
65+										
GRAND TOTAL	**13322**	**4.4**	**21**	**2**	**2**	**3**	**5**	**7**	**9**	**24**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28990	2.6	1	1	1	3	3	4	4	5
20-34	166084	2.7	1	1	1	3	3	4	4	5
35-49	8687	2.8	2	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6509	2.6	1	1	2	3	3	4	4	5
20-34	39630	2.8	1	1	2	3	3	4	4	5
35-49	2122	2.9	1	1	2	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1077	3.0	2	1	2	3	3	4	5	8
20-34	5486	3.0	2	1	2	3	4	4	5	7
35-49	356	2.9	2	1	1	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	663	3.2	2	2	2	3	4	4	5	7
20-34	22135	3.4	2	2	2	3	4	5	5	7
35-49	2763	3.5	1	2	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203761	2.7	1	1	1	3	3	4	4	5
B. *Operated*	48261	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	6919	3.0	2	1	2	3	4	4	5	7
B. *Operated*	25561	3.4	2	2	2	3	4	5	5	7
1. SINGLE DX	252022	2.7	1	1	1	3	3	4	4	5
2. MULTIPLE DX	32480	3.3	2	2	2	3	4	5	5	7
A. NOT OPERATED	210680	2.7	1	1	1	3	3	4	4	5
B. OPERATED	73822	3.0	1	1	2	3	4	4	5	6
TOTAL 0-19 YRS	37239	2.7	1	1	1	3	3	4	4	5
20-34	233335	2.8	1	1	2	3	3	4	4	5
35-49	13928	2.9	2	1	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**284502**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	1	1	1	2	3	4	4	4
20-34	109	3.0	3	1	1	3	4	4	5	12
35-49	12	3.6	4	<1	1	3	5	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	48	6.0	17	2	3	5	7	11	17	22
20-34	687	7.4	58	3	3	5	7	12	20	47
35-49	92	8.6	123	3	3	6	8	16	31	97
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.1	3	1	2	3	4	6	7	8
20-34	128	4.8	39	1	1	3	5	9	16	34
35-49	9	3.1	3	1	1	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	118	7.9	64	3	3	6	8	14	23	47
20-34	1685	8.6	93	3	3	6	8	17	30	56
35-49	309	8.9	67	3	4	6	8	19	30	45
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.0	3	1	1	3	4	4	5	10
B. *Operated*	827	7.5	63	3	3	5	7	13	21	48
2. MULTIPLE DX										
A. *Not Operated*	154	4.5	33	1	1	3	4	8	14	31
B. *Operated*	2112	8.6	88	3	3	6	8	17	30	55
1. SINGLE DX	957	6.9	57	2	3	5	7	11	19	46
2. MULTIPLE DX	2266	8.3	85	2	3	6	8	16	29	54
A. NOT OPERATED	284	3.8	20	1	1	3	4	5	9	29
B. OPERATED	2939	8.3	81	3	3	6	8	16	28	52
TOTAL 0-19 YRS	192	6.7	46	2	2	5	7	11	19	38
20-34	2609	7.9	79	2	3	5	7	14	27	52
35-49	422	8.5	77	3	3	6	8	17	29	48
50-64										
65+										
GRAND TOTAL	**3223**	**7.9**	**77**	**2**	**3**	**5**	**7**	**15**	**27**	**51**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.4	1	1	1	2	3	3	4	6
20-34	786	2.7	4	1	1	3	3	4	5	9
35-49	55	2.5	1	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	139	3.8	3	1	2	4	5	6	7	8
20-34	840	4.2	7	1	2	4	5	7	7	9
35-49	69	4.3	3	2	2	4	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	2.9	2	1	1	3	3	5	6	9
20-34	637	3.2	6	1	1	3	4	5	6	14
35-49	52	3.6	34	1	1	3	4	5	6	42
50-64										
65+										
B. *Operated*										
0-19 YRS	401	5.2	22	2	2	4	6	8	12	25
20-34	2629	5.0	14	2	2	4	6	7	9	20
35-49	276	5.2	8	2	2	5	6	8	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	975	2.7	3	1	1	3	3	4	5	8
B. *Operated*	1048	4.2	6	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	812	3.1	7	1	1	3	4	5	6	14
B. *Operated*	3306	5.0	14	2	2	5	6	8	10	20
1. SINGLE DX	2023	3.4	5	1	1	3	4	6	7	9
2. MULTIPLE DX	4118	4.7	13	1	2	4	6	7	9	20
A. NOT OPERATED	1787	2.9	5	1	1	3	3	4	5	10
B. OPERATED	4354	4.8	12	2	2	4	6	7	9	18
TOTAL 0-19 YRS	797	4.2	14	1	2	3	5	7	8	19
20-34	4892	4.3	11	1	2	4	5	7	8	17
35-49	452	4.5	10	1	2	4	6	7	9	14
50-64										
65+										
GRAND TOTAL	**6141**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	1	<1	<1	3	3	4	4	4
20-34	155	2.8	1	1	1	3	3	4	5	5
35-49	14	2.6	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	296	2.6	1	1	1	2	3	4	5	6
20-34	2147	2.8	3	1	1	3	3	4	5	6
35-49	133	3.0	2	1	1	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	1	2	2	3	3	4	5	5
20-34	66	3.2	2	1	2	3	4	5	6	9
35-49	6	3.2	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	169	3.0	2	1	1	3	3	4	5	11
20-34	1425	3.3	4	1	2	3	4	5	6	9
35-49	144	4.2	47	1	1	3	4	6	8	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	2.7	1	1	1	3	3	4	4	5
B. *Operated*	2576	2.8	3	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	86	3.2	2	1	2	3	4	5	5	9
B. *Operated*	1738	3.4	8	1	2	3	4	5	6	11
1. SINGLE DX	2770	2.8	3	1	1	3	3	4	5	6
2. MULTIPLE DX	1824	3.3	7	1	2	3	4	5	6	10
A. NOT OPERATED	280	2.9	1	1	1	3	4	4	5	6
B. OPERATED	4314	3.0	5	1	1	3	4	4	5	8
TOTAL 0-19 YRS	504	2.7	2	1	1	3	3	4	5	7
20-34	3793	3.0	4	1	1	3	4	4	5	7
35-49	297	3.6	24	1	1	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**4594**	**3.0**	**5**	**1**	**1**	**3**	**4**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	2.7	1	1	1	3	3	4	4	5
20-34	875	2.7	1	1	1	3	3	4	4	6
35-49	40	2.9	1	1	1	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	94	3.0	2	1	1	3	4	4	5	9
20-34	532	3.0	2	1	1	3	4	4	5	6
35-49	22	2.5	2	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.3	2	2	2	3	4	5	7	9
20-34	440	3.2	3	1	2	3	4	4	5	11
35-49	20	3.5	8	1	1	3	4	5	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	130	3.4	3	1	2	3	4	5	6	11
20-34	774	3.4	3	1	2	3	4	5	6	8
35-49	52	4.1	7	1	2	4	5	6	7	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1083	2.7	1	1	1	3	3	4	4	6
B. *Operated*	648	3.0	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	553	3.2	3	1	2	3	4	4	5	11
B. *Operated*	956	3.4	3	1	2	3	4	5	6	9
1. SINGLE DX	1731	2.8	2	1	1	3	3	4	5	6
2. MULTIPLE DX	1509	3.4	3	1	2	3	4	5	6	9
A. NOT OPERATED	1636	2.9	2	1	1	3	3	4	5	6
B. OPERATED	1604	3.3	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	485	3.0	2	1	2	3	4	4	5	8
20-34	2621	3.0	2	1	2	3	4	5	5	7
35-49	134	3.4	5	1	1	3	4	5	6	15
50-64										
65+										
GRAND TOTAL	**3240**	**3.1**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.9	1	1	2	3	3	4	4	7
20-34	432	3.4	2	2	2	3	4	5	5	7
35-49	37	3.2	2	1	2	3	4	5	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	33	3.6	2	1	2	3	4	6	6	7
20-34	355	4.5	7	2	2	4	5	7	8	14
35-49	25	4.2	2	2	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.4	19	1	2	3	4	8	11	29
20-34	519	3.7	9	1	2	3	4	5	7	14
35-49	31	4.6	22	1	2	4	5	9	12	26
50-64										
65+										
B. *Operated*										
0-19 YRS	237	5.7	19	2	2	5	7	9	11	23
20-34	2922	5.6	25	2	3	5	6	8	11	29
35-49	268	6.3	20	3	3	6	7	10	12	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	3.3	2	2	2	3	4	5	5	7
B. *Operated*	413	4.4	7	2	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	618	3.8	11	1	2	3	4	5	7	15
B. *Operated*	3427	5.6	24	2	3	5	6	8	11	28
1. SINGLE DX	924	3.8	4	2	2	3	5	6	7	9
2. MULTIPLE DX	4045	5.5	22	2	2	5	6	8	11	26
A. NOT OPERATED	1129	3.6	7	1	2	3	4	5	6	13
B. OPERATED	3840	5.7	22	2	3	5	6	8	11	26
TOTAL 0-19 YRS	380	5.0	17	2	2	4	6	8	10	22
20-34	4228	5.2	20	2	2	4	6	8	10	24
35-49	361	5.7	18	2	3	5	7	9	11	26
50-64										
65+										
GRAND TOTAL	**4969**	**5.2**	**19**	**2**	**2**	**4**	**6**	**8**	**10**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.8	1	1	2	3	3	4	5	5
20-34	799	2.7	1	1	1	3	3	4	5	6
35-49	60	2.9	1	1	1	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	948	4.7	2	2	3	5	5	6	7	9
20-34	6858	4.6	2	2	3	5	5	6	7	9
35-49	333	4.8	3	2	3	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.7	2	1	1	3	4	4	5	7
20-34	318	2.9	2	1	1	3	3	4	5	8
35-49	30	3.5	16	1	1	3	3	5	15	20
50-64										
65+										
B. *Operated*										
0-19 YRS	1031	5.3	6	2	3	5	6	8	9	14
20-34	8482	5.2	7	2	3	5	6	7	8	13
35-49	914	5.5	7	2	3	5	6	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	2.7	1	1	1	3	3	4	5	6
B. *Operated*	8139	4.6	2	2	3	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	408	2.9	3	1	1	3	3	4	5	9
B. *Operated*	10427	5.2	7	2	3	5	6	7	8	13
1. SINGLE DX	9071	4.5	2	2	3	5	5	6	7	9
2. MULTIPLE DX	10835	5.1	7	2	3	5	6	7	8	13
A. NOT OPERATED	1340	2.8	2	1	1	3	3	4	5	7
B. OPERATED	16566	5.0	5	2	3	5	6	7	8	11
TOTAL 0-19 YRS	2122	4.9	4	2	3	5	6	7	8	12
20-34	15447	4.8	5	2	3	5	6	7	7	11
35-49	1337	5.1	7	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**19906**	**4.8**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	2.5	1	1	1	2	3	4	4	5
20-34	1720	2.7	1	1	1	3	3	4	4	6
35-49	109	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	639	3.6	3	1	2	3	5	6	6	8
20-34	4494	3.8	4	2	2	4	5	6	7	8
35-49	298	4.1	3	2	2	4	5	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	2.9	2	1	1	3	3	4	5	7
20-34	1099	2.9	2	1	1	3	4	4	5	8
35-49	94	2.9	2	1	1	3	4	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1794	4.3	6	2	2	4	5	7	8	12
20-34	13081	4.4	6	2	2	4	5	7	7	11
35-49	1235	4.8	5	2	2	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2022	2.7	1	1	1	3	3	4	4	6
B. *Operated*	5431	3.8	3	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1330	2.9	2	1	1	3	4	4	5	8
B. *Operated*	16110	4.5	6	2	2	4	5	7	8	11
1. SINGLE DX	7453	3.5	3	1	2	3	4	6	6	8
2. MULTIPLE DX	17440	4.3	6	2	2	4	5	7	7	11
A. NOT OPERATED	3352	2.8	1	1	1	3	3	4	5	6
B. OPERATED	21541	4.3	5	2	2	4	5	6	7	10
TOTAL 0-19 YRS	2763	4.0	5	2	2	4	5	6	7	11
20-34	20394	4.1	5	2	2	4	5	6	7	10
35-49	1736	4.5	4	2	2	4	6	7	8	11
50-64										
65+										
GRAND TOTAL	**24893**	**4.1**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	4	2	2	3	4	6	9	11
20-34	167	3.3	2	1	2	3	4	5	6	9
35-49	11	3.0		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1577	5.2	2	3	4	5	6	7	8	10
20-34	8385	5.3	2	3	4	5	6	7	7	8
35-49	366	5.6	2	3	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.0	6	1	2	3	6	7	9	12
20-34	106	4.0	3	2	2	4	5	6	7	9
35-49	5	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3502	5.8	6	3	4	5	6	8	10	14
20-34	18701	5.6	4	3	4	5	6	7	8	12
35-49	1257	5.8	3	4	4	6	7	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	3.3	2	1	2	3	4	5	6	10
B. *Operated*	10328	5.3	2	3	4	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	136	4.0	3	2	2	4	5	7	7	9
B. *Operated*	23460	5.6	4	3	4	5	6	7	8	12
1. SINGLE DX	10525	5.2	2	3	4	5	6	7	7	9
2. MULTIPLE DX	23596	5.6	4	3	4	5	6	7	8	12
A. NOT OPERATED	333	3.6	3	1	2	3	4	6	7	9
B. OPERATED	33788	5.5	4	3	4	5	6	7	8	12
TOTAL 0-19 YRS	5123	5.6	5	3	4	5	6	8	9	13
20-34	27359	5.5	3	3	4	5	6	7	8	11
35-49	1639	5.7	3	3	4	6	6	8	8	11
50-64										
65+										
GRAND TOTAL	**34121**	**5.5**	**4**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	429	2.9	1	1	2	3	4	4	5	6
20-34	2419	2.9	1	1	2	3	4	4	5	6
35-49	126	2.8	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	642	3.8	3	2	2	4	5	6	6	8
20-34	4387	3.9	3	2	2	4	5	6	7	8
35-49	278	4.1	3	2	2	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	3.3	2	1	2	3	4	5	5	11
20-34	1540	3.1	2	1	2	3	4	5	5	7
35-49	93	3.4	1	1	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1622	4.4	7	2	2	4	5	7	8	12
20-34	10600	4.3	4	2	2	4	5	7	7	11
35-49	831	4.6	4	2	2	4	6	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2974	2.9	1	1	2	3	4	4	5	6
B. *Operated*	5307	3.9	3	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1922	3.2	2	1	2	3	4	5	5	8
B. *Operated*	13053	4.3	4	2	2	4	5	7	7	11
1. SINGLE DX	8281	3.5	2	1	2	3	4	6	6	8
2. MULTIPLE DX	14975	4.2	4	2	2	4	5	6	7	11
A. NOT OPERATED	4896	3.0	2	1	2	3	4	4	5	6
B. OPERATED	18360	4.2	4	2	2	4	5	6	7	10
TOTAL 0-19 YRS	2982	3.9	5	2	2	4	5	6	7	11
20-34	18946	3.9	3	2	2	4	5	6	7	9
35-49	1328	4.3	4	2	2	4	5	7	7	10
50-64										
65+										
GRAND TOTAL	23256	3.9	4	2	2	4	5	6	7	10

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.6	1	1	1	3	3	4	5	5
20-34	422	2.8	1	1	1	3	3	4	5	6
35-49	43	3.0	1	1	2	3	4	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	194	4.1	2	2	2	4	5	6	7	7
20-34	1665	4.4	3	2	2	4	6	7	7	8
35-49	109	4.7	4	2	2	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.7	35	1	2	3	4	8	19	30
20-34	285	3.3	7	1	1	3	4	5	6	16
35-49	34	3.5	4	1	2	3	4	5	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	434	5.2	6	2	3	5	6	8	9	13
20-34	4007	5.2	9	2	3	5	6	7	8	15
35-49	459	5.5	8	2	3	5	6	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	2.8	1	1	1	3	3	4	5	6
B. *Operated*	1972	4.4	3	2	2	4	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	365	3.5	11	1	2	3	4	5	7	21
B. *Operated*	4900	5.2	9	2	3	5	6	7	8	15
1. SINGLE DX	2492	4.1	3	2	2	4	5	6	7	8
2. MULTIPLE DX	5265	5.1	9	2	3	5	6	7	8	15
A. NOT OPERATED	885	3.1	5	1	1	3	3	4	5	14
B. OPERATED	6872	5.0	7	2	3	5	6	7	8	13
TOTAL 0-19 YRS	729	4.7	7	2	2	4	6	7	8	14
20-34	6383	4.7	7	2	2	5	6	7	8	12
35-49	645	5.1	7	2	3	5	6	7	8	14
50-64										
65+										
GRAND TOTAL	7757	4.8	7	2	2	5	6	7	8	13

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.0	2	1	2	3	3	5	6	8
20-34	469	3.0	4	1	1	3	4	5	5	7
35-49	32	3.0	2	1	1	3	4	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1359	5.2	2	3	4	5	6	7	7	8
20-34	24868	5.4	2	3	4	5	6	7	7	8
35-49	1537	5.8	2	3	4	6	7	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	4	2	2	3	4	7	8	8
20-34	199	3.1	3	1	1	3	4	6	7	9
35-49	16	3.9	3	1	2	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1156	5.5	5	3	4	5	6	7	9	12
20-34	29945	5.6	4	3	4	5	6	7	8	11
35-49	3202	6.1	8	3	4	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	3.0	3	1	1	3	4	5	6	7
B. *Operated*	27764	5.4	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	225	3.2	3	1	1	3	4	6	7	9
B. *Operated*	34303	5.6	5	3	4	5	6	7	8	12
1. SINGLE DX	28298	5.3	2	3	4	5	6	7	7	8
2. MULTIPLE DX	34528	5.6	5	3	4	5	6	7	8	12
A. NOT OPERATED	759	3.1	3	1	1	3	4	5	6	8
B. OPERATED	62067	5.5	3	3	4	5	6	7	8	10
TOTAL 0-19 YRS	2558	5.3	3	3	4	5	6	7	8	11
20-34	55481	5.5	3	3	4	5	6	7	8	10
35-49	4787	5.9	6	3	4	6	7	8	8	13
50-64										
65+										
GRAND TOTAL	**62826**	**5.5**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	720	3.1	2	2	2	3	4	4	5	8
20-34	4705	3.1	2	1	2	3	4	4	5	7
35-49	287	3.1	2	1	2	3	4	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	637	3.3	3	2	2	3	4	5	6	8
20-34	4392	3.4	3	2	2	3	4	5	6	8
35-49	295	3.6	5	1	2	3	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	585	3.6	6	1	2	3	4	6	6	11
20-34	2976	3.5	5	1	2	3	4	5	6	11
35-49	209	3.7	9	1	2	3	4	6	7	15
50-64										
65+										
B. *Operated*										
0-19 YRS	1863	4.3	8	2	2	4	5	7	8	14
20-34	13139	4.4	8	2	2	4	5	7	8	14
35-49	1212	4.7	7	2	2	4	6	7	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5712	3.1	2	1	2	3	4	4	5	7
B. *Operated*	5324	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	3770	3.5	6	1	2	3	4	5	6	11
B. *Operated*	16214	4.5	8	2	2	4	5	7	8	14
1. SINGLE DX	11036	3.3	3	1	2	3	4	5	6	8
2. MULTIPLE DX	19984	4.3	8	2	2	4	5	7	8	14
A. NOT OPERATED	9482	3.3	3	1	2	3	4	5	6	9
B. OPERATED	21538	4.2	7	2	2	4	5	7	8	13
TOTAL 0-19 YRS	3805	3.8	6	2	2	3	4	6	7	11
20-34	25212	3.9	6	2	2	3	5	6	7	12
35-49	2003	4.2	7	2	2	4	5	7	8	14
50-64										
65+										
GRAND TOTAL	**31020**	**3.9**	**6**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2302	2.7	1	1	2	3	3	4	4	5
20-34	17339	2.8	1	1	2	3	3	4	4	5
35-49	929	2.9	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1315	2.7	1	1	2	3	3	4	4	6
20-34	8859	2.9	1	1	2	3	3	4	5	6
35-49	542	3.1	2	1	2	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	601	2.8	1	1	2	3	3	4	5	7
20-34	4136	2.9	1	1	2	3	3	4	5	6
35-49	308	3.1	3	1	1	3	4	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1363	3.2	3	1	2	3	4	5	6	8
20-34	12058	3.3	2	1	2	3	4	5	6	8
35-49	1083	3.6	4	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20570	2.8	1	1	2	3	3	4	4	5
B. *Operated*	10716	2.9	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	5045	2.9	1	1	2	3	3	4	5	6
B. *Operated*	14504	3.3	3	1	2	3	4	5	6	8
1. SINGLE DX	31286	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	19549	3.2	2	1	2	3	4	5	5	7
A. NOT OPERATED	25615	2.8	1	1	2	3	3	4	4	5
B. OPERATED	25220	3.1	2	1	2	3	4	5	5	7
TOTAL 0-19 YRS	5581	2.8	1	1	2	3	3	4	5	6
20-34	42392	3.0	2	1	2	3	4	4	5	6
35-49	2862	3.2	3	1	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**50835**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	601	2.5	1	1	1	3	3	4	4	5
20-34	3275	2.5	1	1	1	2	3	4	4	5
35-49	232	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4117	2.5	2	1	1	3	3	4	4	5
20-34	31816	2.6	1	1	1	3	3	4	4	5
35-49	2492	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	3.0	3	1	2	3	3	4	6	12
20-34	971	2.7	1	1	1	3	3	4	4	6
35-49	65	2.8	1	1	1	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1952	2.9	4	1	2	3	3	4	5	7
20-34	17723	3.0	2	1	2	3	4	4	5	7
35-49	1969	3.2	2	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4108	2.5	1	1	1	2	3	4	4	5
B. *Operated*	38425	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1220	2.7	2	1	1	3	3	4	4	7
B. *Operated*	21644	3.0	2	1	2	3	4	4	5	7
1. SINGLE DX	42533	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	22864	3.0	2	1	2	3	4	4	5	7
A. NOT OPERATED	5328	2.5	1	1	1	3	3	4	4	6
B. OPERATED	60069	2.7	2	1	1	3	3	4	4	6
TOTAL 0-19 YRS	6854	2.7	2	1	1	3	3	4	4	6
20-34	53785	2.7	1	1	1	3	3	4	4	6
35-49	4758	2.9	2	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**65397**	**2.7**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	429	2.8	3	1	2	3	3	4	4	5
20-34	1476	2.9	2	1	2	3	3	4	4	6
35-49	34	2.9	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3995	2.8	2	1	2	3	3	4	4	5
20-34	16759	2.9	1	1	2	3	3	4	5	6
35-49	554	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	3.2	2	2	2	3	4	5	6	9
20-34	511	3.3	18	1	2	3	4	4	5	8
35-49	18	3.2	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2782	3.1	2	2	2	3	4	4	5	8
20-34	11373	3.3	2	2	2	3	4	5	5	7
35-49	511	3.4	2	2	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1939	2.9	2	1	2	3	3	4	4	6
B. *Operated*	21308	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	678	3.2	14	1	2	3	4	5	6	8
B. *Operated*	14666	3.3	2	2	2	3	4	5	5	7
1. SINGLE DX	23247	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX	15344	3.3	3	2	2	3	4	5	5	8
A. NOT OPERATED	2617	3.0	5	1	2	3	3	4	5	6
B. OPERATED	35974	3.1	2	1	2	3	4	4	5	6
TOTAL 0-19 YRS	7355	3.0	2	2	2	3	3	4	5	6
20-34	30119	3.1	2	1	2	3	4	4	5	6
35-49	1117	3.2	1	1	2	3	4	5	5	6
50-64										
65+										
GRAND TOTAL	**38591**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	302	2.6	2	1	1	3	3	4	4	6
20-34	1208	2.6	1	1	1	3	3	4	4	6
35-49	49	3.1	2	1	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1604	2.7	1	1	2	3	3	4	4	5
20-34	6991	2.8	1	1	2	3	3	4	4	6
35-49	290	3.1	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	3.4	23	1	2	3	3	4	6	21
20-34	451	3.0	4	1	2	3	3	4	5	8
35-49	13	5.1	67	<1	1	3	4	10	28	32
50-64										
65+										
B. *Operated*										
0-19 YRS	1213	3.2	4	1	2	3	4	5	6	11
20-34	6390	3.3	4	1	2	3	4	5	5	8
35-49	347	3.7	5	2	2	3	4	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1559	2.7	1	1	1	3	3	4	4	6
B. *Operated*	8885	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	587	3.1	10	1	2	3	3	4	5	9
B. *Operated*	7950	3.3	4	1	2	3	4	5	6	8
1. SINGLE DX	10444	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	8537	3.3	5	1	2	3	4	5	6	8
A. NOT OPERATED	2146	2.8	4	1	1	3	3	4	4	7
B. OPERATED	16835	3.0	3	1	2	3	4	4	5	7
TOTAL 0-19 YRS	3242	2.9	3	1	2	3	3	4	5	8
20-34	15040	3.0	3	1	2	3	4	4	5	7
35-49	699	3.5	4	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**18981**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4674	2.9	4	1	1	3	3	4	5	9
20-34	20797	2.9	3	1	1	3	3	4	5	8
35-49	1367	3.0	2	1	1	3	4	4	5	9
50-64										
65+										
B. Operated										
0-19 YRS	9938	3.2	4	1	2	3	4	5	6	9
20-34	50753	3.3	3	1	2	3	4	5	6	9
35-49	2888	3.6	4	1	2	3	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2981	3.4	12	1	1	3	4	5	7	13
20-34	12477	3.2	5	1	1	3	4	5	6	12
35-49	1040	3.3	14	1	1	3	4	5	7	13
50-64										
65+										
B. Operated										
0-19 YRS	12539	4.3	11	2	2	4	5	7	9	17
20-34	70752	4.4	11	2	2	4	5	7	9	17
35-49	6708	5.0	17	2	2	4	6	8	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26838	2.9	3	1	1	3	3	4	5	8
B. Operated	63579	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	16498	3.2	7	1	1	3	4	5	6	12
B. Operated	89999	4.4	11	2	2	4	5	7	9	17
1. SINGLE DX	90417	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX	106497	4.2	11	1	2	4	5	7	8	17
A. NOT OPERATED	43336	3.0	4	1	1	3	4	5	6	10
B. OPERATED	153578	4.0	8	2	2	3	5	6	8	14
TOTAL 0-19 YRS	30132	3.7	8	1	2	3	4	6	7	13
20-34	154779	3.7	7	1	2	3	4	6	7	13
35-49	12003	4.3	13	1	2	4	5	7	9	18
50-64										
65+										
GRAND TOTAL	**196914**	**3.8**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	204	3.8	6	1	2	3	4	6	7	18
20-34	605	3.8	4	1	2	3	4	6	7	11
35-49	29	3.8	5	1	2	3	5	7	7	12
50-64										
65+										
B. Operated										
0-19 YRS	16	4.3	16	<1	1	3	4	11	15	16
20-34	77	4.7	12	1	1	4	6	9	14	16
35-49	5	3.0	3	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	4.2	4	1	2	4	5	7	9	11
20-34	298	4.4	7	1	2	4	5	8	10	14
35-49	20	5.9	11	1	2	5	8	10	13	15
50-64										
65+										
B. Operated										
0-19 YRS	13	3.4	2	1	2	3	4	15	81	99+
20-34	113	7.0	47	1	2	5	7	15	22	36
35-49	5	9.6	66	4	4	7	11	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	838	3.8	4	1	2	3	4	6	7	11
B. Operated	98	4.6	12	1	1	4	6	9	14	16
2. MULTIPLE DX										
A. Not Operated	398	4.5	7	1	2	4	5	8	10	14
B. Operated	131	6.7	44	1	2	5	7	15	23	50
1. SINGLE DX	936	3.8	5	1	2	3	5	6	7	13
2. MULTIPLE DX	529	5.0	17	1	2	4	6	9	13	25
A. NOT OPERATED	1236	4.0	5	1	2	4	5	7	9	13
B. OPERATED	229	5.8	31	1	1	4	7	13	16	35
TOTAL 0-19 YRS	313	3.9	6	1	2	3	5	6	8	18
20-34	1093	4.3	11	1	2	4	5	7	10	16
35-49	59	4.9	14	1	2	4	6	9	11	23
50-64										
65+										
GRAND TOTAL	**1465**	**4.3**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	1.6	1	<1	1	1	2	3	3	5
20-34	336	1.6	1	<1	1	1	2	3	4	5
35-49	20	1.7	1	<1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	163	1.8	2	<1	1	1	2	3	4	6
20-34	1170	1.7	2	<1	<1	1	2	3	4	7
35-49	72	1.9	2	<1	1	1	2	4	5	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.3	1	1	1	2	3	4	4	5
20-34	184	2.3	3	<1	1	2	3	4	6	10
35-49	14	2.6	2	1	1	2	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	111	2.6	5	<1	1	2	3	5	7	11
20-34	706	2.6	6	1	1	2	3	5	8	10
35-49	54	3.8	10	1	1	3	5	8	11	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	1.6	1	<1	1	1	2	3	4	5
B. *Operated*	1405	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	229	2.3	3	1	1	2	3	4	4	9
B. *Operated*	871	2.7	6	1	1	2	3	5	8	11
1. SINGLE DX	1828	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1100	2.6	5	1	1	2	3	5	7	11
A. NOT OPERATED	652	1.9	2	<1	1	2	2	3	4	5
B. OPERATED	2276	2.1	4	<1	1	2	2	4	6	10
TOTAL 0-19 YRS	372	2.1	3	<1	1	2	2	4	5	8
20-34	2396	2.0	3	<1	1	1	2	4	5	9
35-49	160	2.6	5	1	1	2	3	6	7	11
50-64										
65+										
GRAND TOTAL	**2928**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.5	14	1	2	3	5	10	13	19
20-34	479	3.9	9	1	1	3	4	7	11	14
35-49	30	5.6	14	1	2	4	9	11	11	15
50-64										
65+										
B. *Operated*										
0-19 YRS	130	3.1	6	1	1	3	3	6	7	13
20-34	630	3.1	8	<1	1	2	3	7	9	15
35-49	59	2.7	7	<1	<1	2	3	4	6	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.5	12	1	2	4	5	8	12	21
20-34	303	5.5	26	1	1	4	7	12	16	24
35-49	29	7.5	37	1	2	5	10	16	16	20
50-64										
65+										
B. *Operated*										
0-19 YRS	97	3.9	19	1	2	3	4	6	9	27
20-34	501	4.0	14	1	1	3	5	8	11	22
35-49	38	4.3	21	<1	1	3	5	7	13	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	4.1	10	1	1	3	5	9	11	15
B. *Operated*	819	3.1	8	<1	1	2	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	388	5.5	25	1	1	4	7	12	16	25
B. *Operated*	636	4.0	15	1	1	3	5	8	11	24
1. SINGLE DX	1393	3.5	9	1	1	3	4	7	10	15
2. MULTIPLE DX	1024	4.6	19	1	1	3	5	9	13	24
A. NOT OPERATED	962	4.6	17	1	1	3	5	10	13	20
B. OPERATED	1455	3.5	11	1	1	3	4	7	10	17
TOTAL 0-19 YRS	348	3.0	12	1	1	3	4	7	11	16
20-34	1913	3.9	13	1	1	3	4	8	11	18
35-49	156	4.6	20	<1	1	3	5	10	13	27
50-64										
65+										
GRAND TOTAL	**2417**	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2856	4.1	6	1	2	4	5	7	8	12
20-34	2441	4.4	8	1	2	4	5	7	9	14
35-49	1658	4.9	9	2	2	4	6	8	10	16
50-64	1349	5.9	13	2	2	5	7	10	13	18
65+	1171	7.3	37	2	3	6	9	13	17	31
B. *Operated*										
0-19 YRS	1368	4.8	14	1	1	4	6	9	11	20
20-34	1418	5.3	19	1	2	4	7	10	13	20
35-49	869	6.6	26	1	2	5	7	11	16	28
50-64	669	7.1	39	2	2	5	9	14	18	31
65+	417	9.3	69	2	3	7	12	18	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2973	4.7	10	2	2	4	6	8	10	17
20-34	3518	5.9	19	2	2	5	7	11	14	22
35-49	3628	7.1	32	2	3	6	9	13	16	28
50-64	5353	8.3	42	3	3	7	10	15	19	33
65+	9185	10.0	61	3	4	8	12	18	24	43
B. *Operated*										
0-19 YRS	1162	6.9	52	1	2	5	8	12	18	44
20-34	2127	8.6	65	2	3	6	10	17	23	47
35-49	2020	11.1	106	2	3	8	14	24	34	53
50-64	2815	13.8	166	3	4	10	17	29	40	72
65+	3494	16.2	189	3	5	12	21	34	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9475	5.0	13	2	2	4	6	9	11	18
B. *Operated*	4741	5.9	28	1	2	5	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	24657	8.0	44	2	3	6	10	15	19	34
B. *Operated*	11618	12.4	143	2	3	9	15	27	37	68
1. SINGLE DX	14216	5.3	18	1	2	4	6	10	12	21
2. MULTIPLE DX	36275	9.4	80	2	3	7	11	18	26	50
A. NOT OPERATED	34132	7.2	37	2	2	6	9	14	17	31
B. OPERATED	16359	10.5	119	2	2	7	13	23	33	61
TOTAL 0-19 YRS	8359	4.8	16	1	2	4	6	9	11	20
20-34	9504	6.0	28	2	2	5	7	11	15	28
35-49	8175	7.5	50	2	2	6	9	14	20	39
50-64	10186	9.4	80	2	3	7	11	18	25	49
65+	14267	11.3	99	3	4	8	14	22	30	59
GRAND TOTAL	**50491**	**8.2**	**66**	**2**	**2**	**6**	**10**	**16**	**22**	**44**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1039	4.2	9	1	2	4	5	7	9	14
20-34	548	3.9	7	1	2	3	5	7	8	14
35-49	286	4.6	10	1	2	4	6	8	10	19
50-64	192	5.7	17	1	2	5	7	10	14	22
65+	162	6.3	17	2	2	5	8	11	15	21
B. *Operated*										
0-19 YRS	700	3.9	18	<1	1	3	5	8	11	20
20-34	548	4.7	19	<1	1	3	6	10	13	21
35-49	377	4.9	27	<1	1	3	6	11	13	30
50-64	289	5.5	30	<1	1	4	7	12	16	25
65+	213	7.5	65	<1	1	5	10	16	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1277	4.5	10	1	2	4	6	8	10	14
20-34	696	5.2	19	1	2	4	6	9	12	23
35-49	605	6.2	18	2	2	5	8	12	14	21
50-64	805	8.2	38	2	3	7	10	14	19	34
65+	1241	9.7	68	3	3	8	12	18	24	48
B. *Operated*										
0-19 YRS	588	5.7	26	1	1	4	7	11	15	25
20-34	674	7.5	76	1	2	5	9	16	22	50
35-49	692	9.3	98	2	2	6	11	20	30	66
50-64	922	10.6	106	2	2	7	13	23	30	53
65+	1008	13.3	176	2	3	9	17	28	40	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2227	4.4	10	1	2	4	5	8	10	17
B. *Operated*	2127	4.9	27	<1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	4624	6.9	37	2	2	5	8	13	17	33
B. *Operated*	3884	9.8	112	1	2	7	12	21	30	63
1. SINGLE DX	4354	4.6	19	1	1	3	6	9	12	22
2. MULTIPLE DX	8508	8.2	74	2	2	6	10	16	23	48
A. NOT OPERATED	6851	6.1	30	2	2	5	7	11	15	28
B. OPERATED	6011	8.0	88	1	1	5	10	18	25	51
TOTAL 0-19 YRS	3604	4.5	14	1	1	4	6	8	11	19
20-34	2466	5.4	34	1	2	4	6	10	14	30
35-49	1960	6.8	50	1	2	5	8	13	19	37
50-64	2208	8.6	67	2	2	6	11	17	24	45
65+	2624	10.7	111	2	3	8	13	21	31	61
GRAND TOTAL	**12862**	**7.0**	**58**	**1**	**2**	**5**	**8**	**14**	**20**	**42**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY* (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.3	5	1	1	3	5	6	8	9
20-34	52	3.4	8	1	1	3	4	6	11	16
35-49	14	2.4	1	<1	1	2	3	4	4	4
50-64	6	9.3	52	3	3	8	10	22	23	23
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	3110	3.5	5	1	2	3	4	6	7	11
20-34	5468	3.4	3	1	1	3	4	5	6	10
35-49	861	3.6	5	1	1	3	4	6	7	12
50-64	170	4.0	7	1	1	3	5	8	10	13
65+	40	5.3	64	1	1	3	5	9	18	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.5	6	<1	<1	1	3	7	8	11
20-34	54	2.9	7	<1	<1	2	4	7	9	13
35-49	13	4.8	16	<1	<1	3	5	13	13	13
50-64	10	13.1	535	1	1	5	11	48	77	77
65+	11	7.4	43	<1	1	5	13	16	20	20
B. *Operated*										
0-19 YRS	378	4.5	11	1	2	4	5	7	10	17
20-34	924	4.6	16	1	2	4	5	8	11	19
35-49	332	5.2	18	1	2	4	6	9	14	24
50-64	148	5.8	39	2	2	4	6	11	14	44
65+	58	8.7	122	1	2	6	11	16	21	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	3.6	10	1	1	3	4	7	10	18
B. *Operated*	9649	3.5	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	126	4.2	57	<1	<1	2	5	10	13	34
B. *Operated*	1840	4.9	21	1	2	4	6	8	12	23
1. SINGLE DX	9769	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1966	4.9	23	1	2	4	6	8	12	23
A. NOT OPERATED	246	3.9	34	<1	1	3	4	8	12	20
B. OPERATED	11489	3.7	7	1	2	3	4	6	7	13
TOTAL 0-19 YRS	3573	3.6	6	1	1	3	4	6	7	11
20-34	6498	3.6	5	1	1	3	4	6	7	12
35-49	1220	4.0	9	1	2	3	5	7	9	17
50-64	334	5.2	39	1	2	4	6	10	12	27
65+	110	7.4	94	1	2	4	9	14	20	58
GRAND TOTAL	11735	3.7	8	1	1	3	4	6	8	13

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	6	<1	<1	1	3	7	8	8
20-34	18	2.0	3	<1	<1	1	2	4	6	7
35-49	17	1.6	3	<1	<1	<1	<1	3	7	8
50-64	20	1.3	1	<1	<1	<1	1	2	3	4
65+	10	2.5	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	586	1.5	1	<1	<1	1	2	3	3	5
20-34	834	1.7	1	<1	<1	1	2	3	4	6
35-49	622	1.8	2	<1	<1	1	2	3	4	9
50-64	521	1.9	3	<1	<1	1	2	3	5	11
65+	244	2.1	6	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.7	3	<1	<1	1	2	3	6	8
20-34	19	2.6	11	<1	<1	2	3	4	11	16
35-49	26	3.4	6	<1	<1	3	6	7	8	9
50-64	25	5.6	78	<1	<1	3	6	11	25	42
65+	16	5.9	7	2	3	5	8	10	11	11
B. *Operated*										
0-19 YRS	126	2.4	5	<1	<1	2	3	4	6	11
20-34	302	2.9	9	<1	<1	2	3	5	8	16
35-49	366	3.2	11	<1	<1	2	4	6	8	15
50-64	423	3.9	33	<1	<1	2	4	8	11	20
65+	315	4.9	33	<1	1	3	6	11	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	1.9	3	<1	<1	<1	2	4	6	8
B. *Operated*	2807	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	105	3.9	25	<1	<1	2	5	8	10	30
B. *Operated*	1532	3.6	21	<1	<1	2	4	7	11	21
1. SINGLE DX	2883	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1637	3.6	22	<1	<1	2	4	7	11	21
A. NOT OPERATED	181	3.0	17	<1	<1	1	4	7	9	19
B. OPERATED	4339	2.4	10	<1	<1	2	3	4	7	15
TOTAL 0-19 YRS	742	1.7	2	<1	<1	1	2	3	4	7
20-34	1173	2.0	4	<1	<1	1	2	4	5	10
35-49	1031	2.3	6	<1	<1	2	3	4	6	11
50-64	989	2.8	19	<1	<1	2	3	6	9	18
65+	585	3.8	23	<1	<1	2	4	8	12	24
GRAND TOTAL	4520	2.4	10	<1	<1	2	3	5	7	15

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1602	3.7	13	1	1	3	4	7	9	21
20-34	889	5.8	55	<1	1	3	6	15	21	35
35-49	709	6.7	54	<1	1	4	8	16	24	33
50-64	673	7.3	62	<1	1	5	9	18	26	39
65+	713	9.2	94	1	2	7	11	18	26	54
B. *Operated*										
0-19 YRS	2259	2.8	15	<1	<1	2	3	5	9	19
20-34	2566	4.0	29	<1	<1	2	4	9	13	27
35-49	1990	4.4	35	<1	1	3	5	9	14	31
50-64	1855	5.0	61	<1	1	2	5	12	19	44
65+	1542	8.7	138	<1	1	4	12	23	34	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2037	4.7	23	1	1	4	6	9	12	23
20-34	1563	7.7	76	1	1	5	9	18	26	44
35-49	1771	8.8	91	1	2	6	10	19	27	52
50-64	2794	10.0	93	1	2	7	12	21	29	50
65+	6535	12.7	130	2	3	9	16	26	35	72
B. *Operated*										
0-19 YRS	1419	6.6	106	<1	1	3	7	15	25	59
20-34	2873	11.9	265	1	2	5	15	31	50	96
35-49	3139	11.1	204	1	1	5	14	30	45	99+
50-64	4377	12.5	234	1	2	6	17	34	48	97
65+	6750	18.9	315	2	2	14	27	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4586	5.9	51	<1	1	4	7	13	20	34
B. *Operated*	10212	4.7	53	<1	<1	2	4	11	18	39
2. MULTIPLE DX										
A. *Not Operated*	14700	10.1	105	1	2	7	13	22	29	56
B. *Operated*	18558	14.1	269	1	2	8	20	37	54	99+
1. SINGLE DX	14798	5.1	52	<1	1	3	5	12	19	37
2. MULTIPLE DX	33258	12.3	201	1	2	7	16	30	44	90
A. NOT OPERATED	19286	9.1	96	1	2	6	11	20	28	52
B. OPERATED	28770	10.8	212	<1	1	4	14	30	45	91
TOTAL 0-19 YRS	7317	4.3	36	<1	1	3	5	8	13	31
20-34	7891	7.8	138	<1	1	4	8	20	30	73
35-49	7609	8.4	127	1	1	4	10	22	32	70
50-64	9699	10.0	156	1	1	5	12	25	37	74
65+	15540	14.9	224	2	2	10	20	35	50	95
GRAND TOTAL	**48056**	**10.1**	**166**	**1**	**1**	**5**	**13**	**25**	**37**	**79**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	5.2	37	<1	<1	3	6	12	16	35
20-34	223	6.1	23	1	2	5	8	11	13	24
35-49	209	6.4	28	1	2	5	8	11	17	28
50-64	157	6.8	23	2	2	6	9	13	15	26
65+	57	8.1	40	2	2	6	10	18	26	27
B. *Operated*										
0-19 YRS	63	6.7	92	1	1	3	9	15	19	58
20-34	121	7.8	98	1	2	5	9	16	32	48
35-49	91	6.9	53	1	2	4	9	15	21	39
50-64	63	8.5	35	2	2	8	11	17	23	90
65+	53	10.5	60	1	2	10	15	19	22	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	7.7	56	1	2	6	10	15	23	46
20-34	706	7.9	45	2	2	6	10	15	22	33
35-49	783	9.4	84	2	3	7	11	18	24	48
50-64	825	9.8	79	2	3	7	12	19	25	44
65+	733	11.4	89	2	3	9	14	23	30	57
B. *Operated*										
0-19 YRS	122	15.6	301	2	2	10	21	33	58	88
20-34	389	14.3	192	2	3	10	19	32	44	88
35-49	438	13.9	164	2	3	10	17	29	36	75
50-64	501	15.1	163	3	4	11	20	35	47	99+
65+	461	18.8	289	3	4	14	24	44	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	6.2	29	<1	2	5	8	12	16	28
B. *Operated*	391	7.9	72	1	2	5	10	17	24	43
2. MULTIPLE DX										
A. *Not Operated*	3294	9.5	75	2	3	7	12	19	25	45
B. *Operated*	1911	15.6	211	2	3	11	20	33	48	94
1. SINGLE DX	1246	6.7	43	1	2	5	8	13	19	36
2. MULTIPLE DX	5205	11.7	134	2	3	8	14	25	34	70
A. NOT OPERATED	4149	8.8	67	2	2	7	11	17	24	42
B. OPERATED	2302	14.3	196	2	3	10	18	31	46	92
TOTAL 0-19 YRS	641	8.3	113	<1	1	5	10	17	25	58
20-34	1439	9.4	95	2	2	6	11	20	29	51
35-49	1521	10.1	104	2	2	7	12	21	29	52
50-64	1546	11.1	107	2	3	8	14	23	32	72
65+	1304	13.8	170	3	3	10	17	29	42	77
GRAND TOTAL	**6451**	**10.8**	**120**	**2**	**2**	**8**	**13**	**23**	**32**	**65**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	447	6.2	29	2	2	4	7	12	17	27
20-34	229	6.8	26	1	2	5	9	14	17	23
35-49	406	7.2	23	2	3	6	9	14	18	23
50-64	721	7.2	25	2	3	6	9	13	18	23
65+	612	8.3	33	2	3	7	10	15	19	30
B. Operated										
0-19 YRS	102	8.1	110	1	1	4	10	17	38	49
20-34	261	7.8	47	1	2	5	11	16	23	32
35-49	601	7.6	45	2	2	5	10	16	20	35
50-64	1323	9.3	56	2	2	7	13	19	24	36
65+	922	10.9	66	2	3	9	15	21	27	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	304	7.9	62	1	2	5	9	17	21	47
20-34	299	7.7	37	2	2	6	10	14	18	34
35-49	785	8.2	33	2	3	7	10	15	19	31
50-64	2150	8.9	49	2	3	7	11	17	21	36
65+	3328	10.4	69	3	3	8	13	19	25	46
B. Operated										
0-19 YRS	84	10.4	109	2	2	7	14	23	28	56
20-34	288	10.2	121	2	2	6	13	22	32	60
35-49	763	10.0	113	2	2	7	12	20	30	54
50-64	2252	11.5	111	2	3	8	16	24	32	52
65+	2217	14.9	152	3	4	12	19	30	40	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2415	7.3	28	2	2	6	9	14	18	27
B. Operated	3209	9.3	59	2	2	7	13	18	24	37
2. MULTIPLE DX										
A. Not Operated	6866	9.4	58	2	3	8	12	18	22	40
B. Operated	5604	12.5	132	2	3	10	16	26	35	67
1. SINGLE DX	5624	8.4	47	2	2	6	11	17	21	34
2. MULTIPLE DX	12470	10.8	94	2	3	8	14	21	29	53
A. NOT OPERATED	9281	8.9	51	2	3	7	11	17	21	36
B. OPERATED	8813	11.3	108	2	3	9	15	23	31	55
TOTAL 0-19 YRS	937	7.3	57	1	2	5	9	15	21	40
20-34	1077	8.2	61	2	2	6	11	16	23	36
35-49	2555	8.4	59	2	2	6	11	17	21	40
50-64	6446	9.7	71	2	3	7	12	19	25	42
65+	7079	11.7	97	2	3	9	15	22	30	57
GRAND TOTAL	**18094**	**10.1**	**80**	**2**	**3**	**8**	**13**	**20**	**27**	**47**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.9	11	<1	1	3	5	8	12	14
20-34	43	3.5	4	<1	1	3	5	6	7	10
35-49	128	5.3	23	1	2	4	6	11	14	23
50-64	322	5.2	14	1	1	4	7	10	12	19
65+	785	6.4	26	1	2	5	8	12	15	24
B. Operated										
0-19 YRS	82	3.8	17	1	1	2	3	9	13	22
20-34	751	4.3	16	1	1	3	5	9	12	19
35-49	1663	5.4	26	1	1	3	7	12	15	25
50-64	5629	9.1	40	1	2	9	13	17	20	27
65+	8184	13.3	43	2	4	13	17	20	24	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	6.1	23	<1	<1	4	9	12	15	17
20-34	87	4.6	10	1	1	4	6	8	11	16
35-49	430	6.4	24	1	2	5	8	12	15	25
50-64	2054	6.6	25	1	2	5	8	12	16	24
65+	7053	8.4	55	2	3	7	11	16	21	38
B. Operated										
0-19 YRS	63	7.5	98	1	2	4	9	15	21	61
20-34	691	5.7	44	1	1	3	7	13	17	35
35-49	1766	6.9	56	1	1	4	9	16	19	34
50-64	7008	10.8	74	2	2	10	15	20	25	42
65+	14616	15.8	90	3	5	15	19	26	33	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1295	5.8	22	1	2	5	8	11	14	22
B. Operated	16309	10.6	48	2	2	11	15	19	22	31
2. MULTIPLE DX										
A. Not Operated	9641	7.9	47	2	2	6	10	15	19	35
B. Operated	24144	13.4	92	2	3	13	17	24	30	49
1. SINGLE DX	17604	10.2	48	1	2	10	15	18	21	30
2. MULTIPLE DX	33785	11.8	85	2	2	10	16	22	28	47
A. NOT OPERATED	10936	7.7	45	2	2	6	10	14	19	33
B. OPERATED	40453	12.3	76	2	2	12	16	22	27	43
TOTAL 0-19 YRS	179	5.3	48	1	1	3	7	12	16	37
20-34	1572	4.9	28	1	1	3	6	11	15	24
35-49	3987	6.2	40	1	1	4	8	13	17	30
50-64	15013	9.5	56	1	2	8	13	18	22	36
65+	30638	13.2	77	2	3	12	17	23	28	46
GRAND TOTAL	**51389**	**11.3**	**73**	**2**	**2**	**10**	**16**	**21**	**26**	**41**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	449	7.6	35	2	2	6	10	16	21	27
20-34	312	5.4	19	1	2	4	7	10	13	23
35-49	260	5.5	15	1	2	4	7	10	14	20
50-64	248	7.1	37	1	2	5	9	14	20	28
65+	248	6.7	60	1	2	5	8	13	16	46
B. *Operated*										
0-19 YRS	305	11.6	71	1	2	10	16	23	29	38
20-34	749	5.7	41	1	1	4	7	12	17	36
35-49	723	5.5	26	1	2	4	7	11	14	28
50-64	818	7.1	38	1	2	5	10	15	17	30
65+	478	11.6	82	2	2	11	16	20	26	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	9.5	53	2	2	7	14	20	24	31
20-34	456	7.4	52	2	2	5	8	14	21	39
35-49	513	7.4	43	1	2	5	9	15	20	37
50-64	815	7.9	52	1	2	6	10	15	21	37
65+	1782	9.3	69	2	3	7	11	18	25	43
B. *Operated*										
0-19 YRS	346	14.8	105	2	3	14	21	28	32	51
20-34	624	9.2	117	1	2	5	11	22	30	57
35-49	759	9.0	95	1	2	6	11	20	31	48
50-64	1082	11.9	146	2	2	8	16	27	38	59
65+	1207	17.7	225	3	3	14	23	39	49	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1517	6.5	33	1	2	5	8	13	17	27
B. *Operated*	3073	7.5	52	1	2	5	10	16	21	35
2. MULTIPLE DX										
A. *Not Operated*	3968	8.5	59	2	2	6	11	17	23	39
B. *Operated*	4018	12.9	164	2	2	9	17	29	41	64
1. SINGLE DX	4590	7.2	46	1	2	5	10	15	20	32
2. MULTIPLE DX	7986	10.7	117	2	2	7	14	23	32	55
A. NOT OPERATED	5485	8.0	53	2	2	6	10	16	22	37
B. OPERATED	7091	10.6	123	1	2	7	14	23	32	56
TOTAL 0-19 YRS	1502	10.6	70	2	2	8	15	22	27	38
20-34	2141	7.1	65	1	2	5	8	15	22	42
35-49	2255	7.1	54	1	2	5	9	15	21	42
50-64	2963	9.0	86	1	2	6	11	19	27	49
65+	3715	12.1	136	2	3	9	15	25	36	63
GRAND TOTAL	**12576**	**9.4**	**94**	**1**	**2**	**6**	**12**	**20**	**28**	**50**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.7	4	<1	<1	2	4	5	7	9
20-34	118	2.7	7	<1	<1	2	3	6	8	15
35-49	52	2.5	5	<1	<1	1	3	6	8	11
50-64	32	3.5	9	<1	<1	3	5	7	11	13
65+	19	6.5	44	<1	1	4	7	15	24	28
B. *Operated*										
0-19 YRS	3273	2.5	3	<1	1	2	3	5	6	8
20-34	7080	2.7	4	<1	1	2	3	5	6	9
35-49	3637	2.7	4	<1	1	2	3	5	6	11
50-64	1858	2.9	9	1	1	2	3	5	7	11
65+	496	3.3	7	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	1.9	7	<1	<1	1	2	3	5	17
20-34	201	2.7	12	<1	<1	1	3	6	9	17
35-49	129	2.7	9	<1	<1	1	3	7	9	14
50-64	133	3.5	16	<1	<1	2	4	8	10	23
65+	99	5.3	27	<1	1	4	7	10	14	29
B. *Operated*										
0-19 YRS	2220	2.8	4	1	1	2	4	5	6	10
20-34	5706	3.1	7	<1	1	2	4	6	7	13
35-49	4295	3.2	8	<1	1	2	4	6	8	15
50-64	3678	3.3	8	1	1	2	4	6	8	14
65+	1638	4.3	21	1	1	3	5	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	3.0	9	<1	<1	2	4	6	8	17
B. *Operated*	16344	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	663	3.1	15	<1	<1	1	4	8	10	19
B. *Operated*	17537	3.2	9	1	1	2	4	6	8	15
1. SINGLE DX	16634	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	18200	3.2	9	<1	1	2	4	6	8	15
A. NOT OPERATED	953	3.1	13	<1	<1	2	4	7	9	19
B. OPERATED	33881	3.0	7	<1	1	2	4	5	7	13
TOTAL 0-19 YRS	5663	2.6	4	<1	1	2	3	5	6	9
20-34	13105	2.9	5	<1	1	2	4	5	7	11
35-49	8113	3.0	7	<1	1	2	4	6	7	13
50-64	5701	3.2	9	1	1	2	4	6	8	14
65+	2252	4.2	18	1	1	3	5	8	12	20
GRAND TOTAL	**34834**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**6**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	647	3.6	8	1	1	3	5	7	9	14
20-34	337	3.7	11	<1	<1	3	5	7	11	18
35-49	269	4.5	15	<1	1	4	6	9	12	19
50-64	212	4.7	15	1	1	4	6	9	12	18
65+	328	5.6	19	1	1	5	7	11	13	27
B. *Operated*										
0-19 YRS	4350	3.1	4	1	1	3	4	5	6	10
20-34	6520	3.4	5	1	1	3	4	6	7	11
35-49	2097	3.6	7	1	1	3	4	6	8	14
50-64	962	4.4	19	1	1	3	5	9	12	23
65+	550	6.9	53	1	1	4	10	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	665	4.2	25	<1	1	3	5	9	12	19
20-34	600	4.5	30	<1	1	3	6	9	12	24
35-49	618	5.4	27	1	1	4	7	11	16	27
50-64	855	6.3	31	1	1	5	8	13	17	27
65+	1612	7.7	56	2	2	6	9	15	20	42
B. *Operated*										
0-19 YRS	2150	4.3	21	1	1	3	5	7	11	30
20-34	3311	4.3	19	1	1	3	5	8	11	22
35-49	1902	4.8	21	1	1	3	6	10	13	22
50-64	1440	6.2	43	1	2	4	7	13	19	36
65+	1209	10.4	103	2	2	7	14	24	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1793	4.3	13	<1	1	3	5	8	11	19
B. *Operated*	14479	3.5	8	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	4350	6.1	41	1	1	4	8	13	17	30
B. *Operated*	10012	5.4	37	1	1	4	6	11	16	33
1. SINGLE DX	16272	3.6	9	1	1	3	4	6	8	16
2. MULTIPLE DX	14362	5.6	38	1	1	4	7	12	17	32
A. NOT OPERATED	6143	5.6	33	1	1	4	7	11	15	28
B. OPERATED	24491	4.3	21	1	1	3	5	8	12	25
TOTAL 0-19 YRS	7812	3.6	11	1	1	3	4	6	8	16
20-34	10768	3.7	11	1	1	3	4	6	9	16
35-49	4886	4.3	16	1	1	3	5	8	11	20
50-64	3469	5.6	32	1	1	4	7	12	17	30
65+	3699	8.3	70	1	2	6	10	17	25	44
GRAND TOTAL	30634	4.6	24	1	1	3	5	9	13	25

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.4	49	1	2	7	12	19	24	25
20-34	28	6.6	10	2	3	6	9	11	12	14
35-49	30	6.4	29	1	1	5	8	12	20	25
50-64	15	8.1	29	2	2	8	11	16	20	21
65+	10	10.5	242	3	3	5	8	33	54	54
B. *Operated*										
0-19 YRS	6	8.8	49	2	2	7	12	20	21	21
20-34	15	13.9	80	2	3	13	23	26	28	29
35-49	11	11.9	49	1	2	12	16	21	24	24
50-64	8	12.3	48	2	3	12	18	20	21	21
65+	3	13.7	134	3	3	12	22	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	12.8	133	2	3	7	18	32	37	37
20-34	29	6.4	11	1	2	6	9	12	12	13
35-49	56	8.1	44	3	3	6	9	17	20	38
50-64	71	8.2	40	2	3	7	10	16	23	32
65+	72	8.7	25	3	3	8	11	15	19	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	10.8	29	2	5	10	13	17	22	26
35-49	26	17.5	287	2	4	10	27	43	52	68
50-64	38	17.7	216	2	5	12	20	40	51	59
65+	31	15.9	318	2	4	10	19	39	40	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	7.4	47	2	2	6	9	13	19	41
B. *Operated*	43	12.3	61	2	3	12	18	25	26	29
2. MULTIPLE DX										
A. *Not Operated*	237	8.3	37	2	3	7	10	16	21	33
B. *Operated*	116	15.9	228	2	4	10	18	39	44	76
1. SINGLE DX	137	9.0	56	2	2	7	12	19	25	32
2. MULTIPLE DX	353	10.8	112	2	3	8	12	21	35	55
A. NOT OPERATED	331	8.0	40	2	3	7	10	15	20	33
B. OPERATED	159	14.9	184	2	3	11	18	34	41	67
TOTAL 0-19 YRS	27	9.7	76	2	2	7	13	24	27	37
20-34	92	8.6	33	2	3	7	11	15	24	28
35-49	123	10.0	107	2	3	7	12	20	34	53
50-64	132	11.2	106	2	3	8	13	21	35	56
65+	116	10.9	130	3	3	8	12	22	26	67
GRAND TOTAL	490	10.3	97	2	3	8	12	20	27	52

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	8	2	2	5	7	9	9	9
20-34	141	5.7	14	1	2	5	8	10	13	18
35-49	483	6.2	21	2	2	5	8	12	14	27
50-64	793	6.2	22	1	2	5	8	11	14	21
65+	797	7.2	27	2	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	16	6.3	13	1	1	7	9	11	11	11
20-34	284	6.2	40	1	2	5	8	12	16	25
35-49	1219	6.7	31	1	2	5	9	13	16	26
50-64	1579	6.8	28	1	2	6	9	13	17	27
65+	679	8.2	47	1	2	7	11	16	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.3	10	<1	1	5	9	10	55	99+
20-34	204	6.7	25	2	2	6	9	12	14	26
35-49	1411	7.0	22	2	2	6	9	13	16	24
50-64	3929	7.2	24	2	3	6	9	13	16	26
65+	7505	8.6	42	2	3	7	11	16	20	34
B. *Operated*										
0-19 YRS	15	9.0	29	3	3	8	12	17	20	21
20-34	271	8.1	56	1	2	6	10	15	19	39
35-49	1373	9.0	55	2	2	8	11	18	22	37
50-64	2877	9.8	70	2	2	8	13	19	24	45
65+	2593	13.5	129	2	3	11	17	28	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2219	6.5	23	2	2	6	8	12	15	24
B. *Operated*	3777	7.0	33	1	2	6	9	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	13068	8.0	35	2	3	7	10	15	18	31
B. *Operated*	7129	10.9	92	2	2	9	14	22	29	51
1. SINGLE DX	5996	6.8	30	1	2	6	9	13	16	27
2. MULTIPLE DX	20197	9.0	57	2	3	7	11	17	22	41
A. NOT OPERATED	15287	7.8	33	2	3	6	10	14	18	29
B. OPERATED	10906	9.6	75	2	2	8	12	19	25	45
TOTAL 0-19 YRS	55	6.6	17	1	2	7	9	11	16	95
20-34	900	6.8	38	1	2	5	9	13	16	28
35-49	4486	7.4	35	2	2	6	10	14	18	30
50-64	9178	7.9	41	2	2	6	10	15	19	32
65+	11574	9.6	65	2	3	8	12	18	24	44
GRAND TOTAL	**26193**	**8.5**	**51**	**2**	**2**	**7**	**11**	**16**	**21**	**37**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	7.1	40	1	1	6	10	12	15	43
20-34	3527	6.6	19	1	2	6	9	12	14	21
35-49	5724	7.3	22	2	2	7	10	13	16	23
50-64	2814	7.9	25	2	3	7	10	14	17	24
65+	894	8.1	27	2	3	7	10	15	17	26
B. *Operated*										
0-19 YRS	572	6.5	26	1	2	5	9	13	17	25
20-34	13551	6.9	28	1	2	6	9	13	17	25
35-49	19333	7.4	31	1	2	6	10	14	18	27
50-64	8816	8.2	36	1	2	7	11	16	20	29
65+	1868	9.6	51	1	2	8	13	19	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	6.2	39	1	2	7	11	14	16	40
20-34	1950	7.6	28	1	2	7	10	14	18	27
35-49	4141	8.3	33	2	3	7	11	15	18	28
50-64	4538	8.7	32	2	3	8	11	16	19	29
65+	3867	9.8	41	3	4	8	12	18	21	32
B. *Operated*										
0-19 YRS	137	8.3	52	1	2	6	11	16	23	40
20-34	4130	9.4	53	2	2	8	12	18	23	37
35-49	8699	10.2	57	2	3	8	13	19	24	38
50-64	7610	11.2	72	2	3	9	15	21	27	41
65+	3819	14.2	104	2	4	12	18	26	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12631	7.3	22	1	2	7	10	13	16	23
B. *Operated*	44140	7.5	32	1	2	6	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	14571	8.7	34	2	3	8	11	16	19	30
B. *Operated*	24395	11.0	71	2	3	9	14	21	27	42
1. SINGLE DX	56771	7.5	30	1	2	6	10	14	18	26
2. MULTIPLE DX	38966	10.2	58	2	3	9	13	19	24	38
A. NOT OPERATED	27202	8.1	29	2	3	7	10	15	18	27
B. OPERATED	68535	8.8	49	1	2	7	11	17	22	33
TOTAL 0-19 YRS	956	7.0	34	1	2	6	9	13	18	26
20-34	23158	7.4	32	1	2	6	10	14	18	27
35-49	37397	8.2	37	1	2	7	11	16	19	29
50-64	23778	9.2	47	2	2	8	12	17	22	33
65+	10448	11.2	70	2	3	9	15	21	27	42
GRAND TOTAL	**95737**	**8.6**	**43**	**1**	**2**	**7**	**11**	**16**	**21**	**32**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.9	15	1	1	4	6	8	12	23
20-34	590	6.6	17	1	2	6	8	12	15	20
35-49	1087	7.0	21	1	2	6	9	13	15	23
50-64	670	7.1	22	2	2	6	9	13	15	27
65+	208	8.4	41	2	3	7	10	16	20	37
B. *Operated*										
0-19 YRS	43	6.3	26	1	1	5	9	13	18	23
20-34	1347	6.8	26	1	2	6	9	13	17	25
35-49	3568	7.1	26	1	2	6	9	13	17	24
50-64	1816	7.4	27	1	2	7	10	14	17	25
65+	225	8.9	54	1	2	8	12	16	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	7.2	25	3	3	5	9	17	18	18
20-34	379	7.5	36	2	2	6	9	14	18	31
35-49	1211	7.6	30	1	2	7	10	14	17	29
50-64	1547	7.9	27	2	3	7	10	14	17	24
65+	1183	8.5	35	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	23	9.3	74	2	2	6	12	23	28	36
20-34	561	8.7	76	1	2	7	11	17	22	51
35-49	2195	8.9	54	2	2	7	11	18	22	35
50-64	1981	10.1	66	2	2	8	13	19	24	43
65+	605	12.8	130	2	3	10	17	24	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2609	7.0	22	1	2	6	9	13	15	24
B. *Operated*	6999	7.2	28	1	2	6	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	4339	7.9	31	2	3	7	10	14	18	28
B. *Operated*	5365	9.8	71	2	2	8	12	19	24	43
1. SINGLE DX	9608	7.1	26	1	2	6	9	13	16	25
2. MULTIPLE DX	9704	9.0	54	2	2	7	11	17	21	37
A. NOT OPERATED	6948	7.6	28	2	3	7	10	14	17	27
B. OPERATED	12364	8.3	48	1	2	7	11	16	20	33
TOTAL 0-19 YRS	139	6.4	31	1	2	5	8	13	18	25
20-34	2877	7.2	36	1	2	6	9	14	17	27
35-49	8061	7.7	34	1	2	7	10	14	18	29
50-64	6014	8.4	41	2	2	7	11	15	20	32
65+	2221	9.7	67	2	3	8	12	18	24	43
GRAND TOTAL	**19312**	**8.0**	**41**	**1**	**2**	**7**	**10**	**15**	**19**	**31**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	6.8	66	1	1	4	11	13	17	43
20-34	547	6.4	18	1	2	6	9	11	14	20
35-49	710	6.8	18	1	2	6	9	12	14	19
50-64	345	6.8	17	1	1	6	9	12	15	18
65+	63	6.9	12	1	3	7	9	12	13	16
B. *Operated*										
0-19 YRS	15	7.0	67	1	1	5	8	16	29	33
20-34	421	6.1	39	1	1	4	8	12	16	27
35-49	504	6.8	28	1	2	5	9	14	17	25
50-64	134	6.9	27	1	2	6	9	14	18	25
65+	9	7.1	18	3	3	5	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	6.0	22	1	1	5	8	11	15	28
20-34	647	7.3	18	2	3	7	9	13	15	21
35-49	972	8.3	26	2	3	7	10	14	17	28
50-64	782	8.3	27	2	3	7	11	15	18	27
65+	445	8.9	34	2	3	7	11	16	20	29
B. *Operated*										
0-19 YRS	17	7.4	48	1	1	7	10	12	24	30
20-34	369	9.2	51	1	2	8	12	17	23	39
35-49	568	10.2	53	2	3	9	13	18	25	36
50-64	262	10.7	62	2	2	10	15	19	22	37
65+	81	13.1	98	2	3	11	17	24	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1695	6.7	19	1	2	6	9	12	14	19
B. *Operated*	1083	6.5	32	1	2	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	2899	8.1	26	2	3	7	10	14	17	26
B. *Operated*	1297	10.2	58	2	2	9	13	19	24	38
1. SINGLE DX	2778	6.6	24	1	2	6	9	12	15	23
2. MULTIPLE DX	4196	8.7	37	2	3	8	11	16	20	31
A. NOT OPERATED	4594	7.6	24	1	2	7	10	13	16	24
B. OPERATED	2380	8.5	50	1	2	7	11	17	21	35
TOTAL 0-19 YRS	115	6.5	42	1	1	5	8	12	16	36
20-34	1984	7.2	30	1	2	6	9	13	16	26
35-49	2754	8.0	32	1	2	7	10	14	18	28
50-64	1523	8.2	33	1	2	7	11	15	18	27
65+	598	9.2	43	2	3	8	12	17	21	33
GRAND TOTAL	**6974**	**7.9**	**33**	**1**	**2**	**7**	**10**	**14**	**18**	**28**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	6.5	14	2	2	6	10	12	13	14
20-34	356	6.4	16	2	2	6	8	12	14	20
35-49	514	6.8	16	1	2	6	9	12	14	18
50-64	340	7.4	21	1	2	7	10	13	15	23
65+	217	8.0	29	1	2	7	11	14	17	29
B. Operated										
0-19 YRS	22	4.5	27	1	1	3	5	8	17	25
20-34	243	4.9	18	1	1	3	7	10	14	20
35-49	356	5.7	41	1	1	3	7	13	17	30
50-64	191	6.7	31	1	2	6	9	14	18	28
65+	61	6.9	33	1	1	5	11	15	18	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	7.2	13	2	2	7	9	12	14	15
20-34	387	7.5	23	2	3	7	9	13	18	24
35-49	670	7.9	23	2	3	7	10	14	17	24
50-64	799	8.4	24	2	3	8	11	14	16	25
65+	1125	9.8	48	3	4	8	12	17	21	35
B. Operated										
0-19 YRS	11	10.5	55	1	3	9	16	22	23	23
20-34	151	8.0	43	2	2	6	11	17	22	28
35-49	295	9.4	46	1	2	9	13	20	22	34
50-64	252	11.5	72	2	3	10	16	22	30	39
65+	196	14.2	127	3	3	12	17	30	39	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1448	7.0	19	1	2	6	9	12	15	22
B. Operated	873	5.8	32	1	1	4	8	12	16	28
2. MULTIPLE DX										
A. Not Operated	3001	8.7	34	2	3	8	11	15	19	29
B. Operated	905	10.8	75	2	2	9	15	22	28	42
1. SINGLE DX	2321	6.6	24	1	2	6	9	12	15	24
2. MULTIPLE DX	3906	9.2	44	2	3	8	11	17	21	34
A. NOT OPERATED	4449	8.1	30	2	3	7	10	14	17	26
B. OPERATED	1778	8.3	60	1	2	6	11	18	23	37
TOTAL 0-19 YRS	74	6.7	26	2	2	5	9	14	17	25
20-34	1137	6.7	24	1	2	6	9	12	16	24
35-49	1835	7.4	29	1	2	6	10	14	17	26
50-64	1582	8.5	34	2	2	7	11	15	19	31
65+	1599	9.9	58	2	3	8	12	18	23	44
GRAND TOTAL	**6227**	**8.2**	**38**	**2**	**2**	**7**	**10**	**15**	**19**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	531	4.3	13	1	1	3	5	9	11	19
20-34	4235	6.0	20	1	2	5	8	11	14	21
35-49	5603	6.6	23	1	2	6	9	12	16	23
50-64	3105	6.8	23	1	2	6	9	12	15	23
65+	1325	6.8	27	1	2	6	9	13	16	24
B. Operated										
0-19 YRS	270	4.1	17	1	1	3	5	9	11	17
20-34	3663	4.9	22	1	1	3	6	11	14	23
35-49	5067	5.7	27	1	1	4	8	12	16	25
50-64	3185	6.8	33	1	2	5	9	14	18	27
65+	1417	9.0	52	1	2	8	12	18	21	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	492	4.6	18	<1	1	4	6	10	12	25
20-34	4484	7.2	31	1	2	6	9	14	18	26
35-49	7331	7.9	34	2	2	6	10	15	19	29
50-64	7016	8.0	34	2	3	7	10	15	19	29
65+	6711	8.8	44	2	3	7	11	17	21	32
B. Operated										
0-19 YRS	203	5.8	31	1	1	4	8	11	16	29
20-34	2995	7.4	47	1	2	5	10	16	20	34
35-49	5369	8.5	56	1	2	7	11	17	22	38
50-64	5181	9.9	70	2	2	8	13	19	25	41
65+	4204	13.3	107	2	3	11	17	26	34	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14799	6.4	22	1	2	5	8	12	15	23
B. Operated	13602	6.1	31	1	1	4	8	13	17	26
2. MULTIPLE DX										
A. Not Operated	26034	8.0	36	2	2	7	10	15	19	29
B. Operated	17952	9.8	75	1	2	8	13	20	26	43
1. SINGLE DX	28401	6.2	26	1	2	5	8	12	16	24
2. MULTIPLE DX	43986	8.7	53	2	2	7	11	17	22	36
A. NOT OPERATED	40833	7.4	32	1	2	6	10	14	18	27
B. OPERATED	31554	8.2	59	1	2	6	11	17	23	38
TOTAL 0-19 YRS	1496	4.6	18	1	1	3	6	9	12	23
20-34	15377	6.4	30	1	2	5	8	13	17	26
35-49	23370	7.2	36	1	2	6	9	14	18	29
50-64	18487	8.1	44	1	2	7	11	16	20	32
65+	13657	10.0	68	2	2	8	13	20	26	41
GRAND TOTAL	**72387**	**7.7**	**44**	**1**	**2**	**6**	**10**	**16**	**20**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	744	3.7	9	1	1	3	5	7	9	13
20-34	420	4.2	9	<1	1	3	5	8	10	15
35-49	540	4.6	12	1	1	4	6	9	11	16
50-64	524	4.6	13	1	1	4	6	9	12	18
65+	305	5.3	12	1	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	1173	2.5	5	<1	<1	2	3	4	6	10
20-34	2953	2.7	5	<1	1	2	3	5	6	12
35-49	4137	3.0	5	<1	1	2	4	5	7	12
50-64	3884	3.0	6	<1	<1	2	4	5	7	13
65+	1140	3.4	12	<1	<1	3	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	4.4	16	1	1	3	5	8	12	21
20-34	429	5.0	18	1	1	4	6	9	11	15
35-49	893	5.7	17	1	2	5	7	11	13	20
50-64	1286	6.2	22	1	2	5	8	11	14	26
65+	1601	7.5	34	2	2	6	9	14	19	28
B. *Operated*										
0-19 YRS	454	3.5	15	<1	1	2	4	7	10	20
20-34	1654	3.8	13	1	1	3	4	7	10	18
35-49	2891	4.3	20	1	1	3	5	8	12	21
50-64	3449	4.7	22	1	2	3	5	9	13	22
65+	1704	6.1	46	1	2	4	7	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2533	4.4	11	1	1	4	5	8	11	16
B. *Operated*	13287	2.9	6	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	4527	6.3	25	1	2	5	8	12	15	26
B. *Operated*	10152	4.6	24	1	1	3	5	9	13	24
1. SINGLE DX	15820	3.2	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	14679	5.2	25	1	1	4	6	10	14	25
A. NOT OPERATED	7060	5.6	21	1	2	4	7	11	14	24
B. OPERATED	23439	3.7	15	<1	1	3	4	7	10	19
TOTAL 0-19 YRS	2689	3.2	9	<1	1	2	4	6	8	15
20-34	5456	3.3	9	<1	1	3	4	6	9	14
35-49	8461	3.8	13	<1	1	3	4	7	10	17
50-64	9143	4.2	16	<1	1	3	5	8	11	19
65+	4750	5.9	34	1	2	4	7	12	16	28
GRAND TOTAL	**30499**	**4.1**	**17**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7		<1	<1	2	2	3	3	3
20-34	16	2.1	5	<1	<1	1	3	4	8	9
35-49	7	1.6	1	<1	<1	1	2	4	4	4
50-64	16	2.3	4	<1	<1	1	3	6	7	7
65+	7	3.7	19	<1	<1	1	7	11	11	11
B. *Operated*										
0-19 YRS	1081	3.2	2	1	1	3	4	5	6	8
20-34	2169	3.2	2	1	1	3	4	5	6	9
35-49	2449	3.5	3	1	2	3	4	5	7	9
50-64	2859	3.6	3	1	2	3	4	6	7	9
65+	1538	3.7	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.5	2	<1	<1	1	1	3	6	7
20-34	65	1.6	1	<1	<1	1	2	4	4	7
35-49	75	2.0	4	<1	<1	1	2	4	6	11
50-64	141	2.3	5	<1	<1	1	3	6	7	11
65+	117	4.2	18	<1	<1	2	6	10	13	20
B. *Operated*										
0-19 YRS	962	3.7	4	1	2	3	4	6	7	10
20-34	2976	3.7	4	1	2	3	4	6	7	10
35-49	4265	3.9	5	1	2	4	5	6	7	11
50-64	7556	4.3	7	2	2	4	5	7	8	14
65+	5295	4.8	10	2	2	4	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.2	5	<1	<1	1	2	4	8	11
B. *Operated*	10096	3.5	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	422	2.6	9	<1	<1	1	3	6	8	14
B. *Operated*	21054	4.2	7	2	2	4	5	7	8	14
1. SINGLE DX	10154	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX	21476	4.2	7	1	2	4	5	7	8	14
A. NOT OPERATED	480	2.5	8	<1	<1	1	3	6	8	14
B. OPERATED	31150	4.0	6	1	2	4	5	6	8	12
TOTAL 0-19 YRS	2079	3.4	3	1	1	3	4	5	6	9
20-34	5226	3.5	4	1	2	3	4	5	6	9
35-49	6796	3.7	5	1	2	3	5	6	7	10
50-64	10572	4.1	6	1	2	4	5	6	8	12
65+	6957	4.5	9	1	2	4	5	8	9	16
GRAND TOTAL	**31630**	**4.0**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.4		<1	<1	1	2	2	3	3
20-34	31	1.6	2	<1	<1	1	2	3	4	7
35-49	32	2.3	2	<1	<1	2	3	4	4	7
50-64	26	3.1	9	<1	<1	2	4	6	11	13
65+	14	4.8	18	<1	1	3	7	11	13	13
B. *Operated*										
0-19 YRS	1646	1.7	1	<1	<1	2	2	3	3	4
20-34	2805	1.8	2	<1	<1	2	2	3	3	6
35-49	1794	2.0	2	<1	<1	2	2	3	4	7
50-64	1152	2.4	3	<1	<1	2	3	4	5	8
65+	448	2.8	4	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	1.1		<1	<1	1	1	1	2	3
20-34	52	2.6	12	<1	<1	1	2	7	10	20
35-49	52	4.3	19	<1	<1	2	6	10	15	20
50-64	54	3.9	10	<1	1	3	5	9	9	12
65+	61	6.3	13	1	2	6	9	12	12	13
B. *Operated*										
0-19 YRS	204	2.1	2	<1	<1	2	3	3	4	7
20-34	639	2.6	4	<1	<1	2	3	4	6	10
35-49	760	3.4	12	<1	1	2	4	6	9	19
50-64	916	3.7	12	<1	1	3	4	7	10	18
65+	528	4.8	23	1	1	3	6	9	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	2.5	6	<1	<1	2	3	5	7	13
B. *Operated*	7845	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	254	3.9	14	<1	<1	2	6	10	12	16
B. *Operated*	3047	3.5	12	<1	1	2	4	7	9	18
1. SINGLE DX	7965	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	3301	3.5	12	<1	1	2	4	7	10	18
A. NOT OPERATED	374	3.4	12	<1	<1	2	4	9	11	15
B. OPERATED	10892	2.4	5	<1	<1	2	3	4	6	12
TOTAL 0-19 YRS	1902	1.7	1	<1	<1	2	2	3	3	5
20-34	3527	1.9	2	<1	<1	2	2	3	4	7
35-49	2638	2.4	6	<1	<1	2	3	4	6	12
50-64	2148	3.0	7	<1	<1	2	3	5	8	15
65+	1051	4.0	16	<1	1	3	5	8	11	18
GRAND TOTAL	**11266**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	381	13.4	89	1	3	11	19	27	30	41
20-34	116	11.4	87	1	3	9	14	25	33	42
35-49	119	10.5	75	2	2	7	14	25	28	36
50-64	136	11.8	86	2	3	9	16	23	31	42
65+	86	14.4	123	2	3	11	21	28	36	54
B. *Operated*										
0-19 YRS	412	16.4	157	2	3	14	23	34	42	53
20-34	362	12.4	138	2	2	8	17	29	38	52
35-49	343	14.0	187	2	2	9	17	34	46	62
50-64	362	11.5	125	1	2	8	15	25	36	53
65+	239	15.4	166	2	3	12	22	34	42	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	16.2	121	2	3	14	23	30	40	50
20-34	192	14.0	120	1	2	11	18	32	38	50
35-49	259	14.1	121	2	3	10	20	30	38	44
50-64	462	16.3	163	3	4	12	23	37	43	52
65+	571	17.0	192	3	4	13	23	37	46	73
B. *Operated*										
0-19 YRS	413	21.6	198	3	5	20	30	43	47	78
20-34	673	21.0	268	3	4	17	30	47	54	98
35-49	749	21.8	345	3	4	16	33	51	68	99+
50-64	1212	21.2	274	3	5	16	30	47	56	98
65+	1356	23.6	326	4	6	18	32	52	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	838	12.6	91	1	3	10	17	26	30	42
B. *Operated*	1718	13.9	157	2	4	10	19	32	42	55
2. MULTIPLE DX										
A. *Not Operated*	1794	16.0	155	2	4	12	22	34	42	54
B. *Operated*	4403	22.0	295	3	5	17	31	48	60	99+
1. SINGLE DX	2556	13.5	135	2	3	10	19	29	38	53
2. MULTIPLE DX	6197	20.3	262	3	4	16	29	45	55	94
A. NOT OPERATED	2632	14.9	137	2	3	11	21	31	40	51
B. OPERATED	6121	19.8	270	2	4	15	28	45	55	94
TOTAL 0-19 YRS	1516	17.0	153	2	3	14	24	34	43	54
20-34	1343	16.9	213	2	3	12	24	40	48	75
35-49	1470	17.7	265	2	3	12	25	43	55	98
50-64	2172	17.9	230	2	4	14	25	41	50	81
65+	2252	20.7	280	3	5	16	29	46	59	96
GRAND TOTAL	**8753**	**18.3**	**235**	**2**	**4**	**14**	**26**	**41**	**51**	**84**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	539	5.0	23	1	1	3	7	11	14	23
20-34	457	3.4	8	<1	1	3	4	6	8	14
35-49	629	3.8	9	1	1	3	4	7	9	16
50-64	535	4.5	13	1	1	3	6	9	13	19
65+	871	7.9	34	2	2	7	11	15	18	30
B. *Operated*										
0-19 YRS	3577	4.4	19	1	1	3	5	9	12	22
20-34	3497	4.4	16	1	1	3	5	8	11	20
35-49	1867	5.5	28	1	1	4	7	11	14	25
50-64	1425	7.1	42	1	2	5	10	15	18	28
65+	984	10.4	56	2	2	9	15	19	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	6.4	59	<1	1	4	7	16	22	42
20-34	869	4.8	24	1	1	4	6	9	12	22
35-49	1733	5.2	23	1	2	4	6	9	13	24
50-64	2917	7.2	38	2	2	5	9	15	20	32
65+	11257	10.3	61	2	3	8	13	19	25	41
B. *Operated*										
0-19 YRS	1343	5.4	46	1	1	3	6	11	16	40
20-34	2421	6.5	68	1	2	4	8	14	18	42
35-49	1963	8.6	99	1	2	5	11	18	26	55
50-64	2690	11.5	125	2	2	9	15	24	32	60
65+	4479	16.6	157	3	4	14	21	32	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3031	5.3	23	1	1	4	7	11	14	23
B. *Operated*	11350	5.4	29	1	1	4	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	17162	8.9	56	2	2	7	11	18	23	39
B. *Operated*	12896	11.3	132	1	2	8	15	25	33	61
1. SINGLE DX	14381	5.4	27	1	1	4	7	12	15	25
2. MULTIPLE DX	30058	9.9	90	2	2	7	13	21	28	49
A. NOT OPERATED	20193	8.4	53	1	2	6	11	17	22	37
B. OPERATED	24246	8.5	92	1	2	5	11	19	26	49
TOTAL 0-19 YRS	5845	4.8	28	1	1	3	6	10	14	27
20-34	7244	5.1	35	1	1	3	6	10	14	30
35-49	6192	6.2	50	1	2	4	7	13	17	38
50-64	7567	8.5	73	1	2	6	11	18	24	44
65+	17591	11.8	92	2	3	9	15	23	30	52
GRAND TOTAL	**44439**	**8.5**	**74**	**1**	**2**	**6**	**11**	**18**	**24**	**44**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.8	29	<1	<1	2	3	15	18	20
20-34	11	2.6	5	<1	<1	1	5	6	7	7
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	8	11.1	94	2	2	7	19	26	27	27
65+	8	6.5	69	1	1	3	7	21	26	26
B. *Operated*										
0-19 YRS	847	4.1	18	<1	1	3	5	7	8	15
20-34	554	3.2	7	<1	1	2	4	6	9	15
35-49	306	3.6	36	<1	1	3	4	7	8	17
50-64	260	4.0	9	1	1	3	5	8	11	13
65+	98	6.2	34	1	2	5	8	12	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.1	37	<1	<1	1	4	11	22	29
20-34	34	4.5	32	<1	<1	3	5	9	18	28
35-49	43	5.9	67	<1	<1	3	6	14	27	37
50-64	51	8.9	151	1	1	4	11	22	40	57
65+	85	15.8	330	3	3	9	18	36	52	92
B. *Operated*										
0-19 YRS	1076	5.4	44	1	2	4	6	9	13	35
20-34	722	4.7	24	1	2	3	6	9	12	29
35-49	615	5.1	30	1	1	4	6	10	14	21
50-64	625	6.1	27	1	2	5	8	12	15	28
65+	390	9.1	96	2	2	6	12	19	24	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.7	42	<1	<1	2	5	16	22	27
B. *Operated*	2065	3.9	17	<1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	301	8.5	165	<1	1	4	9	23	33	67
B. *Operated*	3428	5.7	42	1	2	4	7	11	15	34
1. SINGLE DX	2123	3.9	18	<1	1	3	5	7	9	17
2. MULTIPLE DX	3729	6.0	52	1	2	4	7	12	16	37
A. NOT OPERATED	359	7.9	147	<1	1	4	8	21	30	59
B. OPERATED	5493	5.0	33	1	1	4	6	9	13	28
TOTAL 0-19 YRS	2037	4.8	33	1	1	4	5	8	11	28
20-34	1321	4.1	17	<1	1	3	5	8	10	19
35-49	969	4.7	34	1	1	3	5	9	13	21
50-64	944	5.7	31	1	2	4	7	11	14	28
65+	581	9.5	127	2	2	6	11	20	29	59
GRAND TOTAL	**5852**	**5.2**	**41**	**1**	**1**	**4**	**6**	**10**	**14**	**32**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	6	1	1	4	6	8	9	9
20-34	119	5.7	19	1	1	5	8	12	15	21
35-49	187	6.5	21	1	2	5	9	13	15	21
50-64	133	5.8	22	1	1	5	8	11	14	26
65+	79	6.2	23	1	1	5	8	13	17	21
B. *Operated*										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	100	6.0	41	1	2	3	8	13	21	33
35-49	170	4.6	14	1	1	3	7	10	12	17
50-64	118	6.1	33	1	2	4	8	14	18	28
65+	58	6.3	27	1	1	4	8	13	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	3	1	1	3	4	6	6	6
20-34	130	6.2	28	2	2	5	8	11	15	27
35-49	263	7.3	29	2	2	6	10	14	17	26
50-64	353	7.5	26	2	2	7	10	14	17	24
65+	460	8.1	34	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	5	7.2	27	3	3	5	11	15	15	15
20-34	84	7.0	37	1	2	6	9	14	21	31
35-49	161	10.0	54	1	2	9	13	19	23	39
50-64	162	9.8	75	2	2	8	12	20	26	44
65+	104	12.6	62	3	4	12	17	23	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	6.1	21	1	1	5	8	12	15	21
B. *Operated*	449	5.5	27	1	1	3	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	1217	7.5	30	2	2	6	10	14	17	26
B. *Operated*	516	10.0	62	2	2	8	13	20	25	60
1. SINGLE DX	978	5.8	24	1	1	4	8	12	16	24
2. MULTIPLE DX	1733	8.3	41	2	2	7	10	16	20	33
A. NOT OPERATED	1746	7.1	28	1	2	6	9	14	17	25
B. OPERATED	965	7.9	50	1	2	6	10	17	22	34
TOTAL 0-19 YRS	30	4.2	9	1	1	3	5	8	10	15
20-34	433	6.2	30	1	2	5	8	13	16	26
35-49	781	7.1	32	1	2	6	10	14	18	28
50-64	766	7.5	38	1	2	6	9	15	19	32
65+	701	8.4	40	2	2	7	11	16	21	30
GRAND TOTAL	**2711**	**7.4**	**36**	**1**	**2**	**6**	**10**	**15**	**19**	**29**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	794	3.1	10	<1	1	2	4	7	10	14
20-34	1420	4.6	14	<1	1	4	6	9	11	19
35-49	1407	5.0	15	1	1	4	7	10	12	19
50-64	911	4.8	14	1	1	4	6	9	12	19
65+	520	5.6	19	1	1	4	8	11	15	21
B. *Operated*										
0-19 YRS	2257	4.9	26	<1	1	3	6	11	14	22
20-34	2769	3.7	15	<1	1	2	4	8	11	21
35-49	2147	3.8	14	1	1	3	4	8	11	20
50-64	2248	3.4	11	1	1	2	4	7	10	17
65+	1361	3.4	12	<1	1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	796	4.1	17	<1	1	3	5	9	12	19
20-34	2217	5.4	21	1	1	4	7	10	13	24
35-49	3071	6.2	22	1	2	5	8	12	15	24
50-64	3115	6.2	21	1	2	5	8	12	15	23
65+	3535	7.3	38	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	2201	5.5	53	1	1	3	6	12	17	40
20-34	3347	4.6	30	1	1	3	5	9	14	30
35-49	3121	5.9	49	1	1	4	7	12	17	36
50-64	3179	6.3	49	1	2	4	8	13	19	35
65+	2446	8.5	99	1	2	5	11	18	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5052	4.6	15	1	1	4	6	9	12	19
B. *Operated*	10782	3.9	16	<1	1	2	4	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	12734	6.3	27	1	2	5	8	12	15	25
B. *Operated*	14294	6.1	55	1	1	3	7	13	19	40
1. SINGLE DX	15834	4.1	16	<1	1	3	5	9	12	19
2. MULTIPLE DX	27028	6.2	42	1	2	4	8	13	17	32
A. NOT OPERATED	17786	5.8	24	1	1	5	8	11	15	24
B. OPERATED	25076	5.1	40	1	1	3	6	11	16	31
TOTAL 0-19 YRS	6048	4.8	33	1	1	3	6	11	14	28
20-34	9753	4.5	22	1	1	3	6	9	12	25
35-49	9746	5.4	29	1	1	4	7	11	15	25
50-64	9453	5.4	29	1	1	4	7	11	15	27
65+	7862	6.9	54	1	2	5	9	14	19	37
GRAND TOTAL	**42862**	**5.4**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	4.2	8	2	2	3	7	8	9	9
20-34	58	4.5	7	1	2	4	7	8	9	12
35-49	75	5.5	11	1	2	5	7	10	13	17
50-64	19	5.3	11	1	2	4	7	11	12	13
65+	6	6.7	26	1	1	5	8	15	16	16
B. Operated										
0-19 YRS	6	3.5	4	2	2	3	5	7	7	7
20-34	29	5.2	27	<1	2	3	5	16	18	19
35-49	26	6.2	27	1	1	5	9	15	16	21
50-64	10	3.6	6	1	1	3	4	7	8	8
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	5.6	13	2	2	4	7	10	12	18
20-34	238	6.5	14	2	3	6	8	11	14	19
35-49	303	6.2	13	2	3	5	8	11	13	17
50-64	187	6.7	19	2	2	5	9	13	15	19
65+	100	7.4	25	2	2	6	9	14	18	25
B. Operated										
0-19 YRS	5	3.2	2	2	2	3	4	5	5	5
20-34	59	8.2	23	2	3	6	10	15	19	22
35-49	78	8.8	30	2	3	8	11	17	19	27
50-64	37	6.2	12	3	3	5	9	11	13	15
65+	12	10.7	36	4	5	9	15	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	5.1	10	1	2	4	7	9	11	16
B. Operated	69	5.2	22	1	1	4	7	11	17	21
2. MULTIPLE DX										
A. Not Operated	857	6.5	16	2	3	6	9	12	15	19
B. Operated	191	8.1	25	2	3	7	10	15	19	24
1. SINGLE DX	237	5.1	14	1	2	4	7	9	13	18
2. MULTIPLE DX	1048	6.8	18	2	3	6	9	12	15	22
A. NOT OPERATED	1025	6.3	16	2	2	5	8	11	14	19
B. OPERATED	260	7.3	26	2	2	6	10	15	18	23
TOTAL 0-19 YRS	50	4.8	10	2	2	4	7	9	11	18
20-34	381	6.4	16	2	2	6	8	11	15	21
35-49	482	6.5	17	2	3	5	9	12	15	20
50-64	253	6.4	17	2	2	5	9	12	15	17
65+	119	7.7	27	2	3	6	10	15	19	24
GRAND TOTAL	**1205**	**6.5**	**18**	**2**	**2**	**5**	**9**	**12**	**15**	**21**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	220	2.8	8	<1	<1	2	4	6	8	17
20-34	20	4.5	20	<1	1	3	5	16	54	99+
35-49	14	4.0	15	<1	1	3	4	10	14	15
50-64	6	3.7	12	<1	<1	2	7	9	9	9
65+	5	5.2	11	2	2	5	8	9	9	9
B. Operated										
0-19 YRS	376	7.1	29	2	2	6	9	13	18	31
20-34	59	7.5	26	1	2	6	11	16	17	19
35-49	42	9.0	40	1	2	6	11	18	21	28
50-64	19	8.6	46	1	1	6	12	19	23	24
65+	10	11.0	49	1	2	11	16	20	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	573	4.9	48	<1	1	3	6	10	15	43
20-34	62	6.4	33	1	2	5	7	15	18	29
35-49	29	8.4	131	<1	2	6	10	13	23	63
50-64	32	6.9	81	<1	1	4	9	13	18	50
65+	43	6.4	31	<1	1	4	11	17	18	99+
B. Operated										
0-19 YRS	663	10.9	152	2	2	7	13	25	40	77
20-34	92	12.5	182	2	2	9	16	33	54	99+
35-49	66	12.9	167	2	2	10	16	22	42	76
50-64	50	13.8	247	2	3	9	15	40	52	99+
65+	49	12.5	61	4	5	11	16	20	27	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	3.1	9	<1	1	2	4	7	9	18
B. Operated	506	7.4	31	2	2	6	9	15	19	29
2. MULTIPLE DX										
A. Not Operated	739	5.4	51	<1	1	3	7	12	17	50
B. Operated	920	11.4	157	2	2	8	14	25	41	89
1. SINGLE DX	771	5.9	28	1	1	4	8	13	17	29
2. MULTIPLE DX	1659	8.7	119	1	1	5	11	19	32	72
A. NOT OPERATED	1004	4.8	41	<1	1	3	6	10	15	41
B. OPERATED	1426	10.0	116	2	2	7	12	21	33	74
TOTAL 0-19 YRS	1632	7.3	86	1	1	4	8	16	24	58
20-34	233	9.0	97	1	2	6	13	19	28	99+
35-49	151	10.1	117	1	2	6	13	19	25	63
50-64	107	10.3	159	1	1	7	12	21	43	92
65+	107	9.6	53	1	2	9	14	18	21	67
GRAND TOTAL	**2430**	**7.8**	**91**	**1**	**1**	**5**	**9**	**17**	**24**	**63**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	414	1.3	3	<1	<1	1	1	2	2	7
20-34	8	3.6	9	<1	<1	3	5	9	10	10
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. Operated										
0-19 YRS	2133	2.2	5	<1	1	2	2	3	5	9
20-34	525	2.5	3	<1	1	2	3	4	5	9
35-49	296	2.5	2	<1	1	2	3	4	5	9
50-64	267	2.5	2	1	1	2	3	4	5	7
65+	272	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	207	1.9	5	<1	<1	1	2	4	5	13
20-34	9	1.3		<1	<1	1	2	2	2	2
35-49	10	3.7	9	1	1	3	5	8	11	11
50-64	3	1.0		1	1	1	1	1	1	1
65+	12	2.9	10	1	1	1	3	9	10	10
B. Operated										
0-19 YRS	728	2.8	9	<1	1	2	3	5	7	14
20-34	232	2.9	6	1	1	2	3	5	7	14
35-49	143	2.9	4	1	1	2	3	6	7	9
50-64	265	3.0	7	1	1	2	3	5	8	12
65+	453	2.9	8	1	2	2	3	4	7	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	427	1.3	4	<1	<1	1	1	2	3	7
B. Operated	3493	2.3	4	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	241	2.0	5	<1	<1	1	2	4	6	12
B. Operated	1821	2.9	8	1	1	2	3	5	7	13
1. SINGLE DX	3920	2.2	4	<1	<1	2	2	4	5	8
2. MULTIPLE DX	2062	2.8	7	<1	1	2	3	5	7	13
A. NOT OPERATED	668	1.6	4	<1	<1	1	1	2	4	11
B. OPERATED	5314	2.5	5	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	3482	2.2	6	<1	<1	2	2	4	5	11
20-34	774	2.6	4	<1	1	2	3	4	6	10
35-49	452	2.7	3	1	1	2	3	4	6	9
50-64	537	2.7	4	1	1	2	3	4	6	11
65+	737	2.7	6	1	1	2	3	4	6	14
GRAND TOTAL	**5982**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	214	3.3	11	<1	1	2	4	7	10	17
20-34	62	3.5	8	1	1	2	5	8	9	11
35-49	40	4.7	14	1	2	3	6	10	13	17
50-64	28	3.9	29	1	1	2	3	7	20	25
65+	14	4.1	13	1	2	3	4	9	14	15
B. Operated										
0-19 YRS	3106	4.8	20	1	1	3	7	10	12	19
20-34	416	5.4	29	1	1	3	8	11	15	23
35-49	239	6.1	48	1	1	3	9	13	16	23
50-64	154	5.6	37	1	1	3	8	12	15	29
65+	72	6.1	43	1	1	3	10	14	23	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1139	4.6	41	<1	1	3	5	9	15	32
20-34	237	5.1	43	1	1	3	6	10	14	21
35-49	165	6.0	42	1	2	4	7	12	18	37
50-64	129	6.6	55	1	2	5	8	12	16	48
65+	220	8.0	54	1	2	6	9	16	19	38
B. Operated										
0-19 YRS	4876	7.4	84	1	1	4	10	16	23	54
20-34	502	7.8	67	1	2	5	11	15	23	51
35-49	377	8.9	109	1	2	7	11	18	27	74
50-64	391	10.6	121	2	2	8	14	22	29	63
65+	289	12.5	138	2	2	10	17	26	32	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	358	3.6	12	<1	1	2	4	8	10	17
B. Operated	3987	5.0	24	1	1	3	8	10	13	22
2. MULTIPLE DX										
A. Not Operated	1890	5.3	45	<1	1	3	6	11	16	33
B. Operated	6435	7.9	91	1	1	5	10	17	25	57
1. SINGLE DX	4345	4.9	23	1	1	3	7	10	13	21
2. MULTIPLE DX	8325	7.3	81	1	1	4	9	16	23	51
A. NOT OPERATED	2248	5.0	40	<1	1	3	6	11	15	32
B. OPERATED	10422	6.8	67	1	1	4	9	14	20	45
TOTAL 0-19 YRS	9335	6.1	58	1	1	3	8	13	18	41
20-34	1217	6.2	48	1	1	4	9	13	17	34
35-49	821	7.3	75	1	2	5	9	15	21	54
50-64	702	8.5	92	1	2	5	11	18	27	50
65+	595	9.9	100	1	2	7	14	20	29	55
GRAND TOTAL	**12670**	**6.5**	**63**	**1**	**1**	**4**	**9**	**14**	**19**	**42**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.2	2	<1	<1	1	3	5	5	5
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1832	3.9	5	1	2	3	5	7	8	10
20-34	54	4.0	6	1	2	4	5	7	9	13
35-49	13	4.6	13	1	1	4	6	10	13	14
50-64	5	1.6		1	1	2	2	2	2	2
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	177	2.3	11	<1	<1	1	2	5	9	18
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1531	4.1	10	2	2	4	5	7	8	13
20-34	64	3.0	3	1	1	3	4	5	6	10
35-49	16	3.6	2	2	2	3	5	5	6	6
50-64	2	3.0		3	3	3	3	3	3	3
65+	3	1.7	1	1	1	1	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.2	2	<1	<1	1	3	5	5	5
B. Operated	1907	3.9	5	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	179	2.3	11	<1	<1	1	2	5	9	18
B. Operated	1616	4.1	10	2	2	3	5	7	8	12
1. SINGLE DX	1929	3.9	5	1	2	3	5	7	8	10
2. MULTIPLE DX	1795	3.9	10	1	1	3	5	7	8	14
A. NOT OPERATED	201	2.3	10	<1	<1	1	2	5	8	17
B. OPERATED	3523	4.0	7	1	2	3	5	7	8	12
TOTAL 0-19 YRS	3562	3.9	7	1	2	3	5	7	8	12
20-34	120	3.5	4	1	1	3	4	6	7	11
35-49	29	4.1	7	2	2	3	5	6	9	14
50-64	7	2.0	1	1	1	2	3	3	3	3
65+	6	2.2	1	1	1	2	3	3	3	3
GRAND TOTAL	**3724**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	2.5	2	1	1	2	3	4	5	7
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1782	3.7	3	2	2	3	4	6	7	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	3.6	5	1	1	3	5	7	8	10
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	461	4.9	8	2	2	4	6	8	10	16
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	2.5	2	1	1	2	3	4	5	7
B. Operated	1782	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	67	3.6	5	1	1	3	5	7	8	10
B. Operated	461	4.9	8	2	2	4	6	8	10	16
1. SINGLE DX	1877	3.6	3	2	2	3	4	6	7	10
2. MULTIPLE DX	528	4.8	8	2	2	4	6	8	10	16
A. NOT OPERATED	162	2.9	3	1	1	2	4	5	7	9
B. OPERATED	2243	3.9	5	2	2	4	5	6	7	12
TOTAL 0-19 YRS	2405	3.9	5	2	2	3	5	6	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2405**	**3.9**	**5**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	358	2.8	11	<1	<1	2	3	6	9	21
20-34	30	3.6	9	1	1	3	4	8	11	12
35-49	20	3.4	5	<1	<1	3	5	7	7	8
50-64	16	3.9	11	<1	<1	3	6	9	10	10
65+	33	4.2	7	<1	1	4	6	9	9	10
B. *Operated*										
0-19 YRS	1219	5.5	40	<1	1	3	8	12	16	27
20-34	231	4.2	20	<1	1	3	6	8	11	23
35-49	90	5.1	16	1	1	4	8	10	13	19
50-64	86	5.9	56	1	1	3	8	12	15	47
65+	64	7.1	34	1	1	5	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	536	5.2	32	<1	1	3	7	11	15	29
20-34	57	5.5	14	1	2	5	8	10	13	20
35-49	65	4.5	9	1	2	4	6	9	11	14
50-64	100	6.1	23	1	1	5	8	11	15	26
65+	220	6.5	34	1	2	5	8	13	15	28
B. *Operated*										
0-19 YRS	1276	9.1	110	1	2	6	11	20	31	79
20-34	288	7.9	43	1	2	6	10	17	21	31
35-49	181	8.6	78	1	1	7	11	17	28	35
50-64	211	10.7	74	2	2	9	14	22	30	41
65+	268	13.5	159	1	2	10	19	28	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	3.0	10	<1	<1	2	3	6	9	20
B. *Operated*	1690	5.4	37	<1	1	3	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	978	5.6	29	1	1	4	7	11	15	26
B. *Operated*	2224	9.6	104	1	2	7	12	20	30	64
1. SINGLE DX	2147	4.9	32	<1	1	3	7	11	14	25
2. MULTIPLE DX	3202	8.3	84	1	2	6	10	18	26	56
A. NOT OPERATED	1435	4.7	25	<1	1	3	6	10	13	23
B. OPERATED	3914	7.8	79	1	1	5	10	17	24	51
TOTAL 0-19 YRS	3389	6.5	67	<1	1	4	8	14	21	47
20-34	606	6.0	33	1	1	4	8	12	18	29
35-49	356	6.7	50	1	1	5	9	13	18	31
50-64	413	8.3	61	1	2	7	11	17	24	39
65+	585	9.6	102	1	2	7	12	20	27	56
GRAND TOTAL	**5349**	**6.9**	**66**	**<1**	**1**	**4**	**9**	**15**	**21**	**45**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.5	1	<1	<1	1	2	2	3	4
20-34	5	1.8	1	<1	<1	2	2	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2742	2.2	2	<1	1	2	3	4	5	7
20-34	190	3.0	3	1	1	3	3	5	6	10
35-49	60	2.8	2	1	1	3	3	4	5	7
50-64	15	2.7	2	1	2	2	3	4	6	7
65+	6	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	1.2	1	<1	<1	1	1	2	3	5
20-34	6	1.7		1	1	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	2440	2.4	2	<1	1	2	3	4	5	8
20-34	231	3.6	5	1	1	3	4	6	8	14
35-49	104	3.4	4	1	2	3	4	6	8	9
50-64	23	3.7	4	<1	1	4	5	7	7	7
65+	10	4.1	7	2	2	3	5	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	3013	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	156	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	2808	2.6	3	<1	1	2	3	4	6	9
1. SINGLE DX	3053	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	2964	2.5	3	<1	1	2	3	4	6	9
A. NOT OPERATED	196	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	5821	2.4	2	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	5365	2.3	2	<1	1	2	3	4	5	7
20-34	432	3.2	4	1	1	3	4	6	7	11
35-49	165	3.1	3	1	1	3	4	5	7	8
50-64	39	3.2	3	1	1	3	4	6	7	7
65+	16	3.5	5	1	2	3	4	5	9	11
GRAND TOTAL	**6017**	**2.4**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.6	11	<1	<1	2	3	4	6	23
20-34	59	2.8	6	<1	<1	2	3	6	8	11
35-49	30	3.5	7	<1	1	3	4	6	9	13
50-64	15	4.3	48	<1	1	2	4	5	23	29
65+	21	4.1	16	1	1	3	4	10	15	17
B. *Operated*										
0-19 YRS	2590	4.9	15	<1	1	4	7	10	12	16
20-34	708	4.2	14	<1	1	3	6	8	11	16
35-49	197	4.7	14	1	1	4	6	8	13	17
50-64	108	4.7	14	1	1	3	7	10	13	15
65+	65	6.1	35	1	1	4	7	12	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	3.4	18	<1	<1	2	4	8	11	25
20-34	107	4.4	12	1	1	3	5	9	12	17
35-49	148	6.4	33	1	2	5	8	13	18	33
50-64	148	6.0	22	1	2	5	8	11	15	27
65+	140	7.3	32	2	2	6	9	14	20	27
B. *Operated*										
0-19 YRS	1976	6.1	37	<1	1	5	8	13	16	27
20-34	874	5.8	25	1	1	5	7	11	15	27
35-49	532	6.9	33	1	2	6	8	13	16	32
50-64	410	8.4	70	1	2	6	11	17	25	46
65+	289	9.4	76	2	2	8	12	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	3.0	12	<1	<1	2	3	6	8	22
B. *Operated*	3668	4.8	15	<1	1	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	777	5.3	26	<1	1	4	7	11	15	26
B. *Operated*	4081	6.6	41	1	1	5	9	13	17	31
1. SINGLE DX	3905	4.7	15	<1	1	3	7	9	12	17
2. MULTIPLE DX	4858	6.4	39	1	1	5	8	13	17	30
A. NOT OPERATED	1014	4.8	23	<1	1	3	6	10	14	26
B. OPERATED	7749	5.7	29	<1	1	5	8	12	15	25
TOTAL 0-19 YRS	4912	5.3	24	<1	1	4	8	11	14	22
20-34	1748	4.9	20	<1	1	4	6	9	13	21
35-49	907	6.2	29	1	2	5	8	12	16	29
50-64	681	7.2	52	1	2	5	9	14	20	38
65+	515	8.2	59	2	2	6	11	16	22	32
GRAND TOTAL	**8763**	**5.6**	**29**	**<1**	**1**	**4**	**8**	**12**	**15**	**25**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	21	<1	<1	1	3	6	13	24
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1558	3.4	3	1	2	3	4	5	7	10
20-34	89	4.7	11	1	2	4	5	9	11	18
35-49	57	4.3	6	1	2	4	5	8	10	14
50-64	28	3.7	3	1	2	3	5	7	7	8
65+	19	3.8	6	1	2	3	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	1.7	12	<1	<1	1	1	2	5	23
20-34	6	1.7	3	<1	<1	1	1	5	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		1	1	1	1	1	1	1
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	937	4.1	11	1	2	3	5	7	9	16
20-34	251	4.5	15	1	2	4	5	7	8	13
35-49	176	4.3	4	2	2	4	5	7	8	11
50-64	214	4.8	12	2	2	4	5	7	9	22
65+	94	5.7	11	2	3	5	6	11	13	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.1	20	<1	<1	1	3	6	12	24
B. *Operated*	1751	3.5	4	1	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	150	1.7	11	<1	<1	1	1	2	5	21
B. *Operated*	1672	4.4	11	1	2	4	5	7	9	16
1. SINGLE DX	1797	3.5	4	1	2	3	4	6	7	12
2. MULTIPLE DX	1822	4.2	12	1	1	4	5	7	9	16
A. NOT OPERATED	196	2.0	13	<1	<1	1	1	3	6	23
B. OPERATED	3423	3.9	8	1	2	3	5	6	8	14
TOTAL 0-19 YRS	2677	3.6	7	1	1	3	4	6	8	14
20-34	348	4.5	13	1	2	4	5	7	9	15
35-49	234	4.3	5	2	2	4	5	7	9	11
50-64	244	4.7	11	2	2	4	5	7	9	22
65+	116	5.3	11	2	3	4	6	11	12	16
GRAND TOTAL	**3619**	**3.8**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	739	2.9	12	<1	<1	2	3	7	10	16
20-34	146	5.3	29	<1	1	4	7	10	14	37
35-49	152	5.1	11	1	2	4	7	10	11	14
50-64	86	7.3	24	1	2	6	10	15	17	21
65+	40	7.6	31	1	2	6	9	16	20	26
B. *Operated*										
0-19 YRS	5418	4.3	22	1	1	3	5	8	12	23
20-34	1673	3.8	16	<1	1	3	4	8	12	19
35-49	891	4.8	26	<1	1	3	6	11	16	23
50-64	510	5.9	42	1	1	4	8	12	15	28
65+	166	6.6	39	1	1	4	9	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1102	4.7	48	<1	1	3	5	10	15	36
20-34	327	6.2	31	1	1	5	8	13	17	29
35-49	329	6.8	39	1	2	5	9	12	16	31
50-64	356	8.0	52	1	2	6	11	16	21	32
65+	383	8.9	52	2	3	7	11	17	21	34
B. *Operated*										
0-19 YRS	2722	6.4	59	1	1	4	7	14	21	40
20-34	1153	6.0	52	1	1	4	8	13	17	39
35-49	886	7.2	54	1	1	5	10	15	20	35
50-64	748	9.3	77	2	2	7	12	19	25	47
65+	423	12.1	163	2	2	9	15	25	37	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1163	4.0	18	<1	1	2	5	9	12	19
B. *Operated*	8658	4.4	23	<1	1	3	5	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	2497	6.3	48	<1	1	4	8	13	18	32
B. *Operated*	5932	7.2	69	1	1	4	9	16	23	43
1. SINGLE DX	9821	4.3	22	<1	1	3	5	9	12	22
2. MULTIPLE DX	8429	6.9	63	1	1	4	9	15	21	41
A. NOT OPERATED	3660	5.6	40	<1	1	4	7	12	16	30
B. OPERATED	14590	5.5	44	1	1	3	7	12	17	34
TOTAL 0-19 YRS	9981	4.8	35	1	1	3	6	10	14	30
20-34	3299	4.9	32	<1	1	3	6	11	14	30
35-49	2258	6.0	39	1	1	4	8	13	17	30
50-64	1700	7.9	61	1	2	6	10	16	21	41
65+	1012	9.8	100	1	2	7	12	20	27	60
GRAND TOTAL	**18250**	**5.5**	**43**	**1**	**1**	**3**	**7**	**12**	**17**	**33**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8140	3.4	16	1	1	2	3	6	10	23
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	224	5.4	42	1	1	3	6	12	22	38
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5212	9.0	132	1	2	5	10	23	32	63
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	613	19.5	461	1	2	12	30	71	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8140	3.4	16	1	1	2	3	6	10	23
B. *Operated*	224	5.4	42	1	1	3	6	12	22	38
2. MULTIPLE DX										
A. *Not Operated*	5212	9.0	132	1	2	5	10	23	32	63
B. *Operated*	613	19.5	461	1	2	12	30	71	99+	99+
1. SINGLE DX	8364	3.4	17	1	1	2	3	6	10	23
2. MULTIPLE DX	5825	10.1	177	1	2	5	12	26	40	90
A. NOT OPERATED	13352	5.6	69	1	1	3	5	13	22	44
B. OPERATED	837	15.7	388	1	2	9	22	58	91	99+
TOTAL 0-19 YRS	14189	6.2	93	1	1	3	6	15	25	60
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**14189**	**6.2**	**93**	**1**	**1**	**3**	**6**	**15**	**25**	**60**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6903	2.9	6	1	1	2	4	5	7	12
20-34	2570	3.3	8	1	1	3	4	6	8	15
35-49	1357	3.7	10	1	1	3	5	7	9	16
50-64	893	4.2	12	1	1	3	5	8	10	20
65+	693	4.9	20	1	1	4	6	10	12	21
B. *Operated*										
0-19 YRS	88	3.9	10	1	1	3	5	7	10	19
20-34	98	4.6	30	1	1	3	5	9	12	34
35-49	62	5.5	24	1	2	4	6	12	17	23
50-64	56	5.1	10	1	2	4	7	9	13	14
65+	35	7.8	85	1	2	4	8	24	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9545	3.5	12	1	1	3	4	6	9	17
20-34	3461	5.1	27	1	1	4	6	10	13	27
35-49	3349	5.7	28	1	2	4	7	11	14	27
50-64	3953	6.2	34	1	2	5	8	12	15	29
65+	6019	7.8	49	2	2	6	10	15	19	37
B. *Operated*										
0-19 YRS	287	7.9	91	1	2	5	9	18	28	54
20-34	281	8.1	53	1	2	6	10	17	21	37
35-49	306	9.8	82	2	2	8	13	19	31	99+
50-64	481	12.2	147	2	3	8	15	26	36	75
65+	635	13.2	126	2	3	10	17	27	39	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12416	3.2	8	1	1	3	4	6	8	14
B. *Operated*	339	5.0	27	1	1	4	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	26327	5.4	30	1	1	4	7	11	14	27
B. *Operated*	1990	11.0	114	2	2	8	14	23	34	65
1. SINGLE DX	12755	3.3	9	1	1	3	4	6	8	15
2. MULTIPLE DX	28317	5.8	38	1	1	4	7	12	16	32
A. NOT OPERATED	38743	4.7	24	1	1	3	6	9	13	24
B. OPERATED	2329	10.1	105	2	2	7	13	21	31	59
TOTAL 0-19 YRS	16823	3.3	11	1	1	3	4	6	8	16
20-34	6410	4.5	22	1	1	3	5	9	12	23
35-49	5074	5.4	28	1	1	4	7	11	14	28
50-64	5383	6.4	44	1	2	5	8	12	17	35
65+	7382	8.0	56	2	2	6	10	16	21	40
GRAND TOTAL	**41072**	**5.0**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2325	3.0	4	1	1	3	4	5	6	10
20-34	436	3.9	6	1	2	3	5	7	8	13
35-49	285	5.1	14	1	2	4	6	10	12	17
50-64	297	5.6	12	2	2	5	7	10	12	20
65+	329	5.9	27	1	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	54	5.6	23	<1	1	4	8	12	17	21
20-34	44	7.3	31	1	2	6	10	16	21	22
35-49	34	6.9	25	<1	1	6	10	13	17	20
50-64	38	10.5	63	2	2	9	14	19	27	39
65+	34	11.6	72	2	3	10	16	21	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4061	3.5	10	1	1	3	4	6	8	13
20-34	1129	5.0	19	1	2	4	6	9	12	23
35-49	948	5.8	20	2	2	5	7	11	13	21
50-64	1588	6.4	25	2	2	5	8	11	14	24
65+	3412	7.7	38	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	178	8.2	83	1	2	5	9	19	28	62
20-34	188	10.3	94	2	3	8	12	19	27	59
35-49	204	11.5	88	2	3	9	15	22	30	46
50-64	345	12.7	93	3	4	10	16	24	30	52
65+	529	15.7	133	3	5	13	20	32	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3672	3.7	9	1	1	3	4	7	9	14
B. *Operated*	204	8.1	45	1	2	6	11	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	11138	5.6	26	1	2	4	7	11	14	24
B. *Operated*	1444	12.8	112	2	3	10	16	25	35	57
1. SINGLE DX	3876	4.0	11	1	1	3	5	7	10	17
2. MULTIPLE DX	12582	6.4	41	1	2	4	8	13	17	33
A. NOT OPERATED	14810	5.1	22	1	2	4	6	10	13	22
B. OPERATED	1648	12.2	106	2	3	9	16	24	34	54
TOTAL 0-19 YRS	6618	3.5	11	1	1	3	4	6	8	15
20-34	1797	5.4	27	1	2	4	6	10	13	28
35-49	1471	6.5	33	2	2	5	8	12	16	29
50-64	2268	7.3	40	2	2	6	9	14	18	31
65+	4304	8.6	56	2	3	7	10	16	22	40
GRAND TOTAL	**16458**	**5.8**	**35**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	926	2.8	4	1	1	2	3	5	7	12
20-34	1888	3.4	6	<1	1	3	4	6	8	13
35-49	1114	3.7	8	1	1	3	5	7	9	15
50-64	506	3.8	7	1	1	3	5	7	9	14
65+	174	4.0	7	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	46	3.5	6	1	1	3	4	7	9	10
20-34	167	4.1	10	1	2	3	5	6	10	16
35-49	153	4.3	12	1	1	3	6	9	11	19
50-64	98	4.4	15	1	1	3	6	8	9	22
65+	33	4.2	10	1	1	3	5	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1093	3.4	8	1	1	3	4	6	8	16
20-34	2959	4.5	13	1	1	4	5	8	11	19
35-49	2419	5.3	20	1	2	4	7	10	13	23
50-64	1793	5.3	16	1	2	4	7	10	13	21
65+	1403	5.5	18	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	56	4.7	20	1	1	3	6	10	12	26
20-34	309	6.9	37	1	2	6	9	13	17	33
35-49	368	8.1	38	2	2	5	11	17	19	27
50-64	287	7.6	33	2	2	6	10	14	21	28
65+	254	8.5	45	2	3	6	11	16	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4608	3.4	7	1	1	3	4	6	8	13
B. *Operated*	497	4.2	11	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	9667	4.9	16	1	2	4	6	9	12	21
B. *Operated*	1274	7.6	38	2	2	6	10	15	19	30
1. SINGLE DX	5105	3.5	7	1	1	3	4	7	8	14
2. MULTIPLE DX	10941	5.2	19	1	2	4	7	10	13	22
A. NOT OPERATED	14275	4.4	13	1	1	3	5	8	11	18
B. OPERATED	1771	6.6	33	1	2	5	9	13	18	28
TOTAL 0-19 YRS	2121	3.2	7	1	1	3	4	6	7	13
20-34	5323	4.2	13	1	1	3	5	8	11	18
35-49	4054	5.1	19	1	1	4	6	10	13	22
50-64	2684	5.3	17	1	2	4	7	10	13	22
65+	1864	5.7	22	1	2	4	7	11	14	24
GRAND TOTAL	16046	4.7	16	1	1	4	6	9	12	20

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.4	3	<1	1	2	3	5	6	8
20-34	232	3.0	3	1	1	3	4	5	7	8
35-49	293	3.2	3	1	1	3	4	6	6	9
50-64	512	3.4	4	1	1	3	5	6	7	11
65+	587	3.3	5	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	128	2.1	5	<1	<1	1	2	5	6	11
20-34	189	4.3	6	1	1	4	5	6	9	12
35-49	259	4.9	9	1	2	4	6	8	10	15
50-64	426	4.8	8	1	2	4	6	8	10	13
65+	370	4.5	8	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	224	2.9	6	<1	1	2	4	6	8	12
20-34	187	3.7	6	1	1	3	5	7	9	12
35-49	420	4.3	11	1	1	4	5	8	10	16
50-64	1115	4.6	12	1	2	4	6	8	10	17
65+	2215	4.7	14	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	66	3.3	7	1	1	2	4	7	8	13
20-34	121	5.0	11	1	1	4	7	9	11	17
35-49	307	5.5	15	2	2	5	7	9	12	18
50-64	731	6.2	22	1	2	5	7	11	14	27
65+	1070	6.9	38	1	2	5	8	13	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1753	3.2	4	<1	1	3	4	6	7	10
B. *Operated*	1372	4.4	8	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	4161	4.5	13	1	1	4	6	8	10	17
B. *Operated*	2315	6.3	28	1	2	5	8	11	15	26
1. SINGLE DX	3125	3.7	6	1	1	3	5	7	8	12
2. MULTIPLE DX	6476	5.1	19	1	1	4	6	9	12	23
A. NOT OPERATED	5914	4.1	11	1	1	3	5	6	10	15
B. OPERATED	3687	5.6	22	1	2	5	7	10	13	25
TOTAL 0-19 YRS	567	2.7	5	<1	<1	2	3	6	7	12
20-34	729	3.8	6	1	1	3	5	7	9	13
35-49	1279	4.4	10	1	1	4	6	8	10	16
50-64	2784	4.8	14	1	2	4	6	8	11	19
65+	4242	5.0	20	1	1	4	6	9	12	23
GRAND TOTAL	9601	4.7	15	1	1	4	6	8	11	20

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.3	5	1	1	3	5	7	8	10
20-34	144	3.1	5	1	1	3	4	6	7	11
35-49	108	3.1	4	<1	<1	3	4	6	6	11
50-64	89	3.2	5	<1	1	3	4	6	8	12
65+	75	4.0	8	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	731	2.1	3	<1	<1	2	2	3	5	11
20-34	692	2.6	7	<1	<1	2	3	5	6	11
35-49	392	2.6	4	<1	<1	2	3	5	6	10
50-64	345	3.1	10	<1	1	2	3	6	9	20
65+	202	3.4	15	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	4.1	18	<1	1	3	5	8	10	28
20-34	351	4.3	10	1	1	4	6	8	10	15
35-49	440	4.4	21	1	1	3	5	8	11	23
50-64	601	4.9	23	1	1	4	6	9	13	24
65+	1053	7.9	65	1	2	5	10	16	23	42
B. *Operated*										
0-19 YRS	245	4.7	44	<1	1	3	5	11	14	29
20-34	434	5.0	21	1	1	3	7	11	15	23
35-49	363	6.2	77	1	1	4	7	13	18	45
50-64	511	6.6	56	1	2	4	9	15	19	38
65+	537	10.3	149	1	2	6	14	28	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	3.3	5	1	1	3	4	6	8	11
B. *Operated*	2362	2.6	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	2741	5.8	39	1	1	4	7	12	17	32
B. *Operated*	2090	6.9	79	1	1	4	8	16	24	54
1. SINGLE DX	2949	2.7	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX	4831	6.3	57	1	1	4	7	14	20	42
A. NOT OPERATED	3328	5.4	34	1	1	4	6	11	15	31
B. OPERATED	4452	4.6	45	<1	1	2	5	10	16	39
TOTAL 0-19 YRS	1443	3.1	15	<1	<1	2	3	6	9	15
20-34	1621	3.6	12	<1	1	2	4	8	10	17
35-49	1303	4.2	32	<1	1	3	5	8	12	29
50-64	1546	5.0	32	1	1	3	6	10	14	29
65+	1867	8.0	86	1	2	5	10	18	27	55
GRAND TOTAL	**7780**	**4.9**	**41**	**<1**	**1**	**3**	**6**	**11**	**16**	**34**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	3	6.3		6	6	6	7	7	7	7
35-49	6	7.0	68	1	1	5	7	21	23	23
50-64	9	9.7	37	4	5	8	10	19	25	25
65+	24	6.3	27	<1	<1	5	9	14	18	19
B. *Operated*										
0-19 YRS	59	5.6	62	<1	<1	3	7	12	17	50
20-34	88	5.8	61	1	1	3	6	15	22	39
35-49	71	9.2	127	1	1	5	12	21	31	59
50-64	151	13.1	175	1	2	10	18	26	43	59
65+	370	16.5	205	3	4	13	20	36	48	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.1	51	1	1	6	8	19	22	22
20-34	13	6.0	15	3	3	4	7	9	16	18
35-49	31	11.6	75	2	3	9	17	25	25	37
50-64	126	9.1	66	1	2	7	13	20	22	49
65+	537	10.9	81	2	3	8	13	22	28	61
B. *Operated*										
0-19 YRS	71	9.2	114	1	1	5	12	22	34	54
20-34	185	11.7	181	2	2	6	15	27	42	74
35-49	309	18.3	333	2	2	12	25	46	62	99+
50-64	1145	22.1	312	3	5	17	30	49	68	99+
65+	3657	22.7	266	5	7	18	30	46	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	6.8	32	<1	1	6	9	14	20	25
B. *Operated*	739	13.0	180	1	2	9	17	28	42	78
2. MULTIPLE DX										
A. *Not Operated*	714	10.5	77	2	3	8	13	22	26	51
B. *Operated*	5367	21.7	282	3	6	17	29	46	62	99+
1. SINGLE DX	785	12.6	174	1	2	9	17	27	40	72
2. MULTIPLE DX	6081	20.4	271	3	5	16	27	44	59	99+
A. NOT OPERATED	760	10.3	75	2	3	8	13	21	26	50
B. OPERATED	6106	20.7	278	3	4	16	28	45	59	99+
TOTAL 0-19 YRS	141	7.4	88	<1	1	4	9	18	24	52
20-34	289	9.6	143	1	2	5	12	24	36	67
35-49	417	16.1	288	1	2	10	22	40	55	98
50-64	1431	20.0	294	2	4	15	27	45	62	99+
65+	4588	20.7	255	4	6	16	28	43	58	99+
GRAND TOTAL	**6866**	**19.5**	**266**	**2**	**4**	**15**	**26**	**43**	**57**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	299	2.8	7	<1	1	2	3	5	6	8
20-34	2411	2.7	3	<1	1	2	3	5	6	10
35-49	6699	3.0	4	1	1	3	4	5	7	10
50-64	5398	3.2	5	1	1	3	4	6	7	11
65+	2215	3.4	6	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	21	2.8	6	<1	1	2	3	6	9	10
20-34	297	3.1	8	1	1	2	4	7	8	18
35-49	1731	2.9	5	1	1	2	3	5	8	11
50-64	2063	2.8	4	1	1	2	3	5	7	11
65+	465	3.2	7	1	1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	481	3.3	5	1	1	3	4	6	7	10
20-34	4169	3.6	8	1	1	3	5	7	8	13
35-49	15183	3.9	8	1	1	3	5	7	9	14
50-64	19981	4.2	9	1	2	4	5	8	9	15
65+	15079	4.8	13	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	30	3.9	11	1	1	2	5	9	11	14
20-34	579	4.6	14	1	2	3	6	9	11	17
35-49	3516	4.6	16	1	2	3	6	10	12	18
50-64	5428	4.8	19	1	2	3	6	10	13	21
65+	2236	6.5	39	1	2	5	9	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17022	3.1	4	1	1	3	4	6	7	10
B. *Operated*	4577	2.9	5	1	1	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	54893	4.3	10	1	2	3	5	8	10	16
B. *Operated*	11789	5.0	22	1	2	3	7	11	14	23
1. SINGLE DX	21599	3.0	4	1	1	2	4	6	7	11
2. MULTIPLE DX	66682	4.4	12	1	2	3	5	8	10	17
A. NOT OPERATED	71915	4.0	9	1	1	3	5	7	9	15
B. OPERATED	16366	4.4	18	1	2	3	6	9	12	21
TOTAL 0-19 YRS	831	3.1	6	1	1	2	4	6	7	10
20-34	7456	3.4	7	1	1	3	4	6	8	13
35-49	27129	3.7	8	1	1	3	5	7	9	14
50-64	32870	4.1	10	1	1	3	5	8	10	16
65+	19995	4.8	16	1	2	4	6	9	12	20
GRAND TOTAL	**88281**	**4.1**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1727	3.2	7	1	1	2	4	6	8	14
20-34	160	2.6	3	<1	<1	2	3	5	7	9
35-49	185	3.1	6	<1	1	2	4	7	8	13
50-64	271	4.3	17	<1	1	3	5	9	12	23
65+	300	4.2	13	1	1	3	6	9	11	16
B. *Operated*										
0-19 YRS	125	3.3	9	1	1	2	4	6	9	18
20-34	124	4.2	12	<1	1	3	6	9	11	15
35-49	226	3.7	13	<1	1	2	4	8	11	19
50-64	455	3.8	11	1	1	3	5	8	10	15
65+	317	4.2	19	<1	1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2055	4.2	19	1	1	3	5	8	12	21
20-34	547	3.8	10	1	1	3	5	8	10	17
35-49	932	4.7	20	1	1	3	6	10	13	19
50-64	2276	6.3	29	1	2	5	8	12	16	27
65+	4019	7.2	40	1	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	229	7.2	98	1	1	4	9	18	25	89
20-34	210	6.7	80	1	2	4	7	13	20	57
35-49	540	6.3	52	1	2	4	7	13	18	33
50-64	1370	7.1	53	1	2	5	9	15	19	49
65+	1686	8.4	74	1	2	6	11	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2643	3.4	9	1	1	2	4	7	9	14
B. *Operated*	1247	3.9	13	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	9829	5.9	31	1	1	4	8	12	15	27
B. *Operated*	4035	7.5	66	1	2	5	9	16	21	48
1. SINGLE DX	3890	3.5	10	1	1	3	4	7	9	15
2. MULTIPLE DX	13864	6.4	42	1	2	5	8	13	17	32
A. NOT OPERATED	12472	5.4	27	1	1	4	7	11	14	26
B. OPERATED	5282	6.7	56	1	1	4	8	14	19	40
TOTAL 0-19 YRS	4136	3.9	19	1	1	3	5	8	11	21
20-34	1041	4.2	25	1	1	3	5	9	11	22
35-49	1883	4.9	28	1	1	3	6	10	13	24
50-64	4372	6.1	35	1	2	5	8	12	16	30
65+	6322	7.2	48	1	2	5	9	14	19	35
GRAND TOTAL	**17754**	**5.8**	**36**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	2.1	2	1	1	2	3	4	5	7
20-34	1087	2.2	3	<1	1	2	3	4	5	8
35-49	1214	2.2	2	1	1	2	3	4	5	8
50-64	735	2.3	2	1	1	2	3	4	5	8
65+	456	3.3	11	<1	1	2	4	6	8	14
B. *Operated*										
0-19 YRS	390	2.0	3	<1	<1	1	2	4	6	10
20-34	252	4.2	11	1	1	4	6	8	9	15
35-49	235	4.9	11	1	1	4	7	9	11	17
50-64	236	5.5	12	1	1	5	8	10	11	16
65+	324	6.6	28	1	2	5	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	3.1	5	1	1	3	4	6	8	11
20-34	998	3.3	9	1	1	3	4	6	8	17
35-49	1108	3.3	7	1	1	3	4	6	8	12
50-64	1381	4.0	14	1	1	3	5	8	10	22
65+	2611	6.3	37	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	520	3.2	16	<1	<1	2	3	7	11	22
20-34	398	5.9	26	1	2	4	7	11	14	26
35-49	573	6.5	26	1	2	5	8	12	17	27
50-64	932	7.8	33	2	2	7	10	15	19	30
65+	2394	10.3	75	2	3	8	13	19	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3796	2.3	4	<1	1	2	3	4	5	8
B. *Operated*	1437	4.5	16	<1	1	3	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	6415	4.7	23	1	1	3	6	9	13	24
B. *Operated*	4817	8.2	56	1	2	6	11	16	21	40
1. SINGLE DX	5233	2.9	8	<1	1	2	4	6	8	14
2. MULTIPLE DX	11232	6.2	40	1	1	4	8	13	17	32
A. NOT OPERATED	10211	3.8	17	1	1	3	4	8	11	21
B. OPERATED	6254	7.4	49	1	1	6	10	15	20	35
TOTAL 0-19 YRS	1531	2.7	8	<1	1	2	3	5	7	13
20-34	2735	3.3	11	1	1	2	4	7	9	15
35-49	3130	3.6	11	1	1	3	4	7	10	17
50-64	3284	4.8	21	1	1	3	6	10	13	23
65+	5785	7.7	55	1	2	6	10	15	21	39
GRAND TOTAL	**16465**	**5.1**	**32**	**1**	**1**	**3**	**6**	**11**	**15**	**28**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8036	2.3	3	<1	1	2	3	4	5	8
20-34	7459	2.8	5	<1	1	2	4	5	7	10
35-49	3983	3.3	7	1	1	3	4	6	8	12
50-64	2414	3.5	7	1	1	3	5	7	8	13
65+	1743	4.0	10	1	1	3	5	8	9	16
B. *Operated*										
0-19 YRS	981	3.7	5	1	2	3	4	6	8	12
20-34	1425	4.0	8	1	1	3	5	7	9	15
35-49	602	4.7	17	1	1	4	6	9	11	20
50-64	383	5.2	18	1	1	4	7	10	13	23
65+	192	5.7	18	1	2	4	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5478	2.9	5	1	1	2	4	5	7	11
20-34	8086	3.6	10	1	1	3	5	7	9	14
35-49	6193	4.5	12	1	1	4	6	8	11	16
50-64	6290	4.9	13	1	2	4	6	9	12	17
65+	9113	5.8	23	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	797	4.6	9	1	2	4	6	9	11	15
20-34	2011	6.0	25	1	1	5	8	12	15	25
35-49	1445	7.3	31	1	2	6	9	14	18	29
50-64	1344	8.5	49	2	2	7	11	17	21	33
65+	1450	9.7	57	2	3	8	12	19	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23635	2.9	5	1	1	2	4	6	7	11
B. *Operated*	3583	4.3	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	35160	4.4	14	1	1	3	6	9	11	18
B. *Operated*	7047	7.3	38	1	2	5	9	14	19	30
1. SINGLE DX	27218	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	42207	4.9	20	1	1	4	6	10	13	21
A. NOT OPERATED	58795	3.8	11	1	1	3	5	7	10	16
B. OPERATED	10630	6.3	31	1	2	5	8	13	17	27
TOTAL 0-19 YRS	15292	2.7	4	1	1	2	3	5	7	10
20-34	18981	3.6	10	1	1	3	4	7	9	15
35-49	12223	4.4	14	1	1	3	6	9	11	18
50-64	10431	5.1	18	1	1	4	6	10	13	21
65+	12498	6.0	27	1	2	5	7	11	15	25
GRAND TOTAL	**69425**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	881	2.8	6	1	1	2	4	5	7	11
20-34	429	3.1	7	<1	1	2	4	6	8	11
35-49	304	3.1	8	<1	1	2	4	7	9	16
50-64	279	3.5	9	<1	1	3	4	7	10	15
65+	402	4.8	35	1	1	3	6	9	13	22
B. *Operated*										
0-19 YRS	84	3.9	9	1	1	3	6	9	10	12
20-34	159	4.2	12	1	1	4	5	8	11	17
35-49	127	4.5	14	<1	<1	3	6	10	12	17
50-64	154	4.5	17	<1	1	3	6	10	13	20
65+	138	5.5	25	1	1	4	7	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2134	3.2	7	1	1	2	4	6	8	13
20-34	1403	4.0	13	1	1	3	5	8	11	18
35-49	1479	5.0	21	1	1	4	6	10	13	24
50-64	2231	6.2	35	1	2	4	7	12	16	30
65+	4746	6.9	39	2	2	5	8	14	18	31
B. *Operated*										
0-19 YRS	198	6.8	60	1	1	5	8	14	19	29
20-34	459	6.4	41	1	1	5	8	12	16	26
35-49	522	7.6	52	1	1	6	9	15	19	35
50-64	765	9.7	100	1	2	7	12	21	28	49
65+	1214	11.8	111	2	3	9	15	24	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2295	3.3	12	<1	1	2	4	7	9	15
B. *Operated*	662	4.6	16	<1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	11993	5.5	30	1	1	4	7	11	15	26
B. *Operated*	3158	9.5	90	1	2	7	12	20	27	49
1. SINGLE DX	2957	3.6	13	<1	1	3	4	7	10	16
2. MULTIPLE DX	15151	6.4	45	1	1	4	8	13	18	33
A. NOT OPERATED	14288	5.2	27	1	1	4	6	10	14	25
B. OPERATED	3820	8.6	80	1	2	6	11	18	25	46
TOTAL 0-19 YRS	3297	3.3	11	1	1	2	4	6	9	15
20-34	2450	4.3	18	1	1	3	5	8	12	19
35-49	2432	5.3	28	1	1	4	7	11	15	27
50-64	3429	6.6	50	1	2	5	8	14	19	32
65+	6500	7.7	56	1	2	6	9	15	21	41
GRAND TOTAL	**18108**	**5.9**	**41**	**1**	**1**	**4**	**7**	**12**	**17**	**31**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5617	3.6	16	1	1	3	4	7	9	18
20-34	3141	3.6	17	<1	1	3	4	7	8	19
35-49	2729	3.9	15	1	1	3	5	7	10	18
50-64	3079	4.5	40	1	1	3	5	8	12	29
65+	3919	5.3	43	1	1	4	6	10	14	31
B. *Operated*										
0-19 YRS	515	3.2	17	<1	1	2	3	6	9	23
20-34	795	3.0	9	<1	1	2	3	6	8	16
35-49	887	3.3	12	1	1	2	4	6	8	17
50-64	932	3.8	19	1	1	2	4	9	11	25
65+	666	5.1	48	1	1	3	6	10	15	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7395	4.8	29	1	1	3	6	9	13	28
20-34	5178	4.4	20	1	1	3	5	8	11	22
35-49	6676	4.9	18	1	1	4	6	9	12	20
50-64	13538	5.9	30	1	2	4	7	11	16	27
65+	32571	7.1	42	2	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	654	8.7	143	1	1	5	10	23	36	73
20-34	1046	5.6	46	1	1	3	7	11	17	36
35-49	1608	6.6	63	1	1	4	8	14	20	48
50-64	2978	8.8	114	1	2	5	11	20	30	68
65+	5262	11.7	158	2	2	8	14	26	39	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18485	4.2	26	1	1	3	5	8	11	23
B. *Operated*	3795	3.7	21	<1	1	2	4	8	10	25
2. MULTIPLE DX										
A. *Not Operated*	65358	6.1	35	1	2	5	8	12	16	30
B. *Operated*	11548	9.5	128	1	2	6	12	21	32	73
1. SINGLE DX	22280	4.1	25	1	1	3	5	8	11	23
2. MULTIPLE DX	76906	6.7	50	1	2	5	8	13	18	38
A. NOT OPERATED	83843	5.7	34	1	1	4	7	11	15	29
B. OPERATED	15343	8.1	108	1	1	5	10	18	28	65
TOTAL 0-19 YRS	14181	4.5	30	1	1	3	5	8	12	28
20-34	10160	4.2	22	1	1	3	5	8	10	23
35-49	11900	4.7	23	1	1	3	6	9	12	24
50-64	20527	6.0	45	1	1	4	7	12	17	34
65+	42418	7.5	59	1	2	5	9	15	20	42
GRAND TOTAL	**99186**	**6.1**	**46**	**1**	**1**	**4**	**7**	**12**	**17**	**35**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1527	2.1	3	1	1	2	3	4	5	10
20-34	126	5.0	20	1	1	4	7	10	12	26
35-49	49	5.0	23	1	1	5	6	9	11	28
50-64	21	8.0	127	2	2	5	8	12	32	55
65+	23	6.5	33	1	2	5	8	16	20	24
B. *Operated*										
0-19 YRS	285	5.2	10	1	2	5	7	9	11	16
20-34	119	8.3	103	2	3	6	9	15	18	72
35-49	39	7.7	36	1	2	7	10	16	20	29
50-64	15	8.4	26	3	4	6	10	18	19	20
65+	7	11.4	132	3	4	8	10	32	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1231	3.9	27	1	1	2	4	8	12	27
20-34	292	6.4	80	1	1	4	7	13	20	53
35-49	182	6.3	31	1	1	4	9	14	16	27
50-64	124	7.3	38	1	1	6	10	15	18	32
65+	138	9.3	93	1	2	6	12	20	26	46
B. *Operated*										
0-19 YRS	406	10.7	149	1	2	7	13	27	45	99+
20-34	404	15.0	340	1	2	8	18	41	71	99+
35-49	169	16.6	271	1	2	12	23	52	67	99+
50-64	99	19.5	430	2	3	13	26	64	98	99+
65+	79	19.5	396	2	3	12	27	44	70	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1746	2.5	8	1	1	2	3	5	7	14
B. *Operated*	465	6.4	40	1	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	1967	5.1	43	1	1	3	6	11	16	34
B. *Operated*	1157	14.4	283	1	2	9	18	41	66	99+
1. SINGLE DX	2211	3.3	17	1	1	2	4	7	9	18
2. MULTIPLE DX	3124	8.5	152	1	1	4	10	21	36	90
A. NOT OPERATED	3713	3.9	28	1	1	2	4	8	12	26
B. OPERATED	1622	12.1	226	1	2	7	14	30	54	99+
TOTAL 0-19 YRS	3449	4.0	36	1	1	2	4	8	13	38
20-34	941	10.1	204	1	1	6	10	22	41	90
35-49	439	10.2	148	1	2	6	13	26	40	99+
50-64	259	12.1	227	1	2	8	14	30	54	99+
65+	247	12.4	208	1	2	7	15	28	39	79
GRAND TOTAL	**5335**	**6.4**	**103**	**1**	**1**	**3**	**7**	**15**	**23**	**72**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	687	2.4	4	1	1	2	3	5	6	10
20-34	194	4.2	24	1	1	3	5	8	11	23
35-49	71	5.0	29	1	1	3	6	10	16	29
50-64	45	4.6	57	<1	1	2	4	12	22	43
65+	31	5.9	45	1	1	3	9	12	15	35
B. *Operated*										
0-19 YRS	92	6.7	95	1	2	5	8	11	17	96
20-34	81	6.7	60	1	1	5	8	13	16	50
35-49	22	5.8	30	2	2	4	7	12	20	25
50-64	12	7.5	56	1	1	5	9	20	25	26
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	735	4.7	37	1	1	3	5	10	14	29
20-34	467	6.1	48	1	1	4	7	12	17	29
35-49	229	8.1	105	1	1	5	9	17	24	54
50-64	178	8.4	75	1	2	6	11	17	22	43
65+	202	11.4	125	2	3	9	14	22	34	75
B. *Operated*										
0-19 YRS	283	15.4	301	2	2	9	19	39	61	99
20-34	451	15.2	263	1	2	10	19	42	55	99+
35-49	176	14.8	262	2	2	11	18	35	74	99+
50-64	97	14.7	244	2	2	10	18	41	64	99+
65+	93	25.9	528	3	4	20	39	75	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1028	3.1	14	1	1	2	4	6	9	19
B. *Operated*	209	6.6	71	1	2	5	8	12	17	73
2. MULTIPLE DX										
A. *Not Operated*	1811	6.6	67	1	1	4	8	14	20	42
B. *Operated*	1100	16.0	301	2	2	10	20	43	67	99+
1. SINGLE DX	1237	3.7	25	1	1	2	4	8	10	23
2. MULTIPLE DX	2911	10.2	176	1	1	6	12	24	40	96
A. NOT OPERATED	2839	5.3	50	1	1	3	6	12	17	36
B. OPERATED	1309	14.5	276	1	2	9	18	39	62	99+
TOTAL 0-19 YRS	1797	5.6	88	1	1	3	6	12	20	62
20-34	1193	9.3	147	1	1	5	11	21	38	80
35-49	498	9.9	160	1	2	6	12	22	35	99
50-64	332	9.7	133	1	1	7	12	21	32	96
65+	328	15.0	280	2	3	10	18	39	65	99+
GRAND TOTAL	**4148**	**8.2**	**140**	**1**	**1**	**4**	**9**	**19**	**33**	**83**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	1.8	2	<1	<1	1	2	3	5	8
20-34	269	2.1	2	<1	<1	1	3	4	5	8
35-49	81	2.6	8	<1	1	2	3	4	7	18
50-64	36	2.3	3	<1	<1	2	3	4	5	8
65+	34	3.7	14	<1	1	3	5	7	12	18
B. *Operated*										
0-19 YRS	3114	2.0	2	<1	<1	2	2	4	5	8
20-34	3910	2.6	4	<1	1	2	3	5	6	10
35-49	1087	2.9	6	<1	1	2	3	6	7	12
50-64	338	3.4	9	1	1	3	4	6	9	17
65+	154	4.1	14	1	1	3	5	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	395	2.3	4	<1	1	2	3	5	6	10
20-34	717	2.8	8	<1	<1	2	4	5	7	11
35-49	307	3.7	10	<1	1	3	5	7	10	16
50-64	230	4.5	21	1	1	3	5	9	13	22
65+	549	6.4	40	1	1	5	8	14	17	32
B. *Operated*										
0-19 YRS	2724	3.9	20	1	1	3	4	7	10	23
20-34	4790	4.6	30	1	1	3	5	9	12	24
35-49	1694	5.4	40	1	1	4	7	11	15	34
50-64	825	6.6	52	1	2	4	8	13	19	41
65+	682	9.2	82	1	2	6	12	20	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	598	2.2	4	<1	<1	1	3	4	6	10
B. *Operated*	8603	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	2198	3.9	19	<1	1	3	5	8	12	21
B. *Operated*	10715	5.0	36	1	1	3	6	10	14	30
1. SINGLE DX	9201	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	12913	4.8	33	1	1	3	6	10	14	29
A. NOT OPERATED	2796	3.5	17	<1	1	2	4	8	10	20
B. OPERATED	19318	3.9	23	<1	1	3	4	8	11	23
TOTAL 0-19 YRS	6411	2.8	11	<1	<1	2	3	5	7	16
20-34	9686	3.6	18	1	1	2	4	7	9	14
35-49	3169	4.3	26	1	1	3	5	9	12	23
50-64	1429	5.4	38	1	1	3	6	12	15	32
65+	1419	7.5	60	1	2	5	10	16	22	39
GRAND TOTAL	**22114**	**3.8**	**22**	**<1**	**1**	**3**	**4**	**8**	**11**	**22**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	840	4.6	19	1	1	4	6	9	11	21
20-34	1479	5.3	21	1	1	4	7	10	12	24
35-49	870	5.8	18	1	2	5	7	11	13	25
50-64	839	6.9	26	2	2	6	9	12	15	24
65+	1478	9.1	35	2	3	8	12	17	21	29
B. *Operated*										
0-19 YRS	125	11.3	84	2	3	9	14	20	27	54
20-34	232	11.3	92	2	3	9	15	23	30	45
35-49	90	12.5	115	2	2	9	18	26	34	50
50-64	66	14.0	91	2	4	12	17	27	32	48
65+	61	10.8	49	2	3	10	14	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	693	5.6	31	1	1	4	7	11	14	28
20-34	1639	6.4	28	1	2	5	8	12	16	25
35-49	1142	7.8	58	2	2	6	9	14	19	41
50-64	1879	9.2	47	2	3	8	11	17	21	33
65+	8841	11.6	67	3	4	10	15	21	26	44
B. *Operated*										
0-19 YRS	316	15.2	216	2	3	11	21	33	49	91
20-34	776	14.7	226	2	3	10	18	33	50	93
35-49	379	14.7	157	2	4	11	20	32	40	94
50-64	413	16.4	221	2	4	12	21	36	49	84
65+	1029	19.1	190	4	6	16	24	37	50	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5506	6.5	28	1	2	5	8	12	16	26
B. *Operated*	574	11.7	90	2	3	9	15	24	30	49
2. MULTIPLE DX										
A. *Not Operated*	14194	10.1	62	2	3	8	13	19	24	41
B. *Operated*	2913	16.5	206	3	4	13	21	35	49	91
1. SINGLE DX	6080	7.0	36	1	2	5	9	14	18	30
2. MULTIPLE DX	17107	11.2	92	2	3	9	14	21	28	54
A. NOT OPERATED	19700	9.1	55	2	2	7	12	17	22	37
B. OPERATED	3487	15.7	190	2	4	12	20	33	47	85
TOTAL 0-19 YRS	1974	7.1	74	1	1	5	8	15	22	51
20-34	4126	7.8	79	1	2	5	9	16	22	52
35-49	2481	8.3	70	1	2	6	10	17	23	46
50-64	3197	9.6	73	2	3	7	12	18	24	48
65+	11409	12.0	80	3	4	10	15	22	28	50
GRAND TOTAL	**23187**	**10.1**	**81**	**2**	**3**	**8**	**13**	**20**	**26**	**50**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.7	53	1	1	5	8	11	21	38
20-34	37	7.1	145	<1	1	5	7	10	19	74
35-49	21	4.4	7	1	1	4	6	7	9	12
50-64	17	7.9	47	1	2	6	8	19	25	27
65+	15	9.1	34	3	4	7	12	15	22	25
B. *Operated*										
0-19 YRS	27	22.4	328	3	7	17	28	55	84	99+
20-34	62	20.1	214	2	5	18	28	42	56	97
35-49	14	16.8	103	3	6	15	23	35	37	38
50-64	8	20.4	356	1	2	17	30	50	57	57
65+	6	28.0	537	5	6	22	40	65	68	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.3	176	1	1	4	5	25	41	57
20-34	64	13.3	224	1	2	7	17	35	50	63
35-49	33	12.5	209	1	3	7	15	37	44	68
50-64	49	11.0	188	1	2	7	13	25	37	80
65+	129	12.7	142	3	4	9	15	23	31	76
B. *Operated*										
0-19 YRS	61	33.3	401	8	11	35	62	99+	99+	99+
20-34	201	34.2	518	6	11	31	54	88	99+	99+
35-49	52	39.1	795	6	10	43	96	99+	99+	99+
50-64	41	30.7	512	5	7	25	62	99+	99+	99+
65+	54	30.8	571	4	7	29	60	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	6.9	71	1	1	5	8	12	20	50
B. *Operated*	117	20.6	248	3	5	17	27	45	59	99+
2. MULTIPLE DX										
A. *Not Operated*	297	12.2	176	1	2	8	15	26	45	69
B. *Operated*	409	33.9	543	6	9	32	63	99+	99+	99+
1. SINGLE DX	234	13.8	206	1	2	9	19	32	47	84
2. MULTIPLE DX	706	24.8	503	2	4	19	42	82	99+	99+
A. NOT OPERATED	414	10.7	152	1	2	7	13	23	36	69
B. OPERATED	526	31.0	507	5	8	28	52	99	99+	99+
TOTAL 0-19 YRS	137	21.9	411	1	3	18	37	73	99+	99+
20-34	364	25.4	483	2	3	20	41	74	99+	99+
35-49	120	23.1	618	2	3	15	48	99+	99+	99+
50-64	115	18.2	382	2	2	13	26	65	89	99+
65+	204	17.7	324	3	4	12	23	59	73	99+
GRAND TOTAL	940	22.0	452	2	3	16	35	74	99+	99+

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.0	1	<1	1	2	3	4	4	6
20-34	270	2.5	4	<1	1	2	3	4	6	12
35-49	334	3.2	6	1	1	3	4	6	7	13
50-64	376	4.0	7	1	1	3	5	7	9	14
65+	452	5.4	14	1	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	4	3.8	5	1	1	4	5	6	6	6
20-34	21	5.7	20	1	1	5	8	13	14	15
35-49	21	10.6	348	1	1	4	9	28	54	85
50-64	16	6.6	18	1	3	5	10	13	14	15
65+	11	7.7	37	1	1	7	10	17	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	288	3.9	8	1	1	3	5	7	10	14
20-34	1165	4.3	13	1	1	3	5	8	11	18
35-49	1526	5.1	21	1	1	4	7	10	12	20
50-64	2268	6.2	24	1	2	5	8	12	15	24
65+	5109	8.8	56	2	3	7	11	17	22	38
B. *Operated*										
0-19 YRS	134	7.2	31	2	2	6	9	13	19	31
20-34	496	8.4	67	2	2	6	10	15	21	51
35-49	487	10.2	92	2	3	7	13	21	30	50
50-64	580	11.2	116	2	3	8	14	23	32	60
65+	802	16.0	197	3	4	12	20	34	53	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1531	3.8	9	1	1	3	5	8	10	15
B. *Operated*	73	7.5	116	1	1	5	9	13	21	72
2. MULTIPLE DX										
A. *Not Operated*	10356	7.0	41	1	2	5	9	14	18	32
B. *Operated*	2499	11.8	133	2	3	8	14	24	34	69
1. SINGLE DX	1604	4.0	15	1	1	3	5	8	10	16
2. MULTIPLE DX	12855	8.0	62	1	2	6	10	16	21	42
A. NOT OPERATED	11887	6.6	38	1	2	5	8	13	17	30
B. OPERATED	2572	11.6	133	2	3	8	14	24	34	70
TOTAL 0-19 YRS	525	4.4	16	1	1	3	6	9	11	20
20-34	1952	5.1	29	1	1	4	6	10	14	24
35-49	2368	5.9	41	1	1	4	7	12	16	33
50-64	3240	6.8	43	1	2	5	8	13	18	33
65+	6374	9.5	78	2	3	7	12	18	25	52
GRAND TOTAL	14459	7.5	58	1	2	5	9	15	20	41

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	376	5.6	27	1	2	4	7	11	15	30
20-34	327	8.5	74	1	2	6	10	18	26	48
35-49	155	9.5	103	2	2	7	11	17	28	51
50-64	292	10.3	83	2	3	8	13	19	26	48
65+	1222	11.4	67	3	4	10	15	20	25	44
B. *Operated*										
0-19 YRS	37	14.7	255	2	2	6	23	41	51	57
20-34	46	17.5	219	2	3	13	24	44	49	60
35-49	23	17.9	209	3	5	14	29	39	49	52
50-64	12	27.9	385	2	3	28	38	56	67	69
65+	33	17.6	251	3	4	12	19	47	49	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	552	8.8	71	2	2	6	11	17	25	45
20-34	730	10.8	105	2	3	7	13	22	31	50
35-49	402	13.7	159	3	4	10	16	28	43	66
50-64	751	13.7	106	3	4	11	17	25	34	53
65+	5305	15.1	118	4	5	13	19	27	35	64
B. *Operated*										
0-19 YRS	252	18.7	247	3	5	12	26	42	49	80
20-34	497	24.6	358	5	6	18	36	54	67	99+
35-49	245	26.9	340	6	7	22	38	53	66	84
50-64	267	26.7	384	5	7	21	39	59	70	99+
65+	705	24.2	281	6	8	20	32	52	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2372	9.8	70	2	2	8	13	19	24	44
B. *Operated*	151	17.7	250	2	3	13	27	46	51	60
2. MULTIPLE DX										
A. *Not Operated*	7740	14.0	118	3	4	11	18	26	35	60
B. *Operated*	1966	24.3	323	5	7	19	34	52	64	99+
1. SINGLE DX	2523	10.3	84	2	3	8	13	20	27	48
2. MULTIPLE DX	9706	16.1	176	3	5	13	20	33	45	73
A. NOT OPERATED	10112	13.0	110	2	4	11	17	25	32	55
B. OPERATED	2117	23.8	320	5	6	19	34	51	63	99+
TOTAL 0-19 YRS	1217	10.0	122	2	2	6	12	23	36	53
20-34	1600	14.8	226	2	3	9	18	37	49	76
35-49	825	16.9	248	2	4	11	21	40	51	74
50-64	1322	15.7	193	3	4	12	19	34	48	71
65+	7265	15.4	136	4	5	13	19	29	38	69
GRAND TOTAL	**12229**	**14.9**	**163**	**3**	**4**	**11**	**19**	**30**	**42**	**70**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	672	3.1	21	<1	1	1	3	8	14	22
20-34	158	3.7	33	<1	1	2	4	7	11	28
35-49	138	2.8	4	1	1	2	4	5	7	10
50-64	271	4.1	26	<1	1	3	5	8	11	33
65+	995	5.4	29	1	1	4	6	11	16	27
B. *Operated*										
0-19 YRS	3891	3.9	24	1	1	2	4	10	16	24
20-34	548	4.6	34	1	1	3	5	8	11	33
35-49	458	4.7	27	1	1	3	5	8	13	32
50-64	652	5.3	25	1	1	4	6	10	13	28
65+	1015	6.6	36	1	2	5	8	13	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	4.9	54	1	1	3	5	10	17	42
20-34	243	5.7	44	1	1	3	7	12	20	34
35-49	150	5.9	39	1	1	4	8	11	16	34
50-64	637	7.4	62	1	2	5	9	15	22	43
65+	3395	9.7	89	2	2	7	12	20	27	50
B. *Operated*										
0-19 YRS	1156	6.5	65	1	1	4	8	16	21	35
20-34	663	9.6	109	1	2	6	11	21	29	54
35-49	454	10.2	139	1	2	6	12	25	39	66
50-64	962	10.6	146	2	2	7	13	24	33	64
65+	2464	12.6	154	2	3	9	16	27	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2234	4.3	26	1	1	3	5	9	14	25
B. *Operated*	6564	4.6	28	1	1	3	5	10	16	26
2. MULTIPLE DX										
A. *Not Operated*	4720	8.8	82	1	2	6	11	19	25	47
B. *Operated*	5699	10.5	133	1	2	7	13	23	33	66
1. SINGLE DX	8798	4.5	28	1	1	3	5	10	15	26
2. MULTIPLE DX	10419	9.7	111	1	2	7	12	21	29	57
A. NOT OPERATED	6954	7.3	68	1	1	5	9	16	23	43
B. OPERATED	12263	7.3	86	1	1	4	9	17	24	48
TOTAL 0-19 YRS	6014	4.4	34	1	1	2	4	11	17	27
20-34	1612	6.7	72	1	1	4	8	14	22	44
35-49	1200	6.7	76	1	1	4	7	14	24	49
50-64	2522	7.7	86	1	2	5	9	16	25	49
65+	7869	9.7	101	1	2	7	12	21	28	55
GRAND TOTAL	**19217**	**7.3**	**79**	**1**	**1**	**4**	**9**	**17**	**24**	**46**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	1.6	1	<1	<1	1	2	3	4	6
20-34	138	2.1	3	<1	<1	1	3	4	5	8
35-49	92	2.0	2	<1	<1	2	3	4	5	8
50-64	106	2.6	12	<1	<1	2	3	5	6	22
65+	221	3.5	11	<1	1	3	4	7	9	18
B. *Operated*										
0-19 YRS	7906	1.8	3	<1	1	1	2	3	4	8
20-34	2169	3.0	5	1	1	3	4	5	7	11
35-49	1560	2.8	5	1	1	2	4	5	7	12
50-64	2129	2.8	4	1	1	2	3	5	7	11
65+	2218	3.6	11	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	2.9	14	<1	1	2	3	6	8	22
20-34	289	3.5	12	1	1	3	4	8	9	18
35-49	189	4.2	27	<1	1	3	5	9	12	26
50-64	273	5.4	28	1	1	4	7	11	17	26
65+	898	8.0	60	1	2	6	10	16	21	44
B. *Operated*										
0-19 YRS	1722	4.1	29	1	1	2	5	9	15	28
20-34	1724	6.2	47	1	1	4	7	13	18	39
35-49	1095	6.1	47	1	1	4	7	12	17	37
50-64	1599	6.3	65	1	1	4	7	14	19	45
65+	2985	8.1	79	1	2	5	10	17	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	941	2.3	6	<1	<1	1	3	5	6	11
B. *Operated*	15982	2.4	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	1944	5.8	42	1	1	4	7	12	18	33
B. *Operated*	9125	6.4	59	1	1	4	8	14	20	40
1. SINGLE DX	17923	2.4	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	11069	6.3	56	1	1	4	8	14	19	39
A. NOT OPERATED	2885	4.7	33	<1	1	3	6	11	15	29
B. OPERATED	25107	3.9	28	1	1	2	4	8	12	27
TOTAL 0-19 YRS	10307	2.2	8	<1	1	1	2	4	6	15
20-34	4320	4.3	24	1	1	3	5	8	12	25
35-49	2936	4.1	25	1	1	3	5	8	12	26
50-64	4107	4.3	33	1	1	3	5	9	13	27
65+	6322	6.2	55	1	1	4	7	13	19	38
GRAND TOTAL	**27992**	**3.9**	**29**	**1**	**1**	**2**	**4**	**8**	**12**	**27**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	2.0	3	<1	<1	1	2	4	6	8
20-34	122	2.2	2	<1	<1	1	3	5	6	7
35-49	68	2.4	3	<1	<1	2	3	5	6	10
50-64	47	2.7	5	<1	1	2	3	4	8	12
65+	56	3.6	7	<1	<1	3	5	7	9	12
B. *Operated*										
0-19 YRS	2259	1.7	2	<1	<1	1	2	3	4	7
20-34	2752	2.0	3	<1	<1	2	2	3	5	9
35-49	1074	2.1	7	<1	<1	2	2	4	5	8
50-64	539	2.4	5	<1	1	2	3	4	6	13
65+	299	2.9	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	2.6	7	<1	<1	2	3	6	9	14
20-34	200	3.5	10	<1	1	3	5	7	9	14
35-49	126	3.9	11	1	1	3	5	7	10	18
50-64	115	5.5	18	1	1	4	7	13	14	17
65+	288	7.6	40	1	2	6	10	15	21	35
B. *Operated*										
0-19 YRS	878	3.3	19	<1	1	2	4	6	9	28
20-34	1745	3.5	18	<1	1	2	4	7	10	22
35-49	842	3.5	19	1	1	2	4	6	9	21
50-64	665	3.9	24	1	1	3	5	7	11	22
65+	600	6.5	65	1	1	4	7	15	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	6923	2.0	4	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	869	5.0	24	<1	1	4	7	11	14	24
B. *Operated*	4730	3.9	26	1	1	2	4	8	11	29
1. SINGLE DX	7337	2.0	4	<1	<1	2	2	4	5	9
2. MULTIPLE DX	5599	4.1	26	1	1	3	5	8	12	27
A. NOT OPERATED	1283	4.2	19	<1	<1	3	5	9	12	22
B. OPERATED	11653	2.8	14	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	3398	2.2	7	<1	<1	1	2	4	6	12
20-34	4819	2.6	9	<1	1	2	3	5	7	15
35-49	2110	2.8	13	<1	1	2	3	5	7	15
50-64	1366	3.4	16	<1	1	2	4	7	10	18
65+	1243	5.7	46	1	1	3	7	13	18	39
GRAND TOTAL	**12936**	**2.9**	**14**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	14.6	173	1	2	11	23	32	39	52
20-34	34	6.2	83	<1	1	4	6	8	33	43
35-49	47	8.9	158	1	1	7	10	15	23	84
50-64	122	8.2	96	<1	1	6	10	17	23	59
65+	643	9.8	79	1	1	8	13	20	25	47
B. *Operated*										
0-19 YRS	429	11.2	100	2	3	8	14	24	29	48
20-34	210	11.5	84	3	4	9	13	20	27	56
35-49	394	10.6	34	4	5	9	13	17	21	33
50-64	1774	12.4	47	5	6	11	15	19	23	43
65+	10533	16.2	67	7	9	15	19	25	31	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	17.7	217	1	2	14	28	40	45	56
20-34	56	12.3	286	1	1	6	12	33	55	76
35-49	77	10.3	143	1	2	6	12	18	30	70
50-64	241	13.3	170	2	3	9	18	28	49	99+
65+	2655	14.8	179	2	3	11	19	32	46	91
B. *Operated*										
0-19 YRS	311	18.1	257	4	5	13	23	38	51	88
20-34	507	21.2	277	6	7	16	26	46	56	92
35-49	678	18.1	184	5	7	14	22	39	49	99
50-64	3112	18.4	156	7	8	15	21	33	45	95
65+	33664	20.5	157	8	10	17	24	36	48	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1020	10.2	105	1	1	8	14	22	29	51
B. *Operated*	13340	15.3	67	5	8	14	18	24	30	50
2. MULTIPLE DX										
A. *Not Operated*	3125	14.6	181	2	3	11	19	32	46	88
B. *Operated*	38272	20.3	160	8	10	17	24	36	48	92
1. SINGLE DX	14360	14.9	72	5	7	14	18	24	30	50
2. MULTIPLE DX	41397	19.9	164	7	9	17	24	36	48	92
A. NOT OPERATED	4145	13.6	166	1	2	10	17	29	42	80
B. OPERATED	51612	19.0	141	7	9	16	22	33	44	84
TOTAL 0-19 YRS	1010	14.5	181	2	3	10	20	31	42	64
20-34	807	17.4	244	3	5	12	22	40	50	87
35-49	1196	14.8	145	4	5	11	17	30	40	86
50-64	5249	15.9	128	5	7	13	19	28	38	81
65+	47495	19.1	143	7	9	16	22	33	44	84
GRAND TOTAL	**55757**	**18.6**	**145**	**6**	**8**	**16**	**22**	**33**	**44**	**84**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1594	18.1	175	1	2	18	25	34	43	61
20-34	92	25.6	591	1	2	20	41	59	77	99+
35-49	48	14.0	274	1	1	6	25	46	51	99+
50-64	66	18.5	435	2	2	8	30	50	58	91
65+	278	17.0	336	1	2	11	21	50	60	90
B. *Operated*										
0-19 YRS	1760	14.2	165	1	2	11	22	32	39	55
20-34	586	14.3	190	2	2	11	17	28	44	79
35-49	194	13.8	179	1	3	11	17	31	45	98
50-64	221	17.1	206	3	5	13	20	39	55	99+
65+	646	18.9	151	6	8	16	23	36	50	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	776	19.8	222	1	2	19	28	38	48	76
20-34	149	23.4	502	2	2	12	44	54	65	99+
35-49	73	20.4	359	2	3	13	32	52	65	93
50-64	192	20.3	375	2	3	14	29	52	73	99+
65+	968	20.1	373	2	3	13	28	51	71	99+
B. *Operated*										
0-19 YRS	1621	22.4	278	3	4	19	31	47	56	86
20-34	1436	23.3	365	3	5	18	31	54	72	99+
35-49	495	23.8	447	2	3	18	34	63	82	99+
50-64	580	24.4	369	4	7	18	32	56	78	99+
65+	2218	25.6	312	8	10	21	33	57	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2078	18.2	227	1	2	17	25	38	48	71
B. *Operated*	3407	15.3	173	1	2	12	21	33	43	67
2. MULTIPLE DX										
A. *Not Operated*	2158	20.2	327	2	3	16	29	48	61	99+
B. *Operated*	6350	24.0	332	3	6	19	32	54	71	99+
1. SINGLE DX	5485	16.4	196	1	2	14	23	35	45	68
2. MULTIPLE DX	8508	23.0	334	3	5	19	31	52	69	99+
A. NOT OPERATED	4236	19.2	279	1	2	16	27	43	54	92
B. OPERATED	9757	21.0	294	2	4	17	28	47	62	99+
TOTAL 0-19 YRS	5751	18.3	217	1	2	17	26	38	48	67
20-34	2263	21.1	353	2	3	15	29	50	66	99+
35-49	810	20.5	384	2	3	14	29	54	71	99+
50-64	1059	21.8	349	3	4	16	30	51	71	99+
65+	4110	22.6	313	4	6	18	29	52	71	99+
GRAND TOTAL	**13993**	**20.4**	**290**	**2**	**3**	**17**	**27**	**46**	**60**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1172	2.6	5	1	1	2	3	5	6	10
20-34	544	3.4	8	1	1	3	4	7	9	14
35-49	352	4.5	17	1	1	3	6	9	12	17
50-64	360	5.3	23	1	1	4	7	10	14	24
65+	437	7.8	54	2	2	6	10	13	18	32
B. *Operated*										
0-19 YRS	3034	3.9	17	1	1	3	5	8	10	18
20-34	2294	6.2	34	1	2	5	7	11	15	28
35-49	1391	6.6	36	1	2	5	8	12	15	27
50-64	1021	8.5	55	2	3	7	10	16	21	39
65+	603	10.8	64	2	3	9	14	21	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	429	4.4	19	1	1	3	5	9	11	25
20-34	415	5.1	52	1	1	3	6	10	13	24
35-49	332	7.1	71	1	1	5	9	13	20	47
50-64	525	8.5	84	1	2	6	10	16	24	48
65+	1204	11.2	89	2	3	9	14	22	30	55
B. *Operated*										
0-19 YRS	1487	9.5	122	1	2	6	11	21	31	64
20-34	2112	12.5	179	2	3	8	15	28	42	80
35-49	1311	12.5	161	2	3	8	15	27	39	73
50-64	1280	15.4	231	3	4	11	18	34	53	99
65+	1294	17.3	206	3	5	13	22	37	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2865	4.1	20	1	1	3	5	9	12	21
B. *Operated*	8343	6.0	37	1	1	4	7	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	2905	8.4	78	1	2	6	10	18	24	48
B. *Operated*	7484	13.2	185	2	3	9	16	29	44	84
1. SINGLE DX	11208	5.5	33	1	1	4	7	11	15	27
2. MULTIPLE DX	10389	11.9	160	2	2	8	14	26	39	78
A. NOT OPERATED	5770	6.3	54	1	1	4	8	13	19	40
B. OPERATED	15827	9.4	120	1	2	6	11	20	30	65
TOTAL 0-19 YRS	6122	5.1	47	1	1	3	6	10	15	37
20-34	5365	8.3	102	1	2	5	9	17	26	60
35-49	3386	8.7	96	1	2	6	10	18	26	58
50-64	3186	10.9	141	2	2	8	13	22	34	79
65+	3538	12.9	135	2	3	10	16	26	37	74
GRAND TOTAL	**21597**	**8.6**	**104**	**1**	**2**	**5**	**10**	**18**	**27**	**60**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	577	2.6	5	<1	1	2	3	5	7	11
20-34	660	3.1	6	<1	<1	2	4	6	8	13
35-49	495	3.6	14	<1	1	3	4	7	9	14
50-64	485	4.0	12	1	1	3	5	7	10	17
65+	577	6.0	27	1	2	4	8	12	16	27
B. *Operated*										
0-19 YRS	3506	3.5	7	1	1	3	4	6	8	14
20-34	5118	4.3	9	1	2	4	5	8	10	16
35-49	3441	5.0	11	1	2	4	6	9	11	16
50-64	3297	5.7	16	2	2	5	7	10	12	18
65+	1871	7.8	33	2	3	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	3.7	16	<1	1	3	5	7	10	22
20-34	656	4.2	15	1	1	3	5	8	11	19
35-49	508	5.4	27	1	1	4	7	11	13	22
50-64	815	6.3	33	1	2	5	8	12	17	26
65+	1619	8.6	55	2	3	7	11	17	22	41
B. *Operated*										
0-19 YRS	1816	5.6	40	1	2	4	6	11	15	37
20-34	3672	7.1	70	1	2	5	8	13	19	47
35-49	2544	7.5	52	2	2	5	9	14	19	43
50-64	2903	8.8	68	2	3	7	10	16	22	47
65+	3221	12.1	109	3	4	9	14	23	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2794	3.8	14	<1	1	3	5	8	11	18
B. *Operated*	17233	4.9	15	1	2	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	3920	6.6	40	1	1	5	8	13	18	31
B. *Operated*	14156	8.5	76	2	2	6	10	16	23	51
1. SINGLE DX	20027	4.8	15	1	1	4	6	9	11	18
2. MULTIPLE DX	18076	8.1	69	1	2	6	10	16	22	46
A. NOT OPERATED	6714	5.4	31	1	1	4	7	11	15	27
B. OPERATED	31389	6.5	45	1	2	5	8	12	17	37
TOTAL 0-19 YRS	6221	4.0	18	1	1	3	5	7	10	21
20-34	10106	5.3	34	1	2	4	6	9	13	29
35-49	6988	5.8	29	1	2	5	7	11	14	29
50-64	7500	6.9	40	2	2	5	8	12	17	33
65+	7288	9.7	76	2	3	7	12	18	24	50
GRAND TOTAL	**38103**	**6.3**	**43**	**1**	**2**	**5**	**8**	**12**	**17**	**34**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.0	8	<1	<1	1	2	3	4	19
20-34	111	2.2	3	<1	1	2	3	4	5	9
35-49	60	2.6	7	<1	<1	2	3	5	7	14
50-64	42	3.3	11	<1	1	2	4	7	10	18
65+	63	4.9	22	1	1	3	6	10	13	28
B. *Operated*										
0-19 YRS	183	2.6	2	1	1	2	3	4	5	9
20-34	179	2.9	3	1	1	3	4	5	6	10
35-49	65	4.0	20	1	2	3	4	6	7	33
50-64	24	5.4	16	2	2	4	6	11	15	18
65+	11	4.6	23	1	1	4	6	12	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	393	2.9	9	<1	1	2	3	6	8	17
20-34	552	3.9	17	1	1	3	5	7	10	20
35-49	363	5.0	20	1	1	4	7	10	13	23
50-64	321	6.2	32	1	1	5	8	12	15	24
65+	723	8.8	72	2	2	7	11	17	24	45
B. *Operated*										
0-19 YRS	175	5.1	39	1	1	3	6	10	18	37
20-34	289	5.9	48	1	1	4	7	13	17	36
35-49	158	6.9	65	1	1	5	8	14	22	53
50-64	132	9.6	126	1	2	6	11	22	30	64
65+	168	12.6	120	2	2	9	17	29	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	2.7	10	<1	<1	2	3	5	7	17
B. *Operated*	462	3.1	7	1	1	3	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	2352	5.7	40	1	1	4	7	12	16	30
B. *Operated*	922	7.7	80	1	1	5	9	17	26	47
1. SINGLE DX	870	2.9	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	3274	6.3	52	1	1	4	8	13	19	39
A. NOT OPERATED	2760	5.3	37	1	1	3	7	11	16	29
B. OPERATED	1384	6.2	60	1	1	4	7	13	21	42
TOTAL 0-19 YRS	883	3.2	15	<1	1	2	3	6	9	21
20-34	1131	4.1	23	1	1	3	5	8	12	21
35-49	646	5.2	31	1	1	4	6	10	14	29
50-64	519	6.8	56	1	1	5	8	14	18	46
65+	965	9.2	80	1	2	7	12	19	26	48
GRAND TOTAL	**4144**	**5.6**	**45**	**1**	**1**	**3**	**7**	**12**	**17**	**36**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.5	4	1	1	2	3	5	7	8
20-34	11	3.2	1	2	2	3	4	5	6	6
35-49	5	4.6	10	1	1	3	8	8	8	8
50-64	3	4.3	6	2	2	4	6	7	7	7
65+	3	10.3	17	7	7	9	13	15	15	15
B. *Operated*										
0-19 YRS	16	5.6	23	1	1	5	7	15	17	17
20-34	12	6.3	23	<1	1	5	8	13	17	18
35-49	5	12.4	72	3	3	10	19	24	24	24
50-64	1	7.0		7	7	7	7	7	7	7
65+	6	23.8	548	4	5	17	26	65	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.5	53	1	1	3	6	11	24	38
20-34	22	8.2	110	<1	<1	4	11	23	32	45
35-49	17	6.1	27	1	2	4	8	12	18	22
50-64	14	6.7	18	2	2	5	9	14	15	15
65+	28	13.4	230	3	3	10	19	23	31	83
B. *Operated*										
0-19 YRS	43	25.3	645	1	3	19	37	79	95	99+
20-34	57	21.2	416	3	4	16	26	79	99+	99+
35-49	20	21.5	389	4	7	14	28	62	94	99+
50-64	15	24.2	592	2	3	17	49	82	95	99+
65+	25	28.0	705	2	5	16	45	71	86	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.1	6	1	1	3	4	7	8	13
B. *Operated*	40	5.4	135	1	2	6	11	19	25	69
2. MULTIPLE DX										
A. *Not Operated*	128	7.9	101	1	1	4	10	19	23	53
B. *Operated*	160	23.7	529	3	4	16	33	78	95	99+
1. SINGLE DX	119	5.2	58	1	1	3	6	10	17	39
2. MULTIPLE DX	288	16.7	399	1	2	9	23	50	84	99+
A. NOT OPERATED	207	6.1	70	1	1	3	7	12	22	41
B. OPERATED	200	20.8	482	2	3	13	28	67	90	99+
TOTAL 0-19 YRS	163	9.7	275	1	1	4	8	29	41	97
20-34	102	14.7	312	1	2	9	22	46	83	99+
35-49	47	13.1	234	1	2	9	20	28	49	99+
50-64	33	14.5	349	2	2	8	15	50	78	99+
65+	62	20.1	477	3	4	11	22	59	76	89
GRAND TOTAL	**407**	**13.3**	**326**	**1**	**1**	**7**	**17**	**38**	**69**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	1.4	1	<1	<1	1	1	2	4	4
20-34	71	2.3	6	<1	<1	1	3	5	8	14
35-49	18	2.1	3	<1	<1	1	2	5	6	7
50-64	11	1.7	1	<1	<1	2	2	3	3	3
65+	54	2.8	12	<1	1	1	3	8	11	18
B. *Operated*										
0-19 YRS	468	2.6	2	1	1	3	3	4	5	8
20-34	1581	2.8	3	1	1	3	4	5	5	8
35-49	510	2.8	3	1	1	3	4	5	6	8
50-64	220	2.2	3	<1	1	2	3	4	5	10
65+	247	2.6	8	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	4	<1	<1	2	3	5	6	9
20-34	114	3.4	17	<1	<1	2	4	7	9	24
35-49	51	3.6	7	1	1	3	6	8	8	11
50-64	59	4.1	13	1	1	3	5	10	12	15
65+	178	7.4	66	1	1	5	9	16	22	50
B. *Operated*										
0-19 YRS	104	3.1	4	<1	1	3	4	6	7	9
20-34	386	4.1	14	1	1	3	5	8	11	20
35-49	202	4.3	14	1	1	3	5	7	13	20
50-64	211	5.8	54	1	1	4	7	13	18	56
65+	449	6.5	61	1	1	4	8	15	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	2.2	7	<1	<1	1	2	4	6	14
B. *Operated*	3026	2.7	3	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	444	5.0	37	<1	1	3	6	10	16	28
B. *Operated*	1352	5.1	36	1	1	3	6	11	16	33
1. SINGLE DX	3208	2.7	3	<1	1	2	3	5	5	9
2. MULTIPLE DX	1796	5.1	37	1	1	3	6	10	16	33
A. NOT OPERATED	626	4.2	30	<1	1	2	5	9	13	27
B. OPERATED	4378	3.5	14	1	1	3	4	6	9	19
TOTAL 0-19 YRS	642	2.6	2	<1	1	2	3	5	6	8
20-34	2152	3.0	6	1	1	3	4	5	6	12
35-49	781	3.2	6	1	1	3	4	6	7	14
50-64	501	3.9	28	<1	1	2	4	8	12	29
65+	928	5.4	48	1	1	3	6	12	18	35
GRAND TOTAL	**5004**	**3.5**	**16**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.1	2	<1	<1	2	2	4	5	7
20-34	100	2.5	4	<1	<1	2	4	6	7	8
35-49	51	3.0	10	<1	<1	2	4	6	9	18
50-64	27	3.3	6	<1	1	3	4	7	8	12
65+	19	4.7	18	<1	<1	3	6	13	13	13
B. *Operated*										
0-19 YRS	3082	2.7	3	<1	1	2	3	5	6	9
20-34	6549	2.7	4	<1	1	2	4	5	6	9
35-49	3413	2.7	4	<1	1	2	4	5	6	9
50-64	1623	3.1	5	1	1	2	4	6	7	11
65+	409	3.9	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	2.2	6	<1	<1	1	3	4	6	15
20-34	130	2.2	4	<1	<1	1	3	4	6	10
35-49	93	3.5	11	<1	<1	3	5	7	12	16
50-64	85	4.2	27	<1	<1	2	5	9	15	27
65+	67	7.7	105	1	1	6	9	15	17	71
B. *Operated*										
0-19 YRS	1977	3.2	10	<1	1	2	4	6	7	13
20-34	4366	3.3	9	<1	1	2	4	6	8	14
35-49	2721	3.4	12	<1	1	2	4	7	9	15
50-64	2479	3.6	12	<1	1	3	4	7	10	18
65+	1135	5.0	30	1	1	3	6	10	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	2.7	6	<1	<1	2	3	6	7	13
B. *Operated*	15076	2.8	4	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	455	3.7	28	<1	<1	2	4	8	11	19
B. *Operated*	12678	3.5	13	<1	1	3	4	7	9	17
1. SINGLE DX	15348	2.8	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	13133	3.5	13	<1	1	3	4	7	9	18
A. NOT OPERATED	727	3.3	20	<1	<1	2	4	7	9	18
B. OPERATED	27754	3.1	8	<1	1	2	4	6	7	14
TOTAL 0-19 YRS	5214	2.9	6	<1	1	2	4	5	6	11
20-34	11145	2.9	6	<1	1	2	4	5	7	11
35-49	6278	3.1	7	<1	1	2	4	6	7	13
50-64	4214	3.4	10	<1	1	2	4	7	9	17
65+	1630	4.8	29	1	1	3	6	10	14	26
GRAND TOTAL	**28481**	**3.1**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	3.7	20	<1	<1	2	4	9	12	22
20-34	198	5.1	17	1	1	5	7	10	12	20
35-49	129	6.8	46	1	1	5	9	13	19	46
50-64	78	8.2	101	1	1	5	11	17	23	61
65+	36	5.3	20	1	1	4	7	13	14	19
B. Operated										
0-19 YRS	809	3.1	17	<1	1	2	3	6	10	21
20-34	969	4.0	19	<1	1	3	4	9	14	22
35-49	510	5.0	38	<1	1	3	6	12	17	25
50-64	287	5.3	46	1	1	3	6	13	18	37
65+	198	6.9	67	1	1	3	8	21	25	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	128	4.9	40	1	1	3	6	10	19	30
20-34	363	7.2	51	1	2	6	8	13	16	39
35-49	249	8.3	57	2	2	7	10	14	21	46
50-64	195	8.4	88	1	2	6	10	15	22	56
65+	194	8.6	63	1	2	7	12	17	25	40
B. Operated										
0-19 YRS	473	6.5	57	1	1	4	8	16	20	37
20-34	866	8.4	100	1	1	5	11	22	26	40
35-49	524	9.2	117	1	2	5	11	21	30	55
50-64	436	9.2	140	1	1	5	10	20	31	60
65+	437	13.3	208	1	2	8	20	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	587	5.5	37	<1	1	4	7	12	15	31
B. Operated	2793	4.3	29	<1	1	2	5	10	15	25
2. MULTIPLE DX										
A. Not Operated	1129	7.7	61	1	2	6	9	15	20	49
B. Operated	2736	9.1	123	1	1	5	11	21	32	61
1. SINGLE DX	3380	4.5	31	<1	1	3	5	10	15	27
2. MULTIPLE DX	3865	8.7	105	1	1	5	10	20	29	55
A. NOT OPERATED	1716	6.9	54	1	1	5	9	13	19	44
B. OPERATED	5529	6.7	82	1	1	3	8	16	24	48
TOTAL 0-19 YRS	1556	4.3	36	<1	1	2	5	10	15	28
20-34	2416	6.2	57	1	1	4	7	14	20	37
35-49	1412	7.3	75	1	1	5	9	16	23	45
50-64	996	7.8	102	1	1	4	9	17	23	54
65+	865	10.5	144	1	2	6	14	25	41	98
GRAND TOTAL	**7249**	**6.7**	**75**	**1**	**1**	**4**	**8**	**16**	**22**	**46**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	25th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	197	2.4	3	<1	<1	2	3	5	6	9
20-34	250	2.5	5	<1	<1	2	3	5	7	11
35-49	141	3.3	7	<1	1	2	4	7	9	12
50-64	99	3.6	6	1	1	3	5	7	9	10
65+	102	5.7	19	1	2	5	7	11	14	24
B. Operated										
0-19 YRS	1613	3.1	4	<1	1	2	4	6	7	9
20-34	2150	3.6	5	1	1	3	5	6	7	10
35-49	970	3.6	6	1	1	3	5	7	9	13
50-64	194	5.0	13	1	2	4	6	10	12	20
65+	79	7.1	21	2	2	6	9	14	17	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	3.2	11	<1	1	2	4	7	9	14
20-34	224	3.6	15	<1	1	3	5	7	10	22
35-49	157	4.8	17	<1	1	4	6	10	12	25
50-64	216	6.2	35	1	2	5	8	11	17	33
65+	537	8.0	54	2	3	6	10	15	21	34
B. Operated										
0-19 YRS	1501	4.2	8	1	1	4	5	7	9	15
20-34	2674	4.4	9	1	1	4	6	8	9	15
35-49	921	4.8	17	1	1	4	6	8	10	16
50-64	382	6.3	28	1	2	5	8	12	16	29
65+	178	9.5	113	2	2	7	10	17	26	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	789	3.2	8	<1	<1	2	4	7	8	13
B. Operated	4606	3.5	6	<1	1	3	5	6	7	12
2. MULTIPLE DX										
A. Not Operated	1270	6.0	38	1	1	4	7	12	16	30
B. Operated	5656	4.7	16	1	1	4	6	8	10	18
1. SINGLE DX	5395	3.4	6	<1	1	3	5	6	8	12
2. MULTIPLE DX	6926	4.9	20	1	1	4	6	9	11	22
A. NOT OPERATED	2059	4.9	25	<1	1	3	6	10	14	26
B. OPERATED	10262	4.1	12	1	1	4	5	7	9	16
TOTAL 0-19 YRS	3447	3.6	6	<1	1	3	5	6	8	12
20-34	5298	3.9	8	1	1	3	5	7	8	13
35-49	1789	4.3	13	1	1	4	6	8	10	14
50-64	891	5.7	25	1	2	4	7	11	14	28
65+	896	7.9	60	2	2	6	9	15	21	42
GRAND TOTAL	**12321**	**4.3**	**14**	**1**	**1**	**4**	**5**	**8**	**10**	**18**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	4.7	10	1	1	4	7	8	11	14
20-34	3856	5.8	12	2	2	5	7	10	12	18
35-49	3758	6.3	14	2	2	5	8	11	13	20
50-64	1642	6.3	15	2	2	6	8	11	13	19
65+	478	6.4	15	2	2	5	8	11	14	18
B. *Operated*										
0-19 YRS	27	6.9	31	1	2	6	9	13	17	26
20-34	662	6.3	22	1	2	5	9	13	16	21
35-49	554	6.9	27	1	2	5	10	14	17	24
50-64	166	7.4	25	1	2	6	10	14	16	23
65+	16	7.9	21	1	2	7	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	380	5.6	16	1	2	5	7	11	13	19
20-34	3722	6.9	20	2	3	6	9	12	15	23
35-49	4893	7.5	25	2	3	6	9	13	16	25
50-64	3809	7.5	22	2	3	7	9	13	16	23
65+	3240	8.3	35	2	3	7	10	15	18	29
B. *Operated*										
0-19 YRS	27	7.7	63	<1	1	6	9	19	26	34
20-34	634	9.6	49	2	3	8	13	17	22	37
35-49	906	10.7	46	2	3	10	14	19	24	32
50-64	471	11.3	61	3	4	10	15	20	26	39
65+	257	14.1	124	4	5	11	17	26	34	63
SUBTOTALS:										
I. SINGLE DX										
A. *Not Operated*	10132	6.0	14	2	2	5	8	11	13	18
B. *Operated*	1425	6.7	25	1	2	5	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	16044	7.5	25	2	3	6	9	13	16	25
B. *Operated*	2295	10.9	60	2	3	9	14	20	25	39
1. SINGLE DX	11557	6.1	15	2	2	5	8	11	13	19
2. MULTIPLE DX	18339	7.9	31	2	3	7	10	14	18	28
A. NOT OPERATED	26176	6.9	21	2	3	6	9	12	15	23
B. OPERATED	3720	9.3	51	2	2	8	12	17	22	34
TOTAL 0-19 YRS	832	5.3	15	1	1	4	7	10	12	20
20-34	8874	6.6	20	2	2	6	8	12	15	22
35-49	10111	7.3	24	2	3	6	9	13	16	25
50-64	6088	7.5	25	2	3	6	9	13	16	25
65+	3991	8.5	40	2	3	7	11	15	18	32
GRAND TOTAL	**29896**	**7.2**	**25**	**2**	**3**	**6**	**9**	**13**	**16**	**25**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	805	3.0	8	<1	1	2	4	6	8	14
20-34	3032	5.0	13	1	1	4	7	9	12	17
35-49	2410	5.8	15	1	2	5	8	10	13	19
50-64	1011	6.0	18	1	2	5	8	11	13	19
65+	282	5.7	22	1	2	4	7	11	13	20
B. *Operated*										
0-19 YRS	40	4.7	16	1	1	3	5	11	13	18
20-34	662	5.3	19	1	1	4	8	11	14	22
35-49	594	5.7	21	1	2	4	8	12	15	22
50-64	137	6.3	22	1	2	5	9	13	16	23
65+	15	7.1	33	<1	1	7	12	15	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1153	4.1	10	1	1	4	5	8	9	14
20-34	5763	6.1	17	1	2	5	8	11	14	21
35-49	5171	7.0	22	2	2	6	9	12	15	24
50-64	3205	7.0	22	2	2	6	9	13	16	23
65+	2337	7.7	36	2	3	6	10	14	18	30
B. *Operated*										
0-19 YRS	66	5.4	22	1	1	4	8	13	16	19
20-34	822	8.0	43	1	2	7	10	16	20	33
35-49	844	8.9	46	2	2	8	12	17	21	32
50-64	420	9.7	52	2	2	8	13	18	24	36
65+	165	12.5	113	2	3	11	16	22	26	65
SUBTOTALS:										
I. SINGLE DX										
A. *Not Operated*	7540	5.2	15	1	1	4	7	10	12	18
B. *Operated*	1448	5.6	20	1	2	4	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	17629	6.6	22	1	2	6	8	12	15	23
B. *Operated*	2317	8.9	52	2	2	7	12	17	22	34
1. SINGLE DX	8988	5.3	16	1	1	4	7	10	13	18
2. MULTIPLE DX	19946	6.9	26	1	2	6	9	13	16	26
A. NOT OPERATED	25169	6.2	20	1	2	5	8	11	14	22
B. OPERATED	3765	7.6	42	1	2	6	10	15	19	30
TOTAL 0-19 YRS	2064	3.7	10	1	1	3	5	7	9	15
20-34	10279	5.9	19	1	2	5	8	11	14	22
35-49	9019	6.8	23	1	2	6	9	12	15	24
50-64	4773	7.0	25	2	2	6	9	13	16	25
65+	2799	7.8	41	2	2	6	10	14	18	32
GRAND TOTAL	**28934**	**6.4**	**23**	**1**	**2**	**5**	**8**	**12**	**15**	**24**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	340	2.3	4	<1	<1	2	3	5	6	10
20-34	519	2.6	6	<1	<1	2	3	6	7	12
35-49	305	3.3	8	<1	<1	2	4	7	9	14
50-64	207	3.5	9	<1	<1	3	5	8	9	15
65+	192	4.5	10	<1	1	4	6	9	11	15
B. Operated										
0-19 YRS	755	2.4	2	1	1	2	3	4	5	8
20-34	1896	2.8	3	1	1	3	4	5	6	9
35-49	1478	3.3	4	1	1	3	4	6	7	11
50-64	1382	4.3	6	1	2	4	5	7	9	14
65+	458	5.2	10	2	2	4	7	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	246	3.2	9	<1	1	2	4	6	9	16
20-34	544	3.7	15	<1	1	3	5	8	9	15
35-49	526	4.5	17	1	1	3	6	9	11	23
50-64	591	5.5	28	1	1	4	7	11	16	23
65+	1095	7.3	41	2	2	5	9	14	19	33
B. Operated										
0-19 YRS	288	3.2	6	1	1	3	4	6	8	15
20-34	586	3.7	12	1	1	3	4	6	8	18
35-49	600	4.8	24	1	2	4	5	8	11	25
50-64	1068	5.6	22	2	2	4	6	10	13	23
65+	625	7.3	33	2	3	6	9	14	19	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1563	3.0	7	<1	<1	2	4	6	8	13
B. Operated	5969	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	3002	5.5	29	1	1	4	7	11	15	26
B. Operated	3167	5.2	23	1	2	4	6	10	13	25
1. SINGLE DX	7532	3.3	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	6169	5.3	26	1	1	4	6	10	14	26
A. NOT OPERATED	4565	4.6	23	<1	1	3	6	9	13	23
B. OPERATED	9136	4.0	12	1	1	3	5	7	10	18
TOTAL 0-19 YRS	1629	2.6	4	<1	1	2	3	5	6	12
20-34	3545	3.1	7	<1	1	3	4	5	7	12
35-49	2909	3.9	12	1	1	3	5	7	9	17
50-64	3248	4.9	16	1	2	4	6	9	12	20
65+	2370	6.7	32	2	2	5	8	12	17	29
GRAND TOTAL	**13701**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8411	1.5	1	<1	1	1	2	2	3	5
20-34	2358	2.0	3	<1	1	1	2	4	5	8
35-49	730	2.2	3	<1	1	2	3	5	6	9
50-64	345	2.6	7	<1	1	2	3	5	6	14
65+	226	2.7	9	1	1	2	3	5	7	16
B. Operated										
0-19 YRS	42	2.5	15	<1	<1	1	2	3	13	21
20-34	31	2.9	12	<1	1	2	3	6	14	16
35-49	15	7.2	195	<1	<1	2	5	24	46	53
50-64	7	3.1	6	1	1	2	4	7	8	8
65+	5	4.0	8	1	1	3	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9035	2.2	5	1	1	2	2	4	5	10
20-34	6995	3.2	10	<1	1	2	4	7	9	15
35-49	3003	4.0	16	1	1	3	5	9	11	21
50-64	2076	4.5	21	1	1	3	6	9	13	20
65+	2561	6.5	52	1	1	5	8	13	18	33
B. Operated										
0-19 YRS	2035	3.7	35	1	1	2	4	7	11	34
20-34	2370	4.5	47	1	1	2	5	9	14	38
35-49	929	5.1	47	1	1	3	6	11	17	38
50-64	631	6.4	73	1	1	4	7	13	21	46
65+	821	8.5	118	1	1	5	11	20	31	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12070	1.7	2	<1	1	1	2	3	4	7
B. Operated	100	3.4	41	<1	1	2	3	7	14	38
2. MULTIPLE DX										
A. Not Operated	23670	3.4	16	1	1	2	4	7	10	19
B. Operated	6736	5.0	57	1	1	3	5	11	17	41
1. SINGLE DX	12170	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	30456	3.7	26	1	1	2	4	8	11	24
A. NOT OPERATED	35740	2.8	12	1	1	2	3	6	8	16
B. OPERATED	6886	5.0	57	1	1	3	5	11	17	41
TOTAL 0-19 YRS	19523	2.0	7	<1	1	1	2	4	5	10
20-34	11754	3.2	17	<1	1	2	4	7	9	18
35-49	4677	4.0	22	1	1	3	5	8	12	23
50-64	3059	4.7	31	1	1	3	6	9	13	27
65+	3613	6.7	66	1	1	4	8	14	20	43
GRAND TOTAL	**42626**	**3.2**	**20**	**1**	**1**	**2**	**3**	**7**	**10**	**21**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3334	1.8	5	<1	1	1	2	3	4	11
20-34	855	3.1	27	<1	<1	2	3	6	10	26
35-49	258	3.4	14	<1	1	2	4	8	11	17
50-64	159	4.8	84	<1	1	2	5	9	16	59
65+	181	5.2	42	<1	1	2	7	13	16	32
B. *Operated*										
0-19 YRS	173	8.5	109	1	1	6	10	19	30	97
20-34	144	11.3	141	1	2	8	14	21	41	76
35-49	92	10.4	73	2	3	8	14	21	24	50
50-64	101	10.3	55	2	3	8	13	20	33	99+
65+	151	14.8	132	4	6	12	17	29	40	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3850	3.1	31	<1	1	2	3	6	10	29
20-34	2217	4.8	58	<1	1	2	5	10	17	40
35-49	982	5.4	48	1	1	3	6	11	18	50
50-64	800	6.9	75	1	1	4	8	15	25	53
65+	1584	9.2	101	1	2	6	12	20	29	56
B. *Operated*										
0-19 YRS	1001	14.0	361	1	1	6	21	50	77	99+
20-34	1276	15.5	416	1	1	8	23	55	87	99+
35-49	531	15.5	377	1	1	8	20	51	82	99+
50-64	435	15.6	299	1	1	10	23	44	69	99+
65+	994	19.0	292	2	3	14	26	45	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4787	2.3	14	<1	1	1	2	4	7	17
B. *Operated*	661	11.1	113	1	2	8	14	23	34	97
2. MULTIPLE DX										
A. *Not Operated*	9433	5.1	59	1	1	2	5	12	18	43
B. *Operated*	4237	16.0	360	1	1	9	23	50	76	99+
1. SINGLE DX	5448	3.4	34	<1	1	1	3	8	13	31
2. MULTIPLE DX	13670	8.4	178	1	1	3	9	24	40	99
A. NOT OPERATED	14220	4.1	46	<1	1	2	4	9	15	37
B. OPERATED	4898	15.3	329	1	1	9	22	46	71	99+
TOTAL 0-19 YRS	8358	4.0	77	<1	1	1	3	8	17	64
20-34	4492	7.7	182	<1	1	3	8	21	41	99+
35-49	1863	8.2	161	1	1	4	9	20	40	99+
50-64	1495	9.4	157	1	1	5	11	24	40	99+
65+	2910	12.6	188	1	2	8	16	30	43	85
GRAND TOTAL	**19118**	**7.0**	**142**	**1**	**1**	**2**	**7**	**19**	**33**	**87**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	3.0	8	1	1	2	4	6	8	15
20-34	162	3.0	4	<1	1	3	4	5	7	9
35-49	84	3.3	7	1	1	3	4	6	9	15
50-64	39	3.7	11	<1	1	2	5	7	11	16
65+	25	4.2	19	1	1	2	5	7	15	20
B. *Operated*										
0-19 YRS	129	5.6	12	2	2	5	7	10	12	18
20-34	381	5.9	13	2	2	5	7	10	13	20
35-49	104	6.3	28	2	2	5	7	13	16	30
50-64	44	7.5	23	2	3	6	9	13	17	24
65+	22	8.5	122	3	3	5	9	18	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	3.9	9	1	1	3	5	8	9	15
20-34	496	4.7	18	1	2	4	6	8	11	23
35-49	282	5.0	13	1	2	4	6	10	12	18
50-64	302	6.4	26	1	2	5	9	13	16	25
65+	341	9.0	60	2	3	7	11	18	24	42
B. *Operated*										
0-19 YRS	398	9.7	108	2	3	7	11	18	29	78
20-34	1141	9.9	91	2	3	7	11	18	27	56
35-49	504	10.5	97	3	3	8	12	21	29	48
50-64	359	10.9	114	3	4	8	13	19	32	79
65+	347	14.1	151	3	4	10	17	30	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	3.2	7	1	1	3	4	6	8	15
B. *Operated*	680	6.1	19	2	2	5	7	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	1666	5.8	29	1	2	4	7	11	15	28
B. *Operated*	2749	10.7	107	3	3	8	12	20	31	64
1. SINGLE DX	1100	5.0	16	1	1	4	6	9	13	20
2. MULTIPLE DX	4415	8.8	83	2	2	6	11	17	25	53
A. NOT OPERATED	2086	5.3	26	1	1	4	6	11	14	26
B. OPERATED	3429	9.7	93	2	3	7	11	18	28	56
TOTAL 0-19 YRS	882	6.6	62	1	2	5	8	13	18	44
20-34	2180	7.5	61	1	2	5	9	14	19	48
35-49	974	7.9	65	1	2	6	9	15	22	42
50-64	744	8.5	73	1	2	6	11	16	21	51
65+	735	11.3	111	2	3	8	14	24	33	64
GRAND TOTAL	**5515**	**8.1**	**72**	**1**	**2**	**6**	**10**	**16**	**22**	**49**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	939	3.6	9	<1	1	3	5	8	10	13
20-34	498	3.2	6	1	1	2	4	7	8	13
35-49	136	3.9	10	1	1	3	6	8	9	16
50-64	58	3.0	5	<1	1	2	4	7	7	10
65+	30	4.3	16	1	1	3	5	12	12	14
B. *Operated*										
0-19 YRS	440	6.9	20	2	3	6	8	11	13	26
20-34	508	7.4	20	2	3	7	9	11	16	25
35-49	182	7.8	22	2	3	7	10	13	16	28
50-64	56	7.2	12	1	2	7	9	12	14	15
65+	35	8.5	30	2	4	8	10	13	15	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1015	4.0	13	1	1	3	5	8	10	19
20-34	945	4.2	13	1	1	3	5	9	11	18
35-49	369	4.5	16	1	1	4	6	9	12	20
50-64	222	5.4	20	1	1	4	7	11	14	23
65+	254	8.0	80	1	2	5	10	19	23	55
B. *Operated*										
0-19 YRS	1227	11.7	117	3	4	8	13	23	33	61
20-34	2186	12.8	146	3	5	9	14	27	38	79
35-49	841	14.1	167	3	5	10	17	29	43	83
50-64	431	15.8	179	4	5	12	20	32	49	99+
65+	345	19.0	276	3	5	14	24	42	55	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1661	3.5	9	1	1	2	5	7	9	14
B. *Operated*	1221	7.3	21	2	3	7	9	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	2805	4.6	21	1	1	3	6	9	13	22
B. *Operated*	5030	13.4	158	3	5	9	15	28	39	82
1. SINGLE DX	2882	5.1	17	1	1	4	7	10	12	21
2. MULTIPLE DX	7835	10.3	127	1	2	7	12	22	32	72
A. NOT OPERATED	4466	4.2	17	1	1	3	5	9	11	20
B. OPERATED	6251	12.2	137	3	4	9	13	25	36	77
TOTAL 0-19 YRS	3621	6.8	61	1	1	5	8	13	19	41
20-34	4137	9.0	101	1	2	7	10	18	28	65
35-49	1528	10.1	120	1	2	7	12	21	30	72
50-64	767	11.2	135	1	2	8	14	23	34	79
65+	664	13.6	208	2	2	9	16	30	47	88
GRAND TOTAL	**10717**	**8.9**	**103**	**1**	**2**	**6**	**10**	**18**	**27**	**64**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	3.0	5	<1	1	2	4	6	8	11
20-34	30	2.8	3	1	1	2	3	5	6	9
35-49	23	2.3	3	<1	<1	2	3	5	6	7
50-64	5	2.6	1	<1	<1	3	3	4	4	4
65+	6	6.8	120	1	1	2	5	27	29	29
B. *Operated*										
0-19 YRS	805	2.7	6	<1	1	2	4	6	7	12
20-34	491	3.0	5	1	1	2	4	6	7	12
35-49	200	3.2	5	1	1	3	4	6	8	11
50-64	97	3.6	8	1	1	3	4	6	9	17
65+	78	3.7	15	1	1	3	4	7	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.1	5	<1	1	2	5	6	7	9
20-34	89	3.4	7	1	1	3	4	7	8	14
35-49	31	4.6	25	<1	<1	3	6	9	12	26
50-64	24	5.0	16	1	1	4	7	10	13	17
65+	46	5.6	26	1	1	4	8	12	14	27
B. *Operated*										
0-19 YRS	758	3.8	11	1	1	3	5	7	9	17
20-34	682	4.2	16	1	1	3	5	8	11	22
35-49	307	4.5	12	1	1	4	6	8	11	19
50-64	181	4.7	51	1	1	3	6	8	11	67
65+	234	6.2	59	1	1	4	8	13	17	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.0	9	<1	1	2	4	5	8	14
B. *Operated*	1671	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	301	3.9	12	<1	1	3	5	8	10	16
B. *Operated*	2162	4.4	22	1	1	3	5	8	11	22
1. SINGLE DX	1807	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	2463	4.3	21	1	1	3	5	8	11	21
A. NOT OPERATED	437	3.6	11	<1	1	3	5	8	9	15
B. OPERATED	3833	3.8	15	1	1	3	5	7	10	17
TOTAL 0-19 YRS	1746	3.2	8	<1	1	2	4	6	8	14
20-34	1292	3.7	11	1	1	3	5	7	9	16
35-49	561	4.0	11	1	1	3	5	8	10	17
50-64	307	4.4	34	1	1	3	5	8	10	19
65+	364	5.6	47	1	1	4	7	11	16	45
GRAND TOTAL	**4270**	**3.7**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	351	2.2	3	<1	<1	2	3	4	5	8
20-34	270	2.2	3	<1	<1	2	3	4	6	8
35-49	111	2.3	4	<1	<1	2	3	5	7	10
50-64	55	2.6	6	<1	<1	2	3	4	7	14
65+	61	2.5	4	<1	<1	2	3	5	7	11
B. *Operated*										
0-19 YRS	1436	1.8	3	<1	<1	1	2	3	5	9
20-34	779	2.5	11	<1	<1	1	3	5	7	12
35-49	283	2.9	12	<1	<1	1	3	6	9	22
50-64	135	2.4	7	<1	<1	2	3	4	8	15
65+	125	3.2	25	<1	<1	2	3	6	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	815	2.6	10	<1	1	2	3	5	7	12
20-34	1124	2.8	11	<1	<1	2	3	6	8	14
35-49	554	3.8	21	<1	1	3	5	8	11	17
50-64	418	4.7	49	1	1	3	5	9	14	39
65+	928	6.2	46	1	1	4	8	13	18	40
B. *Operated*										
0-19 YRS	2325	3.1	22	<1	1	2	4	6	9	17
20-34	2960	3.9	27	<1	1	2	5	8	11	25
35-49	1227	4.7	37	<1	1	3	6	9	14	38
50-64	878	5.4	54	1	1	3	6	11	15	39
65+	1385	6.5	53	1	1	4	8	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	848	2.3	4	<1	<1	2	3	4	6	9
B. *Operated*	2758	2.2	7	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	3839	4.0	27	<1	1	2	5	8	12	24
B. *Operated*	8775	4.4	35	<1	1	3	5	9	13	31
1. SINGLE DX	3606	2.2	7	<1	<1	1	3	4	6	12
2. MULTIPLE DX	12614	4.2	33	<1	1	3	5	9	13	29
A. NOT OPERATED	4687	3.6	23	<1	1	2	4	8	11	23
B. OPERATED	11533	3.9	29	<1	1	2	4	8	12	27
TOTAL 0-19 YRS	4927	2.6	14	<1	<1	2	3	5	7	14
20-34	5133	3.4	20	<1	1	2	4	7	10	22
35-49	2175	4.1	29	<1	1	3	5	8	12	32
50-64	1486	4.8	47	<1	1	3	6	10	14	38
65+	2499	6.1	49	1	1	4	8	13	18	40
GRAND TOTAL	**16220**	**3.8**	**28**	**<1**	**1**	**2**	**4**	**8**	**12**	**25**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	477	2.1	3	<1	1	2	2	4	5	9
20-34	969	2.2	3	<1	<1	2	3	4	5	8
35-49	276	2.4	7	<1	1	2	3	4	6	9
50-64	101	2.6	6	<1	1	2	3	6	7	13
65+	20	3.5	9	<1	<1	2	5	8	10	11
B. *Operated*										
0-19 YRS	669	2.9	11	<1	1	2	4	6	8	18
20-34	884	4.1	14	<1	1	3	5	8	10	19
35-49	279	4.4	16	1	1	3	6	9	10	18
50-64	101	5.1	37	1	1	4	6	10	12	37
65+	44	4.0	8	1	1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	3.1	10	<1	1	2	4	6	9	14
20-34	857	3.4	17	<1	1	2	4	7	9	17
35-49	288	3.5	19	<1	1	2	4	6	11	24
50-64	152	4.7	17	1	1	3	6	11	14	17
65+	117	7.4	80	1	1	4	8	18	25	50
B. *Operated*										
0-19 YRS	725	7.0	98	1	1	5	8	13	20	59
20-34	1728	7.7	84	1	1	6	9	14	22	53
35-49	598	8.9	93	1	2	6	11	18	28	60
50-64	265	9.8	84	1	2	7	12	22	29	51
65+	131	10.4	116	1	2	7	14	21	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1843	2.2	4	<1	<1	2	3	4	5	10
B. *Operated*	1977	3.8	15	<1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	1746	3.8	21	<1	1	2	4	7	11	22
B. *Operated*	3447	8.0	91	1	1	6	9	16	24	54
1. SINGLE DX	3820	3.0	10	<1	1	2	4	6	8	15
2. MULTIPLE DX	5193	6.6	71	1	1	4	8	14	20	48
A. NOT OPERATED	3589	3.0	13	<1	1	2	3	6	8	17
B. OPERATED	5424	6.5	67	1	1	4	8	13	19	47
TOTAL 0-19 YRS	2203	4.1	42	<1	1	2	5	8	12	32
20-34	4438	5.0	45	<1	1	3	6	10	14	35
35-49	1441	5.7	54	1	1	3	7	12	18	40
50-64	619	6.6	55	1	1	4	9	14	21	43
65+	312	7.9	86	1	1	5	10	18	27	48
GRAND TOTAL	**9013**	**5.1**	**48**	**<1**	**1**	**3**	**6**	**11**	**15**	**37**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	473	2.6	4	<1	1	2	3	5	6	9
20-34	777	2.7	4	<1	<1	2	4	5	7	9
35-49	263	2.6	3	<1	<1	2	3	5	6	10
50-64	133	3.1	8	<1	<1	2	3	7	9	16
65+	59	4.5	61	<1	<1	2	5	8	13	54
B. Operated										
0-19 YRS	3344	2.1	5	<1	<1	1	2	4	5	11
20-34	4764	2.4	9	<1	<1	2	3	4	6	13
35-49	1957	2.5	11	<1	<1	2	3	5	7	15
50-64	1206	2.4	7	<1	<1	2	3	5	7	12
65+	393	2.7	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	467	3.8	20	1	1	3	4	7	10	20
20-34	651	3.9	20	<1	1	3	5	7	11	23
35-49	357	4.5	19	<1	1	3	5	9	13	26
50-64	213	5.2	21	1	1	4	7	11	15	26
65+	227	6.6	33	1	2	5	8	12	18	32
B. Operated										
0-19 YRS	2580	3.2	23	1	1	2	3	6	9	24
20-34	4408	3.6	24	<1	1	2	4	7	10	25
35-49	1798	4.2	35	1	1	2	4	9	13	32
50-64	1257	4.1	32	1	1	2	4	9	13	30
65+	735	5.4	57	1	1	3	6	12	18	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1705	2.8	6	<1	<1	2	3	5	7	10
B. Operated	11664	2.3	8	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. Not Operated	2115	4.4	22	<1	1	3	5	9	12	26
B. Operated	10788	3.0	29	1	1	2	4	6	11	29
1. SINGLE DX	13369	2.4	8	<1	<1	2	3	5	6	12
2. MULTIPLE DX	12903	3.9	28	1	1	2	4	6	12	28
A. NOT OPERATED	3820	3.7	16	<1	1	3	4	7	10	19
B. OPERATED	22452	3.0	19	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	5674	2.7	13	<1	1	2	3	5	7	17
20-34	10800	3.0	16	<1	1	2	3	6	8	19
35-49	4375	3.4	22	<1	1	2	4	7	10	25
50-64	2809	3.4	20	<1	1	2	4	7	10	23
65+	1414	4.8	42	1	1	3	5	11	14	36
GRAND TOTAL	**26272**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	653	3.0	8	<1	<1	2	4	6	8	18
20-34	668	3.2	9	<1	1	2	4	6	8	15
35-49	219	3.5	11	<1	1	3	4	7	8	15
50-64	112	3.8	16	<1	1	3	5	8	9	26
65+	62	6.4	36	1	1	4	7	15	18	30
B. Operated										
0-19 YRS	2149	3.8	23	<1	1	2	4	7	11	26
20-34	1662	4.5	31	<1	1	3	5	9	14	28
35-49	525	4.8	37	1	1	3	5	10	14	31
50-64	313	5.2	42	<1	1	3	6	11	21	35
65+	179	6.9	47	1	1	5	8	14	22	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	406	4.3	15	1	1	3	5	8	9	22
20-34	470	4.7	25	1	1	4	6	9	12	19
35-49	223	5.5	48	1	1	4	6	10	13	35
50-64	212	6.4	34	1	2	5	8	11	16	37
65+	318	10.0	97	2	3	8	13	18	26	65
B. Operated										
0-19 YRS	1089	7.0	74	1	1	4	8	16	27	48
20-34	1356	8.2	106	1	2	5	9	20	29	55
35-49	580	9.1	120	1	2	6	11	22	32	64
50-64	455	10.1	145	1	2	6	12	22	30	71
65+	492	14.0	180	2	2	10	18	31	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1714	3.3	11	<1	1	2	4	7	9	15
B. Operated	4929	4.4	30	<1	1	3	5	9	13	30
2. MULTIPLE DX										
A. Not Operated	1629	5.9	45	1	1	4	7	12	16	36
B. Operated	3972	8.9	117	1	1	5	11	22	31	62
1. SINGLE DX	6643	4.1	25	<1	1	3	5	8	12	27
2. MULTIPLE DX	5601	8.1	98	1	1	5	9	16	28	56
A. NOT OPERATED	3343	4.6	29	<1	1	3	5	9	13	28
B. OPERATED	8901	6.4	74	1	1	4	7	14	23	48
TOTAL 0-19 YRS	4297	4.5	35	<1	1	3	5	9	14	34
20-34	4156	5.5	55	1	1	3	6	11	18	39
35-49	1648	6.2	69	1	1	4	7	13	21	44
50-64	1092	7.3	87	1	1	4	8	17	23	56
65+	1051	11.2	132	1	2	6	15	25	35	75
GRAND TOTAL	**12244**	**5.9**	**62**	**1**	**1**	**3**	**7**	**13**	**20**	**43**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.6	2	<1	<1	1	1	3	5	8
20-34	16	4.2	30	1	1	2	4	8	18	23
35-49	10	2.8	5	1	1	2	3	6	8	8
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	5	3.0	7	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	70	3.3	22	1	1	2	3	7	13	30
20-34	97	4.1	17	<1	1	3	5	9	11	22
35-49	44	4.5	18	<1	1	3	8	10	11	21
50-64	31	4.7	24	<1	1	3	7	14	16	16
65+	5	4.8	16	1	1	4	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	15	<1	<1	1	2	6	8	21
20-34	31	3.3	7	1	1	3	4	8	8	12
35-49	18	3.9	4	<1	1	4	6	6	7	8
50-64	25	4.8	13	<1	1	4	7	11	13	13
65+	31	9.6	166	1	2	5	12	17	22	72
B. *Operated*										
0-19 YRS	190	8.8	119	1	1	5	11	26	32	66
20-34	416	9.4	142	1	1	6	12	23	34	68
35-49	148	10.2	164	1	1	6	13	31	41	99+
50-64	88	10.1	167	1	1	6	11	26	34	67
65+	72	12.0	210	1	2	7	14	29	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.7	11	<1	<1	2	3	6	8	22
B. *Operated*	247	4.1	20	<1	1	2	5	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	135	5.0	52	1	1	3	6	11	15	29
B. *Operated*	914	9.7	148	1	1	6	12	26	35	75
1. SINGLE DX	306	3.8	18	<1	1	2	5	9	11	22
2. MULTIPLE DX	1049	9.1	138	1	1	5	11	24	33	72
A. NOT OPERATED	194	4.3	40	<1	1	3	5	8	13	23
B. OPERATED	1161	8.5	126	1	1	5	10	22	32	67
TOTAL 0-19 YRS	314	6.4	87	1	1	3	7	18	30	46
20-34	560	8.0	116	1	1	4	9	20	30	54
35-49	220	8.2	122	1	1	4	9	25	36	99+
50-64	148	7.9	113	1	1	5	9	17	26	67
65+	113	10.6	184	1	1	6	12	22	36	78
GRAND TOTAL	**1355**	**7.9**	**116**	**1**	**1**	**4**	**9**	**20**	**30**	**67**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	3.3	6	<1	1	3	4	7	10	11
20-34	114	4.5	15	<1	1	4	6	9	11	21
35-49	59	7.0	63	1	1	5	8	15	26	42
50-64	37	6.7	26	1	1	6	9	15	21	99+
65+	47	7.6	67	1	2	4	11	17	23	44
B. *Operated*										
0-19 YRS	669	3.3	11	<1	1	2	4	7	9	20
20-34	1156	4.0	19	1	1	3	4	8	11	20
35-49	518	4.0	23	1	1	3	4	8	11	21
50-64	340	4.6	23	1	1	3	5	9	14	25
65+	120	7.3	51	2	2	4	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	6.2	91	<1	1	3	7	17	30	99+
20-34	296	7.4	125	1	1	4	8	15	24	81
35-49	196	7.5	62	1	1	5	9	15	24	44
50-64	174	7.7	75	<1	1	5	9	16	27	48
65+	339	12.0	115	2	3	9	17	24	30	52
B. *Operated*										
0-19 YRS	526	5.2	66	1	1	3	5	10	15	51
20-34	1107	5.6	62	1	1	4	5	11	19	44
35-49	707	5.7	44	1	1	4	6	13	18	39
50-64	469	7.8	96	1	2	4	9	17	26	51
65+	360	12.6	146	2	2	9	17	28	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	5.4	33	<1	1	4	7	11	16	35
B. *Operated*	2803	4.0	20	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	1153	8.7	104	1	1	5	11	19	29	60
B. *Operated*	3169	6.7	78	1	1	4	7	15	22	48
1. SINGLE DX	3132	4.2	22	1	1	3	5	9	12	24
2. MULTIPLE DX	4322	7.2	86	1	1	4	8	17	24	51
A. NOT OPERATED	1482	7.9	90	1	1	5	9	18	26	54
B. OPERATED	5972	5.4	53	1	1	3	6	12	18	40
TOTAL 0-19 YRS	1415	4.3	40	1	1	3	5	9	13	34
20-34	2673	5.0	49	1	1	3	5	10	15	41
35-49	1480	5.4	41	1	1	3	6	11	17	38
50-64	1020	6.7	67	1	1	4	8	14	22	47
65+	866	11.3	120	2	2	8	16	24	32	54
GRAND TOTAL	**7454**	**5.9**	**61**	**1**	**1**	**3**	**6**	**13**	**20**	**43**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1024	3.9	5	1	2	4	5	6	7	12
20-34	439	3.3	4	<1	1	3	4	5	6	10
35-49	144	4.0	8	1	1	4	5	7	9	14
50-64	35	3.9	6	<1	1	4	5	7	7	12
65+	16	4.4	12	1	1	3	5	10	13	14
B. *Operated*										
0-19 YRS	49	5.8	12	1	1	5	8	11	14	14
20-34	21	4.9	16	1	2	4	5	11	15	16
35-49	13	4.2	10	1	1	2	6	10	10	10
50-64	6	2.5	2	1	1	2	3	5	5	5
65+	10	5.3	16	2	2	4	8	11	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	644	3.9	7	1	1	3	5	7	8	15
20-34	351	3.6	9	1	1	3	5	6	8	12
35-49	147	4.2	9	1	1	4	6	8	9	18
50-64	117	4.3	8	1	1	4	6	8	10	13
65+	153	5.9	46	1	2	4	6	11	18	54
B. *Operated*										
0-19 YRS	102	5.0	15	1	1	4	7	11	13	18
20-34	108	4.7	16	1	1	4	6	9	12	23
35-49	44	4.4	14	<1	1	3	6	9	12	19
50-64	26	6.3	44	1	1	5	8	11	22	32
65+	45	9.2	79	1	2	7	11	21	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1658	3.8	5	1	1	4	5	6	7	12
B. *Operated*	99	5.1	13	1	2	4	7	10	14	16
2. MULTIPLE DX										
A. *Not Operated*	1412	4.1	13	1	1	3	5	7	9	18
B. *Operated*	325	5.5	29	1	1	4	7	11	16	32
1. SINGLE DX	1757	3.9	6	1	1	4	5	6	8	13
2. MULTIPLE DX	1737	4.4	16	1	1	4	5	8	11	20
A. NOT OPERATED	3070	3.9	9	1	1	4	5	6	8	14
B. OPERATED	424	5.4	25	1	1	4	7	11	14	32
TOTAL 0-19 YRS	1819	4.0	7	1	1	4	5	7	8	14
20-34	919	3.6	8	1	1	3	5	6	8	14
35-49	348	4.1	9	1	1	4	5	7	10	18
50-64	184	4.5	13	1	1	4	6	8	10	17
65+	224	6.4	51	1	2	4	7	13	20	47
GRAND TOTAL	**3494**	**4.1**	**11**	**1**	**1**	**4**	**5**	**7**	**9**	**17**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2711	1.8	2	<1	<1	1	2	3	4	8
20-34	2325	2.3	5	<1	<1	2	3	5	6	11
35-49	995	2.8	6	<1	<1	2	4	6	8	13
50-64	668	3.2	7	<1	1	2	4	6	8	14
65+	902	4.4	12	<1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	409	3.2	17	<1	1	2	3	6	10	24
20-34	404	3.5	13	<1	1	2	4	8	10	18
35-49	247	3.7	11	<1	1	3	5	8	10	15
50-64	169	4.4	18	<1	1	3	6	9	13	20
65+	130	6.1	26	1	2	4	8	14	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4178	2.4	5	<1	1	2	3	5	6	10
20-34	5183	3.3	12	<1	1	2	4	7	9	15
35-49	2971	4.4	20	1	1	3	6	9	12	22
50-64	2975	5.2	23	1	1	4	7	11	14	22
65+	8830	7.5	50	1	2	6	10	15	19	35
B. *Operated*										
0-19 YRS	641	4.1	29	1	1	3	5	8	12	27
20-34	941	5.0	38	<1	1	3	6	10	15	30
35-49	544	6.8	75	1	1	4	8	15	23	47
50-64	558	8.3	63	1	2	6	10	19	25	44
65+	1085	12.8	147	2	2	9	17	28	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7601	2.5	6	<1	<1	2	3	5	7	12
B. *Operated*	1359	3.8	16	<1	1	2	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	24137	5.1	31	1	1	3	6	11	15	26
B. *Operated*	3769	7.8	89	1	1	5	10	19	26	46
1. SINGLE DX	8960	2.7	8	<1	<1	2	3	6	8	14
2. MULTIPLE DX	27906	5.4	40	1	1	3	7	12	16	31
A. NOT OPERATED	31738	4.5	26	<1	1	3	6	10	13	23
B. OPERATED	5128	6.8	73	1	1	4	8	16	23	42
TOTAL 0-19 YRS	7939	2.4	7	<1	1	2	3	5	6	12
20-34	8853	3.2	14	<1	1	2	4	7	9	17
35-49	4757	4.3	24	<1	1	3	5	9	12	24
50-64	4370	5.3	28	1	1	4	7	11	15	25
65+	10947	7.8	59	1	2	6	10	16	21	40
GRAND TOTAL	**36866**	**4.8**	**33**	**<1**	**1**	**3**	**6**	**10**	**15**	**28**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	2.4	7	<1	1	2	3	5	6	12
20-34	174	2.7	6	<1	1	2	3	5	7	13
35-49	61	3.5	12	1	1	2	4	7	9	21
50-64	31	3.3	12	1	1	2	4	8	14	14
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS	108	5.7	49	1	1	3	7	14	21	34
20-34	259	4.9	37	1	1	3	6	11	16	28
35-49	119	5.7	57	1	1	3	7	12	19	43
50-64	78	5.2	50	<1	1	3	6	12	18	42
65+	12	6.5	32	<1	1	4	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	3.0	13	1	1	2	3	6	8	18
20-34	165	3.7	7	1	1	3	5	7	9	14
35-49	74	4.8	23	1	1	3	6	11	14	26
50-64	62	4.1	10	<1	1	3	6	9	12	13
65+	24	7.0	56	1	2	4	9	13	21	37
B. *Operated*										
0-19 YRS	175	6.7	81	<1	1	3	9	17	20	49
20-34	423	8.3	135	1	1	4	9	19	32	60
35-49	213	9.6	166	1	1	5	12	27	38	73
50-64	165	8.9	175	1	1	4	10	21	33	70
65+	55	12.8	202	1	2	8	16	27	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	2.8	8	1	1	2	3	5	8	15
B. *Operated*	576	5.3	45	1	1	3	6	12	18	38
2. MULTIPLE DX										
A. *Not Operatec*	441	3.9	15	1	1	3	5	8	11	18
B. *Operated*	1031	8.6	143	1	1	4	10	20	34	64
1. SINGLE DX	1016	4.2	30	1	1	2	4	9	14	29
2. MULTIPLE DX	1472	7.2	110	1	1	4	8	16	28	58
A. NOT OPERATED	881	3.3	12	1	1	2	4	7	10	17
B. OPERATED	1607	7.4	111	1	1	4	9	18	29	56
TOTAL 0-19 YRS	571	4.5	42	1	1	2	5	10	17	40
20-34	1021	5.7	72	1	1	3	6	13	19	43
35-49	467	7.0	101	1	1	4	7	17	29	56
50-64	336	6.6	105	1	1	3	7	14	24	60
65+	93	10.3	145	1	2	7	13	24	39	64
GRAND TOTAL	**2488**	**6.0**	**79**	**1**	**1**	**3**	**6**	**14**	**21**	**48**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.4	1	<1	<1	1	1	2	3	7
20-34	29	1.2		<1	<1	<1	1	2	2	3
35-49	9	1.1		<1	<1	<1	1	2	2	2
50-64	6	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	42	1.5	1	<1	<1	1	1	3	4	5
20-34	23	1.9	2	<1	1	2	2	3	5	7
35-49	12	2.8	5	<1	<1	2	4	7	7	7
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	2	<1	<1	2	3	4	5	5
20-34	15	2.1	4	<1	<1	1	2	3	8	9
35-49	5	2.4	1	1	1	2	3	4	4	4
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	26	2.8	5	<1	<1	2	4	6	8	8
20-34	13	3.6	4	<1	1	4	5	6	7	7
35-49	9	3.9	16	<1	<1	2	5	11	13	13
50-64	6	5.0	12	1	1	4	8	10	10	10
65+	3	3.0	3	2	2	2	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	1.3	1	<1	<1	<1	1	2	3	6
B. *Operated*	81	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	37	2.3	4	<1	<1	2	3	4	7	9
B. *Operated*	57	3.4	7	<1	<1	3	5	7	8	13
1. SINGLE DX	159	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	94	3.0	6	<1	<1	2	4	6	8	12
A. NOT OPERATED	115	1.6	2	<1	<1	1	2	3	4	9
B. OPERATED	138	2.5	5	<1	<1	2	3	5	7	10
TOTAL 0-19 YRS	118	1.8	2	<1	<1	1	2	4	5	8
20-34	80	2.0	3	<1	<1	1	2	4	6	8
35-49	35	2.6	7	<1	<1	2	3	7	7	13
50-64	14	3.4	8	<1	<1	2	5	8	10	10
65+	6	3.5	9	1	1	2	5	9	9	9
GRAND TOTAL	**253**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**5**	**7**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2175	1.4	1	<1	<1	1	1	2	3	6
20-34	416	1.6	2	<1	<1	1	2	3	5	9
35-49	413	1.6	3	<1	<1	1	1	2	4	11
50-64	437	1.6	2	<1	<1	1	2	3	4	9
65+	433	1.7	2	<1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	663	2.0	4	<1	1	1	2	4	6	9
20-34	90	3.1	12	<1	<1	2	3	8	9	18
35-49	90	2.9	9	<1	<1	2	4	7	10	15
50-64	83	3.1	17	<1	1	1	3	8	12	22
65+	104	3.3	38	1	1	2	3	7	10	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	538	2.6	8	<1	1	2	3	5	7	14
20-34	200	3.4	13	<1	1	2	4	9	11	16
35-49	265	3.5	20	<1	1	2	4	8	12	21
50-64	404	3.3	11	1	1	2	4	8	10	16
65+	885	4.3	21	1	1	3	5	10	14	21
B. *Operated*										
0-19 YRS	264	4.4	36	<1	1	3	5	9	15	30
20-34	137	6.8	64	1	1	4	9	15	22	46
35-49	171	6.8	96	1	1	3	9	14	24	60
50-64	280	6.9	74	1	1	4	9	15	21	53
65+	572	8.3	100	1	1	5	11	19	27	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3874	1.5	2	<1	<1	1	1	2	3	7
B. *Operated*	1030	2.4	10	<1	1	1	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	2292	3.6	16	1	1	2	4	8	12	20
B. *Operated*	1424	7.0	81	1	1	4	9	16	23	52
1. SINGLE DX	4904	1.7	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX	3716	4.9	43	1	1	3	6	11	16	33
A. NOT OPERATED	6166	2.2	8	<1	<1	1	2	5	7	15
B. OPERATED	2454	5.1	56	<1	1	2	6	12	18	38
TOTAL 0-19 YRS	3640	1.9	6	<1	<1	1	2	3	5	11
20-34	843	3.0	19	<1	<1	1	3	8	11	20
35-49	939	3.2	29	<1	<1	1	3	7	12	25
50-64	1204	3.5	27	<1	1	2	4	9	12	25
65+	1994	4.9	46	1	1	3	5	12	17	34
GRAND TOTAL	**8620**	**3.0**	**23**	**<1**	**<1**	**1**	**3**	**7**	**11**	**23**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	7.5	49	1	1	6	10	18	23	30
20-34	83	7.1	59	1	1	5	9	16	24	40
35-49	44	7.0	33	1	1	5	10	15	18	28
50-64	33	12.6	116	1	2	9	19	31	33	43
65+	13	7.7	31	1	2	6	10	16	20	21
B. *Operated*										
0-19 YRS	328	11.1	115	1	2	7	14	29	33	49
20-34	262	9.9	128	1	2	6	13	21	37	55
35-49	129	10.7	131	1	2	6	14	26	35	54
50-64	103	11.9	107	1	2	9	18	26	33	48
65+	65	17.8	288	2	3	11	26	47	55	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	7.8	45	1	1	6	11	17	20	38
20-34	215	8.3	52	1	1	6	12	19	22	33
35-49	142	8.8	78	1	2	6	12	19	28	47
50-64	108	10.8	131	1	2	8	13	21	30	68
65+	140	13.0	56	3	4	12	17	24	28	32
B. *Operated*										
0-19 YRS	571	20.6	278	2	4	17	30	46	59	99+
20-34	592	19.3	255	2	3	15	27	46	55	99+
35-49	350	22.0	352	3	4	16	29	52	65	97
50-64	315	22.4	287	3	5	19	31	48	61	99+
65+	322	27.6	388	4	6	25	42	64	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	7.9	58	1	1	6	10	19	25	37
B. *Operated*	887	11.3	136	1	2	7	15	27	36	54
2. MULTIPLE DX										
A. *Not Operated*	859	9.3	68	1	2	7	13	20	25	38
B. *Operated*	2150	21.8	308	3	4	18	31	50	64	99+
1. SINGLE DX	1200	10.4	118	1	2	7	13	25	33	53
2. MULTIPLE DX	3009	18.2	271	2	3	13	26	43	57	99+
A. NOT OPERATED	1172	8.9	66	1	1	7	12	19	25	38
B. OPERATED	3037	18.7	281	2	3	14	27	45	57	99+
TOTAL 0-19 YRS	1293	14.2	199	1	2	10	20	33	45	89
20-34	1152	14.2	202	1	2	10	19	35	48	83
35-49	665	16.0	269	2	2	11	21	39	55	88
50-64	559	17.7	242	2	3	13	25	40	54	98
65+	540	22.1	327	3	4	17	31	54	72	99+
GRAND TOTAL	**4209**	**16.0**	**240**	**1**	**2**	**11**	**22**	**38**	**52**	**97**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1348	4.6	22	1	1	3	6	10	13	23
20-34	716	4.6	22	<1	1	3	6	11	14	20
35-49	351	5.3	32	<1	1	3	7	13	16	29
50-64	156	6.1	29	1	1	5	8	14	17	26
65+	78	9.4	95	1	1	8	11	22	27	55
B. *Operated*										
0-19 YRS	308	7.9	70	1	1	6	10	17	23	43
20-34	205	8.9	84	1	1	6	11	22	26	47
35-49	97	10.6	90	1	2	7	15	21	26	48
50-64	58	12.0	91	2	2	10	16	26	29	47
65+	31	14.5	148	2	2	12	19	28	38	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2743	5.8	29	1	1	4	8	12	16	27
20-34	1629	5.2	27	1	1	3	7	12	16	25
35-49	853	6.5	41	1	1	4	9	14	18	32
50-64	565	8.0	65	1	1	6	10	18	24	43
65+	527	11.8	129	1	2	8	16	25	34	58
B. *Operated*										
0-19 YRS	635	12.7	152	1	2	9	17	29	39	58
20-34	556	11.3	117	1	2	8	15	24	32	50
35-49	309	15.3	223	1	3	11	20	36	45	78
50-64	248	19.3	273	2	4	14	27	45	58	99+
65+	224	24.4	364	3	5	19	36	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2649	4.9	26	1	1	3	7	11	15	25
B. *Operated*	699	9.2	84	1	1	6	12	21	27	48
2. MULTIPLE DX										
A. *Not Operated*	6317	6.4	45	1	1	4	9	14	19	32
B. *Operated*	1972	14.9	210	1	2	10	20	35	46	74
1. SINGLE DX	3348	5.8	42	1	1	4	8	13	18	29
2. MULTIPLE DX	8289	8.5	97	1	1	5	11	19	27	51
A. NOT OPERATED	8966	6.0	40	1	1	4	8	13	18	30
B. OPERATED	2671	13.4	183	1	2	9	18	30	42	70
TOTAL 0-19 YRS	5034	6.5	51	1	1	4	8	14	20	37
20-34	3106	6.4	52	1	1	4	8	15	20	35
35-49	1610	8.2	90	1	1	5	11	18	25	48
50-64	1027	10.7	136	1	2	7	13	25	35	65
65+	860	14.9	219	1	2	10	19	35	48	78
GRAND TOTAL	**11637**	**7.7**	**83**	**1**	**1**	**5**	**10**	**17**	**25**	**47**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.5	6	<1	<1	2	3	5	6	15
20-34	180	4.9	39	1	1	3	6	10	14	40
35-49	102	4.3	19	1	1	3	5	10	13	22
50-64	47	6.2	45	1	1	4	6	14	23	32
65+	18	11.0	462	1	2	5	7	22	67	94
B. *Operated*										
0-19 YRS	259	2.4	5	<1	1	2	3	4	7	11
20-34	514	2.5	8	<1	<1	2	3	5	6	11
35-49	221	3.1	16	<1	<1	2	3	7	12	19
50-64	115	3.3	34	<1	1	2	3	5	7	40
65+	22	8.9	310	<1	<1	3	4	34	56	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	5.4	117	1	1	2	5	10	13	67
20-34	211	6.8	90	1	1	4	8	14	20	67
35-49	144	8.5	141	1	1	5	9	16	24	77
50-64	139	7.3	52	1	1	5	9	16	22	31
65+	198	10.7	101	2	2	8	13	25	31	99+
B. *Operated*										
0-19 YRS	344	4.0	102	1	1	2	3	6	10	76
20-34	669	5.0	76	<1	1	2	5	11	18	77
35-49	284	6.6	121	1	1	3	6	15	37	70
50-64	184	8.1	201	1	1	3	8	20	33	89
65+	104	14.8	260	1	2	10	21	42	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	4.5	44	<1	1	3	5	10	14	29
B. *Operated*	1131	2.8	18	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	835	7.8	103	1	1	5	9	17	26	76
B. *Operated*	1585	6.1	123	1	1	2	5	15	27	84
1. SINGLE DX	1600	3.3	26	<1	1	2	3	6	10	24
2. MULTIPLE DX	2420	6.7	117	1	1	3	7	15	26	79
A. NOT OPERATED	1304	6.6	84	1	1	4	8	14	21	60
B. OPERATED	2716	4.7	62	<1	1	2	4	10	17	69
TOTAL 0-19 YRS	868	3.6	63	<1	1	2	3	6	9	52
20-34	1574	4.4	53	<1	1	2	4	9	15	50
35-49	751	5.6	84	<1	1	3	5	12	20	66
50-64	485	6.5	106	1	1	3	6	16	23	71
65+	342	11.8	183	2	2	8	14	29	47	99+
GRAND TOTAL	**4020**	**5.3**	**83**	**<1**	**1**	**2**	**5**	**12**	**20**	**66**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1186	2.1	3	<1	<1	1	2	4	5	9
20-34	1079	2.7	7	<1	<1	2	3	5	7	14
35-49	452	3.2	9	<1	<1	2	4	8	9	14
50-64	210	3.6	10	<1	<1	2	5	8	10	14
65+	164	4.5	16	<1	1	4	6	9	13	18
B. *Operated*										
0-19 YRS	287	3.9	19	<1	1	2	5	10	13	21
20-34	457	4.8	35	1	1	3	6	10	14	27
35-49	215	5.2	52	1	1	3	6	11	16	34
50-64	99	4.9	21	1	1	3	8	11	14	21
65+	60	6.8	50	1	1	4	8	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1170	2.9	14	<1	1	2	3	5	7	14
20-34	1466	3.8	19	<1	1	3	5	7	10	19
35-49	843	5.3	33	1	1	4	7	10	13	28
50-64	684	5.6	32	1	2	4	7	11	15	27
65+	1337	7.8	42	1	2	6	10	15	21	31
B. *Operated*										
0-19 YRS	426	8.4	106	1	1	5	10	21	34	53
20-34	727	8.9	135	1	1	5	10	20	32	83
35-49	395	9.8	132	1	2	6	12	23	42	99+
50-64	313	10.9	151	1	2	7	13	23	35	66
65+	265	14.8	226	2	2	10	21	36	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3091	2.7	7	<1	<1	2	3	6	8	14
B. *Operated*	1118	4.8	34	1	1	3	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	5500	5.0	31	1	1	3	6	10	14	27
B. *Operated*	2126	10.0	146	1	1	6	12	24	37	82
1. SINGLE DX	4209	3.2	15	<1	<1	2	4	7	10	19
2. MULTIPLE DX	7626	6.4	68	1	1	4	8	14	21	50
A. NOT OPERATED	8591	4.2	23	<1	1	3	5	9	12	23
B. OPERATED	3244	8.2	113	1	1	5	10	20	30	71
TOTAL 0-19 YRS	3069	3.5	28	<1	1	2	4	7	11	30
20-34	3725	4.6	45	<1	1	3	5	9	15	37
35-49	1905	5.7	55	<1	1	4	7	11	18	46
50-64	1306	6.5	63	1	1	4	8	14	19	45
65+	1826	8.5	75	1	2	6	10	18	24	50
GRAND TOTAL	**11835**	**5.3**	**51**	**<1**	**1**	**3**	**6**	**11**	**17**	**40**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6364	1.7	3	<1	<1	1	2	3	4	8
20-34	2912	2.1	9	<1	<1	1	2	4	5	10
35-49	1159	2.3	6	<1	1	2	3	4	6	11
50-64	453	2.7	4	<1	1	2	4	6	7	10
65+	368	4.5	19	1	1	3	5	9	13	24
B. *Operated*										
0-19 YRS	37	2.1	2	<1	<1	1	3	5	5	7
20-34	34	2.4	3	<1	<1	2	3	5	6	7
35-49	14	2.5	4	<1	1	2	3	5	7	8
50-64	9	10.2	55	1	1	10	15	21	23	23
65+	16	8.9	67	1	1	5	13	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7014	3.8	38	<1	1	2	4	7	12	34
20-34	10366	4.2	38	<1	1	2	4	9	15	31
35-49	5954	5.0	45	1	1	3	6	11	17	32
50-64	3530	6.1	51	1	1	4	7	13	19	37
65+	5480	7.4	49	1	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	122	6.3	89	<1	1	3	6	15	26	49
20-34	465	8.8	135	1	1	4	12	25	33	70
35-49	296	11.3	179	1	1	7	16	31	46	99+
50-64	287	14.0	236	2	3	9	17	32	47	91
65+	513	15.1	158	3	4	12	19	31	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11256	2.0	6	<1	<1	1	2	4	5	10
B. *Operated*	110	3.9	24	<1	<1	2	4	9	16	24
2. MULTIPLE DX										
A. *Not Operated*	32344	5.0	44	1	1	3	6	11	16	33
B. *Operated*	1683	11.9	172	1	1	8	16	28	39	83
1. SINGLE DX	11366	2.1	6	<1	<1	1	2	4	5	10
2. MULTIPLE DX	34027	5.4	53	1	1	3	6	12	18	37
A. NOT OPERATED	43600	4.3	36	<1	1	2	5	9	14	30
B. OPERATED	1793	11.4	167	1	1	7	15	27	38	81
TOTAL 0-19 YRS	13537	2.9	23	<1	1	2	3	5	8	26
20-34	13777	4.0	36	<1	1	2	4	8	14	31
35-49	7423	4.8	47	<1	1	3	5	11	17	35
50-64	4279	6.3	64	1	1	4	7	13	20	41
65+	6377	7.9	61	1	2	6	10	16	21	39
GRAND TOTAL	**45393**	**4.5**	**43**	**<1**	**1**	**2**	**5**	**10**	**16**	**33**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3091	1.8	3	<1	1	1	2	4	5	9
20-34	1259	1.7	2	<1	<1	1	2	3	4	8
35-49	701	1.9	2	<1	1	1	2	3	5	9
50-64	407	2.1	8	<1	1	1	2	4	5	9
65+	215	2.2	4	<1	1	2	3	5	6	11
B. Operated										
0-19 YRS	44	3.6	13	<1	1	2	4	9	13	16
20-34	45	4.5	23	<1	1	3	5	10	15	23
35-49	21	5.3	29	1	1	3	7	9	17	29
50-64	19	5.0	16	1	1	4	6	11	14	14
65+	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1631	3.1	22	<1	1	2	3	6	9	21
20-34	1443	3.3	23	<1	1	2	3	7	10	22
35-49	987	3.5	22	<1	1	2	4	7	10	25
50-64	645	4.2	36	1	1	2	5	8	13	38
65+	719	5.2	46	1	1	3	6	10	17	40
B. Operated										
0-19 YRS	62	6.2	50	<1	1	3	8	17	22	31
20-34	97	11.9	268	1	2	7	13	26	54	99+
35-49	76	15.6	403	1	2	9	18	46	87	99+
50-64	68	15.1	290	1	2	9	18	44	64	96
65+	61	17.3	278	1	2	11	29	35	52	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5673	1.8	3	<1	1	1	2	4	5	9
B. Operated	133	4.3	19	<1	1	3	5	10	13	24
2. MULTIPLE DX										
A. Not Operated	5625	3.6	28	<1	1	2	4	7	11	27
B. Operated	364	13.2	276	1	2	8	17	31	56	99+
1. SINGLE DX	5806	1.9	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	5989	4.2	48	<1	1	2	4	9	14	39
A. NOT OPERATED	11298	2.7	16	<1	1	2	3	6	8	20
B. OPERATED	497	10.8	222	1	1	6	13	27	44	97
TOTAL 0-19 YRS	4828	2.3	11	<1	1	1	2	5	7	14
20-34	2844	2.9	26	<1	1	2	3	6	9	23
35-49	1785	3.4	38	<1	1	2	3	6	10	30
50-64	1339	4.1	47	1	1	2	4	8	13	41
65+	999	5.3	62	1	1	3	6	11	20	44
GRAND TOTAL	**11795**	**3.1**	**28**	**<1**	**1**	**2**	**3**	**6**	**9**	**26**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1674	2.2	4	<1	1	2	3	4	5	10
20-34	1019	2.1	4	<1	1	1	2	4	5	10
35-49	736	2.3	5	<1	<1	2	3	4	6	10
50-64	593	2.6	5	<1	1	2	3	5	7	13
65+	527	4.0	18	1	1	3	5	8	10	22
B. Operated										
0-19 YRS	23	10.0	265	<1	1	3	11	27	56	65
20-34	28	5.1	45	1	1	2	6	17	21	25
35-49	31	5.0	82	1	1	2	4	10	23	47
50-64	25	6.8	56	1	2	4	8	16	27	32
65+	21	8.2	159	1	1	4	7	26	44	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1800	3.6	16	1	1	2	4	7	10	20
20-34	1609	3.5	17	1	1	2	4	7	10	20
35-49	1640	4.2	18	1	1	3	5	9	12	22
50-64	2374	5.1	27	1	1	4	6	10	13	25
65+	5187	7.0	43	1	2	5	9	13	17	33
B. Operated										
0-19 YRS	121	12.2	345	1	1	6	13	34	72	99+
20-34	162	8.5	122	1	1	4	10	28	39	99+
35-49	163	10.8	180	1	1	7	13	24	51	76
50-64	303	10.8	119	1	1	8	14	27	45	99+
65+	564	14.1	189	2	3	10	18	30	44	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4549	2.5	7	<1	1	2	3	5	7	12
B. Operated	128	7.0	114	1	1	3	8	18	26	54
2. MULTIPLE DX										
A. Not Operated	12610	5.3	31	1	1	4	7	11	15	27
B. Operated	1313	12.1	161	1	2	8	16	28	45	99+
1. SINGLE DX	4677	2.6	10	<1	1	2	3	5	7	14
2. MULTIPLE DX	13923	6.0	49	1	1	4	7	12	17	38
A. NOT OPERATED	17159	4.6	26	1	1	3	6	10	13	25
B. OPERATED	1441	11.6	177	1	1	6	15	28	44	99+
TOTAL 0-19 YRS	3618	3.3	26	<1	1	2	4	6	9	22
20-34	2818	3.3	21	<1	1	2	4	7	10	20
35-49	2570	4.1	29	1	1	3	5	9	12	25
50-64	7295	5.2	36	1	1	4	6	10	15	33
65+	6299	7.6	59	1	2	5	9	15	20	41
GRAND TOTAL	**18600**	**5.1**	**42**	**1**	**1**	**3**	**6**	**11**	**15**	**33**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	3.9	15	<1	1	3	4	8	12	20
20-34	227	4.1	25	<1	1	3	5	8	11	25
35-49	189	5.0	22	<1	1	4	6	10	15	25
50-64	216	5.4	20	<1	1	4	7	11	14	23
65+	374	6.2	48	<1	1	4	8	14	19	35
B. *Operated*										
0-19 YRS	1471	5.4	34	<1	1	4	6	11	16	33
20-34	1761	4.6	34	<1	1	3	5	10	16	29
35-49	1584	5.7	42	<1	1	3	7	14	17	29
50-64	2447	7.9	65	1	2	5	11	17	23	37
65+	4087	8.6	86	1	2	5	12	19	25	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	509	5.3	35	1	1	4	7	12	16	34
20-34	557	6.0	38	1	1	4	7	13	18	31
35-49	522	6.7	40	1	1	5	8	13	19	35
50-64	734	7.4	58	1	1	5	9	15	21	42
65+	1793	8.3	66	1	2	6	11	17	25	47
B. *Operated*										
0-19 YRS	2355	9.0	116	1	2	5	10	20	31	59
20-34	2752	8.0	94	1	1	4	10	18	28	50
35-49	3694	8.5	100	1	1	5	11	19	28	55
50-64	7233	10.7	133	1	2	7	14	24	35	61
65+	11891	12.5	166	2	2	8	16	29	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1295	5.0	29	<1	1	3	6	11	15	25
B. *Operated*	11350	7.0	63	1	1	4	9	16	22	38
2. MULTIPLE DX										
A. *Not Operated*	4115	7.3	55	1	1	5	9	15	21	41
B. *Operated*	27925	10.8	140	1	2	7	14	25	35	64
1. SINGLE DX	12645	6.8	60	1	1	4	9	16	21	37
2. MULTIPLE DX	32040	10.3	131	1	2	7	13	23	34	62
A. NOT OPERATED	5410	6.7	50	1	1	5	9	14	20	37
B. OPERATED	39275	9.7	121	1	2	6	13	22	31	59
TOTAL 0-19 YRS	4624	7.1	78	1	1	4	8	16	23	51
20-34	5297	6.5	68	<1	1	4	8	15	22	43
35-49	5989	7.5	79	1	1	4	10	17	24	46
50-64	10630	9.7	112	1	2	6	13	21	31	55
65+	18145	11.1	140	1	2	7	15	25	35	64
GRAND TOTAL	**44685**	**9.3**	**113**	**1**	**2**	**6**	**12**	**21**	**30**	**57**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	844	1.6	1	<1	<1	1	2	3	4	6
20-34	872	2.3	3	<1	1	2	3	4	6	9
35-49	463	2.8	4	1	1	2	4	5	7	10
50-64	590	3.3	4	1	1	3	4	6	7	10
65+	793	3.7	6	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	804	1.9	3	<1	<1	1	2	4	5	10
20-34	999	2.7	6	<1	1	2	3	6	7	11
35-49	489	3.3	7	1	1	2	4	7	9	13
50-64	270	4.3	11	1	1	3	6	8	10	16
65+	307	5.2	26	1	1	4	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	2.5	4	1	1	2	3	5	7	9
20-34	388	3.5	8	1	1	3	4	7	9	15
35-49	304	4.1	24	1	1	3	5	7	11	20
50-64	584	4.5	24	1	1	3	6	8	10	15
65+	1260	5.1	18	1	2	4	6	9	12	23
B. *Operated*										
0-19 YRS	157	3.8	39	<1	1	2	4	8	13	36
20-34	423	4.8	30	1	1	3	6	10	13	27
35-49	297	5.4	36	1	1	4	7	11	14	38
50-64	439	6.9	44	1	1	5	9	16	21	32
65+	734	8.3	69	1	2	6	11	17	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3562	2.7	4	<1	1	2	4	5	7	10
B. *Operated*	2869	3.0	9	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	2728	4.4	18	1	1	3	5	8	11	19
B. *Operated*	2050	6.5	51	1	1	4	8	14	20	39
1. SINGLE DX	6431	2.8	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	4778	5.3	33	1	1	4	6	11	15	30
A. NOT OPERATED	6290	3.4	11	1	1	3	4	7	9	15
B. OPERATED	4919	4.5	30	1	1	3	5	10	14	28
TOTAL 0-19 YRS	1997	2.0	5	<1	1	1	2	4	5	10
20-34	2682	3.0	10	<1	1	2	4	6	8	15
35-49	1553	3.7	16	1	1	3	5	7	10	17
50-64	1883	4.7	22	1	1	4	6	9	12	22
65+	3094	5.5	31	1	1	4	6	11	15	30
GRAND TOTAL	**11209**	**3.9**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	389	5.0	12	1	2	4	6	9	11	19
20-34	667	5.4	14	1	2	4	7	10	13	20
35-49	555	6.1	21	2	2	5	7	11	15	21
50-64	386	7.3	34	2	3	6	9	13	18	31
65+	289	8.4	36	2	3	7	11	17	21	32
B. Operated										
0-19 YRS	306	8.0	49	1	2	6	10	16	22	35
20-34	561	7.6	44	1	2	6	9	16	21	35
35-49	430	8.0	60	1	2	6	10	16	20	41
50-64	391	10.6	118	2	2	7	14	25	35	51
65+	308	12.0	121	2	2	8	17	27	38	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	310	5.9	19	1	2	5	7	12	15	21
20-34	594	6.6	25	2	2	5	8	12	17	25
35-49	615	7.9	38	2	3	6	10	15	20	34
50-64	869	9.6	71	2	3	7	12	18	25	45
65+	1095	10.4	69	3	3	8	13	19	26	42
B. Operated										
0-19 YRS	258	11.7	130	2	2	8	14	24	34	58
20-34	637	12.1	143	2	3	9	15	24	37	66
35-49	705	14.2	197	2	3	10	18	32	45	76
50-64	1040	15.8	200	2	3	12	20	34	47	71
65+	1182	18.1	244	3	4	13	24	41	54	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2286	6.2	23	2	2	5	8	11	15	25
B. Operated	1996	9.0	77	1	2	6	11	19	27	43
2. MULTIPLE DX										
A. Not Operated	3483	8.7	55	2	3	7	11	17	22	38
B. Operated	3822	19.3	204	2	3	11	20	34	48	78
1. SINGLE DX	4282	7.9	50	1	2	6	9	15	21	38
2. MULTIPLE DX	7305	12.2	144	2	3	8	15	26	37	64
A. NOT OPERATED	5769	7.7	43	2	2	6	10	15	19	32
B. OPERATED	5818	13.2	170	2	3	9	17	30	42	69
TOTAL 0-19 YRS	1263	7.3	53	1	2	5	9	15	20	39
20-34	2459	7.9	63	2	2	6	9	16	21	45
35-49	2305	9.4	97	2	2	6	11	19	27	51
50-64	2686	11.8	133	2	3	8	15	26	36	60
65+	2874	13.5	158	2	3	10	17	29	41	70
GRAND TOTAL	**11587**	**10.5**	**114**	**2**	**3**	**7**	**13**	**22**	**31**	**58**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	189	3.3	31	<1	1	2	3	6	9	26
20-34	454	3.7	15	1	1	2	5	8	11	16
35-49	454	4.8	19	1	1	4	7	10	13	22
50-64	319	5.6	19	1	1	4	7	11	13	20
65+	294	5.9	28	1	1	4	8	12	15	28
B. Operated										
0-19 YRS	295	4.2	19	<1	1	3	5	10	13	23
20-34	675	5.4	33	1	1	4	7	11	16	29
35-49	631	6.1	38	1	1	4	8	11	16	33
50-64	637	6.5	50	1	1	4	8	15	20	38
65+	653	7.2	58	1	1	5	9	16	21	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	350	3.6	19	<1	1	2	4	8	12	25
20-34	763	4.6	25	1	1	3	6	10	12	24
35-49	843	6.0	41	1	1	4	8	12	16	28
50-64	1063	7.7	66	1	1	6	10	16	21	42
65+	1564	8.3	61	1	2	6	11	17	21	40
B. Operated										
0-19 YRS	396	7.6	90	<1	1	4	10	18	27	73
20-34	1050	8.6	110	1	1	6	10	17	27	64
35-49	1331	10.8	135	1	2	7	13	24	33	70
50-64	1845	12.5	172	1	2	8	16	30	41	75
65+	2566	14.1	209	1	2	9	19	33	45	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1710	4.6	22	1	1	3	6	10	13	22
B. Operated	2891	6.1	43	1	1	4	8	13	18	32
2. MULTIPLE DX										
A. Not Operated	4583	6.8	52	1	1	5	9	14	19	35
B. Operated	7188	11.9	169	1	2	8	15	28	39	73
1. SINGLE DX	4601	5.5	35	1	1	4	7	12	16	30
2. MULTIPLE DX	11771	9.9	130	1	1	6	12	22	33	66
A. NOT OPERATED	6293	6.2	45	1	1	4	8	13	17	32
B. OPERATED	10079	10.2	140	1	2	7	13	24	35	68
TOTAL 0-19 YRS	1230	5.0	47	<1	1	3	6	12	16	35
20-34	2942	6.1	59	1	1	4	7	13	18	40
35-49	3259	7.8	82	1	1	5	10	16	24	52
50-64	3864	9.6	118	1	2	6	12	22	32	63
65+	5077	10.9	144	1	2	7	14	24	35	67
GRAND TOTAL	**16372**	**8.7**	**107**	**1**	**1**	**5**	**11**	**19**	**28**	**60**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.6	2	1	1	2	3	5	6	7
20-34	48	4.2	11	1	1	4	6	7	10	18
35-49	35	4.5	19	1	1	4	5	9	11	24
50-64	30	4.2	14	<1	1	3	5	7	8	21
65+	20	4.0	20	1	1	2	5	9	15	19
B. *Operated*										
0-19 YRS	11	6.0	58	2	2	3	5	17	27	28
20-34	7	9.0	41	2	2	9	15	18	18	18
35-49	7	6.7	13	2	2	7	9	12	12	12
50-64	8	9.0	252	1	1	4	6	36	48	48
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	3.5	18	1	1	2	4	6	8	18
20-34	125	5.4	36	1	1	4	6	11	15	35
35-49	100	5.7	20	1	1	5	8	11	13	25
50-64	142	5.3	22	1	1	4	7	11	13	21
65+	180	4.7	26	1	1	3	6	11	12	25
B. *Operated*										
0-19 YRS	29	11.2	261	1	2	4	12	37	48	70
20-34	35	7.3	49	1	2	5	9	14	25	32
35-49	44	12.2	196	1	2	7	18	28	61	99+
50-64	58	11.3	184	2	2	7	12	20	34	78
65+	58	13.0	261	2	2	8	13	32	54	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.4	9	1	1	3	4	7	8	19
B. *Operated*	34	7.5	83	2	2	4	9	16	26	48
2. MULTIPLE DX										
A. *Not Operated*	689	4.8	25	1	1	4	6	10	12	25
B. *Operated*	224	11.3	195	2	2	6	13	26	39	78
1. SINGLE DX	301	3.9	19	1	1	3	4	7	10	22
2. MULTIPLE DX	913	6.4	74	1	1	4	7	13	20	52
A. NOT OPERATED	956	4.4	21	1	1	3	6	9	12	21
B. OPERATED	258	10.8	182	2	2	6	12	26	37	77
TOTAL 0-19 YRS	316	3.9	40	1	1	3	4	7	10	40
20-34	215	5.5	33	1	1	4	7	12	17	31
35-49	186	7.0	69	1	1	5	8	15	24	63
50-64	238	6.7	74	1	1	4	8	13	20	50
65+	259	6.5	89	1	1	4	7	12	21	61
GRAND TOTAL	**1214**	**5.8**	**62**	**1**	**1**	**4**	**7**	**12**	**18**	**47**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	37	1.6	1	<1	<1	1	2	4	4	5
35-49	7	2.4	5	<1	<1	1	4	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	104	2.0	2	<1	<1	2	3	4	4	8
20-34	13588	1.7	1	<1	<1	1	2	3	4	5
35-49	5551	1.7	1	<1	<1	1	2	3	4	5
50-64	32	1.6	1	<1	<1	1	2	3	3	6
65+	13	2.0	2	<1	<1	2	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	251	1.3	1	<1	<1	1	1	2	3	5
35-49	108	1.3	1	<1	<1	1	1	2	3	6
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	67	2.3	3	<1	<1	2	3	5	6	7
20-34	3580	2.2	3	<1	<1	2	3	4	5	8
35-49	4370	2.2	3	<1	<1	2	3	4	5	8
50-64	27	2.7	8	<1	<1	2	2	6	10	12
65+	6	2.5	2	<1	<1	3	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.7	2	<1	<1	1	2	4	5	6
B. *Operated*	19288	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	367	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	13050	2.2	3	<1	<1	2	3	4	5	8
1. SINGLE DX	19334	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	13417	2.2	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	413	1.4	1	<1	<1	1	1	2	3	6
B. OPERATED	32338	1.9	2	<1	<1	1	2	4	4	7
TOTAL 0-19 YRS	177	2.1	2	<1	<1	2	3	4	5	7
20-34	22456	1.9	2	<1	<1	1	2	3	4	6
35-49	10036	1.9	2	<1	<1	1	2	4	4	7
50-64	61	2.1	4	<1	<1	1	2	4	6	12
65+	21	2.1	2	<1	<1	2	3	4	5	6
GRAND TOTAL	**32751**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	1	7.0		7	7	7	7	7	7	7
1000-1499	2	22.0	288	10	10	22	34	34	34	34
1500-1749	10	15.1	45	7	7	14	17	26	27	27
1750-2499	7414	3.3	5	1	2	3	4	5	7	12
2500+	474448	2.9	2	1	1	3	3	5	5	7
B. Operated										
1-999 G										
1000-1499	2	42.5	61	37	37	42	48	48	48	48
1500-1749	2	55.5	1	55	55	55	56	56	56	56
1750-2499	13	7.5	23	2	3	7	11	14	16	16
2500+	183	3.5	4	2	2	3	4	6	7	14
2. MULTIPLE DX										
A. Not Operated										
1-999 G	156	59.9	698	9	17	71	87	99+	99+	99+
1000-1499	985	42.2	269	19	23	40	53	65	73	94
1500-1749	1404	25.3	105	11	13	24	31	38	44	56
1750-2499	22128	7.4	41	2	2	5	9	16	20	31
2500+	249925	3.8	4	2	2	3	5	6	7	11
B. Operated										
1-999 G	300	72.3	451	35	52	89	99+	99+	99+	99+
1000-1499	881	51.7	349	23	30	53	68	91	99+	99+
1500-1749	609	34.6	218	16	20	32	41	55	67	95
1750-2499	2206	17.8	165	3	5	15	23	34	43	86
2500+	5521	8.1	77	2	2	6	9	15	22	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	481875	2.9	2	1	1	3	3	5	5	7
B. Operated	200	4.7	47	2	2	3	4	7	12	51
2. MULTIPLE DX										
A. Not Operated	274598	4.4	19	2	2	3	5	7	9	23
B. Operated	9517	18.1	417	2	3	10	26	56	80	99+
1. SINGLE DX	482075	2.9	2	1	1	3	3	5	5	7
2. MULTIPLE DX	284115	4.8	39	2	2	4	5	7	11	36
A. NOT OPERATED	756473	3.5	9	1	2	3	4	5	6	13
B. OPERATED	9717	17.8	413	2	3	9	25	55	79	99+
TOTAL 1-999 G	457	68.0	576	20	41	84	99+	99+	99+	99+
1000-1499	1870	46.7	330	20	25	46	60	78	94	99+
1500-1749	2025	28.1	158	12	15	26	34	44	52	78
1750-2499	31761	7.2	53	2	2	5	9	16	21	36
2500+	730077	3.3	4	1	2	3	4	5	6	9
GRAND TOTAL	**766190**	**3.6**	**16**	**1**	**2**	**3**	**4**	**5**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G	2	13.0	32	9	9	13	17	17	17	17
1000-1499	1	40.0		40	40	40	40	40	40	40
1500-1749	7	18.3	66	9	9	20	24	29	30	30
1750-2499	1005	4.8	7	2	2	4	6	7	10	15
2500+	4164	4.4	3	2	2	4	5	6	7	10
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	4	6.8	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
1-999 G	24	61.2	706	13	20	68	81	95	98	99+
1000-1499	243	41.1	246	19	24	39	49	64	74	85
1500-1749	368	24.5	101	12	14	23	30	37	41	58
1750-2499	3560	9.3	43	3	3	7	13	18	22	31
2500+	3187	5.2	7	2	3	5	6	8	9	15
B. Operated										
1-999 G	41	70.3	305	45	56	90	99+	99+	99+	99+
1000-1499	220	55.4	302	31	35	57	69	92	99+	99+
1500-1749	161	34.8	209	14	18	34	43	53	67	99
1750-2499	375	18.8	127	4	6	18	24	33	41	58
2500+	92	9.6	51	3	4	7	11	18	26	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5179	4.5	5	2	2	4	5	7	8	12
B. Operated	4	6.8	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	7382	9.5	99	3	3	6	11	20	29	51
B. Operated	889	32.2	515	5	7	28	52	76	99+	99+
1. SINGLE DX	5183	4.5	5	2	2	4	5	7	8	12
2. MULTIPLE DX	8271	12.0	193	3	3	6	14	29	45	84
A. NOT OPERATED	12561	7.4	67	2	3	5	7	15	22	46
B. OPERATED	893	32.1	516	5	7	28	52	76	99+	99+
TOTAL 1-999 G	67	65.3	536	20	35	83	99+	99+	99+	99+
1000-1499	464	47.9	323	22	28	47	62	76	93	99+
1500-1749	536	27.5	156	12	14	25	34	43	50	81
1750-2499	4940	9.1	53	2	3	6	12	19	23	35
2500+	7447	4.8	6	2	3	5	6	7	8	13
GRAND TOTAL	**13454**	**9.1**	**134**	**2**	**3**	**5**	**8**	**20**	**33**	**73**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	34.0		34	34	34	34	34	34	34
1750-2499	79	3.0	3	1	1	3	3	5	6	10
2500+	1195	2.4	1	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	60.3	134	47	47	67	84	99+	99+	99+
1000-1499	24	35.7	335	13	13	31	43	55	67	95
1500-1749	21	26.8	150	10	13	25	30	44	56	60
1750-2499	213	8.2	52	1	2	6	11	17	22	32
2500+	645	4.1	17	1	2	3	5	7	9	28
B. *Operated*										
1-999 G	4	46.0	1785	10	10	97	99+	99+	99+	99+
1000-1499	13	53.5	374	22	23	56	68	93	98	99+
1500-1749	6	45.0	590	26	26	37	53	86	90	90
1750-2499	24	16.0	91	2	7	13	22	28	35	41
2500+	51	6.9	39	1	1	5	10	16	20	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1275	2.5	2	1	1	2	3	4	5	7
B. *Operated*	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	906	6.6	83	1	2	4	6	14	26	52
B. *Operated*	98	19.2	485	1	2	12	27	68	96	99+
1. SINGLE DX	1278	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1004	7.9	136	1	2	4	7	19	31	79
A. NOT OPERATED	2181	4.2	40	1	1	3	4	7	12	37
B. OPERATED	101	18.8	478	1	2	11	27	67	95	99+
TOTAL 1-999 G	7	52.1	996	10	11	81	99+	99+	99+	99+
1000-1499	37	41.9	413	13	17	42	55	71	94	99+
1500-1749	28	30.9	279	11	15	27	35	53	63	90
1750-2499	316	7.5	54	1	2	5	10	17	23	34
2500+	1894	3.1	9	1	1	3	3	5	7	14
GRAND TOTAL	**2282**	**4.9**	**68**	**1**	**1**	**3**	**4**	**8**	**17**	**53**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.1	21	<1	<1	2	3	6	8	31
20-34	36	2.9	22	<1	<1	2	3	5	9	28
35-49	25	2.3	9	<1	<1	2	2	3	6	16
50-64	9	2.3	2	<1	<1	2	4	4	4	4
65+	18	3.4	21	<1	1	2	3	7	15	20
B. *Operated*										
0-19 YRS	2421	2.4	3	<1	<1	2	3	4	5	8
20-34	3645	2.5	3	<1	<1	2	3	4	5	9
35-49	1688	2.5	4	<1	<1	2	3	4	6	10
50-64	1333	2.9	5	<1	1	2	3	5	6	12
65+	979	3.8	12	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.6	17	<1	<1	1	2	6	11	23
20-34	50	2.2	7	<1	<1	1	2	5	8	14
35-49	24	1.8	4	<1	<1	1	2	3	6	11
50-64	29	4.6	22	<1	<1	2	6	12	16	17
65+	34	2.9	9	<1	1	2	3	6	11	13
B. *Operated*										
0-19 YRS	906	3.4	19	<1	1	3	4	6	8	20
20-34	990	4.1	34	<1	1	3	4	7	11	30
35-49	598	4.1	20	1	1	3	5	8	11	27
50-64	635	4.5	23	1	1	3	5	8	12	29
65+	811	7.2	62	1	2	5	8	16	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	2.9	18	<1	<1	2	3	5	8	28
B. *Operated*	10066	2.6	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	177	2.8	12	<1	<1	1	3	7	11	17
B. *Operated*	3940	4.6	34	1	1	3	5	9	14	32
1. SINGLE DX	10207	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	4117	4.6	33	1	1	3	5	9	13	31
A. NOT OPERATED	318	2.8	15	<1	<1	1	3	6	11	21
B. OPERATED	14006	3.2	14	<1	1	2	4	6	8	18
TOTAL 0-19 YRS	3420	2.7	8	<1	<1	2	3	4	6	12
20-34	4721	2.8	10	<1	1	2	3	5	6	14
35-49	2335	2.9	8	<1	1	2	3	5	7	14
50-64	2006	3.4	12	<1	1	3	4	6	8	18
65+	1842	5.3	37	1	1	3	6	11	16	32
GRAND TOTAL	**14324**	**3.2**	**14**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	10	2.1	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	5.1	90	<1	<1	1	4	22	28	28
50-64	6	1.7	1	<1	<1	<1	2	4	4	4
65+	5	3.0	4	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.4	24	<1	<1	1	2	2	6	28
20-34	29	2.0	3	<1	1	2	2	4	4	9
35-49	77	2.2	5	<1	1	2	2	4	5	15
50-64	196	1.6	3	1	1	1	2	2	3	10
65+	443	1.7	4	1	1	1	2	3	4	12
B. *Operated*										
0-19 YRS	13	6.1	41	<1	1	5	6	12	23	26
20-34	99	3.5	22	<1	<1	1	4	7	14	25
35-49	101	3.9	46	<1	<1	1	4	9	12	42
50-64	167	3.6	27	<1	<1	1	4	9	14	28
65+	107	5.6	51	<1	<1	3	6	15	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.8	1	<1	1	2	3	3	4	4
B. *Operated*	20	3.4	37	<1	<1	1	3	6	17	28
2. MULTIPLE DX										
A. *Not Operated*	775	1.8	5	1	1	1	2	3	4	12
B. *Operated*	487	4.1	35	<1	<1	2	5	9	16	29
1. SINGLE DX	36	2.7	21	<1	<1	1	3	5	6	28
2. MULTIPLE DX	1262	2.7	18	<1	<1	1	2	5	9	25
A. NOT OPERATED	791	1.8	5	1	1	1	2	3	4	12
B. OPERATED	507	4.1	36	<1	<1	2	5	9	16	29
TOTAL 0-19 YRS	43	3.5	31	<1	1	2	3	7	15	28
20-34	130	3.1	18	<1	<1	1	4	6	12	22
35-49	178	3.2	31	<1	<1	2	3	7	10	36
50-64	372	2.5	15	<1	<1	1	2	5	9	22
65+	565	2.4	15	<1	1	1	2	4	8	23
GRAND TOTAL	**1298**	**2.7**	**18**	**<1**	**<1**	**1**	**2**	**5**	**9**	**25**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4400	2.4	14	<1	<1	1	3	4	7	16
20-34	5930	2.3	16	<1	<1	1	2	4	6	18
35-49	1852	2.7	14	<1	<1	2	3	5	8	18
50-64	2053	2.7	15	<1	<1	1	3	5	8	21
65+	1755	4.4	71	<1	<1	2	4	10	18	79
B. *Operated*										
0-19 YRS	1964	2.9	9	<1	<1	2	3	7	9	15
20-34	5680	3.0	9	<1	<1	2	4	6	9	13
35-49	3186	3.7	13	<1	<1	2	5	9	11	16
50-64	2553	4.2	17	<1	1	2	6	10	12	18
65+	2240	4.5	22	<1	1	2	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7466	3.3	30	<1	<1	2	4	6	9	30
20-34	7786	4.2	54	<1	1	2	4	7	12	43
35-49	11262	3.9	35	1	1	2	4	7	12	33
50-64	28101	3.9	33	1	1	2	4	7	10	30
65+	26456	5.4	67	1	1	3	5	11	20	48
B. *Operated*										
0-19 YRS	2665	4.6	65	<1	<1	2	5	10	16	54
20-34	5483	4.9	59	<1	1	3	5	10	15	52
35-49	6053	5.6	56	1	1	3	7	11	17	41
50-64	9741	6.1	70	1	1	3	8	13	19	46
65+	10956	7.0	88	1	1	3	9	16	24	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15990	2.6	21	<1	<1	1	3	5	8	23
B. *Operated*	15623	3.5	14	<1	<1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	81071	4.4	47	1	1	2	5	8	14	39
B. *Operated*	34898	6.0	72	1	1	3	7	13	19	48
1. SINGLE DX	31613	3.1	18	<1	<1	2	3	7	10	19
2. MULTIPLE DX	115969	4.9	55	1	1	3	5	10	16	42
A. NOT OPERATED	97061	4.1	43	<1	1	2	4	7	13	37
B. OPERATED	50521	5.2	55	<1	1	3	6	11	16	41
TOTAL 0-19 YRS	16495	3.2	30	<1	<1	2	3	6	10	29
20-34	24879	3.6	37	<1	<1	2	4	7	10	35
35-49	22353	4.2	37	<1	1	2	5	9	13	32
50-64	42448	4.4	41	1	1	2	5	9	13	34
65+	41407	5.8	71	1	1	3	6	13	21	48
GRAND TOTAL	**147582**	**4.5**	**47**	**<1**	**1**	**2**	**5**	**9**	**14**	**39**

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
106	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

1.2

Length of Stay by Operation, United States, 1983

A Companion Volume To
Length of Stay
by Diagnosis,
United States, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data 1
Data Quality 2
Coverage 3
Organization of Length of Stay Tables 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Beds U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	1		261
Criteria for admission			
1. Diastolic BP ≥ 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Dysuria or fever ≥ 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 54.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Ramon) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, anterosternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	17	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	19	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	19	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	19	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	459697	3.1	14	<1	1	2	4	6	8	18
20-34	906201	3.4	10	<1	1	3	4	6	8	15
35-49	364016	4.6	20	1	1	3	6	9	12	22
50-64	314443	5.4	28	1	1	4	7	11	15	25
65+	314320	6.3	43	1	2	4	8	14	18	31
2. MULTIPLE DX										
0-19 YRS	376118	5.4	67	1	1	3	6	11	18	49
20-34	788173	5.5	38	1	2	4	6	10	14	33
35-49	613873	7.1	53	1	2	5	8	14	19	39
50-64	855628	8.9	78	2	2	6	11	18	25	48
65+	1447310	11.1	110	2	2	8	14	23	31	59
TOT. SINGLE DX	2358677	4.2	20	1	1	3	5	8	12	22
" MULTIPLE DX	4081102	8.4	82	1	2	6	10	18	25	50
TOTAL 0-19 YRS	835815	4.2	39	<1	1	3	4	8	12	35
20-34	1694374	4.4	24	1	1	3	5	8	11	25
35-49	977889	6.2	43	1	1	5	8	12	17	34
50-64	1170071	7.9	67	1	2	6	10	16	22	43
65+	1761630	10.3	102	2	2	7	13	21	29	56
GRAND TOTAL	**6439779**	**6.9**	**64**	**1**	**1**	**4**	**8**	**15**	**21**	**43**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	441	10.1	79	1	2	9	12	18	24	52
20-34	434	11.4	94	2	4	10	14	18	24	49
35-49	516	12.6	99	3	5	10	15	22	29	59
50-64	663	15.1	134	5	6	12	17	28	41	69
65+	573	16.3	146	5	7	13	19	30	39	74
2. MULTIPLE DX										
0-19 YRS	674	17.3	274	2	3	12	23	41	64	99+
20-34	597	22.3	364	5	7	16	30	55	82	99+
35-49	780	22.3	351	5	7	16	28	52	78	99+
50-64	1544	23.3	302	6	8	18	30	53	70	99+
65+	1982	25.6	331	7	9	22	35	56	70	99+
TOT. SINGLE DX	2627	13.4	113	3	4	11	16	24	33	64
" MULTIPLE DX	5577	23.5	331	5	7	18	31	53	71	99+
TOTAL 0-19 YRS	1115	14.4	210	2	2	10	18	33	50	99+
20-34	1031	17.7	262	3	5	13	21	42	64	99+
35-49	1296	16.5	273	4	6	13	22	42	59	99+
50-64	2207	20.9	266	5	7	16	26	47	63	99+
65+	2555	24.3	308	6	8	19	32	52	67	99+
GRAND TOTAL	8204	20.3	283	4	6	15	26	46	63	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	356	8.5	70	3	3	7	10	15	20	46
20-34	234	12.8	135	3	4	10	15	23	39	72
35-49	205	14.6	149	3	5	11	18	24	38	69
50-64	245	15.3	138	5	6	13	18	29	37	81
65+	243	17.5	199	6	7	13	22	32	46	96
2. MULTIPLE DX										
0-19 YRS	408	18.9	362	4	5	12	25	52	93	99+
20-34	348	21.9	349	5	7	16	30	56	77	99+
35-49	421	22.4	287	5	7	17	31	52	72	99+
50-64	540	23.8	349	6	8	18	32	57	83	99+
65+	842	26.1	331	6	8	21	36	55	74	99+
TOT. SINGLE DX	1283	13.3	143	3	4	10	16	25	36	78
" MULTIPLE DX	2559	23.3	341	5	7	18	32	55	78	99+
TOTAL 0-19 YRS	764	14.1	253	3	4	9	16	36	67	99+
20-34	582	18.2	283	4	6	13	22	46	68	99+
35-49	626	19.9	255	5	6	15	25	46	61	99+
50-64	785	21.1	299	5	7	16	27	50	72	99+
65+	1085	24.2	315	6	8	19	33	51	66	99+
GRAND TOTAL	3842	20.0	297	4	6	14	26	47	67	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	656	5.5	11	2	3	5	7	9	10	16
20-34	212	6.1	11	2	3	5	8	10	11	19
35-49	108	7.6	35	2	3	7	10	12	17	37
50-64	60	7.4	20	3	3	6	9	13	16	29
65+	30	9.2	51	1	3	7	12	17	19	37
2. MULTIPLE DX										
0-19 YRS	397	11.1	221	2	3	7	10	22	48	99
20-34	259	13.7	272	3	3	8	14	37	63	99+
35-49	176	13.1	200	3	3	8	17	33	48	99+
50-64	103	11.3	106	3	3	9	14	20	37	99+
65+	53	19.2	298	4	5	12	26	34	56	89
TOT. SINGLE DX	1066	6.0	16	2	3	5	7	10	12	22
" MULTIPLE DX	1028	12.6	228	3	3	8	14	31	51	99+
TOTAL 0-19 YRS	1053	7.6	98	2	3	5	8	12	19	75
20-34	511	10.5	178	2	3	7	10	22	42	97
35-49	284	11.0	145	2	3	7	12	23	41	93
50-64	163	9.9	78	3	3	8	12	17	26	95
65+	83	15.6	231	3	4	10	20	33	38	84
GRAND TOTAL	2094	9.3	131	2	3	6	9	17	32	90

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	453	7.3	46	2	3	6	8	13	20	42
20-34	56	11.2	96	4	5	9	12	16	19	68
35-49	38	10.8	46	3	4	8	14	21	24	30
50-64	51	14.9	126	5	6	12	19	27	35	70
65+	126	14.2	82	4	5	12	18	23	32	52
2. MULTIPLE DX										
0-19 YRS	673	17.5	382	3	4	10	22	55	74	99+
20-34	125	19.6	395	5	6	13	26	69	99	99+
35-49	126	22.6	410	5	6	16	32	62	84	99+
50-64	218	23.2	311	5	7	19	33	60	99+	99+
65+	557	28.2	300	8	9	25	38	55	68	99+
TOT. SINGLE DX	724	9.5	71	3	3	7	11	19	24	48
" MULTIPLE DX	1699	22.3	369	4	5	16	32	57	76	99+
TOTAL 0-19 YRS	1126	13.4	272	3	3	7	14	37	63	99+
20-34	181	17.0	317	5	6	11	18	58	89	99+
35-49	164	19.9	350	4	5	13	25	56	82	99+
50-64	269	21.6	286	5	7	17	29	56	88	99+
65+	683	25.6	290	7	8	21	35	51	64	99+
GRAND TOTAL	2423	18.4	314	3	4	12	25	48	67	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	882	6.0	49	2	2	5	8	13	20	38
20-34	167	11.3	135	2	2	6	15	22	35	62
35-49	71	7.6	29	2	2	6	10	14	17	31
50-64	68	9.6	67	2	2	6	11	21	28	41
65+	57	13.1	161	2	3	9	14	31	49	51
2. MULTIPLE DX										
0-19 YRS	1500	11.7	192	2	2	7	14	31	48	99+
20-34	354	18.6	336	2	4	12	27	56	78	99+
35-49	211	20.1	376	2	3	15	27	48	73	99+
50-64	253	21.5	437	2	3	15	33	55	86	99+
65+	281	22.3	301	3	5	18	31	53	80	99+
TOT. SINGLE DX	1241	7.9	69	2	2	5	9	16	23	46
* MULTIPLE DX	2599	15.4	282	2	3	9	21	42	61	99+
TOTAL 0-19 YRS	2382	9.9	145	2	2	6	11	24	38	90
20-34	521	16.3	283	2	3	11	21	43	64	99+
35-49	282	17.0	318	2	3	12	23	43	60	99+
50-64	317	19.1	385	2	3	12	26	49	77	99+
65+	338	20.8	289	3	4	16	29	50	66	99+
GRAND TOTAL	3840	13.0	225	2	2	7	16	35	52	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	79	9.4	22	3	4	9	11	16	20	26
20-34	653	9.6	36	4	5	8	11	17	21	32
35-49	1538	10.1	35	4	5	9	12	17	22	33
50-64	1460	10.8	37	4	5	9	13	19	25	32
65+	871	12.6	59	5	6	10	15	21	27	40
2. MULTIPLE DX										
0-19 YRS	145	20.1	355	4	5	11	26	48	67	78
20-34	665	15.2	156	5	6	11	18	29	45	97
35-49	1636	14.0	115	5	6	11	16	26	37	69
50-64	2613	15.2	129	5	6	12	18	28	39	80
65+	2649	19.3	175	7	8	15	24	36	47	81
TOT. SINGLE DX	4641	10.7	41	4	5	9	13	18	23	34
* MULTIPLE DX	7708	16.5	154	5	6	13	20	32	43	79
TOTAL 0-19 YRS	224	16.3	264	4	5	10	18	36	59	76
20-34	1358	12.4	102	4	5	9	15	23	31	74
35-49	3174	12.1	80	4	5	10	14	23	29	52
50-64	4073	13.6	101	5	6	11	16	26	32	66
65+	3520	17.6	155	6	7	14	22	33	44	76
GRAND TOTAL	12349	14.3	119	5	6	11	17	27	36	69

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	224	11.2	93	2	3	9	14	22	30	50
20-34	823	6.7	64	[1]	[1]	4	8	15	19	45
35-49	969	6.8	57	[1]	[1]	5	8	14	18	43
50-64	866	8.1	68	[1]	[1]	6	11	17	21	33
65+	962	10.3	126	[1]	[1]	6	15	23	31	52
2. MULTIPLE DX										
0-19 YRS	393	16.4	185	[1]	[1]	12	24	38	47	99+
20-34	650	12.4	192	[1]	[1]	6	15	32	60	99+
35-49	891	11.8	168	[1]	[1]	6	15	26	40	92
50-64	876	15.6	239	[1]	[1]	7	21	38	51	94
65+	629	21.2	306	[1]	4	16	29	48	61	83
TOT. SINGLE DX	2644	7.6	67	[1]	[1]	5	10	16	21	43
* MULTIPLE DX	3439	15.1	229	[1]	[1]	11	20	37	50	93
TOTAL 0-19 YRS	617	14.5	158	[1]	[1]	11	19	33	44	72
20-34	1473	9.3	129	[1]	[1]	5	11	20	36	69
35-49	1860	9.2	117	[1]	[1]	5	11	20	29	70
50-64	1342	13.0	186	[1]	[1]	7	17	29	44	81
65+	791	18.9	289	[1]	3	14	25	44	56	82
GRAND TOTAL	6083	11.9	173	2	2	8	15	29	42	75

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	199	3.0	6	[1]	[1]	2	3	7	9	13
20-34	785	3.1	14	[1]	[1]	2	3	6	8	15
35-49	1056	3.1	7	[1]	[1]	2	3	6	8	15
50-64	1230	3.4	11	[1]	[1]	2	4	7	10	19
65+	605	3.7	13	1	1	2	4	7	10	16
2. MULTIPLE DX										
0-19 YRS	152	5.5	56	[1]	[1]	3	5	12	16	50
20-34	544	5.8	67	[1]	[1]	3	5	12	17	60
35-49	756	6.2	55	[1]	[1]	3	6	14	21	39
50-64	1038	6.0	47	[1]	[1]	3	7	13	18	39
65+	653	8.0	115	[1]	[1]	4	9	17	26	68
TOT. SINGLE DX	3695	3.3	13	[1]	[1]	2	4	6	9	16
* MULTIPLE DX	3141	6.4	68	1	1	3	8	14	20	65
TOTAL 0-19 YRS	351	4.1	30	[1]	[1]	3	4	9	13	28
20-34	1329	4.2	39	[1]	[1]	2	4	9	13	30
35-49	1810	4.4	30	[1]	[1]	2	4	10	14	30
50-64	2268	4.6	33	[1]	[1]	3	5	10	14	31
65+	1258	5.9	71	[1]	[1]	3	6	12	18	51
GRAND TOTAL	7036	4.7	40	1	1	3	5	10	14	33

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	555	2.2	2	<1	1	2	3	4	5	9
20-34	3348	2.2	2	<1	<1	2	3	4	5	9
35-49	4710	2.3	5	<1	<1	2	3	4	5	10
50-64	4490	2.4	3	<1	1	2	3	4	5	10
65+	2611	2.4	4	<1	1	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	685	3.4	39	1	1	2	3	6	10	38
20-34	2149	3.6	25	<1	1	2	4	7	11	23
35-49	2777	4.2	23	1	1	3	4	9	13	24
50-64	3953	4.3	25	1	1	3	5	9	13	24
65+	2925	5.0	32	1	1	3	5	11	17	29
TOT. SINGLE DX	15714	2.3	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	12489	4.3	28	1	1	3	4	9	14	26
TOTAL 0-19 YRS	1240	2.9	23	<1	1	2	3	5	7	19
20-34	5497	2.8	12	<1	1	2	3	5	7	15
35-49	7487	3.0	13	<1	1	2	3	5	9	18
50-64	8443	3.3	15	<1	1	2	3	6	9	20
65+	5536	3.8	21	<1	1	2	4	8	12	25
GRAND TOTAL	**28203**	**3.2**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**20**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.6	11	1	2	5	6	8	11	19
20-34	141	6.1	17	1	2	6	7	10	13	18
35-49	96	8.6	30	1	3	8	10	15	19	30
50-64	106	7.8	26	1	2	6	11	15	18	25
65+	118	11.7	71	2	4	10	15	22	26	49
2. MULTIPLE DX										
0-19 YRS	11	6.3	7	3	3	6	8	10	11	11
20-34	151	7.6	25	3	4	6	8	15	18	28
35-49	144	11.2	64	3	4	9	14	22	26	42
50-64	413	15.5	132	4	6	12	19	33	46	99+
65+	939	17.3	152	6	7	14	22	32	41	77
TOT. SINGLE DX	486	8.3	39	1	2	7	10	15	19	30
" MULTIPLE DX	1658	15.4	137	4	5	12	19	30	40	69
TOTAL 0-19 YRS	36	5.8	10	2	3	5	7	9	11	19
20-34	292	6.9	22	2	3	6	8	12	16	27
35-49	240	10.1	52	2	3	8	13	20	25	34
50-64	519	14.0	120	3	5	11	17	29	42	77
65+	1057	16.7	146	5	6	13	21	31	40	72
GRAND TOTAL	**2144**	**13.8**	**123**	**3**	**5**	**11**	**17**	**28**	**36**	**60**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.3	6	<1	1	4	6	8	9	9
20-34	116	5.9	26	<1	1	5	9	11	13	28
35-49	153	5.7	25	<1	<1	4	7	12	17	24
50-64	148	5.6	34	<1	<1	4	8	12	16	30
65+	57	6.3	28	2	2	4	8	15	18	27
2. MULTIPLE DX										
0-19 YRS	25	8.2	98	1	1	4	11	20	34	39
20-34	141	8.3	72	1	1	5	11	21	25	45
35-49	238	9.2	97	1	2	6	12	20	29	50
50-64	261	10.8	115	1	2	8	14	24	30	56
65+	307	11.9	109	2	3	9	16	22	33	63
TOT. SINGLE DX	493	5.7	28	<1	<1	4	8	12	16	27
" MULTIPLE DX	972	10.3	104	1	2	8	14	22	29	54
TOTAL 0-19 YRS	44	6.5	62	1	1	4	7	15	24	39
20-34	257	7.2	53	<1	1	5	9	16	23	35
35-49	391	7.8	72	<1	1	5	10	17	24	40
50-64	409	8.9	93	<1	1	6	11	20	26	46
65+	364	11.0	101	2	2	9	15	22	29	56
GRAND TOTAL	**1465**	**8.8**	**83**	**<1**	**1**	**6**	**11**	**19**	**26**	**45**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	4.0	5	1	2	4	4	6	6	16
20-34	2358	4.1	3	2	2	4	5	6	7	11
35-49	2737	4.1	4	2	2	4	5	6	7	12
50-64	2059	4.4	4	2	3	4	5	6	7	12
65+	909	5.0	7	2	3	4	5	7	9	16
2. MULTIPLE DX										
0-19 YRS	185	5.8	18	2	3	4	6	11	14	28
20-34	1135	5.4	19	2	3	4	6	9	12	23
35-49	1736	5.8	25	3	3	4	6	10	13	25
50-64	2029	6.3	24	3	3	5	7	11	15	27
65+	1467	9.4	103	3	3	6	10	18	27	57
TOT. SINGLE DX	8451	4.3	5	2	3	4	5	6	7	13
" MULTIPLE DX	6552	6.7	44	3	3	5	7	12	17	36
TOTAL 0-19 YRS	573	4.6	11	2	2	4	5	7	11	25
20-34	3493	4.5	9	2	3	4	5	6	9	16
35-49	4473	4.8	14	2	3	4	5	7	10	18
50-64	4088	5.3	16	2	3	4	6	8	12	23
65+	2376	7.7	71	3	3	5	8	15	21	48
GRAND TOTAL	15003	5.3	23	2	3	4	5	8	12	25

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	859	2.4	3	1	1	2	3	4	5	9
20-34	424	3.3	5	1	1	3	4	6	8	14
35-49	337	3.8	8	1	2	3	4	6	8	14
50-64	347	4.6	8	1	2	4	5	7	9	18
65+	191	5.5	25	2	2	4	6	9	14	34
2. MULTIPLE DX										
0-19 YRS	142	4.6	28	1	1	3	5	10	16	29
20-34	304	7.5	55	2	2	5	9	15	19	41
35-49	429	7.2	43	2	3	5	9	14	18	29
50-64	676	8.4	74	2	3	6	9	16	23	45
65+	711	11.9	128	3	4	8	15	26	36	71
TOT. SINGLE DX	2158	3.4	9	1	1	3	4	6	8	15
" MULTIPLE DX	2262	8.9	85	2	3	6	10	18	26	52
TOTAL 0-19 YRS	1001	2.7	8	1	1	2	3	4	6	16
20-34	728	5.1	30	1	1	4	5	10	14	31
35-49	766	5.7	31	1	2	4	6	10	15	26
50-64	1023	7.1	55	2	2	5	8	14	19	40
65+	902	10.6	114	2	3	7	13	24	35	63
GRAND TOTAL	4430	6.2	55	1	2	4	7	13	19	39

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	8.0	21	2	3	7	10	13	18	24
20-34	193	9.0	19	4	5	8	10	15	17	25
35-49	141	10.1	32	3	4	9	12	17	20	31
50-64	117	11.1	49	5	6	9	12	18	27	41
65+	67	12.3	96	4	5	10	14	20	26	68
2. MULTIPLE DX										
0-19 YRS	78	16.2	297	4	5	9	16	40	52	88
20-34	206	14.0	137	5	6	10	16	26	39	79
35-49	287	14.9	143	5	6	11	18	28	37	81
50-64	325	16.0	156	4	5	12	20	34	44	80
65+	271	18.7	192	5	7	15	25	34	49	96
TOT. SINGLE DX	601	9.9	38	4	4	9	12	16	21	32
" MULTIPLE DX	1167	16.0	170	5	6	11	19	32	44	89
TOTAL 0-19 YRS	161	12.0	171	3	4	8	12	23	40	81
20-34	399	11.6	86	4	5	9	13	19	29	62
35-49	428	13.3	112	4	6	10	15	25	31	63
50-64	442	14.7	132	4	6	11	18	30	39	71
65+	338	17.4	180	5	7	13	23	33	46	92
GRAND TOTAL	1768	13.9	133	4	5	10	16	27	37	71

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	561	1.3		<1	<1	1	2	2	2	5
20-34	117	1.7	2	<1	<1	1	2	3	4	9
35-49	161	1.8	1	<1	<1	1	2	3	4	6
50-64	322	1.9	1	<1	<1	2	2	3	4	6
65+	386	2.2	3	<1	<1	2	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	119	2.2	5	<1	<1	1	2	5	8	42
20-34	87	3.6	18	<1	<1	2	4	8	13	23
35-49	197	4.7	27	<1	1	3	6	11	15	27
50-64	386	5.7	71	<1	1	3	6	12	17	42
65+	720	5.8	60	<1	1	3	7	14	20	38
TOT. SINGLE DX	1547	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	1509	5.2	53	<1	1	3	6	12	17	35
TOTAL 0-19 YRS	680	1.5	2	<1	<1	1	2	2	3	8
20-34	204	2.5	10	<1	<1	1	2	5	8	18
35-49	358	3.4	18	<1	<1	2	3	8	11	24
50-64	708	4.0	43	<1	<1	2	4	8	13	30
65+	1106	4.5	43	<1	1	2	5	11	15	33
GRAND TOTAL	**3056**	**3.5**	**30**	**<1**	**<1**	**2**	**3**	**8**	**12**	**28**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1044	1.8	1	<1	<1	2	2	3	3	7
20-34	378	1.9	1	<1	<1	2	2	3	5	8
35-49	564	1.9	1	<1	<1	2	2	3	4	6
50-64	882	1.9	1	<1	<1	2	2	3	4	7
65+	1324	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	937	3.3	28	<1	1	2	3	6	9	27
20-34	1122	3.8	25	<1	1	2	4	7	10	27
35-49	996	3.5	22	1	1	2	4	7	10	30
50-64	1572	3.6	43	1	1	2	3	6	9	33
65+	2200	5.0	61	1	1	2	5	12	19	45
TOT. SINGLE DX	4192	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	6827	4.0	42	1	1	2	4	8	13	34
TOTAL 0-19 YRS	1981	2.5	15	<1	<1	2	3	4	6	16
20-34	1500	3.3	20	<1	1	2	4	6	9	23
35-49	1560	2.9	15	<1	1	2	3	5	8	20
50-64	2454	3.0	29	<1	1	2	3	5	7	21
65+	3524	3.8	41	<1	1	2	3	8	14	34
GRAND TOTAL	**11019**	**3.2**	**28**	**<1**	**1**	**2**	**3**	**6**	**9**	**26**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	210	1.9	2	<1	<1	1	2	3	5	10
20-34	146	2.1	1	1	1	2	2	3	4	7
35-49	147	2.3	2	<1	1	2	3	3	4	11
50-64	202	2.3		1	1	2	3	3	4	5
65+	310	2.5	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	121	2.7	16	1	1	2	3	4	6	21
20-34	94	2.7	6	1	1	2	3	4	6	17
35-49	110	2.6	2	1	1	2	3	4	4	11
50-64	214	2.9	5	1	1	2	3	4	8	17
65+	457	3.3	18	1	2	2	3	5	8	14
TOT. SINGLE DX	1015	2.2	2	1	1	2	3	3	4	9
" MULTIPLE DX	996	3.0	13	1	1	2	3	4	7	14
TOTAL 0-19 YRS	331	2.2	8	<1	1	2	2	4	6	10
20-34	240	2.3	3	1	1	2	3	3	5	9
35-49	257	2.4	2	1	1	2	3	3	4	11
50-64	416	2.6	3	1	1	2	3	4	5	13
65+	767	3.0	12	1	2	2	3	4	6	13
GRAND TOTAL	**2011**	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	1.8	3	<1	<1	1	2	3	7	11
20-34	50	2.1	3	<1	<1	2	2	4	5	9
35-49	32	3.5	14	<1	<1	2	5	8	12	17
50-64	29	1.5		<1	<1	1	2	2	2	2
65+	60	3.3	16	<1	<1	2	3	9	13	21
2. MULTIPLE DX										
0-19 YRS	59	3.9	35	<1	1	2	5	8	13	37
20-34	34	5.1	26	<1	1	3	6	15	16	19
35-49	32	4.5	31	<1	1	3	4	9	18	28
50-64	51	4.7	35	1	1	2	5	12	22	28
65+	111	5.6	61	1	1	3	6	15	25	64
TOT. SINGLE DX	247	2.4	8	<1	<1	1	2	5	9	14
" MULTIPLE DX	287	4.9	44	1	1	2	5	13	20	41
TOTAL 0-19 YRS	135	2.7	19	<1	<1	1	2	6	9	26
20-34	84	3.3	15	<1	<1	2	4	8	14	18
35-49	64	4.0	23	<1	<1	2	4	8	14	27
50-64	80	3.5	25	<1	<1	2	3	8	15	26
65+	171	4.8	47	<1	1	2	5	12	20	42
GRAND TOTAL	**534**	**3.8**	**29**	**<1**	**<1**	**2**	**4**	**9**	**15**	**30**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	4.0	5	2	2	3	5	7	8	13
20-34	230	3.3	3	1	1	3	4	5	6	11
35-49	174	3.5	3	1	1	3	4	6	7	10
50-64	174	3.4	8	1	1	3	4	5	7	12
65+	671	3.6	3	1	2	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	93	5.8	28	2	2	4	6	11	16	32
20-34	101	4.6	16	1	2	4	5	8	10	27
35-49	144	5.4	25	1	2	4	6	11	19	29
50-64	300	4.6	18	1	2	4	5	8	11	24
65+	1311	4.6	17	1	2	4	5	7	10	23
TOT. SINGLE DX	1327	3.5	4	1	1	3	4	6	7	11
" MULTIPLE DX	1949	4.7	19	1	2	4	5	8	11	25
TOTAL 0-19 YRS	171	5.0	18	2	2	4	5	8	13	28
20-34	331	3.7	8	1	1	3	4	6	8	13
35-49	318	4.2	15	1	1	3	5	7	11	22
50-64	474	4.2	15	1	2	3	5	7	9	23
65+	1982	4.3	13	1	2	4	5	7	9	19
GRAND TOTAL	3276	4.2	13	1	2	4	5	7	9	21

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	3.2	6	<1	1	2	4	6	8	13
20-34	420	2.3	2	<1	<1	2	3	5	5	8
35-49	337	2.1	2	<1	<1	2	2	4	5	8
50-64	269	1.9	1	<1	<1	2	2	3	4	6
65+	242	2.5	5	<1	<1	2	3	4	7	14
2. MULTIPLE DX										
0-19 YRS	270	4.7	19	1	1	4	5	8	11	25
20-34	197	4.4	23	1	1	3	5	8	11	21
35-49	162	4.8	33	<1	1	4	6	10	11	18
50-64	182	4.0	33	<1	1	2	4	8	11	21
65+	386	4.6	32	1	1	2	5	10	16	29
TOT. SINGLE DX	1605	2.4	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	1197	4.5	28	1	1	3	5	9	12	24
TOTAL 0-19 YRS	607	3.9	13	<1	1	3	5	7	9	17
20-34	617	2.9	10	<1	<1	2	4	5	7	12
35-49	499	3.0	14	<1	<1	2	4	6	8	15
50-64	451	2.8	16	<1	<1	2	3	5	7	16
65+	628	3.8	23	<1	1	2	4	8	13	24
GRAND TOTAL	2802	3.3	15	<1	<1	2	4	6	9	18

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	3.0	34	1	1	2	3	5	7	19
20-34	101	3.0	8	1	1	2	4	5	6	20
35-49	195	2.9	3	1	1	2	4	5	6	10
50-64	403	3.0	4	1	1	2	4	5	7	11
65+	858	2.9	3	<1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	121	3.9	27	1	1	2	4	7	13	35
20-34	98	5.0	35	1	1	3	5	11	14	38
35-49	139	4.5	29	1	1	3	5	9	13	34
50-64	398	4.5	16	1	2	3	5	10	13	20
65+	1063	4.7	29	1	1	3	5	9	13	28
TOT. SINGLE DX	1731	3.0	7	1	1	2	3	5	7	11
" MULTIPLE DX	1819	4.6	27	1	1	3	5	9	13	28
TOTAL 0-19 YRS	295	3.4	32	1	1	2	3	6	10	27
20-34	199	4.0	23	1	1	3	4	7	12	27
35-49	334	3.6	15	1	1	3	4	6	8	27
50-64	801	3.7	11	1	1	3	4	7	11	18
65+	1921	3.9	19	1	1	3	4	7	10	21
GRAND TOTAL	3550	3.8	18	1	1	3	4	7	10	20

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	4.2	9	1	1	4	5	8	10	14
20-34	120	3.3	6	1	1	3	4	6	8	15
35-49	132	3.0	5	1	1	2	3	6	9	11
50-64	282	2.6	4	<1	1	2	3	5	6	10
65+	558	2.8	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	146	5.0	13	1	1	4	7	10	12	17
20-34	140	4.8	19	1	1	4	6	8	12	27
35-49	105	4.6	21	1	1	3	6	10	13	27
50-64	309	5.1	78	1	1	3	5	9	15	66
65+	973	5.3	50	1	1	3	6	11	16	39
TOT. SINGLE DX	1246	3.0	6	1	1	2	4	6	8	13
" MULTIPLE DX	1673	5.2	48	1	1	3	6	11	15	37
TOTAL 0-19 YRS	300	4.6	12	1	1	4	6	10	11	15
20-34	260	4.1	14	1	1	3	5	8	11	24
35-49	237	3.7	13	1	1	3	4	8	10	19
50-64	591	3.9	45	1	1	2	4	7	10	37
65+	1531	4.4	35	1	1	3	5	9	13	30
GRAND TOTAL	2919	4.2	31	1	1	3	5	8	12	28

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	2.4	2	1	1	2	3	4	5	9
20-34	56	3.6	24	1	1	2	4	5	9	34
35-49	819	2.4	1	1	2	2	3	3	4	7
50-64	5834	2.4	1	1	2	2	3	3	4	6
65+	24119	2.4	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	86	4.0	28	1	1	2	4	8	13	32
20-34	64	3.8	7	1	1	3	5	7	8	17
35-49	639	3.4	9	1	2	3	3	6	8	20
50-64	5521	3.3	14	1	2	2	3	5	8	19
65+	27920	3.3	15	2	2	2	3	5	8	20
TOT. SINGLE DX	30936	2.4	1	1	2	2	3	3	4	6
" MULTIPLE DX	34230	3.3	16	2	2	2	3	5	8	19
TOTAL 0-19 YRS	194	3.1	14	1	1	2	3	5	8	21
20-34	120	3.7	15	1	1	3	5	6	8	23
35-49	1458	2.8	5	1	2	2	3	4	6	12
50-64	11355	2.3	8	1	2	2	3	4	5	13
65+	52039	2.9	9	1	2	2	3	4	5	14
GRAND TOTAL	**65166**	**2.9**	**9**	**1**	**2**	**2**	**3**	**4**	**5**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	417	2.2	1	1	1	2	2	3	4	8
20-34	206	2.1		1	1	2	2	3	4	6
35-49	1699	2.1		1	1	2	2	3	3	5
50-64	8628	2.0		1	1	2	2	3	3	5
65+	33921	2.1		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	242	2.8	5	<1	1	2	3	5	7	13
20-34	191	3.3	34	1	1	2	3	5	7	31
35-49	1155	2.6	5	1	1	2	3	4	5	13
50-64	7053	2.6	6	1	1	2	3	4	5	13
65+	33235	2.8	8	1	2	2	3	4	6	15
TOT. SINGLE DX	44871	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	41876	2.7	9	1	2	2	3	4	6	14
TOTAL 0-19 YRS	659	2.5	3	1	1	2	3	4	5	10
20-34	397	2.7	17	1	1	2	3	4	5	18
35-49	2854	2.3	3	1	1	2	2	3	4	8
50-64	15681	2.3	4	1	1	2	2	3	4	9
65+	67156	2.4	5	1	1	2	2	3	4	11
GRAND TOTAL	**86747**	**2.4**	**5**	**1**	**1**	**2**	**2**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.4	4	<1	1	2	3	4	7	11
20-34	37	2.2	2	<1	1	2	3	3	4	10
35-49	200	2.0		1	1	2	2	3	3	6
50-64	1235	2.1	1	1	1	2	2	3	3	5
65+	4298	2.2		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	11	3.0	4	1	1	2	3	7	7	7
20-34	19	1.8		<1	<1	2	2	3	4	4
35-49	138	3.0	15	1	1	2	3	4	5	29
50-64	1019	2.7	7	1	1	2	3	4	6	12
65+	4375	2.9	10	1	2	2	3	4	6	16
TOT. SINGLE DX	5793	2.2	1	1	1	2	2	3	4	5
" MULTIPLE DX	5562	2.9	10	1	2	2	3	4	6	16
TOTAL 0-19 YRS	34	2.6	4	1	1	2	3	4	7	11
20-34	56	2.1	2	<1	<1	2	3	3	4	10
35-49	338	2.4	7	1	1	2	2	3	4	16
50-64	2254	2.4	4	1	1	2	2	3	4	10
65+	8673	2.5	6	1	1	2	3	4	5	11
GRAND TOTAL	**11355**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**4**	**11**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	246	4.8	15	1	2	4	6	9	10	18
20-34	487	4.5	9	1	2	4	5	8	9	17
35-49	507	4.2	5	1	2	4	5	7	8	11
50-64	1585	4.2	10	1	2	4	5	7	8	11
65+	1538	4.5	6	1	2	4	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	206	5.2	23	2	2	4	6	9	13	22
20-34	469	5.5	16	2	2	5	7	9	12	20
35-49	505	5.6	18	1	2	5	7	9	13	23
50-64	1760	5.2	11	2	2	4	6	9	11	19
65+	2250	5.5	16	2	2	5	7	9	12	20
TOT. SINGLE DX	4363	4.4	9	1	2	4	5	7	9	13
" MULTIPLE DX	5190	5.4	15	2	2	5	7	9	12	20
TOTAL 0-19 YRS	452	5.0	19	1	2	4	6	9	11	20
20-34	956	4.9	13	2	2	4	6	8	11	19
35-49	1012	4.9	12	1	2	4	6	8	10	21
50-64	3345	4.7	11	1	2	4	6	8	9	17
65+	3788	5.1	12	2	2	4	6	8	11	17
GRAND TOTAL	**9553**	**4.9**	**12**	**2**	**2**	**4**	**6**	**8**	**10**	**18**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	3.0	5	<1	1	2	4	6	7	13
20-34	135	3.8	13	<1	<1	3	4	8	10	17
35-49	119	3.4	6	<1	<1	3	4	7	8	14
50-64	220	3.3	6	<1	1	3	4	6	8	15
65+	509	3.0	5	<1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	129	5.7	146	1	1	3	5	8	21	96
20-34	308	4.9	24	2	2	4	6	8	12	24
35-49	264	5.6	28	1	2	4	6	11	14	24
50-64	688	4.8	22	1	2	4	6	9	12	29
65+	1227	4.8	28	1	2	3	5	9	13	28
TOT. SINGLE DX	1080	3.2	7	<1	1	2	4	6	8	13
" MULTIPLE DX	2616	4.9	32	1	2	3	5	9	13	28
TOTAL 0-19 YRS	226	4.5	88	1	1	3	4	7	12	95
20-34	443	4.6	21	<1	1	4	5	8	11	23
35-49	383	4.9	23	1	1	4	6	9	12	23
50-64	908	4.4	19	1	1	3	5	8	11	24
65+	1736	4.2	22	1	1	3	5	8	12	25
GRAND TOTAL	3696	4.4	25	1	1	3	5	8	12	26

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5801	1.5		<1	<1	1	2	2	2	3
20-34	953	1.8		<1	1	2	2	2	3	4
35-49	478	1.8		<1	1	2	2	2	3	4
50-64	237	1.9		<1	1	2	2	3	3	4
65+	163	1.9		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	1499	1.6	4	<1	<1	2	2	2	2	4
20-34	354	2.0		1	1	2	2	3	3	6
35-49	235	2.1	3	1	1	2	2	3	4	10
50-64	196	2.7	9	1	1	2	2	4	6	18
65+	201	2.4	5	1	1	2	2	3	5	17
TOT. SINGLE DX	7632	1.6		<1	<1	2	2	2	2	3
" MULTIPLE DX	2485	1.9	4	<1	<1	2	2	2	3	6
TOTAL 0-19 YRS	7300	1.6	1	<1	<1	2	2	2	2	3
20-34	1307	1.8	1	<1	1	2	2	2	3	4
35-49	713	1.9	1	<1	1	2	2	2	3	5
50-64	433	2.2	5	1	1	2	2	3	4	11
65+	364	2.2	4	1	1	2	2	3	4	9
GRAND TOTAL	10117	1.7	1	<1	<1	2	2	2	2	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	1.8	1	<1	<1	1	2	4	4	4
20-34	15	2.0		1	1	2	2	3	3	3
35-49	9	2.6	3	1	1	2	3	6	6	6
50-64	4	3.3	6	2	2	2	5	7	7	7
65+	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	12	1.7		<1	<1	2	2	3	3	3
20-34	10	2.1	1	1	1	2	3	4	4	4
35-49	9	3.0	6	1	1	2	3	7	9	9
50-64	7	4.0	7	<1	<1	3	6	8	8	8
65+	16	3.8	16	1	1	2	3	10	14	16
TOT. SINGLE DX	60	2.1	2	<1	1	2	2	4	5	7
" MULTIPLE DX	54	2.9	8	1	1	2	3	6	9	16
TOTAL 0-19 YRS	40	1.7	1	<1	<1	1	2	3	4	4
20-34	25	2.0	1	1	1	2	2	3	4	4
35-49	18	2.8	4	1	1	2	3	6	8	9
50-64	11	3.7	6	<1	1	2	6	8	8	8
65+	20	3.6	13	1	1	2	3	8	13	16
GRAND TOTAL	114	2.5	5	<1	1	2	3	4	7	13

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	448	3.0	7	<1	1	2	3	6	9	14
20-34	356	3.4	16	1	1	3	4	6	8	15
35-49	229	3.3	4	1	1	3	4	6	8	13
50-64	294	3.3	6	1	1	3	4	6	9	15
65+	430	3.3	6	1	2	3	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	303	4.9	25	1	1	3	6	10	16	27
20-34	423	5.2	46	1	1	3	5	10	19	34
35-49	356	4.9	24	1	1	3	5	10	14	31
50-64	426	4.9	22	1	1	3	5	10	14	28
65+	823	6.0	60	1	2	4	7	13	19	46
TOT. SINGLE DX	1757	3.2	8	1	1	2	4	6	8	14
" MULTIPLE DX	2331	5.3	41	1	2	3	6	11	16	33
TOTAL 0-19 YRS	751	3.8	16	<1	1	2	4	8	11	21
20-34	779	4.4	33	1	1	3	5	8	12	26
35-49	585	4.2	18	1	1	3	5	8	12	26
50-64	720	4.3	17	1	1	3	5	9	13	25
65+	1253	5.1	43	1	2	3	5	10	15	34
GRAND TOTAL	4088	4.4	28	1	1	3	5	9	13	27

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1245	2.0	2	<1	<1	2	2	3	5	8
20-34	435	2.0	3	<1	<1	2	2	4	6	10
35-49	245	2.0	3	<1	<1	2	3	5	6	9
50-64	272	2.4	6	<1	<1	2	3	6	7	11
65+	383	2.8	9	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
0-19 YRS	942	3.5	21	<1	1	2	4	6	9	25
20-34	480	4.9	82	<1	1	2	5	10	16	35
35-49	329	5.1	82	<1	1	2	6	11	17	32
50-64	419	6.3	84	<1	1	3	7	13	20	32
65+	868	8.2	99	1	2	5	10	19	28	59
TOT. SINGLE DX * MULTIPLE DX	2580	2.2	4	<1	<1	2	2	4	6	10
	3044	5.6	61	1	1	3	6	12	20	43
TOTAL 0-19 YRS	2187	2.7	11	<1	<1	2	3	5	7	12
20-34	915	3.6	53	<1	1	2	4	8	12	29
35-49	574	3.8	58	<1	1	2	5	9	15	30
50-64	687	4.8	70	<1	1	3	6	10	15	30
65+	1251	6.6	78	<1	1	3	8	16	24	51
GRAND TOTAL	5624	4.1	38	<1	<1	2	4	9	13	34

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	1.0	1	—	—	1	1	2	3	5
20-34	680	1.0	1	—	—	1	1	2	4	6
35-49	1202	1.0	1	—	—	1	1	2	4	5
50-64	1218	1.0	1	—	—	1	1	2	4	5
65+	454	1.0	1	—	—	1	1	2	4	6
2. MULTIPLE DX										
0-19 YRS	133	1.1	1	—	—	1	1	2	4	7
20-34	337	1.1	1	—	—	1	1	2	4	6
35-49	460	1.1	1	—	—	1	1	2	4	7
50-64	533	1.2	1	—	—	1	1	2	5	10
65+	253	1.3	5	—	—	1	1	2	5	9
TOT. SINGLE DX * MULTIPLE DX	3957	1.1	1	—	—	1	1	2	3	5
	1716	1.5	3	—	—	1	1	2	4	8
TOTAL 0-19 YRS	336	1.1	1	—	—	1	1	2	3	6
20-34	1017	1.0	1	—	—	1	1	2	4	6
35-49	1662	1.0	1	—	—	1	1	2	4	6
50-64	1751	1.0	1	—	—	1	1	2	4	6
65+	707	1.2	3	—	—	1	1	2	4	8
GRAND TOTAL	5673	2.3	2	1	1	2	3	3	4	6

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2329	1.8	3	<1	1	2	2	3	5	8
20-34	1506	1.9	3	1	1	2	2	3	5	9
35-49	1101	1.9	3	1	1	2	2	3	5	9
50-64	1017	1.9	3	1	1	2	2	3	5	9
65+	356	1.9	3	1	1	2	2	3	6	8
2. MULTIPLE DX										
0-19 YRS	1900	2.0	3	1	1	2	2	3	5	9
20-34	1333	2.0	3	1	1	2	2	3	6	9
35-49	1158	2.0	3	1	1	2	2	3	6	9
50-64	1162	2.0	3	1	1	2	2	3	6	10
65+	489	2.0	3	1	1	2	2	3	6	11
TOT. SINGLE DX * MULTIPLE DX	5311	1.9	3	1	1	2	2	3	5	8
	6042	2.3	4	1	1	2	2	3	6	9
TOTAL 0-19 YRS	4229	1.9	3	1	1	2	2	3	5	8
20-34	2839	1.9	3	1	1	2	2	3	5	9
35-49	2259	1.9	3	1	1	2	2	3	6	10
50-64	2179	1.9	3	1	1	2	2	3	6	10
65+	847	1.9	3	1	1	2	2	3	6	10
GRAND TOTAL	12353	2.1	3	1	1	2	2	3	5	8

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11662	1.1	1	<1	<1	<1	1	1	2	3
20-34	259	1.8	2	<1	<1	1	2	3	4	10
35-49	226	1.9	2	<1	<1	1	2	3	4	10
50-64	224	1.9	1	<1	<1	2	2	3	5	8
65+	115	2.1	8	<1	<1	1	2	4	5	52
2. MULTIPLE DX										
0-19 YRS	8805	1.9	7	<1	<1	1	2	3	5	13
20-34	320	3.6	30	<1	<1	2	3	8	14	36
35-49	266	4.2	50	<1	<1	2	4	9	13	28
50-64	305	5.2	45	<1	1	2	6	13	19	34
65+	280	7.3	90	<1	1	3	10	19	27	42
TOT. SINGLE DX	12486	1.2	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	9976	2.2	14	<1	<1	1	2	4	7	18
TOTAL 0-19 YRS	20467	1.4	4	<1	<1	<1	1	2	3	9
20-34	579	2.8	18	<1	<1	2	2	6	10	26
35-49	492	3.1	30	<1	<1	2	3	7	10	20
50-64	529	3.8	30	<1	<1	2	3	9	14	28
65+	395	5.8	73	<1	1	2	7	15	25	41
GRAND TOTAL	**22462**	**1.6**	**7**	**<1**	**<1**	**1**	**1**	**2**	**4**	**13**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	666	2.5	5	1	1	2	3	4	5	14
20-34	530	2.5	4	1	1	2	3	4	5	9
35-49	412	2.7	3	1	1	2	3	4	5	15
50-64	338	3.0	7	1	1	3	3	4	6	13
65+	156	3.4	9	1	2	3	3	6	8	16
2. MULTIPLE DX										
0-19 YRS	1111	2.8	8	1	1	2	3	4	7	15
20-34	897	2.9	6	1	1	2	3	4	6	14
35-49	700	3.3	18	1	1	3	3	5	8	22
50-64	756	3.7	23	1	2	3	3	5	11	21
65+	373	5.4	60	1	2	3	5	11	20	48
TOT. SINGLE DX	2102	2.7	6	1	1	2	3	4	5	13
" MULTIPLE DX	3837	3.3	19	1	1	2	3	5	8	22
TOTAL 0-19 YRS	1777	2.7	7	1	1	2	3	4	6	15
20-34	1427	2.7	6	1	1	2	3	4	5	12
35-49	1112	3.1	13	1	1	2	3	5	7	18
50-64	1094	3.5	19	1	1	3	3	5	8	21
65+	529	4.8	47	1	2	3	4	8	15	37
GRAND TOTAL	**5939**	**3.1**	**14**	**1**	**1**	**2**	**3**	**5**	**7**	**19**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	718	1.7	1	<1	<1	1	2	3	3	8
20-34	489	2.3	2	1	1	2	3	4	5	7
35-49	509	2.7	5	1	1	2	3	4	6	11
50-64	565	3.0	6	1	1	2	3	5	6	16
65+	214	3.0	5	1	1	2	3	6	8	13
2. MULTIPLE DX										
0-19 YRS	648	2.3	9	<1	<1	2	2	4	6	19
20-34	397	2.9	9	1	1	2	3	5	7	19
35-49	398	3.6	26	1	1	2	3	6	10	27
50-64	422	3.8	22	1	1	3	4	8	11	25
65+	234	5.2	68	1	1	3	6	10	15	38
TOT. SINGLE DX	2495	2.4	4	<1	1	2	3	4	6	11
" MULTIPLE DX	2099	3.3	23	<1	1	2	3	6	9	23
TOTAL 0-19 YRS	1366	2.0	6	<1	<1	1	2	3	4	13
20-34	886	2.6	6	1	1	2	3	4	6	12
35-49	907	3.1	15	1	1	2	3	5	7	19
50-64	987	3.3	13	1	1	2	3	6	9	21
65+	448	4.1	39	1	1	3	4	8	12	22
GRAND TOTAL	**4594**	**2.8**	**13**	**<1**	**1**	**2**	**3**	**5**	**7**	**18**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	827	2.3		1	1	2	3	4	4	5
20-34	1638	2.3	1	1	1	2	3	4	4	5
35-49	712	2.3	1	1	1	2	3	4	4	5
50-64	360	2.5	3	1	1	2	3	4	4	10
65+	100	2.7	3	1	1	2	3	4	5	12
2. MULTIPLE DX										
0-19 YRS	1632	2.4	1	1	1	2	3	4	4	6
20-34	3562	2.7	3	1	1	2	3	4	5	8
35-49	2093	2.8	6	1	1	2	3	4	5	13
50-64	1167	3.1	6	1	1	3	3	5	7	15
65+	371	4.2	25	1	2	3	4	7	11	21
TOT. SINGLE DX	3637	2.4	1	1	1	2	3	4	4	5
" MULTIPLE DX	8825	2.8	5	1	1	2	3	4	5	12
TOTAL 0-19 YRS	2459	2.4	2	1	1	2	3	4	4	6
20-34	5200	2.6	3	1	1	2	3	4	5	7
35-49	2805	2.7	5	1	1	2	3	4	5	12
50-64	1527	3.0	6	1	1	2	3	5	6	14
65+	471	3.9	22	1	1	3	4	6	11	21
GRAND TOTAL	12462	2.7	4	1	1	2	3	4	5	10

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2574	2.2	1	1	1	2	3	3	4	6
20-34	4768	2.1	1	1	1	2	3	3	4	6
35-49	2283	2.2	1	1	1	2	3	3	4	5
50-64	1026	2.3	1	1	1	2	3	4	4	7
65+	272	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	4078	2.5	3	1	1	2	3	4	5	7
20-34	8906	2.5	4	1	1	2	3	4	5	10
35-49	5127	2.7	8	1	1	2	3	4	5	12
50-64	2908	3.1	10	1	1	2	3	5	7	15
65+	1065	4.1	24	1	1	3	4	8	11	23
TOT. SINGLE DX	10923	2.2	2	1	1	2	3	3	4	6
" MULTIPLE DX	22084	2.7	7	1	1	2	3	4	5	12
TOTAL 0-19 YRS	6652	2.3	2	1	1	2	3	4	4	7
20-34	13674	2.4	4	1	1	2	3	4	4	8
35-49	7410	2.6	6	1	1	2	3	4	5	11
50-64	3934	2.9	8	1	1	2	3	4	6	14
65+	1337	3.8	21	1	1	3	4	7	10	21
GRAND TOTAL	33007	2.5	5	1	1	2	3	4	5	10

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	382	2.2	2	<1	<1	2	2	4	5	9
20-34	451	2.3	4	<1	<1	2	3	4	5	12
35-49	558	2.1	1	<1	<1	2	3	4	5	6
50-64	737	2.3	4	<1	<1	2	2	4	6	13
65+	818	2.7	6	<1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	512	3.0	22	<1	1	2	3	5	8	15
20-34	927	2.9	14	1	1	2	3	4	6	22
35-49	1127	3.0	14	1	1	2	3	5	8	16
50-64	1512	3.5	17	1	1	2	4	6	10	23
65+	1789	6.1	67	1	1	3	7	14	20	46
TOT. SINGLE DX	2946	2.3	4	<1	<1	2	3	4	5	11
" MULTIPLE DX	5867	4.1	34	1	1	2	4	8	13	31
TOTAL 0-19 YRS	894	2.7	14	<1	1	2	3	5	7	13
20-34	1378	2.7	11	<1	1	2	3	4	6	17
35-49	1685	2.7	11	<1	1	2	3	4	6	12
50-64	2249	3.1	14	<1	1	2	3	6	9	20
65+	2607	5.0	51	1	1	3	5	11	17	38
GRAND TOTAL	8813	3.5	25	<1	1	2	3	7	10	26

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2007	1.6	1	<1	<1	1	2	3	4	6
20-34	1455	2.2	2	<1	<1	2	3	4	5	8
35-49	587	3.2	7	<1	1	2	4	7	8	14
50-64	502	4.2	6	1	1	4	6	8	9	11
65+	389	4.2	7	1	1	4	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	1202	3.2	18	<1	1	2	4	6	8	19
20-34	1725	3.7	16	1	1	3	4	7	9	18
35-49	841	4.7	16	1	1	4	6	9	12	19
50-64	990	6.0	28	1	2	5	7	11	15	29
65+	1339	7.1	60	1	2	5	8	14	19	39
TOT. SINGLE DX	4940	2.4	4	<1	<1	2	3	5	7	10
" MULTIPLE DX	6097	4.8	31	1	1	3	6	9	13	27
TOTAL 0-19 YRS	3209	2.2	8	<1	<1	2	2	4	6	12
20-34	3180	3.0	11	<1	1	2	4	6	8	14
35-49	1428	4.1	13	1	1	3	5	8	10	17
50-64	1492	5.4	22	1	2	4	7	10	13	24
65+	1728	6.5	50	1	2	5	7	12	17	35
GRAND TOTAL	11037	3.8	20	<1	1	2	5	8	10	20

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	2.7	12	1	1	2	3	4	5	12
20-34	587	2.7	6	1	1	2	3	4	6	11
35-49	597	2.7	3	1	1	2	3	4	5	11
50-64	473	2.9	2	1	1	3	3	5	6	8
65+	243	3.5	11	1	1	3	4	5	9	18
2. MULTIPLE DX										
0-19 YRS	188	3.7	20	1	1	2	4	6	13	28
20-34	726	4.0	22	1	1	3	4	8	10	25
35-49	806	3.9	16	1	1	3	4	7	11	23
50-64	847	4.5	23	1	2	3	5	9	13	28
65+	496	5.7	42	1	2	4	6	13	18	27
TOT. SINGLE DX	2085	2.9	6	1	1	2	3	5	6	12
" MULTIPLE DX	3063	4.4	25	1	1	3	4	8	13	25
TOTAL 0-19 YRS	373	3.2	17	1	1	2	3	5	8	26
20-34	1313	3.4	16	1	1	3	4	6	8	23
35-49	1403	3.4	12	1	1	3	4	5	8	19
50-64	1320	3.9	17	1	1	3	4	7	10	23
65+	739	5.0	33	1	2	3	5	11	15	25
GRAND TOTAL	**5148**	**3.8**	**18**	**1**	**1**	**3**	**4**	**6**	**10**	**23**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	2.8	9	<1	<1	2	3	7	9	15
20-34	570	3.0	5	<1	1	2	4	6	8	12
35-49	451	3.2	11	<1	1	2	4	6	10	17
50-64	380	3.5	11	1	1	3	4	7	10	16
65+	242	4.1	23	1	1	3	4	7	11	25
2. MULTIPLE DX										
0-19 YRS	530	5.0	47	<1	1	2	6	11	17	33
20-34	843	4.5	28	1	1	3	5	9	14	29
35-49	887	4.7	40	1	1	3	5	10	15	27
50-64	918	5.4	35	1	1	3	7	11	16	30
65+	616	7.8	80	1	2	4	10	18	24	51
TOT. SINGLE DX	1980	3.3	12	<1	1	2	4	6	9	16
" MULTIPLE DX	3794	5.3	45	1	1	3	6	12	17	34
TOTAL 0-19 YRS	867	4.1	34	<1	<1	2	5	9	13	31
20-34	1413	3.9	20	1	1	3	4	8	11	24
35-49	1338	4.2	31	1	1	2	5	9	13	26
50-64	1298	4.8	29	1	1	3	6	11	15	28
65+	858	6.7	68	1	1	4	8	16	22	48
GRAND TOTAL	**5774**	**4.6**	**35**	**1**	**1**	**3**	**5**	**10**	**15**	**30**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4932	1.5		<1	<1	1	2	2	2	3
20-34	3871	1.6	1	<1	<1	1	2	2	2	4
35-49	854	1.9	3	<1	<1	2	2	3	3	7
50-64	535	2.0	1	<1	1	2	2	3	4	6
65+	300	2.3	1	1	1	2	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	2544	2.7	31	<1	<1	2	2	4	6	35
20-34	3345	3.9	47	<1	1	2	3	8	15	41
35-49	2407	4.6	47	1	1	2	4	11	17	36
50-64	2675	4.8	48	1	1	2	4	11	17	39
65+	2692	7.1	93	1	2	3	9	17	27	57
TOT. SINGLE DX	10492	1.6	1	<1	<1	2	2	2	2	4
" MULTIPLE DX	13663	4.6	56	1	1	2	4	11	18	42
TOTAL 0-19 YRS	7476	1.9	11	<1	<1	2	2	2	3	11
20-34	7216	2.7	24	<1	<1	2	2	4	8	28
35-49	3261	3.9	37	<1	1	2	3	8	14	32
50-64	3210	4.4	42	1	1	2	4	10	16	35
65+	2992	6.6	86	1	2	3	8	16	24	55
GRAND TOTAL	**24155**	**3.3**	**34**	**<1**	**1**	**2**	**2**	**6**	**12**	**32**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	731	1.2		<1	<1	1	1	2	2	4
20-34	76	2.1	3	<1	<1	2	2	5	6	10
35-49	33	2.5	3	<1	<1	2	3	4	7	10
50-64	17	2.3		1	2	2	3	3	4	4
65+	15	2.8	3	<1	1	3	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	735	1.9	17	<1	<1	1	2	2	4	26
20-34	188	5.4	121	<1	1	2	3	10	31	62
35-49	73	3.7	38	<1	<1	2	3	12	15	35
50-64	47	5.1	71	1	1	2	3	11	19	47
65+	26	7.7	247	<1	1	2	5	16	37	79
TOT. SINGLE DX	872	1.3	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	1069	2.9	47	<1	<1	1	2	4	9	48
TOTAL 0-19 YRS	1466	1.5	9	<1	<1	1	1	2	3	7
20-34	264	4.5	89	<1	1	2	3	8	16	57
35-49	106	3.3	28	<1	<1	2	3	6	13	32
50-64	64	4.4	54	1	1	2	3	9	15	45
65+	41	5.9	161	<1	1	2	4	13	20	79
GRAND TOTAL	**1941**	**2.2**	**27**	**<1**	**<1**	**1**	**2**	**3**	**5**	**35**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	2.1	2	<1	<1	2	3	4	5	9
20-34	298	2.5	10	<1	<1	2	3	4	5	13
35-49	489	2.3	1	<1	<1	2	3	4	4	8
50-64	425	2.6	3	<1	1	2	3	4	5	9
65+	156	3.2	4	1	1	3	4	5	8	12
2. MULTIPLE DX										
0-19 YRS	453	3.2	42	<1	<1	2	3	5	9	26
20-34	349	3.7	24	<1	1	2	4	7	12	25
35-49	473	3.3	17	<1	1	2	3	5	10	25
50-64	605	4.9	75	1	1	3	4	8	15	53
65+	356	5.8	49	1	2	3	6	14	19	40
TOT. SINGLE DX	1610	2.5	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	2236	4.2	45	<1	1	2	4	8	14	39
TOTAL 0-19 YRS	695	2.8	29	<1	<1	2	3	4	7	17
20-34	647	3.1	18	<1	1	2	3	6	9	23
35-49	962	2.8	10	<1	1	2	3	4	6	17
50-64	1030	4.0	47	<1	1	3	4	6	10	38
65+	512	5.0	37	1	2	3	5	11	16	34
GRAND TOTAL	3846	3.4	29	<1	1	2	3	6	10	28

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	410	2.7	3	1	1	2	3	5	6	11
20-34	981	3.1	4	1	1	3	4	5	6	9
35-49	1158	3.4	3	1	2	3	4	5	6	10
50-64	1316	3.6	5	1	2	3	4	6	7	11
65+	1027	4.2	7	2	2	4	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	164	4.5	30	1	1	3	5	8	11	26
20-34	426	4.4	19	1	2	3	5	7	12	25
35-49	665	4.8	25	1	2	3	5	9	13	20
50-64	1036	5.0	16	2	2	4	5	9	13	21
65+	1336	7.3	64	2	2	5	8	15	21	43
TOT. SINGLE DX	4892	3.5	5	1	1	3	4	6	7	12
" MULTIPLE DX	3627	5.7	39	2	2	4	6	11	16	32
TOTAL 0-19 YRS	574	3.2	12	1	1	3	4	5	8	15
20-34	1407	3.5	9	1	1	3	4	6	7	15
35-49	1823	3.9	12	1	2	3	4	6	9	16
50-64	2352	4.2	11	1	2	3	5	7	10	18
65+	2363	5.9	42	2	2	4	6	11	17	35
GRAND TOTAL	8519	4.4	21	1	2	3	5	8	11	23

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1057	3.6	3	1	1	3	5	6	7	10
20-34	40	3.6	2	1	1	3	5	6	7	7
35-49	30	3.6	8	1	1	2	5	7	9	14
50-64	17	4.4	9	1	2	3	5	9	12	13
65+	10	3.7	8	1	1	3	4	8	11	11
2. MULTIPLE DX										
0-19 YRS	973	4.3	11	2	2	4	5	7	8	13
20-34	45	4.6	11	1	2	4	6	9	11	19
35-49	36	4.9	10	1	1	4	6	11	12	12
50-64	26	4.1	13	1	1	3	4	7	15	16
65+	19	6.1	51	1	1	3	8	17	24	28
TOT. SINGLE DX	1154	3.6	4	1	1	3	5	6	7	10
" MULTIPLE DX	1099	4.3	12	2	2	4	5	7	8	15
TOTAL 0-19 YRS	2030	3.9	7	1	2	4	5	6	7	12
20-34	85	4.1	8	1	2	4	5	7	9	17
35-49	66	4.3	10	1	1	4	6	9	12	14
50-64	43	4.2	12	1	2	3	4	8	14	16
65+	29	5.3	37	1	1	3	6	13	19	28
GRAND TOTAL	2253	4.0	8	1	2	4	5	6	8	13

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2037	3.0	5	<1	<1	2	4	7	8	11
20-34	574	3.5	9	<1	<1	2	5	8	9	14
35-49	556	3.8	22	<1	<1	2	4	8	11	29
50-64	937	4.2	29	<1	1	2	5	9	13	27
65+	1001	4.4	28	<1	1	3	5	9	14	27
2. MULTIPLE DX										
0-19 YRS	1650	3.8	26	1	1	3	5	7	9	21
20-34	1063	5.0	41	<1	1	3	6	10	15	32
35-49	853	6.7	79	1	1	4	8	15	24	48
50-64	1616	8.5	110	1	2	5	11	20	29	60
65+	2179	9.1	121	1	2	5	11	20	31	62
TOT. SINGLE DX	5105	3.6	17	<1	<1	2	4	7	10	19
" MULTIPLE DX	7361	6.9	86	1	1	4	8	16	24	54
TOTAL 0-19 YRS	3687	3.3	15	<1	1	2	4	7	8	15
20-34	1637	4.5	31	<1	1	3	5	9	12	26
35-49	1409	5.6	59	<1	1	3	6	12	19	41
50-64	2553	6.9	85	1	1	3	8	16	24	49
65+	3180	7.6	97	1	1	4	9	17	26	56
GRAND TOTAL	12466	5.6	60	<1	1	3	6	12	18	42

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20741	1.7		1	1	2	2	2	3	4
20-34	12558	1.9		1	1	2	2	3	3	5
35-49	1354	2.1	1	1	1	2	2	3	4	7
50-64	187	2.3	1	1	1	2	3	4	5	6
65+	78	2.3	3	1	1	2	2	4	5	12
2. MULTIPLE DX										
0-19 YRS	5266	1.9	5	1	1	2	2	3	4	7
20-34	2753	2.5	4	1	1	2	3	4	5	11
35-49	534	2.9	7	1	1	2	3	5	8	13
50-64	163	4.5	33	1	1	3	5	8	14	34
65+	82	6.4	51	1	2	4	8	15	24	80
TOT. SINGLE DX	34918	1.8	1	1	1	2	2	3	3	4
" MULTIPLE DX	8798	2.3	6	1	1	2	2	3	5	11
TOTAL 0-19 YRS	26007	1.8	1	1	1	2	2	2	3	4
20-34	15311	2.0	2	1	1	2	2	3	4	6
35-49	1888	2.3	3	1	1	2	3	4	5	11
50-64	350	3.4	17	1	1	2	3	5	8	30
65+	160	4.4	32	1	1	2	5	10	15	39
GRAND TOTAL	**43716**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34437	1.6		<1	1	2	2	2	2	3
20-34	984	2.0		1	1	2	2	3	3	4
35-49	62	2.0		<1	1	2	2	3	4	4
50-64	17	1.9		1	1	2	2	3	3	3
65+	19	1.5		1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	25987	1.7	1	<1	1	2	2	2	3	5
20-34	433	2.3	4	1	1	2	3	4	5	8
35-49	47	2.7	2	1	1	2	3	4	6	10
50-64	11	1.9		<1	<1	2	2	3	3	3
65+	19	1.8	2	1	1	1	2	4	6	7
TOT. SINGLE DX	35519	1.6	1	<1	1	2	2	2	2	3
" MULTIPLE DX	26497	1.7	2	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	60424	1.7	1	<1	1	2	2	2	2	4
20-34	1417	2.1	2	1	1	2	2	3	4	6
35-49	109	2.3	2	1	1	2	3	4	4	8
50-64	28	1.9		1	1	2	2	3	3	3
65+	38	1.7	1	1	1	1	2	3	4	7
GRAND TOTAL	**62016**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2682	1.3		<1	<1	1	2	2	2	2
20-34	54	2.0	3	<1	1	2	2	3	4	14
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	5	1.4	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	7165	1.4	1	<1	<1	1	2	2	2	4
20-34	50	2.5	5	1	1	2	2	5	8	13
35-49	15	2.4	3	1	1	2	3	6	7	7
50-64	5	2.2		2	2	2	3	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	2747	1.3		<1	<1	1	2	2	2	3
" MULTIPLE DX	7237	1.4	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	9847	1.4	1	<1	<1	1	2	2	2	3
20-34	104	2.2	4	<1	1	2	2	4	6	13
35-49	17	2.3	3	1	1	2	3	5	7	7
50-64	9	1.9		<1	<1	2	2	3	3	3
65+	7	1.3	1	<1	<1	1	1	3	3	3
GRAND TOTAL	**9984**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1794	2.3	3	<1	1	2	3	4	6	9
20-34	1114	2.6	5	1	1	2	3	5	6	10
35-49	438	3.0	9	<1	1	2	3	6	8	16
50-64	413	4.3	34	<1	1	2	5	9	12	31
65+	321	4.5	35	1	1	3	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	550	3.7	25	1	1	3	4	7	10	14
20-34	429	4.1	35	1	1	3	5	7	9	26
35-49	328	5.6	62	1	1	3	6	13	19	38
50-64	628	7.6	89	1	1	4	10	18	24	53
65+	726	10.7	163	1	2	6	13	24	42	75
TOT. SINGLE DX	4080	2.9	11	<1	1	2	3	5	8	14
" MULTIPLE DX	2661	6.8	92	1	1	3	8	16	23	55
TOTAL 0-19 YRS	2344	2.7	9	<1	1	2	3	5	7	12
20-34	1543	3.1	14	1	1	2	3	5	7	18
35-49	766	4.1	34	<1	1	3	4	8	13	31
50-64	1041	6.3	70	1	1	3	8	15	22	40
65+	1047	8.8	133	1	2	5	11	20	32	64
GRAND TOTAL	**6741**	**4.4**	**47**	**1**	**1**	**2**	**4**	**9**	**15**	**36**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	237	2.3	34	<1	<1	1	2	4	5	8
20-34	114	2.9	3	<1	1	2	4	5	7	8
35-49	125	3.5	7	<1	1	3	4	6	8	15
50-64	171	3.2	5	1	1	3	4	6	8	13
65+	172	3.5	6	1	1	3	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	448	3.7	6	1	1	3	5	6	8	14
20-34	89	5.3	39	1	1	4	6	10	12	38
35-49	162	5.7	30	1	1	5	8	10	13	21
50-64	366	5.9	29	1	2	4	7	12	16	31
65+	710	6.5	48	1	2	5	8	13	19	42
TOT. SINGLE DX	819	3.0	14	<1	<1	2	4	6	7	13
" MULTIPLE DX	1775	5.6	33	1	2	4	7	11	15	34
TOTAL 0-19 YRS	685	3.2	17	<1	<1	3	4	6	7	12
20-34	203	4.0	20	<1	1	3	5	8	9	27
35-49	287	4.7	22	1	1	4	6	9	12	20
50-64	537	5.0	24	1	1	4	6	10	13	26
65+	882	5.9	41	1	1	4	7	12	17	40
GRAND TOTAL	2594	4.7	28	<1	1	3	6	9	13	29

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	519	1.7	1	<1	1	2	2	2	3	8
20-34	726	1.7	2	<1	<1	1	2	2	3	6
35-49	1341	1.8	2	<1	<1	1	2	2	3	8
50-64	1979	2.1	6	<1	1	2	2	3	4	12
65+	1302	2.2	8	<1	1	2	2	3	5	15
2. MULTIPLE DX										
0-19 YRS	195	2.9	15	<1	1	2	2	6	11	23
20-34	320	3.3	47	<1	1	2	2	5	10	39
35-49	790	3.5	26	<1	1	2	3	8	12	26
50-64	1814	4.5	46	<1	1	2	4	11	16	38
65+	1680	5.7	76	1	1	2	5	14	23	46
TOT. SINGLE DX	5867	2.0	8	<1	1	2	2	2	3	11
" MULTIPLE DX	4799	4.6	53	1	1	2	4	11	17	39
TOTAL 0-19 YRS	714	2.1	6	<1	1	2	2	3	4	14
20-34	1046	2.2	17	<1	<1	2	2	3	4	15
35-49	2131	2.4	12	<1	1	2	2	3	7	18
50-64	3793	3.2	27	<1	1	2	2	6	11	28
65+	2982	4.2	49	1	1	2	3	10	16	38
GRAND TOTAL	10666	3.2	28	<1	1	2	2	6	11	28

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	2.6	7	1	1	2	3	5	8	15
20-34	36	4.6	30	<1	<1	2	4	14	17	22
35-49	62	6.5	73	<1	1	2	11	18	20	49
50-64	170	9.0	50	1	1	8	14	20	22	27
65+	114	8.4	62	1	1	6	12	20	23	34
2. MULTIPLE DX										
0-19 YRS	60	6.1	84	<1	1	2	6	18	31	41
20-34	36	5.5	46	1	1	3	6	13	22	32
35-49	68	14.2	275	<1	1	10	20	38	46	98
50-64	246	15.4	177	2	2	12	22	32	41	74
65+	244	17.2	294	2	2	13	23	43	62	87
TOT. SINGLE DX	420	7.5	55	1	1	4	12	18	22	33
" MULTIPLE DX	654	14.5	228	1	2	10	21	33	46	83
TOTAL 0-19 YRS	98	4.7	57	<1	1	2	4	11	24	39
20-34	72	5.0	38	<1	1	2	5	13	21	30
35-49	130	10.5	192	<1	1	5	14	27	40	94
50-64	416	12.8	135	1	2	10	18	27	34	59
65+	358	14.4	237	1	2	10	20	32	47	83
GRAND TOTAL	1074	11.8	172	1	1	8	17	28	37	75

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	15.0	91	6	6	14	22	25	25	25
35-49	23	19.8	128	9	10	16	21	38	46	47
50-64	169	16.4	81	9	10	14	18	27	36	72
65+	151	18.1	84	9	11	16	20	29	34	62
2. MULTIPLE DX										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	5	15.6	11	13	13	15	17	21	21	21
35-49	81	23.8	235	10	10	19	27	49	61	95
50-64	448	23.0	193	10	11	19	29	42	55	99+
65+	378	24.7	237	10	12	20	30	49	72	99+
TOT. SINGLE DX	346	17.4	86	9	10	15	20	29	36	62
" MULTIPLE DX	914	23.7	215	10	11	20	29	44	59	99+
TOTAL 0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	8	15.4	32	6	8	14	18	24	25	25
35-49	104	22.9	213	10	10	18	27	46	58	91
50-64	617	21.2	172	10	11	17	25	38	51	99+
65+	529	22.8	202	10	11	19	27	43	58	99+
GRAND TOTAL	1260	22.0	188	10	11	18	26	41	55	99+

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	8.3	77	†	†	6	15	20	20	20
20-34	3	25.0	1332	†	†	7	62	67	67	67
35-49	8	10.1	95	†	†	6	16	26	27	27
50-64	21	13.6	153	†	†	6	18	40	66	99+
65+	11	14.9	269	†	†	12	16	38	59	61
2. MULTIPLE DX										
0-19 YRS	14	21.8	483	6	10	39	93	99+	99+	99+
20-34	25	19.8	192	†	4	19	32	68	99+	99+
35-49	59	25.2	467	†	4	18	44	73	99+	99+
50-64	130	29.4	589	†	5	27	50	99	99+	99+
65+	206	35.4	597	5	8	35	59	99	99+	99+
TOT. SINGLE DX	47	13.6	217	1	2	6	17	38	62	99+
* MULTIPLE DX	434	31.2	568	4	6	30	57	99+	99+	99+
TOTAL 0-19 YRS	18	26.6	485	2	4	31	70	99+	99+	99+
20-34	28	20.4	273	3	4	18	32	80	99+	99+
35-49	67	23.4	445	2	4	16	35	71	98	99+
50-64	151	27.2	558	3	5	23	44	98	99+	99+
65+	217	34.4	600	4	7	33	59	98	99+	99+
GRAND TOTAL	481	29.5	561	3	5	27	54	97	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	167	6.6	75	†	†	4	8	15	21	68
20-34	90	6.7	80	†	†	4	8	14	17	52
35-49	97	8.1	196	†	†	3	8	21	41	73
50-64	112	7.4	100	†	†	4	9	18	33	77
65+	142	6.8	174	†	†	3	9	20	40	73
2. MULTIPLE DX										
0-19 YRS	365	18.3	405	†	†	12	32	67	99+	99+
20-34	283	23.5	477	†	†	20	41	82	99+	99+
35-49	344	23.1	529	†	†	17	39	78	99+	99+
50-64	908	28.3	578	†	†	26	49	77	99+	99+
65+	1162	33.9	668	2	3	34	59	94	99+	99+
TOT. SINGLE DX	608	7.5	123	†	†	4	8	17	30	68
* MULTIPLE DX	3062	28.2	605	2	2	25	50	85	99+	99+
TOTAL 0-19 YRS	532	14.7	331	†	†	8	22	53	85	99+
20-34	373	19.4	433	†	†	10	30	71	99+	99+
35-49	441	19.8	494	†	†	12	34	68	97	99+
50-64	1020	26.0	569	†	†	22	46	75	99+	99+
65+	1304	31.2	675	2	2	31	55	90	99+	99+
GRAND TOTAL	3670	24.8	585	1	2	19	45	79	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	5.1	15	<1	†	4	7	11	14	17
20-34	411	6.4	54	†	†	4	8	13	18	32
35-49	691	6.1	30	†	†	4	8	13	16	23
50-64	1654	7.0	41	†	†	5	9	16	20	32
65+	1744	7.7	58	†	2	6	10	16	21	30
2. MULTIPLE DX										
0-19 YRS	118	9.1	100	†	†	7	11	17	32	68
20-34	763	10.6	116	†	†	7	14	23	31	68
35-49	1999	11.1	108	†	†	8	14	23	32	68
50-64	6931	11.6	104	†	†	8	15	27	30	62
65+	10878	13.3	126	2	3	10	17	27	35	62
TOT. SINGLE DX	4587	7.0	49	†	†	5	9	15	20	32
* MULTIPLE DX	20689	12.4	118	2	3	10	16	25	33	60
TOTAL 0-19 YRS	205	7.4	69	†	†	5	9	14	18	37
20-34	1174	9.1	99	†	†	6	12	20	27	65
35-49	2690	9.8	95	†	†	7	13	22	28	62
50-64	8585	10.7	96	2	3	8	14	24	28	62
65+	12622	12.5	121	2	3	10	16	25	34	60
GRAND TOTAL	25279	11.4	110	2	2	9	15	23	31	56

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	†	†	†	†	†
20-34	2	1.5	1	†	†	†	†	†	†	†
35-49	1	5.0	†	†	†	†	†	†	†	†
50-64	1	13.0	†	13	13	13	13	13	13	13
65+	†	†	†	†	†	†	†	†	†	†
2. MULTIPLE DX										
0-19 YRS	6	11.5	441	†	†	†	22	43	43	43
20-34	3	8.0	37	†	†	1	13	†	†	†
35-49	5	8.0	44	†	†	†	†	†	†	†
50-64	10	20.1	124	†	†	21	22	†	†	†
65+	7	24.4	773	9	9	15	56	86	99+	99+
TOT. SINGLE DX	6	4.0	22	<1	<1	2	5	12	13	13
* MULTIPLE DX	30	16.4	300	1	1	12	20	30	84	99+
TOTAL 0-19 YRS	8	8.2	291	<1	<1	†	11	30	43	43
20-34	5	5.4	23	†	†	†	†	†	†	†
35-49	6	7.9	38	†	†	†	†	†	†	†
50-64	11	19.9	119	†	†	16	22	†	†	†
65+	7	24.4	773	9	9	15	56	86	99+	99+
GRAND TOTAL	36	14.3	274	1	1	10	22	36	71	99+

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	9.5	44	2	3	8	12	19	26	68
20-34	315	9.7	36	3	4	8	12	17	21	35
35-49	505	9.5	43	2	3	8	11	17	21	38
50-64	1029	9.9	53	1	2	9	13	18	21	37
65+	956	10.6	63	1	2	9	14	21	26	42
2. MULTIPLE DX										
0-19 YRS	230	15.8	199	4	5	12	18	35	49	94
20-34	612	14.0	160	3	5	10	16	30	39	75
35-49	1188	13.9	118	2	4	11	18	26	35	63
50-64	3529	14.7	119	3	4	12	19	28	35	58
65+	4813	15.9	147	2	4	13	21	31	40	62
TOT. SINGLE DX	2904	10.0	53	1	2	9	13	19	23	38
" MULTIPLE DX	10372	15.2	137	2	4	12	19	29	38	62
TOTAL 0-19 YRS	329	13.9	161	3	4	11	16	29	41	94
20-34	927	12.5	122	3	4	9	15	23	35	70
35-49	1693	12.6	100	2	4	10	16	24	31	58
50-64	4558	13.6	108	2	4	11	17	26	33	56
65+	5769	15.0	137	2	3	12	20	29	38	61
GRAND TOTAL	**13276**	**14.0**	**123**	**2**	**4**	**11**	**18**	**27**	**35**	**59**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	9.3	22	4	5	8	10	19	20	22
20-34	30	12.0	152	6	6	9	12	16	18	75
35-49	180	12.4	33	7	8	11	14	18	23	40
50-64	588	14.3	54	7	8	12	17	22	27	43
65+	509	14.8	39	8	8	13	18	23	28	36
2. MULTIPLE DX										
0-19 YRS	48	19.5	397	6	7	11	22	60	78	99+
20-34	102	16.0	121	7	8	12	19	36	53	99+
35-49	385	18.1	155	7	8	15	20	35	46	99
50-64	2014	17.5	99	8	8	15	21	29	37	56
65+	2051	19.5	121	8	9	17	24	32	42	71
TOT. SINGLE DX	1336	14.1	49	7	8	12	17	22	27	37
" MULTIPLE DX	4600	18.4	118	8	9	16	22	31	40	71
TOTAL 0-19 YRS	77	15.6	278	5	6	10	18	31	72	97
20-34	132	15.1	130	7	7	11	17	32	53	99+
35-49	565	16.3	123	7	8	13	19	29	40	76
50-64	2602	16.8	91	7	8	14	20	28	35	52
65+	2560	18.6	109	8	9	16	23	31	38	66
GRAND TOTAL	**5936**	**17.4**	**106**	**8**	**8**	**15**	**21**	**29**	**37**	**63**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	848	3.6	25	<1	1	2	4	8	13	25
20-34	466	5.2	28	1	1	3	7	12	15	24
35-49	746	6.0	48	1	1	4	8	13	18	34
50-64	1394	6.5	42	1	1	4	9	14	20	31
65+	1318	7.6	56	1	1	5	10	17	22	37
2. MULTIPLE DX										
0-19 YRS	1000	8.9	107	1	1	6	12	20	28	68
20-34	1007	11.2	154	1	2	8	14	23	35	81
35-49	2232	10.4	105	1	2	8	13	22	30	60
50-64	5781	11.0	102	2	2	8	14	23	30	53
65+	8309	13.8	144	2	3	11	18	29	39	67
TOT. SINGLE DX	4772	6.1	45	1	1	4	8	14	19	32
" MULTIPLE DX	18829	12.1	128	2	2	9	16	25	35	64
TOTAL 0-19 YRS	1848	6.5	77	1	1	3	8	15	21	54
20-34	1473	9.3	122	1	2	6	12	20	28	67
35-49	2378	9.3	95	1	2	7	12	20	27	54
50-64	7175	10.1	94	1	2	8	13	21	28	51
65+	10127	13.0	138	2	2	10	17	28	37	65
GRAND TOTAL	**23601**	**10.9**	**117**	**1**	**2**	**8**	**14**	**23**	**32**	**60**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	4.9	10	1	1	5	6	10	11	15
20-34	204	5.2	7	2	2	5	7	8	11	14
35-49	82	6.8	22	2	3	5	8	14	18	22
50-64	71	9.3	97	1	2	6	12	20	31	56
65+	58	10.9	93	1	2	8	16	22	31	48
2. MULTIPLE DX										
0-19 YRS	109	10.1	114	2	3	7	12	26	37	99+
20-34	184	10.1	62	3	4	8	12	20	24	54
35-49	148	13.1	139	2	3	10	17	28	41	64
50-64	263	14.3	147	3	4	11	19	28	43	91
65+	368	14.7	190	2	3	11	20	31	43	88
TOT. SINGLE DX	494	6.7	38	1	2	5	8	13	17	33
" MULTIPLE DX	1072	13.1	146	2	3	10	17	27	41	87
TOTAL 0-19 YRS	188	7.9	77	1	2	5	9	16	31	85
20-34	388	7.5	40	2	3	6	9	14	19	40
35-49	230	10.9	107	2	3	8	14	21	37	60
50-64	334	13.2	140	2	3	10	17	26	37	65
65+	426	14.2	179	2	3	10	18	30	42	78
GRAND TOTAL	**1566**	**11.1**	**121**	**2**	**3**	**8**	**14**	**24**	**34**	**64**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	585	6.3	27	2	2	5	8	11	15	29
20-34	2006	5.8	13	2	3	5	7	10	13	20
35-49	731	6.9	27	2	3	5	8	12	17	28
50-64	491	8.9	43	3	3	7	11	18	22	35
65+	380	11.0	80	3	3	9	14	21	26	43
2. MULTIPLE DX										
0-19 YRS	1044	14.2	256	3	3	9	16	33	55	93
20-34	1912	9.7	80	3	3	7	11	18	24	53
35-49	1533	11.5	101	3	4	9	14	23	31	59
50-64	2721	14.2	148	3	4	10	18	29	38	67
65+	3740	15.8	159	4	5	12	20	32	43	77
TOT. SINGLE DX	4193	6.9	30	2	3	5	8	13	17	28
" MULTIPLE DX	10950	13.6	149	3	4	10	17	28	39	72
TOTAL 0-19 YRS	1629	11.4	188	2	3	7	12	24	44	85
20-34	3918	7.7	50	2	3	6	9	14	19	41
35-49	2264	10.0	82	3	3	7	12	20	27	52
50-64	3212	13.4	136	3	4	10	17	28	38	62
65+	4120	15.4	154	4	5	12	20	31	42	74
GRAND TOTAL	**15143**	**11.7**	**125**	**3**	**3**	**8**	**14**	**25**	**34**	**64**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	673	6.1	13	1	2	6	7	9	12	23
20-34	551	6.6	32	1	1	5	9	14	16	28
35-49	466	6.8	35	1	1	5	9	15	19	28
50-64	550	7.5	39	1	2	5	11	16	20	30
65+	479	9.4	78	1	2	7	13	20	25	43
2. MULTIPLE DX										
0-19 YRS	302	11.2	127	1	3	8	13	23	34	69
20-34	697	12.2	125	2	2	10	16	24	32	77
35-49	956	12.0	120	2	2	9	15	24	31	55
50-64	2267	13.4	150	2	3	10	18	27	36	65
65+	3207	14.9	163	2	3	12	19	31	41	72
TOT. SINGLE DX	2719	7.2	39	1	1	6	9	15	19	30
" MULTIPLE DX	7429	13.6	150	2	3	10	18	28	37	67
TOTAL 0-19 YRS	975	7.7	54	1	2	6	8	14	19	41
20-34	1248	9.7	92	1	2	7	13	20	26	59
35-49	1422	10.3	99	1	2	8	14	21	28	51
50-64	2817	12.3	134	2	2	9	16	25	33	61
65+	3686	14.1	156	2	3	11	19	30	39	66
GRAND TOTAL	**10148**	**11.9**	**129**	**1**	**2**	**9**	**16**	**25**	**33**	**60**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	838	9.1	14	5	6	8	10	13	17	24
20-34	169	11.5	41	6	7	10	12	17	20	47
35-49	240	12.6	38	8	8	11	14	17	21	35
50-64	403	13.1	26	7	8	12	15	18	23	28
65+	244	15.3	36	9	10	13	18	25	29	36
2. MULTIPLE DX										
0-19 YRS	1445	13.3	100	6	7	10	14	23	35	74
20-34	402	17.3	157	7	8	12	19	37	47	61
35-49	765	16.7	130	8	9	13	18	27	40	78
50-64	2051	18.6	129	9	10	15	21	32	43	65
65+	2133	21.8	175	9	11	18	26	39	51	88
TOT. SINGLE DX	1894	11.4	30	6	7	10	13	17	22	30
" MULTIPLE DX	6796	18.2	149	7	8	14	21	34	45	75
TOTAL 0-19 YRS	2283	11.7	73	6	6	9	13	19	27	59
20-34	571	15.6	130	7	8	11	17	33	44	59
35-49	1005	15.7	111	8	9	13	17	25	35	65
50-64	2454	17.7	117	8	9	14	20	30	40	63
65+	2377	21.2	165	9	11	17	25	38	49	85
GRAND TOTAL	**8690**	**16.7**	**131**	**7**	**8**	**13**	**19**	**30**	**40**	**68**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.9	23	3	4	10	15	17	17	17
20-34	27	11.5	12	8	8	11	13	16	18	22
35-49	941	10.9	15	7	8	10	12	15	17	24
50-64	3072	11.8	18	8	8	11	13	17	19	28
65+	1318	13.3	27	8	9	12	15	19	23	34
2. MULTIPLE DX										
0-19 YRS	19	13.5	30	5	8	13	17	19	25	29
20-34	167	14.3	128	7	8	12	14	22	32	82
35-49	4243	12.8	39	7	8	11	14	19	24	40
50-64	16953	14.2	54	8	9	12	16	22	28	45
65+	10756	17.3	105	8	9	14	20	29	37	64
TOT. SINGLE DX	5365	12.0	21	8	8	11	13	17	20	30
" MULTIPLE DX	32138	15.0	72	8	9	13	17	24	31	52
TOTAL 0-19 YRS	26	12.8	29	3	7	12	16	19	21	29
20-34	194	13.9	113	7	8	12	14	20	31	82
35-49	5184	12.4	35	7	8	11	14	18	23	38
50-64	20025	13.8	49	8	8	12	15	21	27	43
65+	12074	16.8	99	8	9	14	19	28	36	60
GRAND TOTAL	**37503**	**14.6**	**66**	**8**	**9**	**12**	**16**	**23**	**29**	**50**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1908	2.0	5	<1	1	2	2	2	3	11
20-34	847	3.2	9	1	1	2	3	7	10	16
35-49	5322	3.2	8	1	1	2	3	7	10	15
50-64	10232	3.1	9	1	1	2	3	6	9	16
65+	3794	3.3	11	1	1	2	3	7	10	18
2. MULTIPLE DX										
0-19 YRS	3534	3.0	20	1	1	2	2	6	10	25
20-34	1792	5.2	38	1	2	3	7	11	15	29
35-49	15188	4.7	24	1	2	2	6	11	14	24
50-64	39505	4.9	27	1	2	2	6	11	15	24
65+	20900	6.3	46	1	2	3	9	14	19	32
TOT. SINGLE DX	22103	3.1	9	1	1	2	3	6	9	16
" MULTIPLE DX	80919	5.2	32	1	2	3	7	12	16	27
TOTAL 0-19 YRS	5442	2.6	15	1	1	2	2	4	8	20
20-34	2639	4.6	30	1	2	2	5	10	14	26
35-49	20510	4.3	21	1	2	2	5	10	13	21
50-64	49737	4.6	24	1	2	2	6	11	14	23
65+	24694	5.9	43	1	2	3	8	14	18	31
GRAND TOTAL	**103022**	**4.7**	**28**	**1**	**2**	**2**	**6**	**11**	**15**	**25**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	5.6	24	1	2	4	7	11	14	30
20-34	88	5.7	16	1	2	4	8	12	14	19
35-49	176	5.7	24	1	2	4	7	11	14	27
50-64	695	6.6	25	1	2	5	9	13	16	26
65+	2992	6.3	24	2	2	5	8	12	15	25
2. MULTIPLE DX										
0-19 YRS	138	7.2	30	2	2	6	9	14	19	30
20-34	192	8.0	55	1	2	6	10	16	20	54
35-49	761	11.3	64	2	3	10	15	21	25	41
50-64	4455	12.1	81	3	4	10	16	22	28	48
65+	23141	12.6	97	3	4	10	16	24	31	54
TOT. SINGLE DX	4019	6.3	25	1	2	5	8	12	15	25
" MULTIPLE DX	28687	12.4	94	3	4	10	16	23	30	52
TOTAL 0-19 YRS	206	6.7	29	2	2	5	8	12	18	31
20-34	280	7.3	44	1	2	5	10	14	17	40
35-49	937	10.3	61	2	3	9	14	20	24	37
50-64	5150	11.4	78	2	3	10	15	21	27	46
65+	26133	11.9	93	2	3	9	15	23	30	52
GRAND TOTAL	**32706**	**11.7**	**89**	**2**	**3**	**9**	**15**	**22**	**29**	**50**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	7.8	20	2	2	7	9	14	17	23
20-34	112	8.1	49	2	2	6	10	18	22	69
35-49	402	5.3	18	2	2	4	6	11	14	22
50-64	854	4.9	23	2	2	3	5	10	13	20
65+	314	6.3	33	2	2	4	8	14	18	26
2. MULTIPLE DX										
0-19 YRS	206	11.2	123	1	2	8	13	23	36	77
20-34	286	13.8	190	2	3	10	16	30	46	65
35-49	1290	8.2	63	2	2	5	10	17	23	41
50-64	3052	8.9	73	2	2	6	11	18	24	46
65+	1671	11.4	120	2	3	8	14	25	34	56
TOT. SINGLE DX	1785	5.6	27	2	2	4	7	11	15	23
" MULTIPLE DX	6505	9.7	93	2	2	7	12	20	28	51
TOTAL 0-19 YRS	309	10.1	91	1	2	8	12	18	26	63
20-34	398	12.2	158	2	2	9	14	26	41	65
35-49	1692	7.5	55	2	2	5	10	16	22	38
50-64	3906	8.0	66	2	2	5	10	17	22	42
65+	1985	10.6	110	2	3	7	14	23	31	54
GRAND TOTAL	**8290**	**8.8**	**81**	**2**	**2**	**6**	**11**	**18**	**25**	**48**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1157	3.4	26	<1	1	2	4	7	10	23
20-34	493	3.6	22	<1	1	2	4	9	12	21
35-49	670	3.8	18	<1	1	2	4	10	13	18
50-64	954	3.9	24	<1	1	2	4	9	14	25
65+	933	5.1	36	1	1	2	6	11	17	29
2. MULTIPLE DX										
0-19 YRS	2082	6.6	83	1	2	4	7	14	20	61
20-34	869	9.4	88	1	1	7	13	20	29	58
35-49	1671	9.0	90	1	1	6	12	19	25	48
50-64	4113	10.2	102	1	2	7	14	22	29	55
65+	9172	13.3	131	2	3	10	18	27	35	60
TOT. SINGLE DX	4207	4.0	27	<1	1	2	4	9	13	25
" MULTIPLE DX	17907	11.2	119	1	2	8	15	24	32	58
TOTAL 0-19 YRS	3239	5.4	66	1	1	3	6	11	17	54
20-34	1362	7.3	72	1	1	4	10	17	23	44
35-49	2341	7.5	75	1	1	4	10	17	22	44
50-64	5067	9.0	94	1	1	6	12	20	27	52
65+	10105	12.5	128	1	2	10	17	26	34	58
GRAND TOTAL	**22114**	**9.8**	**109**	**1**	**1**	**7**	**13**	**22**	**30**	**55**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	3.4	3	1	2	3	4	6	7	11
20-34	2224	3.6	3	1	2	3	4	6	7	9
35-49	3297	4.0	6	1	2	4	5	6	8	13
50-64	2414	4.5	12	2	2	4	5	7	9	19
65+	692	5.9	26	2	2	4	7	11	16	25
2. MULTIPLE DX										
0-19 YRS	23	3.6	5	<1	1	3	5	7	9	9
20-34	600	5.2	21	2	2	4	6	9	12	23
35-49	1468	5.9	25	2	2	5	7	11	15	27
50-64	1755	7.0	41	2	3	5	8	14	18	31
65+	932	10.3	102	2	3	7	13	22	29	58
TOT. SINGLE DX	8723	4.2	9	1	2	4	5	7	8	16
" MULTIPLE DX	4778	7.1	49	2	3	5	8	14	20	36
TOTAL 0-19 YRS	119	3.4	4	1	2	3	4	6	7	10
20-34	2824	4.0	8	1	2	4	5	6	7	15
35-49	4765	4.6	13	2	2	4	5	7	10	20
50-64	4169	5.6	26	2	2	4	6	10	14	26
65+	1624	8.4	74	2	3	5	9	18	23	45
GRAND TOTAL	**13501**	**5.2**	**25**	**2**	**2**	**4**	**6**	**9**	**13**	**26**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	9.5	72	3	3	8	10	14	18	54
20-34	120	7.8	67	1	2	5	10	19	23	45
35-49	380	9.4	35	2	2	9	12	15	18	33
50-64	1468	10.5	39	2	4	10	13	17	20	35
65+	1386	12.3	59	4	6	11	15	20	25	44
2. MULTIPLE DX										
0-19 YRS	346	13.1	122	4	5	9	15	28	41	99+
20-34	597	14.1	216	2	3	9	17	32	45	76
35-49	1791	13.8	121	2	4	11	17	26	35	58
50-64	7217	15.7	142	4	6	12	19	29	39	76
65+	10053	18.9	187	6	8	15	23	37	49	85
TOT. SINGLE DX	3460	11.0	51	2	4	10	13	18	22	40
" MULTIPLE DX	20004	17.1	169	4	6	13	20	33	45	79
TOTAL 0-19 YRS	452	12.3	113	3	4	9	14	26	39	98
20-34	717	13.1	197	2	2	9	16	29	44	69
35-49	2171	13.0	109	2	3	11	16	25	33	56
50-64	8685	14.9	129	4	6	12	17	27	37	71
65+	11439	18.1	176	5	7	14	22	35	47	81
GRAND TOTAL	**23464**	**16.2**	**156**	**4**	**6**	**13**	**19**	**31**	**42**	**76**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	8.8		8	8	9	9	9	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	9.3	4	7	7	10	11	11	11	11
50-64	5	13.4	60	8	8	11	16	27	27	27
65+	2	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	8	12.0	39	<1	1	13	15	19	21	21
20-34	2	8.5	113	<1	<1	8	16	16	16	16
35-49	12	13.1	42	8	8	11	15	22	30	31
50-64	39	16.1	79	8	8	14	18	27	32	52
65+	23	20.1	152	7	9	18	24	34	51	56
TOT. SINGLE DX	15	11.1	26	6	7	9	12	15	24	27
" MULTIPLE DX	84	16.2	96	7	8	14	19	27	32	55
TOTAL 0-19 YRS	12	10.9	28	<1	3	11	14	17	20	21
20-34	3	7.7	58	<1	<1	6	13	16	16	16
35-49	15	12.3	36	7	8	11	14	18	28	31
50-64	44	15.8	77	8	8	14	18	27	31	52
65+	25	19.7	141	7	10	17	24	30	51	56
GRAND TOTAL	**99**	**15.4**	**88**	**6**	**8**	**13**	**18**	**27**	**31**	**54**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.6	8	<1	<1	<1	4	7	10	15
20-34	73	3.8	21	<1	<1	2	4	9	13	24
35-49	77	4.7	37	<1	<1	3	5	10	21	30
50-64	107	6.8	71	<1	<1	4	9	13	23	49
65+	86	6.8	31	1	2	5	10	15	18	25
2. MULTIPLE DX										
0-19 YRS	259	6.3	42	1	1	4	8	13	16	37
20-34	1691	5.9	49	<1	<1	4	7	13	18	35
35-49	1975	7.1	59	1	1	5	9	15	19	43
50-64	3633	7.9	76	1	2	5	10	16	24	48
65+	3637	9.3	91	2	2	7	11	19	28	55
TOT. SINGLE DX	402	5.2	40	<1	<1	3	7	12	17	31
" MULTIPLE DX	11195	7.9	75	1	2	5	10	16	23	47
TOTAL 0-19 YRS	318	5.6	38	<1	<1	4	7	12	15	36
20-34	1764	5.9	49	<1	<1	4	7	13	18	35
35-49	2052	7.0	59	1	1	5	9	15	19	42
50-64	3740	7.9	77	1	2	5	9	16	24	49
65+	3723	9.3	90	2	2	6	11	19	28	54
GRAND TOTAL	**11597**	**7.8**	**74**	**1**	**1**	**5**	**9**	**16**	**23**	**47**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1173	6.4	30	1	2	5	8	11	15	28
20-34	900	6.5	59	1	1	4	8	15	22	43
35-49	1183	7.9	62	1	2	6	10	17	22	39
50-64	3745	8.3	43	2	3	7	10	15	18	34
65+	5196	8.8	37	2	3	7	11	16	19	32
2. MULTIPLE DX										
0-19 YRS	8296	18.8	390	2	3	11	27	54	75	99+
20-34	2606	10.9	158	1	1	6	14	27	38	76
35-49	4361	11.7	144	1	2	8	15	26	38	80
50-64	17016	12.7	141	2	3	10	16	25	36	71
65+	29752	14.5	156	3	4	11	18	29	40	76
TOT. SINGLE DX	12197	8.2	43	1	2	7	10	15	19	34
" MULTIPLE DX	62031	14.3	187	2	3	10	18	31	44	88
TOTAL 0-19 YRS	9469	17.3	362	2	3	10	23	50	72	99+
20-34	3506	9.7	137	1	1	5	12	24	35	72
35-49	5544	10.9	129	1	2	8	14	24	35	73
50-64	20761	11.9	127	2	3	9	14	23	33	67
65+	34948	13.7	143	3	4	10	17	27	37	72
GRAND TOTAL	**74228**	**13.3**	**169**	**2**	**3**	**10**	**16**	**28**	**41**	**83**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1668	3.2	12	<1	<1	2	4	7	10	16
20-34	1675	3.7	15	<1	1	2	4	8	10	18
35-49	1165	4.4	27	<1	1	3	5	9	14	25
50-64	1339	5.4	32	1	1	4	7	12	15	27
65+	1123	6.9	43	1	1	5	9	15	18	34
2. MULTIPLE DX										
0-19 YRS	851	6.0	50	1	1	4	8	12	17	33
20-34	1374	8.3	92	1	2	6	10	17	25	53
35-49	1619	8.5	75	1	2	6	11	19	25	44
50-64	3239	9.9	88	1	2	7	13	21	27	47
65+	4083	11.7	117	2	2	9	15	24	33	56
TOT. SINGLE DX	6970	4.6	26	<1	1	3	6	10	14	24
" MULTIPLE DX	11166	9.9	98	1	2	7	13	21	28	51
TOTAL 0-19 YRS	2519	4.2	27	<1	1	2	5	9	12	23
20-34	3049	5.8	56	<1	1	3	7	12	17	41
35-49	2784	6.8	59	1	1	4	9	15	21	37
50-64	4578	8.6	76	1	2	6	11	19	24	42
65+	5206	10.7	106	1	2	8	14	23	30	52
GRAND TOTAL	**18136**	**7.8**	**77**	**1**	**1**	**5**	**10**	**17**	**24**	**44**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	5.0	35	<1	1	3	6	10	16	32
20-34	130	5.4	15	1	1	4	8	10	12	19
35-49	174	7.3	64	1	2	6	9	12	16	51
50-64	247	9.1	62	2	3	7	10	16	23	40
65+	238	9.1	53	2	3	8	10	18	24	43
2. MULTIPLE DX										
0-19 YRS	45	8.9	73	<1	1	7	11	18	20	51
20-34	237	8.7	39	2	3	8	10	14	18	45
35-49	332	10.6	109	2	3	8	12	22	29	56
50-64	824	12.4	139	3	4	9	15	25	35	75
65+	985	12.8	126	3	4	9	15	26	35	66
TOT. SINGLE DX	843	7.9	54	1	2	6	9	14	22	42
" MULTIPLE DX	2423	11.9	121	2	4	9	14	24	32	66
TOTAL 0-19 YRS	99	6.8	56	<1	1	4	10	15	19	42
20-34	367	7.6	34	1	2	7	9	13	17	26
35-49	506	9.5	97	2	2	7	10	18	26	55
50-64	1071	11.7	124	3	4	8	13	23	31	72
65+	1223	12.1	115	3	4	9	14	24	32	63
GRAND TOTAL	**3266**	**10.9**	**107**	**2**	**3**	**8**	**13**	**22**	**30**	**62**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	10.2	65	<1	<1	9	17	21	22	22
20-34	4	11.3	131	1	1	8	19	27	27	27
35-49	6	10.7	71	4	4	8	14	25	26	26
50-64	4	9.8	1	8	8	10	11	11	11	11
65+	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	5	24.6	645	2	2	9	49	57	57	57
20-34	6	26.5	312	10	11	18	40	54	56	56
35-49	2	28.5	13	26	26	28	31	31	31	31
50-64	4	8.5	40	2	2	7	13	17	17	17
65+	9	13.0	168	2	2	9	19	34	42	42
TOT. SINGLE DX	22	10.1	55	1	2	9	12	23	26	27
" MULTIPLE DX	26	18.8	283	2	2	14	26	46	56	57
TOTAL 0-19 YRS	11	16.7	347	<1	1	9	21	51	56	57
20-34	10	20.4	279	1	3	17	27	48	56	56
35-49	8	15.1	121	4	4	12	26	30	31	31
50-64	8	9.1	18	2	3	9	11	15	17	17
65+	11	11.8	146	2	2	9	17	30	41	42
GRAND TOTAL	**48**	**14.8**	**194**	**2**	**2**	**10**	**19**	**37**	**48**	**57**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	21.2	358	3	3	20	37	41	42	42
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	50.0	128	42	42	50	58	58	58	58
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	28	45.1	271	29	32	44	57	98	99+	99+
20-34	9	36.0	124	24	24	33	44	54	56	56
35-49	2	42.0	242	31	31	42	53	53	53	53
50-64										
65+	1	13.0		13	13	13	13	13	13	13
TOT. SINGLE DX	10	23.6	453	3	3	21	42	50	58	58
" MULTIPLE DX	40	42.1	257	20	28	42	54	75	99+	99+
TOTAL 0-19 YRS	34	40.9	362	3	10	42	55	92	99+	99+
20-34	10	32.6	213	4	14	31	42	53	56	56
35-49	4	46.0	145	31	31	47	55	58	58	58
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	50	38.4	343	4	5	42	52	65	99	99+

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1313	6.1	27	1	1	5	7	11	15	26
20-34	1045	8.0	48	2	2	7	9	15	21	36
35-49	780	8.7	67	1	2	7	10	17	24	43
50-64	1031	8.8	76	2	2	6	10	16	25	49
65+	1439	9.3	66	2	2	7	11	19	25	41
2. MULTIPLE DX										
0-19 YRS	1846	10.3	115	1	2	7	11	22	33	58
20-34	2635	12.7	139	3	4	9	15	28	39	69
35-49	3019	12.8	139	2	3	9	15	27	37	70
50-64	6566	13.2	131	3	4	10	16	27	37	61
65+	17131	14.1	135	3	4	11	17	28	38	67
TOT. SINGLE DX	5608	8.1	58	1	2	6	10	16	22	40
" MULTIPLE DX	31197	13.4	135	3	4	10	16	27	37	65
TOTAL 0-19 YRS	3159	8.5	84	1	2	6	10	17	26	51
20-34	3680	11.4	118	2	3	8	13	24	34	65
35-49	3799	12.0	127	2	3	9	14	25	36	63
50-64	7597	12.6	126	2	3	9	15	26	36	60
65+	18570	13.8	132	3	4	11	17	27	37	65
GRAND TOTAL	36805	12.6	127	2	3	9	15	26	35	63

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.25; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	273	11.0	139	1	2	7	14	27	37	65
20-34	201	11.0	171	1	1	5	13	30	37	61
35-49	178	10.7	156	1	2	6	14	27	35	68
50-64	216	9.4	128	1	1	5	12	24	34	56
65+	150	10.4	143	1	2	6	14	22	29	69
2. MULTIPLE DX										
0-19 YRS	819	18.8	394	2	3	11	28	56	75	99+
20-34	861	16.4	258	2	3	11	23	38	47	86
35-49	1161	14.6	225	2	2	9	19	35	44	76
50-64	2154	14.5	207	2	2	9	20	34	45	74
65+	2411	17.7	233	2	4	13	24	39	53	85
TOT. SINGLE DX	1018	10.5	147	1	2	6	14	26	35	65
" MULTIPLE DX	7406	16.2	248	2	3	11	23	38	51	90
TOTAL 0-19 YRS	1092	16.9	342	2	2	10	24	46	68	99+
20-34	1062	15.4	246	1	2	9	21	37	47	82
35-49	1339	14.0	218	1	2	9	19	34	44	75
50-64	2370	14.1	203	1	2	9	19	33	45	74
65+	2561	17.3	231	2	3	13	24	39	52	84
GRAND TOTAL	8424	15.6	239	2	2	10	22	37	49	87

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	300	3.8	25	<1	<1	2	4	8	13	29
20-34	296	4.4	14	<1	1	3	6	10	11	17
35-49	186	5.6	58	<1	1	4	7	11	15	38
50-64	676	5.8	64	<1	1	3	7	13	17	40
65+	865	6.6	60	<1	1	4	9	15	20	42
2. MULTIPLE DX										
0-19 YRS	443	7.3	122	<1	1	4	9	16	26	72
20-34	818	8.4	86	1	2	6	10	17	27	52
35-49	1803	8.3	62	1	2	6	10	18	25	43
50-64	3872	9.7	104	1	2	7	12	21	29	58
65+	6675	11.2	130	2	2	8	14	24	34	66
TOT. SINGLE DX	2523	5.6	53	<1	1	3	7	12	17	39
" MULTIPLE DX	13611	10.1	113	1	2	7	13	22	30	61
TOTAL 0-19 YRS	743	5.9	86	<1	1	3	7	14	19	46
20-34	1114	7.4	70	1	1	5	9	15	23	47
35-49	2189	7.8	63	1	1	6	10	16	23	43
50-64	4548	9.1	100	1	1	6	11	20	28	57
65+	7540	10.7	125	1	2	8	13	23	32	65
GRAND TOTAL	16134	9.4	106	1	2	7	12	20	29	58

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2042	3.7	3	2	2	3	4	6	7	10
20-34	15	8.2	14	3	3	6	10	14	15	19
35-49	14	9.9	70	3	4	8	9	18	32	37
50-64	15	11.1	16	6	6	10	15	16	17	17
65+	14	11.3	61	2	4	9	13	19	31	35
2. MULTIPLE DX										
0-19 YRS	559	5.7	32	2	2	4	6	10	13	34
20-34	35	12.2	97	3	4	9	15	32	35	40
35-49	54	16.7	237	6	7	12	17	38	62	99
50-64	72	15.4	39	8	9	14	18	25	28	32
65+	179	22.8	279	7	8	18	28	47	64	99
TOT. SINGLE DX * MULTIPLE DX	2100	3.9	5	2	2	3	4	6	7	13
	899	10.8	145	2	3	6	13	24	34	73
TOTAL 0-19 YRS	2601	4.1	10	2	2	4	5	6	8	15
20-34	50	11.0	75	3	3	9	13	22	34	40
35-49	68	15.3	209	6	6	10	16	36	52	98
50-64	87	14.7	38	7	8	14	17	24	28	32
65+	193	22.0	272	7	8	17	28	44	62	99
GRAND TOTAL	2999	5.9	57	2	2	4	6	12	18	42

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	11.1	121	2	2	7	12	33	36	39
20-34	7	15.4	123	6	6	13	27	82	99+	99+
35-49	14	14.7	77	5	6	12	20	28	31	32
50-64	58	12.8	146	3	4	10	16	26	69	97
65+	122	14.2	149	3	3	12	20	30	34	96
2. MULTIPLE DX										
0-19 YRS	224	21.6	373	4	5	16	35	73	99+	99+
20-34	103	23.2	540	3	5	15	40	91	99+	99+
35-49	171	22.6	305	3	5	16	30	55	69	99+
50-64	524	23.4	372	5	6	16	31	61	78	99+
65+	2508	25.2	353	5	7	21	35	57	75	99+
TOT. SINGLE DX * MULTIPLE DX	231	13.4	139	2	3	10	18	28	39	99+
	3530	24.5	361	5	6	20	35	58	80	99+
TOTAL 0-19 YRS	254	20.3	355	4	4	15	32	65	99+	99+
20-34	110	22.7	516	4	5	14	40	91	99+	99+
35-49	185	22.0	292	4	6	18	29	54	69	99+
50-64	582	22.3	361	4	5	17	30	59	77	99+
65+	2630	24.7	349	5	7	20	35	56	74	99+
GRAND TOTAL	3761	23.8	355	4	6	19	33	57	78	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	5.4	15	<1	2	4	7	12	14	17
20-34	371	5.7	23	<1	1	4	7	10	12	20
35-49	640	5.7	16	<1	1	5	7	10	12	21
50-64	779	6.0	22	<1	1	5	8	11	15	25
65+	945	7.1	34	<1	1	6	9	14	17	28
2. MULTIPLE DX										
0-19 YRS	200	7.3	94	1	2	5	8	12	19	61
20-34	1359	7.9	48	2	3	6	9	15	20	35
35-49	3200	8.4	44	2	3	7	10	15	21	36
50-64	6168	9.3	57	2	3	7	11	17	22	40
65+	12718	11.4	84	3	4	9	14	21	28	51
TOT. SINGLE DX * MULTIPLE DX	2826	6.2	25	<1	1	5	8	12	15	26
	23645	10.2	72	2	3	8	12	19	26	46
TOTAL 0-19 YRS	291	6.7	70	1	2	5	8	12	15	37
20-34	1730	7.6	44	1	2	6	9	14	19	33
35-49	3840	8.0	41	2	3	6	10	15	20	34
50-64	6947	9.0	55	2	3	7	11	17	22	39
65+	13663	11.1	82	3	4	9	14	21	28	50
GRAND TOTAL	29471	9.8	69	2	3	8	12	19	25	44

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	8.5	11	3	3	10	11	12	12	12
20-34	181	12.0	37	5	7	10	14	19	25	34
35-49	409	12.1	33	6	7	11	14	19	22	38
50-64	531	13.4	39	7	8	12	16	21	26	40
65+	466	16.1	60	8	9	14	19	25	29	41
2. MULTIPLE DX										
0-19 YRS	24	15.7	235	6	6	13	15	23	43	83
20-34	297	16.8	159	7	8	13	20	32	44	99+
35-49	970	16.7	118	8	8	13	19	29	39	76
50-64	1731	18.9	132	8	9	16	23	33	45	69
65+	2785	23.3	191	9	11	19	28	42	54	91
TOT. SINGLE DX	1598	13.7	47	7	8	12	16	22	27	39
" MULTIPLE DX	5807	20.5	168	8	9	17	25	38	49	87
TOTAL 0-19 YRS	35	13.5	174	3	5	11	14	22	25	83
20-34	478	15.0	118	6	7	12	17	26	37	95
35-49	1379	15.3	98	7	8	12	18	28	35	64
50-64	2262	17.6	116	8	9	14	21	31	40	66
65+	3251	22.2	179	9	10	19	27	40	51	87
GRAND TOTAL	**7405**	**19.0**	**149**	**8**	**9**	**15**	**23**	**35**	**45**	**76**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	6	13.0	60	7	7	11	13	27	28	28
35-49	26	17.6	37	10	10	16	20	27	32	33
50-64	61	18.3	123	9	10	16	20	27	39	98
65+	66	20.5	124	9	11	17	24	33	38	73
2. MULTIPLE DX										
0-19 YRS										
20-34	19	23.7	382	11	12	17	25	70	97	99+
35-49	76	26.3	346	10	11	20	32	60	84	99+
50-64	353	24.9	236	10	12	21	30	46	63	99+
65+	484	27.3	237	12	13	23	33	52	67	99+
TOT. SINGLE DX	159	18.9	109	9	10	16	23	29	34	84
" MULTIPLE DX	932	26.2	250	11	12	22	32	50	67	99+
TOTAL 0-19 YRS										
20-34	25	21.1	321	8	9	16	23	45	96	99+
35-49	102	24.1	281	10	11	18	28	49	80	99+
50-64	414	23.9	225	10	12	19	29	45	62	99+
65+	550	26.5	229	11	13	22	32	50	65	99+
GRAND TOTAL	**1091**	**25.2**	**236**	**10**	**12**	**21**	**30**	**48**	**65**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	9.2	6	5	6	8	12	13	13	13
20-34	191	9.8	26	5	6	9	11	15	17	28
35-49	295	10.6	26	6	6	9	12	16	19	36
50-64	243	11.4	24	6	7	10	13	17	22	26
65+	123	12.9	28	7	7	12	15	18	24	33
2. MULTIPLE DX										
0-19 YRS	14	14.6	69	1	6	13	19	29	30	30
20-34	218	13.0	74	6	7	10	15	20	28	47
35-49	486	13.4	48	7	7	11	16	22	27	36
50-64	637	16.0	97	7	8	13	19	28	34	61
65+	735	20.6	170	8	9	17	25	37	48	85
TOT. SINGLE DX	867	10.9	27	6	7	10	13	17	20	31
" MULTIPLE DX	2090	16.7	119	7	8	14	20	30	38	68
TOTAL 0-19 YRS	29	11.8	43	5	6	11	13	21	29	30
20-34	409	11.5	55	6	6	9	13	18	26	44
35-49	781	12.3	42	6	7	10	14	20	26	36
50-64	880	14.7	82	7	8	12	17	25	31	57
65+	858	19.5	157	8	9	16	23	35	45	83
GRAND TOTAL	**2957**	**15.0**	**99**	**7**	**7**	**12**	**17**	**26**	**34**	**60**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	7.9	49	2	2	6	8	12	23	44
20-34	988	8.1	13	5	5	8	9	11	13	21
35-49	989	8.7	14	5	5	8	10	12	14	24
50-64	505	10.0	25	5	6	9	11	15	20	31
65+	401	13.4	73	6	7	11	15	23	30	41
2. MULTIPLE DX										
0-19 YRS	573	17.3	268	5	6	11	22	38	65	99+
20-34	1832	10.7	81	5	5	8	11	17	26	67
35-49	2799	11.4	72	5	6	9	12	20	28	58
50-64	2157	15.9	144	6	7	12	18	31	44	71
65+	2807	21.0	214	7	8	17	26	41	53	88
TOT. SINGLE DX	3125	9.2	29	5	5	8	10	14	18	31
" MULTIPLE DX	10168	15.2	157	5	6	11	18	30	42	78
TOTAL 0-19 YRS	815	14.5	222	3	4	9	18	33	50	99+
20-34	2820	9.8	59	5	5	8	10	14	22	52
35-49	3788	10.7	59	5	6	9	11	17	24	49
50-64	2662	14.8	127	6	7	11	17	28	39	66
65+	3208	20.1	203	7	8	16	25	39	51	83
GRAND TOTAL	**13293**	**13.8**	**135**	**5**	**6**	**10**	**16**	**27**	**38**	**71**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	702	5.0	18	1	1	4	7	9	12	21
20-34	1214	5.9	22	1	1	5	8	11	14	23
35-49	1337	5.0	20	<1	1	4	7	10	13	21
50-64	2006	4.2	20	<1	1	2	6	10	13	22
65+	2218	4.8	35	<1	1	2	6	11	16	29
2. MULTIPLE DX										
0-19 YRS	824	7.8	51	1	2	6	9	15	19	48
20-34	2425	8.4	57	2	2	7	10	15	22	44
35-49	3572	8.0	48	1	2	6	10	15	20	37
50-64	7762	8.3	60	1	2	7	11	17	22	39
65+	15514	10.4	94	1	2	8	13	21	29	51
TOT. SINGLE DX	7477	4.9	25	<1	1	3	7	10	14	24
" MULTIPLE DX	30097	9.3	77	1	2	7	12	19	25	46
TOTAL 0-19 YRS	1526	6.5	38	1	1	5	8	12	17	34
20-34	3639	7.6	48	1	2	6	9	14	20	39
35-49	4909	7.2	43	1	1	6	9	14	19	33
50-64	9768	7.5	55	1	1	6	10	15	21	36
65+	17732	9.7	91	1	2	7	13	20	27	49
GRAND TOTAL	37574	8.9	70	1	1	6	11	17	23	43

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	10.0	28	5	6	9	12	15	20	34
20-34	162	11.6	37	6	6	10	13	20	25	31
35-49	186	11.4	31	5	7	10	13	19	22	40
50-64	205	13.4	50	6	7	11	16	23	29	42
65+	237	16.2	110	7	8	14	18	25	34	67
2. MULTIPLE DX										
0-19 YRS	293	18.1	309	6	6	11	22	57	95	99+
20-34	609	15.3	128	6	7	12	18	28	39	80
35-49	767	17.8	192	7	7	13	21	36	49	80
50-64	1287	20.6	229	8	9	16	25	40	57	99+
65+	2488	22.2	215	8	10	18	28	44	59	99+
TOT. SINGLE DX	893	13.0	62	6	7	11	15	22	27	45
" MULTIPLE DX	5444	20.2	217	7	8	16	25	41	56	99+
TOTAL 0-19 YRS	396	16.0	248	5	6	10	18	45	68	99+
20-34	771	14.5	112	6	7	11	17	26	35	75
35-49	953	16.5	167	6	7	12	19	33	46	74
50-64	1492	19.6	211	7	8	15	24	38	54	97
65+	2725	21.7	210	8	9	17	26	43	57	99+
GRAND TOTAL	6337	19.2	201	7	8	15	23	38	53	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	143	11.9	63	5	6	10	13	20	30	48
20-34	455	13.0	57	6	7	11	16	23	28	43
35-49	897	12.0	36	6	7	11	13	18	23	36
50-64	2147	12.4	28	7	8	11	14	18	21	31
65+	2981	14.5	47	8	9	13	16	21	26	43
2. MULTIPLE DX										
0-19 YRS	330	18.3	225	6	7	12	25	40	58	99+
20-34	1056	17.7	179	7	8	13	21	35	46	86
35-49	2326	15.9	102	7	8	13	18	27	36	69
50-64	7935	16.8	104	8	9	14	19	28	36	66
65+	19733	20.1	141	9	10	17	24	35	45	78
TOT. SINGLE DX	6623	13.3	42	7	8	12	15	20	24	37
" MULTIPLE DX	31380	18.9	134	8	9	16	22	33	43	74
TOTAL 0-19 YRS	473	16.4	185	6	6	11	21	35	48	99+
20-34	1511	16.3	147	6	7	12	19	30	42	79
35-49	3223	14.8	87	7	8	12	17	24	33	62
50-64	10082	15.8	91	8	9	13	18	26	33	61
65+	22714	19.4	132	9	10	16	23	33	43	74
GRAND TOTAL	38003	17.9	122	8	9	15	21	31	40	71

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OI PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	7.9	15	3	4	7	10	14	16	18
20-34	32	10.7	46	4	5	9	12	18	24	38
35-49	69	10.4	26	5	5	9	12	17	22	27
50-64	90	11.8	27	6	6	10	14	19	23	30
65+	133	14.9	91	7	8	12	17	23	31	61
2. MULTIPLE DX										
0-19 YRS	71	19.0	369	4	5	12	21	48	61	95
20-34	137	15.5	165	4	5	12	17	30	49	82
35-49	196	16.9	139	6	8	14	20	28	39	84
50-64	471	19.3	191	7	8	15	23	37	54	99+
65+	1008	22.4	222	8	9	18	27	43	58	89
TOT. SINGLE DX	377	12.0	56	5	6	10	14	20	24	43
" MULTIPLE DX	1883	20.4	213	7	8	16	25	39	55	90
TOTAL 0-19 YRS	124	14.2	248	3	4	9	16	30	52	90
20-34	169	14.6	146	4	5	11	16	28	45	78
35-49	265	15.2	118	5	6	12	18	25	35	75
50-64	561	18.1	173	7	8	14	22	34	46	97
65+	1141	21.5	213	8	9	17	26	41	57	88
GRAND TOTAL	2260	19.0	196	6	7	15	23	36	52	87

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	520	6.9	16	2	3	6	9	11	14	23
20-34	494	9.0	34	4	5	8	10	13	16	34
35-49	530	9.5	17	4	5	9	11	14	16	28
50-64	650	9.6	28	4	5	9	11	14	16	28
65+	798	10.3	32	4	5	10	12	16	18	28
2. MULTIPLE DX										
0-19 YRS	765	11.7	112	4	4	9	13	23	36	99+
20-34	1078	12.9	118	5	6	10	14	22	31	80
35-49	1222	14.2	123	6	7	11	15	24	34	73
50-64	2163	14.8	125	5	7	11	17	28	39	73
65+	3773	16.2	140	6	7	13	19	31	41	76
TOT. SINGLE DX	2992	9.2	28	3	4	9	11	14	16	27
" MULTIPLE DX	9001	14.8	132	5	6	11	17	28	39	75
TOTAL 0-19 YRS	1285	9.8	79	3	4	8	11	18	26	75
20-34	1572	11.7	96	4	5	9	12	20	27	63
35-49	1752	12.8	96	5	6	10	14	21	30	69
50-64	2813	13.6	108	5	6	11	15	25	35	67
65+	4571	15.1	127	5	7	12	17	28	38	70
GRAND TOTAL	**11993**	**13.4**	**112**	**4**	**6**	**10**	**15**	**24**	**35**	**69**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	13.2	139	4	5	10	16	22	25	81
20-34	48	12.3	74	4	4	10	13	21	30	52
35-49	61	12.3	36	4	7	11	14	22	26	28
50-64	146	14.8	102	4	7	12	17	23	30	68
65+	220	18.3	166	7	8	15	21	31	46	79
2. MULTIPLE DX										
0-19 YRS	120	20.1	325	6	6	15	28	51	87	99+
20-34	204	22.5	356	6	8	16	27	66	79	99+
35-49	330	21.8	251	7	9	17	27	49	63	99+
50-64	994	21.2	181	8	9	18	26	39	52	99+
65+	2412	25.1	234	9	11	21	32	48	64	99+
TOT. SINGLE DX	521	15.6	128	5	7	13	19	26	33	70
" MULTIPLE DX	4060	23.6	235	8	10	20	30	46	63	99+
TOTAL 0-19 YRS	166	18.2	283	5	6	13	22	43	81	99+
20-34	252	20.6	319	5	7	14	23	55	75	99+
35-49	391	20.3	229	6	8	16	25	40	60	99+
50-64	1140	20.4	176	7	9	17	25	38	50	91
65+	2632	24.6	232	9	11	20	30	47	62	99+
GRAND TOTAL	**4581**	**22.7**	**229**	**8**	**9**	**19**	**28**	**45**	**60**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25120	4.1	5	2	2	3	5	7	8	12
20-34	16405	4.2	4	2	2	4	5	7	8	12
35-49	5137	4.9	7	2	2	4	6	8	10	14
50-64	2436	6.3	11	2	3	5	8	11	12	19
65+	904	7.6	16	3	3	7	9	13	15	22
2. MULTIPLE DX										
0-19 YRS	7086	6.3	22	2	3	5	7	11	15	25
20-34	5881	6.3	22	2	3	5	7	11	14	23
35-49	2754	8.1	32	3	3	7	10	14	17	30
50-64	2362	10.4	51	4	4	9	13	18	23	37
65+	1989	13.4	101	4	5	11	16	24	32	59
TOT. SINGLE DX	50002	4.4	6	2	2	4	5	7	9	13
" MULTIPLE DX	20072	7.7	40	2	3	6	9	14	19	33
TOTAL 0-19 YRS	32206	4.6	10	2	2	4	5	8	10	17
20-34	22286	4.7	10	2	2	4	5	8	10	16
35-49	7891	6.0	18	2	3	5	7	11	13	22
50-64	4798	8.3	35	3	3	7	10	15	19	32
65+	2893	11.6	82	4	4	9	14	21	26	53
GRAND TOTAL	**70074**	**5.3**	**18**	**2**	**2**	**4**	**6**	**10**	**12**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	256	4.3	5	2	2	4	5	7	8	11
20-34	223	4.7	5	2	3	4	5	7	9	14
35-49	49	5.6	5	3	3	5	7	9	9	15
50-64	26	7.0	13	2	3	6	9	13	14	16
65+	11	11.9	60	4	4	11	15	25	26	26
2. MULTIPLE DX										
0-19 YRS	163	6.8	64	2	3	5	8	12	17	27
20-34	191	6.7	17	3	3	6	8	10	12	27
35-49	57	7.5	15	3	3	7	10	12	16	19
50-64	37	13.5	180	4	6	9	16	25	33	80
65+	39	15.2	72	7	7	13	19	26	31	44
TOT. SINGLE DX	565	4.8	8	2	2	4	6	8	9	16
" MULTIPLE DX	487	8.0	57	3	3	6	9	15	19	34
TOTAL 0-19 YRS	419	5.2	30	2	2	4	6	9	11	21
20-34	414	5.6	12	2	3	5	7	9	11	19
35-49	106	6.6	12	3	3	6	8	12	13	18
50-64	63	10.8	121	3	4	8	12	19	27	74
65+	50	14.5	70	4	6	13	19	26	29	44
GRAND TOTAL	**1052**	**6.3**	**33**	**2**	**3**	**5**	**7**	**11**	**15**	**27**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	7.6	18	2	3	7	10	14	16	19
20-34	56	8.9	15	2	4	9	11	14	15	18
35-49	33	8.9	12	3	4	9	11	14	15	15
50-64	16	10.0	17	3	3	10	12	15	17	18
65+	23	11.2	15	5	6	11	14	16	19	21
2. MULTIPLE DX										
0-19 YRS	37	9.6	31	3	3	8	13	18	19	25
20-34	46	10.2	23	4	4	9	14	17	18	25
35-49	34	12.2	26	5	7	12	15	20	22	28
50-64	40	16.9	118	6	6	15	19	31	44	55
65+	47	21.2	185	7	8	19	25	33	42	92
TOT. SINGLE DX	207	8.8	17	3	3	9	12	14	16	19
" MULTIPLE DX	204	14.3	101	4	5	13	18	24	28	51
TOTAL 0-19 YRS	116	8.3	23	2	3	7	12	15	18	22
20-34	102	9.5	19	3	4	9	12	16	17	22
35-49	67	10.6	22	4	4	10	13	15	20	27
50-64	56	14.9	99	5	6	13	17	21	40	55
65+	70	17.9	151	6	7	16	22	28	36	82
GRAND TOTAL	**411**	**11.5**	**66**	**3**	**4**	**10**	**14**	**19**	**24**	**43**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	437	3.4	10	<1	<1	2	4	7	9	14
20-34	547	4.3	14	1	1	3	5	8	11	18
35-49	430	4.3	16	<1	1	3	5	9	11	20
50-64	631	4.4	23	<1	1	3	5	9	14	24
65+	1028	5.5	36	1	2	4	6	11	16	32
2. MULTIPLE DX										
0-19 YRS	331	7.7	96	1	2	5	9	16	23	53
20-34	536	6.9	42	1	2	5	8	14	20	31
35-49	762	7.4	59	1	2	5	9	15	20	42
50-64	1761	8.1	54	1	2	6	10	16	22	36
65+	3931	10.6	103	2	2	8	13	23	31	53
TOT. SINGLE DX	3073	4.6	24	<1	1	3	5	9	13	25
" MULTIPLE DX	7321	9.2	85	2	2	6	12	19	27	49
TOTAL 0-19 YRS	768	5.2	52	<1	1	3	6	11	15	40
20-34	1083	5.6	30	1	1	4	7	11	16	28
35-49	1192	6.3	46	1	1	4	8	13	18	38
50-64	2392	7.1	49	1	2	5	9	15	20	34
65+	4959	9.5	94	2	2	6	12	21	28	51
GRAND TOTAL	**10394**	**7.9**	**71**	**1**	**2**	**5**	**10**	**17**	**24**	**45**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	197	3.6	11	1	1	3	4	6	10	19
20-34	889	3.1	4	1	1	3	4	5	7	11
35-49	708	3.3	4	1	1	3	4	6	7	11
50-64	369	3.9	9	1	1	3	5	7	9	14
65+	127	5.0	16	1	2	4	6	10	14	23
2. MULTIPLE DX										
0-19 YRS	119	6.1	105	1	1	4	6	10	30	92
20-34	543	5.0	19	1	2	4	6	9	13	21
35-49	548	5.3	31	1	1	4	6	10	14	31
50-64	550	7.1	47	1	2	5	8	16	21	35
65+	371	11.0	115	2	3	7	14	27	34	60
TOT. SINGLE DX	2290	3.4	7	1	1	3	4	6	8	13
" MULTIPLE DX	2131	6.7	55	1	2	4	8	14	21	43
TOTAL 0-19 YRS	316	4.5	48	1	1	3	5	8	12	37
20-34	1432	3.8	11	1	1	3	4	7	9	16
35-49	1256	4.2	17	1	1	3	5	8	10	18
50-64	919	5.8	34	1	2	4	7	12	17	34
65+	498	9.4	97	2	2	6	11	23	32	56
GRAND TOTAL	**4421**	**5.0**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**33**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	11.7	93	4	6	10	12	18	21	60
20-34	92	12.6	33	6	7	11	16	21	24	29
35-49	189	13.5	51	4	8	12	16	20	27	43
50-64	614	14.4	34	7	9	13	17	21	25	34
65+	796	16.2	65	7	9	15	19	24	30	46
2. MULTIPLE DX										
0-19 YRS	165	15.8	132	6	7	12	18	33	45	59
20-34	157	18.4	150	6	8	14	24	34	42	58
35-49	434	16.9	94	8	9	14	20	28	34	66
50-64	1898	18.2	98	9	10	16	22	30	38	68
65+	3745	21.4	132	10	11	19	26	36	44	71
TOT. SINGLE DX	1798	14.8	55	7	8	13	17	22	27	43
" MULTIPLE DX	6399	19.9	124	9	10	17	24	34	42	69
TOTAL 0-19 YRS	272	14.2	121	5	7	11	16	25	36	58
20-34	249	16.2	115	6	7	13	20	29	37	52
35-49	623	15.9	84	7	9	14	19	26	32	55
50-64	2512	17.3	86	8	10	15	20	28	35	64
65+	4541	20.5	125	9	10	18	24	34	42	68
GRAND TOTAL	**8197**	**18.8**	**113**	**8**	**10**	**16**	**22**	**32**	**39**	**65**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	883	4.1	10	<1	1	3	5	8	10	15
20-34	2867	4.8	13	1	1	4	6	9	11	18
35-49	3140	5.0	12	1	1	4	6	9	12	17
50-64	2995	5.2	19	<1	1	4	7	10	13	23
65+	2725	5.9	29	1	1	5	8	11	15	28
2. MULTIPLE DX										
0-19 YRS	1451	6.0	51	1	2	4	7	11	15	35
20-34	7805	6.6	34	2	2	5	8	12	16	31
35-49	12389	7.4	38	2	2	6	9	14	18	31
50-64	17764	8.0	46	2	2	6	10	15	20	35
65+	28827	10.0	74	2	3	8	12	19	25	47
TOT. SINGLE DX	12610	5.1	18	<1	1	4	7	10	12	21
" MULTIPLE DX	68236	8.5	57	2	3	7	10	16	22	40
TOTAL 0-19 YRS	2334	5.3	37	1	1	4	6	10	12	30
20-34	10672	6.1	30	1	2	5	7	11	15	28
35-49	15529	6.9	34	1	2	5	8	13	17	29
50-64	20759	7.6	43	1	2	6	9	14	19	34
65+	31552	9.6	72	2	3	7	12	18	25	46
GRAND TOTAL	**80846**	**8.0**	**53**	**1**	**2**	**6**	**10**	**15**	**21**	**38**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	2.3	2	<1	<1	2	3	4	5	8
20-34	1241	3.2	3	1	1	3	4	5	6	10
35-49	1287	3.3	3	1	1	3	4	5	6	10
50-64	763	3.4	3	1	1	3	4	5	6	11
65+	278	3.9	7	1	2	3	5	7	8	19
2. MULTIPLE DX										
0-19 YRS	71	5.0	58	<1	1	3	5	9	15	44
20-34	998	4.2	13	1	2	3	5	7	9	17
35-49	1328	4.4	12	1	2	4	5	7	9	24
50-64	1112	4.9	16	2	2	4	5	8	12	23
65+	607	7.2	79	2	3	5	7	14	19	49
TOT. SINGLE DX	3741	3.3	4	1	1	3	4	5	6	11
" MULTIPLE DX	4116	4.9	25	1	2	4	5	8	12	28
TOTAL 0-19 YRS	243	3.1	21	<1	<1	2	3	5	7	34
20-34	2239	3.7	8	1	1	3	4	6	7	13
35-49	2615	3.9	8	1	2	3	4	6	8	17
50-64	1875	4.3	12	1	2	4	5	7	10	19
65+	885	6.2	59	2	2	4	6	11	17	45
GRAND TOTAL	**7857**	**4.1**	**16**	**1**	**2**	**3**	**5**	**7**	**9**	**20**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	161	2.7	2	<1	<1	2	3	5	6	9
20-34	1233	2.7	2	<1	1	2	3	5	6	8
35-49	660	3.0	3	<1	1	3	4	5	6	10
50-64	381	3.6	5	1	1	3	4	6	8	15
65+	200	4.2	6	1	2	4	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	105	3.8	12	<1	1	3	4	6	8	21
20-34	1174	4.2	9	1	2	4	5	7	9	17
35-49	1372	4.6	13	1	2	4	5	7	10	17
50-64	1154	5.1	17	2	2	4	6	9	12	22
65+	764	6.7	37	2	2	5	8	13	18	30
TOT. SINGLE DX	2635	3.0	4	<1	1	3	4	5	6	10
" MULTIPLE DX	4569	4.9	18	1	2	4	6	8	11	22
TOTAL 0-19 YRS	266	3.1	7	<1	1	3	4	5	7	11
20-34	2407	3.5	7	1	1	3	4	6	7	14
35-49	2032	4.1	11	1	2	3	5	7	8	15
50-64	1535	4.7	15	1	2	4	5	8	11	20
65+	964	6.1	32	2	2	5	7	11	17	28
GRAND TOTAL	**7204**	**4.2**	**14**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	4.0	5	1	2	3	5	7	8	13
20-34	1455	4.3	3	2	2	4	5	7	8	10
35-49	2005	4.6	4	2	2	4	5	7	8	11
50-64	1264	4.7	4	2	3	4	6	7	9	12
65+	518	5.0	6	2	2	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	192	4.8	6	2	2	4	6	8	10	16
20-34	5665	5.0	8	2	3	5	6	8	9	15
35-49	9265	5.3	9	2	3	5	6	8	10	17
50-64	7556	5.9	15	2	3	5	7	10	12	22
65+	3793	7.6	40	3	3	6	9	13	18	33
TOT. SINGLE DX	5319	4.6	4	2	2	4	5	7	8	12
" MULTIPLE DX	26471	5.7	16	2	3	5	7	9	12	21
TOTAL 0-19 YRS	269	4.5	6	2	2	4	5	7	10	15
20-34	7120	4.9	7	2	2	4	6	7	9	14
35-49	11270	5.2	9	2	3	5	6	8	10	16
50-64	8820	5.7	14	2	3	5	7	9	12	21
65+	4311	7.2	37	3	3	6	8	13	17	31
GRAND TOTAL	**31790**	**5.5**	**14**	**2**	**3**	**5**	**6**	**9**	**11**	**20**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	276	3.6	13	<1	1	3	4	7	10	17
20-34	1195	3.3	4	1	1	3	4	6	7	11
35-49	998	3.4	5	1	1	3	4	6	7	13
50-64	599	4.0	9	1	1	3	5	7	9	15
65+	337	4.6	14	1	1	4	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	260	6.5	70	1	1	4	8	14	18	63
20-34	920	4.8	30	1	1	4	6	8	11	25
35-49	1058	5.0	20	1	2	4	6	9	13	23
50-64	1038	6.7	56	1	2	5	8	13	18	44
65+	1006	9.6	104	2	3	6	11	20	28	66
TOT. SINGLE DX	3405	3.6	8	1	1	3	4	6	8	14
" MULTIPLE DX	4282	6.5	58	1	2	4	7	13	19	43
TOTAL 0-19 YRS	536	5.0	43	1	1	3	6	10	14	34
20-34	2115	3.9	17	1	1	3	5	7	9	15
35-49	2056	4.2	14	1	1	3	5	8	10	19
50-64	1637	5.7	41	1	2	4	6	11	15	40
65+	1343	8.3	87	2	2	5	10	18	24	54
GRAND TOTAL	7687	5.2	38	1	1	4	6	10	14	32

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	8.0	13	3	4	7	10	14	14	14
20-34	20	11.9	74	3	3	8	20	23	28	32
35-49	24	10.1	35	3	4	9	14	17	22	25
50-64	27	14.0	178	1	3	11	20	24	32	69
65+	21	9.8	87	2	2	8	14	23	31	38
2. MULTIPLE DX										
0-19 YRS	29	16.7	209	4	5	10	29	36	64	99+
20-34	73	14.3	188	5	5	10	15	32	42	79
35-49	71	18.5	190	2	4	17	23	36	43	77
50-64	123	16.9	144	2	4	15	23	33	41	54
65+	167	20.4	206	2	4	19	29	38	48	68
TOT. SINGLE DX	102	11.2	90	2	3	9	15	22	29	53
" MULTIPLE DX	463	18.0	188	2	4	15	25	35	44	69
TOTAL 0-19 YRS	39	14.5	173	4	4	9	22	35	50	99+
20-34	93	13.8	164	4	5	10	16	25	38	76
35-49	95	16.3	164	2	4	14	22	29	41	69
50-64	150	16.4	151	2	3	14	23	31	39	58
65+	188	19.2	204	2	3	17	28	37	45	68
GRAND TOTAL	565	16.7	177	2	4	13	23	34	42	68

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	241	5.2	31	1	1	3	7	13	18	26
20-34	838	4.5	29	1	1	2	6	11	16	25
35-49	834	4.4	38	1	1	2	5	11	16	30
50-64	926	5.1	41	1	1	2	7	13	18	31
65+	594	6.4	55	1	1	3	10	15	20	37
2. MULTIPLE DX										
0-19 YRS	460	12.1	190	1	2	8	14	28	43	83
20-34	1411	10.5	123	1	2	8	13	23	31	62
35-49	2271	10.1	100	1	1	8	13	22	30	55
50-64	4181	11.1	104	1	2	9	15	23	32	53
65+	4634	13.5	126	2	2	11	18	27	35	59
TOT. SINGLE DX	3433	5.0	40	1	1	2	6	12	18	30
" MULTIPLE DX	12957	11.8	119	1	2	9	16	25	33	58
TOTAL 0-19 YRS	701	9.7	146	1	1	6	12	21	32	72
20-34	2249	8.3	97	1	1	5	11	18	26	54
35-49	3105	8.5	90	1	1	6	12	20	27	50
50-64	5107	10.0	99	1	1	8	14	22	30	50
65+	5228	12.7	123	1	2	10	17	26	34	57
GRAND TOTAL	16390	10.4	110	1	1	8	14	23	31	54

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1212	6.5	7	4	4	6	8	10	12	16
20-34	13701	6.6	6	4	4	6	8	10	11	15
35-49	12359	7.0	7	4	5	6	8	10	12	16
50-64	11005	7.6	9	4	5	7	9	11	13	19
65+	6443	9.4	19	5	5	8	11	15	18	25
2. MULTIPLE DX										
0-19 YRS	934	9.3	32	4	5	8	11	15	19	29
20-34	11190	8.5	25	4	5	7	10	14	16	28
35-49	14894	9.2	30	4	5	8	11	15	19	30
50-64	21748	10.9	46	5	6	9	13	18	22	39
65+	25272	14.5	88	6	7	12	17	25	32	56
TOT. SINGLE DX	44720	7.4	10	4	5	7	8	11	13	19
" MULTIPLE DX	75038	11.5	60	5	5	9	14	20	25	44
TOTAL 0-19 YRS	2146	7.7	20	4	4	7	9	12	15	24
20-34	24891	7.5	16	4	4	7	8	11	14	22
35-49	27253	8.2	21	4	5	7	9	13	16	25
50-64	32753	9.8	36	5	5	8	11	16	20	34
65+	32715	13.5	79	6	6	11	16	23	30	51
GRAND TOTAL	119758	9.9	46	4	5	8	11	17	22	38

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	57	10.9	52	1	2	10	15	19	24	35
20-34	186	7.8	36	1	2	6	11	16	20	31
35-49	229	8.8	51	1	2	7	12	18	22	36
50-64	349	10.3	66	1	2	9	14	19	26	37
65+	496	12.6	81	2	3	12	17	22	26	39
2. MULTIPLE DX										
0-19 YRS	60	18.0	174	1	3	16	24	42	47	95
20-34	263	13.6	152	2	3	11	17	25	40	84
35-49	475	13.9	120	2	3	11	19	27	36	67
50-64	1223	17.5	144	3	5	15	22	32	41	66
65+	3122	19.5	159	4	7	17	25	35	45	76
TOT. SINGLE DX	1317	10.6	68	2	2	9	15	20	25	36
" MULTIPLE DX	5143	18.2	156	3	5	16	23	34	43	73
TOTAL 0-19 YRS	117	14.5	127	1	2	12	19	30	42	67
20-34	449	11.2	112	2	2	9	15	21	33	54
35-49	704	12.2	103	2	3	10	16	24	30	63
50-64	1572	15.9	136	2	3	14	21	30	38	63
65+	3618	18.6	154	3	6	16	23	34	43	73
GRAND TOTAL	6460	16.6	147	2	4	14	22	31	40	69

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	43	8.7	95	1	1	5	13	20	27	51
20-34	332	6.6	42	1	1	5	9	14	17	38
35-49	443	7.0	62	1	1	5	9	16	23	44
50-64	498	8.5	86	1	1	5	11	21	28	47
65+	435	9.0	88	1	2	6	12	21	29	50
2. MULTIPLE DX										
0-19 YRS	93	14.1	238	2	2	11	16	30	41	83
20-34	641	12.7	181	2	2	9	16	30	42	93
35-49	1303	14.5	223	2	2	10	18	34	49	85
50-64	1858	15.5	222	2	2	11	20	34	47	85
65+	2430	16.4	210	2	3	12	22	35	49	88
TOT. SINGLE DX	1751	7.9	74	1	1	5	10	18	25	45
" MULTIPLE DX	6325	15.3	215	2	2	11	20	34	48	86
TOTAL 0-19 YRS	136	12.4	198	1	2	9	15	27	37	72
20-34	973	10.7	142	1	2	7	13	25	37	80
35-49	1746	12.6	193	2	2	8	16	30	46	79
50-64	2356	14.0	202	2	2	10	18	31	43	82
65+	2865	15.3	199	2	2	11	20	33	46	85
GRAND TOTAL	8076	13.7	194	1	2	10	18	31	44	81

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1223	4.2	23	1	1	3	5	7	9	22
20-34	3063	4.7	12	1	2	4	6	9	11	19
35-49	2903	4.7	15	1	1	4	6	9	11	19
50-64	3355	4.7	16	<1	1	4	6	9	12	21
65+	3842	5.6	30	1	1	4	7	11	15	25
2. MULTIPLE DX										
0-19 YRS	1357	5.8	42	1	2	4	6	10	15	36
20-34	5463	6.4	37	1	2	5	8	11	16	33
35-49	8710	6.7	37	1	2	5	8	12	17	33
50-64	15905	7.3	44	2	3	6	9	14	18	35
65+	35358	9.0	65	2	3	7	11	17	23	43
TOT. SINGLE DX	14386	4.9	20	1	1	4	6	9	12	22
" MULTIPLE DX	66993	8.0	55	2	2	6	10	15	21	36
TOTAL 0-19 YRS	2580	5.0	34	1	1	4	6	9	12	30
20-34	8726	5.8	29	1	2	4	7	10	14	28
35-49	11613	6.2	33	1	2	5	8	11	16	29
50-64	19260	6.8	41	1	2	5	8	13	17	32
65+	39200	8.7	63	2	2	7	11	17	23	42
GRAND TOTAL	81379	7.5	50	1	2	6	9	14	20	36

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	10474	2.0	1	<1	<1	2	2	3	4	6
20-34	11893	3.1	1	1	2	3	4	5	5	7
35-49	10602	3.4	2	1	2	3	4	5	6	8
50-64	14628	3.6	2	1	2	3	4	6	7	9
65+	11546	4.3	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	5987	2.5	23	<1	<1	2	3	4	6	16
20-34	6146	3.8	7	1	2	3	4	6	7	13
35-49	5898	4.4	9	1	2	4	5	7	9	15
50-64	12535	5.0	14	1	2	4	6	8	11	20
65+	17989	5.8	34	2	3	5	6	13	17	32
TOT. SINGLE DX	59143	3.3	3	1	1	3	4	5	6	9
" MULTIPLE DX	46555	5.2	24	1	2	4	6	9	13	25
TOTAL 0-19 YRS	16461	2.2	9	<1	<1	2	2	4	6	8
20-34	18039	3.3	3	1	2	3	4	5	6	8
35-49	16500	3.9	5	1	2	4	5	6	7	10
50-64	27163	4.3	9	1	2	4	5	7	9	14
65+	29535	5.8	25	2	3	5	7	10	14	27
GRAND TOTAL	105698	4.1	13	1	1	3	5	7	9	18

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2969	1.6	1	<1	<1	1	2	3	3	5
20-34	1024	3.6	2	1	2	3	4	5	6	7
35-49	1502	4.1	2	2	2	4	5	6	7	9
50-64	2082	4.3	3	2	2	4	5	6	8	10
65+	1445	4.8	4	2	2	4	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	2260	3.3	77	<1	<1	2	2	4	9	93
20-34	463	4.1	3	2	2	4	5	6	7	10
35-49	1035	4.8	6	2	2	4	6	7	9	15
50-64	2142	5.4	10	2	3	5	6	9	11	17
65+	2576	7.2	28	3	3	6	8	13	16	28
TOT. SINGLE DX	9022	3.4	4	<1	1	3	5	6	7	9
" MULTIPLE DX	8476	5.2	35	<1	1	4	6	9	13	31
TOTAL 0-19 YRS	5229	2.4	35	<1	<1	1	2	3	4	39
20-34	1487	3.7	3	1	2	4	5	6	6	9
35-49	2537	4.3	5	2	2	4	5	6	8	12
50-64	4224	4.9	7	2	3	4	6	8	9	15
65+	4021	6.3	21	2	3	5	7	11	14	25
GRAND TOTAL	**17498**	**4.3**	**20**	**<1**	**1**	**4**	**5**	**7**	**10**	**19**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	2.5	1	<1	1	2	3	4	4	7
20-34	289	3.4	2	1	2	3	4	5	6	9
35-49	445	3.5	3	1	2	3	4	5	6	10
50-64	566	4.0	3	1	2	4	5	6	7	10
65+	697	5.5	16	2	2	5	7	9	11	22
2. MULTIPLE DX										
0-19 YRS	25	3.4	13	<1	1	2	4	6	10	19
20-34	127	4.3	7	1	2	4	5	7	8	17
35-49	257	4.6	9	1	2	4	6	8	10	17
50-64	480	7.0	50	2	3	5	8	14	18	34
65+	1441	9.8	71	3	3	7	12	18	24	44
TOT. SINGLE DX	2072	4.2	8	1	2	4	5	7	9	14
" MULTIPLE DX	2330	8.3	60	2	3	6	10	16	22	41
TOTAL 0-19 YRS	100	2.7	5	<1	1	2	3	4	5	13
20-34	416	3.7	4	1	2	3	4	6	7	10
35-49	702	3.9	6	1	2	3	5	6	8	13
50-64	1046	5.4	27	2	2	4	6	9	13	29
65+	2138	8.4	57	2	3	6	10	16	22	41
GRAND TOTAL	**4402**	**6.4**	**40**	**2**	**2**	**5**	**7**	**12**	**17**	**34**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2009	2.0	1	<1	<1	2	2	3	4	6
20-34	952	3.0	2	1	1	3	4	5	6	8
35-49	1304	3.2	2	1	1	3	4	5	6	9
50-64	959	3.8	5	1	2	3	5	6	8	13
65+	473	4.9	13	1	2	4	6	8	10	19
2. MULTIPLE DX										
0-19 YRS	557	3.7	42	<1	1	2	3	6	9	39
20-34	491	4.4	8	1	2	4	5	8	10	17
35-49	1101	5.3	26	1	2	4	6	9	12	24
50-64	1461	6.5	33	2	2	5	8	12	15	31
65+	1276	9.3	66	2	3	7	11	18	25	48
TOT. SINGLE DX	5697	3.0	4	<1	1	2	4	5	7	10
" MULTIPLE DX	4886	6.4	43	1	2	5	8	12	17	35
TOTAL 0-19 YRS	2566	2.4	11	<1	<1	2	2	4	5	12
20-34	1443	3.5	5	1	1	3	4	6	8	12
35-49	2405	4.2	15	1	2	3	5	7	9	19
50-64	2420	5.4	24	2	2	4	6	10	13	23
65+	1749	8.1	56	2	3	6	10	16	22	43
GRAND TOTAL	**10583**	**4.6**	**25**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	427	2.5	4	<1	<1	2	3	4	6	9
20-34	1424	3.8	5	1	1	3	5	7	8	11
35-49	2263	4.8	6	2	2	4	6	8	9	13
50-64	2641	5.5	8	2	3	5	7	9	10	15
65+	1865	6.4	10	2	3	6	8	10	12	19
2. MULTIPLE DX										
0-19 YRS	174	4.5	18	<1	1	3	6	9	12	30
20-34	1001	6.0	21	2	2	5	7	11	14	23
35-49	2542	7.4	29	2	3	6	9	13	16	28
50-64	4043	8.4	37	3	3	7	10	14	19	34
65+	4404	10.2	53	3	4	8	12	19	24	40
TOT. SINGLE DX	8620	5.1	9	2	2	5	7	9	10	16
" MULTIPLE DX	12164	8.6	42	2	3	7	10	15	20	36
TOTAL 0-19 YRS	601	3.1	10	<1	1	2	3	6	8	15
20-34	2425	4.7	13	1	2	4	6	8	10	18
35-49	4805	6.2	20	2	2	5	7	10	14	23
50-64	6684	7.3	28	2	3	6	9	12	16	29
65+	6269	9.0	44	3	4	7	11	16	21	37
GRAND TOTAL	**20784**	**7.1**	**31**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	4.6	9	<1	1	4	6	9	11	14
20-34	87	6.2	14	2	2	5	8	11	13	20
35-49	139	7.5	21	2	3	7	9	12	14	29
50-64	182	8.1	21	2	3	7	10	13	16	24
65+	141	10.5	35	4	5	9	12	18	21	35
2. MULTIPLE DX										
0-19 YRS	107	12.4	218	<1	1	9	14	23	41	81
20-34	234	10.0	48	3	4	8	11	16	23	41
35-49	525	10.8	47	5	6	9	12	18	24	38
50-64	757	12.1	63	5	6	10	14	21	27	44
65+	854	15.9	125	6	7	13	18	29	40	72
TOT. SINGLE DX	625	7.8	26	2	2	7	10	13	17	26
" MULTIPLE DX	2477	12.9	92	5	6	10	15	23	32	56
TOTAL 0-19 YRS	183	9.2	147	<1	1	6	10	20	24	67
20-34	321	9.0	42	2	3	8	11	15	20	38
35-49	664	10.1	44	4	5	9	11	16	22	38
50-64	939	11.3	58	4	5	9	13	19	25	41
65+	995	15.1	116	5	7	12	17	26	39	67
GRAND TOTAL	3102	11.9	83	3	5	9	14	21	29	54

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	795	4.4	27	<1	1	3	5	10	13	24
20-34	1076	4.6	16	1	1	4	6	9	11	18
35-49	890	6.0	31	1	2	4	8	11	16	26
50-64	898	7.5	49	1	2	5	10	16	21	32
65+	728	9.6	85	1	2	7	13	20	27	47
2. MULTIPLE DX										
0-19 YRS	615	7.5	103	1	1	4	8	15	23	60
20-34	1514	8.4	73	1	2	6	10	17	25	46
35-49	2276	11.1	113	2	2	8	14	23	31	61
50-64	4132	12.7	121	2	3	10	17	26	34	56
65+	5428	15.0	157	2	3	12	19	31	40	67
TOT. SINGLE DX	4387	6.3	43	1	1	4	8	13	18	33
" MULTIPLE DX	13965	12.7	134	2	3	9	16	26	35	61
TOTAL 0-19 YRS	1410	5.7	63	<1	1	3	7	12	16	45
20-34	2590	6.8	53	1	2	5	8	13	19	40
35-49	3166	9.7	96	1	2	7	12	21	28	50
50-64	5030	11.8	113	2	2	9	15	24	32	54
65+	6156	14.4	152	2	3	11	19	30	38	65
GRAND TOTAL	18352	11.1	120	1	2	8	14	24	32	56

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	856	6.0	17	2	2	5	7	11	14	25
20-34	1786	6.0	15	2	3	5	7	10	13	21
35-49	816	7.9	31	2	3	7	9	13	17	35
50-64	486	10.5	47	3	4	9	13	18	24	35
65+	442	13.6	82	4	6	11	17	27	32	49
2. MULTIPLE DX										
0-19 YRS	1053	9.7	101	3	3	7	11	20	30	65
20-34	2949	8.9	79	3	3	6	9	16	25	52
35-49	1730	12.4	116	4	5	9	15	26	34	61
50-64	1979	17.1	169	5	6	13	22	34	47	85
65+	2750	20.0	181	7	8	17	25	37	47	82
TOT. SINGLE DX	4386	7.6	35	2	3	6	9	14	18	33
" MULTIPLE DX	10461	14.0	153	3	4	10	18	29	40	72
TOTAL 0-19 YRS	1909	8.1	67	2	3	6	9	15	23	55
20-34	4735	7.8	58	2	3	6	8	13	19	46
35-49	2546	11.0	94	3	4	8	12	22	30	52
50-64	2465	15.8	153	4	6	12	20	31	43	80
65+	3192	19.1	172	6	7	16	24	35	46	77
GRAND TOTAL	14847	12.1	126	3	4	8	15	25	35	64

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1411	3.2	7	<1	1	2	4	7	8	12
20-34	6230	2.5	4	<1	<1	2	3	5	7	10
35-49	1047	2.5	5	<1	<1	2	3	5	7	12
50-64	188	3.4	15	<1	1	2	4	7	10	23
65+	67	4.0	17	<1	1	2	4	10	13	20
2. MULTIPLE DX										
0-19 YRS	1297	4.0	11	1	1	3	5	8	11	15
20-34	8234	3.2	10	<1	<1	2	4	7	9	16
35-49	1824	3.8	22	<1	<1	2	4	9	12	22
50-64	357	6.1	59	<1	1	3	8	15	21	47
65+	262	11.4	139	1	2	8	15	23	34	48
TOT. SINGLE DX	8943	2.6	6	<1	<1	2	3	6	7	11
" MULTIPLE DX	11974	3.7	19	<1	1	2	4	8	11	21
TOTAL 0-19 YRS	2708	3.6	10	<1	1	3	5	8	10	14
20-34	14464	2.9	8	<1	<1	2	3	6	8	14
35-49	2871	3.3	17	<1	<1	2	4	8	10	19
50-64	545	5.2	46	<1	1	3	6	12	18	37
65+	329	9.9	124	1	2	7	13	22	32	48
GRAND TOTAL	20917	3.2	13	<1	<1	2	4	7	9	17

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	423	7.0	22	1	2	6	9	11	14	24
20-34	1456	5.8	18	1	1	5	8	10	13	21
35-49	1127	8.3	33	1	2	7	10	15	18	30
50-64	905	9.8	32	3	4	9	12	16	20	30
65+	778	11.8	40	4	6	10	14	19	23	37
2. MULTIPLE DX										
0-19 YRS	716	10.3	106	2	3	8	12	20	31	81
20-34	4268	7.3	45	1	2	6	8	14	19	36
35-49	2868	11.1	98	2	3	8	13	22	30	58
50-64	3054	15.3	143	4	5	12	18	30	40	68
65+	4156	18.8	172	6	7	15	23	34	46	78
TOT. SINGLE DX	4689	8.3	33	1	2	7	10	15	18	29
" MULTIPLE DX	15062	13.0	134	2	3	10	16	26	35	65
TOTAL 0-19 YRS	1139	9.1	78	2	2	7	10	17	24	61
20-34	5724	6.9	39	1	2	6	8	13	18	33
35-49	3995	10.3	82	2	3	8	12	20	27	50
50-64	3959	14.0	123	3	5	11	17	27	36	64
65+	4934	17.7	158	5	7	14	22	32	43	75
GRAND TOTAL	19751	11.8	114	2	3	9	15	24	32	61

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	8.8	29	3	4	8	10	14	16	23
20-34	204	8.9	17	5	5	8	10	14	16	27
35-49	310	10.3	24	6	6	9	12	16	18	26
50-64	490	11.5	24	6	7	10	13	18	21	31
65+	423	13.3	37	7	8	12	16	20	25	38
2. MULTIPLE DX										
0-19 YRS	369	11.1	85	4	5	9	12	21	27	52
20-34	511	13.3	108	5	6	10	15	23	36	58
35-49	673	14.3	109	6	7	11	16	25	34	63
50-64	1587	15.8	89	7	8	13	19	27	33	58
65+	2307	18.6	136	8	9	15	22	32	42	73
TOT. SINGLE DX	1596	11.1	30	5	6	10	13	17	21	33
" MULTIPLE DX	5447	16.2	119	6	7	13	20	29	38	63
TOTAL 0-19 YRS	538	10.4	69	4	5	8	12	18	24	49
20-34	715	12.1	86	5	6	9	13	21	32	55
35-49	983	13.0	86	6	6	10	15	23	30	58
50-64	2077	14.8	77	7	8	12	18	25	31	52
65+	2730	17.7	125	8	8	14	21	31	40	68
GRAND TOTAL	7043	15.1	103	6	7	13	18	27	35	59

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	779	6.8	32	2	2	5	9	14	18	29
20-34	1213	8.2	30	2	2	7	10	14	18	29
35-49	1298	8.7	34	2	3	8	10	14	18	33
50-64	1250	8.8	26	2	2	8	11	15	18	26
65+	560	9.3	51	1	2	8	11	17	22	37
2. MULTIPLE DX										
0-19 YRS	916	11.6	111	2	2	9	15	25	32	58
20-34	1902	13.3	129	2	3	10	17	27	37	61
35-49	2063	14.0	150	2	3	10	17	28	37	66
50-64	2569	13.3	111	2	4	10	16	25	33	56
65+	2446	15.0	143	2	4	12	19	29	37	66
TOT. SINGLE DX	5100	8.4	34	2	2	8	10	14	18	30
" MULTIPLE DX	9896	13.7	132	2	3	11	17	27	36	62
TOTAL 0-19 YRS	1695	9.4	81	2	2	7	12	20	28	47
20-34	3115	11.3	97	2	2	9	14	22	31	55
35-49	3361	11.9	113	2	3	9	14	23	33	58
50-64	3819	11.8	88	2	3	10	14	22	29	50
65+	3006	13.9	131	2	3	11	17	27	35	62
GRAND TOTAL	14996	11.9	105	2	3	9	15	23	31	56

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	7.2	11	1	3	7	10	11	12	17
20-34	1070	7.9	12	3	4	8	10	12	14	19
35-49	1528	8.2	15	3	4	8	10	13	15	22
50-64	1262	8.8	17	3	4	8	11	14	16	22
65+	565	9.6	21	3	4	9	12	16	18	26
2. MULTIPLE DX										
0-19 YRS	94	8.7	43	1	2	8	11	17	20	35
20-34	694	9.1	27	3	4	8	11	15	18	26
35-49	1149	10.4	32	4	5	9	12	17	21	31
50-64	1687	11.4	53	3	5	10	14	19	23	38
65+	1448	13.7	95	3	5	11	16	24	31	56
TOT. SINGLE DX	4521	8.4	16	3	4	8	10	13	16	21
" MULTIPLE DX	5072	11.4	60	3	5	10	14	19	25	42
TOTAL 0-19 YRS	190	7.9	28	1	2	7	10	13	17	26
20-34	1764	8.4	19	3	4	8	10	14	16	23
35-49	2677	9.1	24	3	5	8	11	14	18	27
50-64	2949	10.3	40	3	5	9	12	17	21	34
65+	2013	12.5	78	3	5	10	15	21	28	50
GRAND TOTAL	**9593**	**10.0**	**42**	**3**	**4**	**9**	**12**	**16**	**20**	**34**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	720	7.5	9	3	4	7	9	11	13	17
20-34	73	10.8	30	6	7	9	12	14	20	39
35-49	48	12.8	34	7	8	12	15	18	21	37
50-64	56	13.0	39	5	6	12	16	22	23	35
65+	51	14.2	43	5	7	13	18	22	26	38
2. MULTIPLE DX										
0-19 YRS	799	9.9	33	4	5	9	11	16	22	30
20-34	228	13.6	87	5	7	11	15	24	32	52
35-49	142	16.2	81	7	8	14	20	32	39	99+
50-64	223	18.7	137	5	8	16	22	37	48	61
65+	327	22.8	199	8	10	19	27	42	53	83
TOT. SINGLE DX	948	8.7	21	4	4	8	10	13	17	26
" MULTIPLE DX	1719	14.5	115	4	6	11	18	27	38	63
TOTAL 0-19 YRS	1519	8.8	23	4	4	8	10	13	18	28
20-34	301	13.0	75	6	7	10	14	23	30	49
35-49	190	15.3	72	7	8	13	18	29	38	99+
50-64	279	17.6	123	5	7	15	22	33	43	59
65+	378	21.6	197	8	9	18	25	39	50	82
GRAND TOTAL	**2667**	**12.5**	**89**	**4**	**5**	**10**	**15**	**23**	**31**	**54**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	298	4.8	12	1	1	4	6	9	12	18
20-34	1966	4.2	6	1	2	4	5	7	9	13
35-49	2380	4.3	7	1	2	4	6	8	9	13
50-64	1570	4.6	9	1	2	4	6	8	10	15
65+	602	5.4	14	2	2	4	7	10	13	18
2. MULTIPLE DX										
0-19 YRS	241	8.4	41	1	1	7	12	18	20	27
20-34	919	5.9	26	2	2	5	7	10	14	30
35-49	1419	6.0	22	2	2	5	7	11	15	25
50-64	1605	7.1	35	2	2	6	9	13	17	27
65+	1327	9.2	70	2	3	7	12	18	25	44
TOT. SINGLE DX	6816	4.5	8	1	2	4	6	8	10	14
" MULTIPLE DX	5511	7.2	41	2	2	5	9	14	18	31
TOTAL 0-19 YRS	539	6.4	28	1	1	5	9	14	18	24
20-34	2885	4.8	13	1	2	4	6	8	10	17
35-49	3799	5.0	13	1	2	4	6	9	11	19
50-64	3175	5.9	24	2	2	5	7	11	14	24
65+	1929	8.0	56	2	2	6	10	16	21	37
GRAND TOTAL	**12327**	**5.7**	**25**	**1**	**2**	**4**	**7**	**11**	**14**	**25**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2617	2.3	5	<1	<1	1	3	5	7	12
20-34	3420	3.7	11	<1	1	3	5	7	9	15
35-49	3787	3.7	11	<1	1	3	5	8	10	17
50-64	4514	3.7	12	<1	1	2	5	8	10	17
65+	4945	4.3	16	1	1	3	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	3695	3.6	23	<1	<1	2	4	8	11	24
20-34	5867	6.1	41	1	1	4	8	12	17	34
35-49	8221	6.5	43	1	1	5	8	13	18	32
50-64	14736	7.2	61	1	1	5	9	15	21	42
65+	28635	9.9	102	1	2	7	13	21	29	57
TOT. SINGLE DX	19283	3.7	13	<1	1	2	5	8	10	17
" MULTIPLE DX	61154	8.0	78	1	1	5	10	17	24	47
TOTAL 0-19 YRS	6312	3.1	17	<1	<1	2	4	7	9	17
20-34	9287	5.2	32	1	1	4	7	10	14	29
35-49	12008	5.6	35	1	1	4	7	12	16	29
50-64	19250	6.4	52	1	1	4	8	14	19	38
65+	33580	9.0	94	1	2	6	12	20	28	53
GRAND TOTAL	**80437**	**7.0**	**66**	**1**	**1**	**4**	**9**	**15**	**21**	**43**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.5	3	1	1	2	3	5	7	10
20-34	273	3.0	5	<1	1	2	3	6	8	12
35-49	749	3.2	4	1	1	3	4	6	7	11
50-64	2825	3.6	9	1	1	3	4	6	8	16
65+	5890	4.3	13	1	2	3	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	79	4.2	11	1	1	3	6	9	11	16
20-34	448	4.8	37	1	1	3	6	9	14	32
35-49	1134	5.1	36	1	1	3	6	10	15	30
50-64	4601	5.7	33	1	2	4	7	11	16	30
65+	14576	7.6	64	2	2	5	9	16	22	40
TOT. SINGLE DX	9776	4.0	12	1	1	3	5	7	9	17
" MULTIPLE DX	20838	7.0	56	1	2	5	8	14	20	38
TOTAL 0-19 YRS	118	3.6	9	1	1	3	4	9	10	16
20-34	721	4.1	26	1	1	3	5	8	11	20
35-49	1883	4.3	25	1	1	3	5	8	12	25
50-64	7426	4.9	25	1	1	3	6	9	13	27
65+	20466	6.6	52	1	2	4	8	14	19	37
GRAND TOTAL	**30614**	**6.0**	**44**	**1**	**2**	**4**	**7**	**12**	**17**	**34**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	301	5.4	17	1	1	4	7	11	14	19
20-34	369	5.6	18	1	1	4	8	11	13	20
35-49	547	5.8	25	1	1	4	8	12	14	27
50-64	978	6.3	38	1	1	4	8	15	19	28
65+	1486	6.9	39	1	2	4	10	16	20	26
2. MULTIPLE DX										
0-19 YRS	813	9.2	93	2	2	7	11	19	26	65
20-34	791	9.7	129	1	2	6	12	23	34	76
35-49	1083	9.9	113	1	2	7	12	20	29	59
50-64	2511	10.6	116	2	2	7	14	23	31	60
65+	6527	12.6	149	2	2	9	16	27	37	68
TOT. SINGLE DX	3681	6.3	34	1	1	4	9	14	18	26
" MULTIPLE DX	11725	11.5	135	2	2	8	15	25	34	66
TOTAL 0-19 YRS	1114	8.1	76	1	2	6	10	16	23	51
20-34	1160	8.4	98	1	2	6	10	17	28	57
35-49	1630	8.5	88	1	2	6	10	17	25	48
50-64	3489	9.4	98	1	2	6	13	20	28	54
65+	8013	11.6	134	2	2	8	15	25	34	62
GRAND TOTAL	**15406**	**10.3**	**116**	**1**	**2**	**7**	**13**	**22**	**30**	**59**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	671	1.3		<1	<1	1	1	2	3	5
20-34	63	2.2	2	<1	<1	2	3	4	6	8
35-49	33	2.4	3	<1	<1	2	3	4	7	9
50-64	53	2.6	2	<1	<1	2	3	5	6	9
65+	35	2.9	4	<1	1	2	3	7	8	10
2. MULTIPLE DX										
0-19 YRS	532	2.2	4	<1	<1	2	2	4	6	12
20-34	135	3.9	23	<1	1	2	4	9	12	29
35-49	101	4.4	25	<1	1	3	4	10	17	25
50-64	154	5.1	30	<1	1	3	6	11	15	29
65+	184	7.5	50	1	2	5	10	16	18	42
TOT. SINGLE DX	855	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	1106	3.9	24	<1	<1	2	4	9	13	26
TOTAL 0-19 YRS	1203	1.7	3	<1	<1	1	2	3	4	10
20-34	198	3.3	17	<1	<1	2	4	7	10	28
35-49	134	3.9	21	<1	1	2	4	8	16	21
50-64	207	4.5	25	<1	1	3	5	9	13	27
65+	219	6.8	46	1	2	4	9	15	18	40
GRAND TOTAL	**1961**	**2.9**	**15**	**<1**	**<1**	**2**	**3**	**6**	**10**	**18**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1796	5.3	14	<1	1	5	8	10	12	16
20-34	545	3.6	11	<1	1	3	5	7	10	15
35-49	377	5.0	13	1	1	4	7	9	13	18
50-64	373	4.5	9	1	2	4	6	9	10	16
65+	418	4.3	11	1	1	3	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	1070	6.4	32	1	1	5	9	13	16	25
20-34	411	5.6	45	1	1	4	7	12	16	35
35-49	509	6.7	43	1	2	5	8	13	16	31
50-64	692	6.5	35	1	2	5	8	13	17	32
65+	1143	7.8	64	2	2	5	9	18	25	42
TOT. SINGLE DX	3509	4.8	13	<1	1	4	7	10	12	16
" MULTIPLE DX	3825	6.8	46	1	2	5	9	14	19	33
TOTAL 0-19 YRS	2866	5.7	22	<1	1	5	8	11	14	20
20-34	956	4.4	27	<1	1	3	5	9	13	23
35-49	886	6.0	32	1	1	5	8	11	15	24
50-64	1065	5.8	27	1	2	4	8	11	15	29
65+	1561	6.9	53	1	2	4	8	15	23	36
GRAND TOTAL	**7334**	**5.8**	**31**	**1**	**1**	**4**	**8**	**12**	**15**	**28**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	700	1.8	3	<1	<1	1	2	3	5	9
20-34	444	2.9	5	<1	<1	2	4	6	8	11
35-49	439	3.0	6	<1	<1	2	4	6	8	13
50-64	434	3.3	12	<1	<1	2	4	7	9	18
65+	550	3.8	13	1	1	3	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	1390	2.6	19	<1	<1	1	3	5	7	15
20-34	1475	5.7	45	<1	1	4	7	12	17	33
35-49	1936	6.5	58	1	1	4	8	13	19	44
50-64	2524	7.0	54	1	2	5	9	15	20	38
65+	5175	9.4	86	1	2	7	12	19	27	50
TOT. SINGLE DX	2567	2.9	9	<1	<1	2	3	6	8	13
" MULTIPLE DX	12500	7.3	68	1	1	5	9	16	22	44
TOTAL 0-19 YRS	2090	2.3	14	<1	<1	1	2	5	6	12
20-34	1919	5.1	38	<1	1	3	6	10	15	30
35-49	2375	5.8	51	<1	1	4	7	13	17	40
50-64	2958	6.5	50	1	1	4	8	14	19	37
65+	5725	8.8	82	1	2	6	11	19	26	48
GRAND TOTAL	15067	6.5	61	<1	1	4	8	15	20	41

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	423	2.3	3	<1	<1	2	3	4	6	9
20-34	623	3.4	7	1	1	3	4	7	9	13
35-49	451	4.1	10	1	1	3	5	9	10	15
50-64	459	4.4	11	1	1	3	6	9	11	19
65+	552	4.3	12	1	2	3	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	521	3.0	24	<1	<1	2	3	5	7	25
20-34	721	4.4	27	1	1	3	5	9	11	27
35-49	680	6.0	64	1	2	4	7	12	17	39
50-64	1038	6.5	53	1	2	4	8	14	20	36
65+	2068	7.5	63	2	2	5	9	15	21	42
TOT. SINGLE DX	2508	3.7	10	1	1	3	5	8	9	15
" MULTIPLE DX	5028	6.2	55	1	2	4	7	13	18	38
TOTAL 0-19 YRS	944	2.7	15	<1	<1	2	3	5	6	15
20-34	1344	4.0	18	1	1	3	5	8	10	21
35-49	1131	5.2	44	1	1	3	6	10	13	30
50-64	1497	5.8	41	1	2	4	7	11	16	33
65+	2620	6.9	55	1	2	5	8	14	19	39
GRAND TOTAL	7536	5.4	41	1	1	3	6	11	15	33

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.0	10	2	2	6	8	9	9	9
20-34	258	6.8	5	3	4	7	8	9	11	14
35-49	827	7.4	4	4	5	7	9	10	11	14
50-64	833	8.1	7	4	5	8	9	11	13	17
65+	358	9.1	10	5	6	9	10	13	15	20
2. MULTIPLE DX										
0-19 YRS	7	7.1	13	2	2	9	9	11	12	12
20-34	358	7.5	9	4	5	7	9	11	13	18
35-49	1449	8.6	15	5	5	8	10	12	15	23
50-64	1509	9.6	21	5	6	8	11	15	18	27
65+	969	11.3	42	5	6	9	13	18	24	36
TOT. SINGLE DX	2280	7.8	7	4	5	8	9	11	13	17
" MULTIPLE DX	4292	9.4	24	5	5	8	11	15	18	29
TOTAL 0-19 YRS	11	6.7	11	2	2	8	9	10	12	12
20-34	616	7.2	8	4	5	7	8	10	12	17
35-49	2276	8.1	12	5	5	8	9	11	14	20
50-64	2342	9.0	17	5	5	8	10	14	16	25
65+	1327	10.7	35	5	6	9	12	17	20	34
GRAND TOTAL	6572	8.9	19	5	5	8	10	13	16	26

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.9	26	<1	<1	4	8	14	16	16
20-34	82	6.9	5	4	4	7	8	9	10	17
35-49	336	6.9	7	3	4	7	8	10	11	16
50-64	320	7.1	6	4	4	7	8	10	12	14
65+	206	8.2	16	4	4	8	10	13	16	21
2. MULTIPLE DX										
0-19 YRS	12	9.9	73	1	3	8	11	20	33	35
20-34	105	8.2	75	3	4	7	9	11	15	50
35-49	415	8.0	21	4	4	7	9	12	14	24
50-64	505	8.8	18	4	5	8	10	13	17	25
65+	420	9.9	36	4	5	8	12	17	22	37
TOT. SINGLE DX	951	7.2	9	4	4	7	9	11	12	17
" MULTIPLE DX	1457	8.8	30	4	4	8	10	14	18	27
TOTAL 0-19 YRS	19	8.4	58	<1	1	7	11	15	26	35
20-34	187	7.6	45	3	4	7	8	11	13	18
35-49	751	7.5	16	4	4	7	9	11	13	21
50-64	825	8.1	15	4	4	8	9	12	15	22
65+	626	9.4	30	4	4	8	11	16	20	35
GRAND TOTAL	2408	8.2	22	4	4	7	9	13	16	25

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	5.2	34	<1	<1	3	8	11	21	24
20-34	50	5.0	7	‡	‡	5	6	10	11	11
35-49	83	4.5	8	‡	‡	4	7	9	10	13
50-64	76	6.1	22	‡	‡	5	8	11	15	17
65+	40	4.1	13	‡	‡	3	6	8	9	20
2. MULTIPLE DX										
0-19 YRS	39	4.9	44	<1	<1	2	6	12	13	38
20-34	123	7.6	36	‡	‡	6	10	14	17	33
35-49	146	7.8	48	‡	‡	6	10	14	23	35
50-64	122	9.2	95	‡	‡	7	11	19	34	60
65+	277	13.1	163	‡	‡	10	18	27	36	76
TOT. SINGLE DX	277	5.2	16	1	1	4	7	10	11	21
" MULTIPLE DX	807	9.8	105	1	2	7	12	21	28	48
TOTAL 0-19 YRS	67	5.0	40	<1	<1	2	7	12	15	36
20-34	173	6.8	29	‡	‡	6	9	13	17	31
35-49	229	6.7	36	‡	‡	5	8	12	14	34
50-64	198	8.4	79	‡	‡	6	10	17	23	57
65+	317	12.0	153	‡	‡	8	17	25	34	76
GRAND TOTAL	1084	8.6	86	1	2	6	11	18	25	43

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	6.9	25	<1	‡	6	9	11	19	22
20-34	47	6.8	12	‡	‡	7	9	11	13	14
35-49	24	7.9	32	‡	‡	6	9	18	20	24
50-64	30	8.4	34	‡	‡	7	13	19	20	23
65+	25	8.0	36	‡	‡	7	9	15	23	26
2. MULTIPLE DX										
0-19 YRS	20	14.2	135	3	5	11	15	27	41	54
20-34	75	11.6	95	‡	‡	9	15	20	32	53
35-49	89	10.9	53	‡	‡	10	14	19	23	41
50-64	108	14.1	158	‡	‡	11	17	26	35	70
65+	164	14.1	157	‡	‡	10	19	28	41	68
TOT. SINGLE DX	141	7.5	26	1	2	7	9	14	19	24
" MULTIPLE DX	456	13.1	127	2	3	10	16	25	36	56
TOTAL 0-19 YRS	35	11.1	99	2	3	8	13	23	28	34
20-34	122	9.7	69	‡	‡	8	12	16	24	49
35-49	113	10.2	51	‡	‡	8	14	18	23	40
50-64	138	12.9	137	‡	‡	10	16	25	31	56
65+	189	13.3	145	‡	‡	9	16	26	40	65
GRAND TOTAL	597	11.8	109	2	3	9	15	23	29	52

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	5.6	11	<1	<1	5	7	9	13	14
20-34	13	4.2	3	2	2	4	5	6	8	8
35-49	255	5.7	4	3	3	6	7	8	10	13
50-64	5704	6.1	6	3	4	6	7	9	10	15
65+	12505	6.8	12	4	4	6	8	10	12	19
2. MULTIPLE DX										
0-19 YRS	47	10.7	188	2	3	7	11	18	24	94
20-34	57	7.9	36	2	3	6	10	17	23	27
35-49	572	7.7	33	3	4	6	9	13	18	32
50-64	12941	8.3	35	4	4	7	10	14	18	31
65+	46284	10.6	69	4	5	8	12	20	26	47
TOT. SINGLE DX	18492	6.6	11	3	4	6	8	10	12	18
" MULTIPLE DX	59901	10.1	63	4	4	8	12	16	24	45
TOTAL 0-19 YRS	62	9.5	149	1	3	7	10	17	22	86
20-34	70	7.2	32	2	2	6	9	14	22	27
35-49	827	7.1	28	3	4	6	8	11	15	24
50-64	18645	7.6	28	3	4	6	9	13	16	28
65+	58789	9.8	60	4	4	7	11	18	24	44
GRAND TOTAL	78393	9.3	53	4	4	7	10	17	22	40

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.9	15	<1	<1	2	7	10	10	10
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	18	13.2	62	5	8	11	13	25	34	37
50-64	612	11.1	17	6	7	10	13	17	19	24
65+	1076	11.6	20	6	7	11	14	17	20	25
2. MULTIPLE DX										
0-19 YRS	11	7.6	69	1	2	5	9	19	30	31
20-34	5	9.2	37	2	2	11	13	17	17	17
35-49	29	12.8	40	2	4	12	17	23	24	25
50-64	1207	13.3	40	6	8	12	16	21	25	36
65+	4045	14.9	71	7	8	13	17	24	31	52
TOT. SINGLE DX	1715	11.4	20	6	7	11	13	17	20	25
" MULTIPLE DX	5297	14.5	65	7	8	13	17	23	29	49
TOTAL 0-19 YRS	18	6.2	50	<1	1	4	9	11	23	31
20-34	7	7.7	35	1	1	7	12	16	17	17
35-49	47	13.0	48	3	7	12	16	23	26	37
50-64	1819	12.5	34	6	7	11	15	19	23	31
65+	5121	14.2	62	6	8	12	17	23	29	49
GRAND TOTAL	**7012**	**13.8**	**56**	**6**	**8**	**12**	**16**	**22**	**27**	**46**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.5	10	<1	1	3	3	7	13	13
20-34	26	2.9	7	<1	1	2	3	6	8	14
35-49	222	2.4	3	<1	1	2	3	4	5	11
50-64	1685	2.5	3	<1	1	2	3	4	6	10
65+	2562	3.2	8	1	1	2	3	6	8	15
2. MULTIPLE DX										
0-19 YRS	9	5.0	17	1	1	4	7	12	12	12
20-34	45	6.0	39	1	2	4	7	12	23	29
35-49	258	4.9	23	1	1	3	6	10	15	26
50-64	2116	5.4	42	1	2	3	6	12	17	32
65+	5290	7.3	58	1	2	4	10	17	22	39
TOT. SINGLE DX	4506	2.9	6	<1	1	2	3	5	8	13
" MULTIPLE DX	7718	6.7	54	1	2	4	9	15	21	36
TOTAL 0-19 YRS	20	4.2	13	<1	1	3	4	12	13	13
20-34	71	4.9	30	<1	1	3	5	11	16	28
35-49	480	3.7	16	1	1	2	4	8	11	22
50-64	3801	4.1	27	1	1	2	4	9	12	26
65+	7852	6.0	46	1	1	3	7	14	19	34
GRAND TOTAL	**12224**	**5.3**	**40**	**1**	**1**	**3**	**6**	**12**	**17**	**32**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	459	2.4	4	<1	1	2	3	5	6	12
20-34	392	2.5	4	1	1	2	3	5	7	13
35-49	333	3.3	7	1	1	3	4	6	9	14
50-64	287	3.3	5	1	1	3	4	5	8	15
65+	169	4.5	19	1	1	3	5	9	11	21
2. MULTIPLE DX										
0-19 YRS	314	3.1	16	<1	1	2	3	6	9	19
20-34	290	4.9	26	1	1	3	5	10	13	34
35-49	316	6.2	44	1	2	4	7	13	21	40
50-64	426	6.6	60	1	2	4	7	14	20	39
65+	488	9.3	104	2	2	6	12	20	30	53
TOT. SINGLE DX	1640	3.1	7	1	1	2	4	5	8	14
" MULTIPLE DX	1834	6.4	61	1	1	4	7	14	20	44
TOTAL 0-19 YRS	773	2.7	9	<1	1	2	3	5	6	16
20-34	682	3.8	15	1	1	3	4	7	11	23
35-49	649	4.7	27	1	1	3	5	10	14	30
50-64	713	5.3	41	1	1	3	6	10	15	28
65+	657	8.0	87	1	2	5	10	18	25	52
GRAND TOTAL	**3474**	**4.8**	**38**	**1**	**1**	**3**	**5**	**10**	**15**	**34**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	690	2.7	4	1	1	2	3	5	6	12
20-34	891	4.1	11	1	1	3	5	8	11	18
35-49	397	3.9	8	1	1	3	5	7	9	16
50-64	315	4.8	15	1	2	4	6	9	13	20
65+	775	4.7	18	1	2	3	5	10	13	23
2. MULTIPLE DX										
0-19 YRS	667	3.4	23	1	1	3	4	5	8	18
20-34	567	5.8	40	1	2	4	7	12	17	43
35-49	340	6.1	50	1	2	4	7	11	19	37
50-64	738	8.0	76	2	2	5	10	18	23	43
65+	3046	9.8	98	2	2	7	12	21	27	51
TOT. SINGLE DX	3068	4.0	12	1	1	3	5	8	11	18
" MULTIPLE DX	5358	8.1	82	1	2	5	10	18	24	46
TOTAL 0-19 YRS	1357	3.0	14	1	1	2	3	5	7	16
20-34	1458	4.8	23	1	1	3	5	9	14	23
35-49	737	4.9	29	1	1	4	5	9	13	26
50-64	1053	7.1	60	1	2	4	8	15	21	42
65+	3821	8.7	86	2	2	5	11	19	25	46
GRAND TOTAL	**8426**	**6.6**	**61**	**1**	**2**	**4**	**8**	**15**	**21**	**40**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3430	2.1	1	<1	1	2	3	4	4	7
20-34	361	2.3	1	1	1	2	3	4	5	6
35-49	34	2.4	1	1	1	2	3	4	5	9
50-64	11	2.5		1	1	2	3	4	4	4
65+	9	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	2295	2.5	3	<1	1	2	3	4	6	9
20-34	161	3.2	4	1	1	3	4	6	7	11
35-49	37	3.4	5	1	1	2	4	8	9	10
50-64	13	4.0	13	<1	1	3	5	9	14	15
65+	5	4.8	13	2	2	4	6	11	11	11
TOT. SINGLE DX	3845	2.2	2	<1	1	2	3	4	5	7
" MULTIPLE DX	2511	2.5	3	<1	1	2	3	4	6	9
TOTAL 0-19 YRS	5725	2.3	2	<1	1	2	3	4	5	7
20-34	522	2.6	3	1	1	2	3	5	6	10
35-49	71	2.9	4	1	1	2	4	6	8	10
50-64	24	3.3	8	1	1	3	4	9	9	15
65+	14	3.0	7	<1	1	2	3	6	10	11
GRAND TOTAL	6356	2.3	3	<1	1	2	3	4	5	8

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	657	2.0	1	<1	1	2	3	4	4	7
20-34	508	2.4	3	<1	1	2	3	4	6	11
35-49	187	2.6	2	<1	1	2	3	5	6	9
50-64	61	2.9	3	<1	1	2	3	5	7	11
65+	25	4.4	9	1	2	3	5	7	11	16
2. MULTIPLE DX										
0-19 YRS	282	3.0	15	<1	1	2	3	5	9	17
20-34	275	3.1	8	<1	1	2	4	5	7	19
35-49	130	3.5	8	1	1	3	4	6	10	17
50-64	106	5.4	52	1	1	3	5	11	15	46
65+	73	7.9	50	2	2	6	10	14	18	45
TOT. SINGLE DX	1438	2.3	3	<1	1	2	3	4	6	9
" MULTIPLE DX	866	3.8	22	1	1	3	4	8	11	23
TOTAL 0-19 YRS	939	2.3	6	<1	1	2	3	4	5	11
20-34	783	2.7	6	<1	1	2	3	5	7	12
35-49	317	3.0	5	<1	1	2	4	5	7	13
50-64	167	4.5	36	1	1	3	5	9	12	37
65+	98	7.0	42	2	2	5	9	14	17	39
GRAND TOTAL	2304	2.9	11	<1	1	2	3	5	8	16

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.9	37	<1	1	2	3	10	21	23
20-34	395	1.2		<1	<1	<1	1	2	2	4
35-49	263	1.3	1	<1	<1	<1	1	2	3	7
50-64	26	3.1	10	<1	<1	1	5	8	10	13
65+	31	7.1	11	3	5	6	8	9	14	21
2. MULTIPLE DX										
0-19 YRS	10	2.1	3	<1	<1	1	4	5	5	5
20-34	178	3.2	17	<1	<1	2	3	6	11	25
35-49	187	3.5	18	<1	<1	2	4	8	9	27
50-64	73	6.9	22	<1	1	6	10	13	17	20
65+	131	9.9	45	3	5	8	12	17	23	40
TOT. SINGLE DX	727	1.6	4	<1	<1	<1	1	3	5	9
" MULTIPLE DX	579	5.2	32	<1	<1	3	7	11	16	28
TOTAL 0-19 YRS	22	3.1	22	<1	<1	2	3	5	12	23
20-34	573	1.8	6	<1	<1	1	2	3	5	11
35-49	450	2.2	10	<1	<1	1	2	5	7	16
50-64	99	5.9	22	<1	<1	5	9	12	14	20
65+	162	9.4	40	3	5	8	11	16	21	39
GRAND TOTAL	1306	3.2	20	<1	<1	1	4	8	11	23

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1741	2.1	1	<1	1	2	3	3	4	7
20-34	2413	2.3	2	1	1	2	3	4	4	7
35-49	1696	2.4	1	1	1	2	3	4	5	7
50-64	1389	2.9	3	1	1	3	4	5	5	8
65+	686	3.2	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	1186	2.4	9	<1	<1	2	3	4	5	10
20-34	1565	2.8	5	1	1	2	3	5	6	11
35-49	1128	3.3	9	1	1	3	4	6	8	18
50-64	1358	4.3	12	1	2	3	5	8	10	18
65+	1102	5.3	28	2	2	4	6	10	14	23
TOT. SINGLE DX	7925	2.5	2	<1	1	2	3	4	5	8
" MULTIPLE DX	6339	3.6	13	1	1	3	4	7	9	18
TOTAL 0-19 YRS	2927	2.2	5	<1	<1	2	3	4	5	9
20-34	3978	2.5	3	1	1	2	3	4	5	9
35-49	2824	2.8	5	1	1	2	3	4	6	12
50-64	2747	3.6	8	1	2	3	4	6	8	15
65+	1788	4.5	20	1	2	3	5	8	12	20
GRAND TOTAL	14264	3.0	8	1	1	2	3	5	7	14

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1769	1.6	2	<1	<1	1	2	2	2	4
20-34	632	1.8		<1	<1	2	2	3	3	5
35-49	469	1.7		<1	<1	2	2	2	3	4
50-64	287	1.9	1	<1	<1	2	2	3	4	6
65+	198	2.2	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	734	3.0	26	<1	<1	2	2	5	9	32
20-34	570	3.3	21	<1	1	2	3	6	9	26
35-49	702	3.8	27	<1	1	2	4	8	12	25
50-64	780	4.1	18	1	1	2	5	9	12	22
65+	790	5.9	47	1	2	3	7	13	18	33
TOT. SINGLE DX	5645	1.7	2	<1	<1	2	2	2	3	6
" MULTIPLE DX	4751	4.3	38	<1	1	2	4	9	14	31
TOTAL 0-19 YRS	4288	2.2	17	<1	<1	1	2	3	5	23
20-34	1765	2.4	9	<1	1	2	2	4	5	15
35-49	1551	2.9	16	<1	1	2	3	6	9	18
50-64	1492	3.5	19	<1	1	2	4	8	11	20
65+	1300	5.1	44	1	1	3	6	12	16	33
GRAND TOTAL	**10396**	**2.9**	**20**	**<1**	**<1**	**2**	**2**	**5**	**9**	**23**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	369	3.3	7	<1	<1	2	5	7	9	13
20-34	371	3.4	17	<1	<1	2	4	8	10	18
35-49	308	4.5	12	1	1	4	6	9	11	15
50-64	681	4.5	7	1	2	4	6	8	9	14
65+	371	4.8	9	2	2	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	304	4.1	21	<1	1	3	5	8	12	25
20-34	386	6.6	81	1	1	4	7	14	18	52
35-49	622	6.4	46	1	2	5	8	12	18	42
50-64	1286	6.1	37	2	2	5	7	10	14	30
65+	788	6.9	46	2	2	5	8	13	18	39
TOT. SINGLE DX	2100	4.1	11	<1	1	3	5	8	9	15
" MULTIPLE DX	3386	6.2	45	1	2	5	7	11	16	36
TOTAL 0-19 YRS	673	3.7	14	<1	<1	3	5	8	10	17
20-34	757	5.0	53	<1	<1	3	6	10	16	42
35-49	930	5.8	36	1	2	4	7	10	14	34
50-64	1967	5.5	27	1	2	5	6	9	12	26
65+	1159	6.2	36	2	2	5	7	11	16	32
GRAND TOTAL	**5486**	**5.4**	**33**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1008	5.1	4	2	3	5	6	8	8	12
20-34	3467	5.2	3	2	3	5	6	7	8	12
35-49	503	5.7	7	2	3	6	7	8	10	16
50-64	93	7.8	19	2	3	7	10	12	13	27
65+	68	11.1	34	6	6	9	13	19	26	30
2. MULTIPLE DX										
0-19 YRS	1076	6.1	9	3	3	6	7	9	11	18
20-34	6608	5.9	8	3	4	6	7	8	10	16
35-49	1338	7.2	22	2	4	6	8	12	15	27
50-64	232	12.0	86	4	5	9	15	22	27	50
65+	269	16.0	116	5	7	14	19	28	37	62
TOT. SINGLE DX	5139	5.4	5	2	3	5	6	8	9	13
" MULTIPLE DX	9523	6.6	19	3	4	6	7	10	13	25
TOTAL 0-19 YRS	2084	5.6	7	3	3	5	6	8	10	15
20-34	10075	5.7	7	3	3	5	7	8	10	15
35-49	1841	6.8	19	2	3	6	8	11	14	24
50-64	325	10.8	71	3	5	8	13	19	25	45
65+	337	15.0	104	5	7	12	18	27	32	57
GRAND TOTAL	**14662**	**6.1**	**15**	**3**	**3**	**5**	**7**	**9**	**12**	**21**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	518	5.8	6	3	4	5	6	8	9	14
20-34	3052	5.7	4	3	4	5	6	8	9	13
35-49	1259	6.2	5	4	4	6	7	8	10	15
50-64	227	7.3	9	4	5	6	8	11	15	19
65+	112	9.4	22	5	5	8	11	16	22	26
2. MULTIPLE DX										
0-19 YRS	710	6.7	10	3	4	6	8	10	13	18
20-34	7054	6.5	10	4	4	6	7	10	12	18
35-49	3388	7.3	16	4	4	6	8	11	14	24
50-64	503	11.2	58	5	5	9	13	20	24	39
65+	534	16.0	98	6	7	13	20	30	36	48
TOT. SINGLE DX	5168	6.0	6	3	4	6	7	8	10	15
" MULTIPLE DX	12189	7.4	22	4	4	6	8	11	15	28
TOTAL 0-19 YRS	1228	6.3	9	3	4	6	7	9	11	17
20-34	10106	6.3	8	3	4	6	7	9	11	17
35-49	4647	7.0	14	4	4	6	8	10	13	22
50-64	730	10.0	46	4	5	8	12	18	22	38
65+	646	14.9	91	6	6	12	19	28	35	47
GRAND TOTAL	**17357**	**6.9**	**18**	**4**	**4**	**6**	**7**	**10**	**14**	**25**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	5.6	6	3	3	5	8	9	10	11
20-34	333	5.7	3	3	4	6	7	8	9	12
35-49	548	6.5	5	4	4	6	7	9	10	14
50-64	297	8.0	15	4	5	7	9	12	15	22
65+	136	9.4	18	5	6	8	11	14	19	27
2. MULTIPLE DX										
0-19 YRS	26	6.8	7	4	4	6	8	10	13	19
20-34	1605	7.0	14	4	4	6	8	10	13	24
35-49	2933	7.9	20	4	5	7	9	12	15	24
50-64	1108	10.4	44	5	5	8	12	18	22	34
65+	820	14.7	86	6	7	12	18	26	33	52
TOT. SINGLE DX	1331	6.9	10	4	4	6	8	10	12	19
" MULTIPLE DX	6492	9.0	37	4	5	7	10	15	20	34
TOTAL 0-19 YRS	43	6.3	7	3	4	6	8	10	11	15
20-34	1938	6.8	13	4	4	6	7	10	12	22
35-49	3481	7.7	18	4	5	7	8	12	14	23
50-64	1405	9.9	39	5	5	8	11	17	21	33
65+	956	14.0	81	5	6	11	17	25	32	50
GRAND TOTAL	**7823**	**8.6**	**33**	**4**	**5**	**7**	**9**	**14**	**19**	**33**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	220	3.1	5	<1	1	2	4	6	7	12
20-34	857	3.4	5	<1	1	3	5	7	8	11
35-49	141	3.8	6	<1	1	3	5	7	8	15
50-64	16	4.4	13	<1	<1	3	7	11	11	11
65+	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	280	4.8	8	1	1	4	6	9	10	14
20-34	2401	4.7	9	1	1	5	6	7	9	15
35-49	410	5.5	20	1	1	5	7	10	13	26
50-64	38	8.4	46	1	2	7	10	17	21	36
65+	20	12.5	65	3	5	10	16	24	31	34
TOT. SINGLE DX	1236	3.4	6	<1	1	3	5	7	8	12
" MULTIPLE DX	3149	4.9	12	1	1	5	6	8	10	18
TOTAL 0-19 YRS	500	4.1	8	1	1	4	6	7	9	13
20-34	3258	4.4	9	1	1	4	6	7	9	14
35-49	551	5.0	17	1	1	5	6	9	13	20
50-64	54	7.2	40	1	1	6	10	14	19	35
65+	22	11.7	66	2	3	10	15	22	31	34
GRAND TOTAL	**4385**	**4.5**	**11**	**1**	**1**	**4**	**6**	**7**	**10**	**16**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	1.5		<1	<1	1	2	3	3	3
20-34	7290	1.4		<1	<1	1	2	2	2	4
35-49	3068	1.3		<1	<1	1	2	2	2	3
50-64	11	1.5		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	43	2.0	6	<1	<1	1	2	4	5	16
20-34	5428	1.9	3	<1	<1	1	2	3	4	9
35-49	2793	1.8	3	<1	<1	1	2	3	4	9
50-64	13	1.5		<1	<1	1	2	3	4	4
65+										
TOT. SINGLE DX	10421	1.4	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	8277	1.8	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	95	1.7	3	<1	<1	1	2	3	4	11
20-34	12718	1.6	2	<1	<1	1	2	2	3	6
35-49	5861	1.6	2	<1	<1	1	2	2	3	7
50-64	24	1.5	1	<1	<1	1	2	2	3	4
65+										
GRAND TOTAL	**18698**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.0	3	<1	<1	3	4	5	6	11
20-34	7244	2.3	2	<1	<1	2	3	4	5	7
35-49	2539	2.3	2	<1	<1	2	3	4	5	7
50-64	14	4.3	9	<1	<1	3	7	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	134	3.8	4	1	2	3	4	7	8	14
20-34	12382	3.4	4	1	1	3	4	5	6	10
35-49	3746	3.4	6	1	1	3	4	5	7	13
50-64	22	7.0	10	2	2	7	9	11	13	14
65+										
TOT. SINGLE DX	9869	2.3	2	<1	<1	2	3	4	5	7
" MULTIPLE DX	16284	3.4	5	1	1	3	4	5	6	11
TOTAL 0-19 YRS	206	3.5	5	<1	1	3	4	6	8	12
20-34	19626	3.0	4	1	1	3	4	5	6	9
35-49	6285	2.9	5	<1	1	3	4	5	6	10
50-64	36	5.9	12	<1	2	6	8	10	12	14
65+										
GRAND TOTAL	**26153**	**3.0**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	406	5.0	2	3	3	5	6	7	8	10
20-34	6501	4.7	3	2	3	5	6	7	7	10
35-49	831	4.7	4	1	2	5	6	7	8	10
50-64	5	5.8	23	<1	<1	5	9	13	13	13
65+	5	7.6	9	5	5	7	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	505	5.6	6	3	3	5	6	9	10	14
20-34	8045	5.1	5	2	3	5	6	7	8	12
35-49	1349	5.6	12	1	2	5	7	8	10	17
50-64	27	11.7	168	2	3	8	16	23	73	99+
65+	18	15.4	259	3	3	10	20	38	52	61
TOT. SINGLE DX	7748	4.8	3	2	3	5	6	7	8	10
" MULTIPLE DX	9944	5.2	7	2	3	5	6	8	9	14
TOTAL 0-19 YRS	911	5.3	5	3	3	5	6	8	9	13
20-34	14546	4.9	4	2	3	5	6	7	8	11
35-49	2180	5.2	10	1	2	5	6	8	9	16
50-64	32	10.8	149	1	2	8	16	20	63	99+
65+	23	13.7	213	3	3	9	13	37	46	61
GRAND TOTAL	**17692**	**5.0**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	2.2	1	<1	1	2	3	3	4	7
20-34	2847	2.1	1	<1	1	2	3	3	4	6
35-49	1061	2.2	2	<1	1	2	3	3	4	8
50-64	362	2.2	1	<1	1	2	3	4	5	8
65+	156	2.6	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	88	2.7	27	<1	1	2	3	3	4	34
20-34	1935	2.5	4	<1	1	2	3	4	6	10
35-49	1051	2.9	15	<1	1	2	3	5	7	19
50-64	485	3.2	20	1	1	2	3	5	9	19
65+	287	5.4	45	1	1	3	6	12	19	37
TOT. SINGLE DX	4530	2.1	2	<1	1	2	3	3	4	7
" MULTIPLE DX	3846	2.9	14	<1	1	2	3	5	7	19
TOTAL 0-19 YRS	192	2.4	13	<1	1	2	3	3	4	8
20-34	4782	2.2	3	<1	1	2	3	4	5	8
35-49	2112	2.5	9	<1	1	2	3	4	6	12
50-64	847	2.8	13	<1	1	2	3	5	7	18
65+	443	4.4	32	1	1	3	4	9	14	35
GRAND TOTAL	**8376**	**2.5**	**7**	**<1**	**1**	**2**	**3**	**4**	**5**	**12**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	1.7	1	<1	<1	2	2	3	3	7
20-34	1084	2.1	3	<1	<1	2	2	3	5	9
35-49	1205	2.0	2	<1	<1	2	2	3	4	10
50-64	741	2.3	3	<1	<1	2	2	4	6	11
65+	418	4.1	13	1	1	2	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	102	3.0	10	<1	<1	2	3	6	9	59
20-34	1794	3.0	17	<1	1	2	3	6	8	20
35-49	3059	2.8	12	<1	1	2	3	5	9	18
50-64	1858	3.9	31	<1	1	2	4	9	12	25
65+	1420	6.8	56	1	2	5	8	14	20	41
TOT. SINGLE DX	3539	2.3	5	<1	<1	2	2	4	7	11
" MULTIPLE DX	8233	3.8	28	<1	1	2	4	8	12	26
TOTAL 0-19 YRS	193	2.4	6	<1	<1	2	3	4	7	21
20-34	2878	2.7	12	<1	<1	2	3	5	7	17
35-49	4264	2.6	10	<1	<1	2	2	4	8	17
50-64	2599	3.4	24	<1	1	2	3	7	11	21
65+	1838	6.2	48	1	2	4	8	12	18	37
GRAND TOTAL	**11772**	**3.4**	**21**	**<1**	**1**	**2**	**3**	**7**	**10**	**22**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	3.2	2	1	1	3	4	6	6	8
20-34	2815	2.8	3	1	1	2	3	5	5	8
35-49	271	2.6	1	1	1	2	3	4	5	6
50-64	6	2.3	2	1	1	2	4	5	5	5
65+	4	4.8	12	1	1	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	58	4.5	9	1	1	4	6	8	12	17
20-34	909	4.3	25	1	1	3	5	7	10	22
35-49	115	3.5	11	1	1	2	4	8	11	17
50-64	12	3.9	7	1	1	3	6	8	9	9
65+	3	12.0	48	8	8	8	17	20	20	20
TOT. SINGLE DX	3213	2.8	3	1	1	3	3	5	5	8
" MULTIPLE DX	1097	4.3	23	1	1	3	5	8	11	21
TOTAL 0-19 YRS	175	3.6	5	1	1	3	4	6	7	13
20-34	3724	3.1	9	1	1	3	4	5	7	12
35-49	386	2.9	5	1	1	2	3	5	6	13
50-64	18	3.4	6	1	1	2	5	7	9	9
65+	7	7.9	37	1	1	8	9	18	20	20
GRAND TOTAL	4310	3.1	9	1	1	3	4	5	7	13

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	4.0	8	<1	1	3	6	7	10	13
20-34	1003	5.1	5	1	1	5	7	8	8	11
35-49	338	4.9	7	1	1	5	7	8	9	12
50-64	80	2.8	6	<1	<1	2	3	7	9	11
65+	52	3.8	14	1	1	2	4	7	14	18
2. MULTIPLE DX										
0-19 YRS	54	4.6	11	<1	1	4	6	9	10	18
20-34	1880	5.9	10	1	2	6	7	8	10	15
35-49	986	5.7	30	1	1	5	7	9	12	27
50-64	356	5.5	52	1	1	3	7	11	18	42
65+	284	8.9	99	1	2	5	12	20	29	46
TOT. SINGLE DX	1516	4.9	7	1	1	5	7	8	8	11
" MULTIPLE DX	3560	5.9	28	1	1	5	7	10	13	29
TOTAL 0-19 YRS	97	4.3	10	<1	1	4	6	9	10	16
20-34	2883	5.4	9	1	2	6	7	8	9	14
35-49	1324	5.5	24	1	1	5	7	9	11	21
50-64	436	5.0	45	<1	1	2	6	11	16	35
65+	336	8.1	89	1	2	4	11	17	26	43
GRAND TOTAL	5076	5.6	22	1	1	5	7	9	11	22

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	8.3	38	4	5	6	8	12	25	33
20-34	4114	6.6	4	4	5	6	7	8	10	14
35-49	7511	6.9	4	5	5	7	8	9	10	14
50-64	2340	7.6	7	5	5	7	8	10	12	19
65+	1172	8.8	15	5	6	8	10	13	16	25
2. MULTIPLE DX										
0-19 YRS	194	8.3	20	4	5	7	9	13	15	34
20-34	24291	7.1	8	5	5	6	8	9	11	18
35-49	54830	7.4	8	5	5	7	8	10	12	19
50-64	14692	8.6	19	5	6	7	9	12	16	27
65+	5944	11.6	52	6	6	9	13	20	25	42
TOT. SINGLE DX	15175	7.1	6	5	5	7	8	9	11	16
" MULTIPLE DX	99951	7.7	14	5	5	7	8	11	14	23
TOTAL 0-19 YRS	232	8.3	23	4	5	7	9	13	15	34
20-34	28405	7.0	8	5	5	6	8	9	11	17
35-49	62341	7.4	8	5	5	7	8	10	12	18
50-64	17032	8.4	18	5	5	7	9	12	16	26
65+	7116	11.1	48	6	6	9	13	19	23	40
GRAND TOTAL	115126	7.7	13	5	5	7	8	11	13	22

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.1	4	2	3	5	6	8	9	9
20-34	2297	5.4	1	4	4	5	6	7	8	10
35-49	2300	5.8	3	4	4	6	7	8	9	12
50-64	1177	7.4	5	5	5	7	8	10	12	15
65+	1008	7.9	6	5	5	8	9	11	12	18
2. MULTIPLE DX										
0-19 YRS	41	6.0	7	3	4	5	7	10	14	99+
20-34	9376	6.0	4	4	4	6	7	8	9	13
35-49	15357	6.4	6	4	4	5	7	9	10	16
50-64	5201	7.8	9	5	5	7	9	11	13	19
65+	4015	9.2	22	5	6	8	10	14	16	27
TOT. SINGLE DX	6790	6.3	4	4	4	6	7	9	10	13
" MULTIPLE DX	33990	6.8	9	4	4	6	8	10	12	18
TOTAL 0-19 YRS	49	5.9	7	3	4	5	6	9	12	99+
20-34	11673	5.8	4	4	4	5	7	8	9	13
35-49	17657	6.3	6	4	4	6	7	9	10	15
50-64	6378	7.7	8	5	5	7	9	11	13	18
65+	5023	9.0	19	5	6	8	10	13	16	26
GRAND TOTAL	40789	6.7	9	4	4	6	8	10	12	17

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.0	7	5	7	9	10	10	10	10
20-34	63	11.1	11	7	7	9	12	16	16	20
35-49	92	11.8	11	7	8	11	14	16	16	16
50-64	68	13.6	30	7	8	12	17	25	30	34
65+	39	14.7	41	8	9	14	17	25	30	34
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	119	13.8	101	6	7	9	14	20	32	69
35-49	177	14.2	73	6	7	9	16	24	32	55
50-64	172	15.9	121	7	8	11	16	29	43	82
65+	128	22.7	327	9	9	17	19	44	61	83
TOT. SINGLE DX	245	12.2	22	7	8	11	14	18	20	31
* MULTIPLE DX	595	16.6	132	7	8	13	18	31	44	69
TOTAL 0-19 YRS	4	10.3	23	5	7	9	12	17	17	17
20-34	182	12.9	57	6	7	9	13	17	32	62
35-49	270	13.4	55	6	8	11	15	22	28	46
50-64	240	14.0	85	7	8	12	16	27	40	76
65+	167	20.4	194	8	9	16	24	39	52	78
GRAND TOTAL	843	15.3	104	7	8	12	17	27	36	68

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	956	0.2						1	1	4
20-34	2649	0.2						1	1	3
35-49	349	0.2						1	1	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	146	4.2	73				4	8	10	66
20-34	583	2.2	15				2	6	8	19
35-49	301	1.8	6				2	4	6	11
50-64										
65+										
TOT. SINGLE DX	3654	1.2	2				1	2	2	5
* MULTIPLE DX	1430	2.8	20				1	6	8	18
TOTAL 0-19 YRS	1102	1.1	19				1	2	4	11
20-34	3232	1.6	9				1	3	5	10
35-49	650	1.6	4				1	4	6	11
50-64										
65+										
GRAND TOTAL	9084	1.6	6	<1	<1	<1	1	3	4	10

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6873	0.1							1	2
20-34	47361	0.1							1	2
35-49	17391	0.1							1	2
50-64	6323	0.2							1	3
65+	3054	0.3							2	4
2. MULTIPLE DX										
0-19 YRS	3014	0.2						1	1	3
20-34	26495	0.3						1	2	4
35-49	23247	0.4						1	2	5
50-64	10648	0.5						2	3	6
65+	5303	0.9						3	5	10
TOT. SINGLE DX	79982	1.6						2	2	7
* MULTIPLE DX	68909	3.0						3	5	10
TOTAL 0-19 YRS	9887	0.1							1	2
20-34	74037	0.2							1	2
35-49	40638	0.3						1	1	3
50-64	16971	0.4						1	2	4
65+	7357	0.7						2	3	7
GRAND TOTAL	148890	2.3		<1	<1	2	2	4	6	13

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2656	0.1								1
20-34	8345	0.1								1
35-49	1067	0.1								1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1023	0.2	14					1	1	3
20-34	3708	0.2	10					1	2	6
35-49	907	0.2	6					1	2	6
50-64										
65+										
TOT. SINGLE DX	12069	0.1							1	2
* MULTIPLE DX	5640	0.2	10					1	2	6
TOTAL 0-19 YRS	3681	0.1	6						1	2
20-34	12053	0.2	6					1	2	6
35-49	1974	0.2	3					1	2	6
50-64										
65+										
GRAND TOTAL	17708	1.4	4	<1	<1	<1	1	2	3	8

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1014	1.5	1	<1	<1	1	2	2	3	6
20-34	6257	1.4	1	<1	<1	1	1	2	3	5
35-49	900	1.3		<1	<1	1	1	2	2	5
50-64	10	2.0	1	<1	<1	2	2	4	4	4
65+	6	4.8	19	2	2	3	7	12	13	13
2. MULTIPLE DX										
0-19 YRS	202	2.3	11	<1	<1	2	3	5	6	8
20-34	1467	2.4	8	<1	<1	2	3	5	6	13
35-49	305	2.6	7	<1	<1	2	3	6	8	13
50-64	29	5.4	26	<1	1	3	7	15	17	19
65+	37	8.2	99	1	1	7	9	20	44	99+
TOT. SINGLE DX	8187	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	2040	2.6	11	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	1216	1.6	3	<1	<1	1	2	3	4	7
20-34	7724	1.6	3	<1	<1	1	2	3	4	7
35-49	1205	1.6	3	<1	<1	1	2	3	4	10
50-64	39	4.5	22	<1	<1	3	6	13	16	19
65+	43	7.7	89	1	1	6	9	19	32	99+
GRAND TOTAL	**10227**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.8	4	1	2	5	6	8	8	8
20-34	117	4.8	6	<1	1	5	6	8	8	15
35-49	11	5.9	14	<1	<1	7	9	10	10	10
50-64	13	7.2	8	2	3	7	10	11	11	11
65+	9	11.6	86	6	6	9	10	26	36	36
2. MULTIPLE DX										
0-19 YRS	22	5.4	2	3	4	5	6	7	8	9
20-34	432	5.4	5	1	3	5	6	8	9	14
35-49	65	6.6	8	3	4	6	7	11	13	14
50-64	23	7.7	7	2	3	8	9	10	11	12
65+	33	10.4	29	4	6	9	12	20	23	25
TOT. SINGLE DX	158	5.5	14	<1	1	5	7	9	10	16
" MULTIPLE DX	575	5.9	9	2	3	5	7	9	11	19
TOTAL 0-19 YRS	30	5.2	3	3	3	5	6	7	8	9
20-34	549	5.3	6	1	2	5	6	8	9	15
35-49	76	6.5	9	1	3	6	8	10	13	14
50-64	36	7.5	8	2	3	8	9	11	11	12
65+	42	10.6	40	4	6	9	11	20	24	36
GRAND TOTAL	**733**	**5.8**	**10**	**1**	**3**	**5**	**7**	**9**	**11**	**18**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	3.2	6	<1	1	2	5	6	8	13
20-34	637	3.0	6	<1	<1	2	4	6	7	10
35-49	181	3.1	4	<1	<1	3	4	6	8	10
50-64	111	3.7	5	1	2	4	4	5	6	17
65+	104	4.3	4	2	2	4	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	69	4.2	8	1	1	4	6	8	9	13
20-34	900	4.1	13	<1	1	3	6	7	9	14
35-49	275	3.9	10	<1	1	3	5	8	10	17
50-64	219	4.8	17	1	2	4	5	9	13	24
65+	238	4.5	12	2	2	4	4	8	11	21
TOT. SINGLE DX	1134	3.2	6	<1	<1	3	4	6	7	10
" MULTIPLE DX	1701	4.2	13	1	1	3	5	8	10	19
TOTAL 0-19 YRS	170	3.6	7	<1	1	3	5	7	8	13
20-34	1537	3.6	11	<1	<1	3	5	7	8	12
35-49	456	3.6	8	<1	1	3	5	7	9	13
50-64	330	4.4	14	1	2	4	4	8	11	22
65+	342	4.5	10	2	2	4	4	8	10	21
GRAND TOTAL	**2835**	**3.8**	**11**	**<1**	**1**	**3**	**5**	**7**	**9**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.6	2	2	2	3	4	6	6	6
20-34	274	5.2	5	2	2	5	6	8	9	13
35-49	864	6.2	6	3	3	6	8	9	11	13
50-64	1606	6.6	6	3	4	6	8	10	11	15
65+	1175	7.0	8	4	4	7	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	19	7.1	11	2	4	7	8	12	15	16
20-34	587	6.5	7	3	4	6	8	10	11	16
35-49	2144	7.7	16	3	4	7	9	12	14	21
50-64	3131	8.0	14	4	5	7	9	12	14	20
65+	2678	8.6	18	4	5	8	10	14	16	23
TOT. SINGLE DX	3924	6.5	7	3	4	6	8	10	11	15
" MULTIPLE DX	8559	8.0	16	4	4	7	9	12	15	21
TOTAL 0-19 YRS	24	6.3	11	2	3	6	8	9	15	16
20-34	861	6.1	7	2	3	6	7	9	11	15
35-49	3008	7.3	14	3	4	7	8	11	13	19
50-64	4737	7.5	12	4	4	7	9	11	13	19
65+	3853	8.4	16	4	5	7	9	12	15	22
GRAND TOTAL	**12483**	**7.5**	**14**	**3**	**4**	**7**	**9**	**11**	**14**	**20**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	2.6	8	<1	1	1	3	6	8	15
20-34	606	3.6	6	<1	1	3	5	7	8	12
35-49	263	4.2	15	<1	1	3	6	8	9	20
50-64	131	5.4	10	1	1	6	7	9	11	16
65+	105	6.8	20	2	2	6	8	10	15	28
2. MULTIPLE DX										
0-19 YRS	148	5.5	30	1	1	3	8	12	17	28
20-34	376	4.9	20	1	1	4	6	9	12	22
35-49	283	6.5	43	1	2	5	8	11	14	27
50-64	266	9.2	85	2	3	7	10	15	20	62
65+	260	9.8	63	2	4	8	12	18	24	97
TOT. SINGLE DX	1294	4.0	11	<1	1	3	6	8	10	16
" MULTIPLE DX	1333	7.1	52	1	2	6	9	13	18	39
TOTAL 0-19 YRS	337	3.9	20	<1	1	2	5	10	13	21
20-34	982	4.1	12	1	1	3	5	8	10	17
35-49	546	5.4	31	1	1	4	7	10	12	23
50-64	397	8.0	64	1	2	7	9	14	18	48
65+	365	8.9	53	2	3	7	10	16	21	74
GRAND TOTAL	2627	5.6	34	1	1	4	7	11	14	28

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	451	2.7	5	<1	<1	2	3	6	8	12
20-34	1312	2.9	7	<1	<1	2	4	6	8	13
35-49	440	3.8	15	<1	<1	2	5	8	12	20
50-64	306	4.6	22	<1	1	3	6	8	12	28
65+	355	5.4	31	1	2	4	7	9	12	24
2. MULTIPLE DX										
0-19 YRS	406	4.8	41	<1	1	3	6	9	12	26
20-34	1369	4.8	28	<1	1	3	6	10	13	24
35-49	704	6.5	41	1	2	5	8	12	16	35
50-64	864	7.0	47	1	2	5	8	13	19	41
65+	1307	9.4	107	2	2	7	10	19	31	73
TOT. SINGLE DX	2864	3.5	14	<1	<1	2	5	7	9	17
" MULTIPLE DX	4650	6.7	60	1	1	5	8	13	19	45
TOTAL 0-19 YRS	857	3.7	26	<1	<1	2	4	8	10	19
20-34	2681	3.9	17	<1	<1	2	5	8	11	19
35-49	1144	5.4	33	1	1	4	7	11	14	28
50-64	1170	6.4	42	1	2	5	8	12	18	36
65+	1662	8.5	94	2	3	6	9	17	27	62
GRAND TOTAL	7514	5.5	45	<1	1	4	7	11	15	36

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	559	2.3	2	<1	<1	2	3	4	5	8
20-34	2397	2.1	2	<1	<1	2	3	4	4	7
35-49	1266	2.2	5	<1	<1	2	3	4	5	8
50-64	527	2.5	3	<1	<1	2	3	4	6	10
65+	260	3.3	10	1	1	2	4	6	8	17
2. MULTIPLE DX										
0-19 YRS	297	3.5	8	1	1	3	4	7	9	17
20-34	1115	3.7	16	<1	1	3	4	7	10	21
35-49	783	4.6	38	<1	1	3	5	9	15	35
50-64	581	6.0	54	1	1	4	7	12	18	43
65+	682	8.6	109	1	2	5	10	20	27	70
TOT. SINGLE DX	5009	2.3	4	<1	<1	2	3	4	5	8
" MULTIPLE DX	3458	5.3	49	1	1	3	6	11	17	38
TOTAL 0-19 YRS	856	2.7	5	<1	1	2	3	5	7	13
20-34	3512	2.6	7	<1	1	2	3	5	6	13
35-49	2049	3.1	19	<1	<1	2	3	5	8	23
50-64	1108	4.3	33	<1	1	3	5	9	13	30
65+	942	7.1	88	1	2	4	8	16	25	59
GRAND TOTAL	8467	3.5	24	<1	1	2	4	7	10	26

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.0		<1	<1	2	3	3	3	3
20-34	58	4.6	41	<1	1	2	5	11	14	40
35-49	68	5.6	18	1	1	5	8	11	14	21
50-64	77	7.9	58	1	2	7	10	16	22	45
65+	113	9.7	77	2	2	6	13	23	26	43
2. MULTIPLE DX										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	37	6.0	40	<1	1	5	7	11	13	38
35-49	62	8.9	78	1	2	6	11	25	28	40
50-64	123	12.5	145	2	3	9	17	27	35	59
65+	275	16.9	151	3	4	15	23	32	39	74
TOT. SINGLE DX	327	7.3	56	1	1	5	9	17	23	40
" MULTIPLE DX	503	13.9	145	2	3	10	20	30	37	59
TOTAL 0-19 YRS	17	2.1	1	<1	1	2	3	3	4	4
20-34	95	5.1	41	<1	1	3	6	11	14	40
35-49	130	7.2	49	1	1	5	9	16	25	31
50-64	200	10.7	117	2	2	8	13	23	31	49
65+	388	14.8	140	2	3	11	21	30	37	60
GRAND TOTAL	830	11.3	121	1	2	8	16	26	32	50

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	168	2.0	4	<1	<1	1	2	4	4	7
20-34	250	2.8	3	<1	1	3	3	5	6	11
35-49	59	3.1	4	<1	<1	3	4	6	8	9
50-64	51	3.3	5	1	1	3	4	7	8	11
65+	9	3.6	5	<1	1	3	4	7	9	9
2. MULTIPLE DX										
0-19 YRS	86	3.2	14	<1	1	2	4	7	10	23
20-34	159	4.2	18	1	1	3	5	7	10	17
35-49	50	3.9	9	1	1	3	5	7	10	15
50-64	56	6.9	80	1	2	4	8	15	23	57
65+	53	8.9	125	1	2	6	10	17	24	71
TOT. SINGLE DX	537	2.6	4	<1	1	2	3	5	6	10
" MULTIPLE DX	404	4.9	42	1	1	3	6	9	15	32
TOTAL 0-19 YRS	254	2.4	9	<1	<1	1	3	5	6	22
20-34	409	3.4	10	<1	1	3	4	6	7	16
35-49	109	3.5	7	<1	1	3	5	7	8	14
50-64	107	5.2	48	1	1	3	6	9	15	40
65+	62	8.1	111	1	2	5	9	15	24	68
GRAND TOTAL	**941**	**3.6**	**22**	**<1**	**1**	**3**	**4**	**7**	**9**	**23**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.5	5	<1	<1	1	3	7	8	10
20-34	41	3.7	6	<1	<1	3	5	7	8	13
35-49	18	1.6		<1	<1	1	2	3	4	4
50-64	9	3.4	9	1	1	2	4	9	11	11
65+	2	12.0	98	5	5	12	19	19	19	19
2. MULTIPLE DX										
0-19 YRS	37	4.9	223	<1	<1	2	4	5	7	93
20-34	63	8.0	150	1	1	4	7	17	38	62
35-49	27	5.4	28	1	1	3	7	14	17	22
50-64	33	5.8	80	1	1	2	7	16	26	43
65+	35	9.4	93	1	2	7	11	20	32	48
TOT. SINGLE DX	107	3.0	8	<1	<1	2	4	6	8	16
" MULTIPLE DX	195	6.9	126	1	1	3	7	14	26	58
TOTAL 0-19 YRS	74	3.7	115	<1	<1	2	3	5	8	73
20-34	104	6.3	98	<1	1	3	6	13	27	57
35-49	45	3.9	21	<1	<1	2	4	9	15	22
50-64	42	5.3	66	1	1	2	5	12	23	43
65+	37	9.6	92	1	2	7	11	20	31	48
GRAND TOTAL	**302**	**5.6**	**88**	**<1**	**1**	**3**	**6**	**11**	**19**	**50**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7613	2.9	1	1	2	3	3	4	4	6
20-34	38292	3.1	1	2	2	3	4	4	5	6
35-49	1940	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5984	3.4	4	2	2	3	4	5	6	10
20-34	33333	3.6	4	2	2	3	4	5	6	9
35-49	2476	3.8	3	2	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	47845	3.1	2	2	2	3	4	4	5	6
" MULTIPLE DX	41793	3.6	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	13597	3.1	3	2	2	3	4	4	5	8
20-34	71625	3.3	3	2	2	3	4	5	5	8
35-49	4416	3.5	3	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**89638**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	2.8	1	1	1	3	3	4	5	5
20-34	939	2.9	1	1	2	3	3	4	4	6
35-49	79	3.4	17	1	2	3	3	4	5	30
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	222	3.1	11	1	1	3	3	5	6	14
20-34	1744	3.4	8	1	2	3	4	5	6	13
35-49	183	4.1	24	1	2	3	4	5	7	28
50-64										
65+										
TOT. SINGLE DX	1124	2.9	2	1	2	3	3	4	5	6
" MULTIPLE DX	2149	3.4	11	1	2	3	4	5	6	14
TOTAL 0-19 YRS	328	3.0	8	1	1	3	3	4	5	14
20-34	2683	3.2	6	1	2	3	4	5	5	10
35-49	262	3.9	23	1	2	3	4	5	6	29
50-64										
65+										
GRAND TOTAL	**3273**	**3.3**	**8**	**1**	**2**	**3**	**4**	**5**	**5**	**12**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1309	2.9	1	1	2	3	3	4	4	6
20-34	7904	3.1	1	1	2	3	4	4	5	6
35-49	444	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1691	3.4	3	2	2	3	4	5	6	9
20-34	10982	3.5	3	2	2	3	4	5	6	9
35-49	829	3.6	12	2	2	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	9657	3.1	1	1	2	3	4	4	5	6
" MULTIPLE DX	13502	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	3000	3.2	3	1	2	3	4	4	5	8
20-34	18886	3.3	3	2	2	3	4	5	5	8
35-49	1273	3.5	9	2	2	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	23159	3.3	3	2	2	3	4	5	5	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46474	2.7	1	1	1	3	3	4	4	6
20-34	266756	2.8	1	1	1	3	3	4	4	6
35-49	14288	2.9	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13089	3.2	5	1	2	3	4	5	6	11
20-34	90345	3.3	3	1	2	3	4	5	6	9
35-49	7915	3.5	7	1	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	327518	2.8	1	1	1	3	3	4	4	6
" MULTIPLE DX	111349	3.3	4	1	2	3	4	5	6	10
TOTAL 0-19 YRS	59563	2.8	2	1	2	3	3	4	5	7
20-34	357101	2.9	2	1	2	3	3	4	5	7
35-49	22203	3.1	4	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	438867	2.9	2	1	2	3	3	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5063	5.3	2	3	4	5	6	7	8	11
20-34	47172	5.4	3	3	4	5	6	7	8	10
35-49	2894	5.8	3	4	4	6	7	7	8	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11429	6.1	10	4	4	5	7	8	11	18
20-34	94385	6.0	10	4	4	5	6	8	9	18
35-49	9639	6.4	13	4	4	6	7	8	11	22
50-64										
65+										
TOT. SINGLE DX	55129	5.4	3	3	4	5	6	7	8	10
" MULTIPLE DX	115453	6.0	11	4	4	6	7	8	10	18
TOTAL 0-19 YRS	16492	5.9	8	3	4	5	6	8	10	16
20-34	141557	5.8	8	4	4	5	6	7	9	15
35-49	12533	6.3	11	4	4	6	7	8	10	20
50-64										
65+										
GRAND TOTAL	170582	5.8	8	4	4	5	6	8	9	16

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	5.2	2	3	4	5	6	7	8	11
20-34	2488	5.3	2	3	4	5	6	7	8	10
35-49	153	5.6	4	3	4	5	6	7	8	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	553	6.5	15	3	4	6	7	10	11	24
20-34	4282	6.3	17	4	4	6	7	8	10	25
35-49	456	7.1	22	4	4	6	8	10	12	31
50-64										
65+										
TOT. SINGLE DX	3029	5.3	3	3	4	5	6	7	8	10
" MULTIPLE DX	5291	6.4	18	4	4	6	7	8	11	25
TOTAL 0-19 YRS	941	6.0	10	3	4	5	6	9	10	16
20-34	6770	5.9	12	3	4	5	6	8	9	18
35-49	609	6.7	19	4	4	6	7	9	11	30
50-64										
65+										
GRAND TOTAL	8320	6.0	13	3	4	5	6	8	9	19

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.7	2	2	3	4	6	7	8	8
20-34	210	4.6	2	2	3	4	5	7	8	9
35-49	13	6.0	12	1	2	6	7	11	13	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12	5.7	12	2	3	4	7	12	13	13
20-34	283	5.5	7	3	3	5	6	8	9	15
35-49	24	5.9	6	2	3	6	7	9	10	13
50-64										
65+										
TOT. SINGLE DX	242	4.7	3	2	3	4	6	7	8	10
" MULTIPLE DX	319	5.6	7	3	3	5	6	8	10	14
TOTAL 0-19 YRS	31	5.1	6	2	3	4	6	8	11	13
20-34	493	5.1	5	3	3	5	6	8	9	13
35-49	37	5.9	8	2	2	6	7	9	12	14
50-64										
65+										
GRAND TOTAL	961	5.2	6	2	3	5	6	8	9	13

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2513	1.6		1	1	1	2	2	3	4
20-34	2768	1.7	1	1	1	1	2	3	3	4
35-49	206	1.8		1	1	2	2	3	3	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	401	2.1	1	1	1	2	2	3	4	7
20-34	633	2.5	5	1	1	2	3	4	6	14
35-49	94	2.7	26	1	1	2	3	3	5	33
50-64										
65+										
TOT. SINGLE DX	5487	1.6	1	1	1	1	2	2	3	4
" MULTIPLE DX	1128	2.4	6	1	1	2	3	4	5	11
TOTAL 0-19 YRS	2914	1.6	1	1	1	1	2	2	3	5
20-34	3401	1.8	2	1	1	2	2	3	4	7
35-49	300	2.1	9	1	1	2	2	3	4	9
50-64										
65+										
GRAND TOTAL	6615	1.7	2	1	1	2	2	3	3	5

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	4.2	21	<1	<1	3	5	8	13	28
20-34	844	4.0	25	<1	<1	3	5	9	13	24
35-49	75	5.6	134	<1	<1	3	7	11	17	79
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	170	5.3	30	1	1	4	6	10	18	32
20-34	1123	4.3	37	<1	<1	2	5	10	15	27
35-49	616	1.6	9	<1	<1	<1	<1	<1	5	16
50-64										
65+										
TOT. SINGLE DX	1120	4.2	32	<1	<1	3	5	9	14	25
" MULTIPLE DX	1909	3.5	30	<1	<1	1	4	8	13	25
TOTAL 0-19 YRS	371	4.7	26	<1	1	3	6	9	15	32
20-34	1967	4.2	32	<1	<1	2	5	9	14	26
35-49	691	2.0	24	<1	<1	<1	<1	3	7	20
50-64										
65+										
GRAND TOTAL	3029	3.7	31	<1	<1	2	4	8	13	25

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3950	2.3	2	<1	<1	2	3	4	4	7
20-34	21738	2.5	2	<1	<1	3	3	4	4	6
35-49	1256	2.7	6	<1	<1	3	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1699	3.1	6	<1	1	3	4	5	6	12
20-34	9787	3.2	8	<1	1	3	4	5	6	13
35-49	826	3.5	6	1	1	3	4	5	7	13
50-64										
65+										
TOT. SINGLE DX	26944	2.5	2	<1	<1	3	3	4	4	7
" MULTIPLE DX	12312	3.2	8	<1	1	3	4	5	6	13
TOTAL 0-19 YRS	5649	2.5	3	<1	<1	2	3	4	5	8
20-34	31525	2.7	4	<1	<1	3	3	4	5	8
35-49	2082	3.0	6	<1	<1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	39256	2.7	4	<1	<1	3	3	4	5	8

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	6347	2.6	1	1	1	3	3	4	4	5
20-34	39572	2.6	1	1	1	3	3	4	4	5
35-49	2683	3.7	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5606	3.0	3	1	1	2	3	4	5	9
20-34	36473	3.0	3	1	1	2	3	4	5	8
35-49	2947	3.3	5	1	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	48702	2.6	1	1	1	3	3	4	4	5
" MULTIPLE DX	43106	3.0	3	1	2	2	4	4	5	9
TOTAL 0-19 YRS	12033	2.6	2	1	1	2	3	4	5	7
20-34	74145	2.8	2	1	1	3	3	4	5	7
35-49	5630	3.0	3	1	1	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	91808	2.8	2	1	1	3	3	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	144	3.5	7	<1	1	3	4	7	10	15
20-34	175	4.1	25	1	1	3	4	9	10	17
35-49	130	4.9	35	1	1	3	5	11	15	36
50-64	141	5.5	33	1	2	3	7	11	18	30
65+	104	7.9	63	1	2	5	11	15	20	46
2. MULTIPLE DX										
0-19 YRS	105	4.0	28	1	1	3	4	6	9	32
20-34	169	5.3	34	1	1	4	5	10	16	35
35-49	125	8.6	164	1	2	3	8	21	43	86
50-64	298	9.3	150	1	2	4	10	22	34	70
65+	296	11.1	147	2	3	8	15	26	35	81
TOT. SINGLE DX	694	5.0	33	1	1	3	6	11	15	30
" MULTIPLE DX	1004	8.5	129	1	2	4	10	21	32	72
TOTAL 0-19 YRS	250	3.7	16	1	1	3	4	7	9	16
20-34	344	4.7	30	1	1	3	5	9	13	32
35-49	255	6.8	120	1	2	3	6	15	32	74
50-64	439	8.0	116	1	2	4	10	19	29	62
65+	400	10.2	128	2	3	7	14	22	33	76
GRAND TOTAL	1698	7.1	93	1	2	4	8	16	25	57

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1362	3.7	[illegible]	[illegible]	[illegible]	4	4	5	6	9
20-34	2238	3.6	[illegible]	[illegible]	[illegible]	3	4	5	6	8
35-49	892	3.6	[illegible]	[illegible]	[illegible]	3	4	5	6	9
50-64	327	3.8	[illegible]	[illegible]	[illegible]	3	4	5	8	14
65+	83	4.0	[illegible]	[illegible]	[illegible]	3	5	6	9	16
2. MULTIPLE DX										
0-19 YRS	1216	4.3	[illegible]	[illegible]	[illegible]	4	5	6	8	16
20-34	1626	4.4	[illegible]	[illegible]	[illegible]	4	5	6	8	15
35-49	694	4.7	[illegible]	[illegible]	[illegible]	4	5	7	10	25
50-64	316	5.6	65	[illegible]	[illegible]	4	6	10	15	36
65+	134	7.3	94	[illegible]	[illegible]	4	6	14	26	58
TOT. SINGLE DX	4969	3.6	3	[illegible]	[illegible]	3	4	5	6	9
" MULTIPLE DX	3986	4.6	20	[illegible]	[illegible]	4	5	7	9	23
TOTAL 0-19 YRS	2579	4.0	7	[illegible]	[illegible]	4	4	6	7	12
20-34	3964	3.9	9	[illegible]	[illegible]	4	4	5	7	11
35-49	1586	4.1	10	[illegible]	[illegible]	4	4	6	7	16
50-64	643	4.7	29	[illegible]	[illegible]	3	5	7	11	19
65+	217	5.0	56	[illegible]	[illegible]	4	5	12	16	49
GRAND TOTAL	8993	4.1	11	2	2	4	4	6	7	15

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	592	2.6	[illegible]	[illegible]	[illegible]	[illegible]	3	5	6	10
20-34	982	2.8	[illegible]	[illegible]	[illegible]	[illegible]	3	5	6	11
35-49	174	3.1	[illegible]	[illegible]	[illegible]	[illegible]	4	5	7	14
50-64	65	4.0	[illegible]	[illegible]	[illegible]	[illegible]	4	5	11	24
65+	25	4.1	[illegible]	[illegible]	[illegible]	[illegible]	5	7	11	11
2. MULTIPLE DX										
0-19 YRS	780	4.8	45	[illegible]	[illegible]	[illegible]	3	5	6	34
20-34	1215	5.4	42	[illegible]	[illegible]	[illegible]	4	6	11	32
35-49	380	6.5	40	[illegible]	[illegible]	[illegible]	4	8	11	38
50-64	132	6.7	41	[illegible]	[illegible]	[illegible]	5	8	19	33
65+	113	12.5	186	[illegible]	[illegible]	[illegible]	9	14	40	76
TOT. SINGLE DX	1819	2.8	5	[illegible]	[illegible]	[illegible]	2	3	5	11
" MULTIPLE DX	2620	5.8	53	[illegible]	[illegible]	[illegible]	4	6	11	40
TOTAL 0-19 YRS	1372	3.8	29	[illegible]	[illegible]	[illegible]	3	4	7	22
20-34	2197	4.3	28	[illegible]	[illegible]	[illegible]	3	5	8	32
35-49	554	5.5	36	[illegible]	[illegible]	[illegible]	4	6	11	38
50-64	178	6.0	37	[illegible]	[illegible]	[illegible]	4	7	16	29
65+	138	11.0	164	[illegible]	[illegible]	[illegible]	7	13	38	76
GRAND TOTAL	4439	4.6	35	1	1	3	5	9	13	31

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	494	3.0	4	1	1	3	4	5	7	13
20-34	1426	3.1	4	1	1	2	4	6	7	11
35-49	517	3.3	5	1	1	3	4	7	8	12
50-64	167	3.8	8	1	1	3	5	7	10	16
65+	65	4.8	16	1	2	4	5	10	14	22
2. MULTIPLE DX										
0-19 YRS	882	6.3	55	1	2	4	7	13	19	40
20-34	2008	6.4	59	1	2	4	8	12	17	49
35-49	807	7.3	71	1	2	5	9	14	19	45
50-64	433	7.6	54	2	2	5	10	15	20	41
65+	236	11.8	104	2	3	9	16	25	34	74
TOT. SINGLE DX	2669	3.2	5	1	1	3	4	6	8	12
" MULTIPLE DX	4366	7.0	64	1	2	5	8	14	20	46
TOTAL 0-19 YRS	1376	5.1	40	1	1	3	6	10	15	34
20-34	3434	5.0	40	1	1	3	6	10	14	31
35-49	1324	5.8	49	1	1	4	7	11	16	38
50-64	600	6.6	45	1	2	4	8	13	19	36
65+	301	10.2	94	2	2	7	14	23	31	63
GRAND TOTAL	**7035**	**5.6**	**45**	**1**	**1**	**4**	**6**	**11**	**16**	**37**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	3.8	8	1	1	3	5	7	12	14
20-34	111	3.9	16	<1	1	3	5	7	9	27
35-49	102	3.7	5	1	1	3	5	6	8	12
50-64	108	3.4	5	1	1	3	4	7	8	13
65+	48	3.7	25	1	1	3	4	5	10	35
2. MULTIPLE DX										
0-19 YRS	85	5.1	21	1	2	4	6	8	14	29
20-34	105	5.3	36	1	2	3	6	9	16	36
35-49	104	7.8	161	1	1	4	7	16	28	76
50-64	130	6.1	59	1	2	3	7	13	20	35
65+	86	8.6	90	2	2	5	11	21	28	47
TOT. SINGLE DX	454	3.7	11	1	1	3	4	7	9	16
" MULTIPLE DX	510	6.5	76	1	2	4	7	14	21	46
TOTAL 0-19 YRS	170	4.5	16	1	1	3	6	8	12	23
20-34	216	4.6	27	1	1	3	5	8	13	31
35-49	206	5.7	88	1	1	4	6	11	16	60
50-64	238	4.9	37	1	2	3	5	10	14	25
65+	134	6.9	72	1	2	3	8	18	24	45
GRAND TOTAL	**964**	**5.2**	**47**	**1**	**1**	**3**	**5**	**10**	**15**	**36**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1696	5.8	40	1	2	4	6	11	18	36
20-34	1263	4.8	35	1	1	3	5	9	12	38
35-49	956	5.3	30	1	1	4	6	10	13	31
50-64	1166	6.3	30	2	2	5	8	11	14	24
65+	440	7.9	52	2	2	6	9	15	18	42
2. MULTIPLE DX										
0-19 YRS	1308	7.8	91	2	2	5	8	16	26	48
20-34	1245	6.9	83	1	2	4	7	14	26	47
35-49	1297	7.0	91	1	2	4	7	14	23	56
50-64	1682	8.2	78	2	2	6	9	16	25	48
65+	932	12.6	169	2	3	8	16	30	43	74
TOT. SINGLE DX	5521	5.7	37	1	2	4	7	11	15	34
" MULTIPLE DX	6464	8.3	101	2	2	5	9	18	28	56
TOTAL 0-19 YRS	3004	6.7	64	1	2	4	7	13	21	44
20-34	2508	5.8	60	1	2	4	6	11	17	43
35-49	2253	6.3	66	1	2	4	7	12	18	47
50-64	2848	7.4	60	2	2	5	9	13	20	45
65+	1372	11.1	137	2	3	7	13	23	37	68
GRAND TOTAL	**11985**	**7.1**	**73**	**1**	**2**	**5**	**8**	**14**	**22**	**47**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	869	3.3	2	1	2	3	4	5	6	8
20-34	1660	3.4	2	1	2	3	4	5	6	9
35-49	1847	3.6	2	1	2	3	4	6	7	9
50-64	2020	3.7	3	1	2	4	5	6	7	9
65+	925	4.2	6	2	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	973	3.8	3	1	2	3	5	6	7	10
20-34	2570	3.8	5	1	2	4	5	6	7	10
35-49	3587	4.1	8	2	2	4	5	6	8	15
50-64	6260	4.5	9	2	2	4	5	7	9	16
65+	4184	5.3	23	2	2	4	6	8	11	24
TOT. SINGLE DX	7321	3.6	3	1	2	3	4	6	7	9
" MULTIPLE DX	17574	4.5	12	2	2	4	5	7	9	17
TOTAL 0-19 YRS	1842	3.6	3	1	2	3	4	5	6	9
20-34	4230	3.6	4	1	2	3	4	6	7	10
35-49	5434	4.0	6	1	2	4	5	6	7	12
50-64	8280	4.3	8	2	2	4	5	7	8	15
65+	5109	5.1	20	2	2	4	6	8	10	23
GRAND TOTAL	**24895**	**4.2**	**10**	**2**	**2**	**4**	**5**	**7**	**8**	**15**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5023	3.8	21	1	1	3	4	6	10	27
20-34	5749	4.0	23	1	1	3	4	7	10	25
35-49	4227	4.3	28	1	1	3	5	8	11	27
50-64	3237	4.7	31	1	1	3	5	9	13	30
65+	1593	6.5	59	1	1	4	8	14	22	38
2. MULTIPLE DX										
0-19 YRS	2266	7.6	124	1	1	3	7	20	32	58
20-34	4865	7.8	150	1	1	4	7	19	34	74
35-49	4582	7.4	108	1	1	4	8	17	30	64
50-64	5305	9.1	127	1	2	5	11	23	33	62
65+	4614	13.8	216	2	2	9	19	33	46	85
TOT. SINGLE DX	19829	4.3	29	1	1	3	5	8	12	29
" MULTIPLE DX	21632	9.3	154	1	2	4	11	24	36	70
TOTAL 0-19 YRS	7289	5.0	57	1	1	3	4	9	18	44
20-34	10614	5.7	85	1	1	3	5	11	20	55
35-49	8809	5.9	73	1	1	3	6	12	20	53
50-64	8542	7.4	96	1	2	4	8	17	27	55
65+	6207	12.0	187	1	2	7	16	30	42	80
GRAND TOTAL	**41461**	**6.9**	**100**	**1**	**1**	**3**	**7**	**16**	**27**	**57**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1874	6.5	59	1	2	4	7	14	21	39
20-34	1305	5.0	25	1	1	4	6	9	13	31
35-49	612	6.1	35	1	2	4	8	12	15	37
50-64	489	8.0	50	1	2	6	10	15	20	34
65+	812	13.8	77	3	5	13	17	24	30	49
2. MULTIPLE DX										
0-19 YRS	937	9.2	133	2	2	5	10	23	33	64
20-34	938	10.1	172	1	2	5	11	24	39	80
35-49	534	10.6	150	1	2	6	13	24	38	72
50-64	788	13.9	185	2	3	10	17	32	46	93
65+	2208	18.9	187	5	7	16	23	36	50	97
TOT. SINGLE DX	5092	7.4	58	1	2	5	9	16	22	38
" MULTIPLE DX	5495	14.2	189	2	3	11	18	31	44	88
TOTAL 0-19 YRS	2811	7.4	85	1	2	4	8	17	26	48
20-34	2243	7.1	93	1	2	4	8	15	24	54
35-49	1146	8.2	94	1	2	5	9	17	25	59
50-64	1277	11.7	142	2	2	8	14	26	36	75
65+	3110	17.6	164	4	6	15	21	32	44	88
GRAND TOTAL	**10587**	**10.9**	**138**	**1**	**2**	**7**	**14**	**24**	**34**	**67**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2939	2.9	17	<1	<1	2	3	4	6	22
20-34	4391	2.8	8	<1	1	2	3	5	6	14
35-49	2133	2.9	9	<1	1	2	3	5	7	16
50-64	1757	3.7	18	<1	1	3	4	7	10	24
65+	1533	5.5	35	1	1	3	6	12	17	29
2. MULTIPLE DX										
0-19 YRS	1402	4.5	46	<1	1	3	4	8	13	43
20-34	1753	6.0	87	1	1	3	6	13	21	51
35-49	1185	6.9	91	1	1	4	7	15	26	50
50-64	1349	7.9	110	1	2	4	9	19	29	58
65+	2362	12.8	183	2	2	8	17	30	43	79
TOT. SINGLE DX	12753	3.3	16	<1	1	2	4	6	9	21
" MULTIPLE DX	8051	8.2	123	1	1	4	9	20	31	60
TOTAL 0-19 YRS	4341	3.4	27	<1	1	2	3	6	8	29
20-34	6144	3.7	33	<1	1	2	4	6	10	29
35-49	3318	4.3	42	<1	1	3	4	8	13	37
50-64	3106	5.5	63	1	1	3	5	12	20	45
65+	3895	9.9	138	1	2	5	13	23	33	65
GRAND TOTAL	**20804**	**5.2**	**63**	**<1**	**1**	**3**	**5**	**11**	**19**	**44**

708: Closed reduction of fracture of femur with interna fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	392	16.0	162	2	3	12	24	35	41	52
20-34	133	14.8	130	4	5	12	17	30	40	66
35-49	74	10.4	35	4	5	8	13	19	22	32
50-64	225	11.6	59	5	5	10	13	19	29	53
65+	936	15.6	80	6	8	14	18	23	33	67
2. MULTIPLE DX										
0-19 YRS	309	23.0	238	5	7	20	30	45	56	72
20-34	270	21.9	299	7	8	16	25	47	69	98
35-49	128	21.0	333	5	6	13	28	52	72	99+
50-64	363	19.4	214	6	8	15	23	41	51	91
65+	2867	19.9	164	8	9	16	23	37	51	94
TOT. SINGLE DX	1760	14.9	100	4	5	13	18	27	37	57
" MULTIPLE DX	3937	20.3	190	7	9	16	24	40	53	93
TOTAL 0-19 YRS	701	19.1	207	3	4	16	27	39	46	66
20-34	403	19.6	255	5	7	15	22	42	57	90
35-49	202	17.1	249	5	6	12	20	44	56	99+
50-64	588	16.4	169	5	6	12	18	34	46	86
65+	3803	18.9	147	7	9	16	22	33	47	88
GRAND TOTAL	**5697**	**18.6**	**168**	**6**	**7**	**15**	**22**	**36**	**48**	**86**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	583	10.4	58	3	4	9	13	19	24	48
20-34	481	12.1	66	4	5	11	15	20	25	49
35-49	424	11.6	74	4	5	10	13	20	27	49
50-64	1182	12.8	56	6	6	11	15	20	24	49
65+	5823	16.5	74	7	9	15	19	25	32	57
2. MULTIPLE DX										
0-19 YRS	712	18.2	172	5	6	14	22	36	48	69
20-34	1152	21.0	235	6	8	17	26	42	54	91
35-49	793	20.2	236	6	7	15	25	42	56	99+
50-64	2364	20.0	193	7	9	16	23	38	52	99+
65+	19426	21.4	180	8	10	18	25	39	54	99+
TOT. SINGLE DX	8493	15.1	75	5	7	14	18	24	30	54
" MULTIPLE DX	24447	21.1	186	8	10	17	25	39	53	99+
TOTAL 0-19 YRS	1295	14.7	137	3	4	12	18	28	40	64
20-34	1633	18.4	202	5	6	14	22	35	50	86
35-49	1217	17.2	197	5	6	13	20	35	50	99+
50-64	3546	17.6	159	6	8	14	20	32	45	88
65+	25249	20.3	160	8	10	17	24	36	49	95
GRAND TOTAL	**32940**	**19.6**	**165**	**7**	**9**	**16**	**23**	**35**	**48**	**92**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	936	11.3	140	1	1	6	18	27	35	53
20-34	94	13.4	227	1	1	8	17	37	45	72
35-49	47	10.2	122	1	2	7	12	23	45	99+
50-64	73	15.4	226	2	3	10	20	34	48	68
65+	216	15.9	171	2	3	12	20	34	45	68
2. MULTIPLE DX										
0-19 YRS	492	18.7	275	2	3	15	27	44	55	85
20-34	208	25.7	429	2	4	20	42	61	75	99+
35-49	100	27.0	442	4	6	20	42	55	82	99+
50-64	158	22.8	392	3	5	17	33	54	77	99+
65+	595	24.5	385	5	7	18	33	55	80	99+
TOT. SINGLE DX	1366	12.4	158	1	2	8	18	29	40	58
" MULTIPLE DX	1553	22.8	369	3	4	18	32	53	72	99+
TOTAL 0-19 YRS	1428	13.9	199	1	2	8	21	32	44	64
20-34	302	21.9	398	2	2	15	36	53	68	99+
35-49	147	21.6	400	2	4	16	36	51	69	99+
50-64	231	20.4	351	2	4	14	29	51	69	99+
65+	811	22.2	343	4	6	16	30	51	72	99+
GRAND TOTAL	**2919**	**17.9**	**297**	**1**	**2**	**13**	**24**	**44**	**56**	**99**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1422	4.4	38	<1	1	2	4	12	17	28
20-34	1067	3.3	12	<1	1	2	4	7	10	16
35-49	713	3.8	19	<1	1	2	4	7	11	26
50-64	800	4.1	28	1	1	3	5	8	12	25
65+	635	5.0	38	1	1	3	6	12	15	28
2. MULTIPLE DX										
0-19 YRS	457	8.9	147	1	1	4	10	21	30	63
20-34	706	8.8	151	1	1	5	10	19	31	74
35-49	445	9.4	157	1	2	5	11	19	32	72
50-64	590	10.6	155	1	2	6	13	26	37	73
65+	777	11.7	148	1	2	8	15	27	40	60
TOT. SINGLE DX	4637	4.1	28	1	1	2	4	9	13	26
" MULTIPLE DX	2975	10.0	153	1	2	6	12	23	35	68
TOTAL 0-19 YRS	1879	5.5	68	1	1	2	6	15	20	42
20-34	1773	5.5	75	<1	1	3	6	11	17	51
35-49	1158	5.9	80	1	1	3	6	13	19	47
50-64	1390	6.9	92	1	1	4	8	15	26	53
65+	1412	8.7	110	1	1	5	11	21	30	58
GRAND TOTAL	**7612**	**6.4**	**85**	**1**	**1**	**3**	**7**	**15**	**22**	**51**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6369	3.3	9	1	1	3	4	6	8	15
20-34	8246	4.1	11	1	1	3	5	7	10	16
35-49	4637	4.8	13	1	2	4	6	9	11	17
50-64	3880	5.9	21	2	2	5	7	11	14	23
65+	2535	7.9	39	2	3	6	10	15	19	30
2. MULTIPLE DX										
0-19 YRS	2855	6.9	82	1	1	4	7	14	24	52
20-34	5770	8.4	107	1	2	5	9	18	28	62
35-49	3633	8.6	91	1	2	6	10	18	26	58
50-64	3940	9.9	115	2	3	7	11	20	29	67
65+	4582	13.3	136	3	4	10	16	27	37	72
TOT. SINGLE DX	25667	4.7	17	1	1	4	6	9	12	20
" MULTIPLE DX	20780	9.6	114	1	2	6	11	20	30	63
TOTAL 0-19 YRS	9224	4.4	35	1	1	3	5	8	12	33
20-34	14016	5.8	55	1	1	4	6	11	17	43
35-49	8270	6.5	52	1	2	5	7	12	18	42
50-64	7820	7.9	73	2	2	6	9	15	21	51
65+	7117	11.3	108	2	3	8	14	23	31	60
GRAND TOTAL	**46447**	**6.9**	**67**	**1**	**2**	**5**	**8**	**14**	**20**	**46**

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12463	2.3	8	<1	1	1	2	4	6	17
20-34	3273	3.7	15	<1	1	3	5	7	10	19
35-49	2162	3.9	17	1	1	3	5	8	10	19
50-64	2448	3.9	18	1	1	3	5	8	11	19
65+	2493	4.6	25	1	1	3	6	10	13	24
2. MULTIPLE DX										
0-19 YRS	3407	5.4	64	1	1	3	6	12	20	44
20-34	2676	7.5	105	1	1	4	8	16	27	62
35-49	1828	8.2	106	1	1	5	10	17	28	60
50-64	2457	8.6	113	1	1	5	10	18	27	66
65+	4802	10.4	134	1	2	7	13	23	33	70
TOT. SINGLE DX	22839	3.0	14	<1	1	2	3	6	9	19
" MULTIPLE DX	15170	8.2	110	1	1	5	10	18	28	62
TOTAL 0-19 YRS	15870	2.9	22	<1	1	2	3	6	9	24
20-34	5949	5.4	59	1	1	3	6	11	17	45
35-49	3990	5.9	62	1	1	4	7	12	18	45
50-64	4905	6.2	72	1	1	4	7	13	19	51
65+	7295	8.4	105	1	1	5	10	19	27	60
GRAND TOTAL	**38009**	**5.1**	**59**	**1**	**1**	**3**	**6**	**11**	**17**	**43**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	938	4.2	33	<1	1	2	4	12	16	28
20-34	846	2.7	12	<1	<1	2	3	5	9	20
35-49	414	3.1	19	<1	<1	1	3	6	9	22
50-64	426	3.7	38	<1	1	2	4	7	11	31
65+	673	5.7	52	1	1	3	6	16	23	33
2. MULTIPLE DX										
0-19 YRS	429	7.7	127	1	1	3	9	20	26	56
20-34	686	8.5	124	1	1	4	11	21	28	59
35-49	388	8.8	161	1	1	5	10	21	33	73
50-64	495	8.6	137	1	1	5	10	21	30	73
65+	1073	9.9	135	1	1	6	12	24	35	60
TOT. SINGLE DX	3297	3.9	32	<1	1	2	4	9	16	29
" MULTIPLE DX	3071	9.0	136	1	1	5	11	22	31	62
TOTAL 0-19 YRS	1367	5.3	66	<1	1	2	6	14	20	36
20-34	1532	5.3	71	<1	1	2	5	14	21	41
35-49	802	5.9	96	<1	1	3	6	14	22	54
50-64	921	6.3	97	<1	1	3	7	15	25	53
65+	1746	8.3	108	1	1	4	10	21	30	55
GRAND TOTAL	**6368**	**6.4**	**88**	**<1**	**1**	**3**	**7**	**17**	**23**	**48**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	639	3.7	15	1	1	3	4	6	10	22
20-34	1041	3.2	7	1	1	3	4	5	7	12
35-49	415	4.1	12	1	1	3	5	7	9	20
50-64	227	5.4	25	1	2	4	7	11	12	25
65+	143	11.0	84	2	2	8	15	22	28	45
2. MULTIPLE DX										
0-19 YRS	261	7.2	71	1	1	4	7	19	26	42
20-34	429	7.1	83	1	2	4	7	15	24	45
35-49	248	7.6	107	1	2	5	8	15	27	69
50-64	221	9.2	105	2	2	6	10	22	30	76
65+	300	15.0	147	2	3	13	20	30	43	54
TOT. SINGLE DX	2465	4.2	20	1	1	3	4	8	11	25
" MULTIPLE DX	1459	9.1	111	1	2	5	11	22	30	51
TOTAL 0-19 YRS	900	4.7	34	1	1	3	5	9	16	33
20-34	1470	4.4	33	1	1	3	4	7	11	35
35-49	663	5.4	51	1	1	3	6	10	15	38
50-64	448	7.3	69	1	2	5	8	14	23	44
65+	443	13.7	131	2	3	11	18	27	37	51
GRAND TOTAL	**3924**	**6.0**	**60**	**1**	**1**	**3**	**6**	**13**	**20**	**42**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2847	3.6	17	1	1	2	4	6	11	24
20-34	2696	3.4	10	<1	1	3	4	6	8	17
35-49	1312	3.9	20	1	1	3	4	7	11	22
50-64	789	5.6	53	1	1	3	6	14	18	36
65+	506	11.6	196	1	2	6	15	28	41	76
2. MULTIPLE DX										
0-19 YRS	1722	5.9	64	1	1	3	5	15	23	41
20-34	2159	5.3	55	1	1	3	5	11	18	43
35-49	1439	6.2	79	1	1	3	6	13	22	51
50-64	1293	10.5	181	1	2	5	12	28	43	68
65+	1307	17.9	272	2	3	13	26	45	59	99+
TOT. SINGLE DX	8150	4.3	34	1	1	3	4	8	14	30
" MULTIPLE DX	7920	8.5	139	1	1	4	9	23	35	68
TOTAL 0-19 YRS	4569	4.5	37	1	1	3	4	9	16	32
20-34	4855	4.2	31	1	1	3	4	8	12	30
35-49	2751	5.1	53	1	1	3	5	10	16	42
50-64	2082	8.6	139	1	2	4	9	23	35	61
65+	1813	16.1	259	2	2	11	23	42	54	99+
GRAND TOTAL	**16070**	**6.4**	**90**	**1**	**1**	**3**	**6**	**15**	**25**	**53**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	396	7.9	29	3	3	6	10	14	21	30
20-34	9200	8.2	27	2	3	7	10	15	18	27
35-49	14542	8.8	29	3	4	8	11	15	19	28
50-64	6850	9.6	32	3	4	8	12	17	21	30
65+	1546	12.0	51	4	5	10	15	21	25	36
2. MULTIPLE DX										
0-19 YRS	136	12.5	118	3	4	9	15	26	35	54
20-34	2870	11.1	68	3	4	9	14	20	26	46
35-49	6832	11.7	60	4	5	10	14	21	26	42
50-64	6473	13.3	84	4	5	11	16	24	30	52
65+	3505	17.3	136	5	7	14	21	31	40	66
TOT. SINGLE DX	32534	8.9	31	3	4	8	11	16	20	29
" MULTIPLE DX	19816	13.1	88	4	5	11	16	24	30	52
TOTAL 0-19 YRS	532	9.1	56	3	3	7	11	18	23	44
20-34	12070	8.9	39	3	3	8	11	16	20	31
35-49	21374	9.7	41	3	4	8	12	17	22	33
50-64	13323	11.4	61	3	4	9	14	20	26	41
65+	5051	15.7	117	5	6	13	19	28	36	60
GRAND TOTAL	**52350**	**10.5**	**57**	**3**	**4**	**9**	**13**	**19**	**24**	**40**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2698	2.5	2	<1	1	2	3	5	5	8
20-34	7373	2.6	3	<1	1	2	3	5	6	9
35-49	4357	2.7	3	<1	1	2	3	5	6	9
50-64	2547	3.1	8	1	1	2	4	6	7	12
65+	749	3.4	8	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	2012	2.9	6	1	1	2	4	5	6	11
20-34	5532	3.0	6	<1	1	2	4	6	7	13
35-49	4465	3.3	11	<1	1	2	4	6	8	16
50-64	4937	3.5	10	1	1	2	4	7	9	17
65+	2500	4.4	21	1	1	3	5	9	12	23
TOT. SINGLE DX	17724	2.7	4	<1	1	2	3	5	6	9
" MULTIPLE DX	19446	3.4	11	<1	1	2	4	6	9	17
TOTAL 0-19 YRS	4710	2.7	4	<1	1	2	3	5	6	9
20-34	12905	2.8	5	<1	1	2	4	5	6	11
35-49	8822	3.0	8	<1	1	2	4	6	7	13
50-64	7484	3.4	10	1	1	2	4	6	9	16
65+	3249	4.2	19	1	1	3	5	8	12	23
GRAND TOTAL	**37170**	**3.1**	**8**	**<1**	**1**	**2**	**4**	**6**	**7**	**14**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4853	2.4	8	<1	<1	2	3	4	5	13
20-34	7471	2.4	5	<1	<1	2	3	4	5	11
35-49	4098	2.7	6	<1	1	2	3	5	6	12
50-64	2497	3.3	13	<1	1	2	4	6	9	18
65+	1078	4.3	28	1	1	3	5	9	13	26
2. MULTIPLE DX										
0-19 YRS	2492	3.4	25	<1	1	2	3	6	10	27
20-34	4931	3.4	24	<1	1	2	3	6	10	28
35-49	3621	4.1	36	1	1	2	4	8	12	30
50-64	3670	5.4	61	1	1	3	5	11	18	46
65+	2169	8.7	124	1	2	4	10	22	34	62
TOT. SINGLE DX	19997	2.7	9	<1	1	2	3	5	6	14
" MULTIPLE DX	16883	4.7	51	1	1	3	4	9	16	42
TOTAL 0-19 YRS	7345	2.7	14	<1	1	2	3	5	6	19
20-34	12402	2.8	13	<1	1	2	3	5	7	17
35-49	7719	3.4	21	<1	1	2	3	6	9	23
50-64	6167	4.6	43	1	1	3	5	9	14	37
65+	3247	7.2	97	1	1	4	8	18	28	54
GRAND TOTAL	**36880**	**3.6**	**29**	**<1**	**1**	**2**	**3**	**6**	**10**	**29**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	784	11.5	33	6	7	10	13	17	20	38
20-34	800	11.5	47	4	5	10	13	19	25	41
35-49	1089	10.2	37	4	4	9	12	17	22	32
50-64	604	9.3	28	4	5	9	12	16	20	29
65+	111	12.1	81	5	5	10	14	19	29	56
2. MULTIPLE DX										
0-19 YRS	648	16.1	146	6	7	12	19	31	44	99
20-34	762	17.0	210	5	7	12	20	36	50	99+
35-49	1204	13.4	112	5	6	10	16	24	34	94
50-64	941	14.4	130	5	5	11	17	29	37	93
65+	323	21.5	258	5	7	17	30	45	64	99+
TOT. SINGLE DX	3388	10.8	39	4	5	10	13	17	22	34
" MULTIPLE DX	3878	15.5	159	5	6	12	18	32	43	99+
TOTAL 0-19 YRS	1432	13.6	90	6	7	11	15	23	32	66
20-34	1562	14.2	135	5	6	11	16	26	39	90
35-49	2293	11.9	79	4	5	10	14	21	27	66
50-64	1545	12.6	96	4	5	10	15	24	32	70
65+	434	19.1	230	5	6	14	24	41	53	99+
GRAND TOTAL	**7266**	**13.3**	**109**	**4**	**5**	**10**	**15**	**24**	**34**	**79**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	463	4.0	8	1	1	3	5	7	9	15
20-34	953	4.2	9	1	1	3	5	8	9	16
35-49	890	4.6	14	1	2	4	6	8	10	17
50-64	1040	4.5	12	1	1	3	6	9	11	17
65+	533	5.1	34	1	1	3	6	10	16	28
2. MULTIPLE DX										
0-19 YRS	471	5.7	31	1	2	4	6	10	14	27
20-34	608	6.0	44	1	2	4	7	11	16	34
35-49	820	6.6	62	1	2	5	8	12	18	41
50-64	1231	6.2	48	1	2	4	7	12	16	40
65+	944	8.4	91	2	2	5	10	19	25	51
TOT. SINGLE DX	3879	4.5	15	1	1	4	6	8	11	18
" MULTIPLE DX	4274	5.7	59	1	2	5	8	13	19	40
TOTAL 0-19 YRS	934	4.9	21	1	2	4	6	8	11	21
20-34	1761	5.0	27	1	2	4	6	9	11	26
35-49	1710	5.6	38	1	2	4	7	10	14	29
50-64	2271	5.4	33	1	2	4	6	10	14	29
65+	1477	7.2	73	1	2	4	8	16	22	48
GRAND TOTAL	8153	5.6	39	1	2	4	6	10	15	33

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	14.3	52	5	9	12	15	28	31	32
20-34	232	12.9	27	7	7	12	15	20	24	30
35-49	528	12.9	28	6	7	12	15	19	23	29
50-64	2435	13.7	32	7	8	13	16	20	24	36
65+	4730	15.1	37	8	9	14	17	22	26	37
2. MULTIPLE DX										
0-19 YRS	30	17.2	96	7	8	15	22	28	35	52
20-34	322	15.0	70	7	8	13	17	25	33	46
35-49	697	16.4	83	8	8	14	19	28	33	61
50-64	3269	16.9	91	8	9	15	19	27	37	61
65+	9656	19.1	110	9	10	16	22	31	39	68
TOT. SINGLE DX	7940	14.5	36	8	9	13	17	21	25	36
" MULTIPLE DX	13974	18.4	105	9	10	16	21	30	39	66
TOTAL 0-19 YRS	45	16.2	82	6	9	14	19	28	33	52
20-34	554	14.1	54	7	8	12	16	23	28	43
35-49	1225	14.9	62	7	8	13	17	24	30	51
50-64	5704	15.6	69	8	9	14	17	24	31	53
65+	14386	17.8	90	9	10	16	20	28	36	62
GRAND TOTAL	21914	17.0	81	8	9	15	19	27	34	59

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	10.8	61	2	3	9	13	21	31	34
20-34	78	13.1	59	5	6	11	16	21	32	40
35-49	134	13.1	47	6	8	12	15	20	25	45
50-64	634	13.5	38	7	8	13	16	20	24	38
65+	3574	16.2	58	8	9	15	19	25	29	48
2. MULTIPLE DX										
0-19 YRS	43	13.7	139	2	3	12	16	29	34	64
20-34	93	17.8	216	5	7	13	18	42	52	73
35-49	203	17.4	123	7	8	15	20	33	42	99+
50-64	1223	19.0	139	8	9	16	22	33	42	76
65+	11324	20.8	147	9	10	18	24	36	47	92
TOT. SINGLE DX	4475	15.6	57	7	9	14	18	24	29	46
" MULTIPLE DX	12886	20.5	148	9	10	17	24	35	47	91
TOTAL 0-19 YRS	98	12.1	96	2	3	10	15	26	32	51
20-34	171	15.6	150	5	7	12	17	32	44	67
35-49	337	15.7	97	7	8	14	18	27	39	92
50-64	1857	17.1	112	7	9	14	19	29	38	71
65+	14898	19.7	130	9	10	17	23	33	44	84
GRAND TOTAL	17361	19.3	129	8	10	16	22	33	41	82

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2080	4.2	7	1	2	4	5	7	8	11
20-34	2992	4.6	6	1	2	4	6	7	9	14
35-49	1073	6.4	34	1	2	5	8	14	17	28
50-64	2080	12.3	45	2	3	12	16	20	23	33
65+	4058	15.1	39	7	9	15	18	22	26	35
2. MULTIPLE DX										
0-19 YRS	1858	5.0	14	2	2	4	6	8	10	19
20-34	3390	5.4	20	1	2	5	6	9	12	22
35-49	1560	7.1	53	1	2	5	8	15	20	37
50-64	2959	13.8	87	2	3	13	17	24	31	47
65+	7309	17.8	91	8	9	16	21	28	35	59
TOT. SINGLE DX	12283	9.5	50	2	2	7	14	18	22	32
" MULTIPLE DX	17076	12.3	96	2	3	11	17	23	30	49
TOTAL 0-19 YRS	3938	4.6	11	1	2	4	5	7	8	15
20-34	6382	5.0	14	1	2	4	6	8	10	19
35-49	2633	6.8	46	1	2	5	8	15	19	35
50-64	5039	13.2	70	2	3	12	17	22	27	42
65+	11367	16.8	75	7	9	15	19	26	32	52
GRAND TOTAL	29359	11.1	79	2	3	9	14	21	26	42

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2503	3.1	7	--	--	2	4	5	5	6
20-34	4918	3.3	5	--	--	2	4	5	6	9
35-49	2042	3.9	6	--	--	2	4	6	7	11
50-64	2060	4.3	12	--	--	2	5	7	10	16
65+	959	5.8	31	--	--	4	7	11	15	24
2. MULTIPLE DX										
0-19 YRS	713	3.8	12	--	--	2	4	6	9	17
20-34	1725	4.2	13	--	--	2	5	7	10	20
35-49	1582	4.6	13	--	--	4	5	8	11	20
50-64	2424	5.8	13	--	--	4	6	10	15	31
65+	1802	7.8	58	--	--	5	9	16	22	39
TOT. SINGLE DX	12482	3.7	7	--	--	2	4	6	8	14
" MULTIPLE DX	8246	5.5	33	--	--	4	6	10	15	30
TOTAL 0-19 YRS	3216	3.3	5	--	--	2	4	5	6	11
20-34	6643	3.5	6	--	--	2	4	5	7	12
35-49	3624	4.0	13	--	--	2	5	7	9	17
50-64	4484	5.1	26	--	--	4	6	9	12	25
65+	2761	7.1	47	--	--	5	8	15	19	33
GRAND TOTAL	20729	4.4	18	1	2	3	5	7	11	22

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1331	3.5	15	<1	<1	2	4	7	10	22
20-34	1377	3.4	11	<1	<1	2	4	7	10	16
35-49	1166	3.2	10	--	--	2	4	6	9	18
50-64	1052	3.5	11	--	--	2	5	8	11	18
65+	389	3.5	17	<1	<1	2	4	8	12	21
2. MULTIPLE DX										
0-19 YRS	1213	6.3	53	--	2	4	7	14	21	39
20-34	982	7.7	106	--	--	4	8	16	26	61
35-49	879	6.9	64	--	--	4	8	16	25	70
50-64	1049	7.7	66	--	--	4	9	18	26	53
65+	672	11.1	151	--	2	6	16	28	40	99+
TOT. SINGLE DX	5315	3.3	13	<1	<1	2	4	7	9	19
" MULTIPLE DX	4795	7.7	95	--	2	4	9	18	27	57
TOTAL 0-19 YRS	2544	4.8	28	<1	<1	3	5	10	15	30
20-34	2359	5.2	56	<1	<1	3	6	11	16	42
35-49	2045	4.8	46	--	--	3	5	10	16	40
50-64	2101	5.2	59	--	--	3	5	13	19	39
65+	1061	8.3	115	<1	<1	4	11	23	33	72
GRAND TOTAL	10110	5.4	57	<1	1	3	6	12	19	42

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2203	2.0	3	--	--	1	2	4	5	8
20-34	3280	2.1	4	--	--	1	2	4	5	10
35-49	2338	2.4	4	--	--	1	2	4	6	9
50-64	1777	2.8	7	--	--	1	2	5	7	12
65+	791	4.1	25	--	--	2	4	9	14	26
2. MULTIPLE DX										
0-19 YRS	450	4.9	71	--	--	1	3	6	20	54
20-34	1060	5.5	67	--	--	2	3	6	20	46
35-49	1355	6.2	78	--	--	2	4	9	24	48
50-64	1758	7.6	90	--	--	2	4	9	24	62
65+	1477	11.1	151	--	--	3	7	14	26	85
TOT. SINGLE DX	10327	2.6	7	<1	<1	1	2	3	4	9
" MULTIPLE DX	6100	7.5	101	--	--	2	4	9	16	27
TOTAL 0-19 YRS	2653	2.3	10	<1	<1	1	2	4	6	13
20-34	4340	2.9	22	<1	<1	1	2	4	5	8
35-49	3691	3.8	55	--	--	1	3	4	8	20
50-64	3475	5.2	65	--	--	2	4	6	10	27
65+	2268	8.7	118	--	--	4	7	11	21	56
GRAND TOTAL	16427	4.3	48	<1	<1	2	4	10	16	37

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	720	2.3	4	--	--	1	2	4	6	11
20-34	1236	2.7	17	--	--	1	2	5	7	16
35-49	473	2.9	9	--	--	1	2	4	5	9
50-64	1248	3.0	7	--	--	1	2	3	6	7
65+	903	3.0	7	--	--	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	66	3.5	14	--	--	1	2	4	7	9
20-34	143	3.9	15	--	--	1	2	4	7	13
35-49	176	3.9	21	--	--	1	2	4	8	13
50-64	748	3.4	9	--	--	1	2	4	6	9
65+	700	4.1	29	--	--	1	2	4	9	13
TOT. SINGLE DX	2980	2.3	7	<1	<1	1	2	3	4	9
" MULTIPLE DX	1933	3.6	19	--	--	1	2	4	7	12
TOTAL 0-19 YRS	786	2.7	8	<1	<1	1	2	4	5	7
20-34	1379	3.2	17	--	<1	1	2	4	6	8
35-49	649	3.0	10	--	--	1	2	4	5	8
50-64	1996	3.2	8	--	--	1	2	4	6	9
65+	1603	3.1	14	--	--	1	2	3	5	9
GRAND TOTAL	4913	2.9	10	<1	1	2	3	5	7	17

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1582	1.9	1	<1	1	2	2	3	4	6
20-34	2321	2.1	4	<1	<1	2	3	4	5	9
35-49	940	2.1	2	<1	<1	2	3	4	5	8
50-64	601	2.3	2	<1	1	2	3	4	5	9
65+	164	2.1	1	<1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	1172	2.4	4	<1	1	2	3	4	6	11
20-34	2006	2.9	14	<1	1	2	3	5	7	19
35-49	859	2.9	9	<1	1	2	3	5	8	15
50-64	614	3.2	22	1	1	2	3	6	8	21
65+	307	4.0	32	1	1	3	4	7	13	29
TOT. SINGLE DX	5606	2.1	3	<1	<1	2	2	4	5	8
" MULTIPLE DX	4958	2.9	14	<1	1	2	3	5	7	18
TOTAL 0-19 YRS	2754	2.1	3	<1	1	2	2	4	5	9
20-34	4327	2.5	9	<1	1	2	3	4	6	14
35-49	1799	2.5	6	<1	1	2	3	4	6	12
50-64	1215	2.7	13	<1	1	2	3	5	6	12
65+	471	3.4	22	1	1	2	3	5	9	25
GRAND TOTAL	10566	2.5	8	<1	1	2	3	4	6	12

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	849	2.5	2	<1	1	2	3	4	6	9
20-34	1646	2.8	4	<1	1	2	4	5	7	10
35-49	1553	3.4	7	1	1	3	4	6	8	14
50-64	1656	3.9	6	1	1	3	5	7	8	14
65+	617	4.8	19	1	2	4	6	9	11	22
2. MULTIPLE DX										
0-19 YRS	558	4.3	31	1	1	3	4	9	14	29
20-34	1166	4.5	25	1	1	3	5	9	13	30
35-49	1124	5.8	55	1	1	4	6	10	16	40
50-64	1502	6.2	44	1	2	4	7	12	18	37
65+	918	8.6	101	2	2	6	9	18	27	61
TOT. SINGLE DX	6321	3.4	8	1	1	3	4	6	8	13
" MULTIPLE DX	5268	5.9	53	1	1	4	6	12	18	40
TOTAL 0-19 YRS	1407	3.2	15	1	1	2	4	6	9	20
20-34	2812	3.5	14	<1	1	3	4	7	9	19
35-49	2677	4.4	29	1	1	3	5	8	11	30
50-64	3158	5.0	26	1	2	4	6	9	13	27
65+	1535	7.0	72	1	2	5	8	14	22	55
GRAND TOTAL	11589	4.6	30	1	1	3	5	8	12	28

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1926	3.3	5	1	1	3	4	5	7	12
20-34	1628	3.5	8	1	1	3	4	6	7	15
35-49	1062	3.7	15	1	1	3	4	6	8	14
50-64	615	4.1	10	1	1	3	5	7	10	16
65+	263	5.8	24	1	2	4	7	11	16	28
2. MULTIPLE DX										
0-19 YRS	1812	4.3	29	1	1	3	5	7	9	32
20-34	950	5.8	56	1	1	4	6	11	17	50
35-49	544	6.7	96	1	2	4	7	12	20	68
50-64	522	7.9	115	1	2	5	8	16	26	67
65+	369	10.9	156	2	3	7	13	23	43	77
TOT. SINGLE DX	5494	3.6	10	1	1	3	4	6	8	15
" MULTIPLE DX	4197	6.0	70	1	2	4	6	11	18	55
TOTAL 0-19 YRS	3738	3.7	17	1	1	3	4	6	8	17
20-34	2578	4.3	28	1	1	3	5	7	11	29
35-49	1606	4.7	45	1	1	3	5	8	11	42
50-64	1137	5.8	62	1	2	4	6	10	16	46
65+	632	8.8	108	2	2	6	10	18	27	61
GRAND TOTAL	9691	4.6	37	1	1	3	5	8	12	35

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	294	2.0	5	<1	1	1	2	3	6	10
20-34	605	2.5	8	<1	1	2	3	5	6	16
35-49	361	3.2	29	<1	1	2	3	6	9	21
50-64	309	3.0	14	<1	1	2	3	7	10	24
65+	143	3.4	54	1	1	2	3	6	9	34
2. MULTIPLE DX										
0-19 YRS	183	4.6	64	1	1	2	4	9	16	42
20-34	449	4.9	42	1	1	3	5	11	18	38
35-49	331	6.3	87	1	1	3	7	14	22	50
50-64	411	7.0	131	1	1	3	8	16	29	64
65+	353	9.4	156	1	1	4	11	26	35	55
TOT. SINGLE DX	1712	2.7	18	<1	1	2	3	5	8	20
" MULTIPLE DX	1727	6.6	100	1	1	3	7	16	26	54
TOTAL 0-19 YRS	477	3.0	29	<1	1	2	3	6	9	23
20-34	1054	3.5	24	<1	1	2	4	7	12	29
35-49	692	4.7	60	1	1	2	4	10	17	48
50-64	720	5.3	85	<1	1	2	5	12	20	61
65+	496	7.6	134	1	1	3	8	21	31	54
GRAND TOTAL	3439	4.6	63	1	1	2	4	10	18	45

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	19	4.3	23	<1	<1	2	6	12	17	18
20-34	43	7.7	113	<1	1	3	9	20	28	56
35-49	18	5.9	39	1	1	4	7	16	22	24
50-64	19	4.4	20	<1	1	3	5	9	15	20
65+	12	4.7	6	1	2	4	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	15	7.1	25	<1	1	7	10	12	16	18
20-34	40	17.1	493	1	1	9	25	68	99	99+
35-49	42	16.0	263	2	3	9	22	47	50	63
50-64	48	19.1	351	1	2	14	28	47	57	87
65+	87	22.3	261	4	6	17	29	52	57	87
TOT. SINGLE DX	111	5.9	60	<1	1	3	7	14	20	44
" MULTIPLE DX	232	18.6	316	1	2	13	27	50	57	99+
TOTAL 0-19 YRS	34	5.5	26	<1	1	4	9	12	17	18
20-34	83	12.2	315	1	1	7	14	38	68	99+
35-49	60	13.0	217	1	2	7	17	38	49	62
50-64	67	14.9	301	1	1	9	20	39	51	83
65+	99	20.2	264	3	4	16	27	51	57	83
GRAND TOTAL	**343**	**14.5**	**268**	**1**	**1**	**9**	**20**	**40**	**54**	**90**

734: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	133	3.6	19	1	1	3	4	6	10	20
20-34	123	6.1	64	1	1	4	6	15	21	44
35-49	103	7.0	72	<1	1	4	8	15	25	44
50-64	136	9.3	115	1	2	5	11	22	34	52
65+	246	10.5	142	2	2	6	13	26	37	57
2. MULTIPLE DX										
0-19 YRS	102	9.1	153	1	1	5	10	26	41	63
20-34	295	13.7	184	2	2	9	20	32	43	59
35-49	590	17.6	209	2	3	14	25	38	47	98
50-64	1651	19.4	237	3	4	15	26	40	51	86
65+	2672	20.9	283	3	5	16	28	46	60	98
TOT. SINGLE DX	741	7.8	99	1	1	4	9	18	29	50
" MULTIPLE DX	5310	19.4	259	3	4	15	27	42	54	89
TOTAL 0-19 YRS	235	6.0	85	1	1	3	6	12	24	50
20-34	418	11.4	161	1	2	6	16	29	39	56
35-49	693	16.1	203	2	2	12	23	36	46	91
50-64	1787	18.6	236	3	4	14	25	40	50	85
65+	2918	20.1	280	3	4	15	28	44	58	93
GRAND TOTAL	**6051**	**18.0**	**253**	**2**	**3**	**14**	**25**	**40**	**52**	**87**

735: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	4	16.0	350	2	2	9	28	43	43	43
20-34	15	17.0	165	4	5	13	21	33	48	53
35-49	37	17.8	195	6	6	12	21	39	47	62
50-64	56	19.6	208	5	7	16	23	40	48	81
65+	167	19.9	198	5	7	16	25	40	54	97
2. MULTIPLE DX										
0-19 YRS	26	17.6	202	4	5	12	27	38	48	50
20-34	110	26.6	362	6	8	21	40	58	75	99+
35-49	322	26.0	331	7	9	21	36	57	73	99+
50-64	1256	28.9	352	8	10	24	40	63	79	99+
65+	3354	29.4	357	9	11	24	40	62	78	99+
TOT. SINGLE DX	279	19.3	198	5	7	15	24	40	50	84
" MULTIPLE DX	5068	29.0	355	8	10	24	40	62	78	99+
TOTAL 0-19 YRS	30	17.4	211	3	4	12	27	40	48	50
20-34	125	25.5	347	5	8	20	38	57	75	99+
35-49	359	25.2	323	7	8	20	35	54	71	99+
50-64	1312	28.5	350	8	10	23	39	62	79	99+
65+	3521	29.0	354	8	10	24	39	62	77	99+
GRAND TOTAL	**5347**	**28.5**	**352**	**8**	**10**	**23**	**39**	**61**	**77**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	31	10.2	75	3	3	7	14	19	21	47
20-34	14	17.6	153	3	5	14	26	31	45	49
35-49	16	14.9	137	5	6	10	20	28	43	50
50-64	54	18.1	213	6	7	14	21	32	50	87
65+	187	16.8	158	4	6	14	20	32	44	84
2. MULTIPLE DX										
0-19 YRS	31	15.9	159	4	4	14	20	39	55	99+
20-34	55	32.2	438	10	13	27	44	73	98	99+
35-49	120	28.1	428	8	9	23	42	82	99+	99+
50-64	663	28.1	377	8	9	23	40	66	92	99+
65+	3845	24.7	305	7	9	20	33	56	76	99+
TOT. SINGLE DX	302	16.3	161	4	6	13	20	31	45	74
" MULTIPLE DX	4714	25.3	322	7	9	20	34	58	80	99+
TOTAL 0-19 YRS	62	13.0	123	3	4	10	18	24	44	94
20-34	69	29.2	412	7	10	26	42	70	94	99+
35-49	136	26.6	411	7	8	21	41	71	99+	99+
50-64	717	27.3	372	7	9	22	37	65	89	99+
65+	4032	24.3	301	7	8	19	33	55	75	99+
GRAND TOTAL	**5016**	**24.7**	**316**	**7**	**8**	**20**	**34**	**57**	**79**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	9.9	72	3	3	6	12	26	30	30
20-34	20	12.5	110	2	3	7	21	27	34	38
35-49	21	15.0	260	1	2	12	20	30	54	73
50-64	34	19.0	214	1	4	17	26	39	55	59
65+	38	19.3	197	3	5	15	25	37	51	61
2. MULTIPLE DX										
0-19 YRS	26	13.5	221	3	3	7	13	45	53	54
20-34	66	28.0	496	4	7	24	42	87	99+	99+
35-49	172	26.1	330	6	7	22	37	62	83	99+
50-64	486	27.1	359	6	8	22	38	58	78	99+
65+	799	28.8	342	7	10	25	40	57	78	99+
TOT. SINGLE DX	142	15.7	183	2	3	12	22	31	38	62
" MULTIPLE DX	1549	27.7	355	6	9	23	39	59	81	99+
TOTAL 0-19 YRS	55	11.6	144	3	3	7	13	26	44	54
20-34	86	24.4	448	3	4	19	38	83	99+	99+
35-49	193	24.9	334	4	6	20	35	59	79	99+
50-64	520	26.6	353	6	8	22	36	57	77	99+
65+	837	28.3	340	7	9	24	39	57	76	99+
GRAND TOTAL	**1691**	**26.7**	**351**	**5**	**7**	**22**	**38**	**57**	**78**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	4.0	23	1	1	2	5	8	12	28
20-34	88	5.1	14	1	1	4	8	11	13	15
35-49	53	7.3	124	1	1	5	8	12	15	73
50-64	28	5.6	10	1	1	6	8	9	10	14
65+	5	2.8	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	46	7.5	59	1	1	5	10	15	33	99+
20-34	67	10.1	117	1	2	6	14	21	39	48
35-49	37	10.5	108	1	2	8	13	25	46	99+
50-64	28	8.4	45	2	2	6	11	19	25	27
65+	12	11.7	109	1	2	7	21	28	29	29
TOT. SINGLE DX	275	5.1	39	1	1	4	7	10	13	35
" MULTIPLE DX	190	9.4	91	1	2	7	12	24	33	83
TOTAL 0-19 YRS	147	5.1	37	1	1	4	6	11	14	43
20-34	155	7.3	65	1	1	5	10	15	20	46
35-49	90	8.6	119	1	1	6	10	15	27	89
50-64	56	7.0	29	1	2	6	8	13	19	27
65+	17	9.1	94	1	1	4	13	27	29	29
GRAND TOTAL	**465**	**6.9**	**65**	**1**	**1**	**5**	**8**	**13**	**21**	**48**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	2.4	3	<1	<1	2	3	4	6	11
20-34	240	3.5	13	<1	1	2	4	8	11	19
35-49	129	4.0	20	<1	1	2	5	9	11	28
50-64	171	6.2	42	<1	1	3	9	15	20	32
65+	141	9.3	56	1	2	7	14	21	24	34
2. MULTIPLE DX										
0-19 YRS	67	5.5	105	1	1	2	4	11	34	51
20-34	136	7.9	172	1	1	4	8	14	27	81
35-49	148	10.7	132	1	2	6	15	33	42	99+
50-64	322	14.5	193	1	2	10	20	35	45	99+
65+	515	16.5	217	2	4	12	21	38	51	99
TOT. SINGLE DX	799	5.0	32	<1	1	3	6	13	17	27
" MULTIPLE DX	1188	13.6	201	1	2	9	18	34	47	99
TOTAL 0-19 YRS	185	3.5	43	<1	1	2	3	5	9	47
20-34	376	5.1	75	<1	1	3	5	11	15	50
35-49	277	7.6	91	1	1	4	9	22	33	86
50-64	493	11.6	157	1	1	8	16	29	40	78
65+	656	14.9	192	2	3	11	20	34	47	89
GRAND TOTAL	**1987**	**10.2**	**151**	**1**	**1**	**6**	**13**	**26**	**38**	**72**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.3	102	4	4	5	18	22	22	22
20-34	14	5.1	28	1	2	3	5	17	18	18
35-49	19	4.7	13	1	1	3	7	9	13	16
50-64	26	6.0	23	1	2	5	8	13	18	21
65+	9	15.6	181	3	4	9	24	36	44	44
2. MULTIPLE DX										
0-19 YRS	6	12.3	149	3	3	9	15	33	35	35
20-34	10	11.5	76	1	2	10	14	24	33	33
35-49	6	4.8	15	1	1	4	6	11	12	12
50-64	22	14.0	302	1	2	6	19	38	59	67
65+	28	16.3	287	4	5	12	15	27	58	85
TOT. SINGLE DX	71	6.9	53	1	2	4	8	17	22	40
" MULTIPLE DX	72	13.6	230	2	3	9	15	28	52	81
TOTAL 0-19 YRS	9	11.7	120	3	3	5	17	30	35	35
20-34	24	7.8	57	1	2	5	12	17	22	33
35-49	25	4.7	13	1	1	3	6	9	13	16
50-64	48	9.7	164	1	2	5	10	22	33	67
65+	37	16.1	256	4	5	12	18	27	51	85
GRAND TOTAL	**143**	**10.3**	**153**	**1**	**2**	**6**	**13**	**23**	**32**	**68**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1390	1.9	1	<1	<1	2	2	3	3	5
20-34	5143	2.0	2	<1	<1	2	2	3	4	7
35-49	9797	2.2	1	<1	<1	2	2	3	4	8
50-64	6110	2.6	4	<1	1	2	3	4	6	12
65+	3428	3.2	9	<1	1	2	3	7	9	14
2. MULTIPLE DX										
0-19 YRS	301	3.2	22	<1	1	2	3	6	9	21
20-34	2495	3.5	21	<1	1	2	3	7	10	26
35-49	6666	3.6	17	<1	1	2	4	7	10	20
50-64	6213	5.0	40	1	1	3	6	11	15	33
65+	5973	7.6	83	1	2	4	9	17	24	48
TOT. SINGLE DX	25868	2.3	4	<1	<1	2	2	4	5	10
" MULTIPLE DX	21648	5.1	45	1	1	3	6	11	16	35
TOTAL 0-19 YRS	1691	2.1	5	<1	<1	2	2	3	4	9
20-34	7638	2.5	9	<1	<1	2	3	4	6	13
35-49	16463	2.8	9	<1	1	2	3	5	7	15
50-64	12323	3.8	24	<1	1	2	4	8	12	24
65+	9401	6.0	61	1	2	3	7	13	19	40
GRAND TOTAL	47516	3.6	25	<1	1	2	3	7	11	25

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	232	2.4	1	<1	1	2	3	4	5	6
20-34	212	3.3	7	1	1	3	4	6	7	12
35-49	300	4.5	11	1	2	4	6	9	11	16
50-64	326	5.2	25	1	2	4	7	9	11	17
65+	566	6.5	16	2	2	6	8	11	13	21
2. MULTIPLE DX										
0-19 YRS	34	5.4	74	2	2	3	4	9	28	44
20-34	104	4.6	6	1	2	4	6	8	10	12
35-49	370	6.1	21	2	2	5	7	12	15	23
50-64	577	8.2	65	2	3	6	9	16	22	43
65+	1354	10.5	86	3	3	8	12	19	28	52
TOT. SINGLE DX	1636	4.9	16	1	2	4	6	9	11	16
" MULTIPLE DX	2439	9.0	72	2	3	7	11	17	23	48
TOTAL 0-19 YRS	266	2.8	12	<1	1	2	3	4	6	11
20-34	316	3.7	8	1	1	3	5	7	8	12
35-49	670	5.4	18	1	2	4	7	10	13	22
50-64	903	7.1	53	2	2	5	8	13	18	39
65+	1920	9.3	69	2	3	7	11	17	24	48
GRAND TOTAL	4075	7.3	53	2	2	5	9	14	19	38

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	4.3	7	1	1	4	7	7	9	9
20-34	368	6.9	7	3	4	6	8	10	13	16
35-49	2099	6.9	7	3	4	7	8	10	11	16
50-64	3323	7.4	8	4	4	7	9	11	12	17
65+	3193	8.0	11	4	5	8	9	12	14	19
2. MULTIPLE DX										
0-19 YRS	12	7.0	19	1	2	7	8	12	17	18
20-34	409	7.6	11	4	4	7	9	11	14	20
35-49	2693	8.1	17	4	4	7	9	12	15	23
50-64	5370	9.2	29	4	5	8	10	14	18	31
65+	7029	10.5	46	5	5	9	12	17	21	40
TOT. SINGLE DX	8998	7.5	9	4	4	7	9	11	13	17
" MULTIPLE DX	15513	9.6	36	4	5	8	11	15	19	34
TOTAL 0-19 YRS	27	5.5	14	1	1	6	7	9	11	18
20-34	777	7.2	10	3	4	7	9	11	13	18
35-49	4792	7.6	13	3	4	7	9	11	14	21
50-64	8693	8.5	22	4	5	8	10	13	16	26
65+	10222	9.7	37	4	5	8	11	15	19	35
GRAND TOTAL	24511	8.8	27	4	5	8	10	14	17	29

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1121	2.9	2	1	1	3	4	5	5	8
20-34	2628	3.1	3	<1	1	3	4	5	6	9
35-49	2213	3.6	5	<1	1	3	5	6	7	10
50-64	967	3.7	4	1	2	3	5	6	7	12
65+	248	3.8	8	1	2	3	5	6	8	16
2. MULTIPLE DX										
0-19 YRS	396	3.7	21	1	1	3	4	6	8	12
20-34	1817	3.8	7	1	1	3	5	6	8	17
35-49	3004	4.4	9	1	2	4	5	7	9	16
50-64	1934	5.0	19	2	2	4	6	8	11	22
65+	492	6.0	37	2	2	4	7	11	16	36
TOT. SINGLE DX	7177	3.3	4	<1	1	3	4	6	7	10
" MULTIPLE DX	7543	4.5	14	1	2	4	5	8	10	20
TOTAL 0-19 YRS	1517	3.1	7	1	1	3	4	5	6	9
20-34	4445	3.4	6	<1	1	3	4	6	7	12
35-49	5217	4.0	8	1	1	4	5	7	9	14
50-64	2801	4.5	14	1	2	4	5	8	10	19
65+	740	5.2	29	1	2	4	6	9	14	30
GRAND TOTAL	**14720**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**16**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3002	3.5	5	1	2	3	4	6	7	11
20-34	5291	3.4	3	1	1	3	4	5	6	10
35-49	838	3.5	4	1	1	3	4	6	7	11
50-64	175	3.9	7	1	1	3	5	7	10	13
65+	41	5.0	62	1	1	3	4	8	18	48
2. MULTIPLE DX										
0-19 YRS	366	4.7	34	1	2	4	5	7	10	18
20-34	931	5.0	24	1	2	4	6	8	12	30
35-49	345	5.8	44	1	2	4	6	10	16	30
50-64	170	7.2	75	2	2	4	7	14	23	52
65+	74	9.3	151	2	2	6	11	17	28	72
TOT. SINGLE DX	9347	3.5	4	1	1	3	4	6	7	10
" MULTIPLE DX	1886	5.5	41	1	2	4	6	9	14	33
TOTAL 0-19 YRS	3368	3.6	8	1	2	3	4	6	7	12
20-34	6222	3.6	7	1	1	3	4	6	7	13
35-49	1183	4.2	17	1	2	3	5	7	9	21
50-64	345	5.5	44	1	2	4	6	11	15	39
65+	115	7.8	124	1	2	4	8	16	24	68
GRAND TOTAL	**11233**	**3.8**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4088	2.4	8	<1	<1	2	2	4	7	14
20-34	4093	2.9	11	<1	<1	2	3	6	8	18
35-49	3776	2.9	13	<1	<1	2	3	6	8	18
50-64	3362	3.3	20	<1	<1	2	3	7	10	24
65+	2501	4.4	40	<1	<1	2	5	10	15	32
2. MULTIPLE DX										
0-19 YRS	1882	6.0	105	<1	1	3	5	13	22	61
20-34	3347	7.8	114	1	1	4	9	19	28	58
35-49	4713	8.0	93	1	1	5	10	18	27	53
50-64	6830	8.5	98	1	2	5	10	18	27	54
65+	9239	10.8	129	1	2	8	13	24	34	69
TOT. SINGLE DX	17820	3.1	17	<1	<1	2	3	6	9	22
" MULTIPLE DX	26013	9.0	113	1	2	6	11	20	30	60
TOTAL 0-19 YRS	5970	3.5	42	<1	<1	2	3	7	11	38
20-34	7440	5.1	64	<1	<1	3	5	11	19	41
35-49	8489	5.7	64	<1	<1	3	7	13	20	41
50-64	10192	6.8	79	<1	1	4	3	15	22	48
65+	11740	9.5	117	1	1	6	12	21	31	62
GRAND TOTAL	**43831**	**6.6**	**83**	**<1**	**1**	**3**	**8**	**15**	**23**	**50**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5946	4.0	25	<1	1	2	5	8	12	27
20-34	6139	4.5	30	<1	1	3	5	9	14	27
35-49	3535	5.3	34	<1	1	3	7	11	16	29
50-64	2754	6.2	50	<1	1	4	8	14	19	37
65+	2463	8.4	98	1	1	5	10	19	28	54
2. MULTIPLE DX										
0-19 YRS	8518	6.1	82	1	1	3	7	14	24	50
20-34	12794	7.1	96	1	1	4	8	17	26	56
35-49	8008	9.8	149	1	1	6	12	24	36	71
50-64	9414	12.3	173	1	2	8	16	29	41	81
65+	14710	15.7	243	2	2	11	21	38	54	99+
TOT. SINGLE DX	20837	5.2	42	<1	1	3	6	11	17	34
" MULTIPLE DX	53444	10.6	170	1	1	6	13	27	39	80
TOTAL 0-19 YRS	14464	5.3	61	<1	1	3	6	11	18	42
20-34	18933	6.3	76	<1	1	3	7	14	22	50
35-49	11543	8.5	119	1	1	5	10	20	30	62
50-64	12168	10.9	152	1	1	7	14	26	37	71
65+	17173	14.7	229	1	2	10	19	35	51	99+
GRAND TOTAL	**74281**	**9.1**	**140**	**1**	**1**	**5**	**11**	**23**	**34**	**70**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	947	6.5	66	1	1	4	8	15	24	40
20-34	949	7.2	70	1	1	4	9	16	23	47
35-49	608	7.8	85	<1	1	4	10	19	27	45
50-64	564	10.0	121	1	1	7	14	23	30	56
65+	612	14.7	151	1	2	12	21	31	38	62
2. MULTIPLE DX										
0-19 YRS	838	14.7	210	1	2	10	20	34	46	70
20-34	1231	15.0	205	2	2	11	20	34	46	75
35-49	863	17.1	232	2	3	13	23	38	46	79
50-64	1340	20.5	313	2	3	16	28	45	59	94
65+	2364	24.3	307	3	6	21	34	51	65	99+
TOT. SINGLE DX	3680	8.8	101	1	1	5	12	21	29	48
" MULTIPLE DX	6636	19.6	283	2	3	15	27	44	56	98
TOTAL 0-19 YRS	1785	10.4	150	1	1	6	14	27	37	59
20-34	2180	11.6	161	1	2	8	15	26	38	65
35-49	1471	13.3	192	1	2	9	18	31	42	70
50-64	1904	17.4	279	1	2	13	24	41	54	91
65+	2976	22.3	290	2	4	19	31	47	62	99+
GRAND TOTAL	10316	15.8	245	1	2	11	22	37	49	87

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	309	3.4	20	<1	1	2	4	8	11	26
20-34	454	4.7	59	<1	1	2	5	10	17	42
35-49	216	4.3	32	<1	1	2	4	9	15	27
50-64	204	6.1	82	<1	1	2	6	18	25	57
65+	100	8.7	125	1	1	4	12	23	38	78
2. MULTIPLE DX										
0-19 YRS	242	7.5	117	1	1	3	8	19	30	65
20-34	441	13.4	325	1	2	5	19	43	67	99+
35-49	332	16.2	375	1	1	8	25	47	70	99+
50-64	341	15.7	345	1	2	9	24	52	84	99+
65+	354	21.2	448	1	2	15	34	58	82	99+
TOT. SINGLE DX	1283	4.9	56	<1	1	2	5	11	19	41
" MULTIPLE DX	1710	15.2	351	1	2	7	22	47	71	99+
TOTAL 0-19 YRS	551	5.2	67	<1	1	2	5	12	21	47
20-34	895	9.0	209	<1	1	3	9	27	45	99
35-49	548	11.5	274	1	1	4	15	34	54	99
50-64	545	12.1	269	1	1	5	17	39	66	99+
65+	454	18.5	404	1	2	12	29	54	72	99+
GRAND TOTAL	2993	10.8	251	1	1	4	13	35	53	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.22-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1595	2.4	7	<1	<1	2	2	4	6	12
20-34	1002	2.9	8	<1	<1	2	3	5	7	14
35-49	855	3.0	5	<1	1	2	4	6	7	11
50-64	929	2.7	4	<1	1	2	3	5	6	12
65+	452	3.3	14	<1	1	2	4	6	9	21
2. MULTIPLE DX										
0-19 YRS	984	4.2	39	<1	1	2	4	9	13	46
20-34	1113	5.2	44	1	1	3	6	10	17	42
35-49	1382	5.9	60	1	1	4	6	11	17	45
50-64	1891	5.7	42	1	1	4	7	12	17	34
65+	1813	11.6	152	1	2	8	15	26	38	99+
TOT. SINGLE DX	4829	2.7	7	<1	<1	2	3	5	7	13
" MULTIPLE DX	7183	6.9	81	1	1	4	8	16	24	59
TOTAL 0-19 YRS	2579	3.1	20	<1	<1	2	3	6	9	25
20-34	2115	4.1	29	<1	1	3	5	8	12	28
35-49	2237	4.8	42	<1	1	3	5	9	14	33
50-64	2816	4.7	32	1	1	3	5	10	14	32
65+	2265	9.9	136	1	1	6	13	23	35	91
GRAND TOTAL	12012	5.2	56	<1	1	3	6	12	18	43

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	105	3.8	10	1	1	3	4	6	10	17
20-34	101	5.4	41	1	1	3	6	12	18	37
35-49	86	4.2	17	1	1	3	5	10	14	22
50-64	73	4.5	14	1	1	3	6	9	11	20
65+	65	7.7	168	1	1	4	9	17	22	87
2. MULTIPLE DX										
0-19 YRS	245	8.3	138	1	2	5	7	16	35	60
20-34	233	6.5	26	2	2	5	8	12	16	28
35-49	235	7.6	32	2	3	6	10	14	20	29
50-64	369	9.8	69	3	3	7	12	19	26	45
65+	728	12.0	101	3	4	9	15	23	30	62
TOT. SINGLE DX	430	4.9	45	1	1	3	5	10	14	30
" MULTIPLE DX	1610	9.8	66	2	3	7	12	20	28	52
TOTAL 0-19 YRS	350	6.9	104	1	1	4	7	13	25	60
20-34	334	6.2	31	1	2	5	8	12	17	33
35-49	321	6.7	31	1	2	5	9	13	18	28
50-64	442	8.9	65	2	3	7	11	17	25	43
65+	793	11.7	108	2	3	9	15	23	30	63
GRAND TOTAL	2240	8.8	81	1	2	6	11	18	26	49

754: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	905	4.1	19	1	1	2	5	9	12	22
20-34	10777	4.6	19	1	1	3	6	10	14	21
35-49	14292	4.7	20	1	1	3	6	11	14	21
50-64	7652	4.9	24	1	1	3	6	11	15	23
65+	2079	5.1	27	1	1	3	7	12	16	25
2. MULTIPLE DX										
0-19 YRS	656	5.7	44	1	1	3	7	13	17	32
20-34	6365	6.7	38	1	2	5	9	14	18	31
35-49	10605	7.0	43	1	2	5	10	15	19	31
50-64	9948	7.7	57	1	2	5	10	17	22	35
65+	5868	10.4	106	1	2	7	14	23	31	55
TOT. SINGLE DX	35705	4.7	21	1	1	3	6	11	14	22
" MULTIPLE DX	33642	7.7	59	1	2	5	10	17	22	37
TOTAL 0-19 YRS	1561	4.8	31	1	1	3	6	11	15	28
20-34	17142	5.4	28	1	1	3	7	12	15	25
35-49	25097	5.7	32	1	1	4	8	13	16	26
50-64	17600	6.5	45	1	1	4	9	14	19	31
65+	7947	9.0	91	1	2	6	12	20	28	48
GRAND TOTAL	69347	6.2	42	1	1	4	8	14	18	31

755: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	332	3.9	14	1	1	2	5	8	11	19
20-34	892	4.8	23	1	1	3	5	11	15	24
35-49	1285	4.8	23	1	1	3	6	10	15	24
50-64	2269	4.5	25	1	1	3	5	9	13	26
65+	2399	4.6	14	1	1	3	6	9	12	26
2. MULTIPLE DX										
0-19 YRS	323	7.0	54	1	2	4	8	15	23	41
20-34	1064	7.5	75	2	2	5	9	14	21	52
35-49	2249	7.8	61	2	2	5	10	17	23	39
50-64	7455	8.0	70	2	2	6	10	16	23	46
65+	12009	8.5	59	2	2	6	11	17	23	45
TOT. SINGLE DX	7177	4.6	24	1	1	3	5	9	13	25
" MULTIPLE DX	23100	8.2	69	2	2	6	10	17	23	45
TOTAL 0-19 YRS	655	5.4	35	1	1	3	7	12	17	34
20-34	1956	6.2	54	1	2	4	8	13	18	30
35-49	3534	6.7	50	1	2	4	8	14	20	36
50-64	9724	7.2	62	1	2	5	9	15	21	42
65+	14408	7.8	64	1	2	6	10	16	22	42
GRAND TOTAL	30277	7.3	61	1	2	5	9	15	21	41

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	43	4.3	16	2	2	3	5	9	15	21
35-49	266	3.1	6	2	2	3	5	6	9	13
50-64	475	3.5	10	2	2	3	4	8	10	17
65+	148	3.7	15	2	2	3	4	9	14	20
2. MULTIPLE DX										
0-19 YRS	16	2.3	18	2	2	2	2	5	15	19
20-34	65	5.4	37	2	2	3	7	11	13	36
35-49	652	4.7	19	2	2	3	6	10	14	21
50-64	2175	5.1	24	2	2	3	7	12	15	23
65+	1124	6.3	45	2	2	4	9	14	18	31
TOT. SINGLE DX	934	3.4	10	2	2	2	4	8	10	17
" MULTIPLE DX	4252	5.4	30	2	2	3	7	12	16	25
TOTAL 0-19 YRS	18	2.2	17	2	2	2	3	5	13	19
20-34	128	5.0	30	2	2	3	6	10	14	31
35-49	1118	4.3	17	2	2	3	6	10	13	19
50-64	2650	4.8	23	2	2	3	7	11	14	22
65+	1272	6.0	43	2	2	3	8	14	18	28
GRAND TOTAL	5186	5.0	27	1	2	3	7	12	15	24

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	593	4.3	31	1	1	2	5	10	13	19
20-34	2288	5.2	20	1	1	4	8	11	14	20
35-49	2702	5.5	26	1	1	4	8	12	15	22
50-64	3744	4.8	19	1	1	3	7	11	13	21
65+	3606	5.2	24	1	1	3	7	12	15	23
2. MULTIPLE DX										
0-19 YRS	611	6.6	62	1	1	3	9	15	20	43
20-34	2840	8.0	59	1	2	6	10	16	22	41
35-49	5798	7.6	50	1	2	6	10	15	20	36
50-64	14452	7.7	53	1	2	6	10	16	20	35
65+	20821	9.4	76	2	2	7	13	19	25	45
TOT. SINGLE DX	12933	5.1	23	1	1	3	7	11	14	21
" MULTIPLE DX	44522	8.5	65	1	2	6	11	17	23	40
TOTAL 0-19 YRS	1204	5.5	48	1	1	3	7	12	17	34
20-34	5128	6.7	44	1	1	5	9	14	18	33
35-49	8500	6.9	43	1	2	5	9	14	18	33
50-64	18196	7.1	48	1	2	5	10	15	19	32
65+	24427	8.8	71	1	2	7	12	18	24	42
GRAND TOTAL	**57455**	**7.7**	**57**	**1**	**2**	**6**	**10**	**16**	**21**	**37**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

75s: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	45046	3.7	15	1	1	3	4	7	9	19
20-34	61375	4.3	20	1	1	3	5	8	11	24
35-49	43942	5.0	24	1	1	4	6	10	13	25
50-64	35538	5.7	27	1	2	4	7	11	15	27
65+	32584	7.0	43	1	2	5	9	14	18	33
2. MULTIPLE DX										
0-19 YRS	60482	5.4	48	1	1	4	6	10	15	39
20-34	89152	6.0	39	1	2	4	7	11	16	33
35-49	105174	6.9	40	2	2	5	8	13	18	33
50-64	175516	8.0	49	2	2	6	10	15	20	37
65+	361269	9.9	71	2	3	8	12	19	25	46
TOT. SINGLE DX	218485	4.9	26	1	1	4	6	10	13	26
" MULTIPLE DX	791593	8.3	60	2	2	6	10	16	22	41
TOTAL 0-19 YRS	105528	4.6	35	1	1	3	5	8	12	32
20-34	150527	5.3	32	1	1	4	6	10	14	30
35-49	149116	6.4	36	1	2	5	8	12	17	31
50-64	211054	7.6	46	2	2	6	9	14	19	35
65+	393853	9.7	70	2	3	7	12	19	25	45
GRAND TOTAL	**1010078**	**7.6**	**54**	**1**	**2**	**5**	**9**	**15**	**21**	**38**

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	17787	6.0	79	1	1	3	5	13	24	49
20-34	11049	7.7	65	1	2	5	9	16	23	42
35-49	10787	7.7	46	1	2	6	9	15	20	36
50-64	8559	7.5	44	1	2	6	9	14	19	35
65+	7429	8.8	63	2	2	7	11	17	23	44
2. MULTIPLE DX										
0-19 YRS	20603	7.1	99	1	2	4	7	15	27	58
20-34	17257	8.8	81	2	2	6	10	18	26	48
35-49	20730	8.8	63	2	3	7	11	17	23	43
50-64	31868	9.3	67	2	3	7	11	17	24	45
65+	68142	11.1	85	3	3	9	14	21	28	51
TOT. SINGLE DX	55611	7.3	64	1	2	5	9	15	22	43
" MULTIPLE DX	158600	9.7	82	2	3	7	12	19	26	49
TOTAL 0-19 YRS	38390	6.6	90	1	1	4	6	14	25	54
20-34	28306	8.4	76	1	2	6	10	17	25	46
35-49	31517	8.4	58	2	2	6	10	16	22	40
50-64	40427	8.9	63	2	3	7	11	17	23	42
65+	75571	10.9	84	2	3	9	13	21	28	50
GRAND TOTAL	**214211**	**9.1**	**79**	**2**	**2**	**7**	**11**	**18**	**25**	**48**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX " MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX " MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX " MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29547	3.8	17	1	1	3	4	6	8	19
20-34	15335	4.6	32	1	1	3	5	9	13	30
35-49	11625	5.5	30	1	1	4	7	11	15	28
50-64	11923	6.3	36	1	2	5	8	13	16	30
65+	12357	7.1	40	1	2	5	9	14	18	33
2. MULTIPLE DX										
0-19 YRS	47302	5.4	50	1	2	4	6	9	14	42
20-34	27787	6.2	56	1	1	4	7	12	19	41
35-49	36364	6.8	46	1	2	5	8	13	18	35
50-64	73773	7.8	47	2	2	6	10	15	19	35
65+	158179	9.5	67	2	3	7	12	18	24	44
TOT. SINGLE DX " MULTIPLE DX	80787	5.1	30	1	1	4	6	10	14	28
	343405	8.0	60	2	2	6	10	16	22	41
TOTAL 0-19 YRS	76849	4.8	38	1	1	3	5	8	12	35
20-34	43122	5.6	49	1	1	4	6	11	17	37
35-49	47989	6.5	43	1	2	5	8	13	18	33
50-64	85696	7.6	46	2	2	6	10	15	19	34
65+	170536	9.3	66	2	3	7	12	18	24	44
GRAND TOTAL	**424192**	**7.5**	**56**	**1**	**2**	**5**	**9**	**15**	**20**	**39**

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxiliofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
669	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

1.3

Length of Stay by Diagnosis, North Central Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 5
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 17
Summary of All Patients. 18
Summary of All Patients Except Newborn 19
Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Short-Term Nonfederal Hospitals Number in Books (3)	Short-Term Nonfederal Hospitals Percent in Books (4)	Beds U.S. Total[2] (5)	Beds Number in Books (6)	Beds Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
396	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystcholelithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Cholegritonecum, cholegritonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS.	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	9	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS.	1297	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13019	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS.	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. Operated										
0-19 YRS.	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11566	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6693	4.1	9	1	1	3	5	8	9	14
B. Operated	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. Not Operated	14921	6.5	24	2	2	5	8	12	15	25
B. Operated	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	52	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS.	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315858	3.5	13	1	1	3	4	5	7	16
20-34	181045	4.1	25	<1	1	3	4	7	11	28
35-49	65379	6.0	42	1	1	4	7	13	19	32
50-64	50872	6.4	42	1	1	5	8	13	18	32
65+	47094	6.9	43	1	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	111908	3.1	12	<1	1	2	3	6	8	17
20-34	198773	3.7	10	1	1	3	5	7	8	15
35-49	89332	4.9	19	1	1	4	6	10	13	21
50-64	86413	5.6	28	1	2	4	7	12	15	25
65+	86060	6.3	40	1	2	4	8	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267694	4.9	35	1	2	4	5	8	12	34
20-34	150077	6.2	50	1	1	4	7	13	21	36
35-49	147804	7.1	48	1	2	5	9	14	20	35
50-64	240956	7.6	47	1	2	6	9	15	20	35
65+	461862	9.1	54	2	3	7	11	17	22	37
B. *Operated*										
0-19 YRS	87432	5.6	78	1	1	3	5	11	19	55
20-34	212133	5.8	39	1	2	4	6	10	15	34
35-49	153669	7.7	59	1	2	6	9	15	21	42
50-64	207621	9.7	92	2	2	7	12	20	27	52
65+	289369	12.3	126	2	2	9	16	25	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	660248	4.4	25	1	1	3	5	8	12	28
B. *Operated*	572486	4.5	20	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	1268393	7.3	50	1	2	5	9	15	20	36
B. *Operated*	950224	8.9	91	1	2	6	11	19	27	51
1. SINGLE DX	1232734	4.4	23	1	1	3	5	9	12	25
2. MULTIPLE DX	2218617	8.0	68	1	2	6	10	17	23	43
A. NOT OPERATED	1928641	6.3	43	1	2	4	8	13	18	34
B. OPERATED	1522710	7.2	69	1	2	5	9	16	22	43
TOTAL 0-19 YRS	782892	4.1	28	1	1	3	4	7	10	29
20-34	742028	4.9	31	1	1	3	6	9	13	30
35-49	456184	6.7	47	1	2	5	8	13	19	35
50-64	585862	7.9	62	1	2	6	10	16	22	41
65+	884385	9.7	79	2	2	7	12	20	26	46
GRAND TOTAL	**3451351**	**6.7**	**55**	**1**	**2**	**4**	**8**	**14**	**20**	**38**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142653	3.8	26	1	1	3	4	7	9	29
20-34	181045	4.1	25	<1	1	3	4	7	11	28
35-49	65379	6.0	42	1	1	4	7	13	19	32
50-64	50872	6.4	42	1	1	5	8	13	18	32
65+	47094	6.9	43	1	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	111827	3.1	12	<1	1	2	3	6	8	17
20-34	198773	3.7	10	1	1	3	5	7	8	15
35-49	89132	4.9	19	1	1	4	6	10	13	21
50-64	86413	5.6	28	1	2	4	7	12	15	25
65+	56060	6.3	40	1	2	4	8	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156877	5.0	43	1	1	3	5	9	13	38
20-34	150077	6.2	50	1	1	4	7	13	21	36
35-49	147804	7.1	48	1	2	5	9	14	20	35
50-64	240956	7.6	47	1	2	6	9	15	20	35
65+	461862	9.1	54	2	3	7	11	17	22	37
B. *Operated*										
0-19 YRS	83833	4.9	50	1	1	3	5	10	16	40
20-34	212133	5.8	39	1	2	4	6	10	15	34
35-49	153669	7.7	59	1	2	6	9	15	21	42
50-64	207621	9.7	92	2	2	7	12	20	27	52
65+	289369	12.3	126	2	2	9	16	25	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487043	4.8	33	1	1	3	5	9	14	30
B. *Operated*	572405	4.5	20	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	1157576	7.6	52	1	2	6	9	15	21	37
B. *Operated*	946625	8.9	89	1	2	6	11	19	26	50
1. SINGLE DX	1059448	4.6	26	1	1	3	5	9	13	26
2. MULTIPLE DX	2104201	8.2	69	1	2	6	10	17	23	43
A. NOT OPERATED	1644619	6.8	48	1	2	5	8	14	19	35
B. OPERATED	1519030	7.2	67	1	2	5	9	16	22	43
TOTAL 0-19 YRS	495190	4.2	33	1	1	3	5	8	11	32
20-34	742028	4.9	31	1	1	3	6	9	13	30
35-49	456184	6.7	47	1	2	5	8	13	19	35
50-64	585862	7.9	62	1	2	6	10	16	22	41
65+	884385	9.7	79	2	2	7	12	20	26	46
GRAND TOTAL	3163649	7.0	57	1	2	5	8	15	21	39

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	6	2.2	2	<1	<1	2	3	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	6	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	221	2.0	1	<1	<1	2	2	3	4	6
20-34	456	2.3	4	<1	<1	2	3	4	5	8
35-49	144	2.3	3	<1	<1	2	3	4	5	10
50-64	53	2.4	4	<1	1	2	3	4	8	9
65+	5	3.2	4	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	1	<1	<1	1	2	4	4	4
20-34	13	2.5	5	<1	<1	2	3	7	8	8
35-49	5	2.6	3	<1	<1	3	4	5	5	5
50-64	4	1.8		<1	<1	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	75	2.6	3	<1	1	2	3	5	7	8
20-34	221	2.9	4	1	1	2	3	5	7	11
35-49	103	3.4	10	<1	1	2	4	6	8	19
50-64	64	4.8	23	<1	1	3	6	9	16	26
65+	23	5.8	20	2	3	4	7	11	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	879	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	32	2.2	3	<1	<1	2	3	4	7	8
B. *Operated*	486	3.4	9	<1	1	2	4	6	8	17
1. SINGLE DX	898	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	518	3.3	9	<1	1	2	4	6	8	16
A. NOT OPERATED	51	1.9	2	<1	<1	1	2	4	5	8
B. OPERATED	1365	2.6	6	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	310	2.1	2	<1	<1	2	2	4	5	7
20-34	696	2.5	4	<1	1	2	3	4	6	10
35-49	253	2.8	6	<1	<1	2	3	5	7	10
50-64	127	3.5	15	<1	<1	2	4	8	9	22
65+	30	5.0	18	1	1	4	6	9	13	22
GRAND TOTAL	**1416**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2445	3.0	4	1	1	3	4	5	6	10
20-34	597	3.5	5	1	1	3	4	7	9	12
35-49	195	4.2	8	1	2	3	5	8	10	15
50-64	126	4.0	7	1	2	3	5	8	10	14
65+	90	5.1	27	1	2	4	6	9	11	34
B. *Operated*										
0-19 YRS	53	4.0	9	1	1	3	5	9	10	13
20-34	19	4.9	17	1	1	4	7	14	58	99+
35-49	11	9.1	44	2	2	7	13	19	22	22
50-64	10	7.3	10	3	3	8	10	11	12	12
65+	5	7.6	35	2	2	4	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2994	3.3	6	1	1	3	4	5	7	12
20-34	966	4.0	8	1	2	3	5	7	9	15
35-49	589	5.0	17	2	2	4	6	9	12	21
50-64	613	5.1	11	2	2	4	6	9	11	19
65+	947	6.1	28	2	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	99	5.7	19	2	2	5	7	10	13	66
20-34	58	9.2	80	2	2	6	12	21	31	42
35-49	59	9.2	38	3	3	8	11	18	21	33
50-64	63	12.0	132	3	4	9	13	28	31	97
65+	64	12.3	153	3	4	9	15	21	32	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3453	3.2	5	1	1	3	4	6	7	12
B. *Operated*	98	5.3	18	1	1	4	8	12	14	62
2. MULTIPLE DX										
A. *Not Operated*	6109	4.2	12	1	2	3	5	8	10	17
B. *Operated*	343	9.3	84	2	3	7	11	19	28	80
1. SINGLE DX	3551	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	6452	4.5	18	1	2	3	5	8	11	20
A. NOT OPERATED	9562	3.9	10	1	1	3	5	7	9	15
B. OPERATED	441	8.4	72	2	2	6	11	16	24	80
TOTAL 0-19 YRS	5591	3.2	5	1	1	3	4	5	7	12
20-34	1640	4.0	11	1	2	3	5	7	9	16
35-49	854	5.1	18	1	2	4	6	10	13	21
50-64	812	5.5	23	2	2	4	7	10	13	23
65+	1106	6.4	37	2	2	5	7	11	15	29
GRAND TOTAL	**10003**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2951	3.3	5	1	1	3	4	6	7	11
20-34	1077	3.3	5	1	1	3	4	6	7	12
35-49	440	3.7	7	1	1	3	5	7	8	14
50-64	250	4.2	9	1	1	3	5	8	11	14
65+	218	4.4	8	1	2	4	5	7	10	15
B. Operated										
0-19 YRS	56	5.7	20	2	2	5	6	10	12	30
20-34	72	5.8	8	2	3	5	7	10	12	16
35-49	27	6.5	17	2	2	6	8	11	15	20
50-64	11	8.3	43	1	2	7	9	17	25	26
65+	7	7.1	25	1	1	4	10	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4439	3.8	6	1	2	3	5	7	8	13
20-34	1471	3.8	7	1	1	3	5	7	9	14
35-49	843	4.6	10	1	2	4	6	8	11	16
50-64	1016	5.1	13	1	2	4	6	9	11	19
65+	1660	6.4	25	2	2	5	8	12	15	26
B. Operated										
0-19 YRS	70	6.5	27	3	3	6	8	10	17	34
20-34	95	8.5	36	2	3	7	11	17	20	31
35-49	86	9.2	40	3	3	8	12	16	23	34
50-64	95	10.6	116	2	3	8	11	19	24	61
65+	148	14.0	98	4	5	11	18	26	30	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4936	3.4	6	1	1	3	4	6	7	12
B. Operated	173	6.1	16	2	3	5	7	10	13	25
2. MULTIPLE DX										
A. Not Operated	9429	4.5	12	1	2	4	5	8	10	17
B. Operated	494	10.5	75	3	3	8	13	20	25	51
1. SINGLE DX	5109	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX	9923	4.8	17	1	2	4	6	9	11	20
A. NOT OPERATED	14365	4.1	10	1	1	3	5	7	9	16
B. OPERATED	667	9.3	64	2	3	7	11	19	24	45
TOTAL 0-19 YRS	7516	3.7	7	1	1	3	4	6	8	13
20-34	2715	3.8	8	1	1	3	5	7	9	15
35-49	1396	4.7	13	1	2	4	6	8	11	19
50-64	1372	5.4	22	1	2	4	6	9	13	21
65+	2033	6.7	33	2	2	5	8	12	16	29
GRAND TOTAL	**15032**	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	9.1	41	2	3	9	13	17	23	26
20-34	37	12.5	110	2	4	11	16	20	33	58
35-49	30	14.6	209	4	5	12	19	22	26	63
50-64	27	11.6	52	3	5	11	15	20	26	34
65+	33	11.8	61	4	4	10	16	22	29	36
B. Operated										
0-19 YRS	6	17.2	510	5	5	8	12	58	63	63
20-34	14	11.7	29	6	6	9	15	21	22	22
35-49	20	13.3	81	4	6	10	17	21	33	44
50-64	17	11.1	58	3	4	8	17	25	27	27
65+	21	19.0	117	3	6	16	22	34	42	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	6.7	27	1	2	5	8	16	18	19
20-34	60	16.3	152	3	4	13	21	33	46	53
35-49	54	14.7	107	3	5	13	17	36	47	99+
50-64	94	12.7	77	2	3	10	18	25	33	99+
65+	141	15.4	161	3	5	12	19	27	38	74
B. Operated										
0-19 YRS	5	25.8	615	4	4	10	50	58	58	58
20-34	22	11.5	30	3	5	11	16	19	20	21
35-49	40	19.6	359	5	6	13	21	42	75	80
50-64	61	17.3	221	3	5	15	20	30	61	98
65+	129	21.8	244	6	7	17	28	42	54	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	12.1	98	3	4	10	16	21	26	58
B. Operated	78	14.3	111	4	5	11	19	25	34	59
2. MULTIPLE DX										
A. Not Operated	342	14.3	126	3	4	12	18	29	39	99+
B. Operated	257	19.6	251	4	6	15	24	40	54	62
1. SINGLE DX	228	12.9	103	3	4	10	17	22	27	59
2. MULTIPLE DX	599	16.6	186	3	5	13	21	34	51	83
A. NOT OPERATED	492	13.6	118	3	4	11	17	25	36	79
B. OPERATED	335	18.4	223	4	6	14	22	39	53	80
TOTAL 0-19 YRS	47	11.3	171	2	3	8	12	21	49	63
20-34	113	13.5	101	3	5	11	17	22	35	55
35-49	144	15.8	196	4	5	12	18	32	48	99+
50-64	199	13.8	120	2	4	11	19	26	34	99+
65+	324	17.8	193	4	5	14	23	36	50	74
GRAND TOTAL	**827**	**15.6**	**166**	**3**	**5**	**12**	**19**	**30**	**44**	**81**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.5	48	3	3	5	14	19	20	20
20-34	3	6.3	24	3	3	4	10	12	12	12
35-49	2	14.0	200	4	4	14	24	24	24	24
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	15	12.5	421	2	2	4	9	48	67	74
20-34	15	7.5	61	1	1	5	8	19	27	30
35-49	6	17.8	309	1	1	14	34	41	42	42
50-64	7	11.6	97	1	1	7	20	26	27	27
65+	3	6.7	41	2	2	4	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	11.8	139	3	3	8	12	33	35	35
20-34	12	10.1	57	1	2	9	11	20	29	31
35-49	5	10.2	81	<1	<1	9	14	25	25	25
50-64	25	7.8	51	1	2	6	9	13	21	37
65+	30	12.9	111	3	4	9	15	23	34	51
B. *Operated*										
0-19 YRS	6	17.5	219	2	3	14	20	42	45	45
20-34	11	23.4	552	1	3	15	53	78	97	99+
35-49	6	25.5	869	5	5	11	34	77	82	82
50-64	18	19.6	213	2	3	19	29	41	47	50
65+	28	23.8	508	2	3	22	35	83	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.9	50	3	3	5	14	20	23	24
B. *Operated*	46	11.0	212	1	1	5	13	30	43	74
2. MULTIPLE DX										
A. *Not Operated*	78	10.6	83	2	3	8	12	23	33	47
B. *Operated*	69	22.2	422	2	3	16	35	64	89	99+
1. SINGLE DX	60	10.6	173	1	2	5	13	25	38	71
2. MULTIPLE DX	147	16.1	275	2	3	10	22	40	63	99+
A. NOT OPERATED	92	10.3	78	2	3	8	13	22	30	45
B. OPERATED	115	17.8	366	1	2	11	25	49	76	99+
TOTAL 0-19 YRS	33	12.6	255	2	2	7	14	37	48	74
20-34	41	12.4	223	1	2	8	15	35	65	99+
35-49	19	17.8	394	<1	1	10	25	39	64	82
50-64	52	12.3	137	2	2	8	17	31	38	50
65+	62	17.6	313	2	3	13	23	51	81	99+
GRAND TOTAL	**207**	**14.5**	**251**	**2**	**2**	**9**	**20**	**36**	**54**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	313	2.9	14	1	1	2	3	5	5	8
20-34	115	3.1	2	1	2	3	4	5	6	9
35-49	15	3.9	2	2	2	4	5	5	6	6
50-64	15	3.9	4	1	1	4	4	6	8	9
65+	7	2.7	1	2	2	3	3	4	4	4
B. *Operated*										
0-19 YRS	44	1.6		1	1	2	2	2	3	3
20-34	8	1.4		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	749	3.3	3	1	2	3	4	5	7	9
20-34	214	3.7	4	2	2	3	4	6	8	11
35-49	76	4.4	5	2	2	4	5	7	9	14
50-64	44	5.8	11	2	3	5	7	9	11	20
65+	25	7.0	17	2	3	5	10	12	16	17
B. *Operated*										
0-19 YRS	27	3.4	6	1	1	2	5	8	8	9
20-34	9	7.7	27	2	2	9	10	15	17	17
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	5	13.4	87	3	3	15	20	25	25	25
65+	5	18.2	138	12	12	12	22	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	3.0	10	1	1	3	4	5	5	9
B. *Operated*	52	1.6		1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	1108	3.6	4	1	2	3	4	6	7	11
B. *Operated*	48	7.0	52	1	1	5	9	16	20	39
1. SINGLE DX	517	2.8	9	1	1	2	3	5	5	8
2. MULTIPLE DX	1156	3.7	7	1	2	3	4	6	8	14
A. NOT OPERATED	1573	3.4	6	1	2	3	4	6	7	11
B. OPERATED	100	4.2	32	1	1	2	4	11	15	32
TOTAL 0-19 YRS	1133	3.1	6	1	1	3	4	5	6	9
20-34	346	3.6	4	1	2	3	4	6	8	12
35-49	93	4.3	5	2	2	4	5	7	9	13
50-64	64	5.9	19	1	3	5	7	10	16	24
65+	37	7.7	47	2	2	5	11	15	17	39
GRAND TOTAL	**1673**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	381	5.1	12	1	2	4	7	10	12	16
20-34	41	6.0	13	2	2	5	8	10	13	18
35-49	17	6.9	12	3	3	6	9	12	13	14
50-64	32	7.3	14	2	2	7	10	12	14	17
65+	81	9.9	57	4	4	8	12	15	22	88
B. Operated										
0-19 YRS	9	9.8	11	3	4	10	12	13	13	13
20-34	5	19.0	157	7	7	13	32	33	33	33
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	7	15.0	53	7	8	12	18	27	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	680	7.1	29	2	2	6	9	13	17	29
20-34	271	10.0	71	3	3	8	12	20	26	43
35-49	257	10.6	57	3	4	9	13	19	28	43
50-64	563	12.5	80	4	5	10	15	22	27	47
65+	2255	13.4	69	4	6	12	16	23	30	43
B. Operated										
0-19 YRS	60	13.2	86	3	4	11	15	28	36	39
20-34	103	17.6	161	4	5	14	25	40	48	76
35-49	103	19.8	211	5	6	15	32	45	54	99+
50-64	233	20.3	202	6	7	17	26	38	53	98
65+	558	23.2	239	8	10	19	28	44	61	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	552	6.1	21	1	2	5	8	11	14	20
B. Operated	24	12.9	62	4	6	11	13	29	32	33
2. MULTIPLE DX										
A. Not Operated	4026	11.8	69	3	4	10	15	21	27	43
B. Operated	1057	21.1	219	5	7	17	27	41	54	96
1. SINGLE DX	576	6.3	25	1	2	5	8	12	14	28
2. MULTIPLE DX	5083	13.7	114	3	4	11	17	26	35	60
A. NOT OPERATED	4578	11.1	67	2	3	9	14	20	26	42
B. OPERATED	1081	21.0	217	5	7	17	27	40	53	94
TOTAL 0-19 YRS	1130	6.8	29	2	2	5	9	12	16	29
20-34	420	11.6	102	3	3	8	14	25	32	52
35-49	378	12.9	115	3	4	10	15	30	36	62
50-64	830	14.5	125	4	5	11	17	26	38	64
65+	2901	15.2	117	5	6	13	18	28	36	64
GRAND TOTAL	**5659**	**13.0**	**110**	**3**	**4**	**10**	**16**	**25**	**33**	**99**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	330	6.7	17	2	2	6	10	12	14	19
20-34	65	5.8	13	2	2	5	8	11	14	15
35-49	41	6.4	20	2	3	4	9	14	17	18
50-64	37	5.8	17	2	3	4	8	12	15	20
65+	28	7.0	27	2	3	6	9	11	15	29
B. Operated										
0-19 YRS	22	7.1	93	<1	1	5	12	16	28	45
20-34	7	14.4	138	1	2	11	26	29	29	29
35-49	8	7.9	10	4	4	8	10	12	13	13
50-64	7	7.3	50	1	1	4	14	18	18	18
65+	2	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	319	7.5	28	1	2	6	11	14	16	29
20-34	92	7.3	69	2	2	5	8	12	22	51
35-49	84	8.3	66	2	3	6	9	16	24	50
50-64	135	8.7	50	3	3	7	10	14	21	39
65+	217	11.1	94	3	4	8	14	20	32	54
B. Operated										
0-19 YRS	33	16.3	162	3	6	11	19	37	51	53
20-34	30	15.8	168	2	3	11	24	41	42	99+
35-49	33	19.8	228	3	4	15	28	37	45	72
50-64	57	20.7	387	2	4	15	30	49	58	90
65+	72	22.5	222	5	7	20	27	43	57	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	501	6.5	17	2	2	5	9	12	14	19
B. Operated	46	9.3	79	1	1	7	13	18	28	45
2. MULTIPLE DX										
A. Not Operated	847	8.7	59	2	3	7	11	16	21	40
B. Operated	225	19.9	251	3	4	16	26	42	53	84
1. SINGLE DX	547	6.7	23	2	2	5	9	13	15	22
2. MULTIPLE DX	1072	11.0	119	2	3	8	13	23	34	58
A. NOT OPERATED	1348	7.9	44	2	2	6	10	14	18	34
B. OPERATED	271	18.1	237	2	4	14	24	40	52	82
TOTAL 0-19 YRS	704	7.6	35	1	2	6	10	14	16	30
20-34	194	8.4	79	2	2	5	9	20	30	54
35-49	166	10.1	107	2	3	6	13	21	34	56
50-64	236	11.1	155	2	3	7	13	21	35	62
65+	319	13.4	142	3	4	9	18	28	38	60
GRAND TOTAL	**1619**	**9.6**	**91**	**2**	**3**	**7**	**11**	**19**	**28**	**53**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1414	3.5	4	1	2	3	4	6	7	11
20-34	706	4.1	6	1	2	3	5	7	8	13
35-49	143	4.8	10	1	2	4	6	9	11	17
50-64	23	4.7	9	2	2	3	6	10	11	11
65+	11	5.5	11	1	1	5	8	10	11	11
B. *Operated*										
0-19 YRS	13	7.6	43	3	3	5	9	16	25	27
20-34	6	8.2	18	4	4	7	10	15	15	15
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	3	7.7	12	4	4	8	10	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	560	4.5	10	2	2	4	5	8	10	16
20-34	373	5.0	12	2	2	4	6	9	11	18
35-49	102	6.0	13	2	2	5	8	11	13	19
50-64	34	8.3	41	3	3	7	10	14	18	37
65+	22	12.7	145	3	4	10	16	19	37	61
B. *Operated*										
0-19 YRS	18	7.0	40	1	2	4	10	14	22	27
20-34	11	9.5	35	3	4	8	13	47	92	99+
35-49	6	11.7	31	7	7	9	16	20	21	21
50-64	7	32.1	561	6	8	19	54	66	68	68
65+	6	19.0	154	5	5	18	30	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2297	3.8	5	1	2	3	5	7	8	12
B. *Operated*	24	7.8	29	3	3	6	10	13	19	27
2. MULTIPLE DX										
A. *Not Operated*	1091	5.1	16	2	2	4	6	9	12	19
B. *Operated*	48	13.3	189	3	3	9	17	32	59	99+
1. SINGLE DX	2321	3.8	6	1	2	3	5	7	8	13
2. MULTIPLE DX	1139	5.4	26	2	2	4	6	10	13	27
A. NOT OPERATED	3388	4.2	9	1	2	3	5	7	10	16
B. OPERATED	72	11.5	142	3	3	8	14	27	38	93
TOTAL 0-19 YRS	2005	3.8	7	1	2	3	5	7	9	13
20-34	1096	4.5	9	1	2	4	6	8	10	17
35-49	253	5.5	13	2	2	5	7	10	13	19
50-64	67	9.5	138	2	3	6	10	17	37	66
65+	39	11.7	124	2	3	9	14	24	32	61
GRAND TOTAL	**3460**	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	491	3.5	8	1	1	3	4	6	8	13
20-34	86	4.8	7	1	2	4	7	8	9	14
35-49	40	5.5	11	2	2	4	7	10	13	17
50-64	80	6.9	32	1	2	6	8	13	16	32
65+	204	7.4	25	2	2	6	9	14	17	23
B. *Operated*										
0-19 YRS	4	3.5	7	<1	<1	3	5	7	7	7
20-34	6	4.2	2	2	2	4	5	6	6	6
35-49	6	7.2	53	1	1	5	8	20	21	21
50-64	4	6.8	20	3	3	6	10	12	12	12
65+	14	7.3	22	2	2	6	11	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	944	3.8	6	1	1	3	5	7	9	13
20-34	176	6.0	15	2	2	5	7	10	13	23
35-49	146	6.8	15	2	3	6	8	11	12	24
50-64	365	7.7	32	2	3	6	10	14	19	31
65+	1279	9.8	55	2	3	8	12	19	25	37
B. *Operated*										
0-19 YRS	23	11.0	84	2	2	9	15	30	55	99+
20-34	25	6.2	8	2	3	5	7	10	12	15
35-49	14	11.9	97	2	2	9	14	29	34	35
50-64	57	14.6	282	2	3	9	16	33	57	83
65+	127	14.9	149	3	4	12	19	28	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	4.9	17	1	1	4	6	9	13	22
B. *Operated*	34	6.2	22	1	2	5	9	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	2910	7.2	39	2	2	6	9	14	19	32
B. *Operated*	246	13.4	162	2	3	10	17	28	37	83
1. SINGLE DX	935	4.9	17	1	1	4	6	9	13	22
2. MULTIPLE DX	3156	7.7	51	2	2	6	10	15	21	36
A. NOT OPERATED	3811	6.7	35	1	2	5	8	13	18	31
B. OPERATED	280	12.5	150	2	3	9	16	25	36	81
TOTAL 0-19 YRS	1462	3.8	9	1	1	3	5	7	9	15
20-34	293	5.6	12	2	2	5	7	9	11	19
35-49	206	6.9	22	2	2	6	8	11	15	28
50-64	506	8.3	65	2	3	7	10	15	21	45
65+	1624	9.9	61	2	3	8	12	19	25	41
GRAND TOTAL	**4091**	**7.1**	**45**	**1**	**2**	**5**	**9**	**14**	**19**	**34**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	5.7	13	2	2	5	[illegible]	9	12	20
20-34	472	7.1	18	2	3	6	9	12	16	24
35-49	135	7.4	19	2	3	7	9	13	16	22
50-64	60	7.9	38	2	3	6	10	16	18	32
65+	20	6.4	10	2	3	6	9	10	12	14
B. *Operated*										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	14	8.7	79	<1	1	7	10	22	31	33
35-49	14	9.4	42	1	1	8	14	18	23	24
50-64	6	6.7	23	1	1	7	7	14	15	15
65+	3	11.3	56	4	4	11	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	6.1	14	2	2	5	8	11	14	17
20-34	317	8.3	55	2	3	6	11	15	20	34
35-49	151	8.8	24	3	4	8	11	15	17	22
50-64	129	10.1	39	3	4	8	13	17	22	32
65+ [8]	116	10.7	58	3	4	9	13	18	24	44
B. *Operated*										
0-19 YRS	3	11.3	54	3	3	14	16	17	17	17
20-34	40	12.7	170	1	2	10	15	23	44	61
35-49	30	12.9	109	2	2	10	17	31	33	35
50-64	27	14.0	89	3	6	12	16	31	33	40
65+	29	18.8	344	3	3	14	23	35	61	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	6.9	19	2	3	6	9	12	16	24
B. *Operated*	38	9.4	62	1	1	7	12	20	28	33
2. MULTIPLE DX										
A. *Not Operated*	803	8.8	44	3	3	7	11	16	19	33
B. *Operated*	129	14.4	177	2	3	12	18	30	35	67
1. SINGLE DX	928	7.0	21	2	3	6	9	12	16	25
2. MULTIPLE DX	932	9.6	66	2	3	8	12	17	22	38
A. NOT OPERATED	1693	7.8	32	2	3	6	10	14	17	26
B. OPERATED	167	13.2	154	1	2	11	17	28	33	61
TOTAL 0-19 YRS	297	6.0	16	2	2	5	8	10	14	20
20-34	843	7.9	41	2	3	6	10	14	19	29
35-49	330	8.6	32	2	3	7	11	16	19	32
50-64	222	9.9	47	2	3	8	13	17	25	35
65+	168	11.6	112	3	4	9	14	20	24	59
GRAND TOTAL	**1860**	**8.3**	**45**	**2**	**3**	**7**	**10**	**15**	**19**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	861	4.2	5	1	2	4	5	7	8	12
20-34	253	5.0	8	2	2	4	6	9	10	14
35-49	47	4.9	8	2	2	5	7	8	9	16
50-64	10	7.7	9	4	4	7	8	12	13	13
65+	3	8.7	32	4	4	7	13	15	15	15
B. *Operated*										
0-19 YRS	8	6.4	25	1	1	5	9	14	16	16
20-34	8	4.5	9	1	1	3	7	9	9	9
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1051	4.6	7	2	2	4	6	8	9	14
20-34	327	5.7	24	2	2	5	7	10	13	21
35-49	47	7.0	21	2	3	6	9	13	15	26
50-64	25	7.9	28	2	3	7	9	15	19	23
65+	9	6.9	7	2	3	8	8	10	11	11
B. *Operated*										
0-19 YRS	30	5.9	14	1	2	5	6	11	15	16
20-34	23	8.5	31	1	3	7	11	15	22	23
35-49	2	16.0	98	9	9	16	23	23	23	23
50-64	2	10.5	1	10	10	10	11	11	11	11
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1174	4.4	6	1	2	4	5	8	9	13
B. *Operated*	18	5.3	15	1	1	4	8	10	14	16
2. MULTIPLE DX										
A. *Not Operated*	1459	5.0	12	2	2	4	6	9	11	16
B. *Operated*	58	7.5	25	1	2	6	10	13	19	23
1. SINGLE DX	1192	4.4	6	1	2	4	5	8	9	14
2. MULTIPLE DX	1517	5.1	13	2	2	4	6	9	11	16
A. NOT OPERATED	2633	4.8	10	2	2	4	6	8	10	15
B. OPERATED	76	7.0	23	1	2	6	10	12	16	23
TOTAL 0-19 YRS	1950	4.5	6	2	2	4	6	8	9	14
20-34	611	5.5	18	2	2	4	7	10	12	20
35-49	98	6.1	18	2	2	5	8	10	14	25
50-64	37	8.0	21	2	3	7	10	14	17	23
65+	13	7.5	11	2	4	8	9	12	14	15
GRAND TOTAL	**2709**	**4.8**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	5.0	10	1	2	4	7	9	10	16
20-34	25	3.9	4	1	2	3	4	7	8	9
35-49	11	6.3	14	2	2	5	10	11	13	13
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	10.0	32	6	6	10	14	14	14	14
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.0	7	2	2	4	7	9	10	10
20-34	15	3.9	5	2	2	3	5	7	9	10
35-49	13	6.5	13	2	2	6	8	11	14	15
50-64	10	6.9	44	2	2	4	7	19	21	21
65+	6	8.7	13	4	4	8	9	14	15	15
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	3	9.7	41	5	5	7	14	17	17	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	4.9	10	1	2	4	6	9	10	16
B. *Operated*	3	7.0	28	3	3	5	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	55	5.8	17	2	2	4	7	10	15	21
B. *Operated*	7	7.3	24	3	3	6	9	16	17	17
1. SINGLE DX	74	5.0	10	1	2	4	6	10	12	16
2. MULTIPLE DX	62	6.0	17	2	2	5	7	10	16	21
A. NOT OPERATED	126	5.3	13	2	2	4	7	10	13	18
B. OPERATED	10	7.2	22	3	3	6	10	15	17	17
TOTAL 0-19 YRS	46	5.0	9	2	2	4	7	8	10	16
20-34	43	4.0	5	1	2	3	5	7	9	10
35-49	28	7.0	17	2	2	6	10	13	15	17
50-64	11	6.5	41	2	2	3	7	19	21	21
65+	8	9.0	14	4	5	8	12	15	15	15
GRAND TOTAL	**136**	**5.4**	**14**	**2**	**2**	**4**	**7**	**10**	**14**	**18**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	4.6	5	1	2	4	6	8	10	11
20-34	185	5.0	9	1	2	4	6	9	10	16
35-49	24	5.9	13	2	3	5	7	10	13	18
50-64	10	5.9	16	1	1	6	10	11	11	11
65+	5	6.2	48	1	1	2	12	16	16	16
B. *Operated*										
0-19 YRS	14	3.3	6	<1	1	2	5	8	8	8
20-34	71	3.1	7	<1	<1	2	4	7	10	11
35-49	15	4.0	13	1	1	2	5	10	11	12
50-64	8	6.9	27	2	2	5	11	15	15	15
65+	4	4.8	11	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	5.5	11	2	2	5	7	9	13	19
20-34	165	5.4	11	2	2	5	6	9	11	19
35-49	33	8.3	35	1	2	7	11	14	15	34
50-64	26	7.8	23	1	2	8	12	15	15	16
65+	58	9.4	38	1	2	8	13	20	21	26
B. *Operated*										
0-19 YRS	13	6.2	13	1	2	6	9	11	12	12
20-34	66	6.1	27	1	2	5	8	10	19	27
35-49	25	8.7	59	1	2	7	12	19	26	28
50-64	13	8.5	52	2	2	5	12	17	25	27
65+	18	12.7	163	2	2	10	19	43	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	5.0	8	1	2	4	6	9	10	16
B. *Operated*	112	3.6	9	<1	<1	2	4	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	379	6.5	20	2	2	5	8	12	15	24
B. *Operated*	135	7.7	55	1	2	5	10	18	26	59
1. SINGLE DX	467	4.6	9	1	1	4	6	9	10	15
2. MULTIPLE DX	514	6.8	30	2	2	5	8	13	18	28
A. NOT OPERATED	734	5.7	15	2	2	5	7	10	13	21
B. OPERATED	247	5.8	38	<1	1	4	8	12	19	30
TOTAL 0-19 YRS	255	4.9	8	1	2	4	6	9	10	15
20-34	487	5.0	12	1	2	4	6	9	11	20
35-49	97	7.1	34	1	2	6	9	14	18	31
50-64	57	7.5	28	1	2	7	11	15	15	26
65+	85	9.7	65	1	2	8	13	21	25	83
GRAND TOTAL	**981**	**5.8**	**21**	**1**	**2**	**5**	**7**	**11**	**14**	**25**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.3	10	<1	<1	2	4	7	11	18
20-34	20	5.1	15	1	2	4	7	11	14	15
35-49	13	9.5	70	1	3	7	12	20	31	33
50-64	18	6.3	15	<1	1	6	9	11	13	14
65+	12	5.2	10	1	1	4	8	11	14	14
B. *Operated*										
0-19 YRS	8	5.3	20	<1	<1	3	9	12	12	12
20-34	20	9.1	57	<1	1	7	12	20	25	29
35-49	33	10.6	135	2	2	8	11	21	24	67
50-64	29	9.9	142	2	2	8	10	17	38	60
65+	12	6.8	36	1	1	6	10	13	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	4.7	15	1	1	4	6	9	15	20
20-34	50	5.8	21	1	1	5	7	10	14	25
35-49	51	7.7	33	3	3	6	10	14	15	36
50-64	83	9.0	101	<1	1	7	11	16	22	63
65+	140	9.9	65	2	3	8	13	16	21	40
B. *Operated*										
0-19 YRS	12	19.0	262	1	3	13	32	42	50	51
20-34	28	14.0	136	2	3	11	25	41	99+	99+
35-49	54	16.1	297	2	3	10	17	43	51	84
50-64	92	15.9	299	2	3	10	19	43	59	99
65+	80	17.7	301	2	3	12	20	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	4.9	22	<1	<1	4	7	10	14	23
B. *Operated*	102	9.3	101	1	2	8	11	18	23	63
2. MULTIPLE DX										
A. *Not Operated*	457	7.5	53	1	2	6	10	15	18	35
B. *Operated*	266	16.4	278	2	3	11	20	43	59	99+
1. SINGLE DX	220	6.9	63	<1	1	5	9	14	19	44
2. MULTIPLE DX	723	10.8	154	1	2	7	13	23	36	67
A. NOT OPERATED	575	7.0	46	<1	1	5	9	14	17	33
B. OPERATED	368	14.4	239	2	2	10	17	37	53	99+
TOTAL 0-19 YRS	208	5.2	39	<1	1	3	6	11	16	36
20-34	118	8.2	64	1	1	6	10	22	29	99+
35-49	151	11.5	163	2	3	8	13	22	36	74
50-64	222	11.8	192	1	2	8	13	25	44	82
65+	244	12.1	155	2	2	9	15	24	37	99
GRAND TOTAL	943	9.9	139	1	2	7	12	20	33	79

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	5	1	1	3	4	7	8	8
20-34	6	7.0	10	4	4	6	7	12	13	13
35-49	5	4.8	5	1	1	5	6	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	7	4.9	6	3	3	5	5	9	10	10
20-34	5	7.6	33	1	1	7	11	16	16	16
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	12.0	163	3	3	5	22	26	26	26
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.6	6	1	2	4	7	8	9	9
20-34	11	8.1	34	3	3	7	9	16	22	22
35-49	7	5.0	5	2	2	5	7	8	8	8
50-64	7	7.1	66	2	2	4	7	21	25	25
65+	7	12.7	75	4	5	9	15	27	30	30
B. *Operated*										
0-19 YRS	11	3.1	1	2	2	3	3	4	5	5
20-34	11	11.2	95	3	3	10	13	25	30	37
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	6	19.2	164	5	6	16	21	41	43	43
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.7	8	1	2	4	7	8	10	13
B. *Operated*	17	6.6	45	1	2	5	8	15	24	26
2. MULTIPLE DX										
A. *Not Operated*	46	7.0	35	2	2	6	8	15	22	30
B. *Operated*	32	9.3	95	2	2	5	14	16	35	43
1. SINGLE DX	39	5.5	24	1	1	5	7	10	15	26
2. MULTIPLE DX	80	7.9	60	2	2	5	9	16	23	41
A. NOT OPERATED	70	6.3	28	2	2	5	7	11	16	29
B. OPERATED	49	8.4	78	2	2	5	11	17	26	43
TOTAL 0-19 YRS	44	4.0	5	1	2	3	5	7	8	10
20-34	33	8.8	49	3	3	7	11	16	21	37
35-49	17	4.4	4	1	1	5	6	7	8	8
50-64	17	11.9	136	2	2	7	17	27	36	43
65+	8	13.0	65	4	5	12	15	26	30	30
GRAND TOTAL	119	7.1	49	2	2	5	8	16	22	29

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	3.9	6	1	1	3	6	7	9	11
20-34	56	4.6	12	1	1	3	6	9	10	19
35-49	33	4.9	7	1	2	5	5	9	11	14
50-64	14	5.1	8	2	3	4	5	9	11	12
65+	5	4.8	4	3	3	5	6	8	8	8
B. Operated										
0-19 YRS	8	6.0	15	1	1	6	9	11	12	12
20-34	168	5.7	19	1	2	5	8	12	14	20
35-49	130	5.1	16	1	1	4	8	10	13	17
50-64	39	6.3	30	1	1	5	9	13	17	27
65+	5	7.2	32	1	1	5	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	112	7.2	18	2	2	7	9	12	15	21
20-34	140	6.2	18	1	2	5	8	11	16	21
35-49	125	8.6	47	2	2	7	11	15	22	36
50-64	98	9.7	36	3	4	8	14	17	22	29
65+	87	10.0	57	3	3	8	12	20	23	43
B. Operated										
0-19 YRS	17	11.6	74	1	2	9	19	25	26	26
20-34	171	9.2	70	2	2	7	12	19	23	53
35-49	148	9.6	67	2	2	8	13	18	22	52
50-64	91	13.1	158	2	3	9	17	26	33	69
65+	49	15.8	131	3	4	14	21	33	40	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	4.5	9	1	2	4	6	9	10	14
B. Operated	350	5.6	19	1	2	4	8	11	14	17
2. MULTIPLE DX										
A. Not Operated	562	8.1	35	2	3	7	10	15	19	30
B. Operated	476	10.8	97	2	2	8	14	22	27	55
1. SINGLE DX	492	5.3	16	1	2	4	7	10	13	17
2. MULTIPLE DX	1038	9.4	65	2	2	7	12	19	23	45
A. NOT OPERATED	704	7.4	32	2	2	6	9	14	18	30
B. OPERATED	826	8.6	71	1	2	6	11	17	24	45
TOTAL 0-19 YRS	171	6.9	25	1	2	6	9	13	17	25
20-34	535	6.8	37	1	2	5	9	13	18	27
35-49	436	7.6	45	1	2	6	10	15	18	34
50-64	242	10.2	86	2	3	8	13	21	26	50
65+	146	11.7	88	3	3	9	14	23	32	45
GRAND TOTAL	**1530**	**8.1**	**53**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49	2	17.0	8	15	15	17	19	19	19	19
50-64	4	9.8	128	2	2	6	17	26	26	26
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	9.5	61	4	4	9	15	15	15	15
35-49	4	10.8	73	4	4	8	16	23	23	23
50-64	7	5.1	14	1	1	4	7	11	12	12
65+	12	6.8	17	3	3	5	9	13	16	16
B. Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	8.0	49	2	2	6	10	20	20	20
35-49	5	5.8	8	2	2	5	8	9	9	9
50-64	9	9.8	19	2	3	10	13	15	15	15
65+	6	12.7	162	2	2	7	27	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	7	10.7	92	2	2	9	18	25	26	26
2. MULTIPLE DX										
A. Not Operated	27	6.7	27	1	2	5	10	14	17	23
B. Operated	27	8.9	54	2	2	6	11	19	27	30
1. SINGLE DX	9	8.9	82	2	2	3	16	23	26	26
2. MULTIPLE DX	54	7.8	41	2	2	5	11	15	22	30
A. NOT OPERATED	29	6.4	26	1	2	5	9	14	16	23
B. OPERATED	34	9.3	60	2	2	7	13	21	27	30
TOTAL 0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	7	8.4	43	2	2	6	13	19	20	20
35-49	11	9.6	44	2	3	8	14	21	23	23
50-64	20	8.2	38	1	2	7	11	15	21	26
65+	19	8.4	66	2	2	5	11	23	29	30
GRAND TOTAL	**63**	**8.0**	**46**	**2**	**2**	**5**	**11**	**17**	**24**	**30**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	4	2	3	5	6	8	9	9
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	18	10.6	451	1	2	6	8	11	61	95
50-64	85	7.3	77	1	1	6	8	16	19	56
65+	53	5.4	24	1	1	4	6	14	17	19
B. *Operated*										
0-19 YRS	13	3.2	13	1	1	2	3	6	13	15
20-34	24	3.6	4	1	1	3	4	6	8	9
35-49	96	5.6	26	2	2	4	7	12	15	27
50-64	297	6.6	73	1	1	4	8	14	21	49
65+	326	6.2	40	1	1	4	8	14	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.9	15	1	2	5	7	12	15	17
20-34	13	10.5	52	2	4	7	15	22	25	26
35-49	64	8.5	101	1	1	6	9	15	36	47
50-64	275	9.6	127	1	2	6	10	22	37	57
65+	271	9.7	105	1	2	6	11	22	32	55
B. *Operated*										
0-19 YRS	7	6.6	22	1	1	6	10	13	14	14
20-34	26	13.4	116	2	3	9	17	34	35	36
35-49	156	12.5	156	1	2	9	16	30	40	54
50-64	644	14.1	207	2	2	10	19	31	45	94
65+	714	13.1	204	2	2	9	17	28	46	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	6.9	93	1	1	5	7	13	18	58
B. *Operated*	760	6.2	50	1	1	4	8	14	17	35
2. MULTIPLE DX										
A. *Not Operated*	645	9.4	110	1	2	6	10	21	33	55
B. *Operated*	1547	13.4	198	2	2	9	18	30	44	81
1. SINGLE DX	927	6.3	58	1	1	4	8	14	17	38
2. MULTIPLE DX	2192	12.3	175	2	2	8	16	28	41	74
A. NOT OPERATED	816	8.9	107	1	2	6	10	19	29	56
B. OPERATED	2303	11.1	161	1	2	7	14	26	36	74
TOTAL 0-19 YRS	55	5.1	14	1	2	4	7	10	14	17
20-34	65	9.0	77	1	2	6	10	23	32	36
35-49	334	9.6	131	1	2	6	11	22	35	49
50-64	1301	11.0	161	1	2	7	14	27	39	73
65+	1364	10.5	147	1	2	7	13	23	35	70
GRAND TOTAL	**3119**	**10.5**	**148**	**1**	**2**	**6**	**13**	**24**	**35**	**70**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	12.0	244	2	2	4	23	30	30	30
50-64	36	6.7	32	1	2	6	7	10	17	33
65+	35	5.5	48	1	1	4	6	13	15	39
B. *Operated*										
0-19 YRS										
20-34	5	7.0	16	4	4	5	10	13	13	13
35-49	7	13.7	12	9	10	14	15	19	20	20
50-64	61	13.6	87	2	3	11	17	28	31	42
65+	68	10.6	92	1	2	7	15	24	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	4	3	3	5	6	7	7	7
35-49	27	12.7	160	2	2	11	16	21	34	66
50-64	134	9.5	121	1	2	6	11	20	35	54
65+	186	9.3	62	2	3	7	12	20	25	42
B. *Operated*										
0-19 YRS										
20-34	5	10.0	31	1	1	11	14	15	15	15
35-49	40	18.8	168	3	5	16	23	37	48	57
50-64	258	18.9	203	3	5	16	24	37	50	80
65+	359	20.4	324	3	4	15	27	49	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.4	46	1	1	5	7	13	17	38
B. *Operated*	141	11.9	85	2	3	10	16	25	30	42
2. MULTIPLE DX										
A. *Not Operated*	350	9.6	92	2	2	7	12	20	28	50
B. *Operated*	662	19.6	266	3	4	15	25	43	59	99
1. SINGLE DX	215	10.0	78	1	2	7	14	23	29	40
2. MULTIPLE DX	1012	16.2	228	2	3	12	22	37	50	88
A. NOT OPERATED	424	9.0	86	1	2	6	11	19	28	48
B. OPERATED	803	18.3	242	2	4	14	24	40	55	95
TOTAL 0-19 YRS										
20-34	13	7.7	20	1	3	7	11	14	15	15
35-49	77	15.9	157	2	3	14	20	29	41	64
50-64	489	14.8	175	2	3	11	20	31	42	68
65+	648	15.4	241	2	3	11	21	38	51	98
GRAND TOTAL	**1227**	**15.1**	**207**	**2**	**3**	**11**	**20**	**34**	**47**	**86**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	6.7	15	2	2	6	9	12	13	13
50-64	9	7.6	30	1	2	5	11	16	18	18
65+	40	7.4	83	1	1	5	8	18	25	49
B. *Operated*										
0-19 YRS										
20-34	3	16.7	72	8	8	17	23	25	25	25
35-49	25	17.5	158	4	4	16	21	24	46	63
50-64	49	13.8	84	2	3	13	17	23	28	54
65+	115	16.8	103	3	4	15	22	32	37	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	11	2	2	5	7	10	10	10
35-49	33	7.4	41	2	2	6	7	13	26	28
50-64	136	7.0	66	1	2	5	8	13	17	50
65+	324	9.5	65	2	3	7	11	20	25	42
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	9	14.7	90	2	4	10	25	27	27	27
35-49	96	20.4	209	4	6	16	28	40	47	72
50-64	347	20.1	153	6	9	17	25	35	43	98
65+	731	20.9	181	4	8	18	26	39	49	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	7.3	65	1	1	5	8	14	24	48
B. *Operated*	192	16.1	105	3	4	15	21	29	37	53
2. MULTIPLE DX										
A. *Not Operated*	499	8.6	64	1	2	6	11	16	24	43
B. *Operated*	1184	20.6	174	4	8	18	26	37	47	76
1. SINGLE DX	248	14.1	110	2	3	13	19	27	34	51
2. MULTIPLE DX	1683	17.0	171	2	4	14	23	33	42	67
A. NOT OPERATED	555	8.5	64	1	2	6	11	16	24	44
B. OPERATED	1376	20.0	167	4	7	17	25	36	46	73
TOTAL 0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	18	11.8	78	2	2	9	18	26	27	27
35-49	161	16.7	187	3	4	13	21	37	44	63
50-64	541	16.1	155	2	3	14	22	31	40	77
65+	1210	17.0	166	3	4	14	23	33	41	61
GRAND TOTAL	**1931**	**16.7**	**164**	**2**	**4**	**14**	**22**	**32**	**41**	**64**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	3.0		3	3	3	3	3	3	3
65+	4	5.5		5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	16.0		16	16	16	16	16	16	16
35-49	6	13.2	25	8	8	12	15	21	22	22
50-64	9	15.1	65	8	8	12	21	28	30	30
65+	3	19.3	240	8	8	13	31	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	4.6	4	1	1	5	6	6	6	6
50-64	7	6.7	99	1	1	3	5	24	29	29
65+	39	7.5	68	2	3	4	8	13	25	46
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	4	12.8	18	10	10	11	15	19	19	19
35-49	18	17.7	117	5	7	14	25	28	40	48
50-64	59	21.2	229	9	9	17	24	42	60	99
65+	101	21.4	144	7	10	19	26	38	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.7	9	3	3	5	6	11	12	12
B. *Operated*	20	15.1	64	8	8	13	18	27	33	37
2. MULTIPLE DX										
A. *Not Operated*	53	6.9	63	1	2	4	7	12	27	46
B. *Operated*	183	20.8	166	8	9	18	25	39	48	96
1. SINGLE DX	27	12.7	66	3	5	12	15	24	31	37
2. MULTIPLE DX	236	17.7	176	3	4	15	23	35	45	89
A. NOT OPERATED	60	6.7	57	1	2	5	7	12	23	44
B. OPERATED	203	20.2	158	8	9	17	25	37	46	93
TOTAL 0-19 YRS	2	15.0	8	13	13	15	17	17	17	17
20-34	7	10.0	44	1	1	10	15	18	19	19
35-49	30	14.4	98	5	5	12	22	26	28	48
50-64	77	18.7	215	3	5	15	22	38	47	97
65+	147	17.3	161	3	4	15	23	34	44	74
GRAND TOTAL	**263**	**17.1**	**167**	**3**	**4**	**14**	**22**	**34**	**44**	**86**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	3.6	4	<1	<1	4	5	6	6	6
50-64	43	4.5	19	<1	1	3	6	10	15	19
65+	82	6.1	23	1	2	5	7	14	16	22
B. *Operated*										
0-19 YRS	4	19.3	113	7	7	20	28	30	30	30
20-34	10	14.4	44	7	7	13	20	24	25	25
35-49	70	11.4	16	4	6	11	14	17	18	21
50-64	362	12.1	22	5	7	12	15	18	20	25
65+	679	13.9	43	4	8	13	16	21	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	5	6	6	6	9	10	10	10
20-34	10	11.7	142	1	1	7	17	31	39	39
35-49	79	6.5	40	1	2	5	7	13	22	33
50-64	360	7.4	41	2	2	6	9	15	20	34
65+	1014	9.0	55	2	3	6	11	19	27	40
B. *Operated*										
0-19 YRS	5	16.2	34	11	11	13	22	23	23	23
20-34	42	14.5	43	4	7	13	18	24	28	32
35-49	282	14.8	85	5	7	13	18	24	33	90
50-64	1589	16.2	77	7	8	14	20	27	32	54
65+	4684	19.1	122	8	10	16	23	32	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	5.4	21	1	1	4	7	13	15	21
B. *Operated*	1125	13.2	36	5	8	12	16	20	23	32
2. MULTIPLE DX										
A. *Not Operated*	1466	8.5	59	2	2	6	11	17	25	38
B. *Operated*	6602	18.2	111	7	9	16	22	31	38	61
1. SINGLE DX	1257	12.4	40	2	4	12	15	20	23	32
2. MULTIPLE DX	8068	16.4	116	3	5	14	21	30	36	59
A. NOT OPERATED	1598	8.2	57	2	2	6	10	17	24	37
B. OPERATED	7727	17.5	103	7	9	15	21	30	36	59
TOTAL 0-19 YRS	12	15.0	67	6	6	12	22	27	30	30
20-34	62	14.0	58	3	5	13	18	24	28	38
35-49	438	12.6	76	3	4	11	16	22	28	65
50-64	2354	14.0	74	3	4	12	17	25	30	46
65+	6459	16.8	119	4	5	15	21	30	37	59
GRAND TOTAL	**9325**	**15.9**	**107**	**3**	**5**	**14**	**20**	**28**	**35**	**57**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	43	6.1	25	1	1	5	7	14	18	24
65+	70	6.2	22	2	2	5	7	13	18	23
B. *Operated*										
0-19 YRS	3	8.3	16	4	4	9	11	12	12	12
20-34	14	10.9	37	2	4	11	14	19	23	24
35-49	71	10.8	45	2	3	11	15	19	25	30
50-64	296	12.9	41	3	4	13	16	20	22	35
65+	496	13.8	65	3	4	13	18	24	29	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	9.6	71	1	1	7	14	23	26	26
35-49	53	10.3	143	1	2	8	10	21	33	63
50-64	257	9.2	104	2	2	6	10	18	30	52
65+	543	9.3	73	2	2	7	12	19	25	43
B. *Operated*										
0-19 YRS	4	18.5	40	10	10	19	23	25	25	25
20-34	22	16.9	92	5	6	18	22	38	60	99+
35-49	179	16.0	110	3	5	14	20	28	42	89
50-64	972	17.1	92	5	8	15	20	29	37	57
65+	2187	19.2	130	4	7	17	24	33	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	6.1	22	1	2	5	7	13	18	23
B. *Operated*	880	13.2	55	2	4	13	17	22	27	38
2. MULTIPLE DX										
A. *Not Operated*	862	9.3	86	2	2	6	12	19	27	48
B. *Operated*	3364	18.4	118	4	7	16	23	32	40	58
1. SINGLE DX	998	12.4	57	2	3	12	16	21	26	38
2. MULTIPLE DX	4226	16.6	125	3	4	15	21	31	38	58
A. NOT OPERATED	980	8.9	80	1	2	6	11	18	25	44
B. OPERATED	4244	17.3	110	4	6	15	22	30	38	55
TOTAL 0-19 YRS	7	14.1	55	4	5	12	20	24	25	25
20-34	47	13.0	81	1	3	12	19	25	38	99+
35-49	306	13.7	107	2	3	12	17	25	35	64
50-64	1568	14.7	94	3	4	13	19	26	33	52
65+	3296	16.5	125	3	4	15	22	30	37	54
GRAND TOTAL	**5224**	**15.8**	**115**	**3**	**4**	**14**	**20**	**29**	**36**	**54**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	245	1	1	5	13	38	38	38
20-34	4	6.3	17	1	1	7	9	10	10	10
35-49	6	10.0	296	1	1	3	5	41	45	45
50-64	30	6.5	39	1	2	4	9	15	20	28
65+	48	7.8	81	1	1	5	8	16	30	43
B. *Operated*										
0-19 YRS	11	14.2	325	2	2	10	14	38	64	66
20-34	7	12.0	21	8	8	9	17	18	18	18
35-49	20	10.0	28	3	5	8	12	19	21	22
50-64	47	14.0	104	1	2	12	21	27	37	39
65+	72	14.3	74	3	4	13	18	25	28	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.7	47	2	2	4	11	19	22	23
20-34	15	6.1	19	1	1	5	10	13	14	14
35-49	34	12.8	199	1	2	7	17	29	49	65
50-64	108	9.2	67	1	1	7	13	21	25	35
65+	274	10.5	73	2	3	8	14	21	25	41
B. *Operated*										
0-19 YRS	11	21.9	444	<1	2	17	33	57	62	63
20-34	20	19.5	255	4	5	15	26	42	59	65
35-49	53	17.4	156	2	4	15	21	37	41	62
50-64	238	19.3	184	4	7	16	25	36	45	75
65+	549	20.4	163	5	8	18	26	37	45	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	7.6	82	1	1	5	8	17	29	44
B. *Operated*	157	13.5	92	2	3	12	18	25	29	53
2. MULTIPLE DX										
A. *Not Operated*	443	10.2	80	1	2	8	14	21	25	42
B. *Operated*	871	19.9	174	4	7	17	26	37	46	67
1. SINGLE DX	250	11.3	96	1	2	9	15	24	29	45
2. MULTIPLE DX	1314	16.6	163	2	4	14	22	33	41	64
A. NOT OPERATED	536	9.7	81	1	2	7	13	21	25	43
B. OPERATED	1028	19.0	166	4	6	16	25	35	44	66
TOTAL 0-19 YRS	39	13.8	274	1	2	7	18	36	58	66
20-34	46	12.8	156	1	3	9	16	28	36	65
35-49	113	14.3	159	2	3	11	19	30	41	63
50-64	423	15.2	158	2	2	13	20	31	38	61
65+	943	16.5	149	3	4	14	22	32	41	59
GRAND TOTAL	**1564**	**15.8**	**156**	**2**	**3**	**13**	**21**	**32**	**40**	**63**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	8.0		8	8	8	8	8	8	8
35-49	12	3.3	4	<1	1	3	5	6	6	6
50-64	30	5.7	11	2	2	5	7	11	13	13
65+	61	8.5	53	2	2	6	11	19	24	34
B. *Operated*										
0-19 YRS	2	22.0	72	16	16	22	28	28	28	28
20-34	1	14.0		14	14	14	14	14	14	14
35-49	14	17.7	138	1	3	16	25	31	42	45
50-64	49	16.2	120	1	3	15	22	30	37	51
65+	69	18.3	133	3	4	18	22	33	41	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	4.7	5	2	2	4	7	8	8	8
35-49	50	9.1	236	2	2	5	9	15	18	89
50-64	258	8.0	37	1	2	6	11	16	19	31
65+	461	10.7	82	2	3	8	14	22	29	43
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	9	12.8	63	5	5	10	18	24	28	28
35-49	65	20.5	221	6	7	17	22	39	55	81
50-64	448	21.3	222	4	8	17	27	40	51	94
65+	784	21.4	157	7	9	18	26	38	45	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	7.0	38	1	2	5	9	14	21	32
B. *Operated*	135	17.5	126	2	4	16	22	31	40	54
2. MULTIPLE DX										
A. *Not Operated*	779	9.6	78	2	2	7	12	20	26	42
B. *Operated*	1307	21.3	182	5	8	18	26	39	47	76
1. SINGLE DX	240	12.9	114	2	2	11	18	26	33	51
2. MULTIPLE DX	2086	16.9	174	3	4	14	22	33	42	63
A. NOT OPERATED	884	9.3	74	2	2	7	12	19	25	40
B. OPERATED	1442	20.9	178	5	8	18	26	38	46	75
TOTAL 0-19 YRS	5	15.0	176	1	1	16	28	28	28	28
20-34	20	9.0	46	2	3	7	12	18	23	28
35-49	141	14.7	236	1	2	11	18	29	46	84
50-64	785	16.0	187	2	3	13	21	33	42	74
65+	1375	17.1	153	3	4	15	23	33	41	57
GRAND TOTAL	**2326**	**16.5**	**170**	**2**	**3**	**14**	**22**	**33**	**42**	**62**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	76	4.4	16	1	2	3	5	11	14	78
50-64	378	5.9	50	1	2	4	7	12	18	40
65+	363	6.9	49	1	1	5	8	15	22	37
B. *Operated*										
0-19 YRS	7	8.0	16	2	3	7	11	14	14	14
20-34	15	9.8	26	1	3	9	14	16	18	18
35-49	200	9.9	34	2	3	9	13	18	20	27
50-64	824	10.7	59	2	3	9	14	20	23	35
65+	866	10.9	64	2	3	9	14	21	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.0	145	2	2	3	15	27	27	27
20-34	32	7.7	87	1	2	5	10	14	22	51
35-49	511	7.9	61	1	2	5	9	18	24	36
50-64	2849	8.7	75	1	2	6	11	19	25	45
65+	3314	9.9	75	2	2	7	13	21	26	43
B. *Operated*										
0-19 YRS	4	12.8	24	8	8	12	16	19	19	19
20-34	38	13.4	94	3	4	11	17	26	29	53
35-49	649	13.7	89	3	4	12	18	25	30	50
50-64	3602	14.8	111	3	4	12	19	28	34	56
65+	4613	15.6	129	3	4	13	20	30	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	6.2	47	1	1	4	7	14	20	37
B. *Operated*	1912	10.7	58	2	3	9	14	20	25	37
2. MULTIPLE DX										
A. *Not Operated*	6710	9.2	74	1	2	7	12	20	26	43
B. *Operated*	3906	15.1	119	3	4	13	20	28	36	58
1. SINGLE DX	2733	9.4	59	1	2	8	13	18	23	37
2. MULTIPLE DX	15616	12.6	108	2	3	10	17	25	32	52
A. NOT OPERATED	7531	8.9	72	1	2	6	11	19	25	42
B. OPERATED	10818	14.3	111	3	4	12	18	27	34	56
TOTAL 0-19 YRS	16	9.2	46	2	2	7	13	19	25	27
20-34	88	10.3	84	2	2	9	14	18	26	52
35-49	1436	10.6	77	2	2	8	15	21	26	42
50-64	7653	11.6	98	2	2	9	15	24	30	50
65+	9156	12.7	109	2	3	10	17	26	33	52
GRAND TOTAL	**18349**	**12.1**	**102**	**2**	**3**	**10**	**16**	**25**	**31**	**51**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	4	4	4
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	12	6.8	47	1	1	5	9	17	24	25
50-64	33	5.2	9	1	2	6	7	8	11	12
65+	34	6.9	35	1	2	5	9	18	20	24
B. *Operated*										
0-19 YRS	11	6.8	25	1	1	6	11	14	15	15
20-34	23	7.8	38	1	1	7	11	16	22	22
35-49	72	6.6	44	1	1	3	11	18	22	23
50-64	264	7.6	63	1	1	4	12	19	23	35
65+	258	7.5	76	1	1	3	11	20	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.2	11	1	1	5	8	10	11	12
20-34	16	5.8	31	1	1	5	7	9	19	24
35-49	27	13.2	381	1	1	6	15	40	59	87
50-64	126	9.0	85	1	2	6	10	17	33	45
65+	116	8.0	51	1	2	6	11	17	21	36
B. *Operated*										
0-19 YRS	10	20.9	625	5	5	10	27	58	88	88
20-34	34	11.9	49	3	3	11	17	21	24	29
35-49	87	13.5	190	2	2	12	17	27	38	82
50-64	485	15.4	200	2	2	13	22	31	44	94
65+	481	14.9	200	2	2	11	21	33	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	5.9	25	1	1	5	7	12	18	25
B. *Operated*	628	7.5	64	1	1	3	11	19	22	36
2. MULTIPLE DX										
A. *Not Operated*	303	8.6	93	1	2	6	10	17	25	48
B. *Operated*	1097	15.0	198	2	2	12	21	31	43	85
1. SINGLE DX	715	7.3	60	1	1	4	11	18	22	34
2. MULTIPLE DX	1400	13.6	182	1	2	10	19	30	41	82
A. NOT OPERATED	390	8.0	79	1	2	6	10	15	23	44
B. OPERATED	1725	12.3	163	1	2	9	18	27	36	75
TOTAL 0-19 YRS	44	8.9	186	1	1	5	10	15	27	88
20-34	76	9.0	47	1	2	7	13	21	22	28
35-49	198	10.5	163	1	1	6	15	22	28	73
50-64	908	11.9	152	1	2	8	17	26	36	78
65+	889	11.6	152	1	2	8	16	27	35	69
GRAND TOTAL	**2115**	**11.5**	**150**	**1**	**2**	**8**	**16**	**25**	**35**	**71**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	4.4	61	<1	<1	3	4	9	12	53
20-34	24	2.8	3	<1	1	2	4	5	7	8
35-49	13	5.3	42	1	1	4	5	14	23	25
50-64	21	5.0	13	1	2	4	5	9	14	18
65+	26	6.0	17	1	2	5	10	11	14	15
B. Operated										
0-19 YRS	99	7.6	51	1	2	6	10	14	17	44
20-34	59	7.7	57	1	2	5	10	19	23	35
35-49	71	8.2	36	2	2	7	11	15	19	32
50-64	69	9.7	46	2	2	9	12	19	23	33
65+	95	9.0	65	1	2	7	12	20	25	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108	5.1	30	1	1	4	5	11	16	28
20-34	32	4.6	25	1	1	3	5	11	19	21
35-49	40	7.0	49	1	1	5	9	17	23	34
50-64	76	8.3	101	1	1	5	11	19	35	88
65+	127	10.5	132	1	2	7	12	24	39	53
B. Operated										
0-19 YRS	61	15.0	219	2	3	11	19	31	48	83
20-34	39	12.8	169	1	2	8	16	32	43	55
35-49	49	14.6	177	2	3	9	18	39	44	52
50-64	146	13.2	157	2	3	10	16	26	33	74
65+	220	16.6	180	2	4	13	19	35	45	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	4.6	37	<1	1	3	5	10	12	24
B. Operated	393	8.4	52	1	2	7	11	17	23	35
2. MULTIPLE DX										
A. Not Operated	383	7.7	84	1	1	5	9	18	25	49
B. Operated	515	14.9	178	2	3	11	18	32	44	67
1. SINGLE DX	553	7.3	51	1	2	5	10	16	20	35
2. MULTIPLE DX	898	11.9	151	1	2	8	15	27	38	60
A. NOT OPERATED	543	6.8	72	1	1	4	7	14	23	48
B. OPERATED	908	12.1	134	2	2	9	15	25	35	56
TOTAL 0-19 YRS	344	7.4	90	<1	1	4	5	15	22	53
20-34	154	7.6	81	1	1	4	8	19	28	50
35-49	173	9.5	89	1	2	7	11	22	33	46
50-64	312	10.7	115	1	2	7	14	23	30	70
65+	468	12.8	147	2	2	9	16	28	40	56
GRAND TOTAL	1451	10.1	117	1	2	7	13	22	33	53

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-45	12	7.1	73	<1	1	4	9	17	30	42
50-64	12	4.0	4	<1	1	4	5	7	8	8
65+	11	6.4	29	2	3	4	6	16	20	20
B. Operated										
0-19 YRS	8	3.1	5	1	1	2	5	6	6	6
20-34	88	5.2	12	1	1	5	7	9	11	16
35-49	148	5.9	18	1	2	5	8	10	13	25
50-64	147	6.8	18	1	2	6	10	12	14	19
65+	105	6.8	30	1	2	5	8	13	18	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	15	9.6	108	1	1	5	10	32	33	34
35-49	44	6.0	34	1	1	4	8	14	21	23
50-64	54	6.5	35	1	1	5	8	13	15	31
65+	77	6.8	24	1	3	6	8	14	17	24
B. Operated										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	47	9.2	91	1	2	6	13	19	25	50
35-49	82	9.0	44	2	2	7	12	19	22	33
50-64	141	9.4	46	2	2	8	12	19	25	30
65+	202	10.0	67	2	2	8	13	19	23	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	5.6	34	<1	1	4	6	11	16	32
B. Operated	496	6.2	20	1	2	5	8	11	15	23
2. MULTIPLE DX										
A. Not Operated	192	6.7	36	1	1	5	8	14	19	32
B. Operated	474	9.6	59	2	2	8	12	19	23	36
1. SINGLE DX	533	6.1	21	1	2	5	8	11	15	24
2. MULTIPLE DX	666	8.7	54	2	2	7	11	18	22	35
A. NOT OPERATED	229	6.5	35	1	1	5	8	13	19	32
B. OPERATED	970	7.8	42	1	2	6	10	16	20	32
TOTAL 0-19 YRS	12	3.6	6	1	1	2	5	7	8	8
20-34	152	6.8	69	1	1	5	8	15	19	40
35-49	286	6.8	32	1	2	5	9	14	19	28
50-64	354	7.7	33	1	2	7	10	15	19	29
65+	395	8.4	50	2	2	7	11	17	21	35
GRAND TOTAL	1199	7.8	41	1	2	6	10	15	20	33

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	4.3	42	<1	<1	1	7	14	14	14
50-64	39	3.0	40	<1	<1	<1	2	6	10	39
65+	36	2.7	11	<1	<1	1	3	7	10	17
B. *Operated*										
0-19 YRS	8	3.5	3	1	1	3	5	6	6	6
20-34	24	4.3	13	1	1	3	5	8	12	18
35-49	93	4.1	19	<1	1	3	5	9	12	24
50-64	201	3.3	13	<1	1	2	4	6	7	16
65+	426	3.7	14	1	1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	3	10.3	209	1	1	3	21	27	27	27
50-64	34	8.2	94	<1	<1	5	11	17	36	39
65+	78	9.2	73	2	2	6	13	22	30	37
B. *Operated*										
0-19 YRS	6	5.7	28	2	2	3	9	14	15	15
20-34	14	5.6	14	1	1	5	9	12	12	12
35-49	81	5.1	72	<1	1	3	5	12	17	54
50-64	282	5.7	36	1	1	3	7	14	19	30
65+	879	7.3	70	1	2	4	9	17	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.9	26	<1	<1	<1	2	7	11	32
B. *Operated*	752	3.6	14	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	118	8.8	79	<1	1	6	11	22	30	38
B. *Operated*	1262	6.7	62	1	1	4	8	16	21	40
1. SINGLE DX	833	3.6	15	<1	1	2	4	7	10	19
2. MULTIPLE DX	1380	6.9	64	1	1	4	9	16	23	40
A. NOT OPERATED	199	6.4	66	<1	<1	3	8	17	25	38
B. OPERATED	2014	5.6	47	1	1	3	7	13	18	36
TOTAL 0-19 YRS	15	4.3	13	1	2	3	5	9	13	15
20-34	42	4.6	13	1	1	4	7	9	12	18
35-49	181	4.6	46	<1	1	3	5	10	16	26
50-64	556	4.8	33	<1	1	3	5	11	16	35
65+	1419	6.2	55	1	1	3	8	14	20	38
GRAND TOTAL	**2213**	**5.7**	**48**	**1**	**1**	**3**	**7**	**13**	**19**	**37**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.3	1	1	1	2	3	3	3	3
35-49	30	4.2	23	1	1	3	4	8	14	25
50-64	56	5.6	14	1	2	4	7	12	12	16
65+	60	8.3	66	1	2	6	10	19	26	40
B. *Operated*										
0-19 YRS	4	3.8	10	<1	<1	3	6	7	7	7
20-34	195	6.0	10	1	2	6	8	10	12	14
35-49	948	6.3	9	2	2	6	8	10	11	15
50-64	1388	7.0	12	2	3	7	8	11	13	17
65+	1474	7.7	14	2	3	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	46	7.0	55	1	1	5	8	17	18	43
35-49	232	7.9	99	1	1	5	9	16	25	46
50-64	619	9.6	95	1	2	7	12	20	28	51
65+	711	10.8	93	2	3	8	14	22	30	52
B. *Operated*										
0-19 YRS	4	9.8	36	4	4	8	14	18	18	18
20-34	188	7.8	33	2	3	7	9	12	16	40
35-49	1194	8.2	26	2	4	7	10	13	17	28
50-64	2365	10.3	62	3	5	9	12	17	23	50
65+	3591	11.3	70	4	5	9	13	19	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	6.2	39	1	1	4	7	12	18	36
B. *Operated*	4009	7.0	13	2	3	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1609	9.8	94	1	2	7	13	20	28	49
B. *Operated*	7342	10.4	61	3	4	9	12	17	23	45
1. SINGLE DX	4162	7.0	14	2	3	7	9	11	13	18
2. MULTIPLE DX	8951	10.3	67	2	4	8	12	18	24	46
A. NOT OPERATED	1762	9.5	90	1	2	7	12	20	27	47
B. OPERATED	11351	9.2	46	2	4	8	11	15	20	38
TOTAL 0-19 YRS	10	6.0	27	<1	<1	5	7	14	18	18
20-34	435	6.9	26	1	2	6	8	11	14	26
35-49	2404	7.4	27	2	3	7	9	12	15	27
50-64	4428	9.1	52	2	3	8	10	15	20	42
65+	5836	10.3	61	3	4	9	12	17	24	44
GRAND TOTAL	**13113**	**9.2**	**52**	**2**	**3**	**8**	**11**	**16**	**21**	**41**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	4.0	11	<1	2	4	4	6	10	19
35-49	75	4.3	6	2	2	4	5	7	10	16
50-64	103	4.6	15	2	3	4	5	6	11	26
65+	76	4.4	10	1	3	4	5	7	10	19
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	151	5.1	16	1	1	4	7	10	12	19
35-49	201	6.1	21	1	2	4	9	13	14	17
50-64	151	6.1	45	1	2	4	8	12	18	42
65+	127	6.0	19	1	2	5	8	11	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	26	4.9	29	<1	1	3	5	10	18	24
35-49	76	8.1	79	2	3	5	9	18	25	49
50-64	144	6.8	59	2	2	4	7	16	27	38
65+	162	9.0	61	2	3	6	13	18	24	41
B. *Operated*										
0-19 YRS										
20-34	149	8.8	74	1	2	7	11	14	18	67
35-49	278	9.6	70	2	3	6	11	17	25	49
50-64	289	10.7	109	2	2	8	13	24	35	55
65+	278	11.1	114	2	3	8	13	26	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	4.4	11	1	2	4	5	6	10	20
B. *Operated*	634	5.8	25	1	2	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	409	7.8	63	2	2	5	10	18	24	40
B. *Operated*	994	10.2	95	2	2	8	12	21	29	53
1. SINGLE DX	914	5.4	21	1	2	4	7	10	13	20
2. MULTIPLE DX	1403	9.5	86	2	2	7	12	20	28	48
A. NOT OPERATED	689	6.4	44	2	2	4	7	14	20	37
B. OPERATED	1628	8.5	72	1	2	6	10	17	24	47
TOTAL 0-19 YRS	6	2.8	4	1	1	2	4	6	6	6
20-34	351	6.6	44	1	1	5	9	13	17	24
35-49	630	7.7	52	2	2	6	10	14	18	42
50-64	687	7.9	76	2	2	5	10	18	27	48
65+	643	8.8	75	2	3	5	11	20	26	43
GRAND TOTAL	**2317**	**7.9**	**65**	**1**	**2**	**5**	**10**	**16**	**22**	**44**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	20	4.3	6	1	2	4	5	6	10	13
50-64	85	4.0	4	1	2	4	5	5	6	14
65+	121	4.0	8	1	2	3	4	6	8	18
B. *Operated*										
0-19 YRS	3	9.7	16	6	6	9	13	14	14	14
20-34	17	7.1	8	2	3	7	8	10	13	14
35-49	97	6.5	14	1	1	7	8	11	13	19
50-64	418	6.2	14	1	2	6	8	10	12	16
65+	478	7.0	24	1	2	7	9	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49	26	4.2	7	1	1	3	5	8	9	11
50-64	128	5.6	51	1	1	4	5	10	18	44
65+	235	7.9	62	2	2	5	10	18	25	39
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	25	7.2	17	1	2	8	10	13	14	16
35-49	224	8.8	32	2	3	8	10	15	21	34
50-64	1028	8.8	40	2	2	8	10	15	18	32
65+	1383	10.3	62	2	2	9	13	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	4.0	6	1	2	4	4	6	7	16
B. *Operated*	1013	6.6	19	1	2	7	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	392	6.9	56	1	2	4	8	15	23	39
B. *Operated*	2661	9.6	51	2	2	8	11	17	22	41
1. SINGLE DX	1240	6.2	17	1	2	6	8	10	13	18
2. MULTIPLE DX	3053	9.2	53	2	2	8	11	17	22	40
A. NOT OPERATED	619	5.8	40	1	2	4	6	12	18	33
B. OPERATED	3674	8.8	44	2	2	8	10	15	20	36
TOTAL 0-19 YRS	5	9.6	14	6	6	9	13	14	14	14
20-34	45	7.1	13	2	2	7	9	13	13	16
35-49	367	7.6	27	1	2	7	9	13	17	29
50-64	1659	7.7	35	1	2	7	9	13	17	28
65+	2217	9.0	55	2	2	8	11	17	23	38
GRAND TOTAL	**4293**	**8.4**	**45**	**2**	**2**	**7**	**10**	**15**	**20**	**35**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	2	1	1	3	3	5	5	5
20-34	8	3.1	2	1	1	3	4	5	5	5
35-49	60	2.4	3	<1	1	2	3	5	7	8
50-64	159	3.3	33	1	1	2	3	6	9	13
65+	117	4.0	28	1	1	2	4	8	11	29
B. *Operated*										
0-19 YRS	12	6.6	2	3	4	7	8	8	8	8
20-34	56	7.9	8	5	5	7	9	12	14	16
35-49	69	7.7	7	4	4	8	9	12	12	16
50-64	113	11.2	45	4	6	10	13	20	27	37
65+	69	14.9	128	4	7	12	18	25	31	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.2	29	1	1	5	9	15	18	18
20-34	20	2.9	2	1	1	3	4	5	6	6
35-49	104	3.2	13	1	1	2	4	7	9	21
50-64	460	4.5	31	1	1	3	5	10	15	30
65+	481	5.7	39	1	1	3	7	14	20	30
B. *Operated*										
0-19 YRS	15	9.1	17	4	5	8	11	15	17	18
20-34	61	10.1	38	3	4	8	13	17	20	38
35-49	208	12.2	44	6	6	11	14	22	25	43
50-64	499	14.7	96	5	7	12	18	25	32	57
65+	554	18.4	158	5	7	15	23	34	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	3.3	25	1	1	2	3	6	9	21
B. *Operated*	319	10.5	54	4	5	9	12	18	22	37
2. MULTIPLE DX										
A. *Not Operated*	1074	4.9	33	1	1	3	6	11	18	29
B. *Operated*	1337	15.5	117	5	7	13	19	28	35	62
1. SINGLE DX	670	6.8	52	1	1	5	9	13	19	34
2. MULTIPLE DX	2411	10.8	107	1	2	8	15	23	30	50
A. NOT OPERATED	1425	4.5	31	1	1	3	5	10	16	27
B. OPERATED	1656	14.6	109	5	6	12	18	26	34	60
TOTAL 0-19 YRS	43	6.7	17	1	2	6	8	12	16	18
20-34	145	7.9	26	2	3	7	10	13	16	29
35-49	441	8.0	43	1	1	7	11	16	22	29
50-64	1231	9.1	84	1	1	7	13	20	25	45
65+	1221	11.8	137	1	2	9	16	26	34	58
GRAND TOTAL	**3081**	**9.9**	**98**	**1**	**2**	**8**	**13**	**22**	**28**	**49**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.5	9	1	1	1	4	7	7	7
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	8	4.0	5	1	1	4	6	7	7	7
65+	19	6.3	74	2	2	4	6	8	27	41
B. *Operated*										
0-19 YRS										
20-34	3	9.7	116	2	2	5	18	22	22	22
35-49	16	7.4	18	2	2	7	10	14	15	15
50-64	34	6.7	32	2	2	4	8	15	22	23
65+	78	10.2	102	1	2	6	13	26	32	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.0	46	2	2	4	11	17	17	17
35-49	10	4.9	18	1	1	4	7	12	13	13
50-64	16	8.9	139	1	2	4	8	29	39	43
65+	56	10.1	106	1	1	6	14	26	35	44
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	8.9	42	4	4	6	10	20	24	24
35-49	33	14.3	234	1	2	8	17	35	45	71
50-64	83	13.7	151	2	3	10	19	28	41	62
65+	211	14.0	124	2	3	11	20	26	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.2	45	1	1	4	6	7	9	41
B. *Operated*	131	8.9	75	2	2	5	11	23	27	40
2. MULTIPLE DX										
A. *Not Operated*	86	9.2	100	1	1	5	12	24	32	44
B. *Operated*	336	13.8	139	2	3	10	20	27	35	62
1. SINGLE DX	164	8.2	71	1	2	5	10	21	26	41
2. MULTIPLE DX	422	12.8	134	2	2	9	18	26	34	60
A. NOT OPERATED	119	8.1	87	1	1	5	10	19	31	43
B. OPERATED	467	12.4	125	2	3	8	18	26	33	58
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	19	7.3	46	1	1	5	8	20	23	24
35-49	61	10.7	149	1	2	7	12	24	37	68
50-64	141	10.9	123	2	2	7	13	25	32	49
65+	364	12.2	118	2	2	8	18	26	33	47
GRAND TOTAL	**586**	**11.5**	**121**	**2**	**2**	**8**	**16**	**26**	**33**	**47**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	44	5.8	27	1	1	4	8	13	18	22
65+	124	5.8	30	1	1	4	8	12	17	31
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	16.0		16	16	16	16	16	16	16
35-49	14	7.6	58	1	2	5	11	17	26	29
50-64	507	6.8	30	1	2	6	9	13	17	21
65+	1552	7.2	26	2	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	16.7	226	7	7	9	28	34	34	34
35-49	11	6.5	28	1	1	4	12	14	16	16
50-64	314	7.8	73	1	2	5	10	16	22	40
65+	1598	9.4	76	2	2	7	12	20	27	42
B. *Operated*										
0-19 YRS	9	8.2	29	2	2	8	13	16	17	17
20-34	5	8.2	35	2	2	6	12	17	17	17
35-49	37	10.6	88	2	4	8	11	24	25	50
50-64	1077	10.8	80	2	3	9	14	21	26	46
65+	5805	11.0	72	2	3	9	14	21	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	5.8	29	1	1	4	8	13	16	29
B. *Operated*	2075	7.1	28	2	2	6	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	1927	9.2	75	2	2	7	12	19	27	42
B. *Operated*	6933	11.0	73	2	3	9	14	21	27	44
1. SINGLE DX	2245	7.0	28	1	2	6	9	13	16	25
2. MULTIPLE DX	8860	10.6	74	2	3	8	13	21	27	43
A. NOT OPERATED	2097	8.9	73	2	2	6	11	19	26	42
B. OPERATED	9008	10.1	66	2	3	8	13	19	25	41
TOTAL 0-19 YRS	11	6.9	32	1	1	5	11	16	17	17
20-34	9	11.9	93	2	3	9	16	27	34	34
35-49	64	9.1	70	1	2	7	11	20	25	47
50-64	1942	9.2	68	1	2	7	12	18	23	43
65+	9079	10.0	67	2	3	8	13	19	25	41
GRAND TOTAL	**11105**	**9.9**	**67**	**2**	**2**	**8**	**12**	**19**	**25**	**42**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	4	<1	1	2	5	6	6	6
20-34	23	3.4	3	1	1	4	5	5	6	6
35-49	13	3.4	8	1	1	2	6	7	9	10
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	8.7	58	2	2	7	14	17	17	17
B. *Operated*										
0-19 YRS	13	4.2	15	1	1	3	5	11	13	13
20-34	194	5.2	12	1	2	4	7	10	12	17
35-49	84	4.5	8	1	2	4	6	8	9	16
50-64	23	5.0	11	1	2	4	7	9	12	16
65+	28	6.6	20	1	2	5	9	14	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	12	<1	1	5	8	9	11	11
20-34	62	5.7	17	1	2	5	6	10	15	22
35-49	10	3.7	8	<1	<1	3	5	8	10	10
50-64	11	8.8	94	2	2	6	10	22	35	36
65+	15	6.5	49	<1	1	3	11	15	22	24
B. *Operated*										
0-19 YRS	14	9.4	35	1	3	9	15	16	17	17
20-34	115	8.7	63	1	2	7	11	15	19	51
35-49	38	7.1	26	1	2	6	9	15	17	22
50-64	34	9.8	174	2	3	7	9	13	47	65
65+	57	11.8	102	3	3	9	13	21	39	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.6	8	1	1	3	5	6	7	17
B. *Operated*	342	5.1	12	1	2	4	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	112	5.8	28	1	1	5	7	13	15	29
B. *Operated*	258	9.3	80	2	3	7	11	17	21	55
1. SINGLE DX	396	4.9	12	1	2	4	6	9	12	17
2. MULTIPLE DX	370	8.3	67	1	2	6	10	15	19	54
A. NOT OPERATED	166	5.1	22	1	1	4	6	10	15	24
B. OPERATED	600	6.9	46	1	2	5	9	13	17	39
TOTAL 0-19 YRS	55	5.3	22	1	1	4	7	13	15	17
20-34	394	6.2	30	1	2	5	8	12	15	26
35-49	145	5.0	14	1	1	4	6	9	13	18
50-64	69	8.0	107	2	2	5	9	12	17	63
65+	103	9.5	76	2	2	7	12	18	23	47
GRAND TOTAL	**766**	**6.5**	**41**	**1**	**2**	**5**	**8**	**13**	**16**	**38**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	10.0	128	2	2	10	18	18	18	18
35-49	4	3.5	9	2	2	2	5	8	8	8
50-64	33	3.5	16	1	1	2	4	6	13	21
65+	67	4.9	21	1	1	3	7	11	15	21
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	31	3.3	6	1	2	3	3	8	10	11
35-49	160	3.7	13	1	1	3	4	7	9	20
50-64	754	4.9	21	1	1	3	6	11	16	23
65+	1792	5.2	24	1	2	4	6	11	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	113	5.4	21	1	1	4	7	13	17	20
65+	382	9.2	98	1	2	6	11	21	30	48
B. *Operated*										
0-19 YRS	7	12.9	102	1	1	11	23	26	26	26
20-34	16	5.9	22	1	1	5	7	11	17	20
35-49	129	7.1	49	1	2	5	9	16	23	37
50-64	1024	8.6	74	1	2	5	11	19	25	43
65+	3735	9.2	87	2	2	6	11	20	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	4.5	20	1	1	3	5	11	15	21
B. *Operated*	2740	5.0	23	1	1	3	6	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	499	8.3	83	1	2	5	10	18	26	46
B. *Operated*	4911	9.0	83	2	2	6	11	19	26	44
1. SINGLE DX	2846	5.0	23	1	1	3	6	11	15	23
2. MULTIPLE DX	5410	8.9	83	2	2	6	11	19	26	45
A. NOT OPERATED	605	7.6	74	1	1	5	10	16	23	42
B. OPERATED	7651	7.5	65	1	2	5	9	17	23	41
TOTAL 0-19 YRS	10	9.8	92	1	1	5	17	25	26	26
20-34	50	4.4	16	1	2	3	5	10	11	20
35-49	296	5.2	31	1	1	3	6	12	16	32
50-64	1924	6.9	52	1	2	4	8	16	21	40
65+	5976	7.9	72	1	2	5	10	17	24	42
GRAND TOTAL	**8256**	**7.6**	**66**	**1**	**2**	**5**	**9**	**17**	**23**	**41**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	6	1	1	3	5	8	9	9
20-34										
35-49	4	3.8	2	2	2	4	5	5	5	5
50-64	12	5.9	6	2	2	6	8	9	9	9
65+	16	3.6	7	1	1	3	5	8	9	10
B. *Operated*										
0-19 YRS	40	11.3	34	5	6	10	13	17	19	39
20-34	15	10.5	42	1	3	10	11	21	22	23
35-49	80	9.8	24	2	2	9	12	17	18	22
50-64	165	10.6	39	2	3	10	13	18	22	35
65+	187	11.3	59	2	2	10	14	21	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.8	44	1	1	4	6	11	21	32
20-34	12	5.7	21	1	1	4	8	12	15	16
35-49	32	7.9	36	1	2	6	11	15	21	27
50-64	138	9.1	104	2	2	6	10	20	29	59
65+	267	10.9	88	2	3	8	14	23	31	49
B. *Operated*										
0-19 YRS	23	21.1	386	4	6	13	29	45	66	89
20-34	19	9.7	42	1	2	9	11	20	24	25
35-49	108	13.9	96	3	5	11	16	28	34	51
50-64	488	16.2	118	4	6	14	20	29	39	62
65+	803	17.1	115	4	6	15	22	31	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.2	7	1	1	3	6	8	9	10
B. *Operated*	487	10.8	44	2	2	10	13	19	22	37
2. MULTIPLE DX										
A. *Not Operated*	473	9.8	87	2	2	7	12	21	28	49
B. *Operated*	1441	16.5	119	4	6	14	21	30	37	59
1. SINGLE DX	538	10.1	44	2	2	9	13	18	22	36
2. MULTIPLE DX	1914	14.8	120	2	4	12	19	29	35	56
A. NOT OPERATED	524	9.2	82	1	2	6	11	20	27	48
B. OPERATED	1928	15.1	106	2	5	12	19	28	35	55
TOTAL 0-19 YRS	106	10.8	142	2	2	8	13	19	33	69
20-34	46	8.9	39	1	2	9	11	20	22	25
35-49	224	11.4	66	2	3	10	14	21	27	47
50-64	803	13.7	108	2	3	11	17	26	32	59
65+	1273	14.8	110	2	4	12	19	28	35	54
GRAND TOTAL	**2452**	**13.8**	**107**	**2**	**3**	**11**	**18**	**27**	**33**	**54**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.2	2	1	1	2	3	4	5	6
20-34										
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	6	3.0	5	1	1	2	4	7	7	7
65+	4	8.0	129	2	2	3	14	25	25	25
B. *Operated*										
0-19 YRS	19	4.1	8	1	1	3	5	9	11	11
20-34	4	11.0	157	2	2	6	19	29	29	29
35-49	8	3.3	10	<1	<1	2	3	9	11	11
50-64	25	3.8	5	1	2	4	5	6	8	11
65+	32	4.2	7	1	2	3	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	7	3	3	4	7	9	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	5.8	1	5	5	6	6	7	7	7
50-64	6	3.2	3	2	2	3	4	6	6	6
65+	8	5.3	10	1	1	5	8	10	10	10
B. *Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.3	3	2	2	4	5	6	6	6
50-64	20	4.7	11	2	2	3	5	8	12	16
65+	35	7.5	52	2	2	5	8	18	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.5	21	1	1	2	4	7	10	25
B. *Operated*	88	4.3	14	1	2	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	24	4.7	6	1	2	4	6	9	9	10
B. *Operated*	64	6.0	35	2	2	4	7	11	18	35
1. SINGLE DX	116	4.1	16	1	1	3	5	8	11	26
2. MULTIPLE DX	88	5.7	27	2	2	4	7	10	16	32
A. NOT OPERATED	52	4.1	14	1	1	3	5	8	9	25
B. OPERATED	152	5.0	23	1	2	4	6	10	11	29
TOTAL 0-19 YRS	43	3.4	6	1	1	3	4	6	10	11
20-34	6	8.2	113	2	2	3	10	27	29	29
35-49	19	4.5	6	1	2	5	6	8	10	11
50-64	57	3.9	7	1	2	3	5	7	9	16
65+	79	5.9	34	2	2	4	7	10	19	33
GRAND TOTAL	**204**	**4.8**	**21**	**1**	**2**	**4**	**6**	**9**	**11**	**27**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.1	17	1	1	3	5	8	15	18
20-34	45	5.2	27	1	2	4	5	11	13	32
35-49	59	5.6	25	1	2	4	8	11	13	32
50-64	65	9.2	71	1	2	6	12	21	29	36
65+	59	11.2	113	1	2	8	14	26	34	55
B. *Operated*										
0-19 YRS	77	11.7	72	1	2	11	15	19	21	51
20-34	73	11.9	46	3	4	11	14	21	26	34
35-49	70	13.8	90	4	6	12	17	20	34	53
50-64	125	18.0	175	6	8	14	22	32	45	73
65+	75	19.7	220	4	6	15	24	38	59	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	6.2	65	1	1	4	7	16	19	48
20-34	57	8.9	82	1	1	5	12	25	30	35
35-49	130	9.7	118	1	2	7	11	21	38	55
50-64	210	11.5	117	2	3	8	14	25	34	55
65+	194	13.5	132	3	4	10	18	29	42	57
B. *Operated*										
0-19 YRS	94	19.4	289	4	6	13	25	42	56	88
20-34	91	17.7	249	2	3	13	22	42	58	73
35-49	113	19.2	263	5	6	15	23	38	51	94
50-64	187	28.2	428	7	9	22	39	61	75	98
65+	180	28.6	368	7	9	24	37	56	67	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	7.3	60	1	2	5	9	15	26	36
B. *Operated*	420	15.4	137	3	5	13	18	27	37	66
2. MULTIPLE DX										
A. *Not Operated*	664	10.9	117	1	2	7	14	25	34	54
B. *Operated*	665	24.1	361	5	7	18	33	52	65	92
1. SINGLE DX	694	12.2	122	2	2	10	15	25	33	61
2. MULTIPLE DX	1329	17.5	282	2	3	12	23	42	55	85
A. NOT OPERATED	938	9.9	103	1	2	7	12	23	31	52
B. OPERATED	1085	20.7	292	4	6	15	26	44	60	87
TOTAL 0-19 YRS	290	11.6	167	1	1	8	15	25	38	67
20-34	266	12.1	140	2	2	9	15	26	33	63
35-49	372	12.7	165	2	2	9	16	27	40	62
50-64	587	17.9	279	2	4	12	23	40	56	85
65+	508	19.5	277	3	4	15	26	42	56	79
GRAND TOTAL	**2023**	**15.7**	**234**	**2**	**3**	**11**	**20**	**35**	**49**	**77**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	13	13.6	255	3	4	9	14	27	58	65
20-34	5	7.6	13	2	2	9	10	11	11	11
35-49	3	8.0	31	2	2	9	12	13	13	13
50-64	9	13.4	85	2	3	12	19	27	32	32
65+	2	11.0	162	2	2	11	20	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	9.6	82	3	3	6	15	24	25	25
20-34	3	6.0	21	2	2	5	9	11	11	11
35-49	6	5.5	7	3	3	5	6	10	10	10
50-64	6	18.0	336	1	1	15	24	47	50	50
65+	6	15.0	87	6	6	12	25	28	28	28
B. Operated										
0-19 YRS	10	12.6	96	4	4	8	19	28	32	32
20-34	9	17.9	374	3	4	10	20	50	66	66
35-49	9	31.3	843	5	5	26	62	95	99+	99+
50-64	16	28.1	262	7	14	26	40	52	51	55
65+	23	29.1	512	6	7	21	33	62	84	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.8	10	1	1	3	6	8	8	8
B. Operated	32	11.9	136	2	2	10	14	20	31	65
2. MULTIPLE DX										
A. Not Operated	29	11.2	122	2	2	7	15	25	29	50
B. Operated	67	25.2	435	4	6	20	31	60	83	98
1. SINGLE DX	36	11.0	128	2	2	9	13	20	28	65
2. MULTIPLE DX	96	21.0	380	3	4	16	27	51	66	96
A. NOT OPERATED	33	10.3	114	1	2	6	12	25	28	50
B. OPERATED	99	20.9	375	3	4	15	26	55	66	95
TOTAL 0-19 YRS	33	11.6	150	2	3	8	15	25	31	65
20-34	17	12.8	225	2	2	10	11	25	52	66
35-49	18	18.8	569	2	3	9	28	79	96	99+
50-64	32	21.5	252	2	3	10	28	44	53	65
65+	32	24.5	441	4	5	20	27	56	80	86
GRAND TOTAL	**132**	**18.3**	**329**	**2**	**3**	**12**	**24**	**44**	**64**	**93**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	4.1	19	<1	<1	3	4	8	12	23
20-34	16	3.6	6	1	1	3	4	7	10	11
35-49	18	3.4	7	1	1	3	4	6	10	12
50-64	8	3.5	8	1	1	3	4	6	10	10
65+	14	4.9	6	1	2	4	5	9	10	10
B. Operated										
0-19 YRS	35	7.6	31	1	1	6	12	16	19	19
20-34	115	4.9	5	2	3	4	6	8	10	11
35-49	101	5.3	11	2	3	4	5	10	12	19
50-64	77	6.4	34	3	3	5	7	10	15	40
65+	31	6.3	16	2	3	5	9	11	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	3.1	8	<1	1	3	4	6	9	15
20-34	33	4.1	10	1	1	3	5	9	12	14
35-49	35	3.8	18	1	1	2	4	7	9	24
50-64	33	6.5	49	1	2	5	7	14	27	30
65+	54	9.2	53	2	3	6	14	20	23	32
B. Operated										
0-19 YRS	44	8.7	65	1	2	6	11	19	27	41
20-34	124	6.8	30	2	3	5	8	12	19	32
35-49	149	7.6	46	2	3	5	8	15	23	36
50-64	134	8.4	37	2	3	6	10	16	22	42
65+	117	13.9	196	3	4	9	16	32	46	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	4.0	11	1	1	3	5	6	10	19
B. Operated	359	5.7	17	2	3	5	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	205	5.5	34	1	1	3	6	14	18	29
B. Operated	568	9.0	79	2	3	6	10	19	27	49
1. SINGLE DX	445	5.4	16	2	2	4	6	10	12	19
2. MULTIPLE DX	773	8.1	69	1	2	5	9	17	25	45
A. NOT OPERATED	291	5.1	27	1	1	3	6	11	16	29
B. OPERATED	927	7.7	56	2	3	5	9	15	20	44
TOTAL 0-19 YRS	159	5.8	36	<1	1	4	7	13	19	32
20-34	288	5.5	17	2	2	4	6	10	12	24
35-49	303	6.1	31	1	2	4	7	12	17	32
50-64	252	7.4	38	2	3	5	9	16	19	32
65+	216	11.0	134	2	3	7	13	23	36	59
GRAND TOTAL	**1218**	**7.1**	**52**	**1**	**2**	**5**	**8**	**14**	**20**	**41**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	2	<1	1	2	3	4	6	7
20-34	17	5.4	23	1	1	4	7	13	16	18
35-49	37	6.0	18	1	2	6	7	12	15	18
50-64	123	7.0	52	1	2	5	8	16	22	37
65+	210	6.7	35	1	1	5	8	15	20	27
B. *Operated*										
0-19 YRS	28	8.1	70	1	1	5	11	19	28	36
20-34	26	6.0	14	1	1	5	10	11	12	12
35-49	89	7.0	29	1	2	5	10	13	19	25
50-64	209	9.0	61	1	2	7	12	19	26	36
65+	292	9.9	91	1	2	7	14	22	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.9	27	1	2	3	6	10	12	33
20-34	286	6.4	49	1	2	4	8	13	19	41
35-49	1084	7.4	53	1	2	5	9	16	21	42
50-64	3643	9.1	77	1	2	6	11	19	26	46
65+	5670	10.5	87	2	3	8	13	22	29	48
B. *Operated*										
0-19 YRS	66	12.0	169	2	2	9	13	22	33	84
20-34	293	11.9	104	2	3	9	14	24	32	56
35-49	1134	12.0	108	2	3	9	15	25	33	54
50-64	3516	13.9	137	2	3	11	18	28	37	66
65+	4711	15.2	155	2	3	12	20	31	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	6.4	37	1	1	5	8	14	19	28
B. *Operated*	644	9.0	70	1	2	7	12	20	26	37
2. MULTIPLE DX										
A. *Not Operated*	10755	9.6	80	2	2	7	12	20	27	47
B. *Operated*	9720	14.2	143	2	3	11	19	29	38	61
1. SINGLE DX	1049	8.0	59	1	2	6	11	18	24	36
2. MULTIPLE DX	20475	11.8	115	2	3	9	15	25	33	56
A. NOT OPERATED	11160	9.4	79	2	2	7	12	20	27	46
B. OPERATED	10364	13.9	140	2	3	11	18	29	37	60
TOTAL 0-19 YRS	184	7.7	94	1	2	4	10	14	24	38
20-34	622	8.9	80	1	2	6	11	18	25	52
35-49	2344	9.6	84	1	2	7	12	20	27	48
50-64	7491	11.3	110	2	2	8	15	24	32	55
65+	10883	12.4	122	2	3	9	16	26	34	57
GRAND TOTAL	**21524**	**11.6**	**113**	**2**	**2**	**9**	**15**	**25**	**32**	**55**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.0	4	<1	1	2	5	6	7	7
20-34	57	3.4	9	1	1	2	5	7	10	14
35-49	16	4.4	25	<1	1	3	4	10	18	21
50-64	21	3.4	10	<1	1	2	4	9	10	11
65+	12	6.6	65	1	1	3	8	21	26	27
B. *Operated*										
0-19 YRS	96	7.0	27	1	2	6	9	15	17	25
20-34	267	6.7	24	1	2	6	9	12	16	24
35-49	96	8.1	32	2	2	7	10	18	20	24
50-64	40	11.2	55	2	3	9	15	24	27	31
65+	31	11.0	64	2	3	9	15	24	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.5	15	<1	<1	2	4	7	13	18
20-34	104	4.6	13	1	1	4	6	9	12	18
35-49	62	7.3	50	1	1	5	9	16	22	33
50-64	70	7.7	51	1	1	6	11	16	24	32
65+	82	10.1	124	1	1	6	13	22	34	58
B. *Operated*										
0-19 YRS	48	10.1	52	2	2	9	14	22	26	28
20-34	146	10.6	72	2	3	9	14	19	25	40
35-49	100	11.7	85	3	3	9	15	24	31	46
50-64	89	14.4	118	2	3	12	17	30	36	55
65+	94	17.1	189	2	3	13	24	38	45	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.8	16	1	1	2	5	8	10	22
B. *Operated*	530	7.6	33	1	2	6	10	15	20	28
2. MULTIPLE DX										
A. *Not Operated*	355	6.8	58	1	1	4	9	16	20	36
B. *Operated*	477	12.8	110	2	3	10	16	26	34	53
1. SINGLE DX	655	6.9	32	1	1	6	9	14	19	27
2. MULTIPLE DX	832	10.2	96	1	2	8	14	23	30	47
A. NOT OPERATED	480	6.0	49	1	1	4	8	14	18	34
B. OPERATED	1007	10.0	76	2	2	8	13	21	27	43
TOTAL 0-19 YRS	200	6.7	34	1	1	5	9	15	18	27
20-34	574	7.0	38	1	1	6	10	14	17	26
35-49	274	9.0	59	1	2	7	11	20	24	36
50-64	220	10.7	88	1	2	9	14	24	30	45
65+	219	13.0	152	1	2	9	17	31	39	59
GRAND TOTAL	**1487**	**8.8**	**71**	**1**	**2**	**6**	**11**	**18**	**25**	**39**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	4.3	13	1	1	4	5	9	11	19
20-34	22	4.8	7	2	2	4	6	9	11	12
35-49	12	5.1	6	2	3	5	5	8	11	12
50-64	17	3.7	11	<1	1	3	5	9	12	13
65+	41	5.4	17	1	1	5	7	11	14	18
B. *Operated*										
0-19 YRS	86	11.2	101	1	2	9	14	24	37	45
20-34	20	19.6	250	1	2	19	30	43	48	51
35-49	14	5.0	8	2	2	5	6	9	11	11
50-64	34	6.8	28	1	2	6	8	14	18	25
65+	46	5.8	20	2	2	4	8	12	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	392	4.6	36	1	1	3	5	10	12	25
20-34	34	6.3	21	1	1	6	9	12	15	21
35-49	22	11.4	147	1	1	8	17	26	44	46
50-64	135	7.0	42	1	1	5	10	15	20	55
65+	423	8.9	65	2	2	6	11	18	24	40
B. *Operated*										
0-19 YRS	105	17.7	234	2	3	13	24	41	52	96
20-34	43	29.6	523	2	4	27	45	59	68	94
35-49	26	18.6	468	1	3	9	26	58	72	76
50-64	115	14.4	171	2	3	11	19	29	41	63
65+	305	13.3	144	3	4	10	16	26	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	4.5	13	1	1	4	6	9	12	18
B. *Operated*	200	9.6	94	1	2	6	11	22	33	47
2. MULTIPLE DX										
A. *Not Operated*	1006	6.9	55	1	2	5	9	15	20	39
B. *Operated*	594	15.7	223	3	4	10	19	35	46	78
1. SINGLE DX	487	6.6	52	1	1	4	8	13	21	39
2. MULTIPLE DX	1600	10.2	135	1	2	7	12	23	32	64
A. NOT OPERATED	1293	6.4	47	1	1	4	8	13	18	34
B. OPERATED	794	14.2	197	2	3	9	18	31	44	72
TOTAL 0-19 YRS	778	7.0	86	1	1	4	8	17	24	47
20-34	119	16.7	354	1	2	8	26	46	56	79
35-49	74	11.7	238	1	2	6	11	31	45	75
50-64	301	9.6	103	1	2	6	13	21	28	47
65+	815	10.2	96	2	3	8	13	20	27	54
GRAND TOTAL	2087	9.4	118	1	2	6	11	21	29	57

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.7	12	<1	1	4	7	10	12	13
20-34	29	7.0	28	1	2	6	8	15	19	24
35-49	19	6.8	51	<1	1	5	9	14	25	32
50-64	48	5.2	27	1	1	4	6	11	16	27
65+	101	6.8	62	1	1	4	8	17	26	38
B. *Operated*										
0-19 YRS	35	10.9	118	1	2	8	14	29	46	99+
20-34	48	15.8	244	1	2	8	30	45	54	99+
35-49	48	18.9	418	1	2	8	29	46	64	77
50-64	64	19.5	372	2	3	12	28	48	58	92
65+	55	11.8	171	2	3	7	12	30	42	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	7.2	40	1	1	6	8	16	22	32
20-34	56	8.4	75	1	1	6	9	16	30	44
35-49	65	6.4	36	1	1	5	8	15	21	24
50-64	137	7.4	57	1	1	6	9	15	21	48
65+	458	7.9	74	1	1	5	10	21	27	41
B. *Operated*										
0-19 YRS	43	25.6	557	2	3	17	35	61	82	91
20-34	79	24.9	296	3	5	27	34	45	57	97
35-49	100	25.2	307	3	4	26	41	51	62	99+
50-64	191	28.8	445	4	6	27	43	67	78	99+
65+	320	17.7	257	3	4	12	25	40	51	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	6.0	40	1	1	4	7	12	20	32
B. *Operated*	250	15.8	284	1	2	9	24	41	54	95
2. MULTIPLE DX										
A. *Not Operated*	832	7.7	64	1	1	5	9	18	25	37
B. *Operated*	733	22.8	355	3	4	18	35	52	66	99+
1. SINGLE DX	506	10.8	184	1	1	6	12	30	41	74
2. MULTIPLE DX	1565	14.8	257	1	2	8	22	39	52	89
A. NOT OPERATED	1088	7.3	58	1	1	5	9	17	24	36
B. OPERATED	983	21.0	346	2	4	14	32	49	63	99+
TOTAL 0-19 YRS	253	10.2	182	1	1	6	11	25	36	90
20-34	212	16.1	243	1	2	9	28	39	47	93
35-49	232	17.1	301	1	2	9	29	45	59	99+
50-64	440	18.2	370	1	2	10	29	50	68	99+
65+	934	11.4	162	1	1	7	14	29	38	60
GRAND TOTAL	2071	13.8	242	1	2	8	19	36	49	82

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.1	19	<1	<1	3	5	8	10	23
20-34	34	4.5	37	<1	1	2	4	12	23	25
35-49	78	4.0	13	1	1	3	5	9	12	18
50-64	188	6.5	47	1	1	4	8	16	21	33
65+	235	7.6	60	1	1	5	10	17	23	36
B. *Operated*										
0-19 YRS	59	9.0	85	1	2	6	11	25	33	38
20-34	65	6.2	29	1	1	5	7	11	15	30
35-49	171	7.9	40	1	2	7	11	15	21	33
50-64	419	8.9	62	2	2	7	11	18	23	36
65+	500	9.6	71	2	2	7	13	19	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.9	33	1	1	3	7	10	13	33
20-34	62	6.4	47	1	2	4	8	13	15	44
35-49	193	7.1	41	1	1	5	10	15	18	37
50-64	749	8.8	83	1	1	6	11	19	25	46
65+	1335	9.7	76	1	2	7	12	22	27	43
B. *Operated*										
0-19 YRS	36	12.8	76	3	3	12	19	22	27	44
20-34	70	18.9	366	2	3	10	30	52	59	97
35-49	230	13.4	134	2	3	9	17	30	37	49
50-64	782	14.8	159	2	3	11	20	32	42	57
65+	1459	17.2	188	3	4	13	23	36	47	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	6.3	47	1	1	4	8	15	20	34
B. *Operated*	1214	8.9	63	1	2	7	12	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	2413	9.0	74	1	2	6	11	20	26	43
B. *Operated*	2577	16.1	180	3	4	12	21	34	44	67
1. SINGLE DX	1804	8.0	59	1	2	6	11	17	23	35
2. MULTIPLE DX	4990	12.7	142	1	2	9	17	28	37	57
A. NOT OPERATED	3003	8.4	70	1	1	6	11	19	25	41
B. OPERATED	3791	13.8	154	2	3	10	18	30	39	59
TOTAL 0-19 YRS	224	7.0	60	1	1	4	9	17	23	35
20-34	231	9.9	172	1	1	5	11	26	40	75
35-49	672	9.1	81	1	2	7	12	19	29	45
50-64	2138	10.8	113	1	2	8	14	24	32	50
65+	3529	12.7	136	2	2	9	17	27	36	57
GRAND TOTAL	**6794**	**11.4**	**124**	**1**	**2**	**8**	**15**	**25**	**34**	**55**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	59	3.1	6	1	1	2	4	6	8	14
20-34	185	3.0	2	1	1	3	4	5	6	8
35-49	204	3.2	3	1	2	3	4	5	6	9
50-64	233	3.6	3	2	2	3	4	6	7	10
65+	180	3.5	3	1	2	3	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	4	4.8	5	3	3	4	6	8	8	8
65+	4	6.8	18	2	2	6	10	12	12	12
B. *Operated*										
0-19 YRS	23	4.5	29	1	1	3	4	10	16	26
20-34	34	4.6	20	1	2	3	5	10	18	20
35-49	81	4.2	9	1	2	3	5	8	10	17
50-64	172	4.3	8	2	2	4	5	7	9	15
65+	176	5.2	16	1	2	4	7	9	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6		1	1	2	2	2	2	2
B. *Operated*	861	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	11	4.7	11	<1	1	4	7	10	12	12
B. *Operated*	486	4.6	13	1	2	4	6	9	11	20
1. SINGLE DX	866	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX	497	4.6	13	1	2	4	6	9	11	20
A. NOT OPERATED	16	3.8	10	<1	1	3	5	8	11	12
B. OPERATED	1347	3.8	7	1	2	3	4	6	8	15
TOTAL 0-19 YRS	83	3.4	12	1	1	3	4	6	9	22
20-34	221	3.3	5	1	1	3	4	5	7	14
35-49	287	3.5	4	1	2	3	4	6	7	12
50-64	411	3.9	5	2	2	3	4	6	8	14
65+	361	4.4	10	1	2	4	5	8	10	18
GRAND TOTAL	**1363**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	8	1	1	2	3	7	11	11
20-34	12	4.1	16	1	1	3	5	9	14	15
35-49	18	2.8	5	1	1	2	3	5	8	10
50-64	37	3.2	17	1	1	2	3	6	12	22
65+	52	3.3	11	1	1	2	4	6	10	17
B. *Operated*										
0-19 YRS	53	4.1	16	1	1	2	6	9	14	19
20-34	70	5.8	18	1	1	5	8	11	14	19
35-49	145	4.8	33	1	1	2	7	12	16	28
50-64	406	4.3	20	1	1	2	7	11	12	19
65+	486	4.4	23	1	1	2	5	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.8	9	1	1	2	5	9	10	10
20-34	24	4.2	13	1	1	4	5	11	12	14
35-49	50	6.4	192	1	1	3	6	9	16	99
50-64	136	4.0	17	1	1	3	5	8	10	22
65+	304	5.3	31	1	1	4	7	10	13	30
B. *Operated*										
0-19 YRS	35	5.4	14	1	1	5	8	10	12	15
20-34	97	7.9	31	1	2	7	10	15	19	25
35-49	292	6.8	30	1	1	5	9	14	18	26
50-64	991	7.0	39	1	1	5	9	15	19	31
65+	1781	8.4	63	1	2	6	11	17	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.2	12	1	1	2	4	6	10	18
B. *Operated*	1160	4.5	22	1	1	2	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	529	5.0	42	1	1	4	6	10	12	24
B. *Operated*	3196	7.8	52	1	2	6	10	16	21	33
1. SINGLE DX	1290	4.4	21	1	1	2	6	11	14	22
2. MULTIPLE DX	3725	7.4	51	1	1	5	10	15	20	33
A. NOT OPERATED	659	4.7	36	1	1	3	6	9	12	21
B. OPERATED	4356	6.9	46	1	1	5	9	15	19	31
TOTAL 0-19 YRS	114	4.4	14	1	1	3	7	9	11	17
20-34	203	6.3	25	1	1	5	9	13	16	24
35-49	505	6.0	47	1	1	4	8	13	16	27
50-64	1570	6.0	34	1	1	4	8	13	17	28
65+	2623	7.2	54	1	1	5	10	15	20	34
GRAND TOTAL	**5015**	**6.6**	**45**	**1**	**1**	**4**	**9**	**14**	**18**	**31**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	2	<1	1	2	2	3	4	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.0	1	<1	<1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	137	2.2	5	<1	1	2	2	5	8	10
20-34	55	3.2	12	<1	1	2	3	8	11	18
35-49	56	4.1	12	<1	1	2	7	9	10	16
50-64	48	5.3	16	1	1	4	8	10	14	16
65+	39	4.6	23	<1	1	3	6	9	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	1	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	17	9.3	36	3	4	6	14	19	21	22
B. *Operated*										
0-19 YRS	43	4.3	34	1	1	2	4	10	22	26
20-34	14	8.9	170	<1	1	3	10	20	43	50
35-49	47	5.6	20	1	1	3	9	13	15	17
50-64	79	9.2	51	1	2	7	14	20	25	80
65+	87	10.1	75	2	2	7	13	24	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.3	4	<1	1	2	3	3	7	11
B. *Operated*	335	3.4	12	<1	1	2	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	31	6.0	34	<1	<1	4	9	14	20	22
B. *Operated*	270	8.1	61	1	2	6	12	19	24	39
1. SINGLE DX	367	3.3	12	<1	1	2	4	8	10	16
2. MULTIPLE DX	301	7.8	58	1	1	5	11	18	24	37
A. NOT OPERATED	63	4.1	22	<1	1	2	4	12	14	22
B. OPERATED	605	5.5	39	1	1	3	8	13	18	31
TOTAL 0-19 YRS	212	2.6	11	<1	1	2	2	6	8	22
20-34	72	4.2	46	<1	1	2	4	10	16	43
35-49	109	4.6	16	1	1	3	7	10	13	16
50-64	131	7.6	41	1	2	6	10	17	22	44
65+	144	8.5	61	1	2	6	12	20	25	35
GRAND TOTAL	**668**	**5.4**	**38**	**1**	**1**	**3**	**7**	**13**	**18**	**30**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	3	1	1	3	4	5	7	8
20-34	10	1.7	2	<1	<1	1	2	4	5	5
35-49	7	2.9	11	<1	<1	1	3	9	10	10
50-64	12	3.7	9	<1	<1	3	5	8	11	11
65+	5	6.2	79	1	1	3	8	22	22	22
B. *Operated*										
0-19 YRS	780	2.9	4	1	1	2	3	5	6	12
20-34	614	3.0	6	1	1	2	4	6	8	15
35-49	646	2.9	4	1	1	2	3	5	7	12
50-64	652	3.1	7	1	1	2	3	6	8	16
65+	335	3.6	11	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.1	22	<1	<1	2	5	13	15	15
20-34	20	4.7	31	<1	<1	3	5	15	19	20
35-49	21	5.0	13	<1	1	4	7	11	12	12
50-64	24	4.4	14	<1	1	3	7	9	12	15
65+	41	5.8	8	1	2	6	7	9	11	16
B. *Operated*										
0-19 YRS	154	4.3	41	1	1	3	4	8	12	16
20-34	272	4.4	29	1	1	3	5	8	14	26
35-49	549	4.6	19	1	2	3	6	9	12	20
50-64	662	5.2	31	1	1	3	6	11	15	30
65+	480	6.2	41	1	2	4	8	12	17	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	13	<1	<1	2	4	6	10	22
B. *Operated*	3027	3.0	6	1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	119	5.0	15	<1	1	4	7	11	13	19
B. *Operated*	2117	5.1	31	1	1	3	6	10	14	28
1. SINGLE DX	3078	3.0	6	1	1	2	4	5	7	15
2. MULTIPLE DX	2236	5.1	30	1	1	3	6	10	14	28
A. NOT OPERATED	170	4.5	15	<1	<1	3	6	10	12	20
B. OPERATED	5144	3.9	17	1	1	3	4	8	11	20
TOTAL 0-19 YRS	964	3.1	11	1	1	2	4	5	7	15
20-34	916	3.5	13	1	1	3	4	6	9	17
35-49	1223	3.7	12	1	1	3	4	7	10	16
50-64	1350	4.1	20	1	1	3	4	9	12	22
65+	861	5.2	30	1	1	3	6	10	14	29
GRAND TOTAL	**5314**	**3.9**	**17**	**1**	**1**	**3**	**4**	**8**	**11**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.4	7	<1	<1	1	3	4	7	14
20-34	5	3.0	4	<1	<1	2	5	5	5	5
35-49	16	2.6	5	<1	<1	2	3	7	8	8
50-64	16	1.4	1	<1	<1	<1	1	3	4	5
65+	5	2.2	7	<1	<1	<1	2	7	7	7
B. *Operated*										
0-19 YRS	702	2.7	5	<1	1	2	3	6	8	12
20-34	207	3.2	9	<1	1	2	4	7	10	15
35-49	140	3.5	13	<1	1	2	4	7	11	20
50-64	141	3.4	20	<1	1	2	4	6	10	16
65+	102	4.2	33	<1	1	3	4	9	11	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.4	15	<1	<1	2	4	7	12	20
20-34	8	4.1	5	1	1	4	6	7	7	7
35-49	13	4.2	9	<1	1	3	5	9	11	11
50-64	19	5.6	13	<1	1	5	8	12	13	13
65+	35	9.7	60	<1	2	8	12	18	28	36
B. *Operated*										
0-19 YRS	165	3.9	22	<1	1	2	5	9	12	23
20-34	122	4.1	15	<1	1	3	5	9	12	21
35-49	143	5.4	26	<1	1	4	8	10	14	27
50-64	219	6.4	67	1	1	4	8	14	19	44
65+	202	8.7	143	1	1	5	10	20	28	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.2	5	<1	<1	1	3	5	7	13
B. *Operated*	1292	3.1	11	<1	1	2	3	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	114	5.9	34	<1	1	4	8	12	16	33
B. *Operated*	851	6.0	65	1	1	3	7	13	19	41
1. SINGLE DX	1364	3.0	10	<1	1	2	3	6	9	14
2. MULTIPLE DX	965	6.0	61	<1	1	3	7	13	18	39
A. NOT OPERATED	186	4.5	26	<1	<1	3	6	10	14	27
B. OPERATED	2143	4.2	34	<1	1	2	4	9	12	29
TOTAL 0-19 YRS	936	2.9	9	<1	1	2	3	6	9	14
20-34	342	3.6	11	<1	1	2	4	8	10	18
35-49	312	4.4	19	<1	1	3	5	10	13	23
50-64	395	5.1	47	<1	1	3	6	11	15	40
65+	344	7.4	105	1	1	4	9	16	23	57
GRAND TOTAL	**2329**	**4.2**	**34**	**<1**	**1**	**2**	**5**	**9**	**13**	**29**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49										
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	143	2.1	1	<1	1	2	2	3	4	7
20-34	290	1.9	1	<1	<1	2	2	3	4	5
35-49	304	2.1	1	1	1	2	2	3	4	7
50-64	139	2.3	3	1	1	2	2	4	5	9
65+	102	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	5	4.2	6	2	2	3	6	8	8	8
B. *Operated*										
0-19 YRS	24	2.9	5	<1	<1	2	3	8	8	8
20-34	149	2.8	7	<1	1	2	3	5	8	12
35-49	280	3.2	8	1	1	2	3	6	9	16
50-64	193	3.4	6	1	1	2	4	6	9	14
65+	154	4.4	17	1	1	3	6	9	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	978	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	11	3.3	5	<1	<1	3	5	6	8	8
B. *Operated*	800	3.4	9	1	1	2	4	7	9	16
1. SINGLE DX	985	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX	811	3.4	9	1	1	2	4	7	9	16
A. NOT OPERATED	18	2.6	4	<1	<1	2	3	5	7	8
B. OPERATED	1778	2.7	5	1	1	2	3	5	7	13
TOTAL 0-19 YRS	170	2.2	2	<1	1	2	2	3	5	8
20-34	444	2.2	3	<1	1	2	2	3	5	9
35-49	585	2.6	5	1	1	2	3	4	6	14
50-64	334	2.9	5	1	1	2	3	5	7	14
65+	263	3.6	11	1	1	2	4	6	9	17
GRAND TOTAL	**1796**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	3.0	3	<1	1	2	5	5	6	7
35-49	35	2.7	4	<1	<1	2	4	6	7	7
50-64	9	3.0	2	<1	1	3	4	5	5	5
65+	4	2.8	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	6	7.0	1	6	6	7	8	8	8	8
20-34	447	5.9	5	1	2	6	7	8	9	12
35-49	1380	6.5	5	2	4	7	7	9	10	13
50-64	197	6.4	7	1	2	7	8	9	10	13
65+	27	6.6	20	1	2	7	8	13	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	79	3.3	9	<1	1	2	4	7	8	19
35-49	201	3.7	14	<1	<1	3	5	8	10	14
50-64	49	3.8	8	<1	1	3	5	8	10	12
65+	18	6.4	9	3	3	6	9	10	12	13
B. *Operated*										
0-19 YRS	13	7.6	6	4	5	7	8	11	13	14
20-34	1817	6.6	10	2	3	7	8	9	11	18
35-49	8955	7.1	10	2	5	7	8	10	12	19
50-64	1998	7.7	14	2	4	7	9	12	14	21
65+	288	10.5	39	2	5	9	13	19	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.9	3	<1	<1	2	4	5	6	7
B. *Operated*	2057	6.4	5	2	3	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	349	3.8	12	<1	1	3	5	8	10	14
B. *Operated*	13071	7.2	12	2	4	7	8	10	13	20
1. SINGLE DX	2128	6.2	6	2	2	6	7	9	10	13
2. MULTIPLE DX	13420	7.1	12	2	4	7	8	10	13	20
A. NOT OPERATED	420	3.6	11	<1	1	3	5	7	10	13
B. OPERATED	15128	7.1	11	2	4	7	8	10	12	19
TOTAL 0-19 YRS	21	7.1	5	4	5	7	8	9	12	14
20-34	2366	6.4	10	1	2	6	8	9	11	16
35-49	10571	7.0	10	2	4	7	8	10	12	18
50-64	2253	7.5	14	2	3	7	9	11	14	20
65+	337	9.8	37	2	3	8	12	18	22	33
GRAND TOTAL	**15548**	**7.0**	**11**	**2**	**4**	**7**	**8**	**10**	**12**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	15	3.6	7	<1	<1	3	6	7	8	9
35-49	27	5.4	8	1	2	6	8	8	10	10
50-64	13	2.7	3	<1	1	2	3	5	7	7
65+	5	4.2	19	1	1	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	40	5.5	9	1	2	5	7	9	11	14
35-49	118	6.5	10	1	2	7	8	9	10	19
50-64	40	5.1	13	1	2	5	6	10	12	14
65+	10	9.9	148	1	1	9	14	65	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	62	4.2	8	<1	1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*	208	6.2	17	1	2	6	8	9	12	31
1. SINGLE DX	63	4.1	8	<1	1	3	6	8	9	11
2. MULTIPLE DX	212	5.1	17	1	2	6	8	9	12	30
A. NOT OPERATED	5	3.0	2	2	2	3	4	5	5	5
B. OPERATED	270	5.7	16	1	2	6	8	9	11	22
TOTAL 0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	58	4.9	9	<1	1	5	7	9	10	14
35-49	146	6.2	10	1	2	7	8	9	10	17
50-64	53	4.5	11	1	2	3	6	9	11	14
65+	16	7.7	103	1	1	5	11	37	80	99+
GRAND TOTAL	275	5.7	16	1	2	6	8	9	11	21

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	3	4.3	12	1	1	4	7	8	8	8
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	148	5.6	3	3	4	6	6	7	8	11
20-34	549	5.5	3	3	4	5	6	7	8	11
35-49	182	6.2	5	4	4	6	7	8	10	15
50-64	116	7.4	5	4	5	7	8	10	11	16
65+	52	9.2	14	5	6	8	11	14	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	4	7.0	3	5	5	7	8	9	9	9
35-49	4	6.8	18	<1	<1	7	9	11	11	11
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	111	6.2	5	4	4	6	7	9	9	15
20-34	589	6.4	6	4	4	6	7	9	11	18
35-49	499	7.2	7	4	5	7	8	10	12	19
50-64	335	9.0	18	5	6	8	10	13	18	27
65+	259	13.1	59	6	7	10	15	23	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	4	1	1	4	4	7	8	8
B. *Operated*	1047	6.0	5	3	4	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	12	6.4	9	<1	2	7	9	10	11	11
B. *Operated*	1793	8.1	21	4	5	7	9	12	17	28
1. SINGLE DX	1054	6.0	5	3	4	6	7	8	10	14
2. MULTIPLE DX	1805	8.1	21	4	5	7	9	12	17	28
A. NOT OPERATED	19	5.5	9	<1	2	5	8	10	11	11
B. OPERATED	2840	7.3	16	4	4	6	8	11	14	25
TOTAL 0-19 YRS	265	5.8	4	3	4	6	7	8	9	11
20-34	1145	6.0	5	3	4	6	7	8	9	14
35-49	685	7.0	7	4	5	6	8	10	11	19
50-64	451	8.6	15	5	5	8	10	12	17	27
65+	313	12.4	53	6	6	10	14	21	28	43
GRAND TOTAL	2859	7.3	16	4	4	6	8	11	14	25

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.6	7	<1	<1	2	6	7	7	7
20-34	19	3.5	5	<1	<1	3	5	7	8	9
35-49	11	3.2	6	<1	<1	2	4	7	9	9
50-64	8	2.5	1	<1	<1	3	3	4	4	4
65+	8	2.5	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	4	9.0	9	6	6	8	11	13	13	13
20-34	20	5.4	10	1	2	5	7	9	12	15
35-49	35	5.1	11	<1	1	5	7	9	11	14
50-64	12	7.5	42	1	2	6	8	18	23	24
65+	8	4.8	10	2	2	4	5	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	51	3.1	5	<1	<1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	3	4.7	5	2	2	6	6	6	6	6
B. *Operated*	79	5.7	16	1	1	5	7	10	14	22
1. SINGLE DX	53	3.1	5	<1	<1	2	4	6	7	9
2. MULTIPLE DX	82	5.6	16	1	1	5	7	10	13	21
A. NOT OPERATED	5	3.4	6	1	1	2	6	6	6	6
B. OPERATED	130	4.7	13	<1	1	4	6	9	11	18
TOTAL 0-19 YRS	9	6.0	15	<1	1	6	8	11	13	13
20-34	42	4.3	9	<1	1	4	6	8	9	15
35-49	47	4.6	10	<1	1	4	7	9	11	14
50-64	20	5.5	31	<1	1	3	7	12	20	24
65+	17	3.8	8	1	1	3	5	7	10	12
GRAND TOTAL	**135**	**4.6**	**13**	**<1**	**1**	**4**	**6**	**9**	**11**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.1	1	1	1	2	3	3	3	3
20-34	25	2.9	1	1	1	3	3	4	5	6
35-49	11	2.4	2	<1	<1	2	3	4	5	5
50-64	13	2.2		1	1	2	3	3	3	3
65+	6	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	7	3.9	14	1	1	3	4	10	12	12
35-49	15	4.3	15	1	2	3	5	7	14	17
50-64	12	4.8	15	2	2	3	6	11	14	15
65+	19	6.4	28	1	2	4	8	15	18	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	63	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	55	5.1	19	1	2	4	6	12	15	21
1. SINGLE DX	63	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX	55	5.1	19	1	2	4	6	12	15	21
A. NOT OPERATED										
B. OPERATED	118	3.7	11	1	1	3	4	7	12	18
TOTAL 0-19 YRS	10	3.0	7	1	1	2	3	7	10	10
20-34	32	3.1	4	1	1	3	4	5	6	12
35-49	26	3.5	10	1	1	3	4	5	9	17
50-64	25	3.4	9	1	2	2	3	6	10	15
65+	25	5.4	24	1	2	4	6	14	16	21
GRAND TOTAL	**118**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**12**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	2.4	5	<1	<1	2	2	6	8	8
35-49	8	4.1	9	1	1	4	6	8	9	9
50-64	25	2.8	9	<1	1	2	3	5	11	13
65+	39	2.9	5	1	1	2	3	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	16	6.1	31	2	2	5	7	12	20	24
50-64	42	5.6	16	1	2	5	8	11	14	17
65+	85	6.1	50	1	1	4	8	15	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	3	1	1	2	4	5	5	5
B. *Operated*	83	2.9	6	<1	1	2	3	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	3	4.3	5	3	3	3	6	7	7	7
B. *Operated*	145	6.0	37	1	2	4	8	12	16	27
1. SINGLE DX	87	2.9	6	1	1	2	3	6	9	12
2. MULTIPLE DX	148	6.0	36	1	2	4	8	12	16	26
A. NOT OPERATED	7	3.3	4	1	1	3	5	7	7	7
B. OPERATED	228	4.9	28	1	1	3	6	10	14	25
TOTAL 0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	11	3.2	9	<1	<1	2	3	9	10	10
35-49	25	5.2	24	1	1	5	7	9	15	24
50-64	68	4.6	15	1	1	3	7	10	13	17
65+	128	5.1	36	1	1	3	6	11	16	30
GRAND TOTAL	**235**	**4.8**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	27	1.6	1	<1	<1	2	2	2	3	4
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	6.3	56	2	2	2	12	15	15	15
50-64	5	6.0	57	1	1	2	9	19	19	19
65+	4	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	6	2.7	2	1	1	2	4	5	5	5
20-34	4	10.5	248	1	1	3	19	34	34	34
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	5	3.6	5	1	1	3	5	7	7	7
65+	5	5.8	22	3	3	4	7	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	41	2.6	12	<1	<1	2	2	4	10	19
2. MULTIPLE DX										
A. *Not Operated*	6	2.7	3	1	1	2	3	6	6	6
B. *Operated*	22	5.2	49	1	1	3	5	9	22	34
1. SINGLE DX	41	2.6	12	<1	<1	2	2	4	10	19
2. MULTIPLE DX	28	4.6	40	1	1	3	5	7	16	34
A. NOT OPERATED	6	2.7	3	1	1	2	3	6	6	6
B. OPERATED	63	3.5	26	<1	1	2	3	6	14	32
TOTAL 0-19 YRS	36	1.8	1	<1	<1	2	2	3	4	5
20-34	6	8.2	163	1	1	3	5	31	34	34
35-49	5	5.6	30	2	2	3	8	15	15	15
50-64	11	4.6	26	1	1	3	5	12	18	19
65+	11	4.1	13	<1	1	3	5	9	14	14
GRAND TOTAL	**59**	**3.4**	**24**	**<1**	**1**	**2**	**3**	**6**	**14**	**31**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	6	2.2	2	1	1	2	4	4	4	4
35-49	5	2.8	4	1	1	2	5	5	5	5
50-64	14	5.7	40	1	2	3	6	15	22	24
65+	13	5.2	22	1	1	3	7	12	15	16
B. *Operated*										
0-19 YRS	15	7.4	7	2	3	9	9	10	10	10
20-34	36	8.9	23	2	2	9	12	14	18	21
35-49	85	11.7	98	2	3	11	14	19	23	65
50-64	117	11.5	56	2	3	11	14	21	24	39
65+	83	15.6	168	2	4	13	20	29	34	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	6	3.8	9	1	1	3	7	8	8	8
35-49	6	10.3	276	1	1	4	7	40	44	44
50-64	31	6.9	46	2	2	5	7	12	22	35
65+	80	9.3	55	2	3	7	11	18	27	38
B. *Operated*										
0-19 YRS	23	13.6	107	1	2	11	21	27	34	41
20-34	36	15.7	275	4	5	10	18	28	45	93
35-49	88	17.4	291	2	3	12	23	36	64	99+
50-64	155	18.5	226	3	6	14	22	39	55	93
65+	235	27.3	370	4	9	21	39	56	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.4	22	1	1	3	5	11	15	24
B. *Operated*	336	12.1	93	2	3	11	15	21	27	54
2. MULTIPLE DX										
A. *Not Operated*	125	8.4	60	2	2	6	10	17	27	42
B. *Operated*	537	21.7	321	3	5	17	28	51	64	99+
1. SINGLE DX	377	11.3	91	2	2	10	14	21	25	51
2. MULTIPLE DX	662	19.2	299	3	4	14	26	46	59	99
A. NOT OPERATED	165	7.4	53	1	2	5	9	16	23	40
B. OPERATED	873	18.0	255	2	4	13	22	40	55	95
TOTAL 0-19 YRS	43	10.3	73	2	2	9	12	24	28	41
20-34	84	10.9	147	1	2	9	12	19	27	77
35-49	184	14.1	203	2	3	11	17	27	44	98
50-64	317	14.2	157	2	3	11	17	28	40	65
65+	411	20.7	319	3	4	16	28	50	61	99
GRAND TOTAL	**1039**	**16.3**	**238**	**2**	**3**	**12**	**20**	**37**	**53**	**93**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	4	7.5	26	4	4	5	10	15	15	15
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	38	3.3	1	2	2	3	4	4	5	7
20-34	248	3.8	3	2	2	4	4	6	6	10
35-49	315	3.9	2	2	2	4	4	5	6	9
50-64	224	4.4	10	2	2	4	5	6	7	19
65+	90	4.8	7	2	2	5	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.0	28	2	2	4	10	12	12	12
35-49	5	3.8	4	1	1	4	5	6	6	6
50-64	7	4.7	9	2	2	3	8	9	9	9
65+	6	7.3	12	4	4	7	10	12	12	12
B. *Operated*										
0-19 YRS	12	3.5	1	2	2	3	4	5	6	6
20-34	114	5.2	19	2	3	4	5	8	12	27
35-49	213	5.0	8	2	3	4	5	8	11	17
50-64	209	5.9	17	2	3	5	7	11	15	19
65+	140	7.4	44	3	3	5	8	14	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.9	19	1	2	5	7	13	15	15
B. *Operated*	915	4.0	5	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	21	5.4	11	1	2	4	9	11	12	12
B. *Operated*	688	5.8	20	2	3	4	6	10	14	24
1. SINGLE DX	923	4.1	5	2	2	4	5	6	7	12
2. MULTIPLE DX	709	5.8	20	2	3	4	6	10	14	24
A. NOT OPERATED	29	5.6	13	1	2	4	9	11	12	15
B. OPERATED	1603	4.8	12	2	3	4	5	7	10	20
TOTAL 0-19 YRS	51	3.5	2	2	2	3	4	5	6	9
20-34	367	4.2	8	2	2	4	5	6	8	18
35-49	537	4.3	5	2	3	4	5	6	8	14
50-64	440	5.1	14	2	3	4	5	8	12	18
65+	237	6.4	30	2	3	5	7	11	18	35
GRAND TOTAL	**1632**	**4.8**	**12**	**2**	**3**	**4**	**5**	**7**	**10**	**20**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	4	5	5	5
20-34	14	4.0	18	<1	1	3	4	11	15	16
35-49	8	4.8	1	4	4	4	5	7	7	7
50-64	6	4.0	8	1	1	3	5	9	9	9
65+	7	5.4	34	<1	<1	2	9	15	16	16
B. *Operated*										
0-19 YRS	9	8.1	5	5	5	8	9	11	12	12
20-34	38	8.7	28	3	3	8	10	15	22	26
35-49	41	9.4	26	4	4	9	11	16	19	29
50-64	70	8.6	24	3	4	8	10	14	17	27
65+	41	9.8	41	3	4	8	12	20	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	18	5.9	11	1	1	6	9	10	12	12
35-49	32	6.1	39	1	1	5	8	10	12	36
50-64	24	7.8	51	1	2	6	9	14	25	34
65+	20	8.5	29	1	2	7	11	16	19	22
B. *Operated*										
0-19 YRS	10	22.3	601	8	8	14	23	58	90	90
20-34	54	12.4	139	3	4	10	14	19	39	63
35-49	84	12.5	152	4	5	9	14	25	27	81
50-64	119	12.2	142	4	4	8	15	23	31	72
65+	121	14.8	103	4	5	12	19	31	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.2	13	<1	1	4	5	9	13	16
B. *Operated*	199	9.0	28	3	4	8	11	16	21	27
2. MULTIPLE DX										
A. *Not Operated*	97	6.9	34	1	1	6	8	12	16	35
B. *Operated*	388	13.4	144	4	4	10	16	25	34	67
1. SINGLE DX	240	8.2	28	2	3	7	10	15	19	26
2. MULTIPLE DX	485	12.1	129	3	4	9	15	23	32	63
A. NOT OPERATED	138	6.1	29	1	1	5	8	12	16	34
B. OPERATED	587	11.9	109	4	4	9	14	22	28	62
TOTAL 0-19 YRS	28	11.5	275	1	2	8	11	21	32	90
20-34	124	9.4	81	1	2	8	11	16	23	62
35-49	165	10.1	98	3	4	8	11	19	26	58
50-64	219	10.4	95	3	4	8	13	19	25	60
65+	189	12.7	87	3	4	10	17	26	32	46
GRAND TOTAL	**725**	**10.8**	**99**	**2**	**4**	**8**	**13**	**20**	**27**	**57**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.0	4	<1	<1	2	4	6	6	6
35-49	3	4.0	7	1	1	5	6	6	6	6
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	818	3.8	6	1	1	3	6	7	8	10
35-49	301	4.5	7	1	1	5	6	7	9	12
50-64	80	4.7	9	1	1	5	7	8	10	12
65+	34	4.4	9	<1	1	4	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	2.1	6	<1	<1	1	2	5	9	10
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	9	5.9	59	2	2	3	5	18	26	26
20-34	705	4.8	10	1	1	5	7	8	9	13
35-49	426	6.3	9	2	2	6	8	9	11	17
50-64	157	7.4	27	2	2	7	9	12	15	33
65+	91	7.7	51	2	2	6	10	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.0	8	<1	1	3	6	8	10	10
B. *Operated*	1239	4.0	7	1	1	3	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	20	2.4	6	<1	<1	1	2	6	8	10
B. *Operated*	1388	5.8	16	1	2	6	7	9	11	21
1. SINGLE DX	1251	4.0	7	1	1	3	6	7	8	11
2. MULTIPLE DX	1408	5.7	16	1	2	6	7	9	11	21
A. NOT OPERATED	32	3.0	7	<1	<1	2	5	7	9	10
B. OPERATED	2627	4.9	12	1	1	5	7	8	10	16
TOTAL 0-19 YRS	15	4.4	37	1	2	3	4	6	21	26
20-34	1540	4.3	8	1	1	4	6	8	9	12
35-49	733	5.5	9	1	2	6	7	9	10	16
50-64	242	6.4	22	1	2	6	8	11	13	27
65+	129	6.8	41	1	2	6	9	13	16	32
GRAND TOTAL	**2659**	**4.9**	**12**	**1**	**1**	**5**	**7**	**8**	**10**	**16**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	4.4	12	<1	<1	4	6	10	10	10
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	32	5.0	8	1	2	5	7	9	10	12
35-49	87	4.9	12	1	1	4	7	10	12	17
50-64	104	5.5	32	1	1	4	8	11	13	34
65+	157	5.2	26	1	1	3	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	16	6.3	105	<1	<1	3	6	11	33	43
65+	16	6.7	34	<1	1	6	9	15	20	22
B. *Operated*										
0-19 YRS	3	10.3	108	2	2	7	18	22	22	22
20-34	47	5.9	23	1	1	5	7	11	15	24
35-49	123	7.0	36	1	2	6	9	13	17	33
50-64	247	7.7	31	1	2	6	11	16	19	26
65+	435	10.1	114	2	2	7	13	21	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	8	<1	<1	2	4	7	10	10
B. *Operated*	381	5.2	23	1	1	4	7	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	34	6.2	64	<1	1	3	8	11	21	43
B. *Operated*	855	8.7	76	1	2	6	11	18	24	47
1. SINGLE DX	391	5.1	23	1	1	4	7	11	13	25
2. MULTIPLE DX	889	8.6	76	1	2	6	11	18	24	46
A. NOT OPERATED	44	5.5	53	<1	1	3	7	10	18	43
B. OPERATED	1236	7.6	62	1	2	5	10	16	21	41
TOTAL 0-19 YRS	4	8.0	94	1	1	4	14	22	22	22
20-34	80	5.5	17	1	1	5	7	9	12	24
35-49	213	6.1	27	1	1	5	8	11	15	31
50-64	372	7.0	35	1	2	5	10	15	18	27
65+	611	8.7	94	1	2	5	11	19	27	48
GRAND TOTAL	**1280**	**7.6**	**62**	**1**	**2**	**5**	**10**	**16**	**21**	**41**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	3.8	15	1	1	3	4	8	10	23
20-34	45	3.6	7	<1	1	3	5	7	8	13
35-49	55	3.0	6	<1	1	2	4	7	9	10
50-64	55	3.7	7	<1	1	3	6	8	9	11
65+	102	5.8	30	1	1	4	8	14	18	24
B. *Operated*										
0-19 YRS	211	5.5	36	1	2	3	7	12	15	32
20-34	267	4.8	17	1	2	4	6	10	11	16
35-49	265	5.5	53	1	1	3	6	11	15	43
50-64	335	5.1	25	1	1	3	7	11	14	26
65+	407	5.8	38	1	1	3	7	13	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	6.2	128	1	1	3	7	11	16	76
20-34	90	6.3	61	1	1	4	7	12	24	47
35-49	112	6.1	34	1	1	4	8	12	14	35
50-64	281	6.8	52	1	1	4	9	14	20	36
65+	693	7.4	43	1	2	5	10	15	21	31
B. *Operated*										
0-19 YRS	129	9.4	115	1	2	5	13	24	26	58
20-34	222	8.6	118	1	2	6	10	18	25	75
35-49	328	8.2	53	2	2	6	10	16	20	33
50-64	583	9.2	79	2	2	7	12	19	24	44
65+	1090	10.5	104	2	2	8	14	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	4.3	17	1	1	3	5	9	13	20
B. *Operated*	1485	5.4	34	1	1	3	7	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	1259	7.0	51	1	2	5	9	14	20	33
B. *Operated*	2352	9.6	93	2	2	7	12	20	26	48
1. SINGLE DX	1803	5.2	31	1	1	3	6	11	14	28
2. MULTIPLE DX	3611	8.7	80	1	2	6	11	18	24	44
A. NOT OPERATED	1577	6.4	45	1	1	4	8	13	18	32
B. OPERATED	3837	8.0	75	1	2	5	10	17	24	43
TOTAL 0-19 YRS	484	6.4	73	1	1	4	8	14	22	43
20-34	624	6.3	62	1	2	5	7	12	17	41
35-49	760	6.6	49	1	1	5	8	13	19	34
50-64	1254	7.3	59	1	2	5	9	15	20	40
65+	2292	8.5	75	1	2	6	11	18	24	42
GRAND TOTAL	**5414**	**7.5**	**67**	**1**	**2**	**5**	**10**	**16**	**22**	**40**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	1	1	1	3	3	4	4	4
20-34	21	4.7	10	<1	1	∞	6	9	11	12
35-49	15	3.7	4	<1	1	4	5	6	7	7
50-64	9	4.0	6	1	1	4	5	8	9	9
65+	11	6.0	10	1	2	5	9	10	10	10
B. *Operated*										
0-19 YRS	26	3.6	1	2	3	4	4	4	5	6
20-34	221	4.1	2	2	2	4	5	6	6	8
35-49	320	4.1	3	2	3	4	5	6	7	12
50-64	259	4.7	4	2	3	4	5	7	8	13
65+	130	4.9	4	3	3	4	6	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	8	<1	<1	2	5	7	7	7
20-34	34	5.1	9	1	1	5	7	9	10	13
35-49	44	4.7	12	<1	1	4	7	9	11	17
50-64	52	5.3	8	1	2	5	8	9	10	11
65+	83	7.6	33	2	3	6	9	14	17	35
B. *Operated*										
0-19 YRS	5	7.2	17	3	3	6	11	12	12	12
20-34	100	5.3	10	3	3	4	6	8	10	21
35-49	215	5.9	13	3	3	5	6	11	13	19
50-64	271	6.3	16	3	3	5	7	12	15	22
65+	216	8.7	65	3	3	6	9	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.3	8	1	1	4	6	9	10	12
B. *Operated*	956	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	217	6.0	20	1	1	5	8	10	13	21
B. *Operated*	807	6.7	29	3	3	5	7	12	16	28
1. SINGLE DX	1019	4.3	4	2	3	4	5	6	7	12
2. MULTIPLE DX	1024	6.6	27	2	3	5	8	12	16	26
A. NOT OPERATED	280	5.6	18	1	1	5	8	10	12	19
B. OPERATED	1763	5.4	16	2	3	4	6	9	12	23
TOTAL 0-19 YRS	42	3.8	5	1	2	3	4	6	9	12
20-34	376	4.5	5	2	2	4	5	7	8	13
35-49	594	4.8	8	2	3	4	5	8	10	16
50-64	591	5.5	11	2	3	5	6	9	12	19
65+	440	7.3	42	3	3	5	8	13	19	41
GRAND TOTAL	2043	**5.5**	**17**	**2**	**3**	**4**	**6**	**9**	**12**	**22**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.7	15	1	2	4	6	8	9	26
20-34	139	5.1	9	1	1	5	7	9	11	16
35-49	123	5.0	7	1	2	4	7	8	10	13
50-64	71	6.6	32	1	2	5	8	13	18	32
65+	62	7.1	26	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	46	5.0	12	2	3	4	5	6	7	27
20-34	192	4.7	6	2	2	4	5	7	9	14
35-49	155	4.8	5	2	3	4	5	8	10	13
50-64	128	4.7	14	2	2	4	5	7	8	19
65+	49	5.2	17	2	2	5	6	8	8	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.5	61	2	3	5	7	10	14	56
20-34	243	6.0	12	2	2	5	8	10	12	19
35-49	340	6.6	20	2	3	5	8	11	16	22
50-64	473	7.6	25	2	3	7	9	13	17	28
65+	637	9.8	56	3	3	8	12	18	24	36
B. *Operated*										
0-19 YRS	29	6.2	28	1	2	5	7	11	16	29
20-34	130	7.0	43	2	3	5	8	12	17	33
35-49	157	6.9	45	2	3	5	8	13	14	53
50-64	185	7.5	39	2	3	5	9	14	20	37
65+	177	14.4	150	3	4	11	19	28	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	5.5	16	1	2	5	7	9	12	21
B. *Operated*	570	4.8	9	2	3	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1757	7.9	37	2	3	7	10	14	19	33
B. *Operated*	678	9.0	79	2	3	6	10	18	25	50
1. SINGLE DX	1020	5.1	12	2	2	4	6	9	10	19
2. MULTIPLE DX	2435	8.2	49	2	3	6	10	15	20	36
A. NOT OPERATED	2207	7.4	34	2	3	6	9	13	18	29
B. OPERATED	1248	7.1	52	2	3	5	8	14	19	41
TOTAL 0-19 YRS	194	5.6	32	1	2	4	6	9	12	28
20-34	704	5.6	16	2	2	5	7	10	12	19
35-49	775	6.1	21	2	3	5	7	10	14	22
50-64	857	7.1	28	2	3	5	9	12	17	29
65+	925	10.2	75	3	3	8	12	20	27	41
GRAND TOTAL	**3455**	**7.3**	**40**	**2**	**3**	**5**	**9**	**13**	**18**	**34**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	642	5.9	9	2	2	5	7	9	11	16
20-34	347	5.9	11	2	2	5	8	10	11	17
35-49	340	6.0	9	2	3	6	8	10	11	16
50-64	434	6.6	13	2	3	6	8	11	13	19
65+	356	7.1	21	1	3	6	9	12	15	22
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	3	14.7	132	3	3	15	23	26	26	26
35-49	5	4.2	8	2	2	4	5	9	9	9
50-64	11	5.3	37	1	1	4	6	13	22	23
65+	11	9.5	48	1	1	9	11	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	5.3	12	1	2	4	7	10	12	16
20-34	577	6.4	27	2	2	5	8	11	15	22
35-49	1294	7.2	20	2	3	6	9	12	15	25
50-64	2862	7.9	27	3	3	7	10	13	17	26
65+	3661	9.0	34	3	4	8	11	16	20	32
B. *Operated*										
0-19 YRS	16	8.8	34	1	2	8	11	19	21	22
20-34	80	11.1	146	2	2	7	14	21	41	62
35-49	193	12.1	101	2	4	10	14	21	26	57
50-64	401	12.0	68	3	5	10	15	21	29	46
65+	476	14.4	106	3	5	12	18	28	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2119	6.3	12	2	3	5	8	10	12	18
B. *Operated*	32	7.3	49	1	1	5	10	21	23	26
2. MULTIPLE DX										
A. *Not Operated*	8794	8.1	29	2	3	7	10	14	17	29
B. *Operated*	1166	12.9	95	3	4	10	16	24	31	55
1. SINGLE DX	2151	6.3	13	2	2	6	8	10	13	19
2. MULTIPLE DX	9960	8.6	39	2	3	7	10	15	19	34
A. NOT OPERATED	10913	7.7	26	2	3	7	9	13	17	27
B. OPERATED	1198	12.8	95	3	4	10	16	24	31	54
TOTAL 0-19 YRS	1060	5.7	11	2	2	5	7	10	12	17
20-34	1007	6.6	33	2	2	5	8	12	15	29
35-49	1832	7.5	29	2	3	6	9	13	16	26
50-64	3708	8.2	32	3	3	7	10	14	17	29
65+	4504	9.4	44	3	4	8	11	17	22	36
GRAND TOTAL	12111	8.2	36	2	3	7	10	14	18	31

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1117	4.8	11	1	2	4	6	9	11	15
20-34	524	4.8	11	1	2	4	6	9	11	19
35-49	187	6.2	14	2	2	5	8	11	13	18
50-64	101	7.5	18	2	3	7	9	12	16	22
65+	77	8.2	31	2	3	7	10	15	17	33
B. *Operated*										
0-19 YRS	9	5.2	5	2	2	5	7	8	8	8
20-34	7	5.3	9	2	2	4	7	10	11	11
35-49	4	8.0	2	6	6	8	9	9	9	9
50-64	2	14.5	85	8	8	14	21	21	21	21
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	895	5.6	22	1	2	4	7	10	14	24
20-34	990	6.7	29	2	2	5	9	12	15	26
35-49	572	8.2	31	2	3	7	10	16	19	30
50-64	616	9.9	50	3	4	8	12	18	22	39
65+	803	11.7	62	3	4	10	15	20	27	43
B. *Operated*										
0-19 YRS	37	11.5	118	4	5	9	13	19	24	58
20-34	101	13.7	140	3	5	10	17	27	32	67
35-49	91	18.8	236	4	6	13	24	44	58	89
50-64	92	19.2	186	6	7	15	24	35	48	74
65+	117	25.8	321	7	9	21	34	50	61	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2006	5.2	13	1	2	4	7	10	12	17
B. *Operated*	23	6.8	17	2	3	6	8	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	3876	8.2	43	2	2	7	10	16	20	34
B. *Operated*	438	18.9	238	5	6	14	24	39	52	82
1. SINGLE DX	2029	5.2	13	1	2	4	7	10	12	17
2. MULTIPLE DX	4314	9.3	73	2	3	7	11	18	24	47
A. NOT OPERATED	5882	7.2	35	2	2	6	9	14	17	30
B. OPERATED	461	18.3	234	4	5	13	23	36	51	81
TOTAL 0-19 YRS	2058	5.3	18	1	2	4	7	10	12	19
20-34	1622	6.5	35	2	2	5	8	12	16	28
35-49	854	8.9	61	2	3	7	10	17	23	45
50-64	811	10.7	71	3	4	9	13	20	25	48
65+	998	13.1	111	3	4	10	16	24	35	52
GRAND TOTAL	6343	9.0	58	2	2	6	10	15	21	41

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	510	6.0	12	1	2	5	8	10	12	18
20-34	670	5.6	10	2	2	5	7	9	11	18
35-49	761	6.6	16	2	3	6	8	11	14	21
50-64	1086	6.7	14	2	3	6	8	12	13	19
65+	884	7.2	19	3	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	8	6.5	40	1	1	4	9	17	20	20
20-34	26	6.6	49	2	2	4	6	13	23	35
35-49	49	7.4	40	2	2	6	8	16	22	27
50-64	114	5.6	37	1	2	3	7	13	20	31
65+	171	4.4	18	2	2	2	5	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	527	5.9	17	1	2	5	8	11	13	21
20-34	1809	7.0	28	2	2	6	9	12	16	28
35-49	3797	7.9	25	3	3	7	10	14	17	26
50-64	7795	8.5	31	3	4	7	10	14	18	30
65+	9186	9.3	37	3	4	8	11	16	21	31
B. *Operated*										
0-19 YRS	29	7.9	24	3	3	6	12	15	18	21
20-34	485	13.3	174	2	3	9	16	27	40	81
35-49	1039	14.0	140	3	4	11	17	29	38	71
50-64	2300	15.9	182	3	4	12	20	32	44	77
65+	2730	19.2	233	3	5	15	25	39	51	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3911	6.5	15	2	3	6	8	11	13	19
B. *Operated*	368	5.4	30	1	2	3	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	23114	8.6	32	3	3	7	11	15	19	30
B. *Operated*	6583	16.8	200	3	4	13	21	35	46	80
1. SINGLE DX	4279	6.4	16	2	2	6	8	11	13	21
2. MULTIPLE DX	29697	10.4	81	3	4	8	12	19	27	50
A. NOT OPERATED	27025	8.3	30	3	3	7	10	14	18	29
B. OPERATED	6951	16.2	198	2	3	12	21	34	46	78
TOTAL 0-19 YRS	1074	6.0	15	1	2	5	8	11	13	20
20-34	2990	7.7	54	2	2	6	9	14	19	40
35-49	5646	8.8	51	3	3	7	11	16	21	39
50-64	11295	9.8	70	3	4	8	12	17	24	46
65+	12971	11.2	94	3	4	8	13	21	29	55
GRAND TOTAL	**33976**	**9.9**	**75**	**2**	**3**	**8**	**12**	**18**	**25**	**48**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	2	1	1	2	3	5	5	5
20-34	19	5.2	6	2	2	5	6	9	10	11
35-49	4	3.8	6	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	45	3.9	5	1	1	3	5	8	8	9
20-34	161	4.2	6	1	1	4	6	7	8	11
35-49	14	4.0	5	<1	<1	5	6	6	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	9	2	2	3	5	9	10	10
20-34	29	4.9	7	2	2	5	6	8	10	13
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	50	5.7	13	2	2	5	7	10	13	18
20-34	330	5.3	11	1	2	5	7	8	11	16
35-49	55	6.0	6	2	2	6	7	9	10	14
50-64	6	4.7	33	<1	<1	2	5	15	16	16
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.9	6	1	1	3	5	7	9	11
B. *Operated*	221	4.1	6	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	39	4.7	7	2	2	4	6	8	10	13
B. *Operated*	442	5.4	11	1	2	5	7	9	11	16
1. SINGLE DX	259	4.1	6	1	1	4	6	7	8	11
2. MULTIPLE DX	481	5.3	10	1	2	5	7	9	11	16
A. NOT OPERATED	77	4.3	6	1	2	4	5	8	10	12
B. OPERATED	663	5.0	9	1	2	5	7	8	10	16
TOTAL 0-19 YRS	117	4.5	10	1	1	4	6	8	10	15
20-34	539	4.9	9	1	2	5	6	8	10	16
35-49	75	5.5	6	1	2	6	7	8	9	13
50-64	8	4.1	25	<1	<1	2	4	13	16	16
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**740**	**4.9**	**9**	**1**	**2**	**5**	**7**	**8**	**10**	**16**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	3.0	8	1	1	2	4	6	8	18
20-34	194	4.4	10	1	1	4	6	9	10	17
35-49	162	4.8	15	1	2	4	6	10	11	24
50-64	99	4.1	7	1	1	3	6	8	9	12
65+	93	4.7	16	1	1	3	6	9	13	22
B. *Operated*										
0-19 YRS	29	6.5	24	2	2	5	8	12	14	26
20-34	34	7.0	32	1	1	6	10	13	18	28
35-49	36	6.9	44	2	2	5	7	13	19	38
50-64	41	6.5	15	2	2	5	8	13	15	18
65+	19	7.1	12	4	4	6	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	4.2	15	1	1	3	5	9	12	19
20-34	622	5.1	17	1	1	4	7	10	13	22
35-49	698	5.8	25	1	2	4	7	11	15	26
50-64	924	6.7	36	1	2	5	8	13	17	27
65+	1948	7.8	34	2	2	6	10	15	20	29
B. *Operated*										
0-19 YRS	35	7.1	93	1	2	5	8	15	18	56
20-34	98	10.4	114	1	2	7	13	26	30	85
35-49	138	10.1	67	2	3	8	13	18	21	40
50-64	208	13.0	147	2	3	10	16	26	31	62
65+	249	15.1	168	3	4	12	19	30	38	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	4.0	11	1	1	3	5	8	10	18
B. *Operated*	159	6.8	26	2	2	5	8	13	15	28
2. MULTIPLE DX										
A. *Not Operated*	4619	6.6	31	1	2	5	8	13	17	27
B. *Operated*	728	12.5	137	2	3	9	16	25	33	70
1. SINGLE DX	1027	4.4	14	1	1	3	6	9	11	20
2. MULTIPLE DX	5347	7.4	49	1	2	5	9	15	20	33
A. NOT OPERATED	5487	6.2	28	1	2	5	8	12	17	26
B. OPERATED	887	11.5	122	2	3	8	15	23	30	68
TOTAL 0-19 YRS	811	4.0	17	1	1	3	5	8	11	20
20-34	948	5.6	29	1	1	4	7	11	15	28
35-49	1034	6.2	32	1	2	5	8	12	17	27
50-64	1272	7.5	57	1	2	5	9	15	20	44
65+	2309	8.4	53	2	2	6	11	17	22	34
GRAND TOTAL	**6374**	**6.9**	**45**	**1**	**2**	**5**	**9**	**14**	**19**	**31**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	8.5	185	2	3	5	8	11	29	71
20-34	1	16.0		16	16	16	16	16	16	16
35-49	3	5.3	12	2	2	5	8	9	9	9
50-64	6	4.7	12	1	1	3	9	9	9	9
65+	19	6.3	11	2	2	6	8	12	13	13
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49	3	6.3	44	2	2	3	11	14	14	14
50-64	2	14.5	145	6	6	14	23	23	23	23
65+	3	9.3		9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	8.9	52	2	2	7	11	16	26	44
20-34	46	8.5	94	2	2	6	9	18	22	59
35-49	59	9.1	37	2	3	8	12	17	24	28
50-64	132	12.4	115	2	4	9	15	26	37	51
65+	613	11.6	73	3	4	9	14	21	28	46
B. *Operated*										
0-19 YRS	17	17.0	237	1	2	15	31	41	47	49
20-34	17	16.2	77	3	7	13	20	28	35	38
35-49	24	16.4	161	3	3	13	21	31	46	57
50-64	54	16.3	182	3	5	12	22	29	39	84
65+	189	19.3	196	4	6	15	28	38	45	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	7.2	91	2	2	5	8	11	13	69
B. *Operated*	12	8.2	44	1	2	7	12	17	22	23
2. MULTIPLE DX										
A. *Not Operated*	964	11.1	77	3	4	9	14	21	28	47
B. *Operated*	301	18.2	186	3	6	14	26	35	42	69
1. SINGLE DX	65	7.4	81	2	2	5	9	13	15	64
2. MULTIPLE DX	1265	12.8	112	3	4	10	15	26	35	51
A. NOT OPERATED	1017	10.9	78	3	3	8	13	20	28	47
B. OPERATED	313	17.9	185	3	4	14	24	35	42	67
TOTAL 0-19 YRS	157	9.6	103	2	2	7	11	19	32	51
20-34	66	10.6	97	2	2	7	15	20	30	56
35-49	89	10.8	80	2	3	9	14	24	28	51
50-64	194	13.2	134	2	4	10	17	27	36	58
65+	824	13.2	111	3	4	10	16	27	35	51
GRAND TOTAL	**1330**	**12.5**	**112**	**3**	**4**	**9**	**15**	**25**	**34**	**52**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	11.6	41	3	4	11	14	20	22	29
20-34	63	11.4	29	2	4	12	14	17	22	28
35-49	3	9.3	70	4	4	5	15	19	19	19
50-64										
65+										
B. *Operated*										
0-19 YRS	7	14.9	129	3	4	13	15	34	39	39
20-34	4	9.8	74	3	3	8	16	21	21	21
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	11.0	58	2	3	10	14	18	24	40
20-34	114	12.7	34	4	6	13	15	20	25	30
35-49	3	8.3	10	6	6	7	11	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	30	16.4	129	3	3	14	23	39	46	99+
20-34	18	16.1	76	3	6	14	19	28	34	38
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	11.5	38	3	4	11	14	19	22	28
B. *Operated*	12	12.1	107	2	2	11	14	26	37	39
2. MULTIPLE DX										
A. *Not Operated*	455	11.4	52	2	4	11	14	19	24	35
B. *Operated*	48	16.3	107	3	4	14	22	33	44	99+
1. SINGLE DX	301	11.5	40	2	4	11	14	19	22	30
2. MULTIPLE DX	503	11.9	59	2	4	11	14	21	25	42
A. NOT OPERATED	744	11.4	46	2	4	11	14	19	23	33
B. OPERATED	60	15.4	108	2	3	14	20	32	41	94
TOTAL 0-19 YRS	598	11.5	57	2	4	11	14	20	24	42
20-34	199	12.5	38	3	5	13	15	20	25	31
35-49	7	7.9	34	2	2	6	11	18	19	19
50-64										
65+										
GRAND TOTAL	**804**	**11.7**	**52**	**2**	**4**	**11**	**14**	**20**	**25**	**39**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	1.8	3	1	1	1	1	4	6	9
20-34	17	3.1	5	<1	<1	2	5	6	7	8
35-49	11	5.7	69	1	1	3	6	16	29	30
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	19	7.1	4	4	5	7	8	9	12	13
20-34	268	7.8	7	5	5	7	9	11	12	17
35-49	202	9.1	19	5	6	8	10	13	14	34
50-64	24	7.8	7	4	4	7	10	12	13	13
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.2	32	1	2	4	6	7	11	38
20-34	61	4.3	9	1	1	4	6	8	11	14
35-49	95	5.1	27	1	1	4	6	9	14	31
50-64	71	7.3	24	2	2	6	9	14	19	23
65+	29	10.7	79	3	3	6	14	28	29	30
B. *Operated*										
0-19 YRS	21	9.3	14	6	6	9	11	13	18	22
20-34	529	10.0	52	5	6	9	10	13	20	42
35-49	734	9.9	35	6	6	9	10	14	17	36
50-64	177	10.0	23	5	6	9	11	15	18	37
65+	10	22.0	694	5	5	9	27	68	84	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	2.3	9	1	1	1	3	5	6	12
B. *Operated*	514	8.3	12	5	5	8	9	12	13	18
2. MULTIPLE DX										
A. *Not Operated*	302	6.0	32	1	1	5	7	11	18	30
B. *Operated*	1471	10.0	44	5	6	9	11	14	18	40
1. SINGLE DX	656	7.0	18	1	1	7	9	12	13	18
2. MULTIPLE DX	1773	9.3	44	3	5	8	10	14	18	38
A. NOT OPERATED	444	4.8	27	1	1	3	6	9	14	29
B. OPERATED	1985	9.6	36	5	6	8	10	13	16	37
TOTAL 0-19 YRS	198	3.9	18	1	1	2	6	8	10	20
20-34	875	8.8	37	4	5	8	10	12	15	34
35-49	1042	9.3	33	4	5	8	10	13	16	33
50-64	273	9.1	23	3	4	8	11	14	18	32
65+	41	13.3	238	3	3	7	14	28	40	84
GRAND TOTAL	**2429**	**8.7**	**38**	**1**	**4**	**8**	**10**	**13**	**16**	**34**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	2.9	8	<1	<1	2	4	6	10	13
20-34	88	5.1	50	1	1	4	6	9	12	45
35-49	65	5.0	14	1	2	4	7	8	12	22
50-64	49	5.0	9	<1	1	5	7	9	10	13
65+	41	6.1	32	1	1	4	9	12	15	31
B. *Operated*										
0-19 YRS	51	4.2	18	1	1	3	4	12	17	98
20-34	82	5.4	22	1	1	4	7	11	15	26
35-49	70	4.6	12	1	1	4	5	8	11	21
50-64	69	4.5	11	<1	1	4	6	8	10	17
65+	25	7.5	52	1	2	5	10	15	25	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	354	5.0	30	<1	1	4	6	10	13	22
20-34	217	6.8	31	1	2	6	8	13	19	29
35-49	294	6.6	33	1	2	5	8	12	19	36
50-64	317	7.9	49	1	2	6	10	15	22	36
65+	455	8.7	41	2	3	7	11	17	22	32
B. *Operated*										
0-19 YRS	52	10.1	89	1	2	9	13	22	26	54
20-34	182	9.5	59	2	3	8	12	17	23	48
35-49	257	9.0	88	1	2	7	11	14	20	61
50-64	234	10.0	102	2	2	7	12	21	29	46
65+	242	13.5	142	2	3	10	16	27	40	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	4.0	19	<1	<1	3	5	9	11	17
B. *Operated*	297	5.0	19	1	1	4	6	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	1637	7.1	39	1	2	5	9	14	19	31
B. *Operated*	967	10.5	102	2	2	8	12	20	28	56
1. SINGLE DX	799	4.4	20	<1	<1	3	6	9	12	20
2. MULTIPLE DX	2604	8.4	65	1	2	6	11	16	23	45
A. NOT OPERATED	2139	6.4	36	<1	1	5	8	13	18	29
B. OPERATED	1264	9.2	89	1	2	7	11	18	25	54
TOTAL 0-19 YRS	716	4.6	29	<1	<1	3	5	10	14	26
20-34	569	7.2	44	1	2	5	9	14	18	33
35-49	686	7.2	52	1	2	5	9	13	18	50
50-64	669	8.1	64	1	2	6	10	16	23	42
65+	763	10.0	79	2	3	7	12	20	27	49
GRAND TOTAL	**3403**	**7.4**	**58**	**1**	**1**	**5**	**9**	**15**	**21**	**42**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	4.8	5	1	2	5	6	8	8	8
35-49	42	4.0	6	1	1	3	5	8	9	10
50-64	48	4.6	6	1	2	4	6	8	8	11
65+	73	5.0	8	1	2	4	6	9	10	14
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	8	3.4	7	<1	<1	2	5	8	8	8
50-64	22	5.0	17	1	2	4	6	10	15	17
65+	17	6.6	47	<1	1	4	10	17	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	2	4	4	7	7	8	8	8
20-34	23	4.3	6	1	2	4	6	7	9	12
35-49	116	5.8	12	2	2	5	8	11	13	16
50-64	250	6.7	26	2	2	6	8	11	16	28
65+	513	7.3	30	2	3	6	9	14	18	25
B. *Operated*										
0-19 YRS										
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	23	9.3	63	1	2	6	11	22	27	33
50-64	60	8.3	40	2	2	6	11	17	18	34
65+	92	11.7	113	2	3	9	15	22	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	4.6	7	1	2	4	6	8	10	13
B. *Operated*	48	5.4	26	1	2	3	7	11	17	26
2. MULTIPLE DX										
A. *Not Operated*	907	6.9	26	2	2	6	9	13	16	24
B. *Operated*	179	10.0	83	2	2	7	13	20	25	46
1. SINGLE DX	224	4.8	11	1	2	4	6	8	10	17
2. MULTIPLE DX	1086	7.4	37	2	2	6	9	14	18	31
A. NOT OPERATED	1083	6.5	24	2	2	5	8	12	15	24
B. OPERATED	227	9.1	74	2	2	6	11	18	24	43
TOTAL 0-19 YRS	6	5.8	4	3	3	6	7	8	8	8
20-34	40	4.5	5	1	2	4	6	7	8	12
35-49	189	5.7	19	1	2	5	7	11	13	23
50-64	380	6.6	26	2	2	5	8	12	16	27
65+	695	7.6	42	2	2	5	9	15	19	31
GRAND TOTAL	**1310**	**6.9**	**33**	**2**	**2**	**5**	**9**	**13**	**17**	**29**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	2.8	3	1	1	2	3	5	6	9
20-34	45	3.2	7	1	1	2	4	6	10	12
35-49	70	3.6	7	1	1	3	5	7	8	15
50-64	74	4.9	23	1	1	4	5	10	14	28
65+	211	6.2	26	1	2	5	8	13	16	26
B. *Operated*										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	10.0	98	3	3	10	17	17	17	17
65+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1328	4.0	13	1	2	3	5	7	9	17
20-34	695	4.5	18	1	2	3	5	8	11	22
35-49	877	5.7	23	1	2	5	7	10	14	23
50-64	1863	7.0	31	2	2	6	9	14	18	29
65+	7779	9.2	44	2	3	8	11	17	21	33
B. *Operated*										
0-19 YRS	48	9.3	75	1	2	6	10	25	30	37
20-34	66	9.1	80	1	1	7	11	20	31	44
35-49	100	11.0	92	1	2	8	13	24	28	49
50-64	223	14.0	171	2	3	10	18	29	44	77
65+	781	18.8	157	5	6	16	24	35	45	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	4.5	17	1	1	3	5	9	12	21
B. *Operated*	8	6.5	28	2	2	4	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	12542	7.8	40	2	2	6	10	15	19	31
B. *Operated*	1218	16.4	159	3	4	13	22	32	42	63
1. SINGLE DX	587	4.5	17	1	1	3	5	9	13	21
2. MULTIPLE DX	13760	8.6	56	2	2	6	11	17	22	38
A. NOT OPERATED	13121	7.7	39	2	2	6	10	15	19	30
B. OPERATED	1226	16.3	158	3	4	13	22	32	42	63
TOTAL 0-19 YRS	1557	4.1	15	1	2	3	5	7	9	19
20-34	807	4.8	24	1	1	3	6	9	13	27
35-49	1048	6.1	31	1	2	5	7	11	15	29
50-64	2162	7.7	50	2	2	6	9	16	20	34
65+	8773	10.0	62	2	3	8	12	19	24	41
GRAND TOTAL	**14347**	**8.4**	**55**	**2**	**2**	**6**	**11**	**17**	**22**	**37**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	5	1	1	3	5	6	7	12
20-34	44	3.7	3	1	1	3	5	6	7	7
35-49	55	4.2	6	1	1	3	5	8	9	11
50-64	43	4.4	10	1	1	4	6	9	11	15
65+	107	5.0	17	1	2	4	6	8	10	25
B. *Operated*										
0-19 YRS	12	4.3	6	1	1	4	6	7	8	8
20-34	14	5.7	10	2	3	5	7	11	12	13
35-49	17	5.5	17	1	2	5	7	11	15	17
50-64	19	7.1	8	3	4	7	9	10	13	14
65+	34	7.8	26	3	3	6	9	14	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.7	10	1	2	4	6	9	11	15
20-34	132	4.8	7	1	2	4	6	8	10	13
35-49	242	5.6	17	1	2	5	7	10	13	21
50-64	428	6.7	21	1	2	6	9	12	14	24
65+	1995	7.5	30	2	2	6	9	14	18	29
B. *Operated*										
0-19 YRS	25	7.3	49	2	2	6	10	10	20	37
20-34	59	7.6	18	2	3	7	9	13	16	23
35-49	186	8.3	23	2	3	8	11	15	16	24
50-64	258	10.8	53	3	4	9	13	20	25	35
65+	803	11.5	52	4	5	10	14	20	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	4.3	10	1	1	4	6	7	9	16
B. *Operated*	96	6.5	17	2	2	6	8	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	2938	7.0	27	2	2	6	9	13	17	26
B. *Operated*	1331	10.7	49	3	4	9	13	19	24	36
1. SINGLE DX	408	4.8	12	1	2	4	6	9	10	18
2. MULTIPLE DX	4269	8.1	36	2	3	7	10	15	19	32
A. NOT OPERATED	3250	6.7	26	1	2	6	8	13	16	26
B. OPERATED	1427	10.4	48	3	4	9	13	19	23	35
TOTAL 0-19 YRS	241	4.6	13	1	2	4	6	8	10	15
20-34	249	5.3	11	1	2	5	7	10	12	16
35-49	500	6.4	20	1	2	5	8	12	16	22
50-64	748	8.0	35	2	2	7	10	15	19	29
65+	2939	8.5	39	2	3	7	11	16	20	33
GRAND TOTAL	**4677**	**7.9**	**35**	**2**	**2**	**6**	**10**	**15**	**19**	**31**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	736	4.5	10	1	2	4	5	8	10	16
20-34	763	6.0	23	1	2	5	7	11	15	25
35-49	123	7.2	23	2	2	6	9	15	18	22
50-64	3	5.3	2	4	4	5	6	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	5	6.2	4	3	3	7	7	8	8	8
20-34	18	9.6	97	2	2	7	12	22	35	41
35-49	6	7.2	8	4	4	7	8	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	598	5.9	18	2	2	5	7	11	14	24
20-34	627	7.9	43	2	3	6	9	15	20	33
35-49	162	8.7	51	2	3	8	12	19	24	35
50-64	39	7.0	11	2	3	7	9	12	13	14
65+	9	6.7	28	2	2	4	11	15	16	16
B. *Operated*										
0-19 YRS	32	12.7	99	1	2	8	20	29	32	33
20-34	90	16.0	210	3	4	12	20	37	45	82
35-49	19	11.6	141	2	4	8	12	22	42	55
50-64	11	9.6	43	5	5	7	12	19	26	27
65+	5	23.6	346	11	11	15	33	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1626	5.4	18	1	2	4	7	10	13	22
B. *Operated*	29	8.5	63	2	2	7	9	14	27	41
2. MULTIPLE DX										
A. *Not Operated*	1630	7.3	35	2	2	6	9	14	18	29
B. *Operated*	157	14.6	175	2	4	10	19	28	40	75
1. SINGLE DX	1655	5.5	19	1	2	4	7	10	13	23
2. MULTIPLE DX	1787	8.0	52	2	2	6	9	15	21	37
A. NOT OPERATED	3256	6.4	28	1	2	5	8	12	16	26
B. OPERATED	186	13.6	162	2	3	10	18	27	39	69
TOTAL 0-19 YRS	1366	5.3	18	1	2	4	7	10	13	24
20-34	1698	7.5	48	2	2	6	9	15	20	38
35-49	310	8.8	46	2	3	7	11	17	22	33
50-64	53	7.5	18	2	4	7	9	12	14	27
65+	15	12.0	188	2	2	11	14	26	48	55
GRAND TOTAL	**3442**	**6.8**	**38**	**2**	**2**	**5**	**8**	**13**	**17**	**29**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	3.1	27	<1	<1	2	3	5	8	34
20-34	80	2.6	5	<1	<1	2	3	6	8	11
35-49	64	4.2	14	1	1	3	6	10	12	17
50-64	94	3.7	20	<1	1	2	5	8	10	26
65+	459	3.7	19	<1	1	2	5	8	11	26
B. *Operated*										
0-19 YRS	72	5.9	20	1	2	5	7	13	16	21
20-34	18	7.4	40	1	2	5	12	17	21	23
35-49	23	6.3	15	2	3	6	8	11	14	18
50-64	39	9.5	106	2	3	6	12	14	17	67
65+	127	8.5	34	2	3	7	10	15	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	309	4.0	16	<1	1	3	5	9	11	24
20-34	232	5.1	20	1	1	4	7	11	14	25
35-49	327	5.8	29	1	1	4	8	12	15	27
50-64	830	6.1	43	1	1	4	8	13	16	31
65+	3382	6.9	40	1	1	5	9	14	18	31
B. *Operated*										
0-19 YRS	64	10.6	96	2	2	7	16	23	30	44
20-34	108	10.9	155	2	3	8	11	21	30	74
35-49	163	10.5	51	2	3	9	14	19	23	49
50-64	403	11.5	73	2	4	10	14	22	30	46
65+	1291	13.1	103	3	5	10	16	25	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	3.5	19	<1	1	2	4	7	10	26
B. *Operated*	279	7.7	40	2	2	5	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	5080	6.4	35	1	1	5	8	13	17	30
B. *Operated*	2029	12.4	96	3	4	10	15	23	30	50
1. SINGLE DX	1143	4.6	27	<1	1	3	6	10	13	27
2. MULTIPLE DX	7109	8.1	62	1	1	6	10	16	23	39
A. NOT OPERATED	5944	6.0	36	1	1	4	8	12	16	30
B. OPERATED	2308	11.8	92	3	4	9	15	22	29	49
TOTAL 0-19 YRS	612	4.7	32	<1	1	3	5	10	15	28
20-34	438	6.2	60	1	1	4	8	12	17	38
35-49	577	7.0	38	1	1	5	10	14	19	30
50-64	1366	7.6	59	1	1	6	10	15	21	36
65+	5259	8.1	62	1	1	6	11	16	23	38
GRAND TOTAL	**8252**	**7.6**	**99**	**1**	**1**	**6**	**10**	**16**	**21**	**37**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS.	17	3.8	11	<1	1	3	6	10	11	12
20-34	6	5.7	5	3	3	5	8	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	14.0	162	5	5	14	27	23	23	23
B. Operated										
0-19 YRS.	1	2.0		2	2	2	2	2	2	2
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS.	90	3.9	15	1	1	2	5	9	12	21
20-34	25	5.0	9	2	2	4	6	9	12	16
35-49	11	10.2	202	2	2	6	10	28	50	52
50-64	6	8.7	19	3	3	8	13	14	14	14
65+	5	5.8	11	3	3	4	8	11	11	11
B. Operated										
0-19 YRS.	10	9.2	99	1	1	5	12	25	36	36
20-34	7	6.4	32	1	1	4	10	15	16	16
35-49	5	15.0	259	1	1	5	32	34	34	34
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	5.1	21	1	2	3	7	10	14	23
B. Operated	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	137	4.9	31	1	1	3	6	11	13	20
B. Operated	23	9.4	107	1	1	5	12	32	34	34
1. SINGLE DX	29	5.1	21	1	2	3	7	10	13	23
2. MULTIPLE DX	160	5.6	44	1	1	4	7	12	14	34
A. NOT OPERATED	164	4.9	29	1	1	3	6	11	13	25
B. OPERATED	25	9.2	100	1	1	5	11	31	34	34
TOTAL 0-19 YRS.	118	4.3	23	1	1	3	5	10	13	20
20-34	39	5.5	12	2	2	5	8	11	13	16
35-49	17	11.4	197	1	2	6	11	33	46	52
50-64	8	7.6	17	3	3	7	11	14	14	14
65+	7	8.1	50	3	3	5	10	21	23	23
GRAND TOTAL	**189**	**5.5**	**40**	**1**	**1**	**4**	**7**	**11**	**14**	**34**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS.	367	3.6	6	1	1	3	4	7	9	14
20-34	41	4.3	8	1	1	4	5	9	11	13
35-49	16	3.1	11	1	1	1	5	7	11	16
50-64	43	5.4	32	1	2	3	6	11	16	30
65+	71	3.6	12	1	1	2	5	9	11	16
B. Operated										
0-19 YRS.	202	5.5	15	1	2	5	7	10	13	20
20-34	121	7.2	18	2	3	6	8	12	16	23
35-49	59	9.6	54	2	3	8	13	17	22	42
50-64	65	7.6	24	3	3	6	9	15	16	25
65+	70	11.0	146	2	3	8	11	19	30	60
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS.	604	4.6	16	1	1	4	6	9	11	21
20-34	184	5.5	19	1	2	5	7	10	14	26
35-49	281	6.2	21	1	1	5	8	12	16	22
50-64	468	7.3	39	1	2	6	9	14	18	29
65+	932	7.7	38	1	2	6	10	16	20	31
B. Operated										
0-19 YRS.	139	8.0	57	1	2	6	10	16	23	43
20-34	169	8.7	41	2	3	7	11	16	20	38
35-49	194	11.1	91	2	3	8	13	21	30	64
50-64	350	11.4	82	3	4	9	14	24	29	47
65+	654	13.4	133	3	4	10	16	25	33	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	618	3.7	11	1	1	3	5	7	10	15
B. Operated	517	7.4	42	2	2	6	9	13	18	30
2. MULTIPLE DX										
A. Not Operated	2269	6.7	32	1	2	5	9	14	18	28
B. Operated	1506	11.6	102	2	3	9	14	22	30	56
1. SINGLE DX	1135	5.4	28	1	1	4	7	10	14	24
2. MULTIPLE DX	3775	8.7	65	1	2	7	11	17	23	40
A. NOT OPERATED	2887	6.1	29	1	1	5	8	12	16	27
B. OPERATED	2023	10.5	90	2	3	8	13	20	28	51
TOTAL 0-19 YRS.	1112	4.9	20	1	1	4	6	9	12	25
20-34	515	6.9	27	1	2	6	8	12	16	28
35-49	630	7.6	52	1	1	6	10	15	20	36
50-64	926	8.8	58	2	2	7	11	17	24	39
65+	1727	9.8	86	1	2	8	12	19	25	50
GRAND TOTAL	**4010**	**7.9**	**99**	**1**	**2**	**6**	**10**	**16**	**21**	**37**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1325	2.2	.	1	1	2	3	4	5	7
20-34	207	2.3	2	1	1	2	3	4	5	8
35-49	31	2.4	2	<1	1	2	3	4	6	7
50-64	11	3.5	6	1	1	3	5	7	9	9
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	467	3.9	2	2	2	4	4	6	7	10
20-34	150	4.5	4	2	3	4	5	7	8	11
35-49	19	4.7	8	2	2	4	5	6	11	15
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	797	2.9	5	1	1	2	4	5	6	10
20-34	122	3.2	11	1	1	2	4	5	7	18
35-49	29	4.2	14	1	1	3	5	6	10	21
50-64	13	3.8	2	<1	2	4	4	5	6	6
65+	12	7.1	22	2	2	5	11	14	16	16
B. *Operated*										
0-19 YRS	294	4.9	7	2	2	4	5	8	9	16
20-34	106	5.5	9	2	3	5	6	9	10	19
35-49	18	7.2	20	3	4	5	9	15	16	16
50-64	8	8.1	77	2	2	6	8	23	29	29
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1576	2.2	2	1	1	2	3	4	5	7
B. *Operated*	638	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	973	3.1	6	1	1	2	4	5	7	12
B. *Operated*	426	5.2	10	2	3	4	6	8	10	18
1. SINGLE DX	2214	2.7	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1399	3.7	8	1	1	3	5	6	8	15
A. NOT OPERATED	2549	2.5	4	1	1	2	3	5	6	9
B. OPERATED	1064	4.5	6	2	2	4	5	7	9	15
TOTAL 0-19 YRS	2883	3.0	4	1	1	2	4	5	6	10
20-34	585	3.6	7	1	1	3	4	6	8	12
35-49	97	4.3	13	1	1	4	5	7	14	19
50-64	33	4.7	23	1	2	4	5	7	9	29
65+	15	6.2	21	1	2	4	9	13	15	16
GRAND TOTAL	**3613**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	4.2	5	1	2	4	6	7	8	10
20-34	19	3.8	4	1	2	3	5	6	8	9
35-49	10	4.4	6	2	2	4	5	8	9	9
50-64	4	3.8	2	3	3	3	5	6	6	6
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	142	3.9	14	1	1	3	5	8	12	18
20-34	63	3.4	9	1	1	2	4	7	11	16
35-49	35	3.0	9	1	1	2	3	6	9	15
50-64	31	3.3	7	1	1	2	4	6	10	13
65+	12	3.7	4	<1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	4.8	9	1	2	4	7	9	10	14
20-34	35	4.0	5	1	1	4	5	6	8	11
35-49	32	5.8	12	2	3	5	7	12	13	17
50-64	19	5.5	7	2	3	5	7	8	11	14
65+	13	8.9	64	1	2	7	9	18	30	33
B. *Operated*										
0-19 YRS	79	6.0	26	<1	1	5	8	13	18	24
20-34	58	5.2	18	1	1	4	8	11	14	19
35-49	51	6.1	49	1	2	3	7	12	20	38
50-64	49	6.4	34	2	2	4	8	15	20	28
65+	32	9.6	51	2	3	8	14	22	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	4.2	5	1	2	4	6	7	8	10
B. *Operated*	283	3.6	11	1	1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*	301	5.0	11	1	2	4	7	9	11	15
B. *Operated*	269	6.4	34	1	1	4	8	14	19	28
1. SINGLE DX	560	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX	570	5.7	22	1	2	4	7	11	14	26
A. NOT OPERATED	578	4.6	9	1	2	4	6	8	9	14
B. OPERATED	552	4.9	24	1	1	3	6	11	16	25
TOTAL 0-19 YRS	664	4.5	11	1	1	4	6	9	11	17
20-34	175	4.2	11	1	1	3	5	9	11	17
35-49	128	5.0	27	1	1	3	6	10	15	32
50-64	103	5.2	21	1	2	4	6	10	15	25
65+	60	8.0	47	2	2	6	9	17	24	32
GRAND TOTAL	**1130**	**4.8**	**16**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	8.3	39	2	3	5	14	18	19	19
20-34	37	14.4	257	1	2	10	18	26	57	75
35-49	7	12.4	33	3	4	12	16	20	21	21
50-64	10	7.8	55	1	1	4	14	19	23	23
65+	24	10.4	27	2	4	10	15	17	18	21
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	9.0	112	<1	1	5	10	21	33	45
20-34	60	12.7	101	1	2	11	18	29	31	39
35-49	44	11.5	77	1	2	9	16	23	30	35
50-64	80	14.5	209	2	3	10	17	30	55	68
65+	190	10.4	93	2	3	7	13	21	28	47
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	31.8	504	8	8	28	46	62	62	62
35-49	6	26.0	245	14	14	18	35	52	54	54
50-64	9	19.7	169	1	1	17	27	39	42	42
65+	20	16.3	360	1	1	11	20	35	61	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	11.7	132	1	2	9	15	21	24	72
B. Operated	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	394	11.6	119	2	2	8	15	26	32	59
B. Operated	40	19.9	309	1	2	15	26	40	58	84
1. SINGLE DX	89	11.7	130	1	2	9	15	21	24	71
2. MULTIPLE DX	434	12.4	141	2	2	9	16	28	33	62
A. NOT OPERATED	482	11.6	121	2	2	9	15	24	31	61
B. OPERATED	41	19.7	304	1	2	15	26	40	58	84
TOTAL 0-19 YRS	31	8.8	83	1	2	5	11	20	22	45
20-34	101	14.1	181	1	2	11	19	29	36	70
35-49	57	13.1	105	2	2	11	17	27	34	53
50-64	99	14.3	194	1	2	10	18	30	49	67
65+	235	10.9	110	2	2	8	14	21	29	52
GRAND TOTAL	**523**	**12.3**	**139**	**2**	**2**	**9**	**16**	**26**	**33**	**63**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	245	2.6	21	1	1	2	3	4	5	26
20-34	129	4.8	54	<1	1	3	5	10	13	37
35-49	64	7.6	78	1	2	5	9	16	27	46
50-64	108	10.3	81	2	3	7	15	21	26	47
65+	583	9.5	70	2	2	7	12	19	24	40
B. Operated										
0-19 YRS	4	3.5	4	2	2	3	5	6	6	6
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64	5	6.0	11	3	3	6	8	11	11	11
65+	20	10.7	53	2	2	9	16	22	24	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	233	6.1	83	1	1	3	5	14	28	58
20-34	370	8.1	89	1	2	5	10	18	29	62
35-49	265	9.9	107	2	2	7	12	24	30	44
50-64	481	12.8	113	2	3	10	17	27	34	49
65+	4245	10.9	73	2	3	9	14	21	27	43
B. Operated										
0-19 YRS	21	8.7	87	<1	1	6	12	30	60	99+
20-34	37	9.6	122	1	1	5	12	30	31	42
35-49	35	14.0	92	2	4	11	19	28	35	40
50-64	52	21.4	266	4	6	16	30	45	72	99
65+	424	17.4	172	4	5	14	23	33	43	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1129	7.4	68	1	1	5	9	17	22	39
B. Operated	34	8.0	44	2	2	6	11	18	23	25
2. MULTIPLE DX										
A. Not Operated	5594	10.6	82	2	3	8	14	22	28	44
B. Operated	569	16.7	178	2	4	13	23	34	43	80
1. SINGLE DX	1163	7.4	67	1	1	5	9	17	22	39
2. MULTIPLE DX	6163	11.2	94	2	3	8	14	23	30	48
A. NOT OPERATED	6723	10.1	81	2	2	8	13	21	27	44
B. OPERATED	603	16.2	175	2	4	13	22	33	43	80
TOTAL 0-19 YRS	503	4.5	56	1	1	2	4	9	22	47
20-34	539	7.4	85	1	1	4	9	15	28	58
35-49	366	9.9	102	2	2	7	12	23	30	45
50-64	646	13.0	128	2	3	10	17	28	35	56
65+	5272	11.2	84	2	3	9	14	22	29	45
GRAND TOTAL	**7326**	**10.6**	**91**	**2**	**2**	**8**	**14**	**22**	**29**	**47**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	15	11.7	74	2	2	9	15	25	32	34
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	27.0		27	27	27	27	27	27	27
35-49										
50-64	12	13.8	193	3	4	7	17	39	46	47
65+	203	10.7	102	2	3	8	13	18	25	66
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	34.0		34	34	34	34	34	34	34
50-64	1	10.0		10	10	10	10	10	10	10
65+	25	24.2	349	5	5	18	33	57	63	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	11.7	74	2	2	9	15	25	32	34
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	216	10.9	108	2	3	8	13	19	27	63
B. *Operated*	27	24.0	334	5	6	18	33	56	63	65
1. SINGLE DX	15	11.7	74	2	2	9	15	25	32	34
2. MULTIPLE DX	243	12.4	148	2	3	9	14	23	37	66
A. NOT OPERATED	231	11.0	105	2	3	9	13	19	27	61
B. OPERATED	27	24.0	334	5	6	18	33	56	63	65
TOTAL 0-19 YRS										
20-34	1	27.0		27	27	27	27	27	27	27
35-49	1	34.0		34	34	34	34	34	34	34
50-64	13	13.5	178	3	4	8	15	37	45	47
65+	243	12.1	141	2	3	9	14	22	36	66
GRAND TOTAL	**258**	**12.3**	**144**	**2**	**3**	**9**	**14**	**24**	**36**	**65**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	<1	<1	2	4	4	4	4
20-34	64	4.5	32	<1	1	3	5	9	22	26
35-49	82	5.8	49	<1	1	3	7	15	22	37
50-64	46	6.6	44	1	2	4	8	16	20	32
65+	25	8.6	97	1	2	5	11	17	26	50
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	8.2	33	1	2	9	10	14	19	27
20-34	590	7.8	36	1	2	7	10	14	21	29
35-49	835	7.9	58	1	2	6	10	17	23	34
50-64	669	8.8	72	2	2	6	10	19	25	36
65+	297	10.7	79	2	3	8	14	23	30	40
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	25	11.0	90	1	2	7	15	24	32	37
35-49	45	14.5	112	4	5	13	16	27	32	61
50-64	33	15.8	144	3	5	11	21	34	44	48
65+	33	19.6	326	3	4	13	24	50	59	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	5.9	48	1	1	3	7	15	21	35
B. *Operated*	2	11.0	72	5	5	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	2414	8.5	60	2	2	6	10	18	24	34
B. *Operated*	137	15.4	171	3	4	12	19	30	46	62
1. SINGLE DX	223	5.9	49	1	1	3	7	15	21	35
2. MULTIPLE DX	2551	8.9	68	2	2	7	11	19	25	38
A. NOT OPERATED	2635	8.3	59	1	2	6	10	17	23	34
B. OPERATED	139	15.3	169	3	4	12	19	30	46	62
TOTAL 0-19 YRS	28	7.6	33	1	1	7	10	14	16	27
20-34	679	7.6	39	1	2	6	9	14	22	30
35-49	963	8.1	62	1	2	6	10	17	23	38
50-64	748	9.0	75	2	2	6	11	19	25	38
65+	356	11.4	109	2	3	8	14	24	33	56
GRAND TOTAL	**2774**	**8.6**	**67**	**1**	**2**	**6**	**11**	**19**	**24**	**38**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	11.9	366	1	1	4	13	35	63	76
20-34	53	8.0	63	1	1	5	11	18	21	42
35-49	11	12.2	129	1	2	11	14	33	34	34
50-64	8	8.1	27	2	3	7	11	16	18	18
65+	7	12.9	378	1	1	6	12	47	56	56
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	13.7	215	1	2	8	21	38	48	61
20-34	234	8.5	55	2	2	8	10	15	25	36
35-49	89	8.9	55	1	2	8	11	18	25	35
50-64	80	10.0	55	1	3	8	12	22	26	32
65+	158	9.8	105	2	3	7	11	18	26	46
B. *Operated*										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	8	14.3	67	6	6	12	19	27	29	29
35-49	7	21.7	566	3	4	12	30	63	70	70
50-64	4	15.0	43	7	7	15	19	23	23	23
65+	13	17.4	304	3	3	9	26	49	56	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	9.6	139	1	1	6	12	19	33	67
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	621	9.6	85	2	2	8	11	19	28	47
B. *Operated*	33	17.8	257	3	5	13	24	38	56	70
1. SINGLE DX	96	9.6	139	1	1	6	12	19	33	67
2. MULTIPLE DX	654	10.0	96	2	2	8	11	21	30	48
A. NOT OPERATED	717	9.6	92	1	2	8	11	19	29	48
B. OPERATED	33	17.8	257	3	5	13	24	38	56	70
TOTAL 0-19 YRS	78	13.6	248	1	1	8	20	38	48	72
20-34	295	8.6	57	1	2	8	10	16	24	39
35-49	107	10.1	101	1	2	8	12	23	33	51
50-64	92	10.0	53	2	3	8	13	22	26	32
65+	178	10.5	131	2	3	7	11	20	36	57
GRAND TOTAL	**750**	**9.9**	**102**	**1**	**2**	**8**	**11**	**21**	**30**	**52**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	21.8	302	2	4	18	34	53	63	99+
20-34	1387	15.9	181	2	3	13	21	34	43	66
35-49	710	15.3	146	2	3	13	21	32	40	65
50-64	315	17.3	145	3	5	14	24	36	41	54
65+	67	17.6	122	4	5	15	24	33	41	47
B. *Operated*										
0-19 YRS										
20-34	5	35.8	533	7	9	38	70	97	99+	99+
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	2	34.0	338	21	21	34	47	47	47	47
65+	2	22.0	2	21	21	22	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	24.9	408	4	5	19	37	60	82	99+
20-34	748	17.9	196	2	4	14	24	38	47	71
35-49	582	17.6	194	3	4	14	23	37	44	82
50-64	316	20.2	195	5	7	17	26	39	50	72
65+	143	20.4	217	4	6	17	28	39	49	76
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	38	25.7	311	4	5	21	35	48	65	75
35-49	49	27.0	259	10	11	23	32	43	66	84
50-64	31	28.9	309	11	16	24	30	51	54	97
65+	13	22.5	259	7	8	19	24	52	60	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2600	16.2	173	2	3	13	22	34	43	66
B. *Operated*	11	27.8	377	5	6	24	43	79	97	99+
2. MULTIPLE DX										
A. *Not Operated*	1847	18.6	205	3	4	15	24	39	49	75
B. *Operated*	132	26.5	283	7	10	22	31	49	61	86
1. SINGLE DX	2611	16.3	174	2	3	13	22	34	43	67
2. MULTIPLE DX	1979	19.1	214	3	4	16	25	39	50	77
A. NOT OPERATED	4447	17.2	188	2	4	14	23	36	45	71
B. OPERATED	143	26.6	288	7	10	22	33	49	66	97
TOTAL 0-19 YRS	180	22.7	336	2	4	19	35	55	68	99+
20-34	2178	16.8	192	2	3	14	22	36	45	71
35-49	1343	16.7	176	2	4	14	22	34	43	72
50-64	664	19.3	183	4	6	16	26	38	46	66
65+	225	19.7	190	4	6	16	25	38	46	66
GRAND TOTAL	**4590**	**17.5**	**194**	**2**	**4**	**14**	**23**	**37**	**46**	**72**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	36.0	327	11	12	36	45	66	86	99+
20-34	55	17.1	125	4	6	15	22	27	43	57
35-49	13	8.6	33	1	3	7	12	15	21	23
50-64	7	14.1	94	7	7	10	17	31	34	34
65+	2	18.5	25	15	15	18	22	22	22	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	35.4	408	5	13	33	46	69	82	99+
20-34	40	19.7	274	2	4	18	25	40	52	81
35-49	11	12.7	46	3	4	14	16	21	26	27
50-64	12	12.9	94	3	4	9	18	29	32	32
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	1	47.0		47	47	47	47	47	47	47
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	20.0	232	4	6	16	26	43	58	89
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	104	24.1	361	3	4	21	33	53	69	92
B. *Operated*	2	26.0	882	5	5	26	47	47	47	47
1. SINGLE DX	99	20.0	232	4	6	16	26	43	58	89
2. MULTIPLE DX	106	24.1	362	3	4	21	34	53	68	91
A. NOT OPERATED	203	22.1	301	4	5	18	30	45	62	92
B. OPERATED	2	26.0	882	5	5	26	47	47	47	47
TOTAL 0-19 YRS	63	35.8	370	9	12	35	46	68	81	99+
20-34	95	18.2	187	3	4	16	24	35	47	71
35-49	25	10.3	41	2	4	11	14	17	24	27
50-64	19	13.4	89	3	4	10	18	30	33	34
65+	3	14.7	56	7	7	15	20	22	22	22
GRAND TOTAL	**205**	**22.1**	**302**	**4**	**5**	**18**	**30**	**46**	**62**	**91**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	26.2	402	4	6	21	38	60	72	99+
20-34	2269	15.7	196	1	2	12	21	35	44	71
35-49	1155	14.7	142	2	3	12	19	31	40	56
50-64	529	16.3	164	3	4	13	21	31	39	70
65+	138	18.2	160	4	5	15	24	37	42	82
B. *Operated*										
0-19 YRS										
20-34	4	31.0	200	13	13	32	41	47	47	47
35-49	7	17.7	63	7	8	16	24	29	30	30
50-64	3	17.3	92	7	7	19	24	26	26	26
65+	2	23.5	145	15	15	23	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	22.9	302	3	5	16	35	54	67	99+
20-34	1615	17.7	213	2	4	14	24	38	47	73
35-49	1126	17.2	179	3	4	14	23	34	43	72
50-64	751	17.5	152	3	5	15	23	33	40	62
65+	346	18.2	191	4	5	14	25	36	47	69
B. *Operated*										
0-19 YRS	12	30.2	374	8	11	22	43	62	65	65
20-34	90	27.8	355	5	9	22	40	61	79	99+
35-49	78	21.0	127	6	9	18	27	40	48	88
50-64	67	30.2	336	10	13	25	40	56	72	81
65+	30	26.9	215	11	11	25	37	46	49	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4351	16.2	196	1	3	13	21	35	44	72
B. *Operated*	16	21.7	122	7	8	18	29	35	43	47
2. MULTIPLE DX										
A. *Not Operated*	4043	17.9	196	3	4	14	24	36	46	72
B. *Operated*	277	26.5	281	7	10	22	36	51	65	99+
1. SINGLE DX	4367	16.3	195	1	3	13	21	35	44	72
2. MULTIPLE DX	4320	18.4	206	3	4	15	24	37	47	74
A. NOT OPERATED	8394	17.0	196	2	3	14	22	35	45	72
B. OPERATED	293	26.2	273	7	10	22	34	50	65	99+
TOTAL 0-19 YRS	477	24.9	360	3	5	20	37	58	70	99+
20-34	3979	16.8	210	1	3	13	22	36	46	74
35-49	2366	16.1	161	2	4	13	21	33	42	68
50-64	1350	17.7	174	3	5	15	23	33	43	70
65+	516	18.7	187	4	5	15	26	37	46	70
GRAND TOTAL	**8687**	**17.3**	**202**	**2**	**4**	**14**	**23**	**36**	**46**	**74**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	29.2	509	3	6	26	55	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	29.4	497	2	3	29	52	95	99+	99+
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1	45.0		45	45	45	45	45	45	45
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	29.2	509	3	6	26	55	99+	99+	99+
B. Operated										
2. MULTIPLE DX										
A. Not Operated	34	29.4	497	2	3	29	52	95	99+	99+
B. Operated	1	45.0		45	45	45	45	45	45	45
1. SINGLE DX	45	29.2	509	3	6	26	55	99+	99+	99+
2. MULTIPLE DX	35	29.9	489	2	3	30	52	94	99+	99+
A. NOT OPERATED	79	29.3	498	2	4	27	54	99+	99+	99+
B. OPERATED	1	45.0		45	45	45	45	45	45	45
TOTAL 0-19 YRS	80	29.5	494	2	4	28	53	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**80**	**29.5**	**494**	**2**	**4**	**28**	**53**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	240	20.1	362	2	3	15	28	54	65	99+
20-34	1337	14.9	163	2	3	11	20	31	40	71
35-49	1266	15.4	150	2	3	13	21	31	39	74
50-64	1035	18.5	193	2	4	15	25	36	44	70
65+	746	21.6	246	2	4	19	30	43	54	72
B. Operated										
0-19 YRS										
20-34	9	17.6	135	5	6	13	28	35	37	37
35-49	7	15.7	98	2	3	17	21	30	32	32
50-64	5	30.0	164	19	19	25	42	47	47	47
65+	8	38.6	709	17	18	27	47	64	98	98
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	469	25.9	496	3	4	20	40	65	90	99+
20-34	2265	16.1	173	2	3	13	22	34	43	76
35-49	2358	17.3	178	3	4	14	23	35	44	62
50-64	2153	19.3	200	4	5	16	26	37	45	73
65+	2053	21.2	224	4	6	18	29	41	50	78
B. Operated										
0-19 YRS	18	36.1	458	6	10	28	53	95	97+	99+
20-34	164	24.3	274	4	6	21	33	48	64	99
35-49	246	25.1	216	6	10	22	33	44	56	98
50-64	222	28.3	266	8	10	26	39	50	58	81
65+	208	29.6	308	7	10	27	39	55	65	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4624	17.2	196	2	3	14	23	35	44	74
B. Operated	29	25.1	356	5	7	20	32	45	54	98
2. MULTIPLE DX										
A. Not Operated	9318	18.6	215	3	4	15	26	38	48	81
B. Operated	858	27.2	273	7	9	24	36	51	60	98
1. SINGLE DX	4653	17.3	197	2	3	14	23	35	44	75
2. MULTIPLE DX	10176	19.5	225	3	4	16	27	40	50	82
A. NOT OPERATED	13942	18.3	209	3	4	15	25	37	47	79
B. OPERATED	887	27.1	275	7	9	24	35	50	60	98
TOTAL 0-19 YRS	747	24.3	463	3	4	19	36	64	85	99+
20-34	3775	16.0	177	2	3	13	22	34	43	76
35-49	3877	17.2	176	3	4	14	23	35	43	65
50-64	3415	19.7	207	3	5	16	27	38	46	73
65+	3015	22.0	241	4	6	19	30	43	52	79
GRAND TOTAL	**14829**	**18.8**	**218**	**3**	**4**	**15**	**26**	**38**	**48**	**81**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	16.5	216	2	4	12	25	37	48	89
20-34	1105	16.0	155	2	4	13	21	31	42	61
35-49	1011	15.2	129	3	4	13	20	31	37	55
50-64	593	17.5	138	3	5	15	23	33	41	58
65+	202	18.6	155	4	5	15	25	36	41	61
B. *Operated*										
0-19 YRS	2	14.0	98	7	7	14	21	21	21	21
20-34	1	15.0		15	15	15	15	15	15	15
35-49	5	14.4	75	2	2	14	22	24	24	24
50-64	5	21.0	229	3	3	17	35	39	39	39
65+	4	39.5	107	25	25	42	46	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	22.9	376	4	5	18	32	48	63	92
20-34	1075	17.8	194	2	4	14	24	36	45	66
35-49	1041	18.1	164	3	5	15	25	35	43	63
50-64	865	20.1	194	4	6	17	27	39	47	77
65+	493	21.5	211	5	7	18	28	40	53	69
B. *Operated*										
0-19 YRS	7	25.1	564	7	7	22	74	99+	99+	99+
20-34	69	25.1	172	8	11	24	34	49	56	99+
35-49	89	26.7	173	8	10	27	33	43	56	65
50-64	77	26.2	217	8	11	23	32	44	59	96
65+	44	36.1	383	10	14	33	46	72	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3106	16.2	148	2	4	14	22	32	40	59
B. *Operated*	17	22.2	208	2	4	21	35	43	47	49
2. MULTIPLE DX										
A. *Not Operated*	3677	19.2	200	3	5	16	25	38	46	70
B. *Operated*	286	27.6	235	8	11	26	36	52	64	99+
1. SINGLE DX	3123	16.3	148	2	4	14	22	32	41	59
2. MULTIPLE DX	3963	19.8	207	3	5	17	27	39	48	77
A. NOT OPERATED	6783	17.8	178	3	4	15	24	35	44	66
B. OPERATED	303	27.3	235	8	11	26	35	51	62	99+
TOTAL 0-19 YRS	407	19.9	309	3	4	15	28	45	61	97
20-34	2250	17.1	176	2	4	14	23	34	44	65
35-49	2146	17.1	154	3	4	14	23	33	41	58
50-64	1540	19.4	177	4	6	17	26	37	45	74
65+	743	21.7	221	5	7	18	29	41	53	76
GRAND TOTAL	**7086**	**18.2**	**184**	**3**	**5**	**15**	**24**	**36**	**45**	**67**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	17.2	290	1	2	13	24	45	53	75
20-34	484	12.8	121	1	2	10	17	29	36	49
35-49	285	12.3	96	1	2	10	16	26	31	47
50-64	242	15.0	172	2	3	12	19	32	45	62
65+	185	12.6	157	1	2	9	15	26	37	65
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	2	16.0	8	14	14	16	18	18	18	18
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	6	7.3	33	2	2	6	9	17	18	18
65+	5	12.2	132	2	2	11	17	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	20.1	460	1	3	14	31	60	85	99+
20-34	539	14.4	160	1	2	11	20	31	38	63
35-49	437	14.9	174	2	3	11	20	31	40	80
50-64	440	12.7	121	2	3	9	17	29	37	50
65+	1063	11.8	89	2	3	9	15	24	30	47
B. *Operated*										
0-19 YRS	3	17.0	553	<1	<1	6	34	44	44	44
20-34	30	24.5	270	6	8	20	31	48	55	75
35-49	25	23.3	401	5	8	16	35	53	95	99+
50-64	54	19.3	242	4	6	13	28	39	50	83
65+	122	17.2	220	3	4	13	23	33	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1314	13.5	147	1	2	10	18	29	37	59
B. *Operated*	18	8.8	59	2	2	7	13	18	26	31
2. MULTIPLE DX										
A. *Not Operated*	2614	13.4	146	2	3	10	18	29	37	63
B. *Operated*	234	19.3	257	3	5	15	25	42	51	94
1. SINGLE DX	1332	13.4	146	1	2	10	18	29	37	59
2. MULTIPLE DX	2848	13.9	158	2	3	10	18	30	38	69
A. NOT OPERATED	3928	13.4	146	2	3	10	18	29	37	61
B. OPERATED	252	18.5	249	3	4	14	24	40	51	94
TOTAL 0-19 YRS	258	18.6	380	1	2	13	26	49	69	99+
20-34	1055	14.0	148	1	2	11	19	31	38	56
35-49	750	14.2	156	2	3	11	19	30	39	64
50-64	742	13.9	149	2	3	10	18	31	39	54
65+	1375	12.4	112	2	3	9	16	25	33	55
GRAND TOTAL	**4180**	**13.7**	**154**	**2**	**3**	**10**	**18**	**30**	**38**	**62**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	94	7.2	130	<1	1	3	6	19	41	52
20-34	408	6.8	76	1	1	4	8	16	21	42
35-49	364	6.1	52	1	1	4	7	15	21	35
50-64	183	6.6	60	<1	1	4	8	15	23	38
65+	123	5.4	26	1	1	4	7	12	15	26
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	8	4.9	8	2	2	4	6	10	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	5.3	6	3	3	5	7	8	8	8
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	8.7	111	1	1	5	10	25	34	54
20-34	943	7.9	82	1	1	5	10	19	24	40
35-49	1031	7.2	59	1	1	4	8	17	23	38
50-64	870	6.8	43	1	2	5	8	14	20	35
65+	815	6.9	46	1	2	5	8	14	19	36
B. Operated										
0-19 YRS	11	20.7	227	5	6	18	31	43	51	52
20-34	44	16.0	200	2	3	12	20	34	42	72
35-49	57	11.4	207	2	3	7	12	23	34	91
50-64	46	14.6	150	2	3	11	22	31	41	50
65+	33	8.3	30	2	3	7	10	18	20	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1172	6.4	65	1	1	4	7	15	21	41
B. Operated	15	5.0	8	2	2	4	7	10	11	11
2. MULTIPLE DX										
A. Not Operated	3829	7.3	61	1	1	5	9	17	23	40
B. Operated	191	13.2	170	2	3	8	16	29	38	64
1. SINGLE DX	1187	6.4	64	1	1	4	7	15	21	41
2. MULTIPLE DX	4020	7.6	68	1	2	5	9	18	24	42
A. NOT OPERATED	5001	7.1	62	1	1	4	8	16	23	40
B. OPERATED	206	12.6	162	2	3	8	17	28	38	61
TOTAL 0-19 YRS	276	8.7	127	1	1	4	9	26	39	55
20-34	1403	7.8	86	1	1	5	9	19	24	42
35-49	1453	7.1	64	1	1	4	8	17	23	38
50-64	1102	7.1	52	1	2	5	8	16	22	38
65+	973	6.7	43	1	2	5	8	13	19	34
GRAND TOTAL	**5207**	**7.3**	**67**	**1**	**1**	**5**	**9**	**17**	**23**	**41**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	357	17.9	269	1	2	12	29	44	55	99+
20-34	1284	10.7	110	1	2	7	15	25	32	47
35-49	963	12.5	99	2	3	10	17	27	32	45
50-64	476	12.9	121	1	2	10	18	28	33	51
65+	279	13.2	114	1	2	10	19	30	38	73
B. Operated										
0-19 YRS	2	32.0	882	11	11	32	53	53	53	53
20-34	6	34.5	624	10	10	26	62	68	69	69
35-49	4	28.8	38	21	21	29	33	36	36	36
50-64	4	29.8	96	21	21	27	37	43	43	43
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	583	22.1	395	2	3	16	34	58	71	99+
20-34	2038	12.3	120	2	2	9	17	27	35	50
35-49	1843	13.0	117	2	3	10	18	28	33	50
50-64	1204	12.7	103	2	3	10	18	27	34	48
65+	1043	11.8	100	2	3	8	16	25	33	44
B. Operated										
0-19 YRS	32	32.1	461	6	6	24	49	56	70	86
20-34	131	19.7	178	4	6	16	27	39	45	56
35-49	152	19.4	145	5	7	16	25	37	44	79
50-64	113	18.0	149	5	5	16	23	31	40	65
65+	82	19.5	173	4	5	17	30	39	44	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3359	12.5	132	1	2	9	17	29	37	54
B. Operated	17	30.1	317	8	10	28	38	60	67	69
2. MULTIPLE DX										
A. Not Operated	6711	13.3	144	2	3	9	18	29	37	61
B. Operated	510	20.0	187	5	6	16	27	39	47	80
1. SINGLE DX	3376	12.6	134	1	2	9	18	29	37	55
2. MULTIPLE DX	7221	13.8	150	2	3	10	19	30	39	62
A. NOT OPERATED	10070	13.1	140	2	3	9	18	29	37	59
B. OPERATED	527	20.3	194	5	6	17	27	40	49	80
TOTAL 0-19 YRS	974	20.9	358	1	3	15	33	50	67	99+
20-34	3459	12.0	123	1	2	8	16	27	35	49
35-49	2962	13.2	115	2	3	10	18	28	34	49
50-64	1797	13.1	113	2	3	10	18	28	34	50
65+	1405	12.6	114	2	3	9	17	28	36	49
GRAND TOTAL	**10597**	**13.4**	**143**	**2**	**3**	**10**	**18**	**30**	**38**	**60**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	15.2	293	1	1	8	26	45	65	99+
20-34	785	10.2	120	1	1	6	13	24	34	56
35-49	323	10.0	139	1	1	6	14	25	32	53
50-64	162	8.8	85	1	1	5	13	23	29	39
65+	77	9.2	93	1	1	6	14	23	31	45
B. *Operated*										
0-19 YRS	4	9.8	75	2	2	7	15	22	22	22
20-34	39	9.3	42	2	3	8	13	17	21	34
35-49	25	7.3	33	1	2	6	9	12	19	29
50-64	29	4.8	8	2	2	5	6	7	8	16
65+	13	5.8	19	3	3	4	6	12	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	561	14.7	311	1	2	8	19	44	62	99+
20-34	1461	11.7	159	1	2	7	15	29	37	69
35-49	829	11.8	141	1	2	8	16	27	35	62
50-64	467	11.0	107	1	2	8	15	24	30	50
65+	308	11.3	104	2	2	8	15	27	34	46
B. *Operated*										
0-19 YRS	22	20.0	452	<1	2	10	40	56	88	99+
20-34	111	18.6	329	1	3	13	24	45	58	97
35-49	81	14.7	179	2	3	10	20	30	39	68
50-64	74	13.6	218	2	3	9	16	36	50	67
65+	44	11.8	112	2	2	8	16	28	35	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1672	10.9	157	1	1	6	15	28	39	76
B. *Operated*	110	7.3	32	2	2	6	9	15	18	31
2. MULTIPLE DX										
A. *Not Operated*	3616	12.0	168	1	2	8	16	29	40	77
B. *Operated*	352	15.7	251	2	3	10	23	39	50	93
1. SINGLE DX	1782	10.7	150	1	1	6	14	28	39	75
2. MULTIPLE DX	3958	12.4	176	1	2	8	16	29	41	79
A. NOT OPERATED	5298	11.7	165	1	2	7	16	29	40	76
B. OPERATED	442	13.6	210	2	3	8	18	32	45	82
TOTAL 0-19 YRS	913	15.0	307	1	2	8	22	44	65	99+
20-34	2396	11.5	155	1	2	7	15	28	37	65
35-49	1258	11.4	143	1	2	7	16	27	34	62
50-64	732	10.5	112	1	2	7	14	24	32	50
65+	442	10.8	101	1	2	7	15	26	33	45
GRAND TOTAL	**5740**	**11.8**	**169**	**1**	**2**	**7**	**16**	**29**	**40**	**77**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	610	18.3	180	<1	1	21	30	34	36	42
20-34	2879	15.3	115	1	2	16	25	28	30	35
35-49	2576	14.9	120	1	2	14	25	29	30	36
50-64	1106	13.9	117	1	2	10	24	28	30	34
65+	268	14.4	126	1	2	11	23	29	32	42
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	18.5	181	9	9	18	28	28	28	28
35-49	3	24.0	103	15	15	22	32	35	35	35
50-64										
65+	3	20.3	200	4	4	28	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1390	23.0	221	1	1	27	35	41	44	52
20-34	5288	15.9	135	1	2	15	27	30	33	39
35-49	5089	13.7	127	2	2	9	24	29	32	40
50-64	3736	13.0	120	2	2	8	22	29	32	41
65+	1359	13.8	125	2	3	10	23	29	34	42
B. *Operated*										
0-19 YRS	26	26.2	214	1	2	29	37	43	46	48
20-34	197	19.1	146	2	3	20	28	35	38	50
35-49	238	20.1	122	4	7	21	28	32	41	49
50-64	232	19.2	163	5	7	16	27	35	42	63
65+	122	19.8	140	5	7	17	28	35	40	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7439	15.2	124	1	2	15	25	29	31	36
B. *Operated*	9	19.0	149	<1	2	22	28	33	35	35
2. MULTIPLE DX										
A. *Not Operated*	16862	15.0	143	1	2	11	25	30	35	43
B. *Operated*	815	19.8	146	3	6	19	28	35	41	53
1. SINGLE DX	7448	15.2	124	1	2	15	25	29	31	36
2. MULTIPLE DX	17677	15.2	144	1	2	12	26	31	35	44
A. NOT OPERATED	24301	15.1	137	1	2	13	25	30	34	42
B. OPERATED	824	19.8	146	3	5	19	28	35	41	53
TOTAL 0-19 YRS	2027	21.6	213	1	1	24	34	39	43	51
20-34	8366	15.8	128	1	2	15	26	30	32	38
35-49	7906	14.3	126	1	2	11	24	29	31	39
50-64	5074	13.5	123	2	2	9	23	29	32	41
65+	1752	14.3	129	2	3	10	23	30	34	43
GRAND TOTAL	**25125**	**15.2**	**138**	**1**	**2**	**13**	**25**	**30**	**34**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	24.8	201	<1	1	25	37	38	42	43
20-34	118	12.5	116	1	1	7	24	28	30	35
35-49	24	15.3	120	1	2	15	23	30	35	35
50-64	6	10.7	50	1	1	10	18	19	19	19
65+	2	19.5	181	10	10	19	29	29	29	29
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	16.1	166	2	2	15	25	36	38	39
20-34	267	14.3	125	1	3	10	24	30	33	43
35-49	75	13.2	98	3	3	9	20	28	30	40
50-64	14	17.4	104	5	7	16	23	32	36	37
65+	6	14.0	77	4	4	13	19	27	28	28
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	26	17.0	314	2	3	13	21	32	46	91
35-49	7	21.3	170	5	6	19	33	37	38	38
50-64	3	19.0	84	9	9	21	25	27	27	27
65+	3	17.0	3	15	15	18	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	14.1	132	1	1	10	24	29	35	38
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	375	14.3	119	2	3	10	22	30	33	42
B. *Operated*	40	18.2	237	2	5	15	25	33	36	91
1. SINGLE DX	166	14.0	132	1	1	10	24	29	35	38
2. MULTIPLE DX	415	14.6	131	2	3	11	23	30	34	43
A. NOT OPERATED	540	14.2	123	1	2	10	24	30	34	42
B. OPERATED	41	17.8	236	3	4	15	24	33	36	91
TOTAL 0-19 YRS	29	21.0	192	1	2	21	36	38	39	43
20-34	412	14.0	134	1	2	10	24	29	32	42
35-49	106	14.2	109	2	3	11	21	30	34	40
50-64	23	15.9	91	3	5	14	22	30	33	37
65+	11	15.8	62	4	5	15	19	28	29	29
GRAND TOTAL	**581**	**14.5**	**131**	**1**	**3**	**11**	**24**	**30**	**35**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	16.4	239	1	1	10	29	38	42	59
20-34	309	15.2	114	1	2	16	24	29	30	37
35-49	81	15.7	122	1	2	17	25	28	29	48
50-64	14	8.5	88	<1	1	4	16	25	27	28
65+	3	21.0	147	7	7	28	28	28	28	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	22.3	280	1	1	24	36	42	45	67
20-34	500	16.8	128	2	3	18	27	31	33	42
35-49	165	15.8	111	2	3	15	25	30	32	37
50-64	60	15.4	145	2	3	13	23	29	34	63
65+	30	14.9	108	3	4	11	21	28	34	46
B. *Operated*										
0-19 YRS	7	45.3	132	30	32	45	46	64	68	68
20-34	19	16.1	96	5	6	13	21	27	37	44
35-49	17	21.7	126	4	5	24	29	36	39	40
50-64	3	34.3	152	24	24	31	44	48	48	48
65+	3	12.0	36	6	6	12	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	582	15.5	153	1	1	14	25	30	37	47
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	1091	18.2	180	1	2	19	28	36	41	52
B. *Operated*	49	23.1	210	5	6	21	30	45	46	68
1. SINGLE DX	583	15.5	153	1	1	14	25	30	37	47
2. MULTIPLE DX	1140	18.5	182	1	2	19	28	36	42	52
A. NOT OPERATED	1673	17.3	172	1	2	17	28	34	39	50
B. OPERATED	50	22.8	208	5	6	21	30	44	46	68
TOTAL 0-19 YRS	518	20.6	280	1	1	21	35	42	45	64
20-34	828	16.2	123	1	3	17	26	30	33	41
35-49	263	16.2	116	2	3	16	26	29	32	41
50-64	78	14.8	152	1	3	11	23	30	34	61
65+	36	15.2	104	3	4	12	21	28	33	46
GRAND TOTAL	**1723**	**17.4**	**174**	**1**	**2**	**17**	**28**	**35**	**40**	**50**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	400	1.8	12	<1	<1	1	2	2	3	26
20-34	263	3.8	58	<1	<1	1	2	5	29	32
35-49	118	4.5	67	<1	<1	1	3	9	30	33
50-64	63	3.7	38	<1	<1	2	3	7	23	29
65+	21	2.1	4	<1	<1	1	3	4	6	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	3.6	52	<1	<1	1	3	8	14	36
20-34	465	4.2	49	<1	<1	2	4	8	20	32
35-49	264	5.7	67	<1	1	3	5	13	29	38
50-64	207	5.4	40	<1	1	4	6	11	21	37
65+	109	5.8	62	1	1	3	6	12	16	47
B. *Operated*										
0-19 YRS	16	5.1	75	<1	1	2	4	15	29	34
20-34	17	2.6	15	<1	<1	1	2	7	13	16
35-49	14	7.6	90	<1	1	4	12	19	31	35
50-64	12	6.3	30	<1	1	5	9	14	18	19
65+	11	11.3	182	1	1	7	14	32	46	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	865	2.9	36	<1	<1	1	2	4	14	31
B. *Operated*	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1381	4.7	53	<1	<1	2	5	10	21	38
B. *Operated*	70	6.2	76	<1	<1	2	7	16	22	45
1. SINGLE DX	867	2.9	36	<1	<1	1	2	4	14	31
2. MULTIPLE DX	1451	4.7	55	<1	<1	2	5	10	21	38
A. NOT OPERATED	2246	4.0	47	<1	<1	2	4	8	20	35
B. OPERATED	72	6.1	74	<1	<1	2	7	16	22	44
TOTAL 0-19 YRS	753	2.7	32	<1	<1	1	2	4	10	31
20-34	746	4.0	51	<1	<1	1	3	8	23	32
35-49	396	5.4	68	<1	<1	2	5	13	30	37
50-64	282	5.1	40	<1	1	3	5	11	21	34
65+	141	5.7	66	<1	1	3	6	12	18	47
GRAND TOTAL	**2318**	**4.1**	**48**	**<1**	**<1**	**2**	**4**	**8**	**20**	**35**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	9.1	110	<1	1	4	15	27	31	39
20-34	163	9.1	98	<1	1	4	14	28	30	35
35-49	27	8.4	68	<1	1	5	11	21	25	30
50-64	6	6.2	22	1	1	6	10	12	12	12
65+	6	8.0	56	1	1	6	12	20	21	21
B. *Operated*										
0-19 YRS										
20-34	3	13.3	184	5	5	6	23	29	29	29
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	14.1	252	1	1	7	21	35	46	73
20-34	452	11.2	114	1	2	6	18	29	31	38
35-49	127	10.1	95	1	1	6	13	28	30	38
50-64	47	10.0	79	2	2	8	12	27	31	33
65+	36	8.1	50	2	3	6	9	15	28	31
B. *Operated*										
0-19 YRS	2	12.0	162	3	3	12	21	21	21	21
20-34	19	20.8	208	2	3	28	31	34	44	53
35-49	8	17.6	129	7	7	15	20	36	43	43
50-64										
65+	2	9.0	18	6	6	9	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	9.0	96	<1	1	4	14	25	30	35
B. *Operated*	3	13.3	184	5	5	6	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	825	11.4	136	1	2	6	16	29	33	48
B. *Operated*	31	18.7	173	3	3	16	29	33	43	53
1. SINGLE DX	296	9.0	96	<1	1	4	14	26	30	35
2. MULTIPLE DX	856	11.7	139	1	2	7	17	30	33	52
A. NOT OPERATED	1118	10.8	126	1	1	6	16	29	31	44
B. OPERATED	34	18.2	171	3	3	15	29	33	41	53
TOTAL 0-19 YRS	256	12.3	205	1	1	6	18	31	39	62
20-34	637	11.0	116	1	1	6	18	29	31	38
35-49	162	10.2	95	1	1	6	16	27	30	40
50-64	53	9.6	74	1	2	8	12	23	31	33
65+	44	8.1	48	2	2	6	10	16	26	31
GRAND TOTAL	**1152**	**11.0**	**129**	**1**	**1**	**6**	**17**	**29**	**31**	**45**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.9	20	1	1	3	5	6	9	25
20-34	113	3.7	6	1	1	3	5	7	9	11
35-49	107	4.1	8	1	1	3	5	8	9	16
50-64	60	4.0	15	1	1	3	5	7	9	25
65+	36	4.3	11	1	1	3	5	10	11	15
B. *Operated*										
0-19 YRS	10	5.0	13	1	1	4	7	11	13	13
20-34	8	7.5	56	1	1	6	7	20	25	25
35-49	9	5.1	22	1	1	3	7	13	16	16
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	5.3	57	1	1	3	5	9	12	51
20-34	258	4.7	12	1	1	4	6	9	11	21
35-49	339	5.7	26	1	1	4	7	11	15	28
50-64	235	5.8	23	1	2	5	7	11	16	27
65+	268	6.1	33	2	2	5	7	10	14	20
B. *Operated*										
0-19 YRS	11	11.3	317	1	1	5	11	35	61	63
20-34	31	8.6	91	1	2	6	10	18	34	44
35-49	34	7.6	57	2	3	5	7	15	31	33
50-64	33	8.5	33	2	2	6	11	18	19	23
65+	28	10.0	48	3	3	8	12	21	26	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	3.9	12	1	1	3	5	7	9	15
B. *Operated*	31	5.6	25	1	1	4	7	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	1263	5.5	28	1	2	4	7	10	13	27
B. *Operated*	137	8.8	76	2	2	6	11	18	25	46
1. SINGLE DX	463	4.0	13	1	1	3	5	8	9	16
2. MULTIPLE DX	1400	5.9	34	1	2	4	7	11	15	32
A. NOT OPERATED	1695	5.1	25	1	1	4	6	9	12	27
B. OPERATED	168	8.2	64	1	2	6	10	17	24	42
TOTAL 0-19 YRS	300	5.0	52	1	1	3	5	8	12	49
20-34	410	4.8	19	1	1	4	6	9	11	24
35-49	489	5.4	25	1	1	4	7	10	15	30
50-64	331	5.7	23	1	1	4	7	11	16	27
65+	333	6.2	33	2	2	5	7	11	15	28
GRAND TOTAL	**1863**	**5.4**	**39**	**1**	**1**	**4**	**6**	**10**	**13**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	807	13.7	221	1	1	8	19	36	45	89
20-34	871	7.6	66	1	1	5	10	17	24	43
35-49	462	7.6	66	1	1	5	11	15	24	43
50-64	132	7.2	58	1	1	4	11	15	23	37
65+	63	9.6	60	2	2	7	15	24	25	28
B. *Operated*										
0-19 YRS	5	18.6	422	2	2	6	34	50	50	50
20-34	3	27.0	63	18	18	30	32	33	33	33
35-49	3	13.0	103	2	2	15	20	22	22	22
50-64	4	10.3	73	3	3	8	16	22	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	940	14.4	258	1	2	8	21	38	50	99+
20-34	1468	9.1	98	1	1	6	12	21	28	46
35-49	907	9.1	88	1	2	6	12	21	29	43
50-64	399	9.5	73	1	2	7	12	21	29	41
65+	303	9.4	90	1	2	6	11	20	28	45
B. *Operated*										
0-19 YRS	39	24.9	582	<1	2	16	36	63	81	88
20-34	59	14.1	161	1	2	11	20	32	36	63
35-49	47	16.3	144	5	5	12	24	40	45	99+
50-64	27	17.0	204	6	8	13	20	34	42	76
65+	14	19.5	505	2	4	12	19	45	78	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2335	9.7	127	1	1	6	13	24	34	58
B. *Operated*	15	16.9	199	2	2	15	27	33	46	50
2. MULTIPLE DX										
A. *Not Operated*	4017	10.4	135	1	2	6	14	25	34	63
B. *Operated*	186	17.8	286	1	3	12	22	39	56	88
1. SINGLE DX	2350	9.8	128	1	1	6	13	24	34	58
2. MULTIPLE DX	4203	10.7	144	1	2	7	14	25	35	66
A. NOT OPERATED	6352	10.2	132	1	1	6	13	24	34	60
B. OPERATED	201	17.7	278	2	3	12	22	39	53	88
TOTAL 0-19 YRS	1791	14.3	251	1	2	9	20	38	49	94
20-34	2401	8.7	89	1	1	5	11	20	28	44
35-49	1419	8.8	85	1	1	6	12	21	28	44
50-64	562	9.3	79	1	2	7	12	20	29	41
65+	380	9.8	102	1	2	7	12	21	28	46
GRAND TOTAL	**6553**	**10.4**	**138**	**1**	**1**	**6**	**14**	**25**	**35**	**63**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1235	19.7	464	1	2	10	32	56	70	99+
20-34	716	9.2	131	1	1	5	12	22	31	74
35-49	440	9.0	106	1	1	5	12	21	28	48
50-64	225	11.5	134	1	2	8	16	25	29	52
65+	144	10.7	105	2	2	7	13	26	35	56
B. *Operated*										
0-19 YRS	19	8.6	226	<1	1	3	6	32	51	54
20-34	23	7.6	92	1	1	3	10	19	28	44
35-49	17	8.8	168	1	2	5	8	15	43	57
50-64	6	10.5	174	2	2	6	8	34	37	37
65+	6	6.8	28	2	2	6	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1719	21.8	485	2	2	15	35	62	84	99+
20-34	1773	11.1	143	1	2	7	15	27	36	71
35-49	1348	10.7	126	2	2	7	14	26	32	54
50-64	909	11.2	128	2	2	7	14	26	35	52
65+	1093	11.4	102	2	3	8	14	24	33	49
B. *Operated*										
0-19 YRS	90	28.9	666	2	2	20	49	71	99	99+
20-34	122	18.7	298	2	3	13	26	43	55	93
35-49	127	17.8	260	3	4	13	23	40	58	91
50-64	114	16.1	158	3	5	13	23	36	44	77
65+	112	17.1	141	3	4	13	25	35	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2760	14.1	300	1	2	7	18	40	57	93
B. *Operated*	71	8.4	141	1	1	5	9	17	44	56
2. MULTIPLE DX										
A. *Not Operated*	6902	13.7	238	2	2	8	18	35	49	90
B. *Operated*	565	19.3	305	3	3	14	28	44	62	99+
1. SINGLE DX	2831	14.0	297	1	2	7	18	40	57	93
2. MULTIPLE DX	7467	14.2	245	2	2	8	19	36	50	98
A. NOT OPERATED	9662	13.8	255	1	2	8	18	36	52	96
B. OPERATED	636	18.1	298	2	3	12	26	44	58	99+
TOTAL 0-19 YRS	3063	21.0	483	2	2	13	35	60	78	99+
20-34	2634	10.9	150	1	2	6	15	26	37	74
35-49	1932	10.7	135	1	2	7	14	25	33	59
50-64	1314	11.7	133	2	2	8	16	27	35	54
65+	1355	11.8	108	2	3	8	15	26	35	52
GRAND TOTAL	**10298**	**14.1**	**259**	**1**	**2**	**8**	**19**	**37**	**52**	**98**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	10.3	131	2	2	5	28	72	99+	99+
20-34	11	12.1	200	1	2	6	21	36	40	40
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	15.0		15	15	15	15	15	15	15
65+										
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34										
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	14.6	278	1	2	8	23	60	60	99+
20-34	106	12.2	85	2	3	10	16	24	30	44
35-49	51	9.6	58	2	2	7	13	19	24	37
50-64	18	11.8	92	1	1	10	18	28	30	30
65+	12	9.5	32	9	3	8	14	16	19	19
B. *Operated*										
0-19 YRS	8	9.6	62	4	4	6	11	23	28	28
20-34	10	6.7	86	<1	<1	2	10	23	25	25
35-49	7	11.7	108	2	2	6	19	27	29	29
50-64	5	37.8	627	2	2	53	55	59	59	59
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	11.2	145	1	2	5	23	35	61	99+
B. *Operated*	3	6.3	16	2	2	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	259	12.2	133	1	2	9	16	27	35	92
B. *Operated*	30	13.8	273	1	1	6	21	41	54	59
1. SINGLE DX	25	10.6	131	1	2	6	15	34	52	99+
2. MULTIPLE DX	289	12.4	147	1	2	9	16	28	36	62
A. NOT OPERATED	281	12.2	134	2	2	9	16	28	35	98
B. OPERATED	33	13.2	253	1	1	6	20	34	54	59
TOTAL 0-19 YRS	90	13.5	243	1	2	7	21	39	60	99+
20-34	127	11.8	95	1	2	10	16	26	32	43
35-49	59	9.8	63	2	2	7	13	21	27	37
50-64	25	17.3	280	1	2	15	22	53	55	59
65+	13	9.5	29	3	3	8	14	17	19	19
GRAND TOTAL	**314**	**12.3**	**145**	**1**	**2**	**8**	**16**	**29**	**37**	**97**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	10.5	28	2	3	11	13	16	18	24
20-34	117	6.9	26	1	2	6	9	12	15	28
35-49	44	9.4	84	2	2	8	11	15	19	60
50-64	29	7.8	30	1	1	7	12	17	18	19
65+	4	8.5	38	3	3	7	13	16	16	16
B. *Operated*										
0-19 YRS	51	13.2	56	3	6	12	15	17	36	39
20-34	34	10.2	107	1	2	7	16	22	23	53
35-49	46	8.9	62	1	1	7	12	22	23	32
50-64	35	9.2	128	1	1	5	15	18	27	60
65+	12	12.7	135	1	2	11	20	28	37	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	540	11.2	34	2	3	11	14	17	19	30
20-34	112	8.0	35	1	2	7	11	16	19	29
35-49	89	11.0	67	2	2	10	14	21	26	80
50-64	95	12.4	100	2	3	11	16	22	30	55
65+	77	16.5	136	3	5	14	20	30	40	64
B. *Operated*										
0-19 YRS	106	20.5	177	8	10	16	26	37	49	68
20-34	45	21.9	348	3	5	15	26	47	54	91
35-49	94	21.2	444	3	5	15	25	54	91	99+
50-64	105	18.1	296	2	3	15	22	42	65	99+
65+	41	25.2	335	4	6	18	39	48	63	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	9.7	33	2	2	10	12	15	18	24
B. *Operated*	178	10.7	88	1	2	10	15	21	25	49
2. MULTIPLE DX										
A. *Not Operated*	913	11.3	56	2	3	11	14	19	23	46
B. *Operated*	391	20.7	310	3	5	15	27	47	63	99+
1. SINGLE DX	904	9.9	44	1	2	10	13	16	20	36
2. MULTIPLE DX	1304	14.1	151	2	3	12	16	26	41	74
A. NOT OPERATED	1639	10.6	46	2	3	11	13	17	21	37
B. OPERATED	569	17.6	262	2	3	13	22	40	52	97
TOTAL 0-19 YRS	1229	11.8	52	2	3	11	14	17	22	41
20-34	308	9.9	110	2	2	7	11	19	27	51
35-49	273	13.9	226	2	2	11	17	29	50	99+
50-64	264	13.7	187	2	2	11	18	30	43	92
65+	134	18.6	213	2	4	15	24	41	48	73
GRAND TOTAL	**2208**	**12.4**	**111**	**2**	**3**	**11**	**15**	**21**	**31**	**63**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	6.3	7	4	4	6	8	9	9	9
35-49	11	5.5	2	3	4	5	7	8	8	8
50-64	86	9.3	50	3	3	8	11	17	[illegible]	36
65+	189	9.3	44	2	3	8	12	16	[illegible]	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	11.0	219	1	1	4	22	28	28	28
50-64	2	11.0	8	9	9	11	13	13	13	13
65+	13	12.9	154	1	2	10	21	32	40	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	8.8	21	4	4	10	13	13	13	13
35-49	30	8.6	47	2	3	7	10	15	22	36
50-64	278	9.6	56	2	3	8	12	16	25	38
65+	1701	11.2	67	3	4	9	14	21	26	42
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	8.8	37	1	1	10	14	15	15	15
50-64	53	17.0	266	4	5	13	19	32	69	99+
65+	230	18.9	183	4	6	16	24	36	51	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	9.1	44	3	3	8	11	16	22	37
B. *Operated*	18	12.4	136	1	2	9	21	29	37	42
2. MULTIPLE DX										
A. *Not Operated*	2015	10.9	66	3	4	9	14	20	26	42
B. *Operated*	289	18.3	197	4	6	15	24	36	51	76
1. SINGLE DX	309	9.3	50	2	3	8	11	17	24	36
2. MULTIPLE DX	2304	11.8	88	3	4	10	15	23	29	51
A. NOT OPERATED	2306	10.7	63	3	4	9	13	20	25	41
B. OPERATED	307	18.0	195	4	5	14	23	35	49	76
TOTAL 0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	9	7.7	15	4	4	8	11	13	13	13
35-49	50	8.1	43	2	2	7	9	15	22	36
50-64	419	10.5	86	2	3	8	13	20	29	46
65+	2133	11.8	84	3	4	10	15	23	29	51
GRAND TOTAL	**2613**	**11.5**	**84**	**3**	**4**	**9**	**14**	**22**	**29**	**49**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.9	22	2	2	7	11	15	16	16
20-34	362	8.5	39	1	2	7	11	15	21	30
35-49	465	9.9	57	2	3	9	13	17	23	35
50-64	158	9.0	31	1	2	9	12	17	18	27
65+	20	9.1	12	4	5	9	12	14	15	15
B. *Operated*										
0-19 YRS	4	6.8	43	<1	<1	5	12	15	15	15
20-34	62	9.6	149	2	2	7	12	18	22	83
35-49	62	7.3	34	2	2	5	10	15	21	28
50-64	28	6.9	25	1	1	5	11	16	16	17
65+	3	12.7	46	5	5	15	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	13	2	2	5	8	11	13	13
20-34	332	11.3	85	2	3	10	14	21	29	54
35-49	596	12.4	93	3	4	11	16	22	31	59
50-64	319	13.8	174	3	4	11	16	24	37	82
65+	93	9.6	51	3	4	8	11	18	21	42
B. *Operated*										
0-19 YRS	2	67.0		67	67	67	67	67	67	67
20-34	90	19.6	330	3	5	14	23	45	79	99+
35-49	162	15.8	201	3	4	11	22	33	52	99+
50-64	139	20.0	380	3	4	15	24	55	95	99+
65+	20	22.8	424	4	5	13	28	60	69	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1022	9.2	46	2	2	8	13	16	21	30
B. *Operated*	159	8.2	78	1	2	6	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	1352	12.2	108	2	3	10	15	22	31	63
B. *Operated*	413	18.6	313	3	4	13	24	45	76	99+
1. SINGLE DX	1181	9.1	50	2	2	8	12	16	21	30
2. MULTIPLE DX	1765	13.7	163	2	4	11	16	27	39	90
A. NOT OPERATED	2374	10.9	83	2	3	9	14	19	27	49
B. OPERATED	572	15.7	269	2	3	11	20	35	65	99+
TOTAL 0-19 YRS	35	10.3	220	2	2	6	11	16	54	67
20-34	846	10.9	106	2	2	9	14	21	29	75
35-49	1285	11.7	95	2	3	10	15	22	29	63
50-64	644	13.6	192	2	3	11	16	24	44	96
65+	136	11.0	119	4	4	9	14	21	29	67
GRAND TOTAL	**2946**	**11.9**	**123**	**2**	**3**	**10**	**15**	**22**	**31**	**77**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	971	3.8	15	1	1	3	5	7	9	22
20-34	656	3.6	8	1	1	3	4	6	9	15
35-49	278	3.9	10	1	1	3	5	8	10	16
50-64	173	4.5	14	1	1	4	5	9	13	20
65+	103	4.0	8	1	1	3	5	8	11	13
B. *Operated*										
0-19 YRS	25	8.5	30	2	2	8	12	17	18	19
20-34	17	4.9	9	2	2	4	7	10	11	12
35-49	14	5.4	15	1	2	4	6	13	14	14
50-64	9	4.0	6	2	2	3	5	8	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1149	4.9	24	1	1	3	6	10	13	23
20-34	976	5.7	35	1	1	4	7	11	15	30
35-49	803	6.2	34	1	2	5	8	12	15	30
50-64	791	6.8	43	1	2	5	8	13	17	36
65+	1006	8.4	57	2	3	6	11	17	22	39
B. *Operated*										
0-19 YRS	58	10.5	60	2	2	8	16	22	26	31
20-34	95	8.7	37	2	2	8	12	18	21	68
35-49	102	11.0	133	2	3	8	13	20	35	91
50-64	114	13.7	158	2	3	10	17	31	41	61
65+	132	14.6	151	2	4	11	18	30	43	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2181	3.8	12	1	1	3	5	7	9	17
B. *Operated*	68	6.1	20	2	2	4	9	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	4725	6.4	40	1	2	5	8	13	17	31
B. *Operated*	501	12.1	121	2	3	9	16	25	35	60
1. SINGLE DX	2249	3.9	12	1	1	3	5	7	10	17
2. MULTIPLE DX	5226	6.9	50	1	2	5	8	14	19	40
A. NOT OPERATED	6906	5.6	32	1	1	4	7	11	15	28
B. OPERATED	569	11.3	113	2	3	8	14	23	33	57
TOTAL 0-19 YRS	2203	4.6	23	1	1	3	5	9	13	24
20-34	1744	5.0	26	1	1	4	6	10	13	24
35-49	1197	6.1	39	1	1	4	7	12	16	33
50-64	1087	7.1	56	1	2	5	8	14	19	42
65+	1244	8.7	69	2	2	6	11	18	24	43
GRAND TOTAL	**7475**	**6.0**	**41**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	392	4.2	29	1	1	3	4	8	11	30
20-34	425	5.2	20	1	1	4	6	11	14	21
35-49	287	5.8	21	1	2	4	8	11	14	24
50-64	276	7.0	41	1	2	5	9	16	21	32
65+	353	7.6	63	2	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	306	5.6	22	1	2	4	7	12	15	20
20-34	238	6.4	56	1	1	4	8	14	18	30
35-49	238	6.3	24	1	2	4	9	12	17	23
50-64	255	6.7	36	1	2	5	9	15	18	27
65+	175	8.9	67	2	2	5	12	21	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	700	5.1	57	1	1	4	7	12	18	44
20-34	660	7.8	77	1	2	5	9	15	25	54
35-49	726	8.1	73	2	2	5	10	16	21	48
50-64	1146	10.8	118	2	3	8	13	20	30	63
65+	3064	11.7	102	3	3	9	14	24	32	52
B. *Operated*										
0-19 YRS	573	9.6	150	1	2	5	11	24	37	88
20-34	449	11.6	188	1	2	7	14	27	43	99+
35-49	531	12.3	170	2	2	9	15	25	44	84
50-64	778	14.4	196	2	3	10	18	31	47	96
65+	1298	16.7	212	3	4	13	21	34	48	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1733	5.8	36	1	1	4	7	12	16	28
B. *Operated*	1212	6.6	39	1	2	4	9	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	6296	10.1	98	2	2	7	12	21	29	53
B. *Operated*	3629	13.8	196	2	3	10	18	30	46	91
1. SINGLE DX	2945	6.2	37	1	2	4	8	13	17	29
2. MULTIPLE DX	9925	11.5	137	2	3	8	14	24	35	68
A. NOT OPERATED	8029	9.2	88	2	2	6	11	19	26	51
B. OPERATED	4841	12.0	167	2	2	8	15	27	39	82
TOTAL 0-19 YRS	1971	6.7	77	1	1	4	7	14	23	51
20-34	1772	7.9	94	1	2	5	9	16	25	69
35-49	1782	8.7	93	2	2	6	11	17	24	65
50-64	2455	11.1	132	2	2	8	14	23	33	67
65+	4890	12.7	134	2	3	9	16	26	35	61
GRAND TOTAL	**12870**	**10.2**	**119**	**2**	**2**	**7**	**13**	**22**	**31**	**64**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	409	2.8	3	1	1	2	3	5	6	9
20-34	810	3.6	8	1	1	3	4	7	9	15
35-49	537	4.0	12	1	1	3	5	7	10	18
50-64	166	3.6	5	1	1	3	5	7	8	11
65+	34	3.2	2	2	2	3	4	5	6	6
B. *Operated*										
0-19 YRS	26	4.1	7	2	2	3	5	8	10	11
20-34	87	4.6	13	1	2	4	6	9	12	20
35-49	73	4.6	7	2	2	4	6	8	10	13
50-64	23	5.4	10	2	2	4	8	10	12	13
65+	6	6.0	17	2	2	5	5	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	3.6	7	1	1	3	4	7	8	16
20-34	991	4.9	16	1	2	4	6	9	13	19
35-49	938	6.0	24	1	2	5	8	11	15	26
50-64	482	5.8	27	1	2	4	7	10	13	24
65+	192	6.0	14	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	20	6.6	56	1	2	4	7	14	24	33
20-34	119	7.7	29	2	2	7	10	15	18	29
35-49	133	8.1	41	2	2	6	10	16	21	30
50-64	91	7.7	36	2	2	6	11	14	16	35
65+	31	6.4	11	2	2	6	10	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1956	3.5	8	1	1	3	4	7	8	14
B. *Operated*	215	4.7	10	2	2	4	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	2863	5.4	20	1	2	4	7	10	13	21
B. *Operated*	394	7.7	35	2	2	6	10	15	18	29
1. SINGLE DX	2171	3.7	8	1	1	3	5	7	9	14
2. MULTIPLE DX	3257	5.7	23	1	2	4	7	11	14	22
A. NOT OPERATED	4819	4.6	16	1	1	4	6	9	12	19
B. OPERATED	609	6.6	28	2	2	5	9	13	16	25
TOTAL 0-19 YRS	715	3.2	7	1	1	3	4	6	8	14
20-34	2007	4.5	15	1	1	4	6	9	12	19
35-49	1681	5.5	22	1	2	4	7	10	14	25
50-64	762	5.5	24	1	2	4	7	10	13	21
65+	263	5.7	13	2	2	5	7	11	12	18
GRAND TOTAL	**5428**	**4.9**	**18**	**1**	**1**	**4**	**6**	**10**	**12**	**21**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	3.6	4	<1	1	4	5	7	7	7
35-49	29	4.1	6	1	1	4	6	8	8	10
50-64	19	3.4	9	<1	1	3	5	8	11	11
65+	6	4.7	7	2	2	4	7	8	9	8
B. *Operated*										
0-19 YRS	36	2.4	4	<1	<1	2	3	4	7	11
20-34	688	2.1	3	<1	1	2	2	3	4	8
35-49	1138	2.2	2	<1	1	2	2	3	4	8
50-64	1067	2.3	3	1	1	2	3	4	4	9
65+	663	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	13	2	2	4	8	10	10	10
20-34	28	3.9	5	1	1	4	5	6	7	12
35-49	63	4.7	11	<1	1	4	7	9	11	18
50-64	78	5.6	20	<1	1	4	9	12	15	20
65+	62	5.2	12	1	2	4	7	10	13	15
B. *Operated*										
0-19 YRS	19	2.4	3	1	1	2	3	4	7	9
20-34	265	3.1	8	1	1	2	4	6	8	17
35-49	693	3.5	11	1	1	2	4	7	10	18
50-64	1066	3.8	15	1	1	2	4	8	10	22
65+	844	4.2	20	1	1	3	5	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.8	6	1	1	3	5	8	9	11
B. *Operated*	3592	2.2	3	1	1	2	3	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	235	5.0	14	<1	1	4	7	10	12	18
B. *Operated*	2887	3.8	15	1	1	2	4	8	11	21
1. SINGLE DX	3658	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	3122	3.9	15	1	1	3	4	8	11	20
A. NOT OPERATED	301	4.8	12	<1	1	4	6	10	12	17
B. OPERATED	6479	2.9	9	1	1	2	3	5	8	16
TOTAL 0-19 YRS	60	2.6	5	<1	1	2	3	4	8	11
20-34	992	2.4	5	1	1	2	3	4	6	12
35-49	1923	2.8	6	1	1	2	3	5	8	13
50-64	2230	3.1	10	1	1	2	3	6	9	17
65+	1575	3.5	13	1	1	2	4	7	10	20
GRAND TOTAL	**6780**	**3.0**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	5.6	25	1	2	4	7	11	15	27
20-34	299	6.1	47	1	1	4	7	12	18	35
35-49	332	5.6	26	1	1	4	7	11	15	31
50-64	303	6.1	37	1	1	4	8	12	17	35
65+	235	7.4	48	1	2	5	10	14	22	34
B. *Operated*										
0-19 YRS	149	3.6	10	1	1	3	4	7	9	21
20-34	793	3.9	9	1	1	3	5	7	9	15
35-49	955	4.2	17	1	1	3	5	8	11	19
50-64	898	3.9	15	1	1	3	4	8	10	20
65+	389	4.8	28	1	2	3	5	10	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	8.2	111	1	2	5	9	21	25	62
20-34	341	7.9	86	1	2	5	9	16	24	56
35-49	693	7.3	40	2	2	6	9	13	18	31
50-64	1061	7.9	52	2	2	6	10	15	19	43
65+	1272	8.9	65	2	3	7	11	17	21	49
B. *Operated*										
0-19 YRS	103	6.9	103	1	2	4	7	13	34	78
20-34	510	6.1	47	1	2	4	7	13	18	50
35-49	852	7.1	60	1	2	5	9	15	21	42
50-64	1105	7.6	73	2	2	5	9	16	24	55
65+	763	11.1	147	2	2	7	14	25	38	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1313	6.2	37	1	2	4	8	12	17	32
B. *Operated*	3184	4.1	15	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	3469	8.1	60	2	2	6	10	15	20	46
B. *Operated*	3333	8.0	87	2	2	5	10	17	26	60
1. SINGLE DX	4497	4.7	23	1	1	3	6	9	13	26
2. MULTIPLE DX	6802	8.1	73	2	2	6	10	16	23	54
A. NOT OPERATED	4782	7.6	54	1	2	6	9	15	20	40
B. OPERATED	6517	6.1	56	1	2	4	7	13	19	43
TOTAL 0-19 YRS	498	5.8	57	1	1	3	6	11	20	46
20-34	1943	5.5	40	1	2	4	6	11	16	35
35-49	2832	6.0	38	1	2	4	8	12	16	29
50-64	3367	6.5	50	1	2	4	8	14	18	42
65+	2659	8.8	85	2	2	6	11	18	25	56
GRAND TOTAL	**11299**	**6.7**	**56**	**1**	**2**	**4**	**8**	**14**	**19**	**42**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	16	1	1	1	4	10	10	10
20-34	5	5.0	29	<1	<1	2	9	13	13	13
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	5	4.6	23	1	1	2	8	12	12	12
B. *Operated*										
0-19 YRS	102	5.6	30	1	2	4	7	10	13	36
20-34	165	5.1	16	1	2	4	6	9	11	22
35-49	163	4.7	9	2	2	4	6	8	10	12
50-64	507	4.2	6	1	2	4	5	7	8	15
65+	501	4.5	6	2	2	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.6	7	2	2	2	4	8	9	9
35-49	8	3.4	9	1	1	2	6	8	8	8
50-64	12	3.3	13	<1	<1	3	5	8	13	14
65+	13	5.7	43	<1	1	3	7	16	22	23
B. *Operated*										
0-19 YRS	68	6.6	66	2	2	4	7	12	16	51
20-34	136	5.3	19	1	2	4	7	9	11	29
35-49	141	5.8	34	1	2	4	6	11	21	29
50-64	521	5.2	14	2	2	4	6	9	12	21
65+	718	5.2	12	2	2	4	7	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.5	15	<1	<1	2	4	11	12	13
B. *Operated*	1438	4.5	9	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	41	4.2	20	<1	1	3	5	10	14	23
B. *Operated*	1584	5.3	17	2	2	4	6	9	12	23
1. SINGLE DX	1460	4.5	9	1	2	4	6	8	10	15
2. MULTIPLE DX	1625	5.3	17	2	2	4	6	9	12	23
A. NOT OPERATED	63	4.0	18	<1	1	2	5	10	13	22
B. OPERATED	3022	5.0	14	2	2	4	6	8	11	20
TOTAL 0-19 YRS	176	5.9	44	2	2	4	7	10	14	38
20-34	313	5.2	17	1	2	4	6	9	11	24
35-49	316	5.1	21	1	2	4	6	9	12	27
50-64	1043	4.7	10	1	2	4	6	8	10	17
65+	1237	4.9	10	2	2	4	6	8	10	17
GRAND TOTAL	**3085**	**4.9**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	6	1.0		<1	<1	1	1	1	1	1
50-64	19	2.3	3	<1	1	1	3	5	7	7
65+	41	2.2	3	1	1	2	2	3	4	11
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	15	2.9	2	1	1	3	4	5	5	5
35-49	51	3.0	6	1	1	2	4	6	7	17
50-64	114	3.1	5	1	1	3	4	6	6	12
65+	247	3.3	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	25	2.7	3	1	1	2	3	4	7	9
65+	56	4.1	15	1	1	3	5	9	14	17
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	11	3.9	10	1	1	3	5	8	12	12
35-49	31	4.3	15	1	1	4	5	7	16	18
50-64	95	3.8	9	1	2	3	4	6	11	16
65+	333	4.9	24	1	2	4	6	9	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.1	3	1	1	2	2	4	6	10
B. *Operated*	430	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	87	3.6	11	1	1	3	4	7	11	17
B. *Operated*	476	4.6	20	1	2	3	6	9	12	20
1. SINGLE DX	500	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX	563	4.5	19	1	2	3	5	9	11	18
A. NOT OPERATED	157	3.0	8	1	1	2	3	6	8	16
B. OPERATED	906	3.9	13	1	2	3	5	7	10	17
TOTAL 0-19 YRS	12	2.2	2	1	1	2	3	5	6	6
20-34	29	3.4	5	1	1	3	4	6	7	12
35-49	92	3.3	9	1	1	2	4	6	7	18
50-64	253	3.3	6	1	1	3	4	6	8	15
65+	677	4.1	16	1	1	3	5	8	10	18
GRAND TOTAL	**1063**	**3.8**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	10	2.4	2	<1	<1	2	3	5	6	6
65+	15	2.7	2	1	1	3	4	4	5	5
B. *Operated*										
0-19 YRS	9	2.6	2	1	1	2	3	5	5	5
20-34	26	3.0	4	1	1	3	3	5	7	11
35-49	34	2.8	2	1	2	2	4	5	5	5
50-64	76	3.1	4	1	2	3	4	5	7	13
65+	165	3.2	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	12	1	1	6	8	9	9	9
20-34	7	3.1	8	1	1	2	4	8	9	9
35-49	10	4.0	15	<1	<1	3	4	10	14	14
50-64	19	4.3	11	1	1	3	6	10	12	12
65+	43	4.7	22	1	1	3	6	9	16	22
B. *Operated*										
0-19 YRS	17	3.3	5	<1	1	3	4	5	9	11
20-34	23	5.6	21	1	2	5	7	12	15	20
35-49	33	3.6	6	1	1	3	5	7	9	11
50-64	89	4.4	9	1	2	4	6	8	11	15
65+	220	4.9	29	1	2	3	6	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.5	2	<1	1	2	3	4	5	6
B. *Operated*	310	3.1	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	83	4.4	17	1	1	3	6	9	14	20
B. *Operated*	382	4.7	21	1	2	3	5	9	13	26
1. SINGLE DX	342	3.0	3	1	1	3	4	5	6	11
2. MULTIPLE DX	465	4.6	20	1	1	3	6	9	13	25
A. NOT OPERATED	115	3.9	13	1	1	3	5	8	12	18
B. OPERATED	692	4.0	14	1	2	3	4	7	11	21
TOTAL 0-19 YRS	31	3.3	5	<1	1	3	4	6	9	11
20-34	57	4.1	13	1	1	3	5	9	12	20
35-49	82	3.2	5	1	1	3	4	6	7	13
50-64	194	3.8	7	1	1	3	4	7	9	14
65+	443	4.2	19	1	1	3	5	8	11	25
GRAND TOTAL	**807**	**4.0**	**14**	**1**	**1**	**3**	**5**	**7**	**11**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	1.3		<1	<1	1	2	2	2	2
50-64	11	1.5		<1	<1	1	2	3	3	3
65+	80	1.9	3	<1	<1	2	2	3	4	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	800	2.2	1	1	1	2	2	3	3	6
50-64	5235	2.2	1	1	1	2	3	3	4	5
65+	22064	2.3	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	17	1.6	1	<1	<1	1	2	3	4	4
50-64	134	2.3	4	<1	<1	1	3	5	7	11
65+	600	2.6	8	<1	<1	2	3	6	9	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	519	2.7	2	1	2	2	3	4	6	10
50-64	4329	2.8	4	1	2	2	3	4	6	11
65+	21743	2.9	6	2	2	2	3	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	1.8	3	<1	<1	2	2	3	3	11
B. *Operated*	28099	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	751	2.5	7	<1	<1	2	3	6	9	13
B. *Operated*	26591	2.9	5	1	2	2	3	4	6	12
1. SINGLE DX	28196	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	27342	2.9	5	1	2	2	3	4	6	12
A. NOT OPERATED	848	2.5	7	<1	<1	2	3	5	8	13
B. OPERATED	54690	2.6	3	1	2	2	3	4	5	10
TOTAL 0-19 YRS										
20-34										
35-49	1342	2.4	2	1	1	2	3	3	4	7
50-64	9709	2.5	2	1	1	2	3	3	4	9
65+	44487	2.6	3	1	2	2	3	4	5	10
GRAND TOTAL	**55538**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	103	2.1	1	1	1	2	2	3	4	5
20-34	53	2.2	1	1	1	2	2	3	5	8
35-49	128	2.1	1	1	1	2	2	3	3	5
50-64	269	2.2	1	1	2	2	2	3	3	5
65+	181	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	6	3.5	10	1	1	2	7	8	8	8
65+	6	5.3	23	1	1	4	8	12	13	13
B. Operated										
0-19 YRS	53	3.5	12	1	1	2	4	6	8	24
20-34	63	2.7	2	1	1	2	3	4	5	8
35-49	98	3.0	11	1	1	2	3	5	6	23
50-64	220	2.8	5	1	1	2	3	4	5	11
65+	235	3.2	10	2	2	3	3	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	1	<1	<1	1	3	3	3	3
B. Operated	734	2.2	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	25	2.9	10	<1	<1	2	3	6	9	13
B. Operated	669	3.0	9	1	2	2	3	5	6	16
1. SINGLE DX	740	2.2	1	1	1	2	2	3	4	5
2. MULTIPLE DX	694	3.0	8	1	1	2	3	5	7	14
A. NOT OPERATED	31	2.7	8	<1	<1	2	3	7	8	13
B. OPERATED	1403	2.6	4	1	1	2	3	4	5	9
TOTAL 0-19 YRS	166	2.5	5	1	1	2	3	4	5	11
20-34	120	2.4	2	1	1	2	3	4	5	8
35-49	229	2.5	5	1	1	2	3	3	5	11
50-64	496	2.5	3	1	2	2	3	3	4	9
65+	423	2.8	6	1	2	2	3	4	6	12
GRAND TOTAL	1434	2.6	4	1	1	2	3	4	5	9

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.4	5	<1	<1	2	3	7	8	9
20-34	12	3.4	3	1	1	4	5	6	6	6
35-49	14	2.5	3	1	1	2	3	4	6	7
50-64	12	3.1	6	1	1	3	3	6	9	10
65+	7	3.7	19	<1	<1	2	4	11	13	13
B. Operated										
0-19 YRS	2142	1.5		<1	<1	1	2	2	2	3
20-34	331	1.8		1	1	2	2	2	3	4
35-49	164	1.9	1	<1	1	2	2	3	3	6
50-64	92	1.9		1	1	2	2	3	3	4
65+	50	2.5	4	1	1	2	2	4	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	1.7	5	<1	<1	1	1	3	6	15
20-34	17	4.6	26	1	1	2	6	12	17	19
35-49	20	3.7	8	1	1	3	6	6	6	6
50-64	56	5.4	19	1	1	4	7	11	14	22
65+	89	6.3	25	1	2	5	8	13	17	28
B. Operated										
0-19 YRS	433	1.7	1	1	1	2	2	2	3	5
20-34	113	2.2	2	1	1	2	2	3	3	11
35-49	93	2.6	4	1	1	2	2	4	7	13
50-64	108	4.8	51	1	1	2	5	11	16	42
65+	81	5.2	39	1	2	2	5	13	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	2.8	5	<1	<1	2	3	6	8	12
B. Operated	2779	1.6		<1	<1	2	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	274	4.3	20	<1	<1	3	5	10	13	21
B. Operated	828	2.6	13	1	1	2	2	4	7	17
1. SINGLE DX	2860	1.6	1	<1	<1	2	2	2	2	4
2. MULTIPLE DX	1102	3.0	16	<1	1	2	3	6	10	19
A. NOT OPERATED	355	3.9	17	<1	<1	3	5	9	12	19
B. OPERATED	3607	1.8	4	<1	1	2	2	2	3	9
TOTAL 0-19 YRS	2703	1.6	1	<1	<1	1	2	2	2	3
20-34	473	2.0	2	1	1	2	2	3	4	9
35-49	291	2.3	3	1	1	2	2	4	6	11
50-64	268	3.8	27	1	1	2	4	8	12	22
65+	227	5.0	27	1	1	3	6	12	15	30
GRAND TOTAL	3962	2.0	9	<1	1	2	2	3	4	12

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	2.5	5	<1	<1	2	3	5	6	10
20-34	53	3.8	12	<1	1	3	4	8	13	17
35-49	27	4.6	12	<1	1	4	6	9	12	15
50-64	35	4.4	19	<1	<1	4	5	10	14	22
65+	53	5.3	15	1	1	4	8	10	13	18
B. *Operated*										
0-19 YRS	231	1.9	3	<1	<1	2	2	3	5	10
20-34	278	2.6	2	1	1	2	3	4	5	8
35-49	295	2.4	2	1	1	2	3	4	5	8
50-64	420	2.2	2	<1	1	2	3	4	4	7
65+	748	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	3.5	4	1	1	3	4	6	8	10
20-34	55	4.4	11	<1	1	3	7	9	12	15
35-49	63	5.4	15	1	1	4	8	10	13	20
50-64	86	5.6	20	1	1	4	8	12	14	22
65+	187	7.3	43	1	1	5	10	15	21	31
B. *Operated*										
0-19 YRS	118	2.9	6	1	1	2	4	6	8	14
20-34	144	3.3	6	1	1	3	4	6	8	12
35-49	274	3.4	13	1	1	2	4	5	8	23
50-64	620	3.3	10	1	1	2	4	6	8	17
65+	1240	4.1	19	1	1	3	4	7	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	412	3.3	10	<1	<1	2	4	7	9	17
B. *Operated*	1972	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	633	5.2	22	1	1	4	6	11	14	25
B. *Operated*	2396	3.7	15	1	1	3	4	7	9	21
1. SINGLE DX	2384	2.6	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	3029	4.0	17	1	1	3	4	8	11	22
A. NOT OPERATED	1045	4.4	18	<1	1	3	6	9	13	21
B. OPERATED	4368	3.1	10	1	1	2	4	5	8	16
TOTAL 0-19 YRS	835	2.7	5	<1	<1	2	3	5	6	11
20-34	530	3.1	5	1	1	2	4	6	8	12
35-49	659	3.2	9	1	1	2	4	6	8	15
50-64	1161	3.1	9	1	1	2	4	5	8	16
65+	2228	3.9	17	1	1	3	4	8	11	22
GRAND TOTAL	**5413**	**3.4**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	426	4.0	6	1	2	4	5	7	8	11
20-34	115	3.8	7	1	1	3	5	8	10	12
35-49	66	4.0	7	1	1	3	5	8	9	12
50-64	58	4.1	6	1	2	3	5	8	9	12
65+	85	4.5	12	1	2	4	5	9	10	20
B. *Operated*										
0-19 YRS	81	3.8	12	<1	1	3	5	7	9	21
20-34	82	3.6	8	1	1	3	4	8	9	15
35-49	141	3.2	7	1	1	2	4	6	8	14
50-64	409	2.4	3	1	1	2	3	4	5	10
65+	1014	2.5	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	414	4.5	7	2	2	4	6	8	10	14
20-34	141	4.8	14	1	1	4	6	9	11	19
35-49	119	5.8	24	1	2	4	7	10	13	30
50-64	205	5.7	26	1	1	4	7	11	15	23
65+	333	5.6	15	1	1	5	8	11	13	17
B. *Operated*										
0-19 YRS	87	6.3	41	1	2	4	7	13	19	36
20-34	154	4.9	21	1	2	4	5	9	15	27
35-49	194	4.8	15	2	2	4	6	10	12	21
50-64	599	4.6	27	1	2	3	5	9	13	30
65+	1502	4.3	23	1	2	3	5	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	750	4.0	7	1	2	3	5	7	9	12
B. *Operated*	1727	2.6	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	1212	5.2	15	1	2	4	7	10	12	20
B. *Operated*	2536	4.5	24	1	2	3	5	9	13	26
1. SINGLE DX	2477	3.1	5	1	1	2	4	5	7	11
2. MULTIPLE DX	3748	4.7	21	1	2	3	6	10	13	24
A. NOT OPERATED	1962	4.7	12	1	2	4	6	9	11	17
B. OPERATED	4263	3.8	17	1	2	2	4	7	11	21
TOTAL 0-19 YRS	1008	4.4	10	1	2	4	5	8	10	15
20-34	492	4.4	14	1	1	3	5	9	10	18
35-49	520	4.5	15	1	2	3	6	9	11	21
50-64	1271	4.1	19	1	1	3	5	8	11	22
65+	2934	3.8	16	1	1	2	4	8	11	19
GRAND TOTAL	**6225**	**4.1**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.5	2	<1	<1	2	3	4	5	6
20-34	22	2.5	2	<1	1	2	3	4	5	7
35-49	22	4.5	11	1	1	4	6	8	11	16
50-64	20	3.4	9	1	1	3	4	8	11	12
65+	9	4.0	5	1	1	4	6	7	8	8
B. Operated										
0-19 YRS	20	1.6		<1	<1	1	2	2	3	3
20-34	12	3.3	6	1	1	2	4	6	9	10
35-49	15	3.2	6	1	1	2	4	5	10	11
50-64	27	3.3	3	1	2	3	4	6	7	8
65+	22	3.4	5	1	1	3	4	3	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.8	11	<1	1	3	5	7	11	17
20-34	51	4.5	15	1	1	3	5	9	10	25
35-49	64	4.3	7	1	2	4	5	7	9	15
50-64	80	4.6	13	2	2	4	5	8	10	24
65+	128	5.7	17	1	2	5	7	11	13	19
B. Operated										
0-19 YRS	25	3.6	15	1	1	2	4	9	12	19
20-34	48	3.5	11	1	1	3	4	6	8	23
35-49	59	5.5	26	2	2	4	6	10	16	31
50-64	80	6.9	117	1	2	4	7	13	21	72
65+	96	5.1	18	1	2	4	6	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	3.2	6	<1	1	2	4	6	8	14
B. Operated	96	2.9	4	1	1	2	4	5	8	11
2. MULTIPLE DX										
A. Not Operated	360	4.8	14	1	2	4	6	9	12	17
B. Operated	308	5.3	45	1	2	4	6	10	14	30
1. SINGLE DX	195	3.1	5	1	1	2	4	6	8	12
2. MULTIPLE DX	668	5.0	28	1	2	4	6	9	13	26
A. NOT OPERATED	459	4.5	13	1	1	4	6	9	11	16
B. OPERATED	404	4.7	36	1	2	3	5	9	13	27
TOTAL 0-19 YRS	108	3.0	8	<1	1	2	4	5	9	18
20-34	133	3.7	11	1	1	3	4	7	9	23
35-49	160	4.7	15	1	2	4	6	8	11	19
50-64	207	5.2	53	1	2	4	5	9	13	33
65+	255	5.2	16	1	2	4	7	11	13	17
GRAND TOTAL	**863**	**4.6**	**24**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1063	2.8	6	1	1	3	4	5	5	8
20-34	19	3.6	9	<1	1	3	4	7	11	14
35-49	11	5.3	8	1	2	5	7	9	11	11
50-64	8	5.0	7	2	2	5	6	9	10	10
65+	7	4.3	17	<1	<1	3	5	11	13	13
B. Operated										
0-19 YRS	2900	1.3	1	<1	<1	1	1	2	2	4
20-34	405	2.1	1	1	1	2	2	3	3	5
35-49	275	2.1	1	<1	1	2	2	3	3	5
50-64	329	2.2	1	1	1	2	2	3	3	5
65+	133	2.2	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3910	3.4	4	1	1	3	4	6	7	10
20-34	124	4.3	6	1	1	4	6	8	9	11
35-49	78	5.3	11	1	1	5	7	10	12	14
50-64	80	5.4	11	1	2	5	7	10	12	15
65+	77	6.7	21	2	2	6	8	11	15	24
B. Operated										
0-19 YRS	3499	1.7	2	<1	<1	1	2	3	4	9
20-34	568	2.5	4	1	1	2	3	4	5	12
35-49	442	2.7	9	1	1	2	3	4	6	14
50-64	479	2.8	7	1	1	2	3	4	6	15
65+	230	3.4	9	1	1	2	3	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1108	2.9	6	1	1	3	4	5	6	9
B. Operated	4042	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	4269	3.6	5	1	1	3	4	6	8	11
B. Operated	5218	2.1	4	<1	<1	2	2	3	5	11
1. SINGLE DX	5150	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	9487	2.7	5	<1	1	2	3	5	7	11
A. NOT OPERATED	5377	3.4	6	1	1	3	4	6	8	11
B. OPERATED	9260	1.8	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	11372	2.3	4	<1	<1	2	3	4	6	9
20-34	1116	2.6	4	1	1	2	3	4	6	11
35-49	806	2.8	7	1	1	2	3	5	7	13
50-64	896	2.8	6	1	1	2	3	5	7	13
65+	447	3.6	11	1	1	2	4	8	10	17
GRAND TOTAL	**14637**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	3.3	7	1	1	3	4	6	8	11
20-34	61	3.5	4	<1	1	3	4	6	8	10
35-49	31	3.8	5	2	2	4	4	6	7	14
50-64	19	5.4	17	1	1	4	7	12	14	16
65+	10	6.3	15	2	2	6	7	12	15	15
B. *Operated*										
0-19 YRS	286	1.9	4	<1	<1	1	2	3	7	11
20-34	66	2.6	3	<1	1	2	3	5	6	8
35-49	54	3.2	19	1	1	2	3	4	8	31
50-64	40	3.5	11	1	1	2	4	7	11	17
65+	30	3.1	8	1	1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	449	3.8	8	1	1	3	4	6	8	14
20-34	113	4.8	8	2	2	4	6	8	11	14
35-49	81	5.8	10	2	2	5	7	10	12	16
50-64	71	7.4	42	1	2	6	8	15	18	40
65+	86	10.7	81	3	3	7	14	25	31	43
B. *Operated*										
0-19 YRS	489	2.3	6	<1	1	2	2	4	6	16
20-34	103	3.9	28	1	1	2	4	8	11	33
35-49	88	4.1	66	1	1	2	3	6	10	53
50-64	101	5.9	81	1	1	3	5	13	24	55
65+	72	9.3	164	1	1	4	8	31	41	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	3.6	7	1	1	3	4	7	9	15
B. *Operated*	476	2.3	7	<1	<1	2	2	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	800	5.2	24	1	2	4	6	9	13	29
B. *Operated*	853	3.7	41	1	1	2	3	6	12	36
1. SINGLE DX	756	2.8	7	<1	1	2	3	6	8	14
2. MULTIPLE DX	1653	4.4	33	1	1	3	5	8	13	31
A. NOT OPERATED	1080	4.8	20	1	2	4	5	8	12	26
B. OPERATED	1329	3.2	29	<1	1	2	3	6	9	30
TOTAL 0-19 YRS	1383	2.8	7	<1	1	2	3	5	7	14
20-34	343	3.9	13	1	1	3	5	7	9	18
35-49	254	4.4	31	1	2	3	5	8	11	25
50-64	231	5.9	53	1	1	4	7	13	17	46
65+	198	8.8	103	1	2	5	10	25	32	46
GRAND TOTAL	**2409**	**3.9**	**26**	**1**	**1**	**3**	**4**	**7**	**11**	**28**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.9	3	1	1	3	4	6	6	7
20-34	213	3.5	5	1	1	3	4	6	8	11
35-49	359	3.7	6	1	1	3	5	7	8	12
50-64	446	3.5	6	1	1	3	5	7	8	13
65+	462	3.9	7	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	9	3.9	11	1	1	3	5	10	10	10
20-34	70	2.9	4	1	1	3	3	5	7	10
35-49	92	4.1	10	1	1	3	5	8	11	16
50-64	148	4.0	7	2	2	3	5	8	10	13
65+	68	4.7	9	1	2	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.3	3	1	1	3	4	6	7	9
20-34	310	4.6	10	1	2	4	5	8	10	14
35-49	604	4.8	12	1	1	4	6	9	11	16
50-64	1314	4.9	11	1	2	4	6	9	10	16
65+	2350	5.5	16	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	7	5.3	26	2	2	3	6	14	16	16
20-34	46	5.8	16	1	2	5	8	11	12	21
35-49	72	6.1	27	1	2	4	9	13	15	28
50-64	215	6.9	21	2	2	6	9	14	16	22
65+	249	8.6	36	2	3	7	11	15	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1527	3.7	6	1	1	3	5	7	8	13
B. *Operated*	387	4.0	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	4638	5.1	14	1	2	4	7	9	12	17
B. *Operated*	589	7.4	29	2	2	6	10	14	17	24
1. SINGLE DX	1914	3.7	7	1	1	3	5	7	9	13
2. MULTIPLE DX	5227	5.4	16	1	2	4	7	10	13	19
A. NOT OPERATED	6165	4.8	12	1	2	4	6	9	11	17
B. OPERATED	976	6.1	23	1	2	4	8	13	15	23
TOTAL 0-19 YRS	123	3.3	5	1	1	3	4	6	7	12
20-34	639	4.1	9	1	1	3	5	8	9	13
35-49	1127	4.5	11	1	1	4	6	8	11	16
50-64	2123	4.7	12	1	2	4	6	9	11	17
65+	3129	5.5	17	2	2	4	7	10	13	20
GRAND TOTAL	**7141**	**5.0**	**14**	**1**	**2**	**4**	**6**	**9**	**12**	**18**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	50	2.4	1	1	1	2	3	4	4	5
20-34	324	2.3	1	1	1	2	3	3	4	5
35-49	429	2.4	1	1	1	2	3	3	4	5
50-64	455	2.4	1	1	1	2	3	3	4	5
65+	158	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	6	3.7	5	1	1	4	5	7	7	7
B. *Operated*										
0-19 YRS	10	2.7	2	<1	<1	3	3	4	5	5
20-34	74	2.3	1	1	1	2	3	3	5	7
35-49	107	2.5	1	1	1	2	3	4	4	8
50-64	159	2.7	2	1	1	2	3	4	5	8
65+	61	2.7	2	1	2	2	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.5	1	1	1	1	2	3	3	3
B. *Operated*	1416	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	14	3.2	15	<1	1	1	4	8	13	15
B. *Operated*	411	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	1422	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	425	2.6	2	1	1	2	3	4	5	8
A. NOT OPERATED	20	2.7	11	<1	1	1	3	6	11	15
B. OPERATED	1827	2.4	1	1	1	2	3	3	4	6
TOTAL 0-19 YRS	63	2.4	1	1	1	2	3	4	4	5
20-34	402	2.3	1	1	1	2	3	3	4	6
35-49	539	2.4	1	1	1	2	3	3	4	6
50-64	618	2.4	1	1	1	2	3	3	4	6
65+	225	2.5	1	1	1	2	3	4	4	7
GRAND TOTAL	**1847**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	4	<1	<1	2	3	6	7	8
20-34	32	2.8	2	1	1	3	4	5	5	5
35-49	50	3.9	4	1	1	4	5	7	8	9
50-64	56	3.6	4	1	1	4	4	5	6	16
65+	34	4.0	7	1	1	4	5	7	10	12
B. *Operated*										
0-19 YRS	804	1.8	1	<1	1	2	2	3	3	4
20-34	551	2.0	1	1	1	2	2	3	3	5
35-49	368	2.0	1	1	1	2	2	3	3	6
50-64	346	2.0	1	1	1	2	2	3	3	6
65+	104	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.2	7	<1	<1	3	5	7	9	12
20-34	46	3.4	4	1	1	3	4	7	7	10
35-49	72	5.1	20	1	1	4	7	10	16	20
50-64	86	4.8	12	1	2	4	5	10	13	17
65+	114	6.0	17	1	2	5	8	11	13	22
B. *Operated*										
0-19 YRS	723	2.0	3	<1	1	2	2	3	4	6
20-34	511	2.3	2	1	1	2	3	3	4	9
35-49	392	2.4	3	1	1	2	3	4	5	11
50-64	416	2.7	9	1	1	2	3	4	6	13
65+	202	3.4	13	1	1	2	4	6	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	3.4	4	1	1	3	4	5	7	11
B. *Operated*	2173	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	371	4.8	15	1	1	4	6	10	12	17
B. *Operated*	2244	2.4	5	1	1	2	3	4	5	11
1. SINGLE DX	2378	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX	2615	2.7	7	1	1	2	3	5	7	14
A. NOT OPERATED	576	4.3	11	1	1	4	5	8	11	16
B. OPERATED	4417	2.2	3	1	1	2	2	3	4	9
TOTAL 0-19 YRS	1613	1.9	2	<1	1	2	2	3	4	7
20-34	1140	2.2	2	1	1	2	3	3	4	7
35-49	882	2.6	5	1	1	2	3	4	6	12
50-64	904	2.7	6	1	1	2	3	4	6	13
65+	454	3.8	13	1	1	3	5	8	11	17
GRAND TOTAL	**4993**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	6.4	27	2	2	5	8	12	15	33
20-34	28	6.1	9	2	2	6	8	10	12	13
35-49	9	10.2	170	2	2	6	11	32	43	43
50-64	3	7.7	1	7	7	7	9	9	9	9
65+	3	9.0	28	5	5	7	13	15	15	15
B. *Operated*										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	7	5.0	22	1	1	2	9	12	13	13
50-64	4	5.8	20	2	2	5	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.7	31	2	2	6	11	17	18	26
20-34	24	6.8	12	3	3	6	8	11	13	18
35-49	26	7.6	25	2	3	6	10	14	18	22
50-64	50	7.5	26	2	3	6	10	15	17	27
65+	54	9.8	56	2	2	8	13	17	26	38
B. *Operated*										
0-19 YRS	4	11.0	47	2	2	12	16	18	18	18
20-34	8	20.8	429	2	2	12	38	53	55	55
35-49	18	8.4	62	2	2	5	11	23	26	26
50-64	24	8.3	51	2	2	6	11	19	23	29
65+	23	16.6	133	2	3	16	23	32	41	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	6.8	33	2	2	6	8	12	15	39
B. *Operated*	13	5.3	18	1	1	2	9	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	189	8.1	34	2	3	6	11	15	18	30
B. *Operated*	77	12.2	131	2	2	9	18	28	36	53
1. SINGLE DX	115	6.6	32	2	2	6	8	12	15	38
2. MULTIPLE DX	266	9.3	65	2	2	7	12	19	26	43
A. NOT OPERATED	291	7.6	34	2	3	6	10	14	18	34
B. OPERATED	90	11.2	120	2	2	8	16	26	30	52
TOTAL 0-19 YRS	98	7.1	30	2	2	6	10	14	18	31
20-34	62	8.2	82	2	3	6	9	12	22	54
35-49	60	7.9	56	2	2	5	10	16	24	41
50-64	81	7.6	32	2	2	6	9	15	19	28
65+	80	11.7	85	2	2	9	16	24	31	42
GRAND TOTAL	**381**	**8.5**	**56**	**2**	**2**	**6**	**10**	**17**	**23**	**42**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.9	3	1	1	3	4	5	6	6
20-34	19	6.0	79	1	1	4	5	7	26	42
35-49	27	3.6	3	1	1	3	5	6	7	7
50-64	21	5.6	24	1	2	4	7	10	17	23
65+	24	7.5	25	2	2	5	11	16	17	19
B. *Operated*										
0-19 YRS	9	5.7	22	1	1	2	10	12	12	12
20-34	51	6.9	38	1	2	3	10	15	22	23
35-49	117	7.5	63	1	2	4	11	13	17	44
50-64	119	7.1	46	1	2	3	12	17	21	28
65+	46	7.1	37	2	2	4	13	16	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.2	7	1	1	4	5	6	10	13
20-34	111	5.5	27	1	2	4	7	9	19	29
35-49	205	6.1	31	1	2	5	7	12	14	34
50-64	372	7.8	41	2	3	6	9	14	22	35
65+	541	9.1	53	2	3	7	11	17	23	32
B. *Operated*										
0-19 YRS	19	8.2	60	2	2	6	12	19	26	30
20-34	93	9.3	52	2	2	9	13	16	22	39
35-49	265	10.5	77	2	2	10	14	21	25	40
50-64	571	11.9	110	2	2	10	16	25	30	57
65+	470	14.7	152	2	2	12	20	31	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	5.4	29	1	2	4	6	10	15	32
B. *Operated*	342	7.2	48	2	2	4	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	1248	7.8	44	2	2	6	10	15	21	33
B. *Operated*	1418	12.4	117	2	2	11	17	26	32	56
1. SINGLE DX	442	6.8	44	1	2	4	10	15	19	28
2. MULTIPLE DX	2666	10.2	88	2	2	8	14	22	28	49
A. NOT OPERATED	1348	7.7	44	2	2	6	9	15	20	33
B. OPERATED	1760	11.3	108	2	2	10	16	24	30	55
TOTAL 0-19 YRS	56	5.6	30	1	2	4	7	13	16	29
20-34	274	7.1	43	1	2	5	10	14	21	31
35-49	614	8.2	60	2	2	6	11	17	22	38
50-64	1083	9.9	82	2	2	7	14	21	27	48
65+	1081	11.4	103	2	2	9	15	24	31	54
GRAND TOTAL	**3108**	**9.7**	**83**	**2**	**2**	**7**	**13**	**21**	**27**	**46**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.4	6	1	1	3	3	7	10	12
20-34	222	4.0	5	1	2	4	5	7	9	12
35-49	560	4.5	6	1	2	4	6	8	9	12
50-64	641	4.8	9	1	2	4	6	8	10	16
65+	446	4.9	12	1	2	4	6	9	10	19
B. *Operated*										
0-19 YRS	25	3.3	7	<1	1	2	4	8	9	11
20-34	49	3.4	6	1	1	3	5	8	9	11
35-49	63	4.4	9	1	2	4	6	8	12	14
50-64	89	5.1	16	2	2	4	6	11	15	20
65+	31	5.4	27	1	2	4	7	8	10	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	4.8	17	2	2	4	6	8	12	28
20-34	798	5.2	10	1	2	4	7	9	11	15
35-49	2694	5.9	15	2	2	5	7	10	14	21
50-64	4666	6.4	20	2	2	5	8	11	14	22
65+	5308	7.1	25	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	18	9.0	55	2	3	7	13	17	25	31
20-34	165	7.8	43	1	2	7	11	15	17	23
35-49	418	8.8	38	2	2	7	12	17	21	32
50-64	901	9.3	54	2	2	8	12	17	22	36
65+	833	11.9	81	2	3	10	15	23	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1932	4.6	8	1	2	4	6	8	10	15
B. *Operated*	257	4.5	13	1	1	3	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	13577	6.5	21	2	2	5	8	12	15	24
B. *Operated*	2335	10.0	62	2	2	8	13	19	24	39
1. SINGLE DX	2189	4.6	9	1	2	4	6	8	10	15
2. MULTIPLE DX	15912	7.0	28	2	2	6	9	13	17	27
A. NOT OPERATED	15509	6.3	19	2	2	5	8	11	14	23
B. OPERATED	2592	9.5	60	2	2	8	13	18	23	38
TOTAL 0-19 YRS	217	4.5	18	1	2	3	5	9	12	28
20-34	1234	5.2	15	1	2	4	7	10	12	18
35-49	3735	6.0	17	2	2	5	7	11	14	21
50-64	6297	6.6	25	2	2	5	8	12	15	25
65+	6618	7.6	34	2	3	6	9	14	18	30
GRAND TOTAL	**18101**	**6.7**	**26**	**2**	**2**	**5**	**8**	**13**	**16**	**26**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	5.5	8	2	2	5	7	10	11	12
35-49	67	6.6	12	3	3	5	8	12	13	19
50-64	121	5.9	11	2	2	5	7	10	11	19
65+	173	6.7	16	2	3	6	9	12	16	20
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	14	6.9	51	2	2	3	10	20	24	25
50-64	31	4.0	12	2	2	2	4	8	14	15
65+	13	8.4	140	<1	1	4	11	20	40	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	39	2	2	5	7	18	19	19
20-34	59	8.0	32	2	3	7	10	15	18	31
35-49	458	7.8	25	2	3	7	10	14	18	25
50-64	1564	8.1	27	2	3	7	10	15	18	25
65+	3690	9.7	45	3	4	8	12	18	23	34
B. *Operated*										
0-19 YRS	4	8.3	77	2	2	5	14	21	21	21
20-34	9	6.8	10	3	3	7	8	12	13	13
35-49	101	9.6	63	2	2	8	13	19	22	44
50-64	375	10.6	77	2	2	9	14	23	28	40
65+	535	15.4	144	3	5	13	20	26	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	6.4	13	2	3	6	8	11	14	19
B. *Operated*	59	5.6	50	2	2	3	7	13	17	43
2. MULTIPLE DX										
A. *Not Operated*	5777	9.1	39	3	3	8	11	16	21	32
B. *Operated*	984	13.1	118	2	2	10	17	26	32	59
1. SINGLE DX	437	6.3	18	2	2	5	8	11	14	21
2. MULTIPLE DX	6761	9.7	52	2	3	8	12	18	23	36
A. NOT OPERATED	6155	9.0	38	3	3	7	11	16	21	32
B. OPERATED	1043	12.7	117	2	2	10	16	25	32	57
TOTAL 0-19 YRS	11	7.3	43	2	2	6	7	20	21	21
20-34	85	7.4	26	2	3	6	9	13	17	29
35-49	640	7.9	30	2	3	7	10	14	19	27
50-64	2051	8.3	36	2	3	7	10	15	19	29
65+	4411	10.3	60	3	4	8	13	19	25	39
GRAND TOTAL	**7198**	**9.5**	**51**	**2**	**3**	**8**	**12**	**18**	**23**	**36**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	5	1	1	3	4	7	9	9
20-34	13	3.7	8	<1	1	3	4	9	10	10
35-49	18	5.7	22	1	2	4	9	13	16	18
50-64	34	6.1	18	1	2	5	7	13	15	19
65+	31	7.3	22	2	3	6	10	14	16	21
B. *Operated*										
0-19 YRS	10	5.1	35	1	1	2	6	15	19	19
20-34	29	5.8	50	<1	<1	4	6	13	21	34
35-49	45	9.1	65	2	2	7	14	18	24	36
50-64	63	7.5	62	1	2	4	9	17	20	45
65+	30	9.6	82	2	2	6	14	20	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.7	22	1	1	4	8	11	14	22
20-34	64	5.4	15	2	2	4	8	11	12	19
35-49	107	6.8	31	1	2	5	9	13	16	30
50-64	266	9.2	52	2	3	8	11	18	22	41
65+	607	10.4	55	2	3	8	14	19	25	38
B. *Operated*										
0-19 YRS	29	16.1	237	2	2	14	20	35	45	74
20-34	105	9.8	72	2	3	8	13	21	30	69
35-49	197	12.5	136	2	3	10	16	24	35	56
50-64	349	13.6	164	2	3	10	17	28	39	70
65+	341	15.4	178	2	3	11	21	31	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	5.8	18	1	2	5	8	12	15	20
B. *Operated*	177	7.8	64	1	2	5	11	18	21	42
2. MULTIPLE DX										
A. *Not Operated*	1073	9.3	51	2	3	8	12	18	22	38
B. *Operated*	1021	13.7	158	2	3	10	18	28	41	76
1. SINGLE DX	283	7.1	48	1	2	5	9	16	19	35
2. MULTIPLE DX	2094	11.5	108	2	3	9	15	23	31	57
A. NOT OPERATED	1179	9.0	49	2	2	7	12	17	22	36
B. OPERATED	1198	12.8	149	2	2	10	17	26	37	74
TOTAL 0-19 YRS	78	9.2	126	1	2	5	12	20	29	65
20-34	211	7.5	53	1	2	5	10	15	22	44
35-49	367	10.1	98	2	2	7	13	20	26	50
50-64	712	11.1	113	2	3	8	14	21	29	49
65+	1009	12.0	102	2	3	9	15	24	31	59
GRAND TOTAL	**2377**	**10.9**	**103**	**2**	**2**	**8**	**14**	**22**	**30**	**53**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	10.0	24	3	3	12	13	15	15	15
20-34	57	10.5	25	2	4	10	13	16	20	29
35-49	798	10.5	15	4	6	10	13	15	17	20
50-64	1825	11.3	17	5	7	11	13	16	18	23
65+	1551	12.0	23	5	7	12	14	17	20	25
B. *Operated*										
0-19 YRS	6	5.8	27	1	1	5	10	13	13	13
20-34	24	11.0	49	1	2	11	15	21	24	27
35-49	228	10.3	26	2	2	11	13	16	17	26
50-64	416	11.1	33	2	2	11	14	18	21	27
65+	161	12.6	49	2	2	12	17	22	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	10.8	13	6	7	11	12	14	19	23
20-34	145	10.5	32	4	4	10	13	14	16	26
35-49	2174	11.2	22	4	6	11	13	16	19	27
50-64	7356	12.3	29	5	7	12	14	18	21	31
65+	13194	13.9	49	6	7	13	16	22	26	40
B. *Operated*										
0-19 YRS	5	8.6	8	5	5	8	10	13	13	13
20-34	93	11.3	94	2	2	11	14	19	26	58
35-49	1023	11.5	61	2	2	11	15	20	25	39
50-64	3037	13.6	60	2	2	13	17	24	29	47
65+	2613	18.1	121	3	8	16	22	31	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4236	11.4	19	5	6	11	14	16	19	25
B. *Operated*	835	11.1	35	2	2	11	14	18	22	28
2. MULTIPLE DX										
A. *Not Operated*	22886	13.1	40	5	7	12	15	20	24	37
B. *Operated*	6771	15.0	99	2	2	14	19	26	32	52
1. SINGLE DX	5071	11.3	22	3	6	11	14	16	19	26
2. MULTIPLE DX	29659	13.5	55	4	7	12	16	22	26	41
A. NOT OPERATED	27124	12.8	37	5	7	12	15	19	23	35
B. OPERATED	7606	14.6	94	2	2	13	18	26	32	51
TOTAL 0-19 YRS	35	9.5	18	1	3	10	12	13	15	23
20-34	319	10.8	50	2	3	10	13	16	21	34
35-49	4223	11.1	30	2	4	11	14	17	20	29
50-64	12534	12.4	40	3	6	12	15	19	23	34
65+	17519	14.3	60	5	7	13	17	23	28	43
GRAND TOTAL	**34730**	**13.2**	**50**	**4**	**6**	**12**	**16**	**21**	**25**	**39**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 9th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.0	12	1	1	3	5	10	10	10
20-34	63	3.9	9	1	1	3	5	8	10	17
35-49	510	4.0	8	1	1	3	5	7	9	15
50-64	884	4.1	8	1	1	4	5	7	9	13
65+	697	4.4	8	1	2	4	5	8	10	14
B. Operated										
0-19 YRS										
20-34	19	4.1	1.	1	1	2	6	8	13	17
35-49	196	3.5	10	1	1	2	4	7	11	17
50-64	368	3.3	9	1	1	2	4	7	10	16
65+	141	3.8	19	1	1	2	5	9	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.4	6	<1	1	4	6	8	9	9
20-34	276	5.3	13	1	2	4	7	10	13	17
35-49	2630	5.1	11	1	2	4	7	9	12	17
50-64	7128	5.5	13	2	2	5	7	10	12	19
65+	11167	6.1	17	2	2	5	8	11	13	20
B. Operated										
0-19 YRS	5	3.6	7	2	2	2	5	8	8	8
20-34	81	6.1	34	2	2	4	9	13	14	35
35-49	1537	6.3	38	2	2	4	9	14	17	29
50-64	5032	6.8	42	2	2	4	10	14	18	29
65+	2901	8.9	68	2	2	7	13	18	23	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2159	4.2	8	1	2	3	5	8	9	14
B. Operated	724	3.5	11	1	1	2	4	8	11	16
2. MULTIPLE DX										
A. Not Operated	21221	5.8	15	2	2	5	7	10	13	19
B. Operated	9556	7.3	50	2	2	5	11	16	19	33
1. SINGLE DX	2883	4.0	9	1	1	3	5	8	10	15
2. MULTIPLE DX	30777	6.3	26	2	2	5	8	12	15	25
A. NOT OPERATED	23380	5.6	14	2	2	5	7	10	13	19
B. OPERATED	10280	7.1	48	2	2	4	10	15	19	32
TOTAL 0-19 YRS	30	4.2	7	1	1	3	6	8	9	10
20-34	439	5.2	17	1	2	4	7	10	13	17
35-49	4873	5.3	20	1	2	4	7	11	13	21
50-64	13412	5.8	24	2	2	4	8	12	15	23
65+	14906	6.6	28	2	2	5	8	12	16	26
GRAND TOTAL	**33660**	**6.1**	**25**	**2**	**2**	**5**	**8**	**12**	**15**	**24**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 9th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	20	5.1	5	1	2	5	7	8	9	9
35-49	302	4.6	9	1	2	4	6	8	10	15
50-64	604	5.0	11	1	2	4	6	9	11	16
65+	608	5.5	11	2	2	5	7	10	12	19
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	56	7.2	19	2	2	7	10	13	15	20
50-64	149	8.1	23	2	2	8	11	15	17	20
65+	64	9.2	54	2	2	8	12	19	26	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.9	20	1	1	5	8	13	16	16
20-34	103	6.4	23	1	2	5	8	12	14	28
35-49	1594	6.1	16	2	2	5	8	11	14	20
50-64	4915	6.4	18	2	3	5	8	11	14	22
65+	7876	7.5	26	2	3	6	9	13	16	26
B. Operated										
0-19 YRS	3	13.3	190	3	3	8	24	29	29	29
20-34	32	9.2	28	2	2	9	13	17	18	18
35-49	642	8.9	39	2	2	8	12	16	21	28
50-64	2353	10.0	56	2	2	9	13	19	23	37
65+	1844	12.6	95	2	2	11	16	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1536	5.1	11	1	2	4	7	9	11	17
B. Operated	272	8.1	29	2	2	7	11	15	17	27
2. MULTIPLE DX										
A. Not Operated	14499	7.0	22	2	3	6	9	12	15	25
B. Operated	4874	10.8	71	2	2	10	14	20	25	40
1. SINGLE DX	1808	5.6	15	1	2	5	7	10	13	20
2. MULTIPLE DX	19373	7.9	37	2	3	6	10	15	19	30
A. NOT OPERATED	16035	6.8	21	2	3	6	8	12	15	24
B. OPERATED	5146	10.7	69	2	2	9	14	20	25	40
TOTAL 0-19 YRS	17	6.9	46	1	2	5	8	15	24	29
20-34	157	6.8	23	1	2	5	9	13	16	24
35-49	2594	6.6	23	2	2	5	9	12	16	24
50-64	8021	7.4	31	2	2	6	10	14	18	28
65+	10392	8.3	42	2	3	7	10	15	20	32
GRAND TOTAL	**21181**	**7.7**	**36**	**2**	**2**	**6**	**10**	**14**	**18**	**30**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	25	4.5	10	1	1	4	5	9	11	15
35-49	187	4.5	9	1	1	4	6	9	11	13
50-64	425	4.8	14	1	2	4	6	9	12	20
65+	393	5.6	14	1	2	5	7	10	14	18
B. *Operated*										
0-19 YRS	5	3.6	13	1	1	2	5	10	10	10
20-34	55	4.6	16	1	2	3	7	10	13	16
35-49	1266	5.2	23	1	2	3	9	12	14	19
50-64	3735	5.7	28	1	2	3	9	13	15	21
65+	1417	6.3	38	2	2	3	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.2	59	1	2	5	12	16	27	30
20-34	97	5.5	16	2	2	4	7	10	13	22
35-49	1369	5.8	18	1	2	5	8	11	13	19
50-64	5110	6.5	21	2	2	5	8	12	15	23
65+	10836	8.4	38	2	3	7	10	15	20	33
B. *Operated*										
0-19 YRS	19	5.0	23	1	1	2	7	13	16	17
20-34	167	6.2	42	2	2	3	9	13	18	31
35-49	3276	6.7	41	2	2	4	10	14	17	29
50-64	10896	8.2	59	2	2	6	12	17	21	36
65+	6681	11.3	99	2	2	10	15	23	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1032	5.0	13	1	2	4	7	9	12	18
B. *Operated*	6478	5.7	30	1	2	3	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	17426	7.6	32	2	3	6	10	14	18	28
B. *Operated*	21038	8.9	71	2	2	7	13	18	24	41
1. SINGLE DX	7510	5.6	27	1	2	3	9	12	15	22
2. MULTIPLE DX	38462	8.3	54	2	2	7	11	17	21	37
A. NOT OPERATED	18458	7.5	31	2	2	6	9	14	18	29
B. OPERATED	27514	8.2	63	2	2	6	12	17	22	38
TOTAL 0-19 YRS	37	6.4	37	1	1	4	10	14	16	30
20-34	344	5.6	29	2	2	4	8	12	15	30
35-49	6098	6.1	32	1	2	4	9	13	16	25
50-64	20166	7.2	44	2	2	5	10	15	19	31
65+	19327	9.2	61	2	2	7	12	18	23	39
GRAND TOTAL	**45972**	**7.9**	**51**	**2**	**2**	**6**	**11**	**16**	**20**	**35**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	10.4	60	3	5	9	11	18	31	34
20-34	135	8.7	11	3	5	8	11	13	14	19
35-49	129	10.0	15	4	5	9	12	15	18	22
50-64	172	9.9	16	4	5	10	12	15	18	21
65+	169	11.3	28	3	6	10	14	18	21	28
B. *Operated*										
0-19 YRS	2	13.0		13	13	13	13	13	13	13
20-34	30	12.5	21	7	8	11	15	19	23	25
35-49	31	10.7	22	2	4	11	14	17	19	19
50-64	37	11.6	30	5	6	11	13	15	22	34
65+	27	13.5	49	5	8	12	16	19	32	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	11.2	19	4	8	11	13	16	21	23
20-34	232	10.2	27	3	4	9	13	16	20	26
35-49	449	11.7	43	5	6	10	14	17	21	35
50-64	815	12.1	36	5	6	11	14	19	22	32
65+	1487	13.7	44	6	7	12	16	22	27	38
B. *Operated*										
0-19 YRS	4	13.5	46	7	7	12	18	23	23	23
20-34	75	14.2	57	6	7	13	16	24	30	43
35-49	148	15.3	78	3	6	13	19	27	33	48
50-64	303	16.7	105	7	8	14	19	28	36	58
65+	406	19.1	123	8	9	16	23	34	43	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	10.1	20	3	5	10	12	15	18	24
B. *Operated*	127	12.0	30	5	7	12	14	18	20	34
2. MULTIPLE DX										
A. *Not Operated*	3000	12.7	41	5	6	12	15	20	25	35
B. *Operated*	936	17.3	107	7	8	15	21	31	39	58
1. SINGLE DX	745	10.4	22	4	5	10	12	16	19	26
2. MULTIPLE DX	3936	13.8	61	5	7	12	16	22	28	43
A. NOT OPERATED	3618	12.2	39	5	6	11	15	19	24	33
B. OPERATED	1063	16.7	101	6	8	14	20	29	37	55
TOTAL 0-19 YRS	36	11.3	36	4	6	11	13	16	23	34
20-34	472	10.5	30	3	5	10	13	17	21	31
35-49	757	12.1	47	4	6	11	14	19	24	37
50-64	1327	12.9	54	5	7	11	15	21	26	40
65+	2089	14.5	64	6	7	13	17	24	30	44
GRAND TOTAL	**4681**	**13.2**	**56**	**5**	**6**	**12**	**16**	**21**	**27**	**42**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	16.6	195	3	3	15	30	36	36	36
20-34	11	13.3	119	2	2	12	19	31	35	35
35-49	6	12.3	25	5	5	12	16	19	19	19
50-64	7	20.3	204	2	3	19	30	40	42	42
65+	9	26.7	214	11	12	21	34	51	51	51
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	23.4	274	2	4	22	33	49	54	55
20-34	68	24.2	128	7	10	26	31	41	44	47
35-49	51	23.9	216	2	3	27	35	44	47	50
50-64	48	26.0	195	5	7	29	38	44	47	51
65+	90	26.2	206	4	6	28	35	46	49	63
B. *Operated*										
0-19 YRS	4	35.8	837	1	1	40	59	62	62	62
20-34	50	38.3	167	15	23	38	48	51	59	76
35-49	35	33.1	341	5	10	36	46	53	64	83
50-64	35	36.1	224	13	20	34	45	54	59	80
65+	44	36.8	250	13	19	35	51	57	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	18.0	169	2	3	15	27	35	46	51
B. *Operated*	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	277	25.1	190	4	6	27	34	44	47	55
B. *Operated*	168	36.3	247	10	15	36	47	56	65	96
1. SINGLE DX	41	18.4	172	2	3	16	28	36	46	51
2. MULTIPLE DX	445	29.3	241	4	8	30	41	49	55	76
A. NOT OPERATED	317	24.2	192	3	5	25	33	44	47	55
B. OPERATED	169	36.3	245	10	15	36	47	56	65	96
TOTAL 0-19 YRS	31	23.5	328	1	3	19	34	54	57	62
20-34	129	28.8	207	5	10	28	40	48	50	67
35-49	92	26.6	281	2	4	27	39	47	50	75
50-64	90	29.5	233	5	8	30	41	46	53	72
65+	144	29.5	239	5	10	30	41	53	57	99+
GRAND TOTAL	**486**	**28.4**	**244**	**4**	**8**	**29**	**40**	**49**	**54**	**75**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.8	3	1	1	2	4	6	6	8
20-34	89	2.6	4	<1	1	2	3	6	7	10
35-49	148	2.6	4	<1	1	2	3	5	7	10
50-64	188	2.7	4	1	1	2	3	5	7	8
65+	122	3.8	8	1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49	5	5.4	11	2	2	5	7	11	11	11
50-64	7	4.6	17	2	2	2	7	11	12	12
65+	4	4.5	32	1	1	2	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.0	4	1	1	2	4	6	7	8
20-34	138	4.4	16	1	1	3	6	9	12	23
35-49	273	4.0	8	1	1	3	5	7	9	16
50-64	600	4.6	10	1	1	4	6	8	11	16
65+	965	6.0	21	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	5	10.8	30	6	6	9	16	18	18	18
20-34	9	7.8	17	4	4	7	10	14	16	16
35-49	37	7.2	23	2	2	6	10	15	16	20
50-64	76	8.6	69	2	2	7	10	17	29	42
65+	82	11.7	70	3	4	9	14	26	29	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	2.9	5	1	1	2	4	6	8	11
B. *Operated*	18	4.6	15	1	2	3	5	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	2022	5.1	16	1	2	4	7	10	13	19
B. *Operated*	209	9.6	61	2	2	8	12	20	28	40
1. SINGLE DX	629	3.0	5	1	1	2	4	6	8	11
2. MULTIPLE DX	2231	5.5	22	1	2	4	7	11	14	26
A. NOT OPERATED	2633	4.6	14	1	1	4	6	9	11	18
B. OPERATED	227	9.2	59	2	2	7	11	18	27	40
TOTAL 0-19 YRS	117	3.2	7	1	1	2	4	6	8	16
20-34	236	3.9	13	1	1	3	5	8	10	17
35-49	463	3.8	10	1	1	3	5	8	10	16
50-64	871	4.5	16	1	1	3	6	8	11	20
65+	1173	6.2	25	1	2	5	8	12	15	27
GRAND TOTAL	**2860**	**5.0**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.7	2	<1	<1	2	3	5	6	6
20-34	127	2.3	3	<1	1	2	3	4	5	10
35-49	227	2.5	4	<1	1	2	3	5	6	9
50-64	467	3.2	7	1	1	2	4	6	8	13
65+	468	3.7	8	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS										
20-34	4	4.3	11	1	1	4	7	8	8	8
35-49	13	4.4	8	1	1	4	7	8	8	8
50-64	28	4.2	17	1	2	2	5	9	12	20
65+	30	5.6	10	1	2	5	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.6	13	<1	1	3	7	11	11	13
20-34	174	3.4	6	1	1	3	4	6	9	13
35-49	556	4.3	14	1	1	3	6	9	11	16
50-64	2314	5.3	17	1	1	4	7	10	13	20
65+	6410	7.2	32	2	2	6	9	14	18	29
B. *Operated*										
0-19 YRS	8	6.4	25	2	2	4	9	15	16	16
20-34	16	4.1	8	1	1	4	5	8	11	12
35-49	44	8.0	34	1	2	7	10	16	22	25
50-64	270	9.5	56	2	2	8	12	19	23	33
65+	825	13.1	82	3	4	11	17	25	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1307	3.2	7	1	1	2	4	6	8	13
B. *Operated*	75	4.8	13	1	2	4	8	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	9483	6.5	28	1	2	5	8	13	16	26
B. *Operated*	1163	11.9	77	2	3	10	16	23	28	42
1. SINGLE DX	1382	3.3	7	1	1	2	4	7	8	13
2. MULTIPLE DX	10646	7.1	36	1	2	5	9	14	18	30
A. NOT OPERATED	10790	6.1	27	1	2	5	8	12	16	26
B. OPERATED	1238	11.5	76	2	3	9	15	23	28	41
TOTAL 0-19 YRS	55	4.2	12	<1	1	3	6	11	12	16
20-34	321	3.0	5	1	1	2	4	6	8	12
35-49	840	4.0	13	1	1	3	5	8	10	17
50-64	3079	5.4	21	1	1	4	7	11	14	23
65+	7733	7.6	40	2	2	6	10	15	20	32
GRAND TOTAL	**12028**	**6.7**	**34**	**1**	**2**	**5**	**9**	**13**	**18**	**29**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.7	12	1	1	3	5	8	10	19
20-34	281	3.7	6	1	1	3	5	7	9	13
35-49	401	3.5	7	1	1	3	5	7	9	12
50-64	567	4.1	9	1	1	3	5	8	10	13
65+	626	4.6	10	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	24	5.2	15	1	2	4	7	12	14	14
20-34	40	5.7	18	1	2	4	8	11	13	21
35-49	68	4.4	12	1	2	3	6	10	13	14
50-64	182	5.6	14	2	2	5	8	11	12	19
65+	488	7.2	23	2	3	6	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	231	4.9	32	1	1	3	6	10	16	30
20-34	754	4.4	11	1	1	4	6	8	10	17
35-49	1732	5.2	16	1	2	4	7	9	12	19
50-64	4250	6.3	24	2	2	5	8	11	14	25
65+	9176	7.5	33	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	46	8.1	117	2	2	5	10	14	32	65
20-34	108	8.9	147	1	2	6	9	15	30	78
35-49	342	9.7	89	2	2	7	12	19	26	49
50-64	1311	10.3	88	2	2	8	13	20	28	52
65+	4895	11.8	74	3	4	10	15	21	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2002	4.1	9	1	1	3	5	7	10	15
B. *Operated*	802	6.5	20	2	2	6	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	16143	6.7	29	2	2	5	8	13	16	27
B. *Operated*	6702	11.3	80	2	3	9	14	21	27	50
1. SINGLE DX	2804	4.8	13	1	1	4	6	9	11	17
2. MULTIPLE DX	22845	8.1	48	2	2	6	10	15	20	35
A. NOT OPERATED	18145	6.4	27	1	2	5	8	12	15	27
B. OPERATED	7504	10.8	76	2	3	9	14	20	26	49
TOTAL 0-19 YRS	428	4.9	35	1	1	3	6	10	14	32
20-34	1183	4.7	24	1	1	4	6	9	11	20
35-49	2543	5.5	27	1	2	4	7	11	14	25
50-64	6310	6.9	39	1	2	5	8	13	17	33
65+	15185	8.7	50	2	3	7	11	16	21	36
GRAND TOTAL	**25649**	**7.7**	**45**	**2**	**2**	**6**	**10**	**15**	**19**	**34**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	6.4	18	2	2	5	9	13	15	16
20-34	9	6.0	8	2	2	6	9	10	10	10
35-49	48	6.4	16	2	2	5	8	12	15	19
50-64	279	6.8	22	2	2	6	9	13	16	20
65+	1457	7.7	32	2	3	6	10	14	18	28
B. *Operated*										
0-19 YRS	3	5.3	34	1	1	3	10	12	12	12
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	5	4.6	19	1	1	3	8	11	11	11
50-64	20	9.7	42	2	3	8	14	19	23	26
65+	35	12.0	81	2	3	9	18	28	37	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	7.0	34	2	2	6	9	13	19	33
20-34	150	8.0	27	2	3	6	10	15	18	25
35-49	1020	8.5	47	2	3	7	11	16	21	37
50-64	7095	9.0	40	3	3	8	11	16	20	33
65+	34398	10.1	51	3	4	8	13	18	24	37
B. *Operated*										
0-19 YRS	26	12.7	95	3	4	9	22	26	31	41
20-34	41	10.7	85	1	2	7	17	22	30	39
35-49	178	11.3	74	2	3	9	14	20	29	46
50-64	1113	14.9	141	3	4	12	18	28	38	63
65+	3529	17.7	146	5	6	15	22	33	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1811	7.5	30	2	3	6	9	14	17	27
B. *Operated*	65	10.2	64	2	2	8	15	23	30	90
2. MULTIPLE DX										
A. *Not Operated*	42838	9.8	49	3	4	8	12	18	23	37
B. *Operated*	4887	16.7	144	4	6	14	21	32	40	62
1. SINGLE DX	1876	7.6	31	2	3	6	10	14	18	28
2. MULTIPLE DX	47725	10.5	64	3	4	8	13	20	26	41
A. NOT OPERATED	44649	9.7	49	3	4	8	12	18	23	36
B. OPERATED	4952	16.6	144	4	6	14	21	31	40	62
TOTAL 0-19 YRS	222	7.6	43	2	2	6	9	15	24	35
20-34	202	8.4	39	2	2	6	11	17	21	33
35-49	1251	8.8	51	2	3	7	11	17	21	39
50-64	8507	9.7	57	3	3	8	12	18	23	39
65+	39419	10.7	64	3	4	9	13	20	26	41
GRAND TOTAL	**49601**	**10.4**	**63**	**3**	**4**	**8**	**13**	**19**	**25**	**41**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	4.5	9	1	1	4	6	9	11	14
20-34	346	4.0	9	1	2	3	5	7	9	15
35-49	302	4.8	18	1	2	4	6	8	10	24
50-64	329	5.6	20	1	2	4	7	10	13	21
65+	193	6.7	29	2	2	5	8	13	15	32
B. *Operated*										
0-19 YRS	98	4.1	16	1	1	2	7	10	13	17
20-34	128	5.7	20	2	2	4	9	11	13	23
35-49	270	5.5	31	1	2	2	8	13	16	29
50-64	511	5.5	31	2	2	2	8	14	17	25
65+	259	6.9	54	2	2	3	11	16	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	6.2	32	1	2	5	7	13	17	31
20-34	774	5.7	23	1	2	5	7	10	14	24
35-49	1284	6.5	29	2	2	5	8	12	16	28
50-64	2570	7.8	33	2	3	6	10	15	19	30
65+	3942	9.4	51	3	3	8	12	18	23	37
B. *Operated*										
0-19 YRS	124	7.1	128	1	1	3	9	15	23	65
20-34	260	10.1	115	2	2	7	12	24	34	52
35-49	738	8.2	64	1	2	6	11	17	23	43
50-64	2073	9.5	80	2	2	7	13	20	26	42
65+	1924	12.9	143	2	2	10	17	28	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1267	5.0	18	1	2	4	6	9	12	22
B. *Operated*	1266	5.7	34	1	2	3	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	8793	8.1	42	2	3	6	10	15	20	33
B. *Operated*	5119	10.6	108	2	2	8	14	23	31	51
1. SINGLE DX	2533	5.4	26	1	2	3	7	12	15	27
2. MULTIPLE DX	13912	9.0	67	2	2	7	12	18	24	41
A. NOT OPERATED	10060	7.7	40	2	2	6	10	15	19	32
B. OPERATED	6385	9.6	97	2	2	7	13	21	29	47
TOTAL 0-19 YRS	542	5.7	48	1	1	4	7	12	15	35
20-34	1508	6.1	39	1	2	4	7	11	15	38
35-49	2594	6.7	39	1	2	5	8	14	18	32
50-64	5483	8.1	52	2	2	6	11	17	21	35
65+	6318	10.3	82	2	2	8	13	21	28	46
GRAND TOTAL	**16445**	**8.5**	**63**	**2**	**2**	**6**	**11**	**17**	**23**	**40**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.8	3	2	2	3	5	6	6	6
50-64	19	3.7	6	1	1	3	4	8	10	10
65+	26	5.6	23	<1	2	4	7	11	14	23
B. *Operated*										
0-19 YRS										
20-34										
35-49	12	3.8	17	2	2	2	3	10	15	16
50-64	19	3.5	10	1	1	2	3	10	11	11
65+	6	6.3	31	2	2	4	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	46	5.4	8	2	2	5	7	9	11	12
50-64	306	7.6	36	2	3	6	9	14	18	34
65+	1323	8.8	49	2	3	7	11	16	21	35
B. *Operated*										
0-19 YRS										
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	59	6.1	51	1	1	2	8	19	21	32
50-64	197	7.0	55	1	1	4	10	17	21	30
65+	280	12.1	119	2	2	9	16	25	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.7	15	1	1	3	6	10	11	23
B. *Operated*	37	4.1	16	1	2	2	4	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	1673	8.5	46	2	3	7	10	16	21	34
B. *Operated*	538	9.6	95	1	2	7	13	21	27	53
1. SINGLE DX	86	4.4	15	1	2	3	5	10	11	21
2. MULTIPLE DX	2216	8.7	58	2	2	7	11	17	23	36
A. NOT OPERATED	1727	8.4	45	2	3	7	10	16	20	34
B. OPERATED	575	9.2	92	1	2	6	13	21	26	50
TOTAL 0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	3	6.3	56	2	2	2	12	15	15	15
35-49	121	5.6	30	1	2	4	7	12	18	28
50-64	541	7.1	42	1	2	5	9	15	19	32
65+	1635	9.3	62	2	3	7	12	18	24	37
GRAND TOTAL	**2302**	**8.6**	**57**	**2**	**2**	**7**	**11**	**17**	**22**	**35**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	17	<1	<1	3	6	11	12	12
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	3.3	10	<1	<1	2	5	9	9	9
50-64	3	8.0	147	<1	<1	1	17	22	22	22
65+	14	15.9	255	<1	<1	12	22	44	50	52
B. *Operated*										
0-19 YRS	5	13.8	149	<1	<1	11	26	28	28	28
20-34	30	16.8	156	4	4	14	20	32	39	63
35-49	36	16.3	110	3	4	15	20	29	41	46
50-64	45	18.9	147	2	3	18	25	38	42	48
65+	13	23.4	226	6	8	18	26	52	54	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	22	1	1	6	10	12	12	12
20-34	5	5.4	30	2	2	3	7	15	15	15
35-49	8	10.5	62	<1	1	10	14	23	26	26
50-64	19	9.9	123	<1	<1	5	15	26	35	40
65+	30	14.8	75	5	6	12	20	30	32	34
B. *Operated*										
0-19 YRS	8	17.9	282	3	4	14	19	46	57	57
20-34	35	20.3	197	2	4	20	30	44	53	99+
35-49	63	28.7	357	8	10	25	44	67	92	99+
50-64	107	31.5	503	7	10	26	45	80	94	99+
65+	71	35.8	364	13	18	31	49	67	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	10.0	162	<1	<1	4	14	25	43	52
B. *Operated*	129	17.9	147	3	4	16	23	37	43	56
2. MULTIPLE DX										
A. *Not Operated*	66	11.7	87	<1	1	11	16	26	31	39
B. *Operated*	284	30.2	413	6	9	26	44	68	91	99+
1. SINGLE DX	159	16.4	158	1	2	14	22	36	43	54
2. MULTIPLE DX	350	26.7	404	3	6	22	37	64	87	99+
A. NOT OPERATED	96	11.2	110	<1	<1	8	15	26	32	48
B. OPERATED	413	26.4	362	4	7	22	36	61	80	99+
TOTAL 0-19 YRS	23	11.5	158	<1	1	8	16	26	38	57
20-34	71	17.6	178	2	4	15	24	39	49	92
35-49	113	22.1	300	2	5	17	32	50	69	99+
50-64	174	25.5	426	2	4	21	34	65	87	99+
65+	128	27.4	358	5	7	24	38	59	69	99+
GRAND TOTAL	**509**	**23.5**	**349**	**2**	**4**	**19**	**32**	**54**	**71**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	46.0		46	46	46	46	46	46	46
50-64	3	28.0	49	23	23	25	33	36	36	36
65+	2	35.0	722	16	16	35	54	54	54	54
B. Operated										
0-19 YRS										
20-34	4	59.8	606	29	29	67	91	99+	99+	99+
35-49	9	42.9	177	27	30	53	80	99+	99+	99+
50-64	12	52.6	469	31	32	48	69	87	90	90
65+	8	50.8	498	22	22	57	80	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	8	26.9	308	<1	4	24	41	52	54	54
B. Operated	33	50.4	400	24	30	55	80	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	41	45.8	463	16	22	50	74	99+	99+	99+
A. NOT OPERATED	8	26.9	308	<1	4	24	41	52	54	54
B. OPERATED	33	50.4	400	24	30	55	80	99+	99+	99+
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	5	48.0	1145	<1	3	61	88	99	99+	99+
35-49	10	43.2	158	28	30	49	70	99+	99+	99+
50-64	15	47.7	479	23	25	36	58	86	89	90
65+	10	47.6	511	17	20	55	78	99+	99+	99+
GRAND TOTAL	41	45.8	463	16	22	50	74	99+	99+	99+

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	7.3	17	<1	1	7	9	13	14	14
20-34	4	3.0	11	<1	<1	1	5	8	8	8
35-49	4	17.3	254	4	4	12	28	40	40	40
50-64	20	6.5	42	<1	<1	5	9	15	21	26
65+	51	10.9	103	<1	1	9	14	27	34	38
B. Operated										
0-19 YRS	14	7.2	27	1	2	7	7	15	19	20
20-34	24	12.4	138	1	2	10	17	25	35	57
35-49	17	10.4	52	2	3	9	15	18	25	30
50-64	39	13.5	169	4	5	10	14	24	29	81
65+	83	15.1	110	4	6	11	19	32	38	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	6.5	24	1	2	6	9	14	16	17
20-34	10	7.6	23	2	2	6	12	14	15	15
35-49	25	13.0	156	3	5	10	13	23	41	64
50-64	75	15.7	260	3	3	11	17	30	41	90
65+	336	17.5	160	3	4	16	22	33	40	70
B. Operated										
0-19 YRS	24	22.8	423	3	6	17	25	53	70	95
20-34	25	23.2	360	5	6	21	33	95	99+	99+
35-49	53	23.1	400	4	8	15	33	59	92	99+
50-64	166	25.1	411	6	7	19	31	61	85	99+
65+	323	24.1	283	7	8	20	32	48	60	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	9.5	89	<1	1	7	12	23	32	39
B. Operated	177	13.3	118	3	4	10	16	27	33	56
2. MULTIPLE DX										
A. Not Operated	459	16.4	175	3	4	4	21	32	40	70
B. Operated	591	24.2	336	6	8	19	32	54	72	99+
1. SINGLE DX	263	12.1	111	1	2	9	15	26	33	53
2. MULTIPLE DX	1050	20.8	280	4	6	17	27	42	60	99
A. NOT OPERATED	545	15.3	167	1	3	13	20	30	39	70
B. OPERATED	768	21.7	307	5	7	16	28	46	67	99+
TOTAL 0-19 YRS	58	13.5	246	1	2	9	17	25	45	92
20-34	63	15.3	242	2	2	12	22	40	86	99+
35-49	99	18.1	297	3	5	13	23	41	62	99+
50-64	300	20.0	352	3	5	14	26	48	71	99+
65+	793	19.5	218	4	5	16	25	38	48	81
GRAND TOTAL	1313	19.1	259	3	5	15	25	39	56	96

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	3	14.3	24	11	11	12	18	20	20	20
35-49	11	36.7	477	6	15	29	45	73	82	83
50-64	36	23.9	350	4	5	20	31	48	68	80
65+	132	24.3	210	6	9	21	31	42	57	83
B. *Operated*										
0-19 YRS	2	24.0	242	13	13	24	35	35	35	35
20-34	4	28.8	148	15	15	30	39	39	39	39
35-49	11	31.5	131	9	18	37	44	99+	99+	99+
50-64	30	29.6	398	6	9	32	52	99+	99+	99+
65+	62	37.5	348	15	16	36	57	69	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	184	24.6	257	5	8	21	31	47	64	82
B. *Operated*	109	34.2	338	10	14	35	54	83	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	293	28.2	308	6	9	25	38	62	80	99+
A. NOT OPERATED	184	24.6	257	5	8	21	31	47	64	82
B. OPERATED	109	34.2	338	10	14	35	54	83	99+	99+
TOTAL 0-19 YRS	4	16.0	177	4	4	12	24	35	35	35
20-34	7	22.6	142	11	11	20	35	39	39	39
35-49	22	34.1	297	6	19	31	44	85	99+	99+
50-64	66	26.5	374	5	7	22	46	77	99+	99+
65+	194	28.5	290	6	11	25	37	59	68	99+
GRAND TOTAL	**293**	**28.2**	**308**	**6**	**9**	**25**	**38**	**62**	**80**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	5	4.8	11	<1	<1	5	7	9	9	9
50-64	32	3.8	11	<1	1	3	5	8	10	16
65+	49	4.5	23	1	1	3	5	9	13	26
B. *Operated*										
0-19 YRS	3	4.7	30	1	1	2	9	11	11	11
20-34	10	5.0	21	2	2	3	6	12	17	17
35-49	88	6.2	15	2	2	6	9	11	13	18
50-64	813	6.3	20	2	2	5	8	12	15	22
65+	1400	6.7	21	2	2	6	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	22.0	450	7	7	22	37	37	37	37
35-49	33	8.2	38	1	2	8	10	16	22	29
50-64	214	6.0	43	1	1	4	8	12	15	40
65+	561	8.0	74	2	2	6	9	16	21	45
B. *Operated*										
0-19 YRS	4	5.3	8	2	2	5	7	9	9	9
20-34	16	4.6	11	2	2	3	7	9	12	13
35-49	217	8.1	38	2	2	6	10	15	21	38
50-64	2378	9.0	52	2	3	7	11	17	22	36
65+	4687	10.2	68	2	3	8	13	20	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.2	18	1	1	3	5	9	12	25
B. *Operated*	2314	6.5	21	2	2	6	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	810	7.5	66	1	2	5	9	15	19	44
B. *Operated*	7302	9.7	62	2	3	8	12	19	24	40
1. SINGLE DX	2401	6.4	21	2	2	6	8	12	15	23
2. MULTIPLE DX	8112	9.5	63	2	3	7	12	18	23	40
A. NOT OPERATED	897	7.2	62	1	2	5	9	14	19	44
B. OPERATED	9616	9.0	54	2	2	7	11	17	22	36
TOTAL 0-19 YRS	8	4.9	12	1	1	4	7	10	11	11
20-34	28	6.0	50	2	2	4	7	12	19	37
35-49	343	7.6	32	2	2	6	10	14	18	33
50-64	3437	8.1	45	2	2	6	10	16	20	33
65+	6697	9.2	61	2	2	7	11	18	23	39
GRAND TOTAL	**10513**	**8.8**	**55**	**2**	**2**	**7**	**11**	**17**	**22**	**36**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34										
35-49	4	11.3	36	6	6	10	16	19	19	19
50-64	20	11.8	154	1	2	10	12	27	41	54
65+	43	19.2	449	2	4	14	22	36	86	90
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49	15	17.3	277	2	3	10	21	46	53	55
50-64	99	17.2	381	2	3	11	19	41	57	94
65+	211	18.2	261	3	4	14	27	40	51	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	68	16.6	341	2	3	11	19	30	57	90
B. *Operated*	327	17.8	296	2	3	12	24	40	52	95
1. SINGLE DX										
2. MULTIPLE DX	395	17.6	303	2	3	12	23	40	52	94
A. NOT OPERATED	68	16.6	341	2	3	11	19	30	57	90
B. OPERATED	327	17.8	296	2	3	12	24	40	52	95
TOTAL 0-19 YRS	2	20.0	98	13	13	20	27	27	27	27
20-34	1	1.0		1	1	1	1	1	1	1
35-49	19	16.1	228	2	3	10	20	43	51	55
50-64	119	16.3	346	2	3	10	18	38	53	94
65+	254	18.3	291	2	4	14	25	40	52	98
GRAND TOTAL	395	17.6	303	2	3	12	23	40	52	94

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	4	4.0	7	1	1	4	6	7	7	7
35-49	28	7.4	38	2	2	6	8	19	22	25
50-64	84	8.6	28	2	3	7	11	18	22	24
65+	273	11.9	83	3	4	9	15	25	31	45
B. *Operated*										
0-19 YRS	4	5.5	22	1	1	5	9	10	10	10
20-34	10	13.4	249	2	2	9	14	36	56	56
35-49	30	9.7	98	1	2	7	12	20	38	43
50-64	55	8.8	42	2	2	7	11	18	25	27
65+	49	10.8	60	2	3	9	15	23	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	13.5	265	1	2	9	17	38	55	59
20-34	39	9.7	105	2	2	6	11	25	29	53
35-49	133	11.7	138	2	3	9	13	23	38	82
50-64	738	12.9	131	3	4	10	15	27	35	63
65+	3311	13.9	105	3	5	11	18	26	35	56
B. *Operated*										
0-19 YRS	3	8.3	22	3	3	10	11	12	12	12
20-34	23	12.3	82	3	6	11	16	24	63	99+
35-49	90	12.0	62	2	4	10	16	23	28	36
50-64	385	14.4	207	2	3	10	17	29	48	91
65+	735	18.6	214	4	5	15	25	40	49	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	391	10.8	70	2	3	8	13	22	30	45
B. *Operated*	148	9.9	72	2	2	8	12	22	25	43
2. MULTIPLE DX										
A. *Not Operated*	4234	13.6	111	3	4	11	17	26	35	57
B. *Operated*	1236	16.7	203	3	4	13	22	35	48	80
1. SINGLE DX	539	10.5	70	2	3	8	13	22	28	43
2. MULTIPLE DX	5470	14.3	134	3	4	11	18	29	38	64
A. NOT OPERATED	4625	13.4	109	3	4	11	17	26	35	56
B. OPERATED	1384	16.0	194	3	4	12	21	35	47	78
TOTAL 0-19 YRS	22	10.5	173	1	2	7	11	23	43	59
20-34	76	10.7	112	2	2	8	14	21	41	88
35-49	281	11.1	101	2	3	9	13	23	31	63
50-64	1262	12.9	146	3	3	10	15	26	37	73
65+	4368	14.5	125	3	5	11	18	29	38	59
GRAND TOTAL	6009	14.0	129	3	4	11	18	28	37	63

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	13.4	169	4	4	9	18	36	36	36
20-34	11	12.2	46	3	4	12	17	21	25	25
35-49	43	18.1	305	3	4	12	21	47	59	80
50-64	320	19.2	253	4	5	14	24	41	56	84
65+	1439	19.5	176	5	6	16	25	37	47	72
B. *Operated*										
0-19 YRS	2	17.5	481	2	2	17	33	33	33	33
20-34	8	8.9	15	3	3	10	12	13	13	13
35-49	16	17.6	269	4	5	11	25	48	54	56
50-64	114	28.1	535	5	7	20	39	74	86	99+
65+	251	25.8	319	6	9	21	33	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1818	19.3	192	5	6	16	25	38	48	75
B. *Operated*	391	25.8	382	6	7	20	35	60	76	99+
1. SINGLE DX										
2. MULTIPLE DX	2209	20.5	231	5	6	16	27	41	54	85
A. NOT OPERATED	1818	19.3	192	5	6	16	25	38	48	75
B. OPERATED	391	25.8	382	6	7	20	35	60	76	99+
TOTAL 0-19 YRS	7	14.6	197	2	2	9	28	35	36	36
20-34	19	10.8	34	3	3	11	14	18	22	25
35-49	59	18.0	290	3	4	12	23	48	57	78
50-64	434	21.5	342	4	6	15	27	49	70	91
65+	1690	20.4	202	5	7	17	27	40	51	78
GRAND TOTAL	**2209**	**20.5**	**231**	**5**	**6**	**16**	**27**	**41**	**54**	**85**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	42	3.1	4	1	1	3	5	6	7	8
35-49	118	4.3	8	1	1	4	6	7	10	15
50-64	377	3.9	8	1	1	3	5	7	8	12
65+	1017	4.6	11	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	10	4.4	5	1	1	4	6	7	8	8
35-49	70	5.5	19	1	1	4	7	11	14	25
50-64	280	5.3	19	1	2	4	7	10	12	19
65+	307	5.3	19	1	2	4	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.7	5	1	3	6	7	9	9	9
20-34	83	4.6	10	1	2	4	6	9	11	16
35-49	406	6.0	18	2	2	5	8	11	14	18
50-64	2262	6.1	18	2	2	5	8	11	14	19
65+	10649	7.2	27	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	6	5.8	5	4	4	5	6	10	10	10
20-34	33	6.2	32	2	2	4	8	10	14	32
35-49	220	8.0	63	2	2	6	10	14	18	54
50-64	1298	8.5	43	2	3	7	11	16	21	34
65+	2670	10.4	64	2	3	8	13	19	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1558	4.4	10	1	1	4	6	8	10	16
B. *Operated*	670	5.3	19	1	2	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	13420	7.0	25	2	2	6	9	13	16	25
B. *Operated*	4227	9.6	58	2	3	8	12	18	23	41
1. SINGLE DX	2228	4.7	13	1	2	4	6	9	11	18
2. MULTIPLE DX	17647	7.6	35	2	3	6	9	14	18	30
A. NOT OPERATED	14978	6.7	24	2	2	6	8	12	15	24
B. OPERATED	4897	9.0	55	2	3	7	11	17	22	40
TOTAL 0-19 YRS	33	5.4	5	2	3	5	7	9	9	10
20-34	168	4.6	13	1	1	4	6	9	10	17
35-49	814	6.3	30	1	2	5	8	12	15	27
50-64	4217	6.6	27	2	2	5	8	12	16	26
65+	14643	7.5	35	2	2	6	9	14	18	30
GRAND TOTAL	**19875**	**7.3**	**33**	**2**	**2**	**6**	**9**	**14**	**17**	**29**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.6	157	3	3	5	9	31	40	40
20-34	9	4.6	6	2	2	4	6	9	9	9
35-49	43	8.6	62	2	3	7	10	16	18	51
50-64	188	11.0	137	2	3	7	13	24	38	60
65+	880	11.2	81	2	3	9	15	22	27	50
B. *Operated*										
0-19 YRS										
20-34	6	10.5	72	2	2	8	17	23	24	24
35-49	27	9.5	59	2	2	8	13	20	28	29
50-64	90	8.1	37	2	2	7	10	16	20	30
65+	105	11.1	78	2	3	9	15	25	29	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	11.9	91	2	3	9	17	23	33	39
20-34	28	7.0	26	1	2	6	9	15	18	21
35-49	182	10.9	75	2	3	8	15	23	30	43
50-64	1343	12.1	107	2	3	9	15	24	32	54
65+	7778	13.5	101	3	4	11	17	26	33	52
B. *Operated*										
0-19 YRS	5	17.8	158	2	2	18	29	32	32	32
20-34	24	11.8	154	2	2	7	15	23	39	57
35-49	118	12.4	88	2	4	10	16	27	32	47
50-64	549	16.2	195	4	5	12	20	33	47	86
65+	1447	19.2	209	4	5	15	25	40	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1128	11.0	89	2	3	8	14	22	28	54
B. *Operated*	228	9.7	61	2	2	8	13	20	28	36
2. MULTIPLE DX										
A. *Not Operated*	9348	13.3	101	3	4	11	17	25	32	52
B. *Operated*	2143	18.0	202	4	5	14	24	38	49	82
1. SINGLE DX	1356	10.8	85	2	3	8	14	22	28	51
2. MULTIPLE DX	11491	14.1	124	3	4	11	18	28	36	58
A. NOT OPERATED	10476	13.0	101	3	4	10	17	25	32	52
B. OPERATED	2371	17.2	194	3	5	13	23	36	48	79
TOTAL 0-19 YRS	30	12.3	117	2	3	8	17	30	39	40
20-34	67	8.7	78	2	2	7	10	20	23	53
35-49	370	11.0	77	2	3	8	14	22	30	45
50-64	2170	12.9	133	3	3	9	16	27	36	62
65+	10210	14.1	119	3	4	11	18	27	36	57
GRAND TOTAL	**12847**	**13.8**	**121**	**3**	**4**	**11**	**18**	**27**	**36**	**58**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	20.1	451	1	2	11	32	56	60	60
20-34	16	11.3	141	1	2	7	12	36	39	40
35-49	63	17.3	171	3	4	13	22	37	45	61
50-64	564	18.9	268	3	4	15	24	40	55	83
65+	3163	18.5	179	5	6	15	24	36	46	71
B. *Operated*										
0-19 YRS	3	23.0	208	7	7	27	33	35	35	35
20-34	7	21.9	518	3	4	17	25	62	70	70
35-49	42	22.3	269	4	6	18	31	46	56	73
50-64	160	25.7	409	4	6	20	34	55	73	87
65+	500	27.5	348	6	8	24	39	55	67	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3813	18.5	193	4	6	15	24	37	47	72
B. *Operated*	712	26.7	358	5	7	22	37	55	68	92
1. SINGLE DX										
2. MULTIPLE DX	4525	19.8	227	4	6	15	25	40	52	78
A. NOT OPERATED	3813	18.5	193	4	6	15	24	37	47	72
B. OPERATED	712	26.7	358	5	7	22	37	55	68	92
TOTAL 0-19 YRS	10	21.0	349	1	3	13	35	49	60	60
20-34	23	14.5	262	2	3	9	18	38	50	70
35-49	105	19.3	214	3	5	14	24	41	48	69
50-64	724	20.4	307	3	5	15	26	43	60	85
65+	3663	19.8	212	5	6	16	25	40	51	76
GRAND TOTAL	**4525**	**19.8**	**227**	**4**	**6**	**15**	**25**	**40**	**52**	**78**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	16	1	1	3	8	11	11	11
20-34	21	4.3	13	1	1	3	5	9	13	15
35-49	66	4.5	9	1	2	4	5	8	11	17
50-64	105	5.1	11	1	2	4	7	10	12	15
65+	284	6.5	26	2	2	5	8	12	17	25
B. *Operated*										
0-19 YRS	5	4.2	9	2	2	2	7	8	8	8
20-34	20	6.1	35	1	1	4	8	14	20	23
35-49	52	10.1	92	2	2	7	15	22	29	46
50-64	150	7.0	72	1	2	5	8	14	18	53
65+	162	6.5	35	1	2	5	8	14	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.1	14	1	1	4	7	10	13	14
20-34	81	6.2	24	1	1	5	8	13	16	22
35-49	346	7.3	62	2	2	6	9	12	17	39
50-64	1031	8.7	74	2	3	6	10	16	22	57
65+	4921	9.3	53	2	3	7	11	17	22	41
B. *Operated*										
0-19 YRS	9	8.0	10	5	5	8	12	57	99+	99+
20-34	45	14.7	329	1	2	9	16	31	60	86
35-49	124	13.7	142	1	3	10	16	35	42	65
50-64	526	12.5	176	2	3	8	14	27	39	89
65+	1268	13.2	153	2	3	10	16	26	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	483	5.8	21	1	2	5	7	12	15	23
B. *Operated*	389	7.1	57	1	2	5	9	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	6404	9.0	57	2	3	7	11	17	22	42
B. *Operated*	1972	13.0	161	2	3	9	15	27	38	73
1. SINGLE DX	872	6.4	37	1	2	5	8	13	17	30
2. MULTIPLE DX	8376	10.0	84	2	3	8	12	19	26	53
A. NOT OPERATED	6887	8.8	55	2	3	7	11	16	21	41
B. OPERATED	2361	12.1	149	2	2	9	14	25	36	69
TOTAL 0-19 YRS	46	5.5	14	1	1	5	8	12	14	99+
20-34	167	8.2	120	1	1	5	10	16	22	76
35-49	588	8.6	84	2	2	6	10	17	26	50
50-64	1812	9.4	104	2	2	7	11	18	27	59
65+	6635	9.8	74	2	3	8	12	18	25	46
GRAND TOTAL	**9248**	**9.6**	**81**	**2**	**3**	**7**	**12**	**18**	**25**	**50**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	6	4.0	17	<1	<1	2	7	11	11	11
50-64	15	3.2	4	1	2	2	4	7	8	8
65+	54	5.4	35	1	1	4	7	10	17	35
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	4.3	5	2	2	4	6	7	7	7
35-49	58	7.0	26	1	2	6	10	14	16	24
50-64	236	7.2	61	1	2	5	10	14	16	37
65+	256	7.5	45	2	2	5	11	16	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	1	12.0		12	12	12	12	12	12	12
35-49	23	4.9	15	1	2	3	7	11	14	16
50-64	197	6.8	52	1	2	5	8	13	18	41
65+	1073	8.9	50	2	3	7	11	17	22	35
B. *Operated*										
0-19 YRS	2	11.0	128	3	3	11	19	19	19	19
20-34	13	11.5	348	2	2	5	11	24	63	72
35-49	210	10.4	113	2	2	8	14	22	32	46
50-64	1179	11.7	128	2	2	10	15	25	35	64
65+	2058	16.0	194	2	3	12	21	34	45	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	4.9	28	1	1	3	6	9	14	32
B. *Operated*	555	7.3	49	1	2	5	11	15	18	32
2. MULTIPLE DX										
A. *Not Operated*	1298	8.5	50	2	2	7	11	16	22	37
B. *Operated*	3462	14.2	172	2	2	11	18	30	40	69
1. SINGLE DX	631	7.0	47	1	2	5	10	15	17	32
2. MULTIPLE DX	4760	12.6	145	2	2	10	16	27	36	65
A. NOT OPERATED	1374	8.3	50	2	2	7	11	16	22	36
B. OPERATED	4017	13.2	160	2	2	10	17	28	38	67
TOTAL 0-19 YRS	8	6.4	32	2	2	4	8	16	19	19
20-34	18	9.9	256	2	2	5	11	12	48	72
35-49	297	9.2	90	2	2	7	12	20	27	42
50-64	1627	10.4	113	1	2	8	13	22	30	59
65+	3441	13.0	149	2	2	10	17	28	36	65
GRAND TOTAL	**5391**	**12.0**	**137**	**2**	**2**	**9**	**15**	**26**	**35**	**61**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	16	4.8	21	1	1	3	7	10	16	18
65+	51	4.6	27	<1	1	3	5	10	10	31
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.5	22	2	2	6	10	11	11	11
35-49	12	8.1	34	1	2	8	10	17	20	21
50-64	195	10.7	38	2	3	11	13	16	19	28
65+	359	11.5	39	2	2	11	14	18	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	5	3.2	4	<1	<1	4	5	5	5	5
50-64	94	5.5	33	1	1	4	6	11	12	34
65+	477	7.2	53	1	2	5	9	14	18	35
B. *Operated*										
0-19 YRS	4	8.8	25	2	2	9	12	14	14	14
20-34	11	14.2	83	2	2	14	19	26	33	34
35-49	33	9.8	34	1	2	10	13	18	19	25
50-64	742	14.6	100	3	6	12	17	25	31	61
65+	1918	17.1	145	3	5	14	21	31	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	4.6	25	<1	1	3	6	10	11	29
B. *Operated*	571	11.1	39	2	2	11	13	18	21	30
2. MULTIPLE DX										
A. *Not Operated*	578	6.8	50	1	2	5	8	14	17	35
B. *Operated*	2708	16.3	133	3	5	14	20	29	38	68
1. SINGLE DX	640	10.4	41	1	2	11	13	17	21	30
2. MULTIPLE DX	3286	14.7	131	2	3	12	18	28	35	64
A. NOT OPERATED	647	6.6	48	1	1	5	8	13	17	32
B. OPERATED	3279	15.4	120	2	4	13	18	28	35	64
TOTAL 0-19 YRS	5	7.2	31	1	1	9	11	14	14	14
20-34	17	10.9	78	1	2	11	16	20	29	34
35-49	52	8.4	35	<1	1	9	12	17	19	25
50-64	1047	12.9	90	2	3	11	16	22	28	55
65+	2805	14.5	130	2	3	12	18	28	35	64
GRAND TOTAL	3926	14.0	119	2	3	12	17	26	34	62

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	4	6.5	44	2	2	4	11	16	16	16
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	6	4.3	23	2	2	2	4	13	14	14
20-34	19	9.6	89	1	1	9	16	19	30	38
35-49	41	8.0	56	1	1	5	13	19	23	29
50-64	66	9.7	50	2	2	8	12	18	23	34
65+	84	8.8	36	2	2	8	13	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	9.3	40	2	2	10	14	15	15	15
50-64	15	3.5	8	<1	1	3	5	8	9	10
65+	26	8.3	35	<1	1	8	12	17	19	20
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	14.0	219	2	2	8	23	31	47	56
35-49	67	14.2	138	2	2	12	17	29	40	94
50-64	223	14.3	146	2	3	11	17	28	39	58
65+	328	15.8	173	2	4	12	19	32	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.4	24	<1	<1	3	5	13	16	16
B. *Operated*	216	8.9	48	2	2	8	12	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	45	6.8	31	<1	1	6	9	16	17	20
B. *Operated*	636	15.0	161	2	3	12	19	30	40	70
1. SINGLE DX	224	8.7	48	1	2	8	12	18	21	32
2. MULTIPLE DX	681	14.5	157	2	3	11	18	30	39	69
A. NOT OPERATED	53	6.4	30	<1	1	4	9	16	17	20
B. OPERATED	852	13.5	140	2	2	11	17	27	38	69
TOTAL 0-19 YRS	8	3.8	18	<1	<1	2	3	11	14	14
20-34	37	11.5	148	1	2	8	17	29	36	56
35-49	112	11.7	113	1	2	10	15	27	37	60
50-64	308	12.7	126	2	2	10	16	26	36	56
65+	440	13.9	148	2	3	11	17	27	38	69
GRAND TOTAL	905	13.1	136	2	2	10	16	27	37	67

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	5	2	2	5	7	8	8	8
20-34	8	6.3	19	2	2	5	9	13	14	14
35-49	15	5.2	27	1	1	3	9	12	17	19
50-64	32	4.0	8	1	2	3	5	8	11	11
65+	42	5.5	22	<1	<1	4	9	11	14	22
B. *Operated*										
0-19 YRS	8	8.3	22	1	2	9	11	14	15	15
20-34	29	6.9	23	2	2	5	10	14	16	19
35-49	153	7.1	22	1	2	8	10	13	15	21
50-64	606	8.5	38	2	2	8	12	16	18	26
65+	554	9.2	46	2	2	9	13	17	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	14	4	4	10	11	11	11	11
20-34	19	8.2	20	<1	2	8	13	14	15	15
35-49	43	6.8	26	1	1	6	9	14	16	22
50-64	154	7.1	43	1	1	5	10	14	18	28
65+	326	8.8	42	2	2	7	12	17	21	34
B. *Operated*										
0-19 YRS	9	9.9	42	4	4	8	14	20	22	22
20-34	55	10.9	86	1	2	9	14	19	26	53
35-49	406	11.5	88	2	2	10	14	23	29	51
50-64	1855	12.9	114	2	3	11	16	25	33	63
65+	2913	15.4	152	2	3	12	19	31	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	5.0	17	<1	1	4	8	11	12	20
B. *Operated*	1350	8.6	39	2	2	8	12	16	18	28
2. MULTIPLE DX										
A. *Not Operated*	545	8.1	41	1	2	7	11	16	20	32
B. *Operated*	5238	14.1	135	2	3	11	18	28	37	65
1. SINGLE DX	1453	8.3	39	1	2	8	12	16	18	27
2. MULTIPLE DX	5783	13.6	129	2	3	11	17	27	35	63
A. NOT OPERATED	648	7.6	38	1	2	7	10	15	19	29
B. OPERATED	6588	13.0	120	2	2	11	16	25	34	61
TOTAL 0-19 YRS	26	8.1	25	2	3	7	11	15	17	22
20-34	111	9.1	56	2	2	8	12	16	19	45
35-49	617	10.0	70	1	2	9	12	19	26	45
50-64	2647	11.4	96	2	2	10	14	22	28	57
65+	3835	13.8	134	2	3	11	18	27	36	63
GRAND TOTAL	**7236**	**12.5**	**115**	**2**	**2**	**10**	**16**	**25**	**33**	**60**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	7.5	27	2	2	6	10	16	18	24
20-34	38	3.7	7	1	1	3	5	7	9	14
35-49	52	4.6	13	1	1	3	6	10	14	16
50-64	74	5.2	25	1	1	3	7	10	16	27
65+	92	6.2	36	1	1	4	8	14	20	26
B. *Operated*										
0-19 YRS	33	4.4	19	<1	1	3	7	8	12	22
20-34	53	5.6	38	<1	1	4	7	10	19	33
35-49	150	5.5	20	1	2	4	8	11	13	17
50-64	393	6.0	36	1	2	4	9	13	17	28
65+	433	6.6	36	1	2	4	10	14	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	8.2	48	1	2	6	11	17	22	36
20-34	84	7.1	63	1	2	4	8	16	20	47
35-49	185	6.9	49	1	2	5	8	13	17	38
50-64	418	6.5	34	1	2	5	9	12	16	33
65+	942	8.5	57	2	2	7	11	16	22	37
B. *Operated*										
0-19 YRS	26	10.9	177	1	1	6	15	30	39	56
20-34	121	11.6	143	1	2	8	16	29	37	62
35-49	395	10.0	74	2	2	8	14	21	30	42
50-64	1499	12.0	150	2	2	9	15	26	38	74
65+	2315	14.4	174	2	2	11	19	31	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411	6.1	26	1	1	4	8	13	17	25
B. *Operated*	1062	6.1	34	1	2	4	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	1771	7.8	51	2	2	6	10	15	20	37
B. *Operated*	4356	13.1	158	2	2	10	17	28	39	70
1. SINGLE DX	1473	6.1	32	1	2	4	8	13	17	29
2. MULTIPLE DX	6127	11.6	133	2	2	8	15	25	34	63
A. NOT OPERATED	2182	7.4	47	1	2	6	9	15	19	36
B. OPERATED	5418	11.7	141	2	2	9	15	26	35	64
TOTAL 0-19 YRS	356	7.7	47	1	2	6	10	16	21	35
20-34	296	8.2	92	1	2	5	10	18	30	49
35-49	782	8.0	58	1	2	6	10	17	24	38
50-64	2384	9.8	115	2	2	7	12	21	30	62
65+	3782	11.8	136	2	2	9	15	25	34	62
GRAND TOTAL	**7600**	**10.5**	**118**	**2**	**2**	**7**	**13**	**21**	**31**	**59**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	6.6	10	2	3	6	9	11	13	14
20-34	543	7.5	17	2	3	7	9	12	14	21
35-49	719	7.7	20	2	3	7	10	12	14	21
50-64	757	8.1	17	3	4	7	10	13	15	20
65+	574	8.7	23	3	4	8	11	14	16	25
B. *Operated*										
0-19 YRS	30	6.8	14	1	2	7	10	12	12	14
20-34	263	7.4	26	1	2	7	10	14	16	23
35-49	331	7.4	22	2	2	7	10	14	16	21
50-64	277	8.1	24	2	2	8	10	14	18	22
65+	201	9.1	20	2	3	9	12	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	8.2	29	2	2	7	11	14	15	32
20-34	607	8.7	24	2	3	8	11	15	18	23
35-49	1187	9.2	36	3	4	8	11	15	18	33
50-64	1964	9.5	26	3	4	9	11	16	18	27
65+	2833	10.4	36	4	5	9	13	17	20	34
B. *Operated*										
0-19 YRS	36	9.7	48	1	3	9	12	19	20	37
20-34	397	11.2	106	2	3	9	13	21	30	54
35-49	654	10.6	55	2	3	9	13	19	27	41
50-64	1027	11.0	52	3	4	10	14	19	22	38
65+	1314	12.8	73	4	5	11	16	22	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2646	8.0	19	2	3	7	10	13	15	21
B. *Operated*	1102	7.9	23	2	2	7	10	14	16	22
2. MULTIPLE DX										
A. *Not Operated*	6636	9.7	32	3	4	9	12	16	19	31
B. *Operated*	3428	11.6	68	3	4	10	15	20	26	43
1. SINGLE DX	3748	7.9	20	2	3	7	10	13	15	22
2. MULTIPLE DX	10064	10.4	45	3	4	9	13	17	22	36
A. NOT OPERATED	9282	9.2	29	3	4	8	11	15	18	28
B. OPERATED	4530	10.7	59	2	3	9	14	19	23	40
TOTAL 0-19 YRS	164	7.8	26	2	2	7	10	13	15	30
20-34	1810	8.7	42	2	3	8	11	15	19	32
35-49	2891	8.9	36	2	3	8	11	15	19	31
50-64	4025	9.5	32	3	4	9	12	16	19	30
65+	4922	10.8	45	4	5	9	13	18	22	36
GRAND TOTAL	**13812**	**9.7**	**40**	**3**	**4**	**9**	**12**	**16**	**20**	**33**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	7.0	45	<1	<1	5	9	19	21	21
35-49	35	7.7	32	<1	1	7	11	15	20	21
50-64	56	8.6	31	2	3	7	12	16	19	25
65+	80	10.7	51	2	3	9	15	20	23	35
B. *Operated*										
0-19 YRS	36	3.9	5	2	2	3	5	6	8	13
20-34	797	3.9	6	1	2	4	5	6	8	14
35-49	1127	4.1	9	1	2	4	5	6	8	16
50-64	882	5.0	18	2	2	4	6	8	13	24
65+	278	9.1	80	2	3	5	12	21	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	27	7.5	43	1	1	6	11	15	24	26
35-49	111	9.3	42	1	3	8	12	18	25	30
50-64	243	11.0	74	2	4	9	14	20	27	46
65+	853	12.8	85	3	4	10	17	24	30	51
B. *Operated*										
0-19 YRS	8	5.3	26	1	1	4	6	14	17	17
20-34	233	5.5	24	2	2	4	6	10	14	31
35-49	548	6.7	34	2	2	5	7	14	18	31
50-64	737	8.8	84	2	3	6	10	19	27	46
65+	656	16.5	208	3	4	12	24	35	47	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	9.2	42	1	2	7	13	18	22	29
B. *Operated*	3120	4.8	19	1	2	4	5	8	12	26
2. MULTIPLE DX										
A. *Not Operated*	1235	12.0	80	3	4	10	15	23	28	47
B. *Operated*	2182	10.2	120	2	3	6	12	24	32	56
1. SINGLE DX	3306	5.0	22	1	2	4	5	8	14	26
2. MULTIPLE DX	3417	10.9	106	2	3	7	14	24	30	54
A. NOT OPERATED	1421	11.6	76	2	3	10	15	23	27	43
B. OPERATED	5302	7.0	68	2	2	4	7	15	24	44
TOTAL 0-19 YRS	46	4.2	8	2	2	3	5	7	9	17
20-34	1071	4.4	12	1	2	4	5	7	10	18
35-49	1821	5.3	22	1	2	4	6	10	14	27
50-64	1918	7.3	56	2	2	5	8	15	21	39
65+	1867	13.5	133	3	3	10	18	27	36	59
GRAND TOTAL	**6723**	**8.0**	**73**	**2**	**2**	**5**	**9**	**18**	**25**	**44**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	1	1	1	2	3	4	5	5
20-34	82	2.9	3	1	1	3	4	5	6	7
35-49	89	3.4	4	1	1	3	4	6	7	9
50-64	59	3.6	13	1	1	3	4	6	8	25
65+	52	4.3	18	1	1	3	5	9	14	24
B. *Operated*										
0-19 YRS	38	3.7	4	1	1	3	5	7	7	8
20-34	486	4.5	4	2	2	4	5	7	8	11
35-49	632	4.7	5	2	2	4	6	7	9	12
50-64	394	4.8	5	2	3	4	6	7	9	13
65+	147	4.6	5	1	2	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.2	3	1	1	3	4	5	6	9
20-34	210	3.6	5	1	1	3	5	7	8	11
35-49	293	4.5	13	1	1	4	6	8	11	20
50-64	399	4.6	16	1	1	4	6	8	11	19
65+	512	5.6	23	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	87	5.0	7	2	2	5	6	9	11	68
20-34	2029	5.1	6	2	3	5	6	8	9	13
35-49	3186	5.4	8	2	3	5	6	8	10	15
50-64	2752	6.0	14	3	3	5	7	10	12	21
65+	1273	7.5	25	3	3	6	9	14	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	3.4	8	1	1	3	4	6	7	14
B. *Operated*	1697	4.6	4	2	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	1448	4.6	16	1	1	4	6	9	11	20
B. *Operated*	9327	5.8	12	2	3	5	7	9	12	19
1. SINGLE DX	1998	4.4	5	1	2	4	5	7	8	12
2. MULTIPLE DX	10775	5.7	13	2	3	5	7	9	12	19
A. NOT OPERATED	1749	4.5	15	1	1	4	6	8	11	18
B. OPERATED	11024	5.6	11	2	3	5	7	9	11	18
TOTAL 0-19 YRS	178	4.1	6	1	2	4	5	7	9	15
20-34	2807	4.8	5	2	2	5	6	8	9	13
35-49	4200	5.2	8	2	3	5	6	8	10	15
50-64	3604	5.7	14	2	3	5	7	9	12	20
65+	1984	6.7	24	2	2	5	8	12	15	25
GRAND TOTAL	12773	5.5	12	2	3	5	6	9	11	18

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	5.4	32	1	2	4	6	12	14	36
20-34	151	7.5	23	1	2	7	10	13	15	24
35-49	169	7.3	26	1	2	6	10	13	16	27
50-64	181	6.9	27	1	2	6	10	13	15	24
65+	278	7.2	26	1	2	6	10	13	17	26
B. *Operated*										
0-19 YRS	136	3.1	10	1	1	2	3	5	9	18
20-34	413	4.0	14	1	1	3	4	10	12	18
35-49	248	6.5	30	1	1	5	9	14	17	26
50-64	199	8.1	33	2	2	8	11	16	19	26
65+	217	9.0	61	1	2	8	12	17	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	4.8	21	1	1	3	5	12	14	20
20-34	372	7.2	34	1	2	6	10	15	18	29
35-49	598	7.4	26	1	2	7	9	14	17	23
50-64	1238	8.2	47	2	2	7	10	16	20	32
65+	2799	8.5	36	2	3	7	11	16	19	31
B. *Operated*										
0-19 YRS	128	6.6	58	1	1	3	9	15	18	41
20-34	596	6.3	48	1	1	3	9	14	19	33
35-49	504	10.0	89	1	2	7	13	20	29	48
50-64	869	11.7	100	2	3	10	15	22	28	60
65+	1356	13.8	122	2	3	11	17	26	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	7.1	26	1	2	6	10	13	15	25
B. *Operated*	1213	6.0	33	1	1	4	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	5136	8.1	38	2	2	7	11	15	19	30
B. *Operated*	3453	11.2	104	1	2	9	15	23	30	54
1. SINGLE DX	2057	6.4	30	1	1	5	9	13	16	25
2. MULTIPLE DX	8589	9.3	67	2	2	7	12	18	24	42
A. NOT OPERATED	5980	8.0	36	2	2	7	10	15	19	29
B. OPERATED	4666	9.8	91	1	2	8	13	20	27	49
TOTAL 0-19 YRS	458	4.9	31	1	1	3	5	12	15	28
20-34	1532	6.0	34	1	1	4	9	13	17	28
35-49	1519	8.1	49	1	2	7	11	16	20	39
50-64	2487	9.3	66	2	2	8	12	18	24	41
65+	4650	10.0	68	2	3	8	13	19	24	43
GRAND TOTAL	10646	8.8	61	1	2	7	11	17	22	40

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6150	2.8	3	1	1	2	3	5	6	9
20-34	495	3.4	3	1	2	3	4	5	6	10
35-49	206	3.6	4	1	2	3	4	6	7	9
50-64	128	3.9	6	1	1	3	5	7	8	12
65+	128	4.3	6	1	1	4	6	7	9	30
B. *Operated*										
0-19 YRS	695	2.1	4	1	1	2	2	3	5	12
20-34	248	2.2	3	1	1	2	3	4	5	10
35-49	45	2.8	4	1	1	2	3	6	7	9
50-64	23	4.5	15	1	1	3	6	11	13	15
65+	11	3.0	5	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10367	3.5	5	1	1	3	4	6	7	11
20-34	1538	4.0	6	1	2	4	5	7	8	13
35-49	849	5.0	11	2	2	4	6	9	11	18
50-64	1028	6.0	16	2	2	5	7	10	13	20
65+	1661	7.2	26	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	608	3.5	20	1	1	2	4	7	10	22
20-34	184	5.3	38	1	1	3	6	11	14	41
35-49	130	7.0	56	1	2	5	9	13	17	35
50-64	129	7.6	64	1	2	5	10	15	22	41
65+	158	10.7	80	2	2	8	14	20	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7107	2.9	3	1	1	3	4	5	6	9
B. *Operated*	1022	2.2	4	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	15443	4.2	10	1	2	3	5	8	10	16
B. *Operated*	1209	5.5	45	1	1	3	7	13	17	36
1. SINGLE DX	8129	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX	16652	4.3	13	1	2	3	5	8	10	18
A. NOT OPERATED	22550	3.8	8	1	1	3	5	7	9	15
B. OPERATED	2231	4.0	29	1	1	2	4	9	13	24
TOTAL 0-19 YRS	17820	3.2	5	1	1	3	4	6	7	11
20-34	2465	3.8	8	1	1	3	5	7	8	14
35-49	1230	4.9	15	1	2	4	6	9	11	18
50-64	1308	5.9	20	2	2	5	7	10	13	22
65+	1958	7.3	31	2	3	6	9	13	17	28
GRAND TOTAL	**24781**	**3.8**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7077	3.6	4	1	2	3	5	6	7	10
20-34	412	4.1	4	2	2	4	5	7	8	11
35-49	404	4.7	6	2	2	4	6	8	9	14
50-64	358	5.3	9	2	3	5	6	9	11	16
65+	424	6.2	15	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	24	5.8	19	1	2	4	7	13	15	18
20-34	14	7.7	31	1	2	6	13	16	18	18
35-49	16	6.5	15	2	3	5	9	14	15	15
50-64	16	8.8	67	1	2	8	10	17	29	34
65+	13	7.0	25	1	2	6	10	13	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7390	4.5	7	2	2	4	6	8	10	14
20-34	1283	5.3	11	2	2	4	7	9	11	17
35-49	1788	6.0	17	2	3	5	7	10	12	20
50-64	3811	7.2	24	2	3	6	9	12	15	26
65+	7264	8.2	28	3	3	7	10	14	18	27
B. *Operated*										
0-19 YRS	96	8.0	27	2	3	7	11	15	20	65
20-34	104	9.7	43	2	3	8	13	17	22	33
35-49	194	10.3	82	3	3	8	12	21	25	35
50-64	387	11.5	74	3	4	9	15	23	28	43
65+	534	13.3	104	3	4	11	16	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8675	3.9	5	1	2	3	5	7	8	12
B. *Operated*	83	7.0	30	1	2	6	9	15	17	29
2. MULTIPLE DX										
A. *Not Operated*	21536	6.4	21	2	2	5	8	11	14	23
B. *Operated*	1315	11.7	84	3	4	9	15	23	29	50
1. SINGLE DX	8758	3.9	6	1	2	3	5	7	8	12
2. MULTIPLE DX	22851	6.7	26	2	2	5	8	12	16	26
A. NOT OPERATED	30211	5.7	18	2	2	5	7	10	13	21
B. OPERATED	1398	11.4	82	2	4	9	14	22	29	49
TOTAL 0-19 YRS	14587	4.1	6	1	2	4	5	7	9	13
20-34	1813	5.3	13	2	2	4	6	9	12	19
35-49	2402	6.1	22	2	3	5	7	11	13	22
50-64	4572	7.4	29	2	3	6	9	13	16	28
65+	8235	8.4	34	3	3	7	10	15	19	30
GRAND TOTAL	**31609**	**5.9**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	1.5		<1	<1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	696	2.1	1	1	1	2	3	3	4	5
20-34	1395	2.1	1	1	1	2	3	3	4	5
35-49	652	2.2	1	1	1	2	3	3	4	5
50-64	317	2.2	1	1	1	2	3	4	4	5
65+	69	2.3	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	2	<1	<1	1	1	3	5	6
20-34	37	2.8	25	<1	<1	1	3	4	7	31
35-49	27	2.3	4	<1	1	1	3	5	7	9
50-64	23	2.3	8	<1	<1	1	2	3	8	15
65+	9	5.8	32	<1	<1	3	9	15	18	18
B. *Operated*										
0-19 YRS	1359	2.4	1	1	1	2	3	4	4	6
20-34	3186	2.6	2	1	1	2	3	4	5	8
35-49	1925	2.7	3	1	1	2	3	4	5	9
50-64	1167	3.0	5	1	1	3	3	5	6	11
65+	323	3.3	6	1	2	3	4	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4		<1	<1	1	2	2	2	2
B. *Operated*	3129	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	111	2.6	14	<1	<1	1	3	5	9	23
B. *Operated*	7960	2.7	3	1	1	2	3	4	5	8
1. SINGLE DX	3140	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	8071	2.7	3	1	1	2	3	4	5	9
A. NOT OPERATED	122	2.5	13	<1	<1	1	2	4	8	22
B. OPERATED	11089	2.5	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	2071	2.3	1	1	1	2	3	4	4	5
20-34	4524	2.5	2	1	1	2	3	4	4	7
35-49	2606	2.6	2	1	1	2	3	4	5	8
50-64	1508	2.8	4	1	1	2	3	4	5	10
65+	402	3.2	6	1	1	3	3	5	7	15
GRAND TOTAL	**11211**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	38	2.1	1	1	1	2	3	4	5	5
20-34	49	2.0	1	<1	1	2	2	4	4	6
35-49	80	2.0	1	<1	<1	2	3	4	4	6
50-64	100	2.0	2	<1	1	2	2	3	5	8
65+	73	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	3	3.7	9	<1	<1	3	6	7	7	7
35-49	9	2.2	5	<1	<1	1	3	6	8	8
50-64	5	3.4	3	2	2	3	4	6	6	6
65+	5	4.2	7	<1	<1	4	6	8	8	8
B. *Operated*										
0-19 YRS	97	2.6	4	1	1	2	3	4	5	12
20-34	202	2.5	2	1	1	2	3	5	5	7
35-49	292	2.6	3	1	1	2	3	4	5	8
50-64	374	2.9	7	1	1	2	3	5	6	16
65+	239	3.3	9	1	1	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	340	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	21	3.0	5	<1	<1	3	4	7	8	8
B. *Operated*	1208	2.8	5	1	1	2	3	5	6	11
1. SINGLE DX	344	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	1229	2.8	5	1	1	2	3	5	6	11
A. NOT OPERATED	29	2.8	5	<1	<1	2	4	7	8	8
B. OPERATED	1544	2.7	5	1	1	2	3	5	5	10
TOTAL 0-19 YRS	138	2.5	3	1	1	2	3	4	5	10
20-34	256	2.4	2	1	1	2	3	4	5	7
35-49	382	2.5	2	1	1	2	3	4	5	8
50-64	480	2.7	6	1	1	2	3	5	6	14
65+	317	3.0	7	1	1	2	4	5	7	12
GRAND TOTAL	**1573**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.9	1	<1	<1	1	2	4	4	5
20-34	38	2.1	2	<1	1	2	3	4	5	5
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	21912	1.7	1	1	1	2	2	2	3	3
20-34	4249	1.9	1	1	1	2	2	3	3	5
35-49	401	2.1	1	1	1	2	2	3	4	7
50-64	72	2.3	2	1	1	2	3	4	5	7
65+	29	1.9	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	537	1.6	2	<1	<1	1	2	3	5	7
20-34	60	2.3	2	<1	<1	2	3	5	6	6
35-49	11	3.3	7	<1	<1	3	5	7	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	6.0	11	4	4	5	8	11	11	11
B. *Operated*										
0-19 YRS	14510	1.7	1	<1	1	2	2	2	3	4
20-34	1056	2.3	2	1	1	2	3	4	4	8
35-49	186	2.6	4	1	1	2	3	4	6	11
50-64	51	3.1	4	1	1	3	4	6	7	11
65+	31	2.8	7	1	1	2	3	6	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.0	1	<1	<1	2	3	4	4	5
B. *Operated*	26663	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	613	1.8	2	<1	<1	1	2	4	5	8
B. *Operated*	15834	1.7	1	1	1	2	2	2	3	5
1. SINGLE DX	26821	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX	16447	1.7	1	<1	1	2	2	2	3	5
A. NOT OPERATED	771	1.8	2	<1	<1	1	2	4	5	7
B. OPERATED	42497	1.7	1	1	1	2	2	2	3	4
TOTAL 0-19 YRS	37073	1.7	1	<1	1	2	2	2	3	4
20-34	5403	2.0	1	1	1	2	2	3	4	6
35-49	601	2.3	2	1	1	2	3	4	5	10
50-64	126	2.7	3	1	1	2	3	5	6	9
65+	65	2.6	5	1	1	2	3	4	8	12
GRAND TOTAL	**43268**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	631	3.0	3	1	1	3	4	5	6	8
20-34	365	3.2	3	1	2	3	4	5	7	9
35-49	163	3.6	10	1	1	3	4	6	7	19
50-64	112	3.5	7	1	1	3	4	7	8	14
65+	58	4.2	15	1	1	3	6	11	13	19
B. *Operated*										
0-19 YRS	749	2.5	10	1	1	2	3	4	6	12
20-34	947	2.3	2	1	1	2	3	4	5	8
35-49	779	2.2	4	<1	1	2	2	4	5	11
50-64	749	2.4	4	1	1	2	3	4	6	11
65+	382	2.4	4	1	1	2	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	733	3.8	6	1	1	3	5	7	8	13
20-34	417	4.3	10	1	2	4	5	7	9	18
35-49	374	4.8	12	1	2	4	6	8	10	19
50-64	418	5.4	18	1	2	4	7	10	13	23
65+	351	6.3	26	2	2	5	8	13	15	26
B. *Operated*										
0-19 YRS	806	3.0	11	1	1	2	3	6	7	20
20-34	1040	3.3	14	1	1	2	3	6	9	19
35-49	1009	3.5	11	1	1	2	4	7	10	17
50-64	1174	4.1	22	1	1	3	4	8	13	25
65+	781	5.1	37	1	1	3	6	11	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	3.2	5	1	1	3	4	6	7	11
B. *Operated*	3606	2.4	5	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2293	4.7	14	1	2	4	6	8	11	20
B. *Operated*	4810	3.8	19	1	1	2	4	8	12	24
1. SINGLE DX	4935	2.6	5	1	1	2	3	5	6	10
2. MULTIPLE DX	7103	4.1	17	1	1	3	5	8	11	22
A. NOT OPERATED	3622	4.2	11	1	1	3	5	8	9	17
B. OPERATED	8416	3.2	13	1	1	2	3	6	9	20
TOTAL 0-19 YRS	2919	3.1	8	1	1	2	4	6	7	13
20-34	2769	3.1	8	1	1	2	4	5	7	14
35-49	2325	3.3	9	1	1	2	4	6	8	16
50-64	2453	3.8	16	1	1	2	4	8	11	23
65+	1572	4.7	28	1	1	3	5	10	14	26
GRAND TOTAL	**12038**	**3.5**	**13**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12571	4.5	6	2	2	4	6	7	9	13
20-34	2326	5.2	10	2	2	5	6	9	11	16
35-49	1596	5.8	9	2	3	5	7	10	12	16
50-64	1533	6.5	12	2	3	6	8	10	13	20
65+	2115	7.7	20	3	3	7	10	13	16	23
B. Operated										
0-19 YRS	81	6.0	37	1	1	4	7	12	14	37
20-34	59	8.7	33	1	2	8	11	16	20	30
35-49	96	9.6	44	2	2	8	13	18	22	34
50-64	129	9.9	47	2	2	9	13	18	21	38
65+	140	12.9	89	2	4	11	16	23	31	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14186	5.1	11	2	2	4	6	9	11	17
20-34	2812	6.5	25	2	3	5	8	11	15	23
35-49	3319	7.4	22	3	3	6	9	13	16	26
50-64	6667	8.6	30	3	4	7	11	15	19	29
65+	21003	10.7	46	4	4	9	13	19	23	35
B. Operated										
0-19 YRS	337	12.0	140	3	3	9	15	24	32	85
20-34	317	14.1	141	3	5	11	17	27	36	73
35-49	495	13.7	90	4	5	11	17	24	32	51
50-64	1169	16.2	153	4	6	13	20	31	41	70
65+	2660	18.6	152	5	7	16	23	33	43	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20141	5.2	10	2	2	4	6	9	11	16
B. Operated	505	9.9	59	2	2	8	13	18	23	43
2. MULTIPLE DX										
A. Not Operated	47987	8.3	36	2	3	7	10	15	19	30
B. Operated	4978	16.8	149	4	6	14	21	31	41	71
1. SINGLE DX	20646	5.3	12	2	2	5	7	9	11	17
2. MULTIPLE DX	52965	9.1	53	2	3	7	11	17	22	37
A. NOT OPERATED	68128	7.3	30	2	3	6	9	14	17	28
B. OPERATED	5483	16.2	145	4	5	13	20	30	39	70
TOTAL 0-19 YRS	27175	4.9	11	2	2	4	6	8	10	16
20-34	5514	6.5	29	2	3	5	8	11	15	26
35-49	5506	7.5	29	2	3	6	9	13	17	29
50-64	9498	9.2	50	3	4	7	11	16	22	39
65+	25918	11.3	61	4	5	9	14	20	26	41
GRAND TOTAL	**73611**	**8.0**	**44**	**2**	**3**	**6**	**10**	**15**	**20**	**34**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	467	2.9	3	1	1	3	4	5	6	8
20-34	268	3.0	3	1	1	3	4	5	6	9
35-49	152	3.6	4	1	1	3	4	6	8	9
50-64	152	4.2	6	1	2	4	5	8	10	11
65+	205	5.2	12	2	2	4	6	10	12	19
B. Operated										
0-19 YRS										
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	830	3.6	5	1	1	3	4	6	8	12
20-34	571	3.7	5	1	1	3	5	6	8	12
35-49	461	4.4	10	1	2	4	5	7	9	17
50-64	671	5.5	12	2	2	5	7	10	13	18
65+	1832	7.4	25	2	3	6	9	14	17	27
B. Operated										
0-19 YRS	15	5.9	25	1	2	5	8	10	18	21
20-34	21	5.8	13	2	2	5	7	11	13	16
35-49	20	14.1	254	2	3	8	18	28	50	71
50-64	34	11.8	188	2	3	7	13	19	46	70
65+	92	14.2	77	4	4	13	19	26	29	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1244	3.6	5	1	1	3	4	6	8	12
B. Operated	7	6.4	34	1	2	5	7	17	19	19
2. MULTIPLE DX										
A. Not Operated	4365	5.6	18	1	2	4	7	11	14	22
B. Operated	182	12.1	113	2	3	9	16	24	29	64
1. SINGLE DX	1251	3.6	6	1	1	3	4	6	8	12
2. MULTIPLE DX	4547	5.8	23	2	2	4	7	11	15	25
A. NOT OPERATED	5609	5.1	16	1	2	4	6	10	13	21
B. OPERATED	189	11.9	111	2	3	9	16	23	29	62
TOTAL 0-19 YRS	1312	3.4	5	1	1	3	4	6	7	11
20-34	863	3.5	5	1	1	3	4	6	8	11
35-49	634	4.5	19	1	2	4	5	7	9	24
50-64	859	5.6	20	2	2	5	7	10	13	18
65+	2130	7.5	28	2	3	6	9	14	18	28
GRAND TOTAL	**5798**	**5.4**	**20**	**1**	**2**	**4**	**6**	**10**	**14**	**23**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1942	3.6	4	1	1	3	4	6	7	11
20-34	171	3.8	4	1	2	3	5	6	7	10
35-49	213	4.7	7	2	2	4	6	8	10	14
50-64	338	5.5	15	2	2	5	7	10	12	19
65+	460	6.4	16	2	3	5	8	12	14	18
B. Operated										
0-19 YRS	17	4.0	11	1	1	3	5	6	12	13
20-34	19	4.4	12	1	1	3	6	10	12	13
35-49	35	3.9	7	1	1	3	6	7	8	11
50-64	82	4.7	17	1	1	4	6	9	11	23
65+	45	5.0	14	1	1	3	7	10	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2354	4.3	7	1	2	4	5	7	9	14
20-34	509	5.1	11	2	2	4	6	9	11	17
35-49	805	5.8	13	2	2	5	7	10	13	19
50-64	1930	7.4	29	2	3	6	9	13	17	32
65+	3719	8.4	35	3	3	7	10	15	19	31
B. Operated										
0-19 YRS	49	7.8	27	1	2	7	11	14	16	27
20-34	65	7.0	40	1	2	5	9	12	18	37
35-49	160	7.8	41	2	2	6	10	17	20	33
50-64	424	9.8	68	2	3	8	13	18	25	43
65+	530	11.7	89	2	3	10	16	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3124	4.2	8	1	2	3	5	7	10	15
B. Operated	198	4.6	14	1	1	3	6	10	12	18
2. MULTIPLE DX										
A. Not Operated	9357	6.7	26	2	2	5	8	12	16	27
B. Operated	1248	10.1	73	2	3	8	13	21	26	43
1. SINGLE DX	3322	4.2	9	1	2	3	5	7	10	15
2. MULTIPLE DX	10605	7.1	33	2	2	6	9	13	17	30
A. NOT OPERATED	12481	6.1	23	2	2	5	8	11	15	25
B. OPERATED	1446	9.3	68	1	2	7	12	20	25	42
TOTAL 0-19 YRS	6402	3.9	6	1	2	3	5	7	8	13
20-34	764	5.0	13	1	2	4	6	9	11	17
35-49	1233	5.8	16	2	2	5	7	11	14	21
50-64	2774	7.5	34	2	3	6	9	13	18	32
65+	4754	8.5	41	2	3	7	10	16	20	33
GRAND TOTAL	**13927**	**6.4**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	2.8	2	1	1	2	4	6	6	6
35-49	36	5.4	14	1	1	4	6	10	13	15
50-64	156	7.0	53	2	2	6	8	11	14	21
65+	226	7.5	40	2	3	6	9	14	17	27
B. Operated										
0-19 YRS	4	4.3		4	4	4	5	5	5	5
20-34	8	11.3	40	3	4	9	14	22	24	24
35-49	8	9.6	52	2	2	8	13	22	24	24
50-64	10	6.7	18	1	1	7	10	12	13	13
65+	8	14.9	92	2	4	12	19	30	34	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	13.1	595	3	3	5	7	43	62	65
20-34	18	5.9	14	1	1	5	7	12	13	14
35-49	134	7.9	33	2	3	6	10	14	17	37
50-64	1073	9.2	49	3	3	8	11	16	22	35
65+	2146	10.0	54	3	3	8	12	19	24	37
B. Operated										
0-19 YRS	5	8.6	12	5	5	8	11	14	14	14
20-34	15	12.5	30	4	6	13	18	19	20	20
35-49	35	14.7	120	3	5	13	17	23	34	62
50-64	148	16.6	147	4	5	13	22	33	48	99+
65+	235	20.0	234	4	6	16	25	41	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	425	7.1	42	2	2	6	9	13	16	25
B. Operated	38	9.0	51	2	2	9	12	20	24	34
2. MULTIPLE DX										
A. Not Operated	3382	9.6	54	3	3	8	12	18	24	37
B. Operated	438	18.0	191	4	6	15	23	35	50	99+
1. SINGLE DX	463	7.3	43	2	2	6	9	13	17	27
2. MULTIPLE DX	3820	10.6	76	3	3	8	13	21	27	49
A. NOT OPERATED	3807	9.4	53	2	3	8	12	17	23	36
B. OPERATED	476	17.3	185	3	5	14	22	35	50	99+
TOTAL 0-19 YRS	22	9.5	304	2	3	5	7	14	43	65
20-34	46	8.7	36	1	2	7	12	16	19	24
35-49	213	8.6	53	2	3	7	11	16	22	30
50-64	1387	9.7	65	2	3	8	11	18	25	40
65+	2615	10.7	78	3	3	8	13	21	27	49
GRAND TOTAL	**4283**	**10.2**	**74**	**2**	**3**	**8**	**13**	**20**	**26**	**48**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12418	3.5	4	1	2	3	4	6	7	10
20-34	2284	4.1	6	1	2	4	5	7	8	11
35-49	1659	5.0	9	1	2	4	7	9	10	15
50-64	1733	5.7	11	2	2	5	7	10	12	17
65+	1105	6.2	14	2	2	6	8	11	13	19
B. *Operated*										
0-19 YRS	25	5.4	17	1	2	4	8	11	14	18
20-34	16	5.2	14	1	1	4	8	11	12	12
35-49	22	7.1	23	1	2	6	10	15	16	17
50-64	31	8.7	26	2	2	8	12	14	17	26
65+	14	10.4	59	2	2	10	15	22	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8063	4.2	7	1	2	4	5	7	9	13
20-34	2355	5.1	10	2	2	4	6	9	11	16
35-49	2879	6.4	16	2	3	6	8	11	14	21
50-64	4699	7.4	27	2	3	6	9	13	17	26
65+	5587	8.5	35	2	3	7	11	15	19	31
B. *Operated*										
0-19 YRS	108	8.0	31	2	2	7	11	14	16	33
20-34	111	11.0	51	2	3	10	14	20	22	39
35-49	206	11.9	100	3	4	9	14	20	29	59
50-64	340	12.1	61	3	5	10	15	24	27	38
65+	384	14.7	133	3	5	12	18	26	34	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19199	4.1	7	1	2	3	5	7	9	13
B. *Operated*	108	7.3	28	1	2	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	23583	6.2	22	2	2	5	8	11	15	24
B. *Operated*	1149	12.5	92	3	4	10	15	23	30	56
1. SINGLE DX	19307	4.1	7	1	2	3	5	7	9	13
2. MULTIPLE DX	24732	6.5	27	2	2	5	8	12	15	26
A. NOT OPERATED	42782	5.3	16	1	2	4	7	10	12	21
B. OPERATED	1257	12.0	89	2	3	10	15	22	29	54
TOTAL 0-19 YRS	20614	3.8	5	1	2	3	5	6	8	12
20-34	4766	4.8	10	1	2	4	6	8	10	16
35-49	4766	6.2	19	2	2	5	8	11	13	22
50-64	6803	7.2	26	2	3	6	9	13	16	26
65+	7090	8.5	40	2	3	7	10	15	19	32
GRAND TOTAL	**44039**	**5.5**	**20**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.1	11	1	1	3	6	9	11	13
20-34	30	4.4	10	1	1	4	7	8	10	14
35-49	170	6.7	29	2	2	5	9	12	16	32
50-64	941	6.8	29	2	3	6	8	12	15	25
65+	1386	7.6	31	2	3	6	9	14	19	28
B. *Operated*										
0-19 YRS	5	14.6	214	2	2	7	30	31	31	31
20-34	7	5.6	36	1	1	2	10	15	16	16
35-49	29	6.1	50	1	2	3	8	11	26	32
50-64	66	10.4	131	2	2	7	12	20	35	61
65+	52	9.8	54	2	3	9	12	17	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	7.1	98	1	2	4	8	11	15	67
20-34	122	6.8	24	1	2	6	9	13	16	29
35-49	854	7.5	34	2	3	6	9	13	17	28
50-64	5616	8.8	45	2	3	7	11	16	20	35
65+	11497	9.5	49	3	3	8	12	17	22	35
B. *Operated*										
0-19 YRS	15	8.2	58	1	1	5	12	19	25	27
20-34	39	10.6	34	2	4	10	13	18	24	27
35-49	130	12.2	92	2	4	9	15	27	32	99+
50-64	795	14.6	176	3	4	11	17	30	43	90
65+	1311	16.8	188	4	5	13	21	33	46	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2545	7.2	30	2	3	6	9	13	17	26
B. *Operated*	159	9.4	91	2	2	7	12	20	31	47
2. MULTIPLE DX										
A. *Not Operated*	18142	9.1	47	2	3	7	11	17	21	34
B. *Operated*	2290	15.6	177	3	4	12	19	31	44	89
1. SINGLE DX	2704	7.3	34	2	3	6	9	13	18	30
2. MULTIPLE DX	20432	9.9	66	3	3	8	12	18	25	43
A. NOT OPERATED	20687	8.9	45	2	3	7	11	16	21	34
B. OPERATED	2449	15.2	174	3	4	12	19	31	43	88
TOTAL 0-19 YRS	91	7.1	83	1	1	4	8	14	27	54
20-34	198	7.2	27	1	2	6	9	14	16	28
35-49	1183	7.8	42	2	3	6	10	15	21	32
50-64	7418	9.2	61	2	3	7	11	17	22	43
65+	14246	10.0	65	3	3	8	12	19	25	42
GRAND TOTAL	**23136**	**9.6**	**63**	**2**	**3**	**7**	**12**	**18**	**24**	**42**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.9	4	1	1	3	3	5	6	13
20-34	201	3.7	6	1	1	3	5	7	9	13
35-49	53	3.9	11	1	1	3	5	8	9	20
50-64	21	4.8	12	1	1	4	7	9	12	15
65+	17	6.9	23	2	2	6	8	13	18	21
B. *Operated*										
0-19 YRS	168	6.7	23	2	2	5	8	13	16	25
20-34	629	6.1	15	2	3	5	7	11	14	21
35-49	193	6.4	17	2	3	5	8	12	15	21
50-64	95	8.3	49	3	3	6	11	16	19	40
65+	55	8.3	42	3	3	6	10	20	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.3	6	1	2	4	5	9	10	10
20-34	92	4.9	14	1	2	4	6	8	11	20
35-49	49	6.7	17	1	2	6	8	13	14	21
50-64	74	8.2	55	2	3	6	10	14	19	44
65+	111	10.0	52	2	3	8	12	19	27	33
B. *Operated*										
0-19 YRS	43	9.6	32	3	4	9	12	17	21	30
20-34	271	9.7	44	3	3	8	12	18	24	34
35-49	142	10.0	51	3	4	8	13	19	24	39
50-64	262	12.0	122	3	3	8	15	27	33	51
65+	308	13.9	144	4	4	11	18	27	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	3.8	8	1	1	3	5	7	9	14
B. *Operated*	1140	6.5	21	2	3	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	349	7.4	39	1	2	6	9	15	19	31
B. *Operated*	1026	11.6	97	3	4	9	14	23	30	46
1. SINGLE DX	1494	5.9	19	2	2	5	7	11	15	22
2. MULTIPLE DX	1375	10.5	86	2	3	8	13	21	29	46
A. NOT OPERATED	703	5.6	27	1	1	4	7	11	16	27
B. OPERATED	2166	8.9	63	2	3	6	11	18	24	40
TOTAL 0-19 YRS	296	6.1	23	1	2	5	8	12	15	25
20-34	1193	6.4	24	2	2	5	8	12	16	25
35-49	437	7.3	31	2	2	6	9	14	18	30
50-64	452	10.3	95	2	3	7	13	22	29	45
65+	491	12.1	113	3	4	9	16	25	31	49
GRAND TOTAL	**2869**	**8.1**	**57**	**2**	**2**	**6**	**10**	**16**	**22**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	774	3.6	10	1	1	3	4	6	8	16
20-34	314	3.5	8	1	1	3	4	7	9	14
35-49	260	4.1	9	1	1	3	5	7	9	13
50-64	271	5.2	17	1	1	4	7	11	14	18
65+	357	5.9	34	1	2	5	7	11	13	26
B. *Operated*										
0-19 YRS	106	4.9	34	1	1	2	6	12	16	28
20-34	131	7.4	39	1	2	6	10	14	18	33
35-49	230	6.6	27	1	2	6	9	12	14	26
50-64	351	8.0	38	1	2	7	11	15	20	28
65+	266	8.7	80	1	2	7	10	17	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1349	5.1	28	1	2	4	6	10	13	23
20-34	589	5.2	16	1	2	4	7	10	12	19
35-49	990	6.4	32	1	2	5	8	12	16	27
50-64	2324	7.6	38	2	2	6	10	14	18	30
65+	5651	9.6	51	2	3	8	12	19	24	35
B. *Operated*										
0-19 YRS	227	10.9	154	1	2	8	15	25	36	99+
20-34	310	12.3	136	2	3	9	16	27	37	78
35-49	601	12.4	159	2	2	9	16	25	33	70
50-64	1491	12.0	109	2	3	9	16	25	32	54
65+	2151	14.7	142	2	3	12	19	30	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1976	4.3	16	1	1	3	5	8	11	18
B. *Operated*	1084	7.5	47	1	2	6	10	15	20	32
2. MULTIPLE DX										
A. *Not Operated*	10903	8.1	45	2	2	6	10	16	21	32
B. *Operated*	4780	13.3	136	2	3	10	17	27	36	62
1. SINGLE DX	3060	5.4	29	1	1	4	7	11	14	26
2. MULTIPLE DX	15683	9.7	78	2	2	7	12	20	26	46
A. NOT OPERATED	12879	7.5	42	1	2	6	10	15	19	32
B. OPERATED	5864	12.2	124	2	2	9	16	26	33	59
TOTAL 0-19 YRS	2456	5.2	38	1	1	4	6	10	14	32
20-34	1344	6.7	55	1	1	4	8	14	20	39
35-49	2081	7.9	74	1	2	5	9	16	22	48
50-64	4437	9.0	66	2	2	7	11	18	24	41
65+	8425	10.8	80	2	3	8	14	21	28	46
GRAND TOTAL	**18743**	**9.0**	**73**	**1**	**2**	**7**	**11**	**19**	**25**	**44**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.2	4	<1	1	3	4	6	7	9
20-34	48	3.5	9	<1	1	3	4	6	8	16
35-49	18	5.1	13	1	1	4	6	10	13	15
50-64	24	4.3	31	<1	1	3	4	9	19	25
65+	12	4.6	8	1	2	4	6	9	11	11
B. *Operated*										
0-19 YRS	1980	2.1	2	<1	<1	2	3	4	5	6
20-34	1891	2.5	2	<1	<1	2	3	4	5	7
35-49	747	2.6	3	<1	1	2	3	5	5	8
50-64	411	2.6	3	1	1	2	3	4	5	10
65+	157	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	3.2	7	<1	1	3	4	6	7	14
20-34	145	3.7	14	<1	1	3	5	7	9	24
35-49	94	4.2	15	1	1	3	6	8	10	22
50-64	105	4.5	14	1	1	3	6	9	12	18
65+	92	6.0	30	1	1	4	8	14	17	25
B. *Operated*										
0-19 YRS	1266	2.7	4	<1	1	2	4	5	6	11
20-34	1430	3.2	8	1	1	3	4	5	7	15
35-49	1139	3.2	16	1	1	2	3	6	7	18
50-64	1191	3.4	20	1	1	2	3	6	9	24
65+	866	3.7	14	1	1	2	4	7	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.8	11	<1	1	3	5	7	9	17
B. *Operated*	5186	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	613	4.1	15	<1	1	3	5	8	11	22
B. *Operated*	5892	3.2	12	1	1	2	4	5	8	16
1. SINGLE DX	5333	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	6505	3.3	13	1	1	2	4	6	8	17
A. NOT OPERATED	760	4.1	14	<1	1	3	5	8	11	22
B. OPERATED	11078	2.8	8	<1	1	2	3	5	6	13
TOTAL 0-19 YRS	3468	2.4	3	<1	1	2	3	4	5	8
20-34	3514	2.8	5	<1	1	2	4	5	6	10
35-49	1998	3.0	11	1	1	2	3	5	7	16
50-64	1731	3.3	16	1	1	2	3	6	9	18
65+	1127	3.7	15	1	1	2	4	7	11	20
GRAND TOTAL	**11838**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.7	4	1	1	3	5	6	8	10
20-34	37	4.8	10	1	1	4	6	7	12	15
35-49	44	3.8	4	1	2	3	5	6	7	10
50-64	37	4.2	11	<1	1	3	6	8	10	18
65+	31	4.4	10	2	2	3	5	9	10	16
B. *Operated*										
0-19 YRS	202	2.9	4	<1	1	2	4	5	7	10
20-34	163	2.9	3	1	1	3	4	5	6	10
35-49	199	3.1	3	1	1	3	4	5	7	11
50-64	216	3.3	8	1	1	3	4	6	8	13
65+	173	3.4	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	4.0	5	1	2	4	5	6	8	12
20-34	76	5.3	16	1	2	4	7	10	12	23
35-49	89	5.6	15	1	2	5	7	11	13	21
50-64	111	6.3	14	2	3	5	8	10	13	22
65+	228	8.2	32	2	3	7	11	15	18	30
B. *Operated*										
0-19 YRS	139	3.8	9	1	1	3	4	8	11	15
20-34	157	4.9	15	1	2	3	6	10	14	18
35-49	203	4.9	39	1	2	3	5	9	13	26
50-64	296	4.8	29	1	2	3	5	9	13	30
65+	317	6.5	50	1	2	4	7	15	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	4.0	6	1	1	3	5	7	8	14
B. *Operated*	953	3.1	5	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	827	5.7	19	1	2	5	7	11	14	23
B. *Operated*	1112	5.2	33	1	2	3	6	10	16	30
1. SINGLE DX	1244	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	1939	5.4	27	1	2	4	6	11	15	26
A. NOT OPERATED	1118	5.3	16	1	2	4	6	10	13	22
B. OPERATED	2065	4.2	21	1	1	3	4	8	11	23
TOTAL 0-19 YRS	806	3.6	5	1	1	3	5	6	8	12
20-34	433	4.2	11	1	1	3	5	8	11	18
35-49	535	4.2	20	1	1	3	5	8	10	20
50-64	660	4.5	20	1	2	3	5	9	11	24
65+	749	6.2	36	1	2	4	8	13	17	32
GRAND TOTAL	**3183**	**4.6**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	396	3.5	7	1	1	3	4	7	9	13
20-34	224	3.9	10	1	1	3	5	7	9	14
35-49	309	3.8	7	1	1	3	5	7	9	14
50-64	271	3.7	8	1	1	3	5	7	8	14
65+	161	4.1	9	1	1	3	5	7	10	18
B. *Operated*										
0-19 YRS	106	5.8	43	<1	<1	4	7	12	18	35
20-34	106	5.9	29	1	1	5	8	11	16	30
35-49	137	5.9	15	1	1	6	8	10	12	19
50-64	188	6.4	22	1	2	6	9	12	15	23
65+	251	6.8	55	1	1	5	9	12	16	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	601	4.8	24	1	1	4	6	9	12	23
20-34	667	4.8	15	1	2	4	6	9	11	19
35-49	1251	5.1	14	1	2	4	6	9	12	20
50-64	1709	5.3	15	1	2	4	7	10	12	20
65+	2403	6.5	26	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	215	11.9	135	1	2	9	16	25	34	63
20-34	302	8.7	85	2	2	6	10	16	29	60
35-49	724	8.7	59	2	3	7	11	16	21	41
50-64	1155	9.3	74	2	2	7	11	18	24	50
65+	1903	10.2	79	2	3	8	13	20	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1361	3.8	8	1	1	3	5	7	9	14
B. *Operated*	788	6.3	35	1	1	5	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	6631	5.6	20	1	2	4	7	10	13	23
B. *Operated*	4299	9.7	78	2	2	7	12	19	25	48
1. SINGLE DX	2149	4.7	19	1	1	3	6	9	12	21
2. MULTIPLE DX	10930	7.2	47	2	2	5	9	14	19	36
A. NOT OPERATED	7992	5.3	18	1	2	4	7	10	13	22
B. OPERATED	5087	9.2	73	2	2	7	11	18	24	46
TOTAL 0-19 YRS	1318	5.7	46	1	1	4	6	12	17	35
20-34	1299	5.6	34	1	1	4	7	10	14	32
35-49	2421	6.0	30	1	2	5	8	11	15	25
50-64	3323	6.6	39	1	2	5	8	12	17	31
65+	4718	7.9	52	2	2	6	10	15	21	38
GRAND TOTAL	**13079**	**6.8**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.8	7	1	1	3	5	6	9	13
20-34	123	4.3	7	1	2	4	5	7	9	15
35-49	162	4.6	9	1	2	4	6	8	10	16
50-64	148	4.8	9	1	2	4	6	9	11	15
65+	151	5.7	14	2	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	5	6.8	20	3	3	5	9	14	14	14
20-34	42	7.7	19	3	3	7	9	14	17	22
35-49	126	7.9	17	3	3	8	10	14	16	20
50-64	125	8.3	35	3	3	7	10	14	23	34
65+	112	8.5	32	2	2	7	12	17	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.9	6	1	2	5	6	9	9	12
20-34	214	5.7	8	2	3	5	7	9	11	15
35-49	443	6.7	33	2	3	6	8	12	15	25
50-64	681	6.7	18	2	3	6	8	12	15	22
65+	1204	7.9	26	2	3	7	10	14	16	26
B. *Operated*										
0-19 YRS	10	6.5	18	1	2	5	9	13	16	16
20-34	156	8.9	34	2	3	7	10	17	21	31
35-49	429	9.3	38	3	3	8	12	18	22	32
50-64	769	9.5	37	3	4	8	12	17	22	32
65+	1143	10.9	63	3	4	9	13	21	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	4.8	10	1	2	4	6	9	11	17
B. *Operated*	410	8.1	27	2	3	7	10	15	19	24
2. MULTIPLE DX										
A. *Not Operated*	2592	7.1	24	2	3	6	9	13	16	24
B. *Operated*	2507	10.0	49	3	4	8	12	19	23	37
1. SINGLE DX	1018	6.2	19	2	2	5	8	11	15	22
2. MULTIPLE DX	5099	8.6	38	2	3	7	11	16	20	32
A. NOT OPERATED	3200	6.7	22	2	2	6	8	12	15	23
B. OPERATED	2917	9.8	47	3	4	8	12	18	23	35
TOTAL 0-19 YRS	89	4.9	9	1	2	4	6	9	10	15
20-34	535	6.4	20	2	2	5	8	12	15	24
35-49	1160	7.5	32	2	3	6	9	14	18	27
50-64	1723	7.9	29	2	3	7	10	14	19	27
65+	2610	9.1	45	2	3	7	11	17	21	34
GRAND TOTAL	**6117**	**8.2**	**36**	**2**	**3**	**7**	**10**	**15**	**19**	**31**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.0	3	1	1	3	4	6	7	7
20-34	54	4.6	5	1	2	5	6	8	9	11
35-49	88	5.3	5	2	3	5	7	8	10	12
50-64	119	6.0	8	2	3	5	7	9	12	16
65+	165	6.6	17	2	3	6	8	11	15	25
B. *Operated*										
0-19 YRS	6	6.7	3	5	5	6	7	10	10	10
20-34	38	8.2	12	4	5	7	11	13	15	16
35-49	75	9.4	40	3	4	9	11	14	19	39
50-64	125	9.5	46	3	3	8	12	16	19	43
65+	116	10.8	41	3	4	9	14	20	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	5	1	2	4	6	8	9	10
20-34	80	5.3	9	2	2	5	6	9	12	16
35-49	194	5.9	12	2	2	5	8	10	12	20
50-64	491	7.1	26	3	3	6	8	12	15	24
65+	1162	9.0	32	3	4	8	11	16	20	32
B. *Operated*										
0-19 YRS	11	12.1	219	2	3	6	13	34	51	53
20-34	67	9.9	38	4	5	8	13	21	25	88
35-49	275	12.0	105	4	4	9	14	24	37	99+
50-64	538	11.6	85	3	4	9	14	21	29	44
65+	1778	14.4	119	4	5	11	18	27	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	5.9	11	2	3	5	7	10	11	19
B. *Operated*	360	9.7	39	3	4	8	12	17	20	38
2. MULTIPLE DX										
A. *Not Operated*	1947	8.0	29	3	3	7	10	14	18	29
B. *Operated*	2119	13.3	108	4	5	10	16	26	34	57
1. SINGLE DX	795	7.6	27	2	3	6	9	13	17	27
2. MULTIPLE DX	4066	10.8	77	3	4	8	13	20	28	48
A. NOT OPERATED	2382	7.6	26	3	3	6	9	13	17	27
B. OPERATED	2479	12.8	100	4	5	10	16	24	32	55
TOTAL 0-19 YRS	46	6.4	63	1	2	5	6	10	15	53
20-34	239	6.9	22	2	3	6	8	13	16	27
35-49	582	8.6	59	3	3	7	10	16	22	52
50-64	1273	9.1	56	3	3	7	11	16	21	38
65+	2721	11.5	80	3	4	9	14	21	28	47
GRAND TOTAL	**4861**	**10.2**	**71**	**3**	**4**	**8**	**12**	**19**	**26**	**46**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	3.7	4	1	2	3	5	7	8	11
20-34	624	3.9	6	1	1	3	5	7	9	12
35-49	611	4.4	6	1	2	4	6	8	9	13
50-64	399	4.5	6	1	2	4	6	8	9	13
65+	262	5.2	11	2	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	8	4.9	9	1	1	5	7	9	9	9
20-34	88	8.6	17	3	4	8	10	14	16	24
35-49	132	8.9	29	2	3	8	11	16	21	28
50-64	110	9.0	20	3	4	9	11	16	18	22
65+	57	10.1	37	3	5	8	13	19	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	194	4.6	9	1	2	4	6	8	9	13
20-34	972	5.2	19	2	2	4	6	9	11	17
35-49	1379	5.9	16	2	2	5	7	11	13	21
50-64	1653	6.3	22	2	3	5	8	11	13	20
65+	2066	7.3	25	2	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	24	9.1	40	2	3	8	11	17	23	29
20-34	184	10.6	78	3	4	9	12	18	24	44
35-49	407	10.5	49	3	4	9	13	19	23	39
50-64	545	11.2	84	3	4	9	13	21	26	57
65+	570	12.0	71	3	4	10	15	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2093	4.3	7	1	2	4	5	8	9	13
B. *Operated*	395	9.0	25	2	4	8	11	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	6264	6.3	21	2	2	5	8	11	14	23
B. *Operated*	1730	11.2	70	3	4	9	14	21	26	43
1. SINGLE DX	2488	5.0	12	1	2	4	6	9	11	19
2. MULTIPLE DX	7994	7.4	36	2	3	6	9	13	18	29
A. NOT OPERATED	8357	5.8	18	2	2	5	7	10	13	22
B. OPERATED	2125	10.8	63	3	4	9	13	20	25	41
TOTAL 0-19 YRS	423	4.4	10	1	2	4	6	8	9	16
20-34	1868	5.5	24	1	2	4	7	10	12	20
35-49	2529	6.4	24	2	2	5	8	12	15	25
50-64	2707	7.1	37	2	3	6	9	12	16	28
65+	2955	8.1	37	2	3	7	10	15	20	31
GRAND TOTAL	**10482**	**6.8**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS.	38	5.2	12	2	2	4	6	9	13	17
20-34	264	4.5	9	2	2	4	6	7	9	12
35-49	265	4.7	5	2	2	4	6	8	8	12
50-64	305	5.6	8	2	3	5	7	9	11	17
65+	293	6.1	9	3	3	5	8	10	12	16
B. Operated										
0-19 YRS.	6	8.5	9	5	5	7	11	13	13	13
20-34	95	8.9	23	4	5	8	10	14	15	35
35-49	112	9.1	28	4	5	8	10	14	17	36
50-64	137	9.5	18	4	6	9	11	15	17	26
65+	129	11.3	32	4	5	10	14	18	20	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS.	42	4.7	5	1	2	4	5	8	9	13
20-34	231	5.2	8	2	2	5	7	9	10	14
35-49	446	6.2	17	3	3	5	7	10	12	22
50-64	840	6.9	18	3	3	6	8	11	14	23
65+	1833	8.7	35	3	4	7	11	15	20	31
B. Operated										
0-19 YRS.	9	9.7	22	4	4	10	11	17	19	19
20-34	87	10.2	27	4	5	9	12	17	20	32
35-49	208	12.6	92	5	6	10	14	22	29	62
50-64	496	14.2	119	4	5	11	17	26	34	64
65+	930	16.6	152	5	6	13	21	30	41	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1168	5.3	8	2	2	5	6	9	10	16
B. Operated	481	9.7	26	4	5	8	12	15	18	32
2. MULTIPLE DX										
A. Not Operated	3392	7.6	28	3	3	6	9	13	1	29
B. Operated	1730	15.1	132	5	6	12	18	28	37	67
1. SINGLE DX	1649	6.6	18	2	3	6	8	11	14	20
2. MULTIPLE DX	5122	10.1	75	3	4	8	12	19	26	46
A. NOT OPERATED	4560	7.0	24	2	3	6	8	12	16	27
B. OPERATED	2211	13.9	114	5	6	11	16	25	33	62
TOTAL 0-19 YRS.	97	5.7	12	2	2	5	7	10	13	18
20-34	677	6.1	17	2	2	5	8	11	13	21
35-49	1034	7.4	38	2	3	6	9	13	17	35
50-64	1778	8.9	56	3	3	7	10	16	22	40
65+	3185	10.9	81	3	4	8	13	21	28	47
GRAND TOTAL	**6771**	**9.3**	**64**	**3**	**3**	**7**	**11**	**17**	**24**	**44**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS.										
20-34	7	5.4	8	2	2	4	7	10	10	10
35-49	18	5.5	6	1	2	5	7	8	10	11
50-64	18	6.6	5	2	3	7	8	9	11	13
65+	25	7.4	21	2	3	6	9	15	17	19
B. Operated										
0-19 YRS.	4	5.3	22	<1	<1	4	8	12	12	12
20-34	13	10.1	25	1	3	9	12	16	21	22
35-49	37	11.9	45	5	7	10	14	18	29	35
50-64	46	12.5	43	4	6	11	15	21	28	31
65+	35	14.3	58	4	5	13	18	26	28	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS.	2	7.5	41	3	3	7	12	12	12	12
20-34	12	6.7	20	<1	1	5	11	13	14	14
35-49	38	6.6	21	2	3	6	9	11	19	21
50-64	69	7.9	28	3	3	7	11	14	16	32
65+	131	9.8	52	3	4	8	12	19	21	44
B. Operated										
0-19 YRS.	3	9.3	30	4	4	9	13	15	15	15
20-34	16	14.1	114	4	5	10	17	35	40	41
35-49	102	18.4	167	6	7	15	22	33	49	49
50-64	167	17.6	133	5	6	15	22	34	43	56
65+	286	19.3	138	6	8	16	24	35	45	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	6.4	12	2	3	6	8	10	15	18
B. Operated	137	12.6	47	4	5	11	15	22	27	35
2. MULTIPLE DX										
A. Not Operated	232	6.7	41	3	3	7	11	17	20	34
B. Operated	574	18.5	141	6	7	15	23	35	45	60
1. SINGLE DX	206	10.6	63	3	4	9	14	18	25	33
2. MULTIPLE DX	806	15.7	132	4	5	13	20	30	41	57
A. NOT OPERATED	301	8.2	35	2	3	7	10	15	19	30
B. OPERATED	711	17.3	129	5	7	14	22	32	42	58
TOTAL 0-19 YRS.	9	7.1	25	<1	1	4	12	14	15	15
20-34	48	9.9	60	2	3	9	12	17	23	41
35-49	196	13.7	127	3	4	10	17	25	35	44
50-64	282	14.6	109	4	5	11	18	28	35	53
65+	477	15.7	123	4	5	13	20	30	40	57
GRAND TOTAL	**1012**	**14.6**	**118**	**3**	**4**	**11**	**19**	**28**	**37**	**56**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1047	2.8	4	1	1	2	3	5	6	9
20-34	1398	3.2	4	1	1	3	4	6	7	9
35-49	933	3.8	9	1	1	3	5	7	8	12
50-64	600	4.0	6	1	1	3	5	7	9	13
65+	377	4.4	12	1	1	4	6	8	11	20
B. *Operated*										
0-19 YRS	28	4.6	6	2	2	4	6	8	9	11
20-34	78	6.2	17	2	2	5	8	11	13	25
35-49	92	6.4	12	2	3	6	9	11	12	17
50-64	70	6.6	17	1	2	6	9	12	13	23
65+	57	6.0	16	1	2	5	8	12	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2066	3.3	5	1	1	3	4	6	7	11
20-34	3310	4.7	12	1	2	4	6	9	11	17
35-49	3599	5.5	16	2	2	5	7	10	13	22
50-64	3775	5.7	17	2	2	5	7	10	12	19
65+	4666	6.8	24	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	83	5.8	11	2	2	5	7	10	12	18
20-34	497	8.5	39	2	3	7	11	16	18	30
35-49	872	8.8	40	2	3	7	11	15	20	33
50-64	1063	10.0	51	3	4	8	12	18	23	32
65+	1313	10.8	54	3	4	9	13	19	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4355	3.4	6	1	1	3	4	6	8	12
B. *Operated*	325	6.2	15	2	2	5	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	17416	5.5	17	1	2	4	7	10	13	21
B. *Operated*	3828	9.7	49	3	4	8	12	17	22	35
1. SINGLE DX	4680	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX	21244	6.2	26	2	2	5	8	12	15	25
A. NOT OPERATED	21771	5.1	16	1	2	4	6	9	12	20
B. OPERATED	4153	9.4	47	3	3	8	12	17	21	35
TOTAL 0-19 YRS	3224	3.2	5	1	1	3	4	6	7	11
20-34	5283	4.7	14	1	2	4	6	9	11	18
35-49	5496	5.8	21	1	2	5	7	11	14	23
50-64	5508	6.4	26	2	2	5	8	12	15	24
65+	6413	7.5	33	2	3	6	9	14	18	30
GRAND TOTAL	**25924**	**5.8**	**23**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	3.3	4	1	1	3	4	6	7	11
20-34	192	3.3	4	1	1	3	4	6	7	10
35-49	196	4.2	8	1	1	3	5	8	10	14
50-64	141	4.1	7	1	1	3	5	8	9	13
65+	90	4.2	7	1	2	4	6	8	8	14
B. *Operated*										
0-19 YRS	126	4.2	8	2	2	3	4	7	10	16
20-34	21	9.2	67	1	2	7	11	17	27	39
35-49	28	9.2	23	2	4	9	11	14	18	26
50-64	39	11.5	48	2	2	11	16	21	25	31
65+	37	15.5	156	1	2	14	20	30	41	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	356	3.9	11	1	1	3	5	7	8	15
20-34	518	4.8	15	1	2	4	6	9	11	20
35-49	599	5.3	13	1	2	4	6	10	13	18
50-64	654	5.8	25	1	2	5	7	11	14	20
65+	891	7.1	30	2	2	5	9	14	17	26
B. *Operated*										
0-19 YRS	65	6.9	32	1	2	5	10	15	23	88
20-34	106	14.9	322	3	4	9	16	24	62	88
35-49	217	13.5	104	3	4	11	17	27	32	62
50-64	286	14.8	159	3	4	11	18	29	40	62
65+	399	17.7	164	4	5	14	23	36	47	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	823	3.7	6	1	1	3	5	7	8	12
B. *Operated*	251	8.0	59	2	2	5	11	17	22	39
2. MULTIPLE DX										
A. *Not Operated*	3018	5.7	22	1	2	4	7	11	14	23
B. *Operated*	1073	15.1	165	3	4	11	19	30	44	66
1. SINGLE DX	1074	4.7	22	1	1	3	6	9	12	24
2. MULTIPLE DX	4091	8.2	76	1	2	5	10	17	24	48
A. NOT OPERATED	3841	5.3	19	1	2	4	7	10	13	21
B. OPERATED	1324	13.8	153	2	3	10	17	28	40	62
TOTAL 0-19 YRS	751	4.1	11	1	1	3	5	7	9	18
20-34	837	5.9	65	1	2	4	7	10	14	42
35-49	1040	6.9	43	1	2	5	8	14	19	32
50-64	1120	8.1	75	2	2	5	9	16	23	45
65+	1417	10.1	94	2	2	7	13	22	29	51
GRAND TOTAL	**5165**	**7.5**	**67**	**1**	**2**	**5**	**9**	**15**	**22**	**45**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.4	2	1	1	2	3	4	5	7
20-34	35	3.1	4	<1	1	2	4	6	8	9
35-49	11	3.4	6	<1	<1	2	6	7	8	8
50-64	6	4.7	4	2	2	5	6	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6011	3.6	2	2	2	3	4	5	6	9
20-34	4078	3.7	3	2	2	3	4	5	6	9
35-49	1199	4.3	3	2	2	4	5	7	8	11
50-64	478	5.0	6	2	3	5	6	8	10	14
65+	137	6.1	9	3	3	6	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.7	3	<1	1	2	3	5	7	9
20-34	25	3.3	8	<1	1	3	4	6	10	13
35-49	10	3.7	6	1	1	3	5	7	9	9
50-64	6	4.8	6	2	2	5	7	7	7	7
65+	2	15.0	128	7	7	15	23	23	23	23
B. *Operated*										
0-19 YRS	1110	5.0	10	2	2	4	5	8	11	18
20-34	1002	5.3	15	2	3	4	6	8	11	18
35-49	414	6.5	14	3	3	5	8	10	14	21
50-64	316	8.3	37	3	4	6	10	14	19	34
65+	197	9.7	46	4	4	8	11	17	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.8	3	<1	1	2	4	6	5	9
B. *Operated*	11903	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	80	3.5	11	<1	1	3	4	7	9	20
B. *Operated*	3039	5.9	19	2	3	5	7	10	14	23
1. SINGLE DX	12010	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX	3119	5.9	19	2	3	5	7	10	13	23
A. NOT OPERATED	187	3.1	6	<1	1	2	4	6	7	12
B. OPERATED	14942	4.2	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	7212	3.8	4	2	2	3	4	6	7	11
20-34	5140	4.0	5	2	2	4	5	6	7	11
35-49	1634	4.8	7	2	3	4	6	8	10	14
50-64	806	6.3	21	2	3	5	7	11	14	23
65+	337	8.3	34	3	4	7	9	15	19	32
GRAND TOTAL	**15129**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.4	7	3	4	8	9	11	11	11
20-34	20	5.6	16	2	2	4	6	14	14	14
35-49	13	5.6	7	2	3	5	6	10	11	11
50-64	13	7.8	25	1	2	8	11	14	16	17
65+	7	17.7	663	6	6	9	10	63	76	76
B. *Operated*										
0-19 YRS	1171	7.1	10	3	4	7	9	11	13	17
20-34	645	7.0	10	3	4	7	8	11	13	17
35-49	351	7.9	12	3	4	7	10	12	14	19
50-64	289	9.2	14	4	5	9	11	14	16	21
65+	136	9.9	25	5	5	9	12	15	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.3	9	1	2	7	8	10	11	11
20-34	8	7.4	17	3	3	7	10	14	14	14
35-49	10	6.8	8	1	2	7	9	10	10	10
50-64	13	9.3	49	1	2	9	14	21	22	22
65+	15	12.3	52	2	5	11	16	22	28	30
B. *Operated*										
0-19 YRS	698	10.0	37	4	5	8	12	18	22	33
20-34	429	9.6	34	4	5	8	11	15	20	32
35-49	410	10.8	33	5	6	10	12	17	20	33
50-64	432	12.6	42	5	6	11	15	21	24	36
65+	442	15.7	93	6	8	13	19	27	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	7.6	77	2	2	6	9	11	14	62
B. *Operated*	2592	7.6	13	3	4	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	59	8.7	33	1	3	7	11	16	21	29
B. *Operated*	2411	11.6	52	5	5	10	14	20	25	39
1. SINGLE DX	2666	7.6	14	3	4	7	9	12	14	19
2. MULTIPLE DX	2470	11.5	51	4	5	10	14	20	24	38
A. NOT OPERATED	133	8.1	58	2	3	7	10	14	16	38
B. OPERATED	5003	9.5	35	4	4	8	11	16	20	33
TOTAL 0-19 YRS	1903	8.2	22	3	4	7	10	13	17	25
20-34	1102	8.0	21	3	4	7	9	13	15	25
35-49	784	9.3	25	4	5	9	11	15	17	28
50-64	747	11.2	34	5	6	10	13	19	22	34
65+	600	14.3	88	6	7	12	17	26	32	55
GRAND TOTAL	**5136**	**9.5**	**36**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.2	3	<1	1	2	3	4	5	11
20-34	63	2.5	3	<1	1	2	3	4	7	10
35-49	16	3.1	4	1	1	3	4	7	8	8
50-64	5	4.0	14	<1	<1	2	7	9	9	9
65+	3	7.7	37	1	1	9	12	13	13	13
B. *Operated*										
0-19 YRS	665	4.1	4	2	2	4	5	6	8	12
20-34	412	4.5	5	2	3	4	5	7	8	13
35-49	102	5.0	7	2	2	4	6	9	10	14
50-64	39	6.9	14	2	3	6	9	12	14	21
65+	12	7.8	10	4	4	8	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	2.8	3	1	1	2	4	5	7	8
20-34	71	3.1	4	1	1	3	4	5	6	12
35-49	19	3.9	6	1	1	4	6	7	8	8
50-64	17	5.9	31	2	2	4	6	15	21	23
65+	13	5.6	20	2	2	4	7	13	16	17
B. *Operated*										
0-19 YRS	408	5.4	11	3	3	5	6	9	10	17
20-34	338	5.9	9	3	3	5	7	10	11	17
35-49	92	7.3	21	3	3	6	9	12	14	29
50-64	55	9.6	36	4	5	8	11	19	22	31
65+	45	11.0	73	3	4	9	13	23	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	2.5	4	<1	1	2	3	4	7	11
B. *Operated*	1230	4.4	5	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	195	3.5	8	1	1	3	4	6	7	17
B. *Operated*	938	6.3	18	3	3	5	7	10	13	23
1. SINGLE DX	1443	4.1	6	1	2	4	5	7	9	13
2. MULTIPLE DX	1133	5.8	17	2	2	5	7	10	13	22
A. NOT OPERATED	408	2.9	6	1	1	2	4	5	7	13
B. OPERATED	2168	5.2	11	2	3	4	6	9	11	18
TOTAL 0-19 YRS	1274	4.3	7	1	2	4	5	7	9	13
20-34	884	4.8	7	1	2	4	6	8	10	15
35-49	229	5.7	14	2	2	5	7	10	12	19
50-64	116	7.9	29	2	3	6	10	14	20	29
65+	73	9.4	55	2	3	7	12	17	26	43
GRAND TOTAL	**2576**	**4.9**	**11**	**1**	**2**	**4**	**6**	**8**	**11**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	1.4	2	<1	<1	1	1	2	3	9
20-34	26	2.2	2	<1	<1	2	3	5	5	6
35-49	26	2.3	3	<1	<1	2	3	4	6	9
50-64	20	3.2	7	<1	1	3	3	6	9	12
65+	22	4.1	12	<1	1	3	6	10	12	14
B. *Operated*										
0-19 YRS	3655	2.0	1	<1	1	2	2	3	4	5
20-34	4241	3.2	2	1	2	3	4	5	6	7
35-49	3791	3.6	3	1	2	3	4	5	6	8
50-64	5099	3.9	3	2	2	4	5	6	7	9
65+	3596	4.5	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	1.9	6	<1	<1	1	2	3	6	16
20-34	39	2.5	7	<1	<1	2	3	5	10	13
35-49	43	3.2	11	<1	1	2	4	8	10	16
50-64	88	3.9	26	<1	<1	3	4	9	10	32
65+	185	4.2	13	<1	1	3	5	9	11	18
B. *Operated*										
0-19 YRS	2310	2.2	6	<1	1	2	3	4	5	9
20-34	1656	3.8	5	1	2	3	5	6	7	12
35-49	2370	4.3	6	2	2	4	5	7	8	13
50-64	4784	5.1	12	2	2	4	6	8	11	17
65+	5766	6.6	21	2	3	5	8	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.4	5	<1	<1	2	3	5	7	12
B. *Operated*	20382	3.5	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	543	3.1	13	<1	<1	2	4	7	10	19
B. *Operated*	16886	5.0	15	1	2	4	6	9	12	20
1. SINGLE DX	20518	3.4	3	1	1	3	4	6	6	9
2. MULTIPLE DX	17429	4.9	15	1	2	4	6	9	12	20
A. NOT OPERATED	679	3.0	11	<1	<1	2	3	7	9	16
B. OPERATED	37268	4.1	9	1	2	4	5	7	9	16
TOTAL 0-19 YRS	6195	2.1	3	<1	1	2	2	3	4	7
20-34	5962	3.4	3	1	2	3	4	5	6	9
35-49	6230	3.9	4	1	2	4	5	6	7	11
50-64	9991	4.4	8	2	2	4	5	7	9	14
65+	9569	5.7	16	2	3	5	7	10	13	22
GRAND TOTAL	**37947**	**4.1**	**9**	**1**	**1**	**4**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.1		<1	<1	1	1	2	2	2
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	8	2.5	4	1	1	2	3	6	7	7
65+	16	2.6	4	<1	1	2	3	6	7	7
B. Operated										
0-19 YRS	368	2.0	2	1	1	2	2	3	4	6
20-34	145	3.9	3	2	2	4	5	7	7	8
35-49	112	3.8	2	2	2	4	5	6	6	8
50-64	178	4.6	4	2	2	4	6	7	9	12
65+	292	6.0	9	2	3	5	7	10	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	5	6.4	77	1	1	3	8	22	22	22
50-64	21	2.8	5	<1	<1	2	4	6	9	9
65+	52	5.3	15	1	1	4	7	11	14	18
B. Operated										
0-19 YRS	248	3.2	14	1	1	2	3	6	12	20
20-34	83	4.8	10	1	2	4	6	7	8	22
35-49	101	5.9	34	2	2	5	7	10	13	35
50-64	254	7.1	25	3	3	6	9	12	14	26
65+	815	9.5	44	3	4	8	12	17	22	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	1.8	2	<1	<1	1	2	3	7	7
B. Operated	1095	3.9	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	91	4.3	16	<1	<1	3	5	9	12	20
B. Operated	1501	7.6	39	1	2	6	10	14	19	30
1. SINGLE DX	1142	3.8	7	1	1	3	5	7	8	12
2. MULTIPLE DX	1592	7.4	38	1	2	6	9	14	19	29
A. NOT OPERATED	138	3.4	13	<1	<1	2	4	8	11	18
B. OPERATED	2596	6.0	29	1	1	5	7	12	15	27
TOTAL 0-19 YRS	641	2.4	7	<1	1	2	3	4	6	15
20-34	235	4.2	6	1	2	4	5	7	7	10
35-49	222	4.8	19	2	2	4	5	8	10	18
50-64	461	5.9	18	2	2	5	7	11	12	22
65+	1175	8.4	37	2	3	7	10	15	20	31
GRAND TOTAL	**2734**	**5.9**	**28**	**1**	**1**	**5**	**7**	**12**	**15**	**27**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.9	3	<1	<1	1	2	5	6	6
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	1.3		1	1	1	2	2	2	2
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. Operated										
0-19 YRS	551	1.9	1	<1	1	2	2	3	3	5
20-34	215	2.9	2	1	1	3	4	4	5	9
35-49	305	3.2	2	1	1	3	4	5	6	9
50-64	219	3.7	4	1	2	3	5	6	8	12
65+	85	4.5	5	2	2	4	5	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.0	3	<1	<1	1	2	5	7	8
20-34	6	1.2		1	1	1	1	2	2	2
35-49	11	2.2	4	<1	<1	1	3	5	7	7
50-64	27	4.9	14	1	1	4	6	9	11	18
65+	16	6.0	11	1	3	5	9	10	12	13
B. Operated										
0-19 YRS	145	3.2	22	<1	1	2	3	6	8	16
20-34	123	4.3	6	1	2	4	5	7	9	14
35-49	274	5.2	14	1	2	4	7	9	13	21
50-64	356	5.9	39	2	2	5	7	10	15	32
65+	264	7.3	31	2	3	5	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.6	2	<1	<1	1	2	2	5	6
B. Operated	1375	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	94	3.5	10	<1	<1	2	5	8	10	16
B. Operated	1162	5.5	27	1	2	4	7	10	14	25
1. SINGLE DX	1391	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1256	5.4	26	1	2	4	6	10	14	25
A. NOT OPERATED	110	3.2	10	<1	<1	2	5	8	10	15
B. OPERATED	2537	4.0	16	1	1	3	5	8	10	20
TOTAL 0-19 YRS	739	2.1	5	<1	<1	2	2	3	5	8
20-34	344	3.4	4	1	1	3	4	6	7	10
35-49	592	4.1	9	1	1	3	5	7	9	16
50-64	605	5.1	26	1	2	4	6	8	11	23
65+	367	6.6	25	2	2	5	8	13	16	29
GRAND TOTAL	**2647**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	3.1	5	1	1	3	4	6	7	7
35-49	11	3.5	5	1	1	3	5	7	8	8
50-64	13	2.7	3	<1	<1	2	4	5	6	6
65+	11	3.3	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	120	2.5	2	<1	1	2	3	4	6	8
20-34	416	3.8	5	1	2	3	5	6	8	10
35-49	655	4.9	6	2	2	5	6	8	9	13
50-64	787	5.6	7	2	3	5	7	9	10	15
65+	496	6.4	10	3	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	6	<1	<1	1	4	6	6	6
20-34	20	3.2	25	<1	<1	1	4	6	15	23
35-49	45	3.3	9	<1	1	2	4	8	10	13
50-64	77	4.7	11	1	1	4	6	9	11	16
65+	132	5.9	31	1	2	4	8	12	15	32
B. *Operated*										
0-19 YRS	57	4.5	14	1	1	3	6	10	13	18
20-34	355	5.5	16	2	2	5	7	9	12	22
35-49	824	7.4	24	2	3	6	9	12	17	27
50-64	1310	8.3	38	3	3	7	10	14	18	34
65+	1181	9.9	51	3	4	8	11	17	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.1	3	1	1	3	4	5	7	8
B. *Operated*	2474	5.1	8	2	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	278	4.9	22	<1	1	4	6	10	13	23
B. *Operated*	3727	8.3	38	3	3	7	10	14	19	33
1. SINGLE DX	2519	5.1	8	2	2	5	7	8	10	15
2. MULTIPLE DX	4005	8.1	38	2	3	7	10	14	19	32
A. NOT OPERATED	323	4.6	20	<1	1	3	6	9	13	23
B. OPERATED	6201	7.0	29	2	3	6	8	12	16	29
TOTAL 0-19 YRS	183	3.1	7	<1	1	2	4	6	8	14
20-34	799	4.5	11	1	2	4	6	8	9	19
35-49	1535	6.2	17	2	2	5	8	10	13	22
50-64	2187	7.2	28	2	3	6	9	12	16	29
65+	1820	8.6	41	3	3	7	10	15	20	34
GRAND TOTAL	**6524**	**6.9**	**28**	**2**	**2**	**6**	**8**	**12**	**16**	**29**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	7	1	1	3	6	8	8	8
20-34	51	3.8	6	1	1	3	5	8	10	10
35-49	126	3.7	4	1	2	3	5	6	7	11
50-64	157	3.8	4	1	1	4	5	6	8	10
65+	142	4.5	8	1	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	11	5.1	11	1	1	6	7	10	11	11
20-34	13	7.5	36	2	3	7	9	16	22	24
35-49	35	7.1	12	2	3	8	9	12	14	17
50-64	61	8.5	18	2	4	8	10	14	17	23
65+	35	11.2	41	2	4	10	15	22	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.9	47	1	2	4	6	10	29	30
20-34	255	4.9	13	2	2	4	6	9	11	16
35-49	783	5.1	8	2	2	4	6	9	10	15
50-64	1531	5.2	10	2	2	4	6	9	11	17
65+	2539	6.3	19	2	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	24	14.8	159	3	4	10	21	28	44	55
20-34	121	9.3	33	2	4	8	11	15	22	33
35-49	379	9.5	45	2	3	8	11	16	21	31
50-64	678	9.6	37	2	4	9	12	17	20	32
65+	693	10.8	68	3	4	9	13	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	4.0	6	1	2	4	5	7	9	12
B. *Operated*	155	8.5	25	2	3	8	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	5139	5.7	15	2	2	5	7	10	13	20
B. *Operated*	1895	10.1	51	2	4	9	12	17	23	38
1. SINGLE DX	639	5.1	14	1	2	4	7	10	12	19
2. MULTIPLE DX	7034	6.9	28	2	2	6	9	13	16	27
A. NOT OPERATED	5623	5.5	14	2	2	5	7	10	12	19
B. OPERATED	2050	10.0	49	2	3	9	12	17	22	37
TOTAL 0-19 YRS	74	8.4	91	1	2	5	9	22	29	51
20-34	440	6.1	23	2	2	5	8	11	14	25
35-49	1323	6.2	23	2	2	5	8	11	15	22
50-64	2427	6.4	22	2	2	5	8	11	15	25
65+	3409	7.2	32	2	3	6	9	13	17	28
GRAND TOTAL	**7673**	**6.7**	**27**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.9	2	1	1	2	3	4	4	4
50-64										
65+	3	5.7	65	<1	<1	1	11	15	15	15
B. Operated										
0-19 YRS	25	3.0	3	1	1	3	4	5	6	8
20-34	85	3.8	3	1	2	3	5	6	6	10
35-49	123	3.9	5	1	2	4	5	6	8	13
50-64	132	4.1	6	2	2	4	5	6	8	15
65+	115	4.8	8	2	2	4	6	7	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
20-34	4	7.8	63	1	1	6	14	18	18	18
35-49	8	6.9	24	2	2	6	11	14	14	14
50-64	13	4.3	10	<1	1	3	6	10	10	10
65+	32	6.8	38	2	2	5	8	14	20	31
B. Operated										
0-19 YRS	10	3.7	3	2	2	3	5	6	7	7
20-34	45	5.5	11	2	3	4	7	10	13	15
35-49	73	6.2	14	2	3	5	8	11	14	19
50-64	144	6.8	24	2	3	5	8	13	16	30
65+	222	8.3	32	3	3	6	11	16	20	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.5	18	<1	<1	2	4	10	15	15
B. Operated	480	4.1	6	2	2	4	5	6	8	14
2. MULTIPLE DX										
A. Not Operated	60	6.1	30	<1	1	4	8	13	16	30
B. Operated	494	7.2	26	2	3	6	9	14	17	27
1. SINGLE DX	490	4.1	6	1	2	4	5	6	8	15
2. MULTIPLE DX	554	7.1	26	2	3	5	9	14	17	29
A. NOT OPERATED	70	5.8	29	<1	1	4	7	13	15	29
B. OPERATED	974	5.7	18	2	2	4	7	11	14	22
TOTAL 0-19 YRS	40	3.1	3	<1	1	3	4	5	6	8
20-34	135	4.5	8	2	2	4	5	9	10	15
35-49	208	4.8	10	2	2	4	6	9	11	18
50-64	289	5.5	17	2	2	4	6	10	13	22
65+	372	7.1	27	2	3	5	9	14	19	28
GRAND TOTAL	**1044**	**5.7**	**19**	**2**	**2**	**4**	**7**	**11**	**14**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	3	4.3	5	3	3	3	6	7	7	7
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64	13	3.0	4	2	2	4	5	7	8	8
65+	24	4.4	16	1	1	3	5	8	14	18
B. Operated										
0-19 YRS	60	3.2	7	<1	1	2	4	6	8	15
20-34	143	3.8	7	1	2	3	4	7	9	12
35-49	285	4.4	7	1	2	4	5	8	9	14
50-64	270	5.7	19	2	2	5	7	9	12	29
65+	275	7.7	25	2	3	7	9	14	17	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.3	1	1	1	2	3	4	4	4
20-34	9	4.6	25	1	1	2	6	13	14	14
35-49	18	4.0	8	1	1	4	5	8	10	11
50-64	59	4.2	6	1	1	4	5	8	10	12
65+	160	6.5	24	2	2	5	9	13	15	26
B. Operated										
0-19 YRS	31	5.8	46	1	1	3	6	12	15	36
20-34	87	7.1	48	2	2	6	8	14	17	44
35-49	289	7.5	33	2	2	6	9	14	18	33
50-64	580	9.3	46	3	3	8	11	16	21	38
65+	998	12.2	77	3	4	10	15	21	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	3.8	10	1	1	3	4	7	8	18
B. Operated	1033	5.5	17	1	2	4	7	10	13	22
2. MULTIPLE DX										
A. Not Operated	252	5.6	20	1	2	4	6	11	14	23
B. Operated	1985	10.3	64	2	3	9	13	19	24	43
1. SINGLE DX	1083	5.4	17	1	2	4	7	9	13	22
2. MULTIPLE DX	2237	9.8	61	2	3	8	12	18	23	41
A. NOT OPERATED	302	5.3	18	1	2	4	7	11	14	22
B. OPERATED	3018	8.7	53	2	3	7	11	17	21	38
TOTAL 0-19 YRS	102	3.9	19	<1	1	3	4	8	11	25
20-34	242	5.0	24	1	2	4	6	9	13	21
35-49	597	5.9	22	1	2	5	7	11	14	26
50-64	922	7.8	39	2	3	6	9	14	18	33
65+	1457	10.6	66	2	3	9	14	19	24	44
GRAND TOTAL	**3320**	**8.4**	**51**	**2**	**2**	**7**	**11**	**16**	**21**	**37**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	2.6	3	<1	1	2	4	5	6	9
20-34	275	3.9	9	1	1	3	5	7	9	17
35-49	432	4.9	10	1	2	4	6	9	11	16
50-64	479	4.9	9	1	2	4	6	9	11	17
65+	572	5.7	15	1	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	219	6.7	13	2	3	6	8	11	12	23
20-34	184	9.5	19	3	5	8	11	15	18	29
35-49	249	10.7	39	5	6	9	12	17	21	41
50-64	303	11.4	28	6	7	10	13	18	22	29
65+	291	13.3	35	7	7	12	16	20	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	4.1	13	1	1	3	5	8	10	20
20-34	410	5.4	15	1	2	5	7	10	12	22
35-49	665	6.2	17	2	2	5	8	12	15	20
50-64	1250	6.8	23	2	2	6	8	12	16	23
65+	3213	8.7	40	2	3	7	11	16	20	32
B. *Operated*										
0-19 YRS	231	10.6	109	4	4	8	12	16	26	53
20-34	365	14.1	94	5	6	11	16	25	31	56
35-49	586	15.5	143	5	6	12	19	30	37	73
50-64	1021	17.4	155	6	8	14	20	32	42	75
65+	2217	19.6	135	7	9	17	24	35	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1967	4.8	11	1	1	4	6	9	11	16
B. *Operated*	1246	10.6	33	4	5	9	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	5724	7.6	33	2	2	5	10	14	18	28
B. *Operated*	4420	17.6	142	6	7	15	22	32	41	69
1. SINGLE DX	3213	7.0	28	1	2	6	9	13	17	25
2. MULTIPLE DX	10144	12.0	105	2	3	9	15	24	31	56
A. NOT OPERATED	7691	6.9	29	1	2	6	9	13	17	26
B. OPERATED	5666	16.1	127	5	6	13	20	29	38	65
TOTAL 0-19 YRS	845	6.2	46	1	1	5	8	11	15	29
20-34	1234	8.3	55	1	2	6	10	17	22	33
35-49	1932	9.3	76	2	2	7	11	18	24	46
50-64	3053	10.5	92	2	3	8	13	20	28	54
65+	6293	12.5	100	3	3	10	16	24	32	53
GRAND TOTAL	13357	10.8	91	2	3	8	14	21	29	50

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7556	2.9	3	1	1	3	4	5	6	9
20-34	2678	2.9	4	1	1	2	4	5	7	10
35-49	1151	3.6	5	1	1	3	4	6	7	11
50-64	815	3.8	6	1	1	3	5	7	9	13
65+	756	4.3	9	1	2	4	5	8	10	17
B. *Operated*										
0-19 YRS	147	5.0	51	1	1	4	6	8	11	76
20-34	206	5.1	9	2	2	4	6	9	10	19
35-49	119	5.9	22	1	2	5	6	10	13	28
50-64	80	7.1	29	1	2	5	9	12	16	32
65+	69	11.6	80	1	2	9	15	23	30	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13151	3.7	5	1	2	3	4	6	7	12
20-34	4021	3.9	8	1	1	3	5	7	9	14
35-49	2641	4.8	11	1	2	4	6	8	11	18
50-64	3402	5.9	16	2	2	4	7	10	12	20
65+	6793	8.7	27	3	3	5	8	12	16	29
B. *Operated*										
0-19 YRS	284	9.5	149	2	3	6	9	20	35	83
20-34	391	7.4	32	2	2	5	9	14	18	31
35-49	370	9.8	66	2	3	6	12	17	23	47
50-64	467	10.2	66	2	3	6	12	18	24	44
65+	841	13.0	88	4	5	11	16	25	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12958	3.1	6	1	1	3	4	5	7	10
B. *Operated*	601	6.0	33	1	2	5	7	11	14	35
2. MULTIPLE DX										
A. *Not Operated*	30008	4.7	14	1	2	4	6	9	11	19
B. *Operated*	2353	10.6	82	2	3	8	13	20	28	48
1. SINGLE DX	13559	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	32361	5.1	21	1	2	4	6	10	13	23
A. NOT OPERATED	42966	4.2	12	1	2	3	5	8	10	17
B. OPERATED	2954	9.7	75	2	3	7	12	18	26	47
TOTAL 0-19 YRS	21140	3.5	8	1	1	3	4	6	7	12
20-34	7296	3.8	9	1	1	3	5	7	9	15
35-49	4281	4.9	17	1	2	4	6	9	12	19
50-64	4764	5.7	22	1	2	4	7	10	13	24
65+	8439	7.2	36	2	2	6	9	14	18	31
GRAND TOTAL	45920	4.6	17	1	2	3	5	8	11	21

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	5	1	1	5	6	7	7	7
20-34	74	4.6	4	2	2	4	6	7	8	12
35-49	453	5.1	8	2	2	5	6	9	11	14
50-64	910	5.1	8	1	2	5	7	9	10	14
65+	1132	5.3	10	1	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	40	8.8	20	2	3	9	11	13	16	25
35-49	171	9.8	22	3	5	9	12	14	18	26
50-64	289	12.2	40	5	7	11	14	19	22	30
65+	212	13.2	63	3	4	12	16	20	22	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.1	6	2	2	5	6	8	10	10
20-34	79	5.5	9	2	3	5	7	10	12	15
35-49	679	5.8	10	2	2	5	7	10	11	18
50-64	2447	6.1	15	2	2	5	8	10	13	22
65+	7390	7.1	25	2	3	6	9	12	16	26
B. *Operated*										
0-19 YRS	6	13.0	48	4	4	13	19	22	22	22
20-34	70	12.3	78	3	4	11	14	21	27	49
35-49	421	12.0	46	4	6	10	15	20	25	44
50-64	1369	13.8	77	4	5	12	17	24	30	52
65+	2587	15.7	122	4	5	13	19	29	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2574	5.2	9	1	2	5	7	9	11	14
B. *Operated*	713	11.7	44	4	5	11	14	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	10605	6.8	22	2	3	6	8	12	15	24
B. *Operated*	4453	14.7	102	4	5	12	18	27	34	57
1. SINGLE DX	3287	6.6	24	2	2	5	9	12	15	22
2. MULTIPLE DX	15058	9.1	59	2	3	7	11	17	23	40
A. NOT OPERATED	13179	6.5	20	2	2	5	8	11	14	23
B. OPERATED	5166	14.3	95	4	5	12	17	26	32	55
TOTAL 0-19 YRS	22	7.1	29	1	2	6	7	16	20	22
20-34	263	7.6	37	2	3	6	10	13	18	36
35-49	1724	7.5	27	2	3	6	10	14	17	28
50-64	5015	8.4	45	2	3	7	11	16	21	34
65+	11321	9.0	61	2	3	7	11	17	23	40
GRAND TOTAL	**18345**	**8.7**	**53**	**2**	**3**	**7**	**11**	**16**	**22**	**38**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.8	4	<1	1	2	4	5	5	12
20-34	72	2.7	2	1	1	3	4	4	5	6
35-49	62	3.3	7	1	1	3	4	6	8	14
50-64	33	3.2	5	1	1	2	4	6	8	10
65+	18	5.0	17	1	1	4	6	9	14	18
B. *Operated*										
0-19 YRS	179	3.1	6	1	1	3	4	5	7	14
20-34	1018	3.2	4	1	1	3	4	5	7	11
35-49	905	3.3	4	1	1	3	4	5	7	11
50-64	575	3.9	9	1	2	3	4	7	9	15
65+	184	4.4	9	1	2	4	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.5	5	1	1	3	4	7	8	11
20-34	96	4.6	12	<1	1	4	6	8	10	21
35-49	105	4.4	17	<1	1	3	5	9	10	24
50-64	121	4.8	13	1	2	4	6	9	11	20
65+	147	7.5	54	2	2	5	10	17	19	33
B. *Operated*										
0-19 YRS	108	4.1	13	1	1	3	5	8	13	19
20-34	1015	4.3	9	1	2	4	5	7	9	16
35-49	1308	4.7	24	1	2	4	5	8	10	19
50-64	1194	5.4	24	2	2	4	6	10	13	28
65+	628	7.7	59	2	3	5	8	16	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.1	5	1	1	3	4	6	7	13
B. *Operated*	2861	3.4	5	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	531	5.3	26	1	1	4	6	10	14	24
B. *Operated*	4253	5.2	26	1	2	4	6	9	13	28
1. SINGLE DX	3088	3.4	5	1	1	3	4	6	7	13
2. MULTIPLE DX	4784	5.2	26	1	2	4	6	9	13	28
A. NOT OPERATED	758	4.6	21	1	1	4	6	9	12	21
B. OPERATED	7114	4.5	19	1	2	4	5	8	11	23
TOTAL 0-19 YRS	391	3.4	8	1	1	3	4	6	8	15
20-34	2201	3.8	7	1	1	3	4	7	8	13
35-49	2380	4.1	16	1	2	3	5	7	9	15
50-64	1923	4.9	19	1	2	4	6	9	12	24
65+	977	7.0	50	2	2	5	8	14	20	39
GRAND TOTAL	**7872**	**4.5**	**19**	**1**	**2**	**4**	**5**	**8**	**11**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1248	3.5	7	1	1	3	4	6	8	14
20-34	1557	4.7	12	1	2	4	6	9	11	18
35-49	1014	5.0	14	1	2	4	6	9	12	19
50-64	652	4.8	14	1	1	4	6	9	12	21
65+	684	4.7	16	1	1	4	6	9	12	19
B. *Operated*										
0-19 YRS	333	6.3	34	1	1	3	5	13	17	30
20-34	753	7.7	35	1	2	6	10	15	19	29
35-49	600	7.5	39	1	2	6	10	15	19	32
50-64	496	8.8	66	1	2	7	11	16	22	41
65+	396	9.1	68	1	2	7	12	17	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1312	4.2	15	1	1	3	5	8	10	22
20-34	2588	5.8	23	1	2	4	7	11	14	25
35-49	2652	5.9	18	1	2	5	7	11	14	22
50-64	2904	6.1	21	1	2	5	8	11	14	24
65+	6318	6.8	27	2	2	5	9	13	17	26
B. *Operated*										
0-19 YRS	480	9.4	98	2	2	7	11	19	30	47
20-34	1760	11.1	105	2	3	8	13	23	32	52
35-49	1827	11.8	124	2	3	9	14	24	35	62
50-64	2201	12.6	131	2	3	9	15	26	35	62
65+	3084	14.9	159	2	4	11	19	30	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5155	4.5	12	1	1	4	6	8	11	19
B. *Operated*	2578	7.9	48	1	2	6	10	16	20	32
2. MULTIPLE DX										
A. *Not Operated*	15774	6.1	23	1	2	5	8	12	16	25
B. *Operated*	9352	12.7	135	2	3	9	16	26	36	61
1. SINGLE DX	7733	5.6	27	1	1	4	7	11	15	25
2. MULTIPLE DX	25126	8.6	75	2	2	6	10	17	25	46
A. NOT OPERATED	20929	5.7	21	1	2	4	7	11	14	23
B. OPERATED	11930	11.7	120	2	3	9	15	24	33	58
TOTAL 0-19 YRS	3373	4.9	30	1	1	3	6	9	14	29
20-34	6658	7.1	49	1	2	5	9	14	20	38
35-49	6093	7.7	59	1	2	6	9	15	21	42
50-64	6253	8.4	72	2	2	6	10	17	24	46
65+	10482	9.1	81	2	2	6	11	19	25	48
GRAND TOTAL	**32859**	**7.9**	**65**	**1**	**2**	**5**	**10**	**16**	**22**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	29	9.8	155	3	4	6	9	17	21	70
35-49	52	7.6	67	2	3	5	8	13	24	53
50-64	67	7.9	26	2	2	7	10	16	19	21
65+	21	6.8	15	2	3	6	9	13	15	15
B. *Operated*										
0-19 YRS										
20-34	4	8.8	183	1	1	2	16	29	29	29
35-49	17	7.9	70	1	1	5	11	19	28	32
50-64	35	9.7	98	1	1	9	12	20	23	53
65+	7	7.1	65	1	1	6	8	21	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	197	10.5	97	2	3	7	12	23	35	59
35-49	654	10.9	88	2	3	8	14	23	28	46
50-64	943	11.7	84	3	4	9	15	22	29	46
65+	479	12.6	93	3	4	10	16	24	30	47
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	60	15.3	189	2	3	10	20	38	47	56
35-49	222	13.5	153	1	3	10	18	29	35	64
50-64	310	15.5	200	1	2	13	20	30	41	84
65+	176	16.7	168	3	4	13	21	37	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	8.0	58	2	3	6	9	15	18	48
B. *Operated*	63	8.8	88	1	1	7	12	21	26	50
2. MULTIPLE DX										
A. *Not Operated*	2276	11.6	88	3	3	9	15	23	30	46
B. *Operated*	769	15.2	179	2	3	12	19	32	43	77
1. SINGLE DX	234	8.2	66	1	2	6	10	17	20	53
2. MULTIPLE DX	3045	12.5	114	2	3	9	16	24	34	52
A. NOT OPERATED	2447	11.3	87	2	3	8	15	22	29	46
B. OPERATED	832	14.7	174	1	2	11	19	31	41	75
TOTAL 0-19 YRS	6	5.3	2	3	3	5	7	7	7	7
20-34	290	11.4	126	2	3	8	13	27	36	61
35-49	945	11.3	104	2	3	8	14	24	31	51
50-64	1355	12.4	111	2	3	10	16	23	32	52
65+	683	13.4	114	3	4	11	17	27	35	55
GRAND TOTAL	**3279**	**12.2**	**111**	**2**	**3**	**9**	**16**	**24**	**33**	**53**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.0	8	1	1	4	5	8	9	9
20-34	23	5.6	27	<1	<1	5	8	14	17	20
35-49	37	6.1	14	2	2	6	8	10	12	19
50-64	71	7.3	36	1	2	5	10	15	20	27
65+	40	9.1	61	1	3	7	10	20	28	37
B. *Operated*										
0-19 YRS	16	6.0	107	1	1	3	5	9	33	44
20-34	106	3.5	14	1	1	2	4	8	10	21
35-49	94	3.9	20	1	1	2	4	10	15	21
50-64	124	4.9	29	1	1	2	6	14	16	23
65+	60	5.2	24	1	1	3	7	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.2	11	2	2	4	8	11	12	13
20-34	93	7.0	25	1	2	6	9	11	13	30
35-49	265	8.9	49	2	3	7	11	17	23	37
50-64	600	10.3	66	2	3	8	12	19	26	43
65+	594	12.2	87	3	4	10	15	24	31	48
B. *Operated*										
0-19 YRS	30	7.5	37	1	2	6	9	16	22	26
20-34	103	7.3	65	1	2	5	8	16	26	46
35-49	228	9.0	78	1	1	7	12	22	27	57
50-64	456	10.8	93	1	2	8	15	24	30	45
65+	421	13.3	123	1	2	11	16	27	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	7.0	35	1	1	5	9	14	19	31
B. *Operated*	400	4.4	25	1	1	2	5	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	1585	10.5	70	2	3	8	13	20	26	44
B. *Operated*	1238	11.0	101	1	2	9	15	24	30	48
1. SINGLE DX	581	5.2	30	1	1	3	7	13	16	25
2. MULTIPLE DX	2823	10.7	83	2	2	8	14	22	28	45
A. NOT OPERATED	1766	10.1	67	2	3	8	12	20	26	43
B. OPERATED	1638	9.4	90	1	1	7	13	22	28	45
TOTAL 0-19 YRS	89	6.0	37	1	2	4	8	11	14	37
20-34	325	5.9	37	1	1	4	8	12	16	30
35-49	624	8.0	56	1	2	6	11	17	23	36
50-64	1251	9.8	74	1	2	8	13	20	26	42
65+	1115	12.1	99	2	2	10	16	25	31	49
GRAND TOTAL	**3404**	**9.7**	**78**	**1**	**2**	**8**	**13**	**21**	**27**	**44**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	5.1	12	1	2	4	6	9	13	19
20-34	196	6.0	14	1	2	5	8	11	13	16
35-49	101	6.4	15	1	2	6	8	11	14	19
50-64	78	6.0	13	1	2	5	8	11	13	17
65+	49	7.6	48	1	2	5	9	15	19	39
B. *Operated*										
0-19 YRS	8	4.9	20	1	1	4	7	12	14	14
20-34	39	10.2	171	1	1	6	14	22	28	75
35-49	34	6.8	56	1	1	5	9	12	23	39
50-64	51	7.4	44	1	1	4	12	18	22	24
65+	27	6.3	22	1	2	6	9	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	6.0	24	1	2	4	8	12	17	24
20-34	253	7.6	41	2	3	6	9	13	18	42
35-49	325	8.5	49	2	3	7	10	16	20	37
50-64	606	10.6	84	3	4	8	13	20	28	54
65+	633	10.5	66	3	3	8	13	20	25	43
B. *Operated*										
0-19 YRS	25	12.4	95	2	2	11	18	26	31	43
20-34	86	10.5	60	2	3	9	13	19	22	46
35-49	147	12.4	130	2	2	10	16	27	32	62
50-64	229	13.3	124	1	3	11	18	29	37	99+
65+	254	17.2	162	2	4	14	24	32	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	6.1	17	1	2	5	8	11	13	19
B. *Operated*	159	7.6	74	1	1	5	11	16	22	38
2. MULTIPLE DX										
A. *Not Operated*	1933	9.6	65	2	3	7	11	18	24	46
B. *Operated*	741	14.1	135	2	3	11	18	29	36	68
1. SINGLE DX	672	6.4	31	1	2	5	8	12	15	25
2. MULTIPLE DX	2674	10.8	88	2	3	8	13	22	29	52
A. NOT OPERATED	2446	8.8	57	2	3	7	11	17	22	42
B. OPERATED	900	13.0	130	2	2	10	17	27	35	66
TOTAL 0-19 YRS	238	6.3	31	1	2	5	8	13	18	26
20-34	574	7.6	45	2	2	6	9	14	18	37
35-49	607	9.0	67	2	3	7	11	17	22	40
50-64	964	10.7	90	2	3	8	13	22	30	57
65+	963	12.0	99	3	3	9	15	25	32	52
GRAND TOTAL	**3346**	**9.9**	**80**	**2**	**3**	**7**	**12**	**20**	**27**	**50**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.2	3	1	1	3	4	6	6	8
20-34	532	3.1	4	1	1	3	4	6	7	9
35-49	513	3.3	4	1	1	3	4	6	7	10
50-64	521	3.8	6	1	1	3	5	7	9	13
65+	440	4.7	9	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	388	6.5	6	4	4	6	7	10	11	14
20-34	4605	6.6	6	4	4	6	7	9	11	15
35-49	4001	6.9	6	4	5	6	8	10	12	16
50-64	3611	7.5	8	4	5	7	8	11	13	17
65+	1868	9.1	18	5	5	8	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.2	6	1	2	4	6	7	8	13
20-34	587	3.9	7	1	1	3	5	7	9	14
35-49	753	4.4	9	1	1	4	6	8	10	14
50-64	1463	5.2	13	1	2	4	7	9	12	19
65+	2878	7.0	26	2	2	6	9	13	16	26
B. *Operated*										
0-19 YRS	276	9.2	23	4	5	8	11	16	20	30
20-34	3555	8.3	16	4	5	7	10	13	15	22
35-49	4653	8.8	20	4	5	8	10	14	17	25
50-64	6858	10.2	31	5	6	9	12	17	20	32
65+	7349	13.5	66	6	7	11	16	23	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2077	3.6	6	1	1	3	5	7	8	12
B. *Operated*	14473	7.2	9	4	5	7	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	5761	5.9	20	1	2	5	8	11	14	23
B. *Operated*	22691	10.7	42	5	5	9	13	18	22	35
1. SINGLE DX	16550	6.8	10	2	4	6	8	10	12	17
2. MULTIPLE DX	28452	9.7	41	3	4	8	12	17	21	33
A. NOT OPERATED	7838	5.3	17	1	2	4	7	10	13	21
B. OPERATED	37164	9.3	32	4	5	8	11	15	19	31
TOTAL 0-19 YRS	815	6.9	15	2	3	6	8	11	14	23
20-34	9279	6.9	12	2	4	6	8	11	13	19
35-49	9920	7.4	16	3	4	7	9	12	14	21
50-64	12453	8.6	25	3	4	7	10	14	17	27
65+	12535	11.1	57	3	4	9	14	20	24	39
GRAND TOTAL	**45002**	**8.6**	**32**	**3**	**4**	**7**	**10**	**15**	**19**	**30**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.7	5	1	1	3	5	8	8	9
20-34	372	3.4	4	1	1	3	4	6	7	10
35-49	324	3.7	7	1	1	3	5	7	8	13
50-64	211	4.2	6	1	1	4	6	8	9	12
65+	182	5.1	10	1	2	4	7	9	11	18
B. *Operated*										
0-19 YRS	32	6.8	7	3	4	6	9	10	12	16
20-34	399	7.4	12	4	4	7	9	11	13	19
35-49	383	7.7	12	4	5	7	9	12	15	21
50-64	266	8.0	14	4	5	7	9	13	15	22
65+	179	10.4	41	5	5	9	12	17	22	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.1	5	1	2	4	5	8	9	10
20-34	481	4.7	10	1	2	4	6	8	10	15
35-49	514	5.3	13	1	2	4	7	9	12	18
50-64	618	5.7	12	2	2	5	7	10	12	18
65+	998	7.7	25	2	3	7	10	14	17	28
B. *Operated*										
0-19 YRS	52	9.4	33	4	5	8	12	15	21	36
20-34	677	9.0	27	4	5	7	11	15	18	33
35-49	960	9.4	27	4	5	8	11	16	18	28
50-64	935	11.4	44	5	6	9	14	19	23	37
65+	1017	15.1	80	6	7	13	18	27	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1153	3.9	7	1	1	3	5	7	9	13
B. *Operated*	1259	8.0	17	4	5	7	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	2685	6.1	18	2	2	5	8	11	14	22
B. *Operated*	3641	11.4	52	5	5	9	14	20	25	39
1. SINGLE DX	2412	6.1	16	1	2	5	8	11	13	20
2. MULTIPLE DX	6326	9.2	45	2	3	8	11	17	22	34
A. NOT OPERATED	3838	5.5	16	1	2	4	7	10	13	20
B. OPERATED	4900	10.6	45	4	5	8	13	18	23	37
TOTAL 0-19 YRS	222	5.6	17	1	2	5	7	10	13	22
20-34	1929	6.5	20	2	2	6	8	11	14	24
35-49	2181	7.3	23	2	3	6	9	13	16	24
50-64	2030	8.5	35	2	3	7	11	15	19	30
65+	2376	10.9	63	3	3	9	14	20	27	39
GRAND TOTAL	**8738**	**8.3**	**39**	**2**	**3**	**7**	**10**	**16**	**20**	**32**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34	27	3.7	7	1	1	3	4	8	10	11
35-49	32	4.4	9	1	1	3	6	9	10	13
50-64	39	3.5	3	<1	1	4	4	6	7	8
65+	52	4.4	8	1	1	4	7	8	9	12
B. *Operated*										
0-19 YRS	8	7.4	13	2	3	6	10	12	13	13
20-34	140	7.9	13	3	4	7	10	13	15	18
35-49	126	8.1	20	2	3	8	10	13	16	23
50-64	132	8.4	22	2	2	8	12	15	16	19
65+	184	11.8	56	2	3	11	15	23	28	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	28	4.5	5	1	2	4	6	8	9	9
35-49	55	5.1	17	1	2	4	6	10	15	20
50-64	59	6.4	28	1	2	5	8	11	19	27
65+	286	7.7	31	2	3	7	9	13	17	32
B. *Operated*										
0-19 YRS	10	13.1	73	5	5	11	16	28	29	29
20-34	129	10.0	22	4	5	9	13	15	17	25
35-49	138	10.8	60	2	4	9	13	18	22	49
50-64	342	13.5	83	3	4	12	16	23	28	54
65+	893	16.6	96	4	6	15	21	29	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	4.1	7	1	1	3	6	8	9	12
B. *Operated*	590	9.3	33	2	3	8	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	431	7.0	28	2	2	6	8	12	15	28
B. *Operated*	1512	14.8	90	3	5	13	18	26	32	50
1. SINGLE DX	743	8.2	32	1	2	7	11	15	18	28
2. MULTIPLE DX	1943	13.1	87	2	4	11	17	24	30	48
A. NOT OPERATED	584	6.2	24	1	2	5	8	11	14	27
B. OPERATED	2102	13.2	80	3	4	11	17	24	29	47
TOTAL 0-19 YRS	24	9.1	46	2	4	6	11	17	28	29
20-34	324	8.1	20	2	3	8	11	14	15	19
35-49	351	8.4	40	2	2	7	11	15	18	28
50-64	572	10.9	73	2	3	10	14	19	25	50
65+	1415	13.7	90	2	4	12	18	26	32	45
GRAND TOTAL	**2686**	**11.7**	**76**	**2**	**3**	**10**	**15**	**22**	**28**	**44**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.2	8	1	2	6	7	10	10	10
20-34	28	4.4	15	1	1	3	5	10	13	18
35-49	28	4.9	10	2	2	4	6	10	11	13
50-64	48	6.2	28	1	2	5	8	12	14	32
65+	62	6.0	16	1	2	6	8	10	13	22
B. *Operated*										
0-19 YRS	4	11.0	5	8	8	11	12	13	13	13
20-34	19	6.6	20	2	3	5	8	12	17	21
35-49	52	6.0	23	2	2	4	8	12	14	28
50-64	64	8.2	34	2	2	7	11	17	21	23
65+	42	10.0	56	1	2	9	16	19	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	9.3	29	1	2	11	12	17	19	20
20-34	63	5.6	8	1	2	5	7	10	11	13
35-49	94	6.9	47	1	2	5	7	12	14	42
50-64	166	7.6	34	2	2	6	10	13	18	32
65+	395	9.9	64	2	3	8	12	18	23	48
B. *Operated*										
0-19 YRS	9	17.6	155	4	6	13	21	39	40	40
20-34	74	12.7	178	2	3	10	16	23	33	84
35-49	143	12.8	117	2	3	11	17	26	34	58
50-64	229	16.3	199	2	3	13	21	30	41	75
65+	380	16.9	131	3	5	15	21	30	38	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	5.6	18	1	2	5	7	11	13	22
B. *Operated*	181	7.9	36	2	2	6	11	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	739	8.6	52	2	3	7	11	15	20	39
B. *Operated*	835	15.7	154	2	3	13	21	29	37	74
1. SINGLE DX	357	6.8	28	1	2	5	9	13	17	26
2. MULTIPLE DX	1574	12.4	118	2	3	9	16	24	32	57
A. NOT OPERATED	915	8.0	46	2	2	7	10	14	19	36
B. OPERATED	1016	14.3	142	2	3	12	19	27	35	70
TOTAL 0-19 YRS	44	10.5	59	1	3	10	12	17	25	40
20-34	184	8.4	91	1	2	6	10	17	23	49
35-49	317	9.2	82	2	2	6	11	21	27	42
50-64	507	11.5	127	2	2	9	15	23	30	70
65+	879	12.7	104	2	3	10	16	25	31	51
GRAND TOTAL	**1931**	**11.3**	**106**	**2**	**3**	**9**	**15**	**23**	**29**	**52**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	137	5.1	9	2	2	4	6	8	11	17
20-34	664	5.6	12	2	2	5	7	9	11	18
35-49	675	6.3	17	2	2	5	8	11	14	24
50-64	416	6.6	19	2	3	6	8	12	15	24
65+	255	7.5	29	2	3	7	9	13	15	29
B. Operated										
0-19 YRS	17	12.3	96	2	3	11	17	28	35	37
20-34	71	10.9	108	2	2	8	15	20	25	61
35-49	66	10.3	60	2	2	9	14	17	23	44
50-64	75	9.9	56	1	2	9	13	23	25	29
65+	43	13.4	203	2	3	11	14	24	52	67
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116	6.3	21	2	3	5	8	11	13	26
20-34	1518	7.1	20	2	3	6	9	12	16	25
35-49	2182	8.0	27	2	3	7	10	14	18	28
50-64	1716	8.3	32	3	3	7	10	14	19	29
65+	1675	9.5	45	3	4	8	12	17	21	36
B. Operated										
0-19 YRS	25	18.6	408	2	3	13	18	53	64	93
20-34	314	16.3	183	4	5	13	20	32	44	73
35-49	542	16.8	179	3	5	13	21	36	45	79
50-64	557	17.1	208	4	5	13	20	33	52	90
65+	546	17.6	151	5	6	14	21	34	41	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2147	6.2	17	2	2	5	8	11	13	23
B. Operated	272	11.0	96	2	2	9	14	20	27	54
2. MULTIPLE DX										
A. Not Operated	7207	8.2	32	3	3	7	10	14	18	30
B. Operated	1984	17.0	183	4	5	14	21	34	46	84
1. SINGLE DX	2419	6.7	28	2	2	5	8	12	16	27
2. MULTIPLE DX	9191	10.1	77	3	3	8	12	19	25	50
A. NOT OPERATED	9354	7.7	29	2	3	6	9	14	17	29
B. OPERATED	2256	16.3	176	3	5	13	20	32	45	82
TOTAL 0-19 YRS	295	7.1	66	2	2	5	8	12	19	46
20-34	2567	8.0	51	2	3	6	9	15	20	37
35-49	3465	9.1	61	2	3	7	11	17	23	43
50-64	2754	9.8	80	3	3	7	12	19	24	53
65+	2519	11.1	81	3	4	9	14	21	29	51
GRAND TOTAL	**11610**	**9.4**	**69**	**2**	**3**	**7**	**11**	**18**	**23**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	142	2.7	2	1	1	2	3	5	6	7
20-34	150	3.5	6	1	1	3	5	6	8	15
35-49	147	4.2	6	1	2	4	5	7	9	14
50-64	219	4.8	19	1	2	4	6	8	9	19
65+	356	5.4	15	1	2	5	7	10	13	22
B. Operated										
0-19 YRS	8	5.3	6	2	2	5	7	9	9	9
20-34	16	5.8	10	1	2	6	8	11	11	11
35-49	27	5.2	25	1	2	4	6	8	12	28
50-64	30	8.4	18	2	3	8	11	15	17	18
65+	43	8.9	22	2	4	8	12	15	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	259	3.8	6	1	1	3	5	7	8	14
20-34	504	5.0	18	1	2	4	6	10	12	20
35-49	744	5.8	16	2	2	5	7	11	12	20
50-64	1481	6.6	25	2	2	5	8	12	15	26
65+	4396	8.2	39	2	3	7	10	15	20	31
B. Operated										
0-19 YRS	23	8.6	78	1	2	5	10	22	31	37
20-34	110	8.3	61	1	3	7	10	15	18	48
35-49	207	9.7	70	3	4	8	11	18	22	46
50-64	523	11.6	108	3	4	8	14	23	32	58
65+	1187	13.4	108	3	4	10	17	27	33	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1014	4.4	12	1	1	4	5	8	10	18
B. Operated	124	7.3	21	2	2	7	9	13	16	26
2. MULTIPLE DX										
A. Not Operated	7384	7.3	33	2	2	6	9	13	18	29
B. Operated	2050	12.3	104	3	4	9	15	24	32	56
1. SINGLE DX	1138	4.8	14	1	1	4	6	9	11	18
2. MULTIPLE DX	9434	8.4	52	2	3	6	10	16	21	36
A. NOT OPERATED	8398	6.9	31	2	2	6	8	13	17	28
B. OPERATED	2174	12.0	100	3	4	9	15	24	31	56
TOTAL 0-19 YRS	432	3.7	10	1	1	3	5	7	8	16
20-34	780	5.2	24	1	1	4	6	10	13	20
35-49	1125	6.3	28	2	2	5	8	11	14	26
50-64	2253	7.6	49	2	2	6	9	14	19	36
65+	5982	9.1	56	2	3	7	11	17	23	38
GRAND TOTAL	**10572**	**8.0**	**50**	**2**	**2**	**6**	**10**	**15**	**20**	**36**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	132	4.0	12	1	1	3	5	8	13	19
20-34	17	8.7	72	3	3	5	9	24	28	30
35-49	11	7.2	23	3	3	6	9	16	16	16
50-64	12	8.8	31	1	2	9	11	16	21	22
65+	10	4.7	14	1	1	4	6	10	14	14
B. Operated										
0-19 YRS	16	9.6	110	2	2	6	10	21	37	44
20-34	8	9.9	31	1	1	12	14	15	15	15
35-49	15	8.9	21	4	4	7	13	15	16	19
50-64	7	5.3	35	1	1	3	6	16	16	16
65+	6	9.2	12	5	5	10	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	183	6.4	82	1	2	4	7	11	20	75
20-34	54	13.1	125	2	3	6	22	30	37	41
35-49	62	10.0	95	2	3	7	11	23	28	56
50-64	99	10.3	70	2	3	6	14	23	31	38
65+	113	11.8	93	2	3	9	15	24	31	56
B. Operated										
0-19 YRS	21	17.7	489	2	4	11	21	65	99+	99+
20-34	29	17.5	294	3	5	11	18	46	60	71
35-49	55	15.8	206	5	5	11	18	37	49	76
50-64	82	15.6	169	3	6	12	20	34	52	67
65+	105	19.3	193	5	7	15	23	40	56	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	5.0	22	1	1	3	6	10	15	24
B. Operated	52	6.6	50	2	2	7	12	15	19	44
2. MULTIPLE DX										
A. Not Operated	511	9.5	94	2	2	6	12	22	30	48
B. Operated	292	17.3	219	4	5	13	21	40	58	91
1. SINGLE DX	234	5.8	31	1	2	4	7	13	16	26
2. MULTIPLE DX	803	12.4	153	2	3	8	15	28	40	70
A. NOT OPERATED	693	8.3	79	1	2	5	10	19	26	43
B. OPERATED	344	16.0	203	3	4	12	19	37	56	82
TOTAL 0-19 YRS	352	6.3	90	1	2	4	7	12	19	90
20-34	108	13.3	161	2	3	9	19	30	41	64
35-49	143	11.9	133	3	4	8	13	26	37	59
50-64	200	12.2	115	2	3	9	15	26	35	59
65+	234	14.8	150	3	4	12	19	29	41	61
GRAND TOTAL	**1037**	**10.9**	**133**	**2**	**2**	**7**	**14**	**24**	**35**	**62**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	206	4.9	17	1	1	4	7	11	14	16
20-34	27	5.6	12	2	2	5	9	11	12	12
35-49	16	5.0	7	<1	1	5	6	9	10	10
50-64	7	6.9	59	<1	<1	4	8	20	23	23
65+	10	12.1	104	3	3	9	16	29	32	32
B. Operated										
0-19 YRS	91	4.6	24	1	2	2	6	10	12	29
20-34	60	4.8	20	1	2	3	6	9	14	23
35-49	34	3.9	7	1	2	3	5	8	10	10
50-64	28	4.7	13	1	1	3	6	11	17	13
65+	11	5.4	10	1	1	7	8	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	181	5.4	23	1	1	4	7	11	14	24
20-34	83	6.0	17	1	2	5	8	10	13	23
35-49	75	7.7	28	2	3	7	10	13	19	30
50-64	112	8.1	43	2	2	7	11	15	18	39
65+	187	10.7	95	3	3	8	13	22	27	39
B. Operated										
0-19 YRS	73	10.2	190	2	2	6	12	17	40	72
20-34	142	6.6	48	1	2	7	12	17	24	30
35-49	112	8.5	61	2	2	6	12	18	26	35
50-64	156	9.1	58	2	4	7	11	18	25	38
65+	142	15.6	139	2	3	13	20	30	38	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	5.3	21	1	1	4	7	11	15	22
B. Operated	224	4.6	16	1	2	3	6	10	12	22
2. MULTIPLE DX										
A. Not Operated	638	7.8	52	1	2	6	10	15	20	33
B. Operated	623	10.5	97	2	2	8	14	22	29	51
1. SINGLE DX	490	5.0	20	1	1	3	7	10	13	22
2. MULTIPLE DX	1261	9.1	76	2	2	7	12	18	25	42
A. NOT OPERATED	904	7.1	44	1	2	5	9	14	19	32
B. OPERATED	847	8.9	83	2	2	6	12	18	26	43
TOTAL 0-19 YRS	551	5.7	65	1	1	4	7	12	15	33
20-34	312	6.9	36	1	2	5	9	14	18	28
35-49	237	7.3	41	2	2	5	9	16	21	31
50-64	301	8.3	49	2	2	7	11	15	21	37
65+	350	12.6	117	2	3	10	16	25	34	51
GRAND TOTAL	**1751**	**8.0**	**64**	**1**	**2**	**6**	**10**	**16**	**23**	**38**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	5.2	11	2	2	4	7	9	13	16
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	3	6.0	37	2	2	3	10	13	13	13
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	6	7.7	32	2	2	7	14	14	14	14
20-34	3	5.0	12	3	3	3	8	9	9	9
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	6.1	12	1	2	6	8	11	13	17
20-34	19	5.1	13	1	1	4	7	11	12	12
35-49	13	7.2	23	2	3	5	9	16	18	18
50-64	7	9.9	32	4	4	7	15	18	18	18
65+	31	12.3	75	3	4	9	17	26	29	39
B. *Operated*										
0-19 YRS	9	11.7	243	1	1	3	17	39	44	44
20-34	19	10.8	160	2	2	9	13	20	42	58
35-49	13	12.1	163	1	2	6	16	35	41	43
50-64	16	13.4	39	3	5	13	15	22	26	28
65+	24	17.6	215	3	4	12	26	41	52	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	5.0	11	2	2	4	7	9	13	15
B. *Operated*	12	5.8	22	2	2	3	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	127	7.8	36	2	2	6	9	13	19	31
B. *Operated*	81	13.6	161	2	2	10	17	31	43	57
1. SINGLE DX	83	5.1	12	2	2	4	7	9	14	16
2. MULTIPLE DX	208	10.1	92	2	2	7	12	20	29	53
A. NOT OPERATED	198	6.8	29	2	2	5	8	13	17	29
B. OPERATED	93	12.6	150	2	2	10	15	29	43	57
TOTAL 0-19 YRS	132	6.1	28	2	2	5	7	12	15	34
20-34	45	7.3	81	1	2	4	9	13	18	58
35-49	29	8.9	90	1	2	5	12	18	33	43
50-54	27	11.2	42	2	3	12	14	20	23	28
65+	58	14.1	138	3	4	10	18	29	40	55
GRAND TOTAL	**291**	**8.6**	**74**	**2**	**2**	**6**	**11**	**17**	**28**	**48**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.0	13	<1	1	4	7	10	12	14
20-34	8	11.6	476	<1	<1	2	10	50	64	64
35-49	5	3.8	27	<1	<1	1	5	13	13	13
50-64	18	4.7	24	<1	<1	3	6	14	15	15
65+	15	5.5	34	1	1	2	8	16	18	19
B. *Operated*										
0-19 YRS	72	6.2	49	<1	<1	4	8	16	22	35
20-34	55	9.0	59	<1	2	6	15	21	24	30
35-49	42	7.5	42	<1	1	5	11	16	22	24
50-64	63	8.1	71	1	2	4	13	19	22	46
65+	32	9.9	114	1	2	6	13	19	36	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.6	35	<1	<1	3	5	12	18	28
20-34	53	4.6	16	<1	1	3	6	12	12	17
35-49	89	7.6	65	1	1	5	10	15	19	48
50-64	193	8.5	62	1	2	6	11	18	27	37
65+	555	10.3	63	2	3	8	13	21	26	39
B. *Operated*										
0-19 YRS	113	15.1	146	2	3	12	21	29	44	56
20-34	328	13.1	135	2	2	10	18	27	37	55
35-49	375	13.9	171	2	2	10	19	32	38	79
50-64	565	12.5	144	2	2	9	17	29	38	57
65+	630	16.7	206	2	3	13	22	35	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	5.8	75	<1	1	3	7	14	16	57
B. *Operated*	264	7.9	64	<1	<1	5	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	1011	8.8	61	1	1	7	11	18	25	36
B. *Operated*	2011	14.3	170	2	3	11	20	32	41	64
1. SINGLE DX	330	7.4	66	<1	<1	4	11	17	22	40
2. MULTIPLE DX	3022	12.5	140	1	2	9	17	27	36	56
A. NOT OPERATED	1077	8.6	63	1	1	6	11	18	25	37
B. OPERATED	2275	13.6	161	2	2	10	19	31	39	62
TOTAL 0-19 YRS	326	8.6	97	<1	<1	5	12	22	27	46
20-34	444	11.6	124	1	2	8	16	25	32	55
35-49	511	12.2	149	1	2	8	17	28	37	72
50-64	839	11.1	121	1	2	7	15	25	34	52
65+	1232	13.5	148	2	3	10	18	30	38	58
GRAND TOTAL	**3352**	**12.0**	**135**	**1**	**2**	**8**	**16**	**26**	**35**	**55**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.4	2	1	1	2	3	5	5	5
20-34	5	4.2	10	2	2	2	7	9	9	9
35-49	4	8.5	52	3	3	6	13	19	19	19
50-64	14	11.3	329	1	3	6	8	23	62	73
65+	24	8.1	42	1	2	6	10	18	23	27
B. Operated										
0-19 YRS	3	3.7	6	<1	<1	4	5	6	6	6
20-34	7	8.9	79	1	1	5	17	22	23	23
35-49	3	8.3	36	2	2	9	13	14	14	14
50-64	13	13.2	349	1	1	4	15	53	55	55
65+	12	17.8	350	4	4	13	20	48	64	67
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	6.5	13	1	2	6	9	11	14	16
20-34	29	7.9	48	2	2	6	9	14	18	38
35-49	57	9.6	81	1	2	8	12	18	23	52
50-64	157	10.0	52	2	3	9	13	19	23	38
65+	800	12.9	78	3	4	11	16	24	28	48
B. Operated										
0-19 YRS	13	16.6	89	6	7	14	22	30	37	39
20-34	51	12.3	80	2	3	10	16	24	28	42
35-49	58	18.8	174	3	4	17	27	36	44	56
50-64	170	19.5	221	3	5	15	26	40	53	69
65+	363	21.0	230	4	6	17	27	39	50	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	7.9	111	1	2	5	8	17	21	71
B. Operated	38	12.7	252	1	1	6	16	35	54	67
2. MULTIPLE DX										
A. Not Operated	1065	12.0	74	2	4	10	15	22	27	47
B. Operated	655	19.6	213	3	5	16	26	38	48	71
1. SINGLE DX	92	9.9	173	1	2	5	10	21	39	70
2. MULTIPLE DX	1720	14.9	141	3	4	12	19	29	38	63
A. NOT OPERATED	1119	11.8	77	2	4	10	15	22	27	48
B. OPERATED	693	19.3	217	3	4	16	26	38	49	71
TOTAL 0-19 YRS	45	8.6	60	1	2	6	11	17	24	39
20-34	92	10.2	71	2	2	8	14	23	26	40
35-49	122	13.9	143	2	2	10	20	32	37	54
50-64	354	14.7	174	2	4	11	19	32	44	67
65+	1199	15.3	140	3	4	12	19	29	38	64
GRAND TOTAL	**1812**	**14.7**	**143**	**2**	**4**	**11**	**19**	**29**	**38**	**64**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	461	4.1	4	2	2	4	5	6	7	11
20-34	555	4.3	4	2	2	4	5	7	8	10
35-49	161	4.8	5	2	2	4	6	8	9	11
50-64	86	4.8	5	2	2	5	6	7	9	12
65+	68	5.9	10	2	3	5	7	11	13	16
B. Operated										
0-19 YRS	21	5.7	4	3	4	5	7	8	9	10
20-34	23	7.4	12	4	4	6	10	12	15	16
35-49	13	9.0	26	2	4	7	13	17	19	19
50-64	11	9.6	34	4	5	8	10	18	25	26
65+	4	12.8	114	3	3	10	19	28	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	511	4.8	5	2	2	4	6	8	9	13
20-34	937	5.2	7	2	3	5	6	8	10	15
35-49	452	6.6	16	2	3	6	8	11	14	21
50-64	488	7.3	15	3	3	6	9	12	15	21
65+	866	9.3	34	3	4	8	11	16	21	28
B. Operated										
0-19 YRS	73	6.5	11	2	3	6	7	10	15	18
20-34	187	8.6	24	3	4	7	10	14	16	30
35-49	121	11.4	60	3	4	9	15	22	26	42
50-64	132	12.4	56	5	6	10	15	21	26	43
65+	167	15.3	83	5	6	13	19	28	32	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1331	4.4	4	2	2	4	5	7	8	11
B. Operated	72	7.8	22	4	4	7	9	14	16	28
2. MULTIPLE DX										
A. Not Operated	3254	6.7	19	2	3	5	8	12	15	23
B. Operated	680	11.3	58	4	4	9	14	20	27	40
1. SINGLE DX	1403	4.6	6	2	2	4	6	7	9	13
2. MULTIPLE DX	3934	7.5	29	2	3	6	9	14	18	28
A. NOT OPERATED	4585	6.1	16	2	3	5	7	10	13	22
B. OPERATED	752	10.9	55	4	4	9	14	20	26	40
TOTAL 0-19 YRS	1066	4.6	5	2	2	4	6	7	9	13
20-34	1702	5.3	9	2	2	5	6	9	10	16
35-49	747	7.0	25	2	3	6	8	13	16	27
50-64	717	8.0	27	3	3	7	10	14	17	26
65+	1105	10.0	46	3	4	8	12	18	23	37
GRAND TOTAL	**5337**	**6.8**	**25**	**2**	**3**	**5**	**8**	**12**	**16**	**26**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	464	4.1	5	1	2	4	5	6	8	11
20-34	565	4.1	6	2	2	4	5	6	7	11
35-49	130	4.5	5	2	2	4	6	8	9	12
50-64	98	5.6	14	2	2	5	7	9	12	21
65+	90	6.3	12	3	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	37	5.3	14	1	2	4	6	9	11	22
20-34	51	5.9	12	2	3	5	7	10	11	21
35-49	32	5.3	8	1	2	5	7	10	11	12
50-64	28	7.2	25	1	2	7	10	16	17	18
65+	18	12.7	85	2	4	9	16	28	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	497	4.8	8	2	2	4	6	8	10	15
20-34	801	5.3	11	2	2	4	6	9	11	19
35-49	370	6.3	16	2	3	5	8	11	13	19
50-64	461	7.9	31	3	3	7	9	14	19	31
65+	832	9.2	36	3	4	8	12	17	20	30
B. *Operated*										
0-19 YRS	99	6.6	20	1	2	6	9	13	14	25
20-34	227	8.5	41	2	3	7	10	15	19	34
35-49	200	9.4	38	2	4	8	12	17	21	31
50-64	234	13.0	97	3	5	11	16	25	32	57
65+	297	15.9	129	3	5	13	20	29	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1347	4.4	7	2	2	4	5	7	8	15
B. *Operated*	166	6.6	26	2	2	5	8	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	2961	6.8	24	2	3	5	8	12	16	26
B. *Operated*	1057	11.6	87	2	3	9	15	22	29	50
1. SINGLE DX	1513	4.6	9	2	2	4	6	8	9	17
2. MULTIPLE DX	4018	8.1	45	2	3	6	10	15	20	35
A. NOT OPERATED	4308	6.1	20	2	2	5	7	11	14	25
B. OPERATED	1223	10.9	81	2	3	8	14	21	27	48
TOTAL 0-19 YRS	1097	4.7	9	2	2	4	6	8	10	16
20-34	1644	5.3	15	2	2	4	6	9	12	21
35-49	732	6.8	23	2	3	6	8	12	15	25
50-64	821	9.1	54	2	3	7	11	17	23	38
65+	1237	10.7	67	3	4	8	13	20	25	42
GRAND TOTAL	**5531**	**7.1**	**38**	**2**	**2**	**5**	**8**	**14**	**18**	**32**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.5	2	<1	1	2	3	5	5	7
20-34	516	2.2	3	<1	1	2	3	4	5	8
35-49	704	2.3	3	<1	1	2	3	4	5	9
50-64	381	2.6	3	1	1	2	3	5	7	8
65+	144	3.2	6	1	1	3	4	7	8	13
B. *Operated*										
0-19 YRS	20	7.8	13	1	2	8	10	12	13	13
20-34	258	7.2	15	2	3	7	9	11	13	20
35-49	338	7.8	24	2	2	7	9	13	15	26
50-64	326	8.0	19	2	3	8	10	13	15	21
65+	148	8.2	31	1	2	8	11	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.2	4	1	1	3	4	6	7	11
20-34	444	3.2	6	1	1	3	4	6	8	11
35-49	649	3.4	7	1	1	3	4	6	8	16
50-64	621	3.8	9	1	1	3	5	8	10	15
65+	441	5.2	14	1	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	33	7.7	32	1	1	7	11	13	16	29
20-34	336	8.6	32	2	3	8	10	15	19	32
35-49	588	9.2	46	2	3	8	11	16	22	37
50-64	804	9.8	50	2	3	9	12	17	21	40
65+	617	10.8	64	2	3	9	14	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1918	2.4	3	<1	1	2	3	4	6	9
B. *Operated*	1090	7.8	21	2	2	7	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	2219	3.8	9	1	1	3	5	7	10	16
B. *Operated*	2378	9.7	50	2	3	8	12	17	22	38
1. SINGLE DX	3008	4.3	16	1	1	3	6	10	12	19
2. MULTIPLE DX	4597	6.9	39	1	1	5	9	14	18	30
A. NOT OPERATED	4137	3.2	7	1	1	2	4	6	8	13
B. OPERATED	3468	9.1	42	2	3	8	11	16	20	35
TOTAL 0-19 YRS	190	4.2	14	1	1	3	6	9	12	15
20-34	1654	4.5	18	1	1	3	7	10	12	20
35-49	2279	5.2	27	1	1	3	7	11	14	25
50-64	2132	6.5	34	1	1	5	9	13	16	27
65+	1350	7.9	47	1	2	6	11	16	19	32
GRAND TOTAL	**7605**	**5.9**	**32**	**1**	**1**	**4**	**8**	**12**	**16**	**26**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	2.5	2	1	1	2	3	5	5	7
20-34	2238	2.1	2	1	1	2	3	4	4	6
35-49	2592	2.1	2	<1	1	2	3	4	5	6
50-64	1453	2.3	2	1	1	2	3	4	5	7
65+	365	2.6	2	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	123	5.5	11	2	2	5	7	10	12	17
20-34	1228	5.6	11	1	2	5	7	10	12	17
35-49	1606	6.1	17	1	2	5	8	11	13	20
50-64	1149	6.5	17	2	2	6	8	12	14	19
65+	398	7.5	24	2	2	6	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	2.5	2	<1	1	2	3	4	5	8
20-34	829	2.7	4	1	1	2	3	5	6	10
35-49	1219	2.8	4	1	1	2	3	5	6	10
50-64	1175	3.1	5	1	1	3	4	6	7	11
65+	621	3.8	8	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	67	7.3	23	2	2	6	10	14	16	24
20-34	659	6.7	16	2	2	6	9	12	14	20
35-49	1124	7.4	28	2	3	6	9	14	17	29
50-64	1368	8.5	32	2	3	8	11	16	19	27
65+	954	10.1	57	2	3	9	13	18	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6849	2.2	2	1	1	2	3	4	5	7
B. *Operated*	4504	6.1	16	2	2	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	3938	3.0	5	1	1	2	4	6	7	11
B. *Operated*	4172	8.3	36	2	3	7	10	15	19	28
1. SINGLE DX	11353	3.7	11	1	1	3	5	8	10	16
2. MULTIPLE DX	8110	5.7	28	1	1	4	8	12	15	25
A. NOT OPERATED	10787	2.5	3	1	1	2	3	5	6	9
B. OPERATED	8676	7.2	27	2	2	6	9	13	16	25
TOTAL 0-19 YRS	485	3.9	11	1	1	3	5	8	10	16
20-34	4954	3.7	10	1	1	3	5	8	10	15
35-49	6541	4.1	15	1	1	3	5	9	11	18
50-64	5145	5.1	21	1	1	4	7	11	14	22
65+	2338	6.8	40	1	2	5	9	14	18	27
GRAND TOTAL	**19463**	**4.6**	**19**	**1**	**1**	**3**	**6**	**10**	**13**	**20**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.9	6	1	1	2	3	6	10	12
20-34	76	2.3	3	<1	1	2	3	4	6	10
35-49	55	3.3	6	1	1	3	5	7	9	11
50-64	64	2.9	5	<1	1	2	4	6	8	9
65+	50	5.6	14	1	2	5	7	12	13	14
B. *Operated*										
0-19 YRS	474	6.4	15	1	1	6	9	11	13	19
20-34	209	6.7	17	1	2	7	9	12	13	17
35-49	157	7.1	31	1	2	6	9	13	18	28
50-64	204	6.1	26	1	1	4	9	13	18	22
65+	128	6.1	42	1	1	4	8	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	3.8	10	<1	1	3	5	8	10	17
20-34	146	4.1	11	1	1	3	5	8	11	20
35-49	122	4.7	15	1	1	4	6	10	13	20
50-64	251	6.3	19	1	2	5	9	12	15	23
65+	617	8.0	40	2	2	7	10	15	20	31
B. *Operated*										
0-19 YRS	603	7.6	31	1	2	7	10	14	17	28
20-34	486	8.9	40	2	2	8	12	17	21	32
35-49	478	9.3	75	2	2	7	12	17	22	40
50-64	708	10.5	77	2	2	9	13	22	27	39
65+	987	11.7	94	2	3	9	16	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	3.2	7	1	1	2	4	7	10	13
B. *Operated*	1172	6.5	22	1	1	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	1256	6.5	30	1	2	5	8	13	16	27
B. *Operated*	3262	9.9	70	2	2	8	13	20	25	41
1. SINGLE DX	1491	5.8	21	1	1	5	8	11	14	21
2. MULTIPLE DX	4518	9.0	61	1	2	7	12	18	23	38
A. NOT OPERATED	1575	5.8	27	1	1	4	8	12	15	25
B. OPERATED	4434	9.0	60	1	2	7	12	18	23	38
TOTAL 0-19 YRS	1271	6.5	24	1	1	6	9	12	15	23
20-34	917	7.1	32	1	2	6	9	14	18	30
35-49	812	7.8	57	1	2	6	10	16	19	37
50-64	1227	8.5	59	1	2	7	11	18	23	35
65+	1782	9.9	74	2	2	8	13	20	25	43
GRAND TOTAL	**6009**	**8.2**	**53**	**1**	**2**	**7**	**11**	**16**	**21**	**35**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	8	1	1	2	6	8	9	9
20-34	137	2.2	3	<1	1	2	3	4	4	11
35-49	146	2.2	2	<1	1	2	3	4	5	7
50-64	80	2.4	2	1	1	2	3	4	5	8
65+	24	2.8	4	1	1	2	4	5	7	9
B. *Operated*										
0-19 YRS	14	6.2	33	2	2	4	8	11	21	24
20-34	56	5.5	8	2	2	5	8	9	10	12
35-49	71	6.3	35	1	2	5	8	12	17	31
50-64	63	6.4	34	1	2	4	9	13	16	35
65+	76	5.2	19	1	2	4	7	10	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.6	8	1	1	4	7	9	9	9
20-34	74	3.2	5	1	1	2	4	7	8	10
35-49	99	3.3	4	1	1	3	4	6	8	9
50-64	81	4.0	9	1	1	3	5	7	11	16
65+	82	5.0	16	1	1	4	5	10	15	19
B. *Operated*										
0-19 YRS	17	4.1	7	2	2	3	5	8	10	11
20-34	101	7.1	44	1	2	5	10	14	18	36
35-49	117	7.0	39	1	2	5	10	14	17	37
50-64	206	7.8	41	2	2	6	10	14	19	35
65+	456	10.3	81	2	3	8	13	21	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	280	5.9	25	1	2	5	8	11	13	31
2. MULTIPLE DX										
A. *Not Operated*	353	3.9	9	1	1	3	5	7	9	17
B. *Operated*	897	8.8	63	2	2	7	11	17	23	41
1. SINGLE DX	677	3.8	15	1	1	2	5	8	10	18
2. MULTIPLE DX	1250	7.4	53	1	2	5	10	15	21	36
A. NOT OPERATED	750	3.1	6	1	1	2	4	6	8	14
B. OPERATED	1177	8.1	56	2	2	6	10	16	22	38
TOTAL 0-19 YRS	58	4.7	14	1	1	4	7	9	10	23
20-34	368	4.2	19	1	1	3	5	9	12	24
35-49	433	4.4	22	1	1	3	5	9	13	25
50-64	430	5.9	32	1	1	4	7	12	15	31
65+	638	8.8	69	2	2	6	11	18	24	42
GRAND TOTAL	**1927**	**6.2**	**43**	**1**	**1**	**4**	**8**	**13**	**17**	**31**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.2	3	1	1	3	4	6	7	8
20-34	110	3.8	38	1	1	3	4	6	7	33
35-49	56	3.2	3	1	1	3	4	5	6	10
50-64	51	3.0	1	1	1	3	4	5	7	9
65+	69	4.4	9	1	1	3	6	9	11	14
B. *Operated*										
0-19 YRS	118	2.8	6	<1	1	2	3	6	7	12
20-34	214	3.3	6	1	1	2	4	7	9	13
35-49	186	3.5	8	1	1	3	4	7	8	13
50-64	248	3.6	11	1	1	3	4	7	8	19
65+	292	3.8	7	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	4.0	9	1	2	3	5	7	8	10
20-34	279	4.5	12	1	1	4	5	8	10	20
35-49	252	5.1	11	1	2	4	6	9	13	17
50-64	317	6.1	18	2	2	5	7	11	14	25
65+	993	7.8	35	2	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	289	3.9	12	1	1	3	5	7	10	18
20-34	540	5.8	27	1	2	4	7	11	14	31
35-49	675	5.9	26	1	2	4	8	12	15	25
50-64	948	6.6	44	1	2	4	8	13	18	38
65+	1930	7.8	54	2	2	6	10	16	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	3.5	13	1	1	3	4	6	8	11
B. *Operated*	1058	3.5	8	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	2079	6.3	26	2	2	5	8	11	15	26
B. *Operated*	4382	6.7	43	1	2	5	9	14	18	34
1. SINGLE DX	1486	3.5	9	1	1	3	4	7	9	13
2. MULTIPLE DX	6461	6.6	37	1	2	5	8	13	17	31
A. NOT OPERATED	2507	5.9	25	1	2	5	7	11	14	25
B. OPERATED	5440	6.1	37	1	2	4	8	12	17	31
TOTAL 0-19 YRS	797	3.7	9	1	1	3	5	7	8	13
20-34	1143	4.8	22	1	1	4	6	9	12	21
35-49	1169	5.2	20	1	1	4	6	10	13	24
50-64	1564	5.9	34	1	2	4	7	12	16	29
65+	3274	7.4	44	2	2	6	9	14	18	34
GRAND TOTAL	**7947**	**6.0**	**33**	**1**	**2**	**4**	**8**	**12**	**16**	**29**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
20-34	6	1.7	1	1	1	2	2	3	3	3
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	4	2.3		2	2	2	3	3	3	3
65+	11	2.4	2	<1	<1	2	4	5	5	5
B. Operated										
0-19 YRS	513	1.9	2	<1	<1	1	2	3	5	8
20-34	338	3.1	5	<1	1	2	4	6	7	13
35-49	255	3.0	5	<1	1	2	4	6	7	11
50-64	251	3.3	5	1	1	3	4	6	7	11
65+	348	4.0	9	1	1	3	5	7	9	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.8	1	<1	<1	2	2	3	3	3
20-34	17	3.9	8	1	1	4	6	8	8	8
35-49	14	4.0	10	<1	1	3	6	9	10	10
50-64	30	5.6	23	<1	1	4	7	14	15	16
65+	112	6.4	46	1	2	4	9	13	16	40
B. Operated										
0-19 YRS	30	2.4	7	<1	<1	2	3	5	6	11
20-34	523	4.0	11	1	1	3	5	8	10	15
35-49	576	4.4	16	1	1	3	6	9	13	20
50-64	896	5.0	18	1	2	4	6	10	13	20
65+	1701	6.6	38	2	2	5	8	13	16	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.0	1	<1	<1	2	3	4	4	5
B. Operated	1705	2.9	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	182	5.6	35	1	1	4	7	12	15	33
B. Operated	4326	5.1	25	1	1	4	6	10	14	24
1. SINGLE DX	1737	2.9	6	<1	1	2	4	6	7	13
2. MULTIPLE DX	4508	5.1	26	1	1	4	6	10	14	24
A. NOT OPERATED	214	5.1	32	1	1	3	6	11	15	33
B. OPERATED	6031	4.5	21	1	1	3	6	9	12	20
TOTAL 0-19 YRS	1159	2.2	5	<1	<1	1	3	4	5	10
20-34	884	3.6	9	1	1	3	5	8	10	14
35-49	849	4.0	13	1	1	3	5	8	11	18
50-64	1181	4.7	16	1	1	3	6	10	12	20
65+	2172	6.2	35	1	2	4	8	12	16	30
GRAND TOTAL	**6245**	**4.5**	**21**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	936	3.2	3	1	1	3	4	5	6	8
20-34	440	3.4	5	1	1	3	4	6	7	10
35-49	217	4.0	7	1	1	3	5	8	10	14
50-64	204	4.0	6	1	1	4	5	7	9	13
65+	401	5.8	20	1	2	5	7	11	14	24
B. Operated										
0-19 YRS	388	3.0	10	<1	<1	2	4	6	8	15
20-34	371	3.3	7	<1	1	2	4	7	8	12
35-49	356	3.7	11	<1	1	3	5	7	11	17
50-64	522	3.6	10	1	1	3	4	7	9	19
65+	657	4.5	14	1	1	4	5	9	11	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1822	4.3	8	1	2	4	5	8	10	14
20-34	1476	4.9	14	1	2	4	6	9	11	20
35-49	1085	5.9	19	1	2	5	8	11	13	21
50-64	1886	6.9	23	2	3	6	9	12	15	24
65+	7806	8.8	38	2	3	7	11	16	20	32
B. Operated										
0-19 YRS	833	4.1	16	<1	1	3	5	9	12	20
20-34	974	5.5	43	1	1	4	6	11	15	35
35-49	1241	6.5	51	1	1	5	8	13	18	33
50-64	2348	7.3	47	1	2	5	9	15	19	34
65+	4869	9.6	74	2	2	7	12	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2198	3.8	8	1	1	3	5	7	9	14
B. Operated	2294	3.7	11	<1	1	3	5	7	10	19
2. MULTIPLE DX										
A. Not Operated	14075	7.4	31	2	2	6	9	14	18	28
B. Operated	10265	7.9	61	1	2	6	10	16	22	39
1. SINGLE DX	4492	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX	24340	7.6	44	1	2	6	10	15	19	33
A. NOT OPERATED	16273	6.9	30	1	2	5	9	13	17	27
B. OPERATED	12559	7.1	54	1	1	5	9	15	21	36
TOTAL 0-19 YRS	3979	3.9	9	1	1	3	5	7	9	14
20-34	3261	4.7	21	1	1	4	6	9	12	21
35-49	2899	5.8	32	1	1	4	7	11	15	26
50-64	4960	6.6	34	1	2	5	8	13	17	29
65+	13733	8.8	50	2	3	7	11	17	22	35
GRAND TOTAL	**28832**	**7.0**	**40**	**1**	**2**	**5**	**9**	**14**	**18**	**31**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.4	1	2	2	4	4	4	4	4
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	40	3.2	10	<1	1	2	4	7	8	18
65+	48	3.3	13	<1	1	2	4	8	14	16
B. *Operated*										
0-19 YRS	7	5.7	6	2	2	7	7	9	9	9
20-34	10	2.7	3	<1	<1	2	3	5	7	7
35-49	166	4.2	8	1	1	4	6	8	9	16
50-64	2311	5.6	8	1	2	5	7	9	10	15
65+	3758	6.5	11	2	3	6	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.0	37	3	3	4	11	14	14	14
35-49	17	5.2	12	1	2	4	8	11	12	12
50-64	195	4.2	19	1	1	3	5	7	11	26
65+	626	6.0	31	1	1	4	8	13	17	27
B. *Operated*										
0-19 YRS	16	7.3	15	1	2	7	10	12	15	16
20-34	20	4.6	21	1	1	3	6	10	15	20
35-49	277	5.4	13	1	2	5	7	10	13	17
50-64	4844	7.3	23	2	3	6	9	12	15	22
65+	12692	9.2	37	3	4	8	11	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.3	11	<1	1	2	4	7	10	17
B. *Operated*	6252	6.1	10	2	2	6	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	841	5.6	28	1	1	4	7	11	16	27
B. *Operated*	17849	8.6	34	2	4	7	10	15	19	30
1. SINGLE DX	6348	6.1	11	2	2	6	7	10	12	17
2. MULTIPLE DX	18690	8.5	34	2	3	7	10	15	19	30
A. NOT OPERATED	937	5.3	27	1	1	4	7	11	15	25
B. OPERATED	24101	8.0	29	2	3	7	9	14	18	28
TOTAL 0-19 YRS	23	6.8	13	1	2	7	9	11	13	16
20-34	38	4.1	15	<1	1	3	4	8	13	20
35-49	463	5.0	11	1	2	4	7	9	11	16
50-64	7390	6.6	19	2	2	6	8	11	14	21
65+	17124	8.5	33	2	3	7	10	15	19	30
GRAND TOTAL	**25038**	**7.9**	**29**	**2**	**3**	**7**	**9**	**14**	**17**	**28**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	1	2	2	2	4	5	5	5
20-34	65	3.6	4	1	1	3	5	6	8	9
35-49	67	4.0	6	1	1	3	6	7	8	11
50-64	76	3.8	4	1	1	3	5	7	8	9
65+	32	4.4	4	1	2	4	5	6	8	8
B. *Operated*										
0-19 YRS	16	3.1	6	<1	<1	3	4	6	8	9
20-34	95	2.4	4	<1	<1	2	3	4	6	12
35-49	118	2.6	3	<1	<1	2	3	5	7	9
50-64	136	3.2	8	1	1	2	4	6	8	17
65+	85	4.0	10	1	1	3	5	7	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	1	2	2	4	5	5	5	5
20-34	108	4.3	9	1	1	4	5	8	10	16
35-49	138	4.9	6	2	2	5	6	8	9	12
50-64	239	5.3	8	2	3	5	7	9	11	15
65+	241	6.3	11	3	3	6	8	10	14	19
B. *Operated*										
0-19 YRS	26	3.4	6	<1	1	3	4	7	9	10
20-34	151	4.2	17	1	1	3	6	10	12	22
35-49	336	4.0	9	1	1	3	6	8	9	16
50-64	507	5.4	18	1	2	4	7	11	14	20
65+	568	6.8	31	2	2	5	9	13	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	3.8	4	1	1	4	5	7	8	9
B. *Operated*	450	3.0	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	737	5.4	9	2	2	5	7	9	11	16
B. *Operated*	1608	5.5	22	1	1	4	7	11	14	22
1. SINGLE DX	697	3.3	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	2345	5.5	18	1	2	4	7	10	13	21
A. NOT OPERATED	984	5.0	8	1	2	4	6	8	10	15
B. OPERATED	2058	5.0	19	1	1	4	6	10	13	21
TOTAL 0-19 YRS	60	3.3	4	<1	1	3	4	6	8	10
20-34	419	3.7	10	1	1	3	5	8	11	16
35-49	659	3.9	7	1	1	3	5	8	9	13
50-64	958	4.9	13	1	2	4	6	9	12	18
65+	946	6.4	24	2	2	5	8	12	15	24
GRAND TOTAL	**3042**	**5.0**	**16**	**1**	**1**	**4**	**6**	**10**	**12**	**20**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4		<1	<1	1	2	2	3	3
20-34	3	2.7	2	<1	<1	3	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	315	1.9	1	<1	1	2	2	3	4	6
20-34	159	2.8	2	1	1	3	3	4	6	7
35-49	188	2.6	1	1	1	3	3	4	5	6
50-64	333	3.2	3	1	2	3	4	5	6	8
65+	192	3.4	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	1.9	3	<1	<1	1	2	4	5	11
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	3.5	7	<1	<1	3	5	7	7	7
50-64	17	3.9	19	<1	<1	1	5	11	14	15
65+	21	4.0	6	1	1	4	5	8	9	9
B. *Operated*										
0-19 YRS	349	2.1	1	<1	1	2	3	3	4	6
20-34	109	3.7	9	1	1	3	4	7	9	18
35-49	152	3.6	6	1	2	3	4	6	8	14
50-64	340	4.3	10	2	2	3	5	8	11	16
65+	355	5.3	17	2	2	4	6	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	1187	2.8	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	84	2.9	8	<1	<1	2	4	6	9	14
B. *Operated*	1305	3.8	10	1	1	3	4	7	10	19
1. SINGLE DX	1211	2.7	2	1	1	3	3	4	5	8
2. MULTIPLE DX	1389	3.8	10	1	1	3	4	7	10	19
A. NOT OPERATED	108	2.6	7	<1	<1	2	3	5	9	13
B. OPERATED	2492	3.3	7	1	1	3	4	6	8	15
TOTAL 0-19 YRS	718	2.0	1	<1	<1	2	2	3	4	6
20-34	273	3.2	5	1	1	3	4	5	7	13
35-49	346	3.1	4	1	1	3	4	5	6	11
50-64	693	3.8	7	1	2	3	4	6	8	14
65+	570	4.6	12	2	2	4	5	8	11	21
GRAND TOTAL	**2600**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	4.0	7	1	1	4	5	7	9	14
20-34	315	4.1	4	1	2	4	5	7	8	10
35-49	156	4.7	6	1	2	4	6	8	9	12
50-64	117	5.1	5	2	2	5	7	8	9	12
65+	71	5.6	6	2	3	5	7	9	10	14
B. *Operated*										
0-19 YRS	61	3.8	9	1	1	3	5	10	10	14
20-34	134	4.3	14	1	1	3	5	7	10	20
35-49	88	4.1	10	1	2	3	5	8	9	19
50-64	63	4.9	15	1	1	4	6	9	14	21
65+	51	4.8	9	2	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.9	4	1	1	4	5	7	8	10
20-34	153	5.2	8	1	2	5	7	9	11	14
35-49	172	5.4	10	2	2	5	7	9	11	15
50-64	239	6.2	11	2	3	6	8	10	12	18
65+	280	7.6	22	3	3	7	9	13	15	28
B. *Operated*										
0-19 YRS	34	4.8	15	1	1	4	6	11	14	16
20-34	103	5.2	13	1	2	4	7	10	13	17
35-49	130	6.0	18	2	2	5	8	11	15	21
50-64	172	8.0	39	2	2	6	12	16	20	31
65+	203	9.5	45	2	3	8	12	18	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	4.4	6	1	2	4	6	7	9	12
B. *Operated*	397	4.3	12	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	904	6.2	15	2	2	6	8	11	12	19
B. *Operated*	642	7.5	34	2	2	6	10	14	19	29
1. SINGLE DX	1241	4.4	8	1	2	4	6	8	9	14
2. MULTIPLE DX	1546	6.7	23	2	2	6	8	12	15	26
A. NOT OPERATED	1748	5.3	11	1	2	5	7	9	11	16
B. OPERATED	1039	6.3	28	1	2	5	8	13	16	28
TOTAL 0-19 YRS	340	4.0	8	1	1	4	5	7	10	14
20-34	705	4.5	9	1	2	4	6	8	9	15
35-49	546	5.1	11	2	2	4	7	9	11	18
50-64	591	6.4	20	2	2	5	8	12	14	23
65+	605	7.8	29	2	3	6	10	14	17	29
GRAND TOTAL	**2787**	**5.7**	**18**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.4	1	<1	<1	1	2	2	4	5
20-34	30	1.7	1	<1	<1	2	2	3	3	4
35-49	12	1.8	1	<1	<1	2	2	3	3	3
50-64	17	3.6	54	<1	1	2	3	3	22	32
65+	15	2.0	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	390	1.5		<1	<1	1	2	2	3	4
20-34	130	1.8	1	<1	1	2	2	3	3	4
35-49	103	1.7	1	<1	1	2	2	3	3	4
50-64	81	2.0	1	<1	1	2	2	3	4	7
65+	50	2.4	3	1	1	2	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	1.5	1	<1	<1	1	2	2	3	8
20-34	16	3.6	9	<1	<1	2	4	9	10	10
35-49	19	2.8	5	<1	1	2	3	7	8	8
50-64	23	3.1	6	1	1	2	4	8	9	9
65+	30	3.6	9	1	1	2	5	7	9	16
B. *Operated*										
0-19 YRS	151	2.0	2	<1	1	2	2	3	4	8
20-34	104	2.4	3	<1	1	2	3	4	5	11
35-49	155	2.6	5	<1	1	2	3	5	6	13
50-64	223	3.4	14	1	1	2	4	6	9	24
65+	207	4.6	28	1	1	3	5	9	13	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	1.8	7	<1	<1	1	2	3	4	5
B. *Operated*	754	1.7	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	130	2.7	6	<1	<1	2	3	6	8	11
B. *Operated*	840	3.2	13	1	1	2	3	6	9	18
1. SINGLE DX	904	1.7	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX	970	3.1	12	1	1	2	3	6	9	17
A. NOT OPERATED	280	2.2	7	<1	<1	2	2	4	6	10
B. OPERATED	1594	2.5	8	<1	1	2	3	4	7	13
TOTAL 0-19 YRS	659	1.6	1	<1	<1	1	2	3	3	5
20-34	280	2.1	2	<1	1	2	2	3	4	10
35-49	289	2.3	3	<1	1	2	3	4	6	11
50-64	344	3.1	13	1	1	2	3	6	8	22
65+	302	4.0	22	1	1	2	4	8	11	27
GRAND TOTAL	**1874**	**2.4**	**8**	**<1**	**1**	**2**	**3**	**4**	**7**	**13**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.3	4	<1	1	2	3	4	6	12
20-34	46	2.7	6	<1	1	2	4	5	6	14
35-49	45	2.1	3	<1	1	1	3	4	5	9
50-64	79	1.8	5	1	1	1	2	3	5	15
65+	25	2.5	4	<1	1	2	3	5	7	8
B. *Operated*										
0-19 YRS	740	2.1	3	<1	1	2	3	4	5	8
20-34	524	2.5	4	1	1	2	3	4	5	12
35-49	305	2.9	4	1	1	2	4	5	7	10
50-64	371	3.3	4	1	1	3	4	6	7	11
65+	149	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.9	5	1	1	2	3	6	9	11
20-34	67	4.2	12	1	1	3	6	9	11	16
35-49	69	3.7	11	1	1	2	5	7	10	17
50-64	132	4.4	30	1	1	3	6	10	11	31
65+	79	8.2	63	1	1	6	10	17	25	42
B. *Operated*										
0-19 YRS	312	2.6	4	1	1	2	3	5	6	9
20-34	439	3.8	20	1	1	3	4	7	10	23
35-49	398	4.5	25	1	1	3	5	8	12	25
50-64	651	5.4	34	1	2	4	6	9	13	27
65+	404	6.6	49	2	2	4	8	14	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	2.2	4	<1	1	1	3	4	6	12
B. *Operated*	2089	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	409	4.8	29	1	1	3	6	10	13	28
B. *Operated*	2204	4.7	30	1	1	3	5	9	13	27
1. SINGLE DX	2372	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX	2613	4.7	30	1	1	3	5	9	13	28
A. NOT OPERATED	692	3.7	21	1	1	2	5	8	11	23
B. OPERATED	4293	3.7	18	1	1	3	4	7	10	21
TOTAL 0-19 YRS	1202	2.3	3	<1	1	2	3	4	5	9
20-34	1076	3.1	12	1	1	2	4	6	8	17
35-49	817	3.7	15	1	1	3	4	7	10	20
50-64	1233	4.4	24	1	1	3	5	8	11	22
65+	657	6.0	41	1	2	4	7	12	18	35
GRAND TOTAL	**4985**	**3.7**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	5	2.2	2	<1	<1	2	3	4	4	4
35-49	18	2.0	2	<1	1	1	3	5	6	6
50-64	6	2.2	3	1	1	1	4	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	65	2.1	6	<1	1	2	2	3	4	18
20-34	669	2.3	2	<1	1	2	3	4	5	8
35-49	2102	2.4	2	<1	1	2	3	4	5	8
50-64	1006	2.3	2	1	1	2	3	4	5	8
65+	412	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	23	4.5	11	1	1	4	5	9	13	14
35-49	44	3.7	10	<1	1	3	5	8	10	16
50-64	29	3.9	10	1	1	3	5	7	10	15
65+	14	4.6	10	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	25	3.4	6	<1	1	3	4	7	9	10
20-34	460	3.4	8	1	1	3	4	7	9	13
35-49	1467	3.4	6	1	1	3	4	6	8	12
50-64	1041	3.5	9	1	1	2	4	7	9	15
65+	648	4.0	11	1	2	3	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.0	2	<1	1	1	3	4	5	6
B. *Operated*	4254	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	114	4.0	10	1	1	3	5	8	10	15
B. *Operated*	3641	3.5	8	1	1	3	4	7	9	15
1. SINGLE DX	4288	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	3755	3.5	8	1	1	3	4	7	9	15
A. NOT OPERATED	148	3.5	9	1	1	3	5	7	9	15
B. OPERATED	7895	2.9	5	1	1	2	3	5	7	12
TOTAL 0-19 YRS	97	2.5	6	<1	1	2	3	4	6	15
20-34	1157	2.8	5	<1	1	2	3	5	7	11
35-49	3631	2.8	4	1	1	2	3	5	7	10
50-64	2082	2.9	6	1	1	2	3	5	8	13
65+	1076	3.4	8	1	2	2	4	7	9	14
GRAND TOTAL	**8043**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.8	6	1	1	3	5	7	10	11
20-34	67	3.2	3	1	2	3	4	5	7	10
35-49	33	3.1	6	<1	<1	3	4	7	8	10
50-64	18	4.4	13	1	1	3	6	11	12	13
65+	12	4.6	20	1	1	3	7	11	14	15
B. *Operated*										
0-19 YRS	474	2.8	2	1	1	3	4	5	5	8
20-34	679	3.2	3	1	1	3	4	5	6	9
35-49	515	3.0	3	1	1	3	4	5	6	10
50-64	364	3.1	5	1	1	3	4	5	6	13
65+	180	2.8	2	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	2	<1	1	2	4	5	5	7
20-34	81	3.9	9	1	1	3	5	7	9	17
35-49	62	5.7	39	<1	<1	4	7	11	20	34
50-64	50	5.1	23	<1	1	4	6	11	14	25
65+	68	4.8	18	1	1	4	6	9	14	21
B. *Operated*										
0-19 YRS	130	3.2	3	1	1	3	4	6	7	10
20-34	461	4.1	9	1	2	3	5	7	9	18
35-49	561	4.3	11	1	1	4	5	8	10	15
50-64	495	4.7	19	1	2	4	6	8	11	20
65+	279	5.1	26	1	2	3	6	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	3.5	6	<1	1	3	4	7	10	13
B. *Operated*	2212	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	294	4.6	19	<1	1	3	6	9	13	24
B. *Operated*	1926	4.4	14	1	2	3	5	8	11	19
1. SINGLE DX	2373	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX	2220	4.4	15	1	2	3	5	8	11	21
A. NOT OPERATED	455	4.2	15	<1	1	3	5	8	10	21
B. OPERATED	4138	3.7	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	668	3.0	3	1	1	3	4	5	6	8
20-34	1288	3.5	6	1	1	3	4	6	7	12
35-49	1171	3.8	9	1	1	3	5	7	9	15
50-64	927	4.1	14	1	1	3	5	8	10	18
65+	539	4.3	18	1	1	3	5	9	12	22
GRAND TOTAL	**4593**	**3.7**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	520	2.6	3	1	1	2	3	5	6	8
20-34	827	2.4	3	<1	1	2	3	5	5	9
35-49	154	2.8	4	<1	1	2	4	5	7	9
50-64	7	4.6	27	<1	<1	3	4	14	16	16
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	566	4.4	6	1	2	4	6	7	9	12
20-34	1810	4.4	7	1	1	4	6	7	8	12
35-49	437	5.6	7	2	2	6	7	9	10	14
50-64	66	6.6	6	2	4	6	8	9	11	14
65+	27	8.4	17	2	3	7	10	12	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	399	3.3	4	1	1	3	4	6	7	11
20-34	733	3.2	5	1	1	3	4	6	8	11
35-49	206	4.0	9	1	1	3	5	7	8	15
50-64	22	3.9	4	1	1	3	5	7	7	7
65+	27	6.7	21	2	2	5	9	14	16	20
B. *Operated*										
0-19 YRS	663	5.4	9	1	2	5	7	9	11	14
20-34	3550	5.8	10	1	2	6	7	9	11	17
35-49	1709	7.2	20	2	4	7	8	11	15	22
50-64	216	9.1	31	4	5	8	10	15	19	32
65+	148	12.1	40	6	7	10	15	21	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1509	2.5	3	1	1	2	3	5	6	9
B. *Operated*	2906	4.7	7	1	1	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	1387	3.4	6	1	1	3	4	6	8	13
B. *Operated*	6286	6.4	16	2	2	6	8	10	13	21
1. SINGLE DX	4415	4.0	7	1	1	4	5	7	8	12
2. MULTIPLE DX	7673	5.9	15	1	2	5	7	10	12	20
A. NOT OPERATED	2896	3.0	5	1	1	2	4	5	7	11
B. OPERATED	9192	5.9	14	1	2	5	7	9	12	19
TOTAL 0-19 YRS	2148	4.1	7	1	1	4	5	7	9	13
20-34	6920	4.8	9	1	1	5	6	8	10	15
35-49	2506	6.4	17	1	2	6	8	10	13	20
50-64	311	8.1	26	2	4	7	9	14	16	26
65+	203	10.9	39	3	5	9	13	20	23	33
GRAND TOTAL	**12088**	**5.2**	**13**	**1**	**1**	**5**	**7**	**9**	**11**	**18**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1101	4.2	4	2	2	4	5	7	8	11
20-34	2722	4.4	5	1	2	4	5	7	8	11
35-49	298	4.9	6	2	2	5	6	8	9	14
50-64	28	5.3	9	2	2	5	7	9	11	14
65+	5	6.2	13	3	3	4	9	11	11	11
B. *Operated*										
0-19 YRS	285	5.4	9	1	2	5	7	9	11	15
20-34	1363	5.1	10	1	1	5	7	9	10	15
35-49	343	5.9	11	1	2	6	7	10	12	17
50-64	52	6.9	26	1	2	6	9	14	18	23
65+	12	9.9	38	3	4	8	13	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	887	4.9	6	2	2	4	6	8	9	13
20-34	2441	5.3	10	2	2	5	7	9	11	16
35-49	460	6.4	12	2	3	6	8	11	13	18
50-64	67	7.8	18	3	3	7	11	13	16	21
65+	27	9.9	86	2	3	6	14	22	31	40
B. *Operated*										
0-19 YRS	592	6.5	14	2	2	6	8	11	13	18
20-34	5138	6.4	17	2	2	6	8	11	13	21
35-49	1633	7.8	27	2	3	7	9	13	17	26
50-64	223	8.7	34	2	3	7	10	15	20	26
65+	83	15.4	246	3	4	11	19	29	55	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4154	4.4	5	2	2	4	5	7	8	11
B. *Operated*	2055	5.3	11	1	1	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	3882	5.4	10	2	2	5	7	9	11	17
B. *Operated*	7669	6.9	23	2	2	6	8	11	14	24
1. SINGLE DX	6209	4.7	7	1	2	4	6	8	9	14
2. MULTIPLE DX	11551	6.4	19	2	2	6	8	11	13	22
A. NOT OPERATED	8036	4.9	8	2	2	4	6	8	10	15
B. OPERATED	9724	6.5	21	1	2	6	8	11	14	23
TOTAL 0-19 YRS	2865	5.0	8	2	2	5	6	9	10	14
20-34	11664	5.5	13	1	2	5	7	9	11	18
35-49	2734	7.0	21	2	3	6	8	12	15	24
50-64	370	8.0	29	2	2	7	10	14	18	25
65+	127	13.4	191	3	3	9	17	25	35	98
GRAND TOTAL	**17760**	**5.8**	**16**	**2**	**2**	**5**	**7**	**10**	**12**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.9	3	1	2	4	5	6	7	7
20-34	88	3.7	6	1	1	3	5	6	8	14
35-49	23	3.1	4	<1	1	3	4	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	78	3.4	5	<1	1	3	5	7	8	9
20-34	1269	4.7	7	1	1	5	6	7	8	12
35-49	674	6.0	5	2	2	6	7	8	10	13
50-64	30	6.3	5	1	3	7	7	9	10	11
65+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	7	1	1	4	5	8	9	9
20-34	145	3.6	9	<1	1	3	5	7	10	13
35-49	50	3.8	5	<1	1	4	6	6	8	9
50-64	6	8.3	75	<1	<1	5	10	23	25	25
65+										
B. *Operated*										
0-19 YRS	109	4.9	9	1	1	5	7	9	10	14
20-34	4497	5.9	8	1	2	6	7	9	10	15
35-49	4733	7.0	7	3	5	7	8	9	11	17
50-64	521	7.4	10	4	5	7	8	10	11	18
65+	53	9.2	12	4	5	9	11	14	16	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	3.6	5	1	1	3	5	6	8	11
B. *Operated*	2053	5.1	7	1	1	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	212	3.8	10	<1	1	3	5	7	9	15
B. *Operated*	9913	6.5	8	2	3	6	8	9	11	16
1. SINGLE DX	2175	5.0	7	1	1	5	7	8	9	12
2. MULTIPLE DX	10125	6.5	8	2	3	6	8	9	11	16
A. NOT OPERATED	334	3.7	8	<1	1	3	5	7	9	13
B. OPERATED	11966	6.3	8	2	2	6	7	9	11	16
TOTAL 0-19 YRS	209	4.2	8	1	1	4	6	8	9	13
20-34	5999	5.6	8	1	2	6	7	8	10	14
35-49	5480	6.8	7	2	4	7	8	9	11	16
50-64	557	7.4	10	3	5	7	8	10	11	19
65+	55	9.0	13	3	5	9	11	14	16	20
GRAND TOTAL	**12300**	**6.2**	**8**	**1**	**2**	**6**	**7**	**9**	**10**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	4.0	5	2	2	3	5	7	7	7
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	11	2.4	1	1	1	2	3	4	5	5
20-34	126	2.5	3	<1	<1	2	3	5	6	8
35-49	98	2.3	3	<1	<1	2	3	4	6	10
50-64	49	2.1	1	<1	1	2	2	3	3	5
65+	16	2.9	9	1	1	2	3	4	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	3	2	2	4	6	7	7	7
20-34	26	3.5	5	<1	1	3	4	7	8	8
35-49	5	4.4	9	1	1	4	6	9	9	9
50-64	4	3.3	2	2	2	3	4	5	5	5
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	35	3.4	8	<1	1	2	4	8	11	12
20-34	883	4.8	20	1	1	4	7	8	10	16
35-49	730	5.4	12	1	1	6	7	9	10	17
50-64	211	4.9	18	1	1	4	7	8	11	22
65+	90	5.9	26	1	1	4	8	13	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.3	3	1	1	3	4	6	7	7
B. *Operated*	300	2.4	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	50	3.8	4	1	1	3	5	7	8	9
B. *Operated*	1949	5.0	17	1	1	5	7	9	11	18
1. SINGLE DX	310	2.4	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	1999	5.0	17	1	1	5	7	9	10	18
A. NOT OPERATED	60	3.8	4	1	1	3	5	7	8	9
B. OPERATED	2249	4.7	16	1	1	4	7	8	10	17
TOTAL 0-19 YRS	61	3.4	6	1	1	3	4	7	9	12
20-34	1039	4.5	18	<1	1	3	6	8	10	16
35-49	835	5.0	12	1	1	5	7	8	10	16
50-64	266	4.3	15	1	1	3	6	8	10	19
65+	108	5.4	24	1	1	3	8	13	15	23
GRAND TOTAL	**2309**	**4.6**	**15**	**1**	**1**	**4**	**7**	**8**	**10**	**16**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	3.7	4	1	1	3	5	6	7	10
20-34	167	3.7	5	1	2	3	4	6	7	12
35-49	32	4.2	5	1	1	4	6	7	8	9
50-64	7	8.1	58	2	2	5	12	21	23	23
65+	6	5.0	6	2	2	4	7	9	9	9
B. *Operated*										
0-19 YRS	82	2.5	3	<1	1	2	3	5	6	8
20-34	499	2.4	2	<1	1	2	3	4	5	6
35-49	241	2.4	3	<1	1	2	3	4	5	9
50-64	64	2.8	7	<1	1	2	3	5	7	17
65+	24	4.6	28	1	1	3	5	9	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	4.1	8	1	2	3	5	7	9	16
20-34	273	4.7	7	1	2	4	6	8	10	13
35-49	90	6.1	23	2	3	6	7	10	12	31
50-64	41	6.5	10	2	3	6	8	10	12	16
65+	71	7.2	20	2	3	6	9	14	16	24
B. *Operated*										
0-19 YRS	111	3.9	10	1	1	3	5	7	11	16
20-34	502	4.3	16	1	1	3	6	8	10	16
35-49	352	4.7	21	1	1	3	7	9	11	26
50-64	136	5.3	25	1	2	3	7	11	18	24
65+	86	7.5	53	1	2	5	9	18	19	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	3.9	6	1	2	3	5	7	8	13
B. *Operated*	910	2.5	4	<1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	564	5.3	12	1	2	5	6	9	11	17
B. *Operated*	1187	4.7	21	1	1	3	6	9	11	21
1. SINGLE DX	1189	2.8	5	1	1	2	3	5	6	10
2. MULTIPLE DX	1751	4.9	18	1	1	4	6	9	11	20
A. NOT OPERATED	843	4.8	11	1	2	4	6	8	10	16
B. OPERATED	2097	3.8	15	1	1	3	5	8	10	19
TOTAL 0-19 YRS	349	3.6	7	1	1	3	5	7	8	14
20-34	1441	3.6	9	1	1	3	5	7	8	12
35-49	715	4.1	16	1	1	3	5	8	10	18
50-64	248	5.0	20	1	1	3	7	10	15	23
65+	187	6.9	36	1	2	5	9	15	19	27
GRAND TOTAL	2940	4.1	14	1	1	3	5	8	10	19

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	3.7	8	2	2	2	6	7	7	7
35-49	7	6.0	7	1	2	7	8	9	9	9
50-64	10	4.2	12	<1	<1	4	5	9	12	12
65+	17	2.6	4	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	364	5.8	6	1	3	6	7	8	10	12
35-49	684	6.5	5	3	4	6	8	9	11	14
50-64	1049	7.4	7	4	5	7	8	11	12	16
65+	850	7.8	8	4	5	7	9	12	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	2.3	4	<1	1	1	3	6	7	7
35-49	47	3.8	10	<1	<1	3	5	9	10	14
50-64	75	3.5	8	<1	1	3	5	7	9	13
65+	138	4.8	13	1	1	4	7	9	12	18
B. *Operated*										
0-19 YRS	11	7.9	21	3	4	6	10	16	18	18
20-34	1607	6.7	6	4	4	6	8	9	11	15
35-49	3182	7.6	9	4	5	7	9	11	13	18
50-64	3032	8.5	13	5	5	8	10	13	15	20
65+	2855	9.2	20	5	5	8	10	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.6	8	<1	<1	3	5	7	9	12
B. *Operated*	2951	7.1	7	4	4	7	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	284	4.1	11	<1	1	3	6	9	11	15
B. *Operated*	10687	8.1	13	4	5	7	9	12	14	21
1. SINGLE DX	2990	7.1	8	3	4	7	8	10	12	16
2. MULTIPLE DX	10971	8.0	14	4	5	7	9	12	14	20
A. NOT OPERATED	323	4.1	11	<1	1	3	6	9	10	15
B. OPERATED	13638	7.9	12	4	5	7	9	12	14	20
TOTAL 0-19 YRS	17	6.1	21	1	1	5	8	13	17	18
20-34	1998	6.5	6	3	4	6	8	9	11	15
35-49	3920	7.3	8	4	5	7	9	11	12	17
50-64	4166	8.1	12	4	5	8	9	12	14	19
65+	3860	8.7	18	4	5	8	10	13	16	23
GRAND TOTAL	13961	7.8	12	4	5	7	9	12	14	19

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	1	1	3	6	4	4	4
20-34	10	1.6	2	<1	<1	1	2	4	6	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	89	2.1	3	<1	<1	1	2	3	5	10
35-49	101	1.9	3	<1	<1	1	2	4	6	8
50-64	20	1.7	1	<1	<1	1	2	3	4	6
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	24	3.6	3	1	1	3	5	6	7	9
35-49	14	3.9	10	1	1	3	5	9	11	11
50-64										
65+										
B. Operated										
0-19 YRS	8	3.3	5	1	1	3	4	7	8	8
20-34	193	3.7	9	<1	1	3	6	7	8	17
35-49	253	4.1	11	<1	1	3	6	8	10	15
50-64	36	4.1	8	1	1	3	7	8	8	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.9	2	<1	<1	1	2	4	5	6
B. Operated	218	1.9	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
A. Not Operated	40	3.7	5	1	1	3	5	7	9	11
B. Operated	490	3.9	10	<1	1	3	6	8	9	15
1. SINGLE DX	234	1.9	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX	530	3.9	9	<1	1	3	6	8	9	15
A. NOT OPERATED	56	3.2	5	1	1	3	4	6	8	11
B. OPERATED	708	3.3	8	<1	1	2	5	7	8	13
TOTAL 0-19 YRS	21	2.6	3	<1	1	2	3	4	6	8
20-34	316	3.2	7	<1	1	2	4	6	8	13
35-49	371	3.5	9	<1	<1	2	6	7	9	14
50-64	56	3.3	7	<1	1	2	6	8	8	11
65+										
GRAND TOTAL	**764**	**3.3**	**8**	**<1**	**1**	**2**	**5**	**7**	**8**	**13**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	2.1	2	1	1	2	3	4	5	6
20-34	359	2.0	2	<1	1	2	3	4	4	6
35-49	92	2.3	3	<1	<1	2	3	5	6	8
50-64	7	1.6		<1	<1	2	2	2	2	2
65+										
B. Operated										
0-19 YRS	236	2.0	2	<1	1	2	2	3	4	7
20-34	2214	2.3	3	<1	1	2	3	5	6	9
35-49	2244	2.4	5	<1	1	2	3	5	7	9
50-64	902	2.0	2	<1	1	2	2	4	6	8
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	190	3.0	5	1	1	2	4	6	7	13
20-34	455	3.1	6	1	1	2	4	6	8	12
35-49	248	3.5	29	<1	1	2	4	7	10	16
50-64	25	2.2	3	1	1	2	3	3	6	8
65+										
B. Operated										
0-19 YRS	294	3.2	5	1	1	3	4	6	8	12
20-34	4797	4.3	9	1	1	4	6	8	9	14
35-49	6980	5.0	12	1	1	5	7	9	10	15
50-64	868	4.5	13	1	1	3	7	9	11	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	581	2.1	2	<1	1	2	3	4	5	7
B. Operated	4996	2.3	4	<1	1	2	2	5	7	9
2. MULTIPLE DX										
A. Not Operated	918	3.1	12	1	1	2	4	6	8	15
B. Operated	12939	4.7	11	1	1	4	7	8	10	15
1. SINGLE DX	5577	2.3	4	<1	1	2	2	5	6	9
2. MULTIPLE DX	13857	4.6	11	1	1	4	7	8	10	15
A. NOT OPERATED	1499	2.7	8	<1	1	2	3	5	7	12
B. OPERATED	17935	4.0	10	1	1	3	6	8	9	14
TOTAL 0-19 YRS	843	2.7	4	1	1	2	3	5	6	10
20-34	7825	3.6	8	<1	1	2	5	7	8	12
35-49	9564	4.3	12	1	1	3	7	8	10	14
50-64	1202	3.8	11	<1	1	2	6	8	10	15
65+										
GRAND TOTAL	**19434**	**3.9**	**10**	**1**	**1**	**3**	**6**	**8**	**9**	**14**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	11	3.1	4	1	1	3	4	6	8	8
50-64	20	2.8	5	<1	<1	2	4	6	7	9
65+	7	4.4	10	1	1	5	6	9	10	10
B. *Operated*										
0-19 YRS										
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	173	1.9	3	<1	<1	2	2	3	4	10
50-64	638	1.9	3	<1	1	2	2	3	3	9
65+	250	2.3	2	1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	2	5.0	32	<1	<1	4	9	9	9	9
35-49	46	4.3	7	1	1	4	5	9	10	11
50-64	65	3.9	21	<1	1	3	4	7	13	29
65+	86	5.4	19	1	1	4	7	10	14	21
B. *Operated*										
0-19 YRS										
20-34	11	3.8	8	<1	1	3	6	8	10	10
35-49	284	3.6	11	1	1	2	5	8	10	16
50-64	1499	3.6	16	1	1	2	4	8	10	18
65+	826	4.3	22	1	1	2	5	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.2	5	<1	1	3	4	6	8	10
B. *Operated*	1064	2.0	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	201	4.6	17	1	1	4	6	10	12	20
B. *Operated*	2620	3.8	17	1	1	2	5	8	11	20
1. SINGLE DX	1104	2.0	3	<1	1	2	2	3	4	9
2. MULTIPLE DX	2821	3.9	17	1	1	2	5	8	11	20
A. NOT OPERATED	241	4.4	15	1	1	3	5	9	11	20
B. OPERATED	3684	3.3	14	<1	1	2	3	7	10	17
TOTAL 0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	18	3.8	8	<1	<1	3	6	8	10	10
35-49	514	3.1	8	<1	1	2	4	7	9	14
50-64	2222	3.1	13	<1	1	2	3	7	9	17
65+	1169	3.9	18	1	1	2	4	9	12	21
GRAND TOTAL	**3925**	**3.4**	**14**	**1**	**1**	**2**	**4**	**8**	**10**	**18**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.2	3	<1	1	2	2	4	5	11
20-34	136	2.3	3	<1	1	2	3	4	5	10
35-49	37	2.8	7	<1	1	2	3	6	9	14
50-64	18	3.9	7	<1	<1	4	6	8	9	9
65+	17	4.2	11	<1	1	3	6	10	11	11
B. *Operated*										
0-19 YRS	153	3.0	5	<1	1	2	4	6	7	10
20-34	1506	3.1	6	<1	1	2	4	6	7	11
35-49	1063	3.3	8	<1	1	2	5	7	9	13
50-64	590	3.4	13	<1	1	2	5	7	9	18
65+	272	3.9	22	1	1	2	4	8	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	10	<1	1	3	5	7	11	16
20-34	177	2.7	4	<1	<1	2	4	5	7	11
35-49	98	3.7	9	<1	1	3	6	8	10	14
50-64	82	5.4	44	<1	1	3	6	12	22	36
65+	113	7.6	34	2	2	6	10	15	21	28
B. *Operated*										
0-19 YRS	191	3.9	10	1	1	3	5	7	9	19
20-34	2491	4.6	11	1	1	4	6	8	10	15
35-49	3387	5.3	14	1	1	5	7	9	11	18
50-64	2045	5.5	21	1	1	5	8	10	13	22
65+	1016	7.2	73	1	2	5	9	16	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	2.6	5	<1	1	2	3	5	7	11
B. *Operated*	3584	3.3	9	<1	1	2	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	533	4.5	22	<1	1	3	6	9	13	23
B. *Operated*	9130	5.3	22	1	1	5	7	9	12	23
1. SINGLE DX	3845	3.2	9	<1	1	2	4	7	8	13
2. MULTIPLE DX	9663	5.3	22	1	1	5	7	9	12	23
A. NOT OPERATED	794	3.9	17	<1	1	3	5	8	11	22
B. OPERATED	12714	4.8	19	1	1	4	7	9	11	20
TOTAL 0-19 YRS	460	3.4	8	1	1	2	5	7	8	15
20-34	4310	3.9	9	1	1	3	6	7	9	14
35-49	4585	4.8	13	1	1	5	7	9	10	16
50-64	2735	5.0	21	1	1	3	7	10	12	22
65+	1418	6.6	61	1	2	4	8	14	20	42
GRAND TOTAL	**13508**	**4.7**	**19**	**1**	**1**	**4**	**7**	**9**	**11**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	278	2.0	2	<1	1	2	2	4	5	7
20-34	380	2.3	4	<1	1	2	3	4	5	10
35-49	71	2.7	4	<1	1	2	3	5	7	11
50-64	19	3.9	28	<1	1	2	4	9	18	23
65+	9	4.7	11	2	2	3	7	10	10	10
B. Operated										
0-19 YRS	158	2.8	5	1	1	2	4	6	7	9
20-34	1155	3.6	7	1	1	2	6	7	8	11
35-49	747	6.4	9	1	2	7	8	10	11	14
50-64	494	7.7	10	3	4	8	9	11	13	17
65+	196	8.9	11	4	5	9	10	13	16	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	251	2.6	3	<1	<1	2	4	5	6	9
20-34	513	2.8	6	<1	1	2	3	5	7	13
35-49	142	3.5	8	<1	1	3	4	7	8	15
50-64	60	3.6	8	<1	1	3	4	6	10	15
65+	53	7.3	78	1	1	5	8	14	23	51
B. Operated										
0-19 YRS	173	3.8	7	1	1	3	5	7	10	14
20-34	3335	5.0	8	1	1	5	7	8	10	14
35-49	2136	7.2	13	2	3	7	8	11	12	19
50-64	951	8.9	17	3	5	8	10	14	16	24
65+	522	10.0	33	2	4	9	12	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	757	2.3	4	<1	1	2	3	4	5	10
B. Operated	2750	5.4	12	1	1	5	8	9	11	15
2. MULTIPLE DX										
A. Not Operated	1019	3.1	11	<1	1	2	4	6	8	15
B. Operated	7117	6.5	16	1	2	6	8	11	13	20
1. SINGLE DX	3507	4.8	12	1	1	4	7	9	10	15
2. MULTIPLE DX	8136	6.1	16	1	1	6	8	10	13	20
A. NOT OPERATED	1776	2.8	8	<1	1	2	3	5	7	14
B. OPERATED	9867	6.2	15	1	2	6	8	10	12	19
TOTAL 0-19 YRS	860	2.7	4	<1	1	2	3	5	7	10
20-34	5383	4.3	8	1	1	4	6	8	9	13
35-49	3096	6.7	13	1	2	7	8	10	12	17
50-64	1524	8.2	16	2	4	8	10	13	15	23
65+	780	9.4	31	2	4	9	11	16	19	32
GRAND TOTAL	**11643**	**5.7**	**15**	**1**	**1**	**6**	**8**	**10**	**12**	**18**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.4	3	<1	<1	2	3	5	6	6
20-34	58	2.2	3	<1	1	1	3	5	5	8
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	133	5.0	2	3	3	5	6	7	8	9
20-34	1950	5.1	3	3	3	5	6	7	8	10
35-49	156	5.4	3	3	4	5	6	7	9	12
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.8	3	1	1	3	4	5	5	5
20-34	27	2.4	3	<1	<1	2	4	4	6	7
35-49	4	4.0	18	<1	<1	2	7	10	10	10
50-64										
65+										
B. Operated										
0-19 YRS	121	5.7	5	3	4	5	6	8	11	13
20-34	1791	5.6	4	3	4	5	6	8	9	13
35-49	244	6.0	4	3	4	6	7	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.3	3	<1	1	2	3	5	6	8
B. Operated	2239	5.1	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	39	2.7	4	<1	<1	2	4	5	7	10
B. Operated	2156	5.6	4	3	4	5	6	8	9	13
1. SINGLE DX	2308	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX	2195	5.6	4	3	4	5	6	8	9	13
A. NOT OPERATED	108	2.4	3	<1	1	2	3	5	6	9
B. OPERATED	4395	5.3	3	3	4	5	6	7	8	12
TOTAL 0-19 YRS	271	5.1	4	2	3	5	6	7	9	12
20-34	3826	5.2	4	3	3	5	6	7	8	11
35-49	406	5.8	4	3	4	6	7	8	9	12
50-64										
65+										
GRAND TOTAL	**4503**	**5.3**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**12**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.6	1	<1	<1	1	2	3	4	7
20-34	45	2.1	18	<1	1	1	2	3	4	29
35-49	11	1.7	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	941	1.3		<1	<1	1	2	2	2	3
20-34	1314	1.4	1	<1	<1	1	1	2	3	5
35-49	109	1.4	1	<1	<1	1	2	2	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.3	3	1	1	2	2	5	7	7
20-34	39	2.6	6	<1	1	2	3	6	9	12
35-49	16	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	182	2.1	2	1	1	2	2	3	4	8
20-34	529	3.2	20	1	1	2	3	7	9	17
35-49	151	2.8	7	<1	1	2	3	6	7	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.9	9	<1	<1	1	2	3	4	20
B. *Operated*	2364	1.3	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	64	2.3	5	<1	1	2	2	5	7	12
B. *Operated*	862	2.9	14	1	1	2	3	6	8	16
1. SINGLE DX	2456	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	926	2.9	13	1	1	2	3	6	8	15
A. NOT OPERATED	156	2.1	7	<1	1	1	2	3	6	12
B. OPERATED	3226	1.8	5	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	1168	1.5	1	<1	<1	1	2	2	3	5
20-34	1927	1.9	7	<1	<1	1	2	3	5	12
35-49	287	2.2	5	<1	<1	2	2	4	6	11
50-64										
65+										
GRAND TOTAL	**3382**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	4.0	21	1	1	3	5	12	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	6	3.5	18	<1	<1	2	3	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
1. SINGLE DX	7	3.4	15	<1	<1	3	3	10	12	12
2. MULTIPLE DX	3	6.0	13	3	3	5	9	10	10	10
A. NOT OPERATED	2	6.5	25	3	3	6	10	10	10	10
B. OPERATED	8	3.6	13	<1	<1	3	4	10	12	12
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	4.6	15	1	1	3	6	11	12	12
35-49										
50-64										
65+										
GRAND TOTAL	**10**	**4.2**	**15**	**<1**	**<1**	**3**	**5**	**11**	**12**	**12**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	1.6	1	<1	<1	1	2	3	3	5
20-34	1056	1.6	5	<1	<1	1	2	3	3	6
35-49	91	1.6	1	<1	<1	1	2	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2019	1.6	2	<1	<1	1	2	3	3	5
20-34	11392	1.5	1	<1	<1	1	2	2	3	5
35-49	1236	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.2	4	<1	1	2	2	4	6	11
20-34	256	2.5	4	<1	1	2	3	5	7	11
35-49	21	2.4	4	1	1	2	3	5	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	396	2.4	3	<1	1	2	3	5	6	11
20-34	2153	2.4	6	<1	1	2	3	5	7	11
35-49	377	2.4	5	<1	1	2	3	4	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1439	1.6	4	<1	<1	1	2	3	3	5
B. *Operated*	14647	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	342	2.4	4	<1	1	2	3	5	6	11
B. *Operated*	2926	2.4	5	<1	1	2	3	5	6	11
1. SINGLE DX	16086	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	3268	2.4	5	<1	1	2	3	5	6	11
A. NOT OPERATED	1781	1.8	4	<1	<1	1	2	3	4	7
B. OPERATED	17573	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	2772	1.7	2	<1	<1	1	2	3	4	6
20-34	14857	1.7	2	<1	<1	1	2	3	4	7
35-49	1725	1.7	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**19354**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.3	2	1	1	2	3	4	5	7
20-34	293	2.5	4	<1	1	2	3	5	6	9
35-49	28	2.6	12	<1	1	1	3	4	12	17
50-64										
65+										
B. *Operated*										
0-19 YRS	185	2.0	2	<1	1	2	2	4	5	8
20-34	1806	1.7	2	<1	<1	1	2	3	4	7
35-49	171	1.8	1	<1	<1	1	2	3	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.8	4	1	2	3	5	6	7	9
20-34	102	2.9	4	1	1	2	4	6	7	9
35-49	15	4.2	10	1	1	4	6	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	82	3.3	15	<1	1	2	4	6	7	26
20-34	562	2.7	7	<1	1	2	3	6	7	12
35-49	91	3.1	11	<1	1	2	3	6	8	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	2.4	4	<1	1	2	3	5	6	10
B. *Operated*	2162	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	145	3.2	5	1	1	3	4	6	7	10
B. *Operated*	735	2.8	8	<1	1	2	3	6	7	14
1. SINGLE DX	2542	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	880	2.9	8	<1	1	2	4	6	7	12
A. NOT OPERATED	525	2.6	4	<1	1	2	3	5	7	10
B. OPERATED	2897	2.0	4	<1	<1	2	2	4	5	9
TOTAL 0-19 YRS	354	2.5	6	<1	1	2	3	5	6	9
20-34	2763	2.0	3	<1	<1	2	2	4	5	9
35-49	305	2.4	6	<1	1	2	3	4	7	14
50-64										
65+										
GRAND TOTAL	**3422**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	366	2.2	2	<1	1	2	3	4	5	7
20-34	2012	2.4	3	1	1	2	3	4	5	8
35-49	128	2.4	2	1	1	2	3	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.9	4	<1	<1	3	4	6	6	6
20-34	51	2.9	11	<1	1	2	3	5	7	22
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.5	6	1	1	3	4	6	8	15
20-34	543	3.4	7	1	1	3	4	6	8	13
35-49	39	3.4	3	1	1	3	4	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	42	4.4	18	1	1	3	4	11	12	23
35-49	4	7.0	24	1	1	7	10	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2506	2.4	3	1	1	2	3	4	5	8
B. *Operated*	64	2.8	9	<1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*	704	3.4	7	1	1	3	4	6	8	13
B. *Operated*	50	4.3	18	1	1	3	5	11	13	23
1. SINGLE DX	2570	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	754	3.5	8	1	1	3	4	6	8	14
A. NOT OPERATED	3210	2.6	4	1	1	2	3	5	6	9
B. OPERATED	114	3.5	13	1	1	2	4	7	11	22
TOTAL 0-19 YRS	502	2.5	3	<1	1	2	3	5	6	9
20-34	2648	2.7	4	1	1	2	3	5	6	10
35-49	174	2.7	4	1	1	2	4	5	6	9
50-64										
65+										
GRAND TOTAL	**3324**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	2	<1	<1	2	3	4	5	5
20-34	115	2.6	5	<1	1	2	3	5	7	15
35-49	8	1.8	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.0	11	<1	<1	1	5	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.1	2	<1	1	3	4	5	5	5
20-34	39	3.7	15	<1	<1	2	4	7	13	19
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	2.5	5	<1	<1	2	3	5	6	14
B. *Operated*	5	2.8	9	<1	<1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	54	3.5	11	<1	<1	3	4	6	8	19
B. *Operated*	4	4.0	29	<1	<1	1	7	12	12	12
1. SINGLE DX	146	2.5	5	<1	<1	2	3	5	6	14
2. MULTIPLE DX	58	3.5	12	<1	<1	3	4	7	10	19
A. NOT OPERATED	195	2.8	7	<1	<1	2	3	5	7	17
B. OPERATED	9	3.3	16	<1	<1	2	4	10	12	12
TOTAL 0-19 YRS	32	2.5	2	<1	<1	2	4	4	5	5
20-34	160	2.9	8	<1	<1	2	4	6	8	17
35-49	12	2.0	1	<1	<1	2	3	3	4	4
50-64										
65+										
GRAND TOTAL	**204**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	3.2	3	1	1	3	4	5	7	11
20-34	1582	3.2	5	1	1	3	4	6	7	12
35-49	146	3.4	4	1	1	3	4	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	36	4.8	33	<1	2	3	6	8	11	35
20-34	163	3.8	10	1	1	3	5	8	10	18
35-49	15	4.0	6	1	1	3	5	7	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	3.3	7	1	1	3	4	6	9	14
20-34	504	3.7	10	1	1	3	4	7	10	17
35-49	56	4.0	8	1	1	3	5	8	11	13
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.6	6	1	1	4	6	8	9	9
20-34	154	4.1	18	<1	<1	3	5	8	13	24
35-49	18	4.3	12	<1	1	3	7	9	11	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2051	3.2	5	1	1	3	4	6	7	12
B. *Operated*	214	4.0	14	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	665	3.7	9	1	1	3	4	7	10	16
B. *Operated*	193	4.2	16	<1	<1	3	5	8	12	23
1. SINGLE DX	2265	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	858	3.8	11	<1	1	3	5	7	10	17
A. NOT OPERATED	2716	3.4	6	1	1	3	4	6	8	13
B. OPERATED	407	4.1	15	<1	1	3	5	8	11	20
TOTAL 0-19 YRS	485	3.4	7	1	1	3	4	6	7	12
20-34	2403	3.4	8	1	1	3	4	6	8	15
35-49	235	3.6	6	1	1	3	4	7	9	13
50-64										
65+										
GRAND TOTAL	**3123**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	500	3.4	6	1	1	3	4	6	7	10
20-34	2484	4.0	6	1	2	3	5	7	9	12
35-49	72	4.6	8	2	2	4	5	7	10	19
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.1	14	<1	<1	4	5	11	12	12
20-34	15	8.8	98	<1	<1	3	15	26	28	29
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	3.6	4	1	2	3	4	6	7	11
20-34	1009	4.3	11	1	2	3	5	8	10	17
35-49	29	5.4	21	1	1	4	7	12	17	19
50-64										
65+										
B. *Operated*										
0-19 YRS	8	7.0	19	1	2	6	9	13	15	15
20-34	40	6.3	47	1	1	4	8	12	21	35
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3056	3.9	6	1	2	3	5	7	8	12
B. *Operated*	23	7.6	73	<1	<1	3	12	23	27	29
2. MULTIPLE DX										
A. *Not Operated*	1285	4.2	10	1	2	3	5	7	9	17
B. *Operated*	49	6.3	42	1	1	5	8	12	16	35
1. SINGLE DX	3079	4.0	6	1	2	3	5	7	9	12
2. MULTIPLE DX	1334	4.2	12	1	2	3	5	7	10	17
A. NOT OPERATED	4341	4.0	7	1	2	3	5	7	9	13
B. OPERATED	72	6.7	51	<1	1	4	9	14	26	34
TOTAL 0-19 YRS	762	3.5	6	1	1	3	4	6	7	12
20-34	3548	4.1	8	1	2	3	5	7	9	14
35-49	103	4.9	13	1	2	4	6	8	12	20
50-64										
65+										
GRAND TOTAL	**4413**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2223	1.1	1	<1	<1	<1	1	1	2	4
20-34	8729	1.2	1	<1	<1	<1	1	1	2	4
35-49	362	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	268	1.2	2	<1	<1	1	1	1	2	6
20-34	1036	1.2	1	<1	<1	<1	1	2	3	5
35-49	42	1.5	3	<1	<1	1	1	3	5	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	1.6	2	<1	<1	1	2	3	4	7
20-34	819	1.7	7	<1	<1	1	2	3	4	8
35-49	56	1.6	2	<1	<1	1	1	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	42	2.2	10	<1	<1	1	2	4	6	18
20-34	168	2.1	5	<1	<1	1	2	5	7	12
35-49	6	1.5	2	<1	<1	1	1	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11314	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	1346	1.2	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	1112	1.7	5	<1	<1	1	2	3	4	8
B. *Operated*	216	2.1	6	<1	<1	1	2	4	7	14
1. SINGLE DX	12660	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	1328	1.8	6	<1	<1	1	2	3	5	9
A. NOT OPERATED	12426	1.2	2	<1	<1	<1	1	1	2	5
B. OPERATED	1562	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	2770	1.2	1	<1	<1	<1	1	2	2	4
20-34	10752	1.2	2	<1	<1	<1	1	1	2	5
35-49	466	1.2	1	<1	<1	<1	1	1	2	5
50-64										
65+										
GRAND TOTAL	13988	1.2	2	<1	<1	<1	1	1	2	5

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.3	2	<1	1	2	3	4	5	7
20-34	652	3.7	15	1	1	3	4	6	10	22
35-49	50	3.5	16	1	1	2	4	6	8	26
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.7	7	1	1	5	5	9	9	9
20-34	73	4.0	19	<1	1	3	5	7	14	23
35-49	4	4.0	23	1	1	2	7	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.4	3	1	1	3	5	6	6	7
20-34	214	4.2	20	<1	1	3	5	8	9	27
35-49	11	4.5	9	1	1	3	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	30	6.0	25	<1	1	4	9	15	16	16
35-49	4	5.5	6	3	3	5	7	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	3.6	14	1	1	3	4	6	10	22
B. *Operated*	83	4.0	18	<1	1	3	5	7	14	23
2. MULTIPLE DX										
A. *Not Operated*	251	4.1	17	<1	1	3	5	8	9	24
B. *Operated*	36	5.8	22	<1	1	4	8	15	16	16
1. SINGLE DX	851	3.6	14	1	1	3	4	6	10	22
2. MULTIPLE DX	287	4.3	18	<1	1	3	6	8	10	24
A. NOT OPERATED	1019	3.7	15	1	1	3	4	7	9	23
B. OPERATED	119	4.6	19	<1	1	3	5	10	15	22
TOTAL 0-19 YRS	100	2.8	3	<1	1	2	3	5	6	8
20-34	969	3.9	17	<1	1	3	4	7	11	23
35-49	69	3.8	14	1	1	3	5	8	9	23
50-64										
65+										
GRAND TOTAL	1138	3.8	15	<1	1	3	4	7	10	23

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.1	3	<1	<1	2	2	4	5	11
20-34	852	2.1	4	<1	<1	1	2	4	5	11
35-49	38	2.1	2	<1	<1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.0	2	<1	<1	2	3	4	5	5
20-34	104	2.3	4	<1	<1	2	3	5	6	11
35-49	6	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.4	3	<1	<1	2	3	5	6	9
20-34	262	2.9	7	<1	1	2	3	5	8	14
35-49	9	1.8		<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.8	17	<1	<1	2	5	11	11	11
20-34	51	4.2	11	<1	1	3	6	8	10	17
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1070	2.1	4	<1	<1	2	2	4	5	11
B. *Operated*	123	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	338	2.8	6	<1	<1	2	3	5	7	13
B. *Operated*	57	4.1	11	<1	1	3	6	9	11	17
1. SINGLE DX	1193	2.1	4	<1	<1	2	2	4	5	11
2. MULTIPLE DX	395	3.0	7	<1	<1	2	4	6	9	14
A. NOT OPERATED	1408	2.3	4	<1	<1	2	3	4	6	12
B. OPERATED	180	2.9	7	<1	<1	2	4	6	8	14
TOTAL 0-19 YRS	265	2.2	4	<1	<1	2	3	5	6	11
20-34	1269	2.4	5	<1	<1	2	3	4	6	13
35-49	54	2.0	1	<1	<1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**1588**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	404	3.1	4	<1	1	3	4	6	7	9
20-34	760	2.8	3	<1	<1	3	4	5	6	8
35-49	14	2.9	2	<1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	25	3.0	5	<1	<1	2	4	7	8	8
20-34	58	3.2	7	<1	<1	3	4	6	9	14
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	541	3.5	4	<1	1	3	5	6	7	10
20-34	1134	3.5	7	<1	1	3	5	6	7	11
35-49	33	2.6	2	<1	1	2	3	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	31	3.7	14	<1	<1	3	5	8	14	16
20-34	93	4.7	10	1	1	4	7	9	11	14
35-49	8	8.0	108	1	1	5	7	25	33	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1178	2.9	3	<1	<1	3	4	5	6	8
B. *Operated*	83	3.1	6	<1	<1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1708	3.5	6	<1	1	3	5	6	7	10
B. *Operated*	132	4.7	17	<1	1	4	7	9	11	19
1. SINGLE DX	1261	2.9	3	<1	<1	3	4	5	6	9
2. MULTIPLE DX	1840	3.6	7	<1	1	3	5	6	8	11
A. NOT OPERATED	2886	3.2	5	<1	<1	3	4	6	7	10
B. OPERATED	215	4.1	13	<1	1	3	6	8	11	19
TOTAL 0-19 YRS	1001	3.3	4	<1	1	3	4	6	7	10
20-34	2045	3.3	6	<1	<1	3	4	6	7	11
35-49	55	3.5	19	<1	1	3	4	6	7	32
50-64										
65+										
GRAND TOTAL	**3101**	**3.3**	**6**	**<1**	**<1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.6	7	<1	1	3	5	7	8	12
20-34	725	4.1	11	<1	1	3	5	8	11	15
35-49	87	4.8	11	1	2	4	6	9	12	20
50-64										
65+										
B. *Operated*										
0-19 YRS	16	4.1	8	<1	<1	4	6	7	9	10
20-34	64	3.0	6	<1	<1	2	4	6	9	13
35-49	6	3.3	2	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	480	3.5	12	<1	1	3	4	7	9	17
20-34	2490	4.1	18	<1	1	3	5	8	11	21
35-49	217	5.4	51	1	1	4	7	10	14	22
50-64										
65+										
B. *Operated*										
0-19 YRS	56	5.4	81	<1	<1	3	5	10	15	56
20-34	313	5.9	38	<1	1	4	7	13	16	31
35-49	24	5.8	24	<1	1	4	8	12	18	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	913	4.1	10	<1	1	3	5	8	11	15
B. *Operated*	86	3.2	6	<1	<1	2	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	3187	4.1	19	<1	1	3	5	8	11	21
B. *Operated*	393	5.8	43	<1	1	4	7	12	16	38
1. SINGLE DX	999	4.1	10	<1	1	3	5	8	11	15
2. MULTIPLE DX	3580	4.3	22	<1	1	3	5	9	12	22
A. NOT OPERATED	4100	4.1	17	<1	1	3	5	8	11	20
B. OPERATED	479	5.4	38	<1	1	4	7	11	14	34
TOTAL 0-19 YRS	653	3.7	17	<1	1	3	5	7	9	17
20-34	3592	4.3	18	<1	1	3	5	9	11	21
35-49	334	5.2	38	1	1	4	6	10	13	20
50-64										
65+										
GRAND TOTAL	**4579**	**4.2**	**19**	**<1**	**1**	**3**	**5**	**9**	**11**	**21**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1137	2.1	7	<1	<1	1	3	4	5	10
20-34	4589	2.4	9	<1	<1	1	3	5	7	14
35-49	238	2.8	9	<1	<1	2	3	6	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	299	2.5	5	<1	<1	2	3	5	6	14
20-34	2094	2.6	8	<1	<1	2	3	5	6	14
35-49	128	2.8	12	<1	<1	2	3	5	8	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	541	2.8	5	<1	<1	2	4	5	7	13
20-34	2356	3.3	16	<1	<1	2	4	6	8	21
35-49	156	3.9	19	<1	1	3	4	8	13	25
50-64										
65+										
B. *Operated*										
0-19 YRS	176	4.0	23	<1	<1	3	5	8	11	31
20-34	1104	3.7	28	<1	<1	2	4	7	10	26
35-49	69	4.3	42	<1	<1	3	5	8	13	44
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5964	2.4	9	<1	<1	1	3	5	7	13
B. *Operated*	2521	2.6	8	<1	<1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	3053	3.2	14	<1	<1	2	4	6	8	20
B. *Operated*	1349	3.7	28	<1	<1	2	4	7	11	26
1. SINGLE DX	8485	2.5	8	<1	<1	1	3	5	6	14
2. MULTIPLE DX	4402	3.4	19	<1	<1	2	4	6	9	21
A. NOT OPERATED	9017	2.7	11	<1	<1	2	3	5	7	15
B. OPERATED	3870	3.0	15	<1	<1	2	3	6	8	18
TOTAL 0-19 YRS	2153	2.5	8	<1	<1	2	3	5	7	13
20-34	10143	2.8	13	<1	<1	2	3	5	8	17
35-49	591	3.3	16	<1	<1	2	4	7	11	18
50-64										
65+										
GRAND TOTAL	**12887**	**2.8**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	3.2	1	1	2	3	4	5	5	8
20-34	463	3.3	2	2	2	3	4	4	5	7
35-49	29	4.6	32	2	2	3	4	6	10	33
50-64										
65+										
B. *Operated*										
0-19 YRS	47	3.9	5	2	2	3	4	6	8	16
20-34	263	5.0	26	2	3	4	5	7	9	34
35-49	21	4.2	3	2	3	4	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	3.3	2	2	2	3	4	5	6	9
20-34	963	3.5	3	2	2	3	4	5	6	10
35-49	60	3.8	4	2	2	3	4	5	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	190	4.9	17	2	2	4	5	8	14	23
20-34	1776	6.0	45	2	3	4	6	9	14	39
35-49	157	7.0	59	2	3	5	7	12	16	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	3.3	3	2	2	3	4	4	5	8
B. *Operated*	331	4.8	21	2	3	4	5	7	9	26
2. MULTIPLE DX										
A. *Not Operated*	1251	3.5	3	2	2	3	4	5	6	10
B. *Operated*	2123	6.0	44	2	3	4	6	9	15	37
1. SINGLE DX	910	3.8	10	2	2	3	4	5	7	16
2. MULTIPLE DX	3374	5.0	30	2	2	4	5	7	11	32
A. NOT OPERATED	1830	3.4	3	2	2	3	4	5	6	10
B. OPERATED	2454	5.8	41	2	3	4	6	9	14	37
TOTAL 0-19 YRS	552	3.9	8	2	2	3	4	6	7	16
20-34	3465	4.8	28	2	2	4	5	7	10	31
35-49	267	5.8	41	2	3	4	6	9	14	33
50-64										
65+										
GRAND TOTAL	**4284**	**4.8**	**26**	**2**	**2**	**4**	**5**	**7**	**10**	**29**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8551	2.9	1	2	2	3	3	4	4	5
20-34	53926	3.0	1	2	2	3	3	4	4	6
35-49	2413	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2388	2.9	1	2	2	3	3	4	4	6
20-34	15284	3.1	1	2	2	3	4	4	5	6
35-49	685	3.2	1	1	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	390	3.2	2	2	2	3	4	4	6	8
20-34	2025	3.2	2	1	2	3	4	4	5	7
35-49	112	3.2	2	1	1	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	203	3.4	2	2	2	3	4	5	5	9
20-34	6865	3.7	2	2	3	4	4	5	5	7
35-49	715	3.8	1	2	3	4	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64890	3.0	1	2	2	3	3	4	4	6
B. *Operated*	18357	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	2527	3.2	2	1	2	3	4	4	5	7
B. *Operated*	7783	3.7	2	2	3	4	4	5	5	7
1. SINGLE DX	83247	3.0	1	2	2	3	4	4	4	6
2. MULTIPLE DX	10310	3.6	2	2	2	3	4	5	5	7
A. NOT OPERATED	67417	3.0	1	2	2	3	3	4	4	6
B. OPERATED	26140	3.3	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	11532	2.9	1	2	2	3	3	4	4	6
20-34	78100	3.1	1	2	2	3	4	4	5	6
35-49	3925	3.2	1	1	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**93557**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	38	3.4	6	1	2	3	4	5	5	16
35-49	4	4.0	7	2	2	3	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	7.5	26	2	3	6	8	17	19	19
20-34	230	7.7	56	3	3	6	7	11	20	47
35-49	21	11.7	392	3	4	6	8	22	59	94
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	<1	<1	2	3	4	4	4
20-34	45	4.9	49	1	2	3	4	6	15	43
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	49	7.9	78	3	3	6	8	12	19	60
20-34	584	8.5	76	3	4	6	8	16	27	55
35-49	93	9.5	88	3	4	6	8	18	35	48
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.5	5	1	2	3	4	5	6	16
B. *Operated*	264	8.0	81	3	3	6	7	11	20	49
2. MULTIPLE DX										
A. *Not Operated*	55	4.5	41	1	2	3	4	6	10	42
B. *Operated*	726	8.5	78	3	4	6	8	16	27	55
1. SINGLE DX	310	7.3	72	2	3	6	7	11	19	48
2. MULTIPLE DX	781	8.3	76	3	3	6	8	15	26	53
A. NOT OPERATED	101	4.0	25	1	2	3	4	5	8	35
B. OPERATED	990	8.4	79	3	4	6	8	14	26	51
TOTAL 0-19 YRS	74	7.0	59	2	2	5	7	12	19	52
20-34	897	7.9	68	3	3	6	7	13	23	49
35-49	120	9.6	137	3	3	6	8	18	34	62
50-64										
65+										
GRAND TOTAL	**1091**	**8.0**	**75**	**3**	**3**	**6**	**7**	**13**	**24**	**50**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.7	1	1	2	3	3	4	4	6
20-34	258	2.9	2	1	1	3	4	4	5	7
35-49	11	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	54	3.7	2	1	2	4	5	5	6	7
20-34	289	4.4	3	2	2	4	6	7	7	9
35-49	20	4.5	3	1	2	4	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.0	2	1	1	3	4	5	6	7
20-34	213	3.5	6	1	2	3	4	5	6	14
35-49	16	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	165	5.3	19	2	2	5	6	8	9	21
20-34	938	5.4	18	2	3	5	6	8	9	21
35-49	81	5.3	6	2	3	5	6	8	10	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	2.9	1	1	1	3	4	4	5	7
B. *Operated*	363	4.3	3	2	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	278	3.4	5	1	1	3	4	5	6	14
B. *Operated*	1184	5.3	17	2	3	5	6	8	9	20
1. SINGLE DX	671	3.7	3	1	2	3	5	6	7	8
2. MULTIPLE DX	1462	5.0	15	2	2	5	6	7	9	17
A. NOT OPERATED	586	3.1	3	1	1	3	4	5	5	10
B. OPERATED	1547	5.1	14	2	2	5	6	7	9	17
TOTAL 0-19 YRS	307	4.3	12	2	2	4	5	7	8	13
20-34	1698	4.6	12	2	2	4	6	7	8	15
35-49	128	4.7	5	2	2	4	6	7	8	14
50-64										
65+										
GRAND TOTAL	**2133**	**4.6**	**12**	**2**	**2**	**4**	**6**	**7**	**8**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	1	<1	1	3	4	4	4	4
20-34	61	3.0	1	1	2	3	4	4	5	5
35-49	9	2.7	1	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	113	2.8	1	1	1	3	4	4	5	6
20-34	803	3.0	1	1	1	3	4	4	5	6
35-49	50	3.2	1	1	1	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.0	1	2	2	3	4	5	5	5
20-34	29	3.5	1	2	2	3	4	5	5	6
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	61	3.4	3	1	2	3	4	4	7	12
20-34	578	3.7	6	1	2	3	4	5	7	11
35-49	48	4.6	6	1	3	4	5	8	11	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.0	1	1	2	3	4	4	4	5
B. *Operated*	966	3.0	1	1	1	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	41	3.4	1	2	2	3	4	5	5	6
B. *Operated*	687	3.7	6	1	2	3	4	5	7	12
1. SINGLE DX	1046	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	728	3.7	6	1	2	3	4	5	7	12
A. NOT OPERATED	121	3.1	1	1	2	3	4	4	5	6
B. OPERATED	1653	3.3	3	1	2	3	4	5	5	8
TOTAL 0-19 YRS	193	3.0	2	1	2	3	4	4	5	10
20-34	1471	3.3	3	1	2	3	4	5	5	8
35-49	110	3.7	4	1	2	3	4	6	7	12
50-64										
65+										
GRAND TOTAL	**1774**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.9	1	2	2	3	4	4	4	4
20-34	246	3.0	1	1	2	3	4	4	5	6
35-49	12	3.0	2	<1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	33	3.2	1	2	2	3	4	5	5	5
20-34	186	3.5	3	2	2	3	4	5	5	9
35-49	5	2.8	1	1	1	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.3	1	2	2	3	4	5	6	7
20-34	151	3.5	2	2	2	3	4	5	5	11
35-49	7	3.3	2	2	2	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	35	4.0	4	2	3	4	4	6	7	13
20-34	275	3.7	2	2	2	4	4	5	6	7
35-49	15	5.9	15	3	3	5	6	8	16	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	3.0	1	1	2	3	4	4	5	6
B. *Operated*	224	3.5	3	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	185	3.5	2	2	2	3	4	5	5	10
B. *Operated*	325	3.9	3	2	2	4	4	6	7	8
1. SINGLE DX	530	3.2	2	1	2	3	4	4	5	6
2. MULTIPLE DX	510	3.7	3	2	2	3	4	5	6	9
A. NOT OPERATED	491	3.2	2	1	2	3	4	4	5	6
B. OPERATED	549	3.7	3	2	2	3	4	5	6	8
TOTAL 0-19 YRS	143	3.3	2	2	2	3	4	5	5	8
20-34	858	3.4	2	2	2	3	4	5	5	7
35-49	39	4.1	9	1	2	3	5	6	8	19
50-64										
65+										
GRAND TOTAL	**1040**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	1	2	2	3	4	4	4	4
20-34	151	3.8	1	2	3	4	4	5	5	6
35-49	8	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.1	1	3	3	4	5	6	6	6
20-34	114	4.8	9	3	3	4	6	7	8	20
35-49	11	4.9	1	4	4	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.5	8	2	2	4	4	9	12	13
20-34	202	3.8	4	2	2	4	4	5	7	12
35-49	10	7.0	54	1	1	4	8	19	26	26
50-64										
65+										
B. *Operated*										
0-19 YRS	98	6.4	30	2	3	5	7	10	12	39
20-34	1023	6.1	22	3	3	5	*	8	11	25
35-49	83	6.6	26	2	3	6	*	10	13	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	3.8	1	2	3	4	4	5	5	6
B. *Operated*	135	4.8	8	3	3	4	6	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	234	4.0	7	2	2	4	4	6	8	15
B. *Operated*	1204	6.1	23	3	3	5	7	9	11	26
1. SINGLE DX	305	4.2	4	2	3	4	5	6	7	9
2. MULTIPLE DX	1438	5.8	21	2	3	5	7	8	11	25
A. NOT OPERATED	404	3.9	4	2	2	4	4	5	6	12
B. OPERATED	1339	6.0	22	3	3	5	7	8	11	25
TOTAL 0-19 YRS	141	5.7	24	2	2	4	7	9	11	31
20-34	1490	5.4	17	2	3	5	6	8	9	21
35-49	112	6.3	24	2	3	5	7	9	13	33
50-64										
65+										
GRAND TOTAL	1743	5.5	18	2	3	5	6	8	10	25

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.8	1	1	1	3	3	4	5	5
20-34	311	3.0	1	1	2	3	4	4	5	7
35-49	19	3.1	2	<1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	313	5.0	2	3	3	5	6	7	8	9
20-34	2305	4.9	2	3	3	5	6	6	7	8
35-49	82	4.8	3	2	2	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	2	1	1	3	4	5	6	7
20-34	134	3.2	2	1	1	3	4	5	6	9
35-49	15	3.7	21	1	1	3	3	4	16	20
50-64										
65+										
B. *Operated*										
0-19 YRS	347	5.7	5	3	3	5	7	8	10	14
20-34	2850	5.3	6	3	3	5	6	7	8	13
35-49	259	5.9	12	3	3	5	6	8	10	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	3.0	1	1	2	3	4	4	5	6
B. *Operated*	2700	4.9	2	3	3	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	172	3.2	4	1	1	3	4	5	6	11
B. *Operated*	3456	5.4	6	3	3	5	6	7	8	13
1. SINGLE DX	3075	4.7	2	2	3	5	6	6	7	8
2. MULTIPLE DX	3628	5.3	6	3	3	5	6	7	8	13
A. NOT OPERATED	547	3.1	2	1	2	3	4	4	5	8
B. OPERATED	6156	5.2	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	728	5.1	4	2	3	5	5	7	8	12
20-34	5600	5.0	4	2	3	5	6	7	8	10
35-49	375	5.4	11	2	3	5	6	7	9	20
50-64										
65+										
GRAND TOTAL	6703	5.0	4	2	3	5	6	7	8	11

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	2.8	1	1	2	2	3	4	4	5
20-34	646	3.1	1	1	2	3	4	4	5	5
35-49	31	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	201	4.0	2	2	2	4	5	6	6	7
20-34	1380	4.2	5	2	3	4	5	6	7	8
35-49	83	4.6	3	2	3	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	3.2	2	1	2	3	4	5	5	7
20-34	645	3.3	1	2	2	3	4	5	5	6
35-49	28	3.3	2	2	2	3	4	5	6	7
50-64										
65+										
B. Operated										
0-19 YRS	650	4.7	5	2	3	4	6	7	9	12
20-34	4477	4.7	3	2	3	5	6	7	8	10
35-49	351	5.1	5	2	3	5	6	7	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	745	3.1	1	1	2	3	4	4	5	5
B. Operated	1664	4.2	5	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	519	3.3	2	2	2	3	4	5	5	7
B. Operated	5478	4.6	4	2	3	5	6	7	8	10
1. SINGLE DX	2609	3.9	4	2	3	4	5	6	6	8
2. MULTIPLE DX	5997	4.6	4	2	3	4	6	7	8	10
A. NOT OPERATED	1264	3.2	1	2	2	3	4	4	5	6
B. OPERATED	7142	4.6	4	2	3	4	6	7	7	10
TOTAL 0-19 YRS	965	4.4	4	2	2	4	5	6	8	10
20-34	6548	4.4	4	2	3	4	5	6	7	9
35-49	493	4.8	4	2	3	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	9408	4.4	4	2	3	4	5	6	7	10

278: Feto-pelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.2	7	3	3	3	4	9	11	11
20-34	62	3.6	2	2	2	3	4	5	6	10
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	381	5.5	2	4	4	5	6	7	8	11
20-34	2145	5.5	2	4	4	5	6	7	7	8
35-49	77	5.8	1	4	5	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	4.5	9	1	2	3	7	7	11	12
20-34	39	4.4	3	2	3	4	5	7	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	1178	6.0	5	4	4	5	7	8	10	15
20-34	5675	5.8	4	4	4	5	6	7	8	12
35-49	297	6.0	3	4	4	6	7	8	9	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	3.6	3	2	2	3	4	5	7	11
B. Operated	2603	5.5	2	4	4	6	6	7	7	9
2. MULTIPLE DX										
A. Not Operated	55	4.5	4	2	2	4	6	7	8	12
B. Operated	7150	5.9	4	4	4	6	6	7	8	12
1. SINGLE DX	2676	5.5	2	3	4	5	6	7	7	9
2. MULTIPLE DX	7205	5.8	4	4	4	6	6	7	8	12
A. NOT OPERATED	128	4.0	3	2	2	3	4	7	7	11
B. OPERATED	9753	5.8	3	4	4	6	6	7	8	11
TOTAL 0-19 YRS	1583	5.5	4	4	4	5	6	8	9	14
20-34	7821	5.7	3	4	4	6	6	7	8	11
35-49	377	5.9	2	4	4	6	7	8	8	11
50-64										
65+										
GRAND TOTAL	9881	5.8	3	4	4	6	6	7	8	11

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	3.4	1	2	2	3	4	5	5	7
20-34	763	3.2	1	2	2	3	4	4	5	6
35-49	46	3.0	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	206	4.0	2	2	2	4	5	6	6	8
20-34	1348	4.2	2	2	3	4	5	6	7	8
35-49	61	4.7	4	2	3	4	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	3.4	1	2	2	3	4	4	5	5
20-34	519	3.5	2	2	2	3	4	5	6	8
35-49	32	3.5	2	2	2	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	562	4.7	4	2	3	4	6	7	8	11
20-34	3449	4.7	4	2	3	4	6	7	8	11
35-49	237	4.9	4	2	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	3.2	1	2	2	3	4	4	5	6
B. *Operated*	1615	4.2	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	634	3.5	1	2	2	3	4	5	6	7
B. *Operated*	4248	4.7	4	2	3	4	6	7	8	11
1. SINGLE DX	2557	3.8	2	2	2	4	5	6	6	8
2. MULTIPLE DX	4882	4.5	4	2	3	4	5	7	7	11
A. NOT OPERATED	1576	3.3	1	2	2	3	4	5	5	7
B. OPERATED	5863	4.5	4	2	3	4	6	7	7	11
TOTAL 0-19 YRS	984	4.2	3	2	2	4	5	6	7	10
20-34	6079	4.3	3	2	3	4	5	6	7	10
35-49	376	4.5	4	2	2	4	6	7	7	11
50-64										
65+										
GRAND TOTAL	**7439**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	1	1	2	3	3	4	5	5
20-34	139	3.1	1	1	2	3	4	4	5	6
35-49	13	3.3		2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	61	4.2	2	2	2	4	5	6	7	8
20-34	539	4.5	2	2	2	5	6	6	7	8
35-49	28	4.8	4	1	2	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.1	17	1	2	3	4	9	15	17
20-34	97	3.3	3	1	2	3	4	4	5	11
35-49	11	3.1	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	151	5.4	4	3	3	5	6	8	9	13
20-34	1426	5.4	6	3	3	5	6	7	8	14
35-49	137	5.7	3	3	4	6	7	8	9	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	3.0	1	1	2	3	4	4	5	6
B. *Operated*	628	4.5	3	2	2	4	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	122	3.4	4	1	2	3	4	4	6	15
B. *Operated*	1714	5.4	6	3	3	5	6	8	8	13
1. SINGLE DX	794	4.2	3	2	2	4	5	6	7	8
2. MULTIPLE DX	1836	5.3	6	3	3	5	6	7	8	14
A. NOT OPERATED	288	3.2	2	1	2	3	4	4	5	8
B. OPERATED	2342	5.2	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	240	4.8	5	2	2	5	6	7	8	13
20-34	2201	4.9	5	2	3	5	6	7	8	12
35-49	189	5.2	4	2	3	5	7	8	8	10
50-64										
65+										
GRAND TOTAL	**2630**	**4.9**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.6	2	1	1	4	4	6	6	6
20-34	162	3.4	2	1	2	3	4	5	6	7
35-49	12	3.8	2	2	2	3	5	6	7	7
50-64										
65+										
B. Operated										
0-19 YRS	457	5.5	2	4	4	5	6	7	7	8
20-34	8886	5.6	1	4	4	6	6	7	7	9
35-49	429	6.0	1	4	4	6	7	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.0	8	2	2	3	6	8	8	8
20-34	43	3.3	3	1	2	3	4	6	7	10
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	384	5.8	7	3	4	5	6	8	9	12
20-34	9922	5.9	4	4	4	6	6	7	8	12
35-49	892	6.4	5	4	5	6	7	8	9	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	3.4	2	1	2	3	4	5	6	7
B. Operated	9772	5.6	2	4	4	6	6	7	7	9
2. MULTIPLE DX										
A. Not Operated	51	3.3	3	1	1	3	4	6	7	10
B. Operated	11198	5.9	4	4	4	6	7	8	8	12
1. SINGLE DX	9953	5.6	2	4	4	6	6	7	7	9
2. MULTIPLE DX	11249	5.9	4	4	4	6	7	8	8	12
A. NOT OPERATED	232	3.4	2	1	2	3	4	5	6	8
B. OPERATED	20970	5.8	3	4	4	6	6	7	8	10
TOTAL 0-19 YRS	852	5.6	4	3	4	5	6	7	8	11
20-34	19013	5.7	3	4	4	6	6	7	8	10
35-49	1337	6.2	4	4	4	6	7	8	9	14
50-64										
65+										
GRAND TOTAL	**21202**	**5.8**	**3**	**4**	**4**	**6**	**6**	**7**	**8**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	3.2	1	2	2	3	4	4	5	8
20-34	1373	3.4	2	2	2	3	4	5	5	8
35-49	67	3.5	1	2	2	4	4	5	5	8
50-64										
65+										
B. Operated										
0-19 YRS	225	3.6	4	2	2	3	4	5	6	10
20-34	1569	3.6	2	2	2	3	4	5	6	8
35-49	80	4.0	8	2	2	4	4	5	6	21
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	3.6	3	2	2	3	4	6	7	11
20-34	976	3.7	3	1	2	3	4	5	6	9
35-49	51	4.2	23	1	2	4	4	6	6	36
50-64										
65+										
B. Operated										
0-19 YRS	723	4.5	5	2	3	4	5	7	8	12
20-34	4402	4.7	7	2	3	4	6	7	8	14
35-49	332	4.9	7	2	3	4	6	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1631	3.4	2	2	2	3	4	5	5	8
B. Operated	1874	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	1197	3.7	4	2	2	3	4	5	6	10
B. Operated	5457	4.7	7	2	3	4	6	7	8	14
1. SINGLE DX	3505	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	6654	4.5	6	2	3	4	5	7	8	13
A. NOT OPERATED	2828	3.5	3	2	2	3	4	5	6	9
B. OPERATED	7331	4.4	6	2	3	4	5	7	8	13
TOTAL 0-19 YRS	1309	4.0	4	2	2	4	5	6	7	11
20-34	8320	4.1	5	2	2	4	5	6	7	11
35-49	530	4.5	8	2	3	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**10159**	**4.1**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1021	2.9	1	2	2	3	3	4	4	5
20-34	7497	3.1	1	2	2	3	4	4	5	6
35-49	357	3.1	2	1	2	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	545	3.0	1	2	2	3	3	4	4	6
20-34	3688	3.2	1	2	2	3	4	4	5	6
35-49	190	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	3.1	1	2	2	3	4	4	5	6
20-34	1710	3.2	1	2	2	3	4	4	5	6
35-49	120	3.3	2	1	2	3	4	5	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	553	3.5	2	2	2	3	4	5	6	8
20-34	4901	3.6	3	2	2	3	4	5	6	8
35-49	352	3.8	2	2	2	4	5	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8875	3.1	1	2	2	3	4	4	5	6
B. *Operated*	4423	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	2069	3.2	1	2	2	3	4	4	5	6
B. *Operated*	5806	3.6	2	2	2	3	4	5	6	7
1. SINGLE DX	13298	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX	7875	3.5	2	2	2	3	4	5	6	8
A. NOT OPERATED	10944	3.1	1	2	2	3	4	4	5	6
B. OPERATED	10229	3.4	2	2	2	3	4	5	5	7
TOTAL 0-19 YRS	2358	3.1	1	2	2	3	3	4	5	6
20-34	17796	3.2	2	2	2	3	4	4	5	7
35-49	1019	3.4	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**21173**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	2.8	1	1	2	3	3	4	4	5
20-34	1282	2.8	1	1	1	3	3	4	4	6
35-49	78	2.8	2	1	1	3	3	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1329	2.8	1	1	2	3	3	4	4	5
20-34	10444	2.9	1	1	2	3	3	4	4	6
35-49	724	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.1	3	1	2	3	4	4	6	11
20-34	389	3.0	1	1	2	3	3	4	5	6
35-49	17	3.2	1	2	2	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	684	3.1	2	2	2	3	4	4	5	7
20-34	6253	3.2	2	2	2	3	4	4	5	7
35-49	567	3.6	3	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1564	2.8	1	1	2	3	3	4	4	6
B. *Operated*	12497	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	481	3.0	1	1	2	3	4	4	5	6
B. *Operated*	7504	3.3	2	2	2	3	4	5	5	7
1. SINGLE DX	14061	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX	7985	3.2	2	2	2	3	4	4	5	7
A. NOT OPERATED	2045	2.8	1	1	2	3	3	4	4	6
B. OPERATED	20001	3.0	1	1	2	3	4	4	5	6
TOTAL 0-19 YRS	2292	2.9	1	1	2	3	3	4	4	6
20-34	18368	3.0	1	1	2	3	4	4	5	6
35-49	1386	3.2	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**22046**	**3.0**	**1**	**1**	**2**	**3**	**4**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	2.9	1	2	2	3	3	4	5	6
20-34	540	3.2	1	2	2	3	4	4	5	6
35-49	17	3.1	1	1	1	3	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	1419	3.2	4	2	2	3	4	4	5	6
20-34	5948	3.2	1	2	2	3	4	4	5	6
35-49	167	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.7	3	2	2	3	4	6	6	9
20-34	187	3.4	1	2	2	3	4	5	5	7
35-49	9	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	1160	3.4	2	2	2	3	4	5	5	8
20-34	4286	3.6	2	2	2	3	4	5	5	7
35-49	166	3.8	1	2	3	4	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	702	3.2	1	2	2	3	4	4	5	6
B. Operated	7534	3.2	2	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	248	3.5	2	2	2	3	4	5	6	8
B. Operated	5612	3.5	2	2	2	3	4	5	5	8
1. SINGLE DX	8236	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX	5860	3.5	2	2	2	3	4	5	5	8
A. NOT OPERATED	950	3.2	1	2	2	3	4	4	5	7
B. OPERATED	13146	3.4	2	2	2	3	4	5	5	7
TOTAL 0-19 YRS	2776	3.3	3	2	2	3	4	4	5	7
20-34	10961	3.4	1	2	2	3	4	5	5	7
35-49	359	3.5	1	2	2	3	4	5	5	6
50-64										
65+										
GRAND TOTAL	**14096**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	2.8	1	1	2	3	3	4	4	5
20-34	545	2.9	1	1	2	3	3	4	5	6
35-49	17	3.5	2	1	2	3	4	5	6	7
50-64										
65+										
B. Operated										
0-19 YRS	676	2.9	1	2	2	3	3	4	4	5
20-34	2932	3.1	1	2	2	3	4	4	5	6
35-49	108	3.3	1	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.2	1	2	2	3	3	4	6	9
20-34	192	3.2	2	2	2	3	4	4	5	8
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	539	3.4	2	2	2	3	4	5	5	8
20-34	2669	3.6	5	2	2	3	4	5	6	8
35-49	138	4.1	8	2	2	4	4	6	7	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	688	2.9	1	1	2	3	3	4	5	6
B. Operated	3716	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	250	3.2	2	2	2	3	4	4	5	8
B. Operated	3346	3.6	4	2	2	3	4	5	6	8
1. SINGLE DX	4404	3.0	1	2	2	3	4	4	5	6
2. MULTIPLE DX	3596	3.5	4	2	2	3	4	5	6	8
A. NOT OPERATED	938	3.0	1	1	2	3	3	4	5	7
B. OPERATED	7062	3.3	3	2	2	3	4	5	5	7
TOTAL 0-19 YRS	1395	3.1	1	2	2	3	4	4	5	7
20-34	6338	3.3	3	2	2	3	4	4	5	7
35-49	267	3.7	5	2	2	3	4	5	7	11
50-64										
65+										
GRAND TOTAL	**8000**	**3.3**	**3**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1396	3.1	4	1	2	3	4	4	5	7
20-34	6745	3.2	2	1	2	3	4	5	5	8
35-49	365	3.1	2	1	2	3	4	5	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	3351	3.4	4	2	2	3	4	5	6	8
20-34	16827	3.6	3	2	2	3	4	5	6	9
35-49	755	3.8	3	2	2	4	4	5	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1008	3.3	3	1	2	3	4	5	6	10
20-34	4320	3.4	4	1	2	3	4	5	6	12
35-49	320	3.8	33	1	2	3	4	5	7	16
50-64										
65+										
B. *Operated*										
0-19 YRS	4420	4.5	8	2	2	4	5	7	9	15
20-34	23691	4.7	12	2	2	4	5	7	9	18
35-49	1988	5.4	19	2	3	4	6	8	11	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8508	3.2	2	1	2	3	4	4	5	8
B. *Operated*	20933	3.6	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	5645	3.4	5	1	2	3	4	5	6	11
B. *Operated*	30099	4.7	12	2	2	4	5	7	9	18
1. SINGLE DX	29441	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	35747	4.5	11	2	2	4	5	7	9	17
A. NOT OPERATED	14156	3.3	4	1	2	3	4	5	6	9
B. OPERATED	51032	4.3	9	2	2	4	5	6	8	15
TOTAL 0-19 YRS	10177	3.8	6	2	2	3	4	6	7	13
20-34	51583	4.0	8	2	2	3	5	6	7	14
35-49	3428	4.6	16	2	2	4	5	7	9	20
50-64										
65+										
GRAND TOTAL	**65188**	**4.0**	**8**	**2**	**2**	**3**	**5**	**6**	**8**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.0	4	2	2	4	5	6	8	14
20-34	192	3.7	3	2	2	3	4	6	7	10
35-49	9	3.8	10	2	2	3	4	9	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	3	7.0	63	1	1	4	13	16	16	16
20-34	18	3.9	11	<1	1	3	5	7	12	15
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.5	5	2	2	4	6	7	9	11
20-34	92	4.6	7	2	2	4	6	8	10	14
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	34	8.4	67	1	2	6	7	18	30	34
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	3.8	3	2	2	3	4	6	7	10
B. *Operated*	23	4.1	16	<1	1	3	5	9	15	16
2. MULTIPLE DX										
A. *Not Operated*	129	4.6	7	2	2	4	6	8	10	14
B. *Operated*	39	7.7	62	1	2	5	7	16	30	34
1. SINGLE DX	288	3.8	4	2	2	3	4	6	7	14
2. MULTIPLE DX	168	5.3	21	2	2	4	6	9	13	30
A. NOT OPERATED	394	4.0	4	2	2	4	5	7	8	12
B. OPERATED	62	6.4	47	1	1	4	7	16	21	34
TOTAL 0-19 YRS	106	4.2	6	2	2	4	5	7	8	15
20-34	336	4.5	13	2	2	4	5	7	10	18
35-49	14	3.3	7	1	2	3	3	6	11	12
50-64										
65+										
GRAND TOTAL	**456**	**4.4**	**11**	**2**	**2**	**4**	**5**	**7**	**9**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.6	1	<1	1	1	2	3	3	4
20-34	123	1.7	1	<1	1	1	2	3	4	4
35-49	10	1.4		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	63	1.8	1	<1	1	1	2	3	4	6
20-34	448	1.8	2	<1	1	1	2	3	4	6
35-49	26	1.8	1	<1	1	2	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	89	2.1	1	<1	1	2	3	4	5	
35-49	5	3.2	9	1	1	2	9	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.7	3	1	1	2	3	5	7	8
20-34	269	2.7	8	1	1	2	3	5	8	11
35-49	26	3.2	6	<1	1	2	5	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	1.7	1	<1	1	1	2	3	4	4
B. *Operated*	537	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	100	2.0	1	<1	1	2	3	3	4	5
B. *Operated*	347	2.7	7	1	1	2	3	5	7	11
1. SINGLE DX	699	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	447	2.6	6	1	1	2	3	5	7	10
A. NOT OPERATED	262	1.8	1	<1	1	2	2	3	4	4
B. OPERATED	884	2.2	4	<1	1	2	2	4	6	10
TOTAL 0-19 YRS	150	2.1	2	<1	1	2	2	4	5	8
20-34	929	2.1	4	<1	1	2	2	4	5	9
35-49	67	2.3	4	1	1	2	2	5	6	10
50-64										
65+										
GRAND TOTAL	**1146**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.7	12	2	2	4	5	10	14	15
20-34	187	4.0	8	1	1	3	5	8	10	15
35-49	7	6.3	22	1	1	5	8	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	45	3.4	8	1	1	3	4	7	9	15
20-34	192	3.3	9	1	1	3	4	6	10	16
35-49	16	4.3	20	<1	<1	3	4	10	16	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.9	4	2	2	3	5	6	6	11
20-34	117	4.9	17	<1	1	4	6	10	13	21
35-49	9	8.0	69	2	2	5	10	22	28	28
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.1	3	1	2	3	4	5	6	9
20-34	176	4.3	19	1	1	3	5	8	11	20
35-49	12	3.1	2	2	2	3	4	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	4.1	9	1	1	3	5	9	11	15
B. *Operated*	253	3.4	10	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	147	4.9	16	1	2	4	6	10	13	22
B. *Operated*	223	4.1	16	1	1	3	5	7	10	26
1. SINGLE DX	466	3.7	10	1	1	3	4	7	10	15
2. MULTIPLE DX	370	4.4	17	1	1	3	5	8	12	24
A. NOT OPERATED	360	4.4	13	1	1	3	5	9	12	16
B. OPERATED	476	3.7	13	1	1	3	4	7	10	19
TOTAL 0-19 YRS	120	3.6	7	1	2	3	4	6	8	15
20-34	672	4.0	13	1	1	3	5	8	11	19
35-49	44	5.0	27	1	2	3	5	10	16	20
50-64										
65+										
GRAND TOTAL	**836**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1031	4.2	6	2	2	4	5	7	8	12
20-34	773	4.5	9	1	2	4	5	7	10	18
35-49	519	5.1	9	2	2	4	6	9	11	17
50-64	430	5.8	12	2	2	5	7	10	12	18
65+	338	6.9	19	2	3	6	9	12	14	25
B. *Operated*										
0-19 YRS	455	4.8	16	1	1	4	6	9	12	21
20-34	444	5.6	20	1	2	5	7	10	13	21
35-49	233	6.3	31	1	2	5	8	13	19	28
50-64	211	7.5	31	2	2	6	10	16	19	28
65+	135	10.3	97	2	3	8	13	19	29	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1071	4.7	9	2	2	4	6	8	10	17
20-34	1317	6.1	19	2	2	5	7	11	14	22
35-49	1335	7.1	30	2	3	6	9	13	16	26
50-64	1847	8.3	37	3	3	7	10	15	19	31
65+	3057	9.7	44	3	4	8	12	17	22	34
B. *Operated*										
0-19 YRS	378	7.1	57	1	2	5	8	13	17	50
20-34	785	9.4	72	2	3	7	12	20	26	47
35-49	725	11.0	91	2	3	8	14	24	33	46
50-64	983	13.4	142	3	4	10	17	28	37	73
65+	1162	16.3	183	3	5	12	21	32	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3091	4.9	10	2	2	4	6	9	11	17
B. *Operated*	1478	6.2	31	1	2	5	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	8627	7.8	35	2	3	6	10	15	19	30
B. *Operated*	4033	12.5	132	2	3	9	16	26	36	65
1. SINGLE DX	4569	5.3	17	1	2	4	7	10	13	21
2. MULTIPLE DX	12660	9.3	71	2	3	7	11	18	25	45
A. NOT OPERATED	11718	7.1	30	2	3	6	9	13	17	28
B. OPERATED	5511	10.8	113	2	2	7	13	23	32	57
TOTAL 0-19 YRS	2935	4.9	16	1	2	4	6	8	11	18
20-34	3319	6.5	33	2	2	5	8	12	17	32
35-49	2812	7.7	46	2	2	6	9	15	20	38
50-64	3471	9.4	70	2	3	7	11	18	24	44
65+	4692	11.2	87	3	4	9	13	21	29	52
GRAND TOTAL	**17229**	**8.3**	**60**	**2**	**3**	**6**	**10**	**16**	**22**	**42**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	374	4.2	6	1	2	4	5	7	9	13
20-34	153	4.1	9	1	2	3	5	7	10	15
35-49	84	4.6	9	1	1	4	6	9	10	15
50-64	62	5.6	12	2	2	5	7	10	13	16
65+	42	6.1	15	2	2	5	8	11	15	19
B. *Operated*										
0-19 YRS	211	3.9	10	1	1	3	5	8	10	17
20-34	148	5.0	29	1	1	4	6	10	13	34
35-49	101	4.9	20	1	1	4	6	10	13	27
50-64	83	5.5	28	1	1	4	7	12	15	29
65+	64	8.9	57	1	2	6	13	18	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	503	4.6	12	2	2	4	6	8	10	13
20-34	224	5.2	14	1	2	4	7	9	12	20
35-49	194	6.9	19	2	3	6	9	13	15	23
50-64	271	8.3	38	2	3	7	10	16	22	32
65+	407	9.4	50	2	3	8	11	18	24	39
B. *Operated*										
0-19 YRS	196	6.1	29	1	2	5	8	12	17	30
20-34	209	8.3	107	2	2	5	10	18	24	74
35-49	211	9.6	80	2	2	7	12	21	27	46
50-64	307	11.6	115	2	3	9	15	24	32	62
65+	306	13.1	167	2	3	9	16	29	39	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	4.5	8	1	2	4	6	8	10	15
B. *Operated*	607	5.1	26	1	1	4	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	1599	6.8	31	2	2	5	9	12	17	30
B. *Operated*	1229	10.2	113	2	2	7	13	21	32	62
1. SINGLE DX	1322	4.7	16	1	1	4	6	9	12	20
2. MULTIPLE DX	2828	8.3	69	2	2	6	10	17	23	45
A. NOT OPERATED	2314	6.1	25	2	2	5	8	11	15	26
B. OPERATED	1836	8.5	90	1	2	5	10	18	26	50
TOTAL 0-19 YRS	1284	4.6	13	1	2	4	6	8	10	18
20-34	734	5.8	45	1	2	4	7	11	16	40
35-49	590	7.2	43	1	2	5	9	14	20	35
50-64	723	9.2	73	2	2	7	11	18	25	46
65+	819	10.6	97	2	3	8	13	21	30	51
GRAND TOTAL	**4150**	**7.1**	**55**	**1**	**2**	**5**	**9**	**14**	**20**	**38**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	4.1	7	1	1	3	6	9	9	9
20-34	23	3.3	6	1	1	3	4	6	9	12
35-49	9	2.6	2	<1	<1	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. Operated										
0-19 YRS	891	3.5	4	1	1	3	4	6	7	11
20-34	1625	3.4	3	1	1	3	4	5	6	10
35-49	287	3.8	5	1	2	3	4	6	8	13
50-64	57	4.2	6	1	1	4	5	8	10	12
65+	8	3.1	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.1	4	<1	<1	1	2	6	7	7
20-34	21	3.1	6	<1	<1	2	4	7	9	10
35-49	4	5.8	25	2	2	4	9	13	13	13
50-64	5	18.4	1079	1	1	5	24	77	77	77
65+	5	8.2	27	1	1	9	13	13	13	13
B. Operated										
0-19 YRS	131	4.5	11	1	2	4	6	8	10	18
20-34	336	4.5	12	1	2	4	5	8	12	17
35-49	119	5.1	19	1	2	4	6	9	12	25
50-64	58	6.1	48	2	2	4	6	11	15	47
65+	18	7.2	30	1	1	5	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.4	5	1	1	3	4	7	9	12
B. Operated	2868	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	43	5.5	136	<1	1	3	5	11	13	77
B. Operated	662	4.8	17	1	2	4	6	9	12	22
1. SINGLE DX	2917	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX	705	4.9	24	1	2	4	6	9	12	22
A. NOT OPERATED	92	4.4	67	<1	1	3	5	8	12	50
B. OPERATED	3530	3.7	6	1	2	3	4	6	8	13
TOTAL 0-19 YRS	1046	3.6	5	1	1	3	5	6	7	11
20-34	2005	3.6	5	1	1	3	4	6	7	12
35-49	419	4.2	10	1	2	3	5	7	10	17
50-64	121	5.7	70	1	2	4	6	10	12	57
65+	31	6.3	24	1	1	5	11	14	16	17
GRAND TOTAL	**3622**	**3.7**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.3	4	<1	<1	1	3	6	6	6
20-34	7	2.0	5	<1	<1	<1	2	6	7	7
35-49	11	1.6	4	<1	<1	<1	<1	3	8	8
50-64	17	1.1		<1	<1	<1	1	1	2	2
65+	6	2.5	4	<1	<1	2	3	6	6	6
B. Operated										
0-19 YRS	134	1.6	1	<1	<1	1	2	3	3	5
20-34	189	1.8	1	<1	<1	2	2	3	4	7
35-49	124	2.0	2	<1	<1	2	2	3	4	10
50-64	113	2.4	5	<1	<1	2	3	4	5	15
65+	47	3.1	6	<1	<1	2	4	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.4	5	<1	<1	2	2	6	8	8
20-34	8	3.6	26	<1	<1	2	3	12	16	16
35-49	5	4.2	11	1	1	3	7	9	9	9
50-64	8	7.5	198	<1	<1	2	5	31	42	42
65+	7	6.4	5	4	4	6	8	10	10	10
B. Operated										
0-19 YRS	43	2.5	2	1	1	2	3	5	6	7
20-34	105	3.4	12	<1	1	2	4	6	9	20
35-49	116	4.3	20	1	1	3	5	8	12	27
50-64	140	4.9	26	1	1	3	6	11	15	25
65+	100	5.5	26	1	2	4	7	14	17	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	1.7	3	<1	<1	<1	1	4	6	6
B. Operated	607	2.0	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	38	4.7	50	<1	<1	3	6	9	14	42
B. Operated	504	4.3	20	1	1	3	5	8	14	23
1. SINGLE DX	655	2.0	3	<1	<1	2	2	3	5	9
2. MULTIPLE DX	542	4.4	22	<1	1	3	5	8	14	24
A. NOT OPERATED	86	3.0	25	<1	<1	1	3	7	8	33
B. OPERATED	1111	3.1	12	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	194	1.9	1	<1	<1	2	2	3	4	7
20-34	309	2.4	6	<1	<1	2	3	4	6	14
35-49	256	3.1	12	<1	<1	2	3	6	9	14
50-64	278	3.7	22	<1	<1	2	4	8	13	23
65+	160	4.7	20	<1	1	3	6	9	15	21
GRAND TOTAL	**1197**	**3.1**	**13**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	711	4.0	18	1	1	3	5	8	12	24
20-34	385	7.1	76	1	1	4	8	19	26	43
35-49	307	7.9	64	<1	1	5	9	20	27	34
50-64	285	8.0	84	<1	<1	5	9	21	30	39
65+	275	8.3	65	<1	2	7	10	16	21	42
B. *Operated*										
0-19 YRS	714	3.3	19	<1	1	2	3	6	12	23
20-34	787	4.5	30	1	1	3	5	10	15	29
35-49	589	4.6	26	1	1	3	5	10	14	27
50-64	560	5.4	64	1	1	3	5	13	19	49
65+	464	9.1	119	1	1	4	13	23	30	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	898	4.9	21	1	2	4	6	9	12	20
20-34	662	8.4	80	1	2	5	10	20	29	42
35-49	725	9.7	107	1	2	6	12	21	31	55
50-64	1131	10.9	109	2	3	8	14	24	32	53
65+	2495	12.3	100	3	4	9	15	25	32	52
B. *Operated*										
0-19 YRS	467	6.6	105	1	1	3	7	15	25	59
20-34	996	12.6	266	1	2	6	16	33	51	99+
35-49	1094	11.9	222	1	2	6	15	33	47	99
50-64	1632	12.7	218	1	2	7	17	34	45	90
65+	2392	19.1	294	2	3	14	27	43	58	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1963	6.4	56	<1	1	4	7	15	23	36
B. *Operated*	3114	5.1	49	1	1	3	5	12	19	35
2. MULTIPLE DX										
A. *Not Operated*	5911	10.1	95	2	2	7	13	22	29	50
B. *Operated*	6581	14.4	260	1	2	8	20	37	51	95
1. SINGLE DX	5077	5.6	52	1	1	3	6	13	20	36
2. MULTIPLE DX	12492	12.4	187	1	2	8	16	30	42	81
A. NOT OPERATED	7874	9.2	88	1	2	6	12	21	28	48
B. OPERATED	9695	11.4	212	1	1	5	15	31	43	86
TOTAL 0-19 YRS	2790	4.5	35	1	1	3	5	9	13	28
20-34	2830	8.6	141	1	1	4	10	22	32	80
35-49	2715	9.3	138	1	2	5	11	24	34	65
50-64	3608	10.6	156	1	2	6	13	26	37	71
65+	5626	14.7	198	2	3	10	19	33	44	80
GRAND TOTAL	**17569**	**10.4**	**157**	**1**	**2**	**6**	**13**	**26**	**36**	**72**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	4.5	34	<1	<1	2	6	11	17	32
20-34	84	6.4	17	1	3	5	8	12	15	22
35-49	73	6.9	22	2	2	5	9	14	17	22
50-64	64	7.1	27	2	2	6	10	14	15	29
65+	15	10.1	63	2	3	8	10	27	27	27
B. *Operated*										
0-19 YRS	22	7.2	37	1	1	4	13	16	19	21
20-34	55	9.6	134	2	2	6	11	24	38	60
35-49	33	9.4	87	2	2	6	12	22	30	44
50-64	18	8.5	41	2	2	7	11	16	24	28
65+	21	10.9	35	2	3	12	15	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	8.2	92	1	2	5	10	14	25	54
20-34	247	8.4	47	2	3	7	10	14	22	35
35-49	257	9.5	55	2	3	8	11	18	24	45
50-64	307	10.2	83	3	3	8	13	19	26	42
65+	253	11.3	82	2	3	9	14	21	30	52
B. *Operated*										
0-19 YRS	46	16.3	225	3	3	12	21	32	55	70
20-34	141	16.4	232	2	3	11	20	35	45	73
35-49	157	14.0	178	2	3	10	17	29	37	73
50-64	142	16.1	201	3	4	12	20	39	51	99+
65+	177	18.2	238	4	5	14	24	37	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	6.2	29	<1	<1	5	8	13	17	27
B. *Operated*	149	9.2	83	2	2	6	12	19	28	44
2. MULTIPLE DX										
A. *Not Operated*	1158	9.7	71	2	3	7	12	18	25	45
B. *Operated*	723	16.2	213	3	4	11	20	33	48	93
1. SINGLE DX	499	7.1	47	<1	1	5	9	15	20	36
2. MULTIPLE DX	1881	12.2	135	2	3	9	15	26	35	70
A. NOT OPERATED	1508	8.9	63	2	2	7	11	17	23	41
B. OPERATED	872	15.0	198	2	3	11	19	32	46	86
TOTAL 0-19 YRS	276	7.9	101	<1	<1	5	10	17	26	54
20-34	527	10.3	114	2	3	7	12	22	32	60
35-49	530	10.5	97	2	3	8	13	22	28	53
50-64	581	11.7	124	2	3	8	14	24	35	81
65+	466	13.9	149	3	4	11	17	29	38	76
GRAND TOTAL	**2380**	**11.1**	**121**	**2**	**3**	**8**	**14**	**23**	**32**	**67**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	6.8	36	2	2	5	8	15	20	32
20-34	108	7.9	28	2	2	7	11	16	19	22
35-49	164	8.1	31	2	3	7	10	18	19	28
50-64	295	8.1	25	2	3	7	10	16	19	21
65+	212	9.1	38	3	3	8	11	17	21	30
B. *Operated*										
0-19 YRS	43	10.2	168	<1	1	6	12	37	42	52
20-34	106	7.6	39	1	2	5	11	16	23	27
35-49	223	8.2	50	2	2	6	11	17	19	44
50-64	467	9.8	59	2	2	8	14	19	25	36
65+	316	11.4	61	2	3	10	15	21	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	7.5	53	1	2	5	8	17	19	44
20-34	127	8.5	41	2	3	6	11	15	22	33
35-49	341	9.3	43	3	3	8	12	17	21	36
50-64	917	9.3	41	2	3	8	12	17	20	32
65+	1293	10.5	49	3	4	9	14	19	23	36
B. *Operated*										
0-19 YRS	33	9.7	114	2	2	4	15	27	36	39
20-34	130	9.7	62	2	2	7	13	20	27	35
35-49	315	9.4	89	2	2	6	12	18	26	42
50-64	908	12.1	109	3	3	9	16	24	33	53
65+	846	15.3	134	3	4	13	20	31	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	975	8.1	32	2	3	7	10	16	20	27
B. *Operated*	1155	9.7	61	2	2	8	13	19	24	40
2. MULTIPLE DX										
A. *Not Operated*	2802	9.7	46	2	3	8	13	18	22	35
B. *Operated*	2232	12.8	118	2	3	10	17	26	33	56
1. SINGLE DX	2130	9.0	49	2	3	7	12	18	21	36
2. MULTIPLE DX	5034	11.1	80	2	3	9	14	21	28	46
A. NOT OPERATED	3777	9.3	43	2	3	8	12	18	21	32
B. OPERATED	3387	11.7	101	2	3	9	16	24	31	50
TOTAL 0-19 YRS	396	7.6	63	1	2	5	9	17	22	41
20-34	471	8.5	44	2	3	7	12	17	23	31
35-49	1043	8.9	57	2	3	7	11	17	21	41
50-64	2587	10.2	68	2	3	8	13	20	25	43
65+	2667	12.0	82	3	4	10	16	22	29	47
GRAND TOTAL	**7164**	**10.5**	**72**	**2**	**3**	**8**	**14**	**20**	**26**	**44**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	29	<1	<1	3	7	14	14	14
20-34	10	4.5	5	2	2	4	5	8	10	10
35-49	46	5.5	15	1	2	4	6	12	15	18
50-64	134	5.0	13	1	1	4	6	9	14	17
65+	312	6.7	22	1	2	6	9	12	17	24
B. *Operated*										
0-19 YRS	28	3.5	20	1	1	2	3	7	12	24
20-34	261	4.0	9	1	1	3	5	8	11	15
35-49	604	5.7	22	1	1	4	8	12	15	21
50-64	2335	9.4	36	2	2	9	13	17	19	26
65+	3216	13.7	38	3	5	14	17	20	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.6	38	<1	<1	3	10	15	17	17
20-34	37	4.8	9	1	1	4	7	9	10	11
35-49	187	6.7	24	1	2	6	8	13	15	20
50-64	882	6.9	22	1	2	6	9	13	16	23
65+	2863	8.2	35	2	3	7	11	15	19	30
B. *Operated*										
0-19 YRS	32	7.6	128	1	1	4	9	14	19	64
20-34	263	5.9	45	1	2	4	7	13	17	36
35-49	724	7.4	56	1	2	5	10	16	20	37
50-64	2963	11.0	67	2	2	10	15	20	25	39
65+	5953	15.9	81	3	5	15	19	26	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	6.1	19	1	2	5	8	12	15	20
B. *Operated*	6444	11.0	44	2	2	11	15	18	21	29
2. MULTIPLE DX										
A. *Not Operated*	3977	7.8	32	2	2	7	10	14	18	29
B. *Operated*	9935	13.6	84	2	3	13	17	24	30	45
1. SINGLE DX	6951	10.6	44	2	2	11	15	18	21	29
2. MULTIPLE DX	13912	11.9	76	2	3	11	16	22	27	41
A. NOT OPERATED	4484	7.6	31	2	2	6	10	14	18	28
B. OPERATED	16379	12.5	70	2	3	12	17	21	26	40
TOTAL 0-19 YRS	73	5.6	72	1	1	3	7	13	17	55
20-34	571	4.9	26	1	1	3	6	10	13	23
35-49	1561	6.6	38	1	2	5	9	14	17	31
50-64	6314	9.7	51	2	2	9	14	18	21	33
65+	12344	13.3	68	2	4	13	17	22	27	40
GRAND TOTAL	**20863**	**11.5**	**66**	**2**	**2**	**11**	**16**	**20**	**25**	**38**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	6.9	22	2	2	6	9	14	18	21
20-34	109	5.9	28	1	1	4	8	11	13	34
35-49	87	5.7	12	1	2	5	8	10	11	17
50-64	79	6.6	26	1	2	5	9	13	17	25
65+	76	6.4	28	1	1	5	8	14	15	28
B. *Operated*										
0-19 YRS	96	12.3	74	1	2	12	18	23	30	35
20-34	221	5.7	41	1	2	4	7	12	14	33
35-49	231	6.1	39	1	2	4	7	11	15	37
50-64	293	7.5	44	1	2	5	11	15	17	36
65+	146	12.1	58	2	3	12	16	21	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	10.0	56	2	2	8	14	21	23	31
20-34	168	7.5	40	2	2	6	8	14	18	36
35-49	191	7.9	55	2	2	6	9	16	22	42
50-64	299	8.0	33	2	2	6	11	15	19	30
65+	693	9.3	58	2	3	7	11	17	24	39
B. *Operated*										
0-19 YRS	130	15.4	89	2	4	14	21	28	32	47
20-34	190	9.0	72	1	2	6	11	21	27	38
35-49	237	10.1	117	2	2	6	11	22	36	51
50-64	368	12.2	140	2	2	8	16	26	37	56
65+	426	18.3	204	3	4	16	23	38	45	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	6.3	23	1	2	5	8	13	15	22
B. *Operated*	987	7.9	53	1	2	5	11	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	1501	8.7	51	2	3	7	11	17	22	38
B. *Operated*	1351	13.6	154	2	3	10	18	29	40	60
1. SINGLE DX	1487	7.4	44	1	2	5	10	15	19	33
2. MULTIPLE DX	2852	11.0	106	2	3	8	14	23	31	51
A. NOT OPERATED	2001	8.1	45	2	2	6	10	16	21	35
B. OPERATED	2338	11.2	120	2	2	8	15	24	33	53
TOTAL 0-19 YRS	525	10.9	68	2	2	9	15	22	27	35
20-34	688	7.1	49	1	2	5	9	14	21	36
35-49	746	7.8	67	2	2	5	9	15	23	44
50-64	1039	9.2	78	1	2	7	12	18	26	49
65+	1341	12.3	121	2	3	9	16	25	34	58
GRAND TOTAL	**4339**	**9.8**	**88**	**2**	**2**	**7**	**13**	**20**	**28**	**47**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.8	4	<1	1	2	4	6	6	7
20-34	31	3.8	17	<1	<1	2	5	9	13	19
35-49	17	2.0	3	<1	<1	1	2	5	6	7
50-64	13	4.1	9	<1	<1	4	5	8	10	11
65+	6	10.2	115	2	2	4	19	27	28	28
B. *Operated*										
0-19 YRS	1009	2.7	4	1	1	2	3	5	6	9
20-34	2031	2.7	3	1	1	2	4	5	6	9
35-49	1046	2.9	4	1	1	2	4	5	7	11
50-64	576	3.3	19	1	1	2	4	6	7	16
65+	155	3.6	9	1	1	2	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.0	6	<1	<1	1	2	4	6	14
20-34	88	2.9	17	<1	<1	1	3	6	9	25
35-49	52	2.7	9	<1	<1	1	3	8	9	12
50-64	51	4.0	16	<1	<1	3	5	9	12	22
65+	36	5.9	18	1	1	5	8	11	16	18
B. *Operated*										
0-19 YRS	798	2.9	4	1	1	2	4	5	6	10
20-34	1727	3.3	7	1	1	2	4	6	8	14
35-49	1356	3.3	9	1	1	2	4	7	9	16
50-64	1242	3.5	8	1	1	3	4	7	9	14
65+	527	4.7	32	1	1	3	5	10	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	3.7	18	<1	<1	2	5	7	11	24
B. *Operated*	4817	2.8	6	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	270	3.3	15	<1	<1	2	4	8	11	19
B. *Operated*	5650	3.4	10	1	1	2	4	6	9	16
1. SINGLE DX	4909	2.9	6	1	1	2	4	5	6	10
2. MULTIPLE DX	5920	3.4	10	1	1	2	4	6	9	16
A. NOT OPERATED	362	3.4	15	<1	<1	2	4	8	11	19
B. OPERATED	10467	3.1	8	1	1	2	4	6	8	14
TOTAL 0-19 YRS	1875	2.7	4	<1	1	2	4	5	6	9
20-34	3877	3.0	5	1	1	2	4	5	7	12
35-49	2471	3.1	7	1	1	2	4	6	8	14
50-64	1882	3.5	11	1	1	3	4	6	9	15
65+	724	4.6	27	1	1	3	5	10	14	25
GRAND TOTAL	**10829**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	3.8	9	1	1	3	½	7	10	15
20-34	130	3.6	8	<1	1	3	5	7	9	15
35-49	84	4.9	24	1	1	4	6	10	16	26
50-64	80	4.8	18	1	1	4	6	8	10	28
65+	109	5.5	22	1	1	5	7	10	14	27
B. *Operated*										
0-19 YRS	1550	3.2	5	1	1	3	4	5	6	11
20-34	2084	3.5	6	1	1	3	4	6	7	12
35-49	681	3.8	7	1	1	3	5	7	9	14
50-64	333	4.8	23	1	1	3	5	10	14	24
65+	202	7.0	39	1	2	4	11	15	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	286	4.1	26	<1	1	3	5	9	11	15
20-34	235	4.8	44	1	1	4	6	9	12	24
35-49	245	5.6	28	1	1	4	7	11	16	28
50-64	349	6.4	30	1	1	5	8	14	17	26
65+	579	7.2	30	1	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	771	4.2	16	1	1	3	5	7	10	23
20-34	1132	4.6	22	1	1	3	5	9	11	25
35-49	618	5.1	21	1	2	4	6	11	15	22
50-64	496	6.4	38	1	2	4	8	14	19	33
65+	440	10.0	90	2	2	7	13	24	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	4.3	14	1	1	3	5	8	11	19
B. *Operated*	4850	3.7	9	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	1694	5.9	32	1	1	4	6	12	16	26
B. *Operated*	3457	5.5	35	1	2	4	6	11	17	32
1. SINGLE DX	5538	3.8	10	1	1	3	4	6	9	17
2. MULTIPLE DX	5151	5.7	34	1	1	4	7	12	16	30
A. NOT OPERATED	2382	5.5	28	1	1	4	7	11	15	26
B. OPERATED	8307	4.5	20	1	1	3	5	8	12	25
TOTAL 0-19 YRS	2892	3.6	11	1	1	3	4	6	8	16
20-34	3581	4.0	14	1	1	3	5	7	9	17
35-49	1628	4.6	17	1	1	3	5	9	12	21
50-64	1258	5.8	31	1	1	4	7	13	17	30
65+	1330	8.0	53	1	2	6	10	16	23	38
GRAND TOTAL	**10689**	**4.7**	**22**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	13.5	65	7	7	11	19	25	25	25
20-34	9	7.6	9	3	3	7	10	11	11	11
35-49	12	7.4	42	1	2	5	9	16	24	25
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	4	6.5	16	3	3	5	9	12	12	12
B. *Operated*										
0-19 YRS	3	7.7	20	3	3	8	11	12	12	12
20-34	6	15.8	71	4	4	16	25	25	25	25
35-49	4	14.5	83	3	3	15	21	24	24	24
50-64	1	18.0		18	18	18	18	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	17.7	44	12	12	16	23	25	25	25
20-34	7	8.6	7	5	5	6	10	13	13	13
35-49	18	7.1	24	2	3	5	9	15	19	20
50-64	31	8.3	32	2	3	8	10	16	23	25
65+	23	9.0	33	2	3	7	13	18	21	24
B. *Operated*										
0-19 YRS										
20-34	5	8.4	1	7	7	8	9	10	10	10
35-49	8	20.3	412	7	7	12	22	56	68	68
50-64	9	22.1	266	6	7	19	31	49	55	55
65+	6	15.8	186	3	3	12	22	38	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	8.1	31	2	3	7	10	13	24	25
B. *Operated*	14	13.9	62	3	3	14	19	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	82	8.6	31	2	3	7	11	17	21	25
B. *Operated*	28	17.8	246	5	6	11	21	40	56	68
1. SINGLE DX	45	9.9	46	2	3	9	12	24	25	25
2. MULTIPLE DX	110	10.9	100	3	3	8	12	21	27	60
A. NOT OPERATED	113	8.5	31	2	3	7	11	16	23	25
B. OPERATED	42	16.5	185	3	5	12	21	32	46	68
TOTAL 0-19 YRS	10	13.0	53	3	5	12	16	25	25	25
20-34	27	9.8	29	4	4	9	11	17	25	25
35-49	42	10.4	126	2	3	7	12	21	26	68
50-64	43	11.4	108	2	3	8	13	23	32	55
65+	33	10.0	62	3	3	7	13	20	24	40
GRAND TOTAL	**155**	**10.6**	**84**	**3**	**3**	**8**	**12**	**22**	**25**	**54**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	63	6.6	14	2	3	6	8	11	14	19
35-49	194	7.2	30	2	2	6	9	12	16	32
50-64	321	6.7	18	1	2	5	9	12	15	21
65+	275	7.5	25	2	3	6	10	13	16	28
B. Operated										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	99	6.4	62	2	2	4	8	12	16	66
35-49	494	7.1	31	2	2	6	10	14	18	25
50-64	641	7.1	28	2	2	6	9	14	17	26
65+	233	8.5	57	2	2	6	12	17	22	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.4	15	1	1	5	9	10	10	10
20-34	92	8.1	39	2	3	7	10	13	17	38
35-49	647	7.1	20	2	3	6	9	13	16	22
50-64	1766	7.6	22	2	3	7	10	13	16	25
65+	3129	8.5	30	3	3	7	11	15	18	28
B. Operated										
0-19 YRS	6	9.7	49	3	3	7	15	20	21	21
20-34	109	8.4	50	2	2	7	11	16	19	43
35-49	599	9.7	62	2	2	8	13	19	24	41
50-64	1258	10.8	82	2	3	9	14	21	28	50
65+	1004	14.2	126	2	4	11	18	29	37	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	856	7.1	23	2	2	6	9	12	15	28
B. Operated	1470	7.2	36	2	2	6	10	14	18	30
2. MULTIPLE DX										
A. Not Operated	5641	8.0	27	2	3	7	10	14	17	26
B. Operated	2976	11.6	95	2	3	9	15	23	30	51
1. SINGLE DX	2326	7.2	31	2	2	6	9	14	17	28
2. MULTIPLE DX	8617	9.3	53	2	3	8	11	17	22	38
A. NOT OPERATED	6497	7.9	27	2	3	7	10	14	17	26
B. OPERATED	4446	10.2	80	2	2	8	13	20	27	45
TOTAL 0-19 YRS	19	6.3	27	1	1	5	9	13	18	21
20-34	363	7.5	45	2	2	6	10	14	17	40
35-49	1934	7.9	38	2	2	6	10	15	19	32
50-64	3986	8.5	44	2	3	7	11	16	20	33
65+	4641	9.7	58	2	3	8	12	18	23	39
GRAND TOTAL	**10943**	**8.8**	**49**	**2**	**3**	**7**	**11**	**16**	**21**	**37**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	6.3	18	1	1	6	9	11	13	21
20-34	1280	6.9	17	2	2	6	9	12	14	20
35-49	1825	7.4	21	2	2	7	10	13	16	23
50-64	987	7.8	21	2	3	7	10	14	17	22
65+	275	8.4	23	2	3	8	11	15	17	26
B. Operated										
0-19 YRS	213	7.0	33	1	2	5	9	14	18	26
20-34	4844	7.2	30	1	2	6	9	14	17	26
35-49	6869	7.7	32	1	2	6	10	15	18	28
50-64	3156	8.5	39	2	2	7	12	17	20	29
65+	697	9.8	49	1	2	9	14	19	23	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	8.5	16	1	3	8	11	14	16	16
20-34	822	7.8	25	1	2	7	10	13	17	26
35-49	1738	8.5	27	2	3	8	11	15	18	25
50-64	1822	8.8	29	2	3	8	11	16	19	26
65+	1368	9.6	33	3	4	9	12	17	20	30
B. Operated										
0-19 YRS	59	7.7	34	1	2	6	11	16	19	28
20-34	1681	9.4	53	2	2	8	12	18	22	38
35-49	3432	10.3	55	2	3	9	14	19	24	38
50-64	3140	11.4	67	2	3	10	15	21	27	41
65+	1461	14.6	97	3	4	13	19	27	32	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4415	7.4	20	2	2	7	10	13	16	22
B. Operated	15779	7.6	34	1	2	7	10	15	19	26
2. MULTIPLE DX										
A. Not Operated	5783	8.6	25	2	3	8	11	15	19	27
B. Operated	9773	11.1	67	2	3	9	15	21	26	41
1. SINGLE DX	20194	7.7	31	1	2	7	10	15	18	27
2. MULTIPLE DX	15556	10.3	55	2	3	9	13	19	24	37
A. NOT OPERATED	10198	8.2	26	2	3	7	10	14	17	25
B. OPERATED	25552	9.1	50	2	2	8	12	18	22	33
TOTAL 0-19 YRS	353	7.1	30	1	2	6	10	14	18	26
20-34	8627	7.6	33	1	2	6	10	14	18	28
35-49	13864	8.4	37	2	2	7	11	16	20	29
50-64	9105	9.5	47	2	3	8	12	18	22	33
65+	3801	11.5	66	2	3	10	15	22	27	40
GRAND TOTAL	**35750**	**8.8**	**43**	**2**	**2**	**7**	**11**	**17**	**21**	**32**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.3	23	1	2	4	6	8	16	23
20-34	193	6.6	15	2	2	6	8	12	13	17
35-49	338	7.2	19	2	2	7	10	13	14	21
50-64	230	7.5	23	2	3	7	9	13	15	25
65+	69	7.9	29	2	2	7	10	14	20	27
B. *Operated*										
0-19 YRS	14	4.2	7	1	1	3	6	8	9	9
20-34	432	7.1	30	2	2	6	9	15	19	25
35-49	1159	7.3	27	1	2	6	10	14	18	24
50-64	623	7.8	31	1	2	7	11	15	19	25
65+	68	7.6	67	1	1	6	10	15	16	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.2	24	3	3	5	9	16	18	18
20-34	146	7.7	24	2	3	7	10	15	18	24
35-49	444	7.9	26	2	3	7	10	14	17	28
50-64	605	8.4	22	2	3	8	11	14	18	22
65+	398	8.4	25	2	3	7	11	15	17	25
B. *Operated*										
0-19 YRS	7	10.1	53	3	3	9	15	22	23	23
20-34	181	10.3	108	2	2	8	13	18	24	62
35-49	800	9.3	51	2	2	8	12	18	23	35
50-64	729	10.6	61	2	3	9	14	20	25	43
65+	220	12.7	131	2	3	10	17	24	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	849	7.2	20	2	2	7	9	13	15	23
B. *Operated*	2296	7.4	30	1	2	6	10	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	1602	8.2	24	2	3	7	11	14	17	24
B. *Operated*	1937	10.3	70	2	2	8	13	20	25	42
1. SINGLE DX	3145	7.3	27	1	2	6	10	14	17	24
2. MULTIPLE DX	3539	9.3	50	2	3	8	12	17	22	35
A. NOT OPERATED	2451	7.8	23	2	3	7	10	14	17	24
B. OPERATED	4233	8.7	50	1	2	7	11	17	21	33
TOTAL 0-19 YRS	49	6.0	25	1	2	5	8	12	18	23
20-34	952	7.7	42	2	2	6	10	15	19	27
35-49	2741	8.0	34	1	2	7	10	15	19	29
50-64	2187	8.9	39	2	3	8	12	17	20	31
65+	755	9.5	64	2	3	8	12	17	22	43
GRAND TOTAL	**6684**	**8.4**	**40**	**2**	**2**	**7**	**11**	**16**	**20**	**30**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.1	27	1	2	4	9	15	17	17
20-34	302	6.6	21	1	2	6	9	11	15	22
35-49	416	6.9	20	1	1	6	9	13	14	18
50-64	210	6.9	18	1	1	7	10	13	14	17
65+	35	6.4	11	1	1	6	9	10	12	13
B. *Operated*										
0-19 YRS	6	4.2	10	1	1	3	7	9	9	9
20-34	160	6.5	37	1	1	5	9	13	16	25
35-49	208	6.8	25	1	2	6	9	14	16	23
50-64	55	6.9	28	1	2	5	9	15	19	19
65+	3	3.7	1	3	3	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.6	12	1	2	5	7	11	14	15
20-34	382	7.2	17	1	3	7	9	12	14	20
35-49	593	8.5	28	2	3	8	11	14	18	30
50-64	498	8.4	27	2	3	8	11	14	17	25
65+	236	9.0	35	2	3	8	12	16	20	31
B. *Operated*										
0-19 YRS	7	6.1	15	1	1	7	9	11	11	11
20-34	155	9.7	47	2	3	9	13	17	23	40
35-49	279	10.6	51	2	3	10	13	18	24	39
50-64	137	9.9	40	2	2	9	14	18	20	29
65+	34	13.1	65	3	4	11	17	21	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	975	6.8	19	1	1	6	9	12	14	19
B. *Operated*	432	6.6	29	1	2	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	1738	8.2	26	2	3	7	10	14	17	26
B. *Operated*	612	10.3	49	2	3	9	13	18	23	38
1. SINGLE DX	1407	6.7	22	1	1	6	9	13	15	20
2. MULTIPLE DX	2350	8.8	33	2	3	8	11	15	19	31
A. NOT OPERATED	2713	7.7	24	1	2	7	10	14	16	24
B. OPERATED	1044	8.8	44	1	2	8	12	16	20	35
TOTAL 0-19 YRS	54	5.6	15	1	1	5	8	11	14	17
20-34	999	7.3	27	1	2	6	10	13	16	25
35-49	1496	8.2	31	1	2	8	11	14	18	28
50-64	900	8.2	28	1	2	7	11	15	17	24
65+	308	9.1	38	2	3	8	12	17	20	33
GRAND TOTAL	**3757**	**8.0**	**30**	**1**	**2**	**7**	**10**	**14**	**17**	**26**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	4.2	4	2	2	4	6	7	7	7
20-34	126	6.8	17	2	2	6	9	12	14	23
35-49	167	6.8	13	1	2	6	9	12	14	15
50-64	109	7.1	13	2	2	7	10	12	13	15
65+	67	7.2	10	2	3	7	9	12	12	14
B. Operated										
0-19 YRS	4	9.3	113	2	2	5	15	25	25	25
20-34	78	5.0	22	1	2	3	7	11	16	24
35-49	143	4.8	19	1	1	3	6	11	14	19
50-64	84	5.8	21	1	2	5	7	11	17	22
65+	32	7.1	43	1	1	5	12	16	20	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	7.4	13	4	4	7	8	14	15	15
20-34	157	7.2	22	2	3	6	9	12	15	24
35-49	253	7.8	21	2	3	7	10	14	17	22
50-64	317	8.3	18	3	4	8	10	13	16	23
65+	405	9.3	32	3	4	8	12	17	20	25
B. Operated										
0-19 YRS	3	13.0	112	1	1	17	20	21	21	21
20-34	51	9.3	40	2	2	9	12	16	21	35
35-49	122	10.5	48	1	3	9	13	21	24	35
50-64	110	13.4	84	2	3	12	18	28	31	43
65+	72	13.4	104	3	3	11	16	26	38	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	6.9	13	1	2	7	9	12	13	16
B. Operated	341	5.4	23	1	2	4	7	12	16	25
2. MULTIPLE DX										
A. Not Operated	1139	8.4	25	3	3	8	10	14	18	24
B. Operated	358	11.8	72	2	3	10	15	22	29	41
1. SINGLE DX	816	6.2	18	1	2	5	9	12	14	20
2. MULTIPLE DX	1497	9.2	38	2	3	8	12	17	21	32
A. NOT OPERATED	1614	7.9	22	2	3	7	10	14	16	24
B. OPERATED	699	8.7	59	1	2	6	12	18	24	37
TOTAL 0-19 YRS	20	7.7	44	1	2	6	8	19	23	25
20-34	412	6.9	24	2	2	6	9	12	16	24
35-49	685	7.4	26	1	2	6	10	14	17	24
50-64	620	8.7	35	2	3	8	11	15	19	31
65+	576	9.5	42	2	3	8	12	17	21	37
GRAND TOTAL	**2313**	**8.2**	**33**	**2**	**2**	**7**	**11**	**15**	**19**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	196	4.1	11	1	1	3	5	8	10	17
20-34	1465	5.8	16	1	2	5	8	11	13	21
35-49	1956	6.6	21	1	2	6	9	12	15	23
50-64	1095	6.9	20	1	2	6	9	12	15	23
65+	475	7.1	26	1	1	6	10	13	17	24
B. Operated										
0-19 YRS	101	4.2	10	1	1	3	5	9	11	16
20-34	1240	5.1	23	1	1	3	7	11	15	24
35-49	1799	5.8	27	1	1	4	8	12	16	25
50-64	1195	7.0	32	1	2	6	10	14	18	26
65+	477	9.0	50	1	2	8	12	18	22	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	199	4.7	14	1	1	4	6	10	12	17
20-34	1769	7.3	29	1	2	6	9	13	17	26
35-49	2843	8.0	33	2	3	7	10	14	18	28
50-64	2736	8.1	30	2	3	7	10	15	18	28
65+	2520	8.9	36	2	3	8	11	16	20	30
B. Operated										
0-19 YRS	70	6.5	52	1	2	4	8	13	26	37
20-34	1111	7.8	54	1	2	6	11	16	21	36
35-49	2118	8.8	54	2	2	7	12	18	22	34
50-64	2053	10.5	67	2	2	9	13	20	25	42
65+	1516	13.6	99	2	3	11	18	27	33	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5187	6.4	20	1	2	5	8	12	15	23
B. Operated	4812	6.2	31	1	1	4	9	13	17	26
2. MULTIPLE DX										
A. Not Operated	10067	8.1	32	2	3	7	10	15	18	28
B. Operated	6868	10.2	72	2	2	8	14	20	26	42
1. SINGLE DX	9999	6.3	25	1	2	5	9	12	16	24
2. MULTIPLE DX	16935	8.9	50	2	2	7	11	17	22	35
A. NOT OPERATED	15254	7.5	29	2	2	6	10	14	17	26
B. OPERATED	11680	8.5	59	1	2	7	11	18	23	37
TOTAL 0-19 YRS	566	4.6	17	1	1	4	6	9	11	24
20-34	5585	6.5	30	1	2	5	9	13	16	26
35-49	8716	7.4	36	1	2	6	10	14	18	28
50-64	7079	8.4	42	2	2	7	11	16	21	31
65+	4988	10.2	51	2	3	8	13	20	26	39
GRAND TOTAL	**26934**	**8.0**	**42**	**1**	**2**	**6**	**10**	**16**	**20**	**31**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	3.8	11	1	1	3	5	7	8	18
20-34	150	4.5	10	1	1	4	5	8	13	15
35-49	197	4.9	15	1	1	4	6	9	12	18
50-64	204	4.9	16	1	2	4	6	10	12	22
65+	127	5.7	10	2	2	5	7	11	12	14
B. *Operated*										
0-19 YRS	404	2.6	4	<1	1	2	3	4	6	10
20-34	970	2.9	6	1	1	2	3	5	7	12
35-49	1430	3.2	5	1	1	3	4	5	7	14
50-64	1290	3.5	7	1	1	3	4	6	8	14
65+	361	3.7	7	1	1	3	4	6	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.4	19	1	1	3	5	8	11	25
20-34	162	5.0	14	1	1	4	7	9	11	16
35-49	379	6.1	15	1	2	5	8	11	13	20
50-64	554	6.3	22	1	2	5	8	11	14	25
65+	681	7.7	31	2	2	6	10	14	19	28
B. *Operated*										
0-19 YRS	160	3.5	17	1	1	2	3	7	9	15
20-34	606	4.1	16	1	1	3	5	7	11	22
35-49	1085	4.6	20	1	2	3	5	9	12	22
50-64	1357	5.0	22	1	2	4	6	10	13	22
65+	633	6.7	46	1	2	5	8	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	4.6	13	1	1	4	6	9	12	18
B. *Operated*	4455	3.2	6	1	1	3	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	1900	6.5	24	1	2	5	8	12	15	26
B. *Operated*	3841	5.0	25	1	2	3	6	10	14	24
1. SINGLE DX	5405	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX	5741	5.5	25	1	2	4	7	11	14	25
A. NOT OPERATED	2850	5.9	21	1	2	5	8	11	14	24
B. OPERATED	8296	4.0	16	1	1	3	5	8	11	20
TOTAL 0-19 YRS	960	3.3	10	1	1	2	4	6	8	15
20-34	1888	3.6	10	1	1	3	4	7	9	15
35-49	3091	4.2	13	1	1	3	5	8	11	18
50-64	3405	4.6	17	1	2	3	6	9	12	20
65+	1802	6.4	32	1	2	5	8	13	17	28
GRAND TOTAL	**11146**	**4.5**	**18**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	6	2.0	2	1	1	1	4	4	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	8	2.0	2	<1	<1	1	3	4	4	4
65+	3	4.7	30	<1	<1	2	9	11	11	11
B. *Operated*										
0-19 YRS	438	3.3	2	1	2	3	4	5	6	8
20-34	869	3.3	2	1	2	3	4	5	6	8
35-49	892	3.6	3	1	2	3	4	6	7	9
50-64	1111	3.6	3	1	2	3	4	6	6	8
65+	545	3.8	4	1	2	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	4	<1	<1	1	2	6	7	7
20-34	26	1.7	2	<1	<1	1	2	4	5	7
35-49	30	2.1	2	<1	<1	1	3	5	5	6
50-64	50	2.2	3	<1	<1	1	3	5	6	8
65+	51	3.6	11	<1	1	2	6	9	11	14
B. *Operated*										
0-19 YRS	392	3.8	5	2	2	3	4	5	6	11
20-34	1208	3.8	5	1	2	4	5	6	7	10
35-49	1772	4.0	6	2	2	4	5	6	8	12
50-64	3113	4.4	8	2	2	4	5	7	8	14
65+	2079	4.9	10	2	2	4	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.1	5	<1	<1	1	2	4	6	11
B. *Operated*	3855	3.5	3	1	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	165	2.6	6	<1	<1	1	3	6	8	12
B. *Operated*	8564	4.3	8	2	2	4	5	7	8	13
1. SINGLE DX	3881	3.5	3	1	2	3	4	5	6	9
2. MULTIPLE DX	8729	4.3	8	2	2	4	5	7	8	13
A. NOT OPERATED	191	2.5	6	<1	<1	1	3	6	8	12
B. OPERATED	12419	4.1	6	2	2	4	5	6	8	12
TOTAL 0-19 YRS	843	3.5	4	1	2	3	4	5	6	9
20-34	2109	3.6	4	1	2	3	4	6	6	9
35-49	2698	3.8	5	1	2	3	5	6	7	11
50-64	4282	4.2	7	2	2	4	5	6	8	13
65+	2678	4.6	9	2	2	4	6	8	9	15
GRAND TOTAL	**12610**	**4.0**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	9	1.9	1	<1	<1	2	2	4	4	4
35-49	7	2.4	2	<1	<1	2	4	4	4	4
50-64	6	3.5	15	<1	<1	2	4	10	11	11
65+	5	7.6	22	1	1	7	11	13	13	13
B. *Operated*										
0-19 YRS	472	1.8	1	<1	<1	2	2	3	3	5
20-34	716	1.9	1	<1	<1	2	2	3	4	6
35-49	466	2.2	2	<1	1	2	3	4	4	8
50-64	319	2.6	3	<1	1	2	3	4	6	8
65+	120	3.3	5	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.1		<1	<1	1	1	2	2	2
20-34	15	2.9	11	<1	<1	1	3	10	11	11
35-49	20	4.7	27	1	1	2	6	12	17	20
50-64	22	4.2	11	<1	1	3	5	9	10	12
65+	28	6.6	14	2	2	6	11	12	12	12
B. *Operated*										
0-19 YRS	64	2.3	2	1	1	2	3	4	5	7
20-34	226	2.8	5	<1	1	2	3	5	7	13
35-49	259	3.8	12	1	1	3	4	7	10	19
50-64	340	4.4	18	1	1	3	5	10	13	23
65+	190	5.3	20	1	2	4	7	12	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.2	11	<1	<1	2	4	9	11	13
B. *Operated*	2093	2.1	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	97	4.4	17	<1	1	3	6	11	12	18
B. *Operated*	1079	4.0	14	1	1	3	4	8	11	21
1. SINGLE DX	2123	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1176	4.0	14	1	1	3	5	8	12	20
A. NOT OPERATED	127	4.1	15	<1	1	2	6	11	12	16
B. OPERATED	3172	2.8	7	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	551	1.8	1	<1	<1	2	2	3	3	5
20-34	966	2.1	2	<1	<1	2	3	4	5	8
35-49	752	2.8	7	<1	1	2	3	5	7	15
50-64	687	3.6	11	1	1	3	4	7	10	17
65+	343	4.7	15	1	1	3	6	10	13	21
GRAND TOTAL	**3299**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	12.9	73	1	3	11	18	25	30	39
20-34	44	11.5	115	1	1	9	15	30	36	44
35-49	43	10.4	70	1	2	8	15	22	25	41
50-64	56	11.3	89	2	3	7	15	23	31	42
65+	31	13.3	135	2	4	8	17	32	42	48
B. *Operated*										
0-19 YRS	126	16.1	164	2	3	13	22	38	47	52
20-34	108	14.4	183	2	3	9	21	37	42	57
35-49	123	14.0	179	2	2	9	18	34	45	57
50-64	119	10.7	122	2	2	8	14	23	35	54
65+	82	16.0	136	2	4	13	22	32	37	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	15.4	97	2	3	14	22	28	31	46
20-34	72	14.9	135	2	3	12	20	34	45	89
35-49	98	13.8	115	2	4	11	19	30	37	46
50-64	170	15.6	145	3	4	12	22	33	43	50
65+	196	17.7	179	3	4	13	25	39	46	55
B. *Operated*										
0-19 YRS	151	22.6	206	4	6	21	30	44	49	99
20-34	250	21.7	239	3	5	18	32	45	53	66
35-49	276	23.1	382	3	4	17	33	55	72	99+
50-64	419	21.9	246	3	6	17	30	46	55	93
65+	442	24.9	328	4	7	20	35	50	63	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	12.1	88	1	2	10	16	25	31	42
B. *Operated*	558	14.2	161	2	3	10	19	33	43	54
2. MULTIPLE DX										
A. *Not Operated*	639	15.9	143	3	4	13	22	33	42	51
B. *Operated*	1538	23.0	290	4	6	18	32	48	59	94
1. SINGLE DX	865	13.4	136	2	3	10	18	29	38	53
2. MULTIPLE DX	2177	20.9	257	3	5	16	29	45	54	86
A. NOT OPERATED	946	14.6	128	2	3	12	20	31	39	49
B. OPERATED	2096	20.6	271	3	4	16	29	45	55	86
TOTAL 0-19 YRS	513	17.0	153	2	4	14	23	33	43	59
20-34	474	18.1	214	2	3	13	27	40	49	64
35-49	540	18.3	286	2	3	13	26	43	56	91
50-64	764	18.0	213	2	4	14	25	42	48	69
65+	751	21.6	276	3	5	16	31	46	53	84
GRAND TOTAL	**3042**	**18.8**	**234**	**2**	**4**	**14**	**27**	**42**	**50**	**79**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	240	5.1	18	1	1	4	7	12	14	19
20-34	168	3.5	10	1	1	3	4	6	9	19
35-49	253	4.0	8	1	1	3	5	8	9	15
50-64	169	4.8	15	1	2	4	6	9	13	25
65+	288	7.7	25	2	2	7	11	14	17	21
B. Operated										
0-19 YRS	1383	4.5	18	1	1	3	5	9	13	21
20-34	1175	4.4	13	1	1	3	5	8	11	18
35-49	638	5.6	25	1	2	4	7	12	15	23
50-64	500	7.1	42	1	2	5	10	15	18	27
65+	341	10.3	49	2	2	10	15	18	23	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	174	6.1	42	<1	1	4	7	14	19	39
20-34	392	5.2	17	1	1	4	7	10	13	22
35-49	740	5.6	29	1	2	4	7	10	14	31
50-64	1106	7.2	35	2	2	6	9	13	20	33
65+	4071	10.1	45	3	3	9	13	18	23	33
B. Operated										
0-19 YRS	494	6.0	62	1	1	3	6	12	18	44
20-34	916	7.0	85	1	2	4	8	15	20	51
35-49	741	8.9	111	1	2	5	11	18	26	57
50-64	1035	11.1	117	2	2	9	14	24	32	56
65+	1634	17.0	142	3	4	15	22	31	41	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1118	5.2	18	1	1	4	7	11	14	20
B. Operated	4037	5.5	26	1	1	4	7	12	16	24
2. MULTIPLE DX										
A. Not Operated	6483	8.7	44	2	2	7	11	17	21	33
B. Operated	4820	11.5	131	2	2	8	16	25	33	58
1. SINGLE DX	5155	5.4	25	1	1	4	7	12	15	23
2. MULTIPLE DX	11303	9.9	83	2	2	7	13	20	27	45
A. NOT OPERATED	7601	8.2	41	2	2	7	11	16	21	32
B. OPERATED	8857	8.7	92	1	2	5	12	19	27	48
TOTAL 0-19 YRS	2291	5.0	30	1	1	3	6	10	14	28
20-34	2651	5.4	40	1	1	4	6	11	15	32
35-49	2372	6.4	54	1	2	4	8	13	18	38
50-64	2810	8.5	70	2	2	6	11	17	24	44
65+	6334	11.8	79	3	3	10	15	22	28	45
GRAND TOTAL	**16458**	**8.5**	**69**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.8	28	<1	<1	2	3	15	17	17
20-34	7	2.0	3	<1	<1	1	3	5	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	9.0	21	5	5	8	12	14	14	14
65+	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	309	4.3	23	1	2	4	5	7	9	18
20-34	185	3.2	6	<1	1	3	4	6	8	14
35-49	112	3.4	9	1	1	3	4	6	8	19
50-64	107	4.4	11	1	2	3	6	9	11	16
65+	37	4.7	7	2	2	4	7	9	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.1	10	<1	<1	1	4	6	10	14
20-34	13	4.8	53	<1	<1	3	4	12	25	28
35-49	21	4.0	22	<1	<1	2	5	9	16	20
50-64	32	8.4	113	1	1	4	12	20	27	52
65+	31	17.2	387	4	4	7	23	41	58	92
B. Operated										
0-19 YRS	342	4.9	28	1	2	4	5	8	11	24
20-34	257	4.8	22	1	2	3	6	9	11	28
35-49	246	5.6	53	1	2	4	6	10	15	27
50-64	257	6.4	22	2	2	5	8	12	13	25
65+	160	9.7	80	2	3	7	13	19	26	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.7	21	<1	<1	2	4	11	17	17
B. Operated	750	3.9	14	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	118	8.6	171	<1	1	4	10	22	32	70
B. Operated	1262	5.9	39	1	2	4	7	12	15	33
1. SINGLE DX	780	3.9	14	1	1	3	5	7	9	17
2. MULTIPLE DX	1380	6.1	51	1	2	4	7	12	15	37
A. NOT OPERATED	148	7.6	144	<1	<1	4	8	18	28	60
B. OPERATED	2012	5.2	31	1	2	4	6	10	13	27
TOTAL 0-19 YRS	688	4.6	25	1	2	4	5	7	10	22
20-34	462	4.1	17	1	1	3	5	7	10	22
35-49	381	4.8	39	1	1	3	5	5	14	23
50-64	399	6.0	27	1	2	5	8	12	14	26
65+	230	9.9	120	2	2	6	12	19	29	58
GRAND TOTAL	**2160**	**5.3**	**39**	**1**	**2**	**4**	**6**	**10**	**14**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	4.7	8	1	1	4	7	9	9	9
20-34	41	6.5	18	1	2	6	8	11	13	24
35-49	73	6.2	14	1	1	5	9	12	13	14
50-64	60	6.1	17	1	2	5	8	10	12	25
65+	22	5.9	16	1	2	5	9	11	14	16
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	50	5.8	32	2	2	3	8	14	20	26
35-49	63	5.6	18	1	2	5	8	11	12	21
50-64	55	5.6	24	1	2	4	6	14	17	25
65+	21	5.4	19	1	1	3	10	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.5	5	1	1	3	6	6	6	6
20-34	56	7.3	20	3	3	6	10	14	16	22
35-49	121	7.3	19	2	3	6	9	13	17	21
50-64	146	7.7	21	1	3	7	10	14	16	23
65+	167	8.7	24	2	3	8	11	15	18	26
B. Operated										
0-19 YRS	3	7.7	41	3	3	5	12	15	15	15
20-34	33	5.8	17	.	2	5	8	12	14	17
35-49	73	10.2	55	1	3	9	13	19	26	38
50-64	75	10.6	81	2	2	9	13	19	34	45
65+	47	13.1	45	4	5	12	18	22	24	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	6.2	16	1	2	5	9	11	13	20
B. Operated	190	5.6	23	1	2	4	8	12	17	24
2. MULTIPLE DX										
A. Not Operated	496	7.9	22	2	3	7	10	15	17	23
B. Operated	231	10.3	60	2	2	9	14	19	23	41
1. SINGLE DX	392	5.9	19	.	2	5	8	12	14	22
2. MULTIPLE DX	727	8.6	35	2	3	7	11	16	19	29
A. NOT OPERATED	698	7.4	21	2	3	7	10	14	16	23
B. OPERATED	421	8.2	49	1	2	6	11	17	21	37
TOTAL 0-19 YRS	16	4.7	12	1	1	4	6	9	13	15
20-34	180	6.4	22	2	2	5	9	12	16	23
35-49	330	7.4	28	1	2	6	10	14	17	27
50-64	336	7.7	37	1	2	6	10	15	18	37
65+	257	9.0	32	2	3	8	12	17	20	28
GRAND TOTAL	**1119**	**7.7**	**31**	**2**	**2**	**6**	**10**	**15**	**18**	**27**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	319	3.6	11	1	1	2	5	9	12	14
20-34	574	5.3	21	1	1	4	7	10	13	24
35-49	600	5.5	18	1	2	5	7	10	13	23
50-64	363	5.0	13	1	1	4	6	10	12	17
65+	153	6.2	22	1	2	5	8	13	16	22
B. Operated										
0-19 YRS	783	5.0	32	1	1	2	8	12	15	23
20-34	958	4.1	19	1	1	3	5	9	12	21
35-49	756	4.1	17	1	1	3	5	10	12	20
50-64	819	3.6	12	1	1	3	4	8	10	17
65+	436	4.0	17	1	1	3	4	8	12	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	341	4.4	15	1	1	3	6	9	12	18
20-34	1067	5.7	20	1	1	4	7	11	14	22
35-49	1511	6.8	24	1	2	6	9	13	16	24
50-64	1419	6.9	24	2	2	6	9	13	16	25
65+	1423	7.5	33	2	2	6	10	15	18	25
B. Operated										
0-19 YRS	814	5.7	53	1	1	3	6	12	17	44
20-34	1282	5.0	31	1	1	3	6	11	16	29
35-49	1252	6.2	41	1	2	4	8	14	19	30
50-64	1242	6.4	41	1	2	4	8	14	19	31
65+	914	8.8	105	1	2	5	11	19	25	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2049	5.1	18	1	1	4	7	10	13	22
B. Operated	3752	4.2	19	1	1	3	5	10	13	21
2. MULTIPLE DX										
A. Not Operated	5761	6.6	26	1	2	5	9	13	16	25
B. Operated	5504	6.3	52	1	2	4	8	14	19	35
1. SINGLE DX	5801	4.5	19	1	1	3	6	10	13	21
2. MULTIPLE DX	11265	6.5	39	1	2	5	8	13	18	30
A. NOT OPERATED	7810	6.2	24	1	2	5	8	12	15	24
B. OPERATED	9256	5.4	40	1	1	3	7	12	17	31
TOTAL 0-19 YRS	2257	5.0	34	1	1	3	6	12	15	28
20-34	3881	5.0	24	1	1	3	6	10	14	26
35-49	4119	5.9	28	1	2	4	8	12	16	25
50-64	3843	5.9	27	1	2	4	8	12	16	26
65+	2966	7.3	54	1	2	5	9	15	20	32
GRAND TOTAL	**17066**	**5.8**	**33**	**1**	**1**	**4**	**8**	**12**	**16**	**28**

317: Somatic dysfunction (729)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.0	11	2	2	3	6	9	9	9
20-34	36	4.8	7	2	2	4	7	9	9	12
35-49	54	6.0	11	2	2	6	7	10	13	18
50-64	13	6.1	13	2	2	6	9	11	13	13
65+	4	8.3	30	4	4	6	12	16	16	16
B. Operated										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	11	7.7	40	2	2	4	15	18	19	19
35-49	18	6.4	26	1	2	5	8	14	19	21
50-64	3	4.7	4	3	3	4	6	7	7	7
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	6.2	11	3	3	5	7	9	14	16
20-34	167	6.6	12	2	3	6	8	11	13	16
35-49	217	6.4	14	3	3	5	9	11	13	16
50-64	128	7.5	22	2	3	6	10	15	17	21
65+	56	8.0	28	2	3	7	10	16	19	27
B. Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	43	6.8	22	3	4	6	10	16	19	22
35-49	56	8.9	28	2	3	9	11	13	21	28
50-64	26	6.5	14	2	3	5	10	11	14	15
65+	7	12.3	30	6	6	10	15	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	5.6	11	2	2	5	7	9	12	17
B. Operated	35	6.5	29	2	2	4	8	17	19	21
2. MULTIPLE DX										
A. Not Operated	567	6.8	17	3	3	6	9	12	15	20
B. Operated	135	8.5	25	2	3	6	11	14	18	25
1. SINGLE DX	148	5.8	15	2	2	5	7	11	15	19
2. MULTIPLE DX	722	7.1	18	2	3	6	9	13	15	23
A. NOT OPERATED	700	6.6	16	2	3	6	9	12	15	19
B. OPERATED	170	8.0	26	2	3	7	11	15	18	24
TOTAL 0-19 YRS	29	5.3	11	2	2	4	7	9	10	18
20-34	259	6.7	16	2	3	6	8	11	15	21
35-49	345	6.7	17	2	3	6	9	12	14	23
50-64	170	7.2	20	2	3	6	10	14	16	19
65+	67	8.4	29	3	3	7	10	16	20	26
GRAND TOTAL	**870**	**6.9**	**18**	**2**	**3**	**6**	**9**	**12**	**15**	**22**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	3.2	10	<1	<1	2	4	7	9	16
20-34	5	3.2	5	1	1	3	4	7	7	7
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	5.0	16	2	2	5	6	6	6	6
B. Operated										
0-19 YRS	128	6.1	12	2	2	5	6	11	13	16
20-34	22	8.4	25	1	2	9	12	15	16	17
35-49	13	10.8	44	2	2	11	15	20	22	22
50-64	6	6.5	35	1	1	5	12	15	15	15
65+	5	12.0	37	4	4	13	17	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	210	4.9	31	1	1	3	6	12	15	23
20-34	27	7.9	48	1	2	6	10	17	23	30
35-49	11	9.1	31	2	2	10	11	16	21	21
50-64	14	5.5	31	<1	<1	3	10	14	17	18
65+	17	8.9	42	2	3	6	16	18	18	18
B. Operated										
0-19 YRS	236	12.6	215	2	3	7	16	31	41	80
20-34	41	10.0	84	1	2	7	14	19	26	48
35-49	20	16.4	335	2	3	11	16	36	65	81
50-64	19	11.7	107	2	3	10	14	26	38	43
65+	16	11.6	41	3	4	11	15	19	25	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	3.2	10	<1	<1	2	4	7	9	17
B. Operated	174	7.0	20	2	2	6	9	13	16	20
2. MULTIPLE DX										
A. Not Operated	279	5.6	35	1	1	4	7	14	17	26
B. Operated	332	12.5	192	2	3	8	15	28	40	79
1. SINGLE DX	257	5.7	19	1	1	5	8	12	15	19
2. MULTIPLE DX	611	9.4	132	1	2	6	12	20	32	65
A. NOT OPERATED	362	5.1	30	<1	1	3	7	12	16	22
B. OPERATED	506	10.6	139	2	3	7	13	21	34	66
TOTAL 0-19 YRS	647	7.8	107	1	1	5	9	18	26	64
20-34	95	8.7	57	1	2	7	13	16	20	42
35-49	46	12.4	175	2	2	10	14	21	23	81
50-64	40	8.5	25	<1	1	6	13	16	25	43
65+	40	10.2	41	2	3	9	16	18	19	27
GRAND TOTAL	**868**	**8.3**	**101**	**1**	**1**	**5**	**10**	**18**	**25**	**50**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.6	11	<1	<1	1	1	2	3	18
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	731	2.3	3	1	1	2	3	4	5	9
20-34	181	2.6	2	1	1	2	3	4	6	9
35-49	106	2.9	4	1	2	2	3	4	6	13
50-64	90	2.6	2	1	2	2	3	4	5	7
65+	82	2.5	1	1	2	2	3	4	5	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	2.0	5	<1	1	1	2	4	5	14
20-34	4	1.5		1	1	1	2	2	2	2
35-49	4	3.0	5	1	1	3	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	6	3.0	10	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	237	2.8	11	1	1	2	3	5	7	16
20-34	90	2.9	6	1	1	2	3	5	7	14
35-49	48	3.0	4	1	1	2	4	6	8	9
50-64	90	3.8	15	2	2	2	4	9	11	23
65+	146	3.2	11	1	2	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	1.6	10	<1	<1	1	1	2	3	18
B. *Operated*	1190	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	70	2.1	5	1	1	1	2	5	5	15
B. *Operated*	611	3.1	10	1	1	2	3	5	8	17
1. SINGLE DX	1301	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	681	3.0	10	1	1	2	3	5	8	16
A. NOT OPERATED	181	1.8	8	<1	<1	1	2	3	5	12
B. OPERATED	1801	2.7	5	1	1	2	3	4	6	11
TOTAL 0-19 YRS	1131	2.3	5	<1	1	2	2	4	5	10
20-34	276	2.7	3	1	1	2	3	4	6	11
35-49	159	2.9	4	1	1	2	3	5	6	10
50-64	182	3.2	8	1	2	2	3	5	9	19
65+	234	3.0	8	1	2	2	3	5	7	20
GRAND TOTAL	**1982**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	3.3	9	1	1	2	5	7	9	14
20-34	21	4.0	9	1	1	3	7	8	9	9
35-49	18	5.2	16	1	2	4	7	13	13	13
50-64	12	2.1	2	<1	<1	2	3	4	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1219	4.9	18	1	1	3	8	10	12	19
20-34	149	5.9	42	1	1	3	9	12	17	27
35-49	83	5.0	18	1	1	3	9	11	12	20
50-64	54	6.4	61	1	2	4	9	13	16	51
65+	25	5.5	20	1	1	3	10	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	393	4.6	35	<1	1	3	5	9	17	33
20-34	91	5.9	87	1	1	4	7	11	13	63
35-49	66	6.5	29	2	2	5	8	14	19	28
50-64	51	6.0	16	1	2	5	8	12	14	16
65+	67	8.0	42	2	2	7	9	17	25	30
B. *Operated*										
0-19 YRS	1604	7.3	83	1	1	4	10	16	23	54
20-34	154	7.4	74	1	2	5	10	13	21	72
35-49	123	9.4	134	2	2	7	12	20	28	91
50-64	162	12.7	159	2	2	10	16	28	33	69
65+	97	12.5	169	2	2	9	16	24	29	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	3.6	9	1	1	2	5	8	10	14
B. *Operated*	1530	5.1	22	1	1	3	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	668	5.4	41	1	1	4	6	11	17	32
B. *Operated*	2140	8.0	97	1	1	5	11	17	25	64
1. SINGLE DX	1650	5.0	21	1	1	3	8	10	13	19
2. MULTIPLE DX	2808	7.4	85	1	1	4	10	16	23	54
A. NOT OPERATED	788	5.2	37	1	1	3	6	10	15	31
B. OPERATED	3670	6.8	68	1	1	4	9	15	20	45
TOTAL 0-19 YRS	3284	6.0	53	1	1	3	8	13	18	37
20-34	415	6.4	62	1	1	4	9	12	16	54
35-49	290	7.3	73	1	2	5	9	15	21	56
50-64	279	9.8	119	1	2	6	13	21	29	64
65+	190	9.9	111	2	2	7	13	19	26	62
GRAND TOTAL	**4458**	**6.5**	**63**	**1**	**1**	**4**	**9**	**14**	**19**	**41**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	636	3.8	5	1	2	3	5	7	8	10
20-34	10	3.4	2	2	2	3	4	5	6	6
35-49	6	6.5	20	2	2	5	9	13	14	14
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.4	14	<1	<1	1	2	5	8	22
20-34	1	4.0*		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	631	3.9	5	2	2	3	5	7	8	12
20-34	26	2.9	2	1	1	3	4	5	5	5
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.5	2	1	1	2	3	5	5	5
B. *Operated*	655	3.8	5	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	60	2.4	14	<1	<1	1	2	5	7	22
B. *Operated*	659	3.9	5	2	2	3	5	7	8	12
1. SINGLE DX	661	3.8	5	1	2	3	5	7	8	10
2. MULTIPLE DX	719	3.7	6	1	2	3	5	7	8	12
A. NOT OPERATED	66	2.4	13	<1	<1	1	2	5	7	22
B. OPERATED	1314	3.9	5	2	2	3	5	7	8	11
TOTAL 0-19 YRS	1332	3.8	6	1	2	3	5	7	8	12
20-34	37	3.1	2	1	1	3	4	5	5	6
35-49	8	6.1	14	2	2	5	7	12	14	14
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1380**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.6	2	<1	1	2	3	5	5	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	657	3.5	3	1	2	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.5	3	1	1	4	5	6	7	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	182	5.0	7	2	2	4	6	8	11	14
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.6	2	<1	1	2	3	5	5	6
B. *Operated*	657	3.5	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	23	3.5	3	1	1	4	5	6	7	8
B. *Operated*	182	5.0	7	2	2	4	6	8	11	14
1. SINGLE DX	698	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	205	4.8	7	2	2	4	6	8	10	14
A. NOT OPERATED	64	2.9	2	1	1	3	4	5	6	8
B. OPERATED	839	3.8	4	2	2	3	5	6	7	12
TOTAL 0-19 YRS	903	3.8	4	1	2	3	5	6	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**903**	**3.8**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.3	10	<1	1	2	4	7	9	16
20-34	7	5.4	21	1	1	3	10	12	12	12
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	8	4.9	7	1	2	5	6	9	10	10
B. *Operated*										
0-19 YRS	417	5.7	45	1	1	4	7	11	16	29
20-34	70	4.2	10	1	1	3	6	8	10	15
35-49	23	6.5	20	1	1	6	9	13	15	18
50-64	30	5.2	20	1	1	3	8	12	15	18
65+	14	8.4	43	1	2	7	11	16	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	5.5	25	1	1	4	8	12	18	23
20-34	22	5.7	13	1	2	5	8	10	14	16
35-49	23	4.3	7	1	2	4	6	7	9	12
50-64	33	5.6	13	1	2	4	8	10	13	15
65+	62	5.6	21	1	1	5	7	11	15	23
B. *Operated*										
0-19 YRS	423	8.8	121	1	2	6	10	19	29	71
20-34	94	7.6	30	2	2	6	10	17	20	24
35-49	64	9.4	52	1	3	8	12	18	29	35
50-64	71	10.7	62	2	3	10	15	20	24	41
65+	94	15.1	211	2	3	10	18	36	49	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	3.4	10	<1	1	2	4	8	10	15
B. *Operated*	554	5.6	38	1	1	4	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	313	5.5	21	1	1	4	7	11	15	23
B. *Operated*	746	9.7	114	1	2	7	12	20	29	65
1. SINGLE DX	711	5.1	33	1	1	3	7	10	13	26
2. MULTIPLE DX	1059	8.5	90	1	2	6	10	18	24	59
A. NOT OPERATED	470	4.8	18	1	1	3	6	10	13	22
B. OPERATED	1300	7.9	86	1	2	5	10	17	24	53
TOTAL 0-19 YRS	1147	6.5	69	1	1	4	8	13	20	47
20-34	193	6.1	23	1	2	5	8	13	17	23
35-49	115	7.5	40	1	2	6	9	15	19	32
50-64	137	8.1	47	1	2	7	11	17	20	36
65+	178	10.8	143	1	2	7	13	21	36	63
GRAND TOTAL	**1770**	**7.1**	**70**	**1**	**1**	**5**	**9**	**15**	**20**	**46**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5		<1	<1	1	2	2	3	3
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	762	2.2	2	<1	1	2	3	4	5	7
20-34	70	3.1	4	1	1	3	4	6	6	13
35-49	20	2.7	1	1	1	3	3	4	5	5
50-64	7	2.6	1	1	1	3	3	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	1.4	1	<1	<1	1	1	3	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	771	2.5	2	1	1	2	3	4	5	7
20-34	79	3.3	4	1	1	3	4	5	8	13
35-49	40	3.3	3	1	2	3	4	5	7	8
50-64	10	3.5	4	1	1	3	4	7	7	7
65+	5	4.8	13	2	2	3	6	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.6		<1	<1	1	2	3	3	3
B. *Operated*	860	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	45	1.4	1	<1	<1	1	1	3	3	4
B. *Operated*	905	2.6	2	1	1	2	3	4	6	8
1. SINGLE DX	879	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	950	2.5	2	1	1	2	3	4	5	8
A. NOT OPERATED	64	1.4	1	<1	<1	1	2	3	3	4
B. OPERATED	1765	2.5	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	1591	2.3	2	<1	1	2	3	4	5	7
20-34	154	3.2	4	1	1	3	4	5	7	14
35-49	61	3.0	2	1	1	3	4	5	6	8
50-64	17	3.1	3	1	1	3	4	6	7	7
65+	6	4.7	11	2	2	4	5	10	11	11
GRAND TOTAL	**1829**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.9	1	<1	<1	2	2	4	4	5
20-34	19	2.8	4	<1	<1	2	4	6	7	8
35-49	9	3.1	3	<1	<1	3	4	6	6	6
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	8	5.1	15	1	1	4	7	11	13	13
B. Operated										
0-19 YRS	892	4.8	12	1	1	4	7	9	11	16
20-34	203	4.3	9	1	1	4	6	7	10	14
35-49	61	4.3	8	1	1	4	6	8	9	16
50-64	37	4.8	16	1	2	3	7	12	14	15
65+	24	5.1	23	1	1	3	7	9	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	3.5	18	<1	<1	2	4	8	11	24
20-34	39	4.3	9	1	1	4	5	9	10	15
35-49	50	5.6	10	1	2	5	7	11	12	13
50-64	53	6.5	17	2	3	5	9	13	15	18
65+	50	6.8	22	2	2	6	8	12	19	23
B. Operated										
0-19 YRS	658	5.6	23	1	1	4	8	11	14	22
20-34	288	5.9	18	1	2	5	7	11	15	22
35-49	176	6.7	22	1	2	6	9	12	16	24
50-64	170	9.1	68	2	2	7	12	15	24	52
65+	107	10.2	111	2	2	8	12	18	23	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	2.6	4	<1	1	2	3	5	6	12
B. Operated	1217	4.7	12	1	1	4	7	9	11	16
2. MULTIPLE DX										
A. Not Operated	272	5.2	17	1	1	4	7	11	13	22
B. Operated	1399	6.6	36	1	2	5	8	13	16	26
1. SINGLE DX	1294	4.6	11	1	1	4	6	9	11	16
2. MULTIPLE DX	1671	6.3	33	1	1	5	8	12	16	25
A. NOT OPERATED	349	4.6	15	<1	1	4	6	9	12	21
B. OPERATED	2616	5.7	26	1	1	5	8	11	14	22
TOTAL 0-19 YRS	1669	5.0	17	1	1	4	7	10	12	19
20-34	549	5.1	14	1	1	5	7	9	12	17
35-49	296	5.9	18	1	2	5	8	11	13	21
50-64	262	7.9	52	2	2	6	11	15	17	42
65+	189	8.4	76	2	2	7	11	16	20	33
GRAND TOTAL	**2965**	**5.6**	**24**	**1**	**1**	**5**	**7**	**11**	**14**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.6	23	<1	<1	2	4	7	16	19
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	673	3.7	4	1	2	3	4	6	7	14
20-34	37	5.1	17	1	1	4	6	10	15	19
35-49	17	4.1	4	2	2	4	5	8	9	9
50-64	10	3.8	3	2	2	3	5	6	7	7
65+	9	4.2	10	2	2	3	5	9	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	1.7	9	<1	<1	1	1	3	4	21
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	378	4.2	15	1	2	3	5	7	8	17
20-34	97	4.6	5	2	2	4	5	8	9	13
35-49	82	4.3	4	2	2	4	5	7	8	10
50-64	105	5.3	15	2	3	4	5	8	12	24
65+	43	5.5	9	2	3	5	6	11	12	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.6	23	<1	<1	2	4	7	16	19
B. Operated	746	3.7	5	1	2	3	5	6	7	14
2. MULTIPLE DX										
A. Not Operated	57	1.6	7	<1	<1	1	1	3	4	20
B. Operated	705	4.5	12	2	2	4	5	7	9	17
1. SINGLE DX	760	3.7	5	1	2	3	5	6	7	15
2. MULTIPLE DX	762	4.3	12	1	1	4	5	7	9	18
A. NOT OPERATED	71	2.0	11	<1	<1	1	1	4	5	21
B. OPERATED	1451	4.1	9	1	2	4	5	7	8	15
TOTAL 0-19 YRS	1114	3.7	8	1	1	3	5	6	8	14
20-34	137	4.6	8	1	2	4	5	8	10	16
35-49	100	4.2	4	2	2	4	5	7	9	10
50-64	117	5.1	14	2	3	4	5	8	11	24
65+	54	5.2	10	2	2	4	6	11	12	15
GRAND TOTAL	**1522**	**4.0**	**9**	**1**	**2**	**3**	**5**	**6**	**8**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	3.2	12	<1	1	2	4	8	12	16
20-34	66	5.6	31	1	1	5	8	10	14	35
35-49	55	6.1	13	1	2	5	8	11	13	15
50-64	29	7.6	23	1	2	6	10	14	17	22
65+	13	7.8	41	1	2	6	9	16	24	26
B. *Operated*										
0-19 YRS	1928	4.6	30	1	1	3	5	9	12	25
20-34	532	4.3	21	1	1	3	5	9	13	24
35-49	295	5.2	24	1	1	3	7	12	16	24
50-64	164	6.8	74	1	1	4	9	14	19	48
65+	55	7.6	58	1	1	4	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	418	4.5	27	<1	1	3	5	10	14	25
20-34	145	6.7	31	1	2	6	8	12	17	32
35-49	124	7.3	62	1	1	6	9	12	17	53
50-64	117	7.4	29	1	2	6	10	15	19	25
65+	149	8.5	35	1	2	7	11	17	21	25
B. *Operated*										
0-19 YRS	897	6.2	44	1	2	4	7	14	20	34
20-34	358	6.8	62	1	2	4	9	14	18	33
35-49	304	8.3	76	1	2	5	11	17	20	44
50-64	301	10.0	79	2	2	8	13	21	28	44
65+	145	13.0	217	2	2	9	15	28	41	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	4.4	19	<1	1	3	6	10	12	20
B. *Operated*	2974	4.8	31	1	1	3	5	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	953	6.2	36	1	1	5	8	13	17	26
B. *Operated*	2005	7.7	74	1	2	5	10	17	23	42
1. SINGLE DX	3407	4.7	29	1	1	3	5	10	14	25
2. MULTIPLE DX	2958	7.2	62	1	1	5	9	15	21	39
A. NOT OPERATED	1386	5.6	31	<1	1	4	8	12	16	25
B. OPERATED	4979	5.9	50	1	1	4	7	13	18	34
TOTAL 0-19 YRS	3513	4.9	32	1	1	3	5	10	15	28
20-34	1101	5.5	38	1	1	4	7	12	16	32
35-49	778	6.8	51	1	2	4	9	14	18	33
50-64	611	8.5	67	1	2	6	11	18	22	42
65+	362	10.1	116	1	2	7	13	20	27	70
GRAND TOTAL	**6365**	**5.9**	**46**	**1**	**1**	**4**	**7**	**13**	**18**	**33**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2229	3.2	12	1	1	2	3	6	8	20
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	67	6.4	56	1	1	4	8	14	23	37
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1472	8.2	111	1	2	4	9	19	29	59
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	196	20.1	399	2	3	13	30	71	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2229	3.2	12	1	1	2	3	6	8	20
B. *Operated*	67	6.4	56	1	1	4	8	14	23	37
2. MULTIPLE DX										
A. *Not Operated*	1472	8.2	111	1	2	4	9	19	29	59
B. *Operated*	196	20.1	399	2	3	13	30	71	99+	99+
1. SINGLE DX	2296	3.3	14	1	1	2	3	6	9	22
2. MULTIPLE DX	1668	9.6	159	1	2	5	11	25	38	92
A. NOT OPERATED	3701	5.2	57	1	1	3	5	11	18	40
B. OPERATED	263	16.6	347	1	2	11	25	57	87	99+
TOTAL 0-19 YRS	3964	6.0	84	1	1	3	6	13	23	60
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**3964**	**6.0**	**84**	**1**	**1**	**3**	**6**	**13**	**23**	**60**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2644	3.1	6	1	1	2	4	5	7	12
20-34	969	3.4	7	1	1	3	4	6	8	14
35-49	484	3.8	8	1	1	3	5	7	8	14
50-64	314	4.6	15	1	1	4	5	8	10	23
65+	233	5.2	21	1	1	4	6	10	13	29
B. *Operated*										
0-19 YRS	45	4.3	14	1	2	3	5	7	12	31
20-34	32	5.5	17	1	2	4	8	12	14	17
35-49	26	5.3	15	1	2	4	6	11	13	16
50-64	20	5.1	7	1	2	5	7	9	10	11
65+	12	10.2	143	1	2	5	11	33	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4025	3.6	11	1	1	3	4	7	9	15
20-34	1438	5.4	25	1	2	4	7	10	13	25
35-49	1245	5.9	25	1	2	5	7	11	14	25
50-64	1434	6.3	29	1	2	5	8	12	16	26
65+	2004	7.6	34	2	3	6	9	15	19	28
B. *Operated*										
0-19 YRS	113	8.5	84	2	2	6	10	17	28	51
20-34	127	9.0	67	2	2	7	12	19	23	44
35-49	146	11.2	100	2	2	9	13	19	32	57
50-64	203	12.9	131	3	4	9	16	26	36	56
65+	219	14.2	113	3	4	11	17	28	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4644	3.4	8	1	1	3	4	6	8	15
B. *Operated*	135	5.4	26	1	2	4	7	11	14	33
2. MULTIPLE DX										
A. *Not Operated*	10146	5.3	24	1	2	4	7	10	14	24
B. *Operated*	808	11.7	108	2	3	9	14	24	35	53
1. SINGLE DX	4779	3.5	9	1	1	3	4	6	8	15
2. MULTIPLE DX	10954	5.8	33	1	2	4	7	11	16	28
A. NOT OPERATED	14790	4.7	20	1	1	3	6	9	13	22
B. OPERATED	943	10.8	101	2	2	8	13	22	32	50
TOTAL 0-19 YRS	6827	3.5	11	1	1	3	4	6	8	15
20-34	2566	4.9	22	1	1	4	6	9	12	24
35-49	1901	5.7	29	1	2	4	7	11	14	27
50-64	1971	6.7	42	1	2	5	8	13	17	34
65+	2468	8.0	44	2	2	6	10	16	20	37
GRAND TOTAL	**15733**	**5.1**	**27**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	899	3.0	3	1	1	3	4	5	6	8
20-34	117	4.4	6	1	2	4	5	8	10	13
35-49	77	5.0	9	1	2	4	7	10	11	15
50-64	100	5.9	14	2	2	5	7	11	12	20
65+	83	5.6	26	1	2	4	6	10	13	33
B. *Operated*										
0-19 YRS	15	7.2	22	2	2	6	10	15	17	18
20-34	15	6.7	24	1	2	5	10	15	16	16
35-49	12	6.9	27	1	2	6	10	13	16	16
50-64	9	15.9	114	4	5	15	20	33	39	39
65+	7	15.1	32	6	7	16	20	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1716	3.6	9	1	1	3	4	6	8	14
20-34	331	5.4	24	1	2	4	6	10	12	29
35-49	298	6.2	28	2	2	5	8	12	13	20
50-64	479	6.2	26	2	2	5	8	11	14	26
65+	865	8.0	33	2	3	7	10	15	19	31
B. *Operated*										
0-19 YRS	69	9.4	111	2	2	6	10	20	28	63
20-34	58	11.4	111	3	4	8	12	20	29	70
35-49	62	12.4	95	3	3	10	16	23	33	47
50-64	120	14.5	145	4	5	11	18	26	31	76
65+	136	16.4	136	4	6	13	21	35	43	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1276	3.6	7	1	1	3	4	6	8	13
B. *Operated*	58	9.3	50	2	2	7	15	18	21	38
2. MULTIPLE DX										
A. *Not Operated*	3689	5.4	23	1	2	4	7	10	13	24
B. *Operated*	445	13.6	131	3	4	10	18	26	35	68
1. SINGLE DX	1334	3.9	10	1	1	3	5	7	10	16
2. MULTIPLE DX	4134	6.2	41	1	2	4	8	12	17	33
A. NOT OPERATED	4965	4.9	19	1	2	4	6	10	12	21
B. OPERATED	503	13.1	123	3	3	10	17	25	35	64
TOTAL 0-19 YRS	2699	3.6	11	1	1	3	4	6	8	15
20-34	521	5.8	34	1	2	4	7	11	13	30
35-49	449	6.8	38	2	2	5	9	13	16	27
50-64	708	7.7	56	2	2	6	9	15	20	33
65+	1091	8.9	53	2	3	7	11	17	22	37
GRAND TOTAL	**5468**	**5.7**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	394	3.0	4	1	1	3	4	5	7	12
20-34	661	3.6	7	1	1	3	5	7	8	13
35-49	329	3.8	11	1	1	3	5	6	10	16
50-64	151	4.0	7	1	1	3	5	7	9	13
65+	53	4.5	7	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	18	4.3	7	1	2	3	7	8	9	9
20-34	56	4.5	13	1	2	4	5	8	11	22
35-49	57	4.4	12	1	1	3	6	9	11	18
50-64	35	5.5	17	2	2	5	6	9	16	22
65+	11	4.8	15	<1	1	4	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	538	3.7	10	1	1	3	4	6	8	20
20-34	1187	4.9	16	1	2	4	6	9	13	21
35-49	916	5.8	28	1	2	4	7	11	14	29
50-64	713	5.9	20	1	2	5	8	11	14	23
65+	560	5.7	16	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	26	4.9	26	1	1	4	5	8	14	27
20-34	142	7.7	31	2	2	7	10	14	17	31
35-49	165	9.6	48	2	3	8	13	19	21	38
50-64	130	7.8	32	2	2	7	10	14	19	28
65+	100	9.1	58	2	3	7	11	18	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1588	3.6	7	1	1	3	4	7	9	13
B. *Operated*	177	4.7	13	1	2	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	3914	5.2	19	1	2	4	7	10	13	23
B. *Operated*	563	8.4	42	2	2	7	11	17	20	33
1. SINGLE DX	1765	3.7	8	1	1	3	5	7	9	14
2. MULTIPLE DX	4477	5.6	23	1	2	4	7	11	14	25
A. NOT OPERATED	5502	4.8	16	1	1	4	6	9	12	21
B. OPERATED	740	7.5	37	2	2	6	10	15	19	31
TOTAL 0-19 YRS	976	3.4	8	1	1	3	4	6	8	15
20-34	2046	4.7	15	1	1	4	6	9	12	20
35-49	1467	5.7	26	1	2	4	7	12	15	28
50-64	1029	5.9	20	1	2	5	8	11	14	24
65+	724	6.1	22	2	2	5	8	11	14	24
GRAND TOTAL	**6242**	**5.1**	**20**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	4	<1	<1	2	4	6	7	8
20-34	66	2.6	2	1	1	3	4	5	6	7
35-49	93	3.3	3	1	1	3	4	5	7	8
50-64	177	3.4	5	1	1	3	4	6	8	12
65+	195	3.2	5	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	46	2.2	8	<1	<1	1	2	4	6	16
20-34	65	4.4	7	1	1	4	6	8	10	11
35-49	83	5.1	7	1	2	4	6	9	10	15
50-64	153	5.1	13	1	2	4	7	9	11	23
65+	127	4.7	12	1	1	4	6	9	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.8	6	<1	1	2	3	6	8	12
20-34	72	3.9	6	1	1	3	5	7	9	12
35-49	166	4.2	12	1	1	4	5	6	10	18
50-64	425	4.7	10	1	2	4	6	8	9	16
65+	846	4.7	12	1	1	4	6	9	11	17
B. *Operated*										
0-19 YRS	40	3.4	7	<1	1	3	5	7	8	13
20-34	50	5.3	14	1	1	5	7	9	13	17
35-49	107	5.8	24	2	2	5	7	9	12	34
50-64	277	6.3	28	1	2	5	7	11	14	29
65+	431	6.6	32	1	2	5	8	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	3.2	4	1	1	3	4	6	7	10
B. *Operated*	474	4.6	11	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	1596	4.5	11	1	1	4	6	8	10	16
B. *Operated*	905	6.2	26	1	2	5	8	11	15	29
1. SINGLE DX	1046	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX	2501	5.1	16	1	1	4	7	9	12	21
A. NOT OPERATED	2168	4.1	9	1	1	3	5	8	9	14
B. OPERATED	1379	5.7	23	1	1	5	7	10	13	25
TOTAL 0-19 YRS	234	2.8	6	<1	1	2	3	6	7	13
20-34	253	4.0	8	1	1	3	5	6	9	13
35-49	429	4.6	13	1	1	4	6	8	10	15
50-64	1032	5.0	15	1	2	4	6	9	11	21
65+	1599	5.0	17	1	1	4	6	9	12	21
GRAND TOTAL	**3547**	**4.7**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	3.6	6	1	1	3	5	7	9	10
20-34	47	3.0	3	1	1	3	4	5	6	11
35-49	44	3.5	6	<1	<1	3	5	6	8	13
50-64	27	3.9	9	<1	1	3	6	8	10	13
65+	24	4.0	5	<1	<1	4	5	8	8	9
B. Operated										
0-19 YRS	231	2.2	3	<1	<1	2	2	4	6	10
20-34	210	2.7	4	<1	1	2	3	6	7	10
35-49	114	3.0	4	1	1	3	3	5	7	12
50-64	96	3.7	14	<1	1	3	4	8	10	22
65+	63	3.9	11	1	1	2	5	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	3.8	6	1	1	3	5	8	9	12
20-34	134	4.8	13	1	1	4	6	9	11	21
35-49	161	4.3	20	1	1	3	5	8	11	27
50-64	195	4.9	15	1	2	4	7	9	11	22
65+	375	8.2	67	1	2	6	11	16	23	45
B. Operated										
0-19 YRS	101	5.5	24	1	1	3	8	12	14	24
20-34	155	4.8	21	1	1	3	6	11	15	21
35-49	130	6.3	93	1	2	4	7	13	16	53
50-64	182	7.7	73	1	2	5	10	16	20	49
65+	211	11.0	167	1	2	6	17	29	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	3.5	6	1	1	3	5	7	8	12
B. Operated	714	2.8	6	<1	1	2	3	5	8	12
2. MULTIPLE DX										
A. Not Operated	975	5.9	38	1	1	4	7	12	16	27
B. Operated	779	7.5	90	1	2	4	9	17	25	68
1. SINGLE DX	910	3.0	6	<1	1	2	3	6	8	12
2. MULTIPLE DX	1754	6.6	62	1	1	4	8	14	21	44
A. NOT OPERATED	1171	5.5	33	1	1	4	7	11	15	26
B. OPERATED	1493	5.3	55	1	1	3	6	12	18	42
TOTAL 0-19 YRS	496	3.4	10	<1	1	2	4	8	10	15
20-34	546	3.9	12	1	1	3	5	8	11	19
35-49	449	4.5	37	1	1	3	5	8	13	31
50-64	500	5.6	38	1	1	4	7	12	16	27
65+	673	8.5	95	1	2	6	11	20	27	71
GRAND TOTAL	**2664**	**5.4**	**46**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	4	13.0	66	7	7	10	18	25	25	25
65+	10	7.6	30	<1	1	7	10	16	19	19
B. Operated										
0-19 YRS	22	6.6	40	1	2	4	9	15	23	25
20-34	21	5.1	51	1	1	3	5	13	25	30
35-49	27	9.1	153	<1	1	5	10	21	31	62
50-64	57	10.9	84	1	1	10	14	22	26	52
65+	124	17.6	198	3	4	14	22	41	52	58
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0	13	1	1	6	7	8	8	8
20-34	6	7.2	30	4	4	5	7	17	18	18
35-49	11	8.5	52	1	2	7	10	21	25	25
50-64	51	9.8	78	1	2	8	14	20	23	50
65+	224	11.3	77	3	3	9	15	22	28	50
B. Operated										
0-19 YRS	25	6.9	28	1	2	6	10	15	17	19
20-34	81	11.7	134	1	2	8	17	27	38	87
35-49	113	15.9	207	1	2	12	24	40	46	99+
50-64	429	23.1	338	3	5	19	32	46	64	98
65+	1293	24.0	254	6	8	20	31	47	58	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	7.9	40	<1	1	7	10	17	23	25
B. Operated	251	13.2	162	1	2	10	17	28	45	57
2. MULTIPLE DX										
A. Not Operated	295	10.8	75	2	3	8	14	21	26	49
B. Operated	1941	22.6	273	4	6	19	30	45	58	94
1. SINGLE DX	269	12.8	155	1	2	10	17	27	44	57
2. MULTIPLE DX	2236	21.1	263	3	5	17	28	43	55	93
A. NOT OPERATED	313	10.6	74	2	3	8	14	20	25	49
B. OPERATED	2192	21.5	270	3	5	17	29	44	56	93
TOTAL 0-19 YRS	52	6.5	31	1	1	5	9	14	19	25
20-34	108	10.2	118	1	2	6	14	26	31	75
35-49	153	14.1	193	1	2	9	20	36	44	99
50-64	541	20.5	311	2	4	16	27	43	58	94
65+	1651	21.7	245	4	6	18	28	43	55	86
GRAND TOTAL	**2505**	**20.2**	**258**	**3**	**4**	**16**	**27**	**42**	**54**	**91**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	3.1	14	1	1	2	4	6	7	18
20-34	907	2.9	4	1	1	2	4	5	6	10
35-49	2390	3.1	4	1	1	3	4	6	7	10
50-64	1791	3.4	6	1	1	3	4	6	8	12
65+	660	3.7	7	1	1	3	5	7	8	14
B. Operated										
0-19 YRS	7	3.1	10	1	1	2	3	9	10	10
20-34	117	3.0	7	1	1	2	3	6	7	15
35-49	733	2.9	4	1	1	2	3	6	8	11
50-64	888	2.9	5	1	1	2	3	5	8	11
65+	186	3.1	6	1	2	2	3	6	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	198	3.7	6	1	1	3	5	7	8	12
20-34	1625	3.9	8	1	1	3	5	7	9	14
35-49	5380	4.3	9	1	2	4	5	8	10	15
50-64	6675	4.5	10	1	2	4	6	8	10	15
65+	4693	5.1	13	1	2	4	6	9	12	19
B. Operated										
0-19 YRS	9	2.6	2	1	1	2	3	5	6	6
20-34	200	5.1	16	1	2	4	7	10	12	20
35-49	1492	4.9	16	1	2	3	7	10	13	19
50-64	2280	5.1	22	2	2	3	7	11	14	24
65+	791	7.1	47	2	2	5	9	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5863	3.2	5	1	1	3	4	6	7	11
B. Operated	1931	2.9	5	1	1	2	3	6	8	11
2. MULTIPLE DX										
A. Not Operated	18571	4.5	10	1	2	4	6	8	10	16
B. Operated	4772	5.4	25	2	2	4	7	11	14	24
1. SINGLE DX	7794	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	23343	4.7	13	1	2	4	6	9	11	18
A. NOT OPERATED	24434	4.2	9	1	1	3	5	8	10	15
B. OPERATED	6703	4.7	20	1	2	3	6	10	13	21
TOTAL 0-19 YRS	329	3.4	8	1	1	3	4	6	7	11
20-34	2849	3.6	8	1	1	3	5	7	8	14
35-49	9995	4.0	9	1	1	3	5	8	9	15
50-64	11634	4.3	11	1	2	3	5	8	10	17
65+	6330	5.2	17	1	2	4	6	10	12	20
GRAND TOTAL	**31137**	**4.3**	**12**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	752	3.4	6	1	1	3	5	6	8	13
20-34	57	2.8	3	1	1	2	3	5	6	9
35-49	58	3.7	8	<1	1	3	5	7	9	14
50-64	95	5.0	14	<1	1	4	8	10	13	15
65+	94	5.5	20	1	1	4	8	11	14	22
B. Operated										
0-19 YRS	45	2.9	5	<1	1	2	4	5	8	9
20-34	46	4.6	13	1	1	3	8	10	12	14
35-49	72	3.6	11	1	1	3	4	8	11	17
50-64	145	4.5	17	1	1	3	6	9	12	19
65+	89	4.6	13	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	865	4.4	14	1	1	3	5	8	11	20
20-34	208	3.8	8	1	1	3	5	8	9	14
35-49	356	5.0	20	1	1	4	6	10	14	23
50-64	874	6.8	32	1	2	5	9	14	17	29
65+	1442	7.6	38	1	2	6	10	15	19	32
B. Operated										
0-19 YRS	115	6.7	62	1	1	4	9	18	23	74
20-34	95	6.9	36	1	2	5	8	16	21	28
35-49	205	7.0	69	1	2	5	8	16	21	58
50-64	506	7.6	55	2	2	6	10	15	20	58
65+	551	9.3	87	2	2	6	12	19	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1056	3.7	9	1	1	3	5	8	9	14
B. Operated	397	4.2	13	1	1	3	5	9	11	17
2. MULTIPLE DX										
A. Not Operated	3745	6.2	30	1	2	5	8	12	16	28
B. Operated	1472	8.1	69	1	2	6	10	17	22	55
1. SINGLE DX	1453	3.9	10	1	1	3	5	8	10	15
2. MULTIPLE DX	5217	6.7	42	1	2	5	8	14	18	34
A. NOT OPERATED	4801	5.7	26	1	1	4	7	11	15	26
B. OPERATED	1869	7.2	60	1	2	5	9	15	20	47
TOTAL 0-19 YRS	1777	4.1	14	1	1	3	5	8	10	21
20-34	406	4.4	16	1	1	3	6	9	13	21
35-49	691	5.3	34	1	1	4	6	11	15	28
50-64	1620	6.8	38	1	2	5	9	14	17	37
65+	2176	7.8	50	1	2	6	10	16	20	37
GRAND TOTAL	**6670**	**6.1**	**36**	**1**	**1**	**4**	**8**	**12**	**17**	**31**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	2.2	2	1	1	2	3	4	5	6
20-34	283	2.4	6	<1	1	2	3	4	6	9
35-49	327	2.2	2	<1	1	2	3	4	5	8
50-64	197	2.3	3	1	1	2	3	5	6	8
65+	129	3.3	17	<1	1	2	4	6	8	17
B. *Operated*										
0-19 YRS	102	2.5	4	<1	1	2	3	6	7	11
20-34	66	5.1	19	1	2	4	7	8	10	29
35-49	82	5.5	12	1	2	5	7	10	12	16
50-64	73	5.6	15	1	2	5	7	10	12	21
65+	111	7.0	25	1	2	5	9	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.1	5	1	1	3	4	6	9	26
20-34	324	3.7	14	1	1	3	4	7	9	22
35-49	345	3.3	6	1	1	3	4	6	8	12
50-64	471	4.1	15	1	1	3	5	9	10	23
65+	971	5.7	30	1	2	5	8	14	17	27
B. *Operated*										
0-19 YRS	161	3.4	11	<1	1	2	4	7	11	18
20-34	157	6.2	28	1	2	5	8	12	15	27
35-49	249	6.6	29	1	2	5	8	13	19	27
50-64	377	8.2	38	2	2	7	10	15	19	32
65+	982	10.0	63	2	3	8	13	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1037	2.4	5	1	1	2	3	4	6	9
B. *Operated*	434	5.1	18	1	1	4	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	2244	5.0	22	1	1	4	6	10	14	24
B. *Operated*	1926	8.4	51	1	2	7	11	16	21	34
1. SINGLE DX	1471	3.2	10	1	1	2	4	7	9	15
2. MULTIPLE DX	4170	6.5	38	1	1	5	9	14	18	30
A. NOT OPERATED	3281	4.2	18	1	1	3	5	9	12	22
B. OPERATED	2360	7.8	46	1	2	6	10	15	20	32
TOTAL 0-19 YRS	497	2.9	6	1	1	2	3	6	7	13
20-34	830	3.8	16	1	1	3	4	8	10	25
35-49	1003	3.9	14	1	1	3	5	8	11	20
50-64	1118	5.3	26	1	1	4	7	11	15	26
65+	2193	8.0	48	1	2	6	11	16	20	34
GRAND TOTAL	**5641**	**5.7**	**33**	**1**	**1**	**4**	**7**	**12**	**16**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2952	2.4	3	1	1	2	3	5	6	8
20-34	2390	2.8	4	1	1	2	4	5	7	10
35-49	1159	3.5	10	1	1	3	4	7	8	13
50-64	718	3.6	7	1	1	3	5	7	8	13
65+	526	4.1	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	331	4.0	4	2	2	4	5	7	8	12
20-34	399	4.4	12	1	1	4	6	8	10	20
35-49	181	4.9	14	1	1	4	7	9	11	18
50-64	113	5.4	15	1	1	5	7	10	13	19
65+	59	6.9	26	1	1	6	10	15	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2179	3.1	5	1	1	3	4	6	7	11
20-34	2784	3.7	9	1	1	3	5	7	9	14
35-49	2012	4.8	14	1	1	4	6	9	11	19
50-64	2079	5.1	13	1	2	4	6	10	12	18
65+	3153	5.9	18	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	297	5.2	11	1	2	4	7	10	12	17
20-34	672	6.3	24	1	1	5	8	12	15	24
35-49	467	7.7	33	1	2	6	10	15	19	28
50-64	472	9.0	36	2	3	8	12	17	21	28
65+	500	10.7	71	2	3	9	14	21	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7745	2.9	5	1	1	2	4	6	7	11
B. *Operated*	1083	4.6	11	1	2	4	6	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	12207	4.6	13	1	1	4	6	9	11	18
B. *Operated*	2408	7.9	40	1	2	6	10	16	20	30
1. SINGLE DX	8828	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	14615	5.1	19	1	1	4	6	10	13	22
A. NOT OPERATED	19952	4.0	11	1	1	3	5	8	10	16
B. OPERATED	3491	6.9	33	1	2	5	9	14	18	27
TOTAL 0-19 YRS	5759	2.9	5	1	1	2	4	5	7	11
20-34	6245	3.7	10	1	1	3	5	7	9	16
35-49	3819	4.8	17	1	1	4	6	9	12	20
50-64	3382	5.3	18	1	2	4	7	10	13	21
65+	4238	6.3	26	1	2	5	8	12	16	25
GRAND TOTAL	**23443**	**4.4**	**15**	**1**	**1**	**3**	**6**	**9**	**11**	**19**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	353	3.0	5	1	1	2	4	6	7	12
20-34	129	2.9	8	1	1	2	3	5	6	15
35-49	84	3.0	7	<1	1	2	4	7	8	71
50-64	83	3.4	7	1	1	3	4	7	9	14
65+	119	5.2	43	1	1	3	6	10	15	34
B. *Operated*										
0-19 YRS	22	4.3	12	1	1	3	6	10	11	12
20-34	47	4.7	18	1	1	3	6	10	13	22
35-49	35	4.9	17	1	1	4	7	11	13	18
50-64	46	5.0	16	1	1	4	8	11	12	16
65+	42	7.1	29	2	2	5	10	16	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	880	3.3	6	1	1	3	4	6	8	12
20-34	440	4.2	15	1	1	3	5	8	12	20
35-49	439	5.2	22	1	1	4	7	10	13	28
50-64	721	7.1	56	1	2	5	8	15	21	37
65+	1520	6.9	31	2	2	5	8	13	18	26
B. *Operated*										
0-19 YRS	73	5.7	27	1	1	5	8	11	14	29
20-34	150	7.4	87	1	1	6	9	14	19	46
35-49	151	7.9	60	1	2	6	10	15	20	49
50-64	250	10.9	116	1	2	8	14	23	32	49
65+	406	12.1	90	2	3	10	16	24	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	3.4	13	1	1	2	4	7	9	16
B. *Operated*	192	5.3	20	1	1	4	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	4000	5.7	30	1	1	4	7	11	15	27
B. *Operated*	1030	10.1	91	1	2	7	13	21	28	48
1. SINGLE DX	960	3.8	15	1	1	3	5	8	10	17
2. MULTIPLE DX	5030	6.6	45	1	2	5	8	14	18	34
A. NOT OPERATED	4768	5.3	28	1	1	4	7	10	15	26
B. OPERATED	1222	9.3	83	1	2	7	12	20	26	46
TOTAL 0-19 YRS	1328	3.4	7	1	1	3	4	6	8	12
20-34	766	4.6	30	1	1	3	6	9	13	23
35-49	709	5.5	30	1	1	4	7	11	15	28
50-64	1100	7.6	68	1	2	5	9	16	23	40
65+	2087	7.8	48	2	2	6	10	16	20	36
GRAND TOTAL	**5990**	**6.1**	**42**	**1**	**1**	**4**	**7**	**13**	**18**	**32**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2573	3.5	10	1	1	3	4	6	8	15
20-34	1216	3.8	19	1	1	3	4	7	8	22
35-49	1024	4.1	18	1	1	3	5	7	10	22
50-64	1117	4.9	47	1	1	3	6	9	13	31
65+	1407	5.4	43	1	1	4	6	10	13	26
B. *Operated*										
0-19 YRS	194	3.4	17	1	1	2	4	7	9	26
20-34	276	3.4	13	1	1	2	4	6	8	22
35-49	308	3.4	10	1	1	2	4	7	9	17
50-64	360	4.4	25	1	1	3	5	9	13	29
65+	227	5.4	66	1	1	3	6	9	14	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3488	4.8	22	1	1	4	6	9	13	25
20-34	2228	4.7	21	1	1	4	6	9	11	23
35-49	2609	5.1	15	1	2	4	6	9	12	20
50-64	4958	6.3	33	1	2	5	8	12	16	30
65+	11365	7.3	38	2	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	257	7.0	70	1	1	4	8	15	23	48
20-34	437	6.1	39	1	1	4	8	13	21	29
35-49	660	7.0	73	1	2	4	9	16	21	50
50-64	1222	9.3	105	1	2	6	12	20	29	58
65+	1987	12.0	149	2	3	8	15	26	38	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7337	4.2	25	1	1	3	5	8	10	22
B. *Operated*	1365	4.0	25	1	1	3	4	8	10	29
2. MULTIPLE DX										
A. *Not Operated*	24648	6.3	32	1	2	5	8	12	16	29
B. *Operated*	4563	9.7	116	1	2	6	12	21	31	65
1. SINGLE DX	8702	4.2	25	1	1	3	5	8	10	23
2. MULTIPLE DX	29211	6.8	47	1	2	5	8	13	18	36
A. NOT OPERATED	31985	5.8	31	1	2	4	7	11	15	28
B. OPERATED	5928	8.4	101	1	2	5	10	18	27	59
TOTAL 0-19 YRS	6512	4.4	20	1	1	3	5	8	11	23
20-34	4157	4.5	22	1	1	3	5	8	11	25
35-49	4601	5.0	25	1	1	4	6	9	13	25
50-64	7657	6.5	48	1	2	5	8	13	18	35
65+	14986	7.7	57	1	2	6	9	15	21	40
GRAND TOTAL	**37913**	**6.2**	**43**	**1**	**2**	**4**	**8**	**12**	**17**	**34**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	598	2.3	4	1	1	2	3	4	6	10
20-34	49	5.0	12	1	1	4	7	10	11	13
35-49	14	4.2	7	<1	1	4	5	8	10	10
50-64	4	3.8	4	2	2	4	5	6	6	6
65+	13	8.6	43	2	2	7	10	19	23	24
B. *Operated*										
0-19 YRS	106	4.9	7	1	2	4	7	9	9	13
20-34	31	8.7	25	2	3	7	11	16	19	22
35-49	15	7.9	41	2	2	7	9	11	24	29
50-64	5	9.8	49	4	4	7	15	20	20	20
65+	2	23.0	392	9	9	23	37	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	480	3.8	25	1	1	2	4	7	12	25
20-34	109	6.9	120	1	1	4	7	14	23	72
35-49	62	7.2	49	1	1	4	9	16	20	36
50-64	56	6.6	25	1	1	6	9	15	17	21
65+	55	10.5	143	2	2	7	11	23	36	67
B. *Operated*										
0-19 YRS	124	10.8	167	1	2	7	14	25	41	99+
20-34	120	15.3	312	1	2	9	20	42	65	93
35-49	46	14.9	269	2	3	9	18	39	60	99+
50-64	40	17.5	270	1	2	12	25	45	64	99+
65+	30	16.9	308	2	3	11	22	31	43	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	2.6	6	1	1	2	3	5	7	14
B. *Operated*	159	6.3	24	1	2	5	8	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	762	5.2	53	1	1	3	6	11	16	36
B. *Operated*	360	14.0	255	1	2	9	19	36	58	99+
1. SINGLE DX	837	3.3	11	1	1	2	4	7	9	18
2. MULTIPLE DX	1122	8.0	134	1	1	4	9	20	29	81
A. NOT OPERATED	1440	4.0	32	1	1	2	4	8	12	27
B. OPERATED	519	11.7	197	1	2	7	14	27	44	99+
TOTAL 0-19 YRS	1308	3.9	33	1	1	2	4	8	11	30
20-34	309	10.0	185	1	1	5	10	23	40	83
35-49	137	9.5	131	1	2	6	12	20	33	85
50-64	105	10.8	145	1	2	7	14	25	43	80
65+	100	12.4	190	2	2	8	15	29	37	79
GRAND TOTAL	**1959**	**6.0**	**87**	**1**	**1**	**3**	**7**	**14**	**22**	**65**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	2.3	3	1	1	2	3	4	6	9
20-34	57	3.8	8	1	1	3	5	7	8	16
35-49	26	4.3	31	<1	1	3	4	9	14	28
50-64	9	9.6	209	1	1	2	14	35	43	43
65+	9	6.9	118	1	1	3	5	25	35	35
B. *Operated*										
0-19 YRS	26	8.4	285	1	2	5	8	10	26	90
20-34	23	4.9	19	1	1	3	7	9	13	21
35-49	6	10.0	78	2	2	7	16	24	25	25
50-64	2	12.0	50	7	7	12	17	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	4.7	42	1	1	3	5	9	13	25
20-34	138	5.6	27	1	1	4	7	13	17	26
35-49	60	9.0	91	1	1	6	12	21	27	45
50-64	65	9.1	51	1	2	7	11	20	22	38
65+	70	9.6	83	1	2	7	13	19	27	46
B. *Operated*										
0-19 YRS	93	13.3	276	1	2	8	17	36	59	99+
20-34	136	18.0	410	1	2	10	21	52	72	99+
35-49	63	13.8	157	2	3	11	18	28	37	64
50-64	36	12.0	69	3	4	11	15	25	29	40
65+	37	23.3	613	3	3	14	33	63	87	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	3.1	17	1	1	2	3	6	8	25
B. *Operated*	57	7.3	147	1	2	5	8	10	20	85
2. MULTIPLE DX										
A. *Not Operated*	548	6.5	54	1	1	4	8	14	20	40
B. *Operated*	365	16.0	327	2	2	10	19	41	65	99
1. SINGLE DX	355	3.8	40	1	1	2	4	8	9	28
2. MULTIPLE DX	913	10.3	184	1	1	6	12	23	38	86
A. NOT OPERATED	846	5.3	43	1	1	3	6	12	17	35
B. OPERATED	422	14.8	311	2	2	9	17	37	63	98
TOTAL 0-19 YRS	531	5.5	94	1	1	3	6	10	18	80
20-34	354	10.0	210	1	1	5	11	22	47	83
35-49	155	10.2	117	1	1	7	13	23	30	60
50-64	112	10.1	68	1	2	8	13	21	25	41
65+	116	13.7	294	2	2	8	15	35	44	95
GRAND TOTAL	**1268**	**8.5**	**152**	**1**	**1**	**4**	**10**	**19**	**33**	**77**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	1.8	1	<1	<1	1	2	3	5	6
20-34	97	1.9	2	<1	<1	1	3	4	5	7
35-49	31	2.2	1	1	1	2	3	4	4	4
50-64	13	2.3	5	<1	<1	1	3	6	8	8
65+	12	2.4	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	822	2.2	2	<1	<1	2	3	4	5	8
20-34	1244	2.6	4	1	1	2	3	5	6	10
35-49	319	3.0	4	1	1	2	4	6	7	10
50-64	105	4.0	13	1	1	3	5	8	10	22
65+	37	4.0	14	1	1	3	5	7	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	2.2	4	<1	1	2	3	4	5	10
20-34	285	2.8	6	<1	1	2	4	6	7	11
35-49	119	3.8	11	<1	1	3	5	7	9	20
50-64	91	3.9	10	1	1	3	5	8	12	15
65+	205	6.4	31	1	1	5	9	14	16	30
B. *Operated*										
0-19 YRS	906	4.1	25	1	1	3	5	8	11	25
20-34	1618	4.5	22	1	1	3	5	9	11	21
35-49	607	5.7	36	1	2	4	7	12	15	33
50-64	289	6.9	64	1	2	4	8	14	20	43
65+	232	9.5	75	1	2	7	12	19	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	2.0	2	<1	<1	2	3	4	5	7
B. *Operated*	2527	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	847	3.9	15	<1	1	3	5	8	11	18
B. *Operated*	3652	5.1	34	1	1	3	6	10	14	29
1. SINGLE DX	2744	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	4499	4.9	30	1	1	3	6	10	14	28
A. NOT OPERATED	1064	3.5	13	<1	1	2	4	7	10	18
B. OPERATED	6179	4.1	23	1	1	3	5	8	11	25
TOTAL 0-19 YRS	1939	3.1	14	<1	1	2	3	6	8	18
20-34	3244	3.5	14	1	1	3	4	7	9	16
35-49	1076	4.6	24	1	1	3	6	9	13	26
50-64	498	5.6	44	1	1	4	6	12	16	34
65+	486	7.6	54	1	2	5	10	16	21	33
GRAND TOTAL	**7243**	**4.0**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	4.0	10	1	1	3	5	7	9	18
20-34	473	5.5	26	1	2	4	7	10	12	29
35-49	284	5.5	13	1	2	5	7	10	12	19
50-64	259	6.6	17	1	2	6	9	12	14	19
65+	430	9.4	34	3	4	8	12	16	20	31
B. *Operated*										
0-19 YRS	49	11.5	105	2	3	9	14	24	27	63
20-34	80	11.3	96	2	3	9	14	23	29	57
35-49	27	15.0	169	2	3	10	19	37	45	50
50-64	25	16.1	86	5	8	14	17	29	39	41
65+	13	11.0	16	3	7	11	14	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	5.3	32	1	1	4	7	10	13	20
20-34	530	6.9	34	1	2	6	9	12	15	33
35-49	384	7.4	35	2	2	6	9	14	18	33
50-64	674	9.0	35	2	3	8	11	17	21	31
65+	3138	11.5	50	3	4	10	15	20	24	36
B. *Operated*										
0-19 YRS	99	14.0	134	1	3	11	19	27	43	80
20-34	234	14.3	217	2	3	10	18	36	52	99+
35-49	135	15.5	147	3	4	12	20	32	38	66
50-64	145	16.6	190	3	4	14	21	34	47	91
65+	376	19.0	187	4	7	16	23	35	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1746	6.4	25	1	2	5	8	12	15	25
B. *Operated*	194	12.5	103	2	3	10	16	26	29	57
2. MULTIPLE DX										
A. *Not Operated*	4943	10.1	48	2	3	9	13	18	23	34
B. *Operated*	989	16.6	187	3	4	13	21	34	46	81
1. SINGLE DX	1940	7.0	36	1	2	5	9	13	17	29
2. MULTIPLE DX	5932	11.1	77	2	3	9	14	21	27	47
A. NOT OPERATED	6689	9.1	45	2	3	7	12	17	21	33
B. OPERATED	1183	15.9	176	3	4	13	20	32	44	75
TOTAL 0-19 YRS	665	6.5	56	1	1	4	8	14	20	44
20-34	1317	8.0	78	1	2	6	9	15	23	55
35-49	830	8.3	62	2	2	6	10	17	23	39
50-64	1103	9.6	61	2	3	8	12	18	23	40
65+	3957	12.0	66	3	4	10	15	21	27	42
GRAND TOTAL	**7872**	**10.1**	**70**	**2**	**3**	**8**	**13**	**19**	**25**	**44**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.0	21	2	2	7	8	13	18	18
20-34	9	5.2	10	<1	1	5	7	10	11	11
35-49	5	5.4	17	1	1	4	7	12	12	12
50-64	7	7.9	42	1	1	8	9	19	21	21
65+	3	5.0	3	4	4	4	6	7	7	7
B. *Operated*										
0-19 YRS	10	28.9	502	3	7	23	33	65	82	82
20-34	18	26.7	400	2	4	24	37	55	69	75
35-49	2	25.5	181	16	16	25	35	35	35	35
50-64	3	20.7	992	1	1	4	44	57	57	57
65+	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	1	2	2	3	4	4	4	4
20-34	15	13.1	354	<1	2	5	11	47	60	64
35-49	11	11.8	114	1	3	9	15	27	39	40
50-64	13	17.1	459	1	3	12	20	46	74	80
65+	41	11.3	64	3	5	11	14	20	25	31
B. *Operated*										
0-19 YRS	19	39.7	315	14	20	43	66	99+	99+	99+
20-34	43	35.0	567	7	11	39	81	99+	99+	99+
35-49	14	51.7	863	17	21	67	98	99+	99+	99+
50-64	18	34.7	507	14	16	28	65	90	99+	99+
65+	13	24.0	454	1	3	16	31	63	69	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	6.3	19	1	2	6	8	11	17	21
B. *Operated*	34	27.1	418	2	3	24	37	57	72	82
2. MULTIPLE DX										
A. *Not Operated*	85	12.1	168	2	2	8	14	25	38	74
B. *Operated*	107	36.6	570	6	13	38	71	99+	99+	99+
1. SINGLE DX	68	16.7	326	1	2	9	24	41	57	81
2. MULTIPLE DX	192	25.8	540	3	4	20	44	89	99+	99+
A. NOT OPERATED	119	10.4	132	1	2	7	12	20	30	69
B. OPERATED	141	34.3	547	5	10	33	65	99+	99+	99+
TOTAL 0-19 YRS	44	25.7	470	2	3	23	43	68	99+	99+
20-34	85	26.2	542	2	3	23	46	87	99+	99+
35-49	32	29.1	835	2	4	22	72	99+	99+	99+
50-64	41	23.5	523	1	3	17	36	78	88	99+
65+	58	14.3	171	3	4	11	16	29	38	70
GRAND TOTAL	260	23.4	498	2	4	17	40	82	99+	99+

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.0	1	1	1	2	3	3	4	6
20-34	84	2.4	4	1	1	2	3	4	6	13
35-49	114	3.2	4	1	1	3	4	6	7	11
50-64	120	4.2	7	1	1	4	6	8	9	13
65+	152	5.4	17	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	6	5.3	17	2	2	3	9	12	12	12
35-49	7	8.1	81	1	1	5	10	24	27	27
50-64	3	8.3	37	3	3	7	13	15	15	15
65+	3	15.0	39	10	10	13	20	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.7	7	1	1	3	5	7	9	13
20-34	388	4.2	9	1	1	3	5	8	10	13
35-49	541	4.8	13	1	1	4	6	9	11	19
50-64	793	6.2	21	1	2	5	8	12	14	22
65+	1809	8.7	42	2	3	7	11	17	21	33
B. *Operated*										
0-19 YRS	42	7.4	33	1	2	7	9	14	19	31
20-34	160	9.3	107	1	2	7	11	17	24	55
35-49	150	10.7	96	2	3	8	14	22	33	47
50-64	178	11.5	121	2	3	8	14	24	32	67
65+	237	15.4	154	4	5	11	19	31	50	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	506	3.9	10	1	1	3	5	8	9	15
B. *Operated*	21	8.0	47	1	2	6	11	18	24	27
2. MULTIPLE DX										
A. *Not Operated*	3625	7.0	32	1	2	6	9	13	17	27
B. *Operated*	767	11.9	125	2	3	9	15	24	34	60
1. SINGLE DX	527	4.1	12	1	1	3	5	8	10	17
2. MULTIPLE DX	4392	7.8	52	1	2	6	10	15	20	38
A. NOT OPERATED	4131	6.6	30	1	2	5	8	13	17	26
B. OPERATED	788	11.8	123	2	3	9	15	24	34	60
TOTAL 0-19 YRS	174	4.2	16	1	1	3	6	8	11	20
20-34	639	5.3	39	1	1	4	7	10	13	26
35-49	812	5.7	34	1	1	4	7	11	15	33
50-64	1094	6.9	40	1	2	5	8	13	16	32
65+	2201	9.2	57	2	3	7	12	18	23	41
GRAND TOTAL	4919	7.4	49	1	2	6	9	15	20	36

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	5.2	19	1	2	4	6	11	15	21
20-34	113	7.5	39	1	2	6	10	14	20	33
35-49	44	10.1	183	1	2	7	10	18	31	86
50-64	84	11.5	89	2	3	9	15	24	27	55
65+	395	11.7	73	3	4	10	15	20	24	47
B. *Operated*										
0-19 YRS	16	16.3	301	2	2	6	28	45	52	54
20-34	14	15.1	158	3	4	12	17	33	47	51
35-49	8	17.4	89	6	6	17	22	31	34	34
50-64	1	30.0		30	30	30	30	30	30	30
65+	8	21.5	290	6	7	15	34	48	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	180	9.7	77	2	3	7	11	17	30	46
20-34	201	11.1	87	2	3	8	14	22	30	46
35-49	125	13.8	178	4	5	10	14	26	46	75
50-64	277	13.6	92	3	4	12	17	25	32	50
65+	1852	14.3	78	4	5	13	18	25	30	45
B. *Operated*										
0-19 YRS	87	18.7	240	4	5	11	27	41	48	69
20-34	158	24.1	305	5	7	19	37	49	62	99+
35-49	70	27.0	309	5	9	24	37	53	62	77
50-64	84	29.1	365	6	9	24	40	59	67	96
65+	226	22.9	203	7	9	20	28	48	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	9.9	73	2	3	8	13	18	23	41
B. *Operated*	47	17.3	209	2	3	13	24	44	49	54
2. MULTIPLE DX										
A. *Not Operated*	2635	13.6	86	3	5	12	17	25	31	48
B. *Operated*	625	23.9	274	5	7	20	33	49	61	99+
1. SINGLE DX	809	10.3	84	2	3	8	13	20	26	50
2. MULTIPLE DX	3260	15.6	139	4	5	13	19	30	40	63
A. NOT OPERATED	3397	12.8	86	3	4	11	16	23	29	47
B. OPERATED	672	23.4	272	5	6	19	33	49	59	97
TOTAL 0-19 YRS	409	10.5	126	2	2	7	11	25	39	49
20-34	486	14.6	194	2	3	10	18	37	47	80
35-49	247	17.0	253	3	4	11	21	40	53	79
50-64	446	16.1	182	3	4	13	20	34	48	67
65+	2481	14.7	96	4	5	13	18	26	33	55
GRAND TOTAL	**4069**	**14.5**	**132**	**3**	**4**	**12**	**18**	**28**	**38**	**61**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	3.1	22	<1	1	1	2	8	15	22
20-34	71	3.6	48	<1	<1	2	3	6	11	48
35-49	54	2.6	3	<1	1	2	3	5	6	8
50-64	107	3.5	21	<1	1	2	5	7	8	26
65+	385	4.7	14	1	1	4	6	9	12	19
B. *Operated*										
0-19 YRS	1362	4.2	29	1	1	2	4	12	18	25
20-34	158	4.5	24	1	1	3	5	8	10	28
35-49	133	5.5	34	1	1	4	6	10	16	34
50-64	221	5.5	35	1	1	4	6	10	14	38
65+	336	7.2	48	1	2	5	9	15	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	4.9	47	1	1	3	5	9	20	37
20-34	78	6.1	52	1	1	4	7	12	21	39
35-49	47	7.5	52	1	1	5	10	17	24	34
50-64	244	7.5	60	1	2	5	9	17	23	43
65+	1321	9.1	55	2	2	7	12	18	24	35
B. *Operated*										
0-19 YRS	433	6.8	70	1	1	4	8	17	23	45
20-34	216	8.5	75	1	2	6	10	19	26	56
35-49	139	9.3	88	2	2	6	12	22	35	50
50-64	329	10.5	146	2	2	6	13	25	36	62
65+	863	12.7	118	2	3	10	16	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	3.8	20	1	1	2	4	8	12	21
B. *Operated*	2210	4.9	33	1	1	3	5	12	18	28
2. MULTIPLE DX										
A. *Not Operated*	1799	8.5	56	1	2	6	11	18	24	36
B. *Operated*	1980	10.4	111	1	2	7	14	22	31	52
1. SINGLE DX	3121	4.6	30	1	1	3	5	11	16	26
2. MULTIPLE DX	3779	9.4	86	1	2	7	12	20	27	45
A. NOT OPERATED	2710	6.9	49	1	1	5	9	15	21	32
B. OPERATED	4190	7.5	77	1	1	4	9	18	24	43
TOTAL 0-19 YRS	2198	4.6	38	1	1	2	4	13	18	28
20-34	523	6.3	56	1	1	4	7	13	21	43
35-49	373	6.7	57	1	1	4	8	14	23	42
50-64	901	7.7	87	1	1	5	8	18	26	44
65+	2905	9.4	74	2	2	7	12	20	26	41
GRAND TOTAL	**6900**	**7.2**	**66**	**1**	**1**	**4**	**9**	**17**	**23**	**41**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	175	1.6	1	<1	1	1	2	3	4	5
20-34	41	1.8	1	<1	<1	1	3	4	4	5
35-49	32	2.2	3	<1	<1	2	3	4	5	9
50-64	44	2.3	4	<1	1	2	3	4	5	13
65+	76	4.3	19	1	1	3	5	8	11	26
B. Operated										
0-19 YRS	3048	1.7	2	<1	1	1	2	3	4	7
20-34	701	2.9	4	1	1	3	4	5	6	11
35-49	582	2.8	5	1	1	2	3	5	6	11
50-64	796	2.7	4	1	1	2	3	5	7	10
65+	769	3.2	8	1	1	2	4	6	8	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	3.0	13	<1	1	2	3	6	10	21
20-34	98	3.3	7	1	1	2	4	8	9	14
35-49	69	4.4	17	1	1	3	5	10	12	21
50-64	104	5.3	17	1	2	4	7	11	15	19
65+	346	7.7	39	1	2	6	10	15	20	31
B. Operated										
0-19 YRS	631	4.0	24	1	1	2	4	9	15	27
20-34	567	6.3	52	1	1	4	7	13	18	45
35-49	382	6.3	41	1	2	4	8	12	18	35
50-64	616	6.3	62	1	1	4	7	13	19	47
65+	1201	7.3	49	1	2	5	9	15	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	368	2.3	6	<1	1	1	3	5	6	12
B. Operated	5896	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	735	5.7	29	1	1	4	8	12	16	26
B. Operated	3397	6.2	48	1	1	4	8	13	19	35
1. SINGLE DX	6264	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	4132	6.1	44	1	1	4	8	13	19	33
A. NOT OPERATED	1103	4.6	24	1	1	3	6	11	15	23
B. OPERATED	9293	3.7	24	1	1	2	4	8	12	25
TOTAL 0-19 YRS	3972	2.1	6	<1	1	1	2	4	5	15
20-34	1407	4.3	26	1	1	3	5	8	12	27
35-49	1065	4.1	21	1	1	3	5	8	11	24
50-64	1560	4.2	31	1	1	3	5	9	12	27
65+	2392	6.0	38	1	1	4	8	13	18	32
GRAND TOTAL	**10396**	**3.8**	**24**	**1**	**1**	**2**	**4**	**8**	**12**	**25**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.3	3	<1	1	2	3	5	6	7
20-34	37	2.4	3	<1	1	2	3	5	6	7
35-49	18	2.4	2	<1	1	2	3	5	6	6
50-64	13	3.2	6	1	1	3	3	8	9	9
65+	15	2.6	4	<1	<1	2	4	5	7	8
B. Operated										
0-19 YRS	766	1.7	2	<1	<1	1	2	3	4	8
20-34	855	2.1	3	<1	1	2	2	3	5	8
35-49	329	2.1	4	<1	1	2	2	4	5	9
50-64	185	2.1	3	<1	1	2	2	3	4	12
65+	110	2.7	4	1	1	2	3	5	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	1.9	2	1	1	1	2	3	5	7
20-34	65	3.5	14	<1	1	2	5	7	8	24
35-49	53	3.6	7	1	1	3	5	7	10	11
50-64	38	5.1	17	1	1	4	7	12	14	18
65+	127	6.9	22	2	2	6	9	13	17	23
B. Operated										
0-19 YRS	290	3.3	16	1	1	2	4	7	9	20
20-34	588	3.5	17	1	1	2	4	7	10	20
35-49	325	3.3	14	1	1	2	4	6	8	17
50-64	262	3.9	32	1	1	3	5	8	10	22
65+	241	5.9	54	1	1	3	7	13	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	2.5	3	<1	1	2	3	5	6	8
B. Operated	2245	2.0	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. Not Operated	326	4.8	18	1	1	3	7	10	13	21
B. Operated	1706	3.8	24	1	1	2	4	8	11	24
1. SINGLE DX	2363	2.0	3	<1	1	2	2	3	5	9
2. MULTIPLE DX	2032	4.0	24	1	1	2	5	8	11	24
A. NOT OPERATED	444	4.2	15	1	1	3	6	9	12	19
B. OPERATED	3951	2.8	13	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	1134	2.1	6	<1	1	1	2	4	6	12
20-34	1545	2.7	9	<1	1	2	3	5	7	15
35-49	725	2.8	9	1	1	2	3	5	7	12
50-64	498	3.3	20	1	1	2	4	7	9	16
65+	493	5.3	36	1	1	3	7	11	17	30
GRAND TOTAL	**4395**	**2.9**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	14.0	152	1	2	11	23	29	36	51
20-34	9	4.2	4	2	2	4	6	7	8	8
35-49	15	6.6	18	1	2	5	9	10	16	18
50-64	28	10.1	205	1	1	5	12	19	33	75
65+	188	8.9	79	1	2	7	11	17	21	70
B. *Operated*										
0-19 YRS	139	11.5	113	2	3	8	14	26	37	51
20-34	69	12.3	101	4	5	10	13	19	27	66
35-49	114	11.1	34	5	6	10	14	20	22	32
50-64	525	12.4	40	6	6	11	14	18	22	36
65+	3267	15.5	38	8	9	15	18	23	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	16.7	243	1	1	11	29	41	44	48
20-34	15	7.1	61	<1	1	5	8	12	28	33
35-49	31	9.0	109	1	2	7	10	16	17	60
50-64	79	12.6	116	2	3	9	18	24	37	56
65+	931	13.4	118	2	4	11	17	26	34	57
B. *Operated*										
0-19 YRS	91	16.6	201	4	5	13	19	30	43	81
20-34	165	20.0	249	5	6	16	25	46	53	98
35-49	215	18.8	168	6	8	15	21	37	43	90
50-64	1010	17.7	124	7	9	15	20	29	39	85
65+	11308	19.4	98	9	10	17	23	31	38	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	9.9	106	1	2	7	12	21	28	61
B. *Operated*	4114	14.8	44	6	8	14	18	22	26	38
2. MULTIPLE DX										
A. *Not Operated*	1087	13.2	121	2	3	11	17	27	36	57
B. *Operated*	12789	19.2	105	8	10	17	22	31	39	62
1. SINGLE DX	4422	14.5	50	5	7	14	17	22	27	38
2. MULTIPLE DX	13876	18.8	108	7	9	17	22	30	39	61
A. NOT OPERATED	1395	12.5	120	2	3	10	16	26	34	57
B. OPERATED	16903	18.2	93	8	9	16	21	29	36	58
TOTAL 0-19 YRS	329	13.9	161	2	2	10	19	29	40	56
20-34	258	16.6	212	3	5	12	21	36	48	90
35-49	375	15.2	134	4	6	13	18	29	39	70
50-64	1642	15.6	105	6	7	13	18	25	34	72
65+	15694	18.1	92	7	9	16	21	29	36	57
GRAND TOTAL	**18298**	**17.7**	**98**	**6**	**9**	**16**	**21**	**29**	**36**	**58**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	590	18.3	169	1	2	19	25	34	41	52
20-34	30	22.6	328	2	3	23	35	44	48	67
35-49	17	11.4	258	<1	1	4	11	43	46	46
50-64	24	10.4	146	1	2	6	11	24	43	50
65+	82	16.2	283	1	2	10	22	40	53	80
B. *Operated*										
0-19 YRS	584	15.4	154	1	2	13	24	32	38	53
20-34	179	15.5	225	1	2	11	18	37	51	74
35-49	63	15.2	273	1	2	12	17	32	52	93
50-64	77	15.9	147	3	4	13	19	35	45	55
65+	216	19.0	148	6	8	16	23	34	45	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	292	18.4	146	2	3	19	26	33	40	49
20-34	40	19.9	434	1	1	9	44	50	58	65
35-49	33	21.4	386	2	3	15	33	52	63	72
50-64	63	20.8	442	2	3	14	34	63	94	99+
65+	320	18.6	337	2	4	12	21	44	61	87
B. *Operated*										
0-19 YRS	493	22.3	263	3	4	20	32	46	58	94
20-34	478	22.9	362	2	5	17	31	52	71	93
35-49	148	26.0	479	2	3	20	43	66	94	99+
50-64	208	23.8	303	4	8	18	32	53	67	99+
65+	832	24.9	265	7	10	21	30	49	63	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	743	17.9	192	1	2	17	25	36	43	53
B. *Operated*	1119	16.1	172	1	2	13	22	33	43	64
2. MULTIPLE DX										
A. *Not Operated*	748	18.9	278	2	3	15	26	43	52	87
B. *Operated*	2159	23.8	306	3	7	19	31	50	65	99+
1. SINGLE DX	1862	16.8	181	1	2	15	23	34	43	62
2. MULTIPLE DX	2907	22.6	303	3	5	18	30	49	62	99
A. NOT OPERATED	1491	18.4	235	1	2	16	26	39	48	77
B. OPERATED	3278	21.2	273	2	4	17	28	45	58	95
TOTAL 0-19 YRS	1959	18.4	191	1	2	17	26	36	45	62
20-34	727	20.9	340	2	3	15	28	49	62	92
35-49	261	21.9	427	1	2	16	33	56	73	99+
50-64	372	20.8	299	3	4	16	28	49	64	99+
65+	1450	22.2	275	4	7	18	28	46	60	92
GRAND TOTAL	**4769**	**20.3**	**263**	**2**	**3**	**17**	**27**	**43**	**54**	**91**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	482	2.6	5	1	1	2	3	5	6	10
20-34	186	3.3	6	1	1	3	4	6	8	12
35-49	101	4.6	12	1	1	3	6	9	14	16
50-64	122	5.0	15	1	2	4	6	9	12	22
65+	143	7.9	41	2	2	6	10	13	20	33
B. Operated										
0-19 YRS	1012	3.8	11	1	1	3	5	7	10	15
20-34	748	6.4	35	1	2	5	8	12	14	29
35-49	433	7.0	38	2	2	6	9	12	15	37
50-64	351	8.5	47	2	2	7	10	16	21	33
65+	201	10.9	51	3	4	9	14	20	24	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	157	4.1	10	1	1	3	5	8	10	17
20-34	123	4.4	17	1	1	3	6	9	11	23
35-49	105	8.0	97	1	1	5	9	18	26	56
50-64	179	7.5	46	2	2	6	9	14	20	46
65+	441	10.2	62	2	3	8	13	20	24	40
B. Operated										
0-19 YRS	491	8.4	68	1	2	6	11	17	25	44
20-34	653	11.6	134	2	3	8	14	24	35	61
35-49	461	11.7	139	2	3	8	14	23	33	64
50-64	424	14.4	187	3	4	10	17	31	44	85
65+	433	16.5	179	4	5	13	21	33	42	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1034	3.9	15	1	1	3	5	8	11	19
B. Operated	2745	6.1	34	1	2	5	8	12	15	28
2. MULTIPLE DX										
A. Not Operated	1005	7.8	55	1	2	6	10	16	21	40
B. Operated	2462	12.3	146	2	3	9	15	25	36	67
1. SINGLE DX	3779	5.5	30	1	1	4	7	11	14	27
2. MULTIPLE DX	3467	11.0	124	2	2	8	14	22	33	61
A. NOT OPERATED	2039	5.9	39	1	1	4	7	12	17	31
B. OPERATED	5207	9.0	96	1	2	6	11	19	27	55
TOTAL 0-19 YRS	2142	4.6	27	1	1	3	5	9	13	27
20-34	1710	7.9	77	1	2	5	9	15	22	51
35-49	1100	8.8	90	2	2	6	10	17	24	58
50-64	1076	10.3	111	2	3	7	12	21	31	60
65+	1218	12.3	110	3	4	9	15	23	32	57
GRAND TOTAL	**7246**	**8.2**	**82**	**1**	**2**	**5**	**10**	**17**	**24**	**50**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	229	2.6	4	<1	1	2	3	5	7	9
20-34	228	3.2	5	<1	1	3	4	6	8	12
35-49	163	3.6	8	<1	1	3	5	7	9	14
50-64	186	4.3	14	1	1	3	5	8	12	20
65+	204	5.5	19	1	2	4	7	11	14	23
B. Operated										
0-19 YRS	1194	3.5	7	1	1	3	4	6	8	13
20-34	1741	4.4	9	1	2	4	5	7	9	15
35-49	1145	5.2	10	2	2	4	7	9	10	15
50-64	1000	5.8	17	2	2	5	7	9	12	17
65+	638	7.6	20	2	3	7	10	13	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	3.3	11	1	1	3	4	6	8	22
20-34	255	3.9	11	1	1	3	5	7	10	19
35-49	211	4.9	12	1	1	4	7	10	12	16
50-64	310	5.9	25	1	2	4	7	12	15	26
65+	655	8.4	45	2	3	7	10	16	21	35
B. Operated										
0-19 YRS	648	5.4	27	1	2	4	6	11	13	28
20-34	1273	6.9	61	2	2	5	8	12	17	44
35-49	889	7.3	44	2	2	6	9	13	17	33
50-64	1063	8.5	47	2	3	7	10	16	21	36
65+	1189	11.8	83	3	4	10	14	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1010	3.8	11	1	1	3	5	8	11	16
B. Operated	5718	5.0	13	1	2	4	6	9	11	17
2. MULTIPLE DX										
A. Not Operated	1569	6.3	32	1	1	5	8	12	16	28
B. Operated	5062	8.3	61	2	2	6	10	16	22	42
1. SINGLE DX	6728	4.8	13	1	2	4	6	9	11	17
2. MULTIPLE DX	6631	7.8	54	1	2	6	10	15	21	40
A. NOT OPERATED	2579	5.3	25	1	1	4	7	11	14	26
B. OPERATED	10780	6.5	38	1	2	5	8	12	16	32
TOTAL 0-19 YRS	2209	4.0	14	1	1	3	5	7	10	20
20-34	3497	5.2	30	1	2	4	6	9	12	26
35-49	2408	5.8	24	1	2	5	7	10	13	25
50-64	2559	6.8	32	2	2	5	8	12	17	29
65+	2686	9.5	59	2	3	8	12	18	23	41
GRAND TOTAL	**13359**	**6.3**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.0	5	<1	1	1	2	3	4	16
20-34	45	2.3	4	<1	1	2	3	5	5	12
35-49	21	2.7	8	<1	<1	2	3	5	10	13
50-64	13	2.8	4	1	1	2	4	6	8	8
65+	30	5.1	32	1	1	3	6	7	19	29
B. *Operated*										
0-19 YRS	74	2.4	1	1	1	2	3	4	5	6
20-34	68	3.3	4	1	1	3	4	6	7	12
35-49	17	3.9	7	1	2	3	4	7	11	13
50-64	9	4.6	8	1	1	5	6	9	10	10
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	3.0	7	<1	1	2	3	6	8	13
20-34	169	3.7	12	1	1	3	4	7	9	22
35-49	117	4.8	20	1	1	4	7	9	11	25
50-64	131	6.1	18	1	1	5	9	13	15	18
65+	277	8.5	42	2	3	7	11	17	22	30
B. *Operated*										
0-19 YRS	58	4.7	21	1	1	4	5	9	13	27
20-34	91	6.7	83	1	1	4	8	14	18	57
35-49	53	6.5	73	1	1	4	8	11	22	53
50-64	46	10.3	188	1	2	6	10	26	45	71
65+	68	12.3	105	2	2	10	16	25	36	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	2.8	11	<1	1	2	3	5	7	19
B. *Operated*	170	3.1	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	843	5.7	28	1	1	4	8	12	16	25
B. *Operated*	316	8.0	96	1	1	5	9	18	27	50
1. SINGLE DX	335	2.9	7	1	1	2	3	5	7	14
2. MULTIPLE DX	1159	6.3	47	1	1	4	8	13	19	36
A. NOT OPERATED	1008	5.2	26	1	1	3	7	11	15	25
B. OPERATED	486	6.3	69	1	1	4	7	13	22	46
TOTAL 0-19 YRS	337	3.0	8	1	1	2	3	5	8	16
20-34	373	4.2	29	1	1	3	5	8	11	25
35-49	208	5.0	32	1	1	3	7	9	12	31
50-64	199	6.8	59	1	1	5	8	13	16	46
65+	377	8.9	55	2	2	7	12	19	24	39
GRAND TOTAL	**1494**	**5.6**	**40**	**1**	**1**	**4**	**7**	**12**	**16**	**30**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.1	2	1	1	1	3	4	5	7
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	5	5.4	39	1	1	2	8	16	16	16
20-34	5	5.2	12	2	2	4	6	11	11	11
35-49	2	10.5	113	3	3	10	18	18	18	18
50-64										
65+	2	18.0	128	10	10	18	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.7	20	1	1	3	5	11	16	17
20-34	7	7.6	66	<1	<1	5	10	21	24	24
35-49	5	4.8	14	1	1	4	6	11	11	11
50-64	5	4.2	6	2	2	3	6	8	8	8
65+	12	9.7	27	3	4	10	11	19	19	19
B. *Operated*										
0-19 YRS	13	20.7	631	4	4	14	25	98	99+	99+
20-34	22	18.0	165	3	5	16	24	41	70	99+
35-49	6	17.7	89	7	7	18	27	27	27	27
50-64	5	9.4	49	2	2	8	12	21	21	21
65+	9	40.0	1079	1	4	31	65	88	90	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	3	1	1	2	3	5	7	7
B. *Operated*	14	7.9	56	1	2	5	11	19	24	26
2. MULTIPLE DX										
A. *Not Operated*	42	6.5	30	1	2	4	10	13	19	24
B. *Operated*	55	21.4	454	3	4	15	27	57	95	99+
1. SINGLE DX	46	4.1	25	1	1	2	4	10	16	26
2. MULTIPLE DX	97	15.0	323	1	2	9	20	37	73	99+
A. NOT OPERATED	74	4.8	22	1	1	3	6	11	16	23
B. OPERATED	69	18.7	401	2	3	13	25	53	90	99+
TOTAL 0-19 YRS	56	7.3	203	1	1	3	8	17	32	99+
20-34	38	12.8	144	1	2	10	21	35	47	99+
35-49	15	10.3	88	1	1	7	17	27	27	27
50-64	11	6.8	29	2	2	7	8	14	20	21
65+	23	22.3	629	2	4	11	24	63	87	90
GRAND TOTAL	**143**	**11.5**	**252**	**1**	**1**	**6**	**14**	**27**	**52**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.6	1	<1	1	1	2	4	4	4
20-34	28	2.2	4	<1	<1	1	3	5	8	8
35-49	6	2.2	2	<1	<1	2	4	4	4	4
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	27	2.9	8	<1	1	2	3	8	10	13
B. *Operated*										
0-19 YRS	181	2.5	2	<1	1	2	3	4	5	7
20-34	527	2.8	2	1	1	3	4	5	5	7
35-49	163	3.0	3	1	1	3	4	5	6	9
50-64	75	2.0	1	<1	<1	2	3	4	4	6
65+	90	2.9	9	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.5	4	<1	<1	2	4	6	6	6
20-34	38	2.6	10	<1	<1	2	3	5	7	19
35-49	22	4.4	10	1	1	4	7	9	10	11
50-64	22	5.1	14	1	1	4	8	10	12	15
65+	81	6.5	33	1	1	5	9	12	17	33
B. *Operated*										
0-19 YRS	38	2.8	2	<1	1	3	4	5	5	6
20-34	135	4.0	13	1	1	3	4	7	11	19
35-49	74	4.1	11	1	1	3	5	7	13	17
50-64	90	6.4	73	1	1	4	8	13	21	52
65+	177	7.0	80	1	1	4	8	17	24	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.3	5	<1	1	1	3	4	8	12
B. *Operated*	1036	2.7	3	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	180	4.9	23	1	1	3	7	10	12	25
B. *Operated*	514	5.4	48	1	1	3	6	11	17	36
1. SINGLE DX	1117	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	694	5.3	41	1	1	3	6	10	16	33
A. NOT OPERATED	261	4.1	19	<1	1	3	6	9	11	20
B. OPERATED	1550	3.6	19	1	1	3	4	6	9	22
TOTAL 0-19 YRS	251	2.5	2	<1	1	2	3	4	5	6
20-34	728	3.0	5	1	1	3	4	5	6	12
35-49	265	3.4	6	1	1	3	4	6	8	14
50-64	192	4.4	41	1	1	3	5	9	14	37
65+	375	5.6	51	1	1	3	7	12	18	34
GRAND TOTAL	**1811**	**3.7**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.1	2	<1	1	2	3	5	6	6
20-34	38	2.8	4	<1	1	2	4	6	7	7
35-49	12	2.5	3	<1	<1	2	3	5	7	7
50-64	6	1.8	1	<1	<1	2	3	3	3	3
65+	8	5.9	26	<1	<1	4	11	13	13	13
B. *Operated*										
0-19 YRS	981	2.8	3	1	1	2	4	5	6	10
20-34	1785	2.9	4	1	1	2	4	5	6	10
35-49	921	3.0	5	<1	1	2	4	5	7	9
50-64	443	3.2	4	1	1	3	4	6	7	9
65+	124	4.6	20	1	1	3	6	10	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	11	<1	<1	1	3	6	7	18
20-34	39	2.6	5	<1	1	2	4	5	8	11
35-49	30	3.1	4	<1	<1	3	5	6	6	7
50-64	30	5.2	32	<1	<1	4	6	12	17	27
65+	19	7.0	27	<1	1	6	10	15	18	19
B. *Operated*										
0-19 YRS	644	3.2	9	1	1	2	4	6	7	13
20-34	1335	3.4	11	1	1	3	4	6	8	14
35-49	869	3.7	12	1	1	3	5	7	9	18
50-64	808	4.2	15	1	1	3	5	8	11	19
65+	339	5.6	28	1	2	4	7	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.7	5	<1	1	2	3	6	7	13
B. *Operated*	4254	2.9	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	151	3.8	16	<1	1	3	5	8	11	19
B. *Operated*	3995	3.8	14	1	1	3	5	7	10	18
1. SINGLE DX	4350	2.9	4	1	1	2	4	5	7	10
2. MULTIPLE DX	4146	3.8	14	1	1	3	5	7	10	18
A. NOT OPERATED	247	3.4	12	<1	1	2	4	7	10	18
B. OPERATED	8249	3.3	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	1690	2.9	6	1	1	2	4	5	6	11
20-34	3197	3.1	7	1	1	2	4	6	7	12
35-49	1832	3.3	8	1	1	3	4	6	8	13
50-64	1287	3.9	12	1	1	3	5	7	9	18
65+	490	5.4	26	1	2	4	7	12	16	27
GRAND TOTAL	**8496**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.7	20	<1	1	2	4	9	12	22
20-34	46	4.4	12	1	1	4	7	9	11	15
35-49	39	7.5	63	<1	1	6	10	14	15	48
50-64	21	7.8	73	1	2	5	10	14	27	40
65+	13	5.4	15	<1	1	5	7	12	14	14
B. *Operated*										
0-19 YRS	271	3.4	16	1	1	2	4	7	12	22
20-34	291	4.0	21	1	1	2	4	9	14	22
35-49	150	5.7	65	<1	1	3	6	14	20	29
50-64	82	5.5	45	1	1	3	7	16	21	31
65+	64	8.9	82	1	1	4	13	23	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.5	25	1	1	3	6	10	18	21
20-34	70	7.0	90	1	1	5	7	15	17	55
35-49	44	6.5	49	1	2	5	8	11	13	46
50-64	57	7.3	52	1	1	5	9	14	20	38
65+	69	8.3	52	1	2	7	11	16	20	35
B. *Operated*										
0-19 YRS	155	6.4	64	1	1	3	8	16	20	45
20-34	287	8.9	104	1	1	5	12	21	25	47
35-49	174	10.0	128	1	2	6	12	23	33	53
50-64	188	9.2	136	1	2	5	11	18	29	72
65+	142	12.8	169	1	2	9	19	39	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	5.4	35	1	1	3	7	11	14	36
B. *Operated*	858	4.6	36	1	1	2	5	11	19	27
2. MULTIPLE DX										
A. *Not Operated*	275	7.0	58	1	1	5	9	14	19	39
B. *Operated*	946	9.3	121	1	1	5	12	21	33	65
1. SINGLE DX	1031	4.7	36	1	1	3	5	11	17	27
2. MULTIPLE DX	1221	8.8	108	1	1	5	11	20	31	56
A. NOT OPERATED	448	6.4	50	1	1	4	8	13	16	40
B. OPERATED	1804	7.1	86	1	1	4	9	18	24	49
TOTAL 0-19 YRS	515	4.4	33	1	1	2	5	10	16	29
20-34	694	6.4	67	1	1	4	7	16	21	42
35-49	407	7.8	93	1	1	4	10	18	25	47
50-64	348	7.9	98	1	1	5	10	17	25	53
65+	288	10.5	119	1	2	7	15	25	39	99+
GRAND TOTAL	2252	6.9	79	1	1	4	9	17	23	46

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.6	4	<1	<1	2	3	6	7	10
20-34	92	2.9	5	<1	1	2	4	6	7	11
35-49	57	3.5	7	1	1	3	5	7	9	12
50-64	35	3.4	5	1	1	3	5	7	8	9
65+	35	6.4	22	2	3	5	7	12	15	25
B. *Operated*										
0-19 YRS	543	3.2	4	<1	1	3	4	5	6	8
20-34	635	3.4	5	<1	1	3	5	6	8	11
35-49	175	3.9	8	1	1	4	5	7	10	14
50-64	79	4.8	8	1	2	4	6	9	11	13
65+	22	7.9	20	3	4	6	10	16	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.9	6	1	1	2	4	7	8	12
20-34	99	4.1	14	1	1	3	5	8	12	20
35-49	67	4.6	11	1	1	4	6	9	11	15
50-64	105	5.9	18	2	2	4	7	10	17	21
65+	210	7.5	34	2	3	6	9	14	20	29
B. *Operated*										
0-19 YRS	536	4.2	7	1	1	4	5	7	9	15
20-34	832	4.7	10	1	1	4	6	8	9	16
35-49	275	5.4	27	1	2	5	6	9	12	21
50-64	129	7.1	30	1	2	5	9	14	17	26
65+	60	8.2	29	2	2	7	10	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	3.4	5	<1	1	3	5	7	9	13
B. *Operated*	1454	3.5	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	543	5.7	24	1	1	4	7	11	15	23
B. *Operated*	1832	4.9	15	1	1	4	6	8	11	18
1. SINGLE DX	1748	3.5	6	1	1	3	5	6	8	12
2. MULTIPLE DX	2375	5.1	17	1	1	4	6	9	12	21
A. NOT OPERATED	837	4.9	19	1	1	4	6	10	13	22
B. OPERATED	3286	4.3	11	1	1	4	5	8	10	16
TOTAL 0-19 YRS	1216	3.6	6	1	1	3	5	6	7	12
20-34	1658	4.0	9	1	1	4	5	7	9	15
35-49	574	4.6	18	1	1	4	6	9	11	15
50-64	348	5.8	20	1	2	5	7	12	15	21
65+	327	7.6	31	2	3	6	9	14	19	28
GRAND TOTAL	4123	4.4	13	1	1	4	6	8	11	18

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	4.5	10	1	1	4	6	8	10	13
20-34	1524	5.9	12	2	2	5	8	10	12	17
35-49	1463	6.6	15	2	3	6	8	11	14	20
50-64	611	6.5	14	2	3	6	8	11	14	18
65+	166	7.0	14	2	3	6	9	12	13	17
B. *Operated*										
0-19 YRS	7	11.1	57	2	3	10	13	23	26	26
20-34	212	7.0	26	1	2	6	10	15	17	21
35-49	182	7.4	24	1	2	6	10	14	16	22
50-64	54	8.5	31	1	2	7	11	16	19	29
65+	3	13.3	30	7	7	16	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	5.7	15	1	2	4	8	11	13	18
20-34	1575	7.1	20	2	3	6	9	13	16	23
35-49	2110	7.7	24	2	3	7	9	13	16	25
50-64	1607	7.7	22	2	3	7	10	14	16	22
65+	1331	8.3	26	2	3	7	11	15	18	24
B. *Operated*										
0-19 YRS	8	4.6	5	<1	<1	5	6	7	7	7
20-34	256	9.9	39	2	3	9	14	17	21	27
35-49	443	11.5	45	3	4	10	15	20	25	34
50-64	213	12.1	62	3	4	10	16	21	26	40
65+	102	14.6	119	5	6	12	16	29	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3928	6.2	14	2	2	5	8	11	13	18
B. *Operated*	458	7.5	27	1	2	6	10	15	17	22
2. MULTIPLE DX										
A. *Not Operated*	6782	7.6	23	2	3	7	10	14	16	23
B. *Operated*	1022	11.5	56	3	4	10	15	20	25	36
1. SINGLE DX	4386	6.3	15	2	2	6	8	11	14	20
2. MULTIPLE DX	7804	8.1	29	2	3	7	10	15	18	27
A. NOT OPERATED	10710	7.1	20	2	3	6	9	12	15	22
B. OPERATED	1480	10.2	50	2	3	9	14	18	23	34
TOTAL 0-19 YRS	338	5.2	14	1	1	4	7	11	12	18
20-34	3567	6.8	20	2	2	6	9	12	15	22
35-49	4198	7.7	25	2	3	7	10	14	17	25
50-64	2485	7.8	26	2	3	7	10	14	17	25
65+	1602	8.6	33	2	3	7	11	15	18	30
GRAND TOTAL	**12190**	**7.5**	**25**	**2**	**3**	**6**	**10**	**14**	**17**	**25**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	299	3.0	6	<1	1	2	4	6	8	12
20-34	1067	5.0	11	1	1	4	7	9	11	16
35-49	815	6.1	15	1	2	5	8	11	13	20
50-64	360	6.3	16	1	2	6	9	11	14	20
65+	101	5.4	10	1	2	5	7	9	12	15
B. *Operated*										
0-19 YRS	9	5.2	10	2	2	4	6	11	12	12
20-34	190	6.3	18	1	2	5	9	13	15	17
35-49	153	5.9	18	1	1	5	8	13	14	19
50-64	37	7.5	32	2	2	6	11	15	21	23
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	409	4.0	10	1	1	3	5	8	10	15
20-34	2054	6.5	19	1	2	6	8	12	15	22
35-49	1918	7.3	21	2	3	6	9	13	16	23
50-64	1206	7.3	20	2	3	6	9	13	16	21
65+	901	7.5	24	2	3	7	9	13	17	26
B. *Operated*										
0-19 YRS	23	6.4	27	1	2	5	9	15	19	19
20-34	332	9.0	46	2	2	8	11	17	23	33
35-49	315	9.4	36	2	3	8	12	17	22	30
50-64	191	11.4	63	3	4	9	15	20	26	39
65+	68	14.1	132	3	4	12	17	23	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2642	5.3	13	1	1	5	7	10	12	17
B. *Operated*	389	6.2	19	1	2	5	9	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	6488	6.8	20	1	2	6	9	13	15	22
B. *Operated*	929	9.9	54	2	3	8	13	18	24	34
1. SINGLE DX	3031	5.4	14	1	1	5	7	10	13	18
2. MULTIPLE DX	7417	7.2	26	1	2	6	9	14	17	25
A. NOT OPERATED	9130	6.4	19	1	2	5	8	12	15	21
B. OPERATED	1318	8.8	46	2	2	7	12	17	21	32
TOTAL 0-19 YRS	740	3.7	10	1	1	3	5	8	10	14
20-34	3643	6.3	20	1	2	5	8	12	15	22
35-49	3201	7.1	22	2	2	6	9	13	16	23
50-64	1794	7.5	26	2	2	6	10	14	17	26
65+	1070	7.8	33	2	3	7	10	14	17	29
GRAND TOTAL	**10448**	**6.7**	**23**	**1**	**2**	**6**	**9**	**13**	**16**	**23**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.5	4	1	1	2	3	5	5	11
20-34	156	2.9	8	<1	1	2	4	6	8	12
35-49	101	3.9	12	1	1	3	5	8	10	18
50-64	73	3.7	7	1	1	3	5	8	9	12
65+	67	4.7	10	1	1	4	7	10	11	14
B. *Operated*										
0-19 YRS	270	2.5	3	1	1	2	3	4	5	8
20-34	616	3.0	3	1	1	3	4	5	6	9
35-49	478	3.4	5	1	1	3	4	6	7	13
50-64	509	4.3	6	1	2	4	5	7	9	13
65+	128	5.3	10	2	2	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	2.9	6	<1	1	2	4	6	7	13
20-34	229	4.1	13	1	1	3	6	9	10	15
35-49	213	5.0	19	1	1	4	7	9	11	23
50-64	252	6.1	41	1	1	4	7	12	18	26
65+	409	7.4	31	2	2	6	9	14	18	25
B. *Operated*										
0-19 YRS	126	3.2	5	1	1	3	4	6	8	33
20-34	210	3.6	9	1	1	3	4	7	8	12
35-49	214	5.6	49	1	2	4	6	10	17	41
50-64	397	6.0	25	2	3	5	6	11	14	30
65+	217	7.8	38	2	3	6	9	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	3.3	8	1	1	3	4	7	9	12
B. *Operated*	2001	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1196	5.7	27	1	1	4	7	11	15	24
B. *Operated*	1164	5.6	29	1	2	4	6	10	15	30
1. SINGLE DX	2527	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX	2360	5.6	28	1	2	4	7	11	15	27
A. NOT OPERATED	1722	5.0	23	1	1	4	7	10	13	23
B. OPERATED	3165	4.3	15	1	1	3	5	7	10	20
TOTAL 0-19 YRS	618	2.7	4	1	1	2	3	5	6	12
20-34	1211	3.3	7	1	1	3	4	6	8	11
35-49	1006	4.3	19	1	1	3	5	7	10	23
50-64	1231	5.2	20	1	2	4	6	9	12	22
65+	821	6.9	29	2	2	5	9	13	17	27
GRAND TOTAL	**4887**	**4.5**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3113	1.5	1	<1	1	1	2	3	3	5
20-34	796	2.1	4	<1	1	1	2	4	5	9
35-49	255	2.2	2	<1	1	2	3	4	5	8
50-64	114	3.0	13	<1	1	2	3	6	9	23
65+	64	2.9	9	1	1	2	4	5	6	21
B. *Operated*										
0-19 YRS	12	3.3	21	<1	<1	1	3	13	14	14
20-34	10	5.2	30	<1	<1	3	6	15	16	16
35-49	4	7.3	125	1	1	2	13	24	24	24
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3335	2.3	6	1	1	2	3	4	5	10
20-34	2400	3.3	12	1	1	2	4	7	9	16
35-49	982	4.3	19	1	1	3	6	9	12	21
50-64	706	4.6	25	1	1	3	6	10	13	23
65+	843	6.0	26	1	1	5	8	12	16	25
B. *Operated*										
0-19 YRS	621	3.6	26	<1	1	2	4	7	10	35
20-34	677	4.1	28	<1	1	2	5	8	12	28
35-49	295	5.4	65	1	1	3	6	12	17	46
50-64	198	6.3	90	1	1	3	7	14	22	54
65+	258	7.8	92	1	1	5	10	17	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4342	1.7	2	<1	1	1	2	3	4	7
B. *Operated*	28	4.5	35	<1	<1	2	4	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	8266	3.4	14	1	1	2	4	7	10	18
B. *Operated*	2049	4.8	49	1	1	3	5	10	16	37
1. SINGLE DX	4370	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	10315	3.7	21	1	1	2	4	8	11	22
A. NOT OPERATED	12608	2.8	11	1	1	2	3	6	8	16
B. OPERATED	2077	4.8	48	1	1	3	5	10	16	37
TOTAL 0-19 YRS	7061	2.1	6	1	1	1	2	4	5	10
20-34	3883	3.2	13	<1	1	2	4	7	9	17
35-49	1536	4.2	26	1	1	3	5	9	12	24
50-64	1020	4.7	37	1	1	3	6	10	14	27
65+	1165	6.2	41	1	1	4	8	13	18	30
GRAND TOTAL	**14685**	**3.1**	**17**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1456	1.8	5	<1	1	1	2	3	4	10
20-34	304	3.3	40	<1	1	2	3	6	11	49
35-49	103	3.3	10	<1	1	2	4	7	10	16
50-64	44	4.4	48	<1	1	2	5	10	12	44
65+	55	5.8	44	<1	1	4	8	14	19	34
B. *Operated*										
0-19 YRS	59	7.0	60	1	1	6	8	11	19	47
20-34	44	11.6	98	1	4	9	13	25	41	43
35-49	27	11.5	149	2	4	8	14	21	33	64
50-64	31	9.8	41	2	4	8	13	20	31	99+
65+	48	13.6	83	2	4	13	17	26	30	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1567	2.9	22	<1	1	2	3	5	9	26
20-34	884	4.5	47	<1	1	2	5	9	17	37
35-49	377	5.7	62	1	1	3	7	10	19	49
50-64	299	5.9	42	1	1	4	8	14	21	37
65+	529	8.0	67	1	1	6	11	17	21	49
B. *Operated*										
0-19 YRS	329	12.4	321	1	1	5	17	45	76	99+
20-34	504	15.2	476	1	1	6	20	60	86	99+
35-49	215	13.4	298	1	1	7	17	44	58	99+
50-64	178	15.8	352	1	1	9	23	49	69	99+
65+	365	19.9	308	1	2	15	28	43	55	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1962	2.3	13	<1	1	1	2	4	6	17
B. *Operated*	209	10.5	86	1	2	8	13	21	29	54
2. MULTIPLE DX										
A. *Not Operated*	3656	4.6	44	1	1	2	5	10	17	37
B. *Operated*	1591	15.5	374	1	1	8	22	49	69	99+
1. SINGLE DX	2171	3.0	26	<1	1	1	3	7	11	27
2. MULTIPLE DX	5247	7.9	169	1	1	3	8	21	37	85
A. NOT OPERATED	5618	3.8	34	<1	1	2	4	8	13	32
B. OPERATED	1800	14.9	343	1	1	8	21	46	66	99+
TOTAL 0-19 YRS	3411	3.4	53	<1	1	1	3	6	12	47
20-34	1736	7.6	197	<1	1	3	7	19	45	99+
35-49	722	7.8	143	1	1	4	8	19	32	76
50-64	552	9.2	164	1	1	5	11	24	41	99
65+	997	12.5	187	1	2	8	16	30	41	65
GRAND TOTAL	**7418**	**6.5**	**132**	**<1**	**1**	**2**	**6**	**17**	**29**	**76**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	6	1	1	2	3	5	9	13
20-34	42	2.9	2	1	1	3	4	5	6	7
35-49	19	2.9	2	1	1	3	4	5	5	5
50-64	9	4.4	24	1	1	2	6	12	16	16
65+	9	3.9	15	2	2	2	4	10	14	14
B. *Operated*										
0-19 YRS	45	4.6	7	2	2	4	6	8	10	14
20-34	102	5.6	8	2	3	5	7	9	11	16
35-49	33	5.0	6	2	2	5	6	9	10	11
50-64	14	6.9	12	2	4	6	9	11	15	16
65+	5	9.6	63	3	3	6	15	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	4.3	15	1	1	3	5	8	11	23
20-34	145	5.2	32	1	2	4	6	8	11	37
35-49	88	5.1	12	1	2	4	7	10	12	17
50-64	93	7.1	27	1	2	6	9	14	18	27
65+	104	9.4	52	2	2	7	13	21	24	33
B. *Operated*										
0-19 YRS	143	8.9	58	3	3	7	11	16	27	59
20-34	348	10.1	80	3	4	8	12	18	27	65
35-49	152	10.0	100	2	3	8	12	19	23	41
50-64	121	10.8	91	3	4	8	12	18	34	55
65+	99	13.6	100	3	4	12	18	29	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.1	6	1	1	2	4	5	7	15
B. *Operated*	199	5.5	9	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	508	6.2	32	1	2	5	8	13	18	27
B. *Operated*	863	10.4	85	3	3	8	13	19	29	63
1. SINGLE DX	317	4.6	10	1	2	4	6	8	10	16
2. MULTIPLE DX	1371	8.9	69	2	3	7	11	17	25	53
A. NOT OPERATED	626	5.6	29	1	1	4	7	12	15	26
B. OPERATED	1062	9.5	75	3	3	7	12	18	26	56
TOTAL 0-19 YRS	305	6.3	39	1	2	4	8	13	16	36
20-34	637	7.8	59	2	2	6	9	14	20	53
35-49	292	7.5	63	1	2	5	10	14	19	35
50-64	237	8.8	63	2	3	7	10	16	19	46
65+	217	11.1	78	2	3	9	15	23	31	75
GRAND TOTAL	**1688**	**8.1**	**61**	**2**	**2**	**6**	**10**	**16**	**22**	**46**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	3.8	10	1	1	3	5	8	10	16
20-34	153	3.2	7	1	1	2	4	7	9	12
35-49	37	3.9	11	1	1	3	7	8	9	16
50-64	17	3.4	7	<1	1	3	4	7	9	10
65+	4	3.0	8	1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	150	6.8	17	2	2	6	8	11	13	25
20-34	131	7.2	16	2	3	7	8	10	17	23
35-49	42	7.4	18	2	3	7	9	11	15	24
50-64	13	6.2	18	1	1	6	9	12	14	15
65+	14	8.9	12	2	5	9	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	3.8	10	1	1	3	5	8	9	17
20-34	298	4.0	11	1	1	3	5	8	11	17
35-49	138	4.6	13	1	1	4	6	9	12	19
50-64	74	5.9	20	1	2	5	9	12	14	23
65+	61	6.8	30	1	2	5	8	15	21	23
B. *Operated*										
0-19 YRS	411	11.4	91	3	5	8	12	22	33	53
20-34	652	13.2	152	4	5	9	15	27	38	89
35-49	242	14.9	169	4	6	10	17	30	42	69
50-64	150	16.6	216	3	5	12	21	36	53	99
65+	109	19.1	262	3	6	14	24	41	53	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	3.6	9	1	1	3	5	7	9	14
B. *Operated*	350	7.1	17	2	3	7	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	947	4.3	14	1	1	3	6	9	12	19
B. *Operated*	1564	13.7	157	4	5	10	16	29	39	78
1. SINGLE DX	870	5.0	15	1	1	4	7	9	11	22
2. MULTIPLE DX	2511	10.2	124	1	2	7	12	21	32	69
A. NOT OPERATED	1467	4.1	12	1	1	3	5	9	11	18
B. OPERATED	1914	12.5	138	3	4	9	14	26	35	75
TOTAL 0-19 YRS	1246	6.7	50	1	1	5	8	13	19	38
20-34	1234	9.1	106	1	2	7	10	18	29	63
35-49	459	10.2	120	1	2	7	12	21	30	58
50-64	254	12.1	164	1	2	9	15	27	39	78
65+	188	14.0	199	2	2	10	16	29	48	76
GRAND TOTAL	**3381**	**8.9**	**101**	**1**	**2**	**6**	**10**	**19**	**27**	**57**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	7	<1	1	3	4	8	9	11
20-34	7	2.9	3	1	1	3	4	6	6	6
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	265	2.8	7	<1	1	2	4	6	9	14
20-34	161	2.8	4	<1	1	2	4	6	7	11
35-49	62	3.6	6	1	1	3	5	7	9	11
50-64	31	3.9	8	<1	1	3	6	7	9	14
65+	24	4.8	36	1	1	3	5	9	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.0	5	<1	<1	2	5	6	8	9
20-34	30	3.3	8	<1	1	3	4	6	8	15
35-49	10	2.7	5	<1	<1	2	5	6	7	7
50-64	8	3.9	7	1	1	3	6	8	8	8
65+	16	4.9	12	<1	1	4	7	11	12	12
B. *Operated*										
0-19 YRS	277	4.0	12	1	1	3	5	8	10	19
20-34	258	4.7	23	1	1	3	6	9	13	25
35-49	84	4.7	16	1	1	4	6	8	11	24
50-64	61	5.9	130	1	1	4	6	9	13	82
65+	68	6.4	55	1	1	4	8	14	18	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.1	6	<1	1	3	4	6	9	11
B. *Operated*	543	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	110	3.4	7	<1	<1	3	5	7	8	13
B. *Operated*	748	4.7	30	1	1	3	6	9	12	23
1. SINGLE DX	580	3.1	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	858	4.5	27	1	1	3	6	8	11	23
A. NOT OPERATED	147	3.3	7	<1	<1	3	5	7	8	12
B. OPERATED	1291	4.0	21	1	1	3	5	8	10	21
TOTAL 0-19 YRS	613	3.4	9	<1	1	3	4	7	9	15
20-34	456	3.9	16	1	1	3	5	7	10	23
35-49	159	4.1	11	1	1	3	6	7	9	18
50-64	101	5.1	82	1	1	4	6	8	11	51
65+	109	5.8	44	1	1	4	7	12	17	38
GRAND TOTAL	**1438**	**3.9**	**20**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.3	3	<1	1	2	3	5	6	8
20-34	79	1.9	3	<1	<1	1	2	3	5	12
35-49	30	2.6	4	<1	<1	2	3	5	7	9
50-64	17	2.5	6	<1	<1	2	3	6	9	10
65+	16	2.4	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	489	1.9	3	<1	1	1	2	3	5	8
20-34	262	2.9	19	<1	<1	2	3	6	8	19
35-49	81	3.0	14	<1	1	2	3	6	9	23
50-64	28	2.7	7	1	1	2	3	5	9	14
65+	39	4.0	59	1	1	2	4	6	9	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	2.6	7	<1	1	2	3	5	7	14
20-34	374	2.9	10	<1	1	2	3	5	8	14
35-49	179	4.0	20	<1	1	3	5	8	12	21
50-64	143	4.3	32	1	1	3	5	8	12	32
65+	320	5.8	28	1	1	4	8	12	15	27
B. *Operated*										
0-19 YRS	836	3.0	10	1	1	2	4	6	8	15
20-34	1064	3.8	22	<1	1	2	4	8	12	26
35-49	385	4.5	35	1	1	3	6	9	12	25
50-64	296	5.8	63	1	1	4	7	12	16	45
65+	512	6.7	53	1	1	5	8	14	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	899	2.4	12	<1	1	1	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	1338	3.8	19	<1	1	2	5	8	11	22
B. *Operated*	3093	4.3	31	1	1	3	5	9	13	28
1. SINGLE DX	1150	2.4	10	<1	1	2	3	4	6	12
2. MULTIPLE DX	4431	4.2	27	1	1	3	5	9	12	26
A. NOT OPERATED	1589	3.6	17	<1	1	2	4	8	11	19
B. OPERATED	3992	3.9	27	<1	1	2	4	8	12	26
TOTAL 0-19 YRS	1756	2.6	7	<1	1	2	3	5	7	12
20-34	1779	3.4	19	<1	1	2	4	7	10	23
35-49	675	4.1	27	<1	1	3	5	8	12	25
50-64	484	5.0	49	1	1	3	6	10	14	38
65+	887	6.2	44	1	1	4	8	13	17	36
GRAND TOTAL	**5581**	**3.8**	**24**	**<1**	**1**	**2**	**4**	**8**	**12**	**25**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	2.2	3	1	1	2	3	4	5	10
20-34	266	2.1	2	<1	<1	2	3	4	5	8
35-49	80	2.3	3	<1	<1	2	3	5	6	7
50-64	30	2.5	4	1	1	2	3	4	6	10
65+	5	6.0	8	3	3	6	8	10	10	10
B. *Operated*										
0-19 YRS	211	3.0	6	<1	1	2	4	7	9	11
20-34	270	4.4	14	1	1	3	6	9	11	19
35-49	93	4.2	11	<1	1	3	6	9	10	16
50-64	35	4.6	21	1	1	4	6	9	11	25
65+	12	4.3	12	1	1	3	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	2.8	6	<1	1	2	4	6	7	14
20-34	292	3.6	12	<1	1	2	5	8	10	16
35-49	87	3.2	7	<1	1	3	4	6	8	15
50-64	44	5.2	21	<1	1	4	8	12	16	17
65+	44	6.4	34	1	2	4	8	17	19	27
B. *Operated*										
0-19 YRS	263	7.1	99	1	1	5	8	14	19	56
20-34	554	8.5	118	1	1	6	9	15	26	59
35-49	173	8.8	109	1	1	6	11	18	30	80
50-64	70	10.3	85	1	2	8	13	23	28	46
65+	44	10.1	88	1	2	8	13	18	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	2.2	3	<1	1	2	3	4	6	9
B. *Operated*	621	3.9	12	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	591	3.7	13	<1	1	3	5	8	11	18
B. *Operated*	1104	8.4	109	1	1	6	10	16	26	58
1. SINGLE DX	1145	3.1	8	<1	1	2	4	7	9	14
2. MULTIPLE DX	1695	6.7	81	1	1	4	8	14	20	50
A. NOT OPERATED	1115	3.0	9	<1	1	2	4	6	8	16
B. OPERATED	1725	6.8	79	1	1	5	8	13	19	49
TOTAL 0-19 YRS	741	4.3	43	1	1	2	5	9	12	32
20-34	1382	5.4	60	<1	1	3	7	11	15	42
35-49	433	5.5	55	<1	1	3	7	11	16	39
50-64	179	6.6	52	1	1	4	9	16	22	36
65+	105	7.7	57	1	2	6	10	17	19	41
GRAND TOTAL	**2840**	**5.3**	**55**	**1**	**1**	**3**	**6**	**11**	**15**	**38**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.9	7	1	1	2	4	6	7	9
20-34	212	2.7	4	<1	1	2	4	5	6	10
35-49	72	2.8	4	<1	<1	2	3	5	7	10
50-64	31	2.6	4	<1	<1	2	3	4	7	11
65+	14	5.6	16	1	2	4	8	12	14	14
B. *Operated*										
0-19 YRS	1142	2.1	4	<1	1	1	2	4	5	11
20-34	1566	2.4	7	<1	1	2	3	5	7	13
35-49	629	2.6	15	<1	1	2	3	5	7	20
50-64	435	2.4	9	<1	1	1	2	5	8	12
65+	124	2.4	5	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.8	18	1	1	3	4	6	9	28
20-34	267	4.1	24	<1	1	3	5	7	11	22
35-49	109	4.6	25	<1	1	3	5	10	14	27
50-64	56	4.8	19	1	1	4	6	11	12	24
65+	77	7.3	48	1	2	5	9	16	20	36
B. *Operated*										
0-19 YRS	1018	3.1	18	1	1	2	3	6	8	18
20-34	1586	3.4	23	<1	1	2	4	7	10	24
35-49	630	4.1	35	1	1	2	4	9	13	32
50-64	516	4.1	32	1	1	2	5	9	13	30
65+	277	6.2	71	1	1	3	7	12	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	2.9	5	<1	1	2	4	6	7	11
B. *Operated*	3896	2.3	8	<1	1	1	2	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	687	4.5	26	1	1	3	5	8	13	27
B. *Operated*	4027	3.7	29	1	1	2	4	8	11	29
1. SINGLE DX	4380	2.4	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	4714	3.8	28	1	1	2	4	8	12	29
A. NOT OPERATED	1171	3.8	18	<1	1	3	4	7	10	24
B. OPERATED	7923	3.0	19	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	2493	2.6	11	<1	1	2	3	5	7	15
20-34	3631	3.0	15	<1	1	2	3	6	8	18
35-49	1440	3.4	25	<1	1	2	4	7	10	25
50-64	1038	3.4	21	1	1	2	4	7	10	26
65+	492	5.4	52	1	1	3	6	12	18	39
GRAND TOTAL	**9094**	**3.1**	**19**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	3.3	10	<1	<1	2	4	7	8	11
20-34	202	3.5	9	<1	1	2	5	7	10	15
35-49	48	3.2	4	1	1	3	4	6	7	9
50-64	35	3.4	7	1	1	3	5	8	9	11
65+	8	5.0	4	3	3	4	6	8	9	9
B. *Operated*										
0-19 YRS	729	3.8	24	1	1	3	4	7	10	25
20-34	508	4.5	26	1	1	3	5	9	13	25
35-49	196	5.4	57	1	1	3	6	10	17	48
50-64	88	4.9	34	1	1	3	6	10	17	75
65+	50	7.4	64	2	2	5	10	15	22	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	4.8	28	1	1	3	5	8	13	28
20-34	148	4.6	14	1	1	4	6	9	10	18
35-49	74	6.0	49	1	1	4	7	12	19	43
50-64	59	5.8	23	1	1	5	7	9	15	29
65+	109	8.9	53	2	3	8	12	17	19	41
B. *Operated*										
0-19 YRS	389	6.9	70	1	1	4	8	14	24	45
20-34	462	8.7	111	1	1	5	10	22	30	55
35-49	187	8.0	72	1	1	6	9	18	28	47
50-64	126	11.1	152	2	2	7	15	23	32	62
65+	147	13.6	146	2	2	12	18	29	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	3.4	9	<1	1	3	4	7	9	12
B. *Operated*	1571	4.4	31	1	1	3	5	9	13	30
2. MULTIPLE DX										
A. *Not Operated*	537	5.9	34	1	2	4	7	12	17	30
B. *Operated*	1311	8.9	105	1	1	5	11	21	30	56
1. SINGLE DX	2090	4.2	26	1	1	3	5	8	12	26
2. MULTIPLE DX	1848	8.0	86	1	1	5	9	18	27	50
A. NOT OPERATED	1056	4.7	23	1	1	3	6	9	12	26
B. OPERATED	2882	6.4	70	1	1	4	7	15	22	43
TOTAL 0-19 YRS	1491	4.6	36	1	1	3	5	9	14	33
20-34	1320	5.8	56	1	1	3	7	12	21	37
35-49	505	6.2	58	1	1	4	7	13	20	45
50-64	308	7.4	86	1	1	5	8	17	23	58
65+	314	10.8	104	2	2	8	15	23	32	60
GRAND TOTAL	**3938**	**6.0**	**58**	**1**	**1**	**3**	**7**	**13**	**20**	**41**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	6	<1	<1	1	2	6	6	6
20-34	7	3.9	7	1	1	3	6	6	6	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	4.0	9	<1	<1	4	6	7	7	7
B. *Operated*										
0-19 YRS	29	3.1	13	1	1	2	3	5	14	16
20-34	19	4.5	11	1	1	3	7	10	10	10
35-49	17	4.1	12	1	1	2	7	9	10	11
50-64	9	3.2	22	1	1	1	3	11	15	15
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	2	<1	<1	1	2	4	5	5
20-34	5	4.0	7	1	1	3	6	6	6	6
35-49	5	3.8	4	1	1	4	5	6	6	6
50-64	9	6.6	18	1	1	6	8	13	13	13
65+	9	5.7	26	2	2	4	7	15	17	17
B. *Operated*										
0-19 YRS	65	6.5	60	<1	1	3	7	17	26	34
20-34	142	8.5	134	1	1	4	11	22	31	55
35-49	55	12.1	281	<1	1	6	14	41	76	99+
50-64	35	12.2	249	1	2	7	12	33	52	67
65+	22	8.7	74	1	2	6	10	21	31	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.7	6	<1	1	2	3	7	8	8
B. *Operated*	76	3.7	13	1	1	2	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	33	4.2	14	<1	1	3	5	9	13	17
B. *Operated*	319	9.2	155	1	1	5	11	26	37	71
1. SINGLE DX	100	3.5	11	1	1	2	4	9	10	15
2. MULTIPLE DX	352	8.7	143	1	1	5	10	24	35	67
A. NOT OPERATED	57	3.6	11	<1	1	3	5	8	10	17
B. OPERATED	395	8.1	132	1	1	4	9	23	33	67
TOTAL 0-19 YRS	112	4.9	42	<1	1	3	5	13	22	31
20-34	173	7.8	114	1	1	4	9	18	31	54
35-49	80	9.5	210	1	1	4	10	35	52	99+
50-64	51	9.6	190	1	1	5	11	28	45	67
65+	36	7.3	55	<1	2	5	7	17	26	35
GRAND TOTAL	452	7.5	119	1	1	4	8	18	31	67

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.4	6	1	1	3	5	7	10	10
20-34	51	5.3	22	1	1	4	7	10	13	26
35-49	19	7.6	60	<1	1	6	9	17	28	33
50-64	13	7.5	25	1	2	7	12	25	83	99+
65+	15	9.0	111	1	3	6	9	18	37	44
B. *Operated*										
0-19 YRS	236	3.2	8	1	1	2	4	6	8	14
20-34	425	4.1	23	1	1	3	5	8	11	20
35-49	199	3.9	10	1	2	3	4	8	11	19
50-64	141	4.2	13	1	1	3	5	8	12	20
65+	51	7.7	54	2	2	4	10	15	18	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.6	58	<1	1	3	6	14	29	30
20-34	134	8.5	171	1	1	5	10	15	21	89
35-49	67	6.9	69	1	1	5	9	15	18	42
50-64	73	6.6	27	1	1	6	8	15	17	27
65+	116	10.2	62	2	3	8	14	22	27	30
B. *Operated*										
0-19 YRS	230	4.8	37	1	1	4	5	9	14	23
20-34	475	5.5	61	1	2	4	5	10	19	39
35-49	301	6.2	62	1	2	4	6	14	20	43
50-64	215	8.0	87	2	2	5	10	16	25	50
65+	127	12.3	150	2	3	9	17	25	36	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	5.8	37	1	1	4	8	11	18	55
B. *Operated*	1052	4.0	18	1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	456	8.0	88	1	1	5	10	17	23	73
B. *Operated*	1343	6.6	67	1	2	4	7	14	21	45
1. SINGLE DX	1181	4.2	20	1	1	3	5	8	12	21
2. MULTIPLE DX	1799	6.9	72	1	2	4	8	15	22	47
A. NOT OPERATED	585	7.5	77	1	1	5	9	17	23	58
B. OPERATED	2395	5.5	47	1	1	4	6	12	17	34
TOTAL 0-19 YRS	563	4.2	25	1	1	3	5	8	11	27
20-34	1085	5.3	51	1	1	4	6	10	15	43
35-49	586	5.5	64	1	2	4	6	12	17	35
50-64	437	6.6	54	1	2	4	8	14	18	41
65+	309	10.5	102	2	2	8	14	22	30	53
GRAND TOTAL	2980	5.9	54	1	1	4	6	12	18	40

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	3.8	5	1	2	4	5	6	8	13
20-34	171	3.3	5	<1	1	3	4	6	7	9
35-49	45	3.6	5	1	1	3	5	7	7	13
50-64	11	3.6	4	1	1	3	5	7	7	7
65+	5	3.0	5	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	19	5.5	10	1	2	5	8	8	11	14
20-34	8	4.6	20	1	1	3	5	12	15	15
35-49	6	5.3	9	2	2	5	7	10	10	10
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	3.6	6	1	1	3	5	6	8	15
20-34	136	3.5	12	<1	1	3	4	6	8	15
35-49	57	4.3	9	1	1	4	5	7	9	19
50-64	42	4.5	9	<1	1	4	7	9	11	13
65+	57	6.3	47	2	2	4	7	11	16	44
B. *Operated*										
0-19 YRS	44	5.3	19	<1	1	4	9	12	13	18
20-34	35	3.7	5	1	1	4	5	6	8	10
35-49	17	5.9	24	1	2	4	7	14	18	19
50-64	8	8.0	105	<1	<1	5	9	26	32	32
65+	16	10.9	93	2	2	7	12	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	616	3.7	5	1	1	3	5	6	7	12
B. *Operated*	37	5.1	11	1	2	5	7	8	13	15
2. MULTIPLE DX										
A. *Not Operated*	535	4.0	13	1	1	3	5	7	9	16
B. *Operated*	120	5.9	34	1	1	4	8	12	16	32
1. SINGLE DX	653	3.7	6	1	1	3	5	6	8	13
2. MULTIPLE DX	655	4.3	17	1	1	3	5	8	11	21
A. NOT OPERATED	1151	3.8	9	1	1	3	5	7	8	15
B. OPERATED	157	5.7	29	1	1	4	8	11	14	32
TOTAL 0-19 YRS	690	3.9	7	1	1	3	5	7	9	14
20-34	350	3.5	8	<1	1	3	4	6	7	12
35-49	125	4.3	10	1	1	4	6	7	10	19
50-64	63	4.7	21	<1	1	4	6	9	11	30
65+	80	7.0	56	1	2	5	8	14	24	41
GRAND TOTAL	**1308**	**4.0**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1002	1.9	2	<1	1	1	2	3	5	8
20-34	699	2.6	5	<1	1	2	3	5	6	12
35-49	300	2.9	6	1	1	2	4	6	8	14
50-64	213	3.4	9	1	1	2	4	7	9	17
65+	283	4.7	13	1	1	4	6	10	12	17
B. *Operated*										
0-19 YRS	141	3.0	8	<1	1	2	4	6	8	15
20-34	111	3.5	13	<1	1	2	4	7	10	20
35-49	84	3.9	15	<1	1	3	5	8	10	23
50-64	51	4.1	13	1	1	3	5	8	9	21
65+	32	5.9	19	1	2	5	7	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1719	2.5	5	<1	1	2	3	5	7	12
20-34	1956	3.4	11	<1	1	2	4	7	9	17
35-49	1111	4.4	16	1	1	3	6	10	13	18
50-64	1126	5.3	21	1	1	4	7	10	14	21
65+	3323	7.5	35	1	2	6	10	15	19	29
B. *Operated*										
0-19 YRS	226	4.4	36	1	1	3	5	8	12	29
20-34	310	5.8	53	<1	1	4	7	12	19	42
35-49	188	7.1	58	1	1	4	9	16	23	43
50-64	187	8.3	66	1	2	6	10	20	25	53
65+	402	12.3	113	2	3	9	16	26	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2497	2.7	6	<1	1	2	3	5	7	13
B. *Operated*	419	3.7	13	<1	1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	9235	5.1	25	1	1	3	7	11	15	23
B. *Operated*	1313	8.1	80	1	1	5	10	19	26	47
1. SINGLE DX	2916	2.8	7	<1	1	2	3	6	8	14
2. MULTIPLE DX	10548	5.4	32	1	1	4	7	12	16	27
A. NOT OPERATED	11732	4.5	22	1	1	3	6	10	14	22
B. OPERATED	1732	7.0	67	1	1	4	9	16	23	44
TOTAL 0-19 YRS	3088	2.4	7	<1	1	2	3	5	6	12
20-34	3076	3.4	15	<1	1	2	4	7	10	19
35-49	1683	4.4	20	1	1	3	5	10	13	23
50-64	1577	5.4	26	1	1	4	7	11	15	25
65+	4040	7.8	44	1	2	6	10	16	20	33
GRAND TOTAL	**13464**	**4.9**	**28**	**1**	**1**	**3**	**6**	**11**	**15**	**25**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	2.2	4	<1	1	2	3	4	5	12
20-34	57	2.9	9	1	1	2	3	6	7	19
35-49	21	2.9	3	1	1	2	4	5	6	7
50-64	13	3.2	6	1	1	2	3	6	10	11
65+	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	30	6.4	46	1	1	3	8	18	20	29
20-34	74	5.6	38	1	1	3	7	14	17	35
35-49	51	4.9	29	1	1	3	5	11	12	31
50-64	27	4.2	26	1	1	2	4	12	15	23
65+	3	8.0	43	1	1	9	13	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	2.6	3	1	1	2	3	5	6	10
20-34	57	3.4	6	1	1	3	4	7	9	11
35-49	22	4.8	14	1	1	4	5	12	13	14
50-64	20	4.5	12	1	1	3	6	11	12	12
65+	7	5.9	16	2	2	5	10	12	12	12
B. Operated										
0-19 YRS	53	7.3	96	1	1	3	11	16	18	54
20-34	135	8.2	120	1	1	4	10	19	31	50
35-49	95	9.6	146	1	1	5	13	29	38	86
50-64	66	7.9	180	1	1	3	10	14	33	78
65+	23	13.0	190	1	1	7	23	39	42	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	2.6	6	1	1	2	3	5	7	13
B. Operated	185	5.4	35	1	1	3	7	12	16	30
2. MULTIPLE DX										
A. Not Operated	153	3.6	8	1	1	3	4	7	11	13
B. Operated	372	8.7	138	1	1	4	11	22	37	68
1. SINGLE DX	357	4.0	23	1	1	2	4	9	14	23
2. MULTIPLE DX	525	7.2	106	1	1	3	8	17	29	56
A. NOT OPERATED	325	3.1	7	1	1	2	4	6	9	13
B. OPERATED	557	7.6	106	1	1	4	9	18	30	54
TOTAL 0-19 YRS	210	4.2	38	1	1	2	4	11	15	35
20-34	323	5.8	66	1	1	3	6	14	19	43
35-49	189	7.0	90	1	1	4	8	17	30	61
50-64	126	6.1	105	1	1	3	7	12	21	66
65+	34	10.9	142	1	1	7	14	27	41	43
GRAND TOTAL	**882**	**5.9**	**74**	**1**	**1**	**3**	**7**	**14**	**20**	**44**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.3	5	1	1	1	3	6	7	7
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. Operated										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	4	4
20-34	10	2.0	1	1	1	2	3	3	3	3
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	6	3.0	9	1	1	2	3	8	9	9
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	11	3.2	6	1	1	2	5	7	8	8
20-34	7	4.4	3	3	3	4	6	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.0	3	1	1	2	2	4	7	7
B. Operated	28	1.8	1	<1	<1	1	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	14	3.1	7	1	1	2	4	9	9	9
B. Operated	21	3.6	4	1	1	3	5	7	7	8
1. SINGLE DX	40	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	35	3.4	5	1	1	3	5	7	9	9
A. NOT OPERATED	26	2.6	5	1	1	2	3	7	9	9
B. OPERATED	49	2.6	3	<1	1	2	3	5	6	8
TOTAL 0-19 YRS	34	2.3	4	<1	1	1	3	5	7	8
20-34	26	2.8	4	1	1	2	3	6	7	9
35-49	9	2.0	1	1	1	2	3	4	4	4
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	2	7.0	8	5	5	7	9	9	9	9
GRAND TOTAL	**75**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	698	1.5	1	<1	<1	1	1	2	3	7
20-34	114	1.6	2	<1	<1	1	2	3	5	9
35-49	116	2.0	7	<1	1	1	2	3	7	16
50-64	109	1.4	1	<1	<1	1	1	3	4	5
65+	120	1.8	1	1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	222	2.0	2	<1	1	1	2	4	6	8
20-34	24	3.0	10	<1	1	2	3	8	10	14
35-49	21	4.1	15	<1	<1	3	5	8	13	17
50-64	25	3.4	20	<1	<1	1	3	14	14	15
65+	29	3.3	10	1	1	2	4	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	2.9	12	<1	1	2	3	6	8	17
20-34	63	3.7	18	1	1	2	4	11	14	17
35-49	88	3.8	21	1	1	2	4	8	16	23
50-64	137	3.1	10	1	1	2	4	6	9	18
65+	296	4.2	17	1	1	3	5	8	13	21
B. *Operated*										
0-19 YRS	101	4.6	29	<1	1	3	6	10	15	32
20-34	45	7.3	61	1	2	5	9	12	22	45
35-49	66	6.9	128	1	1	2	7	15	27	68
50-64	87	7.7	83	1	1	4	12	18	27	82
65+	201	8.4	126	1	1	4	10	20	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1157	1.5	2	<1	<1	1	2	3	4	8
B. *Operated*	321	2.4	6	<1	1	1	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	781	3.6	15	1	1	2	4	8	12	20
B. *Operated*	500	7.2	94	1	1	4	9	16	25	58
1. SINGLE DX	1478	1.7	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX	1281	5.0	49	1	1	3	6	12	16	36
A. NOT OPERATED	1938	2.4	8	<1	<1	1	2	5	8	15
B. OPERATED	821	5.3	65	1	1	3	6	12	19	41
TOTAL 0-19 YRS	1218	2.0	6	<1	<1	1	2	4	6	12
20-34	246	3.3	22	<1	1	1	4	9	11	19
35-49	291	3.8	42	<1	1	2	4	9	15	30
50-64	358	3.7	31	<1	1	2	4	10	14	37
65+	646	5.0	53	1	1	3	5	11	15	36
GRAND TOTAL	**2759**	**3.3**	**27**	**<1**	**1**	**2**	**3**	**7**	**12**	**25**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	7.1	41	1	1	6	9	17	23	26
20-34	29	9.1	82	1	1	6	12	25	27	37
35-49	20	6.3	25	1	1	4	10	13	17	19
50-64	9	12.6	103	2	2	11	16	29	33	33
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	118	11.2	103	1	2	8	14	29	33	39
20-34	80	9.1	59	1	2	8	13	20	25	82
35-49	35	12.5	120	2	3	7	17	30	35	37
50-64	30	13.0	99	1	2	11	19	27	34	36
65+	14	18.6	189	2	4	17	27	42	46	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	8.2	43	1	2	6	11	17	20	33
20-34	73	8.4	44	1	1	6	12	18	22	29
35-49	50	9.1	86	2	2	6	10	21	32	46
50-64	28	11.6	79	3	3	10	14	21	24	46
65+	43	13.8	62	3	5	15	19	26	29	32
B. *Operated*										
0-19 YRS	230	20.1	210	3	5	18	29	43	51	75
20-34	169	20.6	231	2	4	18	29	46	51	95
35-49	102	20.3	225	3	4	17	26	42	51	73
50-64	106	21.9	260	2	5	19	30	43	64	99+
65+	114	24.3	297	4	6	22	32	46	59	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	7.8	54	1	2	6	10	19	25	34
B. *Operated*	277	11.3	99	1	2	8	16	28	34	42
2. MULTIPLE DX										
A. *Not Operated*	282	9.6	60	1	2	7	14	20	24	36
B. *Operated*	721	21.2	239	3	5	18	29	45	55	88
1. SINGLE DX	396	10.3	88	1	2	7	14	25	31	41
2. MULTIPLE DX	1003	17.9	216	2	3	14	25	39	49	74
A. NOT OPERATED	401	9.1	59	1	2	7	12	20	24	35
B. OPERATED	998	18.5	220	2	3	15	26	40	50	76
TOTAL 0-19 YRS	495	14.3	165	1	2	10	20	32	41	61
20-34	351	14.5	175	1	2	11	20	34	46	75
35-49	207	14.9	184	2	3	10	21	34	42	62
50-64	173	18.2	214	2	3	15	25	38	53	97
65+	173	21.0	249	4	5	17	29	42	56	72
GRAND TOTAL	**1399**	**15.8**	**192**	**2**	**2**	**12**	**22**	**36**	**46**	**69**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	543	4.4	25	1	1	3	6	9	12	26
20-34	240	4.4	22	<1	1	3	6	10	13	18
35-49	110	5.3	40	<1	1	3	7	12	22	30
50-64	49	7.0	40	1	1	5	9	16	20	29
65+	27	9.3	56	1	2	8	12	19	26	31
B. *Operated*										
0-19 YRS	102	8.8	109	1	1	5	10	20	26	63
20-34	68	8.0	63	1	2	5	9	23	26	32
35-49	26	11.4	88	1	2	8	18	23	32	35
50-64	20	12.5	83	2	3	9	21	27	28	28
65+	5	4.2	13	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1117	6.0	29	1	1	4	8	13	16	26
20-34	586	5.0	24	1	1	3	7	11	14	25
35-49	324	6.5	44	1	1	4	8	13	19	38
50-64	199	8.3	66	1	2	6	10	18	25	44
65+	176	11.6	94	2	2	9	16	24	29	50
B. *Operated*										
0-19 YRS	221	13.9	201	1	2	9	19	33	43	68
20-34	168	10.3	97	2	2	7	13	23	30	46
35-49	73	16.5	240	2	3	10	21	39	53	71
50-64	83	17.2	185	2	3	14	26	40	48	99+
65+	76	22.7	322	3	6	15	34	47	61	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	969	4.8	28	1	1	3	6	10	14	28
B. *Operated*	221	9.1	89	1	1	6	11	23	27	42
2. MULTIPLE DX										
A. *Not Operated*	2402	6.4	40	1	1	4	9	14	18	30
B. *Operated*	621	14.7	203	2	2	10	20	37	45	70
1. SINGLE DX	1190	5.6	42	1	1	3	7	12	18	31
2. MULTIPLE DX	3023	8.1	85	1	1	5	10	18	26	47
A. NOT OPERATED	3371	5.9	37	1	1	4	8	13	18	30
B. OPERATED	842	13.3	179	1	2	9	18	32	42	67
TOTAL 0-19 YRS	1983	6.6	59	1	1	4	8	14	20	41
20-34	1062	5.9	41	1	1	4	8	13	18	32
35-49	533	7.9	85	1	1	5	10	18	25	48
50-64	351	10.5	106	1	2	7	13	26	32	52
65+	284	14.2	176	2	2	10	18	30	41	63
GRAND TOTAL	**4213**	**7.4**	**74**	**1**	**1**	**5**	**9**	**17**	**24**	**44**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.2	2	<1	1	2	3	5	5	6
20-34	60	4.6	42	1	1	3	4	10	13	43
35-49	28	4.6	29	1	1	3	4	10	20	23
50-64	19	6.7	32	<1	1	5	11	14	18	22
65+	4	4.3	4	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	64	2.9	11	1	1	2	3	6	9	18
20-34	129	2.7	6	1	1	2	3	5	5	12
35-49	41	2.9	7	<1	1	2	3	6	10	13
50-64	23	4.1	45	1	1	2	4	6	17	34
65+	2	15.5	365	2	2	15	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	6.5	215	<1	1	2	5	10	26	86
20-34	68	6.6	116	1	1	3	7	14	17	70
35-49	58	9.8	151	1	1	7	12	19	26	79
50-64	47	7.0	35	1	2	5	9	17	21	25
65+	74	9.1	46	2	2	7	12	19	25	31
B. *Operated*										
0-19 YRS	113	4.0	106	1	1	2	3	6	10	67
20-34	212	4.1	47	1	1	2	4	9	13	55
35-49	84	6.2	92	1	1	3	5	12	33	44
50-64	53	5.9	102	<1	1	3	5	18	27	99
65+	32	11.8	129	1	2	9	17	27	32	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	4.1	27	1	1	3	4	9	13	23
B. *Operated*	259	3.0	13	1	1	2	3	5	9	20
2. MULTIPLE DX										
A. *Not Operated*	291	7.9	107	1	1	5	10	17	24	67
B. *Operated*	494	5.1	82	1	1	2	5	11	21	59
1. SINGLE DX	418	3.4	19	1	1	2	4	6	10	22
2. MULTIPLE DX	785	6.2	93	1	1	3	7	14	22	61
A. NOT OPERATED	450	6.6	82	1	1	4	8	14	20	45
B. OPERATED	753	4.4	59	1	1	2	4	9	17	46
TOTAL 0-19 YRS	269	3.8	84	<1	1	2	3	6	10	52
20-34	469	4.2	46	1	1	2	4	9	13	44
35-49	211	6.3	88	1	1	3	7	14	24	43
50-64	142	6.1	61	1	1	4	6	16	21	67
65+	112	9.8	73	2	2	7	13	22	28	39
GRAND TOTAL	**1203**	**5.2**	**69**	**1**	**1**	**3**	**5**	**12**	**18**	**45**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	417	2.0	3	<1	1	2	2	4	5	9
20-34	297	2.9	8	<1	1	2	3	6	8	14
35-49	129	3.8	12	1	1	3	5	9	11	15
50-64	66	4.0	7	1	1	3	5	8	9	12
65+	43	4.3	6	1	1	5	6	7	8	12
B. Operated										
0-19 YRS	96	3.8	15	<1	1	2	5	8	12	20
20-34	140	5.0	19	1	1	3	6	11	13	24
35-49	74	6.2	104	1	1	3	6	12	23	65
50-64	39	5.1	13	1	2	4	8	10	12	15
65+	16	7.1	44	2	2	4	10	14	22	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	448	2.7	5	<1	1	2	3	5	7	11
20-34	503	3.9	12	1	1	3	5	8	10	17
35-49	267	5.3	18	1	1	4	7	10	13	21
50-64	222	6.2	30	1	1	4	8	13	16	26
65+	463	7.9	36	2	2	5	10	16	19	27
B. Operated										
0-19 YRS	132	9.1	130	1	1	5	10	23	35	76
20-34	234	9.3	175	1	1	6	10	20	30	91
35-49	120	10.4	136	1	2	7	12	22	39	75
50-64	124	11.0	125	1	2	7	16	22	33	58
65+	82	16.2	274	1	2	11	21	39	50	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	952	2.8	7	1	1	2	3	6	8	13
B. Operated	365	5.1	35	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. Not Operated	1903	5.1	23	1	1	4	7	10	14	23
B. Operated	692	10.6	166	1	1	7	13	23	37	77
1. SINGLE DX	1317	3.4	16	1	1	2	4	7	10	18
2. MULTIPLE DX	2595	6.5	67	1	1	4	8	14	20	46
A. NOT OPERATED	2855	4.3	19	1	1	3	6	9	13	22
B. OPERATED	1057	8.7	128	1	1	5	10	20	31	68
TOTAL 0-19 YRS	1093	3.3	25	1	1	2	3	6	9	29
20-34	1174	4.8	50	1	1	3	6	10	15	30
35-49	590	6.1	56	1	1	4	8	12	18	43
50-64	451	7.1	57	1	2	5	9	15	21	39
65+	604	8.8	75	1	2	6	11	17	23	48
GRAND TOTAL	**3912**	**5.5**	**52**	**1**	**1**	**3**	**7**	**12**	**17**	**37**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2336	1.8	5	<1	1	1	2	3	4	8
20-34	1004	2.1	3	<1	<1	1	2	4	5	9
35-49	385	2.2	3	<1	<1	2	3	4	6	9
50-64	151	2.8	4	<1	1	2	4	6	7	10
65+	112	4.8	23	1	1	4	5	9	13	27
B. Operated										
0-19 YRS	9	3.1	5	1	1	3	5	6	7	7
20-34	6	3.8	3	2	2	3	5	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	23.0		23	23	23	23	23	23	23
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2755	4.0	41	1	1	2	4	8	12	35
20-34	3852	4.5	39	<1	1	3	5	10	16	32
35-49	2109	5.2	45	1	1	3	6	11	17	34
50-64	1221	6.5	56	1	1	4	8	13	20	39
65+	1874	7.4	34	1	2	6	9	14	17	30
B. Operated										
0-19 YRS	24	8.0	51	1	1	6	11	17	22	32
20-34	174	10.1	126	1	1	6	15	26	35	45
35-49	126	11.1	132	1	1	8	15	25	31	56
50-64	96	15.7	219	3	4	11	19	36	58	87
65+	151	15.7	159	3	5	13	19	31	37	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3988	2.1	5	<1	<1	1	2	4	5	10
B. Operated	19	4.4	24	1	1	3	5	7	16	23
2. MULTIPLE DX										
A. Not Operated	11811	5.2	43	1	1	3	6	11	17	33
B. Operated	571	12.7	155	1	1	9	17	27	37	66
1. SINGLE DX	4007	2.1	5	<1	1	1	2	4	5	10
2. MULTIPLE DX	12382	5.5	50	1	1	3	6	12	18	37
A. NOT OPERATED	15799	4.4	35	<1	1	3	5	9	14	30
B. OPERATED	590	12.4	153	1	1	9	17	27	37	66
TOTAL 0-19 YRS	5124	3.0	26	<1	1	2	3	5	8	28
20-34	5036	4.2	37	<1	1	2	4	9	15	32
35-49	2621	5.1	46	1	1	3	6	11	17	34
50-64	1469	6.7	68	1	1	4	8	14	21	44
65+	2139	7.8	47	1	2	6	10	15	19	34
GRAND TOTAL	**16389**	**4.7**	**42**	**<1**	**1**	**3**	**5**	**10**	**16**	**33**

285: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1108	1.7	2	<1	<1	1	2	3	5	7
20-34	400	1.6	2	<1	<1	1	2	3	4	6
35-49	239	1.8	2	<1	<1	1	2	3	4	8
50-64	136	2.1	17	<1	1	1	2	4	5	14
65+	77	1.8	2	<1	1	1	2	4	5	6
B. Operated										
0-19 YRS	5	5.2	39	<1	<1	3	8	16	16	16
20-34	5	3.4	14	1	1	2	5	10	10	10
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	4.3	16	2	2	2	7	9	9	9
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	603	3.3	23	<1	1	2	4	7	9	22
20-34	532	3.2	15	<1	1	2	4	7	10	21
35-49	335	3.8	29	<1	1	2	4	8	13	27
50-64	290	4.1	33	1	1	2	4	9	10	38
65+	242	5.2	40	1	1	3	6	9	15	36
B. Operated										
0-19 YRS	17	6.8	58	<1	1	6	7	17	27	31
20-34	35	13.5	406	1	1	9	14	23	67	99
35-49	22	15.0	161	2	2	12	22	45	65	99+
50-64	20	12.9	96	3	5	10	15	26	37	44
65+	22	10.0	60	1	2	7	15	21	25	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1960	1.7	3	<1	<1	1	2	3	5	7
B. Operated	14	4.7	22	<1	1	3	9	11	15	16
2. MULTIPLE DX										
A. Not Operated	2002	3.7	26	<1	1	2	4	8	11	26
B. Operated	116	12.0	192	1	2	9	15	25	39	99
1. SINGLE DX	1974	1.7	3	<1	<1	1	2	3	5	8
2. MULTIPLE DX	2118	4.1	38	<1	1	2	5	9	14	31
A. NOT OPERATED	3962	2.7	15	<1	1	2	3	6	8	21
B. OPERATED	130	11.3	179	1	2	6	15	23	31	99
TOTAL 0-19 YRS	1733	2.3	11	<1	1	1	2	5	7	15
20-34	972	2.9	28	<1	1	2	3	6	10	21
35-49	597	3.4	29	<1	1	2	3	7	12	30
50-64	449	3.9	35	1	1	2	4	8	12	41
65+	341	4.8	36	1	1	3	6	9	15	36
GRAND TOTAL	**4092**	**3.0**	**23**	**<1**	**1**	**2**	**3**	**6**	**9**	**23**

286: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	650	2.3	4	<1	1	2	3	5	6	10
20-34	372	2.2	5	<1	1	2	3	4	5	13
35-49	282	2.3	3	<1	1	2	3	4	5	9
50-64	228	2.9	6	1	1	2	4	6	7	15
65+	162	4.0	12	1	1	3	5	8	10	17
B. Operated										
0-19 YRS	13	8.5	300	<1	1	3	5	23	57	65
20-34	6	10.8	27	6	6	10	14	16	16	16
35-49	6	3.3	7	1	1	2	5	6	6	6
50-64	7	6.3	25	1	1	5	6	14	16	16
65+	7	6.1	36	1	1	4	10	16	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	732	3.7	16	1	1	2	4	7	10	22
20-34	624	3.7	14	1	1	3	4	7	10	19
35-49	641	4.5	20	1	1	3	5	9	13	23
50-64	933	5.0	19	1	1	4	6	10	13	21
65+	1962	7.1	39	1	2	6	9	13	17	29
B. Operated										
0-19 YRS	45	10.4	161	1	2	6	13	21	33	75
20-34	58	9.3	142	1	1	4	10	25	36	62
35-49	59	8.4	51	1	1	6	11	19	25	33
50-64	117	10.6	110	1	1	8	13	25	33	46
65+	208	13.1	105	2	3	10	17	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1714	2.6	6	<1	1	2	3	5	7	12
B. Operated	29	7.2	114	1	1	4	8	15	16	65
2. MULTIPLE DX										
A. Not Operated	4892	5.4	28	1	1	4	7	11	15	25
B. Operated	487	11.2	116	1	2	6	15	25	33	57
1. SINGLE DX	1753	2.7	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	5379	5.9	39	1	1	4	7	12	17	30
A. NOT OPERATED	6606	4.7	24	1	1	3	6	10	13	23
B. OPERATED	526	10.9	116	1	2	6	14	24	33	59
TOTAL 0-19 YRS	1440	3.3	20	1	1	2	4	7	9	20
20-34	1060	3.5	22	1	1	2	4	7	10	24
35-49	988	4.1	19	1	1	3	5	9	12	23
50-64	1285	5.2	29	1	1	4	6	10	14	28
65+	2359	7.6	46	1	2	6	9	14	19	35
GRAND TOTAL	**7132**	**5.1**	**33**	**1**	**1**	**3**	**6**	**11**	**15**	**28**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	3.4	10	<1	1	3	4	7	9	20
20-34	79	4.8	52	<1	1	3	5	9	16	45
35-49	61	5.7	21	1	2	5	7	11	13	28
50-64	79	5.3	14	1	1	4	7	11	13	16
65+	131	6.2	27	1	1	5	8	14	18	22
B. *Operated*										
0-19 YRS	609	6.2	43	1	2	4	7	13	19	34
20-34	541	5.1	33	1	1	3	6	11	16	31
35-49	489	6.4	49	1	1	4	8	15	20	33
50-64	884	8.4	67	1	2	6	12	17	22	37
65+	1342	9.5	81	1	2	6	14	20	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	4.9	25	1	1	3	6	11	15	27
20-34	183	5.7	20	1	1	5	8	11	14	24
35-49	166	7.2	45	1	1	6	10	13	18	41
50-64	253	7.0	36	1	1	6	9	14	16	30
65+	637	8.3	56	1	2	6	11	18	24	37
B. *Operated*										
0-19 YRS	839	10.0	143	1	2	6	11	22	36	59
20-34	892	8.4	77	1	2	5	11	18	26	47
35-49	1211	9.0	102	1	2	6	11	19	28	56
50-64	2395	11.0	119	2	2	8	15	23	34	59
65+	3949	13.3	163	2	2	10	18	29	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	5.0	25	1	1	3	6	10	14	23
B. *Operated*	3865	7.7	64	1	2	5	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	1434	7.1	44	1	1	5	9	14	20	35
B. *Operated*	9286	11.4	137	2	2	8	15	25	36	62
1. SINGLE DX	4350	7.4	60	1	1	5	10	16	22	36
2. MULTIPLE DX	10720	10.8	127	1	2	7	14	23	34	59
A. NOT OPERATED	1919	6.6	40	1	1	5	9	14	18	31
B. OPERATED	13151	10.3	118	1	2	7	14	22	32	57
TOTAL 0-19 YRS	1778	7.6	91	1	1	5	9	17	25	52
20-34	1695	6.9	58	1	1	4	9	15	22	42
35-49	1927	8.1	82	1	2	5	10	17	24	48
50-64	3611	10.0	101	1	2	7	13	21	30	52
65+	6059	11.8	135	2	2	8	16	25	35	61
GRAND TOTAL	**15070**	**9.8**	**110**	**1**	**2**	**6**	**13**	**22**	**31**	**54**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	1.6	1	<1	<1	1	2	3	4	6
20-34	335	2.4	4	<1	1	2	3	4	6	10
35-49	157	2.8	4	1	1	2	4	5	6	12
50-64	227	3.3	4	1	1	3	4	6	7	10
65+	273	3.7	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	302	1.9	3	<1	1	1	2	4	5	11
20-34	336	2.8	5	1	1	2	4	6	7	10
35-49	167	3.2	7	1	1	2	4	7	8	14
50-64	94	4.5	11	1	1	4	6	9	11	16
65+	95	5.0	13	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	2.7	5	1	1	2	4	5	7	12
20-34	163	3.6	7	1	1	3	5	7	9	14
35-49	126	3.8	14	1	1	3	4	7	10	22
50-64	214	5.0	50	1	1	4	6	8	11	24
65+	479	5.0	16	1	2	4	6	9	12	23
B. *Operated*										
0-19 YRS	73	2.8	12	<1	1	2	3	5	9	22
20-34	156	5.4	47	1	1	4	6	11	14	50
35-49	119	5.3	43	1	1	3	6	10	15	40
50-64	187	6.7	38	1	1	5	9	15	21	31
65+	254	7.9	68	1	2	5	9	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1335	2.7	4	<1	1	2	4	5	7	10
B. *Operated*	994	3.0	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1064	4.5	21	1	1	4	6	8	11	19
B. *Operated*	789	6.3	50	1	1	4	7	14	21	35
1. SINGLE DX	2329	2.8	5	<1	1	2	4	6	7	12
2. MULTIPLE DX	1853	5.2	34	1	1	4	6	10	15	30
A. NOT OPERATED	2399	3.5	12	1	1	3	4	7	9	14
B. OPERATED	1783	4.4	29	1	1	3	5	9	14	29
TOTAL 0-19 YRS	800	1.9	3	<1	1	1	2	4	5	10
20-34	990	3.2	13	1	1	2	4	6	8	14
35-49	569	3.7	16	1	1	3	4	7	9	20
50-64	722	4.9	29	1	1	4	6	9	13	22
65+	1101	5.4	27	1	1	4	6	10	14	29
GRAND TOTAL	**4182**	**3.9**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	4.9	11	1	2	4	6	10	10	16
20-34	232	5.6	17	2	2	5	7	10	13	23
35-49	207	6.7	31	2	3	5	8	11	16	25
50-64	148	7.3	37	2	3	6	9	12	16	34
65+	91	7.7	28	2	3	6	9	15	19	28
B. *Operated*										
0-19 YRS	121	6.9	27	1	2	6	9	13	16	28
20-34	188	7.9	60	1	2	6	9	16	26	40
35-49	148	8.2	50	2	2	6	10	17	20	41
50-64	136	10.8	121	2	2	7	13	24	32	55
65+	93	12.6	106	2	3	9	17	25	40	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	6.0	20	2	2	5	8	13	14	24
20-34	220	6.8	25	2	2	6	8	12	16	29
35-49	228	7.4	30	2	3	6	9	13	16	28
50-64	331	9.5	61	2	3	7	11	17	25	38
65+	357	10.4	54	3	3	8	14	18	26	40
B. *Operated*										
0-19 YRS	94	12.5	123	3	4	8	16	27	39	56
20-34	201	13.1	185	2	3	9	15	30	45	74
35-49	251	14.6	188	2	3	10	19	33	45	70
50-64	359	16.0	225	2	3	12	20	35	46	80
65+	386	18.2	224	3	4	14	25	42	54	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	6.3	25	2	2	5	8	11	15	25
B. *Operated*	686	9.0	74	1	2	6	11	19	26	43
2. MULTIPLE DX										
A. *Not Operated*	1261	8.6	46	2	3	7	11	16	21	35
B. *Operated*	1291	15.7	207	2	3	11	20	35	47	72
1. SINGLE DX	1518	7.5	49	2	2	6	9	15	20	40
2. MULTIPLE DX	2552	12.2	140	2	3	8	15	27	37	63
A. NOT OPERATED	2093	7.7	39	2	3	6	9	14	18	32
B. OPERATED	1977	13.4	171	2	3	9	17	30	43	68
TOTAL 0-19 YRS	494	7.1	45	1	2	5	8	14	18	37
20-34	841	8.2	77	1	2	6	9	16	26	53
35-49	834	9.5	92	2	3	7	11	19	27	49
50-64	974	11.7	137	2	3	8	14	25	35	60
65+	927	13.6	144	3	4	10	17	29	42	64
GRAND TOTAL	**4070**	**10.4**	**111**	**2**	**3**	**7**	**12**	**22**	**31**	**55**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.5	4	<1	1	2	3	5	7	9
20-34	175	2.9	8	1	1	2	4	6	9	13
35-49	171	4.8	16	1	1	4	7	10	13	22
50-64	119	5.6	27	1	1	4	7	12	14	26
65+	95	6.1	28	1	1	5	9	12	13	29
B. *Operated*										
0-19 YRS	103	3.8	10	<1	1	3	5	9	11	14
20-34	245	5.9	44	1	1	4	7	11	16	38
35-49	219	6.1	27	1	1	5	8	11	14	32
50-64	233	6.9	58	1	1	4	9	16	20	42
65+	201	7.1	40	1	2	5	9	15	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.9	21	1	1	3	4	7	11	29
20-34	281	5.1	28	1	1	4	7	10	14	22
35-49	314	6.5	32	1	1	5	9	14	16	28
50-64	383	8.1	58	1	2	6	10	17	21	41
65+	526	8.6	65	1	2	6	12	18	22	31
B. *Operated*										
0-19 YRS	141	5.8	39	1	1	3	8	14	18	29
20-34	442	8.2	83	1	1	6	10	17	25	63
35-49	544	11.6	142	2	2	8	14	26	37	61
50-64	672	12.5	163	1	2	8	16	30	42	82
65+	874	13.8	175	1	2	10	19	30	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	620	4.4	18	1	1	3	6	10	13	20
B. *Operated*	1001	6.2	40	1	1	4	8	13	16	33
2. MULTIPLE DX										
A. *Not Operated*	1638	7.1	50	1	1	5	9	15	19	31
B. *Operated*	2673	11.7	148	1	2	8	15	27	37	66
1. SINGLE DX	1621	5.5	32	1	1	4	7	12	15	31
2. MULTIPLE DX	4311	9.9	116	1	2	7	13	22	31	61
A. NOT OPERATED	2258	6.4	42	1	1	4	9	14	18	30
B. OPERATED	3674	10.2	124	1	2	7	13	24	33	62
TOTAL 0-19 YRS	438	4.3	23	1	1	3	5	10	13	27
20-34	1143	6.1	53	1	1	4	7	13	18	38
35-49	1248	8.4	85	1	1	6	10	17	26	49
50-64	1407	9.8	113	1	2	7	12	23	33	63
65+	1696	11.0	125	1	2	8	14	24	32	56
GRAND TOTAL	**5932**	**8.7**	**97**	**1**	**1**	**6**	**11**	**19**	**28**	**53**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.6	2	1	1	2	3	5	6	7
20-34	16	3.8	5	1	1	3	4	6	9	10
35-49	10	5.8	11	2	2	5	9	11	12	12
50-64	6	4.5	4	2	2	4	6	7	7	7
65+	8	2.4	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	5	4.6	10	2	2	3	6	10	10	10
20-34	2	12.5	25	9	9	12	16	16	16	16
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.2	8	1	1	2	4	7	10	15
20-34	40	6.8	79	1	1	4	8	15	25	48
35-49	41	4.9	15	1	1	4	6	10	12	20
50-64	66	5.4	21	1	1	4	7	12	15	20
65+	69	4.4	37	1	1	3	5	8	12	41
B. *Operated*										
0-19 YRS	14	14.1	466	1	1	4	13	49	65	70
20-34	19	6.5	24	1	2	5	9	13	18	22
35-49	14	16.4	271	1	2	15	21	30	57	65
50-64	21	14.9	408	2	2	7	14	44	70	79
65+	23	11.8	228	1	2	5	13	34	45	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.2	5	1	1	3	4	6	7	11
B. *Operated*	10	6.1	20	2	2	4	9	13	16	16
2. MULTIPLE DX										
A. *Not Operated*	275	4.8	31	1	1	3	6	10	13	28
B. *Operated*	91	12.5	269	1	2	5	14	33	61	75
1. SINGLE DX	111	3.5	7	1	1	3	4	7	9	14
2. MULTIPLE DX	366	6.7	100	1	1	4	7	14	21	63
A. NOT OPERATED	376	4.4	24	1	1	3	5	9	12	20
B. OPERATED	101	11.8	248	1	2	5	13	30	54	74
TOTAL 0-19 YRS	139	4.1	60	1	1	2	4	6	10	50
20-34	77	6.3	50	1	1	4	7	12	19	43
35-49	67	7.4	86	1	1	4	8	17	22	58
50-64	94	7.5	119	1	2	5	7	14	20	72
65+	100	6.0	87	1	1	3	6	12	24	54
GRAND TOTAL	**477**	**6.0**	**80**	**1**	**1**	**4**	**6**	**12**	**20**	**58**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	1.9	2	<1	<1	1	2	4	5	5
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	14	2.4	2	<1	1	2	3	4	5	5
20-34	3035	1.8	1	<1	<1	1	2	3	4	6
35-49	995	1.7	1	<1	<1	1	2	3	4	5
50-64	7	2.4	3	1	1	2	3	5	6	6
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	69	1.6	2	<1	<1	1	2	3	4	7
35-49	24	1.7	2	<1	<1	1	2	3	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.3	2	<1	<1	2	4	4	4	4
20-34	2764	2.3	3	<1	1	2	3	4	5	8
35-49	1098	2.3	3	<1	1	2	3	4	6	9
50-64	10	4.2	16	<1	<1	2	7	11	12	12
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.1	2	<1	<1	2	2	5	6	6
B. *Operated*	4054	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	95	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	3888	2.3	3	<1	1	2	3	4	5	8
1. SINGLE DX	4072	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	3983	2.3	3	<1	1	2	3	4	5	8
A. NOT OPERATED	113	1.7	2	<1	<1	1	2	3	5	8
B. OPERATED	7942	2.1	2	<1	1	2	2	4	5	7
TOTAL 0-19 YRS	31	2.3	2	<1	<1	2	3	4	4	5
20-34	5882	2.0	2	<1	<1	2	3	4	5	7
35-49	2120	2.0	2	<1	1	2	2	4	5	8
50-64	17	3.5	11	<1	1	2	4	9	11	12
65+	5	2.4		2	2	2	3	3	3	3
GRAND TOTAL	**8055**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	17.0		17	17	17	17	17	17	17
1750-2499	2170	3.6	5	2	2	3	4	6	7	12
2500+	168760	3.2	2	2	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499	1	37.0		37	37	37	37	37	37	37
1500-1749	1	56.0		56	56	56	56	56	56	56
1750-2499	5	6.4	16	3	3	5	8	13	13	13
2500+	71	3.4	2	2	2	3	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	62	54.9	829	7	10	69	90	99+	99+	99+
1000-1499	408	44.2	260	21	25	42	56	67	73	93
1500-1749	568	26.4	107	12	15	25	32	40	45	55
1750-2499	8229	7.9	44	2	3	6	10	17	21	32
2500+	98264	4.0	4	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	126	72.3	447	31	52	87	99+	99+	99+	99+
1000-1499	315	53.8	348	24	32	54	71	93	99+	99+
1500-1749	211	36.1	232	16	20	33	43	56	67	88
1750-2499	685	19.1	171	4	6	16	24	35	41	76
2500+	1911	8.0	62	2	3	6	9	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170931	3.2	2	2	2	3	4	5	6	7
B. *Operated*	78	4.7	52	2	2	3	4	6	7	51
2. MULTIPLE DX										
A. *Not Operated*	107531	4.6	20	2	2	4	5	7	9	24
B. *Operated*	3248	19.1	456	3	3	10	27	60	84	99+
1. SINGLE DX	171009	3.2	2	2	2	3	4	5	6	7
2. MULTIPLE DX	110779	5.1	39	2	2	4	5	7	11	37
A. NOT OPERATED	278462	3.8	9	2	2	3	4	6	7	14
B. OPERATED	3326	18.8	451	3	3	10	26	59	83	99+
TOTAL 1-999 G	188	66.5	637	12	33	84	99+	99+	99+	99+
1000-1499	724	48.4	321	23	27	47	62	79	93	99+
1500-1749	781	29.0	160	13	15	27	35	45	52	79
1750-2499	11089	7.7	56	2	2	5	10	17	22	36
2500+	269006	3.5	3	2	2	3	4	5	6	9
GRAND TOTAL	**281788**	**3.9**	**17**	**2**	**2**	**3**	**4**	**6**	**7**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	9.0		9	9	9	9	9	9	9
1000-1499	1	40.0		40	40	40	40	40	40	40
1500-1749	2	22.5	13	20	20	22	25	25	25	25
1750-2499	320	5.4	7	3	3	5	6	8	10	16
2500+	1506	4.8	3	3	3	5	6	7	8	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	8	46.9	755	10	11	56	67	77	81	81
1000-1499	108	43.0	240	20	26	43	49	67	76	92
1500-1749	143	25.5	78	13	14	25	32	37	41	48
1750-2499	1439	9.7	42	3	3	7	13	19	22	29
2500+	1236	5.7	9	3	3	5	7	8	10	16
B. *Operated*										
1-999 G	17	73.4	248	48	65	90	99+	99+	99+	99+
1000-1499	96	56.5	258	34	35	59	67	81	90	99+
1500-1749	51	33.7	124	15	21	34	40	50	55	99
1750-2499	111	20.9	124	5	7	19	28	37	44	75
2500+	42	11.4	78	4	5	8	14	27	31	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1830	4.9	5	3	3	5	6	7	8	12
B. *Operated*	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2934	10.1	102	3	3	6	12	21	31	51
B. *Operated*	317	35.3	528	6	8	34	58	81	99+	99+
1. SINGLE DX	1832	4.9	5	3	3	5	6	7	8	12
2. MULTIPLE DX	3251	12.6	199	3	4	7	15	31	46	83
A. NOT OPERATED	4764	8.1	71	3	3	5	8	16	24	47
B. OPERATED	319	35.1	529	6	8	34	58	81	99+	99+
TOTAL 1-999 G	26	62.8	643	12	28	83	99+	99+	99+	99+
1000-1499	205	49.3	292	24	30	47	63	75	83	99+
1500-1749	196	27.6	101	14	15	26	34	41	45	62
1750-2499	1870	9.6	52	3	3	7	13	19	24	35
2500+	2786	5.3	7	3	3	5	6	7	9	15
GRAND TOTAL	**5083**	**9.8**	**143**	**3**	**3**	**6**	**9**	**22**	**36**	**74**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	27	3.5	3	2	2	3	4	6	7	9
2500+	417	2.7	2	1	1	3	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	56.5	181	47	47	66	91	99+	99+	99+
1000-1499	10	38.7	663	13	13	30	55	75	95	95
1500-1749	10	28.8	172	11	15	27	31	49	60	60
1750-2499	80	8.8	68	2	2	6	11	19	27	45
2500+	250	4.5	22	2	2	3	5	7	11	26
B. *Operated*										
1-999 G	3	38.3	2324	10	10	97	99+	99+	99+	99+
1000-1499	6	56.2	319	22	29	62	71	94	99+	99+
1500-1749	1	90.0		90	90	90	90	90	90	90
1750-2499	8	20.8	122	7	8	19	27	37	41	41
2500+	16	7.4	52	<1	1	5	9	20	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	2.7	2	1	1	3	3	4	5	6
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	352	7.4	114	2	2	4	7	16	29	60
B. *Operated*	34	24.3	714	1	2	17	57	98	99+	99+
1. SINGLE DX	445	2.7	2	1	1	3	3	4	5	6
2. MULTIPLE DX	386	8.9	188	2	2	4	8	24	51	99+
A. NOT OPERATED	796	4.8	57	1	2	3	4	8	14	51
B. OPERATED	35	23.7	707	1	2	16	57	97	99+	99+
TOTAL 1-999 G	5	45.6	1306	10	10	94	99+	99+	99+	99+
1000-1499	16	45.3	580	13	14	55	63	90	98	99+
1500-1749	11	34.4	495	11	16	28	36	72	88	90
1750-2499	115	8.4	72	2	2	5	10	20	27	45
2500+	684	3.4	11	1	2	3	4	6	7	18
GRAND TOTAL	**831**	**5.6**	**98**	**1**	**2**	**3**	**5**	**10**	**23**	**75**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.6	52	<1	<1	2	5	8	22	32
20-34	13	2.1	2	<1	<1	2	3	4	5	5
35-49	7	3.6	30	<1	<1	2	2	13	16	16
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	10	2.7	6	1	1	2	3	7	8	8
B. *Operated*										
0-19 YRS	769	2.6	3	<1	1	2	3	4	5	10
20-34	1079	2.5	3	1	1	2	3	4	5	9
35-49	491	2.8	4	<1	1	2	3	5	7	12
50-64	420	3.0	5	1	1	3	3	5	6	10
65+	322	3.9	11	1	1	3	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.4	41	<1	<1	2	3	13	21	23
20-34	15	2.6	9	<1	<1	1	2	8	10	11
35-49	9	2.3	11	<1	<1	1	2	7	11	11
50-64	12	4.4	14	<1	1	3	6	11	12	12
65+	13	3.1	11	<1	<1	2	3	7	12	13
B. *Operated*										
0-19 YRS	308	4.0	33	1	1	3	4	6	9	26
20-34	316	4.3	35	1	1	3	5	7	9	34
35-49	182	3.9	11	1	1	3	5	7	11	18
50-64	206	4.3	11	1	2	3	5	8	10	20
65+	254	7.3	59	1	2	5	9	16	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.3	24	<1	<1	2	4	7	8	32
B. *Operated*	3081	2.8	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	63	3.4	17	<1	<1	2	4	11	12	22
B. *Operated*	1266	4.8	34	1	1	3	5	9	14	31
1. SINGLE DX	3131	2.8	5	1	1	2	3	5	6	12
2. MULTIPLE DX	1329	4.7	33	1	1	3	5	9	13	30
A. NOT OPERATED	113	3.4	20	<1	<1	2	4	8	12	26
B. OPERATED	4347	3.4	14	1	1	2	4	6	8	19
TOTAL 0-19 YRS	1109	3.0	13	1	1	2	3	5	7	15
20-34	1423	2.9	10	1	1	2	3	5	7	13
35-49	689	3.1	7	<1	1	2	4	6	8	16
50-64	640	3.4	8	1	1	3	4	6	8	15
65+	599	5.3	34	1	1	3	6	11	16	32
GRAND TOTAL	**4460**	**3.4**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**19**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	4	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	113	<1	<1	2	6	26	28	28
20-34	22	2.1	3	1	1	2	2	4	6	9
35-49	32	2.9	10	1	1	2	3	5	7	18
50-64	43	1.7	2	<1	1	1	2	3	4	10
65+	80	2.8	11	1	1	2	3	4	10	20
B. *Operated*										
0-19 YRS	3	11.3	162	3	3	5	21	26	26	26
20-34	58	3.3	25	<1	<1	<1	4	7	14	27
35-49	51	3.2	37	<1	<1	<1	2	7	10	41
50-64	84	3.8	31	<1	<1	1	5	10	17	27
65+	59	5.1	55	<1	<1	2	6	15	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.2		1	1	1	2	2	2	2
B. *Operated*	9	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	183	2.6	11	1	1	2	2	4	7	21
B. *Operated*	255	4.0	38	<1	<1	<1	5	9	18	29
1. SINGLE DX	14	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX	439	3.4	27	<1	<1	2	3	7	14	28
A. NOT OPERATED	188	2.6	11	1	1	2	2	4	7	21
B. OPERATED	264	3.9	37	<1	<1	<1	5	8	17	29
TOTAL 0-19 YRS	9	8.2	116	<1	<1	3	11	27	28	28
20-34	82	2.9	18	<1	<1	1	3	6	9	25
35-49	87	3.0	25	<1	<1	1	2	6	9	32
50-64	130	3.1	22	<1	<1	1	2	8	13	24
65+	144	3.7	30	<1	<1	2	4	7	14	27
GRAND TOTAL	**453**	**3.3**	**96**	**<1**	**<1**	**1**	**3**	**7**	**13**	**28**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1638	2.3	14	<1	<1	1	2	4	6	16
20-34	2447	1.8	9	<1	<1	1	2	3	4	10
35-49	580	2.4	7	<1	<1	1	3	5	7	14
50-64	539	3.2	27	<1	1	2	3	7	11	22
65+	499	6.0	104	<1	1	2	6	17	29	99+
B. *Operated*										
0-19 YRS	614	2.9	11	<1	<1	2	3	7	9	16
20-34	1770	3.0	9	<1	<1	2	4	7	9	14
35-49	971	3.7	11	<1	<1	2	5	9	10	15
50-64	798	4.5	20	1	1	3	6	10	12	21
65+	675	4.8	25	1	1	2	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2584	3.9	39	<1	1	2	4	7	12	37
20-34	2804	4.1	50	<1	1	2	4	7	12	45
35-49	4235	3.9	27	1	1	2	5	7	11	30
50-64	11402	4.0	29	1	1	3	5	7	10	28
65+	10039	5.0	48	1	1	3	5	10	16	39
B. *Operated*										
0-19 YRS	858	5.3	86	1	1	2	5	11	19	51
20-34	1923	5.2	59	<1	1	3	6	10	17	50
35-49	2117	6.0	62	1	1	4	7	12	17	42
50-64	3505	6.7	78	1	1	4	8	14	21	50
65+	3988	6.8	80	1	1	3	9	15	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5703	2.5	22	<1	<1	1	2	5	8	24
B. *Operated*	4828	3.6	14	<1	<1	2	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	31064	4.3	38	1	1	3	5	8	12	34
B. *Operated*	12401	6.3	74	1	1	3	7	13	20	48
1. SINGLE DX	10531	3.0	19	<1	<1	2	3	7	10	20
2. MULTIPLE DX	43465	4.9	49	1	1	3	5	10	15	39
A. NOT OPERATED	36767	4.0	36	<1	1	2	5	7	12	33
B. OPERATED	17229	5.5	59	<1	1	3	7	12	17	41
TOTAL 0-19 YRS	5704	3.6	37	<1	<1	2	4	7	11	32
20-34	8944	3.5	34	<1	<1	2	4	7	10	32
35-49	7903	4.3	35	1	1	3	5	9	13	31
50-64	16244	4.5	40	1	1	3	5	9	13	33
65+	15201	5.5	58	1	1	3	6	12	18	42
GRAND TOTAL	**53996**	**4.5**	**44**	**<1**	**1**	**3**	**5**	**9**	**14**	**36**

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
194	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, w tn cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophiebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

104

Length of Stay by Operation, North Central Region, 1983

A Companion Volume To
Length of Stay
by Diagnosis,
North Central Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data 1
Data Quality 2
Coverage 3
Organization of Length of Stay Tables 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29 5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	1		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	1		236
Criteria for admission			
1. Sepsis or fever > 103°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 54.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — see *also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164965	3.4	17	1	1	2	4	6	8	21
20-34	306394	3.7	11	1	1	3	4	6	8	17
35-49	120080	5.0	22	1	1	4	6	10	13	23
50-64	109397	5.8	29	1	2	4	8	12	16	26
65+	107373	6.5	40	1	2	4	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	150161	5.5	64	1	1	3	6	10	17	48
20-34	286393	5.8	39	1	2	4	7	10	15	34
35-49	228828	7.5	53	1	2	6	9	15	20	39
50-64	331403	9.1	75	2	2	7	11	18	25	46
65+	536371	11.1	95	2	3	8	14	22	29	51
TOT. SINGLE DX	808209	4.5	22	1	1	3	5	9	13	23
" MULTIPLE DX	1533156	8.6	76	1	2	6	11	18	25	46
TOTAL 0-19 YRS	315126	4.4	41	1	1	3	5	8	12	36
20-34	592787	4.8	26	1	1	4	5	8	12	27
35-49	348908	6.7	44	1	2	5	8	13	18	34
50-64	440800	8.3	65	2	2	6	10	17	22	42
65+	643744	10.3	89	2	2	8	13	21	28	49
GRAND TOTAL	2341365	7.2	61	1	2	5	9	15	21	40

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	10.4	96	2	2	8	13	19	28	52
20-34	131	11.7	62	2	4	10	14	18	26	65
35-49	150	13.1	90	5	5	10	16	22	30	54
50-64	232	14.8	118	5	7	12	17	24	32	65
65+	188	17.6	148	6	7	15	21	34	41	64
2. MULTIPLE DX										
0-19 YRS	197	17.5	272	2	4	13	24	37	63	99+
20-34	202	22.7	386	5	7	16	29	56	80	99+
35-49	272	22.4	323	6	7	16	28	49	63	99+
50-64	545	25.0	361	5	8	19	33	56	77	99+
65+	701	28.1	323	9	10	24	38	55	67	99+
TOT. SINGLE DX	827	14.0	113	3	5	12	16	24	35	60
" MULTIPLE DX	1917	24.7	346	5	8	19	33	54	72	99+
TOTAL 0-19 YRS	323	14.7	216	2	3	11	18	33	50	99+
20-34	333	18.4	287	4	6	13	21	44	68	99+
35-49	422	19.1	260	5	6	14	24	44	58	99+
50-64	777	21.9	311	5	7	16	27	50	66	99+
65+	889	25.9	304	8	9	20	35	53	64	99
GRAND TOTAL	**2744**	**21.5**	**300**	**5**	**7**	**16**	**28**	**48**	**63**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	8.6	74	3	4	7	10	15	17	41
20-34	74	11.3	53	5	5	9	13	20	26	42
35-49	61	13.5	63	4	5	11	18	23	27	41
50-64	73	17.2	145	6	7	14	20	30	38	95
65+	90	18.1	190	6	7	15	22	33	46	82
2. MULTIPLE DX										
0-19 YRS	153	19.4	316	4	5	13	26	45	85	99+
20-34	119	21.6	341	5	7	15	26	46	75	99+
35-49	143	22.3	282	5	7	16	31	52	64	99+
50-64	175	27.3	407	7	9	21	38	64	85	99+
65+	327	27.8	352	7	9	23	36	54	67	96
TOT. SINGLE DX	444	13.1	119	4	5	10	16	25	32	66
" MULTIPLE DX	917	24.6	355	6	7	19	34	54	76	99+
TOTAL 0-19 YRS	299	14.1	227	3	4	9	17	32	47	99+
20-34	193	17.7	255	5	6	13	22	40	59	99
35-49	204	19.7	233	5	6	15	25	47	60	99+
50-64	248	24.3	351	6	8	18	32	58	81	99+
65+	417	25.7	333	7	8	20	35	51	63	94
GRAND TOTAL	**1361**	**20.9**	**307**	**5**	**6**	**15**	**27**	**47**	**64**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	5.4	5	2	3	5	7	9	9	12
20-34	70	6.5	16	2	2	6	8	10	16	22
35-49	35	8.3	32	2	2	7	10	16	19	29
50-64	17	7.6	12	3	4	7	9	13	14	15
65+	4	15.5	208	6	6	9	23	37	37	37
2. MULTIPLE DX										
0-19 YRS	117	12.6	330	3	4	8	11	36	90	99+
20-34	94	13.3	261	3	4	8	13	30	45	91
35-49	53	12.6	188	3	4	8	16	33	46	99
50-64	34	10.2	34	2	4	9	14	18	20	29
65+	16	23.9	606	3	4	16	30	69	85	90
TOT. SINGLE DX	327	6.2	15	2	3	5	8	9	12	22
" MULTIPLE DX	314	13.1	271	3	4	8	14	31	55	99+
TOTAL 0-19 YRS	318	8.0	137	2	3	5	8	11	18	98
20-34	164	10.4	168	2	3	7	10	19	34	80
35-49	88	10.9	130	2	3	7	12	22	35	93
50-64	51	9.3	28	2	4	8	12	17	20	29
65+	20	22.2	523	3	5	12	30	55	81	90
GRAND TOTAL	**641**	**9.6**	**152**	**2**	**3**	**7**	**9**	**17**	**31**	**97**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	7.3	40	2	3	6	9	13	19	40
20-34	27	13.3	182	4	4	10	13	19	46	70
35-49	13	12.1	47	3	4	12	16	22	24	25
50-64	16	12.4	21	6	7	12	15	20	21	22
65+	39	15.2	91	4	6	13	20	29	34	49
2. MULTIPLE DX										
0-19 YRS	281	18.3	427	3	3	10	24	56	75	99+
20-34	38	24.7	658	5	6	14	60	95	99+	99+
35-49	51	24.9	439	7	7	19	42	73	99	99+
50-64	92	25.4	352	6	9	21	34	61	91	99+
65+	203	27.0	199	9	11	24	35	48	60	86
TOT. SINGLE DX	268	9.6	71	2	3	7	12	19	23	43
" MULTIPLE DX	665	22.8	374	4	5	17	32	57	75	99+
TOTAL 0-19 YRS	454	14.1	308	2	3	8	14	29	66	99
20-34	65	19.9	487	4	5	11	23	72	99+	99+
35-49	64	22.3	385	5	7	15	28	61	95	99+
50-64	108	23.5	325	6	9	18	30	56	89	99+
65+	242	25.1	200	8	9	22	33	47	52	76
GRAND TOTAL	**933**	**19.0**	**323**	**3**	**4**	**13**	**26**	**48**	**67**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	8.0	67	2	2	5	9	16	22	44
20-34	54	14.3	271	2	2	8	18	37	49	84
35-49	22	8.0	47	2	3	6	11	14	22	33
50-64	18	9.4	41	2	2	9	11	16	24	29
65+	19	14.4	201	2	3	9	16	41	49	51
2. MULTIPLE DX										
0-19 YRS	580	12.3	225	2	2	7	14	34	50	98
20-34	125	17.4	319	2	4	11	22	53	65	99+
35-49	100	18.1	198	2	4	15	22	39	47	68
50-64	77	25.2	439	4	5	19	37	59	67	87
65+	98	23.0	310	5	8	17	32	49	83	99+
TOT. SINGLE DX	501	9.0	97	2	2	6	10	18	29	50
" MULTIPLE DX	980	15.6	279	2	3	9	20	41	56	99+
TOTAL 0-19 YRS	968	10.6	166	2	2	6	11	25	41	84
20-34	179	16.5	306	2	3	10	21	43	64	99+
35-49	122	16.2	185	2	3	13	20	35	46	63
50-64	95	22.2	402	3	4	15	31	52	65	87
65+	117	21.6	301	3	7	16	30	47	72	99+
GRAND TOTAL	1481	13.4	227	2	3	8	17	34	49	92

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	9.9	24	3	4	9	12	15	22	25
20-34	222	10.5	49	4	5	8	12	19	24	38
35-49	497	9.9	32	4	5	9	12	16	20	34
50-64	509	10.9	37	4	5	9	13	18	22	32
65+	277	13.1	51	5	6	12	16	22	27	38
2. MULTIPLE DX										
0-19 YRS	43	19.1	265	3	5	11	24	45	56	68
20-34	235	14.3	132	5	6	11	17	25	43	99+
35-49	612	14.8	131	5	6	11	18	28	38	76
50-64	1003	15.9	116	6	7	13	19	29	42	99
65+	940	20.2	186	7	8	16	25	38	48	85
TOT. SINGLE DX	1535	10.9	41	4	5	9	13	19	23	35
" MULTIPLE DX	2833	17.0	152	6	7	13	21	33	44	86
TOTAL 0-19 YRS	73	15.3	185	3	4	11	16	34	47	67
20-34	457	12.4	96	5	5	9	15	23	31	71
35-49	1109	12.6	93	5	5	10	15	22	32	57
50-64	1512	14.2	95	5	6	11	17	26	34	66
65+	1217	18.6	165	6	8	15	23	35	44	81
GRAND TOTAL	4368	14.9	121	5	6	12	18	28	38	71

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	10.2	114	2	2	8	11	17	27	64
20-34	323	5.7	42	1	2	4	7	11	17	30
35-49	357	6.3	42	1	2	4	8	13	17	26
50-64	184	7.8	39	2	2	6	11	18	21	26
65+	52	8.5	79	1	2	4	13	19	32	39
2. MULTIPLE DX										
0-19 YRS	112	17.0	181	2	5	13	22	34	41	73
20-34	296	9.4	131	2	2	6	11	22	37	90
35-49	431	10.0	134	2	3	7	12	21	30	72
50-64	392	14.3	211	2	3	9	21	34	50	87
65+	240	22.0	306	2	3	17	31	49	56	84
TOT. SINGLE DX	994	6.8	51	1	2	4	9	15	19	32
" MULTIPLE DX	1471	13.5	205	2	2	9	18	33	47	79
TOTAL 0-19 YRS	190	14.2	164	2	3	10	18	28	39	66
20-34	619	7.4	89	1	2	4	9	16	26	61
35-49	788	8.3	96	1	2	5	10	18	29	50
50-64	576	12.2	165	2	3	8	16	28	43	70
65+	292	19.6	292	2	2	15	28	48	55	80
GRAND TOTAL	2465	10.8	154	2	2	6	14	26	38	68

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	3.4	8	1	1	3	4	9	10	14
20-34	275	3.0	5	1	1	2	3	5	7	13
35-49	321	3.1	6	1	1	2	3	5	8	13
50-64	410	3.9	12	1	1	2	4	7	10	17
65+	217	4.0	14	1	2	3	4	8	11	19
2. MULTIPLE DX										
0-19 YRS	64	6.2	94	1	1	3	6	13	23	51
20-34	196	5.0	36	1	1	3	5	10	16	35
35-49	280	6.1	53	1	2	3	6	13	23	38
50-64	388	6.1	55	1	2	4	6	13	19	41
65+	218	9.2	188	1	2	4	9	18	41	83
TOT. SINGLE DX	1289	3.4	9	1	1	3	4	6	9	16
" MULTIPLE DX	1146	6.5	81	1	2	3	7	14	22	50
TOTAL 0-19 YRS	130	4.8	52	1	1	3	5	10	13	50
20-34	471	3.8	20	1	1	3	4	7	10	25
35-49	601	4.5	30	1	1	3	4	10	14	31
50-64	798	4.7	35	1	1	3	5	10	14	33
65+	435	6.6	108	1	2	3	6	14	20	69
GRAND TOTAL	2435	4.8	45	1	1	3	5	10	15	37

§09: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	166	2.2	3	<1	1	2	3	4	5	11
20-34	1083	2.5	5	1	1	2	3	4	5	9
35-49	1505	3.5	6	1	1	2	3	4	6	11
50-64	1411	3.6	7	1	1	2	3	4	6	11
65+	770	3.5	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	252	3.8	58	1	1	2	3	6	10	39
20-34	729	4.0	27	1	1	2	4	8	13	25
35-49	1117	4.8	29	1	1	3	5	11	15	26
50-64	1564	4.9	23	1	1	3	6	11	15	24
65+	1128	5.5	35	1	2	3	7	13	18	30
TOT. SINGLE DX	4935	2.5	5	1	1	2	3	4	5	11
* MULTIPLE DX	4000	4.8	31	1	1	3	5	11	15	28
TOTAL 0-19 YRS	428	3.2	37	1	1	2	3	6	8	37
20-34	1812	3.0	16	1	1	2	3	5	8	19
35-49	2622	3.5	17	1	1	2	4	7	11	21
50-64	2975	3.6	17	1	1	2	4	8	12	21
65+	1898	4.3	25	1	1	3	4	10	14	27
GRAND TOTAL	9735	3.6	19	1	1	2	4	8	11	23

§10: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	0	5.5	3	3	3	6	7	8	8	8
20-34	55	6.0	6	1	3	6	8	10	12	14
35-49	38	9.0	38	1	3	6	11	16	22	30
50-64	39	7.8	26	1	3	6	11	15	22	26
65+	29	13.7	94	5	6	12	15	22	26	57
2. MULTIPLE DX										
0-19 YRS	7	9.3	10	3	3	6	9	11	11	11
20-34	59	7.7	32	3	3	7	8	14	17	18
35-49	41	12.1	55	3	6	10	17	25	26	28
50-64	120	16.7	165	5	6	13	19	35	40	60
65+	201	17.2	154	6	7	14	21	30	40	81
TOT. SINGLE DX	169	8.4	41	1	3	7	10	15	18	29
* MULTIPLE DX	518	15.5	141	5	6	12	18	28	40	64
TOTAL 0-19 YRS	15	5.9	6	3	3	6	7	10	11	11
20-34	114	6.9	16	1	3	6	8	12	14	18
35-49	79	10.6	48	1	3	6	11	16	26	29
50-64	159	14.5	145	4	6	12	17	28	42	59
65+	230	16.9	149	6	7	14	21	30	39	80
GRAND TOTAL	687	13.7	126	3	5	11	17	26	36	60

§11: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	6	5.6	7	[illegible]	[illegible]	6	6	6	6	6
20-34	52	6.0	22	[illegible]	[illegible]	5	6	9	[illegible]	[illegible]
35-49	82	6.7	20	[illegible]	[illegible]	6	8	11	[illegible]	[illegible]
50-64	72	8.2	32	[illegible]	[illegible]	6	8	16	[illegible]	[illegible]
65+	22	7.4	69	1	2	5	10	17	26	28
2. MULTIPLE DX										
0-19 YRS	10	10.4	98	[illegible]	[illegible]	6	15	25	32	32
20-34	60	8.3	78	[illegible]	[illegible]	5	10	20	26	43
35-49	116	9.1	70	[illegible]	[illegible]	6	12	20	27	43
50-64	132	11.2	101	[illegible]	[illegible]	6	14	24	37	50
65+	132	11.9	72	[illegible]	[illegible]	8	16	32	40	41
TOT. SINGLE DX	218	5.8	27	<1	<1	4	6	12	16	24
* MULTIPLE DX	450	10.3	83	1	2	6	14	22	29	42
TOTAL 0-19 YRS	16	8.3	62	[illegible]	[illegible]	7	9	18	26	32
20-34	133	7.4	56	[illegible]	[illegible]	5	9	17	24	34
35-49	176	7.9	56	[illegible]	[illegible]	5	11	17	23	38
50-64	204	9.1	85	[illegible]	[illegible]	6	12	20	28	39
65+	134	11.1	71	1	3	8	16	31	39	41
GRAND TOTAL	668	8.9	69	<1	1	7	11	20	25	40

§12: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
* MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	4.1	6	1	2	4	5	6	7	15
20-34	766	4.2	3	2	2	4	5	6	7	11
35-49	860	4.3	4	2	3	4	5	6	8	14
50-64	648	4.6	5	2	3	4	5	6	8	13
65+	277	5.1	8	2	3	5	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	65	5.9	17	2	3	5	7	12	15	89
20-34	415	5.7	13	2	3	5	6	10	12	20
35-49	652	6.0	20	3	3	5	6	11	14	26
50-64	689	6.6	23	3	3	5	7	12	16	28
65+	506	9.9	100	3	3	6	11	21	28	56
TOT. SINGLE DX	2682	4.4	5	2	3	4	5	6	8	13
" MULTIPLE DX	2327	7.0	40	3	3	5	7	13	18	36
TOTAL 0-19 YRS	196	4.7	11	1	2	4	5	7	11	28
20-34	1181	4.7	7	2	3	4	5	7	9	16
35-49	1512	5.0	12	2	3	4	5	8	11	20
50-64	1337	5.6	16	2	3	5	6	9	13	23
65+	783	8.2	73	3	3	5	8	16	23	47
GRAND TOTAL	**5009**	**5.6**	**23**	**2**	**3**	**4**	**6**	**9**	**13**	**26**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	268	2.3	1	1	1	2	3	4	4	7
20-34	143	3.5	4	1	1	3	4	6	9	19
35-49	106	3.6	3	1	2	3	4	5	7	10
50-64	112	5.1	8	1	2	5	6	8	11	17
65+	75	5.8	17	2	3	5	6	10	16	25
2. MULTIPLE DX										
0-19 YRS	41	5.2	47	1	1	3	5	13	22	34
20-34	116	7.6	59	1	2	5	9	16	22	41
35-49	150	6.9	43	2	2	5	9	11	14	34
50-64	218	8.6	86	2	3	6	10	16	24	54
65+	239	12.6	106	3	4	9	16	26	35	62
TOT. SINGLE DX	704	3.5	7	1	1	3	4	6	8	15
" MULTIPLE DX	764	9.2	84	2	2	6	11	19	26	52
TOTAL 0-19 YRS	309	2.7	8	1	1	2	3	4	5	17
20-34	259	5.3	34	1	1	4	6	11	16	33
35-49	256	5.5	29	1	2	4	7	10	12	22
50-64	330	7.4	63	2	3	5	8	14	18	44
65+	314	10.9	94	3	3	8	14	23	33	55
GRAND TOTAL	**1468**	**6.5**	**55**	**1**	**2**	**4**	**7**	**13**	**20**	**38**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	9.4	20	4	5	9	11	14	18	26
20-34	60	9.6	22	5	5	8	11	15	21	26
35-49	42	10.5	23	5	6	9	12	17	20	29
50-64	51	12.4	64	6	6	10	14	22	28	48
65+	28	12.9	39	4	6	11	18	21	26	26
2. MULTIPLE DX										
0-19 YRS	23	17.5	389	6	6	10	15	43	66	90
20-34	75	16.0	181	5	6	11	17	35	57	92
35-49	97	15.6	142	6	7	11	19	27	34	77
50-64	128	16.9	167	4	6	14	22	37	53	99+
65+	73	22.2	226	6	8	19	28	41	49	87
TOT. SINGLE DX	213	10.9	36	5	6	9	12	18	24	32
" MULTIPLE DX	396	17.4	191	5	7	13	23	35	48	94
TOTAL 0-19 YRS	55	12.8	186	4	6	9	12	23	38	88
20-34	135	13.2	120	5	6	10	14	26	37	74
35-49	139	14.1	112	6	7	10	17	26	30	64
50-64	179	15.7	142	5	6	12	19	33	44	90
65+	101	19.6	191	5	8	16	26	36	45	74
GRAND TOTAL	**609**	**15.1**	**146**	**5**	**6**	**11**	**18**	**30**	**38**	**78**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	1.5		<1	<1	1	2	2	3	6
20-34	29	1.9	4	<1	<1	1	2	3	4	12
35-49	31	1.7		<1	<1	1	2	3	3	4
50-64	64	2.0	1	<1	<1	2	2	3	5	7
65+	77	2.6	4	<1	1	2	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	38	2.8	6	<1	1	2	4	8	9	99+
20-34	33	4.1	18	<1	<1	2	5	10	16	18
35-49	63	7.0	30	1	1	5	10	14	18	25
50-64	112	6.9	57	<1	1	4	9	14	17	43
65+	220	6.4	43	1	1	4	9	14	17	35
TOT. SINGLE DX	319	1.9	2	<1	<1	2	2	3	4	9
" MULTIPLE DX	466	6.1	42	1	1	4	8	14	17	35
TOTAL 0-19 YRS	156	1.8	3	<1	<1	1	2	3	6	9
20-34	62	3.0	13	<1	<1	2	3	6	12	18
35-49	94	5.2	27	1	1	3	8	12	16	23
50-64	176	5.1	43	<1	1	3	7	12	14	34
65+	297	5.4	36	1	1	3	7	13	16	32
GRAND TOTAL	785	4.4	30	<1	1	2	5	11	14	29

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	359	1.8	1	<1	<1	2	2	3	4	7
20-34	124	2.0	1	<1	<1	2	2	3	4	7
35-49	158	2.0	1	1	1	2	2	3	4	6
50-64	283	2.1	2	<1	1	2	2	3	4	9
65+	353	2.0	3	<1	1	2	2	3	3	8
2. MULTIPLE DX										
0-19 YRS	357	3.5	47	1	1	2	3	6	10	34
20-34	413	3.5	16	1	1	2	4	6	10	24
35-49	345	3.9	29	1	1	2	4	7	11	34
50-64	570	4.0	44	1	1	2	4	7	12	35
65+	745	5.1	47	1	1	3	5	13	18	34
TOT. SINGLE DX	1277	2.0	2	<1	1	2	2	3	4	7
" MULTIPLE DX	2430	4.2	39	1	1	2	4	8	14	32
TOTAL 0-19 YRS	716	2.6	25	<1	1	2	2	4	6	18
20-34	537	3.1	13	<1	1	2	4	6	9	21
35-49	503	3.3	21	1	1	2	3	6	9	31
50-64	853	3.4	31	1	1	2	3	5	9	25
65+	1098	4.1	35	1	1	2	4	10	16	31
GRAND TOTAL	3707	3.4	28	1	1	2	3	6	11	26

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	1.8	1	<1	1	2	2	3	3	8
20-34	56	2.1	1	1	1	2	2	3	5	9
35-49	39	2.4	2	1	1	2	3	3	4	11
50-64	63	2.1		1	1	2	2	3	4	5
65+	85	2.4	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	43	2.2	3	<1	1	2	2	3	5	13
20-34	33	2.3		<1	1	2	3	4	4	5
35-49	33	2.4	1	1	1	2	3	4	4	6
50-64	66	2.8	3	1	2	2	3	4	6	12
65+	130	3.4	7	1	2	3	3	6	11	14
TOT. SINGLE DX	304	2.2	1	1	1	2	2	3	4	8
" MULTIPLE DX	305	2.9	5	1	1	2	3	4	7	13
TOTAL 0-19 YRS	104	1.9	2	<1	1	2	2	3	4	11
20-34	89	2.2	2	1	1	2	2	3	4	8
35-49	72	2.4	2	1	1	2	3	3	4	10
50-64	129	2.5	2	1	1	2	3	4	5	10
65+	215	3.0	5	1	2	2	3	4	8	13
GRAND TOTAL	609	2.5	3	1	1	2	3	4	5	12

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.2	6	<1	<1	1	2	5	9	11
20-34	12	2.3	4	<1	<1	2	2	4	8	9
35-49	7	7.4	32	2	2	7	11	16	17	17
50-64	4	1.8		1	1	2	2	2	2	2
65+	16	4.8	21	1	1	2	8	13	14	14
2. MULTIPLE DX										
0-19 YRS	16	5.1	40	<1	1	3	6	15	22	24
20-34	20	5.4	32	<1	1	3	7	15	17	19
35-49	9	2.7	1	1	1	3	3	4	4	4
50-64	19	7.2	66	1	2	3	9	22	25	28
65+	48	6.6	81	1	1	3	6	16	27	42
TOT. SINGLE DX	58	3.5	15	<1	1	2	3	10	13	17
" MULTIPLE DX	112	5.9	58	1	1	3	6	15	24	41
TOTAL 0-19 YRS	35	3.5	23	<1	<1	2	3	8	15	24
20-34	32	4.2	24	<1	1	2	4	14	15	19
35-49	16	4.8	19	1	2	3	6	12	15	17
50-64	23	6.2	59	1	1	2	6	22	24	28
65+	64	6.1	67	1	1	3	6	14	25	42
GRAND TOTAL	170	5.1	45	1	1	2	6	14	19	38

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.5	2	2	2	3	5	6	7	8
20-34	113	3.4	2	1	2	3	4	5	6	10
35-49	77	3.7	3	1	2	3	5	6	7	10
50-64	81	3.3	2	1	2	3	4	5	7	9
65+	310	3.7	3	2	2	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	19	5.5	36	1	2	4	6	9	20	29
20-34	38	4.5	8	1	1	4	6	9	10	15
35-49	64	5.8	25	1	2	4	7	11	19	28
50-64	139	4.3	6	2	2	4	5	8	10	24
65+	566	4.9	21	2	2	4	5	8	11	26
TOT. SINGLE DX	612	3.6	3	2	2	3	4	6	7	10
" MULTIPLE DX	826	4.9	19	2	2	4	5	8	11	27
TOTAL 0-19 YRS	50	4.2	16	2	2	3	5	7	8	29
20-34	151	3.7	4	1	2	3	4	6	8	11
35-49	141	4.7	14	1	2	4	5	8	11	22
50-64	220	3.9	5	2	2	3	4	7	9	15
65+	876	4.5	15	2	2	4	5	7	9	21
GRAND TOTAL	**1438**	**4.3**	**13**	**2**	**2**	**4**	**5**	**7**	**9**	**20**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	3.2	5	<1	1	3	4	6	8	11
20-34	108	2.7	2	1	1	2	3	5	6	7
35-49	71	2.7	3	<1	1	2	3	5	7	10
50-64	56	2.2	4	<1	1	2	2	4	6	14
65+	63	2.9	3	<1	1	2	4	5	8	9
2. MULTIPLE DX										
0-19 YRS	93	4.3	5	1	2	4	5	7	8	13
20-34	73	5.3	45	2	2	3	6	9	13	47
35-49	44	6.5	89	1	2	4	7	11	13	64
50-64	53	5.1	89	1	1	2	5	8	18	65
65+	119	6.0	52	1	1	3	8	15	18	39
TOT. SINGLE DX	402	2.8	4	1	1	2	3	5	7	10
" MULTIPLE DX	382	5.4	49	1	1	4	6	11	16	47
TOTAL 0-19 YRS	197	3.7	6	1	1	3	5	7	8	12
20-34	181	3.7	21	1	1	3	5	6	8	17
35-49	115	4.1	39	1	1	3	5	7	11	33
50-64	109	3.6	47	1	1	2	3	6	9	39
65+	182	4.9	38	1	1	3	5	11	16	30
GRAND TOTAL	**784**	**4.0**	**27**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (*)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	3.3	13	1	1	2	4	7	12	19
20-34	38	2.7	1	1	1	3	4	4	5	6
35-49	67	3.1	4	1	1	2	4	5	6	15
50-64	132	3.2	2	1	1	3	4	6	7	8
65+	284	3.2	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	33	4.3	35	1	1	3	4	8	14	33
20-34	27	5.0	16	1	1	4	6	12	13	16
35-49	52	4.7	27	1	1	3	5	9	14	34
50-64	132	4.9	18	2	2	3	6	11	12	24
65+	352	5.2	31	1	2	3	6	10	12	36
TOT. SINGLE DX	585	3.2	4	1	1	3	4	5	7	11
" MULTIPLE DX	596	5.0	27	1	2	3	6	10	12	34
TOTAL 0-19 YRS	97	3.6	21	1	1	2	4	7	12	26
20-34	65	3.7	9	1	1	3	4	6	11	15
35-49	119	3.8	15	1	1	3	4	6	9	22
50-64	264	4.0	11	1	2	3	4	8	11	15
65+	636	4.3	20	1	2	3	5	8	11	22
GRAND TOTAL	**1181**	**4.1**	**17**	**1**	**2**	**3**	**5**	**7**	**11**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.1	8	1	1	4	5	8	10	16
20-34	39	3.2	6	1	1	2	4	5	8	15
35-49	48	3.3	5	1	1	2	4	7	9	11
50-64	96	2.7	5	1	1	2	3	5	5	14
65+	178	3.2	6	1	1	2	4	5	7	16
2. MULTIPLE DX										
0-19 YRS	57	5.6	16	1	2	4	8	11	12	22
20-34	58	5.0	21	2	2	4	6	8	11	27
35-49	34	4.4	15	1	1	3	6	10	14	18
50-64	97	5.0	90	1	1	3	5	8	11	60
65+	292	5.1	30	1	2	3	6	10	15	30
TOT. SINGLE DX	417	3.2	6	1	1	2	4	6	8	15
" MULTIPLE DX	538	5.1	38	1	2	3	6	10	13	27
TOTAL 0-19 YRS	113	4.9	13	1	1	4	6	10	11	19
20-34	97	4.3	16	1	2	3	4	8	10	26
35-49	82	3.7	10	1	1	2	5	7	10	17
50-64	193	3.9	49	1	1	2	4	6	9	25
65+	470	4.4	22	1	1	3	5	8	12	26
GRAND TOTAL	**955**	**4.3**	**25**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.0	4	1	1	2	4	6	8	11
20-34	19	5.1	57	1	1	3	5	9	23	35
35-49	303	2.4	1	1	2	2	3	3	4	7
50-64	2108	2.4	1	1	2	2	3	3	4	6
65+	8691	2.5	1	2	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	27	6.1	66	<1	1	2	7	17	26	37
20-34	28	4.3	12	1	1	3	5	7	12	18
35-49	197	3.6	11	1	2	3	4	7	10	22
50-64	1904	3.5	17	2	2	3	3	6	9	19
65+	9522	3.4	11	2	2	3	3	5	8	18
TOT. SINGLE DX	11159	2.5	1	1	2	2	3	3	4	7
" MULTIPLE DX	11678	3.4	13	2	2	3	3	5	8	19
TOTAL 0-19 YRS	65	4.3	32	1	1	2	5	8	13	35
20-34	47	4.6	30	1	1	3	5	8	12	35
35-49	500	2.9	6	1	2	2	3	4	6	12
50-64	4012	2.9	9	1	2	2	3	4	6	14
65+	18213	3.0	7	2	2	2	3	4	6	14
GRAND TOTAL	**22837**	**3.0**	**7**	**2**	**2**	**2**	**3**	**4**	**6**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	2.3	1	1	1	2	2	3	5	8
20-34	73	2.2	1	1	1	2	2	4	5	6
35-49	642	2.1		1	1	2	2	3	3	5
50-64	3328	2.1		1	1	2	2	3	3	5
65+	13005	2.2		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	73	3.5	9	1	1	2	5	6	10	18
20-34	79	3.3	52	1	1	2	3	4	5	49
35-49	451	2.7	3	1	1	2	3	4	6	10
50-64	2729	2.7	5	1	2	2	3	4	5	11
65+	12375	2.9	7	1	2	2	3	4	6	16
TOT. SINGLE DX	17189	2.2	1	1	1	2	2	3	3	5
" MULTIPLE DX	15707	2.9	8	1	2	2	3	4	6	14
TOTAL 0-19 YRS	214	2.7	5	1	1	2	3	5	7	12
20-34	152	2.8	28	1	1	2	3	4	5	7
35-49	1093	2.3	2	1	1	2	3	3	4	8
50-64	6057	2.4	3	1	1	2	3	3	4	9
65+	25380	2.5	4	1	2	2	3	3	4	11
GRAND TOTAL	**32896**	**2.5**	**4**	**1**	**1**	**2**	**3**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.4	12	1	1	3	3	9	11	11
20-34	15	2.2		1	1	2	3	3	4	4
35-49	88	2.1		1	1	2	2	3	3	7
50-64	499	2.1		1	1	2	2	3	3	5
65+	1638	2.3		1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	6	2.3	1	1	1	2	3	4	4	4
35-49	61	3.8	31	1	2	2	3	5	14	33
50-64	421	2.8	5	1	2	2	3	4	6	11
65+	1655	3.0	6	1	2	2	3	4	7	16
TOT. SINGLE DX	2247	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	2146	3.0	7	1	2	2	3	4	6	16
TOTAL 0-19 YRS	10	3.6	10	1	1	3	3	9	11	11
20-34	21	2.2	1	1	1	2	3	4	4	4
35-49	149	2.8	14	1	1	2	3	4	5	28
50-64	920	2.4	3	1	1	2	3	3	5	9
65+	3293	2.7	4	1	1	2	3	4	5	12
GRAND TOTAL	**4393**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	5.5	31	1	2	4	7	10	14	36
20-34	171	5.0	15	1	2	4	6	9	11	22
35-49	163	4.5	9	1	2	4	5	8	10	12
50-64	506	4.1	5	1	2	4	5	7	8	14
65+	515	4.5	7	2	2	4	6	7	9	14
2. MULTIPLE DX										
0-19 YRS	84	6.0	43	2	2	4	7	11	14	44
20-34	196	5.4	17	1	2	4	7	10	12	24
35-49	176	5.4	23	1	2	4	6	10	14	23
50-64	592	5.2	15	2	2	4	6	9	12	22
65+	799	5.3	14	2	2	4	7	9	11	21
TOT. SINGLE DX	1457	4.5	10	1	2	4	5	8	10	16
" MULTIPLE DX	1847	5.3	17	2	2	4	6	9	12	22
TOTAL 0-19 YRS	186	5.7	37	2	2	4	7	10	14	37
20-34	367	5.2	17	1	2	4	7	9	12	22
35-49	339	5.0	17	1	2	4	6	9	12	22
50-64	1098	4.7	11	1	2	4	6	8	10	17
65+	1314	5.0	12	2	2	4	6	8	11	18
GRAND TOTAL	**3304**	**4.9**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.7	8	*	1	3	5	7	9	14
20-34	41	4.6	11	1	1	2	5	10	12	15
35-49	31	4.5	8	1	2	5	6	9	10	13
50-64	57	3.8	10	1	1	3	4	6	13	17
65+	125	3.8	9	1	1	3	4	8	10	15
2. MULTIPLE DX										
0-19 YRS	39	7.1	247	<1	1	3	5	13	29	95
20-34	112	5.9	44	2	2	4	6	9	15	39
35-49	91	5.9	19	1	2	5	7	11	13	28
50-64	228	5.5	27	2	2	4	6	10	13	28
65+	379	4.9	23	1	2	3	5	9	14	27
TOT. SINGLE DX	284	4.0	10	1	1	3	5	8	10	15
" MULTIPLE DX	849	5.4	37	1	2	4	6	10	14	28
TOTAL 0-19 YRS	69	5.6	145	1	1	3	5	8	15	82
20-34	153	5.5	36	1	2	4	6	10	14	23
35-49	122	5.5	17	1	2	5	7	10	12	26
50-64	285	5.2	25	1	2	4	6	10	13	28
65+	504	4.6	20	1	2	3	5	9	12	27
GRAND TOTAL	1133	5.0	31	1	2	4	6	10	13	27

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2129	1.5		<1	<1	1	2	2	2	3
20-34	324	1.7		1	1	2	2	2	3	4
35-49	159	1.8		<1	1	2	2	2	3	4
50-64	95	1.9		1	1	2	2	3	3	4
65+	50	2.1	1	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	445	1.7		<1	1	2	2	2	3	4
20-34	116	2.0	1	1	1	2	2	3	5	7
35-49	89	2.3	5	1	1	2	2	3	5	17
50-64	80	2.7	9	1	1	2	2	4	9	19
65+	63	2.9	13	1	1	2	2	4	5	23
TOT. SINGLE DX	2757	1.6		<1	<1	2	2	2	2	3
" MULTIPLE DX	793	2.0	3	1	1	2	2	3	3	10
TOTAL 0-19 YRS	2574	1.5		<1	<1	1	2	2	2	3
20-34	440	1.8	1	1	1	2	2	2	3	4
35-49	248	2.0	2	<1	1	2	2	2	3	5
50-64	175	2.3	5	1	1	2	2	3	4	15
65+	113	2.5	8	1	1	2	2	3	5	21
GRAND TOTAL	3550	1.7	1	<1	1	2	2	2	2	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	1.5		*	*	*	*	*	*	*
20-34	3	2.0		*	*	*	*	*	*	*
35-49	2	1.5	1	*	*	*	*	*	*	*
50-64	1	2.0		*	*	*	*	*	*	*
65+	1	4.0		*	*	*	*	*	*	*
2. MULTIPLE DX										
0-19 YRS	4	1.8		<1	<1	*	*	*	*	*
20-34	2	2.0		*	*	*	*	*	*	*
35-49	3	2.7	2	*	*	*	*	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	5	4.8	39	*	*	2	6	16	16	16
TOT. SINGLE DX	13	1.8	1	*	*	*	*	3	4	4
" MULTIPLE DX	15	2.9	14	<1	<1	2	3	4	13	16
TOTAL 0-19 YRS	10	1.6		<1	<1	*	*	*	*	*
20-34	5	2.0		*	*	*	*	*	*	*
35-49	5	2.2	2	*	*	*	*	4	4	4
50-64	2	1.5	1	<1	<1	*	*	*	*	*
65+	6	4.7	32	*	*	3	4	15	16	16
GRAND TOTAL	28	2.4	8	<1	1	2	2	4	5	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	163	3.2	8	<1	1	2	4	8	10	14
20-34	121	3.8	13	1	2	3	4	7	9	26
35-49	83	3.7	6	1	2	3	4	7	8	15
50-64	116	3.3	7	1	2	3	4	6	8	16
65+	137	3.3	5	1	2	3	3	6	8	14
2. MULTIPLE DX										
0-19 YRS	100	4.8	21	1	2	3	6	10	14	27
20-34	167	5.8	42	2	2	4	6	13	21	35
35-49	125	4.8	17	2	2	4	6	9	13	27
50-64	152	5.9	31	2	2	4	7	13	14	32
65+	294	6.6	66	1	2	4	8	14	20	53
TOT. SINGLE DX	620	3.4	9	1	1	3	4	7	9	15
" MULTIPLE DX	838	5.8	43	1	2	4	7	12	17	35
TOTAL 0-19 YRS	263	3.8	14	1	1	2	4	9	11	19
20-34	288	4.9	31	1	2	3	5	10	18	31
35-49	208	4.4	14	2	2	3	5	8	11	21
50-64	268	4.8	23	1	2	3	5	10	14	30
65+	431	5.6	49	1	2	3	6	12	16	42
GRAND TOTAL	1458	4.8	30	1	2	3	5	10	14	28

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	398	2.2	2	<1	1	2	2	4	5	9
20-34	102	3.5	5	<1	1	2	3	6	9	17
35-49	55	3.8	5	<1	1	2	3	6	10	17
50-64	69	5.8	9	<1	1	2	3	6	9	26
65+	103	10.0	12	<1	1	3	5	9	17	22
2. MULTIPLE DX										
0-19 YRS	325	3.7	18	1	1	3	4	7	9	31
20-34	164	5.0	45	1	1	3	6	10	16	42
35-49	116	5.5	32	1	1	3	7	13	18	57
50-64	121	6.7	73	1	1	4	8	13	22	57
65+	273	8.6	86	1	1	6	10	19	26	50
TOT. SINGLE DX * MULTIPLE DX	725	2.4	4	<1	1	2	3	4	6	9
	999	5.8	53	1	1	3	7	12	19	43
TOTAL 0-19 YRS	721	2.9	10	<1	1	2	3	5	7	11
20-34	266	4.0	30	<1	1	2	4	9	11	30
35-49	171	4.5	25	1	1	3	5	11	15	25
50-64	190	5.3	55	1	1	3	6	10	16	46
65+	376	7.0	72	1	1	4	8	16	25	46
GRAND TOTAL	1724	4.4	35	1	1	2	5	9	14	31

535: Stapes mobilization and stapedectomy (19.0-19.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	76	1.2		1	1	1	1	3	4	5
20-34	364	1.2		1	1	1	1	3	4	5
35-49	459	1.2		1	1	1	1	3	4	5
50-64	491	1.2		1	1	1	1	3	4	5
65+	163	1.2		1	1	1	1	3	4	5
2. MULTIPLE DX										
0-19 YRS	53	1.5		1	1	1	1	4	4	5
20-34	127	1.5		1	1	1	1	3	4	7
35-49	151	1.4		1	1	1	1	4	5	6
50-64	197	1.6		1	1	1	1	4	5	8
65+	81	3.1	13	1	1	1	1	5	7	26
TOT. SINGLE DX * MULTIPLE DX	1553	2.3	1	1	1	1	3	3	4	5
	609	2.5	3	1	1	1	3	4	5	8
TOTAL 0-19 YRS	129	1.4		1	1	1	1	3	4	5
20-34	491	1.3		1	1	1	1	3	4	5
35-49	610	1.4		1	1	1	1	3	4	5
50-64	688	1.4		1	1	1	1	3	4	5
65+	244	1.7		1	1	1	1	4	5	9
GRAND TOTAL	2162	2.0	1	1	1	2	3	3	4	6

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	833	1.8		1	1	1	2	3	3	4
20-34	596	2.0		1	1	1	2	3	4	5
35-49	386	2.1		1	1	1	2	3	4	6
50-64	390	2.1		1	1	1	2	3	4	5
65+	134	2.1		1	1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	747	2.0		1	1	1	2	3	3	5
20-34	566	2.2		1	1	1	2	3	4	8
35-49	474	2.2		1	1	1	2	3	4	10
50-64	508	2.5	6	1	1	1	2	3	4	10
65+	199	2.6	6	1	1	1	2	3	5	10
TOT. SINGLE DX * MULTIPLE DX	2339	1.9	1	1	1	1	2	3	3	6
	2494	2.2	3	1	1	1	2	3	4	9
TOTAL 0-19 YRS	1580	1.9	1	1	1	1	2	3	3	6
20-34	1162	2.1	2	1	1	1	2	3	4	6
35-49	860	2.1	2	1	1	1	2	3	4	8
50-64	898	2.3	4	1	1	1	2	3	4	8
65+	333	2.4	4	1	1	1	2	3	4	9
GRAND TOTAL	4833	2.1	2	1	1	2	2	3	3	6

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2301	1.2	1	<1	<1	1	1	1	2	6
20-34	96	2.0	2	<1	<1	2	2	3	4	10
35-49	75	2.0	2	<1	<1	2	2	3	5	11
50-64	70	2.0	1	<1	1	2	2	3	5	7
65+	28	2.2	2	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	2811	2.2	7	<1	<1	1	2	5	7	14
20-34	135	4.3	39	<1	1	2	4	10	14	42
35-49	101	4.3	24	<1	1	2	5	10	14	27
50-64	121	6.0	35	1	1	3	9	15	19	25
65+	115	8.5	107	1	1	4	12	19	28	55
TOT. SINGLE DX	2570	1.3	1	<1	<1	1	1	2	2	6
" MULTIPLE DX	3283	2.7	16	<1	<1	2	2	6	10	19
TOTAL 0-19 YRS	5112	1.8	5	<1	<1	1	2	2	5	11
20-34	231	3.3	25	<1	<1	2	3	7	12	26
35-49	176	3.3	17	<1	<1	2	3	8	12	24
50-64	191	4.5	27	1	1	2	5	13	16	24
65+	143	7.2	93	<1	1	3	10	17	28	47
GRAND TOTAL	**5853**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**7**	**15**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	2.5	4	1	1	2	3	3	4	14
20-34	151	2.3	1	1	1	2	3	3	4	7
35-49	124	2.4	1	1	1	2	3	4	4	9
50-64	116	2.6	1	1	2	2	3	4	5	8
65+	48	2.8	3	1	2	2	3	5	5	12
2. MULTIPLE DX										
0-19 YRS	391	2.5	4	1	1	2	3	3	4	13
20-34	305	2.8	4	1	1	2	3	4	6	14
35-49	215	3.3	30	1	1	2	3	5	8	24
50-64	244	3.3	12	1	1	2	3	5	9	18
65+	125	5.0	42	1	2	3	5	11	17	37
TOT. SINGLE DX	715	2.5	3	1	1	2	3	3	5	11
" MULTIPLE DX	1280	3.1	14	1	1	2	3	4	7	19
TOTAL 0-19 YRS	627	2.5	4	1	1	2	3	3	4	14
20-34	496	2.6	3	1	1	2	3	4	5	12
35-49	339	3.0	20	1	1	2	3	4	6	17
50-64	360	3.1	9	1	1	2	3	5	6	16
65+	173	4.4	32	1	2	3	4	8	14	30
GRAND TOTAL	**1995**	**2.9**	**10**	**1**	**1**	**2**	**3**	**4**	**6**	**16**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	1.8	1	<1	<1	1	2	3	3	8
20-34	179	2.5	4	1	1	2	3	4	5	9
35-49	175	3.1	11	1	1	2	3	5	7	22
50-64	212	3.1	5	1	2	2	3	5	7	17
65+	78	3.1	4	1	1	2	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	276	2.1	6	<1	<1	1	2	3	5	18
20-34	156	2.9	11	1	1	2	3	5	7	19
35-49	128	2.9	9	1	1	2	3	5	9	15
50-64	151	4.1	20	1	1	3	4	10	13	26
65+	98	5.5	31	1	1	3	7	13	18	28
TOT. SINGLE DX	839	2.7	6	1	1	2	3	4	6	12
" MULTIPLE DX	809	3.2	15	<1	1	2	3	6	10	22
TOTAL 0-19 YRS	471	2.0	5	<1	<1	1	2	3	4	13
20-34	335	2.7	8	1	1	2	3	4	6	13
35-49	303	3.0	10	1	1	2	3	5	8	19
50-64	363	3.5	12	1	1	3	3	6	11	23
65+	176	4.4	21	1	1	3	5	9	13	22
GRAND TOTAL	**1648**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**5**	**8**	**19**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	2.3	1	1	1	2	3	4	4	5
20-34	365	2.4	1	1	1	2	3	4	4	5
35-49	185	2.4	1	1	1	2	3	4	4	6
50-64	103	2.6	3	1	1	2	3	4	5	11
65+	43	3.0	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	542	2.5	2	1	1	2	3	4	5	7
20-34	1072	3.1	6	1	1	3	3	5	6	13
35-49	668	3.3	8	1	1	3	4	5	7	15
50-64	409	3.4	8	1	1	3	4	6	8	16
65+	137	4.6	34	1	2	3	4	8	13	24
TOT. SINGLE DX	865	2.4	2	1	1	2	3	4	4	6
" MULTIPLE DX	2828	3.1	8	1	1	3	3	5	7	15
TOTAL 0-19 YRS	711	2.4	2	1	1	2	3	4	5	7
20-34	1437	2.9	5	1	1	3	3	4	5	12
35-49	853	3.1	7	1	1	3	3	5	7	14
50-64	512	3.3	8	1	1	3	4	5	7	15
65+	180	4.2	28	1	2	3	4	7	11	19
GRAND TOTAL	3693	3.0	7	1	1	3	3	5	6	13

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	927	2.1	1	1	1	2	3	3	4	5
20-34	1534	2.1	1	1	1	2	3	3	4	5
35-49	713	2.2	1	1	1	2	3	3	4	6
50-64	322	2.3	1	1	1	2	3	4	4	7
65+	60	2.7	5	1	1	2	3	6	7	13
2. MULTIPLE DX										
0-19 YRS	1529	2.7	4	1	1	2	3	4	5	10
20-34	3180	2.7	6	1	1	2	3	4	5	13
35-49	1829	3.0	6	1	1	2	3	4	6	15
50-64	1128	3.2	7	1	1	3	4	5	8	15
65+	375	4.1	14	1	2	3	5	8	11	22
TOT. SINGLE DX	3556	2.1	1	1	1	2	3	3	4	6
" MULTIPLE DX	8041	2.9	7	1	1	2	3	4	6	14
TOTAL 0-19 YRS	2456	2.4	3	1	1	2	3	4	4	7
20-34	4714	2.5	5	1	1	2	3	4	5	10
35-49	2542	2.7	5	1	1	2	3	4	5	12
50-64	1450	3.0	6	1	1	2	3	5	7	14
65+	435	3.9	14	1	1	3	4	6	10	21
GRAND TOTAL	11597	2.7	5	1	1	2	3	4	5	12

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	2.2	2	<1	1	2	3	4	5	8
20-34	119	2.5	4	<1	1	2	3	5	6	12
35-49	154	2.2	1	<1	1	2	3	4	5	6
50-64	185	2.6	7	<1	1	2	3	5	7	18
65+	208	3.1	9	1	1	2	3	5	8	16
2. MULTIPLE DX										
0-19 YRS	209	3.0	6	1	1	2	3	5	8	14
20-34	355	3.1	13	1	1	2	3	5	8	27
35-49	420	3.2	12	1	1	2	4	5	8	16
50-64	559	3.9	20	1	1	3	4	7	10	30
65+	597	6.9	81	1	1	4	6	15	21	48
TOT. SINGLE DX	793	2.6	6	<1	1	2	3	5	6	14
" MULTIPLE DX	2140	4.4	36	1	1	3	4	9	14	30
TOTAL 0-19 YRS	336	2.7	5	1	1	2	3	5	7	14
20-34	474	3.0	11	1	1	2	3	5	8	18
35-49	574	2.9	9	1	1	2	3	5	7	13
50-64	744	3.6	17	1	1	2	4	7	10	21
65+	805	5.9	65	1	1	3	7	13	19	39
GRAND TOTAL	2933	3.9	28	1	1	2	4	8	12	27

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	466	1.7	2	<1	<1	1	2	3	4	8
20-34	369	2.2	3	<1	1	2	3	5	6	9
35-49	154	3.5	6	1	1	3	5	7	9	14
50-64	167	4.4	7	1	1	4	6	8	9	14
65+	132	4.3	9	1	1	4	6	8	9	15
2. MULTIPLE DX										
0-19 YRS	426	3.4	13	1	1	2	4	6	9	15
20-34	692	3.8	14	1	1	3	4	7	9	18
35-49	301	5.1	18	1	1	4	7	9	12	24
50-64	380	6.3	41	1	2	5	7	12	15	36
65+	492	6.6	34	1	2	5	8	12	17	29
TOT. SINGLE DX	1288	2.7	6	<1	<1	2	3	6	7	11
" MULTIPLE DX	2291	4.9	25	1	1	4	6	9	13	27
TOTAL 0-19 YRS	892	2.5	8	<1	<1	2	3	5	6	15
20-34	1061	3.3	11	1	1	2	4	6	8	16
35-49	455	4.6	15	1	1	4	6	9	12	19
50-64	547	5.7	32	1	2	4	7	11	13	30
65+	624	6.1	30	1	1	5	7	11	15	28
GRAND TOTAL	3579	4.1	19	1	1	3	5	8	11	22

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.7	3	1	1	2	3	5	6	11
20-34	165	2.5	1	1	1	2	3	4	5	6
35-49	160	2.9	5	1	1	2	3	5	7	15
50-64	144	3.0	2	1	2	3	4	5	6	8
65+	56	3.8	18	1	1	3	4	9	13	25
2. MULTIPLE DX										
0-19 YRS	73	3.6	22	1	1	2	4	6	10	30
20-34	218	4.0	19	1	1	3	4	9	10	23
35-49	235	4.0	13	1	1	3	4	7	13	22
50-64	265	4.7	24	1	2	3	5	9	15	29
65+	138	5.9	31	2	2	4	7	14	18	25
TOT. SINGLE DX	582	2.9	5	1	1	2	3	5	6	12
" MULTIPLE DX	929	4.5	22	1	1	3	5	9	14	26
TOTAL 0-19 YRS	130	3.2	15	1	1	2	3	5	7	28
20-34	383	3.4	12	1	1	3	4	5	9	17
35-49	395	3.5	11	1	1	3	4	6	9	20
50-64	409	4.1	17	1	2	3	4	7	11	26
65+	194	5.3	28	1	2	3	5	14	17	25
GRAND TOTAL	**1511**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**11**	**23**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	2.9	11	<1	1	2	3	7	11	18
20-34	164	2.8	4	1	1	2	4	5	7	11
35-49	120	3.2	6	1	1	2	4	6	9	13
50-64	112	3.3	10	1	1	3	4	6	7	19
65+	72	3.8	34	1	1	2	4	7	10	40
2. MULTIPLE DX										
0-19 YRS	184	4.7	39	<1	1	2	5	11	16	36
20-34	279	4.8	25	1	1	3	5	10	16	26
35-49	292	5.2	42	1	1	3	6	11	16	27
50-64	297	5.8	37	1	1	4	7	13	18	35
65+	195	7.5	67	1	1	4	10	17	24	43
TOT. SINGLE DX	578	3.1	11	1	1	2	4	6	8	13
" MULTIPLE DX	1247	5.5	42	1	1	3	7	13	18	31
TOTAL 0-19 YRS	294	4.0	30	<1	1	2	5	9	14	33
20-34	443	4.0	18	1	1	3	5	9	13	23
35-49	412	4.6	33	1	1	3	5	10	14	25
50-64	409	5.1	31	1	1	3	6	11	16	30
65+	267	6.5	61	1	1	3	8	16	20	46
GRAND TOTAL	**1825**	**4.8**	**33**	**1**	**1**	**3**	**5**	**11**	**16**	**29**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1115	1.4		<1	<1	1	2	2	2	4
20-34	889	1.6	2	<1	<1	1	2	2	3	6
35-49	262	2.0	3	<1	<1	2	2	3	3	8
50-64	134	2.0		<1	1	2	2	3	4	6
65+	70	2.3	3	1	1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	637	3.2	42	1	1	2	2	5	8	31
20-34	942	4.5	50	1	1	2	4	10	20	41
35-49	909	4.8	45	1	1	2	5	11	17	34
50-64	1031	4.8	44	1	1	2	4	11	16	32
65+	940	6.8	69	1	2	3	9	17	22	41
TOT. SINGLE DX	2470	1.6	2	<1	<1	1	2	2	3	6
" MULTIPLE DX	4459	4.9	52	1	1	2	4	12	18	38
TOTAL 0-19 YRS	1752	2.1	16	<1	<1	1	2	2	4	14
20-34	1831	3.1	29	<1	<1	2	2	5	11	33
35-49	1171	4.2	37	1	1	2	3	10	15	32
50-64	1165	4.5	40	1	1	2	4	10	15	31
65+	1010	6.5	66	1	2	3	8	16	22	39
GRAND TOTAL	**6929**	**3.7**	**37**	**<1**	**1**	**2**	**3**	**8**	**14**	**32**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	1.2		<1	<1	1	1	2	2	3
20-34	19	2.2	4	<1	1	1	2	6	8	9
35-49	6	1.7		<1	<1	1	2	3	3	3
50-64	4	2.3		2	2	2	3	3	3	3
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	180	2.3	32	<1	<1	1	2	3	5	40
20-34	45	5.4	67	1	1	2	6	12	22	42
35-49	23	4.7	73	<1	1	2	3	14	27	38
50-64	14	5.6	144	1	1	2	3	12	39	47
65+	11	2.1	1	<1	<1	2	3	4	5	5
TOT. SINGLE DX	184	1.3	1	<1	<1	1	1	2	2	6
" MULTIPLE DX	273	3.2	47	<1	<1	1	2	5	10	46
TOTAL 0-19 YRS	333	1.8	18	<1	<1	1	2	2	3	14
20-34	64	4.4	51	1	1	2	4	9	14	41
35-49	29	4.0	59	<1	<1	2	3	9	22	38
50-64	18	4.9	113	1	1	2	3	7	31	47
65+	13	1.9	2	<1	<1	1	2	4	5	5
GRAND TOTAL	**457**	**2.4**	**29**	**<1**	**<1**	**1**	**2**	**3**	**7**	**38**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	2.1	1	<1	<1	2	3	4	5	5
20-34	83	2.5	3	<1	1	2	3	4	7	10
35-49	140	2.3	2	<1	1	2	3	4	5	8
50-64	145	2.5	1	1	1	2	3	4	4	8
65+	51	2.9	2	1	1	3	4	5	7	8
2. MULTIPLE DX										
0-19 YRS	143	3.1	44	1	1	2	3	4	7	18
20-34	103	3.6	17	1	1	2	4	6	11	24
35-49	160	3.6	31	<1	1	2	3	6	11	38
50-64	208	5.2	66	1	1	3	4	10	18	50
65+	148	5.7	44	1	2	3	6	15	19	33
TOT. SINGLE DX	485	2.4	2	<1	1	2	3	4	5	8
" MULTIPLE DX	762	4.4	45	1	1	2	4	8	15	39
TOTAL 0-19 YRS	209	2.8	31	<1	1	2	3	4	5	13
20-34	186	3.1	11	1	1	2	3	6	8	23
35-49	300	3.0	18	<1	1	2	3	5	7	26
50-64	353	4.1	42	1	1	3	3	7	12	40
65+	199	5.0	35	1	2	3	5	12	16	31
GRAND TOTAL	1247	3.6	29	1	1	2	3	6	10	31

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	3.1	4	1	1	3	4	5	8	10
20-34	355	3.0	2	1	1	3	4	5	6	8
35-49	409	3.3	2	1	2	3	4	5	6	9
50-64	444	3.7	5	1	2	3	4	6	8	11
65+	350	4.3	8	2	2	4	5	7	10	15
2. MULTIPLE DX										
0-19 YRS	57	5.5	69	1	2	3	5	11	21	54
20-34	146	5.0	28	2	2	3	5	8	15	32
35-49	261	4.9	17	1	2	4	5	10	14	20
50-64	421	5.1	19	2	2	4	6	10	14	23
65+	447	7.1	54	2	2	5	8	16	21	40
TOT. SINGLE DX	1705	3.5	5	1	2	3	4	6	7	12
" MULTIPLE DX	1332	5.8	35	2	2	4	6	11	16	30
TOTAL 0-19 YRS	204	3.8	24	1	1	3	4	6	10	25
20-34	501	3.6	11	1	1	3	4	6	8	16
35-49	670	3.9	9	1	2	3	4	7	9	17
50-64	865	4.4	13	2	2	4	5	8	10	18
65+	797	5.9	36	2	2	4	7	11	17	30
GRAND TOTAL	3037	4.5	19	1	2	3	5	8	11	23

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	363	3.6	4	1	1	3	5	7	8	10
20-34	10	2.9	1	1	1	3	4	5	5	5
35-49	8	6.4	16	2	2	6	8	12	14	14
50-64	4	4.5	1	3	3	4	5	6	6	6
65+	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	365	4.2	5	2	2	4	5	7	8	13
20-34	12	3.8	6	1	1	3	6	8	9	9
35-49	9	5.4	17	1	1	3	9	12	12	12
50-64	7	7.6	32	2	2	6	13	16	16	16
65+	3	11.7	41	7	7	9	16	19	19	19
TOT. SINGLE DX	387	3.6	4	1	1	3	5	7	8	10
" MULTIPLE DX	396	4.4	7	2	2	4	6	7	9	16
TOTAL 0-19 YRS	728	3.9	5	1	2	3	5	7	8	11
20-34	22	3.4	4	1	1	3	4	6	8	9
35-49	17	5.9	16	1	2	5	8	12	13	14
50-64	11	6.5	22	2	2	5	7	15	16	16
65+	5	9.4	43	1	1	9	13	19	19	19
GRAND TOTAL	783	4.0	6	1	2	3	5	7	8	13

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	660	3.0	6	<1	1	2	4	7	8	11
20-34	160	4.0	9	1	1	3	5	8	10	14
35-49	167	3.8	14	1	1	2	5	8	11	17
50-64	294	4.6	38	1	1	3	5	9	13	29
65+	315	4.7	29	1	1	3	6	11	14	26
2. MULTIPLE DX										
0-19 YRS	627	3.8	30	1	1	3	4	7	8	18
20-34	361	5.3	49	1	1	3	6	11	15	32
35-49	271	6.6	83	1	1	4	7	13	21	50
50-64	589	9.1	119	1	2	5	12	22	29	62
65+	730	9.4	118	1	2	6	11	21	31	63
TOT. SINGLE DX	1596	3.8	18	1	1	2	5	8	10	19
" MULTIPLE DX	2578	7.1	90	1	1	4	8	16	25	50
TOTAL 0-19 YRS	1287	3.4	18	1	1	2	4	7	8	15
20-34	521	4.9	38	1	1	3	6	10	13	29
35-49	438	5.6	59	1	1	3	6	12	16	47
50-64	883	7.6	97	1	1	4	9	18	27	50
65+	1045	7.9	96	1	2	5	9	17	26	55
GRAND TOTAL	4174	5.8	65	1	1	3	7	13	19	44

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7595	1.8		1	1	2	2	2	3	4
20-34	4182	2.0	1	1	1	2	2	3	3	5
35-49	405	2.1	1	1	1	2	2	3	4	6
50-64	62	2.4	1	1	1	2	3	4	5	6
65+	28	2.3	2	1	1	2	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	2157	2.0	6	1	1	2	2	3	4	7
20-34	1034	2.6	5	1	1	2	3	4	6	13
35-49	186	3.0	6	1	1	2	3	5	10	13
50-64	52	5.1	39	1	1	3	6	10	15	34
65+	26	5.8	19	1	2	4	8	13	15	19
TOT. SINGLE DX	12272	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	3455	2.3	7	1	1	2	2	4	5	11
TOTAL 0-19 YRS	9752	1.8	2	1	1	2	2	3	3	5
20-34	5216	2.1	2	1	1	2	2	3	4	7
35-49	591	2.4	3	1	1	2	3	4	5	11
50-64	114	3.6	21	1	1	2	4	6	9	32
65+	54	3.9	14	1	1	2	4	9	13	19
GRAND TOTAL	**15727**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14400	1.6		1	1	2	2	2	2	3
20-34	329	2.0		1	1	2	2	3	3	5
35-49	12	2.1		1	1	2	3	3	4	4
50-64	6	2.0		1	1	2	2	3	3	3
65+	5	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	11046	1.7	1	1	1	2	2	2	3	5
20-34	138	2.3	1	1	1	2	3	3	4	8
35-49	11	2.4	2	1	1	2	3	5	6	6
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	7	1.1		1	1	1	1	2	2	2
TOT. SINGLE DX	14752	1.7		1	1	2	2	2	2	3
" MULTIPLE DX	11207	1.7	1	1	1	2	2	2	3	5
TOTAL 0-19 YRS	25446	1.7	1	1	1	2	2	2	2	4
20-34	467	2.1	1	1	1	2	2	3	4	5
35-49	23	2.2	1	1	1	2	3	4	5	6
50-64	11	1.8	1	<1	<1	2	2	3	3	3
65+	12	1.4		1	1	1	2	3	3	3
GRAND TOTAL	**25959**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1059	1.3		<1	<1	1	2	2	2	2
20-34	23	1.9		<1	1	2	2	3	4	4
35-49										
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	2735	1.4	1	<1	<1	1	2	2	2	5
20-34	17	2.6	7	1	1	2	2	3	9	13
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	1086	1.3		<1	<1	1	2	2	2	3
" MULTIPLE DX	2757	1.5	1	<1	<1	1	2	2	2	5
TOTAL 0-19 YRS	3794	1.4	1	<1	<1	1	2	2	2	4
20-34	40	2.2	3	<1	1	2	2	3	4	13
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**3843**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	621	2.2	2	<1	1	2	3	4	5	8
20-34	351	2.7	2	1	1	2	3	5	6	10
35-49	144	2.9	5	<1	1	2	3	5	7	17
50-64	133	3.8	9	1	1	3	5	9	11	14
65+	105	4.3	17	1	1	3	5	9	12	23
2. MULTIPLE DX										
0-19 YRS	228	3.6	10	1	1	3	5	7	10	13
20-34	143	4.4	26	1	1	3	5	7	13	30
35-49	138	6.1	46	1	1	4	8	14	19	37
50-64	229	8.4	98	1	2	5	11	19	24	57
65+	283	9.9	105	1	2	6	13	22	34	54
TOT. SINGLE DX	1354	2.7	5	1	1	2	3	5	7	12
" MULTIPLE DX	1021	6.9	70	1	1	4	8	16	23	45
TOTAL 0-19 YRS	849	2.6	5	1	1	2	3	5	7	11
20-34	494	3.2	10	1	1	2	4	6	7	21
35-49	282	4.5	28	1	1	3	5	10	14	28
50-64	362	6.7	71	1	1	4	8	15	20	48
65+	388	8.4	88	1	2	5	11	19	26	52
GRAND TOTAL	**2375**	**4.5**	**37**	**1**	**1**	**3**	**5**	**10**	**15**	**33**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	2.3	2	<1	<1	2	3	5	6	8
20-34	41	2.5	1	<1	<1	2	3	4	5	5
35-49	48	3.7	6	1	1	2	5	7	7	15
50-64	65	3.4	5	1	1	3	4	7	8	12
65+	54	3.3	8	1	1	3	4	6	8	19
2. MULTIPLE DX										
0-19 YRS	222	4.1	7	1	2	3	5	6	9	19
20-34	34	4.2	15	1	1	3	5	8	11	21
35-49	72	5.5	14	1	2	5	8	10	12	20
50-64	158	6.8	35	2	2	5	8	14	20	31
65+	267	6.2	26	1	2	5	8	13	15	23
TOT. SINGLE DX	274	3.0	5	<1	1	3	4	6	7	12
" MULTIPLE DX	753	5.6	22	1	2	4	7	11	15	23
TOTAL 0-19 YRS	288	3.7	7	<1	1	3	5	6	8	18
20-34	75	3.3	8	<1	1	3	4	5	8	18
35-49	120	4.8	12	1	1	4	6	9	12	17
50-64	223	5.8	29	1	2	4	7	12	17	30
65+	321	5.7	24	1	1	4	7	12	15	22
GRAND TOTAL	**1027**	**4.9**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	1.9	4	<1	<1	1	2	3	4	13
20-34	200	1.7		<1	<1	2	2	2	3	4
35-49	370	1.8	1	<1	1	2	2	2	3	8
50-64	554	2.4	13	<1	1	2	2	3	5	17
65+	358	2.3	7	<1	1	2	2	3	6	16
2. MULTIPLE DX										
0-19 YRS	63	3.2	19	1	1	2	2	7	11	27
20-34	118	3.5	24	<1	1	2	3	8	12	28
35-49	301	4.2	37	1	1	2	3	10	16	32
50-64	684	5.5	53	1	1	2	7	14	21	43
65+	580	6.3	78	1	1	3	8	15	23	59
TOT. SINGLE DX	1619	2.1	7	<1	1	2	2	3	4	12
" MULTIPLE DX	1746	5.3	57	1	1	2	6	13	20	38
TOTAL 0-19 YRS	200	2.3	9	<1	1	2	2	3	8	16
20-34	318	2.4	10	<1	1	2	2	3	6	22
35-49	671	2.9	19	<1	1	2	2	5	9	21
50-64	1238	4.1	38	1	1	2	3	10	15	32
65+	938	4.8	55	1	1	2	4	11	18	36
GRAND TOTAL	**3365**	**3.8**	**35**	**<1**	**1**	**2**	**3**	**9**	**14**	**30**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.2	4	1	1	1	2	6	7	7
20-34	11	7.5	42	2	2	4	11	17	22	22
35-49	14	8.9	54	<1	1	9	13	19	22	23
50-64	49	9.8	50	2	2	8	14	22	24	25
65+	33	9.9	61	1	1	8	14	20	29	33
2. MULTIPLE DX										
0-19 YRS	14	5.5	43	1	1	3	6	13	23	26
20-34	13	7.2	49	2	2	3	9	21	22	22
35-49	21	14.0	164	1	2	11	26	40	65	99+
50-64	97	16.9	193	2	3	14	22	35	45	71
65+	90	15.9	239	2	2	11	23	43	59	99+
TOT. SINGLE DX	117	8.9	52	1	1	8	13	20	23	31
" MULTIPLE DX	235	15.0	200	2	2	11	22	35	46	99+
TOTAL 0-19 YRS	24	4.1	29	1	1	2	5	7	16	26
20-34	24	7.4	44	2	2	4	10	21	22	22
35-49	35	11.9	124	1	2	10	18	35	41	99+
50-64	146	14.5	156	2	2	11	20	27	40	67
65+	123	14.3	198	1	2	10	21	33	46	99+
GRAND TOTAL	**352**	**13.0**	**159**	**1**	**2**	**10**	**19**	**29**	**41**	**83**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	8	14.1	7	10	10	14	16	18	18	18
50-64	51	16.0	54	9	10	14	18	24	30	51
65+	49	17.6	45	8	10	17	21	27	31	36
2. MULTIPLE DX										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	2	18.0	18	15	15	18	21	21	21	21
35-49	20	23.0	151	10	11	22	28	41	50	58
50-64	160	23.9	237	10	12	21	29	41	72	99+
65+	118	23.5	215	10	12	19	28	46	74	99+
TOT. SINGLE DX	108	16.6	48	9	10	15	20	25	30	42
" MULTIPLE DX	302	23.5	221	10	11	20	28	43	72	99+
TOTAL 0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	2	18.0	18	15	15	18	21	21	21	21
35-49	28	20.4	125	10	10	17	23	37	44	58
50-64	211	22.0	204	10	11	18	26	36	57	99+
65+	167	21.8	172	10	11	19	26	38	55	99+
GRAND TOTAL	**410**	**21.7**	**184**	**10**	**11**	**18**	**26**	**37**	**54**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	5	9.8	97	2	2	7	13	27	27	27
50-64	11	16.2	190	3	3	15	22	40	43	43
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	29.0	395	12	12	30	60	96	99+	99+
20-34	8	17.9	161	3	3	22	31	73	99+	99+
35-49	21	21.6	422	2	3	14	42	70	99+	99+
50-64	46	28.5	640	5	5	25	56	95	99+	99+
65+	74	35.3	708	6	8	32	58	92	99+	99+
TOT. SINGLE DX	19	12.5	152	2	2	8	17	34	41	43
" MULTIPLE DX	154	30.3	631	4	6	26	55	93	99+	99+
TOTAL 0-19 YRS	6	24.5	438	2	4	24	54	92	99+	99+
20-34	8	17.9	161	3	3	22	31	73	99+	99+
35-49	26	19.3	376	2	3	13	29	71	99+	99+
50-64	57	26.1	573	3	5	22	43	90	99+	99+
65+	76	34.5	715	5	7	31	57	92	99+	99+
GRAND TOTAL	173	28.3	608	3	5	23	47	91	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	6.7	98	1	1	4	8	14	17	64
20-34	23	7.1	129	1	1	4	8	12	28	57
35-49	31	3.8	17	1	1	2	4	10	13	19
50-64	37	8.8	166	1	1	4	10	23	58	99+
65+	45	6.2	76	1	1	2	7	13	32	37
2. MULTIPLE DX										
0-19 YRS	120	19.0	373	1	2	14	30	57	81	99+
20-34	86	25.7	546	2	3	18	47	84	99+	99+
35-49	124	22.4	592	1	2	14	36	72	95	99+
50-64	309	27.6	600	2	2	25	50	79	99+	99+
65+	403	35.0	630	2	3	37	55	87	99+	99+
TOT. SINGLE DX	188	6.6	97	1	1	3	7	14	26	65
" MULTIPLE DX	1042	28.7	610	2	2	26	50	80	99+	99+
TOTAL 0-19 YRS	172	15.3	321	1	1	8	24	49	69	99+
20-34	109	21.8	515	1	2	15	43	76	99+	99+
35-49	155	18.7	533	1	1	10	25	59	91	99+
50-64	346	25.6	587	2	2	22	48	77	99+	99+
65+	448	32.1	650	2	2	34	52	85	99+	99+
GRAND TOTAL	1230	25.3	595	1	2	19	46	79	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.1	10	1	1	2	5	9	11	13
20-34	133	6.6	34	1	1	3	6	13	17	33
35-49	245	6.7	31	1	1	3	6	13	17	26
50-64	557	7.7	44	1	1	4	8	16	19	33
65+	545	8.5	62	1	1	4	9	17	22	43
2. MULTIPLE DX										
0-19 YRS	36	8.8	43	2	3	6	10	15	19	37
20-34	267	9.3	73	2	2	7	12	18	26	45
35-49	745	10.6	77	2	2	8	14	20	29	43
50-64	2601	12.1	98	2	3	10	15	23	30	52
65+	3943	13.7	120	2	4	11	17	26	34	61
TOT. SINGLE DX	1506	7.7	48	1	2	5	10	16	20	34
" MULTIPLE DX	7592	12.6	108	2	3	10	16	24	32	57
TOTAL 0-19 YRS	62	6.8	35	1	2	5	9	14	16	35
20-34	400	8.4	62	1	2	6	11	17	23	41
35-49	990	9.6	69	2	2	8	12	19	26	38
50-64	3158	11.3	91	2	3	9	14	22	29	50
65+	4488	13.1	116	2	3	10	17	25	32	60
GRAND TOTAL	9098	11.8	102	2	3	9	15	23	30	54

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	29.0	0	27	27	29	31	31	31	31
65+	2	17.5	145	9	9	26	81	99+	99+	99+
TOT. SINGLE DX	1	13.0		13	13	13	13	13	13	13
" MULTIPLE DX	5	16.8	170	1	2	26	31	93	99+	99+
TOTAL 0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	23.7	89	13	13	17	30	31	31	31
65+	2	17.5	145	9	9	26	81	99+	99+	99+
GRAND TOTAL	6	17.8	142	1	3	26	30	86	99+	99+

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	10.1	55	2	3	8	13	23	28	30
20-34	113	10.1	31	3	4	9	12	18	22	28
35-49	195	9.2	29	2	4	8	11	16	21	27
50-64	387	10.3	39	2	3	9	13	19	21	33
65+	313	11.1	63	1	3	10	15	21	27	46
2. MULTIPLE DX										
0-19 YRS	74	15.5	265	3	4	11	19	34	44	92
20-34	212	13.0	124	3	4	10	16	26	33	80
35-49	437	14.4	123	2	4	12	18	27	37	60
50-64	1300	15.6	135	3	4	13	20	29	38	63
65+	1668	16.3	135	3	4	13	21	31	38	60
TOT. SINGLE DX	1048	10.3	45	2	3	9	13	19	22	35
" MULTIPLE DX	3691	15.6	136	3	4	13	20	30	38	61
TOTAL 0-19 YRS	114	13.6	197	3	4	10	16	26	36	91
20-34	325	12.0	94	3	4	10	15	23	30	58
35-49	632	12.8	100	2	4	10	16	24	31	53
50-64	1687	14.4	118	3	4	11	18	27	35	59
65+	1981	15.4	128	3	4	13	20	29	37	58
GRAND TOTAL	**4739**	**14.4**	**121**	**3**	**4**	**11**	**19**	**28**	**35**	**58**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.0	19	5	5	9	12	17	18	18
20-34	12	8.8	3	6	7	8	10	12	12	12
35-49	74	12.4	29	7	8	11	14	18	20	40
50-64	203	14.3	49	8	8	13	17	22	27	44
65+	174	14.7	39	8	9	13	17	23	28	35
2. MULTIPLE DX										
0-19 YRS	14	23.4	545	8	9	12	30	77	94	99+
20-34	40	15.8	155	7	8	11	19	53	72	99+
35-49	140	17.2	99	8	8	16	20	28	41	99+
50-64	705	18.2	101	8	9	16	23	30	36	57
65+	707	20.0	99	9	10	18	24	33	41	64
TOT. SINGLE DX	470	14.0	42	7	8	12	16	22	27	36
" MULTIPLE DX	1606	18.9	107	8	9	17	23	31	39	73
TOTAL 0-19 YRS	21	19.0	403	6	7	11	22	76	86	99+
20-34	52	14.1	128	7	7	10	15	38	53	99+
35-49	214	15.5	81	7	8	13	18	26	36	84
50-64	908	17.3	93	8	9	15	21	29	35	54
65+	881	18.9	92	8	10	17	23	31	37	55
GRAND TOTAL	**2076**	**17.8**	**96**	**8**	**9**	**16**	**22**	**29**	**37**	**62**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	309	3.8	20	1	1	2	4	10	13	18
20-34	130	6.3	29	1	1	4	9	13	17	25
35-49	222	6.0	42	1	1	4	8	12	16	27
50-64	435	7.1	43	1	1	5	9	15	21	34
65+	336	8.7	60	1	2	7	11	18	23	40
2. MULTIPLE DX										
0-19 YRS	390	9.0	98	1	2	6	12	19	27	82
20-34	349	10.9	131	2	2	8	13	20	32	67
35-49	756	10.3	98	2	2	8	13	21	28	55
50-64	2083	11.9	113	2	3	9	15	25	31	52
65+	2839	14.5	139	2	3	11	19	29	38	61
TOT. SINGLE DX	1432	6.5	44	1	1	4	9	14	18	34
" MULTIPLE DX	6417	12.6	126	2	3	10	17	26	34	60
TOTAL 0-19 YRS	699	6.7	71	1	1	4	9	15	20	53
20-34	479	9.7	108	1	2	7	12	19	25	64
35-49	978	9.3	89	1	2	7	12	20	26	48
50-64	2518	11.1	105	2	2	8	14	23	30	51
65+	3175	13.9	134	2	3	11	18	28	37	60
GRAND TOTAL	**7849**	**11.5**	**117**	**1**	**2**	**9**	**15**	**24**	**32**	**55**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.4	11	1	1	4	6	10	11	14
20-34	62	5.0	9	2	2	4	6	8	11	17
35-49	21	6.0	14	2	3	5	7	9	15	19
50-64	22	11.6	176	2	2	7	15	24	43	60
65+	22	7.6	49	1	1	4	16	18	21	22
2. MULTIPLE DX										
0-19 YRS	38	10.0	76	1	3	6	14	24	31	36
20-34	59	10.9	64	4	4	9	14	23	28	94
35-49	48	10.5	101	1	2	8	14	19	24	64
50-64	86	15.1	132	2	5	12	20	28	46	85
65+	104	15.2	182	2	3	11	22	35	43	60
TOT. SINGLE DX	153	6.3	44	1	2	5	7	14	17	32
" MULTIPLE DX	335	13.2	129	2	3	10	17	27	40	64
TOTAL 0-19 YRS	64	7.7	57	1	1	5	9	18	24	36
20-34	121	7.9	45	2	2	6	10	17	23	60
35-49	69	9.1	78	1	2	7	12	18	20	57
50-64	108	14.4	142	2	3	11	19	28	45	76
65+	126	13.9	167	2	2	10	19	31	42	59
GRAND TOTAL	**488**	**11.0**	**112**	**2**	**2**	**7**	**15**	**24**	**34**	**60**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	6.3	30	2	2	5	8	10	15	34
20-34	651	5.8	12	2	3	5	7	10	13	20
35-49	232	6.3	21	2	2	5	8	11	15	25
50-64	157	8.4	25	3	3	7	11	16	19	25
65+	110	11.3	107	3	3	8	15	21	26	59
2. MULTIPLE DX										
0-19 YRS	368	13.8	241	3	3	9	14	26	51	87
20-34	626	9.8	74	3	3	7	11	18	25	48
35-49	499	11.4	85	3	4	9	15	23	29	45
50-64	971	14.4	150	3	4	10	18	30	38	69
65+	1195	16.1	147	4	5	13	21	31	43	75
TOT. SINGLE DX	1355	6.7	29	2	3	5	8	13	16	27
" MULTIPLE DX	3659	13.7	142	3	4	10	17	28	38	69
TOTAL 0-19 YRS	573	11.1	179	2	3	7	12	23	37	82
20-34	1277	7.7	47	2	3	6	9	14	19	40
35-49	731	9.8	71	2	3	8	12	20	25	43
50-64	1128	13.5	137	3	4	10	17	28	36	68
65+	1305	15.7	146	4	5	13	20	31	42	75
GRAND TOTAL	5014	11.8	121	3	3	8	15	25	33	63

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	217	6.4	18	1	2	6	8	11	14	24
20-34	159	7.3	31	1	2	7	9	14	19	25
35-49	132	7.9	36	1	2	7	11	16	20	28
50-64	167	8.0	30	2	2	7	12	16	19	24
65+	150	11.4	108	2	3	9	16	23	31	60
2. MULTIPLE DX										
0-19 YRS	98	11.8	92	2	4	9	14	26	32	46
20-34	247	12.8	121	2	2	10	17	25	35	54
35-49	321	12.4	121	2	2	9	16	25	31	60
50-64	747	13.8	142	2	3	11	18	28	35	65
65+	996	15.5	151	3	4	12	20	31	40	66
TOT. SINGLE DX	825	8.0	45	1	2	6	10	16	20	32
" MULTIPLE DX	2409	14.1	141	2	3	11	18	29	36	62
TOTAL 0-19 YRS	315	8.1	48	1	2	6	9	15	23	41
20-34	406	10.7	93	2	2	8	14	22	27	49
35-49	453	11.1	101	2	2	8	15	22	28	54
50-64	914	12.7	127	2	3	10	16	26	33	60
65+	1146	14.9	148	2	3	12	20	30	39	63
GRAND TOTAL	3234	12.6	123	2	3	9	16	26	33	59

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	343	9.3	11	6	6	9	10	13	16	22
20-34	64	11.4	16	7	7	10	13	17	21	23
35-49	112	12.8	46	8	9	11	14	17	20	45
50-64	145	14.2	31	8	9	13	16	21	25	30
65+	86	15.5	35	9	10	14	18	26	29	35
2. MULTIPLE DX										
0-19 YRS	435	13.7	92	7	7	11	16	24	34	76
20-34	130	19.3	189	8	9	13	27	45	51	56
35-49	268	17.5	128	8	9	14	19	28	37	66
50-64	769	18.9	120	9	10	16	22	32	44	63
65+	758	22.9	192	10	11	19	28	40	54	97
TOT. SINGLE DX	750	11.6	30	6	7	10	14	17	21	31
" MULTIPLE DX	2360	19.1	153	8	9	15	23	34	46	79
TOTAL 0-19 YRS	778	11.7	62	6	7	9	13	19	25	55
20-34	194	16.7	146	7	8	12	17	38	48	54
35-49	380	16.1	109	8	9	13	18	26	33	65
50-64	914	18.1	109	9	10	15	21	30	41	62
65+	844	22.1	182	10	11	18	27	39	52	95
GRAND TOTAL	3110	17.3	133	7	8	14	20	31	42	67

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	12	10.4	7	7	8	10	11	15	17	17
35-49	380	11.4	21	8	8	10	13	16	18	25
50-64	1222	12.1	19	8	8	11	14	17	20	29
65+	449	13.6	27	9	9	12	16	20	24	35
2. MULTIPLE DX										
0-19 YRS	3	19.7	69	13	13	17	26	29	29	29
20-34	67	13.6	44	7	8	12	15	21	31	35
35-49	1592	13.3	36	8	8	11	15	20	24	39
50-64	6372	14.7	56	8	9	13	17	23	29	47
65+	3815	18.0	109	9	10	15	21	30	39	68
TOT. SINGLE DX	2065	12.3	22	8	9	11	14	18	20	30
" MULTIPLE DX	11849	15.6	74	8	9	13	18	25	32	55
TOTAL 0-19 YRS	5	15.2	87	3	3	14	20	29	29	29
20-34	79	13.1	40	7	8	12	15	18	31	34
35-49	1972	13.0	34	8	8	11	15	19	23	38
50-64	7594	14.3	51	8	9	12	16	22	28	45
65+	4264	17.6	103	9	10	15	20	29	37	67
GRAND TOTAL	13914	15.1	68	8	9	13	17	24	30	52

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	791	2.2	8	1	1	2	2	3	4	13
20-34	348	3.4	9	1	1	2	4	7	11	16
35-49	2171	3.4	9	1	2	2	3	8	11	16
50-64	4265	3.3	9	1	2	2	3	7	10	16
65+	1502	3.6	14	1	2	2	3	8	11	19
2. MULTIPLE DX										
0-19 YRS	1247	2.8	11	1	1	2	2	5	9	17
20-34	686	5.7	49	1	2	3	7	13	16	29
35-49	6002	5.0	25	1	2	3	7	11	14	24
50-64	15921	5.3	28	2	2	3	7	12	16	25
65+	7881	6.8	46	2	2	4	10	15	19	32
TOT. SINGLE DX	9077	3.3	11	1	1	2	3	7	10	16
" MULTIPLE DX	31737	5.5	33	1	2	3	8	13	16	27
TOTAL 0-19 YRS	2038	2.6	10	1	1	2	2	4	8	16
20-34	1034	4.9	37	1	2	2	6	11	15	26
35-49	8173	4.6	21	1	2	2	6	11	14	22
50-64	20186	4.9	26	1	2	2	6	11	15	23
65+	9383	6.3	43	2	2	3	9	14	18	31
GRAND TOTAL	**40814**	**5.0**	**29**	**1**	**2**	**2**	**7**	**12**	**15**	**25**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	25	6.6	45	1	2	5	8	14	21	32
20-34	31	6.7	23	2	2	5	9	14	15	21
35-49	61	5.8	24	1	2	4	7	12	15	27
50-64	228	6.7	21	2	2	6	9	12	15	23
65+	838	6.7	25	2	2	5	9	12	15	27
2. MULTIPLE DX										
0-19 YRS	43	7.0	15	2	3	6	9	12	15	20
20-34	67	8.1	44	2	2	7	10	15	17	41
35-49	267	11.6	68	3	4	10	15	21	25	41
50-64	1561	12.6	76	3	4	11	16	22	27	46
65+	7749	12.9	82	3	4	11	17	24	29	46
TOT. SINGLE DX	1183	6.6	25	2	2	5	9	12	15	27
" MULTIPLE DX	9687	12.7	81	3	4	11	16	23	29	46
TOTAL 0-19 YRS	68	6.9	26	2	2	6	9	12	18	30
20-34	98	7.6	38	2	2	6	10	15	17	37
35-49	328	10.5	65	2	3	9	14	20	24	38
50-64	1789	11.9	73	2	3	10	16	21	26	43
65+	8587	12.3	80	3	4	10	16	23	29	45
GRAND TOTAL	**10870**	**12.1**	**78**	**3**	**4**	**10**	**16**	**23**	**28**	**45**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	34	8.4	23	2	2	8	9	15	20	24
20-34	49	8.2	36	2	2	7	10	18	22	28
35-49	197	5.1	18	2	2	4	5	11	14	23
50-64	461	5.0	31	2	2	3	5	10	13	19
65+	173	6.0	28	2	2	4	8	13	17	27
2. MULTIPLE DX										
0-19 YRS	62	11.0	89	1	2	9	12	24	37	94
20-34	91	13.8	205	2	2	9	15	36	50	65
35-49	547	8.4	68	2	2	5	11	18	25	45
50-64	1325	8.9	69	2	2	6	11	18	25	45
65+	656	10.5	93	2	3	8	14	22	30	51
TOT. SINGLE DX	914	5.5	29	2	2	4	7	11	14	23
" MULTIPLE DX	2681	9.4	82	2	2	7	12	19	27	50
TOTAL 0-19 YRS	96	10.1	67	2	2	8	12	20	26	79
20-34	140	11.8	153	2	2	6	13	26	42	64
35-49	744	7.5	57	2	2	4	10	16	22	41
50-64	1786	7.8	63	2	2	5	10	16	22	41
65+	829	9.6	83	2	2	7	12	20	27	51
GRAND TOTAL	**3595**	**8.4**	**71**	**2**	**2**	**5**	**11**	**18**	**24**	**46**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	472	3.8	32	1	1	2	4	8	12	27
20-34	158	4.0	38	<1	1	2	4	9	12	22
35-49	208	3.9	18	<1	1	2	4	11	13	20
50-64	296	4.7	32	1	1	2	6	11	17	28
65+	300	5.1	30	1	1	3	6	12	18	25
2. MULTIPLE DX										
0-19 YRS	1192	6.1	77	1	2	4	6	11	19	61
20-34	287	9.0	68	1	1	7	13	22	26	47
35-49	622	8.8	88	1	1	6	12	19	28	48
50-64	1502	10.6	112	1	2	8	14	22	31	57
65+	3084	13.5	120	2	3	11	18	28	35	54
TOT. SINGLE DX	1434	4.3	31	1	1	2	5	10	14	26
" MULTIPLE DX	6687	10.9	114	1	2	8	15	24	32	55
TOTAL 0-19 YRS	1664	5.5	65	1	1	3	6	11	17	57
20-34	445	7.2	63	1	1	4	9	18	23	44
35-49	830	7.6	76	1	1	4	10	17	23	46
50-64	1798	9.7	104	1	2	7	13	21	28	53
65+	3384	12.8	118	2	2	10	17	27	34	54
GRAND TOTAL	**8121**	**9.8**	**105**	**1**	**2**	**6**	**13**	**22**	**30**	**53**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	3.9	4	2	2	3	5	6	8	13
20-34	795	3.8	3	1	2	4	5	6	7	11
35-49	1138	4.0	5	1	2	4	5	6	8	13
50-64	845	4.5	9	2	2	4	5	7	9	18
65+	212	6.0	21	2	2	4	7	12	15	26
2. MULTIPLE DX										
0-19 YRS	7	3.9	7	1	1	4	5	8	9	9
20-34	236	5.6	33	2	2	4	6	9	13	30
35-49	521	6.2	23	2	2	5	7	11	15	28
50-64	646	7.1	43	2	3	5	8	13	17	31
65+	304	9.4	92	2	3	6	11	19	24	60
TOT. SINGLE DX	3026	4.2	8	1	2	4	5	7	8	15
" MULTIPLE DX	1714	7.0	46	2	3	5	8	13	18	34
TOTAL 0-19 YRS	43	3.9	5	1	2	3	5	6	8	13
20-34	1031	4.2	11	1	2	4	5	6	8	16
35-49	1659	4.7	12	1	2	4	5	8	10	20
50-64	1491	5.6	26	2	2	4	6	10	14	25
65+	516	8.0	66	2	3	5	9	16	22	43
GRAND TOTAL	**4740**	**5.2**	**23**	**2**	**2**	**4**	**6**	**9**	**13**	**24**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	8.8	45	3	4	7	10	13	15	44
20-34	34	8.9	59	1	2	6	14	19	24	34
35-49	144	10.3	20	4	5	10	13	15	17	25
50-64	532	11.3	33	4	6	10	14	17	21	34
65+	453	12.8	40	6	7	12	15	19	23	40
2. MULTIPLE DX										
0-19 YRS	112	13.1	88	4	6	10	15	25	31	55
20-34	182	14.0	195	2	3	9	18	31	44	66
35-49	630	14.3	115	3	4	12	18	27	35	57
50-64	2387	16.6	151	5	7	13	19	31	40	77
65+	3092	19.7	173	6	8	16	24	37	48	79
TOT. SINGLE DX	1200	11.6	37	4	6	11	14	18	22	34
" MULTIPLE DX	6403	17.7	163	5	7	14	22	34	43	77
TOTAL 0-19 YRS	149	12.0	81	4	6	9	14	23	30	47
20-34	216	13.2	177	2	2	9	17	30	42	63
35-49	774	13.6	100	3	4	11	16	25	32	52
50-64	2919	15.6	134	5	7	12	18	29	37	72
65+	3545	18.8	162	6	8	15	23	35	46	76
GRAND TOTAL	**7603**	**16.8**	**148**	**5**	**7**	**13**	**20**	**32**	**41**	**73**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
0-19 YRS	3	13.7	4	12	12	13	15	16	16	16
20-34										
35-49	2	24.5	85	18	18	24	31	31	31	31
50-64	7	24.1	172	14	14	21	25	47	52	52
65+	7	17.7	53	7	8	18	24	26	26	26
TOT. SINGLE DX	3	9.7	4	8	8	9	11	12	12	12
" MULTIPLE DX	19	20.2	98	9	11	18	24	29	43	52
TOTAL 0-19 YRS	5	11.6	10	8	8	12	14	16	16	16
20-34										
35-49	2	24.5	85	18	18	24	31	31	31	31
50-64	8	22.6	166	12	13	19	25	44	52	52
65+	7	17.7	54	7	8	18	24	26	26	26
GRAND TOTAL	**22**	**18.7**	**98**	**8**	**9**	**17**	**24**	**28**	**39**	**52**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	2.0	7	<1	<1	<1	<1	4	9	15
20-34	27	4.4	21	<1	<1	3	6	10	13	22
35-49	18	2.9	5	<1	<1	2	4	6	9	10
50-64	26	9.4	162	<1	<1	7	9	21	49	49
65+	18	7.4	30	1	2	6	11	17	18	18
2. MULTIPLE DX										
0-19 YRS	101	6.3	41	1	1	4	8	14	16	39
20-34	534	6.1	35	<1	1	4	8	13	16	32
35-49	646	7.1	54	<1	1	5	9	15	19	35
50-64	1131	7.7	68	1	2	5	10	16	22	38
65+	1117	9.2	83	1	2	7	11	19	27	49
TOT. SINGLE DX	135	4.7	50	<1	<1	2	6	11	16	49
" MULTIPLE DX	3529	7.8	66	1	2	5	10	16	22	41
TOTAL 0-19 YRS	147	5.0	35	<1	<1	3	7	12	15	35
20-34	561	6.1	35	<1	1	4	8	13	16	31
35-49	664	7.0	53	<1	1	5	9	15	19	35
50-64	1157	7.8	70	1	2	5	10	16	22	43
65+	1135	9.2	83	1	2	7	11	19	27	48
GRAND TOTAL	**3664**	**7.7**	**66**	**<1**	**1**	**5**	**9**	**16**	**22**	**42**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	371	6.5	39	1	1	5	8	11	15	32
20-34	286	7.4	69	1	1	5	9	17	22	51
35-49	400	7.9	54	1	2	6	10	15	19	40
50-64	1430	8.9	50	2	3	7	11	15	19	35
65+	1967	9.2	35	3	4	8	12	16	20	32
2. MULTIPLE DX										
0-19 YRS	2473	21.0	443	3	4	13	30	60	81	99+
20-34	854	11.5	172	1	2	7	15	30	40	72
35-49	1524	12.3	148	1	2	9	16	27	39	74
50-64	6427	13.3	132	3	4	10	16	26	36	67
65+	10729	15.1	147	4	5	12	19	29	39	68
TOT. SINGLE DX	4454	8.6	45	2	3	7	11	16	19	35
" MULTIPLE DX	22007	14.9	183	3	4	11	18	31	44	82
TOTAL 0-19 YRS	2844	19.1	415	2	3	11	27	55	77	99+
20-34	1140	10.5	150	1	1	6	13	26	36	67
35-49	1924	11.4	132	1	2	8	15	25	36	72
50-64	7857	12.5	121	2	4	10	15	24	33	64
65+	12696	14.2	135	3	5	11	17	28	37	66
GRAND TOTAL	**26461**	**13.8**	**166**	**2**	**4**	**10**	**17**	**29**	**40**	**77**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	520	3.6	16	<1	1	2	4	8	11	17
20-34	530	4.0	12	1	1	3	5	9	11	16
35-49	343	4.8	19	1	1	3	6	10	14	22
50-64	416	6.3	39	1	2	4	8	12	17	30
65+	388	7.8	45	1	2	6	10	17	20	33
2. MULTIPLE DX										
0-19 YRS	290	6.5	53	1	1	5	9	13	17	34
20-34	482	7.9	77	1	2	6	10	15	20	47
35-49	572	8.7	71	1	2	6	11	17	25	44
50-64	1164	10.5	73	2	3	9	14	20	26	42
65+	1433	12.3	113	2	3	10	16	25	34	50
TOT. SINGLE DX	2197	5.1	28	1	1	3	7	11	15	25
" MULTIPLE DX	3941	10.3	90	2	2	8	13	21	28	47
TOTAL 0-19 YRS	810	4.7	31	1	1	3	6	10	14	24
20-34	1012	5.9	47	1	1	4	8	12	16	34
35-49	915	7.2	56	1	1	5	9	15	21	39
50-64	1580	9.4	68	2	2	7	12	20	24	40
65+	1821	11.4	103	2	2	9	15	24	31	49
GRAND TOTAL	**6138**	**8.5**	**74**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	6.5	46	1	2	3	8	16	23	27
20-34	38	5.6	18	1	1	5	8	10	12	23
35-49	63	7.6	21	2	2	7	9	14	18	23
50-64	66	10.4	87	2	3	8	11	22	32	49
65+	67	10.7	75	3	3	8	12	24	30	42
2. MULTIPLE DX										
0-19 YRS	21	12.4	110	2	3	10	15	20	34	51
20-34	66	9.7	65	3	4	8	12	16	18	52
35-49	115	12.7	183	2	3	8	14	26	45	72
50-64	259	14.6	221	3	4	9	17	30	46	86
65+	322	14.2	180	4	5	10	17	29	41	77
TOT. SINGLE DX	251	8.8	58	2	2	7	10	17	25	42
" MULTIPLE DX	783	13.7	184	3	4	9	16	27	42	75
TOTAL 0-19 YRS	38	9.7	89	1	2	7	14	19	25	51
20-34	104	8.2	52	1	2	7	10	14	17	48
35-49	178	10.9	132	2	3	8	12	21	30	69
50-64	325	13.8	197	2	4	9	16	30	44	84
65+	389	13.6	164	3	5	9	17	28	39	72
GRAND TOTAL	**1034**	**12.5**	**158**	**2**	**3**	**9**	**14**	**25**	**36**	**73**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.8	71	3	3	13	19	22	22	22
20-34										
35-49	3	15.0	111	5	5	14	23	26	26	26
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS	3	35.3	858	2	2	47	54	57	57	57
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	31.0		31	31	31	31	31	31	31
50-64	1	17.0		17	17	17	17	17	17	17
65+	3	9.0	127	2	2	3	17	22	22	22
TOT. SINGLE DX	8	13.3	65	3	4	12	19	25	26	26
" MULTIPLE DX	9	21.2	407	2	2	17	35	53	57	57
TOTAL 0-19 YRS	7	22.4	467	2	2	17	41	55	57	57
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	19.0	138	5	5	20	28	31	31	31
50-64	2	13.5	25	10	10	13	17	17	17	17
65+	3	9.0	127	2	2	3	17	22	22	22
GRAND TOTAL	**17**	**17.5**	**249**	**2**	**2**	**14**	**23**	**44**	**53**	**57**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	36.5	1	36	36	36	37	37	37	37
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	41.3	54	30	32	42	44	62	92	99+
20-34	8	36.8	136	24	24	34	46	54	56	56
35-49	2	42.0	242	31	31	42	53	53	53	53
50-64										
65+	1	13.0		13	13	13	13	13	13	13
TOT. SINGLE DX	2	36.5	1	36	36	36	37	37	37	37
" MULTIPLE DX	24	38.7	115	21	25	39	45	56	68	99+
TOTAL 0-19 YRS	15	40.7	49	30	32	41	44	57	87	99+
20-34	8	36.8	136	24	24	34	46	54	56	56
35-49	2	42.0	242	31	31	42	53	53	53	53
50-64										
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	26	38.5	106	22	26	39	44	55	64	99+

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	534	6.4	38	1	2	5	8	12	17	34
20-34	385	8.4	64	2	3	7	9	15	22	45
35-49	271	8.7	78	2	2	6	10	17	22	57
50-64	417	9.6	101	2	3	7	11	18	26	63
65+	578	9.3	64	2	3	7	12	19	25	39
2. MULTIPLE DX										
0-19 YRS	680	10.2	98	2	3	7	12	21	29	51
20-34	954	12.4	126	3	4	9	15	28	36	62
35-49	1124	12.7	137	3	4	9	15	28	39	61
50-64	2432	13.3	130	3	4	10	16	27	37	61
65+	6018	13.6	107	3	4	11	17	25	33	54
TOT. SINGLE DX	2185	8.4	68	2	2	6	10	16	23	44
" MULTIPLE DX	11208	13.1	118	3	4	10	16	26	35	57
TOTAL 0-19 YRS	1214	8.5	75	1	2	6	10	17	25	48
20-34	1339	11.3	112	2	3	8	13	24	33	58
35-49	1395	11.9	129	2	3	9	14	25	37	61
50-64	2849	12.8	128	3	4	9	15	26	36	61
65+	6596	13.2	106	3	4	11	16	25	33	53
GRAND TOTAL	13393	12.4	113	2	4	9	15	25	33	56

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	11.1	133	1	2	8	14	26	36	92
20-34	76	11.3	138	1	1	7	15	29	34	53
35-49	67	10.9	161	1	2	6	14	24	37	70
50-64	70	11.0	149	<1	1	7	13	27	40	63
65+	41	11.1	152	2	3	7	14	20	35	69
2. MULTIPLE DX										
0-19 YRS	322	17.7	371	2	3	11	24	51	70	99+
20-34	365	17.3	294	2	3	11	24	39	49	87
35-49	448	15.1	199	2	3	10	20	35	45	76
50-64	931	15.4	209	2	3	11	22	34	45	76
65+	1026	19.0	238	3	5	14	26	41	52	77
TOT. SINGLE DX	336	11.1	144	1	2	7	14	27	36	70
" MULTIPLE DX	3092	17.0	247	2	3	12	23	38	50	85
TOTAL 0-19 YRS	404	16.3	329	2	3	10	21	44	67	99+
20-34	441	16.2	273	2	3	10	23	37	48	86
35-49	515	14.6	196	2	3	10	19	35	44	75
50-64	1001	15.1	206	2	3	10	21	33	45	75
65+	1067	18.7	238	3	4	14	26	41	51	77
GRAND TOTAL	3428	16.4	240	2	3	11	23	37	49	84

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	4.5	37	<1	<1	2	6	9	19	33
20-34	85	4.4	16	1	1	3	5	9	11	23
35-49	109	6.1	21	1	1	5	9	13	16	20
50-64	214	7.4	84	1	1	5	9	15	20	42
65+	270	7.2	69	1	1	5	9	15	21	41
2. MULTIPLE DX										
0-19 YRS	132	8.7	146	1	1	4	10	17	36	55
20-34	303	8.8	84	2	3	6	10	16	26	50
35-49	737	8.6	59	1	2	7	10	18	25	40
50-64	1449	10.7	122	1	2	8	13	23	31	61
65+	2369	11.8	125	2	3	9	15	24	33	63
TOT. SINGLE DX	749	6.5	59	1	1	4	9	14	19	39
" MULTIPLE DX	4990	10.7	114	2	2	8	13	22	31	60
TOTAL 0-19 YRS	203	7.2	112	<1	1	4	8	15	30	46
20-34	388	7.9	73	1	2	6	9	15	22	45
35-49	846	8.3	55	1	2	6	10	17	22	40
50-64	1663	10.3	118	1	2	7	12	22	30	61
65+	2639	11.3	122	2	2	8	14	23	32	62
GRAND TOTAL	5739	10.2	109	1	2	7	12	21	30	59

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX + MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	765	2.6	3	1	2	3	4	6	7	10
20-34	2	7.0		7	7	7	7	7	7	7
35-49	3	7.7		7	7	7	9	9	9	9
50-64	5	14.4	13	8	8	16	16	17	17	17
65+	3	9.3	2	8	8	9	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	220	5.4	21	2	2	4	6	9	12	18
20-34	15	11.7	81	4	4	10	13	19	35	40
35-49	24	11.6	42	5	6	10	13	19	26	35
50-64	57	15.3	73	9	10	13	18	24	33	48
65+	56	20.0	157	7	8	17	26	35	37	75
TOT. SINGLE DX + MULTIPLE DX	776	3.7	4	2	2	3	4	6	7	12
	340	9.3	80	2	3	6	12	18	27	42
TOTAL 0-19 YRS	985	4.0	8	2	2	3	5	6	8	13
20-34	17	11.1	74	4	4	9	13	19	33	40
35-49	27	11.1	39	6	6	9	13	19	26	35
50-64	62	15.1	72	9	10	13	18	24	33	48
65+	59	19.5	155	7	8	17	26	35	37	74
GRAND TOTAL	1118	5.4	34	2	2	4	6	10	16	31

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	10.9	94	2	2	8	12	26	35	35
20-34	2	25.0	450	10	10	25	40	40	40	40
35-49	6	10.2	36	5	5	7	14	20	20	20
50-64	19	12.6	149	2	3	10	15	27	43	54
65+	41	16.1	96	4	6	13	21	27	39	45
2. MULTIPLE DX										
0-19 YRS	82	18.7	276	4	4	15	30	55	99+	99+
20-34	47	29.3	798	5	6	16	48	90	99	99+
35-49	71	20.3	290	3	6	17	27	46	68	96
50-64	211	23.0	311	4	6	18	30	54	71	99+
65+	960	24.1	256	5	7	21	33	47	58	95
TOT. SINGLE DX + MULTIPLE DX	77	14.4	113	3	4	11	19	28	39	52
	1371	23.6	289	5	6	20	32	49	65	99+
TOTAL 0-19 YRS	92	17.9	261	4	4	13	29	51	99+	99+
20-34	49	29.1	776	5	6	16	47	89	99	99+
35-49	76	19.6	280	4	5	16	26	44	68	95
50-64	230	22.1	306	4	6	17	30	53	67	99+
65+	1001	23.8	252	5	7	20	32	46	58	91
GRAND TOTAL	1448	23.1	283	5	6	19	31	48	62	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	6.6	17	2	2	5	8	14	15	17
20-34	154	6.8	28	2	3	6	8	11	14	24
35-49	220	6.0	11	2	3	6	8	10	12	18
50-64	268	6.8	21	2	3	6	8	12	14	27
65+	293	8.1	36	3	3	7	10	15	18	24
2. MULTIPLE DX										
0-19 YRS	69	7.5	110	1	2	5	7	12	21	72
20-34	609	8.5	44	3	3	7	10	15	20	36
35-49	1461	9.0	41	3	4	7	11	16	21	34
50-64	2635	9.9	58	3	4	8	11	18	25	42
65+	4696	11.5	65	3	4	9	14	21	27	44
TOT. SINGLE DX + MULTIPLE DX	971	7.0	25	2	3	6	9	12	16	25
	9469	10.5	59	3	4	9	13	19	24	42
TOTAL 0-19 YRS	105	7.2	78	2	2	5	8	12	18	54
20-34	763	8.1	42	3	3	6	9	15	19	35
35-49	1681	8.6	39	3	3	7	11	15	20	33
50-64	2903	9.6	54	3	4	8	11	17	23	40
65+	4989	11.3	64	3	4	9	14	21	26	41
GRAND TOTAL	10440	10.1	57	3	4	8	12	19	24	40

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34	66	12.3	38	6	7	11	13	19	25	38
35-49	116	12.5	44	7	7	11	14	19	27	40
50-64	174	13.9	41	8	8	11	16	22	25	41
65+	133	16.8	58	9	10	15	20	27	29	44
2. MULTIPLE DX										
0-19 YRS	12	20.8	416	7	8	14	22	43	77	83
20-34	113	16.7	181	7	8	13	20	27	54	99+
35-49	349	18.7	169	8	9	15	21	34	45	92
50-64	561	19.3	125	9	10	16	23	33	45	69
65+	872	23.8	177	10	11	20	29	41	51	82
TOT. SINGLE DX	492	14.1	49	7	8	12	16	23	28	40
" MULTIPLE DX	1907	21.1	169	9	10	18	25	38	49	88
TOTAL 0-19 YRS	15	17.7	369	3	4	13	20	26	69	83
20-34	179	15.1	133	6	7	12	17	25	37	96
35-49	465	17.2	146	7	8	14	19	32	43	87
50-64	735	18.0	111	8	9	15	21	32	42	63
65+	1005	22.8	168	9	11	20	27	40	49	78
GRAND TOTAL	2399	19.7	152	8	9	16	24	35	45	79

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	16.3	108	8	8	13	24	28	28	28
35-49	11	16.0	8	12	12	15	18	20	20	20
50-64	17	17.5	43	8	10	17	21	28	30	31
65+	21	22.0	115	10	12	19	25	38	48	51
2. MULTIPLE DX										
0-19 YRS										
20-34	3	20.0	43	14	14	23	63	99+	99+	99+
35-49	22	29.5	432	11	12	22	40	80	87	99+
50-64	118	23.7	179	11	12	21	27	39	58	99+
65+	139	26.2	216	11	13	22	30	51	69	99+
TOT. SINGLE DX	52	18.9	72	9	11	17	22	29	33	51
" MULTIPLE DX	282	25.3	217	11	12	22	30	49	71	99+
TOTAL 0-19 YRS										
20-34	6	18.2	65	8	9	19	28	86	99+	99+
35-49	33	25.0	328	11	12	18	31	64	80	99+
50-64	135	22.9	166	10	12	20	27	37	50	99+
65+	160	25.6	205	11	13	22	30	50	64	99+
GRAND TOTAL	334	24.3	199	11	12	21	28	46	66	99+

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	8.8	10	5	5	8	12	13	13	13
20-34	59	9.1	11	5	6	9	10	14	16	19
35-49	101	10.7	23	6	7	9	12	17	21	31
50-64	80	11.0	17	6	7	10	12	16	19	27
65+	44	13.7	32	7	8	13	16	24	25	31
2. MULTIPLE DX										
0-19 YRS	3	18.7	110	8	8	19	26	29	29	29
20-34	88	13.6	107	7	7	11	15	20	32	70
35-49	188	14.1	52	7	8	12	17	23	27	41
50-64	252	16.3	100	8	8	13	19	27	33	63
65+	280	20.7	172	8	10	17	24	37	50	71
TOT. SINGLE DX	290	10.9	22	6	7	10	13	17	21	28
" MULTIPLE DX	811	17.0	123	8	8	14	20	29	38	68
TOTAL 0-19 YRS	9	12.1	58	5	5	9	14	25	29	29
20-34	147	11.8	74	6	7	10	13	18	24	49
35-49	289	12.9	45	6	7	10	16	21	26	36
50-64	332	15.0	86	7	8	12	17	25	31	61
65+	324	19.8	159	8	9	16	23	34	47	70
GRAND TOTAL	1101	15.4	104	7	8	12	18	26	34	63

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	8.1	65	2	2	6	8	13	27	48
20-34	369	8.2	14	5	5	8	9	12	13	17
35-49	340	9.3	20	5	6	8	10	13	16	29
50-64	154	10.6	27	6	6	9	12	17	22	31
65+	123	14.6	68	6	8	12	18	27	35	40
2. MULTIPLE DX										
0-19 YRS	210	17.0	223	5	6	12	22	36	56	99+
20-34	756	11.3	81	5	6	9	11	18	27	63
35-49	1159	11.5	63	6	7	9	12	18	25	59
50-64	769	16.2	147	7	7	12	19	30	40	72
65+	932	21.0	198	7	9	17	26	41	49	71
TOT. SINGLE DX	1070	9.6	32	5	6	8	11	14	20	35
" MULTIPLE DX	3826	15.0	141	6	7	11	17	29	40	70
TOTAL 0-19 YRS	294	14.5	194	3	4	10	19	30	48	98
20-34	1125	10.2	62	5	6	8	11	15	22	55
35-49	1499	11.0	55	6	6	9	12	17	24	49
50-64	923	15.2	132	6	7	11	18	28	37	69
65+	1055	20.3	187	7	8	16	25	39	48	70
GRAND TOTAL	4896	13.8	123	6	6	10	16	27	36	64

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	4.6	9	1	1	4	6	8	9	14
20-34	437	6.3	20	1	2	5	8	11	14	22
35-49	448	5.7	22	1	1	5	7	11	15	22
50-64	577	5.2	17	1	1	3	7	11	14	28
65+	588	5.5	42	1	1	3	7	13	18	30
2. MULTIPLE DX										
0-19 YRS	310	7.8	58	2	2	6	9	15	19	48
20-34	893	8.6	55	2	3	7	10	15	20	46
35-49	1408	8.8	50	2	2	7	11	16	21	40
50-64	2879	9.0	54	2	2	7	11	17	23	36
65+	5258	10.8	83	2	2	9	14	21	28	46
TOT. SINGLE DX	2299	5.5	27	1	1	4	7	11	15	25
" MULTIPLE DX	10748	9.8	69	2	2	8	12	19	25	43
TOTAL 0-19 YRS	559	6.4	39	1	2	5	8	12	16	29
20-34	1330	7.8	45	2	2	6	10	14	18	34
35-49	1856	8.0	45	1	2	6	10	15	20	34
50-64	3456	8.3	52	1	2	7	11	16	21	35
65+	5846	10.3	82	1	2	8	13	21	27	45
GRAND TOTAL	13047	9.0	64	1	2	7	11	18	23	41

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.3	10	5	6	9	10	13	15	20
20-34	41	11.2	32	6	7	9	13	17	27	30
35-49	56	11.6	25	7	7	10	13	19	22	30
50-64	83	13.0	48	7	7	11	16	21	29	40
65+	84	16.0	57	8	9	13	20	25	31	42
2. MULTIPLE DX										
0-19 YRS	78	19.4	420	6	6	11	27	71	99+	99+
20-34	216	16.4	161	6	7	12	20	29	45	83
35-49	284	18.0	181	7	7	13	21	36	47	73
50-64	451	20.8	225	8	9	16	25	41	56	99
65+	799	22.8	221	9	10	18	28	45	58	99+
TOT. SINGLE DX	295	13.0	45	6	7	11	16	22	27	40
" MULTIPLE DX	1828	20.6	222	7	8	16	25	42	56	99+
TOTAL 0-19 YRS	109	16.5	323	6	6	10	17	60	99	99+
20-34	257	15.6	144	6	7	12	19	29	39	76
35-49	340	16.9	161	7	7	12	20	34	44	71
50-64	534	19.6	206	7	8	15	24	38	53	96
65+	883	22.1	210	9	10	18	27	43	56	98
GRAND TOTAL	2123	19.6	205	7	8	15	24	38	53	97

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	11.4	37	6	6	9	13	18	24	37
20-34	165	12.2	33	5	6	11	14	21	24	31
35-49	265	11.6	21	7	8	11	13	16	19	31
50-64	711	12.8	32	8	8	11	15	19	22	31
65+	921	14.4	33	8	9	13	16	21	25	36
2. MULTIPLE DX										
0-19 YRS	103	15.0	138	6	6	10	20	32	41	99+
20-34	393	18.0	177	7	8	13	21	34	46	96
35-49	789	16.2	111	7	8	13	19	28	38	68
50-64	2717	17.3	99	8	9	15	20	28	36	63
65+	6574	20.2	121	9	10	17	24	34	42	64
TOT. SINGLE DX	2109	13.3	33	7	8	12	15	20	23	33
" MULTIPLE DX	10576	19.0	120	9	10	16	23	32	41	65
TOTAL 0-19 YRS	150	13.9	109	6	6	10	16	30	36	99
20-34	558	16.3	142	7	8	13	19	29	41	86
35-49	1054	15.0	93	7	8	12	16	25	34	61
50-64	3428	16.4	89	8	9	14	19	27	34	60
65+	7495	19.5	115	9	10	16	23	33	41	63
GRAND TOTAL	12685	18.1	110	8	9	15	21	31	39	63

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	7.7	14	3	3	7	10	13	15	17
20-34	7	15.0	147	4	5	11	22	35	38	38
35-49	26	10.7	27	5	5	9	13	17	24	27
50-64	39	12.2	30	6	6	11	14	18	24	32
65+	28	17.9	182	7	8	14	18	31	47	72
2. MULTIPLE DX										
0-19 YRS	27	22.4	329	4	5	15	35	53	61	63
20-34	54	16.0	141	4	5	12	18	30	47	52
35-49	65	17.7	147	7	9	15	23	28	34	83
50-64	166	19.9	197	7	8	16	24	36	52	73
65+	357	21.9	153	8	10	18	27	38	49	65
TOT. SINGLE DX	120	12.6	79	4	6	11	14	21	29	52
" MULTIPLE DX	669	20.6	173	7	9	17	25	37	49	67
TOTAL 0-19 YRS	47	16.1	246	3	4	10	18	41	54	63
20-34	61	15.9	140	4	5	11	19	31	46	52
35-49	91	15.7	122	5	7	13	20	26	31	70
50-64	205	18.4	175	7	8	14	22	32	46	72
65+	385	21.6	156	8	10	18	26	37	49	66
GRAND TOTAL	789	19.4	166	6	8	16	24	35	47	67

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	6.5	17	2	3	6	8	11	15	24
20-34	148	9.1	23	4	4	8	11	14	16	35
35-49	160	9.4	17	4	5	9	11	14	16	24
50-64	221	9.5	41	4	5	9	11	14	17	32
65+	260	10.8	22	5	6	10	13	17	19	27
2. MULTIPLE DX										
0-19 YRS	238	10.7	58	4	4	9	12	21	30	99+
20-34	373	13.0	121	5	6	10	14	24	31	87
35-49	443	15.0	146	6	7	11	17	28	38	73
50-64	743	15.0	124	5	7	12	17	28	41	74
65+	1222	16.6	139	5	7	13	19	31	40	65
TOT. SINGLE DX	954	9.3	27	3	4	9	11	15	17	26
" MULTIPLE DX	3019	15.0	131	5	7	12	17	28	39	74
TOTAL 0-19 YRS	403	9.0	46	3	3	7	11	17	23	78
20-34	521	11.9	97	4	5	9	13	21	28	81
35-49	603	13.5	118	5	6	10	15	24	33	71
50-64	964	13.7	111	5	6	11	15	25	35	73
65+	1482	15.5	124	5	7	12	18	29	38	59
GRAND TOTAL	**3973**	**13.6**	**112**	**4**	**6**	**11**	**15**	**25**	**35**	**66**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	16.8	332	5	5	12	18	26	64	81
20-34	10	13.8	53	4	7	13	13	25	32	32
35-49	18	15.8	40	7	8	14	22	24	27	28
50-64	43	14.0	36	5	7	13	17	22	24	32
65+	68	17.2	101	7	7	15	21	28	39	58
2. MULTIPLE DX										
0-19 YRS	40	20.9	407	6	6	15	31	87	99+	99+
20-34	69	24.9	410	6	7	18	33	68	79	99+
35-49	105	25.1	340	6	9	18	34	58	73	99+
50-64	359	21.7	187	8	9	19	27	39	49	87
65+	860	25.3	230	9	11	21	31	46	58	94
TOT. SINGLE DX	155	15.9	97	5	7	14	19	25	31	60
" MULTIPLE DX	1433	24.2	243	8	10	20	30	46	59	99+
TOTAL 0-19 YRS	56	19.7	383	6	6	15	25	70	97	99+
20-34	79	23.5	378	6	7	17	32	62	75	99+
35-49	123	23.8	307	7	9	18	33	55	71	99+
50-64	402	20.8	177	8	9	18	25	38	46	86
65+	928	24.7	226	9	11	20	30	45	57	88
GRAND TOTAL	**1588**	**23.4**	**235**	**8**	**9**	**19**	**29**	**44**	**58**	**97**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8507	4.1	4	2	2	4	5	7	8	12
20-34	5469	4.2	4	2	2	4	5	7	8	12
35-49	1707	5.0	7	2	2	4	6	9	10	15
50-64	805	6.5	12	3	3	6	8	11	13	19
65+	273	7.6	13	3	4	7	9	12	15	21
2. MULTIPLE DX										
0-19 YRS	2686	6.3	23	2	3	5	7	11	15	25
20-34	2094	6.4	23	2	3	5	7	11	14	23
35-49	974	8.4	30	3	4	7	10	14	17	30
50-64	809	10.8	55	4	4	9	13	19	23	39
65+	673	13.6	86	5	6	11	16	25	33	49
TOT. SINGLE DX	16761	4.4	6	2	2	4	5	7	9	13
" MULTIPLE DX	7236	7.8	39	3	3	6	9	14	19	34
TOTAL 0-19 YRS	11193	4.7	10	2	2	4	5	8	10	17
20-34	7563	4.8	11	2	2	4	6	8	10	17
35-49	2681	6.3	18	2	3	5	8	11	14	21
50-64	1614	8.6	38	3	4	7	11	15	20	33
65+	946	11.8	73	4	5	10	14	22	27	47
GRAND TOTAL	**23997**	**5.4**	**18**	**2**	**2**	**4**	**6**	**10**	**13**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	4.3	5	2	2	4	5	7	9	15
20-34	77	4.5	3	2	3	4	5	7	8	13
35-49	15	5.5	3	3	3	5	7	8	9	9
50-64	4	6.0	12	3	3	5	8	11	11	11
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	53	7.1	26	3	3	5	8	16	18	27
20-34	52	7.2	15	3	4	6	8	11	14	23
35-49	13	7.0	6	3	4	7	8	11	11	11
50-64	10	8.7	19	3	4	8	10	15	19	19
65+	21	14.0	34	6	8	13	18	23	24	26
TOT. SINGLE DX	182	4.5	5	2	2	4	5	7	9	13
" MULTIPLE DX	149	8.2	27	3	3	7	10	16	20	26
TOTAL 0-19 YRS	138	5.3	15	2	2	4	6	9	15	21
20-34	129	5.6	10	2	3	5	6	9	11	21
35-49	28	6.2	5	3	3	6	8	9	11	11
50-64	14	7.9	18	3	3	7	10	13	18	19
65+	22	13.9	34	6	8	13	17	23	24	26
GRAND TOTAL	**331**	**6.2**	**18**	**2**	**3**	**5**	**7**	**11**	**16**	**23**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.6	17	2	4	7	12	15	17	17
20-34	13	8.5	17	1	2	10	11	13	15	16
35-49	8	8.4	11	3	3	9	10	12	13	13
50-64	7	11.0	28	3	4	12	15	17	18	18
65+	7	10.9	8	8	8	10	13	15	16	16
2. MULTIPLE DX										
0-19 YRS	14	10.7	25	2	4	11	13	19	19	19
20-34	13	10.8	11	6	7	10	14	16	16	16
35-49	19	11.9	30	4	5	12	14	18	24	28
50-64	12	16.0	5	13	13	16	18	19	20	20
65+	11	23.5	61	13	15	23	25	34	42	43
TOT. SINGLE DX	54	9.1	17	2	3	9	12	15	16	18
" MULTIPLE DX	69	14.0	45	4	7	13	17	23	25	40
TOTAL 0-19 YRS	33	9.5	21	2	4	9	12	16	18	19
20-34	26	9.7	15	2	5	10	12	16	16	16
35-49	27	10.9	27	4	4	10	13	15	21	28
50-64	19	14.2	19	4	7	15	17	19	20	20
65+	18	18.6	79	8	8	17	24	27	37	43
GRAND TOTAL	**123**	**11.9**	**38**	**3**	**5**	**11**	**15**	**19**	**24**	**32**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	4.0	18	1	1	3	5	8	11	17
20-34	161	4.8	17	1	1	4	6	9	13	17
35-49	135	4.1	19	1	1	3	5	9	12	19
50-64	181	4.7	17	1	1	3	5	10	14	22
65+	305	5.7	33	1	2	4	7	11	17	31
2. MULTIPLE DX										
0-19 YRS	141	7.4	74	1	2	5	8	14	31	44
20-34	206	7.3	46	2	2	5	8	16	23	35
35-49	277	6.9	46	1	2	5	8	13	20	41
50-64	659	8.3	54	1	2	6	10	17	22	34
65+	1397	10.7	97	2	3	8	14	22	30	52
TOT. SINGLE DX	924	4.8	24	1	1	3	6	10	13	26
" MULTIPLE DX	2680	9.3	79	2	2	7	11	19	26	46
TOTAL 0-19 YRS	283	5.7	49	1	1	3	7	11	15	39
20-34	367	6.2	35	1	2	4	7	12	17	31
35-49	412	6.0	39	1	1	4	7	12	16	40
50-64	840	7.5	49	1	2	6	10	15	20	33
65+	1702	9.8	90	2	2	7	13	20	28	50
GRAND TOTAL	**3604**	**8.1**	**68**	**1**	**2**	**5**	**10**	**17**	**24**	**44**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	3.6	9	1	1	3	5	7	10	17
20-34	235	3.2	3	1	1	3	4	5	7	10
35-49	181	3.4	3	1	1	3	4	6	7	10
50-64	105	3.8	7	1	1	3	5	7	10	14
65+	39	4.9	12	1	2	4	6	11	13	16
2. MULTIPLE DX										
0-19 YRS	39	7.5	244	1	1	3	5	21	66	99+
20-34	151	5.1	19	1	2	4	6	10	13	26
35-49	179	5.7	38	1	2	4	7	10	14	43
50-64	198	7.0	42	1	2	5	8	16	19	42
65+	114	11.2	112	2	3	7	14	27	33	53
TOT. SINGLE DX	633	3.5	6	1	1	3	4	6	8	13
" MULTIPLE DX	681	7.0	63	1	2	5	8	14	20	46
TOTAL 0-19 YRS	112	5.0	93	1	1	3	5	8	13	92
20-34	386	3.9	11	1	1	3	5	7	9	17
35-49	360	4.6	22	1	1	3	5	8	11	24
50-64	303	5.9	33	1	2	4	7	12	17	34
65+	153	9.6	94	2	2	6	12	20	32	46
GRAND TOTAL	**1314**	**5.3**	**39**	**1**	**1**	**4**	**6**	**10**	**15**	**34**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	11.6	34	4	7	10	13	20	24	32
20-34	39	11.3	27	4	6	10	14	18	22	26
35-49	57	13.2	34	4	6	13	16	20	25	35
50-64	206	15.1	29	9	10	14	17	22	25	33
65+	265	16.3	48	7	10	15	19	24	31	43
2. MULTIPLE DX										
0-19 YRS	51	15.1	126	7	8	12	15	26	47	59
20-34	59	17.2	109	5	8	12	24	31	38	51
35-49	158	17.3	118	8	9	14	20	30	34	69
50-64	656	18.2	77	9	10	16	21	31	37	66
65+	1237	21.5	109	10	12	19	26	35	42	60
TOT. SINGLE DX	610	15.0	41	7	8	14	18	22	27	37
" MULTIPLE DX	2161	19.9	104	9	10	17	24	33	39	61
TOTAL 0-19 YRS	94	13.5	87	6	7	11	15	20	35	55
20-34	98	14.9	85	5	7	11	19	26	32	49
35-49	215	16.2	99	6	8	14	19	28	34	66
50-64	862	17.4	68	9	10	15	20	28	35	57
65+	1502	20.6	103	9	11	18	24	33	40	57
GRAND TOTAL	**2771**	**18.8**	**94**	**8**	**10**	**16**	**22**	**32**	**38**	**57**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	309	4.2	11	1	1	3	6	8	10	14
20-34	890	5.1	12	1	2	4	6	9	11	18
35-49	1006	5.4	13	1	2	5	7	10	12	18
50-64	940	6.1	25	1	2	5	8	11	15	26
65+	789	6.1	26	1	1	5	8	12	15	24
2. MULTIPLE DX										
0-19 YRS	539	6.2	48	1	2	5	7	11	14	33
20-34	2972	7.1	38	2	2	6	8	13	17	33
35-49	4670	8.0	41	2	3	6	10	15	19	32
50-64	6491	8.7	50	2	3	7	11	16	21	36
65+	9902	10.3	68	2	3	8	13	19	25	43
TOT. SINGLE DX	3934	5.5	19	1	1	5	7	10	13	22
" MULTIPLE DX	24574	9.0	56	2	3	7	11	17	22	38
TOTAL 0-19 YRS	848	5.4	36	1	1	4	7	10	12	26
20-34	3862	6.6	34	2	2	5	8	12	16	31
35-49	5676	7.6	37	2	2	6	9	14	18	31
50-64	7431	8.4	48	2	3	7	10	15	20	36
65+	10691	10.0	66	2	3	8	12	19	24	43
GRAND TOTAL	**28508**	**8.5**	**52**	**2**	**3**	**7**	**10**	**16**	**21**	**37**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	2.5	2	1	1	2	3	4	5	8
20-34	331	3.2	4	1	1	3	4	6	7	13
35-49	347	3.3	3	1	1	3	4	5	6	11
50-64	220	3.6	3	1	2	3	4	5	7	12
65+	81	4.4	11	2	2	4	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	25	3.4	8	<1	1	3	5	6	9	15
20-34	308	4.6	29	1	2	3	5	7	9	38
35-49	412	4.6	14	1	2	4	5	7	10	24
50-64	353	5.2	22	2	2	4	6	9	12	30
65+	194	7.4	67	2	3	5	8	14	27	45
TOT. SINGLE DX	1017	3.4	5	1	1	3	4	5	7	12
" MULTIPLE DX	1292	5.1	29	1	2	4	5	9	12	35
TOTAL 0-19 YRS	63	2.9	5	1	1	2	3	6	6	14
20-34	639	3.9	17	1	1	3	4	6	8	15
35-49	759	4.0	10	1	2	3	4	6	9	18
50-64	573	4.6	16	2	2	4	5	8	11	23
65+	275	6.5	53	2	2	4	7	11	19	43
GRAND TOTAL	**2309**	**4.4**	**19**	**1**	**2**	**3**	**5**	**7**	**10**	**26**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.8	3	<1	1	2	3	5	6	11
20-34	308	2.8	2	1	1	3	3	4	6	8
35-49	174	3.0	3	1	1	3	4	5	6	10
50-64	101	3.9	8	1	1	3	4	7	9	17
65+	58	4.3	7	1	2	4	5	7	9	17
2. MULTIPLE DX										
0-19 YRS	37	4.1	4	1	1	4	5	7	8	8
20-34	353	4.4	15	1	2	4	5	7	10	20
35-49	390	4.9	25	1	2	4	5	7	11	33
50-64	383	5.2	19	2	2	4	6	9	12	22
65+	240	6.9	35	2	3	5	8	12	17	36
TOT. SINGLE DX	688	3.1	4	1	1	3	4	5	7	11
" MULTIPLE DX	1403	5.2	23	1	2	4	6	9	12	27
TOTAL 0-19 YRS	84	3.4	4	<1	1	3	4	6	8	10
20-34	661	3.7	10	1	1	3	4	6	8	14
35-49	564	4.3	19	1	2	4	5	7	9	20
50-64	484	5.0	17	1	2	4	6	9	12	20
65+	298	6.4	31	2	2	5	8	11	16	36
GRAND TOTAL	**2091**	**4.5**	**18**	**1**	**2**	**4**	**5**	**8**	**10**	**20**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.7	3	1	1	3	5	6	7	8
20-34	466	4.5	4	2	2	4	5	7	8	11
35-49	615	4.7	4	2	2	4	6	7	9	12
50-64	386	4.8	4	2	3	4	6	7	9	13
65+	139	4.7	4	2	2	4	6	7	9	12
2. MULTIPLE DX										
0-19 YRS	78	5.4	8	2	3	5	6	9	11	16
20-34	2064	5.3	9	2	3	5	6	8	10	16
35-49	3217	5.6	12	2	3	5	6	9	11	18
50-64	2785	6.4	21	3	3	5	7	11	14	24
65+	1306	8.3	41	3	3	6	10	15	19	32
TOT. SINGLE DX	1640	4.6	4	2	2	4	6	7	9	12
" MULTIPLE DX	9450	6.1	19	2	3	5	7	10	13	23
TOTAL 0-19 YRS	112	4.9	7	1	2	4	6	8	10	16
20-34	2530	5.1	9	2	3	5	6	8	10	15
35-49	3832	5.5	11	2	3	5	6	8	10	18
50-64	3171	6.2	20	3	3	5	7	10	14	23
65+	1445	7.9	39	3	3	6	9	14	18	30
GRAND TOTAL	**11090**	**5.9**	**17**	**2**	**3**	**5**	**7**	**10**	**13**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	3.6	20	1	1	3	4	6	8	29
20-34	332	3.3	4	1	1	3	4	6	8	11
35-49	266	3.4	5	1	1	3	4	6	7	12
50-64	186	4.1	8	1	1	3	5	8	11	15
65+	81	4.6	9	1	2	4	5	9	11	15
2. MULTIPLE DX										
0-19 YRS	69	6.9	90	1	2	4	7	15	23	93
20-34	321	4.6	11	1	2	4	6	8	11	18
35-49	380	5.2	23	1	2	4	6	11	14	27
50-64	414	6.7	48	1	2	5	8	12	19	44
65+	346	9.1	80	2	3	6	11	20	28	54
TOT. SINGLE DX	960	3.6	8	1	1	3	4	7	9	14
" MULTIPLE DX	1530	6.5	46	1	2	4	7	13	19	40
TOTAL 0-19 YRS	164	5.0	52	1	1	3	5	9	14	62
20-34	653	4.0	8	1	1	3	5	7	9	14
35-49	646	4.5	17	1	1	3	5	8	12	21
50-64	600	5.9	38	1	2	4	7	11	16	32
65+	427	8.2	70	2	2	5	9	18	25	47
GRAND TOTAL	2490	5.4	33	1	2	4	6	10	15	32

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	8	14.4	111	3	3	12	22	29	32	32
35-49	4	13.0	74	5	5	11	19	25	25	25
50-64	11	13.0	58	4	4	11	20	23	25	25
65+	6	9.0	82	2	2	6	11	24	26	26
2. MULTIPLE DX										
0-19 YRS	13	19.9	310	5	6	10	29	42	60	64
20-34	21	11.6	23	4	6	11	15	19	20	20
35-49	29	20.6	276	2	5	17	25	42	46	84
50-64	39	13.4	100	1	3	11	20	28	30	43
65+	48	21.3	152	4	5	19	30	36	41	61
TOT. SINGLE DX	31	12.3	71	3	3	10	20	25	26	32
" MULTIPLE DX	150	17.6	170	3	5	15	25	34	41	64
TOTAL 0-19 YRS	15	18.5	281	5	6	10	27	37	57	64
20-34	29	12.3	46	3	5	11	17	21	23	32
35-49	33	19.6	255	2	5	17	25	41	44	84
50-64	50	13.3	90	1	4	11	20	27	28	43
65+	54	19.9	158	3	4	18	29	35	40	60
GRAND TOTAL	181	16.7	157	3	4	14	23	32	39	63

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	5.9	33	1	1	3	8	14	20	28
20-34	235	5.6	39	1	1	3	8	13	17	30
35-49	217	5.3	50	1	1	3	6	12	19	41
50-64	275	6.4	50	1	1	3	9	16	21	37
65+	142	7.1	33	1	1	5	10	15	19	25
2. MULTIPLE DX										
0-19 YRS	142	12.0	178	2	2	8	13	24	39	76
20-34	489	11.6	137	1	2	9	15	24	32	61
35-49	821	10.8	93	1	2	9	14	21	29	51
50-64	1406	12.2	111	1	2	10	16	24	33	57
65+	1500	14.2	115	2	3	12	18	27	34	56
TOT. SINGLE DX	938	6.0	44	1	1	3	8	14	19	33
" MULTIPLE DX	4358	12.6	116	1	2	10	16	25	33	58
TOTAL 0-19 YRS	211	10.0	139	1	2	7	12	20	32	66
20-34	724	9.7	113	1	1	7	13	21	28	58
35-49	1038	9.6	89	1	1	7	12	20	27	47
50-64	1681	11.3	106	1	2	9	15	23	31	52
65+	1642	13.6	113	2	2	12	18	26	33	54
GRAND TOTAL	5296	11.4	110	1	2	9	15	24	31	54

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	428	6.5	5	4	4	6	7	10	11	14
20-34	5078	6.7	6	4	4	6	8	10	11	16
35-49	4434	7.0	7	4	5	6	8	10	12	16
50-64	3917	7.6	9	4	5	7	8	11	13	18
65+	2105	9.4	21	5	5	8	11	14	18	26
2. MULTIPLE DX										
0-19 YRS	352	9.5	26	4	5	8	11	17	21	29
20-34	4397	8.7	22	4	5	7	10	14	16	28
35-49	5795	9.3	27	5	5	8	11	15	19	28
50-64	8219	11.0	43	5	6	9	13	18	22	38
65+	9128	14.7	81	6	7	12	18	25	31	49
TOT. SINGLE DX	15962	7.4	10	4	5	7	8	11	13	19
" MULTIPLE DX	27891	11.5	55	5	6	9	14	20	25	41
TOTAL 0-19 YRS	780	7.9	17	4	5	7	9	13	16	27
20-34	9475	7.6	15	4	5	7	9	12	14	22
35-49	10229	8.3	20	4	5	7	9	13	16	24
50-64	12136	9.9	35	5	5	8	12	16	20	34
65+	11233	13.7	75	6	6	11	17	23	29	48
GRAND TOTAL	43853	10.0	42	5	5	8	12	17	22	36

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	10.1	50	1	2	9	16	19	22	25
20-34	66	7.7	29	1	2	6	11	16	20	24
35-49	85	7.8	35	1	2	6	11	15	20	28
50-64	129	9.6	60	2	3	8	13	20	25	37
65+	148	12.8	76	2	3	13	17	23	27	34
2. MULTIPLE DX										
0-19 YRS	13	14.1	112	3	3	11	15	30	41	43
20-34	103	12.7	149	1	2	10	19	32	34	72
35-49	155	10.8	113	1	4	10	17	29	36	68
50-64	469	11.4	154	2	4	10	17	27	41	70
65+	1067	18.6	130	3	6	17	24	33	40	55
TOT. SINGLE DX	448	10.0	60	2	2	8	14	21	25	32
" MULTIPLE DX	1807	17.5	140	3	4	15	23	32	40	61
TOTAL 0-19 YRS	33	11.7	76	2	3	11	15	20	27	43
20-34	169	10.7	108	1	2	8	14	20	24	54
35-49	240	11.0	92	1	3	9	15	22	29	59
50-64	598	10.7	144	2	4	14	21	30	39	60
65+	1215	17.9	128	3	5	16	23	32	39	54
GRAND TOTAL	2255	16.0	133	2	3	14	21	30	38	57

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	10.7	65	2	2	9	15	23	28	28
20-34	114	9.7	40	1	1	5	8	13	18	39
35-49	138	7.5	60	1	1	5	9	16	23	39
50-64	151	8.6	74	1	1	6	11	20	27	44
65+	126	9.8	107	1	2	6	14	21	28	53
2. MULTIPLE DX										
0-19 YRS	21	13.1	220	1	2	9	16	23	46	70
20-34	214	12.2	119	1	2	9	16	27	36	57
35-49	427	14.7	206	1	2	11	18	36	47	85
50-64	639	15.9	235	2	3	12	20	33	47	88
65+	766	16.1	180	2	3	13	21	33	45	80
TOT. SINGLE DX	540	8.2	72	1	1	6	11	18	24	45
" MULTIPLE DX	2067	15.3	198	2	3	11	20	33	45	84
TOTAL 0-19 YRS	32	12.3	165	2	2	9	16	23	28	70
20-34	328	10.3	99	1	2	7	13	22	32	53
35-49	565	13.0	181	1	2	9	16	30	44	79
50-64	790	14.5	213	2	3	10	19	32	44	84
65+	892	15.2	175	2	3	12	20	31	44	76
GRAND TOTAL	2607	13.8	180	2	2	10	18	30	42	78

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	472	4.3	16	1	1	3	5	7	9	23
20-34	1027	5.1	13	1	1	4	6	9	11	21
35-49	1085	5.1	14	1	1	4	6	10	13	18
50-64	1058	5.2	16	1	1	4	7	10	13	21
65+	1201	6.1	29	1	1	5	7	12	16	27
2. MULTIPLE DX										
0-19 YRS	566	6.2	39	1	1	3	7	12	16	38
20-34	2252	6.8	29	1	1	5	8	13	17	35
35-49	3352	7.1	36	1	1	5	9	14	18	32
50-64	6076	7.5	39	1	1	6	9	14	19	33
65+	13307	8.9	52	1	1	7	11	17	22	36
TOT. SINGLE DX	4643	5.3	19	1	1	4	7	10	13	22
" MULTIPLE DX	25555	8.1	47	1	1	6	10	15	21	36
TOTAL 0-19 YRS	1038	5.2	30	1	1	4	6	9	13	30
20-34	3279	6.2	22	1	1	5	7	11	15	30
35-49	4237	6.5	29	1	1	5	8	12	16	30
50-64	7136	7.1	37	1	1	6	9	13	17	32
65+	14508	8.7	51	1	1	7	11	16	22	36
GRAND TOTAL	30198	7.7	44	1	1	6	9	15	20	34

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3349	2.0	1	1	1	2	3	3	4	6
20-34	4041	2.0	1	1	1	2	3	4	5	7
35-49	3382	2.0	1	1	1	2	3	4	5	8
50-64	4586	2.0	1	1	1	2	4	5	6	9
65+	3428	2.5	4	1	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	2094	2.7	27	1	1	2	3	4	6	18
20-34	1576	2.8	8	1	1	2	3	5	6	16
35-49	2161	3.0	10	1	1	2	4	5	7	17
50-64	4317	3.2	15	1	1	2	4	6	9	20
65+	5819	3.8	32	1	1	2	4	6	8	13	18	31
TOT. SINGLE DX	18786	3.4	3	1	1	2	3	4	5	6	9
" MULTIPLE DX	15967	5.4	25	1	1	2	4	6	10	14	25
TOTAL 0-19 YRS	5443	2.3	12	1	1	2	3	4	5	10
20-34	5617	2.4	4	1	1	2	3	4	5	8	16
35-49	5543	2.5	6	1	1	2	3	4	6	7	13
50-64	8903	2.6	10	1	1	2	3	4	5	7	9	16
65+	9247	6.2	24	1	1	2	5	7	11	15	27
GRAND TOTAL	34753	4.4	14	1	2	4	5	7	10	19

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	669	1.8	1	<1	1	2	2	3	4	5
20-34	349	3.7	1	1	2	4	5	6	6	7
35-49	523	4.2	2	2	2	4	5	6	7	8
50-64	699	4.4	3	2	2	4	5	6	7	10
65+	464	5.1	4	2	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	577	3.8	88	<1	1	2	3	5	11	88
20-34	186	4.4	5	2	2	4	5	6	8	16
35-49	378	5.2	7	2	3	5	6	8	10	15
50-64	790	5.6	10	2	3	5	6	9	11	17
65+	952	7.6	27	3	3	6	9	13	17	26
TOT. SINGLE DX	2704	3.8	4	1	1	4	5	6	7	10
" MULTIPLE DX	2883	5.7	33	1	2	5	7	10	13	27
TOTAL 0-19 YRS	1246	2.7	42	<1	1	2	2	4	5	48
20-34	535	3.9	3	2	2	4	5	6	7	9
35-49	901	4.6	5	2	2	4	5	7	8	12
50-64	1489	5.0	7	2	3	5	6	8	9	15
65+	1416	6.8	21	3	3	6	8	12	15	24
GRAND TOTAL	**5587**	**4.8**	**20**	**1**	**1**	**4**	**6**	**8**	**11**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.0	2	1	1	3	4	5	6	8
20-34	96	3.7	2	2	2	3	5	6	6	10
35-49	154	3.7	3	1	2	3	5	6	7	8
50-64	183	4.0	2	2	2	4	5	6	8	9
65+	199	5.6	13	2	2	5	7	9	12	21
2. MULTIPLE DX										
0-19 YRS	7	2.6		2	2	3	3	3	3	3
20-34	35	4.4	2	2	3	4	5	7	7	10
35-49	83	4.7	7	1	2	4	6	8	9	17
50-64	174	7.4	75	2	3	5	8	14	17	60
65+	477	9.5	42	3	3	8	12	18	22	34
TOT. SINGLE DX	656	4.3	7	2	2	4	5	7	8	13
" MULTIPLE DX	776	8.2	48	2	3	6	10	16	20	34
TOTAL 0-19 YRS	31	2.9	2	1	1	3	4	5	5	8
20-34	131	3.9	3	2	2	4	5	6	7	10
35-49	237	4.0	5	1	2	4	5	7	8	11
50-64	357	5.7	41	2	2	4	6	9	14	33
65+	676	8.3	37	2	3	7	11	16	20	31
GRAND TOTAL	**1432**	**6.4**	**33**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	585	1.9	1	<1	1	2	2	3	4	6
20-34	286	3.0	2	1	1	3	4	5	6	9
35-49	428	3.3	2	1	1	3	4	5	7	9
50-64	299	4.0	5	2	2	3	5	7	8	13
65+	144	5.2	12	2	2	5	6	8	11	18
2. MULTIPLE DX										
0-19 YRS	186	4.4	44	<1	1	2	5	8	14	45
20-34	168	4.6	8	1	2	4	5	9	11	15
35-49	388	5.5	20	1	2	4	7	10	13	27
50-64	546	6.7	36	2	2	5	8	12	17	29
65+	478	9.1	52	2	3	7	12	18	24	39
TOT. SINGLE DX	1742	3.1	4	1	1	3	4	5	7	10
" MULTIPLE DX	1766	6.7	38	2	2	5	8	13	18	32
TOTAL 0-19 YRS	771	2.5	13	<1	1	2	3	4	6	16
20-34	454	3.6	5	1	2	3	4	6	8	13
35-49	816	4.4	12	1	2	4	5	8	10	22
50-64	845	5.8	27	2	2	4	7	10	14	25
65+	622	8.2	46	2	3	6	10	17	22	37
GRAND TOTAL	**3508**	**4.9**	**25**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	2.5	2	<1	1	2	3	4	6	9
20-34	453	3.8	5	1	1	3	5	6	8	11
35-49	745	4.9	5	2	2	4	6	8	9	13
50-64	879	5.6	7	2	3	5	7	9	10	15
65+	577	6.6	10	2	3	6	8	10	13	19
2. MULTIPLE DX										
0-19 YRS	59	4.8	21	1	1	3	6	10	13	28
20-34	401	6.1	26	2	2	5	7	11	14	26
35-49	951	7.9	30	3	3	7	9	14	18	30
50-64	1631	8.9	40	3	4	7	10	15	21	34
65+	1556	10.7	54	3	4	9	13	19	24	38
TOT. SINGLE DX	2786	5.2	8	2	2	5	7	9	10	15
" MULTIPLE DX	4598	9.0	44	3	3	7	11	16	21	35
TOTAL 0-19 YRS	191	3.2	10	<1	1	2	4	6	9	14
20-34	854	4.9	17	1	2	4	6	8	11	21
35-49	1696	6.6	22	2	3	6	8	11	14	25
50-64	2510	7.7	32	2	3	6	9	13	18	30
65+	2133	9.6	46	3	4	8	11	17	21	36
GRAND TOTAL	**7384**	**7.5**	**34**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	4.7	7	1	2	5	6	9	10	11
20-34	21	5.8	11	1	2	6	8	10	12	14
35-49	45	7.5	10	3	4	7	9	12	13	17
50-64	57	9.5	30	2	4	8	11	16	21	31
65+	38	11.6	22	6	7	10	14	19	21	25
2. MULTIPLE DX										
0-19 YRS	46	13.5	278	1	1	9	15	23	42	98
20-34	80	11.0	56	4	5	9	13	18	22	51
35-49	188	11.7	67	5	6	9	13	19	22	50
50-64	294	12.6	53	6	7	11	15	21	29	46
65+	290	16.7	127	6	7	14	20	32	40	56
TOT. SINGLE DX	184	8.4	24	2	3	8	10	14	18	25
" MULTIPLE DX	898	13.6	96	5	6	11	16	23	33	55
TOTAL 0-19 YRS	69	10.6	204	1	1	7	11	22	36	90
20-34	101	9.9	52	2	3	8	12	16	20	47
35-49	233	10.9	59	4	5	9	12	18	21	44
50-64	351	12.1	51	5	6	10	14	20	27	44
65+	328	16.1	118	6	7	13	19	29	40	55
GRAND TOTAL	1082	12.7	88	4	5	10	15	22	31	54

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	266	4.7	33	<1	1	3	6	11	14	24
20-34	350	5.2	25	1	1	4	7	10	13	19
35-49	300	6.5	44	1	2	5	8	11	16	41
50-64	280	8.2	49	1	2	6	10	19	23	33
65+	237	11.1	108	1	2	8	15	24	32	50
2. MULTIPLE DX										
0-19 YRS	207	7.3	84	1	1	5	8	15	22	47
20-34	554	8.5	77	1	2	6	10	16	25	47
35-49	789	10.9	102	2	3	8	14	22	29	56
50-64	1396	13.1	115	2	3	10	17	26	35	54
65+	1846	15.4	152	2	4	12	20	30	39	65
TOT. SINGLE DX	1433	6.9	54	1	1	5	9	15	21	36
" MULTIPLE DX	4792	12.8	129	2	3	10	17	26	35	58
TOTAL 0-19 YRS	473	5.8	57	<1	1	4	7	12	17	39
20-34	904	7.2	60	1	2	5	9	14	19	43
35-49	1089	9.7	90	1	3	7	12	20	27	53
50-64	1676	12.3	108	2	3	10	16	25	32	52
65+	2083	14.9	149	2	3	12	19	30	38	64
GRAND TOTAL	6225	11.5	118	1	2	8	15	24	32	56

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	6.2	16	2	3	5	7	11	13	25
20-34	567	6.3	14	2	3	6	8	10	13	20
35-49	256	8.1	36	2	3	7	9	13	18	41
50-64	155	10.6	47	4	5	9	13	17	21	36
65+	153	14.2	114	3	5	12	16	28	34	62
2. MULTIPLE DX										
0-19 YRS	391	10.6	132	3	4	7	11	20	35	72
20-34	1017	9.4	82	3	4	7	10	17	26	51
35-49	565	12.9	105	4	5	9	16	26	35	51
50-64	692	17.7	162	5	7	14	23	35	45	85
65+	987	20.2	175	7	8	17	25	35	47	71
TOT. SINGLE DX	1459	7.9	39	2	3	6	9	14	17	34
" MULTIPLE DX	3652	14.6	152	4	4	10	18	30	39	66
TOTAL 0-19 YRS	719	8.6	84	2	3	6	9	16	24	59
20-34	1584	8.3	60	2	3	6	9	14	20	44
35-49	821	11.4	89	3	4	8	13	23	33	45
50-64	847	16.4	149	5	6	13	20	32	42	81
65+	1140	19.4	172	6	8	16	24	35	46	70
GRAND TOTAL	5111	12.6	129	3	4	9	16	27	35	61

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	464	3.5	6	1	1	3	5	7	9	11
20-34	1695	3.0	6	<1	1	2	4	6	8	12
35-49	270	2.8	7	1	1	2	3	6	9	13
50-64	53	4.2	22	1	1	2	5	8	15	23
65+	22	4.7	21	<1	1	3	8	10	16	20
2. MULTIPLE DX										
0-19 YRS	498	4.5	11	1	1	3	6	9	12	16
20-34	2565	3.9	13	1	1	2	5	8	11	17
35-49	561	4.6	32	1	1	2	6	10	14	24
50-64	134	6.1	33	1	1	3	8	14	19	26
65+	83	10.5	84	2	2	9	15	22	28	43
TOT. SINGLE DX	2504	3.1	7	<1	1	2	4	7	8	12
" MULTIPLE DX	3841	4.3	19	1	1	3	6	9	12	21
TOTAL 0-19 YRS	962	4.0	10	1	1	3	5	8	10	14
20-34	4260	3.5	11	1	1	2	5	8	10	16
35-49	831	4.0	25	1	1	2	5	9	12	21
50-64	187	5.6	31	1	1	3	8	12	19	25
65+	105	9.2	76	1	2	7	13	21	27	42
GRAND TOTAL	6345	3.8	15	1	1	2	5	8	11	18

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	6.8	13	1	2	7	9	11	12	22
20-34	485	6.0	16	1	2	5	8	11	14	21
35-49	363	8.4	34	2	2	7	10	15	18	30
50-64	302	10.0	25	3	5	9	13	17	20	27
65+	231	12.7	47	4	7	12	15	19	22	46
2. MULTIPLE DX										
0-19 YRS	247	10.3	86	2	3	8	12	20	25	43
20-34	1559	7.7	48	1	2	6	9	15	20	36
35-49	1071	11.9	120	2	3	9	14	24	32	62
50-64	1175	15.6	138	4	5	13	19	30	39	69
65+	1416	19.6	161	6	8	17	24	34	44	70
TOT. SINGLE DX	1529	8.5	32	2	2	7	11	15	18	28
" MULTIPLE DX	5468	13.4	134	2	4	10	17	27	35	62
TOTAL 0-19 YRS	395	9.0	62	2	3	7	11	16	22	40
20-34	2044	7.3	41	1	2	6	8	14	18	33
35-49	1434	11.0	101	2	3	8	13	21	29	58
50-64	1477	14.5	120	4	5	12	18	28	36	62
65+	1647	18.7	151	6	8	16	23	32	42	69
GRAND TOTAL	**6997**	**12.3**	**116**	**2**	**3**	**9**	**16**	**25**	**32**	**58**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	8.6	16	3	4	8	11	14	16	22
20-34	58	9.6	30	5	5	8	10	13	22	34
35-49	98	10.7	39	6	6	9	12	17	19	41
50-64	157	12.1	27	7	8	11	14	18	23	35
65+	142	13.9	41	8	8	12	16	22	28	37
2. MULTIPLE DX										
0-19 YRS	131	12.0	122	4	5	9	13	23	29	60
20-34	186	13.1	102	6	6	10	16	22	31	79
35-49	224	14.3	124	6	6	11	16	25	33	62
50-64	545	16.9	97	7	8	14	20	29	36	59
65+	815	19.2	129	8	9	16	24	33	41	69
TOT. SINGLE DX	517	11.6	35	6	6	10	13	18	23	35
" MULTIPLE DX	1901	16.8	123	6	8	14	21	30	38	62
TOTAL 0-19 YRS	193	10.9	91	4	4	9	12	18	26	50
20-34	244	12.3	88	5	6	9	14	21	25	53
35-49	322	13.2	101	6	6	10	15	23	30	61
50-64	702	15.8	86	7	8	13	19	26	34	52
65+	957	18.4	120	8	9	15	22	31	39	63
GRAND TOTAL	**2418**	**15.7**	**109**	**6**	**7**	**12**	**19**	**28**	**35**	**58**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	7.3	34	2	2	6	10	14	18	35
20-34	372	8.0	25	2	2	7	10	13	17	25
35-49	378	9.1	36	2	2	8	11	16	20	33
50-64	354	8.8	22	2	2	8	11	15	18	23
65+	152	9.4	46	1	2	9	12	19	21	34
2. MULTIPLE DX										
0-19 YRS	317	12.1	118	2	2	9	16	24	31	62
20-34	699	12.5	95	2	2	10	16	24	32	50
35-49	727	13.2	105	2	3	11	17	26	34	51
50-64	927	13.2	99	2	4	11	16	25	32	52
65+	798	14.8	123	2	3	12	19	28	36	57
TOT. SINGLE DX	1518	8.5	32	2	2	8	11	15	19	29
" MULTIPLE DX	3468	13.3	108	2	3	11	17	26	34	54
TOTAL 0-19 YRS	579	10.0	86	2	2	8	13	20	26	45
20-34	1071	10.9	75	2	2	9	14	21	28	43
35-49	1105	11.8	86	2	3	9	15	23	31	49
50-64	1281	12.0	82	2	3	10	15	21	29	48
65+	950	13.9	115	2	3	11	18	27	35	56
GRAND TOTAL	**4986**	**11.8**	**90**	**2**	**3**	**10**	**15**	**23**	**30**	**50**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	6.9	15	2	3	6	10	11	14	19
20-34	317	8.4	15	2	4	8	10	13	16	21
35-49	452	8.9	21	4	4	8	11	14	17	23
50-64	376	9.1	20	3	4	8	11	15	17	22
65+	139	10.6	23	4	5	10	14	17	20	26
2. MULTIPLE DX										
0-19 YRS	32	10.2	37	2	3	9	13	18	24	25
20-34	244	9.9	34	3	4	9	12	16	20	26
35-49	353	11.5	47	4	5	10	14	18	24	36
50-64	560	12.0	56	3	5	10	15	20	24	43
65+	459	14.1	88	3	5	12	17	25	31	55
TOT. SINGLE DX	1318	9.0	20	3	4	8	11	14	17	22
" MULTIPLE DX	1648	12.1	62	3	5	10	14	20	26	42
TOTAL 0-19 YRS	66	8.5	28	2	3	8	11	14	19	25
20-34	561	9.1	24	3	4	8	11	15	18	24
35-49	805	10.1	34	4	5	9	12	16	19	31
50-64	936	10.8	44	3	5	10	13	18	22	37
65+	598	13.3	76	3	5	11	16	23	29	45
GRAND TOTAL	**2966**	**10.7**	**46**	**3**	**5**	**9**	**13**	**18**	**22**	**36**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	269	7.3	10	3	4	7	9	11	13	19
20-34	18	10.3	14	4	6	9	12	15	18	20
35-49	17	14.0	47	7	8	12	15	20	31	37
50-64	23	14.0	47	6	7	12	18	22	27	36
65+	13	17.5	86	4	5	18	22	29	36	38
2. MULTIPLE DX										
0-19 YRS	274	9.2	28	4	4	8	11	14	16	42
20-34	93	13.7	80	6	7	11	15	24	32	53
35-49	54	16.5	90	7	8	16	19	34	47	99+
50-64	89	19.4	127	6	8	17	24	38	45	53
65+	109	23.8	214	10	11	20	27	43	53	81
TOT. SINGLE DX	340	8.7	26	3	4	8	10	14	19	27
" MULTIPLE DX	619	14.5	120	4	5	11	17	27	39	70
TOTAL 0-19 YRS	543	8.3	21	3	4	8	10	13	15	27
20-34	111	13.2	71	6	7	11	14	23	31	53
35-49	71	15.9	81	7	8	14	18	34	41	99+
50-64	112	18.3	115	6	7	15	23	36	42	52
65+	122	23.2	203	9	11	19	26	39	51	81
GRAND TOTAL	**959**	**12.5**	**94**	**4**	**5**	**10**	**15**	**23**	**33**	**54**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	5.1	10	<1	2	5	7	9	11	18
20-34	569	4.6	6	1	2	4	6	8	9	14
35-49	716	4.8	7	1	2	4	6	8	10	14
50-64	485	5.2	10	2	2	4	7	9	11	18
65+	173	6.0	17	2	2	5	7	12	14	21
2. MULTIPLE DX										
0-19 YRS	92	9.2	42	2	2	8	13	18	20	30
20-34	340	6.0	20	2	2	5	7	10	13	31
35-49	536	6.3	25	2	2	5	8	11	15	25
50-64	581	7.0	26	2	2	6	9	13	16	28
65+	487	9.4	54	2	3	7	12	18	23	34
TOT. SINGLE DX	2040	4.9	9	1	2	4	6	9	10	15
" MULTIPLE DX	2036	7.3	35	2	2	6	9	14	18	29
TOTAL 0-19 YRS	189	7.1	30	1	2	5	9	16	19	26
20-34	909	5.1	12	2	2	4	6	9	10	16
35-49	1252	5.4	16	1	2	5	7	9	12	20
50-64	1066	6.2	20	2	2	5	8	11	15	23
65+	660	8.5	47	2	2	7	11	16	21	33
GRAND TOTAL	**4076**	**6.1**	**23**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	624	2.8	7	<1	<1	2	3	6	9	13
20-34	977	4.1	17	1	1	3	5	8	10	16
35-49	1102	4.2	16	1	1	3	5	8	11	20
50-64	1366	3.9	14	1	1	3	5	8	10	19
65+	1463	4.4	19	1	1	3	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	1106	4.3	31	<1	1	3	5	9	12	29
20-34	2105	7.1	46	1	2	5	9	15	19	39
35-49	3033	7.1	46	1	2	5	9	15	19	32
50-64	5439	8.0	64	1	2	6	10	17	22	43
65+	10473	9.8	85	1	2	7	13	21	28	45
TOT. SINGLE DX	5532	4.0	16	1	1	3	5	8	11	19
" MULTIPLE DX	22156	8.4	71	1	2	6	11	18	24	42
TOTAL 0-19 YRS	1730	3.8	23	<1	1	2	5	8	11	21
20-34	3082	6.1	39	1	1	4	8	13	17	34
35-49	4135	6.3	40	1	1	5	8	13	18	31
50-64	6805	7.2	57	1	1	5	9	15	21	39
65+	11936	9.1	80	1	2	7	12	20	26	43
GRAND TOTAL	**27688**	**7.6**	**63**	**1**	**1**	**5**	**10**	**16**	**22**	**39**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.3		1	1	2	3	3	3	3
20-34	70	3.0	4	1	1	2	3	6	7	11
35-49	218	3.3	6	1	1	3	4	7	9	13
50-64	764	3.7	6	1	1	3	5	6	8	12
65+	1809	4.3	11	1	2	3	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	32	4.5	12	1	1	3	6	9	11	16
20-34	163	5.0	26	1	1	4	6	10	13	30
35-49	435	5.3	36	1	1	3	6	11	16	32
50-64	1561	6.0	30	1	2	4	8	12	16	28
65+	4932	7.6	51	2	2	5	10	16	22	35
TOT. SINGLE DX	2869	4.0	10	1	1	3	5	8	10	17
" MULTIPLE DX	7123	7.1	46	1	2	5	9	15	20	34
TOTAL 0-19 YRS	40	4.0	11	1	1	3	6	9	10	16
20-34	233	4.4	21	1	1	3	6	8	12	22
35-49	653	4.7	27	1	1	3	5	9	13	26
50-64	2325	5.2	24	1	2	4	6	11	14	26
65+	6741	6.8	43	1	2	5	8	14	19	32
GRAND TOTAL	**9992**	**6.2**	**37**	**1**	**2**	**4**	**8**	**13**	**18**	**31**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	5.6	19	1	1	4	8	11	14	20
20-34	125	5.9	17	1	1	5	9	11	13	20
35-49	169	6.1	22	1	2	5	8	12	15	27
50-64	325	6.7	36	1	1	4	9	16	19	28
65+	525	6.9	39	1	2	5	10	16	19	26
2. MULTIPLE DX										
0-19 YRS	302	8.8	61	2	3	7	10	17	23	43
20-34	317	10.1	128	1	2	7	12	24	34	96
35-49	390	10.2	107	2	2	7	13	22	30	56
50-64	974	11.0	110	2	2	8	15	23	32	58
65+	2440	12.6	128	2	3	9	17	26	35	55
TOT. SINGLE DX	1249	6.5	32	1	2	4	9	14	18	25
" MULTIPLE DX	4423	11.6	119	2	2	8	15	25	32	56
TOTAL 0-19 YRS	407	8.0	53	1	2	6	10	14	21	40
20-34	442	8.9	100	1	2	6	11	19	30	74
35-49	559	8.9	85	2	2	6	11	18	27	47
50-64	1299	9.9	96	2	2	7	13	21	28	52
65+	2965	11.6	117	2	2	8	16	25	32	53
GRAND TOTAL	**5672**	**10.5**	**105**	**2**	**2**	**7**	**14**	**22**	**30**	**53**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	1.4		<1	<1	1	2	2	3	4
20-34	16	2.7	4	<1	<1	2	4	6	7	8
35-49	10	2.7	5	<1	1	2	2	6	9	9
50-64	19	2.8	3	<1	<1	2	4	5	7	9
65+	9	3.0	5	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	160	2.5	4	<1	<1	2	3	5	7	11
20-34	42	4.8	40	<1	1	3	5	11	19	32
35-49	40	6.1	47	1	1	3	7	17	18	32
50-64	65	4.8	13	1	2	4	7	10	13	17
65+	88	7.6	38	2	2	6	11	14	17	36
TOT. SINGLE DX	218	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	395	4.6	25	<1	1	3	6	11	14	29
TOTAL 0-19 YRS	324	2.0	3	<1	<1	1	2	4	6	10
20-34	58	4.2	31	<1	1	3	5	9	13	32
35-49	50	5.4	40	1	1	3	4	16	18	32
50-64	84	4.4	12	1	2	3	6	9	12	16
65+	97	7.2	37	2	2	5	10	14	17	35
GRAND TOTAL	**613**	**3.6**	**19**	**<1**	**<1**	**2**	**4**	**8**	**13**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	629	5.0	11	1	1	4	7	10	11	15
20-34	147	4.0	14	<1	1	3	5	8	10	16
35-49	127	5.0	13	1	1	5	7	9	13	19
50-64	133	5.0	10	1	2	4	7	9	10	17
65+	125	4.6	11	1	1	4	6	9	12	16
2. MULTIPLE DX										
0-19 YRS	393	5.4	19	1	1	5	7	10	13	23
20-34	162	5.4	26	1	1	4	7	11	16	28
35-49	192	7.1	23	1	2	6	9	13	17	23
50-64	308	7.0	40	1	2	5	9	14	19	32
65+	435	8.4	69	2	2	5	10	20	27	42
TOT. SINGLE DX	1161	4.8	12	1	1	4	7	9	11	16
" MULTIPLE DX	1490	6.8	41	1	2	5	9	14	19	33
TOTAL 0-19 YRS	1022	5.1	14	1	1	5	7	10	12	17
20-34	309	4.7	21	1	1	3	6	10	13	26
35-49	319	6.3	21	1	2	5	8	13	15	21
50-64	441	6.4	32	1	2	5	8	13	16	29
65+	560	7.6	59	1	2	5	9	17	24	38
GRAND TOTAL	**2651**	**6.0**	**29**	**1**	**1**	**5**	**8**	**11**	**15**	**28**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	2.3	9	<1	<1	1	2	4	7	11
20-34	163	3.0	5	<1	<1	2	4	7	8	11
35-49	146	3.4	6	<1	1	3	5	7	8	13
50-64	165	3.3	5	1	1	2	4	7	8	10
65+	190	4.0	20	1	1	3	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	501	2.9	20	<1	<1	2	4	5	7	29
20-34	631	6.9	61	1	1	5	9	14	21	39
35-49	871	7.3	65	1	1	5	10	15	21	46
50-64	1148	7.8	58	1	2	6	10	16	21	42
65+	2193	9.5	86	1	2	7	12	19	28	48
TOT. SINGLE DX	857	3.2	10	<1	1	2	4	7	8	13
" MULTIPLE DX	5344	7.8	71	1	1	5	10	17	23	46
TOTAL 0-19 YRS	694	2.7	17	<1	<1	2	3	5	7	20
20-34	794	6.1	52	<1	1	4	8	12	18	36
35-49	1017	6.7	59	1	1	4	9	14	20	45
50-64	1313	7.2	54	1	2	5	10	15	20	37
65+	2383	9.0	83	1	2	6	11	19	26	48
GRAND TOTAL	6201	7.2	65	1	1	5	9	16	21	44

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	2.5	3	<1	1	2	3	5	6	10
20-34	194	3.6	7	1	1	3	4	8	9	13
35-49	132	4.3	10	1	1	3	5	9	12	14
50-64	120	4.9	14	1	1	4	7	10	12	19
65+	180	4.4	10	1	2	4	5	7	12	18
2. MULTIPLE DX										
0-19 YRS	178	3.4	32	<1	1	2	3	5	7	30
20-34	284	4.8	34	1	2	3	5	9	11	39
35-49	254	5.9	44	1	2	4	7	12	15	33
50-64	418	6.9	61	2	2	5	8	14	21	35
65+	769	7.3	41	2	2	5	9	15	20	33
TOT. SINGLE DX	758	3.9	10	1	1	3	5	8	11	16
" MULTIPLE DX	1903	6.3	46	1	2	4	8	13	18	33
TOTAL 0-19 YRS	310	3.0	20	<1	1	2	3	5	6	25
20-34	478	4.3	24	1	1	3	5	9	11	20
35-49	386	5.3	33	1	1	4	6	11	13	26
50-64	538	6.4	51	1	2	4	8	12	18	34
65+	949	6.8	37	2	2	5	8	14	19	30
GRAND TOTAL	2661	5.6	37	1	2	4	7	11	16	30

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	102	6.9	6	3	4	7	8	10	12	15
35-49	317	7.5	4	4	5	7	9	10	11	14
50-64	299	8.5	9	5	5	8	10	12	14	22
65+	107	9.2	10	5	6	9	10	14	16	19
2. MULTIPLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	174	7.7	7	5	5	7	9	12	13	16
35-49	619	9.1	20	5	6	8	10	13	16	27
50-64	636	10.1	22	5	6	9	11	16	19	27
65+	352	11.6	34	6	7	10	14	18	24	33
TOT. SINGLE DX	827	8.0	8	4	5	8	9	11	13	17
" MULTIPLE DX	1783	9.8	24	5	6	9	11	15	18	30
TOTAL 0-19 YRS	4	6.5	11	2	2	7	9	9	9	9
20-34	276	7.4	7	4	5	7	9	11	13	15
35-49	936	8.6	16	5	5	8	10	12	14	24
50-64	935	9.6	19	5	6	9	11	15	17	26
65+	459	11.1	30	6	6	10	13	18	21	32
GRAND TOTAL	2610	9.2	19	5	5	8	10	14	17	27

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	8.7	49	2	2	8	14	16	16	16
20-34	32	7.0	3	4	5	7	8	9	11	11
35-49	131	7.2	4	4	4	7	8	9	11	14
50-64	103	7.7	8	4	4	7	9	11	14	17
65+	59	9.0	12	4	5	9	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	35	9.8	206	4	5	7	10	11	14	91
35-49	146	8.4	12	4	5	8	10	12	13	24
50-64	192	9.5	24	4	5	8	11	15	19	30
65+	137	10.5	35	4	5	9	12	18	23	36
TOT. SINGLE DX	328	7.7	8	4	4	8	9	11	13	16
" MULTIPLE DX	511	9.5	36	4	5	8	11	15	19	29
TOTAL 0-19 YRS	4	8.0	35	2	2	7	12	16	16	16
20-34	67	8.5	110	4	5	7	8	11	11	28
35-49	277	7.8	9	4	5	8	9	11	12	22
50-64	295	8.9	19	4	5	8	10	14	17	26
65+	196	10.0	29	4	5	9	12	17	20	31
GRAND TOTAL	839	8.8	26	4	5	8	10	13	17	24

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.0	46	<1	<1	4	8	16	23	24
20-34	15	4.7	7	2	2	5	6	9	10	11
35-49	29	6.0	12	2	2	5	9	11	13	13
50-64	24	7.0	21	1	2	6	10	15	17	17
65+	17	5.0	21	1	1	4	7	8	16	20
2. MULTIPLE DX										
0-19 YRS	16	4.3	17	<1	<1	3	5	12	13	14
20-34	52	7.2	36	1	2	6	9	12	16	39
35-49	61	7.8	44	1	2	6	10	15	25	33
50-64	97	9.4	83	2	3	7	11	18	24	57
65+	93	15.2	205	2	3	12	19	31	38	85
TOT. SINGLE DX	96	5.9	19	1	2	5	8	11	14	22
" MULTIPLE DX	319	10.2	111	2	2	7	13	21	29	56
TOTAL 0-19 YRS	27	5.0	29	<1	<1	3	6	12	15	24
20-34	67	6.6	31	1	2	5	9	12	14	35
35-49	90	7.2	39	1	2	6	9	13	16	32
50-64	121	8.9	72	2	3	7	11	17	23	56
65+	110	13.6	190	2	3	10	18	29	37	82
GRAND TOTAL	415	9.2	93	1	2	7	11	18	27	46

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.0	66	<1	<1	6	11	22	22	22
20-34	22	7.4	13	1	1	6	9	12	13	14
35-49	6	7.5	9	5	5	7	10	12	12	12
50-64	9	12.0	46	1	2	13	16	21	23	23
65+	5	8.6	16	4	4	8	10	15	15	15
2. MULTIPLE DX										
0-19 YRS	5	14.8	93	4	4	15	19	29	29	29
20-34	26	11.6	79	1	2	9	16	17	35	40
35-49	37	10.9	51	1	4	10	14	18	21	37
50-64	46	12.8	94	3	4	9	17	23	32	48
65+	52	16.1	217	3	4	12	19	42	49	69
TOT. SINGLE DX	47	8.5	25	1	1	8	10	15	19	23
" MULTIPLE DX	166	13.3	123	2	4	10	17	24	38	57
TOTAL 0-19 YRS	10	11.4	79	<1	2	9	15	25	29	29
20-34	48	9.6	53	1	3	9	11	16	19	40
35-49	43	10.5	46	1	4	9	15	18	21	37
50-64	55	12.7	86	3	4	10	17	23	30	47
65+	57	15.4	204	3	4	10	19	38	48	68
GRAND TOTAL	213	12.2	105	2	3	9	16	22	34	53

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.4	4	4	4	7	8	9	9	9
20-34	8	3.8	4	2	2	3	5	7	8	8
35-49	93	5.9	4	3	4	6	7	9	10	14
50-64	1898	6.3	6	4	4	6	7	9	11	16
65+	3904	7.1	13	4	4	6	8	11	13	21
2. MULTIPLE DX										
0-19 YRS	19	9.5	37	3	4	8	12	15	24	30
20-34	17	8.6	50	1	2	6	10	12	24	33
35-49	201	7.9	31	4	4	6	9	12	16	32
50-64	4831	8.7	35	4	4	7	10	13	19	32
65+	16442	11.0	61	4	5	9	13	20	26	42
TOT. SINGLE DX	5908	6.8	11	4	4	6	8	10	12	18
" MULTIPLE DX	21510	10.5	57	4	5	8	12	19	24	40
TOTAL 0-19 YRS	24	8.9	32	3	4	8	10	14	20	30
20-34	25	7.0	40	1	2	5	8	10	12	33
35-49	294	7.3	24	4	4	6	8	11	15	32
50-64	6729	8.1	29	4	4	7	9	13	17	28
65+	20346	10.3	55	4	5	8	12	19	24	39
GRAND TOTAL	27418	9.7	49	4	5	8	11	17	23	37

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	7	12.1	68	4	5	9	15	26	29	29
50-64	144	11.8	16	6	8	11	14	17	19	23
65+	234	12.5	22	6	7	12	15	20	21	26
2. MULTIPLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	14.0	18	11	11	14	17	17	17	17
35-49	10	11.9	75	2	2	11	20	24	24	24
50-64	312	14.1	38	7	8	13	17	22	24	37
65+	998	16.0	74	7	8	14	19	25	32	54
TOT. SINGLE DX	385	12.2	21	6	7	11	15	18	20	26
" MULTIPLE DX	1324	15.5	67	7	8	14	19	24	29	50
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	14.0	18	11	11	14	17	17	17	17
35-49	17	12.0	68	2	2	9	17	24	27	29
50-64	456	13.4	33	7	8	12	16	21	23	36
65+	1232	15.3	66	6	8	14	18	24	29	51
GRAND TOTAL	**1709**	**14.8**	**58**	**6**	**8**	**13**	**18**	**23**	**28**	**46**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	9	2.7	3	<1	<1	2	3	6	7	7
35-49	60	2.5	2	1	1	2	3	5	5	7
50-64	529	2.6	3	1	1	2	3	5	6	10
65+	673	3.4	10	1	1	2	4	6	9	19
2. MULTIPLE DX										
0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	21	7.0	61	1	1	4	9	20	27	29
35-49	109	5.5	29	1	1	4	7	12	16	28
50-64	810	6.0	37	1	2	4	7	13	18	31
65+	1881	8.0	64	1	2	5	11	17	23	41
TOT. SINGLE DX	1275	3.0	8	1	1	2	3	6	8	15
" MULTIPLE DX	2825	7.3	56	1	2	5	10	16	22	36
TOTAL 0-19 YRS	8	3.8	12	<1	1	3	4	10	12	12
20-34	30	5.7	47	1	1	3	6	14	26	29
35-49	169	4.4	22	1	1	3	5	9	14	25
50-64	1339	4.7	27	1	1	3	5	10	16	26
65+	2554	6.8	55	1	2	4	9	15	21	36
GRAND TOTAL	**4100**	**6.0**	**45**	**1**	**2**	**3**	**8**	**13**	**19**	**33**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	2.5	3	<1	1	2	3	5	6	10
20-34	140	2.9	5	1	1	2	3	5	7	15
35-49	122	3.6	10	1	1	3	4	8	11	17
50-64	102	3.5	4	1	1	3	4	6	8	12
65+	56	3.8	6	1	1	3	5	7	10	12
2. MULTIPLE DX										
0-19 YRS	19	3.1	10	<1	1	2	4	6	10	17
20-34	111	5.4	29	1	1	4	7	12	14	34
35-49	119	6.4	50	2	2	4	7	13	23	40
50-64	170	7.4	111	1	2	4	8	16	25	60
65+	196	8.8	95	2	2	5	11	19	25	50
TOT. SINGLE DX	566	3.2	6	1	1	2	4	6	8	13
" MULTIPLE DX	715	6.6	71	1	1	4	8	14	21	46
TOTAL 0-19 YRS	265	2.7	7	<1	1	2	3	5	8	16
20-34	251	4.0	17	1	1	3	5	9	12	17
35-49	241	5.0	32	1	1	3	6	10	14	31
50-64	272	6.0	75	1	2	4	6	11	18	51
65+	252	7.7	79	2	2	4	9	17	23	46
GRAND TOTAL	**1281**	**5.1**	**45**	**1**	**1**	**3**	**5**	**10**	**15**	**35**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	2.7	6	1	1	2	3	5	6	15
20-34	296	4.3	11	1	2	3	5	8	11	18
35-49	132	3.8	4	1	2	4	5	6	7	11
50-64	98	4.5	8	1	2	4	6	8	9	16
65+	246	5.0	17	2	2	3	6	10	14	23
2. MULTIPLE DX										
0-19 YRS	206	3.3	8	1	1	3	4	5	9	16
20-34	213	5.9	35	1	2	4	7	14	17	25
35-49	141	6.3	53	1	2	4	7	13	20	42
50-64	266	8.0	60	2	2	6	10	16	22	43
65+	1043	9.9	75	2	2	8	13	20	28	43
TOT. SINGLE DX	978	4.1	11	1	1	3	5	8	10	17
" MULTIPLE DX	1869	8.2	65	1	2	5	11	18	24	41
TOTAL 0-19 YRS	412	3.0	7	1	1	2	3	5	7	16
20-34	509	5.0	22	1	2	3	6	10	14	20
35-49	273	5.1	31	1	2	4	5	9	14	34
50-64	364	7.0	49	2	2	5	9	14	19	41
65+	1289	9.0	68	2	2	6	12	19	25	41
GRAND TOTAL	**2847**	**6.8**	**50**	**1**	**2**	**4**	**9**	**15**	**20**	**37**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	983	2.2	1	<1	1	2	3	4	5	7
20-34	118	2.6	2	1	1	2	3	4	5	11
35-49	12	2.4	2	1	1	2	3	5	5	5
50-64	5	2.6	1	2	2	2	3	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	716	2.5	2	1	1	2	3	4	6	9
20-34	51	2.9	3	1	1	3	4	5	7	9
35-49	9	3.7	6	2	2	2	5	8	9	9
50-64	4	5.8	38	2	2	3	9	15	15	15
65+	2	3.0	2	2	2	3	4	4	4	4
TOT. SINGLE DX	1119	2.2	2	1	1	2	3	4	5	7
" MULTIPLE DX	782	2.6	3	1	1	2	3	5	6	9
TOTAL 0-19 YRS	1699	2.3	2	1	1	2	3	4	5	7
20-34	169	2.7	3	1	1	2	3	5	6	10
35-49	21	3.0	4	1	1	2	4	6	8	9
50-64	9	4.0	18	2	2	3	3	11	15	15
65+	3	3.0	1	2	2	3	4	4	4	4
GRAND TOTAL	1901	2.4	2	1	1	2	3	4	5	8

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	2.0	1	1	1	2	2	4	4	8
20-34	165	2.6	4	<1	1	2	3	5	6	11
35-49	53	3.0	4	<1	1	3	4	6	7	9
50-64	15	3.0	7	<1	1	2	3	7	10	11
65+	9	5.7	22	1	2	4	8	14	16	16
2. MULTIPLE DX										
0-19 YRS	92	3.0	9	1	1	2	3	6	11	16
20-34	90	3.6	14	<1	1	3	4	6	10	22
35-49	42	4.2	12	1	1	3	5	8	11	19
50-64	39	5.8	80	<1	1	3	5	12	16	55
65+	26	8.8	48	2	2	5	14	18	22	28
TOT. SINGLE DX	433	2.5	4	1	1	2	3	5	6	11
" MULTIPLE DX	289	4.2	27	1	1	3	5	10	14	22
TOTAL 0-19 YRS	283	2.3	5	1	1	2	3	4	6	12
20-34	255	2.9	8	<1	1	2	3	6	8	18
35-49	95	3.5	8	1	1	3	5	6	9	16
50-64	54	5.0	61	<1	1	3	5	11	14	53
65+	35	8.0	42	2	2	5	12	17	19	28
GRAND TOTAL	722	3.2	14	1	1	2	3	6	10	18

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	62	1.3		<1	<1	1	1	2	3	5
35-49	25	2.3	9	<1	<1	1	2	5	8	16
50-64	11	5.8	11	1	2	5	8	11	13	13
65+	23	6.3	2	4	5	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	64	4.0	36	<1	1	2	4	9	17	34
35-49	66	4.5	38	<1	1	2	5	8	24	30
50-64	39	8.1	25	1	2	6	11	14	19	20
65+	92	9.4	30	5	5	8	11	16	20	32
TOT. SINGLE DX	126	2.8	8	<1	<1	1	5	7	9	14
" MULTIPLE DX	263	6.6	39	1	1	5	9	14	19	30
TOTAL 0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	126	2.7	21	<1	<1	1	2	5	9	30
35-49	91	3.9	31	<1	<1	2	5	7	16	29
50-64	50	7.6	23	1	2	6	10	14	19	20
65+	115	8.8	26	5	5	7	9	15	20	30
GRAND TOTAL	389	5.4	32	<1	1	4	7	12	16	28

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	500	2.0	1	<1	1	2	2	3	4	6
20-34	724	2.4	2	1	1	2	3	4	5	7
35-49	518	2.4	1	1	1	2	3	4	5	7
50-64	474	3.0	3	1	1	3	4	5	6	9
65+	211	3.3	3	1	2	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	407	2.7	22	<1	1	2	3	4	6	17
20-34	601	2.8	6	1	1	2	3	5	7	11
35-49	419	3.5	8	1	1	3	4	6	9	17
50-64	524	4.6	12	1	2	3	5	9	11	19
65+	397	5.7	28	2	2	4	6	11	15	26
TOT. SINGLE DX	2427	2.5	3	1	1	2	3	4	5	8
" MULTIPLE DX	2348	3.8	16	1	1	3	4	7	10	19
TOTAL 0-19 YRS	907	2.3	11	<1	1	2	3	4	5	10
20-34	1325	2.6	4	1	1	2	3	4	6	9
35-49	937	2.9	5	1	1	2	3	5	7	13
50-64	998	3.8	9	1	2	3	4	7	9	16
65+	608	4.9	21	2	2	4	5	9	13	22
GRAND TOTAL	4775	3.2	9	1	1	3	4	5	8	15

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	408	1.7	5	<1	<1	1	2	2	3	8
20-34	157	1.8		<1	1	2	2	3	3	5
35-49	129	1.8		<1	1	2	2	3	3	4
50-64	114	2.1	1	<1	1	2	2	3	5	7
65+	75	2.3	2	1	1	2	3	3	5	10
2. MULTIPLE DX										
0-19 YRS	213	4.0	47	<1	1	2	3	8	19	39
20-34	165	4.0	41	1	1	2	4	8	12	29
35-49	259	4.4	23	1	1	2	5	11	14	27
50-64	344	4.3	16	1	1	3	5	10	12	18
65+	329	6.0	37	1	2	4	8	14	17	33
TOT. SINGLE DX	1048	1.8	3	<1	<1	2	2	3	3	6
" MULTIPLE DX	1498	4.7	32	1	1	2	6	11	15	30
TOTAL 0-19 YRS	712	2.5	21	<1	<1	1	2	3	6	31
20-34	371	2.8	20	<1	1	2	3	5	8	22
35-49	436	3.5	18	1	1	2	3	9	12	22
50-64	552	3.7	15	1	1	2	4	9	11	19
65+	475	5.3	34	1	1	3	7	13	16	31
GRAND TOTAL	**2546**	**3.5**	**22**	**<1**	**1**	**2**	**3**	**8**	**12**	**25**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	3.9	6	1	1	3	5	8	9	12
20-34	126	3.8	12	<1	<1	3	4	8	12	17
35-49	85	4.8	8	1	2	4	7	9	10	14
50-64	202	4.5	6	1	2	4	6	8	9	15
65+	107	5.3	9	2	2	5	7	10	12	16
2. MULTIPLE DX										
0-19 YRS	115	4.1	14	<1	1	3	5	7	11	22
20-34	133	7.6	91	1	2	4	8	18	24	55
35-49	219	6.4	44	1	2	5	8	11	16	46
50-64	458	6.2	39	2	2	5	7	10	13	30
65+	249	7.2	43	2	2	5	9	14	19	38
TOT. SINGLE DX	637	4.4	9	1	1	4	6	8	10	15
" MULTIPLE DX	1174	6.4	46	1	2	5	7	12	17	35
TOTAL 0-19 YRS	232	4.0	10	1	1	3	5	7	10	17
20-34	259	5.8	57	<1	1	3	7	14	18	48
35-49	304	6.0	35	1	2	5	8	10	14	32
50-64	660	5.7	30	1	2	5	7	9	12	26
65+	356	6.6	34	2	2	5	8	13	17	31
GRAND TOTAL	**1811**	**5.7**	**34**	**1**	**2**	**4**	**7**	**10**	**14**	**28**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	339	5.2	4	2	3	5	6	8	9	12
20-34	1082	5.2	4	2	3	5	6	7	9	13
35-49	152	5.4	5	2	3	5	6	8	10	14
50-64	36	9.6	30	3	5	8	11	13	22	30
65+	16	13.8	63	5	6	11	19	26	29	31
2. MULTIPLE DX										
0-19 YRS	436	6.4	10	3	4	6	7	10	12	20
20-34	2305	6.1	10	3	4	6	7	9	11	17
35-49	426	7.4	27	2	3	6	8	13	16	32
50-64	88	12.7	102	5	5	9	14	26	34	56
65+	96	16.9	95	7	8	14	22	29	36	50
TOT. SINGLE DX	1625	5.4	7	2	3	5	6	8	9	14
" MULTIPLE DX	3351	6.8	21	3	4	6	7	10	14	27
TOTAL 0-19 YRS	775	5.9	8	3	3	5	7	9	11	17
20-34	3387	5.8	9	2	3	5	7	8	10	16
35-49	578	6.9	22	2	3	6	8	12	15	27
50-64	124	11.8	83	5	5	9	13	23	29	51
65+	112	16.4	92	7	7	14	21	29	34	49
GRAND TOTAL	**4976**	**6.3**	**17**	**2**	**3**	**6**	**7**	**9**	**13**	**24**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	5.9	4	3	4	6	7	8	9	14
20-34	1117	5.9	4	3	4	6	7	8	9	14
35-49	436	6.3	7	4	4	6	7	9	10	16
50-64	76	7.5	9	4	5	7	9	11	14	18
65+	41	10.6	25	5	6	10	12	19	22	24
2. MULTIPLE DX										
0-19 YRS	272	6.9	11	4	4	6	8	10	12	20
20-34	2475	6.8	11	4	4	6	7	10	13	20
35-49	1168	7.4	14	4	5	6	8	11	14	22
50-64	176	12.1	54	5	6	10	15	20	25	43
65+	184	17.0	105	6	8	14	21	32	40	49
TOT. SINGLE DX	1864	6.1	6	3	4	6	7	8	10	16
" MULTIPLE DX	4275	7.6	23	4	4	6	8	12	16	29
TOTAL 0-19 YRS	466	6.5	9	3	4	6	7	9	12	16
20-34	3592	6.5	9	4	4	6	7	9	11	18
35-49	1604	7.1	13	4	4	6	8	10	13	21
50-64	252	10.7	45	5	5	9	13	19	22	33
65+	225	15.8	97	6	7	12	20	31	37	48
GRAND TOTAL	**6139**	**7.2**	**19**	**4**	**4**	**6**	**8**	**11**	**14**	**25**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	6.6	6	3	3	6	8	10	11	11
20-34	102	6.0	3	3	4	6	7	8	9	12
35-49	166	6.8	4	4	5	6	8	10	11	15
50-64	94	8.0	9	4	5	7	9	12	14	20
65+	37	9.6	21	5	6	8	11	15	19	27
2. MULTIPLE DX										
0-19 YRS	10	6.0	3	4	4	6	7	9	10	10
20-34	528	7.4	13	4	4	6	8	12	15	23
35-49	990	8.3	26	4	5	7	9	13	17	27
50-64	422	11.2	59	5	6	8	14	19	24	40
65+	271	15.9	86	6	8	14	19	28	33	50
TOT. SINGLE DX	408	7.1	8	4	5	6	8	11	12	19
" MULTIPLE DX	2221	9.6	44	4	5	7	11	17	21	34
TOTAL 0-19 YRS	19	6.3	5	3	4	6	8	10	11	11
20-34	630	7.2	12	4	4	6	8	11	14	21
35-49	1156	8.1	24	4	5	7	9	12	16	26
50-64	516	10.6	52	5	6	8	12	18	22	36
65+	308	15.2	83	6	7	13	18	27	32	50
GRAND TOTAL	**2629**	**9.2**	**39**	**4**	**5**	**7**	**10**	**16**	**20**	**33**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	3.4	4	1	1	3	5	7	7	9
20-34	290	3.5	5	1	1	3	5	7	7	10
35-49	38	3.9	9	1	1	3	5	6	12	15
50-64	6	5.8	15	2	2	5	10	11	11	11
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	129	5.3	9	1	2	5	7	10	12	14
20-34	846	5.0	11	1	2	5	6	8	10	16
35-49	135	6.1	23	1	1	5	8	12	14	27
50-64	8	6.8	29	1	2	6	7	16	19	19
65+	5	9.4	19	6	6	8	11	17	17	17
TOT. SINGLE DX	415	3.6	6	1	1	3	5	7	7	12
" MULTIPLE DX	1123	5.2	13	1	2	5	6	9	11	18
TOTAL 0-19 YRS	209	4.6	8	1	1	4	6	8	10	13
20-34	1136	4.7	10	1	1	5	6	7	9	15
35-49	173	5.6	21	1	1	5	7	11	14	27
50-64	14	6.4	22	1	2	5	8	12	17	19
65+	6	8.0	27	1	1	7	9	16	17	17
GRAND TOTAL	**1538**	**4.8**	**12**	**1**	**1**	**5**	**6**	**8**	**10**	**16**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	1.6		<1	<1	1	2	3	3	3
20-34	1383	1.4		<1	<1	1	2	2	3	4
35-49	459	1.4		<1	<1	1	2	2	2	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	14	2.9	16	<1	<1	1	2	7	14	16
20-34	1622	2.0	4	<1	<1	2	2	3	4	11
35-49	642	2.2	7	<1	<1	2	2	4	6	14
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
TOT. SINGLE DX	1851	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	2281	2.1	5	<1	<1	2	2	3	5	12
TOTAL 0-19 YRS	21	2.4	11	<1	<1	1	2	5	10	16
20-34	3005	1.7	3	<1	<1	1	2	3	4	8
35-49	1101	1.9	5	<1	<1	1	2	3	4	12
50-64	5	1.4		<1	<1	1	2	2	2	2
65+										
GRAND TOTAL	**4132**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.5	3	1	1	4	5	6	6	6
20-34	1934	2.5	2	1	1	2	3	4	5	7
35-49	590	2.3	2	1	1	2	3	4	5	7
50-64	6	4.5	7	2	2	4	6	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	27	4.3	7	1	2	4	5	8	11	14
20-34	3356	3.5	7	1	1	3	4	5	6	13
35-49	931	3.3	8	1	1	3	4	6	7	13
50-64	10	7.5	5	4	4	7	10	11	11	11
65+										
TOT. SINGLE DX	2545	2.4	3	1	1	2	3	4	5	7
" MULTIPLE DX	4324	3.5	7	1	1	3	4	6	7	13
TOTAL 0-19 YRS	42	4.0	6	1	1	4	5	6	9	14
20-34	5290	3.1	6	1	1	3	4	5	6	11
35-49	1521	2.9	6	1	1	2	4	5	7	11
50-64	16	6.4	8	2	2	6	9	10	11	11
65+										
GRAND TOTAL	**6869**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	5.3	3	3	3	5	6	8	8	10
20-34	2039	4.9	2	2	3	5	6	7	7	10
35-49	198	4.7	3	1	1	5	6	7	8	9
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	2	9.5	13	7	7	9	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	173	5.7	5	3	3	5	7	9	10	13
20-34	2602	5.4	6	2	3	5	6	8	9	13
35-49	371	6.1	8	2	3	6	7	9	11	17
50-64	8	10.9	55	3	4	8	16	22	25	25
65+	7	16.6	417	3	3	10	18	53	61	61
TOT. SINGLE DX	2385	4.9	3	2	3	5	6	7	8	10
" MULTIPLE DX	3161	5.5	8	2	3	5	6	8	9	15
TOTAL 0-19 YRS	317	5.5	4	3	3	5	7	8	10	12
20-34	4641	5.1	5	2	3	5	6	7	8	12
35-49	569	5.6	8	1	2	5	7	8	10	17
50-64	10	9.4	54	2	2	6	16	21	25	25
65+	9	15.0	324	3	3	10	14	45	61	61
GRAND TOTAL	**5546**	**5.2**	**6**	**2**	**3**	**5**	**6**	**7**	**9**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	2.4	1	1	1	2	3	4	5	5
20-34	765	2.0	1	1	1	2	2	3	4	6
35-49	287	2.1	1	1	1	2	3	3	4	8
50-64	98	2.2	1	1	1	2	3	3	5	9
65+	42	2.9	4	<1	1	2	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	29	2.0		1	1	2	2	3	4	5
20-34	674	2.6	5	1	1	2	3	4	6	14
35-49	333	3.1	11	1	1	2	3	5	8	20
50-64	176	3.7	37	1	1	2	3	7	11	20
65+	96	6.3	65	1	1	3	6	18	25	40
TOT. SINGLE DX	1221	2.1	2	1	1	2	3	3	4	7
" MULTIPLE DX	1308	3.1	16	1	1	2	3	5	9	20
TOTAL 0-19 YRS	58	2.2	1	1	1	2	3	4	5	5
20-34	1439	2.3	3	1	1	2	3	4	5	9
35-49	620	2.7	7	1	1	2	3	5	6	15
50-64	274	3.2	25	1	1	2	3	5	9	19
65+	138	5.2	49	1	1	3	5	12	20	38
GRAND TOTAL	**2529**	**2.6**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**16**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	1.8		<1	1	2	2	3	3	3
20-34	335	2.3	4	<1	1	2	3	4	6	9
35-49	244	2.3	3	<1	<1	2	3	4	6	10
50-64	164	2.7	6	<1	<1	2	3	6	8	15
65+	137	4.8	13	1	2	3	7	10	12	17
2. MULTIPLE DX										
0-19 YRS	44	4.1	12	1	1	3	5	9	13	99+
20-34	706	3.8	28	1	1	2	4	7	12	25
35-49	763	3.8	22	<1	1	2	4	8	11	29
50-64	562	4.7	28	1	1	2	5	11	15	26
65+	458	7.4	52	1	2	6	9	15	23	40
TOT. SINGLE DX	909	2.7	7	<1	<1	2	3	6	8	12
" MULTIPLE DX	2533	4.6	33	<1	1	3	5	10	15	29
TOTAL 0-19 YRS	73	3.2	9	1	1	2	4	7	10	81
20-34	1041	3.3	21	<1	1	2	3	6	9	23
35-49	1007	3.4	18	<1	<1	2	4	7	10	24
50-64	726	4.2	24	<1	1	2	5	10	14	23
65+	595	6.8	44	1	2	5	9	13	20	36
GRAND TOTAL	**3442**	**4.1**	**26**	**<1**	**1**	**2**	**5**	**9**	**13**	**27**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	3.0	2	1	1	3	4	5	6	7
20-34	1113	2.7	2	1	1	2	3	4	5	7
35-49	83	2.3	1	1	1	2	3	4	5	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	28	4.6	7	1	2	4	6	8	9	14
20-34	371	4.3	21	1	1	3	5	8	10	21
35-49	33	2.8	5	1	1	2	3	7	8	10
50-64	5	4.4	10	1	1	4	7	9	9	9
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	1258	2.7	2	1	1	2	3	4	5	7
" MULTIPLE DX	438	4.2	19	1	1	3	5	8	10	19
TOTAL 0-19 YRS	88	3.5	4	1	1	3	4	6	7	12
20-34	1484	3.1	8	1	1	3	4	5	7	12
35-49	116	2.5	3	1	1	2	3	4	6	9
50-64	6	4.3	8	1	1	4	6	9	9	9
65+	2	5.5	13	3	3	5	8	8	8	8
GRAND TOTAL	1696	3.1	7	1	1	3	4	5	7	12

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.6	11	1	1	4	7	9	11	13
20-34	290	5.0	5	1	1	5	6	8	9	11
35-49	90	4.6	5	1	1	5	6	7	8	10
50-64	17	2.3	1	1	1	2	3	4	5	6
65+	17	4.5	19	1	2	3	5	13	16	17
2. MULTIPLE DX										
0-19 YRS	22	5.3	16	<1	1	4	8	9	13	18
20-34	608	5.6	7	1	2	6	7	9	10	15
35-49	221	5.8	25	1	2	5	7	10	12	27
50-64	106	6.7	70	1	1	4	9	13	19	52
65+	100	9.2	93	2	2	6	12	18	33	47
TOT. SINGLE DX	433	4.8	7	1	1	5	6	8	8	12
" MULTIPLE DX	1057	6.1	27	1	2	6	7	10	13	31
TOTAL 0-19 YRS	41	5.0	14	1	1	4	7	9	11	18
20-34	898	5.4	7	1	2	6	7	8	10	13
35-49	311	5.5	20	1	1	5	7	9	11	19
50-64	123	6.1	63	1	1	3	8	12	16	51
65+	117	8.5	85	2	2	5	11	17	29	45
GRAND TOTAL	1490	5.7	21	1	2	5	7	9	11	22

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	6.9	4	4	5	6	8	9	12	13
20-34	1429	6.8	4	5	5	6	7	8	10	15
35-49	2392	7.1	4	5	5	7	8	9	10	14
50-64	771	7.9	9	5	6	7	9	11	13	20
65+	424	9.4	21	6	6	8	10	13	16	26
2. MULTIPLE DX										
0-19 YRS	61	8.4	17	4	5	7	9	12	16	26
20-34	8337	7.4	10	5	5	7	8	10	12	19
35-49	18716	7.7	9	5	5	7	8	10	12	19
50-64	5034	8.9	20	5	6	8	10	13	16	27
65+	2017	12.1	52	6	7	10	14	21	26	42
TOT. SINGLE DX	5031	7.3	7	5	5	7	8	10	11	16
" MULTIPLE DX	34165	8.1	15	5	5	7	8	11	14	24
TOTAL 0-19 YRS	76	8.1	15	4	5	7	9	12	14	26
20-34	9766	7.3	9	5	5	7	8	10	12	19
35-49	21108	7.6	9	5	5	7	8	10	12	19
50-64	5805	8.8	19	5	6	8	9	13	16	27
65+	2441	11.7	48	6	7	9	13	19	24	42
GRAND TOTAL	39196	8.0	14	5	5	7	8	11	14	23

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.7	5	2	2	6	6	6	6	6
20-34	657	5.6	2	4	4	5	6	7	8	12
35-49	704	6.1	3	4	4	6	7	8	9	11
50-64	404	7.9	6	5	5	7	9	11	12	18
65+	315	8.5	7	6	6	8	9	12	13	20
2. MULTIPLE DX										
0-19 YRS	9	7.0	22	3	3	5	7	15	18	18
20-34	2839	6.4	5	4	4	6	7	9	10	15
35-49	4758	6.9	7	4	5	6	8	10	11	17
50-64	1796	8.3	9	5	5	8	9	12	14	19
65+	1330	9.7	19	6	6	9	11	14	18	25
TOT. SINGLE DX	2083	6.7	5	4	4	6	8	9	11	15
" MULTIPLE DX	10732	7.3	10	4	5	7	8	11	13	19
TOTAL 0-19 YRS	12	6.4	18	2	3	5	6	13	17	18
20-34	3496	6.2	5	4	4	6	7	8	10	14
35-49	5462	6.8	7	4	4	6	8	10	11	17
50-64	2200	8.2	9	5	5	8	9	12	14	19
65+	1645	9.5	17	6	6	8	11	14	17	24
GRAND TOTAL	12815	7.2	10	4	5	7	8	10	12	19

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34	21	11.0	14	6	7	10	12	18	19	19
35-49	47	11.2	8	7	7	11	13	15	16	17
50-64	17	13.4	26	8	8	12	16	22	24	24
65+	15	15.6	41	8	10	14	18	27	30	31
2. MULTIPLE DX										
0-19 YRS										
20-34	53	14.0	90	7	8	12	14	21	28	68
35-49	58	15.6	116	7	8	11	17	32	42	55
50-64	72	16.0	96	7	8	14	17	30	45	90
65+	41	21.1	178	8	9	17	25	40	49	72
TOT. SINGLE DX	100	12.2	20	7	8	12	14	18	20	29
" MULTIPLE DX	224	16.4	119	7	8	13	17	31	43	70
TOTAL 0-19 YRS										
20-34	74	13.2	70	7	8	12	14	19	21	62
35-49	105	13.6	72	7	8	11	14	21	33	51
50-64	89	15.5	84	7	8	13	17	28	42	83
65+	56	19.6	147	8	10	16	24	31	46	71
GRAND TOTAL	324	15.1	92	7	8	12	17	27	35	60

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	16	1.8	1	1	1	1	2	4	4	4
20-34	109	1.9	2	<1	1	1	2	3	6	8
35-49	11	1.7	1	1	1	1	2	3	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	27	7.8	207	1	1	4	6	14	41	71
20-34	134	4.3	27	1	1	3	5	9	14	25
35-49	28	3.4	14	1	1	2	3	7	12	19
50-64										
65+										
TOT. SINGLE DX	136	1.9	2	<1	1	1	2	3	6	8
" MULTIPLE DX	189	4.7	52	1	1	3	5	9	14	42
TOTAL 0-19 YRS	43	5.5	138	1	1	2	5	9	22	71
20-34	243	3.4	18	<1	1	2	4	7	10	18
35-49	39	2.9	11	1	1	2	3	6	9	19
50-64										
65+										
GRAND TOTAL	325	3.5	33	1	1	2	3	7	11	25

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2460	1.8	3	<1	<1	1	2	3	4	7
20-34	15746	1.7	3	<1	<1	1	2	3	4	7
35-49	4264	1.7	3	<1	<1	1	2	3	4	7
50-64	1407	2.0	4	1	1	2	2	3	4	10
65+	554	2.6	8	1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	1167	3.3	18	1	1	2	4	7	9	13
20-34	9446	3.3	17	<1	1	2	4	7	9	13
35-49	7001	3.3	15	<1	1	2	3	7	10	15
50-64	3378	3.8	22	1	1	2	4	8	12	19
65+	1832	5.5	40	1	1	3	7	13	17	32
TOT. SINGLE DX	24431	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	22824	3.6	18	1	1	2	4	8	11	21
TOTAL 0-19 YRS	3627	2.3	9	<1	<1	1	3	4	6	11
20-34	25192	2.4	11	<1	<1	1	3	5	7	11
35-49	11265	2.4	11	<1	1	2	3	5	8	14
50-64	4785	3.2	18	<1	1	2	3	6	10	21
65+	2386	4.8	33	1	1	2	5	11	16	30
GRAND TOTAL	47255	2.6	10	<1	1	2	3	5	8	16

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	519	1.1		<1	<1	1	1	1	1	3
20-34	894	1.2		<1	<1	1	1	1	1	4
35-49	83	1.3		<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	80	4.4	63	<1	1	3	4	10	15	51
20-34	310	4.2	32	<1	1	3	4	9	14	32
35-49	97	3.3	18	<1	<1	2	4	7	9	17
50-64										
65+										
TOT. SINGLE DX	1496	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	487	4.1	35	<1	1	2	4	9	13	33
TOTAL 0-19 YRS	599	1.5	10	<1	<1	1	1	2	3	11
20-34	1204	1.6	10	<1	<1	1	1	3	5	16
35-49	180	2.4	11	<1	<1	1	3	6	7	15
50-64										
65+										
GRAND TOTAL	1983	1.9	10	<1	<1	1	1	3	6	15

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	285	1.5	1	<1	<1	1	2	3	4	6
20-34	1731	1.5	1	<1	<1	1	2	2	3	5
35-49	147	1.6	1	<1	<1	1	2	3	4	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	62	2.0	1	<1	<1	2	3	4	5	5
20-34	458	2.6	9	<1	1	2	3	5	7	17
35-49	72	2.7	7	<1	<1	2	3	6	10	15
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	8	7.3	6	2	3	8	9	10	10	10
TOT. SINGLE DX	2165	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	603	2.6	9	<1	1	2	3	5	8	15
TOTAL 0-19 YRS	347	1.6	1	<1	<1	1	2	3	4	5
20-34	2189	1.7	3	<1	<1	1	2	3	4	9
35-49	219	2.0	4	<1	<1	1	2	4	5	10
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	9	6.8	7	2	2	7	9	10	10	10
GRAND TOTAL	**2768**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.0	3	4	4	6	7	8	8	8
20-34	33	5.8	10	1	3	5	7	8	14	16
35-49	6	8.8	1	7	7	9	10	10	10	10
50-64	4	8.0	12	4	4	8	11	11	11	11
65+	3	18.3	236	8	8	11	30	36	36	36
2. MULTIPLE DX										
0-19 YRS	7	6.0	4	3	3	6	7	9	9	9
20-34	139	5.6	8	1	2	5	6	9	11	16
35-49	22	6.2	7	2	3	6	8	10	11	13
50-64	8	6.6	9	1	2	8	9	9	9	9
65+	8	11.6	49	3	4	9	15	23	25	25
TOT. SINGLE DX	50	7.1	27	1	4	6	8	11	15	36
" MULTIPLE DX	184	6.0	11	1	2	6	7	9	12	19
TOTAL 0-19 YRS	11	6.0	3	3	3	6	7	8	9	9
20-34	172	5.7	9	1	2	5	6	9	12	16
35-49	28	6.8	7	2	4	6	9	10	11	13
50-64	12	7.1	10	1	2	8	9	11	11	11
65+	11	13.5	92	3	6	9	17	29	35	36
GRAND TOTAL	**234**	**6.3**	**14**	**1**	**3**	**6**	**8**	**10**	**12**	**20**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	3.3	10	<1	1	2	5	7	11	15
20-34	190	3.2	4	<1	<1	3	5	6	7	9
35-49	59	3.8	5	<1	1	3	5	8	9	10
50-64	55	3.9	5	1	2	4	4	4	5	18
65+	43	4.7	5	2	3	4	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	27	4.1	7	1	1	3	6	8	9	12
20-34	279	4.2	12	1	1	3	6	8	10	15
35-49	74	4.4	7	1	2	4	5	9	11	11
50-64	90	4.6	14	2	2	3	5	8	11	23
65+	121	4.4	11	2	3	4	4	8	11	22
TOT. SINGLE DX	380	3.6	6	<1	1	3	5	6	8	12
" MULTIPLE DX	591	4.3	12	1	1	3	5	8	11	18
TOTAL 0-19 YRS	60	3.7	9	<1	1	2	5	8	10	15
20-34	469	3.8	10	<1	1	3	5	7	9	14
35-49	133	4.1	7	1	2	3	5	9	10	11
50-64	145	4.3	11	2	2	4	4	7	10	21
65+	164	4.5	10	2	3	4	4	8	11	21
GRAND TOTAL	**971**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	93	5.7	5	3	3	6	7	8	10	14
35-49	301	6.4	6	3	4	6	8	10	11	14
50-64	553	6.8	6	3	4	6	8	10	12	15
65+	397	7.4	7	4	4	7	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	7	7.1	11	4	4	6	8	13	14	14
20-34	202	6.8	7	3	4	6	8	10	11	19
35-49	775	8.3	23	4	5	7	9	13	15	27
50-64	1162	8.4	16	4	5	8	10	13	15	20
65+	983	9.1	20	4	5	8	10	15	18	26
TOT. SINGLE DX	1346	6.8	7	3	4	6	8	10	12	15
" MULTIPLE DX	3129	8.5	19	4	5	8	10	13	16	23
TOTAL 0-19 YRS	9	6.1	13	2	2	5	8	12	14	14
20-34	295	6.5	7	3	4	6	7	9	11	17
35-49	1076	7.7	19	3	4	7	9	12	14	23
50-64	1715	7.9	14	4	5	7	9	12	14	19
65+	1380	8.6	18	4	5	8	10	14	17	24
GRAND TOTAL	**4475**	**8.0**	**16**	**4**	**4**	**7**	**9**	**12**	**15**	**21**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	3.0	7	<1	1	2	4	7	8	13
20-34	217	4.0	7	<1	1	4	5	7	9	11
35-49	88	4.2	11	<1	1	3	6	8	9	20
50-64	44	6.2	13	1	1	6	8	9	15	18
65+	37	8.0	37	2	2	7	9	14	18	36
2. MULTIPLE DX										
0-19 YRS	45	5.4	31	1	1	3	7	13	19	24
20-34	126	5.2	13	1	2	4	7	10	12	20
35-49	95	6.2	19	1	2	5	8	13	16	20
50-64	103	9.1	53	2	3	8	12	16	18	46
65+	93	10.6	99	2	3	9	13	19	29	99+
TOT. SINGLE DX	449	4.5	13	1	1	4	6	8	10	18
" MULTIPLE DX	462	7.4	47	1	2	6	9	14	18	44
TOTAL 0-19 YRS	108	4.0	19	1	1	2	6	9	13	23
20-34	343	4.4	10	1	1	4	6	8	10	17
35-49	183	5.2	16	1	1	4	7	10	14	20
50-64	147	8.2	43	2	3	7	10	15	17	32
65+	130	9.8	83	2	3	8	12	18	27	99+
GRAND TOTAL	911	5.9	32	1	1	5	8	12	15	25

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	3.2	7	<1	1	2	4	7	10	12
20-34	375	3.5	11	<1	1	2	5	8	9	17
35-49	130	3.9	10	<1	1	3	5	8	10	17
50-64	100	7.9	28	<1	1	3	6	9	14	31
65+	114	6.3	22	2	2	6	8	12	14	26
2. MULTIPLE DX										
0-19 YRS	149	5.2	61	1	1	3	6	9	11	44
20-34	469	5.2	23	1	1	4	6	10	13	24
35-49	264	6.5	30	1	2	5	9	12	15	28
50-64	306	8.1	65	2	2	6	10	15	20	50
65+	490	9.7	105	2	3	7	10	19	29	61
TOT. SINGLE DX	859	4.0	15	<1	1	3	5	8	11	19
" MULTIPLE DX	1678	7.2	63	1	2	5	8	13	19	44
TOTAL 0-19 YRS	289	4.2	36	1	1	3	5	8	11	22
20-34	844	4.4	19	1	1	3	6	9	12	20
35-49	394	5.6	26	1	1	4	7	12	14	27
50-64	406	7.3	58	1	2	5	9	14	19	46
65+	604	9.1	92	2	2	7	9	18	27	59
GRAND TOTAL	2537	6.2	49	1	1	5	8	12	17	38

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	2.5	4	<1	1	2	3	5	6	13
20-34	564	2.4	4	<1	1	2	3	4	5	8
35-49	316	2.4	2	<1	1	2	3	4	5	8
50-64	124	2.7	4	<1	1	2	3	5	6	12
65+	78	3.4	16	1	1	2	4	6	9	26
2. MULTIPLE DX										
0-19 YRS	119	3.6	7	1	1	3	5	7	9	14
20-34	379	4.4	25	1	1	3	5	8	11	29
35-49	290	5.8	58	1	1	3	6	14	19	39
50-64	214	7.0	58	1	2	4	9	14	22	41
65+	255	9.7	129	2	2	6	11	22	27	73
TOT. SINGLE DX	1231	2.5	5	<1	1	2	3	4	6	10
" MULTIPLE DX	1257	6.2	62	1	1	4	7	13	20	38
TOTAL 0-19 YRS	268	3.0	6	1	1	2	4	6	7	13
20-34	943	3.2	14	<1	1	2	4	6	8	19
35-49	606	4.0	32	<1	1	2	4	8	14	31
50-64	338	5.4	43	1	1	3	6	12	17	35
65+	333	8.2	110	1	2	4	10	19	26	63
GRAND TOTAL	2488	4.3	37	1	1	3	4	9	14	33

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.2		<1	<1	2	3	3	3	3
20-34	20	7.3	93	<1	<1	4	9	17	32	42
35-49	27	7.4	20	1	1	7	10	14	16	19
50-64	22	8.4	40	1	1	7	10	20	23	23
65+	47	10.9	80	2	3	8	15	26	27	39
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	7.0	68	1	1	5	7	13	27	38
35-49	23	12.0	71	3	4	9	17	26	28	29
50-64	49	12.3	87	2	3	9	19	27	31	41
65+	100	16.0	116	4	5	14	22	30	36	53
TOT. SINGLE DX	121	8.7	62	1	1	7	10	21	25	40
" MULTIPLE DX	192	13.6	106	2	3	10	21	27	33	44
TOTAL 0-19 YRS	6	2.0	1	<1	<1	2	3	3	3	3
20-34	39	7.1	79	<1	1	4	8	13	31	42
35-49	50	9.5	49	1	2	8	12	21	25	29
50-64	71	11.1	76	2	3	8	15	24	29	39
65+	147	14.4	110	3	4	11	21	27	34	47
GRAND TOTAL	313	11.7	94	1	2	8	17	26	31	41

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.1	1	1	1	2	3	4	5	7
20-34	68	3.1	4	1	1	3	4	6	6	11
35-49	19	3.4	3	1	2	3	5	6	7	8
50-64	15	4.1	9	1	1	3	4	10	11	11
65+	5	3.8	8	2	2	3	5	9	9	9
2. MULTIPLE DX										
0-19 YRS	34	3.8	18	<1	1	3	5	7	10	24
20-34	50	3.8	5	1	2	3	5	7	10	11
35-49	10	5.3	18	1	1	4	7	12	14	14
50-64	22	7.2	29	2	2	6	9	15	18	22
65+	21	6.4	24	2	2	5	8	11	17	24
TOT. SINGLE DX	158	3.0	4	1	1	3	3	6	7	11
" MULTIPLE DX	137	4.8	18	1	1	3	6	10	13	24
TOTAL 0-19 YRS	85	2.8	9	<1	1	2	3	5	7	19
20-34	118	3.4	5	1	1	3	4	6	8	11
35-49	29	4.1	9	1	1	3	5	8	10	14
50-64	37	5.9	23	1	2	4	8	14	16	22
65+	26	5.9	22	2	2	4	8	11	14	24
GRAND TOTAL	**295**	**3.8**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.7	4	<1	<1	2	3	6	8	8
20-34	10	4.2	14	<1	<1	3	5	10	13	13
35-49	7	2.0	1	<1	<1	2	3	4	4	4
50-64	4	5.0	18	1	1	4	8	11	11	11
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
0-19 YRS	6	3.0	1	1	1	3	4	4	4	4
20-34	23	10.7	212	1	1	7	12	27	49	63
35-49	11	6.9	51	1	1	4	12	18	22	22
50-64	13	8.1	161	1	1	2	8	30	41	43
65+	15	9.3	134	1	1	7	10	18	40	48
TOT. SINGLE DX	32	3.8	16	<1	<1	3	4	9	13	19
" MULTIPLE DX	68	8.6	140	1	1	5	9	21	42	60
TOTAL 0-19 YRS	16	2.8	3	<1	<1	3	4	4	7	8
20-34	33	8.7	159	<1	1	5	8	16	39	63
35-49	18	5.0	37	<1	1	2	6	15	20	22
50-64	17	7.4	127	1	1	3	8	24	37	43
65+	16	9.9	131	1	1	7	11	19	39	48
GRAND TOTAL	**100**	**7.1**	**105**	**<1**	**1**	**4**	**8**	**15**	**25**	**55**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2671	3.2	2	2	2	3	4	4	5	6
20-34	12972	3.3	1	2	2	3	4	4	5	6
35-49	527	3.4	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2430	3.6	2	2	2	3	4	5	6	9
20-34	11391	3.8	5	2	2	4	4	5	6	9
35-49	704	4.1	4	2	3	4	5	6	7	13
50-64										
65+										
TOT. SINGLE DX	16170	3.3	2	2	2	3	4	4	5	6
" MULTIPLE DX	14525	3.8	5	2	2	4	4	5	6	9
TOTAL 0-19 YRS	5101	3.4	3	2	2	3	4	5	5	8
20-34	24363	3.6	3	2	2	3	4	5	5	8
35-49	1231	3.8	3	2	2	4	4	5	6	10
50-64										
65+										
GRAND TOTAL	**30695**	**3.6**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.1	1	1	2	3	4	4	5	5
20-34	271	3.1	1	2	2	3	4	4	5	6
35-49	17	3.1		2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	74	3.3	4	1	2	3	4	6	7	13
20-34	578	3.5	6	1	2	3	4	5	6	11
35-49	52	3.7	6	1	2	3	4	5	6	20
50-64										
65+										
TOT. SINGLE DX	312	3.1	1	2	2	3	4	4	5	6
" MULTIPLE DX	704	3.5	6	1	2	3	4	5	6	11
TOTAL 0-19 YRS	98	3.2	3	1	2	3	4	5	6	12
20-34	849	3.4	5	1	2	3	4	5	5	9
35-49	69	3.6	5	2	2	3	4	5	6	17
50-64										
65+										
GRAND TOTAL	**1016**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	365	3.2		2	2	3	4	4	5	6
20-34	2441	3.5	1	2	2	3	4	5	5	7
35-49	132	3.6		2	2	4	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	570	3.7	2	2	2	3	4	5	6	10
20-34	3598	4.0	3	2	3	4	4	5	6	10
35-49	239	4.4	35	2	2	4	5	6	7	12
50-64										
65+										
TOT. SINGLE DX	2938	3.5	1	2	2	3	4	5	5	6
" MULTIPLE DX	4407	4.0	5	2	3	4	4	5	6	10
TOTAL 0-19 YRS	935	3.5	2	2	2	3	4	5	5	8
20-34	6039	3.8	3	2	3	4	4	5	6	8
35-49	371	4.1	23	2	2	4	5	5	6	9
50-64										
65+										
GRAND TOTAL	7345	3.8	4	2	2	4	4	5	6	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15215	3.0	1	2	2	3	3	4	4	6
20-34	93732	3.1	1	2	2	3	4	4	5	6
35-49	4319	3.2	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4821	3.4	2	2	2	3	4	5	6	10
20-34	33320	3.6	3	2	2	3	4	5	6	9
35-49	2556	3.9	9	2	2	4	4	5	7	12
50-64										
65+										
TOT. SINGLE DX	113266	3.1	1	2	2	3	4	4	5	6
" MULTIPLE DX	40697	3.6	4	2	2	3	4	5	6	10
TOTAL 0-19 YRS	20036	3.1	2	2	2	3	4	4	5	7
20-34	127052	3.2	2	2	2	3	4	4	5	7
35-49	6875	3.4	5	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	153963	3.2	2	2	2	3	4	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1515	5.5	2	4	4	5	6	7	8	11
20-34	15182	5.7	3	4	4	6	6	7	8	10
35-49	727	6.0	2	4	4	6	7	7	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3904	6.3	9	4	4	6	7	9	11	17
20-34	30715	6.3	11	4	4	6	7	8	10	19
35-49	2639	6.8	13	4	5	6	7	9	11	24
50-64										
65+										
TOT. SINGLE DX	17424	5.7	3	4	4	6	6	7	8	10
" MULTIPLE DX	37258	6.3	11	4	4	6	7	8	10	19
TOTAL 0-19 YRS	5419	6.1	7	4	4	6	7	8	10	16
20-34	45897	6.1	9	4	4	6	6	8	9	16
35-49	3366	6.6	11	4	5	6	7	8	10	22
50-64										
65+										
GRAND TOTAL	54682	6.1	9	4	4	6	7	8	9	16

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	5.3	1	3	4	5	6	7	7	8
20-34	911	5.6	1	4	4	6	6	7	8	10
35-49	42	5.8	4	4	4	5	7	7	8	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	251	6.8	19	4	4	6	7	10	12	24
20-34	1818	6.4	13	4	4	6	7	8	10	19
35-49	166	7.3	27	4	5	6	8	10	13	43
50-64										
65+										
TOT. SINGLE DX	1076	5.6	2	4	4	5	6	7	8	10
" MULTIPLE DX	2235	6.5	15	4	4	6	7	8	10	20
TOTAL 0-19 YRS	374	6.3	14	4	4	6	7	9	11	17
20-34	2729	6.1	10	4	4	6	6	8	9	17
35-49	208	7.0	23	4	5	6	7	10	12	33
50-64										
65+										
GRAND TOTAL	3311	6.2	11	4	4	6	7	8	9	18

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	70	5.1	2	3	3	5	6	7	8	9
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	88	6.0	5	3	4	6	7	9	10	14
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64										
65+										
TOT. SINGLE DX	76	5.1	3	3	3	5	6	8	8	13
" MULTIPLE DX	93	6.0	5	3	4	6	7	9	10	14
TOTAL 0-19 YRS	6	5.0	7	2	2	4	7	9	9	9
20-34	158	5.6	4	3	4	5	6	8	9	13
35-49	5	6.0	24	2	2	4	9	14	14	14
50-64										
65+										
GRAND TOTAL	169	5.6	5	3	4	5	7	8	9	14

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	393	1.6		1	1	2	2	2	3	3
20-34	382	1.6		1	1	2	2	3	3	4
35-49	17	1.6		1	1	2	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	96	1.9		1	1	2	2	3	4	5
20-34	137	2.2	2	1	1	2	2	3	4	11
35-49	18	2.1		1	1	2	2	3	4	5
50-64										
65+										
TOT. SINGLE DX	792	1.6		1	1	2	2	2	3	3
" MULTIPLE DX	251	2.1	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS	489	1.6		1	1	2	2	2	3	4
20-34	519	1.8	1	1	1	2	2	3	3	5
35-49	35	1.9	1	1	1	2	2	3	3	5
50-64										
65+										
GRAND TOTAL	1043	1.7	1	1	1	2	2	3	3	4

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	4.7	26	<1	1	3	5	9	14	30
20-34	397	4.0	22	<1	<1	3	5	8	13	22
35-49	23	9.2	362	<1	1	4	8	16	45	94
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	69	6.6	47	1	1	4	8	16	20	35
20-34	339	5.9	34	<1	1	4	7	14	19	26
35-49	24	6.9	100	<1	1	4	7	14	27	50
50-64										
65+										
TOT. SINGLE DX	508	4.3	39	<1	<1	3	5	9	14	24
" MULTIPLE DX	432	6.1	40	<1	1	4	7	14	19	29
TOTAL 0-19 YRS	157	5.5	36	<1	1	4	7	13	18	35
20-34	736	4.9	29	<1	1	3	6	11	16	26
35-49	47	8.0	225	1	1	4	7	16	23	94
50-64										
65+										
GRAND TOTAL	940	5.1	40	<1	1	3	6	11	16	28

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1565	2.4	2	<1	<1	2	3	4	4	6
20-34	8361	2.7	1	<1	<1	3	3	4	5	6
35-49	387	2.7	4	<1	<1	3	3	4	5	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	620	3.2	3	<1	1	3	4	5	6	11
20-34	3581	3.5	9	1	1	3	4	5	6	13
35-49	234	3.9	12	1	2	3	4	6	8	25
50-64										
65+										
TOT. SINGLE DX	10313	2.6	2	<1	<1	3	3	4	5	7
" MULTIPLE DX	4435	3.5	9	1	1	3	4	5	6	13
TOTAL 0-19 YRS	2185	2.6	3	<1	<1	3	3	4	5	8
20-34	11942	2.9	4	<1	<1	3	3	4	5	8
35-49	621	3.1	7	<1	<1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	14748	2.9	4	<1	<1	3	3	4	5	8

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2102	2.8	1	1	2	3	3	4	4	5
20-34	12893	2.9	1	1	2	3	3	4	4	5
35-49	786	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1962	3.3	2	2	2	3	4	5	6	8
20-34	11984	3.3	2	2	2	3	4	5	5	8
35-49	881	3.7	4	1	2	3	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	15781	2.9	1	1	2	3	3	4	4	6
" MULTIPLE DX	14827	3.3	3	2	2	3	4	5	5	8
TOTAL 0-19 YRS	4064	3.1	2	2	2	3	3	4	5	7
20-34	24877	3.1	2	1	2	3	4	4	5	7
35-49	1667	3.3	3	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	30608	3.1	2	1	2	3	4	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.9	11	1	1	3	4	9	10	16
20-34	49	3.4	5	1	1	3	4	7	9	10
35-49	36	4.4	23	1	1	3	5	9	11	29
50-64	37	6.0	32	1	1	4	7	14	21	24
65+	22	7.0	39	1	2	4	9	16	21	28
2. MULTIPLE DX										
0-19 YRS	18	3.6	3	1	2	3	5	6	8	9
20-34	46	6.0	61	1	1	3	6	16	22	37
35-49	35	10.6	145	1	2	5	19	32	39	44
50-64	114	10.4	173	1	2	5	15	25	40	91
65+	93	11.0	166	2	2	9	14	20	30	77
TOT. SINGLE DX	195	4.6	20	1	1	3	6	9	14	26
" MULTIPLE DX	306	9.6	145	1	2	5	13	21	36	75
TOTAL 0-19 YRS	69	3.8	9	1	1	3	4	8	10	16
20-34	95	4.7	34	1	1	3	5	9	16	37
35-49	71	7.5	92	1	1	4	7	20	32	43
50-64	151	9.3	143	1	2	5	13	22	35	85
65+	115	10.3	144	2	2	8	14	18	28	75
GRAND TOTAL	501	7.6	102	1	2	4	9	17	25	59

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	623	3.6	1	1	2	3	4	5	6	7
20-34	917	3.4	1	1	2	3	4	5	6	7
35-49	328	3.5	3	1	2	3	4	5	6	10
50-64	130	3.5	3	1	2	3	4	6	7	12
65+	26	3.3	4	1	1	2	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	435	4.1	4	2	3	4	5	6	7	13
20-34	557	4.6	27	2	3	4	5	6	8	18
35-49	222	4.7	16	2	2	4	5	7	12	30
50-64	133	5.2	19	2	2	4	6	10	13	24
65+	48	7.9	104	2	2	4	9	17	24	64
TOT. SINGLE DX	2024	3.5	2	1	2	3	4	5	6	8
" MULTIPLE DX	1395	4.7	21	2	2	4	5	7	9	24
TOTAL 0-19 YRS	1058	3.8	3	2	2	4	4	5	6	9
20-34	1474	3.9	12	2	2	3	4	5	6	11
35-49	550	4.0	10	1	2	3	5	6	7	18
50-64	263	4.4	12	1	2	4	5	8	11	22
65+	74	6.3	74	1	2	4	6	13	19	56
GRAND TOTAL	3419	4.0	10	1	2	4	4	6	7	14

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	212	2.6	2	1	1	2	3	5	6	10
20-34	357	2.7	3	1	1	2	3	5	6	11
35-49	43	3.3	4	1	2	3	4	6	7	12
50-64	10	6.1	48	1	1	3	6	17	24	24
65+	7	3.9	2	2	2	3	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	265	4.4	34	1	1	3	5	8	10	18
20-34	404	5.3	40	1	1	3	7	11	13	36
35-49	148	7.2	67	2	2	5	8	14	21	48
50-64	54	6.7	36	1	2	5	8	14	19	30
65+	42	13.8	159	2	3	11	15	27	41	68
TOT. SINGLE DX	629	2.8	4	1	1	2	3	5	6	11
" MULTIPLE DX	913	5.8	52	1	2	4	7	12	15	41
TOTAL 0-19 YRS	477	3.6	21	1	1	3	4	6	9	16
20-34	761	4.1	25	1	1	3	5	8	11	20
35-49	191	6.4	56	1	2	4	7	13	16	43
50-64	64	6.6	38	1	2	5	8	14	20	29
65+	49	12.4	149	2	3	9	14	24	40	68
GRAND TOTAL	1542	4.6	35	1	1	3	5	9	13	29

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	3.2	4			3	4	5	6	14
20-34	491	3.0	4			2	4	5	8	11
35-49	170	3.3	4			2	4	6	8	11
50-64	60	3.9	9			2	5	7	12	14
65+	16	4.4	9			4	5	7	12	14
2. MULTIPLE DX										
0-19 YRS	284	6.1	54			4	6	13	19	43
20-34	684	6.1	60			4	7	13	19	38
35-49	173	7.1	53			5	8	14	19	40
50-64	142	8.9	89			6	9	16	27	52
65+	78	11.8	104			6	14	24	37	61
TOT. SINGLE DX	886	3.2	5			3	4	6	7	12
* MULTIPLE DX	1461	6.8	69			5	8	13	19	39
TOTAL 0-19 YRS	433	5.4	40			4	6	10	16	37
20-34	1175	4.8	37			3	6	10	15	25
35-49	443	5.8	37			4	7	12	18	32
50-64	202	6.0	80			4	7	13	26	55
65+	94	10.6	96			7	14	22	36	55
GRAND TOTAL	2347	5.4	55	1	1	4	7	11	15	32

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	3.6	6	<1		3	4	7	9	12
20-34	36	3.5	3			3	4	6	6	10
35-49	31	3.2	4			3	5	6	10	10
50-64	40	3.8	3			3	4	6	7	10
65+	18	3.7	4			3	4	6	9	9
2. MULTIPLE DX										
0-19 YRS	22	4.8	25	<1		3	5	8	15	25
20-34	38	4.6	17			3	5	8	13	17
35-49	19	5.5	17			4	5	10	13	17
50-64	14	7.9	24			4	5	13	18	25
65+	33	6.0	24			4	6	10	18	25
TOT. SINGLE DX	154	3.6	6			3	4	7	9	12
* MULTIPLE DX	188	5.7	29			4	6	13	18	25
TOTAL 0-19 YRS	51	4.1	14	<1		3	5	7	9	12
20-34	74	4.1	11			3	4	7	9	12
35-49	50	5.1	16			4	5	8	13	17
50-64	54	4.9	16			4	5	10	15	17
65+	51	4.8	19			3	5	10	15	25
GRAND TOTAL	342	4.7	20	1	1	3	5	9	13	25

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	676	5.7	29			4	6	10	16	31
20-34	648	4.9	33			3	5	9	14	30
35-49	355	4.9	25			3	6	9	13	27
50-64	479	6.3	34			4	6	11	16	27
65+	154	7.4	39			4	6	11	16	34
2. MULTIPLE DX										
0-19 YRS	479	7.6	52			5	7	13	23	46
20-34	522	6.7	37			4	7	12	20	42
35-49	568	6.8	47			4	6	12	20	56
50-64	759	8.0	64			4	6	13	20	45
65+	376	12.7	158			6	15	30	41	66
TOT. SINGLE DX	2112	5.7	33			4	7	12	18	32
* MULTIPLE DX	2701	8.1	93			5	9	16	28	51
TOTAL 0-19 YRS	1152	6.5	42			4	7	12	20	45
20-34	970	5.6	36			3	6	11	18	41
35-49	623	6.1	44			4	6	11	18	32
50-64	1238	7.3	60			4	6	12	18	32
65+	530	11.2	129			7	13	24	37	63
GRAND TOTAL	4813	7.0	69	2	2	5	8	13	20	45

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	349	3.6				3	4	5	6	8
20-34	699	3.3				3	4	5	6	9
35-49	670	3.7				3	4	6	7	10
50-64	778	3.7				3	5	7	9	17
65+	331	4.3				4	5	7	9	17
2. MULTIPLE DX										
0-19 YRS	406	3.8	4			3	4	5	7	10
20-34	1041	4.0	6			3	4	6	8	13
35-49	1462	4.3	7			4	5	6	8	15
50-64	2566	4.8	8			4	5	7	9	15
65+	1615	5.4	22			4	6	8	11	26
TOT. SINGLE DX	2827	3.6	3			3	4	5	7	9
* MULTIPLE DX	7090	4.6	12			4	5	7	9	17
TOTAL 0-19 YRS	755	3.6	3			3	4	5	7	9
20-34	1740	3.7	5			3	4	6	8	12
35-49	2132	4.1	6			4	5	6	8	15
50-64	3344	4.4	7			4	5	7	9	16
65+	1945	5.2	20			4	6	8	11	25
GRAND TOTAL	9917	4.3	10	2	2	4	5	7	8	16

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1792	3.6	18	1	1	3	4	6	9	22
20-34	1910	4.0	24	1	1	3	4	7	9	25
35-49	1412	4.3	24	1	1	3	5	8	11	24
50-64	1125	4.7	30	1	1	3	5	9	13	27
65+	542	6.4	47	1	2	4	8	14	20	36
2. MULTIPLE DX										
0-19 YRS	795	7.2	104	1	1	3	7	20	29	49
20-34	1693	7.8	134	1	1	4	8	18	32	63
35-49	1729	7.5	109	1	2	4	8	18	30	66
50-64	2045	9.1	125	1	2	5	11	21	31	64
65+	1615	13.9	195	2	3	9	19	32	43	70
TOT. SINGLE DX	6781	4.3	26	1	1	3	5	8	11	27
" MULTIPLE DX	7877	9.3	142	1	2	5	11	23	34	65
TOTAL 0-19 YRS	2587	4.7	47	1	1	3	4	9	16	39
20-34	3603	5.8	80	1	1	3	5	11	19	52
35-49	3141	6.0	74	1	1	3	6	12	20	51
50-64	3170	7.6	96	1	2	4	8	18	25	55
65+	2157	12.1	169	2	2	7	16	28	38	66
GRAND TOTAL	14658	7.0	95	1	1	4	7	16	26	53

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	736	6.8	62	1	2	4	7	15	22	39
20-34	453	4.9	19	1	1	4	6	9	13	32
35-49	204	6.3	27	1	2	5	8	13	16	26
50-64	168	7.5	34	1	2	6	10	15	19	28
65+	265	14.1	60	4	5	14	17	23	28	44
2. MULTIPLE DX										
0-19 YRS	352	9.0	129	2	2	5	9	22	35	65
20-34	330	11.9	220	1	2	6	14	33	45	82
35-49	183	11.7	180	1	2	7	15	24	43	70
50-64	299	16.0	257	2	3	10	21	38	51	84
65+	840	18.7	153	5	6	16	22	32	42	76
TOT. SINGLE DX	1826	7.4	54	1	2	5	9	16	21	35
" MULTIPLE DX	2004	14.8	193	2	3	12	19	31	43	76
TOTAL 0-19 YRS	1088	7.5	86	1	2	4	8	17	25	48
20-34	783	7.8	117	1	2	4	8	16	32	59
35-49	387	8.8	107	1	2	5	11	18	25	64
50-64	467	12.9	193	2	2	9	15	30	44	70
65+	1105	17.6	135	5	7	15	21	30	40	68
GRAND TOTAL	3830	11.3	140	2	2	7	15	24	34	62

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	565	3.1	17	1	1	2	3	5	7	25
20-34	1313	2.9	8	1	1	2	3	5	7	14
35-49	649	3.1	8	1	1	2	4	6	8	15
50-64	578	4.1	22	1	1	3	4	8	12	26
65+	500	5.7	34	1	2	4	7	13	17	30
2. MULTIPLE DX										
0-19 YRS	422	4.6	47	1	1	3	4	8	13	36
20-34	573	6.3	80	1	1	3	6	14	22	47
35-49	413	7.2	101	1	1	4	7	16	27	60
50-64	489	7.9	111	1	2	4	9	17	29	61
65+	823	13.4	177	2	2	9	18	30	42	67
TOT. SINGLE DX	4005	3.5	17	1	1	2	4	6	9	22
" MULTIPLE DX	2770	8.6	123	1	2	4	10	21	31	59
TOTAL 0-19 YRS	1437	3.6	28	1	1	2	4	6	9	31
20-34	1886	3.9	33	1	1	2	4	7	11	32
35-49	1062	4.7	48	1	1	3	5	9	15	42
50-64	1067	5.8	67	1	1	3	6	12	19	50
65+	1323	10.5	137	2	2	6	14	25	33	59
GRAND TOTAL	6775	5.6	66	1	1	3	5	12	20	46

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	16.9	148	2	3	14	25	34	40	51
20-34	35	13.5	75	4	5	12	17	20	35	44
35-49	27	11.4	52	5	6	8	13	21	27	34
50-64	76	11.8	49	5	6	11	13	19	27	43
65+	362	14.8	47	7	9	14	17	21	26	49
2. MULTIPLE DX										
0-19 YRS	91	22.9	215	7	8	20	31	40	61	90
20-34	82	19.5	231	6	7	15	24	35	49	97
35-49	53	20.9	342	5	6	14	24	51	70	99+
50-64	139	20.3	229	6	8	16	24	44	53	91
65+	1177	19.1	106	8	10	17	22	31	41	61
TOT. SINGLE DX	632	14.7	73	5	6	13	18	24	32	47
" MULTIPLE DX	1542	19.5	139	8	9	17	23	34	45	76
TOTAL 0-19 YRS	223	19.3	184	3	5	17	27	36	45	75
20-34	117	17.7	192	5	7	15	21	33	46	95
35-49	80	17.7	263	5	6	13	20	45	59	97
50-64	215	17.3	182	6	6	13	19	39	48	77
65+	1539	18.1	96	8	10	16	21	29	38	60
GRAND TOTAL	2174	18.1	125	6	8	15	21	32	41	72

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	10.7	61	3	3	9	14	22	27	43
20-34	155	13.1	92	4	5	11	16	20	27	67
35-49	129	12.4	125	4	5	10	14	19	22	71
50-64	370	12.6	42	6	6	12	15	19	23	39
65+	1736	15.6	43	8	9	15	18	23	27	38
2. MULTIPLE DX										
0-19 YRS	233	17.3	142	5	7	14	21	35	47	76
20-34	375	21.1	264	6	7	16	25	43	60	92
35-49	218	21.7	271	7	8	17	26	40	61	97
50-64	789	19.0	140	7	9	16	22	35	48	82
65+	6342	20.3	121	9	10	18	24	33	42	66
TOT. SINGLE DX	2581	14.5	54	6	7	14	17	22	27	42
" MULTIPLE DX	7957	20.2	136	9	10	17	24	34	43	73
TOTAL 0-19 YRS	424	14.3	116	3	4	12	18	28	37	59
20-34	530	18.8	227	5	6	14	22	36	51	91
35-49	347	18.2	237	5	6	14	21	34	47	96
50-64	1159	16.9	118	6	8	14	19	30	41	72
65+	8078	19.3	109	8	10	17	23	31	39	54
GRAND TOTAL	10538	18.8	122	7	9	16	22	31	40	68

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	12.7	141	1	1	8	21	28	34	52
20-34	36	15.3	261	1	1	7	24	44	50	52
35-49	12	13.3	169	1	2	9	19	30	45	48
50-64	22	15.5	161	2	4	12	21	27	43	60
65+	64	15.8	167	3	4	13	19	32	44	65
2. MULTIPLE DX										
0-19 YRS	130	20.8	298	2	3	18	30	47	59	99+
20-34	73	26.1	383	4	6	22	45	57	75	99+
35-49	33	28.8	446	3	6	23	42	53	64	99
50-64	46	22.4	343	3	4	16	38	49	59	99+
65+	200	23.3	350	5	6	16	31	51	65	98
TOT. SINGLE DX	423	13.6	158	1	2	9	21	29	40	55
" MULTIPLE DX	482	23.3	349	3	5	18	33	51	67	99+
TOTAL 0-19 YRS	419	15.2	204	1	2	11	24	34	44	81
20-34	109	22.5	367	2	3	16	38	51	67	99+
35-49	45	24.6	415	3	4	19	40	52	58	99
50-64	68	20.1	292	3	4	15	27	48	53	99
65+	264	21.5	316	4	6	15	29	46	58	96
GRAND TOTAL	905	18.8	283	1	2	14	26	45	54	98

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	465	5.2	56	<1	1	2	5	15	20	38
20-34	350	3.4	17	<1	1	2	4	6	9	19
35-49	233	4.3	25	1	1	3	5	9	13	33
50-64	255	4.2	31	1	1	2	5	8	12	35
65+	200	4.3	16	1	1	3	5	10	13	20
2. MULTIPLE DX										
0-19 YRS	147	8.9	108	1	1	4	13	21	30	58
20-34	230	7.8	108	1	1	4	9	16	28	57
35-49	153	9.3	150	1	2	5	10	20	34	65
50-64	218	9.9	108	1	2	6	12	26	33	56
65+	281	10.2	99	1	2	7	13	22	28	55
TOT. SINGLE DX	1503	4.3	33	1	1	2	5	9	15	29
" MULTIPLE DX	1029	9.3	113	1	2	6	12	21	31	55
TOTAL 0-19 YRS	612	6.1	72	1	1	3	7	18	22	45
20-34	580	5.2	58	<1	1	3	6	10	16	48
35-49	386	6.3	81	1	1	4	7	13	20	47
50-64	473	6.8	75	1	1	4	8	16	27	48
65+	481	7.8	74	1	1	5	11	17	24	49
GRAND TOTAL	2532	6.4	72	1	1	3	7	15	21	48

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2131	3.4	9	1	1	3	4	6	8	14
20-34	2674	4.1	9	1	1	3	5	8	10	14
35-49	1597	4.9	15	1	2	4	6	9	11	18
50-64	1238	6.1	24	1	2	5	8	11	13	24
65+	874	8.1	35	2	3	7	10	15	19	30
2. MULTIPLE DX										
0-19 YRS	950	6.7	68	1	2	4	8	14	21	48
20-34	1936	8.3	103	1	2	5	9	17	27	56
35-49	1285	8.5	84	2	2	6	10	17	25	55
50-64	1432	9.6	102	2	3	7	11	19	27	61
65+	1685	12.8	100	3	4	10	16	25	33	53
TOT. SINGLE DX	8514	4.8	17	1	1	4	6	9	12	20
" MULTIPLE DX	7288	9.4	99	2	2	6	11	20	28	55
TOTAL 0-19 YRS	3081	4.4	30	1	1	3	5	8	12	28
20-34	4610	5.9	53	1	1	4	7	11	16	43
35-49	2882	6.5	49	1	2	5	8	12	17	42
50-64	2670	8.0	70	2	2	6	9	15	21	47
65+	2559	11.2	84	2	3	9	14	22	29	48
GRAND TOTAL	15802	6.9	60	1	2	5	8	14	20	43

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4778	2.2	8	<1	1	1	2	4	6	18
20-34	1102	3.6	14	<1	1	3	5	7	9	19
35-49	705	3.9	14	1	1	3	5	8	10	19
50-64	886	3.5	13	1	1	2	4	7	10	16
65+	888	4.4	23	1	1	3	6	10	13	22
2. MULTIPLE DX										
0-19 YRS	1275	5.1	48	1	1	3	6	12	19	36
20-34	873	6.8	79	1	1	4	8	15	19	48
35-49	653	8.0	96	1	2	5	9	16	27	56
50-64	951	8.0	105	1	1	5	9	18	25	53
65+	1799	9.1	90	1	2	6	11	19	26	48
TOT. SINGLE DX	8359	2.9	13	1	1	2	3	6	9	19
" MULTIPLE DX	5551	7.5	85	1	1	5	9	16	24	47
TOTAL 0-19 YRS	6053	2.8	19	<1	1	2	3	5	10	24
20-34	1975	5.0	46	1	1	3	6	10	15	38
35-49	1358	5.9	58	1	1	4	7	12	17	44
50-64	1837	5.9	67	1	1	3	7	12	19	41
65+	2687	7.6	73	1	1	5	10	16	23	43
GRAND TOTAL	**13910**	**4.8**	**47**	**1**	**1**	**2**	**5**	**11**	**16**	**34**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	335	4.9	41	<1	1	2	6	14	18	32
20-34	257	2.4	6	<1	<1	1	3	5	7	15
35-49	123	3.7	32	<1	1	1	3	6	20	31
50-64	151	3.9	57	<1	1	2	4	7	11	41
65+	221	5.9	46	1	1	3	7	18	22	29
2. MULTIPLE DX										
0-19 YRS	152	7.2	91	1	1	4	8	18	23	52
20-34	225	8.8	143	1	1	4	10	20	24	67
35-49	143	10.0	187	1	1	5	11	25	40	74
50-64	188	8.7	94	1	1	5	11	20	27	50
65+	392	10.1	125	1	1	6	13	22	34	57
TOT. SINGLE DX	1087	4.2	37	<1	1	2	4	11	18	30
" MULTIPLE DX	1100	9.2	128	1	1	5	11	21	30	58
TOTAL 0-19 YRS	487	5.6	58	<1	1	2	7	15	20	41
20-34	482	5.3	81	<1	1	2	5	14	20	50
35-49	266	7.1	126	<1	1	3	7	20	29	61
50-64	339	6.6	83	1	1	3	7	16	23	45
65+	613	8.6	101	1	1	5	11	21	27	52
GRAND TOTAL	**2187**	**6.7**	**89**	**1**	**1**	**3**	**8**	**18**	**23**	**49**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	228	3.9	15	1	1	3	4	7	11	20
20-34	384	3.4	9	1	1	3	4	5	7	16
35-49	129	4.5	19	1	2	3	5	9	10	27
50-64	57	6.9	63	2	2	5	7	12	17	50
65+	32	10.1	72	2	3	7	14	25	28	37
2. MULTIPLE DX										
0-19 YRS	86	8.1	88	1	1	5	8	24	30	42
20-34	140	7.1	64	1	1	4	8	16	24	43
35-49	76	6.4	29	1	2	4	9	13	16	27
50-64	81	7.8	48	1	2	6	10	14	24	39
65+	87	16.0	149	3	3	14	21	34	43	51
TOT. SINGLE DX	830	4.2	21	1	1	3	4	8	11	26
" MULTIPLE DX	470	8.9	87	1	2	5	11	22	29	44
TOTAL 0-19 YRS	314	5.0	39	1	1	3	5	10	19	37
20-34	524	4.4	27	1	1	3	4	8	12	93
35-49	205	5.2	24	1	2	3	6	10	14	27
50-64	138	7.4	55	2	2	5	9	13	23	44
65+	119	14.4	134	2	3	11	20	30	40	50
GRAND TOTAL	**1300**	**5.9**	**50**	**1**	**1**	**4**	**6**	**13**	**20**	**38**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1019	3.8	18	1	1	3	4	6	12	24
20-34	834	3.6	11	1	1	3	4	6	9	16
35-49	418	4.1	19	1	1	3	5	8	12	26
50-64	259	6.1	54	1	2	4	7	14	16	44
65+	180	11.0	148	2	2	7	13	27	37	57
2. MULTIPLE DX										
0-19 YRS	606	6.3	78	1	1	3	6	16	25	43
20-34	701	5.3	57	1	1	3	5	10	16	41
35-49	469	6.6	71	1	1	4	7	16	24	42
50-64	453	10.2	158	1	2	5	12	27	41	65
65+	461	18.4	284	2	3	14	26	47	61	99+
TOT. SINGLE DX	2710	4.5	32	1	1	3	5	8	14	31
" MULTIPLE DX	2690	8.9	142	1	1	4	10	24	37	67
TOTAL 0-19 YRS	1625	4.7	42	1	1	3	5	9	18	34
20-34	1535	4.4	33	1	1	3	5	8	12	28
35-49	887	5.4	48	1	1	3	6	11	19	40
50-64	712	8.7	124	1	2	4	10	21	35	57
65+	641	16.3	257	2	3	11	23	42	54	99+
GRAND TOTAL	**5400**	**6.6**	**91**	**1**	**1**	**3**	**6**	**16**	**26**	**52**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	8.1	35	2	3	6	11	14	21	27
20-34	3291	8.3	31	2	3	7	10	15	19	28
35-49	5122	8.9	31	3	3	8	11	16	20	29
50-64	2482	9.9	37	3	4	9	12	18	22	31
65+	558	11.8	47	4	5	11	15	20	23	34
2. MULTIPLE DX										
0-19 YRS	49	10.8	108	3	3	8	12	19	29	68
20-34	1077	11.1	69	3	4	9	14	21	26	54
35-49	2551	11.9	62	4	5	10	15	21	27	46
50-64	2537	13.7	83	4	5	12	17	24	30	49
65+	1259	17.7	125	5	7	15	22	31	39	60
TOT. SINGLE DX	11600	9.1	35	3	3	8	11	16	20	29
" MULTIPLE DX	7473	13.4	86	4	5	11	17	24	31	50
TOTAL 0-19 YRS	196	8.8	55	3	3	7	11	15	21	37
20-34	4368	9.0	43	2	3	8	11	16	21	32
35-49	7673	9.9	44	3	4	8	12	18	22	34
50-64	5019	11.8	64	3	4	10	15	21	27	42
65+	1817	15.9	109	5	6	14	20	29	36	56
GRAND TOTAL	**19073**	**10.7**	**59**	**3**	**4**	**9**	**13**	**20**	**25**	**40**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	848	2.6	2	1	1	2	3	5	6	9
20-34	2097	2.7	3	1	1	2	3	5	6	9
35-49	1247	2.9	4	<1	1	2	4	5	6	10
50-64	787	3.4	15	1	1	3	4	6	8	16
65+	251	3.7	12	1	1	3	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	701	2.9	8	1	1	2	4	5	6	13
20-34	1703	3.1	5	1	1	2	4	6	8	12
35-49	1444	3.5	10	1	1	2	4	7	9	16
50-64	1685	4.0	14	1	1	3	5	8	11	18
65+	837	4.9	28	1	2	3	6	10	15	27
TOT. SINGLE DX	5230	2.9	6	1	1	2	4	5	6	10
" MULTIPLE DX	6370	3.6	13	1	1	3	4	7	10	18
TOTAL 0-19 YRS	1549	2.7	6	1	1	2	3	5	6	10
20-34	3800	2.9	4	1	1	2	4	5	7	11
35-49	2691	3.2	8	1	1	2	4	6	8	14
50-64	2472	3.8	15	1	1	3	5	7	9	18
65+	1088	4.6	25	1	2	3	5	9	14	27
GRAND TOTAL	**11600**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1522	2.5	12	<1	1	2	3	4	6	16
20-34	2129	2.4	5	<1	1	2	3	4	5	10
35-49	1142	2.8	5	1	1	2	3	5	6	12
50-64	759	3.4	10	1	1	2	4	6	9	18
65+	331	4.8	29	1	2	3	5	11	15	26
2. MULTIPLE DX										
0-19 YRS	873	3.7	33	1	1	2	3	7	12	33
20-34	1569	3.7	27	1	1	2	4	7	11	29
35-49	1163	4.7	48	1	1	3	5	9	14	42
50-64	1260	5.7	53	1	1	3	6	11	18	44
65+	761	8.8	108	1	2	4	11	23	32	55
TOT. SINGLE DX	5883	2.8	10	<1	1	2	3	5	6	15
" MULTIPLE DX	5626	5.0	52	1	1	3	5	11	18	43
TOTAL 0-19 YRS	2395	3.0	20	<1	1	2	3	5	7	22
20-34	3698	3.0	15	<1	1	2	3	5	7	21
35-49	2305	3.7	28	1	1	2	4	7	10	27
50-64	2019	4.8	39	1	1	3	5	9	14	38
65+	1092	7.6	88	1	2	4	9	18	29	53
GRAND TOTAL	**11509**	**3.9**	**32**	**1**	**1**	**2**	**4**	**7**	**12**	**31**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	12.4	32	6	8	11	14	17	22	40
20-34	280	11.7	59	5	6	10	13	19	26	42
35-49	446	10.4	38	4	5	9	12	18	22	34
50-64	238	10.1	36	4	5	8	13	17	22	34
65+	39	12.4	59	5	5	11	15	19	31	40
2. MULTIPLE DX										
0-19 YRS	223	17.5	151	7	8	14	21	32	44	97
20-34	251	17.1	185	5	7	12	21	37	48	99+
35-49	417	13.8	123	5	6	11	16	24	33	88
50-64	373	15.2	129	5	6	12	19	29	36	90
65+	115	23.1	269	6	8	18	31	48	61	88
TOT. SINGLE DX	1252	11.1	43	4	5	10	13	18	23	38
" MULTIPLE DX	1379	16.2	159	5	6	12	19	32	43	95
TOTAL 0-19 YRS	472	14.8	95	7	8	12	16	25	33	65
20-34	531	14.3	126	5	6	11	16	28	39	84
35-49	863	12.0	82	4	5	10	14	21	27	65
50-64	611	13.2	99	4	5	10	16	26	32	73
65+	154	20.4	237	6	7	15	25	42	54	82
GRAND TOTAL	**2631**	**13.7**	**110**	**5**	**6**	**11**	**16**	**25**	**34**	**77**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	4.0	6	1	2	3	5	7	9	13
20-34	309	4.3	7	1	2	4	6	8	9	13
35-49	289	5.0	16	1	2	4	6	9	12	17
50-64	381	4.6	11	1	2	4	6	9	11	17
65+	178	5.7	25	1	1	4	8	13	18	22
2. MULTIPLE DX										
0-19 YRS	163	5.6	20	2	2	4	6	9	11	26
20-34	286	6.7	64	1	2	5	8	12	21	35
35-49	314	6.9	54	2	2	5	8	14	18	41
50-64	483	6.4	34	2	2	5	8	12	16	38
65+	351	9.2	107	2	2	5	11	20	31	59
TOT. SINGLE DX	1342	4.7	13	1	2	4	6	9	11	18
" MULTIPLE DX	1597	7.1	60	2	2	5	8	14	20	40
TOTAL 0-19 YRS	348	4.7	14	2	2	4	6	8	10	21
20-34	595	5.5	36	1	2	4	6	9	13	29
35-49	603	6.0	37	1	2	5	7	12	15	29
50-64	864	5.6	25	1	2	4	7	10	14	26
65+	529	8.1	83	1	2	5	10	18	25	48
GRAND TOTAL	2939	6.0	40	1	2	4	7	11	16	33

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	14.9	65	4	8	12	15	30	3.	32
20-34	80	13.5	24	7	8	12	16	20	24	28
35-49	206	13.0	27	7	8	12	16	18	20	30
50-64	961	13.9	27	8	9	13	16	19	23	34
65+	1754	15.3	32	9	10	14	17	21	25	36
2. MULTIPLE DX										
0-19 YRS	10	18.3	41	12	12	16	22	28	33	33
20-34	133	14.4	48	7	8	13	16	23	29	43
35-49	286	16.5	87	8	9	14	19	28	32	63
50-64	1188	16.8	70	9	10	15	19	26	33	57
65+	3528	19.3	96	10	11	17	22	31	38	60
TOT. SINGLE DX	3012	14.7	31	8	9	14	16	20	24	35
" MULTIPLE DX	5145	18.5	91	9	11	16	21	30	37	60
TOTAL 0-19 YRS	21	16.5	54	7	10	15	18	30	32	33
20-34	213	14.0	40	7	8	13	16	22	26	40
35-49	492	15.0	65	8	8	13	17	23	30	55
50-64	2149	15.5	54	9	10	14	17	23	29	52
65+	5282	18.0	79	10	11	16	20	27	35	57
GRAND TOTAL	8157	17.1	72	9	10	15	19	26	33	54

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	9.2	41	2	2	7	14	20	20	20
20-34	27	11.7	51	4	6	10	14	18	22	41
35-49	40	11.4	21	6	7	10	13	16	19	31
50-64	216	13.9	34	8	8	13	16	20	23	39
65+	1152	16.9	40	8	10	15	18	23	27	36
2. MULTIPLE DX										
0-19 YRS	18	16.5	216	2	5	12	16	35	54	64
20-34	47	17.3	217	6	8	12	17	40	49	76
35-49	70	17.3	97	9	10	15	18	36	41	91
50-64	416	19.1	131	9	10	16	22	31	39	69
65+	3920	19.9	96	9	11	18	23	31	39	59
TOT. SINGLE DX	1451	15.4	41	8	9	14	18	22	26	37
" MULTIPLE DX	4471	19.7	102	9	11	17	23	31	40	63
TOTAL 0-19 YRS	34	13.1	144	2	3	11	15	23	36	64
20-34	74	15.3	163	5	7	11	16	33	44	72
35-49	110	15.2	78	7	8	12	17	27	40	74
50-64	632	17.3	104	8	9	15	19	27	35	66
65+	5072	19.0	87	9	10	17	22	30	36	56
GRAND TOTAL	5922	18.7	90	9	10	16	22	29	36	57

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	729	4.3	10	2	2	4	5	7	7	11
20-34	854	4.7	6	1	2	4	6	8	9	13
35-49	333	7.3	39	1	2	5	10	16	18	36
50-64	910	12.5	38	2	4	12	16	19	23	29
65+	1680	15.4	34	8	9	15	18	22	25	35
2. MULTIPLE DX										
0-19 YRS	661	4.9	10	2	2	4	6	8	9	16
20-34	1053	5.7	21	2	2	5	6	9	13	21
35-49	520	7.6	53	1	2	5	10	16	20	36
50-64	1318	14.1	81	2	3	13	17	24	30	43
65+	3169	17.8	77	8	10	16	20	27	33	57
TOT. SINGLE DX	4506	10.4	49	2	3	10	15	19	22	31
" MULTIPLE DX	6721	13.1	89	2	3	12	17	24	30	44
TOTAL 0-19 YRS	1390	4.6	11	2	2	4	5	7	8	15
20-34	1907	5.2	15	1	2	5	6	8	11	20
35-49	853	7.5	48	1	2	5	10	16	19	35
50-64	2228	13.4	65	2	3	13	17	22	26	41
65+	4849	16.9	64	8	10	16	19	25	31	48
GRAND TOTAL	11227	12.0	75	2	3	11	16	22	26	40

725: Repair of other joint (81.3; 81.48-81.49, 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	690	3.1	1.5	[illegible]	[illegible]	3	4	5	5	7
20-34	1563	3.6	1.9	[illegible]	[illegible]	3	4	5	6	[illegible]
35-49	721	3.8	4	[illegible]	[illegible]	4	4	6	8	[illegible]
50-64	802	4.6	12	[illegible]	[illegible]	4	5	7	10	[illegible]
65+	346	6.5	25	[illegible]	[illegible]	5	8	13	16	24
2. MULTIPLE DX										
0-19 YRS	285	3.8	[illegible]	[illegible]	[illegible]	3	4	6	8	[illegible]
20-34	595	4.4	[illegible]	[illegible]	[illegible]	3	5	8	10	[illegible]
35-49	532	5.0	34	[illegible]	[illegible]	4	6	9	12	[illegible]
50-64	1014	6.3	38	[illegible]	[illegible]	5	7	11	16	[illegible]
65+	699	7.6	48	[illegible]	[illegible]	5	9	16	22	35
TOT. SINGLE DX	4352	3.9	6	[illegible]	[illegible]	3	4	6	8	15
* MULTIPLE DX	3185	5.6	35	[illegible]	[illegible]	4	6	11	16	30
TOTAL 0-19 YRS	1175	3.3	5	[illegible]	[illegible]	3	4	5	6	[illegible]
20-34	2178	3.9	6	[illegible]	[illegible]	3	4	6	7	[illegible]
35-49	1323	4.3	16	[illegible]	[illegible]	4	5	7	10	[illegible]
50-64	1816	5.5	29	[illegible]	[illegible]	4	6	10	13	[illegible]
65+	1045	7.2	41	[illegible]	[illegible]	5	9	15	19	32
GRAND TOTAL	7537	4.7	20	1	2	4	5	8	12	24

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	496	3.6	[illegible]	[illegible]	[illegible]	3	4	7	[illegible]	[illegible]
20-34	392	3.9	[illegible]	[illegible]	[illegible]	3	5	8	[illegible]	[illegible]
35-49	346	3.5	[illegible]	[illegible]	[illegible]	3	4	6	[illegible]	[illegible]
50-64	252	3.9	[illegible]	[illegible]	[illegible]	3	5	8	[illegible]	[illegible]
65+	96	4.1	[illegible]	[illegible]	[illegible]	3	5	9	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	459	5.7	42	[illegible]	[illegible]	4	6	[illegible]	[illegible]	[illegible]
20-34	327	8.0	[illegible]	[illegible]	[illegible]	4	9	[illegible]	[illegible]	[illegible]
35-49	267	9.0	90	[illegible]	[illegible]	4	8	[illegible]	[illegible]	[illegible]
50-64	247	9.3	86	[illegible]	[illegible]	5	[illegible]	[illegible]	[illegible]	[illegible]
65+	217	10.8	109	[illegible]	[illegible]	[illegible]	16	24	[illegible]	[illegible]
TOT. SINGLE DX	1582	3.6	12	[illegible]	[illegible]	3	4	7	[illegible]	[illegible]
* MULTIPLE DX	1617	7.7	90	[illegible]	[illegible]	4	9	17	25	53
TOTAL 0-19 YRS	955	4.6	[illegible]	[illegible]	[illegible]	[illegible]	5	[illegible]	[illegible]	[illegible]
20-34	719	5.6	[illegible]	[illegible]	[illegible]	[illegible]	6	[illegible]	[illegible]	[illegible]
35-49	613	6.1	49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	499	6.7	62	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	313	8.7	89	[illegible]	[illegible]	5	12	20	[illegible]	[illegible]
GRAND TOTAL	3199	5.7	56	1	1	3	6	12	18	36

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	672	[illegible]	6	[illegible]	[illegible]	[illegible]	[illegible]	4	5	[illegible]
20-34	871	[illegible]	6	[illegible]	[illegible]	[illegible]	[illegible]	4	6	[illegible]
35-49	629	[illegible]	7	[illegible]	[illegible]	[illegible]	[illegible]	4	6	[illegible]
50-64	459	[illegible]	7	[illegible]	[illegible]	[illegible]	[illegible]	4	7	[illegible]
65+	226	4.6	26	[illegible]	[illegible]	[illegible]	[illegible]	9	15	17
2. MULTIPLE DX										
0-19 YRS	152	5.6	122	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	398	6.6	94	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	469	6.7	84	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	667	8.3	107	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	553	11.4	132	[illegible]	[illegible]	[illegible]	[illegible]	25	34	52
TOT. SINGLE DX	2967	2.8	9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
* MULTIPLE DX	2287	6.3	111	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOTAL 0-19 YRS	824	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	1267	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	1098	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	1156	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	779	9.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	5154	5.2	62	<1	1	3	5	12	18	43

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	59	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	157	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	420	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	263	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	60	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	115	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	301	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	239	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOT. SINGLE DX	941	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
* MULTIPLE DX	725	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOTAL 0-19 YRS	62	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	119	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	272	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	721	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	502	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	1666	3.0	8	1	1	2	3	5	8	15

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	543	1.9	2	<1	1	2	2	3	4	8
20-34	801	2.4	6	<1	1	2	3	4	6	13
35-49	318	2.4	3	<1	1	2	3	4	6	11
50-64	221	2.4	4	<1	1	2	3	4	6	13
65+	46	2.2	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	402	2.4	5	<1	1	2	3	4	6	10
20-34	750	2.9	21	<1	1	2	3	5	7	25
35-49	307	2.9	10	1	1	2	3	5	8	12
50-64	231	3.1	13	1	1	2	3	6	8	23
65+	103	4.0	24	1	1	3	4	7	10	32
TOT. SINGLE DX	1929	2.3	5	<1	1	2	3	4	5	11
" MULTIPLE DX	1793	2.9	15	1	1	2	3	5	7	19
TOTAL 0-19 YRS	945	2.1	4	<1	1	2	2	4	5	9
20-34	1551	2.7	14	<1	1	2	3	5	7	16
35-49	625	2.6	7	<1	1	2	3	5	6	11
50-64	452	2.7	9	1	1	2	3	5	7	15
65+	149	3.4	18	1	1	2	4	7	8	24
GRAND TOTAL	**3722**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**4**	**6**	**13**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	311	2.4	2	<1	1	2	3	4	5	9
20-34	589	2.9	5	1	1	2	4	5	6	11
35-49	506	3.7	12	1	1	3	4	6	8	17
50-64	599	4.1	5	1	2	4	5	7	9	14
65+	179	4.6	11	1	2	4	5	9	11	18
2. MULTIPLE DX										
0-19 YRS	209	3.9	25	1	1	3	4	8	11	24
20-34	434	4.4	22	1	1	3	5	9	13	24
35-49	406	6.0	62	1	2	4	6	10	18	40
50-64	529	6.7	60	2	2	4	7	13	22	42
65+	321	8.7	112	2	2	6	9	17	28	67
TOT. SINGLE DX	2184	3.5	8	1	1	3	4	6	8	14
" MULTIPLE DX	1899	6.1	59	1	1	4	7	12	19	41
TOTAL 0-19 YRS	520	3.0	12	<1	1	2	3	5	8	15
20-34	1023	3.5	13	1	1	3	4	7	9	21
35-49	912	4.7	36	1	1	3	5	8	12	34
50-64	1128	5.3	33	1	2	4	6	9	13	30
65+	500	7.2	80	2	2	5	8	14	22	55
GRAND TOTAL	**4083**	**4.7**	**33**	**1**	**1**	**3**	**5**	**9**	**12**	**30**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	698	3.4	5	1	1	3	4	5	7	14
20-34	494	3.8	10	1	1	3	4	6	8	19
35-49	345	3.4	5	1	1	3	4	6	8	11
50-64	210	4.2	13	1	1	3	5	8	11	19
65+	89	5.0	12	2	2	4	6	9	11	22
2. MULTIPLE DX										
0-19 YRS	607	4.1	19	1	2	3	5	7	9	18
20-34	318	6.2	67	1	1	4	7	13	20	68
35-49	188	7.3	123	1	2	4	7	13	24	81
50-64	190	8.4	116	2	2	5	9	18	33	74
65+	117	11.3	143	2	3	7	13	23	42	60
TOT. SINGLE DX	1836	3.7	8	1	1	3	4	6	8	15
" MULTIPLE DX	1420	6.2	72	1	2	4	6	12	19	58
TOTAL 0-19 YRS	1305	3.7	12	1	1	3	4	6	8	16
20-34	812	4.7	35	1	1	4	5	8	13	34
35-49	533	4.8	50	1	1	3	5	8	12	47
50-64	400	6.2	66	1	2	4	6	13	19	51
65+	206	8.6	96	2	2	5	10	18	24	56
GRAND TOTAL	**3256**	**4.8**	**37**	**1**	**1**	**3**	**5**	**8**	**13**	**35**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	1.9	6	<1	1	1	2	3	5	13
20-34	207	2.4	8	<1	1	2	3	4	6	18
35-49	129	3.2	39	1	1	2	3	6	10	30
50-64	133	2.5	11	<1	1	1	3	4	8	24
65+	47	2.8	>8	<1	1	2	3	5	9	16
2. MULTIPLE DX										
0-19 YRS	66	3.7	28	1	1	2	4	7	11	36
20-34	161	4.7	40	1	1	3	5	10	17	41
35-49	133	5.9	69	1	1	3	6	14	20	47
50-64	178	7.2	140	1	1	3	8	16	32	62
65+	133	10.7	175	1	1	4	14	30	39	57
TOT. SINGLE DX	632	2.5	15	<1	1	2	3	4	7	21
" MULTIPLE DX	671	6.7	103	1	1	3	7	16	29	54
TOTAL 0-19 YRS	182	2.5	15	1	1	2	3	4	7	23
20-34	368	3.4	24	1	1	2	3	7	11	27
35-49	262	4.6	57	1	1	2	4	11	15	47
50-64	311	5.2	90	1	1	2	4	11	20	61
65+	180	8.6	144	1	1	3	10	27	33	54
GRAND TOTAL	**1303**	**4.7**	**65**	**1**	**1**	**2**	**4**	**10**	**19**	**46**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.8	39	2	2	3	7	17	18	18
20-34	16	11.3	96	1	1	8	18	23	32	36
35-49	10	7.1	59	1	1	4	7	21	24	24
50-64	6	4.5	12	1	1	4	8	9	9	9
65+	3	4.3	17	1	1	3	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	5	7.4	14	1	1	9	10	10	10	10
20-34	8	7.5	79	2	2	4	7	23	29	29
35-49	18	14.7	205	1	2	8	22	39	46	50
50-64	19	16.4	116	3	5	15	20	28	40	50
65+	31	21.4	198	4	6	17	29	44	53	56
TOT. SINGLE DX	41	8.0	65	1	1	6	9	20	23	36
" MULTIPLE DX	81	16.5	175	2	3	12	22	37	47	55
TOTAL 0-19 YRS	11	6.5	26	1	1	7	10	13	18	18
20-34	24	10.0	90	1	1	7	14	24	31	36
35-49	28	12.0	163	1	2	6	17	32	41	50
50-64	25	13.6	117	1	1	11	18	27	33	50
65+	34	19.9	205	3	4	16	27	43	51	56
GRAND TOTAL	122	13.6	154	1	2	10	19	30	41	54

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	3.4	5	1	1	3	4	7	8	12
20-34	48	5.2	20	1	2	4	6	10	16	22
35-49	33	5.5	23	1	1	5	6	13	16	21
50-64	56	7.9	47	2	2	6	10	16	24	36
65+	86	8.9	101	1	2	6	10	18	34	53
2. MULTIPLE DX										
0-19 YRS	37	8.6	96	<1	1	4	13	24	30	43
20-34	109	13.7	202	2	2	9	20	33	48	62
35-49	195	17.6	198	2	3	15	26	38	45	76
50-64	561	18.7	219	3	4	15	25	39	48	71
65+	918	20.3	243	3	5	16	28	41	51	75
TOT. SINGLE DX	279	6.6	52	1	2	4	8	15	19	40
" MULTIPLE DX	1820	18.9	230	2	4	15	26	39	49	71
TOTAL 0-19 YRS	93	5.5	48	1	1	3	6	13	19	38
20-34	157	11.1	162	1	2	6	14	28	39	61
35-49	228	15.8	191	1	2	12	23	36	44	70
50-64	617	17.7	214	3	3	14	24	37	46	71
65+	1004	19.3	241	3	4	15	27	40	49	73
GRAND TOTAL	2099	17.2	224	2	3	13	24	38	47	71

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	22.8	436	5	5	16	35	53	53	53
35-49	17	19.1	241	6	7	13	20	42	55	62
50-64	22	23.2	283	9	10	18	25	42	61	83
65+	49	20.7	142	7	9	17	28	37	42	57
2. MULTIPLE DX										
0-19 YRS	10	15.2	226	4	5	9	13	42	50	50
20-34	41	25.5	215	10	11	22	38	55	75	99+
35-49	129	25.3	232	9	10	21	34	48	53	90
50-64	423	29.0	315	9	11	24	37	54	73	99+
65+	1082	29.8	298	11	13	25	38	57	68	93
TOT. SINGLE DX	92	21.1	199	6	9	17	27	40	52	74
" MULTIPLE DX	1685	29.0	298	10	12	25	37	55	68	98
TOTAL 0-19 YRS	10	15.2	227	4	5	9	13	42	50	50
20-34	45	25.3	227	8	11	21	38	54	68	99+
35-49	146	24.6	235	8	10	20	33	47	54	87
50-64	445	28.7	315	9	11	24	37	53	73	99+
65+	1131	29.4	295	10	13	25	37	56	68	93
GRAND TOTAL	1777	28.6	296	10	12	24	37	54	68	98

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	11.1	156	[illegible]	4	6	13	29	44	47
20-34	4	17.3	69	10	10	15	23	29	29	29
35-49	7	10.6	42	5	5	7	12	22	24	24
50-64	17	20.5	212	7	8	16	24	48	53	54
65+	73	19.5	165	4	7	16	24	37	51	50
2. MULTIPLE DX										
0-19 YRS	12	18.5	179	5	6	18	20	32	53	57
20-34	23	29.4	402	9	12	26	33	50	81	95
35-49	41	27.8	242	9	10	26	39	98	99+	99+
50-64	212	29.9	402	8	10	26	45	67	97	99
65+	1300	25.3	265	8	10	21	33	49	61	99
TOT. SINGLE DX	113	18.1	167	4	5	15	24	36	50	57
" MULTIPLE DX	1588	26.0	287	8	10	22	34	53	66	99+
TOTAL 0-19 YRS	24	14.8	175	4	4	13	19	24	50	57
20-34	27	27.6	368	9	11	26	32	43	77	95
35-49	48	25.3	249	7	8	25	37	87	99+	99+
50-64	229	29.2	394	8	9	25	44	65	95	99+
65+	1373	25.0	261	8	10	21	32	48	60	98
GRAND TOTAL	1701	25.4	282	7	9	21	33	52	65	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	12.8	129	1	2	8	25	30	30	30
20-34	6	15.3	196	2	2	11	25	37	38	38
35-49	5	24.8	775	5	5	17	35	73	73	73
50-64	9	14.0	275	3	3	10	14	42	56	56
65+	9	16.6	148	2	3	16	26	33	36	36
2. MULTIPLE DX										
0-19 YRS	10	11.9	212	5	5	7	10	32	53	53
20-34	26	27.8	384	6	7	23	40	62	85	99+
35-49	49	26.5	325	6	8	21	37	45	65	85
50-64	149	27.0	314	6	8	23	39	54	69	99+
65+	236	30.7	344	8	11	25	43	58	69	99+
TOT. SINGLE DX	41	15.7	236	2	3	10	25	33	46	73
" MULTIPLE DX	470	28.5	339	6	9	24	41	56	69	99+
TOTAL 0-19 YRS	22	12.4	159	2	4	7	11	30	39	53
20-34	32	25.5	367	4	6	22	38	57	79	99+
35-49	54	26.4	354	5	7	21	37	48	71	85
50-64	158	26.3	319	5	7	22	38	54	69	99+
65+	245	30.2	344	8	10	25	42	56	68	99+
GRAND TOTAL	**511**	**27.5**	**343**	**5**	**7**	**23**	**39**	**55**	**69**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.3	6	1	1	2	5	7	8	9
20-34	30	5.2	12	1	1	4	7	11	13	13
35-49	20	4.3	8	1	1	4	6	9	9	9
50-64	7	6.0	12	<1	<1	7	9	10	10	10
65+	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	15	6.5	18	1	2	7	10	15	74	99+
20-34	21	7.8	77	<1	1	5	9	21	31	33
35-49	13	8.2	49	1	2	6	10	18	25	27
50-64	12	9.3	65	2	2	6	14	22	26	27
65+	6	11.7	96	1	1	10	17	27	28	28
TOT. SINGLE DX	88	4.4	10	1	1	4	6	9	10	13
" MULTIPLE DX	67	8.2	57	1	1	6	12	19	28	88
TOTAL 0-19 YRS	43	4.4	13	1	1	3	7	10	14	99+
20-34	51	6.3	40	1	1	5	8	13	15	33
35-49	33	5.8	27	1	1	5	7	10	15	27
50-64	19	8.1	46	1	2	6	10	18	24	27
65+	9	9.0	77	1	1	5	13	24	28	28
GRAND TOTAL	**155**	**6.0**	**33**	**1**	**1**	**5**	**8**	**13**	**17**	**33**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.3	2	<1	<1	2	3	4	5	9
20-34	68	4.5	12	1	1	3	6	10	12	16
35-49	43	3.8	9	<1	1	3	6	8	10	14
50-64	59	6.4	41	1	1	3	9	18	20	22
65+	38	10.0	52	1	1	9	15	21	24	27
2. MULTIPLE DX										
0-19 YRS	23	5.4	95	1	1	3	5	12	25	48
20-34	40	8.5	135	1	1	4	9	23	37	51
35-49	64	11.1	110	1	2	8	17	33	42	99+
50-64	107	13.6	125	2	3	10	18	32	42	99+
65+	191	17.1	219	3	5	12	21	39	47	70
TOT. SINGLE DX	250	5.3	29	<1	1	3	7	13	16	24
" MULTIPLE DX	425	13.9	176	2	2	10	18	34	44	99+
TOTAL 0-19 YRS	65	3.4	37	<1	1	2	3	5	10	43
20-34	108	6.0	61	1	1	3	7	13	18	50
35-49	107	8.2	82	1	1	5	11	24	33	99+
50-64	166	11.1	107	1	2	9	16	27	34	99+
65+	229	15.9	199	2	4	12	20	36	44	68
GRAND TOTAL	**675**	**10.7**	**139**	**1**	**1**	**7**	**14**	**26**	**38**	**70**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	13.5	145	5	5	13	22	22	22	22
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	10	5.1	8	1	1	5	8	9	9	9
50-64	8	4.9	27	<1	<1	3	5	14	17	17
65+	3	12.7	114	6	6	7	20	25	25	25
2. MULTIPLE DX										
0-19 YRS	3	10.7	34	4	4	13	14	15	15	15
20-34	3	10.3	9	7	7	11	12	13	13	13
35-49	3	7.7	14	5	5	6	10	12	12	12
50-64	8	13.0	125	2	2	7	23	29	31	31
65+	10	13.7	55	5	6	12	16	26	27	27
TOT. SINGLE DX	27	6.2	36	1	1	5	7	15	22	25
" MULTIPLE DX	27	12.1	61	3	4	11	15	26	28	31
TOTAL 0-19 YRS	5	11.8	56	4	4	13	17	22	22	22
20-34	7	6.1	20	1	1	5	10	13	13	13
35-49	13	5.7	10	1	2	6	8	10	12	12
50-64	16	8.9	89	<1	1	5	12	24	29	31
65+	13	13.5	61	5	6	12	18	26	27	27
GRAND TOTAL	**54**	**9.1**	**57**	**1**	**2**	**7**	**12**	**23**	**26**	**31**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	2.1	2	<1	1	2	2	3	5	7
20-34	1151	2.2	5	<1	1	2	2	3	4	8
35-49	2708	2.3	2	<1	1	2	2	3	5	8
50-64	1612	2.7	5	1	1	2	3	5	7	13
65+	975	3.4	9	1	1	2	4	7	10	14
2. MULTIPLE DX										
0-19 YRS	92	5.0	62	<1	1	3	5	10	14	52
20-34	768	4.3	33	1	1	2	5	9	12	30
35-49	2141	4.0	19	1	1	3	4	9	12	20
50-64	2049	5.5	43	1	2	3	7	12	17	33
65+	2035	8.1	81	1	2	5	10	17	24	45
TOT. SINGLE DX	6724	2.5	5	<1	1	2	3	4	6	11
" MULTIPLE DX	7085	5.7	49	1	1	3	7	12	17	33
TOTAL 0-19 YRS	370	2.8	19	<1	1	2	3	5	7	19
20-34	1919	3.0	18	<1	1	2	3	5	9	23
35-49	4849	3.0	11	1	1	2	3	6	9	16
50-64	3661	4.3	29	1	1	2	4	10	13	28
65+	3010	6.6	63	1	2	4	8	14	20	38
GRAND TOTAL	13809	4.1	30	1	1	2	4	9	13	27

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	2.6	1	1	1	2	3	4	5	7
20-34	70	3.3	4	1	1	3	4	6	7	12
35-49	104	4.6	14	1	2	4	6	8	10	25
50-64	105	4.9	7	1	1	5	6	9	10	11
65+	187	6.7	22	2	2	6	8	12	14	27
2. MULTIPLE DX										
0-19 YRS	17	7.1	140	2	2	3	4	27	40	44
20-34	33	4.8	5	2	2	5	6	8	9	11
35-49	123	6.0	14	2	2	5	8	12	13	20
50-64	222	8.7	64	2	3	7	10	18	23	45
65+	488	11.2	97	3	4	9	13	22	28	56
TOT. SINGLE DX	550	4.9	15	1	2	4	6	9	12	16
" MULTIPLE DX	883	9.5	79	2	3	7	11	18	24	51
TOTAL 0-19 YRS	101	3.4	27	1	1	2	3	5	6	38
20-34	103	3.8	5	1	2	3	5	7	8	12
35-49	227	5.4	15	1	2	4	7	10	12	22
50-64	327	7.5	49	1	2	6	9	15	20	39
65+	675	9.9	81	2	3	8	12	18	25	51
GRAND TOTAL	1433	7.8	59	2	2	6	9	15	21	41

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.0	7	2	2	6	7	7	7	7
20-34	117	7.2	7	4	4	7	8	11	13	16
35-49	692	7.1	5	4	4	7	8	10	11	14
50-64	1018	7.7	9	4	5	7	9	11	13	17
65+	1012	8.4	9	5	5	8	10	12	14	19
2. MULTIPLE DX										
0-19 YRS	5	6.4	47	1	1	4	10	18	18	18
20-34	140	7.7	12	4	4	7	9	11	14	19
35-49	920	8.3	14	4	5	8	10	12	15	21
50-64	1790	9.8	31	5	5	9	11	15	19	32
65+	2452	11.1	40	5	6	9	13	18	23	37
TOT. SINGLE DX	2842	7.8	9	4	5	7	9	11	13	17
" MULTIPLE DX	5307	10.1	33	5	5	9	12	16	20	33
TOTAL 0-19 YRS	8	5.9	30	1	1	5	7	15	18	18
20-34	257	7.5	10	4	4	7	9	11	13	18
35-49	1612	7.8	11	4	5	7	9	11	13	19
50-64	2808	9.0	24	5	5	8	10	14	17	28
65+	3464	10.3	33	5	6	9	12	16	20	33
GRAND TOTAL	8149	9.3	26	4	5	8	11	14	18	30

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	366	3.0	2	1	1	3	4	5	5	8
20-34	751	3.4	3	1	1	3	4	6	7	9
35-49	658	3.8	3	1	1	4	5	6	8	10
50-64	330	4.0	5	1	2	4	5	7	8	13
65+	68	3.6	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	130	3.7	12	1	1	3	4	6	8	17
20-34	603	4.3	9	1	2	4	5	7	9	18
35-49	938	4.7	10	1	2	4	6	8	10	16
50-64	586	5.3	22	2	2	4	6	8	11	26
65+	144	6.7	48	2	2	5	8	12	18	38
TOT. SINGLE DX	2173	3.5	4	1	1	3	4	6	7	10
" MULTIPLE DX	2401	4.8	16	1	2	4	6	8	10	20
TOTAL 0-19 YRS	496	3.2	5	1	1	3	4	5	6	9
20-34	1354	3.8	6	1	1	3	5	6	8	12
35-49	1596	4.3	8	1	2	4	5	7	9	14
50-64	916	4.8	17	2	2	4	6	8	10	20
65+	212	5.7	36	2	2	4	6	11	16	30
GRAND TOTAL	**4574**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	852	3.5	3	1	1	3	4	6	7	10
20-34	1566	3.4	3	1	1	3	4	5	6	10
35-49	274	3.8	5	1	2	3	4	6	8	13
50-64	55	4.3	6	1	1	4	5	8	10	12
65+	8	3.1	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	122	4.8	30	1	2	4	6	7	9	35
20-34	328	4.7	13	1	2	4	5	8	12	21
35-49	126	5.7	35	1	2	4	6	10	16	37
50-64	69	7.7	89	2	2	5	7	15	24	52
65+	20	8.2	197	1	1	4	6	16	41	65
TOT. SINGLE DX	2755	3.5	4	1	1	3	4	6	7	11
" MULTIPLE DX	665	5.3	35	1	2	4	6	9	13	32
TOTAL 0-19 YRS	974	3.7	7	1	2	3	4	6	7	11
20-34	1894	3.6	5	1	1	3	4	6	7	13
35-49	400	4.4	15	1	2	3	5	8	10	18
50-64	124	6.2	55	1	2	4	6	11	16	50
65+	28	6.8	145	1	2	4	5	14	21	65
GRAND TOTAL	**3420**	**3.8**	**10**	**1**	**2**	**3**	**5**	**6**	**8**	**14**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1252	2.7	7	<1	1	2	3	5	8	15
20-34	1121	3.6	18	<1	1	2	4	7	10	23
35-49	895	3.8	22	<1	1	2	4	8	11	22
50-64	843	3.9	27	<1	1	2	4	8	11	29
65+	638	5.7	71	1	1	3	6	12	19	38
2. MULTIPLE DX										
0-19 YRS	675	7.6	164	1	1	3	7	17	37	70
20-34	1204	9.2	154	1	2	5	10	22	32	92
35-49	1784	8.9	99	1	2	6	11	20	28	54
50-64	2533	9.0	87	1	2	6	11	18	27	48
65+	3284	11.2	113	2	2	8	14	24	33	56
TOT. SINGLE DX	4749	3.8	26	<1	1	2	4	8	12	24
" MULTIPLE DX	9480	9.7	114	1	2	6	12	21	30	57
TOTAL 0-19 YRS	1927	4.4	68	<1	1	2	4	8	14	45
20-34	2325	6.5	97	1	1	3	7	15	24	54
35-49	2679	7.2	79	1	1	4	8	16	25	46
50-64	3376	7.7	78	1	1	5	10	16	24	46
65+	3922	10.3	111	1	2	7	13	23	32	52
GRAND TOTAL	**14229**	**7.7**	**92**	**1**	**1**	**4**	**9**	**17**	**26**	**50**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1930	4.0	25	1	1	2	5	8	12	24
20-34	1921	4.6	30	<1	1	3	5	9	14	29
35-49	1017	5.5	33	1	1	4	7	12	19	28
50-64	801	6.7	47	1	1	4	9	15	22	35
65+	615	8.7	76	1	2	6	11	19	26	45
2. MULTIPLE DX										
0-19 YRS	3012	6.1	76	1	1	3	6	13	24	50
20-34	4403	7.2	95	1	1	4	8	17	27	53
35-49	2699	9.9	135	1	1	6	12	24	36	67
50-64	3156	12.1	162	1	2	8	16	28	38	70
65+	4910	15.5	217	2	2	11	21	35	47	81
TOT. SINGLE DX	6284	5.2	38	1	1	3	6	12	17	31
" MULTIPLE DX	18180	10.5	156	1	1	6	13	26	37	66
TOTAL 0-19 YRS	4942	5.3	58	1	1	3	6	11	18	42
20-34	6324	6.4	77	1	1	3	7	15	23	49
35-49	3716	8.7	111	1	1	5	10	21	30	57
50-64	3957	11.0	144	1	2	7	15	26	35	64
65+	5525	14.7	206	2	2	10	20	34	45	78
GRAND TOTAL	**24464**	**9.1**	**131**	**1**	**1**	**5**	**11**	**23**	**33**	**60**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	338	6.4	65	1	1	3	8	14	24	36
20-34	309	7.3	50	1	1	5	11	16	23	36
35-49	188	7.7	71	1	1	4	10	21	29	36
50-64	187	9.3	84	1	1	7	13	21	28	51
65+	167	13.8	116	1	2	12	20	29	35	43
2. MULTIPLE DX										
0-19 YRS	323	16.6	235	1	2	12	23	38	47	73
20-34	418	16.3	214	2	2	12	22	35	48	76
35-49	284	17.0	178	2	3	14	24	37	44	62
50-64	447	20.2	308	2	3	16	28	45	59	91
65+	793	23.7	280	3	5	21	33	46	62	90
TOT. SINGLE DX	1189	8.3	78	1	1	5	11	21	28	39
" MULTIPLE DX	2265	19.8	265	2	3	16	27	43	55	85
TOTAL 0-19 YRS	661	11.4	174	1	1	7	15	29	39	68
20-34	727	12.5	164	1	2	9	17	28	37	66
35-49	472	13.3	156	1	2	9	18	33	39	55
50-64	634	17.0	267	1	2	12	24	38	55	91
65+	960	22.0	266	2	4	19	30	45	56	84
GRAND TOTAL	3454	15.9	230	1	2	11	23	36	47	78

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	3.3	19	<1	<1	2	3	7	12	26
20-34	133	4.9	69	1	1	3	6	10	15	48
35-49	73	4.5	32	<1	1	3	4	9	20	28
50-64	66	6.5	88	<1	1	3	6	19	31	47
65+	23	15.1	229	1	2	9	22	40	45	52
2. MULTIPLE DX										
0-19 YRS	82	5.5	51	1	1	3	6	13	24	35
20-34	166	15.1	424	1	2	6	25	57	83	99+
35-49	111	16.0	377	1	1	8	22	47	69	91
50-64	98	16.7	364	2	2	10	27	52	88	99+
65+	110	21.0	439	2	2	14	34	59	76	99+
TOT. SINGLE DX	405	5.2	68	<1	1	2	5	12	20	42
" MULTIPLE DX	567	15.3	372	1	2	7	23	48	72	99+
TOTAL 0-19 YRS	192	4.3	34	<1	1	2	5	10	15	33
20-34	299	10.5	291	1	1	4	10	36	70	99+
35-49	184	11.4	271	1	1	4	15	33	53	85
50-64	164	12.6	278	1	1	5	18	38	54	99+
65+	133	19.9	406	1	2	13	33	52	69	99+
GRAND TOTAL	972	11.1	270	1	1	4	13	35	54	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	548	2.4	5	<1	1	2	3	4	6	12
20-34	294	3.4	8	<1	1	3	4	7	8	13
35-49	263	3.2	7	1	1	2	4	6	7	15
50-64	318	2.9	4	1	1	2	4	5	7	12
65+	154	4.1	26	1	1	2	4	8	15	27
2. MULTIPLE DX										
0-19 YRS	365	4.9	59	1	1	3	5	10	14	54
20-34	403	5.9	54	1	1	4	6	13	20	43
35-49	534	6.6	67	1	2	4	8	13	19	40
50-64	717	6.1	38	1	2	4	7	12	19	33
65+	645	9.9	80	1	2	6	13	19	28	46
TOT. SINGLE DX	1577	3.0	8	1	1	2	4	6	7	15
" MULTIPLE DX	2664	6.9	63	1	2	4	8	14	21	43
TOTAL 0-19 YRS	913	3.4	28	1	1	2	3	6	10	29
20-34	697	4.8	36	1	1	3	5	9	15	34
35-49	797	5.5	50	1	1	4	6	10	16	34
50-64	1035	5.1	30	1	1	4	6	10	15	30
65+	799	8.8	76	1	2	6	12	18	25	44
GRAND TOTAL	4241	5.5	46	1	1	3	6	12	17	36

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	4.2	11			3	5	9	10	20
20-34	48	5.8	36			4	6	13	16	34
35-49	39	4.6	22			3	6	11	14	24
50-64	31	4.5	15			3	6	10	15	17
65+	18	6.1	38			4	10	14	20	24
2. MULTIPLE DX										
0-19 YRS	155	10.1	171			5	9	23	45	65
20-34	172	6.9	28			6	8	12	17	32
35-49	169	8.4	35			7	10	15	21	30
50-64	243	9.5	55			7	12	17	23	41
65+	395	12.0	82		4	10	15	22	28	33
TOT. SINGLE DX	198	4.9	23			3	5	11	14	24
" MULTIPLE DX	1134	9.6	70		3	7	12	19	25	42
TOTAL 0-19 YRS	217	8.4	132			5	8	18	34	62
20-34	220	6.6	30			5	8	12	17	33
35-49	208	7.7	35			6	10	14	20	29
50-64	274	8.9	64			7	11	16	22	40
65+	413	11.7	83		4	10	15	22	28	33
GRAND TOTAL	1332	9.1	66	2	2	7	12	18	24	39

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	303	4.3	17			3	5	10	13	20
20-34	3667	5.0	11			3	5	7	11	14
35-49	5036	5.0	11			3	5	7	11	14
50-64	2842	5.4	14			3	5	7	12	16
65+	777	5.9	14			4	6	8	12	17
2. MULTIPLE DX										
0-19 YRS	217	6.7	57			4	8	15	21	34
20-34	2364	7.2	37			5	8	11	15	31
35-49	4245	7.8	43			6	9	14	20	31
50-64	4065	8.5	59			6	10	16	22	35
65+	2234	10.8	93			8	15	23	29	48
TOT. SINGLE DX	12625	5.1	23			3	7	12	15	22
" MULTIPLE DX	13115	8.4	58		3	6	11	18	23	36
TOTAL 0-19 YRS	520	5.3	35			3	7	11	16	27
20-34	6031	5.9	29			4	8	13	18	29
35-49	9281	6.3	34			4	9	14	17	29
50-64	6897	7.2	47			5	10	15	20	31
65+	3011	9.6	83			7	13	21	27	43
GRAND TOTAL	25749	6.8	43	1	2	4	9	15	19	31

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	139	4.2	15			3	5	8	11	22
20-34	375	5.1	19			3	6	11	16	24
35-49	516	4.9	13			3	6	10	14	17
50-64	940	4.7	13			3	6	10	13	21
65+	947	4.9	13			3	6	10	14	20
2. MULTIPLE DX										
0-19 YRS	151	7.4	64			5	9	15	27	40
20-34	491	7.4	62			5	8	12	21	40
35-49	1019	8.2	65			6	10	14	19	40
50-64	3416	8.7	74			6	11	16	23	47
65+	5230	9.0	70			7	11	17	24	46
TOT. SINGLE DX	2916	4.8	23			3	6	10	14	24
" MULTIPLE DX	10307	8.7	70			6	11	17	24	46
TOTAL 0-19 YRS	287	5.9	44			3	7	12	20	35
20-34	866	6.4	43			4	8	12	18	35
35-49	1537	7.1	50			5	9	13	18	38
50-64	4356	7.8	68			5	10	15	21	44
65+	6177	8.4	65			6	11	17	23	43
GRAND TOTAL	13223	7.5	63	2	2	6	10	16	22	42

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.3	2			2	3	4	6	9
20-34	119	3.4	28			2	3	5	8	17
35-49	1148	3.2	6			2	3	4	5	10
50-64	2772	3.5	7			2	4	5	7	10
65+	921	3.3	6			2	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	1	3.0	0			3	3	3	3	3
20-34	46	4.0	46			2	3	7	7	62
35-49	433	4.0	15			2	3	5	7	15
50-64	1122	4.1	15			2	3	5	7	16
65+	494	4.1	45			2	3	5	10	36
TOT. SINGLE DX	530	3.4	10			2	3	4	7	17
" MULTIPLE DX	2094	3.9	30			2	3	5	8	19
TOTAL 0-19 YRS	15	2.3	2			2	3	4	6	9
20-34	165	3.5	40			2	3	5	8	20
35-49	1581	3.4	11			2	3	5	6	14
50-64	3894	3.7	14			2	4	5	7	13
65+	1415	3.8	41			2	4	5	7	19
GRAND TOTAL	2524	5.4	27	1	2	3	7	13	19	25

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	4.3	16	1	1	3	6	9	13	17
20-34	902	5.6	24	1	1	4	8	12	14	21
35-49	1098	5.7	27	1	1	4	8	12	15	23
50-64	1571	4.9	18	1	1	3	7	11	13	21
65+	1431	5.4	24	1	2	3	8	12	15	23
2. MULTIPLE DX										
0-19 YRS	211	7.8	76	1	2	5	10	16	20	46
20-34	1295	8.4	68	1	2	6	11	16	23	44
35-49	2640	7.7	51	2	2	6	10	15	20	39
50-64	6633	7.8	50	2	2	6	10	16	21	34
65+	8466	9.8	70	2	2	8	13	19	25	40
TOT. SINGLE DX	5247	5.3	23	1	1	3	8	11	14	22
" MULTIPLE DX	19245	8.7	62	2	2	7	12	17	23	39
TOTAL 0-19 YRS	456	5.9	47	1	1	3	8	13	16	37
20-34	2197	7.3	52	1	2	5	10	14	18	35
35-49	3738	7.1	45	1	2	5	10	14	18	36
50-64	8204	7.2	46	2	2	5	10	15	19	31
65+	9897	9.1	66	2	2	7	12	18	24	39
GRAND TOTAL	24492	8.0	56	1	2	6	11	16	21	36

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21372	3.8	16	1	1	3	4	7	9	19
20-34	26255	4.4	22	1	1	3	5	8	11	25
35-49	17776	5.2	23	1	1	4	6	10	14	26
50-64	14036	5.9	27	1	2	4	7	11	15	27
65+	12514	7.1	38	1	2	5	9	14	18	32
2. MULTIPLE DX										
0-19 YRS	29571	5.3	42	1	1	4	6	9	14	38
20-34	39934	6.1	36	1	2	4	7	12	16	32
35-49	45345	7.0	37	2	2	5	9	13	18	32
50-64	73393	8.0	44	2	3	6	10	15	19	35
65+	141622	9.6	55	2	3	8	12	18	23	39
TOT. SINGLE DX	91953	5.0	26	1	1	4	6	10	13	26
" MULTIPLE DX	329865	8.1	49	2	2	6	10	16	21	36
TOTAL 0-19 YRS	50943	4.7	32	1	1	3	5	8	12	31
20-34	66189	5.4	32	1	1	4	6	10	15	30
35-49	63121	6.5	34	1	2	5	8	12	17	30
50-64	87429	7.7	42	2	2	6	9	14	19	34
65+	154136	9.4	55	2	3	7	12	18	23	38
GRAND TOTAL	421818	7.4	46	1	2	6	9	15	20	35

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7734	7.1	114	1	1	4	6	18	30	59
20-34	4990	8.7	79	1	2	6	10	19	28	44
35-49	4734	8.6	57	2	2	7	10	17	24	38
50-64	3663	8.0	49	2	2	6	10	16	22	36
65+	2935	9.1	63	2	2	7	12	17	24	44
2. MULTIPLE DX										
0-19 YRS	9125	7.8	114	1	2	4	7	18	31	63
20-34	8059	9.6	87	2	2	7	11	20	29	48
35-49	9783	9.4	68	2	3	7	11	18	25	44
50-64	14087	9.7	67	2	3	8	12	18	24	44
65+	28602	11.4	76	3	4	9	14	21	28	46
TOT. SINGLE DX	24056	8.1	80	1	2	5	10	17	26	46
" MULTIPLE DX	69656	10.1	81	2	3	8	12	20	27	47
TOTAL 0-19 YRS	16859	7.5	115	1	2	4	7	18	30	61
20-34	13049	9.3	85	1	2	6	11	20	28	46
35-49	14517	9.1	65	2	3	7	11	18	24	42
50-64	17750	9.4	64	2	3	7	11	18	24	42
65+	31537	11.2	75	3	4	9	14	21	27	46
GRAND TOTAL	93712	9.6	82	2	2	7	12	19	27	47

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12971	4.0	16	1	1	3	5	7	8	20
20-34	6335	4.9	39	1	1	3	5	9	14	33
35-49	4692	5.7	33	1	1	4	7	12	16	30
50-64	4807	6.7	41	1	2	5	8	13	18	31
65+	4814	7.3	41	1	2	6	9	14	18	33
2. MULTIPLE DX										
0-19 YRS	22190	5.5	48	1	2	4	6	9	14	42
20-34	12095	6.4	53	1	2	4	7	13	19	38
35-49	15437	7.0	43	1	2	5	8	14	19	33
50-64	29669	7.9	46	2	2	6	10	15	19	35
55+	61901	9.5	57	2	3	8	12	18	24	39
TOT. SINGLE DX	33619	5.3	32	1	1	4	6	10	14	29
* MULTIPLE DX	141292	8.0	54	2	2	6	10	16	21	38
TOTAL 0-19 YRS	35161	4.9	37	1	2	4	5	8	12	35
20-34	18430	5.9	49	1	1	4	7	12	18	36
35-49	20129	6.7	41	1	2	5	8	13	18	32
50-64	34476	7.7	46	2	2	6	10	15	19	34
65+	66715	9.4	56	2	3	7	12	18	23	39
GRAND TOTAL	174911	7.5	51	1	2	5	9	15	20	36

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
668	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

165

Length of Stay by Diagnosis, Northeastern Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 5
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 17
Summary of All Patients. 18
Summary of All Patients Except Newborn 19
Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Short-Term Nonfederal Hospitals Number in Books (3)	Short-Term Nonfederal Hospitals Percent in Books (4)	Beds U.S. Total[2] (5)	Beds Number in Books (6)	Beds Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress/dyspnea, acute dyspnea (> 30 respirs)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystduocholithiasis — see Choledocholithiasis

Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — see Choledocholithiasis

Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — see Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 383.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1474	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	129430	9.5	38	3	4	8	11	16	20	33

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151087	3.5	12	1	1	3	4	6	7	15
20-34	117260	4.1	24	1	1	3	4	7	11	27
35-49	44284	5.7	39	1	1	4	7	12	16	31
50-64	35234	6.5	43	1	1	5	8	13	18	33
65+	34881	7.6	62	1	2	6	9	15	21	43
B. *Operated*										
0-19 YRS	80256	2.9	12	<1	<1	2	3	6	8	17
20-34	155416	3.4	10	<1	<1	3	4	6	8	15
35-49	73410	4.3	20	<1	1	3	6	9	12	22
50-64	63616	5.4	31	1	1	3	7	11	15	27
65+	62202	6.6	56	1	2	4	8	15	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117606	5.0	42	1	1	3	5	8	13	36
20-34	79724	6.4	58	1	1	4	7	14	20	40
35-49	83437	7.4	56	1	2	5	9	15	21	39
50-64	152564	8.2	61	1	2	6	10	16	22	41
65+	326386	10.7	102	2	3	8	13	21	30	66
B. *Operated*										
0-19 YRS	50145	5.7	86	<1	1	3	6	12	21	59
20-34	130606	5.7	47	1	1	4	6	10	15	39
35-49	99002	7.4	75	1	1	5	9	15	22	50
50-64	132786	10.2	121	1	2	7	13	22	31	64
65+	210912	14.1	197	2	2	10	19	32	46	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382746	4.6	28	1	1	3	5	9	13	28
B. *Operated*	434900	4.2	23	<1	1	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	759717	8.5	80	1	2	6	10	17	24	52
B. *Operated*	623451	9.7	133	1	2	6	12	22	33	71
1. SINGLE DX	817646	4.4	26	<1	1	3	5	9	13	26
2. MULTIPLE DX	1383168	9.1	104	1	2	6	11	20	28	62
A. NOT OPERATED	1142463	7.2	66	1	2	5	9	15	21	45
B. OPERATED	1058351	7.5	95	<1	1	4	9	17	26	57
TOTAL 0-19 YRS	399094	4.1	31	<1	1	3	4	7	10	29
20-34	483006	4.7	33	<1	1	3	5	8	13	30
35-49	300133	6.4	53	1	1	4	8	13	19	38
50-64	384200	8.3	78	1	2	6	10	17	24	48
65+	634381	11.3	132	2	2	8	14	24	34	75
GRAND TOTAL	**2200814**	**7.3**	**80**	**1**	**1**	**4**	**9**	**16**	**23**	**51**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81583	3.6	21	1	1	3	4	5	9	22
20-34	117260	4.1	24	1	1	3	4	7	11	27
35-49	44284	5.7	39	1	1	4	7	12	16	31
50-64	35234	6.5	43	1	1	5	8	13	18	33
65+	34881	7.6	62	1	2	6	9	15	21	43
B. *Operated*										
0-19 YRS	80222	2.9	12	<1	<1	2	3	6	8	17
20-34	155416	3.4	10	<1	<1	3	4	6	8	15
35-49	73410	4.3	20	<1	1	3	6	9	12	22
50-64	63616	5.4	31	1	1	3	7	11	15	27
65+	62202	6.6	56	1	2	4	8	15	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74577	5.0	51	1	1	3	5	9	14	40
20-34	79724	6.4	58	1	1	4	7	14	20	40
35-49	83437	7.4	56	1	2	5	9	15	21	39
50-64	152564	8.2	61	1	2	6	10	16	22	41
65+	326386	10.7	102	2	3	8	13	21	30	66
B. *Operated*										
0-19 YRS	48854	5.3	69	<1	1	3	6	11	19	51
20-34	130606	5.7	47	1	1	4	6	10	15	39
35-49	99002	7.4	75	1	1	5	9	15	22	50
50-64	132786	10.2	121	1	2	7	13	22	31	64
65+	210912	14.1	197	2	2	10	19	32	46	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313242	4.9	34	1	1	3	5	10	14	30
B. *Operated*	434866	4.2	23	<1	1	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	716688	8.7	82	1	2	6	11	18	25	53
B. *Operated*	622160	9.7	132	1	2	6	12	22	33	71
1. SINGLE DX	748108	4.5	28	<1	1	3	5	9	13	27
2. MULTIPLE DX	1338848	9.2	106	1	2	6	11	20	29	62
A. NOT OPERATED	1029930	7.6	71	1	2	5	9	16	22	47
B. OPERATED	1057026	7.5	95	<1	1	4	9	17	26	57
TOTAL 0-19 YRS	285236	4.1	35	<1	1	3	4	8	11	31
20-34	483006	4.7	33	<1	1	3	5	8	13	30
35-49	300133	6.4	53	1	1	4	8	13	19	38
50-64	384200	8.3	78	1	2	6	10	17	24	48
65+	634381	11.3	132	2	2	8	14	24	34	75
GRAND TOTAL	**2086956**	**7.5**	**83**	**1**	**1**	**5**	**9**	**16**	**24**	**52**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1845	3.5	8	1	1	3	4	6	8	14
20-34	786	3.5	6	1	1	3	4	6	8	12
35-49	335	4.0	9	1	1	3	5	7	9	16
50-64	208	4.4	15	1	1	4	5	8	11	20
65+	190	4.4	8	1	1	4	6	8	11	15
B. *Operated*										
0-19 YRS	29	5.5	14	2	2	4	6	11	15	16
20-34	55	5.6	15	2	2	5	6	8	14	23
35-49	23	6.5	8	2	2	7	9	10	11	11
50-64	12	8.3	40	3	3	6	10	19	22	23
65+	8	9.5	23	7	7	8	9	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2029	4.1	13	1	2	3	5	7	9	17
20-34	827	3.8	8	1	1	3	5	7	9	13
35-49	495	5.0	23	1	2	4	6	9	12	20
50-64	622	5.5	17	1	2	4	7	10	13	23
65+	1145	7.2	41	2	2	6	9	14	18	37
B. *Operated*										
0-19 YRS	31	11.2	132	3	4	7	16	47	92	99+
20-34	84	8.7	76	3	3	6	10	16	22	53
35-49	44	10.4	175	2	3	6	10	19	31	82
50-64	56	12.6	159	3	3	8	13	26	33	74
65+	91	17.2	282	3	5	12	21	34	71	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3364	3.6	8	1	1	3	5	7	9	14
B. *Operated*	127	6.3	17	2	2	5	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	5118	5.0	22	1	2	4	6	9	13	23
B. *Operated*	306	12.4	181	3	3	8	15	26	47	94
1. SINGLE DX	3491	3.7	9	1	1	3	5	7	9	15
2. MULTIPLE DX	5424	5.4	34	1	2	4	6	10	14	29
A. NOT OPERATED	8482	4.5	17	1	1	3	5	8	11	20
B. OPERATED	433	10.6	141	2	3	7	12	23	32	83
TOTAL 0-19 YRS	3934	3.9	12	1	1	3	5	7	9	17
20-34	1752	4.0	12	1	1	3	5	7	9	15
35-49	897	4.9	26	1	2	4	6	9	11	20
50-64	898	5.8	29	1	2	4	7	10	14	26
65+	1434	7.5	59	2	2	5	9	15	19	43
GRAND TOTAL	**8915**	**4.8**	**25**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	8.3	52	2	3	6	8	23	25	26
20-34	45	11.3	34	4	5	10	15	18	23	30
35-49	42	12.2	63	3	4	9	18	22	29	33
50-64	16	23.4	197	6	7	17	36	44	46	46
65+	25	13.5	118	4	5	12	17	21	31	59
B. *Operated*										
0-19 YRS	4	10.3	44	1	1	12	15	16	16	16
20-34	23	11.7	93	2	2	11	15	30	33	35
35-49	21	10.6	40	2	2	10	16	19	21	22
50-64	20	12.3	72	<1	2	12	15	25	28	30
65+	26	13.6	264	2	3	9	17	23	37	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.4	58	3	3	4	13	22	23	23
20-34	58	18.8	397	2	4	14	20	48	82	99+
35-49	79	17.5	202	3	5	13	22	44	52	91
50-64	62	23.3	453	3	7	16	26	65	86	99
65+	94	20.8	216	5	7	17	29	49	57	99+
B. *Operated*										
0-19 YRS	4	9.3	24	2	2	11	12	12	12	12
20-34	29	23.0	311	2	5	18	27	60	72	99+
35-49	47	16.9	121	4	6	14	22	32	41	53
50-64	71	20.4	231	6	7	15	27	41	43	87
65+	94	21.9	312	3	4	18	28	48	70	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	12.7	90	3	4	10	17	24	33	46
B. *Operated*	94	12.0	119	2	2	11	16	23	29	64
2. MULTIPLE DX										
A. *Not Operated*	305	19.6	295	3	5	14	24	48	64	99+
B. *Operated*	245	20.4	250	3	6	17	27	42	56	96
1. SINGLE DX	245	12.5	101	2	3	10	16	23	30	47
2. MULTIPLE DX	550	20.0	275	3	5	15	26	46	58	99+
A. NOT OPERATED	456	17.3	237	3	4	13	21	42	55	99+
B. OPERATED	339	18.1	228	2	4	14	24	36	51	88
TOTAL 0-19 YRS	43	8.6	48	2	3	6	12	22	24	26
20-34	155	16.3	248	2	4	13	19	34	58	99+
35-49	189	15.4	139	3	4	12	20	32	45	65
50-64	169	20.8	299	3	6	15	27	44	51	96
65+	239	19.7	257	3	5	15	26	46	57	99+
GRAND TOTAL	**795**	**17.6**	**233**	**3**	**4**	**14**	**22**	**37**	**53**	**98**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS.										
20-34	6	10.2	197	2	2	4	11	35	35	35
35-49	2	51.0	2528	9	9	51	93	93	93	93
50-64	4	6.3	38	2	2	4	10	15	15	15
65+	5	12.2	89	5	5	7	20	26	26	26
B. Operated										
0-19 YRS.	7	11.7	483	<1	<1	2	8	51	61	61
20-34	7	12.9	165	3	3	8	15	35	40	40
35-49	8	14.5	168	1	1	11	27	32	33	33
50-64	7	16.0	342	3	3	14	26	49	54	54
65+	6	20.0	229	8	8	16	23	45	46	46
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS.	4	33.5	618	11	11	27	45	59	59	59
20-34	8	10.4	147	1	1	7	10	31	39	39
35-49	11	22.1	779	1	2	11	21	77	77	77
50-64	15	11.9	65	3	3	11	18	22	23	23
65+	25	12.8	72	3	4	12	16	22	26	42
B. Operated										
0-19 YRS.	3	13.0	79	3	3	18	60	99+	99+	99+
20-34	20	28.7	354	3	5	20	41	65	65	77
35-49	23	23.7	244	4	5	21	37	50	68	99+
50-64	26	16.7	215	1	2	15	23	36	50	60
65+	24	22.4	378	2	5	15	37	60	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	14.6	523	2	2	6	16	35	74	93
B. Operated	35	15.3	252	<1	1	8	22	40	52	61
2. MULTIPLE DX										
A. Not Operated	63	15.2	248	2	3	11	19	26	51	77
B. Operated	96	22.2	297	2	3	10	34	52	67	99+
1. SINGLE DX	52	15.1	326	1	2	8	19	39	53	92
2. MULTIPLE DX	159	19.4	288	2	3	14	26	47	64	99+
A. NOT OPERATED	80	15.1	297	2	3	11	18	27	55	68
B. OPERATED	131	20.3	293	1	3	14	32	48	60	99+
TOTAL 0-19 YRS.	14	10.2	470	<1	<1	11	27	99	92	99+
20-34	41	19.7	323	2	3	12	34	43	69	77
35-49	44	22.8	466	2	3	15	33	54	81	99+
50-64	52	14.7	172	1	2	12	20	29	47	60
65+	60	17.3	224	3	5	13	22	46	56	97
GRAND TOTAL	**211**	**18.3**	**299**	**2**	**3**	**13**	**24**	**45**	**60**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS.	209	2.8	3	1	1	3	3	4	5	9
20-34	58	3.3	1	2	2	3	4	5	6	6
35-49	17	3.8	1	1	1	3	5	8	9	9
50-64	6	4.0	2	2	2	4	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS.	17	3.1	7	2	2	2	3	7	10	12
20-34	8	2.3	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS.	395	3.3	4	1	1	3	4	5	7	10
20-34	109	4.0	5	2	2	4	5	6	8	16
35-49	31	3.6	2	1	1	3	5	6	5	7
50-64	25	5.6	10	2	3	5	6	10	12	16
65+	18	9.1	60	3	3	6	9	24	32	36
B. Operated										
0-19 YRS.	12	2.0	1	1	1	2	2	4	5	5
20-34	5	3.8	5	1	1	5	5	6	6	6
35-49										
50-64	2	12.0	32	6	6	12	16	16	16	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	291	3.0	3	1	1	3	4	5	6	9
B. Operated	25	2.8	5	1	2	2	3	5	8	12
2. MULTIPLE DX										
A. Not Operated	578	3.7	6	1	2	3	4	6	8	16
B. Operated	19	3.5	13	1	1	2	5	7	12	16
1. SINGLE DX	316	3.0	3	1	1	3	4	5	6	10
2. MULTIPLE DX	597	3.7	6	1	2	3	4	6	8	16
A. NOT OPERATED	869	3.5	6	1	2	3	4	6	7	13
B. OPERATED	44	3.1	9	1	1	2	3	6	9	16
TOTAL 0-19 YRS.	633	3.1	6	1	1	3	4	5	6	10
20-34	180	3.7	4	2	2	3	4	6	7	14
35-49	48	3.7	4	1	1	3	5	6	7	9
50-64	33	5.7	12	2	3	5	6	10	15	16
65+	19	8.7	76	2	3	6	9	23	32	36
GRAND TOTAL	**913**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	5.3	11	1	2	4	7	10	11	14
20-34	22	10.3	76	2	3	7	15	26	28	29
35-49	18	7.3	24	2	3	6	8	10	19	25
50-64	29	9.6	42	4	4	8	11	20	22	33
65+	55	13.4	98	3	4	10	16	29	35	52
B. *Operated*										
0-19 YRS	9	9.1	36	3	3	9	12	18	20	20
20-34	2	13.0	2	12	12	13	14	14	14	14
35-49										
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	6	26.5	404	8	8	21	48	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	379	7.0	27	2	2	6	9	13	16	27
20-34	114	11.9	101	2	3	9	15	26	36	43
35-49	155	11.8	52	3	4	11	15	21	28	41
50-64	425	13.3	101	3	5	10	16	26	34	59
65+	1739	15.6	143	5	6	13	18	29	41	86
B. *Operated*										
0-19 YRS	26	16.0	201	5	5	10	20	34	46	65
20-34	42	18.1	272	4	5	13	20	38	71	99+
35-49	66	20.8	267	4	5	14	31	49	58	94
50-64	126	26.7	414	6	9	21	33	55	80	98
65+	485	25.6	327	8	10	19	32	55	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	7.2	38	2	2	6	9	12	19	32
B. *Operated*	19	15.1	195	3	4	11	16	41	50	52
2. MULTIPLE DX										
A. *Not Operated*	2812	13.7	123	3	4	11	17	25	36	76
B. *Operated*	745	24.6	335	6	8	19	31	53	75	99+
1. SINGLE DX	403	7.5	48	2	2	6	9	14	21	36
2. MULTIPLE DX	3557	16.0	187	3	5	12	19	32	46	89
A. NOT OPERATED	3196	12.9	117	3	4	10	16	24	34	74
B. OPERATED	764	24.4	333	6	8	18	31	52	74	99+
TOTAL 0-19 YRS	674	6.7	32	2	2	5	8	12	15	30
20-34	180	13.1	143	2	3	11	17	28	39	82
35-49	239	14.0	128	3	4	11	17	30	42	68
50-64	582	16.0	197	4	5	12	19	33	46	84
65+	2285	17.7	199	5	7	14	20	35	49	96
GRAND TOTAL	**3960**	**15.1**	**179**	**3**	**4**	**12**	**18**	**31**	**44**	**86**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	7.6	22	2	2	7	11	14	15	22
20-34	45	7.5	36	2	2	6	10	15	17	35
35-49	24	6.5	19	2	3	5	8	14	15	16
50-64	38	6.6	20	2	2	5	7	15	16	16
65+	20	5.4	8	2	2	5	6	10	11	12
B. *Operated*										
0-19 YRS	10	8.5	26	1	1	10	11	14	15	15
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	5	7.0	34	1	1	9	11	14	14	14
50-64	6	17.8	413	2	2	13	18	53	57	57
65+	4	9.8	25	5	5	9	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	8.3	45	2	2	6	11	15	21	35
20-34	58	6.8	18	2	2	6	9	12	14	22
35-49	63	7.4	24	3	3	6	8	15	20	22
50-64	101	9.9	43	2	3	8	13	18	25	30
65+	214	13.3	185	3	4	10	14	27	35	99
B. *Operated*										
0-19 YRS	15	12.3	181	3	3	9	13	22	47	56
20-34	20	28.9	616	1	4	22	56	72	86	99+
35-49	18	26.6	453	6	8	20	34	65	77	79
50-64	30	17.3	217	2	4	13	24	41	66	99+
65+	46	22.6	268	4	9	19	29	48	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	7.3	23	2	2	6	10	14	15	21
B. *Operated*	27	10.6	114	1	1	10	14	17	24	57
2. MULTIPLE DX										
A. *Not Operated*	612	10.1	95	2	3	8	12	19	27	74
B. *Operated*	129	21.7	341	3	4	15	29	57	72	99+
1. SINGLE DX	352	7.5	30	2	2	6	11	14	16	22
2. MULTIPLE DX	741	12.1	157	2	3	9	14	25	36	84
A. NOT OPERATED	937	9.1	72	2	3	7	11	16	21	43
B. OPERATED	156	19.8	319	2	3	14	26	53	69	99+
TOTAL 0-19 YRS	399	8.1	38	2	2	7	11	15	18	30
20-34	125	10.6	180	2	2	7	11	22	51	80
35-49	110	10.4	141	3	3	7	11	21	27	75
50-64	175	10.7	91	2	3	8	14	21	30	64
65+	284	14.2	200	3	4	10	16	31	44	99
GRAND TOTAL	**1093**	**10.6**	**120**	**2**	**3**	**8**	**13**	**20**	**31**	**74**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	585	4.0	5	1	2	4	5	7	9	12
20-34	386	4.3	7	1	2	4	6	8	9	14
35-49	83	5.0	8	2	2	4	7	9	11	12
50-64	11	5.5	8	2	2	5	7	10	12	12
65+	3	8.0	25	3	3	8	12	13	13	13
B. *Operated*										
0-19 YRS	5	5.0	4	3	3	6	6	7	7	7
20-34	5	4.6	3	3	3	5	6	7	7	7
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	5.1	16	1	2	4	6	9	12	16
20-34	159	6.1	20	1	2	5	8	12	13	26
35-49	54	7.2	23	1	2	6	10	15	17	21
50-64	33	7.8	41	2	2	6	10	14	25	28
65+	14	15.2	131	3	4	10	26	34	36	36
B. *Operated*										
0-19 YRS	6	9.8	19	4	4	9	13	16	16	16
20-34	10	7.5	22	3	3	6	8	15	19	19
35-49	7	19.9	279	4	4	17	25	48	53	53
50-64	4	24.5	188	8	8	25	35	40	40	40
65+	5	10.8	12	8	8	9	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068	4.2	6	1	2	4	5	7	9	12
B. *Operated*	11	5.4	6	3	3	5	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	459	6.2	26	1	2	5	8	12	15	28
B. *Operated*	32	13.3	123	4	4	9	16	28	39	53
1. SINGLE DX	1079	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX	491	6.6	35	2	2	5	8	13	16	33
A. NOT OPERATED	1527	4.8	13	1	2	4	6	9	11	17
B. OPERATED	43	11.3	105	3	3	8	14	22	33	53
TOTAL 0-19 YRS	795	4.3	8	1	2	4	5	8	10	15
20-34	560	4.9	11	1	2	4	6	9	11	17
35-49	144	6.6	35	2	2	5	9	11	16	29
50-64	49	8.7	65	2	2	7	11	19	28	40
65+	22	13.2	94	3	4	9	15	25	35	36
GRAND TOTAL	**1570**	**5.0**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	3.4	6	1	1	3	4	6	7	11
20-34	88	4.8	8	1	2	4	6	9	10	16
35-49	32	5.5	11	1	2	5	7	9	9	18
50-64	54	4.6	4	2	2	4	6	7	8	10
65+	118	6.1	14	2	2	6	8	11	13	20
B. *Operated*										
0-19 YRS	5	3.2	3	<1	<1	4	4	5	5	5
20-34	5	4.2	10	1	1	3	7	8	8	8
35-49	3	6.0	31	1	1	5	10	12	12	12
50-64	4	6.3	10	4	4	5	8	11	11	11
65+	7	5.7	14	2	2	5	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	445	4.0	7	1	1	3	5	7	9	13
20-34	117	6.4	36	1	2	6	8	10	12	32
35-49	64	7.5	15	2	3	7	9	13	14	21
50-64	195	8.8	78	2	3	7	10	15	22	57
65+	779	10.5	82	2	3	8	13	21	27	44
B. *Operated*										
0-19 YRS	8	7.8	9	3	4	8	10	12	12	12
20-34	17	11.4	99	2	3	7	19	25	34	38
35-49	7	20.3	572	6	7	13	15	62	74	74
50-64	17	18.5	317	5	7	11	29	63	87	99+
65+	82	20.3	338	3	4	14	25	47	63	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	4.4	9	1	2	4	6	8	10	17
B. *Operated*	24	5.0	11	1	1	4	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*	1600	8.1	62	2	2	6	10	16	22	39
B. *Operated*	131	18.1	305	3	4	11	23	41	67	94
1. SINGLE DX	579	4.5	9	1	2	4	6	8	10	16
2. MULTIPLE DX	1731	8.8	87	2	2	6	10	18	25	53
A. NOT OPERATED	2155	7.1	51	1	2	5	8	14	20	35
B. OPERATED	155	16.1	282	2	3	10	21	38	56	92
TOTAL 0-19 YRS	721	3.8	7	1	1	3	5	7	9	13
20-34	227	6.1	32	1	2	5	7	10	12	29
35-49	106	7.7	58	1	3	7	9	13	16	45
50-64	270	8.5	86	2	3	6	9	15	22	74
65+	986	10.8	104	2	3	8	13	22	29	59
GRAND TOTAL	**2310**	**7.7**	**71**	**1**	**2**	**5**	**9**	**15**	**22**	**45**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	6.4	11	2	2	6	8	10	12	20
20-34	297	8.0	25	2	3	7	10	15	18	23
35-49	129	8.8	33	3	3	7	12	15	18	35
50-64	48	10.7	89	2	3	8	13	24	29	48
65+	30	8.4	45	3	4	7	10	12	13	40
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	23	4.3	17	<1	1	2	8	11	13	14
35-49	14	6.6	53	1	1	3	10	21	22	22
50-64	5	11.4	105	1	1	12	21	22	22	22
65+	4	11.3	120	<1	<1	9	20	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	7.6	28	2	3	6	10	15	16	27
20-34	228	8.7	41	2	3	7	11	17	20	34
35-49	118	9.9	40	3	4	9	12	19	21	35
50-64	112	11.9	97	3	4	10	14	20	27	63
65+	98	12.3	72	3	5	10	15	21	28	49
B. *Operated*										
0-19 YRS	2	21.5	221	11	11	21	32	32	32	32
20-34	26	17.7	176	2	2	14	27	38	42	44
35-49	14	17.6	166	3	5	15	22	34	48	52
50-64	25	15.6	381	1	1	10	17	27	59	96
65+	21	17.0	186	3	4	11	24	37	45	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	571	8.3	32	2	3	7	10	15	18	31
B. *Operated*	47	6.4	47	<1	1	3	10	20	22	25
2. MULTIPLE DX										
A. *Not Operated*	611	10.0	57	2	3	8	13	18	22	42
B. *Operated*	88	17.0	227	2	3	14	23	36	44	80
1. SINGLE DX	618	8.1	33	2	2	7	10	15	19	29
2. MULTIPLE DX	699	10.9	84	2	3	9	14	20	27	48
A. NOT OPERATED	1182	9.1	46	2	3	8	11	17	21	36
B. OPERATED	135	13.3	189	1	1	9	19	32	38	60
TOTAL 0-19 YRS	125	7.2	24	2	2	6	9	12	15	28
20-34	574	8.6	42	2	2	7	10	16	20	36
35-49	275	9.6	47	2	3	8	12	18	22	36
50-64	190	12.0	132	2	3	10	14	23	28	63
65+	153	12.1	87	3	4	9	15	23	34	54
GRAND TOTAL	**1317**	**9.6**	**62**	**2**	**3**	**8**	**12**	**18**	**23**	**41**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	544	4.2	6	1	2	4	5	7	9	15
20-34	176	4.9	10	1	2	4	6	8	11	20
35-49	30	5.5	8	3	3	5	7	9	12	13
50-64	8	8.5	27	3	3	8	13	15	16	16
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	5	5.2	9	1	1	5	8	8	8	8
20-34	5	13.0	64	1	1	15	18	22	22	22
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	652	4.6	7	2	2	4	6	8	9	14
20-34	217	5.7	14	2	2	5	7	10	12	22
35-49	30	6.4	10	2	3	6	8	12	12	13
50-64	13	6.1	14	2	2	6	7	12	14	15
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	19	6.9	11	2	3	6	9	11	13	15
20-34	8	10.8	47	3	3	9	15	21	22	22
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	2	14.5	113	7	7	14	22	22	22	22
65+	2	15.5	145	7	7	15	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	4.4	8	1	2	4	5	8	10	16
B. *Operated*	12	9.1	40	1	1	8	13	18	21	22
2. MULTIPLE DX										
A. *Not Operated*	914	4.9	9	2	2	4	6	8	10	15
B. *Operated*	33	8.9	33	3	4	7	10	20	22	24
1. SINGLE DX	771	4.5	9	1	2	4	6	8	10	16
2. MULTIPLE DX	947	5.1	10	2	2	4	6	9	11	17
A. NOT OPERATED	1673	4.7	9	2	2	4	6	8	10	15
B. OPERATED	45	8.9	34	1	3	8	10	20	22	24
TOTAL 0-19 YRS	1220	4.4	7	1	2	4	6	8	9	15
20-34	406	5.5	15	2	2	5	7	10	12	22
35-49	64	6.1	9	2	3	6	8	10	12	13
50-64	23	7.7	27	2	3	6	10	15	18	22
65+	5	11.4	54	7	7	7	15	24	24	24
GRAND TOTAL	**1718**	**4.8**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	5	3.4	2	2	2	3	5	5	5	5
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	231	1.8	1	<1	<1	1	2	3	5	6
20-34	723	1.9	1	<1	<1	2	2	3	4	6
35-49	162	2.1	2	<1	<1	2	3	4	4	7
50-64	46	2.8	6	<1	<1	2	3	6	7	13
65+	13	2.8	5	<1	<1	2	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	4	<1	<1	1	4	5	6	6
20-34	9	1.7	2	<1	<1	<1	2	4	5	5
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64	2	18.5	1	18	18	18	19	19	19	19
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	39	2.8	5	<1	<1	2	4	5	8	11
20-34	204	3.0	11	<1	<1	2	4	5	7	9
35-49	78	3.5	14	<1	1	3	4	7	10	24
50-64	36	3.4	5	<1	2	3	4	7	9	10
65+	27	5.7	15	1	2	5	8	12	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.8	4	<1	1	4	5	7	8	8
B. *Operated*	1175	2.0	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	29	3.1	21	<1	<1	1	4	6	18	19
B. *Operated*	384	3.3	11	<1	<1	2	4	6	9	12
1. SINGLE DX	1184	2.0	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	413	3.3	12	<1	<1	2	4	6	9	17
A. NOT OPERATED	38	3.2	17	<1	<1	2	4	6	14	19
B. OPERATED	1559	2.3	4	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	284	1.9	2	<1	<1	1	2	4	5	7
20-34	941	2.2	4	<1	<1	2	3	4	5	7
35-49	247	2.6	6	<1	<1	2	3	4	6	11
50-64	84	3.4	11	<1	1	2	4	7	10	19
65+	41	4.7	13	<1	1	4	6	10	12	16
GRAND TOTAL	**1597**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2139	2.9	3	1	1	3	4	5	6	8
20-34	330	3.5	4	1	1	3	4	6	8	10
35-49	149	3.9	13	1	1	3	5	7	10	16
50-64	94	4.6	8	1	1	4	7	9	10	12
65+	95	4.3	7	1	2	4	6	8	9	13
B. *Operated*										
0-19 YRS	55	3.5	7	<1	1	3	5	7	8	16
20-34	26	6.1	27	<1	1	4	9	14	17	19
35-49	14	4.9	14	<1	1	4	8	9	12	13
50-64	8	14.1	679	2	2	4	10	58	78	78
65+	6	7.8	23	2	2	7	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2142	3.3	5	1	1	3	4	6	7	10
20-34	589	4.6	24	1	2	4	5	8	10	17
35-49	433	5.0	32	1	2	4	6	9	11	19
50-64	463	5.3	13	2	2	4	7	9	11	20
65+	904	7.0	34	2	3	5	8	13	17	34
B. *Operated*										
0-19 YRS	56	6.4	58	<1	1	4	8	12	16	49
20-34	46	8.3	78	1	2	6	10	19	22	50
35-49	34	14.5	375	2	2	8	12	34	69	87
50-64	44	12.5	68	3	4	10	17	24	28	38
65+	50	18.6	284	4	5	11	25	42	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2807	3.2	4	1	1	3	4	5	7	10
B. *Operated*	109	5.3	65	<1	1	3	7	11	14	43
2. MULTIPLE DX										
A. *Not Operated*	4531	4.6	18	1	2	4	5	8	11	20
B. *Operated*	230	11.8	178	1	2	8	14	26	41	78
1. SINGLE DX	2916	3.2	6	1	1	3	4	6	7	10
2. MULTIPLE DX	4761	4.9	29	1	2	4	6	9	12	25
A. NOT OPERATED	7338	4.0	13	1	1	3	5	7	9	17
B. OPERATED	339	9.7	150	1	2	6	11	20	35	76
TOTAL 0-19 YRS	4392	3.1	4	1	1	3	4	5	7	10
20-34	991	4.4	21	1	1	4	5	8	10	19
35-49	630	5.2	50	1	2	4	6	9	11	32
50-64	609	5.8	28	1	2	4	7	10	14	26
65+	1055	7.3	50	2	2	5	8	14	20	41
GRAND TOTAL	**7677**	**4.3**	**21**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	5.6	28	2	2	4	6	9	18	27
20-34	28	4.5	10	1	1	4	5	8	12	15
35-49	12	3.3	1	1	2	3	4	5	5	5
50-64	6	4.5	2	3	3	4	6	6	6	6
65+	3	8.7	17	4	4	10	11	12	12	12
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.9	4	2	3	5	6	8	9	9
20-34	18	6.5	66	1	2	4	7	11	27	37
35-49	10	5.4	5	2	2	5	7	8	9	9
50-64	11	7.8	9	2	4	9	10	11	11	11
65+	12	9.5	38	1	3	8	11	17	25	26
B. *Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	3	12.7	4	11	11	12	14	15	15	15
35-49										
50-64										
65+	3	16.0	28	12	12	14	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	4.8	14	1	2	4	5	8	12	25
B. *Operated*	3	6.7	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	62	6.9	31	2	2	5	9	11	13	36
B. *Operated*	6	12.8	27	3	5	13	14	20	22	22
1. SINGLE DX	73	4.9	14	1	2	4	5	8	12	24
2. MULTIPLE DX	70	7.5	33	2	2	6	10	13	15	35
A. NOT OPERATED	132	5.8	23	1	2	5	7	10	12	29
B. OPERATED	11	11.1	28	3	4	12	14	18	22	22
TOTAL 0-19 YRS	35	5.6	20	2	3	5	6	9	12	27
20-34	50	5.7	33	1	1	4	6	12	15	37
35-49	22	4.2	4	1	2	4	5	7	8	9
50-64	18	6.7	8	2	3	6	9	11	11	11
65+	18	10.4	37	2	4	10	12	20	24	26
GRAND TOTAL	**143**	**6.2**	**25**	**1**	**2**	**5**	**8**	**12**	**14**	**20**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	5.7	17	1	2	5	7	9	11	27
20-34	100	5.3	13	2	2	4	6	8	12	23
35-49	31	4.9	15	<1	1	5	7	10	14	16
50-64	7	2.1	4	<1	<1	1	4	5	5	5
65+	9	4.7	17	1	1	4	8	11	11	11
B. *Operated*										
0-19 YRS	13	3.2	6	1	1	2	4	7	9	10
20-34	54	3.1	8	<1	<1	2	4	7	10	12
35-49	18	2.4	3	<1	1	2	4	4	7	8
50-64	5	4.4	5	2	2	5	6	7	7	7
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	7.9	30	2	3	7	10	14	18	33
20-34	86	7.1	51	2	2	5	8	13	17	47
35-49	31	6.4	18	1	1	6	9	13	16	16
50-64	20	10.4	129	1	1	7	13	32	35	38
65+	38	10.6	189	1	1	8	13	18	59	99+
B. *Operated*										
0-19 YRS	10	10.2	287	<1	<1	4	6	38	55	55
20-34	36	7.6	224	2	2	4	8	12	16	92
35-49	27	7.4	79	<1	<1	4	10	20	32	33
50-64	15	6.3	49	1	1	5	8	10	24	29
65+	12	15.3	160	2	3	12	25	34	38	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	5.3	15	1	1	4	7	8	12	23
B. *Operated*	92	3.0	7	<1	<1	2	4	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	233	8.1	71	1	2	6	10	15	19	56
B. *Operated*	100	8.5	158	<1	1	5	9	19	32	73
1. SINGLE DX	316	4.6	14	1	1	4	6	8	11	19
2. MULTIPLE DX	333	8.2	97	1	2	6	10	16	26	60
A. NOT OPERATED	457	6.7	46	1	2	5	8	13	16	38
B. OPERATED	192	5.9	93	<1	1	3	6	12	20	48
TOTAL 0-19 YRS	158	6.6	39	1	2	5	8	11	16	34
20-34	276	5.7	53	1	1	4	6	10	14	36
35-49	107	5.5	32	<1	1	4	7	12	16	32
50-64	47	7.2	79	1	1	5	9	16	31	38
65+	61	10.3	160	1	1	7	13	21	35	98
GRAND TOTAL	**649**	**6.4**	**60**	**1**	**1**	**5**	**8**	**12**	**17**	**39**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	4.2	11	1	1	3	6	6	10	15
20-34	10	5.5	17	2	2	4	6	12	16	16
35-49	6	5.8	17	1	1	6	9	11	11	11
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	11.5	61	6	6	11	17	17	17	17
B. Operated										
0-19 YRS										
20-34	10	13.6	521	<1	<1	5	6	51	75	75
35-49	6	12.2	192	2	2	6	13	36	39	39
50-64	9	11.8	165	1	1	5	25	31	34	34
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	4.9	11	1	1	4	6	9	12	15
20-34	24	7.8	50	2	2	6	6	16	26	30
35-49	21	12.3	174	2	3	9	11	34	44	56
50-64	27	9.3	26	3	3	9	12	16	19	22
65+	72	13.2	183	2	4	9	15	27	57	94
B. Operated										
0-19 YRS	4	4.5	8	<1	<1	4	6	8	8	8
20-34	18	25.2	858	2	2	10	35	61	90	92
35-49	21	24.7	623	1	2	17	33	61	80	95
50-64	25	12.8	108	2	2	10	21	30	55	99+
65+	46	24.0	390	4	5	17	41	61	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	5.0	15	1	1	4	6	10	15	17
B. Operated	28	11.4	271	<1	1	5	11	32	43	75
2. MULTIPLE DX										
A. Not Operated	210	9.4	103	1	2	7	11	18	30	69
B. Operated	114	21.2	452	2	3	12	31	56	76	99+
1. SINGLE DX	75	7.4	118	1	1	4	7	16	27	66
2. MULTIPLE DX	324	13.5	257	2	2	8	15	35	56	96
A. NOT OPERATED	257	8.6	90	1	2	6	10	17	25	66
B. OPERATED	142	19.2	429	1	2	11	27	49	71	99+
TOTAL 0-19 YRS	98	4.7	10	1	1	4	6	9	11	15
20-34	62	13.4	401	1	2	6	11	31	70	92
35-49	54	16.4	368	1	2	9	19	40	56	94
50-64	62	11.2	78	2	2	9	15	25	31	93
65+	123	16.9	285	2	4	11	21	42	66	99+
GRAND TOTAL	**399**	**12.4**	**236**	**1**	**2**	**8**	**14**	**32**	**47**	**93**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.2	6	1	1	2	5	7	7	7
20-34	6	7.3	18	1	1	6	9	13	13	13
35-49	5	5.8	9	2	2	6	7	10	10	10
50-64	5	6.8	11	3	3	7	8	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	9	4.0	1	3	3	4	5	6	6	6
20-34	4	7.0	31	2	2	6	11	14	14	14
35-49	3	11.3	90	2	2	11	16	21	21	21
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.4	10	1	2	5	6	10	12	12
20-34	9	6.7	12	1	1	5	9	10	13	13
35-49	2	14.5	221	6	6	14	25	25	25	25
50-64	3	3.0		3	3	3	3	3	3	3
65+	3	8.0	27	4	4	5	12	15	15	15
B. Operated										
0-19 YRS	6	4.8	8	2	2	4	5	10	10	10
20-34	6	7.1	49	1	1	5	10	19	22	22
35-49	6	13.0	147	2	2	8	22	32	33	33
50-64	3	8.7	65	4	4	4	15	16	16	16
65+	5	18.2	229	3	3	11	31	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	5.7	12	1	2	5	8	11	12	13
B. Operated	17	6.3	26	2	2	4	9	13	19	21
2. MULTIPLE DX										
A. Not Operated	20	5.6	26	1	2	5	6	13	16	25
B. Operated	28	10.0	103	1	2	5	11	27	34	39
1. SINGLE DX	39	6.0	18	1	2	5	8	12	14	21
2. MULTIPLE DX	56	7.9	66	1	2	5	10	21	28	39
A. NOT OPERATED	50	5.8	19	1	2	5	7	12	13	25
B. OPERATED	45	8.6	76	2	2	5	11	22	30	39
TOTAL 0-19 YRS	31	4.5	6	1	2	4	6	8	10	12
20-34	27	6.3	25	1	1	5	9	13	15	22
35-49	16	10.6	90	2	2	6	16	25	31	33
50-64	12	6.5	21	3	3	5	8	14	17	18
65+	9	13.1	163	3	3	9	18	35	39	39
GRAND TOTAL	**95**	**7.1**	**48**	**1**	**2**	**5**	**9**	**14**	**22**	**34**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.2	7	1	1	4	6	8	10	10
20-34	41	4.4	13	1	1	4	5	8	12	19
35-49	27	5.7	16	2	2	5	6	9	16	20
50-64	11	7.1	10	3	3	6	10	12	12	12
65+	5	8.8	74	1	1	6	13	23	23	23
B. *Operated*										
0-19 YRS	5	4.2	13	1	1	2	7	9	9	9
20-34	171	5.0	17	1	2	3	7	11	14	19
35-49	108	5.1	21	1	2	3	7	11	13	23
50-64	33	8.2	52	1	2	5	14	20	23	24
65+	7	8.0	71	<1	<1	6	8	23	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.9	12	1	2	4	6	8	10	19
20-34	72	8.5	113	1	2	5	9	15	33	56
35-49	75	8.1	38	2	2	6	11	17	19	32
50-64	58	8.2	35	1	3	7	11	14	22	31
65+	52	12.3	93	3	4	10	15	22	37	45
B. *Operated*										
0-19 YRS	7	11.1	16	6	6	10	13	17	18	18
20-34	152	13.8	195	2	2	8	20	32	40	81
35-49	152	16.9	319	2	2	13	21	38	57	89
50-64	80	17.1	244	2	3	11	24	43	54	61
65+	26	16.5	204	2	3	14	23	45	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	5.1	15	1	1	4	6	10	12	21
B. *Operated*	324	5.4	23	1	2	3	7	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	283	8.7	67	2	2	6	11	17	23	45
B. *Operated*	417	15.7	248	2	3	11	21	36	52	85
1. SINGLE DX	435	5.3	21	1	2	4	7	11	15	23
2. MULTIPLE DX	700	12.9	187	2	2	8	16	31	43	78
A. NOT OPERATED	394	7.7	55	1	2	6	9	15	21	42
B. OPERATED	741	11.2	176	1	2	7	14	26	40	78
TOTAL 0-19 YRS	65	5.2	14	1	1	4	7	10	12	19
20-34	436	8.6	110	1	2	5	10	21	31	56
35-49	362	10.7	178	1	2	6	13	23	35	77
50-64	182	12.1	148	2	2	8	14	27	41	59
65+	90	13.0	126	2	3	10	19	24	39	86
GRAND TOTAL	**1135**	**10.0**	**137**	**1**	**2**	**6**	**12**	**22**	**34**	**61**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	23.0	50	18	18	23	28	28	28	28
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	14.5	41	10	10	14	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	4	7.0	9	3	3	7	9	10	10	10
50-64	6	6.0	11	2	2	6	8	11	11	11
65+	5	8.6	19	3	3	8	11	15	15	15
B. *Operated*										
0-19 YRS	3	5.3	4	3	3	6	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	10.5	30	2	2	11	15	16	16	16
50-64	4	12.8	21	8	8	12	16	18	18	18
65+	4	15.5	343	4	4	7	26	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	11.5	6	10	10	11	13	15	15	15
B. *Operated*	5	16.6	64	8	8	18	21	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	20	6.6	14	1	2	7	9	11	13	15
B. *Operated*	18	11.0	86	2	3	8	15	17	33	43
1. SINGLE DX	9	14.3	41	8	9	11	18	24	28	28
2. MULTIPLE DX	38	8.7	52	2	2	7	10	15	17	43
A. NOT OPERATED	24	7.4	15	2	2	8	10	12	15	15
B. OPERATED	23	12.2	84	3	4	10	16	21	33	43
TOTAL 0-19 YRS	8	6.3	10	2	2	6	9	11	11	11
20-34	3	6.0	25	1	1	6	10	11	11	11
35-49	13	11.7	49	2	3	10	15	20	26	28
50-64	12	8.8	21	2	3	8	11	16	18	18
65+	11	12.2	127	3	4	10	14	29	42	43
GRAND TOTAL	**47**	**9.8**	**54**	**2**	**3**	**8**	**11**	**17**	**20**	**43**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	21	4.7	9	1	2	5	7	9	10	10
50-64	43	7.3	60	1	2	5	8	16	22	42
65+	27	7.1	29	1	1	6	10	17	18	19
B. Operated										
0-19 YRS	4	4.8	6	2	2	4	6	8	8	8
20-34	24	6.5	38	1	2	4	8	18	21	25
35-49	80	9.7	166	1	2	6	11	18	38	72
50-64	233	6.6	63	1	2	4	8	17	23	46
65+	202	7.4	107	1	2	4	8	16	26	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	9.7	1	9	9	9	11	11	11	11
20-34	7	15.9	503	2	2	3	12	55	66	66
35-49	30	8.2	41	1	2	5	12	17	20	29
50-64	148	9.1	81	2	2	6	11	25	32	45
65+	188	12.1	132	1	2	9	15	30	41	84
B. Operated										
0-19 YRS	6	5.5	24	1	1	4	8	13	14	14
20-34	16	10.1	206	1	1	6	11	16	47	61
35-49	101	16.2	286	2	2	12	20	37	64	91
50-64	411	15.5	217	2	2	12	22	38	51	99+
65+	545	15.2	263	2	2	10	20	39	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	6.6	39	1	2	5	8	15	18	36
B. Operated	543	7.3	94	1	2	4	8	17	24	50
2. MULTIPLE DX										
A. Not Operated	376	10.6	111	1	2	7	13	26	35	65
B. Operated	1079	15.3	246	2	2	10	21	38	56	99+
1. SINGLE DX	636	7.2	86	1	2	4	8	17	23	47
2. MULTIPLE DX	1455	14.1	215	2	2	9	19	38	52	99+
A. NOT OPERATED	469	9.9	99	1	2	7	12	23	33	60
B. OPERATED	1622	12.6	209	1	2	7	17	33	49	99+
TOTAL 0-19 YRS	13	6.2	16	1	1	5	9	12	14	14
20-34	49	9.0	156	1	2	6	10	17	27	66
35-49	232	11.9	203	1	2	7	14	28	46	80
50-64	835	11.5	158	1	2	7	16	28	40	79
65+	962	12.7	208	1	2	8	16	34	50	99+
GRAND TOTAL	**2091**	**12.0**	**186**	**1**	**2**	**7**	**16**	**30**	**44**	**95**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	19	4.8	6	2	2	4	6	8	10	11
65+	35	8.2	50	3	3	7	10	14	14	44
B. Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	9	12.3	72	1	1	13	16	25	27	27
50-64	47	16.5	204	1	2	13	26	35	59	99+
65+	65	15.6	205	3	4	11	21	34	43	78
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	5	9.4	29	4	4	7	15	15	15	15
35-49	8	11.4	119	2	2	7	19	29	30	30
50-64	91	10.2	135	2	2	6	11	26	46	82
65+	155	11.5	135	1	2	8	15	25	37	52
B. Operated										
0-19 YRS										
20-34										
35-49	22	23.3	254	2	5	20	39	49	56	99+
50-64	187	21.1	317	3	4	16	29	48	54	92
65+	280	22.5	400	2	3	17	31	51	69	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	7.1	36	2	3	6	9	12	14	42
B. Operated	122	15.6	193	2	3	12	23	34	43	88
2. MULTIPLE DX										
A. Not Operated	259	11.0	132	1	2	7	14	26	37	58
B. Operated	499	22.1	359	2	3	17	31	49	64	92
1. SINGLE DX	177	12.9	159	2	3	9	17	31	40	77
2. MULTIPLE DX	758	18.3	309	2	3	12	25	43	56	91
A. NOT OPERATED	314	10.3	117	2	2	7	12	24	35	57
B. OPERATED	621	20.8	333	2	3	16	28	47	61	92
TOTAL 0-19 YRS										
20-34	6	8.2	30	3	3	6	15	15	15	15
35-49	50	19.2	221	2	3	15	27	45	51	99+
50-64	344	16.7	265	2	3	11	23	40	53	92
65+	535	17.5	306	2	3	11	24	42	55	85
GRAND TOTAL	**935**	**17.3**	**285**	**2**	**3**	**12**	**24**	**41**	**53**	**89**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	6.0	3	5	5	5	7	8	9	8
50-64	12	7.5	34	1	2	5	13	17	17	17
65+	34	6.7	35	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS										
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	19	15.3	73	2	4	15	21	27	31	33
50-64	76	14.8	121	2	3	13	18	25	28	73
65+	124	15.8	167	1	3	13	21	28	33	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	12.8	175	1	1	9	13	35	43	43
35-49	24	6.2	59	<1	1	4	9	11	21	37
50-64	105	9.3	88	1	2	6	12	22	33	41
65+	303	11.9	110	2	3	9	16	24	33	48
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	16	20.1	499	5	6	14	18	45	81	95
35-49	61	20.0	247	2	5	17	24	40	52	85
50-64	329	21.4	202	4	8	18	27	42	49	85
65+	840	22.7	210	5	8	20	28	43	53	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	6.9	32	1	2	5	9	15	17	31
B. *Operated*	221	15.3	141	1	3	13	19	26	32	79
2. MULTIPLE DX										
A. *Not Operated*	442	11.0	105	1	2	8	15	23	33	45
B. *Operated*	1247	22.2	213	5	8	19	28	43	52	87
1. SINGLE DX	270	13.8	132	1	2	12	18	25	31	74
2. MULTIPLE DX	1689	19.3	209	3	4	16	26	40	49	81
A. NOT OPERATED	491	10.6	99	1	2	7	14	22	32	45
B. OPERATED	1468	21.2	208	4	7	18	27	41	50	85
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	28	16.5	358	1	2	12	16	38	53	95
35-49	107	15.6	199	1	2	12	21	32	42	76
50-64	522	17.7	189	2	3	15	23	37	45	75
65+	1301	19.1	203	3	4	16	25	37	49	79
GRAND TOTAL	**1959**	**18.5**	**202**	**2**	**4**	**16**	**24**	**37**	**47**	**80**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34	2	16.0	200	6	6	16	26	26	26	26
35-49	3	13.0	91	7	7	8	20	24	24	24
50-64	8	17.4	149	9	9	13	19	38	46	46
65+	7	20.7	50	12	12	21	24	31	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.7	100	1	1	5	16	20	20	20
50-64	21	10.1	111	1	2	8	13	25	34	42
65+	13	13.3	228	2	3	8	14	32	52	57
B. *Operated*										
0-19 YRS										
20-34	5	31.2	900	13	13	17	41	84	84	84
35-49	13	19.0	223	6	7	13	23	41	52	55
50-64	55	22.5	209	9	10	20	26	41	52	80
65+	87	23.5	210	7	11	21	29	48	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.8	40	3	3	8	14	16	16	16
B. *Operated*	20	17.8	98	6	7	16	23	29	39	46
2. MULTIPLE DX										
A. *Not Operated*	37	11.1	146	1	2	8	13	26	37	57
B. *Operated*	160	23.0	228	8	10	19	28	43	59	98
1. SINGLE DX	24	16.3	98	4	6	14	21	27	37	46
2. MULTIPLE DX	197	20.8	233	3	6	17	26	42	56	92
A. NOT OPERATED	41	10.9	135	1	2	8	13	25	34	57
B. OPERATED	180	22.5	216	7	10	19	27	43	56	95
TOTAL 0-19 YRS										
20-34	9	21.7	623	3	3	15	26	61	84	84
35-49	19	16.4	187	3	5	11	20	38	47	55
50-64	85	18.9	202	2	4	15	24	37	46	75
65+	108	22.0	209	6	8	19	27	43	57	99+
GRAND TOTAL	**221**	**20.3**	**220**	**3**	**6**	**17**	**26**	**41**	**55**	**88**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	19	4.8	7	1	1	5	7	8	9	9
65+	54	6.7	47	1	1	4	8	17	19	35
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	12	15.1	156	3	4	11	19	33	46	48
35-49	82	11.4	21	3	7	11	14	17	21	23
50-64	375	12.5	37	3	7	12	15	19	22	35
65+	685	14.9	78	2	8	13	17	24	30	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	9	9.7	47	4	4	8	12	21	25	25
35-49	49	11.1	156	2	2	6	16	23	28	77
50-64	309	8.7	63	2	3	6	10	17	22	44
65+	743	11.6	124	2	3	8	15	24	33	58
B. *Operated*										
0-19 YRS	7	19.9	153	4	4	21	29	36	37	37
20-34	39	18.0	219	4	6	14	20	35	43	87
35-49	209	16.3	90	6	9	14	20	26	32	52
50-64	1442	16.9	101	6	9	15	20	29	35	77
65+	4543	20.7	161	8	10	17	25	36	48	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	6.1	36	1	1	4	7	14	18	33
B. *Operated*	1155	13.9	63	2	8	12	16	22	26	45
2. MULTIPLE DX										
A. *Not Operated*	1111	10.8	110	2	3	7	14	23	31	56
B. *Operated*	6240	19.7	148	7	9	17	24	34	45	82
1. SINGLE DX	1232	13.4	65	2	5	12	16	22	26	44
2. MULTIPLE DX	7351	18.3	152	4	6	16	23	33	44	79
A. NOT OPERATED	1188	10.5	106	2	2	7	13	22	31	54
B. OPERATED	7395	18.8	139	7	9	16	23	33	43	79
TOTAL 0-19 YRS	9	20.0	142	4	4	21	31	35	37	37
20-34	62	15.8	184	3	4	13	19	28	43	82
35-49	342	14.3	89	3	5	12	18	24	28	49
50-64	2145	14.9	94	3	5	13	18	26	33	63
65+	6025	18.8	158	4	7	16	23	34	45	79
GRAND TOTAL	**8583**	**17.6**	**143**	**3**	**6**	**15**	**22**	**32**	**42**	**77**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	4.4	7	<1	<1	4	7	7	7	7
50-64	26	8.8	148	1	1	5	8	19	34	60
65+	49	7.4	95	1	2	5	8	13	26	61
B. *Operated*										
0-19 YRS										
20-34	9	11.9	53	4	4	11	18	21	23	23
35-49	51	13.4	72	1	3	13	17	22	28	49
50-64	291	12.1	58	2	3	12	16	20	25	35
65+	504	14.5	120	2	3	13	18	24	31	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.7	65	2	2	2	13	16	16	16
35-49	36	8.8	56	1	2	6	12	21	27	28
50-64	135	9.0	76	1	2	6	11	21	23	51
65+	454	12.1	155	2	3	8	15	26	38	81
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	14	15.0	39	7	8	13	20	25	26	26
35-49	141	16.5	88	3	8	15	20	26	30	55
50-64	934	18.0	125	4	7	16	22	32	39	62
65+	2178	20.9	187	4	7	19	26	38	49	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	7.7	105	1	1	5	8	14	27	61
B. *Operated*	855	13.6	97	2	3	13	17	23	28	53
2. MULTIPLE DX										
A. *Not Operated*	629	11.2	133	2	2	8	14	23	35	72
B. *Operated*	3268	19.9	167	4	7	17	25	36	45	85
1. SINGLE DX	936	13.1	100	2	3	12	17	23	28	60
2. MULTIPLE DX	3897	18.5	171	3	5	16	24	34	44	83
A. NOT OPERATED	710	10.8	131	2	2	7	13	22	34	65
B. OPERATED	4123	18.6	159	3	6	16	23	33	43	82
TOTAL 0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	27	12.7	49	2	4	12	18	23	25	26
35-49	233	14.3	87	2	4	13	18	25	29	52
50-64	1386	15.7	118	3	4	14	20	29	36	58
65+	3185	18.5	185	3	4	16	24	35	45	89
GRAND TOTAL	**4833**	**17.4**	**162**	**3**	**4**	**15**	**22**	**32**	**41**	**81**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	7	8.6	49	2	2	5	13	19	21	21
50-64	14	7.8	34	1	2	7	10	17	20	21
65+	30	6.9	25	<1	1	6	11	13	18	19
B. *Operated*										
0-19 YRS	13	8.8	53	2	2	5	13	20	23	24
20-34	9	10.6	57	2	2	8	17	21	22	22
35-49	23	11.4	44	3	4	11	14	19	24	34
50-64	43	14.2	83	3	4	11	20	28	31	36
65+	45	14.8	138	2	2	12	20	26	46	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	21	1	1	2	8	12	12	12
20-34	13	4.9	21	1	1	3	6	11	17	18
35-49	16	11.0	159	2	2	5	17	27	42	48
50-64	58	8.9	128	1	1	5	9	22	34	60
65+	199	13.1	128	1	2	10	17	29	42	57
B. *Operated*										
0-19 YRS	7	24.7	269	11	11	15	37	50	53	53
20-34	10	18.9	244	6	7	11	30	72	98	99+
35-49	51	16.0	119	2	4	13	23	30	36	54
50-64	170	19.0	189	4	6	16	25	36	56	93
65+	485	22.9	194	7	10	19	29	43	55	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	7.0	29	<1	1	6	11	13	19	21
B. *Operated*	133	13.2	92	2	3	11	18	25	32	49
2. MULTIPLE DX										
A. *Not Operated*	292	11.6	127	1	2	8	16	28	39	57
B. *Operated*	723	21.4	193	6	8	18	28	41	54	93
1. SINGLE DX	188	11.4	82	1	2	10	15	23	28	47
2. MULTIPLE DX	1015	18.6	194	2	4	16	25	38	50	84
A. NOT OPERATED	347	10.9	114	1	2	8	15	23	34	51
B. OPERATED	856	20.2	186	4	7	17	26	39	52	86
TOTAL 0-19 YRS	28	11.3	156	1	1	8	14	28	40	53
20-34	34	10.4	125	1	2	6	16	30	48	99+
35-49	97	13.5	107	2	3	12	18	27	34	51
50-64	285	15.7	171	2	3	12	22	32	41	69
65+	759	19.2	192	3	5	16	25	39	50	82
GRAND TOTAL	**1203**	**17.5**	**183**	**2**	**3**	**15**	**23**	**35**	**48**	**73**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.5	12	<1	<1	4	7	8	8	8
50-64	24	10.4	152	2	2	6	12	24	38	57
65+	33	7.9	33	2	3	7	11	14	17	31
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	9	9.3	90	1	1	4	19	23	25	25
50-64	44	14.2	178	2	2	11	18	22	48	67
65+	60	17.4	339	1	2	14	23	32	48	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	31	7.1	40	1	2	5	7	17	24	25
50-64	202	9.1	78	1	2	6	11	19	24	48
65+	413	11.5	92	2	3	9	15	23	29	50
B. *Operated*										
0-19 YRS										
20-34	5	19.8	241	6	6	13	36	38	38	38
35-49	76	18.8	165	4	6	17	24	36	46	91
50-64	372	21.1	183	4	7	18	27	39	49	63
65+	746	24.2	199	7	10	21	29	45	54	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	8.7	79	2	2	6	10	17	26	54
B. *Operated*	114	15.6	257	1	2	12	20	27	42	94
2. MULTIPLE DX										
A. *Not Operated*	648	10.5	86	2	2	8	14	23	28	49
B. *Operated*	1199	22.9	195	5	8	20	29	42	52	72
1. SINGLE DX	175	13.2	205	1	2	9	18	25	38	85
2. MULTIPLE DX	1847	18.6	191	2	4	16	25	37	47	66
A. NOT OPERATED	709	10.4	86	2	2	8	13	22	28	49
B. OPERATED	1313	22.2	204	4	7	19	28	42	52	76
TOTAL 0-19 YRS										
20-34	8	16.8	169	5	5	12	27	37	38	38
35-49	120	14.6	152	1	2	11	22	32	42	77
50-64	642	16.4	179	2	3	14	22	34	46	62
65+	1252	19.3	204	3	4	17	25	38	48	69
GRAND TOTAL	**2022**	**18.1**	**195**	**2**	**4**	**15**	**24**	**36**	**47**	**67**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3	16	1	1	3	7	10	10	10
35-49	52	5.5	85	1	1	3	5	11	20	61
50-64	210	5.4	37	1	1	3	6	13	19	30
65+	236	7.4	67	1	1	5	9	17	27	39
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	9.0	33	3	3	9	13	17	18	18
35-49	139	9.7	52	1	2	9	14	19	23	32
50-64	580	10.9	78	1	2	9	15	21	26	44
65+	636	10.9	69	2	2	10	15	22	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.0	98	8	8	15	22	22	22	22
20-34	21	2.5	2	<1	1	2	3	4	5	6
35-49	359	7.6	48	1	2	5	10	17	23	31
50-64	1595	8.8	91	1	2	6	11	20	28	45
65+	2360	11.0	117	1	2	8	14	24	33	61
B. *Operated*										
0-19 YRS	6	18.0	150	3	3	20	29	31	31	31
20-34	22	13.7	46	6	7	12	16	21	28	37
35-49	428	14.9	165	2	3	12	19	29	41	75
50-64	2550	15.6	150	2	4	13	20	30	40	78
65+	3431	17.5	174	3	4	14	23	35	44	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	6.3	57	1	1	4	7	15	21	37
B. *Operated*	1364	10.8	71	2	2	9	15	21	26	41
2. MULTIPLE DX										
A. *Not Operated*	4337	9.9	103	1	2	7	13	22	30	52
B. *Operated*	6437	15.6	164	3	4	14	21	32	42	74
1. SINGLE DX	1866	9.6	71	1	2	8	13	20	25	40
2. MULTIPLE DX	10774	13.9	150	2	2	11	18	29	38	66
A. NOT OPERATED	4839	9.5	99	1	2	6	12	21	29	51
B. OPERATED	7801	15.5	153	2	3	13	20	30	40	67
TOTAL 0-19 YRS	9	15.9	124	3	3	17	25	30	31	31
20-34	55	8.0	50	1	2	6	12	18	20	36
35-49	978	11.0	114	1	2	8	15	23	30	60
50-64	4935	12.4	129	2	2	10	17	26	34	63
65+	6663	14.2	152	2	3	11	19	30	39	63
GRAND TOTAL	**12640**	**13.2**	**141**	**2**	**2**	**10**	**18**	**28**	**36**	**63**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	10.4	233	3	3	5	6	37	45	45
35-49	6	3.8	7	2	2	3	3	8	9	9
50-64	35	5.3	23	1	1	4	7	12	14	23
65+	12	4.5	25	1	1	2	4	15	16	16
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	15	10.4	90	1	2	10	13	25	32	35
35-49	68	7.6	89	1	1	3	12	17	32	44
50-64	244	6.4	53	1	1	2	10	17	22	33
65+	226	8.0	119	1	1	2	12	23	34	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	5.1	8	2	2	5	6	8	11	15
35-49	16	8.9	82	1	1	4	13	25	27	28
50-64	71	9.7	110	1	1	7	13	19	29	56
65+	101	9.5	149	1	2	6	10	21	31	69
B. *Operated*										
0-19 YRS	5	13.6	55	3	3	16	20	20	20	20
20-34	12	16.8	86	4	7	14	24	29	36	37
35-49	55	19.2	352	2	2	16	26	40	45	95
50-64	349	16.3	214	1	2	13	23	37	49	93
65+	417	16.7	208	1	2	14	23	37	44	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.7	45	1	1	4	6	12	15	43
B. *Operated*	556	7.3	86	1	1	2	11	19	27	50
2. MULTIPLE DX										
A. *Not Operated*	211	9.0	116	1	2	6	11	19	25	53
B. *Operated*	838	16.6	217	1	2	14	23	37	46	70
1. SINGLE DX	617	7.1	82	1	1	2	11	18	26	48
2. MULTIPLE DX	1049	15.1	206	1	2	11	21	36	44	69
A. NOT OPERATED	272	8.3	102	1	2	5	10	17	25	50
B. OPERATED	1394	12.9	186	1	2	9	19	32	41	65
TOTAL 0-19 YRS	10	8.6	57	1	1	6	16	20	20	20
20-34	56	9.7	89	2	2	6	12	25	32	45
35-49	145	12.0	215	1	1	7	16	31	38	92
50-64	699	11.6	160	1	1	8	16	28	39	68
65+	756	12.9	188	1	2	8	20	34	41	62
GRAND TOTAL	**1666**	**12.2**	**175**	**1**	**2**	**8**	**17**	**30**	**40**	**64**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	3.1	4	<1	1	3	4	4	5	12
20-34	6	8.5	64	3	3	6	9	22	24	24
35-49	4	7.3	30	2	2	7	12	12	12	12
50-64	11	8.9	46	2	2	7	10	21	23	23
65+	18	6.6	75	<1	<1	4	8	14	28	37
B. Operated										
0-19 YRS	44	8.5	53	2	2	7	9	19	23	40
20-34	47	6.3	41	1	2	4	8	15	18	29
35-49	50	9.0	94	1	2	5	12	22	28	48
50-64	65	8.2	41	2	3	8	11	14	20	26
65+	90	9.9	124	1	2	6	13	19	32	66
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	5.1	56	<1	1	3	6	11	13	49
20-34	25	7.6	84	1	1	4	9	13	29	44
35-49	22	7.6	39	1	2	6	10	15	22	26
50-64	40	12.2	165	1	2	8	15	33	43	55
65+	82	10.8	240	1	1	6	13	23	33	90
B. Operated										
0-19 YRS	35	8.8	72	2	2	6	11	15	26	44
20-34	27	14.2	206	2	2	10	17	31	39	72
35-49	30	12.6	348	2	2	6	13	27	33	99
50-64	68	17.7	262	2	3	13	23	47	55	71
65+	191	17.9	314	2	3	12	25	44	59	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	5.5	37	<1	1	3	6	12	19	34
B. Operated	297	8.6	77	1	2	6	11	16	25	44
2. MULTIPLE DX										
A. Not Operated	248	8.6	142	1	1	5	10	18	30	63
B. Operated	371	16.3	280	2	3	11	21	41	55	93
1. SINGLE DX	370	8.0	71	1	2	5	10	16	24	40
2. MULTIPLE DX	619	13.2	238	1	2	8	16	32	46	90
A. NOT OPERATED	321	7.9	119	1	1	4	9	17	25	57
B. OPERATED	668	12.9	204	2	2	9	15	29	45	77
TOTAL 0-19 YRS	192	6.2	53	1	1	4	8	12	18	42
20-34	105	8.8	103	1	2	5	11	17	29	57
35-49	106	9.7	152	1	2	6	12	24	28	70
50-64	205	13.1	176	2	3	9	15	27	47	62
65+	381	13.9	257	1	2	9	17	34	48	91
GRAND TOTAL	**989**	**11.2**	**182**	**1**	**2**	**7**	**13**	**26**	**40**	**74**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	8	6.1	16	2	2	5	8	12	14	14
65+	2	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	4	3.5	8	<1	<1	3	5	6	6	6
20-34	63	5.0	31	<1	1	3	7	8	10	39
35-49	145	5.4	12	1	2	5	7	9	12	17
50-64	188	5.6	16	1	2	4	8	11	13	19
65+	122	6.7	48	1	2	5	8	12	17	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	11	7.8	20	<1	1	8	12	13	15	15
35-49	21	9.4	63	1	2	6	12	20	30	39
50-64	48	7.9	69	1	1	6	10	15	26	35
65+	43	10.6	125	2	2	6	14	24	31	60
B. Operated										
0-19 YRS	4	12.0	62	5	5	10	19	24	24	24
20-34	50	7.2	44	1	1	5	9	14	22	36
35-49	75	7.7	54	1	2	5	10	14	17	38
50-64	163	7.7	27	1	2	7	11	14	17	24
65+	212	9.8	55	2	3	8	13	20	26	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.6	12	<1	1	4	6	9	13	14
B. Operated	525	5.7	24	1	2	4	8	10	13	22
2. MULTIPLE DX										
A. Not Operated	123	9.1	79	1	2	6	12	19	26	45
B. Operated	504	8.6	45	1	2	7	11	16	22	35
1. SINGLE DX	540	5.7	24	1	2	4	8	10	14	22
2. MULTIPLE DX	627	8.7	52	1	2	7	11	17	23	36
A. NOT OPERATED	138	8.6	73	1	2	6	11	18	25	41
B. OPERATED	1029	7.1	37	1	2	6	9	14	19	32
TOTAL 0-19 YRS	8	7.8	50	<1	<1	5	10	21	24	24
20-34	125	6.1	36	<1	1	5	8	11	16	37
35-49	248	6.4	32	1	2	5	8	12	15	38
50-64	407	6.8	29	1	2	6	9	13	16	25
65+	379	8.9	62	2	2	7	11	19	25	35
GRAND TOTAL	**1167**	**7.3**	**41**	**1**	**2**	**6**	**9**	**15**	**19**	**28**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	2.3	2	<1	<1	2	3	4	4	4
65+	10	6.7	25	2	2	5	9	14	16	16
B. *Operated*										
0-19 YRS	6	3.3	4	<1	<1	3	5	6	6	6
20-34	28	4.5	34	<1	<1	2	5	9	16	29
35-49	125	3.1	13	<1	<1	2	3	7	10	19
50-64	366	2.9	9	<1	<1	2	3	6	9	17
65+	640	3.4	14	<1	<1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	8.8	49	<1	1	7	12	21	22	22
35-49	21	4.3	22	1	1	2	5	10	16	20
50-64	15	8.7	63	1	1	5	15	19	24	26
65+	83	8.1	80	1	1	5	10	22	33	80
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	35	10.4	162	<1	1	6	13	26	39	60
35-49	94	5.6	61	<1	<1	2	7	16	25	72
50-64	345	5.6	66	<1	1	2	6	14	20	47
65+	984	7.5	100	1	1	4	9	18	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.4	23	<1	1	3	9	13	15	16
B. *Operated*	1165	3.2	13	<1	<1	2	3	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	132	7.6	67	1	1	4	10	20	26	52
B. *Operated*	1459	7.0	92	<1	1	3	8	17	25	52
1. SINGLE DX	1182	3.2	13	<1	<1	2	3	7	10	18
2. MULTIPLE DX	1591	7.0	90	<1	1	3	8	17	26	52
A. NOT OPERATED	149	7.3	62	1	1	4	9	18	26	42
B. OPERATED	2624	5.3	60	<1	1	2	5	13	18	43
TOTAL 0-19 YRS	8	3.3	3	<1	<1	3	4	6	6	6
20-34	77	7.9	100	<1	<1	4	10	20	28	55
35-49	241	4.2	34	<1	<1	2	4	11	16	36
50-64	730	4.3	39	<1	<1	2	4	10	16	35
65+	1717	6.0	71	<1	1	3	7	14	21	47
GRAND TOTAL	**2773**	**5.4**	**61**	**<1**	**1**	**3**	**6**	**13**	**19**	**43**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	21	4.8	42	<1	1	3	4	13	23	26
50-64	27	6.5	44	1	2	4	7	13	22	31
65+	25	6.0	22	1	2	4	7	14	17	18
B. *Operated*										
0-19 YRS	4	4.3	5	2	2	4	6	7	7	7
20-34	143	6.2	13	1	2	6	8	11	13	17
35-49	809	6.3	13	1	2	6	8	11	13	19
50-64	1231	7.0	16	2	2	7	9	11	13	17
65+	1272	7.4	17	2	3	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.5	61	10	10	15	21	21	21	21
20-34	28	11.5	165	1	1	7	14	36	44	44
35-49	161	9.8	123	1	1	7	11	24	33	58
50-64	406	11.2	114	2	2	8	14	23	34	55
65+	631	13.4	173	2	3	9	17	31	46	99+
B. *Operated*										
0-19 YRS	3	5.7	10	2	2	7	8	8	8	8
20-34	138	8.3	26	2	4	8	10	13	17	26
35-49	989	9.3	54	2	3	8	10	15	21	40
50-64	2159	10.0	62	3	4	8	11	17	23	44
65+	3089	11.4	86	3	4	9	13	20	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.7	35	1	1	4	7	13	20	30
B. *Operated*	3459	7.0	16	2	2	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1228	12.2	148	1	2	8	16	27	42	85
B. *Operated*	6378	10.6	73	3	4	9	12	18	26	51
1. SINGLE DX	3533	6.9	16	2	2	7	9	11	13	18
2. MULTIPLE DX	7606	10.8	85	2	4	9	12	20	28	57
A. NOT OPERATED	1302	11.8	144	1	2	8	15	26	40	81
B. OPERATED	9837	9.3	56	2	3	8	11	15	21	43
TOTAL 0-19 YRS	9	7.2	34	2	2	7	8	17	21	21
20-34	310	7.6	35	1	2	7	9	13	16	41
35-49	1980	8.1	45	1	2	7	9	14	18	39
50-64	3823	9.2	55	2	3	8	11	15	21	44
65+	5017	10.6	83	2	4	8	12	19	27	60
GRAND TOTAL	**11139**	**9.6**	**66**	**2**	**3**	**8**	**11**	**17**	**23**	**50**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	28	4.4	9	2	3	4	5	7	8	13
50-64	38	9.6	65	2	3	4	9	9	11	52
65+	34	5.9	16	3	3	5	6	13	16	19
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	96	5.5	21	1	1	4	8	12	17	20
35-49	119	6.1	26	1	2	6	8	15	18	21
50-64	106	5.6	20	1	2	4	8	11	15	22
65+	69	6.2	106	2	2	4	6	9	17	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	5.9	49	1	1	3	8	18	22	22
35-49	50	7.5	95	1	2	7	10	15	19	30
50-64	82	9.7	171	1	2	6	11	18	31	76
65+	56	8.7	46	2	2	6	11	17	23	34
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	69	8.2	58	1	1	6	10	16	20	43
35-49	178	12.2	129	1	2	10	14	25	34	60
50-64	211	13.0	194	1	2	8	17	29	46	68
65+	189	12.7	203	2	2	7	16	30	42	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	5.3	31	2	3	4	5	8	13	34
B. Operated	391	5.8	37	1	2	4	8	13	16	22
2. MULTIPLE DX										
A. Not Operated	198	8.7	95	1	2	6	10	17	23	62
B. Operated	648	12.2	166	1	2	8	15	26	40	66
1. SINGLE DX	494	5.7	36	1	2	4	7	12	16	22
2. MULTIPLE DX	846	11.4	151	1	2	8	14	24	36	66
A. NOT OPERATED	301	7.5	75	1	2	5	9	14	21	50
B. OPERATED	1039	9.8	126	1	2	6	12	20	31	61
TOTAL 0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	178	6.5	38	1	1	5	8	14	19	33
35-49	375	9.1	84	1	2	7	12	18	25	50
50-64	437	10.0	146	1	2	6	12	22	36	65
65+	348	10.1	148	2	2	6	12	23	32	76
GRAND TOTAL	**1340**	**9.3**	**116**	**1**	**2**	**6**	**11**	**19**	**28**	**60**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	4.5	10	2	2	4	5	10	12	12
50-64	46	3.3	2	1	2	3	4	5	5	8
65+	44	5.7	52	1	2	4	5	13	19	42
B. *Operated*										
0-19 YRS										
20-34	8	5.4	4	2	3	6	7	8	8	8
35-49	59	5.5	14	1	1	6	8	10	12	17
50-64	303	6.3	20	1	1	7	8	10	12	21
65+	328	6.7	21	1	2	7	9	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	12	12.9	185	<1	2	5	24	36	38	38
50-64	83	6.3	56	1	1	4	7	13	21	41
65+	168	10.3	197	1	1	5	12	26	39	77
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	20	8.3	58	1	1	7	12	15	24	33
35-49	129	8.2	24	1	2	8	11	14	16	28
50-64	745	9.1	56	1	2	8	11	17	21	39
65+	1050	11.5	122	2	2	9	14	23	32	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	4.5	26	1	2	3	5	6	13	33
B. Operated	698	6.4	20	1	2	7	8	11	13	21
2. MULTIPLE DX										
A. Not Operated	264	9.2	154	1	1	5	10	24	35	60
B. Operated	1945	10.4	91	1	2	8	12	20	27	53
1. SINGLE DX	796	6.1	21	1	2	6	8	11	13	22
2. MULTIPLE DX	2209	10.2	99	1	2	8	12	20	27	54
A. NOT OPERATED	362	7.9	124	1	2	4	8	17	29	56
B. OPERATED	2643	9.3	75	1	2	8	11	17	23	48
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	7.5	42	1	1	6	9	15	16	33
35-49	208	7.6	33	1	2	7	10	14	17	32
50-64	1177	8.0	47	1	2	7	10	15	20	38
65+	1590	10.2	111	1	2	8	12	20	29	58
GRAND TOTAL	**3005**	**9.1**	**81**	**1**	**2**	**8**	**11**	**17**	**24**	**48**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	4	2	2	3	4	7	8	8
20-34	9	3.6	2	2	2	3	4	6	7	7
35-49	37	1.9	3	1	1	1	2	4	5	9
50-64	132	2.6	4	1	1	2	3	5	7	10
65+	83	3.0	6	1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS	10	7.5	9	3	4	7	10	11	12	12
20-34	31	8.7	18	4	5	8	11	16	18	19
35-49	45	9.0	28	4	5	8	10	13	22	32
50-64	86	10.5	28	4	6	9	13	17	20	32
65+	51	11.5	31	3	6	10	14	21	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	26.0	98	19	19	26	33	33	33	33
20-34	15	4.2	19	2	2	2	4	12	16	17
35-49	148	3.9	37	1	1	2	4	7	16	28
50-64	421	4.9	52	1	1	2	5	11	17	36
65+	451	6.9	101	1	1	3	7	16	23	56
B. *Operated*										
0-19 YRS	4	7.5	6	6	6	7	9	11	11	11
20-34	45	12.0	49	5	5	9	14	23	30	32
35-49	163	16.1	148	5	6	12	20	31	42	61
50-64	438	15.2	91	5	7	13	19	26	33	54
65+	507	20.2	190	6	8	17	25	38	49	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.7	4	1	1	2	3	5	8	11
B. *Operated*	223	10.0	27	4	5	9	12	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	1037	5.6	73	1	1	3	6	14	20	43
B. *Operated*	1157	17.4	147	6	7	14	22	32	40	65
1. SINGLE DX	492	6.0	28	1	1	4	9	13	15	25
2. MULTIPLE DX	2194	11.8	146	1	2	9	16	26	35	59
A. NOT OPERATED	1306	5.0	60	1	1	2	5	11	17	40
B. OPERATED	1380	16.2	135	5	7	13	20	30	38	64
TOTAL 0-19 YRS	24	7.8	**44**	2	3	6	9	13	23	33
20-34	100	9.0	40	2	2	7	12	17	22	31
35-49	393	9.3	113	1	1	6	12	21	31	58
50-64	1077	9.3	88	1	1	7	13	21	27	42
65+	1092	13.0	179	1	2	9	18	29	39	65
GRAND TOTAL	**2686**	**10.8**	**130**	**1**	**1**	**8**	**14**	**24**	**32**	**58**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.8	15	1	1	7	8	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	28	4.3	30	<1	1	3	5	8	15	28
B. *Operated*										
0-19 YRS										
20-34	6	7.7	55	2	2	4	15	19	19	19
35-49	10	7.9	82	1	1	3	15	23	26	26
50-64	25	9.3	157	1	1	3	9	33	39	50
65+	52	7.4	85	1	2	4	9	17	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.3	6	1	1	3	3	8	8	8
35-49	5	7.6	114	1	1	2	12	26	26	26
50-64	20	7.0	79	1	1	3	7	26	27	27
65+	63	8.1	78	1	2	4	9	23	30	40
B. *Operated*										
0-19 YRS										
20-34	7	7.9	35	1	1	7	12	17	18	18
35-49	23	10.1	87	1	2	8	11	25	32	41
50-64	56	14.7	116	3	3	11	20	33	39	96
65+	159	18.3	226	2	3	14	25	41	50	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.3	26	<1	1	3	6	8	13	28
B. *Operated*	93	8.0	100	1	2	4	10	21	31	50
2. MULTIPLE DX										
A. *Not Operated*	94	7.6	75	1	1	4	8	24	27	38
B. *Operated*	245	16.4	190	2	3	11	23	37	47	76
1. SINGLE DX	128	7.0	82	1	1	3	8	18	28	50
2. MULTIPLE DX	339	14.0	173	2	2	10	21	33	43	69
A. NOT OPERATED	129	6.7	63	1	1	4	8	19	26	35
B. OPERATED	338	14.1	179	2	2	10	20	33	46	69
TOTAL 0-19 YRS										
20-34	24	6.3	29	1	1	4	8	15	18	19
35-49	39	9.0	84	1	1	7	11	25	27	41
50-64	102	11.7	128	1	2	8	16	31	38	73
65+	302	13.0	184	1	2	8	20	32	46	64
GRAND TOTAL	**467**	**12.1**	**158**	**1**	**2**	**8**	**17**	**31**	**39**	**61**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	14	6.1	37	1	2	4	6	18	19	19
65+	57	5.3	12	1	1	5	7	9	11	18
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	1	14.0		14	14	14	14	14	14	14
35-49	4	4.3	6	1	1	4	6	7	7	7
50-64	361	6.9	37	1	2	5	9	14	18	32
65+	1174	7.3	31	2	2	6	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	11.2	178	2	2	6	9	35	38	38
50-64	165	8.8	97	1	2	6	10	17	26	57
65+	999	11.7	134	2	2	8	15	25	38	73
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	14.9	163	5	6	10	18	37	43	43
50-64	680	10.7	106	2	3	8	13	22	27	74
65+	4147	12.3	104	3	4	10	15	24	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	5.5	16	1	1	5	7	10	16	19
B. *Operated*	1542	7.2	33	2	2	6	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	1170	11.3	130	2	2	8	14	24	35	70
B. *Operated*	4835	12.1	105	2	4	9	15	24	31	64
1. SINGLE DX	1613	7.1	32	1	2	6	9	14	17	28
2. MULTIPLE DX	6005	12.0	110	2	3	9	15	24	32	65
A. NOT OPERATED	1241	11.0	125	2	2	8	14	23	34	69
B. OPERATED	6377	10.9	92	2	3	8	14	22	28	57
TOTAL 0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	1	14.0		14	14	14	14	14	14	14
35-49	18	11.3	138	1	3	7	11	34	41	43
50-64	1220	9.3	86	2	2	7	11	19	25	48
65+	6377	11.2	99	2	3	9	14	22	30	60
GRAND TOTAL	**7618**	**10.9**	**97**	**2**	**3**	**8**	**14**	**22**	**29**	**59**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.7	12	1	1	2	5	9	12	12
35-49	7	8.0	57	4	4	5	7	21	25	25
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	17	6.1	32	1	2	4	7	16	20	22
20-34	148	5.5	15	2	2	4	7	11	14	18
35-49	55	4.9	17	2	2	4	6	8	10	24
50-64	26	6.8	36	1	1	4	9	17	19	24
65+	8	5.1	3	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	32	5	5	8	14	16	16	16
20-34	35	5.8	15	1	2	5	8	10	15	19
35-49	24	6.3	11	2	2	6	7	10	12	17
50-64	10	9.1	257	1	1	4	8	31	54	54
65+	8	9.1	145	2	2	5	20	75	99+	99+
B. *Operated*										
0-19 YRS	10	9.9	79	2	2	6	14	25	26	26
20-34	74	9.3	60	1	2	8	12	19	28	86
35-49	26	8.8	39	2	2	7	11	17	22	28
50-64	25	8.7	30	1	2	7	13	17	18	19
65+	41	7.5	26	2	2	6	9	16	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.0	28	1	1	4	6	9	18	25
B. *Operated*	254	5.6	18	2	2	4	7	10	16	22
2. MULTIPLE DX										
A. *Not Operated*	80	6.8	55	1	2	5	8	13	18	86
B. *Operated*	176	8.7	45	2	2	7	12	18	22	40
1. SINGLE DX	275	5.5	19	1	2	4	6	10	16	23
2. MULTIPLE DX	256	8.1	49	1	2	6	10	17	21	53
A. NOT OPERATED	101	6.5	49	1	2	5	7	11	18	76
B. OPERATED	430	6.9	32	2	2	5	9	15	18	28
TOTAL 0-19 YRS	30	7.7	48	2	2	5	8	19	25	26
20-34	267	6.6	30	1	2	5	8	14	18	31
35-49	112	6.3	25	2	2	5	7	11	17	26
50-64	64	7.8	64	1	1	5	10	17	18	50
65+	58	7.3	38	2	2	6	9	17	19	94
GRAND TOTAL	**531**	**6.8**	**35**	**1**	**2**	**5**	**8**	**15**	**18**	**32**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	2.8	2	2	2	2	3	5	5	5
50-64	21	3.9	17	<1	<1	2	4	10	14	17
65+	34	6.6	28	1	2	5	8	12	17	27
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	24	4.2	18	1	1	3	4	10	16	17
35-49	168	4.0	16	1	1	3	5	7	10	26
50-64	907	4.8	29	1	1	3	5	9	15	27
65+	1769	5.3	31	1	2	4	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.4	52	1	1	11	15	18	18	18
20-34	1	6.0		6	6	6	6	6	6	6
35-49	21	5.2	43	1	2	2	5	16	23	25
50-64	99	7.9	75	<1	1	5	11	19	28	76
65+	346	10.0	130	1	1	7	13	22	27	65
B. *Operated*										
0-19 YRS	4	17.3	117	7	7	15	25	32	32	32
20-34	18	7.9	73	2	2	4	7	25	26	26
35-49	98	7.3	81	1	2	4	8	21	27	47
50-64	1016	7.5	71	1	2	5	9	16	23	43
65+	3737	10.1	127	2	2	6	12	23	32	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	5.3	24	<1	1	4	7	11	16	26
B. *Operated*	2870	5.0	29	1	2	4	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	472	9.4	114	1	1	6	12	21	27	62
B. *Operated*	4873	9.5	115	2	2	6	11	21	30	61
1. SINGLE DX	2930	5.1	29	1	2	4	6	10	14	25
2. MULTIPLE DX	5345	9.5	115	2	2	6	12	21	30	61
A. NOT OPERATED	532	8.9	106	1	1	6	12	20	26	54
B. OPERATED	7743	7.9	88	1	2	5	9	17	25	51
TOTAL 0-19 YRS	11	10.8	91	<1	1	11	17	24	31	32
20-34	43	5.8	43	1	2	3	6	16	25	26
35-49	292	5.2	42	1	1	3	5	10	20	36
50-64	2043	6.3	53	1	2	4	7	14	19	39
65+	5886	8.6	102	2	2	5	10	19	27	56
GRAND TOTAL	**8275**	**7.9**	**89**	**1**	**2**	**5**	**9**	**17**	**25**	**52**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	5	<1	<1	1	3	6	7	7
20-34	1	8.0		8	8	8	8	8	8	8
35-49	5	5.0	34	1	1	2	7	15	15	15
50-64	6	5.0	11	2	2	4	9	9	9	9
65+	11	9.1	97	2	2	7	10	22	36	37
B. *Operated*										
0-19 YRS	13	10.5	25	2	5	10	14	17	19	19
20-34	9	12.0	10	8	8	12	15	16	17	17
35-49	55	12.4	34	2	6	11	16	19	22	30
50-64	127	12.1	32	3	7	11	16	19	22	29
65+	129	13.0	43	2	4	13	16	21	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.0	31	1	1	5	8	15	17	17
20-34	1	1.0		1	1	1	1	1	1	1
35-49	29	7.4	59	1	1	4	10	16	21	37
50-64	103	8.8	86	1	2	5	12	21	28	44
65+	168	11.4	107	1	2	8	15	25	35	51
B. *Operated*										
0-19 YRS	6	19.3	198	7	7	14	31	41	42	42
20-34	11	14.0	61	2	5	14	16	26	31	31
35-49	63	16.0	89	4	6	13	20	29	33	47
50-64	361	16.3	128	4	6	14	19	28	41	65
65+	642	17.8	149	3	6	15	23	32	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.9	47	<1	1	4	8	11	15	37
B. *Operated*	333	12.4	35	2	6	11	16	19	24	31
2. MULTIPLE DX										
A. *Not Operated*	309	10.0	95	1	2	6	14	23	30	44
B. *Operated*	1083	17.2	138	3	6	15	21	31	42	82
1. SINGLE DX	364	11.9	40	2	3	11	15	19	24	34
2. MULTIPLE DX	1392	15.6	137	2	3	13	20	30	39	71
A. NOT OPERATED	340	9.6	92	1	2	6	13	22	29	44
B. OPERATED	1416	16.1	118	3	6	14	20	29	37	71
TOTAL 0-19 YRS	35	9.1	77	<1	1	7	13	17	28	42
20-34	22	12.3	42	2	6	12	15	19	26	31
35-49	152	12.7	72	2	2	11	17	23	29	45
50-64	597	14.0	108	2	3	12	18	26	33	60
65+	950	15.9	134	2	4	14	21	29	38	81
GRAND TOTAL	**1756**	**14.8**	**119**	**2**	**3**	**13**	**19**	**27**	**36**	**66**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	11	2.5	3	1	1	2	3	5	6	6
20-34	4	6.3	35	2	2	4	10	15	15	15
35-49	4	3.5	3	2	2	3	5	6	6	6
50-64	10	3.7	8	<1	<1	2	7	8	9	9
65+	16	4.2	7	2	2	3	5	7	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	21	1	1	3	4	12	16	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	8.3	44	4	4	5	13	16	16	16
65+	9	14.9	197	2	2	8	21	38	45	45
B. *Operated*										
0-19 YRS	3	5.3	9	2	2	6	7	8	8	8
20-34	1	27.0		27	27	27	27	27	27	27
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	10	4.7	17	2	2	3	4	11	16	16
65+	21	11.4	108	3	3	7	15	30	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.3	5	1	1	2	2	6	8	8
B. *Operated*	45	3.8	8	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	22	9.0	115	1	2	5	15	22	35	45
B. *Operated*	38	9.0	84	2	3	5	14	26	31	35
1. SINGLE DX	54	3.5	8	1	1	3	4	7	9	15
2. MULTIPLE DX	60	9.0	93	2	2	5	14	25	31	44
A. NOT OPERATED	31	7.1	91	1	1	3	8	17	28	45
B. OPERATED	83	6.2	49	1	2	4	7	15	25	35
TOTAL 0-19 YRS	29	3.1	10	1	1	2	4	6	8	16
20-34	6	8.8	105	1	1	4	15	26	27	27
35-49	8	3.3	3	1	1	3	4	6	6	6
50-64	24	4.9	16	1	2	4	6	10	16	16
65+	47	9.4	102	2	2	5	13	26	34	45
GRAND TOTAL	**114**	**6.4**	**60**	**1**	**1**	**3**	**7**	**16**	**26**	**39**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.2	21	<1	<1	1	2	9	15	17
20-34	16	5.4	12	<1	1	6	7	9	12	14
35-49	31	9.8	71	2	2	7	13	25	28	31
50-64	36	10.3	85	1	3	7	11	30	33	38
65+	35	9.7	75	2	2	5	13	19	29	39
B. *Operated*										
0-19 YRS	42	10.5	57	2	2	10	13	16	19	49
20-34	54	15.1	92	6	7	12	18	25	29	57
35-49	73	14.8	117	4	6	12	19	25	36	58
50-64	72	19.2	228	4	7	15	21	38	62	69
65+	55	19.7	149	6	7	17	27	34	42	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.8	5	<1	<1	2	3	7	9	9
20-34	21	10.8	120	2	2	7	11	29	39	44
35-49	56	11.9	152	2	2	8	19	34	58	99+
50-64	107	15.0	261	2	3	9	21	38	51	92
65+	129	18.5	244	2	4	13	27	45	56	99+
B. *Operated*										
0-19 YRS	73	21.0	288	3	5	18	28	60	92	99+
20-34	46	22.5	364	6	8	16	24	60	68	99+
35-49	69	24.7	336	7	8	19	32	64	78	99+
50-64	119	26.3	415	6	9	21	32	66	83	99+
65+	135	33.0	513	9	12	25	42	72	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	8.6	67	1	1	6	11	19	30	38
B. *Operated*	296	16.2	145	4	7	13	20	29	42	64
2. MULTIPLE DX										
A. *Not Operated*	331	14.9	227	2	2	9	21	39	51	99+
B. *Operated*	442	26.8	423	6	8	21	34	68	79	99+
1. SINGLE DX	429	13.9	133	2	3	11	17	28	36	62
2. MULTIPLE DX	773	21.7	374	2	4	16	30	58	75	99+
A. NOT OPERATED	464	13.1	189	1	2	8	17	35	46	99+
B. OPERATED	738	22.6	338	5	7	17	28	57	72	99+
TOTAL 0-19 YRS	148	14.0	215	1	2	10	19	35	60	99+
20-34	137	15.8	207	3	4	11	19	29	56	89
35-49	229	16.4	216	2	4	13	22	35	61	99+
50-64	334	19.5	320	3	4	14	26	44	68	99+
65+	354	23.4	378	3	5	18	32	57	72	99+
GRAND TOTAL	**1202**	**18.9**	**302**	**2**	**4**	**14**	**25**	**44**	**66**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+	2	21.0	578	4	4	21	38	38	38	38
B. Operated										
0-19 YRS	13	12.6	64	2	4	10	17	26	28	29
20-34	6	18.8	299	6	6	12	19	50	53	53
35-49	5	4.6	19	1	1	3	7	12	12	12
50-64	7	15.4	53	7	7	14	21	25	26	26
65+	8	18.3	284	2	2	16	26	45	52	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.0	90	<1	<1	2	6	23	25	25
20-34	2	16.5	365	3	3	16	30	30	30	30
35-49	5	4.2	8	1	1	4	7	7	7	7
50-64	6	15.2	235	2	2	11	15	42	45	45
65+	6	19.8	272	5	6	16	18	49	52	52
B. Operated										
0-19 YRS	31	19.3	193	3	3	15	25	43	47	52
20-34	10	42.6	737	5	11	41	66	74	82	82
35-49	9	32.6	440	2	3	38	47	57	63	63
50-64	10	38.2	783	7	9	40	74	86	90	99+
65+	17	34.1	718	6	9	33	66	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	13.8	263	1	1	8	25	38	38	38
B. Operated	39	14.2	142	2	2	11	19	28	42	53
2. MULTIPLE DX										
A. Not Operated	25	12.0	182	<1	1	7	16	30	47	52
B. Operated	77	29.6	534	3	5	21	47	73	86	99+
1. SINGLE DX	43	14.2	149	2	2	11	19	29	43	53
2. MULTIPLE DX	102	25.3	503	2	3	17	44	67	80	99+
A. NOT OPERATED	29	12.2	187	1	1	7	16	35	45	52
B. OPERATED	116	24.4	453	3	4	17	38	65	78	99+
TOTAL 0-19 YRS	51	15.7	166	1	2	13	20	38	46	52
20-34	18	31.8	655	4	5	22	57	67	76	82
35-49	20	17.5	390	1	1	7	37	47	55	63
50-64	23	25.3	523	5	7	17	42	74	83	99+
65+	33	26.8	539	3	4	18	46	79	98	99+
GRAND TOTAL	**145**	**22.0**	**422**	**2**	**3**	**15**	**35**	**56**	**74**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	6.8	127	<1	<1	3	6	23	38	38
20-34	6	3.2	3	1	1	3	5	5	5	5
35-49	7	5.4	26	2	2	3	8	14	15	15
50-64	8	3.1	3	2	2	3	4	6	7	7
65+	5	12.6	207	2	2	4	22	36	36	36
B. Operated										
0-19 YRS	15	8.7	49	4	4	5	13	22	23	24
20-34	62	4.8	6	3	3	4	5	6	8	16
35-49	65	4.5	3	2	3	4	5	7	8	12
50-64	57	6.7	39	2	3	5	6	13	17	36
65+	27	9.3	87	3	3	5	10	26	34	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	6.6	53	<1	1	4	7	18	24	28
20-34	9	5.0	27	1	1	3	6	13	18	18
35-49	17	7.0	50	2	2	4	7	16	25	30
50-64	22	11.1	204	1	2	6	12	31	47	58
65+	49	13.1	222	1	2	7	15	43	57	99+
B. Operated										
0-19 YRS	31	15.1	375	3	3	7	15	42	65	83
20-34	83	7.7	106	2	3	6	8	12	19	69
35-49	69	8.6	50	4	4	6	9	15	25	44
50-64	107	9.0	81	3	4	6	10	17	21	55
65+	83	13.5	253	3	3	9	15	26	52	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	5.9	71	1	1	3	5	14	30	38
B. Operated	226	6.0	28	3	3	4	6	10	16	34
2. MULTIPLE DX										
A. Not Operated	115	10.2	157	1	2	6	12	28	47	74
B. Operated	373	10.2	148	3	4	6	11	19	28	68
1. SINGLE DX	262	6.0	34	2	3	4	6	10	16	36
2. MULTIPLE DX	488	10.2	150	2	3	6	11	20	32	67
A. NOT OPERATED	151	9.1	139	1	2	4	11	25	38	60
B. OPERATED	599	8.6	107	3	3	5	9	16	24	67
TOTAL 0-19 YRS	74	10.6	207	1	2	5	11	26	37	79
20-34	160	6.3	61	2	3	5	6	10	16	26
35-49	158	6.6	33	2	3	5	7	11	15	31
50-64	194	8.3	81	2	3	5	9	16	24	52
65+	164	12.6	214	2	3	6	15	33	50	99
GRAND TOTAL	**750**	**8.7**	**113**	**2**	**3**	**5**	**9**	**17**	**28**	**65**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	3	1	1	3	4	6	6	6
20-34	5	4.4	24	<1	<1	3	6	13	13	13
35-49	32	7.8	75	1	1	5	12	18	23	42
50-64	87	7.5	64	1	1	5	8	19	24	39
65+	136	10.7	144	1	2	6	12	26	37	60
B. *Operated*										
0-19 YRS	10	6.0	19	2	2	5	9	12	14	14
20-34	19	7.1	22	1	1	8	11	13	15	16
35-49	59	7.7	69	1	2	4	9	16	26	45
50-64	177	7.9	58	1	1	5	11	17	24	39
65+	223	8.6	82	<1	1	5	12	19	24	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	7.1	82	<1	1	4	9	14	32	43
20-34	155	8.5	90	1	2	5	10	18	26	57
35-49	732	8.9	65	1	2	6	12	20	27	42
50-64	2677	10.5	102	1	2	7	14	23	30	54
65+	4289	12.2	131	2	3	9	16	25	34	63
B. *Operated*										
0-19 YRS	45	11.1	73	1	3	9	14	24	28	40
20-34	166	13.5	142	2	3	10	17	29	36	65
35-49	740	13.3	171	2	2	10	17	27	42	76
50-64	2516	15.3	185	2	3	11	20	32	45	74
65+	3553	16.9	224	2	3	13	22	37	50	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	9.0	106	1	1	5	11	22	34	47
B. *Operated*	488	8.1	68	1	1	5	11	18	24	43
2. MULTIPLE DX										
A. *Not Operated*	7887	11.3	115	2	2	8	15	24	32	58
B. *Operated*	7020	15.8	203	2	3	12	21	34	47	79
1. SINGLE DX	755	8.4	81	1	1	5	11	19	26	44
2. MULTIPLE DX	14907	13.4	162	2	3	10	18	29	39	71
A. NOT OPERATED	8154	11.2	115	2	2	8	15	24	32	58
B. OPERATED	7508	15.3	198	2	3	11	20	33	46	78
TOTAL 0-19 YRS	96	8.6	71	1	2	6	10	19	25	42
20-34	345	10.8	117	1	2	8	13	25	32	58
35-49	1563	10.9	121	1	2	8	14	23	32	59
50-64	5457	12.6	145	2	2	9	17	27	37	63
65+	8201	14.1	176	2	3	10	18	30	42	77
GRAND TOTAL	**15662**	**13.2**	**159**	**2**	**2**	**9**	**17**	**28**	**39**	**70**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.5	1	<1	<1	1	2	3	4	4
20-34	42	5.3	28	1	1	4	8	10	14	30
35-49	21	3.7	14	<1	1	2	5	9	12	15
50-64	21	7.9	51	1	1	5	12	15	22	31
65+	8	8.5	61	2	2	4	16	20	21	21
B. *Operated*										
0-19 YRS	82	6.9	26	1	2	6	8	15	19	24
20-34	210	5.8	18	1	1	5	8	10	14	22
35-49	93	7.3	46	1	2	5	9	18	23	31
50-64	53	9.2	145	1	2	7	12	17	18	74
65+	34	13.2	162	1	2	9	20	33	41	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.5	50	<1	<1	2	7	15	23	28
20-34	74	7.2	65	1	1	4	9	15	25	39
35-49	31	6.4	32	1	1	5	8	15	18	26
50-64	67	6.9	56	1	1	4	9	17	25	35
65+	56	13.0	126	1	2	9	18	29	31	51
B. *Operated*										
0-19 YRS	35	13.1	268	2	3	8	13	28	58	77
20-34	119	12.7	121	2	3	9	16	26	31	57
35-49	64	14.0	72	2	3	13	21	25	29	35
50-64	95	17.3	176	1	2	15	22	34	47	64
65+	84	18.8	164	3	5	16	24	36	47	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.0	31	<1	1	3	7	13	16	30
B. *Operated*	472	7.2	53	1	2	6	9	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	248	8.2	77	1	1	6	11	20	28	41
B. *Operated*	397	15.3	153	2	4	12	20	29	42	61
1. SINGLE DX	585	6.8	49	1	1	5	9	15	19	33
2. MULTIPLE DX	645	12.6	136	1	2	9	17	27	34	54
A. NOT OPERATED	361	7.2	65	1	1	4	9	17	25	36
B. OPERATED	869	10.9	115	1	2	8	14	24	32	53
TOTAL 0-19 YRS	158	7.4	90	<1	1	5	9	15	21	64
20-34	445	7.9	63	1	2	6	10	16	23	42
35-49	209	8.8	61	1	2	7	13	22	24	33
50-64	236	11.7	145	1	1	8	16	25	35	59
65+	182	15.5	156	2	2	13	21	33	46	52
GRAND TOTAL	**1230**	**9.8**	**103**	**1**	**1**	**7**	**13**	**22**	**29**	**50**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.3	39	<1	<1	1	2	8	16	38
20-34	10	7.1	130	1	1	2	10	24	38	38
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	9	3.7	6	1	1	3	5	7	8	8
65+	30	7.3	59	1	1	5	9	18	26	34
B. *Operated*										
0-19 YRS	67	6.5	65	<1	<1	2	10	18	26	33
20-34	18	15.4	272	<1	<1	11	22	32	52	65
35-49	6	17.8	247	2	2	12	32	41	42	42
50-64	9	6.6	54	1	1	4	7	19	25	25
65+	22	14.8	271	3	4	10	14	33	51	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	6.9	63	<1	1	4	11	15	24	40
20-34	12	8.3	32	1	2	8	12	17	18	18
35-49	13	9.5	291	<1	1	4	9	23	57	65
50-64	83	8.6	72	1	2	6	12	18	22	50
65+	289	10.8	122	1	2	8	14	24	32	53
B. *Operated*										
0-19 YRS	81	17.4	230	1	2	13	25	38	49	67
20-34	19	26.2	212	5	5	32	39	46	73	99+
35-49	19	23.1	550	1	3	12	37	62	77	77
50-64	63	19.9	324	2	3	13	30	49	58	73
65+	182	18.2	235	3	4	14	25	40	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	4.4	49	<1	<1	2	5	10	18	38
B. *Operated*	122	9.9	153	<1	1	5	13	27	33	68
2. MULTIPLE DX										
A. *Not Operated*	491	9.6	106	1	1	7	13	21	29	53
B. *Operated*	364	19.0	266	2	4	14	27	42	57	97
1. SINGLE DX	261	7.0	105	<1	<1	2	9	19	30	42
2. MULTIPLE DX	855	13.6	195	1	2	9	17	33	43	76
A. NOT OPERATED	630	8.5	98	<1	1	5	12	19	27	46
B. OPERATED	486	16.7	253	1	2	12	24	39	55	81
TOTAL 0-19 YRS	330	8.4	125	<1	<1	3	11	24	33	51
20-34	59	16.0	232	<1	1	11	28	39	46	96
35-49	40	16.9	422	1	2	7	27	41	71	77
50-64	164	12.5	198	1	2	8	15	31	48	64
65+	523	13.3	177	2	2	10	17	30	40	78
GRAND TOTAL	1116	12.0	182	<1	1	8	15	31	40	73

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.9	7	<1	<1	2	5	5	10	12
20-34	30	7.9	129	<1	1	3	7	29	38	40
35-49	29	5.8	15	<1	1	5	7	12	14	15
50-64	42	7.8	84	<1	<1	5	10	15	35	39
65+	94	5.2	35	1	1	3	7	12	19	29
B. *Operated*										
0-19 YRS	15	15.5	219	2	2	9	31	36	37	37
20-34	17	10.9	109	1	2	8	14	28	36	39
35-49	26	17.0	211	<1	1	12	30	39	43	45
50-64	24	16.1	167	2	2	12	27	35	37	41
65+	33	11.5	92	1	2	7	16	29	31	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.8	53	<1	<1	2	5	11	17	45
20-34	35	8.0	113	<1	<1	4	9	21	37	44
35-49	44	10.1	140	1	2	6	10	29	38	57
50-64	157	7.8	90	1	1	5	10	16	23	52
65+	325	8.2	97	<1	1	5	10	18	26	57
B. *Operated*										
0-19 YRS	27	31.6	345	4	5	34	50	54	71	99+
20-34	54	26.4	405	3	4	26	36	50	81	99+
35-49	59	27.6	446	3	4	26	39	56	62	97
50-64	120	28.0	420	3	5	27	42	57	72	99+
65+	264	22.1	370	3	4	15	32	55	66	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	5.8	51	<1	1	4	7	13	19	38
B. *Operated*	115	14.1	154	1	2	9	23	35	37	43
2. MULTIPLE DX										
A. *Not Operated*	612	7.9	96	<1	1	5	10	17	27	54
B. *Operated*	524	25.0	399	3	4	21	38	55	67	99+
1. SINGLE DX	344	8.6	101	<1	1	5	11	26	35	40
2. MULTIPLE DX	1136	15.8	308	1	1	9	23	42	55	87
A. NOT OPERATED	841	7.3	85	<1	1	4	9	16	25	45
B. OPERATED	639	23.0	372	2	4	17	35	52	63	98
TOTAL 0-19 YRS	127	11.3	245	<1	<1	4	12	38	52	75
20-34	136	15.6	306	1	1	9	27	40	48	97
35-49	156	17.0	318	1	2	9	28	40	53	88
50-64	343	15.4	298	1	1	9	21	41	52	85
65+	716	13.1	238	1	1	7	16	34	50	76
GRAND TOTAL	1480	14.1	269	1	1	7	19	39	51	80

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.7	8	<1	<1	1	4	5	7	15
20-34	31	4.6	14	1	1	3	6	10	13	15
35-49	68	5.1	42	<1	<1	4	7	13	16	39
50-64	138	7.2	92	<1	1	4	8	17	22	47
65+	163	8.8	116	1	1	6	9	18	30	55
B. *Operated*										
0-19 YRS	27	6.8	35	<1	<1	6	10	11	22	25
20-34	60	10.8	104	2	3	9	12	19	25	59
35-49	126	10.3	170	1	2	7	11	20	29	74
50-64	306	9.2	80	1	2	7	12	20	28	46
65+	293	10.8	96	2	2	8	14	26	34	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	6.5	94	<1	1	4	7	14	20	59
20-34	47	6.0	20	1	1	5	7	14	15	17
35-49	125	7.8	86	1	1	5	9	16	24	50
50-64	557	9.8	126	1	1	6	13	22	29	66
65+	1028	11.8	157	1	2	8	16	28	37	69
B. *Operated*										
0-19 YRS	25	15.8	200	4	5	11	19	30	49	65
20-34	61	18.6	312	3	5	13	22	38	60	85
35-49	146	16.2	203	2	2	12	22	36	48	66
50-64	548	17.4	247	2	3	13	22	39	48	86
65+	1066	19.1	275	3	4	14	26	44	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	7.1	84	<1	1	5	8	15	22	51
B. *Operated*	812	10.0	101	1	2	7	12	21	29	51
2. MULTIPLE DX										
A. *Not Operated*	1798	10.6	140	1	1	7	14	25	34	65
B *Operated*	1846	18.3	262	2	4	13	24	41	55	91
1. SINGLE DX	1242	9.0	97	1	1	6	11	20	28	51
2. MULTIPLE DX	3644	14.5	216	1	2	10	19	34	46	85
A. NOT OPERATED	2228	9.9	131	1	1	6	13	23	33	62
B. OPERATED	2658	15.7	227	2	3	11	20	36	50	85
TOTAL 0-19 YRS	123	7.6	100	<1	1	4	10	18	23	61
20-34	199	11.1	162	1	2	8	13	22	32	76
35-49	465	10.8	154	1	1	7	13	24	37	65
50-64	1549	12.1	172	1	2	8	15	28	40	66
65+	2550	14.5	212	1	2	10	19	34	47	87
GRAND TOTAL	**4886**	**13.1**	**192**	**1**	**2**	**9**	**17**	**31**	**43**	**77**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	64	3.7	9	<1	<1	3	5	8	9	12
20-34	110	3.6	12	1	1	3	4	5	7	24
35-49	170	3.6	3	1	2	3	5	6	7	9
50-64	210	3.6	3	1	2	3	4	6	7	10
65+	160	4.1	6	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	3.0	5	1	1	3	5	5	5	5
65+	3	3.3		3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	14	5.5	18	<1	1	4	1	11	12	12
20-34	31	4.0	3	2	2	4	5	6	7	7
35-49	50	4.7	9	<1	2	4	5	7	9	20
50-64	134	4.3	8	1	2	4	5	8	10	18
65+	170	6.0	33	2	2	5	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	1	1	1	2	2	3	3	3
B. *Operated*	714	3.7	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	10	2.8	2	1	1	3	4	5	5	5
B. *Operated*	399	5.1	19	1	2	4	6	9	12	19
1. SINGLE DX	719	3.7	6	1	1	3	5	6	8	12
2. MULTIPLE DX	409	5.0	19	1	2	4	6	9	12	18
A. NOT OPERATED	15	2.5	2	1	1	2	3	5	5	5
B. OPERATED	1113	4.2	11	1	2	4	5	7	9	15
TOTAL 0-19 YRS	81	3.9	10	<1	<1	3	6	9	11	12
20-34	141	3.7	10	1	1	3	4	6	7	20
35-49	223	3.8	5	1	2	4	5	6	7	11
50-64	349	3.8	5	1	2	3	5	7	8	12
65+	334	5.0	21	1	2	4	6	9	13	16
GRAND TOTAL	**1128**	**4.2**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	18	<1	<1	3	5	8	15	18
20-34	7	2.0	1	<1	<1	2	3	4	4	4
35-49	32	2.2	3	<1	<1	2	3	4	6	9
50-64	60	1.9	4	<1	<1	1	2	3	5	14
65+	90	2.5	8	<1	<1	2	2	6	8	16
B. *Operated*										
0-19 YRS	36	4.0	26	<1	1	2	4	12	15	26
20-34	57	6.1	33	<1	<1	4	10	13	17	25
35-49	180	2.8	11	<1	<1	2	2	7	11	17
50-64	549	3.0	16	<1	<1	2	2	8	11	20
65+	692	3.2	14	<1	1	2	3	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	4	<1	<1	2	4	6	6	6
20-34	20	5.2	32	<1	<1	3	6	14	18	21
35-49	31	4.4	29	<1	<1	3	5	8	20	25
50-64	117	3.9	24	<1	<1	2	5	9	12	29
65+	306	5.9	35	1	1	4	8	13	16	30
B. *Operated*										
0-19 YRS	28	7.7	43	1	1	6	12	17	19	25
20-34	60	7.7	58	1	1	6	10	16	24	40
35-49	217	5.7	36	<1	1	3	8	14	17	26
50-64	941	5.8	44	1	1	3	9	14	18	36
65+	1940	7.9	83	1	1	4	11	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	2.4	7	<1	<1	1	2	5	7	16
B. *Operated*	1514	3.2	16	<1	<1	2	3	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	484	5.3	32	<1	1	3	7	12	16	29
B. *Operated*	3186	7.1	68	1	1	4	10	16	22	38
1. SINGLE DX	1719	3.1	15	<1	<1	2	3	8	11	20
2. MULTIPLE DX	3670	6.9	64	1	1	4	10	16	21	37
A. NOT OPERATED	689	4.4	26	<1	<1	2	6	10	14	25
B. OPERATED	4700	5.9	55	<1	1	3	8	14	19	35
TOTAL 0-19 YRS	90	5.0	30	<1	1	3	6	13	17	26
20-34	144	6.5	43	<1	1	4	10	14	20	29
35-49	460	4.2	25	<1	<1	2	5	11	15	21
50-64	1667	4.6	34	<1	1	2	6	12	15	27
65+	3028	6.4	64	<1	1	3	9	15	22	36
GRAND TOTAL	**5389**	**5.7**	**51**	**<1**	**1**	**3**	**8**	**14**	**18**	**34**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	5.7	20	<1	<1	6	9	10	10	10
50-64	3	2.0		2	2	2	2	2	2	2
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	90	2.5	2	1	2	2	2	4	6	10
20-34	47	2.4	5	<1	<1	2	2	7	8	10
35-49	72	3.5	11	<1	1	2	4	8	10	15
50-64	71	4.3	21	<1	1	2	6	9	13	26
65+	46	5.2	34	1	1	2	7	14	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49										
50-64	3	6.7	22	3	3	5	10	12	12	12
65+	8	6.3	16	2	2	5	9	12	13	13
B. *Operated*										
0-19 YRS	16	3.4	7	1	2	2	4	7	10	11
20-34	16	7.1	38	<1	1	5	12	17	18	18
35-49	33	6.2	49	<1	1	3	9	11	20	36
50-64	82	7.1	41	<1	1	5	11	17	20	25
65+	84	10.8	166	2	2	6	14	23	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.5	19	<1	<1	2	3	11	14	15
B. *Operated*	326	3.5	14	<1	1	2	3	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	14	5.3	17	1	1	4	7	12	13	13
B. *Operated*	231	8.1	89	1	2	5	11	18	23	52
1. SINGLE DX	339	3.5	14	<1	1	2	3	8	11	19
2. MULTIPLE DX	245	7.9	85	1	2	5	11	18	23	51
A. NOT OPERATED	27	4.4	18	<1	<1	2	6	12	13	15
B. OPERATED	557	5.4	50	<1	1	2	7	13	18	35
TOTAL 0-19 YRS	114	2.6	3	1	1	2	2	4	6	11
20-34	64	3.6	17	<1	<1	2	4	9	14	18
35-49	108	4.4	24	<1	1	2	6	10	12	27
50-64	159	5.8	33	<1	1	3	8	14	18	26
65+	139	8.7	119	1	2	5	11	20	27	59
GRAND TOTAL	**584**	**5.3**	**49**	**<1**	**1**	**2**	**7**	**13**	**18**	**33**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	6	<1	<1	2	5	7	7	7
20-34	4	3.5	6	2	2	3	5	7	7	7
35-49	7	2.3	2	<1	<1	3	3	4	4	4
50-64	7	3.9	9	<1	<1	3	7	8	8	8
65+	5	2.8	9	1	1	2	4	8	8	8
B. *Operated*										
0-19 YRS	628	3.0	4	<1	1	3	4	5	6	10
20-34	667	2.7	6	<1	<1	2	3	5	7	13
35-49	913	2.5	4	<1	<1	2	3	4	6	12
50-64	791	2.7	7	<1	<1	2	3	4	7	14
65+	342	3.1	10	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	24	<1	<1	1	2	5	16	21
20-34	12	2.7	5	<1	<1	2	4	6	7	7
35-49	17	4.5	28	<1	<1	2	5	13	18	20
50-64	11	3.0	6	<1	<1	2	4	7	9	9
65+	36	7.6	44	<1	1	6	11	14	20	33
B. *Operated*										
0-19 YRS	110	5.4	57	1	1	3	6	11	18	41
20-34	211	4.1	25	<1	1	3	5	9	11	18
35-49	352	4.1	27	<1	1	2	4	8	13	25
50-64	570	4.3	19	<1	1	3	5	9	14	22
65+	426	6.8	67	1	1	4	7	16	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.1	6	<1	<1	2	5	7	8	8
B. *Operated*	3341	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	93	5.0	32	<1	<1	3	7	12	14	29
B. *Operated*	1669	4.9	37	<1	1	3	5	10	16	33
1. SINGLE DX	3372	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	1762	4.9	37	<1	1	3	5	11	16	33
A. NOT OPERATED	124	4.5	26	<1	<1	2	6	11	13	26
B. OPERATED	5010	3.5	17	<1	<1	2	4	6	10	23
TOTAL 0-19 YRS	763	3.3	12	<1	1	3	4	6	8	18
20-34	894	3.0	11	<1	<1	2	3	6	8	14
35-49	1289	2.9	11	<1	<1	2	3	5	8	18
50-64	1379	3.4	12	<1	<1	2	4	6	10	19
65+	809	5.3	45	<1	1	3	6	11	19	36
GRAND TOTAL	**5134**	**3.5**	**18**	**<1**	**<1**	**2**	**4**	**7**	**10**	**23**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	3	<1	<1	2	3	5	6	7
20-34	6	7.2	40	<1	<1	5	14	16	16	16
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	3.8	7	1	1	4	5	8	8	8
65+	5	10.6	55	3	3	11	14	22	22	22
B. *Operated*										
0-19 YRS	707	2.4	6	<1	<1	1	2	5	8	14
20-34	298	2.6	6	<1	<1	2	3	5	8	13
35-49	214	2.4	5	<1	<1	2	3	5	7	12
50-64	206	2.6	5	<1	<1	2	3	5	6	13
65+	125	3.2	14	<1	<1	2	3	7	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.0	17	<1	<1	1	7	11	13	14
20-34	9	3.1	9	<1	<1	1	5	8	9	9
35-49	5	6.4	17	2	2	8	9	11	11	11
50-64	12	7.2	37	1	1	6	12	16	17	17
65+	24	8.5	38	2	2	8	11	16	22	26
B. *Operated*										
0-19 YRS	161	4.3	57	<1	<1	2	4	8	16	54
20-34	167	3.4	18	<1	<1	2	4	8	13	17
35-49	163	4.0	28	<1	<1	2	4	10	14	33
50-64	213	3.8	22	<1	<1	2	4	8	13	30
65+	200	7.2	75	<1	1	3	10	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.8	25	<1	<1	3	6	13	16	22
B. *Operated*	1550	2.5	7	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	77	5.9	29	<1	<1	5	9	14	15	24
B. *Operated*	904	4.6	42	<1	<1	2	5	11	17	34
1. SINGLE DX	1582	2.5	7	<1	<1	2	3	5	8	14
2. MULTIPLE DX	981	4.7	41	<1	<1	2	5	12	17	33
A. NOT OPERATED	109	5.6	28	<1	<1	3	8	14	15	24
B. OPERATED	2454	3.3	21	<1	<1	2	3	7	11	23
TOTAL 0-19 YRS	910	2.7	16	<1	<1	2	3	6	9	17
20-34	480	2.9	11	<1	<1	2	3	6	9	17
35-49	383	3.1	16	<1	<1	2	3	7	10	20
50-64	436	3.3	15	<1	<1	2	3	7	11	23
65+	354	5.9	55	<1	<1	3	7	16	22	34
GRAND TOTAL	**2563**	**3.4**	**21**	**<1**	**<1**	**2**	**3**	**8**	**12**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	299	1.9		<1	<1	2	2	3	3	4
20-34	754	1.9	1	<1	<1	2	2	3	3	4
35-49	501	1.9	1	<1	<1	2	2	3	3	5
50-64	215	2.2	1	<1	1	2	2	3	4	5
65+	96	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	39	2.1	1	<1	1	2	2	4	4	4
20-34	181	2.4	4	<1	1	2	3	4	5	14
35-49	295	2.5	2	<1	1	2	3	4	5	8
50-64	200	2.9	7	1	1	2	3	5	6	14
65+	163	5.4	97	2	2	3	5	9	15	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	1865	2.0	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	15	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	878	3.1	22	1	1	2	3	5	7	16
1. SINGLE DX	1867	2.0	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	893	3.1	22	<1	1	2	3	5	7	15
A. NOT OPERATED	17	1.5	1	<1	<1	1	2	3	4	5
B. OPERATED	2743	2.3	8	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	340	1.9		<1	<1	2	2	3	3	4
20-34	942	2.0	1	<1	<1	2	2	3	3	5
35-49	801	2.1	1	<1	<1	2	2	3	4	7
50-64	417	2.6	4	<1	1	2	3	4	5	10
65+	260	4.3	63	1	2	3	4	7	11	43
GRAND TOTAL	**2760**	**2.3**	**8**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	2.9	7	<1	<1	2	3	7	10	10
35-49	33	3.1	4	<1	1	3	4	6	8	9
50-64	12	4.2	8	<1	1	4	5	8	11	11
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	484	5.2	7	<1	1	6	7	8	9	10
35-49	1850	5.9	9	<1	1	7	8	9	9	13
50-64	378	5.4	11	<1	1	6	8	9	10	13
65+	25	6.6	30	2	2	6	8	10	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	55	4.0	10	<1	1	3	6	10	11	13
35-49	210	3.3	9	<1	<1	2	5	7	8	13
50-64	49	5.0	28	<1	1	3	6	13	14	28
65+	28	6.6	23	2	2	5	9	13	29	99+
B. *Operated*										
0-19 YRS	6	8.7	47	2	3	7	19	84	99+	99+
20-34	1194	5.9	16	1	1	6	8	9	12	16
35-49	8441	6.5	14	1	2	7	8	10	12	18
50-64	1982	6.5	17	1	1	7	8	10	13	21
65+	229	10.9	101	2	2	9	13	19	28	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.2	6	<1	<1	3	4	7	9	11
B. *Operated*	2739	5.7	9	<1	1	6	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	342	3.9	14	<1	1	3	6	8	11	24
B. *Operated*	11852	6.5	17	1	1	7	8	10	12	20
1. SINGLE DX	2809	5.6	9	<1	1	6	8	8	9	13
2. MULTIPLE DX	12194	6.4	17	1	1	7	8	10	12	20
A. NOT OPERATED	412	3.8	12	<1	1	3	5	8	10	19
B. OPERATED	14591	6.3	15	1	1	7	8	10	12	19
TOTAL 0-19 YRS	8	6.8	47	<1	<1	5	14	68	99+	99+
20-34	1757	5.6	13	<1	1	6	8	9	10	16
35-49	10534	6.3	13	1	1	7	8	10	11	17
50-64	2421	6.3	16	1	1	7	8	10	12	21
65+	283	10.0	90	2	2	8	11	19	26	79
GRAND TOTAL	**15003**	**6.3**	**16**	**1**	**1**	**7**	**8**	**10**	**12**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	23	2.9	5	<1	<1	2	5	7	8	8
35-49	29	3.4	12	<1	1	2	5	7	8	16
50-64	13	2.5	4	<1	1	2	2	7	7	7
65+	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	43.0		43	43	43	43	43	43	43
B. Operated										
0-19 YRS										
20-34	30	5.3	23	<1	<1	5	7	9	19	20
35-49	64	5.4	14	<1	1	6	7	9	12	19
50-64	48	6.6	50	1	2	5	8	13	16	45
65+	24	5.3	15	1	2	4	8	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	69	3.0	8	<1	1	2	4	7	7	16
2. MULTIPLE DX										
A. Not Operated	1	43.0		43	43	43	43	43	43	43
B. Operated	166	5.7	25	<1	1	6	8	10	14	21
1. SINGLE DX	69	3.0	8	<1	1	2	4	7	7	16
2. MULTIPLE DX	167	5.9	32	<1	1	6	8	10	14	35
A. NOT OPERATED	1	43.0		43	43	43	43	43	43	43
B. OPERATED	255	5.0	21	<1	1	3	7	9	13	20
TOTAL 0-19 YRS										
20-34	53	4.2	17	<1	<1	2	7	8	9	20
35-49	113	4.9	14	<1	1	5	7	9	12	19
50-64	61	5.7	43	1	2	4	7	12	15	42
65+	29	6.1	64	1	2	2	8	11	15	43
GRAND TOTAL	**256**	**5.1**	**27**	**<1**	**1**	**4**	**7**	**9**	**13**	**21**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	90	6.2	9	4	5	6	7	8	9	17
20-34	402	5.9	7	4	4	6	7	8	8	11
35-49	138	6.5	4	4	5	6	7	8	10	16
50-64	99	7.2	8	4	5	7	8	10	11	14
65+	51	9.1	16	5	5	8	10	15	18	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	4.0	18	<1	<1	2	7	10	10	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	88	5.3	4	4	4	6	7	8	9	16
20-34	425	6.1	3	4	4	6	7	8	9	12
35-49	368	7.3	7	4	5	7	8	10	12	17
50-64	272	9.2	30	5	6	8	10	14	16	26
65+	206	12.7	44	7	7	10	16	21	24	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.0	4	4	4	6	7	8	8	8
B. Operated	760	6.4	5	4	4	6	7	8	10	16
2. MULTIPLE DX										
A. Not Operated	6	4.8	13	<1	<1	4	6	10	10	10
B. Operated	1359	8.1	21	4	5	7	9	13	16	24
1. SINGLE DX	763	6.4	5	4	4	6	7	8	10	16
2. MULTIPLE DX	1365	8.0	21	4	5	7	9	13	16	24
A. NOT OPERATED	9	5.2	10	<1	<1	5	6	9	10	10
B. OPERATED	2139	7.5	16	4	5	7	8	11	15	22
TOTAL 0-19 YRS	178	6.2	5	4	4	6	7	8	9	17
20-34	834	6.0	3	4	4	6	7	8	9	11
35-49	507	7.1	6	4	5	7	8	10	11	17
50-64	371	8.6	24	5	6	8	9	13	16	23
65+	258	12.0	40	6	7	10	15	20	24	36
GRAND TOTAL	**2148**	**7.4**	**16**	**4**	**5**	**7**	**8**	**11**	**15**	**22**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.1	4	<1	<1	2	5	6	6	6
20-34	20	3.8	9	<1	<1	3	6	6	10	13
35-49	14	3.0	3	<1	1	2	4	6	7	7
50-64	17	2.6	4	<1	<1	2	3	7	8	8
65+	6	3.0	4	2	2	2	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	15	4.1	11	<1	1	3	6	7	12	14
35-49	35	5.0	12	<1	1	5	8	9	11	14
50-64	11	5.0	6	2	2	4	7	9	9	9
65+	13	5.7	25	<1	1	3	10	13	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	14	1	1	2	6	9	9	9
B. *Operated*	64	3.2	6	<1	<1	2	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	15	<1	<1	1	5	9	9	9
B. *Operated*	75	5.0	13	<1	1	4	7	10	12	16
1. SINGLE DX	68	3.2	6	<1	<1	2	5	6	7	12
2. MULTIPLE DX	79	4.9	13	<1	1	4	7	10	12	16
A. NOT OPERATED	8	3.4	13	<1	<1	2	6	9	9	9
B. OPERATED	139	4.1	10	<1	1	3	6	8	11	15
TOTAL 0-19 YRS	10	4.1	7	<1	<1	4	6	8	9	9
20-34	37	3.8	10	<1	1	3	6	7	11	14
35-49	51	4.4	10	<1	1	4	7	9	10	14
50-64	28	3.6	6	<1	<1	3	5	8	8	9
65+	21	4.5	19	<1	1	3	5	11	14	17
GRAND TOTAL	**147**	**4.1**	**10**	**<1**	**1**	**3**	**6**	**8**	**10**	**14**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	27	2.6	3	1	1	2	3	4	6	9
35-49	14	3.4	1	2	2	3	4	5	5	5
50-64	12	4.0	11	<1	1	3	5	10	11	11
65+	6	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	3.9	4	<1	1	4	4	7	8	8
35-49	12	1.8	1	<1	<1	1	3	3	3	3
50-64	15	4.2	7	1	1	3	6	8	9	9
65+	15	8.0	35	3	3	6	10	19	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	61	3.1	4	1	1	3	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	50	4.7	18	<1	<1	3	6	9	13	22
1. SINGLE DX	61	3.1	4	1	1	3	4	5	8	11
2. MULTIPLE DX	50	4.7	18	<1	<1	3	6	9	13	22
A. NOT OPERATED										
B. OPERATED	111	3.8	11	<1	1	3	4	8	10	20
TOTAL 0-19 YRS	3	3.7	14	<1	<1	2	6	8	8	8
20-34	34	2.9	3	<1	1	2	3	5	8	9
35-49	26	2.7	2	<1	<1	3	4	4	5	5
50-64	27	4.1	9	1	1	3	6	9	10	11
65+	21	6.4	31	1	2	4	7	15	20	22
GRAND TOTAL	**111**	**3.8**	**11**	**<1**	**1**	**3**	**4**	**8**	**10**	**20**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	1.5	1	<1	<1	1	2	3	4	4
35-49	17	4.8	17	1	2	3	5	11	15	17
50-64	35	4.3	24	1	1	3	4	11	17	22
65+	43	4.7	44	1	2	3	4	8	16	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	10	6.5	46	<1	1	5	6	16	25	25
35-49	14	4.7	16	1	1	3	8	11	13	13
50-64	56	7.2	84	1	1	3	8	19	24	51
65+	124	5.8	28	1	2	4	8	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	111	4.1	28	1	1	3	4	9	16	29
2. MULTIPLE DX										
A. Not Operated	8	2.8	5	1	1	2	4	6	7	7
B. Operated	207	6.1	43	1	1	4	8	14	20	30
1. SINGLE DX	111	4.1	28	1	1	3	4	9	16	29
2. MULTIPLE DX	215	6.0	42	1	1	4	7	14	20	29
A. NOT OPERATED	8	2.8	5	1	1	2	4	6	7	7
B. OPERATED	318	5.4	38	1	1	3	6	13	18	29
TOTAL 0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	25	3.5	24	<1	<1	2	4	6	12	25
35-49	35	4.5	15	1	1	3	6	11	13	17
50-64	92	6.1	62	1	1	3	6	17	21	42
65+	170	5.4	32	1	2	3	7	12	16	32
GRAND TOTAL	**326**	**5.3**	**38**	**1**	**1**	**3**	**6**	**12**	**18**	**29**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	15	1.4		<1	<1	1	2	2	2	2
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	3	4.0	19	<1	<1	2	7	9	9	9
50-64	3	1.3		1	1	1	2	2	2	2
65+	3	4.3	24	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	6.3	30	<1	<1	6	10	12	12	12
50-64	3	8.3	102	2	2	3	16	20	20	20
65+	5	4.6	41	1	1	2	6	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	30	1.9	5	<1	<1	1	2	2	9	10
2. MULTIPLE DX										
A. Not Operated	2	1.0		<1	<1	<1	1	1	1	1
B. Operated	12	5.8	43	<1	1	2	9	17	20	20
1. SINGLE DX	30	1.9	5	<1	<1	1	2	2	9	10
2. MULTIPLE DX	14	5.1	39	<1	<1	2	6	16	19	20
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	42	3.0	18	<1	<1	2	2	9	14	20
TOTAL 0-19 YRS	16	1.4		<1	<1	1	2	2	2	2
20-34	7	1.3		<1	<1	1	2	2	2	2
35-49	7	4.6	20	<1	<1	2	8	11	12	12
50-64	6	4.8	56	1	1	2	3	18	20	20
65+	8	4.5	30	1	1	2	6	14	16	16
GRAND TOTAL	**44**	**2.9**	**17**	**<1**	**<1**	**1**	**2**	**9**	**13**	**20**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	3.4	6	<1	<1	2	6	6	6	6
35-49	9	3.4	9	<1	1	2	4	9	9	9
50-64	11	3.0	6	1	1	2	3	7	9	9
65+	11	5.0	18	1	1	3	7	11	15	15
B. *Operated*										
0-19 YRS	8	10.4	21	<1	3	11	13	16	17	17
20-34	36	11.4	44	2	2	11	15	19	21	34
35-49	66	11.7	94	2	4	9	13	20	29	55
50-64	99	15.3	134	2	4	12	19	31	41	57
65+	73	19.4	292	3	5	15	24	36	66	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	13.0	156	2	2	8	22	32	32	32
20-34	6	2.8	4	<1	<1	2	4	6	6	6
35-49	6	7.2	27	2	2	5	13	14	14	14
50-64	28	9.6	212	1	2	5	10	15	40	75
65+	105	14.0	202	3	4	10	16	27	51	88
B. *Operated*										
0-19 YRS	14	22.5	421	3	6	17	26	67	68	68
20-34	39	21.5	259	4	8	18	25	34	50	92
35-49	82	20.2	160	3	8	19	26	37	50	91
50-64	180	21.2	240	5	8	17	26	45	57	98
65+	188	29.1	438	5	8	23	39	65	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.9	11	<1	1	2	6	9	10	15
B. *Operated*	282	14.9	159	2	4	11	18	29	39	78
2. MULTIPLE DX										
A. *Not Operated*	150	12.4	193	2	3	9	14	24	38	79
B. *Operated*	503	24.1	320	5	8	20	30	52	68	99+
1. SINGLE DX	319	13.6	154	2	2	11	17	26	36	72
2. MULTIPLE DX	653	21.4	315	3	5	17	27	48	67	99+
A. NOT OPERATED	187	10.8	168	1	2	8	13	21	34	78
B. OPERATED	785	20.8	282	3	6	16	25	46	61	99
TOTAL 0-19 YRS	28	16.9	265	2	3	12	20	31	67	68
20-34	86	14.9	178	1	2	12	19	29	34	81
35-49	163	15.4	147	2	3	12	20	28	43	71
50-64	318	17.7	217	2	4	13	23	36	50	85
65+	377	22.3	383	3	5	17	29	57	73	99+
GRAND TOTAL	**972**	**18.8**	**275**	**2**	**4**	**14**	**24**	**42**	**59**	**98**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	29	3.6	1	2	3	4	4	5	5	5
20-34	205	4.1	1	3	3	4	5	5	6	7
35-49	330	4.2	2	3	3	4	5	6	6	8
50-64	222	4.5	2	3	3	4	5	6	7	8
65+	68	4.6	2	3	3	4	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64	4	8.5	22	4	4	7	11	15	15	15
65+	5	8.0	24	3	3	9	12	14	14	14
B. *Operated*										
0-19 YRS	11	5.1	8	3	3	4	5	9	13	13
20-34	57	4.8	5	2	3	4	5	8	10	12
35-49	97	5.2	10	3	3	4	5	10	13	19
50-64	148	5.8	28	3	3	5	6	8	12	40
65+	107	7.1	23	3	4	6	8	12	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.7	14	4	4	5	9	11	11	11
B. *Operated*	854	4.3	2	3	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	11	7.2	22	1	2	7	10	14	15	15
B. *Operated*	420	5.9	19	3	3	5	6	10	13	22
1. SINGLE DX	857	4.3	2	3	3	4	5	6	6	8
2. MULTIPLE DX	431	5.9	19	3	3	5	6	10	14	22
A. NOT OPERATED	14	7.1	19	1	3	6	11	14	15	15
B. OPERATED	1274	4.8	8	3	3	4	5	6	8	16
TOTAL 0-19 YRS	40	4.0	3	2	3	4	4	5	6	13
20-34	296	4.2	2	2	3	4	5	6	6	11
35-49	427	4.4	4	3	3	4	5	6	7	15
50-64	374	5.1	12	3	3	4	5	7	8	19
65+	181	6.2	16	3	3	5	7	10	14	22
GRAND TOTAL	**1288**	**4.8**	**8**	**3**	**3**	**4**	**5**	**7**	**9**	**16**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	3	6.3	30	1	1	6	10	12	12	12
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	7	9.7	8	5	6	10	12	14	14	14
20-34	32	9.0	10	4	5	9	10	14	16	16
35-49	30	8.5	59	3	3	7	10	14	17	44
50-64	40	7.4	12	4	4	7	9	12	13	21
65+	19	12.0	278	3	4	8	9	25	55	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	16	6.8	42	1	2	5	8	18	22	24
35-49	14	7.6	37	1	2	6	8	13	23	26
50-64	11	10.9	75	1	3	8	13	26	31	31
65+	12	11.2	281	2	3	5	9	30	58	63
B. *Operated*										
0-19 YRS	6	7.7	33	1	1	7	13	15	15	15
20-34	33	10.6	43	5	5	8	13	17	29	31
35-49	61	11.6	126	3	4	9	14	23	37	97
50-64	86	12.8	168	4	4	9	13	25	42	69
65+	99	15.6	226	4	4	11	20	33	36	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.5	9	1	1	4	6	9	12	12
B. *Operated*	128	8.8	61	3	4	8	10	13	16	51
2. MULTIPLE DX										
A. *Not Operated*	54	9.2	102	1	2	5	10	22	26	62
B. *Operated*	285	13.2	164	4	4	9	15	29	36	76
1. SINGLE DX	139	8.5	59	3	4	7	10	13	16	47
2. MULTIPLE DX	339	12.5	156	3	4	9	14	27	35	75
A. NOT OPERATED	65	8.4	89	1	2	5	10	18	25	58
B. OPERATED	413	11.8	136	4	4	8	13	23	34	75
TOTAL 0-19 YRS	16	9.1	37	1	2	9	12	15	22	25
20-34	85	9.0	31	2	4	8	10	15	19	31
35-49	108	10.1	95	2	3	8	11	19	30	83
50-64	139	11.0	119	3	4	8	12	21	33	60
65+	130	14.7	238	4	4	9	17	32	36	80
GRAND TOTAL	**478**	**11.4**	**131**	**3**	**4**	**8**	**12**	**23**	**33**	**74**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.2	3	<1	<1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	678	3.2	4	<1	1	2	4	6	7	9
35-49	327	4.5	8	1	2	3	7	8	10	13
50-64	104	4.5	7	1	1	4	7	8	9	11
65+	42	4.6	6	2	2	4	7	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	2.3	4	<1	<1	1	3	6	6	6
35-49	7	2.7	7	1	1	1	5	7	7	7
50-64	3	5.7	32	<1	<1	4	10	12	12	12
65+	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	424	4.6	8	1	2	4	7	8	9	14
35-49	388	6.4	14	1	2	6	8	10	12	17
50-64	140	6.6	33	2	2	6	8	10	13	33
65+	56	6.2	14	2	2	6	8	10	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.0	3	<1	<1	1	3	5	5	5
B. *Operated*	1156	3.7	6	1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	25	3.0	9	<1	<1	1	5	7	10	12
B. *Operated*	1013	5.7	15	1	2	6	8	9	11	16
1. SINGLE DX	1162	3.7	6	1	1	3	5	7	8	11
2. MULTIPLE DX	1038	5.6	15	1	2	6	8	9	11	16
A. NOT OPERATED	31	2.8	8	<1	<1	1	4	7	9	12
B. OPERATED	2169	4.6	11	1	1	3	7	8	10	14
TOTAL 0-19 YRS	11	2.5	1	1	1	3	3	4	4	4
20-34	1115	3.7	6	1	1	3	6	7	8	11
35-49	727	5.4	12	1	2	5	8	10	11	15
50-64	247	5.7	23	1	2	5	8	9	11	17
65+	100	5.5	11	2	2	5	8	9	12	15
GRAND TOTAL	**2200**	**4.6**	**11**	**1**	**1**	**3**	**7**	**8**	**10**	**14**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	25	2.6	3	<1	<1	2	3	5	6	7
35-49	62	4.3	10	<1	1	3	6	8	11	13
50-64	116	4.8	36	<1	1	3	6	10	15	33
65+	130	4.2	15	1	1	3	5	9	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	7.7	26	1	1	8	10	15	17	17
65+	8	8.5	130	<1	<1	3	15	27	29	29
B. *Operated*										
0-19 YRS	4	10.5	188	2	2	4	18	31	31	31
20-34	25	5.0	19	<1	1	4	6	15	15	16
35-49	81	5.6	19	1	1	5	7	10	13	24
50-64	206	7.7	47	1	1	6	11	16	19	36
65+	336	10.2	118	1	2	7	13	22	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	5	1	1	5	5	5	5	5
B. *Operated*	336	4.3	20	<1	1	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	18	8.1	68	<1	1	6	10	22	27	29
B. *Operated*	652	8.7	83	1	2	6	11	18	24	47
1. SINGLE DX	339	4.3	20	<1	1	3	5	9	12	20
2. MULTIPLE DX	670	8.6	82	1	2	6	11	18	24	46
A. NOT OPERATED	21	7.4	60	<1	1	5	10	20	26	29
B. OPERATED	988	7.2	66	1	1	5	9	16	21	40
TOTAL 0-19 YRS	7	6.6	118	<1	<1	2	5	26	31	31
20-34	50	3.8	12	<1	<1	3	5	7	15	16
35-49	143	5.1	15	1	1	4	7	9	12	18
50-64	334	6.7	44	1	1	5	9	15	17	35
65+	475	8.5	97	1	2	5	11	20	25	49
GRAND TOTAL	**1009**	**7.2**	**66**	**1**	**1**	**5**	**9**	**16**	**21**	**40**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.4	19	<1	<1	2	4	8	10	28
20-34	35	4.1	6	1	1	4	5	8	9	12
35-49	47	5.5	25	1	1	4	8	13	16	22
50-64	63	4.5	20	<1	1	3	6	9	12	23
65+	100	7.0	71	1	1	4	9	16	22	46
B. *Operated*										
0-19 YRS	181	4.1	14	<1	1	3	5	9	12	19
20-34	276	4.7	24	1	1	3	6	10	13	23
35-49	300	4.3	17	1	1	3	5	9	12	20
50-64	421	4.8	29	1	1	3	5	10	14	29
65+	507	4.7	23	1	1	3	6	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.7	7	<1	<1	2	3	8	9	11
20-34	75	7.2	128	<1	1	3	7	15	22	68
35-49	89	4.6	16	<1	1	4	6	10	14	19
50-64	217	6.7	61	1	1	4	8	14	22	51
65+	566	9.7	124	1	1	6	12	23	30	68
B. *Operated*										
0-19 YRS	61	12.4	251	1	2	7	14	27	44	86
20-34	174	9.5	133	1	2	6	11	20	28	57
35-49	272	8.9	92	2	2	6	10	19	24	51
50-64	568	8.9	108	1	2	6	11	18	26	61
65+	1152	11.3	135	2	2	8	15	25	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	5.2	37	<1	1	3	7	11	16	32
B. *Operated*	1685	4.6	22	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	1011	8.0	98	1	1	5	10	18	27	58
B. *Operated*	2227	10.3	127	1	2	7	13	22	32	61
1. SINGLE DX	1987	4.7	25	1	1	3	6	10	14	24
2. MULTIPLE DX	3238	9.6	119	1	2	6	12	21	30	61
A. NOT OPERATED	1313	7.3	86	1	1	5	9	16	24	53
B. OPERATED	3912	7.8	90	1	2	5	10	18	25	53
TOTAL 0-19 YRS	363	5.1	64	<1	1	3	6	11	15	43
20-34	560	6.5	75	1	1	4	7	14	19	53
35-49	708	6.2	51	1	1	4	8	13	18	34
50-64	1269	7.0	73	1	1	4	9	15	22	48
65+	2325	9.3	112	1	2	6	12	21	30	57
GRAND TOTAL	**5225**	**7.7**	**89**	**1**	**1**	**5**	**10**	**17**	**25**	**53**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	3.3	6	<1	<1	3	5	6	6	6
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64	5	3.6	8	<1	<1	3	6	7	7	7
65+	6	5.5	10	3	3	4	7	11	11	11
B. *Operated*										
0-19 YRS	17	3.5	1	1	2	3	4	5	6	6
20-34	105	4.0	1	2	3	4	5	5	6	7
35-49	219	4.3	2	3	3	4	5	6	6	10
50-64	190	4.8	10	3	3	4	5	6	7	23
65+	86	5.1	4	3	3	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	12	1	1	6	8	9	9	9
20-34	7	3.4	11	<1	<1	1	6	9	9	9
35-49	14	4.3	12	1	1	4	5	8	13	14
50-64	22	5.5	9	1	2	5	8	10	10	10
65+	48	9.3	64	1	2	7	12	23	26	34
B. *Operated*										
0-19 YRS	6	5.8	7	2	2	6	7	10	10	10
20-34	30	4.4	2	3	3	4	5	6	7	9
35-49	93	6.4	49	3	3	5	6	10	15	46
50-64	172	6.1	29	3	3	5	6	9	16	27
65+	128	8.9	60	3	4	6	11	17	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.9	6	<1	<1	3	5	7	9	11
B. *Operated*	617	4.5	5	3	3	4	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	95	7.1	42	1	1	5	9	14	23	32
B. *Operated*	429	6.9	42	3	3	5	7	13	18	35
1. SINGLE DX	637	4.5	5	2	3	4	5	6	7	13
2. MULTIPLE DX	524	6.9	42	2	3	5	7	13	18	33
A. NOT OPERATED	115	6.5	37	<1	1	5	8	12	21	31
B. OPERATED	1046	5.5	21	3	3	4	6	8	12	24
TOTAL 0-19 YRS	29	4.2	5	1	1	4	5	7	9	10
20-34	145	4.1	2	1	3	4	5	6	7	9
35-49	330	4.9	16	3	3	4	5	6	8	17
50-64	389	5.4	19	2	3	5	6	8	11	26
65+	268	7.6	45	3	3	5	9	15	21	34
GRAND TOTAL	**1161**	**5.6**	**23**	**2**	**3**	**4**	**6**	**9**	**13**	**26**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	5.2	18	1	1	4	8	11	14	18
20-34	54	5.5	17	1	2	4	7	9	15	23
35-49	52	4.9	12	1	2	4	7	10	12	16
50-64	43	6.9	17	2	3	6	9	11	15	24
65+	41	7.8	24	1	2	7	10	14	16	26
B. *Operated*										
0-19 YRS	34	5.9	20	3	3	5	6	10	17	25
20-34	134	5.0	5	3	3	5	5	7	9	17
35-49	100	4.7	7	2	2	4	5	7	9	17
50-64	83	4.8	9	2	3	4	5	6	8	21
65+	24	5.5	30	1	2	4	5	9	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.1	11	1	2	4	7	10	12	12
20-34	75	5.1	13	2	2	5	8	11	13	17
35-49	157	6.9	22	2	3	6	8	13	15	26
50-64	204	9.7	94	2	3	7	12	18	24	81
65+	434	12.8	99	3	4	10	16	25	31	51
B. *Operated*										
0-19 YRS	20	11.4	137	4	4	6	12	25	39	52
20-34	63	7.2	30	3	3	5	9	15	20	28
35-49	72	8.3	42	3	4	6	10	15	21	37
50-64	102	9.7	79	3	4	6	12	22	36	99+
65+	103	17.3	286	3	4	12	23	46	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	6.0	18	1	2	5	8	11	14	23
B. *Operated*	375	5.0	9	2	3	4	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	903	10.2	81	2	3	8	13	20	27	48
B. *Operated*	360	11.3	140	3	4	6	14	24	37	98
1. SINGLE DX	598	5.4	13	2	2	4	6	9	12	21
2. MULTIPLE DX	1263	10.5	98	2	3	7	13	22	29	64
A. NOT OPERATED	1126	9.4	71	2	3	7	12	18	25	44
B. OPERATED	735	8.1	83	3	3	5	8	17	25	65
TOTAL 0-19 YRS	120	6.4	40	1	2	5	7	12	18	33
20-34	326	5.8	14	2	3	5	6	10	13	21
35-49	381	6.3	22	2	3	5	7	12	14	26
50-64	432	8.5	70	2	3	6	10	17	24	77
65+	602	12.9	129	3	4	10	16	27	35	65
GRAND TOTAL	**1861**	**8.9**	**76**	**2**	**3**	**6**	**11**	**18**	**25**	**52**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	200	6.0	9	2	3	6	8	10	11	17
20-34	81	6.3	21	1	2	5	8	11	14	27
35-49	87	6.0	11	2	3	5	8	11	12	17
50-64	122	6.5	19	2	3	6	8	10	12	31
65+	119	7.2	18	2	3	6	9	12	14	23
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	10.0	8	8	8	10	12	12	12	12
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	150	8.8	164	1	1	6	9	15	21	86
20-34	145	6.1	20	1	2	5	7	12	14	24
35-49	302	7.9	28	2	3	7	10	15	19	26
50-64	649	8.6	49	2	3	7	11	15	18	37
65+	1103	10.1	77	3	3	8	12	18	26	59
B. Operated										
0-19 YRS	3	48.7	2094	6	6	43	83	97	97	97
20-34	21	12.0	142	1	2	10	15	29	40	49
35-49	42	15.5	185	2	3	12	18	41	53	99+
50-64	107	16.2	185	3	4	11	20	35	42	68
65+	161	19.7	245	3	6	15	25	44	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	609	6.4	15	2	3	6	8	11	13	20
B. Operated	6	5.2	16	2	2	3	8	12	12	12
2. MULTIPLE DX										
A. Not Operated	2349	9.1	66	2	3	7	11	16	21	52
B. Operated	334	17.8	235	2	4	13	23	39	54	99+
1. SINGLE DX	615	6.4	15	2	3	6	8	11	13	20
2. MULTIPLE DX	2683	10.2	96	2	3	8	12	19	27	59
A. NOT OPERATED	2958	8.5	57	2	3	7	10	15	20	43
B. OPERATED	340	17.6	233	2	4	13	23	38	53	99+
TOTAL 0-19 YRS	354	7.6	103	1	2	6	8	11	16	69
20-34	247	6.7	33	1	2	5	8	12	16	32
35-49	432	8.2	46	2	3	7	10	16	20	48
50-64	880	9.3	68	2	3	7	11	16	20	42
65+	1385	11.0	102	2	3	8	13	21	30	71
GRAND TOTAL	**3298**	**9.5**	**83**	**2**	**3**	**7**	**11**	**17**	**25**	**56**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	560	5.0	13	1	1	4	7	10	11	17
20-34	359	5.3	14	1	2	4	7	10	13	18
35-49	128	6.6	19	2	2	6	8	12	14	24
50-64	101	8.1	65	2	2	7	10	14	17	48
65+	73	9.1	27	2	4	8	11	17	20	25
B. Operated										
0-19 YRS	9	7.7	16	3	4	6	10	14	16	16
20-34	3	6.0	12	4	4	4	9	10	10	10
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	1	27.0		27	27	27	27	27	27	27
65+	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	414	5.9	53	1	2	4	7	10	14	34
20-34	519	7.2	46	2	2	6	9	14	17	37
35-49	397	8.6	32	2	3	8	11	16	18	30
50-64	453	11.2	102	3	4	9	13	19	29	73
65+	582	14.3	140	4	5	11	17	25	34	86
B. Operated										
0-19 YRS	18	10.4	70	3	4	8	11	24	32	35
20-34	55	14.0	179	3	3	9	18	34	48	61
35-49	63	21.4	394	4	5	16	25	46	76	95
50-64	56	22.5	284	5	7	18	35	55	95	99+
65+	104	27.5	273	9	11	23	35	55	62	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1221	5.8	20	1	2	5	7	11	13	21
B. Operated	18	7.9	36	2	3	6	10	14	23	27
2. MULTIPLE DX										
A. Not Operated	2365	9.7	88	2	3	8	12	18	25	58
B. Operated	296	21.7	299	4	6	17	29	47	62	99+
1. SINGLE DX	1239	5.8	21	1	2	5	7	11	14	21
2. MULTIPLE DX	2661	11.1	126	2	3	8	13	21	32	75
A. NOT OPERATED	3586	8.4	69	2	2	6	10	16	21	40
B. OPERATED	314	20.9	294	4	5	16	28	45	61	99+
TOTAL 0-19 YRS	1001	5.5	31	1	2	4	7	10	13	25
20-34	936	6.9	45	1	2	5	8	13	17	37
35-49	590	9.5	85	2	3	8	11	18	23	49
50-64	611	11.7	125	2	4	9	13	22	35	85
65+	762	15.6	172	4	5	12	19	30	40	87
GRAND TOTAL	**3900**	**9.4**	**98**	**2**	**2**	**7**	**11**	**18**	**26**	**61**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	355	6.5	20	2	3	6	8	11	13	21
20-34	371	6.0	23	2	2	5	8	10	12	21
35-49	520	6.8	18	2	3	6	8	11	13	24
50-64	755	7.2	26	2	3	6	9	12	16	20
65+	672	8.2	39	2	3	7	10	14	17	35
B. *Operated*										
0-19 YRS	4	4.8	18	2	2	3	7	11	11	11
20-34	30	4.3	23	1	1	2	5	9	16	23
35-49	40	5.5	45	1	2	3	5	14	25	28
50-64	111	5.5	66	2	2	3	6	12	18	51
65+	115	6.9	85	2	2	3	8	17	32	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	275	6.0	21	1	2	5	8	11	15	21
20-34	847	7.6	44	2	2	6	9	14	17	35
35-49	1895	8.5	43	2	3	7	10	15	20	35
50-64	4795	9.2	44	3	4	8	11	16	20	37
65+	7114	10.9	75	3	4	9	13	20	26	55
B. *Operated*										
0-19 YRS	17	6.9	11	1	2	8	9	10	11	12
20-34	259	15.3	232	2	2	10	20	39	48	69
35-49	640	18.2	249	3	4	14	23	41	56	98
50-64	1309	20.5	312	2	4	16	28	48	68	99+
65+	2685	23.2	357	3	5	18	33	56	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2673	7.1	27	2	3	6	9	12	15	24
B. *Operated*	300	5.9	66	2	2	3	6	14	24	55
2. MULTIPLE DX										
A. *Not Operated*	14926	9.8	60	3	3	8	12	17	23	44
B. *Operated*	5410	21.3	327	3	4	16	29	50	70	99+
1. SINGLE DX	2973	7.0	31	2	2	6	9	12	15	27
2. MULTIPLE DX	20336	12.8	157	3	4	9	15	27	41	88
A. NOT OPERATED	17599	9.4	56	3	3	8	11	17	22	42
B. OPERATED	5710	20.5	325	2	3	15	28	49	70	99+
TOTAL 0-19 YRS	651	6.3	20	1	2	6	8	11	14	21
20-34	1507	8.4	81	2	2	6	10	16	23	50
35-49	3095	10.2	98	2	3	7	12	20	30	61
50-64	7470	11.6	133	2	3	8	14	23	36	77
65+	10586	13.8	175	3	4	10	16	30	44	99+
GRAND TOTAL	**23309**	**12.1**	**145**	**2**	**3**	**8**	**14**	**25**	**38**	**84**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	7	5.4	24	<1	<1	4	7	13	15	15
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.0	4	<1	1	2	5	6	7	9
20-34	133	3.1	6	<1	<1	2	5	6	7	13
35-49	12	5.3	43	1	1	2	7	14	23	24
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	8	<1	<1	1	4	7	7	7
20-34	7	4.7	17	1	1	3	7	11	12	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	24	3.9	8	<1	1	3	6	8	10	11
20-34	213	4.2	9	1	1	4	6	8	8	14
35-49	29	4.2	7	1	1	4	6	8	8	10
50-64	3	7.0	1	6	6	7	8	8	8	8
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.5	16	<1	<1	4	6	10	15	15
B. *Operated*	173	3.2	9	<1	1	2	5	7	7	15
2. MULTIPLE DX										
A. *Not Operated*	13	4.0	11	<1	1	3	7	8	11	12
B. *Operated*	270	4.2	9	1	1	4	6	8	8	13
1. SINGLE DX	184	3.3	9	<1	1	2	5	7	8	15
2. MULTIPLE DX	283	4.2	9	1	1	4	6	8	9	13
A. NOT OPERATED	24	4.3	13	<1	1	3	7	8	13	15
B. OPERATED	443	3.8	9	<1	1	3	6	7	8	13
TOTAL 0-19 YRS	57	3.3	6	<1	1	2	5	6	8	11
20-34	360	3.8	9	<1	1	3	6	7	8	15
35-49	43	4.5	17	1	1	4	7	8	10	24
50-64	4	5.8	7	2	2	6	7	8	8	8
65+	3	5.3	17	2	2	4	8	10	10	10
GRAND TOTAL	**467**	**3.8**	**9**	**<1**	**1**	**3**	**6**	**7**	**8**	**14**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	3.2	9	<1	<1	2	5	8	9	13
20-34	107	4.5	14	1	1	3	6	9	12	20
35-49	74	4.4	13	1	1	4	5	9	12	18
50-64	55	4.6	24	1	1	3	6	11	17	96
65+	92	5.1	16	1	2	4	6	11	15	18
B. *Operated*										
0-19 YRS	12	5.4	12	1	2	5	9	10	10	10
20-34	17	3.8	10	<1	<1	4	6	9	10	11
35-49	29	8.0	77	1	2	5	8	18	20	46
50-64	31	6.1	18	2	2	5	7	10	12	24
65+	15	7.2	19	2	2	5	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	4.5	44	1	1	2	5	9	14	29
20-34	321	5.9	44	1	1	4	7	11	17	38
35-49	339	6.0	25	1	1	5	8	11	14	30
50-64	575	7.2	47	1	2	5	9	15	20	31
65+	1245	9.3	83	2	2	7	11	18	26	55
B. *Operated*										
0-19 YRS	20	7.7	22	2	2	9	11	17	55	99+
20-34	53	8.9	61	<1	1	7	13	18	28	32
35-49	63	10.3	139	2	4	7	12	18	23	81
50-64	116	13.9	170	3	4	11	18	27	35	95
65+	163	21.4	368	4	5	16	28	50	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	4.2	14	1	1	3	5	9	12	18
B. *Operated*	104	6.4	33	1	2	5	8	12	16	34
2. MULTIPLE DX										
A. *Not Operated*	2684	7.7	63	1	2	6	9	16	21	45
B. *Operated*	415	15.4	248	2	4	10	19	33	51	99+
1. SINGLE DX	570	4.6	18	1	1	3	6	10	13	19
2. MULTIPLE DX	3099	8.7	95	1	2	6	10	18	26	59
A. NOT OPERATED	3150	7.1	57	1	1	5	9	15	20	43
B. OPERATED	519	13.6	218	2	3	9	17	30	44	99+
TOTAL 0-19 YRS	374	4.2	30	<1	1	2	5	9	12	25
20-34	498	5.9	39	1	1	4	7	12	17	33
35-49	505	6.4	42	1	1	5	8	13	16	35
50-64	777	8.0	69	1	2	5	10	18	23	43
65+	1515	10.3	125	2	2	7	12	21	31	73
GRAND TOTAL	**3669**	**8.1**	**85**	**1**	**1**	**5**	**10**	**17**	**23**	**56**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	6.2	30	1	1	4	7	17	18	18
20-34	1	35.0		35	35	35	35	35	35	35
35-49										
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	9	10.0	57	2	3	8	12	23	26	26
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	3	3.3	1	2	2	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	11.0		11	11	11	11	11	11	11
65+	4	3.0	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	11.9	145	3	4	9	14	25	57	99+
20-34	27	8.7	59	1	4	7	8	14	28	39
35-49	23	16.7	412	4	5	10	14	36	74	87
50-64	72	12.3	94	3	4	10	16	24	35	90
65+	332	14.0	155	4	5	11	17	29	48	99+
B. *Operated*										
0-19 YRS	5	23.8	619	4	4	26	57	96	99+	99+
20-34	7	19.3	870	6	6	8	11	71	86	86
35-49	15	14.5	272	1	2	10	17	47	55	58
50-64	30	19.1	118	2	3	20	26	32	33	48
65+	117	21.6	353	4	5	16	29	59	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	8.3	63	1	2	5	10	18	26	35
B. *Operated*	11	4.4	7	1	1	4	6	8	11	11
2. MULTIPLE DX										
A. *Not Operated*	490	13.4	153	3	5	10	16	27	47	99+
B. *Operated*	174	20.5	328	3	5	15	29	56	67	99+
1. SINGLE DX	40	7.3	51	1	2	5	8	17	22	35
2. MULTIPLE DX	664	15.3	208	3	5	11	19	33	58	99+
A. NOT OPERATED	519	13.1	149	3	4	10	16	26	45	99+
B. OPERATED	185	19.5	323	3	4	13	27	55	67	99+
TOTAL 0-19 YRS	60	11.1	159	2	3	7	14	31	57	99+
20-34	38	10.9	220	2	4	7	9	22	37	86
35-49	39	15.5	343	2	4	10	14	39	63	87
50-64	105	14.1	108	2	4	11	19	27	34	75
65+	462	15.8	214	3	5	11	19	35	59	99+
GRAND TOTAL	**704**	**14.8**	**202**	**3**	**4**	**10**	**18**	**32**	**57**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	13.0	46	3	6	12	15	22	26	36
20-34	73	12.2	33	3	3	12	16	20	22	23
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	8	25.8	426	4	6	17	39	58	66	66
20-34	3	25.0	832	1	1	17	47	57	57	57
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	12.7	65	2	3	12	16	23	28	38
20-34	124	14.3	46	5	8	13	16	24	27	41
35-49	13	11.6	22	3	6	12	14	17	20	21
50-64										
65+										
B. *Operated*										
0-19 YRS	24	26.9	485	1	2	23	44	56	94	99+
20-34	26	20.5	158	6	8	16	26	39	49	55
35-49	3	7.0	108	1	1	1	15	19	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	12.8	42	3	5	12	15	21	24	35
B. *Operated*	12	23.7	465	1	2	16	39	60	65	66
2. MULTIPLE DX										
A. *Not Operated*	398	13.2	58	2	4	13	16	23	27	39
B. *Operated*	53	22.6	319	1	4	19	32	50	56	99+
1. SINGLE DX	281	13.2	63	3	4	12	15	22	26	39
2. MULTIPLE DX	451	14.3	98	2	4	13	17	25	32	56
A. NOT OPERATED	667	13.0	52	3	4	12	16	22	26	37
B. OPERATED	65	22.8	340	1	3	18	35	54	59	99
TOTAL 0-19 YRS	488	13.8	94	2	4	12	16	24	32	56
20-34	226	14.5	68	3	6	13	17	24	27	49
35-49	18	10.3	34	1	1	11	14	18	20	21
50-64										
65+										
GRAND TOTAL	**732**	**13.9**	**85**	**3**	**4**	**13**	**16**	**24**	**31**	**55**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	19.0	543	2	2	11	25	60	60	60
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	3.5	5	<1	<1	3	5	7	7	7
50-64	3	7.3	46	2	2	5	12	15	15	15
65+										
B. *Operated*										
0-19 YRS	5	9.0	2	8	8	9	10	11	11	11
20-34	102	8.2	12	5	6	8	8	11	12	27
35-49	90	8.7	11	6	6	8	9	11	14	26
50-64	12	8.7	9	5	5	8	11	12	13	13
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	37.1	946	2	3	39	79	99+	99+	99+
20-34	28	5.3	25	1	1	4	7	14	17	19
35-49	36	7.0	53	<1	1	5	8	15	25	35
50-64	23	7.3	40	1	2	8	10	30	99+	99+
65+	13	8.1	19	2	4	6	10	16	16	16
B. *Operated*										
0-19 YRS	4	8.3	5	5	5	9	10	10	10	10
20-34	112	9.7	51	5	6	8	10	13	23	47
35-49	177	10.4	38	6	6	9	11	16	20	42
50-64	49	13.3	109	7	7	9	13	26	41	51
65+	3	12.3	57	7	7	9	18	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	8.6	195	<1	1	4	9	15	44	60
B. *Operated*	210	8.4	11	5	6	8	9	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	114	10.5	242	1	1	6	11	38	86	99+
B. *Operated*	345	10.6	53	5	6	9	10	16	24	48
1. SINGLE DX	227	8.4	24	5	6	8	9	11	13	33
2. MULTIPLE DX	459	10.6	99	2	4	8	11	18	35	99
A. NOT OPERATED	131	10.2	235	1	1	6	10	37	72	99+
B. OPERATED	555	9.8	38	5	6	8	10	14	18	44
TOTAL 0-19 YRS	28	24.8	709	2	4	11	58	98	99+	99+
20-34	243	8.5	33	3	5	8	9	12	16	39
35-49	311	9.4	33	3	5	8	10	15	18	37
50-64	87	10.9	81	2	3	9	12	24	41	99+
65+	17	8.6	26	2	4	7	10	16	19	21
GRAND TOTAL	**686**	**9.9**	**75**	**3**	**5**	**8**	**10**	**15**	**25**	**71**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	2.4	6	<1	<1	1	3	6	7	11
20-34	77	3.0	11	<1	<1	1	5	7	9	17
35-49	39	9.9	145	<1	<1	5	12	25	42	50
50-64	27	6.0	42	1	1	4	7	18	23	26
65+	24	6.8	36	1	1	4	9	16	22	22
B. *Operated*										
0-19 YRS	50	5.2	22	1	2	4	7	11	13	25
20-34	75	4.1	18	<1	1	3	4	9	16	19
35-49	97	4.9	113	<1	1	2	5	9	12	70
50-64	52	3.9	21	1	1	3	4	9	10	24
65+	25	8.6	81	1	1	7	12	19	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	4.3	18	<1	<1	3	6	9	14	20
20-34	148	9.0	102	1	1	6	11	21	30	44
35-49	177	9.9	131	1	2	7	12	19	31	61
50-64	188	9.6	78	2	3	7	11	18	28	47
65+	275	11.0	106	2	3	8	13	21	31	56
B. *Operated*										
0-19 YRS	47	10.8	144	1	2	8	16	53	99+	99+
20-34	130	18.2	241	2	3	14	30	48	99+	99+
35-49	198	14.6	229	1	2	9	22	34	42	87
50-64	139	12.2	177	1	2	7	15	33	44	57
65+	156	15.6	173	2	3	12	22	33	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	3.9	32	<1	<1	2	5	9	13	27
B. *Operated*	299	4.9	56	<1	1	3	5	10	16	33
2. MULTIPLE DX										
A. *Not Operated*	971	9.0	93	<1	1	6	11	18	28	52
B. *Operated*	670	14.7	205	1	2	10	22	37	53	99+
1. SINGLE DX	661	4.4	43	<1	<1	2	5	10	15	27
2. MULTIPLE DX	1641	11.3	147	1	2	8	14	27	39	89
A. NOT OPERATED	1333	7.6	81	<1	1	5	9	16	23	50
B. OPERATED	969	11.7	180	1	1	7	17	31	45	99+
TOTAL 0-19 YRS	475	4.3	31	<1	<1	2	6	10	15	54
20-34	430	9.8	148	<1	<1	5	13	30	41	99+
35-49	511	10.8	178	1	1	6	13	26	37	75
50-64	406	9.5	109	1	2	6	11	22	32	55
65+	480	12.1	129	2	3	9	16	25	35	79
GRAND TOTAL	**2302**	**9.3**	**127**	**<1**	**1**	**6**	**11**	**23**	**35**	**72**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	3.3	1	2	2	3	4	5	5	5
35-49	25	4.2	7	1	1	4	5	8	9	11
50-64	39	4.8	11	2	2	4	6	8	12	19
65+	61	4.5	7	2	2	4	6	9	10	11
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	13	3.4	4	1	1	3	6	6	6	6
65+	10	6.8	29	<1	1	5	11	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	21	5	5	8	12	14	14	14
20-34	16	6.2	33	1	1	4	8	16	19	20
35-49	55	5.3	9	2	2	5	7	10	12	13
50-64	137	7.3	36	2	3	5	8	14	20	35
65+	374	8.1	42	2	3	7	10	14	20	33
B. *Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	15	7.0	70	1	1	4	8	12	29	35
50-64	45	12.2	154	2	2	9	17	24	35	71
65+	66	14.8	257	2	2	9	17	32	55	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	4.5	8	1	2	4	6	8	10	15
B. *Operated*	23	4.9	17	<1	1	3	6	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	585	7.6	38	2	3	6	9	14	19	32
B. *Operated*	128	12.8	200	2	2	8	15	30	38	72
1. SINGLE DX	155	4.5	9	1	2	4	6	9	11	17
2. MULTIPLE DX	713	8.5	71	2	2	6	10	16	22	44
A. NOT OPERATED	717	7.0	33	2	2	5	9	13	17	28
B. OPERATED	151	11.6	180	2	2	8	14	26	37	71
TOTAL 0-19 YRS	4	7.0	30	1	1	6	11	14	14	14
20-34	24	5.1	24	1	2	3	7	12	18	20
35-49	95	5.3	18	1	2	4	7	9	12	25
50-64	234	7.6	58	2	2	5	8	16	22	36
65+	511	8.5	72	2	2	6	10	15	22	48
GRAND TOTAL	**868**	**7.8**	**62**	**2**	**2**	**6**	**9**	**14**	**21**	**37**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.3	8	1	1	2	5	6	9	14
20-34	17	2.4	5	<1	1	2	3	5	8	10
35-49	28	4.8	25	1	1	3	5	11	14	25
50-64	42	4.5	20	1	1	3	5	10	13	22
65+	107	6.6	35	1	2	5	8	13	15	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	426	3.8	10	1	1	3	4	7	10	17
20-34	304	4.5	35	1	1	3	5	8	11	18
35-49	336	5.8	32	1	2	4	7	11	14	29
50-64	730	7.1	42	2	2	5	8	14	20	37
65+	3893	10.6	99	2	3	8	13	21	29	73
B. *Operated*										
0-19 YRS	11	16.4	363	3	3	14	46	99+	99+	99+
20-34	12	7.8	27	2	3	6	11	17	18	18
35-49	27	9.0	30	2	2	8	13	18	18	19
50-64	97	15.5	235	1	2	12	21	33	44	81
65+	369	22.0	331	4	6	17	30	56	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	5.0	25	1	1	3	6	10	14	25
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	5689	9.1	84	2	2	7	11	18	25	58
B. *Operated*	516	19.6	306	3	4	15	27	48	79	99+
1. SINGLE DX	258	5.0	25	1	1	3	6	10	14	25
2. MULTIPLE DX	6205	9.9	111	2	2	7	12	21	30	80
A. NOT OPERATED	5946	8.9	82	2	2	6	11	18	25	56
B. OPERATED	517	19.6	305	3	4	15	27	48	78	99+
TOTAL 0-19 YRS	500	4.0	20	1	1	3	5	7	11	25
20-34	333	4.5	34	1	1	3	5	8	11	18
35-49	391	5.9	32	1	2	4	7	12	17	28
50-64	870	7.9	70	2	2	5	9	17	23	47
65+	4369	11.5	128	2	3	8	14	24	35	92
GRAND TOTAL	**6463**	**9.7**	**108**	**2**	**2**	**7**	**12**	**21**	**29**	**79**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.4	12	<1	1	3	6	9	13	15
20-34	12	3.9	6	1	1	4	6	7	8	8
35-49	31	4.4	11	1	1	3	7	9	11	12
50-64	32	6.0	22	1	2	5	7	10	18	22
65+	89	5.6	42	1	1	4	7	11	17	37
B. *Operated*										
0-19 YRS	4	5.3	26	1	1	5	9	11	11	11
20-34	3	6.7	6	4	4	7	8	9	9	9
35-49	17	5.3	8	1	2	4	8	9	9	9
50-64	12	6.8	29	2	2	6	8	14	21	22
65+	23	7.8	15	3	3	7	10	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	5.4	22	1	2	4	7	11	14	28
20-34	67	6.2	35	1	1	5	7	11	15	39
35-49	148	6.1	20	1	2	5	8	11	14	21
50-64	261	6.9	33	1	2	6	9	13	16	23
65+	1510	8.8	70	1	2	7	11	17	22	56
B. *Operated*										
0-19 YRS	18	7.0	18	2	2	6	9	14	16	17
20-34	23	11.0	54	2	4	8	16	22	26	29
35-49	103	9.6	90	2	3	8	12	18	20	95
50-64	147	11.1	90	2	3	9	14	21	28	41
65+	623	13.6	120	4	5	11	16	24	33	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	5.2	27	1	1	4	7	10	14	28
B. *Operated*	59	6.6	16	1	2	7	9	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	2045	8.2	60	1	2	6	10	16	21	45
B. *Operated*	914	12.5	110	3	4	10	15	22	31	80
1. SINGLE DX	257	5.5	25	1	1	4	7	10	13	27
2. MULTIPLE DX	2959	9.5	80	2	2	8	12	18	24	54
A. NOT OPERATED	2243	7.9	58	1	2	6	10	15	21	43
B. OPERATED	973	12.2	107	3	4	10	15	22	29	78
TOTAL 0-19 YRS	115	5.4	19	1	1	4	7	11	14	21
20-34	105	7.0	40	1	1	6	8	15	20	35
35-49	299	7.1	46	1	2	6	9	12	18	29
50-64	452	8.2	54	2	2	7	10	15	21	37
65+	2245	10.0	87	2	2	8	12	19	26	57
GRAND TOTAL	**3216**	**9.2**	**76**	**1**	**2**	**7**	**11**	**18**	**23**	**51**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	352	4.7	13	1	1	4	6	9	10	16
20-34	404	6.6	25	1	2	6	8	11	14	29
35-49	115	7.6	27	1	2	7	9	13	17	28
50-64	8	9.1	44	4	4	6	13	20	21	21
65+										
B. *Operated*										
0-19 YRS	4	7.8	20	4	4	6	11	14	14	14
20-34	6	11.3	21	5	5	12	15	17	17	17
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	6.5	25	1	2	5	8	12	15	29
20-34	424	9.6	60	3	4	8	11	18	24	37
35-49	157	10.5	96	2	4	8	13	19	24	55
50-64	30	9.6	26	2	3	8	14	18	18	19
65+	5	8.4	8	6	6	8	10	13	13	13
B. *Operated*										
0-19 YRS	9	10.2	46	2	3	8	14	21	23	23
20-34	27	13.8	82	2	3	13	23	28	35	99+
35-49	26	17.7	351	3	3	12	22	37	49	94
50-64	3	7.3	85	2	2	2	14	18	18	18
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	6.0	22	1	2	5	8	11	14	27
B. *Operated*	12	8.6	28	2	2	7	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	916	8.8	56	2	3	7	11	17	22	34
B. *Operated*	65	14.6	188	2	3	11	21	28	38	99
1. SINGLE DX	891	6.0	22	1	2	5	8	11	14	26
2. MULTIPLE DX	981	9.1	66	2	3	7	11	18	24	38
A. NOT OPERATED	1795	7.4	41	1	2	6	9	14	18	31
B. OPERATED	77	13.6	167	2	3	11	18	28	36	98
TOTAL 0-19 YRS	665	5.6	20	1	2	5	7	10	13	25
20-34	861	8.3	47	2	3	7	10	15	23	34
35-49	300	10.0	98	2	3	8	12	19	24	48
50-64	41	9.3	31	2	3	8	14	18	19	21
65+	5	8.4	8	6	6	8	10	13	13	13
GRAND TOTAL	**1872**	**7.7**	**48**	**1**	**2**	**6**	**9**	**15**	**20**	**32**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	1.9	10	<1	<1	1	2	4	5	14
20-34	79	2.8	8	<1	<1	2	3	6	9	15
35-49	49	5.3	48	1	1	3	7	11	15	44
50-64	78	4.6	20	<1	<1	3	6	12	14	19
65+	345	4.2	26	<1	1	3	5	9	14	20
B. *Operated*										
0-19 YRS	35	6.0	30	<1	1	5	7	12	18	28
20-34	15	9.3	22	2	4	8	14	15	16	16
35-49	24	8.8	25	3	4	8	11	14	18	26
50-64	35	8.2	29	2	3	7	10	15	17	28
65+	76	9.7	53	2	3	8	12	17	22	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	3.8	49	<1	<1	1	5	8	15	25
20-34	158	6.0	47	<1	<1	4	8	13	18	38
35-49	222	5.5	26	1	1	4	8	11	16	22
50-64	663	6.7	57	1	1	5	9	15	19	38
65+	2941	7.9	76	1	1	5	10	17	23	51
B. *Operated*										
0-19 YRS	39	20.2	542	3	4	11	22	51	84	97
20-34	51	10.9	120	2	3	9	13	20	37	99
35-49	105	11.9	78	3	4	9	16	24	29	48
50-64	271	12.3	83	2	4	10	15	23	35	90
65+	1081	16.4	210	4	5	12	20	34	53	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	3.3	20	<1	<1	2	4	8	11	18
B. *Operated*	185	8.6	39	2	3	7	11	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	4322	7.2	69	<1	1	5	9	16	21	41
B. *Operated*	1547	15.3	188	3	4	12	19	31	47	96
1. SINGLE DX	1064	4.2	27	<1	<1	2	5	10	14	23
2. MULTIPLE DX	5869	9.4	113	1	1	6	12	20	29	67
A. NOT OPERATED	5201	6.6	63	<1	1	4	8	15	20	39
B. OPERATED	1732	14.6	177	3	4	11	18	29	44	94
TOTAL 0-19 YRS	740	3.9	72	<1	<1	1	4	8	15	45
20-34	303	6.1	54	<1	<1	4	8	14	17	42
35-49	400	7.4	50	1	1	5	10	16	20	35
50-64	1047	8.0	67	1	1	6	11	17	23	41
65+	4443	9.7	120	1	1	7	13	21	29	67
GRAND TOTAL	**6933**	**8.6**	**103**	**<1**	**1**	**6**	**11**	**19**	**26**	**60**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	4	<1	1	2	3	7	7	7
20-34	6	3.3	19	1	1	2	3	11	12	12
35-49	4	2.0	4	<1	<1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.1	31	1	1	4	7	10	12	36
20-34	17	8.2	46	3	3	6	9	17	24	28
35-49	13	8.0	96	<1	1	4	7	27	32	33
50-64	14	7.5	35	1	3	6	8	15	23	25
65+	2	12.0	162	3	3	12	21	21	21	21
B. *Operated*										
0-19 YRS	4	12.3	21	6	6	13	15	17	17	17
20-34	5	10.4	164	2	2	5	14	33	33	33
35-49	3	18.3	137	5	5	23	26	27	27	27
50-64	2	18.5	221	8	8	18	29	29	29	29
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.7	7	<1	<1	2	3	7	9	12
B. *Operated*	2	27.0	98	20	20	27	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	119	6.2	42	1	1	4	7	12	19	36
B. *Operated*	14	13.8	107	2	4	10	23	29	32	33
1. SINGLE DX	26	4.6	54	<1	<1	2	3	12	23	34
2. MULTIPLE DX	133	7.0	54	1	1	5	8	15	25	35
A. NOT OPERATED	143	5.6	38	1	1	4	7	12	17	34
B. OPERATED	16	15.4	119	3	4	13	25	33	34	34
TOTAL 0-19 YRS	91	5.0	29	1	1	3	7	11	13	32
20-34	28	7.5	61	1	1	5	8	17	28	33
35-49	21	8.9	102	<1	<1	5	13	26	30	33
50-64	16	8.9	59	1	3	6	9	24	28	29
65+	3	19.3	242	3	3	21	31	34	34	34
GRAND TOTAL	**159**	**6.6**	**54**	**1**	**1**	**4**	**7**	**14**	**25**	**34**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	3.8	15	<1	1	3	5	7	10	16
20-34	42	5.0	16	1	1	4	6	9	14	22
35-49	41	5.1	12	<1	<1	4	6	10	12	13
50-64	33	5.0	15	1	1	4	7	9	12	19
65+	70	5.6	43	1	1	3	7	13	16	38
B. *Operated*										
0-19 YRS	103	5.0	11	1	2	5	6	8	10	20
20-34	78	8.1	30	2	3	7	9	13	22	29
35-49	59	6.0	19	2	3	6	10	12	17	25
50-64	39	11.2	88	3	3	6	13	29	34	38
65+	51	8.4	32	2	3	7	11	15	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	4.9	16	<1	1	4	7	10	12	21
20-34	134	6.1	35	1	2	5	8	10	13	41
35-49	162	7.2	55	1	2	5	9	12	16	51
50-64	340	8.1	61	1	2	6	10	16	22	45
65+	751	8.6	82	1	2	6	11	18	25	52
B. *Operated*										
0-19 YRS	81	9.8	135	<1	2	6	11	27	38	99+
20-34	129	10.8	80	2	3	8	13	22	30	45
35-49	130	10.6	59	2	3	9	13	18	22	49
50-64	234	13.7	162	3	4	10	17	28	46	99+
65+	478	15.9	169	4	5	12	20	34	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	4.4	20	<1	1	3	5	9	11	21
B. *Operated*	330	7.5	33	2	2	6	9	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	1694	7.5	61	1	1	5	9	15	21	46
B. *Operated*	1051	13.7	145	3	4	10	16	28	40	76
1. SINGLE DX	748	5.8	28	1	1	5	8	11	15	30
2. MULTIPLE DX	2745	9.9	103	1	2	7	12	21	29	57
A. NOT OPERATED	2112	6.9	55	1	1	5	9	14	19	44
B. OPERATED	1381	12.2	125	2	3	9	15	25	36	64
TOTAL 0-19 YRS	723	5.1	31	<1	1	4	6	10	13	34
20-34	382	8.0	52	1	2	6	9	15	22	40
35-49	392	8.2	49	2	2	7	10	14	19	47
50-64	646	10.2	105	1	2	7	12	21	29	62
65+	1350	11.0	122	1	2	8	14	23	34	62
GRAND TOTAL	**3493**	**9.0**	**89**	**1**	**2**	**6**	**11**	**19**	**27**	**54**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	749	2.2	2	1	1	2	3	4	5	7
20-34	156	2.3	2	1	1	2	3	4	5	6
35-49	37	3.1	5	1	1	2	4	6	7	11
50-64	6	4.0	15	1	1	2	6	10	11	11
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	270	4.0	3	2	2	4	5	6	7	10
20-34	83	4.3	4	2	2	4	5	6	8	13
35-49	9	4.7	1	3	3	5	5	5	5	5
50-64	2	7.5	5	6	6	7	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	399	2.6	2	1	1	2	3	5	6	8
20-34	88	2.8	3	1	1	2	4	5	7	8
35-49	16	3.5	9	1	1	3	4	7	11	13
50-64	8	3.6	5	2	2	3	5	7	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	108	5.2	8	2	3	5	6	8	11	17
20-34	46	6.1	13	2	3	5	7	11	14	20
35-49	9	5.0	3	3	3	4	7	7	7	7
50-64	2	11.5	41	7	7	11	16	16	16	16
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	2.2	2	1	1	2	3	4	5	7
B. *Operated*	364	4.1	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	512	2.7	3	1	1	2	3	5	6	8
B. *Operated*	166	5.5	10	2	3	5	6	9	13	17
1. SINGLE DX	1314	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	678	3.4	6	1	1	3	4	6	7	14
A. NOT OPERATED	1462	2.4	2	1	1	2	3	4	5	8
B. OPERATED	530	4.6	6	2	3	4	5	7	9	16
TOTAL 0-19 YRS	1526	2.8	3	1	1	2	4	5	6	9
20-34	373	3.3	6	1	1	3	4	6	7	14
35-49	71	3.6	5	1	1	3	5	6	7	13
50-64	18	5.1	16	1	1	4	7	10	14	16
65+	4	2.3	4	1	1	2	3	5	5	5
GRAND TOTAL	**1992**	**3.0**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	4.9	9	1	2	4	6	9	11	13
20-34	19	4.2	5	<1	1	4	4	8	9	10
35-49	9	4.1	8	1	1	4	6	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	98	3.0	7	<1	<1	2	3	8	9	12
20-34	99	2.8	5	<1	<1	2	4	6	7	12
35-49	48	3.0	5	<1	<1	2	4	6	9	11
50-64	30	3.1	3	<1	1	3	4	6	7	7
65+	14	2.2	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	5.0	12	1	2	4	6	9	11	19
20-34	12	4.3	7	1	1	4	6	8	9	9
35-49	11	4.9	9	<1	1	4	7	9	11	11
50-64	9	5.7	18	<1	1	5	6	12	16	16
65+	8	8.9	65	1	2	5	15	21	22	22
B. *Operated*										
0-19 YRS	43	6.1	35	<1	1	5	8	12	17	31
20-34	45	5.4	21	<1	1	4	8	12	16	17
35-49	37	6.4	34	1	2	5	8	15	21	24
50-64	35	6.1	32	<1	1	3	9	14	16	25
65+	51	7.1	44	1	1	6	9	14	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	4.8	9	1	2	4	6	9	11	13
B. *Operated*	289	2.9	6	<1	<1	2	3	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	170	5.2	14	1	2	4	6	10	12	22
B. *Operated*	211	6.2	33	1	1	4	8	14	17	27
1. SINGLE DX	488	3.7	8	<1	1	3	5	8	9	12
2. MULTIPLE DX	381	5.8	25	1	1	4	7	12	16	26
A. NOT OPERATED	369	5.0	11	1	2	4	6	9	11	20
B. OPERATED	500	4.3	20	<1	<1	3	6	10	13	24
TOTAL 0-19 YRS	440	4.6	13	1	1	4	6	9	11	18
20-34	175	3.7	10	<1	<1	2	4	8	11	17
35-49	105	4.5	18	<1	1	3	5	10	11	22
50-64	75	4.8	20	<1	1	3	6	11	15	23
65+	74	6.3	41	<1	1	4	8	14	23	27
GRAND TOTAL	**869**	**4.6**	**16**	**<1**	**1**	**3**	**6**	**9**	**12**	**22**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.4	72	<1	<1	2	15	19	19	19
20-34	26	17.8	364	1	2	11	29	57	80	99+
35-49	9	19.3	104	2	4	21	27	31	31	31
50-64	14	16.6	363	1	1	13	19	51	60	63
65+	27	11.8	96	1	2	8	17	30	32	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	12.4	188	1	2	5	19	36	40	40
20-34	37	26.8	600	2	3	21	41	82	99	99+
35-49	36	14.7	132	2	3	14	22	34	42	99+
50-64	59	14.9	237	2	3	8	22	38	57	97
65+	191	15.8	235	3	4	11	20	34	47	90
B. *Operated*										
0-19 YRS										
20-34	5	32.6	303	7	7	43	45	47	47	47
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	8	26.3	527	4	4	17	48	59	62	62
65+	12	29.1	599	2	3	20	45	72	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	15.1	230	1	2	12	23	32	54	92
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	332	16.6	273	2	3	11	22	40	59	99+
B. *Operated*	27	27.1	486	3	4	19	45	60	72	73
1. SINGLE DX	81	15.1	230	1	2	12	23	32	54	92
2. MULTIPLE DX	359	17.4	296	2	4	12	23	44	61	99+
A. NOT OPERATED	413	16.3	265	2	3	11	23	38	59	99+
B. OPERATED	27	27.1	486	3	4	19	45	60	72	73
TOTAL 0-19 YRS	14	10.6	144	<1	1	5	15	31	38	40
20-34	68	23.8	501	2	2	19	39	75	97	99+
35-49	47	15.2	126	2	3	14	24	32	39	99+
50-64	81	16.3	288	2	3	9	24	48	60	90
65+	230	16.0	246	2	3	11	21	34	47	87
GRAND TOTAL	440	17.0	284	2	3	12	23	43	61	99+

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.4	8	1	1	2	2	4	7	16
20-34	108	6.5	135	<1	1	3	6	13	21	70
35-49	48	8.9	126	1	2	5	10	22	30	59
50-64	59	12.6	226	2	2	6	17	27	40	80
65+	391	16.8	281	2	3	11	22	43	57	99+
B. *Operated*										
0-19 YRS										
20-34	7	4.9	14	1	1	3	7	11	12	12
35-49	1	9.0		9	9	9	9	9	9	9
50-64	5	8.6	43	4	4	6	11	20	20	20
65+	6	17.3	449	4	4	9	15	55	60	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	6.7	77	1	1	4	7	16	25	58
20-34	515	8.9	85	2	2	6	10	18	26	53
35-49	294	9.8	88	2	3	7	11	19	27	55
50-64	306	12.2	114	2	3	8	15	26	37	79
65+	2390	17.8	313	3	4	12	25	53	94	99+
B. *Operated*										
0-19 YRS	7	29.1	812	1	1	29	57	67	68	68
20-34	15	19.5	553	<1	1	14	26	82	95	99+
35-49	10	48.5	845	13	14	46	83	86	88	88
50-64	28	17.1	303	2	3	14	32	99+	99+	99+
65+	232	28.6	583	5	7	28	54	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	11.9	229	1	1	6	16	31	47	92
B. *Operated*	19	10.0	168	1	2	7	9	18	42	60
2. MULTIPLE DX										
A. *Not Operated*	3671	14.9	252	2	3	10	19	41	71	99+
B. *Operated*	292	27.7	590	3	6	23	53	99+	99+	99+
1. SINGLE DX	757	11.8	228	1	1	6	15	31	47	92
2. MULTIPLE DX	3963	15.9	288	2	3	10	21	46	84	99+
A. NOT OPERATED	4409	14.4	249	2	3	9	19	39	64	99+
B. OPERATED	311	26.6	581	3	5	21	51	99+	99+	99+
TOTAL 0-19 YRS	305	5.4	79	1	1	2	5	11	21	62
20-34	645	8.7	107	1	2	6	10	18	27	60
35-49	353	10.8	153	2	3	7	11	21	33	77
50-64	398	12.5	143	2	3	8	17	28	41	99+
65+	3019	18.5	338	3	4	13	26	56	98	99+
GRAND TOTAL	4720	15.2	280	2	3	10	20	43	76	99+

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	20.0	242	9	9	20	31	31	31	31
65+	33	19.5	394	2	2	16	26	45	49	97
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	26.0	162	17	17	26	35	35	35	35
50-64	12	22.0	349	2	3	17	34	48	63	66
65+	200	18.9	297	4	4	14	27	55	82	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	33.0		33	33	33	33	33	33	33
65+	18	40.6	1013	8	10	48	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	19.2	372	2	2	16	27	45	49	97
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	214	19.1	297	4	4	14	28	54	78	99+
B. *Operated*	19	40.2	959	8	10	40	90	99+	99+	99+
1. SINGLE DX	37	19.0	363	2	2	16	26	44	48	97
2. MULTIPLE DX	233	20.8	381	4	4	15	30	64	98	99+
A. NOT OPERATED	250	19.1	307	3	4	14	27	51	76	99+
B. OPERATED	20	38.8	946	8	10	33	86	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	19.3	214	6	6	17	30	35	35	35
50-64	15	22.5	300	2	4	17	34	41	60	66
65+	252	20.5	386	3	4	14	29	60	97	99+
GRAND TOTAL	**270**	**20.6**	**377**	**3**	**4**	**15**	**30**	**59**	**97**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.2	6	1	1	4	5	8	8	8
20-34	260	4.7	11	1	2	5	5	5	6	13
35-49	415	5.2	13	2	3	5	5	6	7	18
50-64	175	5.9	39	2	3	5	5	7	12	41
65+	29	6.8	18	1	2	6	8	13	21	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.8	13	1	4	5	6	8	15	18
20-34	792	5.5	11	2	3	5	6	8	10	24
35-49	1502	6.3	30	2	3	5	6	9	14	27
50-64	864	7.8	52	3	3	6	8	14	22	52
65+	270	12.0	177	3	4	7	14	25	43	93
B. *Operated*										
0-19 YRS										
20-34	16	8.8	22	3	5	8	10	16	19	21
35-49	29	14.0	334	4	5	9	14	20	53	97
50-64	37	14.2	190	4	4	12	18	28	94	99+
65+	24	26.9	479	6	8	19	39	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	889	5.2	18	2	3	5	5	6	8	22
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3445	7.0	45	2	3	5	7	11	17	38
B. *Operated*	106	16.2	299	4	5	12	18	45	89	99+
1. SINGLE DX	889	5.2	18	2	3	5	5	6	8	22
2. MULTIPLE DX	3551	7.2	55	2	3	5	7	12	19	50
A. NOT OPERATED	4334	6.6	40	2	3	5	6	10	16	35
B. OPERATED	106	16.2	299	4	5	12	18	45	89	99+
TOTAL 0-19 YRS	27	5.2	10	1	2	5	6	8	10	18
20-34	1068	5.4	11	2	3	5	6	8	9	23
35-49	1946	6.2	32	2	3	5	6	9	13	26
50-64	1076	7.7	56	2	3	5	8	14	22	54
65+	323	12.6	203	3	4	8	15	28	52	99+
GRAND TOTAL	**4440**	**6.8**	**48**	**2**	**3**	**5**	**7**	**11**	**17**	**45**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	10.1	89	<1	1	9	16	22	29	32
20-34	38	8.8	62	<1	1	6	13	21	22	36
35-49	12	8.3	52	2	3	6	10	19	27	28
50-64	4	9.5	34	4	4	9	14	15	15	15
65+	11	5.8	13	2	2	6	7	10	15	15
B. *Operated*										
0-19 YRS										
20-34	3	5.7	30	2	2	3	10	12	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	11.5	181	1	1	6	17	27	36	68
20-34	143	9.7	93	1	2	7	12	21	33	44
35-49	49	9.2	58	1	2	8	11	18	29	35
50-64	46	11.0	208	2	3	7	12	17	31	77
65+	126	10.3	109	2	3	7	12	19	32	57
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	3	17.7	289	1	1	17	30	35	35	35
35-49	2	17.0	50	12	12	17	22	22	22	22
50-64	2	12.0	72	6	6	12	18	18	18	18
65+	5	28.4	660	2	2	17	50	64	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	8.6	57	<1	1	6	14	19	23	35
B. *Operated*	3	5.7	30	2	2	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	405	10.2	115	1	2	7	12	21	33	59
B. *Operated*	13	21.2	321	1	2	17	26	50	61	64
1. SINGLE DX	85	8.5	56	1	1	6	13	19	23	35
2. MULTIPLE DX	418	10.5	124	1	2	7	13	21	34	64
A. NOT OPERATED	487	9.9	105	1	2	7	12	20	32	54
B. OPERATED	16	18.3	300	1	2	15	22	45	59	64
TOTAL 0-19 YRS	59	11.3	152	1	1	7	17	26	33	65
20-34	187	9.6	88	1	1	7	13	21	33	42
35-49	63	9.3	57	2	2	8	12	18	28	35
50-64	52	10.9	187	2	3	7	13	17	21	77
65+	142	10.5	129	2	3	7	12	19	39	64
GRAND TOTAL	**503**	**10.2**	**113**	**1**	**2**	**7**	**13**	**21**	**33**	**59**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	28.0	443	4	6	24	37	62	77	99+
20-34	1030	19.1	228	2	4	15	26	39	50	79
35-49	533	18.1	184	2	4	15	24	37	47	66
50-64	202	19.1	226	2	4	16	24	37	50	87
65+	51	19.6	196	3	5	18	27	36	39	77
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	27.6	664	3	4	20	42	72	81	97
20-34	502	19.9	243	2	5	15	27	39	54	80
35-49	313	20.3	229	4	5	16	28	40	53	88
50-64	205	23.5	286	5	7	19	31	46	63	98
65+	92	26.7	419	4	6	21	33	60	83	99+
B. *Operated*										
0-19 YRS										
20-34	25	26.1	420	7	9	22	38	77	99+	99+
35-49	20	20.9	90	7	9	19	29	33	36	38
50-64	9	36.7	603	12	13	39	54	94	99+	99+
65+	4	47.0	683	18	18	44	65	81	81	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1892	19.2	226	2	4	16	25	39	50	78
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1151	21.5	279	3	5	17	29	43	59	91
B. *Operated*	58	27.4	384	8	10	22	38	76	93	99+
1. SINGLE DX	1892	19.2	226	2	4	16	25	39	50	78
2. MULTIPLE DX	1209	21.7	286	3	5	17	29	46	60	97
A. NOT OPERATED	3043	20.0	247	2	5	16	27	41	54	86
B. OPERATED	58	27.4	384	8	10	22	38	76	93	99+
TOTAL 0-19 YRS	115	27.8	513	3	5	21	38	69	77	99
20-34	1557	19.5	236	2	4	16	27	40	52	80
35-49	866	19.0	199	2	5	16	25	39	48	74
50-64	416	21.7	271	3	6	17	28	43	58	98
65+	147	24.8	368	4	5	20	31	55	77	99+
GRAND TOTAL	**3101**	**20.2**	**251**	**2**	**5**	**16**	**27**	**41**	**55**	**87**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	23.3	651	2	4	14	32	76	98	99+
20-34	73	16.7	122	3	4	15	23	31	35	50
35-49	19	15.1	104	2	4	14	18	28	38	45
50-64	7	16.6	182	1	2	10	26	36	38	38
65+	5	8.6	67	2	2	4	17	18	18	18
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	34.0	553	4	8	38	47	67	80	84
20-34	48	15.2	151	1	4	12	20	32	43	60
35-49	18	23.1	304	2	4	19	35	48	56	62
50-64	5	21.0	52	11	11	21	26	30	30	30
65+	5	20.8	385	5	5	14	32	53	53	53
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	1	26.0		26	26	26	26	26	26	26
35-49	2	10.0	98	3	3	10	17	17	17	17
50-64	1	57.0		57	57	57	57	57	57	57
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	17.6	244	2	3	14	24	34	50	99
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	91	20.5	288	3	4	15	27	46	54	77
B. *Operated*	5	25.2	394	3	3	23	34	57	57	57
1. SINGLE DX	134	17.6	244	2	3	14	24	34	50	99
2. MULTIPLE DX	96	20.7	291	3	4	15	27	47	56	76
A. NOT OPERATED	225	18.8	263	2	4	14	25	41	53	91
B. OPERATED	5	25.2	394	3	3	23	34	57	57	57
TOTAL 0-19 YRS	46	26.8	618	3	4	17	39	68	90	99+
20-34	122	16.2	133	3	4	14	23	31	38	54
35-49	39	18.5	207	2	4	15	23	44	48	62
50-64	13	21.4	227	2	5	21	27	42	54	57
65+	10	14.7	242	2	2	10	18	39	53	53
GRAND TOTAL	**230**	**18.9**	**265**	**2**	**4**	**15**	**25**	**42**	**53**	**91**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	21.1	281	1	4	18	30	50	73	99+
20-34	1568	18.8	234	1	3	15	25	40	52	82
35-49	812	17.7	198	1	3	14	24	35	47	77
50-64	379	19.2	179	2	5	17	25	35	48	70
65+	86	20.6	279	2	4	16	28	43	54	84
B. *Operated*										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	3	14.0	25	9	9	14	18	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	24.0	338	2	4	20	37	59	99	99+
20-34	943	21.1	277	2	5	16	29	46	60	99
35-49	673	19.5	257	3	5	15	26	42	54	87
50-64	449	20.5	218	4	6	17	27	43	51	99
65+	192	23.0	262	6	8	18	31	49	58	95
B. *Operated*										
0-19 YRS	4	19.8	68	14	14	16	24	32	32	32
20-34	38	36.1	518	7	11	33	59	84	99+	99+
35-49	33	27.4	291	4	8	24	39	52	59	67
50-64	33	39.8	633	8	13	32	62	81	85	99+
65+	13	37.8	432	10	14	44	56	80	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3035	18.8	222	1	3	15	25	39	51	86
B. *Operated*	4	15.5	26	9	9	16	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	2386	20.8	263	3	5	16	28	45	57	99+
B. *Operated*	121	34.4	482	8	10	29	52	76	85	99+
1. SINGLE DX	3039	18.8	222	1	3	15	25	39	51	86
2. MULTIPLE DX	2507	21.5	282	3	5	17	29	46	60	99+
A. NOT OPERATED	5421	19.7	241	2	4	16	27	42	54	93
B. OPERATED	125	33.8	478	8	10	28	52	75	85	99+
TOTAL 0-19 YRS	323	22.3	302	1	4	19	34	54	77	99+
20-34	2550	19.9	259	2	4	16	27	43	56	90
35-49	1521	18.7	228	2	4	15	25	39	50	85
50-64	861	20.7	231	3	5	17	27	42	54	88
65+	291	22.9	284	4	7	18	31	51	58	95
GRAND TOTAL	**5546**	**20.0**	**251**	**2**	**4**	**16**	**27**	**43**	**56**	**96**

97: Childhood psychoses (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	29.6	1016	1	1	15	54	79	89	92
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	16.6	586	1	1	9	15	80	95	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	29.6	1016	1	1	15	54	79	89	92
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	16.6	586	1	1	9	15	80	95	99+
B. *Operated*	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	15	29.6	1016	1	1	15	54	79	89	92
2. MULTIPLE DX	18	15.9	562	1	1	7	15	78	95	99+
A. NOT OPERATED	32	22.7	804	1	1	11	41	81	91	99+
B. OPERATED	1	3.0		3	3	3	3	3	3	3
TOTAL 0-19 YRS	33	22.1	791	1	1	10	40	80	91	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	33	22.1	791	1	1	10	40	80	91	99+

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	16.2	213	1	2	11	24	34	43	73
20-34	635	15.6	155	2	3	13	21	32	41	66
35-49	711	16.3	156	2	4	14	21	31	40	70
50-64	691	18.2	195	2	4	15	25	35	44	72
65+	643	22.3	234	3	6	20	29	43	53	79
B. *Operated*										
0-19 YRS										
20-34	3	46.0	28	40	40	49	49	50	50	50
35-49	2	21.0	242	10	10	21	32	32	32	32
50-64	4	16.3	166	3	3	15	26	32	32	32
65+	2	31.5	85	25	25	31	38	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	26.3	540	2	3	20	42	74	98	99+
20-34	1020	18.3	234	2	3	15	25	37	49	83
35-49	1136	18.6	217	3	4	15	26	39	47	68
50-64	1256	21.0	234	4	6	18	27	40	53	87
65+	1591	25.1	317	4	7	21	34	51	63	99
B. *Operated*										
0-19 YRS	10	26.9	188	7	9	27	35	46	54	54
20-34	51	23.0	277	2	5	22	31	41	49	96
35-49	62	28.1	369	7	12	24	35	59	76	99
50-64	97	31.7	428	6	11	28	40	65	82	96
65+	147	36.7	457	9	15	33	60	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2780	18.0	192	2	4	15	24	35	45	73
B. *Operated*	11	28.0	253	3	7	32	39	49	50	50
2. MULTIPLE DX										
A. *Not Operated*	5164	21.4	273	3	5	18	29	43	57	92
B. *Operated*	367	31.7	422	7	11	28	46	73	97	99+
1. SINGLE DX	2791	18.0	192	2	4	15	24	36	46	73
2. MULTIPLE DX	5531	22.1	290	3	5	18	29	45	60	98
A. NOT OPERATED	7944	20.2	247	3	4	17	27	41	53	85
B. OPERATED	378	31.6	417	6	10	28	45	71	95	99+
TOTAL 0-19 YRS	271	22.6	428	2	3	18	33	57	80	99+
20-34	1709	17.5	209	2	3	14	23	35	45	81
35-49	1911	18.1	203	3	4	15	25	37	46	70
50-64	2048	20.6	237	3	5	18	27	40	52	84
65+	2383	25.1	313	4	7	21	34	51	65	99+
GRAND TOTAL	**8322**	**20.7**	**261**	**3**	**5**	**17**	**28**	**42**	**54**	**92**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	18.6	213	1	2	17	25	45	51	64
20-34	719	16.9	167	2	4	14	22	35	42	67
35-49	527	16.9	177	3	5	14	22	32	43	69
50-64	372	17.9	175	3	5	14	24	37	44	66
65+	167	19.2	269	1	4	14	26	44	60	98
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	44.0		44	44	44	44	44	44	44
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	24.7	404	3	4	23	37	58	77	99+
20-34	572	19.7	249	2	4	16	27	44	55	82
35-49	546	19.3	195	3	5	16	27	39	48	72
50-64	500	21.1	253	3	5	18	28	41	53	84
65+	334	25.4	306	3	6	22	35	51	63	89
B. *Operated*										
0-19 YRS										
20-34	25	34.8	327	9	14	36	47	65	78	99+
35-49	34	26.5	279	6	9	24	36	60	64	92
50-64	33	28.8	408	10	12	23	35	67	96	99+
65+	47	38.6	485	11	15	34	62	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1870	17.4	183	2	4	14	23	35	44	69
B. *Operated*	2	23.5	841	3	3	23	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*	2039	21.1	256	3	5	17	29	44	56	85
B. *Operated*	139	32.6	605	9	12	29	46	67	95	99+
1. SINGLE DX	1972	17.4	183	2	4	14	23	35	44	69
2. MULTIPLE DX	2178	21.8	273	3	5	18	29	45	58	94
A. NOT OPERATED	3909	19.3	224	3	5	16	26	40	51	81
B. OPERATED	141	32.5	607	9	12	29	44	67	93	99+
TOTAL 0-19 YRS	176	21.6	315	2	3	18	31	51	63	99+
20-34	1313	18.4	213	2	4	15	25	39	49	81
35-49	1107	18.4	192	3	5	15	24	36	46	70
50-64	906	20.1	231	3	5	16	27	39	49	84
65+	548	24.6	335	3	5	20	35	53	67	99+
GRAND TOTAL	**4050**	**19.8**	**236**	**3**	**5**	**16**	**27**	**41**	**53**	**85**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	15.6	211	1	2	12	23	31	35	61
20-34	257	11.8	143	<1	1	8	17	27	35	50
35-49	153	11.2	87	1	1	10	16	27	31	39
50-64	98	12.7	81	1	2	12	18	26	33	37
65+	92	10.0	66	1	2	7	14	22	26	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	48.0		48	48	48	48	48	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	18.2	433	1	2	13	24	41	85	99+
20-34	298	15.0	180	1	3	11	20	35	46	51
35-49	174	12.2	85	1	3	11	16	25	28	50
50-64	213	15.2	159	2	3	12	20	31	39	62
65+	537	14.6	203	2	3	10	19	35	52	99+
B. *Operated*										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	9	15.2	207	2	4	12	18	30	51	51
35-49	6	24.0	280	2	4	28	46	90	99+	99+
50-64	11	18.1	200	5	6	14	32	65	95	99+
65+	67	21.1	193	5	8	18	33	42	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	11.9	116	1	1	9	17	27	33	46
B. *Operated*	2	31.0	578	14	14	31	48	48	48	48
2. MULTIPLE DX										
A. *Not Operated*	1270	14.6	183	2	3	11	19	31	46	80
B. *Operated*	95	20.2	196	4	7	17	31	48	68	99+
1. SINGLE DX	668	12.0	120	1	1	9	17	27	33	45
2. MULTIPLE DX	1365	15.0	186	2	3	11	20	32	47	90
A. NOT OPERATED	1936	13.7	163	1	2	10	18	29	39	73
B. OPERATED	97	20.4	200	5	7	17	32	48	65	99+
TOTAL 0-19 YRS	116	16.6	299	1	2	13	23	35	50	95
20-34	564	13.5	166	1	2	10	18	30	41	58
35-49	333	12.0	91	1	2	10	16	25	31	51
50-64	323	14.5	137	1	3	12	19	30	36	62
65+	697	14.7	192	2	3	10	20	35	46	99+
GRAND TOTAL	**2033**	**14.0**	**166**	**1**	**2**	**10**	**19**	**30**	**42**	**79**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.2	7	<1	<1	2	4	7	9	12
20-34	142	5.6	31	1	1	4	8	12	16	31
35-49	152	5.8	30	1	1	4	7	13	17	26
50-64	64	4.8	19	1	1	4	7	9	11	27
65+	42	5.8	60	1	1	3	7	12	21	41
B. *Operated*										
0-19 YRS										
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	2	10.0	162	1	1	10	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	10.0	294	<1	1	3	6	30	42	89
20-34	291	7.9	93	1	1	4	10	18	25	49
35-49	385	7.4	67	1	2	5	9	17	25	33
50-64	303	6.5	54	1	1	4	7	14	20	39
65+	312	7.9	87	1	2	5	10	16	25	51
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	71	2.6	9	1	1	2	2	5	10	16
35-49	40	6.6	78	1	1	2	8	20	29	31
50-64	20	14.2	166	4	4	9	17	35	43	49
65+	16	15.4	419	2	3	8	12	39	68	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	5.4	30	1	1	4	7	12	15	31
B. *Operated*	4	9.5	57	1	1	9	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	1344	7.5	83	1	1	4	9	17	25	48
B. *Operated*	148	6.6	113	1	1	2	8	17	30	50
1. SINGLE DX	438	5.4	30	1	1	4	7	12	15	31
2. MULTIPLE DX	1492	7.4	86	1	1	4	9	17	25	48
A. NOT OPERATED	1778	7.0	71	1	1	4	8	15	23	40
B. OPERATED	152	6.7	112	1	1	2	8	17	30	49
TOTAL 0-19 YRS	88	7.3	189	<1	1	3	5	21	36	80
20-34	506	6.5	66	1	1	4	8	15	20	42
35-49	579	7.0	58	1	1	4	8	17	24	32
50-64	387	6.6	57	1	1	4	8	14	21	39
65+	370	8.0	100	1	2	5	9	16	26	51
GRAND TOTAL	**1930**	**7.0**	**74**	**1**	**1**	**4**	**8**	**15**	**23**	**41**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	22.7	746	2	2	13	51	91	99+	99+
20-34	304	11.2	125	1	2	8	14	24	34	51
35-49	272	9.3	73	1	2	7	12	20	29	41
50-64	154	11.4	104	2	2	8	16	23	30	52
65+	102	11.6	83	2	3	9	15	23	33	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	32.0	877	1	3	23	58	84	96	99+
20-34	656	13.6	144	1	2	10	21	28	37	56
35-49	530	15.0	177	2	3	12	21	29	40	66
50-64	409	13.8	98	2	3	12	21	28	34	43
65+	459	13.1	140	2	3	9	18	28	40	76
B. *Operated*										
0-19 YRS	4	43.8	1313	12	12	36	72	91	91	91
20-34	16	28.2	351	3	4	27	37	58	66	69
35-49	21	20.9	313	3	4	17	28	44	59	73
50-64	20	14.4	79	3	4	11	21	26	31	35
65+	38	25.8	346	3	5	22	38	49	65	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	921	11.8	174	1	2	8	15	26	37	91
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2239	15.4	228	2	3	11	21	32	46	87
B. *Operated*	99	23.6	344	3	5	19	34	48	65	82
1. SINGLE DX	921	11.8	174	1	2	8	15	26	37	91
2. MULTIPLE DX	2338	15.7	236	2	3	11	21	34	48	87
A. NOT OPERATED	3160	14.3	215	1	2	10	20	30	44	90
B. OPERATED	99	23.6	344	3	5	19	34	48	65	82
TOTAL 0-19 YRS	278	29.2	855	2	3	18	57	86	99	99+
20-34	976	13.1	146	1	2	10	20	28	36	58
35-49	823	13.3	154	1	2	10	19	28	36	57
50-64	583	13.2	100	2	3	11	20	27	32	44
65+	599	13.6	153	2	3	9	18	29	42	68
GRAND TOTAL	**3259**	**14.6**	**221**	**1**	**2**	**10**	**20**	**32**	**45**	**90**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	175	10.9	200	1	1	6	14	28	42	64
20-34	361	11.0	124	1	1	7	15	28	37	53
35-49	183	10.4	151	1	1	6	14	25	32	76
50-64	55	9.5	127	<1	1	6	11	19	39	57
65+	33	12.4	299	2	3	7	14	20	40	98
B. Operated										
0-19 YRS	6	5.0	12	<1	<1	4	9	9	9	9
20-34	22	8.8	19	3	4	8	11	15	17	19
35-49	20	9.3	45	2	3	8	10	15	24	33
50-64	20	6.4	8	3	3	6	9	10	11	11
65+	15	5.0	3	1	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	199	16.8	466	1	1	7	26	60	93	99+
20-34	699	11.2	147	1	1	7	15	27	38	61
35-49	386	12.8	172	1	2	9	17	29	46	63
50-64	210	13.4	233	1	2	8	17	34	48	77
65+	186	12.5	150	2	2	8	16	30	42	91
B. Operated										
0-19 YRS	6	5.8	15	2	2	7	11	82	99+	99+
20-34	36	16.3	229	2	3	10	24	37	64	99+
35-49	33	16.1	182	3	3	11	24	35	45	54
50-64	38	11.8	98	3	5	8	14	29	36	39
65+	26	10.7	74	3	3	8	14	27	29	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	807	10.8	153	1	1	6	14	27	37	71
B. Operated	83	7.4	22	2	3	7	9	12	15	26
2. MULTIPLE DX										
A. Not Operated	1680	12.6	204	1	2	8	16	31	47	91
B. Operated	139	13.5	149	3	3	9	20	33	38	99+
1. SINGLE DX	890	10.5	142	1	1	6	14	26	36	63
2. MULTIPLE DX	1819	12.7	200	1	2	8	16	31	46	93
A. NOT OPERATED	2487	12.1	188	1	1	7	15	30	43	86
B. OPERATED	222	11.2	110	3	3	8	13	28	35	84
TOTAL 0-19 YRS	386	13.8	341	1	1	6	20	43	80	99+
20-34	1118	11.2	141	1	1	7	15	28	37	61
35-49	622	12.2	164	1	2	8	16	28	42	63
50-64	323	12.1	189	1	2	7	15	29	42	65
65+	260	11.8	154	2	3	8	15	26	37	95
GRAND TOTAL	**2709**	**12.0**	**182**	**1**	**1**	**7**	**15**	**29**	**43**	**85**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	5.3	38	<1	<1	3	7	16	21	24
20-34	1254	7.0	35	1	2	5	7	14	21	29
35-49	1556	6.9	31	1	3	5	7	14	21	28
50-64	629	7.3	37	1	2	5	7	16	21	30
65+	151	7.0	34	1	2	5	8	16	21	28
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	392	14.6	147	<1	1	10	27	32	34	39
20-34	3628	10.1	83	2	3	7	12	27	28	35
35-49	4694	8.9	54	2	3	7	9	20	27	32
50-64	2719	9.4	71	2	3	7	11	23	28	36
65+	948	10.3	86	2	3	7	13	24	29	42
B. Operated										
0-19 YRS	7	14.0	128	<1	1	12	25	28	28	28
20-34	93	14.3	108	2	3	12	21	28	31	45
35-49	130	14.6	138	4	5	11	18	27	42	65
50-64	109	18.3	202	3	6	14	27	45	67	99+
65+	60	21.3	231	5	7	17	33	52	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3706	6.9	34	1	2	5	7	15	21	29
B. Operated	4	6.8	68	1	1	3	11	19	19	19
2. MULTIPLE DX										
A. Not Operated	12381	9.6	73	2	3	7	11	25	28	35
B. Operated	399	16.6	168	3	5	13	23	34	49	99+
1. SINGLE DX	3710	6.9	34	1	2	5	7	15	21	29
2. MULTIPLE DX	12780	9.9	77	2	3	7	11	25	28	37
A. NOT OPERATED	16087	9.0	65	2	3	6	10	22	28	34
B. OPERATED	403	16.5	167	3	5	13	23	34	49	99+
TOTAL 0-19 YRS	516	12.5	137	<1	1	7	22	29	34	38
20-34	4977	9.4	74	2	3	6	10	25	28	34
35-49	6381	8.5	51	2	3	6	9	19	27	31
50-64	3457	9.3	72	2	3	6	11	22	28	38
65+	1159	10.5	94	2	3	7	13	24	30	51
GRAND TOTAL	**16490**	**9.2**	**69**	**2**	**3**	**6**	**10**	**23**	**28**	**35**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	10.7	21	2	3	11	14	16	16	16
20-34	239	10.4	28	2	3	11	13	17	19	22
35-49	57	11.5	28	2	5	11	15	17	20	27
50-64	3	7.7	20	3	3	8	11	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	12.8	14	5	7	13	16	17	18	18
20-34	956	12.9	34	4	6	13	15	17	20	36
35-49	382	13.1	25	5	7	13	16	17	19	30
50-64	43	12.3	28	3	4	13	15	18	22	26
65+	6	13.0	24	7	7	13	17	19	19	19
B. *Operated*										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	66	14.6	46	8	9	14	16	17	18	55
35-49	27	19.7	152	8	13	16	19	30	56	62
50-64	2	11.5	1	11	11	11	12	12	12	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	10.6	28	2	3	11	14	17	19	26
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1410	12.9	31	4	6	13	16	17	20	33
B. *Operated*	96	16.3	87	8	10	15	17	19	34	61
1. SINGLE DX	311	10.6	28	2	3	11	14	17	19	26
2. MULTIPLE DX	1506	13.1	35	4	6	13	16	17	20	36
A. NOT OPERATED	1721	12.5	31	3	6	13	15	17	20	31
B. OPERATED	96	16.3	87	8	10	15	17	19	34	61
TOTAL 0-19 YRS	35	13.0	44	4	6	13	16	17	18	43
20-34	1261	12.5	35	3	5	13	15	17	20	35
35-49	466	13.3	35	5	7	13	16	17	21	31
50-64	48	12.0	27	3	4	13	14	18	21	26
65+	7	11.6	35	3	4	10	17	19	19	19
GRAND TOTAL	**1817**	**12.7**	**35**	**3**	**6**	**13**	**15**	**17**	**20**	**35**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	7.7	8	2	6	7	9	12	13	13
20-34	68	6.6	16	<1	<1	7	9	12	15	16
35-49	21	9.2	34	2	3	9	11	20	21	21
50-64	4	10.5	81	3	3	8	17	23	23	23
65+	2	13.5	5	12	12	13	15	15	15	15
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	17.4	195	2	2	12	28	33	37	60
20-34	221	13.4	94	2	3	12	18	26	30	54
35-49	77	14.2	60	2	5	14	19	23	28	39
50-64	27	14.9	74	2	5	14	21	30	41	99+
65+	10	14.7	67	4	5	14	18	26	32	32
B. *Operated*										
0-19 YRS										
20-34	10	13.5	34	1	4	14	17	20	22	22
35-49	3	13.3	37	8	8	12	18	20	20	20
50-64	4	19.0	38	15	15	17	23	28	28	28
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	7.5	21	<1	1	7	10	13	16	22
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	372	14.1	95	2	3	13	20	28	31	56
B. *Operated*	17	14.8	37	3	8	15	18	22	26	28
1. SINGLE DX	111	7.5	21	<1	1	7	10	13	16	22
2. MULTIPLE DX	389	14.1	92	2	3	14	19	28	31	53
A. NOT OPERATED	482	12.6	86	1	3	11	18	25	29	42
B. OPERATED	18	14.2	41	2	5	15	18	21	26	28
TOTAL 0-19 YRS	52	14.6	159	2	3	8	28	29	34	60
20-34	300	11.9	82	1	3	10	16	23	28	39
35-49	101	13.1	58	2	4	12	18	21	25	37
50-64	35	14.8	71	2	5	15	21	28	34	99+
65+	12	14.5	55	4	6	14	18	24	31	32
GRAND TOTAL	**500**	**12.7**	**84**	**1**	**3**	**11**	**18**	**25**	**29**	**41**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	1.4	6	<1	<1	1	1	2	2	7
20-34	97	1.9	2	<1	<1	1	2	4	5	7
35-49	44	3.0	11	<1	<1	2	3	7	9	18
50-64	33	2.7	20	<1	<1	1	2	5	6	26
65+	16	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	2.6	18	<1	<1	1	2	5	9	25
20-34	332	6.6	60	<1	1	5	8	11	21	35
35-49	292	6.1	38	1	1	5	8	9	16	34
50-64	135	5.4	22	1	1	5	8	9	11	28
65+	69	5.8	37	1	1	3	8	16	20	27
B. *Operated*										
0-19 YRS	13	3.2	25	<1	<1	1	2	14	15	15
20-34	12	5.7	15	<1	1	7	8	10	12	12
35-49	8	9.9	37	2	2	11	14	18	19	19
50-64	5	17.8	207	6	6	10	30	38	38	38
65+	5	13.6	150	<1	<1	9	21	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	467	1.8	7	<1	<1	1	2	3	5	9
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	993	5.6	42	<1	1	4	8	9	17	31
B. *Operated*	43	8.0	76	<1	<1	7	11	17	30	38
1. SINGLE DX	468	1.8	7	<1	<1	1	2	3	5	9
2. MULTIPLE DX	1036	5.7	43	<1	1	4	8	10	18	31
A. NOT OPERATED	1460	4.4	34	<1	<1	2	6	8	13	30
B. OPERATED	44	7.9	74	<1	<1	6	11	17	29	38
TOTAL 0-19 YRS	455	1.9	11	<1	<1	1	2	3	5	23
20-34	441	5.6	50	<1	<1	4	8	9	17	31
35-49	344	5.8	36	<1	1	4	8	10	16	32
50-64	174	5.2	31	<1	1	4	7	9	12	28
65+	90	5.6	41	1	1	3	8	15	20	31
GRAND TOTAL	**1504**	**4.5**	**35**	**<1**	**<1**	**2**	**6**	**8**	**13**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.3	49	<1	<1	2	5	7	23	33
20-34	63	5.0	35	<1	1	2	7	13	20	25
35-49	16	7.5	131	<1	<1	3	6	30	37	39
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	10.8	195	1	1	4	15	33	40	65
20-34	314	9.7	99	1	1	7	12	23	31	48
35-49	91	8.7	69	1	1	7	10	22	26	41
50-64	33	10.9	84	1	2	8	15	28	29	30
65+	13	12.5	491	2	2	6	8	31	75	85
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	14.6	196	<1	2	11	13	38	50	51
35-49	3	11.0	37	7	7	8	15	18	18	18
50-64	4	23.0	161	4	4	29	30	30	30	30
65+	2	7.5	61	2	2	7	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.1	51	<1	<1	3	6	12	24	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	530	9.8	116	1	1	7	12	25	31	49
B. *Operated*	21	14.5	157	1	2	11	20	30	40	51
1. SINGLE DX	120	5.1	51	<1	<1	3	6	12	24	35
2. MULTIPLE DX	551	10.0	118	1	1	7	12	26	31	49
A. NOT OPERATED	650	8.9	107	1	1	6	11	24	30	48
B. OPERATED	21	14.5	157	1	2	11	20	30	40	51
TOTAL 0-19 YRS	117	8.7	156	<1	1	3	9	30	38	53
20-34	388	9.1	95	1	1	6	12	23	29	49
35-49	110	8.6	76	1	1	7	10	22	27	43
50-64	40	11.5	101	1	2	7	18	29	30	30
65+	16	11.4	403	2	2	6	9	17	65	85
GRAND TOTAL	**671**	**9.1**	**109**	**1**	**1**	**6**	**11**	**24**	**30**	**49**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.7	8	1	1	3	5	6	7	17
20-34	55	4.1	7	1	2	3	6	7	9	14
35-49	56	3.8	14	1	1	3	4	8	13	21
50-64	26	3.8	5	1	2	3	6	7	8	8
65+	19	6.4	55	1	1	4	8	11	24	34
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	6	3.2	7	<1	<1	2	4	8	8	8
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	2	6.5	25	3	3	6	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	6.0	101	1	2	3	7	9	35	97
20-34	104	5.4	27	1	1	4	6	12	18	27
35-49	110	5.3	11	2	2	5	7	10	13	16
50-64	144	5.1	17	1	1	4	6	10	12	22
65+	173	6.8	34	1	2	5	8	13	18	28
B. *Operated*										
0-19 YRS	6	10.2	234	1	1	3	13	37	40	40
20-34	5	6.4	37	2	2	2	12	14	14	14
35-49	16	12.8	137	2	2	9	17	26	40	46
50-64	7	10.3	40	4	4	8	16	20	20	20
65+	9	15.7	250	4	5	9	31	76	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	4.1	13	1	1	3	5	7	10	19
B. *Operated*	14	4.4	7	<1	1	4	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	587	5.8	31	1	2	5	7	11	15	28
B. *Operated*	43	11.9	141	1	2	6	16	32	48	99+
1. SINGLE DX	211	4.1	13	1	1	3	5	7	10	19
2. MULTIPLE DX	630	6.2	41	1	2	5	7	12	17	46
A. NOT OPERATED	784	5.4	27	1	2	4	7	10	14	27
B. OPERATED	57	10.0	118	1	2	7	13	26	44	96
TOTAL 0-19 YRS	105	5.4	70	1	1	3	6	8	14	79
20-34	170	5.0	20	1	1	4	6	9	15	26
35-49	186	5.5	27	1	2	4	7	11	14	26
50-64	179	5.2	17	1	1	4	6	10	13	21
65+	201	7.2	48	1	2	5	8	13	21	50
GRAND TOTAL	**841**	**5.7**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**34**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	363	11.0	158	1	1	7	14	28	35	58
20-34	480	6.9	53	1	1	5	9	15	21	35
35-49	270	7.9	76	<1	1	5	10	18	26	46
50-64	98	8.7	69	1	1	6	13	21	27	39
65+	67	12.6	146	1	2	10	17	28	33	97
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34										
35-49										
50-64	2	7.0	8	5	5	7	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	464	15.3	334	1	1	8	20	41	60	88
20-34	994	9.6	86	1	2	7	12	21	27	43
35-49	583	9.5	67	1	2	7	13	20	26	40
50-64	257	10.9	144	2	2	7	14	23	30	73
65+	224	12.7	117	2	3	10	18	25	35	62
B. *Operated*										
0-19 YRS	11	16.3	575	1	1	9	26	88	98	99+
20-34	26	12.3	73	2	3	9	19	26	27	30
35-49	24	15.6	144	1	3	14	23	32	41	46
50-64	10	19.4	126	8	8	16	27	37	38	38
65+	11	22.5	138	10	12	17	27	43	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	8.7	97	1	1	6	11	21	28	51
B. *Operated*	4	7.0	19	2	2	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2522	11.0	141	1	2	7	14	24	33	63
B. *Operated*	82	16.0	177	1	3	14	24	32	43	94
1. SINGLE DX	1282	8.7	97	1	1	6	11	21	28	51
2. MULTIPLE DX	2604	11.2	142	1	2	8	14	25	34	63
A. NOT OPERATED	3800	10.2	127	1	1	7	13	23	31	61
B. OPERATED	86	15.6	173	1	3	13	23	31	42	94
TOTAL 0-19 YRS	840	13.4	264	1	1	7	17	34	51	86
20-34	1500	8.8	76	1	1	6	11	20	26	38
35-49	877	9.1	74	1	1	7	12	20	27	42
50-64	367	10.6	126	1	2	7	14	23	29	60
65+	302	13.0	126	2	3	10	18	26	37	80
GRAND TOTAL	**3886**	**10.4**	**129**	**1**	**1**	**7**	**13**	**24**	**31**	**61**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	467	18.6	500	1	2	9	30	69	99+	99+
20-34	229	10.9	158	1	1	5	17	29	46	99+
35-49	145	8.3	88	1	1	5	10	20	29	44
50-64	84	12.0	181	1	2	8	15	26	32	80
65+	92	14.4	173	2	2	9	21	34	42	53
B. Operated										
0-19 YRS	7	11.4	391	<1	<1	5	7	46	56	56
20-34	11	5.2	64	1	1	4	4	50	93	99+
35-49	12	5.7	22	2	2	4	8	13	16	16
50-64	4	6.3	9	3	3	6	8	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	560	25.7	796	1	3	15	58	95	99+	99+
20-34	453	11.8	203	1	2	7	15	32	50	99+
35-49	318	10.9	145	1	2	7	14	26	36	58
50-64	320	11.3	114	2	4	8	15	24	34	51
65+	456	15.2	228	2	3	10	21	35	49	95
B. Operated										
0-19 YRS	19	43.0	1192	2	6	64	99+	99+	99+	99+
20-34	34	14.0	221	1	2	9	20	44	48	57
35-49	22	17.3	300	1	2	12	29	34	53	75
50-64	26	22.8	328	3	5	17	38	53	78	99+
65+	38	27.0	493	6	7	20	44	70	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1017	14.4	323	1	2	7	20	46	70	99+
B. Operated	35	6.7	102	1	2	4	7	16	48	99+
2. MULTIPLE DX										
A. Not Operated	2127	16.1	384	2	2	8	21	52	84	99+
B. Operated	141	23.7	527	2	3	17	41	90	99+	99+
1. SINGLE DX	1052	14.1	318	1	2	7	19	46	70	99+
2. MULTIPLE DX	2268	16.6	396	2	2	9	22	57	88	99+
A. NOT OPERATED	3144	15.6	365	1	2	8	21	50	82	99+
B. OPERATED	176	20.3	488	2	2	12	33	78	99+	99+
TOTAL 0-19 YRS	1073	22.7	691	1	2	12	47	90	99+	99+
20-34	727	11.5	188	1	2	6	16	31	46	99+
35-49	497	10.3	136	1	2	6	13	24	35	56
50-64	436	12.1	146	2	2	8	16	28	38	61
65+	587	15.8	244	2	3	10	22	36	53	90
GRAND TOTAL	**3320**	**15.8**	**373**	**1**	**2**	**8**	**21**	**51**	**84**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.7	13	<1	<1	1	4	14	78	99+
20-34	11	8.2	93	1	1	3	15	23	29	30
35-49	3	12.7	105	4	4	10	20	24	24	24
50-64	3	7.7	37	1	1	9	12	13	13	13
65+	1	4.0		4	4	99+	99+	99+	99+	99+
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	11.7	267	1	1	5	16	27	41	65
20-34	60	11.2	142	1	1	7	16	24	41	96
35-49	16	15.7	350	1	2	6	20	33	64	77
50-64	16	12.1	139	1	2	6	17	33	36	37
65+	5	10.2	172	1	1	7	33	82	99+	99+
B. Operated										
0-19 YRS	8	13.8	308	2	2	3	15	43	55	55
20-34	11	4.0	44	2	2	2	2	11	23	24
35-49	3	6.0	48	2	2	2	11	14	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	6.0	56	<1	1	3	12	30	99+	99+
B. Operated	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	139	11.9	200	1	2	7	16	29	41	99+
B. Operated	22	7.8	150	2	2	2	10	18	36	55
1. SINGLE DX	36	5.6	51	<1	1	2	10	28	99+	99+
2. MULTIPLE DX	161	11.3	194	1	2	6	16	28	41	96
A. NOT OPERATED	171	10.8	178	1	1	6	16	29	52	99+
B. OPERATED	26	6.9	130	2	2	2	9	15	30	55
TOTAL 0-19 YRS	65	9.8	224	<1	1	4	14	27	55	98
20-34	83	9.7	126	1	1	6	15	22	33	69
35-49	24	13.0	264	1	2	7	16	25	47	77
50-64	19	11.4	123	1	2	6	16	32	36	37
65+	6	9.2	144	1	1	8	99+	99+	99+	99+
GRAND TOTAL	**197**	**10.3**	**173**	**1**	**1**	**6**	**15**	**28**	**48**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	282	11.5	24	3	5	11	14	16	18	29
20-34	50	7.6	24	1	2	7	11	13	14	26
35-49	42	8.7	65	<1	1	7	11	20	30	32
50-64	19	9.6	42	2	2	7	16	19	20	21
65+	15	11.0	80	1	2	9	14	21	32	36
B. *Operated*										
0-19 YRS	34	13.4	66	3	4	12	15	28	31	35
20-34	27	7.6	72	2	2	6	9	12	18	46
35-49	33	6.4	32	1	2	5	9	16	17	25
50-64	22	11.1	195	1	2	7	11	30	49	57
65+	4	14.8	213	2	2	12	26	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	11.6	30	2	4	12	14	17	20	33
20-34	46	11.7	102	2	3	9	15	25	36	45
35-49	62	13.1	103	3	4	11	17	27	41	94
50-64	65	16.0	206	3	5	13	18	26	43	81
65+	53	18.1	183	4	6	14	22	41	47	67
B. *Operated*										
0-19 YRS	49	22.3	324	3	7	16	27	43	69	80
20-34	34	22.9	379	2	4	16	32	69	72	99+
35-49	58	16.1	283	2	2	11	26	52	83	99+
50-64	53	23.7	428	3	5	19	35	58	92	99+
65+	45	36.0	581	9	10	37	54	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	10.6	33	2	3	11	13	16	19	31
B. *Operated*	120	9.8	91	2	2	8	12	19	30	49
2. MULTIPLE DX										
A. *Not Operated*	474	13.1	92	3	4	12	15	22	31	64
B. *Operated*	239	23.8	430	2	4	18	37	68	95	99+
1. SINGLE DX	528	10.4	46	2	2	11	13	17	20	35
2. MULTIPLE DX	713	16.7	230	3	4	12	19	39	57	99+
A. NOT OPERATED	882	12.0	66	2	3	11	14	19	25	47
B. OPERATED	359	19.1	360	2	3	13	27	51	73	99+
TOTAL 0-19 YRS	613	12.5	60	3	5	12	14	18	24	45
20-34	157	12.1	165	2	2	9	14	27	43	73
35-49	195	11.9	148	1	2	9	15	31	43	99+
50-64	159	17.1	282	2	3	13	20	44	58	99
65+	117	24.0	414	3	6	17	38	62	92	99+
GRAND TOTAL	**1241**	**14.0**	**161**	**2**	**3**	**11**	**16**	**28**	**44**	**96**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	11.0	98	4	4	11	18	18	18	18
35-49	6	17.7	189	2	2	16	28	36	37	37
50-64	50	10.0	72	1	2	8	13	26	30	31
65+	144	11.3	75	2	3	9	15	23	31	51
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	17.8	37	10	10	17	20	27	27	27
50-64	5	12.6	88	3	3	12	21	24	24	24
65+	6	21.8	257	3	5	20	44	90	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	17.0	333	5	5	8	30	38	38	38
35-49	17	22.1	573	4	6	9	37	61	76	83
50-64	138	16.6	156	4	5	13	23	32	42	80
65+	1054	16.5	205	3	4	13	21	35	52	99+
B. *Operated*										
0-19 YRS										
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	2	14.5	1	14	14	14	15	15	15	15
50-64	21	22.3	349	4	5	17	33	61	83	99+
65+	143	20.7	273	3	6	17	31	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	11.1	78	2	3	8	14	24	30	45
B. *Operated*	16	17.7	134	3	3	17	25	46	82	99+
2. MULTIPLE DX										
A. *Not Operated*	1213	16.6	204	3	4	13	21	35	51	99+
B. *Operated*	168	20.7	277	4	5	17	31	69	99+	99+
1. SINGLE DX	220	11.6	85	2	3	9	16	25	31	64
2. MULTIPLE DX	1381	17.1	215	3	5	13	22	37	60	99+
A. NOT OPERATED	1417	15.8	190	3	4	12	20	33	49	99+
B. OPERATED	184	20.4	265	3	5	17	30	67	99+	99+
TOTAL 0-19 YRS	3	6.3	70	1	1	2	12	16	16	16
20-34	7	12.4	151	4	4	8	16	34	38	38
35-49	30	20.0	360	3	6	14	27	45	63	83
50-64	214	15.5	164	3	4	12	21	31	43	85
65+	1347	16.4	203	3	4	13	21	36	58	99+
GRAND TOTAL	**1601**	**16.3**	**201**	**3**	**4**	**13**	**21**	**35**	**55**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	6.0	31	1	1	5	10	15	16	16
20-34	191	8.5	42	1	1	6	12	16	19	27
35-49	256	10.3	48	1	2	10	14	20	23	30
50-64	100	10.6	56	1	2	8	15	23	26	29
65+	8	10.5	37	5	6	8	12	21	24	24
B. Operated			\							
0-19 YRS										
20-34	28	7.9	53	2	2	6	11	15	18	37
35-49	27	9.3	104	2	2	5	12	17	34	47
50-64	12	8.8	41	1	2	8	14	18	19	19
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	9.0	17	2	4	9	10	15	18	18
20-34	166	11.9	123	2	3	9	15	25	31	56
35-49	295	15.4	200	2	4	11	19	29	42	92
50-64	194	13.4	101	2	3	11	17	26	31	53
65+	51	13.4	197	2	3	9	15	28	63	99
B. Operated										
0-19 YRS	3	19.0	156	9	9	15	28	33	33	33
20-34	40	24.0	438	2	3	18	37	64	75	99+
35-49	98	19.1	325	3	4	13	23	42	59	90
50-64	62	19.3	258	3	4	18	31	60	99+	99+
65+	23	23.0	504	1	3	19	34	75	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	562	9.7	48	1	2	9	14	19	23	29
B. Operated	68	8.7	69	2	2	6	12	16	20	45
2. MULTIPLE DX										
A. Not Operated	717	13.8	154	2	3	11	18	27	36	71
B. Operated	226	20.4	341	3	4	15	30	57	78	99+
1. SINGLE DX	630	9.6	50	1	2	8	13	19	23	31
2. MULTIPLE DX	943	15.4	206	2	3	11	20	32	48	99
A. NOT OPERATED	1279	12.0	111	2	2	10	15	24	29	60
B. OPERATED	294	17.7	302	2	3	13	23	45	70	99+
TOTAL 0-19 YRS	21	9.4	51	1	2	9	11	17	25	33
20-34	425	11.2	130	1	2	8	14	23	33	70
35-49	676	13.7	167	2	3	11	17	26	38	77
50-64	368	13.5	121	2	3	11	18	28	36	99+
65+	83	15.8	280	2	3	10	20	40	71	99+
GRAND TOTAL	**1573**	**13.1**	**152**	**2**	**3**	**10**	**16**	**26**	**37**	**80**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	560	4.0	13	1	1	3	5	8	11	19
20-34	441	4.2	16	1	1	3	5	9	12	20
35-49	230	4.3	22	1	1	3	5	9	11	19
50-64	134	4.0	10	1	1	3	5	9	10	18
65+	91	5.7	35	1	2	4	7	10	13	39
B. Operated										
0-19 YRS	3	6.7	16	2	2	9	9	9	9	9
20-34	18	7.9	40	<1	1	6	14	18	19	20
35-49	10	11.9	321	1	1	6	8	40	61	61
50-64	5	5.0	46	1	1	2	6	17	17	17
65+	4	4.0	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	645	5.4	34	1	1	3	6	11	17	33
20-34	524	5.7	49	1	1	4	7	11	16	46
35-49	498	6.9	61	1	2	5	8	13	20	39
50-64	610	7.1	42	2	2	6	9	14	18	36
65+	840	9.6	103	2	2	7	12	18	26	58
B. Operated							\			
0-19 YRS	19	18.6	520	2	3	12	20	79	94	99+
20-34	46	9.2	72	2	2	6	12	24	28	38
35-49	46	12.4	133	2	2	10	16	23	41	56
50-64	58	17.5	309	2	3	12	24	40	62	99+
65+	70	24.3	304	5	7	22	28	61	68	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1456	4.2	17	1	1	3	5	9	11	19
B. Operated	40	8.1	105	<1	1	5	9	18	19	61
2. MULTIPLE DX										
A. Not Operated	3117	7.1	63	1	2	5	9	14	20	41
B. Operated	239	17.0	272	2	3	12	23	39	64	99+
1. SINGLE DX	1496	4.3	19	1	1	3	5	9	11	20
2. MULTIPLE DX	3356	7.9	85	1	2	5	9	16	24	52
A. NOT OPERATED	4573	6.2	50	1	1	4	8	13	17	37
B. OPERATED	279	15.7	258	2	2	11	21	36	60	99
TOTAL 0-19 YRS	1227	4.9	35	1	1	3	6	10	15	31
20-34	1029	5.2	37	1	1	4	6	11	15	29
35-49	784	6.5	60	1	1	4	8	13	19	43
50-64	807	7.3	65	1	2	5	9	15	20	42
65+	1005	10.2	126	2	2	7	12	21	31	65
GRAND TOTAL	**4852**	**6.8**	**67**	**1**	**1**	**4**	**8**	**14**	**20**	**44**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	3.5	14	<1	<1	2	4	7	11	21
20-34	220	4.4	21	1	1	3	6	9	13	33
35-49	165	5.8	100	1	1	3	6	11	15	85
50-64	144	7.7	48	1	1	5	10	17	23	40
65+	265	9.9	138	1	2	7	11	21	40	96
B. *Operated*										
0-19 YRS	166	6.9	82	1	1	4	7	18	27	44
20-34	161	8.8	113	1	2	4	10	18	38	55
35-49	155	9.2	147	1	2	5	10	22	31	71
50-64	157	7.1	61	1	2	4	8	16	25	41
65+	133	9.2	60	1	2	7	12	20	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	370	6.6	108	<1	1	4	7	13	21	73
20-34	315	8.3	120	1	1	5	9	19	31	56
35-49	380	9.4	130	1	2	6	12	21	29	98
50-64	629	13.1	246	2	3	8	15	31	59	96
65+	1995	14.3	179	3	4	10	18	33	50	99+
B. *Operated*										
0-19 YRS	294	10.1	186	1	2	5	12	24	35	96
20-34	290	11.7	216	1	2	7	14	28	46	99+
35-49	301	13.5	265	2	2	8	17	35	57	99+
50-64	476	15.5	288	2	3	11	19	46	82	99+
65+	811	19.6	314	2	3	15	28	50	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	995	6.4	73	1	1	4	7	13	20	74
B. *Operated*	772	8.2	94	1	2	5	10	18	27	50
2. MULTIPLE DX										
A. *Not Operated*	3689	12.3	181	2	2	8	15	28	47	99+
B. *Operated*	2172	15.5	283	2	2	10	20	43	70	99+
1. SINGLE DX	1767	7.2	83	1	1	4	8	15	24	52
2. MULTIPLE DX	5861	13.5	221	2	2	9	17	34	53	99+
A. NOT OPERATED	4684	11.0	164	1	2	7	13	25	42	99+
B. OPERATED	2944	13.6	244	1	2	8	18	36	56	99+
TOTAL 0-19 YRS	1031	7.0	113	<1	1	4	8	16	25	72
20-34	986	8.5	131	1	1	5	10	19	33	85
35-49	1001	10.0	175	1	2	6	12	24	38	99
50-64	1406	12.7	228	2	2	8	15	31	58	99+
65+	3204	15.0	214	2	3	10	19	37	54	99+
GRAND TOTAL	**7628**	**12.0**	**196**	**1**	**2**	**8**	**15**	**29**	**48**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	2.7	4	1	1	2	4	6	7	9
20-34	395	3.2	4	1	1	3	4	6	7	10
35-49	241	3.9	7	1	1	3	5	7	9	14
50-64	98	4.0	8	1	1	3	5	7	9	17
65+	22	5.1	10	1	2	4	7	10	11	12
B. *Operated*										
0-19 YRS	6	3.5	10	2	2	2	3	9	10	10
20-34	16	3.1	5	1	2	3	3	5	9	10
35-49	20	3.6	2	2	2	3	5	6	7	7
50-64	9	6.0	20	2	2	6	7	13	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	3.9	27	1	1	3	5	7	8	25
20-34	350	4.5	12	1	2	4	6	8	11	18
35-49	341	4.7	13	1	1	4	6	9	11	21
50-64	234	5.2	15	1	2	4	7	11	14	19
65+	69	5.4	14	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	3	6.7	4	5	5	6	8	9	9	9
20-34	34	6.4	30	<1	1	5	8	15	18	25
35-49	31	7.3	23	1	2	6	9	15	18	19
50-64	33	7.5	35	2	2	6	10	14	17	29
65+	21	7.9	60	1	2	6	10	20	28	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	3.4	6	1	1	3	5	6	8	11
B. *Operated*	51	3.9	7	2	2	3	5	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	1118	4.7	15	1	1	4	6	9	11	19
B. *Operated*	122	7.2	33	1	2	6	9	15	18	29
1. SINGLE DX	1001	3.4	6	1	1	3	5	6	8	12
2. MULTIPLE DX	1240	4.9	17	1	2	4	6	9	13	21
A. NOT OPERATED	2068	4.1	11	1	1	3	5	8	10	16
B. OPERATED	173	6.2	28	2	2	5	8	14	16	29
TOTAL 0-19 YRS	327	3.2	13	1	1	2	4	6	8	15
20-34	795	3.9	9	1	1	3	5	7	9	16
35-49	633	4.5	11	1	1	4	6	8	11	18
50-64	374	5.1	16	1	2	4	6	10	14	20
65+	112	5.8	22	1	2	4	7	11	13	28
GRAND TOTAL	**2241**	**4.3**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.6	1	1	1	3	3	4	4	4
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	4	2.5	1	2	2	2	3	4	4	4
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	24	4.5	146	<1	1	2	3	4	21	61
20-34	418	1.9	1	<1	<1	2	2	3	3	4
35-49	835	2.0	1	<1	<1	2	2	3	4	6
50-64	990	2.1	1	<1	<1	2	2	3	4	6
65+	600	2.3	2	<1	1	2	3	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	7	3.0	4	1	1	3	5	6	6	6
35-49	21	3.2	10	<1	<1	2	4	9	11	12
50-64	36	3.9	11	<1	<1	3	5	9	12	13
65+	26	7.2	31	1	2	6	9	14	18	27
B. *Operated*										
0-19 YRS	19	3.5	8	1	2	3	3	6	11	14
20-34	165	2.8	11	<1	1	2	3	4	6	15
35-49	361	3.1	9	<1	1	2	3	5	8	20
50-64	765	3.2	15	<1	1	2	3	5	7	17
65+	633	3.5	13	1	1	2	4	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.7	3	1	1	2	3	4	7	8
B. *Operated*	2867	2.1	3	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	92	4.6	18	<1	1	3	7	10	12	22
B. *Operated*	1943	3.2	13	1	1	2	3	5	8	19
1. SINGLE DX	2882	2.1	3	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2035	3.3	13	1	1	2	3	6	8	19
A. NOT OPERATED	107	4.4	16	<1	1	3	6	10	12	21
B. OPERATED	4810	2.5	7	<1	<1	2	3	4	5	13
TOTAL 0-19 YRS	45	4.1	80	<1	1	2	3	5	9	61
20-34	595	2.1	4	<1	<1	2	2	3	4	7
35-49	1220	2.3	4	<1	<1	2	3	4	5	11
50-64	1795	2.6	8	<1	1	2	3	4	5	13
65+	1262	3.0	9	1	1	2	3	5	8	18
GRAND TOTAL	**4917**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	6.4	57	1	1	4	7	12	23	41
20-34	149	6.4	63	1	1	4	7	11	23	42
35-49	155	5.8	27	1	1	5	8	11	16	28
50-64	163	7.6	116	1	2	5	8	16	25	59
65+	128	6.1	24	1	1	4	8	12	15	26
B. *Operated*										
0-19 YRS	123	3.4	14	1	1	3	4	6	8	17
20-34	498	3.7	11	1	1	3	4	7	9	14
35-49	550	4.0	19	1	1	3	5	7	10	21
50-64	506	4.1	28	1	1	3	4	8	11	20
65+	222	4.6	20	1	2	3	5	9	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	6.9	70	1	1	4	7	17	22	42
20-34	153	7.9	75	1	1	6	9	18	29	51
35-49	269	7.9	60	1	2	6	10	17	24	55
50-64	487	8.5	71	1	2	6	10	17	26	49
65+	684	10.2	87	2	3	8	12	20	28	64
B. *Operated*										
0-19 YRS	58	4.1	14	1	1	3	5	8	10	23
20-34	279	6.4	97	1	2	4	7	11	17	46
35-49	394	6.8	64	1	2	4	9	13	21	78
50-64	452	8.1	128	2	2	4	9	19	32	88
65+	417	14.1	266	2	2	8	20	37	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	656	6.5	60	1	1	4	8	12	20	40
B. *Operated*	1899	4.0	19	1	1	3	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	1647	9.0	77	1	2	7	11	18	27	55
B. *Operated*	1600	8.9	149	2	2	4	10	21	35	93
1. SINGLE DX	2555	4.6	31	1	1	3	5	9	12	28
2. MULTIPLE DX	3247	9.0	112	1	2	6	11	20	30	81
A. NOT OPERATED	2303	8.3	73	1	2	6	10	17	25	52
B. OPERATED	3499	6.2	84	1	2	3	6	13	22	60
TOTAL 0-19 YRS	296	4.8	35	1	1	3	5	8	15	39
20-34	1079	5.4	52	1	1	3	6	10	15	41
35-49	1368	5.8	43	1	2	4	7	12	18	37
50-64	1608	6.9	81	1	2	4	8	14	23	53
65+	1451	10.1	133	2	2	7	12	22	34	83
GRAND TOTAL	**5802**	**7.0**	**81**	**1**	**2**	**4**	**8**	**15**	**23**	**55**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.7	8	<1	<1	1	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	40	4.3	4	2	2	4	5	7	8	12
20-34	114	3.9	3	2	2	4	5	6	7	9
35-49	118	4.3	5	1	2	4	5	7	8	11
50-64	406	4.2	4	1	2	4	5	7	8	10
65+	365	4.8	6	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	7	2.6	6	<1	<1	1	5	6	6	6
35-49	4	7.0	41	1	1	7	12	13	13	13
50-64	7	2.0	2	1	1	1	3	4	4	4
65+	13	4.0	17	<1	1	3	4	10	15	16
B. *Operated*										
0-19 YRS	22	4.4	8	1	2	4	5	7	11	15
20-34	60	4.9	11	2	2	4	6	9	11	20
35-49	80	6.1	21	1	2	5	8	10	12	27
50-64	414	5.3	9	2	3	5	6	8	11	13
65+	536	6.2	16	3	3	5	7	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.2	4	<1	<1	1	2	6	6	6
B. *Operated*	1043	4.4	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	38	3.2	13	<1	<1	2	4	8	13	16
B. *Operated*	1112	5.8	14	2	3	5	7	9	12	22
1. SINGLE DX	1049	4.4	5	1	2	4	5	7	8	12
2. MULTIPLE DX	1150	5.7	14	2	3	5	7	9	12	22
A. NOT OPERATED	44	3.1	12	<1	<1	2	4	7	12	16
B. OPERATED	2155	5.1	10	2	2	4	6	8	10	17
TOTAL 0-19 YRS	71	4.0	6	1	2	3	5	7	8	14
20-34	182	4.2	6	2	2	4	5	6	8	14
35-49	205	5.0	13	1	2	4	6	8	10	24
50-64	827	4.7	7	2	2	4	6	8	9	14
65+	914	5.6	13	2	3	5	7	9	12	20
GRAND TOTAL	**2199**	**5.1**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	3.7	8	1	1	3	4	8	9	9
50-64	16	1.8	2	<1	<1	1	2	3	5	6
65+	27	1.7	1	<1	<1	2	2	2	3	5
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	3.7	9	<1	<1	3	6	7	7	7
35-49	18	3.7	8	1	1	3	4	8	10	12
50-64	83	2.7	2	1	1	2	3	4	5	9
65+	190	2.9	4	1	1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	13	1	1	3	6	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	2.3	2	1	1	3	3	4	4	4
50-64	9	2.4	3	1	1	2	4	5	5	5
65+	38	4.4	16	1	1	3	5	11	15	16
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	5	3.0	4	1	1	3	4	6	6	6
35-49	17	3.1	3	1	2	3	3	6	7	8
50-64	92	3.9	39	1	1	2	4	7	10	39
65+	324	4.6	23	1	2	3	5	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	1.9	2	<1	<1	2	2	3	5	9
B. *Operated*	296	2.9	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	59	3.7	12	1	1	3	4	9	13	16
B. *Operated*	441	4.3	25	1	2	3	5	9	12	22
1. SINGLE DX	347	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX	500	4.3	23	1	1	3	5	9	12	21
A. NOT OPERATED	110	2.9	8	<1	1	2	3	6	9	15
B. OPERATED	737	3.8	17	1	1	3	4	7	10	18
TOTAL 0-19 YRS	9	3.1	6	1	1	2	3	7	9	9
20-34	11	2.6	4	<1	<1	2	3	6	7	7
35-49	48	3.3	5	1	1	3	3	7	8	12
50-64	200	3.2	19	1	1	2	4	5	7	12
65+	579	3.9	16	1	1	3	4	8	11	20
GRAND TOTAL	**847**	**3.7**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**16**

123 Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	6.0	61	1	1	2	12	15	15	15
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	10	4.4	24	1	1	2	5	13	16	16
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	8	3.1	3	1	1	3	4	6	6	6
35-49	19	3.4	3	1	1	3	4	6	7	8
50-64	50	3.4	9	1	1	3	3	7	11	15
65+	145	3.2	6	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.0	3	1	1	1	2	5	6	6
20-34	5	1.6	2	<1	<1	1	2	4	4	4
35-49	7	5.3	21	1	1	4	6	13	15	15
50-64	12	8.4	166	2	2	4	6	24	45	48
65+	29	5.0	47	<1	1	3	4	12	16	35
B. Operated										
0-19 YRS	6	3.3	5	1	1	3	5	7	7	7
20-34	14	4.4	21	2	2	3	3	14	16	16
35-49	17	4.8	16	1	1	3	6	12	13	13
50-64	77	4.1	11	1	1	3	5	8	12	16
65+	206	4.5	19	1	2	3	5	8	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.7	21	1	1	2	3	12	15	16
B. Operated	224	3.3	6	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. Not Operated	60	5.1	61	<1	1	3	5	12	15	47
B. Operated	320	4.4	17	1	2	3	5	9	13	23
1. SINGLE DX	244	3.3	7	1	1	2	4	6	9	15
2. MULTIPLE DX	380	4.5	24	1	1	3	5	9	13	25
A. NOT OPERATED	80	4.7	51	1	1	3	5	12	15	44
B. OPERATED	544	3.9	13	1	1	3	5	8	11	17
TOTAL 0-19 YRS	16	2.3	4	1	1	1	3	6	7	7
20-34	29	3.4	12	1	1	2	4	6	14	16
35-49	46	4.3	14	1	1	3	5	11	13	15
50-64	143	4.1	24	1	1	3	4	8	13	18
65+	390	4.0	17	1	1	3	5	8	12	23
GRAND TOTAL	**624**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	6	1.2		<1	<1	1	1	2	2	2
65+	20	2.0	1	<1	1	2	2	3	4	5
B. Operated										
0-19 YRS										
20-34										
35-49	445	2.4	2	1	1	2	3	3	4	9
50-64	3138	2.3	1	1	2	2	3	3	4	5
65+	13081	2.4	1	2	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	21	2.0	3	<1	<1	1	2	5	7	7
50-64	130	3.2	38	<1	<1	1	3	7	10	41
65+	591	2.6	9	<1	1	2	3	6	9	15
B. Operated										
0-19 YRS										
20-34										
35-49	309	2.9	4	1	2	2	3	5	6	10
50-64	2955	2.8	6	1	2	2	3	4	5	12
65+	15978	3.1	10	2	2	2	3	4	7	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.8	1	<1	<1	2	2	3	3	5
B. Operated	16664	2.4	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	742	2.7	14	<1	1	2	3	6	9	16
B. Operated	19242	3.1	9	2	2	2	3	4	6	15
1. SINGLE DX	16692	2.4	1	1	2	2	3	3	4	6
2. MULTIPLE DX	19984	3.0	9	1	2	2	3	4	6	15
A. NOT OPERATED	770	2.7	14	<1	<1	2	3	6	9	16
B. OPERATED	35906	2.7	6	2	2	2	3	4	5	11
TOTAL 0-19 YRS										
20-34										
35-49	777	2.6	3	1	2	2	3	4	5	10
50-64	6229	2.6	4	1	2	2	3	3	4	10
65+	29670	2.8	6	1	2	2	3	4	5	12
GRAND TOTAL	**36676**	**2.7**	**6**	**1**	**2**	**2**	**3**	**4**	**5**	**12**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	58	2.2	1	1	1	2	2	4	4	5
20-34	44	2.1	1	<1	1	2	2	3	4	5
35-49	30	2.2	1	1	1	2	3	4	4	5
50-64	96	2.2	1	1	1	2	2	3	4	6
65+	113	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	28	2.6	4	<1	1	2	3	6	7	9
20-34	25	2.4	1	1	2	2	3	3	4	5
35-49	50	3.2	12	2	2	2	3	5	7	25
50-64	95	2.7	2	1	2	2	3	4	6	9
65+	231	3.0	15	1	2	2	3	4	6	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	1	3	3	4	5	5	5	5
B. *Operated*	341	2.1	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	12	1.6		<1	<1	1	2	3	3	3
B. *Operated*	429	2.9	10	1	2	2	3	4	6	19
1. SINGLE DX	344	2.1	1	1	1	2	2	3	4	5
2. MULTIPLE DX	441	2.9	10	1	1	2	3	4	6	19
A. NOT OPERATED	15	1.9	2	<1	<1	1	3	4	5	5
B. OPERATED	770	2.6	6	1	1	2	3	4	5	11
TOTAL 0-19 YRS	91	2.3	2	<1	1	2	3	4	5	6
20-34	69	2.2	1	1	1	2	3	3	4	5
35-49	81	2.8	8	1	1	2	3	4	6	20
50-64	192	2.4	2	1	1	2	3	4	4	7
65+	352	2.7	10	1	1	2	3	4	5	19
GRAND TOTAL	**785**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.0	3	<1	<1	1	3	4	6	7
20-34	11	3.0	9	<1	<1	2	4	6	10	10
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64	12	4.8	10	1	1	4	6	10	11	11
65+	9	3.8	8	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	1487	1.6	1	<1	<1	2	2	2	2	3
20-34	246	1.9	1	<1	1	2	2	2	3	4
35-49	106	1.9	1	1	1	2	2	3	3	7
50-64	49	2.4	5	1	1	2	3	3	6	17
65+	40	2.0	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	1.5	2	<1	<1	1	1	3	4	9
20-34	15	2.9	8	<1	1	1	5	7	9	10
35-49	12	5.6	22	2	2	4	9	14	15	15
50-64	31	6.7	22	1	2	6	8	14	17	20
65+	57	8.4	58	2	3	6	11	18	23	41
B. *Operated*										
0-19 YRS	415	1.6		<1	<1	2	2	2	2	4
20-34	85	2.4	4	<1	1	2	2	3	5	13
35-49	50	3.5	43	1	1	2	3	3	10	35
50-64	56	3.4	23	<1	1	2	3	5	11	33
65+	42	5.0	61	1	2	3	3	12	20	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.3	7	<1	1	2	5	7	10	11
B. *Operated*	1928	1.7	1	<1	<1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	207	4.5	31	<1	<1	2	6	11	15	29
B. *Operated*	648	2.2	11	<1	<1	2	2	3	4	19
1. SINGLE DX	1980	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	855	2.8	17	<1	<1	2	2	5	9	20
A. NOT OPERATED	259	4.3	26	<1	<1	2	6	10	13	24
B. OPERATED	2576	1.8	3	<1	<1	2	2	2	3	5
TOTAL 0-19 YRS	2010	1.6	1	<1	<1	2	2	2	2	3
20-34	357	2.1	2	<1	1	2	2	3	4	8
35-49	172	2.7	16	1	1	2	3	3	5	29
50-64	148	3.9	18	1	1	2	4	6	12	20
65+	148	5.4	47	1	1	3	6	12	19	41
GRAND TOTAL	**2835**	**2.0**	**6**	**<1**	**<1**	**2**	**2**	**2**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	2.6	4	<1	<1	2	4	6	7	10
20-34	17	3.1	5	<1	1	2	5	7	7	7
35-49	14	3.2	3	1	2	3	3	7	7	7
50-64	17	3.7	9	1	1	3	4	7	11	13
65+	48	4.5	11	<1	1	4	6	8	12	16
B. *Operated*										
0-19 YRS	220	1.5	1	<1	<1	1	2	2	3	7
20-34	155	2.0	2	<1	<1	2	2	3	5	8
35-49	336	2.0	2	<1	<1	2	2	3	4	7
50-64	461	1.9	1	<1	<1	2	2	3	3	5
65+	676	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	3.5	7	<1	<1	3	5	7	9	14
20-34	16	5.9	37	<1	1	4	8	12	21	25
35-49	30	5.6	23	<1	1	4	9	12	17	17
50-64	59	4.4	24	<1	1	2	6	11	15	22
65+	124	6.9	58	<1	1	5	8	16	19	43
B. *Operated*										
0-19 YRS	74	2.4	5	<1	<1	2	3	5	7	13
20-34	86	3.5	25	1	1	2	3	6	8	35
35-49	299	2.6	5	<1	1	2	3	4	6	11
50-64	629	2.9	12	1	1	2	3	4	6	11
65+	934	3.5	17	1	1	2	4	6	8	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	3.1	6	<1	<1	2	4	6	7	13
B. *Operated*	1848	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	389	5.0	30	<1	1	3	6	11	16	28
B. *Operated*	2022	3.1	14	1	1	2	3	5	7	17
1. SINGLE DX	2128	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2411	3.4	17	1	1	2	4	6	9	21
A. NOT OPERATED	669	4.2	21	<1	<1	3	5	8	13	22
B. OPERATED	3870	2.6	9	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	638	2.4	5	<1	<1	2	3	5	7	10
20-34	274	2.8	12	<1	<1	2	3	5	8	22
35-49	679	2.5	5	<1	<1	2	3	4	6	11
50-64	1166	2.6	9	<1	1	2	3	4	5	12
65+	1782	3.4	16	1	1	2	4	6	8	19
GRAND TOTAL	**4539**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	3.9	5	1	2	3	5	7	8	12
20-34	69	3.9	4	1	1	4	5	6	7	10
35-49	34	4.9	8	1	2	5	7	8	9	15
50-64	34	3.4	8	<1	1	3	4	7	10	13
65+	58	5.4	18	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	49	2.6	5	1	1	2	3	6	7	11
20-34	41	3.5	7	1	2	3	4	6	9	14
35-49	78	3.4	7	2	2	3	4	6	7	18
50-64	221	2.5	2	1	1	2	3	4	5	9
65+	799	2.4	2	1	2	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	5.1	14	1	2	4	6	10	11	19
20-34	76	4.3	15	1	1	4	5	7	13	23
35-49	51	5.9	14	2	2	5	8	11	14	16
50-64	124	5.7	17	1	1	5	8	11	14	21
65+	235	7.4	41	1	2	6	10	14	18	25
B. *Operated*										
0-19 YRS	53	6.4	48	1	1	4	8	16	24	32
20-34	70	5.1	18	1	2	4	6	9	13	26
35-49	82	6.0	61	1	2	4	7	13	18	49
50-64	335	4.5	27	1	2	3	5	9	15	34
65+	1127	3.7	14	1	2	2	4	7	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	514	4.1	7	1	1	3	5	7	9	14
B. *Operated*	1188	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	790	5.8	23	1	2	5	8	11	15	23
B. *Operated*	1667	4.1	21	1	2	2	4	8	12	22
1. SINGLE DX	1702	3.0	5	1	1	2	3	5	7	12
2. MULTIPLE DX	2457	4.7	22	1	2	3	6	10	13	23
A. NOT OPERATED	1304	5.2	18	1	2	4	7	10	12	21
B. OPERATED	2855	3.4	14	1	2	2	3	6	10	20
TOTAL 0-19 YRS	725	4.5	13	1	2	4	6	8	11	18
20-34	256	4.3	12	1	1	3	5	7	10	16
35-49	245	5.0	28	1	2	4	6	10	13	22
50-64	714	4.0	18	1	1	2	5	8	11	21
65+	2219	3.7	15	1	2	2	4	7	11	20
GRAND TOTAL	**4159**	**4.0**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	1	1	1	2	2	4	4	4
20-34	9	3.1	2	1	1	3	4	5	6	6
35-49	5	2.8	6	1	1	2	4	7	7	7
50-64	6	2.5	3	1	1	2	4	5	5	5
65+	9	3.0	6	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	4	2.5	1	2	2	2	3	4	4	4
35-49	10	1.7		1	1	2	2	3	3	3
50-64	10	2.5	4	<1	<1	2	2	6	7	7
65+	9	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.4	6	<1	1	2	6	7	7	8
20-34	18	3.6	4	1	1	3	5	7	7	7
35-49	26	4.6	11	1	1	4	6	11	12	14
50-64	37	3.8	7	1	1	3	4	9	10	11
65+	52	6.1	17	1	2	5	8	13	15	21
B. *Operated*										
0-19 YRS	16	3.4	7	<1	1	3	4	8	9	10
20-34	11	2.8	1	1	1	3	4	5	5	5
35-49	13	4.8	18	1	1	3	6	12	14	15
50-64	29	4.0	5	1	1	3	6	7	9	9
65+	38	7.1	37	1	2	6	8	11	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.6	3	1	1	2	4	5	7	7
B. *Operated*	36	2.3	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	163	4.5	11	1	1	4	6	9	12	16
B. *Operated*	107	5.0	20	1	2	4	7	10	11	26
1. SINGLE DX	83	2.5	3	1	1	2	3	5	6	7
2. MULTIPLE DX	270	4.7	15	1	1	4	6	9	11	21
A. NOT OPERATED	210	4.1	10	1	1	4	5	8	11	15
B. OPERATED	143	4.3	17	1	1	3	5	8	10	23
TOTAL 0-19 YRS	67	2.9	5	<1	1	2	4	7	7	10
20-34	42	3.2	3	1	1	3	4	6	6	7
35-49	54	3.9	11	1	1	3	5	8	12	15
50-64	82	3.6	6	1	1	3	4	7	9	11
65+	108	5.9	24	1	2	4	8	11	15	26
GRAND TOTAL	**353**	**4.2**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	779	3.1	3	1	1	3	4	5	6	8
20-34	14	5.6	27	1	1	4	6	12	19	21
35-49	9	3.4	3	1	1	3	4	6	7	7
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	4	8.0	44	3	3	6	13	17	17	17
B. *Operated*										
0-19 YRS	3532	1.1		<1	<1	<1	<1	1	2	3
20-34	169	2.2	7	<1	<1	2	3	3	4	8
35-49	146	2.0	1	<1	<1	2	2	3	3	6
50-64	167	2.3	2	<1	<1	2	3	3	4	8
65+	89	2.5	12	<1	1	2	3	3	4	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2029	3.4	5	1	1	3	4	6	8	12
20-34	33	4.8	11	<1	1	4	7	11	12	13
35-49	29	4.9	19	1	1	4	6	7	14	23
50-64	48	4.9	14	1	1	4	7	12	13	14
65+	41	8.0	40	1	2	7	11	18	21	26
B. *Operated*										
0-19 YRS	2198	1.5	2	<1	<1	1	2	2	3	6
20-34	243	2.4	2	<1	1	2	3	4	5	8
35-49	190	2.8	13	1	1	2	3	4	5	17
50-64	247	3.0	5	1	2	3	3	4	5	19
65+	114	3.3	12	1	1	3	3	5	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	809	3.1	4	1	1	3	4	5	6	10
B. *Operated*	4103	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	2180	3.6	7	1	1	3	4	6	9	14
B. *Operated*	2992	1.8	3	<1	<1	1	2	3	4	8
1. SINGLE DX	4912	1.6	2	<1	<1	<1	2	3	4	6
2. MULTIPLE DX	5172	2.6	6	<1	<1	2	3	5	7	12
A. NOT OPERATED	2989	3.5	6	1	1	3	4	6	8	13
B. OPERATED	7095	1.5	2	<1	<1	<1	2	3	3	6
TOTAL 0-19 YRS	8538	1.9	3	<1	<1	1	2	4	5	9
20-34	459	2.6	6	<1	<1	2	3	4	6	12
35-49	374	2.7	9	<1	1	2	3	4	5	14
50-64	465	2.9	5	<1	1	2	3	4	7	13
65+	248	3.9	21	1	1	2	4	8	13	26
GRAND TOTAL	**10084**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	3.8	8	1	1	3	5	7	9	15
20-34	54	4.6	7	2	2	4	6	8	9	16
35-49	17	5.3	19	1	2	4	6	8	16	21
50-64	12	5.2	12	<1	2	5	6	9	14	15
65+	8	7.6	29	3	3	6	8	17	20	20
B. *Operated*										
0-19 YRS	423	1.4	4	<1	<1	<1	1	2	3	8
20-34	48	3.0	4	1	1	3	4	6	7	10
35-49	29	3.9	17	<1	<1	2	4	11	15	15
50-64	38	3.6	12	<1	1	3	4	7	13	16
65+	26	5.5	17	<1	2	4	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	3.7	8	<1	1	3	5	7	9	15
20-34	62	5.0	10	1	2	4	7	8	10	18
35-49	34	5.3	13	1	1	5	7	11	11	16
50-64	51	5.9	15	1	2	5	8	11	14	20
65+	53	9.5	83	3	4	6	10	19	33	45
B. *Operated*										
0-19 YRS	408	2.1	11	<1	<1	1	2	4	5	19
20-34	76	3.8	15	1	1	3	4	7	14	20
35-49	74	4.1	10	1	2	3	4	8	12	17
50-64	85	6.8	158	1	2	3	5	16	22	82
65+	60	13.5	254	1	2	6	20	37	48	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	4.5	10	1	1	4	6	8	9	19
B. *Operated*	564	2.0	7	<1	<1	<1	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	387	5.1	23	1	1	4	6	10	12	23
B. *Operated*	703	4.0	60	<1	<1	2	3	8	16	44
1. SINGLE DX	742	2.6	9	<1	<1	1	3	6	8	15
2. MULTIPLE DX	1090	4.4	47	<1	<1	3	5	9	13	37
A. NOT OPERATED	565	4.9	19	1	1	4	6	9	11	21
B. OPERATED	1267	3.1	38	<1	<1	1	3	5	11	34
TOTAL 0-19 YRS	1105	2.2	9	<1	<1	1	2	5	6	13
20-34	240	4.2	10	1	1	3	5	8	9	18
35-49	154	4.5	13	1	1	3	5	9	14	17
50-64	186	5.8	80	1	1	3	6	11	16	47
65+	147	10.3	146	1	2	6	11	28	38	60
GRAND TOTAL	**1832**	**3.7**	**33**	**<1**	**<1**	**2**	**4**	**8**	**11**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.7	9	<1	1	3	4	7	12	13
20-34	99	3.9	16	1	1	3	5	7	8	24
35-49	162	3.7	7	1	1	3	5	7	8	14
50-64	263	3.7	9	1	1	3	5	7	9	12
65+	274	3.7	7	1	1	3	5	7	8	16
B. *Operated*										
0-19 YRS	7	2.1	1	<1	<1	2	3	3	3	3
20-34	29	3.7	5	2	2	3	4	7	8	12
35-49	35	3.5	3	2	2	3	4	6	8	9
50-64	47	4.1	5	2	2	4	5	7	9	13
65+	20	4.8	11	2	3	3	5	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.9	2	1	1	3	4	5	6	6
20-34	112	4.8	9	1	2	4	6	9	11	15
35-49	223	4.9	12	1	2	4	6	9	11	17
50-64	704	5.0	11	1	2	4	6	9	11	16
65+	1246	5.8	15	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	4.4	3	2	2	4	6	7	7	7
35-49	29	6.5	36	2	3	5	8	10	14	34
50-64	57	8.1	72	2	2	6	9	15	26	50
65+	87	9.6	45	3	3	7	13	18	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	824	3.7	9	1	1	3	5	7	8	14
B. *Operated*	138	3.9	5	2	2	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	2309	5.4	13	1	2	5	7	10	12	18
B. *Operated*	191	8.2	50	2	3	6	10	16	20	36
1. SINGLE DX	962	3.7	8	1	1	3	5	7	8	13
2. MULTIPLE DX	2500	5.6	17	1	2	5	7	10	13	20
A. NOT OPERATED	3133	5.0	13	1	2	4	6	9	12	17
B. OPERATED	329	6.4	36	2	2	4	7	13	17	34
TOTAL 0-19 YRS	58	3.2	5	1	1	3	4	5	7	13
20-34	257	4.3	11	1	2	4	5	7	10	15
35-49	449	4.5	11	1	2	4	6	8	10	15
50-64	1071	4.8	14	1	2	4	6	9	11	19
65+	1627	5.7	17	1	2	5	7	11	13	20
GRAND TOTAL	**3462**	**5.1**	**15**	**1**	**2**	**4**	**6**	**10**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.5	1	1	2	2	3	4	5	5
20-34	161	2.8	2	2	2	3	3	4	5	7
35-49	232	2.6	1	2	2	2	3	4	4	5
50-64	261	2.7	1	1	2	3	3	4	4	5
65+	112	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	5.0	16	1	1	5	8	9	9	9
B. *Operated*										
0-19 YRS	7	3.3	1	2	2	3	4	5	5	5
20-34	33	2.6	1	2	2	2	3	4	5	6
35-49	63	2.8	2	2	2	3	3	4	5	8
50-64	80	2.7	1	2	2	3	3	3	4	5
65+	50	3.0	2	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	783	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	10	2.5	7	<1	<1	1	4	7	9	9
B. *Operated*	233	2.8	1	2	2	3	3	4	5	8
1. SINGLE DX	783	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX	243	2.8	1	1	2	3	3	4	5	8
A. NOT OPERATED	10	2.5	7	<1	<1	1	4	7	9	9
B. OPERATED	1016	2.7	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	24	2.8	1	1	2	3	3	5	5	5
20-34	196	2.8	2	2	2	3	3	4	5	7
35-49	298	2.6	1	1	2	2	3	4	4	6
50-64	343	2.7	1	2	2	3	3	4	4	5
65+	165	2.9	1	2	2	3	3	4	5	8
GRAND TOTAL	**1026**	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.5	10	<1	<1	2	5	9	10	10
20-34	14	4.8	26	1	1	3	8	9	18	20
35-49	16	3.8	4	1	1	3	6	7	7	7
50-64	21	3.9	6	<1	<1	4	6	7	8	8
65+	11	3.7	7	1	1	2	7	8	8	8
B. *Operated*										
0-19 YRS	471	1.9	1	<1	<1	2	2	3	3	4
20-34	237	2.4	1	1	1	2	3	3	4	9
35-49	236	2.5	2	1	1	2	3	4	6	7
50-64	199	2.4	1	1	1	2	3	3	4	6
65+	84	3.3	13	1	2	2	3	5	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.6	14	<1	<1	3	4	8	12	19
20-34	22	3.0	4	<1	<1	3	5	6	7	7
35-49	26	4.5	14	<1	1	3	7	10	11	15
50-64	37	4.5	16	1	1	4	5	9	13	20
65+	50	6.4	29	<1	1	4	10	14	17	23
B. *Operated*										
0-19 YRS	352	2.3	3	<1	<1	2	3	3	5	10
20-34	209	2.5	3	<1	1	2	3	4	5	9
35-49	186	3.0	7	1	1	2	3	5	7	17
50-64	209	3.4	25	1	1	2	3	5	10	18
65+	106	3.8	28	1	2	3	4	6	9	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	3.9	10	<1	1	3	6	8	8	18
B. *Operated*	1227	2.3	2	<1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	174	4.6	19	<1	1	3	6	10	14	20
B. *Operated*	1062	2.8	11	<1	1	2	3	4	6	14
1. SINGLE DX	1301	2.4	3	<1	1	2	3	3	5	9
2. MULTIPLE DX	1236	3.1	12	<1	1	2	3	5	8	17
A. NOT OPERATED	248	4.4	16	<1	1	3	6	9	13	20
B. OPERATED	2289	2.5	6	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	874	2.1	2	<1	<1	2	2	3	4	9
20-34	482	2.5	3	<1	1	2	3	4	5	9
35-49	464	2.9	5	1	1	2	3	5	7	11
50-64	466	3.0	14	1	1	2	3	5	8	16
65+	251	4.2	23	1	1	3	4	9	12	23
GRAND TOTAL	**2537**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	7.2	16	2	3	6	9	13	15	19
20-34	13	6.7	9	1	3	7	9	10	11	11
35-49	4	12.0	236	3	3	5	20	35	35	35
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	3	9.0	57	2	2	8	15	17	17	17
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	17.2	497	3	4	7	17	57	70	89
20-34	13	11.2	119	2	3	6	13	33	34	34
35-49	15	7.5	25	1	2	8	11	13	17	18
50-64	34	7.9	35	2	2	7	10	12	23	28
65+	71	11.0	69	2	3	9	13	24	30	40
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	12.8	184	2	2	4	26	30	30	30
35-49	5	10.4	71	1	1	14	16	20	20	20
50-64	18	15.6	278	2	2	13	20	32	57	71
65+	20	18.9	223	2	2	17	23	44	53	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	7.3	25	2	3	6	9	13	16	30
B. *Operated*	6	3.7	7	2	2	3	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	157	11.0	132	2	3	8	12	24	32	62
B. *Operated*	49	16.0	217	2	2	14	21	33	51	71
1. SINGLE DX	87	7.0	24	2	2	6	9	12	16	29
2. MULTIPLE DX	206	12.2	156	2	2	9	15	25	35	66
A. NOT OPERATED	238	9.7	98	2	3	7	11	18	28	57
B. OPERATED	55	14.7	208	2	2	12	21	30	48	70
TOTAL 0-19 YRS	84	10.0	170	2	3	6	10	16	29	80
20-34	32	9.5	79	2	3	7	10	26	33	34
35-49	25	8.6	61	1	2	6	13	18	24	35
50-64	57	9.9	122	2	2	8	12	22	27	68
65+	95	12.5	109	2	3	9	17	26	35	54
GRAND TOTAL	**293**	**10.6**	**122**	**2**	**2**	**8**	**12**	**22**	**30**	**60**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	25	4.0	8	1	1	4	5	9	10	12
35-49	23	5.0	5	2	2	4	6	8	10	12
50-64	22	4.7	16	<1	1	3	7	11	13	16
65+	14	4.8	5	1	2	4	5	8	9	9
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	15	5.6	31	<1	<1	2	12	13	16	17
35-49	51	5.4	33	2	2	2	5	16	17	18
50-64	93	7.0	44	2	2	3	11	17	20	26
65+	60	8.1	49	2	2	4	13	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	13.6	94	2	2	12	18	29	31	31
20-34	59	6.5	31	1	2	5	9	12	14	35
35-49	125	6.8	43	2	2	5	8	13	20	33
50-64	325	8.0	37	2	2	7	10	15	19	30
65+	510	10.7	78	2	3	9	13	19	24	51
B. *Operated*										
0-19 YRS	7	17.6	32	11	11	21	22	23	23	23
20-34	38	14.4	131	1	2	11	19	31	40	46
35-49	134	13.2	134	2	2	12	19	26	39	56
50-64	427	13.5	185	2	2	11	19	28	39	71
65+	373	15.6	200	2	2	13	22	35	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.6	9	1	1	4	6	9	11	15
B. *Operated*	221	6.8	43	2	2	2	12	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	1026	9.1	61	2	2	7	12	17	22	44
B. *Operated*	979	14.3	181	2	2	12	20	31	40	65
1. SINGLE DX	308	6.2	34	1	2	3	11	15	17	24
2. MULTIPLE DX	2005	11.7	126	2	2	9	16	24	34	60
A. NOT OPERATED	1113	8.8	58	2	2	7	11	17	21	44
B. OPERATED	1200	12.9	164	2	2	11	19	28	38	64
TOTAL 0-19 YRS	19	12.9	70	2	3	12	20	23	28	31
20-34	137	8.2	70	1	1	5	11	17	26	43
35-49	333	9.0	87	2	2	5	13	20	26	44
50-64	867	10.5	119	2	2	7	14	23	30	61
65+	957	12.4	130	2	2	9	16	25	36	61
GRAND TOTAL	**2313**	**10.9**	**117**	**2**	**2**	**8**	**15**	**23**	**32**	**57**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.2	13	1	1	3	4	8	14	18
20-34	98	5.3	40	1	1	4	6	10	13	37
35-49	257	4.9	11	1	2	4	6	9	12	17
50-64	341	5.1	13	1	2	4	7	9	11	18
65+	252	5.5	28	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	10	2.6	1	2	2	2	3	4	5	5
20-34	23	4.5	15	1	1	2	7	11	13	14
35-49	26	4.3	10	1	2	3	6	8	11	13
50-64	45	4.6	10	1	2	4	5	10	12	14
65+	26	8.0	64	2	2	5	9	21	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.3	13	<1	1	3	6	8	11	17
20-34	289	5.9	27	2	2	5	7	11	14	31
35-49	1045	6.3	33	2	2	5	8	11	15	26
50-64	2104	6.7	31	2	2	5	8	12	16	29
65+	2857	8.4	61	2	3	6	10	16	22	46
B. *Operated*										
0-19 YRS	16	6.4	79	1	1	3	8	17	29	34
20-34	46	11.3	95	2	2	8	16	23	31	49
35-49	135	11.7	119	2	3	9	14	28	35	99+
50-64	266	10.1	97	2	2	8	12	19	28	49
65+	347	14.0	148	2	3	11	19	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	5.1	19	1	2	4	7	9	12	18
B. *Operated*	130	5.0	23	2	2	3	6	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	6336	7.4	45	2	2	6	9	14	19	37
B. *Operated*	810	12.1	125	2	2	9	15	26	37	87
1. SINGLE DX	1115	5.1	19	1	2	4	7	10	12	19
2. MULTIPLE DX	7146	7.9	56	2	2	6	9	15	21	44
A. NOT OPERATED	7321	7.1	42	2	2	5	9	13	18	35
B. OPERATED	940	11.1	117	2	2	8	14	24	35	76
TOTAL 0-19 YRS	104	4.5	22	1	1	3	5	9	15	25
20-34	456	6.3	38	1	2	5	8	11	17	37
35-49	1463	6.6	39	2	2	5	8	12	16	33
50-64	2756	6.8	36	2	2	5	8	13	17	31
65+	3482	8.8	71	2	2	6	10	17	24	52
GRAND TOTAL	**8261**	**7.5**	**52**	**2**	**2**	**6**	**9**	**14**	**20**	**41**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	4.1	3	2	2	4	5	7	7	7
35-49	39	6.8	33	2	3	5	8	13	18	32
50-64	94	6.7	30	2	2	5	8	14	17	32
65+	184	7.2	20	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	12	4.5	12	2	2	2	7	10	11	11
50-64	16	5.5	36	1	2	2	8	15	19	21
65+	8	11.3	241	2	2	5	12	37	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	12.4	109	5	5	7	18	30	30	30
20-34	20	6.3	22	2	3	4	7	12	17	22
35-49	292	7.8	31	2	3	6	9	15	18	31
50-64	1020	8.8	47	2	3	7	11	15	21	38
65+	3496	11.1	68	3	4	9	13	20	28	67
B. *Operated*										
0-19 YRS	3	9.7	44	4	4	8	15	17	17	17
20-34	8	16.0	142	3	4	14	19	35	42	42
35-49	39	10.6	72	2	2	8	15	18	31	39
50-64	161	11.9	146	2	2	9	15	22	33	67
65+	393	17.9	253	3	5	13	22	39	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	6.9	24	2	3	6	8	13	16	29
B. *Operated*	38	6.3	71	2	2	2	8	13	19	48
2. MULTIPLE DX										
A. *Not Operated*	4833	10.4	77	3	4	8	13	19	26	54
B. *Operated*	604	15.8	218	2	3	12	19	33	50	99
1. SINGLE DX	363	6.9	29	2	2	6	8	13	16	31
2. MULTIPLE DX	5437	11.0	96	3	4	8	13	21	29	66
A. NOT OPERATED	5158	10.2	74	3	3	8	12	19	25	52
B. OPERATED	642	15.2	214	2	3	11	18	33	48	98
TOTAL 0-19 YRS	9	11.1	68	4	4	8	15	25	30	30
20-34	37	7.8	60	2	2	5	10	17	21	42
35-49	382	7.9	35	2	3	6	10	16	18	34
50-64	1291	9.0	60	2	3	7	11	16	22	42
65+	4081	11.6	106	3	4	9	14	22	31	74
GRAND TOTAL	**5800**	**10.8**	**92**	**3**	**3**	**8**	**13**	**20**	**29**	**64**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.8	58	1	1	5	12	17	17	17
20-34	16	5.4	23	1	1	4	8	14	15	16
35-49	39	6.4	23	2	2	5	9	12	14	28
50-64	35	8.5	61	1	2	6	11	20	24	35
65+	22	9.6	123	2	2	6	11	21	35	52
B. Operated										
0-19 YRS	4	6.0	5	4	4	6	8	8	8	8
20-34	23	5.8	37	1	1	4	6	16	20	23
35-49	41	7.9	77	1	2	5	9	17	26	46
50-64	41	8.6	63	<1	1	7	12	20	32	99+
65+	32	6.4	52	2	2	5	13	20	24	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.8	17	1	1	2	3	11	12	12
20-34	30	8.1	123	1	1	5	8	18	25	58
35-49	108	8.2	50	1	2	6	11	18	23	32
50-64	195	11.0	80	2	3	9	14	21	27	58
65+	548	14.2	160	3	4	11	18	27	41	99
B. Operated										
0-19 YRS	12	6.3	43	2	2	3	6	16	21	22
20-34	78	11.1	215	2	2	7	13	23	40	85
35-49	136	13.2	198	2	2	9	16	30	41	67
50-64	308	14.5	195	2	3	11	20	31	45	91
65+	299	20.5	309	3	4	16	27	51	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	7.5	55	1	2	5	9	16	21	41
B. Operated	141	7.8	58	1	2	5	10	18	25	50
2. MULTIPLE DX										
A. Not Operated	887	12.5	132	2	3	10	16	25	34	61
B. Operated	833	16.0	248	2	3	11	21	35	57	97
1. SINGLE DX	257	7.7	57	1	2	5	10	17	24	45
2. MULTIPLE DX	1720	14.2	191	2	3	10	18	31	46	88
A. NOT OPERATED	1003	11.9	126	2	3	9	15	24	33	77
B. OPERATED	974	14.8	229	2	3	10	20	33	53	96
TOTAL 0-19 YRS	26	5.7	31	1	1	3	8	16	18	22
20-34	147	9.0	151	1	2	5	10	19	25	65
35-49	324	10.0	119	2	2	7	13	21	31	63
50-64	579	12.5	144	2	3	9	17	27	36	85
65+	901	15.9	216	3	4	12	20	34	57	99+
GRAND TOTAL	**1977**	**13.3**	**179**	**2**	**3**	**9**	**17**	**29**	**43**	**86**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	8.3	25	3	3	9	12	13	13	13
20-34	77	10.5	14	3	6	11	13	15	17	20
35-49	758	11.1	14	4	7	11	13	15	18	22
50-64	1808	11.8	16	6	7	12	14	17	19	24
65+	1469	12.4	26	5	7	12	15	18	21	28
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	13.0	13	9	9	14	15	16	16	16
35-49	51	11.7	28	2	3	12	15	17	17	32
50-64	139	12.6	25	2	2	13	15	19	20	23
65+	73	16.4	64	6	10	15	19	29	33	64
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	21.7	199	8	9	17	28	38	56	60
20-34	129	11.3	37	4	5	11	13	17	20	30
35-49	1970	11.9	25	6	6	12	14	16	20	28
50-64	7709	13.1	34	6	7	12	15	19	22	33
65+	13719	14.8	64	6	8	13	17	23	29	48
B. Operated										
0-19 YRS	3	25.3	472	9	9	17	42	50	50	50
20-34	49	14.9	114	2	3	14	19	33	42	99+
35-49	538	13.9	73	2	3	13	17	24	29	52
50-64	1665	16.1	98	2	7	14	20	27	35	63
65+	2013	20.7	161	8	10	18	25	37	47	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4115	11.8	20	5	7	12	14	17	19	25
B. Operated	267	13.4	40	2	5	13	16	20	23	35
2. MULTIPLE DX										
A. Not Operated	23540	14.0	52	6	8	13	16	21	26	43
B. Operated	4268	18.0	132	3	8	16	22	31	41	83
1. SINGLE DX	4382	11.9	21	5	7	12	14	17	20	26
2. MULTIPLE DX	27808	14.6	66	6	8	13	17	23	29	49
A. NOT OPERATED	27655	13.6	48	6	7	13	16	21	25	41
B. OPERATED	4535	17.7	128	3	8	15	21	31	40	80
TOTAL 0-19 YRS	20	19.3	223	2	5	15	26	41	55	60
20-34	258	11.8	46	3	5	11	14	18	25	44
35-49	3317	12.0	31	4	6	12	14	18	21	31
50-64	11321	13.3	42	5	7	12	15	20	24	37
65+	17274	15.3	77	6	8	13	18	24	31	54
GRAND TOTAL	**32190**	**14.2**	**61**	**6**	**8**	**13**	**16**	**22**	**28**	**47**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	40	4.0	7	1	1	3	5	8	10	12
35-49	401	4.0	6	1	2	4	5	7	9	13
50-64	806	4.3	7	1	2	4	6	8	9	14
65+	721	4.8	12	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS										
20-34	8	2.6	1	2	2	2	3	5	5	5
35-49	88	3.8	16	1	2	2	3	10	11	22
50-64	192	3.4	11	2	2	2	3	7	12	17
65+	55	3.9	13	2	2	2	4	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.3	30	3	3	5	8	17	20	20
20-34	137	4.8	7	2	2	4	7	8	10	12
35-49	1761	5.1	12	1	2	4	6	9	11	17
50-64	5460	5.7	17	2	2	5	7	10	12	19
65+	8407	6.9	27	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	40	7.1	36	2	2	5	10	15	19	26
35-49	700	6.3	32	2	2	3	10	13	17	25
50-64	2348	7.5	55	2	2	4	11	16	20	34
65+	1453	10.7	106	2	2	9	15	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1969	4.4	9	1	2	4	6	8	10	15
B. *Operated*	343	3.5	12	2	2	2	3	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	15773	6.2	22	2	2	5	8	11	14	23
B. *Operated*	4543	8.3	70	2	2	6	12	18	23	40
1. SINGLE DX	2312	4.3	9	1	2	3	6	8	10	15
2. MULTIPLE DX	20316	6.7	34	2	2	5	9	13	17	29
A. NOT OPERATED	17742	6.0	21	2	2	5	8	11	14	22
B. OPERATED	4886	8.0	68	2	2	5	11	17	23	39
TOTAL 0-19 YRS	11	5.7	28	1	1	4	7	13	19	20
20-34	225	5.0	13	1	2	4	7	10	12	19
35-49	2950	5.2	16	2	2	4	7	10	13	19
50-64	8806	6.0	27	2	2	4	8	12	15	24
65+	10636	7.3	39	2	2	6	9	14	18	33
GRAND TOTAL	**22628**	**6.5**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	36	4.7	6	1	2	4	7	8	9	10
35-49	407	4.8	8	1	2	4	6	8	10	14
50-64	934	5.6	11	2	2	5	7	10	11	17
65+	1002	6.3	26	2	2	5	8	11	13	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	30	6.2	23	2	2	4	9	13	16	20
50-64	96	8.2	35	2	2	8	11	14	20	29
65+	31	7.7	22	2	2	8	11	14	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.6	15	4	4	9	11	14	15	15
20-34	90	6.3	22	2	2	6	8	10	12	31
35-49	1606	6.0	15	2	2	5	7	11	13	19
50-64	6638	6.9	21	2	3	6	9	12	14	22
65+	11838	8.2	35	3	3	7	10	15	18	31
B. *Operated*										
0-19 YRS	2	14.5	313	2	2	14	27	27	27	27
20-34	19	8.3	22	2	3	7	11	14	18	21
35-49	432	9.9	61	2	2	9	13	17	21	40
50-64	1562	11.5	83	2	2	10	15	21	28	48
65+	1434	15.6	128	2	4	14	20	29	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2379	5.7	17	2	2	5	7	10	12	19
B. *Operated*	160	7.6	30	2	2	8	11	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	20180	7.6	29	2	3	6	9	13	17	27
B. *Operated*	3449	13.0	104	2	2	11	17	25	32	54
1. SINGLE DX	2539	5.9	18	2	2	5	7	10	13	20
2. MULTIPLE DX	23629	8.4	44	2	3	7	10	15	20	35
A. NOT OPERATED	22559	7.4	28	2	3	6	9	13	16	27
B. OPERATED	3609	12.8	102	2	2	11	16	25	32	53
TOTAL 0-19 YRS	11	9.1	53	2	2	9	11	20	26	27
20-34	147	6.1	19	2	2	5	8	10	13	26
35-49	2475	6.5	24	2	2	5	8	12	15	23
50-64	9230	7.5	34	2	3	6	9	14	17	29
65+	14305	8.8	49	3	3	7	11	16	21	38
GRAND TOTAL	**26168**	**8.1**	**42**	**2**	**3**	**7**	**10**	**15**	**19**	**34**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	4.6	15	<1	<1	3	7	11	12	12
35-49	111	4.0	8	1	2	3	5	7	9	16
50-64	320	4.4	12	1	2	3	6	9	10	17
65+	263	5.0	14	1	2	4	6	10	12	19
B. Operated										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	32	4.4	30	1	2	2	3	16	16	22
35-49	620	4.8	21	2	2	2	8	12	13	20
50-64	1755	6.1	36	2	2	2	10	14	17	24
65+	623	7.6	59	2	2	3	12	17	22	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.4	15	1	1	7	8	12	13	13
20-34	34	4.9	8	2	2	4	7	9	10	12
35-49	552	5.4	23	1	2	4	7	10	12	22
50-64	2068	6.2	23	1	2	5	8	12	14	23
65+	4177	9.3	72	2	3	7	11	17	24	53
B. Operated										
0-19 YRS	10	7.6	35	2	2	6	11	16	19	19
20-34	76	5.9	41	2	2	3	9	12	15	39
35-49	1499	6.7	43	2	2	3	11	15	18	29
50-64	5058	8.3	63	2	2	6	12	17	22	37
65+	2669	12.0	125	2	2	10	17	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	703	4.6	12	1	2	4	6	9	11	18
B. Operated	3032	6.1	38	2	2	2	10	14	17	27
2. MULTIPLE DX										
A. Not Operated	6839	8.0	56	2	2	4	10	15	20	42
B. Operated	9312	9.1	81	2	2	7	13	19	25	43
1. SINGLE DX	3735	5.8	34	2	2	2	9	14	17	25
2. MULTIPLE DX	16151	8.6	71	2	2	6	12	18	23	43
A. NOT OPERATED	7542	7.7	53	2	2	6	9	15	19	40
B. OPERATED	12344	8.4	72	2	2	5	12	18	23	40
TOTAL 0-19 YRS	21	7.0	23	1	2	8	9	13	16	19
20-34	150	5.3	30	2	2	3	7	11	15	26
35-49	2782	5.9	33	2	2	3	9	13	16	26
50-64	9201	7.3	48	2	2	5	11	15	19	32
65+	7732	10.0	91	2	2	7	13	20	27	51
GRAND TOTAL	**19886**	**8.1**	**65**	**2**	**2**	**6**	**11**	**17**	**22**	**40**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	10.7		10	10	11	11	11	11	11
20-34	79	9.8	17	4	5	9	12	15	17	21
35-49	99	10.8	22	2	5	11	14	16	19	26
50-64	132	10.6	20	5	6	10	12	16	19	27
65+	131	12.0	24	5	7	11	14	18	21	27
B. Operated										
0-19 YRS										
20-34	19	9.3	14	2	3	9	12	14	15	15
35-49	28	13.7	78	5	6	11	16	24	31	47
50-64	21	15.5	121	4	6	14	19	30	41	51
65+	14	17.0	53	9	9	15	22	27	32	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	11.4	17	5	5	11	15	17	18	18
20-34	109	11.0	23	3	5	11	14	18	19	25
35-49	253	12.1	41	3	5	11	15	20	25	36
50-64	576	13.5	55	5	7	12	16	21	24	39
65+	1140	15.6	86	5	7	14	19	25	33	53
B. Operated										
0-19 YRS	9	14.7	169	5	5	11	15	35	48	48
20-34	46	17.1	152	4	6	13	21	31	49	62
35-49	91	18.6	171	7	8	15	20	34	40	78
50-64	158	16.9	118	7	8	14	21	28	39	78
65+	287	21.2	207	8	9	17	26	38	49	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	444	10.9	21	4	6	10	13	17	20	26
B. Operated	82	13.7	75	4	6	11	16	24	31	50
2. MULTIPLE DX										
A. Not Operated	2088	14.4	70	5	7	13	17	23	28	51
B. Operated	591	19.2	176	7	8	15	23	36	46	84
1. SINGLE DX	526	11.3	31	4	6	10	14	17	21	30
2. MULTIPLE DX	2679	15.4	98	5	7	13	18	26	33	62
A. NOT OPERATED	2532	13.8	63	5	7	12	16	22	27	49
B. OPERATED	673	18.5	166	7	8	15	22	34	45	81
TOTAL 0-19 YRS	22	12.6	75	5	6	11	15	16	30	48
20-34	253	11.6	50	3	5	10	14	18	21	49
35-49	471	13.2	71	4	6	12	15	21	29	47
50-64	887	13.7	65	5	7	12	16	22	26	49
65+	1572	16.4	108	6	8	14	19	28	37	64
GRAND TOTAL	**3205**	**14.8**	**89**	**5**	**7**	**13**	**17**	**24**	**31**	**58**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	23.0	62	14	14	24	30	32	32	32
20-34	11	22.3	215	3	8	16	29	42	57	58
35-49	7	16.7	135	3	4	14	26	34	35	35
50-64	8	24.0	75	10	11	28	30	32	33	33
65+	14	25.9	154	3	5	30	34	38	43	44
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	31.0	98	24	24	31	38	38	38	38
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	21.5	301	2	2	18	39	42	43	43
20-34	105	30.1	207	4	7	31	40	46	50	87
35-49	61	26.5	180	4	6	29	34	43	47	56
50-64	82	27.3	115	9	12	29	34	42	44	49
65+	137	32.9	224	6	11	32	42	52	58	69
B. *Operated*										
0-19 YRS	3	44.3	114	32	32	50	51	51	51	51
20-34	36	39.1	221	14	17	42	46	58	66	77
35-49	19	39.6	380	14	20	36	47	72	78	82
50-64	30	38.6	369	8	22	35	42	60	86	99
65+	68	42.5	413	15	17	40	59	87	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	22.9	140	3	7	25	31	35	39	58
B. *Operated*	2	31.0	98	24	24	31	38	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	396	29.7	199	4	8	30	38	45	52	68
B. *Operated*	156	40.6	346	14	18	39	50	71	87	99+
1. SINGLE DX	47	23.3	138	3	8	25	31	35	39	58
2. MULTIPLE DX	552	32.8	264	6	10	32	42	52	64	99
A. NOT OPERATED	441	29.0	197	4	8	30	37	45	51	65
B. OPERATED	158	40.5	344	14	19	39	50	71	87	99+
TOTAL 0-19 YRS	19	25.5	265	2	2	29	39	47	51	51
20-34	152	31.7	230	4	8	31	42	48	58	77
35-49	89	28.6	252	4	7	29	37	46	54	79
50-64	120	29.9	199	9	12	30	35	43	47	90
65+	219	35.4	302	8	15	33	44	60	72	99+
GRAND TOTAL	**599**	**32.0**	**261**	**6**	**10**	**31**	**42**	**51**	**62**	**98**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.0	5	<1	1	2	5	6	7	8
20-34	39	2.3	4	<1	1	1	3	5	7	10
35-49	85	2.8	4	<1	1	2	4	5	6	9
50-64	105	3.2	6	1	1	3	4	6	9	13
65+	92	3.6	11	1	1	3	4	7	9	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	10.5	12	7	7	10	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.6	5	2	2	2	5	7	8	9
20-34	57	3.2	5	1	1	3	3	7	9	10
35-49	140	3.9	12	1	1	3	5	7	10	16
50-64	394	4.9	12	1	1	4	7	9	11	18
65+	736	7.1	41	2	2	5	9	14	18	39
B. *Operated*										
0-19 YRS										
20-34	2	10.5	5	9	9	10	12	12	12	12
35-49	11	9.1	74	2	2	5	13	21	30	31
50-64	20	11.4	78	2	3	9	15	26	31	31
65+	54	13.6	115	3	4	10	17	32	36	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	3.1	7	1	1	3	4	6	8	11
B. *Operated*	8	7.6	21	2	2	8	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	1347	5.9	30	1	2	4	7	11	15	29
B. *Operated*	87	12.5	99	3	4	10	16	30	32	85
1. SINGLE DX	351	3.2	7	1	1	3	4	6	9	14
2. MULTIPLE DX	1434	6.3	36	1	2	5	8	13	16	33
A. NOT OPERATED	1690	5.3	26	1	1	4	7	11	14	26
B. OPERATED	95	12.1	94	2	3	9	15	30	32	82
TOTAL 0-19 YRS	43	3.3	5	1	1	2	5	6	8	9
20-34	98	3.0	6	<1	1	2	3	7	9	11
35-49	237	3.8	13	1	1	3	5	7	10	17
50-64	521	4.8	15	1	1	4	7	9	12	20
65+	886	7.2	46	1	2	5	9	14	18	39
GRAND TOTAL	**1785**	**5.7**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	128	2.6	10	<1	1	2	3	5	6	13
35-49	220	2.7	4	<1	1	2	3	5	7	10
50-64	379	3.4	8	<1	1	3	4	7	9	13
65+	459	4.6	16	1	1	3	6	8	12	23
B. *Operated*										
0-19 YRS										
20-34	2	6.0		6	6	6	6	6	6	6
35-49	8	4.4	12	1	1	3	6	10	11	11
50-64	13	7.6	51	2	2	5	9	17	26	28
65+	13	7.2	31	2	2	5	10	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	6	<1	<1	2	5	6	7	7
20-34	120	3.6	8	1	1	3	5	8	9	14
35-49	402	4.7	17	1	1	4	6	9	12	22
50-64	1896	5.9	23	1	2	5	8	12	15	24
65+	5377	8.4	67	2	2	7	10	16	21	49
B. *Operated*										
0-19 YRS	3	7.7	96	2	2	2	15	19	19	19
20-34	10	4.4	13	1	1	3	7	10	12	12
35-49	22	7.1	28	1	2	6	9	14	19	22
50-64	157	11.7	89	2	3	9	15	24	29	54
65+	636	16.2	183	3	5	12	20	33	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1190	3.6	11	<1	1	3	5	7	9	17
B. *Operated*	36	6.6	32	1	2	5	8	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	7806	7.6	54	1	2	6	9	14	19	39
B. *Operated*	828	14.9	165	3	4	12	18	31	45	99+
1. SINGLE DX	1226	3.7	12	1	1	3	5	7	9	18
2. MULTIPLE DX	8634	8.3	70	1	2	6	10	16	22	50
A. NOT OPERATED	8996	7.0	50	1	2	5	9	14	18	37
B. OPERATED	864	14.6	162	2	4	11	18	30	44	97
TOTAL 0-19 YRS	18	3.6	19	<1	<1	2	5	7	14	19
20-34	260	3.1	10	<1	1	2	4	6	8	12
35-49	652	4.1	14	1	1	3	5	8	11	19
50-64	2445	5.9	28	1	1	4	8	12	15	26
65+	6485	8.9	81	2	2	7	11	17	24	60
GRAND TOTAL	**9860**	**7.7**	**65**	**1**	**2**	**6**	**9**	**15**	**21**	**47**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.7	19	1	1	2	4	8	9	30
20-34	139	3.1	6	1	1	2	4	6	8	12
35-49	290	4.1	19	1	1	3	5	8	10	21
50-64	345	4.6	12	1	1	4	6	9	11	17
65+	425	5.3	19	1	1	4	7	10	13	22
B. *Operated*										
0-19 YRS	9	3.6	13	<1	<1	2	5	9	12	12
20-34	19	6.4	15	1	1	6	9	12	14	14
35-49	28	6.2	23	1	2	5	8	12	15	23
50-64	90	6.7	30	2	2	5	9	13	17	31
65+	462	8.0	27	3	3	7	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	5.2	27	1	1	4	6	10	18	26
20-34	353	4.4	13	1	1	4	6	9	11	19
35-49	896	5.2	18	1	2	4	7	9	12	18
50-64	2835	6.5	25	2	2	5	8	12	15	25
65+	6634	8.6	54	2	3	7	11	16	21	41
B. *Operated*										
0-19 YRS	31	9.8	103	2	2	7	11	23	28	49
20-34	28	8.6	41	2	3	7	10	17	25	30
35-49	149	10.4	102	2	2	8	13	23	36	74
50-64	743	11.8	95	2	4	9	14	23	28	61
65+	3872	13.4	109	4	5	11	16	25	34	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1255	4.5	16	1	1	3	6	9	11	19
B. *Operated*	608	7.6	27	2	3	6	10	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	10817	7.6	44	2	2	6	9	14	19	35
B. *Operated*	4823	13.0	107	4	4	10	16	24	33	68
1. SINGLE DX	1863	5.5	22	1	1	4	7	11	14	24
2. MULTIPLE DX	15640	9.3	69	2	3	7	11	18	24	49
A. NOT OPERATED	12072	7.3	42	1	2	6	9	14	18	33
B. OPERATED	5431	12.4	101	3	4	10	15	23	31	61
TOTAL 0-19 YRS	195	5.4	40	1	1	3	6	11	19	30
20-34	539	4.4	14	1	1	3	6	9	11	20
35-49	1363	5.6	31	1	2	4	7	11	13	29
50-64	4013	7.3	41	2	2	6	9	14	18	31
65+	11393	10.1	76	2	3	8	12	19	26	53
GRAND TOTAL	**17503**	**8.9**	**65**	**2**	**2**	**7**	**11**	**17**	**23**	**47**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.4	160	1	1	2	9	30	30	30
20-34	7	6.3	41	1	1	3	11	16	17	17
35-49	29	8.1	101	2	2	6	9	15	19	55
50-64	216	7.3	22	2	3	6	9	14	17	24
65+	1084	7.9	47	2	3	6	10	14	19	40
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	4	9.5	58	2	2	8	15	19	19	19
65+	19	12.3	71	2	3	8	18	22	29	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	6.4	32	2	2	4	8	13	16	33
20-34	104	9.3	60	2	3	7	12	17	21	44
35-49	699	9.2	55	2	3	7	11	17	23	39
50-64	5220	9.7	52	3	3	8	12	18	23	38
65+	27963	11.5	94	3	4	9	14	22	29	63
B. *Operated*										
0-19 YRS	20	12.3	206	1	2	7	15	22	45	66
20-34	30	11.8	106	1	2	10	14	28	34	42
35-49	120	11.7	86	2	2	10	15	19	31	46
50-64	623	16.5	176	3	4	13	22	33	47	87
65+	2791	20.6	234	5	7	16	26	43	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1341	7.8	44	2	2	6	10	14	19	35
B. *Operated*	24	11.5	66	2	3	8	18	21	26	34
2. MULTIPLE DX										
A. *Not Operated*	34079	11.2	87	3	4	9	14	21	28	58
B. *Operated*	3584	19.5	223	4	6	16	25	41	56	99+
1. SINGLE DX	1365	7.9	45	2	2	6	10	15	19	35
2. MULTIPLE DX	37663	12.0	106	3	4	9	14	23	31	66
A. NOT OPERATED	35420	11.0	86	3	4	9	13	21	27	57
B. OPERATED	3608	19.4	222	4	6	16	25	40	56	99+
TOTAL 0-19 YRS	118	7.4	69	1	2	5	9	15	22	48
20-34	142	9.7	69	2	2	7	12	18	28	42
35-49	848	9.5	61	2	3	8	12	17	24	46
50-64	6063	10.3	68	3	3	8	13	19	26	47
65+	31857	12.2	112	3	4	9	15	23	32	69
GRAND TOTAL	**39028**	**11.8**	**104**	**3**	**4**	**9**	**14**	**23**	**31**	**66**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	4.5	14	1	1	4	5	8	15	18
20-34	224	4.5	14	1	2	4	6	8	10	14
35-49	297	4.9	16	1	2	4	6	9	12	23
50-64	259	5.7	23	1	2	5	7	11	13	28
65+	146	7.2	35	2	2	6	9	12	17	36
B. *Operated*										
0-19 YRS	30	6.1	39	1	1	2	9	16	21	24
20-34	62	6.8	74	1	2	2	10	15	21	49
35-49	123	4.9	41	1	1	2	5	11	15	33
50-64	237	5.0	26	1	2	2	7	13	15	24
65+	149	7.6	69	1	2	2	12	19	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	7.6	72	2	2	5	9	14	23	52
20-34	362	6.7	52	1	2	5	8	12	18	43
35-49	817	7.0	42	2	2	5	8	13	17	37
50-64	1590	8.5	44	2	3	7	11	16	21	36
65+	2505	10.6	87	2	3	8	13	21	28	51
B. *Operated*										
0-19 YRS	31	8.2	135	2	2	3	11	17	21	63
20-34	104	13.7	181	1	2	10	17	33	51	80
35-49	341	10.3	97	2	2	8	14	22	29	52
50-64	896	11.6	127	2	2	9	16	26	35	51
65+	1061	15.6	202	2	2	13	20	32	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	998	5.3	21	1	2	4	7	10	12	24
B. *Operated*	601	5.8	46	1	2	2	9	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	5387	9.1	67	2	3	7	11	18	24	44
B. *Operated*	2433	13.2	162	2	2	11	18	29	39	71
1. SINGLE DX	1599	5.5	31	1	2	4	7	12	16	28
2. MULTIPLE DX	7820	10.4	100	2	2	8	13	21	29	53
A. NOT OPERATED	6385	8.5	62	2	2	6	10	17	23	43
B. OPERATED	3034	11.7	148	2	2	9	16	26	36	65
TOTAL 0-19 YRS	246	6.6	60	1	2	4	8	14	19	50
20-34	752	7.0	65	1	2	5	8	14	21	51
35-49	1578	7.2	52	2	2	5	9	15	20	37
50-64	2982	8.9	70	2	2	6	12	18	25	43
65+	3861	11.7	122	2	2	9	15	25	33	65
GRAND TOTAL	**9419**	**9.6**	**92**	**2**	**2**	**7**	**12**	**20**	**28**	**49**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	5.9	13	3	3	5	9	12	12	12
65+	19	6.9	32	<1	1	6	10	17	18	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	5.2	9	2	2	4	7	10	10	10
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	1	9.0		9	9	9	9	9	9	9
35-49	26	5.4	10	2	2	5	8	9	13	13
50-64	143	6.7	34	2	2	5	9	13	15	33
65+	665	10.5	109	2	3	8	13	21	30	73
B. *Operated*										
0-19 YRS										
20-34										
35-49	11	8.0	235	2	2	3	5	26	52	54
50-64	69	7.7	81	2	2	5	10	15	25	54
65+	131	16.4	213	2	2	13	21	42	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.4	26	1	1	5	10	15	17	19
B. *Operated*	9	4.7	7	2	2	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	837	9.7	95	2	3	7	12	20	26	69
B. *Operated*	211	13.1	187	2	2	9	17	32	47	85
1. SINGLE DX	36	6.0	22	1	2	5	8	12	17	19
2. MULTIPLE DX	1048	10.4	115	2	2	7	13	21	32	73
A. NOT OPERATED	864	9.6	93	2	3	7	12	19	25	68
B. OPERATED	220	12.8	183	2	2	9	16	30	47	83
TOTAL 0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	1	9.0		9	9	9	9	9	9	9
35-49	39	6.0	71	2	2	4	6	9	13	54
50-64	225	7.0	47	2	2	5	9	14	16	39
65+	817	11.4	129	2	3	8	14	22	35	81
GRAND TOTAL	**1084**	**10.2**	**113**	**2**	**2**	**7**	**13**	**21**	**31**	**73**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	10.1	158	1	1	5	17	31	34	34
35-49	11	8.8	102	1	1	5	13	23	34	35
50-64	9	2.7	6	<1	<1	1	6	6	6	6
65+	13	10.4	259	2	2	5	10	24	55	62
B. *Operated*										
0-19 YRS	3	7.3	25	2	2	8	11	12	12	12
20-34	23	16.7	63	5	7	17	19	25	31	41
35-49	28	19.3	132	3	5	19	24	39	55	99+
50-64	21	25.9	469	3	6	19	41	74	91	99+
65+	6	14.7	70	2	3	15	16	27	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	4	<1	<1	3	5	6	6	6
20-34	9	11.4	135	3	3	6	17	30	38	38
35-49	14	12.0	164	<1	2	5	22	33	37	38
50-64	16	15.3	248	<1	1	12	15	41	54	59
65+	42	22.2	350	3	5	21	32	92	99+	99+
B. *Operated*										
0-19 YRS	4	28.3	1173	1	1	19	54	74	74	74
20-34	27	23.6	158	9	11	21	30	40	54	54
35-49	55	30.4	473	8	11	22	40	85	97	99+
50-64	75	29.5	291	9	13	24	39	65	77	99+
65+	43	34.2	413	12	14	33	58	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	8.0	138	<1	1	4	7	18	34	62
B. *Operated*	81	19.5	204	3	6	17	24	41	59	99+
2. MULTIPLE DX										
A. *Not Operated*	85	17.2	284	1	3	13	28	40	93	99+
B. *Operated*	204	29.9	364	8	13	24	40	73	99+	99+
1. SINGLE DX	122	15.6	210	1	2	13	20	36	47	99+
2. MULTIPLE DX	289	26.2	373	3	6	23	38	66	99+	99+
A. NOT OPERATED	126	14.2	253	1	1	10	22	36	62	99+
B. OPERATED	285	27.0	340	7	10	23	38	65	98	99+
TOTAL 0-19 YRS	12	12.7	461	<1	1	4	10	47	70	74
20-34	66	18.1	142	3	3	17	23	37	40	54
35-49	108	22.9	370	2	3	19	33	56	92	99+
50-64	121	25.0	352	1	4	22	37	62	73	99+
65+	104	25.3	413	2	5	22	39	97	99+	99+
GRAND TOTAL	**411**	**23.1**	**348**	**2**	**3**	**20**	**34**	**62**	**93**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34										
35-49										
50-64	3	10.7	80	5	5	6	17	21	21	21
65+	3	34.7	81	26	26	34	41	44	44	44
B. Operated										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	3	23.3	76	16	16	21	30	33	33	33
35-49	6	38.2	343	19	19	42	84	99+	99+	99+
50-64	7	27.0	99	10	14	29	37	82	99+	99+
65+	2	50.5	613	33	33	68	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	7	22.4	198	5	5	21	32	42	44	44
B. Operated	19	32.8	244	14	18	35	62	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	26	30.0	245	6	13	33	44	99+	99+	99+
A. NOT OPERATED	7	22.4	198	5	5	21	32	42	44	44
B. OPERATED	19	32.8	244	14	18	35	62	99+	99+	99+
TOTAL 0-19 YRS	2	28.0	98	21	21	28	35	35	35	35
20-34	3	23.3	76	16	16	21	30	33	33	33
35-49	6	38.2	343	19	19	42	84	99+	99+	99+
50-64	10	22.1	146	5	6	24	34	64	97	99+
65+	5	41.0	269	26	27	35	68	97	99+	99+
GRAND TOTAL	**26**	**30.0**	**245**	**6**	**13**	**33**	**44**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	4.0	7	1	1	2	5	6	6	6
35-49	7	6.4	38	1	1	3	11	16	17	17
50-64	17	10.6	71	2	3	9	15	23	28	30
65+	28	11.9	115	1	3	9	15	25	38	45
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	11	12.5	201	2	3	7	15	31	51	53
35-49	17	9.1	55	1	2	8	14	19	25	28
50-64	29	16.7	239	3	4	13	24	38	79	99+
65+	56	15.5	275	4	6	10	16	25	51	96
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	7.6	23	<1	2	7	8	15	17	17
20-34	8	12.0	239	2	2	6	14	39	48	48
35-49	20	13.3	136	<1	1	10	15	32	43	44
50-64	108	18.3	245	4	4	13	24	40	51	99
65+	320	19.9	238	6	6	15	26	47	60	99+
B. Operated										
0-19 YRS	13	13.2	53	6	6	12	13	28	30	30
20-34	18	23.3	190	2	4	26	36	43	74	99+
35-49	29	24.8	495	6	8	15	33	69	84	99+
50-64	101	21.6	336	6	7	18	27	58	99	99+
65+	199	28.3	419	6	8	23	43	72	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	10.0	89	<1	1	7	13	23	28	44
B. Operated	115	14.3	226	2	4	10	16	26	51	99
2. MULTIPLE DX										
A. Not Operated	466	18.8	235	3	5	14	25	44	57	99+
B. Operated	360	25.4	389	6	8	21	36	64	98	99+
1. SINGLE DX	172	12.9	184	2	3	10	16	25	37	94
2. MULTIPLE DX	826	21.7	312	4	6	17	30	51	76	99+
A. NOT OPERATED	523	17.9	227	2	4	14	23	42	53	99+
B. OPERATED	475	22.7	371	4	6	17	31	59	89	99+
TOTAL 0-19 YRS	27	9.4	50	<1	1	6	13	16	27	30
20-34	40	16.6	222	2	2	11	29	42	50	99+
35-49	73	16.2	297	1	2	11	19	43	63	96
50-64	255	18.9	275	3	5	14	25	43	64	99+
65+	603	21.9	319	4	6	17	30	53	75	99+
GRAND TOTAL	**998**	**20.2**	**301**	**3**	**5**	**15**	**27**	**49**	**73**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	22.3	142	9	9	26	30	32	32	32
50-64	33	30.4	398	4	8	28	45	59	68	77
65+	101	31.2	467	6	9	28	50	86	99+	99+
B. *Operated*										
0-19 YRS	4	43.5	529	16	16	44	61	70	70	70
20-34	3	46.7	508	25	25	45	64	70	70	70
35-49	6	59.7	1134	18	21	87	96	99+	99+	99+
50-64	18	42.7	699	9	13	52	82	99+	99+	99+
65+	48	38.5	405	11	13	36	59	94	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	137	30.8	440	6	8	28	47	79	99+	99+
B. *Operated*	79	41.6	535	11	15	44	70	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	216	34.8	500	8	10	33	58	90	99+	99+
A. NOT OPERATED	137	30.8	440	6	8	28	47	79	99+	99+
B. OPERATED	79	41.6	535	11	15	44	70	99+	99+	99+
TOTAL 0-19 YRS	4	43.5	529	16	16	44	61	70	70	70
20-34	3	46.7	508	25	25	45	64	70	70	70
35-49	9	47.2	1093	9	14	44	92	99+	99+	99+
50-64	51	34.7	527	8	9	33	59	82	99+	99+
65+	149	33.6	456	8	10	30	54	87	99+	99+
GRAND TOTAL	**216**	**34.8**	**500**	**8**	**10**	**33**	**58**	**90**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	9.0	39	2	2	11	13	14	14	14
50-64	29	5.9	156	1	2	3	6	6	12	70
65+	43	3.6	7	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.8	2	6	6	6	8	9	9	9
35-49	55	7.8	32	2	2	6	10	17	20	23
50-64	406	7.2	27	2	2	6	9	13	18	25
65+	543	7.4	29	2	2	6	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	19	11.3	57	1	3	10	13	25	27	27
50-64	194	7.6	71	1	2	6	10	14	19	51
65+	491	9.2	79	2	2	7	11	19	25	56
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	4	20.5	15	15	15	21	23	24	24	24
35-49	114	9.7	79	2	2	8	12	17	27	51
50-64	1249	9.2	51	2	2	7	12	17	23	36
65+	2233	10.7	86	2	3	8	13	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.6	64	1	1	3	5	7	11	55
B. *Operated*	1009	7.4	28	2	2	6	9	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	705	8.8	76	1	2	7	11	18	24	56
B. *Operated*	3602	10.2	74	2	3	8	13	20	26	45
1. SINGLE DX	1086	7.2	31	2	2	6	9	13	17	26
2. MULTIPLE DX	4307	10.0	75	2	2	8	12	19	26	48
A. NOT OPERATED	782	8.4	77	1	2	6	10	17	23	56
B. OPERATED	4611	9.6	65	2	2	7	12	18	24	43
TOTAL 0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	10	11.8	63	4	4	8	21	23	24	24
35-49	191	9.3	63	2	2	7	12	18	23	44
50-64	1878	8.6	50	2	2	7	11	17	21	35
65+	3310	9.9	77	2	2	8	12	19	26	51
GRAND TOTAL	**5393**	**9.4**	**67**	**2**	**2**	**7**	**12**	**18**	**24**	**44**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	16.5	41	12	12	16	21	21	21	21
50-64	5	19.4	788	2	2	6	28	69	69	69
65+	33	19.8	399	2	3	12	30	41	69	84
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	4	14.8	140	4	4	18	47	99+	99+	99+
50-64	68	18.5	351	3	4	13	21	57	76	99+
65+	101	21.6	267	2	5	18	33	51	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	41	19.1	408	1	2	12	23	46	69	84
B. *Operated*	175	20.0	297	2	4	15	30	54	74	99+
1. SINGLE DX										
2. MULTIPLE DX	216	19.9	316	2	4	14	29	54	71	99+
A. NOT OPERATED	41	19.1	408	1	2	12	23	46	69	84
B. OPERATED	175	20.0	297	2	4	15	30	54	74	99+
TOTAL 0-19 YRS										
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	6	15.3	93	4	5	18	28	86	99+	99+
50-64	73	18.6	371	3	4	13	21	57	75	99+
65+	134	21.1	297	2	4	17	32	51	64	99+
GRAND TOTAL	**216**	**19.9**	**316**	**2**	**4**	**14**	**29**	**54**	**71**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	7.1	29	2	2	6	11	15	16	16
35-49	21	8.8	52	2	2	6	12	17	26	31
50-64	78	9.9	68	2	3	8	12	26	34	82
65+	209	13.1	109	3	4	10	17	28	34	88
B. *Operated*										
0-19 YRS	3	8.7	49	2	2	8	14	16	16	16
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	13	13.2	60	2	4	12	18	22	29	31
50-64	17	6.9	25	1	2	7	11	17	68	99+
65+	22	14.2	425	2	2	8	11	33	62	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	15	1	1	3	7	10	10	10
20-34	25	12.4	108	4	4	9	15	29	38	42
35-49	92	13.0	149	3	4	9	14	29	47	99+
50-64	684	13.1	126	3	4	10	16	26	34	71
65+	2870	17.1	233	4	5	12	21	38	58	99+
B. *Operated*										
0-19 YRS	3	19.3	146	10	10	15	28	33	33	33
20-34	12	19.6	690	3	3	10	15	64	88	92
35-49	25	15.8	386	2	3	10	18	51	95	99+
50-64	186	18.2	356	3	4	11	22	54	71	99+
65+	451	23.9	381	5	7	19	36	67	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	11.9	96	2	3	9	15	27	33	86
B. *Operated*	57	11.2	192	2	2	8	12	24	36	99+
2. MULTIPLE DX										
A. *Not Operated*	3675	16.2	213	4	5	12	20	35	53	99+
B. *Operated*	677	21.9	384	4	5	16	31	60	92	99+
1. SINGLE DX	373	11.8	110	2	3	9	15	27	33	98
2. MULTIPLE DX	4352	17.1	244	4	5	12	21	39	60	99+
A. NOT OPERATED	3991	15.9	205	4	5	12	19	34	51	99+
B. OPERATED	734	21.1	377	3	5	15	30	59	92	99+
TOTAL 0-19 YRS	11	9.5	87	1	2	8	14	23	32	33
20-34	46	13.2	249	3	3	8	13	29	44	92
35-49	151	12.9	168	2	3	9	14	29	47	99+
50-64	965	13.7	170	3	4	10	16	29	44	84
65+	3552	17.7	252	4	5	13	22	41	63	99+
GRAND TOTAL	**4725**	**16.7**	**235**	**3**	**5**	**12**	**21**	**38**	**58**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	13.2	75	1	1	14	19	24	25	25
20-34	2	16.5	5	15	15	16	18	18	18	18
35-49	26	21.1	348	5	5	14	32	49	57	74
50-64	199	23.2	338	5	6	17	32	50	66	99
65+	1158	22.5	278	6	8	18	29	48	66	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	13.5	41	9	9	18	79	99+	99+	99+
35-49	13	18.4	110	4	6	17	23	35	38	39
50-64	61	31.3	534	7	8	25	47	81	94	99+
65+	158	35.2	480	8	12	33	59	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1391	22.5	286	6	7	18	30	49	65	99+
B. *Operated*	235	32.9	487	7	10	30	53	90	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	1626	24.0	328	6	7	19	33	55	81	99+
A. NOT OPERATED	1391	22.5	286	6	7	18	30	49	65	99+
B. OPERATED	235	32.9	487	7	10	30	53	90	99+	99+
TOTAL 0-19 YRS	7	12.0	72	1	2	14	18	24	25	25
20-34	4	15.0	18	9	9	18	39	99+	99+	99+
35-49	39	20.2	266	5	6	15	29	45	51	74
50-64	260	25.1	394	6	7	19	35	58	79	99+
65+	1316	24.0	319	6	8	19	32	55	81	99+
GRAND TOTAL	**1626**	**24.0**	**328**	**6**	**7**	**19**	**33**	**55**	**81**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	16	4.8	9	1	2	4	6	9	11	12
35-49	88	4.5	8	1	1	4	6	9	10	11
50-64	312	4.9	11	1	2	4	7	9	11	17
65+	860	5.7	30	1	2	5	7	10	13	29
B. *Operated*										
0-19 YRS										
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	39	5.6	13	2	2	5	7	11	13	15
50-64	115	5.1	9	2	2	4	7	9	11	15
65+	97	6.0	17	2	2	5	8	12	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.7	15	3	3	7	10	14	14	14
20-34	41	5.4	16	1	1	4	7	12	15	16
35-49	277	6.1	22	1	2	5	8	10	13	23
50-64	1666	6.8	29	2	2	6	8	12	15	26
65+	8984	9.1	78	2	3	7	11	16	24	62
B. *Operated*										
0-19 YRS										
20-34	7	7.1	8	4	4	6	9	11	12	12
35-49	83	8.3	37	2	2	7	11	17	21	28
50-64	521	9.1	42	2	2	7	12	18	23	31
65+	1333	14.0	180	3	4	10	17	29	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	5.4	23	1	2	4	7	10	12	26
B. *Operated*	253	5.5	13	2	2	5	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	10974	8.7	69	2	3	7	10	16	22	56
B. *Operated*	1944	12.4	142	2	3	9	15	25	36	95
1. SINGLE DX	1531	5.5	22	1	2	4	7	10	12	21
2. MULTIPLE DX	12918	9.2	82	2	3	7	11	17	25	66
A. NOT OPERATED	12252	8.3	66	2	2	6	10	15	21	52
B. OPERATED	2197	11.6	132	2	3	9	14	23	35	85
TOTAL 0-19 YRS	8	6.3	18	2	2	5	9	13	14	14
20-34	66	5.5	13	1	2	5	7	10	14	16
35-49	487	6.2	23	1	2	5	8	11	15	23
50-64	2614	6.9	30	2	2	6	9	13	16	27
65+	11274	9.4	89	2	3	7	11	18	26	70
GRAND TOTAL	**14449**	**8.8**	**77**	**2**	**3**	**7**	**11**	**16**	**24**	**62**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	3	5.3	10	3	3	4	8	9	9	9
35-49	28	9.1	130	1	2	6	10	20	27	60
50-64	174	10.1	59	1	2	8	14	21	24	43
65+	707	13.7	164	3	4	10	17	30	43	73
B. *Operated*										
0-19 YRS	4	4.3	7	2	2	4	6	7	7	7
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	10	6.7	8	3	3	6	10	11	11	11
50-64	20	6.9	13	1	2	6	9	12	13	14
65+	26	16.1	274	1	2	10	23	40	81	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.6	12	<1	<1	4	7	10	11	11
20-34	24	13.3	119	3	3	9	18	30	39	41
35-49	143	12.6	102	3	4	10	15	25	39	61
50-64	1134	14.8	174	3	4	11	19	32	47	99+
65+	6003	17.6	238	4	5	13	22	42	62	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	9.0	36	2	2	8	15	17	17	17
35-49	44	15.8	235	2	4	11	23	39	58	99+
50-64	241	17.6	265	3	5	13	24	49	84	99+
65+	805	29.2	510	6	8	25	49	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	916	12.8	145	2	3	9	16	27	37	68
B. *Operated*	62	10.6	141	2	2	7	12	25	37	97
2. MULTIPLE DX										
A. *Not Operated*	7315	17.1	226	4	5	13	22	40	59	99+
B. *Operated*	1097	26.0	471	4	7	20	43	85	99+	99+
1. SINGLE DX	978	12.7	145	2	3	9	16	27	37	72
2. MULTIPLE DX	8412	18.2	267	4	5	13	24	46	70	99+
A. NOT OPERATED	8231	16.6	219	3	5	12	21	39	56	99+
B. OPERATED	1159	25.1	465	4	6	19	40	84	99+	99+
TOTAL 0-19 YRS	20	4.1	9	<1	<1	4	6	9	10	11
20-34	35	11.6	94	2	3	9	15	28	36	41
35-49	225	12.5	131	2	3	9	14	25	39	86
50-64	1569	14.6	177	3	4	11	19	32	48	99+
65+	7541	18.5	275	4	5	13	24	46	72	99+
GRAND TOTAL	**9390**	**17.7**	**257**	**3**	**5**	**13**	**23**	**44**	**66**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	14.7	160	5	5	10	24	29	29	29
20-34	5	41.8	596	14	14	45	62	70	70	70
35-49	57	21.2	308	3	4	15	31	48	60	68
50-64	392	20.8	312	4	6	15	26	48	61	99+
65+	2201	21.6	274	5	7	17	29	52	79	99+
B. *Operated*										
0-19 YRS										
20-34	4	28.0	249	13	13	24	38	50	50	50
35-49	21	29.6	539	7	10	28	57	94	99+	99+
50-64	91	29.3	451	6	7	25	45	65	85	99+
65+	333	32.5	439	9	12	30	57	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2658	21.5	281	5	7	17	29	51	75	99+
B. *Operated*	449	31.7	444	7	10	29	53	99	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	3107	23.0	317	5	7	18	32	58	89	99+
A. NOT OPERATED	2658	21.5	281	5	7	17	29	51	75	99+
B. OPERATED	449	31.7	444	7	10	29	53	99	99+	99+
TOTAL 0-19 YRS	3	14.7	160	5	5	10	24	29	29	29
20-34	9	35.7	444	13	13	27	52	66	70	70
35-49	78	23.4	378	3	5	17	36	58	66	99+
50-64	483	22.4	348	4	6	16	30	53	66	99+
65+	2534	23.1	309	5	7	19	32	59	96	99+
GRAND TOTAL	**3107**	**23.0**	**317**	**5**	**7**	**18**	**32**	**58**	**89**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	7	6.1	95	1	1	2	5	24	28	28
35-49	30	3.9	7	1	1	3	5	8	10	11
50-64	76	5.9	21	1	2	5	7	12	15	25
65+	173	8.1	88	2	2	6	9	16	18	49
B. *Operated*										
0-19 YRS	6	7.5	31	1	1	7	11	15	16	16
20-34	16	7.9	38	1	2	8	11	16	20	22
35-49	34	11.0	93	2	2	9	15	25	34	39
50-64	44	9.3	89	1	2	6	13	22	23	50
65+	37	8.8	85	1	1	4	11	25	31	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	18.0	1022	1	2	8	51	97	99+	99+
20-34	23	6.9	28	1	1	6	11	16	17	17
35-49	109	6.9	47	1	2	5	8	14	17	38
50-64	448	9.3	82	2	3	7	11	18	24	65
65+	2720	12.5	161	3	3	9	15	27	48	99+
B. *Operated*										
0-19 YRS	4	9.0	11	5	5	9	11	13	13	13
20-34	14	15.4	143	2	2	13	21	35	41	43
35-49	51	11.7	151	2	2	8	16	26	31	99+
50-64	164	11.9	102	2	2	11	14	22	32	97
65+	433	18.9	319	3	4	14	26	52	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	7.0	63	2	2	5	8	14	16	39
B. *Operated*	137	9.3	80	1	2	7	12	22	27	40
2. MULTIPLE DX										
A. *Not Operated*	3307	11.9	149	2	3	8	14	25	42	99+
B. *Operated*	666	16.5	258	2	3	12	21	42	72	99+
1. SINGLE DX	425	7.8	70	2	2	5	10	16	22	40
2. MULTIPLE DX	3973	12.6	170	2	3	9	15	28	48	99+
A. NOT OPERATED	3595	11.5	144	2	3	8	14	24	40	99+
B. OPERATED	803	15.3	234	2	2	11	19	37	60	99+
TOTAL 0-19 YRS	19	11.3	381	1	2	8	11	53	95	99+
20-34	60	9.1	74	1	1	7	13	20	25	42
35-49	224	8.2	78	1	2	6	10	18	23	64
50-64	732	9.5	83	2	2	7	12	19	24	65
65+	3363	13.1	183	3	3	9	16	30	51	99+
GRAND TOTAL	**4398**	**12.2**	**163**	**2**	**3**	**8**	**15**	**26**	**44**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	21	6.4	67	<1	1	3	8	19	29	30
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	20	6.5	28	1	1	5	11	12	17	21
50-64	97	6.6	27	1	2	5	10	14	16	23
65+	103	9.5	91	1	2	8	13	18	23	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	4.4	7	1	1	4	7	8	9	9
50-64	71	8.2	82	2	2	6	10	18	23	57
65+	416	12.2	184	2	3	8	14	28	46	99+
B. *Operated*										
0-19 YRS	3	10.7	200	2	2	3	21	27	27	27
20-34	10	13.1	214	2	2	6	20	38	44	44
35-49	67	14.2	228	2	2	10	17	41	53	95
50-64	596	14.2	164	2	2	12	18	30	41	90
65+	1412	21.1	324	2	4	16	28	50	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	6.0	58	<1	1	3	8	13	28	30
B. *Operated*	221	8.0	59	1	2	7	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	500	11.4	168	2	3	8	13	26	40	99
B. *Operated*	2088	18.9	285	2	3	14	25	43	63	99+
1. SINGLE DX	247	7.8	59	1	2	6	11	16	20	30
2. MULTIPLE DX	2588	17.4	271	2	3	13	23	41	60	99+
A. NOT OPERATED	526	11.1	163	2	2	7	13	26	39	98
B. OPERATED	2309	17.8	273	2	2	13	24	42	60	99+
TOTAL 0-19 YRS	3	10.7	200	2	2	3	21	27	27	27
20-34	11	13.3	193	2	2	9	19	37	43	44
35-49	102	11.3	172	2	2	8	13	26	46	86
50-64	767	12.7	147	2	2	10	16	27	34	77
65+	1952	18.4	298	2	3	13	25	44	66	99+
GRAND TOTAL	**2835**	**16.6**	**260**	**2**	**2**	**12**	**21**	**38**	**58**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	4.1	20	1	1	2	5	11	15	15
65+	38	4.9	12	<1	<1	4	7	10	11	15
B. *Operated*										
0-19 YRS										
20-34	3	6.0	48	2	2	2	11	14	14	14
35-49	5	9.6	22	2	2	10	13	14	14	14
50-64	81	11.3	28	4	7	11	13	16	18	38
65+	188	13.1	45	2	4	12	16	21	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	2.3		2	2	2	3	3	3	3
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	49	6.8	38	2	2	5	9	15	28	99+
65+	384	8.5	59	1	2	7	11	16	24	64
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	19.6	395	9	9	12	55	95	99+	99+
35-49	23	13.2	129	2	2	12	17	24	37	52
50-64	497	16.7	200	3	6	13	18	31	42	85
65+	1321	19.0	188	4	8	16	22	35	51	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.7	14	<1	1	4	7	10	12	15
B. *Operated*	277	12.4	41	2	5	12	15	19	23	44
2. MULTIPLE DX										
A. *Not Operated*	441	8.2	56	1	2	7	11	15	24	67
B. *Operated*	1847	18.3	192	3	7	15	21	34	50	96
1. SINGLE DX	325	11.3	44	2	2	11	14	18	22	42
2. MULTIPLE DX	2288	16.4	181	2	4	13	20	31	44	95
A. NOT OPERATED	489	7.9	53	1	2	6	10	15	22	64
B. OPERATED	2124	17.5	176	3	7	14	20	32	45	92
TOTAL 0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	11	11.2	235	2	2	9	14	68	95	99+
35-49	33	11.1	106	2	2	10	14	22	28	52
50-64	636	15.1	174	2	4	12	17	28	40	80
65+	1931	16.1	165	2	4	13	20	31	43	95
GRAND TOTAL	**2613**	**15.7**	**167**	**2**	**4**	**13**	**19**	**30**	**42**	**91**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	6.8	44	1	1	5	11	16	16	16
65+	5	7.4	31	2	2	8	11	15	15	15
B. *Operated*										
0-19 YRS	6	2.2		2	2	2	2	3	3	3
20-34	13	9.4	202	<1	1	4	11	23	48	54
35-49	19	10.3	94	1	2	7	17	21	32	39
50-64	76	11.0	83	2	3	9	13	19	27	56
65+	44	10.4	72	2	3	10	13	17	26	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	11	5.1	24	<1	<1	2	10	12	13	13
65+	19	7.1	38	1	1	4	11	16	20	23
B. *Operated*										
0-19 YRS	4	4.5	6	3	3	4	6	8	8	8
20-34	13	16.5	187	2	3	9	31	36	37	37
35-49	28	22.1	339	3	4	19	28	54	64	75
50-64	123	15.1	168	2	2	13	20	29	44	99+
65+	248	17.5	232	3	4	13	20	33	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.8	30	1	1	5	10	15	16	16
B. *Operated*	158	10.3	88	2	2	8	13	19	26	53
2. MULTIPLE DX										
A. *Not Operated*	35	5.9	30	<1	1	4	9	14	16	23
B. *Operated*	416	16.9	219	2	3	13	21	34	47	95
1. SINGLE DX	168	10.1	85	2	2	8	13	19	24	52
2. MULTIPLE DX	451	16.1	213	2	3	13	20	32	46	93
A. NOT OPERATED	45	6.1	29	<1	1	4	9	14	16	23
B. OPERATED	574	15.1	192	2	3	12	19	30	41	89
TOTAL 0-19 YRS	10	3.1	3	2	2	3	3	6	8	8
20-34	29	11.8	190	<1	1	5	14	34	38	54
35-49	50	16.6	264	2	2	12	21	36	61	75
50-64	214	13.0	135	2	2	11	17	28	36	99
65+	316	15.7	206	2	3	12	19	30	41	83
GRAND TOTAL	**619**	**14.4**	**185**	**2**	**2**	**11**	**18**	**29**	**39**	**82**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.2	24	2	2	4	9	14	14	14
35-49	11	5.8	27	2	2	3	10	14	15	15
50-64	34	4.0	14	1	1	2	5	9	13	16
65+	34	5.4	22	<1	<1	3	9	12	14	17
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	14	5.4	20	<1	1	3	10	11	13	13
35-49	97	8.1	53	1	2	7	12	16	17	41
50-64	354	9.0	52	2	2	9	12	16	19	29
65+	392	9.7	52	2	2	9	14	18	21	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	6.3	14	1	1	6	8	12	13	13
35-49	29	7.9	42	1	2	7	11	14	18	32
50-64	111	6.8	30	1	1	6	10	15	17	24
65+	304	10.7	114	2	2	9	13	20	24	74
B. *Operated*										
0-19 YRS	3	19.3	16	15	15	20	22	23	23	23
20-34	34	13.5	141	2	2	11	14	34	40	52
35-49	267	12.7	109	2	2	11	15	25	36	57
50-64	1501	14.0	126	2	3	12	17	27	38	67
65+	2671	17.4	212	2	4	14	21	36	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	5.0	20	<1	1	3	8	12	14	17
B. *Operated*	858	9.2	52	2	2	9	13	17	20	34
2. MULTIPLE DX										
A. *Not Operated*	453	9.5	89	1	2	8	12	18	22	62
B. *Operated*	4476	15.9	179	2	3	13	19	33	47	99+
1. SINGLE DX	942	8.8	50	1	2	8	12	17	19	31
2. MULTIPLE DX	4929	15.3	174	2	3	12	19	32	45	97
A. NOT OPERATED	537	8.8	81	1	2	7	11	17	21	54
B. OPERATED	5334	14.8	165	2	3	12	18	30	43	92
TOTAL 0-19 YRS	5	15.8	38	7	7	15	21	23	23	23
20-34	61	10.1	100	1	2	8	12	23	34	51
35-49	404	11.1	93	2	2	10	14	21	30	53
50-64	2000	12.5	113	2	2	11	15	23	32	63
65+	3401	15.8	192	2	3	12	19	33	48	99+
GRAND TOTAL	**5871**	**14.3**	**160**	**2**	**2**	**12**	**17**	**29**	**41**	**91**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	7.6	26	2	2	7	11	14	17	25
20-34	26	6.2	26	1	1	5	9	14	16	19
35-49	24	3.8	12	<1	1	3	5	6	11	17
50-64	48	6.0	61	1	1	3	7	12	20	48
65+	99	7.0	62	1	1	4	9	16	25	41
B. *Operated*										
0-19 YRS	21	4.0	11	<1	1	2	6	10	10	11
20-34	29	7.0	29	2	2	6	9	14	16	24
35-49	81	7.2	53	1	2	4	10	20	22	31
50-64	203	6.6	34	1	2	5	9	14	17	31
65+	285	9.6	88	1	1	7	13	22	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	8.2	36	1	2	7	12	16	19	30
20-34	28	6.1	32	1	1	4	8	14	15	25
35-49	90	7.2	54	1	2	5	9	14	18	44
50-64	301	7.9	101	1	2	6	9	15	21	57
65+	809	10.7	121	2	2	8	13	22	33	91
B. *Operated*										
0-19 YRS	28	12.3	246	2	2	7	13	41	52	62
20-34	54	11.7	194	1	2	6	14	35	47	60
35-49	185	12.4	159	2	2	9	18	28	41	92
50-64	861	14.3	192	2	2	11	19	32	48	99+
65+	1759	17.8	296	2	3	13	23	44	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	6.7	43	1	1	5	9	14	20	29
B. *Operated*	619	8.0	62	1	2	6	11	18	23	39
2. MULTIPLE DX										
A. *Not Operated*	1288	9.6	108	1	2	7	12	19	28	70
B. *Operated*	2887	16.2	258	2	2	12	21	39	56	99+
1. SINGLE DX	915	7.6	56	1	2	5	10	17	22	38
2. MULTIPLE DX	4175	14.2	221	2	2	10	18	33	51	99+
A. NOT OPERATED	1584	9.0	97	1	2	6	11	18	26	63
B. OPERATED	3506	14.8	233	2	2	11	19	35	52	99+
TOTAL 0-19 YRS	208	8.0	60	2	2	6	10	15	19	50
20-34	137	8.5	99	1	2	5	10	17	28	57
35-49	380	9.5	110	1	2	6	12	21	31	65
50-64	1413	11.6	158	2	2	8	15	26	39	80
65+	2952	14.7	225	2	2	10	18	35	53	99+
GRAND TOTAL	**5090**	**13.0**	**198**	**2**	**2**	**9**	**17**	**30**	**47**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	7.9	27	1	2	7	11	14	17	25
20-34	303	7.8	18	2	3	7	10	13	16	21
35-49	441	8.5	24	2	3	8	11	15	18	24
50-64	491	9.1	25	2	4	8	12	15	17	22
65+	424	9.3	27	3	4	9	11	14	17	25
B. *Operated*										
0-19 YRS	16	5.7	14	3	3	5	6	11	15	17
20-34	133	7.5	30	1	2	6	11	15	20	24
35-49	189	8.6	29	2	3	8	11	15	17	29
50-64	196	8.8	27	2	3	8	11	15	20	26
65+	121	10.4	35	3	4	10	13	18	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	10.3	51	2	3	9	12	20	27	34
20-34	323	10.0	36	3	4	9	13	16	19	32
35-49	713	10.2	41	3	4	9	13	17	22	35
50-64	1399	10.7	37	4	4	10	13	17	21	31
65+	2289	12.0	57	4	5	10	14	20	25	43
B. *Operated*										
0-19 YRS	14	9.9	39	1	1	10	14	19	21	21
20-34	146	11.6	67	3	4	10	14	20	23	35
35-49	302	11.8	90	2	3	10	15	20	25	61
50-64	567	12.8	86	3	4	11	16	22	28	52
65+	936	14.7	101	4	6	13	18	27	35	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1709	8.7	24	2	3	8	11	15	17	23
B. *Operated*	655	8.7	30	2	2	8	11	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	4760	11.2	48	4	5	10	14	19	23	38
B. *Operated*	1965	13.5	94	3	5	11	16	24	31	62
1. SINGLE DX	2364	8.7	26	2	3	8	11	15	18	25
2. MULTIPLE DX	6725	11.8	62	3	5	10	14	20	26	46
A. NOT OPERATED	6469	10.5	43	3	4	9	13	18	22	36
B. OPERATED	2620	12.3	82	3	4	10	15	22	28	53
TOTAL 0-19 YRS	116	8.6	36	1	2	8	12	16	20	31
20-34	905	9.1	36	2	3	8	12	16	19	28
35-49	1645	9.9	45	2	3	9	12	17	21	34
50-64	2653	10.7	46	3	4	9	13	18	22	37
65+	3770	12.3	66	4	5	11	15	21	27	48
GRAND TOTAL	**9089**	**11.0**	**55**	**3**	**4**	**10**	**14**	**19**	**24**	**41**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	9.1	133	<1	1	5	10	29	36	36
35-49	19	6.5	39	<1	<1	5	8	15	22	26
50-64	42	9.0	55	1	2	7	12	18	26	34
65+	83	11.2	75	1	3	9	13	21	33	45
B. *Operated*										
0-19 YRS	35	3.0	1	2	2	3	4	5	5	7
20-34	694	4.1	8	2	2	4	5	6	7	20
35-49	1020	4.4	9	2	2	4	5	7	9	18
50-64	775	6.0	54	2	3	4	6	10	16	36
65+	297	11.8	149	2	3	6	17	30	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	31	5.4	29	<1	1	4	7	15	16	21
35-49	87	8.8	57	1	1	7	13	19	23	36
50-64	190	12.4	88	2	3	9	17	25	32	40
65+	649	14.8	144	3	5	11	18	28	38	69
B. *Operated*										
0-19 YRS	7	4.7	7	1	1	5	6	8	9	9
20-34	188	7.2	104	2	2	4	7	13	22	63
35-49	473	7.2	55	2	3	5	8	15	23	46
50-64	652	9.6	101	2	3	6	11	22	32	66
65+	628	19.5	288	3	4	15	27	43	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	9.9	69	1	2	8	13	20	28	38
B. *Operated*	2821	5.5	41	2	2	4	5	9	16	33
2. MULTIPLE DX										
A. *Not Operated*	958	13.4	126	2	3	10	17	27	36	60
B. *Operated*	1948	12.0	177	2	3	7	15	30	42	84
1. SINGLE DX	2973	5.7	43	2	2	4	6	10	17	34
2. MULTIPLE DX	2906	12.4	161	2	3	8	16	28	39	72
A. NOT OPERATED	1110	12.9	120	2	3	10	17	26	35	58
B. OPERATED	4769	8.1	107	2	2	5	8	19	30	60
TOTAL 0-19 YRS	43	3.3	3	1	2	3	4	5	6	9
20-34	921	4.8	31	2	2	4	5	7	10	32
35-49	1599	5.5	27	2	2	4	6	9	15	31
50-64	1659	8.2	81	2	3	5	9	17	26	51
65+	1657	15.8	205	3	4	11	21	35	45	83
GRAND TOTAL	**5879**	**9.1**	**113**	**2**	**2**	**5**	**10**	**21**	**31**	**59**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	2	<1	<1	2	3	4	5	5
20-34	53	2.4	3	<1	<1	2	3	5	6	7
35-49	90	2.9	4	<1	<1	2	4	5	7	10
50-64	74	2.4	4	<1	<1	2	3	5	7	11
65+	67	3.2	7	<1	<1	2	4	7	9	12
B. *Operated*										
0-19 YRS	22	4.1	6	1	2	3	5	8	9	10
20-34	373	4.2	3	2	2	4	5	6	7	11
35-49	531	4.4	4	2	2	4	5	7	8	11
50-64	343	4.8	5	2	3	4	6	7	8	15
65+	146	4.8	9	1	2	4	6	9	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	<1	<1	3	4	4	4	4
20-34	101	3.8	9	<1	1	3	5	7	9	15
35-49	180	3.9	19	<1	1	3	5	7	10	12
50-64	221	4.2	10	<1	1	4	5	8	10	16
65+	392	5.6	26	1	1	4	7	11	13	24
B. *Operated*										
0-19 YRS	41	4.1	4	1	2	4	5	7	8	10
20-34	1276	4.5	7	2	2	4	5	7	8	13
35-49	1983	4.8	6	2	2	4	6	7	9	14
50-64	1727	5.2	9	2	3	5	6	8	11	17
65+	953	7.1	33	2	3	5	8	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	2.7	4	<1	<1	2	4	5	7	10
B. *Operated*	1415	4.5	5	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	900	4.7	19	<1	1	4	6	9	12	20
B. *Operated*	5980	5.2	12	2	2	4	6	8	11	20
1. SINGLE DX	1708	4.2	5	1	1	4	5	7	8	11
2. MULTIPLE DX	6880	5.2	13	2	2	4	6	9	11	20
A. NOT OPERATED	1193	4.2	16	<1	1	3	5	8	11	18
B. OPERATED	7395	5.1	11	2	2	4	6	8	10	18
TOTAL 0-19 YRS	78	3.8	4	<1	1	3	4	7	9	10
20-34	1803	4.4	7	1	2	4	5	7	8	13
35-49	2784	4.6	7	2	2	4	5	7	9	13
50-64	2365	5.0	8	1	2	4	6	8	10	16
65+	1558	6.3	29	1	2	5	8	12	17	31
GRAND TOTAL	**8588**	**5.0**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.8	17	1	2	3	8	12	12	16
20-34	97	6.3	27	1	1	6	9	11	15	29
35-49	94	6.6	18	1	1	6	10	12	14	17
50-64	142	7.6	44	1	1	6	10	16	20	30
65+	173	7.2	22	1	1	7	10	13	14	26
B. *Operated*										
0-19 YRS	201	2.7	7	<1	1	2	3	4	6	17
20-34	618	2.8	6	1	1	2	3	4	8	15
35-49	331	3.7	14	1	1	2	3	9	13	19
50-64	114	6.4	36	1	2	4	10	13	16	32
65+	92	9.6	83	1	1	9	13	16	26	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	5.3	69	1	1	3	5	11	17	56
20-34	170	7.3	59	1	2	5	10	15	17	25
35-49	304	7.8	47	1	2	6	11	16	18	39
50-64	758	8.4	45	1	2	7	11	16	20	30
65+	1616	10.0	69	2	3	8	13	18	24	44
B. *Operated*										
0-19 YRS	54	5.6	159	<1	1	3	4	8	17	88
20-34	391	5.8	83	1	1	3	6	13	20	48
35-49	312	7.8	63	1	2	5	10	17	24	36
50-64	521	11.8	124	1	2	10	15	23	34	98
65+	794	15.2	163	2	4	12	19	31	45	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	6.9	28	1	1	6	10	13	15	27
B. *Operated*	1356	3.8	19	1	1	2	3	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	2903	9.1	61	2	2	7	12	17	22	41
B. *Operated*	2072	11.2	137	1	2	9	15	24	35	72
1. SINGLE DX	1898	4.7	24	1	1	2	6	11	14	22
2. MULTIPLE DX	4975	10.0	94	1	2	8	13	20	27	57
A. NOT OPERATED	3445	8.8	57	1	2	7	11	16	21	39
B. OPERATED	3428	8.3	104	1	2	4	11	19	27	58
TOTAL 0-19 YRS	346	3.8	43	1	1	2	3	7	11	22
20-34	1276	4.6	42	1	1	2	5	11	15	28
35-49	1041	6.4	42	1	2	4	9	14	18	30
50-64	1535	9.3	74	1	2	7	12	18	24	56
65+	2675	11.3	101	2	3	9	14	22	31	59
GRAND TOTAL	**6873**	**8.5**	**80**	**1**	**2**	**6**	**11**	**17**	**24**	**50**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4067	2.7	3	1	1	2	3	5	6	8
20-34	403	3.4	2	1	2	3	4	5	6	8
35-49	124	3.3	3	1	1	3	4	6	7	9
50-64	81	4.0	9	1	1	3	5	7	9	19
65+	40	5.5	10	2	2	5	7	9	12	17
B. *Operated*										
0-19 YRS	336	2.1	9	1	1	2	2	3	5	12
20-34	122	2.9	9	1	1	2	3	5	8	19
35-49	34	3.9	17	<1	<1	2	4	10	15	17
50-64	28	3.5	12	<1	<1	2	4	9	10	15
65+	9	3.3	14	<1	<1	2	3	9	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4652	3.5	6	1	1	3	4	6	8	12
20-34	610	4.0	6	1	2	4	5	7	9	13
35-49	334	4.6	8	1	2	4	6	9	10	14
50-64	472	5.7	21	1	2	5	7	10	13	24
65+	845	7.7	32	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	277	3.8	39	1	1	2	4	9	13	18
20-34	81	4.5	12	1	1	3	6	9	10	19
35-49	60	6.0	48	1	1	4	8	11	16	43
50-64	61	7.1	60	1	2	5	9	15	21	47
65+	88	14.9	155	2	3	13	21	30	36	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4715	2.9	3	1	1	2	4	5	6	9
B. *Operated*	529	2.5	10	1	1	2	2	4	8	16
2. MULTIPLE DX										
A. *Not Operated*	6913	4.3	12	1	1	3	5	8	10	17
B. *Operated*	567	6.2	71	1	1	3	8	15	21	46
1. SINGLE DX	5244	2.8	4	1	1	2	3	5	6	9
2. MULTIPLE DX	7480	4.4	17	1	1	3	5	8	11	20
A. NOT OPERATED	11628	3.7	9	1	1	3	5	7	9	15
B. OPERATED	1096	4.4	45	1	1	2	5	10	16	32
TOTAL 0-19 YRS	9332	3.1	6	1	1	3	4	6	7	11
20-34	1216	3.7	6	1	2	3	5	6	8	12
35-49	552	4.4	12	1	1	4	5	8	10	17
50-64	642	5.5	23	1	2	4	7	10	13	24
65+	982	8.2	47	2	3	6	10	16	21	35
GRAND TOTAL	**12724**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3260	3.6	4	1	2	3	4	6	7	11
20-34	139	3.8	4	1	2	3	5	6	8	10
35-49	135	4.5	4	2	2	4	5	7	8	11
50-64	174	5.3	8	2	3	5	7	9	10	16
65+	227	5.8	11	2	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	17	4.9	67	<1	1	3	5	5	25	36
20-34	9	5.3	19	2	2	3	10	12	12	12
35-49	7	4.7	11	2	2	3	8	10	10	10
50-64	18	6.6	40	<1	1	4	9	18	20	22
65+	7	4.0	11	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3064	4.4	9	2	2	4	5	7	9	15
20-34	337	5.0	10	2	2	4	6	9	10	17
35-49	602	6.2	18	2	3	5	7	11	15	20
50-64	2080	7.7	32	2	3	6	10	14	17	29
65+	4935	9.3	51	3	4	8	11	17	22	43
B. *Operated*										
0-19 YRS	46	8.7	28	2	3	7	12	15	19	26
20-34	32	6.6	21	1	1	6	8	12	13	23
35-49	63	10.4	79	3	3	8	13	18	29	50
50-64	198	12.1	107	2	3	9	15	28	35	47
65+	368	16.2	183	3	4	13	21	33	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3935	3.8	5	1	2	3	5	7	8	12
B. *Operated*	58	5.4	36	1	1	3	7	11	18	35
2. MULTIPLE DX										
A. *Not Operated*	11018	7.4	37	2	3	6	9	14	18	33
B. *Operated*	707	13.6	143	2	3	10	17	28	39	85
1. SINGLE DX	3993	3.8	6	1	2	3	5	7	8	12
2. MULTIPLE DX	11725	7.7	46	2	3	6	9	14	19	38
A. NOT OPERATED	14953	6.4	31	2	2	5	8	12	16	29
B. OPERATED	765	13.0	140	2	3	10	16	28	38	83
TOTAL 0-19 YRS	6387	4.0	7	1	2	3	5	7	9	13
20-34	517	4.8	9	1	2	4	6	9	10	16
35-49	807	6.3	22	2	3	5	7	11	15	22
50-64	2470	7.9	38	2	3	6	10	14	18	34
65+	5537	9.6	62	3	3	8	12	17	23	46
GRAND TOTAL	**15718**	**6.7**	**38**	**2**	**2**	**5**	**8**	**13**	**17**	**34**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	940	2.4	1	1	1	2	3	4	4	5
20-34	1874	2.3	1	1	1	2	3	3	4	5
35-49	726	2.4	1	1	1	2	3	4	4	5
50-64	341	2.4	1	1	2	2	3	3	4	5
65+	83	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	1.1		<1	<1	1	1	1	2	3
20-34	46	1.4	1	<1	<1	1	1	2	3	8
35-49	37	1.3	1	<1	<1	1	1	2	3	6
50-64	8	1.6	1	<1	<1	1	2	3	3	3
65+	4	1.5	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	1212	2.4	1	1	1	2	3	3	4	5
20-34	2598	2.5	1	1	1	2	3	4	4	6
35-49	1293	2.6	3	1	1	2	3	4	5	7
50-64	732	2.7	2	1	2	2	3	4	5	8
65+	213	3.3	8	1	2	3	3	5	6	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	3964	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	120	1.3	1	<1	<1	1	1	2	3	7
B. *Operated*	6048	2.6	2	1	1	2	3	4	4	6
1. SINGLE DX	3966	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	6168	2.5	2	1	1	2	3	4	4	6
A. NOT OPERATED	122	1.4	1	<1	<1	1	1	2	3	7
B. OPERATED	10012	2.5	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	2179	2.4	1	1	1	2	3	3	4	5
20-34	4518	2.4	1	1	1	2	3	4	4	5
35-49	2056	2.5	2	1	1	2	3	4	4	6
50-64	1081	2.6	1	1	2	2	3	4	5	7
65+	300	3.0	6	1	2	3	3	4	6	14
GRAND TOTAL	**10134**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	29	2.1	1	1	1	2	3	4	4	5
20-34	73	2.5	7	<1	1	2	3	4	5	18
35-49	88	2.2	1	<1	<1	2	3	4	4	6
50-64	137	2.1	1	<1	1	2	2	3	4	7
65+	110	2.2	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	4.3	8	<1	<1	4	6	8	8	8
50-64	12	3.1	23	<1	<1	1	3	8	17	18
65+	8	2.4	7	<1	<1	1	3	7	8	8
B. *Operated*										
0-19 YRS	64	2.8	5	<1	1	2	3	5	6	15
20-34	131	2.7	3	1	1	2	3	4	5	10
35-49	223	3.0	5	1	1	3	3	5	6	11
50-64	308	2.9	4	1	1	2	3	5	6	11
65+	186	3.0	5	1	1	2	3	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	437	2.2	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	26	3.0	14	<1	<1	1	4	7	10	18
B. *Operated*	912	2.9	4	1	1	3	3	5	6	11
1. SINGLE DX	438	2.2	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	938	2.9	5	1	1	2	3	5	6	11
A. NOT OPERATED	27	2.9	13	<1	<1	1	4	7	10	18
B. OPERATED	1349	2.7	4	1	1	2	3	4	6	11
TOTAL 0-19 YRS	94	2.6	4	1	1	2	3	4	6	13
20-34	206	2.6	4	<1	1	2	3	4	5	11
35-49	315	2.8	4	1	1	3	3	5	6	10
50-64	457	2.7	3	1	1	2	3	4	5	11
65+	304	2.7	4	1	1	2	3	5	6	10
GRAND TOTAL	**1376**	**2.7**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.5	4	<1	1	2	3	5	6	10
20-34	17	2.6	2	<1	1	2	4	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11449	1.6	1	<1	1	2	2	2	3	3
20-34	2888	2.0	1	1	1	2	2	3	3	4
35-49	274	2.1	1	1	1	2	2	3	4	6
50-64	40	2.3	2	<1	1	2	2	3	4	9
65+	9	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	1.4	1	<1	<1	1	1	3	4	7
20-34	33	1.9	4	<1	<1	1	2	5	6	9
35-49	7	2.3	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	6172	1.6	1	<1	<1	1	2	2	3	4
20-34	426	2.4	1	1	1	2	3	4	5	7
35-49	70	3.0	9	1	1	2	3	5	9	19
50-64	24	2.5	1	1	1	2	3	5	5	6
65+	19	5.6	31	1	1	4	8	12	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.6	3	<1	1	2	4	5	6	10
B. *Operated*	14660	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	362	1.5	2	<1	<1	1	1	3	5	7
B. *Operated*	6711	1.7	1	<1	<1	2	2	2	3	5
1. SINGLE DX	14720	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	7073	1.7	1	<1	<1	1	2	2	3	6
A. NOT OPERATED	422	1.7	2	<1	<1	1	2	3	5	7
B. OPERATED	21371	1.7	1	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	17986	1.6	1	<1	1	2	2	2	3	4
20-34	3364	2.0	1	1	1	2	2	3	3	5
35-49	351	2.3	3	1	1	2	2	3	4	9
50-64	64	2.4	2	<1	1	2	3	3	5	9
65+	28	4.5	24	1	1	2	6	10	15	23
GRAND TOTAL	**21793**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	477	3.2	4	1	1	3	4	5	6	8
20-34	282	3.3	3	1	2	3	4	5	7	9
35-49	120	3.7	11	1	1	3	4	6	7	21
50-64	79	2.8	5	<1	1	2	3	6	8	13
65+	42	3.5	11	<1	1	2	4	7	12	17
B. *Operated*										
0-19 YRS	540	2.8	4	1	1	2	4	6	6	9
20-34	796	2.4	4	<1	1	2	3	4	5	8
35-49	770	2.2	3	<1	1	2	2	4	5	10
50-64	789	2.2	3	<1	1	2	2	3	5	10
65+	405	2.8	10	1	1	2	2	5	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	3.9	7	1	1	3	5	7	9	13
20-34	178	4.0	7	1	1	3	5	7	9	12
35-49	142	4.6	14	1	1	4	6	8	10	25
50-64	137	4.6	18	1	1	3	6	10	12	22
65+	162	7.1	72	1	2	5	8	14	19	48
B. *Operated*										
0-19 YRS	337	4.1	35	1	1	2	4	8	13	34
20-34	623	3.2	18	1	1	2	3	5	7	17
35-49	651	3.3	18	1	1	2	3	5	9	19
50-64	765	4.0	25	1	1	2	4	8	12	26
65+	559	5.5	56	1	1	2	5	14	19	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1000	3.3	5	1	1	3	4	6	7	11
B. *Operated*	3300	2.5	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	957	4.7	22	1	1	4	6	9	11	22
B. *Operated*	2935	3.9	30	1	1	2	4	7	13	29
1. SINGLE DX	4300	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	3892	4.1	28	1	1	3	4	8	12	27
A. NOT OPERATED	1957	4.0	14	1	1	3	5	7	9	18
B. OPERATED	6235	3.2	17	<1	1	2	3	5	8	21
TOTAL 0-19 YRS	1692	3.4	11	1	1	3	4	6	8	15
20-34	1879	3.0	9	<1	1	2	3	5	7	12
35-49	1683	2.9	11	<1	1	2	3	5	7	15
50-64	1770	3.2	15	<1	1	2	3	6	9	21
65+	1168	4.7	43	1	1	2	5	11	17	33
GRAND TOTAL	**8192**	**3.3**	**16**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4938	4.4	6	2	2	4	5	7	9	12
20-34	1355	5.7	11	2	3	5	7	9	12	18
35-49	1044	6.3	12	2	3	6	8	10	13	18
50-64	949	6.9	12	3	3	6	8	12	13	18
65+	1473	8.5	32	3	4	7	11	14	17	28
B. *Operated*										
0-19 YRS	33	8.2	30	2	3	8	10	14	19	28
20-34	28	9.0	21	3	3	9	12	16	17	20
35-49	54	10.2	44	1	2	10	13	16	20	36
50-64	110	10.3	62	2	2	9	14	20	27	38
65+	86	12.8	113	1	2	10	18	27	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5153	5.2	15	2	2	4	6	9	12	19
20-34	1512	7.4	34	2	3	6	9	13	16	31
35-49	1864	8.2	28	3	3	7	10	14	18	28
50-64	4128	9.3	36	3	4	8	12	16	20	32
65+	15193	12.5	90	4	5	10	15	22	30	64
B. *Operated*										
0-19 YRS	121	16.7	226	3	4	12	21	38	47	81
20-34	176	16.8	147	4	6	13	21	33	42	59
35-49	318	16.0	167	3	5	13	21	31	47	91
50-64	798	18.1	217	3	6	14	22	34	50	81
65+	2101	22.1	261	5	8	18	28	46	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9759	5.6	14	2	2	5	7	10	12	18
B. *Operated*	311	10.6	67	1	2	9	14	20	28	38
2. MULTIPLE DX										
A. *Not Operated*	27850	10.1	69	3	3	8	13	19	24	48
B. *Operated*	3514	20.2	241	4	7	16	26	42	59	99+
1. SINGLE DX	10070	5.8	16	2	2	5	7	10	13	20
2. MULTIPLE DX	31364	11.2	98	3	3	9	14	21	30	64
A. NOT OPERATED	37609	8.9	59	2	3	7	11	17	22	42
B. OPERATED	3825	19.4	234	4	6	15	25	40	56	99+
TOTAL 0-19 YRS	10245	4.9	15	2	2	4	6	8	11	19
20-34	3071	7.2	36	2	3	6	9	13	17	33
35-49	3280	8.4	44	3	3	7	10	15	20	36
50-64	5985	10.1	67	3	4	8	12	18	24	43
65+	18853	13.2	115	4	5	10	16	24	34	75
GRAND TOTAL	**41434**	**9.9**	**84**	**2**	**3**	**7**	**12**	**19**	**26**	**55**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	3.2	3	1	1	3	4	5	7	8
20-34	67	3.7	5	1	2	3	5	7	8	11
35-49	49	4.4	5	2	2	4	6	8	9	10
50-64	42	4.7	8	1	2	4	6	8	11	13
65+	78	6.2	20	2	2	5	8	12	15	22
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	354	3.7	4	1	2	3	4	6	7	13
20-34	136	3.9	6	1	2	3	5	7	9	13
35-49	124	4.7	9	1	2	4	6	9	11	15
50-64	258	5.9	20	2	2	5	7	11	16	25
65+	670	8.3	45	2	3	7	10	15	20	36
B. *Operated*										
0-19 YRS	4	7.0	18	<1	<1	8	10	11	11	11
20-34	4	21.3	359	3	3	21	37	40	40	40
35-49	10	11.8	174	2	2	6	13	34	43	43
50-64	7	12.4	65	5	5	11	19	24	25	25
65+	35	21.0	346	4	6	15	27	47	57	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	4.2	9	1	2	3	5	8	10	15
B. *Operated*	4	5.3	7	3	3	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1542	6.2	29	2	2	5	8	12	15	27
B. *Operated*	60	17.6	276	2	4	12	25	37	50	91
1. SINGLE DX	403	4.2	9	1	2	3	5	8	9	14
2. MULTIPLE DX	1602	6.6	43	2	2	5	8	13	17	33
A. NOT OPERATED	1941	5.8	26	2	2	4	7	11	15	25
B. OPERATED	64	16.8	268	3	3	11	25	35	49	90
TOTAL 0-19 YRS	521	3.5	4	1	2	3	4	6	7	12
20-34	207	4.1	17	1	2	3	5	7	9	23
35-49	184	5.0	19	1	2	4	6	9	11	22
50-64	308	5.9	21	2	2	5	7	11	15	25
65+	785	8.7	63	2	3	7	10	16	23	49
GRAND TOTAL	**2005**	**6.1**	**37**	**2**	**2**	**4**	**7**	**12**	**16**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	544	3.2	5	1	1	3	4	5	7	12
20-34	63	3.4	5	<1	1	3	5	6	8	11
35-49	77	4.1	5	1	2	4	6	7	8	11
50-64	175	6.5	17	2	2	5	9	12	15	20
65+	295	6.5	17	2	3	6	8	12	16	21
B. *Operated*										
0-19 YRS	9	3.3	7	1	1	3	4	8	9	9
20-34	15	5.0	26	<1	1	3	6	9	14	21
35-49	26	5.5	111	<1	1	3	5	11	20	55
50-64	32	4.0	10	<1	1	3	6	9	11	12
65+	30	5.0	15	1	1	4	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	515	3.9	7	1	2	3	5	7	8	13
20-34	142	5.5	39	1	2	4	6	9	15	24
35-49	252	6.1	27	2	2	5	7	10	13	25
50-64	910	8.1	46	2	3	7	10	14	19	36
65+	2458	9.5	69	3	3	7	11	17	24	49
B. *Operated*										
0-19 YRS	9	5.1	13	<1	<1	5	8	10	11	11
20-34	18	8.1	186	1	1	4	7	19	45	59
35-49	72	6.4	35	<1	1	4	9	15	20	26
50-64	219	11.0	163	1	2	7	14	25	36	92
65+	342	14.3	191	2	2	10	18	32	43	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1154	4.6	12	1	2	4	6	9	12	19
B. *Operated*	112	4.7	36	1	1	3	6	10	12	34
2. MULTIPLE DX										
A. *Not Operated*	4277	8.2	57	2	3	6	10	15	20	44
B. *Operated*	660	12.0	169	1	2	8	15	27	39	78
1. SINGLE DX	1266	4.6	14	1	1	4	6	9	12	19
2. MULTIPLE DX	4937	8.7	74	2	3	6	10	16	23	53
A. NOT OPERATED	5431	7.4	50	2	2	6	9	14	19	38
B. OPERATED	772	11.0	156	1	2	7	14	25	37	74
TOTAL 0-19 YRS	1077	3.5	6	1	1	3	4	6	8	12
20-34	238	5.1	41	1	1	4	6	8	13	27
35-49	427	5.7	30	1	2	4	7	10	13	25
50-64	1336	8.3	62	2	3	6	10	16	20	50
65+	3125	9.7	81	3	3	7	11	18	26	55
GRAND TOTAL	**6203**	**7.9**	**64**	**2**	**2**	**6**	**10**	**15**	**21**	**46**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	13	5.2	8	2	2	5	7	9	11	12
50-64	77	7.6	49	2	3	6	8	12	20	42
65+	131	9.9	80	2	3	7	12	19	24	54
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	5	12.8	26	8	8	11	16	21	21	21
35-49	7	8.7	18	2	3	8	12	15	15	15
50-64	4	12.0	45	4	4	12	17	20	20	20
65+	6	7.5	11	3	3	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	7	1	1	2	5	7	7	7
20-34	10	6.4	31	1	2	5	8	15	21	21
35-49	68	9.9	90	1	2	7	12	22	31	48
50-64	579	10.7	86	3	4	8	13	20	27	54
65+	1365	11.9	111	3	4	9	14	23	33	67
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	23	13.8	111	5	6	10	13	30	42	46
35-49	34	15.3	146	2	5	11	25	28	30	62
50-64	85	19.4	360	2	3	13	28	58	87	99+
65+	157	21.9	343	4	5	16	28	60	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	6.8	66	2	3	7	10	16	24	48
B. *Operated*	23	10.3	27	3	4	10	14	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	2026	11.5	103	3	4	9	14	22	31	65
B. *Operated*	300	19.8	312	3	5	15	27	54	79	99+
1. SINGLE DX	247	9.0	63	2	3	7	11	16	23	46
2. MULTIPLE DX	2326	12.5	138	3	4	9	15	25	37	83
A. NOT OPERATED	2250	11.2	100	3	4	8	13	21	30	62
B. OPERATED	323	19.1	298	3	5	14	25	49	75	99+
TOTAL 0-19 YRS	8	7.3	36	1	1	6	9	17	20	20
20-34	39	11.5	86	3	4	10	12	21	35	46
35-49	122	10.8	101	2	2	9	13	25	30	52
50-64	745	11.4	122	3	3	8	13	23	34	66
65+	1659	12.7	139	3	4	9	15	25	37	81
GRAND TOTAL	**2573**	**12.2**	**132**	**3**	**4**	**9**	**14**	**24**	**35**	**80**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7092	3.4	4	1	2	3	4	6	7	10
20-34	2165	4.3	6	1	2	4	5	7	9	13
35-49	1895	5.2	10	1	2	5	7	9	11	17
50-64	1501	5.9	13	2	2	5	8	10	12	19
65+	890	6.9	20	2	3	6	8	12	15	22
B. *Operated*										
0-19 YRS	33	4.1	5	1	2	3	5	8	8	10
20-34	21	3.8	5	1	1	4	5	7	8	9
35-49	23	8.3	37	1	2	7	10	18	20	23
50-64	13	10.2	57	2	2	8	16	21	25	26
65+	8	11.0	78	<1	1	9	17	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3532	4.1	9	1	2	3	5	7	9	15
20-34	1512	5.4	13	1	2	5	7	10	11	17
35-49	2111	6.9	25	2	3	6	8	12	16	25
50-64	3459	7.8	30	2	3	7	10	14	17	28
65+	3957	9.4	49	3	4	8	11	17	22	36
B. *Operated*										
0-19 YRS	54	6.9	29	1	2	6	9	11	22	26
20-34	80	10.7	129	1	3	9	12	19	25	75
35-49	124	13.6	205	3	4	9	16	26	38	89
50-64	217	14.9	150	3	5	12	17	30	39	64
65+	248	17.3	162	4	7	14	21	34	42	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13543	4.3	8	1	2	4	5	8	9	15
B. *Operated*	98	6.4	32	1	2	5	8	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	14571	7.0	32	2	2	6	9	13	17	28
B. *Operated*	723	14.4	160	3	4	11	18	29	38	72
1. SINGLE DX	13641	4.3	9	1	2	4	5	8	9	15
2. MULTIPLE DX	15294	7.3	40	2	2	6	9	14	18	32
A. NOT OPERATED	28114	5.7	22	1	2	4	7	11	14	24
B. OPERATED	821	13.5	152	2	3	10	16	27	36	68
TOTAL 0-19 YRS	10711	3.7	6	1	2	3	5	6	8	11
20-34	3778	4.9	13	1	2	4	6	9	11	15
35-49	4153	6.3	26	2	2	5	8	11	14	24
50-64	5190	7.6	33	2	3	6	9	13	17	30
65+	5103	9.3	54	3	3	8	11	17	22	38
GRAND TOTAL	**28935**	**5.9**	**28**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.1	11	2	3	4	5	10	13	15
20-34	7	5.4	6	2	2	4	8	8	8	8
35-49	98	5.7	12	2	2	5	7	11	13	18
50-64	622	7.5	33	2	3	6	9	13	17	34
65+	1171	8.1	50	2	3	6	10	15	21	36
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	20	4.9	16	<1	1	4	8	10	13	15
50-64	31	6.1	40	1	1	3	9	13	17	31
65+	66	9.3	76	1	2	7	13	24	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	8.6	33	2	3	7	12	18	20	21
20-34	39	10.1	89	1	2	7	12	23	36	39
35-49	410	9.1	81	2	3	7	11	17	25	49
50-64	3151	10.0	74	3	3	8	12	19	25	49
65+	8092	11.1	86	3	4	9	13	21	28	54
B. *Operated*										
0-19 YRS	8	9.0	41	1	2	9	14	18	19	19
20-34	16	13.4	172	1	2	8	19	30	46	52
35-49	67	12.4	202	2	3	9	14	24	47	98
50-64	355	17.2	262	2	4	12	22	42	65	99+
65+	990	19.9	281	3	6	15	28	50	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1914	7.8	42	2	3	6	9	14	19	36
B. *Operated*	124	7.3	58	1	1	4	10	16	24	34
2. MULTIPLE DX										
A. *Not Operated*	11715	10.7	83	3	4	8	13	20	27	53
B. *Operated*	1436	18.7	274	3	5	14	25	46	72	99+
1. SINGLE DX	2038	7.7	43	2	3	6	9	14	19	36
2. MULTIPLE DX	13151	11.6	110	3	4	9	14	23	32	73
A. NOT OPERATED	13629	10.3	78	3	3	8	13	19	26	51
B. OPERATED	1560	17.8	266	2	4	13	24	44	69	99+
TOTAL 0-19 YRS	49	7.2	29	2	2	5	11	16	19	21
20-34	67	9.8	101	1	2	7	11	22	36	50
35-49	595	8.8	84	2	3	6	11	16	23	53
50-64	4159	10.3	89	2	3	8	12	19	28	61
65+	10319	11.6	109	3	4	9	14	23	32	74
GRAND TOTAL	**15189**	**11.1**	**103**	**3**	**3**	**8**	**13**	**22**	**31**	**69**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.5	6	1	1	3	4	7	8	14
20-34	183	3.6	6	1	1	3	5	7	8	11
35-49	46	4.8	13	<1	1	4	6	9	12	17
50-64	12	8.1	44	1	2	6	11	20	22	22
65+	11	6.7	29	2	2	5	8	14	20	21
B. *Operated*										
0-19 YRS	110	7.1	24	3	3	6	8	13	16	26
20-34	545	6.4	15	2	3	6	8	10	13	23
35-49	156	7.1	21	3	3	6	8	12	17	26
50-64	65	8.3	43	2	3	6	11	16	23	32
65+	44	10.7	55	3	4	9	14	20	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.1	9	2	2	4	7	10	11	11
20-34	53	5.8	12	1	2	5	7	11	12	17
35-49	33	4.6	5	2	2	5	7	8	8	8
50-64	45	7.4	60	1	2	6	10	15	18	25
65+	66	11.9	91	3	4	8	15	25	36	42
B. *Operated*										
0-19 YRS	38	11.3	40	4	5	11	13	19	26	30
20-34	189	10.8	41	3	4	9	14	19	22	35
35-49	129	10.8	98	3	4	8	13	20	25	67
50-64	145	13.2	90	3	4	11	18	27	32	55
65+	248	15.6	179	4	5	11	20	36	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	4.0	10	1	1	3	5	8	10	18
B. *Operated*	920	6.9	22	2	3	6	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	214	7.8	47	2	2	6	9	15	21	38
B. *Operated*	749	12.9	110	1	4	10	16	25	35	56
1. SINGLE DX	1238	6.2	21	2	2	5	8	11	15	25
2. MULTIPLE DX	963	11.7	100	3	4	9	15	23	30	51
A. NOT OPERATED	532	5.5	28	1	1	4	7	11	15	30
B. OPERATED	1669	9.6	70	3	3	7	11	19	25	46
TOTAL 0-19 YRS	231	6.6	27	1	2	5	8	13	17	28
20-34	970	6.7	23	2	2	6	8	12	16	26
35-49	364	7.9	51	2	3	6	9	15	21	31
50-64	267	10.8	73	2	3	8	15	23	27	47
65+	369	14.1	149	3	4	10	18	30	41	62
GRAND TOTAL	**2201**	**9.6**	**63**	**2**	**3**	**6**	**10**	**17**	**23**	**42**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	3.7	14	1	1	3	4	7	12	20
20-34	158	4.4	17	1	1	3	5	9	12	20
35-49	182	4.7	15	1	1	4	6	10	13	19
50-64	176	5.3	20	1	1	4	7	10	14	23
65+	268	7.0	36	1	2	5	9	14	18	34
B. *Operated*										
0-19 YRS	40	5.1	20	1	1	3	8	10	14	21
20-34	100	6.5	43	1	1	4	9	17	22	28
35-49	156	6.6	45	1	1	4	9	15	20	29
50-64	267	7.5	76	1	1	5	9	16	23	40
65+	248	7.9	53	1	1	6	11	18	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	6.5	63	1	2	4	8	14	19	30
20-34	314	6.5	35	1	2	5	8	14	17	34
35-49	478	6.8	39	1	2	5	8	14	18	32
50-64	1462	8.6	55	2	3	7	11	16	21	34
65+	4442	10.8	75	3	3	9	14	20	27	48
B. *Operated*										
0-19 YRS	108	14.1	233	1	2	9	19	37	45	83
20-34	216	13.0	193	1	2	9	18	28	47	70
35-49	391	14.7	225	2	2	11	17	36	49	87
50-64	997	13.6	167	2	2	10	18	29	41	68
65+	1686	15.9	206	2	3	12	21	35	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1004	5.2	23	1	1	4	6	11	15	25
B. *Operated*	811	7.2	57	1	1	4	10	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	7123	9.6	68	2	3	7	12	19	25	45
B. *Operated*	3398	14.9	198	2	2	11	19	33	45	84
1. SINGLE DX	1815	6.1	39	1	1	4	8	14	19	29
2. MULTIPLE DX	10521	11.3	116	2	3	8	14	23	32	66
A. NOT OPERATED	8127	9.1	65	2	2	7	12	18	23	43
B. OPERATED	4209	13.4	180	1	2	10	18	30	42	78
TOTAL 0-19 YRS	795	6.7	80	1	1	4	8	15	21	44
20-34	788	7.9	87	1	1	5	9	18	25	56
35-49	1207	9.0	112	1	2	6	11	18	29	59
50-64	2902	10.0	100	2	2	7	12	21	28	56
65+	6644	11.8	112	2	3	9	15	24	33	69
GRAND TOTAL	**12336**	**10.5**	**108**	**2**	**2**	**8**	**13**	**22**	**31**	**63**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.1	4	1	2	2	3	6	7	12
20-34	22	3.5	7	<1	1	3	4	6	10	13
35-49	14	6.3	83	1	2	3	5	18	31	35
50-64	9	3.9	9	1	1	4	5	8	10	10
65+	8	3.5	2	<1	1	4	4	6	6	6
B. *Operated*										
0-19 YRS	3080	1.6	1	<1	<1	1	2	2	3	6
20-34	2557	1.8	2	<1	<1	2	2	3	4	7
35-49	658	2.1	5	<1	<1	2	2	4	5	6
50-64	438	2.2	2	<1	<1	2	2	4	5	9
65+	217	2.3	1	1	1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	2.3	3	<1	<1	1	3	5	6	8
20-34	117	2.3	7	<1	<1	1	2	4	6	15
35-49	59	4.0	71	<1	<1	1	3	6	20	53
50-64	63	5.3	49	<1	<1	2	6	13	23	35
65+	55	5.5	33	1	1	3	7	12	16	32
B. *Operated*										
0-19 YRS	1582	2.1	3	<1	<1	2	2	4	5	8
20-34	1748	2.3	4	<1	1	2	2	4	5	9
35-49	910	2.5	8	<1	1	2	2	4	5	12
50-64	966	2.8	15	1	1	2	3	4	7	19
65+	757	3.5	19	1	2	2	3	6	10	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	3.8	17	1	1	3	4	6	10	27
B. *Operated*	6950	1.8	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	433	3.4	26	<1	<1	2	4	7	11	26
B. *Operated*	5963	2.5	8	<1	1	2	3	4	6	13
1. SINGLE DX	7042	1.8	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	6396	2.6	9	<1	1	2	3	4	6	14
A. NOT OPERATED	525	3.4	24	<1	<1	2	4	7	10	26
B. OPERATED	12913	2.1	5	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	4840	1.8	2	<1	<1	2	2	3	4	7
20-34	4444	2.1	3	<1	<1	2	2	4	5	8
35-49	1641	2.4	10	<1	<1	2	2	4	5	12
50-64	1476	2.8	13	<1	1	2	3	4	6	19
65+	1037	3.4	17	1	1	2	3	6	10	20
GRAND TOTAL	**13438**	**2.2**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	4.0	6	1	1	4	5	7	9	12
20-34	44	4.1	5	1	2	4	5	7	9	10
35-49	33	3.8	5	1	2	3	5	7	9	11
50-64	31	4.5	6	1	2	4	5	7	9	13
65+	22	4.9	10	1	2	5	6	8	12	14
B. *Operated*										
0-19 YRS	119	2.7	5	<1	<1	2	3	6	8	11
20-34	140	3.3	6	<1	<1	3	4	6	8	14
35-49	134	3.5	6	1	1	3	4	6	8	12
50-64	145	3.0	4	1	1	3	4	5	7	10
65+	110	3.4	6	1	1	3	4	7	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	4.0	7	1	2	3	5	8	11	13
20-34	32	6.1	43	1	2	4	7	10	14	38
35-49	48	5.4	12	1	2	5	7	10	12	17
50-64	69	5.8	11	1	2	5	7	12	13	14
65+	146	9.6	55	2	3	8	12	16	28	39
B. *Operated*										
0-19 YRS	85	3.2	5	<1	1	2	4	6	8	11
20-34	103	4.4	13	1	1	3	5	9	11	19
35-49	124	4.6	15	1	2	3	5	8	13	21
50-64	200	5.3	24	2	2	4	6	11	14	26
65+	213	7.2	65	2	2	4	8	17	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.1	6	1	2	4	5	7	9	12
B. *Operated*	648	3.2	5	<1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	429	6.5	32	1	2	5	8	13	16	34
B. *Operated*	725	5.3	32	1	2	4	6	11	16	29
1. SINGLE DX	888	3.4	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	1154	5.8	33	1	2	4	7	12	16	31
A. NOT OPERATED	669	5.6	24	1	2	4	7	11	14	29
B. OPERATED	1373	4.3	21	1	1	3	5	8	12	24
TOTAL 0-19 YRS	448	3.5	6	<1	1	3	5	7	9	12
20-34	319	4.0	12	<1	1	3	5	8	10	16
35-49	339	4.2	10	1	2	3	5	8	11	19
50-64	445	4.6	15	1	2	3	5	8	12	21
65+	491	6.9	51	1	2	5	9	15	21	36
GRAND TOTAL	**2042**	**4.8**	**22**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	3.6	9	1	1	3	5	7	9	13
20-34	147	3.0	5	<1	<1	2	4	6	7	11
35-49	174	3.3	6	<1	1	3	4	7	9	11
50-64	197	3.7	6	<1	<1	3	5	8	9	11
65+	133	4.0	9	<1	1	3	5	7	10	14
B. *Operated*										
0-19 YRS	116	4.2	23	<1	<1	2	5	9	12	26
20-34	62	4.4	14	<1	1	3	7	9	13	16
35-49	75	4.4	14	<1	<1	3	7	10	13	14
50-64	150	4.5	20	<1	<1	3	6	9	13	27
65+	206	6.7	77	1	1	4	8	14	21	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	4.6	18	1	1	3	5	8	12	24
20-34	336	5.1	37	1	1	4	6	9	12	19
35-49	574	5.2	22	1	2	4	7	10	11	18
50-64	981	5.4	22	1	2	4	7	10	13	23
65+	1547	7.6	51	1	2	6	9	14	20	36
B. *Operated*										
0-19 YRS	179	11.4	214	1	1	6	15	29	38	79
20-34	151	9.2	120	1	1	6	10	21	30	61
35-49	306	9.6	112	1	1	7	12	19	27	59
50-64	641	8.8	67	1	2	7	11	18	24	43
65+	1365	11.0	133	2	2	8	14	25	37	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	885	3.5	7	<1	1	3	5	7	9	12
B. *Operated*	609	5.2	40	<1	<1	3	7	10	14	36
2. MULTIPLE DX										
A. *Not Operated*	3702	6.2	37	1	2	5	8	12	16	28
B. *Operated*	2642	10.2	120	1	2	7	13	22	32	69
1. SINGLE DX	1494	4.2	21	<1	1	3	5	8	11	22
2. MULTIPLE DX	6344	7.9	75	1	2	6	9	16	23	47
A. NOT OPERATED	4587	5.7	32	1	1	4	7	11	14	27
B. OPERATED	3251	9.3	109	1	1	6	12	20	30	65
TOTAL 0-19 YRS	793	5.8	69	1	1	3	6	12	21	41
20-34	696	5.5	50	1	1	4	6	10	15	33
35-49	1129	6.1	48	1	1	4	8	12	15	31
50-64	1969	6.3	38	<1	1	5	8	13	17	34
65+	3251	8.8	89	1	2	6	11	18	27	57
GRAND TOTAL	**7838**	**7.2**	**67**	**1**	**1**	**5**	**9**	**15**	**21**	**44**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	3	2	2	3	5	7	7	7
20-34	55	4.1	8	<1	<1	4	6	7	7	18
35-49	67	5.1	9	1	1	5	7	9	10	16
50-64	92	5.5	14	<1	<1	5	8	10	12	19
65+	90	5.3	12	1	1	5	7	9	12	17
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	26	6.5	33	<1	<1	4	9	14	17	26
35-49	68	7.6	26	<1	<1	7	11	13	17	23
50-64	80	5.8	22	<1	<1	6	9	12	15	76
65+	75	6.9	35	<1	<1	6	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	3	1	2	4	5	6	7	7
20-34	87	6.4	21	1	2	5	8	11	14	27
35-49	161	6.2	18	<1	2	6	8	12	15	19
50-64	293	6.4	21	2	3	6	8	10	14	23
65+	583	8.9	41	2	3	8	11	16	20	37
B. *Operated*										
0-19 YRS	8	5.6	9	2	2	5	7	10	11	11
20-34	57	10.9	62	1	3	9	14	21	27	41
35-49	164	9.4	48	1	3	8	12	17	22	38
50-64	348	10.2	65	1	2	8	13	20	23	44
65+	638	12.3	113	2	3	10	15	22	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	5.1	11	<1	1	4	7	9	11	17
B. *Operated*	251	6.7	28	<1	<1	6	10	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	1138	7.6	32	1	3	6	9	14	17	33
B. *Operated*	1215	11.2	89	2	3	9	14	21	27	48
1. SINGLE DX	568	5.8	19	<1	<1	5	8	11	14	22
2. MULTIPLE DX	2353	9.5	65	2	3	8	12	18	22	44
A. NOT OPERATED	1455	7.0	29	1	2	6	9	13	16	29
B. OPERATED	1466	10.4	81	<1	2	8	13	20	25	47
TOTAL 0-19 YRS	37	4.4	5	2	2	4	5	7	10	11
20-34	225	7.0	35	<1	1	6	9	14	20	30
35-49	460	7.4	31	<1	2	6	9	14	17	28
50-64	813	7.9	43	<1	2	6	10	16	20	35
65+	1386	10.1	77	2	3	8	13	19	24	46
GRAND TOTAL	**2921**	**8.7**	**58**	**1**	**2**	**7**	**11**	**17**	**21**	**42**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	7	2	2	3	7	8	8	8
20-34	38	5.3	6	2	2	5	7	9	9	13
35-49	59	5.4	8	2	3	5	7	9	11	16
50-64	95	5.4	6	2	3	5	6	9	10	13
65+	116	6.8	12	2	3	6	8	11	13	18
B. *Operated*										
0-19 YRS	4	6.3	3	4	4	6	7	8	8	8
20-34	24	8.3	16	2	3	8	10	14	16	16
35-49	65	10.0	50	3	4	8	11	19	23	43
50-64	77	9.2	39	3	4	8	11	17	19	35
65+	105	10.9	36	4	4	10	14	17	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.3	10	2	3	7	9	12	12	12
20-34	53	5.8	9	2	3	6	7	10	11	15
35-49	113	6.5	33	3	3	5	7	9	13	36
50-64	353	7.4	22	3	3	6	8	12	16	22
65+	840	10.3	65	3	4	8	12	18	23	58
B. *Operated*										
0-19 YRS	4	17.3	144	7	7	16	27	30	30	30
20-34	36	10.9	97	2	3	9	12	21	39	42
35-49	110	12.0	77	3	4	10	15	21	31	47
50-64	347	12.8	109	4	5	10	16	23	32	63
65+	936	16.4	177	5	6	13	20	33	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	5.9	9	2	3	5	7	10	12	16
B. *Operated*	275	9.9	39	3	4	9	12	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	1372	9.0	51	3	4	7	11	16	20	37
B. *Operated*	1433	15.1	154	4	5	11	18	30	42	73
1. SINGLE DX	591	7.7	27	2	3	6	10	14	17	29
2. MULTIPLE DX	2805	12.1	113	3	4	9	15	23	33	64
A. NOT OPERATED	1688	8.4	45	3	3	7	10	15	19	35
B. OPERATED	1708	14.3	136	3	5	11	17	29	40	70
TOTAL 0-19 YRS	29	7.7	38	2	2	7	8	12	25	30
20-34	151	7.3	35	2	3	6	9	12	16	39
35-49	347	8.7	53	3	3	7	10	16	22	45
50-64	872	9.5	64	3	4	7	11	18	22	47
65+	1997	13.0	124	4	4	10	15	25	34	69
GRAND TOTAL	**3396**	**11.4**	**101**	**3**	**4**	**8**	**14**	**21**	**30**	**61**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.9	5	1	2	4	5	6	9	12
20-34	283	4.3	6	1	2	4	5	7	8	13
35-49	330	4.4	10	1	2	4	5	8	10	19
50-64	254	4.6	6	1	2	4	6	8	10	11
65+	154	5.6	15	1	2	5	7	10	12	23
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	29	9.9	37	<1	2	9	12	18	23	27
35-49	78	9.4	21	3	5	8	12	15	20	23
50-64	49	10.1	46	1	3	9	11	20	27	32
65+	28	10.2	59	1	2	9	13	21	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.2	13	1	2	5	7	10	12	18
20-34	346	5.1	9	1	2	5	7	9	11	15
35-49	540	5.9	20	1	2	5	7	10	14	22
50-64	840	6.7	24	2	3	6	8	12	14	30
65+	1241	8.3	54	2	3	7	10	14	19	36
B. *Operated*										
0-19 YRS	6	8.5	14	5	5	7	13	13	13	13
20-34	68	10.9	78	2	3	9	13	20	33	43
35-49	182	10.9	57	2	3	9	13	22	25	40
50-64	237	11.6	70	2	3	10	15	21	26	44
65+	351	14.1	127	3	4	12	18	28	34	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1083	4.6	9	1	2	4	6	8	10	17
B. *Operated*	185	9.8	35	1	4	9	12	17	22	31
2. MULTIPLE DX										
A. *Not Operated*	3025	7.0	35	2	3	6	8	12	16	31
B. *Operated*	844	12.4	93	2	4	10	16	24	29	50
1. SINGLE DX	1268	5.3	16	1	2	4	7	10	13	22
2. MULTIPLE DX	3869	8.2	52	2	3	6	10	15	21	36
A. NOT OPERATED	4108	6.4	29	2	2	5	8	11	14	27
B. OPERATED	1029	11.9	83	2	4	10	15	22	29	47
TOTAL 0-19 YRS	127	4.8	10	1	2	4	6	10	11	15
20-34	726	5.5	20	1	2	4	7	10	13	23
35-49	1130	6.5	28	1	2	5	8	12	17	26
50-64	1380	7.3	34	2	2	6	9	13	19	30
65+	1774	9.3	71	2	3	7	11	17	24	47
GRAND TOTAL	**5137**	**7.5**	**45**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.2	3	2	2	4	5	7	8	8
20-34	188	4.8	7	2	2	4	6	8	10	15
35-49	254	5.1	7	2	2	5	6	8	9	13
50-64	312	5.4	6	2	3	5	7	9	10	13
65+	250	7.2	23	3	3	6	9	11	14	24
B. *Operated*										
0-19 YRS	15	7.7	9	2	4	7	10	12	13	13
20-34	61	9.6	32	4	5	8	10	14	25	33
35-49	75	10.7	23	6	6	9	14	18	20	26
50-64	117	10.3	24	4	5	9	12	16	21	27
65+	103	13.5	104	5	7	11	15	21	27	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.3	10	1	2	4	8	10	10	10
20-34	172	5.9	12	2	3	5	7	9	12	21
35-49	283	6.4	11	3	3	6	8	11	13	18
50-64	734	7.1	16	3	3	6	9	11	14	21
65+	1571	10.0	70	3	4	8	12	17	23	52
B. *Operated*										
0-19 YRS	9	10.6	24	6	6	9	12	18	22	22
20-34	94	14.3	118	4	5	11	17	32	33	56
35-49	135	13.0	86	5	6	11	15	21	30	54
50-64	375	15.1	140	4	6	12	17	32	45	92
65+	739	19.3	210	6	7	15	25	41	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1033	5.6	11	2	2	5	7	9	11	16
B. *Operated*	371	11.0	49	4	6	9	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	2775	6.6	48	3	4	7	10	15	19	40
B. *Operated*	1312	17.2	178	5	6	13	21	36	49	94
1. SINGLE DX	1404	7.0	27	2	3	6	9	12	15	25
2. MULTIPLE DX	4087	11.4	106	3	4	8	13	22	32	66
A. NOT OPERATED	3808	7.8	40	2	3	6	9	13	17	34
B. OPERATED	1683	15.8	156	5	6	12	19	32	45	84
TOTAL 0-19 YRS	68	6.0	13	2	2	5	8	11	12	20
20-34	475	6.9	34	2	2	6	8	12	17	32
35-49	747	7.6	33	2	3	6	9	14	17	29
50-64	1538	9.0	58	3	3	7	10	15	22	49
65+	2663	12.5	125	3	4	9	14	24	35	72
GRAND TOTAL	**5491**	**10.3**	**90**	**3**	**4**	**8**	**12**	**19**	**28**	**57**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	10	<1	<1	6	7	7	7	7
20-34	4	4.5	10	2	2	3	6	9	9	9
35-49	17	6.4	15	<1	1	6	9	12	14	15
50-64	15	9.3	37	1	4	8	11	19	23	24
65+	21	8.8	47	3	4	7	9	13	25	36
B. *Operated*										
0-19 YRS										
20-34	8	7.6	17	<1	1	9	11	12	12	12
35-49	20	13.7	71	7	8	11	14	23	33	43
50-64	42	13.6	59	4	6	12	17	21	27	47
65+	32	14.1	125	5	5	12	16	24	29	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	13	8.7	57	<1	2	6	10	18	28	30
35-49	21	8.3	27	2	3	8	9	15	20	25
50-64	50	9.0	34	3	4	7	10	16	21	29
65+	136	11.6	119	3	4	9	13	21	30	69
B. *Operated*										
0-19 YRS	1	59.0		59	59	59	59	59	59	59
20-34	12	18.0	78	8	8	18	27	46	90	99+
35-49	42	16.6	116	6	7	13	21	31	43	48
50-64	99	20.5	217	6	7	17	24	40	54	75
65+	218	21.5	217	6	8	17	28	43	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	7.7	33	<1	3	7	10	13	17	35
B. *Operated*	102	13.3	80	4	6	11	16	22	27	56
2. MULTIPLE DX										
A. *Not Operated*	222	10.5	88	3	4	8	12	20	27	55
B. *Operated*	372	20.7	206	6	8	17	26	43	54	97
1. SINGLE DX	162	11.2	69	3	4	10	13	20	24	47
2. MULTIPLE DX	594	16.9	186	4	5	13	21	35	48	81
A. NOT OPERATED	282	9.9	77	3	3	8	11	18	25	46
B. OPERATED	474	19.1	188	5	7	15	24	40	50	85
TOTAL 0-19 YRS	6	13.2	511	<1	<1	5	7	54	59	59
20-34	37	11.0	72	1	2	9	14	27	32	99+
35-49	100	12.5	87	3	4	10	15	23	33	48
50-64	206	15.5	152	4	5	12	19	27	43	69
65+	407	16.9	192	4	5	13	21	36	49	85
GRAND TOTAL	**756**	**15.6**	**166**	**3**	**5**	**12**	**20**	**32**	**44**	**75**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	663	2.7	3	1	1	2	3	5	6	9
20-34	714	3.1	4	1	1	3	4	6	7	10
35-49	502	3.5	7	<1	<1	3	5	7	9	13
50-64	330	3.6	6	<1	<1	3	4	6	8	13
65+	239	4.8	20	<1	1	4	6	9	11	22
B. *Operated*										
0-19 YRS	13	5.0	17	<1	<1	4	6	11	13	14
20-34	63	4.1	20	<1	<1	3	5	9	11	25
35-49	67	5.5	22	<1	<1	4	9	12	15	19
50-64	78	5.1	51	<1	<1	2	6	12	18	38
65+	61	5.7	39	<1	<1	4	8	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	760	3.5	8	1	1	3	4	6	8	13
20-34	1268	4.3	9	1	1	3	5	8	10	16
35-49	1514	5.2	12	1	2	4	7	9	11	17
50-64	1894	6.1	16	2	2	5	8	11	14	20
65+	2648	7.8	47	2	3	6	9	14	18	35
B. *Operated*										
0-19 YRS	31	6.0	21	1	1	5	10	13	14	15
20-34	186	8.0	38	1	2	6	10	16	20	32
35-49	336	8.2	46	<1	2	7	10	16	21	35
50-64	495	9.5	56	1	3	8	12	18	26	43
65+	939	11.7	101	2	3	9	14	22	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2248	3.4	7	<1	1	3	4	6	8	12
B. *Operated*	282	5.1	33	<1	<1	3	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	8284	6.0	27	1	2	5	7	11	14	24
B. *Operated*	1987	10.1	75	1	3	8	12	19	25	50
1. SINGLE DX	2530	3.5	10	<1	<1	3	4	7	9	15
2. MULTIPLE DX	10271	6.8	39	1	2	5	8	13	17	31
A. NOT OPERATED	10532	5.4	24	1	2	4	7	10	13	22
B. OPERATED	2269	9.5	73	<1	2	8	12	19	25	46
TOTAL 0-19 YRS	1267	3.3	7	1	1	3	4	6	8	13
20-34	2231	4.2	12	1	1	3	5	8	10	18
35-49	2419	5.3	18	1	1	4	7	10	13	21
50-64	2797	6.4	27	1	2	5	8	12	15	29
65+	4087	8.5	61	2	2	7	10	16	21	44
GRAND TOTAL	**12801**	**6.1**	**35**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	3.2	4	1	1	3	4	6	7	11
20-34	90	3.9	12	<1	<1	3	5	8	9	21
35-49	68	4.2	10	<1	1	4	5	7	10	19
50-64	64	5.0	23	<1	1	4	6	10	11	31
65+	49	6.0	37	<1	<1	4	7	13	16	34
B. *Operated*										
0-19 YRS	43	4.4	5	1	2	4	6	8	9	13
20-34	7	16.3	296	2	3	8	21	46	52	52
35-49	18	10.2	29	3	4	10	13	18	21	23
50-64	20	9.9	57	<1	1	8	13	25	35	36
65+	24	13.5	228	<1	<1	9	18	27	43	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	4.2	13	1	1	3	5	9	11	19
20-34	154	6.0	27	<1	1	5	8	12	18	26
35-49	178	4.8	9	1	2	4	6	8	10	15
50-64	272	6.4	35	2	2	5	8	13	17	35
65+	435	8.5	87	2	2	7	10	16	22	55
B. *Operated*										
0-19 YRS	18	8.9	49	2	3	6	13	16	24	30
20-34	23	11.3	54	1	2	10	18	24	45	99+
35-49	71	14.5	108	3	5	12	18	27	34	58
50-64	119	16.5	168	2	4	13	23	33	43	64
65+	240	20.6	275	3	6	16	29	44	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	4.3	16	<1	1	3	5	8	11	21
B. *Operated*	112	9.0	103	<1	1	6	11	18	27	60
2. MULTIPLE DX										
A. *Not Operated*	1167	5.7	49	1	2	5	8	13	17	34
B. *Operated*	471	17.8	214	2	4	14	24	37	49	99+
1. SINGLE DX	466	5.4	41	<1	1	4	6	11	16	34
2. MULTIPLE DX	1638	9.8	122	1	2	6	12	22	32	66
A. NOT OPERATED	1521	6.1	63	1	1	4	7	12	16	32
B. OPERATED	583	16.1	204	2	3	12	21	35	45	98
TOTAL 0-19 YRS	272	4.2	13	1	1	3	5	8	11	18
20-34	274	6.0	35	<1	1	4	6	12	21	27
35-49	335	7.0	47	1	2	5	9	14	21	35
50-64	475	8.9	89	1	2	6	11	19	30	48
65+	748	12.4	181	1	2	8	15	30	41	96
GRAND TOTAL	**2104**	**8.9**	**107**	**1**	**2**	**6**	**11**	**20**	**30**	**62**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.3	3	<1	1	2	3	4	5	9
20-34	56	2.7	3	<1	1	2	4	5	7	10
35-49	13	3.5	5	1	1	3	4	7	9	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	7	7.0	14	3	3	7	9	13	14	14
B. *Operated*										
0-19 YRS	4199	4.0	3	2	2	4	5	6	7	10
20-34	2718	4.3	5	2	3	4	5	6	7	10
35-49	780	4.8	4	3	3	4	6	7	8	12
50-64	336	5.7	7	2	3	5	7	9	11	14
65+	107	7.1	16	3	4	6	9	12	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.6	2	1	1	2	3	5	5	7
20-34	21	2.5	4	<1	<1	2	3	5	7	9
35-49	12	5.3	5	3	3	4	7	9	9	9
50-64	10	4.7	4	3	3	4	5	8	9	9
65+	10	10.9	44	3	4	9	15	21	23	23
B. *Operated*										
0-19 YRS	701	5.6	11	2	3	5	6	10	12	18
20-34	633	6.1	12	3	3	5	7	10	12	19
35-49	296	7.3	23	3	3	6	9	13	16	25
50-64	232	8.6	36	4	4	7	10	14	18	32
65+	133	12.2	116	4	5	9	14	21	26	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.9	5	<1	1	2	4	6	7	11
B. *Operated*	8140	4.3	4	2	3	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	102	3.9	13	1	1	3	5	8	10	21
B. *Operated*	1995	6.8	26	3	3	5	8	12	15	25
1. SINGLE DX	8265	4.3	4	2	3	4	5	6	8	11
2. MULTIPLE DX	2097	6.7	26	2	3	5	8	12	15	25
A. NOT OPERATED	227	3.3	9	1	1	2	4	7	9	16
B. OPERATED	10135	4.8	9	2	3	4	5	7	9	16
TOTAL 0-19 YRS	4996	4.2	4	2	2	4	5	6	8	12
20-34	3428	4.6	7	2	3	4	5	7	9	13
35-49	1101	5.5	11	3	3	5	6	9	11	20
50-64	580	6.8	21	3	3	6	8	11	14	25
65+	257	9.9	75	3	4	8	12	17	23	51
GRAND TOTAL	**10362**	**4.8**	**10**	**2**	**3**	**4**	**5**	**7**	**9**	**16**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	9.5	22	2	3	10	13	15	18	20
20-34	16	7.0	11	2	3	7	10	11	12	12
35-49	9	9.6	18	3	4	8	12	16	17	17
50-64	10	10.5	31	5	5	8	13	20	23	23
65+	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
0-19 YRS	891	7.6	12	3	4	7	9	11	13	20
20-34	503	7.6	11	3	4	7	9	12	13	19
35-49	285	8.2	12	4	4	8	10	12	14	20
50-64	212	9.4	15	5	6	9	11	14	17	25
65+	107	11.1	22	5	6	10	14	17	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.3	26	2	5	12	16	18	20	20
20-34	8	10.5	33	1	3	10	13	19	21	21
35-49	10	12.4	42	3	4	12	18	20	21	21
50-64	12	10.5	49	<1	1	10	15	21	23	23
65+	6	10.2	21	3	3	10	15	15	15	15
B. *Operated*										
0-19 YRS	400	11.5	38	5	5	10	14	20	24	29
20-34	270	11.5	42	5	6	9	14	19	23	35
35-49	210	11.4	37	5	5	10	13	20	23	32
50-64	346	14.3	79	6	7	12	17	24	30	53
65+	351	18.0	190	7	8	14	20	31	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	9.0	20	3	3	9	11	15	17	23
B. *Operated*	1998	8.0	14	3	4	7	10	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	48	11.3	33	2	3	11	15	20	21	23
B. *Operated*	1577	13.5	88	5	6	11	16	23	28	56
1. SINGLE DX	2057	8.1	14	3	4	7	10	12	15	21
2. MULTIPLE DX	1625	13.5	87	5	6	11	16	22	28	55
A. NOT OPERATED	107	10.0	27	2	3	9	13	17	20	23
B. OPERATED	3575	10.5	54	4	5	9	12	17	22	40
TOTAL 0-19 YRS	1325	8.8	23	3	4	8	10	14	18	27
20-34	797	8.9	25	4	4	8	11	14	18	28
35-49	514	9.6	25	4	5	9	11	15	20	26
50-64	580	12.3	59	5	6	10	15	21	26	45
65+	466	16.3	158	6	7	13	18	26	39	82
GRAND TOTAL	**3682**	**10.4**	**53**	**4**	**5**	**9**	**12**	**17**	**22**	**40**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	2.7	8	1	1	2	3	6	8	17
20-34	51	2.5	2	1	1	2	3	5	6	6
35-49	21	2.8	7	1	1	2	3	5	9	13
50-64	10	4.0	5	1	1	4	5	7	8	8
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	162	4.5	4	2	3	4	5	7	8	13
20-34	149	5.0	6	2	3	4	6	8	10	13
35-49	36	5.7	11	3	3	5	6	11	13	18
50-64	13	5.7	5	3	3	5	7	9	11	11
65+	5	4.8	1	4	4	5	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.1	6	1	2	2	3	6	9	13
20-34	32	3.3	9	1	1	3	4	5	6	18
35-49	11	5.5	12	<1	1	6	8	10	10	10
50-64	9	3.7	4	1	1	3	5	7	7	7
65+	4	7.8	41	3	3	5	12	17	17	17
B. Operated										
0-19 YRS	117	5.1	7	2	3	4	6	8	10	15
20-34	116	6.3	10	3	4	5	7	10	12	19
35-49	34	7.6	13	3	4	7	9	13	15	16
50-64	34	9.6	37	3	4	8	14	17	23	25
65+	22	15.0	54	5	7	14	18	20	28	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	2.7	5	1	1	2	3	5	7	13
B. Operated	365	4.9	6	2	3	4	6	7	10	14
2. MULTIPLE DX										
A. Not Operated	83	3.8	10	1	1	3	5	7	10	18
B. Operated	323	6.9	21	3	3	5	8	13	17	23
1. SINGLE DX	506	4.3	6	1	2	4	5	7	9	14
2. MULTIPLE DX	406	6.3	20	2	2	5	7	12	16	21
A. NOT OPERATED	224	3.1	7	1	1	2	4	6	8	17
B. OPERATED	688	5.8	14	2	3	5	7	10	14	20
TOTAL 0-19 YRS	364	4.3	6	1	2	4	5	7	9	13
20-34	348	4.9	9	1	2	4	6	8	10	17
35-49	102	5.7	13	1	2	5	7	12	13	17
50-64	66	7.2	28	2	3	5	10	16	18	25
65+	32	12.1	59	3	4	12	17	20	20	40
GRAND TOTAL	**912**	**5.2**	**14**	**1**	**2**	**4**	**6**	**9**	**13**	**19**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.3	1	<1	<1	1	1	2	3	4
20-34	11	1.6	1	<1	<1	1	2	4	4	4
35-49	7	1.9	1	1	1	1	3	4	4	4
50-64	13	3.0	6	<1	<1	2	4	7	9	9
65+	14	4.3	21	<1	1	2	5	12	16	17
B. Operated										
0-19 YRS	3707	1.9	1	<1	<1	2	2	3	4	5
20-34	3190	3.2	2	1	2	3	4	5	5	7
35-49	3028	3.6	3	2	2	3	4	5	6	9
50-64	4501	3.8	3	2	2	4	5	6	7	9
65+	3236	4.4	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	195	1.4	2	<1	<1	1	1	2	4	8
20-34	52	1.7	2	<1	<1	1	1	4	5	7
35-49	40	3.2	13	<1	<1	1	4	7	12	16
50-64	109	3.0	15	<1	<1	1	4	6	8	22
65+	147	5.4	40	<1	1	3	7	12	14	40
B. Operated										
0-19 YRS	2007	2.0	4	<1	<1	2	2	4	5	8
20-34	1071	3.7	3	2	2	3	4	6	7	11
35-49	1765	4.4	6	2	2	4	5	7	8	15
50-64	4124	4.9	12	2	3	4	6	8	10	18
65+	5053	6.4	24	2	3	5	7	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.4	7	<1	<1	1	3	5	7	16
B. Operated	17662	3.4	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	543	2.9	18	<1	<1	1	3	7	10	19
B. Operated	14020	4.9	16	1	2	4	6	8	12	21
1. SINGLE DX	17727	3.4	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	14563	4.8	16	1	1	4	6	8	12	21
A. NOT OPERATED	608	2.9	17	<1	<1	1	3	7	10	18
B. OPERATED	31682	4.0	9	1	1	3	5	7	9	16
TOTAL 0-19 YRS	5929	1.9	2	<1	<1	2	2	3	4	6
20-34	4324	3.3	2	1	2	3	4	5	6	8
35-49	4840	3.9	4	2	2	4	5	6	7	11
50-64	8747	4.3	7	2	2	4	5	7	8	15
65+	8450	5.6	18	2	3	5	6	9	13	23
GRAND TOTAL	**32290**	**4.0**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.2		<1	<1	1	1	2	2	2
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	8	1.1		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	277	2.0	2	<1	1	2	2	4	4	6
20-34	156	3.4	2	1	2	3	4	5	6	7
35-49	111	4.1	5	1	2	4	5	6	9	13
50-64	187	4.4	5	2	2	4	5	7	8	11
65+	326	6.1	12	2	3	6	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.0	375	<1	<1	1	3	14	61	74
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	1.3		1	1	1	2	2	2	2
50-64	9	2.8	5	<1	<1	2	4	7	7	7
65+	63	5.4	29	1	1	4	7	11	13	31
B. *Operated*										
0-19 YRS	207	3.0	48	<1	1	2	3	5	8	15
20-34	51	4.8	16	2	2	4	5	8	10	29
35-49	74	5.9	16	2	2	5	7	10	14	23
50-64	283	6.6	22	2	3	5	8	12	16	30
65+	880	10.8	82	3	4	8	13	21	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	1.4	1	<1	<1	1	2	3	3	4
B. *Operated*	1057	4.1	8	1	1	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	92	5.1	75	1	1	3	7	10	13	56
B. *Operated*	1495	8.5	69	1	2	6	10	17	23	43
1. SINGLE DX	1089	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	1587	8.3	70	1	2	6	10	16	22	43
A. NOT OPERATED	124	4.2	59	<1	1	2	5	8	12	43
B. OPERATED	2552	6.7	48	1	1	5	8	13	19	38
TOTAL 0-19 YRS	514	2.5	31	<1	1	2	3	4	6	14
20-34	212	3.7	6	1	2	3	4	6	7	10
35-49	191	4.7	10	1	2	4	6	8	10	18
50-64	482	5.6	16	2	2	5	7	9	13	23
65+	1277	9.2	66	2	3	7	11	18	24	43
GRAND TOTAL	**2676**	**6.5**	**49**	**1**	**1**	**5**	**8**	**13**	**18**	**38**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	406	1.9	1	<1	<1	2	2	3	4	6
20-34	184	3.2	2	1	2	3	4	5	6	8
35-49	248	3.4	3	1	2	3	4	6	6	9
50-64	181	4.0	5	2	2	4	5	6	8	13
65+	75	4.3	4	2	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.7	3	<1	<1	1	2	5	5	8
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	5.3	20	<1	<1	5	9	11	12	12
50-64	15	4.0	13	<1	1	3	5	9	13	14
65+	24	8.1	65	<1	1	5	13	19	53	99+
B. *Operated*										
0-19 YRS	72	3.4	33	<1	<1	2	3	5	8	40
20-34	82	4.3	6	1	2	4	5	7	8	15
35-49	196	4.8	10	2	2	4	5	8	11	19
50-64	238	5.4	9	2	2	5	7	9	12	15
65+	165	7.6	43	2	3	5	9	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	2	1	1	2	3	5	5	5
B. *Operated*	1094	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	81	4.3	31	<1	<1	2	5	12	15	80
B. *Operated*	753	5.4	20	2	2	4	6	10	13	22
1. SINGLE DX	1107	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	834	5.3	22	1	2	4	6	10	14	25
A. NOT OPERATED	94	4.1	27	<1	<1	2	5	12	14	72
B. OPERATED	1847	4.0	12	1	1	3	5	7	9	15
TOTAL 0-19 YRS	515	2.1	6	<1	<1	2	2	3	4	8
20-34	271	3.5	3	1	2	3	4	6	7	10
35-49	454	4.0	7	1	2	3	5	6	8	13
50-64	437	4.8	8	2	2	4	6	8	11	14
65+	264	6.7	36	2	3	5	8	14	17	37
GRAND TOTAL	**1941**	**4.0**	**12**	**<1**	**1**	**3**	**5**	**7**	**10**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	11	5.3	40	<1	<1	4	5	15	22	23
50-64	6	4.5	6	1	1	4	6	8	8	8
65+	10	3.7	10	1	1	2	5	9	11	11
B. *Operated*										
0-19 YRS	97	2.4	3	<1	<1	2	3	4	6	9
20-34	321	4.0	5	1	2	3	5	7	8	12
35-49	519	4.8	5	2	2	4	6	8	9	13
50-64	580	5.8	8	2	3	5	7	9	11	16
65+	402	6.6	12	3	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	27	<1	<1	2	8	12	12	12
20-34	13	2.2	3	<1	<1	1	3	5	7	7
35-49	27	3.3	9	<1	1	2	5	9	10	11
50-64	59	3.8	10	<1	1	3	5	8	9	16
65+	105	5.9	16	1	1	5	8	12	14	18
B. *Operated*										
0-19 YRS	30	3.9	15	<1	<1	3	4	9	15	16
20-34	191	5.7	15	2	2	5	7	9	13	20
35-49	479	7.1	37	2	3	6	8	12	15	27
50-64	777	8.1	37	3	4	7	9	13	18	33
65+	856	9.9	59	3	4	8	11	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.9	18	1	1	3	5	8	11	23
B. *Operated*	1919	5.2	9	2	2	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	208	4.7	14	<1	1	4	7	9	12	17
B. *Operated*	2333	8.3	45	2	3	7	10	15	19	37
1. SINGLE DX	1953	5.2	9	2	2	5	7	9	10	16
2. MULTIPLE DX	2541	8.0	44	2	3	7	9	14	19	36
A. NOT OPERATED	242	4.6	15	<1	1	3	7	9	12	18
B. OPERATED	4252	6.9	31	2	3	6	8	12	16	28
TOTAL 0-19 YRS	132	2.8	6	<1	<1	2	3	5	8	15
20-34	531	4.5	9	1	2	4	6	8	10	17
35-49	1036	5.9	22	2	2	5	7	9	12	21
50-64	1422	7.0	26	2	3	6	8	11	15	27
65+	1373	8.6	45	2	3	7	10	15	20	39
GRAND TOTAL	**4494**	**6.8**	**30**	**2**	**2**	**6**	**8**	**12**	**16**	**28**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	19	4.4	8	<1	<1	3	7	9	10	10
35-49	71	3.7	4	1	1	3	5	7	8	9
50-64	108	4.7	6	1	2	4	6	8	10	12
65+	85	4.8	8	1	2	4	7	9	9	15
B. *Operated*										
0-19 YRS	6	5.2	9	1	1	6	8	8	8	8
20-34	5	7.0	16	<1	<1	7	10	11	11	11
35-49	27	9.9	24	3	5	9	11	14	19	28
50-64	27	7.0	11	2	2	7	10	11	12	12
65+	29	10.3	52	<1	1	10	14	18	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.3	24	1	1	3	4	10	17	20
20-34	92	4.8	10	<1	1	4	6	8	10	18
35-49	386	4.9	10	1	2	4	6	9	11	16
50-64	773	5.4	12	2	2	5	7	10	11	16
65+	1438	7.1	44	2	2	6	8	13	16	39
B. *Operated*										
0-19 YRS	8	6.9	8	2	3	8	9	10	10	10
20-34	56	8.8	31	2	4	8	10	14	20	33
35-49	149	9.6	48	1	2	9	11	19	22	39
50-64	295	9.9	52	1	3	8	12	18	23	32
65+	398	11.8	88	2	4	10	15	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	4.5	7	1	2	4	6	8	9	12
B. *Operated*	94	8.7	30	1	2	8	11	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	2704	6.2	29	2	2	5	8	11	14	29
B. *Operated*	906	10.6	56	2	3	9	13	20	24	40
1. SINGLE DX	378	5.5	16	1	2	5	8	10	12	19
2. MULTIPLE DX	3610	7.3	42	2	2	6	9	13	18	33
A. NOT OPERATED	2988	6.1	28	2	2	5	7	11	14	27
B. OPERATED	1000	10.4	63	2	3	9	12	19	24	39
TOTAL 0-19 YRS	30	5.1	17	1	1	4	8	10	10	20
20-34	172	6.1	20	<1	1	6	8	10	12	24
35-49	633	6.1	24	1	2	5	8	11	14	26
50-64	1203	6.5	25	1	2	5	8	12	15	26
65+	1950	8.0	55	2	3	6	10	15	20	43
GRAND TOTAL	**3988**	**7.1**	**40**	**2**	**2**	**6**	**9**	**13**	**18**	**32**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	5.3	9	2	2	6	7	9	10	10
50-64	5	3.6	3	1	1	4	5	5	5	5
65+	3	6.3	2	5	5	6	7	8	8	8
B. *Operated*										
0-19 YRS	21	2.5	1	<1	1	2	3	4	4	4
20-34	63	3.7	3	2	2	3	4	5	7	12
35-49	97	3.6	6	1	2	3	4	5	7	17
50-64	111	4.1	3	2	2	4	5	6	7	9
65+	103	4.7	5	2	3	4	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	5	3.0	7	<1	<1	2	5	7	7	7
35-49	7	8.4	89	1	1	5	8	25	29	29
50-64	9	4.6	11	1	1	3	7	10	10	10
65+	25	7.6	65	1	2	5	9	15	22	41
B. *Operated*										
0-19 YRS	10	3.7	8	<1	<1	3	5	8	10	10
20-34	46	5.2	44	2	2	4	5	7	9	47
35-49	67	5.8	17	2	2	5	7	10	13	23
50-64	90	6.2	22	2	3	5	7	10	14	31
65+	181	8.6	61	2	3	6	10	17	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.8	6	<1	1	5	6	8	9	10
B. *Operated*	395	4.0	4	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	48	6.4	52	1	1	4	7	13	17	41
B. *Operated*	394	7.0	43	2	3	5	8	14	18	38
1. SINGLE DX	413	4.0	4	2	2	4	5	6	7	10
2. MULTIPLE DX	442	7.0	44	2	2	5	8	14	18	40
A. NOT OPERATED	66	6.0	39	1	1	5	7	11	15	39
B. OPERATED	789	5.5	26	2	2	4	6	9	14	29
TOTAL 0-19 YRS	35	2.9	4	<1	<1	3	4	5	6	10
20-34	115	4.2	20	2	2	4	5	6	7	25
35-49	178	4.7	15	2	2	4	5	9	10	24
50-64	215	5.0	12	2	2	5	6	8	10	20
65+	312	7.2	45	2	3	5	8	14	18	40
GRAND TOTAL	**855**	**5.6**	**27**	**2**	**2**	**4**	**6**	**9**	**14**	**30**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.2	4	1	1	4	5	5	5	5
35-49	5	5.0	12	<1	<1	5	7	10	10	10
50-64	13	5.2	6	2	3	5	6	9	10	10
65+	25	7.8	199	<1	<1	5	6	7	47	64
B. *Operated*										
0-19 YRS	41	2.7	5	<1	1	2	3	6	7	12
20-34	129	4.1	7	1	2	3	5	7	9	14
35-49	213	5.0	12	2	2	4	6	8	11	20
50-64	277	5.7	14	2	2	4	7	10	13	20
65+	270	8.2	49	3	3	7	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	6	<1	<1	2	5	7	7	7
20-34	3	3.7		3	3	4	4	4	4	4
35-49	18	4.9	18	1	1	4	6	11	16	18
50-64	39	5.8	25	2	2	4	6	11	17	26
65+	143	8.2	40	2	2	6	11	17	24	37
B. *Operated*										
0-19 YRS	14	6.1	27	1	2	6	7	12	19	21
20-34	67	6.9	25	2	2	6	9	15	17	24
35-49	198	7.4	27	2	3	6	10	14	18	26
50-64	439	10.5	70	3	4	8	12	19	25	53
65+	1010	13.6	116	4	5	11	16	27	36	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	6.3	107	<1	1	5	6	9	13	64
B. *Operated*	930	5.9	25	2	2	5	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	208	7.3	36	2	2	5	10	16	21	30
B. *Operated*	1728	11.7	95	3	4	9	14	22	31	67
1. SINGLE DX	978	5.9	29	2	2	5	7	10	13	26
2. MULTIPLE DX	1936	11.3	91	3	4	9	14	21	30	66
A. NOT OPERATED	256	7.1	49	1	2	5	9	15	21	41
B. OPERATED	2658	9.7	78	2	3	7	12	19	26	56
TOTAL 0-19 YRS	60	3.6	12	<1	1	2	5	7	10	20
20-34	204	5.0	14	1	2	4	6	9	12	21
35-49	434	6.1	20	2	2	5	7	11	15	22
50-64	768	8.4	52	2	3	6	10	16	21	43
65+	1448	11.9	103	3	4	9	14	23	32	70
GRAND TOTAL	**2914**	**9.5**	**76**	**2**	**3**	**7**	**11**	**18**	**25**	**54**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	2.7	3	1	1	2	4	5	7	8
20-34	186	5.2	17	2	2	4	6	10	13	23
35-49	312	5.4	15	1	1	5	7	10	13	19
50-64	368	5.4	9	1	2	5	7	9	11	15
65+	550	6.4	27	1	2	5	8	12	15	24
B. Operated										
0-19 YRS	124	7.0	24	3	3	6	9	11	13	26
20-34	97	10.3	27	3	5	9	13	18	21	26
35-49	154	11.3	27	6	6	10	13	18	22	26
50-64	183	11.8	34	5	6	11	14	19	23	39
65+	220	14.3	89	6	7	12	16	23	28	59
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	111	4.7	33	1	1	3	6	8	12	31
20-34	268	6.0	17	2	2	5	8	11	14	24
35-49	432	6.9	26	2	2	6	9	13	16	23
50-64	898	7.4	39	2	3	6	9	13	17	30
65+	2444	9.4	64	2	3	7	11	17	23	47
B. Operated										
0-19 YRS	132	10.3	61	4	5	8	11	17	24	45
20-34	201	13.6	84	5	6	11	16	24	32	52
35-49	334	15.6	97	6	7	13	20	29	37	77
50-64	682	18.4	169	7	8	15	22	35	45	84
65+	1562	21.1	216	7	9	17	25	41	55	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1536	5.5	18	1	2	5	7	10	13	20
B. Operated	778	11.4	51	4	5	10	14	19	24	46
2. MULTIPLE DX										
A. Not Operated	4153	8.4	52	2	3	7	10	15	20	40
B. Operated	2911	16.8	184	6	7	15	23	36	49	88
1. SINGLE DX	2314	7.5	37	1	2	6	10	14	18	29
2. MULTIPLE DX	7064	12.7	133	2	3	9	16	26	36	68
A. NOT OPERATED	5689	7.6	45	2	2	6	9	14	18	36
B. OPERATED	3689	17.3	165	5	7	14	21	33	45	85
TOTAL 0-19 YRS	487	6.3	39	1	1	5	8	12	14	37
20-34	752	8.4	48	2	2	7	11	16	22	35
35-49	1232	9.4	60	2	3	7	12	19	24	44
50-64	2131	11.0	103	2	3	8	13	22	30	58
65+	4776	13.1	144	3	3	10	16	26	38	72
GRAND TOTAL	**9378**	**11.4**	**114**	**2**	**3**	**8**	**14**	**23**	**32**	**63**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4216	2.8	4	1	1	2	3	5	6	9
20-34	1890	2.9	4	1	1	2	4	5	7	10
35-49	787	3.3	5	1	1	3	4	6	8	12
50-64	512	3.6	8	1	1	3	5	6	8	15
65+	502	4.6	12	1	1	4	6	9	11	16
B. Operated										
0-19 YRS	82	5.3	45	1	1	4	5	8	10	39
20-34	140	5.1	12	<1	1	4	7	9	11	19
35-49	82	5.8	22	<1	1	5	8	11	14	27
50-64	49	5.8	26	<1	<1	4	8	14	17	22
65+	32	6.2	26	<1	1	4	11	13	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5618	3.8	11	1	2	3	4	6	8	15
20-34	1902	3.7	8	1	1	3	4	7	8	15
35-49	1268	4.7	14	1	2	4	6	8	11	17
50-64	1755	5.7	19	1	2	5	7	10	13	22
65+	4006	7.5	51	2	2	6	9	14	19	40
B. Operated										
0-19 YRS	153	9.9	164	2	2	6	11	20	38	95
20-34	218	7.4	38	<1	2	6	9	14	17	33
35-49	212	9.8	61	2	4	8	12	17	22	48
50-64	267	11.4	128	2	3	9	12	21	29	68
65+	527	15.3	187	2	4	12	19	34	45	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7907	3.0	5	1	1	3	4	5	7	11
B. Operated	385	5.5	24	<1	1	4	7	10	13	27
2. MULTIPLE DX										
A. Not Operated	14549	5.1	25	1	2	4	6	10	13	25
B. Operated	1377	11.9	138	2	3	8	14	23	37	71
1. SINGLE DX	8292	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	15926	5.7	39	1	2	4	7	11	15	33
A. NOT OPERATED	22456	4.4	19	1	1	3	5	8	11	21
B. OPERATED	1762	10.5	120	1	2	7	12	21	33	66
TOTAL 0-19 YRS	10069	3.5	11	1	1	3	4	6	7	14
20-34	4150	3.6	9	1	1	3	4	7	9	15
35-49	2349	4.7	19	1	1	4	6	9	12	20
50-64	2583	5.9	32	1	2	4	7	11	14	27
65+	5067	8.0	68	2	2	6	10	16	22	49
GRAND TOTAL	**24218**	**4.8**	**29**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	9	2	2	5	7	9	9	9
20-34	68	4.8	6	1	1	5	6	8	10	11
35-49	428	5.8	9	2	2	5	6	10	11	16
50-64	838	5.7	11	1	2	5	6	10	11	16
65+	1025	5.7	16	1	1	5	8	10	12	21
B. *Operated*										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	18	8.8	17	2	5	8	11	13	17	20
35-49	132	10.9	37	5	6	10	12	19	23	36
50-64	210	11.6	35	2	5	11	14	19	24	31
65+	207	13.3	60	2	3	12	17	23	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	22.8	624	9	9	11	30	67	67	67
20-34	58	6.4	10	2	3	5	8	10	12	19
35-49	462	6.7	14	2	3	6	8	11	14	19
50-64	1624	6.8	18	2	2	5	9	12	14	21
65+	5963	8.4	48	2	3	7	10	15	19	35
B. *Operated*										
0-19 YRS	3	17.7	210	3	3	18	28	32	32	32
20-34	62	12.3	105	6	7	10	13	16	21	70
35-49	371	13.5	51	5	7	12	17	23	28	46
50-64	1136	14.6	89	4	6	12	18	26	32	55
65+	2195	17.6	171	4	6	14	22	33	46	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2363	5.7	13	1	2	5	6	10	12	18
B. *Operated*	569	12.0	45	2	5	11	15	21	24	34
2. MULTIPLE DX										
A. *Not Operated*	8112	8.0	41	2	3	7	10	14	18	32
B. *Operated*	3767	16.2	136	4	6	13	20	30	40	75
1. SINGLE DX	2932	6.9	25	1	2	6	9	12	16	25
2. MULTIPLE DX	11879	10.6	69	2	3	8	13	20	27	54
A. NOT OPERATED	10475	7.4	35	2	2	6	9	13	17	30
B. OPERATED	4336	15.6	126	4	6	13	19	28	38	70
TOTAL 0-19 YRS	14	14.7	296	2	3	9	18	35	60	67
20-34	206	7.8	47	2	3	7	10	13	15	37
35-49	1393	8.6	35	2	3	7	11	16	21	32
50-64	3808	9.1	53	2	3	8	11	17	23	37
65+	9390	10.3	90	2	3	8	13	20	27	55
GRAND TOTAL	**14811**	**9.8**	**76**	**2**	**3**	**8**	**12**	**19**	**25**	**50**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.5	2	<1	1	2	3	4	6	6
20-34	43	3.3	7	<1	<1	2	4	6	9	11
35-49	48	3.9	10	<1	1	3	5	7	10	15
50-64	18	2.8	3	<1	<1	2	4	5	7	8
65+	21	4.3	9	1	1	4	6	8	10	12
B. *Operated*										
0-19 YRS	142	3.7	13	1	1	3	4	7	10	20
20-34	1031	3.4	4	1	1	3	4	6	7	11
35-49	918	3.6	5	1	2	3	4	6	7	13
50-64	503	3.8	4	1	2	3	5	6	8	11
65+	194	4.4	10	1	2	4	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.1	42	1	1	4	7	17	21	27
20-34	51	3.9	7	1	1	3	5	8	10	12
35-49	52	5.2	29	1	1	4	6	11	14	31
50-64	72	4.9	18	1	1	4	6	12	13	19
65+	84	10.0	198	1	1	6	11	23	47	93
B. *Operated*										
0-19 YRS	90	4.6	17	1	1	3	6	9	10	25
20-34	785	4.6	14	1	2	4	5	8	11	17
35-49	1005	4.7	15	1	2	4	5	8	10	19
50-64	858	5.9	35	2	2	4	6	11	17	35
65+	501	8.1	81	2	3	5	9	16	24	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	3.4	7	<1	1	3	4	7	8	13
B. *Operated*	2788	3.6	5	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	281	6.4	79	1	1	4	7	13	19	71
B. *Operated*	3239	5.5	32	2	2	4	6	10	14	26
1. SINGLE DX	2943	3.6	5	1	1	3	4	6	8	13
2. MULTIPLE DX	3520	5.6	36	1	2	4	6	10	14	30
A. NOT OPERATED	436	5.3	55	1	1	3	6	11	17	46
B. OPERATED	6027	4.6	20	1	2	4	5	8	11	21
TOTAL 0-19 YRS	279	4.1	16	1	1	3	5	8	11	25
20-34	1910	3.9	9	1	2	3	5	7	9	16
35-49	2023	4.2	11	1	2	4	5	7	9	17
50-64	1451	5.1	24	1	2	4	6	9	13	23
65+	800	7.3	78	1	2	5	8	14	21	63
GRAND TOTAL	**6463**	**4.7**	**23**	**1**	**2**	**4**	**5**	**8**	**11**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	647	4.2	27	1	1	3	5	8	12	22
20-34	772	5.8	22	1	1	5	7	11	14	24
35-49	575	5.5	18	<1	1	4	7	11	13	22
50-64	432	5.2	20	<1	1	4	7	11	14	21
65+	528	5.3	26	1	1	4	7	10	14	26
B. *Operated*										
0-19 YRS	234	6.9	63	<1	1	4	9	15	23	42
20-34	582	9.1	71	1	1	7	12	19	25	44
35-49	469	8.2	62	<1	1	7	11	17	24	39
50-64	399	7.9	67	<1	1	5	10	18	24	38
65+	434	8.6	65	1	2	7	12	18	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	563	4.8	21	1	1	4	6	10	13	29
20-34	1132	6.6	35	1	2	5	8	13	16	32
35-49	1058	7.1	47	1	2	6	9	14	19	34
50-64	1431	6.9	43	1	2	5	9	13	17	31
65+	3926	8.7	77	1	2	6	11	17	23	52
B. *Operated*										
0-19 YRS	320	12.5	133	2	2	9	15	29	35	60
20-34	1151	12.9	146	2	3	9	16	28	39	77
35-49	1093	13.1	158	2	3	10	17	28	39	73
50-64	1402	13.6	167	2	2	10	18	30	43	75
65+	2586	16.7	220	2	4	13	22	36	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2954	5.2	23	1	1	4	7	10	14	23
B. *Operated*	2118	8.4	66	<1	1	6	11	18	24	41
2. MULTIPLE DX										
A. *Not Operated*	8110	7.6	58	1	2	6	9	15	20	44
B. *Operated*	6552	14.6	184	2	3	11	19	32	44	83
1. SINGLE DX	5072	6.5	44	<1	1	5	8	14	19	33
2. MULTIPLE DX	14662	10.7	126	1	2	7	13	23	34	68
A. NOT OPERATED	11064	7.0	50	1	2	5	9	14	19	37
B. OPERATED	8670	13.0	162	1	2	9	17	29	39	75
TOTAL 0-19 YRS	1764	6.3	58	1	1	4	7	13	20	40
20-34	3637	8.8	82	1	2	6	11	18	25	50
35-49	3195	9.0	91	1	2	6	11	19	27	53
50-64	3664	9.4	101	1	2	6	11	21	29	56
65+	7474	11.2	138	1	2	8	14	24	35	72
GRAND TOTAL	**19734**	**9.6**	**108**	**1**	**2**	**7**	**12**	**21**	**30**	**59**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	23	7.6	60	1	2	5	10	17	27	32
35-49	56	8.9	82	2	2	6	10	16	36	40
50-64	73	11.9	116	2	3	8	16	25	40	51
65+	42	9.4	27	2	3	8	12	16	19	23
B. *Operated*										
0-19 YRS										
20-34	9	5.7	61	1	1	2	7	19	25	25
35-49	29	6.1	43	1	1	2	9	17	19	25
50-64	32	8.0	73	1	1	4	12	17	31	33
65+	16	5.1	18	<1	1	4	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	9	3	3	6	9	10	10	10
20-34	218	10.1	66	3	4	7	12	20	27	43
35-49	648	11.6	91	3	4	8	14	23	30	43
50-64	921	13.4	120	3	4	10	17	26	36	55
65+	489	14.5	146	4	5	11	18	28	36	71
B. *Operated*										
0-19 YRS										
20-34	62	12.7	131	1	2	9	17	31	39	94
35-49	178	15.7	136	2	3	14	22	32	40	91
50-64	356	17.8	235	2	2	13	25	39	50	73
65+	178	18.7	223	2	4	14	25	43	51	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	10.0	81	2	2	7	12	20	31	44
B. *Operated*	86	6.6	51	1	1	3	10	16	21	33
2. MULTIPLE DX										
A. *Not Operated*	2281	12.8	114	3	4	9	16	25	34	56
B. *Operated*	774	17.1	206	2	3	13	23	37	49	73
1. SINGLE DX	281	8.9	74	1	2	7	11	19	26	41
2. MULTIPLE DX	3055	13.9	141	3	4	10	18	29	38	63
A. NOT OPERATED	2476	12.6	112	3	4	9	15	25	34	55
B. OPERATED	860	16.1	200	2	2	12	22	37	47	72
TOTAL 0-19 YRS	6	6.0	8	3	3	5	9	10	10	10
20-34	312	10.3	80	2	3	7	12	22	30	49
35-49	911	12.0	102	2	3	9	15	25	33	49
50-64	1382	14.3	153	2	3	11	19	30	40	63
65+	725	15.1	165	3	4	11	18	31	42	68
GRAND TOTAL	**3336**	**13.5**	**137**	**2**	**3**	**10**	**17**	**28**	**37**	**61**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	5.5	12	1	1	6	8	10	12	12
20-34	24	3.5	7	1	1	3	5	8	9	10
35-49	46	7.0	44	<1	1	5	8	17	23	27
50-64	64	7.1	52	<1	1	5	9	14	21	39
65+	33	7.2	33	1	2	6	8	16	21	23
B. Operated										
0-19 YRS	20	6.1	98	1	1	2	4	20	34	36
20-34	133	2.4	5	1	1	2	2	4	6	14
35-49	149	3.2	42	1	1	2	2	5	10	34
50-64	193	3.3	14	1	1	2	3	8	12	19
65+	76	3.9	24	1	1	2	3	11	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	6.5	28	<1	1	5	11	15	17	18
20-34	78	9.2	90	1	2	7	11	20	27	55
35-49	173	10.0	86	1	2	8	12	19	31	48
50-64	437	11.4	77	2	4	9	14	23	30	44
65+	563	13.3	126	3	4	10	16	27	37	77
B. Operated										
0-19 YRS	33	11.1	311	1	2	4	12	30	33	96
20-34	117	6.4	51	1	1	3	8	17	20	34
35-49	201	8.4	95	1	1	4	12	21	29	53
50-64	435	9.8	113	1	1	6	13	23	33	48
65+	404	12.7	120	1	2	10	18	28	35	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	6.5	39	1	1	5	8	14	20	28
B. Operated	571	3.2	27	1	1	2	3	7	11	26
2. MULTIPLE DX										
A. Not Operated	1274	11.8	102	2	3	9	15	24	32	58
B. Operated	1190	10.2	115	1	1	7	14	24	33	50
1. SINGLE DX	750	4.0	32	1	1	2	4	9	14	27
2. MULTIPLE DX	2464	11.1	109	1	2	8	15	24	32	55
A. NOT OPERATED	1453	11.2	97	2	3	9	14	22	30	55
B. OPERATED	1761	8.0	97	1	1	3	11	20	29	48
TOTAL 0-19 YRS	88	8.0	150	1	1	4	9	17	31	73
20-34	352	5.3	46	1	1	2	6	14	18	35
35-49	569	7.4	81	1	1	4	10	17	25	50
50-64	1129	9.1	88	1	1	6	12	21	29	45
65+	1076	12.2	120	1	2	9	16	26	35	74
GRAND TOTAL	**3214**	**9.4**	**100**	**1**	**1**	**7**	**13**	**21**	**29**	**50**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	5.4	18	1	2	4	6	11	14	23
20-34	115	6.0	29	1	2	5	7	10	13	30
35-49	74	7.1	35	2	2	6	7	15	20	29
50-64	76	8.1	55	2	3	6	9	14	24	43
65+	43	8.1	39	3	3	7	10	14	21	33
B. Operated										
0-19 YRS	12	6.8	72	1	1	2	12	20	24	25
20-34	33	4.9	26	1	1	2	7	11	18	21
35-49	43	7.0	69	<1	1	4	10	16	24	43
50-64	39	6.4	51	1	1	3	7	20	25	28
65+	31	10.0	81	1	1	8	16	21	23	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	6.7	18	1	2	6	9	12	14	21
20-34	155	8.3	65	2	3	6	10	14	27	50
35-49	199	10.4	68	2	3	8	13	21	29	39
50-64	415	11.2	102	2	3	8	13	23	29	57
65+	539	12.0	101	3	4	9	15	22	36	85
B. Operated										
0-19 YRS	18	9.6	108	1	2	5	16	26	35	38
20-34	48	11.0	159	1	1	7	14	34	41	52
35-49	103	13.2	183	1	1	9	20	33	44	80
50-64	191	13.6	130	1	2	11	20	31	37	47
65+	213	20.4	259	2	4	16	28	47	56	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	367	6.8	36	1	2	5	8	12	18	32
B. Operated	158	7.0	59	1	1	4	9	18	22	37
2. MULTIPLE DX										
A. Not Operated	1356	10.9	91	2	3	8	13	21	30	56
B. Operated	573	15.7	202	1	2	12	23	35	46	68
1. SINGLE DX	525	6.9	43	1	2	5	8	15	20	34
2. MULTIPLE DX	1929	12.3	129	2	3	9	15	27	36	63
A. NOT OPERATED	1723	10.0	82	2	3	7	12	20	28	52
B. OPERATED	731	13.8	184	1	2	10	20	33	43	64
TOTAL 0-19 YRS	137	6.5	35	1	1	5	8	13	18	31
20-34	351	7.6	65	1	2	5	9	14	22	49
35-49	419	10.2	95	1	2	7	13	22	31	49
50-64	721	11.2	105	2	2	8	14	24	31	47
65+	826	13.9	153	2	4	10	17	30	44	82
GRAND TOTAL	**2454**	**11.2**	**115**	**2**	**2**	**8**	**14**	**24**	**34**	**58**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.3	8	1	1	2	4	7	8	16
20-34	291	3.1	4	<1	1	3	4	6	7	9
35-49	299	3.3	8	1	1	3	4	6	7	10
50-64	320	3.7	6	1	1	3	5	7	9	12
65+	284	5.6	24	1	2	4	7	11	12	26
B. *Operated*										
0-19 YRS	191	7.2	10	4	4	6	8	11	13	17
20-34	2587	7.0	6	4	5	6	8	10	11	15
35-49	2548	7.3	7	5	5	7	8	10	12	17
50-64	2431	8.0	9	5	5	7	9	12	14	19
65+	1305	9.8	18	5	6	9	11	16	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.4	6	2	2	4	6	8	10	10
20-34	291	4.3	10	1	1	4	6	9	10	15
35-49	433	4.9	14	1	2	4	6	9	12	16
50-64	899	5.7	15	1	2	5	7	10	13	19
65+	1963	8.3	59	2	3	7	10	14	19	42
B. *Operated*										
0-19 YRS	131	9.1	18	5	5	8	11	15	17	25
20-34	1816	9.0	27	5	5	8	10	14	17	27
35-49	2596	9.5	26	5	6	8	11	15	18	30
50-64	4453	10.9	40	5	6	9	13	18	22	36
65+	5341	15.0	98	6	7	12	18	26	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1234	3.9	11	1	1	3	5	7	9	14
B. *Operated*	9062	7.8	10	5	5	7	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	3616	6.9	41	1	2	6	8	13	15	30
B. *Operated*	14337	11.9	63	5	6	10	14	20	26	48
1. SINGLE DX	10296	7.3	11	3	4	7	8	11	13	19
2. MULTIPLE DX	17953	10.9	63	3	5	9	13	19	25	45
A. NOT OPERATED	4850	6.1	35	1	2	5	8	12	14	28
B. OPERATED	23399	10.3	47	5	5	8	12	17	22	39
TOTAL 0-19 YRS	392	7.2	16	2	3	6	9	12	15	21
20-34	4985	7.3	16	3	4	7	8	11	14	21
35-49	5876	7.9	19	3	4	7	9	12	15	24
50-64	8103	9.2	31	3	5	8	11	15	19	30
65+	8893	12.5	85	3	5	10	15	22	29	55
GRAND TOTAL	**28249**	**9.6**	**47**	**3**	**4**	**8**	**11**	**16**	**21**	**38**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.8	3	2	2	3	5	6	7	8
20-34	238	3.8	6	1	1	3	5	7	9	13
35-49	213	3.9	6	1	1	3	5	7	9	12
50-64	178	4.5	11	1	1	4	6	9	12	16
65+	145	5.8	11	2	2	5	8	10	12	17
B. *Operated*										
0-19 YRS	12	6.9	7	2	3	7	9	10	11	11
20-34	240	8.1	15	4	5	7	9	13	16	23
35-49	241	7.8	10	4	5	7	9	12	13	19
50-64	176	9.0	21	4	5	8	10	13	17	27
65+	125	11.4	31	5	6	10	13	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.2	7	1	1	3	5	8	10	12
20-34	240	4.4	10	1	1	4	6	8	10	16
35-49	266	5.4	11	1	2	5	7	9	11	18
50-64	390	6.3	19	1	2	5	8	12	15	21
65+	671	8.8	38	2	3	7	11	15	20	36
B. *Operated*										
0-19 YRS	19	7.7	18	1	3	6	11	13	16	18
20-34	237	9.7	54	4	5	7	11	17	21	42
35-49	367	10.6	51	5	5	9	12	18	23	42
50-64	450	12.4	58	5	6	11	14	21	29	48
65+	666	17.0	133	7	8	14	20	31	43	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	806	4.3	8	1	1	4	6	8	10	14
B. *Operated*	794	8.7	19	4	5	8	10	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	1603	6.9	27	1	2	6	9	13	16	26
B. *Operated*	1739	13.4	93	5	6	11	15	24	32	64
1. SINGLE DX	1600	6.5	18	1	2	6	8	12	14	21
2. MULTIPLE DX	3342	10.3	72	2	3	8	13	19	26	49
A. NOT OPERATED	2409	6.0	22	1	2	5	8	11	15	23
B. OPERATED	2533	11.9	75	5	5	9	14	21	28	52
TOTAL 0-19 YRS	99	5.1	10	1	2	4	7	10	11	16
20-34	955	6.5	27	1	2	6	8	12	15	24
35-49	1087	7.4	30	1	2	7	9	13	16	26
50-64	1194	8.7	43	2	2	7	11	15	20	37
65+	1607	12.1	93	3	4	10	15	22	31	62
GRAND TOTAL	**4942**	**9.0**	**58**	**2**	**3**	**7**	**11**	**17**	**22**	**43**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	2	2	2	2	6	6	6
20-34	18	3.8	5	1	1	3	5	8	9	9
35-49	32	3.1	6	1	1	3	4	6	9	11
50-64	37	3.6	6	1	1	2	6	7	8	9
65+	59	6.2	22	1	1	5	9	12	16	22
B. *Operated*										
0-19 YRS	8	10.6	59	5	5	8	12	24	28	28
20-34	90	7.9	24	1	2	7	11	13	16	28
35-49	91	9.1	21	2	3	8	12	15	19	22
50-64	109	9.8	43	2	2	9	12	18	24	31
65+	222	11.0	50	1	2	11	16	19	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	8	2	2	3	7	9	9	9
20-34	16	6.1	8	2	3	6	8	9	11	12
35-49	29	6.6	16	1	2	6	9	12	15	16
50-64	85	7.0	29	2	2	6	8	12	20	28
65+	235	8.8	44	2	3	8	11	16	20	47
B. *Operated*										
0-19 YRS	6	12.3	21	8	8	11	15	19	20	20
20-34	86	12.8	48	5	7	11	15	22	31	77
35-49	109	11.7	60	3	5	9	14	23	32	65
50-64	254	13.8	74	3	6	12	17	24	28	45
65+	774	18.0	160	3	6	15	22	32	44	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.5	13	1	1	3	6	9	11	17
B. *Operated*	520	9.9	40	1	2	9	13	18	22	30
2. MULTIPLE DX										
A. *Not Operated*	372	8.0	37	2	2	7	10	14	18	32
B. *Operated*	1229	16.2	130	4	6	14	20	30	37	81
1. SINGLE DX	672	8.7	39	1	2	8	12	17	20	29
2. MULTIPLE DX	1601	14.3	121	2	4	12	18	27	35	67
A. NOT OPERATED	524	7.0	33	1	2	6	9	13	17	28
B. OPERATED	1749	14.3	112	2	4	12	18	26	33	59
TOTAL 0-19 YRS	27	7.7	38	2	2	6	9	15	21	28
20-34	210	9.4	40	2	3	8	12	16	21	37
35-49	261	9.2	42	1	2	8	12	17	22	37
50-64	485	10.9	65	2	2	9	14	21	25	36
65+	1290	14.6	132	2	3	13	18	28	35	68
GRAND TOTAL	**2273**	**12.6**	**103**	**2**	**3**	**10**	**16**	**24**	**31**	**57**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	7	3	3	7	8	11	11	11
20-34	31	4.0	5	1	1	4	6	7	9	10
35-49	27	5.6	24	1	1	4	8	11	17	20
50-64	28	4.4	6	1	1	4	6	8	9	10
65+	59	7.2	22	1	3	6	9	13	14	28
B. *Operated*										
0-19 YRS	4	6.3	41	1	1	4	11	15	15	15
20-34	25	8.9	32	1	2	8	13	16	18	20
35-49	24	8.8	81	1	1	5	12	22	27	36
50-64	39	7.6	37	1	1	6	12	15	20	22
65+	25	13.3	156	1	1	11	21	37	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.3	46	2	2	10	15	22	24	24
20-34	28	5.5	14	1	2	4	7	11	15	15
35-49	57	7.8	35	2	2	7	9	16	19	33
50-64	100	7.4	27	2	3	6	9	13	18	28
65+	349	10.5	60	2	3	8	13	19	26	43
B. *Operated*										
0-19 YRS	11	18.5	126	2	4	21	29	33	33	33
20-34	33	12.0	292	2	2	7	14	26	32	95
35-49	49	15.0	83	2	4	13	22	28	35	99+
50-64	145	16.6	138	2	6	14	20	31	35	56
65+	300	19.7	247	3	5	16	24	39	53	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	5.7	17	1	2	5	8	10	13	20
B. *Operated*	117	9.3	73	1	1	7	13	20	24	39
2. MULTIPLE DX										
A. *Not Operated*	546	9.4	51	2	3	8	12	18	22	40
B. *Operated*	538	17.9	207	2	4	15	23	34	48	87
1. SINGLE DX	268	7.3	44	1	1	6	10	16	20	37
2. MULTIPLE DX	1084	13.7	147	2	3	11	18	27	36	78
A. NOT OPERATED	697	8.6	46	1	2	7	11	17	20	38
B. OPERATED	655	16.4	194	2	2	14	21	32	43	85
TOTAL 0-19 YRS	33	12.3	84	2	2	10	19	26	33	33
20-34	117	7.7	102	1	2	5	9	16	21	53
35-49	157	9.8	67	1	2	8	13	22	27	43
50-64	312	11.4	102	1	2	9	15	23	31	47
65+	733	14.1	159	2	3	11	18	28	39	79
GRAND TOTAL	**1352**	**12.4**	**133**	**2**	**2**	**9**	**16**	**25**	**34**	**60**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	5.8	15	1	2	5	8	12	14	18
20-34	472	6.2	17	2	2	5	8	12	14	20
35-49	516	6.8	23	2	3	6	9	11	14	26
50-64	274	7.3	41	2	3	6	8	11	16	44
65+	191	8.9	22	2	2	6	9	12	16	27
B. Operated										
0-19 YRS	13	14.2	206	<1	1	10	18	35	48	51
20-34	51	10.9	114	2	2	8	12	29	37	53
35-49	84	12.2	153	1	2	9	16	32	43	88
50-64	49	12.1	132	1	2	10	18	28	50	99+
65+	33	9.4	60	1	2	8	15	20	32	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	5.7	11	1	2	5	8	10	11	19
20-34	760	8.0	49	2	3	6	9	14	20	35
35-49	1250	8.7	52	3	3	7	10	15	22	37
50-64	994	8.8	43	3	3	7	11	15	20	36
65+	1077	10.1	53	3	4	8	12	17	24	46
B. Operated										
0-19 YRS	15	15.6	216	2	3	11	21	38	50	54
20-34	180	19.7	302	3	5	15	26	49	77	99+
35-49	355	20.3	282	3	4	15	26	48	60	99+
50-64	405	19.2	264	2	4	15	25	42	62	99+
65+	379	20.8	262	4	6	17	26	44	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1509	6.7	24	2	3	6	8	11	15	25
B. Operated	230	11.6	128	1	2	9	15	30	38	99+
2. MULTIPLE DX										
A. Not Operated	4135	8.9	52	2	3	7	10	16	21	38
B. Operated	1334	20.0	272	3	5	16	25	46	63	99+
1. SINGLE DX	1739	7.3	40	2	2	6	9	13	18	37
2. MULTIPLE DX	5469	11.6	128	2	3	8	14	24	34	73
A. NOT OPERATED	5644	8.8	45	2	3	7	10	15	19	36
B. OPERATED	1564	18.7	260	2	4	14	25	43	60	99+
TOTAL 0-19 YRS	138	7.6	64	1	2	5	9	14	21	51
20-34	1463	8.9	89	2	3	6	10	18	25	61
35-49	2205	10.2	106	2	3	7	12	21	30	61
50-64	1722	11.1	118	2	3	8	13	22	33	65
65+	1680	12.1	126	3	4	9	15	24	34	82
GRAND TOTAL	**7208**	**10.6**	**110**	**2**	**3**	**7**	**12**	**21**	**31**	**65**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	2.7	4	<1	1	2	3	5	7	10
20-34	107	3.7	6	<1	1	3	5	7	8	13
35-49	82	5.1	22	1	1	4	6	10	13	29
50-64	135	4.4	7	1	1	4	6	8	10	12
65+	275	6.2	26	1	2	5	8	11	13	29
B. Operated										
0-19 YRS	6	7.5	50	2	2	5	9	20	21	21
20-34	7	3.9	11	1	1	3	7	9	9	9
35-49	8	6.8	31	1	1	5	10	15	17	17
50-64	21	8.0	56	1	1	6	12	15	24	33
65+	26	10.8	57	2	2	9	14	22	27	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	134	3.7	6	1	2	3	4	7	10	12
20-34	253	4.5	13	1	2	4	5	8	10	19
35-49	409	6.2	29	2	2	5	8	10	16	28
50-64	964	6.8	27	2	3	6	8	12	16	28
65+	3162	8.7	51	2	3	7	11	16	20	37
B. Operated										
0-19 YRS	11	9.4	22	3	4	10	11	17	19	19
20-34	52	9.9	83	1	2	7	13	24	28	44
35-49	96	10.4	69	2	4	9	12	18	26	49
50-64	303	12.6	141	3	4	9	15	26	35	76
65+	830	14.7	163	4	5	11	18	31	41	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	683	4.9	17	1	1	4	6	9	11	18
B. Operated	68	8.4	51	1	2	7	11	17	23	33
2. MULTIPLE DX										
A. Not Operated	4922	7.8	43	2	2	6	9	14	19	34
B. Operated	1292	13.6	148	3	4	10	16	28	40	87
1. SINGLE DX	751	5.2	21	1	1	4	7	10	13	23
2. MULTIPLE DX	6214	9.0	71	2	3	7	11	17	23	48
A. NOT OPERATED	5605	7.4	41	2	2	6	9	14	18	33
B. OPERATED	1360	13.4	145	3	4	10	16	28	40	86
TOTAL 0-19 YRS	235	3.7	9	1	1	3	4	6	10	16
20-34	419	4.9	23	1	1	4	6	9	13	27
35-49	595	6.7	37	1	2	5	8	12	17	34
50-64	1423	7.8	56	2	2	6	9	15	22	44
65+	4293	9.7	77	2	3	8	12	18	25	52
GRAND TOTAL	**6965**	**8.6**	**67**	**2**	**2**	**7**	**10**	**16**	**22**	**46**

221: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.8	12	1	1	3	5	6	7	25
20-34	8	5.4	10	1	2	5	8	10	10	10
35-49	9	9.3	105	<1	<1	5	13	27	29	29
50-64	9	7.9	33	2	2	7	12	16	18	18
65+	10	9.8	65	3	3	7	13	23	28	28
B. *Operated*										
0-19 YRS	15	4.1	19	<1	<1	2	5	11	15	16
20-34	11	4.3	14	<1	<1	3	6	11	12	12
35-49	4	4.0	29	1	1	2	7	12	12	12
50-64	8	11.8	33	4	5	10	16	20	21	21
65+	9	11.4	200	<1	2	7	10	34	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.4	23	1	1	4	6	13	14	84
20-34	28	9.2	81	2	3	5	14	28	31	33
35-49	37	8.9	93	1	2	5	11	16	24	54
50-64	66	11.0	134	2	3	8	12	23	29	73
65+	100	12.6	150	2	3	10	14	22	45	92
B. *Operated*										
0-19 YRS	8	18.5	422	3	3	12	25	54	62	62
20-34	22	8.7	27	2	3	7	13	15	20	21
35-49	50	21.8	465	4	5	16	27	59	90	99+
50-64	65	14.8	121	3	6	11	19	34	38	46
65+	67	20.3	325	2	4	15	26	47	64	98
SUBTOTALS										
1. SINGLE DX										
A. *Not Operated*	66	5.7	34	1	1	4	6	12	20	29
B. *Operated*	47	6.8	63	<1	<1	4	9	14	19	48
2. MULTIPLE DX										
A. *Not Operated*	300	9.8	110	2	2	7	12	19	29	82
B. *Operated*	212	17.7	280	3	4	13	22	40	56	95
1. SINGLE DX	113	6.1	44	<1	1	4	7	13	19	22
2. MULTIPLE DX	512	13.1	195	2	3	9	16	29	45	91
A. NOT OPERATED	366	8.9	96	1	2	6	11	18	27	70
B. OPERATED	259	15.7	258	1	2	11	19	37	50	92
TOTAL 0-19 YRS	144	5.4	49	1	1	4	6	12	15	64
20-34	67	7.8	46	1	2	5	10	15	22	32
35-49	100	15.7	319	1	2	9	19	37	60	96
50-64	148	12.5	120	3	3	9	16	26	36	47
65+	186	15.1	223	2	3	11	18	33	51	95
GRAND TOTAL	**645**	**11.6**	**172**	**1**	**2**	**8**	**14**	**26**	**40**	**87**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	6.0	17	1	4	5	8	11	14	20
20-34	13	4.5	13	1	2	4	7	11	12	12
35-49	11	4.4	12	1	1	3	7	10	10	10
50-64	9	4.1	7	1	1	3	5	8	10	10
65+	7	7.1	15	2	2	7	10	13	13	13
B. *Operated*										
0-19 YRS	44	4.7	30	2	2	2	5	10	19	25
20-34	33	3.7	9	2	2	3	3	8	12	11
35-49	23	3.3	6	1	2	3	3	7	10	11
50-64	22	3.9	29	1	2	2	3	7	17	26
65+	17	9.8	238	1	1	3	10	34	51	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.1	18	1	2	5	9	12	16	18
20-34	40	7.1	28	2	2	6	10	14	17	20
35-49	43	9.6	60	2	2	8	12	21	28	32
50-64	80	8.3	40	1	1	7	12	18	21	25
65+	137	14.0	182	3	4	10	18	29	41	81
B. *Operated*										
0-19 YRS	40	7.4	53	2	2	4	10	16	24	32
20-34	69	10.0	101	2	2	6	14	19	29	57
35-49	60	14.3	263	2	2	9	19	33	52	77
50-64	95	11.7	184	2	2	8	14	28	37	80
65+	95	16.4	218	2	3	13	23	33	40	77
SUBTOTALS										
1. SINGLE DX										
A. *Not Operated*	121	5.7	16	1	2	5	8	11	13	19
B. *Operated*	139	4.7	48	2	2	2	4	10	17	41
2. MULTIPLE DX										
A. *Not Operated*	392	9.0	95	1	2	7	13	19	26	65
B. *Operated*	359	12.6	183	2	2	9	16	26	36	72
1. SINGLE DX	260	5.2	33	1	2	3	6	11	13	26
2. MULTIPLE DX	751	11.1	139	2	2	8	14	23	32	64
A. NOT OPERATED	513	8.8	79	1	2	7	11	18	22	44
B. OPERATED	498	10.4	156	2	2	6	14	25	34	66
TOTAL 0-19 YRS	257	5.0	25	2	2	4	8	12	17	25
20-34	155	7.5	60	2	2	5	10	16	19	40
35-49	137	10.2	153	2	2	6	12	22	32	70
50-64	206	9.2	110	1	2	6	12	20	27	55
65+	256	14.4	197	2	3	10	17	29	40	79
GRAND TOTAL	**1011**	**9.9**	**118**	**2**	**2**	**6**	**12**	**20**	**29**	**60**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	5.6	11	2	3	5	7	9	10	22
20-34	7	4.9	4	2	2	5	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	12.0	72	6	6	12	18	18	18	18
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	3	4.3	8	<1	<1	6	6	6	6	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	6.3	8	3	3	8	8	8	8	8
50-64	3	6.7	80	1	1	2	13	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	7.1	19	1	2	6	10	12	15	21
20-34	9	4.4	2	3	3	4	5	7	8	8
35-49	8	16.8	387	2	3	7	24	51	58	58
50-64	8	8.0	58	2	2	5	10	21	25	25
65+	12	18.3	536	3	3	9	22	57	76	79
B. *Operated*										
0-19 YRS	6	11.8	69	2	2	9	18	24	25	25
20-34	8	8.0	29	3	3	7	9	17	20	20
35-49	14	9.1	30	2	3	8	13	17	19	20
50-64	15	15.5	66	3	4	15	23	26	29	30
65+	14	23.3	461	4	4	18	27	64	66	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.6	12	2	2	5	7	9	10	22
B. *Operated*	10	5.8	23	<1	<1	6	8	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	69	9.9	168	2	3	6	10	21	36	75
B. *Operated*	57	14.4	174	3	3	11	18	26	43	67
1. SINGLE DX	71	5.7	14	2	2	5	7	9	11	21
2. MULTIPLE DX	126	11.9	174	2	3	8	14	25	38	70
A. NOT OPERATED	130	7.9	99	2	3	5	8	13	22	62
B. OPERATED	67	13.1	160	2	3	9	17	25	33	66
TOTAL 0-19 YRS	90	6.5	20	2	2	5	8	11	15	24
20-34	25	5.8	13	2	3	5	7	9	12	20
35-49	26	10.8	143	2	2	8	13	20	40	58
50-64	28	12.2	73	2	2	11	17	25	26	30
65+	28	19.9	462	4	4	10	22	60	68	79
GRAND TOTAL	**197**	**9.7**	**125**	**2**	**3**	**6**	**10**	**20**	**26**	**66**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	<1	1	2	4	5	5
20-34	9	3.3	13	<1	<1	2	4	10	10	10
35-49	17	2.7	10	1	1	2	3	5	11	14
50-64	46	2.6	11	1	1	2	2	3	6	23
65+	14	5.1	36	<1	1	2	9	11	20	22
B. *Operated*										
0-19 YRS	16	7.1	36	2	2	5	10	12	22	26
20-34	49	6.2	43	<1	1	3	8	16	18	30
35-49	36	4.7	28	1	1	3	5	11	19	23
50-64	75	6.9	83	<1	2	3	6	19	29	48
65+	74	5.2	30	1	2	3	5	10	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.0	11	1	1	3	5	8	10	16
20-34	61	6.2	45	<1	1	5	7	13	19	38
35-49	138	5.7	68	1	1	3	6	13	18	47
50-64	253	7.2	95	1	1	3	10	18	24	45
65+	462	12.1	106	2	2	9	16	25	38	99+
B. *Operated*										
0-19 YRS	74	12.6	153	2	2	9	20	26	33	71
20-34	309	8.9	187	<1	<1	3	11	28	37	67
35-49	286	13.3	215	2	2	8	19	31	43	73
50-64	465	14.7	234	2	3	9	20	36	49	97
65+	593	18.3	302	2	3	13	25	45	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.9	13	<1	1	2	2	5	10	22
B. *Operated*	250	5.9	49	1	2	3	6	16	22	32
2. MULTIPLE DX										
A. *Not Operated*	950	9.2	98	1	1	6	13	21	29	57
B. *Operated*	1727	14.6	253	<1	1	9	20	36	51	90
1. SINGLE DX	357	5.0	40	1	1	3	5	11	19	30
2. MULTIPLE DX	2677	12.7	204	<1	1	8	17	32	44	87
A. NOT OPERATED	1057	8.5	93	1	1	5	11	20	28	52
B. OPERATED	1977	13.5	235	<1	1	8	19	34	48	87
TOTAL 0-19 YRS	147	8.3	103	1	1	5	11	23	26	40
20-34	428	8.1	148	<1	<1	3	10	21	35	61
35-49	477	10.1	167	1	2	5	13	24	34	70
50-64	839	11.1	183	1	1	6	15	28	41	80
65+	1143	14.8	218	2	2	10	20	36	50	99+
GRAND TOTAL	**3034**	**11.8**	**191**	**<1**	**1**	**7**	**16**	**30**	**42**	**83**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	6	8.0	8	5	5	8	10	12	12	12
35-49	6	5.8	22	3	3	4	6	14	15	15
50-64	6	7.3	35	2	2	6	9	17	18	18
65+	16	5.4	17	1	1	4	9	11	12	12
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	11.3	53	3	3	10	16	22	24	24
35-49	9	5.0	19	1	1	4	6	12	15	15
50-64	11	9.9	128	1	1	4	15	26	38	39
65+	14	15.9	312	2	2	7	30	50	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.0	51	<1	<1	9	15	19	20	20
20-34	26	9.7	48	1	3	7	13	17	22	34
35-49	24	6.8	25	1	1	6	11	12	15	21
50-64	108	13.2	200	1	2	10	15	25	33	92
65+	532	13.8	120	3	4	10	18	27	36	64
B. *Operated*										
0-19 YRS	7	11.6	82	2	3	7	17	26	26	28
20-34	37	16.0	257	1	1	10	21	41	53	63
35-49	44	19.2	406	1	2	12	26	48	64	89
50-64	113	18.8	244	3	4	14	27	38	45	60
65+	256	23.3	256	4	8	20	31	51	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	6.2	18	1	1	6	9	12	14	18
B. *Operated*	43	11.0	156	1	2	6	14	30	43	52
2. MULTIPLE DX										
A. *Not Operated*	696	13.3	128	2	4	10	17	26	34	67
B. *Operated*	457	21.0	270	3	5	17	29	46	62	99+
1. SINGLE DX	79	8.8	98	1	2	6	10	18	30	51
2. MULTIPLE DX	1153	16.3	198	2	4	12	21	34	49	96
A. NOT OPERATED	732	12.9	124	2	3	10	17	25	34	64
B. OPERATED	500	20.2	268	2	4	16	28	46	60	99+
TOTAL 0-19 YRS	16	9.9	55	1	2	7	14	20	26	28
20-34	77	12.8	154	1	2	9	16	30	40	61
35-49	83	13.1	266	1	2	7	15	31	51	82
50-64	238	15.6	223	2	3	11	20	32	40	88
65+	818	16.6	184	3	4	13	21	36	51	99+
GRAND TOTAL	**1232**	**15.9**	**195**	**2**	**4**	**12**	**20**	**34**	**48**	**94**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	188	4.6	5	2	2	4	6	7	9	12
20-34	286	4.7	4	2	2	4	6	7	9	11
35-49	67	5.2	6	2	3	5	6	9	10	12
50-64	44	4.7	5	2	2	4	6	8	9	12
65+	28	7.7	24	3	3	7	10	15	18	23
B. *Operated*										
0-19 YRS	8	5.6	8	<1	1	6	7	9	10	10
20-34	17	6.2	14	2	3	5	7	11	16	18
35-49	3	7.7	5	5	5	9	9	9	9	9
50-64	4	7.5	70	2	2	4	12	20	20	20
65+	2	10.5	5	9	9	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	5.6	7	2	3	5	7	8	10	19
20-34	378	5.7	10	2	3	5	7	10	11	17
35-49	187	6.4	15	2	3	6	8	10	13	25
50-64	221	7.4	15	3	3	7	9	12	15	22
65+	454	9.8	44	3	4	8	12	17	21	34
B. *Operated*										
0-19 YRS	27	7.9	25	2	3	7	10	15	19	23
20-34	49	9.4	38	2	4	8	12	16	21	32
35-49	48	11.9	88	3	4	9	14	24	31	51
50-64	51	14.3	118	5	6	11	17	23	35	60
65+	96	18.8	244	5	6	15	21	36	67	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	4.8	6	2	2	4	6	8	9	12
B. *Operated*	34	6.6	17	2	3	5	9	11	17	20
2. MULTIPLE DX										
A. *Not Operated*	1443	7.3	25	2	3	6	9	13	16	27
B. *Operated*	271	13.9	149	4	5	11	17	25	35	77
1. SINGLE DX	647	4.9	7	2	2	4	6	8	9	13
2. MULTIPLE DX	1714	8.4	50	3	3	7	10	15	20	36
A. NOT OPERATED	2056	6.6	21	2	3	5	8	11	14	23
B. OPERATED	305	13.1	139	3	4	10	16	24	32	73
TOTAL 0-19 YRS	426	5.3	8	2	2	5	6	8	10	16
20-34	730	5.6	11	2	3	5	7	9	11	17
35-49	305	7.0	29	2	3	6	8	12	15	31
50-64	320	8.1	38	2	3	7	10	14	18	31
65+	580	11.2	87	3	4	9	13	19	25	67
GRAND TOTAL	**2361**	**7.4**	**41**	**2**	**3**	**6**	**9**	**13**	**17**	**31**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	4.4	6	2	2	4	5	8	9	14
20-34	306	4.7	7	2	2	4	6	8	9	12
35-49	111	5.1	7	2	2	5	7	8	9	16
50-64	59	6.5	16	2	3	6	8	10	15	24
65+	43	9.1	87	3	4	7	9	13	35	47
B. *Operated*										
0-19 YRS	15	7.7	57	1	2	6	9	18	27	30
20-34	44	6.4	43	1	2	5	7	11	16	41
35-49	23	6.4	18	2	2	5	7	14	16	16
50-64	18	8.4	39	1	2	7	12	19	22	23
65+	14	11.1	79	2	3	8	12	27	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	5.1	9	2	2	5	6	9	11	15
20-34	382	5.8	13	2	2	5	7	10	13	18
35-49	207	6.4	19	2	3	6	8	10	13	23
50-64	225	8.3	39	3	3	7	9	14	17	39
65+	393	10.0	48	3	4	8	12	17	21	38
B. *Operated*										
0-19 YRS	42	8.5	49	<1	1	8	10	17	21	38
20-34	97	10.9	98	2	3	9	12	21	35	52
35-49	102	11.0	65	2	4	9	15	23	29	73
50-64	152	14.8	141	2	3	12	20	28	39	88
65+	203	17.9	222	4	5	13	23	42	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	5.1	13	2	2	4	6	8	10	17
B. *Operated*	114	7.5	44	1	2	6	9	16	23	34
2. MULTIPLE DX										
A. *Not Operated*	1448	7.3	30	2	3	6	9	13	16	28
B. *Operated*	596	14.1	152	2	4	11	18	32	43	99+
1. SINGLE DX	831	5.4	18	2	2	5	7	9	12	25
2. MULTIPLE DX	2044	9.3	75	2	3	7	11	17	26	55
A. NOT OPERATED	2165	6.6	26	2	2	5	8	12	15	26
B. OPERATED	710	13.1	140	2	3	10	16	28	40	99+
TOTAL 0-19 YRS	496	5.2	13	2	2	4	6	9	11	20
20-34	829	6.0	26	2	2	5	7	10	13	29
35-49	443	7.1	31	2	3	6	8	14	16	35
50-64	454	10.3	81	3	3	8	12	20	26	47
65+	653	12.4	118	3	4	9	15	25	38	86
GRAND TOTAL	**2875**	**8.2**	**62**	**2**	**3**	**6**	**9**	**15**	**22**	**46**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.5	5	1	1	2	3	4	8	13
20-34	424	2.6	6	<1	1	2	3	5	6	10
35-49	504	2.3	3	1	1	2	3	4	6	9
50-64	326	2.7	3	<1	1	2	3	5	6	8
65+	102	3.2	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	12	8.4	14	3	4	9	11	12	15	15
20-34	186	8.4	23	2	3	8	10	15	18	24
35-49	268	7.9	20	1	2	8	10	13	14	23
50-64	287	8.8	27	2	2	8	11	15	18	27
65+	93	9.9	56	2	2	9	13	15	21	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.4	5	1	1	3	4	6	8	13
20-34	306	3.3	8	1	1	3	4	6	8	14
35-49	497	3.3	6	1	1	3	4	6	8	14
50-64	546	4.0	9	1	1	3	5	8	10	15
65+	389	6.0	25	1	2	5	7	12	16	25
B. *Operated*										
0-19 YRS	23	12.3	122	3	4	9	14	23	40	51
20-34	231	10.5	52	2	3	9	13	18	22	37
35-49	330	10.4	61	2	3	9	13	19	25	39
50-64	544	11.1	70	2	3	10	14	21	25	37
65+	506	12.5	106	2	3	10	16	23	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1413	2.6	4	1	1	2	3	5	6	10
B. *Operated*	846	8.5	27	2	2	8	11	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	1797	4.1	12	1	1	3	5	8	11	18
B. *Operated*	1634	11.3	78	2	3	9	14	21	27	42
1. SINGLE DX	2259	4.8	21	1	1	3	7	11	13	21
2. MULTIPLE DX	3431	7.5	57	1	2	5	10	16	21	34
A. NOT OPERATED	3210	3.4	9	1	1	3	4	7	9	15
B. OPERATED	2480	10.4	62	2	3	9	13	19	24	37
TOTAL 0-19 YRS	151	4.8	35	1	1	3	5	11	13	34
20-34	1147	5.3	29	1	1	3	7	12	15	26
35-49	1599	5.2	29	1	1	3	7	12	15	26
50-64	1703	6.8	43	1	1	5	9	14	19	30
65+	1090	9.1	76	1	2	7	12	19	24	43
GRAND TOTAL	**5690**	**6.5**	**44**	**1**	**1**	**4**	**9**	**14**	**19**	**31**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.3	2	1	1	2	3	4	5	7
20-34	1169	2.2	2	1	1	2	3	4	5	7
35-49	1480	2.2	2	1	1	2	3	4	5	7
50-64	1026	2.4	2	1	1	2	3	4	5	8
65+	260	2.7	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	53	5.8	10	2	3	5	8	11	12	14
20-34	669	5.9	14	1	2	5	8	11	13	18
35-49	881	6.0	16	2	2	5	8	11	13	20
50-64	734	6.6	18	2	2	6	9	12	14	22
65+	294	7.7	23	2	2	7	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.5	5	1	1	3	5	7	8	9
20-34	486	2.9	5	1	1	2	4	6	7	12
35-49	713	2.9	4	1	1	2	4	5	7	10
50-64	761	3.4	7	1	1	3	4	6	8	15
65+	404	4.1	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	21	5.9	13	2	2	6	7	10	14	17
20-34	294	7.2	21	2	2	7	9	13	16	24
35-49	618	7.9	26	2	3	7	10	14	18	26
50-64	833	8.7	35	2	3	8	11	16	19	31
65+	614	11.8	91	3	4	10	14	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4034	2.3	2	1	1	2	3	4	5	8
B. *Operated*	2631	6.3	17	2	2	5	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	2409	3.3	6	1	1	3	4	6	8	12
B. *Operated*	2380	9.1	48	2	3	8	12	17	21	34
1. SINGLE DX	6665	3.9	12	1	1	3	5	9	11	16
2. MULTIPLE DX	4789	6.2	35	1	1	4	8	13	17	28
A. NOT OPERATED	6443	2.6	4	1	1	2	3	5	6	10
B. OPERATED	5011	7.6	34	2	2	6	10	14	17	28
TOTAL 0-19 YRS	218	3.8	8	1	1	3	5	8	9	13
20-34	2618	3.8	11	1	1	3	5	8	11	16
35-49	3692	4.2	15	1	1	3	5	9	12	18
50-64	3354	5.1	22	1	1	3	7	11	14	22
65+	1572	7.5	56	1	2	5	10	15	20	34
GRAND TOTAL	**11454**	**4.8**	**23**	**1**	**1**	**3**	**6**	**10**	**14**	**22**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.3	8	<1	<1	3	4	7	9	14
20-34	47	3.0	21	1	1	2	3	4	5	32
35-49	36	3.0	10	<1	1	2	4	7	9	16
50-64	40	3.4	10	1	1	2	4	7	10	16
65+	34	4.4	8	1	1	4	6	8	9	13
B. *Operated*										
0-19 YRS	238	7.2	18	<1	1	7	10	13	15	18
20-34	150	7.2	24	1	2	7	10	13	17	21
35-49	132	7.4	31	1	1	7	10	14	17	27
50-64	152	6.3	39	1	1	4	9	14	16	30
65+	110	5.9	33	1	1	4	8	13	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	5.0	20	<1	1	4	7	12	15	19
20-34	82	4.9	26	1	1	3	6	10	13	31
35-49	87	5.7	28	1	1	4	7	11	16	27
50-64	193	7.1	42	1	2	5	9	15	20	35
65+	431	10.1	86	2	2	8	13	19	29	76
B. *Operated*										
0-19 YRS	318	8.9	70	<1	1	8	12	18	22	36
20-34	239	8.9	41	1	2	8	12	17	21	35
35-49	289	10.6	91	1	2	8	14	23	28	47
50-64	479	10.9	91	2	2	9	15	23	30	59
65+	722	13.9	162	2	2	11	19	30	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.4	12	1	1	2	4	7	9	16
B. *Operated*	782	6.9	28	1	1	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	857	8.1	64	1	2	6	10	16	24	51
B. *Operated*	2047	11.4	111	1	2	9	15	24	31	60
1. SINGLE DX	976	6.2	26	1	1	5	9	13	15	25
2. MULTIPLE DX	2904	10.4	99	1	2	8	14	22	29	59
A. NOT OPERATED	1051	7.3	58	1	1	5	9	15	21	44
B. OPERATED	2829	10.1	92	1	2	8	13	21	28	50
TOTAL 0-19 YRS	657	7.6	45	<1	1	7	10	15	18	26
20-34	518	7.3	35	1	2	6	10	15	18	29
35-49	544	8.6	67	1	1	7	11	18	24	38
50-64	864	8.9	73	1	2	6	12	19	26	40
65+	1297	11.7	130	2	2	9	15	25	34	72
GRAND TOTAL	**3880**	**9.4**	**84**	**1**	**2**	**7**	**12**	**20**	**26**	**46**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	3	<1	1	2	3	5	6	7
20-34	74	2.1	2	1	1	2	3	4	4	6
35-49	96	2.3	2	<1	1	2	3	4	5	7
50-64	66	2.6	4	<1	1	2	3	5	5	13
65+	16	2.8	2	1	1	3	3	5	5	5
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	33	5.9	21	2	2	4	8	13	14	21
35-49	59	5.7	21	1	1	5	8	10	12	25
50-64	95	6.2	18	1	2	5	9	12	15	18
65+	82	6.2	25	1	2	4	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.3	4	<1	<1	3	5	6	7	7
20-34	47	2.9	5	1	1	2	4	6	8	10
35-49	65	3.0	6	1	1	2	4	6	7	13
50-64	75	3.6	6	1	1	3	4	7	9	12
65+	59	7.8	107	1	1	5	9	14	17	66
B. *Operated*										
0-19 YRS	9	4.3	18	<1	<1	3	6	11	14	14
20-34	46	6.9	30	1	2	6	9	12	17	30
35-49	77	7.4	38	2	2	5	10	15	22	29
50-64	206	7.3	37	1	2	6	10	14	20	32
65+	448	10.8	125	2	2	8	14	20	29	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	2.4	3	<1	1	2	3	4	5	7
B. *Operated*	272	6.0	21	1	2	5	9	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	257	4.3	32	1	1	3	5	8	12	17
B. *Operated*	786	9.3	90	2	2	7	12	18	24	55
1. SINGLE DX	539	4.2	15	1	1	3	5	9	12	21
2. MULTIPLE DX	1043	8.0	80	1	2	5	10	17	22	54
A. NOT OPERATED	524	3.3	18	1	1	2	4	6	8	15
B. OPERATED	1058	8.4	74	2	2	6	11	17	22	50
TOTAL 0-19 YRS	38	3.3	7	<1	<1	2	4	7	8	14
20-34	200	4.1	16	1	1	3	5	9	12	19
35-49	297	4.5	20	1	1	3	5	10	13	26
50-64	442	5.7	26	1	1	4	8	11	15	22
65+	605	9.7	111	2	2	7	12	18	26	63
GRAND TOTAL	**1582**	**6.7**	**61**	**1**	**1**	**4**	**9**	**14**	**19**	**37**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.8	2	<1	1	2	3	5	6	7
20-34	51	3.0	4	1	1	2	4	5	6	11
35-49	26	3.4	4	<1	<1	3	5	6	7	7
50-64	18	4.6	8	2	2	4	7	9	10	10
65+	33	5.4	37	1	2	4	6	9	14	35
B. *Operated*										
0-19 YRS	91	2.0	4	<1	<1	1	2	4	6	13
20-34	148	3.0	9	<1	1	2	3	6	8	19
35-49	164	2.8	5	<1	1	2	3	5	8	11
50-64	205	3.0	6	1	1	2	4	6	7	11
65+	264	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.6	6	1	1	3	5	7	9	12
20-34	111	4.6	82	1	1	3	4	7	9	47
35-49	68	5.2	19	1	1	4	7	10	12	26
50-64	118	6.6	28	1	2	5	8	14	18	27
65+	420	9.0	63	2	3	7	11	16	22	63
B. *Operated*										
0-19 YRS	129	2.8	6	<1	<1	2	4	7	8	11
20-34	311	3.7	16	<1	<1	2	5	8	10	19
35-49	357	4.6	28	<1	1	3	6	9	12	24
50-64	595	5.2	34	1	1	3	6	11	15	30
65+	1328	8.3	93	2	2	6	10	17	22	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.6	10	1	1	3	5	6	7	14
B. *Operated*	872	3.0	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	788	7.2	56	1	2	5	9	14	18	45
B. *Operated*	2720	6.3	63	<1	1	4	8	14	18	41
1. SINGLE DX	1061	3.1	7	<1	1	2	4	6	7	13
2. MULTIPLE DX	3508	6.5	61	1	1	4	8	14	18	42
A. NOT OPERATED	977	6.5	49	1	2	5	8	13	18	41
B. OPERATED	3592	5.5	51	<1	1	3	7	12	16	32
TOTAL 0-19 YRS	352	2.8	5	<1	<1	2	4	6	8	11
20-34	621	3.6	25	<1	<1	2	4	7	9	17
35-49	615	4.1	20	<1	1	3	5	8	11	19
50-64	936	4.9	28	1	1	3	6	10	14	28
65+	2045	7.7	78	1	2	5	10	16	21	49
GRAND TOTAL	**4569**	**5.7**	**51**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	5	<1	<1	1	2	6	7	7
20-34	8	2.5	3	<1	<1	2	4	5	5	5
35-49	6	1.8	1	1	1	2	2	3	3	3
50-64	7	2.4	1	1	1	2	3	4	4	4
65+	12	3.4	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	493	1.6	4	<1	<1	1	1	2	4	10
20-34	245	2.8	4	<1	<1	2	4	5	7	10
35-49	187	3.3	8	<1	<1	2	4	7	9	13
50-64	208	3.4	8	1	1	3	4	6	9	14
65+	273	4.3	14	1	2	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.8	2	<1	<1	1	2	4	5	6
20-34	9	5.8	18	<1	1	4	8	12	15	15
35-49	5	3.6	3	1	1	4	5	6	6	6
50-64	22	5.0	47	<1	1	3	5	10	20	33
65+	81	6.1	28	1	2	4	7	11	17	29
B. *Operated*										
0-19 YRS	325	2.2	6	<1	<1	1	2	5	7	13
20-34	293	4.0	29	<1	1	2	4	8	13	22
35-49	279	4.2	16	<1	1	3	5	9	12	22
50-64	503	5.1	36	1	1	3	6	9	14	37
65+	1063	7.3	62	1	2	5	9	15	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.6	3	<1	<1	2	4	5	6	7
B. *Operated*	1406	2.8	8	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	132	5.3	28	1	1	4	6	10	16	31
B. *Operated*	2463	5.4	44	<1	1	3	6	12	17	36
1. SINGLE DX	1446	2.8	8	<1	<1	2	4	6	8	12
2. MULTIPLE DX	2595	5.4	43	<1	1	3	6	12	17	35
A. NOT OPERATED	172	4.7	23	<1	1	3	6	9	13	29
B. OPERATED	3869	4.5	32	<1	<1	3	5	10	14	29
TOTAL 0-19 YRS	840	1.8	5	<1	<1	1	2	3	5	12
20-34	555	3.5	18	<1	1	2	4	7	10	19
35-49	477	3.8	12	<1	1	3	5	8	11	18
50-64	740	4.6	29	1	1	3	5	9	12	30
65+	1429	6.6	52	1	2	4	8	14	19	38
GRAND TOTAL	**4041**	**4.5**	**32**	**<1**	**<1**	**3**	**5**	**10**	**14**	**29**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	483	3.3	4	1	1	3	4	6	7	10
20-34	236	3.5	11	1	1	3	4	6	8	14
35-49	146	3.8	12	1	1	3	5	7	9	16
50-64	138	4.3	8	1	1	4	6	7	9	16
65+	263	5.5	17	1	1	5	7	11	12	19
B. *Operated*										
0-19 YRS	329	2.5	7	<1	<1	1	3	5	8	12
20-34	328	2.9	7	<1	<1	2	3	5	8	13
35-49	340	2.8	9	<1	<1	2	3	6	9	15
50-64	412	3.2	7	<1	1	2	4	6	9	13
65+	508	4.3	26	1	1	3	5	7	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	837	4.5	10	1	2	4	6	8	11	17
20-34	647	5.1	16	1	2	4	7	9	12	22
35-49	548	6.0	18	1	2	5	8	10	13	20
50-64	1016	7.4	34	2	3	6	9	13	17	28
65+	4960	10.8	94	3	3	8	13	19	27	73
B. *Operated*										
0-19 YRS	338	4.1	26	<1	<1	2	5	10	14	26
20-34	482	5.1	37	<1	1	3	6	11	16	27
35-49	604	6.1	70	<1	1	3	7	13	19	46
50-64	1238	7.1	78	1	1	4	9	15	20	50
65+	2862	11.2	138	2	2	8	14	24	35	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1266	4.0	10	1	1	3	5	7	10	15
B. *Operated*	1917	3.2	13	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	8008	8.9	73	2	3	7	11	17	22	52
B. *Operated*	5524	8.7	108	1	1	6	11	19	28	64
1. SINGLE DX	3183	3.5	12	<1	1	3	5	7	9	15
2. MULTIPLE DX	13532	8.8	87	1	2	6	11	18	24	58
A. NOT OPERATED	9274	8.2	67	1	2	6	10	16	21	49
B. OPERATED	7441	7.3	89	<1	1	4	9	16	24	57
TOTAL 0-19 YRS	1987	3.8	11	<1	1	3	5	8	10	16
20-34	1693	4.5	20	<1	1	3	6	9	12	22
35-49	1638	5.2	36	<1	1	4	6	11	15	30
50-64	2804	6.5	50	1	1	5	8	13	17	35
65+	8593	10.3	106	2	3	8	13	20	29	72
GRAND TOTAL	**16715**	**7.8**	**77**	**1**	**2**	**5**	**10**	**16**	**22**	**53**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	16	2.4	1	1	1	2	3	4	5	5
65+	39	4.4	17	1	1	3	6	10	14	18
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	1.8		<1	<1	2	2	2	2	2
35-49	102	3.8	7	<1	1	3	6	8	9	12
50-64	1033	6.0	11	1	2	5	8	10	12	17
65+	3352	7.0	16	2	2	6	9	12	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	17	5.7	22	1	1	5	7	13	18	20
50-64	186	5.3	54	1	1	4	6	9	12	39
65+	555	7.1	72	1	1	5	8	15	22	61
B. Operated										
0-19 YRS	6	6.2	5	2	2	7	7	8	8	8
20-34	18	5.2	19	<1	1	4	7	11	15	17
35-49	172	6.6	44	1	2	5	8	13	18	25
50-64	3493	7.9	30	2	2	7	10	14	17	27
65+	10126	10.6	66	3	4	9	13	19	24	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	3.8	12	1	1	2	5	8	12	18
B. Operated	5332	6.6	15	2	2	6	8	11	13	19
2. MULTIPLE DX										
A. Not Operated	759	6.6	67	1	1	5	8	13	20	53
B. Operated	13865	9.8	58	2	3	8	12	17	22	44
1. SINGLE DX	5391	6.6	15	1	2	6	8	11	13	19
2. MULTIPLE DX	14574	9.7	59	2	3	8	12	17	22	44
A. NOT OPERATED	818	6.4	63	1	1	5	7	13	19	49
B. OPERATED	19147	8.9	48	2	3	7	11	16	20	37
TOTAL 0-19 YRS	7	6.6	5	2	3	7	8	9	9	9
20-34	27	4.1	15	<1	1	2	5	10	13	17
35-49	293	5.6	31	<1	1	4	7	11	14	23
50-64	5536	7.2	26	1	2	6	9	13	15	23
65+	14102	9.6	57	2	3	8	11	17	22	44
GRAND TOTAL	**19965**	**8.8**	**49**	**2**	**3**	**7**	**11**	**16**	**20**	**37**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.5	2	1	1	3	3	4	4	4
20-34	35	4.0	10	1	1	3	5	8	10	17
35-49	48	4.6	5	2	2	4	6	7	9	13
50-64	51	4.9	7	1	2	5	7	8	10	15
65+	20	4.2	4	1	2	4	5	7	8	8
B. Operated										
0-19 YRS	14	3.7	11	<1	<1	3	5	8	12	13
20-34	129	2.1	2	<1	<1	2	2	3	6	7
35-49	166	2.2	3	<1	<1	2	3	4	5	8
50-64	124	2.6	4	<1	1	2	3	5	6	12
65+	56	4.1	10	1	1	3	6	10	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.8	2	2	2	4	4	6	7	7
20-34	56	4.6	10	2	2	4	6	9	11	19
35-49	74	5.1	7	2	2	5	6	8	10	14
50-64	145	6.4	27	2	3	6	8	11	12	21
65+	150	6.9	41	2	3	6	8	12	13	39
B. Operated										
0-19 YRS	10	3.2	6	1	1	2	4	7	8	8
20-34	115	3.6	41	<1	<1	2	4	6	11	35
35-49	204	3.5	10	<1	1	2	5	9	9	15
50-64	318	5.2	23	1	1	4	7	11	14	21
65+	275	8.0	79	2	2	5	9	17	21	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	4.4	7	1	2	4	5	8	9	15
B. Operated	489	2.6	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	435	6.0	26	2	2	5	7	10	12	21
B. Operated	922	5.4	42	1	1	3	7	11	16	29
1. SINGLE DX	649	3.0	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX	1357	5.6	37	1	1	4	7	11	14	28
A. NOT OPERATED	595	5.6	21	2	2	5	7	9	12	18
B. OPERATED	1411	4.4	31	<1	1	3	5	9	13	23
TOTAL 0-19 YRS	40	3.4	6	<1	1	3	4	7	8	13
20-34	335	3.2	19	<1	1	2	4	6	8	17
35-49	492	3.4	8	<1	1	2	5	7	9	13
50-64	638	4.9	21	1	1	4	7	10	12	20
65+	501	7.1	59	1	2	5	8	13	19	44
GRAND TOTAL	**2006**	**4.8**	**28**	**<1**	**1**	**3**	**6**	**9**	**12**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	3	<1	<1	1	3	5	5	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	267	2.3	2	<1	<1	2	3	4	5	7
20-34	124	3.0	2	1	1	3	4	5	6	8
35-49	169	3.1	2	1	2	3	4	5	5	7
50-64	287	3.4	3	1	2	3	4	5	6	10
65+	150	3.5	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.4	1	<1	<1	1	1	3	4	4
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	4	4.8	14	<1	<1	5	8	8	8	8
50-64	5	5.0	16	<1	<1	3	8	11	11	11
65+	5	3.0	4	<1	<1	3	5	5	5	5
B. *Operated*										
0-19 YRS	259	2.3	2	<1	<1	2	3	4	5	7
20-34	70	3.5	4	1	1	3	4	5	7	11
35-49	103	4.1	10	1	2	3	5	7	10	19
50-64	280	4.6	10	2	2	4	5	8	10	17
65+	275	5.2	17	2	2	4	5	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.5	4	<1	<1	1	4	6	7	7
B. *Operated*	997	3.0	2	<1	1	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	44	2.5	6	<1	<1	1	3	5	8	11
B. *Operated*	987	4.0	11	1	1	3	5	7	10	17
1. SINGLE DX	1012	3.0	2	<1	1	3	4	5	5	8
2. MULTIPLE DX	1031	3.9	10	1	1	3	5	7	10	17
A. NOT OPERATED	59	2.5	5	<1	<1	1	3	6	8	11
B. OPERATED	1984	3.5	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	559	2.2	2	<1	<1	2	3	4	5	7
20-34	199	3.1	3	1	1	3	4	5	6	9
35-49	278	3.5	5	1	2	3	4	5	7	12
50-64	575	4.0	7	1	2	3	4	6	9	16
65+	432	4.6	12	2	2	4	5	8	11	19
GRAND TOTAL	**2043**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	4.2	7	1	1	4	5	8	10	12
20-34	187	4.4	7	1	2	4	6	8	9	15
35-49	116	5.5	8	2	2	5	7	9	11	15
50-64	86	6.2	8	3	3	6	8	10	12	14
65+	58	6.0	8	2	3	6	8	10	11	15
B. *Operated*										
0-19 YRS	46	3.8	7	1	1	3	4	8	9	13
20-34	48	3.4	2	1	1	3	4	6	6	7
35-49	40	4.6	16	<1	1	3	5	10	13	18
50-64	35	5.1	10	1	3	4	6	9	10	18
65+	27	6.3	34	1	1	4	9	17	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.3	12	1	2	4	7	10	13	17
20-34	66	5.6	13	1	2	5	7	9	14	19
35-49	78	5.8	11	1	3	5	8	10	12	19
50-64	123	7.1	12	3	4	6	9	12	15	17
65+	187	8.1	28	3	3	7	10	13	17	37
B. *Operated*										
0-19 YRS	25	4.5	13	1	2	3	6	10	14	14
20-34	44	7.5	71	1	2	5	9	13	26	47
35-49	39	8.7	141	1	1	5	9	20	27	69
50-64	87	9.3	51	2	3	7	13	19	21	39
65+	121	10.7	87	2	3	8	13	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	5.0	8	1	2	5	7	9	10	14
B. *Operated*	196	4.4	13	1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	490	6.9	19	2	3	6	8	12	15	19
B. *Operated*	316	9.1	78	1	2	7	11	19	24	49
1. SINGLE DX	759	4.9	9	1	2	4	6	9	11	15
2. MULTIPLE DX	806	7.8	43	2	3	6	10	14	18	37
A. NOT OPERATED	1053	5.9	14	2	2	5	8	10	12	18
B. OPERATED	512	7.3	58	1	2	5	9	15	20	44
TOTAL 0-19 YRS	223	4.3	9	1	1	4	6	8	10	14
20-34	345	4.9	17	1	2	4	6	8	11	19
35-49	273	5.9	30	1	2	5	8	10	13	23
50-64	331	7.2	23	2	3	6	9	13	16	22
65+	393	8.5	46	2	3	7	10	16	20	40
GRAND TOTAL	**1565**	**6.4**	**29**	**1**	**2**	**5**	**8**	**11**	**15**	**27**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	833	1.5	1	<1	<1	1	2	2	2	4
20-34	210	1.9		<1	1	2	2	3	3	5
35-49	91	2.0	1	<1	<1	2	2	3	4	6
50-64	91	2.2	1	1	1	2	2	3	3	6
65+	45	2.0	1	<1	1	2	2	3	4	5
B. Operated										
0-19 YRS	337	1.6		<1	<1	2	2	2	2	3
20-34	83	1.7		<1	<1	2	2	2	3	4
35-49	76	1.7		<1	<1	2	2	2	3	3
50-64	46	1.7		<1	1	2	2	2	2	3
65+	32	2.2	1	1	1	2	3	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	166	1.4	1	<1	<1	1	2	3	3	5
20-34	63	2.2	2	<1	1	2	2	3	6	10
35-49	73	2.6	4	<1	1	2	3	5	6	13
50-64	93	2.7	5	<1	1	2	3	5	6	14
65+	94	3.6	9	1	1	3	4	7	11	15
B. Operated										
0-19 YRS	112	2.1	3	<1	<1	2	2	4	6	9
20-34	52	2.3	2	<1	<1	2	3	4	6	8
35-49	74	2.5	4	<1	<1	2	3	4	6	14
50-64	144	2.8	6	<1	1	2	3	4	8	13
65+	148	5.0	30	1	2	3	6	12	15	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1270	1.6	1	<1	<1	2	2	2	3	5
B. Operated	574	1.6		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	489	2.4	4	<1	<1	2	3	5	6	14
B. Operated	530	3.2	13	<1	1	2	3	7	10	19
1. SINGLE DX	1844	1.6	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	1019	2.8	9	<1	<1	2	3	5	9	15
A. NOT OPERATED	1759	1.8	2	<1	<1	2	2	3	3	7
B. OPERATED	1104	2.4	7	<1	<1	2	2	4	7	14
TOTAL 0-19 YRS	1448	1.5	1	<1	<1	1	2	2	3	5
20-34	408	2.0	1	<1	<1	2	2	3	3	7
35-49	314	2.2	3	<1	<1	2	2	3	5	10
50-64	374	2.5	4	<1	1	2	3	4	6	12
65+	319	3.9	18	1	1	2	4	8	13	22
GRAND TOTAL	**2863**	**2.0**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	1.8	2	<1	<1	1	2	4	5	7
20-34	65	2.4	6	<1	<1	2	3	4	6	16
35-49	38	3.0	7	<1	1	2	3	5	9	14
50-64	30	2.8	7	<1	<1	2	2	7	8	12
65+	13	3.4	9	1	1	2	3	10	10	10
B. Operated										
0-19 YRS	667	2.2	2	<1	1	2	3	4	5	7
20-34	371	2.5	3	<1	1	2	3	4	5	11
35-49	281	3.1	6	<1	1	3	4	5	7	15
50-64	264	3.7	4	1	2	3	5	7	8	10
65+	114	4.8	22	1	2	4	5	8	11	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	2.6	4	<1	<1	2	3	6	7	8
20-34	38	3.7	10	<1	<1	3	5	9	11	14
35-49	44	5.6	63	<1	1	2	7	10	21	41
50-64	73	4.4	20	1	1	2	6	10	13	23
65+	60	8.0	66	1	2	6	11	16	27	94
B. Operated										
0-19 YRS	234	2.7	4	1	1	2	3	4	6	12
20-34	257	3.5	15	<1	1	3	4	6	8	20
35-49	269	4.4	22	1	2	3	5	8	12	24
50-64	419	5.9	43	1	2	4	7	10	14	30
65+	288	7.4	68	2	2	5	8	15	22	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	230	2.4	5	<1	<1	2	2	5	7	12
B. Operated	1697	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	269	4.9	36	<1	1	3	7	11	15	40
B. Operated	1467	5.0	35	1	1	3	6	9	14	29
1. SINGLE DX	1927	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	1736	5.0	35	1	1	3	6	9	14	30
A. NOT OPERATED	499	3.8	23	<1	1	2	4	8	13	28
B. OPERATED	3164	3.8	20	1	1	3	4	7	10	22
TOTAL 0-19 YRS	1039	2.3	3	<1	1	2	3	4	5	9
20-34	731	2.9	8	<1	1	2	3	5	7	14
35-49	632	3.8	17	1	1	3	4	7	10	21
50-64	786	4.9	28	1	2	4	6	8	11	23
65+	475	6.8	57	2	2	5	8	14	19	46
GRAND TOTAL	**3663**	**3.8**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	1.5		<1	<1	1	2	2	2	2
35-49	8	1.5	1	<1	<1	1	2	3	3	3
50-64	6	3.0	3	1	1	3	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	98	2.0	1	<1	<1	2	2	3	4	6
20-34	799	2.1	1	<1	<1	2	2	3	4	6
35-49	1908	2.1	1	<1	<1	2	2	3	4	6
50-64	971	2.2	1	<1	1	2	3	3	4	7
65+	323	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	10	1.7	1	<1	<1	1	2	3	4	4
35-49	14	2.4	7	<1	<1	1	4	5	9	10
50-64	14	3.8	27	<1	<1	2	4	9	18	20
65+	5	5.4	24	2	2	3	7	14	14	14
B. *Operated*										
0-19 YRS	35	2.8	3	<1	1	2	3	6	6	7
20-34	375	2.5	3	<1	1	2	3	4	5	9
35-49	989	2.9	7	<1	1	2	3	5	7	13
50-64	772	3.2	6	1	1	2	4	6	8	14
65+	453	3.8	10	1	2	3	4	7	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.9	1	<1	<1	2	2	4	5	5
B. *Operated*	4099	2.2	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	45	2.9	14	<1	<1	1	3	7	11	20
B. *Operated*	2624	3.1	6	<1	1	2	3	5	7	14
1. SINGLE DX	4121	2.2	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2669	3.1	7	<1	1	2	3	5	7	14
A. NOT OPERATED	67	2.6	10	<1	<1	1	3	5	8	19
B. OPERATED	6723	2.5	3	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	136	2.2	1	<1	<1	2	3	3	5	7
20-34	1190	2.2	2	<1	<1	2	3	3	4	7
35-49	2919	2.4	3	<1	1	2	3	4	5	9
50-64	1763	2.7	4	<1	1	2	3	4	6	11
65+	782	3.2	7	1	2	2	3	5	8	16
GRAND TOTAL	**6790**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.5	11	1	1	3	6	9	10	16
20-34	30	3.9	4	1	1	4	6	7	7	7
35-49	18	3.7	3	1	2	4	5	6	6	6
50-64	6	2.5	4	1	1	2	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	365	2.9	2	1	1	3	4	4	5	6
20-34	710	2.9	4	<1	1	3	4	5	5	8
35-49	460	2.8	3	1	1	2	3	5	5	9
50-64	318	2.8	2	1	1	2	3	4	5	8
65+	163	2.7	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	4	<1	<1	1	3	5	7	8
20-34	44	3.2	8	<1	1	2	5	7	10	11
35-49	51	3.4	15	<1	<1	1	5	9	11	20
50-64	49	4.6	18	<1	<1	4	7	9	11	21
65+	33	8.1	142	<1	1	5	8	15	28	66
B. *Operated*										
0-19 YRS	80	3.3	5	1	1	3	4	5	9	12
20-34	292	3.6	6	1	2	3	4	6	8	16
35-49	378	3.5	6	1	1	3	4	6	7	16
50-64	358	4.2	19	2	2	3	5	8	11	19
65+	231	5.1	52	2	2	3	5	9	12	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.9	6	1	1	4	5	7	8	14
B. *Operated*	2016	2.8	3	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	192	4.4	37	<1	<1	2	6	9	11	26
B. *Operated*	1339	4.0	18	1	2	3	4	7	9	18
1. SINGLE DX	2102	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1531	4.1	20	1	1	3	4	7	10	19
A. NOT OPERATED	278	4.2	28	<1	<1	3	6	8	11	21
B. OPERATED	3355	3.3	9	1	1	3	4	5	7	15
TOTAL 0-19 YRS	491	3.0	3	1	1	3	4	5	6	10
20-34	1076	3.2	5	1	1	3	4	5	6	12
35-49	907	3.2	5	<1	1	3	4	5	7	13
50-64	731	3.6	12	1	1	3	4	7	8	17
65+	428	4.4	42	1	2	3	4	8	11	32
GRAND TOTAL	**3633**	**3.4**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	390	2.7	3	1	1	2	3	5	6	11
20-34	679	2.4	2	1	1	2	3	4	5	8
35-49	147	2.7	3	1	1	2	4	5	6	8
50-64	5	4.4	2	2	2	5	5	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	387	4.4	8	1	1	4	6	7	8	13
20-34	1399	4.3	7	1	1	4	6	7	8	12
35-49	384	5.5	8	1	2	6	7	8	10	14
50-64	67	6.9	9	<1	2	7	8	10	13	16
65+	27	9.1	18	5	6	8	10	13	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	3.2	9	1	1	3	4	6	8	13
20-34	459	3.3	7	1	1	3	4	6	8	14
35-49	139	3.8	7	1	1	3	5	7	9	13
50-64	18	5.7	18	1	1	5	7	12	15	17
65+	10	11.3	144	2	2	6	13	33	37	37
B. *Operated*										
0-19 YRS	349	5.1	9	1	1	5	7	8	11	16
20-34	2320	5.5	11	1	2	5	7	9	11	17
35-49	1150	6.8	15	1	2	6	8	10	13	22
50-64	172	8.5	15	3	5	8	10	13	16	24
65+	106	10.6	37	5	6	9	12	18	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1222	2.5	3	1	1	2	3	5	6	8
B. *Operated*	2264	4.6	8	1	1	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	866	3.5	10	1	1	3	4	7	9	14
B. *Operated*	4097	6.1	14	1	2	6	7	10	12	21
1. SINGLE DX	3486	3.9	7	1	1	3	6	7	8	12
2. MULTIPLE DX	4963	5.7	14	1	1	5	7	9	11	20
A. NOT OPERATED	2088	2.9	6	1	1	2	4	5	7	12
B. OPERATED	6361	5.6	12	1	2	5	7	9	11	18
TOTAL 0-19 YRS	1366	3.9	8	1	1	3	5	7	8	13
20-34	4857	4.5	10	1	1	4	6	8	9	14
35-49	1820	6.0	14	1	2	6	7	9	12	20
50-64	262	7.8	14	2	4	7	9	12	15	22
65+	144	10.3	40	3	6	8	12	18	22	37
GRAND TOTAL	**8449**	**4.9**	**12**	**1**	**1**	**5**	**7**	**8**	**10**	**17**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	746	4.3	6	1	2	4	5	7	8	12
20-34	1778	4.8	7	2	2	4	6	8	10	14
35-49	271	5.4	10	2	2	5	7	10	12	16
50-64	22	4.9	8	1	2	5	6	8	11	14
65+	3	4.3	1	3	3	5	5	5	5	5
B. *Operated*										
0-19 YRS	153	5.4	24	<1	1	4	7	9	13	32
20-34	966	3.9	10	<1	1	3	6	8	9	14
35-49	292	5.2	18	<1	1	5	7	10	13	22
50-64	35	6.5	47	<1	1	5	7	17	19	32
65+	15	11.1	192	<1	2	6	14	24	46	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	355	5.5	10	2	2	5	7	10	11	16
20-34	1095	5.4	13	2	2	5	7	10	11	16
35-49	270	6.7	19	2	3	6	8	12	14	25
50-64	35	8.6	24	3	4	7	11	15	19	24
65+	27	7.9	19	2	2	7	12	14	16	16
B. *Operated*										
0-19 YRS	249	6.8	27	1	2	6	8	13	15	31
20-34	2633	5.2	15	<1	1	5	7	9	12	19
35-49	1048	7.0	31	1	2	6	9	13	17	26
50-64	107	10.5	86	2	2	8	12	23	33	44
65+	47	14.2	102	4	5	11	17	27	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2820	4.8	7	2	2	4	6	8	10	14
B. *Operated*	1461	4.5	16	<1	1	3	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	1782	5.7	14	2	2	5	7	10	12	17
B. *Operated*	4084	6.0	25	1	1	6	8	11	15	25
1. SINGLE DX	4281	4.7	10	1	2	4	6	8	10	16
2. MULTIPLE DX	5866	5.9	21	1	2	5	7	11	14	24
A. NOT OPERATED	4602	5.1	10	2	2	5	6	9	11	16
B. OPERATED	5545	5.6	23	<1	1	5	7	10	14	24
TOTAL 0-19 YRS	1503	5.2	13	1	2	4	6	9	11	18
20-34	6472	5.0	12	1	1	5	6	9	11	17
35-49	1881	6.5	25	1	2	6	8	12	15	24
50-64	199	8.8	63	1	2	7	10	17	26	43
65+	92	11.5	96	2	3	9	14	22	30	55
GRAND TOTAL	**10147**	**5.4**	**17**	**1**	**2**	**5**	**7**	**10**	**12**	**21**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	57	3.5	7	1	1	3	5	6	9	16
35-49	15	2.2	1	<1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	56	2.7	6	<1	1	2	3	5	8	15
20-34	938	3.7	7	<1	<1	2	6	7	8	10
35-49	432	5.5	8	<1	1	6	7	8	9	14
50-64	35	5.4	9	1	2	6	7	9	9	14
65+	5	6.8	9	3	3	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	24	<1	<1	2	9	12	13	13
20-34	60	3.4	6	<1	1	2	5	7	9	11
35-49	33	3.7	14	<1	<1	2	5	9	13	15
50-64	3	6.0	7	3	3	7	8	8	8	8
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS	42	3.1	5	<1	1	2	5	6	7	9
20-34	2218	5.0	11	<1	1	5	7	8	10	14
35-49	2415	6.7	10	1	2	7	8	10	11	18
50-64	270	7.9	21	3	5	7	8	10	13	25
65+	22	9.3	63	2	3	7	9	18	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.2	6	1	1	3	4	6	8	14
B. *Operated*	1466	4.3	8	<1	1	4	6	8	8	13
2. MULTIPLE DX										
A. *Not Operated*	105	3.8	12	<1	<1	2	5	8	11	17
B. *Operated*	4967	6.0	12	1	2	6	8	9	11	17
1. SINGLE DX	1543	4.2	8	<1	1	4	6	8	8	13
2. MULTIPLE DX	5072	6.0	12	1	2	6	7	9	11	17
A. NOT OPERATED	182	3.6	10	<1	1	3	5	8	10	16
B. OPERATED	6433	5.6	12	<1	1	6	7	9	10	16
TOTAL 0-19 YRS	111	3.1	7	<1	1	2	4	7	9	14
20-34	3273	4.6	10	<1	1	5	7	8	9	13
35-49	2895	6.5	10	1	2	7	8	9	11	18
50-64	308	7.6	20	2	4	7	8	10	12	25
65+	28	9.2	55	2	3	7	9	18	22	39
GRAND TOTAL	**6615**	**5.5**	**12**	**<1**	**1**	**6**	**7**	**9**	**10**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.4		<1	<1	1	2	2	2	2
20-34	104	2.3	5	<1	<1	2	2	3	6	14
35-49	119	1.9	1	<1	1	2	2	3	4	7
50-64	64	2.2	1	1	1	2	3	3	4	7
65+	19	2.6	4	1	1	2	3	4	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	3.5	1	2	2	4	4	4	4	4
35-49	5	4.6	9	1	1	6	7	8	8	8
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	2	4	6	7
20-34	332	3.0	6	<1	<1	2	4	7	8	10
35-49	486	3.4	9	<1	<1	2	6	8	9	12
50-64	206	2.8	6	<1	1	2	3	6	8	10
65+	68	4.1	15	1	1	2	5	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	317	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	15	3.7	4	1	1	4	4	6	8	8
B. *Operated*	1106	3.2	8	<1	<1	2	4	7	8	12
1. SINGLE DX	320	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX	1121	3.2	8	<1	<1	2	4	7	8	12
A. NOT OPERATED	18	3.3	4	<1	1	3	4	6	7	8
B. OPERATED	1423	2.9	7	<1	<1	2	3	7	8	11
TOTAL 0-19 YRS	26	1.7	2	<1	<1	1	2	3	4	7
20-34	447	2.8	6	<1	<1	2	3	7	7	9
35-49	610	3.1	8	<1	<1	2	4	7	9	12
50-64	270	2.6	5	<1	1	2	3	6	8	10
65+	88	3.8	13	1	1	2	4	8	10	19
GRAND TOTAL	**1441**	**2.9**	**7**	**<1**	**<1**	**2**	**3**	**7**	**8**	**11**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.9	4	<1	1	2	4	5	6	12
20-34	100	3.2	3	1	1	3	4	5	7	9
35-49	33	4.1	9	<1	1	4	5	8	11	13
50-64	7	3.9	6	2	2	3	5	8	9	9
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	116	2.2	2	<1	1	2	3	3	5	8
20-34	802	1.9	1	<1	1	2	2	3	4	6
35-49	411	2.2	4	<1	1	2	3	3	4	9
50-64	125	2.4	3	<1	<1	2	3	4	5	9
65+	29	3.2	8	<1	<1	3	4	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.0	7	1	2	4	5	7	7	15
20-34	120	4.9	12	<1	1	4	6	9	11	18
35-49	38	5.3	23	1	1	4	7	10	13	27
50-64	19	8.4	43	2	3	6	10	19	24	28
65+	39	10.1	79	1	2	7	13	22	28	43
B. *Operated*										
0-19 YRS	34	3.5	12	<1	1	2	4	8	11	16
20-34	321	3.0	6	<1	1	2	4	6	8	13
35-49	271	3.1	10	<1	<1	2	4	6	8	16
50-64	111	4.2	21	<1	1	2	5	10	13	24
65+	78	6.1	39	1	2	4	8	14	16	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	3.3	5	<1	1	3	4	6	8	12
B. *Operated*	1483	2.1	2	<1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	274	5.7	28	1	1	4	7	11	15	28
B. *Operated*	815	3.5	14	<1	1	2	4	7	10	19
1. SINGLE DX	1681	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1089	4.1	18	<1	1	3	5	8	11	22
A. NOT OPERATED	472	4.7	19	1	1	4	6	9	12	25
B. OPERATED	2298	2.6	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	264	2.9	5	<1	1	2	4	6	7	14
20-34	1343	2.5	4	<1	1	2	3	5	6	10
35-49	753	2.7	8	<1	1	2	3	6	7	14
50-64	262	3.6	16	<1	1	2	4	8	11	20
65+	148	6.6	48	1	2	4	8	15	19	35
GRAND TOTAL	**2770**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	3.4	11	1	1	1	6	8	8	8
50-64	7	2.9	9	<1	<1	1	4	8	9	9
65+	4	6.0	13	1	1	7	8	9	9	9
B. *Operated*										
0-19 YRS	4	5.8	6	4	4	5	7	9	9	9
20-34	169	5.6	5	1	2	6	7	8	9	12
35-49	432	6.7	6	4	4	6	8	9	11	13
50-64	802	7.2	5	4	5	7	8	10	11	15
65+	705	7.4	9	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	1.6		<1	<1	1	2	3	3	3
35-49	37	3.4	19	<1	1	2	4	8	12	23
50-64	43	3.3	7	<1	1	3	5	8	9	12
65+	96	5.9	43	<1	1	4	7	15	27	99+
B. *Operated*										
0-19 YRS	5	9.0	16	6	6	8	10	16	16	16
20-34	644	5.7	11	<1	<1	6	7	9	10	15
35-49	1804	7.3	9	3	4	7	8	11	13	17
50-64	1922	8.2	11	4	5	8	9	12	14	19
65+	1932	9.2	31	5	5	8	10	14	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	10	<1	1	2	7	9	9	9
B. *Operated*	2112	7.0	7	4	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	186	4.6	29	<1	1	3	6	11	17	75
B. *Operated*	6307	8.0	18	3	5	7	9	12	14	22
1. SINGLE DX	2129	7.0	7	4	4	7	8	10	11	15
2. MULTIPLE DX	6493	7.9	18	2	4	7	9	12	14	23
A. NOT OPERATED	203	4.5	28	<1	1	3	6	11	16	65
B. OPERATED	8419	7.8	15	3	5	7	9	11	14	20
TOTAL 0-19 YRS	9	7.6	13	4	4	7	8	13	16	16
20-34	824	5.6	10	<1	<1	6	7	9	10	14
35-49	2278	7.1	9	2	4	7	8	10	12	17
50-64	2774	7.8	10	4	5	7	9	11	13	18
65+	2737	8.6	26	4	5	8	10	13	16	30
GRAND TOTAL	**8622**	**7.7**	**16**	**3**	**4**	**7**	**9**	**11**	**14**	**21**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	10	1.2		<1	<1	1	1	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.7	1	<1	<1	1	2	4	4	4
20-34	130	1.7	3	<1	<1	1	2	2	3	8
35-49	251	1.5	1	<1	<1	1	2	2	2	6
50-64	31	1.5		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	9	3.0	8	<1	<1	2	4	8	9	9
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	120	2.3	4	<1	<1	2	2	5	7	10
35-49	286	2.8	10	<1	<1	2	3	6	8	12
50-64	43	2.4	9	<1	<1	2	2	5	10	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.3		<1	<1	1	2	2	3	3
B. *Operated*	419	1.6	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	17	2.7	5	<1	<1	2	4	6	8	9
B. *Operated*	457	2.6	8	<1	<1	2	2	6	8	12
1. SINGLE DX	434	1.6	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX	474	2.6	8	<1	<1	2	2	6	8	12
A. NOT OPERATED	32	2.1	3	<1	<1	1	2	4	6	9
B. OPERATED	876	2.1	5	<1	<1	2	2	3	6	11
TOTAL 0-19 YRS	20	2.1	2	<1	<1	2	3	4	5	5
20-34	269	2.0	3	<1	<1	2	2	3	6	9
35-49	544	2.2	6	<1	<1	2	2	4	7	11
50-64	75	2.0	5	<1	<1	2	2	2	8	12
65+										
GRAND TOTAL	**908**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**3**	**6**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	1.9	1	<1	<1	1	2	3	4	7
20-34	200	1.5	1	<1	<1	1	2	2	3	4
35-49	56	1.6	2	<1	<1	1	2	2	4	9
50-64	8	1.5		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	193	1.6	1	<1	<1	1	2	2	3	6
20-34	2475	1.5	1	<1	<1	1	2	2	3	7
35-49	3853	1.7	1	<1	<1	1	2	2	3	7
50-64	551	1.6	1	<1	<1	1	2	2	3	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.5	2	1	1	2	2	4	5	8
20-34	180	2.4	4	<1	<1	2	3	5	6	11
35-49	174	2.3	6	<1	<1	2	3	5	6	11
50-64	33	1.8	1	<1	<1	2	2	3	5	6
65+										
B. *Operated*										
0-19 YRS	150	2.4	3	<1	1	2	3	4	7	9
20-34	2660	2.6	6	<1	<1	2	3	6	7	11
35-49	5625	2.9	8	<1	<1	2	3	7	8	12
50-64	807	2.9	8	<1	<1	2	3	7	9	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	1.6	1	<1	<1	1	2	3	3	6
B. *Operated*	7072	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	460	2.3	4	<1	<1	2	3	4	6	10
B. *Operated*	9242	2.8	7	<1	<1	2	3	7	8	12
1. SINGLE DX	7434	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX	9702	2.8	7	<1	<1	2	3	7	8	12
A. NOT OPERATED	822	2.0	3	<1	<1	1	2	4	5	9
B. OPERATED	16314	2.3	5	<1	<1	2	2	6	7	10
TOTAL 0-19 YRS	514	2.0	2	<1	1	2	2	4	5	8
20-34	5515	2.1	4	<1	<1	2	2	4	6	10
35-49	9708	2.4	6	<1	<1	2	2	5	7	11
50-64	1399	2.3	6	<1	<1	2	2	5	7	12
65+										
GRAND TOTAL	**17136**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	4	4.8	38	1	1	2	8	14	14	14
65+	4	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	1.6		<1	<1	2	2	2	2	2
35-49	397	1.7	1	<1	<1	2	2	2	2	7
50-64	1533	1.6	1	<1	<1	2	2	2	2	4
65+	376	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	16	4.3	7	1	1	5	6	7	8	9
50-64	45	2.4	8	<1	<1	1	2	4	8	17
65+	66	4.3	16	1	1	3	6	9	11	22
B. *Operated*										
0-19 YRS										
20-34	9	2.8	2	<1	<1	3	3	5	6	6
35-49	336	2.3	6	<1	<1	2	2	5	8	14
50-64	1601	2.4	8	<1	1	2	2	4	7	13
65+	769	3.5	16	1	1	2	3	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	15	<1	<1	2	3	9	14	14
B. *Operated*	2314	1.7	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	128	3.6	13	<1	1	2	5	8	9	18
B. *Operated*	2715	2.7	10	<1	1	2	2	5	9	14
1. SINGLE DX	2324	1.7	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX	2843	2.8	10	<1	1	2	2	6	9	15
A. NOT OPERATED	138	3.6	13	<1	1	2	5	8	10	18
B. OPERATED	5029	2.2	6	<1	<1	2	2	3	6	13
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	16	2.3	2	<1	<1	2	3	4	5	6
35-49	751	2.0	4	<1	<1	2	2	3	6	10
50-64	3183	2.0	5	<1	<1	2	2	3	4	11
65+	1215	3.1	12	1	1	2	3	7	9	16
GRAND TOTAL	**5167**	**2.3**	**6**	**<1**	**<1**	**2**	**2**	**3**	**6**	**13**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.8	4	<1	<1	2	4	5	7	9
20-34	98	2.9	12	<1	1	2	3	6	8	21
35-49	22	2.5	2	<1	1	2	4	4	5	5
50-64	9	3.9	21	<1	<1	2	4	12	15	15
65+	8	4.5	29	1	1	2	6	14	16	16
B. *Operated*										
0-19 YRS	97	2.5	4	<1	<1	2	3	5	7	12
20-34	1296	2.4	3	<1	<1	2	3	5	6	10
35-49	1234	2.5	6	<1	<1	2	2	6	8	13
50-64	655	2.3	5	<1	<1	2	2	4	7	9
65+	213	3.0	10	1	1	2	3	5	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.0	6	<1	1	2	4	7	9	10
20-34	111	2.8	7	<1	<1	2	4	6	8	14
35-49	79	3.7	13	<1	<1	2	5	8	11	19
50-64	43	4.6	23	<1	1	3	6	11	16	22
65+	68	7.6	45	1	1	6	10	15	19	36
B. *Operated*										
0-19 YRS	120	4.1	22	<1	<1	3	5	8	9	31
20-34	1478	3.6	12	<1	1	2	5	7	9	15
35-49	2747	3.6	11	<1	<1	2	6	8	9	15
50-64	1782	3.9	19	<1	1	2	6	8	11	20
65+	818	7.1	95	1	1	3	8	16	25	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.0	10	<1	1	2	4	5	8	16
B. *Operated*	3495	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	338	4.2	21	<1	1	3	5	10	13	21
B. *Operated*	6945	4.1	25	<1	1	2	6	8	11	24
1. SINGLE DX	3679	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	7283	4.1	24	<1	1	2	6	8	11	24
A. NOT OPERATED	522	3.8	17	<1	1	2	5	8	11	21
B. OPERATED	10440	3.6	19	<1	<1	2	5	8	10	20
TOTAL 0-19 YRS	301	3.3	12	<1	<1	2	4	7	8	17
20-34	2983	3.1	8	<1	<1	2	4	7	8	13
35-49	4082	3.3	10	<1	<1	2	5	7	9	14
50-64	2489	3.5	16	<1	<1	2	4	8	10	18
65+	1107	6.3	78	1	1	3	8	14	22	44
GRAND TOTAL	**10962**	**3.6**	**19**	**<1**	**<1**	**2**	**5**	**8**	**10**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	1.9	1	1	1	2	2	3	4	6
20-34	262	2.2	5	<1	1	2	2	4	6	13
35-49	53	2.2	3	<1	1	2	2	4	6	9
50-64	5	5.0	19	1	1	4	7	12	12	12
65+	3	7.3	30	<1	<1	10	11	11	11	11
B. *Operated*										
0-19 YRS	110	2.5	6	<1	<1	2	2	5	8	14
20-34	1146	2.7	5	<1	<1	2	3	6	7	10
35-49	494	4.7	10	<1	1	5	7	9	10	12
50-64	210	7.7	11	2	3	8	10	12	13	16
65+	104	7.9	13	2	2	8	10	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	2.3	2	<1	1	2	3	4	6	8
20-34	251	2.7	8	<1	<1	2	3	5	7	11
35-49	82	2.2	4	<1	<1	2	3	5	7	10
50-64	17	2.6	2	<1	1	2	3	5	6	6
65+	31	10.8	293	1	2	6	11	20	30	96
B. *Operated*										
0-19 YRS	70	3.0	11	<1	<1	2	4	6	9	21
20-34	2153	3.6	6	<1	<1	2	6	7	8	10
35-49	944	5.7	14	<1	1	6	8	10	12	18
50-64	293	8.1	20	1	2	8	10	14	16	23
65+	214	11.7	117	2	4	9	13	21	28	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	2.1	3	<1	1	2	2	4	5	10
B. *Operated*	2064	3.9	11	<1	<1	2	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	502	3.0	27	<1	1	2	3	6	8	18
B. *Operated*	3674	4.9	21	<1	1	5	7	9	12	20
1. SINGLE DX	2612	3.5	10	<1	<1	2	6	8	10	13
2. MULTIPLE DX	4176	4.7	22	<1	1	4	7	9	11	20
A. NOT OPERATED	1050	2.6	15	<1	1	2	3	5	6	13
B. OPERATED	5738	4.6	17	<1	<1	3	7	9	11	17
TOTAL 0-19 YRS	526	2.3	4	<1	1	2	2	4	6	10
20-34	3812	3.1	6	<1	<1	2	5	7	8	10
35-49	1573	5.1	13	<1	1	5	7	9	11	17
50-64	525	7.7	17	1	2	8	10	13	14	22
65+	352	10.4	103	2	2	9	11	17	24	71
GRAND TOTAL	**6788**	**4.3**	**18**	**<1**	**1**	**2**	**6**	**9**	**10**	**17**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	34	2.1	3	<1	1	1	2	5	6	7
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	110	5.4	3	3	4	5	6	8	8	10
20-34	1508	5.4	3	3	4	5	6	7	8	10
35-49	198	6.0	6	3	4	6	7	8	10	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	15	2.5	4	<1	<1	2	4	5	6	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	89	5.9	8	3	4	6	7	9	11	19
20-34	1298	5.9	4	3	4	6	7	8	9	13
35-49	225	6.1	4	3	4	6	7	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.1	3	<1	1	1	2	5	6	7
B. *Operated*	1816	5.5	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	21	2.3	3	<1	<1	2	3	5	6	7
B. *Operated*	1612	5.9	5	3	4	6	7	8	9	13
1. SINGLE DX	1857	5.4	3	3	3	5	6	7	8	10
2. MULTIPLE DX	1633	5.9	5	3	4	6	7	8	9	13
A. NOT OPERATED	62	2.2	3	<1	<1	2	2	5	6	7
B. OPERATED	3428	5.7	4	3	4	5	7	8	9	12
TOTAL 0-19 YRS	209	5.5	5	2	3	5	6	8	9	12
20-34	2855	5.6	4	3	4	5	6	8	8	11
35-49	426	6.0	5	3	4	6	7	8	9	15
50-64										
65+										
GRAND TOTAL	**3490**	**5.6**	**4**	**3**	**4**	**5**	**6**	**8**	**9**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	1.2		1	1	1	1	2	2	4
20-34	131	1.3	1	<1	<1	1	1	2	3	5
35-49	18	1.1		1	1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	4338	1.3		<1	<1	1	1	2	2	4
20-34	10627	1.2		<1	<1	<1	1	2	2	3
35-49	1211	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	1.1		<1	<1	<1	1	1	2	4
20-34	111	1.2		<1	<1	<1	1	2	2	4
35-49	17	1.1		<1	<1	1	1	1	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	947	1.4	3	<1	<1	<1	<1	2	3	8
20-34	3095	1.6	3	<1	<1	<1	1	3	4	9
35-49	774	2.0	2	<1	<1	1	2	4	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	1.2		<1	1	1	1	2	2	4
B. *Operated*	16176	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	178	1.2		<1	<1	<1	1	2	2	4
B. *Operated*	4816	1.6	3	<1	<1	<1	2	3	4	8
1. SINGLE DX	16416	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	4994	1.6	3	<1	<1	<1	2	3	4	8
A. NOT OPERATED	418	1.2		<1	<1	1	1	2	2	4
B. OPERATED	20992	1.3	1	<1	<1	<1	1	2	3	5
TOTAL 0-19 YRS	5426	1.3	1	<1	<1	<1	1	2	2	4
20-34	13964	1.3	1	<1	<1	<1	1	2	3	5
35-49	2020	1.5	1	<1	<1	<1	1	2	4	7
50-64										
65+										
GRAND TOTAL	**21410**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. NOT OPERATED										
B. OPERATED	3	1.3		1	1	1	2	2	2	2
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	1.5	1	<1	<1	1	2	2	3	4
20-34	637	1.6	1	<1	<1	1	2	3	4	6
35-49	86	1.3	1	<1	<1	1	1	2	3	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1441	1.4	1	<1	<1	1	2	2	3	5
20-34	10333	1.3	1	<1	<1	1	1	2	3	4
35-49	1785	1.3	1	<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	6	<1	1	2	3	5	7	13
20-34	128	2.5	4	1	1	2	3	4	7	12
35-49	14	2.4	5	<1	1	2	2	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	190	2.0	3	<1	1	1	2	4	5	11
20-34	1435	2.1	4	<1	1	1	2	4	6	10
35-49	429	2.1	3	<1	1	2	2	4	5	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	1.5	1	<1	<1	1	2	3	4	6
B. *Operated*	13559	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	169	2.5	5	<1	1	2	3	5	7	13
B. *Operated*	2054	2.1	4	<1	1	1	2	4	6	10
1. SINGLE DX	14442	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	2223	2.1	4	<1	1	1	2	4	6	10
A. NOT OPERATED	1052	1.7	2	<1	<1	1	2	3	4	8
B. OPERATED	15613	1.4	1	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	1818	1.5	1	<1	<1	1	2	2	3	5
20-34	12533	1.4	1	<1	<1	1	2	2	3	6
35-49	2314	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
GRAND TOTAL	**16665**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	3.5	6	1	1	3	5	7	8	11
20-34	269	2.6	5	<1	1	2	3	6	7	10
35-49	31	2.1	4	<1	1	1	2	5	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	156	2.0	2	<1	1	2	2	4	6	8
20-34	1721	1.5	1	<1	<1	1	2	2	3	6
35-49	256	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.9	9	<1	1	3	6	6	9	15
20-34	87	3.8	11	1	1	3	5	8	11	17
35-49	15	3.4	9	<1	1	2	4	7	11	12
50-64										
65+										
B. *Operated*										
0-19 YRS	51	3.2	5	<1	1	3	4	6	7	10
20-34	413	2.8	17	<1	<1	2	3	5	8	17
35-49	82	3.3	9	<1	1	2	4	7	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	2.8	5	<1	1	2	4	6	7	10
B. *Operated*	2133	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	127	3.8	10	1	1	3	5	7	11	16
B. *Operated*	546	2.9	15	<1	<1	2	3	6	8	15
1. SINGLE DX	2508	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	673	3.1	14	<1	<1	2	4	6	8	15
A. NOT OPERATED	502	3.0	7	<1	1	2	4	6	8	13
B. OPERATED	2679	1.8	4	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	307	2.7	4	<1	1	2	3	6	7	10
20-34	2490	1.9	5	<1	<1	1	2	4	5	10
35-49	384	2.0	4	<1	<1	1	2	4	6	11
50-64										
65+										
GRAND TOTAL	**3181**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	2.1	2	<1	1	2	3	4	4	6
20-34	1107	2.2	2	<1	1	2	3	4	5	7
35-49	98	2.2	2	<1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.1		1	1	2	3	3	3	3
20-34	23	1.9	1	<1	<1	2	3	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.9	2	<1	<1	2	2	3	5	6
20-34	197	3.0	6	1	1	2	4	5	7	13
35-49	29	3.3	9	1	1	3	4	6	8	15
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	19	3.5	8	1	1	3	5	8	10	11
35-49	2	8.0		8	8	8	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1387	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	31	2.0	1	<1	<1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	259	2.9	6	<1	1	2	4	5	7	14
B. *Operated*	23	4.0	8	1	1	3	6	8	9	11
1. SINGLE DX	1418	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	282	3.0	6	<1	1	2	4	6	8	13
A. NOT OPERATED	1646	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	54	2.9	5	<1	1	2	3	6	8	11
TOTAL 0-19 YRS	224	2.1	2	<1	<1	2	3	4	4	6
20-34	1346	2.3	3	<1	1	2	3	4	5	9
35-49	130	2.5	4	<1	1	2	3	5	7	10
50-64										
65+										
GRAND TOTAL	**1700**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	3	<1	<1	2	2	5	6	6
20-34	43	1.9	1	<1	<1	2	3	3	4	6
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	7	3.3	8	1	1	2	4	8	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	1.8	1	<1	<1	1	2	3	4	6
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	6	<1	<1	3	4	7	9	9
B. *Operated*	2	1.0		1	1	1	1	1	1	1
1. SINGLE DX	56	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	12	2.8	5	<1	<1	2	4	6	9	9
A. NOT OPERATED	65	2.0	2	<1	<1	2	3	4	5	9
B. OPERATED	3	1.3		1	1	1	2	2	2	2
TOTAL 0-19 YRS	10	2.2	3	<1	<1	2	2	5	6	6
20-34	51	2.1	2	<1	<1	2	3	4	4	9
35-49	7	1.3	1	<1	<1	1	1	3	3	3
50-64										
65+										
GRAND TOTAL	**68**	**2.0**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	3.5	5	1	1	3	4	6	8	12
20-34	965	3.3	5	1	1	3	4	6	8	13
35-49	98	4.1	9	1	1	3	5	8	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	45	3.9	5	<1	<1	3	5	7	8	11
20-34	160	3.6	8	<1	1	3	5	8	8	15
35-49	20	4.3	44	<1	<1	2	5	7	19	31
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.8	19	<1	1	3	5	7	12	26
20-34	239	4.4	11	1	2	4	6	8	9	22
35-49	45	4.4	10	1	1	4	6	9	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.8	6	<1	<1	2	4	7	7	7
20-34	82	4.5	10	<1	<1	4	6	8	9	17
35-49	15	5.1	48	<1	<1	2	5	16	23	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1270	3.4	6	1	1	3	4	6	8	13
B. *Operated*	225	3.7	10	<1	<1	3	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	330	4.3	12	1	1	3	5	8	10	22
B. *Operated*	105	4.4	15	<1	<1	3	6	8	10	21
1. SINGLE DX	1495	3.4	6	1	1	3	4	7	8	14
2. MULTIPLE DX	435	4.3	13	<1	1	3	6	8	10	22
A. NOT OPERATED	1600	3.6	7	1	1	3	4	7	8	14
B. OPERATED	330	4.0	12	<1	<1	3	5	8	9	16
TOTAL 0-19 YRS	306	3.6	7	1	1	3	5	7	8	14
20-34	1446	3.6	7	1	1	3	4	7	8	14
35-49	178	4.3	16	<1	1	3	5	8	11	23
50-64										
65+										
GRAND TOTAL	**1930**	**3.6**	**8**	**1**	**1**	**3**	**5**	**7**	**8**	**15**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	229	3.1	3	1	1	3	4	5	6	8
20-34	1346	4.0	7	1	2	3	5	7	9	14
35-49	62	5.2	9	2	2	4	6	10	12	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	3.4	9	1	1	3	4	9	10	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.5	7	1	2	3	4	6	8	16
20-34	395	4.5	14	1	1	4	5	8	12	21
35-49	26	5.9	20	1	2	5	7	14	17	19
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.1	8	1	1	6	7	9	9	9
20-34	29	7.7	68	1	1	6	10	15	22	41
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1637	3.9	7	1	2	3	5	7	9	14
B. *Operated*	17	3.4	8	1	1	3	4	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	514	4.4	14	1	2	3	5	8	11	20
B. *Operated*	38	7.2	53	1	1	6	8	15	19	41
1. SINGLE DX	1654	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX	552	4.6	17	1	1	4	5	8	12	21
A. NOT OPERATED	2151	4.0	8	1	2	3	5	7	9	16
B. OPERATED	55	6.0	42	1	1	4	7	14	15	40
TOTAL 0-19 YRS	330	3.2	4	1	1	3	4	5	7	10
20-34	1786	4.1	10	1	2	3	5	7	10	17
35-49	90	5.4	12	2	2	5	7	10	13	18
50-64										
65+										
GRAND TOTAL	**2206**	**4.1**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1074	1.1		<1	<1	<1	1	1	2	4
20-34	4461	1.1		<1	<1	<1	1	1	2	4
35-49	295	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. Operated										
0-19 YRS	187	1.1		<1	<1	<1	1	1	2	5
20-34	876	1.1		<1	<1	<1	1	1	2	3
35-49	65	1.3	1	<1	<1	<1	1	2	3	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	1.7	1	<1	<1	1	2	3	4	5
20-34	325	2.0	14	<1	<1	1	2	3	6	12
35-49	14	1.4	1	<1	<1	1	1	2	3	3
50-64										
65+										
B. Operated										
0-19 YRS	21	1.8	2	<1	<1	1	2	4	5	6
20-34	109	1.5	2	<1	<1	1	1	3	4	9
35-49	12	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5830	1.1		<1	<1	<1	1	1	2	4
B. Operated	1128	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	414	2.0	12	<1	<1	1	2	3	5	11
B. Operated	142	1.5	2	<1	<1	1	1	3	4	7
1. SINGLE DX	6958	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX	556	1.8	9	<1	<1	1	2	3	5	10
A. NOT OPERATED	6244	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	1270	1.2	1	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1347	1.2		<1	<1	<1	1	1	2	4
20-34	5781	1.2	1	<1	<1	<1	1	1	2	5
35-49	386	1.2	1	<1	<1	<1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**7514**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.3	2	1	1	2	3	4	5	6
20-34	349	3.3	11	<1	1	3	4	6	8	22
35-49	57	3.4	7	<1	1	3	4	6	7	17
50-64										
65+										
B. Operated										
0-19 YRS	5	5.4	41	<1	<1	<1	0	15	15	15
20-34	49	3.9	12	<1	<1	3	5	10	12	15
35-49	7	4.9	7	1	1	4	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	95	5.3	25	<1	1	4	6	13	16	23
35-49	9	5.9	26	2	2	4	8	15	16	16
50-64										
65+										
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	23	5.9	29	<1	1	5	7	14	19	24
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	3.3	10	<1	1	3	4	6	8	20
B. Operated	61	4.1	14	<1	<1	3	6	10	12	15
2. MULTIPLE DX										
A. Not Operated	109	5.2	24	<1	1	4	6	13	16	22
B. Operated	26	5.7	26	<1	1	5	6	12	18	24
1. SINGLE DX	490	3.4	10	<1	1	3	4	6	8	19
2. MULTIPLE DX	135	5.3	24	<1	1	4	6	13	16	23
A. NOT OPERATED	538	3.7	13	<1	1	3	4	7	10	22
B. OPERATED	87	4.6	18	<1	<1	4	6	10	13	21
TOTAL 0-19 YRS	34	2.7	8	<1	1	2	3	5	8	15
20-34	516	3.9	15	<1	1	3	5	7	10	22
35-49	75	3.8	10	<1	1	3	4	7	10	17
50-64										
65+										
GRAND TOTAL	**625**	**3.8**	**14**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	1.9	2	<1	<1	2	2	3	4	8
20-34	554	2.3	5	<1	<1	2	3	4	6	11
35-49	39	2.5	4	<1	<1	2	3	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	20	1.9	1	<1	<1	2	3	3	4	4
20-34	93	2.3	4	<1	<1	1	3	5	6	11
35-49	10	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.2	5	<1	1	1	3	4	8	11
20-34	124	3.5	22	<1	1	2	4	7	11	25
35-49	13	3.3	12	1	1	2	4	7	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.7	16	<1	<1	1	2	8	14	14
20-34	39	3.1	8	<1	<1	2	4	9	10	11
35-49	8	3.3	11	<1	<1	2	4	9	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	2.3	5	<1	<1	2	3	4	6	11
B. *Operated*	123	2.2	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	170	3.2	18	<1	1	2	4	7	11	20
B. *Operated*	57	3.0	10	<1	<1	2	3	9	11	14
1. SINGLE DX	812	2.3	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX	227	3.2	16	<1	<1	2	4	7	11	20
A. NOT OPERATED	859	2.5	8	<1	<1	2	3	5	7	12
B. OPERATED	180	2.5	5	<1	<1	2	3	5	8	12
TOTAL 0-19 YRS	159	2.0	3	<1	<1	1	2	4	5	11
20-34	810	2.5	8	<1	<1	2	3	5	7	12
35-49	70	2.7	6	<1	<1	2	3	5	8	13
50-64										
65+										
GRAND TOTAL	**1039**	**2.5**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	3.6	6	1	1	3	5	6	9	11
20-34	543	3.2	3	<1	1	3	4	5	7	9
35-49	29	3.7	6	1	1	3	5	8	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	101	1.4	1	<1	<1	<1	1	3	4	6
20-34	159	1.5	2	<1	<1	<1	1	3	5	7
35-49	3	3.0	12	<1	<1	<1	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	3.8	6	1	1	3	5	6	8	14
20-34	397	3.8	8	<1	1	3	5	7	8	14
35-49	18	3.4	4	<1	<1	3	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	51	2.7	8	<1	<1	1	4	7	10	13
20-34	115	3.1	22	<1	<1	2	4	6	9	24
35-49	6	2.3	2	<1	<1	2	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	3.3	4	1	1	3	4	6	7	10
B. *Operated*	263	1.5	2	<1	<1	<1	1	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	576	3.8	7	<1	1	3	5	7	8	14
B. *Operated*	172	3.0	17	<1	<1	1	4	6	9	13
1. SINGLE DX	1037	2.9	4	<1	<1	2	4	5	7	9
2. MULTIPLE DX	748	3.6	10	<1	<1	3	5	7	8	13
A. NOT OPERATED	1350	3.5	5	1	1	3	5	6	7	10
B. OPERATED	435	2.1	8	<1	<1	<1	2	5	6	10
TOTAL 0-19 YRS	515	3.1	6	<1	<1	3	4	6	8	11
20-34	1214	3.2	7	<1	<1	3	4	6	7	10
35-49	56	3.4	5	<1	<1	3	5	7	8	9
50-64										
65+										
GRAND TOTAL	**1785**	**3.2**	**7**	**<1**	**<1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	3.6	13	<1	1	3	5	9	10	20
20-34	694	4.0	10	1	1	3	5	8	11	16
35-49	115	4.8	10	1	1	4	7	8	12	15
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.6	2	1	1	2	3	4	5	5
20-34	73	3.4	12	<1	<1	2	4	8	11	19
35-49	12	3.8	15	<1	<1	2	6	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	4.0	16	<1	1	3	5	8	10	21
20-34	1128	4.0	13	1	1	3	5	8	10	18
35-49	125	4.5	11	1	1	4	6	8	12	17
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.6	6	<1	<1	3	5	7	8	10
20-34	227	4.9	22	<1	<1	4	7	10	14	25
35-49	23	5.5	16	<1	1	4	8	11	14	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	4.1	10	1	1	3	5	8	11	16
B. *Operated*	95	3.4	11	<1	<1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	1445	4.1	14	1	1	3	5	9	10	19
B. *Operated*	278	4.8	20	<1	<1	4	7	10	14	23
1. SINGLE DX	1006	4.0	10	<1	1	3	5	8	11	16
2. MULTIPLE DX	1723	4.2	15	<1	1	3	5	8	11	19
A. NOT OPERATED	2356	4.1	12	1	1	3	5	8	10	17
B. OPERATED	373	4.5	18	<1	<1	3	6	10	13	20
TOTAL 0-19 YRS	332	3.8	14	<1	1	3	5	8	10	19
20-34	2122	4.1	13	<1	1	3	5	8	11	18
35-49	275	4.7	11	<1	1	4	7	9	12	15
50-64										
65+										
GRAND TOTAL	**2729**	**4.1**	**13**	**<1**	**1**	**3**	**5**	**8**	**11**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	518	2.4	6	<1	<1	1	3	5	6	15
20-34	2309	2.7	11	<1	<1	1	3	6	8	16
35-49	175	3.2	16	<1	<1	1	3	9	11	23
50-64										
65+										
B. *Operated*										
0-19 YRS	222	2.1	6	<1	<1	1	2	4	6	13
20-34	1452	2.5	8	<1	<1	2	3	5	6	10
35-49	169	2.4	3	<1	<1	2	3	4	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	3.2	19	<1	<1	2	4	6	9	27
20-34	1049	3.8	33	<1	<1	2	4	8	13	29
35-49	98	5.2	39	<1	<1	3	7	12	15	36
50-64										
65+										
B. *Operated*										
0-19 YRS	97	3.5	12	<1	<1	2	4	7	10	19
20-34	986	2.9	19	<1	<1	1	3	7	10	23
35-49	612	1.3	3	<1	<1	<1	<1	<1	3	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3002	2.7	11	<1	<1	1	3	6	8	16
B. *Operated*	1843	2.4	7	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1367	3.8	31	<1	<1	2	4	8	13	29
B. *Operated*	1695	2.4	13	<1	<1	<1	2	5	8	19
1. SINGLE DX	4845	2.6	9	<1	<1	2	3	5	8	14
2. MULTIPLE DX	3062	3.0	22	<1	<1	1	3	6	10	24
A. NOT OPERATED	4369	3.1	17	<1	<1	2	3	6	10	21
B. OPERATED	3538	2.4	10	<1	<1	1	3	5	7	14
TOTAL 0-19 YRS	1057	2.6	10	<1	<1	1	3	5	7	16
20-34	5796	2.9	16	<1	<1	2	3	6	9	20
35-49	1054	2.2	10	<1	<1	<1	2	4	7	15
50-64										
65+										
GRAND TOTAL	**7907**	**2.8**	**14**	**<1**	**<1**	**1**	**3**	**6**	**8**	**18**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.3	1	2	2	3	4	4	6	7
20-34	550	3.4	4	2	2	3	4	4	5	8
35-49	53	3.4	1	2	3	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	46	4.6	26	2	3	4	5	6	8	37
20-34	372	4.6	12	2	3	4	6	7	9	18
35-49	38	5.1	7	2	3	5	7	8	9	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.8	5	2	2	3	4	5	7	16
20-34	532	4.1	21	2	3	3	4	5	7	19
35-49	51	4.3	7	2	3	4	5	5	7	17
50-64										
65+										
B. *Operated*										
0-19 YRS	123	5.0	14	2	3	4	5	9	12	24
20-34	1145	5.8	36	2	3	4	6	9	13	38
35-49	191	6.4	32	3	3	5	7	10	14	34
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	696	3.4	3	2	2	3	4	4	5	8
B. *Operated*	456	4.7	13	2	3	4	6	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	651	4.1	19	2	3	3	4	5	7	17
B. *Operated*	1459	5.8	34	2	3	4	6	9	13	35
1. SINGLE DX	1152	3.9	8	2	2	3	4	6	7	14
2. MULTIPLE DX	2110	5.3	30	2	3	4	6	8	12	27
A. NOT OPERATED	1347	3.7	11	2	2	3	4	5	6	13
B. OPERATED	1915	5.6	29	2	3	4	6	9	12	30
TOTAL 0-19 YRS	330	4.2	11	2	2	3	4	6	9	20
20-34	2599	4.8	24	2	3	4	5	7	10	25
35-49	333	5.5	22	3	3	4	6	9	11	32
50-64										
65+										
GRAND TOTAL	**3262**	**4.8**	**22**	**2**	**3**	**4**	**5**	**7**	**10**	**25**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6030	3.0	1	2	2	3	3	4	4	5
20-34	41069	3.0	1	2	2	3	3	4	4	5
35-49	2704	3.1	1	2	2	3	4	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1061	3.1	1	2	2	3	3	4	4	5
20-34	8245	3.1	1	2	2	3	3	4	4	5
35-49	556	3.1	1	2	2	3	4	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	3.3	1	2	2	3	4	4	5	8
20-34	939	3.3	1	2	2	3	4	5	5	7
35-49	62	3.3	1	2	2	3	4	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	89	3.6	3	2	2	3	4	5	5	13
20-34	4254	3.7	1	2	3	4	4	5	5	7
35-49	675	3.9	1	3	3	4	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49803	3.0	1	2	2	3	3	4	4	5
B. *Operated*	9862	3.1	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1139	3.3	1	2	2	3	4	5	5	7
B. *Operated*	5018	3.7	1	2	3	4	4	5	5	7
1. SINGLE DX	59665	3.1	1	2	2	3	3	4	4	5
2. MULTIPLE DX	6157	3.7	1	2	3	4	4	5	5	7
A. NOT OPERATED	50942	3.1	1	2	2	3	3	4	4	5
B. OPERATED	14880	3.3	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	7318	3.1	1	2	2	3	3	4	4	5
20-34	54507	3.1	1	2	2	3	4	4	4	5
35-49	3997	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**65822**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	3.0	2	1	1	3	4	4	5	9
35-49	4	4.5		4	4	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	7	8.1	40	3	3	7	8	19	22	22
20-34	163	8.6	65	3	4	6	8	16	28	42
35-49	29	8.2	20	5	5	7	9	19	23	99+
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	32	3.4	7	1	1	3	3	6	8	16
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	16	9.5	60	3	3	7	9	20	30	34
20-34	329	9.6	110	3	4	7	8	17	31	57
35-49	86	8.8	54	4	5	6	8	15	28	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.2	2	1	1	3	4	5	5	9
B. *Operated*	199	8.5	58	3	4	6	8	17	27	50
2. MULTIPLE DX										
A. *Not Operated*	34	3.6	7	1	2	3	4	6	8	16
B. *Operated*	431	9.4	97	3	4	7	8	17	30	53
1. SINGLE DX	231	7.8	53	2	3	6	7	16	25	46
2. MULTIPLE DX	465	9.0	93	3	3	6	8	16	29	53
A. NOT OPERATED	66	3.4	5	1	2	3	4	5	7	15
B. OPERATED	630	9.2	85	3	4	6	8	17	29	53
TOTAL 0-19 YRS	23	9.1	53	3	3	7	9	21	26	34
20-34	552	8.6	89	2	3	6	8	16	28	53
35-49	121	8.5	44	4	5	6	8	16	27	58
50-64										
65+										
GRAND TOTAL	**696**	**8.6**	**80**	**2**	**3**	**6**	**8**	**16**	**28**	**52**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.4	1	<1	1	2	3	4	5	5
20-34	214	2.8	2	1	1	3	3	4	5	9
35-49	17	2.4	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	24	4.1	3	1	2	4	5	6	8	8
20-34	201	4.4	3	2	2	4	6	7	8	9
35-49	26	4.6	4	1	2	5	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.2	3	1	1	3	4	5	7	10
20-34	143	3.3	3	1	1	3	4	5	6	10
35-49	13	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	69	5.4	15	1	2	5	6	10	12	22
20-34	565	5.2	8	2	3	5	6	8	10	17
35-49	73	6.5	11	2	3	6	8	10	12	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	2.7	2	1	1	3	3	4	5	9
B. *Operated*	251	4.4	3	2	2	4	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	187	3.2	3	1	1	3	4	5	6	10
B. *Operated*	707	5.4	9	2	3	5	6	8	10	18
1. SINGLE DX	506	3.6	3	1	1	3	5	6	7	9
2. MULTIPLE DX	894	4.9	8	2	2	4	6	8	10	17
A. NOT OPERATED	442	2.9	2	1	1	3	4	4	5	9
B. OPERATED	958	5.1	8	2	3	5	6	8	10	17
TOTAL 0-19 YRS	148	4.2	10	1	1	4	5	7	10	20
20-34	1123	4.4	6	1	2	4	6	7	8	13
35-49	129	5.2	10	1	2	5	7	9	11	16
50-64										
65+										
GRAND TOTAL	**1400**	**4.4**	**7**	**1**	**2**	**4**	**6**	**7**	**9**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	37	3.0	1	1	1	3	4	4	5	6
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	58	3.1	1	1	1	3	4	4	5	7
20-34	455	3.0	1	1	2	3	3	4	4	5
35-49	31	3.4	2	1	2	3	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	14	3.6	6	1	1	3	4	6	9	10
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	31	2.9	1	1	1	3	3	4	5	5
20-34	253	3.6	4	2	2	3	4	5	6	11
35-49	29	6.1	215	1	2	3	4	6	12	82
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.9	1	1	1	3	4	4	5	6
B. *Operated*	544	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	18	3.6	4	1	1	3	4	6	8	10
B. *Operated*	313	3.8	23	1	2	3	4	5	6	11
1. SINGLE DX	587	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	331	3.8	22	1	2	3	4	5	6	11
A. NOT OPERATED	61	3.1	2	1	1	3	4	5	6	10
B. OPERATED	857	3.3	9	1	2	3	4	4	5	8
TOTAL 0-19 YRS	95	3.0	1	1	1	3	4	4	5	7
20-34	759	3.2	2	1	2	3	4	4	5	8
35-49	64	4.6	98	1	2	3	4	5	7	72
50-64										
65+										
GRAND TOTAL	**918**	**3.3**	**9**	**1**	**2**	**3**	**4**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.0	1	1	2	3	4	4	5	5
20-34	184	3.1	1	1	2	3	4	4	5	6
35-49	10	3.7	1	3	3	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.3	5	1	1	3	4	7	9	9
20-34	82	3.2	2	1	2	3	4	5	6	8
35-49	4	3.8	6	1	1	3	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.0	4	2	2	4	4	7	9	10
20-34	81	3.9	6	2	2	4	4	5	6	19
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	18	3.7	2	1	2	4	4	6	7	7
20-34	108	3.8	3	2	2	4	5	6	6	9
35-49	11	4.3	1	3	3	4	5	6	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	3.2	1	1	2	3	4	4	5	6
B. *Operated*	95	3.3	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	100	3.9	6	2	2	4	4	5	6	17
B. *Operated*	137	3.8	2	2	2	4	4	6	7	9
1. SINGLE DX	323	3.2	1	1	2	3	4	4	5	7
2. MULTIPLE DX	237	3.8	4	2	2	4	4	5	6	11
A. NOT OPERATED	328	3.4	3	2	2	3	4	5	5	8
B. OPERATED	232	3.6	2	1	2	3	4	5	6	9
TOTAL 0-19 YRS	77	3.4	2	1	2	3	4	5	6	10
20-34	455	3.4	3	1	2	3	4	5	6	8
35-49	28	3.9	2	2	3	4	4	5	7	7
50-64										
65+										
GRAND TOTAL	**560**	**3.5**	**2**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3		3	3	3	4	4	4	4
20-34	114	3.8	2	2	3	4	4	5	6	10
35-49	15	3.1	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.8	4	2	2	5	6	7	7	7
20-34	87	5.1	8	3	3	5	6	7	8	20
35-49	8	3.1	1	1	1	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	2	3	3	3	4	6	7	7
20-34	103	3.9	3	2	2	4	5	5	7	11
35-49	13	3.8	5	2	2	4	4	6	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	33	6.2	18	3	3	5	7	9	18	22
20-34	656	6.3	23	3	3	5	7	9	12	32
35-49	64	6.8	16	3	4	6	7	10	14	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.7	2	2	3	4	4	5	6	9
B. *Operated*	100	5.0	7	3	3	4	6	7	8	19
2. MULTIPLE DX										
A. *Not Operated*	126	3.9	3	2	2	4	4	5	7	11
B. *Operated*	753	6.3	22	3	3	6	7	9	12	29
1. SINGLE DX	233	4.3	5	2	3	4	5	6	7	14
2. MULTIPLE DX	879	6.0	20	3	3	5	7	9	11	27
A. NOT OPERATED	259	3.8	2	2	2	4	4	5	6	10
B. OPERATED	853	6.1	20	3	3	5	7	9	11	28
TOTAL 0-19 YRS	52	5.4	13	3	3	5	6	8	9	22
20-34	960	5.6	18	3	3	5	6	8	10	24
35-49	100	5.6	14	2	3	5	7	9	11	24
50-64										
65+										
GRAND TOTAL	1112	5.6	17	3	3	5	6	8	10	23

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	1	1	2	3	3	4	5	5
20-34	156	3.0	1	1	2	3	4	4	5	6
35-49	21	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	185	5.2	3	2	3	5	6	7	8	11
20-34	1411	5.1	2	3	3	5	6	7	7	8
35-49	100	5.4	2	3	3	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	1	<1	<1	3	4	4	4	4
20-34	60	3.1	1	1	2	3	4	4	5	6
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	163	5.7	5	3	3	6	7	8	10	14
20-34	1766	5.8	8	3	3	6	7	8	9	14
35-49	227	6.0	6	3	3	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	3.0	1	1	2	3	4	4	5	6
B. *Operated*	1696	5.2	2	3	3	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	68	3.1	1	<1	2	3	4	4	5	6
B. *Operated*	2156	5.8	7	3	3	6	7	8	9	14
1. SINGLE DX	1883	4.9	3	2	3	5	6	7	7	8
2. MULTIPLE DX	2224	5.7	7	3	3	6	7	8	9	14
A. NOT OPERATED	255	3.1	1	1	2	3	4	4	5	6
B. OPERATED	3852	5.5	5	3	3	5	6	7	8	12
TOTAL 0-19 YRS	364	5.3	4	2	3	5	6	7	8	13
20-34	3393	5.3	5	2	3	5	6	7	8	12
35-49	350	5.7	5	3	3	6	7	8	8	11
50-64										
65+										
GRAND TOTAL	4107	5.4	5	3	3	5	6	7	8	12

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	1	2	2	3	3	4	5	5
20-34	252	3.1	1	2	2	3	3	4	5	7
35-49	16	3.0	1	1	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	71	4.5	2	3	3	4	5	7	7	9
20-34	743	4.6	3	2	3	5	6	7	7	9
35-49	65	4.8	3	3	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.2	2	1	2	3	3	4	6	8
20-34	149	3.3	2	2	2	3	4	5	6	9
35-49	16	3.5	2	1	1	3	5	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	245	5.0	4	2	3	5	6	7	9	12
20-34	2338	5.4	6	3	3	5	6	7	8	14
35-49	275	6.0	5	3	3	6	7	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	3.1	1	2	2	3	3	4	5	7
B. *Operated*	879	4.6	3	3	3	4	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	190	3.3	2	2	2	3	4	5	6	9
B. *Operated*	2858	5.4	7	3	3	5	6	7	8	14
1. SINGLE DX	1167	4.3	3	2	3	4	5	7	7	9
2. MULTIPLE DX	3048	5.3	7	3	3	5	6	7	8	13
A. NOT OPERATED	478	3.2	1	2	2	3	4	4	5	8
B. OPERATED	3737	5.2	6	3	3	5	6	7	8	12
TOTAL 0-19 YRS	361	4.7	4	2	3	4	6	7	8	12
20-34	3482	5.0	6	2	3	5	6	7	8	11
35-49	372	5.5	5	2	3	6	7	8	9	13
50-64										
65+										
GRAND TOTAL	4215	5.0	6	2	3	5	6	7	8	12

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	1	3	3	3	4	5	5	5
20-34	54	3.6	2	2	2	3	4	6	6	9
35-49	7	3.0		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	301	5.8	2	4	4	6	7	8	8	11
20-34	2332	5.8	2	4	4	6	6	7	8	9
35-49	158	5.9	1	4	4	6	7	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	23	4.1	3	1	2	3	6	6	7	9
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	586	6.4	6	4	4	6	7	9	11	15
20-34	4324	6.1	3	4	5	6	7	8	9	12
35-49	372	6.5	4	4	5	6	7	9	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.5	2	2	2	3	4	6	6	9
B. *Operated*	2791	5.8	2	4	4	6	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	30	3.5	3	2	2	3	5	6	6	9
B. *Operated*	5282	6.2	4	4	5	6	7	8	9	13
1. SINGLE DX	2857	5.8	2	4	4	6	6	7	8	9
2. MULTIPLE DX	5312	6.2	4	4	5	6	7	8	9	13
A. NOT OPERATED	96	3.6	2	2	2	3	4	6	6	9
B. OPERATED	8073	6.0	3	4	4	6	7	8	8	12
TOTAL 0-19 YRS	896	6.2	5	4	4	6	7	8	10	14
20-34	6733	6.0	3	4	4	6	7	8	8	11
35-49	540	6.3	3	4	4	6	7	8	9	13
50-64										
65+										
GRAND TOTAL	8169	6.0	3	4	4	6	7	8	8	12

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.3	1	2	2	3	4	4	5	6
20-34	685	3.2	1	2	2	3	4	4	5	6
35-49	37	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	119	4.6	3	2	3	4	6	7	7	11
20-34	1010	4.3	3	2	3	4	6	7	7	8
35-49	72	4.6	3	2	2	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.6	1	2	2	4	4	5	5	8
20-34	387	3.5	2	2	2	3	4	5	6	9
35-49	28	3.6	1	2	2	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	271	4.8	5	2	3	4	6	7	9	14
20-34	2341	4.7	4	2	3	4	6	7	8	11
35-49	196	5.1	4	2	3	5	7	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	826	3.2	1	2	2	3	4	4	5	6
B. *Operated*	1201	4.4	3	2	3	4	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	486	3.5	2	2	2	3	4	5	5	8
B. *Operated*	2808	4.7	4	2	3	4	6	7	8	11
1. SINGLE DX	2027	3.9	2	2	2	4	5	6	7	8
2. MULTIPLE DX	3294	4.5	4	2	3	4	6	7	8	11
A. NOT OPERATED	1312	3.3	1	2	2	3	4	4	5	7
B. OPERATED	4009	4.6	4	2	3	4	6	7	8	10
TOTAL 0-19 YRS	565	4.3	4	2	3	4	5	7	8	10
20-34	4423	4.3	4	2	3	4	5	7	7	10
35-49	333	4.6	3	2	3	4	6	7	8	9
50-64										
65+										
GRAND TOTAL	**5321**	**4.3**	**4**	**2**	**3**	**4**	**5**	**7**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	2	1	1	3	4	5	5	5
20-34	103	3.2	1	2	2	3	4	4	5	6
35-49	14	3.2	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	23	4.0	2	2	3	3	5	6	6	6
20-34	413	5.0	3	2	3	5	6	7	8	9
35-49	38	5.3	4	2	3	5	7	8	9	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.2	57	1	1	4	5	17	27	27
20-34	53	3.7	13	1	2	3	4	5	5	27
35-49	11	4.5	4	3	3	4	4	7	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	72	5.6	5	3	3	5	7	8	11	13
20-34	813	5.5	13	2	3	5	6	8	9	19
35-49	114	6.4	21	3	3	6	7	8	14	63
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	3.2	1	2	2	3	4	4	5	6
B. *Operated*	424	5.0	3	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	74	4.1	17	1	2	3	4	5	7	28
B. *Operated*	999	5.6	14	2	3	5	7	8	9	20
1. SINGLE DX	599	4.6	3	2	3	4	6	7	8	9
2. MULTIPLE DX	1073	5.5	14	2	3	5	6	8	9	22
A. NOT OPERATED	199	3.6	7	1	2	3	4	5	5	19
B. OPERATED	1473	5.4	11	2	3	5	6	8	8	15
TOTAL 0-19 YRS	113	5.2	9	3	3	5	6	8	9	18
20-34	1382	5.1	10	2	3	5	6	7	8	14
35-49	177	5.8	16	2	3	5	7	8	11	37
50-64										
65+										
GRAND TOTAL	**1672**	**5.2**	**11**	**2**	**3**	**5**	**6**	**7**	**8**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	4	2	2	3	4	7	8	8
20-34	94	3.8	11	2	2	3	4	5	7	22
35-49	7	3.7	3	2	2	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	280	5.8	1	4	4	6	6	7	8	9
20-34	6276	6.0	2	4	5	6	7	7	8	9
35-49	480	6.5	2	4	5	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	35	4.2	4	1	2	4	6	7	8	9
35-49	5	5.0	3	3	3	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	175	6.2	3	4	5	6	7	8	9	14
20-34	6608	6.2	4	4	5	6	7	8	8	12
35-49	933	6.9	13	5	5	6	7	8	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.8	10	2	2	3	4	6	7	18
B. *Operated*	7036	6.0	2	4	5	6	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	40	4.3	4	1	2	4	6	7	8	9
B. *Operated*	7716	6.3	5	4	5	6	7	8	9	12
1. SINGLE DX	7144	6.0	2	4	4	6	7	7	8	9
2. MULTIPLE DX	7756	6.3	5	4	5	6	7	8	9	12
A. NOT OPERATED	148	3.9	8	2	2	3	4	6	7	9
B. OPERATED	14752	6.1	3	4	5	6	7	8	8	11
TOTAL 0-19 YRS	462	5.9	2	4	4	6	7	8	8	11
20-34	13013	6.1	3	4	5	6	7	8	8	10
35-49	1425	6.7	9	4	5	6	7	8	9	15
50-64										
65+										
GRAND TOTAL	**14900**	**6.1**	**3**	**4**	**5**	**6**	**7**	**8**	**8**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	3.5	1	2	2	3	4	5	6	9
20-34	1607	3.4	1	2	2	3	4	4	5	7
35-49	112	3.2	1	2	2	3	4	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	147	3.8	2	2	2	3	4	6	7	9
20-34	1165	3.8	6	2	3	3	4	6	7	8
35-49	105	4.1	3	2	2	4	5	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.8	3	2	2	3	4	6	7	10
20-34	795	3.8	6	2	2	3	4	5	6	13
35-49	72	3.7	2	2	2	3	4	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	344	4.8	13	2	3	4	6	7	8	16
20-34	3278	4.9	7	2	3	4	6	7	8	14
35-49	347	5.1	6	2	3	5	6	7	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1942	3.4	1	2	2	3	4	4	5	7
B. *Operated*	1417	3.9	6	2	3	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	999	3.8	6	2	2	3	4	5	7	12
B. *Operated*	3969	4.9	7	2	3	4	6	7	8	14
1. SINGLE DX	3359	3.6	3	2	2	3	4	5	6	8
2. MULTIPLE DX	4968	4.7	7	2	3	4	6	7	8	14
A. NOT OPERATED	2941	3.5	3	2	2	3	4	5	5	9
B. OPERATED	5386	4.6	7	2	3	4	6	7	8	13
TOTAL 0-19 YRS	846	4.1	7	2	2	4	5	6	7	10
20-34	6845	4.2	6	2	3	4	5	7	8	12
35-49	636	4.4	5	2	3	4	6	7	8	13
50-64										
65+										
GRAND TOTAL	**8327**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	3.0	1	2	2	3	3	4	4	5
20-34	3776	3.0	1	2	2	3	3	4	4	5
35-49	256	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	204	3.2	1	2	2	3	4	4	5	8
20-34	1684	3.2	1	2	2	3	4	4	5	7
35-49	118	3.4	1	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	3.1	2	2	2	3	3	4	5	10
20-34	897	3.2	1	2	2	3	4	4	5	6
35-49	77	3.6	5	2	2	3	4	5	5	18
50-64										
65+										
B. *Operated*										
0-19 YRS	224	3.6	3	2	2	3	4	5	6	10
20-34	2083	3.6	2	2	2	3	4	5	6	8
35-49	204	4.0	3	2	3	4	4	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4474	3.0	1	2	2	3	3	4	4	5
B. *Operated*	2006	3.2	1	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1093	3.2	1	2	2	3	4	4	5	6
B. *Operated*	2511	3.6	2	2	2	3	4	5	6	8
1. SINGLE DX	6480	3.1	1	2	2	3	4	4	4	6
2. MULTIPLE DX	3604	3.5	2	2	2	3	4	5	6	8
A. NOT OPERATED	5567	3.1	1	2	2	3	4	4	4	6
B. OPERATED	4517	3.4	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	989	3.2	2	2	2	3	4	4	5	8
20-34	8440	3.2	1	2	2	3	4	4	5	7
35-49	655	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**10084**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	1	1	2	3	3	4	4	5
20-34	483	2.8	1	1	1	3	3	4	4	5
35-49	38	3.0	1	1	2	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	819	2.9	1	2	2	3	3	4	4	5
20-34	7764	2.9	1	1	2	3	3	4	4	5
35-49	753	3.0	1	1	2	3	4	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.7	8	2	2	3	4	9	11	11
20-34	161	2.8	1	1	1	3	3	4	5	6
35-49	13	3.7	2	2	2	4	4	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	315	3.3	5	2	2	3	4	4	5	9
20-34	3693	3.3	2	2	2	3	4	5	5	7
35-49	516	3.6	3	2	2	3	4	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	582	2.8	1	1	2	3	3	4	4	5
B. *Operated*	9336	2.9	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	191	2.9	2	1	1	3	3	4	5	9
B. *Operated*	4524	3.4	2	2	2	3	4	5	5	7
1. SINGLE DX	9918	2.9	1	1	2	3	3	4	4	5
2. MULTIPLE DX	4715	3.3	2	2	2	3	4	5	5	7
A. NOT OPERATED	773	2.8	1	1	1	3	3	4	4	6
B. OPERATED	13860	3.1	1	2	2	3	3	4	5	6
TOTAL 0-19 YRS	1212	3.0	2	2	2	3	3	4	4	6
20-34	12101	3.0	1	1	2	3	3	4	5	6
35-49	1320	3.2	2	2	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**14633**	**3.0**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.8	1	2	2	3	3	4	4	5
20-34	299	2.9	1	1	2	3	3	4	4	6
35-49	6	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	605	3.1	1	2	2	3	3	4	4	6
20-34	3350	3.2	1	2	2	3	4	4	4	5
35-49	155	3.2	1	2	2	3	4	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.7	2	2	2	3	5	6	6	6
20-34	71	3.3	2	1	2	3	4	5	6	9
35-49	4	3.0	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	328	3.4	1	2	2	3	4	4	5	7
20-34	1987	3.6	2	2	2	3	4	5	5	8
35-49	108	3.6	1	2	3	3	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.9	1	1	2	3	3	4	4	6
B. *Operated*	4110	3.2	1	2	2	3	4	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	90	3.4	2	1	2	3	4	5	6	9
B. *Operated*	2423	3.5	2	2	2	3	4	5	5	8
1. SINGLE DX	4488	3.1	1	2	2	3	4	4	4	5
2. MULTIPLE DX	2513	3.5	2	2	2	3	4	5	5	8
A. NOT OPERATED	468	3.0	1	1	2	3	3	4	5	7
B. OPERATED	6533	3.3	1	2	2	3	4	4	5	7
TOTAL 0-19 YRS	1021	3.2	1	2	2	3	4	4	5	6
20-34	5707	3.3	1	2	2	3	4	4	5	7
35-49	273	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**7001**	**3.3**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	1	2	2	3	3	4	4	6
20-34	196	2.9	1	1	2	3	3	4	4	8
35-49	9	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	276	3.0	1	2	2	3	3	4	4	6
20-34	1203	3.1	1	2	2	3	3	4	4	6
35-49	75	3.3	1	2	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.1	2	1	2	3	4	4	6	7
20-34	83	3.3	4	1	2	3	4	4	6	15
35-49	6	7.3	147	<1	<1	3	4	29	32	32
50-64										
65+										
B. *Operated*										
0-19 YRS	192	3.5	6	2	2	3	4	4	7	24
20-34	1080	3.5	2	2	2	3	4	5	6	9
35-49	70	3.8	1	3	3	3	5	6	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	2.9	1	1	2	3	3	4	4	7
B. *Operated*	1554	3.1	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	108	3.5	11	1	2	3	4	4	6	24
B. *Operated*	1342	3.5	3	2	2	3	4	5	6	9
1. SINGLE DX	1803	3.1	1	2	2	3	3	4	4	6
2. MULTIPLE DX	1450	3.5	4	2	2	3	4	5	6	9
A. NOT OPERATED	357	3.1	4	1	2	3	3	4	4	8
B. OPERATED	2896	3.3	2	2	2	3	4	4	5	8
TOTAL 0-19 YRS	531	3.2	3	2	2	3	3	4	5	8
20-34	2562	3.3	2	2	2	3	4	4	5	8
35-49	160	3.7	6	2	3	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**3253**	**3.3**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	932	3.2	2	1	2	3	4	5	5	8
20-34	4558	3.3	4	1	2	3	4	5	5	10
35-49	445	3.4	2	1	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1284	3.7	3	2	2	3	4	6	7	10
20-34	8737	3.7	3	2	2	3	4	6	7	10
35-49	739	4.2	6	2	3	4	5	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	545	3.8	16	1	2	3	4	6	8	14
20-34	2622	3.5	6	1	2	3	4	5	7	13
35-49	267	3.7	6	1	2	3	4	5	7	15
50-64										
65+										
B. *Operated*										
0-19 YRS	1877	5.0	14	2	2	4	6	8	11	19
20-34	12950	4.9	11	2	3	4	6	7	9	18
35-49	1543	5.5	16	2	3	5	6	9	11	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5935	3.3	3	1	2	3	4	5	5	9
B. *Operated*	10760	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	3434	3.6	8	1	2	3	4	5	7	13
B. *Operated*	16370	4.9	12	2	3	4	6	8	10	19
1. SINGLE DX	16695	3.6	3	2	2	3	4	5	6	10
2. MULTIPLE DX	19804	4.7	12	2	2	4	6	7	9	18
A. NOT OPERATED	9369	3.4	5	1	2	3	4	5	6	11
B. OPERATED	27130	4.5	9	2	3	4	5	7	9	16
TOTAL 0-19 YRS	4638	4.1	9	2	2	3	5	7	8	14
20-34	28867	4.2	8	2	2	4	5	7	8	14
35-49	2994	4.7	11	2	2	4	5	7	9	18
50-64										
65+										
GRAND TOTAL	**36499**	**4.2**	**8**	**2**	**2**	**4**	**5**	**7**	**8**	**15**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.2	10	1	2	4	5	6	7	21
20-34	126	4.4	7	1	2	4	6	7	10	13
35-49	7	3.4	3	2	2	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	6.3	24	3	3	4	10	12	12	12
20-34	16	6.1	24	<1	1	5	7	15	16	16
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.4	5	2	2	3	5	8	9	9
20-34	43	5.2	9	1	2	5	7	9	12	13
35-49	6	6.5	4	4	4	7	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	21	7.8	81	<1	1	5	8	20	30	39
35-49	2	15.5	145	7	7	15	24	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	4.3	7	1	2	4	5	7	10	14
B. *Operated*	20	6.0	22	<1	1	5	7	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	62	5.1	8	1	2	5	7	9	10	13
B. *Operated*	25	8.1	80	1	1	5	8	22	28	39
1. SINGLE DX	193	4.5	9	1	2	4	6	7	11	16
2. MULTIPLE DX	87	6.0	30	1	2	5	7	10	14	33
A. NOT OPERATED	235	4.5	8	1	2	4	6	8	10	13
B. OPERATED	45	7.1	54	1	1	5	8	16	22	39
TOTAL 0-19 YRS	58	4.3	9	1	2	4	5	6	9	20
20-34	206	5.0	17	1	2	4	6	9	12	20
35-49	16	6.1	28	2	2	4	7	9	19	24
50-64										
65+										
GRAND TOTAL	**280**	**4.9**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.3		<1	1	1	2	2	3	3
20-34	81	2.0	1	<1	<1	2	3	4	4	6
35-49	5	1.6		<1	<1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	38	1.8	1	<1	<1	1	2	4	4	6
20-34	267	1.7	2	<1	<1	1	2	3	4	6
35-49	17	2.2	3	<1	<1	1	3	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	35	3.1	9	1	1	3	3	5	8	17
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.2	14	1	1	2	3	5	13	16
20-34	158	2.7	4	1	1	2	3	5	8	10
35-49	10	4.0	10	1	1	3	6	9	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	1.9	1	<1	<1	2	2	4	4	6
B. *Operated*	322	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	40	3.0	8	1	1	2	3	5	7	17
B. *Operated*	183	2.8	6	1	1	2	3	6	8	11
1. SINGLE DX	423	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	223	2.9	6	1	1	2	3	5	8	13
A. NOT OPERATED	141	2.2	3	<1	1	2	3	4	5	10
B. OPERATED	505	2.2	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	71	2.0	4	<1	1	1	2	4	5	14
20-34	541	2.2	3	<1	<1	2	3	4	5	10
35-49	34	2.6	5	<1	1	2	3	6	7	11
50-64										
65+										
GRAND TOTAL	**646**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.2	42	2	2	4	11	18	20	20
20-34	99	4.5	12	1	1	3	5	11	12	15
35-49	8	5.8	14	2	2	4	9	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	37	2.8	5	1	1	3	3	4	8	11
20-34	166	2.9	5	<1	1	3	3	4	7	16
35-49	21	2.2	1	<1	<1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.2	30	2	2	5	7	13	21	22
20-34	56	7.2	47	1	2	4	9	17	23	33
35-49	10	8.0	28	<1	1	8	10	16	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	20	5.7	70	1	2	3	5	9	25	40
20-34	127	3.9	11	1	1	3	4	8	11	16
35-49	4	6.0	23	2	2	4	9	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	4.8	15	1	1	3	6	11	13	17
B. *Operated*	224	2.8	5	<1	1	3	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	77	7.1	42	1	2	5	9	17	21	31
B. *Operated*	151	4.2	19	1	1	3	4	8	13	19
1. SINGLE DX	341	3.5	9	1	1	3	4	7	11	16
2. MULTIPLE DX	228	5.2	29	1	1	3	6	11	17	27
A. NOT OPERATED	194	5.7	27	1	2	4	8	12	16	25
B. OPERATED	375	3.4	11	1	1	3	3	6	9	17
TOTAL 0-19 YRS	78	4.6	31	1	1	3	5	10	14	35
20-34	448	4.1	15	1	1	3	4	9	12	19
35-49	43	4.6	17	<1	1	3	6	10	14	17
50-64										
65+										
GRAND TOTAL	**569**	**4.2**	**18**	**1**	**1**	**3**	**4**	**9**	**13**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	750	4.3	7	2	2	4	5	7	9	14
20-34	687	4.7	7	2	2	4	6	8	10	13
35-49	480	5.2	10	2	2	4	6	9	11	20
50-64	427	6.6	17	2	3	5	8	11	14	20
65+	368	8.5	62	2	3	7	10	15	20	60
B. *Operated*										
0-19 YRS	326	5.1	12	<1	1	4	7	10	12	16
20-34	423	5.5	25	1	2	4	7	10	13	21
35-49	280	6.1	33	1	2	5	7	12	14	29
50-64	200	7.1	50	2	2	5	9	13	17	39
65+	129	9.6	63	2	2	8	12	19	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	647	5.2	17	2	2	4	6	9	12	21
20-34	909	6.2	21	2	2	5	8	11	15	24
35-49	980	8.1	46	2	3	6	10	15	19	38
50-64	1678	9.4	58	3	4	7	11	17	23	38
65+	2922	11.7	89	3	4	9	14	21	30	59
B. *Operated*										
0-19 YRS	283	6.0	81	1	2	6	9	15	23	55
20-34	542	8.7	70	2	2	7	10	16	23	44
35-49	545	12.2	133	2	3	9	14	24	37	65
50-64	855	15.8	219	3	4	11	19	35	49	87
65+	1112	18.5	230	4	5	14	24	40	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2712	5.5	19	2	2	4	7	10	12	20
B. *Operated*	1358	6.2	32	1	2	5	8	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	7136	9.4	66	2	3	7	11	17	24	45
B. *Operated*	3337	14.3	188	2	3	10	16	32	44	90
1. SINGLE DX	4070	5.7	23	2	2	5	7	10	13	22
2. MULTIPLE DX	10473	10.9	110	2	3	8	13	22	32	64
A. NOT OPERATED	9848	8.3	56	2	3	6	10	16	21	41
B. OPERATED	4695	11.9	157	2	3	8	14	27	38	80
TOTAL 0-19 YRS	2006	5.2	23	1	2	4	6	9	12	23
20-34	2561	6.2	30	2	2	5	7	11	15	28
35-49	2285	8.2	64	2	2	6	10	16	23	44
50-64	3160	10.6	106	3	3	8	12	21	30	60
65+	4531	13.0	131	3	4	10	16	26	36	82
GRAND TOTAL	**14543**	**9.5**	**91**	**2**	**3**	**7**	**11**	**19**	**27**	**56**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	4.7	9	2	2	4	6	8	11	17
20-34	148	4.4	10	2	2	4	6	7	9	15
35-49	68	5.0	12	2	2	4	6	8	9	20
50-64	57	6.2	25	2	2	5	7	11	17	29
65+	47	7.3	23	2	3	7	10	11	17	25
B. *Operated*										
0-19 YRS	170	4.7	40	<1	<1	3	5	10	13	29
20-34	174	4.9	19	<1	1	4	6	10	14	22
35-49	95	5.7	58	<1	<1	3	6	11	27	37
50-64	60	6.4	49	<1	1	3	9	16	20	38
65+	64	7.9	99	<1	<1	4	10	18	29	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	4.7	9	2	2	4	6	8	10	14
20-34	163	5.7	24	2	2	4	6	10	15	29
35-49	143	6.7	24	2	2	5	9	12	15	28
50-64	207	8.9	52	2	3	7	11	14	21	42
65+	305	11.6	114	3	4	8	13	22	31	68
B. *Operated*										
0-19 YRS	132	5.6	25	1	2	4	6	11	14	25
20-34	176	8.4	63	2	2	5	10	16	23	51
35-49	173	10.2	135	2	2	6	12	20	37	93
50-64	244	10.3	114	1	3	7	13	22	30	56
65+	314	14.9	219	2	3	10	20	36	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	5.0	13	2	2	4	6	9	11	20
B. *Operated*	563	5.5	45	<1	1	3	6	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	1125	7.7	57	2	2	6	9	14	20	44
B. *Operated*	1039	10.7	138	1	2	7	13	25	36	77
1. SINGLE DX	1207	5.2	28	1	1	4	6	10	14	29
2. MULTIPLE DX	2165	9.2	96	2	2	6	11	15	28	61
A. NOT OPERATED	1750	6.8	43	2	2	5	8	13	17	34
B. OPERATED	1622	8.9	111	1	1	5	11	21	29	65
TOTAL 0-19 YRS	914	4.8	17	1	1	4	6	9	12	21
20-34	661	5.9	32	1	2	4	7	12	17	29
35-49	479	7.5	73	1	2	5	9	15	27	53
50-64	568	8.9	77	2	2	6	11	17	26	48
65+	730	12.4	158	2	3	9	15	26	40	67
GRAND TOTAL	**3372**	**7.8**	**77**	**1**	**2**	**5**	**9**	**16**	**24**	**51**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	4	<1	1	3	5	5	6	6
20-34	15	3.1	8	<1	1	2	4	7	10	11
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	1185	3.8	6	1	2	3	4	6	7	11
20-34	1996	3.6	3	1	2	3	4	6	6	10
35-49	279	3.6	5	1	2	3	4	6	7	9
50-64	58	4.1	8	1	2	3	4	8	10	17
65+	14	5.6	37	1	1	4	5	14	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	9	<1	<1	1	3	8	10	11
20-34	17	2.5	10	<1	<1	1	2	7	11	13
35-49	4	3.0	8	<1	<1	2	5	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	3	7.7	114	<1	<1	2	15	20	20	20
B. *Operated*										
0-19 YRS	120	4.5	9	2	2	4	5	8	10	18
20-34	267	4.9	10	2	2	4	6	8	11	17
35-49	99	5.5	20	2	2	4	6	9	14	25
50-64	39	6.0	46	2	2	4	6	10	12	44
65+	20	11.8	297	1	2	6	12	29	58	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.1	6	<1	1	2	4	6	9	11
B. *Operated*	3532	3.7	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	43	3.0	16	<1	<1	1	3	7	12	20
B. *Operated*	545	5.3	26	2	2	4	6	9	12	24
1. SINGLE DX	3566	3.7	4	1	2	3	4	6	7	10
2. MULTIPLE DX	588	5.1	25	1	2	4	6	9	12	23
A. NOT OPERATED	77	3.1	11	<1	<1	2	4	7	10	18
B. OPERATED	4077	3.9	8	1	2	3	5	6	8	13
TOTAL 0-19 YRS	1339	3.8	6	1	2	3	5	6	7	11
20-34	2295	3.7	4	1	2	3	5	6	7	12
35-49	384	4.1	9	1	2	3	5	6	8	23
50-64	99	4.9	24	2	2	4	6	9	11	31
65+	37	9.1	186	1	1	4	9	19	36	74
GRAND TOTAL	**4154**	**3.9**	**8**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	5	2.8	2	<1	<1	3	4	4	4	4
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	198	1.6	1	<1	<1	1	2	3	3	4
20-34	379	1.6	1	<1	<1	1	2	3	4	6
35-49	305	1.6	2	<1	<1	1	2	3	3	8
50-64	258	1.6	1	<1	<1	1	2	3	4	7
65+	120	2.0	8	<1	<1	1	2	3	5	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	6	1.3		<1	<1	1	2	2	2	2
35-49	9	1.8	2	<1	<1	1	2	4	4	4
50-64	9	4.8	42	<1	<1	1	6	16	20	20
65+	4	6.8	16	2	2	7	10	11	11	11
B. *Operated*										
0-19 YRS	22	3.0	15	<1	<1	2	3	6	12	19
20-34	78	2.4	3	<1	<1	2	3	4	6	10
35-49	110	2.5	7	<1	<1	2	3	5	6	16
50-64	140	3.4	64	<1	<1	2	3	6	8	26
65+	130	4.6	29	<1	1	3	5	10	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.0	4	<1	<1	3	4	6	8	8
B. *Operated*	1260	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	35	2.9	16	<1	<1	1	3	9	11	20
B. *Operated*	480	3.3	30	<1	<1	2	4	7	9	21
1. SINGLE DX	1270	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	515	3.3	29	<1	<1	2	3	7	9	21
A. NOT OPERATED	45	2.9	13	<1	<1	1	3	8	10	20
B. OPERATED	1740	2.1	10	<1	<1	1	2	4	5	11
TOTAL 0-19 YRS	229	1.7	2	<1	<1	1	2	3	3	8
20-34	468	1.7	2	<1	<1	1	2	3	4	7
35-49	424	1.8	3	<1	<1	1	2	3	4	10
50-64	408	2.3	25	<1	<1	1	2	4	6	11
65+	256	3.4	20	<1	<1	2	3	7	11	24
GRAND TOTAL	**1785**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	3.3	6	1	1	3	4	6	8	10
20-34	154	5.8	34	1	1	4	7	16	19	26
35-49	137	6.7	39	1	1	4	10	13	20	30
50-64	147	7.1	41	1	2	5	8	16	21	32
65+	161	12.2	191	2	3	8	14	23	35	81
B. *Operated*										
0-19 YRS	590	2.4	9	<1	<1	2	2	4	7	16
20-34	768	3.5	19	<1	<1	2	3	7	12	24
35-49	550	4.5	50	<1	<1	2	4	9	14	39
50-64	516	4.8	61	<1	<1	2	4	12	20	37
65+	373	10.1	200	<1	1	3	14	29	40	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	415	5.0	26	1	1	4	6	9	16	27
20-34	323	7.8	75	1	1	5	9	18	27	50
35-49	362	10.1	126	1	2	7	12	21	28	58
50-64	653	11.1	94	2	3	8	14	23	29	50
65+	1606	15.3	205	3	4	11	19	32	48	99+
B. *Operated*										
0-19 YRS	364	7.4	119	<1	1	3	8	17	30	60
20-34	701	10.7	260	1	1	4	12	28	51	91
35-49	728	12.2	239	1	1	6	16	34	48	99+
50-64	1138	14.3	305	1	2	7	21	40	58	99+
65+	1773	20.9	370	2	3	16	30	56	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	946	6.3	61	1	1	4	7	14	20	34
B. *Operated*	2797	4.6	60	<1	<1	2	4	10	19	42
2. MULTIPLE DX										
A. *Not Operated*	3359	11.9	154	2	2	8	15	26	36	65
B. *Operated*	4704	15.4	319	1	2	9	22	44	63	99+
1. SINGLE DX	3743	5.0	61	<1	<1	2	5	11	19	40
2. MULTIPLE DX	8063	14.0	253	1	2	9	19	35	54	99+
A. NOT OPERATED	4305	10.7	139	1	2	7	14	24	32	78
B. OPERATED	7501	11.4	250	<1	1	4	15	33	51	99+
TOTAL 0-19 YRS	1716	4.3	40	<1	1	2	4	8	14	37
20-34	1946	7.0	126	<1	1	3	7	18	26	70
35-49	1777	9.0	153	<1	1	4	11	23	35	78
50-64	2454	11.0	196	1	1	6	14	28	42	83
65+	3913	17.2	292	2	2	12	23	44	63	99+
GRAND TOTAL	**11806**	**11.1**	**210**	**<1**	**1**	**6**	**15**	**29**	**45**	**95**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	7.6	58	1	2	5	8	15	23	39
20-34	50	7.1	47	2	2	6	8	12	16	43
35-49	55	7.6	49	2	2	6	9	11	20	39
50-64	21	9.1	33	2	4	8	12	16	23	26
65+	12	8.7	48	3	3	7	10	21	24	25
B. *Operated*										
0-19 YRS	12	7.0	134	1	1	3	5	22	39	42
20-34	23	8.7	112	<1	1	4	11	27	34	42
35-49	18	7.4	51	2	2	4	11	17	24	29
50-64	16	9.9	56	<1	1	10	16	25	74	99+
65+	10	17.7	138	1	3	17	22	35	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	8.4	39	1	2	7	11	16	23	26
20-34	121	9.3	57	2	3	7	12	19	23	38
35-49	177	12.2	150	2	3	10	14	22	34	73
50-64	168	11.0	113	3	4	8	14	22	26	67
65+	157	14.1	149	3	4	10	16	29	44	68
B. *Operated*										
0-19 YRS	24	17.9	362	1	4	13	20	27	70	87
20-34	74	15.2	146	2	3	11	22	32	45	88
35-49	93	16.9	141	3	3	15	23	34	44	79
50-64	107	17.4	192	4	5	13	22	43	50	99+
65+	115	22.5	445	3	4	15	30	53	73	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	7.7	48	2	2	6	9	13	20	39
B. *Operated*	79	9.5	99	<1	1	5	14	26	36	83
2. MULTIPLE DX										
A. *Not Operated*	669	11.6	119	2	3	9	14	23	30	64
B. *Operated*	413	18.3	257	3	4	14	23	43	53	99+
1. SINGLE DX	249	8.3	64	1	2	6	10	17	26	42
2. MULTIPLE DX	1082	14.1	182	2	3	10	18	29	44	90
A. NOT OPERATED	839	10.8	107	2	3	8	13	21	29	63
B. OPERATED	492	16.9	242	2	3	12	22	41	51	99+
TOTAL 0-19 YRS	114	10.0	135	1	2	7	13	21	24	72
20-34	268	10.5	93	2	2	8	13	23	31	49
35-49	343	12.5	136	2	3	10	16	26	36	65
50-64	312	13.0	141	3	4	10	16	26	42	95
65+	294	17.3	278	3	4	12	21	42	58	92
GRAND TOTAL	**1331**	**13.0**	**165**	**2**	**3**	**9**	**16**	**28**	**41**	**87**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	5.9	23	2	2	4	7	11	14	29
20-34	38	5.8	14	2	2	5	7	11	15	18
35-49	49	7.3	22	2	2	5	10	15	17	18
50-64	98	8.1	36	2	2	6	10	18	21	28
65+	108	9.2	49	2	3	8	11	17	28	38
B. *Operated*										
0-19 YRS	26	4.7	18	1	1	3	6	10	14	19
20-34	40	8.5	43	1	2	8	11	17	21	32
35-49	102	7.4	49	2	2	5	10	14	25	35
50-64	250	9.9	78	2	2	7	13	20	29	41
65+	161	12.5	106	2	3	10	16	28	33	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	8.3	60	1	1	6	10	22	27	32
20-34	43	8.5	58	2	2	6	11	17	24	40
35-49	98	7.2	32	1	2	6	9	16	20	67
50-64	335	10.2	85	2	3	8	12	20	28	54
65+	674	12.2	133	3	4	9	15	23	35	82
B. *Operated*										
0-19 YRS	19	11.4	65	1	2	10	17	24	26	27
20-34	45	13.2	205	1	2	7	16	33	47	60
35-49	117	13.7	238	2	2	9	15	31	39	87
50-64	390	12.6	143	2	3	9	16	27	35	65
65+	454	17.5	224	3	4	14	23	38	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	7.5	34	2	2	6	9	14	18	30
B. *Operated*	579	9.8	80	2	2	7	13	22	30	41
2. MULTIPLE DX										
A. *Not Operated*	1223	10.9	108	2	3	8	13	22	30	70
B. *Operated*	1025	14.9	196	2	3	11	19	32	43	87
1. SINGLE DX	979	8.9	62	2	2	6	11	18	26	37
2. MULTIPLE DX	2248	12.7	152	2	3	9	16	27	37	82
A. NOT OPERATED	1623	10.1	92	2	3	7	12	20	27	60
B. OPERATED	1604	13.1	160	2	3	10	17	29	37	78
TOTAL 0-19 YRS	225	7.0	41	1	2	5	8	16	23	30
20-34	166	9.1	90	2	2	6	11	18	32	56
35-49	366	9.4	110	2	2	6	11	18	29	76
50-64	1073	10.8	102	2	3	8	14	23	30	52
65+	1397	13.7	160	3	4	10	17	29	40	88
GRAND TOTAL	**3227**	**11.6**	**128**	**2**	**3**	**8**	**15**	**25**	**33**	**71**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	9	2.4	2	1	1	2	4	4	4	4
35-49	16	7.0	97	1	1	4	8	11	33	42
50-64	63	6.3	23	1	1	5	9	12	17	22
65+	147	7.0	55	1	2	6	8	11	17	35
B. *Operated*										
0-19 YRS	23	3.0	9	2	2	2	3	5	9	16
20-34	184	4.6	27	1	1	3	5	11	15	19
35-49	353	5.3	36	1	1	3	6	12	16	26
50-64	1044	9.5	55	2	2	8	14	18	22	36
65+	1323	14.4	54	2	4	14	18	23	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.5	23	1	1	3	5	11	17	18
35-49	59	7.0	23	1	1	7	10	13	17	22
50-64	310	6.6	42	1	1	5	8	12	15	33
65+	1363	11.1	136	2	3	8	13	22	32	84
B. *Operated*										
0-19 YRS	12	8.5	136	1	2	4	8	26	40	42
20-34	130	6.3	57	1	2	3	8	16	22	40
35-49	315	7.9	87	1	2	4	11	18	23	40
50-64	1454	12.3	103	2	2	11	17	24	31	53
65+	2939	18.1	122	3	6	17	23	31	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	6.6	47	1	1	6	8	11	16	35
B. *Operated*	2927	10.9	63	2	2	11	16	20	24	36
2. MULTIPLE DX										
A. *Not Operated*	1743	10.1	118	2	2	7	12	20	29	78
B. *Operated*	4850	15.4	125	2	3	15	20	28	36	68
1. SINGLE DX	3165	10.6	63	1	2	10	16	20	24	36
2. MULTIPLE DX	6593	14.0	129	2	3	12	19	26	34	68
A. NOT OPERATED	1981	9.7	111	1	2	7	11	19	26	73
B. OPERATED	7777	13.7	107	2	2	13	18	25	32	55
TOTAL 0-19 YRS	38	4.9	53	2	2	2	4	10	18	42
20-34	334	5.2	38	1	1	3	6	12	17	31
35-49	743	6.6	59	1	1	4	8	16	19	34
50-64	2871	10.6	81	2	2	9	15	21	26	45
65+	5772	15.4	118	2	4	14	19	27	34	69
GRAND TOTAL	**9758**	**12.9**	**110**	**2**	**2**	**12**	**17**	**24**	**31**	**59**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	9.5	56	2	3	7	14	20	27	31
20-34	67	6.3	22	2	2	5	7	12	14	28
35-49	59	6.6	20	2	2	5	9	14	16	20
50-64	49	8.7	82	1	1	6	10	25	28	38
65+	59	7.5	48	2	2	7	8	13	21	44
B. *Operated*										
0-19 YRS	59	12.8	74	2	3	11	21	25	28	30
20-34	173	7.1	69	1	2	4	8	16	26	42
35-49	152	5.5	25	1	2	4	7	12	15	23
50-64	174	6.8	44	2	2	4	9	16	19	35
65+	103	14.4	191	2	2	13	18	28	51	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	10.0	63	2	3	7	15	23	25	35
20-34	93	9.2	98	1	2	6	11	18	30	57
35-49	108	8.9	61	1	2	7	11	20	24	40
50-64	169	8.1	55	1	2	6	10	17	24	38
65+	371	11.4	125	2	3	8	14	24	34	70
B. *Operated*										
0-19 YRS	54	17.6	163	2	3	17	24	32	40	63
20-34	121	10.5	232	1	2	5	11	23	37	84
35-49	158	9.7	119	1	2	6	12	24	34	43
50-64	236	14.7	245	2	2	9	21	36	48	81
65+	250	23.3	365	3	4	17	34	52	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	7.9	46	2	2	6	10	17	23	31
B. *Operated*	661	8.3	82	1	2	5	11	19	25	50
2. MULTIPLE DX										
A. *Not Operated*	822	10.0	95	2	2	7	12	22	28	51
B. *Operated*	819	15.9	278	2	2	10	22	42	52	85
1. SINGLE DX	1000	8.2	70	2	2	5	10	18	24	41
2. MULTIPLE DX	1641	13.0	195	2	2	8	16	30	43	78
A. NOT OPERATED	1161	9.4	81	2	2	7	12	20	27	46
B. OPERATED	1480	12.5	205	2	2	7	16	31	43	78
TOTAL 0-19 YRS	299	11.8	89	2	3	9	18	25	29	39
20-34	454	8.3	114	1	2	5	9	17	28	60
35-49	477	7.8	67	1	2	5	9	17	24	42
50-64	628	10.3	137	2	2	6	12	25	35	58
65+	783	15.3	236	2	3	10	19	38	51	88
GRAND TOTAL	**2641**	**11.1**	**153**	**2**	**2**	**7**	**14**	**26**	**37**	**67**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.6	4	<1	<1	2	3	6	8	9
20-34	26	3.3	4	1	1	3	4	7	8	8
35-49	15	4.3	10	<1	<1	4	6	9	10	11
50-64	7	3.4	19	<1	<1	1	4	11	13	13
65+	6	5.0	13	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	928	2.7	3	<1	1	2	3	5	6	9
20-34	1853	2.9	4	<1	1	2	4	5	7	12
35-49	903	3.0	5	1	1	2	4	6	7	11
50-64	408	3.1	7	1	1	2	4	6	8	11
65+	81	3.1	4	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	18	<1	<1	1	2	4	12	21
20-34	56	2.8	10	<1	<1	1	3	7	10	15
35-49	31	2.3	5	<1	<1	1	3	5	5	11
50-64	33	3.4	12	<1	<1	2	4	8	9	16
65+	28	6.5	55	<1	1	5	8	12	15	40
B. *Operated*										
0-19 YRS	496	3.0	8	1	1	2	4	5	7	11
20-34	1305	3.3	9	1	1	2	4	6	8	15
35-49	954	3.4	11	1	1	3	4	6	9	14
50-64	811	3.6	13	1	1	3	4	7	9	24
65+	310	4.7	20	1	2	3	6	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.5	8	<1	<1	3	4	8	9	13
B. *Operated*	4173	2.9	4	<1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	173	3.4	19	<1	<1	2	4	8	11	20
B. *Operated*	3876	3.5	11	1	1	3	4	6	9	16
1. SINGLE DX	4246	2.9	4	<1	1	2	4	5	7	10
2. MULTIPLE DX	4049	3.5	12	1	1	3	4	6	9	16
A. NOT OPERATED	246	3.4	16	<1	<1	2	4	8	10	16
B. OPERATED	8049	3.2	8	1	1	2	4	6	8	13
TOTAL 0-19 YRS	1468	2.8	5	1	1	2	3	5	6	10
20-34	3240	3.1	6	<1	1	2	4	6	7	13
35-49	1903	3.2	8	1	1	2	4	6	8	13
50-64	1259	3.4	11	1	1	2	4	6	9	16
65+	425	4.6	19	1	1	3	5	10	12	23
GRAND TOTAL	**8295**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	132	3.6	6	1	1	3	5	6	8	12
20-34	50	4.6	17	<1	<1	3	6	11	14	18
35-49	45	4.7	8	1	1	5	7	8	9	13
50-64	35	5.0	15	1	1	4	7	10	12	19
65+	57	6.8	27	1	2	6	9	13	18	94
B. Operated										
0-19 YRS	950	3.3	6	1	1	3	4	6	7	10
20-34	1375	3.5	5	1	1	3	4	6	7	11
35-49	459	3.6	9	1	1	3	4	7	8	14
50-64	188	4.4	21	<1	1	3	5	9	14	28
65+	94	8.0	112	1	1	4	11	19	23	60
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	4.5	26	<1	1	3	5	10	14	22
20-34	101	4.5	30	<1	<1	3	6	9	12	33
35-49	104	4.7	16	1	1	3	6	10	11	21
50-64	150	6.9	47	1	1	5	8	16	23	33
65+	326	10.8	146	2	2	7	13	22	31	84
B. Operated										
0-19 YRS	480	5.4	42	1	2	4	5	9	18	40
20-34	621	4.4	15	1	2	3	5	9	12	18
35-49	403	5.1	30	1	2	3	6	10	15	21
50-64	285	5.9	43	1	2	4	7	13	20	35
65+	225	13.0	147	2	2	9	20	31	36	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	319	4.6	14	1	1	4	6	9	12	19
B. Operated	3066	3.6	10	1	1	3	4	6	7	15
2. MULTIPLE DX										
A. Not Operated	842	7.4	83	1	1	5	9	16	23	52
B. Operated	2014	6.0	49	1	2	4	6	13	20	37
1. SINGLE DX	3385	3.7	11	1	1	3	4	6	8	16
2. MULTIPLE DX	2856	6.4	60	1	1	4	7	14	20	41
A. NOT OPERATED	1161	6.6	66	1	1	4	8	14	19	49
B. OPERATED	5080	4.5	27	1	1	3	5	8	13	30
TOTAL 0-19 YRS	1723	4.0	18	1	1	3	5	7	9	26
20-34	2147	3.8	9	1	1	3	5	6	9	16
35-49	1011	4.3	19	1	1	3	5	8	11	20
50-64	658	5.7	37	1	1	4	7	12	18	31
65+	702	10.8	136	2	2	7	14	25	33	84
GRAND TOTAL	**6241**	**4.9**	**35**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	7.0	30	3	3	5	10	15	15	15
20-34	2	10.0	32	6	6	10	14	14	14	14
35-49	3	8.0	109	<1	<1	3	16	20	20	20
50-64										
65+										
B. Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	2	18.0	128	10	10	18	26	26	26	26
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	5	8.0	23	2	2	8	12	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	19.5	613	2	2	19	37	37	37	37
20-34	6	4.8	11	1	1	5	7	9	9	9
35-49	13	6.7	4	3	4	7	8	9	9	9
50-64	10	11.6	123	2	2	7	16	31	32	32
65+	14	9.8	32	3	4	9	11	18	23	25
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	11.3	35	4	4	12	16	17	17	17
35-49	5	23.6	403	9	9	9	44	48	48	48
50-64	7	23.4	291	2	3	19	39	44	45	45
65+	8	26.3	858	1	2	18	30	77	93	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	8.0	44	<1	1	6	14	18	20	20
B. Operated	12	8.7	52	1	2	7	12	18	25	26
2. MULTIPLE DX										
A. Not Operated	45	9.1	61	2	3	8	10	17	30	37
B. Operated	25	21.6	437	2	2	16	36	45	59	93
1. SINGLE DX	21	8.4	46	1	1	6	14	17	23	26
2. MULTIPLE DX	70	13.5	228	2	3	9	16	36	43	84
A. NOT OPERATED	54	8.9	58	1	3	7	10	17	29	37
B. OPERATED	37	17.4	345	1	2	11	20	43	47	93
TOTAL 0-19 YRS	9	8.7	130	2	2	4	9	28	37	37
20-34	14	9.3	47	1	1	8	14	18	24	26
35-49	23	10.7	139	1	2	8	9	25	45	48
50-64	22	14.5	181	2	2	10	19	37	43	45
65+	23	15.2	361	2	3	10	17	28	58	93
GRAND TOTAL	**91**	**12.3**	**190**	**1**	**2**	**8**	**15**	**31**	**41**	**75**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	25	5.7	19	1	2	4	8	12	14	16
35-49	90	5.7	14	2	2	5	7	11	13	18
50-64	137	5.9	20	1	1	5	9	12	13	22
65+	176	8.8	48	2	3	7	12	17	21	31
B. Operated										
0-19 YRS	3	7.0	16	3	3	7	10	11	11	11
20-34	33	6.1	27	2	2	4	8	12	16	25
35-49	179	6.8	56	1	2	5	9	13	16	33
50-64	228	7.7	46	1	2	6	10	17	23	30
65+	128	8.6	45	2	2	8	11	17	24	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.0	7	3	3	7	54	99+	99+	99+
20-34	27	6.2	11	2	3	5	8	12	13	13
35-49	216	8.0	33	2	2	6	10	17	20	28
50-64	651	8.0	31	2	3	7	10	15	19	28
65+	1542	11.0	86	3	4	8	14	22	27	52
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	30	12.4	207	2	2	7	16	26	28	75
35-49	161	8.5	50	2	2	8	11	17	20	31
50-64	427	10.2	89	2	2	9	13	20	25	66
65+	509	15.7	174	2	3	13	20	32	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	7.1	32	1	2	6	9	13	17	25
B. Operated	571	7.5	48	1	2	6	10	15	22	33
2. MULTIPLE DX										
A. Not Operated	2439	9.9	68	2	3	8	12	19	25	46
B. Operated	1128	12.5	133	2	2	10	16	25	36	92
1. SINGLE DX	1000	7.3	41	1	2	6	9	14	19	30
2. MULTIPLE DX	3567	10.7	90	2	3	8	13	21	28	60
A. NOT OPERATED	2868	9.5	63	2	3	7	12	18	24	41
B. OPERATED	1699	10.8	110	2	2	8	14	22	30	69
TOTAL 0-19 YRS	8	6.5	7	3	3	7	9	64	99+	99+
20-34	115	7.7	74	2	2	5	9	15	24	45
35-49	646	7.5	42	2	2	6	9	15	19	29
50-64	1443	8.4	51	2	2	7	11	16	21	37
65+	2355	11.7	104	3	3	9	15	23	32	68
GRAND TOTAL	**4567**	**10.0**	**81**	**2**	**2**	**8**	**13**	**20**	**26**	**52**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	9.5	102	1	2	7	12	16	23	54
20-34	818	7.6	24	1	2	7	10	14	17	23
35-49	1228	8.5	30	2	2	8	11	16	18	27
50-64	693	9.5	35	2	3	9	12	16	21	29
65+	197	9.4	34	2	3	9	13	17	20	27
B. Operated										
0-19 YRS	111	6.8	31	1	2	6	8	16	20	24
20-34	2522	7.2	34	1	2	6	9	15	19	27
35-49	3501	7.7	40	1	2	6	10	16	20	31
50-64	1582	8.6	46	1	2	7	12	17	22	31
65+	290	10.4	63	2	2	9	14	22	27	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	9.4	114	<1	1	7	12	14	37	45
20-34	385	8.7	42	1	2	7	11	17	22	35
35-49	851	10.0	51	2	3	9	13	18	23	37
50-64	1003	10.3	46	2	3	9	13	18	23	33
65+	915	12.0	61	3	4	10	15	21	27	39
B. Operated										
0-19 YRS	25	10.3	70	2	3	7	14	23	29	40
20-34	741	10.4	70	2	2	8	13	20	26	42
35-49	1484	11.4	85	2	2	9	15	23	29	48
50-64	1331	12.6	102	2	3	10	16	25	31	55
65+	689	16.0	130	3	4	13	21	32	40	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2985	8.6	32	2	2	8	11	16	18	27
B. Operated	8006	7.8	40	1	2	6	10	16	21	30
2. MULTIPLE DX										
A. Not Operated	3169	10.5	53	2	3	9	14	19	24	36
B. Operated	4270	12.3	98	2	3	10	16	25	31	51
1. SINGLE DX	10991	8.0	38	1	2	7	11	16	20	29
2. MULTIPLE DX	7439	11.5	80	2	3	9	15	22	29	46
A. NOT OPERATED	6154	9.6	44	2	3	8	13	17	21	32
B. OPERATED	12276	9.4	65	1	2	7	12	19	25	39
TOTAL 0-19 YRS	200	8.1	61	1	2	6	10	17	21	47
20-34	4666	7.9	40	1	2	7	10	15	20	30
35-49	7064	8.9	51	1	2	7	11	17	22	35
50-64	4609	10.3	63	2	2	9	13	20	25	38
65+	2091	12.9	87	2	4	11	17	25	31	48
GRAND TOTAL	**18430**	**9.4**	**58**	**2**	**2**	**8**	**12**	**19**	**24**	**37**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.2	18	2	2	5	8	12	16	17
20-34	150	7.5	22	1	2	7	10	14	16	19
35-49	256	8.4	33	2	2	7	11	15	20	26
50-64	144	8.4	31	2	2	7	10	15	18	31
65+	46	11.0	83	2	2	9	14	19	34	44
B. *Operated*										
0-19 YRS	10	9.7	54	1	2	8	13	22	23	23
20-34	248	7.4	38	2	2	6	10	17	19	27
35-49	582	7.5	37	1	2	6	9	15	20	30
50-64	274	7.8	32	1	2	7	10	15	19	29
65+	34	12.2	70	2	3	10	16	24	29	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.3	37	3	3	8	16	17	17	17
20-34	87	9.1	72	2	3	7	10	14	23	52
35-49	245	9.3	45	2	2	8	12	16	20	31
50-64	286	9.3	48	2	3	8	13	15	18	31
65+	241	11.3	70	3	4	9	14	20	28	53
B. *Operated*										
0-19 YRS	5	8.4	28	3	3	9	13	14	14	14
20-34	114	9.9	103	1	2	7	12	20	24	61
35-49	361	9.5	59	2	3	8	12	20	25	35
50-64	356	11.4	114	2	3	9	14	21	31	63
65+	122	14.5	207	2	2	11	17	33	41	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	8.3	34	2	2	7	10	15	19	31
B. *Operated*	1148	7.7	38	1	2	6	10	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	865	9.8	56	2	3	8	13	17	22	42
B. *Operated*	958	10.9	106	2	2	8	13	21	29	58
1. SINGLE DX	1756	7.9	37	2	2	7	10	16	19	30
2. MULTIPLE DX	1823	10.4	82	2	3	8	13	19	26	54
A. NOT OPERATED	1473	9.2	47	2	3	8	12	16	20	38
B. OPERATED	2106	9.2	71	2	2	7	11	18	23	42
TOTAL 0-19 YRS	33	8.2	33	2	3	7	11	17	20	23
20-34	599	8.1	52	2	2	7	10	16	20	40
35-49	1444	8.5	44	2	2	7	11	16	21	33
50-64	1060	9.5	66	2	3	8	12	17	22	45
65+	443	12.2	110	2	3	10	15	24	33	54
GRAND TOTAL	**3579**	**9.2**	**61**	**2**	**2**	**8**	**12**	**17**	**22**	**40**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.9	17	1	2	7	11	12	12	12
20-34	63	7.7	15	3	3	7	9	14	15	23
35-49	78	8.0	23	2	3	7	10	14	18	26
50-64	51	7.0	13	3	3	6	8	13	15	16
65+	10	9.0	19	3	3	10	11	15	16	16
B. *Operated*										
0-19 YRS										
20-34	75	6.0	78	1	2	4	6	12	14	60
35-49	78	5.7	27	1	1	4	8	13	17	26
50-64	23	5.7	25	2	2	4	7	10	16	25
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.0	43	<1	2	6	7	13	25	28
20-34	95	8.2	25	2	3	8	11	13	16	30
35-49	101	8.2	27	2	3	7	9	14	16	31
50-64	93	9.4	35	3	4	9	12	17	22	30
65+	67	9.2	31	3	4	8	11	19	22	26
B. *Operated*										
0-19 YRS	4	15.5	94	10	10	11	21	30	30	30
20-34	42	9.1	92	1	2	5	13	24	31	37
35-49	64	10.2	70	2	2	8	15	22	25	40
50-64	32	12.4	150	2	2	9	17	22	30	65
65+	13	18.3	131	4	5	17	23	31	46	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	7.7	18	3	3	7	10	14	15	24
B. *Operated*	177	5.9	48	1	2	4	7	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	370	8.6	30	2	3	8	11	15	20	28
B. *Operated*	155	11.2	102	2	2	8	15	23	29	49
1. SINGLE DX	390	6.8	32	1	2	6	9	13	15	26
2. MULTIPLE DX	525	9.4	52	2	3	8	12	19	23	35
A. NOT OPERATED	583	8.3	26	2	3	7	10	14	18	28
B. OPERATED	332	8.3	80	1	2	5	11	19	25	43
TOTAL 0-19 YRS	29	8.1	45	1	2	7	11	12	28	30
20-34	275	7.6	48	1	2	6	10	14	18	35
35-49	321	7.9	36	2	2	7	10	15	20	28
50-64	199	8.9	50	2	3	7	11	16	22	31
65+	91	10.5	52	3	4	9	13	20	25	40
GRAND TOTAL	**915**	**8.3**	**45**	**2**	**2**	**7**	**10**	**15**	**21**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	8.2	29	2	2	10	12	14	14	14
20-34	121	6.6	14	2	2	6	9	12	14	16
35-49	194	7.4	18	2	2	7	10	13	15	21
50-64	116	8.8	33	1	2	8	12	16	18	29
65+	73	9.5	50	2	2	8	13	17	21	41
B. Operated										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	61	5.3	24	1	1	3	7	12	16	24
35-49	92	7.1	81	1	1	3	9	17	27	47
50-64	32	7.9	33	1	2	6	11	17	19	20
65+	8	7.6	30	1	1	7	13	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	7.1	12	2	2	7	10	11	11	11
20-34	115	8.8	26	2	4	8	11	15	18	28
35-49	192	9.1	29	2	3	8	11	16	19	28
50-64	241	9.4	40	2	3	9	12	16	20	32
65+	339	11.7	84	3	4	10	15	21	26	56
B. Operated										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	39	7.6	51	1	2	5	11	20	24	26
35-49	49	9.2	51	2	2	9	12	18	22	37
50-64	52	11.2	79	2	3	8	17	22	31	39
65+	52	18.8	182	3	4	16	26	41	53	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	509	7.8	26	2	2	7	10	14	16	24
B. Operated	197	6.6	52	1	1	3	9	16	19	32
2. MULTIPLE DX										
A. Not Operated	894	10.1	54	2	4	9	12	18	22	36
B. Operated	194	12.0	110	2	2	9	16	26	33	56
1. SINGLE DX	706	7.5	34	1	2	6	10	14	17	27
2. MULTIPLE DX	1088	10.4	64	2	3	9	13	19	25	49
A. NOT OPERATED	1403	9.3	45	2	3	8	12	16	20	35
B. OPERATED	391	9.3	88	1	2	6	14	20	29	52
TOTAL 0-19 YRS	18	6.7	17	2	2	7	10	12	13	14
20-34	336	7.2	26	2	2	6	9	14	16	25
35-49	527	8.1	37	1	2	7	10	15	18	29
50-64	441	9.3	42	2	3	8	12	17	20	32
65+	472	12.1	94	3	4	10	15	22	30	57
GRAND TOTAL	**1794**	**9.3**	**54**	**2**	**3**	**8**	**12**	**17**	**22**	**37**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	4.7	14	<1	1	4	6	10	13	16
20-34	875	7.0	27	1	2	6	9	14	17	27
35-49	1218	7.6	32	1	2	7	10	15	18	26
50-64	677	7.7	30	1	2	7	10	14	17	25
65+	278	7.7	46	1	2	6	10	16	18	33
B. Operated										
0-19 YRS	58	5.2	44	1	2	3	6	11	14	38
20-34	719	4.7	21	1	1	3	6	11	14	23
35-49	938	6.0	37	1	2	4	8	13	19	28
50-64	567	7.0	41	1	2	5	10	15	19	32
65+	223	9.9	63	1	2	9	14	19	23	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	4.7	17	1	1	3	7	10	12	22
20-34	783	7.8	30	1	2	7	10	14	19	25
35-49	1403	8.6	43	2	2	7	11	16	20	33
50-64	1496	9.1	41	2	3	8	12	17	20	33
65+	1502	10.8	73	2	3	9	14	20	26	46
B. Operated										
0-19 YRS	32	5.1	7	1	2	5	7	9	10	10
20-34	492	7.7	55	1	2	5	10	16	21	37
35-49	858	9.7	87	1	2	7	13	21	27	47
50-64	870	10.5	92	2	2	8	14	22	27	44
65+	821	14.9	139	2	3	12	20	29	36	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3182	7.4	31	1	2	6	10	14	17	26
B. Operated	2505	6.2	38	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. Not Operated	5277	9.2	50	2	2	8	12	17	21	32
B. Operated	3073	11.0	103	2	2	9	15	24	30	53
1. SINGLE DX	5687	6.8	34	1	2	5	9	14	18	29
2. MULTIPLE DX	8350	9.8	70	2	2	8	13	19	25	42
A. NOT OPERATED	8459	8.5	43	1	2	7	11	16	20	31
B. OPERATED	5578	8.8	79	1	2	6	12	20	26	44
TOTAL 0-19 YRS	317	4.8	20	1	1	4	6	10	13	23
20-34	2869	6.8	32	1	2	5	9	14	18	27
35-49	4417	8.0	49	1	2	6	11	16	21	35
50-64	3610	8.9	53	1	2	7	12	17	22	35
65+	2824	11.6	94	2	3	9	15	23	29	57
GRAND TOTAL	**14037**	**8.6**	**58**	**1**	**2**	**7**	**11**	**17**	**22**	**37**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	4.1	6	1	2	4	5	8	9	12
20-34	96	4.2	6	1	1	4	6	8	9	11
35-49	107	4.7	15	1	2	3	6	10	12	21
50-64	102	4.4	12	1	1	4	5	9	12	17
65+	38	5.4	17	1	1	4	7	11	15	17
B. *Operated*										
0-19 YRS	334	2.6	5	<1	<1	2	3	5	7	10
20-34	750	2.7	5	<1	<1	2	3	5	6	12
35-49	944	2.9	5	<1	<1	2	4	5	6	12
50-64	902	2.7	4	<1	<1	2	3	5	7	11
65+	282	3.6	25	<1	<1	2	4	6	9	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	4.8	12	<1	1	4	7	10	12	15
20-34	98	6.0	45	<1	1	5	7	11	14	43
35-49	131	5.6	29	<1	1	4	7	11	16	29
50-64	236	6.4	24	1	2	5	9	12	15	28
65+	300	8.4	57	2	3	7	10	17	23	36
B. *Operated*										
0-19 YRS	110	3.6	15	<1	1	3	4	7	11	23
20-34	383	3.8	16	1	1	3	4	7	10	22
35-49	597	4.4	26	1	1	3	5	8	13	22
50-64	746	4.6	29	1	2	3	5	9	12	24
65+	372	6.0	54	1	2	3	7	13	20	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	4.4	10	1	1	4	6	8	11	15
B. *Operated*	3212	2.8	7	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	842	6.8	39	1	2	5	8	13	17	31
B. *Operated*	2208	4.6	30	1	1	3	5	9	13	28
1. SINGLE DX	3762	3.1	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX	3050	5.2	33	1	1	3	6	11	15	29
A. NOT OPERATED	1392	5.8	29	1	2	4	7	11	14	29
B. OPERATED	5420	3.5	17	<1	1	3	4	6	9	20
TOTAL 0-19 YRS	728	3.4	8	<1	1	3	4	7	9	14
20-34	1327	3.4	12	<1	1	2	4	6	9	16
35-49	1779	3.7	15	<1	1	3	4	7	10	19
50-64	1986	3.9	18	<1	1	3	4	8	11	18
65+	992	6.0	48	1	1	4	7	13	19	36
GRAND TOTAL	**6812**	**4.0**	**20**	**<1**	**1**	**3**	**4**	**8**	**11**	**23**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	7	2.3	9	<1	<1	1	2	8	9	9
35-49										
50-64	5	3.4	8	1	1	2	6	7	7	7
65+	3	3.7	21	<1	<1	1	7	9	9	9
B. *Operated*										
0-19 YRS	302	3.3	2	1	2	3	4	5	6	8
20-34	644	3.4	3	1	2	3	4	5	6	8
35-49	714	3.6	3	1	2	3	4	6	7	9
50-64	739	3.8	4	1	2	4	5	6	8	10
65+	406	4.0	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.1		<1	<1	1	1	2	2	2
20-34	30	1.6	1	<1	<1	1	2	3	4	5
35-49	29	1.9	5	<1	<1	1	2	4	7	12
50-64	55	2.3	6	<1	<1	1	2	7	8	11
65+	26	5.3	31	<1	1	3	6	13	16	25
B. *Operated*										
0-19 YRS	257	3.9	4	1	2	4	5	6	8	10
20-34	902	3.7	4	1	2	3	4	6	7	11
35-49	1114	4.1	7	2	2	4	5	6	7	15
50-64	2000	4.6	9	2	2	4	5	7	9	15
65+	1251	5.2	15	2	2	4	6	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.6	8	<1	<1	1	2	8	9	9
B. *Operated*	2805	3.6	3	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	153	2.5	10	<1	<1	1	2	6	9	14
B. *Operated*	5524	4.5	9	2	2	4	5	7	9	16
1. SINGLE DX	2824	3.6	3	1	2	3	4	6	7	10
2. MULTIPLE DX	5677	4.4	9	1	2	4	5	7	9	16
A. NOT OPERATED	172	2.5	10	<1	<1	1	2	6	9	14
B. OPERATED	8329	4.2	7	1	2	4	5	7	8	14
TOTAL 0-19 YRS	576	3.5	3	1	2	3	4	6	7	10
20-34	1583	3.5	3	1	2	3	4	5	6	10
35-49	1857	3.9	6	1	2	4	5	6	7	11
50-64	2799	4.3	8	1	2	4	5	7	8	14
65+	1686	4.9	13	2	2	4	6	8	10	19
GRAND TOTAL	**8501**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	<1	1	2	2	2
20-34	9	1.8	4	<1	<1	<1	1	5	7	7
35-49	7	2.7	5	1	1	2	4	6	7	7
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	442	1.7	1	<1	<1	2	2	3	3	5
20-34	841	1.8	1	<1	<1	2	2	3	3	6
35-49	492	1.9	1	<1	<1	2	2	3	4	6
50-64	345	2.4	3	<1	<1	2	3	4	5	9
65+	116	2.9	4	<1	<1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.0		<1	<1	<1	1	1	1	1
20-34	21	3.3	22	<1	<1	1	4	9	14	20
35-49	13	4.2	12	<1	<1	4	7	10	10	10
50-64	17	4.4	12	<1	1	4	7	9	11	12
65+	12	7.7	13	2	3	7	11	12	13	13
B. *Operated*										
0-19 YRS	54	2.0	2	<1	<1	2	2	3	3	11
20-34	137	2.5	4	<1	1	2	3	4	5	12
35-49	181	3.1	11	<1	1	2	3	6	8	12
50-64	234	3.3	8	<1	1	3	4	6	8	16
65+	128	4.8	37	1	1	3	5	8	11	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.1	3	<1	<1	1	2	5	7	7
B. *Operated*	2236	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	82	3.8	15	<1	<1	1	6	10	12	18
B. *Operated*	734	3.3	13	<1	1	2	4	6	8	17
1. SINGLE DX	2265	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	816	3.3	13	<1	<1	2	4	7	9	18
A. NOT OPERATED	111	3.3	13	<1	<1	1	5	9	10	16
B. OPERATED	2970	2.3	5	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	519	1.7	1	<1	<1	2	2	3	3	5
20-34	1008	1.9	2	<1	<1	2	2	3	4	7
35-49	693	2.2	4	<1	<1	2	3	4	5	10
50-64	603	2.8	5	<1	<1	2	3	5	7	14
65+	258	4.0	22	<1	1	3	5	8	10	23
GRAND TOTAL	**3081**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	15.3	102	1	2	14	24	29	30	40
20-34	30	14.1	106	3	5	11	18	30	40	40
35-49	18	13.4	112	1	2	11	23	28	32	34
50-64	31	14.6	85	3	5	11	22	28	32	36
65+	25	19.0	145	4	6	20	26	30	41	57
B. *Operated*										
0-19 YRS	94	19.2	174	3	4	18	28	38	42	54
20-34	69	14.2	167	1	2	9	20	30	45	58
35-49	72	16.9	258	2	3	12	25	41	59	94
50-64	93	14.6	190	2	2	10	21	34	45	90
65+	65	18.4	198	3	3	15	29	40	45	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	19.7	119	3	5	20	26	34	42	46
20-34	54	15.3	118	2	4	14	19	33	38	47
35-49	60	15.8	139	2	3	14	22	33	40	44
50-64	126	18.1	172	3	5	14	28	39	41	53
65+	174	20.1	237	4	5	15	29	40	54	95
B. *Operated*										
0-19 YRS	81	24.1	223	2	4	23	32	45	49	69
20-34	129	24.7	336	3	6	21	38	51	72	99+
35-49	155	26.0	421	3	5	20	38	65	78	99+
50-64	337	23.6	312	2	5	20	32	51	67	99+
65+	404	26.6	378	5	8	21	36	59	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	15.3	106	2	3	14	23	29	34	42
B. *Operated*	393	16.7	198	2	3	12	25	38	46	77
2. MULTIPLE DX										
A. *Not Operated*	487	18.4	179	3	5	15	26	37	44	71
B. *Operated*	1106	25.2	348	3	6	21	35	55	72	99+
1. SINGLE DX	584	16.2	168	2	3	13	24	35	43	61
2. MULTIPLE DX	1593	23.1	306	3	5	19	32	49	63	99+
A. NOT OPERATED	678	17.6	161	2	4	14	25	35	41	60
B. OPERATED	1499	22.9	323	3	4	19	32	50	64	99+
TOTAL 0-19 YRS	335	19.5	163	2	4	18	28	37	43	52
20-34	282	19.2	252	2	4	15	28	46	51	99+
35-49	305	21.1	332	2	4	15	32	47	66	99+
50-64	587	20.5	263	2	4	17	29	44	55	99+
65+	668	23.8	326	4	6	19	32	54	65	99+
GRAND TOTAL	**2177**	**21.3**	**278**	**3**	**4**	**17**	**30**	**45**	**59**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	5.1	37	1	1	2	7	13	18	31
20-34	101	3.3	5	<1	1	3	5	6	7	11
35-49	130	4.1	11	1	1	3	4	7	9	18
50-64	124	4.4	13	1	1	3	5	9	13	18
65+	178	9.7	67	2	2	8	13	19	26	42
B. *Operated*										
0-19 YRS	858	4.9	23	1	1	3	6	10	14	23
20-34	799	4.5	16	1	2	3	5	8	11	21
35-49	360	5.3	26	1	2	4	7	11	13	27
50-64	257	7.7	63	1	2	5	10	16	21	36
65+	191	11.5	60	2	3	10	16	23	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	7.5	88	<1	<1	4	10	21	27	42
20-34	130	4.6	27	1	1	3	5	8	14	33
35-49	320	4.9	16	1	2	4	6	9	12	23
50-64	606	8.5	48	2	2	6	11	18	23	36
65+	2418	12.8	111	3	4	10	16	25	33	65
B. *Operated*										
0-19 YRS	346	6.0	60	1	1	4	6	12	19	49
20-34	460	7.0	74	1	2	4	8	15	20	46
35-49	349	9.4	134	2	2	5	11	23	34	71
50-64	560	13.2	140	2	2	10	18	28	37	63
65+	960	19.6	231	2	5	16	25	41	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	5.7	37	1	1	4	7	13	17	34
B. *Operated*	2465	5.6	32	1	2	4	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	3557	10.9	97	2	3	8	14	22	29	55
B. *Operated*	2675	13.0	180	2	2	9	18	30	42	82
1. SINGLE DX	3119	5.7	33	1	2	4	7	12	16	29
2. MULTIPLE DX	6232	11.8	133	2	2	8	16	25	35	69
A. NOT OPERATED	4211	10.1	91	1	2	7	13	21	28	50
B. OPERATED	5140	9.5	122	1	2	5	12	23	31	63
TOTAL 0-19 YRS	1408	5.3	37	1	1	3	6	11	17	34
20-34	1490	5.2	36	1	2	4	6	10	15	29
35-49	1159	6.3	58	1	2	4	7	13	19	43
50-64	1547	9.7	89	2	2	7	13	21	28	52
65+	3747	14.3	147	3	4	11	18	28	40	81
GRAND TOTAL	**9351**	**9.8**	**108**	**1**	**2**	**6**	**13**	**22**	**30**	**58**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	3	12.0	175	2	2	7	22	27	27	27
65+	2	14.0	288	2	2	14	26	26	26	26
B. *Operated*										
0-19 YRS	197	4.7	30	1	2	4	5	8	10	28
20-34	136	3.3	7	1	1	2	4	7	9	15
35-49	88	4.5	107	1	1	3	4	7	10	66
50-64	53	4.2	11	1	1	3	6	10	12	13
65+	22	8.8	52	1	2	7	12	17	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.0	55	<1	<1	2	5	17	25	30
20-34	12	2.5	4	<1	<1	1	4	6	7	7
35-49	6	14.2	268	1	1	7	32	36	37	37
50-64	10	9.4	168	1	1	4	9	32	41	41
65+	25	21.5	532	3	4	11	32	50	79	91
B. *Operated*										
0-19 YRS	316	7.4	81	2	2	5	8	13	19	53
20-34	186	4.8	29	1	2	3	5	9	13	30
35-49	133	4.6	16	1	1	3	5	10	15	20
50-64	133	6.7	46	1	2	5	8	14	20	36
65+	78	8.8	92	1	2	5	11	20	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	8.8	105	2	2	4	12	27	27	27
B. *Operated*	496	4.4	37	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	104	9.7	231	<1	1	4	10	30	38	82
B. *Operated*	846	6.4	56	1	2	4	7	13	18	45
1. SINGLE DX	505	4.5	39	1	1	3	5	8	11	26
2. MULTIPLE DX	950	6.7	76	1	1	4	8	14	21	48
A. NOT OPERATED	113	9.6	220	<1	1	4	10	28	37	81
B. OPERATED	1342	5.7	50	1	2	4	6	11	15	34
TOTAL 0-19 YRS	567	6.2	62	1	2	4	7	11	16	44
20-34	335	4.1	20	1	1	3	5	8	11	21
35-49	227	4.8	59	1	1	3	5	9	15	33
50-64	199	6.3	45	1	1	4	8	13	19	38
65+	127	11.4	194	1	2	7	15	25	38	79
GRAND TOTAL	**1455**	**6.0**	**64**	**1**	**1**	**4**	**7**	**12**	**17**	**45**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	6.5	24	<1	1	6	9	15	17	18
20-34	33	10.1	41	3	3	9	14	20	21	25
35-49	17	8.3	24	2	3	9	11	13	18	21
50-64	13	6.1	17	<1	<1	4	9	12	14	14
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	14	9.9	110	1	1	6	14	24	36	39
35-49	30	4.0	11	1	1	3	5	10	11	12
50-64	15	6.2	31	2	2	6	8	9	20	24
65+	12	5.8	39	1	1	4	7	13	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	5.2	9	1	1	5	8	9	10	10
35-49	44	9.1	59	2	2	6	12	20	24	39
50-64	58	9.1	35	2	2	8	11	18	22	24
65+	85	10.1	80	2	3	8	11	19	30	52
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	12	7.6	35	2	2	7	11	15	21	22
35-49	25	12.8	61	2	5	12	17	20	31	32
50-64	30	12.2	95	2	3	9	19	22	34	44
65+	22	13.0	82	3	4	12	19	27	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	8.2	31	1	2	6	12	17	20	24
B. *Operated*	73	5.8	41	1	1	3	8	12	21	36
2. MULTIPLE DX										
A. *Not Operated*	201	9.2	58	2	2	7	11	19	23	39
B. *Operated*	90	11.9	74	2	3	9	16	22	31	40
1. SINGLE DX	160	7.1	37	1	2	5	10	15	20	25
2. MULTIPLE DX	291	10.1	65	2	2	8	13	20	25	39
A. NOT OPERATED	288	8.9	50	2	2	7	11	18	21	36
B. OPERATED	163	9.2	68	1	2	7	13	21	25	38
TOTAL 0-19 YRS	4	4.5	15	1	1	3	7	10	10	10
20-34	63	7.2	43	1	1	6	9	15	19	37
35-49	132	8.9	52	2	2	7	12	19	21	33
50-64	120	9.4	50	2	2	8	12	20	22	37
65+	132	9.8	74	2	3	8	12	20	30	43
GRAND TOTAL	**451**	**9.0**	**57**	**2**	**2**	**7**	**12**	**19**	**23**	**39**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	2.3	7	1	1	1	2	6	9	13
20-34	313	5.1	9	1	1	5	7	9	10	15
35-49	254	4.5	9	1	1	4	6	9	11	13
50-64	173	5.5	18	1	2	5	7	9	14	23
65+	91	5.8	16	1	2	5	8	10	12	23
B. *Operated*										
0-19 YRS	554	5.4	30	<1	1	3	9	11	15	29
20-34	656	3.5	14	<1	1	2	4	8	11	21
35-49	449	3.7	14	<1	1	2	4	8	12	23
50-64	518	3.2	10	1	1	2	3	6	8	17
65+	313	3.0	9	<1	1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	4.6	27	<1	1	2	6	11	16	23
20-34	365	5.5	26	1	1	5	7	10	13	25
35-49	421	5.8	18	1	2	5	8	11	14	21
50-64	506	5.9	20	1	2	5	8	11	14	21
65+	626	8.5	61	2	2	7	10	16	21	49
B. *Operated*										
0-19 YRS	564	6.8	84	1	1	3	8	14	23	52
20-34	744	4.6	39	1	1	3	5	9	16	33
35-49	608	5.6	58	1	2	4	6	11	15	41
50-64	648	6.5	77	1	2	4	7	14	21	49
65+	560	9.4	123	2	2	5	12	23	34	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1086	4.4	12	1	1	4	6	9	11	16
B. *Operated*	2490	3.9	17	<1	1	2	4	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	2133	6.4	35	1	1	5	8	12	16	28
B. *Operated*	3124	6.5	76	1	2	3	7	14	23	51
1. SINGLE DX	3576	4.0	16	1	1	3	5	9	11	19
2. MULTIPLE DX	5257	6.4	60	1	2	4	8	13	20	44
A. NOT OPERATED	3219	5.8	28	1	1	5	8	11	14	25
B. OPERATED	5614	5.3	52	1	1	3	6	11	17	39
TOTAL 0-19 YRS	1588	5.3	47	1	1	3	7	12	16	34
20-34	2078	4.5	25	1	1	3	6	9	12	26
35-49	1732	5.0	31	1	1	3	6	10	13	24
50-64	1845	5.4	39	1	2	3	6	11	15	32
65+	1590	7.6	76	1	2	5	9	17	24	56
GRAND TOTAL	**8833**	**5.5**	**43**	**1**	**1**	**3**	**7**	**11**	**16**	**34**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.4	3	<1	<1	2	3	5	6	6
35-49	7	4.0	14	<1	<1	3	4	10	12	12
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	2.0		2	2	2	2	2	2	2
35-49	3	5.0	13	2	2	4	6	9	9	9
50-64	4	3.8	10	1	1	3	6	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.6	12	1	1	3	3	9	12	12
20-34	36	7.3	26	1	2	7	10	14	17	24
35-49	31	6.0	14	3	3	4	7	11	15	17
50-64	25	4.2	7	<1	1	3	6	8	9	11
65+	16	5.1	6	2	2	5	7	8	9	10
B. Operated										
0-19 YRS										
20-34										
35-49	6	8.7	57	2	2	6	17	19	19	19
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.3	6	<1	<1	2	4	6	10	12
B. Operated	12	3.8	7	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. Not Operated	116	5.7	16	1	2	4	7	11	14	20
B. Operated	9	6.0	38	2	2	7	11	18	19	19
1. SINGLE DX	28	3.5	7	<1	1	2	5	7	8	12
2. MULTIPLE DX	125	5.9	18	1	2	4	7	11	15	20
A. NOT OPERATED	132	5.4	16	1	2	4	7	11	13	19
B. OPERATED	21	5.6	23	1	2	4	6	12	16	19
TOTAL 0-19 YRS	10	3.6	10	1	1	3	3	8	12	12
20-34	46	6.2	25	1	2	5	9	13	16	24
35-49	47	6.0	19	2	2	4	6	12	17	19
50-64	32	4.3	7	1	1	4	6	8	9	11
65+	18	5.2	5	2	2	5	7	8	9	10
GRAND TOTAL	**153**	**5.5**	**17**	**1**	**2**	**4**	**7**	**11**	**14**	**19**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	2.4	6	<1	1	1	3	5	7	14
20-34	8	6.3	37	2	2	3	9	16	17	17
35-49	9	4.1	21	1	1	3	4	12	15	15
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	66	8.3	43	2	2	7	10	18	29	88
20-34	8	9.4	60	3	3	7	15	18	19	19
35-49	9	9.1	27	1	2	10	14	15	16	16
50-64	5	12.6	46	6	6	11	15	24	24	24
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	159	5.9	94	<1	1	3	6	12	21	64
20-34	16	5.8	25	1	1	4	7	14	18	19
35-49	9	11.8	380	<1	1	6	8	43	63	63
50-64	5	6.4	12	1	1	6	9	9	9	9
65+	7	7.1	24	2	2	7	13	14	99+	99+
B. Operated										
0-19 YRS	115	12.9	211	2	2	6	17	45	59	99+
20-34	16	23.7	572	2	3	15	42	75	92	99+
35-49	17	8.0	27	1	2	9	11	14	17	19
50-64	15	17.7	533	4	4	9	13	48	77	87
65+	12	12.8	113	5	6	10	13	26	41	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	2.9	11	<1	1	2	4	6	9	17
B. Operated	69	8.9	42	2	3	7	11	18	24	73
2. MULTIPLE DX										
A. Not Operated	196	6.2	96	<1	1	4	7	13	21	94
B. Operated	175	13.8	254	2	2	9	17	45	63	99+
1. SINGLE DX	197	5.6	34	1	1	4	8	14	18	31
2. MULTIPLE DX	371	9.8	185	1	1	5	11	24	51	99+
A. NOT OPERATED	304	5.1	68	<1	1	3	6	9	16	74
B. OPERATED	264	12.2	188	2	2	6	14	31	54	99+
TOTAL 0-19 YRS	429	7.4	113	<1	1	4	8	18	31	99+
20-34	48	12.4	268	2	2	6	16	36	60	99+
35-49	43	8.3	97	1	1	6	11	14	17	63
50-64	27	13.7	322	2	4	9	11	35	54	87
65+	21	11.1	62	3	4	9	15	20	66	99+
GRAND TOTAL	**568**	**8.4**	**136**	**1**	**1**	**5**	**10**	**19**	**39**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	1.1		<1	<1	<1	1	1	2	3
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	507	2.2	3	<1	1	2	3	4	5	9
20-34	134	2.8	4	1	1	2	3	5	6	11
35-49	54	2.8	2	<1	1	2	3	4	6	9
50-64	48	2.9	2	1	1	2	4	5	6	7
65+	30	2.3	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	1.9	5	<1	<1	1	2	4	5	15
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	3	4.7	22	1	1	3	8	10	10	10
B. *Operated*										
0-19 YRS	158	2.7	5	1	1	2	3	5	7	12
20-34	43	3.6	6	1	1	3	4	7	9	13
35-49	28	3.0	4	1	1	2	4	6	7	8
50-64	65	2.4	2	1	1	2	3	4	5	9
65+	115	2.6	2	1	2	2	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	1.1		<1	<1	<1	1	1	2	4
B. *Operated*	773	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	78	2.0	6	<1	<1	1	2	4	6	15
B. *Operated*	409	2.8	4	1	1	2	3	5	7	12
1. SINGLE DX	894	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	487	2.6	4	<1	1	2	3	5	7	12
A. NOT OPERATED	199	1.5	2	<1	<1	1	1	2	4	9
B. OPERATED	1182	2.5	3	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	857	2.1	3	<1	<1	2	2	4	5	11
20-34	181	3.0	4	<1	1	2	4	5	7	12
35-49	82	2.9	3	<1	1	2	4	5	7	9
50-64	113	2.6	2	1	1	2	3	4	5	8
65+	148	2.5	2	1	2	2	3	4	6	10
GRAND TOTAL	**1381**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.6	15	<1	1	2	4	7	16	18
20-34	20	3.4	10	<1	1	2	4	9	10	11
35-49	7	6.0	31	2	2	3	8	15	17	17
50-64	5	6.4	52	2	2	3	9	19	19	19
65+	5	6.0	28	2	2	4	8	15	15	15
B. *Operated*										
0-19 YRS	529	5.4	23	1	1	4	8	11	13	24
20-34	113	4.9	20	1	2	2	7	12	14	21
35-49	62	6.3	33	1	1	3	10	15	18	22
50-64	42	5.5	22	2	2	3	9	14	15	16
65+	15	7.8	63	2	2	3	11	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	4.5	20	<1	1	3	6	9	13	25
20-34	55	5.3	18	1	2	4	7	13	16	18
35-49	43	5.9	72	<1	1	3	7	11	17	53
50-64	35	8.4	137	1	2	5	9	18	41	54
65+	67	9.4	82	1	2	7	12	16	20	56
B. *Operated*										
0-19 YRS	772	8.7	91	1	2	8	11	17	24	60
20-34	145	9.2	88	2	2	7	13	20	24	44
35-49	87	8.6	48	2	2	8	11	15	21	33
50-64	88	9.3	81	2	2	8	13	19	28	47
65+	82	13.7	125	2	2	12	18	29	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	4.0	17	<1	1	2	5	9	16	19
B. *Operated*	761	5.4	24	1	1	3	8	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	398	5.9	49	<1	1	4	7	13	16	43
B. *Operated*	1174	9.2	90	1	2	8	12	19	27	52
1. SINGLE DX	860	5.3	24	1	1	3	8	11	15	23
2. MULTIPLE DX	1572	8.3	82	1	2	6	11	17	24	49
A. NOT OPERATED	497	5.5	43	<1	1	3	7	12	16	36
B. OPERATED	1935	7.7	68	1	2	6	10	16	22	45
TOTAL 0-19 YRS	1561	6.8	59	1	1	5	9	14	19	44
20-34	333	6.8	53	1	2	4	9	15	20	33
35-49	199	7.2	49	1	2	5	10	15	19	33
50-64	170	8.1	78	2	2	5	11	17	24	48
65+	169	11.3	105	2	2	8	15	25	32	57
GRAND TOTAL	**2432**	**7.3**	**63**	**1**	**2**	**5**	**10**	**15**	**21**	**44**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	379	4.5	5	2	2	4	6	7	8	11
20-34	26	4.4	5	1	2	4	6	7	10	10
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	1.7	6	<1	<1	1	1	2	5	17
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	278	4.8	25	2	2	4	6	7	9	20
20-34	13	3.8	6	2	2	3	5	7	9	10
35-49	5	3.6	3	2	2	3	5	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	2	3	3	4	5	5	5	5
B. Operated	406	4.5	5	2	2	4	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	57	1.7	6	<1	<1	1	1	2	5	17
B. Operated	297	4.7	24	2	2	4	5	7	9	19
1. SINGLE DX	408	4.5	5	2	2	4	6	7	8	11
2. MULTIPLE DX	354	4.2	22	<1	1	4	5	7	8	18
A. NOT OPERATED	59	1.8	6	<1	<1	1	1	3	6	17
B. OPERATED	703	4.6	13	2	2	4	6	7	8	14
TOTAL 0-19 YRS	715	4.4	13	1	2	4	6	7	8	15
20-34	40	4.1	6	1	2	4	5	7	10	10
35-49	5	3.6	3	2	2	3	5	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
GRAND TOTAL	**762**	**4.4**	**13**	**1**	**2**	**4**	**6**	**7**	**8**	**15**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.5	2	1	1	2	3	5	5	7
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	359	4.3	4	2	3	4	5	7	8	12
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.4	6	<1	1	3	5	8	8	9
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	81	5.4	8	2	3	5	6	8	11	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.5	2	1	1	2	3	5	5	7
B. Operated	359	4.3	4	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	24	3.4	6	<1	1	3	5	8	8	9
B. Operated	81	5.4	8	2	3	5	6	8	11	18
1. SINGLE DX	394	4.2	4	2	2	4	5	7	7	11
2. MULTIPLE DX	105	4.9	8	1	2	5	6	8	9	17
A. NOT OPERATED	59	2.8	4	1	1	2	3	5	7	9
B. OPERATED	440	4.5	5	2	3	4	5	7	8	14
TOTAL 0-19 YRS	499	4.3	5	2	2	4	5	7	8	13
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**499**	**4.3**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.6	9	<1	<1	2	3	5	8	19
20-34	9	3.9	6	1	1	3	6	8	8	8
35-49	5	3.8	8	<1	<1	4	6	7	7	7
50-64	6	4.7	11	<1	<1	5	7	9	9	9
65+	11	4.3	10	<1	<1	3	7	9	9	9
B. *Operated*										
0-19 YRS	274	5.3	61	<1	1	3	6	11	17	30
20-34	63	4.9	43	1	1	3	5	11	12	43
35-49	18	5.6	26	<1	1	3	8	12	17	20
50-64	16	4.9	12	<1	1	4	7	10	12	13
65+	22	8.0	44	1	2	5	13	17	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	3.9	13	<1	<1	2	5	10	12	15
20-34	13	6.8	27	1	1	6	8	14	19	20
35-49	19	6.1	9	2	3	5	9	10	11	12
50-64	27	6.0	19	<1	1	4	9	13	15	18
65+	63	7.6	31	1	2	7	9	13	17	33
B. *Operated*										
0-19 YRS	251	10.7	161	1	2	7	13	28	50	99+
20-34	64	8.0	57	1	2	5	11	18	26	33
35-49	50	8.0	48	1	1	7	10	16	27	30
50-64	51	12.0	91	1	1	10	16	28	30	38
65+	68	14.6	151	2	2	13	20	25	33	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.0	9	<1	<1	2	4	7	9	16
B. *Operated*	393	5.4	53	<1	1	3	7	11	16	30
2. MULTIPLE DX										
A. *Not Operated*	224	5.5	22	<1	1	4	8	11	14	21
B. *Operated*	484	10.8	130	1	2	8	15	26	33	99+
1. SINGLE DX	514	4.8	44	<1	<1	3	6	11	15	29
2. MULTIPLE DX	708	9.1	101	1	1	6	12	21	30	82
A. NOT OPERATED	345	4.7	19	<1	<1	3	7	10	13	20
B. OPERATED	877	8.4	103	1	1	5	11	20	29	79
TOTAL 0-19 YRS	717	6.7	92	<1	1	3	8	16	26	87
20-34	149	6.3	47	1	2	4	8	13	20	33
35-49	92	6.9	34	<1	1	6	9	13	18	30
50-64	100	8.8	64	<1	1	7	13	19	28	35
65+	164	10.3	94	1	2	8	14	21	26	42
GRAND TOTAL	**1222**	**7.3**	**82**	**<1**	**1**	**4**	**9**	**17**	**25**	**57**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	2	<1	<1	1	1	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	808	2.4	2	<1	1	2	3	4	5	7
20-34	49	3.1	2	2	2	3	4	6	6	8
35-49	19	3.5	1	2	2	3	4	5	7	7
50-64	4	3.5	6	2	2	3	5	7	7	7
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	1.2		<1	<1	1	1	1	3	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	698	2.5	3	<1	<1	2	3	4	5	9
20-34	52	4.0	6	2	2	3	5	6	8	16
35-49	21	3.9	5	1	1	3	5	7	8	10
50-64	8	3.5	2	<1	1	4	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.5	2	<1	<1	1	1	4	4	4
B. *Operated*	882	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	58	1.2		<1	<1	1	1	2	3	4
B. *Operated*	780	2.6	3	<1	<1	2	3	4	6	9
1. SINGLE DX	888	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	838	2.5	3	<1	<1	2	3	4	6	9
A. NOT OPERATED	64	1.2		<1	<1	1	1	2	3	4
B. OPERATED	1662	2.6	2	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	1567	2.4	2	<1	<1	2	3	4	5	8
20-34	103	3.5	4	2	2	3	4	6	7	13
35-49	40	3.7	3	1	2	3	4	6	7	10
50-64	13	3.3	3	<1	1	3	4	6	7	7
65+	3	2.7		2	2	3	3	3	3	3
GRAND TOTAL	**1726**	**2.5**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	4.1	35	<1	<1	2	4	9	21	27
20-34	14	2.8	6	<1	<1	2	5	6	8	8
35-49	6	4.3	19	2	2	3	4	12	13	13
50-64	3	2.7		2	2	3	3	3	3	3
65+	5	5.4	43	1	1	3	7	17	17	17
B. Operated										
0-19 YRS	598	5.7	19	<1	1	5	9	11	14	17
20-34	216	4.4	24	<1	<1	3	6	8	13	20
35-49	50	4.5	17	<1	1	3	6	8	16	17
50-64	29	4.5	13	<1	<1	3	7	9	12	13
65+	17	8.7	73	1	2	6	10	24	27	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	4.1	31	<1	<1	1	5	11	13	28
20-34	24	4.9	14	1	2	3	7	10	13	15
35-49	41	8.2	60	2	2	6	10	19	26	37
50-64	34	6.2	26	1	2	6	9	9	15	27
65+	34	9.3	40	3	4	8	12	16	26	26
B. Operated										
0-19 YRS	421	7.2	56	<1	1	5	10	15	21	35
20-34	208	6.6	43	<1	1	5	8	14	18	35
35-49	142	6.5	27	1	2	6	8	13	16	22
50-64	97	9.8	87	2	2	8	12	21	30	45
65+	66	8.7	71	1	2	7	11	20	24	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	3.8	24	<1	<1	2	4	8	15	27
B. Operated	910	5.4	21	<1	1	4	8	11	14	19
2. MULTIPLE DX										
A. Not Operated	196	6.3	39	<1	1	4	9	13	19	30
B. Operated	934	7.3	54	<1	1	6	10	15	21	37
1. SINGLE DX	968	5.3	22	<1	1	4	8	11	14	20
2. MULTIPLE DX	1130	7.1	51	<1	1	5	9	15	21	36
A. NOT OPERATED	254	5.8	37	<1	1	4	8	12	18	29
B. OPERATED	1844	6.4	39	<1	1	5	9	13	16	31
TOTAL 0-19 YRS	1112	6.1	35	<1	1	5	9	13	16	26
20-34	462	5.4	33	<1	1	4	7	11	15	32
35-49	239	6.3	32	1	2	5	8	13	17	31
50-64	163	8.0	64	1	2	6	9	18	25	41
65+	122	8.8	61	1	2	7	11	21	25	37
GRAND TOTAL	**2098**	**6.3**	**39**	**<1**	**1**	**5**	**9**	**13**	**17**	**31**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.4	1	<1	1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	321	3.6	4	1	2	3	4	6	8	11
20-34	19	4.3	5	2	2	5	5	7	9	11
35-49	16	3.6	3	<1	1	4	5	5	7	8
50-64	6	4.2	6	1	1	4	5	8	8	8
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.5	33	<1	<1	1	1	6	8	34
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	207	4.9	13	2	2	4	6	8	10	18
20-34	58	5.1	48	2	2	4	5	7	11	51
35-49	44	4.8	5	2	3	4	6	8	11	11
50-64	37	4.7	5	2	3	4	6	9	9	10
65+	21	6.0	11	3	3	5	7	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	1.4	1	<1	1	1	2	3	3	3
B. Operated	362	3.6	4	1	2	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	37	2.5	31	<1	<1	1	1	6	7	34
B. Operated	367	5.0	17	2	2	4	6	8	10	17
1. SINGLE DX	378	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX	404	4.7	19	1	2	4	6	8	10	18
A. NOT OPERATED	53	2.2	22	<1	<1	1	1	4	6	33
B. OPERATED	729	4.3	11	1	2	4	5	7	9	15
TOTAL 0-19 YRS	578	3.9	10	1	1	3	5	7	9	15
20-34	80	4.8	37	2	2	4	5	7	10	43
35-49	60	4.5	5	2	2	4	5	8	9	11
50-64	43	4.6	5	1	2	4	6	8	9	10
65+	21	6.0	11	3	3	5	7	11	14	15
GRAND TOTAL	**782**	**4.2**	**12**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	2.7	9	<1	<1	1	3	6	9	15
20-34	12	4.9	11	<1	1	4	7	9	12	12
35-49	28	4.8	11	1	2	4	6	9	13	13
50-64	20	8.4	34	1	1	8	12	16	18	20
65+	9	6.7	5	4	4	6	9	10	10	10
B. *Operated*										
0-19 YRS	1311	4.6	19	1	1	3	6	9	12	22
20-34	434	3.6	15	1	1	2	4	7	11	18
35-49	225	4.1	24	1	1	3	4	9	14	23
50-64	107	5.2	19	1	1	4	8	10	12	24
65+	33	6.3	28	2	2	4	9	13	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	4.4	46	<1	<1	2	4	10	16	28
20-34	48	6.4	45	<1	1	4	8	18	27	28
35-49	59	7.1	21	1	1	7	11	14	15	17
50-64	80	11.1	109	1	3	9	14	23	30	93
65+	91	10.6	70	2	3	8	14	21	28	43
B. *Operated*										
0-19 YRS	721	7.8	92	1	2	5	9	20	25	56
20-34	329	4.9	38	1	1	3	5	11	15	40
35-49	190	5.3	30	1	1	3	7	13	17	25
50-64	149	8.9	78	2	2	6	12	17	25	47
65+	96	12.0	117	2	3	10	16	27	38	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.5	14	<1	<1	2	4	9	13	17
B. *Operated*	2110	4.4	19	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	539	6.9	64	<1	1	4	9	16	21	38
B. *Operated*	1485	7.2	76	1	1	4	9	17	24	50
1. SINGLE DX	2387	4.3	19	1	1	3	5	9	12	21
2. MULTIPLE DX	2024	7.2	73	1	1	4	9	16	23	47
A. NOT OPERATED	816	5.8	50	<1	1	3	8	14	18	31
B. OPERATED	3595	5.6	45	1	1	3	7	12	18	37
TOTAL 0-19 YRS	2501	5.3	45	<1	1	3	6	11	17	34
20-34	823	4.3	27	1	1	3	5	9	14	31
35-49	502	5.0	26	1	1	3	6	11	15	23
50-64	356	8.3	69	1	2	6	11	17	23	47
65+	229	10.4	85	2	3	8	14	22	29	68
GRAND TOTAL	**4411**	**5.6**	**46**	**1**	**1**	**3**	**7**	**12**	**18**	**36**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1423	4.5	30	1	1	3	5	10	16	30
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	38	6.9	63	1	2	4	9	18	35	99+
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1157	11.1	171	1	2	6	14	26	37	71
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	118	23.0	604	2	3	16	45	96	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1423	4.5	30	1	1	3	5	10	16	30
B. *Operated*	38	6.9	63	1	2	4	9	18	35	99+
2. MULTIPLE DX										
A. *Not Operated*	1157	11.1	171	1	2	6	14	26	37	71
B. *Operated*	118	23.0	604	2	3	16	45	96	99+	99+
1. SINGLE DX	1461	4.6	31	1	1	3	5	10	16	30
2. MULTIPLE DX	1275	12.2	222	1	2	7	15	30	47	99
A. NOT OPERATED	2580	7.5	103	1	1	4	8	19	27	54
B. OPERATED	156	19.1	519	2	2	11	29	91	99+	99+
TOTAL 0-19 YRS	2736	8.1	134	1	1	4	9	21	31	80
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2736**	**8.1**	**134**	**1**	**1**	**4**	**9**	**21**	**31**	**80**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1670	3.0	6	<1	1	2	4	5	7	13
20-34	659	3.6	9	1	1	3	5	7	9	15
35-49	330	4.3	15	1	1	3	5	8	11	22
50-64	217	4.7	11	1	1	4	6	9	11	18
65+	183	5.4	26	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	11	3.8	5	1	1	3	6	7	8	8
20-34	15	8.1	136	2	2	5	8	11	39	49
35-49	13	5.3	27	2	2	4	5	10	20	22
50-64	12	5.3	13	1	2	4	7	10	13	14
65+	7	7.3	48	1	2	5	8	19	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1954	3.9	20	1	1	3	5	7	10	22
20-34	695	5.3	31	1	1	4	6	10	14	29
35-49	759	6.4	42	1	2	5	8	13	17	33
50-64	923	7.1	54	1	2	5	9	13	18	43
65+	1457	9.3	76	2	3	7	11	17	24	56
B. *Operated*										
0-19 YRS	46	11.4	193	1	2	6	14	35	50	99+
20-34	34	8.1	48	1	2	6	11	17	21	34
35-49	53	10.5	81	2	3	9	14	40	99+	99+
50-64	85	13.8	220	3	4	9	15	30	37	88
65+	132	15.6	195	3	5	11	19	40	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3059	3.5	10	1	1	3	4	7	9	16
B. *Operated*	58	6.0	50	1	2	4	7	10	19	47
2. MULTIPLE DX										
A. *Not Operated*	5788	6.3	48	1	1	4	8	13	17	38
B. *Operated*	350	13.1	174	2	3	10	16	32	49	99+
1. SINGLE DX	3117	3.6	10	1	1	3	4	7	9	16
2. MULTIPLE DX	6138	6.7	58	1	2	5	8	13	19	44
A. NOT OPERATED	8847	5.3	36	1	1	4	6	11	15	31
B. OPERATED	408	12.1	162	2	2	8	15	30	47	99+
TOTAL 0-19 YRS	3681	3.6	16	1	1	3	4	7	9	19
20-34	1403	4.6	23	1	1	3	6	9	12	23
35-49	1155	6.0	38	1	2	4	7	13	17	34
50-64	1237	7.1	61	1	2	5	9	13	18	43
65+	1779	9.3	84	2	3	7	11	18	26	65
GRAND TOTAL	**9255**	**5.6**	**44**	**1**	**1**	**4**	**7**	**12**	**16**	**37**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	3.2	5	1	1	3	4	5	7	11
20-34	88	4.3	7	1	2	3	6	8	9	14
35-49	54	5.6	11	2	2	5	7	11	13	14
50-64	61	6.1	18	1	2	5	8	10	14	23
65+	62	7.3	63	1	2	5	9	14	18	53
B. *Operated*										
0-19 YRS	8	6.4	42	<1	<1	5	7	17	21	21
20-34	10	6.4	13	<1	1	6	10	11	11	11
35-49	13	8.7	34	<1	<1	9	12	18	20	20
50-64	9	13.0	47	7	7	11	14	24	30	30
65+	9	10.7	29	1	2	13	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	598	3.6	8	1	1	3	4	6	7	13
20-34	191	5.7	27	1	2	4	6	12	16	30
35-49	191	6.4	21	1	2	5	8	12	14	27
50-64	359	7.1	35	2	3	6	9	12	15	26
65+	856	8.5	54	2	3	7	10	15	19	40
B. *Operated*										
0-19 YRS	20	9.8	73	1	3	6	14	29	64	99+
20-34	33	14.7	143	3	5	11	17	33	42	57
35-49	43	12.4	125	3	3	10	15	21	41	57
50-64	75	13.6	68	3	4	11	18	25	32	36
65+	138	17.5	130	4	6	15	23	35	40	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	4.2	14	1	1	3	5	8	10	19
B. *Operated*	49	9.0	36	<1	1	9	12	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	2195	6.5	38	1	2	5	8	12	16	29
B. *Operated*	309	15.1	117	3	4	13	20	32	37	57
1. SINGLE DX	726	4.5	17	1	1	3	5	9	11	21
2. MULTIPLE DX	2504	7.6	55	1	2	5	9	15	20	39
A. NOT OPERATED	2872	6.0	33	1	2	4	7	12	15	26
B. OPERATED	358	14.2	110	3	4	11	18	29	36	56
TOTAL 0-19 YRS	1038	3.6	9	1	1	3	4	6	8	20
20-34	322	6.3	41	1	2	4	7	13	17	34
35-49	301	7.2	39	1	2	6	9	13	16	38
50-64	504	8.1	44	2	3	6	10	15	21	33
65+	1065	9.6	74	2	3	8	12	18	25	45
GRAND TOTAL	**3230**	**6.9**	**48**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	3.1	6	--1	1	2	4	6	8	13
20-34	201	3.4	6	1	1	3	4	6	9	13
35-49	129	4.0	9	1	1	3	5	7	9	17
50-64	54	3.2	5	1	1	3	4	6	8	10
65+	10	4.3	12	1	1	3	6	10	11	15
B. Operated										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	23	4.1	9	2	2	3	5	7	11	15
35-49	15	4.1	6	2	2	3	5	6	10	11
50-64	12	2.7	3	1	1	2	3	6	7	7
65+	6	5.3	17	2	2	4	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108	3.3	5	1	1	3	4	7	8	12
20-34	284	4.2	10	1	1	4	5	7	10	18
35-49	210	5.8	27	1	2	4	7	11	15	27
50-64	192	5.5	18	1	2	4	7	11	13	23
65+	161	6.4	31	1	2	4	8	14	17	27
B. Operated										
0-19 YRS	6	5.7	15	2	2	5	8	11	11	11
20-34	22	8.1	164	2	2	5	8	11	32	64
35-49	23	7.1	39	1	2	5	9	19	22	22
50-64	33	7.7	51	2	2	5	11	21	22	30
65+	37	9.5	34	2	3	8	13	17	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	521	3.5	7	1	1	3	5	7	9	13
B. Operated	61	3.8	8	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	955	5.1	19	1	1	4	6	10	13	23
B. Operated	121	6.1	61	2	2	6	10	17	22	40
1. SINGLE DX	582	3.5	7	1	1	3	5	7	9	14
2. MULTIPLE DX	1076	5.4	25	1	2	4	7	11	15	24
A. NOT OPERATED	1476	4.5	15	1	1	4	6	9	12	21
B. OPERATED	182	6.6	48	2	2	4	8	15	18	30
TOTAL 0-19 YRS	226	3.2	6	1	1	3	4	7	8	12
20-34	530	4.1	15	1	1	3	5	7	10	16
35-49	377	5.2	21	1	2	4	6	10	15	24
50-64	291	5.2	20	1	1	4	6	11	13	23
65+	234	6.6	30	1	2	5	8	15	18	28
GRAND TOTAL	**1658**	**4.8**	**19**	**1**	**1**	**4**	**6**	**9**	**13**	**22**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.3	3	<1	1	2	3	4	6	8
20-34	62	3.2	3	1	1	3	4	6	7	8
35-49	67	3.4	4	1	1	3	5	5	6	12
50-64	112	3.6	4	1	1	3	5	6	7	10
65+	140	3.4	5	1	1	3	4	6	6	11
B. Operated										
0-19 YRS	26	2.4	5	<1	<1	1	3	6	8	9
20-34	51	4.9	8	1	2	5	6	9	10	14
35-49	61	5.2	10	1	2	5	6	8	13	17
50-64	110	5.2	7	2	2	5	7	9	10	12
65+	80	4.7	6	1	2	4	6	8	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	3.1	3	1	1	3	4	6	7	7
20-34	32	3.7	6	1	1	3	5	6	10	14
35-49	69	4.9	17	1	1	4	6	9	10	26
50-64	221	4.9	23	1	2	4	6	8	11	33
65+	495	5.6	22	1	2	4	7	11	14	24
B. Operated										
0-19 YRS	15	4.4	14	1	1	3	7	11	12	12
20-34	29	5.1	11	1	2	4	6	10	11	16
35-49	72	6.0	11	2	3	5	7	10	12	17
50-64	185	6.7	18	1	3	6	9	13	15	25
65+	267	8.0	56	2	2	6	9	17	22	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	410	3.3	4	1	1	3	4	6	7	11
B. Operated	338	4.7	8	<1	1	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	804	5.1	21	1	1	4	6	9	13	24
B. Operated	589	7.1	36	1	2	6	9	14	19	32
1. SINGLE DX	748	4.0	7	1	1	3	5	7	9	13
2. MULTIPLE DX	1473	5.9	26	1	2	5	7	11	15	29
A. NOT OPERATED	1294	4.6	16	1	1	4	6	9	11	20
B. OPERATED	927	6.3	27	1	2	5	8	11	16	26
TOTAL 0-19 YRS	129	2.9	5	<1	<1	2	4	6	7	12
20-34	174	4.1	8	1	1	4	5	7	9	14
35-49	289	4.9	12	1	1	4	6	8	10	17
50-64	628	5.3	17	1	2	4	6	10	12	22
65+	1002	5.9	31	1	2	4	7	12	16	29
GRAND TOTAL	**2221**	**5.3**	**22**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.6	4	1	2	3	5	7	8	8
20-34	27	3.4	6	<1	1	3	5	6	8	13
35-49	17	2.8	5	<1	1	2	4	6	8	9
50-64	17	2.4	1	<1	1	2	3	4	4	4
65+	18	3.7	8	1	1	3	4	6	10	13
B. *Operated*										
0-19 YRS	180	2.3	5	<1	<1	2	2	4	7	12
20-34	216	2.7	13	<1	<1	2	3	5	7	17
35-49	126	2.5	4	<1	<1	2	3	4	6	12
50-64	101	2.9	6	<1	<1	2	3	6	9	12
65+	44	3.4	29	<1	1	2	3	6	7	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.4	33	<1	1	4	7	9	21	29
20-34	50	4.7	13	1	1	4	6	8	13	18
35-49	75	5.3	47	1	1	4	6	9	11	45
50-64	106	5.3	25	1	1	4	7	11	16	27
65+	193	9.0	84	1	2	6	11	20	27	49
B. *Operated*										
0-19 YRS	51	5.0	91	<1	<1	2	6	9	14	66
20-34	105	6.4	31	1	1	4	9	14	16	26
35-49	89	7.0	86	1	1	4	7	15	18	55
50-64	130	6.5	63	1	2	4	7	14	25	40
65+	109	9.0	93	1	2	4	13	27	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.3	5	1	1	3	4	6	7	13
B. *Operated*	667	2.6	9	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	476	6.7	55	1	1	4	8	15	22	38
B. *Operated*	484	7.0	71	1	1	4	9	16	25	56
1. SINGLE DX	792	2.7	8	<1	<1	2	3	5	7	13
2. MULTIPLE DX	960	6.9	63	1	1	4	8	15	22	46
A. NOT OPERATED	601	6.0	47	1	1	4	7	13	19	33
B. OPERATED	1151	4.5	40	<1	1	2	4	10	15	38
TOTAL 0-19 YRS	329	3.4	24	<1	<1	2	4	7	9	23
20-34	398	4.0	20	<1	1	2	5	9	13	21
35-49	307	4.5	42	<1	1	2	5	9	13	43
50-64	354	4.9	35	<1	1	3	6	10	14	33
65+	364	8.1	80	1	2	5	11	20	29	62
GRAND TOTAL	**1752**	**5.0**	**43**	**<1**	**1**	**3**	**6**	**11**	**17**	**37**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	2	5.0	32	<1	<1	4	9	9	9	9
B. *Operated*										
0-19 YRS	5	4.4	13	1	1	3	7	10	10	10
20-34	12	7.8	78	1	2	4	10	21	30	32
35-49	11	8.4	119	1	1	3	11	24	37	38
50-64	26	18.5	204	2	2	18	24	42	45	47
65+	53	17.5	257	3	3	14	22	40	79	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	89	4	4	8	18	22	22	22
20-34										
35-49	6	17.8	159	4	4	16	25	36	37	37
50-64	22	9.2	102	1	2	7	10	17	30	49
65+	100	9.7	46	2	3	8	12	22	26	64
B. *Operated*										
0-19 YRS	10	10.5	211	1	1	3	11	35	46	46
20-34	27	11.6	315	2	2	4	11	26	62	75
35-49	44	29.2	760	2	2	23	46	80	93	99+
50-64	269	25.1	385	4	7	20	34	66	87	99+
65+	788	26.8	379	6	8	22	38	64	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.3	12	<1	<1	6	8	9	9	9
B. *Operated*	107	15.1	216	1	2	12	21	38	46	99+
2. MULTIPLE DX										
A. *Not Operated*	131	10.0	62	2	3	8	12	23	27	58
B. *Operated*	1138	26.0	399	4	7	21	37	64	84	99+
1. SINGLE DX	113	14.6	210	1	2	11	20	38	46	99+
2. MULTIPLE DX	1269	24.3	388	4	6	19	34	61	81	99+
A. NOT OPERATED	137	9.8	61	2	2	8	12	23	26	55
B. OPERATED	1245	25.0	392	3	6	20	35	62	82	99+
TOTAL 0-19 YRS	19	8.5	129	1	1	4	10	24	37	46
20-34	40	10.3	235	2	2	4	10	24	46	75
35-49	61	24.3	646	1	2	12	34	67	91	99+
50-64	319	23.3	367	3	5	18	32	58	83	99+
65+	943	24.4	367	4	6	19	34	61	80	99+
GRAND TOTAL	**1382**	**23.5**	**380**	**3**	**5**	**18**	**33**	**59**	**80**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.6	3	1	1	2	3	5	5	11
20-34	469	2.7	3	1	1	2	3	5	6	10
35-49	1539	3.1	3	1	1	3	4	5	7	9
50-64	1282	3.4	4	1	1	3	4	6	7	10
65+	453	3.4	5	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	38	3.8	11	1	1	2	5	8	11	15
35-49	183	3.1	6	1	2	2	3	6	9	12
50-64	256	2.7	3	2	2	2	3	5	7	10
65+	48	3.4	10	1	1	2	3	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.1	4	1	1	3	4	5	7	12
20-34	614	3.7	6	1	1	3	5	7	9	12
35-49	2667	3.9	7	1	2	3	5	7	9	14
50-64	3903	4.4	10	1	2	4	5	8	10	15
65+	2821	5.0	16	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	3	7.0	21	2	2	8	10	11	11	11
20-34	64	4.7	13	2	2	3	6	9	14	17
35-49	373	4.8	18	2	2	3	7	10	14	19
50-64	593	5.4	31	2	2	3	7	12	16	25
65+	237	7.5	44	2	2	5	10	17	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3813	3.2	4	1	1	3	4	6	7	10
B. *Operated*	527	3.0	5	1	2	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	10083	4.4	11	1	2	4	5	8	10	16
B. *Operated*	1270	5.6	29	2	2	3	8	12	16	27
1. SINGLE DX	4340	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX	11353	4.5	13	1	2	4	6	8	11	17
A. NOT OPERATED	13896	4.1	9	1	1	3	5	7	9	15
B. OPERATED	1797	4.8	24	2	2	3	6	11	14	25
TOTAL 0-19 YRS	153	2.9	4	1	1	2	4	5	7	12
20-34	1185	3.4	6	1	1	3	4	7	8	12
35-49	4762	3.7	7	1	1	3	5	7	8	14
50-64	6034	4.2	11	1	2	3	5	8	10	16
65+	3559	5.0	17	1	2	4	6	9	12	23
GRAND TOTAL	**15693**	**4.2**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	415	2.9	7	1	1	2	4	6	9	14
20-34	31	2.3	2	<1	<1	2	3	4	6	7
35-49	29	3.0	4	1	1	2	4	7	7	7
50-64	41	4.8	43	<1	1	3	4	9	22	34
65+	54	3.9	10	<1	1	3	5	8	9	16
B. *Operated*										
0-19 YRS	19	2.7	4	<1	1	2	3	4	7	10
20-34	24	3.1	5	<1	1	2	4	5	8	10
35-49	57	3.7	10	<1	1	3	4	9	11	15
50-64	103	3.4	7	<1	1	2	4	7	9	14
65+	67	5.0	44	1	1	3	6	10	13	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	362	4.3	21	1	1	3	5	9	14	22
20-34	99	4.0	14	1	1	3	5	8	10	23
35-49	120	4.9	52	1	1	3	6	9	13	37
50-64	352	6.9	37	1	2	6	8	13	18	32
65+	691	8.5	69	2	2	7	11	16	20	42
B. *Operated*										
0-19 YRS	29	7.0	89	<1	<1	3	11	23	42	99+
20-34	36	3.9	8	<1	1	3	5	9	10	11
35-49	71	5.5	25	1	2	4	7	12	16	26
50-64	266	7.4	72	1	2	5	10	15	18	46
65+	366	8.5	65	1	2	6	11	19	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	3.1	10	1	1	2	4	6	9	16
B. *Operated*	270	3.8	17	<1	1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1624	6.6	50	1	1	5	8	14	18	33
B. *Operated*	768	7.6	64	1	2	5	10	16	22	41
1. SINGLE DX	840	3.3	12	<1	1	2	4	7	9	15
2. MULTIPLE DX	2392	6.9	54	1	2	5	9	14	19	35
A. NOT OPERATED	2194	5.7	42	1	1	4	7	12	16	30
B. OPERATED	1038	6.6	54	1	1	4	9	14	20	37
TOTAL 0-19 YRS	825	3.6	17	1	1	2	4	8	11	20
20-34	190	3.6	10	1	1	3	4	7	9	15
35-49	277	4.6	32	1	1	3	6	9	14	21
50-64	762	6.5	47	1	2	5	8	13	17	34
65+	1178	8.1	65	1	2	6	10	16	21	38
GRAND TOTAL	**3232**	**6.0**	**46**	**1**	**1**	**4**	**8**	**13**	**17**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.3	2	1	1	2	3	4	5	7
20-34	433	2.1	2	1	1	2	2	4	5	7
35-49	527	2.2	3	1	1	2	3	4	5	8
50-64	307	2.3	2	1	1	2	3	4	5	8
65+	155	3.4	11	1	1	3	4	6	7	23
B. *Operated*										
0-19 YRS	85	2.1	4	<1	<1	1	2	5	7	10
20-34	93	4.2	7	1	1	4	6	7	9	14
35-49	76	5.1	12	1	2	5	7	8	11	19
50-64	66	5.3	11	1	1	5	7	10	11	16
65+	84	6.4	26	1	2	5	9	13	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.3	5	<1	1	3	4	6	8	10
20-34	283	3.1	6	1	1	2	4	5	7	12
35-49	336	3.3	7	1	1	3	4	6	8	12
50-64	420	3.9	13	1	1	3	5	7	10	23
65+	604	6.7	70	1	2	4	8	14	20	63
B. *Operated*										
0-19 YRS	56	5.2	66	<1	<1	2	5	18	26	38
20-34	74	7.1	52	1	2	5	8	13	21	43
35-49	115	5.8	19	1	2	5	7	11	15	23
50-64	201	8.1	36	2	2	7	11	16	18	30
65+	485	12.6	116	2	4	10	15	23	34	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1506	2.3	3	1	1	2	3	4	5	8
B. *Operated*	404	4.6	14	<1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	1711	4.6	33	1	1	3	5	9	12	32
B. *Operated*	931	9.9	87	1	2	8	13	20	26	61
1. SINGLE DX	1910	2.8	6	1	1	2	3	6	7	13
2. MULTIPLE DX	2642	6.5	58	1	1	4	8	14	20	43
A. NOT OPERATED	3217	3.5	20	1	1	2	4	7	9	23
B. OPERATED	1335	8.3	71	1	2	6	10	17	23	46
TOTAL 0-19 YRS	293	3.0	17	<1	<1	2	3	6	8	25
20-34	883	3.0	10	1	1	2	4	6	8	14
35-49	1054	3.2	8	1	1	2	4	6	8	15
50-64	994	4.3	18	1	1	3	5	9	13	22
65+	1328	8.5	88	1	2	6	11	18	25	64
GRAND TOTAL	**4552**	**4.9**	**40**	**1**	**1**	**3**	**6**	**11**	**15**	**33**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1838	2.3	3	1	1	2	3	4	6	8
20-34	1604	2.8	5	1	1	2	4	5	7	11
35-49	762	3.4	6	1	1	3	4	6	8	13
50-64	462	3.5	8	<1	1	3	4	7	9	12
65+	356	4.1	13	1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	143	4.2	7	1	1	4	5	7	9	15
20-34	239	3.8	8	<1	1	3	5	7	9	15
35-49	93	4.7	19	<1	<1	4	6	9	12	24
50-64	52	4.6	18	1	1	3	6	8	10	24
65+	26	4.8	10	1	1	4	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	969	2.9	4	1	1	2	4	5	7	11
20-34	1240	3.6	9	1	1	3	5	7	9	15
35-49	842	4.8	19	1	1	4	6	9	11	19
50-64	1010	5.2	15	1	2	4	7	10	12	18
65+	1590	6.3	39	1	2	5	8	11	15	27
B. *Operated*										
0-19 YRS	108	4.2	7	<1	1	4	5	9	10	13
20-34	288	5.9	33	<1	1	4	8	13	16	30
35-49	174	7.9	40	1	2	6	10	15	19	32
50-64	153	9.2	66	2	2	7	11	18	23	37
65+	238	10.3	70	2	3	9	12	21	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5022	2.9	5	1	1	2	4	6	7	11
B. *Operated*	553	4.2	11	<1	1	4	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	5651	4.7	21	1	1	4	6	9	11	20
B. *Operated*	961	7.7	50	1	2	6	10	16	21	35
1. SINGLE DX	5575	3.0	6	1	1	2	4	6	8	12
2. MULTIPLE DX	6612	5.1	26	1	1	4	6	10	13	23
A. NOT OPERATED	10673	3.9	14	1	1	3	5	8	10	16
B. OPERATED	1514	6.4	38	1	1	5	8	13	18	31
TOTAL 0-19 YRS	3058	2.7	4	1	1	2	3	5	6	10
20-34	3371	3.5	10	1	1	3	4	7	9	16
35-49	1871	4.5	17	1	1	3	6	9	11	19
50-64	1677	5.1	20	1	1	4	6	10	13	21
65+	2210	6.4	40	1	2	5	8	12	15	29
GRAND TOTAL	**12187**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.1	10	<1	1	2	4	6	8	14
20-34	79	3.3	5	1	1	3	4	7	8	10
35-49	64	3.6	13	<1	<1	2	5	9	10	19
50-64	55	4.1	17	<1	1	2	5	9	12	23
65+	67	5.2	68	1	1	3	6	10	14	57
B. *Operated*										
0-19 YRS	14	3.9	11	<1	1	3	5	9	11	11
20-34	30	3.4	9	<1	1	3	5	6	10	15
35-49	31	3.2	13	<1	<1	2	4	7	12	17
50-64	34	4.1	16	<1	1	3	5	9	14	18
65+	34	4.7	18	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	3.2	8	1	1	2	4	7	9	15
20-34	227	4.0	14	<1	1	3	5	9	12	18
35-49	220	5.3	29	1	1	4	7	12	16	28
50-64	357	6.0	27	1	1	5	8	12	15	26
65+	840	8.1	68	1	2	6	10	16	21	43
B. *Operated*										
0-19 YRS	30	9.7	232	1	2	4	8	24	27	79
20-34	53	4.8	17	1	1	4	7	11	14	19
35-49	80	7.8	46	1	1	6	11	16	18	36
50-64	176	10.0	125	1	2	7	13	21	25	67
65+	265	14.4	185	2	3	10	19	33	46	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	436	3.6	20	<1	1	2	4	7	10	19
B. *Operated*	143	3.9	14	<1	1	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	1961	6.1	43	1	1	4	8	13	17	32
B. *Operated*	604	11.2	146	1	2	7	14	24	39	64
1. SINGLE DX	579	3.7	18	<1	1	2	5	8	10	19
2. MULTIPLE DX	2565	7.3	72	1	1	5	9	15	22	46
A. NOT OPERATED	2397	5.7	40	1	1	4	7	12	16	29
B. OPERATED	747	9.8	129	1	1	6	13	22	29	55
TOTAL 0-19 YRS	532	3.6	24	1	1	2	4	7	10	22
20-34	389	3.9	12	1	1	3	5	8	11	18
35-49	395	5.4	30	<1	1	4	7	12	17	28
50-64	622	6.9	57	1	1	5	9	14	19	34
65+	1206	9.2	100	1	2	6	11	19	26	58
GRAND TOTAL	**3144**	**6.6**	**64**	**1**	**1**	**4**	**8**	**14**	**20**	**45**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	869	4.1	26	1	1	3	5	8	11	23
20-34	411	3.8	20	<1	1	3	5	7	9	25
35-49	406	3.5	12	1	1	3	4	6	7	16
50-64	504	3.7	16	1	1	3	5	7	9	18
65+	762	5.6	59	1	1	4	6	10	15	58
B. *Operated*										
0-19 YRS	88	3.7	23	<1	<1	2	4	7	13	27
20-34	129	2.6	6	<1	1	2	3	5	7	15
35-49	162	2.9	5	<1	1	2	3	6	8	12
50-64	148	3.2	12	1	1	2	3	7	9	13
65+	112	4.5	40	1	1	3	5	9	14	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1135	5.2	45	1	1	3	6	10	16	31
20-34	731	4.7	30	1	1	3	6	8	13	25
35-49	973	5.1	26	1	1	4	6	9	12	24
50-64	2461	5.9	29	1	2	4	7	12	16	26
65+	6464	7.8	55	2	2	6	9	15	20	45
B. *Operated*										
0-19 YRS	110	11.2	248	1	2	6	12	35	67	99+
20-34	142	7.3	134	<1	1	3	9	16	33	73
35-49	202	6.7	85	1	1	4	8	14	20	69
50-64	431	10.5	165	1	2	6	12	25	38	81
65+	961	14.5	214	2	3	10	18	34	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2952	4.3	31	1	1	3	5	8	11	28
B. *Operated*	639	3.3	16	<1	1	2	3	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	11764	6.7	46	1	2	5	8	13	18	37
B. *Operated*	1846	11.9	192	1	2	8	15	29	45	99+
1. SINGLE DX	3591	4.1	28	1	1	3	5	8	10	26
2. MULTIPLE DX	13610	7.5	69	1	2	5	9	15	21	51
A. NOT OPERATED	14716	6.3	44	1	1	4	8	12	17	35
B. OPERATED	2485	9.7	161	1	1	5	12	24	37	90
TOTAL 0-19 YRS	2202	5.0	49	1	1	3	6	10	15	37
20-34	1413	4.5	36	1	1	3	5	8	13	29
35-49	1743	4.7	29	1	1	3	6	9	12	25
50-64	3544	6.0	46	1	1	4	7	12	17	35
65+	8299	8.3	79	2	2	6	10	16	24	56
GRAND TOTAL	**17201**	**6.8**	**63**	**1**	**1**	**5**	**8**	**14**	**20**	**47**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	340	2.2	2	1	1	2	3	4	5	7
20-34	29	5.4	28	1	1	4	7	12	15	25
35-49	7	10.3	105	1	1	7	18	26	28	28
50-64	4	6.8	30	2	2	5	11	14	14	14
65+	5	3.4	8	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	60	5.7	14	2	2	5	7	10	12	22
20-34	24	9.2	167	1	1	6	8	18	36	65
35-49	6	7.8	49	2	2	7	8	20	21	21
50-64	2	6.0		6	6	6	6	6	6	6
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	4.7	40	1	1	3	5	10	17	29
20-34	38	5.7	26	1	1	4	8	13	15	24
35-49	41	6.9	28	1	2	5	10	14	16	26
50-64	23	10.6	64	3	4	8	13	18	30	39
65+	30	9.5	78	1	2	6	14	19	23	43
B. *Operated*										
0-19 YRS	87	11.4	167	1	2	8	14	25	44	61
20-34	93	18.2	429	1	3	10	23	67	76	99+
35-49	37	16.8	206	1	2	12	23	40	47	53
50-64	23	26.5	694	4	4	17	52	94	99+	99+
65+	23	17.4	189	2	3	13	28	37	42	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	2.7	8	1	1	2	3	5	7	15
B. *Operated*	94	6.7	55	2	2	5	7	11	17	47
2. MULTIPLE DX										
A. *Not Operated*	342	5.9	45	1	1	4	7	14	18	33
B. *Operated*	263	16.4	327	1	2	10	22	46	67	99+
1. SINGLE DX	479	3.5	20	1	1	2	4	7	8	22
2. MULTIPLE DX	605	10.5	194	1	1	6	12	26	45	95
A. NOT OPERATED	727	4.2	28	1	1	2	5	10	14	25
B. OPERATED	357	13.9	273	1	2	8	17	39	61	99+
TOTAL 0-19 YRS	697	4.4	43	1	1	2	5	9	15	35
20-34	184	12.4	282	1	1	7	14	32	67	99+
35-49	91	11.3	127	1	2	8	14	27	39	51
50-64	52	17.2	401	3	4	10	17	54	91	99+
65+	60	11.9	132	1	2	8	16	31	38	45
GRAND TOTAL	**1084**	**7.4**	**129**	**1**	**1**	**3**	**8**	**18**	**29**	**72**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	2.7	6	1	1	2	3	5	7	15
20-34	44	6.0	58	1	1	4	8	11	16	47
35-49	16	6.8	57	<1	1	4	8	17	26	29
50-64	13	5.3	36	1	1	3	6	14	20	22
65+	7	5.9	24	<1	<1	4	10	13	14	14
B. *Operated*										
0-19 YRS	23	8.4	44	1	2	6	12	18	23	25
20-34	15	6.9	25	1	2	7	8	15	16	16
35-49	3	5.3	5	4	4	4	7	8	8	8
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	5.6	42	1	1	3	7	12	19	36
20-34	104	6.8	32	1	2	5	9	13	20	29
35-49	65	10.7	242	1	1	5	11	24	41	82
50-64	42	10.4	170	2	2	8	12	16	32	78
65+	64	13.0	134	3	3	10	17	23	41	95
B. *Operated*										
0-19 YRS	68	17.4	335	3	3	11	23	36	54	90
20-34	104	13.4	137	2	3	10	18	34	40	99+
35-49	37	15.1	194	2	3	14	19	61	99+	99+
50-64	21	14.7	263	2	2	10	22	70	99+	99+
65+	24	24.9	279	4	6	32	44	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	3.7	21	1	1	2	4	8	11	22
B. *Operated*	44	7.6	32	1	2	6	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	436	8.2	102	1	1	5	10	18	25	69
B. *Operated*	254	15.9	229	2	3	12	22	42	85	99+
1. SINGLE DX	314	4.3	24	1	1	3	5	9	14	23
2. MULTIPLE DX	690	11.0	162	1	2	7	14	29	42	99+
A. NOT OPERATED	706	6.5	76	1	1	4	8	14	21	45
B. OPERATED	298	14.7	209	2	3	11	19	39	76	99+
TOTAL 0-19 YRS	442	6.3	96	1	1	3	7	15	24	48
20-34	267	9.2	87	1	2	7	12	20	33	64
35-49	121	11.4	203	1	2	7	14	29	56	99+
50-64	78	10.6	175	1	2	7	12	23	53	99+
65+	96	15.4	192	2	3	12	23	43	99+	99+
GRAND TOTAL	**1004**	**8.9**	**129**	**1**	**1**	**5**	**11**	**22**	**37**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	1.9	3	<1	1	1	2	4	5	9
20-34	64	2.5	4	<1	<1	2	3	5	6	11
35-49	22	3.6	22	1	1	2	4	7	15	22
50-64	10	2.1	2	1	1	2	3	4	5	5
65+	7	2.9	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-19 YRS	1016	2.2	3	<1	<1	2	3	4	5	8
20-34	1087	2.8	4	<1	1	2	3	5	6	10
35-49	291	3.0	5	<1	1	2	4	6	8	12
50-64	90	2.9	3	<1	<1	2	4	6	6	9
65+	45	3.9	9	1	1	3	5	7	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	2.2	2	<1	<1	2	3	5	6	7
20-34	152	2.9	8	<1	<1	2	3	6	8	11
35-49	68	3.9	9	1	1	3	6	8	10	14
50-64	55	5.3	21	1	1	4	7	12	14	25
65+	146	7.3	71	1	2	5	8	17	22	99+
B. *Operated*										
0-19 YRS	690	4.2	19	1	1	3	5	8	11	26
20-34	1080	5.2	43	1	1	4	6	10	14	28
35-49	353	5.8	31	1	2	4	8	12	17	28
50-64	211	6.6	28	2	2	5	9	13	18	26
65+	185	9.4	102	2	2	6	12	21	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	2.5	6	<1	1	2	3	5	6	11
B. *Operated*	2529	2.6	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	516	4.4	30	<1	1	3	5	9	13	25
B. *Operated*	2519	5.4	40	1	1	4	6	11	15	33
1. SINGLE DX	2679	2.6	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	3035	5.3	38	1	1	3	6	11	15	31
A. NOT OPERATED	666	4.0	25	<1	1	3	5	8	12	25
B. OPERATED	5048	4.0	24	<1	1	3	5	8	12	23
TOTAL 0-19 YRS	1848	2.9	10	<1	<1	2	3	6	8	14
20-34	2383	3.9	23	<1	1	3	5	7	10	20
35-49	734	4.4	20	1	1	3	6	10	12	21
50-64	366	5.4	23	1	1	4	7	12	14	25
65+	383	7.8	81	1	2	5	9	16	23	65
GRAND TOTAL	**5714**	**4.0**	**24**	**<1**	**1**	**3**	**5**	**8**	**12**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	5.7	33	1	1	4	7	10	14	35
20-34	341	5.9	23	1	2	5	8	11	14	27
35-49	175	6.7	24	1	2	5	9	13	16	26
50-64	196	8.4	53	2	3	7	10	14	19	40
65+	370	10.1	49	2	3	8	14	18	22	39
B. *Operated*										
0-19 YRS	20	12.3	51	3	5	12	15	21	28	33
20-34	37	16.1	135	3	5	13	18	34	40	58
35-49	16	14.5	107	1	2	12	21	32	34	34
50-64	11	16.2	151	8	8	10	18	36	48	49
65+	19	10.8	69	1	2	8	14	24	29	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	6.1	38	1	1	5	8	11	14	30
20-34	313	7.6	32	2	2	6	10	14	19	28
35-49	223	9.7	85	2	3	7	11	18	24	48
50-64	370	11.0	92	3	3	9	13	20	26	57
65+	2064	14.1	112	4	5	12	18	25	34	79
B. *Operated*										
0-19 YRS	76	17.3	286	2	3	13	22	39	54	77
20-34	150	15.4	221	2	4	11	18	39	57	99
35-49	74	15.9	206	3	4	12	22	37	60	99+
50-64	84	18.9	300	3	3	14	26	48	51	81
65+	227	24.5	253	6	8	21	33	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1294	7.6	40	1	2	6	10	14	19	33
B. *Operated*	103	14.1	105	3	4	12	17	28	34	53
2. MULTIPLE DX										
A. *Not Operated*	3130	12.4	103	2	4	10	16	23	29	65
B. *Operated*	611	19.6	264	3	4	15	27	48	58	99+
1. SINGLE DX	1397	8.1	48	1	2	6	10	16	21	35
2. MULTIPLE DX	3741	13.5	136	3	4	11	17	26	37	78
A. NOT OPERATED	4424	11.0	89	2	3	9	14	21	27	57
B. OPERATED	714	18.8	244	3	4	14	25	43	56	99+
TOTAL 0-19 YRS	468	8.0	95	1	1	5	9	16	24	54
20-34	841	8.7	80	1	2	6	11	17	25	57
35-49	488	9.7	92	2	2	7	11	20	26	59
50-64	661	11.3	117	2	3	8	13	21	30	58
65+	2680	14.4	126	3	5	12	18	27	36	79
GRAND TOTAL	**5138**	**12.0**	**118**	**2**	**3**	**9**	**15**	**24**	**33**	**70**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.4	234	2	2	3	18	38	38	38
20-34	12	3.8	7	1	1	3	6	8	9	9
35-49	4	3.3	4	1	1	3	5	6	6	6
50-64	4	5.0	5	2	2	5	6	7	7	7
65+	3	14.3	101	5	5	13	22	25	25	25
B. *Operated*										
0-19 YRS	7	20.0	177	11	11	15	21	44	49	49
20-34	10	17.3	200	5	6	15	23	72	98	99+
35-49	3	15.7	65	7	7	17	21	23	23	23
50-64	2	15.5	145	7	7	15	24	24	24	24
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	16	15.4	283	1	1	11	20	46	56	59
35-49	6	6.7	5	3	3	7	9	9	9	9
50-64	17	10.3	127	1	2	7	15	23	38	45
65+	31	15.8	233	3	5	12	21	37	69	99+
B. *Operated*										
0-19 YRS	12	46.1	676	13	19	42	88	99+	99+	99+
20-34	35	44.4	528	14	15	46	72	99+	99+	99+
35-49	5	60.2	1315	10	22	98	99+	99+	99+	99+
50-64	8	26.6	752	6	6	17	39	71	79	79
65+	17	38.4	599	9	11	39	77	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.4	62	1	1	4	7	12	26	38
B. *Operated*	22	17.8	152	6	7	15	23	50	70	99+
2. MULTIPLE DX										
A. *Not Operated*	71	13.5	201	2	2	9	16	25	58	93
B. *Operated*	77	42.5	653	10	14	44	81	99+	99+	99+
1. SINGLE DX	50	11.4	132	1	2	7	16	25	48	99+
2. MULTIPLE DX	148	28.6	645	3	4	22	62	99+	99+	99+
A. NOT OPERATED	99	11.5	171	1	2	7	15	24	47	85
B. OPERATED	99	37.0	646	7	11	36	76	99+	99+	99+
TOTAL 0-19 YRS	25	30.2	652	3	3	29	59	97	99+	99+
20-34	73	27.7	613	1	2	21	53	84	99+	99+
35-49	18	22.3	921	2	3	10	93	99+	99+	99+
50-64	31	14.2	310	2	2	7	18	33	59	79
65+	51	23.3	453	4	5	16	38	89	99+	99+
GRAND TOTAL	**198**	**24.2**	**570**	**2**	**3**	**18**	**45**	**90**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.2	2	<1	1	2	3	4	5	5
20-34	75	2.7	4	<1	1	2	4	5	6	11
35-49	86	3.4	8	1	1	2	4	6	10	15
50-64	101	4.1	7	1	1	4	6	7	9	13
65+	107	5.5	15	1	2	5	7	10	14	20
B. *Operated*										
0-19 YRS										
20-34	4	5.0	45	1	1	2	9	15	15	15
35-49	3	31.0	2191	2	2	6	65	85	85	85
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	3	6.3	21	1	1	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.4	11	1	1	3	6	9	11	16
20-34	259	4.9	19	1	1	4	6	9	15	22
35-49	353	5.9	33	1	1	5	7	11	15	27
50-64	565	6.4	21	1	2	5	8	13	15	22
65+	1280	10.3	104	2	3	7	13	20	29	57
B. *Operated*										
0-19 YRS	32	7.6	30	2	2	6	11	17	20	21
20-34	104	8.4	38	2	3	7	10	18	21	31
35-49	116	10.1	84	2	3	7	13	20	30	49
50-64	131	12.5	132	2	3	9	16	25	34	56
65+	219	19.3	264	4	5	13	25	43	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	4.0	10	1	1	3	5	8	10	16
B. *Operated*	12	12.1	546	1	1	5	9	36	78	85
2. MULTIPLE DX										
A. *Not Operated*	2524	8.1	69	1	2	6	10	16	21	44
B. *Operated*	602	13.5	177	2	3	10	17	30	43	65
1. SINGLE DX	404	4.2	26	1	1	3	5	8	10	16
2. MULTIPLE DX	3126	9.2	95	2	2	6	11	18	27	56
A. NOT OPERATED	2916	7.6	63	1	2	5	9	15	20	42
B. OPERATED	614	13.5	183	2	3	9	17	30	43	65
TOTAL 0-19 YRS	122	4.8	17	1	1	3	6	11	13	20
20-34	442	5.4	24	1	1	4	7	11	17	24
35-49	558	6.5	55	1	1	5	8	13	17	43
50-64	799	7.1	44	1	2	5	9	14	18	36
65+	1609	11.2	134	2	3	8	13	23	34	73
GRAND TOTAL	**3530**	**8.6**	**89**	**1**	**2**	**6**	**10**	**17**	**25**	**56**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	6.5	39	1	2	5	9	11	18	37
20-34	69	10.9	108	2	2	7	13	19	41	53
35-49	44	11.1	73	3	4	10	13	20	25	51
50-64	73	12.5	142	2	3	10	15	24	40	68
65+	327	13.4	79	3	5	11	17	24	29	46
B. *Operated*										
0-19 YRS	4	5.0	6	3	3	5	7	8	8	8
20-34	6	25.2	535	5	5	15	48	59	60	60
35-49	6	31.0	346	5	6	33	48	52	52	52
50-64	2	22.0	50	17	17	22	27	27	27	27
65+	5	23.0	331	6	6	14	41	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	10.1	85	2	3	8	13	19	29	49
20-34	163	13.1	123	2	4	10	18	26	33	51
35-49	89	15.3	200	3	3	11	19	29	52	76
50-64	180	15.5	131	3	5	13	19	30	42	60
65+	1449	18.8	201	5	6	15	23	36	50	95
B. *Operated*										
0-19 YRS	55	20.2	327	2	4	13	27	47	58	77
20-34	109	29.0	428	5	7	24	49	62	69	99+
35-49	48	32.2	413	6	9	27	48	65	72	99+
50-64	60	28.3	421	8	9	21	38	67	74	99
65+	200	30.0	345	8	10	28	37	62	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	11.8	89	2	3	10	15	22	29	47
B. *Operated*	23	22.4	341	3	4	14	38	49	55	60
2. MULTIPLE DX										
A. *Not Operated*	2000	17.4	187	4	5	14	21	33	46	84
B. *Operated*	472	28.6	386	6	8	25	40	62	75	99+
1. SINGLE DX	631	12.2	101	2	3	10	15	23	33	51
2. MULTIPLE DX	2472	19.5	245	4	5	15	24	42	56	97
A. NOT OPERATED	2608	16.1	170	3	4	13	20	31	43	78
B. OPERATED	495	28.3	385	5	8	24	40	60	73	99+
TOTAL 0-19 YRS	273	10.8	140	2	2	7	12	24	36	61
20-34	347	17.9	281	2	4	12	22	48	54	89
35-49	187	19.2	296	3	4	12	25	49	60	81
50-64	315	17.3	217	3	4	13	20	37	49	75
65+	1981	19.1	212	5	6	15	23	37	52	97
GRAND TOTAL	**3103**	**18.0**	**224**	**3**	**5**	**14**	**22**	**38**	**52**	**89**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	3.8	27	1	1	2	4	10	16	24
20-34	26	4.5	34	1	1	2	4	10	16	28
35-49	20	2.9	4	1	1	2	4	6	7	8
50-64	60	5.7	57	1	1	3	6	14	26	36
65+	192	6.5	61	1	1	4	7	15	19	48
B. *Operated*										
0-19 YRS	710	4.5	30	1	1	3	5	10	18	26
20-34	130	5.0	65	1	1	4	5	9	11	46
35-49	121	4.7	33	<1	1	3	5	9	14	33
50-64	184	5.6	30	1	1	4	7	10	16	33
65+	282	6.5	40	1	1	5	8	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	5.9	98	1	1	3	7	11	19	64
20-34	42	6.9	75	1	1	4	7	22	30	34
35-49	22	7.4	78	<1	1	6	9	11	25	44
50-64	168	8.0	68	1	2	6	10	16	24	38
65+	844	12.5	179	2	2	8	16	27	39	85
B. *Operated*										
0-19 YRS	239	6.9	41	1	1	5	9	17	21	30
20-34	159	9.9	103	1	2	7	13	21	32	50
35-49	114	11.1	210	1	2	6	11	27	41	76
50-64	276	11.1	157	2	2	7	14	25	34	62
65+	771	14.5	236	2	3	10	19	35	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	5.3	47	1	1	3	6	13	18	34
B. *Operated*	1427	5.1	36	1	1	3	6	11	17	28
2. MULTIPLE DX										
A. *Not Operated*	1140	11.1	158	1	2	7	14	25	36	76
B. *Operated*	1559	12.0	184	1	2	8	15	28	42	90
1. SINGLE DX	1855	5.1	38	1	1	3	6	11	17	29
2. MULTIPLE DX	2699	11.6	173	1	2	7	14	27	39	87
A. NOT OPERATED	1568	9.5	134	1	1	6	12	22	31	70
B. OPERATED	2986	8.7	125	1	1	5	10	20	30	68
TOTAL 0-19 YRS	1143	5.0	37	1	1	3	5	12	18	27
20-34	357	7.4	86	1	1	4	8	17	27	46
35-49	277	7.4	117	1	1	4	8	14	30	59
50-64	688	8.4	98	1	2	5	10	18	27	54
65+	2089	11.9	180	1	2	7	15	27	41	90
GRAND TOTAL	**4554**	**9.0**	**128**	**1**	**1**	**5**	**11**	**21**	**30**	**68**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.0	2	<1	<1	1	3	4	5	6
20-34	35	2.7	3	<1	<1	2	4	5	7	8
35-49	21	2.0	2	<1	<1	1	2	4	5	7
50-64	13	2.8	3	1	1	3	4	5	7	7
65+	43	2.9	7	<1	1	2	4	5	8	14
B. *Operated*										
0-19 YRS	1723	1.9	5	1	1	1	2	4	5	9
20-34	467	3.4	8	1	1	3	4	6	9	16
35-49	333	3.2	7	1	1	3	4	6	8	12
50-64	534	3.0	5	1	1	2	4	6	7	12
65+	528	3.7	21	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.9	12	<1	1	2	3	6	9	22
20-34	65	3.4	7	1	1	3	4	9	9	12
35-49	37	4.6	24	1	1	2	6	11	17	19
50-64	57	6.5	55	1	1	4	7	12	23	42
65+	202	9.2	97	1	2	6	11	19	33	57
B. *Operated*										
0-19 YRS	412	4.9	36	1	1	3	5	11	18	36
20-34	340	6.6	40	1	2	5	8	13	17	35
35-49	232	6.7	75	1	2	4	8	13	18	56
50-64	405	7.0	94	1	2	4	8	15	20	58
65+	773	10.2	142	1	2	6	13	23	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.4	3	<1	<1	2	3	4	6	10
B. *Operated*	3585	2.7	8	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	424	6.6	66	1	1	4	8	15	21	48
B. *Operated*	2162	7.6	93	1	1	5	9	17	25	58
1. SINGLE DX	3778	2.7	8	1	1	2	3	5	7	12
2. MULTIPLE DX	2586	7.5	89	1	1	4	9	16	24	57
A. NOT OPERATED	617	5.3	50	<1	1	3	6	11	18	44
B. OPERATED	5747	4.5	46	1	1	3	5	9	15	35
TOTAL 0-19 YRS	2279	2.5	12	1	1	1	3	5	7	18
20-34	907	4.6	22	1	1	3	5	9	12	25
35-49	623	4.5	36	1	1	3	5	9	12	33
50-64	1009	4.8	47	1	1	3	5	9	14	37
65+	1546	7.7	100	1	1	4	9	18	25	60
GRAND TOTAL	**6364**	**4.6**	**46**	**1**	**1**	**3**	**5**	**10**	**15**	**36**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.4	2	<1	1	2	3	5	5	6
20-34	19	3.3	4	<1	<1	3	5	6	7	7
35-49	22	2.6	3	<1	1	2	4	5	6	6
50-64	14	3.2	8	1	1	3	4	5	10	12
65+	14	4.4	6	<1	<1	4	7	7	8	8
B. *Operated*										
0-19 YRS	546	2.0	3	<1	<1	2	2	3	4	8
20-34	624	2.3	5	<1	1	2	3	4	5	10
35-49	236	2.3	2	<1	1	2	3	4	5	7
50-64	127	2.7	5	<1	1	2	3	5	7	13
65+	70	3.6	11	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.0	13	<1	<1	3	6	10	10	14
20-34	35	4.0	9	<1	1	3	6	9	10	12
35-49	28	5.3	18	1	2	4	6	9	18	19
50-64	28	7.6	26	2	2	6	12	15	16	16
65+	56	10.3	80	1	2	7	13	22	27	43
B. *Operated*										
0-19 YRS	194	3.0	9	1	1	2	4	6	7	15
20-34	367	3.9	19	1	1	3	4	8	11	23
35-49	186	3.6	19	1	1	2	4	7	9	21
50-64	155	3.8	11	1	1	3	5	8	12	17
65+	130	8.6	112	1	2	5	9	21	31	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.0	4	<1	1	3	4	6	7	10
B. *Operated*	1603	2.3	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	184	6.6	42	1	1	5	9	14	18	35
B. *Operated*	1032	4.3	30	1	1	3	5	8	14	30
1. SINGLE DX	1704	2.3	4	<1	1	2	3	4	6	9
2. MULTIPLE DX	1216	4.6	33	1	1	3	5	9	14	30
A. NOT OPERATED	285	5.4	31	<1	1	4	6	12	16	27
B. OPERATED	2635	3.1	15	<1	1	2	3	6	8	20
TOTAL 0-19 YRS	809	2.3	5	<1	1	2	3	4	6	11
20-34	1045	3.0	10	<1	1	2	3	6	8	18
35-49	472	3.0	10	1	1	2	4	5	7	19
50-64	324	3.7	12	<1	1	3	4	8	12	16
65+	270	7.4	80	1	1	5	8	17	25	47
GRAND TOTAL	**2920**	**3.3**	**17**	**<1**	**1**	**2**	**4**	**6**	**9**	**21**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	15.9	266	2	2	7	28	38	46	64
20-34	11	4.9	6	1	2	5	7	9	9	9
35-49	7	21.4	803	1	2	10	20	72	84	84
50-64	34	8.6	29	1	2	7	12	17	19	20
65+	153	12.9	137	1	2	10	17	27	42	62
B. *Operated*										
0-19 YRS	101	11.9	113	4	4	9	14	25	34	59
20-34	40	14.3	158	2	4	10	18	28	36	70
35-49	85	12.4	43	5	6	11	15	18	30	35
50-64	456	14.2	73	6	7	12	16	22	26	52
65+	2489	19.8	121	8	10	17	23	33	44	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	19.6	279	2	3	14	30	45	54	62
20-34	13	27.2	713	1	1	15	46	74	76	76
35-49	16	13.4	292	2	2	8	15	20	58	74
50-64	55	15.6	198	2	3	12	23	44	88	99+
65+	685	19.3	290	2	4	14	26	48	65	99+
B. *Operated*										
0-19 YRS	77	21.5	331	4	6	15	29	47	55	93
20-34	120	25.9	407	6	8	19	33	52	80	95
35-49	162	22.5	274	6	7	18	29	50	61	99+
50-64	831	22.1	231	8	9	18	27	43	70	99+
65+	9025	25.9	272	9	11	21	33	54	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	12.5	157	1	2	9	16	28	40	71
B. *Operated*	3171	18.5	119	7	9	16	22	31	41	71
2. MULTIPLE DX										
A. *Not Operated*	789	19.0	291	2	4	14	26	48	65	99+
B. *Operated*	10215	25.5	272	9	11	21	32	53	73	99+
1. SINGLE DX	3407	18.0	124	6	8	16	22	31	41	71
2. MULTIPLE DX	11004	25.0	276	8	10	20	32	53	73	99+
A. NOT OPERATED	1025	17.5	268	2	3	13	23	45	61	99+
B. OPERATED	13386	23.8	244	8	10	19	29	48	67	99+
TOTAL 0-19 YRS	229	16.3	237	3	4	11	21	37	46	76
20-34	184	22.2	388	4	5	16	26	50	73	91
35-49	270	18.7	235	5	6	14	22	41	53	99+
50-64	1376	18.9	188	6	8	15	22	37	55	99+
65+	12352	24.1	250	8	10	20	30	49	68	99+
GRAND TOTAL	**14411**	**23.4**	**249**	**7**	**10**	**19**	**29**	**47**	**67**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	21.0	265	1	2	20	30	44	55	71
20-34	19	33.1	1061	1	2	24	49	89	98	99
35-49	9	11.3	189	3	3	7	10	35	46	46
50-64	11	20.1	345	1	3	13	36	47	56	57
65+	74	15.7	345	1	2	9	19	40	63	88
B. *Operated*										
0-19 YRS	357	17.4	220	2	2	14	25	39	50	63
20-34	112	18.0	317	2	3	13	21	39	57	92
35-49	27	17.0	110	2	3	17	24	41	99+	99+
50-64	52	20.9	328	2	5	15	27	42	66	84
65+	127	22.1	204	6	9	19	27	48	68	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	25.6	350	1	3	23	36	54	66	97
20-34	27	30.8	692	4	6	25	53	84	95	99+
35-49	10	18.9	388	2	3	10	45	73	98	99+
50-64	48	19.0	317	2	3	14	24	53	72	99+
65+	240	25.6	513	2	4	20	43	69	95	99+
B. *Operated*										
0-19 YRS	408	27.1	380	4	6	23	40	56	65	95
20-34	331	26.2	427	3	6	20	36	67	85	99+
35-49	104	28.0	536	2	4	24	47	80	99+	99+
50-64	134	28.7	458	4	8	24	41	62	84	99+
65+	518	31.4	425	11	12	27	49	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	20.3	327	1	2	18	29	45	56	88
B. *Operated*	675	18.6	239	2	3	15	25	40	53	98
2. MULTIPLE DX										
A. *Not Operated*	493	25.1	448	2	3	21	38	61	81	99+
B. *Operated*	1495	28.6	427	4	8	24	42	71	95	99+
1. SINGLE DX	1077	19.3	272	2	3	16	26	43	55	94
2. MULTIPLE DX	1988	27.8	435	3	6	23	41	68	92	99+
A. NOT OPERATED	895	23.0	399	1	3	19	34	55	72	99+
B. OPERATED	2170	25.5	390	3	5	21	37	62	85	99+
TOTAL 0-19 YRS	1222	22.6	318	2	3	19	31	50	59	84
20-34	489	24.9	453	2	5	19	33	64	85	99+
35-49	150	24.4	454	2	3	20	37	69	99+	99+
50-64	245	24.8	413	3	5	19	34	58	75	99+
65+	959	27.5	434	4	7	23	42	77	99+	99+
GRAND TOTAL	**3065**	**24.8**	**394**	**2**	**4**	**20**	**36**	**60**	**81**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	2.9	9	1	1	2	3	5	8	16
20-34	113	4.5	18	1	1	3	6	10	13	22
35-49	94	5.7	37	1	1	5	7	11	14	38
50-64	89	7.0	47	1	1	5	9	14	18	39
65+	113	9.0	113	2	2	7	11	16	19	78
B. *Operated*										
0-19 YRS	745	4.3	23	1	1	3	5	8	11	21
20-34	496	6.5	32	1	2	5	8	12	17	28
35-49	306	7.1	41	1	2	5	9	13	18	33
50-64	246	9.5	98	1	2	7	11	19	25	61
65+	149	12.0	90	2	3	9	14	25	34	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	5.7	27	1	1	4	7	11	18	25
20-34	87	7.2	98	1	1	5	10	13	18	65
35-49	68	7.1	34	1	2	6	10	13	18	33
50-64	134	10.7	192	1	2	7	12	22	41	96
65+	287	14.8	157	3	3	11	20	32	44	66
B. *Operated*										
0-19 YRS	374	12.3	225	1	2	7	14	29	48	94
20-34	494	16.0	283	2	3	10	20	41	57	98
35-49	283	15.6	223	3	3	10	20	34	47	91
50-64	369	18.4	317	4	5	12	23	46	68	99+
65+	380	20.9	304	4	5	16	28	50	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	667	5.2	42	1	1	3	6	12	15	26
B. *Operated*	1942	6.5	48	1	1	5	8	13	18	39
2. MULTIPLE DX										
A. *Not Operated*	680	10.9	137	1	2	7	13	24	35	66
B. *Operated*	1900	16.7	281	2	3	11	21	42	62	99+
1. SINGLE DX	2609	6.2	47	1	1	4	8	13	18	36
2. MULTIPLE DX	2580	15.1	250	2	3	10	20	36	55	99+
A. NOT OPERATED	1347	8.1	98	1	1	5	10	18	25	56
B. OPERATED	3842	11.6	189	1	2	7	14	27	43	92
TOTAL 0-19 YRS	1481	6.2	85	1	1	3	6	13	20	53
20-34	1190	10.3	163	1	2	6	12	22	39	79
35-49	751	10.1	127	1	2	7	12	21	32	64
50-64	838	13.4	225	2	3	9	16	31	52	99+
65+	929	16.2	219	3	4	12	21	37	53	99+
GRAND TOTAL	**5189**	**10.6**	**168**	**1**	**2**	**6**	**13**	**25**	**39**	**86**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.2	10	<1	1	2	4	6	10	15
20-34	128	3.6	10	<1	1	3	4	7	9	17
35-49	103	3.7	7	1	1	3	5	7	10	12
50-64	116	4.1	17	1	1	3	5	7	11	22
65+	160	7.0	41	1	2	5	10	13	17	36
B. *Operated*										
0-19 YRS	845	3.9	10	1	1	3	5	7	9	17
20-34	1115	5.0	13	1	2	4	6	9	11	19
35-49	778	5.8	15	1	2	5	7	11	13	20
50-64	841	6.6	24	2	2	5	8	12	15	23
65+	454	9.0	55	2	3	7	11	17	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.8	16	1	1	4	7	10	12	20
20-34	136	5.0	25	1	1	4	6	9	12	31
35-49	105	6.1	66	1	1	5	8	11	14	47
50-64	208	6.7	48	1	2	5	8	12	15	23
65+	391	9.8	65	2	3	8	13	20	25	43
B. *Operated*										
0-19 YRS	382	6.9	61	1	2	5	8	13	17	50
20-34	791	8.8	120	1	2	5	10	17	29	71
35-49	550	9.4	91	2	2	7	11	19	28	59
50-64	689	10.8	112	3	3	8	13	20	29	69
65+	846	14.8	176	3	4	11	18	32	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	4.4	20	1	1	3	5	10	12	22
B. *Operated*	4033	5.7	22	1	2	5	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	913	7.5	55	1	2	6	10	15	21	37
B. *Operated*	3258	10.6	128	2	3	7	13	21	34	70
1. SINGLE DX	4705	5.5	22	1	2	4	7	11	14	22
2. MULTIPLE DX	4171	10.0	114	2	2	7	12	20	30	66
A. NOT OPERATED	1585	6.2	43	1	1	4	8	13	17	30
B. OPERATED	7291	7.9	75	1	2	5	9	15	21	53
TOTAL 0-19 YRS	1465	4.7	25	1	1	3	5	9	12	27
20-34	2170	6.3	56	1	2	4	7	11	17	44
35-49	1536	6.9	49	1	2	5	8	13	18	40
50-64	1854	8.0	64	2	2	6	9	15	20	47
65+	1851	11.6	120	2	3	9	14	22	34	69
GRAND TOTAL	**8876**	**7.6**	**70**	**1**	**2**	**5**	**9**	**15**	**21**	**50**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.7	25	<1	1	1	3	4	6	29
20-34	20	2.7	3	<1	<1	2	4	5	6	7
35-49	9	1.8	2	<1	<1	1	2	4	5	5
50-64	11	3.6	9	1	1	2	5	9	11	11
65+	7	3.6	2	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	30	3.1	4	1	1	3	3	6	9	9
20-34	26	2.7	2	<1	1	2	3	5	6	6
35-49	10	3.5	5	2	2	2	4	7	8	8
50-64	5	7.2	22	3	3	5	11	14	14	14
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.3	15	<1	1	2	3	7	10	23
20-34	130	4.8	40	1	1	3	5	9	14	29
35-49	77	5.2	17	1	1	4	6	10	12	23
50-64	58	6.9	81	1	2	5	7	11	16	51
65+	151	11.0	167	2	2	8	13	24	36	85
B. *Operated*										
0-19 YRS	39	4.6	50	1	1	2	4	10	17	40
20-34	60	5.3	21	1	1	4	7	11	15	20
35-49	26	6.9	50	1	1	4	8	19	24	28
50-64	27	10.1	143	2	2	7	12	18	34	62
65+	40	13.1	113	2	3	10	17	32	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.8	13	<1	1	2	3	5	7	24
B. *Operated*	73	3.2	6	1	1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	516	6.6	82	1	1	4	8	14	20	57
B. *Operated*	192	7.7	76	1	1	5	10	18	28	54
1. SINGLE DX	151	3.0	9	<1	1	2	4	6	7	14
2. MULTIPLE DX	708	6.9	80	1	1	4	8	15	22	57
A. NOT OPERATED	594	6.1	74	1	1	4	7	13	19	53
B. OPERATED	265	6.5	61	1	1	3	8	15	20	44
TOTAL 0-19 YRS	200	3.4	22	1	1	2	3	7	10	29
20-34	236	4.5	29	1	1	3	5	9	14	20
35-49	122	5.2	23	1	1	4	6	10	14	25
50-64	101	7.4	89	1	2	5	9	12	18	56
65+	200	11.1	152	2	2	8	14	25	37	92
GRAND TOTAL	**859**	**6.2**	**70**	**1**	**1**	**4**	**7**	**13**	**20**	**51**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	5	1	1	3	4	6	8	8
20-34										
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	2	11.5	61	6	6	11	17	17	17	17
20-34										
35-49	2	17.0	98	10	10	17	24	24	24	24
50-64										
65+	2	44.5	1201	20	20	44	69	69	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.1	72	1	1	4	6	24	27	28
20-34	3	6.7	25	2	2	6	10	12	12	12
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	14.5	1	14	14	14	15	15	15	15
65+	9	19.8	635	3	3	11	23	60	83	83
B. *Operated*										
0-19 YRS	6	32.5	806	<1	2	22	55	76	78	78
20-34	11	29.3	671	7	8	25	51	87	98	99+
35-49	7	26.9	925	1	3	20	64	97	99+	99+
50-64	3	38.7	1700	6	6	25	70	85	85	85
65+	8	25.5	524	3	4	20	36	63	71	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.7	12	1	1	3	4	8	13	15
B. *Operated*	6	24.3	522	6	6	18	24	64	69	69
2. MULTIPLE DX										
A. *Not Operated*	28	11.8	257	1	2	6	14	24	33	83
B. *Operated*	35	29.3	701	2	6	25	46	84	96	99+
1. SINGLE DX	23	9.1	213	1	1	4	9	21	40	69
2. MULTIPLE DX	63	21.5	573	1	3	12	26	78	86	99+
A. NOT OPERATED	45	8.8	178	1	1	4	11	23	26	83
B. OPERATED	41	28.6	664	2	6	23	42	83	93	99+
TOTAL 0-19 YRS	35	10.1	260	1	1	4	8	23	48	78
20-34	14	24.4	613	3	6	23	26	82	95	99+
35-49	10	23.4	660	1	6	14	35	94	99+	99+
50-64	7	21.6	845	2	2	14	22	73	85	85
65+	20	24.3	582	3	3	17	29	70	77	83
GRAND TOTAL	**86**	**18.2**	**504**	**1**	**1**	**10**	**25**	**70**	**83**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	15	2.1	6	<1	<1	1	2	4	8	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	8	3.5	35	<1	<1	1	2	13	18	18
B. *Operated*										
0-19 YRS	100	2.9	3	<1	1	3	4	5	7	9
20-34	301	3.0	2	1	1	3	4	5	6	8
35-49	100	2.9	3	1	1	3	4	5	6	8
50-64	38	2.4	4	<1	1	2	3	5	7	9
65+	59	3.2	17	<1	1	1	4	7	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.1	6	<1	<1	2	4	7	9	9
20-34	21	3.8	28	<1	<1	2	5	7	15	25
35-49	12	3.4	6	<1	<1	3	5	8	8	8
50-64	9	4.7	16	2	2	3	6	12	12	12
65+	36	9.4	133	1	2	5	9	26	34	55
B. *Operated*										
0-19 YRS	18	3.2	3	<1	1	3	4	6	7	7
20-34	61	4.4	10	1	1	4	6	10	11	13
35-49	32	5.6	24	<1	1	4	7	13	15	23
50-64	42	5.8	71	1	1	4	7	10	31	99+
65+	110	7.2	62	1	1	5	9	15	29	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.4	12	<1	<1	1	2	4	10	18
B. *Operated*	598	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	90	6.0	70	1	1	4	6	12	25	48
B. *Operated*	263	5.9	44	1	1	4	7	12	17	38
1. SINGLE DX	628	2.9	4	<1	1	3	4	5	6	10
2. MULTIPLE DX	353	5.9	50	1	1	4	7	12	21	38
A. NOT OPERATED	120	5.1	58	<1	<1	3	5	10	21	42
B. OPERATED	861	3.8	18	1	1	3	4	7	10	25
TOTAL 0-19 YRS	135	2.9	3	<1	1	3	4	5	7	9
20-34	398	3.2	5	1	1	3	4	5	7	12
35-49	145	3.6	9	<1	1	3	4	6	8	15
50-64	90	4.2	38	1	1	3	5	9	12	81
65+	213	6.4	65	1	1	4	7	15	25	37
GRAND TOTAL	**991**	**4.0**	**23**	**1**	**1**	**3**	**4**	**7**	**11**	**28**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	3	1	1	2	3	5	6	7
20-34	22	3.1	5	<1	<1	2	6	6	7	7
35-49	17	4.8	21	<1	<1	4	5	11	16	18
50-64	9	5.2	10	2	2	4	7	10	12	12
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	813	2.8	3	1	1	2	4	5	6	9
20-34	1714	2.8	3	<1	1	2	4	5	6	9
35-49	887	2.9	4	1	1	2	4	5	7	9
50-64	435	3.2	6	1	1	2	4	6	8	11
65+	84	3.6	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.2	4	<1	<1	1	3	4	7	9
20-34	43	2.0	3	<1	<1	1	2	4	6	9
35-49	30	4.0	19	<1	<1	2	6	11	13	18
50-64	19	3.7	26	<1	1	1	4	10	17	21
65+	17	7.8	24	1	1	8	10	16	18	18
B. *Operated*										
0-19 YRS	455	3.5	16	1	1	2	4	6	7	13
20-34	930	3.6	15	1	1	2	4	7	9	18
35-49	587	3.6	16	1	1	2	4	7	9	15
50-64	574	3.6	10	1	1	3	4	7	10	17
65+	221	5.7	57	1	2	3	7	12	16	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	3.6	10	<1	1	3	5	7	9	17
B. *Operated*	3933	2.9	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	133	3.5	16	<1	<1	1	4	9	12	19
B. *Operated*	2767	3.7	18	1	1	3	4	7	10	18
1. SINGLE DX	4000	2.9	4	1	1	2	4	5	7	9
2. MULTIPLE DX	2900	3.7	18	1	1	3	4	7	10	18
A. NOT OPERATED	200	3.5	14	<1	<1	2	5	8	12	18
B. OPERATED	6700	3.2	10	1	1	2	4	6	8	14
TOTAL 0-19 YRS	1308	3.0	8	1	1	2	4	5	7	11
20-34	2709	3.1	7	<1	1	2	4	6	7	12
35-49	1521	3.2	9	1	1	2	4	6	8	13
50-64	1037	3.4	9	1	1	2	4	7	8	16
65+	325	5.2	43	1	2	3	6	11	15	32
GRAND TOTAL	**6900**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	5.0	39	<1	<1	2	6	12	20	27
20-34	76	5.9	20	1	2	5	7	10	12	29
35-49	45	7.4	60	1	2	5	9	14	22	45
50-64	32	7.3	35	1	1	6	10	17	21	24
65+	9	5.7	33	1	1	5	9	16	19	19
B. Operated										
0-19 YRS	185	3.3	20	<1	1	2	4	8	11	19
20-34	226	3.7	18	<1	1	2	4	8	10	23
35-49	107	4.3	34	<1	1	3	5	9	14	34
50-64	73	5.5	66	<1	1	2	5	14	22	42
65+	35	8.1	93	1	1	4	10	24	28	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	5.0	20	1	1	4	6	10	13	23
20-34	225	7.2	17	2	3	7	9	12	15	20
35-49	157	8.9	49	3	4	7	10	15	23	38
50-64	81	9.8	85	2	3	7	11	18	23	57
65+	53	10.6	84	2	3	8	14	25	40	98
B. Operated										
0-19 YRS	97	8.2	67	1	1	5	11	21	23	41
20-34	182	9.0	94	1	2	5	11	23	29	43
35-49	90	9.3	135	1	2	5	11	24	33	64
50-64	80	9.7	213	1	1	5	9	28	41	83
65+	115	15.9	298	1	2	8	25	42	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	194	6.4	36	1	1	5	8	12	18	31
B. Operated	626	4.1	32	<1	1	2	4	9	14	31
2. MULTIPLE DX										
A. Not Operated	560	8.2	44	2	3	7	10	15	20	42
B. Operated	564	10.4	161	1	2	5	13	26	38	64
1. SINGLE DX	820	4.7	34	<1	1	3	5	10	15	31
2. MULTIPLE DX	1124	9.3	104	1	2	6	10	21	30	56
A. NOT OPERATED	754	7.8	43	1	2	5	9	14	20	38
B. OPERATED	1190	7.1	103	1	1	3	8	18	28	52
TOTAL 0-19 YRS	358	5.0	39	1	1	3	6	12	18	27
20-34	709	6.4	42	1	1	5	8	13	19	34
35-49	399	7.6	69	1	2	5	9	14	24	45
50-64	266	8.3	115	1	1	5	9	17	29	54
65+	212	12.9	210	1	2	7	19	37	48	99+
GRAND TOTAL	**1944**	**7.4**	**80**	**1**	**1**	**5**	**9**	**16**	**25**	**48**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	2.5	3	<1	1	2	3	5	6	8
20-34	44	3.3	8	<1	<1	2	3	7	10	13
35-49	24	3.3	6	<1	1	2	5	7	9	10
50-64	25	4.0	7	<1	1	4	5	9	10	10
65+	21	6.8	30	1	2	5	8	15	20	23
B. Operated										
0-19 YRS	335	3.5	5	1	1	3	5	6	7	12
20-34	437	3.6	5	1	1	3	5	6	8	11
35-49	106	3.8	6	1	1	4	5	7	8	12
50-64	34	5.7	17	1	2	4	7	11	12	21
65+	19	7.9	24	1	2	7	11	15	18	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	4.7	27	1	1	3	6	10	11	28
20-34	38	4.9	38	<1	1	3	5	9	24	27
35-49	32	7.3	41	2	2	5	8	13	25	30
50-64	46	7.2	46	1	2	5	8	15	21	36
65+	125	10.2	126	2	3	7	12	21	28	97
B. Operated										
0-19 YRS	265	4.7	15	1	1	4	6	8	11	24
20-34	439	4.5	13	1	1	4	6	8	10	18
35-49	131	4.9	29	<1	1	4	6	8	10	25
50-64	87	6.9	44	2	2	5	8	12	18	40
65+	48	12.3	169	1	2	8	16	26	30	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	3.6	11	<1	1	3	5	8	10	17
B. Operated	931	3.7	7	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	272	8.0	83	1	2	5	9	16	25	50
B. Operated	970	5.2	29	1	1	4	6	9	13	28
1. SINGLE DX	1084	3.7	7	1	1	3	5	7	9	14
2. MULTIPLE DX	1742	5.8	42	1	1	4	7	11	16	31
A. NOT OPERATED	425	6.4	61	1	1	4	8	13	21	39
B. OPERATED	1901	4.5	19	1	1	4	6	8	10	23
TOTAL 0-19 YRS	670	3.9	11	1	1	3	5	7	9	17
20-34	958	4.1	11	1	1	3	5	7	9	17
35-49	293	4.6	21	1	1	4	6	8	10	22
50-64	192	6.4	36	1	2	5	8	11	17	34
65+	213	10.1	118	2	3	7	13	22	27	81
GRAND TOTAL	**2326**	**4.8**	**27**	**1**	**1**	**4**	**6**	**9**	**12**	**27**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	5.1	13	1	1	4	7	11	13	14
20-34	666	6.2	17	2	2	5	8	11	14	21
35-49	666	6.4	16	2	2	6	8	11	13	19
50-64	312	6.9	19	2	3	6	9	11	15	26
65+	89	7.4	25	2	2	6	10	15	17	24
B. *Operated*										
0-19 YRS	4	5.8	24	3	3	4	8	13	13	13
20-34	91	5.4	27	1	1	4	8	11	13	31
35-49	76	7.3	41	1	2	5	10	16	21	31
50-64	20	7.6	34	2	2	6	11	16	21	23
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	6.3	19	2	2	5	7	11	16	24
20-34	801	7.5	29	2	3	6	9	13	16	29
35-49	937	8.3	37	2	3	7	10	15	20	33
50-64	730	8.2	29	3	3	7	10	14	16	27
65+	610	9.7	67	2	3	8	11	18	24	59
B. *Operated*										
0-19 YRS	6	9.8	100	<1	<1	7	18	24	25	25
20-34	101	9.9	74	2	2	7	14	20	26	45
35-49	119	10.9	67	2	3	9	15	20	25	40
50-64	73	12.6	88	3	4	10	16	23	30	48
65+	42	19.5	199	6	7	17	23	35	48	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1799	6.4	17	2	2	6	8	11	14	21
B. *Operated*	194	6.3	33	1	2	4	9	12	19	30
2. MULTIPLE DX										
A. *Not Operated*	3176	8.3	39	2	3	7	10	15	19	33
B. *Operated*	341	12.0	98	2	3	9	16	23	29	50
1. SINGLE DX	1993	6.4	19	2	2	5	8	11	14	22
2. MULTIPLE DX	3517	8.6	46	2	3	7	10	16	21	35
A. NOT OPERATED	4975	7.6	32	2	3	6	9	14	17	29
B. OPERATED	535	9.9	82	2	2	8	13	21	26	45
TOTAL 0-19 YRS	174	5.9	20	1	2	5	7	12	14	24
20-34	1659	7.0	28	2	2	6	9	13	16	28
35-49	1798	7.7	33	2	3	6	10	14	18	28
50-64	1135	8.1	32	2	3	7	10	14	18	29
65+	744	10.0	75	2	3	8	12	18	25	56
GRAND TOTAL	**5510**	**7.8**	**37**	**2**	**3**	**6**	**10**	**14**	**18**	**31**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	3.4	16	<1	1	2	4	8	10	15
20-34	474	5.5	20	1	1	4	7	11	13	21
35-49	374	6.1	18	1	2	5	8	12	14	23
50-64	176	5.5	11	1	2	5	8	10	12	14
65+	33	7.2	66	<1	1	4	9	17	27	35
B. *Operated*										
0-19 YRS	7	3.1	4	1	1	2	4	7	7	7
20-34	88	5.6	39	1	1	3	7	12	18	33
35-49	75	5.0	21	1	2	3	6	10	14	23
50-64	16	6.3	31	1	2	4	11	15	16	17
65+	2	6.5	61	<1	<1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	4.9	10	1	1	5	6	8	9	14
20-34	1818	6.4	14	2	3	5	7	10	13	22
35-49	1331	7.2	28	2	3	6	8	12	15	27
50-64	764	7.3	28	2	3	6	9	14	17	26
65+	440	8.9	75	2	3	7	11	16	25	42
B. *Operated*										
0-19 YRS	8	5.9	28	1	1	4	9	14	16	16
20-34	110	7.7	52	1	2	6	10	15	16	45
35-49	149	9.6	76	2	2	8	13	19	25	51
50-64	51	7.4	37	1	2	6	9	15	22	28
65+	24	14.8	151	2	2	14	17	24	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1239	5.4	19	1	1	4	7	11	13	21
B. *Operated*	188	5.3	30	1	1	3	7	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	4722	6.9	27	2	3	6	8	12	15	27
B. *Operated*	342	8.5	69	1	2	7	12	17	22	48
1. SINGLE DX	1427	5.4	21	1	1	4	7	11	14	23
2. MULTIPLE DX	5064	7.0	30	2	3	6	8	12	16	29
A. NOT OPERATED	5961	6.6	25	1	2	5	8	11	15	26
B. OPERATED	530	7.7	58	1	2	5	10	16	21	37
TOTAL 0-19 YRS	566	4.4	13	1	1	4	6	8	9	15
20-34	2490	6.2	18	1	2	5	7	11	14	22
35-49	1929	7.1	30	2	3	6	9	13	16	28
50-64	1007	7.0	26	2	2	6	9	13	16	25
65+	499	9.1	79	2	2	7	11	17	26	48
GRAND TOTAL	6491	**6.7**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**28**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	2.6	3	<1	1	2	3	5	6	8
20-34	77	3.1	6	<1	<1	2	4	8	8	11
35-49	68	3.1	6	<1	1	2	5	6	8	12
50-64	45	4.2	16	<1	1	3	5	8	13	21
65+	39	4.6	12	1	1	4	7	9	10	18
B. Operated										
0-19 YRS	130	2.7	2	1	1	2	3	4	5	8
20-34	433	3.3	5	1	1	3	4	5	6	10
35-49	351	3.6	5	1	2	3	4	6	7	13
50-64	266	4.7	10	2	2	4	5	8	11	18
65+	86	5.9	16	2	2	5	8	10	11	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	4.3	21	<1	<1	3	5	11	15	21
20-34	91	4.2	39	<1	1	3	5	7	12	42
35-49	104	4.6	21	1	1	3	5	9	11	29
50-64	127	5.4	24	1	1	4	6	12	17	24
65+	243	8.9	86	2	2	6	11	19	30	62
B. Operated										
0-19 YRS	45	3.6	7	1	1	3	5	6	7	18
20-34	96	4.1	32	1	1	3	4	6	11	36
35-49	126	5.1	15	1	2	4	6	10	13	21
50-64	231	6.1	31	2	2	5	8	11	13	19
65+	126	8.1	44	2	3	6	9	15	22	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	307	3.3	8	<1	1	2	4	7	8	13
B. Operated	1266	3.8	7	1	2	3	5	6	8	14
2. MULTIPLE DX										
A. Not Operated	624	6.4	54	1	1	4	8	13	21	38
B. Operated	624	5.8	31	1	2	4	7	11	14	27
1. SINGLE DX	1573	3.7	7	1	1	3	5	6	8	14
2. MULTIPLE DX	1248	6.1	42	1	2	4	7	12	16	35
A. NOT OPERATED	931	5.4	41	1	1	4	6	11	16	34
B. OPERATED	1890	4.5	16	1	2	4	5	8	11	19
TOTAL 0-19 YRS	312	3.1	7	1	1	2	4	5	8	16
20-34	697	3.5	13	<1	1	3	4	6	8	17
35-49	649	4.0	10	1	1	3	5	7	9	16
50-64	669	5.3	21	1	2	4	6	10	13	21
65+	494	7.9	59	2	2	6	9	15	24	40
GRAND TOTAL	**2821**	**4.8**	**24**	**1**	**1**	**4**	**5**	**9**	**12**	**25**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2419	1.5	1	<1	1	1	2	2	3	5
20-34	735	2.0	3	<1	1	2	2	4	5	8
35-49	230	2.5	5	<1	1	2	3	5	6	12
50-64	119	2.8	6	<1	1	2	4	5	7	14
65+	73	3.0	7	1	1	2	4	6	9	13
B. Operated										
0-19 YRS	8	4.4	46	1	1	2	3	16	21	21
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	2	27.0	1352	<1	<1	26	53	53	53	53
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2619	2.3	6	1	1	2	3	5	6	11
20-34	2221	3.5	12	1	1	3	4	7	9	17
35-49	1008	4.5	19	1	1	3	6	10	12	22
50-64	710	5.0	22	1	1	4	6	10	14	20
65+	862	8.0	89	1	2	5	10	16	21	72
B. Operated										
0-19 YRS	773	3.8	42	1	1	2	4	7	11	32
20-34	860	4.6	44	1	1	3	5	9	15	37
35-49	324	5.3	43	1	1	3	6	11	19	29
50-64	239	6.7	66	1	1	4	8	13	23	41
65+	335	9.4	138	1	1	6	12	24	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3576	1.8	2	<1	1	1	2	3	4	7
B. Operated	18	6.6	156	<1	1	2	5	17	40	53
2. MULTIPLE DX										
A. Not Operated	7420	3.9	24	1	1	2	5	8	12	22
B. Operated	2531	5.3	61	1	1	3	6	11	20	45
1. SINGLE DX	3594	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX	9951	4.3	33	1	1	3	5	9	13	29
A. NOT OPERATED	10996	3.2	18	1	1	2	4	7	10	19
B. OPERATED	2549	5.3	62	1	1	3	6	11	20	45
TOTAL 0-19 YRS	5819	2.2	9	1	1	1	2	4	6	11
20-34	3821	3.5	18	<1	1	2	4	7	10	20
35-49	1564	4.4	24	1	1	3	5	9	13	25
50-64	1069	5.2	31	1	1	4	6	10	14	31
65+	1272	8.1	99	1	1	5	10	18	25	80
GRAND TOTAL	**13545**	**3.6**	**27**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	829	1.9	4	<1	1	1	2	3	5	10
20-34	208	3.1	12	<1	1	2	3	6	11	19
35-49	76	4.2	21	<1	1	2	6	9	14	25
50-64	41	5.6	165	1	1	3	4	7	19	82
65+	53	5.7	65	1	1	2	7	12	15	52
B. Operated										
0-19 YRS	35	10.9	160	1	1	7	11	31	56	99+
20-34	29	12.9	196	1	2	9	14	28	42	69
35-49	21	10.5	56	2	2	9	14	22	26	30
50-64	26	11.8	61	2	3	12	14	21	27	35
65+	31	20.0	331	6	7	14	29	69	98	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	835	3.5	54	1	1	2	3	6	10	42
20-34	454	5.7	91	1	1	3	6	12	18	68
35-49	216	6.4	53	1	1	4	8	14	21	68
50-64	207	9.1	127	1	1	5	11	23	38	83
65+	464	11.7	162	1	2	8	15	27	43	99
B. Operated										
0-19 YRS	207	15.8	468	1	1	8	26	71	99+	99+
20-34	258	17.6	402	1	2	10	33	58	99+	99+
35-49	101	18.7	593	1	2	10	35	93	99+	99+
50-64	76	16.5	319	1	2	11	26	53	92	99+
65+	251	21.5	385	2	4	15	31	57	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1207	2.5	16	<1	1	1	2	5	8	16
B. Operated	142	13.4	179	1	2	10	15	32	50	99+
2. MULTIPLE DX										
A. Not Operated	2176	6.5	101	1	1	3	7	16	25	68
B. Operated	893	18.3	430	1	2	11	30	64	99+	99+
1. SINGLE DX	1349	3.6	44	<1	1	2	3	8	13	36
2. MULTIPLE DX	3069	9.9	226	1	1	4	12	30	50	99+
A. NOT OPERATED	3383	5.1	75	1	1	2	5	12	19	51
B. OPERATED	1035	17.6	398	1	2	11	27	59	98	99+
TOTAL 0-19 YRS	1906	4.3	97	1	1	2	3	8	18	85
20-34	949	8.6	194	1	1	3	9	26	46	99+
35-49	414	9.2	209	1	1	5	10	25	52	99+
50-64	350	10.5	178	1	2	5	13	28	44	99+
65+	799	14.7	258	1	2	10	19	42	57	99+
GRAND TOTAL	**4418**	**8.0**	**179**	**1**	**1**	**3**	**9**	**22**	**43**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.5	12	1	1	3	4	7	11	17
20-34	30	2.9	3	<1	1	3	5	5	6	7
35-49	17	3.9	11	1	1	3	5	10	12	12
50-64	11	4.4	14	<1	<1	3	6	10	13	13
65+	5	8.0	49	2	2	6	10	20	20	20
B. Operated										
0-19 YRS	22	6.6	16	2	2	6	8	12	15	18
20-34	75	7.2	17	2	3	7	9	12	14	24
35-49	29	7.4	31	2	3	6	9	15	21	25
50-64	6	8.2	13	4	4	7	12	13	13	13
65+	5	5.0	6	3	3	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	4.5	10	1	2	3	6	9	11	15
20-34	102	5.2	19	1	2	4	6	10	14	24
35-49	45	6.1	20	2	2	4	8	12	14	24
50-64	61	6.6	31	1	2	5	9	14	18	30
65+	92	9.5	74	2	3	7	10	18	32	78
B. Operated										
0-19 YRS	87	11.2	171	2	3	7	13	22	39	96
20-34	236	10.5	89	3	4	8	12	17	33	50
35-49	103	11.3	71	3	4	9	13	23	29	46
50-64	62	10.3	58	2	4	8	12	23	31	92
65+	93	14.9	159	4	5	11	18	28	43	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	3.8	12	1	1	3	5	7	11	19
B. Operated	137	7.1	19	2	3	6	9	13	15	25
2. MULTIPLE DX										
A. Not Operated	346	6.6	38	2	2	5	9	13	17	41
B. Operated	581	11.4	108	3	4	9	13	22	32	67
1. SINGLE DX	226	5.8	19	1	1	5	7	12	13	22
2. MULTIPLE DX	927	9.6	87	2	3	7	11	19	28	53
A. NOT OPERATED	435	6.0	34	1	2	4	7	12	16	33
B. OPERATED	718	10.6	94	3	4	8	12	20	29	59
TOTAL 0-19 YRS	181	7.8	99	1	2	5	9	16	21	83
20-34	443	8.2	62	2	2	6	10	14	19	45
35-49	194	8.9	55	2	2	7	11	18	25	36
50-64	140	8.1	45	1	2	6	10	16	23	46
65+	195	11.9	120	3	4	8	15	26	39	66
GRAND TOTAL	**1153**	**8.9**	**76**	**2**	**2**	**7**	**11**	**17**	**25**	**49**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	3.9	10	1	1	3	5	8	10	16
20-34	143	3.5	7	1	1	3	5	7	9	13
35-49	45	4.0	10	1	1	3	6	9	10	14
50-64	19	3.7	6	<1	1	3	5	7	9	10
65+	10	5.0	16	1	1	4	5	12	12	12
B. *Operated*										
0-19 YRS	82	7.3	14	3	4	7	8	11	11	27
20-34	116	9.0	25	4	5	8	11	15	21	26
35-49	48	8.3	15	4	4	7	10	14	16	19
50-64	15	7.3	12	2	2	8	8	13	14	14
65+	7	7.4	7	3	4	8	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	4.4	17	1	1	3	6	10	13	20
20-34	287	4.5	16	1	1	3	6	9	13	21
35-49	100	5.0	16	1	1	4	6	10	13	22
50-64	65	5.4	27	1	1	4	6	12	19	23
65+	75	10.5	180	2	2	6	13	23	32	99
B. *Operated*										
0-19 YRS	269	12.9	156	2	4	9	14	26	34	65
20-34	452	14.6	210	3	5	10	15	30	51	99
35-49	179	15.9	233	3	5	11	18	35	67	99+
50-64	103	18.1	264	5	7	13	21	34	63	98
65+	80	22.4	406	3	6	16	27	49	77	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	517	3.8	9	1	1	3	5	8	10	14
B. *Operated*	268	8.2	19	3	4	7	9	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	778	5.2	36	1	1	4	6	11	14	25
B. *Operated*	1083	15.3	225	3	5	10	17	32	53	98
1. SINGLE DX	785	5.3	17	1	1	4	7	10	12	20
2. MULTIPLE DX	1861	11.1	171	1	2	8	13	23	37	84
A. NOT OPERATED	1295	4.7	26	1	1	3	6	10	13	22
B. OPERATED	1351	13.9	192	3	5	10	15	28	46	97
TOTAL 0-19 YRS	902	7.0	71	1	1	5	9	13	19	46
20-34	998	9.5	127	1	2	7	11	18	29	75
35-49	372	10.6	147	1	2	7	12	22	35	79
50-64	202	11.9	185	1	2	8	15	23	36	87
65+	172	15.6	309	2	3	10	20	38	56	99
GRAND TOTAL	**2646**	**9.4**	**132**	**1**	**2**	**6**	**11**	**19**	**29**	**74**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	4	1	1	4	5	7	8	8
20-34	8	3.4	6	1	1	3	4	7	9	9
35-49	11	2.2	2	1	1	2	3	4	5	5
50-64	3	2.3	1	<1	<1	3	3	3	3	3
65+	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	172	2.8	6	<1	1	2	4	6	8	13
20-34	85	3.5	7	1	1	3	4	6	10	13
35-49	48	2.9	4	1	1	3	4	5	6	12
50-64	21	4.4	16	<1	1	3	5	8	13	19
65+	18	2.9	3	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.4	4	<1	1	3	5	6	7	8
20-34	29	3.9	9	1	1	3	5	8	11	13
35-49	3	5.3	2	4	4	5	6	7	7	7
50-64	8	6.6	29	1	1	6	9	15	17	17
65+	17	7.5	48	1	1	6	11	15	23	27
B. *Operated*										
0-19 YRS	145	4.2	15	1	1	3	5	9	11	18
20-34	139	4.3	13	<1	1	4	6	8	10	16
35-49	69	4.5	12	1	1	4	6	10	11	16
50-64	46	3.8	9	1	1	3	5	8	12	99+
65+	75	6.6	89	1	1	4	8	15	20	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.9	4	1	1	3	4	5	7	9
B. *Operated*	344	3.1	7	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	83	4.8	19	1	1	3	6	10	14	24
B. *Operated*	474	4.6	26	1	1	3	6	9	13	28
1. SINGLE DX	382	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	557	4.6	25	1	1	3	6	9	13	27
A. NOT OPERATED	121	4.2	15	1	1	3	5	8	12	20
B. OPERATED	818	3.9	18	1	1	3	5	8	10	19
TOTAL 0-19 YRS	355	3.4	10	<1	1	2	4	7	9	15
20-34	261	4.0	11	1	1	3	5	8	10	14
35-49	131	3.7	9	1	1	3	5	7	10	15
50-64	78	4.2	13	1	1	3	6	9	13	76
65+	114	6.0	68	1	1	4	7	14	18	84
GRAND TOTAL	**939**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.5	4	<1	<1	2	3	5	6	11
20-34	56	2.8	4	1	1	2	4	6	7	8
35-49	19	2.6	4	<1	<1	2	4	6	7	8
50-64	16	3.4	11	1	1	2	4	7	12	14
65+	10	3.0	6	1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	296	1.9	3	<1	<1	1	2	4	5	9
20-34	146	2.9	9	<1	<1	2	3	6	9	14
35-49	68	3.2	10	<1	1	2	4	6	8	20
50-64	35	2.0	1	<1	1	2	3	4	4	5
65+	25	3.3	6	<1	<1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	2.9	5	<1	1	2	4	6	8	12
20-34	226	3.5	25	<1	<1	2	4	7	10	25
35-49	120	3.4	6	<1	1	3	5	7	9	11
50-64	75	7.2	169	1	1	3	6	12	34	75
65+	213	8.3	100	1	1	5	11	18	28	64
B. *Operated*										
0-19 YRS	518	3.1	11	1	1	2	4	6	9	16
20-34	617	4.6	46	<1	1	3	5	9	16	35
35-49	264	4.7	27	<1	1	3	5	9	17	32
50-64	207	4.5	22	1	1	3	6	8	11	28
65+	382	7.3	69	1	1	5	9	15	21	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	2.7	4	<1	1	2	4	5	7	11
B. *Operated*	570	2.4	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	795	5.0	57	<1	1	3	5	10	15	44
B. *Operated*	1988	4.7	38	1	1	3	6	10	15	33
1. SINGLE DX	770	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	2783	4.8	43	1	1	3	6	10	15	38
A. NOT OPERATED	995	4.5	47	<1	1	3	5	9	13	41
B. OPERATED	2558	4.2	32	<1	1	2	5	9	13	28
TOTAL 0-19 YRS	1074	2.7	7	<1	1	2	3	6	8	13
20-34	1045	4.0	34	<1	1	2	5	8	12	27
35-49	471	4.1	19	<1	1	3	5	8	10	25
50-64	333	4.8	54	1	1	3	5	8	13	40
65+	630	7.4	77	1	1	5	9	15	23	51
GRAND TOTAL	**3553**	**4.3**	**36**	**<1**	**1**	**3**	**5**	**9**	**13**	**32**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	2.2	3	<1	1	2	3	4	5	8
20-34	273	2.4	3	<1	1	2	3	4	5	7
35-49	77	3.0	18	1	1	2	3	5	6	29
50-64	23	2.0	1	<1	<1	2	3	3	4	4
65+	5	1.6		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	183	3.0	10	<1	1	2	4	6	8	20
20-34	195	4.7	19	1	1	4	6	9	12	26
35-49	62	5.0	19	<1	1	4	7	10	12	24
50-64	19	6.3	16	2	2	6	10	11	13	15
65+	13	4.6	9	<1	1	4	7	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.4	26	1	1	3	5	9	12	30
20-34	211	3.9	36	<1	1	3	4	7	11	27
35-49	71	3.9	27	<1	1	2	4	8	16	30
50-64	31	4.6	15	1	1	4	6	11	14	17
65+	29	9.1	121	1	2	4	10	24	36	47
B. *Operated*										
0-19 YRS	146	7.7	140	1	1	5	8	14	26	62
20-34	341	7.8	53	1	2	6	9	14	21	42
35-49	105	10.2	107	1	2	8	12	19	30	61
50-64	53	8.6	62	1	2	7	11	22	33	97
65+	23	11.4	132	1	2	7	15	32	40	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	2.4	5	<1	1	2	3	4	5	8
B. *Operated*	472	4.2	16	<1	1	3	6	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	413	4.4	38	<1	1	3	5	9	15	32
B. *Operated*	668	8.3	84	1	1	6	10	16	24	52
1. SINGLE DX	1011	3.2	11	<1	1	2	4	6	8	18
2. MULTIPLE DX	1081	6.8	70	1	1	5	8	14	21	47
A. NOT OPERATED	952	3.3	20	<1	1	2	4	5	9	23
B. OPERATED	1140	6.6	60	1	1	5	8	13	20	43
TOTAL 0-19 YRS	561	4.2	48	<1	1	2	5	8	11	31
20-34	1020	4.9	34	1	1	3	6	10	14	29
35-49	315	6.0	59	1	1	4	7	13	18	42
50-64	126	6.1	38	1	1	4	8	13	19	50
65+	70	8.5	102	<1	1	4	10	20	35	46
GRAND TOTAL	**2092**	**5.1**	**45**	**1**	**1**	**3**	**6**	**11**	**15**	**35**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	2.7	3	1	1	2	4	5	6	9
20-34	194	3.5	6	1	1	3	4	7	8	15
35-49	78	2.9	3	<1	1	3	4	5	6	9
50-64	41	4.5	14	1	2	3	5	9	12	20
65+	16	6.8	202	<1	1	2	4	16	46	58
B. *Operated*										
0-19 YRS	890	2.2	5	<1	1	2	3	4	5	10
20-34	1117	2.5	13	<1	1	2	3	4	6	12
35-49	479	2.6	8	<1	<1	2	3	5	8	16
50-64	296	2.5	8	<1	1	2	3	5	6	13
65+	88	3.1	20	<1	1	2	4	6	7	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	4.0	24	1	1	3	4	8	10	30
20-34	184	4.3	23	1	1	3	5	8	11	26
35-49	96	4.5	10	1	1	3	6	9	10	15
50-64	59	5.3	25	1	1	4	6	10	16	28
65+	47	7.1	36	1	2	5	9	14	19	31
B. *Operated*										
0-19 YRS	662	3.4	23	1	1	2	3	6	10	28
20-34	970	3.9	27	1	1	2	4	8	12	28
35-49	397	4.4	37	1	1	2	4	9	18	33
50-64	280	4.1	25	1	1	2	5	9	12	25
65+	151	5.6	58	1	1	3	7	13	17	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	3.4	12	1	1	3	4	6	7	15
B. *Operated*	2870	2.5	9	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	508	4.7	23	1	1	3	6	9	12	27
B. *Operated*	2460	4.0	30	1	1	2	4	8	13	31
1. SINGLE DX	3334	2.6	10	<1	1	2	3	5	6	13
2. MULTIPLE DX	2968	4.1	29	1	1	2	4	8	13	31
A. NOT OPERATED	972	4.0	18	1	1	3	5	8	10	19
B. OPERATED	5330	3.2	19	<1	1	2	3	6	9	24
TOTAL 0-19 YRS	1809	2.8	13	1	1	2	3	5	7	19
20-34	2465	3.3	19	<1	1	2	4	6	9	22
35-49	1050	3.5	20	<1	1	2	4	7	10	26
50-64	676	3.5	18	1	1	2	4	7	10	21
65+	302	5.2	52	1	1	3	6	11	17	37
GRAND TOTAL	6302	3.3	19	<1	1	2	4	6	9	23

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	3.0	4	<1	1	2	4	6	7	10
20-34	150	3.5	8	1	1	3	4	7	9	16
35-49	47	4.3	9	1	1	4	6	8	10	16
50-64	24	5.2	36	1	2	3	5	11	17	30
65+	11	5.0	15	<1	1	5	6	10	15	15
B. *Operated*										
0-19 YRS	504	3.9	24	<1	1	2	4	7	12	28
20-34	346	4.5	27	1	1	3	5	10	15	26
35-49	140	4.8	41	1	1	3	5	10	16	36
50-64	82	5.0	43	<1	1	3	5	11	22	36
65+	43	6.7	48	1	1	5	8	14	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	3.6	6	1	1	3	5	6	9	12
20-34	114	4.9	16	1	1	4	6	10	14	18
35-49	51	5.3	25	1	1	4	7	10	14	32
50-64	53	8.6	78	1	2	6	11	18	24	49
65+	63	12.3	168	2	3	8	16	23	39	75
B. *Operated*										
0-19 YRS	234	8.2	93	1	1	5	10	20	32	51
20-34	282	8.4	119	1	1	5	9	20	29	52
35-49	116	11.0	227	1	2	6	13	26	37	97
50-64	118	11.0	147	1	2	7	14	25	32	91
65+	123	14.5	189	2	3	11	21	33	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	3.6	9	1	1	3	4	7	9	15
B. *Operated*	1115	4.4	30	1	1	3	5	9	14	30
2. MULTIPLE DX										
A. *Not Operated*	364	6.5	59	1	1	4	7	14	17	39
B. *Operated*	873	9.9	144	1	2	6	12	24	34	85
1. SINGLE DX	1508	4.2	24	1	1	3	5	8	12	27
2. MULTIPLE DX	1237	8.9	121	1	2	5	10	21	31	76
A. NOT OPERATED	757	5.0	35	1	1	3	6	10	14	35
B. OPERATED	1988	6.8	87	1	1	4	8	16	25	55
TOTAL 0-19 YRS	982	4.7	40	1	1	3	5	10	15	38
20-34	892	5.6	55	1	1	3	6	12	18	36
35-49	354	6.8	103	1	1	4	7	13	24	70
50-64	277	8.3	100	1	1	4	11	21	28	56
65+	240	12.1	160	1	2	8	16	28	40	99+
GRAND TOTAL	2745	6.3	74	1	1	4	7	14	22	46

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5	1	<1	<1	1	2	3	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	17	3.5	14	<1	1	2	5	10	12	13
20-34	30	5.0	37	1	1	2	6	14	17	27
35-49	14	5.4	32	<1	<1	3	9	12	19	21
50-64	8	6.6	53	<1	<1	2	15	16	16	16
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	61	1	1	2	8	20	21	21
20-34	10	3.7	12	1	1	2	3	10	12	12
35-49	5	3.8	2	2	2	4	5	6	6	6
50-64	9	4.1	12	<1	<1	3	7	9	11	11
65+	10	15.8	416	1	3	10	16	44	72	72
B. *Operated*										
0-19 YRS	39	9.0	127	1	1	4	13	33	40	99+
20-34	79	9.8	168	1	1	6	13	22	35	97
35-49	26	7.7	51	1	1	6	10	23	40	99+
50-64	17	7.5	50	<1	1	6	10	18	23	25
65+	18	14.7	196	1	1	10	20	34	47	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.7	1	<1	<1	1	2	4	5	5
B. *Operated*	70	4.8	31	<1	1	2	7	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	40	7.2	135	1	1	3	8	15	19	72
B. *Operated*	179	9.6	135	1	1	6	13	25	38	99+
1. SINGLE DX	88	4.2	27	<1	1	2	5	12	16	25
2. MULTIPLE DX	219	9.2	135	1	1	5	11	23	36	99+
A. NOT OPERATED	58	5.5	100	<1	1	3	6	12	17	68
B. OPERATED	249	8.3	110	1	1	5	11	21	30	99+
TOTAL 0-19 YRS	73	6.3	84	<1	1	2	8	19	35	86
20-34	121	8.0	126	1	1	4	10	20	28	93
35-49	49	6.2	39	<1	1	4	9	16	24	99+
50-64	34	6.4	40	<1	1	4	9	16	18	26
65+	30	14.2	256	1	1	9	17	32	55	72
GRAND TOTAL	307	7.7	109	1	1	4	10	20	29	94

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	6	<1	<1	2	5	7	8	8
20-34	15	3.5	6	1	1	3	6	7	8	8
35-49	5	11.6	309	3	3	4	14	43	43	43
50-64	5	5.8	9	2	2	5	8	10	10	10
65+	11	9.4	86	1	1	4	13	25	29	29
B. *Operated*										
0-19 YRS	110	3.3	14	<1	1	2	3	6	9	23
20-34	201	3.8	13	<1	1	2	4	7	10	24
35-49	90	4.3	51	<1	1	3	5	8	11	47
50-64	66	4.5	18	1	2	3	5	8	17	21
65+	20	9.7	85	1	2	5	18	22	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	30	1	1	4	7	9	11	30
20-34	37	4.7	17	<1	1	4	6	9	14	20
35-49	25	7.0	42	<1	1	5	9	15	20	29
50-64	27	6.7	56	<1	<1	4	9	12	23	36
65+	59	13.9	149	2	3	11	19	25	37	67
B. *Operated*										
0-19 YRS	105	3.8	14	1	1	3	4	7	10	21
20-34	204	5.7	78	1	2	3	5	13	19	71
35-49	115	5.5	25	1	2	4	7	11	18	24
50-64	68	9.0	126	1	2	5	9	22	35	55
65+	67	13.0	166	2	2	10	17	25	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.9	58	1	1	3	7	12	23	43
B. *Operated*	487	4.1	27	<1	1	3	4	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	178	8.5	86	<1	1	6	11	19	25	52
B. *Operated*	557	6.5	78	1	1	3	7	16	22	52
1. SINGLE DX	535	4.3	30	<1	1	3	5	8	12	27
2. MULTIPLE DX	735	7.0	81	1	1	4	8	17	23	53
A. NOT OPERATED	226	7.9	81	1	1	5	10	18	25	46
B. OPERATED	1044	5.4	56	1	1	3	6	11	19	41
TOTAL 0-19 YRS	257	3.7	15	<1	1	2	4	7	10	24
20-34	457	4.7	45	1	1	3	5	9	16	41
35-49	235	5.3	43	<1	1	3	6	11	16	31
50-64	164	6.7	71	1	2	4	7	17	22	47
65+	157	12.6	144	2	2	11	17	25	31	67
GRAND TOTAL	1279	5.9	61	1	1	3	6	13	21	42

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	282	4.1	5	1	2	4	5	6	8	13
20-34	99	3.3	3	1	1	3	4	5	6	9
35-49	35	3.9	5	<1	1	4	5	6	8	11
50-64	9	4.2	12	<1	<1	4	5	10	12	12
65+	4	2.8		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	8	6.1	18	1	1	6	8	12	14	14
20-34	4	7.3	38	2	2	5	11	16	16	16
35-49	4	2.3		2	2	2	3	3	3	3
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	5	6.0	29	2	2	3	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	4.0	7	1	1	4	5	7	9	15
20-34	65	3.8	5	1	1	3	5	7	8	10
35-49	37	4.4	11	<1	1	3	7	8	10	16
50-64	28	4.8	10	<1	1	4	6	9	12	14
65+	38	5.8	18	<1	1	5	7	12	19	99+
B. *Operated*										
0-19 YRS	15	5.4	19	2	2	4	7	10	16	18
20-34	22	6.5	37	2	2	4	7	15	22	26
35-49	8	2.9	5	<1	<1	2	3	7	8	8
50-64	5	5.8	6	4	4	5	6	10	10	10
65+	13	9.3	76	1	2	7	12	21	31	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	3.9	4	1	1	4	5	6	7	12
B. *Operated*	24	5.3	19	1	1	4	7	14	15	16
2. MULTIPLE DX										
A. *Not Operated*	311	4.3	9	1	1	4	5	8	10	18
B. *Operated*	63	6.3	36	1	2	4	7	12	19	32
1. SINGLE DX	453	3.9	5	1	1	4	5	6	8	14
2. MULTIPLE DX	374	4.6	14	1	1	4	6	9	12	20
A. NOT OPERATED	740	4.0	6	1	1	4	5	7	9	14
B. OPERATED	87	6.0	31	1	2	4	7	13	18	30
TOTAL 0-19 YRS	448	4.1	6	1	1	4	5	6	8	14
20-34	190	3.9	9	1	1	4	5	6	8	18
35-49	84	3.9	7	<1	1	3	5	7	9	14
50-64	45	4.7	10	<1	1	5	6	10	12	14
65+	60	6.4	32	1	2	5	8	14	19	93
GRAND TOTAL	**827**	**4.3**	**9**	**1**	**1**	**4**	**5**	**7**	**10**	**18**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	618	2.0	3	<1	1	1	2	4	5	9
20-34	441	2.4	5	<1	1	2	3	5	6	11
35-49	207	3.0	6	<1	1	2	4	6	8	12
50-64	130	3.5	7	1	1	3	5	7	9	13
65+	184	4.5	14	1	1	3	6	10	13	16
B. *Operated*										
0-19 YRS	84	3.7	24	<1	1	2	4	7	16	26
20-34	88	4.1	18	1	1	3	6	9	11	26
35-49	57	3.9	10	1	1	3	5	9	10	14
50-64	42	4.1	24	<1	<1	3	5	8	11	30
65+	32	6.2	19	1	2	5	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	874	2.6	7	<1	1	2	3	5	7	12
20-34	1056	3.7	12	1	1	3	5	8	10	15
35-49	565	5.4	38	1	1	4	7	10	14	31
50-64	613	6.0	36	1	1	4	8	12	16	26
65+	1960	9.6	104	1	2	7	12	19	27	70
B. *Operated*										
0-19 YRS	141	3.8	13	<1	1	3	5	8	11	22
20-34	197	4.9	26	1	1	3	6	12	16	26
35-49	105	9.0	185	1	1	4	9	27	41	70
50-64	113	8.2	58	1	1	6	10	16	25	39
65+	264	16.3	234	2	3	11	20	35	46	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1580	2.7	6	<1	1	2	3	5	8	13
B. *Operated*	303	4.2	20	1	1	3	5	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	5068	6.3	60	1	1	4	8	13	19	43
B. *Operated*	820	9.4	141	1	1	5	11	22	34	64
1. SINGLE DX	1883	2.9	9	<1	1	2	4	6	8	14
2. MULTIPLE DX	5888	6.7	73	1	1	4	8	14	21	47
A. NOT OPERATED	6648	5.4	50	1	1	3	7	12	17	36
B. OPERATED	1123	8.0	113	1	1	4	9	19	29	54
TOTAL 0-19 YRS	1717	2.6	7	<1	1	2	3	5	7	12
20-34	1782	3.6	13	<1	1	2	5	7	10	19
35-49	934	5.2	48	1	1	3	6	10	14	37
50-64	898	5.8	35	1	1	4	8	12	16	30
65+	2440	9.9	117	1	2	7	12	21	30	70
GRAND TOTAL	**7771**	**5.8**	**60**	**1**	**1**	**3**	**7**	**13**	**18**	**41**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.8	8	<1	1	1	4	6	10	12
20-34	43	2.7	5	<1	1	2	3	5	7	12
35-49	13	2.7	5	1	1	2	4	5	8	9
50-64	9	4.0	17	1	1	3	4	11	14	14
65+										
B. *Operated*										
0-19 YRS	29	5.5	41	1	1	4	6	11	21	30
20-34	62	5.1	56	<1	1	3	5	11	14	51
35-49	30	6.6	122	<1	<1	3	7	14	40	49
50-64	20	5.6	111	<1	<1	3	5	9	29	49
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.5	35	1	1	2	4	6	7	34
20-34	36	4.3	8	1	1	3	6	8	9	14
35-49	16	4.7	23	1	1	3	6	13	16	17
50-64	13	4.8	19	<1	<1	3	8	12	13	13
65+	6	6.2	21	<1	<1	1	8	13	14	14
B. *Operated*										
0-19 YRS	32	7.6	71	<1	1	5	10	18	20	42
20-34	86	9.1	133	1	1	4	9	30	41	47
35-49	38	11.3	292	<1	1	5	12	29	57	79
50-64	36	9.9	172	1	1	4	13	24	43	60
65+	13	14.8	318	1	2	10	16	35	63	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.9	7	<1	1	2	4	6	9	13
B. *Operated*	141	5.6	73	<1	1	3	6	11	19	50
2. MULTIPLE DX										
A. *Not Operated*	102	4.3	20	<1	1	3	6	8	13	25
B. *Operated*	205	9.7	170	1	1	5	11	24	42	66
1. SINGLE DX	243	4.4	47	<1	1	2	5	8	13	49
2. MULTIPLE DX	307	7.9	127	1	1	4	9	17	33	61
A. NOT OPERATED	104	3.6	14	<1	1	2	4	8	11	16
B. OPERATED	346	8.0	135	1	1	4	9	18	35	60
TOTAL 0-19 YRS	129	4.7	40	1	1	2	5	11	17	36
20-34	227	6.0	73	1	1	3	6	13	20	45
35-49	97	7.6	164	<1	1	3	7	16	37	71
50-64	78	7.2	116	<1	1	3	8	15	25	57
65+	19	12.1	235	<1	2	8	15	23	50	69
GRAND TOTAL	**550**	**6.4**	**94**	**1**	**1**	**3**	**7**	**14**	**21**	**51**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.1		<1	<1	1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.3	1	<1	<1	1	1	2	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	3	4.7	22	1	1	3	8	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.1		<1	<1	1	1	2	2	2
B. *Operated*	18	1.8	3	<1	1	1	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	7	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	11	3.7	16	<1	<1	2	4	11	13	13
1. SINGLE DX	33	1.5	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	18	2.9	11	<1	<1	2	3	8	12	13
A. NOT OPERATED	22	1.3		<1	<1	1	2	2	3	3
B. OPERATED	29	2.6	8	<1	1	1	3	6	10	13
TOTAL 0-19 YRS	29	1.3		<1	<1	1	1	2	3	4
20-34	9	1.8	1	1	1	2	2	3	4	4
35-49	8	3.8	18	1	1	2	5	11	13	13
50-64	4	4.5	15	1	1	3	7	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**51**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**7**	**13**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	513	1.4	2	<1	<1	1	1	2	3	6
20-34	123	1.8	3	<1	<1	1	2	3	6	10
35-49	119	1.5	1	<1	<1	1	2	3	4	7
50-64	142	1.5	1	<1	<1	1	2	2	3	7
65+	128	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*										
0-19 YRS	126	2.4	5	<1	<1	1	3	5	7	11
20-34	21	4.5	27	<1	<1	2	7	11	18	20
35-49	24	2.8	8	<1	<1	2	4	7	8	11
50-64	23	3.2	9	<1	1	1	6	8	9	10
65+	26	2.6	11	1	1	2	2	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	2.4	4	<1	<1	2	3	5	7	9
20-34	57	3.6	11	1	1	2	6	9	10	12
35-49	76	3.4	25	1	1	2	3	7	12	31
50-64	104	3.3	8	1	1	2	4	7	9	14
65+	231	4.4	18	1	1	3	6	11	13	23
B. *Operated*										
0-19 YRS	39	5.0	39	1	1	3	6	11	23	27
20-34	34	6.9	63	<1	1	3	9	17	25	34
35-49	45	8.2	133	1	1	4	9	19	27	67
50-64	79	6.3	113	1	1	3	7	11	19	61
65+	138	10.1	125	1	2	5	14	24	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	1.5	2	<1	<1	1	2	2	3	7
B. *Operated*	220	2.8	9	<1	<1	1	3	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	570	3.6	14	1	1	2	4	9	11	17
B. *Operated*	335	8.0	110	1	1	4	10	19	28	65
1. SINGLE DX	1245	1.7	3	<1	<1	1	2	3	5	8
2. MULTIPLE DX	905	5.2	54	1	1	3	6	12	17	36
A. NOT OPERATED	1595	2.2	7	<1	<1	1	2	5	7	13
B. OPERATED	555	5.9	76	<1	1	3	7	15	22	57
TOTAL 0-19 YRS	780	1.9	5	<1	<1	1	2	3	5	10
20-34	235	3.2	19	<1	<1	2	3	8	11	23
35-49	264	3.3	36	<1	<1	1	3	7	12	33
50-64	348	3.2	32	<1	1	2	3	7	10	21
65+	523	5.1	52	1	1	2	6	12	18	35
GRAND TOTAL	**2150**	**3.2**	**28**	**<1**	**<1**	**1**	**3**	**7**	**11**	**27**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	7.7	57	1	1	5	9	21	26	29
20-34	22	6.5	75	1	1	5	6	11	27	42
35-49	8	5.3	17	<1	<1	5	7	12	13	13
50-64	9	8.8	39	2	2	7	12	19	19	19
65+	2	13.5	113	6	6	13	21	21	21	21
B. *Operated*										
0-19 YRS	66	13.4	157	1	2	8	17	33	39	51
20-34	59	10.9	116	1	2	8	14	22	38	53
35-49	24	10.7	108	1	1	6	16	24	33	40
50-64	28	9.5	61	1	2	7	13	20	28	33
65+	12	25.2	420	3	3	26	37	61	62	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	7.1	35	1	1	6	9	16	20	26
20-34	41	7.5	34	1	1	6	11	16	18	23
35-49	29	7.8	50	2	2	6	10	18	28	28
50-64	19	11.5	230	1	2	7	11	25	48	67
65+	39	14.5	62	4	6	14	18	26	31	32
B. *Operated*										
0-19 YRS	124	24.8	415	3	5	20	32	56	86	99+
20-34	154	19.1	322	2	3	13	27	46	54	94
35-49	94	23.5	421	3	5	16	33	58	67	97
50-64	88	24.0	349	3	5	20	33	48	62	96
65+	82	32.0	535	3	7	29	54	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	7.3	56	1	1	5	8	19	22	39
B. *Operated*	189	12.5	151	1	2	8	16	31	38	58
2. MULTIPLE DX										
A. *Not Operated*	166	9.6	73	1	2	7	13	21	25	32
B. *Operated*	342	23.9	411	3	4	19	35	57	83	99+
1. SINGLE DX	262	11.1	130	1	2	7	14	28	37	54
2. MULTIPLE DX	708	20.5	369	2	3	14	29	51	70	99+
A. NOT OPERATED	239	8.9	69	1	2	6	11	20	25	33
B. OPERATED	731	21.0	368	2	3	15	30	51	69	99+
TOTAL 0-19 YRS	260	17.2	306	1	3	10	26	41	54	94
20-34	276	14.6	241	2	2	9	18	38	48	81
35-49	155	17.7	335	2	3	11	22	48	60	93
50-64	144	18.6	302	2	3	13	26	43	54	90
65+	135	26.2	440	3	5	24	40	77	99+	99+
GRAND TOTAL	**970**	**18.0**	**322**	**2**	**3**	**12**	**25**	**46**	**60**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	4.8	18	1	1	4	7	10	13	22
20-34	161	3.9	20	1	1	2	6	8	11	28
35-49	87	5.3	39	1	1	3	7	11	16	35
50-64	31	5.2	21	1	1	4	7	10	18	19
65+	17	11.5	85	1	2	8	19	27	27	27
B. *Operated*										
0-19 YRS	77	7.1	39	1	1	5	9	17	21	29
20-34	43	9.1	99	1	2	6	11	20	26	56
35-49	26	7.6	38	1	1	6	11	17	20	25
50-64	17	10.9	55	2	3	10	13	16	29	36
65+	9	9.3	18	2	4	9	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	588	6.1	30	1	1	5	8	13	16	28
20-34	349	4.9	21	1	1	3	7	10	13	19
35-49	167	6.5	38	1	1	4	9	15	18	26
50-64	130	7.1	48	1	2	5	9	17	23	55
65+	110	13.0	151	2	2	8	18	31	40	74
B. *Operated*										
0-19 YRS	142	10.3	91	1	2	8	12	20	33	50
20-34	116	12.6	138	1	2	9	16	26	42	54
35-49	80	16.2	260	2	3	12	20	34	42	84
50-64	61	21.4	320	3	4	15	28	49	57	78
65+	53	29.6	515	3	6	24	46	62	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	597	4.9	25	1	1	3	6	10	14	27
B. *Operated*	172	8.2	55	1	2	6	11	17	22	35
2. MULTIPLE DX										
A. *Not Operated*	1344	6.5	44	1	1	5	8	14	19	36
B. *Operated*	451	15.6	249	2	3	11	19	37	51	82
1. SINGLE DX	769	5.6	33	1	1	4	7	12	17	27
2. MULTIPLE DX	1795	8.8	111	1	1	6	11	19	29	57
A. NOT OPERATED	1941	6.0	39	1	1	4	8	13	18	32
B. OPERATED	623	13.6	206	1	2	9	17	31	46	75
TOTAL 0-19 YRS	1108	6.3	38	1	1	5	8	13	18	31
20-34	669	6.3	55	1	1	4	8	14	18	43
35-49	360	8.4	104	1	1	5	11	18	25	45
50-64	239	10.8	153	1	2	7	12	26	40	70
65+	188	17.3	296	2	3	12	23	45	57	98
GRAND TOTAL	**2564**	**7.8**	**90**	**1**	**1**	**5**	**10**	**17**	**25**	**54**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	5	<1	<1	2	3	5	8	10
20-34	44	4.0	13	1	1	3	6	8	11	18
35-49	24	4.1	13	<1	1	3	6	9	12	14
50-64	11	7.1	73	2	2	4	6	19	31	32
65+	4	27.3	1983	3	3	6	50	94	94	94
B. *Operated*										
0-19 YRS	82	2.1	1	1	1	2	2	4	5	6
20-34	141	2.4	16	<1	<1	2	3	4	5	10
35-49	67	2.2	3	<1	1	2	2	4	5	11
50-64	37	2.5	3	<1	1	2	3	4	6	11
65+	5	2.6	9	<1	<1	1	3	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.9	136	<1	1	3	5	8	27	66
20-34	54	7.0	65	<1	1	5	8	14	20	49
35-49	30	7.5	184	1	2	4	7	11	15	77
50-64	27	8.0	120	1	1	5	9	21	30	53
65+	59	12.3	121	2	2	10	17	29	34	96
B. *Operated*										
0-19 YRS	97	2.6	4	1	1	2	3	5	8	58
20-34	164	4.4	62	1	1	2	3	7	16	48
35-49	74	7.5	177	1	1	2	5	17	43	65
50-64	42	6.7	167	1	1	2	6	16	22	80
65+	18	14.0	163	1	1	14	21	43	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.9	92	<1	1	3	5	9	11	58
B. *Operated*	332	2.3	8	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	209	8.5	122	1	1	5	10	20	30	70
B. *Operated*	395	5.2	91	1	1	2	4	12	21	64
1. SINGLE DX	440	2.9	30	<1	1	2	3	5	7	15
2. MULTIPLE DX	604	6.3	104	1	1	3	6	15	26	66
A. NOT OPERATED	317	7.3	114	1	1	4	8	14	27	70
B. OPERATED	727	3.9	55	<1	1	2	3	6	13	52
TOTAL 0-19 YRS	243	3.0	26	<1	1	2	3	5	7	41
20-34	403	4.0	43	<1	1	2	4	7	13	46
35-49	195	5.3	103	1	1	2	4	10	16	63
50-64	117	5.7	98	1	1	3	5	11	22	62
65+	86	12.8	202	1	2	9	19	30	53	99+
GRAND TOTAL	**1044**	**4.9**	**75**	**<1**	**1**	**2**	**4**	**10**	**18**	**60**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	2.5	3	<1	1	2	3	5	7	9
20-34	244	3.1	11	1	1	2	4	6	9	18
35-49	103	2.9	5	<1	1	2	4	6	8	10
50-64	46	4.2	18	<1	1	3	5	11	14	18
65+	32	5.6	19	1	1	4	7	13	16	17
B. *Operated*										
0-19 YRS	51	4.2	25	1	1	2	5	9	16	27
20-34	75	3.8	13	<1	1	3	5	7	10	20
35-49	35	5.5	33	1	1	3	8	13	15	28
50-64	19	4.2	15	1	1	3	6	10	13	14
65+	11	6.9	55	1	1	4	7	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	3.2	9	1	1	2	4	6	8	15
20-34	293	4.5	41	1	1	3	5	7	10	41
35-49	176	6.6	97	1	1	4	7	12	22	57
50-64	150	6.0	58	1	1	4	7	11	18	29
65+	294	8.9	72	1	2	6	11	20	24	53
B. *Operated*										
0-19 YRS	90	10.4	152	1	1	6	13	31	43	81
20-34	147	10.8	139	1	2	7	14	28	39	99+
35-49	80	12.8	254	1	2	7	17	47	82	99+
50-64	41	15.2	192	1	2	11	20	35	47	55
65+	74	18.6	268	3	4	14	27	42	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	719	3.0	8	1	1	2	4	6	8	16
B. *Operated*	191	4.4	22	<1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	1192	5.8	56	1	1	4	7	12	17	46
B. *Operated*	432	12.8	197	1	2	8	18	35	50	99+
1. SINGLE DX	910	3.3	11	1	1	2	4	7	10	18
2. MULTIPLE DX	1624	7.7	103	1	1	4	8	18	30	72
A. NOT OPERATED	1911	4.7	40	1	1	3	5	10	14	32
B. OPERATED	623	10.3	159	1	1	6	13	30	43	99+
TOTAL 0-19 YRS	714	3.9	32	1	1	2	4	7	12	33
20-34	759	5.2	55	1	1	3	6	10	18	50
35-49	394	6.8	110	1	1	4	7	14	33	92
50-64	256	7.0	82	1	1	4	8	16	26	48
65+	411	10.3	118	1	2	7	13	24	33	86
GRAND TOTAL	**2534**	**6.1**	**75**	**1**	**1**	**3**	**7**	**14**	**23**	**56**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1496	1.9	3	<1	<1	1	2	4	5	8
20-34	640	2.3	9	<1	<1	2	3	4	6	17
35-49	265	2.7	14	<1	<1	2	3	5	7	17
50-64	93	2.5	3	<1	1	2	3	5	6	8
65+	82	4.3	17	1	1	3	5	11	13	19
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	11.0	91	2	2	10	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1634	4.2	39	1	1	2	4	8	14	32
20-34	2309	4.9	53	<1	1	2	5	12	19	35
35-49	1369	5.6	54	1	1	3	6	13	20	35
50-64	780	7.1	67	1	1	4	9	16	23	39
65+	1130	9.6	109	1	2	7	12	19	27	59
B. *Operated*										
0-19 YRS	20	12.4	299	<1	1	6	13	35	56	72
20-34	60	12.0	238	1	1	7	14	31	54	98
35-49	39	12.3	104	1	2	12	26	99+	99+	99+
50-64	66	16.2	244	2	4	11	21	35	40	92
65+	115	16.7	165	3	5	15	21	33	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2576	2.2	6	<1	<1	1	2	4	6	11
B. *Operated*	9	5.0	45	<1	<1	2	6	17	21	21
2. MULTIPLE DX										
A. *Not Operated*	7222	5.8	63	1	1	3	7	14	20	39
B. *Operated*	300	14.8	200	1	2	11	20	34	65	99+
1. SINGLE DX	2585	2.2	6	<1	<1	1	2	4	6	11
2. MULTIPLE DX	7522	6.2	72	1	1	3	7	15	22	43
A. NOT OPERATED	9798	4.9	51	<1	1	2	5	11	17	34
B. OPERATED	309	14.5	198	1	2	11	20	34	63	99+
TOTAL 0-19 YRS	3152	3.1	25	<1	1	2	3	6	9	26
20-34	3011	4.5	50	<1	1	2	4	10	17	34
35-49	1674	5.3	51	<1	1	3	6	13	20	40
50-64	940	7.3	81	1	1	4	9	16	24	42
65+	1330	9.9	114	1	2	7	12	21	29	61
GRAND TOTAL	**10107**	**5.2**	**58**	**<1**	**1**	**3**	**6**	**12**	**19**	**38**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	686	2.4	6	<1	1	1	2	6	7	11
20-34	231	1.7	2	<1	<1	1	2	3	5	6
35-49	162	2.1	3	<1	1	1	2	5	6	10
50-64	81	1.9	2	1	1	1	2	4	6	8
65+	61	2.3	5	1	1	2	3	4	5	13
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	3.0	2	1	1	4	4	4	4	4
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	3.6	24	<1	1	2	5	8	11	25
20-34	277	3.7	37	<1	1	2	4	7	13	26
35-49	204	3.6	24	1	1	2	4	7	12	27
50-64	190	4.2	30	1	1	2	5	8	13	32
65+	183	5.8	65	1	1	3	7	13	20	61
B. *Operated*										
0-19 YRS	4	6.8	22	2	2	6	10	13	13	13
20-34	14	8.1	68	1	2	5	10	24	28	29
35-49	16	28.9	1073	3	3	12	44	87	93	95
50-64	11	21.2	390	1	2	21	27	50	68	70
65+	18	25.1	451	2	5	25	31	55	76	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1221	2.2	4	<1	1	1	2	5	6	10
B. *Operated*	10	2.9	3	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1203	4.0	35	<1	1	2	4	9	13	31
B. *Operated*	63	20.4	533	2	2	11	29	51	85	94
1. SINGLE DX	1231	2.2	4	<1	1	1	2	5	6	10
2. MULTIPLE DX	1266	4.9	72	<1	1	2	5	10	18	47
A. NOT OPERATED	2424	3.1	20	<1	1	2	3	6	10	23
B. OPERATED	73	18.0	496	1	2	9	25	42	82	93
TOTAL 0-19 YRS	1041	2.8	12	<1	1	1	3	6	9	15
20-34	527	2.9	24	<1	<1	1	3	5	9	24
35-49	382	4.0	84	1	1	2	4	7	11	46
50-64	283	4.2	47	1	1	2	4	8	16	35
65+	264	6.3	103	1	1	3	7	13	29	66
GRAND TOTAL	**2497**	**3.5**	**40**	**<1**	**1**	**2**	**4**	**7**	**11**	**31**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	2.5	6	<1	1	2	3	5	6	11
20-34	202	2.1	7	<1	1	1	2	4	5	12
35-49	137	2.2	4	<1	1	1	3	4	6	11
50-64	110	2.4	4	<1	1	2	3	5	6	11
65+	114	3.9	14	1	1	3	5	8	10	21
B. *Operated*										
0-19 YRS	2	12.0	72	6	6	12	18	18	18	18
20-34	9	7.0	41	2	2	5	9	18	21	21
35-49	4	7.5	123	1	1	3	14	24	24	24
50-64	7	10.7	96	2	3	9	10	28	32	32
65+	3	16.0	436	2	2	6	31	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	431	4.2	19	1	1	3	5	9	13	22
20-34	291	3.9	24	1	1	2	4	9	13	20
35-49	305	4.6	18	1	1	3	6	11	14	23
50-64	459	6.0	51	1	1	4	7	11	15	32
65+	1084	8.2	69	1	2	6	10	15	22	47
B. *Operated*										
0-19 YRS	20	13.8	368	1	2	6	16	36	63	82
20-34	25	11.7	186	<1	1	6	17	38	58	99+
35-49	29	11.8	217	1	1	9	17	41	61	99+
50-64	53	13.6	119	1	2	12	22	41	99+	99+
65+	121	18.4	259	3	5	15	23	45	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	993	2.5	7	<1	1	2	3	5	7	13
B. *Operated*	25	9.6	102	1	2	6	11	24	34	40
2. MULTIPLE DX										
A. *Not Operated*	2570	6.2	50	1	1	4	8	13	17	39
B. *Operated*	248	15.5	230	1	2	11	21	41	60	99+
1. SINGLE DX	1018	2.7	10	<1	1	2	3	5	7	16
2. MULTIPLE DX	2818	7.0	72	1	1	5	8	15	22	55
A. NOT OPERATED	3563	5.2	40	1	1	3	6	11	15	33
B. OPERATED	273	15.0	221	1	2	10	21	39	56	99+
TOTAL 0-15 YRS	883	3.6	23	<1	1	2	4	7	11	22
20-34	527	3.7	29	<1	1	2	4	8	13	37
35-49	475	4.4	31	1	1	3	5	10	14	26
50-64	629	6.0	56	1	1	4	7	13	21	55
65+	1322	8.8	93	1	2	6	10	16	27	57
GRAND TOTAL	**3836**	**5.9**	**59**	**1**	**1**	**4**	**7**	**13**	**19**	**45**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	4.3	16	<1	1	3	5	11	13	20
20-34	45	3.7	10	<1	<1	3	5	8	9	17
35-49	42	3.7	18	<1	<1	3	5	6	12	24
50-64	49	5.1	24	<1	<1	3	7	10	15	24
65+	82	7.7	116	<1	1	4	9	16	33	61
B. Operated										
0-19 YRS	191	5.4	35	<1	1	4	7	10	17	32
20-34	430	4.1	38	<1	<1	2	4	9	16	31
35-49	340	5.3	44	<1	1	3	6	12	18	29
50-64	514	8.4	95	1	2	5	11	19	26	47
65+	993	8.5	103	1	2	5	11	19	27	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	6.3	45	<1	1	4	9	16	19	32
20-34	114	6.8	48	1	1	5	9	16	17	33
35-49	105	6.0	32	1	1	4	8	13	18	27
50-64	171	8.4	64	1	1	5	11	19	27	63
65+	476	9.0	75	1	2	7	11	19	27	57
B. Operated										
0-19 YRS	527	8.6	67	1	2	5	10	19	30	74
20-34	623	8.2	123	1	1	4	10	19	31	60
35-49	815	8.7	131	1	1	4	11	22	30	74
50-64	1711	12.1	163	1	2	8	16	27	40	65
65+	3022	13.6	223	2	2	9	19	33	49	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	5.3	50	<1	1	3	6	12	16	38
B. Operated	2468	7.0	80	1	1	4	9	17	24	46
2. MULTIPLE DX										
A. Not Operated	969	8.0	67	1	1	5	11	18	24	53
B. Operated	6698	11.8	181	1	2	7	15	26	42	80
1. SINGLE DX	2733	6.8	77	1	1	4	8	16	24	44
2. MULTIPLE DX	7667	11.3	169	1	2	7	15	27	39	79
A. NOT OPERATED	1234	7.4	65	1	1	5	10	17	22	48
B. OPERATED	9166	10.5	158	1	2	6	14	25	37	74
TOTAL 0-19 YRS	868	7.2	69	<1	1	4	9	16	22	55
20-34	1212	6.5	85	<1	1	3	8	15	25	46
35-49	1302	7.4	99	1	1	4	9	18	26	65
50-64	2445	10.9	143	1	2	7	14	25	35	64
65+	4573	12.0	186	2	2	7	16	29	42	64
GRAND TOTAL	**10400**	**10.1**	**148**	**1**	**2**	**6**	**13**	**24**	**35**	**72**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	169	1.8	2	<1	1	2	2	3	5	6
20-34	155	2.1	2	<1	1	2	3	4	5	6
35-49	93	2.8	4	<1	1	2	4	5	8	10
50-64	120	3.8	5	1	1	3	5	7	9	11
65+	161	4.2	8	1	1	4	5	8	9	14
B. Operated										
0-19 YRS	176	2.1	3	<1	<1	2	3	4	5	8
20-34	216	2.6	4	1	1	2	3	5	7	9
35-49	100	3.4	7	1	1	3	5	7	9	12
50-64	59	4.6	11	1	1	4	6	8	11	19
65+	69	5.8	53	1	1	4	7	10	13	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	2.7	4	1	1	2	3	5	8	9
20-34	63	3.9	12	1	1	3	5	9	12	17
35-49	51	4.8	19	1	1	4	5	12	15	19
50-64	147	4.6	12	1	1	4	7	9	11	15
65+	293	5.7	20	1	2	5	7	11	15	25
B. Operated										
0-19 YRS	26	4.8	56	<1	1	2	5	9	21	37
20-34	80	5.2	31	1	1	3	7	10	19	29
35-49	56	6.2	44	1	1	4	8	11	17	42
50-64	91	8.6	67	1	2	6	11	20	28	42
65+	175	9.5	76	2	3	7	11	18	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	698	2.9	5	1	1	2	4	6	8	11
B. Operated	620	3.1	11	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	597	4.9	17	1	1	4	6	10	13	22
B. Operated	428	7.8	63	1	1	5	9	17	26	66
1. SINGLE DX	1319	3.0	9	1	1	2	4	6	8	12
2. MULTIPLE DX	1025	6.1	38	1	1	4	7	12	18	37
A. NOT OPERATED	1295	3.8	11	1	1	3	5	8	10	17
B. OPERATED	1048	5.0	38	1	1	3	6	11	17	37
TOTAL 0-19 YRS	414	2.2	6	<1	1	2	3	4	5	9
20-34	514	3.0	10	1	1	2	4	6	8	16
35-49	300	4.0	16	1	1	3	5	8	11	19
50-64	417	5.2	25	1	1	4	6	10	14	26
65+	698	6.3	38	1	2	5	7	12	17	39
GRAND TOTAL	**2343**	**4.4**	**24**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	5.3	9	2	2	5	6	9	12	14
20-34	166	6.2	17	2	2	5	8	12	15	20
35-49	130	6.6	20	2	2	5	8	12	15	24
50-64	86	8.4	48	1	3	7	11	16	21	40
65+	67	8.9	39	2	3	7	11	17	22	33
B. Operated										
0-19 YRS	71	9.2	71	1	2	6	11	21	30	38
20-34	109	7.1	25	2	2	6	9	13	18	27
35-49	90	9.0	125	1	2	6	11	18	24	68
50-64	90	11.6	117	2	2	7	15	28	36	46
65+	68	14.0	184	2	3	9	18	36	43	94
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	6.4	19	2	2	5	7	13	16	20
20-34	106	7.0	31	2	3	6	8	13	17	34
35-49	119	8.9	47	2	3	7	11	16	26	34
50-64	217	11.0	81	3	4	8	14	22	30	45
65+	243	11.7	113	3	4	9	14	22	26	70
B. Operated										
0-19 YRS	64	13.3	219	1	2	8	17	33	46	75
20-34	124	13.6	183	2	3	10	17	30	45	86
35-49	134	17.4	294	3	3	12	20	36	56	91
50-64	239	16.5	195	3	3	12	24	38	48	99+
65+	261	20.1	297	3	5	14	27	46	56	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	539	6.8	25	2	2	6	8	13	17	25
B. Operated	428	9.9	103	2	2	6	12	23	33	54
2. MULTIPLE DX										
A. Not Operated	745	10.0	77	2	3	7	12	19	26	45
B. Operated	822	17.1	248	3	4	12	22	40	54	94
1. SINGLE DX	967	8.2	62	2	2	6	10	16	23	41
2. MULTIPLE DX	1567	13.7	180	3	3	9	17	29	44	83
A. NOT OPERATED	1284	8.6	58	2	3	7	11	16	22	41
B. OPERATED	1250	14.6	210	2	3	10	19	34	47	88
TOTAL 0-19 YRS	285	8.3	82	2	2	6	10	17	24	48
20-34	505	8.4	71	2	3	6	10	17	21	48
35-49	473	10.7	143	2	3	7	13	22	30	72
50-64	632	12.8	133	2	3	9	17	28	40	63
65+	639	15.1	206	3	4	11	19	33	47	90
GRAND TOTAL	**2534**	**11.6**	**142**	**2**	**3**	**8**	**14**	**25**	**36**	**70**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.4	16	<1	1	2	4	8	11	21
20-34	80	5.0	34	1	1	3	6	11	12	36
35-49	84	4.9	13	<1	1	4	8	10	12	14
50-64	58	5.9	26	1	1	4	9	12	15	26
65+	71	5.6	22	1	1	5	8	10	12	28
B. Operated										
0-19 YRS	56	5.7	50	<1	<1	3	5	17	23	28
20-34	125	5.3	32	1	1	4	7	11	13	30
35-49	134	6.0	39	<1	1	4	7	13	21	33
50-64	105	6.1	40	1	1	3	8	16	22	28
65+	157	8.1	107	1	1	4	11	19	23	62
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	3.4	18	1	1	2	3	10	13	22
20-34	152	4.3	16	1	1	3	6	10	12	21
35-49	145	6.5	71	1	1	4	8	14	17	34
50-64	249	8.3	93	1	1	6	10	16	22	52
65+	388	9.3	64	2	2	7	12	18	25	43
B. Operated										
0-19 YRS	77	10.8	182	1	1	6	13	25	44	68
20-34	168	10.4	191	1	1	6	12	23	51	73
35-49	235	10.8	125	2	2	8	14	25	31	99+
50-64	371	14.6	229	1	2	10	20	36	51	99+
65+	648	16.3	286	2	2	11	21	39	58	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	337	5.0	23	1	1	4	7	11	13	27
B. Operated	577	6.4	58	1	1	4	8	15	22	33
2. MULTIPLE DX										
A. Not Operated	1012	7.4	65	1	1	5	10	15	20	43
B. Operated	1499	14.1	236	1	2	9	18	35	52	96
1. SINGLE DX	914	5.9	45	1	1	4	8	13	19	32
2. MULTIPLE DX	2511	11.4	178	1	2	7	14	27	41	86
A. NOT OPERATED	1349	6.8	56	1	1	5	9	14	19	39
B. OPERATED	2076	11.9	198	1	2	7	15	29	43	88
TOTAL 0-19 YRS	255	6.1	83	<1	1	2	7	15	23	47
20-34	525	6.6	85	1	1	4	8	13	21	59
35-49	598	7.9	83	1	1	5	10	17	26	68
50-64	783	10.8	159	1	2	7	14	25	39	79
65+	1264	12.5	196	1	2	9	15	30	41	87
GRAND TOTAL	**3425**	**9.9**	**148**	**1**	**1**	**6**	**12**	**23**	**35**	**74**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.5	2	<1	1	2	3	4	5	7
20-34	11	3.7	5	1	1	4	6	7	7	7
35-49	7	3.0	3	1	1	2	4	6	6	6
50-64	5	3.6	6	2	2	3	4	8	8	8
65+	3	5.3	14	1	1	7	8	8	8	8
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	4.3	49	1	1	2	5	7	12	44
20-34	25	5.5	16	1	2	5	7	8	15	19
35-49	21	5.7	15	<1	1	6	8	11	14	14
50-64	24	6.4	42	1	1	5	7	11	18	33
65+	46	6.2	32	1	1	4	9	12	17	25
B. Operated										
0-19 YRS	6	13.3	132	3	3	10	15	33	35	35
20-34	6	14.5	145	3	3	11	26	31	32	32
35-49	9	9.7	82	2	3	6	12	25	31	31
50-64	13	12.9	97	2	3	12	16	29	34	35
65+	6	23.8	728	8	8	13	21	72	78	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	3.1	4	1	1	3	4	7	7	8
B. Operated	9	4.8	9	2	2	4	6	10	10	10
2. MULTIPLE DX										
A. Not Operated	155	5.5	33	1	1	4	7	11	14	33
B. Operated	40	14.1	195	2	3	10	16	31	35	78
1. SINGLE DX	60	3.2	4	1	1	3	4	7	8	10
2. MULTIPLE DX	195	7.3	77	1	1	5	8	15	25	40
A. NOT OPERATED	210	4.9	26	1	1	3	6	10	12	28
B. OPERATED	45	13.1	183	2	3	9	15	31	35	78
TOTAL 0-19 YRS	75	4.3	43	1	1	3	4	7	14	42
20-34	44	6.2	39	1	2	4	7	14	21	32
35-49	38	6.3	32	1	2	5	8	13	15	31
50-64	43	8.0	63	1	1	6	10	16	28	35
65+	55	8.0	126	1	1	5	10	15	24	75
GRAND TOTAL	**255**	**6.3**	**63**	**1**	**1**	**4**	**7**	**14**	**20**	**35**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. Operated										
0-19 YRS	20	1.9	1	<1	<1	1	3	3	4	5
20-34	4615	1.8	1	<1	<1	1	2	3	4	5
35-49	2159	1.9	1	<1	<1	2	2	3	4	6
50-64	15	1.5	1	<1	<1	<1	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	112	1.2		<1	<1	1	1	2	2	4
35-49	57	1.2		<1	<1	1	1	2	3	5
50-64										
65+										
B. Operated										
0-19 YRS	8	2.5	2	<1	<1	2	4	5	5	5
20-34	2648	2.3	3	<1	<1	2	3	4	5	8
35-49	1745	2.3	3	<1	<1	2	3	4	5	8
50-64	9	1.8	1	<1	<1	2	2	3	4	4
65+	2	2.5	5	<1	<1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.3		<1	<1	1	1	2	2	2
B. Operated	6810	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	170	1.2		<1	<1	1	1	2	2	4
B. Operated	4412	2.3	3	<1	<1	2	3	4	5	8
1. SINGLE DX	6814	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	4582	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	174	1.2		<1	<1	1	1	2	2	4
B. OPERATED	11222	2.0	2	<1	<1	2	3	4	5	6
TOTAL 0-19 YRS	29	2.0	2	<1	<1	2	3	4	5	5
20-34	7378	2.0	2	<1	<1	2	3	4	4	6
35-49	3962	2.1	2	<1	<1	2	3	4	5	7
50-64	24	1.6	1	<1	<1	1	2	3	3	4
65+	3	2.0	3	<1	<1	1	3	4	4	4
GRAND TOTAL	**11396**	**2.0**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	22.0	288	10	10	22	34	34	34	34
1500-1749										
1750-2499	804	3.6	3	2	2	3	4	6	7	11
2500+	67714	3.3	2	2	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	5.0	8	3	3	5	7	7	7	7
2500+	30	4.3	2	2	2	4	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	31	66.5	658	10	21	78	89	99+	99+	99+
1000-1499	165	45.1	321	21	24	43	55	70	84	99
1500-1749	234	26.4	102	12	14	25	32	39	44	61
1750-2499	3221	7.9	45	2	3	6	10	17	21	32
2500+	38048	4.2	6	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	39	77.3	317	51	61	96	99+	99+	99+	99+
1000-1499	89	60.1	286	37	40	62	75	95	99+	99+
1500-1749	71	40.2	239	21	24	36	50	62	66	86
1750-2499	233	20.7	166	3	7	18	27	39	54	99+
2500+	760	9.8	115	2	3	7	11	18	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68520	3.3	2	2	2	3	4	5	6	7
B. *Operated*	32	4.3	2	2	2	4	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	41699	4.8	24	2	2	4	5	7	9	26
B. *Operated*	1192	19.7	470	3	3	11	28	62	86	99+
1. SINGLE DX	68552	3.3	2	2	2	3	4	5	6	7
2. MULTIPLE DX	42891	5.2	42	2	2	4	5	7	11	38
A. NOT OPERATED	110219	3.9	11	2	2	3	4	6	7	14
B. OPERATED	1224	10.3	464	3	3	10	27	61	85	99+
TOTAL 1-999 G	70	72.5	490	31	52	87	99+	99+	99+	99+
1000-1499	256	50.1	364	22	28	50	65	84	96	99+
1500-1749	305	29.6	167	13	15	27	36	46	56	71
1750-2499	4260	7.8	56	2	3	5	10	17	22	37
2500+	106552	3.7	4	2	2	3	4	6	7	9
GRAND TOTAL	**111443**	**4.1**	**18**	**2**	**2**	**3**	**4**	**6**	**7**	**19**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	129	5.4	7	3	3	5	6	8	12	16
2500+	669	4.8	4	3	3	5	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	5	56.4	795	20	21	73	83	98	99+	99+
1000-1499	50	46.5	253	27	28	46	50	73	80	83
1500-1749	57	25.7	183	12	14	22	29	45	51	81
1750-2499	542	10.0	46	3	4	8	14	19	22	33
2500+	544	5.5	5	3	3	5	6	8	9	13
B. *Operated*										
1-999 G	7	68.9	359	39	51	96	99+	99+	99+	99+
1000-1499	20	54.8	477	19	29	54	69	87	92	96
1500-1749	10	37.4	143	17	19	41	46	49	49	49
1750-2499	47	24.5	170	7	11	23	29	43	56	57
2500+	8	9.4	39	5	5	7	10	20	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	798	4.9	4	3	3	5	6	7	8	12
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1198	10.4	130	3	3	6	11	21	33	67
B. *Operated*	92	34.6	516	6	10	29	55	87	99+	99+
1. SINGLE DX	799	4.9	4	3	3	5	6	7	8	12
2. MULTIPLE DX	1290	12.1	196	3	3	6	14	28	47	84
A. NOT OPERATED	1996	8.2	87	3	3	5	8	16	24	50
B. OPERATED	93	34.2	519	6	9	29	54	87	99+	99+
TOTAL 1-999 G	12	63.7	526	26	34	83	99+	99+	99+	99+
1000-1499	70	48.9	325	27	28	47	56	75	83	95
1500-1749	67	27.5	192	13	14	24	36	48	50	79
1750-2499	718	10.1	64	3	4	7	14	20	25	42
2500+	1222	5.1	5	3	3	5	6	7	9	12
GRAND TOTAL	**2089**	**9.4**	**135**	**3**	**3**	**6**	**8**	**20**	**33**	**75**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	8	3.8	8	1	1	3	4	8	10	10
2500+	178	2.7	1	1	1	3	3	4	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	41.5	221	31	31	41	52	52	52	52
1500-1749	2	25.0	32	21	21	25	29	29	29	29
1750-2499	43	9.0	55	1	2	6	13	18	22	37
2500+	85	4.7	22	1	2	3	5	8	10	30
B. *Operated*										
1-999 G										
1000-1499	2	57.5	2381	23	23	57	92	92	92	92
1500-1749										
1750-2499	2	15.5	85	9	9	15	22	22	22	22
2500+	3	5.3	4	3	3	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	2.7	2	1	1	3	3	4	5	8
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	132	6.9	61	1	2	4	8	16	25	40
B. *Operated*	7	23.1	984	3	4	9	23	78	92	92
1. SINGLE DX	187	2.7	2	1	1	3	3	4	5	8
2. MULTIPLE DX	139	7.8	114	1	2	4	8	17	27	56
A. NOT OPERATED	318	4.5	31	1	1	3	4	8	14	30
B. OPERATED	8	20.6	894	3	3	8	22	71	92	92
TOTAL 1-999 G										
1000-1499	4	49.5	952	23	23	41	72	92	92	92
1500-1749	2	25.0	32	21	21	25	29	29	29	29
1750-2499	53	8.4	53	1	2	5	12	18	22	37
2500+	267	3.3	9	1	1	3	3	5	7	14
GRAND TOTAL	**326**	**4.9**	**55**	**1**	**1**	**3**	**4**	**9**	**16**	**32**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.1	11	<1	<1	2	3	9	11	12
20-34	8	2.1	3	<1	<1	2	2	5	6	6
35-49	6	2.0	1	<1	<1	2	3	3	3	3
50-64	4	3.3	1	2	2	3	4	4	4	4
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	658	2.6	3	<1	1	2	3	4	6	8
20-34	933	2.7	3	<1	1	2	3	5	6	9
35-49	426	2.7	5	<1	1	2	3	4	6	10
50-64	353	3.2	5	1	1	3	4	6	7	14
65+	262	4.3	10	1	2	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.6	3	<1	<1	1	1	3	6	9
20-34	16	1.9	3	<1	<1	1	2	5	6	7
35-49	10	1.6	1	<1	<1	1	2	3	3	3
50-64	8	8.4	35	1	1	8	13	17	17	17
65+	13	1.8	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	305	3.4	10	1	1	3	4	6	7	19
20-34	282	4.0	24	1	2	3	4	7	11	17
35-49	165	5.0	41	1	2	3	5	8	12	42
50-64	204	5.1	35	1	2	3	5	9	16	40
65+	259	7.8	63	2	2	5	10	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.6	5	<1	<1	2	3	4	8	12
B. *Operated*	2632	2.9	4	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	66	2.5	10	<1	<1	1	3	7	9	17
B. *Operated*	1215	5.0	35	1	2	3	5	10	16	38
1. SINGLE DX	2666	2.9	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	1281	4.9	34	1	1	3	5	10	15	37
A. NOT OPERATED	100	2.6	9	<1	<1	2	3	6	9	16
B. OPERATED	3847	3.5	15	<1	1	3	4	6	9	20
TOTAL 0-19 YRS	995	2.8	5	<1	1	2	3	5	6	12
20-34	1239	3.0	8	<1	1	2	3	5	6	12
35-49	607	3.3	15	<1	1	2	3	6	8	27
50-64	569	3.9	17	1	1	3	4	7	10	26
65+	537	5.9	39	1	2	4	7	13	18	37
GRAND TOTAL	**3947**	**3.5**	**15**	**<1**	**1**	**3**	**4**	**6**	**9**	**20**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+	4	3.3		3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.2		<1	1	1	1	2	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	36	1.8	1	1	1	1	2	3	4	5
50-64	31	2.0	12	1	1	1	1	3	5	20
65+	100	2.0	5	<1	<1	1	2	4	5	13
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	16	2.9	9	<1	<1	<1	5	5	10	12
35-49	15	4.6	56	<1	1	2	3	16	25	28
50-64	50	3.3	33	<1	<1	<1	4	7	10	36
65+	17	10.1	86	1	1	8	19	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.4	1	1	1	2	3	4	4	4
B. *Operated*	3	2.3	5	<1	<1	<1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	188	1.9	5	<1	1	1	2	3	4	14
B. *Operated*	100	4.7	46	<1	<1	2	5	13	22	32
1. SINGLE DX	11	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX	288	2.8	21	<1	<1	1	3	5	10	26
A. NOT OPERATED	196	1.9	5	<1	1	1	2	3	4	14
B. OPERATED	103	4.6	45	<1	<1	1	5	12	22	32
TOTAL 0-19 YRS	20	1.7	2	<1	1	1	2	4	5	6
20-34	19	2.7	8	<1	<1	1	4	5	9	12
35-49	53	2.6	17	1	1	2	3	4	5	28
50-64	84	2.8	24	<1	<1	1	2	5	10	31
65+	123	3.2	23	<1	<1	1	3	8	15	25
GRAND TOTAL	299	2.8	20	<1	<1	1	3	5	10	26

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	956	2.8	18	<1	<1	1	3	5	8	20
20-34	1040	2.7	26	<1	<1	1	3	4	6	30
35-49	412	2.6	16	<1	<1	1	3	5	7	24
50-64	539	2.5	12	<1	<1	1	2	5	8	17
65+	486	3.5	34	<1	<1	2	3	8	13	27
B. *Operated*										
0-19 YRS	379	2.9	9	<1	<1	2	3	7	10	14
20-34	1019	3.2	10	<1	<1	2	4	7	9	15
35-49	688	3.9	15	<1	1	2	5	9	11	18
50-64	653	4.1	16	<1	1	2	7	10	12	17
65+	670	4.3	19	1	1	2	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1986	2.9	23	<1	<1	2	3	5	8	27
20-34	1790	3.9	44	<1	1	2	4	6	11	40
35-49	1811	4.0	41	1	1	2	4	7	11	36
50-64	7356	4.0	39	1	1	2	4	7	11	33
65+	6565	6.0	88	1	1	3	6	14	24	55
B. *Operated*										
0-19 YRS	763	3.5	53	<1	<1	2	3	8	11	56
20-34	1029	4.6	38	<1	<1	3	5	10	14	37
35-49	1496	5.1	46	1	1	3	6	11	15	37
50-64	2987	5.6	63	1	1	2	7	13	18	45
65+	3541	6.9	92	1	1	3	9	16	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3433	2.8	22	<1	<1	1	3	5	8	25
B. *Operated*	3409	3.7	14	<1	<1	2	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	20508	4.5	55	1	1	2	5	8	15	43
B. *Operated*	9816	5.7	68	1	1	2	7	13	19	48
1. SINGLE DX	6842	3.2	18	<1	<1	2	3	8	10	20
2. MULTIPLE DX	30324	4.9	60	1	1	2	5	10	17	44
A. NOT OPERATED	23941	4.2	50	<1	1	2	4	8	14	41
B. OPERATED	13225	5.2	55	<1	1	2	6	12	16	41
TOTAL 0-19 YRS	4084	3.0	26	<1	<1	2	3	6	9	27
20-34	4878	3.6	32	<1	<1	2	4	7	10	34
35-49	5407	4.2	38	<1	1	2	5	8	12	34
50-64	11535	4.3	43	1	1	2	5	9	14	34
65+	11262	6.0	83	1	1	3	7	14	22	52
GRAND TOTAL	37166	4.6	52	<1	1	2	5	10	15	41

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

1.4

Length of Stay by Operation, Northeastern Region, 1983

A Companion Volume To
Length of Stay
by Diagnosis,
Northeastern Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data 1
Data Quality 2
Coverage 3
Organization of Length of Stay Tables 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 * Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP ≥ 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever ≥ 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsil 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) (*see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Deformez) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy (*see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — *see* Anastomosis, esophagus, anterosternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychosnalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	18	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	28	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	18	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	28	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104073	3.1	15	<1	<1	2	4	6	8	18
20-34	218038	3.5	10	<1	1	3	4	6	8	15
35-49	89359	4.5	22	<1	1	3	6	9	12	23
50-64	75418	5.6	32	1	1	4	7	12	16	27
65+	73240	6.9	58	1	2	4	9	15	21	38
2. MULTIPLE DX										
0-19 YRS	69531	5.8	81	<1	1	3	6	12	20	57
20-34	160791	5.8	47	1	1	4	7	10	16	39
35-49	129418	7.5	71	1	2	5	9	15	22	47
50-64	191583	9.9	104	2	2	7	12	21	29	59
65+	344470	13.3	164	2	3	10	17	28	41	87
TOT. SINGLE DX	560128	4.3	23	<1	1	3	5	9	12	24
" MULTIPLE DX	895793	9.8	120	1	2	6	12	21	31	67
TOTAL 0-19 YRS	173604	4.2	43	<1	1	2	4	8	12	37
20-34	378829	4.5	27	<1	1	3	5	8	11	27
35-49	218777	6.3	53	1	1	4	8	13	18	39
50-64	267001	8.7	88	1	2	6	11	18	25	52
65+	417710	12.2	152	2	2	9	16	26	38	80
GRAND TOTAL	1455921	7.7	90	1	1	5	9	17	25	55

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	9.7	74	1	2	8	12	18	25	53
20-34	102	13.5	68	3	5	12	17	24	29	47
35-49	139	13.6	85	3	6	12	16	23	32	50
50-64	163	18.4	208	5	7	13	23	39	59	96
65+	145	17.8	177	6	7	14	23	33	48	99+
2. MULTIPLE DX										
0-19 YRS	185	17.8	294	2	2	12	24	47	73	99+
20-34	158	24.4	356	6	8	19	34	62	89	99+
35-49	188	27.1	476	6	8	20	37	71	91	99+
50-64	382	24.6	272	8	9	20	32	55	69	99+
65+	472	30.9	425	8	11	25	44	69	90	99+
TOT. SINGLE DX	660	15.0	141	2	5	12	18	28	41	72
" MULTIPLE DX	1385	26.2	382	5	8	21	35	64	82	99+
TOTAL 0-19 YRS	296	14.8	227	1	2	10	19	36	59	99+
20-34	260	20.1	271	5	7	15	25	46	66	99+
35-49	327	21.4	354	5	7	15	26	49	74	99+
50-64	545	22.7	261	7	9	18	30	51	67	99+
65+	617	27.8	397	7	9	23	37	66	84	99+
GRAND TOTAL	**2045**	**22.6**	**331**	**4**	**7**	**17**	**29**	**55**	**72**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	8.6	41	3	3	7	11	16	23	34
20-34	50	15.1	202	2	4	12	15	25	53	69
35-49	42	17.6	180	4	5	13	22	37	51	61
50-64	59	17.2	162	6	7	14	20	29	39	78
65+	57	21.8	365	5	6	17	26	37	63	98
2. MULTIPLE DX										
0-19 YRS	84	21.5	407	3	6	16	29	94	99+	99+
20-34	76	26.9	493	6	8	19	43	77	99+	99+
35-49	101	25.5	349	6	10	21	32	60	92	99+
50-64	130	25.3	382	7	8	21	34	75	97	99+
65+	191	31.6	441	8	11	26	47	75	98	99+
TOT. SINGLE DX	274	15.8	204	4	4	12	20	31	40	77
" MULTIPLE DX	582	27.1	424	7	8	22	39	76	99+	99+
TOTAL 0-19 YRS	150	15.8	286	3	4	11	22	51	99	99+
20-34	126	22.2	410	4	6	15	32	65	92	99+
35-49	143	23.2	311	5	8	20	29	51	83	99+
50-64	189	22.8	327	7	8	18	29	50	83	99+
65+	248	29.4	440	7	9	23	42	73	94	99+
GRAND TOTAL	**856**	**23.5**	**381**	**4**	**7**	**18**	**32**	**61**	**92**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	6.1	10	2	3	5	8	10	12	17
20-34	43	6.4	9	2	3	6	8	10	12	17
35-49	19	7.4	25	2	2	7	10	11	18	24
50-64	20	8.1	36	3	3	5	10	17	23	25
65+	11	8.3	25	3	3	8	11	15	19	19
2. MULTIPLE DX										
0-19 YRS	88	11.2	178	3	3	7	11	24	44	71
20-34	72	16.2	427	3	4	8	16	46	75	99
35-49	34	12.4	157	2	3	8	16	40	47	99+
50-64	20	13.0	176	5	5	10	14	37	82	99+
65+	18	15.3	103	4	5	11	20	34	35	36
TOT. SINGLE DX	224	6.5	15	2	3	6	8	11	13	24
" MULTIPLE DX	232	13.4	248	3	3	8	15	34	62	99+
TOTAL 0-19 YRS	219	8.1	84	2	3	6	9	13	19	60
20-34	115	12.5	293	2	3	7	11	26	68	97
35-49	53	10.6	115	2	3	7	11	25	45	98
50-64	40	10.5	110	3	4	9	12	19	44	99+
65+	29	12.7	84	3	3	10	15	29	34	36
GRAND TOTAL	**456**	**10.0**	**145**	**2**	**3**	**7**	**10**	**19**	**34**	**87**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	11.9	126	4	4	8	13	31	42	99+
20-34	8	10.3	21	4	4	10	14	16	16	16
35-49	14	11.4	62	2	4	8	16	24	29	30
50-64	18	18.4	242	5	5	14	24	33	56	70
65+	29	15.1	49	6	7	14	20	23	26	34
2. MULTIPLE DX										
0-19 YRS	94	19.9	365	4	5	13	26	59	74	99+
20-34	35	20.9	461	7	9	13	22	71	90	99+
35-49	32	24.9	374	6	9	19	33	76	96	99+
50-64	50	23.7	362	4	6	18	37	61	98	99+
65+	124	33.0	414	9	11	30	50	72	99+	99+
TOT. SINGLE DX	117	13.5	114	4	5	10	18	26	35	80
" MULTIPLE DX	335	25.9	422	5	7	20	41	69	97	99+
TOTAL 0-19 YRS	142	17.2	298	4	5	10	20	48	72	99+
20-34	43	18.9	395	5	7	13	20	57	86	99+
35-49	46	20.8	316	5	7	17	30	56	84	99+
50-64	68	22.3	332	4	6	17	30	60	85	99+
65+	153	29.6	395	8	10	25	45	67	97	99+
GRAND TOTAL	**452**	**22.7**	**371**	**5**	**6**	**16**	**33**	**60**	**84**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	6.9	45	2	2	5	8	14	22	37
20-34	36	10.7	56	2	2	10	16	21	22	35
35-49	11	7.6	32	2	2	6	9	15	22	23
50-64	15	11.2	51	3	6	8	15	24	26	27
65+	16	13.1	129	2	3	10	15	23	42	50
2. MULTIPLE DX										
0-19 YRS	311	10.6	149	2	2	6	14	30	40	99+
20-34	87	20.9	380	3	5	15	30	62	91	99+
35-49	47	28.5	823	3	4	14	44	77	95	99+
50-64	70	24.8	528	3	3	18	40	87	99	99+
65+	75	23.2	194	4	7	23	40	99+	99+	99+
TOT. SINGLE DX	183	8.6	58	2	2	6	11	18	23	44
" MULTIPLE DX	590	16.9	331	2	3	11	25	52	92	99+
TOTAL 0-19 YRS	416	9.7	126	2	2	6	13	24	36	99+
20-34	123	17.9	306	2	3	12	22	54	78	99+
35-49	58	24.6	738	2	4	11	36	76	93	99+
50-64	85	22.4	470	3	4	16	34	70	95	99+
65+	91	21.4	196	3	6	22	36	59	99+	99+
GRAND TOTAL	773	14.9	279	2	2	9	21	42	76	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	8.4	10	5	5	7	10	13	16	16
20-34	111	9.4	26	3	4	8	12	17	21	26
35-49	249	11.3	53	4	5	9	14	21	27	37
50-64	250	12.1	61	5	5	10	14	22	27	43
65+	144	13.1	55	5	6	11	16	23	32	47
2. MULTIPLE DX										
0-19 YRS	30	19.7	524	3	3	9	19	67	69	77
20-34	112	17.1	204	5	5	13	22	35	50	84
35-49	267	14.5	93	5	6	11	18	28	36	57
50-64	417	16.8	189	6	7	13	19	31	47	83
65+	473	21.6	222	7	8	17	27	43	58	96
TOT. SINGLE DX	764	11.6	53	4	5	9	14	21	26	41
" MULTIPLE DX	1299	18.2	198	6	7	13	22	36	50	81
TOTAL 0-19 YRS	40	16.9	417	3	4	9	15	60	68	77
20-34	223	13.3	131	4	5	10	16	25	35	74
35-49	516	12.9	77	5	5	10	16	25	32	49
50-64	667	15.0	147	5	6	12	17	27	39	76
65+	617	19.6	197	6	7	16	25	38	51	90
GRAND TOTAL	2063	15.7	154	5	6	12	19	30	41	76

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	15.1	119	2	3	12	21	32	39	45
20-34	161	10.0	138	2	2	5	12	21	39	56
35-49	242	8.8	119	2	2	5	9	18	32	54
50-64	92	9.4	68	2	3	7	12	19	30	41
65+	32	15.5	273	2	3	11	19	31	50	83
2. MULTIPLE DX										
0-19 YRS	101	19.5	183	4	5	16	28	46	55	99+
20-34	118	18.4	294	3	3	12	26	49	64	99+
35-49	138	18.7	329	2	4	13	26	48	81	99+
50-64	178	19.3	314	3	4	13	25	47	68	99+
65+	149	21.8	394	3	4	14	31	59	72	99+
TOT. SINGLE DX	583	10.2	129	2	2	6	12	23	36	53
" MULTIPLE DX	684	19.6	312	3	4	14	27	49	68	99+
TOTAL 0-19 YRS	157	17.0	164	3	5	15	25	41	51	99+
20-34	279	13.6	221	2	3	8	18	38	52	94
35-49	380	12.4	218	2	2	7	15	33	48	99+
50-64	270	16.0	252	2	3	10	20	40	54	97
65+	181	20.6	377	3	4	14	29	53	69	94
GRAND TOTAL	1267	15.3	249	2	3	10	20	40	54	99+

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	3.0	5	<1	1	2	4	6	8	12
20-34	171	3.7	46	<1	1	2	4	6	9	23
35-49	192	3.1	7	<1	1	2	4	5	6	18
50-64	225	4.2	50	1	1	3	4	8	12	26
65+	101	4.2	13	2	2	3	5	8	10	23
2. MULTIPLE DX										
0-19 YRS	36	5.2	44	<1	1	3	5	17	24	26
20-34	111	7.4	192	1	1	3	5	17	37	81
35-49	137	8.2	102	1	2	4	11	21	25	55
50-64	164	6.3	35	1	2	4	8	15	20	32
65+	121	8.3	104	2	2	5	10	18	24	54
TOT. SINGLE DX	752	3.7	30	<1	1	2	4	6	10	20
" MULTIPLE DX	569	7.4	93	1	2	4	9	18	24	59
TOTAL 0-19 YRS	99	3.8	21	<1	1	2	4	8	13	26
20-34	282	5.2	107	1	1	2	4	9	17	68
35-49	329	5.2	53	<1	1	3	5	12	20	41
50-64	389	5.1	45	1	2	3	5	12	16	30
65+	222	6.5	67	2	2	3	8	15	19	38
GRAND TOTAL	1321	5.3	62	1	1	3	5	12	18	38

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	141	[illegible]	[illegible]	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	752	[illegible]	[illegible]	<1	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	1121	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	1226	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	690	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	177	3.6	54	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	493	3.5	18	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	612	4.0	27	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	984	3.9	30	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	792	4.6	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOT. SINGLE DX	3930	2.3	4	<1	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
" MULTIPLE DX	3058	4.0	29	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOTAL 0-19 YRS	318	3.0	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	1245	2.7	9	<1	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	1733	2.9	15	<1	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	2210	3.0	16	<1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	1482	3.6	19	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	6988	3.1	16	<1	1	2	3	5	8	20

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	8	5.3	5	2	2	5	7	9	9	9
20-34	30	6.9	14	2	3	6	9	13	14	16
35-49	21	9.5	34	4	4	9	11	15	22	30
50-64	25	9.9	21	3	4	8	12	15	18	19
65+	35	11.7	56	2	4	10	17	22	27	29
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	28	7.9	28	3	4	6	9	15	19	19
35-49	43	13.6	113	3	4	11	17	29	38	51
50-64	141	16.8	124	6	7	13	20	36	45	99+
65+	337	19.4	185	6	7	16	24	36	48	80
TOT. SINGLE DX	119	9.1	34	2	3	8	12	17	20	29
" MULTIPLE DX	550	17.6	164	5	6	14	23	34	45	92
TOTAL 0-19 YRS	9	5.6	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	58	7.4	21	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	64	12.3	90	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	166	15.6	117	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	372	18.6	178	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	669	16.1	151	4	5	13	20	32	42	81

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOT. SINGLE DX	79	5.0	24	<1	<1	3	7	12	16	20
" MULTIPLE DX	188	11.8	164	1	2	7	15	30	43	68
TOTAL 0-19 YRS	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	267	9.8	132	<1	1	6	13	23	36	60

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	4.5	9	2	3	4	5	6	8	22
20-34	503	4.4	2	3	3	4	5	6	7	10
35-49	701	4.4	2	3	3	4	5	6	7	12
50-64	535	4.8	5	3	3	4	5	6	7	16
65+	197	5.3	11	3	3	5	6	8	9	23
2. MULTIPLE DX										
0-19 YRS	49	7.1	26	3	4	5	7	14	20	25
20-34	208	6.3	46	3	3	5	6	10	14	30
35-49	301	6.4	35	3	3	5	6	11	14	34
50-64	461	6.4	35	3	3	5	6	10	15	39
65+	331	10.4	128	3	4	6	11	21	34	58
TOT. SINGLE DX	2029	4.6	5	3	3	4	5	6	7	13
" MULTIPLE DX	1350	7.4	63	3	3	5	7	13	18	47
TOTAL 0-19 YRS	142	5.4	17	2	3	4	5	9	13	25
20-34	711	4.9	16	3	3	4	5	7	9	17
35-49	1002	5.0	14	3	3	4	5	7	9	16
50-64	996	5.5	20	3	3	5	6	8	11	25
65+	528	8.5	91	3	4	5	8	15	26	51
GRAND TOTAL	3379	5.7	30	3	3	4	6	8	12	30

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	208	2.8	5	1	1	2	3	5	5	13
20-34	99	3.7	9	1	2	3	4	6	9	20
35-49	99	4.3	8	2	2	4	4	7	11	17
50-64	92	5.1	10	1	2	5	6	8	9	23
65+	38	5.7	38	2	3	4	5	9	12	40
2. MULTIPLE DX										
0-19 YRS	31	5.0	21	1	1	3	7	11	14	22
20-34	67	8.4	70	2	3	6	10	16	19	55
35-49	95	8.6	81	2	3	5	10	18	24	54
50-64	152	9.3	86	2	3	6	12	18	23	46
65+	168	13.5	189	3	4	9	17	34	49	99+
TOT. SINGLE DX	536	3.8	11	1	1	3	4	6	8	18
" MULTIPLE DX	513	10.2	119	2	3	6	12	23	32	78
TOTAL 0-19 YRS	239	3.1	8	1	1	2	3	5	8	17
20-34	166	5.6	40	1	2	4	6	12	16	30
35-49	194	6.4	49	2	2	4	7	14	18	30
50-64	244	7.7	62	2	3	5	8	14	21	40
65+	206	12.1	171	2	4	7	14	30	43	99+
GRAND TOTAL	1049	6.9	74	1	2	4	7	14	23	50

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	7.7	17	2	3	7	10	14	16	17
20-34	50	8.4	15	4	4	8	10	15	16	18
35-49	31	9.6	65	2	3	8	10	16	22	46
50-64	31	9.6	31	4	5	8	12	15	21	31
65+	18	14.6	285	2	4	10	13	28	57	76
2. MULTIPLE DX										
0-19 YRS	20	21.2	503	3	4	13	28	57	74	83
20-34	39	14.4	217	5	6	10	15	24	37	91
35-49	76	14.6	155	3	5	10	18	28	48	96
50-64	73	18.5	245	4	6	12	24	42	53	74
65+	82	19.2	217	6	7	15	25	37	61	99+
TOT. SINGLE DX	146	9.6	64	3	4	8	11	16	19	47
" MULTIPLE DX	290	17.3	237	4	6	12	20	39	55	96
TOTAL 0-19 YRS	36	15.2	327	2	3	9	14	41	60	83
20-34	89	11.0	111	4	4	9	13	18	22	72
35-49	107	13.2	155	2	4	9	15	25	46	92
50-64	104	15.8	198	4	5	11	18	38	44	73
65+	100	18.4	230	4	7	13	25	36	62	99+
GRAND TOTAL	436	14.7	193	4	4	10	16	30	46	91

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	1.2		<1	<1	<1	1	2	2	3
20-34	53	1.6	1	<1	<1	1	2	3	4	6
35-49	68	1.5		<1	<1	1	2	2	3	6
50-64	136	1.8		<1	<1	2	2	3	3	6
65+	112	2.1	1	<1	<1	2	3	4	4	42
2. MULTIPLE DX										
0-19 YRS	47	1.8	1	<1	<1	1	2	3	5	7
20-34	23	2.4	3	<1	<1	1	2	5	7	8
35-49	66	2.1	3	<1	<1	1	2	3	6	10
50-64	145	5.2	105	<1	1	2	4	10	15	74
65+	231	6.7	109	<1	1	2	7	18	28	60
TOT. SINGLE DX	590	1.6	4	<1	<1	1	2	3	3	6
" MULTIPLE DX	512	5.0	84	<1	<1	2	4	11	19	50
TOTAL 0-19 YRS	268	1.3	1	<1	<1	1	1	2	2	6
20-34	76	1.8	2	<1	<1	1	2	4	5	8
35-49	134	1.8	2	<1	<1	1	2	3	4	9
50-64	281	3.5	58	<1	<1	2	3	6	11	33
65+	343	5.2	79	<1	1	2	4	13	21	59
GRAND TOTAL	1102	3.2	42	<1	<1	2	2	6	11	31

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	1.8		<1	<1	2	2	3	3	6
20-34	76	2.1	2	<1	<1	2	2	3	6	9
35-49	212	2.0	1	<1	<1	2	2	3	4	7
50-64	291	1.9	1	<1	1	2	2	3	3	5
65+	407	2.2	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	227	3.6	24	<1	1	2	4	7	9	35
20-34	110	4.4	44	<1	1	2	5	8	15	32
35-49	125	2.1	8	<1	1	2	3	5	9	17
50-64	288	3.5	42	1	1	2	3	5	7	26
65+	720	5.1	80	1	1	2	5	12	21	86
TOT. SINGLE DX	1199	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	2170	4.1	49	1	1	2	4	8	14	40
TOTAL 0-19 YRS	440	2.7	14	<1	1	2	3	5	7	18
20-34	386	4.0	37	<1	1	2	5	8	10	28
35-49	537	2.6	6	<1	1	2	3	4	7	14
50-64	879	3.0	30	1	1	2	3	4	6	18
65+	1127	4.1	54	1	1	2	3	8	15	50
GRAND TOTAL	3369	3.4	33	<1	1	2	3	6	9	28

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.1	4	<1	<1	1	2	3	9	10
20-34	19	2.0		1	1	2	2	3	3	3
35-49	31	2.3		1	1	2	3	3	3	6
50-64	37	2.3		1	1	2	3	3	4	5
65+	89	2.7	3	1	2	2	3	4	4	14
2. MULTIPLE DX										
0-19 YRS	17	5.1	93	1	1	2	4	7	30	42
20-34	12	2.8	1	1	1	3	3	4	5	5
35-49	22	2.5		1	1	2	3	4	4	5
50-64	54	3.4	7	2	2	3	3	8	13	96
65+	106	4.2	56	2	2	3	4	6	8	50
TOT. SINGLE DX	227	2.4	3	1	1	2	3	3	4	10
" MULTIPLE DX	211	3.8	38	1	2	3	3	5	9	53
TOTAL 0-19 YRS	68	2.9	27	<1	<1	2	3	4	9	36
20-34	31	2.3	1	1	1	2	3	3	3	5
35-49	53	2.3	1	1	1	2	3	3	4	6
50-64	91	3.0	5	1	2	2	3	5	9	64
65+	195	3.5	33	1	2	3	3	5	6	27
GRAND TOTAL	438	3.1	20	1	1	2	3	4	6	21

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	1.8	2	<1	<1	1	2	3	6	8
20-34	18	1.8	1	<1	<1	1	2	4	5	5
35-49	11	2.0	3	<1	<1	1	3	5	7	7
50-64	10	1.5		<1	<1	1	2	2	2	2
65+	15	2.4	4	<1	<1	2	2	5	8	9
2. MULTIPLE DX										
0-19 YRS	16	2.6	5	<1	1	2	3	7	8	9
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	12	3.4	11	<1	<1	2	4	9	12	12
50-64	10	2.2	2	<1	<1	2	3	4	5	5
65+	22	5.8	88	<1	1	2	6	24	62	99+
TOT. SINGLE DX	74	1.9	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	62	3.8	37	<1	1	2	4	9	17	62
TOTAL 0-19 YRS	36	2.1	4	<1	<1	2	2	3	8	9
20-34	20	2.0	2	<1	<1	1	3	4	5	5
35-49	23	2.7	8	<1	<1	2	3	7	9	12
50-64	20	1.9	1	<1	<1	2	2	4	4	5
65+	37	4.4	56	<1	<1	2	4	13	33	99+
GRAND TOTAL	136	2.8	19	<1	<1	2	3	5	9	49

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.3	14	1	1	3	4	11	13	13
20-34	25	3.7	2	1	2	4	4	5	7	8
35-49	19	4.4	5	1	2	4	6	7	9	11
50-64	31	4.5	35	1	1	3	5	6	12	34
65+	134	3.8	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	8	5.9	22	1	2	4	8	14	16	16
20-34	10	7.6	51	2	2	6	8	18	27	27
35-49	18	6.2	29	2	2	5	7	14	21	23
50-64	35	5.5	25	1	2	4	6	9	20	25
65+	224	5.2	28	2	2	4	6	8	13	32
TOT. SINGLE DX	217	3.9	8	1	2	4	5	6	7	12
" MULTIPLE DX	295	5.4	28	2	2	4	6	8	15	31
TOTAL 0-19 YRS	16	5.1	18	1	1	4	6	13	15	16
20-34	35	4.8	19	1	2	4	5	8	9	27
35-49	37	5.3	17	2	2	4	6	7	15	23
50-64	66	5.1	30	1	1	4	5	8	14	33
65+	358	4.7	19	1	2	4	5	7	9	29
GRAND TOTAL	512	4.8	20	1	2	4	5	7	10	28

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.1	7	1	1	2	4	6	9	14
20-34	67	2.6	3	<1	1	2	3	5	6	11
35-49	85	2.0	1	<1	<1	2	2	3	4	6
50-64	83	1.8		<1	<1	2	2	3	4	6
65+	73	2.0	1	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	46	6.0	35	1	2	4	7	11	19	31
20-34	32	3.9	7	1	1	3	6	8	10	11
35-49	33	4.1	14	1	1	2	5	9	12	18
50-64	43	3.7	16	<1	1	2	3	10	13	20
65+	103	4.5	33	1	1	3	5	9	15	35
TOT. SINGLE DX	380	2.3	3	<1	<1	2	3	4	6	9
" MULTIPLE DX	257	4.5	26	1	1	3	5	10	14	31
TOTAL 0-19 YRS	118	4.3	20	1	1	3	5	9	11	27
20-34	99	3.0	5	<1	1	2	4	6	8	12
35-49	118	2.6	6	<1	<1	2	3	5	7	14
50-64	126	2.5	7	<1	<1	2	2	4	7	17
65+	176	3.5	21	<1	1	2	3	7	10	30
GRAND TOTAL	637	3.2	13	<1	1	2	3	6	9	20

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.1	4	1	1	2	3	7	8	8
20-34	11	3.5	3	1	1	3	5	6	7	7
35-49	31	3.5	6	1	1	3	4	7	8	12
50-64	78	3.1	4	1	2	3	3	5	8	13
65+	214	3.2	4	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	28	3.1	12	1	1	2	3	6	12	17
20-34	22	4.5	34	1	2	3	3	8	20	28
35-49	27	4.8	31	1	2	3	5	10	14	30
50-64	113	4.4	16	1	2	3	5	9	15	20
65+	327	4.6	31	1	2	3	5	9	14	28
TOT. SINGLE DX	349	3.2	5	1	1	3	4	6	8	12
" MULTIPLE DX	517	4.5	27	1	2	3	5	9	14	27
TOTAL 0-19 YRS	43	3.1	9	1	1	2	3	7	9	17
20-34	33	4.2	24	1	2	3	4	6	13	28
35-49	58	4.1	18	1	1	3	5	8	11	29
50-64	191	3.9	12	1	2	3	4	8	12	19
65+	541	4.1	21	1	2	3	5	8	11	23
GRAND TOTAL	866	4.0	18	1	2	3	4	8	11	21

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	3.8	11	1	1	3	5	8	14	14
20-34	24	3.5	11	<1	1	3	4	6	12	16
35-49	25	3.3	5	1	1	3	4	6	8	12
50-64	72	2.7	4	1	1	2	3	5	8	12
65+	142	2.8	5	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	16	4.2	9	<1	1	3	6	9	10	11
20-34	25	4.6	13	<1	1	3	6	12	12	13
35-49	23	6.8	54	1	2	3	9	15	27	29
50-64	91	5.1	66	1	1	3	5	12	16	82
65+	308	6.0	72	1	1	3	7	13	21	59
TOT. SINGLE DX	292	2.9	7	1	1	2	3	5	8	14
" MULTIPLE DX	463	5.7	65	1	1	3	7	12	18	57
TOTAL 0-19 YRS	45	3.9	11	<1	1	3	5	8	12	14
20-34	49	4.0	12	1	1	3	5	9	12	16
35-49	48	5.0	31	1	1	3	6	11	14	29
50-64	163	4.0	40	1	1	2	4	8	14	56
65+	450	5.0	54	1	1	3	5	11	15	46
GRAND TOTAL	755	4.7	44	1	1	3	5	10	14	42

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.0	1	1	1	2	3	3	4	5
20-34	14	3.5	14	1	2	2	3	6	14	16
35-49	238	2.5	1	2	2	2	3	3	4	7
50-64	1932	2.5	1	1	2	2	3	3	4	6
65+	7978	2.5	1	2	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	13	3.1	10	<1	1	2	3	7	12	13
20-34	16	3.9	5	1	2	3	5	8	8	8
35-49	218	3.4	10	1	2	3	3	6	9	24
50-64	2066	3.3	16	2	2	2	3	5	8	21
65+	10986	3.6	23	2	2	3	3	5	9	26
TOT. SINGLE DX	10199	2.5	2	2	2	2	3	3	4	6
" MULTIPLE DX	13299	3.5	22	2	2	3	3	5	8	25
TOTAL 0-19 YRS	50	2.3	4	1	1	2	3	4	5	13
20-34	30	3.7	9	1	2	3	5	7	8	16
35-49	456	2.9	6	1	2	2	3	4	6	13
50-64	3998	2.9	9	2	2	2	3	4	5	14
65+	18964	3.1	15	2	2	2	3	4	6	18
GRAND TOTAL	**23498**	**3.1**	**14**	**2**	**2**	**2**	**3**	**4**	**6**	**17**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	2.3		1	1	2	3	4	4	5
20-34	36	1.9		<1	1	2	2	3	4	5
35-49	259	2.2	1	1	1	2	2	3	3	8
50-64	1296	2.1		1	1	2	2	3	3	5
65+	4957	2.2		1	2	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	44	2.5	5	<1	1	2	3	4	5	15
20-34	25	4.0	52	1	1	2	3	7	15	38
35-49	164	2.9	6	1	2	2	3	4	6	18
50-64	1116	2.9	12	1	2	2	3	4	6	18
65+	5459	3.1	14	1	2	2	3	4	7	18
TOT. SINGLE DX	6640	2.2	1	1	2	2	2	3	4	5
" MULTIPLE DX	6808	3.1	14	1	2	2	3	4	7	18
TOTAL 0-19 YRS	136	2.4	2	1	1	2	3	4	4	7
20-34	61	2.8	23	<1	1	2	3	3	6	35
35-49	423	2.4	4	1	1	2	2	3	5	11
50-64	2412	2.5	7	1	1	2	2	3	4	13
65+	10416	2.7	8	1	2	2	3	4	5	13
GRAND TOTAL	**13448**	**2.6**	**8**	**1**	**2**	**2**	**3**	**4**	**5**	**13**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	10	3.0	6	<1	<1	2	3	7	10	10
35-49	30	2.2		1	1	2	2	3	4	6
50-64	237	2.2	1	1	1	2	2	3	3	4
65+	1047	2.2		1	2	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	16	1.9		<1	1	2	2	2	2	2
50-64	184	3.1	17	1	2	2	3	4	7	30
65+	1150	3.2	21	1	2	2	3	4	7	26
TOT. SINGLE DX	1327	2.2	1	1	2	2	2	3	3	5
" MULTIPLE DX	1354	3.2	21	1	2	2	3	4	7	26
TOTAL 0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	13	2.6	6	<1	<1	2	3	5	9	10
35-49	46	2.1	1	1	1	2	2	2	3	6
50-64	421	2.6	9	1	1	2	3	3	4	15
65+	2197	2.8	12	1	2	2	3	4	5	15
GRAND TOTAL	**2681**	**2.7**	**11**	**1**	**2**	**2**	**3**	**3**	**5**	**15**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	4.4	5	2	2	4	6	8	9	12
20-34	125	3.8	2	2	2	4	5	6	7	8
35-49	134	4.1	3	1	2	4	5	7	8	9
50-64	446	4.0	3	1	2	4	5	7	8	9
65+	381	4.7	5	1	2	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	26	4.1	6	1	2	4	5	6	8	15
20-34	77	5.1	11	2	2	4	6	9	11	19
35-49	100	6.0	20	1	2	5	8	10	14	26
50-64	482	5.2	10	2	2	4	6	9	11	19
65+	575	6.0	14	2	3	5	7	10	14	21
TOT. SINGLE DX	1130	4.3	5	1	2	4	5	7	8	11
" MULTIPLE DX	1260	5.6	13	2	2	5	7	9	12	21
TOTAL 0-19 YRS	70	4.3	6	2	2	4	5	7	8	14
20-34	202	4.3	6	2	2	4	5	7	8	16
35-49	234	4.9	12	1	2	4	6	8	9	23
50-64	928	4.6	8	2	2	4	6	8	9	14
65+	956	5.5	11	2	2	5	6	9	11	19
GRAND TOTAL	**2390**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	3.1	5	<1	1	2	4	7	8	8
20-34	27	3.7	6	1	1	3	4	8	10	11
35-49	30	3.7	7	1	2	3	4	5	9	16
50-64	63	3.0	4	1	1	2	4	5	7	12
65+	163	2.9	4	1	1	2	3	6	7	13
2. MULTIPLE DX										
0-19 YRS	26	5.2	20	1	2	4	6	8	18	21
20-34	46	4.7	15	1	2	4	5	8	9	26
35-49	47	7.6	81	2	2	5	9	12	22	59
50-64	143	4.6	20	2	2	3	5	7	12	31
65+	324	5.4	45	2	2	3	6	12	16	39
TOT. SINGLE DX	301	3.1	5	1	1	2	4	6	7	13
" MULTIPLE DX	586	5.3	39	2	2	3	6	10	15	35
TOTAL 0-19 YRS	44	4.4	15	1	1	4	5	8	11	21
20-34	73	4.3	12	1	2	4	5	8	10	23
35-49	77	6.1	56	2	2	4	6	11	17	49
50-64	206	4.1	16	1	2	3	5	7	10	26
65+	487	4.6	33	1	2	3	5	9	14	34
GRAND TOTAL	**887**	**4.6**	**29**	**1**	**2**	**3**	**5**	**8**	**12**	**30**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1470	1.6		<1	<1	2	2	2	2	3
20-34	241	1.9		<1	1	2	2	2	3	4
35-49	105	1.8		1	1	2	2	2	3	4
50-64	52	2.1		1	1	2	2	3	3	6
65+	41	1.9		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	424	1.8	13	<1	<1	2	2	2	3	5
20-34	82	2.1		<1	1	2	2	3	3	7
35-49	41	2.0		1	1	2	2	3	3	3
50-64	48	2.8	21	<1	1	2	2	4	4	34
65+	42	2.5	1	1	2	2	3	4	5	6
TOT. SINGLE DX	1909	1.7	1	<1	<1	2	2	2	2	3
" MULTIPLE DX	637	2.0	11	<1	<1	2	2	2	3	6
TOTAL 0-19 YRS	1894	1.6	3	<1	<1	2	2	2	2	3
20-34	323	2.0	1	<1	1	2	2	3	3	5
35-49	146	1.9		1	1	2	2	2	3	3
50-64	100	2.4	11	1	1	2	2	3	4	20
65+	83	2.2	1	1	1	2	2	3	4	6
GRAND TOTAL	**2546**	**1.7**	**3**	**<1**	**<1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.5	3	1	1	2	4	4	4	4
20-34	4	2.3		2	2	2	3	3	3	3
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	5	1.8		1	1	2	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	3.3	3	2	2	3	4	6	6	6
TOT. SINGLE DX	15	3.1	3	1	1	2	4	6	7	7
" MULTIPLE DX	13	2.5	2	1	1	2	3	4	6	6
TOTAL 0-19 YRS	9	2.1	2	1	1	2	3	4	4	4
20-34	5	2.2		2	2	2	3	3	3	3
35-49	5	3.6	3	2	2	3	5	6	6	6
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	6	3.0	2	2	2	3	3	6	6	6
GRAND TOTAL	**28**	**2.8**	**2**	**1**	**1**	**2**	**3**	**6**	**6**	**7**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	3.2	9	<1	1	2	4	6	11	18
20-34	73	4.1	41	1	1	3	4	8	10	44
35-49	39	3.4	3	1	1	3	4	6	8	9
50-64	53	4.0	12	<1	1	3	5	9	10	19
65+	98	3.6	9	1	1	3	4	7	9	19
2. MULTIPLE DX										
0-19 YRS	54	5.4	25	1	2	3	7	13	17	24
20-34	74	5.3	17	1	2	4	8	12	14	18
35-49	70	5.7	29	2	2	4	7	13	18	29
50-64	93	4.4	19	1	2	3	4	11	15	68
65+	200	7.0	89	1	2	4	8	16	21	58
TOT. SINGLE DX	348	3.6	16	1	1	3	4	7	10	19
" MULTIPLE DX	491	5.9	51	1	2	4	7	14	19	33
TOTAL 0-19 YRS	139	4.1	17	<1	1	2	5	9	13	21
20-34	147	4.7	29	1	1	3	5	10	13	20
35-49	109	4.9	21	1	2	3	6	10	14	26
50-64	146	4.2	17	1	1	3	5	10	14	29
65+	298	5.9	66	1	2	3	6	14	20	40
GRAND TOTAL	**839**	**5.0**	**37**	**1**	**1**	**3**	**5**	**11**	**15**	**27**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	356	2.0	2	<1	<1	2	2	3	5	8
20-34	146	1.9	2	<1	<1	1	2	3	5	9
35-49	79	1.9	1	<1	<1	1	2	3	4	8
50-64	97	2.2	3	<1	<1	1	3	3	5	12
65+	115	3.3	11	<1	<1	2	3	7	11	18
2. MULTIPLE DX										
0-19 YRS	212	3.8	10	<1	1	3	5	8	10	16
20-34	122	5.7	60	<1	1	2	6	15	27	37
35-49	72	3.9	20	<1	1	2	4	7	14	25
50-64	109	7.8	147	1	1	3	10	16	27	75
65+	246	9.6	150	1	1	5	13	25	39	99+
TOT. SINGLE DX	793	2.2	4	<1	<1	2	2	4	6	11
" MULTIPLE DX	761	6.5	90	1	1	3	7	15	26	61
TOTAL 0-19 YRS	568	2.7	6	<1	<1	2	3	5	7	12
20-34	268	3.6	32	<1	<1	2	3	8	12	32
35-49	151	2.9	11	<1	<1	2	3	5	8	22
50-64	206	5.2	87	<1	<1	2	4	13	16	49
65+	361	7.6	115	<1	1	3	10	19	33	97
GRAND TOTAL	1554	4.3	51	<1	<1	2	4	10	16	39

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	2.4		1	2	2	3	3	4	5
20-34	174	2.8	2	2	2	3	3	4	5	12
35-49	251	2.5		1	2	2	3	4	4	5
50-64	276	2.7		2	2	2	3	4	4	5
65+	124	2.7		2	2	3	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	20	2.9	2	<1	1	2	3	5	7	8
20-34	58	2.5		1	1	2	3	4	4	5
35-49	88	2.9	2	1	1	2	3	4	5	12
50-64	104	2.9	5	1	1	2	3	4	5	15
65+	63	3.0	1	1	2	3	3	4	5	8
TOT. SINGLE DX	859	2.7	1	2	2	3	3	4	4	6
" MULTIPLE DX	333	2.8	3	1	2	3	3	4	5	8
TOTAL 0-19 YRS	54	2.6	2	1	1	2	3	4	5	8
20-34	232	2.7	2	1	2	3	3	4	5	8
35-49	339	2.6	1	1	2	2	3	4	4	6
50-64	380	2.8	2	2	2	3	3	4	4	6
65+	187	2.8	1	2	2	3	3	4	4	7
GRAND TOTAL	1192	2.7	2	2	2	3	3	4	4	7

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	341	2.0		1	1	2	2	3	3	4
20-34	207	2.2		1	1	2	2	3	4	5
35-49	186	2.2		1	1	2	2	3	3	6
50-64	186	2.4	1	1	1	2	3	3	3	6
65+	66	2.3	1	1	1	2	3	3	4	9
2. MULTIPLE DX										
0-19 YRS	286	2.2		1	1	2	2	3	4	5
20-34	189	2.7	10	1	1	2	3	3	4	14
35-49	177	2.5	3	1	1	2	2	3	4	9
50-64	214	3.0	23	1	1	2	3	4	4	24
65+	80	3.0	4	2	2	3	3	4	7	13
TOT. SINGLE DX	986	2.2	1	1	1	2	2	3	3	5
" MULTIPLE DX	946	2.6	9	1	1	2	3	3	4	11
TOTAL 0-19 YRS	627	2.1	1	1	1	2	2	3	3	5
20-34	396	2.5	6	1	1	2	2	3	4	7
35-49	363	2.4	2	1	1	2	2	3	4	7
50-64	400	2.7	13	1	1	2	3	3	4	14
65+	146	2.7	3	1	2	2	3	4	5	11
GRAND TOTAL	1932	2.4	5	1	1	2	3	3	4	7

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3753									
20-34	90									
35-49	64									
50-64	69									
65+	41	3	16					6		
2. MULTIPLE DX										
0-19 YRS	2123	1.4	4							
20-34	64									
35-49	59									
50-64	70									
65+	69									
TOT. SINGLE DX	4016									
" MULTIPLE DX	2405	1.7	5				1	2	6	16
TOTAL 0-19 YRS	5876									
20-34	174									
35-49	123									
50-64	139									
65+	112									
GRAND TOTAL	6424	1.3	4	<1	<1	<1	1	2	2	8

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	122	3.0	11					6		
20-34	100	3.1	10					6		
35-49	78	3.6	13					6		
50-64	79	4.4	21					6		
65+	45	4.3	17					6		
2. MULTIPLE DX										
0-19 YRS	220	3.6	15					6		
20-34	169	3.1	9					5		
35-49	129	3.9	20					6		
50-64	170	4.4	31					7		
65+	77	5.0	163					26	35	80
TOT. SINGLE DX	424	3.4	10	1	2	3	3	5	6	16
" MULTIPLE DX	765	4.3	35			3	4	6	12	32
TOTAL 0-19 YRS	342	3.4	14					5	7	22
20-34	269	3.2	7					5	6	12
35-49	207	3.8	18					6	8	16
50-64	249	4.2	24					6	8	16
65+	122	7.2	168					19	32	80
GRAND TOTAL	1189	3.9	26	1	2	3	4	6	9	31

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162									
20-34	69									
35-49	77									
50-64	85									
65+	32									
2. MULTIPLE DX										
0-19 YRS	123									
20-34	69									
35-49	58									
50-64	94									
65+	48	5.9	178							
TOT. SINGLE DX	425	2.6	3					5		
" MULTIPLE DX	427	3.7	40					9		
TOTAL 0-19 YRS	285									
20-34	138									
35-49	135									
50-64	179									
65+	80									
GRAND TOTAL	852	3.1	22	<1	<1	2	3	6	7	19

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	516	2.5		1	1	2	3	4	4	5
20-34	928	2.4		1	1	2	3	4	4	5
35-49	356	2.5	1	1	1	2	3	4	4	5
50-64	152	2.5	1	1	1	2	3	3	4	5
65+	36	2.6	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	697	2.5		1	1	2	3	4	4	5
20-34	1409	2.6	1	1	1	2	3	4	4	6
35-49	741	2.8	5	1	1	2	3	4	5	11
50-64	391	3.1	6	1	2	3	3	5	6	19
65+	135	3.8	13	1	2	3	4	7	13	21
TOT. SINGLE DX	1988	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	3373	2.7	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	1213	2.5	1	1	1	2	3	4	4	5
20-34	2337	2.5	1	1	1	2	3	4	4	6
35-49	1097	2.7	4	1	1	2	3	4	5	8
50-64	543	2.9	5	1	1	3	3	4	5	12
65+	171	3.6	11	1	2	3	4	5	11	21
GRAND TOTAL	**5361**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	744	2.5	1	1	1	2	3	4	5	7
20-34	1404	2.3	1	1	1	2	3	3	4	6
35-49	548	2.4		1	1	2	3	4	4	5
50-64	273	2.5	1	1	1	2	3	4	5	8
65+	70	2.6	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	1005	2.6	2	1	1	2	3	4	5	7
20-34	1971	2.6	3	1	1	2	3	4	5	9
35-49	973	2.8	12	1	1	2	3	4	5	11
50-64	567	3.1	5	1	1	2	3	5	7	17
65+	213	5.0	65	1	1	3	5	10	16	36
TOT. SINGLE DX	3039	2.4	1	1	1	2	3	4	4	6
" MULTIPLE DX	4729	2.8	8	1	1	2	3	4	5	12
TOTAL 0-19 YRS	1749	2.6	2	1	1	2	3	4	5	7
20-34	3375	2.5	2	1	1	2	3	4	4	7
35-49	1521	2.7	9	1	1	2	3	4	5	9
50-64	840	2.9	5	1	1	2	3	5	6	14
65+	283	4.4	51	1	1	3	4	8	12	32
GRAND TOTAL	**7768**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	2.3	3	<1	<1	2	2	5	6	10
20-34	154	2.3	5	<1	<1	2	3	4	5	17
35-49	158	2.1	1	<1	<1	2	3	4	5	6
50-64	255	2.3	3	<1	<1	2	2	4	5	9
65+	252	2.7	5	<1	1	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	95	3.0	7	<1	1	2	3	6	9	16
20-34	207	3.1	26	<1	1	2	3	4	7	48
35-49	258	2.9	9	<1	1	2	3	4	5	12
50-64	417	3.6	20	1	1	3	3	5	11	25
65+	482	6.3	81	1	1	3	7	15	26	89
TOT. SINGLE DX	903	2.4	4	<1	<1	2	3	4	6	10
" MULTIPLE DX	1459	4.2	41	1	1	3	4	8	14	41
TOTAL 0-19 YRS	179	2.6	6	<1	<1	2	3	5	8	15
20-34	361	2.8	18	<1	<1	2	3	4	6	22
35-49	416	2.6	7	<1	1	2	3	4	5	10
50-64	672	3.1	14	<1	1	2	3	5	8	20
65+	734	5.0	58	1	1	3	5	12	20	46
GRAND TOTAL	**2362**	**3.5**	**28**	**<1**	**1**	**2**	**3**	**6**	**10**	**31**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	777	1.7	1	<1	<1	1	2	3	4	6
20-34	520	2.3	2	<1	<1	2	3	5	5	9
35-49	176	3.2	6	<1	<1	2	4	6	8	15
50-64	141	4.3	6	<1	1	4	6	8	10	11
65+	98	4.2	7	1	1	4	6	7	10	15
2. MULTIPLE DX										
0-19 YRS	318	3.4	12	<1	1	2	4	7	9	21
20-34	416	3.9	17	1	1	3	5	8	10	18
35-49	217	4.9	13	1	1	4	6	10	12	19
50-64	280	6.3	19	1	2	5	8	12	14	23
65+	422	8.3	106	1	2	6	9	16	23	72
TOT. SINGLE DX	1712	2.4	4	<1	<1	2	3	5	6	10
" MULTIPLE DX	1653	5.5	43	1	1	4	7	11	15	28
TOTAL 0-19 YRS	1095	2.2	5	<1	<1	2	3	4	6	10
20-34	936	3.0	10	<1	<1	2	4	6	8	13
35-49	393	4.1	11	<1	1	3	5	8	11	17
50-64	421	5.6	16	1	2	5	7	10	13	19
65+	520	7.6	90	1	2	5	8	15	21	67
GRAND TOTAL	**3365**	**3.9**	**25**	**<1**	**<1**	**3**	**5**	**8**	**11**	**21**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	3.8	43	1	1	2	4	4	7	45
20-34	139	3.1	13	1	1	2	3	4	6	26
35-49	123	3.0	4	1	1	2	4	4	6	16
50-64	94	2.8	1	1	1	3	3	5	5	8
65+	49	4.0	8	2	2	3	5	7	11	16
2. MULTIPLE DX										
0-19 YRS	34	3.4	12	1	1	2	4	6	12	18
20-34	134	4.5	34	1	1	2	3	4	8	12	36
35-49	155	4.2	25	1	1	2	3	4	6	10	27
50-64	166	5.1	42	2	2	3	5	9	15	43
65+	90	6.6	55	2	2	4	6	15	21	43
TOT. SINGLE DX	449	3.2	11	1	2	3	3	5	6	16
" MULTIPLE DX	579	4.8	37	1	2	3	5	9	15	38
TOTAL 0-19 YRS	78	3.6	30	1	1	2	4	5	10	37
20-34	273	3.8	24	1	1	2	3	4	5	9	32
35-49	278	3.7	17	1	1	2	3	4	5	8	20
50-64	260	4.3	29	2	2	3	4	6	10	39
65+	139	5.7	40	2	2	4	5	13	18	32
GRAND TOTAL	1028	4.1	26	1	2	3	4	6	11	28

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	3.6	11	<1	1	2	4	8	10	17
20-34	135	3.1	6	<1	1	2	4	6	8	14
35-49	96	3.7	15	<1	1	2	4	9	13	21
50-64	100	3.9	9	<1	1	3	5	9	10	15
65+	56	5.0	54	1	1	3	5	8	13	50
2. MULTIPLE DX										
0-19 YRS	66	6.5	44	1	2	4	9	16	23	31
20-34	149	4.3	31	1	1	3	4	8	14	30
35-49	169	5.8	85	1	1	3	5	10	23	61
50-64	199	5.5	35	1	2	3	7	11	16	29
65+	124	8.9	110	2	2	5	13	21	28	49
TOT. SINGLE DX	452	3.7	16	<1	1	3	4	8	10	17
" MULTIPLE DX	707	6.0	62	1	2	3	6	14	21	36
TOTAL 0-19 YRS	131	5.1	30	1	1	3	6	10	17	31
20-34	284	3.8	20	<1	1	3	4	7	10	28
35-49	265	5.0	61	1	1	3	5	9	17	40
50-64	299	4.9	27	1	2	3	6	10	13	28
65+	180	7.7	96	1	2	4	9	18	25	48
GRAND TOTAL	1159	5.1	49	1	1	3	5	10	17	31

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2663	1.5		<1	<1	1	2	2	2	3
20-34	2112	1.5		<1	<1	1	2	2	2	3
35-49	379	1.6		<1	<1	2	2	2	2	4
50-64	249	1.9		<1	<1	2	2	3	3	5
65+	147	2.1		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	1141	2.3	18	<1	<1	2	2	3	4	31
20-34	1450	3.2	35	<1	<1	2	2	5	10	36
35-49	784	3.8	40	<1	1	2	3	8	15	34
50-64	891	4.3	47	1	1	2	3	9	17	44
65+	914	7.7	137	1	2	3	9	20	33	99+
TOT. SINGLE DX	5550	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	5180	4.1	56	<1	1	2	3	9	16	45
TOTAL 0-19 YRS	3804	1.7	6	<1	<1	1	2	2	2	7
20-34	3562	2.2	15	<1	<1	2	2	2	4	18
35-49	1163	3.1	29	<1	1	2	2	5	11	29
50-64	1140	3.8	38	1	1	2	3	8	13	39
65+	1061	6.9	123	1	2	2	7	18	32	99
GRAND TOTAL	10730	2.8	29	<1	<1	2	2	3	9	32

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	1.2		<1	<1	1	1	2	2	4
20-34	30	2.0	3	<1	<1	1	2	5	6	9
35-49	14	2.7	5	<1	<1	2	3	5	9	10
50-64	8	2.4		1	1	2	3	4	4	4
65+	8	3.8	4	2	2	3	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	192	2.0	24	<1	<1	1	2	2	3	99+
20-34	77	5.9	160	<1	1	2	2	13	37	63
35-49	22	4.0	38	<1	<1	2	2	13	19	27
50-64	13	6.5	89	1	1	3	5	20	32	35
65+	4	5.8	23	3	3	4	8	13	13	13
TOT. SINGLE DX	217	1.6	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	308	3.4	65	<1	<1	2	2	4	13	79
TOTAL 0-19 YRS	349	1.6	14	<1	<1	1	2	2	3	64
20-34	107	4.9	119	<1	1	2	2	8	30	61
35-49	36	3.5	25	<1	<1	2	3	10	13	27
50-64	21	4.9	58	1	1	3	3	11	25	35
65+	12	4.4	10	2	2	3	5	9	12	13
GRAND TOTAL	525	2.6	39	<1	<1	1	2	3	7	59

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	2.3	4	<1	<1	2	2	5	7	11
20-34	99	1.9	2	<1	<1	1	2	4	5	10
35-49	126	1.9	1	<1	<1	1	2	4	4	7
50-64	100	2.2	3	<1	<1	2	3	4	5	11
65+	39	2.8	5	<1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	119	3.6	69	<1	1	2	3	7	12	92
20-34	119	3.7	22	<1	1	2	3	8	15	54
35-49	127	3.4	14	<1	1	2	3	6	11	22
50-64	144	5.1	111	1	1	3	4	9	17	94
65+	91	6.1	69	1	2	3	5	18	28	38
TOT. SINGLE DX	439	2.1	3	<1	<1	2	2	4	5	10
" MULTIPLE DX	600	4.3	59	<1	1	2	4	9	16	58
TOTAL 0-19 YRS	194	3.1	45	<1	<1	2	3	6	10	56
20-34	218	2.9	14	<1	<1	2	3	5	10	25
35-49	253	2.6	9	<1	<1	2	3	4	7	20
50-64	244	3.9	69	<1	<1	2	3	7	10	79
65+	130	5.1	53	1	1	2	4	13	23	36
GRAND TOTAL	**1039**	**3.4**	**37**	**<1**	**<1**	**2**	**3**	**6**	**11**	**33**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	2.7	3	<1	1	2	4	5	6	10
20-34	225	3.7	7	1	2	3	4	6	8	15
35-49	283	3.8	3	2	2	3	5	6	7	12
50-64	336	4.0	8	2	2	3	5	6	8	12
65+	259	4.5	8	1	2	4	5	8	10	16
2. MULTIPLE DX										
0-19 YRS	30	5.2	15	1	2	4	7	10	11	20
20-34	86	4.3	12	1	2	3	5	7	10	22
35-49	137	5.2	28	2	2	4	5	9	11	24
50-64	273	5.4	15	2	2	4	6	10	15	20
65+	388	8.5	101	2	3	5	9	17	25	58
TOT. SINGLE DX	1189	3.9	7	1	2	3	5	6	8	13
" MULTIPLE DX	914	6.6	56	2	2	4	7	12	19	40
TOTAL 0-19 YRS	116	3.3	7	<1	1	3	4	6	8	14
20-34	311	3.9	9	1	2	3	4	6	9	19
35-49	420	4.3	12	2	2	4	5	7	9	16
50-64	609	4.6	12	2	2	4	5	8	11	19
65+	647	6.9	68	2	2	5	7	13	19	44
GRAND TOTAL	**2103**	**5.1**	**30**	**1**	**2**	**4**	**5**	**9**	**12**	**27**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	3.7	4	1	1	4	5	6	7	10
20-34	12	4.1	1	2	3	4	5	6	6	6
35-49										
50-64	5	3.6	4	2	2	3	4	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	187	4.8	33	2	2	4	5	7	8	24
20-34	11	4.4	3	2	2	4	6	7	7	7
35-49	3	7.3	10	5	5	6	10	11	11	11
50-64	4	2.9	1	1	1	3	4	4	4	4
65+	3	6.0	48	2	2	2	11	14	14	14
TOT. SINGLE DX	221	3.8	4	1	1	4	5	6	7	10
" MULTIPLE DX	208	4.8	31	2	2	4	5	7	9	21
TOTAL 0-19 YRS	390	4.3	18	1	2	4	5	6	8	14
20-34	23	4.2	2	2	3	4	5	6	7	7
35-49	3	7.3	10	5	5	6	10	11	11	11
50-64	9	3.2	3	1	1	3	4	6	7	7
65+	4	5.0	36	2	2	2	8	14	14	14
GRAND TOTAL	**429**	**4.3**	**17**	**1**	**2**	**4**	**5**	**6**	**8**	**14**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	502	3.3	7	<1	<1	2	5	7	8	12
20-34	162	3.6	10	<1	<1	2	5	8	9	14
35-49	137	3.7	23	<1	<1	2	4	7	12	22
50-64	254	4.4	38	<1	1	3	4	9	15	32
65+	221	5.1	48	1	1	3	5	10	16	43
2. MULTIPLE DX										
0-19 YRS	410	3.9	22	1	1	3	5	7	10	38
20-34	286	4.9	43	1	1	3	6	10	14	40
35-49	213	7.0	89	1	1	4	8	16	22	69
50-64	417	9.6	158	1	2	5	12	25	38	73
65+	568	10.8	177	1	2	6	13	26	39	81
TOT. SINGLE DX	1276	3.9	23	<1	<1	2	5	8	11	24
" MULTIPLE DX	1894	7.7	118	1	1	4	9	19	30	66
TOTAL 0-19 YRS	912	3.6	14	<1	1	2	5	7	9	18
20-34	448	4.5	32	<1	1	3	6	9	12	25
35-49	350	5.7	66	<1	1	3	7	13	19	64
50-64	671	7.6	119	1	1	3	9	20	29	67
65+	789	9.2	148	1	2	5	11	22	35	66
GRAND TOTAL	**3170**	**6.2**	**83**	**<1**	**1**	**3**	**7**	**14**	**22**	**56**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4292	1.8		1	1	2	2	2	3	4
20-34	2824	2.0		1	1	2	2	3	3	4
35-49	260	2.2		1	1	2	2	3	4	5
50-64	37	2.4	1	<1	1	2	3	3	4	9
65+	6	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	857	2.0	1	1	1	2	2	3	4	8
20-34	406	2.5	1	1	1	2	3	4	5	8
35-49	69	3.3	7	1	1	2	4	7	10	15
50-64	31	3.9	15	2	2	2	4	8	13	20
65+	15	5.3	11	2	2	5	7	14	74	99+
TOT. SINGLE DX	7919	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1378	2.3	3	1	1	2	2	4	5	10
TOTAL 0-19 YRS	5649	1.8	1	1	1	2	2	2	3	5
20-34	3230	2.1	1	1	1	2	2	3	3	5
35-49	329	2.4	3	1	1	2	3	4	4	10
50-64	68	3.1	8	1	2	2	3	5	9	19
65+	21	4.4	11	1	2	3	7	11	48	99+
GRAND TOTAL	9297	1.9	1	1	1	2	2	3	3	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6436	1.5		<1	1	1	2	2	2	3
20-34	169	1.8		1	1	2	2	3	3	5
35-49	11	1.8	1	1	1	2	2	3	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	4183	1.6		<1	1	1	2	2	3	4
20-34	64	2.1	1	1	1	2	2	3	4	6
35-49	8	2.1		1	1	2	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65+	3	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	6622	1.5	1	<1	1	1	2	2	2	3
" MULTIPLE DX	4260	1.6	1	<1	1	1	2	2	3	5
TOTAL 0-19 YRS	10619	1.5	1	<1	1	1	2	2	2	3
20-34	233	1.9	1	1	1	2	2	3	3	5
35-49	19	1.9	1	1	1	2	3	3	4	4
50-64	4	2.0		2	2	2	2	2	2	2
65+	7	1.4		1	1	1	2	2	2	2
GRAND TOTAL	10882	1.6	1	<1	1	1	2	2	2	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	654	1.4		<1	<1	1	2	2	2	3
20-34	16	2.6	10	<1	1	2	3	4	11	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	1671	1.4	1	<1	<1	1	2	2	2	3
20-34	14	2.4	5	<1	<1	2	2	5	8	9
35-49										
50-64										
65+										
TOT. SINGLE DX	672	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	1685	1.5	1	<1	<1	1	2	2	2	3
TOTAL 0-19 YRS	2325	1.4	1	<1	<1	1	2	2	2	3
20-34	30	2.5	8	<1	<1	2	2	5	9	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	2357	1.5	1	<1	<1	1	2	2	2	3

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	449	2.8	5	<1	1	2	3	6	7	12
20-34	286	3.0	7	1	1	2	4	5	6	16
35-49	111	3.6	15	1	1	2	4	7	10	23
50-64	122	4.5	54	<1	1	2	4	9	13	39
65+	88	5.3	91	1	1	3	6	10	11	62
2. MULTIPLE DX										
0-19 YRS	106	5.0	73	1	1	3	5	11	12	50
20-34	97	5.4	99	1	2	3	5	9	15	63
35-49	72	6.2	65	1	1	3	7	12	20	46
50-64	176	8.6	113	1	2	5	11	22	27	79
65+	192	14.3	294	1	2	8	18	44	55	95
TOT. SINGLE DX	1056	3.3	20	<1	1	2	4	6	9	17
" MULTIPLE DX	643	8.9	167	1	2	4	10	22	37	86
TOTAL 0-19 YRS	555	3.3	19	<1	1	2	4	6	9	14
20-34	383	3.6	32	1	1	3	4	6	8	23
35-49	183	4.6	36	1	1	3	5	9	13	33
50-64	298	6.9	93	1	1	3	8	18	24	65
65+	280	11.5	248	1	2	6	12	33	52	89
GRAND TOTAL	1699	5.5	83	1	1	3	5	11	20	54

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	80	2.9	98	<1	<1	1	2	4	5	65
20-34	35	3.0	3	1	1	2	4	6	8	8
35-49	39	3.3	8	<1	1	3	4	5	10	15
50-64	50	3.1	5	1	1	3	4	6	6	13
65+	57	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	69	3.8	4	1	1	3	5	7	8	11
20-34	16	4.5	8	1	2	3	6	10	10	10
35-49	35	6.7	87	1	1	4	6	11	19	55
50-64	97	5.7	29	1	2	4	7	12	15	33
65+	226	8.0	88	2	2	5	9	16	31	60
TOT. SINGLE DX	261	3.1	34	<1	<1	2	4	5	7	13
" MULTIPLE DX	443	6.6	61	1	2	4	7	12	18	47
TOTAL 0-19 YRS	149	3.3	55	<1	<1	2	3	6	7	12
20-34	51	3.5	6	1	1	3	5	7	9	10
35-49	74	4.9	48	<1	1	3	5	10	13	47
50-64	147	4.8	23	1	1	3	6	10	15	43
65+	283	7.1	74	1	2	4	8	14	27	55
GRAND TOTAL	**704**	**5.3**	**54**	**<1**	**1**	**3**	**6**	**10**	**15**	**43**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	150	1.9		<1	1	2	2	3	3	5
20-34	248	1.8	6	<1	<1	2	2	2	3	10
35-49	479	1.8	1	<1	<1	2	2	2	3	8
50-64	690	2.1	5	<1	1	2	2	2	3	16
65+	416	2.2	7	1	1	2	2	3	4	16
2. MULTIPLE DX										
0-19 YRS	43	4.3	33	<1	<1	2	3	14	19	25
20-34	71	4.1	102	<1	<1	2	2	6	10	65
35-49	203	3.2	16	<1	1	2	3	6	12	21
50-64	519	4.4	61	<1	1	2	3	9	16	42
65+	480	6.3	112	1	1	2	5	17	29	57
TOT. SINGLE DX	1983	2.0	5	<1	1	2	2	2	3	12
" MULTIPLE DX	1316	4.9	76	<1	1	2	3	12	20	49
TOTAL 0-19 YRS	193	2.4	9	<1	1	2	2	3	5	20
20-34	319	2.3	28	<1	<1	2	2	2	4	22
35-49	682	2.2	7	<1	1	2	2	3	4	17
50-64	1209	3.1	31	<1	1	2	2	5	10	27
65+	896	4.4	68	1	1	2	3	10	19	42
GRAND TOTAL	**3299**	**3.1**	**35**	**<1**	**1**	**2**	**2**	**4**	**11**	**32**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	9	2.1	1	<1	<1	2	3	4	5	5
20-34	7	9.3	42	<1	<1	5	10	16	17	17
35-49	21	7.9	148	<1	1	5	11	26	41	46
50-64	54	7.9	56	1	1	3	14	17	21	31
65+	37	8.4	89	1	2	3	12	22	31	34
2. MULTIPLE DX										
0-19 YRS	7	8.6	152	1	1	3	7	30	36	36
20-34	5	2.2	2	1	1	2	3	5	5	5
35-49	16	19.7	561	2	2	10	26	44	78	92
50-64	31	16.2	209	2	3	12	25	33	38	76
65+	83	20.7	379	2	3	15	27	48	67	84
TOT. SINGLE DX	128	7.5	77	<1	1	2	12	19	26	39
" MULTIPLE DX	182	17.9	320	1	2	13	25	38	56	85
TOTAL 0-19 YRS	16	4.9	73	<1	1	2	4	8	28	36
20-34	12	4.0	27	<1	<1	2	4	13	16	17
35-49	37	13.0	351	<1	1	4	14	39	46	92
50-64	125	12.6	159	1	1	10	18	29	35	61
65+	120	17.0	321	1	2	12	23	36	60	81
GRAND TOTAL	**310**	**13.6**	**265**	**1**	**1**	**9**	**19**	**32**	**44**	**80**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34	2	15.5	181	6	6	15	25	25	25	25
35-49	8	24.4	162	10	11	20	34	44	47	47
50-64	35	17.6	59	10	10	15	22	33	36	99+
65+	46	21.0	136	11	11	16	24	36	48	62
2. MULTIPLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	27	24.6	274	10	12	19	27	44	68	83
50-64	134	24.1	158	11	12	21	34	48	55	99+
65+	120	26.1	192	12	13	22	35	47	71	99+
TOT. SINGLE DX	91	19.8	110	10	11	16	24	35	45	84
" MULTIPLE DX	282	25.0	184	11	13	21	34	47	62	99+
TOTAL 0-19 YRS										
20-34	3	14.7	92	6	6	13	22	25	25	25
35-49	35	24.5	243	10	12	19	28	46	60	83
50-64	169	22.7	145	11	12	19	30	44	54	99+
65+	166	24.7	182	11	12	21	34	45	61	99+
GRAND TOTAL	**373**	**23.7**	**170**	**11**	**12**	**20**	**31**	**45**	**56**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	15.5	5	14	14	15	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	3	18.0	139	8	8	15	27	31	31	31
20-34	4	25.8	654	5	5	18	43	62	62	62
35-49	16	33.9	556	6	13	23	66	72	91	99+
50-64	37	31.6	514	9	7	30	70	99+	99+	99+
65+	56	38.9	385	9	13	45	71	99+	99+	99+
TOT. SINGLE DX	3	12.3	32	6	6	14	16	17	17	17
" MULTIPLE DX	116	34.9	459	5	11	40	66	99+	99+	99+
TOTAL 0-19 YRS	3	18.0	139	8	8	15	27	31	31	31
20-34	4	25.8	654	5	5	18	43	62	62	62
35-49	16	33.9	557	6	13	23	66	72	91	99+
50-64	38	31.0	518	9	6	30	68	99+	99+	99+
65+	58	38.1	390	9	13	44	69	99+	99+	99+
GRAND TOTAL	119	34.4	461	5	10	39	65	99+	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	56	5.9	25	1	1	4	9	14	16	22
20-34	30	6.6	28	1	1	5	10	15	17	18
35-49	17	13.9	547	1	1	3	14	32	76	85
50-64	31	7.7	81	1	1	4	7	20	34	34
65+	38	10.6	208	1	1	4	12	29	51	56
2. MULTIPLE DX										
0-19 YRS	86	19.6	452	2	2	12	35	86	99+	99+
20-34	83	23.4	695	2	2	18	35	53	92	99+
35-49	72	21.3	467	2	2	17	46	99+	99+	99+
50-64	248	32.9	606	2	2	29	53	82	99+	99+
65+	310	36.9	795	2	2	40	77	99+	99+	99+
TOT. SINGLE DX	172	8.1	131	1	1	4	9	18	30	58
" MULTIPLE DX	799	30.8	679	2	3	29	58	98	99+	99+
TOTAL 0-19 YRS	142	14.2	328	1	2	8	20	51	92	99+
20-34	113	18.9	425	2	2	10	32	69	74	99+
35-49	89	19.9	486	2	2	13	41	99+	99+	99+
50-64	279	29.5	610	2	2	26	51	77	96	99+
65+	348	34.0	788	2	2	35	73	99+	99+	99+
GRAND TOTAL	971	26.8	657	2	2	22	51	91	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	22	3.0	16	<1	1	4	8	11	13	16
20-34	127	7.0	72	1	1	4	10	16	21	40
35-49	106	6.2	63	1	1	4	9	13	16	28
50-64	448	7.3	55	1	1	5	9	17	22	32
65+	477	8.1	73	1	2	6	10	17	22	45
2. MULTIPLE DX										
0-19 YRS	21	8.6	77	1	1	6	12	22	31	31
20-34	191	14.9	211	1	1	7	20	36	40	99+
35-49	482	14.0	182	1	1	7	18	29	38	79
50-64	1803	12.8	138	1	1	7	17	26	34	71
65+	2833	15.4	171	1	1	8	20	32	41	77
TOT. SINGLE DX	1280	7.3	65	1	1	5	9	16	21	39
" MULTIPLE DX	5330	14.4	164	1	3	11	19	29	39	73
TOTAL 0-19 YRS	43	5.8	68	<1	1	4	9	14	22	31
20-34	318	11.7	178	1	1	6	17	27	39	69
35-49	588	11.7	140	1	1	5	15	25	32	71
50-64	2251	11.7	127	1	1	6	15	24	32	66
65+	3310	14.4	164	1	3	11	19	30	40	71
GRAND TOTAL	6610	13.0	152	1	2	10	17	27	37	71

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	3	5.3	6	4	4	6	6	9	9	9
50-64	6	17.6	118	1	1	11	20	27	27	27
65+	3	37.3	1765	10	10	16	66	86	86	86
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	10	16.1	621	1	2	10	16	56	86	86
TOTAL 0-19 YRS										
20-34										
35-49	4	6.0	5	4	4	5	7	9	9	9
50-64	6	17.6	118	1	1	11	20	27	27	27
65+	3	37.3	1765	10	10	16	66	86	86	86
GRAND TOTAL	11	16.9	575	1	3	9	15	51	83	86

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	9.5	31	2	3	9	13	16	20	25
20-34	82	9.7	40	3	4	8	10	17	22	36
35-49	94	11.6	71	2	3	10	16	21	24	47
50-64	229	11.2	89	2	2	10	14	20	26	51
65+	209	11.9	72	1	2	10	17	24	29	37
2. MULTIPLE DX										
0-19 YRS	57	17.1	123	7	8	13	19	38	48	96
20-34	140	20.2	318	6	7	13	24	46	69	81
35-49	257	16.4	177	2	4	13	22	33	49	99+
50-64	822	16.1	125	3	5	13	21	31	39	60
65+	1140	19.0	197	3	4	16	25	37	48	82
TOT. SINGLE DX	636	11.2	73	2	2	10	14	21	26	43
" MULTIPLE DX	2416	17.8	178	3	5	14	23	34	45	78
TOTAL 0-19 YRS	79	15.0	109	4	6	12	17	29	43	87
20-34	222	16.3	241	4	5	10	19	39	52	78
35-49	351	15.1	153	2	4	12	20	30	43	99+
50-64	1051	15.1	122	2	4	12	20	29	35	57
65+	1349	17.9	185	2	4	15	23	34	45	81
GRAND TOTAL	**3052**	**16.4**	**163**	**2**	**4**	**13**	**21**	**32**	**43**	**74**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	12.0	48	8	8	8	17	20	20	20
20-34	4	12.0	8	10	10	11	14	16	16	16
35-49	35	12.7	25	7	8	10	16	21	23	25
50-64	130	16.6	95	7	8	14	21	27	36	62
65+	111	15.9	42	8	9	14	19	24	29	37
2. MULTIPLE DX										
0-19 YRS	11	16.6	449	6	8	12	18	36	48	49
20-34	28	16.6	100	8	8	13	20	34	52	99+
35-49	97	20.4	234	8	9	17	21	38	47	87
50-64	481	18.7	111	8	9	16	23	32	42	96
65+	498	22.3	179	9	10	18	27	37	52	85
TOT. SINGLE DX	283	15.7	65	8	9	14	19	24	30	49
" MULTIPLE DX	1115	20.4	155	9	10	17	25	35	46	92
TOTAL 0-19 YRS	14	15.6	126	6	8	11	19	30	45	49
20-34	32	16.0	91	8	8	13	19	33	48	99+
35-49	132	18.4	191	8	9	14	20	33	45	78
50-64	611	18.2	108	8	9	16	22	30	40	72
65+	609	21.1	161	9	10	18	26	35	48	84
GRAND TOTAL	**1398**	**19.4**	**141**	**8**	**9**	**16**	**23**	**33**	**44**	**84**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	3.9	19	<1	1	2	4	10	14	21
20-34	117	4.2	13	1	1	3	6	10	11	20
35-49	203	6.3	69	<1	1	3	8	14	19	45
50-64	348	6.9	53	1	1	4	9	16	23	35
65+	359	7.8	62	1	1	5	10	19	23	34
2. MULTIPLE DX										
0-19 YRS	126	11.6	224	2	2	5	13	36	50	82
20-34	227	13.1	197	1	2	9	17	28	48	96
35-49	520	12.7	169	1	2	9	16	30	42	89
50-64	1317	12.2	131	2	2	9	16	25	34	64
65+	2276	15.1	191	2	3	11	20	34	48	99+
TOT. SINGLE DX	1144	6.5	53	1	1	4	8	15	21	33
" MULTIPLE DX	4466	13.8	174	2	2	10	18	31	43	93
TOTAL 0-19 YRS	243	7.9	140	1	1	3	9	18	37	69
20-34	344	10.1	152	1	2	6	13	23	34	82
35-49	723	10.9	150	1	1	7	14	25	38	69
50-64	1665	11.1	119	1	2	8	15	24	32	61
65+	2635	14.1	180	2	2	11	18	32	44	98
GRAND TOTAL	**5610**	**12.3**	**158**	**1**	**2**	**9**	**16**	**28**	**39**	**80**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	5.3	12	1	1	4	8	10	12	13
20-34	53	5.5	4	2	3	6	7	8	9	10
35-49	20	6.9	19	2	3	6	8	13	17	20
50-64	19	11.2	112	1	1	10	15	27	36	41
65+	16	14.1	95	3	4	13	18	32	35	36
2. MULTIPLE DX										
0-19 YRS	18	8.4	68	2	3	6	10	15	29	38
20-34	37	9.9	34	3	3	9	12	19	23	25
35-49	41	17.7	247	3	4	11	24	42	55	59
50-64	74	13.8	119	3	4	11	17	23	45	89
65+	97	18.2	285	3	4	13	25	44	70	99+
TOT. SINGLE DX	128	7.6	44	2	2	6	9	15	20	37
" MULTIPLE DX	267	15.1	194	3	4	11	19	34	53	98
TOTAL 0-19 YRS	38	6.8	41	1	2	5	9	12	15	38
20-34	90	7.3	22	2	3	6	9	12	18	25
35-49	61	14.2	197	2	3	10	17	38	48	59
50-64	93	13.2	118	2	3	11	17	24	43	81
65+	113	17.6	259	3	4	13	24	36	63	99+
GRAND TOTAL	**395**	**12.7**	**157**	**2**	**3**	**9**	**15**	**27**	**41**	**83**

569: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	120	6.7	24	2	3	5	8	12	16	28
20-34	533	6.1	12	2	3	5	7	9	12	23
35-49	185	7.2	29	2	3	6	8	12	17	27
50-64	107	9.0	38	2	3	7	12	18	22	32
65+	81	10.0	48	2	3	9	12	20	24	34
2. MULTIPLE DX										
0-19 YRS	209	15.8	301	2	3	9	17	45	63	99+
20-34	417	10.9	76	3	4	8	13	21	26	44
35-49	329	13.0	133	3	4	9	15	27	41	70
50-64	653	15.9	160	3	4	12	20	33	41	62
65+	952	18.1	195	4	5	14	24	40	51	99+
TOT. SINGLE DX	1026	6.9	24	2	3	6	8	12	16	27
" MULTIPLE DX	2560	15.5	175	4	5	11	20	34	45	87
TOTAL 0-19 YRS	329	12.5	219	2	3	7	13	29	52	96
20-34	950	8.2	46	3	3	6	9	15	21	39
35-49	514	10.9	104	3	4	8	13	21	33	58
50-64	760	14.9	149	3	4	11	19	31	40	61
65+	1033	17.4	188	4	5	13	24	38	49	99+
GRAND TOTAL	3586	13.0	146	3	4	9	16	28	41	71

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	190	6.3	11	1	2	7	7	9	11	22
20-34	156	6.8	39	<1	1	5	10	15	17	32
35-49	162	6.6	39	<1	1	4	9	15	19	29
50-64	165	7.9	51	<1	1	5	11	18	23	31
65+	134	9.0	69	1	1	7	14	19	23	39
2. MULTIPLE DX										
0-19 YRS	68	9.9	75	1	2	7	12	19	31	44
20-34	202	13.6	179	2	3	11	17	27	41	99+
35-49	273	13.3	180	1	2	10	16	28	40	67
50-64	665	15.7	206	2	3	12	20	32	43	83
65+	1076	16.4	194	2	3	13	22	34	44	88
TOT. SINGLE DX	807	7.2	41	<1	1	6	9	15	20	31
" MULTIPLE DX	2284	15.4	194	2	3	12	20	32	43	86
TOTAL 0-19 YRS	258	7.2	31	1	2	7	7	11	18	34
20-34	358	10.6	130	1	2	9	14	21	29	95
35-49	435	10.8	138	1	1	8	14	24	33	57
50-64	830	14.1	185	2	2	11	19	29	41	69
65+	1210	15.6	186	2	3	12	21	33	43	81
GRAND TOTAL	3091	13.2	167	1	2	10	18	28	38	76

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	154	9.8	23	5	6	8	11	15	21	29
20-34	31	11.9	15	7	8	11	13	17	22	24
35-49	32	14.9	61	8	9	14	16	19	24	53
50-64	98	13.8	17	9	9	13	16	19	23	26
65+	72	16.3	44	9	10	14	20	28	29	35
2. MULTIPLE DX										
0-19 YRS	274	13.0	60	7	8	10	15	22	29	64
20-34	87	18.5	163	8	9	14	21	36	42	72
35-49	158	18.7	132	9	9	15	20	33	42	64
50-64	491	21.1	150	10	11	18	24	37	45	73
65+	533	23.9	224	11	12	19	28	44	58	89
TOT. SINGLE DX	387	12.6	35	6	7	11	15	20	24	32
" MULTIPLE DX	1543	20.2	173	8	9	16	24	37	48	77
TOTAL 0-19 YRS	428	11.9	49	6	7	10	13	20	24	47
20-34	118	16.8	133	8	9	13	18	32	42	67
35-49	190	18.0	122	9	9	15	20	30	41	62
50-64	589	19.9	135	9	11	16	23	35	44	69
65+	605	23.0	209	10	11	18	27	42	54	88
GRAND TOTAL	1930	18.7	154	8	9	15	22	34	44	74

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	16.2	15	11	11	16	18	22	22	22
35-49	169	11.4	12	8	8	11	13	15	17	27
50-64	612	13.0	25	9	9	12	14	18	22	31
65+	236	15.5	46	9	10	13	18	24	32	40
2. MULTIPLE DX										
0-19 YRS	5	11.2	35	3	3	11	15	19	19	19
20-34	28	14.1	52	8	8	12	15	22	28	43
35-49	847	13.9	52	8	9	12	15	20	27	47
50-64	3466	15.4	67	9	9	13	17	25	31	50
65+	1976	19.8	139	9	10	16	23	33	43	79
TOT. SINGLE DX	1023	13.3	30	8	9	12	15	19	23	35
" MULTIPLE DX	6322	16.6	93	9	9	14	19	27	35	58
TOTAL 0-19 YRS	6	10.8	29	3	4	10	14	18	19	19
20-34	33	14.4	47	8	9	13	16	22	25	43
35-49	1016	13.5	47	8	9	12	15	20	26	46
50-64	4078	15.1	62	9	9	13	17	24	29	48
65+	2212	19.3	132	9	10	16	23	33	41	75
GRAND TOTAL	7345	16.1	85	9	9	13	18	26	33	56

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	2.1	5	1	1	2	2	3	4	12
20-34	161	3.1	9	1	2	2	2	6	10	16
35-49	939	3.1	9	1	2	2	2	6	10	17
50-64	1955	3.0	9	1	2	2	2	6	10	17
65+	651	3.5	14	1	2	2	3	8	12	17
2. MULTIPLE DX										
0-19 YRS	735	3.0	21	1	1	2	2	5	10	25
20-34	353	5.5	52	1	2	2	7	13	17	41
35-49	2832	5.0	34	2	2	2	6	12	16	29
50-64	7560	5.0	33	2	2	2	6	12	16	27
65+	3631	7.0	66	2	2	3	9	17	23	40
TOT. SINGLE DX	3986	3.1	10	1	2	2	2	6	10	17
" MULTIPLE DX	15111	5.4	42	2	2	2	7	14	18	31
TOTAL 0-19 YRS	1015	2.8	17	1	1	2	2	4	9	23
20-34	514	4.7	40	1	2	2	5	11	15	38
35-49	3771	4.5	29	2	2	2	5	11	15	25
50-64	9515	4.6	29	2	2	2	5	12	15	25
65+	4282	6.4	60	2	2	3	8	16	21	37
GRAND TOTAL	**19097**	**4.9**	**36**	**1**	**2**	**2**	**5**	**12**	**17**	**29**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.0	2	1	1	4	4	5	5	5
20-34	24	5.6	14	1	1	5	7	13	13	14
35-49	54	6.5	32	1	2	4	8	11	19	32
50-64	186	7.9	33	2	2	6	11	16	18	30
65+	926	6.8	29	2	2	5	8	13	16	29
2. MULTIPLE DX										
0-19 YRS	28	6.3	21	2	2	5	8	15	17	19
20-34	38	8.4	43	2	3	7	11	19	27	99+
35-49	198	12.6	67	3	4	11	17	23	27	44
50-64	1261	13.5	91	3	4	12	17	24	31	51
65+	6691	14.4	135	3	4	12	18	28	38	75
TOT. SINGLE DX	1197	6.9	30	2	2	5	9	14	17	30
" MULTIPLE DX	8216	14.2	127	3	4	12	18	27	36	72
TOTAL 0-19 YRS	35	5.6	19	1	2	4	7	10	17	19
20-34	62	7.3	33	1	2	6	9	17	21	91
35-49	252	11.3	67	2	3	10	15	22	26	43
50-64	1447	12.8	87	3	4	11	17	23	30	51
65+	7617	13.5	129	3	4	11	17	26	36	72
GRAND TOTAL	**9413**	**13.3**	**121**	**3**	**4**	**11**	**17**	**25**	**34**	**68**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	8.7	22	1	3	8	10	16	19	21
20-34	21	9.3	122	1	2	6	11	20	34	51
35-49	66	5.1	21	2	2	3	5	13	16	22
50-64	135	5.1	21	2	2	3	6	11	14	27
65+	38	7.2	68	2	2	4	10	15	18	48
2. MULTIPLE DX										
0-19 YRS	28	11.4	55	3	4	10	13	19	23	41
20-34	60	16.8	252	4	5	11	20	35	50	90
35-49	221	10.2	88	3	3	8	13	20	27	40
50-64	566	10.4	84	3	3	8	14	20	27	50
65+	300	15.4	176	3	4	12	20	34	47	87
TOT. SINGLE DX	280	5.9	37	2	2	4	7	13	16	29
" MULTIPLE DX	1175	12.0	122	3	3	9	15	24	34	62
TOTAL 0-19 YRS	48	10.2	43	2	4	9	12	17	21	41
20-34	81	14.8	228	2	3	10	16	32	49	83
35-49	287	9.0	77	2	2	6	11	18	23	37
50-64	701	9.4	77	2	3	6	12	19	25	48
65+	338	14.5	170	3	3	11	19	32	46	77
GRAND TOTAL	**1455**	**10.8**	**111**	**2**	**3**	**8**	**14**	**22**	**31**	**58**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	216	3.0	9	<1	1	2	4	7	8	17
20-34	116	3.3	12	<1	1	2	4	8	10	19
35-49	168	3.9	19	<1	1	2	4	10	14	20
50-64	227	3.4	17	<1	1	2	3	8	15	20
65+	198	5.0	31	1	1	2	7	12	15	31
2. MULTIPLE DX										
0-19 YRS	239	8.1	152	<1	1	5	9	15	21	75
20-34	187	11.1	140	1	2	8	15	26	37	92
35-49	362	9.7	96	1	2	7	13	21	26	50
50-64	919	11.3	118	1	2	8	15	24	32	57
65+	2386	15.4	183	2	3	12	20	32	41	78
TOT. SINGLE DX	925	3.7	19	<1	1	2	4	9	13	21
" MULTIPLE DX	4093	13.3	164	1	2	10	18	29	37	72
TOTAL 0-19 YRS	455	5.7	91	<1	1	3	6	11	17	56
20-34	303	8.1	106	1	1	5	10	18	30	79
35-49	530	7.9	79	1	1	5	11	16	23	44
50-64	1146	9.7	109	1	1	7	13	22	29	53
65+	2584	14.6	179	2	2	11	19	31	39	76
GRAND TOTAL	**5018**	**11.6**	**151**	**1**	**2**	**8**	**16**	**26**	**35**	**69**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	3.3	2	2	2	3	4	5	8	8
20-34	667	3.8	4	2	2	3	4	6	7	9
35-49	998	4.2	5	2	2	4	5	7	8	11
50-64	730	4.9	13	2	3	4	5	8	10	21
65+	206	6.4	32	2	3	5	7	12	19	30
2. MULTIPLE DX										
0-19 YRS	11	4.1	5	<1	1	5	5	7	9	9
20-34	173	5.7	17	2	3	4	6	10	15	23
35-49	440	6.3	26	2	3	5	7	12	16	29
50-64	549	7.6	41	2	3	6	9	16	21	35
65+	298	11.7	116	3	3	8	16	25	32	46
TOT. SINGLE DX	2636	4.4	10	2	2	4	5	7	9	19
" MULTIPLE DX	1471	7.8	53	2	3	5	9	17	22	37
TOTAL 0-19 YRS	46	3.5	4	1	2	3	4	6	8	9
20-34	840	4.2	7	2	2	4	5	6	8	16
35-49	1438	4.8	13	2	2	4	5	8	10	20
50-64	1279	6.1	27	2	3	5	7	11	16	29
65+	504	9.5	88	2	3	6	12	21	28	42
GRAND TOTAL	**4107**	**5.6**	**28**	**2**	**2**	**4**	**6**	**10**	**16**	**29**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	10.4	38	3	6	9	11	14	22	36
20-34	28	9.4	115	2	2	6	12	19	26	54
35-49	86	10.9	68	2	3	9	13	18	23	47
50-64	356	11.9	64	2	4	11	14	18	23	51
65+	372	13.8	84	3	6	12	17	23	28	49
2. MULTIPLE DX										
0-19 YRS	64	14.4	144	3	3	10	19	33	47	94
20-34	140	19.3	358	2	3	13	24	51	62	90
35-49	409	15.6	129	3	5	13	20	31	39	60
50-64	1964	17.5	155	5	7	14	21	32	46	81
65+	2891	21.8	238	7	9	17	27	45	60	99+
TOT. SINGLE DX	867	12.5	75	3	4	11	15	20	26	50
" MULTIPLE DX	5468	19.6	208	6	8	15	24	39	54	99
TOTAL 0-19 YRS	89	13.3	117	3	4	10	14	29	45	83
20-34	168	17.7	331	2	3	12	22	49	60	86
35-49	495	14.8	122	2	4	12	18	29	39	58
50-64	2320	16.6	146	5	7	13	19	31	42	78
65+	3263	20.9	228	7	8	16	25	43	59	99+
GRAND TOTAL	**6335**	**18.7**	**196**	**5**	**7**	**15**	**22**	**37**	**52**	**94**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	17.5	181	8	8	17	27	27	27	27
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	15.0		15	15	15	15	15	15	15
50-64	8	17.3	99	8	8	14	24	33	35	35
65+	5	18.6	63	11	11	17	25	30	30	30
TOT. SINGLE DX	6	13.0	53	8	8	10	15	26	27	27
" MULTIPLE DX	16	16.4	81	2	8	15	21	30	33	35
TOTAL 0-19 YRS	3	6.3	21	<1	<1	9	9	9	9	9
20-34	1	16.0		16	16	16	16	16	16	16
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	10	17.3	97	8	8	14	27	32	35	35
65+	6	18.0	53	11	11	16	23	29	30	30
GRAND TOTAL	**22**	**15.5**	**73**	**5**	**8**	**14**	**19**	**29**	**32**	**35**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	7.7	6	5	5	8	9	10	10	10
20-34	17	4.1	35	<1	<1	2	3	12	20	24
35-49	15	4.7	18	<1	1	3	6	10	15	16
50-64	36	6.6	51	<1	<1	4	10	13	24	32
65+	30	6.1	25	1	2	5	8	12	14	25
2. MULTIPLE DX										
0-19 YRS	53	5.8	22	1	2	5	8	11	14	26
20-34	453	5.6	55	<1	<1	3	7	14	18	48
35-49	451	8.6	81	1	2	6	11	18	24	53
50-64	875	9.1	104	1	2	6	11	20	29	59
65+	951	11.4	139	2	3	8	14	25	37	73
TOT. SINGLE DX	101	5.8	35	<1	<1	3	8	12	15	30
" MULTIPLE DX	2783	9.2	107	<1	1	6	11	19	29	59
TOTAL 0-19 YRS	56	5.9	21	1	2	5	8	11	14	26
20-34	470	5.5	55	<1	<1	3	7	14	18	46
35-49	466	8.5	80	1	2	6	11	17	24	52
50-64	911	9.0	102	<1	2	6	11	19	29	58
65+	981	11.2	136	2	3	8	14	24	36	73
GRAND TOTAL	**2884**	**9.0**	**105**	**<1**	**1**	**6**	**11**	**19**	**28**	**58**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	265	6.7	30	1	2	5	8	13	16	28
20-34	221	6.9	62	1	1	4	9	17	22	42
35-49	300	9.1	67	1	2	6	13	20	24	39
50-64	794	8.9	47	2	3	7	11	16	20	45
65+	993	10.1	47	2	3	9	13	18	23	39
2. MULTIPLE DX										
0-19 YRS	1075	19.3	430	2	3	11	26	57	77	99+
20-34	587	12.0	163	1	2	8	16	31	39	64
35-49	1015	12.7	175	1	2	9	17	30	44	99+
50-64	3896	14.3	171	2	3	11	17	29	41	77
65+	6793	17.1	206	3	5	13	21	36	51	99+
TOT. SINGLE DX	2573	9.0	51	1	2	7	12	17	22	39
" MULTIPLE DX	13366	15.9	214	2	4	12	20	35	50	99+
TOTAL 0-19 YRS	1340	16.8	377	1	3	9	20	53	72	99+
20-34	808	10.6	141	1	1	6	14	28	37	62
35-49	1315	11.9	153	1	2	8	16	27	39	99+
50-64	4690	13.4	155	2	3	10	16	27	38	74
65+	7786	16.2	192	3	5	13	20	34	48	99+
GRAND TOTAL	**15939**	**14.8**	**194**	**2**	**3**	**11**	**18**	**32**	**46**	**96**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	401	3.2	12	<1	<1	2	3	7	11	20
20-34	530	4.0	24	<1	<1	2	4	9	11	19
35-49	378	4.8	47	<1	1	3	6	11	14	28
50-64	367	5.6	40	1	1	3	7	13	17	28
65+	257	7.4	54	1	1	5	10	15	21	37
2. MULTIPLE DX										
0-19 YRS	188	6.7	72	<1	1	4	8	13	22	51
20-34	379	11.1	172	1	2	7	13	27	42	68
35-49	432	9.9	104	1	2	6	13	22	29	51
50-64	886	11.3	136	2	2	8	14	25	34	58
65+	1087	13.7	170	2	2	10	18	28	38	70
TOT. SINGLE DX	1933	4.8	35	<1	1	3	6	11	14	28
" MULTIPLE DX	2972	11.7	148	1	2	8	15	26	36	64
TOTAL 0-19 YRS	589	4.4	34	<1	<1	2	5	10	13	27
20-34	909	6.9	98	<1	1	3	8	15	23	55
35-49	810	7.5	85	<1	1	4	10	18	25	46
50-64	1253	9.6	115	1	2	6	12	21	30	56
65+	1344	12.5	154	2	2	9	16	26	37	66
GRAND TOTAL	**4905**	**8.9**	**115**	**1**	**1**	**5**	**11**	**21**	**29**	**56**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	6.1	70	1	1	3	7	14	29	32
20-34	36	6.3	19	2	2	5	9	12	17	18
35-49	51	8.4	162	2	2	6	8	11	15	79
50-64	64	9.2	71	2	3	7	10	20	22	56
65+	48	8.9	77	1	3	8	10	13	25	51
2. MULTIPLE DX										
0-19 YRS	7	8.1	49	<1	<1	6	15	18	18	18
20-34	54	9.6	25	3	4	9	12	15	21	26
35-49	81	10.1	98	2	3	7	11	24	37	48
50-64	246	13.5	129	3	5	9	17	28	40	78
65+	254	13.5	103	4	4	10	17	27	36	54
TOT. SINGLE DX	212	8.3	86	2	2	6	9	13	21	58
" MULTIPLE DX	642	12.7	107	3	4	9	16	26	37	55
TOTAL 0-19 YRS	20	6.8	61	<1	1	4	9	17	25	32
20-34	90	8.3	26	2	3	8	11	14	18	26
35-49	132	9.5	123	2	3	6	10	17	34	61
50-64	310	12.6	120	3	4	9	15	28	37	67
65+	302	12.8	102	3	4	10	16	25	34	53
GRAND TOTAL	**854**	**11.6**	**106**	**2**	**3**	**9**	**14**	**24**	**32**	**57**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	2	10.5	1	10	10	10	11	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	26.0		26	26	26	26	26	26	26
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	25.5	545	9	9	25	42	42	42	42
TOT. SINGLE DX	4	8.8	10	4	4	10	11	11	11	11
" MULTIPLE DX	6	18.0	190	6	6	13	26	40	42	42
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	16.0		16	16	16	16	16	16	16
35-49	3	13.3	129	4	4	10	22	26	26	26
50-64	3	9.0	7	6	6	10	11	11	11	11
65+	2	25.5	545	9	9	25	42	42	42	42
GRAND TOTAL	**10**	**14.3**	**132**	**4**	**5**	**10**	**16**	**34**	**42**	**42**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	42.0		42	42	42	42	42	42	42
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	62.7	267	51	51	57	98	99+	99+	99+
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX	3	16.7	481	4	4	4	33	42	42	42
" MULTIPLE DX	7	62.7	268	51	51	57	98	99+	99+	99+
TOTAL 0-19 YRS	8	55.4	660	4	27	57	97	99+	99+	99+
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	42.0		42	42	42	42	42	42	42
50-64										
65+										
GRAND TOTAL	10	48.9	780	4	4	56	83	99+	99+	99+

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	276	6.0	27	<1	1	5	7	11	16	30
20-34	254	8.1	27	2	2	7	9	15	17	29
35-49	214	9.8	54	2	3	8	12	18	26	38
50-64	234	9.4	67	2	2	7	11	19	29	39
65+	323	10.3	78	2	3	8	13	20	26	51
2. MULTIPLE DX										
0-19 YRS	413	11.2	133	<1	2	8	12	26	40	63
20-34	594	14.6	180	3	5	10	17	35	47	99+
35-49	796	14.3	149	3	4	11	18	29	39	64
50-64	1810	15.4	173	3	4	12	19	33	42	75
65+	5156	17.0	189	4	5	13	21	35	48	89
TOT. SINGLE DX	1301	8.7	54	1	2	7	11	17	23	37
" MULTIPLE DX	8869	16.0	181	3	5	12	20	34	46	85
TOTAL 0-19 YRS	689	9.2	98	<1	1	7	10	19	32	53
20-34	948	12.9	148	2	4	9	15	28	42	87
35-49	1010	13.3	133	2	4	10	17	27	36	71
50-64	2044	14.7	165	2	4	11	19	32	40	70
65+	5479	16.6	185	4	5	13	21	34	47	87
GRAND TOTAL	10170	15.1	171	3	4	11	19	32	43	82

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	51	12.4	181	2	2	5	17	32	38	66
20-34	56	11.5	223	1	2	5	10	32	52	65
35-49	36	9.4	109	1	1	5	10	28	33	42
50-64	39	10.5	104	2	3	6	12	30	34	41
65+	26	10.7	98	2	3	6	14	28	32	38
2. MULTIPLE DX										
0-19 YRS	177	23.3	544	3	4	14	37	73	97	99+
20-34	161	19.3	298	2	3	14	29	42	50	85
35-49	227	17.3	377	2	2	9	25	43	56	96
50-64	406	16.3	277	1	2	10	24	42	54	94
65+	397	20.1	337	2	3	15	29	53	64	99+
TOT. SINGLE DX	208	11.1	156	2	2	6	13	30	38	60
" MULTIPLE DX	1368	18.8	353	2	2	12	28	48	64	99+
TOTAL 0-19 YRS	228	20.9	485	2	3	12	34	64	91	99+
20-34	217	17.3	289	2	3	10	27	41	50	81
35-49	263	16.2	347	2	2	8	23	41	55	96
50-64	445	15.8	264	1	2	10	24	41	53	90
65+	423	19.5	328	2	3	14	29	51	63	99+
GRAND TOTAL	1576	17.8	334	2	2	11	26	45	61	99+

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	110	2.9	11	<1	1	2	4	6	8	19
20-34	68	4.4	15	<1	<1	3	7	9	15	16
35-49	110	5.1	60	<1	<1	3	7	11	14	50
50-64	227	5.2	63	<1	<1	2	6	11	18	60
65+	270	7.4	79	1	1	4	9	16	23	47
2. MULTIPLE DX										
0-19 YRS	110	6.7	106	1	1	3	7	16	26	55
20-34	197	8.5	111	1	1	5	10	21	32	53
35-49	379	9.1	99	1	1	6	12	21	28	48
50-64	1029	9.8	113	1	2	7	12	21	30	58
65+	1821	12.7	178	2	2	9	16	28	42	87
TOT. SINGLE DX	785	5.5	59	<1	1	3	7	12	17	44
" MULTIPLE DX	3536	11.1	148	1	2	8	14	25	37	77
TOTAL 0-19 YRS	220	4.8	62	<1	1	2	4	11	16	41
20-34	265	7.5	90	<1	1	4	9	16	25	46
35-49	489	8.3	94	<1	1	5	11	19	27	48
50-64	1256	8.9	108	1	1	6	11	20	29	59
65+	2091	12.0	168	1	2	8	15	27	41	85
GRAND TOTAL	4321	10.1	136	1	1	7	13	23	35	73

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	390	4.3	3	2	2	4	5	7	8	12
20-34	6	8.0	16	3	3	7	8	15	16	16
35-49	3	10.7	21	8	8	8	14	16	16	16
50-64	4	12.5	13	10	10	12	15	15	15	15
65+	2	25.0	200	15	15	35	35	35	35	35
2. MULTIPLE DX										
0-19 YRS	95	7.1	62	2	3	5	7	13	16	53
20-34	7	15.4	120	3	4	15	23	32	34	34
35-49	12	31.0	678	6	7	20	47	72	85	87
50-64	16	19.4	54	10	11	18	25	30	32	33
65+	44	25.2	433	6	7	20	26	70	83	99+
TOT. SINGLE DX	403	4.6	7	2	3	4	5	7	8	15
" MULTIPLE DX	174	14.8	274	3	3	6	19	30	55	95
TOTAL 0-19 YRS	485	4.9	16	2	3	4	5	7	9	17
20-34	13	12.0	93	3	3	6	16	27	33	34
35-49	15	26.9	607	6	7	16	41	66	82	87
50-64	18	18.7	54	10	10	17	25	29	32	33
65+	46	25.2	418	6	7	20	26	67	81	99+
GRAND TOTAL	577	7.7	109	2	3	4	7	16	25	69

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	9	12.6	178	2	2	7	17	36	36	36
20-34	2	13.5	1	13	13	13	14	14	14	14
35-49	6	19.8	131	1	1	9	29	32	32	32
50-64	19	9.4	30	2	2	7	14	17	64	99+
65+	34	16.3	327	1	3	12	23	32	65	99+
2. MULTIPLE DX										
0-19 YRS	45	25.7	534	6	7	15	45	68	99+	99+
20-34	12	13.8	59	3	5	11	20	36	86	99+
35-49	17	22.6	324	4	6	11	47	61	99+	99+
50-64	149	23.4	468	5	7	19	28	42	99	99+
65+	767	27.5	485	5	7	21	43	76	99+	99+
TOT. SINGLE DX	62	14.5	223	1	3	11	20	32	68	99+
" MULTIPLE DX	1031	26.8	476	5	7	21	43	76	99+	99+
TOTAL 0-19 YRS	54	23.5	495	3	5	14	39	77	99+	99+
20-34	15	13.8	51	3	6	13	20	28	79	99+
35-49	41	23.3	303	4	7	11	45	69	99+	99+
50-64	162	24.1	452	4	7	18	28	42	99+	99+
65+	821	27.0	483	4	6	21	42	76	99+	99+
GRAND TOTAL	1093	26.1	469	4	6	20	41	75	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	22	3.9	11	<1	<1	3	6	8	11	14
20-34	30	4.3	11	<1	<1	3	6	8	11	12
35-49	190	5.8	22	<1	<1	4	8	10	13	17
50-64	210	5.2	13	<1	<1	4	8	10	14	25
65+	268	6.8	41	<1	<1	5	9	15	18	32
2. MULTIPLE DX										
0-19 YRS	39	5.9	13	1	1	5	9	11	13	14
20-34	265	8.9	20	1	2	6	11	16	24	40
35-49	611	8.9	53	1	2	6	11	17	24	37
50-64	1413	10.0	96	1	2	7	12	20	29	41
65+	3629	13.1	121	1	4	10	16	25	34	47
TOT. SINGLE DX	790	5.8	29	<1	<1	4	8	12	16	28
" MULTIPLE DX	5959	11.7	102	1	3	9	14	22	31	50
TOTAL 0-19 YRS	61	5.2	13	<1	<1	4	8	11	13	14
20-34	295	8.4	19	1	2	6	10	15	23	40
35-49	793	8.2	48	1	2	6	10	16	23	35
50-64	1623	9.4	84	1	2	7	11	18	26	40
65+	3917	12.6	118	1	4	10	15	24	32	46
GRAND TOTAL	6749	11.0	97	1	2	9	14	22	29	50

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	11.0		10	10	11	12	12	12	12
20-34	35	13.7	44	8	8	12	16	25	26	34
35-49	92	13.7	34	7	8	12	17	21	23	37
50-64	131	14.6	42	7	8	13	18	23	29	51
65+	135	17.5	78	9	10	15	21	26	31	66
2. MULTIPLE DX										
0-19 YRS	5	12.2	30	6	6	11	15	21	21	21
20-34	42	18.7	100	8	9	16	21	33	42	49
35-49	200	17.1	93	8	9	14	21	32	39	55
50-64	441	20.4	144	8	10	17	24	35	48	71
65+	833	26.6	236	10	12	23	34	50	61	99+
TOT. SINGLE DX	397	15.3	55	8	9	13	18	24	29	43
" MULTIPLE DX	1521	23.3	201	9	10	19	28	43	56	99
TOTAL 0-19 YRS	9	11.7	16	6	7	11	12	18	21	21
20-34	77	16.4	80	8	8	14	20	27	35	48
35-49	292	16.0	77	8	9	13	20	27	37	52
50-64	572	19.0	127	8	9	16	23	33	46	70
65+	968	25.3	224	10	12	21	31	48	60	99+
GRAND TOTAL	**1918**	**21.6**	**181**	**9**	**10**	**18**	**26**	**40**	**52**	**92**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	6	22.8	41	15	15	22	27	32	33	33
50-64	24	20.1	226	9	10	19	21	33	89	99+
65+	25	22.5	188	11	12	18	26	35	46	77
2. MULTIPLE DX										
0-19 YRS										
20-34	4	35.3	1603	10	10	18	57	95	95	95
35-49	26	30.6	492	10	12	20	42	83	89	99+
50-64	124	29.0	296	12	13	24	40	58	74	99+
65+	176	29.6	252	12	15	25	36	56	72	99+
TOT. SINGLE DX	56	21.2	186	10	11	19	25	34	63	99
" MULTIPLE DX	330	29.5	298	12	13	24	37	59	76	99+
TOTAL 0-19 YRS										
20-34	5	29.6	1362	7	7	16	39	95	95	95
35-49	32	29.1	413	10	14	21	36	71	87	99+
50-64	148	27.6	294	12	12	22	35	55	82	99+
65+	201	28.7	249	12	14	24	35	53	71	99+
GRAND TOTAL	**386**	**28.3**	**290**	**12**	**13**	**24**	**35**	**57**	**76**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	25	11.9	36	5	6	10	13	23	27	27
35-49	48	12.1	48	7	7	10	13	18	22	43
50-64	29	14.4	61	8	8	12	17	22	26	47
65+	16	12.9	29	7	8	12	13	19	27	30
2. MULTIPLE DX										
0-19 YRS	5	15.2	124	<1	<1	13	24	30	30	30
20-34	35	12.7	53	6	7	10	14	19	26	42
35-49	54	13.4	41	7	8	11	17	22	26	34
50-64	94	16.7	106	7	9	13	20	29	35	91
65+	122	24.2	257	9	11	19	31	47	77	99+
TOT. SINGLE DX	118	12.7	47	7	7	11	14	19	26	44
" MULTIPLE DX	310	18.6	170	7	9	15	22	34	46	99+
TOTAL 0-19 YRS	5	15.2	125	<1	<1	13	24	30	30	30
20-34	60	12.4	46	6	7	10	14	21	27	41
35-49	102	12.8	45	7	7	11	14	20	25	40
50-64	123	16.2	96	8	9	13	20	27	35	84
65+	138	22.9	244	9	11	18	29	43	72	99+
GRAND TOTAL	**428**	**17.0**	**143**	**7**	**8**	**13**	**20**	**32**	**42**	**91**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	8.8	35	3	4	8	10	12	25	31
20-34	167	8.5	12	5	6	8	9	12	13	23
35-49	180	8.9	7	6	6	8	10	12	14	20
50-64	117	11.0	33	5	6	10	12	18	25	35
65+	91	14.8	110	7	8	12	16	25	31	68
2. MULTIPLE DX										
0-19 YRS	106	22.4	425	5	6	14	29	65	82	99+
20-34	212	12.5	129	5	6	9	12	29	38	99+
35-49	351	12.4	80	6	7	9	14	21	33	48
50-64	431	17.9	162	7	7	14	22	38	51	99+
65+	693	24.5	284	8	9	20	30	49	67	99+
TOT. SINGLE DX	601	10.1	36	5	6	9	11	15	21	33
" MULTIPLE DX	1793	19.0	231	6	7	14	24	41	56	99+
TOTAL 0-19 YRS	152	18.3	346	4	5	11	24	43	75	99+
20-34	379	10.7	82	5	6	8	11	15	32	90
35-49	531	11.2	58	6	6	9	12	17	24	44
50-64	548	16.4	143	6	7	12	20	33	49	99+
65+	784	23.3	274	8	9	18	29	47	66	99+
GRAND TOTAL	**2394**	**16.8**	**197**	**6**	**7**	**11**	**20**	**35**	**50**	**98**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	179	5.9	36	<1	1	4	8	12	17	36
20-34	387	6.0	31	<1	1	4	8	12	16	29
35-49	389	4.6	21	<1	<1	2	7	11	13	20
50-64	735	3.7	18	<1	<1	2	4	9	13	20
65+	905	4.4	37	<1	1	2	5	11	16	30
2. MULTIPLE DX										
0-19 YRS	189	9.5	67	1	2	7	13	18	28	83
20-34	654	9.4	73	1	2	7	11	18	26	46
35-49	856	8.8	66	1	2	7	11	17	23	49
50-64	2247	8.7	75	1	2	7	11	18	24	43
65+	5034	11.6	126	1	2	9	15	24	33	59
TOT. SINGLE DX	2595	4.6	30	<1	<1	2	6	11	15	27
" MULTIPLE DX	8980	10.4	105	1	2	8	14	21	30	55
TOTAL 0-19 YRS	368	7.8	55	<1	1	6	10	16	23	49
20-34	1041	8.1	61	1	1	5	10	15	22	44
35-49	1245	7.5	57	<1	1	5	10	16	20	38
50-64	2982	7.4	66	<1	1	5	10	16	21	39
65+	5939	10.5	119	1	1	8	14	22	32	56
GRAND TOTAL	11575	9.1	94	1	1	7	12	20	27	51

598: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	24	10.5	18	5	6	10	13	15	21	22
20-34	46	14.1	63	6	6	11	20	25	29	41
35-49	45	11.4	30	5	6	10	15	18	24	29
50-64	49	15.5	68	7	8	13	19	25	32	46
65+	59	18.1	210	8	8	14	20	29	57	80
2. MULTIPLE DX										
0-19 YRS	75	19.5	390	6	6	11	23	47	62	95
20-34	130	16.2	124	6	8	13	20	26	43	99+
35-49	178	21.0	271	7	8	15	26	44	54	90
50-64	369	22.3	239	8	10	17	27	43	60	90
65+	687	24.5	244	9	11	20	32	49	67	99+
TOT. SINGLE DX	223	14.5	98	6	7	12	16	24	30	61
" MULTIPLE DX	1439	22.5	249	8	9	18	28	46	62	99+
TOTAL 0-19 YRS	99	17.3	314	6	6	10	19	41	59	92
20-34	176	15.7	109	6	7	13	20	26	39	99+
35-49	223	19.1	237	7	7	13	24	38	50	90
50-64	418	21.5	224	8	9	17	26	41	56	89
65+	746	24.0	245	9	10	19	31	48	66	99+
GRAND TOTAL	1662	21.4	236	7	9	17	26	43	58	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	28	16.5	125	8	8	11	22	31	43	52
20-34	119	15.6	100	7	8	12	18	28	37	56
35-49	261	13.2	47	7	8	11	15	21	26	34
50-64	581	13.2	32	8	9	12	15	19	23	36
65+	878	15.8	65	9	10	14	18	24	29	53
2. MULTIPLE DX										
0-19 YRS	80	21.0	275	7	8	17	25	41	73	99+
20-34	273	20.6	242	8	9	15	24	41	60	83
35-49	640	17.4	123	8	9	14	20	29	41	88
50-64	2353	17.9	115	9	9	15	21	31	40	74
65+	6072	22.3	185	10	11	18	27	41	52	96
TOT. SINGLE DX	1867	14.6	57	8	9	13	17	23	28	48
" MULTIPLE DX	9418	20.8	171	9	10	17	25	37	50	94
TOTAL 0-19 YRS	108	19.8	239	7	8	13	25	39	55	99+
20-34	392	19.1	204	7	9	14	22	39	52	79
35-49	901	16.2	105	7	8	13	19	27	35	76
50-64	2934	17.0	103	8	9	14	20	29	37	72
65+	6950	21.5	175	9	11	17	25	39	50	94
GRAND TOTAL	11285	19.8	157	9	10	16	23	35	47	87

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	7	7.7	23	4	4	6	8	16	18	18
20-34	7	12.1	24	7	7	12	16	19	20	20
35-49	22	10.9	31	4	5	9	15	21	22	22
50-64	22	12.6	18	7	8	12	14	20	21	22
65+	43	15.5	105	7	8	12	20	23	35	59
2. MULTIPLE DX										
0-19 YRS	8	31.4	842	6	6	21	49	78	88	88
20-34	28	16.9	217	6	6	13	17	30	59	70
35-49	51	19.0	194	6	8	15	22	41	59	99+
50-64	130	22.2	275	7	8	17	26	47	80	99+
65+	296	23.8	260	8	10	19	28	53	71	99+
TOT. SINGLE DX	101	13.1	64	5	6	12	16	21	22	53
" MULTIPLE DX	513	22.6	267	7	9	18	27	48	71	99+
TOTAL 0-19 YRS	15	20.3	581	4	4	8	23	54	79	88
20-34	35	15.9	181	6	7	12	17	24	52	70
35-49	73	16.5	158	5	7	13	21	35	45	94
50-64	152	20.8	250	7	8	16	25	42	75	99+
65+	339	22.7	248	8	9	19	27	47	65	99+
GRAND TOTAL	614	21.1	246	7	8	17	25	43	67	99+

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	6.9	11	3	3	6	9	11	13	17
20-34	108	10.5	55	4	5	9	11	16	22	53
35-49	121	9.3	10	5	6	9	11	13	15	20
50-64	175	10.0	21	4	6	9	11	14	18	31
65+	230	10.7	65	4	5	9	12	16	20	53
2. MULTIPLE DX										
0-19 YRS	149	13.4	155	4	4	10	16	34	57	99+
20-34	237	14.2	87	6	7	11	17	24	39	52
35-49	286	14.6	114	6	8	11	16	24	31	73
50-64	646	15.3	127	6	7	12	17	29	40	71
65+	1209	16.7	157	6	7	13	20	33	43	88
TOT. SINGLE DX	747	9.7	38	4	4	9	11	14	17	32
" MULTIPLE DX	2527	15.7	139	6	7	12	18	30	42	85
TOTAL 0-19 YRS	262	10.6	104	3	4	8	11	20	36	99+
20-34	345	13.0	80	5	6	10	15	22	35	52
35-49	407	13.0	90	5	7	10	14	21	27	69
50-64	821	14.2	109	5	7	11	16	26	37	70
65+	1439	15.8	148	5	7	12	18	31	41	84
GRAND TOTAL	**3274**	**14.3**	**123**	**5**	**6**	**11**	**16**	**26**	**38**	**78**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.7	9	8	8	10	11	16	17	17
20-34	14	11.1	18	6	7	10	12	19	21	21
35-49	13	13.6	29	9	9	12	14	22	27	28
50-64	48	15.8	59	3	8	15	21	27	30	37
65+	73	20.7	281	8	10	15	21	39	54	95
2. MULTIPLE DX										
0-19 YRS	25	28.2	453	7	9	20	41	76	87	99+
20-34	48	24.6	347	8	10	20	26	67	85	99+
35-49	87	20.4	156	8	9	17	26	40	60	99+
50-64	308	23.7	190	9	10	20	31	45	57	99+
65+	786	26.9	246	10	12	23	34	56	79	99+
TOT. SINGLE DX	155	17.3	167	7	8	14	20	28	38	83
" MULTIPLE DX	1254	25.6	237	9	11	22	32	54	75	99+
TOTAL 0-19 YRS	32	24.3	407	7	8	19	33	67	83	99+
20-34	62	21.6	304	7	8	17	24	61	79	99+
35-49	100	19.5	145	8	9	16	25	37	55	99+
50-64	356	22.6	180	8	10	19	28	43	55	99+
65+	859	26.4	252	10	12	22	34	55	78	99+
GRAND TOTAL	**1409**	**24.7**	**236**	**9**	**11**	**21**	**31**	**52**	**71**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5624	4.6	5	2	3	4	5	7	9	13
20-34	3529	4.8	6	2	3	4	6	8	9	13
35-49	1124	5.6	7	3	3	5	7	9	11	15
50-64	560	7.0	13	3	4	6	9	11	14	22
65+	208	8.7	21	4	4	8	11	15	17	23
2. MULTIPLE DX										
0-19 YRS	1396	7.2	25	3	3	6	9	14	17	26
20-34	1182	7.4	27	3	3	6	9	13	16	27
35-49	583	8.9	37	3	4	7	11	15	21	33
50-64	605	11.5	54	4	5	10	14	20	27	39
65+	505	15.8	160	5	7	12	18	26	42	81
TOT. SINGLE DX	11045	5.0	8	2	3	4	6	8	10	15
" MULTIPLE DX	4271	9.1	56	3	3	7	11	17	22	39
TOTAL 0-19 YRS	7020	5.1	11	2	3	4	6	9	11	18
20-34	4711	5.5	13	2	3	4	6	9	11	18
35-49	1707	6.7	21	3	3	5	7	11	14	24
50-64	1165	9.4	40	3	4	8	11	16	21	33
65+	713	13.8	130	4	5	11	16	23	36	76
GRAND TOTAL	**15316**	**6.1**	**25**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	5.3	5	2	3	5	7	9	9	11
20-34	41	5.9	8	3	4	5	6	10	13	15
35-49	9	5.8	3	3	3	6	7	9	9	9
50-64	6	9.0	5	6	6	9	9	13	13	13
65+	2	16.0	200	6	6	16	26	26	26	26
2. MULTIPLE DX										
0-19 YRS	32	8.8	238	2	3	5	7	14	18	91
20-34	44	6.4	6	3	4	6	8	9	11	15
35-49	12	8.8	16	3	4	8	10	14	18	19
50-64	11	17.5	456	6	6	10	16	45	77	80
65+	7	13.9	66	7	7	13	18	27	29	29
TOT. SINGLE DX	104	6.0	11	3	3	5	7	9	12	20
" MULTIPLE DX	106	9.0	134	3	3	7	9	15	19	85
TOTAL 0-19 YRS	78	6.7	102	2	3	5	7	9	13	70
20-34	85	6.1	8	3	4	5	7	9	12	15
35-49	21	7.5	13	3	4	7	8	12	15	19
50-64	17	14.5	304	6	6	9	14	21	60	80
65+	9	14.3	76	6	6	13	21	28	29	29
GRAND TOTAL	**210**	**7.5**	**75**	**3**	**3**	**6**	**8**	**12**	**15**	**49**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.8	23	2	3	7	13	16	17	18
20-34	12	11.1	19	4	6	10	14	18	18	18
35-49	11	10.7	9	5	7	10	13	15	15	15
50-64	1	10.0		10	10	10	10	10	10	10
65+	7	13.4	7	10	10	14	15	17	18	18
2. MULTIPLE DX										
0-19 YRS	3	5.0		5	5	5	5	5	5	5
20-34	9	11.8	30	4	5	9	17	19	20	20
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	10	18.4	133	7	9	13	21	36	47	47
65+	21	24.4	294	9	11	21	28	35	61	92
TOT. SINGLE DX	50	10.4	18	3	4	10	14	16	18	18
" MULTIPLE DX	45	18.7	208	5	7	18	21	28	39	92
TOTAL 0-19 YRS	22	8.3	22	2	3	7	12	15	17	18
20-34	21	11.4	23	4	6	10	16	18	19	20
35-49	13	10.8	10	5	7	10	14	15	15	15
50-64	11	17.6	127	7	9	13	21	34	46	47
65+	28	21.7	243	9	10	18	25	32	42	92
GRAND TOTAL	**95**	**14.3**	**124**	**4**	**5**	**12**	**18**	**22**	**28**	**72**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	3.3	8	<1	<1	2	4	7	10	14
20-34	187	4.8	19	<1	1	3	6	10	13	24
35-49	149	4.5	18	<1	1	3	6	8	11	22
50-64	215	4.6	37	<1	<1	3	6	9	15	45
65+	341	5.9	53	1	2	4	7	12	18	37
2. MULTIPLE DX										
0-19 YRS	74	9.7	173	1	1	6	11	16	32	78
20-34	132	6.8	34	1	2	5	8	17	20	28
35-49	202	8.8	102	1	2	6	10	18	23	58
50-64	512	8.3	60	1	2	6	11	17	23	38
65+	1258	11.9	137	2	2	8	16	26	35	68
TOT. SINGLE DX	1009	4.9	34	<1	1	3	6	10	14	30
" MULTIPLE DX	2178	10.4	114	1	2	7	13	23	31	59
TOTAL 0-19 YRS	191	5.8	81	<1	1	3	7	11	14	57
20-34	319	5.6	27	1	1	4	7	12	18	26
35-49	351	7.0	72	<1	1	5	8	15	21	39
50-64	727	7.2	57	1	1	5	9	16	22	38
65+	1599	10.7	125	2	2	7	14	25	33	62
GRAND TOTAL	**3187**	**8.7**	**95**	**1**	**2**	**6**	**11**	**20**	**28**	**55**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	4.7	26	1	1	3	5	11	17	27
20-34	189	3.4	4	1	1	3	4	6	8	12
35-49	131	3.4	5	1	1	3	4	6	9	14
50-64	70	4.4	11	1	1	3	5	8	10	20
65+	31	6.5	22	1	2	5	8	14	16	22
2. MULTIPLE DX										
0-19 YRS	27	7.1	59	1	2	5	7	19	30	30
20-34	108	5.1	14	1	1	4	7	10	14	18
35-49	103	4.8	12	1	2	4	6	10	12	17
50-64	109	8.3	66	2	2	5	10	20	22	44
65+	102	12.4	129	2	3	9	16	32	40	76
TOT. SINGLE DX	467	3.9	10	1	1	3	5	7	10	16
" MULTIPLE DX	449	7.6	64	1	2	5	9	18	24	46
TOTAL 0-19 YRS	73	5.6	39	1	2	3	6	12	21	30
20-34	297	4.0	9	1	1	3	5	8	10	15
35-49	234	4.0	9	1	1	3	5	8	11	15
50-64	179	6.7	49	1	2	4	8	17	21	32
65+	133	11.0	111	2	3	7	14	26	36	61
GRAND TOTAL	**916**	**5.7**	**40**	**1**	**1**	**4**	**6**	**12**	**19**	**35**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	15.8	458	2	4	10	13	31	73	94
20-34	25	15.6	44	5	8	15	19	24	28	30
35-49	57	14.5	69	7	8	13	16	19	36	49
50-64	196	14.9	46	7	9	14	17	23	27	43
65+	264	17.3	94	8	10	15	20	26	32	56
2. MULTIPLE DX										
0-19 YRS	37	15.6	65	6	7	14	21	26	33	36
20-34	42	21.5	279	7	8	16	28	45	51	91
35-49	132	18.0	58	10	10	16	22	28	31	48
50-64	668	19.6	111	9	11	17	23	32	42	69
65+	1322	23.1	166	10	11	20	27	38	48	90
TOT. SINGLE DX	559	16.1	84	7	9	14	18	25	30	53
" MULTIPLE DX	2201	21.6	147	10	11	18	26	36	46	83
TOTAL 0-19 YRS	54	15.7	183	5	7	12	19	27	35	92
20-34	67	19.3	198	6	8	16	23	35	46	85
35-49	189	16.9	64	9	10	15	19	27	31	48
50-64	864	18.5	100	9	10	16	22	30	39	68
65+	1586	22.1	159	10	11	19	26	37	47	86
GRAND TOTAL	**2760**	**20.5**	**139**	**9**	**10**	**17**	**24**	**34**	**45**	**78**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	3.6	9	<1	<1	3	5	7	10	16
20-34	511	4.8	15	<1	1	4	6	9	12	20
35-49	563	4.8	14	<1	<1	4	6	9	12	17
50-64	646	4.9	22	<1	<1	4	6	9	12	26
65+	715	6.2	39	<1	1	5	8	12	17	34
2. MULTIPLE DX										
0-19 YRS	245	6.9	87	1	1	5	8	12	20	58
20-34	1111	7.5	52	1	2	6	9	15	20	35
35-49	1792	7.6	45	1	2	6	9	14	19	34
50-64	3208	8.6	53	1	2	7	11	16	22	39
65+	6123	11.5	112	2	3	9	14	22	32	73
TOT. SINGLE DX	2599	5.1	24	<1	<1	4	7	10	13	26
" MULTIPLE DX	12479	9.7	85	2	2	7	12	19	26	56
TOTAL 0-19 YRS	409	5.6	59	<1	1	4	6	10	15	36
20-34	1622	6.6	42	1	2	5	8	13	18	30
35-49	2355	6.9	40	<1	2	6	9	13	17	29
50-64	3854	8.0	50	1	2	6	10	15	21	37
65+	6838	10.9	108	1	2	8	14	21	31	70
GRAND TOTAL	**15078**	**8.9**	**77**	**1**	**2**	**7**	**11**	**18**	**24**	**51**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.7	5	1	1	2	3	4	7	14
20-34	379	3.5	3	1	2	3	4	6	7	10
35-49	345	3.5	3	2	2	3	4	5	6	10
50-64	198	3.6	2	2	2	3	4	5	6	11
65+	75	4.0	7	1	2	3	5	6	8	18
2. MULTIPLE DX										
0-19 YRS	18	7.4	152	1	1	3	5	26	42	47
20-34	248	4.0	5	2	2	4	5	7	8	12
35-49	360	4.7	12	2	2	4	5	8	11	25
50-64	324	5.2	14	2	2	4	6	10	14	22
65+	162	7.6	116	2	3	5	7	13	18	71
TOT. SINGLE DX	1033	3.5	4	1	2	3	4	5	6	10
" MULTIPLE DX	1112	5.2	30	2	2	4	5	9	12	27
TOTAL 0-19 YRS	54	4.3	58	1	1	2	4	7	13	46
20-34	627	3.7	4	1	2	3	4	6	7	11
35-49	705	4.1	8	2	2	4	5	6	8	19
50-64	522	4.6	11	2	2	4	5	7	11	19
65+	237	6.5	85	2	2	4	6	11	17	52
GRAND TOTAL	**2145**	**4.4**	**18**	**1**	**2**	**4**	**5**	**7**	**9**	**19**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	3.1	4	<1	<1	2	5	6	7	8
20-34	401	2.8	2	<1	1	2	4	5	5	9
35-49	176	3.1	4	1	1	3	4	5	7	8
50-64	105	3.5	4	1	2	3	4	6	7	12
65+	50	4.3	6	1	2	4	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	28	2.9	5	<1	1	2	4	6	7	11
20-34	321	4.2	7	1	2	4	5	7	9	16
35-49	370	4.4	6	2	2	4	5	8	9	14
50-64	210	4.7	9	2	2	4	5	7	10	18
65+	200	7.0	67	2	2	5	7	14	19	42
TOT. SINGLE DX	778	3.1	4	<1	1	3	4	5	7	9
" MULTIPLE DX	1229	4.8	18	1	2	4	5	8	11	20
TOTAL 0-19 YRS	74	3.0	4	<1	1	2	4	6	7	10
20-34	722	3.4	5	1	1	3	4	6	7	13
35-49	546	4.0	6	1	2	3	5	7	8	14
50-64	415	4.4	8	1	2	4	5	7	9	17
65+	250	6.4	56	2	2	4	7	13	19	32
GRAND TOTAL	**2007**	**4.1**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.3	6	2	2	3	6	9	10	10
20-34	360	4.3	3	2	2	4	5	6	7	11
35-49	521	4.4	3	2	2	4	5	7	8	11
50-64	332	4.8	4	2	3	4	6	7	8	15
65+	141	5.0	9	2	2	4	6	9	10	19
2. MULTIPLE DX										
0-19 YRS	37	4.2	4	2	2	4	5	7	8	13
20-34	1286	4.6	8	2	2	4	5	7	8	15
35-49	2034	4.9	9	2	2	4	6	8	9	17
50-64	1730	5.5	13	2	3	5	6	9	12	21
65+	970	7.7	53	2	3	5	9	14	21	40
TOT. SINGLE DX	1372	4.5	4	2	2	4	5	7	8	11
" MULTIPLE DX	6057	5.4	18	2	2	5	6	9	12	24
TOTAL 0-19 YRS	55	4.2	5	2	2	4	5	7	9	13
20-34	1646	4.5	7	2	2	4	5	7	8	14
35-49	2555	4.8	8	2	2	4	6	7	9	16
50-64	2062	5.4	12	2	3	5	6	9	11	20
65+	1111	7.3	49	2	3	5	8	14	20	38
GRAND TOTAL	**7429**	**5.3**	**16**	**2**	**2**	**4**	**5**	**8**	**11**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	3.8	11	<1	1	3	4	8	11	19
20-34	349	3.3	4	1	1	3	4	6	7	12
35-49	332	3.5	5	1	1	3	4	6	8	13
50-64	191	4.2	6	1	1	4	5	7	9	15
65+	100	4.5	9	1	1	4	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	60	6.2	17	1	2	5	9	11	15	19
20-34	230	4.9	23	1	2	4	6	9	12	22
35-49	266	5.6	26	2	2	4	7	10	13	28
50-64	260	7.5	74	2	2	5	9	14	22	43
65+	277	11.2	174	2	3	7	13	24	36	72
TOT. SINGLE DX	1052	3.7	7	1	1	3	5	7	8	15
" MULTIPLE DX	1093	7.4	80	2	2	5	8	14	21	61
TOTAL 0-19 YRS	140	4.8	16	1	1	3	6	10	12	19
20-34	579	3.9	13	1	1	3	5	7	10	16
35-49	598	4.4	16	1	1	4	6	8	10	19
50-64	451	6.1	49	2	2	4	7	11	17	42
65+	377	9.4	139	2	2	6	11	18	31	71
GRAND TOTAL	**2145**	**5.5**	**47**	**1**	**2**	**4**	**6**	**10**	**15**	**40**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	12.2	59	3	3	11	19	21	21	21
35-49	3	10.3	54	2	2	13	15	16	16	16
50-64	3	14.0	133	3	3	13	23	26	26	26
65+	7	12.1	169	2	2	8	18	35	38	38
2. MULTIPLE DX										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	11	23.5	517	5	6	15	34	55	81	83
35-49	13	17.2	138	2	2	14	24	35	38	39
50-64	26	18.1	89	2	3	18	23	32	35	39
65+	53	25.4	252	2	6	24	32	48	62	69
TOT. SINGLE DX	18	12.2	97	2	2	10	19	25	33	38
" MULTIPLE DX	104	22.4	229	2	5	22	30	39	51	75
TOTAL 0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	16	20.0	390	4	5	14	26	36	69	83
35-49	16	15.9	126	2	2	14	23	33	37	39
50-64	29	17.7	91	2	3	18	23	30	34	39
65+	60	23.8	258	2	3	23	32	43	58	69
GRAND TOTAL	**122**	**20.9**	**222**	**2**	**3**	**19**	**29**	**38**	**48**	**73**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	5.7	45	1	1	3	6	18	23	26
20-34	274	4.5	35	1	1	2	6	11	16	29
35-49	291	4.6	49	1	1	2	4	11	16	32
50-64	291	4.8	39	1	1	2	6	12	20	30
65+	176	7.1	93	1	1	3	10	19	26	54
2. MULTIPLE DX										
0-19 YRS	108	15.0	333	2	2	9	17	37	57	99
20-34	361	10.6	132	1	2	7	14	24	36	66
35-49	565	11.4	139	1	1	8	15	26	39	65
50-64	1149	11.6	124	1	2	9	16	26	34	54
65+	1330	14.9	161	2	2	12	20	30	39	62
TOT. SINGLE DX	1089	5.1	51	1	1	2	6	13	20	31
" MULTIPLE DX	3513	12.8	151	1	2	10	17	28	37	62
TOTAL 0-19 YRS	165	11.8	253	1	2	6	14	30	45	97
20-34	635	8.0	100	1	1	4	11	19	27	55
35-49	856	9.1	119	1	1	5	13	23	33	59
50-64	1440	10.3	114	1	1	7	14	24	32	53
65+	1506	14.0	159	1	2	11	19	29	38	62
GRAND TOTAL	**4602**	**11.0**	**138**	**1**	**1**	**8**	**15**	**25**	**34**	**60**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	7.4	10	4	5	7	9	12	13	17
20-34	2871	7.1	6	4	5	7	8	10	12	16
35-49	2812	7.5	7	5	5	7	8	11	12	18
50-64	2629	8.2	10	5	5	7	9	12	14	20
65+	1475	10.2	21	5	6	9	12	17	19	27
2. MULTIPLE DX										
0-19 YRS	163	10.6	84	5	5	8	12	18	23	71
20-34	2144	9.4	36	5	5	8	11	15	19	33
35-49	3056	10.2	44	5	6	8	11	16	21	39
50-64	5153	11.8	57	5	6	9	14	20	25	45
65+	6539	16.3	118	6	7	13	19	29	38	70
TOT. SINGLE DX	10010	8.0	11	5	5	7	9	12	14	21
" MULTIPLE DX	17055	12.9	84	5	6	10	15	22	30	56
TOTAL 0-19 YRS	376	8.8	45	4	5	7	10	14	17	30
20-34	5015	8.1	21	5	5	7	9	12	15	25
35-49	5868	8.9	29	5	5	8	10	14	17	31
50-64	7792	10.6	45	5	6	9	12	17	22	38
65+	8014	15.2	106	6	7	12	18	27	35	65
GRAND TOTAL	**27065**	**11.1**	**63**	**5**	**6**	**9**	**13**	**19**	**25**	**48**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	5	8.4	62	1	1	7	16	18	18	18
20-34	34	8.7	53	1	1	7	14	17	20	34
35-49	53	10.7	69	2	3	8	13	22	28	37
50-64	97	11.6	64	3	3	10	15	20	29	44
65+	164	13.3	104	2	3	13	18	22	26	39
2. MULTIPLE DX										
0-19 YRS	12	27.0	225	6	9	21	41	48	51	52
20-34	48	17.3	244	3	4	14	21	41	54	99+
35-49	127	15.8	129	2	4	13	23	28	34	64
50-64	323	18.8	145	3	7	17	24	31	39	73
65+	971	21.8	210	4	8	19	28	42	53	95
TOT. SINGLE DX	343	11.9	84	2	2	11	16	22	26	39
" MULTIPLE DX	1481	20.6	195	3	7	18	26	39	51	89
TOTAL 0-19 YRS	17	21.5	247	1	2	18	33	46	50	52
20-34	82	13.7	182	1	2	10	16	33	45	99
35-49	180	14.3	116	2	3	11	20	27	33	59
50-64	410	17.3	137	3	5	15	22	30	37	68
65+	1135	20.6	205	3	6	16	26	40	51	92
GRAND TOTAL	1824	18.9	185	3	5	16	24	36	47	86

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	13	10.4	209	<1	1	2	14	31	47	51
20-34	95	7.1	53	1	1	5	9	15	21	38
35-49	138	7.5	92	1	1	5	9	16	31	69
50-64	135	9.1	125	1	1	5	11	21	38	72
65+	154	7.6	65	1	1	5	10	20	26	47
2. MULTIPLE DX										
0-19 YRS	24	13.4	182	1	2	11	18	33	43	54
20-34	190	14.9	215	1	2	8	17	29	51	99+
35-49	378	15.5	230	1	2	11	19	36	51	79
50-64	554	16.9	244	2	3	12	21	41	52	95
65+	766	17.7	238	2	3	14	23	40	56	99+
TOT. SINGLE DX	535	7.9	89	1	1	5	10	19	29	53
" MULTIPLE DX	1912	16.5	237	2	3	12	21	39	53	99+
TOTAL 0-19 YRS	37	12.3	188	1	1	9	16	31	46	54
20-34	285	10.9	168	1	2	7	14	26	38	99+
35-49	516	13.4	206	1	2	9	16	33	48	77
50-64	689	15.4	231	2	3	11	20	38	51	93
65+	920	16.0	223	2	3	12	22	35	51	99+
GRAND TOTAL	2447	14.6	217	1	2	10	19	34	50	99

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	235	4.0	10	<1	[illegible]	3	5	7	9	16
20-34	612	5.3	14	<1	[illegible]	4	7	10	13	20
35-49	573	5.2	23	<1	[illegible]	4	7	10	13	24
50-64	750	4.5	16	<1	<1	3	6	9	12	20
65+	980	5.6	42	<1	<1	4	7	12	15	33
2. MULTIPLE DX										
0-19 YRS	238	6.4	41	[illegible]	[illegible]	5	8	12	17	42
20-34	889	7.5	52	[illegible]	[illegible]	6	9	14	19	36
35-49	1294	8.1	70	[illegible]	[illegible]	6	10	16	22	43
50-64	2999	8.6	76	[illegible]	[illegible]	6	11	17	24	54
65+	8403	10.9	107	[illegible]	[illegible]	8	13	21	30	69
TOT. SINGLE DX	3150	5.1	25	<1	<1	4	7	10	13	23
" MULTIPLE DX	13723	9.9	95	1	2	7	12	19	27	62
TOTAL 0-19 YRS	473	5.2	27	[illegible]	[illegible]	4	6	10	14	26
20-34	1501	6.6	38	[illegible]	[illegible]	5	8	13	16	30
35-49	1867	7.1	58	[illegible]	[illegible]	5	9	14	19	41
50-64	3649	7.8	67	[illegible]	[illegible]	6	10	16	21	45
65+	9383	10.4	104	[illegible]	[illegible]	8	13	21	29	67
GRAND TOTAL	16873	9.0	85	1	2	7	11	18	25	56

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2935	2.0	1	<1	<1	1	2	3	4	6
20-34	3110	3.2	3	[illegible]	[illegible]	3	4	5	5	7
35-49	2835	3.6	3	[illegible]	[illegible]	3	4	5	6	9
50-64	4195	3.7	3	[illegible]	[illegible]	3	4	5	7	9
65+	3246	4.5	5	[illegible]	[illegible]	4	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	1593	2.5	23	<1	<1	1	3	4	5	16
20-34	1029	3.8	6	[illegible]	[illegible]	3	4	5	7	[illegible]
35-49	1621	4.6	9	[illegible]	[illegible]	4	5	6	10	[illegible]
50-64	3925	5.1	14	[illegible]	[illegible]	4	6	8	[illegible]	[illegible]
65+	5538	7.5	46	[illegible]	[illegible]	5	8	14	19	39
TOT. SINGLE DX	16321	3.4	3	[illegible]	[illegible]	3	4	5	7	9
" MULTIPLE DX	13716	5.6	30	[illegible]	[illegible]	4	6	10	15	30
TOTAL 0-19 YRS	4528	2.2	9	<1	<1	1	3	4	6	9
20-34	4149	3.4	4	[illegible]	[illegible]	3	4	5	6	8
35-49	4456	3.9	5	[illegible]	[illegible]	4	5	6	[illegible]	[illegible]
50-64	8120	4.4	9	[illegible]	[illegible]	4	6	7	9	[illegible]
65+	8784	6.4	34	[illegible]	[illegible]	5	7	12	16	32
GRAND TOTAL	30037	4.4	17	1	2	4	5	7	10	21

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1043	1.5		<1	<1	1	2	2	3	4
20-34	230	3.8	2	2	2	4	5	6	6	9
35-49	304	4.2	3	2	2	4	5	6	7	10
50-64	484	4.5	2	2	3	4	5	7	8	9
65+	309	5.1	5	2	3	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	700	2.5	42	<1	<1	1	2	4	6	84
20-34	90	4.3	2	2	2	4	5	6	7	10
35-49	240	5.1	7	2	3	5	6	7	10	19
50-64	525	5.6	8	3	3	5	6	9	10	16
65+	573	8.2	45	3	3	6	9	14	20	39
TOT. SINGLE DX	2370	3.2	4	<1	<1	3	4	6	7	9
" MULTIPLE DX	2128	5.2	34	<1	<1	4	6	9	13	33
TOTAL 0-19 YRS	1743	1.9	17	<1	<1	1	2	3	4	12
20-34	320	4.0	2	2	2	4	5	6	6	9
35-49	544	4.6	6	2	3	4	5	7	8	15
50-64	1009	5.1	6	3	3	5	6	8	9	15
65+	882	7.1	34	3	3	6	8	13	17	32
GRAND TOTAL	**4498**	**4.1**	**20**	**<1**	**<1**	**3**	**5**	**7**	**10**	**21**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.5		<1	1	2	3	4	4	4
20-34	76	3.7	1	2	2	3	5	5	6	8
35-49	127	3.5	4	2	2	3	4	5	5	13
50-64	178	4.2	3	2	2	4	5	6	8	10
65+	210	6.2	20	3	3	5	7	10	12	23
2. MULTIPLE DX										
0-19 YRS	7	3.0	5	<1	<1	2	5	7	7	7
20-34	45	4.0	2	1	2	4	5	6	7	8
35-49	67	4.8	11	2	2	4	6	8	10	21
50-64	149	7.9	54	2	3	6	8	15	24	34
65+	491	11.1	107	3	4	8	13	22	32	71
TOT. SINGLE DX	619	4.6	11	2	2	4	5	7	9	15
" MULTIPLE DX	759	9.4	87	2	3	6	11	19	28	52
TOTAL 0-19 YRS	35	2.6	2	<1	<1	2	3	4	5	7
20-34	121	3.8	2	2	2	3	5	6	7	8
35-49	194	3.9	7	2	2	3	4	6	8	20
50-64	327	5.9	30	2	2	5	6	10	15	32
65+	701	9.6	86	3	3	7	11	18	27	57
GRAND TOTAL	**1378**	**7.2**	**58**	**2**	**2**	**5**	**8**	**15**	**21**	**47**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	441	2.0	1	<1	<1	2	2	3	4	6
20-34	248	3.3	2	1	2	3	4	5	6	8
35-49	331	3.6	3	1	2	3	4	6	7	9
50-64	278	4.2	6	2	2	4	5	7	9	15
65+	137	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	85	4.3	81	<1	<1	2	3	6	11	61
20-34	114	4.7	8	2	2	4	6	8	9	19
35-49	274	5.7	26	2	2	5	6	10	13	22
50-64	397	7.2	46	2	3	6	8	12	15	45
65+	376	10.4	88	3	3	8	12	21	33	91
TOT. SINGLE DX	1435	3.3	4	<1	1	3	4	6	7	11
" MULTIPLE DX	1246	7.4	59	2	2	5	8	14	21	51
TOTAL 0-19 YRS	526	2.3	15	<1	<1	2	2	3	4	9
20-34	362	3.7	5	1	2	3	4	6	7	10
35-49	605	4.5	15	2	2	4	5	7	10	18
50-64	675	6.0	32	2	2	5	7	10	14	31
65+	513	9.0	73	2	3	6	10	18	29	68
GRAND TOTAL	**2681**	**5.2**	**34**	**1**	**2**	**4**	**6**	**10**	**14**	**34**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	2.4	2	<1	<1	2	3	4	6	9
20-34	366	4.0	5	1	2	3	5	7	8	12
35-49	594	5.0	7	2	2	4	6	8	9	16
50-64	676	5.9	8	2	3	5	7	9	11	17
65+	464	6.8	13	3	3	6	8	11	14	21
2. MULTIPLE DX										
0-19 YRS	34	4.1	13	<1	<1	3	6	9	14	16
20-34	212	6.2	18	2	2	5	7	11	15	23
35-49	594	7.6	35	2	3	6	9	13	16	33
50-64	971	8.8	49	3	4	7	10	15	20	38
65+	1197	11.1	65	3	4	9	13	21	28	54
TOT. SINGLE DX	2201	5.4	10	2	2	5	7	9	11	17
" MULTIPLE DX	3008	9.2	53	3	3	7	11	17	23	42
TOTAL 0-19 YRS	135	2.8	6	<1	<1	2	3	6	8	15
20-34	578	4.8	11	2	2	4	6	8	11	18
35-49	1188	6.3	23	2	3	5	8	11	14	25
50-64	1647	7.6	35	3	3	6	9	13	17	32
65+	1661	9.9	55	3	4	8	12	19	25	44
GRAND TOTAL	**5209**	**7.6**	**39**	**2**	**3**	**6**	**9**	**14**	**19**	**36**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.9	9	<1	1	5	7	9	11	11
20-34	18	7.3	20	3	3	7	9	12	18	21
35-49	24	9.5	28	2	3	9	11	14	21	28
50-64	26	8.4	10	2	6	8	11	13	14	16
65+	35	10.7	24	4	5	10	13	18	19	25
2. MULTIPLE DX										
0-19 YRS	15	11.2	198	<1	<1	7	14	24	47	55
20-34	40	9.9	72	3	4	8	11	14	29	49
35-49	80	11.3	42	5	6	10	12	19	23	41
50-64	151	13.0	77	5	7	10	15	23	30	43
65+	201	18.0	203	7	8	13	20	38	53	98
TOT. SINGLE DX	116	8.8	22	2	3	8	11	14	18	26
" MULTIPLE DX	487	14.5	135	5	6	11	16	26	40	71
TOTAL 0-19 YRS	28	8.3	117	<1	<1	6	9	19	27	55
20-34	58	9.1	57	3	3	7	11	14	23	48
35-49	104	10.9	40	3	6	9	12	18	23	40
50-64	177	12.3	70	5	6	10	14	21	29	42
65+	236	16.9	183	6	8	13	19	33	46	96
GRAND TOTAL	603	13.4	119	3	6	10	15	24	36	67

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	210	4.2	18	<1	1	3	5	9	11	21
20-34	244	4.7	13	1	1	4	6	9	12	19
35-49	193	5.9	21	1	2	5	8	11	16	24
50-64	228	8.2	78	1	2	6	10	16	21	51
65+	186	9.2	74	1	2	7	12	19	25	46
2. MULTIPLE DX										
0-19 YRS	139	6.9	72	<1	1	4	9	14	24	59
20-34	323	10.0	94	1	2	7	12	22	30	51
35-49	549	13.0	169	2	3	9	17	29	37	90
50-64	1166	14.2	142	2	3	11	19	30	39	63
65+	1598	17.0	214	2	4	13	21	35	47	89
TOT. SINGLE DX	1061	6.3	44	1	1	4	8	13	17	34
" MULTIPLE DX	3775	14.6	177	2	3	11	19	31	42	82
TOTAL 0-19 YRS	349	5.3	42	<1	1	3	7	11	14	44
20-34	567	7.7	66	1	2	5	9	17	23	43
35-49	742	11.1	141	1	2	8	14	24	33	75
50-64	1394	13.2	136	2	3	10	18	28	38	63
65+	1784	16.2	206	2	3	13	21	34	46	87
GRAND TOTAL	4836	12.8	159	1	2	9	17	28	38	68

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	6.1	12	2	3	5	8	11	14	25
20-34	248	6.6	21	1	2	6	8	12	17	25
35-49	128	9.6	48	2	4	8	11	21	24	41
50-64	83	11.7	41	5	6	10	14	20	25	34
65+	71	14.6	91	5	6	11	19	31	34	47
2. MULTIPLE DX										
0-19 YRS	179	10.6	80	3	4	8	12	26	31	51
20-34	435	10.6	111	3	4	7	12	20	33	69
35-49	296	14.8	162	4	5	11	18	30	43	99
50-64	376	19.1	212	5	7	15	24	39	58	97
65+	550	23.8	257	8	9	20	30	47	58	99+
TOT. SINGLE DX	675	8.5	42	2	3	7	10	17	23	35
" MULTIPLE DX	1836	17.0	210	4	5	12	22	37	49	97
TOTAL 0-19 YRS	324	8.6	55	2	3	6	10	17	26	49
20-34	683	9.1	83	2	3	6	10	17	26	55
35-49	424	13.2	134	4	5	9	16	27	40	95
50-64	459	17.8	190	5	6	14	23	35	51	90
65+	621	22.8	247	7	8	19	29	45	54	98
GRAND TOTAL	2511	14.7	179	3	4	10	19	32	44	87

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	3.4	14	<1	1	2	4	7	9	18
20-34	1730	2.2	3	<1	<1	2	2	4	6	9
35-49	364	2.5	3	<1	<1	2	2	4	6	12
50-64	46	2.3	6	<1	1	2	2	4	5	17
65+	14	5.1	25	1	2	2	10	13	15	16
2. MULTIPLE DX										
0-19 YRS	226	3.8	13	1	1	2	5	8	12	16
20-34	2072	2.6	7	<1	<1	2	3	5	8	15
35-49	551	3.0	14	<1	1	2	3	6	9	21
50-64	83	7.5	112	1	1	3	10	21	36	84
65+	71	13.2	171	1	2	10	18	30	38	69
TOT. SINGLE DX	2470	2.4	5	<1	<1	2	2	5	7	11
" MULTIPLE DX	3003	3.2	19	<1	<1	2	3	7	10	21
TOTAL 0-19 YRS	542	3.6	14	<1	1	2	4	7	11	15
20-34	3802	2.4	5	<1	<1	2	2	5	7	12
35-49	915	2.7	11	<1	<1	2	2	5	8	19
50-64	129	5.7	80	<1	1	2	5	16	28	63
65+	85	11.9	156	1	2	9	16	27	36	66
GRAND TOTAL	5473	2.8	13	<1	<1	2	3	6	8	18

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	7.8	55	1	2	6	9	13	20	45
20-34	272	6.0	22	<1	1	5	8	11	16	24
35-49	246	8.7	40	1	2	8	10	16	22	37
50-64	205	10.0	37	2	3	9	13	17	21	35
65+	168	12.2	51	3	4	11	15	22	25	39
2. MULTIPLE DX										
0-19 YRS	134	11.5	145	2	2	8	13	25	32	63
20-34	820	7.5	60	1	2	6	8	14	20	44
35-49	586	11.6	115	1	2	8	15	25	34	61
50-64	648	16.9	192	4	5	13	20	34	47	73
65+	1047	20.5	222	6	8	16	26	42	57	92
TOT. SINGLE DX	972	8.7	43	1	2	8	11	16	22	32
" MULTIPLE DX	3235	14.5	180	2	3	11	18	31	44	75
TOTAL 0-19 YRS	215	10.1	115	2	2	7	11	22	31	57
20-34	1092	7.1	51	1	1	6	8	14	19	37
35-49	832	10.7	95	1	2	8	13	22	32	57
50-64	853	15.2	164	3	5	12	18	29	43	71
65+	1215	19.3	207	5	7	15	24	39	55	87
GRAND TOTAL	4207	13.1	154	2	2	9	16	27	40	71

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	8.4	16	4	5	7	10	15	17	18
20-34	30	9.3	9	6	6	9	11	14	15	17
35-49	71	11.6	23	6	7	10	15	17	20	30
50-64	130	12.4	27	7	8	11	15	19	23	34
65+	113	14.5	43	8	9	13	16	23	27	42
2. MULTIPLE DX										
0-19 YRS	76	10.4	34	5	6	9	12	20	22	84
20-34	86	13.0	75	6	7	10	15	25	32	51
35-49	132	16.2	110	7	8	13	19	29	39	54
50-64	459	16.9	91	8	9	14	20	28	37	60
65+	583	20.1	158	8	9	17	25	36	47	95
TOT. SINGLE DX	373	12.3	32	6	7	11	15	18	23	36
" MULTIPLE DX	1336	17.6	126	7	8	15	21	31	40	74
TOTAL 0-19 YRS	105	9.9	30	5	5	8	11	17	21	67
20-34	116	12.1	61	6	7	9	14	19	28	46
35-49	203	14.6	84	7	8	12	17	25	31	48
50-64	589	15.9	81	8	8	13	19	26	33	56
65+	696	19.2	144	8	9	16	23	34	43	92
GRAND TOTAL	1709	16.5	110	7	8	14	20	29	38	67

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	7.9	34	2	2	7	11	15	19	28
20-34	254	9.0	26	2	3	8	12	16	18	26
35-49	275	8.7	19	2	3	8	11	13	17	23
50-64	293	10.1	39	2	2	9	13	17	21	29
65+	137	10.5	84	1	2	9	13	20	28	53
2. MULTIPLE DX										
0-19 YRS	188	12.7	90	2	2	11	18	26	33	48
20-34	364	13.3	98	2	3	11	16	25	34	55
35-49	421	15.5	187	2	4	12	19	29	42	87
50-64	592	15.9	146	3	4	12	21	31	39	67
65+	656	17.4	191	2	4	14	22	33	45	72
TOT. SINGLE DX	1107	9.2	37	2	2	9	12	16	20	29
" MULTIPLE DX	2221	15.6	157	2	4	12	20	30	38	69
TOTAL 0-19 YRS	336	10.6	71	2	2	9	14	22	28	41
20-34	618	11.5	73	2	3	10	14	21	28	47
35-49	696	12.8	132	2	3	10	15	25	33	71
50-64	885	13.9	118	2	4	10	18	26	35	58
65+	793	16.2	179	2	3	13	21	32	42	70
GRAND TOTAL	3328	13.5	126	2	3	10	17	26	34	62

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.9	10	2	4	8	10	12	13	13
20-34	184	9.0	15	3	4	9	11	14	15	20
35-49	273	9.4	18	3	5	9	11	15	17	25
50-64	254	9.6	17	3	5	9	11	15	17	24
65+	108	10.6	22	2	5	10	13	17	18	25
2. MULTIPLE DX										
0-19 YRS	15	8.1	53	<1	1	7	11	18	24	26
20-34	109	10.4	33	3	4	10	13	17	22	33
35-49	219	10.8	25	4	6	10	13	17	21	27
50-64	350	13.1	70	3	6	11	16	22	29	38
65+	331	16.2	141	4	6	13	19	30	39	70
TOT. SINGLE DX	831	9.5	18	3	5	9	11	15	17	24
" MULTIPLE DX	1024	13.3	85	3	5	11	16	23	30	49
TOTAL 0-19 YRS	27	8.0	33	1	2	7	11	16	19	26
20-34	293	9.5	23	3	4	9	12	15	17	26
35-49	492	10.1	22	3	5	9	12	16	19	26
50-64	604	11.6	51	3	6	10	14	18	25	36
65+	439	14.8	118	3	6	12	17	27	34	66
GRAND TOTAL	**1855**	**11.6**	**58**	**3**	**5**	**10**	**14**	**19**	**25**	**41**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	8.4	6	5	6	8	9	12	14	17
20-34	18	12.6	57	7	8	11	13	17	31	41
35-49	14	12.5	14	5	8	13	15	17	18	18
50-64	15	15.5	32	9	9	13	20	24	26	27
65+	16	13.4	33	4	8	12	16	22	25	27
2. MULTIPLE DX										
0-19 YRS	164	13.1	52	6	7	10	16	24	28	32
20-34	45	15.2	74	5	7	13	20	23	30	46
35-49	25	20.3	111	6	9	19	29	35	39	43
50-64	56	17.8	130	4	8	16	22	31	55	97
65+	92	23.9	232	8	11	20	29	47	70	99+
TOT. SINGLE DX	183	10.2	22	5	6	9	12	16	18	27
" MULTIPLE DX	382	17.1	131	6	8	14	22	31	42	81
TOTAL 0-19 YRS	284	11.1	38	6	6	9	13	21	24	31
20-34	63	14.5	70	6	8	12	17	23	31	46
35-49	39	17.5	89	6	8	16	23	31	37	43
50-64	71	17.3	110	6	9	15	21	28	52	91
65+	108	22.4	216	8	10	18	28	43	64	99+
GRAND TOTAL	**565**	**14.9**	**107**	**6**	**7**	**12**	**18**	**28**	**35**	**70**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	5.2	24	<1	1	3	8	14	17	20
20-34	265	4.5	8	1	2	4	6	8	10	17
35-49	341	4.4	8	1	2	4	6	8	9	12
50-64	257	4.8	12	1	2	4	6	9	11	17
65+	106	5.9	21	2	2	4	8	11	15	27
2. MULTIPLE DX										
0-19 YRS	47	10.0	47	<1	1	9	15	21	22	25
20-34	137	5.9	27	2	2	4	7	11	16	28
35-49	219	6.8	27	2	2	6	8	12	17	28
50-64	303	7.8	55	2	2	6	10	16	20	30
65+	225	11.8	147	2	3	8	14	26	34	70
TOT. SINGLE DX	1018	4.7	12	1	2	4	6	9	11	17
" MULTIPLE DX	931	8.4	71	2	2	6	10	18	24	41
TOTAL 0-19 YRS	96	7.6	41	<1	1	6	11	18	21	25
20-34	402	5.0	15	2	2	4	6	9	12	20
35-49	560	5.3	17	2	2	4	7	9	12	25
50-64	560	6.4	38	2	2	5	8	12	18	27
65+	331	9.9	115	2	2	6	12	22	30	60
GRAND TOTAL	**1949**	**6.5**	**43**	**2**	**2**	**5**	**8**	**13**	**18**	**31**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	570	2.3	7	<1	<1	1	2	5	7	12
20-34	888	3.5	9	<1	<1	2	5	7	9	17
35-49	1028	3.4	8	<1	<1	2	5	7	9	15
50-64	1406	3.5	11	<1	1	2	4	8	10	16
65+	1515	4.1	15	1	1	2	5	9	12	19
2. MULTIPLE DX										
0-19 YRS	624	3.6	27	<1	<1	2	4	9	11	26
20-34	1271	5.8	46	<1	1	4	7	12	18	34
35-49	1921	6.4	55	1	1	4	8	14	18	36
50-64	4068	6.9	70	1	1	4	9	16	22	47
65+	8184	11.1	155	1	2	8	14	26	37	87
TOT. SINGLE DX	5407	3.5	11	<1	<1	2	5	8	10	16
" MULTIPLE DX	16068	8.8	115	1	1	5	11	20	30	69
TOTAL 0-19 YRS	1194	3.0	18	<1	<1	1	3	7	10	21
20-34	2159	4.8	32	<1	1	3	6	10	14	28
35-49	2949	5.4	41	<1	1	3	7	11	16	31
50-64	5474	6.0	58	1	1	3	8	13	20	42
65+	9699	10.0	141	1	2	6	13	23	35	83
GRAND TOTAL	**21475**	**7.5**	**94**	**1**	**1**	**4**	**9**	**17**	**25**	**58**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.9	8	<1	1	2	3	8	10	10
20-34	68	3.5	7	<1	1	3	4	7	9	15
35-49	217	3.3	4	1	1	3	4	6	8	11
50-64	956	4.0	12	1	1	3	5	7	9	18
65+	1874	4.6	19	1	2	4	5	8	11	19
2. MULTIPLE DX										
0-19 YRS	10	4.5	26	<1	<1	2	3	14	16	16
20-34	80	6.1	83	<1	1	3	6	14	19	57
35-49	248	5.7	68	<1	1	4	6	11	17	38
50-64	1501	5.8	39	1	2	4	7	12	17	35
65+	4732	8.5	93	2	2	6	10	18	25	54
TOT. SINGLE DX	3128	4.3	16	1	2	3	5	8	10	17
" MULTIPLE DX	6571	7.8	81	1	2	5	9	16	24	50
TOTAL 0-19 YRS	23	3.6	16	<1	1	2	3	10	13	16
20-34	148	4.9	50	<1	1	3	5	11	16	36
35-49	465	4.6	40	<1	1	3	5	8	12	29
50-64	2457	5.1	30	1	2	4	6	10	14	31
65+	6606	7.4	75	2	2	5	9	15	22	48
GRAND TOTAL	**9699**	**6.6**	**63**	**1**	**2**	**4**	**8**	**13**	**20**	**43**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	5.3	13	1	2	4	7	9	15	17
20-34	62	5.9	25	1	2	4	8	11	15	28
35-49	126	5.9	33	<1	1	4	8	14	16	30
50-64	265	6.8	56	1	2	4	9	15	20	34
65+	341	7.5	51	1	2	4	11	18	22	29
2. MULTIPLE DX										
0-19 YRS	196	11.2	136	2	3	8	14	23	36	79
20-34	150	10.9	180	1	2	6	13	30	43	97
35-49	233	11.6	150	1	2	8	14	24	39	68
50-64	636	11.4	146	1	2	8	15	25	36	80
65+	1779	15.1	217	2	2	11	19	33	50	95
TOT. SINGLE DX	864	6.7	46	1	2	4	9	15	19	32
" MULTIPLE DX	2994	13.5	193	2	2	10	17	30	43	88
TOTAL 0-19 YRS	266	9.6	110	2	3	6	12	19	31	65
20-34	212	9.4	140	1	2	6	11	21	34	75
35-49	359	9.6	117	1	2	6	12	20	28	63
50-64	901	10.0	124	1	2	7	13	21	29	71
65+	2120	13.8	199	2	2	10	18	31	45	89
GRAND TOTAL	**3858**	**12.0**	**168**	**2**	**2**	**8**	**15**	**27**	**38**	**82**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	1.2		<1	<1	1	1	2	2	3
20-34	17	2.5	2	<1	<1	2	3	5	6	6
35-49	8	2.1	4	<1	<1	1	2	6	7	7
50-64	13	2.5	1	2	2	2	3	4	6	6
65+	15	2.9	2	1	1	3	3	4	7	8
2. MULTIPLE DX										
0-19 YRS	108	2.0	4	<1	<1	1	2	3	6	13
20-34	33	3.9	29	1	1	2	3	9	14	29
35-49	26	3.0	10	<1	<1	2	3	6	9	17
50-64	36	4.0	29	<1	<1	2	4	7	16	29
65+	39	8.4	93	1	2	5	10	17	32	44
TOT. SINGLE DX	256	1.5	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	242	3.7	31	<1	<1	2	3	9	14	30
TOTAL 0-19 YRS	311	1.5	2	<1	<1	1	1	2	3	11
20-34	50	3.4	21	1	1	2	3	7	10	29
35-49	34	2.8	9	<1	<1	2	3	6	7	17
50-64	49	3.6	22	<1	1	2	3	7	9	29
65+	54	6.9	74	1	2	4	8	15	19	44
GRAND TOTAL	**498**	**2.5**	**17**	**<1**	**<1**	**1**	**2**	**5**	**9**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	393	6.6	19	<1	1	7	9	12	14	19
20-34	166	3.4	14	<1	<1	2	3	8	12	21
35-49	94	5.1	14	<1	1	4	7	10	13	17
50-64	86	4.0	7	1	1	3	5	8	10	13
65+	114	4.1	12	1	2	3	5	7	10	22
2. MULTIPLE DX										
0-19 YRS	186	7.7	39	<1	1	7	11	15	20	31
20-34	87	6.3	56	1	1	4	8	13	21	43
35-49	87	7.2	92	1	1	5	8	13	22	59
50-64	136	6.0	28	1	2	4	8	12	15	31
65+	313	8.3	84	2	2	5	10	20	27	43
TOT. SINGLE DX	853	5.2	18	<1	1	4	8	11	14	19
" MULTIPLE DX	809	7.4	63	1	2	5	9	15	22	39
TOTAL 0-19 YRS	579	7.0	26	<1	1	7	10	14	16	23
20-34	253	4.4	30	<1	1	2	5	9	14	29
35-49	181	6.1	53	1	1	5	8	11	15	33
50-64	222	5.2	21	1	2	4	7	10	13	26
65+	427	7.2	69	2	2	4	8	17	23	42
GRAND TOTAL	**1662**	**6.3**	**41**	**1**	**1**	**4**	**9**	**13**	**17**	**31**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	163	1.6	2	<1	<1	1	2	3	4	9
20-34	89	2.4	5	<1	<1	2	3	5	9	11
35-49	105	2.7	5	<1	<1	2	3	5	8	12
50-64	82	4.2	33	<1	1	2	4	9	12	37
65+	143	3.6	9	1	1	3	4	8	11	26
2. MULTIPLE DX										
0-19 YRS	213	2.6	44	<1	<1	1	2	5	8	16
20-34	252	4.6	30	<1	<1	2	5	12	17	28
35-49	277	5.7	80	<1	1	3	6	13	17	56
50-64	461	6.3	60	1	1	3	7	15	20	40
65+	1167	10.0	115	1	2	7	14	22	30	60
TOT. SINGLE DX	582	2.8	11	<1	<1	2	3	5	9	16
" MULTIPLE DX	2370	7.5	92	<1	1	4	10	18	24	52
TOTAL 0-19 YRS	376	2.2	26	<1	<1	1	2	4	7	15
20-34	341	4.0	25	<1	<1	2	4	10	16	23
35-49	382	4.9	62	<1	<1	2	5	11	15	47
50-64	543	6.0	57	1	1	3	7	14	19	40
65+	1310	9.3	108	1	2	6	13	21	29	60
GRAND TOTAL	2952	6.6	80	<1	1	3	8	16	22	48

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	2.5	4	<1	<1	2	3	5	7	10
20-34	145	3.5	8	<1	<1	3	5	6	9	14
35-49	91	4.4	11	<1	1	3	6	9	11	17
50-64	129	4.5	14	1	1	3	6	9	11	20
65+	123	5.5	26	2	2	4	7	10	12	33
2. MULTIPLE DX										
0-19 YRS	64	2.1	2	<1	<1	1	2	5	6	7
20-34	115	4.7	34	<1	1	3	6	10	15	32
35-49	110	5.7	44	1	1	4	6	12	18	36
50-64	183	7.2	76	1	2	4	8	17	21	54
65+	468	9.8	136	2	3	6	11	20	34	95
TOT. SINGLE DX	573	4.1	14	<1	1	3	5	9	10	18
" MULTIPLE DX	940	7.7	98	1	2	5	9	17	23	66
TOTAL 0-19 YRS	149	2.3	3	<1	<1	2	3	5	6	10
20-34	260	4.0	20	<1	<1	3	5	8	11	25
35-49	201	5.1	30	<1	1	4	6	10	14	21
50-64	312	6.1	52	1	2	4	7	13	18	37
65+	591	8.9	117	2	2	6	10	18	30	86
GRAND TOTAL	1513	6.3	69	<1	1	4	7	13	19	55

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	61	6.7	4	3	3	7	8	9	10	11
35-49	144	7.7	4	5	5	7	9	10	11	13
50-64	138	8.8	7	5	6	8	10	12	14	20
65+	63	9.4	8	6	7	9	11	13	15	20
2. MULTIPLE DX										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	37	7.5	11	4	5	7	8	9	11	25
35-49	245	8.7	12	5	5	8	10	13	15	22
50-64	210	10.5	34	6	6	9	12	16	20	40
65+	167	13.0	92	6	7	10	14	23	30	82
TOT. SINGLE DX	406	8.2	7	5	5	8	9	11	13	17
" MULTIPLE DX	661	10.3	43	5	6	9	11	16	21	41
TOTAL 0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	98	7.0	7	3	5	7	8	9	10	19
35-49	389	8.3	9	5	5	8	10	12	14	20
50-64	348	9.8	25	5	6	9	11	14	19	37
65+	230	12.0	72	6	7	10	13	19	27	58
GRAND TOTAL	1067	9.5	30	5	6	8	10	14	18	35

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	10	9.6	15	5	5	9	10	16	18	18
35-49	33	6.9	4	3	5	7	8	9	11	13
50-64	34	7.6	7	4	4	7	9	10	13	16
65+	22	9.4	11	4	6	9	11	15	16	17
2. MULTIPLE DX										
0-19 YRS	5	15.2	127	7	7	11	18	35	35	35
20-34	15	9.3	12	2	6	10	11	15	15	15
35-49	47	9.8	86	5	5	8	9	15	21	67
50-64	60	9.1	13	4	5	9	10	13	16	23
65+	52	11.5	41	5	6	10	13	21	32	98
TOT. SINGLE DX	99	8.0	9	4	5	8	9	12	15	18
" MULTIPLE DX	179	10.2	44	4	6	9	11	16	21	57
TOTAL 0-19 YRS	5	15.2	127	7	7	11	18	35	35	35
20-34	25	9.4	14	4	6	9	11	15	16	18
35-49	80	8.6	54	5	5	7	9	12	17	53
50-64	94	8.6	12	4	5	8	10	12	15	22
65+	74	10.9	33	4	6	10	12	18	27	83
GRAND TOTAL	278	9.4	33	4	5	8	10	15	19	34

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.2	12	<1	<1	2	4	9	10	10
20-34	12	5.7	4	3	3	5	7	9	10	10
35-49	15	4.5	4	1	1	4	5	7	8	8
50-64	20	6.4	12	1	1	6	8	11	13	14
65+	8	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	9	9.0	140	<1	<1	3	12	28	38	38
20-34	22	10.0	58	2	3	9	13	20	30	31
35-49	34	8.6	73	1	2	7	11	13	30	44
50-64	59	9.7	124	2	2	7	10	23	25	71
65+	80	14.6	220	2	2	10	20	34	41	80
TOT. SINGLE DX	61	4.9	9	1	1	4	6	9	11	14
* MULTIPLE DX	204	11.5	152	2	2	8	14	24	36	75
TOTAL 0-19 YRS	15	6.7	93	<1	<1	2	10	12	32	38
20-34	34	8.5	43	2	3	7	11	14	26	31
35-49	49	7.4	56	1	2	6	9	12	15	47
50-64	79	8.9	98	2	2	7	10	20	24	62
65+	88	13.5	213	1	2	9	19	30	40	80
GRAND TOTAL	265	10.0	126	1	2	6	11	23	31	70

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	10	5.5	13	1	1	5	7	11	13	13
35-49	11	7.9	51	1	1	7	9	20	24	24
50-64	7	6.1	3	3	3	6	8	9	9	9
65+	9	10.2	69	<1	1	8	12	24	26	26
2. MULTIPLE DX										
0-19 YRS	8	16.8	272	2	3	12	19	45	54	54
20-34	15	16.3	261	<1	<1	10	22	46	53	56
35-49	18	12.4	49	2	4	11	16	24	26	27
50-64	20	17.6	118	1	6	16	21	34	41	45
65+	49	15.7	214	2	2	11	23	36	42	77
TOT. SINGLE DX	38	7.4	36	1	2	6	9	16	23	26
* MULTIPLE DX	110	15.6	176	1	3	12	22	31	42	64
TOTAL 0-19 YRS	9	15.6	252	<1	3	12	17	42	54	54
20-34	25	12.0	187	1	3	8	14	27	48	56
35-49	29	10.7	53	1	3	9	16	23	24	27
50-64	27	14.6	113	1	4	12	19	30	39	45
65+	58	14.8	194	1	2	9	22	31	41	74
GRAND TOTAL	148	13.5	153	1	2	10	18	28	40	56

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
* MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	7	2	2	5	7	9	9	9
20-34										
35-49	49	5.6	5	2	2	5	7	9	9	12
50-64	1354	6.7	7	4	4	6	8	9	11	17
65+	3041	7.6	16	4	5	7	9	11	14	22
2. MULTIPLE DX										
0-19 YRS	7	17.9	1132	<1	1	7	7	77	94	94
20-34	12	9.6	47	3	4	7	11	21	25	27
35-49	115	9.6	68	3	4	7	10	17	25	30
50-64	2963	9.4	50	4	5	7	11	15	20	40
65+	11485	12.6	106	5	5	9	15	24	33	69
TOT. SINGLE DX	4449	7.3	14	4	5	6	8	11	13	20
* MULTIPLE DX	14582	11.9	97	4	5	9	14	22	31	65
TOTAL 0-19 YRS	12	12.5	664	<1	1	6	7	34	65	94
20-34	12	9.6	47	3	4	7	11	21	25	27
35-49	164	8.4	53	3	4	7	9	14	21	30
50-64	4317	8.5	39	4	5	7	9	14	18	32
65+	14526	11.5	92	5	5	8	13	22	30	63
GRAND TOTAL	19031	10.8	81	4	5	8	12	20	27	58

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	174	11.9	14	7	8	11	13	17	19	24
65+	345	12.4	20	8	8	12	14	17	21	26
2. MULTIPLE DX										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34										
35-49	7	11.3	6	9	9	12	12	15	16	16
50-64	431	14.2	51	8	9	12	16	21	27	45
65+	1504	16.3	79	8	9	14	19	27	34	61
TOT. SINGLE DX	522	12.2	19	7	8	11	14	17	21	25
" MULTIPLE DX	1944	15.8	74	8	9	13	18	25	33	57
TOTAL 0-19 YRS	4	4.8	19	1	1	5	8	9	9	9
20-34										
35-49	8	10.9	7	8	8	10	12	15	16	16
50-64	605	13.6	42	8	9	12	15	20	25	41
65+	1849	15.5	71	8	9	13	18	25	32	55
GRAND TOTAL	**2466**	**15.0**	**64**	**8**	**9**	**13**	**17**	**23**	**30**	**52**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	8	4.5	18	<1	<1	3	6	12	14	14
35-49	51	2.7	5	1	1	2	3	4	5	17
50-64	410	2.9	6	<1	1	2	3	5	8	13
65+	654	3.4	8	1	1	2	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	3.8	1	2	2	4	5	6	6	6
35-49	44	5.7	26	1	2	4	7	15	16	24
50-64	490	5.8	56	1	2	3	7	12	18	38
65+	1352	8.5	76	1	2	5	12	20	25	43
TOT. SINGLE DX	1126	3.2	8	1	1	2	3	6	9	15
" MULTIPLE DX	1899	7.7	71	1	2	4	10	18	24	40
TOTAL 0-19 YRS	4	4.8	31	1	1	2	8	13	13	13
20-34	20	4.1	8	1	2	4	5	6	10	14
35-49	95	4.1	18	1	1	3	4	9	15	22
50-64	900	4.5	35	1	1	3	5	9	13	28
65+	2006	6.9	60	1	2	4	9	17	23	39
GRAND TOTAL	**3025**	**6.0**	**52**	**1**	**1**	**3**	**7**	**14**	**20**	**36**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	2.8	7	<1	1	2	3	5	6	15
20-34	101	3.2	4	1	1	3	4	6	7	11
35-49	93	3.4	5	1	1	3	4	6	8	13
50-64	88	3.1	4	<1	1	3	4	5	6	13
65+	48	6.3	45	1	2	4	8	11	18	42
2. MULTIPLE DX										
0-19 YRS	61	3.8	19	1	1	3	4	7	9	29
20-34	59	4.9	23	1	2	3	5	10	14	29
35-49	67	7.3	83	1	1	3	9	22	36	90
50-64	119	6.5	29	2	3	4	8	14	20	27
65+	129	10.8	135	2	3	7	13	21	39	82
TOT. SINGLE DX	445	3.4	11	<1	1	3	4	6	9	16
" MULTIPLE DX	435	7.3	73	1	2	4	9	17	23	53
TOTAL 0-19 YRS	176	3.1	12	1	1	2	3	6	7	25
20-34	160	3.8	12	1	1	3	4	6	10	19
35-49	160	5.0	42	1	1	3	5	11	18	42
50-64	207	5.1	22	1	2	3	5	10	15	25
65+	177	9.6	115	2	2	6	12	19	35	73
GRAND TOTAL	**880**	**5.3**	**45**	**1**	**1**	**3**	**5**	**11**	**17**	**41**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	3.1	6	<1	1	2	4	5	8	15
20-34	222	4.6	11	2	2	3	5	9	12	18
35-49	101	4.5	10	1	2	4	5	7	11	20
50-64	85	5.9	22	2	2	4	7	11	14	28
65+	183	5.1	29	2	2	3	5	11	16	32
2. MULTIPLE DX										
0-19 YRS	137	4.1	73	<1	1	3	4	6	11	35
20-34	130	6.2	34	2	2	4	8	13	20	55
35-49	63	7.8	102	1	2	4	8	17	25	64
50-64	197	9.9	127	2	2	6	13	22	33	52
65+	817	11.5	150	2	3	8	15	23	32	72
TOT. SINGLE DX	785	4.5	16	1	2	3	5	9	12	20
" MULTIPLE DX	1344	9.8	132	2	2	6	12	22	29	68
TOTAL 0-19 YRS	331	3.5	35	<1	1	3	4	5	8	23
20-34	352	5.2	21	2	2	4	6	10	14	23
35-49	164	5.7	48	1	2	4	6	11	17	31
50-64	282	8.7	99	2	2	5	10	19	27	46
65+	1000	10.3	134	2	2	6	13	22	30	67
GRAND TOTAL	**2129**	**7.8**	**96**	**2**	**2**	**4**	**9**	**18**	**24**	**52**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1007	2.3	1	<1	1	2	3	4	5	7
20-34	86	2.5	2	1	1	2	3	4	5	6
35-49	8	2.5	2	1	1	2	3	5	5	5
50-64	3	2.3		1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	684	2.6	4	<1	<1	2	3	4	5	9
20-34	44	3.9	5	1	1	3	5	6	9	11
35-49	13	3.8	6	2	2	3	4	8	10	10
50-64	6	3.2	2	<1	<1	3	5	5	5	5
65+										
TOT. SINGLE DX	1105	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	747	2.7	5	<1	<1	2	3	4	6	9
TOTAL 0-19 YRS	1691	2.4	3	<1	1	2	3	4	5	8
20-34	130	2.9	3	1	1	3	4	5	6	10
35-49	21	3.3	5	1	1	2	4	7	9	10
50-64	9	2.9	2	<1	1	3	4	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	1852	2.5	3	<1	1	2	3	4	5	8

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	2.2	1	<1	1	2	3	4	5	7
20-34	140	2.4	2	<1	<1	2	3	4	6	8
35-49	51	2.8	3	<1	1	2	3	5	5	10
50-64	11	3.3	4	1	1	3	4	7	8	8
65+	5	3.2		2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	93	2.8	5	<1	1	2	3	5	8	14
20-34	77	3.2	8	1	1	2	4	5	7	20
35-49	30	3.7	12	<1	<1	3	4	6	15	16
50-64	25	6.0	38	1	1	4	7	13	19	29
65+	21	7.9	102	1	2	6	8	11	29	50
TOT. SINGLE DX	411	2.4	2	<1	1	2	3	4	6	8
" MULTIPLE DX	246	3.8	21	<1	1	3	4	7	10	24
TOTAL 0-19 YRS	297	2.4	3	<1	1	2	3	4	6	11
20-34	217	2.7	5	<1	1	2	3	5	6	11
35-49	81	3.2	7	<1	1	3	4	5	7	16
50-64	36	5.2	29	1	1	3	6	11	15	29
65+	26	7.0	85	1	2	5	8	10	20	50
GRAND TOTAL	657	2.9	10	<1	1	2	3	5	7	14

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	163	1.1		<1	<1	<1	<1	1	2	3
35-49	139	1.1		<1	<1	<1	1	2	2	3
50-64	10	1.1		<1	<1	<1	<1	1	2	2
65+	6	8.7	42	2	2	7	9	20	21	21
2. MULTIPLE DX										
0-19 YRS										
20-34	34	2.5	6	<1	<1	2	3	5	10	11
35-49	50	2.7	8	<1	<1	2	2	8	9	13
50-64	17	4.8	20	<1	<1	3	7	11	15	17
65+	21	13.8	122	2	3	11	18	29	41	44
TOT. SINGLE DX	320	1.3	2	<1	<1	<1	1	2	2	7
" MULTIPLE DX	122	4.8	45	<1	<1	2	7	12	17	40
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	197	1.4	2	<1	<1	<1	1	2	3	9
35-49	189	1.5	3	<1	<1	<1	1	2	3	10
50-64	27	3.4	16	<1	<1	2	5	9	12	17
65+	27	12.7	107	2	3	9	16	23	40	44
GRAND TOTAL	442	2.3	16	<1	<1	<1	2	4	9	21

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	496	2.3	2	<1	1	2	3	4	5	9
20-34	866	2.3	1	1	1	2	3	4	4	6
35-49	596	2.5	1	1	1	2	3	4	4	7
50-64	382	3.2	2	1	2	3	4	5	5	8
65+	170	3.5	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	291	2.4	5	<1	<1	2	3	4	5	12
20-34	418	2.9	7	1	1	2	3	4	6	16
35-49	307	3.4	9	1	1	3	4	5	9	20
50-64	376	4.5	13	2	2	4	5	8	11	18
65+	289	5.4	44	2	2	4	5	10	14	28
TOT. SINGLE DX	2510	2.6	2	1	1	2	3	4	5	8
" MULTIPLE DX	1681	3.7	16	1	1	3	4	6	9	20
TOTAL 0-19 YRS	787	2.3	3	<1	<1	2	3	4	5	10
20-34	1284	2.5	3	1	1	2	3	4	5	9
35-49	903	2.8	4	1	1	2	3	4	5	12
50-64	758	3.9	8	1	2	3	4	6	8	17
65+	459	4.7	30	1	2	4	5	8	11	22
GRAND TOTAL	4191	3.0	8	1	1	2	3	5	6	14

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	1.6	1	<1	<1	2	2	2	2	3
20-34	94	1.7		<1	<1	2	2	2	3	5
35-49	83	1.7		<1	<1	2	2	2	3	3
50-64	54	1.8		<1	1	2	2	3	3	4
65+	38	2.2	1	<1	1	2	3	3	3	8
2. MULTIPLE DX										
0-19 YRS	92	2.9	16	<1	<1	2	3	5	8	23
20-34	53	2.2	2	<1	<1	2	3	4	5	8
35-49	82	3.9	82	<1	<1	2	3	6	7	63
50-64	146	3.9	17	1	1	2	4	9	11	21
65+	159	6.6	77	1	2	3	8	16	19	37
TOT. SINGLE DX	2004	1.8	2	<1	<1	2	2	2	3	7
" MULTIPLE DX	1135	5.0	58	<1	1	2	5	12	18	37
TOTAL 0-19 YRS	1510	2.7	28	<1	<1	1	2	4	8	27
20-34	460	2.1	2	<1	<1	2	2	3	4	8
35-49	361	2.8	24	<1	<1	2	2	4	7	19
50-64	441	3.3	14	<1	1	2	3	7	10	21
65+	367	5.0	46	1	1	3	5	13	17	35
GRAND TOTAL	**3139**	**2.9**	**25**	**<1**	**<1**	**2**	**2**	**5**	**10**	**25**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	3.1	7	<1	<1	2	4	8	9	13
20-34	125	3.1	31	<1	<1	1	2	8	11	27
35-49	78	4.8	24	<1	1	3	7	11	14	28
50-64	154	4.9	9	1	2	4	6	8	10	14
65+	80	4.8	4	2	2	5	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	56	3.3	7	<1	<1	2	4	7	9	11
20-34	91	6.6	147	<1	1	4	6	10	17	78
35-49	135	6.8	62	2	2	5	7	12	20	45
50-64	293	6.7	38	2	3	6	8	10	16	34
65+	182	8.1	63	2	3	6	9	15	19	53
TOT. SINGLE DX	541	4.1	16	<1	<1	3	5	8	10	16
" MULTIPLE DX	757	6.8	61	1	2	5	8	11	17	43
TOTAL 0-19 YRS	160	3.2	7	<1	<1	2	4	7	9	13
20-34	216	4.6	83	<1	<1	2	5	9	15	49
35-49	213	6.1	49	<1	1	4	7	11	17	42
50-64	447	6.1	30	2	2	5	7	10	14	32
65+	262	7.1	48	2	2	5	8	12	16	40
GRAND TOTAL	**1298**	**5.7**	**44**	**<1**	**1**	**4**	**7**	**10**	**14**	**35**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	5.5	4	3	3	5	6	8	9	13
20-34	1009	5.6	3	3	4	6	7	8	8	12
35-49	164	6.6	12	3	4	6	7	10	12	24
50-64	24	7.3	7	1	4	7	9	11	12	13
65+	14	9.6	14	5	6	9	10	14	19	21
2. MULTIPLE DX										
0-19 YRS	239	6.2	7	3	4	6	7	9	12	16
20-34	1820	6.3	9	3	4	6	7	9	11	19
35-49	449	7.4	24	2	4	6	8	11	16	30
50-64	62	12.7	52	5	6	11	17	21	25	42
65+	79	15.8	111	4	7	14	18	25	34	65
TOT. SINGLE DX	1456	5.8	5	3	4	6	7	8	9	14
" MULTIPLE DX	2649	6.9	19	3	4	6	7	10	14	25
TOTAL 0-19 YRS	484	5.8	6	3	3	5	7	8	10	15
20-34	2829	6.1	7	3	4	6	7	8	10	16
35-49	613	7.2	22	2	4	6	8	10	15	25
50-64	86	11.2	46	4	5	10	15	19	23	39
65+	93	14.9	102	4	7	13	18	24	29	63
GRAND TOTAL	**4105**	**6.5**	**15**	**3**	**4**	**6**	**7**	**9**	**12**	**22**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	6.4	14	4	4	6	7	9	11	28
20-34	575	6.1	3	4	4	6	7	8	9	13
35-49	325	6.6	5	4	4	6	7	9	10	17
50-64	65	7.4	10	5	5	7	8	10	15	23
65+	29	9.6	29	5	5	7	11	20	22	24
2. MULTIPLE DX										
0-19 YRS	151	7.2	10	4	4	6	8	13	14	19
20-34	1264	6.8	9	4	4	6	7	10	12	18
35-49	798	7.9	18	4	5	7	8	12	16	29
50-64	122	12.6	102	5	6	9	14	24	35	51
65+	139	16.9	105	7	7	15	22	32	36	45
TOT. SINGLE DX	1088	6.4	7	4	4	6	7	8	10	18
" MULTIPLE DX	2474	8.0	29	4	5	7	8	13	17	33
TOTAL 0-19 YRS	245	6.9	12	4	4	6	7	11	14	19
20-34	1839	6.6	8	4	4	6	7	9	11	17
35-49	1123	7.5	15	4	5	7	8	11	14	24
50-64	187	10.8	76	5	6	8	12	21	29	41
65+	168	15.6	100	6	7	13	20	28	35	40
GRAND TOTAL	**3562**	**7.5**	**22**	**4**	**4**	**6**	**8**	**11**	**15**	**29**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	45	5.9	4	2	3	6	7	9	9	10
35-49	89	6.9	10	4	5	7	8	9	11	25
50-64	66	8.2	11	5	6	7	9	13	15	21
65+	29	10.5	20	5	6	10	13	18	21	21
2. MULTIPLE DX										
0-19 YRS	3	6.3	6	4	4	6	8	9	9	9
20-34	152	7.8	31	4	4	6	8	13	18	30
35-49	404	8.8	27	5	5	7	10	15	17	33
50-64	207	11.7	48	5	6	9	15	21	25	35
65+	190	16.8	104	7	7	14	22	31	36	61
TOT. SINGLE DX	231	7.5	13	4	5	7	8	11	14	21
" MULTIPLE DX	956	10.9	58	5	5	8	13	21	26	40
TOTAL 0-19 YRS	5	5.4	5	3	3	5	7	9	9	9
20-34	197	7.3	26	3	4	6	8	11	16	30
35-49	493	8.5	25	5	5	7	9	13	17	32
50-64	273	10.9	42	5	6	8	13	19	24	34
65+	219	16.0	98	6	7	13	21	30	35	59
GRAND TOTAL	**1187**	**10.2**	**51**	**4**	**5**	**8**	**11**	**19**	**24**	**37**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	3.0	5	<1	<1	2	4	6	8	13
20-34	232	3.4	7	<1	<1	2	5	7	8	12
35-49	53	3.8	5	<1	1	3	5	7	8	9
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	57	4.2	7	1	1	4	6	8	9	14
20-34	629	4.6	8	<1	1	5	6	7	9	14
35-49	130	5.4	25	<1	1	5	7	9	12	32
50-64	16	10.4	81	2	2	8	13	22	32	36
65+	3	10.0	31	4	4	11	14	15	15	15
TOT. SINGLE DX	349	3.4	7	<1	<1	2	5	7	8	12
" MULTIPLE DX	835	4.8	13	<1	1	5	6	8	10	18
TOTAL 0-19 YRS	116	3.6	7	<1	1	3	5	7	9	13
20-34	861	4.3	8	<1	1	4	6	7	9	13
35-49	183	4.9	20	<1	1	5	7	8	10	26
50-64	21	8.3	76	<1	1	6	10	20	28	36
65+	3	10.0	31	4	4	11	14	15	15	15
GRAND TOTAL	**1184**	**4.4**	**12**	**<1**	**1**	**4**	**6**	**8**	**9**	**16**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	1.8		<1	<1	2	3	3	3	3
20-34	2302	1.4		<1	<1	1	2	2	2	4
35-49	1093	1.5		<1	<1	1	2	2	2	4
50-64	4	1.5		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	1643	1.7	1	<1	<1	1	2	3	4	6
35-49	1128	1.7	2	<1	<1	1	2	2	3	7
50-64	6	1.5	1	<1	<1	1	1	4	4	4
65+										
TOT. SINGLE DX	3409	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	2781	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	14	1.6	1	<1	<1	1	2	3	3	3
20-34	3945	1.5	1	<1	<1	1	2	2	3	5
35-49	2221	1.6	1	<1	<1	1	2	2	3	6
50-64	10	1.5	1	<1	<1	1	2	3	4	4
65+										
GRAND TOTAL	**6190**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.9	4	<1	<1	2	5	6	6	6
20-34	2158	2.4	1	<1	1	2	3	4	5	6
35-49	945	2.5	1	<1	1	2	3	4	5	7
50-64	3	5.0	12	3	3	3	8	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	22	4.0	6	2	2	3	4	6	10	14
20-34	4273	3.7	4	2	2	4	4	5	6	9
35-49	1450	3.6	4	1	1	3	4	6	6	10
50-64	3	5.7	10	2	2	7	8	8	8	8
65+										
TOT. SINGLE DX	3114	2.4	2	<1	1	2	3	4	5	6
" MULTIPLE DX	5748	3.7	4	1	2	4	4	5	6	9
TOTAL 0-19 YRS	30	3.7	6	<1	1	3	4	6	7	14
20-34	6431	3.3	4	1	1	3	4	5	6	8
35-49	2395	3.2	4	1	1	3	4	5	6	9
50-64	6	5.3	9	2	2	5	8	9	9	9
65+										
GRAND TOTAL	**8862**	**3.3**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	5.3	2	3	3	5	6	8	8	10
20-34	1668	5.2	3	2	3	5	6	7	8	10
35-49	271	5.3	6	1	2	5	7	8	8	16
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	119	6.0	7	3	4	6	7	9	11	18
20-34	1923	5.5	5	2	3	6	7	8	9	12
35-49	422	5.5	7	2	2	5	7	8	9	16
50-64	4	27.5	817	8	8	16	43	70	70	70
65+	6	17.2	184	3	4	11	31	36	37	37
TOT. SINGLE DX	2040	5.3	4	2	3	5	6	7	8	11
" MULTIPLE DX	2474	5.6	8	2	3	6	7	8	9	14
TOTAL 0-19 YRS	218	5.7	6	3	4	5	6	8	9	14
20-34	3591	5.4	5	2	3	5	6	7	8	12
35-49	693	5.4	7	1	2	5	7	8	9	16
50-64	5	24.6	655	8	8	16	30	70	70	70
65+	7	15.4	175	3	3	10	26	36	37	37
GRAND TOTAL	**4514**	**5.5**	**6**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	1.8		<1	<1	2	2	3	3	3
20-34	849	2.1	1	<1	1	2	3	3	4	6
35-49	352	2.4	2	1	1	2	3	4	4	10
50-64	119	2.4	1	1	1	2	3	4	4	9
65+	41	2.6	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	11	2.1		<1	<1	2	3	3	3	3
20-34	414	2.5	1	<1	1	2	3	4	5	9
35-49	312	3.0	22	1	1	2	3	4	6	20
50-64	134	3.1	12	1	1	2	3	5	8	20
65+	73	5.0	20	1	2	3	5	11	14	22
TOT. SINGLE DX	1379	2.2	1	<1	1	2	3	3	4	7
" MULTIPLE DX	944	2.9	12	1	1	2	3	4	6	16
TOTAL 0-19 YRS	29	1.9	1	<1	<1	2	3	3	3	3
20-34	1263	2.2	1	<1	1	2	3	3	4	8
35-49	664	2.7	12	1	1	2	3	4	5	14
50-64	253	2.7	8	1	1	2	3	4	5	14
65+	114	4.1	15	1	2	3	4	10	13	21
GRAND TOTAL	**2323**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	1.9	2	<1	<1	2	2	3	4	9
20-34	383	1.9	1	<1	<1	2	2	3	3	8
35-49	727	1.9	2	<1	<1	2	2	2	3	8
50-64	418	2.0	2	<1	1	2	2	3	4	10
65+	155	3.4	12	1	1	2	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	31	1.7		<1	<1	2	2	2	3	6
20-34	642	2.3	7	<1	<1	2	2	4	6	12
35-49	1721	2.3	7	<1	1	2	2	3	6	14
50-64	905	3.1	33	<1	1	2	2	5	9	22
65+	518	6.6	74	1	2	3	8	15	22	57
TOT. SINGLE DX	1719	2.1	3	<1	<1	2	2	3	4	9
" MULTIPLE DX	3817	3.1	25	<1	1	2	2	6	9	24
TOTAL 0-19 YRS	67	1.8	2	<1	<1	2	2	3	3	8
20-34	1025	2.2	5	<1	<1	2	2	3	5	11
35-49	2448	2.2	6	<1	1	2	2	3	5	13
50-64	1323	2.8	24	<1	1	2	2	4	8	18
65+	673	5.9	62	1	2	3	7	13	20	55
GRAND TOTAL	**5536**	**2.8**	**18**	**<1**	**1**	**2**	**2**	**5**	**8**	**20**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.7	3	1	2	4	4	7	8	8
20-34	689	3.0	5	1	1	3	4	5	6	8
35-49	103	2.8	1	1	1	3	3	4	5	7
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	6	2.7	1	1	1	3	4	4	4	4
20-34	220	4.8	27	1	2	3	5	8	12	31
35-49	39	4.6	19	1	1	3	5	13	15	19
50-64	5	3.6	8	1	1	2	6	8	8	8
65+										
TOT. SINGLE DX	813	3.0	5	1	1	3	4	5	6	8
" MULTIPLE DX	270	4.7	26	1	2	3	5	8	13	27
TOTAL 0-19 YRS	25	3.5	3	1	2	3	4	6	7	8
20-34	909	3.4	12	1	1	3	4	5	7	15
35-49	142	3.3	7	1	1	3	4	5	7	16
50-64	7	3.4	7	1	1	2	5	7	8	8
65+										
GRAND TOTAL	1083	3.4	11	1	1	3	4	5	7	15

670: Hysterotomy and excision of lesion of uterus (66.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.6	2	<1	<1	2	4	5	5	5
20-34	292	5.5	5	<1	2	6	7	8	9	11
35-49	137	5.3	9	<1	1	6	8	9	10	16
50-64	46	3.2	9	<1	<1	2	4	9	10	12
65+	16	3.6	17	1	2	2	3	8	15	18
2. MULTIPLE DX										
0-19 YRS	13	4.1	6	<1	1	5	6	7	8	8
20-34	493	6.2	17	1	2	6	8	9	11	16
35-49	411	5.6	29	<1	1	6	8	9	11	34
50-64	152	3.6	23	<1	1	2	3	8	14	26
65+	100	7.7	77	1	1	4	11	17	27	43
TOT. SINGLE DX	498	5.2	8	<1	1	6	7	8	9	12
" MULTIPLE DX	1169	5.8	28	<1	1	6	7	9	13	29
TOTAL 0-19 YRS	20	3.6	6	<1	<1	3	5	7	8	8
20-34	785	6.0	13	1	2	6	7	9	10	15
35-49	548	5.5	24	<1	1	6	8	9	10	28
50-64	198	3.5	20	<1	1	2	3	8	11	22
65+	116	7.1	71	1	1	3	10	17	24	41
GRAND TOTAL	1667	5.6	22	<1	1	6	7	9	11	22

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	20.0	288	8	8	20	32	32	32	32
20-34	553	7.1	5	5	5	7	8	9	11	17
35-49	1975	7.3	3	5	6	7	8	9	10	15
50-64	675	8.0	7	6	6	7	8	10	12	18
65+	277	9.3	15	6	6	8	10	14	17	27
2. MULTIPLE DX										
0-19 YRS	15	11.3	94	5	5	7	10	29	36	39
20-34	2556	7.5	8	5	5	7	8	10	12	19
35-49	10710	8.0	10	5	6	7	9	11	13	21
50-64	3372	9.3	26	6	6	8	10	14	18	30
65+	1410	13.3	80	6	7	10	16	23	31	54
TOT. SINGLE DX	3482	7.6	6	5	6	7	8	10	11	17
" MULTIPLE DX	18063	8.6	21	5	6	7	9	12	16	28
TOTAL 0-19 YRS	17	12.3	109	5	5	7	11	31	37	39
20-34	3109	7.4	8	5	5	7	8	10	12	18
35-49	12685	7.9	10	5	6	7	8	10	13	20
50-64	4047	9.1	24	6	6	8	10	13	17	29
65+	1687	12.7	72	6	7	10	14	22	28	52
GRAND TOTAL	21545	8.5	19	5	6	7	9	12	15	27

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	201	5.7	1	4	4	6	6	7	8	10
35-49	335	6.3	3	4	4	6	7	8	10	12
50-64	342	7.6	4	5	5	7	8	10	11	14
65+	316	8.0	7	5	5	8	9	11	12	19
2. MULTIPLE DX										
0-19 YRS	6	7.3	6	5	5	7	11	82	99+	99+
20-34	674	6.3	6	4	4	6	7	8	10	13
35-49	1823	7.1	7	4	5	6	8	10	12	19
50-64	1060	8.4	10	5	6	8	9	12	15	20
65+	960	9.9	39	6	6	8	10	14	18	39
TOT. SINGLE DX	1195	7.0	5	4	5	7	8	10	11	14
" MULTIPLE DX	4523	7.9	16	4	5	7	9	11	14	24
TOTAL 0-19 YRS	7	7.6	6	5	5	7	10	74	99+	99+
20-34	875	6.1	5	4	4	6	7	8	10	13
35-49	2158	7.0	7	4	5	6	8	10	12	18
50-64	1402	8.2	9	5	6	8	9	12	14	19
65+	1276	9.4	32	5	6	8	10	13	17	33
GRAND TOTAL	5718	7.7	14	4	5	7	8	11	13	21

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	14	12.9	21	6	6	11	16	19	21	21
35-49	15	13.5	11	7	9	14	16	17	19	20
50-64	9	10.8	8	7	7	11	12	15	16	16
65+	7	14.1	18	9	9	16	18	19	19	19
2. MULTIPLE DX										
0-19 YRS										
20-34	21	16.4	231	5	6	11	17	37	56	69
35-49	60	14.7	72	7	8	13	16	23	33	51
50-64	39	19.1	105	9	10	16	22	28	38	63
65+	32	28.8	374	10	12	22	36	67	77	99+
TOT. SINGLE DX	47	12.6	15	7	8	12	16	19	19	21
" MULTIPLE DX	152	19.0	191	7	9	14	22	34	56	79
TOTAL 0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	35	14.8	148	5	7	11	17	21	42	69
35-49	75	14.4	60	7	8	13	16	20	32	50
50-64	48	17.5	98	8	9	15	21	28	37	63
65+	39	26.1	341	9	10	20	33	64	74	99+
GRAND TOTAL	199	17.5	157	7	8	14	20	32	46	74

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	517	1.1		<1	<1	<1	<1	1	2	3
20-34	2073	1.1		<1	<1	<1	1	1	2	3
35-49	274	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	52	2.8	6	<1	<1	1	3	7	9	10
20-34	322	2.7	19	<1	<1	1	3	6	8	18
35-49	146	2.0	2	<1	<1	1	2	5	5	7
50-64										
65+										
TOT. SINGLE DX	2864	1.1		<1	<1	<1	<1	1	2	3
" MULTIPLE DX	520	2.5	13	<1	<1	1	3	5	7	14
TOTAL 0-19 YRS	569	1.2	1	<1	<1	<1	1	2	2	7
20-34	2395	1.3	3	<1	<1	<1	1	1	2	8
35-49	420	1.5	1	<1	<1	<1	1	2	4	6
50-64										
65+										
GRAND TOTAL	3384	1.3	3	<1	<1	<1	1	2	3	7

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1713	1.6	1	[illegible]						
20-34	14491	[illegible]								
35-49	7047	[illegible]								
50-64	2570	[illegible]								
65+	599	1.7	16							
2. MULTIPLE DX										
0-19 YRS	576	[illegible]								
20-34	6902	[illegible]								
35-49	6888	[illegible]								
50-64	3800	[illegible]								
65+	1480	[illegible]								
TOT. SINGLE DX	26420	1.6	1							
" MULTIPLE DX	21646	2.6	15							
TOTAL 0-19 YRS	2289	[illegible]								
20-34	21393	[illegible]								
35-49	15935	[illegible]								
50-64	6370	[illegible]								
65+	2079	4.6	59							
GRAND TOTAL	48066	2.0	8	<1	<1	1	2	3	5	12

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1933	1.0		<1	<1	<1	<1	1	1	2
20-34	6590	1.1		<1	<1	<1	<1	1	1	2
35-49	819	1.1		<1	<1	<1	<1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	801	1.2	1	<1	<1	<1	<1	1	2	7
20-34	2591	1.5	3	<1	<1	<1	1	2	4	9
35-49	595	2.0	4	<1	<1	1	1	4	8	11
50-64										
65+										
TOT. SINGLE DX	9342	1.1		<1	<1	<1	<1	1	1	2
" MULTIPLE DX	3987	1.5	4	<1	<1	<1	1	3	4	9
TOTAL 0-19 YRS	2734	1.1	1	<1	<1	<1	<1	1	1	2
20-34	9181	1.2	2	<1	<1	<1	<1	1	2	4
35-49	1414	1.5	3	<1	<1	<1	1	2	4	8
50-64										
65+										
GRAND TOTAL	13329	1.2	1	<1	<1	<1	<1	1	2	5

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	344	1.4	1	<1	<1	1	1	2	3	6
20-34	2285	1.3		<1	<1	1	1	2	2	5
35-49	430	1.2		<1	<1	1	1	2	2	3
50-64	7	1.9	1	<1	<1	2	2	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	46	2.3	4	<1	<1	1	3	6	7	8
20-34	404	2.3	13	<1	<1	1	2	4	5	14
35-49	102	2.5	5	<1	<1	1	3	6	8	11
50-64	9	4.8	41	<1	<1	1	6	16	17	17
65+	10	12.5	317	<1	1	6	20	75	98	99+
TOT. SINGLE DX	3067	1.3	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	571	2.5	18	<1	<1	1	3	5	7	19
TOTAL 0-19 YRS	390	1.5	1	<1	<1	1	2	3	4	7
20-34	2689	1.5	3	<1	<1	1	1	2	3	6
35-49	532	1.5	2	<1	<1	1	1	2	3	8
50-64	16	3.5	25	<1	<1	2	3	14	16	17
65+	11	11.5	295	<1	1	5	20	71	96	99+
GRAND TOTAL	**3638**	**1.5**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	26	5.2	4	2	2	5	7	8	9	10
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	6	6.8	11	2	2	7	10	11	11	11
65+	4	7.8	2	6	6	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	67	4.9	5	1	1	5	6	7	8	11
35-49	15	7.3	7	4	4	7	8	11	13	14
50-64	12	7.8	5	2	4	8	9	10	10	10
65+	19	10.3	30	4	5	9	12	20	22	24
TOT. SINGLE DX	38	5.6	7	1	2	6	7	9	10	11
" MULTIPLE DX	114	6.4	13	1	2	6	7	10	12	22
TOTAL 0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	93	5.0	5	1	2	5	6	8	8	11
35-49	16	6.9	9	1	4	7	8	11	13	14
50-64	18	7.4	7	2	3	8	10	10	11	11
65+	23	9.8	26	4	6	9	11	20	22	24
GRAND TOTAL	**152**	**6.2**	**12**	**1**	**2**	**6**	**7**	**10**	**11**	**20**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	3.2	4	1	1	3	5	6	7	8
20-34	209	3.3	5	<1	<1	2	5	7	7	10
35-49	52	2.7	3	<1	<1	2	4	6	7	9
50-64	33	3.9	7	<1	1	4	5	6	8	16
65+	19	4.6	6	2	2	4	5	9	12	12
2. MULTIPLE DX										
0-19 YRS	14	3.8	4	1	1	4	6	7	7	7
20-34	240	3.8	8	<1	<1	3	6	7	8	11
35-49	109	4.0	11	<1	1	3	5	8	10	18
50-64	66	4.9	23	1	2	4	5	10	16	29
65+	59	4.7	14	1	2	4	5	7	12	23
TOT. SINGLE DX	342	3.3	6	<1	<1	3	5	7	7	10
" MULTIPLE DX	488	4.1	12	<1	1	3	5	7	9	19
TOTAL 0-19 YRS	43	3.4	5	1	1	3	5	6	7	8
20-34	449	3.6	8	<1	<1	3	5	7	8	10
35-49	161	3.6	9	<1	<1	2	5	7	9	17
50-64	99	4.6	19	1	2	4	5	8	13	26
65+	78	4.7	12	1	2	4	5	8	12	22
GRAND TOTAL	**830**	**3.8**	**10**	**<1**	**1**	**3**	**5**	**7**	**8**	**16**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	62	5.5	6	2	2	5	6	8	9	15
35-49	191	6.4	5	3	4	6	8	9	10	13
50-64	374	6.8	4	4	4	7	8	10	11	15
65+	286	7.2	10	4	5	7	8	10	11	15
2. MULTIPLE DX										
0-19 YRS	3	8.3	56	1	1	8	14	16	16	16
20-34	130	6.6	5	3	4	6	8	10	11	13
35-49	516	7.6	9	4	4	7	9	12	13	18
50-64	706	8.2	15	4	5	7	9	12	14	21
65+	634	8.9	21	5	5	8	10	14	16	24
TOT. SINGLE DX	915	6.7	7	3	4	7	8	10	11	15
" MULTIPLE DX	1989	8.2	16	4	5	7	9	12	14	21
TOTAL 0-19 YRS	5	7.0	32	1	1	6	10	16	16	16
20-34	192	6.2	6	2	3	6	7	9	11	13
35-49	707	7.3	9	3	4	7	8	11	13	17
50-64	1080	7.7	12	4	5	7	9	11	13	19
65+	920	8.4	19	4	5	8	9	12	15	22
GRAND TOTAL	**2904**	**7.7**	**14**	**4**	**4**	**7**	**9**	**11**	**14**	**19**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	3.0	14	<1	1	1	2	10	13	16
20-34	115	3.7	7	<1	1	3	5	7	9	15
35-49	52	4.1	15	<1	1	3	5	9	10	20
50-64	32	4.9	9	<1	1	5	7	8	9	12
65+	21	7.1	24	2	2	6	8	15	18	21
2. MULTIPLE DX										
0-19 YRS	28	5.7	24	1	1	4	9	12	16	21
20-34	76	5.3	17	1	1	4	7	9	13	22
35-49	64	7.6	113	1	2	6	9	12	14	76
50-64	53	8.5	30	2	3	7	10	14	18	36
65+	63	8.8	34	2	4	8	11	15	24	91
TOT. SINGLE DX	269	4.1	13	<1	1	3	6	8	10	19
" MULTIPLE DX	284	7.2	47	1	2	6	9	13	16	36
TOTAL 0-19 YRS	77	4.0	20	<1	1	2	6	11	13	20
20-34	191	4.4	12	<1	1	3	5	8	11	20
35-49	116	6.0	72	1	1	4	8	11	13	43
50-64	85	7.1	26	1	2	7	9	13	14	31
65+	84	8.4	32	2	3	7	10	15	22	77
GRAND TOTAL	553	5.7	33	1	1	4	8	11	14	23

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	2.5	6	<1	<1	2	3	5	7	13
20-34	381	2.7	6	<1	<1	2	3	6	8	13
35-49	122	3.7	16	<1	<1	2	5	7	11	25
50-64	79	4.9	31	<1	1	4	6	9	11	35
65+	107	4.3	10	<1	1	4	6	7	9	19
2. MULTIPLE DX										
0-19 YRS	94	5.0	49	<1	<1	3	6	9	12	44
20-34	323	4.7	30	<1	1	3	6	10	14	22
35-49	165	6.6	75	1	1	4	8	14	19	53
50-64	228	6.7	40	1	2	5	8	13	21	31
65+	347	10.4	161	2	2	7	11	25	47	99+
TOT. SINGLE DX	821	3.3	11	<1	<1	2	4	7	9	17
" MULTIPLE DX	1157	7.1	85	<1	1	5	8	15	23	55
TOTAL 0-19 YRS	226	3.5	26	<1	<1	2	4	7	9	32
20-34	704	3.6	19	<1	<1	2	4	8	11	18
35-49	287	5.4	52	<1	1	3	6	11	17	41
50-64	307	6.2	38	1	1	5	7	12	21	32
65+	454	8.9	133	1	2	6	9	19	36	99
GRAND TOTAL	1978	5.5	58	<1	1	3	7	11	17	49

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	2.1	1	<1	<1	2	3	4	4	9
20-34	982	2.0	1	<1	<1	2	2	3	4	6
35-49	489	2.1	3	<1	<1	2	3	3	4	8
50-64	199	2.2	1	<1	<1	2	3	4	5	7
65+	89	3.3	11	<1	1	2	4	6	7	22
2. MULTIPLE DX										
0-19 YRS	70	3.4	10	<1	<1	3	4	6	9	18
20-34	344	3.3	7	<1	1	3	4	5	8	17
35-49	203	3.8	16	<1	<1	2	4	8	12	23
50-64	145	4.8	35	<1	1	3	5	11	15	31
65+	206	8.2	101	1	2	4	10	21	30	78
TOT. SINGLE DX	1961	2.1	3	<1	<1	2	3	3	4	7
" MULTIPLE DX	968	4.7	37	<1	1	3	5	10	15	33
TOTAL 0-19 YRS	272	2.5	4	<1	<1	2	3	4	6	10
20-34	1326	2.3	3	<1	<1	2	3	4	5	10
35-49	692	2.6	8	<1	<1	2	3	4	6	16
50-64	344	3.3	17	<1	<1	2	3	7	10	19
65+	295	6.7	79	1	2	3	7	15	27	61
GRAND TOTAL	2929	2.9	15	<1	<1	2	3	5	8	21

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.8		1	1	2	2	3	3	3
20-34	15	2.5	1	1	2	2	3	4	5	5
35-49	16	4.6	8	<1	1	4	7	9	10	10
50-64	25	8.5	124	1	2	3	9	20	37	50
65+	30	9.5	114	2	2	5	11	24	31	50
2. MULTIPLE DX										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	9	3.9	8	<1	<1	3	6	8	8	8
35-49	16	8.9	140	1	1	3	11	27	37	41
50-64	36	14.4	127	2	3	11	19	30	39	48
65+	87	19.1	191	4	5	17	26	37	47	93
TOT. SINGLE DX	91	6.8	80	1	2	3	8	13	26	50
" MULTIPLE DX	151	15.7	178	2	3	11	22	34	41	81
TOTAL 0-19 YRS	8	2.1	1	1	1	2	3	4	4	4
20-34	24	3.0	4	<1	1	2	4	6	8	8
35-49	32	6.8	77	1	1	3	7	15	27	41
50-64	61	12.0	133	2	2	9	15	30	39	50
65+	117	16.6	189	2	3	12	24	35	47	87
GRAND TOTAL	242	12.3	159	1	2	8	17	31	39	61

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	1.8	1	<1	<1	1	2	4	4	4
20-34	71	2.9	5	<1	1	3	3	4	6	15
35-49	10	1.7		<1	<1	1	2	3	3	3
50-64	18	3.2	3	1	1	3	5	5	7	8
65+										
2. MULTIPLE DX										
0-19 YRS	21	2.7	8	<1	<1	1	3	8	10	11
20-34	35	3.5	4	<1	1	3	5	6	7	8
35-49	11	2.5	2	<1	<1	2	4	5	5	5
50-64	17	5.9	54	<1	1	3	6	20	25	26
65+	11	11.8	115	3	4	7	16	27	39	40
TOT. SINGLE DX	149	2.5	4	<1	<1	2	3	4	5	9
" MULTIPLE DX	95	4.6	33	<1	1	3	5	8	16	34
TOTAL 0-19 YRS	71	2.1	3	<1	<1	1	3	4	4	11
20-34	106	3.1	5	<1	1	3	4	6	6	13
35-49	21	2.1	2	<1	<1	2	3	4	5	5
50-64	35	4.5	29	1	1	3	5	8	19	26
65+	11	11.8	115	3	4	7	16	27	39	40
GRAND TOTAL	**244**	**3.3**	**16**	**<1**	**1**	**2**	**4**	**6**	**8**	**23**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.9	10	<1	<1	2	3	9	10	10
20-34	14	3.9	3	<1	<1	4	5	6	7	7
35-49	7	1.3		<1	<1	1	2	2	2	2
50-64	3	2.7	1	2	2	2	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	8	2.1	5	<1	<1	1	3	6	7	7
20-34	10	12.2	303	1	1	4	11	44	52	52
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	9	4.6	42	1	1	2	4	16	21	21
65+	12	10.0	97	2	2	7	11	28	33	34
TOT. SINGLE DX	31	2.9	5	<1	<1	2	5	6	7	10
" MULTIPLE DX	42	7.4	118	<1	1	3	7	22	35	52
TOTAL 0-19 YRS	15	2.5	7	<1	<1	1	3	7	9	10
20-34	24	7.3	139	<1	1	4	6	13	41	52
35-49	10	1.9	2	<1	<1	1	2	4	5	5
50-64	12	4.1	32	1	1	2	3	12	20	21
65+	12	10.0	97	2	2	7	11	28	33	34
GRAND TOTAL	**73**	**5.5**	**74**	**<1**	**<1**	**3**	**6**	**10**	**24**	**48**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	840	3.3	1	2	2	3	4	4	5	6
20-34	6168	3.4		2	3	3	4	4	5	6
35-49	474	3.5	1	2	3	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	790	3.7	4	2	2	3	4	5	6	13
20-34	5676	3.9	3	2	3	4	4	5	6	9
35-49	555	4.0	3	2	3	4	4	6	6	10
50-64										
65+										
TOT. SINGLE DX	7482	3.4	1	2	2	3	4	4	5	6
" MULTIPLE DX	7021	3.9	4	2	3	4	4	5	6	10
TOTAL 0-19 YRS	1630	3.5	3	2	2	3	4	5	5	10
20-34	11844	3.6	2	2	3	3	4	5	5	8
35-49	1029	3.8	2	2	3	4	4	5	6	9
50-64										
65+										
GRAND TOTAL	**14503**	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.9		1	2	3	3	4	5	5
20-34	284	3.1		2	2	3	3	4	5	6
35-49	27	4.5	48	1	2	3	4	5	10	39
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	39	2.7	1	1	1	3	3	4	4	6
20-34	482	3.8	14	1	2	3	4	5	7	18
35-49	52	4.2	11	1	2	3	5	6	9	25
50-64										
65+										
TOT. SINGLE DX	348	3.2	5	2	2	3	4	4	5	6
" MULTIPLE DX	573	3.8	13	1	2	3	4	5	7	18
TOTAL 0-19 YRS	76	2.8	1	1	1	3	3	4	5	6
20-34	766	3.5	9	1	2	3	4	5	6	14
35-49	79	4.3	24	1	2	3	4	5	8	35
50-64										
65+										
GRAND TOTAL	**921**	**3.5**	**10**	**1**	**2**	**3**	**4**	**5**	**6**	**15**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	3.4	1	2	2	3	4	4	5	8
20-34	1178	3.4	1	2	2	3	4	4	5	6
35-49	82	3.6	1	2	3	4	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	205	3.6	2	2	3	3	4	5	6	8
20-34	1636	3.8	4	2	3	4	4	5	6	9
35-49	127	3.8	2	2	3	4	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	1441	3.4	1	2	2	3	4	4	5	7
" MULTIPLE DX	1968	3.8	4	2	3	4	4	5	6	9
TOTAL 0-19 YRS	386	3.5	2	2	2	3	4	4	6	8
20-34	2814	3.6	3	2	3	3	4	5	5	8
35-49	209	3.7	2	2	3	4	4	5	5	7
50-64										
65+										
GRAND TOTAL	3409	3.6	3	2	3	3	4	5	6	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8001	3.1		2	2	3	3	4	4	6
20-34	54930	3.1	1	2	2	3	3	4	4	6
35-49	3740	3.2		2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1840	3.7	8	2	2	3	4	5	7	13
20-34	13687	3.6	4	2	2	3	4	5	6	10
35-49	1339	3.9	4	2	2	4	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	66671	3.1	1	2	2	3	3	4	4	6
" MULTIPLE DX	16866	3.6	5	2	2	3	4	5	6	11
TOTAL 0-19 YRS	9841	3.2	2	2	2	3	4	4	5	8
20-34	68617	3.2	2	2	2	3	4	4	5	7
35-49	5079	3.4	2	2	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	83537	3.2	2	2	2	3	4	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	993	6.0	3	4	4	6	7	8	8	12
20-34	11949	6.0	3	4	5	6	7	7	8	10
35-49	989	6.5	3	4	5	6	7	8	9	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1912	6.7	10	4	5	6	7	9	12	20
20-34	21122	6.5	9	4	5	6	7	8	10	18
35-49	2729	7.2	16	5	5	6	7	9	11	24
50-64										
65+										
TOT. SINGLE DX	13931	6.1	3	4	5	6	7	8	8	11
" MULTIPLE DX	25763	6.6	10	4	5	6	7	8	10	18
TOTAL 0-19 YRS	2905	6.5	8	4	5	6	7	9	11	18
20-34	33071	6.3	7	4	5	6	7	8	9	15
35-49	3718	7.0	13	5	5	6	7	9	11	22
50-64										
65+										
GRAND TOTAL	39694	6.4	8	4	5	6	7	8	9	16

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	6.0	3	4	4	6	7	8	9	14
20-34	411	6.0	2	4	4	6	7	8	8	10
35-49	28	6.1	2	4	4	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	55	7.4	25	4	4	7	8	11	12	39
20-34	702	7.4	35	4	5	6	7	9	13	36
35-49	87	8.4	34	4	5	7	8	11	20	38
50-64										
65+										
TOT. SINGLE DX	479	6.0	3	4	4	6	7	8	8	10
" MULTIPLE DX	844	7.5	35	4	5	6	8	10	14	36
TOTAL 0-19 YRS	95	6.8	16	4	4	6	7	9	12	29
20-34	1113	6.9	24	4	5	6	7	9	11	29
35-49	115	7.8	28	4	5	7	8	10	15	35
50-64										
65+										
GRAND TOTAL	1323	7.0	24	4	5	6	7	9	11	30

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.8	2	3	3	4	5	7	8	8
20-34	44	4.6	2	2	3	5	6	7	7	8
35-49	5	6.4	5	4	4	6	7	10	10	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	57	5.9	3	3	4	6	7	9	10	11
35-49	11	6.3	3	4	4	6	7	9	9	9
50-64										
65+										
TOT. SINGLE DX	57	4.8	3	2	3	5	6	7	8	10
" MULTIPLE DX	69	6.0	4	3	4	6	7	9	10	13
TOTAL 0-19 YRS	9	5.7	10	3	3	4	6	11	13	13
20-34	101	5.3	3	3	3	5	6	8	9	11
35-49	16	6.3	3	4	4	6	7	9	10	10
50-64										
65+										
GRAND TOTAL	**126**	**5.5**	**4**	**3**	**3**	**5**	**6**	**8**	**9**	**12**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1817	1.6		1	1	1	2	2	3	4
20-34	2089	1.6	1	1	1	1	2	3	3	4
35-49	163	1.8		1	1	2	2	3	3	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	102	2.1	2	1	1	2	2	4	5	8
20-34	192	3.1	10	1	1	2	4	6	8	16
35-49	35	3.5	64	1	1	2	3	4	7	49
50-64										
65+										
TOT. SINGLE DX	4069	1.6	1	1	1	1	2	2	3	4
" MULTIPLE DX	329	2.9	14	1	1	2	3	5	7	16
TOTAL 0-19 YRS	1919	1.6	1	1	1	1	2	2	3	5
20-34	2281	1.8	2	1	1	1	2	3	3	6
35-49	198	2.1	12	1	1	2	2	3	4	8
50-64										
65+										
GRAND TOTAL	**4398**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	4.1	6	1	1	4	6	8	9	9
20-34	92	3.8	12	<1	<1	2	5	9	11	15
35-49	23	2.8	7	<1	<1	1	4	8	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	4.4	7	<1	<1	4	6	9	10	10
20-34	411	1.6	3	<1	<1	<1	<1	3	6	10
35-49	564	1.1	2	<1	<1	<1	<1	<1	<1	7
50-64										
65+										
TOT. SINGLE DX	142	3.7	11	<1	<1	2	5	9	10	15
" MULTIPLE DX	992	1.4	3	<1	<1	<1	<1	<1	4	10
TOTAL 0-19 YRS	44	4.2	7	<1	1	4	6	8	9	10
20-34	503	2.0	6	<1	<1	<1	1	5	8	12
35-49	587	1.2	3	<1	<1	<1	<1	<1	<1	8
50-64										
65+										
GRAND TOTAL	**1134**	**1.7**	**5**	**<1**	**<1**	**<1**	**<1**	**3**	**6**	**11**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1247	2.5	2	<1	<1	3	3	4	5	7
20-34	7648	2.7	2	<1	<1	3	3	4	4	6
35-49	544	2.8	3	<1	<1	3	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	492	3.4	12	<1	<1	3	4	6	7	15
20-34	3217	3.4	10	<1	1	3	4	5	7	15
35-49	335	3.6	3	<1	1	3	4	6	7	12
50-64										
65+										
TOT. SINGLE DX	9439	2.7	2	<1	<1	3	3	4	4	7
" MULTIPLE DX	4044	3.4	10	<1	1	3	4	5	7	15
TOTAL 0-19 YRS	1739	2.8	5	<1	<1	3	3	4	6	10
20-34	10865	2.9	5	<1	<1	3	3	4	5	9
35-49	879	3.1	4	<1	1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**13483**	**2.9**	**5**	**<1**	**<1**	**3**	**3**	**4**	**5**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1471	3.0		2	2	3	3	4	4	5
20-34	10862	3.0		2	2	3	3	4	4	5
35-49	904	3.0		1	2	3	4	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1078	3.4	3	2	2	3	4	4	6	9
20-34	7913	3.4	3	2	2	3	4	5	5	9
35-49	808	3.6	3	2	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	13237	3.0	1	2	2	3	3	4	4	5
" MULTIPLE DX	9799	3.4	4	2	2	3	4	5	5	9
TOTAL 0-19 YRS	2549	3.2	2	2	2	3	4	4	5	7
20-34	18775	3.2	2	2	2	3	4	4	5	7
35-49	1712	3.3	2	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	23036	3.2	2	2	2	3	4	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	4.1	8	1	2	3	5	9	11	12
20-34	48	4.0	8	1	1	3	4	9	10	13
35-49	34	5.6	30	<1	1	3	7	14	16	25
50-64	42	4.7	18	1	1	3	7	11	12	20
65+	29	7.7	68	1	2	3	11	19	22	37
2. MULTIPLE DX										
0-19 YRS	45	4.1	6	1	2	4	4	7	9	16
20-34	43	5.5	32	2	2	4	6	9	18	32
35-49	34	9.0	89	1	1	2	4	10	13	56
50-64	56	8.1	152	1	1	3	9	14	48	59
65+	57	12.5	196	2	2	9	17	35	39	98
TOT. SINGLE DX	181	5.1	25	1	1	3	7	12	14	24
" MULTIPLE DX	245	7.5	114	1	2	4	9	16	32	61
TOTAL 0-19 YRS	73	4.1	7	1	2	4	4	8	10	15
20-34	91	4.7	20	1	2	4	5	9	13	28
35-49	68	5.3	59	1	1	3	5	13	15	50
50-64	108	6.8	102	1	1	3	9	13	20	57
65+	85	10.9	157	2	2	7	14	26	37	93
GRAND TOTAL	426	6.5	78	1	2	4	8	14	22	54

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	4.4	5	2	3	4	5	6	9	16
20-34	352	3.9	2	2	2	4	4	6	7	10
35-49	120	3.7	2	1	2	4	4	5	6	9
50-64	55	3.7	8	2	2	3	4	6	8	19
65+	19	3.7	3	2	2	3	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	231	5.4	19	3	3	4	5	9	13	28
20-34	287	4.4	4	2	3	4	5	6	8	12
35-49	105	4.9	39	2	2	4	5	7	11	39
50-64	61	5.7	87	2	2	3	5	11	14	66
65+	33	8.1	123	2	2	4	6	26	41	45
TOT. SINGLE DX	741	4.0	4	2	2	4	5	6	7	12
" MULTIPLE DX	717	5.1	27	2	2	4	5	7	11	27
TOTAL 0-19 YRS	426	5.0	14	2	3	4	5	8	11	23
20-34	639	4.1	3	2	3	4	5	6	8	10
35-49	225	4.3	20	1	2	4	4	6	7	24
50-64	116	4.8	51	2	2	3	5	9	13	37
65+	52	6.5	83	2	2	4	5	13	27	45
GRAND TOTAL	1458	4.5	16	2	2	4	5	7	9	21

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	2.9	2	1	1	3	3	6	6	9
20-34	254	3.4	9	1	1	3	4	6	7	13
35-49	50	3.4	5	1	2	3	4	6	8	14
50-64	11	3.7	2	2	2	4	5	6	6	6
65+	5	5.8	11	2	2	5	8	11	11	11
2. MULTIPLE DX										
0-19 YRS	230	5.6	76	1	1	3	5	9	19	63
20-34	326	6.0	59	1	2	4	7	11	17	44
35-45	73	6.1	24	1	2	5	8	13	16	23
50-64	31	6.2	21	2	2	4	8	14	15	19
65+	22	13.0	328	2	3	9	14	20	49	90
TOT. SINGLE DX	477	3.3	7	1	1	3	4	6	7	11
" MULTIPLE DX	682	6.1	69	1	2	4	7	12	17	44
TOTAL 0-19 YRS	387	4.5	48	1	1	3	5	7	10	38
20-34	580	4.9	39	1	1	3	5	8	12	32
35-49	123	5.0	18	1	2	4	6	12	14	22
50-64	42	5.5	17	2	2	4	6	13	14	19
65+	27	11.7	276	2	3	8	12	20	31	90
GRAND TOTAL	1159	4.9	46	1	1	3	5	9	13	34

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	96	3.9	10	2	2	3	4	6	11	19
20-34	323	3.3	4	1	1	3	4	6	8	11
35-49	113	3.8	7	1	1	3	4	6	10	14
50-64	30	3.5	4	1	1	3	4	7	8	10
65+	17	4.8	9	2	2	4	5	9	13	14
2. MULTIPLE DX										
0-19 YRS	183	7.4	46	2	2	5	9	14	24	54
20-34	390	7.6	82	2	2	5	9	16	22	54
35-49	165	8.9	79	2	3	6	10	18	22	49
50-64	103	8.0	29	2	3	7	11	16	20	24
65+	46	15.6	142	3	4	12	23	37	59	99+
TOT. SINGLE DX	579	3.5	6	1	1	3	4	6	8	13
" MULTIPLE DX	867	8.4	75	2	2	6	10	17	24	55
TOTAL 0-19 YRS	279	6.2	37	2	2	4	7	12	20	36
20-34	713	5.6	52	1	2	4	7	12	17	44
35-49	278	6.6	53	1	2	4	9	13	19	45
50-64	133	6.9	27	2	3	5	10	13	19	23
65+	63	12.7	144	3	3	9	15	33	54	99+
GRAND TOTAL	1466	6.5	53	1	2	4	8	13	19	46

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	26	4.8	13	1	1	4	6	11	13	15
20-34	19	4.6	14	1	1	3	5	9	19	22
35-49	26	3.5	6	1	1	3	5	6	7	11
50-64	18	3.0	2	1	1	3	4	6	6	6
65+	9	2.8	1	2	2	3	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	24	9.4	35	1	1	5	8	10	16	21
20-34	21	5.6	32	1	1	4	7	10	19	47
35-49	20	9.1	208	1	1	3	6	28	49	56
50-64	21	9.2	228	1	1	3	12	18	44	70
65+	18	10.1	117	1	1	5	15	28	35	38
TOT. SINGLE DX	98	3.9	12	1	1	3	5	6	11	21
" MULTIPLE DX	104	7.9	119	1	1	4	9	16	30	62
TOTAL 0-19 YRS	50	5.6	24	1	1	5	7	10	12	21
20-34	40	5.2	33	1	1	3	6	10	19	47
35-49	46	5.9	98	1	1	3	5	11	19	56
50-64	39	6.3	131	1	1	3	6	13	19	70
65+	27	7.6	90	1	1	3	9	21	31	38
GRAND TOTAL	202	6.0	71	1	2	3	6	12	19	49

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	415	6.2	44	1	2	4	7	12	19	39
20-34	311	4.7	36	1	1	3	5	8	12	44
35-49	260	5.1	29	1	1	4	6	10	13	28
50-64	260	7.0	48	1	1	5	9	13	17	37
65+	102	9.5	98	2	3	6	12	17	29	61
2. MULTIPLE DX										
0-19 YRS	329	9.8	133	2	2	6	10	21	30	64
20-34	370	7.4	114	1	1	4	7	15	27	79
35-49	266	8.4	158	1	1	4	7	19	33	85
50-64	355	9.1	107	1	1	6	11	20	37	61
65+	223	14.4	245	2	3	9	18	32	51	98
TOT. SINGLE DX	1348	6.1	46	1	2	4	7	12	16	40
" MULTIPLE DX	1453	9.6	150	1	2	6	10	22	32	80
TOTAL 0-19 YRS	754	7.8	88	1	2	5	8	16	25	47
20-34	681	5.8	74	1	1	4	6	10	17	61
35-49	526	6.8	96	1	1	4	7	13	24	61
50-64	615	8.2	83	1	1	6	10	18	32	56
65+	325	12.8	204	2	3	8	15	29	45	93
GRAND TOTAL	2801	7.9	103	1	2	5	8	16	26	61

704: Bunionectomy (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	251	3.5	3	1	1	3	4	5	6	8
20-34	454	3.5	3	1	1	3	4	5	6	9
35-49	519	3.8	3	1	1	3	4	6	7	9
50-64	496	4.0	3	1	1	3	4	6	8	10
65+	235	4.5	4	1	1	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	246	4.1	3	1	1	4	5	6	8	10
20-34	751	3.8	3	1	1	4	5	6	7	9
35-49	939	4.2	3	1	1	4	5	6	8	10
50-64	1601	4.9	3	1	1	4	6	8	10	13
65+	999	5.7	31	1	1	4	6	9	13	16
TOT. SINGLE DX	1955	3.9	3	1	1	4	5	6	7	10
" MULTIPLE DX	4536	4.7	14	1	1	4	5	7	9	13
TOTAL 0-19 YRS	497	3.8	3	1	1	4	5	6	7	9
20-34	1205	3.7	3	1	1	3	4	6	7	10
35-49	1458	4.1	3	1	1	4	5	6	8	11
50-64	2097	4.7	3	1	1	4	6	8	10	13
65+	1234	5.4	26	1	1	4	6	8	11	24
GRAND TOTAL	6491	4.4	11	2	2	4	5	7	8	16

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1195	4.2	25	1	1	3	4	7	10	29
20-34	1299	4.0	17	1	1	3	4	7	9	25
35-49	919	4.7	43	1	1	3	5	8	12	42
50-64	739	5.3	55	1	1	3	5	10	16	42
65+	356	8.4	112	1	2	5	10	20	34	70
2. MULTIPLE DX										
0-19 YRS	510	8.3	140	1	2	4	8	21	36	66
20-34	1002	9.1	199	1	2	4	8	26	44	86
35-49	890	8.3	147	1	2	4	8	21	36	75
50-64	1173	10.6	159	2	2	5	13	30	40	71
65+	1094	16.7	291	2	2	11	23	44	59	99+
TOT. SINGLE DX	4508	4.7	40	1	1	3	5	8	13	37
" MULTIPLE DX	4669	11.0	205	1	2	5	13	31	46	90
TOTAL 0-19 YRS	1705	5.4	64	1	2	3	5	10	20	47
20-34	2301	6.2	103	1	1	3	5	12	25	69
35-49	1809	6.5	98	1	2	3	6	13	25	61
50-64	1912	8.5	126	1	2	4	9	23	34	63
65+	1450	14.6	260	2	2	9	20	39	56	99+
GRAND TOTAL	9177	7.9	134	1	2	4	8	20	34	70

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	428	7.1	63	1	2	5	8	14	23	45
20-34	251	5.1	21	1	2	4	6	9	12	22
35-49	110	6.4	47	1	2	5	7	11	17	41
50-64	99	8.8	61	2	2	8	12	16	18	47
65+	199	16.0	122	3	5	14	20	30	33	71
2. MULTIPLE DX										
0-19 YRS	206	11.5	218	2	3	6	11	27	47	76
20-34	186	9.9	143	2	2	6	11	21	35	84
35-49	101	10.6	174	1	2	6	13	26	40	99+
50-64	166	14.1	158	2	3	11	17	32	43	99+
65+	585	22.8	299	5	7	19	29	56	85	99+
TOT. SINGLE DX	1087	8.4	77	2	2	5	10	17	27	48
" MULTIPLE DX	1244	16.9	266	2	3	12	23	42	63	99+
TOTAL 0-19 YRS	634	8.5	117	1	2	5	9	18	29	62
20-34	437	7.2	79	2	2	5	8	14	21	52
35-49	211	8.4	112	1	2	5	9	19	33	98
50-64	265	12.2	128	2	3	9	15	26	36	96
65+	784	20.1	263	5	7	17	27	47	71	99+
GRAND TOTAL	2331	12.9	195	2	2	8	17	30	47	99+

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	797	3.1	17	<1	1	2	3	5	7	23
20-34	1112	3.0	12	<1	1	2	3	5	6	19
35-49	512	3.0	9	<1	1	2	3	5	7	20
50-64	438	4.0	23	1	1	3	4	7	10	30
65+	399	6.1	43	1	2	4	7	15	18	30
2. MULTIPLE DX										
0-19 YRS	463	4.7	48	1	1	3	5	8	13	44
20-34	461	5.7	91	1	1	3	5	11	18	60
35-49	263	6.7	94	1	2	3	6	13	30	52
50-64	350	7.7	101	1	2	4	8	20	30	58
65+	622	14.3	255	2	2	8	19	35	56	99+
TOT. SINGLE DX	3258	3.6	20	<1	1	2	4	6	9	23
" MULTIPLE DX	2159	8.4	146	1	2	4	8	21	34	74
TOTAL 0-19 YRS	1260	3.7	30	<1	1	3	4	6	8	29
20-34	1573	3.8	37	<1	1	2	4	6	10	34
35-49	775	4.3	41	<1	1	3	4	8	12	39
50-64	788	5.6	61	1	1	3	5	12	21	50
65+	1021	11.1	189	2	2	6	14	26	41	84
GRAND TOTAL	5417	5.5	76	<1	1	3	5	12	20	52

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	21.6	224	3	4	20	32	42	44	58
20-34	25	22.4	230	7	8	16	32	45	54	64
35-49	11	10.7	42	4	5	8	17	21	22	22
50-64	49	12.2	55	5	6	10	14	18	32	40
65+	209	20.1	161	7	9	17	23	38	50	90
2. MULTIPLE DX										
0-19 YRS	66	25.9	302	4	7	21	35	54	58	68
20-34	62	24.7	439	5	8	18	37	70	84	99+
35-49	24	28.2	587	7	7	22	54	85	99+	99+
50-64	90	20.0	201	8	9	15	23	41	62	99+
65+	699	24.5	295	8	10	19	32	56	81	99+
TOT. SINGLE DX	362	19.2	170	5	7	16	23	39	45	69
" MULTIPLE DX	941	24.3	305	7	9	19	31	55	79	99+
TOTAL 0-19 YRS	134	23.7	266	3	4	21	33	48	56	68
20-34	87	24.0	377	5	8	18	35	60	79	99+
35-49	35	22.7	477	5	6	17	30	79	95	99+
50-64	139	17.3	163	6	8	13	20	38	51	99+
65+	908	23.5	268	8	10	18	29	52	69	99+
GRAND TOTAL	1303	22.9	273	6	9	18	29	51	68	99+

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	142	12.5	89	4	5	11	16	24	27	67
20-34	94	13.9	93	3	5	11	18	25	30	56
35-49	91	14.0	66	6	7	12	16	30	35	76
50-64	316	14.9	96	6	7	13	17	23	32	59
65+	1432	20.0	131	8	10	17	23	35	46	86
2. MULTIPLE DX										
0-19 YRS	196	21.9	246	5	7	18	28	43	55	82
20-34	287	23.6	254	7	9	19	29	47	62	97
35-49	192	23.2	244	6	9	19	30	50	66	99+
50-64	617	23.9	282	8	9	19	29	49	77	99+
65+	5423	27.2	295	10	12	22	35	59	81	99+
TOT. SINGLE DX	2075	18.2	127	6	8	16	21	32	43	79
" MULTIPLE DX	6715	26.4	292	9	11	22	34	57	78	99+
TOTAL 0-19 YRS	338	18.0	202	4	5	14	22	35	48	81
20-34	381	21.2	232	5	8	17	26	42	56	91
35-49	283	20.2	205	6	8	16	27	43	54	99+
50-64	933	20.8	238	7	9	16	25	42	63	99+
65+	6855	25.7	269	9	11	21	33	54	74	99+
GRAND TOTAL	8790	24.5	265	8	10	20	31	51	71	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	198	13.2	187	1	2	8	18	32	49	59
20-34	15	16.7	503	1	2	10	20	39	76	88
35-49	12	8.1	51	2	3	5	14	38	88	99+
50-64	23	20.0	366	2	3	12	28	51	67	68
65+	48	20.6	221	5	6	15	29	41	62	99+
2. MULTIPLE DX										
0-19 YRS	148	22.1	354	2	3	17	31	51	62	82
20-34	50	35.7	622	4	8	32	61	77	91	99+
35-49	27	27.6	511	3	5	19	49	67	86	99+
50-64	54	26.6	514	5	6	19	41	77	78	99
65+	157	30.5	531	6	8	25	44	81	99+	99+
TOT. SINGLE DX	296	14.9	225	2	2	11	20	38	50	78
" MULTIPLE DX	436	27.6	495	3	5	22	42	71	87	99+
TOTAL 0-19 YRS	346	17.0	278	2	2	12	24	45	52	80
20-34	65	31.3	651	2	3	22	51	76	89	99+
35-49	39	21.6	448	2	3	18	37	65	91	99+
50-64	77	24.6	474	2	5	17	33	64	77	97
65+	205	28.2	475	6	7	23	41	79	98	99+
GRAND TOTAL	732	22.4	424	2	3	16	33	58	78	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	275	4.8	42	1	1	2	5	12	18	29
20-34	251	3.8	16	<1	1	2	4	9	12	18
35-49	179	4.3	30	<1	1	2	4	10	14	30
50-64	214	4.3	26	1	1	3	5	9	13	23
65+	172	5.9	82	1	1	3	6	12	18	62
2. MULTIPLE DX										
0-19 YRS	92	10.9	218	1	1	7	12	22	37	90
20-34	161	11.3	224	1	2	6	12	26	50	72
35-49	97	9.9	171	1	2	5	12	22	34	71
50-64	151	12.5	268	1	2	6	15	36	50	89
65+	207	14.3	231	2	2	9	19	35	51	75
TOT. SINGLE DX	1091	4.5	38	1	1	3	5	10	14	30
" MULTIPLE DX	708	12.2	229	1	2	6	14	30	49	84
TOTAL 0-19 YRS	367	6.3	93	1	1	3	7	15	21	48
20-34	412	6.7	111	1	1	3	7	14	22	62
35-49	276	6.3	87	1	1	3	7	14	26	50
50-64	365	7.7	143	1	1	3	8	18	31	76
65+	379	10.5	181	1	2	5	12	28	41	69
GRAND TOTAL	1799	7.6	127	1	1	3	8	18	29	63

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	1290	3.9	14	1	1	3	5	7	9	18
20-34	1679	4.7	16	1	2	4	6	9	11	19
35-49	858	5.5	17	1	2	5	7	11	13	18
50-64	874	6.8	28	2	2	5	8	12	16	27
65+	530	9.1	60	2	3	7	11	17	23	41
2. MULTIPLE DX										
0-19 YRS	593	8.7	127	1	2	5	9	19	35	77
20-34	1108	10.0	135	2	2	6	11	22	35	83
35-49	723	10.4	132	2	2	7	12	23	33	77
50-64	904	11.9	159	2	3	8	14	24	36	69
65+	1109	16.4	222	3	4	12	21	36	51	98
TOT. SINGLE DX	5231	5.4	25	1	2	4	7	10	14	25
" MULTIPLE DX	4437	11.9	168	2	3	8	14	27	40	82
TOTAL 0-19 YRS	1883	5.4	55	1	1	3	6	10	16	44
20-34	2787	6.8	70	1	2	4	8	13	20	51
35-49	1581	7.7	76	1	2	5	9	15	23	55
50-64	1778	9.4	101	2	3	6	11	18	26	59
65+	1639	14.1	182	3	4	10	17	30	42	83
GRAND TOTAL	9668	8.4	101	1	2	5	10	18	27	62

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2919	2.5	10	1	1	2	3	5	7	18
20-34	884	4.0	17	<1	1	3	5	8	11	19
35-49	602	4.5	19	1	1	3	6	8	11	23
50-64	689	4.5	27	1	1	3	5	10	12	23
65+	668	5.1	30	1	1	3	6	12	17	26
2. MULTIPLE DX										
0-19 YRS	873	6.3	96	1	1	3	7	13	21	66
20-34	709	9.2	158	1	1	5	10	21	39	69
35-49	470	9.3	126	1	1	6	11	22	36	67
50-64	720	9.7	130	1	2	6	11	21	32	82
65+	1534	13.1	205	2	2	8	17	32	48	99+
TOT. SINGLE DX	5762	3.5	18	1	1	2	4	7	11	21
" MULTIPLE DX	4306	10.1	161	1	1	6	12	24	38	87
TOTAL 0-19 YRS	3792	3.4	33	1	1	2	3	7	11	27
20-34	1593	6.3	87	1	1	4	7	12	20	57
35-49	1072	6.6	72	1	1	4	8	14	22	54
50-64	1409	7.1	87	1	1	4	8	16	24	63
65+	2202	10.7	166	1	2	6	14	25	38	94
GRAND TOTAL	**10068**	**6.3**	**90**	**1**	**1**	**3**	**7**	**14**	**23**	**60**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	3.7	20	<1	1	2	4	10	15	21
20-34	190	2.6	7	<1	<1	2	3	6	7	15
35-49	105	2.9	10	<1	<1	1	4	7	9	17
50-64	88	4.0	34	<1	1	2	4	9	11	38
65+	134	6.8	76	<1	1	3	9	19	26	41
2. MULTIPLE DX										
0-19 YRS	110	10.5	242	1	1	5	14	23	26	91
20-34	154	9.4	121	1	1	5	12	24	36	48
35-49	71	10.5	257	1	1	5	11	23	39	91
50-64	111	11.3	281	1	1	5	12	29	41	93
65+	252	11.8	202	1	1	7	15	34	45	93
TOT. SINGLE DX	707	3.9	30	<1	1	2	4	9	15	28
" MULTIPLE DX	698	10.9	209	1	1	6	13	27	39	91
TOTAL 0-19 YRS	300	6.2	112	<1	1	3	7	17	21	58
20-34	344	5.7	70	<1	1	2	6	15	23	42
35-49	176	6.0	123	<1	1	3	6	13	21	71
50-64	199	8.1	185	1	1	3	8	23	32	84
65+	386	10.1	164	1	1	5	12	28	39	67
GRAND TOTAL	**1405**	**7.4**	**131**	**<1**	**1**	**3**	**8**	**20**	**29**	**58**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	4.1	20	<1	1	3	5	7	13	27
20-34	211	3.3	4	1	1	3	4	5	7	12
35-49	96	4.3	7	1	2	4	6	7	8	16
50-64	50	5.0	17	1	1	4	7	11	15	17
65+	36	12.6	126	2	2	9	18	27	40	47
2. MULTIPLE DX										
0-19 YRS	49	9.4	94	1	2	5	11	24	31	42
20-34	88	10.0	190	2	2	5	10	23	45	75
35-49	51	9.4	278	1	1	5	8	17	39	96
50-64	52	12.1	253	2	3	6	12	32	69	99
65+	68	17.0	276	3	4	13	20	43	52	86
TOT. SINGLE DX	528	4.5	24	1	1	3	5	8	14	27
" MULTIPLE DX	308	11.7	225	2	2	6	13	30	44	85
TOTAL 0-19 YRS	184	5.5	45	<1	1	3	6	13	22	34
20-34	299	5.3	68	1	2	3	5	9	14	46
35-49	147	6.1	106	1	1	4	6	9	14	70
50-64	102	8.7	149	1	2	5	9	19	33	89
65+	104	15.5	227	2	3	12	19	34	51	74
GRAND TOTAL	**836**	**7.2**	**110**	**1**	**1**	**4**	**7**	**16**	**26**	**59**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	659	3.9	24	1	1	3	4	6	13	27
20-34	603	3.4	8	1	1	3	4	6	8	18
35-49	295	4.1	29	1	1	3	4	7	12	23
50-64	164	6.4	82	1	2	3	6	15	24	43
65+	107	14.9	354	1	1	7	18	49	61	91
2. MULTIPLE DX										
0-19 YRS	337	5.9	63	1	2	3	5	14	24	41
20-34	412	5.2	51	1	1	3	5	11	19	51
35-49	272	6.5	102	1	2	4	6	14	23	81
50-64	270	12.1	265	2	2	5	14	34	50	90
65+	254	20.5	350	2	3	16	32	52	88	99+
TOT. SINGLE DX	1828	4.7	52	1	1	3	4	8	16	41
" MULTIPLE DX	1545	9.3	180	1	2	4	10	27	44	99+
TOTAL 0-19 YRS	996	4.6	39	1	1	3	4	8	20	33
20-34	1015	4.1	27	1	1	3	4	7	12	29
35-49	567	5.3	66	1	1	3	5	11	18	62
50-64	434	9.9	204	2	2	4	10	27	44	85
65+	361	18.8	357	1	2	13	30	52	80	99+
GRAND TOTAL	**3373**	**6.8**	**116**	**1**	**1**	**3**	**6**	**17**	**29**	**75**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	8.1	36	3	3	6	9	20	21	30
20-34	1634	8.8	32	3	3	7	10	16	20	30
35-49	2497	9.4	39	3	4	8	11	17	22	33
50-64	1166	10.2	37	4	4	9	13	18	22	32
65+	248	13.8	65	5	6	11	17	25	32	40
2. MULTIPLE DX										
0-19 YRS	20	13.2	80	4	5	11	16	25	34	40
20-34	506	12.7	113	4	5	10	14	23	32	63
35-49	1147	12.7	81	4	5	10	15	23	31	51
50-64	1138	14.8	131	5	6	11	18	28	38	68
65+	644	19.6	190	6	7	15	25	38	47	86
TOT. SINGLE DX	5620	9.6	39	3	4	8	11	17	22	33
" MULTIPLE DX	3455	14.7	129	4	6	11	18	28	38	64
TOTAL 0-19 YRS	95	9.2	50	3	3	6	11	20	23	37
20-34	2140	9.7	54	3	4	8	11	17	22	40
35-49	3644	10.5	55	3	4	8	12	20	25	40
50-64	2304	12.5	89	4	5	10	15	23	29	57
65+	892	18.0	162	6	7	14	23	35	44	83
GRAND TOTAL	9075	11.5	80	3	4	9	14	22	28	49

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	758	2.7	2	1	1	2	3	5	5	8
20-34	1897	2.8	3	<1	1	2	4	5	6	9
35-49	1103	3.0	3	1	1	2	4	6	7	10
50-64	601	3.2	5	1	1	3	4	6	8	11
65+	118	3.1	3	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	462	2.9	4	1	1	2	4	5	7	12
20-34	1197	3.3	8	1	1	2	4	6	8	16
35-49	968	3.5	14	1	1	2	4	7	9	15
50-64	1038	3.6	11	1	1	3	4	7	10	18
65+	449	4.9	31	1	2	3	5	10	14	23
TOT. SINGLE DX	4477	2.9	3	1	1	2	4	5	6	9
" MULTIPLE DX	4114	3.6	13	1	1	3	4	7	9	17
TOTAL 0-19 YRS	1220	2.8	3	1	1	2	4	5	6	9
20-34	3094	3.0	5	1	1	2	4	5	7	11
35-49	2071	3.2	9	1	1	2	4	6	8	13
50-64	1639	3.5	9	1	1	3	4	6	9	16
65+	567	4.5	26	1	2	3	5	9	13	23
GRAND TOTAL	8591	3.2	8	1	1	2	4	6	8	14

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1307	2.4	7	<1	1	2	3	4	5	12
20-34	2047	2.4	4	<1	1	2	3	4	5	10
35-49	1102	2.8	10	<1	1	2	3	5	6	12
50-64	640	3.0	12	<1	1	2	3	5	7	12
65+	218	4.2	23	<1	1	3	4	9	12	21
2. MULTIPLE DX										
0-19 YRS	584	3.3	13	1	1	2	3	6	9	23
20-34	1204	3.5	33	<1	1	2	3	6	10	34
35-49	853	4.1	40	1	1	2	4	8	12	29
50-64	962	6.1	98	1	2	3	5	12	25	61
65+	497	9.6	181	2	2	4	11	28	45	99+
TOT. SINGLE DX	5314	2.6	8	<1	1	2	3	5	6	12
" MULTIPLE DX	4100	4.9	69	1	1	3	4	10	18	54
TOTAL 0-19 YRS	1891	2.7	9	<1	1	2	3	5	6	16
20-34	3251	2.8	16	<1	1	2	3	5	6	16
35-49	1955	3.4	24	1	1	2	3	6	9	26
50-64	1602	4.8	66	1	1	3	4	9	15	52
65+	715	8.0	139	1	2	4	8	21	32	99
GRAND TOTAL	9414	3.6	36	<1	1	2	3	6	10	32

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	11.6	38	6	7	10	12	18	21	44
20-34	140	13.2	61	6	7	11	15	23	30	62
35-49	129	12.6	73	5	6	10	14	23	28	43
50-64	59	11.0	23	4	6	10	14	17	21	26
65+	14	15.1	73	6	7	12	15	28	44	49
2. MULTIPLE DX										
0-19 YRS	182	17.6	204	6	7	12	22	34	56	94
20-34	123	17.6	215	6	7	13	21	37	59	99+
35-49	145	16.7	184	6	7	13	20	35	65	99+
50-64	107	17.1	206	5	6	13	22	39	50	99+
65+	51	27.5	380	8	9	24	36	71	99	99+
TOT. SINGLE DX	576	12.2	53	6	7	10	14	19	27	48
" MULTIPLE DX	608	18.1	224	6	7	13	23	39	63	99+
TOTAL 0-19 YRS	416	14.2	119	6	7	11	15	26	35	77
20-34	263	15.3	138	6	7	12	17	28	40	98
35-49	274	14.8	136	5	6	11	17	29	40	99+
50-64	166	14.9	150	5	6	11	17	31	44	97
65+	65	24.8	349	7	8	21	35	65	98	99+
GRAND TOTAL	1184	15.3	149	6	7	11	17	30	43	99+

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	4.5	5	1	2	4	6	8	9	10
20-34	220	4.3	17	1	1	3	5	8	9	23
35-49	188	4.6	20	1	2	4	6	9	10	17
50-64	218	4.4	10	1	2	4	6	8	12	15
65+	125	4.8	33	1	1	3	5	9	13	34
2. MULTIPLE DX										
0-19 YRS	114	7.5	75	2	2	5	8	14	19	56
20-34	197	6.1	40	1	2	4	7	10	17	34
35-49	171	8.1	143	2	2	5	8	13	22	85
50-64	265	6.9	87	2	2	5	7	12	21	63
65+	179	8.7	98	2	2	5	9	19	30	53
TOT. SINGLE DX	846	4.5	17	1	2	4	6	8	10	17
" MULTIPLE DX	926	7.3	89	2	2	5	8	14	21	57
TOTAL 0-19 YRS	209	6.1	46	2	2	4	7	10	15	44
20-34	417	5.2	29	1	2	4	6	9	14	29
35-49	359	6.3	82	1	2	4	7	10	15	52
50-64	483	5.8	54	1	2	4	6	10	14	33
65+	304	7.1	75	1	2	4	8	15	22	51
GRAND TOTAL	**1772**	**6.0**	**57**	**1**	**2**	**4**	**7**	**10**	**16**	**42**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	38	14.6	19	9	9	13	18	20	24	26
35-49	85	14.2	40	7	8	13	16	23	27	40
50-64	442	15.5	53	8	9	14	18	24	31	45
65+	864	17.1	48	10	11	16	20	25	30	43
2. MULTIPLE DX										
0-19 YRS	4	25.0	362	8	8	20	37	52	52	52
20-34	62	16.9	83	8	9	15	20	33	37	44
35-49	135	20.0	128	8	10	18	23	33	42	89
50-64	833	19.5	128	9	10	16	23	32	46	78
65+	2203	22.2	167	10	11	18	26	38	52	98
TOT. SINGLE DX	1429	16.4	50	9	10	15	19	24	30	44
" MULTIPLE DX	3237	21.3	156	10	11	18	24	37	49	93
TOTAL 0-19 YRS	4	25.0	362	8	8	20	37	52	52	52
20-34	100	16.0	60	8	9	14	19	26	34	43
35-49	220	17.7	102	7	9	15	21	30	33	68
50-64	1275	18.1	106	9	10	16	21	29	40	68
65+	3067	20.7	140	10	11	17	24	34	46	88
GRAND TOTAL	**4666**	**19.8**	**129**	**9**	**10**	**17**	**23**	**33**	**44**	**78**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	14.1	102	4	4	11	16	33	34	34
20-34	12	18.0	97	7	9	15	20	37	38	38
35-49	25	14.5	32	7	8	14	16	23	26	28
50-64	135	14.9	43	8	9	14	17	22	27	63
65+	764	19.6	100	9	11	17	23	31	39	81
2. MULTIPLE DX										
0-19 YRS	10	10.4	72	2	4	7	15	24	30	30
20-34	14	21.4	144	1	6	19	29	41	43	44
35-49	33	22.5	194	8	9	17	31	44	48	68
50-64	313	21.5	181	9	10	18	26	38	47	98
65+	2885	25.7	244	10	12	21	32	52	73	99+
TOT. SINGLE DX	947	18.7	94	9	10	16	22	30	37	69
" MULTIPLE DX	3255	25.2	239	10	12	21	31	50	71	99+
TOTAL 0-19 YRS	21	12.3	87	3	4	9	15	31	33	34
20-34	26	19.8	121	5	8	18	21	38	42	44
35-49	58	19.0	139	7	8	16	23	35	45	66
50-64	448	19.5	149	8	9	16	23	33	44	97
65+	3649	24.4	220	10	12	20	29	48	67	99+
GRAND TOTAL	**4202**	**23.7**	**214**	**10**	**11**	**20**	**29**	**46**	**65**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	400	4.7	4	2	2	4	6	7	8	12
20-34	524	5.0	8	2	2	5	6	8	9	16
35-49	171	6.5	41	1	2	5	8	13	16	35
50-64	299	13.6	68	2	3	13	17	22	27	43
65+	535	17.0	56	6	9	16	20	27	32	40
2. MULTIPLE DX										
0-19 YRS	329	5.6	21	2	2	5	6	8	12	28
20-34	530	6.4	39	2	2	5	7	10	16	33
35-49	216	8.3	75	1	2	6	10	18	27	61
50-64	452	16.1	114	2	3	15	20	29	34	54
65+	1252	20.7	118	9	11	18	24	34	44	75
TOT. SINGLE DX	1929	9.7	62	2	3	7	15	20	24	37
" MULTIPLE DX	2779	14.4	130	2	3	13	20	28	35	66
TOTAL 0-19 YRS	729	5.1	12	2	2	5	6	8	9	20
20-34	1054	5.7	24	2	2	5	6	9	13	28
35-49	387	7.5	61	1	2	5	8	15	24	49
50-64	751	15.1	98	2	3	14	19	26	33	50
65+	1787	19.5	103	8	10	17	24	31	40	69
GRAND TOTAL	**4708**	**12.5**	**108**	**2**	**3**	**10**	**17**	**25**	**32**	**53**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	528	3.5	3	1	2	3	4	5	6	10
20-34	1076	3.6	3	1	2	3	4	5	6	9
35-49	447	3.5	3	1	2	3	4	6	7	10
50-64	428	4.6	16	1	2	4	5	8	10	22
65+	199	5.9	24	1	2	5	7	10	16	30
2. MULTIPLE DX										
0-19 YRS	132	4.8	22	2	2	4	5	8	13	34
20-34	366	4.2	11	1	2	3	5	7	9	17
35-49	334	4.6	14	1	2	4	5	8	11	20
50-64	542	5.3	27	2	2	4	6	9	12	32
65+	370	9.1	94	2	3	6	11	19	25	45
TOT. SINGLE DX	2678	3.9	7	1	2	3	5	6	8	15
" MULTIPLE DX	1744	5.7	39	2	2	4	6	11	16	34
TOTAL 0-19 YRS	660	3.8	7	1	2	3	4	6	7	14
20-34	1442	3.7	6	1	2	3	4	6	7	14
35-49	781	4.0	8	1	2	4	5	6	8	15
50-64	970	5.0	23	2	2	4	6	8	11	29
65+	569	8.0	72	2	3	5	9	18	21	42
GRAND TOTAL	4422	4.6	21	1	2	4	5	7	11	24

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	307	3.6	20	<1	<1	2	4	7	11	28
20-34	361	3.3	11	<1	<1	2	4	7	9	15
35-49	278	3.1	10	<1	<1	2	4	6	8	14
50-64	341	2.5	11	<1	<1	2	2	4	7	15
65+	108	3.4	28	<1	<1	2	3	7	12	34
2. MULTIPLE DX										
0-19 YRS	267	8.3	63	2	2	5	10	18	25	39
20-34	197	8.4	108	1	2	5	9	20	30	62
35-49	221	8.1	147	1	1	4	9	20	44	99+
50-64	283	7.2	118	1	1	4	7	16	26	74
65+	181	11.8	169	1	2	7	19	36	45	99+
TOT. SINGLE DX	1395	3.1	15	<1	<1	2	4	6	8	21
" MULTIPLE DX	1149	8.5	119	1	2	5	10	22	34	99
TOTAL 0-19 YRS	574	5.8	46	<1	1	4	6	13	20	38
20-34	558	5.1	51	<1	1	3	6	10	16	43
35-49	499	5.3	77	<1	1	3	5	11	19	62
50-64	624	4.6	65	<1	<1	2	4	10	16	47
65+	259	8.7	133	<1	1	3	11	28	40	99+
GRAND TOTAL	2544	5.6	69	<1	1	3	6	13	22	50

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	581	1.9	1	<1	<1	2	2	3	4	7
20-34	949	2.0	4	<1	<1	2	2	3	4	10
35-49	629	2.2	3	<1	<1	2	2	4	5	10
50-64	502	2.7	6	<1	<1	2	3	5	7	14
65+	188	4.0	35	<1	<1	2	4	7	12	34
2. MULTIPLE DX										
0-19 YRS	104	3.6	40	<1	<1	2	3	6	11	39
20-34	231	5.5	61	1	1	3	5	13	23	40
35-49	299	6.3	74	<1	1	3	7	16	26	63
50-64	429	7.8	107	<1	1	4	9	21	29	53
65+	350	13.4	245	1	2	7	17	35	47	91
TOT. SINGLE DX	2849	2.3	7	<1	<1	2	2	4	5	12
" MULTIPLE DX	1413	8.2	132	<1	1	4	9	22	33	66
TOTAL 0-19 YRS	685	2.1	8	<1	<1	2	2	3	5	11
20-34	1180	2.7	18	<1	<1	2	3	4	7	24
35-49	928	3.5	30	<1	<1	2	3	7	13	30
50-64	931	5.1	59	<1	<1	2	5	12	20	42
65+	538	10.1	192	<1	1	4	13	28	41	74
GRAND TOTAL	4262	4.2	56	<1	<1	2	3	9	17	42

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	2.2	1	<1	1	2	2	4	6	7
20-34	67	2.7	5	<1	<1	2	3	6	7	15
35-49	134	2.1	1	<1	1	2	2	3	4	7
50-64	340	2.3	1	<1	1	2	2	3	4	7
65+	251	2.2	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	16	5.6	36	1	2	4	6	11	21	26
20-34	32	4.6	21	1	1	3	5	13	17	18
35-49	40	3.8	21	1	1	2	3	9	15	23
50-64	215	3.5	9	1	1	2	4	6	10	18
65+	210	4.8	56	1	2	3	4	11	17	78
TOT. SINGLE DX	824	2.2	2	<1	1	2	3	3	4	8
" MULTIPLE DX	533	4.2	31	1	2	3	4	9	15	41
TOTAL 0-19 YRS	48	3.3	16	<1	1	2	4	7	9	26
20-34	99	3.3	12	<1	<1	2	3	7	10	18
35-49	174	2.6	8	<1	1	2	3	4	6	20
50-64	555	2.9	9	1	1	2	3	4	6	15
65+	461	3.4	28	1	1	2	3	5	10	44
GRAND TOTAL	1357	3.0	14	<1	1	2	3	4	7	18

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	404	2.2	1	<1		1	2	3	4	5
20-34	564	2.2	1	<1		1	2	3	4	5
35-49	737	2.2	1	<1		1	2	3	4	5
50-64	151	2.2	1	<1		1	2	3	4	5
65+	47	2.2	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	347	2.5	2	1	1	1	2	4	5	10
20-34	485	2.8	7	1	1	1	2	5	7	16
35-49	166	2.8	6	1	1	1	2	5	7	25
50-64	141	3.3	61	<1	1	1	2	5	6	34
65+	68	4.4	35	1	1	2	4	11	17	32
TOT. SINGLE DX	1403	2.1	3	<1	1	1	2	3	4	9
" MULTIPLE DX	1227	2.9	14	1	1	1	2	5	7	19
TOTAL 0-19 YRS	751	2.3	2	1	1	1	2	4	5	8
20-34	1049	2.5	5	1	1	1	2	4	5	11
35-49	423	2.4	3	1	1	1	2	4	5	16
50-64	292	2.7	32	1	1	1	2	4	5	9
65+	115	3.5	23	1	1	2	3	5	13	29
GRAND TOTAL	2630	2.5	9	<1	1	2	3	4	5	12

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	190	2.6	3	1	1	2	3	5	7	10
20-34	365	3.1	4	1	1	2	4	5	7	10
35-49	350	3.4	5	1	1	2	4	6	7	11
50-64	321	4.1	12	1	1	2	5	8	11	22
65+	130	5.4	46	1	1	3	6	10	14	47
2. MULTIPLE DX										
0-19 YRS	129	5.6	44	1	1	3	7	14	20	32
20-34	271	4.8	30	1	1	2	5	9	13	32
35-49	261	6.2	66	1	1	4	8	11	17	43
50-64	317	6.4	39	1	1	4	8	12	16	38
65+	218	8.3	80	1	1	6	9	16	25	50
TOT. SINGLE DX	1360	3.5	11	<1	1	2	4	6	9	15
" MULTIPLE DX	1193	6.3	53	1	1	4	7	13	18	42
TOTAL 0-19 YRS	319	3.8	22	1	1	2	4	8	12	27
20-34	640	3.8	15	<1	1	2	5	7	10	19
35-49	611	4.6	34	1	1	2	5	7	11	35
50-64	638	5.2	27	1	1	3	6	10	14	27
65+	348	7.2	70	1	1	5	8	15	23	47
GRAND TOTAL	2553	4.8	32	1	1	3	5	9	14	31

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	421	2.5	4	1	1	1	2	3	4	6
20-34	402	2.7	3	1	1	1	2	3	4	6
35-49	196	2.7	3	1	1	1	2	3	5	9
50-64	158	2.7	3	1	1	1	2	3	5	9
65+	63	2.9	10	1	1	1	2	5	6	19
2. MULTIPLE DX										
0-19 YRS	418	5.3	52	1	1	2	4	8	13	45
20-34	219	6.1	46	1	1	2	4	8	13	42
35-49	114	7.6	103	1	1	2	4	8	18	77
50-64	102	9.1	109	1	1	2	4	8	19	61
65+	60	12.0	150	1	1	2	5	8	19	46
TOT. SINGLE DX	1306	4.0	15	1	1	1	2	3	5	7
" MULTIPLE DX	961	6.9	79	1	1	2	4	8	13	32
TOTAL 0-19 YRS	839	4.4	31	1	1	1	2	3	5	7
20-34	621	4.5	23	1	1	1	2	3	5	7
35-49	310	5.4	67	1	1	1	2	4	6	9
50-64	260	6.7	88	1	1	2	4	6	9	19
65+	123	9.9	107	1	1	2	5	7	12	32
GRAND TOTAL	2267	5.2	44	1	1	2	4	6	9	14

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	82	2.2	4	<1	1	1	2	3	4	8
20-34	120	2.8	11	<1	1	1	2	4	6	15
35-49	75	3.5	34	1	1	1	2	4	8	40
50-64	55	3.0	10	<1	1	1	2	4	6	19
65+	34	5.5	204	1	1	1	2	4	9	61
2. MULTIPLE DX										
0-19 YRS	36	5.3	56	1	1	1	2	6	11	42
20-34	79	6.1	64	1	1	1	2	6	13	36
35-49	54	8.3	99	1	1	1	2	6	18	59
50-64	61	9.1	209	1	1	1	2	6	18	79
65+	77	10.1	210	1	1	2	3	6	26	76
TOT. SINGLE DX	356	3.1	33	<1	1	1	2	3	6	9
" MULTIPLE DX	323	7.8	142	1	1	1	2	6	15	30
TOTAL 0-19 YRS	100	3.4	29	<1	1	1	2	4	7	10
20-34	193	4.0	34	1	1	1	2	4	7	14
35-49	130	4.7	62	1	1	1	2	4	8	17
50-64	147	5.6	129	1	1	1	2	5	9	19
65+	111	8.7	211	1	1	1	2	5	9	26
GRAND TOTAL	681	5.3	90	1	1	1	2	5	12	19

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	12	6.5	245	<1	<1	2	3	21	51	56
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	4	4.0	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	3	7.3	12	4	4	7	10	11	11	11
20-34	7	21.6	564	2	2	17	52	90	99+	99+
35-49	3	7.3	16	3	3	8	10	11	11	11
50-64	4	21.0	451	1	1	19	39	44	44	44
65+	25	24.1	263	6	8	23	33	56	66	99+
TOT. SINGLE DX	24	4.5	123	<1	<1	2	3	6	22	56
" MULTIPLE DX	42	21.0	304	2	3	17	33	57	77	99+
TOTAL 0-19 YRS	5	4.8	18	<1	<1	4	8	11	11	11
20-34	19	12.1	394	<1	<1	3	17	61	83	99+
35-49	5	5.6	14	2	2	4	9	11	11	11
50-64	8	11.3	302	<1	<1	2	19	41	44	44
65+	29	21.3	276	2	4	19	28	55	57	99+
GRAND TOTAL	**66**	**15.0**	**299**	**<1**	**1**	**8**	**26**	**53**	**58**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.9	10	1	1	3	5	8	11	15
20-34	17	8.9	122	1	1	4	9	27	36	40
35-49	22	9.8	156	1	1	5	10	33	42	46
50-64	30	12.4	151	1	2	7	20	32	38	47
65+	50	14.5	241	2	2	9	16	39	41	78
2. MULTIPLE DX										
0-19 YRS	25	9.0	210	1	2	4	7	27	48	62
20-34	62	19.5	276	2	3	14	29	44	51	68
35-49	142	21.1	285	3	4	17	31	48	66	99+
50-64	520	21.9	290	4	6	18	29	44	55	92
65+	787	25.8	379	4	6	21	36	59	80	99+
TOT. SINGLE DX	146	10.7	165	1	2	5	14	30	40	51
" MULTIPLE DX	1536	23.5	341	3	5	19	32	51	72	99+
TOTAL 0-19 YRS	52	6.3	111	1	1	3	6	10	26	62
20-34	79	17.2	261	2	2	11	27	42	49	66
35-49	164	19.6	282	2	4	15	30	46	61	99+
50-64	550	21.4	287	3	5	18	28	43	54	90
65+	837	25.2	378	3	6	20	35	58	80	99+
GRAND TOTAL	**1682**	**22.4**	**339**	**3**	**4**	**18**	**31**	**49**	**70**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	14.7	134	4	4	13	23	27	27	27
35-49	3	29.7	85	19	19	35	35	35	35	35
50-64	9	20.8	73	9	10	19	26	34	35	35
65+	27	18.1	157	3	4	19	25	51	99+	99+
2. MULTIPLE DX										
0-19 YRS	5	28.4	261	5	5	27	40	48	48	48
20-34	20	38.7	531	7	8	40	64	83	99+	99+
35-49	55	38.2	572	9	11	36	64	91	99+	99+
50-64	315	36.8	453	11	14	33	56	82	99+	99+
65+	902	36.7	486	10	13	33	57	82	99+	99+
TOT. SINGLE DX	42	19.3	136	3	5	19	28	36	68	99+
" MULTIPLE DX	1297	36.8	481	10	13	34	57	82	99+	99+
TOTAL 0-19 YRS	5	28.4	261	5	5	27	40	48	48	48
20-34	23	35.5	539	5	7	37	59	75	99+	99+
35-49	58	37.8	549	9	12	35	64	88	99+	99+
50-64	324	36.4	449	11	14	33	56	82	99+	99+
65+	929	36.2	487	9	13	32	55	81	99+	99+
GRAND TOTAL	**1339**	**36.3**	**480**	**9**	**13**	**33**	**56**	**82**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.3	41	5	5	12	17	19	19	19
20-34	2	20.5	61	15	15	20	26	26	26	26
35-49	5	20.0	362	6	6	9	33	50	50	50
50-64	7	23.1	144	6	8	22	27	41	45	45
65+	19	17.1	73	3	5	19	23	32	66	99+
2. MULTIPLE DX										
0-19 YRS	5	16.4	241	4	4	14	42	94	99+	99+
20-34	9	34.8	331	14	15	41	64	99+	99+	99+
35-49	25	39.8	774	7	9	39	68	91	94	99+
50-64	180	34.1	469	10	12	31	54	82	99+	99+
65+	950	28.4	410	8	9	25	44	85	99+	99+
TOT. SINGLE DX	37	18.3	116	4	6	18	25	33	48	99+
" MULTIPLE DX	1169	29.5	432	8	9	26	46	86	99+	99+
TOTAL 0-19 YRS	9	14.6	141	4	4	13	20	71	99+	99+
20-34	11	32.2	305	14	15	38	51	99+	99+	99+
35-49	30	36.5	747	6	7	28	52	89	92	99+
50-64	187	33.7	461	10	12	30	53	81	99+	99+
65+	969	28.1	406	8	9	24	44	84	99+	99+
GRAND TOTAL	**1206**	**29.1**	**426**	**8**	**9**	**25**	**45**	**84**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.8	13	5	5	10	12	13	13	13
20-34	4	16.3	161	4	4	15	27	30	30	30
35-49	4	6.8	30	2	2	7	11	12	12	12
50-64	4	16.8	121	<1	<1	20	24	26	26	26
65+	8	24.1	371	3	5	15	38	53	60	60
2. MULTIPLE DX										
0-19 YRS	5	7.4	2	6	6	7	8	10	10	10
20-34	11	38.7	852	10	11	34	81	89	98	99+
35-49	51	31.6	447	6	9	31	49	78	98	99+
50-64	160	30.8	436	9	11	26	42	71	97	99+
65+	284	31.1	378	9	11	27	44	71	99	99+
TOT. SINGLE DX	24	16.3	200	1	2	12	23	38	45	60
" MULTIPLE DX	511	31.0	414	8	11	27	44	73	99	99+
TOTAL 0-19 YRS	9	8.4	8	5	5	7	10	13	13	13
20-34	15	32.7	749	5	7	27	57	84	95	99+
35-49	55	29.8	459	4	7	27	42	75	96	99+
50-64	164	30.5	433	8	11	25	41	71	96	99+
65+	292	30.9	379	9	11	27	44	70	99	99+
GRAND TOTAL	535	30.3	413	7	10	27	43	71	97	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.5	64	<1	1	2	4	6	16	42
20-34	17	4.2	12	<1	1	3	6	10	11	12
35-49	9	4.1	6	1	1	3	7	8	8	8
50-64	8	6.1	13	3	3	5	7	12	14	14
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	7	8.4	110	2	2	5	6	27	32	32
20-34	8	6.9	38	2	2	4	10	17	20	20
35-49	8	7.8	16	3	3	9	13	65	99+	99+
50-64	4	4.3	15	2	2	3	6	10	10	10
65+	3	11.7	226	2	2	4	23	29	29	29
TOT. SINGLE DX	60	4.6	32	<1	1	3	5	8	11	39
" MULTIPLE DX	30	7.6	57	2	2	5	10	24	32	99+
TOTAL 0-19 YRS	32	5.4	74	<1	1	3	5	7	29	42
20-34	25	5.1	21	<1	1	3	8	10	14	20
35-49	17	5.8	14	1	2	5	9	13	65	99+
50-64	12	5.5	13	2	2	4	7	11	14	14
65+	4	9.3	174	2	2	3	16	29	29	29
GRAND TOTAL	90	5.6	42	1	1	3	7	11	20	76

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.2	1	<1	<1	2	3	4	4	4
20-34	38	3.2	7	<1	1	2	4	6	10	11
35-49	21	4.3	11	<1	1	3	6	10	11	11
50-64	25	5.6	60	<1	<1	3	4	14	26	34
65+	33	9.5	47	1	2	9	14	20	23	27
2. MULTIPLE DX										
0-19 YRS	10	11.7	380	1	1	3	5	48	52	52
20-34	26	8.9	315	<1	1	3	7	14	60	79
35-49	34	10.3	194	1	2	5	9	33	49	53
50-64	71	16.9	209	2	3	13	25	40	50	91
65+	111	18.3	264	3	4	15	25	50	68	99+
TOT. SINGLE DX	130	5.3	34	<1	1	3	6	12	19	28
" MULTIPLE DX	252	15.6	258	1	2	9	21	43	55	99+
TOTAL 0-19 YRS	23	6.3	180	<1	1	2	4	13	47	52
20-34	64	5.5	137	<1	1	2	5	10	12	76
35-49	55	8.0	132	1	1	4	8	20	36	53
50-64	96	13.9	195	1	2	8	20	37	46	81
65+	144	16.3	228	3	3	12	21	42	60	99+
GRAND TOTAL	382	12.1	205	1	1	7	17	34	51	99+

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	6.3	70	1	1	2	12	16	16	16
50-64	10	7.1	31	2	2	5	9	15	21	21
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	8.8	57	2	2	5	17	17	17	17
65+	6	30.3	1078	4	4	16	55	82	85	85
TOT. SINGLE DX	17	6.8	36	1	2	4	9	17	20	21
" MULTIPLE DX	15	16.3	547	2	2	6	17	55	77	85
TOTAL 0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	4	4.0	8	2	2	3	6	8	8	8
35-49	4	5.3	52	1	1	2	9	16	16	16
50-64	15	7.7	37	2	2	5	10	17	20	21
65+	7	28.4	924	4	4	17	47	79	85	85
GRAND TOTAL	32	11.2	289	2	2	5	13	22	52	85

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	469	2.0	1	<1	<1	2	2	3	3	5
20-34	1811	2.0	1	<1	<1	2	2	3	4	6
35-49	2906	2.2	1	<1	<1	2	2	3	4	8
50-64	1771	2.6	4	<1	1	2	3	4	7	13
65+	909	3.3	7	1	1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	88	2.7	4	<1	1	2	3	4	8	12
20-34	690	3.2	18	<1	1	2	3	5	9	22
35-49	1675	3.4	20	<1	1	2	3	6	9	27
50-64	1702	5.2	50	1	2	3	6	12	16	38
65+	1735	8.6	118	2	2	5	10	19	30	70
TOT. SINGLE DX	7866	2.4	3	<1	<1	2	3	4	5	10
" MULTIPLE DX	5890	5.4	62	1	1	3	6	12	18	43
TOTAL 0-19 YRS	557	2.1	2	<1	<1	2	2	3	4	8
20-34	2501	2.4	6	<1	<1	2	2	3	5	12
35-49	4581	2.7	9	<1	1	2	3	4	6	13
50-64	3473	3.9	28	<1	1	2	4	8	12	28
65+	2644	6.8	87	1	2	3	8	16	24	51
GRAND TOTAL	**13756**	**3.7**	**31**	**<1**	**1**	**2**	**3**	**7**	**12**	**30**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.8	1	1	1	3	3	4	5	7
20-34	56	3.6	18	<1	1	2	4	6	7	30
35-49	78	4.4	11	1	2	3	6	9	12	17
50-64	77	6.6	79	2	2	5	7	12	16	61
65+	142	7.0	15	2	2	7	9	11	12	23
2. MULTIPLE DX										
0-19 YRS	8	3.0	1	2	2	3	4	5	5	5
20-34	19	4.2	6	2	2	3	5	8	10	12
35-49	68	7.6	46	2	2	6	9	16	20	39
50-64	116	10.4	130	2	3	7	12	22	33	65
65+	361	11.4	111	3	4	8	13	22	33	58
TOT. SINGLE DX	410	5.4	28	1	2	4	7	10	12	22
" MULTIPLE DX	572	10.4	106	2	3	8	12	20	32	55
TOTAL 0-19 YRS	65	2.8	1	1	2	3	3	4	5	7
20-34	75	3.7	15	<1	1	3	5	6	8	26
35-49	146	5.9	30	2	2	4	7	11	16	33
50-64	193	8.9	113	2	2	6	10	18	23	67
65+	503	10.2	88	2	4	8	11	18	28	53
GRAND TOTAL	**982**	**8.3**	**79**	**2**	**2**	**6**	**9**	**16**	**23**	**50**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	84	7.7	9	4	5	7	9	13	15	19
35-49	530	7.6	9	4	5	7	9	11	13	20
50-64	866	7.9	7	4	5	7	9	11	13	17
65+	823	8.4	14	5	5	8	10	12	13	19
2. MULTIPLE DX										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	100	8.5	12	4	5	8	10	13	15	21
35-49	723	9.1	23	5	5	8	10	14	17	32
50-64	1579	9.7	27	5	5	8	11	15	19	33
65+	2031	11.3	57	5	6	9	13	18	23	47
TOT. SINGLE DX	2306	8.0	11	4	5	8	9	11	13	18
" MULTIPLE DX	4435	10.3	41	5	6	9	12	16	21	39
TOTAL 0-19 YRS	5	4.4	11	1	1	5	7	8	8	8
20-34	184	8.1	11	4	5	7	9	13	15	21
35-49	1253	8.5	18	4	5	8	10	12	16	24
50-64	2445	9.1	21	5	5	8	10	14	17	27
65+	2854	10.4	47	5	6	9	12	16	21	42
GRAND TOTAL	**6741**	**9.5**	**32**	**5**	**5**	**8**	**11**	**15**	**18**	**34**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	295	3.0	1	1	1	3	4	5	5	7
20-34	658	2.9	3	<1	1	3	4	5	6	8
35-49	427	3.0	3	<1	1	3	4	5	7	10
50-64	192	3.3	1	1	2	3	4	5	6	8
65+	39	3.7	3	1	2	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	98	3.5	4	1	1	3	4	6	8	12
20-34	378	3.4	5	1	1	3	4	5	6	15
35-49	549	4.0	11	1	2	3	4	6	8	20
50-64	404	4.9	20	2	2	4	5	9	12	24
65+	116	6.4	39	2	2	4	7	14	19	35
TOT. SINGLE DX	1641	3.0	3	1	1	3	4	5	6	9
" MULTIPLE DX	1545	4.2	15	1	2	3	5	7	10	21
TOTAL 0-19 YRS	393	3.1	3	1	1	3	4	5	6	10
20-34	1066	3.1	4	<1	1	3	4	5	6	10
35-49	976	3.6	8	1	1	3	4	6	8	16
50-64	596	4.4	15	2	2	3	5	7	10	20
65+	155	5.7	32	2	2	4	6	11	17	35
GRAND TOTAL	**3186**	**3.6**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1168	3.8	5	1	2	3	4	6	7	11
20-34	1970	3.6	3	1	2	3	4	6	6	10
35-49	275	3.6	3	1	1	3	4	6	7	9
50-64	61	3.9	7	1	2	3	4	7	10	16
65+	16	5.1	34	<1	1	3	5	12	21	24
2. MULTIPLE DX										
0-19 YRS	117	4.5	8	2	2	4	5	8	10	18
20-34	282	5.2	21	1	2	4	6	9	13	33
35-49	105	6.3	33	2	2	5	7	11	23	29
50-64	49	7.9	96	2	2	5	8	18	30	53
65+	27	11.5	226	2	2	7	13	19	48	74
TOT. SINGLE DX	3490	3.7	4	1	2	3	4	6	7	11
" MULTIPLE DX	580	5.8	39	2	2	4	6	10	15	39
TOTAL 0-19 YRS	1285	3.8	6	1	2	3	5	6	7	12
20-34	2252	3.8	6	1	2	3	5	6	7	12
35-49	380	4.3	13	1	2	4	5	7	9	25
50-64	110	5.7	51	1	2	4	6	10	17	45
65+	43	9.1	162	1	2	5	12	17	31	74
GRAND TOTAL	**4070**	**4.0**	**10**	**1**	**2**	**3**	**5**	**6**	**8**	**15**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1189	2.4	13	<1	<1	1	2	4	7	15
20-34	1389	2.5	9	<1	<1	2	3	5	7	18
35-49	1378	2.5	10	<1	<1	2	3	4	7	18
50-64	1260	2.9	15	<1	<1	2	3	5	9	22
65+	824	3.7	34	<1	<1	2	4	7	13	30
2. MULTIPLE DX										
0-19 YRS	422	5.5	82	<1	<1	2	6	12	21	79
20-34	810	6.8	86	<1	1	3	8	16	24	50
35-49	1077	7.7	102	<1	1	4	10	18	27	52
50-64	1722	9.0	142	<1	1	5	11	20	32	70
65+	2379	12.4	190	1	2	9	16	30	44	99+
TOT. SINGLE DX	6040	2.7	15	<1	<1	2	3	5	8	22
" MULTIPLE DX	6410	9.6	148	<1	1	5	12	23	34	78
TOTAL 0-19 YRS	1611	3.2	33	<1	<1	2	3	7	10	37
20-34	2199	4.1	42	<1	<1	2	4	9	15	32
35-49	2455	4.8	58	<1	<1	2	5	11	18	38
50-64	2982	6.4	98	<1	<1	3	7	15	23	54
65+	3203	10.2	164	<1	1	6	13	26	39	91
GRAND TOTAL	**12450**	**6.2**	**95**	**<1**	**<1**	**3**	**7**	**15**	**24**	**56**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1521	4.1	27	<1	1	2	5	8	12	27
20-34	1514	4.8	26	<1	1	3	6	10	14	26
35-49	980	5.6	41	<1	1	4	7	11	16	32
50-64	780	6.4	62	<1	1	4	8	14	19	47
65+	689	9.3	141	1	1	5	11	23	33	74
2. MULTIPLE DX										
0-19 YRS	2156	6.3	97	1	1	3	7	14	24	55
20-34	3054	7.2	101	1	1	4	8	16	26	61
35-49	1983	11.1	194	1	2	6	13	27	41	90
50-64	2664	13.8	214	1	2	9	18	33	47	99
65+	4537	17.6	304	2	3	12	24	47	70	99+
TOT. SINGLE DX	5484	5.5	51	<1	1	3	7	12	18	37
" MULTIPLE DX	14394	12.1	219	1	1	7	15	31	49	99+
TOTAL 0-19 YRS	3677	5.4	70	1	1	3	6	11	18	48
20-34	4568	6.4	78	1	1	4	7	14	22	51
35-49	2963	9.3	151	1	1	5	11	22	34	74
50-64	3444	12.1	189	1	2	8	15	30	43	94
65+	5226	16.5	291	2	2	11	22	44	65	99+
GRAND TOTAL	**19878**	**10.3**	**181**	**1**	**1**	**6**	**13**	**26**	**42**	**95**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	180	8.1	107	<1	1	4	9	20	31	50
20-34	187	8.8	114	1	1	5	12	21	27	57
35-49	146	8.0	83	<1	1	5	11	18	23	45
50-64	137	12.0	198	1	2	8	15	27	34	81
65+	159	18.7	220	1	3	15	28	34	46	83
2. MULTIPLE DX										
0-19 YRS	171	15.3	222	1	2	11	21	35	48	60
20-34	293	16.7	272	2	2	12	21	41	53	80
35-49	209	18.8	304	3	3	14	24	41	58	88
50-64	390	23.0	349	3	4	19	31	51	73	99+
65+	685	27.6	361	5	9	24	40	60	87	99+
TOT. SINGLE DX	809	11.0	158	1	1	7	15	28	34	65
" MULTIPLE DX	1748	22.5	345	2	4	18	32	52	68	99+
TOTAL 0-19 YRS	351	11.6	176	1	1	7	16	31	40	56
20-34	480	13.7	226	1	2	9	17	33	48	72
35-49	355	14.4	242	1	1	10	19	34	49	81
50-64	527	20.1	333	2	3	15	27	47	61	99+
65+	844	25.9	346	4	7	23	35	57	81	99+
GRAND TOTAL	**2557**	**18.9**	**315**	**1**	**2**	**14**	**27**	**45**	**60**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	4.1	37	<1	1	2	4	8	21	31
20-34	101	3.3	11	<1	1	2	4	8	9	18
35-49	60	4.2	17	<1	1	3	5	9	11	24
50-64	51	5.7	106	1	1	2	5	10	20	66
65+	33	7.1	119	<1	1	3	9	22	51	99+
2. MULTIPLE DX										
0-19 YRS	54	9.8	193	1	1	4	13	26	56	99
20-34	106	10.7	201	2	2	5	16	30	43	99+
35-49	83	18.6	485	1	2	9	28	56	71	98
50-64	95	17.2	437	1	2	9	33	73	99+	99+
65+	99	24.6	561	2	3	17	39	82	99+	99+
TOT. SINGLE DX	316	4.4	46	<1	1	2	4	9	16	42
" MULTIPLE DX	437	16.7	413	1	2	9	24	60	91	99+
TOTAL 0-19 YRS	125	6.6	112	<1	1	3	6	19	28	78
20-34	207	7.1	122	1	1	3	7	22	30	99+
35-49	143	12.6	338	1	1	5	15	38	63	95
50-64	146	13.2	351	1	1	5	19	57	82	99+
65+	132	20.2	507	1	2	14	34	72	99	99+
GRAND TOTAL	**753**	**11.5**	**295**	**1**	**1**	**4**	**15**	**38**	**67**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	2.4	12	<1	<1	2	2	4	6	12
20-34	291	2.6	8	<1	<1	2	3	5	6	15
35-49	229	3.0	5	<1	<1	2	4	6	8	11
50-64	241	2.6	5	<1	1	2	3	4	6	10
65+	105	3.0	5	<1	1	2	3	7	8	11
2. MULTIPLE DX										
0-19 YRS	239	4.3	32	<1	1	2	5	10	15	56
20-34	279	4.9	43	1	1	3	5	9	18	49
35-49	302	5.7	56	1	1	4	6	11	15	48
50-64	461	6.0	61	1	1	3	7	14	21	42
65+	515	16.6	289	1	3	12	24	43	83	99+
TOT. SINGLE DX	1238	2.6	8	<1	<1	2	3	5	7	11
" MULTIPLE DX	1796	8.6	145	1	1	4	10	23	36	99+
TOTAL 0-19 YRS	611	3.1	22	<1	<1	2	3	6	10	29
20-34	570	3.7	27	<1	1	2	4	7	10	27
35-49	531	4.5	36	<1	1	3	5	9	12	32
50-64	702	4.8	44	1	1	3	5	11	16	37
65+	620	14.3	267	1	2	9	20	38	75	99+
GRAND TOTAL	**3034**	**6.2**	**98**	**<1**	**1**	**3**	**6**	**15**	**27**	**86**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	11	4.2	17	1	1	2	7	10	14	14
20-34	18	6.4	77	1	1	2	7	10	28	40
35-49	11	3.0	7	1	1	2	3	8	10	10
50-64	14	3.4	5	1	1	3	4	6	9	10
65+	13	7.1	49	1	1	4	11	20	22	22
2. MULTIPLE DX										
0-19 YRS	20	3.0	3	1	1	3	4	6	7	7
20-34	18	5.7	28	1	2	4	7	13	19	22
35-49	18	6.0	14	2	2	5	9	12	13	13
50-64	41	11.7	82	2	3	10	17	23	30	99+
65+	105	13.4	129	3	4	10	17	29	42	60
TOT. SINGLE DX	67	5.0	36	1	1	3	6	11	15	37
" MULTIPLE DX	202	10.7	102	2	2	7	15	24	38	61
TOTAL 0-19 YRS	31	3.4	8	1	1	2	4	7	8	14
20-34	36	6.1	52	1	2	4	7	11	20	40
35-49	29	4.9	14	1	1	3	6	11	12	13
50-64	55	9.6	75	1	2	6	15	22	28	97
65+	118	12.7	125	2	3	10	17	28	40	76
GRAND TOTAL	269	9.3	91	1	2	6	13	21	29	61

754: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	174	4.7	33	1	1	2	5	11	15	33
20-34	2087	4.5	24	1	1	3	5	11	15	23
35-49	2727	4.7	24	1	1	3	6	11	16	24
50-64	1394	5.2	35	1	1	3	6	12	17	28
65+	360	5.2	29	1	1	3	6	13	16	27
2. MULTIPLE DX										
0-19 YRS	127	6.4	73	1	1	3	8	13	26	46
20-34	1075	7.1	51	1	2	4	9	16	21	37
35-49	1816	7.7	68	1	2	5	10	17	23	41
50-64	1800	8.5	87	1	2	6	11	19	25	50
65+	1232	12.7	145	2	3	9	18	29	38	73
TOT. SINGLE DX	6752	4.8	28	1	1	3	6	11	16	25
" MULTIPLE DX	6050	8.8	91	1	2	5	12	20	27	50
TOTAL 0-19 YRS	301	5.4	50	1	1	3	6	11	18	35
20-34	3172	5.4	35	1	1	3	7	12	17	29
35-49	4543	5.9	45	1	1	3	8	14	19	31
50-64	3194	7.1	68	1	2	4	9	15	22	40
65+	1592	11.0	129	1	2	7	15	26	36	65
GRAND TOTAL	12802	6.7	62	1	1	4	9	16	21	39

755: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	61	3.5	8	1	1	2	4	7	10	16
20-34	161	4.6	19	1	1	2	5	10	13	17
35-49	324	5.3	22	1	1	3	6	11	16	25
50-64	373	5.0	41	1	1	3	6	9	13	29
65+	343	5.6	33	1	2	4	7	11	16	33
2. MULTIPLE DX										
0-19 YRS	54	7.5	69	2	2	5	9	14	21	50
20-34	176	8.9	90	2	2	6	10	18	28	52
35-49	354	8.9	73	2	2	6	10	18	28	40
50-64	1322	9.3	105	2	2	7	12	19	27	65
65+	1958	10.7	110	3	3	8	13	21	31	64
TOT. SINGLE DX	1162	5.1	30	2	2	3	6	10	14	27
" MULTIPLE DX	3864	9.9	105	2	2	7	12	20	29	60
TOTAL 0-19 YRS	115	5.4	41	1	1	3	6	12	15	30
20-34	337	6.6	57	1	1	4	8	15	19	43
35-49	678	7.3	57	1	2	5	9	16	23	35
50-64	1695	8.4	95	2	2	6	10	18	25	59
65+	2301	9.9	102	2	2	7	12	20	29	59
GRAND TOTAL	5026	8.8	91	2	2	6	11	18	26	56

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	25	4.7	23	1	1	2	5	12	16	17
50-64	25	3.8	6	1	1	3	5	11	17	17
65+	9	6.1	39	1	1	3	11	16	17	17
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	6.7	108	2	2	3	4	23	30	30
35-49	85	4.3	26	1	1	2	4	11	16	23
50-64	221	5.3	32	2	2	3	6	11	19	23
65+	148	8.2	104	2	2	4	11	18	24	33
TOT. SINGLE DX	52	3.9	17	1	1	2	4	11	15	17
" MULTIPLE DX	472	6.0	57	2	2	3	7	15	20	37
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	3.6	16	2	2	2	4	5	5	5
35-49	110	4.4	23	1	1	2	4	11	16	20
50-64	246	5.0	30	2	2	3	6	11	18	23
65+	157	8.1	101	2	2	4	11	18	24	32
GRAND TOTAL	524	5.8	53	2	2	3	7	15	19	35

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	4.0	12	1	1	3	5	8	11	18
20-34	467	5.6	23	1	1	4	8	12	15	21
35-49	584	5.9	25	1	1	4	8	13	16	24
50-64	807	5.6	27	1	2	3	8	12	15	25
65+	735	6.1	34	1	1	4	9	14	17	27
2. MULTIPLE DX										
0-19 YRS	118	7.7	83	1	1	4	11	19	23	74
20-34	547	8.9	62	2	2	7	12	18	24	41
35-49	1115	8.7	65	2	2	7	11	17	22	38
50-64	3056	8.9	70	2	2	7	12	18	23	39
65+	5061	11.0	106	2	2	9	14	22	31	61
TOT. SINGLE DX	2707	5.7	28	1	1	4	8	12	16	25
" MULTIPLE DX	9897	10.0	89	2	2	8	13	20	27	52
TOTAL 0-19 YRS	232	5.9	52	1	1	3	8	15	19	49
20-34	1014	7.4	47	1	2	5	10	15	20	37
35-49	1699	7.8	54	1	2	6	10	16	20	35
50-64	3863	8.2	63	2	2	6	11	17	22	37
65+	5796	10.4	100	2	2	8	14	21	30	58
GRAND TOTAL	**12604**	**9.1**	**79**	**2**	**2**	**7**	**12**	**19**	**25**	**47**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7593	4.0	18	1	1	3	5	8	10	21
20-34	11510	4.6	23	1	1	3	6	9	12	24
35-49	8210	5.7	31	1	1	4	7	12	15	27
50-64	7281	6.5	32	1	2	5	8	13	17	29
65+	6176	8.7	75	2	2	6	11	17	23	48
2. MULTIPLE DX										
0-19 YRS	8778	6.3	74	1	1	4	7	12	19	52
20-34	14806	6.9	54	1	2	5	8	14	19	40
35-49	18138	8.2	55	2	2	6	10	16	21	41
50-64	35417	9.6	68	2	3	8	12	18	24	46
65+	79724	12.4	115	3	4	10	15	24	33	72
TOT. SINGLE DX	40770	5.7	36	1	1	4	7	11	15	30
" MULTIPLE DX	156863	10.4	95	2	3	8	13	20	28	59
TOTAL 0-19 YRS	16371	5.2	50	1	1	3	6	10	15	39
20-34	26316	5.9	42	1	1	4	7	12	16	35
35-49	26348	7.4	49	1	2	5	9	15	19	37
50-64	42698	9.1	64	2	3	7	11	17	23	43
65+	85900	12.2	113	3	4	9	15	24	33	70
GRAND TOTAL	**197633**	**9.4**	**86**	**2**	**2**	**7**	**12**	**19**	**26**	**54**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3103	5.9	72	1	1	3	5	13	23	50
20-34	1950	7.5	59	1	2	6	9	14	19	39
35-49	1887	7.8	41	2	2	6	10	14	18	35
50-64	1433	8.2	41	2	3	7	10	15	19	35
65+	1287	10.3	92	2	3	8	13	19	27	52
2. MULTIPLE DX										
0-19 YRS	3359	7.8	116	1	2	4	8	17	28	68
20-34	3650	8.0	62	2	3	6	9	14	21	46
35-49	3629	8.8	64	2	3	7	10	16	22	44
50-64	5023	10.3	87	2	3	8	12	19	27	55
65+	10707	13.1	134	3	4	10	16	26	37	82
TOT. SINGLE DX	9660	7.5	64	1	2	5	9	15	21	44
" MULTIPLE DX	26368	10.6	109	2	3	8	13	21	30	66
TOTAL 0-19 YRS	6462	6.9	96	1	1	4	7	15	26	61
20-34	5600	7.8	61	2	2	6	9	14	20	44
35-49	5516	8.5	57	2	3	7	10	15	21	40
50-64	6456	9.8	78	2	3	8	12	18	25	50
65+	11994	12.8	131	3	4	10	15	25	36	79
GRAND TOTAL	**36028**	**9.8**	**99**	**2**	**2**	**7**	**12**	**19**	**28**	**60**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5291	4.1	32	1	1	3	5	7	9	28
20-34	2582	5.1	46	1	1	3	6	10	17	40
35-49	2102	6.1	37	1	1	4	7	13	17	30
50-64	2138	7.0	40	1	2	5	9	14	18	30
65+	2178	8.4	53	2	2	6	11	16	21	37
2. MULTIPLE DX										
0-19 YRS	6235	6.1	80	1	1	4	6	11	20	59
20-34	4307	7.8	100	1	1	5	8	17	29	56
35-49	5959	8.2	73	1	2	6	10	16	24	46
50-64	13592	9.0	62	2	3	7	11	17	23	42
65+	30662	11.3	105	2	3	9	14	21	31	68
TOT. SINGLE DX	14291	5.7	42	1	1	4	7	12	16	33
" MULTIPLE DX	60755	9.7	93	2	2	7	12	19	27	58
TOTAL 0-19 YRS	11526	5.2	59	1	1	3	5	9	14	50
20-34	6889	6.8	82	1	1	4	7	15	24	51
35-49	8061	7.6	65	1	2	5	9	15	22	44
50-64	15730	8.7	60	2	2	7	11	17	22	40
65+	32840	11.1	102	2	3	8	14	21	30	66
GRAND TOTAL	75046	8.9	86	1	2	6	11	18	25	54

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
517	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporumandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
561	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
606	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

1.7

Length of Stay by Diagnosis, Southern Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii

Discussion of the Data 1

Source of the Data 1

Data Quality 2

Coverage 3

Organization of Length of Stay Tables 5

Definition of Multiple Diagnosis Patients 5

Definition of Operated Patients 5

Explanation of Statistics 6

Defining the Extended Stay Case 7

Length of Stay Tables 17

Summary of All Patients 18

Summary of All Patients Except Newborn 19

Diagnosis Groups 1-398 20

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1]Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2]1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	1		115
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
A. acute myocardial infarction			
B. dissecting aortic aneurysm			
C. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 40 resp/min)			
3.			
4.			
Choking sensation	4		140
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		213
without mention of calculus	1		214
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — see Choledocholithiasis
Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — see Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. Operated										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6693	4.1	9	1	1	3	5	8	9	14
B. Operated	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. Not Operated	14921	6.5	24	2	2	5	8	12	15	25
B. Operated	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	**3**	5	7	8	11
20-34	1724	3.4	5	1	1	**3**	4	6	7	11
35-49	1625	3.6	6	1	1	**3**	5	7	8	12
50-64	1648	4.2	8	1	1	**4**	5	8	10	14
65+	1465	5.3	16	1	2	**5**	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	**7**	9	11	13	18
20-34	15024	7.4	8	4	5	**7**	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	**8**	10	13	15	21
65+	7394	10.4	24	5	6	**9**	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222952	3.2	7	1	1	3	4	5	6	12
20-34	123324	3.6	16	<1	1	3	4	6	9	20
35-49	53350	5.0	28	1	1	4	6	10	14	28
50-64	41677	5.6	31	1	1	4	7	11	15	28
65+	40902	6.5	38	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	80070	3.1	11	<1	1	2	3	6	8	17
20-34	140301	3.7	10	1	1	3	5	7	9	16
35-49	71306	4.8	19	1	1	4	6	10	12	21
50-64	61742	5.6	26	1	2	4	8	12	15	24
65+	63698	6.5	42	1	2	4	9	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153949	4.5	28	1	2	3	5	8	11	28
20-34	94841	5.2	33	1	1	4	6	10	14	30
35-49	106200	6.1	35	1	2	5	7	12	16	30
50-64	169813	6.9	38	1	2	5	9	13	17	31
65+	325186	8.5	55	2	3	7	11	16	22	39
B. *Operated*										
0-19 YRS	59561	5.5	74	1	1	3	6	11	19	54
20-34	147665	5.5	34	1	2	4	6	9	13	31
35-49	107301	7.2	49	1	2	6	8	14	19	38
50-64	120619	9.2	81	2	2	7	12	18	25	49
65+	172379	11.5	116	2	2	9	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482205	4.0	18	1	1	3	4	7	10	21
B. *Operated*	417117	4.5	21	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	849989	6.8	44	1	2	5	8	13	18	34
B. *Operated*	607525	8.2	79	1	2	6	10	17	24	48
1. SINGLE DX	899322	4.2	19	1	1	3	5	8	12	22
2. MULTIPLE DX	1457514	7.4	59	1	2	5	9	15	21	41
A. NOT OPERATED	1332194	5.8	36	1	2	4	7	12	16	31
B. OPERATED	1024642	6.7	59	1	2	4	8	14	20	40
TOTAL 0-19 YRS	516532	3.8	23	1	1	3	4	6	9	24
20-34	506131	4.5	23	1	1	3	5	8	11	25
35-49	338157	6.0	36	1	2	4	7	12	16	31
50-64	393851	7.3	50	1	2	5	9	14	19	37
65+	602165	9.0	73	2	2	7	11	18	24	45
GRAND TOTAL	**2356836**	**6.2**	**46**	**1**	**2**	**4**	**7**	**13**	**18**	**35**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93237	3.4	15	1	1	3	4	6	8	19
20-34	123324	3.6	16	<1	1	3	4	6	9	20
35-49	53350	5.0	28	1	1	4	6	10	14	28
50-64	41677	5.6	31	1	1	4	7	11	15	28
65+	40902	6.5	38	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	80026	3.1	11	<1	1	2	3	6	8	17
20-34	140301	3.7	10	1	1	3	5	7	9	16
35-49	71306	4.8	19	1	1	4	6	10	12	21
50-64	61742	5.6	26	1	2	4	8	12	15	24
65+	63698	6.5	42	1	2	4	9	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92329	4.5	30	1	1	3	5	8	11	29
20-34	94841	5.2	33	1	1	4	6	10	14	30
35-49	106200	6.1	35	1	2	5	7	12	16	30
50-64	169813	6.9	38	1	2	5	9	13	17	31
65+	325186	8.5	55	2	3	7	11	16	22	39
B. *Operated*										
0-19 YRS	57233	4.9	49	1	1	3	5	10	16	40
20-34	147665	5.5	34	1	2	4	6	9	13	31
35-49	107301	7.2	49	1	2	6	8	14	19	38
50-64	120619	9.2	81	2	2	7	12	18	25	49
65+	172379	11.5	116	2	2	9	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352490	4.3	23	1	1	3	5	9	12	25
B. *Operated*	417073	4.5	21	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	788369	7.0	45	1	2	5	9	14	19	35
B. *Operated*	605197	8.2	77	1	2	6	10	17	24	47
1. SINGLE DX	769563	4.4	22	1	1	3	5	9	12	23
2. MULTIPLE DX	1393566	7.5	59	1	2	5	9	15	21	41
A. NOT OPERATED	1140859	6.2	40	1	2	4	8	12	17	32
B. OPERATED	1022270	6.7	58	1	2	4	8	14	20	40
TOTAL 0-19 YRS	322825	3.9	25	1	1	3	4	7	10	26
20-34	506131	4.5	23	1	1	3	5	8	11	25
35-49	338157	6.0	36	1	2	4	7	12	16	31
50-64	393851	7.3	50	1	2	5	9	14	19	37
65+	602165	9.0	73	2	2	7	11	18	24	45
GRAND TOTAL	**2163129**	**6.4**	**48**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2438	3.1	4	1	1	3	4	5	7	11
20-34	999	3.1	4	1	1	3	4	5	7	10
35-49	474	3.5	5	1	1	3	4	6	7	13
50-64	239	4.0	8	1	1	3	5	7	8	16
65+	209	4.7	13	1	2	4	6	9	11	21
B. *Operated*										
0-19 YRS	37	6.7	38	2	2	5	8	12	14	37
20-34	45	5.4	6	2	3	5	6	8	10	12
35-49	19	6.3	15	1	2	5	7	12	15	17
50-64	11	6.3	16	1	1	6	10	12	12	12
65+	5	4.4	10	2	2	3	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3194	3.7	6	1	2	3	4	6	8	14
20-34	1233	3.7	9	1	1	3	5	7	8	11
35-49	779	4.3	10	1	2	4	5	7	9	16
50-64	800	5.1	14	2	2	4	6	9	12	22
65+	1315	6.2	26	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	69	8.1	91	3	3	5	7	15	21	59
20-34	67	6.5	18	3	3	5	7	13	17	21
35-49	66	7.6	43	2	2	5	9	16	20	37
50-64	63	13.3	67	2	4	10	14	23	40	68
65+	93	11.7	95	3	4	9	14	23	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4359	3.3	5	1	1	3	4	6	7	11
B. *Operated*	117	6.0	18	2	2	5	7	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	7321	4.4	12	1	2	3	5	8	10	18
B. *Operated*	358	9.6	89	2	3	7	11	19	25	59
1. SINGLE DX	4476	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	7679	4.6	17	1	2	4	5	8	11	21
A. NOT OPERATED	11680	4.0	10	1	1	3	5	7	9	16
B. OPERATED	475	8.7	74	2	3	6	10	16	23	57
TOTAL 0-19 YRS	5738	3.5	7	1	1	3	4	6	8	13
20-34	2344	3.6	7	1	1	3	4	6	8	12
35-49	1338	4.2	11	1	2	3	5	7	9	18
50-64	1113	5.4	25	1	2	4	6	10	13	23
65+	1622	5.3	30	2	2	5	8	12	15	27
GRAND TOTAL	**12155**	**4.1**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.0	11	1	1	4	5	7	12	14
20-34	55	9.5	32	2	3	8	13	17	20	24
35-49	37	10.3	31	3	4	10	14	18	21	23
50-64	37	9.8	45	3	3	8	14	19	22	30
65+	44	10.4	44	2	3	10	14	19	22	30
B. *Operated*										
0-19 YRS	8	10.3	31	3	4	9	13	19	21	21
20-34	12	12.7	37	5	5	11	17	22	24	24
35-49	25	12.9	87	4	5	11	16	20	28	51
50-64	28	12.6	78	2	3	11	15	27	33	34
65+	32	14.2	124	2	3	13	16	20	31	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	9.0	70	3	4	7	8	16	32	36
20-34	47	14.7	246	3	5	11	16	29	71	99+
35-49	88	12.9	158	3	4	10	15	28	34	75
50-64	112	14.2	127	3	4	12	18	32	43	70
65+	197	15.1	146	3	4	12	19	27	36	67
B. *Operated*										
0-19 YRS	7	11.9	43	5	5	11	14	22	24	24
20-34	24	11.5	29	2	5	11	15	17	21	25
35-49	69	17.1	226	3	5	14	21	31	55	99
50-64	85	14.7	123	3	4	12	19	27	35	61
65+	138	17.8	176	3	6	14	23	37	50	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	9.5	37	2	3	8	13	18	21	28
B. *Operated*	105	13.0	84	2	4	12	15	21	28	57
2. MULTIPLE DX										
A. *Not Operated*	458	14.2	152	3	4	11	17	28	40	73
B. *Operated*	323	16.2	161	3	5	13	20	30	42	80
1. SINGLE DX	293	10.7	57	2	3	9	14	19	23	34
2. MULTIPLE DX	781	15.0	157	3	4	12	18	28	41	74
A. NOT OPERATED	646	12.8	123	3	4	10	16	25	32	69
B. OPERATED	428	15.4	144	3	5	13	19	28	39	73
TOTAL 0-19 YRS	44	8.0	45	1	2	6	10	14	22	36
20-34	138	11.9	108	3	4	10	15	19	24	76
35-49	219	13.8	154	3	4	10	17	27	33	91
50-64	262	13.6	111	3	3	11	17	27	36	52
65+	411	15.4	147	3	4	13	19	28	39	70
GRAND TOTAL	**1074**	**13.9**	**133**	**3**	**4**	**11**	**17**	**26**	**36**	**71**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	3	23.0	468	5	5	17	39	47	47	47
50-64	2	7.5	13	5	5	7	10	10	10	10
65+	6	9.8	39	2	2	9	16	18	18	18
B. Operated										
0-19 YRS	11	8.0	72	<1	1	5	10	20	30	31
20-34	7	4.6	10	<1	1	4	5	10	11	11
35-49	4	19.3	117	9	9	17	27	34	34	34
50-64	7	10.3	58	3	3	10	13	23	25	25
65+	4	20.3	219	2	2	22	32	35	35	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	18.5	313	6	6	18	31	31	31	31
20-34	6	6.8	32	2	2	4	14	14	14	14
35-49	10	19.0	343	5	5	10	24	51	61	61
50-64	11	10.1	40	3	4	10	12	19	25	26
65+	24	13.5	147	4	4	9	21	41	57	99+
B. Operated										
0-19 YRS	8	12.1	88	1	2	8	19	27	29	29
20-34	10	16.0	88	7	7	15	29	31	32	32
35-49	12	10.9	92	1	2	10	18	43	89	99+
50-64	19	23.6	446	2	4	20	24	48	77	95
65+	27	26.9	253	4	6	23	34	52	65	68
SUBTOTALS										
1. SINGLE DX										
A. Not Operated	17	9.5	123	1	2	5	12	18	37	47
B. Operated	33	10.6	98	<1	2	*	13	29	34	35
2. MULTIPLE DX										
A. Not Operated	53	13.3	155	3	4	9	19	38	43	98
B. Operated	76	20.8	280	2	4	18	27	44	60	99
1. SINGLE DX	50	10.2	104	1	2	6	13	27	34	47
2. MULTIPLE DX	129	17.7	241	2	4	14	24	41	54	99+
A. NOT OPERATED	70	12.4	148	2	3	8	16	34	43	92
B. OPERATED	109	17.7	246	2	3	15	25	35	53	97
TOTAL 0-19 YRS	24	9.7	87	1	2	6	11	29	31	31
20-34	26	10.0	84	1	2	6	15	28	30	32
35-49	29	16.1	209	3	3	12	24	44	61	99+
50-64	39	16.6	280	2	3	13	22	27	48	95
65+	61	19.5	246	3	4	17	28	44	57	96
GRAND TOTAL	**179**	**15.6**	**214**	**2**	**3**	**11**	**22**	**35**	**47**	**98**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	240	2.7	2	1	1	2	3	4	6	8
20-34	88	2.9	2	<1	<1	3	4	5	5	6
35-49	44	3.2	2	1	1	3	4	5	6	7
50-64	11	3.6	6	2	2	2	5	7	8	8
65+	7	3.9	2	2	2	4	5	6	6	6
B. Operated										
0-19 YRS	37	2.1	2	1	1	2	2	2	5	9
20-34	3	1.7		1	1	1	1	1	1	1
35-49	5	1.4		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	441	3.2	3	1	1	3	4	5	6	10
20-34	144	3.7	3	1	2	3	5	6	7	10
35-49	72	4.1	5	2	2	4	5	6	9	14
50-64	48	5.1	8	2	2	5	7	9	11	12
65+	35	5.5	10	2	2	5	7	10	13	14
B. Operated										
0-19 YRS	23	3.8	34	1	2	2	4	5	14	30
20-34	6	6.3	20	2	2	5	6	14	15	15
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS										
1. SINGLE DX										
A. Not Operated	390	2.9	2	1	1	3	4	5	6	8
B. Operated	45	2.0	2	1	1	2	2	2	4	9
2. MULTIPLE DX										
A. Not Operated	740	3.6	4	1	2	3	4	6	8	11
B. Operated	32	4.5	29	2	2	3	5	7	14	30
1. SINGLE DX	435	2.8	2	1	1	2	3	5	6	9
2. MULTIPLE DX	772	3.6	5	1	2	3	4	6	8	11
A. NOT OPERATED	1130	3.4	4	1	1	3	4	6	7	10
B. OPERATED	77	3.0	14	1	1	2	3	5	8	28
TOTAL 0-19 YRS	741	3.0	4	1	1	3	4	5	6	10
20-34	241	3.5	3	1	1	3	4	5	6	10
35-49	123	3.7	4	1	2	3	5	6	7	12
50-64	60	4.8	7	2	2	4	6	9	10	12
65+	42	5.2	9	2	2	5	6	9	13	14
GRAND TOTAL	**1207**	**3.3**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	377	5.5	14	2	2	4	7	11	12	16
20-34	19	6.7	83	1	2	5	7	9	28	43
35-49	21	6.7	33	1	2	6	8	10	19	29
50-64	24	8.8	49	2	3	7	10	16	25	34
65+	80	9.2	21	3	4	8	12	15	18	22
B. *Operated*										
0-19 YRS	13	8.5	25	<1	2	8	14	14	15	15
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	3	7.3	34	3	3	5	12	14	14	14
50-64	4	6.3	45	1	1	4	10	16	16	16
65+	2	16.0	32	12	12	16	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	6.3	19	2	2	5	8	12	14	23
20-34	125	9.7	69	2	3	7	11	22	30	39
35-49	175	10.5	84	2	3	8	12	21	27	38
50-64	357	11.4	53	3	4	10	14	20	27	39
65+	1557	13.1	89	4	5	11	16	23	30	60
B. *Operated*										
0-19 YRS	43	13.7	164	2	3	12	18	29	52	99+
20-34	42	19.6	305	4	6	13	23	45	58	90
35-49	40	19.2	276	5	5	15	29	49	65	99+
50-64	104	22.3	242	6	8	19	27	51	68	99+
65+	359	22.1	242	6	8	18	29	41	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	6.3	22	2	2	5	8	12	14	22
B. *Operated*	24	8.4	31	1	2	7	14	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	2739	11.3	76	3	4	9	14	21	27	46
B. *Operated*	588	21.1	247	5	6	17	27	42	60	99+
1. SINGLE DX	545	6.4	22	2	2	5	8	12	14	21
2. MULTIPLE DX	3327	13.0	120	3	4	10	16	26	34	67
A. NOT OPERATED	3260	10.5	71	2	3	9	13	20	26	44
B. OPERATED	612	20.6	245	5	6	16	27	41	58	99+
TOTAL 0-19 YRS	958	6.4	26	2	2	5	8	12	15	27
20-34	188	11.6	141	2	3	8	14	25	34	58
35-49	239	11.6	123	2	3	8	14	26	33	79
50-64	489	13.5	113	3	5	11	16	26	36	74
65+	1998	14.6	126	4	5	12	17	27	37	69
GRAND TOTAL	**3872**	**12.1**	**112**	**3**	**3**	**9**	**15**	**24**	**32**	**65**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	7.5	21	2	2	7	11	14	15	22
20-34	52	5.1	10	2	2	4	6	10	12	13
35-49	32	8.2	69	1	2	5	10	16	30	40
50-64	24	6.3	35	2	3	4	6	11	24	25
65+	30	6.6	20	3	3	6	8	13	16	21
B. *Operated*										
0-19 YRS	12	6.8	23	2	2	6	11	13	14	14
20-34	5	11.4	375	2	2	3	14	46	46	46
35-49	5	13.8	55	3	3	16	18	23	23	23
50-64	5	6.4	13	2	2	8	9	10	10	10
65+	5	12.6	78	3	3	12	16	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	7.1	23	2	2	6	10	13	15	24
20-34	63	6.7	41	2	2	5	8	13	18	41
35-49	87	8.0	29	3	3	7	10	14	18	32
50-64	108	8.7	38	3	3	7	11	17	22	30
65+	204	9.9	61	3	4	8	12	17	23	47
B. *Operated*										
0-19 YRS	31	13.3	75	2	4	11	19	26	28	38
20-34	25	16.1	221	4	4	11	21	31	53	68
35-49	18	10.0	56	2	3	9	11	18	28	34
50-64	37	18.9	282	4	5	13	28	34	58	77
65+	64	17.6	256	3	4	13	23	42	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	7.1	25	2	2	6	10	13	15	25
B. *Operated*	32	9.5	85	2	2	9	12	18	27	46
2. MULTIPLE DX										
A. *Not Operated*	715	8.2	40	2	3	7	11	15	19	31
B. *Operated*	175	16.1	208	3	4	11	21	33	46	75
1. SINGLE DX	416	7.3	30	2	2	6	10	13	16	28
2. MULTIPLE DX	890	9.8	82	2	3	7	12	19	26	49
A. NOT OPERATED	1099	7.8	35	2	3	7	10	14	17	30
B. OPERATED	207	15.1	194	2	3	11	19	31	45	72
TOTAL 0-19 YRS	542	7.6	27	2	2	7	11	14	16	28
20-34	145	7.9	84	2	2	5	9	15	23	49
35-49	142	8.5	43	2	3	7	10	15	22	34
50-64	174	10.4	107	3	3	7	12	24	30	60
65+	303	11.3	110	3	3	9	13	21	28	60
GRAND TOTAL	**1306**	**9.0**	**67**	**2**	**3**	**7**	**11**	**16**	**23**	**45**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1229	3.3	4	1	1	3	4	6	7	11
20-34	530	3.9	5	1	2	3	5	7	8	11
35-49	109	4.3	5	2	2	4	5	7	9	13
50-64	24	5.0	12	1	2	4	5	10	13	17
65+	5	5.6	8	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS	10	6.8	12	2	3	6	10	12	12	12
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	483	4.1	9	1	2	4	5	7	9	14
20-34	244	4.8	13	2	2	4	5	9	10	19
35-49	75	5.9	11	2	2	5	8	10	14	16
50-64	28	8.8	24	3	4	8	10	16	21	22
65+	13	7.3	12	2	2	8	11	21	82	99+
B. *Operated*										
0-19 YRS	22	5.9	13	1	2	5	7	11	14	16
20-34	13	6.2	7	3	3	6	8	10	11	11
35-49	4	15.3	16	12	12	15	41	99+	99+	99+
50-64	4	12.3	79	4	4	10	19	24	24	24
65+	4	20.8	70	15	15	17	26	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1897	3.6	5	1	1	3	4	6	7	11
B. *Operated*	15	6.8	10	2	3	6	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	843	4.6	12	2	2	4	5	9	11	17
B. *Operated*	47	8.6	42	2	3	7	12	18	25	99+
1. SINGLE DX	1912	3.6	5	1	1	3	4	6	8	11
2. MULTIPLE DX	890	4.8	14	2	2	4	6	9	13	21
A. NOT OPERATED	2740	3.9	7	1	2	3	5	7	9	14
B. OPERATED	62	8.1	34	2	3	7	11	16	22	91
TOTAL 0-19 YRS	1744	3.6	6	1	1	3	4	6	8	12
20-34	789	4.2	7	2	2	4	5	7	9	14
35-49	190	5.2	11	2	2	5	6	9	12	19
50-64	57	7.4	26	2	2	6	9	14	20	24
65+	22	9.4	49	2	2	8	12	22	56	99+
GRAND TOTAL	**2802**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	298	3.3	4	1	1	3	4	5	7	11
20-34	88	4.1	6	<1	1	4	5	7	8	14
35-49	55	5.4	17	1	2	5	6	9	14	23
50-64	93	5.9	13	1	2	5	8	11	14	16
65+	170	6.7	19	2	3	6	8	11	14	26
B. *Operated*										
0-19 YRS	5	23.6	588	5	5	12	40	62	62	62
20-34	4	9.8	18	4	4	10	12	14	14	14
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	6	6.0	4	3	3	6	7	9	9	9
65+	13	7.5	37	<1	1	5	11	18	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	570	4.1	17	1	2	3	5	7	9	18
20-34	101	4.9	7	2	2	4	6	8	10	15
35-49	96	6.5	20	2	2	6	8	12	15	25
50-64	254	6.4	19	2	2	5	8	12	17	21
65+	813	9.5	56	2	3	7	11	18	25	39
B. *Operated*										
0-19 YRS	19	11.2	122	3	3	7	13	21	37	49
20-34	4	11.8	96	2	2	10	19	24	24	24
35-49	12	9.8	64	3	4	7	11	24	29	30
50-64	28	12.3	68	3	5	9	18	27	36	99+
65+	78	13.8	102	3	5	12	17	29	38	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	704	4.7	12	1	2	4	6	9	11	18
B. *Operated*	30	10.2	138	2	3	6	11	19	33	62
2. MULTIPLE DX										
A. *Not Operated*	1834	7.0	40	2	2	5	9	13	19	33
B. *Operated*	141	12.7	94	3	4	10	18	25	35	99+
1. SINGLE DX	734	4.9	18	1	2	4	6	9	12	20
2. MULTIPLE DX	1975	7.4	46	2	2	5	9	15	20	37
A. NOT OPERATED	2538	6.4	33	1	2	5	8	12	16	30
B. OPERATED	171	12.3	102	2	4	9	16	24	35	91
TOTAL 0-19 YRS	892	4.1	21	1	1	3	5	6	9	21
20-34	197	4.8	10	1	2	4	6	8	10	16
35-49	165	6.4	23	2	2	5	8	12	15	26
50-64	381	6.7	23	2	2	6	8	12	18	28
65+	1074	9.3	56	2	3	7	11	18	24	39
GRAND TOTAL	**2709**	**6.7**	**40**	**1**	**2**	**5**	**8**	**13**	**18**	**34**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	5.6	13	2	2	5	7	9	12	20
20-34	450	6.8	17	2	3	6	8	12	15	23
35-49	129	7.0	23	2	3	5	9	14	19	21
50-64	48	8.9	52	2	3	7	11	16	19	46
65+	21	8.9	20	3	5	8	10	16	19	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	9.2	27	2	3	8	13	17	18	18
35-49	8	6.1	17	2	2	6	10	12	12	12
50-64	8	8.5	42	3	3	6	11	20	22	22
65+	7	11.6	49	2	2	12	16	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	6.3	14	2	2	5	8	11	14	20
20-34	260	7.2	20	2	2	6	9	13	17	22
35-49	99	9.4	45	2	3	8	12	19	25	32
50-64	88	9.7	46	3	3	8	13	18	26	32
65+	103	10.1	39	3	4	9	12	19	25	30
B. *Operated*										
0-19 YRS	7	10.0	14	4	5	10	13	15	15	15
20-34	16	9.8	22	4	4	10	11	17	20	21
35-49	17	10.4	48	1	2	10	14	17	24	28
50-64	26	14.8	131	4	5	10	18	37	40	44
65+	28	13.8	68	6	6	13	16	26	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	781	6.8	20	2	2	6	8	12	15	22
B. *Operated*	36	8.6	33	2	2	8	12	16	21	22
2. MULTIPLE DX										
A. *Not Operated*	623	8.3	32	2	3	7	10	15	19	29
B. *Operated*	94	12.5	72	3	4	10	15	22	34	42
1. SINGLE DX	817	6.9	21	2	2	6	9	12	16	22
2. MULTIPLE DX	717	8.8	39	2	3	7	11	16	21	32
A. NOT OPERATED	1404	7.5	26	2	3	6	9	14	18	26
B. OPERATED	130	11.4	64	2	3	10	14	20	28	41
TOTAL 0-19 YRS	214	5.9	14	2	2	5	7	10	13	20
20-34	738	7.0	19	2	3	6	9	12	16	22
35-49	253	8.1	34	2	3	6	11	16	20	28
50-64	170	10.2	63	3	3	8	13	18	29	43
65+	159	10.7	44	3	4	9	13	20	25	31
GRAND TOTAL	**1534**	**7.8**	**30**	**2**	**3**	**7**	**10**	**14**	**19**	**28**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	465	4.3	6	1	2	4	5	8	9	12
20-34	140	4.9	6	2	2	4	6	8	10	13
35-49	24	6.0	8	2	3	6	7	9	12	13
50-64	10	7.5	35	3	3	5	11	17	22	22
65+										
B. *Operated*										
0-19 YRS	6	5.0	5	1	1	6	6	7	7	7
20-34	9	5.6	14	2	2	4	9	11	11	11
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	522	4.4	7	2	2	4	5	8	10	14
20-34	175	4.5	5	2	2	4	6	8	9	12
35-49	26	6.7	31	2	3	5	8	11	16	30
50-64	6	6.3	20	3	3	5	9	13	14	14
65+	3	16.0	508	2	2	4	32	42	42	42
B. *Operated*										
0-19 YRS	18	12.4	176	2	3	9	14	28	48	57
20-34	10	6.4	12	3	3	5	9	11	12	12
35-49	3	6.7	2	5	5	7	8	8	8	8
50-64	1	10.0		10	10	10	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	639	4.5	7	2	2	4	6	8	10	13
B. *Operated*	16	5.4	9	1	2	6	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	732	4.6	9	2	2	4	6	8	9	14
B. *Operated*	32	9.9	109	3	3	7	11	15	32	57
1. SINGLE DX	655	4.5	7	2	2	4	6	8	10	13
2. MULTIPLE DX	764	4.8	14	2	2	4	6	8	10	15
A. NOT OPERATED	1371	4.6	8	2	2	4	6	8	9	14
B. OPERATED	48	8.4	79	2	2	6	10	13	17	57
TOTAL 0-19 YRS	1011	4.5	10	2	2	4	5	8	10	14
20-34	334	4.8	6	2	2	4	6	8	10	12
35-49	54	6.4	18	2	3	6	8	10	12	29
50-64	17	7.2	27	3	3	5	10	13	19	22
65+	3	16.0	508	2	2	4	32	42	42	42
GRAND TOTAL	**1419**	**4.7**	**11**	**2**	**2**	**4**	**6**	**8**	**10**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.5	1	<1	<1	2	3	4	4	4
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	184	2.0	1	<1	<1	2	3	4	4	6
20-34	413	2.1	1	<1	<1	2	3	3	4	6
35-49	123	2.6	6	<1	<1	2	3	4	6	17
50-64	46	2.7	2	1	1	2	3	5	5	8
65+	13	3.1	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	11	2.6	5	<1	<1	2	4	6	8	8
35-49	3	6.7	10	3	3	8	9	9	9	9
50-64	4	4.5	10	1	1	4	7	8	8	8
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	45	4.0	36	<1	1	2	3	7	14	37
20-34	171	3.1	4	1	1	3	4	5	7	11
35-49	82	3.6	4	1	2	3	4	7	8	10
50-64	37	4.0	8	2	2	3	4	9	9	14
65+	15	4.5	11	2	2	3	5	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*	779	2.2	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	24	3.3	7	<1	1	2	5	8	9	9
B. *Operated*	350	3.5	9	1	1	3	4	6	9	12
1. SINGLE DX	793	2.2	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	374	3.5	9	1	1	3	4	6	9	12
A. NOT OPERATED	38	2.9	5	<1	<1	2	4	7	8	9
B. OPERATED	1129	2.6	5	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	234	2.4	8	<1	<1	2	3	4	4	13
20-34	601	2.4	2	<1	<1	2	3	4	5	8
35-49	211	3.0	6	<1	1	2	4	5	8	12
50-64	89	3.3	5	1	2	2	4	6	9	12
65+	32	3.7	7	1	2	3	4	7	11	12
GRAND TOTAL	**1167**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1826	2.8	3	1	1	3	4	5	6	8
20-34	541	3.2	4	1	1	3	4	6	7	12
35-49	228	3.6	8	1	1	3	4	6	8	12
50-64	128	4.0	5	1	2	4	5	7	8	11
65+	107	5.1	16	1	2	4	6	9	13	25
B. *Operated*										
0-19 YRS	48	3.7	9	1	1	3	5	7	9	15
20-34	35	4.4	16	<1	1	3	6	7	14	19
35-49	15	7.5	57	2	3	5	8	12	28	33
50-64	10	9.1	38	2	2	9	13	17	21	21
65+	3	17.7	64	10	10	17	24	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2029	3.2	4	1	1	3	4	5	7	11
20-34	850	3.9	8	1	2	3	5	7	9	16
35-49	546	4.3	7	1	2	4	5	8	9	13
50-64	585	5.2	17	2	2	4	6	9	11	20
65+	816	5.9	17	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	73	6.9	88	1	2	5	7	11	15	56
20-34	43	8.3	96	2	2	6	9	13	19	65
35-49	38	7.2	23	2	3	6	10	12	14	27
50-64	40	9.7	34	1	2	8	11	19	22	28
65+	51	15.3	146	4	5	13	19	29	44	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2830	3.1	4	1	1	3	4	5	6	10
B. *Operated*	111	5.3	28	1	1	4	6	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	4826	4.1	10	1	2	3	5	7	9	16
B. *Operated*	245	9.4	92	2	2	7	11	19	24	57
1. SINGLE DX	2941	3.2	5	1	1	3	4	5	7	12
2. MULTIPLE DX	5071	4.4	15	1	2	3	5	8	11	19
A. NOT OPERATED	7656	3.7	8	1	1	3	5	7	9	15
B. OPERATED	356	8.1	75	1	2	6	10	16	22	53
TOTAL 0-19 YRS	3976	3.1	5	1	1	3	4	5	6	11
20-34	1469	3.8	10	1	1	3	5	7	8	15
35-49	827	4.3	10	1	2	4	5	8	10	14
50-64	763	5.2	18	1	2	4	6	9	12	20
65+	977	6.4	29	2	2	5	8	12	16	26
GRAND TOTAL	**8012**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	4.0	5	1	2	4	5	6	8	13
20-34	83	4.4	5	2	2	4	5	7	9	14
35-49	48	4.6	7	2	2	4	5	9	11	13
50-64	19	7.1	34	2	2	5	9	12	20	27
65+	13	5.8	10	2	2	6	8	9	12	13
B. *Operated*										
0-19 YRS	5	3.0	3	1	1	3	4	5	5	5
20-34	4	6.5	10	4	4	5	8	11	11	11
35-49	3	9.3	16	7	7	7	12	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.8	7	1	2	4	6	8	10	13
20-34	51	4.9	8	2	2	4	6	8	9	16
35-49	41	4.8	5	2	2	4	5	8	10	11
50-64	21	7.4	21	3	3	7	8	14	19	22
65+	28	9.0	28	3	4	8	12	16	19	26
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	2	23.0	8	21	21	23	25	25	25	25
50-64	4	12.5	30	7	7	12	17	19	19	19
65+	5	19.6	337	7	7	9	30	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	4.4	7	2	2	4	5	8	10	13
B. *Operated*	12	5.8	14	1	2	5	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	223	5.6	13	2	2	5	7	10	13	19
B. *Operated*	15	15.0	137	6	*	9	20	25	44	50
1. SINGLE DX	345	4.5	8	2	2	4	5	8	10	14
2. MULTIPLE DX	238	6.2	25	2	2	5	7	10	15	25
A. NOT OPERATED	556	4.9	10	2	2	4	6	8	11	16
B. OPERATED	27	10.9	102	2	3	7	13	23	29	50
TOTAL 0-19 YRS	259	4.3	5	1	2	4	5	7	9	13
20-34	140	4.7	7	2	2	4	6	8	9	14
35-49	94	5.2	14	2	2	4	6	9	12	23
50-64	44	7.7	29	2	3	6	9	15	20	27
65+	46	9.3	65	3	3	7	10	17	24	50
GRAND TOTAL	**583**	**5.2**	**16**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	4.3	6	1	2	4	5	8	10	11
20-34	157	4.2	4	<1	2	4	5	7	8	10
35-49	19	4.4	8	2	2	4	5	8	12	13
50-64	11	5.2	31	1	1	4	8	15	17	17
65+	13	5.5	21	1	2	5	6	14	16	17
B. *Operated*										
0-19 YRS	20	3.4	6	<1	1	3	5	7	8	8
20-34	52	4.0	15	<1	1	3	5	9	13	18
35-49	18	5.1	47	<1	<1	2	8	13	22	28
50-64	6	4.5	7	2	2	4	5	9	9	9
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.9	15	1	3	5	7	10	11	25
20-34	161	5.4	8	2	3	5	7	9	10	15
35-49	25	6.8	24	2	2	5	9	14	18	18
50-64	18	10.7	49	2	3	10	14	21	25	27
65+	44	9.6	55	1	2	8	14	17	26	34
B. *Operated*										
0-19 YRS	15	6.3	27	<1	1	5	9	15	16	17
20-34	41	7.9	164	1	1	4	10	15	18	82
35-49	20	7.8	38	1	1	6	11	17	20	22
50-64	5	10.8	91	<1	<1	8	16	26	26	26
65+	7	12.6	129	2	2	11	18	30	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	4.3	6	<1	2	4	5	7	10	13
B. *Operated*	98	4.1	18	<1	1	2	5	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	319	6.5	22	1	3	5	8	12	15	27
B. *Operated*	88	8.1	104	1	1	5	11	17	19	63
1. SINGLE DX	393	4.3	9	<1	1	4	5	8	10	16
2. MULTIPLE DX	407	6.8	40	1	2	5	8	13	17	28
A. NOT OPERATED	614	5.4	16	1	2	4	7	10	13	22
B. OPERATED	186	6.0	62	<1	1	3	8	14	18	31
TOTAL 0-19 YRS	201	4.9	11	1	1	4	6	9	10	16
20-34	411	5.0	24	1	2	4	6	9	10	18
35-49	82	6.1	29	1	2	4	8	14	18	26
50-64	40	8.3	48	1	1	6	13	17	24	27
65+	66	8.9	58	1	2	6	13	18	26	34
GRAND TOTAL	**800**	**5.6**	**27**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.9	4	<1	<1	2	4	6	7	7
20-34	13	5.3	36	<1	<1	4	6	11	21	24
35-49	11	10.2	143	<1	<1	3	21	28	33	34
50-64	12	8.8	111	<1	3	6	8	21	38	41
65+	5	17.8	675	2	2	7	23	64	64	64
B. Operated										
0-19 YRS	9	9.0	116	1	1	6	9	27	36	36
20-34	17	13.4	171	<1	1	11	18	35	43	47
35-49	21	12.2	292	1	1	6	18	24	49	78
50-64	23	6.7	48	<1	1	4	10	14	22	30
65+	18	11.7	398	1	2	4	15	27	63	85
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	4.7	6	2	2	4	6	8	10	11
20-34	36	7.4	77	<1	1	4	8	16	23	47
35-49	49	9.2	187	1	2	5	9	17	28	78
50-64	70	12.2	297	1	2	7	11	26	53	86
65+	77	12.6	154	3	4	9	15	23	31	81
B. Operated										
0-19 YRS	8	12.3	448	1	1	4	9	48	64	64
20-34	34	17.7	470	2	3	9	22	48	67	87
35-49	39	15.6	277	2	3	9	20	37	59	71
50-64	38	14.9	354	2	2	7	13	48	54	60
65+	48	16.2	306	3	3	10	19	40	62	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	6.5	102	<1	<1	4	7	14	24	59
B. Operated	88	10.6	206	1	1	6	14	25	36	82
2. MULTIPLE DX										
A. Not Operated	299	9.5	158	1	2	6	10	19	27	81
B. Operated	167	15.9	337	2	3	9	19	45	61	79
1. SINGLE DX	159	8.7	163	<1	1	4	9	21	33	77
2. MULTIPLE DX	466	11.8	231	2	3	7	13	26	49	80
A. NOT OPERATED	370	9.0	149	1	2	5	9	18	26	75
B. OPERATED	255	14.0	297	2	2	7	17	37	56	80
TOTAL 0-19 YRS	114	5.1	46	<1	1	4	6	8	10	46
20-34	100	11.6	231	<1	1	6	13	32	47	78
35-49	120	11.9	233	1	2	6	15	25	44	78
50-64	143	11.7	260	1	2	7	11	31	50	83
65+	148	13.8	246	2	3	9	16	31	47	85
GRAND TOTAL	**625**	**11.0**	**215**	**1**	**2**	**6**	**12**	**25**	**46**	**79**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.4	1	1	1	3	3	4	4	4
20-34	8	6.1	22	<1	1	5	8	14	16	16
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+	5	4.0	3	3	3	3	5	7	7	7
B. Operated										
0-19 YRS	10	5.0	7	3	3	4	5	9	11	11
20-34	5	7.0	34	1	1	7	11	15	15	15
35-49	3	5.3	26	1	1	4	9	11	11	11
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	4.0	7	1	1	3	5	9	10	10
20-34	6	8.8	46	2	2	9	11	19	20	20
35-49	10	6.1	13	1	2	5	10	11	11	11
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	7	8.1	89	1	2	5	7	25	29	29
B. Operated										
0-19 YRS	8	5.8	17	2	2	5	7	13	15	15
20-34	8	5.9	24	2	2	4	7	14	17	17
35-49	4	12.0	62	5	5	10	17	23	23	23
50-64	5	30.2	1239	9	9	14	42	92	92	92
65+	2	7.5	1	7	7	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	4.4	11	<1	1	3	5	8	12	16
B. Operated	20	5.2	15	1	1	4	7	11	13	15
2. MULTIPLE DX										
A. Not Operated	53	5.5	24	1	2	4	7	11	11	29
B. Operated	27	11.4	297	2	2	7	11	22	36	92
1. SINGLE DX	42	4.8	13	1	1	4	5	10	13	16
2. MULTIPLE DX	80	7.5	121	1	2	5	8	13	21	73
A. NOT OPERATED	75	5.2	20	1	1	4	7	10	11	27
B. OPERATED	47	8.7	184	1	2	5	10	15	23	92
TOTAL 0-19 YRS	53	4.2	8	1	2	4	5	8	10	15
20-34	27	6.8	28	1	2	5	10	16	17	20
35-49	19	7.1	27	1	2	7	10	12	16	23
50-64	7	23.1	972	4	5	10	23	79	92	92
65+	16	5.9	43	1	1	4	7	8	23	29
GRAND TOTAL	**122**	**6.6**	**85**	**1**	**2**	**4**	**8**	**11**	**16**	**47**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5m (5)	10m (6)	50m (7)	75m (8)	90m (9)	95m (10)	99m (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	3.9	17	<1	<1	3	5	6	7	24
20-34	51	4.0	6	<1	1	3	5	7	8	15
35-49	27	4.7	8	1	1	4	6	7	10	13
50-64	6	6.2	25	1	1	5	6	15	16	16
65+	6	6.5	22	1	1	5	9	14	15	15
B. Operated										
0-19 YRS	14	4.0	6	1	1	4	5	7	9	10
20-34	175	5.1	22	1	1	4	6	10	13	24
35-49	79	5.0	17	1	1	4	6	10	13	23
50-64	25	5.2	15	1	1	4	6	10	16	16
65+	9	6.7	19	1	1	5	9	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	6.0	24	1	1	5	7	10	13	30
20-34	106	5.4	20	1	1	4	6	10	13	25
35-49	101	7.3	80	1	1	5	9	14	21	34
50-64	62	8.3	22	1	1	7	11	15	16	24
65+	65	7.8	31	1	1	5	9	14	21	30
B. Operated										
0-19 YRS	21	7.7	55	2	2	6	11	20	26	29
20-34	147	7.3	35	1	1	6	10	15	19	29
35-49	110	7.7	34	1	1	6	10	15	20	29
50-64	51	10.1	69	1	1	7	14	22	24	64
65+	42	12.7	129	1	1	10	14	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	4.4	11	<1	1	4	5	7	9	18
B. Operated	302	5.1	19	1	2	4	6	10	13	23
2. MULTIPLE DX										
A. Not Operated	356	6.8	29	2	2	5	8	13	18	30
B. Operated	371	8.5	53	2	2	6	11	17	24	33
1. SINGLE DX	422	4.9	17	1	2	4	6	9	13	23
2. MULTIPLE DX	727	7.6	42	2	2	6	10	15	20	31
A. NOT OPERATED	476	6.2	25	1	2	5	8	12*	15	29
B. OPERATED	673	6.9	41	2	2	5	9	14	20	30
TOTAL 0-19 YRS	107	5.5	27	1	1	4	6	11	15	23
20-34	479	5.7	25	1	1	4	7	11	15	25
35-49	317	6.6	31	1	1	5	8	13	19	31
50-64	144	8.3	60	1	1	5	11	18	21	30
65+	102	9.6	75	1	1	7	12	20	27	47
GRAND TOTAL	1149	6.6	35	2	2	5	8	13	18	30

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5m (5)	10m (6)	50m (7)	75m (8)	90m (9)	95m (10)	99m (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	3	10.0	75	5	5	5	15	20	20	20
65+	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	5.7	41	1	1	3	10	15	15	15
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	9.0	12	5	5	10	11	12	12	12
50-64	5	3.2	5	1	1	2	5	6	6	6
65+	8	6.1	16	1	1	5	9	12	13	13
B. Operated										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	4	5.0	28	1	1	2	11	12	12	12
50-64	4	5.5	14	1	1	5	9	11	11	11
65+	4	22.5	510	1	1	19	40	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	8.8	56	5	5	5	13	20	20	20
B. Operated	4	4.5	33	1	1	2	8	13	13	13
2. MULTIPLE DX										
A. Not Operated	19	5.7	18	1	1	5	8	12	13	13
B. Operated	21	8.4	137	1	1	4	9	19	39	51
1. SINGLE DX	8	6.6	43	1	1	5	9	18	20	20
2. MULTIPLE DX	40	7.1	79	1	1	5	9	12	21	51
A. NOT OPERATED	23	6.2	20	1	1	5	8	12	15	20
B. OPERATED	25	7.8	121	1	*1	4	9	13	35	51
TOTAL 0-19 YRS	4	4.5	5	2	2	4	7	9	9	9
20-34	5	4.4	7	1	1	4	6	8	8	8
35-49	9	6.3	24	1	1	5	11	12	12	12
50-64	17	5.6	29	1	1	3	7	13	15	20
65+	13	11.1	200	1	2	6	11	34	40	51
GRAND TOTAL	48	7.0	72	1	1	5	9	13	21	51

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	5	4.2	5	2	2	4	5	8	8	8
35-49	10	4.6	5	1	1	4	5	8	9	9
50-64	39	5.1	27	1	1	3	6	12	17	25
65+	37	5.9	47	1	2	4	7	11	20	37
B. *Operated*										
0-19 YRS	6	4.0	2	2	2	4	5	5	5	5
20-34	21	5.6	37	2	2	3	6	12	21	28
35-49	76	7.3	72	1	2	4	8	17	28	43
50-64	248	6.7	67	1	1	4	9	14	20	44
65+	258	6.3	49	1	2	4	8	16	19	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.6	4	1	1	3	5	7	7	7
20-34	12	5.5	16	1	1	5	8	11	14	14
35-49	62	6.4	52	1	1	4	8	13	23	36
50-64	117	7.5	52	1	1	5	9	16	24	38
65+	176	8.9	78	2	2	6	11	18	28	43
B. *Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	18	12.4	125	1	2	9	16	30	37	41
35-49	108	14.8	258	2	2	10	20	29	52	96
50-64	360	12.2	138	2	2	9	16	28	37	55
65+	506	12.4	195	2	2	8	16	28	40	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	5.2	31	1	1	4	6	10	13	32
B. *Operated*	609	6.5	58	1	1	4	8	15	19	40
2. MULTIPLE DX										
A. *Not Operated*	379	7.8	63	1	2	5	10	16	25	38
B. *Operated*	995	12.5	180	2	2	8	16	29	39	77
1. SINGLE DX	703	6.4	55	1	1	4	8	14	19	38
2. MULTIPLE DX	1374	11.2	152	2	2	7	15	26	34	67
A. NOT OPERATED	473	7.3	57	1	2	5	9	15	24	37
B. OPERATED	1604	10.3	142	1	2	6	14	24	33	64
TOTAL 0-19 YRS	24	3.5	4	1	1	3	5	7	7	8
20-34	56	7.6	66	1	2	5	9	16	28	40
35-49	256	10.1	158	1	2	6	13	26	31	83
50-64	764	9.3	103	1	2	6	12	21	31	53
65+	977	9.9	137	2	2	6	12	22	32	67
GRAND TOTAL	**2077**	**9.6**	**124**	**1**	**2**	**6**	**12**	**22**	**31**	**60**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	8.6	84	4	4	5	10	25	25	25
50-64	24	9.1	51	1	2	6	16	18	21	26
65+	27	9.3	96	2	2	5	13	18	26	49
B. *Operated*										
0-19 YRS										
20-34										
35-49	19	16.7	464	2	3	9	18	39	70	94
50-64	52	12.4	193	2	2	10	15	22	39	87
65+	74	9.3	73	1	2	6	13	20	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	18	9.7	94	1	2	6	11	25	33	37
50-64	78	7.0	40	1	2	5	8	14	23	31
65+	108	9.6	93	2	2	7	12	20	30	53
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34										
35-49	23	18.7	236	2	4	14	26	44	48	54
50-64	154	16.4	158	2	4	14	22	31	41	69
65+	212	17.7	299	2	3	13	25	44	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	9.2	73	2	2	5	14	18	24	48
B. *Operated*	145	11.4	170	1	2	8	14	21	36	88
2. MULTIPLE DX										
A. *Not Operated*	207	8.6	73	2	2	6	10	17	27	44
B. *Operated*	391	17.2	238	2	3	13	23	36	50	92
1. SINGLE DX	201	10.8	143	1	2	7	14	20	27	68
2. MULTIPLE DX	598	14.2	198	2	3	10	19	31	45	77
A. NOT OPERATED	263	8.7	73	2	2	5	11	18	26	46
B. OPERATED	536	15.6	226	2	3	12	21	34	47	89
TOTAL 0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	65	14.9	259	2	3	9	18	39	44	88
50-64	308	12.8	141	2	2	10	18	27	32	62
65+	421	13.6	209	2	2	9	18	31	48	90
GRAND TOTAL	**799**	**13.3**	**186**	**2**	**2**	**9**	**18**	**29**	**42**	**77**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	25	7.4	74	1	2	6	9	12	24	44
65+	30	9.9	149	1	2	6	10	22	25	65
B. *Operated*										
0-19 YRS										
20-34	3	9.7	54	4	4	7	15	18	18	18
35-49	12	15.0	125	7	8	11	15	33	44	46
50-64	50	13.4	108	3	4	11	17	24	27	67
65+	82	14.7	68	3	5	14	19	26	29	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	29	6.9	114	1	1	3	6	17	24	55
50-64	86	8.8	92	2	2	6	10	18	25	59
65+	222	8.6	93	1	2	6	10	18	23	54
B. *Operated*										
0-19 YRS	2	11.5	85	5	5	11	18	18	18	18
20-34	10	15.7	63	4	7	14	19	27	34	34
35-49	51	15.6	95	3	5	13	21	26	35	50
50-64	204	18.7	175	4	7	16	21	33	47	69
65+	476	19.5	154	4	7	17	25	36	44	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	8.1	105	1	2	5	9	16	24	62
B. *Operated*	147	14.2	85	3	5	13	18	26	29	47
2. MULTIPLE DX										
A. *Not Operated*	338	8.5	94	1	2	6	10	18	24	56
B. *Operated*	743	18.9	155	4	7	16	24	35	44	66
1. SINGLE DX	209	12.4	98	2	3	10	17	25	28	54
2. MULTIPLE DX	1081	15.7	160	2	3	13	20	31	41	66
A. NOT OPERATED	400	8.4	95	1	2	6	10	17	24	60
B. OPERATED	890	16.2	147	4	6	16	23	32	42	66
TOTAL 0-19 YRS	6	5.8	36	3	3	3	5	17	18	18
20-34	14	13.6	65	4	4	13	18	21	31	34
35-49	95	12.4	118	1	2	10	17	26	33	53
50-64	365	14.9	160	2	3	12	18	28	42	67
65+	810	15.7	152	3	4	13	21	31	39	65
GRAND TOTAL	**1290**	**15.1**	**151**	**2**	**3**	**13**	**20**	**30**	**39**	**65**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	16.5	313	4	4	16	29	29	29	29
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	3	22.0	189	10	10	19	32	37	37	37
50-64	7	19.3	137	6	6	22	30	32	32	32
65+	9	15.7	83	6	7	13	18	31	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	7.1	21	2	2	6	9	15	16	16
50-64	6	7.2	21	2	2	6	9	14	15	15
65+	13	11.0	83	3	4	6	18	27	29	30
B. *Operated*										
0-19 YRS										
20-34	2	17.5	41	13	13	17	22	22	22	22
35-49	11	15.0	74	1	6	13	19	28	33	34
50-64	35	19.3	258	6	8	14	22	34	42	94
65+	69	21.6	253	6	9	17	26	43	60	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	12.0	217	3	3	4	23	29	29	29
B. *Operated*	20	17.7	106	6	6	14	26	33	36	37
2. MULTIPLE DX										
A. *Not Operated*	26	9.1	53	2	3	6	9	20	27	30
B. *Operated*	117	20.2	234	6	9	16	23	36	46	94
1. SINGLE DX	23	16.9	115	4	5	13	27	33	36	37
2. MULTIPLE DX	143	18.2	220	4	5	14	22	34	45	94
A. NOT OPERATED	29	9.4	64	2	3	6	11	24	29	30
B. OPERATED	137	19.9	216	6	8	16	24	35	45	94
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	17.5	41	13	13	17	22	22	22	22
35-49	21	13.4	88	2	3	12	17	28	35	37
50-64	50	17.7	220	4	5	14	23	32	34	94
65+	92	19.3	225	4	5	16	24	37	46	81
GRAND TOTAL	**166**	**18.0**	**205**	**4**	**5**	**14**	**22**	**34**	**44**	**89**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	14	4.9	14	1	1	4	6	10	14	15
50-64	29	7.4	66	1	1	4	9	19	26	37
65+	80	5.5	35	1	1	5	7	9	11	39
B. *Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	8	12.6	78	2	3	12	16	26	30	30
35-49	68	11.8	31	3	7	11	14	18	20	38
50-64	284	12.1	29	4	7	11	15	19	22	28
65+	476	14.0	49	4	8	13	16	21	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	3	5	5	7	8	9	9	9
20-34	15	6.3	28	1	1	5	8	13	18	20
35-49	73	7.1	71	1	2	5	7	15	24	51
50-64	186	7.7	46	1	2	6	9	15	21	33
65+	675	9.8	93	2	2	7	13	21	28	54
B. *Operated*										
0-19 YRS	5	13.6	21	9	9	14	17	19	19	19
20-34	35	16.8	142	4	6	14	20	34	42	58
35-49	218	13.5	51	3	6	13	16	21	27	40
50-64	868	15.2	92	5	8	13	18	25	31	53
65+	2718	18.4	119	7	9	16	22	31	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	5.9	40	1	1	5	7	10	16	39
B. *Operated*	838	13.1	42	4	7	12	15	20	24	37
2. MULTIPLE DX										
A. *Not Operated*	954	9.1	82	1	2	6	11	19	25	53
B. *Operated*	3844	17.4	112	6	8	15	21	29	37	59
1. SINGLE DX	963	12.2	47	2	4	12	15	19	23	37
2. MULTIPLE DX	4798	15.7	117	3	5	14	20	27	35	57
A. NOT OPERATED	1079	8.8	78	1	2	6	10	19	25	51
B. OPERATED	4682	16.6	102	6	8	14	20	27	34	58
TOTAL 0-19 YRS	12	9.5	23	3	4	8	12	18	19	19
20-34	60	13.3	120	1	3	11	17	28	35	57
35-49	373	11.6	57	2	3	11	15	19	24	40
50-64	1367	13.4	80	3	4	12	16	22	28	46
65+	3949	16.1	117	3	5	14	20	28	36	59
GRAND TOTAL	**5761**	**15.1**	**107**	**3**	**4**	**13**	**19**	**26**	**33**	**55**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.0		4	4	4	4	4	4	4
35-49	8	3.6	5	<1	<1	3	5	7	8	8
50-64	29	4.2	10	1	1	3	5	7	12	15
65+	72	6.2	33	1	2	4	7	15	18	27
B. *Operated*										
0-19 YRS										
20-34	15	9.7	35	2	2	10	12	16	23	25
35-49	63	10.9	53	2	2	10	15	19	23	40
50-64	211	13.0	38	3	4	13	16	21	24	30
65+	358	13.5	90	2	3	13	18	23	29	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	8.3	39	2	2	6	12	17	21	22
35-49	53	7.1	62	1	2	5	8	15	21	49
50-64	164	9.1	91	2	2	5	12	21	29	41
65+	398	9.9	98	2	3	6	11	24	30	52
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	22	15.9	66	6	8	13	24	26	31	37
35-49	103	14.7	82	2	4	13	17	27	32	49
50-64	521	16.8	108	4	7	14	20	29	38	54
65+	1122	18.8	136	3	6	16	24	34	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.4	25	1	2	4	6	12	16	26
B. *Operated*	647	13.0	68	2	3	12	17	22	25	44
2. MULTIPLE DX										
A. *Not Operated*	627	9.4	93	2	2	6	11	21	29	50
B. *Operated*	1769	17.9	125	3	6	15	23	32	40	59
1. SINGLE DX	763	11.8	69	2	3	11	16	21	24	42
2. MULTIPLE DX	2396	15.7	131	3	4	13	21	30	38	56
A. NOT OPERATED	743	8.8	84	2	2	5	10	19	28	49
B. OPERATED	2416	16.6	115	3	5	15	21	30	37	56
TOTAL 0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	55	11.2	60	2	3	10	15	24	26	36
35-49	227	11.5	78	2	2	11	15	22	29	44
50-64	925	14.2	98	2	3	13	18	25	32	50
65+	1950	15.6	133	2	3	14	21	30	38	59
GRAND TOTAL	**3159**	**14.8**	**119**	**2**	**3**	**13**	**19**	**28**	**35**	**54**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	3	1	1	2	4	5	7	7
20-34	4	5.0	18	2	2	4	8	11	11	11
35-49	19	3.8	9	1	1	3	6	8	9	9
50-64	12	5.3	32	<1	1	5	8	13	21	22
65+	29	6.2	26	1	1	5	7	14	18	23
B. *Operated*										
0-19 YRS	9	12.8	55	2	4	13	16	24	28	28
20-34	3	6.7	16	2	2	9	9	9	9	9
35-49	13	10.5	46	2	3	9	13	23	25	25
50-64	42	13.6	122	3	4	12	18	22	27	70
65+	58	11.9	56	2	3	11	15	24	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.4	44	1	1	4	6	11	22	30
20-34	9	3.6	11	<1	<1	2	5	9	11	11
35-49	29	5.2	36	1	1	4	6	10	12	33
50-64	88	9.2	93	2	3	7	10	19	21	61
65+	170	9.7	72	1	2	7	12	20	24	51
B. *Operated*										
0-19 YRS	7	22.1	267	7	7	15	33	48	51	51
20-34	13	13.7	90	7	8	10	15	25	39	42
35-49	38	15.5	163	4	6	12	18	32	58	99+
50-64	152	18.0	141	5	7	15	22	33	44	62
65+	277	18.9	162	5	7	17	23	32	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.0	20	1	1	4	7	9	15	23
B. *Operated*	125	12.3	76	2	3	11	15	23	26	47
2. MULTIPLE DX										
A. *Not Operated*	316	8.7	74	1	2	6	11	19	24	48
B. *Operated*	487	18.3	156	5	7	15	22	32	45	66
1. SINGLE DX	201	9.5	67	1	2	8	12	20	24	34
2. MULTIPLE DX	803	14.5	145	2	3	12	18	28	38	64
A. NOT OPERATED	392	8.0	65	1	2	6	10	17	22	46
B. OPERATED	612	17.1	145	4	6	15	21	30	42	66
TOTAL 0-19 YRS	48	8.6	106	1	1	5	11	21	31	51
20-34	29	8.6	67	1	1	8	11	16	22	42
35-49	99	9.6	105	1	1	7	12	21	31	86
50-64	294	14.3	137	3	4	11	18	28	37	64
65+	534	14.5	136	2	3	12	19	28	35	58
GRAND TOTAL	**1004**	**13.5**	**134**	**2**	**3**	**11**	**18**	**27**	**35**	**62**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	5	8.6	73	1	1	5	12	23	23	23
50-64	29	5.6	33	1	1	4	7	13	15	28
65+	47	8.0	66	2	2	6	9	20	28	39
B. *Operated*										
0-19 YRS										
20-34										
35-49	10	12.2	50	2	2	13	17	21	23	23
50-64	32	15.8	55	2	6	16	20	25	28	33
65+	64	17.1	118	4	6	15	21	32	41	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	10.0	2	9	9	10	11	12	12	12
35-49	35	7.0	30	1	1	5	8	17	20	24
50-64	150	8.0	74	2	2	6	10	15	22	34
65+	297	9.3	57	1	2	8	13	17	20	40
B. *Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	4	25.0	50	15	15	27	30	30	30	30
35-49	44	21.2	217	3	5	20	28	37	58	66
50-64	238	18.2	116	5	8	16	23	32	42	61
65+	497	20.6	147	6	9	18	26	36	44	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	7.1	54	1	2	5	8	15	25	36
B. *Operated*	106	16.2	93	3	6	15	21	28	35	50
2. MULTIPLE DX										
A. *Not Operated*	486	8.8	60	1	2	7	11	17	22	38
B. *Operated*	785	19.9	142	6	8	18	25	35	43	64
1. SINGLE DX	188	12.3	96	1	2	10	17	24	30	47
2. MULTIPLE DX	1271	15.7	140	2	4	13	21	30	38	60
A. NOT OPERATED	568	8.5	59	1	2	7	11	17	22	38
B. OPERATED	891	19.5	138	5	8	17	24	34	43	62
TOTAL 0-19 YRS	3	8.3	22	3	3	10	11	12	12	12
20-34	8	17.5	87	9	9	13	27	30	30	30
35-49	94	14.3	164	1	3	10	20	31	37	63
50-64	449	13.8	118	2	3	12	19	26	33	54
65+	905	16.0	141	2	4	14	21	30	39	59
GRAND TOTAL	**1459**	**15.2**	**136**	**2**	**3**	**13**	**20**	**29**	**37**	**59**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	4.3	10	2	2	3	7	8	8	8
35-49	55	5.3	30	1	1	3	7	14	16	26
50-64	311	5.5	48	1	1	3	7	12	16	32
65+	331	6.2	44	1	1	4	8	14	21	34
B. *Operated*										
0-19 YRS	4	8.3	9	5	5	8	10	12	12	12
20-34	12	10.1	22	3	6	9	12	18	20	20
35-49	136	9.4	45	2	3	9	12	15	22	33
50-64	643	10.7	57	2	2	10	15	20	25	37
65+	713	11.0	67	2	3	9	15	21	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	34	1	1	3	12	13	13	13
20-34	11	9.1	46	1	2	8	12	18	25	26
35-49	346	7.1	50	1	1	5	9	15	22	28
50-64	1610	8.0	62	1	2	6	10	17	22	41
65+	2178	9.2	74	1	2	7	12	19	25	46
B. *Operated*										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	23	16.3	157	4	5	10	23	34	41	51
35-49	404	13.3	112	2	3	11	17	26	33	61
50-64	2280	13.6	105	3	4	11	18	26	33	51
65+	3039	14.4	119	3	4	12	18	28	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	701	5.8	45	1	1	4	7	13	18	32
B. *Operated*	1508	10.7	61	2	3	9	14	20	25	38
2. MULTIPLE DX										
A. *Not Operated*	4150	8.5	67	1	2	6	11	18	24	44
B. *Operated*	5748	14.1	113	3	4	12	18	27	34	54
1. SINGLE DX	2209	9.2	61	1	2	7	13	19	24	36
2. MULTIPLE DX	9898	11.8	102	2	3	9	16	24	31	51
A. NOT OPERATED	4851	8.2	65	1	2	6	11	17	23	41
B. OPERATED	7256	13.4	104	2	3	11	17	25	33	52
TOTAL 0-19 YRS	12	7.9	22	1	2	8	12	14	16	16
20-34	49	12.4	102	3	3	9	16	28	34	51
35-49	941	10.0	84	1	2	8	13	20	27	48
50-64	4844	10.9	89	1	2	9	15	22	28	47
65+	6261	11.8	101	2	3	9	16	24	31	50
GRAND TOTAL	**12107**	**11.3**	**95**	**2**	**2**	**9**	**15**	**23**	**30**	**49**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	5.4	6	1	2	5	8	8	8	8
35-49	8	6.9	32	2	2	5	9	16	19	19
50-64	14	4.6	13	<1	1	4	6	8	13	15
65+	31	5.6	27	1	1	4	7	15	19	19
B. *Operated*										
0-19 YRS	5	6.2	18	2	2	6	10	11	11	11
20-34	12	11.4	16	4	5	13	15	15	16	16
35-49	66	5.3	29	<1	1	2	8	14	17	21
50-64	245	7.6	82	1	1	3	12	17	22	43
65+	248	6.8	51	1	1	3	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	4.9	12	<1	<1	5	6	10	11	11
35-49	13	6.4	26	<1	<1	5	11	14	16	16
50-64	62	7.1	35	1	2	5	9	16	20	27
65+	79	8.0	58	1	2	6	10	17	23	41
B. *Operated*										
0-19 YRS	5	10.4	43	1	1	10	14	19	19	19
20-34	16	15.1	119	4	6	12	17	31	42	47
35-49	73	15.3	168	2	2	14	19	25	43	66
50-64	256	12.7	127	2	2	11	18	29	36	74
65+	331	13.4	156	1	2	10	19	30	41	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.6	21	1	1	5	7	11	18	19
B. *Operated*	576	7.0	61	1	1	3	11	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	161	7.4	45	1	1	6	10	16	20	36
B. *Operated*	681	13.3	145	2	2	11	19	29	39	59
1. SINGLE DX	637	6.9	57	1	1	3	11	16	20	37
2. MULTIPLE DX	842	12.2	131	1	2	9	17	27	37	58
A. NOT OPERATED	222	6.9	39	1	1	5	9	16	19	30
B. OPERATED	1257	10.5	116	1	2	7	15	23	32	51
TOTAL 0-19 YRS	11	8.5	29	1	1	10	11	15	19	19
20-34	42	10.7	69	1	3	9	14	17	25	47
35-49	160	10.0	115	1	2	7	15	21	24	58
50-64	577	9.7	102	1	1	6	14	22	30	48
65+	689	10.0	112	1	2	6	15	22	31	51
GRAND TOTAL	**1479**	**9.9**	**106**	**1**	**2**	**6**	**14**	**22**	**30**	**51**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.9	5	1	1	3	4	5	6	16
20-34	11	3.3	5	<1	1	3	3	7	9	9
35-49	14	4.9	17	<1	1	4	6	13	14	14
50-64	11	3.6	11	<1	1	2	5	9	12	12
65+	16	8.7	41	1	2	7	12	19	20	21
B. Operated										
0-19 YRS	93	8.0	38	1	2	7	12	16	19	28
20-34	45	7.8	44	1	2	6	10	16	19	37
35-49	49	8.1	39	2	3	8	10	19	22	27
50-64	71	9.9	62	2	3	8	13	25	27	32
65+	94	9.1	82	1	2	6	11	20	30	46
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	142	4.4	30	1	1	3	5	8	12	23
20-34	30	7.0	50	<1	1	5	8	17	22	32
35-49	19	6.2	18	1	2	5	10	12	14	16
50-64	44	8.3	212	1	2	5	8	15	19	97
65+	64	8.6	57	1	1	6	13	19	32	90
B. Operated										
0-19 YRS	55	11.5	136	2	3	8	13	25	44	54
20-34	29	12.8	83	2	3	10	17	28	35	35
35-49	40	13.1	188	2	3	9	17	34	56	99+
50-64	64	13.7	170	3	4	9	16	33	38	66
65+	145	12.9	135	2	2	9	17	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	4.0	15	<1	1	3	4	9	13	20
B. Operated	352	8.7	55	2	2	7	11	17	25	36
2. MULTIPLE DX										
A. Not Operated	299	6.2	68	1	1	4	7	14	18	45
B. Operated	333	12.8	143	2	3	9	16	31	36	62
1. SINGLE DX	474	7.5	49	1	2	5	10	16	22	32
2. MULTIPLE DX	632	9.7	116	1	2	6	13	22	33	59
A. NOT OPERATED	421	5.6	54	1	1	3	6	13	17	34
B. OPERATED	685	10.7	102	2	2	6	14	23	32	54
TOTAL 0-19 YRS	360	6.1	51	1	1	4	7	14	17	45
20-34	115	8.4	58	1	2	6	11	17	23	36
35-49	122	9.1	90	1	2	7	11	20	29	82
50-64	190	10.4	136	2	2	7	14	24	32	63
65+	319	10.7	104	1	2	6	15	24	33	55
GRAND TOTAL	**1106**	**8.7**	**90**	**1**	**2**	**5**	**11**	**19**	**27**	**52**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	26	6.4	55	1	2	4	5	14	27	33
50-64	6	3.8	7	1	1	3	6	6	6	6
65+	11	3.9	4	2	2	3	6	7	7	7
B. Operated										
0-19 YRS	11	4.7	7	2	2	4	7	9	9	9
20-34	64	5.2	13	1	2	4	7	11	13	17
35-49	136	5.8	25	1	2	5	6	10	13	25
50-64	139	5.6	16	1	1	5	6	12	14	17
65+	146	6.0	28	1	2	4	8	12	16	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	29	4.8	20	<1	<1	4	6	12	16	16
35-49	46	7.4	33	2	2	6	10	14	22	29
50-64	37	6.3	26	1	1	5	9	13	18	20
65+	59	10.3	147	2	3	6	12	18	36	57
B. Operated										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	52	7.9	66	2	2	6	9	18	31	35
35-49	92	7.6	34	1	2	7	10	14	20	28
50-64	125	8.6	63	2	2	7	11	17	23	44
65+	187	10.0	61	2	2	8	13	21	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	5.1	34	1	1	4	5	10	14	33
B. Operated	516	5.7	21	1	2	4	6	11	14	21
2. MULTIPLE DX										
A. Not Operated	169	7.8	73	1	2	5	10	16	20	46
B. Operated	460	6.9	71	2	2	7	11	19	25	37
1. SINGLE DX	563	5.7	22	1	2	4	7	11	14	22
2. MULTIPLE DX	629	6.6	72	1	2	6	11	18	23	40
A. NOT OPERATED	216	7.2	65	1	2	5	8	15	20	44
B. OPERATED	976	7.2	47	1	2	5	9	14	19	33
TOTAL 0-19 YRS	15	4.5	6	1	2	4	6	9	9	9
20-34	166	5.9	32	1	1	4	7	11	16	34
35-49	300	6.6	32	1	2	5	9	13	16	30
50-64	306	7.0	47	1	2	5	9	14	18	27
65+	403	8.5	73	2	2	6	10	18	24	45
GRAND TOTAL	**1192**	**7.2**	**50**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	3	3.7	9	<1	<1	3	6	7	7	7
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	10	13.0	197	1	1	7	22	36	44	44
B. *Operated*										
0-19 YRS	8	3.1	6	<1	<1	2	4	7	8	8
20-34	26	2.9	4	<1	<1	2	4	6	8	8
35-49	113	2.8	5	<1	1	2	3	6	8	12
50-64	278	3.1	9	<1	<1	2	3	6	9	15
65+	553	3.2	10	<1	1	2	4	6	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	11.0	2	10	10	11	12	12	12	12
35-49	8	4.0	17	1	1	2	7	11	11	11
50-64	15	4.3	11	<1	1	3	5	11	12	12
65+	47	8.1	66	1	1	7	10	16	20	48
B. *Operated*										
0-19 YRS	7	3.1	7	<1	<1	2	6	7	7	7
20-34	14	3.8	6	<1	1	3	6	8	8	8
35-49	91	5.1	40	<1	1	2	6	10	19	34
50-64	323	4.0	20	1	1	3	5	9	11	22
65+	958	5.3	32	1	2	3	6	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	8.8	139	<1	<1	4	9	27	38	44
B. *Operated*	978	3.2	9	<1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	73	6.9	50	1	1	5	10	14	17	42
B. *Operated*	1393	4.9	30	1	1	3	6	11	15	28
1. SINGLE DX	995	3.3	12	<1	1	2	4	6	9	15
2. MULTIPLE DX	1466	5.0	31	1	1	3	6	11	15	28
A. NOT OPERATED	90	7.3	66	1	1	5	10	15	22	46
B. OPERATED	2371	4.2	22	<1	1	3	5	9	12	25
TOTAL 0-19 YRS	17	3.1	5	<1	<1	2	4	7	8	8
20-34	42	3.6	8	<1	<1	3	5	8	9	12
35-49	215	3.8	21	<1	1	2	4	8	10	29
50-64	619	3.6	15	<1	1	2	4	7	11	18
65+	1568	4.7	28	1	1	3	5	10	14	27
GRAND TOTAL	**2461**	**4.3**	**24**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	2.0	2	<1	<1	1	3	4	5	6
35-49	49	4.0	17	<1	1	2	5	11	13	18
50-64	77	4.0	37	1	1	2	4	8	15	38
65+	76	6.3	59	1	1	4	8	11	24	40
B. *Operated*										
0-19 YRS	4	6.3	9	2	2	7	8	9	9	9
20-34	139	6.2	11	<1	2	6	8	10	12	15
35-49	682	6.4	10	2	2	6	8	10	12	16
50-64	1079	7.2	11	2	3	7	9	11	13	17
65+	1043	7.8	16	2	4	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	33	6.8	40	1	2	4	8	17	20	28
35-49	218	6.4	46	<1	1	4	8	14	21	33
50-64	514	8.1	103	1	1	5	9	18	24	49
65+	611	9.9	77	1	2	7	13	20	28	43
B. *Operated*										
0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34	128	8.4	43	2	3	7	10	12	16	45
35-49	717	8.7	34	2	4	8	10	15	18	34
50-64	1433	9.9	59	3	4	8	11	17	22	44
65+	2039	10.8	68	3	5	9	12	18	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	4.6	39	1	1	2	6	10	15	38
B. *Operated*	2947	7.2	13	2	3	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	1379	8.6	82	1	1	6	11	19	25	43
B. *Operated*	4319	10.1	59	3	4	8	11	17	22	44
1. SINGLE DX	3164	7.0	15	2	2	7	9	11	13	19
2. MULTIPLE DX	5698	9.7	65	2	3	8	11	17	23	44
A. NOT OPERATED	1596	8.0	78	1	1	5	10	18	25	42
B. OPERATED	7266	8.9	42	2	4	8	10	15	18	36
TOTAL 0-19 YRS	9	6.8	18	2	2	7	9	13	16	16
20-34	315	7.0	29	1	2	6	9	11	15	31
35-49	1666	7.3	27	1	2	7	9	12	16	28
50-64	3103	8.5	51	2	3	7	10	15	19	37
65+	3769	9.7	57	2	4	8	11	17	22	42
GRAND TOTAL	**8862**	**8.8**	**49**	**2**	**3**	**7**	**10**	**15**	**19**	**38**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	22	3.8	2	2	2	4	4	5	7	8
35-49	94	3.9	5	2	2	3	4	6	10	12
50-64	93	4.2	9	2	2	4	4	6	9	19
65+	102	4.2	6	1	2	4	4	7	10	15
B. Operated										
0-19 YRS										
20-34	118	5.2	13	1	1	5	7	12	13	15
35-49	140	6.2	26	1	2	5	8	12	13	30
50-64	115	5.6	27	2	2	4	7	11	14	30
65+	110	4.6	10	2	2	4	5	8	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	29	6.2	81	1	1	3	7	13	25	45
35-49	87	4.2	8	1	1	4	5	9	10	13
50-64	120	6.1	52	1	1	4	6	14	18	40
65+	169	8.2	71	2	2	5	10	16	25	39
B. Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	122	7.7	25	2	2	7	9	15	18	24
35-49	174	10.1	70	2	3	8	13	19	24	42
50-64	180	9.7	90	2	3	7	12	19	26	56
65+	197	10.5	95	2	3	8	12	21	30	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	311	4.1	6	2	2	4	4	6	9	17
B. Operated	483	5.4	20	1	2	4	7	11	13	23
2. MULTIPLE DX										
A. Not Operated	406	6.6	55	1	2	4	7	14	19	39
B. Operated	675	9.7	75	2	3	7	12	19	25	46
1. SINGLE DX	794	4.9	15	2	2	4	6	10	12	20
2. MULTIPLE DX	1081	8.5	69	1	2	6	11	17	24	45
A. NOT OPERATED	717	5.5	35	1	2	4	6	10	16	37
B. OPERATED	1158	7.9	56	2	2	6	10	15	21	43
TOTAL 0-19 YRS	3	9.3	94	1	1	7	17	20	20	20
20-34	291	6.3	25	1	2	5	7	13	15	24
35-49	495	6.8	41	1	2	5	9	13	18	31
50-64	508	6.9	56	2	2	4	8	15	19	41
65+	578	7.6	63	2	2	5	9	16	22	44
GRAND TOTAL	**1875**	**7.0**	**49**	**1**	**2**	**5**	**9**	**14**	**19**	**38**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	18	2.8	1	1	1	3	4	4	4	4
50-64	46	3.1	3	1	1	3	4	4	6	10
65+	99	3.5	10	1	1	3	4	5	8	20
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	6.4	9	<1	2	6	9	10	12	12
35-49	44	6.9	11	1	2	7	9	11	12	15
50-64	222	6.1	21	1	2	6	8	10	13	22
65+	271	6.3	16	2	2	6	8	11	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	17	4.2	16	1	1	3	5	7	14	18
50-64	65	4.9	19	1	1	4	5	11	14	24
65+	164	7.8	85	1	2	5	10	14	27	44
B. Operated										
0-19 YRS										
20-34	28	7.1	17	1	1	7	9	12	15	18
35-49	122	8.2	33	2	3	7	10	13	18	32
50-64	471	8.7	39	2	2	8	10	15	21	36
65+	718	9.6	45	2	2	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	163	3.3	7	1	1	3	4	5	7	13
B. Operated	549	6.2	17	1	2	6	8	11	13	19
2. MULTIPLE DX										
A. Not Operated	250	6.7	64	1	2	4	8	13	19	38
B. Operated	1339	9.1	42	2	2	8	11	16	21	35
1. SINGLE DX	712	5.6	16	1	2	4	8	10	13	19
2. MULTIPLE DX	1589	8.7	46	2	2	8	11	16	21	37
A. NOT OPERATED	413	5.4	44	1	1	4	6	11	15	34
B. OPERATED	1888	8.3	36	2	2	8	10	15	19	34
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	43	6.5	16	<1	1	6	9	11	14	18
35-49	201	7.1	27	1	2	7	9	12	15	27
50-64	804	7.3	34	1	2	7	9	13	17	30
65+	1252	8.2	45	1	2	7	10	15	20	35
GRAND TOTAL	**2301**	**7.7**	**39**	**1**	**2**	**7**	**10**	**14**	**18**	**32**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	11	2.1	1	1	1	2	3	4	4	4
35-49	57	2.0	4	1	1	1	2	5	7	12
50-64	179	2.2	4	1	1	2	2	4	5	13
65+	136	3.2	18	1	1	2	3	7	12	23
B. *Operated*										
0-19 YRS	6	9.0	20	5	5	7	13	16	16	16
20-34	24	8.1	8	4	4	8	10	12	13	14
35-49	45	9.0	17	4	5	8	10	14	16	26
50-64	94	9.8	21	3	5	9	12	16	19	24
65+	61	12.4	37	5	7	12	15	22	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	317	1	1	2	13	42	42	42
20-34	21	2.9	8	1	1	2	4	8	9	10
35-49	117	3.6	15	1	1	2	4	8	13	20
50-64	358	4.2	43	1	1	2	4	10	16	40
65+	304	6.6	94	1	1	3	7	15	24	56
B. *Operated*										
0-19 YRS	9	8.0	8	5	5	7	10	13	13	13
20-34	38	10.2	54	4	5	8	12	16	20	46
35-49	127	12.1	61	6	6	10	15	18	23	44
50-64	322	15.0	101	5	7	12	18	25	33	57
65+	335	17.9	148	7	8	15	21	29	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	386	2.5	9	1	1	2	2	4	7	19
B. *Operated*	230	10.2	25	4	5	9	12	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	805	5.0	60	1	1	2	5	11	17	41
B. *Operated*	831	15.4	117	5	7	12	19	26	33	68
1. SINGLE DX	616	5.4	29	1	1	3	8	13	16	25
2. MULTIPLE DX	1636	10.3	116	1	1	8	14	22	28	59
A. NOT OPERATED	1191	4.2	45	1	1	2	4	10	15	34
B. OPERATED	1061	14.3	101	5	6	12	17	25	30	60
TOTAL 0-19 YRS	23	7.9	73	1	1	6	9	14	25	42
20-34	94	7.1	36	1	1	7	10	13	16	35
35-49	346	7.2	48	1	1	6	10	15	18	27
50-64	953	8.0	82	1	1	5	11	19	24	46
65+	836	11.0	135	1	1	8	15	24	30	66
GRAND TOTAL	**2252**	**9.0**	**97**	**1**	**1**	**7**	**12**	**20**	**26**	**50**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	15	5.9	74	1	1	3	6	15	29	34
65+	21	5.0	18	1	2	4	6	9	14	21
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	6	7.8	26	2	2	7	12	15	15	15
35-49	11	6.3	34	1	1	4	8	16	21	21
50-64	18	6.3	16	2	2	5	8	13	15	16
65+	45	8.1	151	2	2	4	8	16	21	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	4	1	1	5	5	5	5	5
20-34	7	7.9	37	3	3	6	8	18	21	21
35-49	6	7.5	21	2	2	7	10	14	14	14
50-64	21	6.1	81	1	1	3	5	22	28	35
65+	53	8.7	88	2	2	5	11	17	28	56
B. *Operated*										
0-19 YRS	3	8.0	37	1	1	11	12	12	12	12
20-34	8	12.3	201	4	5	8	9	36	47	47
35-49	19	9.2	50	1	2	8	14	19	24	27
50-64	52	11.3	99	2	3	8	16	26	38	99
65+	109	13.5	125	2	3	10	18	31	40	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.5	32	1	1	3	4	8	15	34
B. *Operated*	83	7.3	92	2	2	4	8	15	19	62
2. MULTIPLE DX										
A. *Not Operated*	91	7.7	75	1	2	5	9	17	25	48
B. *Operated*	191	12.3	112	2	3	9	16	29	39	50
1. SINGLE DX	133	6.2	71	1	2	4	7	14	19	42
2. MULTIPLE DX	282	10.9	105	1	2	7	14	25	34	50
A. NOT OPERATED	141	6.6	61	1	1	4	7	14	23	37
B. OPERATED	274	10.8	111	2	2	7	14	25	34	51
TOTAL 0-19 YRS	17	3.2	12	<1	1	2	5	10	12	12
20-34	25	8.6	82	2	3	6	9	15	27	47
35-49	39	7.6	39	1	2	5	10	17	21	27
50-64	106	8.7	83	1	1	5	12	21	31	73
65+	228	10.5	119	2	2	7	13	25	32	48
GRAND TOTAL	**415**	**9.4**	**98**	**1**	**2**	**6**	**12**	**21**	**31**	**49**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	37	4.6	8	1	1	4	7	9	10	11
65+	136	6.2	23	1	2	5	8	14	16	24
B. *Operated*										
0-19 YRS	3	4.7	8	3	3	3	7	8	8	8
20-34	1	9.0		9	9	9	9	9	9	9
35-49	13	6.3	21	1	2	5	8	15	15	15
50-64	458	6.7	23	1	2	6	9	13	17	22
65+	1525	6.9	24	2	2	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	8	1	1	2	4	8	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	13	6.7	8	3	3	6	8	11	12	12
50-64	218	7.7	74	1	2	5	9	16	24	47
65+	1239	8.9	67	2	2	6	11	18	24	43
B. *Operated*										
0-19 YRS	4	14.5	22	8	8	15	17	19	19	19
20-34	1	61.0		61	61	61	61	61	61	61
35-49	14	13.2	136	2	3	10	17	37	39	40
50-64	684	9.6	57	2	3	7	12	19	25	36
65+	3724	10.0	63	2	3	8	12	18	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	5.8	20	1	1	4	8	12	15	23
B. *Operated*	2000	6.9	24	2	2	6	9	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	1476	8.6	63	2	2	6	10	17	24	44
B. *Operated*	4427	10.0	63	2	3	8	12	19	24	42
1. SINGLE DX	2178	6.8	24	2	2	6	9	12	16	23
2. MULTIPLE DX	5903	9.7	65	2	3	8	12	18	24	42
A. NOT OPERATED	1654	8.3	63	1	2	6	10	17	24	42
B. OPERATED	6427	9.0	53	2	3	7	11	17	22	36
TOTAL 0-19 YRS	12	7.3	39	1	2	5	12	17	19	19
20-34	3	23.7	1061	1	1	9	48	61	61	61
35-49	45	8.0	63	1	1	6	10	15	23	40
50-64	1397	8.2	49	2	2	6	10	16	22	35
65+	6624	9.0	59	2	3	7	11	17	22	38
GRAND TOTAL	**8081**	**8.9**	**55**	**2**	**3**	**7**	**11**	**17**	**22**	**38**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	6	1	1	2	5	6	6	6
20-34	18	6.1	9	2	2	5	7	11	12	12
35-49	9	3.4	2	1	1	4	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	9.3	46	4	4	7	14	17	17	17
B. *Operated*										
0-19 YRS	8	7.5	24	2	3	6	10	16	17	17
20-34	108	5.7	20	2	2	4	7	14	16	21
35-49	46	5.3	12	2	2	4	7	10	13	15
50-64	23	4.8	12	1	2	4	5	12	12	12
65+	22	9.0	64	2	2	6	12	19	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.4	5	1	2	4	5	8	9	9
20-34	46	6.0	29	1	1	5	6	11	13	35
35-49	10	5.3	14	1	1	5	5	10	15	15
50-64	7	3.6	3	<1	1	3	5	6	6	6
65+	6	6.2	18	2	2	5	7	13	14	14
B. *Operated*										
0-19 YRS	7	10.1	41	4	4	9	12	21	23	23
20-34	50	10.6	100	3	3	8	12	25	35	50
35-49	21	6.2	26	1	2	4	8	14	17	20
50-64	24	10.5	169	1	2	5	15	22	35	60
65+	35	10.5	30	3	3	10	14	17	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.1	12	1	1	5	6	11	12	17
B. *Operated*	207	5.9	23	2	2	4	7	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	77	5.5	21	1	1	5	6	9	13	30
B. *Operated*	137	9.9	80	2	3	7	13	21	25	51
1. SINGLE DX	243	5.8	21	2	2	4	7	12	15	21
2. MULTIPLE DX	214	8.3	63	1	2	6	10	17	24	42
A. NOT OPERATED	113	5.4	18	1	1	5	6	10	12	24
B. OPERATED	344	7.5	49	2	2	5	10	15	21	35
TOTAL 0-19 YRS	28	6.5	25	1	1	5	8	13	18	23
20-34	222	6.9	43	2	2	5	8	14	17	36
35-49	86	5.3	15	2	2	4	6	12	15	18
50-64	55	7.0	87	1	2	4	7	19	22	58
65+	66	9.5	41	2	3	8	14	17	20	33
GRAND TOTAL	**457**	**7.0**	**42**	**2**	**2**	**5**	**9**	**15**	**19**	**35**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	19	2.4	2	<1	<1	2	4	4	5	5
65+	39	5.5	15	1	2	4	7	10	14	18
B. *Operated*										
0-19 YRS	7	4.0	18	1	1	2	5	11	13	13
20-34	18	5.2	15	1	1	4	6	10	14	16
35-49	108	4.2	12	1	1	3	5	9	12	18
50-64	533	5.2	27	1	2	3	6	11	16	27
65+	1231	5.4	22	1	2	4	6	11	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34										
35-49	4	4.3	15	2	2	3	6	10	10	10
50-64	61	6.6	37	1	1	4	8	14	21	26
65+	224	8.5	73	1	2	6	11	19	27	52
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	4.0	7	<1	1	3	7	8	8	8
35-49	75	7.5	50	1	2	4	11	21	24	26
50-64	533	8.0	75	1	2	5	9	17	25	46
65+	2030	9.0	80	2	2	6	11	19	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.2	12	<1	1	3	5	9	10	18
B. *Operated*	1897	5.3	23	1	2	4	6	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	292	8.0	65	1	2	5	10	17	25	44
B. *Operated*	2650	8.7	78	2	2	6	10	18	26	46
1. SINGLE DX	1962	5.2	23	1	2	4	6	11	16	24
2. MULTIPLE DX	2942	8.7	77	2	2	6	10	18	26	46
A. NOT OPERATED	357	7.3	58	1	1	5	9	15	23	33
B. OPERATED	4547	7.3	58	1	2	5	8	16	21	40
TOTAL 0-19 YRS	14	3.4	11	1	1	2	5	8	12	13
20-34	30	4.6	12	1	1	4	6	9	10	16
35-49	190	5.5	30	1	1	3	7	12	18	25
50-64	1146	6.5	52	1	2	4	7	15	20	38
65+	3524	7.7	62	2	2	5	9	16	23	41
GRAND TOTAL	**4904**	**7.3**	**58**	**1**	**2**	**5**	**9**	**16**	**22**	**40**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.8	14	1	2	3	4	4	13	17
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	4	3.3	5	1	1	3	5	6	6	6
50-64	13	4.1	3	1	2	4	5	6	7	7
65+	22	7.0	46	1	2	4	8	19	23	25
B. *Operated*										
0-19 YRS	21	10.0	16	5	6	10	12	13	18	23
20-34	9	10.7	36	3	3	9	16	19	19	19
35-49	38	12.8	72	6	7	11	14	18	21	58
50-64	114	10.8	21	4	6	10	13	15	19	28
65+	124	11.7	37	3	4	11	15	19	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.4	3	1	2	4	4	4	6	10
20-34	9	5.8	35	1	1	3	7	16	20	20
35-49	17	6.5	9	1	2	6	9	10	11	11
50-64	106	7.9	82	1	2	5	9	19	24	52
65+	188	9.1	86	1	2	6	12	19	29	50
B. *Operated*										
0-19 YRS	20	12.6	42	3	5	11	16	23	26	27
20-34	16	17.1	133	7	8	14	17	31	47	53
35-49	54	12.4	42	4	5	11	18	21	22	34
50-64	254	14.1	84	4	6	12	18	23	29	49
65+	445	16.2	113	3	6	14	19	30	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.9	25	1	1	4	6	10	18	25
B. *Operated*	306	11.3	34	3	5	11	14	18	20	29
2. MULTIPLE DX										
A. *Not Operated*	347	8.1	75	1	2	5	10	17	25	50
B. *Operated*	789	15.2	99	4	6	13	18	26	33	55
1. SINGLE DX	364	10.3	38	2	3	10	13	17	20	29
2. MULTIPLE DX	1136	13.0	103	2	3	11	17	24	31	51
A. NOT OPERATED	405	7.6	69	1	2	5	9	17	23	49
B. OPERATED	1095	14.1	84	3	6	12	17	24	31	50
TOTAL 0-19 YRS	84	7.3	33	2	2	4	10	14	19	26
20-34	37	11.6	101	1	2	9	16	20	30	53
35-49	113	11.3	52	3	4	10	14	19	22	43
50-64	487	11.7	74	2	3	10	14	21	26	49
65+	779	13.5	103	2	3	12	17	25	32	50
GRAND TOTAL	**1500**	**12.4**	**88**	**2**	**3**	**11**	**16**	**23**	**29**	**50**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.6	2	1	1	1	2	3	5	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	18	2.6	2	1	1	2	3	4	5	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	13	2.8	1	1	1	3	4	4	5	5
65+	14	4.0	4	2	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.0	123	<1	<1	4	4	26	32	32
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	7.2	55	1	1	4	12	19	20	20
65+	4	4.5	11	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34										
35-49	4	8.3	45	2	2	8	14	15	15	15
50-64	16	5.6	22	1	2	4	7	15	16	16
65+	20	7.3	78	2	2	4	8	12	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	1.8	2	1	1	1	2	4	4	8
B. *Operated*	47	3.1	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	19	6.2	60	<1	1	4	4	17	27	32
B. *Operated*	45	6.2	47	1	2	4	8	14	15	42
1. SINGLE DX	78	2.6	3	1	1	2	4	5	6	8
2. MULTIPLE DX	64	6.2	50	1	2	4	8	14	17	41
A. NOT OPERATED	50	3.4	28	1	1	2	4	6	12	32
B. OPERATED	92	4.6	26	1	2	3	5	9	14	31
TOTAL 0-19 YRS	56	2.6	18	1	1	2	3	4	6	31
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	8	5.6	27		2	3	8	14	15	15
50-64	37	4.7	20	1	1	3	5	12	16	20
65+	38	5.8	45	2	2	4	7	10	13	42
GRAND TOTAL	**142**	**4.2**	**27**	**1**	**1**	**3**	**4**	**9**	**13**	**33**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	4.7	36	1	1	3	5	9	22	28
20-34	12	5.0	9	1	2	4	6	10	12	12
35-49	33	6.1	52	1	2	4	8	11	14	41
50-64	63	8.0	75	1	2	5	9	18	32	42
65+	37	10.9	100	1	2	8	14	25	27	51
B. *Operated*										
0-19 YRS	40	12.6	63	3	6	11	15	19	28	45
20-34	31	13.2	65	4	5	11	17	22	29	42
35-49	49	14.5	131	2	6	12	17	24	35	73
50-64	72	13.9	85	2	4	12	18	22	31	51
65+	54	16.8	198	2	5	14	19	30	45	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	5.6	67	1	1	3	5	13	20	46
20-34	28	10.6	161	1	2	5	15	21	40	60
35-49	54	9.1	107	2	2	5	11	22	34	52
50-64	139	11.5	177	1	2	7	15	27	38	81
65+	124	13.5	184	3	3	9	15	30	44	70
B. *Operated*										
0-19 YRS	54	20.9	308	3	4	16	26	46	62	84
20-34	32	15.5	238	4	5	11	15	40	71	99+
35-49	43	15.1	165	3	3	13	18	26	31	81
50-64	100	23.2	285	6	8	18	27	53	59	73
65+	81	23.9	361	6	7	18	30	55	64	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	7.4	68	1	1	5	9	16	26	42
B. *Operated*	246	14.4	113	3	5	12	18	23	35	59
2. MULTIPLE DX										
A. *Not Operated*	386	11.1	160	1	2	7	14	26	38	64
B. *Operated*	310	21.1	296	4	6	16	25	47	60	86
1. SINGLE DX	426	11.4	106	1	2	9	16	22	30	52
2. MULTIPLE DX	698	15.5	245	2	3	11	19	35	53	80
A. NOT OPERATED	568	9.9	134	1	2	6	12	23	35	57
B. OPERATED	556	18.1	226	4	6	14	21	35	55	81
TOTAL 0-19 YRS	172	11.8	179	1	1	8	16	26	41	63
20-34	103	12.3	146	2	3	10	15	21	39	84
35-49	179	11.5	129	2	2	9	15	23	32	67
50-64	374	14.5	200	2	3	10	19	32	45	71
65+	296	16.6	245	3	4	12	21	35	51	81
GRAND TOTAL	**1124**	**14.0**	**196**	**2**	**2**	**10**	**18**	**30**	**43**	**73**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.8	7	<1	<1	3	5	8	8	8
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+	2	29.5	145	21	21	29	38	38	38	38
B. Operated										
0-19 YRS	4	16.6	122	6	6	16	26	29	29	29
20-34	4	12.3	2	11	11	12	13	14	14	14
35-49	5	16.2	67	5	5	16	20	29	29	29
50-64	5	22.0	63	16	16	18	27	35	35	35
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.4	37	1	1	3	7	16	19	19
20-34	3	9.3	32	3	3	11	13	14	14	14
35-49	4	17.0	232	1	1	19	30	31	31	31
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	4	13.8	149	7	7	8	20	32	32	32
B. Operated										
0-19 YRS	11	20.8	298	3	6	17	23	50	63	64
20-34	4	16.8	325	2	2	11	27	43	43	43
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	6	21.1	262	5	6	18	29	48	53	53
65+	9	24.1	330	2	3	20	35	51	58	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	11.9	164	<1	1	6	19	33	38	38
B. Operated	19	17.4	63	5	7	16	23	29	32	35
2. MULTIPLE DX										
A. Not Operated	21	9.6	99	1	1	7	12	30	31	32
B. Operated	33	20.7	263	2	5	17	27	45	57	64
1. SINGLE DX	27	15.7	94	2	3	15	22	29	35	38
2. MULTIPLE DX	54	16.4	226	1	2	11	20	36	51	64
A. NOT OPERATED	29	10.2	113	1	1	7	15	30	32	38
B. OPERATED	52	19.5	190	3	6	16	24	37	52	64
TOTAL 0-19 YRS	28	12.8	194	1	1	6	18	27	42	64
20-34	11	13.1	115	2	3	11	14	25	42	43
35-49	12	15.9	91	1	4	16	23	30	31	31
50-64	15	19.1	189	3	4	17	24	35	49	53
65+	15	22.0	237	3	7	20	34	38	53	58
GRAND TOTAL	**81**	**16.2**	**180**	**1**	**3**	**14**	**21**	**35**	**41**	**62**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.9	10	1	1	2	3	4	7	20
20-34	14	2.1	1	<1	1	2	3	3	4	4
35-49	14	2.6	1	1	1	3	3	4	4	4
50-64	12	3.6	6	<1	1	3	4	7	10	10
65+	10	3.9	9	1	1	3	4	8	12	12
B. Operated										
0-19 YRS	26	6.7	17	1	2	6	9	11	14	20
20-34	50	5.1	12	2	3	4	5	8	13	19
35-49	60	5.8	17	2	3	4	6	11	15	22
50-64	46	6.5	36	2	3	5	7	9	14	41
65+	26	6.2	9	3	3	5	7	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	5.2	63	1	1	3	5	9	13	54
20-34	11	3.9	5	1	1	4	5	7	9	9
35-49	22	4.5	14	1	2	3	5	12	14	14
50-64	27	8.2	60	2	2	5	11	22	41	99+
65+	36	9.1	50	1	2	6	14	20	22	29
B. Operated										
0-19 YRS	33	13.7	177	2	2	9	18	29	49	57
20-34	42	5.9	18	3	3	5	6	9	12	28
35-49	75	7.4	27	3	3	6	9	12	17	31
50-64	58	10.9	112	3	3	7	13	23	34	58
65+	81	13.2	134	3	4	10	17	28	36	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	2.9	7	1	1	3	3	4	6	17
B. Operated	208	5.9	19	2	3	5	7	10	13	21
2. MULTIPLE DX										
A. Not Operated	155	6.4	51	1	2	4	7	15	21	56
B. Operated	309	9.9	93	3	3	7	11	20	29	53
1. SINGLE DX	295	5.0	17	1	2	4	6	9	12	20
2. MULTIPLE DX	464	8.8	82	2	3	6	11	19	28	56
A. NOT OPERATED	242	5.2	38	1	1	3	5	12	18	37
B. OPERATED	517	8.3	67	3	3	6	9	17	23	43
TOTAL 0-19 YRS	155	6.7	81	1	1	3	6	15	21	56
20-34	137	5.1	14	1	2	4	5	9	11	23
35-49	171	6.1	22	2	2	5	7	12	15	28
50-64	143	8.3	74	2	3	5	9	18	29	51
65+	153	10.4	94	2	3	7	13	21	29	45
GRAND TOTAL	**759**	**7.3**	**60**	**1**	**2**	**5**	**8**	**15**	**21**	**42**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.1	3	<1	1	3	4	6	7	8
20-34	9	6.0	53	<1	<1	5	6	18	24	24
35-49	34	6.3	45	1	1	4	7	16	23	27
50-64	118	7.1	83	1	1	4	9	17	22	46
65+	156	7.1	40	2	2	4	11	16	18	26
B. *Operated*										
0-19 YRS	20	5.9	16	2	2	5	7	12	14	17
20-34	27	8.3	37	1	2	7	10	20	22	23
35-49	72	6.8	29	1	2	6	10	12	13	34
50-64	175	7.1	41	1	1	5	10	14	17	28
65+	291	8.5	72	1	2	6	11	18	25	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.9	21	1	1	3	4	5	10	28
20-34	112	6.2	36	1	1	5	8	12	17	31
35-49	558	7.3	62	1	2	5	9	15	23	39
50-64	1723	8.4	65	1	2	6	11	18	24	42
65+	2887	9.6	74	2	2	7	12	20	26	44
B. *Operated*										
0-19 YRS	39	13.3	142	3	4	9	17	34	41	47
20-34	160	12.5	172	2	3	8	14	29	38	73
35-49	550	11.6	118	2	2	9	15	25	31	55
50-64	1619	12.5	102	2	3	10	17	25	32	49
65+	2548	13.5	126	2	3	11	18	27	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	6.7	54	1	1	4	9	16	20	31
B. *Operated*	585	7.7	55	1	2	5	10	16	22	38
2. MULTIPLE DX										
A. *Not Operated*	5335	8.8	70	1	2	6	11	19	25	43
B. *Operated*	4916	12.9	119	2	3	10	17	26	34	57
1. SINGLE DX	925	7.4	55	1	2	5	10	16	21	35
2. MULTIPLE DX	10251	10.8	98	2	2	8	14	23	30	50
A. NOT OPERATED	5675	8.7	69	1	2	6	11	19	25	43
B. OPERATED	5501	12.4	115	2	3	10	16	25	33	56
TOTAL 0-19 YRS	137	6.7	69	1	1	4	7	16	26	45
20-34	308	9.7	116	1	2	7	11	21	31	48
35-49	1214	9.2	90	1	2	6	11	20	28	48
50-64	3635	10.1	86	2	2	7	13	21	28	46
65+	5882	11.2	100	2	2	8	15	23	31	52
GRAND TOTAL	**11176**	**10.5**	**95**	**2**	**2**	**8**	**14**	**22**	**29**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	11	1	1	2	3	6	11	15
20-34	28	3.3	12	<1	1	2	4	7	8	18
35-49	22	3.5	5	<1	1	3	5	7	8	8
50-64	19	4.1	13	1	1	3	5	10	13	13
65+	13	3.8	15	1	1	2	6	10	11	11
B. *Operated*										
0-19 YRS	72	7.2	20	1	1	7	10	14	15	18
20-34	99	8.2	31	2	2	7	11	15	20	28
35-49	63	6.9	37	1	2	6	8	14	18	35
50-64	34	10.3	54	1	2	10	13	21	26	31
65+	19	12.3	133	<1	1	9	20	31	38	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.8	9	<1	1	3	5	7	9	14
20-34	50	6.1	26	1	1	5	8	12	16	25
35-49	30	5.4	18	1	1	4	7	13	14	16
50-64	43	5.1	27	1	1	4	7	10	17	25
65+	35	6.8	37	1	1	4	9	15	21	25
B. *Operated*										
0-19 YRS	20	8.1	55	<1	1	6	10	19	25	29
20-34	53	9.1	39	2	2	8	12	18	22	27
35-49	34	12.4	209	2	4	10	15	19	23	88
50-64	42	11.0	53	1	3	10	15	24	26	27
65+	54	16.1	221	1	2	14	22	34	43	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.4	11	1	1	2	5	7	11	16
B. *Operated*	287	8.2	40	1	2	7	11	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	184	5.6	25	1	1	4	7	13	16	25
B. *Operated*	203	11.8	126	1	2	10	16	23	28	64
1. SINGLE DX	389	6.9	37	1	1	5	10	14	18	30
2. MULTIPLE DX	387	8.8	88	1	1	6	12	19	25	42
A. NOT OPERATED	286	4.8	21	1	1	3	7	11	14	24
B. OPERATED	490	9.7	79	1	2	8	12	19	25	39
TOTAL 0-19 YRS	138	6.0	25	1	1	5	8	13	15	23
20-34	230	7.3	32	1	2	6	10	15	19	27
35-49	149	7.3	75	1	1	6	9	15	18	37
50-64	138	8.1	47	1	1	6	12	17	25	27
65+	121	11.5	152	1	1	7	17	25	35	5.
GRAND TOTAL	**776**	**7.9**	**63**	**1**	**1**	**6**	**11**	**17**	**22**	**35**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	4.0	16	<1	1	3	5	9	13	18
20-34	6	3.2	3	1	1	4	4	5	5	5
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	13	7.8	53	1	1	7	11	19	23	24
65+	25	6.5	42	<1	1	3	9	15	23	25
B. *Operated*										
0-19 YRS	133	4.6	35	1	1	2	5	11	18	29
20-34	7	19.6	113	3	5	19	29	31	31	31
35-49	15	13.1	181	1	1	8	22	34	41	43
50-64	19	8.8	81	2	2	7	10	19	32	40
65+	26	9.6	93	2	2	7	11	16	30	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	4.7	17	1	1	4	6	10	12	20
20-34	9	4.7	24	1	1	3	6	13	16	16
35-49	16	6.6	68	<1	1	4	6	21	28	31
50-64	83	6.9	47	1	2	5	8	15	22	36
65+	271	7.9	47	1	2	6	11	17	23	32
B. *Operated*										
0-19 YRS	75	10.5	164	1	1	7	11	26	44	62
20-34	22	19.5	227	2	4	17	29	39	53	58
35-49	14	19.4	232	1	3	14	35	39	44	46
50-64	91	12.5	130	2	3	9	17	26	42	52
65+	167	12.7	138	2	3	9	15	27	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	4.5	22	<1	1	3	5	11	15	23
B. *Operated*	200	6.8	72	1	1	3	9	19	24	41
2. MULTIPLE DX										
A. *Not Operated*	620	6.4	37	1	1	4	8	14	19	31
B. *Operated*	369	12.8	154	2	2	9	15	29	41	58
1. SINGLE DX	406	5.6	48	<1	1	3	7	14	20	35
2. MULTIPLE DX	989	8.8	90	1	1	6	11	19	28	49
A. NOT OPERATED	826	6.0	34	1	1	4	8	13	18	30
B. OPERATED	569	10.7	133	1	1	7	13	25	36	52
TOTAL 0-19 YRS	608	5.2	42	1	1	4	6	11	15	35
20-34	44	14.3	187	1	1	9	21	31	39	58
35-49	48	12.1	172	1	1	6	21	35	38	46
50-64	206	9.6	93	1	2	7	11	22	29	48
65+	489	9.6	85	1	2	7	12	19	27	48
GRAND TOTAL	**1395**	**7.9**	**80**	**1**	**1**	**5**	**10**	**18**	**25**	**46**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.8	11	1	1	4	5	8	11	18
20-34	31	4.7	16	1	1	3	6	12	13	15
35-49	26	7.2	64	<1	<1	4	8	22	25	30
50-64	36	5.0	14	1	1	4	7	12	14	99+
65+	43	4.3	23	1	1	3	5	9	14	25
B. *Operated*										
0-19 YRS	26	9.1	108	1	2	5	11	20	30	49
20-34	26	15.6	250	1	1	9	29	37	44	53
35-49	24	13.2	233	1	2	5	21	35	43	58
50-64	26	10.2	142	1	1	5	12	29	38	49
65+	34	9.3	78	2	2	7	11	20	30	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	6.4	56	1	2	4	7	11	18	41
20-34	27	6.3	56	<1	1	3	8	13	28	31
35-49	36	6.8	86	<1	<1	2	8	23	31	35
50-64	121	7.2	69	1	1	5	8	16	27	44
65+	252	8.5	106	1	1	5	12	20	29	50
B. *Operated*										
0-19 YRS	37	18.9	405	2	2	11	31	43	67	82
20-34	41	21.6	360	2	4	16	31	46	62	85
35-49	55	21.6	325	3	5	15	32	51	59	76
50-64	88	21.3	288	3	4	15	35	43	57	68
65+	159	14.6	160	2	3	10	21	35	40	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	5.0	22	1	1	4	6	11	15	27
B. *Operated*	136	11.3	158	1	2	6	14	31	37	54
2. MULTIPLE DX										
A. *Not Operated*	552	7.6	84	1	1	4	9	17	28	49
B. *Operated*	380	18.3	266	2	3	12	27	41	51	69
1. SINGLE DX	335	7.6	86	1	1	4	9	19	30	50
2. MULTIPLE DX	932	12.0	186	1	1	7	15	31	40	65
A. NOT OPERATED	751	6.9	69	1	1	4	8	15	24	41
B. OPERATED	516	16.5	247	2	3	10	26	37	48	68
TOTAL 0-19 YRS	242	8.2	123	1	2	5	9	16	32	64
20-34	125	12.8	235	1	1	6	17	32	43	71
35-49	141	13.7	241	<1	1	7	23	35	50	69
50-64	271	11.7	184	1	1	7	14	35	42	65
65+	488	10.2	125	1	1	6	13	25	33	50
GRAND TOTAL	**1267**	**10.8**	**163**	**1**	**1**	**6**	**13**	**29**	**37**	**63**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.4	8	1	1	3	3	5	7	20
20-34	31	4.7	27	<1	1	3	6	13	16	23
35-49	58	5.0	30	<1	1	4	7	10	15	33
50-64	139	6.1	89	1	1	3	6	14	23	59
65+	260	6.2	54	1	1	4	7	15	21	32
B. *Operated*										
0-19 YRS	38	7.1	33	<1	1	5	12	15	18	20
20-34	35	7.1	25	1	2	6	10	14	16	23
35-49	98	7.2	40	1	2	5	10	15	18	34
50-64	229	6.9	35	1	2	5	10	13	16	28
65+	322	9.7	93	2	2	7	13	20	25	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	5.0	44	1	2	3	5	9	16	45
20-34	33	5.4	29	<1	1	3	6	12	18	25
35-49	143	7.4	73	1	1	5	9	15	23	47
50-64	433	9.0	93	1	1	6	11	21	26	46
65+	994	9.1	89	1	2	7	11	19	25	50
B. *Operated*										
0-19 YRS	22	14.3	280	2	3	8	14	35	55	72
20-34	31	13.6	134	3	3	9	20	39	41	99+
35-49	123	12.6	205	2	2	9	14	27	41	97
50-64	459	14.1	156	2	3	11	19	29	37	78
65+	900	14.0	135	3	4	11	18	28	39	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	554	5.6	54	1	1	3	7	14	19	34
B. *Operated*	722	8.2	62	1	2	6	11	16	21	40
2. MULTIPLE DX										
A. *Not Operated*	1701	8.6	86	1	2	6	11	18	25	48
B. *Operated*	1535	13.9	148	2	3	11	18	29	39	72
1. SINGLE DX	1276	7.1	60	1	1	4	9	15	20	39
2. MULTIPLE DX	3236	11.1	123	1	2	8	15	24	32	55
A. NOT OPERATED	2255	7.9	80	1	1	5	10	17	24	16
B. OPERATED	2257	12.1	128	2	3	9	16	25	34	60
TOTAL 0-19 YRS	224	5.8	63	1	2	3	6	13	18	45
20-34	130	7.7	63	1	1	5	10	17	25	52
35-49	422	8.5	105	1	1	6	11	17	27	62
50-64	1260	10.2	115	1	2	7	13	22	30	53
65+	2476	10.7	110	1	2	8	14	23	30	53
GRAND TOTAL	**4512**	**10.0**	**108**	**1**	**2**	**7**	**13**	**22**	**29**	**53**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	4	5.5	14	2	2	5	8	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	44	3.1	5	<1	<1	2	4	6	7	12
20-34	109	3.0	2	1	1	3	4	5	5	8
35-49	131	3.3	4	1	1	3	4	5	6	12
50-64	169	3.4	4	1	2	3	4	5	6	8
65+	131	4.0	4	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+	3	5.7	2	4	4	6	7	7	7	7
B. *Operated*										
0-19 YRS	11	3.1	9	<1	<1	2	4	7	11	11
20-34	24	4.5	6	2	2	4	6	8	9	10
35-49	45	3.7	6	1	1	3	4	8	9	13
50-64	85	3.8	10	1	1	3	4	6	8	20
65+	97	5.3	16	1	2	4	6	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	12	1	1	2	6	9	10	10
B. *Operated*	584	3.4	4	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	4	4.5	7	1	1	5	6	7	7	7
B. *Operated*	262	4.4	11	1	1	3	5	8	11	18
1. SINGLE DX	591	3.4	4	1	2	3	4	5	7	11
2. MULTIPLE DX	266	4.4	11	1	1	3	5	8	10	18
A. NOT OPERATED	11	4.0	9	1	1	3	7	8	10	10
B. OPERATED	846	3.7	6	1	2	3	4	6	8	13
TOTAL 0-19 YRS	57	3.1	6	<1	<1	2	4	6	8	12
20-34	134	3.2	3	1	1	3	4	5	7	9
35-49	176	3.4	4	1	1	3	4	5	7	12
50-64	258	3.6	6	1	2	3	4	6	7	10
65+	232	4.5	9	1	2	4	5	8	11	18
GRAND TOTAL	**857**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.3		1	1	1	1	2	3	3
20-34	14	2.9	3	1	1	3	4	5	7	7
35-49	40	2.1	1	1	1	2	2	4	5	6
50-64	78	2.8	8	1	1	2	3	5	8	17
65+	80	2.9	4	1	1	2	3	6	7	11
B. *Operated*										
0-19 YRS	50	3.5	11	1	1	2	3	8	11	16
20-34	51	5.0	20	1	1	3	8	11	16	18
35-49	194	4.1	16	1	1	2	5	10	13	19
50-64	377	3.6	15	1	1	2	4	9	11	19
65+	456	4.7	23	1	1	3	6	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.6	5	1	1	3	5	7	8	9
20-34	14	3.1	6	1	1	3	4	5	9	10
35-49	55	4.2	11	1	1	3	5	9	12	16
50-64	164	3.6	9	1	1	3	4	7	9	13
65+	262	4.8	17	1	1	4	6	9	11	22
B. *Operated*										
0-19 YRS	33	8.4	136	1	2	6	9	15	24	66
20-34	72	7.4	57	1	1	5	9	17	23	39
35-49	246	5.9	32	1	1	4	8	12	17	31
50-64	824	5.8	31	1	1	4	8	13	17	27
65+	1523	7.3	61	1	2	5	10	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	2.6	5	1	1	2	3	5	7	12
B. *Operated*	1128	4.2	19	1	1	2	5	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	511	4.3	13	1	1	3	5	8	11	22
B. *Operated*	2698	6.8	50	1	1	4	9	15	19	34
1. SINGLE DX	1352	3.9	17	1	1	2	4	10	13	20
2. MULTIPLE DX	3209	6.4	45	1	1	4	8	14	19	32
A. NOT OPERATED	735	3.8	11	1	1	3	5	7	9	19
B. OPERATED	3826	6.0	42	1	1	4	8	14	18	31
TOTAL 0-19 YRS	111	4.7	51	1	1	3	6	10	13	41
20-34	151	5.8	37	1	1	3	8	12	18	27
35-49	535	4.8	23	1	1	3	6	11	14	24
50-64	1443	4.8	24	1	1	3	6	11	15	25
65+	2321	6.4	48	1	1	4	9	14	19	34
GRAND TOTAL	**4561**	**5.6**	**38**	**1**	**1**	**3**	**8**	**12**	**17**	**29**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	2	<1	1	1	3	4	5	5
20-34										
35-49										
50-64										
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	170	2.1	2	1	1	2	2	3	5	10
20-34	54	3.0	7	1	1	2	3	7	8	14
35-49	58	3.5	11	1	1	2	4	10	12	13
50-64	76	4.5	14	<1	1	3	7	11	12	14
65+	55	3.4	13	<1	1	2	3	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	1	1	1	2	3	4	4
20-34	3	6.7	52	2	2	3	12	15	15	15
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	4	7.0	25	1	1	7	10	13	13	13
65+	7	5.0	17	1	1	3	7	12	13	13
B. *Operated*										
0-19 YRS	45	3.4	12	1	1	2	3	10	11	15
20-34	20	6.4	55	1	2	3	7	15	24	32
35-49	35	8.2	68	<1	1	5	12	21	28	31
50-64	68	8.6	61	1	1	6	13	18	27	35
65+	50	9.6	115	2	2	6	12	22	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.2	2	<1	1	2	3	4	5	5
B. *Operated*	413	3.0	8	1	1	2	3	7	11	13
2. MULTIPLE DX										
A. *Not Operated*	28	3.9	16	1	1	2	5	11	13	15
B. *Operated*	218	7.5	68	1	1	4	10	17	26	38
1. SINGLE DX	430	3.0	8	1	1	2	3	7	11	13
2. MULTIPLE DX	246	7.1	63	1	1	4	10	16	24	36
A. NOT OPERATED	45	3.2	11	1	1	2	4	7	13	15
B. OPERATED	631	4.6	33	1	1	2	5	11	15	29
TOTAL 0-19 YRS	240	2.3	4	1	1	2	2	4	7	11
20-34	77	4.0	22	1	1	2	5	8	14	28
35-49	97	5.1	36	1	1	2	7	13	17	30
50-64	148	6.4	40	1	1	4	10	14	17	30
65+	114	6.2	66	1	1	3	8	13	21	47
GRAND TOTAL	**676**	**4.5**	**32**	**1**	**1**	**2**	**5**	**11**	**15**	**29**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.7	2	1	1	2	4	5	6	6
20-34	10	4.2	21	1	1	3	4	11	17	17
35-49	9	3.3	4	1	1	3	4	6	8	8
50-64	6	3.0	4	<1	<1	2	5	6	6	6
65+	13	2.8	8	<1	<1	2	3	6	10	11
B. *Operated*										
0-19 YRS	446	2.9	4	1	1	2	3	5	6	12
20-34	556	2.9	6	<1	1	2	3	5	7	12
35-49	659	3.0	7	<1	1	2	3	5	8	13
50-64	572	3.0	8	<1	1	2	3	5	8	14
65+	293	3.4	7	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	6	1.7	1	<1	<1	1	2	3	3	3
35-49	16	4.6	8	1	1	4	6	9	10	11
50-64	23	4.5	11	1	2	3	6	8	13	14
65+	27	4.8	9	1	1	4	7	9	11	12
B. *Operated*										
0-19 YRS	100	5.6	53	1	2	3	6	12	15	46
20-34	199	4.2	22	1	1	3	5	8	14	27
35-49	348	4.2	18	1	2	3	5	8	11	23
50-64	474	4.9	21	1	2	3	6	11	14	21
65+	360	5.6	24	1	2	4	8	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	8	1	1	3	4	5	8	17
B. *Operated*	2526	3.0	7	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	75	4.3	9	1	1	3	6	8	11	14
B. *Operated*	1481	4.9	24	1	2	3	6	10	14	24
1. SINGLE DX	2577	3.0	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	1556	4.8	23	1	2	3	6	10	14	24
A. NOT OPERATED	126	3.8	9	1	1	3	5	7	11	15
B. OPERATED	4007	3.7	14	1	1	3	4	7	10	18
TOTAL 0-19 YRS	562	3.3	14	1	1	2	4	6	8	18
20-34	771	3.2	10	<1	1	2	4	6	8	17
35-49	1032	3.4	11	<1	1	2	4	6	9	18
50-64	1075	3.9	15	1	1	3	4	8	11	18
65+	693	4.6	17	1	1	3	5	9	14	18
GRAND TOTAL	**4133**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	3	<1	<1	2	4	5	6	8
20-34	5	2.2	1	<1	<1	2	3	3	3	3
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	7	3.0	8	<1	<1	2	4	8	9	9
65+	2	7.0	72	1	1	13	78	99+	99+	99+
B. *Operated*										
0-19 YRS	516	2.5	8	<1	<1	2	3	4	6	13
20-34	185	3.0	7	<1	<1	2	3	5	8	14
35-49	151	3.2	28	<1	<1	2	3	5	9	35
50-64	126	3.0	6	<1	1	2	4	5	7	15
65+	95	3.8	10	<1	1	3	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	9	<1	<1	3	6	9	10	11
20-34	11	4.1	10	<1	1	3	4	10	11	11
35-49	12	5.7	51	1	1	2	7	18	23	24
50-64	17	6.3	28	1	2	4	10	15	17	17
65+	33	4.0	26	1	1	2	5	11	12	26
B. *Operated*										
0-19 YRS	128	4.5	72	<1	1	2	4	9	15	56
20-34	105	4.2	22	<1	1	2	5	10	12	26
35-49	135	4.3	26	<1	1	3	5	9	13	32
50-64	153	5.1	34	<1	1	3	7	12	14	25
65+	122	7.5	94	1	2	4	9	17	22	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.8	6	<1	<1	2	4	7	11	99+
B. *Operated*	1073	2.8	11	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	95	4.6	23	<1	1	3	6	11	14	25
B. *Operated*	643	5.1	51	<1	1	3	5	11	16	41
1. SINGLE DX	1111	2.8	10	<1	<1	2	3	5	8	15
2. MULTIPLE DX	738	5.1	47	<1	1	3	6	11	16	37
A. NOT OPERATED	133	4.1	19	<1	1	2	5	11	13	38
B. OPERATED	1716	3.7	27	<1	1	2	4	7	11	24
TOTAL 0-19 YRS	687	2.9	20	<1	<1	2	3	5	8	20
20-34	306	3.4	12	<1	1	2	4	7	10	19
35-49	301	3.8	28	<1	<1	2	4	8	11	33
50-64	303	4.2	23	<1	1	3	4	10	13	22
65+	252	5.7	56	1	1	3	7	12	18	53
GRAND TOTAL	**1849**	**3.7**	**26**	**<1**	**1**	**2**	**4**	**8**	**12**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	295	1.9		<1	1	2	2	3	3	4
20-34	510	1.9		<1	<1	2	2	3	3	4
35-49	341	2.0	1	<1	<1	2	2	3	4	5
50-64	171	2.3	1	1	1	2	3	4	4	7
65+	105	2.3	1	<1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	2	7.0	8	5	5	7	9	9	9	9
B. *Operated*										
0-19 YRS	46	2.3	3	<1	1	2	2	3	7	10
20-34	174	2.4	2	<1	1	2	3	4	5	8
35-49	305	2.9	4	1	1	2	3	5	8	11
50-64	180	3.1	5	1	2	2	3	5	8	12
65+	156	3.7	10	2	2	3	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		1	1	2	2	2	2	2
B. *Operated*	1422	2.0	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	12	2.9	6	1	1	2	4	6	9	9
B. *Operated*	861	2.9	5	1	1	2	3	5	8	11
1. SINGLE DX	1425	2.0	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	873	2.9	5	1	1	2	3	5	8	11
A. NOT OPERATED	15	2.7	5	1	1	2	4	5	8	9
B. OPERATED	2283	2.3	2	<1	1	2	2	4	5	9
TOTAL 0-19 YRS	343	2.0	1	<1	1	2	2	3	3	5
20-34	688	2.0	1	<1	<1	2	2	3	3	6
35-49	650	2.4	2	<1	1	2	3	4	5	10
50-64	354	2.7	3	1	1	2	3	4	6	10
65+	263	3.2	7	<1	2	2	3	6	8	16
GRAND TOTAL	**2298**	**2.3**	**2**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	3.0	3	<1	<1	3	4	5	6	7
35-49	35	3.7	6	1	1	3	5	7	9	12
50-64	6	2.8	3	1	1	2	3	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	5.0	21	1	1	4	8	10	10	10
20-34	537	5.8	4	2	3	6	7	8	8	11
35-49	1219	6.0	5	1	2	6	7	8	9	12
50-64	145	6.0	5	1	2	6	7	8	9	12
65+	30	8.0	25	<1	2	8	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	76	2.9	4	<1	1	3	4	6	7	9
35-49	159	3.8	8	<1	1	3	5	8	10	14
50-64	41	4.6	24	<1	1	3	5	8	18	24
65+	30	6.4	29	2	2	5	7	14	21	25
B. *Operated*										
0-19 YRS	12	5.0	10	1	1	5	7	10	11	11
20-34	1825	6.5	6	2	4	6	8	9	10	15
35-49	7131	7.0	7	4	5	7	8	10	11	17
50-64	1337	7.5	11	3	5	7	8	11	13	20
65+	230	10.3	43	3	5	9	12	17	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.4	5	<1	1	3	5	6	7	12
B. *Operated*	1934	6.0	5	1	2	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	306	3.9	12	<1	1	3	5	8	10	19
B. *Operated*	10535	7.1	8	3	5	7	8	10	12	17
1. SINGLE DX	2002	5.9	5	1	2	6	7	8	9	12
2. MULTIPLE DX	10841	7.0	9	2	4	7	8	10	12	18
A. NOT OPERATED	374	3.8	11	<1	1	3	5	7	9	18
B. OPERATED	12469	6.9	8	2	5	7	8	10	11	17
TOTAL 0-19 YRS	16	4.9	10	1	1	4	7	10	11	11
20-34	2463	6.2	6	2	3	6	7	9	10	14
35-49	8544	6.8	7	2	5	7	8	9	11	16
50-64	1529	7.3	11	2	4	7	8	11	13	19
65+	291	9.6	41	2	3	8	12	16	21	33
GRAND TOTAL	**12843**	**6.8**	**8**	**2**	**4**	**7**	**8**	**10**	**11**	**17**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	35	3.3	5	1	1	2	5	7	7	8
35-49	27	4.3	8	<1	<1	4	7	9	9	9
50-64	5	5.4	19	<1	<1	6	9	11	11	11
65+	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	4	4.0	11	2	2	3	6	9	9	9
20-34	43	5.4	14	1	2	6	7	9	9	23
35-49	68	6.9	11	2	3	7	8	9	12	22
50-64	30	7.8	36	2	2	7	10	12	17	32
65+	17	7.1	26	2	2	7	9	14	19	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	73	3.7	7	<1	1	3	6	8	9	11
2. MULTIPLE DX										
A. Not Operated	3	3.7	1	3	3	3	5	5	5	5
B. Operated	182	6.7	18	2	2	7	8	10	13	24
1. SINGLE DX	74	3.7	7	<1	1	3	6	8	9	11
2. MULTIPLE DX	185	6.6	18	2	2	7	8	10	13	24
A. NOT OPERATED	4	3.8	1	3	3	4	4	5	5	5
B. OPERATED	255	5.8	16	1	2	6	8	9	11	23
TOTAL 0-19 YRS	8	3.1	6	2	2	2	3	7	9	9
20-34	78	4.4	11	1	1	4	7	8	9	19
35-49	118	6.3	12	1	2	6	8	9	11	20
50-64	35	7.4	33	<1	2	7	10	11	16	32
65+	20	6.4	25	1	2	5	8	13	17	21
GRAND TOTAL	**259**	**5.8**	**16**	**1**	**2**	**6**	**8**	**9**	**11**	**23**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. Operated										
0-19 YRS	86	5.7	2	3	4	6	7	8	8	10
20-34	316	5.7	3	4	4	5	6	7	9	13
35-49	102	6.6	3	4	5	6	7	9	10	12
50-64	72	7.8	7	4	5	7	9	11	12	20
65+	37	8.8	6	5	6	8	10	12	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	4.0		4	4	4	4	4	4	4
50-64	3	8.3	12	5	5	6	11	12	12	12
65+	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	62	6.9	15	4	5	6	7	9	18	23
20-34	364	6.5	6	4	4	6	7	10	11	16
35-49	320	7.6	8	4	5	7	9	11	13	19
50-64	216	9.3	37	5	6	8	10	13	17	30
65+	167	11.8	43	6	7	10	13	20	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.0	1	1	1	2	3	3	3	3
B. Operated	613	6.3	5	4	4	6	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	9	5.6	9	2	2	5	7	10	12	12
B. Operated	1139	8.2	22	4	5	7	9	12	16	24
1. SINGLE DX	620	6.2	5	4	4	6	7	9	10	14
2. MULTIPLE DX	1148	8.2	22	4	5	7	9	12	16	24
A. NOT OPERATED	16	4.0	9	1	1	3	5	8	11	12
B. OPERATED	1752	7.5	17	4	5	7	8	11	14	23
TOTAL 0-19 YRS	139	6.1	7	4	4	6	7	8	9	20
20-34	685	6.1	5	4	4	6	7	8	10	15
35-49	425	7.3	7	4	5	7	8	10	12	18
50-64	293	8.9	30	5	6	8	10	12	15	23
65+	226	11.3	38	6	6	9	12	17	23	34
GRAND TOTAL	**1768**	**7.5**	**17**	**4**	**5**	**7**	**8**	**11**	**14**	**23**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.5	10	1	1	4	7	8	8	8
20-34	12	2.9	3	<1	<1	3	4	5	5	5
35-49	21	4.0	11	<1	1	2	6	7	11	15
50-64	13	3.2	13	<1	<1	2	3	6	13	15
65+	3	4.0	12	2	2	2	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	22	5.6	6	1	2	6	7	9	9	9
35-49	19	5.5	5	2	2	6	7	8	10	11
50-64	11	3.3	6	<1	1	2	4	8	9	9
65+	6	5.8	12	2	2	5	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*	53	3.6	9	<1	1	2	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*	60	5.2	7	1	2	5	7	9	9	11
1. SINGLE DX	54	3.7	9	<1	1	3	5	8	8	15
2. MULTIPLE DX	63	5.1	7	1	2	5	7	9	9	11
A. NOT OPERATED	4	4.3	7	2	2	3	6	8	8	8
B. OPERATED	113	4.5	9	<1	1	4	6	8	9	15
TOTAL 0-19 YRS	7	5.4	10	1	1	6	8	9	9	9
20-34	37	4.5	6	<1	1	4	6	8	9	9
35-49	40	4.7	9	1	2	5	6	8	10	15
50-64	24	3.3	10	<1	<1	2	3	7	11	15
65+	9	5.2	11	2	2	5	8	10	11	11
GRAND TOTAL	**117**	**4.4**	**8**	**<1**	**1**	**4**	**6**	**8**	**9**	**15**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	23	3.6	26	<1	1	2	3	6	14	26
35-49	19	2.7	3	1	1	2	3	4	7	9
50-64	12	2.6	4	<1	<1	2	3	6	8	8
65+	9	2.9	4	<1	1	2	3	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	4.4	19	<1	<1	4	5	11	16	16
35-49	9	4.1	4	1	1	4	6	7	7	7
50-64	16	6.8	97	2	2	4	6	12	33	42
65+	13	5.0	12	2	2	4	6	9	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	66	3.0	11	<1	1	2	3	5	8	23
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	49	5.2	39	1	2	4	6	8	15	42
1. SINGLE DX	67	3.0	11	<1	1	2	3	5	8	23
2. MULTIPLE DX	49	5.2	39	1	2	4	6	8	15	42
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	115	3.9	24	1	1	3	4	7	9	32
TOTAL 0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	33	3.8	23	<1	1	3	4	6	15	26
35-49	28	3.1	4	1	1	3	4	6	7	9
50-64	28	5.0	60	<1	1	3	5	9	15	42
65+	23	4.2	9	1	2	3	5	7	10	15
GRAND TOTAL	**116**	**4.0**	**24**	**1**	**1**	**3**	**4**	**7**	**9**	**31**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	6	2.7	2	1	1	2	4	5	5	5
35-49	7	9.4	76	<1	1	4	16	23	24	24
50-64	18	4.6	12	<1	<1	4	7	9	12	13
65+	26	3.3	9	1	1	2	4	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	2	7.0	32	3	3	7	11	11	11	11
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	7	4.9	5	2	2	5	7	8	8	8
35-49	23	5.7	17	1	1	4	8	13	15	15
50-64	28	6.2	35	1	2	4	7	16	19	23
65+	49	6.9	43	1	2	4	8	18	23	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	60	4.4	19	<1	1	3	5	9	14	23
2. MULTIPLE DX										
A. Not Operated	3	5.0	28	1	1	3	9	11	11	11
B. Operated	109	6.3	32	1	2	4	7	15	19	25
1. SINGLE DX	60	4.4	19	<1	1	3	5	9	14	23
2. MULTIPLE DX	112	6.2	32	1	2	4	8	15	19	25
A. NOT OPERATED	3	5.0	28	1	1	3	9	11	11	11
B. OPERATED	169	5.6	28	1	2	4	7	14	18	24
TOTAL 0-19 YRS	5	4.8	6	2	2	5	6	8	8	8
20-34	14	3.6	5	1	1	3	5	7	8	8
35-49	30	6.5	31	<1	1	4	9	15	17	24
50-64	46	5.6	26	1	1	4	7	14	17	23
65+	77	5.7	34	1	2	3	7	15	19	25
GRAND TOTAL	**172**	**5.6**	**28**	**1**	**1**	**4**	**7**	**14**	**18**	**24**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	20	1.5		<1	<1	1	2	2	2	2
20-34	6	2.3	1	<1	<1	2	3	4	4	4
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	6	2.7	3	<1	<1	2	3	6	6	6
65+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	6	2.2	2	<1	<1	2	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64										
65+	6	2.8	2	1	1	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	38	1.9	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	15	3.1	5	<1	1	3	4	5	9	10
1. SINGLE DX	38	1.9	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX	16	3.0	5	<1	1	3	4	5	8	10
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	53	2.3	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	26	1.7	1	<1	<1	1	2	2	4	4
20-34	8	2.3	1	<1	<1	2	3	4	4	4
35-49	5	4.4	12	1	1	4	6	10	10	10
50-64	6	2.7	3	<1	<1	2	3	6	6	6
65+	9	2.4	2	1	1	2	3	5	5	5
GRAND TOTAL	**54**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	10	2	2	3	6	9	9	9
20-34	5	2.4	3	1	1	2	3	5	5	5
35-49	9	8.2	297	1	1	2	4	35	54	54
50-64	12	8.9	86	2	2	5	11	23	32	34
65+										
B. *Operated*										
0-19 YRS	13	9.5	27	<1	1	11	12	16	17	17
20-34	33	12.1	41	2	3	12	15	17	27	30
35-49	57	13.5	134	2	3	11	15	22	36	70
50-64	74	12.0	64	3	3	10	15	19	24	47
65+	51	16.2	87	4	7	15	20	29	34	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	5.5	13	2	2	4	8	11	13	13
50-64	23	9.4	71	1	2	7	13	25	28	30
65+	59	8.5	60	2	2	6	10	17	20	49
B. *Operated*										
0-19 YRS	7	13.9	71	4	4	15	22	23	23	23
20-34	23	15.7	158	2	7	13	18	24	41	66
35-49	48	16.2	121	3	4	14	18	32	41	51
50-64	97	15.8	136	3	5	14	18	29	37	67
65+	109	20.7	184	3	7	17	26	44	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	7.0	123	1	1	3	6	16	34	54
B. *Operated*	228	13.2	83	2	3	11	16	22	30	47
2. MULTIPLE DX										
A. *Not Operated*	95	8.3	57	2	2	6	10	17	22	42
B. *Operated*	284	17.7	156	3	5	15	22	35	48	74
1. SINGLE DX	258	12.5	91	2	3	11	15	21	30	49
2. MULTIPLE DX	379	15.4	148	2	3	13	19	30	44	65
A. NOT OPERATED	125	8.0	72	1	2	5	10	17	23	52
B. OPERATED	512	15.7	129	3	4	13	18	29	41	64
TOTAL 0-19 YRS	22	10.7	44	1	2	11	15	21	22	23
20-34	61	12.8	90	2	3	12	16	20	28	62
35-49	120	13.5	125	2	3	12	16	25	38	57
50-64	203	13.3	114	2	3	11	16	25	32	54
65+	231	16.0	152	2	3	14	21	33	45	69
GRAND TOTAL	**637**	**14.2**	**127**	**2**	**3**	**12**	**17**	**28**	**39**	**62**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	3.8	4	1	1	4	5	6	6	6
35-49										
50-64										
65+	4	3.5	3	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	28	3.4	5	2	2	3	3	4	5	14
20-34	200	3.6	1	2	2	3	4	5	5	7
35-49	218	3.9	2	2	3	4	4	5	7	9
50-64	149	4.1	2	2	3	4	5	6	7	10
65+	88	4.5	5	2	3	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.5	1	1	1	3	3	3	3	3
35-49	3	9.0	67	2	2	7	15	18	18	18
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	3	6.0	9	3	3	6	8	9	9	9
B. *Operated*										
0-19 YRS	9	3.7	1	2	2	4	4	5	5	5
20-34	81	4.6	9	2	2	4	5	8	11	17
35-49	127	4.9	21	3	3	4	5	6	9	28
50-64	151	5.7	24	3	3	4	6	10	12	23
65+	93	7.9	69	3	3	5	8	16	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.3	4	<1	<1	4	5	6	6	6
B. *Operated*	683	3.9	2	2	3	4	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	13	5.8	24	1	2	3	7	14	17	18
B. *Operated*	461	5.7	30	3	3	4	6	9	13	36
1. SINGLE DX	692	3.9	2	2	2	4	4	5	6	10
2. MULTIPLE DX	474	5.7	30	3	3	4	6	9	13	35
A. NOT OPERATED	22	4.8	17	<1	1	4	6	10	15	18
B. OPERATED	1144	4.6	14	2	3	4	5	7	9	17
TOTAL 0-19 YRS	39	3.4	4	2	2	3	4	4	5	14
20-34	289	3.8	4	2	2	4	4	5	6	14
35-49	348	4.3	10	2	3	4	5	6	7	14
50-64	302	4.9	14	3	3	4	5	8	10	14
65+	188	6.2	40	3	3	5	6	10	16	41
GRAND TOTAL	**1166**	**4.6**	**14**	**2**	**3**	**4**	**5**	**7**	**9**	**18**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	3.7	7	1	1	3	4	8	9	9
35-49	5	4.6	4	2	2	5	6	7	7	7
50-64	6	6.7	17	2	2	6	9	13	13	13
65+	3	9.0	31	4	4	8	13	15	15	15
B. *Operated*										
0-19 YRS	4	11.5	20	8	8	10	14	18	18	18
20-34	31	8.1	13	4	5	8	9	13	16	20
35-49	25	10.4	33	3	4	9	13	17	22	26
50-64	36	8.7	76	2	3	6	10	16	24	49
65+	21	8.3	27	3	4	7	10	18	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	13	3.5	5	1	1	4	5	7	8	8
35-49	11	4.8	25	1	1	4	4	12	18	19
50-64	15	7.1	23	1	2	6	9	14	18	19
65+	17	9.2	44	1	2	8	14	19	23	24
B. *Operated*										
0-19 YRS	7	13.0	38	5	6	14	16	22	23	23
20-34	32	11.5	68	3	5	9	15	22	23	44
35-49	56	13.2	130	4	4	10	16	27	32	69
50-64	65	10.8	69	3	3	8	15	21	25	48
65+	78	12.1	87	3	4	9	16	25	33	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.3	14	1	2	4	8	10	14	15
B. *Operated*	117	8.9	39	3	4	8	11	16	20	35
2. MULTIPLE DX										
A. *Not Operated*	58	6.4	28	1	2	4	8	15	19	24
B. *Operated*	238	11.9	88	3	4	9	15	23	28	48
1. SINGLE DX	139	8.4	37	2	3	7	10	16	19	30
2. MULTIPLE DX	296	10.9	81	2	3	8	14	22	27	48
A. NOT OPERATED	80	6.1	24	1	2	4	8	14	18	23
B. OPERATED	355	10.9	73	3	4	9	14	21	27	48
TOTAL 0-19 YRS	14	10.4	39	1	3	9	15	18	22	23
20-34	83	8.3	41	2	2	7	9	16	21	37
35-49	97	11.1	95	2	3	9	14	20	28	59
50-64	122	9.5	64	2	3	7	13	18	23	50
65+	119	10.9	70	3	4	8	14	23	27	40
GRAND TOTAL	**435**	**10.1**	**68**	**2**	**3**	**8**	**13**	**20**	**24**	**47**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.3	8	<1	<1	2	4	8	9	9
20-34	678	4.1	5	1	2	4	6	7	8	10
35-49	213	4.8	6	1	2	5	7	8	9	10
50-64	47	5.0	8	2	2	5	7	9	10	11
65+	45	4.5	8	1	2	4	7	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	1.5	1	<1	<1	1	2	3	3	3
35-49	5	2.4	4	1	1	1	4	5	5	5
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	4	8.3	57	3	3	6	13	19	19	19
B. *Operated*										
0-19 YRS	8	3.5	3	2	2	3	4	6	7	7
20-34	596	5.0	7	1	2	5	6	8	10	12
35-49	362	6.2	10	2	3	6	7	9	11	20
50-64	129	7.1	12	2	2	7	9	12	13	17
65+	95	7.5	23	2	2	7	9	14	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	994	4.3	6	1	2	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	21	3.2	17	<1	1	2	3	7	13	19
B. *Operated*	1190	5.8	11	2	2	6	7	9	11	17
1. SINGLE DX	995	4.3	6	1	2	4	6	7	8	10
2. MULTIPLE DX	1211	5.8	11	1	2	6	7	9	11	17
A. NOT OPERATED	22	3.2	16	<1	1	2	3	7	12	19
B. OPERATED	2184	5.1	9	1	2	5	7	8	10	14
TOTAL 0-19 YRS	20	3.3	5	<1	<1	3	4	7	8	9
20-34	1282	4.5	6	1	2	5	6	7	9	12
35-49	581	5.7	9	1	2	6	7	9	10	15
50-64	179	6.5	12	2	2	7	8	11	13	17
65+	144	6.6	21	2	2	6	8	12	15	22
GRAND TOTAL	**2206**	**5.1**	**9**	**1**	**2**	**5**	**7**	**8**	**10**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	28	4.2	7	1	2	3	6	8	9	12
35-49	66	4.5	9	1	1	4	6	8	10	15
50-64	125	5.1	28	1	1	3	7	11	15	30
65+	133	5.4	25	1	1	4	6	12	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64										
65+	32	9.9	129	2	3	6	11	18	46	50
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	29	4.3	8	2	2	4	6	7	8	15
35-49	73	6.0	29	2	2	6	7	11	13	35
50-64	161	7.3	64	2	2	6	9	13	17	31
65+	262	9.0	62	2	2	7	13	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.1	7	1	1	2	5	7	8	8
B. *Operated*	353	5.1	22	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	37	9.1	116	1	2	5	10	17	38	50
B. *Operated*	527	7.8	56	2	2	6	10	16	20	40
1. SINGLE DX	361	5.0	21	1	1	3	6	10	14	23
2. MULTIPLE DX	564	7.9	60	2	2	6	10	16	20	41
A. NOT OPERATED	45	8.0	101	1	1	5	9	16	26	50
B. OPERATED	880	6.7	44	1	2	5	8	15	18	32
TOTAL 0-19 YRS	4	5.0	25	1	1	3	8	12	12	12
20-34	60	4.2	7	1	2	3	6	7	9	15
35-49	143	5.3	19	1	2	5	7	9	13	17
50-64	288	6.4	49	1	2	4	8	12	16	31
65+	430	7.9	58	1	2	5	11	17	22	40
GRAND TOTAL	**925**	**6.8**	**47**	**1**	**2**	**5**	**8**	**15**	**18**	**33**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.7	3	<1	<1	2	3	6	7	8
20-34	49	3.4	13	<1	1	2	4	7	10	22
35-49	47	3.0	6	1	1	2	4	5	10	11
50-64	80	4.1	10	1	1	3	5	8	10	17
65+	92	4.9	31	1	1	3	6	12	16	30
B. *Operated*										
0-19 YRS	154	4.7	27	<1	1	3	6	10	13	20
20-34	176	4.5	13	1	1	4	6	8	12	19
35-49	183	4.8	16	1	1	3	7	10	13	18
50-64	237	5.4	24	1	1	3	7	12	15	22
65+	243	6.1	29	1	1	4	9	13	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.5	15	<1	1	2	4	10	13	17
20-34	58	4.9	15	1	1	4	7	10	14	16
35-49	86	5.2	12	2	2	4	7	10	12	18
50-64	202	5.0	20	1	1	4	7	10	12	23
65+	476	7.6	65	1	2	5	9	15	22	38
B. *Operated*										
0-19 YRS	86	8.7	70	2	2	7	11	18	21	51
20-34	141	7.3	68	1	2	6	8	14	23	76
35-49	241	8.6	112	1	2	6	9	16	30	73
50-64	330	8.7	68	1	2	7	11	17	22	43
65+	700	9.7	59	2	2	8	13	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	3.9	16	1	1	3	4	8	11	19
B. *Operated*	993	5.2	22	1	1	3	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	874	6.4	45	1	1	4	8	13	17	32
B. *Operated*	1498	9.0	72	2	2	7	12	18	24	45
1. SINGLE DX	1304	4.9	21	1	1	3	7	11	14	22
2. MULTIPLE DX	2372	8.0	63	1	2	6	10	17	23	40
A. NOT OPERATED	1185	5.7	38	1	1	4	7	12	16	30
B. OPERATED	2491	7.5	55	1	2	5	10	16	21	38
TOTAL 0-19 YRS	335	5.3	37	<1	1	3	7	12	16	26
20-34	424	5.4	33	1	1	4	7	10	15	27
35-49	557	6.3	60	1	2	4	8	11	16	54
50-64	849	6.4	42	1	1	4	9	13	18	31
65+	1511	8.2	57	1	2	6	11	17	23	36
GRAND TOTAL	**3676**	**6.9**	**51**	**1**	**2**	**5**	**9**	**15**	**19**	**36**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.3	1	1	1	2	3	4	4	4
20-34	15	2.9	3	1	1	2	4	5	6	6
35-49	19	2.5	1	<1	<1	2	4	4	4	4
50-64	13	3.8	8	<1	1	3	5	9	9	9
65+	6	3.5	4	<1	<1	3	5	6	6	6
B. Operated										
0-19 YRS	24	3.4	1	1	2	3	4	5	6	6
20-34	192	3.9	1	2	3	4	4	5	6	8
35-49	279	4.3	9	2	3	4	5	6	8	13
50-64	279	4.4	3	3	3	4	5	6	7	11
65+	147	5.0	7	2	3	4	6	8	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.0	1	3	3	4	5	5	5	5
20-34	27	3.1	2	1	1	3	4	5	5	6
35-49	46	4.5	11	2	2	3	5	8	10	19
50-64	70	4.8	25	1	1	4	5	9	10	34
65+	75	6.7	80	1	2	4	9	12	14	62
B. Operated										
0-19 YRS	7	3.6	3	1	1	3	4	6	7	7
20-34	81	4.1	4	2	3	4	5	9	9	11
35-49	133	5.3	12	3	3	4	6	8	11	15
50-64	236	6.1	19	2	3	5	7	11	14	25
65+	186	7.6	33	3	3	6	9	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.9	3	<1	1	3	4	5	6	9
B. Operated	921	4.4	5	2	3	4	5	6	7	12
2. MULTIPLE DX										
A. Not Operated	222	5.1	39	1	2	4	6	9	12	32
B. Operated	693	6.1	20	3	3	5	7	11	14	26
1. SINGLE DX	983	4.3	5	2	3	4	5	6	7	12
2. MULTIPLE DX	915	5.9	25	2	3	5	7	10	13	26
A. NOT OPERATED	284	4.7	32	1	1	3	5	9	10	26
B. OPERATED	1614	5.1	12	2	3	4	6	8	11	18
TOTAL 0-19 YRS	44	3.3	2	1	2	3	4	5	6	7
20-34	315	4.0	3	2	2	4	5	6	7	10
35-49	527	4.6	10	2	3	4	5	7	9	15
50-64	598	5.1	13	2	3	4	5	8	10	18
65+	414	6.5	33	2	3	5	8	11	15	28
GRAND TOTAL	**1898**	**5.0**	**15**	**2**	**3**	**4**	**5**	**8**	**11**	**18**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	3.3	4	1	1	3	5	6	7	10
20-34	122	4.3	11	1	2	4	5	8	11	18
35-49	117	5.0	16	1	2	4	6	9	11	21
50-64	65	5.6	10	2	3	5	7	11	13	15
65+	48	5.8	21	2	2	4	6	11	15	28
B. Operated										
0-19 YRS	40	4.5	11	1	2	4	4	6	8	23
20-34	176	5.2	11	2	3	4	6	9	12	21
35-49	157	4.7	7	2	2	4	5	8	9	16
50-64	93	4.5	4	2	3	4	5	6	7	14
65+	29	5.3	14	2	2	5	5	7	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	5.1	12	1	1	4	7	10	13	16
20-34	196	5.2	13	2	2	4	7	9	12	20
35-49	283	6.3	24	2	2	5	8	11	14	30
50-64	374	6.9	28	2	3	5	9	13	16	32
65+	470	8.9	46	2	3	7	11	16	21	39
B. Operated										
0-19 YRS	14	6.0	10	3	3	5	8	11	13	13
20-34	82	7.4	43	2	3	5	8	15	21	39
35-49	154	7.3	62	2	2	5	8	14	17	51
50-64	153	7.1	20	3	3	6	9	13	16	22
65+	131	12.4	172	3	4	8	14	23	36	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	406	4.8	13	1	2	4	6	9	11	17
B. Operated	495	4.9	8	2	3	4	5	8	10	19
2. MULTIPLE DX										
A. Not Operated	1372	7.1	33	2	2	6	9	13	16	32
B. Operated	534	8.5	77	2	3	6	10	16	22	44
1. SINGLE DX	901	4.8	10	2	2	4	5	8	11	18
2. MULTIPLE DX	1906	7.5	45	2	3	6	9	14	18	36
A. NOT OPERATED	1778	6.6	29	2	2	5	8	12	16	30
B. OPERATED	1029	6.7	47	2	3	5	7	12	17	35
TOTAL 0-19 YRS	157	4.4	10	1	1	4	5	8	10	16
20-34	576	5.3	17	2	2	4	6	10	13	21
35-49	711	5.9	28	2	2	5	7	10	14	32
50-64	685	6.5	22	2	3	5	8	12	15	29
65+	678	9.2	70	2	3	7	11	17	23	43
GRAND TOTAL	**2807**	**6.7**	**36**	**2**	**2**	**5**	**8**	**12**	**16**	**33**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	5.7	9	2	2	5	7	10	12	15
20-34	242	5.1	10	1	2	5	6	9	10	13
35-49	296	5.5	11	2	2	5	7	9	12	16
50-64	363	6.1	11	2	3	5	8	10	13	19
65+	296	7.3	23	3	3	6	9	14	17	26
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.7	16	2	2	2	9	9	9	9
35-49	8	6.6	17	2	2	6	8	13	15	15
50-64	14	6.1	39	1	2	4	7	18	21	22
65+	15	7.6	57	1	2	7	9	13	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	5.8	30	1	1	5	7	10	13	31
20-34	468	6.2	28	2	2	5	7	11	14	29
35-49	1055	6.3	15	2	3	5	8	11	14	22
50-64	2196	7.3	23	3	3	6	9	12	16	25
65+	2615	8.3	39	3	3	7	10	14	19	34
B. *Operated*										
0-19 YRS	12	13.8	268	2	2	7	19	37	55	58
20-34	43	11.3	110	1	2	8	14	21	31	59
35-49	142	11.7	95	2	4	9	14	24	30	51
50-64	260	12.4	141	2	3	9	14	25	35	72
65+	330	12.6	99	3	4	10	15	24	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1514	6.0	13	2	2	5	7	10	13	20
B. *Operated*	41	6.7	37	2	2	4	9	14	20	32
2. MULTIPLE DX										
A. *Not Operated*	6629	7.4	30	2	3	6	9	13	17	28
B. *Operated*	807	12.3	116	2	3	9	14	24	34	57
1. SINGLE DX	1555	6.0	14	2	2	5	7	10	13	21
2. MULTIPLE DX	7436	7.9	41	2	3	6	9	14	19	35
A. NOT OPERATED	8143	7.1	27	2	3	6	9	12	16	27
B. OPERATED	843	12.1	113	2	3	9	14	24	33	57
TOTAL 0-19 YRS	625	5.9	24	1	2	5	7	10	13	25
20-34	756	6.1	29	1	2	5	7	10	14	29
35-49	1501	6.7	24	2	3	5	8	12	14	28
50-64	2853	7.6	36	2	3	6	9	13	17	32
65+	3256	8.6	46	3	3	7	10	15	20	37
GRAND TOTAL	8991	7.6	37	2	3	6	9	13	18	33

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	660	4.6	15	1	2	4	6	9	10	15
20-34	369	4.7	7	1	2	4	6	8	9	14
35-49	182	5.4	11	1	2	5	7	9	12	17
50-64	108	7.2	21	2	3	6	9	12	14	26
65+	94	6.6	13	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	564	4.9	12	1	2	4	7	9	11	19
20-34	670	6.0	22	2	2	5	7	11	14	24
35-49	495	7.9	49	2	3	6	10	14	18	29
50-64	532	8.9	51	2	3	7	11	16	19	36
65+	612	10.1	57	3	4	9	12	17	22	34
B. *Operated*										
0-19 YRS	19	15.8	155	3	4	11	25	35	39	42
20-34	51	10.0	51	3	4	6	13	23	27	99
35-49	56	17.7	144	4	6	15	20	36	46	54
50-64	61	18.8	216	5	7	15	22	38	52	78
65+	63	18.0	115	6	8	16	22	31	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1413	5.1	13	1	2	4	7	9	11	16
B. *Operated*	6	7.5	5	4	4	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2673	7.5	41	2	2	6	9	14	18	29
B. *Operated*	250	16.3	145	4	5	13	21	32	47	60
1. SINGLE DX	1419	5.1	13	1	2	4	7	9	11	16
2. MULTIPLE DX	3123	8.2	55	2	2	7	10	15	21	40
A. NOT OPERATED	4295	6.7	33	2	2	5	8	12	16	26
B. OPERATED	256	16.1	143	4	5	13	21	31	47	70
TOTAL 0-19 YRS	1246	4.9	18	1	2	4	6	9	11	21
20-34	1091	5.7	19	2	2	5	7	10	13	24
35-49	734	8.1	55	2	3	6	9	15	19	37
50-64	702	9.5	69	2	3	7	11	17	22	46
65+	769	10.3	63	3	4	9	13	19	23	45
GRAND TOTAL	4542	7.2	44	2	2	6	9	14	18	33

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	5.4	12	2	2	5	7	9	11	15
20-34	322	5.4	9	2	2	5	7	9	11	17
35-49	398	5.9	11	2	3	5	7	10	12	16
50-64	586	6.4	20	2	3	5	8	10	13	18
65+	533	7.2	18	2	3	6	9	12	15	21
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	15	3.9	7	1	1	3	5	6	10	12
35-49	14	8.3	114	1	2	3	15	29	32	33
50-64	58	5.8	61	1	2	3	7	11	13	47
65+	71	7.8	88	1	2	4	10	23	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	5.8	50	1	2	5	7	10	12	22
20-34	844	6.1	18	2	2	5	8	11	14	23
35-49	1772	6.9	22	2	3	6	9	12	15	24
50-64	3829	7.6	27	3	3	7	9	13	16	26
65+	4915	8.8	42	3	4	7	11	15	20	34
B. *Operated*										
0-19 YRS	11	15.6	204	1	2	11	26	40	42	42
20-34	189	12.9	173	3	4	8	15	27	38	74
35-49	451	13.0	98	3	4	10	17	26	33	59
50-64	1118	15.5	177	3	4	12	20	33	45	83
65+	1466	18.2	222	3	4	14	24	38	50	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2100	6.2	16	2	3	5	8	10	13	18
B. *Operated*	160	6.7	73	1	2	3	7	14	29	44
2. MULTIPLE DX										
A. *Not Operated*	11601	7.9	33	2	3	7	9	14	17	29
B. *Operated*	3235	16.3	190	3	4	12	21	34	45	78
1. SINGLE DX	2260	6.3	20	2	2	5	8	11	13	22
2. MULTIPLE DX	14836	9.7	80	3	3	7	11	18	26	51
A. NOT OPERATED	13701	7.6	31	2	3	6	9	13	17	28
B. OPERATED	3395	15.8	189	2	4	12	21	34	45	78
TOTAL 0-19 YRS	515	5.8	35	1	2	5	7	10	12	29
20-34	1370	6.9	43	2	2	5	8	12	17	33
35-49	2635	7.8	39	2	3	6	9	14	19	34
50-64	5591	9.0	68	3	3	7	10	16	23	50
65+	6985	10.7	94	3	4	8	13	21	29	55
GRAND TOTAL	**17096**	**9.2**	**73**	**2**	**3**	**7**	**11**	**17**	**24**	**48**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	2	1	1	2	4	4	4	4
20-34	18	2.3	3	<1	1	2	2	5	7	7
35-49	4	3.3	4	1	1	3	5	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	25	4.4	5	1	2	4	5	6	8	12
20-34	135	4.0	5	<1	1	4	6	7	8	10
35-49	7	3.0	3	1	1	3	4	6	6	6
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	5	1	1	2	5	7	8	8
20-34	29	4.7	19	2	2	3	5	11	16	20
35-49	7	5.1	10	2	2	4	7	10	11	11
50-64	3	3.3		3	3	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	35	4.1	7	1	1	4	6	7	8	13
20-34	243	4.9	10	1	1	5	6	8	10	15
35-49	46	7.0	17	2	2	6	9	12	17	19
50-64	3	5.3	8	2	2	7	7	7	7	7
65+	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.6	3	1	1	2	4	5	6	7
B. *Operated*	170	4.0	5	<1	1	4	6	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	51	4.3	14	2	2	3	5	8	14	20
B. *Operated*	329	5.1	11	1	1	5	7	9	10	18
1. SINGLE DX	200	3.8	5	<1	1	4	6	6	7	10
2. MULTIPLE DX	380	5.0	11	1	1	5	6	9	11	18
A. NOT OPERATED	81	3.7	10	1	1	3	4	7	9	19
B. OPERATED	499	4.7	9	1	1	5	6	8	10	16
TOTAL 0-19 YRS	78	3.9	6	1	1	4	5	6	8	13
20-34	425	4.5	9	<1	1	4	6	7	9	15
35-49	64	6.1	16	1	2	6	8	11	14	19
50-64	9	3.8	4	2	2	3	5	7	7	7
65+	4	2.3	1	1	1	2	3	3	3	3
GRAND TOTAL	**580**	**4.6**	**9**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.0	9	1	1	2	4	5	6	19
20-34	131	3.9	11	<1	1	3	5	7	10	17
35-49	116	4.3	22	1	2	3	5	7	10	26
50-64	109	4.3	11	1	1	4	5	8	9	18
65+	99	4.7	13	1	1	4	6	8	11	22
B. *Operated*										
0-19 YRS	22	3.5	4	<1	1	3	4	6	7	8
20-34	16	6.2	11	2	2	5	9	11	12	12
35-49	23	8.6	115	1	2	5	11	16	30	53
50-64	20	7.3	41	1	2	5	9	18	22	25
65+	13	7.5	14	3	4	6	10	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	3.5	10	1	1	3	4	7	10	16
20-34	354	4.6	11	1	2	4	6	8	10	21
35-49	500	5.4	32	1	2	4	6	10	14	30
50-64	698	6.1	33	1	2	5	7	11	15	33
65+	1469	7.2	37	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	29	13.1	206	2	3	7	16	35	42	64
20-34	59	8.1	35	2	2	7	10	16	22	30
35-49	77	8.3	48	2	2	6	10	16	27	33
50-64	128	11.2	70	4	4	9	14	23	28	43
65+	172	14.0	159	4	5	10	17	30	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	3.9	13	1	1	3	5	7	10	20
B. *Operated*	94	6.6	43	1	2	5	8	12	16	41
2. MULTIPLE DX										
A. *Not Operated*	3253	6.1	32	1	2	5	8	12	16	30
B. *Operated*	465	11.5	108	3	4	8	14	24	31	51
1. SINGLE DX	748	4.2	18	1	1	3	5	8	10	22
2. MULTIPLE DX	3718	6.8	44	1	2	5	8	13	18	34
A. NOT OPERATED	3907	5.8	29	1	2	4	7	11	15	28
B. OPERATED	559	10.7	100	2	3	8	13	21	30	51
TOTAL 0-19 YRS	482	3.9	26	1	1	3	4	7	11	26
20-34	560	4.8	15	1	2	4	6	9	11	22
35-49	716	5.7	36	1	2	4	6	10	15	33
50-64	955	6.6	39	1	2	5	8	13	17	34
65+	1753	7.7	52	2	2	6	9	15	20	36
GRAND TOTAL	**4466**	**6.4**	**41**	**1**	**2**	**5**	**8**	**12**	**17**	**32**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	1	2	2	3	3	4	5	5
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	8	7.0	19	1	2	7	8	14	16	16
50-64	6	7.2	21	2	2	6	12	13	13	13
65+	11	10.3	87	3	4	6	10	28	30	30
B. *Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	11.9	115	2	3	9	14	24	30	58
20-34	30	13.2	261	2	2	8	20	29	30	84
35-49	30	11.1	77	3	4	10	15	19	23	47
50-64	96	10.8	98	2	3	8	13	18	30	54
65+	460	11.0	70	3	4	9	14	22	27	42
B. *Operated*										
0-19 YRS	5	17.2	120	7	7	15	23	35	35	35
20-34	8	22.4	66	10	11	24	26	33	36	36
35-49	13	15.1	72	4	5	13	22	28	29	29
50-64	28	12.1	59	5	5	10	16	27	38	99+
65+	84	21.1	301	4	6	16	27	42	61	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.7	39	2	2	5	8	13	23	30
B. *Operated*	7	6.3	12	3	3	6	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	655	11.1	85	3	3	8	14	22	28	49
B. *Operated*	138	18.6	222	4	6	15	25	36	53	87
1. SINGLE DX	45	6.6	34	2	2	5	8	13	19	30
2. MULTIPLE DX	793	12.4	117	3	4	9	16	25	31	62
A. NOT OPERATED	693	10.9	84	3	3	8	14	22	28	48
B. OPERATED	145	18.0	219	4	5	14	24	36	50	86
TOTAL 0-19 YRS	56	10.6	105	2	3	7	13	22	30	57
20-34	43	13.9	215	2	2	9	22	28	32	84
35-49	53	11.3	70	3	4	10	15	22	28	46
50-64	131	10.8	86	2	3	8	13	21	31	62
65+	555	12.5	118	3	4	9	16	26	31	64
GRAND TOTAL	**838**	**12.1**	**114**	**3**	**3**	**9**	**15**	**25**	**30**	**60**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	9.1	31	2	3	9	10	14	18	31
20-34	25	9.2	15	2	4	10	11	14	15	17
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	10.6	37	2	3	11	15	18	22	24
20-34	6	10.0	74	<1	<1	9	16	22	23	23
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	10.1	43	2	3	9	13	17	20	37
20-34	71	10.8	37	2	3	11	14	18	24	30
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	89	12.8	152	2	3	11	14	21	36	76
20-34	9	12.8	245	1	2	9	13	38	53	53
35-49	4	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	9.1	29	2	3	9	11	14	17	31
B. *Operated*	24	10.1	46	<1	1	10	15	18	23	24
2. MULTIPLE DX										
A. *Not Operated*	336	10.2	41	2	3	9	13	17	21	34
B. *Operated*	102	12.4	156	2	2	10	14	20	38	74
1. SINGLE DX	223	9.2	30	2	3	9	11	15	18	30
2. MULTIPLE DX	438	10.7	69	2	3	10	13	17	22	48
A. NOT OPERATED	535	9.8	37	2	3	9	12	16	19	31
B. OPERATED	126	12.0	135	1	2	10	14	20	34	72
TOTAL 0-19 YRS	544	10.2	58	2	3	9	13	17	21	42
20-34	111	10.6	49	1	3	10	13	17	23	39
35-49	6	2.2	1	<1	<1	2	3	4	4	4
50-64										
65+										
GRAND TOTAL	**661**	**10.2**	**56**	**2**	**3**	**9**	**13**	**17**	**21**	**42**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.8	9	1	1	3	5	8	11	12
20-34	10	4.9	26	1	1	3	4	13	18	18
35-49	13	3.5	7	<1	<1	3	5	8	9	9
50-64	5	6.6	46	1	1	3	12	17	17	17
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	13	7.4	15	2	4	6	8	12	17	18
20-34	178	7.7	5	5	5	8	9	10	11	16
35-49	132	8.8	14	5	5	8	10	12	12	27
50-64	31	9.0	10	5	5	9	11	13	14	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.5	54	1	1	4	5	6	7	50
20-34	58	4.9	14	1	2	4	7	8	14	20
35-49	81	6.1	40	1	2	4	7	11	15	41
50-64	81	7.6	95	2	2	5	8	13	17	67
65+	31	9.2	28	4	4	8	12	15	20	27
B. *Operated*										
0-19 YRS	11	6.8	8	2	2	7	9	10	11	11
20-34	299	8.4	25	4	5	8	9	12	15	33
35-49	358	10.1	69	5	5	8	10	15	25	48
50-64	83	11.4	77	4	5	9	12	20	32	49
65+	9	11.7	42	3	4	10	17	21	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.3	16	<1	1	3	5	9	13	18
B. *Operated*	354	8.2	9	5	5	8	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	293	6.4	52	1	2	5	7	12	15	45
B. *Operated*	760	9.5	52	5	5	8	10	14	21	42
1. SINGLE DX	398	7.8	11	3	4	8	9	11	12	17
2. MULTIPLE DX	1053	8.6	54	2	3	7	10	14	19	42
A. NOT OPERATED	337	6.1	48	1	2	4	7	11	15	40
B. OPERATED	1114	9.1	39	5	5	8	10	12	17	38
TOTAL 0-19 YRS	81	5.2	34	1	1	4	6	9	10	40
20-34	545	7.7	18	3	4	7	9	11	13	25
35-49	584	9.1	53	3	4	8	10	13	18	42
50-64	200	9.4	76	2	3	8	11	15	21	48
65+	41	9.6	31	3	4	8	12	18	21	27
GRAND TOTAL	**1451**	**8.4**	**42**	**2**	**4**	**7**	**10**	**12**	**16**	**38**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	3.9	16	<1	1	3	5	7	10	25
20-34	45	4.0	12	1	1	3	5	7	12	19
35-49	39	4.1	20	<1	1	2	5	9	15	21
50-64	30	4.6	10	1	1	4	6	9	12	15
65+	28	5.7	18	1	2	5	7	13	15	17
B. *Operated*										
0-19 YRS	35	4.4	10	1	1	4	5	11	13	99+
20-34	63	4.6	29	1	1	3	5	9	12	35
35-49	86	4.0	11	1	1	3	5	9	11	16
50-64	39	4.6	24	<1	1	3	7	10	13	27
65+	23	9.1	220	<1	1	4	11	20	40	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	5.4	29	1	1	4	7	11	16	28
20-34	150	5.4	15	2	2	4	7	9	13	20
35-49	202	6.6	53	2	2	5	8	11	16	30
50-64	219	7.1	33	2	2	5	8	15	20	27
65+	294	8.4	48	2	3	6	11	17	21	40
B. *Operated*										
0-19 YRS	41	10.6	171	1	2	6	15	34	51	99+
20-34	115	10.2	154	2	2	7	10	19	34	68
35-49	149	8.6	60	2	2	7	9	17	23	39
50-64	151	8.3	55	1	2	6	11	16	24	39
65+	131	12.1	160	2	3	8	15	26	34	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.2	16	1	1	3	5	8	12	20
B. *Operated*	246	4.8	38	1	1	3	6	10	13	39
2. MULTIPLE DX										
A. *Not Operated*	1106	6.8	39	1	2	5	8	14	19	30
B. *Operated*	587	9.8	109	2	2	7	11	20	31	52
1. SINGLE DX	486	4.5	27	1	1	3	5	9	13	26
2. MULTIPLE DX	1693	7.8	65	1	2	5	9	16	22	42
A. NOT OPERATED	1346	6.3	36	1	2	5	8	13	18	29
B. OPERATED	833	8.3	93	1	2	5	9	16	27	51
TOTAL 0-19 YRS	415	5.5	42	1	1	4	6	12	17	46
20-34	373	6.6	66	1	2	5	8	12	18	44
35-49	476	6.6	48	1	2	5	8	12	18	35
50-64	439	7.1	40	1	2	5	9	15	20	32
65+	476	9.3	88	2	2	7	11	18	25	44
GRAND TOTAL	**2179**	**7.1**	**58**	**1**	**2**	**5**	**8**	**15**	**20**	**39**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	3.8	1	<1	2	4	4	5	6	6
35-49	27	4.0	8	1	1	3	6	9	10	10
50-64	34	4.8	7	1	2	4	7	8	10	13
65+	65	4.5	6	2	2	4	6	8	9	13
B. *Operated*										
0-19 YRS										
20-34	4	3.5	4	<1	<1	3	5	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	5.3	28	2	2	3	7	14	17	17
65+	7	6.7	22	2	2	5	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	22	3.5	3	1	2	3	4	5	7	10
35-49	95	5.4	12	1	2	5	7	9	13	19
50-64	207	5.7	19	2	2	5	7	10	14	25
65+	421	7.9	37	2	3	6	9	15	21	32
B. *Operated*										
0-19 YRS										
20-34	4	8.8	41	2	2	8	14	16	16	16
35-49	9	7.9	98	1	1	6	8	24	33	33
50-64	44	13.9	142	2	3	10	20	34	39	51
65+	51	12.2	118	3	3	9	16	25	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	4.4	6	1	2	4	6	8	9	13
B. *Operated*	20	5.3	20	1	2	3	7	12	15	17
2. MULTIPLE DX										
A. *Not Operated*	746	6.8	29	2	2	5	8	13	18	27
B. *Operated*	108	12.4	124	2	3	9	16	27	36	52
1. SINGLE DX	159	4.5	8	1	2	4	6	8	10	14
2. MULTIPLE DX	854	7.6	45	2	3	6	9	15	22	35
A. NOT OPERATED	885	6.5	26	2	2	5	8	12	16	27
B. OPERATED	128	11.3	114	2	2	7	15	26	35	52
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	43	4.0	8	1	2	4	4	6	11	16
35-49	132	5.2	17	1	2	4	7	9	11	22
50-64	293	6.8	45	2	2	5	7	14	21	36
65+	544	7.9	43	2	3	6	9	15	22	35
GRAND TOTAL	**1013**	**7.1**	**40**	**2**	**2**	**5**	**8**	**14**	**20**	**34**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.2	5	1	1	3	4	6	9	12
20-34	56	2.9	3	1	1	3	4	5	6	9
35-49	65	3.3	6	1	1	3	4	5	6	16
50-64	67	3.8	6	1	1	3	5	7	8	14
65+	169	6.0	21	1	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	10.3	77	3	3	7	15	23	23	23
65+	7	13.1	257	2	2	3	25	39	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	887	3.7	12	1	1	3	4	6	9	21
20-34	456	4.1	9	1	2	3	5	8	9	16
35-49	602	5.3	20	1	2	4	7	10	12	29
50-64	1281	6.9	44	2	2	5	8	13	17	36
65+	5255	8.6	52	2	3	7	10	16	21	37
B. *Operated*										
0-19 YRS	25	7.4	47	1	2	5	9	18	23	30
20-34	45	8.2	142	<1	1	4	8	15	38	57
35-49	49	8.1	50	1	1	6	11	17	22	34
50-64	124	12.4	115	2	3	11	15	24	31	77
65+	375	17.0	171	4	6	14	21	32	52	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	4.3	13	1	1	3	5	8	11	18
B. *Operated*	17	9.0	132	1	2	3	8	29	37	41
2. MULTIPLE DX										
A. *Not Operated*	8481	7.3	45	2	2	6	9	14	19	34
B. *Operated*	618	14.3	156	2	4	11	18	29	41	69
1. SINGLE DX	471	4.5	18	1	1	3	5	8	11	23
2. MULTIPLE DX	9099	7.8	56	2	2	6	10	15	21	39
A. NOT OPERATED	8935	7.2	44	2	2	5	9	14	18	34
B. OPERATED	635	14.2	155	2	3	11	18	29	41	68
TOTAL 0-19 YRS	1013	3.7	13	1	1	3	4	6	9	21
20-34	558	4.3	20	1	1	3	5	8	10	19
35-49	717	5.3	22	1	2	4	7	10	13	29
50-64	1476	7.2	51	2	2	5	9	14	19	41
65+	5806	9.0	63	2	3	7	11	17	23	43
GRAND TOTAL	**9570**	**7.6**	**54**	**2**	**2**	**6**	**9**	**15**	**20**	**39**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.2	3	1	1	3	4	5	6	8
20-34	32	3.7	5	1	1	3	5	6	8	10
35-49	46	4.0	5	1	2	3	5	7	9	10
50-64	39	4.0	4	1	2	4	5	7	7	10
65+	109	5.1	9	1	2	4	7	9	11	16
B. *Operated*										
0-19 YRS	5	4.6	10	2	2	3	6	10	10	10
20-34	7	4.7	13	2	2	3	6	11	12	12
35-49	11	5.2	7	2	2	5	7	9	9	9
50-64	13	6.8	15	3	3	6	7	12	17	18
65+	40	7.0	17	2	3	6	9	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	3.8	4	1	2	4	5	6	8	9
20-34	105	4.9	10	1	2	4	6	8	10	17
35-49	219	5.0	13	1	2	4	6	8	10	21
50-64	336	5.8	13	1	2	5	7	10	13	18
65+	1345	6.8	30	2	2	6	8	12	15	25
B. *Operated*										
0-19 YRS	11	7.9	29	2	3	6	10	17	19	19
20-34	47	6.2	20	2	2	5	7	15	17	18
35-49	121	7.2	18	2	3	6	9	12	16	21
50-64	155	8.7	33	3	3	8	11	14	18	26
65+	448	9.8	40	3	4	8	12	17	23	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	4.3	7	1	1	4	6	7	9	13
B. *Operated*	76	6.3	15	2	3	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	2094	6.2	24	1	2	5	8	11	14	23
B. *Operated*	782	8.9	35	3	3	8	11	16	20	28
1. SINGLE DX	344	4.7	9	1	2	4	6	8	10	16
2. MULTIPLE DX	2876	7.0	29	2	2	6	9	12	16	26
A. NOT OPERATED	2362	6.0	23	1	2	5	7	11	13	22
B. OPERATED	858	8.7	34	2	3	8	11	16	20	28
TOTAL 0-19 YRS	147	3.9	7	1	1	4	5	7	9	16
20-34	191	5.0	12	1	2	4	6	9	13	18
35-49	397	5.6	15	1	2	5	7	10	12	20
50-64	543	6.5	20	2	2	6	8	11	14	21
65+	1942	7.4	33	2	3	6	9	13	17	28
GRAND TOTAL	**3220**	**6.7**	**27**	**2**	**2**	**6**	**8**	**12**	**16**	**26**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	473	4.2	9	1	1	4	6	8	9	12
20-34	562	5.5	11	1	2	5	7	10	11	18
35-49	124	5.4	12	1	2	5	7	8	11	21
50-64	11	3.3	3	<1	1	3	5	6	6	6
65+	5	6.0	15	1	1	6	9	11	11	11
B. *Operated*										
0-19 YRS	5	8.2	20	3	3	8	10	15	15	15
20-34	7	7.4	19	2	2	9	11	12	12	12
35-49	3	11.7	52	7	7	8	17	20	20	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	619	4.9	17	<1	1	4	6	10	12	20
20-34	696	6.8	19	2	2	6	8	12	15	24
35-49	188	6.8	22	2	3	6	8	11	13	25
50-64	40	5.2	13	1	1	4	7	11	13	14
65+	13	8.7	13	2	4	9	11	13	15	15
B. *Operated*										
0-19 YRS	23	11.8	82	1	1	11	16	21	29	41
20-34	53	12.8	95	2	3	10	18	28	32	46
35-49	15	9.9	51	2	2	10	14	18	25	27
50-64	5	9.8	33	2	2	9	13	18	18	18
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1175	5.0	11	1	1	4	6	9	11	18
B. *Operated*	15	8.5	24	2	2	8	11	15	19	20
2. MULTIPLE DX										
A. *Not Operated*	1556	6.0	20	1	2	5	8	11	14	22
B. *Operated*	97	12.0	80	2	2	10	16	23	29	44
1. SINGLE DX	1190	5.0	11	1	2	4	7	9	11	18
2. MULTIPLE DX	1653	6.3	25	1	2	5	8	12	15	25
A. NOT OPERATED	2731	5.6	16	1	2	5	7	10	12	20
B. OPERATED	112	11.5	74	2	2	10	16	21	29	43
TOTAL 0-19 YRS	1120	4.8	16	<1	1	4	6	9	11	20
20-34	1318	6.5	21	1	2	5	8	12	15	24
35-49	330	6.4	21	2	2	6	8	11	14	25
50-64	56	5.2	15	1	1	4	7	11	13	18
65+	19	8.2	15	1	3	8	11	13	14	15
GRAND TOTAL	**2843**	**5.8**	**20**	**1**	**2**	**5**	**7**	**11**	**13**	**23**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	2.4	7	<1	<1	1	3	5	9	14
20-34	71	3.4	14	<1	<1	2	4	7	9	22
35-49	47	5.2	18	1	1	4	6	12	15	18
50-64	82	3.8	10	<1	<1	3	5	9	10	12
65+	372	3.9	18	<1	1	3	5	8	11	15
B. *Operated*										
0-19 YRS	35	7.3	55	2	2	6	7	13	21	42
20-34	18	4.6	10	<1	1	4	7	9	11	12
35-49	14	6.1	10	2	2	6	7	10	13	14
50-64	29	7.7	36	3	3	6	8	16	20	30
65+	75	7.0	25	1	2	6	9	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	4.0	31	1	1	3	5	8	11	22
20-34	169	5.2	19	1	1	4	6	10	13	25
35-49	268	5.5	48	1	1	4	7	11	14	25
50-64	607	5.6	25	1	1	4	7	11	15	26
65+	2456	6.1	29	1	1	5	8	12	16	28
B. *Operated*										
0-19 YRS	49	10.1	153	1	2	6	12	18	33	74
20-34	70	10.9	230	1	2	6	10	26	43	86
35-49	117	9.8	103	2	2	7	11	18	26	63
50-64	258	9.9	71	2	3	8	13	18	23	51
65+	866	10.9	77	3	3	9	14	20	26	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	787	3.5	14	<1	<1	2	4	8	10	17
B. *Operated*	171	6.9	30	1	2	6	8	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	3701	5.8	30	1	1	4	7	12	15	27
B. *Operated*	1360	10.6	89	2	3	8	13	19	26	55
1. SINGLE DX	958	4.1	19	<1	<1	3	5	9	12	22
2. MULTIPLE DX	5061	7.1	50	1	1	5	9	14	19	35
A. NOT OPERATED	4488	5.4	28	1	1	4	7	11	15	26
B. OPERATED	1531	10.2	83	2	3	8	12	19	26	53
TOTAL 0-19 YRS	500	4.2	40	<1	<1	2	5	9	13	28
20-34	328	6.0	69	<1	1	4	7	11	16	44
35-49	446	6.6	61	1	1	5	8	13	17	31
50-64	976	6.6	41	1	1	5	8	14	18	30
65+	3769	7.0	44	1	1	5	9	14	19	34
GRAND TOTAL	**6019**	**6.6**	**46**	**1**	**1**	**5**	**9**	**14**	**18**	**33**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.0	12	1	1	3	5	8	13	14
20-34	14	2.9	1	1	2	3	3	4	5	5
35-49	12	6.1	10	2	3	5	8	11	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.1	11	1	1	4	5	7	12	17
20-34	15	4.1	1	2	3	4	5	5	6	6
35-49	10	11.0	52	1	2	10	17	20	21	21
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	4	7.8	6	5	5	7	9	11	11	11
B. *Operated*										
0-19 YRS	8	6.6	37	1	1	4	10	17	19	19
20-34	6	8.3	71	3	3	5	9	23	25	25
35-49	1	57.0		57	57	78	99+	99+	99+	99+
50-64	2	7.5	13	5	5	7	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.2	9	1	2	4	5	8	12	14
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	81	5.1	18	1	2	4	5	11	16	21
B. *Operated*	17	10.3	185	1	2	5	11	47	83	99+
1. SINGLE DX	40	4.2	8	1	2	4	5	8	11	14
2. MULTIPLE DX	98	6.0	49	1	2	4	6	15	20	79
A. NOT OPERATED	119	4.8	15	1	2	4	5	9	15	20
B. OPERATED	19	9.6	168	1	2	5	10	41	78	99+
TOTAL 0-19 YRS	70	4.4	14	1	1	3	5	8	14	19
20-34	36	4.3	15	2	2	4	5	5	8	25
35-49	23	10.4	135	2	3	7	14	25	70	99+
50-64	5	5.0	9	2	2	4	6	10	10	10
65+	8	7.8	6	5	5	7	9	11	11	11
GRAND TOTAL	**138**	**5.5**	**38**	**1**	**2**	**4**	**5**	**12**	**17**	**62**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.6	9	1	1	3	4	6	9	17
20-34	33	3.7	6	1	1	3	5	7	8	9
35-49	32	5.0	16	1	1	4	7	9	13	20
50-64	27	4.3	16	1	1	3	5	8	11	20
65+	92	3.9	21	1	1	3	5	8	10	28
B. *Operated*										
0-19 YRS	76	5.2	19	1	1	4	7	11	13	25
20-34	59	6.8	31	2	2	5	8	11	20	29
35-49	39	6.1	12	1	1	6	8	10	13	16
50-64	49	8.2	38	2	2	7	9	14	21	38
65+	31	9.9	124	3	3	7	12	17	19	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	4.6	26	1	1	3	5	9	10	31
20-34	137	5.7	19	1	1	4	7	12	15	20
35-49	172	5.7	21	1	2	5	8	10	12	25
50-64	304	6.6	38	1	2	5	8	13	17	39
65+	641	6.9	44	1	2	5	9	13	17	33
B. *Operated*										
0-19 YRS	69	7.2	29	2	2	6	9	14	23	85
20-34	108	8.9	42	2	3	7	11	21	23	29
35-49	105	10.6	108	2	3	8	12	20	26	60
50-64	165	10.6	70	2	3	8	13	20	29	49
65+	333	12.8	121	3	4	10	16	24	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	3.9	13	1	1	3	5	8	9	20
B. *Operated*	254	6.9	39	1	2	6	9	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	1445	6.3	36	1	2	5	8	12	16	33
B. *Operated*	780	11.0	92	2	3	8	14	22	28	57
1. SINGLE DX	616	5.1	26	1	1	4	7	9	13	24
2. MULTIPLE DX	2225	8.0	61	1	2	6	10	16	22	44
A. NOT OPERATED	1807	5.8	32	1	1	4	7	12	15	30
B. OPERATED	1034	10.0	82	2	3	8	12	21	26	55
TOTAL 0-19 YRS	514	4.7	20	1	1	3	6	9	12	25
20-34	337	6.7	30	1	2	5	8	14	20	26
35-49	348	7.2	50	1	2	6	9	12	19	39
50-64	545	8.0	50	2	2	7	10	15	21	41
65+	1097	8.5	77	1	2	6	11	18	24	53
GRAND TOTAL	**2841**	**7.3**	**54**	**1**	**2**	**5**	**9**	**15**	**21**	**41**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	2.2	2	1	1	2	3	4	4	8
20-34	107	2.3	2	1	1	2	3	4	5	8
35-49	19	3.2	2	<1	1	3	5	5	6	6
50-64	6	2.7	2	1	1	2	3	5	5	5
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	328	3.6	2	2	2	3	4	5	6	9
20-34	124	3.9	3	2	2	4	5	6	6	10
35-49	18	5.3	7	3	3	4	5	9	11	12
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	270	2.5	3	1	1	2	3	5	6	9
20-34	77	2.7	2	1	1	2	3	5	6	7
35-49	22	4.0	4	1	1	4	5	7	8	8
50-64	11	5.9	10	2	3	5	7	11	12	12
65+	5	6.4	10	3	3	8	9	10	10	10
B. *Operated*										
0-19 YRS	161	4.5	6	2	2	4	5	7	9	16
20-34	66	5.9	10	2	3	5	7	10	12	17
35-49	15	6.8	13	3	3	6	8	13	14	15
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	15.7	60	7	7	18	21	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	676	2.2	2	1	1	2	3	4	5	8
B. *Operated*	471	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	385	2.8	4	1	1	2	3	5	6	11
B. *Operated*	246	5.2	10	2	3	4	6	9	11	18
1. SINGLE DX	1147	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	631	3.7	8	1	1	3	5	7	9	15
A. NOT OPERATED	1061	2.4	3	1	1	2	3	4	5	8
B. OPERATED	717	4.2	6	2	2	4	5	7	9	14
TOTAL 0-19 YRS	1300	2.9	3	1	1	2	4	5	6	9
20-34	374	3.6	5	1	1	3	5	6	7	12
35-49	74	4.7	8	1	2	4	5	8	11	15
50-64	19	4.8	10	1	2	4	6	10	12	12
65+	11	7.9	44	2	2	7	10	20	22	22
GRAND TOTAL	**1778**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	4.1	6	1	2	4	5	7	8	12
20-34	26	3.1	3	1	1	3	4	6	6	7
35-49	6	3.2	2	1	1	3	4	5	5	5
50-64	3	8.3	33	5	5	5	13	15	15	15
65+	4	7.8	133	1	1	2	14	25	25	25
B. *Operated*										
0-19 YRS	138	3.1	6	<1	1	2	4	6	8	13
20-34	84	3.1	5	1	1	2	4	6	8	11
35-49	42	2.7	2	1	1	3	3	4	5	7
50-64	27	3.4	4	1	2	3	5	7	8	9
65+	12	4.1	5	<1	1	4	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	4.6	7	2	2	4	6	8	10	13
20-34	28	4.9	5	2	2	4	7	8	9	10
35-49	16	5.2	22	2	2	4	5	10	18	21
50-64	13	6.3	15	3	3	6	7	11	17	18
65+	12	6.4	21	1	2	5	10	14	14	14
B. *Operated*										
0-19 YRS	77	5.0	14	<1	1	4	7	10	13	18
20-34	47	5.6	53	1	2	3	7	11	14	48
35-49	33	4.7	12	2	2	3	6	11	12	14
50-64	35	6.4	23	1	2	5	8	12	16	24
65+	29	6.9	36	1	2	5	8	19	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	4.1	8	1	2	4	5	7	8	16
B. *Operated*	303	3.1	5	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	198	4.9	9	2	2	4	6	9	11	16
B. *Operated*	221	5.6	27	1	1	4	7	11	14	23
1. SINGLE DX	517	3.5	6	1	1	3	5	7	8	12
2. MULTIPLE DX	419	5.2	18	1	2	4	7	10	13	21
A. NOT OPERATED	412	4.5	9	1	2	4	6	8	10	16
B. OPERATED	524	4.2	15	1	1	3	5	8	11	19
TOTAL 0-19 YRS	519	4.1	8	1	1	3	5	8	9	13
20-34	185	4.0	18	1	1	3	5	8	9	16
35-49	97	3.8	9	1	2	3	4	7	11	18
50-64	78	5.4	17	1	2	5	7	10	15	22
65+	57	6.2	31	1	2	4	8	14	21	25
GRAND TOTAL	**936**	**4.3**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	7	<1	<1	2	5	7	8	8
20-34	35	11.1	99	1	3	7	17	25	34	43
35-49	7	9.9	147	1	1	5	11	31	36	36
50-64	16	10.8	170	2	2	6	11	35	45	48
65+	29	9.9	127	1	1	7	12	29	32	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.4	105	1	1	6	14	26	31	31
20-34	29	9.9	117	1	2	8	11	20	25	58
35-49	33	12.5	211	1	3	8	14	24	33	80
50-64	65	12.4	136	3	4	8	14	30	37	61
65+	184	10.4	79	2	3	8	14	21	27	49
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	13.6	56	2	4	13	16	25	27	27
65+	14	16.9	165	4	4	12	29	36	41	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	9.6	113	1	1	6	12	26	36	48
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	319	10.9	107	2	3	8	14	22	30	55
B. *Operated*	21	15.8	127	3	4	13	20	35	38	42
1. SINGLE DX	99	9.6	113	1	1	6	12	26	36	48
2. MULTIPLE DX	340	11.2	110	2	3	8	14	24	31	53
A. NOT OPERATED	418	10.6	109	1	2	8	13	23	31	52
B. OPERATED	21	15.8	127	3	4	13	20	35	38	42
TOTAL 0-19 YRS	20	5.6	53	<1	1	2	7	14	23	31
20-34	64	10.6	105	1	2	7	13	22	30	56
35-49	40	12.1	196	1	2	8	13	25	35	60
50-64	88	12.2	134	2	3	8	13	29	38	58
65+	227	10.7	92	1	2	8	14	23	31	48
GRAND TOTAL	**439**	**10.9**	**111**	**1**	**2**	**8**	**13**	**24**	**31**	**52**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.3	13	<1	<1	1	2	4	6	23
20-34	96	3.4	13	<1	1	2	4	8	11	19
35-49	50	7.6	121	<1	1	3	9	15	25	60
50-64	91	9.0	77	1	2	6	11	21	24	46
65+	605	9.7	77	2	2	7	13	20	26	45
B. *Operated*										
0-19 YRS	4	4.0	13	1	1	4	7	8	8	8
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	7.0	22	3	3	5	9	15	15	15
50-64	4	3.8	3	2	2	3	5	6	6	6
65+	15	10.9	99	3	3	7	18	22	33	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	5.8	45	1	1	3	7	14	20	34
20-34	211	6.7	65	1	1	4	8	14	23	50
35-49	144	10.4	116	1	2	7	14	25	30	93
50-64	366	11.6	106	2	3	8	15	25	34	61
65+	3691	11.7	111	2	3	9	15	23	32	59
B. *Operated*										
0-19 YRS	7	5.6	28	1	1	5	12	74	99+	99+
20-34	19	8.2	69	2	2	6	9	21	30	33
35-49	14	12.9	126	2	2	11	15	31	40	42
50-64	35	18.8	395	3	4	14	22	57	99	99+
65+	288	20.2	247	4	5	16	25	42	58	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	955	8.0	73	1	1	5	11	19	24	45
B. *Operated*	29	8.1	64	1	2	5	10	21	23	37
2. MULTIPLE DX										
A. *Not Operated*	4528	11.3	109	2	3	8	14	23	31	58
B. *Operated*	363	18.9	253	3	4	14	24	42	58	99+
1. SINGLE DX	984	8.0	73	1	1	5	10	19	24	44
2. MULTIPLE DX	4891	11.8	124	2	3	9	15	25	34	64
A. NOT OPERATED	5483	10.7	104	2	2	8	14	22	30	55
B. OPERATED	392	18.1	247	3	4	14	23	40	57	99+
TOTAL 0-19 YRS	240	4.1	32	<1	1	2	4	10	16	33
20-34	327	5.8	52	1	1	4	7	12	19	36
35-49	213	9.8	117	1	2	6	13	24	30	72
50-64	496	11.6	125	2	2	8	15	25	35	84
65+	4599	12.0	120	2	3	9	15	24	33	62
GRAND TOTAL	**5875**	**11.2**	**117**	**2**	**2**	**8**	**14**	**23**	**32**	**61**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	24.0	512	8	8	24	40	40	40	40
65+	27	11.0	46	1	1	10	16	19	22	29
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	15	11.1	61	2	2	9	16	24	24	24
65+	183	10.5	62	2	3	8	14	22	27	48
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	79.0		79	79	79	79	79	79	79
65+	13	26.5	574	5	8	15	41	66	77	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	11.9	72	1	2	10	16	21	30	40
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	198	10.5	61	2	3	8	14	22	26	45
B. *Operated*	14	30.3	727	5	8	16	52	79	80	80
1. SINGLE DX	29	11.9	72	1	2	10	16	21	30	40
2. MULTIPLE DX	212	11.8	126	2	3	9	15	24	33	79
A. NOT OPERATED	227	10.7	63	2	3	8	14	22	27	43
B. OPERATED	14	30.3	727	5	8	16	52	79	80	80
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	18	16.3	342	2	2	9	22	35	63	79
65+	223	11.5	101	2	3	9	15	22	29	67
GRAND TOTAL	**241**	**11.9**	**119**	**2**	**3**	**9**	**15**	**23**	**31**	**79**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	50	4.3	24	<1	1	3	5	10	12	30
35-49	115	4.2	9	1	2	3	6	7	10	16
50-64	77	6.1	51	1	2	4	6	13	17	39
65+	39	5.6	12	2	2	5	8	11	13	15
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	27.0		27	27	27	27	27	27	27
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.7	74	<1	1	3	5	14	29	36
20-34	291	5.8	31	1	2	4	7	11	15	31
35-49	763	6.1	26	1	2	5	8	12	16	28
50-64	627	6.8	39	2	2	5	8	13	16	32
65+	221	10.1	89	2	3	7	12	19	28	51
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	8.6	50	3	3	7	9	20	25	25
35-49	33	13.2	112	3	4	11	16	23	37	54
50-64	34	17.4	154	4	6	14	20	37	48	54
65+	10	14.9	72	6	6	12	23	59	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	4.9	24	1	1	3	6	10	13	31
B. *Operated*	3	14.0	133	5	5	10	23	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	1919	6.7	40	1	2	5	8	13	17	33
B. *Operated*	86	14.5	123	3	4	12	19	30	45	83
1. SINGLE DX	287	5.0	25	1	1	4	6	10	13	31
2. MULTIPLE DX	2005	7.1	46	1	2	5	9	14	18	36
A. NOT OPERATED	2203	6.5	38	1	2	5	8	13	16	32
B. OPERATED	89	14.5	122	3	4	12	19	29	44	82
TOTAL 0-19 YRS	21	5.0	61	<1	1	2	4	11	25	36
20-34	349	5.6	31	1	2	4	7	11	15	30
35-49	912	6.1	29	1	2	5	7	12	16	28
50-64	739	7.3	51	2	2	5	9	14	19	44
65+	271	9.6	81	2	3	7	12	19	28	61
GRAND TOTAL	**2292**	**6.8**	**44**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	7.0	32	<1	1	5	10	14	19	23
20-34	49	8.9	149	1	2	4	10	22	38	58
35-49	15	5.6	30	1	2	4	7	12	19	22
50-64	12	7.8	44	1	2	6	8	18	25	26
65+	10	5.3	17	1	1	4	8	12	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	34.0		34	34	34	34	34	34	34
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	10.2	175	1	1	7	11	26	31	66
20-34	85	8.5	81	1	1	7	10	18	21	56
35-49	62	7.3	29	1	1	6	10	14	17	25
50-64	75	9.2	47	1	2	8	12	19	24	29
65+	140	8.5	50	2	3	7	11	16	25	36
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	11.0	31	6	6	10	15	17	17	17
35-49	1	13.0		13	13	13	13	13	13	13
50-64	4	9.0	22	5	5	9	13	14	14	14
65+	8	15.5	99	2	3	15	23	29	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	7.6	87	1	2	5	9	14	23	56
B. *Operated*	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	391	8.6	62	1	2	7	10	17	24	36
B. *Operated*	17	12.9	59	3	5	12	17	24	29	31
1. SINGLE DX	105	7.9	93	1	2	5	9	15	24	56
2. MULTIPLE DX	408	8.7	62	1	2	7	11	18	24	36
A. NOT OPERATED	495	8.4	67	1	2	6	10	17	24	43
B. OPERATED	18	14.1	80	3	5	12	18	29	33	34
TOTAL 0-19 YRS	48	9.0	119	1	1	6	10	21	28	66
20-34	137	8.7	103	1	1	6	10	18	23	59
35-49	78	7.0	29	1	1	6	10	14	18	24
50-64	92	9.3	52	1	2	7	12	19	26	32
65+	158	8.7	53	1	3	7	11	17	25	35
GRAND TOTAL	**513**	**8.6**	**69**	**1**	**2**	**6**	**10**	**17**	**24**	**41**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	14.4	176	1	2	10	21	30	45	62
20-34	811	11.2	120	1	2	8	16	25	34	53
35-49	437	12.3	120	1	2	9	17	27	32	55
50-64	174	12.3	80	2	2	10	17	25	30	40
65+	59	14.4	81	2	3	14	19	24	33	44
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	20.7	21	18	18	18	24	26	26	26
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	22.3	393	2	5	17	28	47	63	89
20-34	281	12.4	121	1	2	9	17	26	32	59
35-49	268	13.3	131	2	3	10	17	29	36	56
50-64	146	15.0	85	2	4	14	21	28	32	40
65+	74	18.8	238	4	6	14	24	43	55	96
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	12	20.8	150	4	7	20	22	41	48	49
35-49	10	15.3	108	1	2	19	23	26	27	27
50-64	10	23.4	60	14	14	22	29	34	36	36
65+	3	22.0	163	11	11	19	32	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1537	11.9	116	1	2	9	17	26	32	52
B. *Operated*	5	17.4	32	11	11	18	20	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	796	14.1	143	2	3	11	19	29	36	60
B. *Operated*	36	20.0	110	3	4	20	25	35	37	49
1. SINGLE DX	1542	11.9	116	1	2	9	17	26	32	52
2. MULTIPLE DX	832	14.4	142	2	3	11	19	29	36	60
A. NOT OPERATED	2333	12.6	126	1	2	10	17	27	35	55
B. OPERATED	41	19.7	101	3	6	19	24	34	37	49
TOTAL 0-19 YRS	84	17.0	254	2	2	12	22	36	50	80
20-34	1104	11.6	121	1	2	8	16	26	33	55
35-49	718	12.7	124	1	2	10	17	27	35	55
50-64	331	13.8	86	2	3	12	20	27	31	40
65+	137	16.9	170	3	4	14	20	35	44	87
GRAND TOTAL	**2374**	**12.8**	**127**	**1**	**2**	**10**	**18**	**27**	**35**	**55**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	11.5	86	2	3	10	13	21	37	39
20-34	73	10.0	120	1	2	7	12	19	24	72
35-49	32	8.5	61	1	1	7	11	16	24	38
50-64	14	10.9	67	1	1	10	16	23	27	28
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	31	3	3	8	13	14	14	14
20-34	20	15.9	378	1	1	8	20	42	63	80
35-49	10	10.7	42	2	2	11	15	19	20	20
50-64	7	17.0	206	2	3	11	26	39	42	42
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	21.0		21	21	21	21	21	21	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	9.9	94	1	2	8	12	18	25	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	13.7	223	1	2	9	18	30	43	80
B. *Operated*	2	13.5	113	6	6	13	21	21	21	21
1. SINGLE DX	144	9.9	94	1	2	8	12	18	25	42
2. MULTIPLE DX	45	13.7	216	2	2	9	19	28	43	80
A. NOT OPERATED	187	10.8	125	1	2	8	13	22	29	67
B. OPERATED	2	13.5	113	6	6	13	21	21	21	21
TOTAL 0-19 YRS	27	11.0	78	2	3	10	13	17	36	39
20-34	94	11.2	176	1	2	7	13	22	31	82
35-49	43	9.3	58	1	1	8	13	19	22	38
50-64	21	13.0	114	1	2	11	20	28	34	42
65+	4	5.0	5	2	2	5	6	7	7	7
GRAND TOTAL	**189**	**10.8**	**125**	**1**	**2**	**8**	**13**	**21**	**28**	**67**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	18.1	299	1	2	12	25	42	56	99+
20-34	1481	12.0	131	1	2	9	16	26	36	61
35-49	842	12.4	114	1	2	10	16	26	34	52
50-64	427	12.4	116	1	2	10	17	26	32	50
65+	106	13.5	128	2	2	10	18	26	34	60
B. *Operated*										
0-19 YRS	1	98.0		98	98	98	98	98	98	98
20-34										
35-49	3	14.0	103	3	3	16	21	23	23	23
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	19.7	436	1	2	11	31	58	95	99+
20-34	749	12.2	116	1	2	9	17	26	33	53
35-49	571	13.4	118	2	3	11	18	26	35	52
50-64	474	14.3	149	2	3	11	18	28	37	62
65+	199	13.9	100	3	4	11	19	27	33	47
B. *Operated*										
0-19 YRS	5	37.8	976	13	13	37	88	99	99+	99+
20-34	41	27.3	500	5	6	20	36	63	74	99
35-49	34	22.6	183	5	7	20	30	47	52	53
50-64	29	22.6	297	5	7	17	26	46	64	77
65+	15	22.1	164	7	11	21	27	29	53	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3009	12.5	134	1	2	10	16	27	36	60
B. *Operated*	6	30.2	1178	3	4	19	28	91	98	98
2. MULTIPLE DX										
A. *Not Operated*	2090	13.5	139	2	3	10	18	28	37	61
B. *Operated*	124	24.7	342	6	7	20	30	52	65	99
1. SINGLE DX	3015	12.5	136	1	2	10	16	27	36	61
2. MULTIPLE DX	2214	14.1	157	2	3	11	19	29	39	70
A. NOT OPERATED	5099	12.9	136	1	2	10	17	27	36	60
B. OPERATED	130	25.0	373	5	7	20	30	52	69	99
TOTAL 0-19 YRS	256	19.4	390	1	2	13	29	48	85	99+
20-34	2271	12.3	136	1	2	9	16	26	36	63
35-49	1450	13.0	119	1	2	10	17	27	35	53
50-64	931	13.7	141	2	3	11	18	28	35	62
65+	321	14.2	115	2	3	11	20	27	33	51
GRAND TOTAL	**5229**	**13.2**	**146**	**1**	**2**	**10**	**18**	**28**	**37**	**63**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	19.6	750	2	2	9	48	95	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	18.9	488	1	1	17	40	96	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	19.6	750	2	2	9	48	95	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	18.9	488	1	1	17	40	96	99+	99+
B. *Operated*										
1. SINGLE DX	17	19.6	750	2	2	10	67	99+	99+	99+
2. MULTIPLE DX	24	18.9	488	1	1	17	40	96	99+	99+
A. NOT OPERATED	41	19.2	581	1	2	10	42	98	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	41	19.2	581	1	2	11	43	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**41**	**19.2**	**581**	**1**	**2**	**11**	**43**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	14.2	214	2	3	9	16	34	48	69
20-34	639	12.0	113	1	2	9	16	26	33	51
35-49	737	14.5	168	2	3	11	20	31	43	65
50-64	512	16.3	164	3	4	13	21	31	42	78
65+	386	19.3	227	3	4	15	26	39	50	67
B. *Operated*										
0-19 YRS										
20-34	1	36.0		36	36	36	36	36	36	36
35-49	2	22.5	145	14	14	22	31	31	31	31
50-64	3	10.3	30	5	5	10	14	16	16	16
65+	3	24.7	226	15	15	17	36	42	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	21.1	462	1	2	14	33	67	97	99+
20-34	796	14.0	168	2	3	10	19	32	41	68
35-49	1038	14.9	176	3	3	11	19	30	42	72
50-64	1042	15.4	149	3	4	12	21	30	39	70
65+	927	19.8	223	4	5	16	27	40	51	74
B. *Operated*										
0-19 YRS	3	47.3	420	35	35	71	99+	99+	99+	99+
20-34	53	21.1	202	5	6	20	30	45	67	99+
35-49	81	22.5	202	8	9	18	29	40	49	77
50-64	86	20.2	198	6	7	15	27	41	46	66
65+	60	28.0	259	6	9	27	35	51	59	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2368	15.0	169	2	3	11	20	31	42	64
B. *Operated*	9	20.7	159	5	7	16	32	40	42	42
2. MULTIPLE DX										
A. *Not Operated*	3911	16.2	191	3	4	12	22	34	44	75
B. *Operated*	283	23.0	226	6	8	20	32	44	56	99+
1. SINGLE DX	2377	15.0	169	2	3	11	20	31	42	64
2. MULTIPLE DX	4194	16.6	196	3	4	13	22	35	46	76
A. NOT OPERATED	6279	15.7	183	2	3	12	21	33	43	72
B. OPERATED	292	22.9	223	6	8	20	32	44	56	99+
TOTAL 0-19 YRS	205	18.3	368	2	2	11	28	61	80	99+
20-34	1489	13.4	149	2	2	10	18	30	39	60
35-49	1858	15.1	176	2	3	11	20	32	43	69
50-64	1643	15.9	157	3	4	13	21	31	40	71
65+	1376	20.0	228	3	5	16	27	40	51	74
GRAND TOTAL	**6571**	**16.0**	**137**	**2**	**3**	**12**	**22**	**34**	**44**	**73**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	17.7	228	2	3	14	23	45	59	94
20-34	646	13.2	123	2	2	11	16	28	35	52
35-49	596	13.7	144	2	3	11	18	28	37	61
50-64	385	15.4	142	2	3	13	20	30	39	66
65+	148	18.6	200	2	5	15	24	38	47	68
B. Operated										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	3	17.0	21	13	13	16	20	22	22	22
65+	2	55.5	3121	16	16	55	95	95	95	95
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	18.6	371	2	3	15	23	51	62	99+
20-34	403	14.9	173	2	3	11	21	31	42	81
35-49	453	15.0	148	3	4	12	20	30	40	60
50-64	456	15.6	131	3	4	13	21	29	38	72
65+	320	19.3	238	4	6	15	25	38	50	80
B. Operated										
0-19 YRS	2	26.5	481	11	11	26	42	42	42	42
20-34	27	32.7	321	6	13	27	44	61	63	64
35-49	33	24.1	303	5	7	21	31	38	52	96
50-64	46	24.2	216	7	8	21	33	49	53	64
65+	22	39.1	442	16	16	36	57	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1838	14.4	146	2	3	12	19	29	38	62
B. Operated	6	29.5	1039	13	13	16	22	88	95	95
2. MULTIPLE DX										
A. Not Operated	1699	16.1	178	3	4	13	21	31	42	79
B. Operated	132	28.4	324	6	9	24	38	55	64	99+
1. SINGLE DX	1844	14.5	149	2	3	12	19	29	39	62
2. MULTIPLE DX	1831	17.0	198	3	4	13	23	34	45	85
A. NOT OPERATED	3537	15.2	162	2	3	12	20	30	41	68
B. OPERATED	138	28.5	348	6	10	24	37	55	64	99+
TOTAL 0-19 YRS	132	18.3	300	2	3	14	23	50	60	99+
20-34	1077	14.3	156	2	2	11	20	29	39	63
35-49	1082	14.6	154	2	3	11	19	30	38	62
50-64	892	16.0	143	2	4	13	21	31	40	67
65+	492	20.1	262	4	6	16	25	41	55	91
GRAND TOTAL	**3675**	**15.7**	**175**	**2**	**3**	**13**	**21**	**32**	**42**	**73**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	10.2	201	1	2	6	11	18	35	86
20-34	377	8.1	58	1	1	4	11	19	26	34
35-49	238	10.0	112	1	1	7	13	22	29	51
50-64	195	11.0	77	1	3	6	14	25	31	38
65+	176	11.7	136	1	2	8	15	29	36	54
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	5	10.4	82	3	3	5	19	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	16.0	425	1	2	10	19	65	95	99+
20-34	313	10.9	153	1	2	8	14	23	32	79
35-49	259	11.6	133	1	2	8	16	24	33	63
50-64	337	12.6	160	2	2	9	15	28	37	69
65+	881	11.1	100	2	3	8	14	24	31	53
B. Operated										
0-19 YRS	4	31.0	846	11	11	19	48	74	74	74
20-34	11	18.5	610	3	3	15	20	54	84	87
35-49	14	23.0	162	5	5	21	35	40	43	44
50-64	40	19.7	175	5	6	17	25	41	57	99+
65+	87	18.6	199	4	5	14	23	39	46	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1067	9.8	98	1	2	7	13	21	30	46
B. Operated	5	10.4	82	3	3	11	23	92	99+	99+
2. MULTIPLE DX										
A. Not Operated	1855	11.6	136	2	2	8	14	25	34	72
B. Operated	156	19.6	229	3	5	16	24	40	47	86
1. SINGLE DX	1072	9.8	98	1	2	7	13	22	31	47
2. MULTIPLE DX	2011	12.2	148	2	2	8	15	26	37	75
A. NOT OPERATED	2922	10.9	123	1	2	7	14	24	32	62
B. OPERATED	161	19.3	227	3	4	16	24	40	49	98
TOTAL 0-19 YRS	150	13.3	324	1	2	8	15	35	76	99+
20-34	701	9.5	111	1	2	6	12	21	28	64
35-49	511	11.2	128	1	2	7	15	24	34	62
50-64	572	12.6	137	2	3	9	15	28	35	67
65+	1149	11.7	116	2	3	8	15	25	35	54
GRAND TOTAL	**3083**	**11.4**	**132**	**1**	**2**	**8**	**14**	**25**	**34**	**69**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.6	25	<1	1	2	4	6	9	32
20-34	338	5.1	37	<1	1	3	6	11	16	35
35-49	263	5.3	36	<1	1	3	6	12	15	34
50-64	145	6.8	64	<1	1	4	8	14	24	39
65+	81	6.4	32	1	2	5	7	12	18	32
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	8.3	36	2	2	9	13	14	14	14
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	5.5	53	1	1	3	5	12	29	58
20-34	565	6.7	63	1	1	4	8	15	23	41
35-49	630	6.6	54	1	2	4	8	14	21	38
50-64	464	6.9	53	1	2	4	8	16	22	38
65+	460	6.9	37	1	2	5	8	15	20	30
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	31	10.8	75	2	2	8	16	24	29	31
35-49	43	11.0	62	3	3	9	14	26	29	31
50-64	26	14.8	67	4	5	13	22	30	42	99+
65+	25	10.1	31	4	5	9	13	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	5.4	40	<1	1	3	6	12	17	36
B. *Operated*	8	7.3	13	2	3	7	9	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	2235	6.7	52	1	2	4	8	14	22	38
B. *Operated*	128	11.3	62	2	3	10	15	23	29	46
1. SINGLE DX	919	5.4	40	<1	1	3	6	12	17	36
2. MULTIPLE DX	2363	6.9	54	1	2	5	8	15	23	38
A. NOT OPERATED	3146	6.3	49	1	1	4	7	14	21	37
B. OPERATED	136	11.1	60	2	3	9	15	23	29	41
TOTAL 0-19 YRS	204	4.7	41	<1	1	3	4	9	19	37
20-34	935	6.2	55	1	1	4	7	14	22	39
35-49	939	6.5	50	1	1	4	8	14	19	37
50-64	636	7.2	58	1	2	5	8	17	23	40
65+	568	7.0	37	1	2	5	8	15	20	30
GRAND TOTAL	**3282**	**6.5**	**51**	**1**	**1**	**4**	**8**	**14**	**22**	**37**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	15.2	210	1	2	11	25	48	99+	99+
20-34	1002	8.7	71	1	2	6	11	18	26	41
35-49	902	10.1	92	1	2	7	14	23	29	46
50-64	480	9.9	67	2	3	7	13	22	28	37
65+	230	12.8	110	2	3	10	17	27	34	56
B. *Operated*										
0-19 YRS										
20-34	3	23.7	312	12	12	15	37	44	44	44
35-49	5	16.6	119	2	2	23	24	27	27	27
50-64	2	19.0	98	12	12	19	26	26	26	26
65+	4	11.0	132	4	4	6	18	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	19.1	440	2	3	13	31	76	99+	99+
20-34	1203	10.9	100	1	2	8	15	25	30	50
35-49	1264	10.6	96	2	2	7	14	24	30	47
50-64	976	10.8	95	2	3	7	14	23	29	45
65+	848	11.2	86	3	3	8	14	24	31	43
B. *Operated*										
0-19 YRS	8	28.0	553	7	9	20	51	92	99+	99+
20-34	77	17.4	183	5	6	14	23	34	51	91
35-49	124	17.6	215	4	5	13	22	35	48	75
50-64	93	17.0	151	3	5	14	25	32	44	85
65+	66	20.5	281	4	7	15	27	43	59	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2781	10.1	91	1	2	7	14	23	30	52
B. *Operated*	14	16.9	145	3	4	19	27	94	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	4523	11.3	116	2	3	8	14	25	32	60
B. *Operated*	368	18.1	211	4	5	14	24	37	51	82
1. SINGLE DX	2795	10.2	92	1	2	7	14	23	30	53
2. MULTIPLE DX	4891	11.8	126	2	3	8	15	27	34	68
A. NOT OPERATED	7304	10.8	107	2	2	7	14	25	31	56
B. OPERATED	382	18.1	209	4	5	14	24	37	52	99+
TOTAL 0-19 YRS	407	17.7	351	2	2	13	29	68	99+	99+
20-34	2285	10.2	93	1	2	7	14	23	29	50
35-49	2295	10.8	104	2	2	7	14	24	31	49
50-64	1551	10.9	92	2	3	8	14	24	29	45
65+	1148	12.0	106	3	3	9	15	26	35	49
GRAND TOTAL	**7686**	**11.2**	**114**	**2**	**2**	**8**	**14**	**26**	**32**	**60**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	8.3	109	1	1	4	10	22	29	51
20-34	394	7.7	103	1	1	5	9	19	29	62
35-49	192	7.4	63	1	1	5	10	18	24	36
50-64	81	6.5	59	<1	1	3	7	20	25	31
65+	41	7.2	34	1	2	5	8	17	22	24
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	9	5.3	15	1	1	5	6	11	14	14
35-49	17	5.3	30	1	2	4	6	8	19	25
50-64	30	4.1	8	1	1	3	6	7	8	14
65+	12	6.1	8	2	3	6	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	12.0	234	1	1	6	14	34	49	99+
20-34	637	9.2	126	1	1	5	11	22	31	58
35-49	427	9.0	105	1	2	6	11	20	27	69
50-64	292	9.6	83	1	2	6	13	21	30	43
65+	236	9.8	99	2	2	7	12	21	30	61
B. *Operated*										
0-19 YRS	11	18.9	567	2	2	6	33	58	71	72
20-34	49	17.0	281	1	2	12	21	40	56	73
35-49	48	13.5	268	2	3	8	16	37	69	99+
50-64	61	10.1	114	2	3	6	12	27	42	94
65+	27	15.7	307	3	4	10	18	29	61	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	7.6	88	1	1	5	9	19	27	43
B. *Operated*	69	4.9	14	1	1	4	6	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	1821	9.6	125	1	2	6	12	22	32	66
B. *Operated*	196	13.9	247	2	3	8	17	36	56	91
1. SINGLE DX	948	7.6	83	1	1	5	9	19	25	42
2. MULTIPLE DX	2017	10.1	138	1	2	6	12	23	34	71
A. NOT OPERATED	2700	9.0	114	1	1	5	11	21	30	59
B. OPERATED	265	11.6	202	2	2	6	14	31	49	80
TOTAL 0-19 YRS	412	10.7	193	1	1	5	13	30	42	81
20-34	1089	9.0	127	1	1	5	10	22	31	66
35-49	684	8.8	105	1	2	5	11	20	28	69
50-64	464	8.8	81	1	2	6	12	21	29	44
65+	316	9.8	108	2	2	7	12	21	27	63
GRAND TOTAL	**2965**	**9.2**	**122**	**1**	**1**	**5**	**11**	**22**	**32**	**68**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	7.3	110	<1	1	2	7	28	32	42
20-34	552	8.7	97	1	1	4	10	28	30	36
35-49	910	7.2	67	1	1	4	8	20	28	31
50-64	571	7.4	63	1	2	4	8	21	28	30
65+	184	9.3	77	1	2	6	11	23	28	39
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	12.3	97	2	2	9	18	28	29	29
50-64	4	16.0	609	3	3	4	29	53	53	53
65+	2	22.0	72	16	16	22	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	16.4	291	1	1	7	30	42	45	52
20-34	1143	12.7	146	1	2	7	24	30	35	42
35-49	2164	10.5	106	1	2	6	14	28	30	42
50-64	1957	9.8	90	2	2	6	11	28	30	38
65+	852	11.8	110	2	3	7	17	28	32	43
B. *Operated*										
0-19 YRS	4	26.5	825	<1	<1	24	51	57	57	57
20-34	42	18.4	271	1	3	15	28	35	41	89
35-49	101	15.4	122	2	4	11	22	32	36	46
50-64	85	16.6	148	3	4	13	24	35	40	53
65+	50	17.7	152	3	5	15	23	28	44	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	7.8	76	1	1	4	8	26	28	33
B. *Operated*	114	14.3	207	2	2	9	18	31	48	53
2. MULTIPLE DX										
A. *Not Operated*	6207	10.9	113	1	2	6	15	28	31	42
B. *Operated*	282	16.3	165	3	4	13	24	34	42	56
1. SINGLE DX	2283	7.8	77	1	1	4	9	27	28	34
2. MULTIPLE DX	6489	11.2	116	1	2	6	15	28	32	42
A. NOT OPERATED	8476	10.1	105	1	2	6	13	28	30	42
B. OPERATED	296	16.7	167	2	3	13	24	34	42	55
TOTAL 0-19 YRS	148	13.5	257	<1	1	4	28	42	45	53
20-34	1738	11.5	138	1	1	6	19	30	33	42
35-49	3181	9.7	98	1	2	5	12	28	30	41
50-64	2617	9.5	89	1	2	6	11	28	30	38
65+	1088	11.7	109	2	3	7	17	28	31	44
GRAND TOTAL	**8772**	**10.3**	**108**	**1**	**2**	**6**	**13**	**28**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	88	8.7	46	2	2	7	11	18	21	34
35-49	17	10.5	165	<1	<1	7	12	31	44	49
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	33.0		33	33	33	33	33	33	33
B. *Operated*										
0-19 YRS										
20-34	2	13.5	5	12	12	13	15	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	61.0	700	41	41	51	81	91	91	91
20-34	151	11.3	52	3	4	9	15	21	22	37
35-49	50	13.6	83	3	5	13	16	25	33	42
50-64	12	13.6	136	3	3	9	17	36	37	37
65+	4	12.5	34	5	5	13	17	18	18	18
B. *Operated*										
0-19 YRS										
20-34	20	19.2	147	5	6	17	24	32	46	58
35-49	9	16.6	49	5	7	16	22	26	27	27
50-64	1	19.0		19	19	19	19	19	19	19
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	9.1	69	1	2	7	12	19	29	42
B. *Operated*	2	13.5	5	12	12	13	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	220	12.7	101	3	4	10	15	21	33	45
B. *Operated*	30	18.4	111	5	6	17	24	28	34	58
1. SINGLE DX	110	9.2	68	1	2	7	12	19	29	42
2. MULTIPLE DX	250	13.4	105	3	5	11	16	23	33	51
A. NOT OPERATED	328	11.5	93	2	3	9	15	21	33	44
B. OPERATED	32	18.1	106	5	7	16	23	28	34	58
TOTAL 0-19 YRS	4	46.8	1279	4	4	46	71	91	91	91
20-34	261	11.1	63	2	3	9	15	21	26	37
35-49	76	13.3	98	2	3	12	17	27	34	47
50-64	14	13.2	126	3	3	9	19	35	37	37
65+	5	16.6	109	5	5	16	22	33	33	33
GRAND TOTAL	**360**	**12.1**	**97**	**2**	**3**	**9**	**15**	**22**	**33**	**48**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	11.7	265	1	2	4	14	38	53	56
20-34	82	9.9	100	1	2	6	12	28	29	46
35-49	22	10.8	128	1	2	7	11	29	36	43
50-64	10	14.0	122	3	3	12	25	28	30	30
65+	4	7.3	31	2	2	7	12	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	13.5	234	<1	1	6	24	42	42	44
20-34	151	14.8	202	1	2	9	23	42	42	52
35-49	58	14.2	105	4	5	11	19	29	37	49
50-64	21	15.0	198	4	5	10	16	37	48	61
65+	16	17.6	80	5	5	20	23	30	31	31
B. *Operated*										
0-19 YRS	1	41.0		41	41	41	41	41	41	41
20-34	9	14.0	88	4	6	11	18	29	36	36
35-49	2	5.0		5	5	5	5	5	5	5
50-64	1	29.0		29	29	29	29	29	29	29
65+	3	21.7	386	7	7	14	36	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	10.4	117	1	2	6	13	28	30	54
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	285	14.7	178	1	2	9	20	39	42	51
B. *Operated*	16	16.9	175	4	5	11	24	40	43	44
1. SINGLE DX	131	10.4	116	1	2	6	13	28	30	54
2. MULTIPLE DX	301	14.8	178	1	2	9	20	40	42	51
A. NOT OPERATED	415	13.4	163	1	2	9	19	32	42	53
B. OPERATED	17	16.3	171	4	5	11	21	40	43	44
TOTAL 0-19 YRS	52	13.6	247	1	2	5	22	42	42	56
20-34	242	13.1	168	1	2	8	19	32	42	52
35-49	82	13.0	111	2	3	10	18	29	37	48
50-64	33	14.9	167	3	3	10	19	31	38	61
65+	23	16.3	114	3	4	14	23	30	36	44
GRAND TOTAL	**432**	**13.5**	**163**	**1**	**2**	**9**	**19**	**33**	**42**	**52**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	1.4	2	<1	<1	1	1	2	3	9
20-34	80	2.4	14	<1	<1	1	2	5	7	23
35-49	53	3.7	20	<1	<1	2	4	9	17	19
50-64	49	3.1	4	<1	1	2	4	7	7	8
65+	14	4.1	24	1	1	2	5	12	17	18
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	91	3.9	69	<1	<1	1	2	5	27	42
20-34	192	5.0	51	<1	1	3	5	10	17	36
35-49	177	5.6	41	<1	1	4	7	12	19	31
50-64	180	6.6	49	1	2	4	7	14	27	33
65+	72	7.5	38	2	2	6	9	15	25	28
B. Operated										
0-19 YRS										
20-34	11	8.5	118	<1	<1	3	13	25	35	36
35-49	8	10.4	52	1	1	10	15	20	22	22
50-64	8	16.1	268	4	4	8	24	44	47	47
65+	4	4.0	10	1	1	3	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	2.6	11	<1	<1	1	3	6	8	19
B. Operated										
2. MULTIPLE DX										
A. Not Operated	712	5.7	50	<1	1	3	7	12	24	35
B. Operated	31	10.4	131	<1	1	7	14	28	37	47
1. SINGLE DX	273	2.6	11	<1	<1	1	3	6	8	19
2. MULTIPLE DX	743	5.9	54	<1	1	3	7	13	25	37
A. NOT OPERATED	985	4.8	41	<1	1	3	6	10	17	32
B. OPERATED	31	10.4	131	<1	1	7	14	28	37	47
TOTAL 0-19 YRS	168	2.8	40	<1	<1	1	2	4	9	40
20-34	283	4.4	45	<1	<1	2	5	9	16	35
35-49	238	5.4	38	<1	1	3	7	13	17	30
50-64	237	6.2	51	1	1	4	7	12	26	36
65+	90	6.8	36	1	2	5	8	15	22	27
GRAND TOTAL	**1016**	**5.0**	**44**	**<1**	**1**	**3**	**6**	**10**	**18**	**35**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	7.5	118	<1	1	3	6	27	33	43
20-34	138	10.2	153	1	1	5	11	30	40	46
35-49	21	13.4	180	<1	1	6	28	30	38	48
50-64	4	19.3	453	1	1	16	37	44	44	44
65+	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	13.4	155	1	1	9	23	34	41	88
20-34	238	10.6	129	1	1	6	14	28	31	44
35-49	70	10.9	75	2	2	8	15	27	28	30
50-64	56	10.9	141	2	3	8	12	24	34	68
65+	43	9.1	44	2	3	7	12	20	24	27
B. Operated										
0-19 YRS	3	21.0	475	6	6	11	37	46	46	46
20-34	13	15.3	142	3	4	11	21	37	39	40
35-49	4	20.3	297	3	3	20	35	37	37	37
50-64	2	14.0	50	9	9	14	19	19	19	19
65+	2	36.0	1800	6	6	36	66	66	66	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	10.1	154	1	1	4	12	30	40	47
B. Operated										
2. MULTIPLE DX										
A. Not Operated	479	11.0	119	1	2	7	14	28	31	46
B. Operated	24	18.5	270	3	5	11	30	41	52	66
1. SINGLE DX	207	10.1	154	1	1	4	12	30	40	47
2. MULTIPLE DX	503	11.3	128	1	2	7	14	28	35	48
A. NOT OPERATED	686	10.7	129	1	1	6	13	28	35	46
B. OPERATED	24	18.5	270	3	5	11	30	41	52	66
TOTAL 0-19 YRS	116	11.6	155	1	1	6	17	32	40	66
20-34	389	10.6	138	1	1	6	13	28	36	45
35-49	95	11.8	107	1	2	8	18	28	30	43
50-64	62	11.6	155	2	2	8	12	29	39	67
65+	48	9.8	112	1	2	7	12	21	25	66
GRAND TOTAL	**710**	**11.0**	**136**	**1**	**1**	**6**	**14**	**29**	**36**	**47**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.1	4	<1	1	3	4	6	7	11
20-34	91	3.7	7	<1	1	3	5	8	9	13
35-49	68	4.6	49	1	1	3	5	8	10	49
50-64	60	4.4	11	1	2	3	5	7	14	17
65+	32	4.5	9	1	1	4	7	9	10	11
B. *Operated*										
0-19 YRS	5	3.6	5	1	1	3	5	7	7	7
20-34	9	4.7	11	1	1	3	7	10	11	11
35-49	14	4.9	11	2	2	4	7	10	12	12
50-64	6	3.8	7	2	2	3	4	8	9	9
65+	2	4.0	18	<1	<1	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.1	12	1	1	3	5	8	10	22
20-34	198	5.2	20	1	2	4	6	10	13	22
35-49	196	5.6	24	1	2	4	7	10	15	28
50-64	179	5.7	23	2	2	4	7	10	13	26
65+	187	6.5	27	2	2	5	8	12	16	31
B. *Operated*										
0-19 YRS	10	7.4	30	3	3	5	12	16	19	19
20-34	27	9.1	27	4	4	8	11	18	21	24
35-49	25	8.8	43	2	2	7	11	20	22	25
50-64	18	7.7	25	2	2	6	10	13	18	22
65+	19	9.9	24	3	4	10	14	16	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	3.9	16	<1	1	3	5	8	9	16
B. *Operated*	36	4.4	9	1	2	3	7	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	836	5.6	23	1	2	4	7	10	14	25
B. *Operated*	99	8.8	30	2	3	7	12	17	20	25
1. SINGLE DX	375	4.0	15	<1	1	3	5	8	9	16
2. MULTIPLE DX	935	5.9	24	1	2	5	7	11	16	25
A. NOT OPERATED	1175	5.1	21	1	2	4	6	9	13	24
B. OPERATED	135	7.6	28	2	2	6	11	15	20	24
TOTAL 0-19 YRS	179	3.8	10	1	1	3	5	7	10	18
20-34	325	5.1	19	1	1	4	6	10	13	22
35-49	303	5.6	31	1	1	4	7	11	16	28
50-64	263	5.5	20	2	2	4	6	10	13	25
65+	240	6.5	26	1	2	5	8	12	16	29
GRAND TOTAL	**1310**	**5.4**	**23**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	526	10.8	196	1	1	5	13	29	43	82
20-34	730	5.7	39	1	1	4	7	12	17	31
35-49	417	6.3	40	1	1	4	8	14	20	30
50-64	148	7.2	53	1	1	5	9	21	24	28
65+	46	7.1	41	1	2	6	9	12	22	33
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	2	8.0	72	2	2	8	14	14	14	14
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	560	12.1	236	1	1	7	14	32	53	99+
20-34	1062	6.8	43	1	1	5	9	15	21	33
35-49	765	7.7	52	1	2	5	10	15	21	36
50-64	340	8.7	68	2	2	6	11	19	27	42
65+	238	10.3	108	2	2	7	13	20	31	61
B. *Operated*										
0-19 YRS	17	16.6	250	1	3	15	27	54	86	99+
20-34	41	11.8	57	2	4	12	15	25	29	30
35-49	46	12.6	133	3	4	9	17	25	38	60
50-64	18	11.9	73	3	5	8	17	27	29	30
65+	16	13.8	70	2	6	11	18	24	32	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1867	7.4	89	1	1	4	8	17	26	51
B. *Operated*	4	10.3	91	2	2	8	18	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	2965	8.5	93	1	2	6	10	19	29	58
B. *Operated*	138	12.9	108	2	4	10	17	27	31	68
1. SINGLE DX	1871	7.4	89	1	1	4	8	17	26	51
2. MULTIPLE DX	3103	8.7	95	1	2	6	11	19	29	60
A. NOT OPERATED	4832	8.1	92	1	1	5	10	18	28	55
B. OPERATED	142	12.9	108	2	4	10	17	27	31	66
TOTAL 0-19 YRS	1104	11.6	217	1	1	6	14	30	49	99+
20-34	1835	6.5	43	1	1	4	8	14	20	32
35-49	1229	7.4	52	1	2	5	9	16	22	35
50-64	506	8.4	64	1	2	5	11	20	26	36
65+	300	10.0	98	2	2	7	13	20	30	54
GRAND TOTAL	**4974**	**8.2**	**93**	**1**	**1**	**5**	**10**	**19**	**28**	**56**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	618	13.3	288	1	1	7	17	38	57	99+
20-34	866	7.9	75	1	2	5	10	17	24	47
35-49	643	8.0	56	1	2	6	10	17	24	35
50-64	346	10.6	116	1	2	7	15	23	34	53
65+	192	12.7	137	2	3	9	16	26	35	64
B. *Operated*										
0-19 YRS	11	4.4	13	1	1	4	9	99+	99+	99+
20-34	7	3.9	4	2	2	3	5	7	7	7
35-49	14	7.5	57	1	2	4	11	21	22	22
50-64	4	6.0	18	3	3	5	9	12	12	12
65+	4	10.8	115	1	1	10	20	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	805	14.9	348	1	2	7	19	48	71	99+
20-34	1289	8.3	80	1	2	5	10	18	28	43
35-49	1203	6.4	81	1	2	6	10	18	25	50
50-64	879	9.6	93	2	2	7	12	21	28	50
65+	822	10.4	89	2	3	7	13	21	29	49
B. *Operated*										
0-19 YRS	27	16.1	530	1	2	8	18	86	99+	99+
20-34	97	11.8	146	<1	1	8	16	29	36	60
35-49	92	12.2	75	3	3	10	17	27	32	35
50-64	74	14.2	135	4	5	11	17	29	41	60
65+	73	17.6	175	4	6	14	21	38	49	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2665	9.8	135	1	2	6	12	23	34	70
B. *Operated*	40	6.2	38	1	2	4	9	21	53	99+
2. MULTIPLE DX										
A. *Not Operated*	4998	10.0	132	2	2	6	12	22	33	71
B. *Operated*	363	13.9	163	2	3	10	18	30	40	78
1. SINGLE DX	2705	9.8	134	1	2	6	12	23	34	71
2. MULTIPLE DX	5361	10.2	135	2	2	6	12	23	34	71
A. NOT OPERATED	7663	9.9	133	1	2	6	12	22	33	71
B. OPERATED	403	13.1	155	2	3	10	17	29	40	94
TOTAL 0-19 YRS	1461	14.2	324	1	2	7	18	45	70	99+
20-34	2259	8.3	81	1	2	5	10	18	28	46
35-49	1952	8.4	73	1	2	6	10	18	25	40
50-64	1303	10.1	103	2	2	7	13	22	29	52
65+	1091	11.3	106	2	3	8	14	23	32	54
GRAND TOTAL	**8066**	**10.1**	**135**	**1**	**2**	**6**	**12**	**23**	**34**	**71**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.4	33	1	2	4	8	16	19	21
20-34	10	4.2	21	<1	<1	3	5	11	16	16
35-49	6	11.8	241	2	2	6	10	40	43	43
50-64	2	8.5	85	2	2	8	15	15	15	15
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	11.2	205	1	1	7	14	24	43	97
20-34	74	10.3	91	1	1	9	14	20	23	59
35-49	44	7.1	38	1	2	5	10	14	19	32
50-64	21	8.6	32	1	2	8	11	17	20	22
65+	9	16.4	252	5	6	10	18	42	57	57
B. *Operated*										
0-19 YRS	9	8.2	83	2	2	5	9	23	31	31
20-34	6	5.0	11	1	1	5	6	8	8	8
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	4	18.3	129	10	10	14	25	35	35	35
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	6.8	64	<1	1	4	8	16	20	43
B. *Operated*	6	4.7	3	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	234	10.1	126	1	2	7	13	21	26	71
B. *Operated*	21	9.1	81	1	1	8	12	21	33	35
1. SINGLE DX	42	6.5	55	<1	1	4	7	15	18	43
2. MULTIPLE DX	255	10.0	122	1	2	7	13	21	27	67
A. NOT OPERATED	270	9.7	118	1	1	7	12	20	25	67
B. OPERATED	27	8.1	67	1	2	6	10	15	32	35
TOTAL 0-19 YRS	113	10.2	170	1	2	6	12	22	34	95
20-34	91	9.3	82	1	1	7	13	19	21	53
35-49	54	7.5	58	1	2	5	10	14	20	43
50-64	28	9.9	54	1	2	9	13	16	23	35
65+	11	14.4	225	2	4	10	16	34	55	57
GRAND TOTAL	**297**	**9.5**	**114**	**1**	**1**	**7**	**12**	**20**	**26**	**66**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	422	9.8	20	2	3	10	12	15	16	24
20-34	74	7.6	26	1	2	7	11	15	17	27
35-49	38	9.4	37	1	1	9	13	18	22	25
50-64	24	9.4	94	1	1	8	11	14	33	46
65+	9	9.6	32	1	2	9	13	17	19	19
B. *Operated*										
0-19 YRS.	40	13.5	48	3	5	13	16	23	33	99+
20-34	24	9.8	137	1	2	6	9	22	42	51
35-49	34	11.2	180	2	3	6	10	28	35	67
50-64	30	8.2	72	2	2	7	10	12	16	45
65+	5	20.6	458	7	7	8	31	57	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	427	11.6	32	3	5	11	14	17	19	33
20-34	78	9.8	75	2	3	6	11	16	22	50
35-49	56	10.6	45	2	3	10	15	19	25	27
50-64	64	11.5	62	3	3	11	14	23	29	37
65+	49	16.1	216	3	5	11	23	41	55	99+
B. *Operated*										
0-19 YRS.	106	20.2	184	7	10	15	27	35	40	77
20-34	21	17.7	232	2	3	11	27	40	50	56
35-49	49	16.2	381	2	4	10	18	44	67	91
50-64	52	18.5	228	2	3	14	27	43	54	56
65+	31	22.5	219	5	6	20	34	48	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	9.5	26	2	3	10	12	15	17	25
B. *Operated*	133	11.3	120	2	3	9	14	23	36	72
2. MULTIPLE DX										
A. *Not Operated*	573	11.8	57	3	4	11	14	18	24	48
B. *Operated*	259	19.2	238	2	4	15	26	39	54	90
1. SINGLE DX	700	9.8	64	2	3	10	12	15	19	39
2. MULTIPLE DX	932	13.8	118	3	4	11	16	26	35	57
A. NOT OPERATED	1240	10.7	44	2	3	11	13	16	21	38
B. OPERATED	392	16.5	211	2	3	12	21	35	50	85
TOTAL 0-19 YRS.	995	11.8	53	2	4	11	14	17	24	60
20-34	197	9.8	87	2	3	7	11	17	29	51
35-49	177	12.0	167	2	2	9	15	22	30	74
50-64	170	12.8	133	2	3	10	15	28	39	55
65+	93	18.8	219	3	5	15	26	44	56	99+
GRAND TOTAL	1632	12.1	98	2	3	11	14	21	30	55

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	1	8.0		8	8	8	8	8	8	8
20-34	3	1.3		1	1	1	2	2	2	2
35-49	3	2.3		1	1	2	3	3	3	3
50-64	27	8.7	35	1	1	6	12	19	20	21
65+	170	9.6	56	3	5	7	12	21	28	34
B. *Operated*										
0-19 YRS.										
20-34										
35-49	3	5.0	3	4	4	4	6	7	7	7
50-64	7	6.5	13	4	4	6	6	6	6	6
65+	9	10.2	61	3	3	10	13	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	1	11.0		11	11	11	11	11	11	11
20-34	3	5.7	6	3	3	6	7	8	8	8
35-49	14	6.9	19	2	2	6	9	14	16	17
50-64	138	10.6	62	3	3	9	14	21	24	40
65+	1012	10.6	71	3	3	8	13	20	28	43
B. *Operated*										
0-19 YRS.										
20-34										
35-49										
50-64	23	16.1	112	3	4	14	22	31	39	41
65+	129	18.4	186	5	6	15	25	47	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	9.3	53	2	3	7	11	20	25	35
B. *Operated*	10	7.0	35	3	3	6	10	17	23	23
2. MULTIPLE DX										
A. *Not Operated*	1168	10.6	71	3	3	8	13	20	27	42
B. *Operated*	152	18.1	174	4	6	15	25	41	65	99+
1. SINGLE DX	214	9.2	52	2	3	7	11	20	25	34
2. MULTIPLE DX	1320	11.4	69	3	3	9	14	23	30	53
A. NOT OPERATED	1372	10.4	69	3	3	8	13	20	26	41
B. OPERATED	162	17.4	171	4	5	14	24	39	59	99+
TOTAL 0-19 YRS.	2	9.5	5	6	8	9	11	11	11	11
20-34	6	3.5	8	1	1	2	5	8	8	8
35-49	20	5.9	16	2	2	5	7	12	15	17
50-64	190	11.0	67	3	3	9	14	21	25	41
65+	1316	11.3	67	3	3	9	14	23	30	53
GRAND TOTAL	1534	11.1	84	3	3	9	14	22	29	57

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	44	4	4	13	16	17	17	17
20-34	113	7.3	35	1	1	6	11	17	19	22
35-49	168	9.5	48	1	2	9	13	20	23	31
50-64	48	6.9	47	1	1	4	9	16	21	31
65+	6	10.5	57	2	2	10	15	20	21	21
B. *Operated*										
0-19 YRS										
20-34	22	9.0	28	2	3	9	12	18	51	99+
35-49	11	5.1	21	1	1	3	6	13	16	16
50-64	7	9.0	43	2	2	8	10	20	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.4	61	2	2	6	11	22	22	22
20-34	92	10.9	106	2	3	8	15	22	27	61
35-49	161	11.3	87	2	3	9	14	23	29	46
50-64	90	11.1	73	2	3	10	14	20	26	47
65+	32	11.1	97	2	2	7	15	30	32	36
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	22	15.7	187	1	2	12	25	37	45	50
35-49	50	12.3	93	3	4	11	14	20	27	61
50-64	28	19.3	195	4	5	17	27	40	68	99+
65+	12	16.0	137	5	6	11	20	37	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	8.4	45	1	1	7	12	18	21	28
B. *Operated*	40	7.9	30	2	2	8	11	16	23	99+
2. MULTIPLE DX										
A. *Not Operated*	380	11.1	88	2	3	8	15	23	29	48
B. *Operated*	113	15.2	145	3	4	12	20	34	41	78
1. SINGLE DX	374	8.4	43	1	1	7	12	18	22	30
2. MULTIPLE DX	493	12.0	104	2	3	9	16	25	32	57
A. NOT OPERATED	714	9.9	69	1	2	8	14	20	25	38
B. OPERATED	153	13.3	125	2	3	10	17	27	40	98
TOTAL 0-19 YRS	9	11.3	74	2	3	7	18	24	26	26
20-34	249	9.6	79	1	2	7	14	21	25	50
35-49	386	10.5	71	1	2	9	13	20	26	43
50-64	173	11.2	99	1	2	9	16	23	31	63
65+	50	12.2	103	2	3	9	15	30	34	43
GRAND TOTAL	**867**	**10.5**	**81**	**1**	**2**	**8**	**14**	**22**	**27**	**48**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	607	3.4	8	1	1	3	4	7	9	14
20-34	276	3.4	10	1	1	3	4	7	9	14
35-49	140	3.8	9	1	1	3	4	8	9	16
50-64	100	3.9	10	1	1	3	5	7	9	19
65+	76	4.3	9	1	1	4	5	7	12	15
B. *Operated*										
0-19 YRS	8	5.9	6	2	2	6	8	9	9	9
20-34	14	6.1	23	2	3	4	8	10	19	21
35-49	4	6.0	17	2	2	6	9	10	10	10
50-64	7	3.4	7	<1	<1	3	3	8	9	9
65+	5	3.8	4	2	2	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	635	4.1	13	1	1	3	5	8	11	19
20-34	445	4.8	18	1	1	4	6	10	13	23
35-49	442	6.1	45	1	2	4	7	11	16	39
50-64	512	6.9	43	1	2	5	9	13	17	38
65+	705	7.9	61	2	2	6	9	15	22	42
B. *Operated*										
0-19 YRS	30	9.6	87	2	2	6	11	22	32	41
20-34	32	10.5	181	2	2	7	14	19	24	76
35-49	30	9.9	63	2	3	7	13	26	34	99+
50-64	49	12.9	147	2	4	9	15	29	43	62
65+	60	14.7	193	2	3	11	17	29	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1199	3.5	9	1	1	3	4	7	9	15
B. *Operated*	38	5.2	13	2	2	4	7	9	10	21
2. MULTIPLE DX										
A. *Not Operated*	2739	6.0	39	1	2	4	7	12	16	32
B. *Operated*	201	12.1	146	2	3	8	15	27	39	74
1. SINGLE DX	1237	3.6	9	1	1	3	4	7	9	15
2. MULTIPLE DX	2940	6.5	48	1	2	4	8	13	18	39
A. NOT OPERATED	3938	5.3	31	1	1	4	6	11	14	28
B. OPERATED	239	11.0	131	2	2	7	14	24	34	72
TOTAL 0-19 YRS	1280	3.9	13	1	1	3	5	8	10	18
20-34	767	4.6	24	1	1	3	5	9	13	24
35-49	616	5.8	39	1	2	4	7	11	15	38
50-64	668	6.8	49	1	2	5	8	13	18	41
65+	846	8.0	69	2	2	6	10	16	22	43
GRAND TOTAL	**4177**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**32**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	3.5	13	<1	1	3	4	7	9	19
20-34	262	4.8	28	1	1	3	5	9	17	23
35-49	211	4.5	14	1	1	3	6	9	13	19
50-64	147	6.8	93	1	2	4	8	12	18	64
65+	275	7.8	49	2	2	6	9	16	21	37
B. *Operated*										
0-19 YRS	269	4.9	18	1	2	3	6	10	13	22
20-34	152	7.2	69	1	1	5	9	15	20	40
35-49	147	7.0	30	2	2	5	10	14	17	24
50-64	125	7.6	53	2	2	6	9	17	25	35
65+	122	9.6	98	2	2	6	14	20	28	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	451	5.6	50	1	1	3	6	12	20	39
20-34	364	8.6	151	1	2	5	9	16	30	74
35-49	420	8.7	113	1	2	6	10	17	25	53
50-64	650	9.4	105	2	3	6	11	19	28	67
65+	2064	11.1	110	2	3	8	13	22	32	57
B. *Operated*										
0-19 YRS	444	7.5	89	1	2	4	8	15	25	61
20-34	259	10.4	134	1	2	7	14	23	37	97
35-49	300	12.3	169	2	3	8	15	27	46	99+
50-64	356	12.7	166	2	2	9	16	30	44	66
65+	623	14.7	185	2	3	10	20	34	47	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1246	5.4	39	1	1	4	7	10	15	30
B. *Operated*	815	6.8	49	1	2	4	9	15	19	36
2. MULTIPLE DX										
A. *Not Operated*	3949	9.7	109	2	2	7	12	20	30	59
B. *Operated*	1982	11.8	158	2	2	8	15	27	40	90
1. SINGLE DX	2061	6.0	44	1	1	4	7	12	17	34
2. MULTIPLE DX	5931	10.4	126	2	2	7	13	23	33	68
A. NOT OPERATED	5195	8.7	96	1	2	6	10	18	27	56
B. OPERATED	2797	10.4	131	2	2	7	13	23	36	69
TOTAL 0-19 YRS	1465	5.6	50	1	1	3	7	11	16	40
20-34	1037	7.9	107	1	2	5	9	17	25	67
35-49	1078	8.7	105	1	2	6	10	17	27	74
50-64	1328	9.7	118	2	2	6	11	20	32	66
65+	3084	11.5	122	2	3	8	14	24	34	63
GRAND TOTAL	7992	9.3	109	1	2	6	11	20	30	63

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	2.6	2	1	1	2	3	4	5	7
20-34	569	3.3	6	<1	1	3	4	6	8	11
35-49	384	3.6	6	1	1	3	5	7	8	12
50-64	125	3.8	10	1	1	3	4	7	9	18
65+	33	4.0	17	<1	<1	3	4	8	11	23
B. *Operated*										
0-19 YRS	5	3.0	4	1	1	3	4	6	6	6
20-34	46	3.7	7	1	2	3	4	6	11	12
35-49	36	4.8	12	2	2	4	6	9	13	17
50-64	12	5.0	13	2	2	4	7	11	11	11
65+	5	5.8	31	2	2	3	9	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	3.2	6	1	1	3	4	6	7	13
20-34	663	4.5	11	1	2	3	5	8	10	20
35-49	651	5.1	23	1	2	4	6	9	13	22
50-64	299	4.5	8	1	2	4	6	9	10	13
65+	103	5.6	14	2	2	5	7	11	14	18
B. *Operated*										
0-19 YRS	10	5.1	16	1	1	4	9	11	12	12
20-34	56	5.5	12	2	2	4	7	10	12	19
35-49	61	7.2	20	2	3	6	10	14	15	20
50-64	39	7.6	18	3	3	7	9	14	15	19
65+	22	9.5	108	2	3	6	11	20	37	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1375	3.3	6	1	1	3	4	6	8	11
B. *Operated*	104	4.3	10	2	2	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1890	4.6	15	1	2	4	6	9	11	19
B. *Operated*	188	6.9	28	2	2	5	9	13	15	26
1. SINGLE DX	1479	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	2078	4.9	16	1	2	4	6	9	12	19
A. NOT OPERATED	3265	4.1	11	1	1	3	5	8	10	17
B. OPERATED	292	6.0	23	2	2	4	8	12	14	20
TOTAL 0-19 YRS	453	2.9	4	1	1	2	4	5	6	10
20-34	1334	4.0	9	1	1	3	5	7	9	17
35-49	1132	4.7	17	1	2	4	6	9	12	19
50-64	475	4.6	10	1	2	4	6	9	10	15
65+	163	5.8	30	2	2	5	7	11	15	29
GRAND TOTAL	3557	4.2	13	1	1	3	5	8	10	17

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	12	2.3	2	<1	1	2	3	4	6	6
35-49	18	2.5	3	<1	<1	2	3	5	6	6
50-64	19	4.1	4	<1	1	4	5	7	8	8
65+	3	3.7	9	<1	<1	3	6	7	7	7
B. *Operated*										
0-19 YRS	31	2.2	1	<1	<1	2	3	4	4	5
20-34	462	2.2	2	<1	<1	2	3	3	4	8
35-49	888	2.2	2	<1	<1	2	3	3	4	8
50-64	751	2.2	2	<1	1	2	3	3	4	7
65+	479	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	18	3.6	5	<1	1	3	5	7	8	8
35-49	50	4.4	6	1	1	4	6	8	9	10
50-64	57	4.6	10	1	1	4	7	9	10	15
65+	36	4.6	4	1	2	4	6	7	8	9
B. *Operated*										
0-19 YRS	11	3.0	14	<1	<1	2	3	8	13	14
20-34	171	3.6	31	<1	1	2	4	6	10	21
35-49	370	3.6	9	1	1	2	4	8	10	13
50-64	503	3.5	7	1	1	3	4	7	9	13
65+	334	4.5	20	1	2	3	5	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.1	4	<1	<1	3	4	6	7	8
B. *Operated*	2611	2.2	2	<1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	163	4.4	7	1	1	4	6	8	9	13
B. *Operated*	1389	3.8	14	1	1	3	4	8	10	18
1. SINGLE DX	2665	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	1552	3.9	13	1	1	3	5	8	10	16
A. NOT OPERATED	217	4.1	6	<1	1	3	6	7	9	11
B. OPERATED	4000	2.8	7	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	46	2.4	4	<1	<1	2	3	4	4	14
20-34	663	2.6	10	<1	1	2	3	4	6	11
35-49	1326	2.7	5	<1	1	2	3	5	7	11
50-64	1330	2.9	5	<1	1	2	3	5	7	13
65+	852	3.3	11	<1	1	2	3	6	9	19
GRAND TOTAL	**4217**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	5.6	52	1	1	3	7	11	18	44
20-34	187	5.0	27	1	1	4	6	9	11	36
35-49	233	4.8	14	1	2	4	6	9	12	20
50-64	236	4.9	16	1	1	4	6	10	13	23
65+	161	6.3	61	1	2	4	7	11	14	45
B. *Operated*										
0-19 YRS	72	4.2	19	1	1	3	5	7	14	26
20-34	472	4.2	13	1	2	3	5	8	11	16
35-49	700	4.5	20	1	2	3	5	9	12	23
50-64	644	3.8	11	1	2	3	4	8	10	17
65+	309	4.5	21	2	2	3	5	10	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	9.2	193	1	1	4	10	21	31	84
20-34	218	7.8	90	1	2	5	9	15	28	46
35-49	370	7.2	78	1	2	5	9	13	16	59
50-64	605	7.4	53	2	2	6	9	14	19	34
65+	796	8.4	62	2	3	6	10	16	21	46
B. *Operated*										
0-19 YRS	68	5.5	56	1	1	3	6	12	42	99+
20-34	263	7.3	57	1	2	4	9	15	23	44
35-49	448	6.2	36	2	2	4	7	13	18	35
50-64	500	6.8	46	2	2	4	8	15	20	39
65+	422	9.9	116	2	2	7	12	21	29	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	5.2	29	1	2	4	6	10	13	26
B. *Operated*	2197	4.2	16	1	2	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	2061	7.9	70	2	2	6	9	15	21	46
B. *Operated*	1701	7.4	65	2	2	5	9	16	22	50
1. SINGLE DX	3094	4.5	20	1	2	3	5	9	12	23
2. MULTIPLE DX	3762	7.7	68	2	2	5	9	15	22	47
A. NOT OPERATED	2958	7.1	59	1	2	5	8	14	19	44
B. OPERATED	3898	5.6	40	1	2	3	7	12	17	35
TOTAL 0-19 YRS	292	6.1	82	1	1	3	7	12	22	76
20-34	1140	5.7	43	1	2	4	6	11	16	38
35-49	1751	5.5	37	1	2	4	7	11	15	30
50-64	1985	5.8	36	1	2	4	7	12	16	32
65+	1688	7.9	71	2	2	5	10	16	22	51
GRAND TOTAL	**6856**	**6.2**	**49**	**1**	**2**	**4**	**7**	**13**	**18**	**38**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	3	3.7		3	3	4	4	4	4	4
B. *Operated*										
0-19 YRS	49	4.8	4	2	3	4	6	8	9	10
20-34	80	5.6	14	2	2	5	7	9	10	25
35-49	99	4.4	4	1	2	4	6	7	8	9
50-64	294	4.5	4	2	2	4	6	7	8	9
65+	266	4.8	6	2	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	48	1	1	1	10	13	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	1.8	2	<1	<1	1	2	4	4	4
50-64	4	3.0	8	<1	<1	2	5	7	7	7
65+	9	4.3	21	1	1	3	4	12	16	16
B. *Operated*										
0-19 YRS	49	5.2	11	2	2	5	6	9	12	21
20-34	52	6.4	12	3	3	6	8	11	14	20
35-49	83	6.2	13	2	3	5	8	10	15	18
50-64	243	6.1	13	2	3	5	7	10	13	19
65+	312	5.9	19	2	3	5	7	10	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.5	1	<1	<1	2	4	4	4	4
B. *Operated*	788	4.7	5	2	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	22	3.5	16	<1	<1	2	4	9	14	16
B. *Operated*	739	6.0	16	2	3	5	7	10	14	19
1. SINGLE DX	799	4.7	5	2	2	4	6	8	9	12
2. MULTIPLE DX	761	5.9	16	2	3	5	7	10	14	19
A. NOT OPERATED	33	3.2	11	<1	<1	2	4	6	12	16
B. OPERATED	1527	5.3	11	2	2	5	7	9	10	17
TOTAL 0-19 YRS	106	4.9	8	1	2	4	6	8	9	17
20-34	134	5.9	13	2	3	5	7	9	11	21
35-49	187	5.1	9	1	2	4	7	9	9	18
50-64	543	5.2	9	2	2	5	6	8	10	17
65+	590	5.4	14	2	2	5	6	9	11	16
GRAND TOTAL	**1560**	**5.3**	**11**	**2**	**2**	**5**	**6**	**9**	**10**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.3		1	1	1	1	2	3	3
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	12	2.1	1	1	1	2	3	4	4	4
65+	31	2.4	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	7	2.1	2	1	1	2	2	4	5	5
20-34	7	2.9	2	1	1	3	4	5	5	5
35-49	31	2.4	1	1	1	2	3	4	4	5
50-64	83	2.7	2	1	1	2	4	5	6	7
65+	188	2.7	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	15	3.9	9	1	1	3	5	9	10	11
65+	43	4.5	14	1	1	3	6	9	11	19
B. *Operated*										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	6	5.3	24	2	2	3	6	14	15	15
35-49	10	3.5	5	1	1	3	4	7	8	8
50-64	63	4.9	24	1	2	3	5	11	17	26
65+	177	5.1	56	2	2	3	5	11	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.1	2	1	1	2	3	4	5	8
B. *Operated*	316	2.7	2	1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	63	4.1	12	1	1	3	6	9	11	18
B. *Operated*	262	4.9	45	1	2	3	5	10	14	27
1. SINGLE DX	373	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX	325	4.8	38	1	2	3	5	10	13	25
A. NOT OPERATED	120	3.1	8	1	1	2	4	7	9	14
B. OPERATED	578	3.7	23	1	1	3	4	6	10	19
TOTAL 0-19 YRS	28	1.6	1	1	1	1	2	3	3	5
20-34	13	4.0	13	1	2	3	4	8	14	15
35-49	45	2.6	2	1	1	2	3	4	5	8
50-64	173	3.6	12	1	1	2	4	6	10	19
65+	439	3.8	27	1	1	3	4	7	10	19
GRAND TOTAL	**698**	**3.6**	**20**	**1**	**1**	**3**	**4**	**6**	**10**	**18**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64	6	3.8	8	1	1	4	6	7	7	7
65+	13	2.6	2	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	16	2.3	1	1	1	2	3	3	5	5
20-34	17	5.1	37	2	2	3	5	12	22	26
35-49	29	3.1	5	1	1	2	4	6	7	12
50-64	44	3.8	7	1	2	3	4	7	8	16
65+	110	2.8	5	<1	1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	1	1	1	3	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	4.2	14	<1	<1	2	9	9	9	9
50-64	9	4.0	21	<1	<1	2	6	11	15	15
65+	33	7.7	66	2	2	5	9	14	23	43
B. *Operated*										
0-19 YRS	8	4.4	23	2	2	3	4	13	16	16
20-34	21	4.0	7	2	2	3	4	8	10	12
35-49	21	3.9	6	1	2	3	4	6	10	13
50-64	51	4.4	29	2	2	3	5	9	10	37
65+	151	4.7	30	1	1	3	5	10	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.6	3	<1	1	2	4	6	6	7
B. *Operated*	216	3.2	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	54	6.1	49	1	1	4	8	14	15	42
B. *Operated*	252	4.5	25	1	2	3	5	9	13	32
1. SINGLE DX	243	3.1	7	1	1	2	4	6	7	14
2. MULTIPLE DX	306	4.8	30	1	2	3	5	10	14	34
A. NOT OPERATED	81	4.9	36	1	1	3	6	11	14	37
B. OPERATED	468	3.9	18	1	1	3	4	7	10	24
TOTAL 0-19 YRS	33	2.6	7	1	1	2	3	5	5	16
20-34	43	4.2	18	2	2	3	4	8	13	26
35-49	56	3.5	6	<1	1	3	4	7	9	13
50-64	110	4.1	18	1	1	3	5	8	10	24
65+	307	4.3	25	1	1	3	4	9	14	28
GRAND TOTAL	**549**	**4.1**	**20**	**1**	**1**	**3**	**4**	**8**	**12**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	12	2.3	3	<1	<1	2	3	4	7	7
65+	39	1.7	1	<1	<1	1	2	3	3	4
B. *Operated*										
0-19 YRS										
20-34										
35-49	548	2.2	1	1	1	2	2	3	4	7
50-64	3316	2.2	1	1	1	2	2	3	4	5
65+	13771	2.3	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	2.6	5	1	1	2	4	6	7	7
50-64	66	2.3	4	<1	<1	2	3	5	6	10
65+	345	2.6	9	<1	1	2	3	6	9	16
B. *Operated*										
0-19 YRS										
20-34										
35-49	331	2.7	6	2	2	2	3	4	5	9
50-64	2405	2.7	6	1	2	2	3	4	5	12
65+	12009	2.7	6	1	2	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	1.8	1	<1	<1	2	2	3	3	7
B. *Operated*	17637	2.3	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	421	2.6	8	<1	1	2	3	6	9	15
B. *Operated*	14745	2.7	6	1	2	2	3	4	5	12
1. SINGLE DX	17690	2.3	1	1	1	2	2	3	4	5
2. MULTIPLE DX	15166	2.7	6	1	2	2	3	4	5	12
A. NOT OPERATED	474	2.5	7	<1	1	2	3	5	8	14
B. OPERATED	32382	2.5	3	1	2	2	3	3	4	9
TOTAL 0-19 YRS										
20-34										
35-49	891	2.4	3	1	2	2	3	3	4	7
50-64	5801	2.4	3	1	1	2	3	3	4	8
65+	26164	2.5	3	1	2	2	3	3	4	9
GRAND TOTAL	**32856**	**2.5**	**3**	**1**	**2**	**2**	**3**	**3**	**4**	**9**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	93	2.3	.2	1	1	2	3	4	5	10
20-34	46	2.1	.1	1	1	2	2	3	4	5
35-49	51	2.1	.1	<1	1	2	2	3	4	5
50-64	115	2.1	.1	1	1	2	2	3	4	7
65+	165	1.8	.1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	7	2.5	.5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	64	2.7	.3	1	1	2	3	4	6	11
20-34	30	3.0	.3	1	1	2	3	4	7	8
35-49	48	2.8	.10	1	1	2	3	4	6	24
50-64	103	2.9	.3	1	1	2	3	4	7	11
65+	123	3.2	.11	1	1	2	3	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	.1	1	1	1	3	3	3	3
B. Operated	440	2.0	.1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	11	1.8	.4	<1	<1	1	1	5	7	7
B. Operated	368	3.0	.7	1	2	2	3	5	7	16
1. SINGLE DX	443	2.0	.1	1	1	2	2	3	4	5
2. MULTIPLE DX	379	2.9	.7	1	1	2	3	5	7	15
A. NOT OPERATED	14	1.8	.3	<1	<1	1	1	4	6	7
B. OPERATED	808	2.4	.4	1	1	2	3	4	5	12
TOTAL 0-19 YRS	112	2.4	.2	1	1	2	3	4	5	11
20-34	78	2.5	.2	1	1	2	3	4	5	8
35-49	120	2.5	.6	<1	1	2	3	4	5	14
50-64	221	2.5	.3	1	1	2	3	4	4	10
65+	291	2.4	.6	1	1	2	2	3	5	15
GRAND TOTAL	**822**	**2.4**	**.4**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.2	.7	<1	1	1	2	4	7	14
20-34	6	3.5	.4	1	1	3	6	7	7	7
35-49	8	2.4	.1	1	1	2	3	4	4	4
50-64	16	3.3	.5	1	1	2	4	7	9	10
65+	10	3.3	.5	1	1	2	5	7	7	7
B. Operated										
0-19 YRS	1293	1.6		<1	1	1	2	2	2	3
20-34	233	1.9		1	1	1	2	2	3	4
35-49	137	2.0		1	1	1	2	3	3	5
50-64	97	2.0	.2	1	1	1	2	3	3	12
65+	33	2.7	.4	1	1	2	2	3	6	9
2. MULTIPLE DX										
A. Not Operated	50	1.6	.2	<1	<1	1	1	3	6	7
20-34	16	4.1	.8	1	1	4	6	8	10	11
35-49	19	4.3	.11	1	1	3	6	6	12	15
50-64	36	7.0	.26	2	3	5	8	15	20	23
65+	54	6.5	.30	1	2	5	9	12	16	32
B. Operated										
0-19 YRS	358	1.7	.1	<1	1	1	2	2	2	4
20-34	92	2.1	.1	1	1	1	2	3	3	9
35-49	62	2.7	.7	1	1	2	3	5	6	13
50-64	46	3.7	.9	1	1	2	4	9	10	14
65+	54	5.1	.24	1	2	3	7	12	17	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.8	.5	1	1	2	3	5	7	13
B. Operated	1753	1.7	1	<1	1	2	2	2	2	4
2. MULTIPLE DX										
A. Not Operated	175	4.7	.22	<1	1	3	6	10	14	22
B. Operated	612	2.3	.5	1	1	2	2	3	6	13
1. SINGLE DX	1817	1.8	1	<1	1	2	2	2	3	5
2. MULTIPLE DX	787	2.9	.9	1	1	2	3	6	9	17
A. NOT OPERATED	239	4.2	.18	<1	1	3	5	9	12	21
B. OPERATED	2365	1.9	.2	<1	1	2	2	2	3	6
TOTAL 0-19 YRS	1725	1.7	1	<1	1	2	2	2	2	3
20-34	347	2.1	.1	1	1	1	2	3	3	8
35-49	226	2.4	.3	1	1	2	3	4	6	11
50-64	155	3.9	.13	1	1	2	4	8	11	20
65+	151	5.0	.22	1	1	3	7	10	15	21
GRAND TOTAL	**2604**	**2.1**	**.4**	**<1**	**1**	**2**	**2**	**3**	**4**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	2.4	6	<1	<1	1	3	5	7	14
20-34	59	3.2	6	<1	<1	2	5	7	9	10
35-49	32	5.7	54	<1	<1	4	5	11	29	32
50-64	40	3.7	5	<1	1	3	5	7	8	11
65+	52	5.5	15	1	1	5	8	11	12	18
B. *Operated*										
0-19 YRS	243	2.1	2	<1	<1	2	2	3	5	10
20-34	191	2.2	3	<1	1	2	2	4	6	10
35-49	240	2.1	2	<1	<1	2	2	4	5	9
50-64	323	2.1	2	<1	1	2	2	3	4	7
65+	608	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.5	6	<1	1	3	5	7	9	11
20-34	40	3.7	9	<1	<1	3	5	7	9	17
35-49	38	5.9	41	1	1	4	7	11	14	38
50-64	48	6.0	23	1	2	4	7	15	16	20
65+	116	6.9	46	1	1	5	9	13	16	39
B. *Operated*										
0-19 YRS	90	3.7	10	<1	1	3	5	7	8	20
20-34	83	3.4	6	1	2	2	4	7	8	15
35-49	157	2.9	4	<1	1	2	4	5	6	12
50-64	344	3.4	35	1	1	2	4	5	7	16
65+	728	3.4	10	1	1	2	4	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	3.4	13	<1	<1	2	4	8	10	17
B. *Operated*	1605	2.2	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	425	5.0	24	<1	1	3	6	10	13	27
B. *Operated*	1402	3.4	15	1	1	2	4	6	8	16
1. SINGLE DX	1964	2.4	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX	1827	3.8	18	1	1	3	4	7	10	18
A. NOT OPERATED	784	4.3	20	<1	<1	3	5	9	12	20
B. OPERATED	3007	2.7	9	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	692	2.8	6	<1	<1	2	3	6	7	11
20-34	373	2.8	5	<1	<1	2	3	6	7	12
35-49	467	2.9	11	<1	<1	2	3	5	8	14
50-64	755	3.0	19	<1	1	2	3	5	7	15
65+	1504	3.3	12	1	1	2	4	6	9	16
GRAND TOTAL	**3791**	**3.1**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	322	3.8	6	1	1	3	5	6	8	11
20-34	78	3.7	7	1	1	3	5	7	9	15
35-49	61	3.8	6	1	1	3	5	7	8	13
50-64	52	3.6	5	1	1	3	4	6	7	12
65+	59	4.6	8	1	1	4	6	8	10	13
B. *Operated*										
0-19 YRS	74	3.8	12	1	1	2	4	9	11	19
20-34	59	2.9	4	1	1	3	4	6	7	10
35-49	95	2.9	5	1	1	2	3	5	8	13
50-64	306	2.8	19	1	1	2	3	4	7	12
65+	765	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	4.3	6	1	2	4	5	7	10	13
20-34	78	4.3	6	1	1	4	5	8	9	11
35-49	75	5.1	11	1	2	5	7	9	11	16
50-64	105	5.0	16	1	1	4	6	9	11	22
65+	189	5.6	29	1	1	4	7	11	13	29
B. *Operated*										
0-19 YRS	79	6.7	69	1	2	4	7	16	28	86
20-34	75	5.1	48	1	1	3	5	10	17	43
35-49	131	5.3	39	2	2	3	6	9	16	37
50-64	366	4.5	25	1	2	3	5	9	14	29
65+	946	3.8	14	1	2	2	4	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	3.8	6	1	1	3	5	6	8	12
B. *Operated*	1299	2.6	7	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	723	4.8	14	1	2	4	6	9	11	16
B. *Operated*	1597	4.3	23	1	2	3	5	9	13	29
1. SINGLE DX	1871	3.0	7	1	1	2	3	5	7	11
2. MULTIPLE DX	2320	4.5	21	1	2	3	5	9	12	27
A. NOT OPERATED	1295	4.4	11	1	1	4	5	8	10	15
B. OPERATED	2896	3.5	17	1	2	2	3	7	10	23
TOTAL 0-19 YRS	751	4.3	14	1	2	4	5	7	10	21
20-34	290	4.1	17	1	1	3	5	7	10	19
35-49	362	4.4	19	1	2	3	5	8	10	24
50-64	829	3.9	21	1	2	2	4	8	10	27
65+	1959	3.4	12	1	2	2	3	7	10	16
GRAND TOTAL	**4191**	**3.8**	**15**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.7	1	<1	<1	1	2	3	3	4
20-34	24	3.2	5	<1	<1	3	4	7	8	9
35-49	16	2.6	1	1	1	2	4	4	4	4
50-64	13	3.5	3	<1	1	3	5	6	7	7
65+	10	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	15	3.1	11	<1	1	2	2	9	12	13
20-34	19	2.6	1	1	1	2	4	4	5	5
35-49	14	3.1	2	1	1	3	4	5	6	6
50-64	15	2.9	2	1	2	3	4	5	6	6
65+	26	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.0	5	<1	1	2	4	7	7	9
20-34	29	3.2	4	1	1	3	4	6	8	8
35-49	54	4.1	10	1	2	3	5	7	10	17
50-64	68	4.8	7	2	2	4	7	9	10	11
65+	71	7.1	65	1	2	5	8	15	20	50
B. *Operated*										
0-19 YRS	15	2.4	2	1	1	2	3	4	6	7
20-34	28	3.4	7	1	2	3	4	6	9	14
35-49	31	4.7	47	1	1	3	4	8	13	39
50-64	80	4.1	11	1	2	3	4	8	10	20
65+	65	5.0	15	2	2	4	6	10	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.6	3	<1	1	2	3	5	6	8
B. *Operated*	89	2.7	3	1	1	2	3	5	5	11
2. MULTIPLE DX										
A. *Not Operated*	252	4.9	25	1	1	3	6	9	12	25
B. *Operated*	219	4.3	17	1	2	3	5	8	11	20
1. SINGLE DX	181	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	471	4.6	21	1	2	3	5	9	12	20
A. NOT OPERATED	344	4.3	20	1	1	3	5	8	10	20
B. OPERATED	308	3.8	13	1	2	3	4	7	10	19
TOTAL 0-19 YRS	89	2.5	4	<1	1	2	3	5	7	12
20-34	100	3.2	4	<1	1	3	4	5	7	12
35-49	115	3.9	18	1	1	3	4	6	9	25
50-64	176	4.2	8	2	2	3	5	8	10	17
65+	172	5.3	36	1	2	3	6	11	16	26
GRAND TOTAL	**652**	**4.1**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	830	2.7	11	<1	<1	2	3	4	5	8
20-34	42	1.9	3	<1	<1	<1	2	4	6	9
35-49	15	3.4	7	<1	<1	3	5	8	9	9
50-64	16	5.1	21	<1	<1	4	6	14	15	16
65+	6	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	3290	1.2	1	<1	<1	1	1	2	2	5
20-34	153	2.2	2	1	1	2	2	3	3	10
35-49	134	2.4	1	1	1	2	3	3	4	7
50-64	118	2.1	1	1	1	2	2	3	4	4
65+	44	2.5	3	<1	<1	2	3	4	8	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2826	3.4	5	1	1	3	4	6	7	12
20-34	80	4.3	9	<1	1	4	5	8	11	16
35-49	70	5.0	12	1	1	4	6	10	12	15
50-64	71	6.3	21	2	2	5	8	11	14	27
65+	59	8.4	42	2	3	7	10	13	22	40
B. *Operated*										
0-19 YRS	3009	1.8	4	<1	<1	2	2	2	3	8
20-34	274	2.6	3	1	2	2	3	4	6	9
35-49	252	3.1	36	1	1	2	3	4	7	12
50-64	239	2.9	6	1	2	2	3	4	6	18
65+	113	3.8	44	1	2	2	3	5	8	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	909	2.7	11	<1	<1	2	3	4	6	9
B. *Operated*	3739	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	3106	3.6	7	1	1	3	4	6	8	13
B. *Operated*	3887	2.1	8	<1	<1	2	2	3	4	10
1. SINGLE DX	4648	1.6	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX	6993	2.8	8	<1	1	2	3	5	7	12
A. NOT OPERATED	4015	3.4	8	<1	1	3	4	6	8	13
B. OPERATED	7626	1.7	5	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	9955	2.2	5	<1	<1	2	3	4	5	10
20-34	549	2.7	4	<1	1	2	3	5	6	11
35-49	471	3.2	22	1	1	2	3	5	9	13
50-64	444	3.3	9	1	1	2	3	6	9	18
65+	222	4.7	39	1	1	3	5	9	14	48
GRAND TOTAL	**11641**	**2.3**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.7	6	<1	1	3	5	7	9	12
20-34	56	3.0	3	<1	<1	3	4	5	7	7
35-49	39	3.9	4	2	2	3	5	6	9	11
50-64	18	7.0	94	<1	1	4	6	18	33	41
65+	9	3.8	15	<1	<1	3	5	10	13	13
B. *Operated*										
0-19 YRS	311	1.6	3	<1	<1	1	1	3	4	10
20-34	46	2.5	2	1	1	2	3	4	5	9
35-49	46	2.9	7	1	1	2	3	5	6	17
50-64	37	4.5	49	1	2	3	3	7	19	39
65+	22	3.2	9	1	1	2	4	7	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	4.0	6	1	1	3	6	7	9	11
20-34	72	4.9	34	<1	1	4	6	8	10	40
35-49	47	5.3	11	2	2	4	6	10	11	20
50-64	61	7.4	43	2	2	6	9	13	16	41
65+	74	8.3	38	2	2	7	11	16	18	37
B. *Operated*										
0-19 YRS	375	2.1	4	<1	<1	2	2	4	6	11
20-34	99	3.2	4	1	2	3	3	5	8	12
35-49	82	3.9	10	1	2	3	4	9	11	14
50-64	75	5.0	54	2	2	3	4	9	14	50
65+	54	7.3	95	1	1	3	10	16	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	3.9	13	<1	1	3	5	6	8	16
B. *Operated*	462	2.1	8	<1	<1	1	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	431	5.5	25	1	2	4	7	10	13	27
B. *Operated*	685	3.2	19	<1	1	2	3	6	10	20
1. SINGLE DX	681	2.7	10	<1	<1	2	3	5	7	13
2. MULTIPLE DX	1116	4.1	23	1	1	3	5	9	11	24
A. NOT OPERATED	650	4.9	21	1	1	4	6	9	12	22
B. OPERATED	1147	2.8	15	<1	<1	2	3	5	9	16
TOTAL 0-19 YRS	960	2.5	5	<1	<1	2	3	5	7	11
20-34	273	3.5	12	<1	1	3	4	6	8	13
35-49	214	4.0	9	1	2	3	4	8	10	15
50-64	191	5.9	54	2	2	3	7	11	16	42
65+	159	7.0	55	1	1	5	10	14	18	43
GRAND TOTAL	**1797**	**3.6**	**18**	**<1**	**<1**	**2**	**4**	**7**	**10**	**19**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.6	2	1	1	2	3	5	6	8
20-34	121	3.0	4	1	1	2	4	5	8	10
35-49	228	3.3	8	1	1	3	4	6	7	16
50-64	338	3.5	6	1	1	3	4	6	7	13
65+	324	3.9	8	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	7	2.4	1	2	2	2	2	4	5	5
20-34	26	2.5	1	1	2	2	3	4	5	6
35-49	55	3.9	5	2	2	3	5	7	9	10
50-64	51	3.9	6	2	2	3	5	7	8	16
65+	23	5.6	8	2	2	6	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	9	1	2	3	4	8	11	14
20-34	178	4.1	6	1	2	4	5	8	9	11
35-49	369	4.3	8	1	2	4	5	8	9	14
50-64	769	4.6	8	1	2	4	6	8	10	15
65+	1431	5.3	12	2	2	4	7	9	12	18
B. *Operated*										
0-19 YRS	4	4.8	11	1	1	5	7	8	8	8
20-34	19	5.5	12	2	2	5	6	12	14	14
35-49	38	5.1	15	1	2	4	7	12	13	17
50-64	88	6.4	18	2	2	6	8	13	15	19
65+	101	7.2	25	2	3	6	10	14	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1039	3.5	7	1	1	3	4	6	8	13
B. *Operated*	162	3.8	6	2	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	2781	4.9	10	2	2	4	6	9	11	16
B. *Operated*	250	6.5	20	2	2	5	9	13	16	22
1. SINGLE DX	1201	3.6	7	1	1	3	4	6	8	13
2. MULTIPLE DX	3031	5.0	11	2	2	4	6	9	11	17
A. NOT OPERATED	3820	4.5	10	1	2	4	6	8	10	15
B. OPERATED	412	5.4	16	2	2	4	7	11	14	20
TOTAL 0-19 YRS	73	3.3	6	1	1	2	4	6	8	13
20-34	344	3.7	6	1	1	3	5	7	9	11
35-49	690	4.0	8	1	2	3	5	7	9	14
50-64	1246	4.4	9	1	2	4	6	8	10	16
65+	1879	5.1	13	2	2	4	7	9	12	18
GRAND TOTAL	**4232**	**4.6**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	4	4.0	7	<1	<1	4	6	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	18	1.9	1	<1	1	2	2	3	4	4
20-34	135	2.4	1	1	1	2	3	3	4	6
35-49	198	2.5	1	1	2	2	3	3	4	6
50-64	168	2.5	1	1	2	2	3	4	4	5
65+	56	2.9	3	2	2	2	3	4	5	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	5	7.8	46	1	1	5	14	16	16	16
B. Operated										
0-19 YRS	8	2.8	1	1	1	3	3	5	5	5
20-34	42	2.5	1	2	2	2	3	3	4	6
35-49	89	2.7	2	1	2	3	3	4	4	8
50-64	94	2.7	1	1	2	3	3	4	5	6
65+	35	2.8	1	2	2	3	3	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.6	6	<1	<1	3	5	7	7	7
B. Operated	575	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	12	4.2	28	<1	<1	2	4	15	16	16
B. Operated	268	2.7	1	1	2	3	3	4	4	7
1. SINGLE DX	580	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX	280	2.8	2	1	2	3	3	4	5	8
A. NOT OPERATED	17	4.0	21	<1	<1	2	5	13	15	16
B. OPERATED	843	2.5	1	1	2	2	3	4	4	6
TOTAL 0-19 YRS	27	2.1	1	<1	1	2	3	3	4	5
20-34	178	2.4	1	1	1	2	3	3	4	6
35-49	290	2.5	1	1	2	2	3	4	4	7
50-64	268	2.6	1	1	2	2	3	4	5	7
65+	97	3.1	5	2	2	3	3	4	5	15
GRAND TOTAL	**860**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.6	3	<1	<1	2	3	5	6	9
20-34	64	3.2	6	<1	<1	3	5	6	7	14
35-49	53	3.0	5	<1	1	3	4	5	6	12
50-64	48	3.3	4	1	1	3	5	6	7	7
65+	26	3.3	3	<1	1	3	4	6	7	7
B. Operated										
0-19 YRS	794	1.9	2	<1	1	2	2	3	3	4
20-34	430	2.1	1	1	1	2	2	3	4	5
35-49	328	2.2	1	1	1	2	3	3	4	6
50-64	227	2.3	2	1	1	2	3	3	4	6
65+	90	2.4	3	1	1	2	3	3	4	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	2.2	3	1	1	1	3	5	6	6
20-34	38	3.6	9	<1	1	3	4	8	11	12
35-49	49	4.1	15	1	1	3	5	8	9	25
50-64	68	4.7	9	1	1	4	6	9	11	13
65+	96	6.1	20	1	2	5	8	11	15	24
B. Operated										
0-19 YRS	513	2.1	1	<1	1	2	2	3	4	7
20-34	358	2.5	2	1	1	2	3	4	4	11
35-49	317	2.6	2	1	2	2	3	4	5	7
50-64	273	2.8	3	1	2	2	3	4	5	11
65+	143	3.7	13	1	2	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	3.1	5	<1	1	3	4	6	7	10
B. Operated	1869	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	284	4.6	14	1	1	4	6	10	12	20
B. Operated	1604	2.5	3	1	1	2	3	4	5	10
1. SINGLE DX	2096	2.2	2	1	1	2	2	3	4	7
2. MULTIPLE DX	1888	2.9	5	1	1	2	3	5	7	13
A. NOT OPERATED	511	3.9	11	<1	1	3	5	8	10	15
B. OPERATED	3473	2.3	2	1	1	2	3	3	4	8
TOTAL 0-19 YRS	1376	2.0	2	<1	1	2	2	3	3	6
20-34	890	2.4	2	1	1	2	3	4	5	8
35-49	747	2.6	3	1	1	2	3	4	5	8
50-64	616	2.9	4	1	1	2	3	5	6	12
65+	355	4.0	13	1	1	3	5	9	11	17
GRAND TOTAL	**3984**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	5.9	13	2	3	5	7	10	13	21
20-34	17	6.8	11	2	3	7	9	12	12	12
35-49	9	4.9	8	2	2	3	7	9	9	9
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	2	11.0	32	7	7	11	15	15	15	15
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64	3	20.0	13	16	16	21	22	23	23	23
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	6.9	36	2	2	6	8	12	21	30
20-34	21	5.5	7	2	2	5	7	9	10	11
35-49	25	7.2	34	1	2	5	9	18	19	23
50-64	26	9.4	101	1	2	6	12	20	35	45
65+	31	9.1	47	3	3	8	10	20	21	32
B. *Operated*										
0-19 YRS	3	19.3	9	16	16	20	21	22	22	22
20-34	3	8.0	1	7	7	8	9	9	9	9
35-49	9	9.4	21	2	3	11	13	15	15	15
50-64	14	10.6	34	2	2	10	16	18	20	20
65+	9	11.2	53	2	2	11	13	22	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.2	13	2	3	5	8	12	13	19
B. *Operated*	4	18.0	25	12	12	18	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	132	7.8	47	2	2	6	9	18	21	35
B. *Operated*	38	10.9	35	2	2	11	14	19	21	27
1. SINGLE DX	85	6.7	20	2	3	5	8	12	15	22
2. MULTIPLE DX	170	8.5	46	2	2	7	11	18	21	32
A. NOT OPERATED	213	7.2	35	2	2	6	8	13	19	32
B. OPERATED	42	11.6	38	2	2	11	16	20	22	27
TOTAL 0-19 YRS	84	6.8	27	2	3	5	8	12	20	27
20-34	41	6.2	9	2	3	6	8	11	12	12
35-49	43	7.2	27	2	2	6	9	15	18	23
50-64	45	10.4	76	2	2	9	14	20	25	45
65+	42	9.7	46	3	3	8	12	20	23	32
GRAND TOTAL	**255**	**7.9**	**38**	**2**	**2**	**7**	**10**	**16**	**20**	**32**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	1	4	4	5	6	6	6	6
20-34	17	4.0	6	2	2	3	4	8	9	10
35-49	29	3.7	5	2	2	3	4	7	8	11
50-64	19	4.2	9	1	1	3	7	9	9	9
65+	14	6.0	10	2	3	6	8	11	11	11
B. *Operated*										
0-19 YRS	5	5.8	17	1	1	7	9	10	10	10
20-34	31	7.4	74	1	1	4	10	13	15	47
35-49	34	5.6	32	2	2	3	9	12	17	26
50-64	55	7.1	37	2	2	4	11	15	18	27
65+	19	10.5	86	2	2	8	12	22	32	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.0	12	1	1	4	8	11	12	12
20-34	65	4.9	23	1	1	3	6	10	13	27
35-49	136	5.3	16	2	2	4	6	9	15	20
50-64	210	6.1	27	2	2	5	7	11	15	27
65+	285	8.8	66	2	3	7	10	16	22	44
B. *Operated*										
0-19 YRS	7	6.0	58	1	1	2	8	19	22	22
20-34	42	7.6	50	2	2	4	12	17	26	99+
35-49	111	9.8	67	2	2	8	14	20	22	45
50-64	174	11.5	135	2	2	10	15	23	31	55
65+	134	13.4	136	2	2	11	19	30	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.4	7	1	2	3	6	8	10	11
B. *Operated*	144	7.2	50	2	2	4	11	15	19	39
2. MULTIPLE DX										
A. *Not Operated*	712	6.9	42	2	2	5	8	13	18	36
B. *Operated*	468	11.2	113	2	2	9	15	23	32	53
1. SINGLE DX	228	6.2	36	2	2	4	9	12	16	29
2. MULTIPLE DX	1180	8.6	75	2	2	6	11	18	24	46
A. NOT OPERATED	796	6.6	39	2	2	5	8	12	17	34
B. OPERATED	612	10.3	101	2	2	8	14	21	29	51
TOTAL 0-19 YRS	33	5.4	19	1	1	4	8	10	12	22
20-34	155	6.0	40	1	2	4	9	13	16	46
35-49	310	6.8	40	2	2	4	9	16	19	27
50-64	458	8.2	75	2	2	5	11	17	22	48
65+	452	10.2	90	2	3	7	13	20	31	46
GRAND TOTAL	**1408**	**8.2**	**69**	**2**	**2**	**5**	**11**	**18**	**22**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	3.0	3	1	1	2	4	5	6	11
20-34	281	3.4	4	1	1	3	4	6	7	11
35-49	602	4.0	7	1	2	3	5	7	9	14
50-64	508	4.2	10	1	2	3	5	8	10	15
65+	386	4.6	11	1	2	4	6	8	10	14
B. Operated										
0-19 YRS	11	6.7	88	2	2	4	7	19	33	34
20-34	31	3.3	5	1	1	3	4	6	7	12
35-49	46	3.9	8	1	2	3	5	9	11	12
50-64	63	4.0	6	2	2	3	5	8	10	12
65+	34	6.0	22	2	2	4	8	12	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	3.8	8	1	1	3	5	7	8	17
20-34	614	4.4	8	1	2	4	5	8	10	14
35-49	2160	5.1	14	2	2	4	6	9	11	18
50-64	3140	5.6	16	2	2	5	7	10	13	20
65+	3677	6.5	27	2	2	5	8	12	15	25
B. Operated										
0-19 YRS	17	5.8	25	2	2	5	7	9	18	23
20-34	100	6.1	27	1	2	4	7	13	15	29
35-49	306	7.5	36	2	2	6	10	14	17	29
50-64	515	8.5	64	2	2	7	11	16	20	38
65+	423	10.2	108	2	3	8	12	18	27	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1846	4.1	8	1	2	3	5	7	9	14
B. Operated	185	4.4	15	1	2	3	5	9	12	20
2. MULTIPLE DX										
A. Not Operated	9687	5.8	20	2	2	5	7	10	13	23
B. Operated	1361	8.6	70	2	2	7	11	16	20	45
1. SINGLE DX	2031	4.1	9	1	2	3	5	7	9	14
2. MULTIPLE DX	11048	6.1	27	2	2	5	8	11	15	25
A. NOT OPERATED	11533	5.5	18	2	2	4	7	10	13	21
B. OPERATED	1546	8.1	65	2	2	6	11	16	19	41
TOTAL 0-19 YRS	193	3.9	13	1	2	3	4	7	9	23
20-34	1026	4.3	9	1	2	4	5	7	10	15
35-49	3114	5.1	15	2	2	4	6	9	12	19
50-64	4226	5.8	22	2	2	5	7	11	14	22
65+	4520	6.7	34	2	2	5	8	12	16	29
GRAND TOTAL	**13079**	**5.8**	**24**	**2**	**2**	**4**	**7**	**11**	**14**	**24**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	13	3.8	3	2	2	3	5	7	7	7
35-49	77	5.1	10	2	2	4	6	9	11	19
50-64	124	5.5	18	2	2	4	7	10	15	23
65+	176	6.5	25	2	3	6	8	11	14	32
B. Operated										
0-19 YRS										
20-34	4	6.5	20	3	3	5	9	13	13	13
35-49	6	3.7	5	2	2	3	4	8	8	8
50-64	19	4.7	42	1	2	2	5	8	20	30
65+	12	4.3	13	1	1	3	6	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	7.0	18	2	3	6	9	13	16	17
20-34	59	5.4	12	2	2	4	6	11	13	17
35-49	378	6.4	22	2	2	5	8	11	14	26
50-64	1231	7.2	27	2	3	6	9	13	15	27
65+	3128	8.6	46	2	3	7	10	16	21	37
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	6.8	31	2	2	4	8	17	20	21
35-49	67	7.2	21	2	2	6	10	14	15	19
50-64	220	8.4	67	2	2	7	10	16	24	42
65+	336	12.6	120	2	3	9	15	27	37	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	393	5.8	19	2	2	5	7	10	13	26
B. Operated	41	4.6	25	1	2	3	5	9	12	30
2. MULTIPLE DX										
A. Not Operated	4808	8.0	39	2	3	6	10	14	19	33
B. Operated	640	10.5	94	2	2	8	13	21	30	49
1. SINGLE DX	434	5.7	20	2	2	4	7	10	13	27
2. MULTIPLE DX	5448	8.3	47	2	3	7	10	15	20	38
A. NOT OPERATED	5201	7.9	38	2	3	6	10	14	19	32
B. OPERATED	681	10.1	92	2	2	8	13	21	30	48
TOTAL 0-19 YRS	16	6.1	16	2	2	5	8	11	15	17
20-34	92	5.5	15	2	2	4	7	11	13	20
35-49	528	6.3	20	2	2	5	8	11	14	23
50-64	1594	7.2	33	2	2	6	9	13	16	29
65+	3652	8.9	53	2	3	7	11	17	22	40
GRAND TOTAL	**5882**	**8.1**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	4.7	21	2	2	3	4	13	14	14
20-34	10	4.2	6	2	2	3	7	8	9	9
35-49	29	5.3	18	2	2	4	6	11	13	20
50-64	23	7.1	27	1	2	6	9	13	19	23
65+	19	6.8	28	1	2	5	9	13	19	23
B. Operated										
0-19 YRS	11	5.6	6	2	2	6	8	8	8	8
20-34	13	7.5	48	2	2	6	9	15	26	28
35-49	13	9.8	278	1	1	5	9	22	56	64
50-64	32	9.7	58	2	3	7	12	20	28	34
65+	13	11.9	104	2	3	9	16	24	37	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	8.8	62	2	2	7	11	21	26	30
20-34	41	6.2	23	1	2	5	8	15	17	19
35-49	87	6.7	19	2	3	6	9	13	15	22
50-64	169	9.0	92	2	2	7	10	17	25	71
65+	362	10.7	113	2	3	7	12	21	34	55
B. Operated										
0-19 YRS	9	13.9	<65	1	1	5	16	50	70	70
20-34	60	12.0	97	2	2	10	16	32	34	93
35-49	111	12.0	177	2	3	8	16	23	37	78
50-64	198	11.1	89	2	2	8	15	24	32	47
65+	224	13.4	123	2	3	11	17	26	37	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	5.9	22	2	2	5	8	12	14	23
B. Operated	82	9.2	90	2	2	7	10	18	26	56
2. MULTIPLE DX										
A. Not Operated	673	9.4	91	2	3	7	11	18	26	55
B. Operated	602	12.2	124	2	3	9	16	26	35	63
1. SINGLE DX	169	7.5	57	2	2	6	9	14	20	39
2. MULTIPLE DX	1275	10.8	109	2	3	8	14	22	32	58
A. NOT OPERATED	760	9.0	84	2	2	6	11	18	25	54
B. OPERATED	684	11.9	121	2	2	9	16	26	34	63
TOTAL 0-19 YRS	40	8.5	136	1	2	6	8	17	25	70
20-34	124	9.0	68	2	2	6	13	20	32	54
35-49	240	9.2	112	2	2	6	11	18	23	64
50-64	422	10.0	85	2	2	7	13	22	29	54
65+	618	11.6	116	2	3	8	14	25	35	55
GRAND TOTAL	**1444**	**10.4**	**104**	**2**	**2**	**7**	**13**	**22**	**31**	**55**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	7.7	32	3	3	6	12	14	14	14
20-34	57	9.1	18	<1	2	9	11	14	16	19
35-49	718	10.1	14	3	5	10	12	14	16	19
50-64	1481	10.7	16	3	6	11	13	15	17	22
65+	1286	11.1	23	4	6	11	13	16	18	26
B. Operated										
0-19 YRS										
20-34	14	9.6	19	2	3	10	12	15	17	17
35-49	137	10.5	25	1	3	10	13	16	19	27
50-64	289	10.6	32	2	2	11	14	16	19	31
65+	137	12.4	40	2	3	12	16	19	22	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	9.9	42	2	3	10	11	18	25	29
20-34	104	9.2	17	3	3	10	12	14	16	22
35-49	1627	10.6	21	3	5	10	13	16	18	25
50-64	5476	11.7	29	4	6	11	14	17	21	30
65+	9670	12.9	47	5	7	12	15	20	25	39
B. Operated										
0-19 YRS	2	6.0	32	1	2	6	10	10	10	10
20-34	62	11.5	41	3	4	11	15	20	24	32
35-49	545	11.5	57	2	2	11	14	19	23	39
50-64	1462	14.2	78	2	4	13	17	24	29	51
65+	1356	17.9	121	5	8	15	22	30	40	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3545	10.7	16	3	6	11	13	15	17	23
B. Operated	577	11.0	32	2	2	11	14	17	20	30
2. MULTIPLE DX										
A. Not Operated	16895	12.2	39	4	6	11	14	19	23	35
B. Operated	3427	15.2	96	2	5	13	18	26	32	53
1. SINGLE DX	4122	10.7	20	3	5	11	13	15	18	24
2. MULTIPLE DX	20322	12.7	50	4	6	12	15	20	25	40
A. NOT OPERATED	20440	12.0	36	4	6	11	14	18	22	33
B. OPERATED	4004	14.6	89	2	4	13	18	25	31	52
TOTAL 0-19 YRS	23	9.3	39	2	3	10	11	17	22	29
20-34	237	9.8	24	2	3	10	12	15	18	26
35-49	3027	10.6	26	2	4	10	13	16	19	27
50-64	8708	11.9	36	3	6	11	14	18	22	32
65+	12449	13.2	55	5	7	12	15	21	26	43
GRAND TOTAL	**24464**	**12.4**	**45**	**4**	**6**	**11**	**15**	**19**	**24**	**38**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	36	3.1	4	1	1	3	4	6	7	8
35-49	281	3.9	7	1	1	3	5	7	9	11
50-64	559	3.8	5	1	2	3	5	7	9	12
65+	639	4.2	6	1	2	4	5	7	9	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	2.4	1	2	2	2	3	4	4	4
35-49	75	3.0	4	1	2	2	3	6	7	11
50-64	140	3.8	12	1	2	2	4	7	13	16
65+	55	4.6	15	2	2	3	6	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.8	41	2	2	5	7	17	23	23
20-34	117	4.2	8	1	1	4	6	7	8	16
35-49	1620	4.7	11	1	2	4	6	8	10	17
50-64	5010	5.1	11	2	2	4	6	9	11	16
65+	7977	5.9	16	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	4	7.5	36	2	2	6	11	16	16	16
20-34	46	5.2	23	1	2	3	6	11	14	28
35-49	610	5.7	23	2	2	4	8	12	14	24
50-64	1757	6.7	33	2	2	5	10	14	16	26
65+	1163	8.6	53	2	2	7	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1518	4.0	6	1	2	3	5	7	9	12
B. *Operated*	280	3.7	11	1	2	2	4	7	12	16
2. MULTIPLE DX										
A. *Not Operated*	14733	5.5	14	2	2	5	7	10	12	19
B. *Operated*	3580	7.1	39	2	2	5	10	15	18	30
1. SINGLE DX	1798	3.9	7	1	2	3	5	7	9	13
2. MULTIPLE DX	18313	5.8	19	2	2	5	7	11	14	22
A. NOT OPERATED	16251	5.3	14	2	2	4	7	9	12	19
B. OPERATED	3860	6.9	38	2	2	5	10	14	18	29
TOTAL 0-19 YRS	17	6.4	30	2	2	5	7	14	21	23
20-34	208	4.2	11	1	1	3	5	7	9	17
35-49	2586	4.8	14	1	2	4	6	9	11	19
50-64	7466	5.3	17	2	2	4	7	10	13	20
65+	9834	6.1	21	2	2	5	7	11	14	24
GRAND TOTAL	**20111**	**5.6**	**18**	**2**	**2**	**4**	**7**	**11**	**13**	**22**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	12	4.3	2	<1	1	5	5	6	6	6
35-49	164	3.9	6	1	1	4	5	7	8	13
50-64	438	4.7	10	2	2	4	6	8	11	17
65+	492	5.4	13	1	2	5	7	9	13	19
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	39	5.5	17	1	2	4	8	12	14	17
50-64	52	6.1	27	2	2	4	8	13	20	22
65+	33	9.1	57	2	2	7	13	20	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.4	20	2	2	5	8	11	17	19
20-34	59	5.4	10	2	2	5	7	10	11	16
35-49	860	5.1	9	2	2	4	6	9	10	15
50-64	3357	5.9	15	2	3	5	7	10	12	19
65+	6247	6.8	21	2	3	6	8	12	15	23
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	14	8.0	30	1	2	7	11	15	19	20
35-49	325	9.1	36	2	2	9	12	15	20	30
50-64	1036	9.4	40	2	2	9	12	17	21	31
65+	876	12.5	98	2	3	10	15	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	4.9	11	1	2	4	6	9	11	17
B. *Operated*	127	6.8	33	2	2	5	9	15	20	25
2. MULTIPLE DX										
A. *Not Operated*	10539	6.3	18	2	3	5	8	11	14	21
B. *Operated*	2252	10.5	64	2	2	9	13	19	23	39
1. SINGLE DX	1235	5.1	13	1	2	4	6	9	12	20
2. MULTIPLE DX	12791	7.1	29	2	3	6	9	13	16	27
A. NOT OPERATED	11647	6.2	18	2	3	5	8	11	14	21
B. OPERATED	2379	10.3	63	2	2	9	13	19	23	38
TOTAL 0-19 YRS	20	6.9	24	2	2	5	10	14	17	19
20-34	87	5.7	13	2	2	5	8	10	12	19
35-49	1388	5.9	18	2	2	5	8	11	14	21
50-64	4883	6.5	22	2	2	5	8	12	15	23
65+	7648	7.4	33	2	3	6	9	13	17	29
GRAND TOTAL	**14026**	**6.9**	**28**	**2**	**2**	**6**	**9**	**13**	**16**	**26**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.1	6	1	1	2	4	7	8	8
35-49	139	3.9	7	1	2	3	5	8	9	14
50-64	321	4.3	14	1	2	3	5	8	11	24
65+	371	5.2	18	2	2	4	6	9	13	24
B. *Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	37	4.6	14	2	2	2	8	11	12	14
35-49	856	5.1	18	2	2	3	8	11	13	20
50-64	2065	5.9	22	2	2	3	9	12	14	20
65+	949	6.9	31	2	2	4	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	9.2	93	1	2	6	11	15	32	44
20-34	51	4.6	15	1	1	4	6	8	9	26
35-49	964	5.0	11	1	2	4	6	9	11	18
50-64	3713	6.2	23	2	2	5	8	11	14	24
65+	8190	7.6	35	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	9	6.2	19	2	2	6	11	12	12	12
20-34	82	5.5	20	1	2	3	8	13	14	16
35-49	1788	6.6	33	2	2	4	10	14	16	26
50-64	5708	8.1	49	2	2	7	11	16	20	32
65+	3529	10.8	84	2	2	9	14	21	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	839	4.7	15	1	2	4	6	8	11	23
B. *Operated*	3910	5.9	24	2	2	3	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	12936	7.0	30	2	2	6	9	13	16	28
B. *Operated*	11116	8.7	60	2	2	8	12	17	22	38
1. SINGLE DX	4749	5.7	23	2	2	3	9	12	14	21
2. MULTIPLE DX	24052	7.8	45	2	2	6	10	15	19	33
A. NOT OPERATED	13775	6.9	30	2	2	5	9	13	16	27
B. OPERATED	15026	7.9	52	2	2	7	11	16	20	34
TOTAL 0-19 YRS	31	7.5	63	2	2	6	10	14	15	44
20-34	177	5.0	17	1	2	3	7	12	14	17
35-49	3747	5.7	24	2	2	4	8	12	14	22
50-64	11807	7.0	36	2	2	5	10	14	17	28
65+	13039	8.4	50	2	2	7	11	16	21	35
GRAND TOTAL	**28801**	**7.4**	**42**	**2**	**2**	**6**	**10**	**15**	**19**	**31**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	11.3	26	7	7	10	12	20	21	21
20-34	97	9.2	9	4	5	9	11	14	14	17
35-49	107	10.2	12	5	6	10	12	15	17	19
50-64	143	10.1	20	5	6	10	12	14	19	25
65+	156	11.5	27	4	6	11	14	17	20	29
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	11	11.0	15	7	7	10	13	17	20	20
35-49	20	11.4	33	3	5	10	14	17	23	29
50-64	21	11.2	20	5	6	11	13	18	21	21
65+	15	13.6	45	4	5	13	17	22	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.6	7	5	5	9	10	12	12	12
20-34	146	10.4	26	2	4	10	13	17	18	27
35-49	299	11.2	33	4	6	10	13	18	20	30
50-64	615	11.6	27	4	6	11	14	17	21	31
65+	1180	13.5	50	5	7	12	16	22	27	38
B. *Operated*										
0-19 YRS	2	13.5	221	3	3	13	24	24	24	24
20-34	26	13.6	31	6	7	13	18	22	23	25
35-49	56	14.4	72	6	7	12	17	24	30	51
50-64	156	16.1	118	7	8	13	19	27	34	57
65+	261	18.3	105	7	9	15	23	32	39	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	10.4	19	5	6	10	12	15	17	27
B. *Operated*	68	11.9	28	5	6	11	14	19	21	30
2. MULTIPLE DX										
A. *Not Operated*	2245	12.5	41	5	6	11	15	19	24	36
B. *Operated*	501	16.9	104	7	8	14	21	29	36	53
1. SINGLE DX	577	10.6	20	5	6	10	13	16	19	28
2. MULTIPLE DX	2746	13.3	55	5	7	12	16	22	27	40
A. NOT OPERATED	2754	12.1	38	5	6	11	14	19	23	35
B. OPERATED	569	16.3	97	6	8	13	20	29	34	52
TOTAL 0-19 YRS	14	11.1	35	3	5	10	12	21	23	24
20-34	280	10.3	22	3	5	10	12	16	19	25
35-49	482	11.4	34	4	6	10	13	17	20	32
50-64	935	12.1	45	5	6	11	14	19	22	37
65+	1612	14.1	60	5	7	12	17	23	29	43
GRAND TOTAL	**3323**	**12.8**	**50**	**5**	**6**	**11**	**15**	**21**	**26**	**38**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	20.7	52	16	16	17	26	29	29	29
20-34	4	13.3	125	7	7	8	19	30	30	30
35-49	10	23.9	121	4	6	29	32	34	36	36
50-64	5	14.4	91	4	4	11	24	25	25	25
65+	8	19.5	36	9	10	18	25	34	36	36
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	1	59.0		59	59	59	59	59	59	59
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	39.5	61	34	34	39	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	21.5	103	2	4	22	30	31	33	34
20-34	41	25.6	124	9	11	28	34	38	44	53
35-49	31	19.4	165	2	3	17	29	40	41	44
50-64	46	24.8	168	6	8	24	31	42	47	58
65+	85	27.9	191	6	8	29	35	46	53	60
B. *Operated*										
0-19 YRS	5	33.2	133	14	14	34	41	44	44	44
20-34	20	33.9	152	11	18	32	44	50	54	58
35-49	10	35.9	153	12	20	34	46	51	53	53
50-64	21	36.5	302	8	18	36	47	60	70	75
65+	15	32.7	102	15	20	34	39	45	49	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	19.4	104	4	7	13	29	32	36	36
B. *Operated*	5	34.6	388	6	6	34	48	59	59	59
2. MULTIPLE DX										
A. *Not Operated*	217	25.2	170	4	8	27	32	42	47	57
B. *Operated*	71	34.6	177	13	18	34	44	50	56	73
1. SINGLE DX	35	21.6	164	5	7	21	30	36	43	59
2. MULTIPLE DX	288	27.5	188	5	9	29	36	46	50	61
A. NOT OPERATED	247	24.5	165	4	8	26	32	41	46	57
B. OPERATED	76	34.6	186	12	15	34	44	50	57	73
TOTAL 0-19 YRS	23	24.3	116	3	12	28	31	35	41	44
20-34	66	27.9	169	8	9	29	34	45	51	59
35-49	52	23.2	192	3	4	26	32	42	46	53
50-64	72	27.5	237	4	8	25	38	47	55	73
65+	110	28.1	177	6	10	29	37	45	50	59
GRAND TOTAL	**323**	**26.9**	**188**	**5**	**8**	**28**	**34**	**45**	**50**	**60**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.0	5	<1	1	2	4	7	7	9
20-34	78	2.6	3	<1	1	2	3	4	7	10
35-49	95	2.9	5	<1	1	2	4	6	8	12
50-64	103	2.6	2	1	1	2	3	5	6	7
65+	93	3.2	4	<1	1	3	4	5	7	12
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	3.0		3	3	3	3	3	3	3
50-64	6	2.7	3	2	2	2	2	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.5	3	1	1	2	3	6	7	8
20-34	94	3.6	7	1	1	3	4	7	10	14
35-49	185	3.4	6	1	1	3	4	6	7	12
50-64	382	4.3	10	1	1	3	6	8	10	16
65+	624	5.6	18	2	2	4	7	11	13	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	8.2	22	4	4	7	9	16	17	17
35-49	15	5.0	8	1	1	4	7	9	10	10
50-64	36	8.2	39	2	3	6	9	17	22	28
65+	49	9.4	41	3	3	8	11	16	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	2.8	4	<1	1	2	4	5	7	10
B. *Operated*	11	2.8	2	2	2	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1323	4.7	14	1	2	4	6	9	12	18
B. *Operated*	107	8.2	36	2	3	7	10	16	21	31
1. SINGLE DX	414	2.8	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	1430	5.0	16	1	2	4	6	10	12	20
A. NOT OPERATED	1726	4.3	12	1	1	3	5	8	11	17
B. OPERATED	118	7.7	35	2	2	7	9	15	20	31
TOTAL 0-19 YRS	73	2.8	4	1	1	2	3	7	7	9
20-34	180	3.3	7	<1	1	3	4	7	9	15
35-49	297	3.3	6	1	1	3	4	6	7	12
50-64	527	4.2	12	1	1	3	5	8	10	17
65+	767	5.6	19	1	2	4	7	11	14	23
GRAND TOTAL	**1844**	**4.5**	**14**	**1**	**1**	**3**	**6**	**9**	**12**	**19**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	1	1	1	2	3	4	4	4
20-34	88	2.6	3	<1	1	2	4	4	6	10
35-49	145	2.7	4	1	1	2	3	5	6	12
50-64	295	3.2	5	1	1	3	4	6	8	13
65+	450	4.0	11	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	4.0	6	2	2	4	6	7	7	7
50-64	9	5.3	16	2	2	4	9	11	12	12
65+	15	5.2	10	2	2	4	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.2	5	1	1	4	5	8	8	8
20-34	102	3.4	6	1	1	3	4	6	8	13
35-49	368	4.1	10	1	1	3	5	8	10	18
50-64	1489	5.1	15	1	2	4	7	9	12	19
65+	4778	6.7	27	2	2	5	8	13	16	28
B. *Operated*										
0-19 YRS	3	7.0	27	4	4	4	11	13	13	13
20-34	4	8.3	36	3	3	7	13	16	16	16
35-49	33	8.9	46	2	3	8	11	17	26	30
50-64	160	10.3	70	2	3	8	13	20	24	47
65+	483	12.9	96	3	4	10	15	25	32	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	3.5	8	1	1	3	4	7	9	13
B. *Operated*	30	5.5	13	2	2	4	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	6757	6.1	24	1	2	5	8	12	15	25
B. *Operated*	683	12.0	88	3	4	10	15	23	30	53
1. SINGLE DX	1015	3.5	8	1	1	3	4	7	9	13
2. MULTIPLE DX	7440	6.7	33	1	2	5	8	13	17	30
A. NOT OPERATED	7742	5.8	23	1	2	5	7	11	15	24
B. OPERATED	713	11.8	87	2	4	10	14	23	30	53
TOTAL 0-19 YRS	31	4.2	10	1	1	4	5	8	13	13
20-34	195	3.2	6	<1	1	2	4	6	8	14
35-49	550	4.0	12	1	1	3	5	8	10	19
50-64	1953	5.2	21	1	1	4	7	10	13	21
65+	5726	7.0	35	2	2	5	9	14	17	31
GRAND TOTAL	**8455**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	4.1	11	1	1	3	5	10	11	16
20-34	147	3.0	4	1	1	3	4	5	7	10
35-49	314	3.3	4	1	1	3	4	6	7	11
50-64	355	3.8	8	1	1	3	5	7	10	15
65+	425	4.7	13	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	11	7.0	14	2	2	8	10	12	13	13
20-34	7	4.1	5	2	2	4	6	8	8	8
35-49	44	4.4	8	1	2	3	6	8	9	14
50-64	118	5.6	10	2	2	5	7	11	12	15
65+	399	7.6	23	3	3	6	9	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.7	28	1	1	3	5	8	14	30
20-34	414	4.1	10	1	1	3	5	8	10	17
35-49	1005	4.8	13	1	2	4	6	9	11	18
50-64	2524	5.8	24	2	2	5	7	10	14	24
65+	5897	7.0	32	2	2	6	8	12	17	28
B. *Operated*										
0-19 YRS	32	11.2	211	1	2	8	13	20	32	80
20-34	35	6.7	14	2	2	6	9	12	13	16
35-49	159	7.2	30	2	2	6	10	14	18	27
50-64	663	8.6	57	2	2	7	11	15	20	37
65+	2889	11.0	64	3	4	9	13	20	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1312	3.9	9	1	1	3	5	7	9	15
B. *Operated*	579	6.9	20	2	3	6	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	9966	6.3	28	2	2	5	8	11	15	26
B. *Operated*	3778	10.4	64	3	4	9	13	18	25	43
1. SINGLE DX	1891	4.8	14	1	1	4	6	9	12	19
2. MULTIPLE DX	13744	7.4	41	2	2	6	9	14	18	32
A. NOT OPERATED	11278	6.0	26	1	2	5	7	11	14	25
B. OPERATED	4357	9.9	59	2	3	8	12	18	24	40
TOTAL 0-19 YRS	240	5.5	51	1	1	3	7	11	15	34
20-34	603	4.0	9	1	1	3	5	8	10	16
35-49	1522	4.7	14	1	2	4	6	9	12	18
50-64	3660	6.1	29	2	2	5	7	11	15	27
65+	9610	8.1	45	2	3	7	10	15	20	35
GRAND TOTAL	**15635**	**7.1**	**39**	**2**	**2**	**6**	**9**	**13**	**18**	**31**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.9	23	1	2	5	7	10	17	23
20-34	11	5.4	11	2	2	5	8	10	12	12
35-49	57	5.1	12	2	2	4	7	10	11	20
50-64	255	5.8	23	2	2	4	7	11	14	29
65+	1140	6.8	27	2	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	4	5.5	15	2	2	4	8	11	11	11
20-34	3	4.7	12	1	1	5	7	8	8	8
35-49	8	8.0	67	1	1	3	16	20	21	21
50-64	13	9.2	43	2	2	10	11	20	23	24
65+	19	10.9	136	2	2	8	14	19	38	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	6.3	32	1	2	5	8	11	19	29
20-34	138	6.9	23	1	2	6	9	11	14	28
35-49	815	7.3	34	2	2	6	9	13	17	27
50-64	4494	8.1	36	2	3	7	10	15	19	31
65+	19908	9.2	49	3	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	31	17.9	296	2	3	12	25	45	49	73
20-34	41	8.3	73	1	1	5	12	20	29	36
35-49	109	10.3	100	1	2	8	14	20	23	54
50-64	507	14.3	155	2	4	11	18	27	38	67
65+	1647	16.8	145	4	6	14	21	33	42	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1483	6.5	26	2	2	5	8	12	16	29
B. *Operated*	47	9.1	80	2	2	6	11	19	21	53
2. MULTIPLE DX										
A. *Not Operated*	25496	8.9	46	2	3	7	11	17	21	35
B. *Operated*	2335	15.8	149	3	4	13	20	31	40	62
1. SINGLE DX	1530	6.6	28	2	2	5	8	12	17	29
2. MULTIPLE DX	27831	9.5	59	2	3	7	12	18	24	40
A. NOT OPERATED	26979	8.8	45	2	3	7	11	16	21	35
B. OPERATED	2382	15.7	149	3	4	12	20	31	39	62
TOTAL 0-19 YRS	196	8.1	89	1	2	5	9	17	27	49
20-34	193	7.1	33	1	2	6	9	13	16	33
35-49	989	7.5	42	2	2	6	9	14	19	28
50-64	5269	8.6	51	2	3	7	10	16	21	37
65+	22714	9.7	59	3	3	8	12	18	24	40
GRAND TOTAL	**29361**	**9.4**	**57**	**2**	**3**	**7**	**11**	**18**	**23**	**39**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.0	10	1	1	3	5	8	10	16
20-34	208	4.0	6	1	2	3	5	7	9	13
35-49	247	4.8	16	1	2	4	6	9	12	23
50-64	181	4.6	9	1	2	4	6	9	11	16
65+	145	6.2	22	2	2	5	7	10	14	24
B. *Operated*										
0-19 YRS	94	3.7	14	1	1	2	7	9	10	19
20-34	69	6.0	23	2	2	4	9	12	14	22
35-49	176	5.3	20	2	2	3	8	12	14	19
50-64	253	5.2	21	2	2	3	8	12	14	20
65+	123	8.0	49	2	2	5	12	18	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	5.7	74	1	2	4	6	9	13	45
20-34	437	5.4	36	1	2	4	6	10	14	24
35-49	909	6.2	26	2	2	5	8	11	15	25
50-64	1610	7.3	33	2	3	6	9	14	18	31
65+	2602	8.9	51	2	3	7	11	17	22	40
B. *Operated*										
0-19 YRS	91	10.6	203	1	2	5	15	30	61	99+
20-34	126	9.3	60	2	2	7	13	19	28	34
35-49	389	8.2	84	2	2	6	11	15	21	47
50-64	923	9.2	83	2	2	7	13	19	25	41
65+	859	13.0	127	2	2	10	17	28	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857	4.8	13	1	2	4	6	9	11	19
B. *Operated*	715	5.6	26	1	2	3	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	5684	7.7	43	2	2	6	9	15	19	34
B. *Operated*	2388	10.5	106	2	2	8	14	22	30	53
1. SINGLE DX	1572	5.1	19	1	2	3	7	11	14	22
2. MULTIPLE DX	8072	8.5	63	2	2	6	11	17	23	41
A. NOT OPERATED	6541	7.3	40	2	2	6	9	14	18	33
B. OPERATED	3103	9.3	92	2	2	7	13	20	28	47
TOTAL 0-19 YRS	387	6.0	83	1	1	3	7	12	21	65
20-34	840	5.7	34	1	2	4	7	12	15	28
35-49	1721	6.3	38	2	2	5	8	12	16	29
50-64	2967	7.6	46	2	2	6	10	15	19	34
65+	3729	9.7	70	2	3	7	12	19	27	44
GRAND TOTAL	**9644**	**8.0**	**57**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	4.4	11	1	1	4	6	10	11	11
50-64	24	5.1	6	2	2	5	7	8	10	11
65+	46	6.0	20	2	2	4	8	10	18	20
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	12	4.3	13	2	2	3	6	9	10	18
65+	7	7.0	58	2	2	3	9	20	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	9	5	5	7	10	12	12	12
20-34	5	6.2	22	2	2	4	10	13	13	13
35-49	135	6.0	18	1	2	5	8	13	14	18
50-64	522	6.5	20	2	2	5	9	12	15	22
65+	1954	8.5	53	2	3	7	10	16	22	39
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	4	4.0	22	1	1	2	7	11	11	11
35-49	84	6.5	58	2	2	3	8	15	19	44
50-64	254	6.7	29	2	2	5	10	14	17	23
65+	318	11.5	103	2	2	9	15	25	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.6	15	1	2	4	8	10	12	20
B. *Operated*	43	4.5	19	2	2	3	6	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	2621	8.0	46	2	3	6	10	15	19	37
B. *Operated*	662	8.9	74	2	2	7	12	19	25	43
1. SINGLE DX	121	5.2	17	1	2	4	7	10	12	21
2. MULTIPLE DX	3283	8.2	51	2	2	6	10	16	21	37
A. NOT OPERATED	2699	7.9	45	2	3	6	10	15	19	36
B. OPERATED	705	8.7	72	2	2	6	11	18	25	42
TOTAL 0-19 YRS	7	7.4	7	5	5	7	9	11	12	12
20-34	10	4.9	19	1	1	3	9	12	13	13
35-49	230	6.1	32	1	2	4	8	13	16	25
50-64	832	6.4	22	2	2	5	9	12	16	23
65+	2325	8.9	61	2	3	7	11	17	24	40
GRAND TOTAL	**3404**	**8.1**	**50**	**2**	**2**	**6**	**10**	**16**	**21**	**37**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34	5	3.4	14	<1	<1	2	5	10	10	10
35-49	10	7.6	57	<1	<1	4	14	18	20	20
50-64	7	10.3	169	<1	<1	6	14	33	37	37
65+	7	6.4	59	1	1	3	9	19	22	22
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	27	18.9	104	5	7	18	26	29	42	45
35-49	39	13.5	54	2	3	13	17	23	26	36
50-64	34	19.6	242	3	4	17	24	35	48	82
65+	14	28.9	555	4	11	23	42	84	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	10	8.3	58	2	2	5	12	19	26	26
50-64	16	14.4	127	<1	1	14	21	39	79	99+
65+	47	18.3	273	1	2	16	26	41	55	70
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	26	24.7	182	7	10	21	38	46	61	99+
35-49	53	24.7	244	6	9	23	33	50	81	99+
50-64	57	29.9	349	6	12	27	45	92	99+	99+
65+	54	31.2	421	7	11	25	46	61	83	90+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	7.4	73	<1	<1	3	13	18	22	37
B. *Operated*	115	18.7	199	3	4	16	24	34	44	89
2. MULTIPLE DX										
A. *Not Operated*	78	15.2	219	<1	1	13	20	35	50	91
B. *Operated*	192	27.9	323	6	10	24	40	59	99	99+
1. SINGLE DX	146	16.3	193	1	2	14	21	33	42	84
2. MULTIPLE DX	270	24.2	325	2	4	21	34	56	88	99+
A. NOT OPERATED	109	13.0	189	<1	1	10	18	33	43	82
B. OPERATED	307	24.4	296	4	8	21	33	53	85	99+
TOTAL 0-19 YRS	7	9.9	144	<1	<1	5	15	31	34	34
20-34	61	19.2	172	1	2	18	28	41	46	94
35-49	112	17.8	189	1	3	16	25	36	49	99+
50-64	114	23.4	317	2	4	20	36	59	99+	99+
65+	122	24.6	407	2	3	20	32	57	72	99+
GRAND TOTAL	**416**	**21.4**	**293**	**1**	**3**	**18**	**29**	**49**	**72**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	3	10.7	69	4	4	8	17	20	20	20
50-64	3	21.0	31	15	15	22	25	26	26	26
65+	2	15.0	392	1	1	15	29	29	29	29
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34										
35-49	5	31.0	94	17	17	31	38	43	43	43
50-64	13	42.8	320	15	17	45	53	85	97	99+
65+	3	26.7	256	11	11	26	39	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	16.4	100	1	2	20	24	28	29	29
B. *Operated*	22	37.4	271	14	16	38	49	60	89	99+
1. SINGLE DX										
2. MULTIPLE DX	31	31.3	310	4	10	30	44	53	80	99+
A. NOT OPERATED	9	16.4	100	1	2	20	24	28	29	29
B. OPERATED	22	37.4	271	14	16	38	49	60	89	99+
TOTAL 0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	1	23.0		23	23	23	23	23	23	23
35-49	8	23.4	164	4	5	24	33	41	43	43
50-64	16	38.7	337	15	16	43	52	77	94	99+
65+	5	22.0	267	1	1	26	32	43	43	43
GRAND TOTAL	31	31.3	310	4	10	30	44	53	80	99+

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.0	28	1	1	6	9	15	16	16
20-34	6	9.2	99	1	1	5	12	26	28	28
35-49	7	11.9	75	<1	<1	13	20	22	22	22
50-64	14	10.6	147	<1	<1	9	13	18	41	48
65+	51	12.7	191	<1	2	9	14	25	35	76
B. *Operated*										
0-19 YRS	11	15.9	427	2	2	11	16	43	72	75
20-34	11	14.8	70	3	4	16	23	50	93	99+
35-49	20	19.7	368	6	7	15	18	39	72	88
50-64	38	14.8	177	5	5	10	17	38	47	51
65+	45	14.2	75	4	6	13	17	26	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.9	58	2	2	10	18	23	24	24
20-34	10	12.3	96	1	2	11	16	27	32	32
35-49	37	13.8	273	1	2	9	18	25	31	98
50-64	95	16.3	248	1	3	12	21	35	46	96
65+	285	19.1	238	3	4	15	24	41	57	73
B. *Operated*										
0-19 YRS	21	23.9	533	4	7	17	31	79	98	99+
20-34	24	24.5	402	5	6	16	34	60	68	76
35-49	33	22.2	302	5	6	17	29	49	54	75
50-64	88	21.9	324	5	8	17	27	65	88	99+
65+	156	20.1	195	6	7	16	26	39	54	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	11.6	154	<1	1	9	14	22	34	70
B. *Operated*	125	16.1	180	4	5	12	19	29	49	91
2. MULTIPLE DX										
A. *Not Operated*	439	17.7	238	2	3	14	23	36	54	76
B. *Operated*	322	21.4	276	6	7	16	27	46	65	99+
1. SINGLE DX	209	14.3	174	1	3	11	17	28	43	61
2. MULTIPLE DX	761	19.3	257	3	5	15	25	41	60	99
A. NOT OPERATED	523	16.7	229	1	3	13	22	34	50	75
B. OPERATED	447	19.9	254	5	7	15	26	43	60	99+
TOTAL 0-19 YRS	50	17.2	360	2	2	14	19	41	75	99+
20-34	51	18.2	264	2	3	14	25	43	64	99+
35-49	97	17.7	297	2	3	13	21	35	54	93
50-64	235	18.1	267	2	3	13	25	42	66	99+
65+	537	18.4	212	3	5	14	24	37	54	73
GRAND TOTAL	970	18.2	243	2	4	14	23	39	57	97

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	24.0		24	24	24	24	24	24	24
35-49	13	23.5	510	4	6	15	37	86	97	99+
50-64	31	21.9	209	6	8	19	30	40	54	66
65+	96	22.6	304	4	6	18	29	47	61	90
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	2	27.0	392	13	13	27	41	41	41	41
35-49	4	19.5	170	6	6	28	50	99+	99+	99+
50-64	12	27.6	163	14	15	28	55	99+	99+	99+
65+	24	22.8	217	5	7	19	29	41	56	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	142	22.5	295	5	7	18	29	49	63	96
B. *Operated*	43	24.1	190	6	8	22	35	64	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	185	22.8	269	5	7	19	30	50	66	99+
A. NOT OPERATED	142	22.5	295	5	7	18	29	49	63	96
B. OPERATED	43	24.1	190	6	8	22	35	64	99+	99+
TOTAL 0-19 YRS	2	17.0	128	9	9	17	25	25	25	25
20-34	3	26.0	199	13	13	24	37	41	41	41
35-49	17	22.5	418	5	6	16	36	94	99+	99+
50-64	43	23.5	199	7	9	21	32	59	99+	99+
65+	120	22.7	285	4	7	18	29	46	60	86
GRAND TOTAL	**185**	**22.8**	**259**	**5**	**7**	**19**	**30**	**50**	**66**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	4	3.3	7	1	1	2	5	7	7	7
50-64	25	5.2	31	1	1	3	5	14	17	22
65+	41	4.1	7	1	1	4	6	8	9	12
B. *Operated*										
0-19 YRS	3	6.7	17	2	2	8	9	10	10	10
20-34	4	16.3	348	4	4	8	27	44	44	44
35-49	52	8.2	45	1	2	6	10	16	21	39
50-64	428	6.5	21	2	2	6	8	12	14	19
65+	707	7.3	22	2	3	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	21.0		21	21	21	21	21	21	21
35-49	16	6.1	42	1	1	5	7	8	23	29
50-64	93	7.2	54	1	2	5	9	14	17	44
65+	333	7.9	51	2	2	6	9	16	21	40
B. *Operated*										
0-19 YRS	4	18.5	436	4	4	10	32	49	49	49
20-34	2	11.5	13	9	9	11	14	14	14	14
35-49	107	9.4	65	2	2	7	12	17	22	48
50-64	1061	8.6	40	2	3	7	11	16	19	31
65+	2104	9.8	53	2	3	8	12	18	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	4.5	15	1	1	3	6	9	14	20
B. *Operated*	1194	7.1	24	2	2	6	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	444	7.7	52	2	2	6	9	15	21	40
B. *Operated*	3278	9.4	50	2	3	8	12	17	22	35
1. SINGLE DX	1266	6.9	24	2	2	6	9	13	15	23
2. MULTIPLE DX	3722	9.2	50	2	3	7	11	17	22	35
A. NOT OPERATED	516	7.2	48	1	2	5	9	15	20	36
B. OPERATED	4472	8.8	44	2	3	7	11	16	20	33
TOTAL 0-19 YRS	8	12.6	231	2	3	7	12	39	49	49
20-34	9	13.6	158	4	4	9	16	35	44	44
35-49	179	8.6	57	2	2	6	10	16	21	41
50-64	1607	7.9	36	2	2	6	10	14	17	29
65+	3185	9.0	47	2	3	7	11	17	22	34
GRAND TOTAL	**4988**	**8.6**	**45**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	31.0		31	31	31	31	31	31	31
50-64	5	22.2	466	2	2	11	44	48	48	48
65+	18	10.1	42	4	4	8	13	17	25	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	20.0	156	10	10	16	29	34	34	34
50-64	44	13.2	234	2	2	9	16	20	39	95
65+	90	18.4	241	4	5	13	23	40	50	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	13.5	151	3	4	9	15	32	44	48
B. *Operated*	137	16.8	240	2	5	13	20	36	47	95
1. SINGLE DX										
2. MULTIPLE DX	161	16.3	227	2	4	12	19	35	47	91
A. NOT OPERATED	24	13.5	151	3	4	9	15	32	44	48
B. OPERATED	137	16.8	240	2	5	13	20	36	47	95
TOTAL 0-19 YRS										
20-34										
35-49	4	22.8	134	10	10	23	32	34	34	34
50-64	49	14.1	256	2	2	10	16	29	47	95
65+	108	17.0	217	4	5	13	21	37	47	73
GRAND TOTAL	**161**	**16.3**	**227**	**2**	**4**	**12**	**19**	**35**	**47**	**91**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	36	1	1	3	9	14	14	14
20-34	8	6.4	17	2	2	5	9	13	14	14
35-49	27	8.2	59	2	2	7	10	17	24	38
50-64	65	11.6	115	3	3	8	13	26	38	49
65+	260	10.5	93	2	3	7	14	22	28	55
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	5.2	14	2	2	5	6	11	14	14
35-49	12	9.6	216	2	2	5	9	26	51	55
50-64	39	9.2	99	2	2	6	9	21	31	51
65+	47	10.1	87	2	3	7	13	20	32	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	19	7.2	33	2	3	6	9	11	21	28
35-49	92	11.3	137	3	3	8	12	22	30	64
50-64	591	11.5	104	2	3	8	14	25	32	52
65+	2294	13.0	123	3	4	10	16	25	34	64
B. *Operated*										
0-19 YRS	2	23.5	5	22	22	23	25	25	25	25
20-34	17	9.2	48	2	3	8	12	18	25	29
35-49	52	15.6	287	3	4	10	18	31	63	83
50-64	220	12.1	116	2	3	9	15	25	35	66
65+	391	16.0	234	2	4	10	21	36	45	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	10.4	93	2	3	7	13	22	29	49
B. *Operated*	108	9.3	98	2	2	6	11	19	32	53
2. MULTIPLE DX										
A. *Not Operated*	2999	12.6	119	3	4	9	15	25	34	61
B. *Operated*	682	14.6	198	2	3	10	18	32	42	90
1. SINGLE DX	472	10.1	94	2	2	7	13	22	30	51
2. MULTIPLE DX	3681	12.9	135	3	4	9	16	26	36	66
A. NOT OPERATED	3363	12.3	117	3	4	9	15	25	33	60
B. OPERATED	790	13.9	188	2	3	9	17	31	41	88
TOTAL 0-19 YRS	10	7.9	83	1	1	4	14	23	25	25
20-34	53	7.4	33	2	3	6	9	14	18	29
35-49	183	11.9	177	2	3	8	13	24	37	70
50-64	915	11.6	107	2	3	8	14	25	34	52
65+	2992	13.1	136	3	4	10	16	27	36	66
GRAND TOTAL	**4153**	**12.6**	**131**	**3**	**3**	**9**	**16**	**26**	**35**	**64**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	12	3	3	7	9	10	10	10
20-34	6	9.5	25	4	4	8	15	16	16	16
35-49	35	13.1	101	2	3	10	18	23	35	44
50-64	224	15.6	182	4	5	12	19	29	49	83
65+	992	17.3	169	4	6	14	22	34	43	75
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	13	22.2	592	2	4	13	31	88	97	99+
50-64	45	17.5	141	4	6	16	24	36	50	99+
65+	122	28.0	451	6	9	22	37	67	79	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1260	16.8	170	4	5	13	21	33	43	76
B. *Operated*	181	24.9	400	5	7	18	33	59	78	99+
1. SINGLE DX										
2. MULTIPLE DX	1441	17.8	206	4	5	14	22	36	48	87
A. NOT OPERATED	1260	16.8	170	4	5	13	21	33	43	76
B. OPERATED	181	24.9	400	5	7	18	33	59	78	99+
TOTAL 0-19 YRS	3	6.7	12	3	3	7	9	10	10	10
20-34	7	9.0	23	4	4	8	13	16	16	16
35-49	48	15.5	240	2	3	12	19	35	58	99+
50-64	269	15.9	175	4	5	13	20	30	50	92
65+	1114	18.5	211	4	6	14	23	36	47	87
GRAND TOTAL	**1441**	**17.8**	**206**	**4**	**5**	**14**	**22**	**36**	**48**	**87**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	11	3.3	4	1	1	3	5	6	7	7
35-49	75	3.6	7	1	1	3	5	6	7	17
50-64	274	4.3	9	1	2	4	6	7	10	15
65+	780	4.2	9	1	2	4	5	8	10	15
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	45	5.0	9	1	2	5	7	9	11	14
50-64	166	4.6	12	2	2	4	6	9	11	18
65+	223	5.6	40	2	2	4	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.4	22	2	2	5	10	12	15	18
20-34	34	3.7	3	1	1	4	5	6	6	7
35-49	218	4.6	9	1	2	4	6	8	11	17
50-64	1386	5.2	13	2	2	4	7	9	12	19
65+	6862	6.5	25	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	9	4.2	6	2	2	4	6	8	8	8
35-49	126	7.6	45	2	2	6	9	13	17	38
50-64	568	7.2	30	2	2	6	9	14	17	31
65+	1370	9.2	53	2	3	7	12	18	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1144	4.2	8	1	2	3	5	7	9	15
B. *Operated*	439	5.1	26	2	2	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	8519	6.2	23	2	2	5	8	11	15	24
B. *Operated*	2076	8.5	47	2	2	7	11	16	21	34
1. SINGLE DX	1583	4.4	13	1	2	4	6	8	10	16
2. MULTIPLE DX	10595	6.7	28	2	2	5	8	13	16	27
A. NOT OPERATED	9663	6.0	22	2	2	5	7	11	14	24
B. OPERATED	2515	7.9	45	2	2	6	10	15	20	33
TOTAL 0-19 YRS	27	5.8	18	1	2	4	9	12	13	18
20-34	58	3.7	3	1	1	4	5	6	7	8
35-49	464	5.3	21	1	2	4	6	10	13	18
50-64	2394	5.6	17	2	2	4	7	10	14	23
65+	9235	6.7	30	2	2	5	8	13	16	27
GRAND TOTAL	**12178**	**6.4**	**27**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	11	2	2	2	8	9	9	9
20-34	15	5.3	28	<1	<1	4	6	12	18	20
35-49	54	6.7	20	1	3	6	8	13	16	24
50-64	231	8.5	72	2	2	7	10	15	25	36
65+	902	11.1	97	2	3	8	14	21	29	48
B. *Operated*										
0-19 YRS										
20-34	8	9.4	75	2	2	6	12	24	28	28
35-49	19	9.5	35	2	3	10	11	17	23	26
50-64	48	8.7	56	2	2	7	11	15	27	38
65+	77	10.9	135	2	2	8	13	19	26	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	12.4	179	2	4	7	16	24	39	65
20-34	29	11.0	176	2	2	6	9	31	39	60
35-49	201	10.2	106	2	3	7	12	22	34	86
50-64	1280	11.2	99	2	3	8	14	23	31	54
65+	6366	13.4	127	3	4	10	17	26	35	61
B. *Operated*										
0-19 YRS	3	7.0	19	4	4	5	10	12	12	12
20-34	14	14.6	182	3	3	9	21	35	46	49
35-49	68	15.9	212	2	3	11	21	44	64	99+
50-64	305	17.3	275	3	4	12	21	44	61	99+
65+	802	18.6	249	4	5	14	24	41	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1208	10.3	89	2	3	8	13	20	27	45
B. *Operated*	152	10.0	94	2	2	8	12	17	26	60
2. MULTIPLE DX										
A. *Not Operated*	7899	13.0	123	3	4	10	16	26	35	60
B. *Operated*	1192	18.0	253	3	4	13	23	42	58	99+
1. SINGLE DX	1360	10.3	90	2	3	8	13	20	27	46
2. MULTIPLE DX	9091	13.6	143	3	4	10	17	28	38	69
A. NOT OPERATED	9107	12.6	119	3	3	10	16	25	34	60
B. OPERATED	1344	17.1	241	3	4	12	22	40	55	99+
TOTAL 0-19 YRS	32	10.3	142	2	2	7	13	22	25	65
20-34	66	10.3	136	1	2	6	11	27	35	58
35-49	342	10.7	117	2	3	7	13	25	35	99+
50-64	1864	11.8	130	2	3	8	14	25	36	67
65+	8147	13.7	139	3	4	10	17	27	37	65
GRAND TOTAL	**10451**	**13.2**	**137**	**3**	**4**	**10**	**16**	**27**	**37**	**66**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.7	10	8	8	13	14	14	14	14
20-34	15	22.6	731	1	2	13	29	74	89	94
35-49	87	15.0	145	2	3	11	22	30	43	84
50-64	519	15.9	200	3	4	11	20	33	47	81
65+	2242	17.1	170	4	5	13	22	35	44	69
B. *Operated*										
0-19 YRS										
20-34	8	15.0	75	5	6	12	21	28	30	30
35-49	19	26.0	703	3	5	15	39	91	98	99+
50-64	97	22.0	429	4	5	15	30	55	84	99+
65+	273	23.7	334	5	7	19	33	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2866	16.8	178	4	5	13	22	34	45	71
B. *Operated*	397	23.2	369	5	6	17	32	54	78	99+
1. SINGLE DX										
2. MULTIPLE DX	3263	17.6	205	4	5	13	23	37	49	83
A. NOT OPERATED	2866	16.8	178	4	5	13	22	34	45	71
B. OPERATED	397	23.2	369	5	6	17	32	54	78	99+
TOTAL 0-19 YRS	3	11.7	10	8	8	13	14	14	14	14
20-34	23	20.0	503	2	3	13	24	40	81	94
35-49	106	16.9	258	2	3	12	23	40	54	99+
50-64	616	16.8	241	3	4	12	22	37	54	93
65+	2515	17.8	192	4	5	14	23	37	47	78
GRAND TOTAL	**3263**	**17.6**	**205**	**4**	**5**	**13**	**23**	**37**	**49**	**83**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	19	3.5	3	<1	1	3	5	6	7	7
35-49	44	5.1	47	1	2	3	6	8	12	46
50-64	95	5.0	22	1	1	4	6	10	13	27
65+	249	5.9	35	1	2	4	7	11	16	24
B. *Operated*										
0-19 YRS	4	8.3	24	2	2	9	12	13	13	13
20-34	9	11.8	221	2	2	9	14	36	49	49
35-49	31	12.2	133	2	2	9	14	25	39	51
50-64	65	8.2	52	2	2	6	11	18	24	32
65+	88	8.4	59	2	2	6	11	17	21	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	8.2	54	1	2	6	10	18	27	29
20-34	42	6.9	26	1	2	5	9	12	15	28
35-49	235	6.3	22	1	2	5	8	11	14	28
50-64	660	7.7	69	2	2	6	9	14	21	46
65+	3104	9.2	72	2	3	7	11	18	25	45
B. *Operated*										
0-19 YRS	7	9.9	46	2	2	9	15	19	20	20
20-34	20	17.2	319	3	3	12	21	44	65	67
35-49	68	13.5	254	2	3	8	17	30	37	86
50-64	261	11.4	193	2	2	8	13	23	44	99+
65+	532	12.3	141	2	3	9	16	24	35	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	5.5	32	1	2	4	6	10	14	27
B. *Operated*	197	9.1	75	2	2	7	12	19	25	48
2. MULTIPLE DX										
A. *Not Operated*	4054	8.8	69	2	3	6	11	17	24	44
B. *Operated*	888	12.3	168	2	3	9	15	24	38	88
1. SINGLE DX	606	6.7	49	1	2	4	8	14	19	37
2. MULTIPLE DX	4942	9.4	89	2	3	7	11	19	26	55
A. NOT OPERATED	4463	8.5	67	2	2	6	10	17	23	44
B. OPERATED	1085	11.7	153	2	2	8	14	23	35	85
TOTAL 0-19 YRS	26	8.2	44	1	2	7	11	15	22	29
20-34	90	8.7	126	1	2	5	11	18	25	65
35-49	378	7.9	84	1	2	5	9	15	24	45
50-64	1081	8.4	97	2	2	6	10	16	24	75
65+	3973	9.4	81	2	3	7	12	19	26	49
GRAND TOTAL	**5548**	**9.1**	**85**	**2**	**2**	**6**	**11**	**18**	**25**	**53**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	3.0	4	1	1	2	5	5	5	5
50-64	23	3.7	8	<1	1	3	5	8	10	11
65+	34	5.6	16	1	1	5	8	10	11	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.0	10	2	2	4	7	9	9	9
35-49	19	7.9	17	2	2	9	11	13	15	15
50-64	107	7.2	33	2	2	6	11	16	19	25
65+	141	7.8	48	2	2	4	12	17	23	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	13	1	1	6	9	9	9	9
20-34										
35-49	34	5.3	18	<1	1	4	8	11	14	18
50-64	167	6.3	43	1	2	5	8	11	18	42
65+	724	8.9	78	2	3	6	11	18	24	53
B. *Operated*										
0-19 YRS	4	10.0	43	2	2	10	14	18	18	18
20-34	9	7.9	71	1	2	5	9	24	29	29
35-49	101	11.9	103	2	2	10	16	21	27	58
50-64	699	12.6	129	2	2	10	16	23	33	61
65+	1413	15.6	188	2	3	12	20	31	45	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.7	13	1	1	4	7	9	10	20
B. *Operated*	272	7.5	39	2	2	5	12	16	21	27
2. MULTIPLE DX										
A. *Not Operated*	931	8.3	71	2	2	6	10	16	22	48
B. *Operated*	2226	14.5	167	2	3	11	18	29	42	67
1. SINGLE DX	335	7.0	35	1	2	5	10	15	19	26
2. MULTIPLE DX	3157	12.6	146	2	2	9	16	26	37	65
A. NOT OPERATED	994	8.1	68	2	2	6	10	16	21	46
B. OPERATED	2498	13.7	158	2	2	11	17	28	39	67
TOTAL 0-19 YRS	11	6.8	27	1	1	8	9	14	18	18
20-34	14	5.6	51	1	1	4	9	12	25	29
35-49	159	9.7	80	1	2	9	13	18	22	47
50-64	996	10.8	109	2	2	8	13	21	29	57
65+	2312	12.9	154	2	2	10	16	27	38	66
GRAND TOTAL	**3492**	**12.1**	**139**	**2**	**2**	**9**	**15**	**25**	**34**	**64**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	11	2.5	7	<1	<1	2	3	6	10	10
65+	36	3.7	10	1	1	3	4	8	13	13
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	10	7.0	28	1	1	6	12	13	14	14
50-64	123	10.5	22	2	2	11	13	16	19	25
65+	247	11.5	26	2	4	11	14	18	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	5.3	20	1	1	4	7	13	14	14
50-64	49	5.9	30	1	1	4	7	13	17	29
65+	309	6.8	45	1	2	5	9	13	17	29
B. *Operated*										
0-19 YRS	7	20.1	278	3	5	15	25	49	54	54
20-34	7	13.0	15	8	8	13	17	18	18	13
35-49	29	10.4	40	1	2	10	13	19	23	28
50-64	421	15.0	161	2	5	12	17	26	39	94
65+	1115	15.9	119	3	6	13	19	29	36	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.3	9	<1	1	2	4	7	12	13
B. *Operated*	384	11.0	25	2	2	11	14	17	20	25
2. MULTIPLE DX										
A. *Not Operated*	366	6.7	42	1	2	5	9	13	17	29
B. *Operated*	1579	15.6	129	3	5	13	18	28	37	76
1. SINGLE DX	433	10.1	29	2	2	10	13	16	19	25
2. MULTIPLE DX	1945	13.9	125	2	3	12	17	26	34	67
A. NOT OPERATED	415	6.3	39	1	1	5	8	13	15	28
B. OPERATED	1963	14.7	112	3	5	12	17	25	34	62
TOTAL 0-19 YRS	9	16.8	255	2	2	14	19	44	54	54
20-34	11	9.2	37	2	2	10	13	18	18	18
35-49	47	8.7	38	1	1	9	12	15	21	28
50-64	604	13.1	129	2	3	11	15	22	33	71
65+	1707	13.4	104	2	3	12	16	24	32	56
GRAND TOTAL	**2378**	**13.2**	**110**	**2**	**3**	**11**	**16**	**24**	**32**	**58**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	4	4.0	1	3	3	4	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	3.2	3	1	1	3	4	6	6	6
20-34	10	4.5	54	<1	<1	2	3	15	25	25
35-49	29	12.7	333	2	2	7	11	36	67	75
50-64	47	8.1	46	2	2	7	10	14	19	40
65+	68	8.5	38	1	2	8	11	15	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	2.0		2	2	2	2	2	2	2
50-64	14	4.6	18	1	1	4	5	8	16	18
65+	21	5.3	16	1	2	4	6	11	14	17
B. *Operated*										
0-19 YRS	3	9.3	6	7	7	9	11	12	12	12
20-34	8	12.8	90	4	4	9	18	28	32	32
35-49	26	9.4	61	2	2	7	13	20	27	32
50-64	88	13.0	124	2	3	11	16	22	31	66
65+	169	15.8	169	3	5	12	20	32	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	3	1	1	3	5	6	7	7
B. *Operated*	160	8.7	96	1	2	7	10	15	24	64
2. MULTIPLE DX										
A. *Not Operated*	39	4.9	15	1	2	4	6	10	15	18
B. *Operated*	294	14.3	145	2	3	11	17	29	38	66
1. SINGLE DX	169	8.4	93	1	2	7	10	15	23	62
2. MULTIPLE DX	333	13.2	139	2	3	10	16	27	34	65
A. NOT OPERATED	48	4.7	13	1	2	4	6	9	12	18
B. OPERATED	454	12.3	135	2	2	9	15	26	34	67
TOTAL 0-19 YRS	11	4.9	11	1	1	4	7	10	12	12
20-34	20	7.9	77	<1	1	4	10	22	28	32
35-49	59	10.6	193	2	2	7	11	24	36	74
50-64	153	10.5	96	2	2	9	13	19	29	61
65+	259	13.0	137	2	3	10	15	27	36	63
GRAND TOTAL	**502**	**11.6**	**128**	**2**	**2**	**9**	**14**	**24**	**32**	**65**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	7	7.4	24	2	2	7	10	15	16	16
35-49	13	4.8	23	1	2	3	5	10	18	20
50-64	22	5.0	23	<1	1	3	8	10	16	21
65+	37	6.1	23	1	1	4	10	14	14	15
B. *Operated*										
0-19 YRS	7	5.4	30	1	1	4	6	15	17	17
20-34	21	6.4	27	1	1	5	9	13	17	21
35-49	92	7.7	29	2	2	6	10	17	13	32
50-64	338	8.1	24	2	2	8	11	14	17	22
65+	366	8.7	40	2	2	8	12	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	11	10.1	35	4	4	9	16	19	19	19
35-49	29	7.1	28	1	2	6	10	14	18	22
50-64	90	7.5	36	1	2	6	10	15	17	31
65+	173	8.1	46	2	2	6	10	14	20	35
B. *Operated*										
0-19 YRS	6	5.8	12	2	2	5	9	11	11	11
20-34	34	9.6	46	1	2	9	12	21	23	27
35-49	238	11.9	114	2	2	10	15	21	28	65
50-64	1017	12.3	108	2	3	11	15	22	28	66
65+	1864	13.4	106	2	3	11	17	25	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	5.8	23	1	1	4	8	14	15	21
B. *Operated*	824	8.3	32	2	2	8	11	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	305	7.9	40	1	2	6	10	15	19	34
B. *Operated*	3159	12.9	107	2	3	11	16	24	31	56
1. SINGLE DX	905	8.0	31	1	2	8	11	14	17	23
2. MULTIPLE DX	3464	12.4	103	2	3	10	16	23	30	57
A. NOT OPERATED	386	7.4	37	1	2	6	10	14	18	33
B. OPERATED	3983	11.9	95	2	2	10	15	22	29	54
TOTAL 0-19 YRS	17	5.8	16	1	2	5	7	11	15	17
20-34	73	8.6	38	1	2	8	11	16	21	26
35-49	372	10.2	87	2	2	9	12	18	23	43
50-64	1467	10.9	87	2	2	9	13	19	24	55
65+	2440	12.2	95	2	3	10	15	23	30	52
GRAND TOTAL	4369	11.5	91	2	2	10	14	21	28	52

168: Miscellaneous diseases of arteries (443; 445-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	5.6	20	2	2	5	7	10	12	24
20-34	21	5.6	47	1	1	4	5	11	23	32
35-49	29	7.4	264	2	2	4	5	10	22	90
50-64	60	4.4	17	1	1	3	5	9	12	22
65+	103	6.0	54	1	2	4	7	10	13	46
B. *Operated*										
0-19 YRS	14	7.5	32	2	2	6	11	15	18	19
20-34	42	7.5	46	2	2	5	9	18	22	32
35-49	90	6.2	41	1	2	4	8	11	16	40
50-64	233	6.8	39	2	2	5	10	14	17	26
65+	305	8.4	[illegible]	1	2	6	11	17	23	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	7.1	23	1	2	7	9	14	15	25
20-34	88	6.6	53	1	1	4	9	12	26	40
35-49	109	6.6	86	1	2	4	7	11	17	55
50-64	280	6.9	55	2	2	5	8	13	16	36
65+	673	8.3	61	2	2	6	10	16	21	39
B. *Operated*										
0-19 YRS	14	7.7	61	1	2	6	12	29	62	99+
20-34	63	10.9	88	2	2	6	14	23	31	48
35-49	206	11.1	161	2	2	6	12	23	38	73
50-64	877	11.5	103	2	4	9	15	23	33	50
65+	1418	14.2	175	2	3	11	18	31	42	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	5.7	53	1	2	4	7	10	12	35
B. *Operated*	684	7.5	59	2	2	5	10	15	19	40
2. MULTIPLE DX										
A. *Not Operated*	1208	7.6	59	1	2	6	9	14	20	36
B. *Operated*	2578	12.9	149	2	2	10	16	27	36	70
1. SINGLE DX	1013	6.9	58	1	2	5	9	14	18	36
2. MULTIPLE DX	3786	11.2	126	2	2	8	14	23	33	63
A. NOT OPERATED	1537	7.2	58	1	2	5	9	14	19	36
B. OPERATED	3262	11.6	135	2	2	9	15	25	35	65
TOTAL 0-19 YRS	222	6.4	24	2	2	5	9	12	15	32
20-34	194	8.1	65	1	2	5	10	16	27	40
35-49	434	8.7	129	2	2	6	10	17	30	71
50-64	1450	9.6	65	2	2	7	12	20	26	46
65+	2499	11.5	138	2	2	8	14	24	34	65
GRAND TOTAL	4799	10.3	115	2	2	7	13	22	31	58

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	6.9	13	2	2	7	9	12	13	17
20-34	375	7.0	15	2	3	7	9	11	14	21
35-49	517	7.5	15	2	3	7	10	12	14	22
50-64	486	8.0	16	3	4	8	10	13	15	20
65+	505	8.4	20	3	4	8	10	13	15	21
B. *Operated*										
0-19 YRS	21	7.3	24	2	2	6	10	14	17	20
20-34	135	7.3	18	1	3	7	10	13	15	20
35-49	159	8.2	37	2	3	7	10	14	18	31
50-64	125	8.2	27	2	2	7	11	16	18	24
65+	124	9.9	25	3	4	10	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	7.4	24	1	2	7	11	14	18	20
20-34	348	8.3	20	2	3	8	10	14	17	23
35-49	694	8.7	28	2	3	8	11	15	17	28
50-64	1263	9.2	27	3	4	8	11	15	18	27
65+	1943	9.8	29	4	5	9	12	16	19	28
B. *Operated*										
0-19 YRS	11	10.7	22	5	5	10	14	18	20	20
20-34	159	10.0	47	2	4	8	12	18	27	35
35-49	268	9.6	42	2	3	9	12	17	20	37
50-64	472	10.6	40	3	4	10	13	18	23	33
65+	659	12.0	60	3	4	11	15	21	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1911	7.8	16	2	3	7	10	12	15	21
B. *Operated*	564	8.3	28	2	3	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	4284	9.3	28	3	4	8	11	15	18	27
B. *Operated*	1569	11.0	50	3	4	10	14	19	24	36
1. SINGLE DX	2475	7.9	19	2	3	7	10	13	16	22
2. MULTIPLE DX	5853	9.8	34	3	4	9	12	16	20	30
A. NOT OPERATED	6195	8.8	25	3	4	8	11	14	17	26
B. OPERATED	2133	10.3	46	2	3	9	13	18	23	34
TOTAL 0-19 YRS	96	7.6	21	2	2	7	11	14	17	20
20-34	1017	8.0	23	2	3	7	10	13	17	24
35-49	1638	8.4	27	2	3	8	11	14	17	27
50-64	2346	9.2	28	3	4	8	11	15	18	27
65+	3231	10.1	35	3	4	9	12	16	21	31
GRAND TOTAL	**8328**	**9.2**	**31**	**3**	**4**	**8**	**11**	**15**	**19**	**28**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	23	<1	<1	5	5	13	14	14
35-49	21	10.4	81	1	3	9	11	21	31	42
50-64	42	9.2	138	1	2	5	11	18	36	59
65+	92	11.7	59	2	4	10	14	22	28	38
B. *Operated*										
0-19 YRS	15	3.2	3	1	2	3	4	5	7	8
20-34	408	3.8	4	2	2	4	5	6	6	13
35-49	677	4.6	15	2	2	4	5	7	10	21
50-64	486	5.6	33	2	2	4	6	10	13	37
65+	246	10.6	95	3	3	7	14	22	28	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	8.6	115	1	1	7	9	11	36	47
35-49	70	9.9	54	2	3	8	14	19	26	36
50-64	142	9.6	61	1	2	8	12	21	24	36
65+	480	12.0	83	3	4	10	15	22	28	59
B. *Operated*										
0-19 YRS	4	7.5	18	3	3	7	11	12	12	12
20-34	122	5.8	39	1	2	4	6	10	21	35
35-49	344	6.9	45	2	3	5	8	12	20	41
50-64	418	8.5	79	2	3	5	10	17	27	50
65+	418	16.6	199	3	4	13	23	35	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	10.7	82	1	2	9	13	20	28	48
B. *Operated*	1832	5.5	32	2	2	4	6	10	15	29
2. MULTIPLE DX										
A. *Not Operated*	708	11.2	77	2	3	9	14	21	27	51
B. *Operated*	1306	10.4	123	2	3	6	12	24	33	58
1. SINGLE DX	1993	5.9	38	2	2	4	6	11	18	31
2. MULTIPLE DX	2014	10.7	107	2	3	7	13	23	31	57
A. NOT OPERATED	869	11.1	78	2	3	9	14	21	28	50
B. OPERATED	3138	7.6	76	2	2	5	8	16	25	47
TOTAL 0-19 YRS	19	4.1	8	1	2	3	5	9	11	12
20-34	552	4.4	16	2	2	4	5	6	9	22
35-49	1112	5.8	30	2	2	4	6	11	15	31
50-64	1088	7.4	61	2	2	5	8	14	21	48
65+	1236	13.2	129	3	3	10	17	27	35	60
GRAND TOTAL	**4007**	**8.3**	**78**	**2**	**2**	**5**	**10**	**18**	**25**	**48**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.9	1	<1	<1	2	2	4	5	5
20-34	118	2.6	3	<1	1	2	3	5	6	9
35-49	159	3.1	11	1	1	2	4	5	7	12
50-64	97	2.9	3	1	1	2	4	5	6	9
65+	65	3.3	8	<1	1	3	4	6	8	16
B. *Operated*										
0-19 YRS	27	3.6	7	<1	1	3	5	6	8	14
20-34	475	4.5	4	2	2	4	5	7	8	10
35-49	642	5.0	5	2	3	5	6	8	9	12
50-64	372	4.9	5	2	2	5	6	7	9	13
65+	170	5.4	7	2	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	3	1	2	3	4	6	7	7
20-34	188	3.6	14	1	1	3	4	6	8	14
35-49	328	3.5	7	1	1	3	4	6	8	15
50-64	347	3.9	14	1	1	3	5	7	9	14
65+	412	5.0	22	1	2	4	6	9	12	24
B. *Operated*										
0-19 YRS	53	4.5	7	2	2	4	5	7	10	17
20-34	1596	5.1	6	3	3	5	6	8	9	13
35-49	2788	5.5	6	3	3	5	7	9	10	14
50-64	2088	6.0	8	3	3	5	7	9	11	17
65+	971	7.0	18	3	3	6	8	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	2.9	6	1	1	2	4	5	6	12
B. *Operated*	1686	4.8	5	2	2	5	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	1293	4.1	15	1	1	3	5	7	10	18
B. *Operated*	7496	5.7	8	3	3	5	7	9	11	16
1. SINGLE DX	2143	4.4	6	1	2	4	5	7	9	12
2. MULTIPLE DX	8789	5.5	10	2	3	5	7	9	11	16
A. NOT OPERATED	1750	3.8	13	1	1	3	4	7	9	16
B. OPERATED	9182	5.6	8	3	3	5	7	9	11	15
TOTAL 0-19 YRS	116	3.7	6	1	1	4	5	6	8	15
20-34	2377	4.8	6	2	2	4	6	7	9	13
35-49	3917	5.2	7	2	3	5	6	8	10	14
50-64	2904	5.5	9	2	2	5	7	9	11	16
65+	1618	6.1	18	2	2	5	7	11	13	21
GRAND TOTAL	**10932**	**5.3**	**9**	**2**	**2**	**5**	**6**	**9**	**10**	**15**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	5.6	28	1	1	3	7	13	14	25
20-34	115	6.9	19	1	2	7	10.	12	15	21
35-49	123	6.6	19	1	2	6	9	12	14	22
50-64	126	7.1	22	1	2	6	10	12	15	25
65+	212	7.5	27	1	2	7	10	14	18	25
B. *Operated*										
0-19 YRS	116	3.4	11	1	1	2	4	5	10	19
20-34	284	3.8	14	<1	1	2	4	10	12	19
35-49	144	5.9	28	<1	1	3	9	12	18	24
50-64	125	7.4	50	1	2	5	10	16	20	41
65+	151	9.4	50	2	2	9	13	16	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	5.5	26	1	1	4	7	12	16	25
20-34	183	6.4	57	1	1	4	8	12	16	36
35-49	363	7.2	27	1	2	6	10	14	17	24
50-64	742	7.0	29	1	2	6	9	12	16	27
65+	1827	7.8	33	2	3	6	10	14	18	32
B. *Operated*										
0-19 YRS	70	5.9	35	1	1	3	7	15	20	26
20-34	299	5.4	45	<1	1	3	6	12	20	43
35-49	231	8.6	82	<1	1	6	11	18	24	47
50-64	442	11.4	101	2	2	9	14	20	27	53
65+	754	13.3	119	2	3	11	17	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	7.0	23	1	2	6	10	13	16	23
B. *Operated*	820	5.7	33	1	1	3	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	3168	7.4	33	2	2	6	10	14	17	30
B. *Operated*	1796	10.6	103	1	2	8	14	21	28	53
1. SINGLE DX	1433	6.3	29	1	1	4	9	13	16	24
2. MULTIPLE DX	4964	8.6	61	1	2	7	11	17	22	41
A. NOT OPERATED	3781	7.4	31	2	2	6	10	13	17	28
B. OPERATED	2616	9.1	86	1	2	7	12	19	25	48
TOTAL 0-19 YRS	276	4.8	23	1	1	3	5	12	15	25
20-34	881	5.3	35	1	1	3	7	11	14	30
35-49	861	7.3	41	1	1	6	10	14	19	32
50-64	1435	8.4	56	1	2	7	11	16	20	41
65+	2944	9.3	61	2	3	7	12	18	23	39
GRAND TOTAL	**6397**	**8.1**	**55**	**1**	**2**	**6**	**11**	**16**	**21**	**38**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3749	2.6	2	<1	1	2	3	5	5	8
20-34	611	2.9	2	<1	<1	3	4	5	6	8
35-49	252	3.2	4	<1	<1	3	4	5	6	9
50-64	132	4.2	10	1	1	4	5	7	9	20
65+	110	5.0	12	<1	2	4	6	10	12	18
B. *Operated*										
0-19 YRS	752	2.1	3	<1	1	2	2	3	3	9
20-34	302	2.3	1	1	1	2	2	3	4	8
35-49	58	3.7	16	1	1	2	4	8	13	22
50-64	32	4.1	25	1	1	2	5	8	10	28
65+	18	4.2	21	1	2	3	4	7	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5517	3.3	5	1	1	3	4	6	7	11
20-34	1120	3.8	4	1	2	3	5	6	8	11
35-49	777	4.7	8	2	2	4	6	8	9	15
50-64	875	5.6	13	2	2	5	7	10	12	20
65+	1320	7.2	31	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	604	3.0	11	1	1	2	3	5	8	16
20-34	161	4.2	17	1	1	3	5	9	11	21
35-49	94	5.8	20	1	2	4	8	12	14	24
50-64	130	8.3	66	2	2	6	10	15	19	48
65+	112	11.8	112	2	3	9	15	27	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4854	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	1162	2.3	4	<1	1	2	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	9609	4.2	11	1	2	3	5	8	10	16
B. *Operated*	1101	4.9	37	1	1	3	5	11	15	32
1. SINGLE DX	6016	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	10710	4.3	14	1	2	3	5	8	10	18
A. NOT OPERATED	14463	3.7	9	1	1	3	5	7	9	15
B. OPERATED	2263	3.6	22	1	1	2	3	7	11	27
TOTAL 0-19 YRS	10622	2.9	4	1	1	2	4	5	6	10
20-34	2194	3.4	5	<1	1	3	4	6	7	10
35-49	1181	4.4	9	1	2	4	5	8	9	16
50-64	1169	5.7	20	2	2	5	7	10	13	24
65+	1560	7.3	38	2	3	6	9	13	17	30
GRAND TOTAL	**16726**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3468	3.4	4	1	1	3	4	6	7	10
20-34	310	3.8	3	1	2	3	5	6	7	9
35-49	359	4.8	8	2	2	4	6	8	10	16
50-64	366	5.2	7	2	3	5	6	9	10	15
65+	409	5.9	11	2	3	5	7	10	12	18
B. *Operated*										
0-19 YRS	12	5.5	12	1	2	4	8	10	13	13
20-34	13	5.1	11	1	2	5	7	9	12	13
35-49	18	6.1	32	1	2	4	7	17	20	20
50-64	20	5.5	15	1	1	4	9	10	12	14
65+	14	5.9	26	2	2	5	6	10	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3794	4.2	6	1	2	4	5	7	9	13
20-34	652	4.8	7	2	2	4	6	8	10	15
35-49	1244	6.0	17	2	2	5	7	10	13	25
50-64	3102	6.8	20	2	3	6	8	12	15	24
65+	6120	7.9	29	3	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	44	8.8	53	3	3	7	10	18	22	42
20-34	57	7.2	25	2	2	6	10	15	18	20
35-49	135	8.3	45	2	2	7	11	15	18	37
50-64	284	10.3	78	2	3	8	12	18	28	44
65+	458	12.3	82	3	4	10	15	23	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4912	3.9	6	1	2	3	5	7	8	12
B. *Operated*	77	5.6	19	1	2	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	14912	6.4	22	2	2	5	8	11	15	24
B. *Operated*	978	10.7	74	2	3	9	13	20	27	43
1. SINGLE DX	4989	3.9	6	1	2	3	5	7	8	13
2. MULTIPLE DX	15890	6.7	26	2	2	5	8	12	15	27
A. NOT OPERATED	19824	5.8	19	2	2	5	7	10	13	22
B. OPERATED	1055	10.4	72	2	3	8	13	20	26	42
TOTAL 0-19 YRS	7318	3.8	6	1	2	3	5	7	8	11
20-34	1032	4.6	7	2	2	4	6	8	10	15
35-49	1756	5.9	18	2	2	5	7	10	13	24
50-64	3772	6.9	24	2	3	6	8	12	15	27
65+	7001	8.1	33	3	3	7	10	14	18	31
GRAND TOTAL	**20879**	**6.0**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	321	2.2	1	1	1	2	3	3	4	5
20-34	802	2.2	1	1	1	2	3	3	4	5
35-49	487	2.3	1	1	1	2	3	3	4	5
50-64	207	2.3	1	1	1	2	3	3	4	5
65+	41	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.2		<1	<1	1	1	2	2	2
20-34	18	2.2	4	<1	<1	2	3	4	7	9
35-49	22	2.6	6	<1	<1	2	3	8	9	9
50-64	8	1.8	2	<1	<1	1	2	4	5	5
65+	4	2.8	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	677	2.4	1	1	1	2	3	4	4	6
20-34	1889	2.5	1	1	1	2	3	4	4	7
35-49	1202	2.6	2	1	1	2	3	4	5	7
50-64	666	2.9	4	1	1	3	3	4	6	10
65+	189	3.5	6	1	2	3	4	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	2	1	1	3	3	4	4	4
B. *Operated*	1858	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	63	2.1	4	<1	<1	1	2	4	8	9
B. *Operated*	4623	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	1863	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	4686	2.6	2	1	1	2	3	4	5	8
A. NOT OPERATED	68	2.2	4	<1	<1	1	3	4	8	9
B. OPERATED	6481	2.5	2	1	1	2	3	4	4	7
TOTAL 0-19 YRS	1009	2.3	1	1	1	2	3	3	4	6
20-34	2712	2.4	1	1	1	2	3	4	4	6
35-49	1713	2.5	2	1	1	2	3	4	5	7
50-64	881	2.8	3	1	1	2	3	4	5	9
65+	234	3.2	5	1	1	3	4	6	8	13
GRAND TOTAL	**6549**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	42	2.3	1	<1	1	2	3	4	5	7
20-34	52	2.1	1	1	1	2	3	3	4	4
35-49	72	2.3	1	1	1	2	3	4	5	6
50-64	61	2.5	3	1	1	2	3	4	4	12
65+	51	2.2	1	1	1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.8	5	1	1	2	4	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	3.0	3	<1	<1	3	4	5	5	5
65+	5	3.4	2	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	53	2.8	2	1	1	2	4	5	5	6
20-34	96	2.5	1	1	1	2	3	4	4	7
35-49	135	3.7	37	1	1	3	4	5	7	35
50-64	152	3.0	4	1	1	3	4	4	6	14
65+	118	3.1	2	1	2	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	278	2.3	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	15	3.2	3	<1	1	3	5	5	6	6
B. *Operated*	554	3.1	11	1	1	3	3	5	6	13
1. SINGLE DX	282	2.3	2	1	1	2	3	4	4	7
2. MULTIPLE DX	569	3.1	11	1	1	3	4	5	6	13
A. NOT OPERATED	19	2.9	3	<1	<1	2	4	5	6	6
B. OPERATED	832	2.8	8	1	1	2	3	4	5	11
TOTAL 0-19 YRS	98	2.6	2	1	1	2	3	4	5	7
20-34	152	2.4	1	1	1	2	3	4	4	6
35-49	209	3.2	24	1	1	2	3	5	6	21
50-64	218	2.9	3	1	1	2	3	4	6	13
65+	174	2.9	2	1	1	2	3	5	5	8
GRAND TOTAL	**851**	**2.8**	**8**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.0	2	<1	<1	2	2	3	4	9
20-34	19	2.4	1	<1	1	2	3	4	5	5
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	11564	1.8		1	1	2	2	2	3	3
20-34	3239	2.0	1	1	1	2	2	3	3	4
35-49	378	2.2	2	1	1	2	2	3	4	8
50-64	58	2.3	1	1	1	2	3	4	5	7
65+	24	2.6	2	1	2	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	1.8	2	<1	<1	1	2	4	5	7
20-34	28	1.9	1	<1	<1	2	2	4	5	5
35-49	13	2.3	2	<1	<1	2	4	4	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	5	4.6	5	<1	<1	5	6	7	7	7
B. *Operated*										
0-19 YRS	8263	1.8	2	<1	1	2	2	2	3	4
20-34	739	2.5	2	1	1	2	3	4	5	8
35-49	176	2.7	2	1	1	2	3	5	5	9
50-64	46	3.5	20	1	1	2	3	7	9	30
65+	18	3.7	13	1	1	3	4	6	13	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.1	2	<1	1	2	3	3	5	8
B. *Operated*	15263	1.9		1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	233	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	9242	1.9	2	<1	1	2	2	3	3	6
1. SINGLE DX	15355	1.9		1	1	2	2	2	3	4
2. MULTIPLE DX	9475	1.9	2	<1	1	2	2	3	3	6
A. NOT OPERATED	325	2.0	2	<1	<1	1	2	4	5	7
B. OPERATED	24505	1.9	1	1	1	2	2	2	3	4
TOTAL 0-19 YRS	20076	1.8	1	1	1	2	2	2	3	4
20-34	4025	2.1	1	1	1	2	2	3	4	5
35-49	572	2.4	2	1	1	2	3	4	4	9
50-64	108	2.9	9	1	1	2	3	5	7	18
65+	49	3.2	7	1	1	2	4	6	7	17
GRAND TOTAL	**24830**	**1.9**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	480	3.0	4	<1	1	3	4	5	6	11
20-34	321	3.1	3	<1	1	3	4	5	7	9
35-49	160	3.3	4	<1	1	3	4	5	8	11
50-64	94	3.1	5	<1	1	2	4	6	7	14
65+	61	3.3	9	<1	1	2	4	7	10	15
B. *Operated*										
0-19 YRS	547	2.6	4	<1	1	2	3	4	6	9
20-34	865	2.7	5	1	1	2	3	4	6	12
35-49	758	2.4	3	1	1	2	3	4	5	8
50-64	680	2.5	5	1	1	2	3	4	5	10
65+	384	2.8	9	1	1	2	3	4	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	627	3.8	6	1	2	3	5	7	8	14
20-34	366	4.2	7	1	2	4	5	7	9	14
35-49	363	4.7	9	1	2	4	6	8	10	21
50-64	368	5.1	12	2	2	4	7	9	11	16
65+	312	6.2	19	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	579	3.3	22	1	1	2	3	6	9	36
20-34	907	3.2	7	1	1	3	4	5	7	13
35-49	869	3.5	11	1	1	2	4	6	9	20
50-64	805	3.7	15	1	1	3	4	7	10	18
65+	524	5.4	69	1	1	3	5	11	16	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1116	3.1	4	<1	1	3	4	5	7	11
B. *Operated*	3234	2.6	5	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	2036	4.6	11	1	2	4	6	8	10	16
B. *Operated*	3684	3.7	22	1	1	2	4	7	10	21
1. SINGLE DX	4350	2.7	5	1	1	2	3	5	6	11
2. MULTIPLE DX	5720	4.0	18	1	1	3	5	8	10	19
A. NOT OPERATED	3152	4.1	9	1	1	3	5	7	9	15
B. OPERATED	6918	3.2	14	1	1	2	3	5	8	18
TOTAL 0-19 YRS	2233	3.2	10	1	1	2	4	6	7	14
20-34	2459	3.2	6	1	1	3	4	6	7	13
35-49	2150	3.3	8	1	1	2	4	6	8	16
50-64	1947	3.5	11	1	1	2	4	7	9	16
65+	1281	4.7	38	1	1	3	5	10	13	29
GRAND TOTAL	**10070**	**3.5**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7553	4.1	6	2	2	4	5	7	8	12
20-34	1436	5.1	10	2	2	5	6	8	10	14
35-49	1172	5.6	8	2	3	5	7	9	11	16
50-64	1173	6.5	11	3	3	6	8	10	13	18
65+	1779	7.8	17	3	3	7	10	13	15	21
B. *Operated*										
0-19 YRS	51	6.9	29	1	1	6	10	13	17	26
20-34	28	8.2	34	1	1	7	12	16	20	22
35-49	76	8.5	28	2	3	8	12	16	18	25
50-64	113	8.8	43	2	2	7	12	17	22	34
65+	136	11.1	64	2	2	10	15	22	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9007	4.9	11	2	2	4	6	8	11	17
20-34	1776	6.2	18	2	3	5	8	10	13	21
35-49	2310	7.2	22	2	3	6	9	12	15	25
50-64	4771	8.2	29	3	3	7	10	14	18	29
65+	14253	10.5	51	3	4	9	13	19	24	38
B. *Operated*										
0-19 YRS	265	11.5	84	3	4	9	15	21	27	52
20-34	186	13.1	119	3	4	10	16	25	36	76
35-49	349	13.2	109	3	4	11	16	25	31	63
50-64	795	14.5	117	4	5	12	18	27	37	67
65+	1680	17.6	150	5	7	14	22	33	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13113	5.1	11	2	2	4	6	9	11	16
B. *Operated*	404	9.2	46	2	2	8	12	17	23	33
2. MULTIPLE DX										
A. *Not Operated*	32117	8.1	39	2	3	7	10	15	19	32
B. *Operated*	3275	15.6	135	4	5	13	19	30	39	66
1. SINGLE DX	13517	5.2	12	2	2	4	6	9	11	17
2. MULTIPLE DX	35392	8.8	52	2	3	7	11	16	22	38
A. NOT OPERATED	45230	7.2	32	2	3	6	9	13	17	29
B. OPERATED	3679	14.9	129	3	5	12	19	29	38	65
TOTAL 0-19 YRS	16876	4.6	11	2	2	4	6	8	10	16
20-34	3426	6.1	23	2	3	5	7	10	14	24
35-49	3907	7.3	30	2	3	6	9	12	16	29
50-64	6852	8.7	41	3	3	7	10	15	20	35
65+	17848	10.9	63	3	4	9	13	20	25	43
GRAND TOTAL	**48909**	**7.8**	**44**	**2**	**3**	**6**	**10**	**15**	**19**	**34**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	3.2	4	1	1	3	4	5	6	11
20-34	231	3.4	4	1	2	3	4	6	6	11
35-49	154	4.0	4	2	2	4	5	6	8	11
50-64	142	4.1	5	1	2	4	5	6	7	14
65+	172	5.2	8	2	2	5	7	9	11	14
B. *Operated*										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34										
35-49										
50-64	2	15.5	25	12	12	15	19	19	19	19
65+	3	5.0	3	3	3	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	421	3.4	4	1	2	3	4	6	7	12
20-34	412	3.9	5	2	2	3	5	7	8	12
35-49	427	5.0	12	2	2	4	6	9	10	21
50-64	654	5.8	13	2	3	5	7	10	12	19
65+	1158	7.2	21	2	3	6	9	13	15	25
B. *Operated*										
0-19 YRS	6	25.5	1220	3	3	12	24	88	95	95
20-34	13	6.2	11	2	3	6	9	11	12	12
35-49	8	10.6	94	3	3	7	14	27	31	31
50-64	23	10.0	20	3	4	10	12	15	19	22
65+	58	11.5	44	3	4	10	16	22	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	947	3.9	5	1	2	3	5	7	8	13
B. *Operated*	9	7.3	29	2	2	6	10	16	19	19
2. MULTIPLE DX										
A. *Not Operated*	3072	5.6	16	2	2	5	7	10	13	22
B. *Operated*	108	11.3	107	3	3	9	14	20	24	58
1. SINGLE DX	956	3.9	5	1	2	3	5	7	8	13
2. MULTIPLE DX	3180	5.8	20	2	2	5	7	11	14	23
A. NOT OPERATED	4019	5.2	14	2	2	4	6	9	12	19
B. OPERATED	117	10.9	102	3	3	9	14	20	24	52
TOTAL 0-19 YRS	679	3.5	17	1	1	3	4	6	7	13
20-34	656	3.8	5	1	2	3	5	6	8	12
35-49	589	4.8	11	2	2	4	6	8	10	20
50-64	821	5.7	13	2	2	5	7	10	12	19
65+	1391	7.1	22	2	3	6	9	13	16	25
GRAND TOTAL	**4136**	**5.4**	**17**	**2**	**2**	**4**	**7**	**10**	**13**	**21**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1095	3.2	4	1	1	3	4	5	7	9
20-34	170	3.8	5	<1	<1	3	5	7	8	11
35-49	209	4.8	8	1	2	4	6	8	9	14
50-64	385	5.9	16	2	2	5	7	10	13	21
65+	424	6.5	16	2	3	6	8	11	14	24
B. Operated										
0-19 YRS	17	4.1	7	1	<1	3	6	9	10	10
20-34	15	3.7	7	2	2	2	5	7	10	11
35-49	40	4.4	11	1	1	4	6	8	10	18
50-64	67	4.8	22	1	1	3	6	10	12	27
65+	65	4.9	19	1	2	3	6	11	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1203	3.9	6	1	2	3	5	7	8	13
20-34	402	4.9	18	1	2	4	6	8	10	17
35-49	785	5.8	14	2	2	5	7	10	14	20
50-64	1770	7.3	30	2	3	6	9	13	17	25
65+	3205	8.0	29	3	3	7	10	14	18	30
B. Operated										
0-19 YRS	45	7.6	68	1	2	5	10	13	22	47
20-34	59	6.7	32	1	2	5	11	15	18	24
35-49	169	7.6	38	2	2	6	9	14	17	37
50-64	352	8.3	50	2	2	6	11	16	20	38
65+	452	12.3	140	2	3	9	15	25	36	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2283	4.5	10	1	1	4	6	8	10	16
B. Operated	204	4.6	17	1	1	3	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	7365	6.8	26	2	2	5	8	13	16	25
B. Operated	1077	9.8	91	2	2	7	12	19	27	50
1. SINGLE DX	2487	4.5	11	1	1	4	6	8	10	17
2. MULTIPLE DX	8442	7.2	35	2	2	6	9	13	17	30
A. NOT OPERATED	9648	6.2	23	2	2	5	8	12	15	25
B. OPERATED	1281	8.9	82	2	2	7	11	17	24	47
TOTAL 0-19 YRS	2360	3.7	6	1	1	3	4	6	8	12
20-34	646	4.7	16	1	2	4	6	8	11	17
35-49	1203	5.8	17	2	2	5	7	10	14	21
50-64	2574	7.2	31	2	3	6	9	13	17	26
65+	4146	8.3	42	2	3	7	10	15	19	34
GRAND TOTAL	**10929**	**6.5**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	19	5.8	17	1	2	5	8	10	15	19
50-64	94	5.8	11	2	2	5	8	10	11	18
65+	129	7.3	31	2	2	6	9	14	18	28
B. Operated										
0-19 YRS	4	4.0	9	1	1	4	6	7	7	7
20-34	3	10.0	39	3	3	12	14	15	15	15
35-49	8	6.8	25	3	3	4	10	14	16	18
50-64	6	9.7	46	2	2	7	14	20	21	21
65+	6	7.8	17	2	2	8	10	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	18	1	1	5	8	11	11	11
20-34	5	4.2	16	1	1	3	6	11	11	11
35-49	25	7.6	66	2	3	5	8	14	22	53
50-64	571	7.8	35	2	3	6	10	15	19	30
65+	1128	9.2	58	2	3	7	11	16	22	41
B. Operated										
0-19 YRS	4	12.5	51	5	5	11	17	22	22	22
20-34	10	10.0	25	5	5	9	11	17	23	23
35-49	26	14.0	198	2	3	11	15	35	45	66
50-64	77	12.9	72	3	4	11	17	22	33	40
65+	124	16.4	202	3	4	12	21	35	44	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	246	6.6	22	2	2	5	8	12	15	21
B. Operated	27	7.6	27	2	2	7	11	15	17	23
2. MULTIPLE DX										
A. Not Operated	1783	8.7	51	2	3	7	11	16	21	34
B. Operated	241	14.7	152	3	4	12	18	31	39	79
1. SINGLE DX	273	6.7	23	2	2	5	9	13	16	21
2. MULTIPLE DX	2024	9.4	67	2	3	7	12	18	23	43
A. NOT OPERATED	2029	8.4	48	2	3	7	10	16	20	33
B. OPERATED	268	13.9	144	3	4	11	17	29	38	77
TOTAL 0-19 YRS	41	6.8	33	1	1	5	10	14	20	22
20-34	20	8.2	28	1	2	8	11	13	19	23
35-49	128	8.6	90	2	3	6	10	17	23	62
50-64	748	8.1	39	2	3	7	10	16	20	33
65+	1387	9.7	72	2	3	7	12	18	25	46
GRAND TOTAL	**2297**	**9.0**	**62**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5423	3.3	3	1	2	3	4	5	6	9
20-34	1260	3.9	6	1	2	3	5	7	8	11
35-49	1175	4.7	7	1	2	4	6	8	10	14
50-64	1108	5.7	14	2	2	5	7	10	13	20
65+	854	6.2	18	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	22	4.0	9	<1	<1	4	5	7	10	13
20-34	15	5.4	26	1	1	4	8	15	16	17
35-49	17	6.1	23	1	2	3	10	14	16	17
50-64	32	7.3	20	2	2	6	9	12	15	23
65+	16	7.2	23	1	1	7	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3534	4.0	6	1	2	3	5	7	8	13
20-34	1208	4.8	9	2	2	4	6	8	10	17
35-49	1818	6.2	17	2	2	5	7	11	14	21
50-64	3203	7.0	21	2	3	6	9	12	16	24
65+	3841	8.0	31	2	3	7	10	14	18	28
B. *Operated*										
0-19 YRS	56	10.4	167	2	2	7	11	17	34	83
20-34	60	8.9	63	2	2	7	11	18	29	36
35-49	118	10.7	52	3	4	9	14	22	25	38
50-64	207	11.7	100	3	4	9	14	21	31	57
65+	216	14.0	122	3	4	11	17	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9820	4.0	7	1	2	3	5	7	9	14
B. *Operated*	102	6.1	20	1	1	5	8	12	16	20
2. MULTIPLE DX										
A. *Not Operated*	13604	6.2	21	2	2	5	8	11	15	23
B. *Operated*	657	11.9	103	2	3	9	14	23	32	58
1. SINGLE DX	9922	4.1	8	1	2	3	5	7	9	14
2. MULTIPLE DX	14261	6.5	26	2	2	5	8	12	16	26
A. NOT OPERATED	23424	5.3	16	1	2	4	7	10	13	21
B. OPERATED	759	11.1	96	2	3	9	14	22	30	55
TOTAL 0-19 YRS	9035	3.6	5	1	2	3	4	6	7	11
20-34	2543	4.5	9	1	2	4	5	8	9	16
35-49	3128	5.8	16	2	2	5	7	10	13	21
50-64	4550	6.9	24	2	3	6	9	12	15	26
65+	4927	8.0	35	2	3	7	10	14	18	30
GRAND TOTAL	**24183**	**5.5**	**20**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.9	11	1	2	4	6	10	13	15
20-34	27	4.2	11	1	1	3	5	10	11	14
35-49	171	6.0	29	1	2	5	7	11	14	21
50-64	834	6.8	25	2	3	5	8	13	17	27
65+	1011	7.2	27	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	14	4.5	12	1	2	3	8	9	11	12
20-34	5	5.2	13	2	2	4	8	10	10	10
35-49	22	4.9	8	2	2	4	7	10	10	10
50-64	46	7.2	47	1	2	5	8	15	18	39
65+	54	10.6	93	3	3	7	13	21	36	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	9.2	61	2	2	8	11	18	29	35
20-34	79	6.8	29	1	1	5	10	13	16	29
35-49	695	6.9	30	2	2	6	8	13	17	28
50-64	4285	8.3	41	2	3	7	10	15	20	33
65+	7884	9.0	50	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	19	8.7	101	1	2	7	10	17	33	45
20-34	15	11.7	95	2	3	9	17	24	34	37
35-49	117	12.4	172	2	3	9	14	28	46	66
50-64	522	12.0	113	2	3	9	15	24	34	63
65+	857	13.6	145	3	4	10	17	28	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2070	6.9	26	2	2	6	8	13	17	27
B. *Operated*	141	7.8	59	2	2	5	9	16	21	42
2. MULTIPLE DX										
A. *Not Operated*	13014	8.7	46	2	3	7	11	16	21	35
B. *Operated*	1530	12.9	135	2	3	10	16	27	3[illegible]	65
1. SINGLE DX	2211	7.0	29	2	2	6	8	13	17	28
2. MULTIPLE DX	14544	9.1	57	2	3	7	11	17	23	40
A. NOT OPERATED	15084	8.4	44	2	3	7	10	16	21	34
B. OPERATED	1671	12.4	131	2	3	9	16	26	36	64
TOTAL 0-19 YRS	131	7.8	54	2	2	5	10	14	2[illegible]	38
20-34	126	6.8	36	1	2	5	9	14	17	32
35-49	1005	7.4	49	2	2	6	9	13	17	40
50-64	5687	8.4	47	2	3	7	10	16	21	36
65+	9806	9.2	59	2	3	7	11	17	23	40
GRAND TOTAL	**16755**	**8.8**	**54**	**2**	**3**	**7**	**11**	**17**	**22**	**38**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.1	9	1	1	2	4	5	10	17
20-34	176	3.8	6	1	1	3	5	8	9	11
35-49	44	3.9	5	1	2	3	5	7	9	11
50-64	19	4.1	8	1	1	3	5	9	11	11
65+	18	6.4	19	<1	1	7	8	12	16	18
B. *Operated*										
0-19 YRS	125	6.1	24	2	3	5	7	10	11	26
20-34	474	6.3	17	2	3	5	8	12	14	20
35-49	151	7.1	26	2	3	5	8	13	15	27
50-64	79	6.4	29	3	3	5	7	11	14	35
65+	53	10.6	51	3	4	9	13	20	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.1	27	1	1	3	5	11	17	23
20-34	41	5.3	29	1	1	4	7	10	15	30
35-49	31	5.1	6	2	3	4	6	9	10	11
50-64	60	7.4	37	1	1	6	10	14	17	35
65+	83	9.1	54	1	2	7	13	18	26	33
B. *Operated*										
0-19 YRS	25	10.2	42	2	3	9	13	20	22	26
20-34	137	8.7	28	3	3	7	11	16	19	29
35-49	122	10.1	42	3	4	9	14	20	22	32
50-64	192	12.8	132	3	4	10	16	24	32	67
65+	245	13.0	113	4	5	10	17	22	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	3.8	8	1	1	3	5	8	10	13
B. *Operated*	882	6.7	23	2	3	5	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	235	7.1	39	1	2	5	9	15	18	31
B. *Operated*	721	11.5	90	3	4	9	15	21	27	58
1. SINGLE DX	1204	5.9	21	1	2	5	7	11	14	22
2. MULTIPLE DX	956	10.5	81	2	3	8	14	20	26	47
A. NOT OPERATED	557	5.2	23	1	1	4	7	11	15	27
B. OPERATED	1603	8.9	59	3	3	7	11	17	21	41
TOTAL 0-19 YRS	235	5.6	25	1	2	4	7	11	15	23
20-34	828	6.1	19	1	2	5	8	12	15	21
35-49	348	7.6	31	2	3	6	10	15	19	27
50-64	350	9.9	95	2	3	7	11	20	26	62
65+	399	11.6	91	3	4	9	15	21	29	53
GRAND TOTAL	2160	7.9	52	2	2	6	10	16	20	36

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	626	3.1	4	1	1	3	4	5	6	10
20-34	181	3.6	6	<1	1	3	4	6	8	12
35-49	209	3.9	8	1	1	3	5	8	9	14
50-64	267	4.5	9	1	1	4	6	9	10	16
65+	341	6.1	23	1	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	100	5.6	29	1	1	3	8	13	17	24
20-34	117	7.9	82	1	2	6	10	15	19	53
35-49	192	8.0	58	1	2	6	11	16	24	40
50-64	276	8.4	49	1	2	7	11	19	23	34
65+	273	7.6	46	1	2	6	10	15	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	859	4.5	14	1	2	4	5	9	12	19
20-34	431	5.0	14	1	1	4	6	9	12	18
35-49	765	6.2	26	1	2	5	8	13	16	27
50-64	1957	7.5	43	2	2	6	9	14	18	30
65+	4274	9.1	56	2	3	7	11	17	22	40
B. *Operated*										
0-19 YRS	190	8.9	126	1	1	4	10	23	35	48
20-34	217	10.0	112	1	2	8	14	20	27	73
35-49	426	11.9	135	1	2	9	15	27	38	68
50-64	1014	11.4	129	2	2	8	15	24	32	59
65+	1483	12.8	148	2	3	9	16	26	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1624	4.1	11	1	1	3	5	8	10	17
B. *Operated*	958	7.7	52	1	2	6	10	15	22	35
2. MULTIPLE DX										
A. *Not Operated*	8286	7.8	46	2	2	6	10	15	19	34
B. *Operated*	3330	11.8	138	2	2	9	15	25	35	63
1. SINGLE DX	2582	5.5	29	1	1	4	7	11	15	27
2. MULTIPLE DX	11616	8.9	76	2	2	7	11	18	24	46
A. NOT OPERATED	9910	7.2	42	1	2	5	9	14	18	33
B. OPERATED	4288	10.9	122	2	2	8	14	23	32	59
TOTAL 0-19 YRS	1775	4.5	26	1	1	3	5	9	13	29
20-34	946	6.2	49	1	1	4	8	13	16	36
35-49	1592	7.6	64	1	2	5	9	16	24	43
50-64	3514	8.5	70	2	2	6	10	17	23	45
65+	6371	9.8	78	2	3	7	12	19	25	47
GRAND TOTAL	14198	8.3	69	1	2	6	10	17	23	44

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.8	4	<1	<1	3	4	5	7	10
20-34	70	2.6	5	<1	<1	1	4	5	8	10
35-49	29	3.7	8	<1	<1	3	5	8	9	11
50-64	15	2.3	2	<1	<1	2	4	4	5	5
65+	7	4.7	5	2	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	1535	2.0	1	<1	1	2	2	4	4	6
20-34	1402	2.7	3	1	1	2	3	4	5	7
35-49	618	3.0	3	1	1	3	4	5	6	8
50-64	338	2.9	3	1	2	2	3	5	6	9
65+	130	3.1	3	1	1	3	4	5	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	3.0	3	<1	1	3	4	5	7	8
20-34	117	3.3	5	<1	<1	3	4	6	8	11
35-49	88	4.0	9	<1	<1	3	6	9	9	14
50-64	64	6.2	57	1	1	4	8	12	14	50
65+	72	6.8	95	1	2	4	7	10	19	66
B. *Operated*										
0-19 YRS	1104	2.5	3	<1	1	2	3	4	5	8
20-34	1129	3.3	10	1	1	3	4	6	7	13
35-49	763	3.3	6	1	2	2	4	6	8	15
50-64	687	3.9	25	1	2	3	4	7	10	25
65+	474	4.1	14	2	2	3	4	7	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	2.9	5	<1	<1	2	4	6	8	10
B. *Operated*	4023	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	494	4.2	27	<1	1	3	5	8	9	22
B. *Operated*	4157	3.3	11	1	1	2	4	6	8	16
1. SINGLE DX	4195	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	4651	3.4	12	1	1	2	4	6	8	16
A. NOT OPERATED	666	3.9	22	<1	<1	3	5	7	9	15
B. OPERATED	8180	2.9	7	1	1	2	3	5	6	12
TOTAL 0-19 YRS	2843	2.3	2	<1	1	2	3	4	5	7
20-34	2718	3.0	6	1	1	2	4	5	6	10
35-49	1498	3.2	5	1	1	3	4	6	7	12
50-64	1104	3.7	21	1	2	3	4	6	10	23
65+	683	4.2	21	2	2	3	5	8	10	23
GRAND TOTAL	**8846**	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.5	4	1	1	3	4	6	7	10
20-34	41	4.0	9	<1	1	4	5	7	10	16
35-49	35	4.1	7	1	1	3	5	8	10	14
50-64	21	4.4	9	1	1	4	6	9	10	11
65+	31	3.7	5	<1	<1	4	5	7	7	10
B. *Operated*										
0-19 YRS	147	2.6	3	<1	1	2	3	5	6	9
20-34	129	3.1	11	<1	1	2	3	6	7	15
35-49	142	3.8	17	1	1	3	4	6	7	21
50-64	128	3.2	4	1	2	3	4	5	7	13
65+	145	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	3.9	6	1	1	3	5	7	8	13
20-34	58	4.5	9	1	2	4	6	8	12	14
35-49	53	5.5	9	2	2	5	7	9	12	16
50-64	62	5.2	12	1	2	5	7	9	12	18
65+	149	7.3	30	2	3	6	9	13	16	34
B. *Operated*										
0-19 YRS	83	3.5	6	1	1	3	4	7	9	14
20-34	116	4.1	12	1	2	3	5	7	9	22
35-49	138	4.5	19	1	2	3	5	9	15	25
50-64	166	4.4	11	2	2	3	5	9	11	22
65+	227	5.9	38	1	2	4	7	13	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.8	6	1	1	3	5	7	9	13
B. *Operated*	691	3.2	8	<1	1	3	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	507	5.3	16	1	2	4	7	10	12	19
B. *Operated*	730	4.7	21	1	2	3	5	10	14	27
1. SINGLE DX	923	3.3	7	<1	1	3	4	6	7	13
2. MULTIPLE DX	1237	5.0	19	1	2	4	6	10	13	24
A. NOT OPERATED	739	4.8	14	1	2	4	6	9	12	18
B. OPERATED	1421	4.0	15	1	1	3	4	7	10	22
TOTAL 0-19 YRS	519	3.4	5	1	1	3	4	6	8	11
20-34	344	3.8	11	1	1	3	4	7	9	16
35-49	368	4.3	16	1	2	3	5	8	10	20
50-64	377	4.1	9	1	2	3	5	8	10	18
65+	552	5.4	28	1	2	4	6	11	14	33
GRAND TOTAL	**2160**	**4.3**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	286	3.6	10	1	1	3	4	7	9	16
20-34	248	3.4	7	<1	1	3	4	6	7	15
35-49	402	3.4	6	1	1	3	4	6	8	12
50-64	305	3.9	6	1	1	3	5	7	9	13
65+	230	3.9	8	1	1	3	5	7	8	18
B. Operated										
0-19 YRS	108	5.1	31	<1	<1	3	6	13	17	27
20-34	109	5.4	13	1	1	5	8	11	12	16
35-49	159	5.3	14	1	1	5	8	10	12	17
50-64	153	5.3	14	1	1	5	8	10	11	15
65+	166	6.2	41	1	1	4	8	13	20	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	328	4.6	27	1	1	4	5	8	12	20
20-34	704	4.2	9	1	2	4	5	8	10	15
35-49	1299	4.7	12	1	2	4	6	8	10	16
50-64	1617	4.9	11	1	2	4	6	9	10	18
65+	1967	5.7	18	2	2	5	7	10	12	21
B. Operated										
0-19 YRS	177	9.3	83	1	1	6	12	24	30	36
20-34	290	7.8	39	2	2	7	10	14	22	35
35-49	591	7.5	37	2	2	6	9	14	19	34
50-64	946	7.8	65	2	2	6	9	14	20	39
65+	1384	9.2	99	2	2	7	11	19	26	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1471	3.6	7	1	1	3	5	7	8	13
B. Operated	695	5.5	23	1	1	4	8	11	14	23
2. MULTIPLE DX										
A. Not Operated	5915	5.0	14	1	2	4	6	9	11	19
B. Operated	3388	8.4	73	2	2	6	10	16	23	44
1. SINGLE DX	2166	4.2	13	1	1	3	5	8	10	19
2. MULTIPLE DX	9303	6.3	38	1	2	5	8	11	16	32
A. NOT OPERATED	7386	4.8	13	1	2	4	6	9	11	18
B. OPERATED	4083	7.9	66	1	2	6	10	15	22	41
TOTAL 0-19 YRS	899	5.3	37	1	1	3	6	11	16	34
20-34	1351	4.9	18	1	2	4	6	10	12	24
35-49	2451	5.2	19	1	2	4	6	10	13	22
50-64	3021	5.7	29	1	2	4	7	10	13	26
65+	3747	6.9	52	1	2	5	8	13	18	39
GRAND TOTAL	**11469**	**5.9**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	4.5	6	1	2	4	6	8	9	11
20-34	130	3.9	5	1	2	3	5	8	8	11
35-49	194	4.7	8	2	2	4	6	9	10	13
50-64	162	4.1	6	1	1	4	5	8	9	14
65+	130	6.2	28	1	2	5	7	11	13	30
B. Operated										
0-19 YRS	13	6.1	11	2	2	6	7	11	13	13
20-34	51	6.1	17	1	2	5	8	12	14	23
35-49	117	7.8	19	1	3	7	11	14	16	20
50-64	156	7.8	39	1	2	6	10	14	16	23
65+	101	7.8	31	1	2	6	11	15	18	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	4.1	6	<1	1	3	6	7	10	10
20-34	184	5.4	11	1	2	5	7	10	12	19
35-49	454	5.7	10	2	2	5	7	10	12	16
50-64	667	5.9	12	2	2	5	8	10	12	17
65+	944	7.2	22	2	3	6	9	13	16	28
B. Operated										
0-19 YRS	12	7.4	25	2	3	6	10	14	19	20
20-34	109	7.8	31	2	3	7	10	14	17	32
35-49	336	8.7	37	2	3	7	11	17	20	31
50-64	548	8.5	42	2	3	7	10	15	19	32
65+	755	9.8	50	2	3	8	12	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	642	4.7	12	1	2	4	6	9	10	15
B. Operated	438	7.5	29	1	2	7	10	14	16	25
2. MULTIPLE DX										
A. Not Operated	2278	6.3	16	2	2	5	8	11	14	21
B. Operated	1760	9.0	44	2	3	8	11	17	21	33
1. SINGLE DX	1080	5.8	21	1	2	5	8	11	14	22
2. MULTIPLE DX	4038	7.5	30	2	3	6	9	14	18	29
A. NOT OPERATED	2920	6.0	16	2	2	5	8	11	13	21
B. OPERATED	2198	8.7	41	2	3	7	11	16	20	32
TOTAL 0-19 YRS	80	5.0	11	1	2	4	6	10	11	18
20-34	474	5.6	17	1	2	5	7	10	13	20
35-49	1101	6.7	21	2	2	6	8	12	16	22
50-64	1533	6.8	27	2	2	6	9	12	16	25
65+	1930	8.2	36	2	3	7	10	16	19	30
GRAND TOTAL	**5118**	**7.2**	**29**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	14	2	2	5	7	10	15	16
20-34	32	4.5	7	1	2	4	6	7	10	14
35-49	64	5.1	9	1	2	5	6	9	10	18
50-64	98	5.0	4	2	3	5	6	8	9	11
65+	110	6.9	17	3	3	6	8	11	13	25
B. *Operated*										
0-19 YRS	5	7.6	6	5	5	8	10	10	10	10
20-34	36	8.6	14	4	4	8	11	15	16	17
35-49	62	7.9	18	2	3	7	11	12	15	22
50-64	73	9.3	40	3	4	8	12	14	17	43
65+	88	9.9	42	3	3	8	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.1	19	1	2	3	6	13	15	15
20-34	56	6.0	16	2	2	5	8	12	13	22
35-49	168	5.8	14	2	3	5	7	10	14	23
50-64	310	6.5	15	2	3	6	8	11	14	24
65+	696	8.6	32	3	4	7	11	16	19	30
B. *Operated*										
0-19 YRS	6	6.2	14	2	2	5	10	11	11	11
20-34	27	8.8	30	2	3	8	10	16	22	24
35-49	117	10.2	40	4	4	8	14	20	23	30
50-64	302	11.3	88	3	4	8	13	22	29	54
65+	682	13.0	94	4	5	10	16	26	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	5.7	11	2	3	5	7	9	11	20
B. *Operated*	264	9.0	32	3	4	8	11	15	18	33
2. MULTIPLE DX										
A. *Not Operated*	1242	7.6	26	3	3	6	9	14	17	26
B. *Operated*	1134	12.1	86	4	4	10	15	23	31	49
1. SINGLE DX	580	7.2	23	2	3	6	9	13	16	26
2. MULTIPLE DX	2376	9.8	60	3	4	7	12	19	24	40
A. NOT OPERATED	1558	7.2	24	2	3	6	9	13	17	25
B. OPERATED	1398	11.5	77	3	4	9	14	22	29	47
TOTAL 0-19 YRS	35	5.8	14	2	2	4	8	11	14	16
20-34	151	6.8	19	2	2	6	9	13	15	23
35-49	411	7.3	25	2	3	6	9	14	19	25
50-64	783	8.4	50	3	3	7	10	15	21	42
65+	1576	10.5	63	3	4	8	13	19	26	41
GRAND TOTAL	**2956**	**9.3**	**54**	**3**	**3**	**7**	**11**	**17**	**23**	**38**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	3.5	14	1	1	3	4	6	7	13
20-34	765	3.6	5	1	2	3	4	6	7	12
35-49	733	4.0	6	1	2	4	5	7	9	13
50-64	494	4.2	6	1	2	4	5	8	9	13
65+	259	4.8	7	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	10	7.1	31	1	1	6	8	16	20	20
20-34	81	9.3	33	3	4	8	11	17	22	28
35-49	121	9.1	24	3	4	8	11	14	17	29
50-64	82	10.5	63	2	3	9	11	22	25	46
65+	40	9.4	44	3	3	8	11	22	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	4.6	9	2	2	4	5	9	11	15
20-34	909	4.7	12	1	2	4	6	8	11	15
35-49	1463	4.9	9	2	2	4	6	9	11	15
50-64	1661	5.5	13	2	2	5	7	10	12	18
65+	1833	6.7	20	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	16	7.1	20	2	2	6	9	15	17	17
20-34	156	9.4	43	2	3	8	12	18	20	31
35-49	364	9.5	38	2	3	8	12	17	20	32
50-64	434	9.7	51	2	3	8	12	17	21	37
65+	399	10.9	70	3	4	9	14	20	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2425	4.0	6	1	2	3	5	7	9	13
B. *Operated*	334	9.4	38	3	4	8	11	17	23	30
2. MULTIPLE DX										
A. *Not Operated*	6017	5.6	15	2	2	5	7	10	13	19
B. *Operated*	1369	9.9	52	2	3	8	13	18	22	37
1. SINGLE DX	2759	4.6	13	1	2	4	6	9	11	19
2. MULTIPLE DX	7386	6.4	24	2	2	5	8	12	15	25
A. NOT OPERATED	8442	5.1	13	2	2	4	6	9	12	18
B. OPERATED	1703	9.8	50	2	3	8	12	17	22	36
TOTAL 0-19 YRS	351	4.2	13	1	1	3	5	8	10	17
20-34	1911	4.9	15	1	2	4	6	9	12	19
35-49	2681	5.5	16	2	2	4	7	10	13	20
50-64	2671	6.1	23	2	2	5	8	11	15	25
65+	2531	7.2	30	2	3	6	9	13	17	28
GRAND TOTAL	**10145**	**5.9**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.3	4	1	2	4	5	7	8	8
20-34	275	4.2	4	1	2	4	5	7	8	10
35-49	267	4.9	9	2	2	4	6	8	10	15
50-64	286	5.5	7	2	3	5	7	9	10	14
65+	231	6.1	11	2	3	5	8	10	12	20
B. *Operated*										
0-19 YRS	21	6.8	5	3	4	7	8	9	10	11
20-34	99	8.3	30	3	5	7	9	12	14	37
35-49	126	8.1	9	4	5	8	10	12	13	16
50-64	112	9.4	16	5	6	8	11	14	16	25
65+	122	12.0	43	5	6	11	14	18	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.6	6	2	3	4	7	8	9	12
20-34	233	4.6	6	2	2	4	6	8	9	12
35-49	402	5.5	10	2	3	5	7	9	11	15
50-64	650	6.5	16	2	3	6	8	11	13	24
65+	1206	8.3	29	3	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	13	8.5	19	2	2	8	12	13	17	18
20-34	78	12.8	132	4	5	10	13	25	31	76
35-49	147	13.1	84	5	6	11	16	24	29	41
50-64	266	13.4	82	5	5	10	17	26	30	49
65+	547	16.8	159	4	6	14	21	33	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1097	5.1	8	2	2	5	6	9	10	15
B. *Operated*	480	9.3	26	4	5	8	11	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	2530	7.0	22	2	3	6	8	12	15	25
B. *Operated*	1051	15.0	129	4	5	12	18	28	38	66
1. SINGLE DX	1577	6.4	17	2	3	5	8	11	13	22
2. MULTIPLE DX	3581	9.3	66	3	3	7	11	18	24	42
A. NOT OPERATED	3627	6.4	18	2	3	5	8	11	14	23
B. OPERATED	1531	13.2	103	4	5	10	16	25	33	57
TOTAL 0-19 YRS	111	5.4	9	2	2	5	8	8	11	15
20-34	685	5.9	31	2	2	5	7	10	12	28
35-49	942	6.9	29	2	3	6	8	12	15	28
50-64	1314	7.9	36	2	3	6	9	14	20	31
65+	2106	10.5	77	3	4	8	12	20	26	50
GRAND TOTAL	**5158**	**8.4**	**53**	**2**	**3**	**7**	**10**	**15**	**22**	**39**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	16	6.7	28	1	2	5	9	16	18	19
35-49	22	7.0	14	3	3	6	8	13	16	18
50-64	20	5.5	6	2	3	5	8	9	10	10
65+	21	7.2	12	2	3	7	10	11	13	15
B. *Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	9	14.1	62	6	7	12	17	27	32	32
35-49	38	12.2	34	6	6	11	15	21	24	28
50-64	42	12.6	62	3	4	11	16	20	31	38
65+	36	13.2	63	3	4	11	17	21	31	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.0	4	5	5	7	8	9	9	9
20-34	16	4.8	9	1	2	4	6	10	11	11
35-49	43	7.3	23	2	3	6	11	15	17	19
50-64	51	6.4	12	2	3	5	9	11	14	17
65+	120	9.2	32	3	3	8	12	16	18	32
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	20	14.9	56	7	7	13	17	27	30	33
35-49	61	16.0	81	4	6	13	21	27	33	46
50-64	127	20.5	244	5	7	16	27	33	52	99
65+	177	19.9	187	5	7	16	25	37	45	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	6.6	14	2	3	6	8	11	14	19
B. *Operated*	127	12.7	52	4	5	11	16	21	27	38
2. MULTIPLE DX										
A. *Not Operated*	233	7.9	26	2	3	7	10	15	17	28
B. *Operated*	386	19.2	184	5	7	16	24	35	46	77
1. SINGLE DX	207	10.3	46	3	3	9	14	19	21	38
2. MULTIPLE DX	619	15.0	154	3	4	12	19	30	39	68
A. NOT OPERATED	313	7.6	23	2	3	7	10	14	17	24
B. OPERATED	513	17.6	159	5	6	15	21	32	41	72
TOTAL 0-19 YRS	7	8.6	19	5	5	7	10	16	17	17
20-34	61	10.0	56	2	3	9	13	19	27	33
35-49	164	11.6	60	3	4	10	15	22	26	39
50-64	240	14.9	183	3	4	11	17	32	44	80
65+	354	14.8	139	3	4	11	19	27	38	67
GRAND TOTAL	**826**	**13.8**	**131**	**3**	**4**	**11**	**17**	**27**	**35**	**64**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	715	2.7	2	1	1	2	3	4	5	8
20-34	1277	3.2	4	1	1	3	4	5	6	10
35-49	975	3.6	6	1	1	3	4	6	8	11
50-64	524	3.6	6	1	1	3	4	6	8	12
65+	352	4.2	7	1	2	4	5	7	9	12
B. *Operated*										
0-19 YRS	21	4.7	11	2	2	4	5	11	12	13
20-34	84	5.8	27	1	2	5	7	10	15	31
35-49	103	5.6	13	<1	2	5	8	11	13	17
50-64	78	5.6	16	1	1	4	8	11	15	19
65+	76	7.0	25	1	2	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1055	3.1	4	1	1	3	4	5	7	11
20-34	2473	4.0	8	1	2	3	5	7	9	14
35-49	2997	4.6	11	2	2	4	6	9	11	17
50-64	3002	5.3	14	2	2	4	7	9	12	18
65+	3341	6.3	20	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	64	5.9	15	1	2	5	8	11	14	19
20-34	349	7.1	34	2	3	6	9	12	16	26
35-49	629	8.0	43	2	3	6	10	15	20	33
50-64	713	8.4	50	2	3	7	10	15	20	34
65+	948	9.3	61	3	3	8	11	17	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3843	3.3	5	1	1	3	4	6	7	11
B. *Operated*	362	5.9	20	1	2	5	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	12869	5.0	14	1	2	4	6	9	12	19
B. *Operated*	2703	8.4	50	2	3	7	10	15	20	36
1. SINGLE DX	4205	3.6	6	1	1	3	4	6	8	13
2. MULTIPLE DX	15571	5.6	22	2	2	4	7	10	13	23
A. NOT OPERATED	16711	4.6	12	1	2	4	6	8	11	18
B. OPERATED	3065	8.1	47	2	3	7	10	15	20	35
TOTAL 0-19 YRS	1855	3.1	4	1	1	3	4	5	7	11
20-34	4183	4.0	10	1	2	3	5	7	9	16
35-49	4704	5.0	16	1	2	4	6	9	12	21
50-64	4317	5.6	21	2	2	4	7	10	13	22
65+	4717	6.7	30	2	2	5	8	12	16	26
GRAND TOTAL	**19776**	**5.2**	**19**	**1**	**2**	**4**	**6**	**10**	**12**	**21**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.1	3	1	1	3	4	5	6	10
20-34	309	3.2	5	1	1	3	4	5	7	14
35-49	292	3.7	5	1	2	3	4	7	8	11
50-64	143	3.9	6	1	1	3	5	7	9	16
65+	91	4.4	8	1	2	4	6	8	9	15
B. *Operated*										
0-19 YRS	93	4.1	7	2	2	3	5	7	8	17
20-34	37	8.5	42	1	2	7	11	18	20	29
35-49	38	10.7	66	2	3	9	13	18	28	43
50-64	33	10.5	93	2	3	8	13	19	30	50
65+	30	11.9	79	2	2	10	16	24	32	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	3.6	6	1	1	3	4	5	8	16
20-34	610	4.2	12	1	2	3	5	7	9	14
35-49	667	4.9	12	2	2	4	6	9	12	18
50-64	695	5.3	17	2	2	4	6	10	13	21
65+	733	6.5	26	2	2	5	8	13	16	24
B. *Operated*										
0-19 YRS	41	7.2	29	2	3	5	9	14	18	28
20-34	100	7.9	32	2	3	7	11	15	22	44
35-49	169	12.1	94	3	4	10	15	23	30	49
50-64	225	14.8	174	3	4	11	18	31	42	65
65+	302	15.6	128	3	5	13	19	29	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	3.5	5	1	1	3	4	6	8	13
B. *Operated*	221	8.0	54	2	2	6	11	17	21	37
2. MULTIPLE DX										
A. *Not Operated*	2937	5.2	17	1	2	4	6	10	13	21
B. *Operated*	837	13.3	125	3	4	10	17	26	36	58
1. SINGLE DX	1235	4.3	17	1	1	3	5	8	11	20
2. MULTIPLE DX	3774	7.0	52	2	2	5	8	14	20	38
A. NOT OPERATED	3951	4.7	14	1	2	4	6	9	12	20
B. OPERATED	1058	12.2	115	2	3	9	16	24	33	57
TOTAL 0-19 YRS	535	3.8	8	1	1	3	4	6	9	16
20-34	1056	4.4	15	1	2	3	5	8	11	20
35-49	1176	5.8	32	2	2	4	7	12	16	29
50-64	1086	7.2	66	2	2	5	8	15	20	44
65+	1156	8.9	69	2	2	6	11	18	25	45
GRAND TOTAL	**5009**	**6.3**	**45**	**1**	**2**	**4**	**7**	**13**	**18**	**35**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	4	<1	1	2	3	5	7	8
20-34	19	2.4	2	<1	<1	2	3	5	6	7
35-49	10	4.1	16	<1	<1	3	5	10	14	14
50-64	6	4.3	6	1	1	4	7	7	7	7
65+	3	6.3	5	5	5	5	8	9	9	9
B. *Operated*										
0-19 YRS	3832	3.4	2	2	2	3	4	5	6	9
20-34	2513	3.7	2	2	2	3	4	5	6	9
35-49	774	4.2	4	2	2	4	5	7	8	10
50-64	322	4.8	5	2	3	4	6	8	9	12
65+	108	5.7	7	3	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	4	<1	1	2	4	7	8	8
20-34	10	4.4	10	1	1	3	7	9	11	11
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	6	9.7	103	2	2	7	11	27	29	29
65+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	575	4.8	9	2	2	4	6	8	11	17
20-34	494	5.0	9	2	3	4	6	9	11	16
35-49	238	6.0	22	2	3	5	7	10	12	24
50-64	170	7.5	39	3	3	6	9	12	15	32
65+	135	9.5	34	4	4	8	12	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.2	7	<1	1	2	5	7	8	14
B. *Operated*	7549	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	45	4.5	21	1	1	3	6	8	11	29
B. *Operated*	1612	5.7	18	2	3	5	7	10	13	21
1. SINGLE DX	7602	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX	1657	5.7	18	2	3	5	7	10	13	21
A. NOT OPERATED	98	3.8	13	<1	1	3	5	7	9	22
B. OPERATED	9161	4.0	6	2	2	3	5	6	8	13
TOTAL 0-19 YRS	4445	3.6	4	2	2	3	4	5	7	11
20-34	3036	3.9	4	2	2	4	5	6	7	11
35-49	1025	4.6	9	2	2	4	5	7	9	14
50-64	504	5.8	19	2	3	5	7	9	11	23
65+	249	7.7	26	3	3	6	10	13	16	26
GRAND TOTAL	**9259**	**4.0**	**6**	**2**	**2**	**3**	**5**	**6**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.6	8	3	3	6	9	10	12	12
20-34	14	5.1	6	1	2	5	7	8	9	9
35-49	5	7.0	6	5	5	6	9	10	10	10
50-64	11	6.7	15	4	4	6	7	12	17	18
65+	11	9.5	14	4	5	8	13	15	15	15
B. *Operated*										
0-19 YRS	824	7.0	17	2	3	7	9	12	14	20
20-34	463	6.4	11	2	3	6	8	11	12	17
35-49	247	7.3	10	3	4	7	9	12	13	17
50-64	209	9.0	16	4	5	8	11	14	16	21
65+	121	10.4	23	5	6	9	12	16	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	9	1	1	5	7	8	8	8
20-34	5	4.6	5	2	2	4	7	7	7	7
35-49	3	6.7	14	4	4	5	9	11	11	11
50-64	5	13.6	36	7	7	14	16	23	23	23
65+	13	7.9	22	2	3	7	10	15	17	18
B. *Operated*										
0-19 YRS	337	10.7	55	4	5	8	13	18	25	43
20-34	252	9.4	40	3	4	8	12	17	22	36
35-49	208	11.3	61	4	6	10	14	18	21	42
50-64	263	12.7	63	5	6	10	15	21	32	40
65+	278	15.2	81	6	7	13	19	27	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	6.9	12	3	3	6	8	12	14	18
B. *Operated*	1864	7.4	16	2	3	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	30	7.8	26	2	2	7	10	14	18	23
B. *Operated*	1338	11.9	64	4	5	10	14	21	27	42
1. SINGLE DX	1916	7.3	16	2	3	7	9	12	14	21
2. MULTIPLE DX	1368	11.8	63	4	5	10	14	21	27	42
A. NOT OPERATED	82	7.2	17	2	3	6	9	14	15	21
B. OPERATED	3202	9.2	41	3	4	8	11	16	21	36
TOTAL 0-19 YRS	1176	8.1	31	2	3	7	10	14	17	31
20-34	734	7.4	23	2	3	7	9	12	15	28
35-49	463	9.1	37	3	4	8	11	15	17	29
50-64	488	11.0	45	4	5	9	13	19	23	37
65+	423	13.5	67	5	6	11	16	24	29	47
GRAND TOTAL	**3284**	**9.2**	**41**	**3**	**4**	**8**	**11**	**16**	**21**	**36**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.0	2	<1	1	2	2	4	4	7
20-34	54	2.5	3	1	1	2	3	4	5	12
35-49	16	3.5	7	1	1	3	4	9	10	10
50-64	6	1.8	1	1	1	2	2	3	3	3
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	479	3.9	4	2	2	3	5	7	8	11
20-34	340	4.3	5	2	2	4	5	7	8	12
35-49	85	5.0	8	2	2	5	6	9	11	16
50-64	32	5.7	12	2	3	5	7	10	14	18
65+	15	7.7	23	2	4	7	9	10	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.0	4	<1	1	2	4	6	7	8
20-34	29	2.8	3	<1	<1	2	3	6	6	7
35-49	18	4.9	11	<1	<1	4	7	11	12	12
50-64	17	4.9	22	2	2	4	6	8	17	21
65+	11	4.6	9	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	223	5.1	11	2	3	5	6	8	10	17
20-34	207	5.6	12	2	3	5	6	9	12	20
35-49	78	7.2	13	3	4	6	9	12	16	17
50-64	25	9.6	76	3	4	7	11	17	26	46
65+	35	10.9	50	3	5	8	14	19	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	2.3	3	1	1	2	3	4	5	10
B. *Operated*	951	4.3	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	111	3.7	9	<1	1	3	5	7	8	16
B. *Operated*	568	6.1	19	2	3	5	7	11	14	23
1. SINGLE DX	1108	4.0	6	1	2	4	5	7	8	12
2. MULTIPLE DX	679	5.7	18	2	2	5	7	10	13	21
A. NOT OPERATED	268	2.9	6	<1	1	2	4	6	7	12
B. OPERATED	1519	5.0	11	2	2	4	6	8	11	18
TOTAL 0-19 YRS	816	4.0	6	1	2	4	5	7	8	12
20-34	630	4.5	8	2	2	4	5	8	10	16
35-49	197	5.8	11	2	2	5	7	11	12	17
50-64	80	6.5	38	2	2	5	7	13	17	38
65+	64	8.7	41	1	3	7	11	16	23	33
GRAND TOTAL	**1787**	**4.7**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	1.4		<1	<1	1	2	2	3	3
20-34	27	2.3	3	<1	<1	1	4	5	7	7
35-49	14	2.7	7	<1	<1	2	4	6	9	10
50-64	21	2.6	5	<1	<1	2	3	6	8	9
65+	13	3.2	14	<1	<1	2	4	8	13	14
B. *Operated*										
0-19 YRS	3122	2.0	1	<1	1	2	2	3	4	5
20-34	2741	3.4	2	2	2	3	4	5	6	7
35-49	2871	3.8	3	2	2	4	4	6	6	9
50-64	3612	4.1	3	2	2	4	5	6	7	10
65+	2740	4.6	4	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	1.5	2	<1	<1	1	1	3	4	8
20-34	34	2.4	3	<1	<1	2	3	5	6	6
35-49	30	3.3	6	<1	<1	3	5	7	8	9
50-64	57	3.2	4	<1	1	3	5	6	7	9
65+	116	5.0	26	<1	1	3	7	10	17	26
B. *Operated*										
0-19 YRS	1816	2.3	4	<1	1	2	2	4	5	10
20-34	899	3.9	3	2	2	4	5	6	7	10
35-49	1421	4.5	7	2	2	4	5	7	8	15
50-64	2728	5.3	11	2	3	5	6	9	11	17
65+	3500	6.4	18	2	3	5	8	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.2	4	<1	<1	1	2	4	7	11
B. *Operated*	15086	3.6	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	382	3.0	12	<1	<1	2	4	7	9	20
B. *Operated*	10364	4.9	13	1	2	4	6	9	11	18
1. SINGLE DX	15204	3.5	3	1	1	3	4	6	7	9
2. MULTIPLE DX	10746	4.8	13	1	2	4	6	8	11	18
A. NOT OPERATED	500	2.8	10	<1	<1	2	3	6	9	17
B. OPERATED	25450	4.1	8	1	2	4	5	7	8	15
TOTAL 0-19 YRS	5126	2.1	2	<1	1	2	2	3	4	7
20-34	3701	3.5	2	1	2	3	4	5	6	8
35-49	4336	4.0	4	2	2	4	5	6	7	11
50-64	6418	4.6	7	2	2	4	5	7	9	14
65+	6369	5.6	13	2	3	5	7	9	12	19
GRAND TOTAL	**25950**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**15**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.3	1	<1	<1	1	1	3	4	4
20-34	4	3.0	16	<1	<1	1	5	9	9	9
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	7	1.6	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	244	2.2	2	1	1	2	3	4	5	7
20-34	105	3.7	4	1	2	3	4	6	7	12
35-49	68	4.3	3	2	2	4	5	6	9	10
50-64	119	4.6	4	2	2	4	6	7	9	11
65+	193	5.8	9	2	3	6	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.9	1	<1	<1	2	3	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	15	5.7	17	1	1	5	8	11	15	16
B. *Operated*										
0-19 YRS	144	2.9	6	1	1	2	3	5	8	14
20-34	43	4.2	5	1	2	4	6	7	8	12
35-49	51	5.9	12	2	2	5	8	10	11	21
50-64	125	7.1	19	2	3	6	9	13	15	22
65+	377	10.6	81	3	4	8	12	21	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.8	3	<1	<1	1	2	4	5	9
B. *Operated*	729	4.0	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	32	3.8	12	<1	1	3	5	8	11	16
B. *Operated*	740	7.8	56	1	2	6	9	15	22	37
1. SINGLE DX	755	3.9	7	1	1	3	5	7	9	13
2. MULTIPLE DX	772	7.6	55	1	2	6	9	15	22	37
A. NOT OPERATED	58	2.9	9	<1	<1	2	4	7	9	16
B. OPERATED	1469	5.9	35	1	1	4	7	11	15	33
TOTAL 0-19 YRS	410	2.4	4	1	1	2	3	4	6	11
20-34	153	3.8	4	1	2	3	5	6	7	12
35-49	123	4.9	8	2	2	4	6	9	10	15
50-64	249	5.8	13	2	3	5	7	10	13	19
65+	592	8.8	60	2	3	7	10	16	24	40
GRAND TOTAL	**1527**	**5.8**	**35**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	5	<1	<1	1	2	6	7	7
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	709	2.2	2	<1	1	2	2	3	4	6
20-34	217	3.1	2	1	2	3	4	5	5	8
35-49	233	3.3	3	1	2	3	4	5	6	10
50-64	139	3.8	4	2	2	3	5	7	8	9
65+	59	4.8	9	2	2	4	6	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.4	1	<1	<1	1	2	2	3	5
20-34	11	2.4	3	<1	<1	2	4	5	6	6
35-49	8	2.9	4	<1	<1	2	4	6	7	7
50-64	11	3.5	6	<1	1	3	4	7	10	10
65+	8	5.3	5	1	2	5	6	8	9	9
B. *Operated*										
0-19 YRS	195	2.7	3	1	1	2	3	5	6	11
20-34	112	4.4	8	2	2	4	5	7	9	18
35-49	171	5.6	50	2	2	4	7	8	11	19
50-64	206	6.3	42	2	2	5	7	11	13	28
65+	132	8.9	86	3	3	7	10	15	22	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.5	5	<1	<1	1	3	7	8	8
B. *Operated*	1357	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	67	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*	816	5.4	41	1	2	4	7	9	12	26
1. SINGLE DX	1372	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX	883	5.2	38	1	2	4	6	9	12	26
A. NOT OPERATED	82	2.5	5	<1	<1	2	3	6	7	10
B. OPERATED	2173	3.8	19	1	1	3	4	7	9	17
TOTAL 0-19 YRS	940	2.3	2	<1	1	2	3	3	5	7
20-34	343	3.5	4	1	2	3	4	6	7	13
35-49	415	4.2	24	1	2	3	5	7	9	13
50-64	356	5.2	27	2	2	4	6	9	12	17
65+	201	7.5	63	2	3	6	9	13	19	39
GRAND TOTAL	**2255**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.3	4	1	1	2	3	5	5	5
35-49	9	4.0	4	1	2	3	5	7	7	7
50-64	8	3.4	5	<1	<1	3	5	6	7	7
65+	7	3.4	4	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	121	2.8	10	<1	1	2	3	5	6	16
20-34	318	4.2	4	2	2	4	5	7	8	11
35-49	477	5.2	6	2	2	5	7	9	9	12
50-64	568	6.0	10	2	3	5	8	9	11	16
65+	421	6.5	8	3	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	15	3.3	7	<1	<1	3	4	8	9	9
35-49	31	4.4	26	1	1	3	5	11	12	26
50-64	51	5.5	27	1	1	4	7	12	13	28
65+	77	5.2	15	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	57	4.0	7	1	1	3	5	8	10	93
20-34	195	5.7	9	2	3	5	7	9	11	17
35-49	525	7.1	21	2	3	6	8	12	15	26
50-64	692	8.1	24	3	3	7	10	13	17	27
65+	666	9.8	50	3	4	8	12	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.3	4	<1	<1	3	5	6	7	7
B. *Operated*	1905	5.4	9	2	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	176	4.9	19	1	1	4	6	10	12	25
B. *Operated*	2135	8.0	32	2	3	7	10	14	17	28
1. SINGLE DX	1935	5.4	9	2	2	5	7	9	10	14
2. MULTIPLE DX	2311	7.8	31	2	3	7	9	14	17	28
A. NOT OPERATED	206	4.7	17	1	1	4	6	9	12	24
B. OPERATED	4040	6.8	22	2	3	6	8	12	15	24
TOTAL 0-19 YRS	182	3.1	9	<1	1	2	4	6	8	26
20-34	532	4.7	7	2	2	4	6	8	9	13
35-49	1042	6.1	15	2	3	5	8	10	13	20
50-64	1319	7.1	19	2	3	6	8	12	15	24
65+	1171	8.3	36	3	3	7	10	14	18	29
GRAND TOTAL	**4246**	**6.7**	**22**	**2**	**2**	**6**	**8**	**12**	**15**	**24**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	74	3.3	6	1	1	3	4	5	6	16
35-49	227	3.5	3	1	2	3	4	6	7	10
50-64	270	3.8	4	1	1	3	5	6	8	10
65+	188	4.1	6	1	2	4	5	7	9	13
B. *Operated*										
0-19 YRS	9	10.3	75	2	3	7	12	25	31	31
20-34	14	8.1	6	3	5	8	10	11	12	12
35-49	52	6.0	12	2	2	6	8	10	12	17
50-64	60	7.5	22	2	2	7	10	13	15	24
65+	31	11.0	48	1	3	10	14	19	27	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.9	20	1	1	3	6	9	15	21
20-34	387	4.3	9	1	2	4	5	8	9	14
35-49	1180	4.4	8	1	2	4	5	8	9	14
50-64	1982	4.6	7	2	2	4	6	8	9	15
65+	2551	5.5	15	2	2	5	7	9	12	21
B. *Operated*										
0-19 YRS	19	10.2	47	3	4	8	15	21	25	27
20-34	146	8.1	21	3	3	7	10	14	16	25
35-49	459	8.3	34	2	3	8	10	14	18	29
50-64	583	8.4	36	2	3	8	10	15	20	32
65+	563	10.1	60	3	3	8	12	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.7	4	1	2	3	5	6	7	11
B. *Operated*	166	7.9	28	2	2	7	10	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	6129	4.9	11	2	2	4	6	8	10	18
B. *Operated*	1770	8.9	43	2	3	8	11	16	20	33
1. SINGLE DX	927	4.4	11	1	2	4	5	8	11	17
2. MULTIPLE DX	7899	5.8	21	2	2	5	7	10	14	23
A. NOT OPERATED	6890	4.8	10	2	2	4	6	8	10	17
B. OPERATED	1936	8.8	41	2	3	8	11	16	20	32
TOTAL 0-19 YRS	59	7.4	42	1	2	6	9	15	22	31
20-34	621	5.1	14	1	2	4	7	10	13	18
35-49	1918	5.2	17	1	2	4	7	9	12	20
50-64	2895	5.3	16	2	2	4	7	9	12	21
65+	3333	6.3	26	2	2	5	8	11	16	26
GRAND TOTAL	**8826**	**5.7**	**20**	**2**	**2**	**4**	**7**	**10**	**14**	**23**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	3	6.0	13	3	3	5	9	10	10	10
50-64	6	5.8	30	1	1	4	8	15	16	16
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	14	2.6	7	<1	1	2	3	4	9	11
20-34	62	3.5	2	2	2	3	4	5	7	9
35-49	72	4.5	15	2	2	4	5	7	11	25
50-64	88	4.9	6	2	3	4	6	8	10	14
65+	81	5.1	7	2	2	5	7	8	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	4	4.3	11	2	2	3	6	9	9	9
35-49	9	3.3	3	<1	1	3	4	6	7	7
50-64	14	4.1	5	1	2	4	5	7	9	10
65+	21	6.2	25	2	3	5	6	11	19	25
B. *Operated*										
0-19 YRS	7	2.9	1	2	2	2	4	4	4	4
20-34	26	5.2	9	2	3	4	6	10	13	15
35-49	71	5.9	15	2	2	4	8	11	12	22
50-64	84	7.0	18	2	3	6	9	13	16	21
65+	125	8.2	39	3	3	7	10	18	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.7	15	1	1	4	5	10	14	16
B. *Operated*	317	4.5	8	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	51	4.7	11	1	2	4	6	8	10	25
B. *Operated*	313	7.0	26	2	3	5	9	13	18	23
1. SINGLE DX	333	4.5	8	2	2	4	5	7	9	16
2. MULTIPLE DX	364	6.7	25	2	3	5	8	12	18	23
A. NOT OPERATED	67	4.7	14	1	2	4	6	8	11	23
B. OPERATED	630	5.7	18	2	2	4	7	10	14	23
TOTAL 0-19 YRS	26	2.6	4	<1	1	2	3	4	6	11
20-34	96	4.1	5	2	2	4	5	6	9	14
35-49	155	5.1	15	2	2	4	6	10	12	23
50-64	192	5.8	13	2	3	5	7	10	14	19
65+	228	6.9	28	2	3	6	8	12	19	27
GRAND TOTAL	**697**	**5.6**	**18**	**2**	**2**	**4**	**7**	**10**	**14**	**23**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.3		2	2	2	3	3	3	3
35-49	7	2.3	1	<1	<1	2	3	4	4	4
50-64	9	3.9	3	<1	1	4	5	6	6	6
65+	12	3.7	9	<1	<1	3	5	8	11	11
B. *Operated*										
0-19 YRS	51	2.9	12	<1	1	2	3	4	6	22
20-34	77	3.8	3	1	2	4	5	6	7	10
35-49	149	4.5	6	2	2	4	5	8	9	15
50-64	165	6.0	13	2	3	5	8	10	13	18
65+	190	8.2	41	2	3	7	10	15	19	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	18	4.7	7	1	2	4	7	8	9	10
50-64	22	5.4	13	2	2	5	6	10	13	17
65+	102	6.6	32	2	2	5	8	12	18	34
B. *Operated*										
0-19 YRS	27	5.8	33	1	1	4	6	13	20	26
20-34	56	6.8	19	1	3	6	9	11	13	24
35-49	147	8.3	50	2	3	7	10	14	17	38
50-64	262	9.4	43	3	4	8	11	16	21	33
65+	489	11.9	72	4	4	10	15	21	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.2	5	<1	<1	3	4	6	7	11
B. *Operated*	632	5.8	22	2	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	143	6.1	26	2	2	5	7	11	14	32
B. *Operated*	981	10.2	60	3	4	8	13	19	24	39
1. SINGLE DX	665	5.6	21	2	2	4	7	10	14	23
2. MULTIPLE DX	1124	9.7	58	2	3	8	12	18	23	37
A. NOT OPERATED	176	5.6	24	1	2	4	7	10	13	29
B. OPERATED	1613	8.5	50	2	3	7	11	16	21	36
TOTAL 0-19 YRS	81	3.8	21	<1	1	2	4	7	14	25
20-34	136	5.0	12	1	2	4	6	10	11	21
35-49	321	6.2	30	2	2	5	8	11	15	29
50-64	458	7.8	33	2	3	7	10	14	17	25
65+	793	10.2	64	2	3	8	13	19	25	40
GRAND TOTAL	**1789**	**8.2**	**48**	**2**	**2**	**6**	**10**	**16**	**21**	**35**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	3.0	5	1	1	2	4	6	8	10
20-34	176	4.4	6	1	1	4	6	8	9	13
35-49	257	4.8	10	1	1	4	6	9	11	16
50-64	363	4.9	10	1	2	4	6	8	11	18
65+	432	5.6	13	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	143	7.4	20	3	3	7	9	13	18	23
20-34	167	9.1	20	4	5	8	11	14	17	26
35-49	220	11.0	42	5	6	9	13	18	24	40
50-64	219	11.7	34	5	6	11	13	19	24	32
65+	306	13.4	68	6	7	12	15	21	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.5	11	1	1	3	4	7	9	20
20-34	222	5.2	18	1	2	4	6	9	11	23
35-49	437	6.1	18	2	2	5	8	11	14	23
50-64	726	6.5	20	2	2	5	8	12	14	24
65+	1875	8.3	44	2	3	7	10	16	20	32
B. *Operated*										
0-19 YRS	155	10.0	68	3	4	8	12	18	31	97
20-34	266	12.5	61	5	6	10	16	22	29	42
35-49	370	13.8	70	5	7	12	17	23	29	58
50-64	640	16.2	117	6	7	13	20	30	39	70
65+	1343	18.7	156	7	8	15	22	34	44	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1368	4.8	10	1	2	4	6	9	11	17
B. *Operated*	1055	11.1	45	4	5	10	13	18	23	37
2. MULTIPLE DX										
A. *Not Operated*	3350	7.3	34	2	2	6	9	14	18	29
B. *Operated*	2774	16.4	129	5	7	13	20	30	39	75
1. SINGLE DX	2423	7.6	35	1	2	6	10	14	18	30
2. MULTIPLE DX	6124	11.4	98	2	3	9	14	22	30	53
A. NOT OPERATED	4718	6.6	28	1	2	5	8	13	16	26
B. OPERATED	3829	14.9	111	5	6	12	18	27	35	67
TOTAL 0-19 YRS	528	6.4	37	1	1	5	8	12	17	35
20-34	831	8.2	41	2	2	7	10	16	22	34
35-49	1284	8.9	50	2	3	7	11	17	22	33
50-64	1948	10.0	74	2	3	8	13	20	27	49
65+	3956	11.9	107	2	3	9	15	23	31	55
GRAND TOTAL	**8547**	**10.3**	**83**	**2**	**3**	**8**	**13**	**21**	**27**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4652	2.9	3	1	1	3	4	5	6	7
20-34	2197	2.8	3	1	1	2	4	5	6	9
35-49	1196	3.3	5	1	1	3	4	6	7	11
50-64	789	3.7	6	1	1	3	5	7	8	12
65+	743	4.3	14	1	2	3	5	8	9	15
B. *Operated*										
0-19 YRS	118	5.3	77	2	2	4	6	9	10	46
20-34	152	4.8	7	2	2	4	6	8	10	13
35-49	85	5.6	15	1	2	5	8	10	12	22
50-64	55	7.6	104	1	2	5	8	13	25	68
65+	39	7.3	22	1	2	7	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7283	3.6	5	1	2	3	4	6	8	13
20-34	2800	3.7	7	1	1	3	4	7	8	13
35-49	2260	4.5	12	1	2	4	6	8	10	16
50-64	2662	5.1	12	2	2	4	6	9	11	17
65+	4928	6.2	24	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	166	8.0	70	2	3	5	10	14	23	60
20-34	240	7.9	57	2	3	6	10	15	17	39
35-49	286	8.2	39	2	3	7	10	14	19	31
50-64	340	10.2	90	2	3	7	12	20	29	50
65+	540	11.9	89	3	4	9	15	22	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9577	3.1	5	1	1	3	4	5	7	11
B. *Operated*	449	5.6	41	2	2	4	7	10	12	25
2. MULTIPLE DX										
A. *Not Operated*	19933	4.6	13	1	2	4	5	8	11	18
B. *Operated*	1572	9.8	76	2	3	7	12	19	25	48
1. SINGLE DX	10026	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	21505	4.9	20	1	2	4	6	9	12	22
A. NOT OPERATED	29510	4.1	11	1	1	3	5	7	10	16
B. OPERATED	2021	8.9	71	2	3	7	11	17	24	45
TOTAL 0-19 YRS	12219	3.4	7	1	1	3	4	6	7	12
20-34	5389	3.6	9	1	1	3	4	6	8	14
35-49	3827	4.4	13	1	1	4	5	8	11	17
50-64	3846	5.3	22	1	2	4	6	10	12	23
65+	6250	6.5	31	2	2	5	8	12	16	29
GRAND TOTAL	**31531**	**4.4**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	68	4.4	9	1	2	4	6	9	11	16
35-49	410	4.6	7	1	2	4	6	8	9	14
50-64	942	4.7	8	1	2	4	6	8	10	14
65+	1150	4.8	10	1	2	4	6	9	10	16
B. Operated										
0-19 YRS										
20-34	36	8.4	22	2	4	7	11	14	17	26
35-49	95	10.0	13	5	6	10	11	15	16	23
50-64	213	10.7	29	3	5	10	13	16	19	27
65+	187	12.0	40	3	4	12	15	20	23	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	63	4.9	10	1	2	4	6	8	10	20
35-49	563	5.2	12	1	2	4	6	9	11	18
50-64	2296	5.3	12	1	2	5	7	9	11	17
65+	6000	6.4	21	1	2	5	8	11	14	23
B. Operated										
0-19 YRS	6	9.0	28	1	2	9	11	16	17	17
20-34	43	12.5	76	4	5	9	15	23	29	65
35-49	213	11.8	46	4	5	10	15	20	24	37
50-64	864	12.2	65	3	4	10	15	21	26	55
65+	1640	14.3	121	3	4	12	18	26	35	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2571	4.7	9	1	2	4	6	8	10	15
B. Operated	531	10.9	30	3	5	11	13	17	20	27
2. MULTIPLE DX										
A. Not Operated	8944	6.0	18	2	2	5	7	11	13	22
B. Operated	2866	13.4	102	3	4	11	17	24	32	55
1. SINGLE DX	3102	5.8	18	1	2	5	7	11	13	21
2. MULTIPLE DX	11810	7.8	49	2	3	6	9	15	20	36
A. NOT OPERATED	11515	5.7	17	2	3	5	7	10	13	20
B. OPERATED	3397	13.0	92	3	4	11	16	23	30	53
TOTAL 0-19 YRS	9	7.6	23	1	2	7	10	15	17	17
20-34	210	7.0	34	2	2	5	8	14	18	30
35-49	1401	6.8	27	2	2	5	9	13	17	25
50-64	4315	5.8	35	2	2	5	8	13	17	29
65+	8977	7.7	69	2	2	6	9	15	20	36
GRAND TOTAL	14912	7.4	43	2	2	6	9	14	19	33

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.9	7	<1	<1	2	4	5	6	14
20-34	72	3.0	3	<1	1	3	4	5	6	9
35-49	85	3.5	7	<1	1	3	4	6	9	11
50-64	37	3.5	10	<1	1	2	4	5	11	14
65+	17	3.9	9	<1	1	3	5	9	10	11
B. Operated										
0-19 YRS	167	2.9	3	<1	1	2	4	5	6	10
20-34	1153	3.2	3	1	1	3	4	4	7	10
35-49	998	3.5	4	1	1	3	4	6	7	11
50-64	509	3.8	7	1	2	3	4	6	8	12
65+	187	4.9	14	2	2	4	6	9	11	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	3.6	11	1	1	2	4	7	12	16
20-34	74	3.4	11	1	1	3	4	5	6	23
35-49	111	4.0	7	1	1	4	5	6	9	14
50-64	97	4.9	20	1	1	4	6	9	13	26
65+	106	7.8	59	2	2	5	9	15	24	42
B. Operated										
0-19 YRS	102	4.3	17	1	1	3	5	8	10	25
20-34	956	4.4	11	1	2	4	5	7	9	17
35-49	1149	4.6	12	1	2	4	5	8	10	20
50-64	660	5.4	21	1	2	4	6	9	12	24
65+	481	7.4	56	2	3	5	9	14	21	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	201	3.2	6	<1	1	3	4	6	9	13
B. Operated	3014	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	438	5.0	26	1	1	4	6	9	14	30
B. Operated	3548	5.1	21	2	2	4	6	9	12	25
1. SINGLE DX	3215	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX	3986	5.1	22	2	2	4	6	9	12	25
A. NOT OPERATED	639	4.4	21	1	1	3	5	8	12	24
B. OPERATED	6562	4.4	14	1	2	4	5	7	9	20
TOTAL 0-19 YRS	349	3.4	9	1	1	3	4	6	8	16
20-34	2255	3.8	7	1	2	3	5	6	8	13
35-49	2303	4.1	9	1	2	3	5	7	8	17
50-64	1503	4.8	16	1	2	4	6	9	11	21
65+	791	6.8	47	2	2	5	8	13	20	43
GRAND TOTAL	7201	4.4	15	1	2	4	5	7	10	21

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	838	3.1	5	1	1	3	4	6	7	11
20-34	1434	4.1	10	1	2	3	5	7	9	15
35-49	1167	4.3	10	1	1	3	5	8	10	17
50-64	716	4.4	13	1	2	3	5	8	10	19
65+	693	4.5	13	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	279	6.2	46	1	1	4	8	14	18	38
20-34	526	6.9	39	1	2	5	9	14	18	30
35-49	479	7.9	49	1	2	6	10	17	21	34
50-64	348	6.6	29	1	1	5	9	13	17	26
65+	360	8.8	69	2	2	6	12	19	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	818	4.1	15	1	1	3	5	7	9	22
20-34	1990	4.8	12	1	2	4	6	9	11	18
35-49	2465	5.2	18	1	2	4	6	9	12	22
50-64	2590	5.4	16	1	2	4	7	10	13	21
65+	4398	6.4	34	2	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	336	9.5	113	1	2	6	12	21	34	47
20-34	1185	9.1	66	2	3	7	11	17	22	46
35-49	1359	9.6	76	2	3	7	12	20	28	49
50-64	1464	10.9	107	2	3	8	14	23	33	65
65+	1979	13.1	130	2	3	10	17	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4848	4.1	10	1	1	3	5	8	10	16
B. *Operated*	1992	7.3	47	1	2	5	9	16	19	33
2. MULTIPLE DX										
A. *Not Operated*	12261	5.5	23	1	2	4	7	10	13	24
B. *Operated*	6323	10.9	103	2	3	8	14	23	31	55
1. SINGLE DX	6840	5.0	23	1	1	4	6	10	14	24
2. MULTIPLE DX	18584	7.4	56	2	2	5	9	15	21	40
A. NOT OPERATED	17109	5.1	20	1	2	4	6	9	12	22
B. OPERATED	8315	10.0	92	2	2	7	13	21	29	50
TOTAL 0-19 YRS	2271	4.8	34	1	1	3	5	9	14	34
20-34	5135	5.8	30	1	2	4	7	11	15	28
35-49	5470	6.3	38	1	2	5	8	12	18	34
50-64	5118	6.9	49	1	2	5	8	14	20	38
65+	7430	8.1	69	2	2	6	10	17	23	44
GRAND TOTAL	**25424**	**6.7**	**48**	**1**	**2**	**5**	**8**	**14**	**19**	**37**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	25	8.4	55	1	3	4	12	20	23	28
35-49	48	7.3	34	1	1	6	9	15	20	27
50-64	52	7.7	33	1	2	6	10	14	16	35
65+	19	9.2	50	1	3	8	12	16	25	32
B. *Operated*										
0-19 YRS										
20-34	5	14.0	255	3	3	6	22	41	41	41
35-49	21	6.8	27	1	2	6	9	15	18	20
50-64	17	6.4	50	1	2	4	7	16	25	29
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	135	10.7	104	1	3	7	12	28	29	47
35-49	459	11.3	111	2	3	8	14	25	28	51
50-64	639	12.0	90	3	3	9	16	24	30	51
65+	278	11.0	73	3	4	8	14	22	26	40
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	40	14.0	119	2	2	11	21	32	36	42
35-49	127	14.8	167	2	3	11	18	31	45	65
50-64	200	14.2	120	2	4	11	19	29	37	60
65+	74	11.1	64	2	3	9	15	22	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	7.8	39	1	2	6	9	15	20	32
B. *Operated*	46	7.1	60	1	2	4	9	16	22	41
2. MULTIPLE DX										
A. *Not Operated*	1514	11.5	95	2	3	8	15	24	29	50
B. *Operated*	442	13.8	125	2	3	11	18	29	37	56
1. SINGLE DX	191	7.7	43	1	2	6	9	16	20	34
2. MULTIPLE DX	1956	12.0	102	2	3	9	16	25	31	51
A. NOT OPERATED	1659	11.1	91	2	3	8	14	24	28	46
B. OPERATED	488	13.2	122	2	3	10	17	27	36	56
TOTAL 0-19 YRS	5	5.8	34	2	2	3	8	16	16	16
20-34	205	11.1	106	2	2	7	15	28	32	44
35-49	655	11.5	118	2	3	8	15	25	30	56
50-64	908	12.1	95	2	3	9	16	25	31	51
65+	374	10.9	70	3	4	8	14	22	26	40
GRAND TOTAL	**2147**	**11.6**	**99**	**2**	**3**	**9**	**15**	**25**	**30**	**51**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.0	1	<1	<1	2	3	4	4	4
20-34	19	4.7	15	1	1	4	5	10	14	17
35-49	24	5.4	6	2	3	5	7	8	9	12
50-64	49	6.4	18	1	2	6	9	11	15	22
65+	27	7.7	47	1	2	6	9	18	25	27
B. *Operated*										
0-19 YRS	22	2.9	5	<1	1	2	3	7	8	10
20-34	90	2.7	4	1	1	2	3	5	6	13
35-49	72	3.1	5	1	1	2	4	5	8	11
50-64	82	4.1	16	1	1	2	5	10	13	20
65+	51	5.7	29	1	1	4	9	12	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.1	83	1	2	6	9	16	28	44
20-34	53	7.3	34	1	1	6	9	16	19	28
35-49	180	9.3	70	1	2	7	12	19	26	43
50-64	402	9.7	69	2	3	7	12	19	25	42
65+	435	11.0	79	3	3	8	13	27	30	45
B. *Operated*										
0-19 YRS	18	7.4	72	1	2	3	9	23	29	30
20-34	72	6.8	53	2	2	5	9	14	17	46
35-49	147	8.2	55	1	2	6	11	18	23	34
50-64	318	9.9	97	2	2	7	12	21	29	45
65+	289	13.0	155	2	2	9	18	26	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	5.8	22	1	2	5	8	11	15	25
B. *Operated*	317	3.6	12	1	1	2	4	6	11	19
2. MULTIPLE DX										
A. *Not Operated*	1092	10.0	72	2	3	8	12	20	26	44
B. *Operated*	844	10.3	109	2	2	7	13	22	30	46
1. SINGLE DX	449	4.3	16	1	1	3	5	9	12	21
2. MULTIPLE DX	1936	10.1	88	2	2	8	13	21	29	44
A. NOT OPERATED	1224	9.6	69	2	3	7	12	19	25	43
B. OPERATED	1161	8.5	92	1	2	5	11	19	27	44
TOTAL 0-19 YRS	75	5.3	49	1	1	3	7	11	17	40
20-34	234	5.2	31	1	1	3	6	11	15	28
35-49	423	7.6	55	1	2	5	10	15	21	42
50-64	851	9.1	75	2	2	7	11	19	25	42
65+	802	11.3	105	2	3	8	14	23	32	49
GRAND TOTAL	**2385**	**9.0**	**80**	**1**	**2**	**7**	**11**	**19**	**26**	**44**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.5	8	1	1	4	6	8	9	16
20-34	201	5.3	12	<1	2	5	7	9	11	19
35-49	75	5.6	13	1	2	5	7	10	13	19
50-64	74	5.7	16	1	2	5	8	9	14	21
65+	60	7.4	27	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	13	6.5	69	1	1	3	9	19	26	28
20-34	34	5.3	23	2	2	4	6	11	17	23
35-49	30	6.7	80	1	1	2	8	16	25	42
50-64	37	6.5	32	1	1	4	9	14	15	28
65+	24	8.6	55	1	2	7	12	18	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	5.1	12	1	2	4	7	10	11	17
20-34	176	6.4	20	1	2	5	8	13	17	22
35-49	245	8.9	77	2	2	7	11	17	25	45
50-64	421	8.1	37	2	3	6	10	15	20	34
65+	436	10.0	67	2	3	8	12	19	25	40
B. *Operated*										
0-19 YRS	16	12.6	286	1	2	8	13	26	58	71
20-34	41	9.5	61	1	2	8	14	18	25	38
35-49	93	12.3	136	1	2	9	16	26	35	59
50-64	159	15.0	166	2	3	11	19	31	41	69
65+	156	13.9	116	2	3	11	18	30	36	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	5.6	15	1	2	5	7	9	13	19
B. *Operated*	138	6.6	47	1	1	4	9	15	19	33
2. MULTIPLE DX										
A. *Not Operated*	1338	8.5	52	2	3	7	10	16	21	35
B. *Operated*	465	13.5	139	2	2	10	17	29	37	60
1. SINGLE DX	614	5.8	22	1	2	5	8	11	15	26
2. MULTIPLE DX	1803	9.8	80	2	3	7	12	20	27	46
A. NOT OPERATED	1814	7.7	44	2	2	6	9	15	19	34
B. OPERATED	603	11.9	127	2	2	9	15	26	33	54
TOTAL 0-19 YRS	155	5.7	47	1	1	4	7	10	15	28
20-34	452	6.1	22	1	2	5	8	11	16	23
35-49	443	8.9	83	2	2	6	11	18	25	51
50-64	691	9.3	74	2	3	7	12	18	25	42
65+	676	10.6	78	2	3	8	14	21	29	45
GRAND TOTAL	**2417**	**8.8**	**68**	**2**	**2**	**6**	**11**	**18**	**24**	**42**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.4	3	<1	1	2	3	5	6	8
20-34	349	2.7	3	1	1	2	4	5	6	8
35-49	312	3.1	5	1	1	3	4	6	7	11
50-64	293	3.7	7	1	1	3	5	7	8	13
65+	347	4.7	8	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	312	6.3	6	4	4	6	7	9	11	14
20-34	3013	6.6	6	4	4	6	8	9	11	14
35-49	2675	7.0	7	4	5	6	8	10	12	15
50-64	2409	7.8	10	4	5	7	9	12	14	18
65+	1529	9.4	16	5	5	8	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.1	13	1	1	3	5	8	11	19
20-34	308	3.7	6	1	1	3	5	7	8	12
35-49	465	4.4	9	1	2	4	5	8	10	14
50-64	864	4.9	10	1	2	4	6	9	11	16
65+	2119	6.5	25	2	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	212	8.7	18	4	5	8	10	13	16	24
20-34	2057	8.2	15	4	5	7	10	13	15	22
35-49	2807	9.0	22	4	5	8	11	14	17	26
50-64	3948	10.3	33	5	6	9	12	16	20	31
65+	4957	13.4	62	6	7	12	16	22	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1342	3.5	6	1	1	3	5	6	8	12
B. *Operated*	9938	7.4	10	4	5	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	3818	5.6	19	1	2	4	7	11	14	22
B. *Operated*	13981	10.8	42	5	5	9	13	18	22	36
1. SINGLE DX	11280	7.0	11	2	4	6	8	11	13	18
2. MULTIPLE DX	17799	9.7	42	3	4	8	12	17	21	34
A. NOT OPERATED	5160	5.1	17	1	2	4	6	10	12	20
B. OPERATED	23919	9.4	32	4	5	8	11	15	19	31
TOTAL 0-19 YRS	627	6.6	14	2	3	6	8	11	13	20
20-34	5727	6.8	11	2	4	6	8	11	13	17
35-49	6259	7.5	17	3	4	7	9	12	14	21
50-64	7514	8.6	26	3	4	8	10	14	17	26
65+	8952	10.7	53	3	4	9	13	19	23	38
GRAND TOTAL	**29079**	**8.6**	**32**	**3**	**4**	**7**	**10**	**15**	**18**	**30**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.7	29	<1	<1	4	5	7	12	30
20-34	250	3.5	5	1	1	3	5	6	7	9
35-49	191	3.6	4	1	1	3	5	6	7	10
50-64	153	4.2	7	1	1	3	6	7	9	15
65+	159	5.1	13	1	1	5	7	9	10	21
B. *Operated*										
0-19 YRS	37	7.7	12	3	4	7	9	12	15	19
20-34	360	7.5	11	4	4	7	9	12	14	21
35-49	373	7.8	11	4	5	7	9	12	15	19
50-64	221	8.9	16	4	5	8	10	13	16	22
65+	171	10.8	20	5	6	9	13	17	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.8	16	1	2	3	5	9	13	20
20-34	211	4.3	8	1	2	4	5	8	10	16
35-49	274	4.8	8	2	2	4	6	9	10	12
50-64	392	5.7	16	2	2	5	7	10	11	21
65+	758	7.3	21	2	3	6	9	13	16	22
B. *Operated*										
0-19 YRS	32	8.9	19	4	5	7	12	16	17	20
20-34	459	8.6	21	4	5	7	10	15	17	27
35-49	643	10.0	32	4	5	8	12	17	21	32
50-64	630	11.8	64	5	6	10	14	19	24	56
65+	732	14.5	83	6	7	12	17	24	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	4.0	8	1	1	3	5	7	9	14
B. *Operated*	1162	8.3	15	4	5	8	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	1662	6.1	18	2	2	5	8	11	14	21
B. *Operated*	2496	11.5	58	5	5	9	14	20	24	44
1. SINGLE DX	1945	6.6	16	1	2	6	8	12	14	20
2. MULTIPLE DX	4158	9.3	49	2	3	8	11	17	21	36
A. NOT OPERATED	2445	5.4	15	1	2	5	7	10	12	21
B. OPERATED	3658	10.5	46	4	5	9	12	18	22	36
TOTAL 0-19 YRS	126	6.7	22	1	2	6	8	12	16	23
20-34	1280	6.6	17	2	2	6	8	12	15	22
35-49	1481	7.7	25	2	3	7	9	13	17	26
50-64	1396	8.8	46	2	3	7	11	15	20	36
65+	1820	10.3	58	3	4	9	13	19	23	39
GRAND TOTAL	**6103**	**8.5**	**40**	**2**	**3**	**7**	**10**	**15**	**20**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	17	2.9	4	1	1	2	4	6	7	8
35-49	17	3.5	7	1	1	3	5	8	9	10
50-64	34	3.4	3	1	2	3	5	6	7	8
65+	49	4.3	5	2	2	4	6	8	9	10
B. *Operated*										
0-19 YRS	24	8.3	6	4	5	8	10	11	12	13
20-34	114	7.3	11	2	4	7	9	11	13	18
35-49	94	8.7	12	4	5	8	10	14	16	20
50-64	117	9.6	27	2	4	9	12	16	18	29
65+	142	11.5	47	3	4	11	14	20	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	23	4.0	4	1	2	4	5	7	8	9
35-49	43	4.5	10	<1	1	4	6	9	11	16
50-64	66	6.0	13	1	2	5	8	10	15	17
65+	162	7.0	21	2	3	6	8	13	16	25
B. *Operated*										
0-19 YRS	13	8.0	7	4	5	7	10	12	13	13
20-34	88	10.3	42	4	5	9	12	15	22	39
35-49	101	10.3	44	4	5	9	12	16	23	40
50-64	212	12.5	52	5	5	11	16	20	25	48
65+	558	16.5	105	6	8	14	19	28	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	3.8	5	1	1	3	5	7	8	10
B. *Operated*	491	9.4	28	3	4	8	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	298	6.1	17	1	2	5	8	11	15	23
B. *Operated*	972	14.3	87	5	6	12	17	24	31	56
1. SINGLE DX	610	8.3	28	2	2	7	11	14	17	27
2. MULTIPLE DX	1270	12.4	83	3	4	11	16	22	29	51
A. NOT OPERATED	417	5.5	15	1	2	5	7	10	13	20
B. OPERATED	1463	12.7	72	4	5	11	15	22	28	51
TOTAL 0-19 YRS	43	7.4	10	2	3	8	10	11	12	13
20-34	242	7.8	26	2	3	7	10	13	15	33
35-49	255	8.3	30	2	3	7	10	14	16	30
50-64	429	10.0	44	2	3	9	13	18	21	36
65+	911	13.4	94	3	4	12	17	24	31	54
GRAND TOTAL	**1880**	**11.1**	**69**	**2**	**3**	**9**	**14**	**20**	**26**	**45**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.5	14	2	2	6	8	12	14	14
20-34	14	3.6	6	1	1	3	6	8	8	8
35-49	23	4.7	10	1	2	4	6	9	12	15
50-64	38	4.7	8	1	2	4	7	7	10	16
65+	61	6.1	20	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	8	13.5	112	1	2	12	16	30	36	36
20-34	18	9.8	42	2	3	8	12	21	24	25
35-49	26	10.2	30	2	3	10	14	17	19	21
50-64	18	9.9	71	1	1	9	13	21	27	31
65+	33	11.4	55	3	3	12	14	22	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	11.6	91	1	2	10	14	25	33	42
20-34	37	6.5	29	1	2	5	8	16	19	22
35-49	56	6.9	22	2	3	6	9	14	17	22
50-64	104	6.8	22	2	3	6	8	13	18	22
65+	252	8.0	36	2	3	7	10	14	18	33
B. *Operated*										
0-19 YRS	8	18.8	90	2	5	19	26	30	32	32
20-34	35	11.9	173	2	3	7	16	20	38	71
35-49	64	13.4	84	3	4	11	17	26	34	92
50-64	124	15.8	170	3	4	13	19	27	36	78
65+	240	18.4	152	4	6	16	23	34	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	5.3	14	1	2	4	7	10	14	17
B. *Operated*	103	10.7	52	2	2	10	14	21	24	34
2. MULTIPLE DX										
A. *Not Operated*	470	7.7	34	2	3	6	10	14	18	31
B. *Operated*	471	16.6	152	3	5	14	21	30	41	72
1. SINGLE DX	249	7.6	37	2	2	6	10	16	20	31
2. MULTIPLE DX	941	12.1	113	2	3	9	16	24	31	58
A. NOT OPERATED	616	7.1	30	2	2	6	9	13	17	27
B. OPERATED	574	15.5	139	3	4	13	20	28	38	69
TOTAL 0-19 YRS	47	12.1	88	2	2	10	16	26	33	42
20-34	104	8.5	84	1	2	6	11	18	21	56
35-49	169	9.6	56	2	3	8	14	19	24	48
50-64	284	10.6	109	2	3	8	14	21	27	57
65+	586	12.3	110	2	3	9	16	24	32	57
GRAND TOTAL	**1190**	**11.2**	**100**	**2**	**3**	**8**	**15**	**23**	**29**	**55**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.4	7	1	1	4	6	8	9	13
20-34	465	5.5	12	2	2	5	7	9	12	17
35-49	490	6.0	14	2	2	5	7	11	13	17
50-64	343	6.5	16	2	3	6	8	11	13	22
65+	217	7.1	24	2	3	6	9	11	14	29
B. *Operated*										
0-19 YRS	8	9.4	64	2	2	7	11	23	27	27
20-34	54	12.0	114	2	2	10	13	24	39	52
35-49	57	11.2	85	1	2	9	16	24	29	45
50-64	52	12.4	95	2	2	9	16	24	32	43
65+	39	9.2	26	2	3	10	12	15	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.0	26	1	2	5	8	10	16	30
20-34	927	6.7	24	2	3	6	8	12	15	26
35-49	1477	7.3	28	2	3	6	9	13	17	28
50-64	1117	7.8	32	2	3	7	9	14	17	31
65+	1241	9.0	43	3	3	7	11	16	22	33
B. *Operated*										
0-19 YRS	33	13.8	196	2	3	9	16	29	39	75
20-34	169	18.1	194	4	6	14	22	39	51	59
35-49	333	18.0	240	3	5	13	22	38	59	98
50-64	330	17.0	200	3	5	13	21	32	49	86
65+	353	18.6	213	4	6	14	22	38	46	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1592	6.0	15	2	2	5	8	11	13	21
B. *Operated*	210	11.3	83	2	2	9	14	22	28	46
2. MULTIPLE DX										
A. *Not Operated*	4854	7.7	33	2	3	6	9	14	18	29
B. *Operated*	1218	17.8	214	3	5	13	22	37	51	85
1. SINGLE DX	1802	6.6	26	2	2	5	8	12	15	28
2. MULTIPLE DX	6072	9.7	85	2	3	7	11	18	26	51
A. NOT OPERATED	6446	7.3	29	2	3	6	9	13	17	28
B. OPERATED	1428	16.8	200	3	5	13	21	36	46	82
TOTAL 0-19 YRS	210	6.8	56	1	2	5	8	12	17	37
20-34	1615	7.7	55	2	2	6	9	14	20	42
35-49	2357	8.7	71	2	3	6	10	16	23	48
50-64	1842	9.3	74	2	3	7	11	17	24	49
65+	1850	10.6	88	3	3	8	12	20	28	51
GRAND TOTAL	**7874**	**9.0**	**73**	**2**	**3**	**7**	**11**	**17**	**24**	**48**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.1	4	<1	1	3	4	5	7	10
20-34	135	3.4	4	1	1	3	4	6	7	9
35-49	146	4.0	7	1	1	3	5	7	8	15
50-64	189	4.4	10	1	1	4	5	8	10	17
65+	318	5.3	13	1	2	4	7	9	13	18
B. *Operated*										
0-19 YRS	12	6.9	32	1	1	4	11	15	18	19
20-34	9	4.9	6	2	2	4	6	9	9	9
35-49	18	6.9	62	1	2	5	7	9	26	37
50-64	31	7.5	50	3	3	5	8	11	21	40
65+	45	10.5	66	3	4	10	13	17	23	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	3.3	4	1	1	3	4	6	7	11
20-34	450	4.2	8	1	2	3	5	8	10	15
35-49	699	5.6	18	2	2	5	7	10	14	21
50-64	1249	6.1	21	2	2	5	7	11	13	25
65+	3431	7.9	38	2	3	6	9	14	19	33
B. *Operated*										
0-19 YRS	35	8.0	98	2	2	5	8	16	34	49
20-34	94	8.1	47	2	3	6	10	15	22	38
35-49	168	9.6	67	3	4	8	12	19	25	66
50-64	381	10.6	83	2	3	8	13	22	26	55
65+	851	12.4	100	3	4	10	15	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	891	4.3	10	1	1	4	6	8	10	17
B. *Operated*	115	8.3	55	2	3	6	10	14	22	44
2. MULTIPLE DX										
A. *Not Operated*	6004	6.8	31	2	2	6	8	13	16	29
B. *Operated*	1529	11.3	91	3	4	9	14	22	30	53
1. SINGLE DX	1006	4.8	16	1	1	4	6	9	12	19
2. MULTIPLE DX	7533	7.7	46	2	2	6	9	15	20	36
A. NOT OPERATED	6895	6.5	29	2	2	5	8	12	16	28
B. OPERATED	1644	11.1	89	3	4	8	14	22	29	52
TOTAL 0-19 YRS	325	3.9	17	1	1	3	5	6	9	19
20-34	688	4.6	15	1	2	4	6	9	11	19
35-49	1031	6.1	28	1	2	5	7	11	15	27
50-64	1850	6.9	37	2	2	5	8	13	17	34
65+	4645	8.5	52	2	3	7	10	16	21	39
GRAND TOTAL	**8539**	**7.4**	**44**	**2**	**2**	**6**	**9**	**14**	**19**	**35**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	4.0	10	1	1	3	5	8	10	16
20-34	8	6.1	5	1	1	6	6	7	7	7
35-49	8	5.9	19	3	3	3	9	13	13	13
50-64	15	6.5	13	2	2	7	10	11	12	12
65+	10	6.3	10	2	2	6	8	10	12	12
B. Operated										
0-19 YRS	6	4.5	6	1	1	4	6	8	8	8
20-34	7	6.1	7	2	3	6	7	10	11	11
35-49	8	10.3	103	2	2	5	16	26	27	27
50-64	15	13.5	175	2	2	6	22	38	39	40
65+	4	12.8	26	7	7	12	16	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	5.2	17	2	2	4	6	11	16	19
20-34	29	5.7	18	1	1	5	7	14	15	16
35-49	36	8.8	35	3	3	7	13	16	20	27
50-64	50	9.6	69	3	3	8	11	19	29	44
65+	72	9.8	62	3	3	7	11	25	29	37
B. Operated										
0-19 YRS	13	21.6	563	3	5	17	33	99+	99+	99+
20-34	21	16.0	299	4	4	12	19	26	53	85
35-49	24	10.6	45	3	4	9	14	19	26	27
50-64	37	14.6	84	3	6	13	20	24	32	44
65+	42	15.6	119	4	6	12	19	34	42	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	4.8	11	1	1	4	7	10	12	16
B. Operated	40	11.1	98	2	2	6	13	26	33	40
2. MULTIPLE DX										
A. Not Operated	276	7.7	44	2	2	6	10	15	22	32
B. Operated	137	15.1	167	3	4	12	20	28	43	99+
1. SINGLE DX	131	6.4	43	1	2	4	7	12	19	30
2. MULTIPLE DX	413	10.2	97	2	3	7	13	22	28	59
A. NOT OPERATED	367	7.0	38	2	2	5	9	14	18	31
B. OPERATED	177	14.0	155	3	3	11	19	28	39	98
TOTAL 0-19 YRS	161	6.1	76	1	2	4	7	14	19	99
20-34	62	9.0	132	1	2	6	11	18	23	78
35-49	76	9.2	43	3	3	7	13	18	26	27
50-64	117	11.3	66	2	3	9	14	24	32	44
65+	128	11.6	84	3	4	9	14	27	31	45
GRAND TOTAL	**544**	**9.3**	**86**	**2**	**2**	**6**	**12**	**20**	**28**	**45**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	138	5.1	13	1	2	4	7	10	13	16
20-34	21	4.6	12	1	1	3	7	9	12	12
35-49	14	5.6	11	1	2	5	7	10	12	13
50-64	17	4.6	7	1	2	4	6	7	10	12
65+	14	10.5	61	4	4	8	13	24	29	31
B. Operated										
0-19 YRS	68	3.3	8	1	2	2	3	7	8	19
20-34	41	4.4	12	2	2	3	5	9	12	17
35-49	11	6.5	24	2	2	4	10	15	15	15
50-64	20	4.0	7	1	1	3	5	9	10	11
65+	6	10.5	64	4	4	10	10	22	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	131	5.7	19	1	2	4	7	10	13	23
20-34	50	5.3	12	1	2	5	7	10	12	15
35-49	32	6.7	29	1	2	5	9	13	17	26
50-64	89	9.0	62	3	3	8	12	17	20	35
65+	152	10.5	79	2	3	6	13	21	25	59
B. Operated										
0-19 YRS	65	9.6	127	2	2	6	10	32	46	99+
20-34	62	5.4	14	1	2	4	7	10	14	17
35-49	53	8.4	70	2	2	7	10	14	21	57
50-64	85	9.8	101	2	2	7	12	20	26	59
65+	67	14.7	129	2	4	12	20	31	35	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	204	5.4	17	1	2	4	7	10	13	21
B. Operated	146	4.2	14	1	2	3	5	10	11	21
2. MULTIPLE DX										
A. Not Operated	454	8.0	48	2	2	6	10	15	20	35
B. Operated	332	10.0	100	2	2	7	12	22	32	59
1. SINGLE DX	350	4.9	16	1	2	4	6	10	13	21
2. MULTIPLE DX	786	8.8	71	2	2	7	11	17	24	48
A. NOT OPERATED	658	7.2	40	1	2	5	9	14	18	36
B. OPERATED	478	8.2	81	2	2	5	10	17	25	48
TOTAL 0-19 YRS	382	5.5	30	1	2	4	7	10	13	41
20-34	174	5.0	13	1	2	4	7	10	12	17
35-49	110	7.3	47	2	2	5	9	14	16	35
50-64	211	8.5	63	2	2	6	11	17	22	40
65+	259	11.9	97	2	3	10	14	24	32	59
GRAND TOTAL	**1136**	**7.6**	**57**	**2**	**2**	**5**	**10**	**15**	**22**	**44**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	5.4	10	2	2	5	6	9	13	15
20-34	5	3.2	4	<1	<1	3	4	6	6	6
35-49	2	5.0		5	5	5	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	3	6.7	32	2	2	5	11	13	13	13
35-49	3	5.7	16	1	1	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	6.2	11	2	3	6	7	10	14	18
20-34	10	6.4	21	1	1	6	8	13	16	16
35-49	6	9.3	77	2	2	5	16	23	24	24
50-64	10	6.6	14	1	2	6	8	12	13	13
65+	19	13.7	232	3	4	8	12	41	53	58
B. Operated										
0-19 YRS	14	6.4	58	1	2	3	8	13	26	30
20-34	10	8.3	55	3	3	7	9	19	28	28
35-49	8	9.0	18	3	3	9	12	14	15	15
50-64	9	9.4	50	1	2	9	12	21	24	24
65+	9	10.2	40	2	2	9	14	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	5.2	9	2	2	5	6	8	13	15
B. Operated	10	4.3	17	1	1	2	8	11	13	13
2. MULTIPLE DX										
A. Not Operated	104	7.8	62	2	3	6	8	13	17	53
B. Operated	50	8.4	45	2	2	8	11	16	24	30
1. SINGLE DX	63	5.0	10	1	2	4	6	9	13	15
2. MULTIPLE DX	154	8.0	56	2	2	6	10	15	20	47
A. NOT OPERATED	157	6.9	45	2	2	6	8	12	16	47
B. OPERATED	60	7.8	42	1	2	7	10	15	22	30
TOTAL 0-19 YRS	119	5.8	16	2	2	5	7	10	14	22
20-34	28	6.5	32	1	2	5	8	12	17	28
35-49	19	8.2	33	1	2	8	11	16	20	24
50-64	21	7.7	30	1	2	7	10	14	20	24
65+	30	11.9	164	2	3	8	13	26	48	58
GRAND TOTAL	**217**	**7.1**	**44**	**2**	**2**	**6**	**8**	**13**	**16**	**37**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	6.9	36	<1	<1	5	9	17	20	22
20-34	11	4.9	19	<1	<1	3	7	11	15	15
35-49	15	3.1	6	<1	1	2	5	7	8	8
50-64	19	9.6	119	<1	1	5	10	31	37	37
65+	25	6.9	37	1	1	6	9	13	17	30
B. Operated										
0-19 YRS	25	7.8	69	1	2	5	10	21	28	33
20-34	42	10.1	188	1	1	4	10	28	46	59
35-49	59	10.5	294	<1	1	4	8	35	50	85
50-64	74	6.1	47	<1	1	4	7	14	22	37
65+	55	7.1	41	1	2	4	10	16	19	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	7.3	55	<1	1	4	11	20	25	82
20-34	72	4.4	21	1	1	3	5	9	11	29
35-49	112	5.8	22	1	1	4	7	14	15	20
50-64	279	6.5	39	1	1	5	9	14	18	31
65+	609	8.3	68	1	1	6	10	17	23	45
B. Operated										
0-19 YRS	79	17.1	291	2	2	11	24	41	56	96
20-34	287	14.2	279	1	2	8	18	40	54	77
35-49	358	13.1	237	2	2	7	16	34	48	76
50-64	580	12.0	139	2	2	8	15	27	40	57
65+	570	12.7	154	2	3	9	16	30	38	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	6.6	49	<1	1	4	9	13	22	37
B. Operated	255	8.1	130	<1	2	4	8	20	33	59
2. MULTIPLE DX										
A. Not Operated	1147	7.3	54	1	1	5	9	15	21	41
B. Operated	1874	13.0	191	2	2	8	16	32	45	71
1. SINGLE DX	345	7.7	109	<1	1	4	8	19	31	52
2. MULTIPLE DX	3021	10.8	146	1	2	7	14	25	36	62
A. NOT OPERATED	1237	7.2	53	1	1	5	9	15	21	37
B. OPERATED	2129	12.4	186	2	2	8	15	31	43	68
TOTAL 0-19 YRS	199	11.2	170	1	1	6	17	27	38	93
20-34	412	11.8	232	1	2	5	14	34	48	75
35-49	544	11.0	202	1	2	6	13	28	41	74
50-64	952	9.9	109	1	2	6	12	22	33	51
65+	1259	10.2	110	1	2	7	13	22	33	57
GRAND TOTAL	**3366**	**10.5**	**143**	**1**	**2**	**7**	**13**	**24**	**36**	**62**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	7.3	60	1	1	5	13	16	16	16
20-34	6	6.2	15	1	1	6	10	11	11	11
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	10	4.3	7	<1	1	4	6	8	10	10
65+	26	9.3	58	1	1	7	14	22	24	26
B. Operated										
0-19 YRS	8	10.6	72	3	3	7	19	23	23	23
20-34	5	4.2	31	<1	<1	2	6	14	14	14
35-49	6	6.2	63	<1	<1	3	6	20	22	22
50-64	7	5.3	35	<1	<1	3	6	16	18	18
65+	17	6.2	121	<1	<1	3	5	12	35	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	7.2	40	1	1	7	10	17	21	21
20-34	28	5.7	20	1	1	5	8	11	13	20
35-49	55	8.8	66	1	2	6	11	18	25	43
50-64	147	11.4	102	2	3	8	15	26	29	58
65+	637	12.2	119	2	3	9	16	24	32	62
B. Operated										
0-19 YRS	16	16.6	297	2	3	11	28	57	85	99+
20-34	31	11.8	71	1	3	10	19	26	32	99+
35-49	67	16.0	217	3	3	12	21	29	44	89
50-64	123	15.8	176	3	4	12	23	33	41	62
65+	249	18.2	208	3	5	15	24	38	53	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	7.4	42	1	1	5	11	18	23	26
B. Operated	43	6.7	78	<1	<1	3	6	19	23	47
2. MULTIPLE DX										
A. Not Operated	878	11.6	110	2	3	8	15	23	31	57
B. Operated	486	16.8	197	3	4	13	23	35	48	99
1. SINGLE DX	91	7.0	59	<1	1	4	10	18	23	38
2. MULTIPLE DX	1364	13.4	147	2	3	10	18	28	38	67
A. NOT OPERATED	926	11.3	108	2	2	8	15	23	30	56
B. OPERATED	529	16.0	194	2	3	12	22	34	47	97
TOTAL 0-19 YRS	38	11.9	166	1	2	9	16	29	55	99+
20-34	70	8.3	51	1	1	7	11	20	26	66
35-49	131	12.2	156	1	2	8	17	24	35	59
50-64	287	12.9	137	2	3	9	18	28	37	57
65+	929	13.6	149	2	3	10	17	28	38	67
GRAND TOTAL	**1455**	**13.0**	**144**	**2**	**3**	**9**	**17**	**28**	**37**	**66**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	329	4.1	3	2	2	4	5	6	7	9
20-34	429	4.1	3	2	2	4	5	6	7	9
35-49	128	4.4	3	2	3	4	5	7	8	10
50-64	90	5.3	5	2	2	5	7	8	9	12
65+	71	6.4	14	2	3	6	8	12	14	20
B. Operated										
0-19 YRS	16	5.0	12	1	1	5	6	7	13	16
20-34	30	5.1	7	2	2	5	6	9	10	13
35-49	16	5.9	6	2	3	6	7	9	10	11
50-64	7	9.1	47	4	4	7	9	21	24	24
65+	3	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	352	4.3	4	2	2	4	5	7	8	11
20-34	605	5.0	7	2	3	5	6	8	9	14
35-49	313	5.8	8	3	3	5	7	9	12	16
50-64	404	6.6	11	3	3	6	8	11	12	17
65+	907	8.7	37	3	4	7	11	15	19	35
B. Operated										
0-19 YRS	53	7.7	74	2	3	6	8	11	17	63
20-34	95	7.7	25	3	4	7	9	12	16	32
35-49	53	10.6	31	5	5	9	13	20	23	29
50-64	104	10.0	24	4	5	9	12	16	20	26
65+	138	13.6	79	5	6	11	17	25	36	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1047	4.4	4	2	2	4	5	7	8	12
B. Operated	72	5.8	12	2	2	5	7	9	11	22
2. MULTIPLE DX										
A. Not Operated	2581	6.6	21	2	3	5	8	11	14	24
B. Operated	443	10.4	53	4	4	8	12	19	24	39
1. SINGLE DX	1119	4.5	5	2	2	4	5	7	8	13
2. MULTIPLE DX	3024	7.1	27	2	3	6	8	12	16	28
A. NOT OPERATED	3628	5.9	17	2	3	5	7	10	13	20
B. OPERATED	515	9.8	50	3	4	8	11	18	23	39
TOTAL 0-19 YRS	750	4.5	9	2	2	4	5	7	8	12
20-34	1159	4.9	8	2	2	4	6	8	9	15
35-49	510	5.9	12	3	3	5	7	10	14	20
50-64	605	7.1	15	3	3	6	9	11	14	22
65+	1119	9.2	43	3	4	7	11	16	21	38
GRAND TOTAL	**4143**	**6.4**	**23**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	3.8	4	1	2	4	5	6	7	11
20-34	553	4.1	4	2	2	4	5	6	8	12
35-49	161	4.7	9	2	2	4	6	8	9	18
50-64	103	4.8	7	2	2	4	6	8	9	15
65+	96	6.0	13	2	3	5	7	10	13	22
B. *Operated*										
0-19 YRS	42	4.7	10	1	1	5	6	9	11	15
20-34	59	6.2	10	2	3	5	8	10	12	18
35-49	32	7.0	13	2	3	6	9	11	13	18
50-64	27	9.8	43	2	3	8	14	17	24	27
65+	18	9.5	37	3	4	8	12	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	413	4.7	17	2	2	4	5	7	9	12
20-34	684	4.8	5	2	2	4	6	8	10	14
35-49	336	5.6	10	2	3	5	7	10	12	18
50-64	383	6.7	14	3	3	6	9	12	14	20
65+	809	8.5	38	3	3	7	10	14	18	36
B. *Operated*										
0-19 YRS	96	6.0	33	1	2	5	7	11	14	38
20-34	174	8.1	34	2	3	7	10	15	17	37
35-49	152	10.8	68	3	3	9	12	22	30	42
50-64	174	11.4	71	2	3	10	15	21	24	39
65+	246	12.5	75	3	4	10	16	24	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1297	4.3	6	2	2	4	5	7	8	14
B. *Operated*	178	6.9	21	2	2	6	9	13	17	23
2. MULTIPLE DX										
A. *Not Operated*	2625	6.3	22	2	3	5	7	11	14	24
B. *Operated*	842	10.3	64	2	3	8	13	20	25	42
1. SINGLE DX	1475	4.6	8	2	2	4	6	8	10	16
2. MULTIPLE DX	3467	7.3	35	2	3	6	9	13	18	33
A. NOT OPERATED	3922	5.6	17	2	2	5	7	10	13	20
B. OPERATED	1020	9.7	58	2	3	8	12	19	24	39
TOTAL 0-19 YRS	935	4.5	13	2	2	4	5	7	9	14
20-34	1470	5.0	10	2	2	4	6	8	10	16
35-49	681	6.6	28	2	2	5	8	12	16	31
50-64	687	7.7	34	2	3	6	10	15	18	27
65+	1169	9.1	47	3	3	7	11	16	22	37
GRAND TOTAL	**4942**	**6.5**	**28**	**2**	**2**	**5**	**8**	**12**	**15**	**28**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.5	3	1	1	2	3	5	6	9
20-34	528	2.1	2	1	1	2	3	4	5	7
35-49	581	2.1	2	<1	1	2	3	4	5	9
50-64	324	2.3	2	1	1	2	3	4	6	9
65+	100	3.4	8	1	1	3	4	6	8	16
B. *Operated*										
0-19 YRS	39	7.2	28	2	3	6	9	11	13	34
20-34	329	7.1	17	2	2	7	9	11	13	21
35-49	429	7.5	15	2	3	8	9	11	13	24
50-64	389	8.3	16	2	3	8	10	12	15	22
65+	169	8.5	30	2	2	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.9	2	1	1	2	4	5	6	7
20-34	333	2.9	4	1	1	2	4	6	7	10
35-49	498	3.1	5	1	1	3	4	6	8	11
50-64	441	3.7	10	1	1	3	4	7	9	15
65+	380	4.8	11	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	35	7.7	21	1	2	8	10	15	17	18
20-34	251	9.1	38	2	3	8	11	15	20	31
35-49	432	8.7	29	2	2	8	11	16	19	24
50-64	601	9.7	46	2	3	8	12	17	22	36
65+	506	10.2	52	2	3	9	12	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1613	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	1355	7.7	18	2	3	8	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1701	3.6	8	1	1	3	4	7	9	15
B. *Operated*	1825	9.5	43	2	3	8	12	17	21	35
1. SINGLE DX	2968	4.8	17	1	1	3	7	10	12	19
2. MULTIPLE DX	3526	6.6	34	1	2	5	9	14	17	30
A. NOT OPERATED	3314	2.9	6	1	1	2	4	6	7	12
B. OPERATED	3180	8.7	33	2	3	8	11	15	19	31
TOTAL 0-19 YRS	203	4.4	16	1	1	3	6	10	11	18
20-34	1441	4.7	20	1	1	3	7	9	12	20
35-49	1940	5.0	19	1	1	3	8	10	13	21
50-64	1755	6.5	32	1	1	5	9	12	16	29
65+	1155	7.6	38	1	2	6	10	15	19	35
GRAND TOTAL	**6494**	**5.8**	**27**	**1**	**1**	**4**	**8**	**12**	**15**	**26**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	2.2	1	1	1	2	3	4	4	6
20-34	2333	1.9	1	1	1	2	2	3	4	6
35-49	2645	2.0	2	<1	1	2	2	4	4	6
50-64	1387	2.2	2	1	1	2	3	4	5	7
65+	434	2.5	2	1	1	2	3	5	5	8
B. *Operated*										
0-19 YRS	186	4.8	8	1	2	4	6	9	10	13
20-34	1613	5.1	9	2	2	4	7	9	11	15
35-49	2049	5.3	10	2	2	5	7	10	11	15
50-64	1287	5.9	14	2	2	5	8	10	13	18
65+	531	6.9	19	2	2	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	2.4	1	1	1	2	3	4	5	6
20-34	698	2.5	2	1	1	2	3	4	5	8
35-49	1028	2.7	4	1	1	2	3	5	6	10
50-64	903	3.0	4	1	1	2	4	6	7	10
65+	568	3.8	9	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	86	5.7	18	1	2	5	7	12	15	20
20-34	632	6.6	24	2	2	6	8	12	14	23
35-49	1010	6.9	21	2	2	6	9	12	16	23
50-64	1166	7.8	26	2	3	7	10	14	17	25
65+	835	9.5	45	2	3	8	12	17	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7083	2.0	2	1	1	2	3	4	4	7
B. *Operated*	5666	5.5	12	2	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	3279	2.9	5	1	1	2	4	5	7	11
B. *Operated*	3729	7.7	29	2	2	7	10	14	17	26
1. SINGLE DX	12749	3.6	9	1	1	3	5	8	10	14
2. MULTIPLE DX	7008	5.4	23	1	1	4	7	11	14	23
A. NOT OPERATED	10362	2.3	3	1	1	2	3	4	5	8
B. OPERATED	9395	6.4	20	2	2	5	8	12	14	22
TOTAL 0-19 YRS	638	3.4	8	1	1	3	4	7	9	14
20-34	5276	3.5	10	1	1	2	5	7	9	14
35-49	6732	3.9	11	1	1	3	5	8	10	16
50-64	4743	4.7	17	1	1	3	6	10	12	19
65+	2368	6.3	31	1	2	5	9	13	16	26
GRAND TOTAL	**19757**	**4.2**	**15**	**1**	**1**	**3**	**6**	**9**	**11**	**18**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.7	7	<1	1	2	3	5	8	14
20-34	41	2.7	5	1	1	2	3	5	6	13
35-49	38	3.1	6	<1	1	2	4	6	7	13
50-64	45	3.0	4	1	1	2	4	5	7	11
65+	32	4.1	9	<1	2	3	5	8	11	15
B. *Operated*										
0-19 YRS	345	6.5	18	1	1	7	9	12	13	19
20-34	190	7.0	25	1	2	7	9	14	16	24
35-49	142	6.5	27	1	2	6	9	12	17	23
50-64	173	6.3	36	1	1	4	9	13	17	31
65+	109	6.3	27	1	1	4	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.1	10	1	1	3	5	9	11	14
20-34	108	4.0	7	1	1	3	5	7	10	14
35-49	134	5.2	19	1	2	4	6	11	13	22
50-64	208	5.4	13	1	2	5	7	10	12	19
65+	463	8.2	44	2	2	7	10	16	21	37
B. *Operated*										
0-19 YRS	459	6.8	29	1	1	6	10	13	17	23
20-34	285	8.5	51	1	2	8	10	15	19	44
35-49	369	8.6	36	2	2	8	12	17	21	27
50-64	486	9.5	62	2	2	8	12	20	24	40
65+	651	11.4	104	2	2	9	15	24	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	3.0	6	<1	1	2	4	6	8	14
B. *Operated*	959	6.6	25	1	1	6	9	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	1001	6.4	30	1	2	5	8	13	17	29
B. *Operated*	2250	9.2	64	1	2	8	12	18	24	43
1. SINGLE DX	1174	5.9	23	1	1	5	9	12	14	21
2. MULTIPLE DX	3251	8.3	56	1	2	7	11	17	22	39
A. NOT OPERATED	1216	5.8	28	1	1	4	7	12	15	27
B. OPERATED	3209	8.4	54	1	2	7	11	17	22	38
TOTAL 0-19 YRS	951	6.2	23	1	1	6	9	12	15	21
20-34	624	6.9	36	1	1	6	9	13	16	27
35-49	683	7.2	32	1	2	6	10	14	19	26
50-64	912	7.7	47	1	2	6	10	16	22	33
65+	1255	9.6	77	2	2	7	12	19	26	47
GRAND TOTAL	**4425**	**7.7**	**48**	**1**	**2**	**6**	**10**	**15**	**20**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	2	<1	1	2	3	4	6	7
20-34	136	2.2	2	<1	1	2	3	4	5	6
35-49	124	2.3	4	<1	1	2	3	4	6	11
50-64	69	2.5	4	1	1	2	3	5	5	13
65+	27	2.6	2	1	1	2	3	5	6	7
B. *Operated*										
0-19 YRS	5	2.6	1	<1	<1	3	3	4	4	4
20-34	72	5.5	16	1	1	4	8	11	13	19
35-49	94	5.1	14	1	2	4	6	10	12	20
50-64	90	5.3	13	1	2	5	7	9	12	20
65+	64	6.0	21	2	2	5	8	11	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	6	1	1	3	5	7	8	8
20-34	62	2.9	7	1	1	2	3	5	7	17
35-49	70	2.9	5	1	1	2	4	6	6	12
50-64	74	3.4	8	1	1	3	4	5	8	19
65+	63	4.8	17	1	2	4	6	9	15	21
B. *Operated*										
0-19 YRS	9	6.1	26	2	2	4	9	14	17	17
20-34	62	7.3	74	1	2	5	8	11	23	52
35-49	82	7.8	95	2	2	4	9	16	24	55
50-64	146	6.8	26	2	2	6	9	12	15	28
65+	312	8.3	44	2	2	7	11	16	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	325	5.4	15	1	2	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	276	3.5	10	1	1	3	4	6	9	18
B. *Operated*	611	7.7	49	2	2	6	10	15	20	39
1. SINGLE DX	703	3.7	11	1	1	3	5	8	10	18
2. MULTIPLE DX	887	6.4	41	1	2	4	8	13	17	30
A. NOT OPERATED	654	2.8	6	1	1	2	3	5	7	14
B. OPERATED	936	6.9	39	2	2	5	9	13	17	29
TOTAL 0-19 YRS	43	3.5	9	<1	1	3	4	7	9	17
20-34	332	4.0	23	1	1	3	5	8	11	22
35-49	370	4.3	31	1	1	3	5	9	12	26
50-64	379	5.0	18	1	1	4	7	10	12	22
65+	466	7.2	38	2	2	6	9	15	18	28
GRAND TOTAL	**1590**	**5.2**	**29**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.6	4	<1	1	2	3	4	5	12
20-34	97	2.6	3	<1	<1	2	3	5	6	8
35-49	42	3.8	10	<1	1	3	4	7	8	19
50-64	33	2.9	4	1	1	2	3	5	7	10
65+	49	4.5	9	1	2	4	5	7	8	21
B. *Operated*										
0-19 YRS	139	2.2	2	1	1	2	2	4	5	7
20-34	227	2.7	4	<1	1	2	3	5	7	10
35-49	226	3.0	9	<1	1	2	3	5	7	12
50-64	233	2.7	3	1	1	2	3	4	6	8
65+	256	3.7	10	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	3.2	3	1	1	3	4	5	7	8
20-34	190	3.8	6	1	1	3	5	7	10	13
35-49	138	4.9	11	1	2	4	6	9	12	18
50-64	164	5.2	11	2	2	4	6	10	12	18
65+	460	7.2	33	2	3	6	9	13	16	32
B. *Operated*										
0-19 YRS	213	2.7	3	1	1	2	3	5	7	9
20-34	490	4.2	23	1	1	3	5	8	10	18
35-49	526	4.7	18	1	1	4	6	9	13	21
50-64	605	5.5	38	1	2	4	7	10	15	34
65+	1151	6.7	37	1	2	5	8	13	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	3.1	5	<1	<1	3	4	6	7	12
B. *Operated*	1081	2.9	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1055	5.6	21	1	2	4	7	10	13	24
B. *Operated*	2985	5.4	31	1	2	4	7	11	15	27
1. SINGLE DX	1400	3.0	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	4040	5.5	28	1	2	4	7	11	14	26
A. NOT OPERATED	1374	5.0	19	1	2	4	6	10	12	21
B. OPERATED	4066	4.7	25	1	1	3	6	10	13	26
TOTAL 0-19 YRS	553	2.7	3	1	1	2	3	5	6	8
20-34	1004	3.6	14	<1	1	3	4	7	9	15
35-49	932	4.3	15	1	1	3	5	8	11	19
50-64	1035	4.8	26	1	2	3	6	10	12	22
65+	1916	6.3	33	1	2	5	8	13	16	30
GRAND TOTAL	**5440**	**4.8**	**24**	**1**	**1**	**3**	**6**	**10**	**13**	**25**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	1	3	3	3	3
20-34	8	3.0	6	1	1	2	5	7	7	7
35-49	5	3.6	14	<1	<1	2	5	10	10	10
50-64	7	2.9	4	1	1	3	4	6	6	6
65+	8	2.8	7	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	691	1.8	2	<1	<1	1	2	3	4	7
20-34	270	3.1	5	<1	1	3	4	5	7	11
35-49	225	3.2	7	<1	1	3	4	6	8	14
50-64	210	3.6	8	1	1	3	5	7	9	14
65+	303	4.1	11	1	2	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.5	1	<1	<1	1	2	3	5	5
20-34	17	3.5	9	<1	1	2	5	7	10	12
35-49	9	3.0	2	<1	1	3	4	5	5	5
50-64	25	5.1	16	<1	<1	4	9	10	12	16
65+	90	6.2	28	1	2	4	8	12	20	26
B. *Operated*										
0-19 YRS	730	2.1	4	<1	1	2	2	4	5	10
20-34	455	3.5	8	1	1	3	4	7	9	14
35-49	458	3.9	9	1	2	3	5	8	10	16
50-64	600	4.6	16	1	2	3	6	10	13	17
65+	1005	6.4	33	2	2	5	8	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.7	5	<1	<1	2	4	6	8	10
B. *Operaued*	1699	2.8	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	160	5.0	22	<1	1	4	6	10	15	25
B. *Operated*	3248	4.4	19	1	1	3	5	9	12	23
1. SINGLE DX	1734	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	3408	4.4	19	1	1	3	5	9	12	23
A. NOT OPERATED	195	4.6	20	<1	1	3	6	9	13	25
B. OPERATED	4947	3.8	15	1	1	3	5	8	11	19
TOTAL 0-19 YRS	1447	1.9	3	<1	1	2	2	3	4	9
20-34	750	3.3	7	1	1	3	4	6	9	13
35-49	697	3.7	8	1	1	3	4	7	9	15
50-64	842	4.4	14	1	1	3	5	9	11	16
65+	1406	5.9	29	1	2	4	7	11	15	29
GRAND TOTAL	**5142**	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	721	3.0	5	1	1	3	4	5	6	10
20-34	501	3.1	4	<1	<1	3	4	6	7	11
35-49	248	3.3	5	<1	1	3	4	6	7	13
50-64	230	4.0	6	<1	1	3	5	7	9	13
65+	454	5.7	15	1	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	688	2.5	6	<1	1	2	3	5	7	12
20-34	484	3.0	5	1	1	2	4	6	7	10
35-49	465	2.9	5	<1	1	2	4	6	7	11
50-64	471	3.4	6	<1	1	3	4	6	8	13
65+	619	4.4	12	1	2	4	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1386	4.0	7	1	1	3	5	7	9	14
20-34	1327	4.4	11	1	2	4	5	8	10	16
35-49	1099	5.5	15	2	2	5	7	10	12	20
50-64	1720	6.4	23	2	2	5	8	11	15	23
65+	7388	8.6	47	2	3	7	10	15	20	36
B. *Operated*										
0-19 YRS	1038	3.3	12	1	1	2	4	7	10	16
20-34	929	5.3	33	1	1	4	7	10	14	28
35-49	1106	5.4	33	1	1	4	7	11	15	27
50-64	1527	6.6	49	1	2	5	8	13	17	40
65+	3278	8.9	77	2	2	7	11	17	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2146	3.7	8	<1	1	3	5	7	9	14
B. *Operated*	2727	3.3	7	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	12920	7.1	36	2	2	6	9	13	17	32
B. *Operated*	7878	6.8	56	1	2	5	9	14	19	39
1. SINGLE DX	4873	3.5	8	<1	1	3	4	7	9	14
2. MULTIPLE DX	20798	7.0	44	1	2	5	9	13	18	34
A. NOT OPERATED	15066	6.6	34	1	2	5	8	13	16	30
B. OPERATED	10605	5.9	46	1	1	4	7	12	17	34
TOTAL 0-19 YRS	3833	3.4	8	1	1	3	4	6	8	13
20-34	3241	4.3	16	1	1	3	5	8	10	19
35-49	2910	4.9	21	1	1	4	6	9	12	21
50-64	3948	6.0	31	1	2	5	8	11	15	27
65+	11739	8.3	53	2	3	7	10	15	20	38
GRAND TOTAL	**25671**	**6.3**	**39**	**1**	**2**	**5**	**8**	**12**	**16**	**32**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	22	2.6	3	<1	<1	2	4	5	6	7
65+	48	3.0	4	<1	1	3	4	6	7	9
B. Operated										
0-19 YRS	6	5.1	15	?	2	4	6	12	14	14
20-34	9	3.7	26	<1	<1	2	3	12	17	17
35-49	145	4.3	7	1	2	4	6	8	9	13
50-64	1753	5.4	8	1	2	5	7	9	10	14
65+	3376	6.3	11	2	2	6	8	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	14	3.6	6	1	1	4	5	7	8	8
50-64	110	4.0	10	1	1	3	6	8	10	17
65+	520	6.0	37	1	2	4	7	11	14	38
B. Operated										
0-19 YRS	6	10.2	57	3	3	7	18	21	21	21
20-34	15	4.4	10	1	1	4	6	10	11	11
35-49	192	5.6	11	2	2	5	7	10	11	19
50-64	3071	6.7	17	2	2	6	8	11	14	22
65+	8636	8.6	32	3	4	7	10	15	19	30
SUBTOTALS										
1. SINGLE DX										
A. Not Operated	73	2.9	3	<1	<1	2	4	5	7	8
B. Operated	5291	5.9	10	2	2	6	7	10	11	16
2. MULTIPLE DX										
A. Not Operated	648	5.6	32	1	1	4	7	10	14	31
B. Operated	11920	8.1	29	2	3	7	10	14	17	28
1. SINGLE DX	5364	5.9	10	2	2	6	7	10	11	16
2. MULTIPLE DX	12568	7.9	29	2	3	7	10	14	17	29
A. NOT OPERATED	721	5.3	30	1	1	4	7	10	13	29
B. OPERATED	17211	7.4	24	2	3	6	9	13	16	26
TOTAL 0-19 YRS	14	7.3	37	2	2	5	8	16	20	21
20-34	30	3.9	13	<1	1	3	4	9	11	17
35-49	352	5.0	10	1	2	4	7	9	11	16
50-64	4956	6.2	14	2	2	6	8	10	13	19
65+	12580	7.8	28	2	3	7	9	14	17	28
GRAND TOTAL	17932	7.3	24	2	3	6	9	13	16	26

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5	1	<1	1	3	3	4	4	4
20-34	104	3.8	4	1	2	3	5	7	8	10
35-49	115	4.0	3	2	2	4	5	7	7	9
50-64	98	4.3	3	2	2	4	5	7	8	9
65+	55	4.5	6	2	2	5	7	8	9	11
B. Operated										
0-19 YRS	17	3.4	30	<1	1	2	3	5	13	24
20-34	122	2.6	3	1	1	2	3	5	6	8
35-49	158	2.9	6	<1	<1	2	3	6	8	13
50-64	141	3.1	6	1	1	2	4	6	7	12
65+	65	3.9	9	1	1	3	5	7	9	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.7	4	1	1	3	4	7	8	8
20-34	155	4.4	7	1	2	4	6	9	9	12
35-49	215	4.8	11	1	2	4	6	8	9	16
50-64	297	5.1	7	2	2	5	6	8	11	14
65+	264	5.9	15	2	3	5	7	10	12	20
B. Operated										
0-19 YRS	30	2.6	6	1	1	2	3	7	9	10
20-34	194	3.5	7	1	1	2	5	7	9	12
35-49	223	3.9	12	1	1	3	5	8	10	18
50-64	430	5.3	18	1	2	4	7	11	13	21
65+	357	7.0	29	2	3	6	9	13	17	28
SUBTOTALS										
1. SINGLE DX										
A. Not Operated	387	4.1	4	1	2	4	5	7	8	10
B. Operated	503	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	941	5.1	11	2	2	4	6	8	11	17
B. Operated	1346	5.1	19	1	1	4	7	10	13	22
1. SINGLE DX	890	3.5	6	1	1	3	5	6	8	11
2. MULTIPLE DX	2287	5.1	16	1	2	4	7	9	12	21
A. NOT OPERATED	1328	4.8	9	2	2	4	6	8	10	14
B. OPERATED	1849	4.5	17	1	1	3	6	9	12	21
TOTAL 0-19 YRS	72	2.9	10	1	1	2	3	5	8	21
20-34	577	3.6	6	1	1	3	5	7	9	11
35-49	821	4.0	9	1	1	3	5	7	9	15
50-64	966	4.8	12	1	2	4	6	9	11	19
65+	741	6.2	21	2	2	5	8	12	14	24
GRAND TOTAL	3177	4.6	13	1	1	4	6	9	11	20

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.1		<1	<1	<1	1	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	335	2.4	10	<1	1	2	2	4	5	11
20-34	111	2.7	2	1	1	2	3	4	5	9
35-49	117	3.2	2	1	1	3	4	5	6	8
50-64	206	3.2	2	1	2	3	4	5	6	8
65+	134	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	1.4	1	<1	<1	1	1	2	4	5
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	6	4.8	8	1	1	5	7	8	8	8
65+	5	6.0	8	4	4	4	8	10	10	10
B. *Operated*										
0-19 YRS	304	2.3	1	1	1	2	3	4	4	6
20-34	85	3.6	3	2	2	3	4	6	7	11
35-49	88	4.4	15	2	2	3	5	8	9	25
50-64	183	4.3	6	2	2	4	5	8	9	13
65+	219	5.7	20	2	2	4	7	10	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.5	1	<1	<1	1	2	2	4	5
B. *Operated*	903	2.8	5	1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	41	2.6	6	<1	<1	1	4	6	8	10
B. *Operated*	879	3.9	10	1	1	3	5	7	9	17
1. SINGLE DX	918	2.8	5	1	1	2	3	5	5	9
2. MULTIPLE DX	920	3.8	10	1	1	3	5	7	9	17
A. NOT OPERATED	56	2.3	5	<1	<1	1	3	5	8	10
B. OPERATED	1782	3.4	8	1	1	3	4	6	8	13
TOTAL 0-19 YRS	676	2.3	6	<1	1	2	3	4	4	8
20-34	201	3.1	3	1	2	3	4	5	6	10
35-49	207	3.7	8	1	2	3	4	6	7	17
50-64	395	3.7	4	2	2	3	4	6	8	12
65+	359	4.8	15	2	2	4	5	9	11	20
GRAND TOTAL	**1838**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.9	5	1	2	3	5	7	8	11
20-34	223	3.9	5	1	1	3	5	7	8	12
35-49	111	4.7	4	2	2	4	6	7	8	10
50-64	83	5.2	4	2	2	5	7	8	9	11
65+	62	5.0	6	1	2	5	6	8	9	12
B. *Operated*										
0-19 YRS	45	3.4	6	1	1	3	4	6	8	13
20-34	74	4.2	9	1	2	4	5	7	8	19
35-49	69	4.5	11	1	2	4	6	9	13	17
50-64	61	4.8	15	1	2	4	5	9	13	21
65+	42	5.3	10	1	2	5	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.5	5	1	1	3	4	6	7	13
20-34	125	4.9	8	1	2	4	7	8	11	14
35-49	97	5.3	7	2	2	5	7	8	11	14
50-64	139	5.7	14	2	3	5	7	9	11	18
65+	176	6.6	16	3	3	6	8	10	13	25
B. *Operated*										
0-19 YRS	27	5.4	17	1	1	4	8	11	13	17
20-34	49	4.2	6	1	1	4	6	7	10	10
35-49	75	5.1	8	2	2	5	7	9	11	14
50-64	104	6.8	22	2	3	5	8	12	14	30
65+	151	7.9	27	2	3	7	10	15	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	591	4.3	5	1	2	4	6	7	8	11
B. *Operated*	291	4.4	11	1	2	4	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	583	5.6	12	2	2	5	7	9	11	17
B. *Operated*	406	6.5	21	2	2	5	8	12	15	23
1. SINGLE DX	882	4.4	7	1	2	4	6	7	9	14
2. MULTIPLE DX	989	5.9	16	2	2	5	7	10	13	21
A. NOT OPERATED	1174	5.0	9	1	2	4	6	8	10	14
B. OPERATED	697	5.6	18	1	2	4	7	11	14	21
TOTAL 0-19 YRS	230	3.9	7	1	1	3	5	7	9	13
20-34	471	4.3	7	1	2	4	5	7	9	14
35-49	352	4.9	7	2	2	4	6	8	10	14
50-64	387	5.7	15	2	2	5	7	10	12	20
65+	431	6.7	19	2	3	6	8	12	15	24
GRAND TOTAL	**1871**	**5.2**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	429	1.5		<1	<1	1	2	2	3	3
20-34	98	1.9	1	<1	1	2	2	3	3	4
35-49	44	2.2	2	<1	1	2	2	3	4	11
50-64	21	2.0	1	<1	<1	2	3	4	4	5
65+	11	1.9		1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	675	1.5		<1	<1	1	2	2	2	3
20-34	235	1.8	1	<1	<1	2	2	3	3	5
35-49	153	1.8	1	<1	<1	2	2	3	3	5
50-64	57	2.0	1	<1	<1	2	2	3	4	6
65+	43	2.2	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	1.7	1	<1	<1	1	2	3	4	6
20-34	57	1.9		1	1	2	2	3	3	4
35-49	38	2.4	1	1	1	2	3	4	5	6
50-64	25	2.8	7	<1	1	2	3	7	10	10
65+	21	2.6	3	1	1	2	3	6	7	7
B. *Operated*										
0-19 YRS	276	1.8	1	<1	<1	2	2	3	3	5
20-34	235	2.5	3	<1	1	2	3	4	5	11
35-49	179	2.7	5	<1	1	2	3	5	7	12
50-64	130	2.9	6	1	1	2	3	5	7	14
65+	141	4.5	23	1	2	3	5	8	11	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	603	1.7	1	<1	1	2	2	2	3	4
B. *Operated*	1163	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	251	2.1	2	<1	1	2	2	3	4	8
B. *Operated*	961	2.6	7	<1	1	2	3	5	7	12
1. SINGLE DX	1766	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	1212	2.5	6	<1	1	2	3	4	6	11
A. NOT OPERATED	854	1.8	1	<1	1	2	2	3	3	6
B. OPERATED	2124	2.1	4	<1	<1	2	2	3	5	10
TOTAL 0-19 YRS	1490	1.6		<1	<1	2	2	2	3	4
20-34	625	2.1	2	<1	1	2	2	3	4	9
35-49	414	2.3	3	<1	1	2	2	3	5	10
50-64	233	2.6	4	<1	1	2	3	5	6	11
65+	216	3.7	16	1	1	2	4	7	10	24
GRAND TOTAL	**2978**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.1	3	<1	1	2	2	4	5	10
20-34	57	2.8	6	<1	<1	2	3	5	6	14
35-49	40	2.6	5	<1	1	2	3	5	7	11
50-64	33	2.6	2	<1	1	2	3	5	6	7
65+	14	2.5	3	<1	1	2	3	5	7	7
B. *Operated*										
0-19 YRS	620	2.1	2	<1	1	2	3	4	5	8
20-34	486	2.6	3	<1	1	2	3	5	6	9
35-49	299	3.1	5	<1	1	2	4	6	7	12
50-64	319	3.7	5	1	2	3	5	7	8	11
65+	140	3.7	5	1	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.4	12	1	1	2	4	6	9	22
20-34	58	3.4	10	1	1	2	4	8	9	18
35-49	63	3.6	6	1	1	3	4	8	9	11
50-64	69	3.8	10	1	1	3	5	8	11	16
65+	65	6.1	25	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	309	2.9	6	1	1	2	3	6	7	14
20-34	355	3.6	16	1	1	3	4	7	9	28
35-49	335	4.0	13	1	1	3	5	8	10	18
50-64	432	5.4	45	1	2	4	6	9	12	28
65+	288	6.7	57	2	2	4	8	13	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	1864	2.8	4	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	313	4.1	14	1	1	3	5	8	11	19
B. *Operated*	1719	4.5	29	1	1	3	5	9	12	28
1. SINGLE DX	2083	2.8	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	2032	4.5	27	1	1	3	5	9	12	27
A. NOT OPERATED	532	3.4	10	1	1	2	4	7	9	16
B. OPERATED	3583	3.6	17	1	1	3	4	7	9	18
TOTAL 0-19 YRS	1062	2.4	4	<1	1	2	3	4	6	11
20-34	956	3.0	9	<1	1	2	3	5	7	16
35-49	737	3.5	9	<1	1	3	4	7	9	15
50-64	853	4.5	26	1	2	4	5	8	10	20
65+	507	5.6	39	1	2	4	6	11	15	35
GRAND TOTAL	**4115**	**3.6**	**16**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	10	1.9	2	<1	<1	1	3	4	5	5
35-49	24	1.7	1	<1	<1	1	2	3	4	4
50-64	10	2.8	2	<1	1	2	4	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	107	1.7	1	<1	<1	2	2	3	3	4
20-34	936	2.3	2	<1	<1	2	3	4	5	7
35-49	2269	2.3	2	<1	1	2	3	4	5	7
50-64	1086	2.4	2	1	1	2	3	4	5	8
65+	455	2.7	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	22	3.0	5	<1	1	2	4	6	8	9
35-49	40	3.7	6	<1	1	3	5	7	9	11
50-64	29	4.1	19	1	1	3	5	7	13	23
65+	15	6.6	99	1	1	4	7	11	33	41
B. *Operated*										
0-19 YRS	27	2.8	6	1	1	2	2	6	9	12
20-34	473	3.0	6	1	1	2	4	5	6	11
35-49	1459	3.4	7	1	2	3	4	6	8	14
50-64	899	3.5	8	1	2	2	4	7	9	15
65+	539	3.9	10	2	2	3	4	7	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.0	1	<1	<1	2	3	4	5	5
B. *Operated*	4853	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	107	4.0	23	1	1	3	5	7	10	31
B. *Operated*	3397	3.4	8	1	2	3	4	6	8	15
1. SINGLE DX	4902	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	3504	3.4	8	1	2	3	4	6	8	15
A. NOT OPERATED	156	3.4	17	<1	1	2	4	6	9	22
B. OPERATED	8250	2.8	4	1	1	2	3	5	6	11
TOTAL 0-19 YRS	137	1.9	2	<1	<1	2	2	3	3	9
20-34	1441	2.5	2	<1	1	2	3	4	6	9
35-49	3792	2.7	4	<1	1	2	3	5	6	10
50-64	2024	2.9	5	1	2	2	3	5	7	12
65+	1012	3.4	9	1	2	3	4	6	9	16
GRAND TOTAL	**8406**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	5	<1	1	3	4	6	8	10
20-34	55	3.4	19	<1	<1	3	4	5	7	32
35-49	30	2.7	5	<1	<1	2	3	6	8	8
50-64	10	2.4	5	<1	<1	1	4	6	7	7
65+	13	3.9	10	<1	1	3	6	9	11	11
B. *Operated*										
0-19 YRS	403	2.8	2	1	1	2	3	5	6	8
20-34	632	3.2	4	<1	1	3	4	5	7	9
35-49	520	2.9	4	<1	1	2	4	6	7	12
50-64	348	2.9	3	1	1	2	3	5	6	9
65+	191	3.0	7	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	8	<1	<1	2	4	6	11	11
20-34	43	3.0	8	<1	<1	2	3	7	10	12
35-49	64	3.8	5	1	1	3	5	7	9	12
50-64	52	3.9	8	<1	1	3	6	7	8	15
65+	51	4.2	11	<1	1	3	6	9	10	17
B. *Operated*										
0-19 YRS	100	3.5	4	1	1	3	4	6	7	12
20-34	378	3.8	5	1	2	3	5	6	7	12
35-49	513	4.0	7	1	2	3	5	7	9	13
50-64	401	4.6	10	1	2	4	6	9	11	16
65+	241	4.7	18	2	2	3	5	10	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	3.2	11	<1	<1	2	4	6	8	12
B. *Operated*	2094	3.0	4	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	233	3.7	8	<1	1	3	5	8	9	13
B. *Operated*	1633	4.2	9	1	2	3	5	7	10	14
1. SINGLE DX	2238	3.0	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	1866	4.1	9	1	2	3	5	8	10	14
A. NOT OPERATED	377	3.5	9	<1	1	3	4	7	9	12
B. OPERATED	3727	3.5	6	1	1	3	4	6	8	13
TOTAL 0-19 YRS	562	2.9	3	1	1	3	4	5	6	11
20-34	1108	3.4	6	<1	1	3	4	6	7	11
35-49	1127	3.5	6	1	1	3	4	7	8	12
50-64	811	3.8	7	1	1	3	5	7	9	14
65+	496	4.0	13	1	2	3	5	8	11	16
GRAND TOTAL	**4104**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	2.4	2	1	1	2	3	4	5	6
20-34	523	2.5	2	1	1	2	3	4	5	8
35-49	155	2.7	3	1	1	2	3	5	6	10
50-64	11	2.9	6	<1	<1	2	3	7	9	9
65+	5	2.2	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	379	4.4	4	1	2	4	6	7	8	11
20-34	1347	4.7	6	1	2	5	6	7	9	12
35-49	371	6.1	6	2	3	6	7	9	10	14
50-64	51	6.8	7	3	4	6	8	11	12	13
65+	30	9.0	21	4	6	8	9	12	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	2.9	3	1	1	3	4	5	6	10
20-34	486	3.2	5	1	1	3	4	6	7	12
35-49	160	3.6	4	1	2	3	4	7	8	11
50-64	22	4.1	6	1	1	4	5	8	9	10
65+	15	6.2	31	1	1	3	11	15	16	17
B. *Operated*										
0-19 YRS	353	5.2	8	2	2	5	7	9	10	13
20-34	2645	6.0	11	1	2	6	7	9	11	16
35-49	1385	7.3	13	3	4	7	8	11	13	22
50-64	151	8.3	24	2	4	7	10	12	15	31
65+	83	10.8	29	4	6	9	13	19	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	981	2.5	2	1	1	2	3	4	5	8
B. *Operated*	2178	5.0	6	1	2	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	881	3.3	5	1	1	3	4	6	7	12
B. *Operated*	4617	6.5	13	2	3	6	8	10	12	20
1. SINGLE DX	3159	4.2	6	1	1	4	6	7	9	12
2. MULTIPLE DX	5498	6.0	13	1	2	6	7	10	12	18
A. NOT OPERATED	1862	2.9	4	1	1	2	4	5	6	10
B. OPERATED	6795	6.0	11	2	2	6	7	10	11	17
TOTAL 0-19 YRS	1217	3.9	6	1	1	4	5	7	8	12
20-34	5001	5.0	10	1	1	5	6	8	10	15
35-49	2071	6.5	12	2	2	6	8	10	12	18
50-64	235	7.3	20	2	2	7	9	12	13	27
65+	133	9.5	30	2	3	8	12	17	21	28
GRAND TOTAL	**8657**	**5.3**	**11**	**1**	**2**	**5**	**7**	**9**	**11**	**16**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	868	4.2	5	2	2	4	5	7	8	11
20-34	2211	4.3	5	2	2	4	5	7	8	12
35-49	300	5.1	8	2	2	5	7	9	11	13
50-64	20	4.7	4	2	2	4	6	7	8	9
65+	8	6.0	6	4	4	5	7	10	11	11
B. *Operated*										
0-19 YRS	186	5.2	11	1	2	5	6	9	10	19
20-34	1074	5.0	10	1	1	5	7	9	10	15
35-49	291	5.8	12	1	2	6	7	9	11	18
50-64	47	7.3	24	2	2	7	9	13	15	28
65+	12	5.7	13	1	1	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	587	4.7	6	2	2	4	6	8	9	12
20-34	1741	5.0	7	2	2	4	6	8	10	15
35-49	405	6.0	11	2	3	5	8	10	12	16
50-64	53	7.4	23	2	3	6	9	13	18	25
65+	30	11.5	143	2	4	8	10	26	38	58
B. *Operated*										
0-19 YRS	392	6.5	19	1	2	6	9	11	13	20
20-34	3686	6.1	12	1	2	6	7	10	12	18
35-49	1277	7.7	22	2	3	7	9	12	16	24
50-64	161	11.0	64	4	5	9	12	19	25	54
65+	51	13.7	185	4	5	10	16	23	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3407	4.4	5	2	2	4	5	7	8	12
B. *Operated*	1610	5.2	11	1	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	2816	5.2	10	2	2	5	7	9	10	15
B. *Operated*	5567	6.7	20	1	2	6	8	11	14	22
1. SINGLE DX	5017	4.6	7	1	2	4	6	8	9	14
2. MULTIPLE DX	8383	6.2	17	2	2	6	7	10	13	21
A. NOT OPERATED	6223	4.7	8	2	2	4	6	8	9	14
B. OPERATED	7177	6.4	18	1	2	6	8	11	13	21
TOTAL 0-19 YRS	2033	4.9	9	2	2	4	6	8	10	15
20-34	8712	5.3	10	1	2	5	7	9	11	16
35-49	2273	6.8	18	2	2	6	8	11	14	23
50-64	281	9.2	50	2	3	8	11	17	22	37
65+	101	11.5	145	3	4	9	12	21	39	92
GRAND TOTAL	**13400**	**5.6**	**14**	**1**	**2**	**5**	**7**	**9**	**12**	**18**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	3	1	1	3	3	5	6	6
20-34	60	2.9	3	<1	<1	2	4	6	7	8
35-49	22	2.0	1	<1	1	2	2	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.8	5	<1	1	3	6	7	8	9
20-34	1073	4.3	7	<1	1	5	6	7	8	12
35-49	525	5.6	5	1	2	6	7	8	8	10
50-64	33	5.2	8	<1	1	5	7	9	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	1	2	2	4	5	5	5	5
20-34	104	3.8	6	1	1	3	5	7	8	13
35-49	48	4.0	8	1	1	3	5	7	8	15
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	2	9.0	72	3	3	9	15	15	15	15
B. *Operated*										
0-19 YRS	65	4.3	11	1	1	4	6	9	11	16
20-34	3464	5.8	7	1	2	6	7	8	10	14
35-49	3446	6.7	6	3	5	6	8	9	11	15
50-64	304	7.5	14	3	5	7	8	10	12	23
65+	42	8.5	17	4	5	8	10	14	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	2.6	3	<1	1	2	3	5	7	8
B. *Operated*	1671	4.7	7	<1	1	5	6	8	8	12
2. MULTIPLE DX										
A. *Not Operated*	165	3.9	7	1	1	3	5	7	8	15
B. *Operated*	7321	6.3	7	2	3	6	7	9	10	15
1. SINGLE DX	1762	4.6	7	<1	1	5	6	8	8	11
2. MULTIPLE DX	7486	6.2	8	2	2	6	7	9	10	15
A. NOT OPERATED	256	3.5	6	1	1	3	5	7	8	14
B. OPERATED	8992	6.0	8	1	2	6	7	9	10	15
TOTAL 0-19 YRS	121	4.0	8	1	1	3	5	7	9	15
20-34	4701	5.4	8	1	2	6	7	8	9	14
35-49	4041	6.5	6	2	4	6	8	9	10	15
50-64	340	7.2	14	2	4	7	8	10	11	22
65+	45	8.4	19	3	5	7	10	15	18	23
GRAND TOTAL	**9248**	**5.9**	**8**	**1**	**2**	**6**	**7**	**9**	**10**	**15**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	2.5	1	1	1	2	3	4	4	4
20-34	100	3.2	4	1	1	2	4	6	7	8
35-49	61	3.1	5	<1	1	2	4	7	8	8
50-64	36	2.4	2	<1	1	2	3	4	5	7
65+	16	3.7	20	2	2	2	3	5	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	10	2	2	3	5	10	10	10
20-34	14	3.9	3	2	2	4	5	6	7	7
35-49	5	2.4	2	1	1	3	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	8.8	36	3	3	7	13	17	17	17
B. *Operated*										
0-19 YRS	20	2.6	3	<1	1	2	3	5	6	8
20-34	589	4.9	10	1	2	5	6	8	10	14
35-49	504	6.0	14	1	2	6	8	10	12	18
50-64	150	5.2	25	1	2	3	7	9	11	35
65+	61	5.6	18	2	2	4	8	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	1	<1	<1	2	2	3	3	3
B. *Operated*	219	3.1	5	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	29	4.4	10	1	2	4	5	8	10	17
B. *Operated*	1324	5.3	14	1	2	5	7	9	11	18
1. SINGLE DX	228	3.0	5	1	1	2	4	6	7	8
2. MULTIPLE DX	1353	5.3	13	1	2	5	7	9	11	18
A. NOT OPERATED	38	3.8	9	<1	1	3	4	7	10	17
B. OPERATED	1543	5.0	13	1	2	5	7	9	11	17
TOTAL 0-19 YRS	36	2.8	4	<1	1	2	3	4	7	10
20-34	705	4.6	9	1	1	4	6	8	10	14
35-49	571	5.6	13	1	2	6	7	9	12	18
50-64	187	4.7	21	1	2	3	7	9	10	29
65+	82	5.3	19	2	2	3	7	10	15	23
GRAND TOTAL	**1581**	**5.0**	**13**	**1**	**2**	**5**	**7**	**9**	**11**	**17**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE dX										
A. *Not Operated*										
0-19 YRS	51	3.1	4	<1	<1	3	4	6	8	10
20-34	154	3.2	3	<1	1	3	4	5	6	8
35-49	33	3.2	4	<1	1	2	5	6	7	7
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	6	6.0	12	2	2	6	9	10	10	10
B. *Operated*										
0-19 YRS	82	2.5	2	<1	1	2	3	5	6	7
20-34	533	2.4	3	<1	1	2	3	4	6	8
35-49	247	2.2	3	<1	<1	2	3	4	5	8
50-64	91	3.3	6	<1	1	2	4	7	8	13
65+	22	3.0	6	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.1	5	1	2	4	5	7	9	12
20-34	197	4.8	7	1	2	4	6	8	10	15
35-49	71	4.9	6	2	2	4	6	8	10	14
50-64	35	5.9	16	1	2	5	7	10	14	21
65+	51	7.0	19	2	3	6	8	14	14	21
B. *Operated*										
0-19 YRS	64	3.6	11	<1	1	2	4	8	11	15
20-34	432	4.0	13	1	1	3	5	7	9	15
35-49	215	4.3	14	1	1	3	6	8	11	23
50-64	89	4.9	15	2	2	4	7	10	11	22
65+	54	8.3	98	1	1	5	10	17	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	3.3	4	<1	1	3	4	6	7	10
B. *Operated*	975	2.5	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	434	5.0	9	1	2	4	6	9	11	17
B. *Operated*	654	4.4	20	1	1	3	6	8	11	22
1. SINGLE DX	1221	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	1288	4.6	16	1	1	4	6	8	11	19
A. NOT OPERATED	680	4.4	8	1	2	4	6	8	10	14
B. OPERATED	1829	3.4	12	<1	1	2	4	7	8	13
TOTAL 0-19 YRS	277	3.3	6	<1	1	3	4	6	8	13
20-34	1316	3.4	8	1	1	3	4	6	8	13
35-49	566	3.4	9	<1	1	3	4	7	8	13
50-64	217	4.4	12	1	1	3	6	9	11	18
65+	133	6.8	51	1	2	5	8	14	18	42
GRAND TOTAL	**2509**	**3.6**	**11**	**<1**	**1**	**3**	**5**	**7**	**9**	**15**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	5	5.2	10	1	1	6	8	8	8	8
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	13	3.8	4	1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	7	2.7	4	<1	<1	2	4	6	6	6
20-34	459	5.8	3	3	4	6	7	8	9	12
35-49	601	6.5	5	3	4	6	8	9	11	14
50-64	760	7.0	5	4	4	7	8	10	11	15
65+	610	7.7	7	4	5	7	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	27	2.1	3	<1	<1	1	3	5	6	7
35-49	36	3.8	10	<1	<1	3	6	8	9	14
50-64	44	3.8	10	<1	1	3	4	6	9	19
65+	101	4.6	14	1	1	4	6	10	12	20
B. *Operated*										
0-19 YRS	6	5.7	5	2	2	6	6	9	9	9
20-34	1890	6.3	5	4	4	6	7	9	10	14
35-49	2975	7.2	7	4	5	7	8	10	12	17
50-64	2058	8.2	10	4	5	8	9	12	14	19
65+	1866	9.1	17	4	5	8	10	14	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.3	6	<1	<1	3	5	7	8	8
B. *Operated*	2437	6.8	6	4	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	208	4.0	12	<1	1	3	5	8	11	19
B. *Operated*	8795	7.6	10	4	5	7	9	11	13	19
1. SINGLE DX	2463	6.8	6	3	4	7	8	10	11	15
2. MULTIPLE DX	9003	7.6	11	4	5	7	9	11	13	19
A. NOT OPERATED	234	3.9	11	<1	<1	3	5	8	10	19
B. OPERATED	11232	7.5	9	4	5	7	9	11	13	18
TOTAL 0-19 YRS	15	3.9	6	<1	1	5	6	6	8	9
20-34	2379	6.2	5	4	4	6	7	9	10	14
35-49	3617	7.0	7	4	5	7	8	10	12	16
50-64	2865	7.8	9	4	5	7	9	11	13	19
65+	2590	8.5	15	4	5	8	10	13	15	22
GRAND TOTAL	**11466**	**7.4**	**10**	**4**	**4**	**7**	**9**	**11**	**13**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	10	1.7		1	1	2	2	3	3	3
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	132	2.0	2	<1	<1	2	2	4	5	6
35-49	105	1.9	2	<1	<1	2	2	3	6	8
50-64	5	2.4	1	<1	<1	2	3	4	6	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	11	2.3	2	1	1	2	3	4	6	6
35-49	9	4.3	11	<1	<1	3	5	10	12	12
50-64	3	3.7	21	1	1	1	7	9	9	9
65+										
B. *Operated*										
0-19 YRS	17	3.8	10	1	1	2	5	10	11	11
20-34	191	3.6	6	1	1	2	6	7	8	9
35-49	223	4.3	10	1	1	3	7	8	10	13
50-64	24	3.1	12	<1	1	2	3	6	12	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.7	1	1	1	1	2	3	4	5
B. *Operated*	216	2.0	2	<1	<1	2	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	27	3.3	7	<1	1	3	4	6	9	12
B. *Operated*	455	3.9	8	1	1	2	6	8	9	13
1. SINGLE DX	235	1.9	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	482	3.9	8	1	1	2	6	8	9	13
A. NOT OPERATED	44	2.7	5	1	1	2	3	5	7	12
B. OPERATED	673	3.3	7	<1	1	2	5	7	8	11
TOTAL 0-19 YRS	29	3.1	7	1	1	2	4	7	10	11
20-34	314	3.0	5	<1	1	2	4	6	7	9
35-49	342	3.5	9	<1	1	2	6	8	9	13
50-64	32	3.0	10	<1	1	2	3	7	10	16
65+										
GRAND TOTAL	**717**	**3.2**	**7**	**<1**	**1**	**2**	**5**	**7**	**8**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.2	2	<1	1	2	3	4	5	7
20-34	244	1.9	2	<1	<1	2	2	4	4	6
35-49	61	2.2	5	<1	<1	2	2	3	4	17
50-64	6	1.2		<1	<1	1	1	2	2	2
65+										
B. *Operated*										
0-19 YRS	268	1.9	1	<1	1	2	2	3	4	5
20-34	2679	2.2	3	<1	<1	2	2	5	6	6
35-49	2357	2.2	4	<1	<1	2	2	5	6	9
50-64	251	2.1	3	<1	<1	2	2	5	6	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.6	3	1	1	2	3	5	7	9
20-34	304	2.9	6	1	1	2	4	5	6	9
35-49	202	3.0	5	<1	1	2	4	6	7	11
50-64	17	2.6	4	<1	<1	2	3	6	7	7
65+										
B. *Operated*										
0-19 YRS	300	3.0	4	1	1	2	4	6	7	10
20-34	4866	4.3	8	1	1	4	6	8	9	13
35-49	4096	4.8	9	<1	1	5	7	8	9	13
50-64	592	4.2	9	<1	1	3	7	8	9	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	2.0	2	<1	<1	2	2	4	4	7
B. *Operated*	5555	2.2	3	<1	<1	2	2	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	630	2.9	5	<1	1	2	4	6	6	9
B. *Operated*	11854	4.5	8	<1	1	5	6	8	9	13
1. SINGLE DX	5984	2.2	3	<1	<1	2	2	5	6	8
2. MULTIPLE DX	12484	4.4	8	<1	1	4	6	8	9	13
A. NOT OPERATED	1059	2.5	4	<1	1	2	3	5	6	8
B. OPERATED	17409	3.8	8	<1	1	2	6	7	8	12
TOTAL 0-19 YRS	793	2.5	3	<1	1	2	3	5	6	8
20-34	8093	3.5	7	<1	1	2	6	7	8	11
35-49	6716	4.0	9	<1	1	3	6	8	9	12
50-64	866	3.5	8	<1	1	2	6	8	9	12
65+										
GRAND TOTAL	**18468**	**3.7**	**8**	**<1**	**1**	**2**	**6**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	17	2.9	4	<1	1	2	3	6	7	8
50-64	11	2.3	1	<1	<1	2	3	4	5	5
65+	13	2.8	3	<1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS										
20-34	9	2.9	10	<1	<1	1	4	8	10	10
35-49	256	1.8	1	<1	<1	2	2	3	4	7
50-64	852	1.9	2	<1	<1	2	2	3	4	8
65+	311	2.2	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	4.0	5	2	2	3	5	7	7	7
35-49	39	3.5	2	1	2	3	4	5	6	7
50-64	56	4.4	17	1	1	3	6	9	12	22
65+	50	4.8	17	1	2	3	6	10	12	24
B. *Operated*										
0-19 YRS										
20-34	20	3.4	5	1	1	3	5	7	7	7
35-49	281	3.6	12	<1	1	2	5	8	10	16
50-64	1240	3.6	15	<1	1	2	5	8	10	16
65+	736	4.1	15	1	1	3	5	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.7	3	<1	1	2	3	5	6	8
B. *Operated*	1428	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	150	4.3	13	1	1	3	5	8	10	22
B. *Operated*	2277	3.8	14	1	1	2	5	8	11	17
1. SINGLE DX	1469	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	2427	3.8	14	1	1	2	5	8	10	17
A. NOT OPERATED	191	3.9	11	1	1	3	5	8	9	20
B. OPERATED	3705	3.1	10	<1	1	2	3	7	9	15
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	33	3.3	6	<1	1	2	5	7	7	10
35-49	593	2.8	7	<1	<1	2	3	6	8	14
50-64	2159	2.9	10	<1	1	2	3	7	8	15
65+	1110	3.6	12	1	1	2	4	8	11	17
GRAND TOTAL	**3896**	**3.1**	**10**	**<1**	**1**	**2**	**3**	**7**	**9**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.1	3	<1	<1	1	2	4	7	8
20-34	135	2.0	2	<1	<1	2	2	4	4	7
35-49	40	2.9	5	<1	1	2	4	6	7	12
50-64	9	3.1	20	1	1	2	2	10	15	15
65+	8	3.4	19	<1	<1	2	3	11	14	14
B. *Operated*										
0-19 YRS	133	2.5	2	<1	1	2	3	5	5	7
20-34	1727	3.2	5	<1	1	2	5	6	7	10
35-49	939	3.4	8	<1	1	2	5	7	8	13
50-64	490	3.0	7	<1	<1	2	4	7	8	11
65+	184	3.1	5	1	1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.6	4	<1	1	2	3	5	8	10
20-34	150	2.6	3	<1	1	2	3	5	6	8
35-49	74	3.6	12	<1	1	2	5	8	11	17
50-64	56	4.2	11	1	1	3	5	9	11	17
65+	90	5.4	15	1	1	5	7	10	12	20
B. *Operated*										
0-19 YRS	147	4.3	12	1	1	4	5	7	11	20
20-34	2247	4.7	8	1	1	5	6	8	9	14
35-49	2420	5.4	13	1	1	6	7	9	10	15
50-64	1330	5.6	23	1	2	6	7	9	12	22
65+	703	7.1	69	1	2	4	9	15	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.2	4	<1	<1	2	3	4	6	12
B. *Operated*	3473	3.2	6	<1	1	2	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	415	3.6	10	<1	1	3	5	8	9	16
B. *Operated*	6847	5.4	20	1	1	5	7	9	11	21
1. SINGLE DX	3719	3.1	6	<1	1	2	4	6	7	11
2. MULTIPLE DX	7262	5.3	19	1	1	5	7	9	11	20
A. NOT OPERATED	661	3.1	8	<1	1	2	4	7	8	15
B. OPERATED	10320	4.6	16	1	1	4	6	8	10	18
TOTAL 0-19 YRS	379	3.1	7	<1	1	2	4	6	7	13
20-34	4259	3.9	7	1	1	3	6	7	8	12
35-49	3473	4.8	12	<1	1	5	7	8	10	15
50-64	1885	4.9	20	<1	1	4	7	9	11	19
65+	985	6.2	54	1	2	4	8	13	18	39
GRAND TOTAL	**10981**	**4.6**	**16**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	167	2.0	2	<1	1	2	2	4	4	7
20-34	301	2.3	2	<1	<1	2	3	4	5	8
35-49	84	2.8	5	<1	1	2	4	6	7	10
50-64	16	2.8	3	<1	1	3	4	5	6	7
65+	6	7.8	80	1	1	5	8	23	25	25
B. Operated										
0-19 YRS	154	2.5	2	<1	1	2	3	5	6	7
20-34	1180	3.3	7	<1	<1	2	5	7	8	11
35-49	577	6.3	11	1	2	6	8	10	11	16
50-64	338	7.6	8	2	4	8	9	11	13	16
65+	181	9.0	20	3	4	9	11	14	17	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	143	2.6	2	<1	1	2	3	5	6	8
20-34	468	3.1	6	<1	1	3	4	6	7	10
35-49	152	3.3	5	<1	1	3	5	6	8	10
50-64	47	4.2	10	1	2	3	5	8	8	20
65+	36	7.4	90	1	2	5	7	15	23	53
B. Operated										
0-19 YRS	180	3.5	7	<1	1	3	5	7	9	12
20-34	3579	4.9	8	<1	1	5	6	8	9	13
35-49	1953	6.7	10	2	3	6	8	10	11	17
50-64	584	8.6	15	2	4	8	10	13	15	22
65+	331	9.7	26	2	4	9	12	16	18	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	574	2.3	4	<1	<1	2	3	4	6	8
B. Operated	2430	5.0	13	<1	1	5	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	846	3.3	10	<1	1	3	4	6	8	13
B. Operated	6627	5.9	12	1	2	6	8	10	12	17
1. SINGLE DX	3004	4.5	12	<1	1	3	7	9	10	15
2. MULTIPLE DX	7473	5.6	12	1	1	6	7	10	11	17
A. NOT OPERATED	1420	2.9	7	<1	1	2	4	5	7	11
B. OPERATED	9057	5.7	12	<1	1	6	7	10	11	17
TOTAL 0-19 YRS	644	2.7	4	<1	1	2	3	5	7	10
20-34	5528	4.2	8	<1	1	4	6	8	9	12
35-49	2766	6.3	10	1	2	6	8	10	11	16
50-64	985	7.9	14	2	3	8	10	12	14	20
65+	554	9.3	29	2	3	9	11	15	18	27
GRAND TOTAL	**10477**	**5.3**	**13**	**<1**	**1**	**5**	**7**	**9**	**11**	**17**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	30	2.1	2	<1	<1	2	3	4	4	6
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	99	4.7	3	2	3	5	6	6	7	10
20-34	1360	5.0	3	3	3	5	6	7	8	10
35-49	141	5.2	4	2	3	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	14	3.0	2	<1	1	3	4	5	7	7
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	98	5.2	3	3	4	5	6	7	8	13
20-34	1305	5.5	4	3	4	5	6	8	9	13
35-49	217	6.0	7	3	4	5	7	9	11	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.1	1	<1	<1	2	3	4	4	6
B. Operated	1600	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	17	2.9	3	<1	1	2	4	5	6	7
B. Operated	1620	5.6	5	3	4	5	6	8	9	14
1. SINGLE DX	1634	4.9	3	2	3	5	6	7	8	10
2. MULTIPLE DX	1637	5.5	5	3	4	5	6	8	9	14
A. NOT OPERATED	51	2.3	2	<1	<1	2	3	4	5	7
B. OPERATED	3220	5.3	4	3	3	5	6	7	8	13
TOTAL 0-19 YRS	204	4.8	3	2	3	5	6	7	8	11
20-34	2709	5.2	4	3	3	5	6	7	8	12
35-49	358	5.7	6	3	4	5	7	8	10	16
50-64										
65+										
GRAND TOTAL	**3271**	**5.2**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	4	<1	<1	1	2	3	7	8
20-34	34	2.3	3	<1	1	2	3	5	5	8
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	273	1.9	2	<1	<1	2	2	3	4	5
20-34	525	1.8	2	<1	<1	1	2	3	4	7
35-49	99	1.4	1	<1	<1	<1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	3	<1	<1	2	3	5	6	6
20-34	18	3.4	14	<1	1	2	4	7	13	16
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	301	2.3	3	<1	<1	2	3	4	6	10
20-34	891	2.6	7	<1	<1	2	3	5	7	12
35-49	226	2.6	6	<1	<1	2	3	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.2	3	<1	<1	2	2	4	5	8
B. *Operated*	897	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	31	2.9	9	<1	1	2	4	6	8	16
B. *Operated*	1418	2.5	6	<1	<1	2	3	5	7	12
1. SINGLE DX	947	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1449	2.5	6	<1	<1	2	3	5	7	12
A. NOT OPERATED	81	2.4	5	<1	1	2	3	5	7	14
B. OPERATED	2315	2.2	5	<1	<1	2	2	4	6	10
TOTAL 0-19 YRS	597	2.1	3	<1	<1	2	2	3	5	10
20-34	1468	2.3	5	<1	<1	2	3	4	6	11
35-49	331	2.2	5	<1	<1	1	2	5	7	10
50-64										
65+										
GRAND TOTAL	**2396**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**6**	**10**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	8	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	4.0		4	4	4	4	4	4	4
1. SINGLE DX	9	2.0	2	<1	<1	2	2	4	5	5
2. MULTIPLE DX	2	4.0		4	4	4	4	4	4	4
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	10	2.5	2	<1	<1	2	4	5	5	5
TOTAL 0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	5	2.8	3	1	1	2	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
GRAND TOTAL	**11**	**2.4**	**2**	**<1**	**<1**	**2**	**4**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	1.7	1	<1	1	1	2	3	4	5
20-34	752	1.7	2	<1	<1	1	2	3	4	7
35-49	55	1.4	1	<1	<1	1	2	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1579	1.6	1	<1	<1	1	2	3	3	5
20-34	7154	1.5	2	<1	<1	1	2	2	3	5
35-49	851	1.4	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.1	2	<1	1	2	3	4	5	6
20-34	191	2.3	3	1	1	2	3	5	6	10
35-49	17	3.2	13	<1	1	2	3	9	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	268	2.4	4	1	1	2	3	5	6	12
20-34	1332	2.4	6	<1	1	2	3	5	6	11
35-49	262	2.4	5	<1	1	2	3	5	6	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1112	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	9584	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	258	2.3	3	<1	1	2	3	5	6	11
B. *Operated*	1862	2.4	5	<1	1	2	3	5	6	12
1. SINGLE DX	10696	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	2120	2.4	5	<1	1	2	3	5	6	11
A. NOT OPERATED	1370	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	11446	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	2202	1.7	1	<1	1	1	2	3	4	6
20-34	9429	1.6	3	<1	<1	1	2	3	4	7
35-49	1185	1.7	2	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**12816**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.0	6	<1	1	3	4	5	5	15
20-34	147	2.5	3	<1	1	2	3	5	7	8
35-49	18	2.1	2	<1	1	2	2	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	178	1.9	2	<1	<1	2	2	3	4	8
20-34	1448	1.6	1	<1	<1	1	2	3	3	6
35-49	178	1.6	1	<1	<1	1	2	3	3	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	3	1	1	3	4	6	7	7
20-34	62	3.1	9	1	1	2	4	6	8	18
35-49	8	5.3	31	1	1	3	8	15	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	58	3.4	8	1	1	3	4	7	11	13
20-34	399	2.8	7	<1	1	2	3	5	8	12
35-49	71	3.1	6	<1	1	2	4	6	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	2.6	4	<1	1	2	3	5	6	9
B. *Operated*	1804	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	87	3.3	10	1	1	2	4	7	9	18
B. *Operated*	528	2.9	7	<1	1	2	3	6	8	13
1. SINGLE DX	2032	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	615	3.0	7	<1	1	2	3	6	8	13
A. NOT OPERATED	315	2.8	5	<1	1	2	4	5	7	13
B. OPERATED	2332	2.0	3	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	316	2.5	4	<1	1	2	3	5	6	12
20-34	2056	2.0	3	<1	<1	2	2	3	5	9
35-49	275	2.1	4	<1	<1	2	2	4	6	12
50-64										
65+										
GRAND TOTAL	**2647**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	2.2	3	<1	1	2	3	4	5	8
20-34	1011	2.4	2	<1	1	2	3	4	5	8
35-49	53	2.3	2	<1	1	2	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.8	2	1	1	1	2	4	4	4
20-34	22	2.4	3	1	1	2	3	5	6	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.0	4	<1	<1	3	4	5	6	11
20-34	208	3.0	4	1	1	3	4	5	7	11
35-49	21	3.5	8	<1	1	3	4	8	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.8	12	1	1	4	7	9	9	9
20-34	15	4.5	16	<1	1	2	8	10	12	12
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1249	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	27	2.3	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	277	3.1	4	1	1	3	4	5	7	11
B. *Operated*	20	4.4	15	<1	1	3	8	10	11	12
1. SINGLE DX	1276	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	297	3.1	5	1	1	3	4	6	8	11
A. NOT OPERATED	1526	2.5	3	<1	1	2	3	4	6	9
B. OPERATED	47	3.2	8	1	1	2	4	8	10	12
TOTAL 0-19 YRS	242	2.4	4	<1	1	2	3	4	6	9
20-34	1256	2.5	3	<1	1	2	3	4	6	9
35-49	75	2.6	4	<1	1	2	3	5	6	11
50-64										
65+										
GRAND TOTAL	**1573**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	1	<1	<1	2	3	3	3	3
20-34	54	2.2	2	<1	<1	2	3	4	6	8
35-49	3	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	4	2	2	3	4	7	7	7
20-34	18	2.7	2	<1	1	3	4	4	5	5
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.2	2	<1	<1	2	3	4	5	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	27	2.8	2	1	1	3	4	4	5	7
B. *Operated*	3	2.3	5	<1	<1	1	4	5	5	5
1. SINGLE DX	72	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	30	2.7	2	<1	1	3	4	5	5	7
A. NOT OPERATED	99	2.3	2	<1	<1	2	3	4	5	8
B. OPERATED	3	2.3	5	<1	<1	1	4	5	5	5
TOTAL 0-19 YRS	22	2.3	2	<1	<1	2	3	4	5	7
20-34	73	2.4	2	<1	<1	2	3	4	5	8
35-49	7	2.3	1	1	1	3	3	3	3	3
50-64										
65+										
GRAND TOTAL	**102**	**2.3**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	3.5	8	1	1	3	4	7	8	13
20-34	1232	3.6	9	1	1	3	4	6	8	16
35-49	113	4.1	11	1	2	3	5	7	10	19
50-64										
65+										
B. *Operated*										
0-19 YRS	22	3.7	8	<1	<1	3	5	7	10	13
20-34	69	4.0	10	1	1	3	5	9	11	15
35-49	11	5.3	18	<1	<1	5	8	12	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.4	10	<1	1	3	4	6	7	21
20-34	365	4.2	9	1	1	3	5	8	10	15
35-49	51	4.3	8	1	2	4	5	9	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.6	6	<1	1	3	6	7	8	8
20-34	62	4.7	12	<1	1	4	7	9	10	18
35-49	7	5.3	23	1	1	3	8	13	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1660	3.6	9	1	1	3	4	6	8	16
B. *Operated*	102	4.1	10	<1	1	3	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	506	4.0	9	1	1	3	5	8	10	15
B. *Operated*	82	4.5	12	<1	1	3	7	9	11	17
1. SINGLE DX	1762	3.6	9	1	1	3	4	6	9	16
2. MULTIPLE DX	588	4.1	9	1	1	3	5	8	10	15
A. NOT OPERATED	2166	3.7	9	1	1	3	4	7	9	15
B. OPERATED	184	4.3	11	<1	1	3	6	9	11	15
TOTAL 0-19 YRS	440	3.5	8	<1	1	3	4	7	8	15
20-34	1728	3.8	9	1	1	3	4	7	9	16
35-49	182	4.3	11	1	2	3	5	8	11	15
50-64										
65+										
GRAND TOTAL	2350	3.8	9	1	1	3	4	7	9	15

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.1	5	1	1	3	4	5	7	13
20-34	1407	3.8	7	1	2	3	4	6	9	15
35-49	39	3.7	5	1	1	3	5	7	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	9	5.4	44	1	1	3	6	17	22	22
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	3.6	6	1	2	3	4	7	8	14
20-34	529	4.1	9	1	2	3	5	7	9	16
35-49	16	6.1	47	1	1	4	6	10	24	30
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.0	7	<1	<1	3	6	8	8	8
20-34	25	7.0	21	2	3	6	10	12	17	20
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1734	3.7	6	1	2	3	4	6	8	14
B. *Operated*	10	5.0	41	1	1	3	5	15	22	22
2. MULTIPLE DX										
A. *Not Operated*	686	4.0	9	1	2	3	5	7	9	15
B. *Operated*	33	6.5	20	2	2	5	9	12	15	20
1. SINGLE DX	1744	3.7	6	1	2	3	4	6	8	14
2. MULTIPLE DX	719	4.1	10	1	2	3	5	7	10	16
A. NOT OPERATED	2420	3.8	7	1	2	3	4	7	9	15
B. OPERATED	43	6.2	24	1	2	5	8	12	17	22
TOTAL 0-19 YRS	436	3.3	5	1	1	3	4	6	7	13
20-34	1970	3.9	8	1	2	3	4	7	9	16
35-49	57	4.5	18	1	1	3	5	9	10	29
50-64										
65+										
GRAND TOTAL	2463	3.8	8	1	2	3	4	7	9	15

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1033	1.2	1	<1	<1	1	1	2	3	4
20-34	3449	1.3	1	<1	<1	1	1	2	3	5
35-49	178	1.3	2	<1	<1	1	1	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	88	1.4	1	<1	<1	1	1	2	3	7
20-34	327	1.4	1	<1	<1	1	1	2	4	7
35-49	16	2.1	2	<1	<1	1	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	1.6	2	<1	<1	1	2	3	4	8
20-34	540	1.7	3	<1	<1	1	2	3	4	7
35-49	24	1.8	2	<1	<1	1	2	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.3	2	<1	1	2	3	5	5	5
20-34	57	2.6	16	<1	<1	1	2	5	8	24
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4660	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	433	1.4	1	<1	<1	1	1	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	760	1.7	3	<1	<1	1	2	3	4	7
B. *Operated*	75	2.5	12	<1	<1	1	2	5	7	23
1. SINGLE DX	5093	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	835	1.7	4	<1	<1	1	2	3	4	8
A. NOT OPERATED	5420	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	508	1.6	3	<1	<1	1	1	3	4	8
TOTAL 0-19 YRS	1333	1.3	1	<1	<1	1	1	2	3	5
20-34	4373	1.3	2	<1	<1	1	1	2	3	6
35-49	222	1.4	2	<1	<1	1	1	2	4	5
50-64										
65+										
GRAND TOTAL	5929	1.3	2	<1	<1	1	1	2	3	5

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.6	2	1	1	2	4	4	6	7
20-34	369	3.7	19	1	1	3	4	6	12	25
35-49	40	3.6	12	1	1	2	4	8	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.1	2	1	1	2	3	4	4	4
20-34	24	8.2	126	1	1	4	9	18	37	54
35-49	4	8.3	50	3	3	6	13	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	3	<1	1	2	4	6	7	7
20-34	118	3.9	15	<1	1	3	5	8	10	21
35-49	12	5.5	35	1	1	1	6	14	21	22
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	17	8.5	11	1	1	4	5	10	12	13
35-49	6	6.0	22	3	3	4	7	14	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	3.6	17	1	1	2	4	6	11	24
B. *Operated*	35	7.0	103	1	1	3	8	17	27	54
2. MULTIPLE DX										
A. *Not Operated*	143	4.0	16	<1	1	3	5	8	11	23
B. *Operated*	29	4.7	12	1	1	4	5	11	13	15
1. SINGLE DX	482	3.8	24	1	1	3	4	7	12	26
2. MULTIPLE DX	169	4.1	15	1	1	3	5	8	11	21
A. NOT OPERATED	590	3.7	17	1	1	3	4	6	11	23
B. OPERATED	61	6.0	65	1	1	4	6	12	17	51
TOTAL 0-19 YRS	61	2.6	2	1	1	2	4	5	6	7
20-34	528	4.0	24	1	1	3	4	7	12	27
35-49	62	4.5	20	1	1	3	5	11	16	22
50-64										
65+										
GRAND TOTAL	651	3.9	22	1	1	3	4	7	12	26

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.0	1	<1	1	2	2	4	5	6
20-34	482	2.3	4	<1	1	2	3	4	6	11
35-49	23	2.7	13	1	1	2	3	4	10	18
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.8	4	1	1	2	4	6	7	7
20-34	39	2.1	2	<1	<1	2	3	4	5	5
35-49	3	6.0	61	1	1	2	12	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	1.7	1	<1	<1	1	2	3	4	4
20-34	169	3.0	11	<1	<1	2	4	5	7	19
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	5.3	34	2	2	3	5	16	17	17
20-34	14	3.8	3	1	2	4	5	6	8	8
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	2.2	4	<1	1	2	3	4	5	11
B. *Operated*	51	2.5	5	<1	<1	2	3	4	5	15
2. MULTIPLE DX										
A. *Not Operated*	213	2.8	9	<1	<1	2	3	5	6	17
B. *Operated*	21	4.1	12	1	1	3	5	7	12	17
1. SINGLE DX	660	2.3	4	<1	1	2	3	4	5	11
2. MULTIPLE DX	234	2.9	9	<1	<1	2	4	5	7	17
A. NOT OPERATED	822	2.4	5	<1	<1	2	3	4	6	12
B. OPERATED	72	2.9	7	<1	1	2	4	5	7	17
TOTAL 0-19 YRS	159	2.1	3	<1	<1	2	3	4	5	7
20-34	704	2.5	6	<1	1	2	3	4	6	12
35-49	31	3.0	15	1	1	2	3	5	15	18
50-64										
65+										
GRAND TOTAL	**894**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	337	3.2	3	<1	1	3	4	5	7	10
20-34	690	3.0	3	1	1	3	4	5	6	8
35-49	15	3.1	4	<1	1	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.2	12	<1	<1	2	4	8	12	13
20-34	30	2.8	3	<1	1	3	4	5	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	409	3.5	3	<1	1	3	4	6	7	9
20-34	797	3.4	4	<1	1	3	4	6	7	11
35-49	28	4.8	9	2	2	4	6	9	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.4	5	<1	<1	3	5	7	8	8
20-34	45	4.4	10	1	1	4	6	8	11	15
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1042	3.1	3	1	1	3	4	5	6	8
B. *Operated*	42	2.9	5	<1	1	2	4	6	6	13
2. MULTIPLE DX										
A. *Not Operated*	1234	3.5	4	<1	1	3	4	6	7	11
B. *Operated*	64	4.3	9	<1	1	4	6	8	10	15
1. SINGLE DX	1084	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1298	3.5	4	<1	1	3	4	6	7	11
A. NOT OPERATED	2276	3.3	3	<1	1	3	4	6	7	10
B. OPERATED	106	3.7	8	<1	1	3	5	7	10	14
TOTAL 0-19 YRS	775	3.3	3	<1	1	3	4	5	7	10
20-34	1562	3.3	4	<1	1	3	4	6	7	10
35-49	45	4.4	8	1	1	4	6	9	11	12
50-64										
65+										
GRAND TOTAL	**2382**	**3.3**	**4**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.8	10	1	1	3	5	8	10	17
20-34	588	4.2	15	1	1	3	5	8	11	18
35-49	70	4.6	11	2	2	4	6	9	10	18
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	21	4.9	42	1	1	3	5	7	19	32
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	3.8	15	<1	1	3	5	7	10	18
20-34	1211	4.2	15	1	1	3	5	9	11	18
35-49	115	5.3	21	1	2	4	6	10	17	23
50-64										
65+										
B. *Operated*										
0-19 YRS	26	5.1	18	1	1	4	6	10	13	22
20-34	111	6.2	42	1	1	4	7	14	20	33
35-49	11	4.7	32	<1	<1	2	7	13	19	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	4.2	14	1	1	3	5	8	11	18
B. *Operated*	25	5.0	38	1	2	3	5	9	17	32
2. MULTIPLE DX										
A. *Not Operated*	1583	4.2	15	1	1	3	5	8	11	19
B. *Operated*	148	5.9	37	<1	1	4	7	13	20	30
1. SINGLE DX	789	4.2	14	1	1	3	5	8	11	18
2. MULTIPLE DX	1731	4.4	17	<1	1	3	5	9	12	21
A. NOT OPERATED	2347	4.2	15	1	1	3	5	8	11	18
B. OPERATED	173	5.8	37	<1	1	4	7	12	20	32
TOTAL 0-19 YRS	393	3.9	14	<1	1	3	5	7	11	18
20-34	1931	4.4	17	1	1	3	5	9	12	20
35-49	196	5.0	18	1	2	4	6	10	16	22
50-64										
65+										
GRAND TOTAL	**2520**	**4.3**	**16**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	671	2.4	9	<1	<1	2	3	5	7	14
20-34	2311	2.8	13	<1	<1	2	3	5	7	18
35-49	129	3.3	31	<1	<1	2	3	7	8	31
50-64										
65+										
B. *Operated*										
0-19 YRS	149	3.1	15	<1	<1	2	4	6	9	18
20-34	921	3.1	10	<1	<1	3	4	5	7	15
35-49	57	4.2	60	<1	<1	3	4	6	8	55
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	356	3.3	16	<1	<1	2	4	7	9	18
20-34	1288	3.5	20	<1	<1	2	4	7	9	24
35-49	76	2.9	6	<1	<1	2	3	6	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	74	3.6	7	<1	1	3	5	7	8	14
20-34	381	4.2	17	<1	1	3	5	8	11	22
35-49	34	4.0	10	<1	1	3	6	7	10	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3111	2.7	13	<1	<1	2	3	5	7	18
B. *Operated*	1127	3.2	13	<1	<1	3	4	5	7	18
2. MULTIPLE DX										
A. *Not Operated*	1720	3.5	19	<1	<1	2	4	7	9	22
B. *Operated*	489	4.1	15	<1	1	3	5	8	11	21
1. SINGLE DX	4238	2.8	13	<1	<1	2	3	5	7	18
2. MULTIPLE DX	2209	3.6	18	<1	<1	3	4	7	10	22
A. NOT OPERATED	4831	3.0	15	<1	<1	2	3	6	8	20
B. OPERATED	1616	3.5	14	<1	<1	3	4	6	9	19
TOTAL 0-19 YRS	1250	2.8	12	<1	<1	2	3	6	8	18
20-34	4901	3.1	15	<1	<1	2	4	6	8	20
35-49	296	3.4	28	<1	<1	2	4	6	8	24
50-64										
65+										
GRAND TOTAL	**6447**	**3.1**	**15**	**<1**	**<1**	**2**	**4**	**6**	**8**	**20**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	2.5	1	1	1	2	3	3	4	7
20-34	406	2.8	2	1	2	3	3	4	5	8
35-49	23	2.7	1	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	66	3.2	2	1	2	3	4	5	6	7
20-34	257	3.9	5	2	2	3	5	6	7	13
35-49	12	5.9	25	1	2	4	6	16	17	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	3.0	1	2	2	3	3	4	5	7
20-34	508	3.4	13	2	2	3	3	5	6	19
35-49	25	3.3	2	1	2	3	4	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	155	5.2	23	2	2	4	6	9	14	27
20-34	1204	5.4	29	2	2	4	6	9	13	28
35-49	140	6.2	32	2	2	4	7	12	18	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	2.8	2	1	2	3	3	4	4	7
B. *Operated*	335	3.9	5	2	2	3	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	715	3.3	10	2	2	3	3	5	6	13
B. *Operated*	1499	5.5	29	2	2	4	6	9	14	28
1. SINGLE DX	902	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX	2214	4.8	24	2	2	3	5	8	11	26
A. NOT OPERATED	1282	3.0	6	1	2	3	3	4	5	11
B. OPERATED	1834	5.2	25	2	2	4	6	8	13	25
TOTAL 0-19 YRS	541	3.5	9	1	2	3	4	6	7	17
20-34	2375	4.4	20	2	2	3	5	7	10	23
35-49	200	5.4	26	2	2	4	6	10	15	30
50-64										
65+										
GRAND TOTAL	**3116**	**4.3**	**18**	**2**	**2**	**3**	**5**	**7**	**9**	**22**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9514	2.6	1	1	2	3	3	4	4	5
20-34	36614	2.7	1	1	2	3	3	4	4	5
35-49	1551	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1520	2.5	2	1	1	2	3	3	4	5
20-34	6410	2.6	1	1	2	3	3	4	4	6
35-49	308	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	403	3.0	2	1	2	3	3	5	5	9
20-34	1460	2.9	2	1	2	3	3	4	[illegible]	7
35-49	80	3.1	1	1	2	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	259	3.1	1	2	2	3	4	4	5	7
20-34	7295	3.2	2	2	2	3	4	4	5	6
35-49	775	3.3	2	2	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47679	2.6	1	1	2	3	3	4	4	5
B. *Operated*	8238	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1943	3.0	2	1	2	3	3	4	5	8
B. *Operated*	8329	3.2	2	2	2	3	4	4	5	6
1. SINGLE DX	55917	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX	10272	3.2	2	2	2	3	4	4	5	7
A. NOT OPERATED	49622	2.6	1	1	2	3	3	4	4	5
B. OPERATED	16567	2.9	2	1	2	3	3	4	5	6
TOTAL 0-19 YRS	11696	2.6	1	1	2	3	3	4	4	5
20-34	51779	2.7	1	1	2	3	3	4	4	6
35-49	2714	2.9	2	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**66189**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	22	2.9	2	1	1	3	3	4	6	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	22	4.8	6	2	3	4	5	8	11	11
20-34	131	7.8	91	3	3	5	6	13	31	52
35-49	18	8.0	36	3	4	6	7	15	23	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	4	3	3	5	7	8	8	8
20-34	27	4.7	18	1	1	3	5	11	14	17
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	39	8.1	66	2	3	6	8	18	28	41
20-34	362	8.5	90	3	3	5	8	17	30	55
35-49	64	7.2	21	4	4	6	8	11	20	89
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.8	2	1	1	3	3	4	5	7
B. *Operated*	171	7.4	75	3	3	5	6	12	28	51
2. MULTIPLE DX										
A. *Not Operated*	34	4.6	15	1	1	3	5	10	13	17
B. *Operated*	465	8.3	78	3	3	5	8	16	28	54
1. SINGLE DX	197	6.8	68	2	3	5	6	11	20	50
2. MULTIPLE DX	499	8.1	75	3	3	5	8	16	27	54
A. NOT OPERATED	60	3.8	10	1	1	3	4	8	11	17
B. OPERATED	636	8.1	78	3	3	5	7	15	28	53
TOTAL 0-19 YRS	68	6.6	43	2	3	5	7	11	20	39
20-34	542	7.9	85	2	3	5	7	15	29	53
35-49	86	7.1	24	3	4	6	8	13	19	73
50-64										
65+										
GRAND TOTAL	**696**	**7.7**	**73**	**2**	**3**	**5**	**7**	**14**	**26**	**53**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	1	1	1	2	3	3	3	4
20-34	155	2.9	10	1	1	3	3	4	6	13
35-49	13	2.3	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	38	4.2	3	1	2	5	5	6	7	7
20-34	167	4.7	18	2	2	4	5	6	7	19
35-49	11	4.3	2	2	2	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.8	2	1	2	2	3	4	6	8
20-34	132	3.1	3	1	1	3	3	5	6	11
35-49	9	3.9	8	1	1	4	5	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	105	4.7	10	1	2	4	6	8	11	16
20-34	525	4.9	12	2	2	5	6	7	9	20
35-49	43	4.8	6	2	2	4	6	9	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	2.8	8	1	1	2	3	4	5	11
B. *Operated*	216	4.6	14	2	2	4	5	6	7	18
2. MULTIPLE DX										
A. *Not Operated*	166	3.1	3	1	1	3	4	5	6	11
B. *Operated*	673	4.8	11	2	2	4	6	7	10	18
1. SINGLE DX	435	3.7	12	1	1	3	5	6	6	14
2. MULTIPLE DX	839	4.5	10	1	2	4	5	7	9	17
A. NOT OPERATED	385	2.9	6	1	1	3	3	5	6	11
B. OPERATED	889	4.8	12	2	2	4	6	7	9	18
TOTAL 0-19 YRS	219	3.8	6	1	2	3	5	6	8	15
20-34	979	4.3	12	1	2	4	5	7	8	18
35-49	76	4.2	6	1	2	4	5	7	9	12
50-64										
65+										
GRAND TOTAL	**1274**	**4.2**	**11**	**1**	**2**	**4**	**5**	**7**	**8**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	1	1	1	3	3	4	4	4
20-34	21	2.6	2	1	1	2	3	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	63	2.4	1	1	1	2	3	3	4	8
20-34	358	2.9	15	1	2	3	3	4	5	7
35-49	21	2.8	1	<1	1	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	2.6	1	<1	1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.0	2	1	2	3	4	5	5	9
20-34	226	3.1	3	1	2	3	4	5	6	8
35-49	23	3.1	3	1	1	3	4	5	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.7	1	1	1	2	3	5	5	5
B. *Operated*	442	2.9	12	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	12	2.4	1	<1	1	2	3	4	4	4
B. *Operated*	284	3.1	3	1	1	3	4	5	6	9
1. SINGLE DX	471	2.9	11	1	1	3	3	4	5	7
2. MULTIPLE DX	296	3.1	2	1	1	3	4	5	6	9
A. NOT OPERATED	41	2.6	1	1	1	2	3	4	5	5
B. OPERATED	726	3.0	8	1	1	3	3	4	5	8
TOTAL 0-19 YRS	106	2.6	2	1	1	2	3	4	5	8
20-34	615	3.0	9	1	2	3	3	4	5	7
35-49	46	2.9	2	1	1	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**767**	**2.9**	**8**	**1**	**1**	**3**	**3**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.8	1	2	2	3	3	4	4	5
20-34	148	2.7	1	1	1	3	3	4	4	6
35-49	8	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.5	2	1	2	3	4	6	7	8
20-34	78	3.0	1	1	2	3	4	4	5	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.4	2	2	2	3	4	5	6	7
20-34	83	2.9	1	1	2	3	3	4	4	7
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	23	3.5	1	2	2	3	4	5	6	6
20-34	134	3.8	6	2	2	3	4	6	7	18
35-49	7	2.9		2	2	3	3	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	2.7	1	1	2	3	3	4	4	6
B. *Operated*	106	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	113	3.1	2	1	2	3	4	4	6	10
B. *Operated*	164	3.7	5	2	2	3	4	5	7	17
1. SINGLE DX	313	2.9	1	1	2	3	3	4	5	7
2. MULTIPLE DX	277	3.5	4	2	2	3	4	5	6	13
A. NOT OPERATED	320	2.9	1	1	2	3	3	4	4	7
B. OPERATED	270	3.5	4	2	2	3	4	5	6	10
TOTAL 0-19 YRS	128	3.2	1	2	2	3	4	4	6	7
20-34	443	3.1	3	1	2	3	4	4	5	8
35-49	19	3.3	7	2	2	3	3	4	10	14
50-64										
65+										
GRAND TOTAL	**590**	**3.1**	**3**	**1**	**2**	**3**	**4**	**4**	**6**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	2	1	2	3	3	4	6	7
20-34	82	2.9	1	1	2	3	3	4	5	7
35-49	6	4.0	9	2	2	3	3	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	10	3.2	3	1	1	3	4	6	6	6
20-34	71	4.4	9	2	2	4	5	7	8	21
35-49	5	4.6	3	3	3	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.0	44	1	2	3	4	9	20	33
20-34	84	4.1	38	1	1	3	4	6	12	42
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	64	5.2	7	2	2	5	6	8	11	14
20-34	631	5.5	28	2	2	5	6	8	12	31
35-49	54	5.9	15	2	3	5	7	10	12	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.0	2	2	2	3	3	4	5	9
B. *Operated*	86	4.3	8	2	2	4	5	7	8	19
2. MULTIPLE DX										
A. *Not Operated*	109	4.3	38	1	1	3	4	7	13	41
B. *Operated*	749	5.5	25	2	2	5	6	8	12	26
1. SINGLE DX	194	3.6	5	2	2	3	4	6	7	10
2. MULTIPLE DX	858	5.4	27	2	2	4	6	8	12	30
A. NOT OPERATED	217	3.7	20	1	2	3	4	5	8	26
B. OPERATED	835	5.4	23	2	2	5	6	8	11	25
TOTAL 0-19 YRS	117	4.6	13	1	2	4	6	8	10	20
20-34	868	5.0	25	2	2	4	6	8	10	24
35-49	67	5.6	13	2	3	5	7	10	11	24
50-64										
65+										
GRAND TOTAL	**1052**	**5.0**	**23**	**2**	**2**	**4**	**6**	**8**	**10**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	1	1	2	2	3	4	4	5
20-34	162	2.7	1	1	2	3	3	4	5	6
35-49	15	2.5	1	<1	1	3	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	288	4.5	2	2	3	5	5	6	7	10
20-34	1621	4.5	2	2	3	5	5	6	6	8
35-49	73	4.1	3	2	2	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	1	1	1	2	3	3	4	4
20-34	61	2.8	2	1	1	3	3	5	5	7
35-49	8	2.6	3	<1	<1	2	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	311	5.2	5	2	3	5	6	8	9	13
20-34	1929	5.1	8	2	3	5	6	7	8	14
35-49	199	5.3	6	2	3	5	6	8	10	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	2.7	1	1	2	3	3	4	5	6
B. *Operated*	1982	4.5	2	2	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	87	2.7	2	1	1	3	3	4	5	7
B. *Operated*	2439	5.2	8	2	3	5	6	7	8	14
1. SINGLE DX	2180	4.3	2	2	2	4	5	6	6	8
2. MULTIPLE DX	2526	5.1	8	2	3	5	6	7	8	14
A. NOT OPERATED	285	2.7	1	1	1	3	3	4	5	6
B. OPERATED	4421	4.9	5	2	3	5	6	7	8	11
TOTAL 0-19 YRS	638	4.8	4	2	3	5	5	7	8	11
20-34	3773	4.7	5	2	3	5	5	6	7	11
35-49	295	4.8	5	2	2	5	6	7	9	13
50-64										
65+										
GRAND TOTAL	**4706**	**4.7**	**5**	**2**	**3**	**5**	**5**	**7**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.6	1	1	2	3	3	4	4	5
20-34	291	2.7	1	1	2	3	3	4	5	6
35-49	20	3.2	1	2	2	3	4	4	6	7
50-64										
65+										
B. Operated										
0-19 YRS	189	3.9	3	2	2	3	5	6	7	9
20-34	997	3.9	3	2	2	4	5	6	6	8
35-49	49	4.2	2	2	2	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.3	1	2	2	3	4	4	6	6
20-34	129	3.1	2	1	2	3	3	4	6	8
35-49	9	2.9	2	1	1	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	414	4.3	7	2	2	4	5	7	8	13
20-34	2517	4.5	8	2	3	4	5	6	7	11
35-49	230	4.8	4	2	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	359	2.7	1	1	2	3	3	4	4	6
B. Operated	1235	3.9	3	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	168	3.1	2	1	2	3	4	4	6	8
B. Operated	3161	4.5	8	2	2	4	5	6	7	12
1. SINGLE DX	1594	3.7	3	2	2	3	5	6	6	8
2. MULTIPLE DX	3329	4.4	8	2	2	4	5	6	7	11
A. NOT OPERATED	527	2.9	1	1	2	3	3	4	5	7
B. OPERATED	4396	4.3	7	2	2	4	5	6	7	11
TOTAL 0-19 YRS	681	4.0	6	2	2	4	5	6	7	12
20-34	3934	4.2	7	2	2	4	5	6	7	10
35-49	308	4.5	3	2	2	4	6	7	7	11
50-64										
65+										
GRAND TOTAL	**4923**	**4.2**	**6**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	29	2.9	1	1	1	3	4	5	5	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	627	5.1	2	3	4	5	6	7	8	10
20-34	2475	5.1	4	3	4	5	6	6	7	8
35-49	61	5.7	1	4	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	27	4.0	2	2	3	4	5	6	7	7
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1095	5.9	8	4	4	5	6	8	10	14
20-34	4527	5.5	5	4	4	5	6	7	8	13
35-49	260	5.6	3	4	4	5	6	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	3.0	2	1	2	3	4	5	6	6
B. Operated	3163	5.1	3	3	4	5	6	6	7	9
2. MULTIPLE DX										
A. Not Operated	30	4.1	2	2	3	4	5	6	7	7
B. Operated	5082	5.6	6	4	4	5	6	7	9	13
1. SINGLE DX	3196	5.1	3	3	4	5	6	6	7	9
2. MULTIPLE DX	5912	5.6	6	4	4	5	6	7	9	13
A. NOT OPERATED	63	3.5	2	1	2	3	4	6	6	7
B. OPERATED	9045	5.4	5	4	4	5	6	7	8	12
TOTAL 0-19 YRS	1728	5.6	6	3	4	5	6	8	9	13
20-34	7058	5.4	5	3	4	5	6	7	8	12
35-49	322	5.6	3	4	4	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**9108**	**5.4**	**5**	**3**	**4**	**5**	**6**	**7**	**8**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.8	1	1	2	3	3	4	4	6
20-34	361	3.1	2	2	2	3	3	4	5	6
35-49	13	2.4		1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	141	4.0	3	1	2	4	5	6	6	8
20-34	696	4.0	3	2	2	4	5	6	7	9
35-49	38	3.8	2	1	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.9	6	1	2	3	4	6	11	13
20-34	181	3.3	6	1	2	3	4	5	6	11
35-49	9	3.3	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	355	4.8	16	1	2	4	6	8	9	13
20-34	1761	4.5	4	2	2	4	6	7	8	10
35-49	126	5.2	6	2	3	5	6	7	8	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	3.0	2	2	2	3	3	4	5	6
B. *Operated*	875	4.0	3	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	246	3.4	6	1	2	3	4	5	6	13
B. *Operated*	2242	4.6	6	2	2	4	6	7	8	12
1. SINGLE DX	1329	3.6	3	2	2	3	5	6	6	8
2. MULTIPLE DX	2488	4.5	6	2	2	4	6	7	8	12
A. NOT OPERATED	700	3.1	3	2	2	3	4	4	5	11
B. OPERATED	3117	4.4	5	2	2	4	6	7	8	11
TOTAL 0-19 YRS	632	4.3	11	1	2	4	5	7	8	12
20-34	2999	4.1	4	2	2	4	5	6	7	10
35-49	186	4.6	6	2	2	4	6	7	8	15
50-64										
65+										
GRAND TOTAL	**3817**	**4.2**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**11**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.3	1	1	1	2	3	3	4	4
20-34	89	2.5	1	1	1	2	3	3	4	6
35-49	9	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	62	4.8	2	2	3	5	5	6	7	7
20-34	394	4.5	2	2	2	5	5	6	7	9
35-49	15	4.1	2	2	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.9	52	1	2	3	3	12	25	30
20-34	73	3.4	6	2	2	3	3	5	6	17
35-49	6	3.8	13	1	1	2	6	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	125	5.4	9	2	3	5	6	8	9	21
20-34	957	5.3	6	2	3	5	6	7	9	13
35-49	107	5.4	4	3	3	5	6	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.5	1	1	1	2	3	3	4	6
B. *Operated*	471	4.5	2	2	3	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	95	3.7	14	1	2	3	3	6	9	24
B. *Operated*	1189	5.4	6	2	3	5	6	8	9	13
1. SINGLE DX	593	4.1	3	2	2	4	5	5	7	8
2. MULTIPLE DX	1284	5.2	7	2	3	5	6	7	9	15
A. NOT OPERATED	217	3.0	7	1	1	3	3	4	6	16
B. OPERATED	1660	5.1	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	227	4.9	10	2	2	5	6	7	8	21
20-34	1513	4.9	6	2	2	5	6	7	8	12
35-49	137	5.0	4	2	3	5	6	8	9	11
50-64										
65+										
GRAND TOTAL	**1877**	**4.9**	**6**	**2**	**2**	**5**	**6**	**7**	**8**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.7	1	1	1	3	3	4	5	5
20-34	63	3.0	2	2	2	3	4	5	6	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	388	5.0	2	3	4	5	6	7	7	9
20-34	4603	5.2	1	3	4	5	6	7	7	8
35-49	238	5.7	1	4	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	2	2	2	3	4	6	6	6
20-34	34	3.3	2	1	2	3	4	6	6	7
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	401	5.4	4	3	4	5	6	7	8	12
20-34	6611	5.5	4	4	4	5	6	7	8	11
35-49	516	5.9	7	4	4	6	6	8	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.9	1	2	2	3	3	5	6	7
B. *Operated*	5229	5.2	1	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	43	3.4	2	1	2	3	4	6	6	7
B. *Operated*	7528	5.5	4	4	4	5	6	7	8	12
1. SINGLE DX	5306	5.2	2	3	4	5	6	7	7	9
2. MULTIPLE DX	7571	5.5	4	4	4	5	6	7	8	12
A. NOT OPERATED	120	3.1	2	1	2	3	4	5	6	7
B. OPERATED	12757	5.4	3	3	4	5	6	7	8	10
TOTAL 0-19 YRS	806	5.2	3	3	4	5	6	7	7	10
20-34	11311	5.4	3	3	4	5	6	7	7	10
35-49	760	5.8	6	4	4	6	6	7	8	12
50-64										
65+										
GRAND TOTAL	**12877**	**5.4**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	2.9	1	2	2	3	3	4	4	6
20-34	921	3.1	2	1	2	3	4	4	5	7
35-49	46	2.9	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	145	3.2	3	1	2	3	4	5	6	8
20-34	748	3.3	3	2	2	3	4	5	6	8
35-49	38	3.7	3	2	2	3	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	3.7	13	1	2	3	4	6	6	14
20-34	613	3.5	5	2	2	3	4	5	6	11
35-49	37	4.2	9	1	2	3	5	6	13	15
50-64										
65+										
B. *Operated*										
0-19 YRS	452	4.3	7	2	2	4	5	7	8	16
20-34	2642	4.3	6	2	2	4	5	6	8	14
35-49	229	4.8	9	2	2	4	6	7	9	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1174	3.0	2	1	2	3	4	4	5	7
B. *Operated*	931	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	839	3.6	7	1	2	3	4	5	6	14
B. *Operated*	3323	4.3	6	2	2	4	5	7	8	14
1. SINGLE DX	2105	3.1	2	2	2	3	4	5	6	8
2. MULTIPLE DX	4162	4.2	7	2	2	4	5	6	8	14
A. NOT OPERATED	2013	3.2	4	1	2	3	4	5	6	9
B. OPERATED	4254	4.1	6	2	2	4	5	6	7	14
TOTAL 0-19 YRS	993	3.7	7	2	2	3	4	6	7	13
20-34	4924	3.8	5	2	2	3	5	6	7	12
35-49	350	4.4	8	2	2	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**6267**	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**7**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	415	2.6	1	1	2	3	3	3	4	5
20-34	2190	2.7	1	1	2	3	3	4	4	5
35-49	87	2.9	1	2	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	239	2.6	1	1	1	2	3	4	4	6
20-34	1337	2.8	2	1	2	3	3	4	5	6
35-49	83	2.9	2	1	1	3	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.8	2	1	2	3	3	4	5	8
20-34	479	2.7	1	1	2	3	3	4	5	5
35-49	29	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	268	3.0	5	1	1	3	3	5	6	9
20-34	2014	3.2	2	2	2	3	4	5	6	7
35-49	201	4.0	13	2	2	3	4	6	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2692	2.7	1	1	2	3	3	4	4	5
B. *Operated*	1659	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	614	2.7	1	1	2	3	3	4	5	6
B. *Operated*	2483	3.3	3	2	2	3	4	5	6	8
1. SINGLE DX	4351	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	3097	3.2	3	1	2	3	4	5	6	7
A. NOT OPERATED	3306	2.7	1	1	2	3	3	4	4	5
B. OPERATED	4142	3.1	2	1	2	3	4	5	5	7
TOTAL 0-19 YRS	1028	2.7	2	1	2	3	3	4	5	7
20-34	6020	2.9	1	1	2	3	3	4	5	6
35-49	400	3.5	7	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**7448**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	2.6	1	1	2	3	3	3	4	4
20-34	680	2.5	1	1	1	2	3	3	4	4
35-49	25	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1084	2.5	4	1	1	2	3	3	4	5
20-34	5070	2.5	1	1	1	3	3	4	4	5
35-49	360	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.0	3	2	2	3	3	4	6	12
20-34	201	2.7	1	1	2	3	3	4	4	6
35-49	10	2.9	1	2	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	496	3.0	8	1	2	3	3	4	5	14
20-34	2993	3.0	2	1	2	3	3	4	5	8
35-49	286	3.2	2	1	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	2.5	1	1	2	3	3	3	4	4
B. *Operated*	6514	2.5	2	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	281	2.8	2	1	2	3	3	4	4	7
B. *Operated*	3775	3.0	3	1	2	3	3	4	5	8
1. SINGLE DX	7444	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	4056	3.0	3	1	2	3	3	4	5	8
A. NOT OPERATED	1211	2.6	1	1	2	3	3	3	4	5
B. OPERATED	10289	2.7	2	1	2	3	3	4	4	6
TOTAL 0-19 YRS	1875	2.6	5	1	2	2	3	4	4	6
20-34	8944	2.7	2	1	2	3	3	4	4	6
35-49	681	2.8	1	1	1	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**11500**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.9	6	2	2	3	3	3	4	5
20-34	378	2.9	4	2	2	3	3	4	4	5
35-49	6	2.8		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1267	2.7	1	1	2	3	3	4	4	5
20-34	3998	2.9	1	2	2	3	3	4	5	6
35-49	103	3.0	1	2	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.0	1	2	2	3	3	4	5	8
20-34	133	3.1	1	2	2	3	3	4	6	8
35-49	3	3.3		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	698	3.2	4	2	2	3	3	4	6	10
20-34	2423	3.3	3	2	2	3	4	5	5	8
35-49	105	3.3	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	2.9	4	2	2	3	3	4	4	5
B. *Operated*	5368	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	193	3.1	1	2	2	3	3	4	5	8
B. *Operated*	3226	3.3	3	2	2	3	4	5	5	9
1. SINGLE DX	5907	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX	3419	3.3	3	2	2	3	4	5	5	8
A. NOT OPERATED	732	3.0	3	2	2	3	3	4	4	6
B. OPERATED	8594	3.0	2	2	2	3	3	4	5	7
TOTAL 0-19 YRS	2177	2.9	2	2	2	3	3	4	4	7
20-34	6932	3.1	2	2	2	3	4	4	5	7
35-49	217	3.2	1	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**9326**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.8	3	1	2	2	3	4	5	13
20-34	195	2.4	1	1	1	2	3	3	4	5
35-49	10	3.2	2	2	2	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	405	2.7	1	1	2	3	3	4	4	5
20-34	1484	2.8	1	1	2	3	3	4	4	6
35-49	50	3.2	2	1	1	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.4	79	1	2	3	3	5	6	55
20-34	76	3.1	13	1	2	3	3	4	5	26
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	254	3.4	7	1	2	3	4	5	7	14
20-34	1254	3.2	3	2	2	3	4	5	6	8
35-49	53	3.8	4	2	2	3	4	5	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	2.6	2	1	1	2	3	3	4	6
B. *Operated*	1939	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	112	3.5	33	1	2	3	3	4	5	41
B. *Operated*	1561	3.3	4	2	2	3	4	5	6	10
1. SINGLE DX	2221	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	1673	3.3	6	2	2	3	4	5	6	11
A. NOT OPERATED	394	2.8	11	1	1	3	3	4	4	7
B. OPERATED	3500	3.0	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	771	3.0	7	1	2	3	3	4	5	11
20-34	3009	2.9	2	1	2	3	3	4	5	7
35-49	114	3.4	3	1	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**3894**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1512	3.1	6	1	2	3	3	4	5	11
20-34	4391	3.0	4	1	2	3	3	4	6	10
35-49	210	2.9	3	1	1	3	3	4	6	10
50-64										
65+										
B. Operated										
0-19 YRS	3673	3.1	4	1	2	3	3	5	6	10
20-34	15274	3.3	3	2	2	3	4	5	6	8
35-49	719	3.5	2	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	839	3.8	24	1	2	3	4	6	8	23
20-34	2526	3.4	7	1	1	3	4	6	7	16
35-49	173	3.2	5	1	1	3	4	6	8	13
50-64										
65+										
B. Operated										
0-19 YRS	3654	4.4	13	2	2	4	5	7	9	19
20-34	17698	4.4	11	2	2	4	5	7	9	18
35-49	1507	4.9	16	2	2	4	6	8	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6113	3.0	4	1	2	3	3	4	6	10
B. Operated	19666	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	3538	3.5	11	1	1	3	4	6	8	16
B. Operated	22859	4.5	12	2	2	4	5	7	9	18
1. SINGLE DX	25779	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX	26397	4.3	12	2	2	4	5	7	9	18
A. NOT OPERATED	9651	3.2	7	1	2	3	4	5	6	13
B. OPERATED	42525	3.9	8	2	2	3	4	6	8	15
TOTAL 0-19 YRS	9678	3.7	10	1	2	3	4	6	8	15
20-34	39889	3.8	7	2	2	3	4	6	7	14
35-49	2609	4.2	11	2	2	3	5	7	9	17
50-64										
65+										
GRAND TOTAL	**52176**	**3.8**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	3.5	2	2	2	3	4	5	5	10
20-34	110	3.8	3	2	2	3	5	6	6	10
35-49	3	6.0	1	5	5	6	7	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	20	4.0	3	1	2	4	5	6	8	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.3	5	1	2	4	5	8	9	9
20-34	53	4.8	8	2	2	4	6	9	10	14
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64										
65+										
B. Operated										
0-19 YRS	4	4.0	7	1	1	5	30	99+	99+	99+
20-34	30	6.2	21	1	2	5	9	13	15	19
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166	3.7	3	2	2	3	4	6	6	10
B. Operated	23	3.9	3	1	2	4	5	6	8	9
2. MULTIPLE DX										
A. Not Operated	69	4.8	7	2	2	4	6	9	10	14
B. Operated	34	5.9	20	1	2	5	9	15	18	99+
1. SINGLE DX	189	3.7	3	2	2	3	4	6	6	10
2. MULTIPLE DX	103	5.1	11	1	2	4	7	10	13	56
A. NOT OPERATED	235	4.0	4	2	2	4	5	6	8	11
B. OPERATED	57	5.1	14	1	2	4	6	11	15	93
TOTAL 0-19 YRS	74	3.6	3	1	2	3	4	5	8	77
20-34	213	4.4	7	2	2	4	5	8	10	15
35-49	5	6.4	5	4	4	5	8	10	10	10
50-64										
65+										
GRAND TOTAL	**292**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.8	1	1	1	2	2	3	4	5
20-34	65	1.5	1	<1	<1	1	2	2	3	4
35-49	4	2.5	1	1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	38	2.3	6	<1	<1	2	2	3	6	16
20-34	225	1.8	1	<1	1	1	2	3	4	6
35-49	14	2.1	5	<1	1	2	2	4	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	2	1	1	3	4	5	5	5
20-34	40	2.3	3	<1	1	2	3	4	6	10
35-49	6	3.2	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	23	3.1	4	1	1	2	4	7	8	8
20-34	139	3.0	5	1	1	2	4	6	8	11
35-49	9	4.2	16	1	1	3	5	11	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	1.6	1	<1	1	1	2	3	3	5
B. *Operated*	277	1.9	2	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	56	2.5	3	1	1	2	3	4	5	10
B. *Operated*	171	3.0	6	1	1	2	4	6	8	12
1. SINGLE DX	361	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	227	2.9	5	1	1	2	3	6	8	11
A. NOT OPERATED	140	2.0	2	<1	1	2	2	4	4	7
B. OPERATED	448	2.3	4	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	86	2.5	5	<1	1	2	3	5	6	13
20-34	469	2.1	3	<1	1	2	2	4	5	10
35-49	33	2.9	7	1	1	2	3	5	9	14
50-64										
65+										
GRAND TOTAL	**588**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.9	8	1	2	3	5	9	10	10
20-34	81	3.3	6	<1	1	3	4	6	10	12
35-49	8	4.5	5	3	3	4	5	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.2	5	1	1	3	4	7	7	9
20-34	101	3.3	9	1	1	2	4	8	10	13
35-49	9	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.7	14	1	1	4	6	12	13	13
20-34	69	5.7	34	<1	1	4	7	14	18	31
35-49	4	6.8	47	3	3	4	10	17	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	22	4.3	4	2	2	4	6	7	8	9
20-34	95	4.0	8	1	2	3	5	9	12	60
35-49	9	3.4	4	1	1	3	5	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.5	6	<1	1	3	4	6	10	12
B. *Operated*	138	3.2	7	1	1	2	4	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	88	5.6	30	<1	1	4	7	13	17	29
B. *Operated*	126	4.0	7	1	2	3	5	8	12	33
1. SINGLE DX	246	3.3	7	1	1	3	4	7	10	12
2. MULTIPLE DX	214	4.7	17	1	1	3	6	10	13	25
A. NOT OPERATED	196	4.4	18	<1	1	3	5	10	13	20
B. OPERATED	264	3.6	7	1	1	3	4	7	10	13
TOTAL 0-19 YRS	84	3.9	7	1	1	3	5	8	9	13
20-34	346	4.0	14	1	1	3	4	9	12	20
35-49	30	3.9	9	1	2	3	4	7	9	17
50-64										
65+										
GRAND TOTAL	**460**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**12**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	659	4.1	5	2	2	4	5	7	9	13
20-34	591	4.3	9	1	2	4	5	7	9	15
35-49	389	5.0	8	2	2	4	6	8	10	15
50-64	293	5.7	12	2	2	5	7	9	12	19
65+	296	7.3	33	2	3	6	9	13	18	30
B. *Operated*										
0-19 YRS.	389	4.8	15	1	1	4	6	9	11	20
20-34	356	5.1	15	1	1	4	7	10	12	16
35-49	215	5.6	19	2	2	5	7	10	11	26
50-64	167	7.3	42	2	2	5	9	15	19	32
65+	88	9.4	66	2	3	7	12	18	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	668	4.8	8	2	2	4	6	8	10	16
20-34	729	5.4	13	2	2	4	6	9	12	20
35-49	759	6.9	27	2	3	6	8	12	16	29
50-64	1108	7.5	34	3	3	6	9	13	16	28
65+	1870	9.2	48	3	4	7	11	16	21	34
B. *Operated*										
0-19 YRS.	293	6.5	35	1	2	5	8	12	17	34
20-34	440	7.7	45	2	3	6	9	14	19	37
35-49	438	11.2	119	2	3	7	14	22	35	50
50-64	552	13.1	159	3	4	9	15	28	40	68
65+	656	14.8	164	3	4	11	18	29	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2234	5.0	12	2	2	4	6	9	11	19
B. *Operated*	1215	5.7	25	1	2	4	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	5154	7.4	34	2	3	6	9	13	17	28
B. *Operated*	2379	11.4	126	2	3	8	14	23	34	60
1. SINGLE DX	3449	5.2	17	1	2	4	6	10	12	21
2. MULTIPLE DX	7533	8.6	67	2	3	6	10	16	22	44
A. NOT OPERATED	7388	6.6	29	2	2	5	8	12	15	27
B. OPERATED	3594	9.5	99	2	2	6	11	19	28	53
TOTAL 0-19 YRS.	2029	4.8	13	1	2	4	6	9	11	20
20-34	2116	5.5	20	2	2	4	7	10	13	23
35-49	1801	7.4	49	2	3	5	8	14	19	38
50-64	2126	8.7	71	2	3	6	10	16	22	45
65+	2910	10.3	79	3	4	8	12	19	26	49
GRAND TOTAL	10982	7.6	54	2	2	6	9	14	20	39

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	230	3.9	10	<1	1	3	5	6	8	16
20-34	149	3.4	3	<1	<1	3	4	6	7	8
35-49	78	5.0	14	1	2	4	6	9	12	21
50-64	50	6.2	19	1	1	6	8	11	15	23
65+	43	5.8	18	2	2	5	7	12	14	21
B. *Operated*										
0-19 YRS.	202	3.7	12	<1	1	3	5	8	11	18
20-34	130	4.5	13	1	1	3	6	10	12	17
35-49	123	4.8	16	<1	1	3	6	11	12	20
50-64	83	5.1	14	1	1	4	7	10	13	20
65+	64	7.1	52	1	2	5	8	16	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	277	4.5	10	1	2	4	5	8	10	14
20-34	184	5.3	24	1	1	4	6	9	10	29
35-49	142	6.0	11	2	2	5	8	10	12	16
50-64	213	8.1	35	2	3	7	10	14	19	34
65+	331	9.3	49	3	3	8	11	16	20	46
B. *Operated*										
0-19 YRS.	139	5.5	16	1	1	5	7	11	13	21
20-34	156	6.1	33	1	2	4	7	13	17	37
35-49	176	8.8	70	2	2	6	11	20	25	60
50-64	226	10.8	101	2	2	8	13	23	29	49
65+	240	12.9	178	2	3	9	15	26	36	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	4.3	11	<1	1	4	5	8	10	17
B. *Operated*	602	4.6	19	<1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1147	6.8	32	2	2	5	9	12	15	33
B. *Operated*	937	9.4	99	2	2	6	12	19	27	53
1. SINGLE DX	1152	4.5	15	<1	1	3	5	9	11	21
2. MULTIPLE DX	2084	8.0	63	2	2	6	10	15	21	45
A. NOT OPERATED	1697	6.0	27	1	2	5	8	11	14	26
B. OPERATED	1539	7.5	73	1	2	5	9	16	22	46
TOTAL 0-19 YRS.	848	4.3	12	1	1	3	5	8	11	17
20-34	619	4.9	20	<1	1	4	6	9	12	22
35-49	519	6.5	36	1	2	5	9	12	17	30
50-64	572	8.6	61	2	2	7	11	17	23	45
65+	678	10.1	98	2	3	8	12	18	27	53
GRAND TOTAL	3236	6.7	49	1	2	5	8	13	18	38

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.2	3	<1	1	3	4	5	6	6
20-34	12	4.1	15	2	2	3	4	8	15	16
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	3	11.0	112	3	3	7	19	23	23	23
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	715	3.5	7	1	2	3	4	6	7	12
20-34	1195	3.5	3	1	2	3	4	6	7	11
35-49	202	3.5	3	1	2	3	4	6	7	9
50-64	37	4.3	9	1	2	3	5	9	11	13
65+	16	6.5	128	1	1	3	5	9	36	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	3	<1	<1	2	4	6	6	6
20-34	9	2.9	5	<1	<1	3	4	7	7	7
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	2	6.0	50	1	1	6	11	11	11	11
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	89	4.6	15	1	2	4	5	7	12	25
20-34	216	5.0	26	2	2	4	6	8	10	22
35-49	81	5.5	19	2	2	4	6	11	16	23
50-64	33	4.9	11	2	2	4	7	10	12	15
65+	11	7.8	15	2	3	7	10	13	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	4.5	21	1	1	3	4	9	16	23
B. *Operated*	2165	3.6	6	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	24	3.5	10	<1	<1	2	4	7	12	13
B. *Operated*	430	5.0	21	2	2	4	6	9	12	22
1. SINGLE DX	2196	3.6	6	1	2	3	4	6	7	12
2. MULTIPLE DX	454	5.0	21	1	2	4	6	8	12	22
A. NOT OPERATED	55	4.0	16	<1	1	3	4	7	13	23
B. OPERATED	2595	3.8	8	1	2	3	4	6	8	14
TOTAL 0-19 YRS	825	3.6	8	1	2	3	4	6	7	14
20-34	1432	3.8	7	1	2	3	4	6	7	13
35-49	288	4.1	9	1	2	3	5	7	9	16
50-64	75	4.9	15	1	2	3	7	10	12	21
65+	30	6.9	74	1	2	4	8	12	16	48
GRAND TOTAL	**2650**	**3.8**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	1.3		<1	<1	<1	2	2	2	2
35-49	5	1.6	2	<1	<1	<1	1	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	150	1.6	1	<1	<1	1	2	3	4	5
20-34	174	1.8	1	<1	<1	2	2	3	4	7
35-49	138	2.1	2	<1	<1	2	2	4	5	8
50-64	91	2.6	6	<1	<1	2	3	4	6	17
65+	44	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	8	5.5	3	3	3	6	7	8	8	8
50-64	5	5.8	16	2	2	4	9	11	11	11
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	40	2.3	4	<1	<1	2	2	5	7	9
20-34	88	2.7	4	<1	1	2	3	5	6	12
35-49	94	3.2	6	<1	1	2	4	6	7	14
50-64	104	3.5	8	<1	1	3	4	9	10	12
65+	64	4.9	45	1	1	3	5	10	14	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.8	1	<1	<1	<1	2	4	4	4
B. *Operated*	597	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	18	4.9	7	2	2	4	6	9	10	11
B. *Operated*	390	3.4	13	<1	1	2	4	7	9	14
1. SINGLE DX	613	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	408	3.4	12	<1	1	2	4	7	9	14
A. NOT OPERATED	34	3.4	7	<1	<1	3	4	7	9	11
B. OPERATED	987	2.5	7	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	192	1.8	2	<1	<1	1	2	3	4	8
20-34	272	2.1	2	<1	<1	2	2	4	5	9
35-49	245	2.6	4	<1	<1	2	3	5	7	11
50-64	201	3.2	8	<1	<1	2	4	6	10	13
65+	111	3.8	28	<1	1	2	4	7	10	32
GRAND TOTAL	**1021**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.4	10	<1	1	2	4	7	9	19
20-34	255	4.6	48	<1	<1	3	5	9	15	25
35-49	204	6.2	59	<1	1	4	7	13	21	39
50-64	185	6.8	44	1	1	4	9	15	22	34
65+	198	8.9	73	1	2	6	11	20	30	54
B. *Operated*										
0-19 YRS	675	3.0	19	<1	<1	2	3	6	10	20
20-34	674	4.3	33	<1	1	3	4	9	12	26
35-49	546	4.6	32	<1	1	3	5	9	14	29
50-64	488	5.3	54	1	1	3	6	12	19	38
65+	449	8.9	132	<1	1	4	12	22	36	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	508	4.7	27	1	1	3	5	9	12	28
20-34	393	6.6	61	1	1	4	8	14	18	38
35-49	465	7.6	54	1	2	5	9	17	22	43
50-64	687	8.5	66	1	2	6	11	17	24	45
65+	1578	12.1	116	3	4	9	15	25	33	66
B. *Operated*										
0-19 YRS	368	6.0	89	1	1	3	7	12	21	52
20-34	698	12.1	272	1	2	5	16	30	49	96
35-49	819	9.7	154	1	2	5	11	27	39	93
50-64	1032	10.9	176	1	2	6	14	29	42	83
65+	1553	17.4	273	2	2	12	25	43	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1231	5.5	45	<1	1	3	6	12	18	31
B. *Operated*	2832	5.0	52	<1	1	2	5	11	18	40
2. MULTIPLE DX										
A. *Not Operated*	3631	9.2	88	1	2	6	11	20	27	51
B. *Operated*	4470	12.7	227	1	2	7	17	34	50	99+
1. SINGLE DX	4063	5.1	50	<1	1	3	5	11	16	38
2. MULTIPLE DX	8101	11.1	168	1	2	7	14	27	40	82
A. NOT OPERATED	4862	8.3	80	1	2	5	10	18	25	48
B. OPERATED	7302	9.7	174	1	1	4	12	26	40	82
TOTAL 0-19 YRS	1940	4.1	34	<1	1	2	4	8	12	26
20-34	2020	7.5	135	<1	1	4	8	18	27	74
35-49	2034	7.5	93	1	1	4	8	18	27	61
50-64	2392	8.7	114	1	2	5	10	21	32	60
65+	3778	13.7	191	2	2	9	18	32	46	92
GRAND TOTAL	**12164**	**9.1**	**137**	**1**	**1**	**5**	**11**	**23**	**34**	**71**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	6.4	47	2	2	4	6	15	21	35
20-34	51	6.0	17	1	2	5	8	10	12	21
35-49	42	5.7	15	2	2	5	7	10	14	20
50-64	53	6.0	17	2	2	5	7	12	14	23
65+	22	7.2	31	1	2	6	8	14	20	26
B. *Operated*										
0-19 YRS	17	9.0	195	2	2	3	11	16	45	60
20-34	23	6.9	57	2	2	4	7	19	26	31
35-49	20	6.4	28	1	1	4	10	15	15	15
50-64	21	7.5	23	2	2	7	9	15	18	20
65+	15	7.5	12	2	3	7	11	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	7.9	33	2	2	6	10	15	23	29
20-34	203	7.5	42	1	2	5	10	15	22	33
35-49	210	8.1	76	2	3	6	9	14	20	49
50-64	208	9.0	59	2	3	7	11	17	22	49
65+	200	10.9	60	3	4	9	14	22	27	36
B. *Operated*										
0-19 YRS	28	17.6	498	1	2	8	23	56	62	92
20-34	101	13.5	202	2	3	9	16	28	45	91
35-49	89	14.6	153	3	4	12	17	28	31	74
50-64	113	11.8	67	3	4	10	15	23	27	42
65+	111	18.1	269	4	5	13	22	45	54	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.1	22	2	2	5	8	11	15	24
B. *Operated*	96	7.4	59	2	2	6	10	15	18	47
2. MULTIPLE DX										
A. *Not Operated*	892	8.8	59	2	3	7	11	17	24	40
B. *Operated*	442	14.7	197	3	3	11	19	29	46	89
1. SINGLE DX	296	6.5	35	2	2	5	8	12	16	29
2. MULTIPLE DX	1 34	10.8	112	2	3	8	13	22	30	58
A. NOT OPERATED	1092	8.3	53	2	3	6	10	16	23	38
B. OPERATED	538	13.4	180	2	3	10	16	27	43	84
TOTAL 0-19 YRS	148	9.5	154	2	2	6	10	21	31	61
20-34	378	8.9	90	2	2	6	11	19	25	56
35-49	361	9.3	95	2	2	7	11	18	27	51
50-64	395	9.3	57	2	3	7	12	19	23	44
65+	348	12.8	136	3	4	9	15	25	36	67
GRAND TOTAL	**1630**	**10.0**	**101**	**2**	**3**	**7**	**12**	**21**	**28**	**55**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	5.9	18	2	2	5	7	11	13	22
20-34	47	5.8	37	<1	1	4	7	9	15	36
35-49	130	6.3	16	2	3	5	8	12	15	23
50-64	209	6.2	21	2	3	5	7	10	13	22
65+	180	7.5	19	2	3	7	9	13	16	22
B. *Operated*										
0-19 YRS	21	6.8	74	1	1	3	9	17	29	35
20-34	50	7.3	52	1	2	5	8	16	26	36
35-49	154	7.0	42	2	2	5	8	17	22	28
50-64	313	9.4	49	2	2	8	13	19	23	32
65+	201	11.4	67	2	3	11	16	22	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	6.8	33	2	2	5	8	14	17	34
20-34	80	6.8	23	2	2	6	9	12	15	29
35-49	253	7.3	19	2	3	6	9	13	16	21
50-64	618	8.1	45	2	3	7	10	15	19	38
65+	881	9.6	57	2	3	8	12	17	23	41
B. *Operated*										
0-19 YRS	22	12.7	177	2	3	10	14	24	43	65
20-34	51	11.2	252	2	2	6	11	24	51	80
35-49	179	9.4	73	2	3	7	12	19	29	52
50-64	490	11.5	105	2	3	8	16	24	31	52
65+	426	14.2	143	3	4	11	17	28	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	6.5	21	2	2	6	8	12	15	23
B. *Operated*	739	9.2	56	2	2	7	13	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	1887	8.6	47	2	3	7	10	16	20	35
B. *Operated*	1168	12.2	124	2	3	9	16	25	35	64
1. SINGLE DX	1393	7.9	41	2	2	6	10	16	21	33
2. MULTIPLE DX	3055	10.0	79	2	3	8	12	19	26	50
A. NOT OPERATED	2541	8.1	41	2	3	7	10	15	19	33
B. OPERATED	1907	11.0	100	2	3	8	15	23	30	53
TOTAL 0-19 YRS	186	7.1	51	2	2	5	9	13	20	35
20-34	228	7.7	86	2	2	5	9	14	19	56
35-49	716	7.6	38	2	2	6	9	15	20	34
50-64	1630	9.1	64	2	3	7	11	18	24	42
65+	1688	10.7	80	3	3	8	14	20	27	49
GRAND TOTAL	**4448**	**9.3**	**68**	**2**	**3**	**7**	**12**	**18**	**24**	**45**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	4	2	2	3	4	7	7	7
20-34	19	3.5	4	<1	<1	3	6	6	7	7
35-49	54	4.7	11	1	2	4	6	10	11	16
50-64	97	5.1	10	1	2	4	6	9	10	17
65+	240	6.0	19	1	2	5	8	12	13	22
B. *Operated*										
0-19 YRS	13	4.5	19	2	2	3	4	10	16	18
20-34	151	4.7	20	1	2	3	5	11	13	19
35-49	354	5.9	31	1	1	4	8	13	16	25
50-64	1102	9.5	42	2	2	9	14	18	20	28
65+	1705	13.9	49	3	5	14	17	22	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	11	2	2	5	8	11	11	11
20-34	23	4.4	6	1	2	4	6	8	9	11
35-49	155	5.8	18	1	2	5	8	11	13	32
50-64	676	6.5	22	2	2	5	8	12	15	22
65+	1941	7.6	31	2	3	6	10	14	18	29
B. *Operated*										
0-19 YRS	10	6.0	12	2	2	6	9	11	12	12
20-34	151	5.8	43	1	1	3	7	14	17	22
35-49	346	6.2	33	1	2	4	8	14	17	30
50-64	1169	10.5	77	2	2	9	15	20	28	42
65+	2418	16.0	94	3	5	15	19	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	5.5	15	1	2	5	7	10	13	21
B. *Operated*	3325	11.1	53	2	2	11	16	20	23	32
2. MULTIPLE DX										
A. *Not Operated*	2801	7.2	28	2	2	6	9	14	17	28
B. *Operated*	4094	13.2	95	2	3	12	17	24	31	49
1. SINGLE DX	3740	10.5	52	2	2	10	15	19	23	32
2. MULTIPLE DX	6895	10.8	76	2	3	9	15	21	26	43
A. NOT OPERATED	3216	7.0	27	2	2	6	9	13	16	27
B. OPERATED	7419	12.3	77	2	2	12	17	22	27	42
TOTAL 0-19 YRS	34	5.0	13	2	2	4	7	9	12	18
20-34	344	5.1	29	1	2	3	6	11	16	22
35-49	909	5.9	28	1	2	4	8	13	16	26
50-64	3044	9.1	53	2	2	7	13	18	21	36
65+	6304	12.5	74	2	3	12	17	22	27	42
GRAND TOTAL	**10635**	**10.7**	**58**	**2**	**2**	**9**	**15**	**20**	**25**	**40**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	6.8	26	2	2	5	9	14	18	22
20-34	87	4.6	10	1	2	4	6	10	11	16
35-49	80	5.1	16	1	2	4	7	9	11	22
50-64	94	7.1	25	1	2	6	9	13	18	24
65+	83	6.7	112	1	2	4	7	11	15	73
B. *Operated*										
0-19 YRS	84	11.8	78	2	3	10	15	22	30	42
20-34	176	5.4	28	1	2	4	7	11	15	27
35-49	191	5.4	18	1	2	4	7	11	13	22
50-64	190	7.9	36	2	2	6	12	16	19	25
65+	120	11.7	49	2	2	12	17	21	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	9.3	57	2	3	7	12	18	25	38
20-34	113	7.3	56	2	2	5	8	12	20	42
35-49	149	6.2	22	2	2	5	8	11	14	27
50-64	248	6.9	38	1	2	5	9	13	17	38
65+	4	8.0	39	2	3	6	10	15	21	36
B. *Operated*										
0-19 YRS	80	14.4	105	2	4	13	18	27	30	55
20-34	133	10.3	133	2	2	6	12	24	37	55
35-49	158	9.4	80	2	2	6	12	21	31	46
50-64	239	10.8	108	2	2	7	15	25	34	62
65+	271	16.8	181	2	4	14	22	33	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	6.1	37	1	2	4	8	12	15	23
B. *Operated*	761	7.7	43	2	2	5	11	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	1082	7.5	40	2	2	6	9	14	20	37
B. *Operated*	881	12.6	138	2	2	9	17	27	36	58
1. SINGLE DX	1225	7.1	41	1	2	5	10	15	19	29
2. MULTIPLE DX	1963	9.8	90	2	2	7	12	22	29	49
A. NOT OPERATED	1546	7.1	40	2	2	5	9	14	18	36
B. OPERATED	1642	10.3	100	2	2	7	14	22	30	49
TOTAL 0-19 YRS	369	10.2	70	2	2	8	14	21	27	42
20-34	509	7.0	63	1	2	4	8	14	21	45
35-49	578	6.6	38	2	2	5	8	13	20	34
50-64	771	8.3	60	2	2	6	11	17	24	49
65+	961	10.8	102	2	3	8	14	22	29	52
GRAND TOTAL	**3185**	**8.8**	**73**	**2**	**2**	**6**	**11**	**18**	**25**	**45**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.8	3	<1	1	2	4	5	6	7
20-34	44	2.2	4	<1	<1	1	3	5	6	10
35-49	12	1.7	1	1	1	1	2	3	3	3
50-64	9	2.4	2	<1	<1	3	3	5	5	5
65+	4	5.3	8	<1	<1	6	7	7	7	7
B. *Operated*										
0-19 YRS	589	2.6	2	1	1	2	3	5	6	8
20-34	1305	2.8	4	<1	1	2	3	5	6	10
35-49	728	3.0	5	<1	1	2	4	5	7	12
50-64	373	3.1	7	1	1	2	4	6	8	11
65+	107	3.9	10	1	1	3	4	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4	1	<1	<1	1	2	3	3	3
20-34	30	3.0	11	<1	<1	2	4	6	11	16
35-49	27	3.9	18	<1	1	3	6	7	13	20
50-64	27	4.2	31	<1	<1	2	4	8	20	25
65+	14	3.8	8	<1	1	3	6	8	9	9
B. *Operated*										
0-19 YRS	400	2.9	3	1	1	2	4	5	6	10
20-34	990	3.2	5	1	1	2	4	6	8	12
35-49	830	3.3	7	1	1	3	4	6	8	16
50-64	620	3.6	9	1	2	3	4	6	8	16
65+	286	4.7	20	1	2	3	5	9	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	3102	2.9	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	114	3.4	16	<1	<1	2	4	7	11	22
B. *Operated*	3126	3.4	8	1	1	3	4	6	8	16
1. SINGLE DX	3189	2.9	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	3240	3.4	8	1	1	3	4	6	8	16
A. NOT OPERATED	201	3.0	11	<1	<1	2	3	6	8	19
B. OPERATED	6228	3.2	6	1	1	2	4	6	7	13
TOTAL 0-19 YRS	1023	2.7	3	1	1	2	3	5	6	9
20-34	2369	3.0	4	<1	1	2	4	5	7	11
35-49	1597	3.2	6	1	1	2	4	6	8	15
50-64	1029	3.4	8	1	1	3	4	6	8	15
65+	411	4.5	17	1	2	3	5	9	12	21
GRAND TOTAL	**6429**	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	3.7	7	<1	<1	3	5	7	9	14
20-34	117	3.4	14	<1	<1	2	4	7	11	21
35-49	89	4.3	10	<1	1	4	6	8	10	16
50-64	73	4.6	13	<1	1	4	6	9	13	17
65+	102	6.2	16	1	2	5	9	11	13	19
B. *Operated*										
0-19 YRS	721	3.2	3	1	2	3	4	5	6	9
20-34	1136	3.5	5	1	1	3	4	6	7	13
35-49	429	3.9	8	1	1	3	5	8	10	15
50-64	200	4.6	16	1	1	4	5	9	11	20
65+	127	8.1	56	1	1	5	12	19	25	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.1	14	<1	1	3	5	9	11	19
20-34	159	4.4	16	<1	1	3	6	9	11	25
35-49	182	5.9	35	1	1	4	8	14	17	29
50-64	231	6.7	31	1	2	5	9	14	17	29
65+	421	7.0	31	2	2	6	9	13	17	34
B. *Operated*										
0-19 YRS	306	4.1	20	1	1	3	5	7	10	27
20-34	586	4.5	23	1	2	3	5	8	12	29
35-49	374	5.0	20	1	2	4	6	10	13	24
50-64	306	7.9	63	2	2	5	9	17	23	42
65+	245	11.1	116	2	2	7	15	24	30	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	4.3	13	<1	1	3	6	9	12	17
B. *Operated*	2613	3.8	10	1	1	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1119	6.1	29	1	2	4	8	12	15	28
B. *Operated*	1817	6.0	47	1	2	4	7	13	19	36
1. SINGLE DX	3143	3.9	10	1	1	3	5	7	10	17
2. MULTIPLE DX	2936	6.0	40	1	2	4	7	13	17	33
A. NOT OPERATED	1649	5.5	24	1	1	4	7	11	14	25
B. OPERATED	4430	4.7	26	1	2	3	5	9	14	27
TOTAL 0-19 YRS	1302	3.6	9	1	1	3	4	6	8	14
20-34	1998	3.9	12	1	1	3	5	7	9	18
35-49	1074	4.7	17	1	2	3	5	9	13	23
50-64	810	6.4	40	1	2	4	8	13	18	35
65+	895	8.2	60	2	2	6	10	17	22	43
GRAND TOTAL	**6079**	**4.9**	**26**	**1**	**2**	**3**	**6**	**10**	**14**	**27**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	8	5.5	5	2	3	5	6	9	10	10
35-49	7	4.0	2	1	2	4	5	5	5	5
50-64	6	9.2	48	2	2	7	13	20	21	21
65+	4	5.0	6	3	3	5	7	8	8	8
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	5	12.0	103	3	3	8	17	29	29	29
35-49	3	12.3	12	9	9	12	15	16	16	16
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	5.5	12	2	2	4	7	11	12	12
35-49	14	7.0	27	3	3	5	8	15	19	20
50-64	21	7.6	24	2	3	7	10	14	18	21
65+	22	7.7	9	3	4	8	9	12	13	14
B. *Operated*										
0-19 YRS										
20-34	7	13.1	43	8	8	10	16	24	26	26
35-49	9	12.0	207	2	2	4	18	37	40	40
50-64	11	15.1	239	2	4	10	17	36	57	59
65+	9	8.6	29	2	3	7	10	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.6	16	1	2	5	7	9	14	21
B. *Operated*	11	14.8	68	3	5	13	20	27	29	29
2. MULTIPLE DX										
A. *Not Operated*	67	7.2	18	2	3	7	9	12	15	21
B. *Operated*	36	12.3	136	2	2	9	16	25	38	59
1. SINGLE DX	39	8.2	47	1	2	6	10	20	24	29
2. MULTIPLE DX	103	9.0	64	2	3	7	11	17	21	49
A. NOT OPERATED	95	6.7	18	2	3	6	8	12	15	21
B. OPERATED	47	12.9	119	2	3	9	17	26	34	59
TOTAL 0-19 YRS	4	7.8	85	1	1	4	14	21	21	21
20-34	30	8.4	41	2	3	7	10	15	26	29
35-49	33	8.2	74	2	3	5	10	17	31	40
50-64	39	10.2	95	2	3	8	12	20	21	59
65+	36	8.1	23	2	3	7	9	14	18	26
GRAND TOTAL	**142**	**8.8**	**59**	**2**	**3**	**7**	**11**	**17**	**21**	**42**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	46	4.5	7	1	2	4	6	9	10	12
35-49	158	5.6	14	2	2	5	7	12	13	16
50-64	258	5.8	27	2	2	5	7	10	13	21
65+	249	6.3	16	2	2	6	8	11	14	21
B. *Operated*										
0-19 YRS	4	4.5	17	1	1	4	8	9	9	9
20-34	90	6.9	22	2	2	6	8	14	16	22
35-49	346	7.1	23	2	2	6	9	13	15	23
50-64	417	7.0	20	2	2	6	9	13	15	23
65+	169	8.7	44	2	2	8	11	15	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	8	4	4	4	8	9	9	9
20-34	59	5.1	8	1	2	5	7	9	11	15
35-49	424	6.4	17	2	2	5	8	11	14	20
50-64	1202	6.4	18	2	2	5	8	11	14	21
65+	1913	7.5	27	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS	5	7.8	33	3	3	8	10	17	17	17
20-34	84	7.9	19	2	3	7	10	13	15	24
35-49	377	9.2	48	2	3	8	12	17	23	35
50-64	678	9.6	55	2	3	8	12	17	22	36
65+	583	12.2	93	3	3	10	16	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	5.9	19	2	2	5	7	10	13	20
B. *Operated*	1026	7.3	25	2	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	3601	7.0	23	2	3	6	9	12	16	24
B. *Operated*	1727	10.3	66	2	3	9	13	19	25	42
1. SINGLE DX	1738	6.7	23	2	2	6	9	12	15	23
2. MULTIPLE DX	5328	8.1	39	2	3	7	10	15	19	32
A. NOT OPERATED	4313	6.8	22	2	3	6	9	12	15	23
B. OPERATED	2753	9.2	53	2	3	8	12	17	22	35
TOTAL 0-19 YRS	13	6.1	19	1	1	5	8	11	16	17
20-34	279	6.4	17	2	2	6	8	12	15	20
35-49	1305	7.3	29	2	2	6	10	13	17	28
50-64	2555	7.3	31	2	3	6	9	14	17	28
65+	2914	8.4	44	2	3	7	10	16	21	33
GRAND TOTAL	**7066**	**7.7**	**36**	**2**	**3**	**6**	**10**	**14**	**18**	**30**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.3	11	1	2	7	9	11	11	12
20-34	842	6.5	16	2	2	6	8	12	14	20
35-49	1317	6.7	17	2	2	6	9	12	15	20
50-64	688	7.2	19	2	3	6	9	12	16	21
65+	274	7.6	27	2	3	7	9	14	16	26
B. *Operated*										
0-19 YRS	130	6.6	18	1	2	6	9	11	14	22
20-34	3121	7.7	27	2	2	7	10	14	17	25
35-49	4970	8.2	27	2	3	7	11	15	18	26
50-64	2275	8.8	30	2	3	8	11	16	19	27
65+	450	10.3	49	2	3	9	13	20	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.5	11	1	2	7	8	11	13	14
20-34	360	6.6	16	1	2	6	9	12	14	20
35-49	860	7.4	23	2	3	6	9	13	16	24
50-64	1022	7.8	23	2	3	7	10	14	16	24
65+	897	8.8	32	2	3	8	11	15	19	30
B. *Operated*										
0-19 YRS	32	8.0	30	2	3	6	11	16	19	25
20-34	787	10.1	47	2	3	9	13	19	22	33
35-49	2004	10.3	47	2	3	9	13	19	23	33
50-64	1627	11.6	58	3	4	10	15	21	25	38
65+	825	14.3	105	3	5	12	18	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3163	6.8	16	2	2	6	9	12	15	20
B. *Operated*	10946	8.2	29	2	3	7	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	3152	7.8	25	2	3	7	10	14	17	27
B. *Operated*	5275	11.3	61	3	3	10	14	20	25	39
1. SINGLE DX	14109	7.9	27	2	2	7	10	14	17	25
2. MULTIPLE DX	8427	10.0	51	2	3	8	13	18	23	35
A. NOT OPERATED	6315	7.3	22	2	3	6	9	13	16	23
B. OPERATED	16221	9.2	41	2	3	8	12	17	21	31
TOTAL 0-19 YRS	217	6.8	18	1	2	6	9	12	14	23
20-34	5110	7.8	28	2	2	7	10	14	18	26
35-49	9151	8.3	31	2	3	7	11	15	19	27
50-64	5612	9.2	38	2	3	8	12	17	20	31
65+	2446	10.8	66	2	3	9	14	20	25	42
GRAND TOTAL	**22536**	**8.7**	**37**	**2**	**3**	**8**	**11**	**16**	**20**	**29**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DIS										
A. *Not Operated*										
0-19 YRS	17	4.4	5	1	1	4	6	7	10	12
20-34	172	6.5	16	2	2	6	8	12	15	21
35-49	257	6.2	15	1	2	5	8	11	13	19
50-64	212	6.5	16	2	3	6	9	12	15	19
65+	63	7.8	20	2	3	7	10	14	17	21
B. *Operated*										
0-19 YRS	11	7.3	20	2	2	6	10	14	16	16
20-34	385	7.3	21	2	2	7	9	13	15	24
35-49	1072	8.0	21	2	3	8	10	14	16	22
50-64	546	8.2	25	2	3	8	10	14	17	25
65+	71	10.2	65	3	3	9	13	16	24	40
2. MULTIPLE DIS										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	100	6.9	28	1	2	5	8	14	16	27
35-49	349	6.8	23	2	2	6	9	12	15	24
50-64	485	7.1	18	2	3	6	9	12	15	21
65+	348	7.6	21	2	3	7	9	13	17	24
B. *Operated*										
0-19 YRS	4	17.5	230	2	2	16	30	36	36	36
20-34	114	8.7	41	2	3	7	12	18	20	31
35-49	538	9.4	44	3	3	8	12	17	21	31
50-64	464	10.5	48	3	4	9	13	19	22	28
65+	138	13.1	103	3	4	11	17	24	29	56
SUBTOTALS:										
1. SINGLE DIS										
A. *Not Operated*	821	6.4	16	2	2	6	8	12	14	20
B. *Operated*	2065	8.0	23	2	3	7	10	14	16	24
2. MULTIPLE DIS										
A. *Not Operated*	1284	7.1	21	2	3	6	9	12	16	24
B. *Operated*	1258	10.2	54	2	3	9	13	19	23	37
1. SINGLE DIS	2906	7.6	21	2	2	7	10	13	16	23
2. MULTIPLE DIS	2542	8.6	40	2	3	7	11	16	20	31
A. NOT OPERATED	2105	6.9	19	2	3	6	9	12	15	22
B. OPERATED	3343	8.8	36	2	3	8	11	16	19	29
TOTAL 0-19 YRS	34	6.8	49	1	2	5	7	13	22	36
20-34	771	7.3	24	2	2	6	9	14	16	25
35-49	2316	7.9	27	2	3	7	10	14	17	24
50-64	1707	8.3	30	2	3	7	11	15	18	28
65+	620	9.2	47	2	3	8	11	17	22	33
GRAND TOTAL	5448	8.1	30	2	3	7	10	14	18	27

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DIS										
A. *Not Operated*										
0-19 YRS	6	9.0	278	1	1	2	3	39	43	43
20-34	120	5.4	11	1	2	5	7	10	12	13
35-49	140	6.3	11	2	3	6	8	11	13	16
50-64	60	6.6	21	1	2	5	9	12	18	21
65+	11	7.0	9	2	3	7	9	11	12	12
B. *Operated*										
0-19 YRS	7	9.3	134	1	1	5	13	30	33	33
20-34	120	6.2	27	2	2	5	8	12	16	24
35-49	152	7.7	28	2	3	6	11	15	18	24
50-64	61	8.4	27	2	3	8	10	14	20	25
65+	4	7.5	14	4	4	7	10	12	12	12
2. MULTIPLE DIS										
A. *Not Operated*										
0-19 YRS	6	6.0	23	3	3	4	8	14	15	15
20-34	85	6.9	15	2	3	7	9	12	15	18
35-49	174	7.6	20	2	3	7	9	13	16	25
50-64	119	7.6	20	2	3	7	10	14	16	23
65+	93	8.6	29	2	3	7	11	16	20	26
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	98	9.8	42	2	3	8	14	18	21	32
35-49	130	10.0	44	2	3	9	12	17	25	35
50-64	55	13.3	80	3	3	13	18	23	34	39
65+	17	9.6	49	2	3	9	12	33	25	25
SUBTOTALS:										
1. SINGLE DIS										
A. *Not Operated*	337	6.1	17	1	2	5	8	1..	13	16
B. *Operated*	324	7.3	27	2	2	6	9	15	17	25
2. MULTIPLE DIS										
A. *Not Operated*	477	7.7	21	2	3	7	10	14	16	24
B. *Operated*	303	10.4	52	2	3	9	14	20	25	36
1. SINGLE DIS	661	6.7	22	2	2	6	9	12	16	24
2. MULTIPLE DIS	780	8.7	34	2	3	8	11	16	20	31
A. NOT OPERATED	814	7.0	20	2	3	6	9	12	15	22
B. OPERATED	627	8.8	42	2	2	7	12	..	22	34
TOTAL 0-19 YRS	22	7.5	115	1	1	3	5	21	37	43
20-34	423	6.9	24	2	2	6	9	14	16	24
35-49	596	7.9	27	2	3	7	10	14	17	27
50-64	279	8.6	38	2	3	7	11	16	21	34
65+	125	8.6	29	2	3	7	11	16	20	25
GRAND TOTAL	1441	7.8	30	2	2	7	10	15	18	28

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	11	2	2	4	8	10	10	10
20-34	72	5.9	20	1	2	5	7	10	12	26
35-49	95	6.1	15	2	2	5	7	10	14	24
50-64	68	6.7	17	2	2	6	9	12	14	22
65+	48	7.5	21	1	2	7	10	14	17	18
B. *Operated*										
0-19 YRS	7	3.9	3	2	2	3	5	7	7	7
20-34	53	5.5	14	2	2	4	8	10	13	19
35-49	60	5.6	12	1	2	5	8	11	12	16
50-64	40	7.5	24	2	2	7	10	14	18	20
65+	12	7.3	25	2	2	7	9	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	8	3	3	6	8	9	9	9
20-34	74	6.3	17	2	2	5	8	11	15	23
35-49	162	7.3	18	2	3	7	9	14	16	21
50-64	161	7.7	16	2	3	7	10	13	15	20
65+	237	8.7	32	3	4	8	11	14	18	33
B. *Operated*										
0-19 YRS	3	9.0	25	4	4	9	13	14	14	14
20-34	38	7.7	51	2	2	4	11	18	24	28
35-49	74	9.0	39	2	2	8	11	16	24	31
50-64	46	9.0	35	2	3	9	12	19	20	28
65+	43	13.0	103	2	3	11	16	27	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	6.4	18	2	2	5	8	11	15	23
B. *Operated*	172	6.0	17	2	2	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	638	7.8	23	2	3	7	10	14	16	29
B. *Operated*	204	9.6	56	2	2	8	12	19	24	33
1. SINGLE DX	460	6.3	17	2	2	5	8	11	14	20
2. MULTIPLE DX	842	8.2	32	2	3	7	10	15	18	31
A. NOT OPERATED	926	7.4	22	2	3	7	9	13	16	25
B. OPERATED	376	8.0	41	2	2	7	10	16	20	31
TOTAL 0-19 YRS	19	5.6	11	2	2	5	8	10	12	14
20-34	237	6.2	23	2	2	5	8	11	16	25
35-49	391	7.1	22	2	2	6	9	13	16	25
50-64	315	7.7	20	2	3	7	10	13	16	22
65+	340	9.0	42	2	3	8	11	16	19	34
GRAND TOTAL	**1302**	**7.5**	**27**	**2**	**2**	**7**	**10**	**14**	**17**	**28**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	4.5	15	<1	1	3	6	9	12	19
20-34	1304	5.6	19	1	2	5	8	10	13	19
35-49	1672	6.0	18	1	2	5	8	11	14	21
50-64	905	6.2	21	1	2	5	8	11	14	21
65+	344	6.4	20	1	2	5	9	12	14	21
B. *Operated*										
0-19 YRS	65	3.7	7	1	1	3	4	7	9	15
20-34	1033	5.7	25	2	2	4	7	12	15	25
35-49	1428	6.3	23	2	2	5	9	13	16	23
50-64	779	7.7	33	2	2	6	10	16	19	26
65+	317	10.5	53	2	2	9	15	20	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	4.3	12	<1	1	4	6	8	11	16
20-34	1146	6.3	24	1	2	5	8	12	15	25
35-49	1908	7.1	25	2	2	6	9	13	17	25
50-64	1782	7.2	31	2	2	6	9	13	16	27
65+	1476	7.9	31	2	3	7	10	15	18	29
B. *Operated*										
0-19 YRS	55	5.7	29	1	2	4	6	12	19	27
20-34	821	7.7	40	2	2	6	10	16	20	29
35-49	1353	8.5	47	2	2	7	11	16	21	35
50-64	1149	9.9	53	2	3	9	13	19	23	38
65+	800	13.8	90	3	4	12	18	26	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4371	5.9	19	1	2	5	8	11	13	21
B. *Operated*	3622	6.8	30	2	2	5	9	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	6450	7.1	28	2	2	6	9	13	17	25
B. *Operated*	4178	9.7	60	2	2	8	13	19	24	39
1. SINGLE DX	7993	6.3	24	1	2	5	8	12	15	24
2. MULTIPLE DX	10628	8.2	42	2	2	7	10	16	20	33
A. NOT OPERATED	10821	6.6	25	1	2	5	9	12	15	24
B. OPERATED	7800	8.3	48	2	2	7	11	17	22	35
TOTAL 0-19 YRS	404	4.5	15	1	1	3	5	9	12	21
20-34	4304	6.2	26	1	2	5	8	12	15	25
35-49	6361	6.9	28	2	2	6	9	13	17	25
50-64	4615	7.8	37	2	2	6	10	15	19	29
65+	2937	9.6	55	2	3	8	12	19	24	38
GRAND TOTAL	**18621**	**7.4**	**35**	**2**	**2**	**6**	**10**	**14**	**18**	**29**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	3.5	10	1	1	3	4	6	8	15
20-34	122	4.0	9	<1	<1	3	5	7	10	15
35-49	166	4.7	10	1	1	4	6	9	11	16
50-64	147	5.0	9	1	2	4	6	9	11	16
65+	106	5.0	14	1	2	4	7	10	11	21
B. *Operated*										
0-19 YRS	214	2.9	10	<1	1	2	3	5	8	22
20-34	617	2.9	4	<1	1	2	3	5	7	12
35-49	971	3.1	5	<1	1	3	4	5	7	12
50-64	952	3.3	7	<1	1	3	4	6	8	13
65+	261	3.5	10	<1	<1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.9	21	1	2	4	6	9	14	26
20-34	103	4.7	7	1	2	4	6	8	10	13
35-49	283	5.4	11	1	2	5	7	9	12	18
50-64	368	6.2	25	2	2	5	7	11	14	26
65+	400	7.2	23	2	3	6	9	14	17	24
B. *Operated*										
0-19 YRS	78	4.4	21	<1	1	3	5	10	16	22
20-34	270	4.0	9	1	2	3	5	8	11	14
35-49	628	4.4	19	1	2	3	5	9	11	25
50-64	710	5.0	20	1	2	4	6	10	13	23
65+	360	6.4	41	1	2	4	8	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	702	4.4	11	1	1	4	6	9	10	16
B. *Operated*	3015	3.1	6	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	1215	6.1	20	2	2	5	8	11	14	24
B. *Operated*	2046	4.9	22	1	2	3	6	10	13	24
1. SINGLE DX	3717	3.4	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	3261	5.4	22	1	2	4	7	10	13	24
A. NOT OPERATED	1917	5.5	17	1	2	4	7	10	13	22
B. OPERATED	5061	3.8	14	<1	1	3	4	7	10	19
TOTAL 0-19 YRS	514	3.5	14	1	1	2	4	6	9	22
20-34	1112	3.6	7	<1	1	3	4	7	8	14
35-49	2048	3.9	11	1	1	3	5	7	10	17
50-64	2177	4.5	15	1	1	3	5	9	11	21
65+	1127	5.9	27	1	2	4	7	12	16	24
GRAND TOTAL	**6978**	**4.3**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	1.0		<1	<1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	142	3.3	3	1	2	3	4	5	6	9
20-34	323	3.4	2	1	2	3	4	5	6	9
35-49	438	3.7	3	1	2	3	5	6	7	9
50-64	465	3.9	3	2	2	4	5	6	7	10
65+	294	4.0	5	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	8	1.4	1	<1	<1	1	2	3	3	3
50-64	14	2.9	4	1	1	2	3	7	7	7
65+	16	5.2	21	<1	<1	5	7	13	15	16
B. *Operated*										
0-19 YRS	118	3.9	3	2	2	4	5	6	7	9
20-34	358	4.1	3	2	2	4	5	6	7	12
35-49	626	4.1	4	2	2	4	5	6	8	11
50-64	1095	4.6	5	2	2	4	5	7	9	14
65+	890	5.1	7	2	2	5	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	1662	3.7	3	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	44	3.3	11	<1	<1	2	5	7	10	16
B. *Operated*	3087	4.6	5	2	2	4	5	7	9	13
1. SINGLE DX	1672	3.7	3	1	2	3	5	6	7	10
2. MULTIPLE DX	3131	4.5	5	2	2	4	5	7	9	13
A. NOT OPERATED	54	3.1	10	<1	<1	2	4	7	8	16
B. OPERATED	4749	4.3	5	2	2	4	5	7	8	12
TOTAL 0-19 YRS	265	3.5	3	2	2	3	4	5	7	9
20-34	687	3.7	3	1	2	3	5	6	7	10
35-49	1074	3.9	3	2	2	4	5	6	7	10
50-64	1577	4.4	5	2	2	4	5	7	8	12
65+	1200	4.9	7	2	2	4	6	8	9	15
GRAND TOTAL	**4803**	**4.3**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	2	2	3	3	3
20-34	8	1.4		<1	<1	1	2	2	2	2
35-49	12	2.4	2	<1	<1	2	3	4	4	4
50-64	8	3.1	5	<1	<1	2	5	6	6	6
65+	5	4.2	17	1	1	2	6	11	11	11
B. *Operated*										
0-19 YRS	491	1.8	1	<1	<1	2	2	3	3	4
20-34	800	1.9	2	<1	<1	2	2	3	3	5
35-49	572	2.1	2	<1	<1	2	3	4	5	8
50-64	309	2.4	4	<1	<1	2	3	4	5	11
65+	115	2.9	4	<1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	8	1.3		<1	<1	1	2	2	2	2
35-49	13	3.6	11	<1	<1	2	5	9	11	11
50-64	11	2.7	6	<1	<1	2	3	7	9	9
65+	10	5.5	10	1	1	6	8	9	10	10
B. *Operated*										
0-19 YRS	61	2.0	1	<1	<1	2	2	3	4	5
20-34	176	2.6	2	<1	1	2	3	5	6	8
35-49	208	3.5	11	<1	1	2	4	7	10	18
50-64	198	3.5	9	1	1	3	4	6	8	16
65+	120	5.0	20	1	1	4	6	8	12	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.5	4	<1	<1	2	3	5	6	11
B. *Operated*	2287	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	44	3.3	9	<1	<1	2	5	8	9	11
B. *Operated*	763	3.4	10	<1	1	2	4	6	8	16
1. SINGLE DX	2327	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	807	3.4	10	<1	1	2	4	7	8	16
A. NOT OPERATED	84	2.9	6	<1	<1	2	4	7	9	11
B. OPERATED	3050	2.4	4	<1	<1	2	3	4	5	11
TOTAL 0-19 YRS	561	1.8	1	<1	<1	2	2	3	3	4
20-34	992	2.0	2	<1	<1	2	2	3	4	6
35-49	805	2.5	5	<1	<1	2	3	4	6	12
50-64	526	2.9	6	<1	1	2	3	5	6	13
65+	250	4.0	13	<1	1	3	5	8	10	15
GRAND TOTAL	**3134**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	13.0	97	1	2	11	19	25	30	49
20-34	22	9.9	52	2	4	8	14	18	28	30
35-49	37	9.8	60	2	3	6	14	25	26	28
50-64	40	11.3	91	1	3	8	15	22	33	44
65+	18	14.6	69	2	4	14	21	26	30	32
B. *Operated*										
0-19 YRS	98	15.5	140	2	3	14	22	30	37	59
20-34	106	12.0	115	2	3	8	17	25	38	48
35-49	81	15.0	189	2	3	11	19	34	44	68
50-64	86	11.4	88	2	3	8	15	24	29	46
65+	55	15.5	207	2	3	12	21	32	42	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	15.2	141	2	3	12	24	32	42	89
20-34	35	10.2	83	<1	1	8	13	22	31	38
35-49	58	13.4	129	2	3	9	19	30	39	44
50-64	91	14.1	127	2	3	10	19	30	40	51
65+	125	14.8	175	2	3	11	18	32	45	67
B. *Operated*										
0-19 YRS	73	19.5	202	3	4	17	28	44	49	91
20-34	144	17.7	228	2	3	14	23	44	51	99+
35-49	151	18.1	216	2	4	14	26	44	53	99+
50-64	238	19.6	254	3	5	15	26	43	54	97
65+	281	20.4	240	4	6	16	26	44	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	11.9	83	2	3	10	17	25	28	42
B. *Operated*	426	13.7	143	2	3	10	19	29	38	51
2. MULTIPLE DX										
A. *Not Operated*	380	14.1	142	2	3	10	19	31	40	52
B. *Operated*	887	19.3	234	3	5	15	26	44	54	99+
1. SINGLE DX	633	13.1	124	2	3	10	18	27	34	50
2. MULTIPLE DX	1267	17.7	212	2	4	14	24	40	51	93
A. NOT OPERATED	587	13.3	122	2	3	10	18	28	38	51
B. OPERATED	1313	17.5	212	3	3	14	23	38	50	83
TOTAL 0-19 YRS	332	15.6	146	2	3	13	22	31	42	64
20-34	307	14.3	169	2	3	10	20	32	44	77
35-49	327	15.5	183	2	3	11	20	38	46	81
50-64	455	16.2	196	2	4	12	21	34	48	77
65+	479	18.1	219	3	5	14	23	38	53	81
GRAND TOTAL	**1900**	**16.2**	**188**	**2**	**3**	**12**	**22**	**35**	**47**	**76**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	127	4.6	20	1	1	3	6	11	13	23
20-34	144	3.3	5	1	1	3	4	6	8	12
35-49	171	4.0	12	1	1	3	4	8	10	18
50-64	172	4.9	15	1	1	4	7	10	13	18
65+	265	8.0	28	2	3	7	11	14	17	23
B. Operated										
0-19 YRS	658	4.7	19	1	1	3	6	9	13	24
20-34	740	5.0	24	1	2	4	6	10	13	22
35-49	457	6.3	36	1	2	4	8	12	16	39
50-64	404	7.4	40	2	2	5	10	15	18	29
65+	253	10.8	50	2	3	10	15	18	24	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	6.5	73	1	1	4	6	14	27	45
20-34	241	4.7	39	1	2	3	5	9	11	17
35-49	459	5.2	21	1	2	4	6	10	13	20
50-64	785	6.6	31	2	2	5	8	13	16	29
65+	2740	9.8	46	2	3	8	13	18	22	34
B. Operated										
0-19 YRS	216	4.7	17	1	1	4	6	9	14	23
20-34	473	6.7	59	1	2	4	8	13	19	42
35-49	414	8.8	77	2	2	6	12	18	24	51
50-64	558	11.4	121	2	3	9	14	23	29	72
65+	911	16.2	136	3	5	14	21	31	39	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	879	5.3	20	1	1	4	7	11	14	22
B. Operated	2512	6.1	33	1	2	4	8	13	17	28
2. MULTIPLE DX										
A. Not Operated	4306	8.4	44	2	2	7	11	16	21	33
B. Operated	2572	11.3	116	2	2	8	15	24	32	57
1. SINGLE DX	3391	5.9	30	1	2	4	8	13	16	26
2. MULTIPLE DX	6878	9.4	73	2	2	7	12	19	25	43
A. NOT OPERATED	5185	7.8	41	2	2	6	10	15	20	32
B. OPERATED	5084	8.7	82	2	2	6	11	19	25	46
TOTAL 0-19 YRS	1082	4.8	23	1	1	3	6	9	14	25
20-34	1598	5.3	36	1	2	4	6	10	14	33
35-49	1501	6.4	43	1	2	4	8	13	17	36
50-64	1919	8.0	63	2	2	6	10	16	22	39
65+	4169	11.1	72	2	3	9	14	21	27	43
GRAND TOTAL	**10269**	**8.3**	**62**	**2**	**2**	**6**	**11**	**17**	**23**	**40**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.2	69	1	1	2	7	20	20	20
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	13.0	242	2	2	13	24	24	24	24
65+	3	5.3	14	1	1	7	8	8	8	8
B. Operated										
0-19 YRS	163	4.0	7	1	1	4	5	7	8	15
20-34	106	3.6	8	1	1	3	5	7	10	15
35-49	52	3.2	3	<1	2	3	4	6	7	9
50-64	59	3.6	5	1	1	3	5	7	8	12
65+	17	8.9	82	1	1	6	11	27	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.9	16	<1	<1	1	3	9	13	13
20-34	4	7.3	66	1	1	4	12	19	19	19
35-49	9	7.2	55	1	1	5	8	20	25	25
50-64	4	4.8	9	1	1	5	7	8	8	8
65+	20	8.1	27	2	3	7	12	16	18	18
B. Operated										
0-19 YRS	166	5.2	42	2	2	4	5	8	10	32
20-34	127	5.2	36	1	2	4	6	9	11	39
35-49	111	5.8	19	2	2	5	7	11	13	24
50-64	115	6.1	27	2	2	5	7	11	15	30
65+	68	8.5	40	2	3	6	12	18	23	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	5.2	52	1	1	2	6	20	23	24
B. Operated	397	4.0	11	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	46	6.5	33	<1	1	5	8	14	18	25
B. Operated	587	5.9	34	2	2	4	7	11	16	31
1. SINGLE DX	412	4.0	12	1	1	3	5	7	10	21
2. MULTIPLE DX	633	5.9	34	2	2	4	7	11	16	29
A. NOT OPERATED	61	6.2	37	<1	1	4	8	16	19	25
B. OPERATED	984	5.1	25	1	2	4	6	9	13	26
TOTAL 0-19 YRS	343	4.6	25	1	2	4	5	8	10	23
20-34	240	4.5	24	1	1	3	5	9	11	26
35-49	174	5.1	18	1	2	4	6	10	12	24
50-64	180	5.3	22	2	2	4	6	10	14	24
65+	108	8.4	42	2	2	6	11	18	23	28
GRAND TOTAL	**1045**	**5.2**	**26**	**1**	**2**	**4**	**6**	**10**	**14**	**25**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	4	2	2	2	5	6	6	6
20-34	40	4.5	13	1	2	3	5	8	12	19
35-49	59	5.7	14	1	1	5	8	11	14	16
50-64	37	5.2	28	<1	1	4	6	11	15	28
65+	29	6.1	26	1	1	5	8	14	19	19
B. *Operated*										
0-19 YRS										
20-34	20	5.0	10	1	2	5	7	10	11	12
35-49	41	4.7	10	2	2	3	6	10	12	12
50-64	26	7.4	49	1	2	5	10	16	24	29
65+	12	8.8	37	3	3	7	13	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	38	6.2	55	2	2	4	7	10	13	47
35-49	75	6.7	27	1	2	5	8	12	16	31
50-64	109	6.7	18	2	2	6	9	12	14	21
65+	136	7.5	23	2	2	6	9	14	19	22
B. *Operated*										
0-19 YRS										
20-34	17	11.0	76	2	3	8	14	25	31	33
35-49	43	10.4	52	3	3	10	12	21	23	40
50-64	32	8.4	50	2	3	6	9	21	26	27
65+	17	14.5	80	7	7	12	16	27	36	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	5.3	19	1	1	4	7	11	15	19
B. *Operated*	99	5.9	25	2	2	4	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	363	6.9	25	2	2	6	9	13	16	22
B. *Operated*	109	10.6	62	3	3	9	13	22	28	40
1. SINGLE DX	269	5.5	21	1	2	4	7	11	15	22
2. MULTIPLE DX	472	7.8	36	2	2	6	10	14	19	32
A. NOT OPERATED	533	6.4	24	1	2	5	8	12	16	21
B. OPERATED	208	8.4	49	2	2	6	11	18	25	36
TOTAL 0-19 YRS	8	3.4	2	2	2	3	4	6	6	6
20-34	115	6.1	39	2	2	5	7	12	15	38
35-49	218	6.8	29	1	2	5	9	12	16	28
50-64	204	6.8	29	1	2	5	9	13	18	27
65+	196	8.0	33	1	2	7	10	16	19	27
GRAND TOTAL	**741**	**6.9**	**32**	**1**	**2**	**5**	**9**	**14**	**18**	**28**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.6	10	<1	<1	2	4	8	10	14
20-34	411	3.5	8	<1	<1	3	5	7	9	12
35-49	417	4.6	14	<1	1	4	6	9	12	19
50-64	273	4.5	14	<1	1	3	6	8	12	21
65+	151	5.5	21	1	1	4	7	12	16	20
B. *Operated*										
0-19 YRS	539	4.9	21	1	1	3	7	12	13	19
20-34	628	3.9	13	<1	1	3	5	8	11	18
35-49	526	4.0	12	1	1	3	5	8	11	18
50-64	484	3.8	15	1	1	3	4	8	12	21
65+	286	3.8	13	1	1	3	4	8	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	3.7	11	<1	1	3	5	8	10	19
20-34	526	5.1	20	1	1	4	6	10	12	25
35-49	842	5.8	20	1	2	5	7	11	14	24
50-64	850	5.8	17	2	2	5	8	11	14	20
65+	916	7.1	37	2	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	436	4.7	34	1	1	3	5	11	15	31
20-34	724	4.6	26	1	1	3	5	9	14	26
35-49	766	6.4	58	1	2	4	8	12	19	46
50-64	712	6.4	40	1	2	4	8	14	18	29
65+	453	8.7	89	2	2	6	11	18	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1418	4.3	13	<1	1	3	5	9	11	18
B. *Operated*	2463	4.1	15	1	1	3	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	3291	6.0	24	1	2	5	7	11	14	26
B. *Operated*	3091	6.1	49	1	2	4	7	13	18	38
1. SINGLE DX	3881	4.2	14	<1	1	3	5	9	12	19
2. MULTIPLE DX	6382	6.0	36	1	2	4	7	12	16	31
A. NOT OPERATED	4709	5.5	21	1	2	4	7	10	13	24
B. OPERATED	5554	5.2	35	1	2	3	6	11	15	30
TOTAL 0-19 YRS	1296	4.5	23	1	1	3	5	11	13	22
20-34	2289	4.3	18	<1	1	3	5	9	11	23
35-49	2551	5.4	29	1	2	4	7	10	14	28
50-64	2319	5.5	24	1	2	4	7	11	15	23
65+	1808	6.9	47	1	2	5	8	14	18	34
GRAND TOTAL	**10263**	**5.3**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	10	4.0	5	1	1	4	5	7	8	8
35-49	6	3.0	2	<1	<1	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	3.9	6	<1	1	3	4	6	9	9
35-49	3	4.7	22	1	1	3	8	10	10	10
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	12	5.7	10	2	2	5	6	10	11	11
35-49	27	5.9	14	1	2	5	8	10	15	16
50-64	13	5.4	12	<1	1	5	6	10	13	14
65+	19	8.5	35	1	2	7	14	17	20	22
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	11	7.3	28	3	3	5	8	16	20	20
35-49	8	7.9	23	4	4	6	8	16	19	19
50-64	4	5.5	6	4	4	5	7	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.6	4	<1	1	3	5	7	8	8
B. *Operated*	17	3.6	7	<1	1	3	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	72	6.5	19	1	2	6	8	14	15	21
B. *Operated*	25	7.0	20	3	4	5	6	14	19	20
1. SINGLE DX	36	3.6	5	<1	1	3	4	7	9	10
2. MULTIPLE DX	97	6.6	19	1	2	5	8	14	16	21
A. NOT OPERATED	91	5.9	16	1	2	5	6	12	15	20
B. OPERATED	42	5.6	17	1	2	4	7	10	14	20
TOTAL 0-19 YRS	7	4.7	11	2	2	4	6	10	11	11
20-34	43	5.3	13	1	2	4	7	9	12	20
35-49	44	5.8	15	1	2	5	8	10	15	19
50-64	20	5.0	10	<1	1	5	6	9	12	14
65+	19	8.5	35	1	2	7	14	17	20	22
GRAND TOTAL	**133**	**5.8**	**17**	**1**	**2**	**5**	**7**	**11**	**15**	**20**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	5	<1	1	2	4	5	9	11
20-34	5	4.2	13	1	1	3	6	10	10	10
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	4.0	19	<1	<1	2	7	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	136	8.2	39	2	3	7	10	16	23	33
20-34	11	5.2	9	2	2	5	6	10	11	11
35-49	16	8.3	50	2	2	7	9	14	25	28
50-64	4	5.5	18	1	1	5	9	10	10	10
65+	3	9.3	42	3	3	9	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	6.3	34	1	1	3	6	8	13	30
20-34	14	4.7	12	<1	1	3	7	11	11	11
35-49	6	5.0	6	2	2	5	6	9	9	9
50-64	10	9.0	221	1	1	3	10	31	50	50
65+	13	3.5	14	<1	<1	2	5	9	12	13
B. *Operated*										
0-19 YRS	212	9.1	78	2	2	7	11	18	25	49
20-34	23	10.9	70	2	2	9	18	24	53	99+
35-49	17	15.5	119	2	3	17	20	26	39	46
50-64	9	17.9	222	3	4	16	27	76	99+	99+
65+	11	12.9	28	5	5	12	17	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.2	6	<1	1	2	4	7	10	11
B. *Operated*	170	8.0	36	2	3	7	9	16	22	32
2. MULTIPLE DX										
A. *Not Operated*	166	4.5	40	1	1	3	5	9	12	42
B. *Operated*	272	10.1	86	2	2	7	13	21	27	52
1. SINGLE DX	222	6.9	34	1	2	5	9	14	19	30
2. MULTIPLE DX	458	7.8	75	1	2	5	10	16	24	52
A. NOT OPERATED	238	4.2	33	<1	1	3	4	9	11	31
B. OPERATED	442	9.3	66	2	2	7	11	20	25	50
TOTAL 0-19 YRS	531	7.1	56	1	2	5	9	16	22	40
20-34	53	7.4	65	1	2	5	11	19	22	97
35-49	42	10.4	86	2	2	7	17	22	27	46
50-64	26	11.0	184	1	1	5	14	65	59	99+
65+	28	7.9	40	<1	1	6	12	17	18	21
GRAND TOTAL	**680**	**7.5**	**62**	**1**	**2**	**5**	**9**	**17**	**23**	**50**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	1.4	2	<1	<1	1	1	2	3	11
20-34	4	5.0	13	2	2	4	7	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	503	2.3	12	<1	1	2	2	3	5	9
20-34	104	2.5	2	<1	1	2	3	4	6	9
35-49	83	2.4	1	1	1	2	3	4	4	7
50-64	70	2.5	3	2	2	2	3	3	4	14
65+	108	2.7	4	1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.8	4	<1	<1	1	2	3	5	12
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	183	2.9	6	1	1	2	3	6	8	14
20-34	54	3.2	11	1	1	2	4	5	8	23
35-49	41	3.0	4	1	2	3	3	5	7	12
50-64	63	3.0	3	1	2	2	3	5	8	9
65+	115	3.3	14	2	2	2	3	5	9	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	1.6	3	<1	<1	1	1	2	3	13
B. *Operated*	868	2.4	8	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	51	1.7	3	<1	<1	1	2	3	5	12
B. *Operated*	456	3.1	8	1	1	2	3	5	8	15
1. SINGLE DX	949	2.3	8	<1	1	2	3	4	5	9
2. MULTIPLE DX	507	2.9	8	1	1	2	3	5	8	14
A. NOT OPERATED	132	1.6	3	<1	<1	1	2	3	4	12
B. OPERATED	1324	2.6	8	1	1	2	3	4	6	12
TOTAL 0-19 YRS	804	2.3	10	<1	1	2	2	4	6	12
20-34	164	2.8	6	<1	1	2	3	4	7	10
35-49	128	2.6	2	1	1	2	3	4	4	9
50-64	135	2.7	3	1	2	2	3	4	5	10
65+	225	3.0	9	1	2	2	3	5	7	19
GRAND TOTAL	**1456**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.3	9	<1	<1	2	5	8	10	15
20-34	15	3.5	7	1	1	2	4	7	9	10
35-49	13	3.5	3	1	2	3	4	6	7	7
50-64	9	5.6	57	2	2	3	4	18	25	25
65+	6	3.3	6	1	1	3	3	8	8	8
B. *Operated*										
0-19 YRS	740	4.9	18	1	1	2	8	10	13	19
20-34	83	6.5	31	1	2	4	9	14	19	24
35-49	56	8.4	126	1	2	6	10	14	20	75
50-64	26	4.8	13	1	2	3	8	10	12	13
65+	14	8.4	87	2	2	4	13	25	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	353	4.9	58	<1	1	3	5	10	15	41
20-34	53	4.0	11	1	1	3	5	7	13	18
35-49	36	6.3	54	1	2	4	7	16	21	38
50-64	27	5.7	25	1	2	4	7	11	16	25
65+	57	7.1	36	1	2	5	8	15	19	30
B. *Operated*										
0-19 YRS	1362	7.8	105	1	2	3	10	18	28	65
20-34	89	7.2	57	1	2	5	10	14	22	44
35-49	72	10.4	164	2	2	7	13	21	42	94
50-64	60	9.9	65	2	2	8	13	21	28	32
65+	49	13.3	140	2	2	12	18	27	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.5	11	<1	1	2	4	7	9	19
B. *Operated*	919	5.3	28	1	1	3	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	526	5.2	49	1	1	3	6	11	16	32
B. *Operated*	1632	8.1	106	1	2	5	10	19	28	66
1. SINGLE DX	1024	5.1	26	1	1	3	8	11	13	22
2. MULTIPLE DX	2158	7.4	94	1	1	4	9	16	25	59
A. NOT OPERATED	631	4.9	44	<1	1	3	6	10	15	28
B. OPERATED	2551	7.1	80	1	1	4	9	15	22	51
TOTAL 0-19 YRS	2517	6.4	73	1	1	3	8	13	21	46
20-34	240	6.0	37	1	1	4	8	13	18	26
35-49	177	8.4	121	1	2	5	10	17	23	77
50-64	122	7.6	49	2	2	5	10	18	24	32
65+	126	9.5	89	2	2	7	13	22	29	72
GRAND TOTAL	**3182**	**6.7**	**73**	**1**	**1**	**3**	**9**	**14**	**21**	**48**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.1	3	<1	<1	1	3	5	5	5
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	423	4.0	3	2	2	4	5	6	7	9
20-34	9	4.3	13	1	1	4	5	10	13	13
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.3	16	<1	<1	1	4	10	13	16
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	337	4.4	8	2	2	4	5	7	9	12
20-34	11	3.4	3	1	1	3	4	6	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.1	3	<1	<1	1	3	5	5	5
B. Operated	435	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	37	3.3	16	<1	<1	1	4	10	13	16
B. Operated	350	4.4	8	2	2	4	5	7	8	12
1. SINGLE DX	445	3.9	3	2	2	4	5	6	7	9
2. MULTIPLE DX	387	4.3	9	1	2	4	5	7	8	14
A. NOT OPERATED	47	3.0	13	<1	<1	1	4	8	12	16
B. OPERATED	785	4.1	5	2	2	4	5	6	7	11
TOTAL 0-19 YRS	807	4.1	6	1	2	4	5	6	8	12
20-34	20	3.8	7	1	1	3	5	6	10	13
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**832**	**4.1**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.6	1	<1	<1	3	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	448	3.8	4	2	2	3	4	6	7	12
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.2	8	1	1	4	6	9	10	10
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	105	4.8	7	2	2	4	6	9	9	14
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.6	1	<1	<1	3	4	4	4	4
B. Operated	448	3.8	4	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	16	4.2	8	1	1	4	6	9	10	10
B. Operated	105	4.8	7	2	2	4	6	9	9	14
1. SINGLE DX	459	3.7	4	2	2	3	4	6	7	12
2. MULTIPLE DX	121	4.7	7	2	2	4	6	9	10	14
A. NOT OPERATED	27	3.6	6	1	1	3	4	7	9	10
B. OPERATED	553	4.0	5	2	2	4	4	6	7	13
TOTAL 0-19 YRS	580	3.9	5	2	2	4	4	6	8	13
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**580**	**3.9**	**5**	**2**	**2**	**4**	**4**	**6**	**8**	**13**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.5	12	<1	<1	1	3	4	6	22
20-34	12	2.8	3	1	1	2	3	5	7	7
35-49	7	4.4	5	2	2	5	6	8	8	8
50-64	4	5.8	19	2	2	6	9	10	10	10
65+	12	3.8	6	<1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	308	6.3	34	<1	1	5	9	14	17	24
20-34	42	4.2	12	1	1	3	6	8	10	18
35-49	27	4.6	9	1	1	4	7	9	10	11
50-64	20	10.1	178	1	2	7	11	18	41	62
65+	21	5.1	17	1	1	4	7	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	6.0	55	1	1	3	7	12	17	42
20-34	17	4.2	6	1	2	4	6	8	8	8
35-49	17	3.5	9	<1	1	3	4	6	11	14
50-64	29	6.5	25	1	2	6	7	12	20	23
65+	75	6.8	51	1	2	5	9	14	15	46
B. *Operated*										
0-19 YRS	327	9.8	104	1	2	7	13	21	32	59
20-34	69	8.6	52	2	2	7	10	17	28	34
35-49	39	9.8	171	2	2	7	11	16	22	83
50-64	55	9.7	74	2	2	9	12	18	33	41
65+	66	11.4	122	2	3	8	16	26	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.8	11	<1	<1	2	3	5	9	22
B. *Operated*	418	6.1	37	<1	1	4	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	315	6.0	47	1	1	4	7	12	15	37
B. *Operated*	556	9.8	101	1	2	7	12	20	30	57
1. SINGLE DX	541	5.4	33	<1	1	3	8	12	16	23
2. MULTIPLE DX	871	8.5	85	1	2	6	11	18	26	54
A. NOT OPERATED	438	5.1	39	<1	1	3	6	11	14	31
B. OPERATED	974	8.2	77	1	1	6	11	18	24	50
TOTAL 0-19 YRS	900	7.1	66	<1	1	4	10	16	22	43
20-34	140	6.2	35	1	1	5	8	12	18	30
35-49	90	6.7	85	1	2	5	8	13	14	59
50-64	108	8.8	79	2	2	7	11	17	24	50
65+	174	8.2	78	1	2	5	9	17	25	54
GRAND TOTAL	**1412**	**7.3**	**67**	**1**	**1**	**5**	**9**	**16**	**21**	**43**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.4		<1	<1	1	2	3	3	3
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	637	2.6	1	1	1	2	3	4	5	7
20-34	45	3.2	2	1	2	3	4	4	6	9
35-49	8	2.9	1	1	1	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	1.3	1	<1	<1	1	1	2	4	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	544	2.8	3	1	1	2	3	4	6	8
20-34	56	4.2	7	2	2	4	5	7	8	17
35-49	28	3.4	2	2	2	3	4	6	7	8
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	3.3	2	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.5		<1	<1	1	2	2	3	3
B. *Operated*	692	2.6	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	39	1.3	1	<1	<1	1	1	2	4	5
B. *Operated*	632	2.9	3	1	1	3	3	5	6	9
1. SINGLE DX	707	2.6	1	1	1	2	3	4	5	7
2. MULTIPLE DX	671	2.8	3	1	1	2	3	5	6	9
A. NOT OPERATED	54	1.4	1	<1	<1	1	1	2	3	5
B. OPERATED	1324	2.8	2	1	1	2	3	4	6	8
TOTAL 0-19 YRS	1231	2.6	2	1	1	2	3	4	5	8
20-34	105	3.6	5	1	2	3	4	6	8	13
35-49	36	3.3	2	2	2	3	4	5	7	8
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	3.0	2	2	2	3	4	5	5	5
GRAND TOTAL	**1378**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.3	2	<1	<1	2	3	4	6	8
20-34	16	3.4	11	<1	<1	2	4	10	11	11
35-49	11	3.5	6	<1	1	3	5	7	9	9
50-64	8	2.5	2	1	1	2	3	5	5	5
65+	8	2.3	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	649	5.3	16	1	1	4	8	10	13	18
20-34	154	4.2	11	<1	1	3	6	8	11	16
35-49	48	5.7	22	1	2	5	7	11	15	27
50-64	30	4.9	16	1	2	3	9	11	12	14
65+	15	6.0	23	<1	1	6	8	12	17	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	2.9	11	<1	1	2	3	6	9	21
20-34	28	4.7	19	1	1	4	5	11	14	20
35-49	40	6.2	22	2	2	5	7	13	17	20
50-64	51	5.4	27	1	1	4	6	11	14	32
65+	46	6.7	39	2	2	5	8	15	19	35
B. Operated										
0-19 YRS	488	7.1	50	1	1	5	9	15	19	33
20-34	190	5.3	20	1	2	5	6	10	12	21
35-49	126	7.0	23	2	2	6	9	14	16	25
50-64	79	7.9	74	2	2	5	9	14	29	46
65+	79	9.1	52	2	2	9	12	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	2.7	4	<1	<1	2	3	5	7	11
B. Operated	896	5.1	15	1	1	4	7	10	13	18
2. MULTIPLE DX										
A. Not Operated	236	4.9	25	1	1	3	6	10	15	25
B. Operated	962	7.0	44	1	2	5	9	14	18	35
1. SINGLE DX	973	4.9	15	1	1	4	7	10	12	18
2. MULTIPLE DX	1198	6.6	41	1	1	5	9	14	17	33
A. NOT OPERATED	313	4.4	20	1	1	3	5	9	14	24
B. OPERATED	1858	6.1	31	1	1	5	8	12	15	27
TOTAL 0-19 YRS	1242	5.8	30	1	1	4	8	12	15	27
20-34	388	4.7	16	1	1	4	6	8	12	20
35-49	225	6.4	22	1	2	6	8	13	15	24
50-64	168	6.3	48	1	2	4	8	12	14	38
65+	148	7.7	45	2	2	6	10	15	19	35
GRAND TOTAL	**2171**	**5.8**	**30**	**1**	**1**	**5**	**8**	**12**	**15**	**27**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.9	44	<1	<1	2	5	14	23	24
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	267	3.3	2	2	2	3	4	5	6	8
20-34	15	4.9	7	2	2	5	6	9	11	12
35-49	13	5.7	12	2	2	5	7	11	13	14
50-64	7	3.1	1	2	2	3	4	5	5	5
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	1.4	2	<1	<1	1	1	2	3	9
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	151	4.3	7	2	2	4	5	8	9	13
20-34	43	5.1	3	2	3	5	6	7	8	11
35-49	21	4.5	4	2	3	4	5	8	9	10
50-64	32	4.9	17	2	2	4	5	6	18	20
65+	16	7.6	19	3	3	6	10	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.0	40	<1	<1	3	6	13	22	24
B. Operated	304	3.5	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	32	1.4	2	<1	<1	1	1	2	3	9
B. Operated	263	4.7	8	2	2	4	6	8	10	17
1. SINGLE DX	317	3.6	4	2	2	3	4	6	7	11
2. MULTIPLE DX	295	4.3	9	1	1	4	5	8	9	17
A. NOT OPERATED	45	2.4	15	<1	<1	1	2	6	9	24
B. OPERATED	567	4.1	6	2	2	4	5	7	8	14
TOTAL 0-19 YRS	462	3.6	5	1	1	3	4	6	7	12
20-34	59	5.1	4	2	3	5	6	8	9	12
35-49	34	5.0	7	2	3	4	6	8	10	14
50-64	39	4.6	15	2	2	4	5	6	14	20
65+	18	7.1	19	3	3	6	9	15	17	17
GRAND TOTAL	**612**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.9	15	<1	1	2	3	6	8	23
20-34	46	4.1	11	<1	1	3	5	10	11	17
35-49	54	4.7	8	1	1	4	6	9	10	14
50-64	33	6.7	22	1	2	6	9	14	16	20
65+	12	8.8	39	1	2	6	13	19	21	21
B. *Operated*										
0-19 YRS	1176	4.2	18	1	1	3	5	8	11	23
20-34	375	3.9	14	<1	<1	3	5	8	12	20
35-49	203	5.8	41	<1	<1	3	8	15	18	29
50-64	135	5.6	24	1	1	4	8	12	15	25
65+	43	6.1	25	1	2	4	8	16	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	268	5.4	79	<1	1	3	6	11	15	57
20-34	84	6.1	32	1	1	4	7	12	15	34
35-49	99	6.4	31	1	2	5	8	11	19	31
50-64	104	7.5	41	2	2	6	10	13	19	36
65+	93	8.8	75	2	3	6	11	17	20	53
B. *Operated*										
0-19 YRS	540	6.4	64	1	2	4	8	13	20	50
20-34	228	6.7	64	1	1	4	8	15	21	46
35-49	206	7.3	52	1	2	5	10	16	19	38
50-64	153	9.3	67	2	2	8	12	17	22	50
65+	95	13.3	202	2	3	9	17	30	38	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	4.0	17	<1	1	3	5	9	11	20
B. *Operated*	1932	4.5	21	<1	1	3	6	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	648	6.5	60	1	1	4	8	13	18	40
B. *Operated*	1222	7.5	76	1	2	4	9	16	22	50
1. SINGLE DX	2239	4.4	20	<1	1	3	6	9	13	22
2. MULTIPLE DX	1870	7.1	71	1	1	4	9	15	22	48
A. NOT OPERATED	955	5.7	47	1	1	4	7	12	16	33
B. OPERATED	3154	5.6	44	1	1	3	7	12	17	35
TOTAL 0-19 YRS	2146	4.8	38	1	1	3	6	9	14	31
20-34	733	5.0	33	<1	<1	3	6	11	15	29
35-49	562	6.3	40	<1	1	4	8	14	17	34
50-64	425	7.5	46	1	2	6	10	14	20	34
65+	243	10.1	121	2	2	7	12	20	27	69
GRAND TOTAL	**4109**	**5.6**	**45**	**1**	**1**	**3**	**7**	**12**	**17**	**34**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1312	4.8	33	1	1	3	4	11	18	29
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	30	7.8	69	1	2	4	11	23	28	30
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1084	11.0	158	1	2	6	14	27	38	70
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	131	20.3	503	1	2	12	31	71	99	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1312	4.8	33	1	1	3	4	11	18	29
B. *Operated*	30	7.8	69	1	2	4	11	23	28	30
2. MULTIPLE DX										
A. *Not Operated*	1084	11.0	158	1	2	6	14	27	38	70
B. *Operated*	131	20.3	503	1	2	12	31	71	99	99+
1. SINGLE DX	1342	4.8	34	1	1	3	4	11	18	29
2. MULTIPLE DX	1215	12.0	203	1	2	6	15	30	45	93
A. NOT OPERATED	2396	7.6	99	1	2	4	8	21	27	54
B. OPERATED	161	17.9	445	1	2	10	27	63	93	99+
TOTAL 0-19 YRS	2557	8.2	127	1	2	4	10	22	30	69
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2557**	**8.2**	**127**	**1**	**2**	**4**	**10**	**22**	**30**	**69**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1826	2.8	5	1	1	2	3	5	7	11
20-34	621	3.2	7	1	1	3	4	6	7	13
35-49	388	3.6	10	1	1	3	4	7	8	13
50-64	239	4.1	11	1	1	3	5	7	9	21
65+	172	4.9	14	1	2	4	6	11	12	19
B. *Operated*										
0-19 YRS	15	4.2	7	2	2	4	6	8	9	10
20-34	25	3.4	1	2	2	3	4	5	6	6
35-49	13	5.8	40	1	2	3	5	17	22	23
50-64	10	6.2	12	2	3	5	9	12	14	14
65+	7	10.1	112	2	2	5	19	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2363	3.5	11	1	1	3	4	6	9	17
20-34	889	4.9	29	1	1	4	6	9	13	28
35-49	923	5.5	24	1	2	4	7	10	14	28
50-64	1061	6.1	28	1	2	5	8	11	15	29
65+	1570	7.6	46	2	2	6	9	15	19	34
B. *Operated*										
0-19 YRS	61	7.2	36	1	2	5	9	15	19	34
20-34	67	8.9	46	2	2	6	12	18	22	30
35-49	68	9.1	64	2	2	7	12	18	22	47
50-64	102	11.5	152	3	3	8	13	23	42	67
65+	153	13.0	99	3	4	9	17	26	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3246	3.2	7	1	1	3	4	6	8	13
B. *Operated*	70	5.1	24	2	2	4	5	9	16	26
2. MULTIPLE DX										
A. *Not Operated*	6806	5.3	28	1	1	4	6	11	14	28
B. *Operated*	451	10.7	93	2	3	8	14	22	29	46
1. SINGLE DX	3316	3.2	8	1	1	3	4	6	8	13
2. MULTIPLE DX	7257	5.6	34	1	1	4	7	11	16	29
A. NOT OPERATED	10052	4.6	23	1	1	3	5	9	13	25
B. OPERATED	521	10.0	88	2	2	7	12	21	28	45
TOTAL 0-19 YRS	4265	3.2	9	1	1	2	4	6	8	16
20-34	1602	4.4	22	1	1	3	5	8	12	26
35-49	1392	5.1	23	1	1	4	6	9	13	27
50-64	1412	6.1	37	1	2	5	7	11	15	30
65+	1902	7.8	51	2	2	6	10	15	21	35
GRAND TOTAL	**10573**	**4.9**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	737	3.0	4	1	1	3	4	5	6	11
20-34	178	3.8	5	1	2	3	5	7	8	12
35-49	109	5.2	20	1	2	4	6	10	14	27
50-64	98	5.4	11	2	2	4	7	10	12	17
65+	136	5.9	15	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	14	5.4	9	2	2	4	8	10	11	11
20-34	12	9.3	48	1	2	7	14	21	22	22
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	12	7.8	31	1	2	8	10	17	19	19
65+	9	14.9	176	3	3	10	23	36	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1236	3.4	13	1	1	3	4	6	7	11
20-34	407	4.7	12	1	2	4	6	8	10	18
35-49	302	5.4	12	2	2	5	7	9	11	19
50-64	502	6.4	23	2	2	5	8	12	15	23
65+	1078	7.6	36	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	48	7.8	56	2	2	6	9	13	23	41
20-34	43	9.0	29	2	3	8	12	16	19	25
35-49	61	11.9	79	2	3	9	17	24	30	39
50-64	87	12.4	65	4	5	10	16	22	28	45
65+	144	14.9	98	4	6	13	18	30	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1258	3.8	8	1	1	3	4	7	9	15
B. *Operated*	50	8.5	62	1	2	6	10	19	23	44
2. MULTIPLE DX										
A. *Not Operated*	3525	5.4	24	1	2	4	7	10	13	23
B. *Operated*	383	12.3	80	3	4	10	15	23	31	42
1. SINGLE DX	1308	4.0	11	1	1	3	5	8	10	17
2. MULTIPLE DX	3908	6.1	34	1	2	4	7	12	16	30
A. NOT OPERATED	4783	5.0	21	1	2	4	6	9	13	21
B. OPERATED	433	11.9	80	3	4	10	15	23	31	42
TOTAL 0-19 YRS	2035	3.4	11	1	1	3	4	6	8	12
20-34	640	4.8	14	1	2	4	6	9	11	20
35-49	475	6.2	27	2	2	5	7	11	16	29
50-64	699	7.0	31	2	2	5	9	13	17	28
65+	1367	8.3	47	2	3	6	10	16	20	34
GRAND TOTAL	**5216**	**5.6**	**29**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	369	2.7	4	1	1	2	3	5	6	9
20-34	853	3.3	6	<1	1	3	4	6	8	13
35-49	540	3.6	7	<1	1	3	4	7	9	13
50-64	236	4.0	8	<1	1	3	5	8	10	14
65+	68	3.5	5	<1	1	3	4	7	8	13
B. Operated										
0-19 YRS	15	4.0	8	1	2	3	6	9	10	10
20-34	59	4.1	9	2	2	3	5	9	11	16
35-49	48	5.0	14	2	2	4	6	9	13	19
50-64	37	4.7	17	1	1	3	6	8	15	21
65+	13	3.5	3	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	370	3.4	7	1	1	3	4	6	7	10
20-34	1108	4.4	11	1	2	3	5	8	10	17
35-49	1013	5.1	13	1	2	4	6	9	12	18
50-64	680	5.2	13	2	2	4	6	10	12	19
65+	467	5.5	16	2	2	4	7	10	13	20
B. Operated										
0-19 YRS	11	5.4	24	1	1	3	6	14	17	17
20-34	96	6.8	28	2	2	5	9	14	16	29
35-49	124	7.6	28	2	2	6	11	15	19	23
50-64	89	7.7	29	2	3	7	9	14	20	28
65+	80	8.5	39	2	3	7	11	15	24	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2066	3.4	6	<1	1	3	4	6	8	13
B. Operated	172	4.4	12	1	2	3	6	8	11	19
2. MULTIPLE DX										
A. Not Operated	3658	4.8	13	1	2	4	6	9	11	18
B. Operated	400	7.5	31	2	2	6	10	15	18	27
1. SINGLE DX	2238	3.4	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	4058	5.0	15	1	2	4	6	9	12	20
A. NOT OPERATED	5724	4.3	11	1	1	3	5	8	10	16
B. OPERATED	572	6.6	27	2	2	5	8	13	17	25
TOTAL 0-19 YRS	765	3.1	6	1	1	3	4	5	7	11
20-34	2116	4.0	10	1	1	3	5	8	10	16
35-49	1725	4.8	13	1	2	4	6	9	12	19
50-64	1042	5.1	14	1	2	4	6	10	12	20
65+	648	5.6	21	2	2	4	7	10	14	23
GRAND TOTAL	**6296**	**4.5**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**15**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.6	3	<1	1	2	4	5	6	8
20-34	76	3.1	3	<1	1	3	4	5	7	9
35-49	99	3.3	4	<1	1	3	4	6	7	9
50-64	160	3.6	4	1	1	3	5	6	7	11
65+	151	3.6	7	<1	1	3	5	6	9	13
B. Operated										
0-19 YRS	29	1.9	2	<1	<1	1	2	4	5	6
20-34	43	4.1	4	1	2	4	5	7	7	9
35-49	72	5.2	11	1	2	5	7	8	10	22
50-64	93	4.5	5	1	2	5	6	8	9	10
65+	73	4.3	5	1	2	4	6	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	3.1	9	<1	<1	2	3	6	9	17
20-34	47	3.6	5	1	1	3	4	7	8	9
35-49	123	4.9	9	1	1	4	6	8	11	14
50-64	249	4.7	8	1	1	4	6	8	11	14
65+	495	4.4	13	1	1	4	5	8	10	15
B. Operated										
0-19 YRS	21	2.5	2	1	1	2	3	5	7	7
20-34	25	5.1	9	1	2	5	7	8	11	15
35-49	71	5.5	12	1	2	5	7	10	13	18
50-64	158	6.1	18	2	2	5	7	11	14	27
65+	152	7.4	44	2	2	6	9	14	18	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	528	3.4	5	<1	1	3	4	6	7	11
B. Operated	307	4.3	7	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	1004	4.4	11	1	1	4	6	8	10	15
B. Operated	423	6.2	26	2	2	5	7	11	15	26
1. SINGLE DX	835	3.7	6	<1	1	3	5	7	8	11
2. MULTIPLE DX	1427	4.9	16	1	2	4	6	9	11	19
A. NOT OPERATED	1532	4.0	9	1	1	3	5	7	9	14
B. OPERATED	730	5.4	19	1	2	5	7	9	12	25
TOTAL 0-19 YRS	129	2.5	5	<1	<1	2	3	5	7	11
20-34	191	3.8	5	1	1	3	5	7	8	10
35-49	365	4.4	9	1	1	4	6	8	10	15
50-64	706	4.7	10	1	2	4	6	8	10	15
65+	871	4.8	15	1	1	4	6	9	11	21
GRAND TOTAL	**2262**	**4.5**	**13**	**1**	**1**	**4**	**6**	**8**	**10**	**16**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.8	3	<1	1	2	4	5	7	8
20-34	58	3.0	5	<1	1	2	4	6	8	10
35-49	38	2.8	2	<1	<1	3	4	4	6	7
50-64	31	3.3	4	<1	1	3	5	6	7	8
65+	24	4.3	11	1	1	3	5	9	12	14
B. *Operated*										
0-19 YRS	219	2.2	3	<1	<1	2	3	4	5	11
20-34	156	2.7	4	<1	1	2	3	5	6	12
35-49	85	2.4	2	<1	<1	2	3	4	5	7
50-64	91	3.4	15	1	1	2	3	6	9	25
65+	53	3.5	8	1	1	3	4	9	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.9	16	1	1	3	5	7	10	26
20-34	119	3.9	5	1	1	4	5	7	8	11
35-49	141	4.6	11	1	2	3	6	9	12	18
50-64	206	5.2	33	1	1	4	6	9	14	34
65+	322	7.8	51	1	2	5	10	16	22	36
B. *Operated*										
0-19 YRS	55	3.4	16	<1	<1	2	3	8	11	25
20-34	122	4.5	13	1	1	4	5	9	12	18
35-49	87	6.6	68	1	2	4	8	13	21	44
50-64	120	6.0	28	1	2	4	8	14	17	24
65+	107	10.6	145	2	2	7	14	23	41	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.1	5	<1	1	3	4	6	7	10
B. *Operated*	604	2.7	5	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	882	5.7	33	1	2	4	7	12	16	31
B. *Operated*	491	6.4	61	1	2	4	8	14	20	44
1. SINGLE DX	808	2.8	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	1373	6.0	43	1	2	4	7	13	18	37
A. NOT OPERATED	1086	5.2	29	1	1	4	6	10	15	31
B. OPERATED	1095	4.4	34	<1	1	2	4	9	14	32
TOTAL 0-19 YRS	421	2.8	8	<1	1	2	3	5	7	12
20-34	455	3.5	7	1	1	3	5	6	9	14
35-49	351	4.4	24	<1	1	3	5	8	12	25
50-64	448	4.9	27	1	1	3	6	10	14	26
65+	506	7.8	68	1	2	5	10	17	23	43
GRAND TOTAL	**2181**	**4.8**	**31**	**1**	**1**	**3**	**5**	**10**	**14**	**31**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	7.0	7	4	4	8	9	9	9	9
65+	10	5.2	30	<1	<1	3	9	14	17	17
B. *Operated*										
0-19 YRS	16	6.4	156	<1	<1	3	4	10	39	52
20-34	35	6.1	59	1	2	3	7	14	20	39
35-49	23	9.7	127	1	2	7	11	22	37	49
50-64	50	14.2	250	2	2	11	17	26	54	88
65+	166	16.0	167	4	6	13	20	29	40	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	12	12.0	52	2	3	10	17	23	25	25
50-64	40	8.8	49	1	2	7	12	21	23	26
65+	138	11.4	104	2	3	8	13	24	29	63
B. *Operated*										
0-19 YRS	17	12.4	132	1	2	7	21	32	35	36
20-34	49	11.9	212	2	2	6	14	25	51	71
35-49	115	17.2	249	2	2	12	22	42	53	90
50-64	318	20.0	228	3	6	16	27	44	53	99+
65+	1089	20.2	211	5	7	16	26	41	54	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.6	21	<1	<1	4	9	11	15	17
B. *Operated*	290	13.5	177	2	2	10	18	27	39	72
2. MULTIPLE DX										
A. *Not Operated*	193	10.8	89	2	3	8	13	22	27	50
B. *Operated*	1588	19.6	219	3	6	16	26	42	53	86
1. SINGLE DX	306	13.1	172	2	2	10	17	26	38	69
2. MULTIPLE DX	1781	18.6	212	3	5	15	24	40	52	82
A. NOT OPERATED	209	10.4	86	2	3	8	13	21	26	46
B. OPERATED	1878	18.6	217	3	4	15	24	40	52	83
TOTAL 0-19 YRS	34	9.5	144	<1	1	4	10	25	36	52
20-34	88	9.3	149	2	2	5	12	20	39	65
35-49	151	15.5	221	2	2	10	21	37	50	85
50-64	411	18.1	225	2	4	14	23	41	53	99+
65+	1403	18.7	203	4	6	15	24	39	50	77
GRAND TOTAL	**2087**	**17.8**	**210**	**2**	**4**	**14**	**23**	**39**	**51**	**80**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.6	2	<1	1	2	3	5	6	7
20-34	773	2.8	3	<1	<1	3	4	5	6	9
35-49	1778	3.2	4	1	1	3	4	6	7	11
50-64	1361	3.4	5	1	1	3	4	6	7	11
65+	621	3.8	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	6	3.8	7	2	2	3	4	8	9	9
20-34	78	3.9	14	2	2	2	5	7	9	22
35-49	508	3.2	5	2	2	2	4	6	8	12
50-64	588	3.1	4	2	2	2	4	6	7	11
65+	126	3.9	9	2	2	2	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	3.4	4	1	1	3	4	6	7	10
20-34	1394	3.8	9	1	1	3	5	6	8	13
35-49	4594	4.2	8	1	2	4	5	7	9	14
50-64	5850	4.5	9	1	2	4	6	8	10	15
65+	4504	5.2	13	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	11	5.2	17	1	1	4	8	12	14	14
20-34	208	4.8	11	2	2	4	6	10	11	15
35-49	976	5.0	17	2	2	4	7	10	12	21
50-64	1364	5.2	17	2	2	4	7	10	13	20
65+	554	7.3	43	2	2	6	9	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4626	3.2	5	1	1	3	4	6	7	11
B. *Operated*	1306	3.2	5	2	2	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	16604	4.5	10	1	2	4	6	8	10	16
B. *Operated*	3115	5.5	22	2	2	4	7	11	14	22
1. SINGLE DX	5932	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	19719	4.7	12	1	2	4	6	8	11	17
A. NOT OPERATED	21230	4.2	9	1	2	4	5	8	9	15
B. OPERATED	4421	4.6	16	2	2	3	6	10	13	21
TOTAL 0-19 YRS	272	3.2	4	1	1	3	4	6	7	10
20-34	2453	3.6	8	1	1	3	5	6	8	12
35-49	7958	4.0	8	1	2	3	5	7	9	14
50-64	9163	4.3	9	1	2	4	5	8	10	16
65+	5805	5.2	16	2	2	4	6	9	12	20
GRAND TOTAL	**25651**	**4.3**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	3.4	11	1	1	2	4	7	10	18
20-34	52	2.7	5	<1	<1	2	4	5	8	10
35-49	72	3.0	7	<1	1	2	4	6	9	14
50-64	92	3.5	6	1	1	3	5	7	9	12
65+	95	3.8	7	1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	47	4.1	16	1	1	3	5	9	13	21
20-34	34	4.5	14	1	2	3	6	9	12	19
35-49	61	4.1	19	<1	1	3	5	8	11	28
50-64	134	3.9	7	1	1	3	5	7	9	15
65+	102	4.4	13	1	1	3	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	4.4	23	1	1	3	5	9	12	21
20-34	146	3.8	11	1	1	3	4	8	11	17
35-49	316	4.7	13	1	1	4	6	9	12	18
50-64	630	5.9	25	1	2	4	8	11	15	26
65+	1102	6.7	33	1	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	49	9.8	209	1	1	5	11	23	33	87
20-34	54	8.6	197	1	2	4	8	19	32	74
35-49	184	6.6	56	1	2	5	8	13	16	35
50-64	407	7.0	50	1	2	5	9	15	19	44
65+	474	8.2	58	2	2	6	10	16	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	680	3.4	9	1	1	3	4	7	9	15
B. *Operated*	378	4.1	12	1	1	3	5	9	10	18
2. MULTIPLE DX										
A. *Not Operated*	2683	5.7	26	1	2	4	7	11	14	26
B. *Operated*	1168	7.6	68	1	2	5	9	16	21	46
1. SINGLE DX	1058	3.7	10	1	1	3	5	8	9	16
2. MULTIPLE DX	3851	6.3	40	1	2	4	8	12	17	33
A. NOT OPERATED	3363	5.2	24	1	1	4	7	10	13	25
B. OPERATED	1546	6.8	57	1	2	5	8	14	19	39
TOTAL 0-19 YRS	954	4.3	29	1	1	3	5	9	12	24
20-34	286	4.6	49	<1	1	3	5	9	11	31
35-49	633	5.0	27	1	1	4	6	10	13	23
50-64	1263	5.9	31	1	2	4	7	11	15	28
65+	1773	6.8	38	1	2	5	8	13	18	32
GRAND TOTAL	**4909**	**5.7**	**35**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.1	2	<1	1	2	3	4	5	7
20-34	295	2.2	2	<1	1	2	3	4	5	7
35-49	270	2.2	2	1	1	2	3	4	5	8
50-64	170	2.4	3	<1	1	2	3	4	6	8
65+	126	3.2	5	<1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	161	1.8	2	<1	1	1	2	3	4	9
20-34	74	3.7	8	1	1	3	5	7	9	16
35-49	63	4.4	8	1	1	4	6	9	10	11
50-64	64	5.6	9	1	1	5	8	10	10	12
65+	94	6.9	37	1	2	5	8	14	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.0	4	<1	1	3	4	5	7	10
20-34	276	3.3	7	1	1	3	4	6	7	12
35-49	320	3.4	8	1	1	3	4	6	7	12
50-64	350	4.4	15	1	1	3	5	9	10	21
65+	672	6.2	29	1	2	4	8	13	17	28
B. *Operated*										
0-19 YRS	228	2.6	7	1	1	2	3	5	8	14
20-34	120	5.1	9	1	2	4	7	9	11	14
35-49	159	7.2	29	2	2	6	9	14	17	31
50-64	258	7.4	25	2	2	6	10	14	17	28
65+	646	9.5	64	2	3	8	11	17	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	955	2.4	3	<1	1	2	3	4	6	8
B. *Operated*	456	4.0	16	1	1	3	5	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	1711	4.6	19	1	1	3	6	9	13	23
B. *Operated*	1411	7.4	45	1	2	6	10	14	19	33
1. SINGLE DX	1411	2.9	8	<1	1	2	3	6	8	13
2. MULTIPLE DX	3122	5.9	33	1	1	4	8	12	16	29
A. NOT OPERATED	2666	3.8	14	1	1	3	4	8	10	20
B. OPERATED	1867	6.6	40	1	1	5	9	13	17	32
TOTAL 0-19 YRS	576	2.4	4	1	1	2	3	4	6	11
20-34	765	3.2	7	1	1	3	4	6	8	12
35-49	812	3.8	13	1	1	3	5	8	10	19
50-64	842	5.0	18	1	1	4	7	10	13	22
65+	1538	7.4	46	1	2	6	9	14	20	34
GRAND TOTAL	**4533**	**5.0**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2205	2.4	3	<1	1	2	3	4	5	8
20-34	2246	2.9	5	<1	1	2	4	5	7	10
35-49	1406	3.5	6	1	1	3	4	7	8	11
50-64	801	3.8	8	1	1	3	5	7	9	14
65+	551	4.3	9	1	1	4	5	8	10	16
B. *Operated*										
0-19 YRS	286	3.7	6	1	2	3	4	6	8	13
20-34	445	4.3	8	1	2	4	6	8	10	14
35-49	190	5.5	24	1	2	4	7	10	13	29
50-64	126	6.3	26	2	2	5	8	12	17	25
65+	62	5.9	17	2	2	4	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1621	2.9	4	1	1	2	4	5	7	10
20-34	2635	3.7	8	1	1	3	5	7	9	14
35-49	2304	4.5	9	1	2	4	6	8	10	15
50-64	2241	4.9	11	1	2	4	6	9	11	16
65+	2871	5.8	22	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	233	4.7	8	1	2	4	6	9	11	14
20-34	664	6.4	28	1	2	5	8	12	15	28
35-49	559	7.5	28	2	3	6	10	14	17	26
50-64	470	8.8	63	2	3	7	11	15	21	38
65+	400	9.7	45	3	4	8	12	19	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7209	3.1	5	<1	1	2	4	6	7	11
B. *Operated*	1109	4.7	14	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	11672	4.5	12	1	1	4	6	8	11	17
B. *Operated*	2326	7.5	38	2	2	6	9	14	19	29
1. SINGLE DX	8318	3.3	7	1	1	3	4	6	8	12
2. MULTIPLE DX	13998	5.0	18	1	2	4	6	10	12	21
A. NOT OPERATED	18881	4.0	10	1	1	3	5	8	10	15
B. OPERATED	3435	6.6	32	2	2	5	8	13	17	28
TOTAL 0-19 YRS	4345	2.8	4	1	1	2	4	5	6	10
20-34	5990	3.8	10	1	1	3	5	7	9	15
35-49	4459	4.6	13	1	1	4	6	9	11	17
50-64	3638	5.2	19	1	2	4	6	10	12	21
65+	3884	6.0	24	1	2	5	7	11	14	25
GRAND TOTAL	**22316**	**4.4**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	2.7	3	1	1	2	3	5	6	8
20-34	160	3.3	7	<1	1	3	4	7	8	10
35-49	117	3.2	7	1	1	2	4	7	8	15
50-64	104	3.7	8	1	1	3	5	7	10	14
65+	152	4.9	25	1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	34	3.7	8	1	1	3	5	8	9	12
20-34	42	4.3	10	<1	1	4	6	8	11	14
35-49	39	5.0	12	1	2	4	6	8	13	17
50-64	43	5.2	18	1	2	4	6	11	13	20
65+	37	5.6	30	1	1	4	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	620	3.3	7	1	1	3	4	6	8	13
20-34	485	4.0	10	1	1	3	5	8	9	16
35-49	584	4.8	18	1	1	4	6	10	13	20
50-64	743	6.0	24	1	2	5	7	12	16	22
65+	1496	7.1	41	2	2	5	9	14	18	32
B. *Operated*										
0-19 YRS	64	7.3	32	1	1	6	10	16	18	27
20-34	170	6.6	18	1	2	6	8	12	17	20
35-49	204	7.9	41	1	2	7	10	15	24	30
50-64	207	8.8	59	2	2	7	11	18	22	35
65+	313	11.0	101	2	3	9	13	22	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	3.5	10	1	1	3	4	7	9	15
B. *Operated*	195	4.8	16	1	1	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	3928	5.6	27	1	2	4	7	11	15	25
B. *Operated*	958	8.8	62	2	2	7	11	18	24	38
1. SINGLE DX	978	3.7	11	1	1	3	5	8	10	15
2. MULTIPLE DX	4886	6.2	36	1	2	5	8	13	17	29
A. NOT OPERATED	4711	5.2	25	1	1	4	6	10	14	23
B. OPERATED	1153	8.1	57	1	2	6	10	17	22	35
TOTAL 0-19 YRS	968	3.4	8	1	1	3	4	6	9	16
20-34	857	4.4	12	1	1	3	6	8	11	18
35-49	944	5.3	23	1	1	4	7	11	15	26
50-64	1097	6.3	31	1	2	5	8	13	17	27
65+	1998	7.6	52	2	2	5	9	15	20	38
GRAND TOTAL	**5864**	**5.8**	**33**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1552	3.5	18	1	1	2	4	6	9	21
20-34	1278	3.6	17	<1	1	3	4	7	9	18
35-49	1046	4.2	16	1	1	3	5	8	11	18
50-64	1114	5.1	53	1	1	3	6	10	13	34
65+	1256	5.7	41	1	2	4	7	11	15	33
B. *Operated*										
0-19 YRS	140	3.1	19	<1	<1	2	3	6	8	20
20-34	269	3.0	7	<1	1	2	3	6	8	15
35-49	287	3.8	19	1	1	3	4	7	9	24
50-64	249	4.5	23	1	1	3	5	10	14	25
65+	222	6.0	50	1	2	3	8	12	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1739	4.6	29	1	1	3	5	9	13	27
20-34	1572	4.0	13	1	1	3	5	7	9	15
35-49	2216	4.9	17	1	2	4	6	9	12	20
50-64	4078	6.1	32	1	2	5	7	12	16	28
65+	9012	7.3	42	2	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	158	9.3	164	1	1	4	11	25	40	60
20-34	312	5.3	25	1	1	3	7	11	13	24
35-49	473	6.5	43	1	2	4	8	13	21	36
50-64	765	8.9	108	2	2	5	10	18	31	69
65+	1260	11.5	159	2	3	8	14	24	38	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6246	4.4	29	1	1	3	5	8	12	24
B. *Operated*	1167	4.1	24	1	1	3	5	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	18617	6.2	35	1	2	5	7	12	16	30
B. *Operated*	2968	9.3	119	2	2	6	11	20	31	66
1. SINGLE DX	7413	4.3	28	1	1	3	5	8	12	25
2. MULTIPLE DX	21585	6.6	47	1	2	5	8	13	18	36
A. NOT OPERATED	24863	5.7	34	1	2	4	7	11	15	29
B. OPERATED	4135	7.8	97	1	2	5	9	17	26	59
TOTAL 0-19 YRS	3589	4.3	31	1	1	3	5	8	12	28
20-34	3431	3.9	16	1	1	3	5	7	10	17
35-49	4022	4.8	20	1	1	4	6	9	12	22
50-64	6206	6.2	46	1	2	4	7	12	17	35
65+	11750	7.5	57	2	2	5	9	15	20	40
GRAND TOTAL	**28998**	**6.0**	**43**	**1**	**2**	**4**	**7**	**12**	**17**	**34**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	2.0	3	1	1	2	2	3	5	10
20-34	32	4.9	30	1	1	3	6	11	14	28
35-49	20	4.2	7	1	1	4	6	8	9	10
50-64	9	11.1	279	2	2	7	9	37	55	55
65+	5	4.2	10	1	1	4	6	9	9	9
B. *Operated*										
0-19 YRS	63	5.6	11	2	2	5	7	9	11	22
20-34	44	8.8	168	2	3	6	9	13	17	89
35-49	14	8.7	32	2	3	7	12	18	19	19
50-64	6	9.3	21	6	6	8	10	17	18	18
65+	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.1	22	<1	1	3	5	11	13	26
20-34	79	7.4	95	1	1	4	7	17	31	53
35-49	42	5.5	20	<1	1	4	8	12	14	22
50-64	21	5.3	20	1	1	4	8	12	15	17
65+	31	7.2	44	1	1	5	11	16	23	27
B. *Operated*										
0-19 YRS	92	12.3	130	2	3	9	16	28	44	99+
20-34	87	15.0	418	1	2	9	15	38	82	99
35-49	47	18.3	316	<1	3	15	27	66	99+	99+
50-64	14	14.7	146	3	5	13	21	50	87	99+
65+	16	30.3	714	4	5	18	57	77	80	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	2.6	14	1	1	2	3	5	8	14
B. *Operated*	129	7.2	69	2	3	6	8	12	16	37
2. MULTIPLE DX										
A. *Not Operated*	430	5.1	38	1	1	3	6	11	15	32
B. *Operated*	256	15.6	313	2	3	10	18	45	79	99+
1. SINGLE DX	514	3.8	31	1	1	2	5	8	10	19
2. MULTIPLE DX	686	9.0	166	1	1	5	11	21	34	98
A. NOT OPERATED	815	3.9	28	1	1	2	4	9	12	28
B. OPERATED	385	12.8	246	2	3	8	15	28	61	99+
TOTAL 0-19 YRS	731	4.4	37	1	1	2	5	11	15	36
20-34	242	10.1	229	1	2	6	10	19	36	96
35-49	123	10.6	170	1	1	7	14	27	57	99+
50-64	50	9.5	110	1	2	7	11	21	49	99+
65+	54	13.8	345	1	2	8	16	30	60	80
GRAND TOTAL	**1200**	**6.8**	**115**	**1**	**1**	**3**	**8**	**15**	**25**	**81**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.6	4	1	1	2	3	6	7	10
20-34	54	3.6	13	1	1	3	4	8	10	22
35-49	20	5.1	15	1	1	4	7	11	14	16
50-64	14	2.1	2	<1	<1	2	3	4	6	6
65+	7	2.4	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	16	5.4	9	1	1	5	8	11	69	99+
20-34	25	6.5	25	2	2	6	8	12	16	24
35-49	7	5.1	9	2	2	4	7	10	10	10
50-64	7	6.3	81	1	1	2	7	22	26	26
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	4.6	46	1	1	3	5	9	12	30
20-34	111	5.8	35	1	1	4	7	12	16	33
35-49	49	6.6	24	1	2	5	8	14	19	22
50-64	29	8.0	52	1	1	7	11	15	25	32
65+	36	11.4	113	1	2	10	15	18	28	60
B. *Operated*										
0-19 YRS	42	12.6	193	2	2	9	12	27	42	77
20-34	86	14.8	273	1	2	9	20	45	57	99+
35-49	39	15.2	256	1	2	8	22	37	47	73
50-64	14	13.6	123	1	2	10	19	31	35	36
65+	18	31.6	570	3	7	28	41	75	78	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	3.0	8	1	1	2	4	6	8	14
B. *Operated*	55	6.0	24	1	2	5	8	12	21	95
2. MULTIPLE DX										
A. *Not Operated*	379	6.1	50	1	1	4	8	13	17	32
B. *Operated*	199	15.9	289	1	2	10	22	41	55	99+
1. SINGLE DX	284	3.6	12	1	1	3	4	8	10	23
2. MULTIPLE DX	578	9.5	153	1	1	6	11	22	37	77
A. NOT OPERATED	608	5.0	36	1	1	3	6	11	15	29
B. OPERATED	254	13.7	248	1	2	8	17	38	53	99+
TOTAL 0-19 YRS	346	4.9	55	1	1	3	6	9	13	44
20-34	276	8.2	123	1	1	5	9	20	38	97
35-49	115	9.2	117	1	2	6	10	21	31	61
50-64	64	7.7	71	<1	1	5	10	20	29	35
65+	61	16.3	335	1	2	11	18	39	65	79
GRAND TOTAL	**862**	**7.5**	**114**	**1**	**1**	**4**	**8**	**16**	**30**	**73**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	1.8	2	<1	<1	1	2	3	5	6
20-34	84	2.0	2	<1	<1	1	2	4	5	8
35-49	21	2.4	4	<1	<1	1	3	6	7	8
50-64	9	2.1	1	<1	<1	2	3	4	4	4
65+	12	4.7	14	<1	1	4	6	11	13	13
B. *Operated*										
0-19 YRS	749	2.1	2	<1	<1	2	2	3	4	8
20-34	951	2.7	3	<1	1	2	3	5	6	10
35-49	274	3.0	8	<1	1	2	3	6	8	12
50-64	92	3.6	7	1	2	3	4	7	10	16
65+	36	5.1	22	1	1	4	5	11	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	2.9	6	1	1	2	3	6	8	13
20-34	158	2.9	6	<1	<1	2	4	5	8	12
35-49	72	3.5	12	<1	<1	3	4	8	11	16
50-64	44	5.0	25	<1	1	4	5	12	17	21
65+	120	5.9	27	1	1	5	7	12	15	30
B. *Operated*										
0-19 YRS	641	4.0	24	1	1	3	5	7	10	23
20-34	1209	4.7	30	1	1	3	6	9	13	26
35-49	423	5.5	44	1	2	4	6	10	15	37
50-64	184	6.9	65	1	2	4	8	14	23	44
65+	147	9.8	89	2	2	6	13	22	33	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.2	4	<1	<1	1	3	5	6	10
B. *Operated*	2102	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	485	3.9	15	<1	1	3	5	9	12	17
B. *Operated*	2604	5.1	38	1	1	3	6	10	15	35
1. SINGLE DX	2269	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	3089	4.9	35	1	1	3	6	10	14	32
A. NOT OPERATED	652	3.5	13	<1	<1	2	4	7	10	16
B. OPERATED	4706	4.0	24	1	1	3	4	8	11	24
TOTAL 0-19 YRS	1522	2.9	12	<1	1	2	3	5	8	16
20-34	2402	3.7	18	1	1	3	4	7	10	20
35-49	790	4.4	29	1	1	3	5	9	12	21
50-64	329	5.6	44	1	1	4	6	11	17	42
65+	315	7.6	59	1	2	5	10	16	23	40
GRAND TOTAL	**5358**	**3.9**	**23**	**<1**	**1**	**3**	**4**	**8**	**11**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	4.5	10	1	1	4	6	9	10	15
20-34	419	5.4	20	1	2	5	7	9	11	20
35-49	261	5.6	18	1	2	4	7	11	12	26
50-64	241	6.9	21	2	2	6	9	12	16	24
65+	412	9.2	29	2	3	8	12	17	21	25
B. *Operated*										
0-19 YRS	31	12.2	117	2	3	10	16	21	40	51
20-34	54	12.5	84	3	3	10	18	26	31	37
35-49	25	11.3	102	2	2	9	16	21	30	49
50-64	21	13.1	78	2	3	12	19	26	28	30
65+	11	11.3	32	3	4	12	17	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	6.2	35	1	1	5	8	14	18	33
20-34	402	6.2	21	1	2	5	8	12	15	21
35-49	282	8.7	99	2	3	7	9	15	21	64
50-64	471	8.9	36	2	3	7	11	17	21	31
65+	1999	11.3	55	3	4	10	14	20	24	37
B. *Operated*										
0-19 YRS	67	18.2	263	3	4	12	26	41	60	96
20-34	172	17.5	360	4	4	11	21	41	74	93
35-49	77	15.6	173	3	4	13	20	29	42	92
50-64	87	15.8	192	3	4	12	19	33	48	94
65+	217	17.9	138	5	6	16	22	33	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1524	6.6	24	1	2	5	9	12	16	24
B. *Operated*	142	12.2	88	2	3	10	17	25	30	49
2. MULTIPLE DX										
A. *Not Operated*	3328	9.8	55	2	3	8	13	18	23	36
B. *Operated*	620	17.2	224	4	5	13	22	35	50	95
1. SINGLE DX	1666	7.0	32	1	2	5	9	14	17	28
2. MULTIPLE DX	3948	11.0	88	2	3	9	14	21	27	50
A. NOT OPERATED	4852	8.8	47	2	2	7	11	17	21	33
B. OPERATED	762	16.3	203	3	4	13	21	32	47	92
TOTAL 0-19 YRS	463	7.6	85	1	2	5	9	16	26	50
20-34	1047	8.0	99	1	2	6	9	15	22	62
35-49	645	8.4	85	2	2	6	10	17	23	55
50-64	820	9.1	55	2	3	7	11	17	23	37
65+	2639	11.5	62	3	4	10	15	21	26	43
GRAND TOTAL	**5614**	**9.8**	**75**	**2**	**3**	**8**	**12**	**19**	**25**	**47**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	10	1	1	4	6	9	11	11
20-34	14	11.9	348	<1	1	6	9	28	64	74
35-49	7	4.9	4	2	2	5	7	7	7	7
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	5	9.4	16	5	5	10	12	15	15	15
B. *Operated*										
0-19 YRS	6	19.7	382	3	4	17	48	92	99+	99+
20-34	21	17.8	109	3	5	19	22	31	37	45
35-49	6	11.8	51	2	3	11	16	22	23	23
50-64	2	29.5	91	24	24	29	35	35	35	35
65+	2	39.5	1625	11	11	39	68	68	68	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.9	138	1	1	5	14	29	31	31
20-34	23	14.0	172	2	2	10	19	35	41	51
35-49	15	15.3	372	1	3	6	16	45	62	68
50-64	11	8.8	53	1	2	7	12	19	26	27
65+	26	15.3	304	3	4	9	13	53	60	64
B. *Operated*										
0-19 YRS	15	25.7	126	9	10	28	35	44	83	99+
20-34	48	34.0	562	5	11	28	45	80	99	99+
35-49	13	26.2	319	4	6	36	64	99+	99+	99+
50-64	6	19.8	111	3	5	24	32	87	99+	99+
65+	13	26.1	630	2	4	15	33	77	77	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	7.8	136	1	1	6	8	11	19	74
B. *Operated*	37	18.9	206	3	5	17	23	42	64	99+
2. MULTIPLE DX										
A. *Not Operated*	82	13.6	227	1	2	7	15	35	53	67
B. *Operated*	95	29.7	449	4	8	27	44	83	99+	99+
1. SINGLE DX	76	13.2	200	1	2	9	18	30	53	93
2. MULTIPLE DX	177	22.2	409	2	3	18	35	65	92	99+
A. NOT OPERATED	121	11.7	204	1	2	6	13	28	48	70
B. OPERATED	132	26.7	402	4	7	23	39	77	99+	99+
TOTAL 0-19 YRS	39	15.9	205	1	2	12	29	42	77	99+
20-34	106	23.5	447	2	4	19	31	61	79	99+
35-49	41	16.5	296	2	2	10	36	68	99+	99+
50-64	21	13.4	117	1	2	11	24	34	61	99+
65+	46	18.8	426	3	4	11	20	59	70	77
GRAND TOTAL	253	19.5	362	2	3	14	28	53	78	99+

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.0	1	<1	1	2	3	3	4	6
20-34	73	2.5	4	<1	<1	2	3	4	6	12
35-49	77	3.2	9	<1	1	3	4	6	7	19
50-64	102	3.9	8	<1	1	3	5	7	8	16
65+	135	5.5	12	1	2	5	8	10	12	15
B. *Operated*										
0-19 YRS	2	3.0	0	1	1	3	5	5	5	5
20-34	5	9.4	15	5	5	8	13	14	14	14
35-49	7	6.7	67	3	3	4	10	25	29	29
50-64	8	5.5	16	1	2	4	8	12	13	13
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.0	8	1	1	3	5	7	9	17
20-34	266	4.5	17	1	1	4	6	9	12	21
35-49	354	5.3	25	1	1	4	7	10	12	19
50-64	553	6.7	34	2	2	5	8	12	17	30
65+	1123	8.4	40	2	3	7	11	16	20	32
B. *Operated*										
0-19 YRS	30	7.3	39	2	2	6	10	11	20	33
20-34	112	8.2	55	2	3	7	10	14	18	35
35-49	121	10.7	107	2	2	8	14	21	31	68
50-64	145	11.7	132	2	3	9	15	22	32	60
65+	183	14.9	169	3	4	11	18	30	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	3.9	9	<1	1	3	5	8	10	15
B. *Operated*	25	6.6	36	1	1	5	8	13	18	29
2. MULTIPLE DX										
A. *Not Operated*	2368	7.0	35	1	2	5	9	14	18	30
B. *Operated*	591	11.6	125	2	3	8	14	22	33	66
1. SINGLE DX	440	4.1	11	<1	1	3	5	8	11	16
2. MULTIPLE DX	2959	7.9	56	2	2	6	10	16	21	38
A. NOT OPERATED	2783	6.5	32	1	2	5	8	13	17	29
B. OPERATED	616	11.4	122	2	3	8	14	22	33	65
TOTAL 0-19 YRS	132	4.3	17	1	1	3	6	9	10	22
20-34	456	5.2	28	1	1	4	6	10	14	27
35-49	559	6.2	47	1	1	4	8	12	18	34
50-64	808	7.2	53	1	2	5	9	14	20	35
65+	1444	9.0	60	2	3	7	11	17	22	37
GRAND TOTAL	3399	7.4	52	1	2	5	9	15	20	36

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	5.3	17	1	1	4	6	11	15	20
20-34	88	8.8	96	1	2	6	9	23	27	52
35-49	40	9.6	99	2	2	7	11	21	31	50
50-64	80	8.8	33	2	3	8	11	15	19	34
65+	305	10.8	60	3	3	9	14	20	25	39
B. *Operated*										
0-19 YRS	5	27.4	561	3	3	31	46	57	57	57
20-34	13	21.6	195	2	4	21	31	41	45	46
35-49	3	15.3	170	5	5	11	25	30	30	30
50-64	4	39.3	95	29	29	38	47	51	51	51
65+	3	26.3	660	11	11	12	45	56	56	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	8.6	73	2	2	6	10	18	26	44
20-34	208	10.1	118	2	3	7	11	21	32	53
35-49	99	15.0	167	3	4	11	20	37	46	54
50-64	154	13.2	106	2	4	11	16	26	36	51
65+	1031	14.3	93	4	5	12	18	25	33	49
B. *Operated*										
0-19 YRS	54	21.3	302	3	5	15	31	47	65	99
20-34	128	26.4	415	6	7	19	38	58	68	92
35-49	57	26.4	332	6	8	21	36	52	66	86
50-64	54	28.4	422	5	7	25	43	63	74	99
65+	126	24.6	300	5	8	19	35	52	61	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	9.3	61	2	2	7	12	18	24	41
B. *Operated*	28	25.0	289	3	4	25	39	49	56	57
2. MULTIPLE DX										
A. *Not Operated*	1629	13.2	104	3	4	11	17	25	34	50
B. *Operated*	419	25.5	356	5	7	19	36	56	67	92
1. SINGLE DX	640	10.0	81	2	2	7	13	20	27	49
2. MULTIPLE DX	2048	15.7	180	3	4	12	20	33	45	70
A. NOT OPERATED	2241	12.2	95	2	3	10	16	23	31	49
B. OPERATED	447	25.4	351	5	7	20	37	56	67	89
TOTAL 0-19 YRS	295	10.1	139	2	2	6	12	25	39	64
20-34	437	15.0	260	2	3	9	19	40	52	87
35-49	199	17.2	236	2	3	12	24	40	49	68
50-64	292	15.2	196	3	4	11	1½	34	46	74
65+	1465	14.5	116	3	5	12	18	26	36	59
GRAND TOTAL	**2688**	**14.4**	**162**	**2**	**3**	**11**	**18**	**30**	**42**	**67**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	2.7	16	<1	<1	1	2	5	13	22
20-34	38	3.1	4	<1	1	3	5	6	7	8
35-49	45	3.2	6	<1	1	2	4	5	9	11
50-64	70	3.8	12	<1	1	3	5	8	11	17
65+	262	6.3	35	1	2	5	7	13	17	31
B. *Operated*										
0-19 YRS	941	3.7	21	1	1	2	4	9	14	24
20-34	154	5.0	34	1	1	4	5	9	12	37
35-49	93	3.9	7	1	1	3	5	6	9	15
50-64	150	5.2	12	1	2	4	7	10	12	14
65+	241	6.9	28	1	2	5	9	14	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.3	55	1	1	3	5	13	18	43
20-34	81	5.0	23	<1	1	4	6	12	17	21
35-49	46	5.1	25	1	1	3	7	9	13	30
50-64	119	6.7	53	1	2	4	9	13	15	45
65+	635	9.5	67	2	3	7	12	19	25	48
B. *Operated*										
0-19 YRS	205	6.9	109	1	1	4	7	15	22	62
20-34	154	11.1	132	2	2	7	14	23	37	56
35-49	105	12.2	166	1	2	8	14	32	40	61
50-64	206	10.5	135	2	2	7	12	23	31	65
65+	427	11.7	121	2	3	9	15	23	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	576	4.5	25	<1	1	3	6	10	14	28
B. *Operated*	1579	4.5	23	1	1	3	5	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	952	8.2	62	1	2	6	11	17	23	47
B. *Operated*	1097	10.6	130	1	2	7	13	23	33	61
1. SINGLE DX	2155	4.5	24	1	1	3	5	10	14	25
2. MULTIPLE DX	2049	9.5	100	1	2	6	12	20	28	54
A. NOT OPERATED	1528	6.8	51	1	1	5	9	15	20	36
B. OPERATED	2676	7.0	76	1	1	4	8	15	23	43
TOTAL 0-19 YRS	1378	4.2	37	1	1	2	4	10	15	27
20-34	427	7.0	74	1	1	4	8	15	23	43
35-49	289	7.0	83	1	1	4	8	14	25	51
50-64	545	7.4	74	1	2	5	9	14	19	53
65+	1565	9.2	74	2	2	6	12	18	25	44
GRAND TOTAL	**4204**	**6.9**	**67**	**1**	**1**	**4**	**9**	**15**	**22**	**41**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.4	1	<1	<1	1	2	2	3	6
20-34	44	1.9	3	<1	<1	1	2	4	4	11
35-49	34	2.0	2	<1	<1	2	3	3	5	6
50-64	35	3.3	30	<1	<1	2	3	6	7	33
65+	70	3.2	6	<1	<1	3	4	6	7	15
B. *Operated*										
0-19 YRS	1668	1.9	3	<1	1	1	2	4	5	8
20-34	497	3.2	4	1	1	3	4	6	8	10
35-49	336	2.9	5	1	1	2	4	5	7	12
50-64	433	3.0	4	1	1	3	4	5	6	11
65+	536	3.6	8	1	1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.1	20	<1	<1	2	3	6	8	31
20-34	65	4.1	25	<1	1	3	4	9	13	29
35-49	50	3.6	18	<1	<1	2	4	7	8	28
50-64	73	4.9	19	1	1	4	6	9	17	21
65+	179	8.2	57	2	2	6	11	15	22	55
B. *Operated*										
0-19 YRS	348	4.0	25	1	1	2	5	9	12	27
20-34	419	6.3	36	1	2	4	8	14	19	29
35-49	255	6.5	44	1	2	4	8	13	18	37
50-64	310	6.9	51	1	2	4	9	15	21	41
65+	532	7.9	72	1	2	5	9	16	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	2.2	7	<1	<1	1	3	4	6	10
B. *Operated*	3470	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	429	5.7	40	1	1	4	7	13	17	34
B. *Operated*	1864	6.4	50	1	1	4	8	14	19	39
1. SINGLE DX	3745	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	2293	6.3	48	1	1	4	8	14	19	38
A. NOT OPERATED	704	4.4	30	<1	<1	2	5	10	14	30
B. OPERATED	5334	3.9	24	1	1	2	4	8	12	25
TOTAL 0-19 YRS	2170	2.2	8	<1	1	1	2	4	6	12
20-34	1025	4.5	21	1	1	3	5	9	13	25
35-49	675	4.3	23	1	1	3	5	9	12	27
50-64	851	4.6	27	1	1	3	5	9	14	32
65+	1317	5.9	45	1	1	4	7	13	16	37
GRAND TOTAL	**6038**	**4.0**	**25**	**1**	**1**	**2**	**5**	**8**	**12**	**26**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	1.5	2	<1	<1	<1	1	2	6	8
20-34	52	1.5	1	<1	<1	1	2	3	4	5
35-49	21	2.2	5	<1	<1	1	2	5	8	10
50-64	14	2.1	1	<1	<1	2	3	3	4	4
65+	21	3.7	10	<1	<1	3	5	8	11	12
B. *Operated*										
0-19 YRS	464	1.8	2	<1	<1	1	2	3	4	7
20-34	584	2.1	2	<1	1	2	3	4	4	8
35-49	263	2.3	21	<1	<1	2	3	4	5	12
50-64	124	2.7	5	<1	1	2	3	4	6	13
65+	65	3.4	7	<1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.5	6	<1	<1	1	3	5	6	14
20-34	60	3.5	6	<1	1	3	5	7	8	13
35-49	34	3.9	12	<1	<1	3	4	7	13	16
50-64	35	5.3	14	<1	1	4	7	10	13	17
65+	57	6.6	21	1	2	5	9	13	15	22
B. *Operated*										
0-19 YRS	184	3.9	39	1	1	2	4	7	12	47
20-34	346	3.9	18	<1	1	3	4	8	11	25
35-49	184	3.8	20	<1	1	3	4	8	10	22
50-64	132	4.7	31	1	1	3	5	9	16	33
65+	120	5.8	34	1	1	4	7	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	1.9	4	<1	<1	1	2	4	6	10
B. *Operated*	1500	2.2	6	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	226	4.5	14	<1	1	3	6	10	13	16
B. *Operated*	966	4.2	27	1	1	3	5	8	13	33
1. SINGLE DX	1652	2.1	6	<1	<1	2	2	4	5	10
2. MULTIPLE DX	1192	4.3	24	<1	1	3	5	9	13	30
A. NOT OPERATED	378	3.4	11	<1	<1	2	4	8	11	15
B. OPERATED	2466	3.0	15	<1	1	2	3	6	8	19
TOTAL 0-19 YRS	732	2.4	13	<1	<1	2	2	4	6	21
20-34	1042	2.7	8	<1	<1	2	3	5	7	15
35-49	502	3.0	20	<1	1	2	3	5	8	15
50-64	305	3.8	18	<1	1	3	4	7	11	25
65+	263	5.2	24	1	1	4	7	12	15	26
GRAND TOTAL	**2844**	**3.0**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	11.6	120	1	1	6	19	31	31	39
20-34	7	13.6	357	<1	<1	3	31	42	43	43
35-49	17	7.6	52	1	1	5	11	14	24	30
50-64	39	7.8	111	<1	<1	4	9	21	31	53
65+	210	9.6	49	<1	1	9	14	20	23	27
B. *Operated*										
0-19 YRS	120	11.5	93	2	3	9	15	25	28	47
20-34	54	9.8	41	2	4	9	11	18	20	35
35-49	112	10.2	36	4	5	9	11	17	19	39
50-64	469	12.1	35	6	7	11	14	18	22	36
65+	2961	15.9	52	8	9	15	18	23	28	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	20.9	189	3	4	20	30	40	43	47
20-34	14	10.6	165	1	2	6	9	34	43	46
35-49	23	10.7	124	2	3	6	16	28	37	47
50-64	67	14.0	263	1	2	9	18	28	57	74
65+	589	14.7	168	2	4	12	19	30	41	50
B. *Operated*										
0-19 YRS	78	18.4	275	3	4	14	26	39	49	82
20-34	128	20.0	201	6	7	15	26	42	49	78
35-49	160	16.9	180	6	6	13	18	38	45	91
50-64	657	17.7	107	8	9	15	21	30	39	65
65+	6819	19.3	115	8	10	17	22	31	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	9.6	71	<1	1	8	14	22	25	39
B. *Operated*	3716	15.0	54	6	8	14	18	23	27	43
2. MULTIPLE DX										
A. *Not Operated*	716	14.6	177	2	3	11	19	31	42	83
B. *Operated*	7842	19.1	119	8	10	16	22	31	40	67
1. SINGLE DX	4022	14.6	57	5	7	14	17	22	27	43
2. MULTIPLE DX	8558	18.8	125	7	9	16	22	31	40	68
A. NOT OPERATED	1022	13.1	151	1	2	10	17	28	37	72
B. OPERATED	11558	17.8	102	7	9	15	21	29	37	63
TOTAL 0-19 YRS	254	14.5	173	2	3	10	21	30	40	70
20-34	203	16.4	181	2	4	12	21	38	47	71
35-49	312	13.6	129	4	5	10	15	26	39	64
50-64	1232	15.1	96	5	7	13	18	25	33	59
65+	10579	17.9	103	7	9	16	21	29	37	63
GRAND TOTAL	**12580**	**17.4**	**107**	**6**	**8**	**15**	**20**	**29**	**37**	**63**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	377	17.2	138	1	2	18	25	32	37	49
20-34	34	24.5	587	<1	1	19	47	62	78	99+
35-49	12	17.3	294	1	1	11	35	60	92	99+
50-64	22	29.9	694	1	3	22	45	66	83	94
65+	88	19.0	395	1	2	12	24	58	63	99+
B. *Operated*										
0-19 YRS	468	12.9	159	1	2	8	20	31	38	53
20-34	171	12.8	128	2	3	10	16	23	40	94
35-49	58	13.4	145	2	3	10	16	31	44	55
50-64	64	16.0	143	2	4	14	24	39	63	99+
65+	208	18.4	130	7	9	15	21	32	47	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	18.7	240	1	2	17	28	38	46	81
20-34	55	25.6	515	2	2	20	46	55	79	99
35-49	20	25.2	404	2	5	17	37	58	66	68
50-64	43	19.8	371	3	4	12	30	52	61	74
65+	222	17.5	285	2	3	12	24	45	65	99+
B. *Operated*										
0-19 YRS	350	21.6	242	3	4	19	29	44	50	67
20-34	313	24.4	374	3	5	19	35	54	70	99+
35-49	127	23.3	421	3	4	17	32	58	79	99+
50-64	124	21.8	339	3	6	17	30	52	82	99+
65+	491	24.9	301	8	10	20	30	52	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	18.5	241	1	2	17	25	39	52	83
B. *Operated*	969	14.3	150	2	3	12	19	31	41	66
2. MULTIPLE DX										
A. *Not Operated*	510	19.3	311	2	3	14	29	46	59	99+
B. *Operated*	1405	23.6	318	4	6	19	31	50	68	99+
1. SINGLE DX	1502	15.8	186	2	2	13	22	34	46	76
2. MULTIPLE DX	1915	22.4	320	3	5	18	30	49	64	99+
A. NOT OPERATED	1043	18.9	275	1	2	15	27	45	56	99
B. OPERATED	2374	19.8	270	2	4	16	26	44	58	99+
TOTAL 0-19 YRS	1365	17.0	196	1	2	15	25	36	45	62
20-34	573	21.1	354	2	4	15	30	50	67	99+
35-49	217	20.5	355	2	4	13	30	52	68	99+
50-64	253	20.7	335	3	4	15	30	52	75	99+
65+	1009	21.4	282	4	6	17	27	48	63	99+
GRAND TOTAL	**3417**	**19.5**	**272**	**2**	**3**	**16**	**26**	**44**	**57**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	2.6	3	1	1	2	3	5	6	9
20-34	151	3.2	6	<1	1	2	4	6	7	12
35-49	97	4.2	9	1	1	3	6	8	11	15
50-64	96	5.1	14	1	1	4	7	9	11	21
65+	117	7.2	25	2	2	6	10	13	17	26
B. *Operated*										
0-19 YRS	618	4.3	16	1	1	3	5	8	11	22
20-34	521	6.7	51	1	2	5	8	12	18	48
35-49	331	6.9	42	2	2	5	8	12	17	29
50-64	240	8.1	37	2	3	7	10	15	19	29
65+	151	11.0	72	2	3	9	14	22	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.6	29	1	1	3	5	8	16	30
20-34	114	5.6	87	1	1	4	6	10	12	49
35-49	95	7.7	103	1	1	5	9	13	25	57
50-64	130	8.2	36	2	2	7	11	16	21	27
65+	279	10.9	66	2	3	9	14	20	26	47
B. *Operated*										
0-19 YRS	295	10.2	117	2	2	6	13	24	33	53
20-34	452	12.6	171	3	3	8	15	26	39	75
35-49	266	12.3	161	2	3	8	15	24	37	95
50-64	267	15.8	259	2	4	11	19	35	52	79
65+	250	16.6	155	3	5	13	21	34	46	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	4.1	12	1	1	3	5	9	11	18
B. *Operated*	1861	6.5	41	1	2	5	8	12	17	31
2. MULTIPLE DX										
A. *Not Operated*	702	8.3	70	1	2	6	11	16	23	46
B. *Operated*	1530	13.3	176	2	3	9	16	29	42	75
1. SINGLE DX	2556	5.8	35	1	1	4	7	11	15	28
2. MULTIPLE DX	2232	11.7	148	2	3	8	14	25	36	71
A. NOT OPERATED	1397	6.2	46	1	1	4	8	13	18	33
B. OPERATED	3391	9.6	114	1	2	6	11	20	29	62
TOTAL 0-19 YRS	1231	5.4	46	1	1	3	6	11	16	40
20-34	1238	8.3	104	1	2	5	9	18	25	59
35-49	789	8.5	93	1	2	6	10	17	24	62
50-64	733	10.5	131	2	2	7	12	20	30	67
65+	797	12.2	99	2	3	10	15	23	33	62
GRAND TOTAL	**4788**	**8.6**	**96**	**1**	**2**	**6**	**10**	**18**	**26**	**56**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.1	3	<1	<1	1	3	4	6	9
20-34	196	2.8	5	<1	<1	2	4	5	6	13
35-49	165	3.8	27	<1	<1	3	4	7	9	22
50-64	107	3.8	5	<1	1	3	5	7	8	10
65+	135	6.0	26	1	1	4	7	13	16	25
B. *Operated*										
0-19 YRS	750	3.6	9	1	1	3	4	7	8	14
20-34	1052	4.5	8	1	2	4	5	8	10	14
35-49	774	5.0	8	2	2	5	6	9	10	15
50-64	805	5.8	13	2	3	5	7	10	12	18
65+	452	8.2	35	3	3	7	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.3	36	<1	1	2	5	9	14	37
20-34	157	4.6	19	<1	1	3	6	10	12	18
35-49	119	5.9	25	1	2	5	7	12	14	26
50-64	173	6.6	33	1	2	5	8	14	19	29
65+	328	8.8	69	2	3	7	10	17	22	36
B. *Operated*										
0-19 YRS	360	5.7	31	1	2	4	6	11	15	30
20-34	788	7.5	73	2	2	5	8	14	22	52
35-49	586	7.5	44	2	3	6	9	14	20	44
50-64	596	8.6	74	2	3	7	10	15	21	49
65+	588	11.3	95	3	4	9	13	20	27	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	710	3.7	15	<1	<1	3	5	7	10	18
B. *Operated*	3833	5.1	14	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	829	6.9	47	1	2	5	8	14	19	31
B. *Operated*	2918	8.3	70	2	3	6	10	15	22	50
1. SINGLE DX	4543	4.9	15	1	2	4	6	9	12	18
2. MULTIPLE DX	3747	8.0	65	2	2	6	9	15	21	44
A. NOT OPERATED	1539	5.4	35	<1	1	4	7	11	15	29
B. OPERATED	6751	6.5	41	1	2	5	8	12	16	32
TOTAL 0-19 YRS	1269	4.1	17	1	1	3	5	7	11	21
20-34	2193	5.4	34	1	2	4	6	10	13	29
35-49	1644	5.9	26	1	2	5	7	11	14	30
50-64	1681	6.7	38	2	2	5	8	12	15	30
65+	1503	9.4	68	2	3	7	12	16	23	48
GRAND TOTAL	**8290**	**6.3**	**40**	**1**	**2**	**5**	**7**	**12**	**16**	**31**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.5	1	<1	<1	<1	2	3	3	4
20-34	30	1.9	2	<1	<1	1	2	4	5	6
35-49	18	2.5	3	<1	<1	2	4	5	6	6
50-64	14	3.7	22	<1	<1	2	3	10	16	18
65+	18	5.7	15	<1	1	4	9	12	13	13
B. *Operated*										
0-19 YRS	46	2.8	2	1	1	3	4	4	6	8
20-34	38	3.1	3	1	2	3	4	5	6	10
35-49	21	3.5	2	1	2	4	4	6	6	6
50-64	3	9.3	57	4	4	6	15	18	18	18
65+	3	8.7	52	4	4	5	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.8	5	<1	1	2	3	5	6	15
20-34	126	3.8	11	<1	1	3	5	7	11	18
35-49	96	5.3	21	1	1	4	7	11	16	23
50-64	93	6.5	26	1	2	5	8	13	17	25
65+	180	8.6	52	2	2	7	11	16	21	40
B. *Operated*										
0-19 YRS	45	6.5	65	1	1	4	7	15	27	39
20-34	61	6.5	49	1	1	4	8	17	20	38
35-49	37	6.9	51	1	1	5	9	15	17	40
50-64	35	8.7	67	2	2	5	11	22	27	32
65+	35	12.7	143	2	4	9	13	34	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.8	8	<1	<1	2	3	6	9	15
B. *Operated*	111	3.4	6	1	2	3	4	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	569	5.9	32	1	1	4	7	13	16	28
B. *Operated*	213	8.0	74	1	2	5	9	19	28	40
1. SINGLE DX	218	3.1	7	<1	<1	2	4	6	8	17
2. MULTIPLE DX	782	6.4	44	1	1	4	8	14	18	35
A. NOT OPERATED	676	5.4	29	<1	1	4	7	12	16	27
B. OPERATED	324	6.4	56	1	2	4	7	15	22	39
TOTAL 0-19 YRS	192	3.5	20	<1	1	2	4	6	9	29
20-34	255	4.1	20	<1	1	3	5	8	12	22
35-49	172	5.2	24	1	1	4	6	11	16	24
50-64	145	6.8	37	1	2	5	8	15	21	28
65+	236	9.0	65	2	2	7	11	17	27	45
GRAND TOTAL	**1000**	**5.7**	**38**	**1**	**1**	**4**	**7**	**12**	**17**	**32**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	3	1	1	2	3	6	7	7
20-34	4	3.3		3	3	3	4	4	4	4
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64										
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	7	4.7	6	1	1	6	7	7	7	7
20-34	5	8.8	34	2	2	8	11	18	18	18
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.9	140	1	1	3	5	26	38	38
20-34	6	9.3	306	<1	<1	3	3	41	45	45
35-49	8	7.3	42	2	2	5	8	18	22	22
50-64	7	6.3	10	2	2	6	9	10	10	10
65+	3	10.7	72	2	2	11	17	19	19	19
B. *Operated*										
0-19 YRS	11	25.0	314	<1	1	29	37	46	54	55
20-34	11	10.8	56	3	3	12	20	99+	99+	99+
35-49	4	22.3	236	10	10	17	33	44	44	44
50-64	3	27.3	554	3	3	39	75	99+	99+	99+
65+	4	21.3	684	5	5	10	37	60	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.6	6	1	1	3	4	8	8	9
B. *Operated*	13	6.5	18	1	2	7	8	11	17	18
2. MULTIPLE DX										
A. *Not Operated*	33	7.6	100	<1	1	4	9	20	36	45
B. *Operated*	33	19.7	280	2	3	16	36	59	99+	99+
1. SINGLE DX	33	4.7	12	1	1	3	7	8	9	18
2. MULTIPLE DX	66	13.7	224	1	2	8	23	45	62	99+
A. NOT OPERATED	53	6.1	68	1	1	3	7	10	22	45
B. OPERATED	46	16.0	240	2	3	10	29	53	99+	99+
TOTAL 0-19 YRS	39	10.3	204	1	1	3	7	36	39	55
20-34	26	8.9	96	<1	2	6	15	39	99+	99+
35-49	15	11.0	122	2	2	8	12	22	39	44
50-64	10	12.6	233	2	3	9	24	70	97	99+
65+	9	14.8	313	2	3	9	15	44	60	60
GRAND TOTAL	**99**	**10.7**	**171**	**1**	**2**	**6**	**13**	**38**	**52**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	17	2.9	14	<1	<1	<1	3	7	12	15
35-49	6	2.0	6	<1	<1	1	1	6	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	15	2.0	4	<1	<1	1	3	4	7	8
B. *Operated*										
0-19 YRS	97	3.0	2	1	1	3	4	4	6	8
20-34	341	3.0	4	1	1	3	4	5	5	9
35-49	120	3.0	3	<1	1	3	4	5	6	8
50-64	60	2.4	5	<1	<1	2	3	5	6	14
65+	50	2.2	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	26	3.4	5	<1	<1	3	4	7	8	9
35-49	10	3.1	5	<1	<1	3	4	6	7	7
50-64	15	2.7	5	1	1	2	3	6	8	9
65+	40	7.6	81	1	2	5	8	15	18	56
B. *Operated*										
0-19 YRS	20	3.7	6	1	1	3	5	6	9	11
20-34	85	4.8	21	1	1	3	6	10	16	25
35-49	40	3.4	3	1	1	3	4	6	7	8
50-64	40	6.2	33	1	1	5	8	14	19	25
65+	85	5.8	34	1	1	4	7	15	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.2	7	<1	<1	1	2	6	7	15
B. *Operated*	668	2.9	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	94	5.0	42	1	1	4	6	9	14	40
B. *Operated*	270	5.1	24	1	1	3	6	12	16	24
1. SINGLE DX	714	2.8	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	364	5.0	28	1	1	3	6	10	15	24
A. NOT OPERATED	140	4.1	32	<1	<1	3	5	8	12	24
B. OPERATED	938	3.5	10	1	1	3	4	6	9	19
TOTAL 0-19 YRS	127	3.0	3	<1	1	3	4	5	6	9
20-34	469	3.4	8	<1	1	3	4	5	7	17
35-49	176	3.0	3	<1	1	3	4	6	7	8
50-64	116	3.7	18	<1	1	2	4	9	14	24
65+	190	4.9	37	1	1	3	6	13	16	23
GRAND TOTAL	**1078**	**3.6**	**13**	**<1**	**1**	**3**	**4**	**6**	**9**	**19**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	<1	1	2	4	4	5
20-34	31	2.2	3	<1	<1	1	3	5	6	8
35-49	12	2.0	3	<1	<1	1	2	4	7	7
50-64	9	2.8	2	1	1	3	4	5	5	5
65+	5	5.0	24	<1	<1	3	8	13	13	13
B. *Operated*										
0-19 YRS	691	2.9	3	1	1	2	4	5	6	9
20-34	1660	3.0	4	1	1	2	4	5	6	10
35-49	888	2.9	3	1	1	2	4	5	6	9
50-64	400	3.5	6	1	1	3	4	6	8	15
65+	114	4.2	10	1	2	3	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.2		<1	<1	1	1	2	3	3
20-34	29	2.3	4	<1	<1	2	3	5	7	8
35-49	18	4.4	13	<1	<1	3	6	11	12	12
50-64	21	4.1	31	<1	<1	2	4	8	17	26
65+	19	9.7	320	1	2	5	8	14	53	82
B. *Operated*										
0-19 YRS	447	3.4	5	1	1	3	4	6	7	11
20-34	1026	3.5	7	1	1	3	4	6	8	14
35-49	688	3.6	12	1	1	2	4	7	9	15
50-64	590	3.9	12	1	2	3	5	7	10	21
65+	310	4.9	23	1	2	3	6	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.3	4	<1	<1	2	3	5	6	12
B. *Operated*	3753	3.0	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	101	4.3	75	<1	<1	2	3	8	11	53
B. *Operated*	3061	3.7	11	1	1	3	4	7	9	18
1. SINGLE DX	3831	3.0	4	1	1	2	4	5	7	10
2. MULTIPLE DX	3162	3.7	13	1	1	3	4	7	9	18
A. NOT OPERATED	179	3.4	45	<1	<1	2	4	7	9	23
B. OPERATED	6814	3.3	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	1173	3.1	4	1	1	3	4	5	7	9
20-34	2746	3.1	5	1	1	3	4	5	7	12
35-49	1606	3.2	7	1	1	2	4	6	7	13
50-64	1020	3.7	10	1	1	3	4	7	9	18
65+	448	4.9	33	1	2	3	6	10	13	28
GRAND TOTAL	**6993**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	3.2	10	<1	<1	2	4	8	10	15
20-34	49	5.1	23	<1	<1	4	7	11	16	20
35-49	32	5.4	17	<1	1	4	7	12	15	16
50-64	17	6.8	72	<1	1	3	8	15	28	35
65+	8	4.8	18	1	1	4	6	12	14	14
B. Operated										
0-19 YRS	179	2.6	9	<1	<1	2	3	5	8	18
20-34	267	4.8	26	1	1	3	6	13	16	24
35-49	151	5.8	26	<1	1	4	8	12	18	21
50-64	85	5.0	23	1	1	3	6	12	14	26
65+	50	5.3	37	1	1	3	5	13	20	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.2	31	<1	1	2	4	12	20	22
20-34	36	9.8	210	<1	1	5	8	23	44	73
35-49	32	9.5	112	1	2	6	10	20	38	48
50-64	31	7.6	94	<1	1	6	10	12	15	55
65+	42	7.9	74	1	1	6	10	14	21	51
B. Operated										
0-19 YRS	106	6.3	39	1	1	4	9	15	18	32
20-34	202	9.3	124	1	1	5	13	21	30	55
35-49	152	9.8	136	2	2	7	12	19	30	71
50-64	99	10.3	104	1	2	7	12	26	32	46
65+	95	13.9	223	2	2	8	19	37	50	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	4.9	24	<1	<1	3	6	11	15	21
B. Operated	732	4.5	23	<1	1	3	6	11	15	23
2. MULTIPLE DX										
A. Not Operated	165	8.0	109	1	1	5	9	16	24	55
B. Operated	654	9.8	128	1	2	6	12	23	33	59
1. SINGLE DX	874	4.6	23	<1	1	3	6	11	15	23
2. MULTIPLE DX	819	9.4	125	1	1	6	11	22	31	50
A. NOT OPERATED	307	6.6	72	<1	1	4	8	14	19	51
B. OPERATED	1386	7.0	79	1	1	4	9	16	23	47
TOTAL 0-19 YRS	345	3.9	23	<1	1	2	4	10	14	22
20-34	554	6.8	78	1	1	4	8	16	22	48
35-49	367	7.7	82	1	1	5	10	16	21	52
50-64	232	7.8	75	1	1	5	10	16	20	43
65+	195	10.0	149	1	2	5	12	25	39	60
GRAND TOTAL	**1693**	**6.9**	**78**	**1**	**1**	**4**	**9**	**16**	**23**	**49**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	2.3	2	<1	<1	2	3	5	5	5
20-34	71	2.3	5	<1	<1	1	3	5	7	12
35-49	34	3.6	8	<1	<1	3	5	8	10	14
50-64	23	3.7	7	1	1	3	4	8	9	10
65+	26	4.0	7	1	1	4	7	8	9	11
B. Operated										
0-19 YRS	348	3.1	4	1	1	3	4	5	6	9
20-34	408	3.4	5	1	1	3	5	6	7	11
35-49	118	3.6	4	1	2	3	5	7	7	9
50-64	42	5.8	21	2	2	4	8	12	16	22
65+	26	6.1	14	2	2	5	9	10	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.5	3	<1	<1	2	3	5	6	8
20-34	45	3.5	6	<1	1	2	5	7	8	11
35-49	40	3.5	6	<1	<1	3	5	6	9	11
50-64	40	6.0	31	1	1	5	8	12	14	32
65+	110	7.5	24	2	3	6	10	15	18	23
B. Operated										
0-19 YRS	281	4.1	5	1	2	4	5	7	8	11
20-34	464	4.5	9	1	1	4	6	8	10	16
35-49	172	4.8	15	1	2	4	6	8	10	24
50-64	65	5.3	9	2	2	5	7	10	11	16
65+	31	7.9	52	2	3	6	10	13	16	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	2.9	6	<1	<1	2	4	6	8	12
B. Operated	942	3.5	6	1	1	3	5	6	7	12
2. MULTIPLE DX										
A. Not Operated	256	5.5	21	<1	1	4	7	12	15	22
B. Operated	1013	4.6	11	1	2	4	6	8	10	16
1. SINGLE DX	1154	3.4	6	<1	1	3	5	6	8	12
2. MULTIPLE DX	1269	4.8	13	1	2	4	6	9	11	18
A. NOT OPERATED	468	4.3	16	<1	<1	3	6	9	12	19
B. OPERATED	1955	4.1	9	1	1	4	5	7	9	13
TOTAL 0-19 YRS	708	3.4	4	1	1	3	5	6	7	11
20-34	988	3.8	7	<1	1	3	5	7	8	12
35-49	364	4.2	10	1	1	4	6	7	9	13
50-64	170	5.4	17	1	2	4	7	10	13	21
65+	193	7.0	26	2	2	6	9	13	16	24
GRAND TOTAL	**2423**	**4.1**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	4.6	8	<1	1	4	6	8	9	14
20-34	1194	5.5	11	1	2	5	7	10	12	18
35-49	1202	6.0	13	2	2	5	8	10	13	19
50-64	516	6.4	15	2	2	6	8	11	13	19
65+	141	6.2	12	2	2	5	9	11	13	15
B. *Operated*										
0-19 YRS	12	5.9	16	2	2	5	8	11	15	16
20-34	260	6.6	20	2	2	6	9	12	15	20
35-49	221	7.1	26	2	2	6	9	14	17	24
50-64	68	7.4	20	2	2	7	10	13	16	22
65+	5	8.4	20	1	1	10	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	5.3	14	1	1	5	7	9	14	17
20-34	886	6.5	14	2	3	6	8	11	13	19
35-49	1242	7.1	18	2	3	6	9	12	15	20
50-64	1049	7.4	19	2	3	7	9	12	15	24
65+	758	8.2	30	2	3	7	10	15	18	27
B. *Operated*										
0-19 YRS	6	6.3	15	2	2	5	10	12	12	12
20-34	196	9.7	46	2	3	8	13	18	24	35
35-49	240	10.2	40	2	3	9	13	18	23	31
50-64	129	10.2	43	3	3	9	13	18	21	36
65+	67	11.9	107	4	4	10	14	21	26	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3186	5.9	13	2	2	5	8	10	12	18
B. *Operated*	566	6.9	22	2	2	6	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	4019	7.2	20	2	3	6	9	12	16	23
B. *Operated*	638	10.2	50	2	3	9	13	18	23	35
1. SINGLE DX	3752	6.0	14	2	2	5	8	11	13	19
2. MULTIPLE DX	4657	7.6	25	2	3	7	10	14	17	25
A. NOT OPERATED	7205	6.6	17	2	3	6	8	12	14	20
B. OPERATED	1204	8.6	39	2	2	7	11	16	20	30
TOTAL 0-19 YRS	235	5.0	11	1	1	4	7	9	11	17
20-34	2536	6.3	17	2	2	5	8	11	14	21
35-49	2905	6.9	20	2	3	6	9	12	15	23
50-64	1762	7.3	20	2	3	6	9	12	15	24
65+	971	8.1	34	2	3	7	10	15	18	27
GRAND TOTAL	**8409**	**6.9**	**21**	**2**	**3**	**6**	**9**	**12**	**15**	**23**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	2.9	6	<1	<1	2	4	6	8	12
20-34	1087	5.0	13	<1	1	4	7	9	11	17
35-49	886	5.8	14	1	2	5	7	10	13	19
50-64	339	6.3	15	2	2	5	9	11	13	20
65+	85	5.9	23	1	1	5	7	11	14	28
B. *Operated*										
0-19 YRS	20	5.4	23	1	2	3	7	13	16	18
20-34	259	5.3	15	2	2	4	7	11	13	17
35-49	268	6.0	23	2	2	5	8	12	16	23
50-64	53	6.3	16	2	2	5	9	12	15	16
65+	7	9.0	23	1	2	8	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	3.7	7	<1	1	3	5	7	9	12
20-34	1280	5.7	15	1	2	5	8	10	13	18
35-49	1333	6.7	18	2	2	6	9	12	14	21
50-64	842	7.0	22	2	2	6	9	12	16	24
65+	571	7.8	28	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	20	6.2	20	2	2	4	8	14	16	16
20-34	252	7.6	33	2	2	6	10	15	19	27
35-49	251	8.7	34	2	3	8	11	16	20	28
50-64	113	9.9	45	2	3	9	12	18	24	36
65+	37	10.9	37	2	3	10	15	20	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2632	5.3	14	<1	1	5	7	10	12	19
B. *Operated*	607	5.7	19	2	2	4	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	4262	6.4	20	1	2	5	8	12	14	22
B. *Operated*	673	8.5	36	2	2	7	11	16	20	28
1. SINGLE DX	3239	5.4	15	1	1	5	7	10	13	19
2. MULTIPLE DX	4935	6.7	23	1	2	6	9	12	15	24
A. NOT OPERATED	6894	6.0	18	1	2	5	8	11	14	21
B. OPERATED	1280	7.2	30	2	2	6	10	14	17	26
TOTAL 0-19 YRS	511	3.5	8	<1	1	3	5	7	9	15
20-34	2878	5.6	16	1	2	5	7	10	13	19
35-49	2738	6.5	20	2	2	5	8	12	15	22
50-64	1347	7.0	23	2	2	6	9	12	16	25
65+	700	7.8	29	2	3	6	10	15	18	28
GRAND TOTAL	**8174**	**6.2**	**20**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	2.1	5	<1	<1	<1	2	5	7	12
20-34	219	2.3	5	<1	<1	1	3	5	7	12
35-49	107	2.9	4	<1	<1	2	4	5	7	10
50-64	56	3.2	10	<1	<1	2	4	7	9	18
65+	56	4.4	11	<1	<1	4	6	8	13	14
B. *Operated*										
0-19 YRS	131	2.7	2	1	1	2	3	4	5	8
20-34	316	3.1	3	1	1	3	4	5	6	9
35-49	255	3.6	5	1	2	3	4	6	8	12
50-64	251	4.6	6	2	2	4	5	8	9	14
65+	96	5.8	8	2	3	5	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	2.7	4	<1	<1	2	4	5	7	8
20-34	150	3.3	6	<1	<1	3	4	7	8	12
35-49	144	4.3	15	1	1	3	6	8	10	23
50-64	120	5.4	14	1	2	4	6	11	14	17
65+	221	7.0	31	2	2	5	8	14	18	30
B. *Operated*										
0-19 YRS	56	3.2	5	1	1	3	4	5	7	12
20-34	116	4.1	9	1	1	4	5	7	9	18
35-49	122	4.7	8	2	2	4	5	8	11	15
50-64	150	5.7	13	2	2	5	7	10	14	19
65+	105	7.2	26	2	3	6	9	12	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	2.7	6	<1	<1	2	3	6	7	13
B. *Operated*	1049	3.8	6	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	691	5.0	20	1	1	4	6	10	14	23
B. *Operated*	549	5.2	14	1	2	4	6	10	12	20
1. SINGLE DX	1592	3.4	6	<1	<1	3	4	6	8	13
2. MULTIPLE DX	1240	5.1	17	1	2	4	6	10	13	23
A. NOT OPERATED	1234	4.0	15	<1	<1	3	5	8	11	19
B. OPERATED	1598	4.3	9	1	2	4	5	8	10	16
TOTAL 0-19 YRS	348	2.6	4	<1	<1	2	3	5	7	10
20-34	801	3.1	5	<1	<1	3	4	6	7	12
35-49	628	3.9	8	<1	1	3	5	7	9	15
50-64	577	4.9	11	1	2	4	6	9	12	17
65+	478	6.5	24	2	2	5	8	12	16	27
GRAND TOTAL	**2832**	**4.1**	**12**	**<1**	**1**	**3**	**5**	**8**	**10**	**17**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1580	1.4	1	<1	1	1	2	2	3	5
20-34	517	1.9	2	<1	<1	1	2	3	4	7
35-49	154	2.1	3	<1	1	2	2	4	5	9
50-64	69	2.1	2	<1	1	2	3	4	5	6
65+	48	2.7	15	1	1	2	3	4	8	27
B. *Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	7	1.7	1	1	1	1	3	3	3	3
35-49	4	4.3	6	1	1	4	6	7	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1611	2.1	4	<1	1	2	2	4	5	11
20-34	1248	3.0	7	<1	1	2	4	6	8	13
35-49	545	3.6	14	1	1	2	4	8	10	21
50-64	364	4.1	16	1	1	3	5	9	11	21
65+	463	6.4	43	1	1	5	8	13	17	32
B. *Operated*										
0-19 YRS	303	3.7	38	1	1	2	4	7	12	35
20-34	402	5.8	99	1	1	3	6	12	17	61
35-49	159	5.7	50	1	1	3	7	13	25	93
50-64	108	6.6	68	1	1	4	8	13	24	47
65+	111	8.8	103	1	1	6	11	18	31	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2368	1.6	2	<1	1	1	2	3	4	6
B. *Operated*	19	2.3	3	<1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	4231	3.2	13	1	1	2	4	7	10	17
B. *Operated*	1083	5.6	74	1	1	3	6	13	19	51
1. SINGLE DX	2387	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	5314	3.7	26	1	1	2	4	8	11	25
A. NOT OPERATED	6599	2.6	10	<1	1	2	3	5	8	14
B. OPERATED	1102	5.5	73	1	1	3	6	13	18	50
TOTAL 0-19 YRS	3500	2.0	6	<1	1	1	2	3	5	11
20-34	2174	3.2	24	<1	1	2	4	6	9	18
35-49	862	3.7	19	1	1	2	4	8	11	29
50-64	543	4.4	26	1	1	3	5	9	12	28
65+	622	6.6	53	1	1	4	8	13	19	37
GRAND TOTAL	**7701**	**3.1**	**20**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	682	1.9	8	<1	<1	1	2	3	5	13
20-34	259	2.9	19	<1	<1	2	3	6	10	18
35-49	58	2.7	8	<1	<1	2	3	7	9	16
50-64	58	5.1	78	<1	<1	2	5	12	18	57
65+	47	4.0	19	1	1	2	5	12	15	18
B. *Operated*										
0-19 YRS	41	11.5	205	2	3	7	13	26	54	99+
20-34	41	12.6	201	1	2	9	16	22	67	99+
35-49	20	9.4	41	1	2	10	13	19	22	24
50-64	22	12.7	87	5	6	11	15	36	62	99+
65+	43	14.4	79	4	6	12	18	27	33	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	884	3.2	33	<1	1	2	3	6	10	29
20-34	571	4.4	37	<1	1	2	5	10	14	36
35-49	234	4.5	24	1	1	3	5	10	16	47
50-64	188	5.7	58	1	1	3	6	11	22	51
65+	341	8.2	65	1	2	5	11	18	27	36
B. *Operated*										
0-19 YRS	213	14.9	331	1	1	9	21	44	65	99+
20-34	269	15.7	386	1	1	9	26	51	92	99+
35-49	120	14.5	274	1	2	9	18	42	69	99+
50-64	102	16.4	285	1	2	13	23	43	85	99+
65+	169	17.4	233	2	3	13	23	40	51	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1104	2.4	15	<1	<1	1	2	5	8	18
B. *Operated*	167	12.4	136	2	3	10	16	25	38	99+
2. MULTIPLE DX										
A. *Not Operated*	2218	4.6	43	1	1	2	5	11	16	36
B. *Operated*	873	15.8	315	1	1	10	23	44	71	99+
1. SINGLE DX	1271	3.7	42	<1	<1	1	3	10	15	37
2. MULTIPLE DX	3091	7.8	145	1	1	3	9	21	34	88
A. NOT OPERATED	3322	3.9	35	<1	1	2	4	9	14	33
B. OPERATED	1040	15.2	288	1	1	10	21	41	68	99+
TOTAL 0-19 YRS	1820	4.3	79	<1	1	2	3	10	19	58
20-34	1140	7.0	147	<1	1	3	7	18	35	99+
35-49	432	7.3	113	1	1	4	8	18	30	93+
50-64	370	9.0	148	1	1	5	11	24	39	99+
65+	600	10.9	130	1	2	7	15	25	33	64
GRAND TOTAL	**4362**	**6.6**	**118**	**<1**	**1**	**2**	**7**	**17**	**29**	**83**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.4	7	1	1	3	5	6	8	13
20-34	52	3.2	5	<1	1	3	4	6	8	11
35-49	20	3.8	11	1	1	3	5	6	11	16
50-64	13	3.2	4	<1	1	2	6	6	6	6
65+	5	2.2	3	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	41	6.5	11	2	3	5	8	12	12	17
20-34	134	5.7	14	1	2	5	8	11	13	36
35-49	25	7.5	56	2	3	6	8	14	27	35
50-64	19	8.3	38	2	2	6	12	18	22	24
65+	3	26.0	559	9	9	16	44	53	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.8	7	1	1	3	5	8	9	15
20-34	127	4.9	11	2	2	4	6	9	12	18
35-49	76	4.8	9	1	2	4	6	9	11	15
50-64	78	6.3	18	2	2	5	9	11	16	22
65+	72	9.7	41	3	4	8	12	16	23	36
B. *Operated*										
0-19 YRS	84	10.6	177	2	3	7	11	21	38	80
20-34	294	10.6	121	3	3	7	12	21	31	57
35-49	122	11.3	86	3	4	8	13	22	34	44
50-64	103	11.3	164	3	4	8	13	18	39	98
65+	71	14.7	209	4	4	10	16	31	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.3	6	<1	1	3	4	6	7	14
B. *Operated*	222	6.6	30	2	3	5	8	12	15	40
2. MULTIPLE DX										
A. *Not Operated*	410	5.8	20	1	2	5	8	11	14	23
B. *Operated*	674	11.3	138	3	4	8	13	22	35	67
1. SINGLE DX	340	5.4	24	1	1	4	6	11	13	26
2. MULTIPLE DX	1084	9.2	100	2	3	7	11	17	26	54
A. NOT OPERATED	528	5.3	18	1	1	4	7	10	13	21
B. OPERATED	896	10.1	115	3	3	7	11	19	30	63
TOTAL 0-19 YRS	210	7.0	85	1	2	5	8	12	17	58
20-34	607	7.7	73	1	2	5	9	15	21	53
35-49	243	8.2	62	2	2	6	9	16	24	42
50-64	213	8.7	96	2	3	6	11	16	20	78
65+	151	12.1	138	3	4	9	13	25	35	53
GRAND TOTAL	**1424**	**8.3**	**85**	**1**	**2**	**6**	**10**	**16**	**23**	**53**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	3.3	7	<1	1	2	4	8	9	12
20-34	123	3.0	6	1	1	2	4	6	7	14
35-49	28	3.4	6	<1	1	2	5	8	8	8
50-64	9	2.7	5	<1	<1	1	4	6	6	6
65+	12	4.8	25	1	1	2	8	13	14	14
B. *Operated*										
0-19 YRS	108	7.8	40	2	3	7	8	12	15	44
20-34	157	7.2	18	3	3	6	8	12	15	23
35-49	64	8.4	36	2	3	7	10	15	21	33
50-64	20	8.2	10	2	4	8	10	12	14	15
65+	8	10.8	95	4	4	7	12	28	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.7	13	1	1	2	4	8	10	21
20-34	194	4.2	16	1	1	3	6	9	14	21
35-49	75	4.4	23	1	1	3	5	9	10	32
50-64	49	4.7	9	1	1	5	6	8	10	15
65+	66	7.1	41	1	2	5	8	17	21	30
B. *Operated*										
0-19 YRS	261	11.8	106	3	5	9	13	23	29	50
20-34	575	12.6	117	3	5	9	14	26	36	67
35-49	259	13.8	136	3	5	10	17	29	39	99
50-64	81	13.4	102	4	5	11	16	26	43	99+
65+	80	15.9	182	3	4	12	20	36	47	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	3.2	7	<1	1	2	4	7	9	12
B. *Operated*	357	7.7	29	2	3	7	9	12	16	33
2. MULTIPLE DX										
A. *Not Operated*	587	4.4	19	1	1	3	6	9	13	22
B. *Operated*	1256	12.9	123	3	5	9	15	27	36	68
1. SINGLE DX	713	5.5	23	1	1	5	7	10	13	24
2. MULTIPLE DX	1843	10.2	105	1	2	8	12	22	31	61
A. NOT OPERATED	943	4.0	15	1	1	3	5	8	11	20
B. OPERATED	1613	11.8	106	3	4	9	13	24	34	64
TOTAL 0-19 YRS	756	7.0	62	1	1	5	9	13	21	45
20-34	1049	9.1	86	1	2	7	10	18	28	59
35-49	426	10.6	110	1	2	8	12	24	33	84
50-64	159	9.4	74	1	2	8	12	17	26	95
65+	166	11.4	129	1	2	8	14	26	36	59
GRAND TOTAL	**2556**	**8.9**	**87**	**1**	**2**	**7**	**10**	**18**	**27**	**55**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	4	1	1	2	3	5	8	9
20-34	8	2.1	1	<1	<1	2	3	4	4	4
35-49	4	3.8	6	<1	<1	3	5	7	7	7
50-64										
65+	1	29.0		29	29	29	29	29	29	29
B. *Operated*										
0-19 YRS	216	2.9	5	<1	1	2	4	6	7	11
20-34	141	3.3	6	1	1	3	4	7	8	13
35-49	63	3.3	5	<1	1	3	5	6	8	10
50-64	29	3.6	4	1	2	3	4	6	8	10
65+	21	3.3	3	<1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	5	1	1	3	5	7	7	7
20-34	22	3.6	5	<1	1	3	4	8	8	8
35-49	13	6.2	48	<1	1	3	8	15	24	26
50-64	5	3.6	11	1	1	3	5	9	9	9
65+	7	4.7	13	<1	<1	4	8	10	10	10
B. *Operated*										
0-19 YRS	185	3.9	10	1	1	3	5	7	8	19
20-34	154	4.2	15	<1	1	3	5	7	13	19
35-49	103	4.7	11	1	1	4	6	9	12	16
50-64	47	4.2	10	1	1	3	5	8	9	19
65+	45	7.0	61	1	2	5	8	11	19	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.3	19	<1	1	2	3	6	8	29
B. *Operated*	470	3.1	5	<1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	64	4.2	15	<1	1	3	6	8	9	24
B. *Operated*	534	4.4	17	1	1	4	6	8	11	19
1. SINGLE DX	515	3.2	6	<1	1	3	4	6	7	12
2. MULTIPLE DX	598	4.4	16	1	1	4	6	8	11	20
A. NOT OPERATED	109	3.8	17	<1	1	3	5	8	9	27
B. OPERATED	1004	3.8	12	1	1	3	5	7	9	16
TOTAL 0-19 YRS	450	3.3	7	<1	1	3	5	6	7	13
20-34	325	3.7	10	<1	1	3	5	7	9	15
35-49	183	4.3	12	1	1	4	5	8	10	16
50-64	81	4.0	8	1	1	3	5	8	9	16
65+	74	6.1	49	<1	1	4	7	10	17	43
GRAND TOTAL	**1113**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	1.8	4	<1	<1	1	2	3	5	12
20-34	104	2.0	2	<1	<1	1	3	4	5	7
35-49	53	2.1	4	<1	<1	1	2	4	7	11
50-64	19	1.9	2	<1	<1	1	3	4	5	5
65+	27	2.4	5	<1	<1	1	3	5	8	11
B. *Operated*										
0-19 YRS	467	1.7	3	<1	<1	1	2	3	4	9
20-34	280	2.1	6	<1	<1	1	2	4	5	10
35-49	94	2.8	13	<1	<1	2	3	5	8	23
50-64	49	1.9	3	<1	<1	1	2	3	6	9
65+	41	2.7	10	<1	<1	1	3	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	2.5	7	<1	<1	2	3	5	6	16
20-34	359	2.6	6	<1	<1	2	3	5	7	10
35-49	171	4.3	39	<1	1	3	5	8	12	31
50-64	133	4.4	17	1	1	3	6	9	14	21
65+	219	5.8	32	1	1	4	7	13	15	30
B. *Operated*										
0-19 YRS	545	3.6	49	<1	1	2	4	7	9	34
20-34	768	4.1	27	<1	1	3	5	8	11	22
35-49	376	5.0	45	<1	1	3	6	10	14	39
50-64	224	6.8	95	<1	1	4	8	14	20	43
65+	262	6.1	46	<1	1	4	8	12	17	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	931	2.0	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1082	3.7	19	<1	1	2	4	8	12	20
B. *Operated*	2175	4.6	46	<1	1	3	5	9	13	38
1. SINGLE DX	1239	2.0	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX	3257	4.3	37	<1	1	3	5	9	13	34
A. NOT OPERATED	1390	3.3	16	<1	<1	2	4	7	11	19
B. OPERATED	3106	3.8	35	<1	<1	2	4	8	11	31
TOTAL 0-19 YRS	1317	2.6	23	<1	<1	1	3	5	7	17
20-34	1511	3.2	17	<1	<1	2	4	6	9	18
35-49	694	4.3	37	<1	<1	2	5	8	12	36
50-64	425	5.3	59	<1	1	3	6	11	16	39
65+	549	5.5	37	<1	1	4	7	12	15	27
GRAND TOTAL	**4496**	**3.7**	**29**	**<1**	**<1**	**2**	**4**	**8**	**11**	**25**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	1.9	2	<1	<1	1	2	4	5	9
20-34	313	2.2	4	<1	<1	2	3	4	5	9
35-49	82	2.1	3	<1	<1	2	2	4	6	11
50-64	36	3.5	11	1	1	2	5	7	12	14
65+	5	2.4	4	<1	<1	2	3	6	6	6
B. *Operated*										
0-19 YRS	181	3.2	20	<1	1	2	3	6	8	25
20-34	283	3.9	13	1	1	3	5	7	9	16
35-49	85	4.8	24	1	1	4	6	9	10	32
50-64	39	5.3	68	<1	1	4	6	9	16	50
65+	11	3.3	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.1	6	1	1	2	4	6	8	13
20-34	247	3.2	14	<1	1	2	4	6	7	16
35-49	97	3.7	27	1	1	2	3	7	14	32
50-64	59	4.5	16	<1	1	3	7	11	14	15
65+	30	9.1	131	1	1	5	9	21	35	55
B. *Operated*										
0-19 YRS	189	6.8	89	1	1	4	8	12	17	64
20-34	547	7.8	79	1	2	6	9	14	21	71
35-49	235	9.0	89	1	2	6	11	19	26	63
50-64	104	11.2	104	2	3	8	13	26	34	52
65+	44	9.5	58	2	2	7	14	21	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	2.2	4	<1	<1	2	3	4	6	11
B. *Operated*	599	3.9	20	<1	1	3	5	7	9	23
2. MULTIPLE DX										
A. *Not Operated*	521	3.7	24	<1	1	2	4	7	11	23
B. *Operated*	1119	8.3	85	1	2	6	9	16	24	62
1. SINGLE DX	1142	3.1	13	<1	1	2	4	6	8	18
2. MULTIPLE DX	1640	6.8	70	1	1	4	8	14	21	51
A. NOT OPERATED	1064	3.0	14	<1	1	2	3	6	8	17
B. OPERATED	1718	6.7	67	1	1	5	8	13	21	49
TOTAL 0-19 YRS	565	4.1	41	<1	1	2	5	8	12	37
20-34	1390	4.9	43	<1	1	3	6	10	14	34
35-49	499	6.1	60	1	1	4	7	14	20	44
50-64	238	7.4	73	1	1	5	9	15	24	50
65+	90	8.2	78	1	2	5	10	19	22	47
GRAND TOTAL	**2782**	**5.3**	**50**	**1**	**1**	**3**	**6**	**11**	**16**	**39**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	2.3	2	<1	<1	2	3	4	5	7
20-34	273	2.1	3	<1	<1	1	3	5	6	8
35-49	83	2.3	4	<1	<1	2	3	4	6	11
50-64	45	2.2	4	<1	<1	2	2	5	7	10
65+	24	2.3	4	<1	<1	1	3	5	7	8
B. *Operated*										
0-19 YRS	733	2.2	6	<1	<1	2	2	4	5	11
20-34	1170	2.3	7	<1	<1	2	3	4	6	13
35-49	499	2.7	12	<1	<1	2	3	5	8	15
50-64	268	2.6	6	<1	<1	2	3	5	8	13
65+	115	3.0	12	<1	<1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.5	10	<1	1	3	5	7	9	19
20-34	221	3.3	12	<1	<1	2	4	7	9	17
35-49	85	4.1	13	<1	1	3	5	8	12	20
50-64	61	5.8	29	1	1	4	7	13	16	27
65+	58	5.6	20	1	1	4	8	12	13	22
B. *Operated*										
0-19 YRS	466	3.8	46	<1	1	2	4	7	12	32
20-34	939	4.0	29	1	1	3	4	8	10	28
35-49	394	4.2	24	1	1	3	5	8	13	28
50-64	245	3.9	28	1	1	3	4	7	10	31
65+	162	4.9	27	1	1	3	6	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	556	2.2	3	<1	<1	2	3	5	6	8
B. *Operated*	2785	2.4	8	<1	<1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	519	4.0	15	<1	1	3	5	8	12	20
B. *Operated*	2206	4.0	32	1	1	3	4	8	11	29
1. SINGLE DX	3341	2.4	7	<1	<1	2	3	4	6	13
2. MULTIPLE DX	2725	4.0	28	<1	1	3	5	8	12	28
A. NOT OPERATED	1075	3.1	10	<1	<1	2	4	6	9	16
B. OPERATED	4991	3.1	19	<1	<1	2	3	6	9	20
TOTAL 0-19 YRS	1424	2.8	19	<1	<1	2	3	5	7	20
20-34	2603	3.0	15	<1	<1	2	3	6	8	18
35-49	1061	3.3	16	<1	<1	2	4	7	10	22
50-64	619	3.4	18	<1	1	2	4	7	10	19
65+	359	4.2	20	<1	1	3	5	10	13	23
GRAND TOTAL	**6066**	**3.1**	**17**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.8	10	<1	<1	2	3	6	8	11
20-34	230	3.1	13	<1	<1	2	4	6	7	18
35-49	84	2.9	7	<1	<1	2	4	7	8	14
50-64	40	3.2	5	<1	<1	2	4	7	8	9
65+	30	7.9	56	1	2	5	10	18	25	31
B. *Operated*										
0-19 YRS	614	3.9	24	<1	<1	3	4	8	13	27
20-34	493	5.1	49	<1	1	3	6	10	15	38
35-49	187	4.9	25	1	1	3	6	11	13	28
50-64	91	5.8	61	<1	<1	3	7	14	26	36
65+	52	7.8	49	1	2	6	8	18	26	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	4.3	10	1	1	4	5	8	10	19
20-34	136	5.0	54	<1	1	3	6	9	11	41
35-49	58	4.8	9	1	2	4	6	10	12	14
50-64	71	5.9	18	1	1	6	8	10	11	16
65+	105	9.6	95	2	3	8	11	19	27	42
B. *Operated*										
0-19 YRS	255	6.9	67	1	1	4	8	17	27	45
20-34	367	8.9	122	1	2	5	10	22	31	65
35-49	164	9.6	118	1	2	6	11	23	35	52
50-64	126	9.2	152	1	2	6	11	18	28	70
65+	134	13.1	136	1	2	10	17	29	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	3.2	14	<1	<1	2	4	7	9	19
B. *Operated*	1437	4.7	36	<1	1	3	5	10	15	31
2. MULTIPLE DX										
A. *Not Operated*	482	5.9	46	1	1	4	7	11	15	34
B. *Operated*	1046	9.1	116	1	2	5	11	22	32	60
1. SINGLE DX	2001	4.3	30	<1	<1	3	5	9	13	30
2. MULTIPLE DX	1528	8.1	96	1	2	5	9	18	28	58
A. NOT OPERATED	1046	4.5	30	<1	1	3	5	9	12	30
B. OPERATED	2483	6.6	75	<1	1	4	7	14	24	47
TOTAL 0-19 YRS	1161	4.4	31	<1	1	3	5	9	14	33
20-34	1226	5.8	69	<1	1	3	6	12	20	48
35-49	493	6.1	57	1	1	4	7	13	20	40
50-64	328	6.8	84	<1	1	4	8	14	21	42
65+	321	10.6	105	1	2	8	13	24	31	66
GRAND TOTAL	**3529**	**5.9**	**62**	**<1**	**1**	**3**	**7**	**13**	**20**	**44**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	4	7.5	107	2	2	3	13	23	23	23
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	14	4.6	69	<1	1	2	4	9	28	33
20-34	26	4.7	8	1	1	4	7	8	10	12
35-49	7	4.6	8	1	1	4	7	9	9	9
50-64	10	4.8	9	<1	1	4	8	9	10	10
65+	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	5	<1	<1	2	2	6	7	7
20-34	13	2.8	5	1	1	2	3	7	8	8
35-49	5	3.7	9	<1	<1	3	6	8	8	8
50-64	4	6.0	28	1	1	5	10	13	13	13
65+	7	6.9	25	3	3	4	10	15	16	16
B. *Operated*										
0-19 YRS	47	11.1	173	1	1	7	14	30	32	74
20-34	108	10.5	143	1	1	6	13	26	36	59
35-49	38	11.1	131	<1	1	7	16	30	37	39
50-64	18	10.4	228	1	1	8	11	19	49	67
65+	14	15.9	579	2	2	5	19	50	79	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.0	40	<1	<1	2	3	12	21	23
B. *Operated*	59	4.8	22	1	1	4	6	9	11	31
2. MULTIPLE DX										
A. *Not Operated*	40	3.9	13	<1	1	3	5	8	12	16
B. *Operated*	225	11.1	178	1	1	6	14	29	36	72
1. SINGLE DX	71	4.6	24	<1	1	3	6	9	11	31
2. MULTIPLE DX	265	10.0	160	1	1	6	12	26	34	71
A. NOT OPERATED	52	3.9	19	<1	1	2	5	8	13	23
B. OPERATED	284	9.8	152	1	1	6	11	26	33	70
TOTAL 0-19 YRS	75	8.2	135	1	1	3	9	23	32	64
20-34	151	8.8	114	1	1	5	10	22	30	50
35-49	54	9.1	104	<1	1	6	12	27	35	39
50-64	32	8.1	138	1	1	6	10	12	21	67
65+	24	12.0	359	1	2	5	11	30	58	87
GRAND TOTAL	336	8.9	136	1	1	5	10	22	32	68

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.6	10	<1	<1	3	3	9	11	11
20-34	35	3.7	11	<1	<1	3	4	6	13	15
35-49	21	5.9	24	2	2	5	6	9	17	25
50-64	13	7.1	44	1	1	6	11	16	22	24
65+	17	5.8	27	<1	1	4	7	14	18	19
B. *Operated*										
0-19 YRS	176	3.8	13	1	1	3	5	8	11	21
20-34	318	4.5	20	1	1	3	5	9	13	23
35-49	139	4.6	20	1	2	3	5	9	12	25
50-64	79	5.2	26	1	1	3	6	11	19	26
65+	30	6.7	45	2	2	4	9	13	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	9.3	243	1	1	4	12	52	95	99+
20-34	72	7.3	108	1	1	4	7	17	38	91
35-49	61	7.0	50	<1	2	5	8	15	24	37
50-64	42	7.3	46	1	2	5	10	14	23	33
65+	110	14.0	169	2	2	11	19	28	40	64
B. *Operated*										
0-19 YRS	101	5.6	54	1	2	3	6	12	24	70
20-34	197	6.0	53	1	1	3	7	15	21	47
35-49	131	5.5	32	1	1	3	6	13	16	28
50-64	100	9.0	147	1	2	4	9	25	35	63
65+	82	14.2	148	3	4	11	18	29	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.9	21	<1	1	4	6	11	16	24
B. *Operated*	742	4.5	20	1	1	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	317	9.8	132	1	2	5	12	25	32	69
B. *Operated*	611	7.4	85	1	2	4	8	18	28	54
1. SINGLE DX	846	4.6	20	1	1	3	5	9	13	24
2. MULTIPLE DX	928	8.2	102	1	2	4	10	21	30	62
A. NOT OPERATED	421	8.6	109	1	1	5	11	22	30	77
B. OPERATED	1353	5.8	51	1	2	3	6	13	20	39
TOTAL 0-19 YRS	327	4.9	50	1	1	3	5	10	20	79
20-34	622	5.3	41	1	1	3	6	11	17	39
35-49	352	5.4	31	1	2	4	6	11	16	30
50-64	234	7.3	84	1	2	4	8	16	25	46
65+	239	12.6	145	2	2	9	17	27	33	56
GRAND TOTAL	1774	6.5	66	1	2	4	7	15	23	47

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	3.9	5	1	1	4	5	6	7	10
20-34	97	3.5	4	<1	1	3	4	5	7	10
35-49	38	4.8	15	1	1	4	5	9	12	23
50-64	10	3.8	4	1	1	3	6	7	7	7
65+	4	5.8	12	2	2	5	8	10	10	10
B. *Operated*										
0-19 YRS	12	7.3	15	2	2	6	10	13	14	14
20-34	5	4.0	7	2	2	3	6	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	3	4.0	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	4.4	10	1	1	4	5	7	9	17
20-34	89	4.0	12	1	1	3	5	7	9	22
35-49	34	4.1	6	1	1	4	6	8	9	10
50-64	32	3.8	4	1	1	4	5	7	8	8
65+	35	6.7	100	1	1	3	7	13	26	54
B. *Operated*										
0-19 YRS	20	5.0	10	1	2	4	6	10	13	13
20-34	27	5.4	11	1	1	5	7	11	12	13
35-49	9	4.6	12	<1	1	2	7	10	10	10
50-64	9	7.0	30	1	1	5	9	16	19	19
65+	12	7.8	85	1	1	4	9	23	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	3.9	6	1	1	4	5	6	7	12
B. *Operated*	21	5.7	14	1	2	5	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	339	4.5	19	1	1	4	5	7	9	24
B. *Operated*	77	5.8	24	1	1	4	7	11	13	29
1. SINGLE DX	371	4.0	7	1	1	4	5	6	8	12
2. MULTIPLE DX	416	4.7	20	1	1	4	6	8	11	25
A. NOT OPERATED	689	4.2	13	1	1	4	5	7	8	21
B. OPERATED	98	5.7	22	1	2	5	7	11	13	26
TOTAL 0-19 YRS	382	4.3	8	1	2	4	5	7	8	14
20-34	218	3.9	9	1	1	3	5	7	9	15
35-49	82	4.4	11	1	1	4	6	8	10	19
50-64	51	4.4	10	1	1	4	6	8	8	19
65+	54	6.7	83	1	2	4	7	14	27	53
GRAND TOTAL	**787**	**4.4**	**14**	**1**	**1**	**4**	**5**	**7**	**10**	**21**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	764	1.7	2	<1	<1	1	2	3	4	8
20-34	848	2.1	6	<1	<1	1	3	4	6	9
35-49	346	2.8	8	<1	<1	2	4	5	7	16
50-64	242	2.9	7	<1	<1	2	4	6	8	12
65+	308	4.2	12	<1	<1	3	6	9	11	18
B. *Operated*										
0-19 YRS	109	3.5	30	<1	<1	2	3	6	12	33
20-34	134	3.7	14	<1	1	2	4	8	11	19
35-49	63	3.6	8	<1	1	3	5	6	10	14
50-64	55	5.5	17	<1	1	4	8	12	15	16
65+	40	6.2	29	1	1	4	9	15	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1006	2.2	3	<1	1	2	3	4	6	9
20-34	1408	3.2	15	<1	1	2	4	6	9	16
35-49	859	4.2	16	1	1	3	5	9	12	19
50-64	829	5.1	22	1	1	4	6	10	13	21
65+	2031	6.8	33	1	2	5	9	13	17	28
B. *Operated*										
0-19 YRS	127	4.3	32	1	1	3	4	8	19	29
20-34	242	5.1	49	<1	1	3	6	10	15	24
35-49	133	6.8	50	1	1	5	9	13	18	44
50-64	148	8.7	54	1	2	7	11	20	24	37
65+	230	11.9	137	2	2	8	15	26	41	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2508	2.4	6	<1	<1	2	3	5	7	12
B. *Operated*	401	4.1	20	<1	1	3	5	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	6133	4.6	23	<1	1	3	6	10	13	22
B. *Operated*	880	7.6	79	1	1	5	10	18	24	42
1. SINGLE DX	2909	2.7	9	<1	<1	2	3	5	8	15
2. MULTIPLE DX	7013	5.0	31	1	1	3	6	11	15	26
A. NOT OPERATED	8641	4.0	19	<1	<1	3	5	9	12	21
B. OPERATED	1281	6.5	63	1	1	4	8	15	21	41
TOTAL 0-19 YRS	2006	2.2	6	<1	<1	2	3	4	5	12
20-34	2632	3.1	16	<1	<1	2	4	6	9	17
35-49	1401	4.1	18	<1	1	3	5	9	11	20
50-64	1274	5.1	25	<1	1	4	6	11	15	23
65+	2609	6.9	43	1	2	5	9	14	19	31
GRAND TOTAL	**9922**	**4.3**	**26**	**<1**	**<1**	**3**	**5**	**9**	**13**	**23**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.7	15	<1	1	2	3	4	6	23
20-34	43	2.8	5	<1	1	2	3	5	7	11
35-49	17	3.8	17	1	1	2	5	8	14	17
50-64	5	1.8	2	1	1	1	2	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	26	6.1	78	<1	1	3	6	11	30	40
20-34	60	5.1	29	1	1	3	7	11	15	28
35-49	18	5.2	21	1	1	3	7	13	16	16
50-64	18	6.5	30	<1	<1	5	11	13	18	21
65+	4	9.3	50	3	3	8	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.9	8	<1	1	2	3	8	10	10
20-34	42	4.3	9	1	1	4	6	7	9	16
35-49	27	5.6	38	<1	1	4	6	11	24	27
50-64	16	3.7	7	1	1	3	5	8	9	10
65+	8	7.9	140	2	2	4	5	28	37	37
B. *Operated*										
0-19 YRS	36	7.7	109	<1	1	3	9	20	34	48
20-34	97	7.5	73	1	1	4	9	18	27	42
35-49	42	10.8	179	1	1	5	12	32	41	58
50-64	41	9.1	115	1	2	6	11	22	30	58
65+	11	9.4	39	2	3	7	12	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.9	10	<1	1	2	3	6	8	20
B. *Operated*	126	5.6	38	1	1	3	8	17	17	32
2. MULTIPLE DX										
A. *Not Operated*	116	4.5	24	1	1	3	5	8	11	30
B. *Operated*	227	8.5	104	1	1	5	11	20	31	50
1. SINGLE DX	225	4.4	27	1	1	3	5	10	15	28
2. MULTIPLE DX	343	7.2	81	1	1	4	8	17	27	46
A. NOT OPERATED	215	3.8	18	1	1	3	5	7	10	25
B. OPERATED	353	7.5	82	1	1	4	9	18	28	46
TOTAL 0-19 YRS	118	5.0	60	<1	1	2	5	10	21	43
20-34	242	5.5	42	1	1	3	7	13	18	36
35-49	104	7.3	95	1	1	4	8	17	29	52
50-64	80	7.0	72	1	1	4	8	14	22	50
65+	24	8.8	67	2	3	6	11	19	26	37
GRAND TOTAL	**568**	**6.1**	**61**	**1**	**1**	**3**	**7**	**13**	**21**	**40**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	20	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	10	1.6	1	<1	<1	1	3	3	3	3
20-34	5	2.6	7	<1	<1	1	4	7	7	7
35-49	3	3.0	12	<1	<1	<1	5	7	7	7
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.4	4	<1	<1	1	4	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.1		<1	<1	<1	<1	1	2	2
B. *Operated*	20	2.1	4	<1	<1	1	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	10	1.7	1	<1	<1	1	3	3	3	3
B. *Operated*	10	2.9	3	<1	<1	3	5	5	5	5
1. SINGLE DX	59	1.4	1	<1	<1	<1	1	3	3	7
2. MULTIPLE DX	20	2.3	2	<1	<1	2	4	5	5	5
A. NOT OPERATED	49	1.2		<1	<1	<1	<1	2	3	3
B. OPERATED	30	2.3	4	<1	<1	1	3	5	7	7
TOTAL 0-19 YRS	29	1.7	1	<1	<1	1	2	3	4	5
20-34	31	1.4	2	<1	<1	<1	<1	3	4	7
35-49	12	1.8	4	<1	<1	<1	<1	6	7	7
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+	3	1.7		1	1	2	2	2	2	2
GRAND TOTAL	**79**	**1.6**	**2**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	1.3	1	<1	<1	1	1	2	3	5
20-34	102	1.6	2	<1	<1	1	2	3	4	10
35-49	102	1.6	3	<1	<1	1	2	2	4	10
50-64	105	2.0	5	<1	<1	1	2	4	8	12
65+	122	2.0	5	<1	<1	1	2	4	6	14
B. *Operated*										
0-19 YRS	130	2.2	6	1	1	1	2	4	6	12
20-34	19	2.6	6	<1	<1	2	2	8	9	9
35-49	22	2.4	4	<1	1	2	3	5	7	8
50-64	19	3.5	31	<1	1	2	2	7	17	25
65+	27	5.1	119	<1	1	2	4	9	19	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	2.7	8	<1	1	2	3	5	8	14
20-34	44	3.5	13	<1	1	2	4	8	11	19
35-49	57	3.1	9	<1	1	2	4	6	8	18
50-64	96	4.1	20	<1	1	3	5	9	11	26
65+	215	4.5	22	1	1	3	6	12	15	21
B. *Operated*										
0-19 YRS	49	5.1	82	1	1	3	4	10	19	60
20-34	28	7.0	116	<1	1	3	8	15	26	55
35-49	45	5.7	27	<1	1	4	9	12	16	22
50-64	68	7.9	52	1	1	6	12	20	23	29
65+	126	7.2	43	1	1	5	10	17	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	963	1.5	2	<1	<1	1	2	2	4	10
B. *Operated*	217	2.7	22	<1	1	2	3	5	8	24
2. MULTIPLE DX										
A. *Not Operated*	546	3.8	17	1	1	2	4	8	12	21
B. *Operated*	316	6.8	55	1	1	4	9	15	21	34
1. SINGLE DX	1180	1.8	6	<1	<1	1	2	3	5	11
2. MULTIPLE DX	862	4.9	33	1	1	3	6	12	16	24
A. NOT OPERATED	1509	2.3	8	<1	<1	1	2	5	8	15
B. OPERATED	533	5.1	46	1	1	3	6	12	18	27
TOTAL 0-19 YRS	845	1.9	8	<1	<1	1	2	3	5	11
20-34	193	2.9	24	<1	<1	1	3	6	10	21
35-49	226	2.9	12	<1	1	1	3	7	10	18
50-64	288	4.2	28	<1	1	2	5	11	15	27
65+	490	4.6	31	1	1	3	6	12	15	23
GRAND TOTAL	**2042**	**3.1**	**20**	**<1**	**<1**	**1**	**3**	**7**	**12**	**22**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	7.8	51	1	1	7	10	17	21	37
20-34	21	5.0	14	<1	1	4	7	11	12	13
35-49	13	10.1	51	1	3	8	13	19	26	28
50-64	12	15.6	154	1	3	14	21	35	42	43
65+	8	7.6	20	1	2	8	10	14	15	15
B. *Operated*										
0-19 YRS	96	11.5	117	1	2	8	15	28	32	57
20-34	83	12.2	238	1	2	6	13	27	50	77
35-49	49	10.0	174	1	2	5	11	22	50	63
50-64	31	14.2	166	1	2	10	22	33	47	48
65+	29	17.5	323	2	3	11	22	50	55	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	9.5	62	2	2	8	13	19	23	40
20-34	66	8.8	72	1	1	6	13	21	25	37
35-49	45	9.4	101	<1	1	6	13	18	26	59
50-64	43	11.0	134	3	3	8	14	17	31	70
65+	39	11.5	40	3	5	11	14	21	26	28
B. *Operated*										
0-19 YRS	130	22.3	317	3	5	18	31	54	66	99+
20-34	158	20.3	266	3	5	16	27	48	62	99+
35-49	104	24.3	471	2	4	16	36	55	82	98
50-64	80	25.2	292	4	5	23	37	56	67	99+
65+	74	27.9	383	5	6	25	39	71	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	8.5	60	1	1	7	11	18	23	40
B. *Operated*	288	12.3	189	1	2	8	15	28	48	62
2. MULTIPLE DX										
A. *Not Operated*	271	9.8	79	1	2	8	13	19	25	41
B. *Operated*	546	23.3	341	3	5	19	34	55	70	99+
1. SINGLE DX	383	11.4	160	1	2	7	14	25	40	58
2. MULTIPLE DX	817	18.8	294	2	3	14	26	46	60	99+
A. NOT OPERATED	366	9.5	74	1	2	7	13	19	25	41
B. OPERATED	834	19.5	315	2	3	14	28	50	62	99+
TOTAL 0-19 YRS	345	14.7	208	2	2	10	19	33	45	74
20-34	328	15.0	232	1	2	9	20	38	53	90
35-49	211	16.9	348	1	2	11	21	44	58	93
50-64	166	18.8	255	2	4	15	27	47	58	99+
65+	150	20.6	319	3	4	14	28	52	73	99+
GRAND TOTAL	**1200**	**16.5**	**263**	**2**	**2**	**11**	**22**	**40**	**55**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	5.1	23	<1	1	4	7	11	15	24
20-34	238	5.2	23	<1	1	3	8	13	16	19
35-49	117	5.9	25	<1	1	4	9	15	16	18
50-64	58	6.4	27	<1	1	5	9	14	16	25
65+	25	9.7	171	1	1	6	11	22	35	65
B. *Operated*										
0-19 YRS	84	7.6	46	1	2	6	10	16	20	36
20-34	62	10.9	110	1	2	8	16	26	28	55
35-49	28	13.1	64	2	2	13	18	24	27	33
50-64	16	13.6	157	1	2	10	19	29	43	48
65+	15	21.1	180	4	5	18	27	38	52	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	728	6.0	31	1	1	4	8	12	16	27
20-34	457	6.1	37	1	1	4	8	13	19	29
35-49	233	7.1	43	1	1	5	10	14	19	36
50-64	175	9.2	85	1	2	7	13	19	23	30
65+	148	12.6	169	2	3	9	15	28	36	62
B. *Operated*										
0-19 YRS	162	14.9	155	1	2	12	21	31	39	63
20-34	167	12.6	107	2	2	10	17	26	33	43
35-49	90	15.7	235	2	3	12	19	41	57	89
50-64	62	20.4	245	4	5	15	29	45	53	66
65+	59	26.3	353	5	7	22	38	65	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	798	5.5	29	<1	1	4	8	13	16	23
B. *Operated*	205	10.8	98	1	2	8	15	24	28	52
2. MULTIPLE DX										
A. *Not Operated*	1741	7.0	55	1	1	5	9	15	20	33
B. *Operated*	540	16.2	202	2	3	13	22	37	45	73
1. SINGLE DX	1003	6.6	47	<1	1	4	9	15	19	30
2. MULTIPLE DX	2281	9.2	105	1	1	6	12	20	29	55
A. NOT OPERATED	2539	6.6	47	1	1	5	9	14	18	30
B. OPERATED	745	14.7	179	2	2	11	20	33	43	70
TOTAL 0-19 YRS	1334	6.9	54	1	1	5	9	15	21	37
20-34	924	7.4	59	1	1	5	10	17	22	38
35-49	468	8.8	90	1	1	6	12	17	25	56
50-64	311	11.2	132	1	2	9	14	23	30	63
65+	247	16.1	250	2	3	11	21	38	57	95
GRAND TOTAL	**3284**	**8.4**	**88**	**1**	**1**	**6**	**11**	**18**	**26**	**48**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.9	13	<1	<1	2	3	5	13	18
20-34	54	6.5	66	<1	1	4	8	12	26	45
35-49	25	4.5	13	<1	1	3	8	10	12	12
50-64	12	5.8	63	1	1	3	4	20	26	27
65+	7	5.6	9	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	49	2.8	6	1	1	2	3	6	10	11
20-34	97	3.3	7	1	1	2	4	6	9	15
35-49	59	4.7	33	<1	1	2	5	14	16	31
50-64	34	4.0	70	<1	1	2	3	5	6	51
65+	7	3.3	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.2	47	1	1	2	4	7	11	40
20-34	48	6.3	31	1	2	4	8	15	20	23
35-49	28	10.2	192	2	2	6	9	19	38	72
50-64	35	6.9	30	1	2	5	9	14	16	27
65+	40	10.1	73	2	3	8	11	25	70	99+
B. *Operated*										
0-19 YRS	57	3.9	23	1	1	2	4	8	14	29
20-34	139	7.8	168	1	1	3	9	19	57	99+
35-49	65	7.1	109	1	1	4	9	17	42	99+
50-64	48	12.4	317	1	1	5	15	34	51	86
65+	29	15.7	324	2	2	11	22	43	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	5.1	41	<1	1	3	6	11	17	32
B. *Operated*	246	3.6	22	1	1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	184	7.4	70	1	2	5	9	15	23	90
B. *Operated*	338	8.3	175	1	1	3	10	20	46	99+
1. SINGLE DX	376	4.2	29	<1	1	2	4	9	13	29
2. MULTIPLE DX	522	8.0	138	1	1	4	10	18	35	99+
A. NOT OPERATED	314	6.5	59	1	1	4	8	14	21	58
B. OPERATED	584	6.4	116	1	1	3	6	15	30	99+
TOTAL 0-19 YRS	171	3.5	21	1	1	2	3	7	11	27
20-34	338	6.1	89	1	1	3	7	14	21	99+
35-49	177	6.4	85	1	1	3	8	15	21	92
50-64	129	8.1	160	1	1	4	8	18	32	77
65+	83	11.1	161	2	2	8	13	29	58	99+
GRAND TOTAL	**898**	**6.4**	**96**	**1**	**1**	**3**	**7**	**15**	**24**	**92**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	1.9	4	<1	<1	1	2	4	5	10
20-34	413	2.3	6	<1	<1	1	3	5	6	11
35-49	170	2.8	8	<1	<1	2	3	6	9	15
50-64	72	2.9	7	<1	<1	2	4	7	9	13
65+	64	4.6	24	<1	<1	3	5	12	15	25
B. *Operated*										
0-19 YRS	88	4.6	26	<1	1	2	6	11	16	22
20-34	144	5.9	72	1	1	3	7	13	20	49
35-49	71	4.7	20	1	1	3	6	9	16	22
50-64	24	5.3	40	1	1	2	8	14	19	25
65+	21	8.5	72	1	1	6	10	19	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	2.7	6	<1	1	2	3	5	7	12
20-34	458	3.8	17	<1	1	3	5	7	10	22
35-49	265	4.8	15	1	1	4	6	10	11	17
50-64	213	5.5	27	1	2	4	7	10	14	26
65+	380	7.1	32	1	2	6	9	13	18	30
B. *Operated*										
0-19 YRS	119	8.3	84	1	1	5	11	20	30	42
20-34	181	8.2	97	1	1	5	10	19	29	66
35-49	107	8.3	51	1	2	5	12	19	23	32
50-64	85	9.2	113	1	2	6	12	18	27	63
65+	67	12.6	184	2	2	9	16	32	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1055	2.4	7	<1	<1	1	3	5	7	13
B. *Operated*	348	5.4	48	1	1	3	7	13	18	38
2. MULTIPLE DX										
A. *Not Operated*	1589	4.8	22	<1	1	3	6	10	13	24
B. *Operated*	559	8.9	100	1	1	6	11	21	29	65
1. SINGLE DX	1403	3.2	19	<1	<1	2	4	7	10	21
2. MULTIPLE DX	2148	5.8	46	1	1	4	7	12	18	35
A. NOT OPERATED	2644	3.8	18	<1	<1	3	5	8	11	21
B. OPERATED	907	7.6	82	1	1	4	10	18	26	53
TOTAL 0-19 YRS	816	3.4	23	<1	<1	2	3	7	11	27
20-34	1196	4.2	36	<1	<1	2	5	9	13	33
35-49	613	4.8	23	<1	<1	3	6	10	15	23
50-64	394	5.8	47	<1	1	4	7	12	15	31
65+	532	7.6	56	1	2	6	10	16	22	37
GRAND TOTAL	**3551**	**4.8**	**37**	**<1**	**<1**	**3**	**6**	**10**	**15**	**31**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1411	1.7	2	<1	<1	1	2	3	4	7
20-34	776	2.2	10	<1	<1	2	3	4	5	9
35-49	316	2.5	4	<1	1	2	3	5	6	11
50-64	135	3.1	5	1	1	3	4	6	7	10
65+	107	4.8	14	1	1	4	6	10	13	18
B. *Operated*										
0-19 YRS	7	2.1	2	<1	<1	2	3	5	5	5
20-34	11	3.0	3	1	1	3	3	6	6	6
35-49	4	2.5		2	2	2	3	3	3	3
50-64	5	12.6	10	9	9	13	15	17	17	17
65+	3	13.0	103	4	4	11	21	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1335	3.9	44	1	1	2	4	7	12	41
20-34	2146	4.0	31	<1	1	2	4	8	12	31
35-49	1239	4.9	41	1	1	3	6	10	15	31
50-64	767	5.9	43	1	1	4	7	12	18	32
65+	1342	7.3	37	2	2	6	9	13	18	33
B. *Operated*										
0-19 YRS	18	5.1	9	2	2	4	6	11	12	12
20-34	87	7.2	81	<1	1	3	8	24	29	39
35-49	64	13.0	223	1	1	7	19	36	51	60
50-64	44	14.2	254	2	2	9	16	29	43	92
65+	96	15.7	125	4	5	13	21	31	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2745	2.1	5	<1	1	2	3	4	5	10
B. *Operated*	30	5.3	31	1	1	3	6	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	6829	5.0	40	1	1	3	6	10	15	32
B. *Operated*	309	11.9	157	1	1	8	15	28	36	56
1. SINGLE DX	2775	2.2	6	<1	1	2	3	4	5	10
2. MULTIPLE DX	7138	5.3	47	1	1	3	6	11	17	36
A. NOT OPERATED	9574	4.2	32	<1	1	2	5	9	13	28
B. OPERATED	339	11.3	149	1	1	7	15	27	36	54
TOTAL 0-19 YRS	2771	2.8	23	<1	1	2	3	5	7	27
20-34	3020	3.6	28	<1	1	2	4	7	11	29
35-49	1623	4.7	44	1	1	3	5	10	15	36
50-64	951	5.9	52	1	1	4	7	12	18	33
65+	1548	7.6	46	2	2	6	9	14	20	36
GRAND TOTAL	**9913**	**4.4**	**37**	**<1**	**1**	**3**	**5**	**9**	**14**	**31**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	825	1.7	2	<1	1	1	2	3	5	7
20-34	392	1.9	2	<1	1	1	2	3	5	8
35-49	208	1.9	2	<1	<1	1	2	3	4	7
50-64	137	2.1	5	<1	1	1	2	4	5	11
65+	50	2.6	4	1	1	2	3	5	7	9
B. *Operated*										
0-19 YRS	27	3.2	8	<1	1	2	4	8	10	12
20-34	21	6.6	37	<1	1	5	10	16	21	23
35-49	16	5.8	35	1	2	4	7	8	21	26
50-64	10	4.5	17	1	1	3	8	11	13	13
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	433	2.8	15	1	1	2	3	5	7	19
20-34	325	3.6	37	<1	1	2	4	7	10	22
35-49	265	3.5	17	1	1	2	4	6	10	22
50-64	229	4.4	40	1	1	3	5	9	13	39
65+	179	5.2	49	1	1	3	6	11	17	42
B. *Operated*										
0-19 YRS	19	9.1	72	<1	1	7	13	23	28	30
20-34	24	17.0	358	2	3	10	20	42	67	75
35-49	18	11.2	99	1	2	9	13	23	34	41
50-64	19	18.0	394	2	3	12	25	64	90	99+
65+	11	26.6	314	5	7	33	36	51	59	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1612	1.9	3	<1	1	1	2	3	5	8
B. *Operated*	75	4.9	24	<1	1	3	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	1431	3.7	29	1	1	2	4	7	10	27
B. *Operated*	91	15.6	268	2	2	9	21	40	59	92
1. SINGLE DX	1687	2.0	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	1522	4.4	51	1	1	2	4	9	15	40
A. NOT OPERATED	3043	2.7	16	<1	1	2	3	5	8	17
B. OPERATED	166	10.7	185	1	1	6	13	27	41	79
TOTAL 0-19 YRS	1304	2.2	9	<1	1	1	2	4	6	14
20-34	762	3.2	36	<1	1	2	3	6	10	23
35-49	507	3.2	17	<1	1	2	3	6	10	23
50-64	395	4.3	54	1	1	2	4	9	15	46
65+	241	5.6	72	1	1	3	6	12	22	46
GRAND TOTAL	**3209**	**3.1**	**28**	**<1**	**1**	**2**	**3**	**6**	**9**	**26**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	1.9	2	<1	1	1	2	3	5	8
20-34	304	2.0	3	<1	<1	1	2	4	5	9
35-49	206	2.5	8	<1	<1	2	3	5	7	19
50-64	182	2.7	5	<1	1	2	4	5	8	13
65+	163	4.9	34	1	1	3	6	9	13	38
B. *Operated*										
0-19 YRS	3	7.3	32	1	1	9	11	12	12	12
20-34	3	2.0		2	2	2	2	2	2	2
35-49	6	10.3	323	2	2	3	4	43	47	47
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	7	10.4	281	1	1	4	8	40	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	364	3.3	15	1	1	2	4	7	8	20
20-34	435	3.3	10	1	1	2	4	6	9	16
35-49	427	4.3	15	1	1	3	5	9	12	20
50-64	601	5.4	30	1	1	4	6	10	13	29
65+	1358	6.9	38	2	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	19	11.4	152	2	2	8	13	36	40	41
20-34	40	5.7	37	1	1	4	8	17	57	99+
35-49	32	12.8	218	1	1	6	18	25	51	66
50-64	62	9.4	97	1	2	6	13	26	42	99+
65+	117	16.9	322	2	3	12	19	31	58	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1212	2.5	9	<1	<1	2	3	5	7	14
B. *Operated*	21	8.0	181	1	1	3	6	26	47	48
2. MULTIPLE DX										
A. *Not Operated*	3185	5.4	29	1	1	4	7	11	14	27
B. *Operated*	270	12.6	219	1	2	8	16	28	50	99+
1. SINGLE DX	1233	2.6	13	<1	1	2	3	5	7	16
2. MULTIPLE DX	3455	5.9	48	1	1	4	7	12	16	36
A. NOT OPERATED	4397	4.6	25	1	1	3	6	9	13	25
B. OPERATED	291	12.3	217	1	2	8	15	28	49	99+
TOTAL 0-19 YRS	743	2.8	15	<1	1	2	3	6	8	19
20-34	782	2.9	10	<1	1	2	3	6	8	17
35-49	671	4.2	29	<1	1	3	5	9	12	25
50-64	847	5.1	32	1	1	4	6	10	13	34
65+	1645	7.4	66	1	2	5	9	14	20	46
GRAND TOTAL	**4688**	**5.0**	**41**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.9	26	<1	1	3	6	12	16	24
20-34	45	3.2	8	<1	1	2	4	6	9	15
35-49	45	5.3	23	1	1	4	6	15	17	18
50-64	54	5.9	29	<1	1	4	7	13	16	29
65+	94	5.2	21	<1	1	4	7	12	14	23
B. *Operated*										
0-19 YRS	437	5.4	31	1	1	4	6	10	14	29
20-34	398	5.0	47	<1	1	3	5	12	20	37
35-49	392	6.2	51	<1	1	4	8	15	19	43
50-64	537	7.9	54	1	2	5	11	18	24	33
65+	860	9.0	91	1	2	6	12	20	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	5.4	32	1	1	4	7	11	14	35
20-34	116	6.1	46	1	1	4	7	14	20	36
35-49	119	7.3	45	1	1	6	9	15	19	39
50-64	144	8.0	92	1	1	4	9	18	26	54
65+	335	8.2	56	1	2	7	10	15	22	41
B. *Operated*										
0-19 YRS	502	9.6	133	1	2	6	11	21	34	59
20-34	553	8.4	116	1	1	5	10	20	30	59
35-49	768	8.5	86	1	2	5	11	19	27	47
50-64	1321	10.7	129	1	2	7	14	24	32	59
65+	1989	11.9	135	2	2	8	16	27	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	5.0	22	<1	1	4	6	12	15	24
B. *Operated*	2624	7.2	63	1	1	4	9	17	22	38
2. MULTIPLE DX										
A. *Not Operated*	820	7.4	57	1	1	5	9	15	22	42
B. *Operated*	5133	10.5	126	1	2	7	14	24	33	56
1. SINGLE DX	2931	6.9	59	1	1	4	9	16	22	37
2. MULTIPLE DX	5953	10.1	117	1	2	7	13	23	32	55
A. NOT OPERATED	1127	6.7	49	1	1	5	8	14	20	36
B. OPERATED	7757	9.4	107	1	2	6	12	21	30	53
TOTAL 0-19 YRS	1114	7.3	81	1	2	4	8	15	23	52
20-34	1112	6.7	82	<1	1	4	7	16	24	46
35-49	1324	7.6	72	1	1	4	10	17	23	45
50-64	2056	9.6	106	1	2	6	13	22	30	54
65+	3278	10.6	115	1	2	7	14	24	32	53
GRAND TOTAL	**8884**	**9.0**	**100**	**1**	**2**	**5**	**12**	**20**	**29**	**52**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	1.6	2	<1	<1	1	2	3	4	9
20-34	245	2.2	3	<1	1	2	3	4	5	9
35-49	129	3.1	5	1	1	3	4	6	9	12
50-64	139	3.5	3	1	1	3	4	6	7	8
65+	203	3.9	6	1	1	4	5	6	7	13
B. *Operated*										
0-19 YRS	163	2.1	3	<1	1	2	2	4	6	10
20-34	236	3.2	10	<1	1	2	4	7	9	14
35-49	114	3.8	8	1	1	3	5	7	9	15
50-64	56	4.7	19	1	2	3	6	8	11	27
65+	85	5.6	20	1	2	4	8	13	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.2	3	<1	1	1	3	5	6	8
20-34	89	3.1	6	1	1	2	4	6	8	14
35-49	70	4.6	58	1	1	3	5	7	10	54
50-64	111	4.3	7	1	2	4	6	7	10	15
65+	241	5.1	19	1	2	4	6	9	13	19
B. *Operated*										
0-19 YRS	19	7.5	173	1	1	3	6	19	43	56
20-34	84	4.7	20	1	1	3	6	10	12	26
35-49	46	6.3	22	1	2	5	9	13	14	25
50-64	80	6.8	35	1	1	5	10	16	20	26
65+	137	9.1	84	1	2	7	11	16	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	2.8	8	<1	1	2	4	5	7	9
B. *Operated*	654	3.5	11	<1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	549	4.4	19	1	1	3	5	8	10	16
B. *Operated*	365	7.1	57	1	1	5	9	14	20	41
1. SINGLE DX	1584	3.1	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	914	5.5	36	1	1	4	7	11	14	29
A. NOT OPERATED	1479	3.4	10	1	1	3	4	6	8	14
B. OPERATED	1019	4.8	31	1	1	3	6	10	14	26
TOTAL 0-19 YRS	433	2.1	10	<1	1	1	2	4	5	10
20-34	654	3.0	9	<1	1	2	4	6	8	14
35-49	359	4.0	19	1	1	3	5	8	10	15
50-64	386	4.6	14	1	1	4	6	8	11	21
65+	666	5.6	32	1	2	4	7	11	14	30
GRAND TOTAL	**2498**	**3.9**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	5.3	14	1	2	5	6	8	13	21
20-34	138	5.0	10	1	2	4	6	8	11	17
35-49	128	5.6	13	1	2	5	7	10	13	17
50-64	91	7.2	28	2	2	6	9	14	21	26
65+	69	8.9	49	2	3	6	11	20	25	32
B. *Operated*										
0-19 YRS	64	8.0	44	1	2	6	10	16	21	31
20-34	151	8.0	43	1	2	6	11	17	21	30
35-49	112	8.2	43	2	2	6	10	17	20	36
50-64	89	10.1	101	2	2	6	13	25	33	49
65+	76	10.3	65	2	2	8	14	22	28	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.0	23	1	1	5	8	11	19	20
20-34	130	6.6	24	2	2	5	8	13	18	24
35-49	131	8.0	44	3	3	6	10	15	19	44
50-64	153	9.0	45	2	3	7	12	15	21	44
65+	238	10.9	64	3	4	9	13	20	26	36
B. *Operated*										
0-19 YRS	42	10.5	103	2	3	7	14	21	29	57
20-34	130	11.6	127	2	3	9	14	23	29	64
35-49	155	13.9	193	2	3	9	21	34	44	91
50-64	202	16.5	177	3	4	12	21	34	51	64
65+	231	17.5	261	3	4	12	22	40	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	6.1	21	1	2	5	7	11	15	25
B. *Operated*	492	8.8	58	1	2	7	11	19	24	36
2. MULTIPLE DX										
A. *Not Operated*	704	8.8	48	2	3	7	11	17	20	35
B. *Operated*	760	15.1	198	2	3	11	20	32	47	78
1. SINGLE DX	1001	7.4	41	1	2	6	9	16	20	32
2. MULTIPLE DX	1464	12.1	136	2	3	9	15	25	35	64
A. NOT OPERATED	1213	7.7	39	2	2	6	10	15	19	31
B. OPERATED	1252	12.6	152	2	3	9	16	27	36	65
TOTAL 0-19 YRS	241	7.1	42	1	2	5	8	16	20	30
20-34	549	7.7	56	2	2	6	9	16	20	35
35-49	526	9.2	90	2	2	6	11	20	25	50
50-64	535	11.7	116	2	3	8	15	25	34	59
65+	614	13.1	148	2	3	10	16	26	35	75
GRAND TOTAL	**2465**	**10.2**	**103**	**2**	**3**	**7**	**12**	**21**	**29**	**57**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.4	24	<1	1	2	3	7	13	29
20-34	119	4.0	14	1	1	3	6	8	12	18
35-49	119	5.3	32	<1	1	4	7	11	15	34
50-64	63	4.6	9	1	1	4	6	8	11	14
65+	67	6.6	46	1	1	4	8	15	19	38
B. *Operated*										
0-19 YRS	70	4.9	16	1	1	4	7	10	11	21
20-34	170	5.3	25	<1	1	3	7	12	18	24
35-49	163	6.3	48	<1	1	4	8	12	16	29
50-64	170	7.5	63	1	2	5	9	15	20	44
65+	165	7.8	52	1	2	6	10	18	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.0	7	<1	1	2	3	7	10	13
20-34	149	4.6	38	<1	<1	3	6	11	13	26
35-49	186	6.4	62	1	1	5	7	12	17	48
50-64	188	7.7	47	1	2	6	10	13	22	33
65+	310	8.7	69	1	2	7	11	18	22	46
B. *Operated*										
0-19 YRS	83	9.0	89	1	1	5	13	24	34	99+
20-34	186	9.7	129	1	2	7	12	19	27	70
35-49	256	10.5	133	1	2	7	12	23	31	66
50-64	358	12.7	156	1	2	9	16	29	37	68
65+	453	15.0	219	2	2	10	20	33	50	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	4.8	25	1	1	3	6	10	15	25
B. *Operated*	738	6.5	45	1	1	4	8	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	904	6.9	56	1	1	5	9	14	20	36
B. *Operated*	1336	12.4	169	1	2	8	15	28	38	72
1. SINGLE DX	1154	5.9	38	1	1	4	7	13	17	29
2. MULTIPLE DX	2240	10.2	131	1	2	7	12	23	33	65
A. NOT OPERATED	1320	6.3	47	1	1	4	8	13	18	34
B. OPERATED	2074	10.3	133	1	2	7	13	23	33	66
TOTAL 0-19 YRS	272	5.4	43	<1	1	3	6	13	21	40
20-34	624	6.2	62	<1	1	4	8	14	18	41
35-49	724	7.6	83	1	1	5	9	15	23	59
50-64	779	9.7	106	1	2	7	12	21	31	53
65+	995	11.3	144	1	2	8	14	24	35	66
GRAND TOTAL	**3394**	**8.7**	**103**	**1**	**1**	**6**	**11**	**20**	**28**	**59**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.9	3	<1	1	2	4	6	6	7
20-34	15	4.8	19	<1	1	4	6	8	15	18
35-49	9	3.9	7	1	1	3	5	8	9	9
50-64	17	3.4	4	<1	<1	3	4	6	7	8
65+	5	5.2	60	1	1	2	6	19	19	19
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	3	10.7	56	3	3	11	16	18	18	18
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64	5	11.8	411	1	1	4	15	48	48	48
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.4	9	1	1	3	4	6	8	12
20-34	25	5.0	11	<1	2	4	7	11	12	13
35-49	14	8.1	93	1	2	6	10	15	27	30
50-64	24	4.4	10	1	1	3	5	9	11	13
65+	29	3.9	9	1	1	3	5	9	11	11
B. *Operated*										
0-19 YRS	4	6.8	30	2	2	7	11	12	12	12
20-34	6	5.8	15	2	2	5	8	12	12	12
35-49	4	8.0	65	2	2	6	14	19	19	19
50-64	7	7.6	25	2	2	9	11	14	15	15
65+	9	9.8	47	2	3	9	11	20	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.6	10	<1	1	3	5	6	8	19
B. *Operated*	13	9.1	162	1	2	4	11	24	43	48
2. MULTIPLE DX										
A. *Not Operated*	119	4.6	15	1	1	4	6	10	12	18
B. *Operated*	30	7.8	33	2	2	8	11	14	19	26
1. SINGLE DX	91	4.4	34	<1	1	3	5	7	12	36
2. MULTIPLE DX	149	5.3	20	1	1	4	7	11	12	26
A. NOT OPERATED	197	4.2	13	1	1	3	5	8	11	19
B. OPERATED	43	8.2	69	2	2	7	11	16	21	48
TOTAL 0-19 YRS	66	3.3	6	1	1	3	4	6	8	12
20-34	49	5.4	17	<1	1	4	7	12	13	18
35-49	29	6.9	38	1	1	5	9	13	20	30
50-64	53	5.2	46	1	1	3	5	9	13	47
65+	43	5.3	26	1	1	4	7	11	14	26
GRAND TOTAL	**240**	**4.9**	**25**	**1**	**1**	**3**	**6**	**11**	**12**	**26**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	2.1	2	<1	<1	2	3	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	47	2.1	3	<1	<1	2	3	4	4	11
20-34	3771	1.8	1	<1	<1	1	2	3	4	6
35-49	1278	1.6	2	<1	<1	1	2	3	3	5
50-64	7	1.1		<1	<1	1	1	2	2	2
65+	5	2.8	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	44	1.3		<1	<1	1	1	2	3	3
35-49	14	1.2		<1	<1	1	1	2	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	35	2.7	4	<1	1	2	3	6	7	7
20-34	2236	2.2	3	<1	<1	2	3	4	5	8
35-49	1026	2.1	2	<1	<1	2	2	4	5	7
50-64	6	2.2	1	1	1	2	2	4	4	4
65+	2	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	1	3	4	4	4
B. *Operated*	5108	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	62	1.3		<1	<1	1	1	2	3	3
B. *Operated*	3305	2.2	3	<1	<1	2	3	4	5	8
1. SINGLE DX	5120	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	3367	2.1	3	<1	<1	2	3	4	5	7
A. NOT OPERATED	74	1.4	1	<1	<1	1	1	2	3	4
B. OPERATED	8413	1.9	2	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	85	2.3	3	<1	<1	2	3	5	6	10
20-34	6060	1.9	2	<1	<1	2	2	3	4	7
35-49	2320	1.9	2	<1	<1	1	2	3	4	7
50-64	14	1.6	1	<1	<1	1	2	3	4	4
65+	8	2.8	2	<1	<1	2	3	5	6	6
GRAND TOTAL	**8487**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	6	13.7	57	7	7	12	17	26	27	27
1750-2499	2836	3.5	5	1	2	3	4	6	7	13
2500+	125166	3.0	2	1	2	3	3	5	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	1	55.0		55	55	55	55	55	55	55
1750-2499	3	9.7	50	2	2	11	15	16	16	16
2500+	39	3.6	8	1	2	3	4	6	11	14
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	48	61.8	621	16	20	71	84	99+	99+	99+
1000-1499	285	39.5	262	17	22	36	51	61	70	93
1500-1749	379	24.9	113	10	13	24	29	37	45	64
1750-2499	5972	7.3	40	2	2	5	9	15	19	30
2500+	53175	3.9	5	2	2	3	5	6	7	11
B. *Operated*										
1-999 G	61	67.3	544	29	47	96	99+	99+	99+	99+
1000-1499	257	49.5	329	18	30	50	64	82	99+	99+
1500-1749	158	33.8	206	17	19	31	40	51	66	97
1750-2499	501	17.4	177	2	5	15	22	32	47	99+
2500+	1122	8.4	88	2	2	6	10	15	22	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128008	3.0	2	1	2	3	3	5	5	7
B. *Operated*	43	5.3	72	1	2	3	4	12	15	55
2. MULTIPLE DX										
A. *Not Operated*	59859	4.6	23	2	2	3	5	7	10	25
B. *Operated*	2099	19.2	420	2	3	11	29	59	81	99+
1. SINGLE DX	128051	3.0	2	1	2	3	3	5	5	7
2. MULTIPLE DX	61958	5.0	43	2	2	4	5	7	12	40
A. NOT OPERATED	187867	3.5	9	1	2	3	4	5	6	13
B. OPERATED	2142	18.9	416	2	3	11	29	58	80	99+
TOTAL 1-999 G	109	64.9	580	19	36	82	99+	99+	99+	99+
1000-1499	542	44.2	319	17	23	44	57	74	90	99+
1500-1749	544	27.4	159	11	14	26	32	43	51	76
1750-2499	9312	6.7	46	2	2	4	8	14	19	33
2500+	179502	3.3	3	1	2	3	4	5	6	9
GRAND TOTAL	**190009**	**3.7**	**16**	**1**	**2**	**3**	**4**	**5**	**7**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	17.0		17	17	17	17	17	17	17
1000-1499										
1500-1749	1	12.0		12	12	12	12	12	12	12
1750-2499	307	4.7	6	2	3	4	5	7	10	15
2500+	1020	4.2	3	2	2	4	5	6	7	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	8	79.9	145	65	66	77	90	97	98	98
1000-1499	51	38.1	218	15	22	34	48	60	62	78
1500-1749	93	22.5	82	10	13	21	27	32	40	56
1750-2499	787	8.9	40	3	3	7	12	17	21	29
2500+	592	5.1	5	2	3	5	6	8	9	13
B. *Operated*										
1-999 G	13	68.1	380	32	52	74	99+	99+	99+	99+
1000-1499	53	54.7	304	30	35	55	73	99+	99+	99+
1500-1749	36	37.7	266	17	22	35	46	71	82	99+
1750-2499	91	17.2	116	1	5	16	23	31	34	57
2500+	17	10.1	24	2	4	10	13	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	4.3	4	2	2	4	5	6	8	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1531	9.6	106	3	3	6	11	20	28	58
B. *Operated*	210	32.8	544	5	7	28	54	82	99+	99+
1. SINGLE DX	1329	4.3	4	2	2	4	5	6	8	12
2. MULTIPLE DX	1741	12.4	216	3	3	6	15	31	49	97
A. NOT OPERATED	2860	7.1	66	2	3	5	7	14	21	43
B. OPERATED	210	32.8	544	5	7	28	54	82	99+	99+
TOTAL 1-999 G	22	70.0	439	21	50	74	98	99+	99+	99+
1000-1499	104	46.5	329	20	26	48	62	84	99+	99+
1500-1749	130	26.6	179	11	14	24	32	43	56	85
1750-2499	1185	8.4	47	2	3	6	11	17	21	32
2500+	1629	4.6	4	2	2	4	6	7	8	11
GRAND TOTAL	**3070**	**8.9**	**140**	**2**	**3**	**5**	**8**	**19**	**33**	**76**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	34.0		34	34	34	34	34	34	34
1750-2499	36	2.7	3	1	1	3	3	4	6	10
2500+	341	2.5	1	1	1	2	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	68.0		68	68	68	68	68	68	68
1000-1499	8	33.3	139	12	15	38	43	43	43	43
1500-1749	6	29.3	172	16	16	25	36	50	52	52
1750-2499	54	8.1	43	2	2	6	10	18	22	28
2500+	161	4.0	14	1	2	3	5	6	8	27
B. *Operated*										
1-999 G	1	69.0		69	69	84	99+	99+	99+	99+
1000-1499	3	47.0	108	35	35	53	53	53	53	53
1500-1749	2	34.0	128	26	26	34	42	42	42	42
1750-2499	5	17.0	93	8	8	14	22	33	33	33
2500+	8	6.9	25	1	1	6	11	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.6	4	1	1	2	3	4	5	7
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	230	6.9	87	2	2	3	6	16	28	45
B. *Operated*	19	22.0	401	1	2	14	38	61	84	99+
1. SINGLE DX	379	2.6	4	1	1	2	3	4	5	7
2. MULTIPLE DX	249	8.1	126	2	2	4	7	21	36	68
A. NOT OPERATED	608	4.2	40	1	1	3	4	6	12	38
B. OPERATED	20	21.1	396	2	3	14	37	60	83	99+
TOTAL 1-999 G	2	68.5	1	68	68	69	92	99+	99+	99+
1000-1499	11	37.0	160	12	18	39	43	53	53	53
1500-1749	9	30.9	129	16	18	29	37	48	52	52
1750-2499	95	6.5	42	1	2	4	9	16	21	31
2500+	511	3.0	6	1	1	3	3	5	6	13
GRAND TOTAL	**628**	**4.8**	**60**	**1**	**1**	**3**	**4**	**8**	**18**	**45**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	<1	<1	1	2	3	4	4
20-34	7	3.3	13	<1	<1	2	4	10	11	11
35-49	4	2.3		2	2	2	3	3	3	3
50-64										
65+	4	7.0	76	2	2	3	12	20	20	20
B. *Operated*										
0-19 YRS	455	2.4	4	<1	1	2	3	4	5	7
20-34	719	2.6	3	<1	1	2	3	5	6	9
35-49	325	2.6	3	<1	<1	2	3	5	6	11
50-64	269	3.0	8	<1	1	2	3	5	7	12
65+	183	4.1	21	<1	1	3	5	8	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
20-34	12	2.3	14	<1	<1	1	2	6	13	14
35-49	3	1.0		1	1	1	1	1	1	1
50-64	5	1.8	3	<1	<1	1	2	5	5	5
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	115	3.6	16	1	1	3	4	7	9	21
20-34	145	4.2	54	1	1	3	5	6	10	25
35-49	106	4.4	11	2	2	3	5	9	11	18
50-64	108	4.6	14	1	2	3	6	10	12	18
65+	144	7.7	72	2	2	5	9	16	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.1	16	<1	<1	2	3	4	13	20
B. *Operated*	1951	2.8	6	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	25	2.2	8	<1	<1	1	2	5	8	14
B. *Operated*	618	5.0	39	1	2	3	6	9	13	34
1. SINGLE DX	1976	2.8	6	<1	1	2	3	5	6	12
2. MULTIPLE DX	643	4.9	38	1	1	3	5	9	13	33
A. NOT OPERATED	50	2.7	12	<1	<1	2	2	5	11	20
B. OPERATED	2569	3.3	15	<1	1	2	4	6	8	17
TOTAL 0-19 YRS	583	2.6	6	<1	1	2	3	4	6	10
20-34	883	2.9	12	<1	1	2	3	5	6	13
35-49	438	3.1	6	<1	1	2	4	5	7	13
50-64	382	3.4	10	<1	1	3	4	6	8	17
65+	333	5.7	47	1	2	4	6	12	16	40
GRAND TOTAL	**2619**	**3.3**	**15**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	28.0		28	28	28	28	28	28	28
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	4	1.8	2	<1	<1	1	2	4	4	4
35-49	8	1.5	1	<1	<1	1	2	3	3	3
50-64	119	1.4	1	1	1	1	2	2	2	7
65+	257	1.2	1	1	1	1	1	1	2	5
B. *Operated*										
0-19 YRS	4	4.8	10	2	2	4	7	9	9	9
20-34	17	5.2	32	<1	<1	3	6	14	19	21
35-49	18	6.4	98	<1	<1	3	8	11	31	44
50-64	18	4.3	15	1	1	3	5	11	14	14
65+	12	4.3	8	1	2	4	4	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	4	9.3	158	2	2	4	16	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	394	1.3	1	1	1	1	1	2	2	5
B. *Operated*	69	5.1	38	<1	1	3	5	12	14	40
1. SINGLE DX	6	6.7	111	1	1	2	5	26	28	28
2. MULTIPLE DX	463	1.8	8	1	1	1	2	3	5	13
A. NOT OPERATED	396	1.3	1	1	1	1	1	2	2	5
B. OPERATED	73	5.3	44	<1	1	3	5	12	14	40
TOTAL 0-19 YRS	10	2.9	6	1	1	2	3	7	9	9
20-34	21	4.6	28	<1	<1	3	5	13	17	21
35-49	27	5.7	89	<1	<1	2	5	11	30	44
50-64	138	1.8	4	1	1	1	2	3	5	13
65+	273	1.3	1	1	1	1	1	2	3	8
GRAND TOTAL	**469**	**1.9**	**9**	**1**	**1**	**1**	**2**	**3**	**5**	**14**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1109	2.5	17	<1	<1	2	3	4	7	16
20-34	1470	2.7	15	<1	<1	2	3	5	7	21
35-49	497	3.0	16	<1	<1	2	4	6	9	18
50-64	567	2.9	16	<1	<1	2	3	5	9	24
65+	441	5.2	115	<1	<1	2	5	10	24	95
B. *Operated*										
0-19 YRS	526	3.4	10	<1	1	2	4	8	10	16
20-34	1801	3.1	8	<1	<1	2	4	6	8	12
35-49	844	3.8	13	<1	<1	2	5	8	11	18
50-64	592	4.5	20	1	1	3	6	11	13	19
65+	510	4.6	25	1	1	2	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1097	4.1	47	<1	1	2	4	7	12	30
20-34	1607	5.0	78	<1	1	3	5	8	24	46
35-49	2369	4.1	44	<1	1	2	4	8	15	35
50-64	5313	3.7	31	1	1	2	4	6	10	30
65+	5563	5.5	77	1	1	3	5	12	22	53
B. *Operated*										
0-19 YRS	473	5.8	64	1	1	3	7	13	20	77
20-34	1382	5.0	74	<1	1	3	5	9	17	65
35-49	1275	6.0	70	1	1	3	7	12	20	45
50-64	1586	6.2	69	1	1	3	8	13	19	43
65+	1869	7.3	98	1	1	4	9	16	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4084	3.0	27	<1	<1	2	3	5	9	25
B. *Operated*	4273	3.6	14	<1	<1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	15949	4.5	56	1	1	2	4	8	16	43
B. *Operated*	6585	6.2	79	1	1	3	7	13	21	52
1. SINGLE DX	8357	3.3	20	<1	<1	2	4	7	10	19
2. MULTIPLE DX	22534	5.0	63	1	1	3	5	10	18	45
A. NOT OPERATED	20033	4.2	50	<1	1	2	4	8	15	42
B. OPERATED	10858	5.2	55	<1	1	3	6	11	16	43
TOTAL 0-19 YRS	3205	3.7	34	<1	<1	2	4	8	11	30
20-34	6260	3.9	43	<1	<1	2	4	7	11	38
35-49	4985	4.4	44	<1	1	2	5	9	14	35
50-64	8058	4.2	38	1	1	2	4	9	13	32
65+	8383	5.8	81	1	1	3	6	13	23	52
GRAND TOTAL	**30891**	**4.6**	**52**	**<1**	**1**	**2**	**5**	**9**	**15**	**42**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease—*see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
25	Pancreas
19	Pharynx
44	Pituitary gland
35	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

1.8

Length of Stay by Operation, Southern Region, 1983

A Companion Volume To
Length of Stay
by Diagnosis,
Southern Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] ***ICD-9-CM List B: Hospital Procedure Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	1		261
Criteria for admission			
1. Diastolic BP ≥ 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Depais or fever ≥ 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — see also Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56342	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	28	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56342	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	28	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113989	3.2	11	<1	1	2	4	6	8	17
20-34	207747	3.6	10	1	1	3	4	6	8	15
35-49	92584	4.8	20	1	1	4	6	10	12	21
50-64	77800	5.6	26	1	2	4	7	11	15	25
65+	80073	6.5	41	1	2	4	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	91798	5.3	60	1	1	3	5	10	17	47
20-34	188763	5.4	33	1	2	4	6	9	13	31
35-49	154794	7.0	45	1	2	5	8	13	18	36
50-64	199907	8.4	65	2	2	6	10	17	22	43
65+	327997	10.4	90	2	3	8	13	21	28	51
TOT. SINGLE DX	572193	4.4	20	1	1	3	5	9	12	22
" MULTIPLE DX	962259	8.0	68	2	2	6	10	16	23	44
TOTAL 0-19 YRS	205787	4.1	34	1	1	3	4	8	11	32
20-34	396510	4.5	22	1	1	3	5	8	11	23
35-49	247378	6.2	37	1	2	5	8	12	16	31
50-64	276707	7.7	56	2	2	6	10	15	20	39
65+	408070	9.7	83	2	2	7	12	20	26	48
GRAND TOTAL	**1534452**	**6.6**	**53**	**1**	**2**	**4**	**8**	**14**	**19**	**38**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	109	10.9	84	2	2	10	14	18	24	57
20-34	87	11.6	51	3	4	11	16	18	21	43
35-49	123	13.2	128	3	4	11	16	23	26	77
50-64	138	14.4	93	5	7	11	17	27	40	56
65+	129	16.5	138	6	7	14	19	29	35	81
2. MULTIPLE DX										
0-19 YRS	142	17.7	239	3	4	14	22	38	59	99+
20-34	114	25.2	505	5	8	16	36	71	97	99+
35-49	160	21.3	306	5	8	15	26	50	75	99+
50-64	311	20.8	197	6	8	17	27	45	55	99+
65+	390	22.9	251	7	8	18	29	45	60	90
TOT. SINGLE DX	586	13.6	106	3	5	11	16	24	31	65
" MULTIPLE DX	1117	21.7	271	5	7	17	27	47	64	99+
TOTAL 0-19 YRS	251	14.8	183	2	4	11	18	28	48	95
20-34	201	19.3	353	4	5	13	22	46	75	99+
35-49	283	17.8	245	4	5	13	21	36	56	97
50-64	449	18.9	174	6	7	15	24	41	52	99+
65+	519	21.3	231	7	8	17	27	41	56	85
GRAND TOTAL	**1703**	**18.9**	**229**	**4**	**6**	**15**	**23**	**40**	**55**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(5)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	76	10.5	129	4	4	8	11	19	32	97
20-34	65	15.0	203	3	4	11	18	31	46	98
35-49	66	16.2	260	2	4	12	17	33	67	75
50-64	65	15.3	166	4	5	11	17	31	39	77
65+	48	17.0	114	6	7	15	22	29	32	58
2. MULTIPLE DX										
0-19 YRS	76	18.8	411	4	5	11	23	58	79	96
20-34	70	20.9	314	5	7	14	29	56	77	99+
35-49	92	20.1	168	5	7	17	27	43	52	99+
50-64	118	22.4	302	7	8	16	29	53	59	92
65+	127	22.1	169	7	8	20	30	43	48	99+
TOT. SINGLE DX	320	14.5	180	3	5	11	17	29	43	88
" MULTIPLE DX	483	21.1	260	5	7	16	27	47	60	99+
TOTAL 0-19 YRS	152	14.7	286	4	4	9	16	30	71	99
20-34	135	18.0	268	4	5	13	22	48	74	99+
35-49	158	18.4	209	4	6	14	23	41	55	97
50-64	183	19.8	264	5	7	14	24	45	56	87
65+	175	20.7	159	6	8	18	27	39	47	93
GRAND TOTAL	**803**	**18.5**	**238**	**4**	**6**	**14**	**24**	**42**	**57**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	154	6.6	26	3	3	6	7	10	12	39
20-34	58	5.8	9	2	2	5	8	10	11	16
35-49	34	8.9	59	2	3	8	11	12	17	47
50-64	15	7.4	16	2	3	6	10	11	16	18
65+	5	10.4	33	4	4	10	15	18	18	18
2. MULTIPLE DX										
0-19 YRS	91	11.9	181	3	4	8	11	24	34	80
20-34	53	14.5	247	3	4	9	15	43	77	99+
35-49	50	18.2	283	5	5	13	20	39	63	77
50-64	23	12.5	99	2	3	10	15	31	38	39
65+	12	24.1	261	4	5	24	32	46	57	59
TOT. SINGLE DX	266	6.9	27	2	3	6	8	11	13	37
" MULTIPLE DX	229	14.6	222	3	4	9	17	33	51	93
TOTAL 0-19 YRS	245	8.6	90	3	3	6	9	16	23	52
20-34	111	10.0	141	2	3	7	10	21	42	99+
35-49	84	14.4	212	3	4	10	16	31	46	76
50-64	38	10.5	72	2	3	9	13	17	34	39
65+	17	20.1	230	4	5	15	31	39	52	59
GRAND TOTAL	**495**	**10.4**	**132**	**3**	**3**	**7**	**11**	**20**	**34**	**75**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	174	6.6	24	3	3	6	8	10	13	30
20-34	12	9.5	9	5	6	9	12	14	14	14
35-49	5	9.8	45	4	4	9	13	21	21	21
50-64	8	16.0	98	4	5	13	22	32	35	35
65+	24	18.3	145	7	8	16	18	37	45	62
2. MULTIPLE DX										
0-19 YRS	170	18.0	388	3	4	10	23	58	84	99+
20-34	19	15.9	74	5	7	15	20	34	69	99+
35-49	10	29.1	482	6	6	21	42	66	70	70
50-64	35	21.3	177	6	9	19	30	40	59	99+
65+	80	30.5	372	8	9	27	43	59	68	99+
TOT. SINGLE DX	223	8.4	54	3	3	7	10	16	21	39
" MULTIPLE DX	314	21.8	372	4	5	15	31	58	74	99+
TOTAL 0-19 YRS	344	12.2	237	3	3	7	12	30	58	99+
20-34	31	13.5	59	5	6	12	16	29	37	99+
35-49	15	22.7	412	4	5	16	27	62	68	70
50-64	43	20.3	164	5	8	18	28	38	49	99+
65+	104	27.7	345	8	9	21	39	58	64	99+
GRAND TOTAL	**537**	**16.2**	**284**	**3**	**3**	**10**	**21**	**42**	**62**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	254	6.5	34	2	3	5	8	11	18	36
20-34	34	11.9	94	2	3	8	19	25	34	37
35-49	24	7.5	16	2	3	7	10	13	15	17
50-64	16	13.3	136	2	2	10	20	29	39	43
65+	14	15.4	220	4	5	9	15	46	49	50
2. MULTIPLE DX										
0-19 YRS	352	12.4	183	2	3	7	15	31	49	85
20-34	58	21.5	369	3	4	16	36	63	87	99+
35-49	20	22.6	346	3	4	21	43	81	99+	99+
50-64	46	22.7	539	3	4	13	35	80	87	99+
65+	46	26.0	480	2	4	18	47	61	64	89
TOT. SINGLE DX	342	7.8	57	2	3	5	9	16	23	43
" MULTIPLE DX	522	15.9	291	2	3	9	21	47	61	99+
TOTAL 0-19 YRS	606	9.9	129	2	3	6	11	23	35	65
20-34	92	17.9	287	3	3	13	26	51	65	99+
35-49	44	14.3	220	2	3	10	17	44	78	99+
50-64	62	20.3	448	2	3	12	28	57	85	99+
65+	60	23.5	435	3	4	15	37	57	63	87
GRAND TOTAL	864	12.7	214	2	3	7	15	34	51	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	11.5	29	4	5	10	16	19	21	23
20-34	206	9.8	27	4	5	8	12	17	20	30
35-49	469	10.6	34	4	5	9	13	17	22	33
50-64	372	11.3	36	5	6	10	13	18	23	33
65+	202	13.1	65	5	7	11	16	21	26	39
2. MULTIPLE DX										
0-19 YRS	50	19.5	227	5	5	14	28	42	48	64
20-34	174	16.1	200	5	6	12	19	30	49	96
35-49	396	13.7	98	5	6	11	16	24	37	66
50-64	547	15.7	130	5	7	12	19	28	37	79
65+	506	19.6	157	7	8	16	25	35	43	85
TOT. SINGLE DX	1269	11.1	40	5	5	9	13	19	23	33
" MULTIPLE DX	1673	16.6	146	5	7	13	20	31	41	81
TOTAL 0-19 YRS	70	17.2	183	5	5	12	20	36	47	64
20-34	380	12.7	116	4	5	10	15	22	30	81
35-49	865	12.0	66	5	5	10	14	20	27	50
50-64	919	13.9	97	5	6	11	16	24	32	61
65+	708	17.8	139	6	8	15	22	31	41	81
GRAND TOTAL	2942	14.2	108	5	6	11	17	26	34	63

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	10.5	48	2	3	9	14	19	25	33
20-34	191	7.1	56	2	2	5	9	15	20	29
35-49	195	6.9	34	2	2	5	9	13	18	30
50-64	113	8.3	54	1	2	6	11	16	22	38
65+	43	11.4	131	1	2	8	16	27	36	51
2. MULTIPLE DX										
0-19 YRS	89	17.8	180	3	4	15	24	38	45	87
20-34	107	14.4	184	3	4	11	18	28	44	78
35-49	165	11.7	113	2	3	9	15	25	28	53
50-64	150	16.0	176	3	4	13	19	30	46	67
65+	122	20.5	225	3	5	17	25	40	49	77
TOT. SINGLE DX	596	7.9	55	2	2	5	10	16	22	32
" MULTIPLE DX	633	15.7	180	2	3	12	20	32	45	70
TOTAL 0-19 YRS	143	15.0	142	2	3	12	20	33	40	69
20-34	298	9.7	114	2	2	7	13	20	27	60
35-49	360	9.1	76	2	2	7	11	19	25	46
50-64	263	12.7	138	2	3	10	16	24	33	61
65+	165	18.1	216	2	3	15	23	35	46	73
GRAND TOTAL	1229	11.9	135	2	2	9	16	25	34	61

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	2.8	6	<1	1	2	3	5	10	13
20-34	166	3.1	5	<1	1	2	4	6	8	14
35-49	308	3.1	7	<1	1	2	3	5	9	16
50-64	364	3.2	7	1	1	2	3	5	10	16
65+	185	3.2	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	33	5.2	17	1	1	4	8	12	14	15
20-34	91	6.3	38	1	2	4	9	14	16	35
35-49	159	5.3	36	1	2	3	5	11	17	34
50-64	219	5.5	33	1	2	4	6	12	17	36
65+	148	6.9	53	2	2	4	9	17	26	39
TOT. SINGLE DX	1063	3.1	7	<1	1	2	3	5	8	15
" MULTIPLE DX	650	5.8	39	1	2	3	7	13	18	36
TOTAL 0-19 YRS	73	3.9	13	1	1	2	5	10	12	15
20-34	257	4.2	19	<1	1	3	4	9	13	21
35-49	467	3.9	18	<1	1	3	4	7	12	21
50-64	583	4.1	18	1	2	3	4	9	12	23
65+	333	4.8	29	2	2	3	5	10	16	34
GRAND TOTAL	1713	4.2	20	1	1	3	4	9	12	25

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	2.7	3	<1	1	2	3	5	6	12
20-34	722	2.5	3	<1	1	2	3	4	6	10
35-49	1141	2.4	3	<1	1	2	3	4	5	9
50-64	958	2.5	4	<1	1	2	3	4	6	10
65+	583	2.7	8	<1	1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	104	3.3	13	1	1	2	3	8	13	56
20-34	416	3.8	20	1	1	2	4	8	11	19
35-49	561	4.1	14	1	2	3	5	9	12	20
50-64	707	4.5	25	1	2	3	5	9	13	24
65+	467	5.9	35	1	2	4	7	14	19	27
TOT. SINGLE DX	3522	2.5	5	<1	1	2	3	4	6	10
" MULTIPLE DX	2255	4.5	24	1	1	3	5	10	13	23
TOTAL 0-19 YRS	222	3.0	9	1	1	2	3	5	10	19
20-34	1138	3.0	10	<1	1	2	3	5	8	15
35-49	1702	3.0	8	<1	1	2	3	5	8	15
50-64	1665	3.4	14	<1	1	2	4	6	9	20
65+	1050	4.1	23	1	1	2	4	9	14	23
GRAND TOTAL	5777	3.3	13	<1	1	2	3	6	9	19

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	28	7.2	39	3	4	6	7	11	16	36
35-49	25	8.7	24	1	3	8	12	16	17	20
50-64	24	9.3	35	2	3	8	13	18	20	24
65+	36	12.3	78	3	5	9	12	24	34	45
2. MULTIPLE DX										
0-19 YRS										
20-34	34	6.9	20	3	4	6	7	11	17	26
35-49	37	9.8	29	3	4	9	13	18	21	22
50-64	87	14.1	90	4	5	12	18	32	34	79
65+	188	16.1	97	6	8	13	20	30	37	55
TOT. SINGLE DX	113	9.6	50	3	3	8	12	18	23	40
" MULTIPLE DX	346	14.0	90	4	5	12	18	28	34	52
TOTAL 0-19 YRS										
20-34	62	7.0	29	3	4	6	7	11	17	35
35-49	62	9.3	27	2	4	8	13	16	20	22
50-64	111	13.1	82	3	4	11	17	29	33	66
65+	224	15.5	96	6	7	12	19	29	37	53
GRAND TOTAL	459	12.9	83	4	5	10	16	26	33	50

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	32	5.8	20	<1	1	4	9	10	11	24
35-49	31	6.6	35	1	1	5	8	15	18	30
50-64	31	6.9	41	1	1	4	8	13	24	30
65+	13	5.1	6	1	1	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	7	8.1	188	1	1	4	6	32	39	39
20-34	20	8.2	53	1	1	5	12	19	23	27
35-49	50	10.2	91	1	1	7	12	26	31	40
50-64	49	10.8	149	1	1	7	12	20	34	70
65+	63	11.9	126	1	1	10	14	22	26	72
TOT. SINGLE DX	129	6.2	30	2	2	5	8	11	17	30
" MULTIPLE DX	189	10.6	114	2	2	7	14	22	30	62
TOTAL 0-19 YRS	9	7.6	144	1	1	4	6	26	39	39
20-34	52	6.7	34	1	1	5	9	14	20	27
35-49	101	8.4	61	1	1	5	10	18	29	36
50-64	80	9.1	111	1	1	6	10	18	27	54
65+	76	10.7	112	1	1	8	15	21	26	66
GRAND TOTAL	318	8.8	84	2	2	6	11	19	26	43

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	4.0	6	2	2	4	4	5	6	18
20-34	610	4.3	5	2	3	4	5	6	8	14
35-49	689	4.4	9	2	3	4	5	6	8	14
50-64	555	4.4	2	3	3	4	5	6	7	10
65+	278	5.1	7	2	3	4	6	8	10	18
2. MULTIPLE DX										
0-19 YRS	38	5.3	19	2	3	4	6	8	12	27
20-34	283	5.4	15	2	3	4	6	9	13	23
35-49	486	5.8	21	3	3	5	6	10	13	21
50-64	524	6.6	23	3	3	5	8	12	16	26
65+	383	9.2	98	3	3	6	11	16	21	67
TOT. SINGLE DX	2233	4.4	6	2	3	4	5	6	8	13
" MULTIPLE DX	1714	6.7	40	3	3	5	7	12	16	33
TOTAL 0-19 YRS	139	4.4	10	2	2	4	4	6	9	23
20-34	893	4.6	9	2	3	4	5	7	10	20
35-49	1175	5.0	15	2	3	4	5	7	10	17
50-64	1079	5.4	14	3	3	4	6	9	12	22
65+	661	7.5	64	3	3	5	8	14	18	45
GRAND TOTAL	3947	5.4	22	2	3	4	6	9	12	22

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	243	2.3	1	1	1	2	3	4	4	9
20-34	103	3.3	3	1	2	3	4	6	7	9
35-49	63	4.3	20	1	2	3	5	7	10	31
50-64	83	4.2	8	1	2	3	5	7	9	18
65+	42	5.1	14	2	2	4	6	11	15	18
2. MULTIPLE DX										
0-19 YRS	45	4.0	22	1	1	3	4	8	11	29
20-34	62	7.6	50	2	3	5	9	15	17	47
35-49	107	7.0	23	2	3	6	9	14	18	25
50-64	169	8.7	54	3	3	6	10	17	23	37
65+	180	12.2	144	3	4	7	15	28	36	55
TOT. SINGLE DX	534	3.3	7	1	1	3	4	6	8	14
" MULTIPLE DX	563	9.0	80	2	3	6	10	18	26	45
TOTAL 0-19 YRS	288	2.6	5	1	1	2	3	4	5	11
20-34	165	4.9	25	1	2	3	5	9	13	18
35-49	170	6.0	24	2	2	5	7	11	15	26
50-64	252	7.2	44	2	2	5	8	15	20	34
65+	222	10.9	128	2	3	7	12	25	35	53
GRAND TOTAL	1097	6.2	53	1	2	4	7	13	19	37

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	7.3	20	2	3	7	9	12	19	20
20-34	42	10.0	27	5	6	9	11	16	18	35
35-49	39	11.2	32	2	3	10	15	19	22	26
50-64	17	12.4	38	6	7	10	15	23	27	28
65+	11	9.5	9	5	6	9	11	14	16	16
2. MULTIPLE DX										
0-19 YRS	20	14.8	143	5	6	10	17	33	45	51
20-34	42	12.9	51	6	7	11	15	19	26	44
35-49	60	16.2	131	6	7	13	20	29	36	68
50-64	59	15.4	82	4	7	14	19	25	30	54
65+	47	16.7	105	5	7	15	22	31	34	56
TOT. SINGLE DX	132	10.2	29	3	5	9	12	17	20	29
" MULTIPLE DX	228	15.3	99	6	7	13	19	28	33	55
TOTAL 0-19 YRS	43	10.7	90	3	4	8	11	21	31	51
20-34	84	11.5	41	6	7	9	14	17	23	41
35-49	99	14.3	98	3	6	11	17	26	31	59
50-64	76	14.7	73	5	7	13	17	25	28	52
65+	58	15.3	94	5	6	13	20	29	33	54
GRAND TOTAL	360	13.4	80	4	6	11	16	24	30	51

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	1.5	1	<1	<1	1	2	2	3	8
20-34	19	2.0	2	<1	<1	2	2	3	6	8
35-49	39	2.3	3	<1	<1	2	3	4	5	11
50-64	77	2.1	1	<1	<1	2	2	3	4	7
65+	118	2.4	4	<1	<1	2	2	4	6	12
3. MULTIPLE DX										
0-19 YRS	24	2.5	10	<1	<1	2	3	4	9	17
20-34	13	6.7	56	<1	1	4	8	20	24	25
35-49	55	5.3	38	1	1	3	6	10	22	31
50-64	97	5.3	41	1	1	3	5	11	19	37
65+	182	4.8	27	1	1	3	5	10	14	25
TOT. SINGLE DX	391	2.0	3	<1	<1	2	2	3	5	10
" MULTIPLE DX	371	4.9	33	1	1	3	5	10	15	28
TOTAL 0-19 YRS	162	1.7	3	<1	<1	1	2	3	4	9
20-34	32	3.9	29	<1	<1	2	4	9	18	25
35-49	94	4.1	26	<1	1	2	5	7	11	30
50-64	174	3.8	26	<1	1	2	4	9	12	25
65+	300	3.9	20	<1	1	2	4	8	12	22
GRAND TOTAL	762	3.4	20	<1	1	2	3	7	11	25

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	290	1.9	1	<1	<1	2	2	3	3	8
20-34	123	1.9	1	<1	<1	2	2	3	5	7
35-49	128	1.8	1	<1	<1	2	2	3	4	6
50-64	192	1.8	1	<1	<1	2	2	3	4	8
65+	363	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	194	2.8	5	<1	1	2	3	6	8	17
20-34	211	3.3	11	<1	1	2	4	7	9	20
35-49	210	3.7	16	<1	1	2	4	8	11	20
50-64	255	3.7	66	1	1	2	3	6	8	37
65+	432	4.8	57	1	1	2	4	11	16	43
TOT. SINGLE DX	1096	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	1302	3.9	38	1	1	2	4	8	12	28
TOTAL 0-19 YRS	484	2.3	4	<1	1	2	3	4	6	11
20-34	334	2.8	9	<1	<1	2	3	6	8	16
35-49	338	3.0	12	<1	<1	2	3	6	9	18
50-64	447	2.9	39	<1	1	2	3	5	7	17
65+	795	3.5	34	<1	1	2	3	6	12	28
GRAND TOTAL	2398	3.0	22	<1	1	2	3	5	8	20

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	2.2	3	<1	1	2	2	4	6	10
20-34	43	2.1	1	1	1	2	2	3	4	7
35-49	50	2.5	3	<1	1	2	3	4	4	12
50-64	70	2.5		1	1	2	3	4	4	6
65+	88	2.6	2	1	2	2	3	3	4	11
2. MULTIPLE DX										
0-19 YRS	32	2.7	2	1	1	2	3	5	6	7
20-34	31	3.7	16	1	2	3	3	7	10	23
35-49	31	2.9	2	2	2	3	3	4	5	10
50-64	43	3.6	9	2	2	3	4	5	10	19
65+	136	3.1	9	2	2	3	3	4	5	13
TOT. SINGLE DX	312	2.4	2	1	1	2	3	3	4	10
" MULTIPLE DX	273	3.2	8	1	2	3	3	5	6	17
TOTAL 0-19 YRS	93	2.3	3	1	1	2	3	5	6	10
20-34	74	2.8	8	1	1	2	3	4	7	20
35-49	81	2.7	3	<1	1	2	3	4	5	11
50-64	113	2.9	4	1	2	3	3	4	4	13
65+	224	2.9	6	2	2	2	3	4	5	11
GRAND TOTAL	585	2.8	5	1	1	2	3	4	6	10

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	1.8	4	<1	<1	1	2	2	7	11
20-34	14	2.6	4	<1	<1	2	4	5	8	9
35-49	8	2.4	4	<1	<1	2	4	6	6	6
50-64	6	1.7		<1	<1	2	2	2	2	2
65+	17	2.8	7	<1	<1	2	3	5	10	12
2. MULTIPLE DX										
0-19 YRS	17	5.2	76	1	1	3	5	8	28	38
20-34	6	7.3	38	<1	<1	6	13	16	16	16
35-49	1	2.0		2	2	2	2	2	2	2
50-64	16	4.1	22	1	1	2	4	11	16	18
65+	21	4.1	12	<1	1	3	6	10	12	14
TOT. SINGLE DX	65	2.3	5	<1	<1	2	2	5	7	12
" MULTIPLE DX	61	4.7	34	1	1	2	6	11	15	36
TOTAL 0-19 YRS	37	3.4	40	<1	1	1	3	6	10	38
20-34	20	4.0	18	<1	<1	2	5	11	14	16
35-49	9	2.3	4	<1	<1	2	3	6	6	6
50-64	22	3.4	17	<1	1	2	2	10	14	18
65+	38	3.5	11	<1	<1	2	4	9	11	14
GRAND TOTAL	126	3.4	21	<1	1	2	4	9	11	23

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	5.3	5	3	3	5	6	8	10	13
20-34	28	4.1	8	1	2	3	5	7	12	13
35-49	21	3.2	2	1	1	3	4	5	6	6
50-64	21	4.0	6	1	1	4	5	6	9	12
65+	104	3.5	2	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	36	7.0	39	3	3	5	7	13	21	35
20-34	13	4.2	2	2	2	4	5	6	7	7
35-49	15	3.3	1	2	2	4	4	4	5	5
50-64	43	6.2	60	2	3	4	6	9	14	53
65+	187	4.6	9	1	2	4	5	7	11	19
TOT. SINGLE DX	195	3.8	4	1	2	4	5	6	7	13
" MULTIPLE DX	294	5.0	21	1	2	4	5	8	12	24
TOTAL 0-19 YRS	57	6.4	27	3	3	5	6	11	16	34
20-34	41	4.1	6	1	2	4	5	7	9	13
35-49	36	3.3	2	1	2	3	4	5	5	6
50-64	64	5.5	44	1	2	4	5	8	12	48
65+	291	4.2	8	1	1	4	5	7	9	16
GRAND TOTAL	**489**	**4.5**	**15**	**1**	**2**	**4**	**5**	**7**	**10**	**19**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.7	6	<1	1	3	5	6	8	14
20-34	112	2.5	3	<1	1	2	3	5	6	9
35-49	95	2.5	3	<1	<1	2	3	5	6	11
50-64	80	2.2	1	<1	1	2	2	4	5	7
65+	65	3.0	13	<1	<1	2	3	5	12	21
2. MULTIPLE DX										
0-19 YRS	75	5.1	32	1	1	4	6	9	11	37
20-34	42	4.6	15	1	1	4	6	8	12	23
35-49	57	4.8	13	<1	1	4	6	10	13	16
50-64	57	3.1	6	<1	1	2	4	7	8	15
65+	93	3.7	14	1	1	2	4	7	14	20
TOT. SINGLE DX	454	2.8	5	<1	1	2	4	5	6	13
" MULTIPLE DX	324	4.2	18	1	1	3	5	8	11	21
TOTAL 0-19 YRS	177	4.3	18	1	1	4	5	7	10	24
20-34	154	3.1	7	<1	1	2	4	6	8	13
35-49	152	3.3	9	<1	<1	2	5	7	10	15
50-64	137	2.6	4	<1	1	2	3	5	7	9
65+	158	3.4	14	<1	1	2	3	7	13	20
GRAND TOTAL	**778**	**3.4**	**11**	**<1**	**1**	**2**	**4**	**6**	**9**	**16**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.7	105	1	1	2	3	3	5	73
20-34	23	4.6	28	1	2	3	5	8	18	26
35-49	39	2.7	2	1	1	2	3	5	6	7
50-64	90	3.2	4	1	2	3	4	5	7	13
65+	195	2.8	3	1	1	2	3	4	7	11
2. MULTIPLE DX										
0-19 YRS	34	5.1	50	1	2	3	5	11	16	40
20-34	27	4.6	10	2	2	3	6	9	12	15
35-49	26	5.0	43	1	2	3	4	12	17	34
50-64	74	4.5	15	2	2	3	5	10	15	20
65+	187	5.0	39	1	2	3	5	10	13	31
TOT. SINGLE DX	395	3.1	17	1	1	2	3	5	7	13
" MULTIPLE DX	348	4.9	33	1	2	3	5	10	14	34
TOTAL 0-19 YRS	82	4.3	82	1	1	2	3	6	13	62
20-34	50	4.6	18	2	2	3	5	8	14	26
35-49	65	3.6	20	1	1	3	4	5	8	31
50-64	164	3.8	10	1	2	3	4	7	10	19
65+	382	3.9	22	1	1	3	4	7	10	19
GRAND TOTAL	**743**	**3.9**	**26**	**1**	**2**	**3**	**4**	**7**	**10**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	4.6	9	1	1	4	6	9	11	14
20-34	29	3.9	7	1	1	3	5	7	9	15
35-49	33	3.0	5	1	1	2	3	8	9	10
50-64	60	2.8	3	1	1	2	4	5	7	10
65+	135	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	43	5.0	12	1	2	4	7	10	13	17
20-34	23	5.3	9	2	2	5	6	11	12	13
35-49	29	4.4	10	1	1	4	5	8	13	13
50-64	63	6.9	129	1	2	4	6	12	24	73
65+	182	5.8	63	1	2	3	7	13	17	29
TOT. SINGLE DX	307	3.2	5	1	1	2	4	6	8	11
" MULTIPLE DX	340	5.7	61	1	2	4	6	12	16	36
TOTAL 0-19 YRS	93	4.8	11	1	1	4	6	9	12	16
20-34	52	4.5	9	1	2	4	6	8	12	15
35-49	62	3.7	8	1	1	3	5	8	10	13
50-64	123	4.9	72	1	1	3	5	8	12	48
65+	317	4.4	40	1	1	3	5	10	14	25
GRAND TOTAL	**647**	**4.5**	**36**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.4	1	<1	1	2	3	4	5	5
20-34	11	2.2	2	<1	<1	2	3	4	6	6
35-49	165	2.4	1	1	2	2	3	3	4	7
50-64	1093	2.4	1	1	2	2	3	3	4	6
65+	4330	2.5	1	1	2	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	21	4.1	13	1	1	2	6	9	12	14
20-34	12	3.3	2	1	1	3	4	6	7	7
35-49	128	3.5	10	2	2	3	4	5	7	21
50-64	862	3.4	12	1	2	3	3	5	8	19
65+	4059	3.2	11	2	2	2	3	5	7	15
TOT. SINGLE DX	5620	2.5	2	1	2	2	3	3	4	7
" MULTIPLE DX	5082	3.3	12	2	2	2	3	5	7	16
TOTAL 0-19 YRS	42	3.3	8	1	1	2	4	8	9	14
20-34	23	2.7	3	<1	1	2	3	5	6	7
35-49	293	2.9	6	1	2	2	3	4	6	15
50-64	1955	2.8	6	1	2	2	3	4	5	12
65+	8389	2.8	7	1	2	2	3	4	5	12
GRAND TOTAL	**10702**	**2.8**	**7**	**1**	**2**	**2**	**3**	**4**	**5**	**12**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	2.4	2	1	1	2	2	3	4	11
20-34	52	2.3	1	1	1	2	3	4	5	6
35-49	480	2.2		1	1	2	2	3	4	5
50-64	2373	2.1		1	1	2	2	3	3	5
65+	9498	2.2	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	71	2.8	3	1	1	2	3	5	7	11
20-34	43	3.8	17	1	1	2	4	7	12	21
35-49	309	2.8	10	1	2	2	3	3	4	19
50-64	1766	2.7	6	1	2	2	3	4	5	13
65+	8314	2.7	8	1	2	2	3	4	6	14
TOT. SINGLE DX	12508	2.2	1	1	1	2	2	3	4	5
" MULTIPLE DX	10503	2.7	8	1	2	2	3	4	6	14
TOTAL 0-19 YRS	176	2.5	3	1	1	2	3	4	5	11
20-34	95	3.0	9	1	1	2	3	5	7	21
35-49	789	2.4	5	1	1	2	2	3	4	9
50-64	4139	2.4	4	1	1	2	2	3	4	9
65+	17812	2.4	5	1	2	2	2	3	4	10
GRAND TOTAL	**23011**	**2.4**	**4**	**1**	**2**	**2**	**2**	**3**	**4**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.6	1	1	1	2	4	4	4	4
20-34	7	1.6		<1	<1	1	2	3	3	3
35-49	52	2.1		1	1	2	2	3	3	5
50-64	304	2.1		1	1	2	2	3	3	6
65+	909	2.2		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	3	2.7		2	2	3	3	3	3	3
35-49	33	2.7	6	1	1	2	3	4	5	16
50-64	233	2.6	4	1	2	2	3	4	5	13
65+	801	2.8	7	1	2	2	3	4	6	14
TOT. SINGLE DX	1279	2.1	1	1	1	2	2	3	4	5
" MULTIPLE DX	1073	2.8	7	1	2	2	3	4	6	14
TOTAL 0-19 YRS	10	2.5	1	1	1	2	3	4	4	4
20-34	10	1.9	1	<1	<1	2	3	3	3	3
35-49	85	2.3	3	1	1	2	3	3	4	12
50-64	537	2.3	2	1	1	2	2	3	4	9
65+	1710	2.5	4	1	2	2	3	3	5	10
GRAND TOTAL	**2352**	**2.4**	**4**	**1**	**1**	**2**	**3**	**3**	**4**	**10**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	4.9	4	2	3	4	6	8	9	10
20-34	85	5.3	13	1	2	4	7	9	10	24
35-49	94	4.3	3	1	2	4	6	7	8	9
50-64	293	4.5	3	2	2	4	6	7	8	9
65+	261	4.7	5	2	2	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	46	5.2	11	1	2	5	6	9	12	20
20-34	65	6.7	38	2	3	5	8	11	15	43
35-49	94	6.4	14	2	3	5	8	10	15	20
50-64	273	6.0	12	2	3	5	7	10	13	19
65+	328	6.2	30	2	3	5	7	10	14	22
TOT. SINGLE DX	785	4.7	5	2	2	4	6	8	9	11
" MULTIPLE DX	806	6.1	22	2	3	5	7	10	14	20
TOTAL 0-19 YRS	98	5.0	8	1	2	4	6	8	9	17
20-34	150	5.9	25	2	2	5	7	9	12	28
35-49	188	5.4	10	2	2	5	7	9	10	18
50-64	566	5.2	8	2	2	5	6	8	10	17
65+	589	5.5	20	2	2	5	7	9	12	18
GRAND TOTAL	**1591**	**5.4**	**14**	**2**	**2**	**5**	**7**	**9**	**11**	**18**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.9	4	1	1	2	3	4	7	12
20-34	22	4.5	6	1	1	4	7	8	9	10
35-49	24	3.3	5	<1	1	2	5	7	8	8
50-64	46	3.6	5	2	2	3	4	8	9	11
65+	102	3.0	4	1	1	2	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	30	4.7	15	1	2	4	7	9	21	99+
20-34	44	6.1	28	2	2	5	7	12	15	32
35-49	52	5.5	20	2	2	4	6	9	15	24
50-64	120	5.2	23	1	2	4	6	10	14	30
65+	213	4.4	15	1	2	3	5	8	12	23
TOT. SINGLE DX	221	3.3	5	1	1	3	4	7	8	11
" MULTIPLE DX	459	4.9	20	1	2	4	6	9	13	28
TOTAL 0-19 YRS	57	3.8	11	1	1	3	4	7	12	94
20-34	66	5.6	21	2	2	5	7	10	12	30
35-49	76	4.8	16	1	1	4	6	8	13	23
50-64	166	4.7	19	1	2	3	5	9	13	27
65+	315	4.0	12	1	1	3	5	8	10	18
GRAND TOTAL	600	4.4	15	1	2	3	5	8	12	23

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1286	1.6		<1	1	2	2	2	2	3
20-34	234	1.9		1	1	2	2	2	3	4
35-49	135	1.9		1	1	2	2	2	3	4
50-64	55	2.0		1	1	2	2	2	3	4
65+	31	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	365	1.7		1	1	2	2	2	2	4
20-34	90	2.0		1	2	2	2	2	3	3
35-49	56	2.5	2	1	2	2	2	3	5	12
50-64	40	2.7	3	2	2	2	2	5	7	9
65+	39	2.6	5	1	1	2	2	4	7	15
TOT. SINGLE DX	1741	1.7		<1	1	2	2	2	2	3
" MULTIPLE DX	590	2.0	1	1	1	2	2	2	3	8
TOTAL 0-19 YRS	1651	1.6		<1	1	2	2	2	2	3
20-34	324	1.9		1	1	2	2	2	3	3
35-49	191	2.1	1	1	1	2	2	3	3	7
50-64	95	2.3	2	1	2	2	2	3	4	9
65+	70	2.3	3	1	1	2	2	3	4	14
GRAND TOTAL	2331	1.8	1	<1	1	2	2	2	2	4

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	1.9	1	<1	<1	2	2	4	4	4
20-34	4	2.3		2	2	2	3	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	14	2.0	1	<1	<1	2	2	3	4	4
" MULTIPLE DX	8	2.1	1	1	1	2	2	4	4	4
TOTAL 0-19 YRS	10	1.8	1	<1	<1	2	2	3	4	4
20-34	6	2.5	1	2	2	2	3	4	4	4
35-49	4	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	22	2.0	1	<1	1	2	2	3	4	4

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	2.8	6	<1	1	2	3	5	7	14
20-34	107	3.0	4	1	1	3	4	5	7	12
35-49	68	2.9	3	1	1	2	3	5	6	11
50-64	67	3.2	5	1	1	3	4	6	8	13
65+	124	3.2	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	84	5.1	37	1	2	3	5	12	20	33
20-34	101	5.8	105	2	2	3	5	10	15	63
35-49	99	5.1	39	1	1	3	5	10	16	39
50-64	94	4.6	16	1	2	3	5	9	11	26
65+	182	5.2	32	1	2	3	6	10	13	32
TOT. SINGLE DX	482	3.0	5	1	1	2	3	5	7	12
" MULTIPLE DX	560	5.2	45	1	2	3	5	10	14	34
TOTAL 0-19 YRS	200	3.8	21	1	1	2	4	7	11	28
20-34	208	4.4	55	1	1	3	4	7	11	34
35-49	167	4.2	26	1	1	3	4	8	12	33
50-64	161	4.0	12	1	2	3	5	8	10	23
65+	306	4.4	22	1	2	3	5	9	11	28
GRAND TOTAL	1042	4.2	27	1	1	3	4	8	11	27

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	281	2.0	1	<1	<1	2	2	3	5	7
20-34	107	2.4	6	<1	<1	2	3	4	6	15
35-49	48	2.2	1	1	1	2	3	4	5	8
50-64	55	2.7	4	<1	<1	2	3	6	9	10
65+	101	2.5	3	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	225	3.8	47	<1	1	2	4	6	9	39
20-34	129	5.1	36	<1	1	3	6	11	19	31
35-49	85	5.6	51	1	1	3	6	15	18	40
50-64	119	5.2	40	1	1	3	6	10	14	35
65+	235	7.2	81	1	2	4	9	17	24	48
TOT. SINGLE DX	592	2.3	3	<1	<1	2	2	4	6	10
" MULTIPLE DX	793	5.4	56	1	1	3	6	11	18	41
TOTAL 0-19 YRS	506	2.8	23	<1	1	2	3	5	7	15
20-34	236	3.9	25	<1	<1	2	4	8	11	26
35-49	133	4.4	36	1	1	2	4	8	16	37
50-64	174	4.4	30	<1	1	3	5	9	11	25
65+	336	5.8	63	<1	1	3	7	13	19	43
GRAND TOTAL	1385	4.1	36	<1	1	2	4	8	12	32

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.0		1	1	2	2	3	3	4
20-34	158	2.3		1	1	2	3	3	4	6
35-49	220	2.4		1	2	2	3	3	4	6
50-64	185	2.5		1	2	2	3	4	4	6
65+	61	2.9	3	1	2	2	3	4	5	13
2. MULTIPLE DX										
0-19 YRS	35	2.4		1	2	2	3	3	4	5
20-34	81	2.3		1	2	2	3	3	3	4
35-49	126	2.8	6	1	2	2	3	4	4	12
50-64	129	3.0	6	1	2	2	3	4	5	20
65+	54	2.8	1	1	2	3	3	4	4	10
TOT. SINGLE DX	671	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	425	2.7	4	1	2	2	3	4	4	10
TOTAL 0-19 YRS	82	2.1	1	1	1	2	3	3	4	5
20-34	239	2.3	1	1	2	2	3	3	4	5
35-49	346	2.6	3	1	2	2	3	4	4	7
50-64	314	2.7	3	1	2	2	3	4	5	9
65+	115	2.8	3	1	2	3	3	4	5	11
GRAND TOTAL	1096	2.5	2	1	2	2	3	4	4	7

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	689	1.9		1	1	2	2	3	3	4
20-34	372	2.0		1	1	2	2	3	3	4
35-49	265	2.1		1	1	2	2	3	3	4
50-64	188	2.2	1	1	1	2	2	3	3	5
65+	66	2.4	1	1	1	2	3	3	4	8
2. MULTIPLE DX										
0-19 YRS	433	2.1	1	1	1	2	2	3	3	6
20-34	310	2.4	2	1	2	2	3	3	5	8
35-49	279	2.4	1	1	2	2	3	3	4	8
50-64	226	2.9	9	1	2	2	3	4	5	18
65+	100	2.9	4	1	2	2	3	5	7	13
TOT. SINGLE DX	1580	2.0	1	1	1	2	2	3	3	4
" MULTIPLE DX	1348	2.4	3	1	1	2	3	3	4	9
TOTAL 0-19 YRS	1122	2.0	1	1	1	2	2	3	3	5
20-34	682	2.2	1	1	1	2	2	3	4	6
35-49	544	2.3	1	1	1	2	2	3	4	7
50-64	414	2.6	6	1	1	2	3	3	4	13
65+	166	2.7	4	1	1	2	3	4	6	13
GRAND TOTAL	2928	2.2	2	1	1	2	2	3	4	7

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3021	1.2	1	<1	<1	1	2	3	4	4
20-34	47	1.2	4	<1	<1	1	1	4	5	12
35-49	62	1.2	2	<1	<1	1	1	4	5	9
50-64	56	1.2	2	<1	<1	1	1	4	6	8
65+	32	1.1	0	<1	<1	1	1	4	11	99+
2. MULTIPLE DX										
0-19 YRS	2316	2.1	7	<1	<1	1	3	6	8	13
20-34	60	5.0	37	1	1	2	3	19	33	33
35-49	73	5.4	133	1	1	2	4	7	19	79
50-64	76	4.0	14	1	1	2	4	11	18	82
65+	55	5.2	83	1	1	2	4	11	18	82
TOT. SINGLE DX	3218	1.2	2	<1	<1	1	1	2	2	5
" MULTIPLE DX	2580	2.4	14	<1	<1	1	2	4	7	16
TOTAL 0-19 YRS	5337	1.6	4	<1	<1	1	2	3	5	10
20-34	107	3.8	25	1	1	2	3	10	16	28
35-49	135	3.9	75	1	1	2	3	7	11	42
50-64	132	3.3	10	1	1	2	4	7	8	14
65+	87	4.1	57	<1	1	2	4	9	16	86
GRAND TOTAL	5798	1.7	8	<1	<1	1	2	2	4	12

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	2.6	4	1	1	2	3	4	5	14
20-34	134	2.5	1	1	1	2	3	4	4	7
35-49	136	2.8	4	1	1	2	3	4	5	17
50-64	91	3.6	21	1	1	2	3	5	8	32
65+	28	3.2	3	1	1	2	3	6	8	8
2. MULTIPLE DX										
0-19 YRS	296	2.7	3	1	1	2	3	4	7	12
20-34	261	2.9	10	1	1	2	3	4	6	13
35-49	206	3.5	14	1	1	2	3	5	9	26
50-64	201	3.6	12	1	1	2	3	5	10	19
65+	89	4.1	14	1	1	2	4	8	10	25
TOT. SINGLE DX	582	2.8	6	1	1	2	3	4	5	14
" MULTIPLE DX	1053	3.2	10	1	2	2	3	5	8	16
TOTAL 0-19 YRS	489	2.6	4	1	1	2	3	4	6	13
20-34	395	2.8	8	1	1	2	3	4	5	9
35-49	342	3.3	10	1	1	2	3	5	7	21
50-64	292	3.6	15	1	1	2	3	5	9	21
65+	117	3.9	12	1	1	2	4	7	10	20
GRAND TOTAL	1635	3.1	9	1	2	2	3	4	7	16

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	170	1.7	2	<1	<1	1	2	3	4	11
20-34	85	2.3	3	1	1	1	2	4	4	8
35-49	84	2.8	5	1	1	2	3	4	5	9
50-64	72	3.1	4	1	1	2	3	4	7	14
65+	25	3.6	9	1	1	2	4	8	9	9
2. MULTIPLE DX										
0-19 YRS	125	3.3	11	<1	<1	1	2	4	6	20
20-34	72	3.9	5	1	1	2	3	6	6	8
35-49	87	3.9	5	1	1	2	3	7	7	19
50-64	76	3.8	3	1	1	2	4	7	11	46
65+	34	5.7	17	1	1	2	4	11	20	82
TOT. SINGLE DX	437	2.4	3	<1	<1	1	2	3	4	9
" MULTIPLE DX	395	3.3	28	1	1	2	3	5	9	21
TOTAL 0-19 YRS	295	2.6	8	<1	<1	1	2	3	4	16
20-34	158	3.1	4	1	1	2	3	4	5	7
35-49	171	3.4	27	1	1	2	3	5	9	14
50-64	149	3.5	9	1	1	2	4	6	9	19
65+	59	4.8	70	1	1	2	4	9	13	58
GRAND TOTAL	832	2.8	15	<1	1	2	3	4	7	16

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	2.5		1	2	2	3	4	5	5
20-34	198	2.4	1	1	1	2	3	4	4	6
35-49	91	2.4	1	1	1	2	3	4	4	6
50-64	66	2.9	7	1	1	2	3	4	6	19
65+	8	3.6	18	1	1	2	3	11	14	14
2. MULTIPLE DX										
0-19 YRS	262	2.7	3	1	1	2	3	4	5	13
20-34	674	2.6	2	1	1	2	3	4	5	8
35-49	438	2.9	7	1	1	2	3	4	5	14
50-64	241	3.1	4	1	1	3	3	5	7	13
65+	62	4.7	15	1	2	3	5	8	13	21
TOT. SINGLE DX	440	2.5	3	1	1	2	3	4	5	8
" MULTIPLE DX	1677	2.9	5	1	1	3	3	4	5	12
TOTAL 0-19 YRS	339	2.6	3	1	1	2	3	4	5	10
20-34	872	2.6	2	1	1	2	3	4	5	8
35-49	529	2.8	6	1	1	2	3	4	5	12
50-64	307	3.0	5	1	1	3	3	5	7	16
65+	70	4.6	16	1	2	3	5	9	14	21
GRAND TOTAL	2117	2.8	5	1	1	2	3	4	5	12

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	495	2.2	1	1	1	2	3	3	4	6
20-34	1046	2.3	2	1	1	2	3	3	4	6
35-49	597	2.3	1	1	1	2	3	4	4	6
50-64	232	2.5	1	1	1	2	3	4	5	9
65+	75	2.9	5	1	1	2	3	5	8	14
2. MULTIPLE DX										
0-19 YRS	839	2.4	1	1	1	2	3	4	4	7
20-34	2079	2.6	4	1	1	2	3	4	5	9
35-49	1333	2.9	9	1	1	2	3	4	6	13
50-64	694	3.5	24	1	1	3	4	5	7	20
65+	260	4.2	18	1	2	3	5	8	12	21
TOT. SINGLE DX	2445	2.4	2	1	1	2	3	3	4	7
" MULTIPLE DX	5205	2.9	9	1	1	2	3	4	6	13
TOTAL 0-19 YRS	1334	2.3	1	1	1	2	3	4	4	7
20-34	3125	2.5	4	1	1	2	3	4	5	8
35-49	1930	2.7	7	1	1	2	3	4	5	11
50-64	926	3.2	19	1	1	2	3	5	7	16
65+	335	3.9	16	1	2	3	4	7	11	20
GRAND TOTAL	7650	2.7	7	1	1	2	3	4	5	11

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	2.5	2	<1	1	2	3	5	6	8
20-34	98	2.3	2	<1	1	2	3	4	5	12
35-49	129	2.5	2	1	1	2	3	4	5	8
50-64	168	2.4	3	<1	1	2	3	4	6	11
65+	213	2.7	6	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	113	3.8	79	<1	1	2	4	5	10	47
20-34	191	2.8	8	1	1	2	3	4	5	8
35-49	238	3.7	29	1	1	3	4	7	9	25
50-64	297	4.0	17	1	1	3	4	9	11	22
65+	472	6.0	58	1	2	3	7	13	18	42
TOT. SINGLE DX	697	2.5	4	<1	1	2	3	4	5	10
" MULTIPLE DX	1311	4.5	40	1	1	3	4	9	14	32
TOTAL 0-19 YRS	202	3.2	46	<1	1	2	3	5	7	15
20-34	289	2.6	6	1	1	2	3	4	5	9
35-49	367	3.3	20	1	1	2	4	5	8	17
50-64	465	3.4	13	<1	1	2	4	6	10	20
65+	685	5.0	44	1	1	3	5	11	15	37
GRAND TOTAL	2008	3.8	28	1	1	2	4	7	11	24

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	472	1.6		<1	<1	1	2	2	3	6
20-34	365	2.2	1	<1	1	2	3	4	5	7
35-49	162	3.4	9	<1	1	3	4	7	8	2
50-64	120	4.1	4	1	1	4	5	8	8	1
65+	76	4.0	4	1	1	4	5	7	8	1
2. MULTIPLE DX										
0-19 YRS	247	3.3	40	<1	1	2	3	6	9	19
20-34	354	3.5	9	1	1	2	4	7	9	16
35-49	158	4.6	18	1	1	4	6	9	13	17
50-64	179	5.8	17	2	2	5	7	11	14	23
65+	199	7.3	45	2	2	6	9	14	18	39
TOT. SINGLE DX	1195	2.4	4	<1	<1	2	3	5	6	9
" MULTIPLE DX	1137	4.6	27	1	1	3	6	9	13	25
TOTAL 0-19 YRS	719	2.2	15	<1	<1	2	2	3	5	12
20-34	719	2.8	6	<1	1	2	3	5	7	14
35-49	320	4.0	14	1	1	3	5	8	10	18
50-64	299	5.1	13	1	2	5	6	9	11	20
65+	275	6.4	36	1	2	5	7	12	17	35
GRAND TOTAL	2332	3.5	16	<1	1	2	4	7	9	17

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	44	2.8	1	1	1	3	3	4	5	8
20-34	163	3.2	8	1	1	3	4	6	7	12
35-49	190	2.9	2	1	2	3	3	4	5	9
50-64	148	3.5	3	1	2	3	4	6	8	13
65+	88	3.6	14	1	2	3	4	5	8	25
2. MULTIPLE DX										
0-19 YRS	45	3.7	12	1	2	3	4	6	11	21
20-34	193	4.3	13	1	2	3	5	8	10	24
35-49	248	4.7	19	1	2	3	5	9	15	26
50-64	231	4.8	18	1	2	3	5	10	14	23
65+	151	5.7	47	2	2	4	6	11	15	25
TOT. SINGLE DX	633	3.2	6	1	2	3	4	5	7	11
" MULTIPLE DX	868	4.8	23	2	2	3	5	9	14	25
TOTAL 0-19 YRS	89	3.2	7	1	2	3	4	5	8	18
20-34	356	3.8	11	1	2	3	4	6	8	23
35-49	438	3.9	13	1	2	3	4	7	10	20
50-64	379	4.3	13	1	2	3	5	8	12	18
65+	239	4.9	36	2	2	3	5	10	14	26
GRAND TOTAL	1501	4.1	16	1	2	3	4	7	11	22

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	102	2.8	6	<1	<1	2	3	6	8	14
20-34	165	3.5	6	1	1	3	4	7	9	14
35-49	130	3.5	16	1	1	2	4	6	9	22
50-64	103	3.6	12	1	1	3	4	7	10	20
65+	62	4.8	16	1	2	3	5	10	16	18
2. MULTIPLE DX										
0-19 YRS	151	6.1	[illegible]	1	1	3	7	13	17	58
20-34	185	4.7	15	1	2	3	6	10	12	21
35-49	204	4.7	23	1	1	3	6	10	14	23
50-64	222	6.0	33	1	2	4	7	12	16	26
65+	148	9.0	95	2	2	6	12	19	24	82
TOT. SINGLE DX	562	3.5	11	1	1	3	4	7	10	17
" MULTIPLE DX	910	6.0	47	1	2	4	7	12	17	33
TOTAL 0-19 YRS	253	4.7	52	<1	1	2	6	10	14	31
20-34	350	4.2	12	1	1	3	5	8	10	18
35-49	334	4.2	21	1	1	3	5	8	12	22
50-64	325	5.3	28	1	2	3	7	11	15	25
65+	210	7.7	76	2	2	5	10	17	20	63
GRAND TOTAL	1472	5.0	35	1	1	3	6	11	15	28

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	935	1.8		<1	1	2	2	2	3	4
20-34	722	1.8		<1	1	2	2	2	3	6
35-49	172	2.5	8	1	1	2	2	3	5	20
50-64	117	2.3	2	1	1	2	2	3	5	11
65+	51	2.3		1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	599	2.7	14	<1	1	2	3	4	6	31
20-34	777	4.4	64	1	1	2	3	9	17	62
35-49	555	5.1	46	1	2	2	5	13	18	39
50-64	587	5.8	58	1	2	3	6	13	22	40
65+	591	7.7	80	2	2	4	9	17	25	46
TOT. SINGLE DX	1997	1.9	2	<1	1	2	2	2	3	6
" MULTIPLE DX	3109	5.1	56	1	1	2	5	12	19	44
TOTAL 0-19 YRS	1534	2.1	6	<1	1	2	2	3	4	10
20-34	1499	3.2	36	1	1	2	2	5	10	26
35-49	727	4.5	39	1	1	2	4	10	16	36
50-64	704	5.2	50	1	2	2	5	12	20	40
65+	642	7.2	76	2	2	[illegible]	9	16	24	45
GRAND TOTAL	5106	3.8	37	1	1	2	3	8	13	35

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	281	1.2		<1	<1	1	1	2	2	4
20-34	16	2.5	5	1	1	2	3	5	8	10
35-49	8	3.0	5	1	1	2	4	7	8	8
50-64	3	2.0		2	2	2	2	2	2	2
65+	5	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	220	1.8	9	<1	<1	1	2	3	5	10
20-34	34	3.9	13	1	1	2	5	8	10	19
35-49	10	4.1	15	2	2	3	4	10	15	15
50-64	13	5.2	18	<1	1	3	9	12	14	14
65+	6	21.2	899	2	2	9	26	74	79	79
TOT. SINGLE DX	313	1.3	1	<1	<1	1	1	2	2	6
" MULTIPLE DX	283	2.7	34	<1	<1	1	2	5	8	24
TOTAL 0-19 YRS	501	1.5	4	<1	<1	1	1	2	3	7
20-34	50	3.4	11	1	1	2	4	8	10	19
35-49	18	3.6	11	1	1	3	4	7	12	15
50-64	16	4.6	16	<1	2	3	7	11	13	14
65+	11	12.5	550	1	1	2	13	47	76	79
GRAND TOTAL	596	2.0	17	<1	<1	1	2	3	5	15

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.2	1	1	1	2	3	4	4	7
20-34	77	3.3	30	1	1	2	3	4	8	38
35-49	152	2.6	2	1	1	2	3	4	5	10
50-64	115	2.9	1	1	2	2	4	5	6	7
65+	39	3.9	7	1	2	3	4	6	10	16
2. MULTIPLE DX										
0-19 YRS	96	3.2	13	1	1	2	3	5	8	22
20-34	75	3.9	11	1	2	3	4	10	12	18
35-49	110	3.3	11	1	1	2	3	5	10	21
50-64	150	5.3	96	2	2	3	4	8	13	76
65+	67	6.1	41	2	2	4	8	11	15	42
TOT. SINGLE DX	435	2.9	8	1	1	2	3	4	5	12
" MULTIPLE DX	498	4.4	42	1	2	3	4	8	12	26
TOTAL 0-19 YRS	148	2.9	9	1	1	2	3	4	8	18
20-34	152	3.6	21	1	1	2	3	6	10	23
35-49	262	2.9	6	1	1	2	3	4	6	16
50-64	265	4.3	57	1	2	3	4	6	9	47
65+	106	5.3	30	2	2	4	7	10	13	32
GRAND TOTAL	**933**	**3.7**	**27**	**1**	**1**	**2**	**4**	**6**	**10**	**20**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	2.6	2	1	1	2	3	5	5	11
20-34	208	3.3	6	1	2	3	4	5	6	10
35-49	258	3.4	3	1	2	3	4	5	6	11
50-64	273	3.6	3	2	2	3	4	6	7	11
65+	244	4.2	6	2	2	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	42	3.5	3	1	2	3	5	6	7	9
20-34	105	4.7	22	2	2	4	5	8	11	32
35-49	147	5.2	51	2	2	3	5	10	14	23
50-64	199	5.0	19	2	2	4	5	9	13	25
65+	289	7.0	47	2	2	5	8	15	19	39
TOT. SINGLE DX	1074	3.6	5	1	2	3	4	5	7	11
" MULTIPLE DX	782	5.7	86	2	2	4	6	11	16	31
TOTAL 0-19 YRS	133	2.9	3	1	1	2	4	5	6	10
20-34	313	3.7	12	1	2	3	4	6	8	22
35-49	405	4.1	22	1	2	3	4	6	9	16
50-64	472	4.2	10	2	2	3	5	7	9	21
65+	533	5.7	31	2	2	4	6	11	15	31
GRAND TOTAL	**1856**	**4.4**	**19**	**2**	**2**	**3**	**5**	**7**	**11**	**24**

551: Palateplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	258	3.9	2	1	2	4	5	6	7	9
20-34	6	4.0	4	1	1	4	6	6	6	6
35-49	10	2.6	1	1	1	2	4	5	5	5
50-64	4	2.3	1	<1	<1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	224	4.3	3	2	2	4	5	6	7	12
20-34	11	7.0	29	2	2	4	11	15	19	19
35-49	13	5.3	6	2	3	5	6	9	11	12
50-64	7	2.6	1	1	1	3	3	4	4	4
65+	6	7.2	105	1	1	3	5	26	28	28
TOT. SINGLE DX	279	3.8	3	1	2	4	5	6	7	9
" MULTIPLE DX	261	4.4	7	2	2	4	5	7	8	13
TOTAL 0-19 YRS	482	4.0	3	2	2	4	5	6	7	10
20-34	17	5.9	22	1	2	4	8	12	17	19
35-49	23	4.1	6	1	2	4	5	7	9	12
50-64	11	2.5	1	<1	1	3	3	4	4	4
65+	7	6.6	91	1	1	3	5	23	28	28
GRAND TOTAL	**540**	**4.1**	**5**	**1**	**2**	**4**	**5**	**6**	**7**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	490	2.9	4	<1	<1	2	4	6	7	9
20-34	148	3.1	6	<1	<1	2	4	7	8	14
35-49	142	4.4	39	<1	1	2	4	8	14	36
50-64	229	4.1	20	<1	1	2	5	9	13	26
65+	278	4.1	16	<1	1	3	5	9	12	22
2. MULTIPLE DX										
0-19 YRS	335	4.2	40	1	1	3	5	7	10	20
20-34	231	4.8	21	<1	1	3	6	10	16	19
35-49	215	6.6	54	1	1	4	8	19	24	31
50-64	374	7.2	57	1	2	4	10	16	21	37
65+	526	8.0	81	1	2	5	10	17	24	54
TOT. SINGLE DX	1287	3.6	14	<1	<1	2	4	7	10	19
" MULTIPLE DX	1681	6.4	58	1	1	4	8	14	20	37
TOTAL 0-19 YRS	825	3.4	19	<1	1	3	4	6	8	12
20-34	379	4.2	16	<1	1	3	5	8	13	18
35-49	357	5.7	50	<1	1	3	6	14	23	33
50-64	603	6.0	46	1	1	4	8	13	18	35
65+	804	6.6	62	1	1	4	8	15	20	41
GRAND TOTAL	**2968**	**5.2**	**41**	**<1**	**1**	**3**	**6**	**11**	**16**	**32**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4392	1.9		1	1	2	2	2	3	4
20-34	3205	2.0		1	1	2	2	3	3	5
35-49	402	2.3	1	1	1	2	2	3	4	8
50-64	56	2.4	1	1	1	2	3	4	5	6
65+	20	3.1	4	1	2	2	4	5	8	11
2. MULTIPLE DX										
0-19 YRS	1187	2.1	5	1	1	2	2	3	4	8
20-34	696	2.8	6	1	1	2	3	4	6	12
35-49	174	3.0	4	1	2	2	3	5	8	13
50-64	55	4.5	30	1	2	3	4	8	14	30
65+	28	8.8	100	1	1	5	10	22	37	39
TOT. SINGLE DX	8075	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	2140	2.6	8	1	1	2	3	4	5	11
TOTAL 0-19 YRS	5579	1.9	2	1	1	2	2	3	3	4
20-34	3901	2.2	2	1	1	2	2	3	4	6
35-49	576	2.5	3	1	1	2	3	4	5	11
50-64	111	3.5	17	1	1	2	4	5	8	29
65+	48	6.4	68	1	2	3	7	16	24	39
GRAND TOTAL	**10215**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7747	1.8		1	1	2	2	2	3	3
20-34	354	2.1		1	1	2	3	3	3	4
35-49	26	2.3		1	2	2	3	3	4	4
50-64	8	1.9		1	1	2	2	3	3	3
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	6619	2.0	2	1	1	2	2	2	3	6
20-34	162	2.5	1	1	1	2	3	4	6	7
35-49	23	3.1	3	1	1	3	4	5	7	10
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	3.0	2	2	2	3	4	4	4	4
TOT. SINGLE DX	8138	1.9		1	1	2	2	2	3	4
" MULTIPLE DX	6809	2.0	3	1	1	2	2	3	3	6
TOTAL 0-19 YRS	14366	1.9	2	1	1	2	2	2	3	4
20-34	516	2.3	1	1	1	2	3	3	4	6
35-49	49	2.7	2	1	2	2	3	4	5	10
50-64	11	2.0		1	1	2	2	3	3	3
65+	5	2.4	1	2	2	2	3	4	4	4
GRAND TOTAL	**14947**	**1.9**	**2**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	637	1.3		<1	<1	1	2	2	2	3
20-34	8	2.0	1	<1	<1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	2056	1.5	1	<1	<1	1	2	2	2	4
20-34	12	2.9	5	1	1	2	4	7	8	8
35-49	9	1.8		1	1	2	2	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	649	1.4		<1	<1	1	2	2	2	3
" MULTIPLE DX	2081	1.5	2	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	2693	1.4	1	<1	<1	1	2	2	2	3
20-34	20	2.6	4	<1	1	2	3	6	7	8
35-49	10	1.8	1	1	1	2	2	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65+	5	1.4	1	1	1	1	2	3	3	3
GRAND TOTAL	**2730**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	375	2.4	4	<1	1	2	3	4	5	10
20-34	261	2.8	8	1	1	2	3	5	6	11
35-49	105	3.2	9	<1	1	2	3	6	12	17
50-64	90	4.9	45	1	1	2	6	11	16	41
65+	64	4.5	13	1	2	3	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	95	3.7	36	1	1	2	4	6	9	39
20-34	101	3.4	7	1	1	3	4	6	8	16
35-49	69	5.9	127	1	1	3	6	11	19	76
50-64	113	6.0	54	1	2	3	7	13	17	44
65+	128	9.7	166	1	2	5	12	19	34	65
TOT. SINGLE DX	895	3.0	12	<1	1	2	3	5	8	18
" MULTIPLE DX	506	6.0	85	1	1	3	6	13	17	56
TOTAL 0-19 YRS	470	2.6	11	<1	1	2	3	4	6	11
20-34	362	2.9	8	1	1	2	3	5	7	11
35-49	174	4.3	58	1	1	3	4	7	14	30
50-64	203	5.5	51	1	1	3	6	11	17	41
65+	192	8.0	121	1	2	4	10	16	23	61
GRAND TOTAL	**1401**	**4.1**	**40**	**1**	**1**	**2**	**4**	**8**	**12**	**31**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	1.8	2	<1	<1	1	2	4	7	8
20-34	23	3.9	5	<1	1	4	6	7	8	8
35-49	23	3.9	12	<1	<1	3	5	8	14	14
50-64	36	3.2	7	<1	1	2	4	7	10	13
65+	40	4.2	6	1	1	4	5	7	10	11
2. MULTIPLE DX										
0-19 YRS	82	3.6	5	1	1	3	4	7	8	13
20-34	25	4.7	9	1	1	4	7	9	10	12
35-49	31	6.0	20	1	1	5	8	11	16	19
50-64	60	4.7	8	2	2	4	6	8	11	15
65+	102	6.0	30	1	1	5	8	11	17	31
TOT. SINGLE DX	172	3.2	7	<1	<1	2	4	7	8	14
" MULTIPLE DX	300	5.0	17	1	1	4	6	10	12	22
TOTAL 0-19 YRS	132	2.9	5	<1	<1	2	4	6	8	12
20-34	48	4.3	7	1	1	4	6	8	9	12
35-49	54	5.1	18	<1	1	4	7	11	14	19
50-64	96	4.1	9	1	1	3	5	8	11	14
65+	142	5.5	24	1	1	5	7	10	12	29
GRAND TOTAL	472	4.3	14	<1	1	3	6	8	11	19

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	1.8	1	1	1	2	2	2	3	7
20-34	181	1.7		<1	1	2	2	2	3	5
35-49	319	2.0	3	<1	1	2	2	2	3	11
50-64	470	2.0	2	<1	1	2	2	3	3	9
65+	323	2.6	13	1	1	2	2	3	7	20
2. MULTIPLE DX										
0-19 YRS	49	2.1	3	1	1	2	2	3	4	13
20-34	83	2.2	2	<1	1	2	2	4	5	11
35-49	185	3.4	15	1	1	2	3	8	11	23
50-64	377	3.7	20	1	1	2	4	8	13	30
65+	365	4.9	38	1	1	2	5	12	19	29
TOT. SINGLE DX	1439	2.1	5	<1	1	2	2	3	3	11
" MULTIPLE DX	1059	3.9	24	1	1	2	3	9	14	28
TOTAL 0-19 YRS	195	1.8	2	1	1	2	2	3	3	9
20-34	264	1.9	1	<1	1	2	2	3	4	7
35-49	504	2.5	8	<1	1	2	2	4	8	17
50-64	847	2.8	11	<1	1	2	2	5	8	20
65+	688	3.8	28	1	1	2	3	9	14	28
GRAND TOTAL	2498	2.8	14	<1	1	2	2	5	9	22

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.8	16	2	2	2	3	10	15	15
20-34	8	3.9	25	<1	<1	2	3	12	16	16
35-49	18	4.6	23	1	1	2	6	13	16	18
50-64	38	10.3	45	1	2	10	15	21	22	23
65+	31	8.4	46	1	2	8	13	19	21	23
2. MULTIPLE DX										
0-19 YRS	16	9.8	173	1	2	3	11	32	39	42
20-34	5	8.8	168	2	2	3	11	32	32	32
35-49	17	14.8	265	<1	<1	12	18	26	54	69
50-64	39	14.4	108	2	3	12	22	29	41	99+
65+	41	14.9	174	2	2	14	21	29	38	67
TOT. SINGLE DX	105	7.6	44	1	1	5	12	19	21	23
" MULTIPLE DX	118	13.8	163	2	2	11	20	30	39	79
TOTAL 0-19 YRS	26	7.5	119	1	2	3	5	29	34	42
20-34	13	5.8	77	<1	1	3	4	19	30	32
35-49	35	9.5	164	<1	1	5	15	24	26	69
50-64	77	12.4	81	2	2	11	18	24	29	85
65+	72	12.1	129	2	2	10	18	24	30	63
GRAND TOTAL	223	10.9	116	1	2	8	16	24	30	68

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	6	23.2	205	11	11	16	36	45	46	46
50-64	59	17.7	142	10	11	14	18	35	43	74
65+	39	15.3	25	8	10	14	19	23	25	29
2. MULTIPLE DX										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	28	24.8	249	9	11	21	31	58	71	99+
50-64	88	23.6	215	10	12	18	30	42	51	86
65+	85	24.6	302	10	12	19	28	51	73	98
TOT. SINGLE DX	105	17.0	102	9	11	14	18	27	41	60
" MULTIPLE DX	202	24.1	254	10	12	19	29	49	59	97
TOTAL 0-19 YRS										
20-34	2	15.0	2	14	14	15	16	16	16	16
35-49	34	24.5	236	10	11	20	34	57	67	99+
50-64	147	21.2	194	10	11	16	25	40	47	77
65+	124	21.7	233	9	11	17	23	42	56	96
GRAND TOTAL	307	21.7	213	10	11	17	25	42	54	94

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	25.0	1332	1	1	7	52	67	67	67
35-49	1	24.0		24	24	24	24	24	24	24
50-64	6	12.7	178	1	1	8	16	36	38	38
65+	5	11.6	49	3	3	12	15	22	22	22
2. MULTIPLE DX										
0-19 YRS	2	65.0	162	56	56	99+	99+	99+	99+	99+
20-34	8	20.8	177	4	4	24	41	99+	99+	99+
35-49	10	31.9	575	3	8	33	58	86	99	99+
50-64	27	32.1	670	8	10	23	45	71	96	98
65+	50	32.0	660	4	6	25	50	81	98	99+
TOT. SINGLE DX	16	14.6	295	1	1	8	19	37	58	67
" MULTIPLE DX	97	31.8	620	4	7	27	55	96	99+	99+
TOTAL 0-19 YRS	3	43.7	1446	1	6	87	99+	99+	99+	99+
20-34	11	21.9	395	1	3	21	47	99+	99+	99+
35-49	11	31.2	523	4	9	28	56	83	98	99+
50-64	33	28.5	631	5	7	18	38	70	92	98
65+	55	30.1	638	3	5	22	48	78	95	99+
GRAND TOTAL	113	29.3	607	3	5	23	50	86	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	6.4	47	1	1	4	8	19	26	99+
20-34	21	6.9	92	<1	1	2	8	15	29	44
35-49	33	9.4	184	1	1	4	8	23	51	56
50-64	22	8.2	92	1	1	3	12	24	30	34
65+	38	11.9	317	1	1	3	17	41	70	99+
2. MULTIPLE DX										
0-19 YRS	75	20.3	472	1	1	13	41	72	99+	99+
20-34	66	23.0	357	2	3	21	41	99+	99+	99+
35-49	83	23.9	500	1	2	18	38	67	91	99+
50-64	202	27.3	515	2	5	26	45	73	99+	99+
65+	232	31.5	557	2	3	30	50	79	99+	99+
TOT. SINGLE DX	154	8.7	156	1	1	4	9	26	41	98
" MULTIPLE DX	658	27.2	520	1	2	24	45	76	99+	99+
TOTAL 0-19 YRS	115	15.5	366	1	1	8	24	60	90	99+
20-34	87	19.1	340	2	2	15	32	74	99+	99+
35-49	116	19.8	451	1	2	13	35	59	86	99+
50-64	224	25.5	506	1	2	23	43	70	99	99+
65+	270	28.8	569	1	2	27	47	75	99+	99+
GRAND TOTAL	812	23.7	503	1	2	20	40	71	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	6.9	22	1	2	6	10	14	17	17
20-34	123	5.8	59	1	2	4	7	11	13	41
35-49	164	5.8	17	1	2	4	8	13	14	16
50-64	441	7.4	33	1	2	6	10	16	20	27
65+	471	8.0	54	2	2	6	10	16	22	35
2. MULTIPLE DX										
0-19 YRS	45	11.1	183	1	2	7	13	23	45	71
20-34	198	9.5	88	2	2	7	12	19	25	53
35-49	511	9.9	93	2	2	8	12	19	27	52
50-64	1695	10.8	90	2	3	9	14	21	28	47
65+	2526	11.9	93	2	3	9	15	23	30	53
TOT. SINGLE DX	1226	7.3	42	2	2	5	10	15	19	28
" MULTIPLE DX	4975	11.2	94	2	3	9	14	22	29	51
TOTAL 0-19 YRS	72	9.5	126	1	2	7	12	17	31	65
20-34	321	8.1	80	1	2	5	10	17	23	50
35-49	675	8.9	78	2	2	7	11	17	24	48
50-64	2136	10.1	80	2	2	8	13	20	25	45
65+	2997	11.3	89	2	3	9	14	22	29	50
GRAND TOTAL	6201	10.4	86	2	2	8	13	21	27	47

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	3	9.7	97	3	3	5	17	21	21	21
50-64	4	23.5	105	15	15	21	31	37	37	37
65+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
" MULTIPLE DX	9	15.4	135	1	2	15	22	33	37	37
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	9.7	97	3	3	5	17	21	21	21
50-64	4	23.5	106	15	15	21	31	37	37	37
65+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	11	12.9	148	1	1	15	20	30	36	37

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	24	10.5	54	2	4	9	12	23	52	99+
20-34	81	9.9	38	2	3	9	14	17	21	34
35-49	126	10.4	54	2	4	9	12	16	21	44
50-64	453	10.5	51	2	3	9	12	18	23	39
65+	251	11.0	60	2	3	10	15	20	26	35
2. MULTIPLE DX										
0-19 YRS	40	15.9	219	4	5	12	21	47	58	99+
20-34	140	12.6	100	3	4	10	15	24	32	61
35-49	273	13.0	76	3	4	11	17	23	28	53
50-64	826	14.1	101	3	4	11	18	26	33	54
65+	1113	15.2	130	3	4	13	19	28	36	59
TOT. SINGLE DX	734	10.6	54	2	3	9	13	19	23	39
" MULTIPLE DX	2392	14.4	114	2	4	12	18	27	35	58
TOTAL 0-19 YRS	64	14.5	165	4	5	10	19	40	57	99+
20-34	221	11.6	79	2	3	9	14	21	28	44
35-49	398	12.2	71	3	4	10	16	21	26	49
50-64	1279	13.2	92	3	4	11	17	24	32	53
65+	1364	14.4	120	3	3	12	18	27	36	57
GRAND TOTAL	3126	13.5	103	2	4	11	17	25	33	55

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	12	9.8	27	6	6	8	10	20	22	22
20-34	10	17.6	424	7	7	9	16	46	75	75
35-49	41	14.0	58	8	8	12	15	25	28	48
50-64	158	14.4	34	8	8	13	17	22	27	34
65+	132	15.9	40	8	9	15	20	24	28	36
2. MULTIPLE DX										
0-19 YRS	16	17.6	253	6	6	11	21	35	58	67
20-34	18	17.4	68	8	9	16	22	31	35	37
35-49	74	20.7	167	8	9	18	28	39	64	99+
50-64	447	18.2	85	8	9	16	22	30	37	49
65+	431	19.9	108	9	10	17	24	33	39	57
TOT. SINGLE DX	353	14.9	51	8	8	13	17	23	27	35
" MULTIPLE DX	966	19.1	105	8	9	17	23	32	39	60
TOTAL 0-19 YRS	28	14.2	168	6	6	9	19	28	39	67
20-34	28	17.4	195	7	8	15	16	31	41	75
35-49	115	18.3	138	8	9	15	21	37	45	99+
50-64	605	17.4	73	8	9	15	21	28	34	47
65+	563	19.0	95	9	10	16	23	31	36	55
GRAND TOTAL	1339	18.0	94	8	9	16	22	30	37	55

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	243	3.8	21			2	4	8	11	25
20-34	160	5.1	31			3	6	12	16	26
35-49	262	6.0	42			4	7	14	18	39
50-64	459	6.3	36			4	8	13	20	29
65+	470	7.5	52			4	10	16	21	34
2. MULTIPLE DX										
0-19 YRS	285	8.5	88			3	6	18	24	76
20-34	306	10.7	178			4	7	19	35	87
35-49	710	9.2	76			4	7	16	26	45
50-64	1703	9.8	72			4	8	20	28	47
65+	2467	12.3	109			5	9	24	35	57
TOT. SINGLE DX	1594	6.1	41			3	6	14	19	29
" MULTIPLE DX	5491	10.9	96			5	8	22	30	53
TOTAL 0-19 YRS	528	6.4	62			4	8	14	21	50
20-34	466	9.0	133			5	10	17	28	70
35-49	972	8.4	69			5	7	17	24	42
50-64	2162	9.1	67			5	8	19	25	44
65+	2957	11.6	104			5	9	24	31	55
GRAND TOTAL	7085	9.8	89	2	2	7	13	21	28	49

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	22	5.2	5			5	6	8	9	11
20-34	58	6.5	9			5	7	11	12	13
35-49	21	7.7	31			5	11	17	19	21
50-64	15	7.5	24			6	10	13	19	21
65+	14	14.6	156	2	3	11	17	31	45	49
2. MULTIPLE DX										
0-19 YRS	28	13.4	230	3	3	8	17	46	65	99+
20-34	41	11.0	107	3	4	9	11	18	31	59
35-49	35	12.4	90	3	4	10	16	25	43	99+
50-64	61	13.6	198	3	4	10	16	26	34	91
65+	93	12.9	167	3	4	10	13	24	33	79
TOT. SINGLE DX	130	7.0	37	2	2	5	8	13	17	33
" MULTIPLE DX	256	12.7	160	3	4	9	15	25	41	97
TOTAL 0-19 YRS	50	9.8	145	3	3	6	9	17	51	99+
20-34	99	7.8	57	3	4	6	10	12	17	52
35-49	56	10.6	73	3	5	8	13	20	36	99
50-64	76	12.4	169	3	4	8	16	25	33	83
65+	107	13.1	165	3	3	10	15	25	34	73
GRAND TOTAL	388	10.8	126	2	3	8	12	22	32	82

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	6.6	34	2	3	5	7	12	16	40
20-34	527	5.9	14	2	3	5	7	11	12	19
35-49	188	7.8	35	3	3	6	9	14	22	32
50-64	156	9.9	61	3	3	8	12	21	27	37
65+	114	13.0	91	3	5	10	17	24	35	48
2. MULTIPLE DX										
0-19 YRS	245	14.5	252	2	3	9	18	36	54	93
20-34	512	9.4	92	3	3	7	11	18	24	72
35-49	397	11.8	95	3	4	9	15	23	32	82
50-64	604	13.7	127	3	4	10	17	26	33	60
65+	811	15.2	139	4	5	12	19	30	38	62
TOT. SINGLE DX	1151	7.5	40	2	3	5	9	14	20	35
" MULTIPLE DX	2569	13.1	136	3	4	10	16	26	36	70
TOTAL 0-19 YRS	411	11.3	179	2	3	7	12	26	39	85
20-34	1039	7.6	56	2	3	6	9	14	19	43
35-49	585	10.5	80	3	4	8	13	22	29	61
50-64	760	12.9	116	3	4	10	16	25	33	57
65+	925	14.9	134	4	5	12	19	29	37	58
GRAND TOTAL	**3720**	**11.4**	**112**	**3**	**3**	**8**	**14**	**23**	**32**	**60**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	6.1	11	1	1	6	7	9	12	18
20-34	134	6.8	36	1	2	5	9	14	18	29
35-49	101	6.6	38	1	2	4	8	15	21	29
50-64	120	8.7	51	1	2	6	12	17	23	34
65+	114	9.6	70	1	2	8	14	20	26	38
2. MULTIPLE DX										
0-19 YRS	72	11.5	184	2	3	7	13	23	40	78
20-34	132	10.9	104	1	2	8	15	21	26	92
35-49	225	11.2	69	2	3	9	15	22	28	42
50-64	454	12.9	111	2	3	10	17	26	33	51
65+	622	14.0	164	3	3	11	18	29	43	73
TOT. SINGLE DX	664	7.4	40	1	2	6	9	16	20	31
" MULTIPLE DX	1505	12.9	131	2	3	10	16	26	34	57
TOTAL 0-19 YRS	267	7.6	64	1	2	6	8	13	17	42
20-34	266	8.8	74	1	2	7	12	18	25	39
35-49	326	9.8	64	2	2	8	13	20	25	40
50-64	574	12.0	102	2	3	10	16	24	32	50
65+	736	13.4	152	2	3	10	17	28	38	62
GRAND TOTAL	**2169**	**11.2**	**109**	**2**	**2**	**8**	**15**	**23**	**31**	**52**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	9.6	17	5	6	9	11	14	17	27
20-34	43	13.3	118	7	7	10	12	19	46	59
35-49	56	12.3	19	8	9	11	14	18	22	27
50-64	76	12.8	20	8	9	12	14	18	21	35
65+	47	15.9	38	10	10	14	20	25	27	38
2. MULTIPLE DX										
0-19 YRS	363	15.0	159	6	7	11	15	30	40	76
20-34	66	19.3	165	8	8	14	27	43	50	93
35-49	131	18.0	201	9	9	14	18	27	50	86
50-64	292	18.0	121	9	10	15	20	31	41	59
65+	296	21.8	141	9	11	18	27	38	48	64
TOT. SINGLE DX	403	11.7	36	6	7	10	13	18	22	38
" MULTIPLE DX	1148	18.1	156	7	8	14	21	34	45	68
TOTAL 0-19 YRS	544	13.2	119	6	7	10	13	23	35	68
20-34	109	16.9	154	7	8	12	19	37	50	75
35-49	187	16.3	153	9	9	13	17	24	42	84
50-64	368	16.9	105	9	10	14	19	28	39	57
65+	343	20.9	131	9	11	18	25	37	46	63
GRAND TOTAL	**1551**	**16.4**	**133**	**7**	**8**	**13**	**19**	**30**	**41**	**64**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	9	10.3	4	8	8	10	12	13	14	14
35-49	285	10.6	10	7	8	10	12	14	17	24
50-64	855	11.3	13	8	8	10	12	15	18	24
65+	442	12.8	16	8	9	12	15	17	20	28
2. MULTIPLE DX										
0-19 YRS	3	14.0	9	11	11	14	16	17	17	17
20-34	28	13.0	30	7	8	12	14	19	26	32
35-49	889	12.8	32	8	8	11	14	19	23	36
50-64	3374	13.8	45	8	8	12	16	21	26	43
65+	2108	16.7	86	9	9	14	19	27	33	55
TOT. SINGLE DX	1593	11.6	14	8	8	11	13	16	18	25
" MULTIPLE DX	6402	14.6	59	8	9	12	17	23	29	48
TOTAL 0-19 YRS	5	13.0	13	8	8	14	15	17	17	17
20-34	37	12.4	25	7	8	12	14	18	23	32
35-49	1174	12.2	28	8	8	11	13	18	23	33
50-64	4229	13.3	40	8	8	12	15	20	25	41
65+	2550	16.0	76	8	9	14	18	26	31	51
GRAND TOTAL	**7995**	**14.0**	**52**	**8**	**8**	**12**	**16**	**22**	**27**	**44**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	499	2.1	4	1	1	2	2	2	4	11
20-34	206	3.6	9	1	2	2	3	6	10	15
35-49	1425	3.4	7	2	2	2	4	7	9	14
50-64	2384	3.2	8	2	2	2	3	6	9	15
65+	834	3.5	9	2	2	2	4	7	10	19
2. MULTIPLE DX										
0-19 YRS	937	3.6	32	1	1	2	2	6	12	31
20-34	433	5.2	22	1	2	3	7	11	15	21
35-49	3422	4.8	20	2	2	3	6	10	13	21
50-64	7837	5.3	24	2	2	3	7	12	15	23
65+	3814	6.6	39	2	2	4	9	14	18	30
TOT. SINGLE DX	5348	3.2	8	1	2	2	3	7	9	15
" MULTIPLE DX	16443	5.4	28	2	2	3	7	12	15	25
TOTAL 0-19 YRS	1436	3.1	23	1	1	2	2	6	10	28
20-34	639	4.6	19	1	2	3	6	10	13	21
35-49	4847	4.4	17	2	2	2	5	10	12	19
50-64	10221	4.8	22	2	2	3	6	11	14	22
65+	4648	6.1	35	2	2	4	8	13	17	28
GRAND TOTAL	21791	4.9	24	2	2	3	6	11	14	23

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	5.7	15	1	2	5	8	11	12	18
20-34	20	4.5	13	1	1	3	5	10	13	15
35-49	31	6.2	24	2	2	5	8	11	16	26
50-64	160	6.7	23	1	2	6	9	13	15	26
65+	692	6.7	26	2	2	5	9	13	17	26
2. MULTIPLE DX										
0-19 YRS	43	8.7	52	2	3	7	10	19	28	33
20-34	41	7.9	29	2	3	6	12	15	17	28
35-49	155	12.1	53	3	4	11	15	20	25	37
50-64	866	11.9	70	3	4	10	15	22	27	43
65+	4559	12.1	78	3	4	10	15	23	29	46
TOT. SINGLE DX	931	6.6	25	2	2	5	3	13	16	26
" MULTIPLE DX	5664	12.0	77	3	4	10	15	22	28	45
TOTAL 0-19 YRS	71	7.5	40	2	2	6	9	14	21	32
20-34	61	6.8	27	1	2	5	10	14	16	27
35-49	186	11.1	53	3	3	10	15	20	24	35
50-64	1026	11.1	67	2	3	9	14	20	27	41
65+	5251	11.4	75	3	4	9	14	22	28	43
GRAND TOTAL	6595	11.3	73	3	3	9	14	21	27	43

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	7.1	11	2	3	7	8	12	14	16
20-34	23	8.2	22	3	4	8	10	18	44	99+
35-49	87	6.5	19	2	2	5	9	13	14	23
50-64	127	5.6	14	2	3	4	7	12	13	20
65+	56	7.8	34	2	3	5	10	17	22	25
2. MULTIPLE DX										
0-19 YRS	67	11.6	193	1	2	8	13	23	32	80
20-34	76	14.5	206	2	3	9	18	35	46	68
35-49	236	8.7	52	2	3	7	11	17	21	42
50-64	456	10.4	99	3	3	8	12	20	26	56
65+	242	13.2	171	3	3	10	16	28	35	75
TOT. SINGLE DX	317	6.5	20	2	3	5	9	13	17	24
" MULTIPLE DX	1077	11.0	121	2	3	8	13	22	30	61
TOTAL 0-19 YRS	91	10.5	149	1	2	8	12	17	29	78
20-34	99	13.1	170	2	3	9	16	33	45	85
35-49	323	8.1	44	2	3	6	10	15	20	39
50-64	583	9.4	85	2	3	7	12	18	24	43
65+	298	12.2	150	3	3	9	15	25	33	65
GRAND TOTAL	1394	10.0	102	2	3	7	12	19	28	57

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	2.9	7	1	1	2	3	6	8	14
20-34	133	3.9	18	<1	1	2	4	10	13	24
35-49	200	3.7	17	<1	1	2	4	9	14	18
50-64	322	3.8	23	1	1	2	4	9	11	23
65+	296	5.3	47	1	1	3	6	11	19	37
2. MULTIPLE DX										
0-19 YRS	359	7.6	87	1	2	5	9	17	24	56
20-34	228	9.5	91	1	2	7	12	19	26	54
35-49	410	8.9	113	1	2	6	11	18	24	56
50-64	959	9.6	84	1	2	7	13	20	28	54
65+	1896	12.8	120	2	3	10	16	26	33	59
TOT. SINGLE DX	1231	3.9	25	1	1	2	4	9	12	24
" MULTIPLE DX	3852	10.9	110	1	2	8	14	23	31	58
TOTAL 0-19 YRS	639	5.5	58	1	1	3	6	13	18	42
20-34	361	7.4	71	1	1	4	10	16	21	43
35-49	610	7.2	88	1	1	4	9	16	21	48
50-64	1281	8.1	76	1	1	5	11	18	24	50
65+	2192	11.8	118	2	2	9	15	25	32	58
GRAND TOTAL	5083	9.2	98	1	2	6	12	20	28	53

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.9	1	1	2	3	4	4	5	5
20-34	405	3.8	3	2	2	3	5	6	6	9
35-49	666	4.4	10	2	2	4	5	7	8	18
50-64	448	5.2	23	2	2	4	6	9	12	25
65+	158	6.7	37	2	3	5	7	14	19	25
2. MULTIPLE DX										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	108	4.7	10	2	2	4	5	7	9	21
35-49	307	6.2	21	2	3	5	7	11	13	22
50-64	346	6.9	32	2	3	5	8	13	17	27
65+	193	10.6	112	3	3	7	12	21	29	65
TOT. SINGLE DX	1692	4.6	15	2	2	4	5	7	10	20
" MULTIPLE DX	958	7.1	46	2	3	5	8	13	19	37
TOTAL 0-19 YRS	19	2.8	1	1	2	3	4	4	5	5
20-34	513	4.0	5	2	2	4	5	6	7	13
35-49	973	5.0	15	2	2	4	6	8	11	20
50-64	794	5.9	28	2	2	4	7	11	14	27
65+	351	8.8	82	3	3	6	9	18	23	58
GRAND TOTAL	**2650**	**5.6**	**28**	**2**	**2**	**4**	**6**	**10**	**13**	**26**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	10.4	147	2	3	7	10	17	45	60
20-34	32	8.3	73	<1	2	5	9	20	27	41
35-49	98	8.4	23	2	2	8	11	14	15	25
50-64	350	10.3	28	3	4	10	13	16	21	28
65+	332	12.4	67	3	6	11	15	19	24	41
2. MULTIPLE DX										
0-19 YRS	97	13.4	161	4	5	9	15	32	46	99+
20-34	163	11.7	119	2	2	9	15	24	31	55
35-49	421	13.7	145	3	4	11	16	24	37	75
50-64	1592	14.6	115	4	6	12	17	26	36	64
65+	2104	16.9	135	5	7	14	20	31	40	67
TOT. SINGLE DX	845	10.9	51	2	4	10	13	17	22	40
" MULTIPLE DX	4377	15.5	131	4	6	13	18	29	39	68
TOTAL 0-19 YRS	130	12.6	159	3	4	9	14	32	48	99+
20-34	195	11.2	113	2	2	8	15	23	30	51
35-49	519	12.7	127	2	3	10	15	22	32	71
50-64	1942	13.9	102	3	6	12	16	24	33	60
65+	2436	16.2	128	5	7	13	19	29	38	65
GRAND TOTAL	**5222**	**14.7**	**121**	**3**	**6**	**12**	**17**	**27**	**37**	**65**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	9.5	41	5	5	9	14	14	14	14
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	13.0	50	8	8	13	18	18	18	18
65+	2	19.5	181	10	10	19	29	29	29	29
TOT. SINGLE DX	2	11.0	32	7	7	11	15	15	15	15
" MULTIPLE DX	7	13.7	63	5	6	12	17	27	29	29
TOTAL 0-19 YRS	2	9.5	41	5	5	9	14	14	14	14
20-34										
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64	2	13.0	50	8	8	13	18	18	18	18
65+	3	18.0	97	10	10	15	25	29	29	29
GRAND TOTAL	**9**	**13.1**	**53**	**5**	**6**	**12**	**16**	**25**	**29**	**29**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.7	6	1	1	4	4	7	9	9
20-34	14	4.6	24	1	1	3	4	13	17	18
35-49	21	8.4	95	1	2	4	8	28	29	30
50-64	30	6.0	44	<1	1	4	7	11	20	34
65+	29	7.4	47	1	2	4	12	19	22	25
2. MULTIPLE DX										
0-19 YRS	62	5.8	22	1	1	4	8	11	16	23
20-34	328	6.2	67	1	1	4	8	12	17	45
35-49	458	6.6	41	1	2	5	8	14	17	36
50-64	852	7.6	53	1	2	6	9	15	22	40
65+	793	8.8	67	2	2	6	10	18	25	42
TOT. SINGLE DX	103	6.5	50	1	1	4	7	17	24	32
" MULTIPLE DX	2493	7.5	58	1	2	5	9	15	22	41
TOTAL 0-19 YRS	71	5.5	21	1	1	4	8	11	14	23
20-34	342	6.1	65	1	1	4	8	12	17	43
35-49	479	6.6	44	1	2	5	8	14	18	36
50-64	882	7.5	54	1	2	5	9	15	22	40
65+	822	8.7	67	2	2	6	10	18	25	42
GRAND TOTAL	**2596**	**7.5**	**58**	**1**	**2**	**5**	**9**	**15**	**22**	**41**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	7.1	30	1	2	6	8	12	16	34
20-34	212	7.1	69	1	1	4	8	18	25	45
35-49	266	8.8	88	2	2	7	11	16	20	50
50-64	920	8.3	36	2	3	7	10	15	18	30
65+	1288	9.0	35	2	3	8	11	15	18	31
2. MULTIPLE DX										
0-19 YRS	1974	19.4	367	2	4	13	28	55	76	99+
20-34	613	10.2	148	1	2	6	13	26	38	99+
35-49	968	11.7	126	2	2	9	15	26	38	69
50-64	3356	12.3	132	2	3	9	15	23	34	75
65+	5793	14.0	130	3	4	11	17	27	36	64
TOT. SINGLE DX	2974	8.4	43	2	2	7	11	15	19	33
" MULTIPLE DX	12704	14.0	175	2	3	10	17	30	43	88
TOTAL 0-19 YRS	2262	17.9	342	2	3	11	25	51	74	99+
20-34	825	9.4	130	1	1	6	11	23	32	85
35-49	1234	11.1	120	2	2	8	14	24	34	68
50-64	4276	11.4	115	2	3	9	14	21	31	68
65+	7081	13.1	117	3	4	10	16	25	33	60
GRAND TOTAL	**15678**	**13.0**	**155**	**2**	**3**	**10**	**16**	**27**	**39**	**82**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	483	3.2	7	<1	1	2	4	7	9	14
20-34	379	3.7	10	<1	1	3	4	7	10	16
35-49	254	4.5	22	<1	1	3	5	9	12	27
50-64	320	5.3	20	1	1	4	7	11	14	24
65+	281	6.6	33	1	2	5	9	14	18	26
2. MULTIPLE DX										
0-19 YRS	242	5.8	42	1	1	4	7	11	18	33
20-34	326	6.6	39	1	2	5	9	14	18	31
35-49	378	8.2	53	2	2	6	11	17	22	36
50-64	679	9.3	65	2	2	7	12	19	25	39
65+	900	10.5	80	2	2	8	13	21	27	46
TOT. SINGLE DX	1717	4.5	19	<1	1	3	6	9	12	21
" MULTIPLE DX	2525	8.9	66	2	2	7	12	18	24	40
TOTAL 0-19 YRS	725	4.1	21	<1	1	3	5	8	11	22
20-34	705	5.0	26	1	1	3	6	11	14	27
35-49	632	6.7	44	1	2	4	9	15	20	35
50-64	999	8.0	55	1	2	6	10	17	22	36
65+	1181	9.5	72	2	2	7	12	19	25	44
GRAND TOTAL	**4242**	**7.1**	**51**	**1**	**2**	**5**	**9**	**15**	**20**	**35**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.8	11	<1	<1	2	7	9	10	10
20-34	19	5.8	13	2	2	4	9	11	13	14
35-49	30	7.6	36	2	2	6	9	13	22	31
50-64	66	8.6	26	3	3	7	11	14	21	28
65+	78	9.7	36	4	4	8	11	21	24	78
2. MULTIPLE DX										
0-19 YRS	9	4.8	15	<1	1	3	7	11	13	13
20-34	40	8.6	66	2	2	7	10	16	22	48
35-49	66	10.9	69	2	4	9	13	22	27	44
50-64	159	10.8	61	3	4	8	13	22	27	38
65+	230	11.5	87	3	4	9	13	23	30	55
TOT. SINGLE DX	204	8.3	32	2	3	7	10	17	22	29
" MULTIPLE DX	504	10.8	74	3	3	8	13	22	28	47
TOTAL 0-19 YRS	20	4.3	13	<1	<1	3	7	9	11	13
20-34	59	7.7	50	2	2	7	10	13	19	46
35-49	96	9.9	61	2	3	8	11	22	27	40
50-64	225	10.1	52	3	4	8	12	21	25	34
65+	308	11.0	75	3	4	9	13	22	30	63
GRAND TOTAL	**708**	**10.1**	**63**	**2**	**3**	**8**	**12**	**21**	**26**	**46**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
20-34	4	11.3	131	1	1	8	19	27	27	27
35-49										
50-64										
65+	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
0-19 YRS										
20-34	4	33.3	333	18	18	29	48	56	56	56
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	12.0	43	5	5	13	17	18	18	18
TOT. SINGLE DX	8	8.5	75	<1	<1	7	11	22	27	27
" MULTIPLE DX	8	22.3	294	5	6	18	29	51	56	56
TOTAL 0-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
20-34	8	22.3	337	1	2	18	33	51	56	56
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+	5	9.8	41	2	2	11	14	18	18	18
GRAND TOTAL	**16**	**15.4**	**223**	**<1**	**1**	**11**	**19**	**39**	**51**	**56**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	16.7	482	3	3	5	33	42	42	42
20-34										
35-49	1	58.0		58	58	58	58	58	58	58
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	3	46.3	254	33	33	42	58	64	64	64
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX	5	22.6	658	3	3	5	46	58	58	58
" MULTIPLE DX	3	46.3	254	33	33	42	58	64	64	64
TOTAL 0-19 YRS	6	31.5	559	3	3	37	42	62	64	64
20-34										
35-49	1	58.0		58	58	58	58	58	58	58
50-64	1	5.0		5	5	5	5	5	5	5
65+										
GRAND TOTAL	8	31.5	600	3	4	37	50	62	64	64

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	274	6.1	17	1	2	5	8	12	14	20
20-34	222	8.0	45	1	2	7	10	15	23	36
35-49	186	8.1	54	1	2	6	9	18	23	37
50-64	266	7.6	45	1	2	6	10	14	19	34
65+	369	9.1	66	2	2	7	11	19	24	42
2. MULTIPLE DX										
0-19 YRS	343	10.2	124	2	2	8	11	19	33	56
20-34	539	12.3	142	3	3	9	14	26	34	66
35-49	679	11.5	112	2	3	8	14	23	33	55
50-64	1456	11.5	92	2	3	9	14	24	30	54
65+	3742	12.2	97	3	4	10	15	23	31	53
TOT. SINGLE DX	1317	7.8	48	1	2	6	10	15	21	36
" MULTIPLE DX	6759	11.9	103	3	3	9	15	23	31	55
TOTAL 0-19 YRS	617	8.4	81	1	2	6	10	15	22	48
20-34	761	11.1	118	2	3	8	13	23	31	63
35-49	865	10.8	102	2	3	8	13	21	32	51
50-64	1722	10.9	87	2	3	8	13	22	29	51
65+	4111	11.9	95	3	3	9	15	23	30	53
GRAND TOTAL	8076	11.2	96	2	3	9	14	22	30	53

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	11.6	130	1	2	9	16	24	37	59
20-34	21	19.2	323	3	4	12	30	49	60	68
35-49	39	12.6	231	2	*	5	17	27	43	78
50-64	56	8.9	151	1	1	4	12	21	32	72
65+	41	11.5	117	1	2	9	16	21	29	59
2. MULTIPLE DX										
0-19 YRS	129	21.6	378	2	5	15	30	59	91	99+
20-34	148	15.6	231	1	2	12	20	38	45	68
35-49	218	12.5	156	2	2	8	16	30	38	62
50-64	357	13.3	171	2	3	9	16	31	41	64
65+	420	16.0	170	3	4	13	21	32	45	81
TOT. SINGLE DX	225	11.8	173	1	2	7	15	27	37	69
" MULTIPLE DX	1272	15.2	202	2	3	11	20	35	47	78
TOTAL 0-19 YRS	197	18.1	314	2	2	12	25	46	68	99+
20-34	169	16.1	243	1	2	12	21	38	47	68
35-49	257	12.5	167	2	2	8	16	29	38	64
50-64	413	12.7	171	2	2	8	15	30	40	67
65+	461	15.6	167	2	4	12	21	31	43	74
GRAND TOTAL	1497	14.6	199	2	2	10	20	32	46	75

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	4.4	37	<1	1	2	4	11	14	39
20-34	88	4.3	12	<1	1	3	6	10	11	16
35-49	115	6.5	108	1	1	4	8	11	19	63
50-64	149	5.7	66	1	1	4	7	13	16	25
65+	189	6.6	42	1	1	4	9	16	20	28
2. MULTIPLE DX										
0-19 YRS	102	7.4	68	1	1	5	10	17	19	79
20-34	199	7.3	41	2	2	5	9	15	19	44
35-49	457	7.5	40	1	2	6	10	14	21	36
50-64	849	9.1	81	1	2	7	11	20	26	51
65+	1438	10.0	110	2	2	7	12	21	30	56
TOT. SINGLE DX	622	5.8	56	1	1	3	8	13	17	31
" MULTIPLE DX	3045	9.1	87	2	2	6	11	19	27	51
TOTAL 0-19 YRS	183	6.0	57	<1	1	3	8	14	18	55
20-34	287	6.4	35	1	2	5	8	14	16	33
35-49	572	7.3	54	1	2	5	9	14	21	38
50-64	998	8.6	80	1	2	6	10	18	25	50
65+	1627	9.6	103	1	2	7	12	20	28	52
GRAND TOTAL	3667	8.5	83	1	2	6	10	18	25	49

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	525	3.7	3	2	2	3	4	6	7	10
20-34	1	12.0		12	12	12	12	12	12	12
35-49	5	14.2	165	6	6	9	17	37	37	37
50-64	3	9.0	19	6	6	7	12	14	14	14
65+	5	8.6	35	2	2	10	12	17	17	17
2. MULTIPLE DX										
0-19 YRS	133	5.9	28	2	3	4	6	10	13	20
20-34	7	14.1	191	1	1	10	27	34	35	35
35-49	16	12.7	21	8	9	12	15	23	73	99+
50-64	15	13.3	36	7	8	10	16	23	27	29
65+	38	23.2	330	7	9	17	28	58	80	99+
TOT. SINGLE DX * MULTIPLE DX	539	3.9	6	2	2	3	4	6	7	13
	209	10.4	137	2	3	6	12	22	35	94
TOTAL 0-19 YRS	658	4.2	11	2	2	4	5	6	8	16
20-34	8	13.9	165	1	1	11	22	34	35	35
35-49	21	11.0	49	7	8	11	14	28	62	99+
50-64	18	12.6	35	6	7	10	15	21	27	29
65+	43	21.5	317	4	8	17	27	54	73	99+
GRAND TOTAL	748	5.7	91	2	2	4	6	10	17	41

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	13.7	155	5	5	7	22	34	35	35
20-34	2	8.5	1	8	8	9	77	99+	99+	99+
35-49	5	15.2	64	7	7	13	20	28	28	28
50-64	18	15.9	262	4	4	8	21	41	54	62
65+	32	12.2	57	3	3	11	17	23	28	29
2. MULTIPLE DX										
0-19 YRS	61	23.0	252	6	7	20	32	50	67	99+
20-34	24	15.9	178	4	5	13	38	99+	99+	99+
35-49	35	20.8	188	3	3	21	29	49	54	99+
50-64	92	22.6	418	5	6	16	28	70	95	99+
65+	441	25.6	364	5	7	21	35	56	72	99+
TOT. SINGLE DX * MULTIPLE DX	64	13.5	121	3	4	9	19	28	39	94
	653	24.4	349	5	7	20	34	56	80	99+
TOTAL 0-19 YRS	68	22.1	246	6	7	18	30	49	60	99+
20-34	26	15.3	169	4	5	13	39	99+	99+	99+
35-49	40	20.1	175	3	4	20	28	42	53	99+
50-64	110	21.9	397	5	6	17	28	59	86	99+
65+	473	24.7	355	4	6	20	34	56	70	99+
GRAND TOTAL	717	23.4	338	4	6	19	32	55	75	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	5.1	11	2	2	4	7	11	12	12
20-34	92	5.2	17	1	1	4	7	9	10	26
35-49	168	5.8	20	1	1	5	7	10	13	26
50-64	208	6.1	18	1	1	5	8	11	15	19
65+	230	6.9	34	1	2	6	9	13	16	37
2. MULTIPLE DX										
0-19 YRS	63	7.1	41	1	2	5	9	13	17	20
20-34	139	7.1	36	1	1	5	9	13	17	32
35-49	293	7.6	37	1	1	6	9	14	18	33
50-64	1448	8.3	49	1	1	7	10	15	19	35
65+	2583	10.3	68	1	1	8	12	20	26	41
TOT. SINGLE DX * MULTIPLE DX	726	6.1	24	1	2	5	8	11	15	24
	5225	9.1	58	1	1	7	11	17	22	38
TOTAL 0-19 YRS	91	6.5	32	1	1	5	9	12	13	34
20-34	430	6.7	31	1	1	5	8	12	16	31
35-49	961	7.3	35	1	1	6	9	13	18	32
50-64	1656	8.0	47	1	1	6	10	15	19	31
65+	2813	10.1	67	1	1	8	12	19	25	41
GRAND TOTAL	9951	8.7	55	1	1	7	10	16	22	38

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	46	13.0	39	6	7	12	16	20	27	32
35-49	124	11.6	25	7	7	11	13	19	20	30
50-64	126	14.1	49	7	8	12	16	24	27	42
65+	116	16.4	57	9	9	14	20	27	31	42
2. MULTIPLE DX										
0-19 YRS	6	10.2	10	5	5	10	13	14	14	14
20-34	85	18.0	207	7	7	13	20	36	51	99
35-49	241	15.4	84	7	8	13	17	25	33	50
50-64	400	18.9	123	8	9	16	22	35	43	68
65+	518	21.5	145	9	10	18	26	37	44	77
TOT. SINGLE DX	414	13.9	46	7	8	12	16	23	27	40
" MULTIPLE DX	1250	19.2	135	8	9	16	23	34	42	73
TOTAL 0-19 YRS	8	10.3	8	5	6	10	12	14	14	14
20-34	131	16.2	153	7	7	12	19	29	41	98
35-49	365	14.1	68	7	8	12	16	22	28	45
50-64	526	17.7	110	8	9	15	21	31	39	60
65+	634	20.5	133	9	10	18	25	35	42	76
GRAND TOTAL	**1664**	**17.9**	**119**	**8**	**9**	**15**	**21**	**31**	**39**	**69**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	6	16.3	79	9	9	13	23	31	32	32
50-64	10	19.7	123	10	10	16	24	36	48	48
65+	12	17.2	42	8	11	15	21	27	30	31
2. MULTIPLE DX										
0-19 YRS										
20-34	6	19.3	114	13	13	15	17	39	41	41
35-49	18	20.4	69	10	11	20	27	29	37	41
50-64	60	22.8	182	8	11	19	27	45	55	69
65+	72	25.2	237	10	13	20	29	46	55	89
TOT. SINGLE DX	28	18.0	75	9	10	15	23	29	34	48
" MULTIPLE DX	156	23.5	193	10	11	19	28	44	54	70
TOTAL 0-19 YRS										
20-34	6	19.3	115	13	13	15	17	39	41	41
35-49	24	19.5	71	10	10	18	26	30	35	41
50-64	70	22.4	174	9	11	18	26	45	55	67
65+	84	24.0	217	10	13	19	28	46	54	86
GRAND TOTAL	**184**	**22.7**	**178**	**10**	**11**	**18**	**27**	**41**	**52**	**69**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	9.8	5	7	7	10	12	13	13	13
20-34	75	10.4	42	5	6	9	12	16	21	46
35-49	99	10.5	20	6	6	9	13	16	18	31
50-64	76	11.7	22	7	7	10	13	19	23	26
65+	36	13.3	36	7	8	12	16	20	23	38
2. MULTIPLE DX										
0-19 YRS	5	13.2	15	8	8	12	16	18	18	18
20-34	50	12.8	37	7	8	10	15	21	28	31
35-49	151	13.5	42	7	7	11	16	22	27	35
50-64	159	16.3	94	7	8	13	19	30	34	57
65+	151	19.5	117	8	9	17	24	33	40	54
TOT. SINGLE DX	294	11.1	29	6	7	10	13	17	20	33
" MULTIPLE DX	516	16.0	86	7	8	13	19	28	34	51
TOTAL 0-19 YRS	13	11.1	11	7	7	11	12	16	18	18
20-34	125	11.3	42	6	6	9	13	19	24	36
35-49	250	12.3	36	6	7	10	14	20	25	35
50-64	235	14.8	75	7	8	12	17	27	31	48
65+	187	18.3	108	8	9	16	22	31	37	54
GRAND TOTAL	**810**	**14.2**	**71**	**6**	**7**	**12**	**17**	**25**	**31**	**45**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	7.6	35	1	2	6	9	16	21	31
20-34	288	8.0	11	5	5	8	9	11	13	25
35-49	288	8.4	9	5	5	8	10	12	13	20
50-64	149	9.7	20	5	6	9	11	15	17	27
65+	112	12.5	53	6	7	11	14	21	25	44
2. MULTIPLE DX										
0-19 YRS	142	16.0	186	4	5	11	21	34	46	81
20-34	511	10.7	93	5	5	8	11	17	25	71
35-49	729	11.9	80	5	6	9	13	22	31	48
50-64	519	15.9	138	6	7	12	18	31	42	58
65+	596	19.9	180	7	8	16	25	38	50	86
TOT. SINGLE DX	913	8.9	22	4	5	8	10	13	17	27
" MULTIPLE DX	2497	14.6	137	5	6	10	17	29	38	68
TOTAL 0-19 YRS	218	13.1	150	2	4	9	17	30	36	76
20-34	799	9.7	66	5	5	8	10	14	22	53
35-49	1017	10.9	63	5	6	9	12	18	26	40
50-64	668	14.5	119	6	7	11	16	28	39	57
65+	708	18.8	168	6	8	15	23	36	47	79
GRAND TOTAL	**3410**	**13.1**	**113**	**5**	**6**	**10**	**15**	**25**	**35**	**61**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	176	4.7	11	1	1	4	7	9	11	15
20-34	265	5.4	15	1	1	5	7	9	12	20
35-49	342	5.0	19	1	1	4	7	10	13	25
50-64	491	4.7	18	1	1	2	5	10	12	20
65+	498	5.0	33	1	1	3	6	12	16	30
2. MULTIPLE DX										
0-19 YRS	201	6.6	31	1	2	5	8	13	16	41
20-34	597	7.5	42	2	2	6	9	13	20	32
35-49	904	6.8	30	1	2	5	9	13	17	26
50-64	1836	7.4	47	1	2	6	10	15	19	33
65+	3327	8.8	64	1	2	7	11	18	23	42
TOT. SINGLE DX	1772	4.8	22	1	1	3	6	10	13	23
" MULTIPLE DX	6865	8.0	53	1	2	6	10	16	21	37
TOTAL 0-19 YRS	377	5.7	23	1	2	5	7	11	14	25
20-34	862	6.8	35	1	2	5	8	12	16	30
35-49	1246	6.3	28	1	2	5	8	13	16	25
50-64	2327	6.7	43	1	2	5	9	14	18	32
65+	3825	8.3	63	1	2	6	11	17	23	39
GRAND TOTAL	8637	7.3	49	1	2	5	9	15	20	35

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	11.6	66	5	6	9	13	20	27	44
20-34	46	10.5	23	5	6	10	12	15	21	30
35-49	50	12.2	46	5	7	10	13	19	36	99
50-64	48	13.5	45	6	7	11	17	23	28	32
65+	59	16.0	112	7	8	14	18	24	31	72
2. MULTIPLE DX										
0-19 YRS	66	15.7	136	7	7	12	19	44	99+	99+
20-34	152	14.3	116	6	7	11	15	30	38	55
35-49	172	16.2	112	7	8	13	19	26	37	59
50-64	247	20.6	254	7	8	15	26	42	70	99+
65+	527	21.5	202	8	9	17	26	42	57	99+
TOT. SINGLE DX	227	13.0	64	5	7	11	15	21	28	53
" MULTIPLE DX	1164	19.3	193	7	8	15	23	38	54	99+
TOTAL 0-19 YRS	90	14.6	120	6	7	11	19	36	65	99+
20-34	198	13.4	97	6	6	10	14	23	33	53
35-49	222	15.3	100	6	8	13	18	25	37	61
50-64	295	19.5	227	7	8	15	24	38	65	99+
65+	586	21.0	196	8	9	17	25	40	54	99+
GRAND TOTAL	1391	18.3	177	7	8	14	22	35	50	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	12.6	69	6	7	10	15	21	29	48
20-34	91	13.1	48	6	7	11	16	21	28	38
35-49	222	12.7	47	6	7	11	14	18	23	44
50-64	498	12.5	23	8	8	11	14	18	21	30
65+	689	14.7	45	8	9	13	17	22	26	45
2. MULTIPLE DX										
0-19 YRS	93	19.2	195	6	9	14	25	41	60	99+
20-34	201	15.8	126	6	7	12	18	25	40	61
35-49	519	15.2	64	8	8	13	17	24	33	52
50-64	1328	16.6	106	8	9	14	18	27	37	63
65+	3788	19.6	119	9	10	17	23	32	40	64
TOT. SINGLE DX	1537	13.6	40	7	8	12	15	20	24	39
" MULTIPLE DX	6129	18.4	116	8	10	15	21	31	40	64
TOTAL 0-19 YRS	130	17.4	168	6	7	13	21	34	56	99+
20-34	292	14.9	103	6	7	12	17	24	36	50
35-49	741	14.4	61	7	8	12	16	23	31	51
50-64	2026	15.6	89	8	9	13	17	25	32	58
65+	4477	18.9	112	9	10	16	22	31	39	63
GRAND TOTAL	7666	17.4	104	8	9	15	20	29	37	61

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	7.9	19	2	3	6	11	14	16	17
20-34	12	9.3	8	6	6	9	11	13	16	16
35-49	10	7.8	4	5	5	8	9	10	11	11
50-64	13	12.2	48	6	6	10	14	24	27	28
65+	41	14.4	44	7	8	13	17	23	28	39
2. MULTIPLE DX										
0-19 YRS	19	15.3	433	3	5	9	14	26	67	97
20-34	34	16.4	248	3	4	12	18	37	74	99+
35-49	52	14.3	40	6	7	14	18	21	24	35
50-64	101	17.2	74	6	8	16	21	30	39	99+
65+	203	24.2	296	8	9	18	31	49	65	91
TOT. SINGLE DX	91	11.6	39	5	6	10	14	19	24	36
" MULTIPLE DX	409	20.1	226	6	8	16	23	39	54	98
TOTAL 0-19 YRS	34	12.0	259	2	4	8	13	17	28	97
20-34	46	14.5	195	3	5	11	16	33	60	99+
35-49	62	13.3	40	6	6	12	18	20	23	36
50-64	114	16.6	74	6	8	15	21	29	38	99+
65+	244	22.5	267	8	9	17	28	45	58	88
GRAND TOTAL	500	18.6	203	6	7	15	21	36	51	95

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	8.1	25	3	3	7	11	13	17	27
20-34	149	8.3	11	3	5	8	10	12	14	20
35-49	131	10.3	30	4	6	9	12	15	21	31
50-64	144	10.1	32	4	5	10	12	14	16	26
65+	154	10.0	18	4	5	10	12	15	16	23
2. MULTIPLE DX										
0-19 YRS	198	12.1	110	4	5	9	13	22	29	59
20-34	276	12.6	137	5	6	9	13	22	29	86
35-49	249	14.7	135	6	7	11	16	25	36	91
50-64	359	15.0	120	5	7	12	17	28	35	73
65+	665	16.5	151	6	8	13	18	31	41	71
TOT. SINGLE DX	709	9.4	24	3	4	9	11	14	17	28
" MULTIPLE DX	1747	14.8	138	5	6	11	17	27	36	73
TOTAL 0-19 YRS	329	10.5	81	3	4	8	12	18	25	45
20-34	425	11.1	97	5	5	9	12	17	24	63
35-49	380	13.2	103	5	6	11	14	23	31	70
50-64	503	13.6	100	5	6	11	15	24	32	64
65+	819	15.3	133	5	7	12	17	27	38	70
GRAND TOTAL	**2456**	**13.3**	**111**	**4**	**6**	**10**	**15**	**23**	**32**	**69**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	11.8	51	3	4	9	18	23	24	25
20-34	18	12.2	150	2	3	8	13	28	43	52
35-49	22	9.9	29	2	3	9	12	15	21	28
50-64	31	15.8	175	4	6	12	17	27	49	67
65+	48	18.3	139	6	8	14	21	33	49	55
2. MULTIPLE DX										
0-19 YRS	25	15.0	101	5	6	11	18	29	40	42
20-34	61	19.0	297	4	6	14	22	53	76	99+
35-49	84	19.5	177	6	8	16	24	35	50	93
50-64	186	20.3	182	8	9	17	25	35	49	87
65+	419	24.6	243	8	10	20	31	45	62	98
TOT. SINGLE DX	135	14.7	128	3	5	12	17	28	45	57
" MULTIPLE DX	771	22.2	227	7	9	18	27	43	58	99
TOTAL 0-19 YRS	41	13.7	83	4	5	10	18	26	33	42
20-34	79	17.4	270	3	5	12	21	51	72	99+
35-49	106	17.3	161	5	8	14	21	33	49	89
50-64	217	19.6	183	7	9	16	24	35	49	84
65+	463	23.9	236	8	10	19	30	45	60	96
GRAND TOTAL	**906**	**21.1**	**220**	**6**	**8**	**17**	**26**	**42**	**54**	**93**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5656	4.0	6	2	2	3	5	7	8	13
20-34	3616	4.1	4	2	2	4	5	7	8	12
35-49	1135	4.9	7	2	2	4	6	8	10	14
50-64	569	6.3	12	2	3	5	8	11	12	19
65+	237	7.8	18	3	3	7	10	13	16	24
2. MULTIPLE DX										
0-19 YRS	1436	6.1	24	2	3	5	7	11	15	26
20-34	1184	6.2	24	2	3	5	7	11	13	25
35-49	561	7.9	32	3	3	6	10	14	17	29
50-64	454	10.2	55	3	4	8	12	18	24	40
65+	432	12.8	73	4	5	10	16	23	29	50
TOT. SINGLE DX	11213	4.3	7	2	2	4	5	7	9	14
" MULTIPLE DX	4067	7.5	39	2	3	6	9	14	19	34
TOTAL 0-19 YRS	7092	4.4	11	2	2	4	5	8	10	17
20-34	4800	4.6	10	2	2	4	5	8	10	16
35-49	1696	5.9	17	2	3	5	7	10	13	21
50-64	1023	8.0	35	3	3	7	10	14	18	33
65+	669	11.0	60	4	4	9	13	21	25	42
GRAND TOTAL	**15280**	**5.2**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	4.2	5	2	2	4	5	7	8	16
20-34	56	5.0	5	2	2	4	7	8	10	12
35-49	18	6.0	10	3	3	5	8	9	13	15
50-64	11	7.5	19	1	3	7	10	14	16	16
65+	7	12.0	51	4	4	11	15	23	25	25
2. MULTIPLE DX										
0-19 YRS	43	6.4	17	2	3	5	8	11	15	23
20-34	54	6.9	23	3	4	6	8	10	13	36
35-49	20	8.5	23	3	3	7	12	16	17	17
50-64	11	13.7	98	3	4	11	19	30	35	35
65+	9	18.0	149	7	7	17	25	37	44	44
TOT. SINGLE DX	160	5.3	12	2	2	4	7	9	12	17
" MULTIPLE DX	137	8.3	44	3	3	6	9	16	22	38
TOTAL 0-19 YRS	111	5.1	11	2	2	4	6	8	11	20
20-34	110	5.9	15	2	3	5	7	9	10	24
35-49	38	7.3	18	3	3	6	10	14	16	17
50-64	22	10.6	66	2	3	8	14	22	30	35
65+	16	15.4	109	5	6	12	21	26	39	44
GRAND TOTAL	**297**	**6.6**	**29**	**2**	**3**	**5**	**8**	**12**	**17**	**31**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	7.7	20	2	3	7	10	13	17	20
20-34	12	8.3	7	4	5	7	11	12	13	13
35-49	10	9.0	12	3	4	9	11	14	14	14
50-64	5	10.6	3	8	8	11	12	13	13	13
65+	7	11.0	24	6	6	10	12	19	21	21
2. MULTIPLE DX										
0-19 YRS	10	10.8	45	3	3	10	13	21	25	25
20-34	11	8.9	21	3	3	8	13	15	17	17
35-49	6	13.8	43	6	6	14	20	22	22	22
50-64	9	18.6	278	5	5	13	23	47	55	55
65+	10	11.9	31	4	5	11	16	19	21	21
TOT. SINGLE DX	54	8.8	16	3	3	8	11	13	14	21
" MULTIPLE DX	46	12.5	86	3	4	11	16	21	27	55
TOTAL 0-19 YRS	30	8.7	30	3	3	8	12	15	20	25
20-34	23	8.6	13	3	4	8	11	14	15	17
35-49	16	10.8	28	4	5	10	14	19	21	22
50-64	14	15.7	188	5	6	11	16	38	51	55
65+	17	11.5	27	5	6	10	16	20	21	21
GRAND TOTAL	**100**	**10.5**	**51**	**3**	**4**	**9**	**13**	**17**	**21**	**45**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	3.1	5	<1	1	2	4	6	8	12
20-34	129	3.9	7	1	1	3	5	7	8	14
35-49	96	4.4	14	1	1	3	5	9	12	19
50-64	151	4.4	17	1	1	3	5	9	14	21
65+	238	5.8	31	1	2	4	7	12	18	29
2. MULTIPLE DX										
0-19 YRS	80	7.1	68	1	1	4	8	18	21	47
20-34	132	6.6	40	2	2	5	8	12	16	38
35-49	203	7.3	46	2	2	5	9	15	20	39
50-64	408	7.8	40	2	2	6	10	15	19	31
65+	746	9.9	73	2	3	7	13	20	28	42
TOT. SINGLE DX	729	4.6	19	1	1	3	5	9	12	22
" MULTIPLE DX	1569	8.6	60	2	2	6	11	17	23	38
TOTAL 0-19 YRS	195	4.7	35	1	1	3	5	9	16	31
20-34	261	5.3	26	1	2	4	7	10	13	24
35-49	299	6.4	38	1	2	5	8	13	18	37
50-64	559	6.9	37	1	2	5	8	14	18	30
65+	984	8.9	67	2	2	6	11	19	25	39
GRAND TOTAL	**2298**	**7.3**	**51**	**1**	**2**	**5**	**9**	**15**	**21**	**37**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	3.0	4	<1	1	2	4	6	7	11
20-34	338	3.0	4	1	1	3	4	5	7	12
35-49	272	3.2	4	1	1	3	4	6	7	11
50-64	123	4.1	11	1	1	3	5	8	10	17
65+	39	4.7	18	1	2	4	5	7	11	27
2. MULTIPLE DX										
0-19 YRS	33	4.9	38	1	1	2	7	9	19	31
20-34	182	4.9	20	1	2	4	6	9	12	20
35-49	182	5.7	36	1	2	4	6	11	15	39
50-64	152	6.5	40	1	2	5	8	13	19	35
65+	97	10.1	119	2	2	7	11	26	35	81
TOT. SINGLE DX	828	3.3	6	1	1	3	4	6	8	12
" MULTIPLE DX	646	6.3	48	1	2	4	7	12	18	41
TOTAL 0-19 YRS	89	3.7	17	1	1	2	4	8	9	27
20-34	520	3.7	11	1	1	3	4	7	9	16
35-49	454	4.2	19	1	1	3	5	7	11	19
50-64	275	5.4	29	1	1	4	7	11	14	32
65+	136	8.5	96	1	2	5	9	21	30	65
GRAND TOTAL	**1474**	**4.6**	**27**	**1**	**1**	**3**	**5**	**8**	**12**	**29**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	11.0	19	3	6	11	14	17	19	21
20-34	19	11.9	29	6	7	11	14	21	24	25
35-49	43	13.9	68	2	3	13	18	22	29	42
50-64	117	14.5	26	8	9	14	17	22	24	31
65+	155	17.0	64	8	10	16	20	24	29	54
2. MULTIPLE DX										
0-19 YRS	44	17.7	169	8	9	12	19	40	47	65
20-34	30	19.2	128	6	9	16	25	38	40	44
35-49	75	17.1	131	5	9	14	19	29	34	72
50-64	279	18.4	127	7	9	16	21	29	39	69
65+	559	21.3	122	9	11	19	26	37	43	62
TOT. SINGLE DX	367	15.0	50	6	9	14	18	23	25	41
" MULTIPLE DX	987	20.0	129	8	10	17	24	35	42	66
TOTAL 0-19 YRS	77	14.8	116	6	8	11	16	25	43	61
20-34	49	16.4	102	6	7	12	23	34	39	44
35-49	118	15.9	110	4	7	14	18	26	33	70
50-64	396	17.2	101	7	9	15	20	26	35	66
65+	714	20.4	113	9	10	18	24	35	41	61
GRAND TOTAL	**1354**	**18.6**	**112**	**8**	**9**	**16**	**22**	**32**	**40**	**64**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	295	4.5	8	1	1	4	6	8	10	14
20-34	1065	4.8	12	1	2	4	6	9	10	18
35-49	1162	5.1	12	1	2	4	6	9	11	17
50-64	966	5.1	14	1	1	4	6	9	12	18
65+	801	6.1	27	1	2	5	8	11	14	27
2. MULTIPLE DX										
0-19 YRS	468	5.3	22	1	2	4	7	10	12	20
20-34	2591	6.2	24	2	2	5	8	11	15	25
35-49	4265	7.0	32	2	2	6	8	13	16	29
50-64	5598	7.5	39	2	2	6	9	14	18	32
65+	8041	9.4	61	2	3	7	11	18	24	42
TOT. SINGLE DX	4289	5.2	16	1	2	4	7	9	12	19
" MULTIPLE DX	20963	7.9	46	2	3	6	10	15	19	36
TOTAL 0-19 YRS	763	5.0	17	1	2	4	6	9	11	19
20-34	3656	5.8	21	2	2	5	7	10	14	23
35-49	5427	6.6	29	2	2	5	8	12	15	28
50-64	6564	7.1	37	2	2	6	9	13	17	31
65+	8842	9.1	59	2	3	7	11	17	23	41
GRAND TOTAL	**25252**	**7.4**	**42**	**2**	**2**	**6**	**9**	**14**	**18**	**34**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.4	1	<1	<1	2	3	5	5	6
20-34	304	3.4	2	1	2	3	4	5	6	9
35-49	342	3.6	3	1	2	3	4	6	7	10
50-64	184	3.7	5	1	2	3	4	6	7	11
65+	58	4.1	5	2	2	4	5	7	8	15
2. MULTIPLE DX										
0-19 YRS	17	6.7	61	1	1	4	9	13	27	34
20-34	274	4.2	7	2	2	4	5	7	9	17
35-49	326	4.5	14	2	2	4	5	7	9	25
50-64	258	5.0	12	2	2	4	6	8	11	20
65+	146	7.3	51	2	3	5	8	15	18	50
TOT. SINGLE DX	942	3.5	4	1	2	3	4	5	7	9
" MULTIPLE DX	1021	5.0	19	2	2	4	5	8	12	25
TOTAL 0-19 YRS	71	3.4	19	<1	1	2	4	5	9	30
20-34	578	3.8	5	1	2	3	5	6	7	13
35-49	668	4.0	9	1	2	3	5	7	8	16
50-64	442	4.5	10	2	2	4	5	8	9	20
65+	204	6.4	41	2	2	5	7	12	16	40
GRAND TOTAL	**1963**	**4.3**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**20**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	2.5	1	<1	1	2	3	4	5	6
20-34	318	3.1	2	1	1	3	4	5	6	8
35-49	198	3.4	3	1	2	3	4	5	6	12
50-64	111	3.9	6	2	2	4	4	6	7	15
65+	64	4.5	6	2	2	4	6	9	10	11
2. MULTIPLE DX										
0-19 YRS	27	4.8	35	1	1	3	5	7	14	33
20-34	347	4.4	6	2	2	4	5	7	9	14
35-49	472	4.7	11	2	2	4	5	7	9	18
50-64	333	5.5	20	2	2	4	6	9	12	27
65+	214	6.6	17	3	3	5	8	13	16	21
TOT. SINGLE DX	741	3.4	4	1	2	3	4	6	7	10
" MULTIPLE DX	1393	5.1	14	2	2	4	6	8	11	20
TOTAL 0-19 YRS	77	3.3	14	<1	1	3	4	5	6	27
20-34	665	3.8	5	1	2	3	5	6	7	11
35-49	670	4.3	9	2	2	4	5	7	9	15
50-64	444	5.1	17	2	2	4	6	9	11	23
65+	278	6.1	16	2	2	5	7	12	14	20
GRAND TOTAL	**2134**	**4.5**	**11**	**2**	**2**	**4**	**5**	**7**	**10**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	4.1	8	1	1	4	5	6	10	14
20-34	444	4.5	3	2	2	4	5	7	8	10
35-49	606	5.0	4	2	3	5	6	8	9	12
50-64	349	5.0	4	2	3	5	6	7	9	12
65+	165	5.6	7	2	3	5	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	54	4.7	6	2	3	4	5	7	10	17
20-34	1619	5.2	7	3	3	5	6	8	10	15
35-49	2798	5.7	8	3	3	5	7	9	10	17
50-64	2111	6.1	12	3	3	5	7	10	12	20
65+	968	7.3	27	3	4	6	8	12	16	29
TOT. SINGLE DX	1584	4.9	5	2	3	5	6	7	9	12
" MULTIPLE DX	7550	5.9	12	3	3	5	7	9	11	19
TOTAL 0-19 YRS	74	4.5	7	2	2	4	5	7	10	16
20-34	2063	5.1	7	2	3	5	6	8	9	14
35-49	3404	5.5	8	3	3	5	6	9	10	15
50-64	2460	5.9	11	3	3	5	7	9	11	18
65+	1133	7.1	25	3	3	6	8	12	15	26
GRAND TOTAL	**9134**	**5.7**	**11**	**3**	**3**	**5**	**7**	**9**	**11**	**18**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	65	4.0	9	<1	1	3	5	8	11	14
20-34	343	3.5	4	1	1	3	4	6	7	12
35-49	238	3.5	6	1	1	3	4	6	8	17
50-64	134	3.9	6	1	2	3	5	7	9	14
65+	84	5.2	26	1	2	4	6	9	11	33
2. MULTIPLE DX										
0-19 YRS	69	7.5	132	1	1	4	8	15	20	77
20-34	202	4.5	10	2	2	4	6	8	9	18
35-49	252	5.1	17	1	2	4	6	9	14	21
50-64	214	6.7	59	2	2	5	7	11	16	56
65+	220	9.6	75	2	3	7	12	20	24	49
TOT. SINGLE DX	864	3.8	8	1	1	3	5	7	9	14
" MULTIPLE DX	957	6.6	50	2	2	5	7	13	18	40
TOTAL 0-19 YRS	134	5.8	76	<1	1	4	7	12	15	42
20-34	545	3.9	7	1	1	3	5	7	9	13
35-49	490	4.3	13	1	1	3	5	8	10	21
50-64	348	5.6	41	1	2	4	7	9	14	24
65+	304	8.4	65	2	2	6	10	16	22	48
GRAND TOTAL	**1821**	**5.2**	**32**	**1**	**2**	**4**	**6**	**9**	**14**	**27**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	5	7.0	17	3	3	6	9	14	14	14
20-34	5	9.6	61	4	4	6	13	23	23	23
35-49	11	7.7	23	4	4	6	11	16	17	17
50-64	7	10.0	36	3	3	10	12	19	21	21
65+	6	7.2	33	2	2	5	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	9	9.7	80	4	4	7	14	66	99+	99+
20-34	28	10.7	90	4	5	8	10	16	39	46
35-49	15	16.5	152	3	4	11	22	29	45	51
50-64	26	17.4	168	3	5	12	25	38	45	49
65+	32	14.7	127	2	3	12	20	29	34	53
TOT. SINGLE DX	34	8.3	30	2	3	6	12	15	20	23
" MULTIPLE DX	110	14.2	131	3	4	10	20	30	44	71
TOTAL 0-19 YRS	14	8.7	57	3	4	7	13	32	83	99+
20-34	33	10.5	84	4	5	8	10	17	36	46
35-49	26	12.8	114	3	4	10	17	26	33	51
50-64	33	15.8	148	3	4	12	23	33	43	49
65+	38	13.5	119	2	2	11	20	28	32	53
GRAND TOTAL	**144**	**12.8**	**113**	**3**	**4**	**9**	**17**	**28**	**38**	**55**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	66	4.6	25	1	1	2	7	10	17	26
20-34	193	4.3	18	1	1	2	5	11	16	19
35-49	180	4.4	27	1	1	2	5	10	14	28
50-64	191	5.5	41	1	1	3	7	13	18	30
65+	143	7.5	52	1	1	5	10	16	20	40
2. MULTIPLE DX										
0-19 YRS	113	11.0	114	1	2	7	13	25	32	53
20-34	312	10.1	89	2	2	6	13	21	31	49
35-49	494	9.9	85	2	2	7	13	21	28	49
50-64	951	10.6	84	2	2	8	14	21	27	50
65+	1009	12.8	96	2	3	10	17	24	32	52
TOT. SINGLE DX	773	5.3	34	1	1	3	7	12	17	28
" MULTIPLE DX	2879	11.2	92	2	2	9	15	22	30	50
TOTAL 0-19 YRS	179	8.7	91	1	1	6	10	21	27	50
20-34	505	7.9	71	1	2	5	10	18	24	40
35-49	674	8.4	76	1	2	6	11	19	26	44
50-64	1142	9.8	81	1	2	8	13	20	26	48
65+	1152	12.1	94	2	2	10	16	23	30	51
GRAND TOTAL	**3652**	**9.9**	**86**	**1**	**2**	**8**	**13**	**21**	**27**	**49**

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	369	6.6	7	4	4	6	8	10	12	16
20-34	3456	6.7	6	4	4	6	8	10	11	15
35-49	3107	7.2	7	4	5	7	8	11	12	17
50-64	2682	8.0	11	4	5	7	9	12	14	19
65+	1764	9.6	16	5	6	9	11	15	17	24
2. MULTIPLE DX										
0-19 YRS	273	8.9	16	5	5	8	10	14	16	23
20-34	2637	8.7	25	4	5	7	10	14	16	27
35-49	3568	9.5	30	4	5	8	11	15	19	30
50-64	4904	11.1	43	5	6	9	13	18	22	36
65+	6228	14.4	76	6	7	12	17	24	31	51
TOT. SINGLE DX	11378	7.6	11	4	5	7	9	12	14	19
" MULTIPLE DX	17610	11.5	55	5	6	10	14	19	24	41
TOTAL 0-19 YRS	642	7.6	13	4	4	7	9	12	14	20
20-34	6093	7.5	16	4	4	7	9	11	14	22
35-49	6675	8.4	21	4	5	7	10	13	16	25
50-64	7586	10.0	34	5	5	8	12	16	20	32
65+	7992	13.3	68	6	6	11	16	22	28	47
GRAND TOTAL	**28988**	**10.0**	**41**	**4**	**5**	**8**	**12**	**17**	**21**	**35**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	14.1	70	4	5	13	16	26	33	36
20-34	54	7.6	31	2	3	6	11	14	20	25
35-49	54	9.0	28	2	3	8	11	16	21	24
50-64	66	11.3	103	1	2	10	15	19	28	65
65+	105	12.7	50	2	3	12	17	22	24	33
2. MULTIPLE DX										
0-19 YRS	19	18.9	86	4	7	19	24	33	39	41
20-34	70	13.3	109	3	4	11	18	31	38	50
35-49	102	16.0	157	4	5	13	21	30	52	99+
50-64	232	17.8	146	4	7	15	22	33	42	64
65+	563	19.9	152	6	9	17	24	35	44	75
TOT. SINGLE DX	297	10.9	60	2	2	10	14	21	24	35
" MULTIPLE DX	986	18.5	151	4	7	16	23	34	44	71
TOTAL 0-19 YRS	37	16.6	87	4	5	14	22	28	37	41
20-34	124	10.8	83	2	2	8	14	23	27	47
35-49	156	13.6	124	3	4	11	17	27	41	97
50-64	298	16.3	144	3	5	13	20	31	41	66
65+	668	18.7	143	4	8	16	23	32	42	70
GRAND TOTAL	1283	16.7	140	3	5	14	21	30	41	65

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	7.6	50	1	1	5	13	18	23	23
20-34	69	6.9	48	2	2	4	10	13	23	39
35-49	100	6.6	37	1	2	5	9	16	20	28
50-64	125	9.4	73	1	2	7	12	22	28	35
65+	97	11.0	95	2	2	9	15	21	35	49
2. MULTIPLE DX										
0-19 YRS	30	13.1	264	2	2	11	13	22	29	92
20-34	140	13.2	146	2	3	9	16	33	40	52
35-49	325	14.7	235	2	3	10	18	33	56	93
50-64	367	14.8	171	3	3	11	20	30	42	72
65+	447	16.6	229	3	3	12	21	36	49	72
TOT. SINGLE DX	401	8.6	68	1	2	6	12	19	24	41
" MULTIPLE DX	1309	15.2	207	2	3	11	19	32	46	74
TOTAL 0-19 YRS	40	11.7	214	2	2	10	13	21	27	92
20-34	209	11.1	123	2	3	7	15	29	38	50
35-49	425	12.8	200	2	3	8	18	29	44	84
50-64	492	13.5	152	2	3	10	18	28	36	69
65+	544	15.6	210	2	3	11	20	34	46	72
GRAND TOTAL	1710	13.7	182	2	3	10	17	30	42	71

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	409	4.1	36	1	1	3	5	7	8	17
20-34	1093	4.2	8	1	1	4	5	8	10	16
35-49	1180	4.4	12	1	1	4	5	8	9	16
50-64	1245	4.6	16	1	1	3	6	9	12	22
65+	1283	5.5	26	1	1	4	7	11	15	23
2. MULTIPLE DX										
0-19 YRS	432	4.9	28	1	1	4	6	8	12	30
20-34	1961	5.4	23	1	1	4	7	10	13	26
35-49	3313	5.8	23	1	1	5	7	11	14	25
50-64	5564	6.5	32	1	1	5	8	12	16	28
65+	10077	8.0	46	1	1	6	10	15	20	34
TOT. SINGLE DX	5210	4.6	18	1	1	4	6	9	12	20
" MULTIPLE DX	21347	7.0	38	1	2	5	9	13	17	32
TOTAL 0-19 YRS	841	4.5	32	1	1	3	5	8	10	27
20-34	3054	5.0	19	1	1	4	6	9	11	23
35-49	4493	5.4	21	1	1	4	7	10	13	25
50-64	6809	6.2	30	1	1	5	8	12	15	27
65+	11360	7.7	45	1	1	6	10	14	19	33
GRAND TOTAL	26557	6.5	35	1	2	5	8	12	16	29

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2514	2.1	1	<1	1	2	3	3	4	6
20-34	2611	3.3	3	1	1	3	4	5	6	7
35-49	2546	3.7	3	1	1	3	4	5	5	8
50-64	3214	4.0	3	1	1	4	5	6	7	9
65+	2560	4.6	4	1	1	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	1373	2.8	29	<1	1	2	3	4	6	18
20-34	869	4.1	8	1	1	4	5	6	8	14
35-49	1252	4.3	8	1	1	4	5	7	9	17
50-64	2461	5.5	25	1	1	5	6	9	11	21
65+	3479	7.0	29	1	1	5	8	13	17	31
TOT. SINGLE DX	13445	3.6	3	1	1	3	4	6	7	9
" MULTIPLE DX	9434	5.4	23	1	1	4	6	10	13	25
TOTAL 0-19 YRS	3887	2.4	11	<1	1	2	3	4	5	9
20-34	3480	3.5	3	1	1	3	4	5	6	9
35-49	3798	4.0	5	1	1	4	5	6	7	12
50-64	5675	4.7	9	1	1	4	5	7	9	16
65+	6039	6.0	21	1	1	5	7	10	13	26
GRAND TOTAL	22879	4.3	12	1	1	4	5	7	9	17

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	863	1.7	4	<1	<1	1	2	2	3	5
20-34	218	4.0	2	2	3	4	5	6	7	8
35-49	398	4.5	3	2	3	4	5	6	7	10
50-64	507	4.8	3	2	3	5	6	8	8	11
65+	367	5.2	4	3	3	5	6	8	9	11
2. MULTIPLE DX										
0-19 YRS	693	3.7	83	<1	1	2	2	5	12	87
20-34	105	4.4	2	2	2	4	5	7	8	9
35-49	235	4.6	3	2	3	4	5	7	8	13
50-64	466	6.0	12	3	3	5	7	9	13	19
65+	540	7.3	23	3	4	6	9	12	15	25
TOT. SINGLE DX	2353	3.6	6	1	1	3	5	6	8	10
" MULTIPLE DX	2039	5.3	41	1	1	4	6	9	13	35
TOTAL 0-19 YRS	1556	2.6	41	<1	1	2	2	3	5	48
20-34	323	4.1	2	2	2	4	5	6	7	9
35-49	633	4.5	4	2	3	4	5	6	8	11
50-64	973	5.4	8	3	3	5	6	8	10	17
65+	907	6.5	17	3	3	6	8	10	13	22
GRAND TOTAL	**4392**	**4.4**	**23**	**1**	**1**	**4**	**5**	**8**	**10**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.0		1	1	2	3	3	3	3
20-34	56	3.5	3	2	2	3	4	5	7	10
35-49	82	3.6	2	2	2	4	4	6	6	10
50-64	105	4.4	3	2	3	4	5	6	7	11
65+	135	6.1	21	2	3	5	7	11	14	30
2. MULTIPLE DX										
0-19 YRS	8	5.4	33	1	1	4	5	15	19	19
20-34	20	4.2	7	<1	2	4	4	6	10	15
35-49	55	4.9	8	2	2	4	6	8	12	14
50-64	87	6.6	14	2	3	6	8	13	15	21
65+	231	9.5	56	3	3	7	11	18	24	36
TOT. SINGLE DX	390	4.6	11	2	2	4	5	7	10	17
" MULTIPLE DX	401	7.9	42	2	3	6	10	15	19	32
TOTAL 0-19 YRS	20	3.4	16	1	1	2	4	5	12	19
20-34	76	3.7	4	1	2	3	4	5	7	14
35-49	137	4.2	5	2	2	4	5	6	8	13
50-64	192	5.4	10	2	3	5	6	9	13	17
65+	366	8.3	46	3	3	6	10	17	22	36
GRAND TOTAL	**791**	**6.3**	**29**	**2**	**2**	**5**	**7**	**12**	**17**	**29**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	758	2.3	3	<1	1	2	3	3	4	7
20-34	257	3.2	2	1	2	3	4	5	6	9
35-49	292	3.4	2	1	2	3	4	6	7	9
50-64	181	4.1	5	2	2	3	5	7	8	13
65+	100	5.5	24	2	2	4	6	9	12	31
2. MULTIPLE DX										
0-19 YRS	223	3.1	6	1	1	2	3	6	7	15
20-34	129	4.6	10	2	2	4	6	8	10	21
35-49	232	5.8	40	2	2	5	7	10	12	18
50-64	292	6.4	16	2	3	5	8	12	14	19
65+	229	10.0	76	3	3	8	12	18	22	46
TOT. SINGLE DX	1588	3.0	5	1	1	3	4	5	6	12
" MULTIPLE DX	1105	6.2	37	2	2	5	7	12	15	25
TOTAL 0-19 YRS	981	2.4	4	<1	1	2	3	4	5	11
20-34	386	3.7	6	1	2	3	4	6	8	12
35-49	524	4.5	21	2	2	4	5	7	10	13
50-64	473	5.5	14	2	2	4	7	10	13	18
65+	329	8.7	65	2	3	7	10	16	20	43
GRAND TOTAL	**2693**	**4.3**	**21**	**1**	**2**	**3**	**5**	**8**	**12**	**20**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	2.7	10	<1	1	2	3	5	6	15
20-34	347	4.1	4	2	2	4	5	7	8	11
35-49	526	5.1	5	2	2	5	7	8	9	12
50-64	639	6.1	9	2	3	5	8	9	11	16
65+	473	6.7	9	3	3	6	8	10	12	18
2. MULTIPLE DX										
0-19 YRS	52	4.4	10	1	1	3	6	9	11	97
20-34	239	6.3	20	2	3	5	8	10	13	22
35-49	594	7.5	28	2	3	6	9	13	16	30
50-64	822	8.5	29	3	4	7	10	14	19	27
65+	854	10.2	48	3	4	8	12	19	22	35
TOT. SINGLE DX	2110	5.5	9	2	2	5	7	9	11	16
" MULTIPLE DX	2561	8.6	36	3	3	7	10	15	20	32
TOTAL 0-19 YRS	177	3.2	11	<1	1	2	4	6	8	30
20-34	586	5.0	12	2	2	4	6	8	10	16
35-49	1120	6.4	19	2	3	5	8	11	14	24
50-64	1461	7.4	22	3	3	6	9	12	16	24
65+	1327	9.0	37	3	4	8	11	16	20	30
GRAND TOTAL	**4671**	**7.2**	**26**	**2**	**3**	**6**	**9**	**12**	**16**	**27**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	4.7	17	<1	1	3	7	11	13	15
20-34	30	5.5	8	2	2	5	7	10	12	13
35-49	47	7.2	33	2	2	6	9	11	15	39
50-64	72	7.7	19	2	3	7	10	13	14	24
65+	40	11.5	71	3	4	9	14	21	32	41
2. MULTIPLE DX										
0-19 YRS	25	11.9	192	1	2	8	14	23	37	69
20-34	81	10.1	34	4	5	9	12	16	21	37
35-49	178	10.4	30	5	6	9	12	16	24	31
50-64	188	13.0	93	5	6	10	15	22	32	47
65+	194	14.7	70	6	7	13	18	25	31	37
TOT. SINGLE DX	209	7.7	35	2	2	7	9	14	17	36
" MULTIPLE DX	666	12.4	69	5	6	10	15	22	27	47
TOTAL 0-19 YRS	45	8.7	125	1	1	7	10	21	24	69
20-34	111	8.9	32	3	4	8	10	15	18	35
35-49	225	9.7	33	3	5	8	11	15	23	31
50-64	260	11.5	78	4	5	9	13	21	25	45
65+	234	14.1	72	5	6	12	17	25	32	76
GRAND TOTAL	875	11.3	65	3	5	9	14	20	25	43

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	4.4	15	1	1	3	5	11	13	18
20-34	294	4.5	13	1	2	4	6	8	10	15
35-49	239	6.1	29	1	2	5	8	12	16	27
50-64	239	7.4	38	1	2	5	10	14	20	29
65+	182	9.3	87	2	2	8	12	18	24	60
2. MULTIPLE DX										
0-19 YRS	152	8.7	187	1	1	5	8	15	35	80
20-34	352	7.3	44	1	2	6	9	13	19	38
35-49	533	10.5	99	2	2	8	13	22	28	63
50-64	858	12.1	115	2	3	9	16	23	30	62
65+	1064	14.1	116	2	4	11	18	30	35	55
TOT. SINGLE DX	1147	6.2	37	1	2	4	8	13	16	28
" MULTIPLE DX	2959	11.8	114	2	3	9	15	24	32	57
TOTAL 0-19 YRS	345	6.3	95	1	1	3	8	13	16	71
20-34	646	6.0	32	1	2	5	7	12	17	34
35-49	772	9.1	82	1	2	7	11	19	25	51
50-64	1097	11.1	103	2	3	9	14	22	29	51
65+	1246	13.4	115	2	3	11	17	27	34	55
GRAND TOTAL	4106	10.2	99	2	2	8	13	21	29	51

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	252	6.4	21	2	2	5	8	11	15	26
20-34	593	6.1	16	2	3	5	7	10	13	21
35-49	258	8.0	26	3	3	7	9	13	17	33
50-64	152	11.0	49	4	5	10	14	19	23	33
65+	144	14.1	63	4	6	12	17	27	32	37
2. MULTIPLE DX										
0-19 YRS	265	9.4	101	3	3	7	11	18	27	73
20-34	878	8.5	69	3	3	6	9	14	22	50
35-49	563	11.5	105	4	5	8	12	22	33	72
50-64	514	16.7	151	5	6	14	21	31	46	85
65+	717	19.3	148	7	8	17	23	33	44	75
TOT. SINGLE DX	1399	7.8	35	2	3	6	9	14	19	32
" MULTIPLE DX	2937	13.3	132	3	4	9	16	26	36	66
TOTAL 0-19 YRS	517	7.9	65	2	3	6	9	14	20	64
20-34	1471	7.5	50	2	3	6	8	13	17	44
35-49	821	10.4	83	3	4	8	11	19	28	58
50-64	666	15.4	134	5	6	12	19	28	41	76
65+	861	18.5	138	7	8	16	23	32	42	66
GRAND TOTAL	4336	11.5	107	3	4	8	14	23	31	58

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	347	3.2	5	<1	1	2	4	6	8	12
20-34	1621	2.7	5	<1	<1	2	3	5	7	10
35-49	234	2.9	5	<1	<1	2	4	6	8	10
50-64	56	3.7	19	<1	1	2	4	8	12	27
65+	17	3.5	15	1	1	2	4	4	13	18
2. MULTIPLE DX										
0-19 YRS	328	4.0	12	1	1	3	5	9	11	15
20-34	2081	3.4	10	<1	<1	2	4	7	9	15
35-49	430	4.7	25	<1	<1	3	6	11	14	23
50-64	75	6.7	81	1	2	3	8	12	20	56
65+	69	11.6	196	1	2	7	14	23	36	86
TOT. SINGLE DX	2275	2.8	6	<1	<1	2	3	6	7	11
" MULTIPLE DX	2983	3.9	21	<1	1	2	5	8	11	22
TOTAL 0-19 YRS	675	3.6	9	1	1	3	5	7	10	15
20-34	3702	3.1	9	<1	<1	2	4	6	8	14
35-49	664	4.1	19	<1	<1	2	5	9	12	18
50-64	131	5.4	57	<1	1	3	6	11	16	42
65+	86	10.0	171	1	2	6	13	21	34	78
GRAND TOTAL	5258	3.4	15	<1	<1	2	4	7	9	17

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	7.4	20	1	2	7	9	12	16	24
20-34	387	6.3	21	1	2	6	8	11	14	23
35-49	308	8.6	35	2	2	7	10	15	20	31
50-64	210	10.2	42	4	5	9	12	15	19	31
65+	241	12.0	35	5	6	11	14	19	25	36
2. MULTIPLE DX										
0-19 YRS	163	10.9	147	3	3	8	12	19	38	79
20-34	1054	7.6	37	2	2	6	9	15	19	35
35-49	718	10.8	70	2	4	8	13	21	28	44
50-64	720	14.2	119	3	5	11	17	28	35	64
65+	880	17.8	175	4	7	14	21	32	43	75
TOT. SINGLE DX	1254	8.7	35	2	2	8	11	15	19	30
" MULTIPLE DX	3535	12.3	116	2	4	9	15	24	31	62
TOTAL 0-19 YRS	271	9.5	100	2	3	8	10	16	23	69
20-34	1441	7.3	34	2	2	6	9	13	18	31
35-49	1026	10.2	61	2	3	8	12	20	26	41
50-64	930	13.3	105	4	5	11	16	25	33	61
65+	1121	16.6	152	5	7	13	20	29	39	72
GRAND TOTAL	**4789**	**11.4**	**97**	**2**	**3**	**9**	**14**	**22**	**29**	**54**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	9.5	61	3	4	8	10	13	22	56
20-34	67	9.5	17	5	6	9	10	14	18	26
35-49	68	10.8	19	6	6	10	12	18	20	24
50-64	115	11.5	21	7	7	11	13	16	20	30
65+	102	13.0	32	7	8	12	16	19	24	38
2. MULTIPLE DX										
0-19 YRS	86	12.2	104	4	5	9	13	23	29	62
20-34	137	14.8	132	6	6	11	15	33	39	59
35-49	173	14.6	113	6	7	11	17	24	33	68
50-64	323	14.9	68	7	8	13	17	24	30	48
65+	502	18.4	116	8	9	15	22	32	41	62
TOT. SINGLE DX	404	11.2	30	6	7	10	13	17	21	31
" MULTIPLE DX	1221	16.1	108	6	8	13	19	29	37	60
TOTAL 0-19 YRS	138	11.1	90	3	5	8	12	21	26	59
20-34	204	13.1	101	5	6	10	14	26	36	56
35-49	241	13.5	90	6	7	11	16	22	30	57
50-64	438	14.0	58	7	8	12	16	22	28	45
65+	604	17.5	106	8	9	15	21	31	39	62
GRAND TOTAL	**1625**	**14.9**	**93**	**6**	**7**	**12**	**18**	**26**	**33**	**57**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	235	6.3	29	2	2	4	9	12	18	27
20-34	365	8.7	40	2	3	8	10	14	19	36
35-49	421	9.0	43	3	4	8	9	13	18	44
50-64	402	8.7	18	2	4	8	10	13	17	24
65+	183	9.6	42	1	3	9	11	16	21	43
2. MULTIPLE DX										
0-19 YRS	238	12.5	144	2	2	9	16	29	44	79
20-34	431	14.5	174	2	3	10	17	31	44	68
35-49	467	14.7	165	3	5	11	18	30	40	72
50-64	614	12.4	83	3	4	10	15	23	30	49
65+	547	14.4	111	2	4	12	18	26	34	49
TOT. SINGLE DX	1606	8.5	35	2	3	8	10	14	18	33
" MULTIPLE DX	2297	13.8	131	2	4	10	17	27	37	62
TOTAL 0-19 YRS	473	9.5	97	2	2	7	11	21	29	50
20-34	796	11.8	121	2	3	9	13	23	35	62
35-49	888	12.0	116	3	5	9	13	22	34	59
50-64	1016	10.9	61	2	4	9	13	19	24	46
65+	730	13.2	99	2	3	11	16	24	33	48
GRAND TOTAL	**3903**	**11.6**	**98**	**2**	**3**	**9**	**13**	**22**	**31**	**52**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	7.3	9	2	4	7	10	11	12	13
20-34	386	7.7	10	3	4	7	10	12	14	17
35-49	560	7.7	9	3	4	7	9	12	13	18
50-64	412	8.6	15	4	4	8	10	13	16	21
65+	210	9.7	21	4	5	9	11	15	18	29
2. MULTIPLE DX										
0-19 YRS	26	9.7	58	2	3	8	11	14	22	42
20-34	211	8.6	20	3	3	8	10	14	16	27
35-49	385	9.8	28	4	5	9	11	16	19	32
50-64	497	10.5	34	4	5	9	12	17	21	30
65+	389	12.4	49	4	6	11	15	21	25	43
TOT. SINGLE DX	1604	8.2	13	4	4	8	10	13	14	19
" MULTIPLE DX	1508	10.6	37	4	5	9	12	17	22	33
TOTAL 0-19 YRS	62	8.3	31	2	4	8	10	12	14	39
20-34	597	8.0	14	3	4	8	10	13	15	19
35-49	945	8.6	18	4	5	8	10	13	16	27
50-64	909	9.7	27	4	5	9	11	15	19	27
65+	599	11.5	42	4	6	10	14	19	24	37
GRAND TOTAL	**3112**	**9.3**	**26**	**4**	**5**	**8**	**11**	**15**	**18**	**28**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	8.7	10	5	6	8	10	12	13	20
20-34	27	10.7	31	6	7	9	12	14	24	33
35-49	10	14.3	54	9	9	13	14	25	34	34
50-64	12	11.3	21	3	4	12	14	17	19	19
65+	18	13.1	19	7	8	12	18	19	21	21
2. MULTIPLE DX										
0-19 YRS	168	10.5	27	5	6	9	12	19	21	29
20-34	43	13.8	138	5	6	10	14	24	41	68
35-49	31	15.1	58	6	8	13	21	26	37	99+
50-64	43	22.9	186	8	9	20	27	43	52	63
65+	66	23.2	161	9	11	19	30	41	48	63
TOT. SINGLE DX	220	9.7	19	5	6	9	11	14	17	33
" MULTIPLE DX	351	15.2	117	6	6	11	19	27	41	63
TOTAL 0-19 YRS	321	9.6	20	5	6	8	11	15	20	27
20-34	70	12.6	98	5	6	10	13	21	33	63
35-49	41	14.9	56	7	8	13	20	26	36	99+
50-64	55	20.3	173	8	8	17	24	41	50	63
65+	84	21.0	148	8	10	17	24	40	48	62
GRAND TOTAL	**571**	**13.1**	**86**	**5**	**6**	**10**	**15**	**24**	**34**	**54**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	4.6	10	1	1	4	6	9	11	15
20-34	838	4.1	5	1	2	4	5	7	8	12
35-49	1014	4.3	6	2	2	4	5	7	9	13
50-64	584	4.4	6	2	2	4	6	8	9	12
65+	222	5.5	11	2	2	5	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	67	6.7	36	1	1	5	9	17	19	30
20-34	299	5.8	24	2	2	5	7	11	13	21
35-49	464	5.7	14	2	2	5	7	10	13	21
50-64	484	7.2	42	2	3	6	9	13	16	27
65+	378	8.1	37	2	3	7	10	16	19	29
TOT. SINGLE DX	2778	4.3	7	2	2	4	5	8	9	13
" MULTIPLE DX	1692	6.7	31	2	2	5	9	13	16	25
TOTAL 0-19 YRS	187	5.4	21	1	1	4	7	11	14	21
20-34	1137	4.5	11	2	2	4	5	8	10	15
35-49	1478	4.7	9	2	2	4	6	8	10	16
50-64	1068	5.6	25	2	2	4	7	10	13	22
65+	600	7.1	29	2	2	6	9	13	17	27
GRAND TOTAL	**4470**	**5.2**	**17**	**2**	**2**	**4**	**6**	**10**	**12**	**20**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1147	2.3	4	<1	1	2	3	5	6	11
20-34	1295	3.7	9	1	1	3	5	7	9	14
35-49	1361	3.8	9	1	1	3	5	8	10	16
50-64	1391	3.9	11	1	1	3	5	8	11	17
65+	1555	4.5	17	1	1	3	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	1540	3.3	15	1	1	2	4	7	10	17
20-34	2005	5.4	23	1	1	4	7	10	14	23
35-49	2665	5.9	27	1	2	4	8	12	15	28
50-64	4219	6.7	47	1	2	5	9	13	18	35
65+	7707	9.0	74	1	2	7	11	18	25	44
TOT. SINGLE DX	6749	3.7	11	1	1	3	5	8	10	16
" MULTIPLE DX	18136	7.1	54	1	1	5	9	15	21	37
TOTAL 0-19 YRS	2687	2.9	11	1	1	2	3	6	8	15
20-34	3300	4.7	19	1	1	4	6	9	12	20
35-49	4026	5.2	23	1	1	4	7	11	14	25
50-64	5610	6.0	40	1	1	4	8	12	16	31
65+	9262	8.2	67	1	2	6	10	17	24	42
GRAND TOTAL	**24885**	**6.2**	**45**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.3	1	1	1	2	3	4	5	5
20-34	89	3.0	5	1	1	2	3	6	9	13
35-49	202	3.3	4	1	1	3	4	6	7	11
50-64	628	3.9	10	1	2	3	5	7	9	19
65+	1257	4.6	12	1	2	4	6	8	10	20
2. MULTIPLE DX										
0-19 YRS	30	3.8	7	1	1	3	4	9	9	10
20-34	141	4.6	36	1	2	3	5	8	11	25
35-49	273	4.7	18	1	2	3	5	9	13	22
50-64	843	5.8	29	1	2	4	7	11	15	29
65+	2581	7.4	54	2	2	5	9	14	20	39
TOT. SINGLE DX	2191	4.2	11	1	2	3	5	7	10	19
" MULTIPLE DX	3868	6.7	46	2	2	5	8	13	18	37
TOTAL 0-19 YRS	45	3.3	6	1	1	3	4	8	9	10
20-34	230	4.0	25	1	1	3	5	8	9	19
35-49	475	4.1	13	1	2	3	4	7	11	20
50-64	1471	5.0	22	1	2	4	6	9	13	26
65+	3838	6.5	42	2	2	5	8	13	18	34
GRAND TOTAL	**6059**	**5.8**	**35**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	6.5	23	1	2	5	9	12	15	26
20-34	103	5.8	15	1	1	5	8	11	15	18
35-49	144	6.3	29	1	2	5	9	12	15	29
50-64	217	6.2	32	1	2	4	9	15	19	25
65+	376	7.2	37	1	2	5	11	16	20	26
2. MULTIPLE DX										
0-19 YRS	150	8.9	67	2	2	7	11	18	25	64
20-34	181	10.3	133	1	2	6	12	25	37	57
35-49	272	9.5	114	2	2	7	11	18	26	65
50-64	463	10.4	123	2	2	7	13	23	33	62
65+	1309	11.3	107	2	2	9	14	24	32	51
TOT. SINGLE DX	907	6.6	32	1	2	4	9	15	18	26
" MULTIPLE DX	2375	10.7	111	2	2	8	14	23	32	57
TOTAL 0-19 YRS	217	8.2	55	1	2	7	10	16	21	53
20-34	284	8.7	95	1	2	6	10	18	27	52
35-49	416	8.4	88	2	2	6	10	16	23	48
50-64	680	9.1	98	2	2	6	12	19	29	57
65+	1685	10.4	95	2	2	8	14	22	30	49
GRAND TOTAL	**3282**	**9.6**	**93**	**2**	**2**	**7**	**12**	**20**	**28**	**52**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	1.6	1	<1	<1	1	2	2	3	6
20-34	25	1.9	1	<1	<1	1	2	3	5	6
35-49	13	2.2	2	<1	<1	2	3	4	6	6
50-64	17	2.6	3	<1	<1	3	4	5	6	6
65+	9	3.4	9	1	1	2	4	8	10	10
2. MULTIPLE DX										
0-19 YRS	211	2.1	2	<1	1	2	2	4	5	10
20-34	50	3.3	7	<1	1	2	4	8	9	13
35-49	29	3.6	8	<1	1	3	4	7	9	15
50-64	43	6.7	60	1	1	3	9	14	23	42
65+	40	7.8	48	1	2	6	9	17	23	30
TOT. SINGLE DX	270	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	373	3.5	19	<1	1	2	4	8	11	24
TOTAL 0-19 YRS	417	1.8	2	<1	<1	1	2	3	5	9
20-34	75	2.8	6	<1	<1	2	4	7	9	12
35-49	42	3.2	7	<1	1	3	4	5	8	15
50-64	60	5.5	47	<1	<1	3	6	12	18	40
65+	49	7.0	43	1	1	5	8	17	23	30
GRAND TOTAL	**643**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**6**	**9**	**18**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	478	5.6	14	1	2	5	8	11	13	17
20-34	139	3.8	6	1	1	3	5	7	9	12
35-49	82	5.2	11	1	1	5	7	10	13	15
50-64	93	5.0	13	1	2	4	6	10	12	19
65+	115	4.8	15	2	2	4	5	8	14	21
2. MULTIPLE DX										
0-19 YRS	291	7.5	38	1	2	6	11	15	17	29
20-34	88	4.9	18	1	1	4	7	12	16	70
35-49	146	6.5	25	2	2	5	9	13	15	31
50-64	140	6.3	29	2	2	4	9	12	14	26
65+	247	7.1	39	2	2	5	9	14	22	30
TOT. SINGLE DX	907	5.1	14	1	2	4	7	10	13	16
" MULTIPLE DX	912	6.8	34	2	2	5	9	14	17	30
TOTAL 0-19 YRS	769	6.3	24	1	2	5	9	13	14	21
20-34	227	4.2	11	1	1	3	5	9	11	19
35-49	228	6.0	21	1	2	5	8	11	15	23
50-64	233	5.8	23	1	2	4	8	12	14	25
65+	362	6.4	33	2	2	4	8	13	19	28
GRAND TOTAL	**1819**	**6.0**	**24**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	265	1.7	1	<1	1	1	2	3	4	6
20-34	147	3.3	5	<1	1	3	5	7	9	10
35-49	141	3.2	6	<1	<1	2	4	6	8	14
50-64	128	3.4	9	<1	1	3	4	7	9	15
65+	157	4.1	10	1	1	3	5	8	10	19
2. MULTIPLE DX										
0-19 YRS	534	2.3	4	1	1	2	3	5	7	10
20-34	504	5.2	37	1	1	3	6	10	16	28
35-49	666	5.9	43	1	2	4	7	12	17	34
50-64	749	6.4	34	1	2	5	8	13	17	28
65+	1362	9.1	69	2	2	7	11	18	25	45
TOT. SINGLE DX	838	2.9	7	<1	1	2	4	6	8	12
" MULTIPLE DX	3815	6.5	50	1	1	4	8	14	19	36
TOTAL 0-19 YRS	799	2.1	3	<1	1	2	2	4	6	10
20-34	651	4.8	31	1	1	3	6	10	14	25
35-49	807	5.4	38	1	1	4	7	11	15	33
50-64	877	5.9	32	1	1	4	8	12	16	27
65+	1519	8.6	66	2	2	6	11	18	23	43
GRAND TOTAL	**4653**	**5.9**	**44**	**1**	**1**	**4**	**7**	**13**	**18**	**34**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	2.3	2	<1	1	2	3	4	6	8
20-34	173	3.7	6	1	1	3	5	7	10	15
35-49	140	4.4	13	1	1	3	5	8	10	17
50-64	128	4.6	9	1	2	4	6	9	10	15
65+	151	4.1	5	2	2	3	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	172	3.1	13	1	1	2	3	5	7	22
20-34	194	4.5	20	1	2	3	6	9	11	22
35-49	196	6.7	111	2	2	3	7	13	19	65
50-64	267	6.3	31	2	2	4	8	13	19	26
65+	470	7.4	48	2	2	6	9	14	19	36
TOT. SINGLE DX	726	3.8	8	1	1	3	5	7	9	13
" MULTIPLE DX	1299	6.1	48	1	2	4	7	12	16	35
TOTAL 0-19 YRS	306	2.7	9	<1	1	2	3	5	6	14
20-34	367	4.1	14	1	1	3	5	8	10	19
35-49	336	5.7	72	1	2	3	7	11	16	38
50-64	395	5.8	25	2	2	4	7	11	16	25
65+	621	6.6	40	2	2	5	8	13	16	35
GRAND TOTAL	**2025**	**5.3**	**35**	**1**	**2**	**4**	**6**	**10**	**14**	**28**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	51	7.6	3	5	5	8	9	10	11	13
35-49	215	7.9	5	5	5	8	9	10	12	16
50-64	220	8.1	5	4	6	8	9	11	13	16
65+	108	9.8	13	5	6	9	11	14	16	23
2. MULTIPLE DX										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	79	8.4	15	4	5	7	10	14	17	21
35-49	308	8.9	12	5	6	8	10	13	16	22
50-64	339	10.1	18	5	6	9	11	16	19	27
65+	227	11.6	28	6	7	10	14	18	21	33
TOT. SINGLE DX	594	8.3	7	5	6	8	9	12	13	18
" MULTIPLE DX	955	9.9	20	5	6	9	11	16	19	27
TOTAL 0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	130	8.1	11	4	5	7	9	12	15	20
35-49	523	8.5	10	5	5	8	10	12	14	19
50-64	559	9.3	15	5	6	8	10	14	17	23
65+	335	11.0	24	5	7	10	13	17	20	30
GRAND TOTAL	**1549**	**9.3**	**16**	**5**	**6**	**8**	**10**	**14**	**17**	**24**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	21	6.8	2	4	4	7	8	9	10	10
35-49	80	7.6	14	4	4	7	9	10	12	27
50-64	80	7.7	6	4	4	7	9	11	12	14
65+	49	9.2	28	4	4	9	10	15	16	36
2. MULTIPLE DX										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	21	8.0	9	4	5	8	8	13	15	17
35-49	91	8.7	17	4	5	8	10	14	15	27
50-64	111	9.5	15	5	6	9	11	14	18	26
65+	94	12.1	58	4	5	10	15	21	24	46
TOT. SINGLE DX	233	7.9	14	4	4	7	9	11	13	23
" MULTIPLE DX	319	9.9	30	4	5	9	11	15	19	30
TOTAL 0-19 YRS	5	5.8	11	3	3	4	8	11	11	11
20-34	42	7.4	6	4	5	7	8	10	13	17
35-49	171	8.2	16	4	5	8	9	12	15	27
50-64	191	8.8	12	4	5	8	10	13	14	23
65+	143	11.1	50	4	5	9	13	18	23	39
GRAND TOTAL	**552**	**9.1**	**24**	**4**	**5**	**8**	**10**	**14**	**18**	**27**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.6	46	2	2	3	8	19	21	21
20-34	17	4.8	11	1	1	5	6	11	11	11
35-49	29	4.2	6	<1	1	4	5	8	10	10
50-64	19	6.5	45	1	1	4	8	11	22	31
65+	11	4.5	11	1	1	3	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	4	3.3	3	<1	<1	3	4	5	5	5
20-34	38	6.5	24	1	2	5	7	15	16	20
35-49	37	7.3	44	1	2	6	9	12	22	35
50-64	40	9.1	107	2	2	6	11	17	24	61
65+	48	10.8	69	2	2	8	16	24	27	30
TOT. SINGLE DX	83	5.1	20	1	1	4	7	10	11	28
" MULTIPLE DX	167	8.5	64	1	2	6	11	16	24	34
TOTAL 0-19 YRS	11	5.4	33	<1	1	3	6	14	20	21
20-34	55	6.0	21	1	2	5	7	12	17	20
35-49	66	6.0	30	1	2	5	7	10	14	33
50-64	59	8.2	88	2	2	5	10	17	23	58
65+	59	9.6	65	1	2	8	14	24	26	30
GRAND TOTAL	250	7.3	52	1	2	5	9	16	23	31

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.6	11	4	4	7	11	11	11	11
20-34	10	6.6	13	2	2	5	9	12	13	13
35-49	9	7.2	36	2	2	5	7	18	19	19
50-64	9	7.8	41	2	2	4	11	18	20	20
65+	8	5.5	19	1	1	4	8	12	14	14
2. MULTIPLE DX										
0-19 YRS	4	8.3	1	7	7	8	9	10	10	10
20-34	20	9.3	35	1	2	8	12	18	22	25
35-49	20	12.1	74	3	4	10	14	18	31	44
50-64	15	13.8	142	2	2	11	17	25	44	50
65+	34	12.0	47	4	5	10	16	22	28	30
TOT. SINGLE DX	38	6.9	23	2	2	5	9	14	18	20
" MULTIPLE DX	93	11.6	64	3	4	10	15	19	26	47
TOTAL 0-19 YRS	9	7.9	6	4	4	8	10	11	11	11
20-34	30	8.4	29	2	2	8	11	15	20	25
35-49	26	11.0	68	3	4	9	14	19	26	44
50-64	24	11.5	110	2	2	9	16	20	32	50
65+	42	10.8	48	2	4	9	15	19	27	30
GRAND TOTAL	131	10.2	56	2	3	9	13	18	25	45

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.4	28	<1	<1	5	8	14	14	14
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	81	5.9	4	3	4	6	7	9	10	14
50-64	1384	6.2	6	3	4	6	7	9	10	15
65+	3288	6.9	9	4	4	6	8	10	12	19
2. MULTIPLE DX										
0-19 YRS	12	10.3	30	1	4	9	12	19	21	21
20-34	15	6.1	30	3	3	5	6	11	21	24
35-49	148	7.4	16	3	4	6	9	13	16	19
50-64	2870	8.3	27	4	4	7	10	14	17	25
65+	10161	10.1	51	4	5	8	12	18	23	39
TOT. SINGLE DX	4760	6.7	9	4	4	6	8	10	12	18
" MULTIPLE DX	13206	9.7	46	4	5	8	11	17	22	37
TOTAL 0-19 YRS	17	8.8	33	<1	<1	8	12	17	20	21
20-34	17	5.0	27	2	2	5	6	10	19	24
35-49	229	5.9	13	3	4	6	8	11	14	19
50-64	4254	7.6	22	4	4	6	9	12	15	25
65+	13449	9.3	43	4	5	7	11	16	21	35
GRAND TOTAL	17966	8.9	38	4	4	7	10	15	20	34

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34										
35-49	8	15.3	80	9	9	13	14	30	37	37
50-64	137	11.6	26	5	6	11	14	18	20	28
65+	293	11.5	19	6	7	10	14	17	19	26
2. MULTIPLE DX										
0-19 YRS	4	11.5	169	4	4	5	18	31	31	31
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	7	14.3	35	9	9	11	18	24	25	25
50-64	231	12.5	34	5	6	11	16	21	25	30
65+	812	13.7	59	6	7	12	16	22	28	44
TOT. SINGLE DX	441	11.5	23	5	7	11	14	17	20	27
" MULTIPLE DX	1056	13.4	54	6	7	12	16	22	27	42
TOTAL 0-19 YRS	7	7.4	111	2	2	4	6	26	31	31
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	15	14.8	56	9	9	13	16	25	34	37
50-64	368	12.2	32	5	6	11	15	20	24	29
65+	1105	13.1	50	6	7	11	15	21	25	42
GRAND TOTAL	**1497**	**12.9**	**46**	**6**	**7**	**11**	**15**	**21**	**25**	**40**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	7	2.0		2	2	2	2	2	2	2
35-49	64	2.7	4	1	1	2	3	4	6	13
50-64	443	2.6	2	1	1	2	3	4	6	10
65+	741	3.3	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	6	7.3	60	2	2	4	10	21	22	22
35-49	70	4.5	17	1	1	3	5	8	10	26
50-64	515	4.9	29	1	2	3	5	10	13	30
65+	1246	6.9	46	2	2	4	9	14	19	39
TOT. SINGLE DX	1258	3.0	6	1	1	2	3	5	7	13
" MULTIPLE DX	1839	6.2	41	2	2	4	8	13	18	37
TOTAL 0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	13	4.5	33	2	2	2	3	12	20	22
35-49	134	3.6	12	1	1	3	4	7	9	21
50-64	958	3.8	18	1	2	3	4	8	10	20
65+	1987	5.5	35	1	2	3	7	12	16	34
GRAND TOTAL	**3097**	**4.9**	**29**	**1**	**2**	**3**	**6**	**10**	**14**	**30**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	2.5	4	1	1	2	3	4	6	14
20-34	94	3.0	4	1	1	2	4	5	7	11
35-49	72	3.4	7	1	1	3	4	6	10	16
50-64	44	4.0	9	1	2	3	5	8	12	15
65+	30	5.0	17	2	2	4	5	10	15	21
2. MULTIPLE DX										
0-19 YRS	72	3.2	27	1	1	2	3	5	6	37
20-34	79	4.9	30	1	2	4	5	8	16	82
35-49	85	5.6	18	1	2	4	7	10	14	24
50-64	87	6.1	24	2	2	5	7	12	17	25
65+	103	10.0	113	2	2	6	12	21	34	51
TOT. SINGLE DX	359	3.2	7	1	1	2	4	6	7	15
" MULTIPLE DX	426	6.2	52	1	2	4	7	12	19	46
TOTAL 0-19 YRS	191	2.8	13	1	1	2	3	5	6	15
20-34	173	3.8	17	1	1	3	4	7	8	37
35-49	157	4.6	15	1	1	4	6	9	12	22
50-64	131	5.4	20	2	2	4	6	11	14	25
65+	133	8.8	96	2	2	5	10	18	32	51
GRAND TOTAL	**785**	**4.8**	**33**	**1**	**1**	**3**	**5**	**10**	**14**	**36**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	2.7	2	1	1	2	3	5	6	11
20-34	200	4.6	14	1	2	3	5	8	15	21
35-49	83	5.1	11	2	2	4	6	10	13	16
50-64	79	5.1	19	2	2	4	5	11	14	25
65+	208	4.7	12	2	2	3	6	10	12	18
2. MULTIPLE DX										
0-19 YRS	208	3.3	5	1	1	3	4	6	7	13
20-34	130	6.0	39	2	2	4	6	12	16	38
35-49	72	5.2	24	2	2	4	6	9	13	30
50-64	158	8.0	67	2	2	5	9	17	26	43
65+	608	9.9	97	2	3	7	12	20	26	55
TOT. SINGLE DX	742	4.3	12	1	2	3	5	8	12	18
" MULTIPLE DX	1176	7.7	73	2	2	5	9	16	22	47
TOTAL 0-19 YRS	380	3.0	4	1	1	3	3	5	7	12
20-34	330	5.2	25	2	2	4	6	10	15	24
35-49	155	5.2	17	2	2	4	6	9	13	23
50-64	237	7.0	53	2	2	4	8	15	21	42
65+	816	8.6	81	2	2	6	11	17	23	49
GRAND TOTAL	**1918**	**6.4**	**52**	**1**	**2**	**4**	**8**	**14**	**19**	**39**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	774	2.4	1	1	1	2	3	4	5	6
20-34	90	2.4	1	1	1	2	3	5	5	6
35-49	9	2.7	1	1	1	3	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	1.8	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	470	2.8	3	1	1	2	3	5	6	9
20-34	37	3.5	7	1	1	3	4	7	9	13
35-49	6	4.0	6	2	2	3	6	8	8	8
50-64										
65+	2	3.5	5	2	2	3	5	5	5	5
TOT. SINGLE DX	878	2.4	2	1	1	2	3	4	5	6
" MULTIPLE DX	515	2.8	3	1	1	2	3	5	6	9
TOTAL 0-19 YRS	1244	2.5	2	1	1	2	3	4	5	8
20-34	127	2.7	4	1	1	2	3	5	6	11
35-49	15	3.2	3	1	2	3	4	6	7	8
50-64	1	4.0		4	4	4	4	4	4	4
65+	6	2.3	2	<1	<1	2	3	5	5	5
GRAND TOTAL	1393	2.6	2	1	1	2	3	4	5	8

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	2.2	1	1	1	2	3	4	5	8
20-34	122	2.8	5	<1	1	2	3	5	7	13
35-49	39	2.6	2	<1	1	2	3	5	6	7
50-64	25	3.1	1	1	2	3	4	5	5	6
65+	4	4.8	3	3	3	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	52	3.2	14	1	1	2	4	6	8	26
20-34	68	2.9	2	1	1	3	4	5	6	9
35-49	30	3.8	4	2	2	3	5	7	8	10
50-64	24	4.3	9	1	2	3	5	9	11	14
65+	17	8.0	13	3	3	8	11	13	14	14
TOT. SINGLE DX	356	2.5	3	<1	1	2	3	4	6	11
" MULTIPLE DX	191	3.8	10	1	1	3	4	7	10	14
TOTAL 0-19 YRS	218	2.4	5	1	1	2	3	4	5	9
20-34	190	2.9	4	<1	1	2	3	5	6	12
35-49	69	3.1	3	1	1	3	4	6	7	10
50-64	49	3.7	6	1	2	3	4	6	9	14
65+	21	7.4	13	3	3	7	10	13	13	14
GRAND TOTAL	547	3.0	6	1	1	2	4	5	7	12

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	8.3	97	3	3	4	13	23	23	23
20-34	130	1.3		<1	<1	<1	1	2	3	5
35-49	67	1.4	1	<1	<1	<1	1	2	4	7
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	2	11.5	13	9	9	11	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	5	3.2	4	1	1	4	5	5	5	5
20-34	55	2.6	3	<1	<1	2	3	5	7	10
35-49	54	3.2	5	<1	<1	3	5	6	8	11
50-64	13	6.0	8	1	2	7	8	9	10	10
65+	13	7.7	12	1	3	8	10	12	14	14
TOT. SINGLE DX	207	1.6	4	<1	<1	<1	1	2	4	11
" MULTIPLE DX	140	3.7	8	<1	<1	3	5	8	10	12
TOTAL 0-19 YRS	9	5.4	46	1	1	4	5	16	23	23
20-34	185	1.7	2	<1	<1	1	2	4	4	8
35-49	121	2.2	4	<1	<1	1	3	5	6	10
50-64	17	4.9	11	<1	1	5	7	9	10	10
65+	15	8.2	14	1	3	8	10	14	14	14
GRAND TOTAL	347	2.4	7	<1	<1	1	3	5	8	12

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	456	2.3	1	<1	1	2	3	4	4	8
20-34	513	2.5	2	1	1	2	3	4	5	6
35-49	355	2.7	2	1	1	2	3	4	5	8
50-64	328	3.1	3	1	2	3	4	5	5	8
65+	167	3.5	4	2	2	3	4	5	8	12
2. MULTIPLE DX										
0-19 YRS	310	2.4	2	1	1	2	3	4	5	8
20-34	343	2.8	2	<1	1	2	3	5	6	9
35-49	237	3.6	13	<1	1	3	4	6	9	21
50-64	290	4.6	13	2	2	4	6	8	9	16
65+	275	5.7	19	2	2	4	7	11	13	26
TOT. SINGLE DX	1819	2.7	3	1	1	2	3	4	5	8
" MULTIPLE DX	1455	3.8	11	1	1	3	4	7	9	17
TOTAL 0-19 YRS	766	2.3	2	<1	1	2	3	4	5	8
20-34	856	2.6	3	1	1	2	3	4	5	9
35-49	592	3.0	7	<1	1	3	3	5	6	12
50-64	618	3.8	9	2	2	3	4	6	8	13
65+	442	4.9	15	2	2	4	6	9	12	20
GRAND TOTAL	3274	3.2	7	1	1	3	4	5	7	12

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	742	1.6	2	<1	<1	1	2	2	2	4
20-34	323	1.8		<1	<1	2	2	3	3	5
35-49	214	1.8		<1	<1	2	2	2	3	5
50-64	78	1.9		<1	<1	2	2	3	4	6
65+	65	2.3	1	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	550	2.6	17	<1	<1	2	2	4	7	17
20-34	324	2.9	9	1	1	2	3	5	9	18
35-49	295	3.5	18	1	1	2	4	8	10	22
50-64	227	4.1	18	1	1	2	4	9	13	22
65+	224	5.9	51	1	2	4	7	12	21	34
TOT. SINGLE DX	2053	1.7	2	<1	<1	2	2	2	3	5
" MULTIPLE DX	1753	3.7	27	1	1	2	4	8	11	27
TOTAL 0-19 YRS	1618	2.0	8	<1	<1	2	2	3	3	12
20-34	837	2.4	6	<1	1	2	2	4	5	13
35-49	631	2.8	10	<1	1	2	3	5	8	13
50-64	375	3.4	13	<1	1	2	4	8	11	18
65+	345	5.3	59	1	1	3	6	11	17	40
GRAND TOTAL	**3806**	**2.6**	**14**	**<1**	**1**	**2**	**2**	**4**	**7**	**17**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.3	7	<1	1	2	4	8	9	12
20-34	84	3.5	8	<1	<1	3	5	7	9	17
35-49	93	4.7	7	1	2	4	6	8	9	14
50-64	207	4.7	7	1	2	4	6	8	9	11
65+	109	5.2	15	2	2	4	6	9	9	24
2. MULTIPLE DX										
0-19 YRS	93	5.1	34	<1	1	3	6	13	15	34
20-34	110	5.9	19	1	2	5	8	13	16	19
35-49	165	6.4	26	2	2	5	8	12	15	33
50-64	296	6.6	48	2	3	5	7	11	15	36
65+	173	7.4	50	2	3	5	9	15	20	60
TOT. SINGLE DX	581	4.4	10	1	1	4	6	8	9	15
" MULTIPLE DX	837	6.4	39	2	2	5	8	12	16	31
TOTAL 0-19 YRS	181	4.2	22	<1	1	3	5	9	13	21
20-34	194	4.8	16	<1	1	4	6	10	14	18
35-49	258	5.8	20	1	2	5	7	11	14	22
50-64	503	5.8	32	2	2	5	7	9	12	29
65+	282	6.5	38	2	3	5	8	11	16	33
GRAND TOTAL	**1418**	**5.6**	**28**	**1**	**2**	**4**	**7**	**10**	**14**	**28**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	228	5.3	4	3	3	5	6	8	9	13
20-34	724	5.4	3	2	3	5	6	7	9	11
35-49	104	5.8	4	2	3	6	7	8	10	11
50-64	20	6.8	12	1	2	6	9	11	13	15
65+	24	11.5	33	6	7	9	14	18	27	28
2. MULTIPLE DX										
0-19 YRS	227	6.1	6	3	4	5	7	10	11	14
20-34	1243	6.1	8	3	4	6	7	9	11	16
35-49	246	7.8	17	4	4	7	9	13	15	22
50-64	50	12.3	134	3	4	10	14	19	26	75
65+	50	15.7	100	5	8	13	18	26	31	55
TOT. SINGLE DX	1100	5.6	5	2	3	5	6	8	9	14
" MULTIPLE DX	1816	6.8	19	3	4	6	7	11	14	22
TOTAL 0-19 YRS	455	5.7	5	3	3	5	7	9	10	14
20-34	1967	5.9	7	3	4	5	7	8	10	15
35-49	350	7.2	14	3	4	6	8	11	14	21
50-64	70	10.7	105	2	4	9	12	18	25	69
65+	74	14.3	82	6	7	12	17	25	29	55
GRAND TOTAL	**2916**	**6.3**	**14**	**3**	**4**	**6**	**7**	**10**	**12**	**19**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	139	5.9	4	3	4	6	7	8	10	14
20-34	781	5.8	3	4	4	6	6	8	9	12
35-49	313	6.5	4	4	4	6	7	9	10	14
50-64	52	7.9	9	4	5	7	9	13	15	15
65+	19	9.9	22	6	6	9	11	12	21	28
2. MULTIPLE DX										
0-19 YRS	156	6.8	8	4	4	6	8	10	12	17
20-34	1903	6.8	9	4	4	6	8	10	12	18
35-49	887	7.6	20	4	5	7	8	11	14	25
50-64	124	10.9	37	5	6	9	13	19	21	38
65+	111	15.2	69	7	7	13	19	27	29	43
TOT. SINGLE DX	1304	6.1	5	4	4	6	7	8	10	14
" MULTIPLE DX	3181	7.4	18	4	4	6	8	11	15	26
TOTAL 0-19 YRS	295	6.4	7	4	4	6	7	9	11	17
20-34	2684	6.5	8	4	4	6	7	9	11	17
35-49	1200	7.3	16	4	5	6	8	11	13	23
50-64	176	10.0	31	5	5	8	12	18	20	35
65+	130	14.4	65	6	7	12	18	27	29	42
GRAND TOTAL	**4485**	**7.1**	**15**	**4**	**4**	**6**	**8**	**11**	**14**	**23**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	3	3	3	4	5	7	7	7
20-34	98	6.1	3	4	4	6	7	8	10	14
35-49	166	6.8	4	4	5	6	8	9	10	14
50-64	80	8.3	13	4	5	7	9	13	16	23
65+	37	9.6	21	5	6	8	11	12	21	29
2. MULTIPLE DX										
0-19 YRS	10	8.0	11	5	5	6	10	13	15	15
20-34	554	7.2	14	5	5	6	8	10	12	23
35-49	919	7.9	11	5	5	7	9	12	14	22
50-64	229	10.2	26	5	6	9	11	16	21	30
65+	183	13.3	73	6	7	11	16	21	27	59
TOT. SINGLE DX	385	7.2	9	4	5	7	8	10	12	20
" MULTIPLE DX	1895	8.5	24	5	5	7	9	13	16	28
TOTAL 0-19 YRS	14	6.9	12	3	3	6	9	12	14	15
20-34	652	7.0	13	4	5	6	8	10	12	21
35-49	1085	7.8	11	5	5	7	9	11	13	22
50-64	309	9.7	24	5	6	8	11	15	19	29
65+	220	12.7	67	6	7	10	15	21	26	48
GRAND TOTAL	**2280**	**8.3**	**21**	**5**	**5**	**7**	**9**	**13**	**16**	**27**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.7	8	<1	1	3	5	6	7	18
20-34	177	3.3	5	<1	1	2	5	7	8	12
35-49	29	3.6	4	<1	<1	3	5	7	7	8
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	56	4.7	6	1	1	5	6	8	10	11
20-34	436	4.9	12	1	2	5	6	8	10	18
35-49	71	5.3	17	1	1	5	6	12	13	20
50-64	8	7.4	17	1	1	8	10	12	13	13
65+	4	11.5	48	2	2	13	16	18	18	18
TOT. SINGLE DX	247	3.5	6	<1	1	3	5	7	8	12
" MULTIPLE DX	575	5.0	13	1	2	5	6	8	11	18
TOTAL 0-19 YRS	94	4.3	8	1	1	4	6	8	9	15
20-34	613	4.5	11	1	1	4	6	7	9	15
35-49	100	4.8	14	<1	1	4	6	9	13	19
50-64	10	7.0	15	1	1	8	9	12	13	13
65+	5	10.6	40	2	2	11	16	18	18	18
GRAND TOTAL	**822**	**4.5**	**11**	**1**	**1**	**4**	**6**	**8**	**10**	**18**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	1.5		<1	<1	1	2	3	3	3
20-34	2444	1.4		<1	<1	1	2	2	2	3
35-49	886	1.4	1	<1	<1	1	2	2	2	3
50-64	5	1.4		<1	<1	<1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	21	1.7		<1	<1	1	2	3	4	4
20-34	1602	2.0	4	<1	<1	2	2	3	5	10
35-49	705	1.8	2	<1	<1	2	2	3	4	8
50-64	3	1.7		1	1	2	2	2	2	2
65+										
TOT. SINGLE DX	3363	1.4	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	2331	1.9	4	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	49	1.6	1	<1	<1	1	2	3	3	4
20-34	4046	1.6	2	<1	<1	1	2	2	3	7
35-49	1591	1.6	2	<1	<1	1	2	2	3	6
50-64	8	1.5		<1	<1	1	2	2	2	2
65+										
GRAND TOTAL	**5694**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.0	3	<1	1	3	4	4	6	11
20-34	2002	2.5	2	<1	<1	2	3	4	5	7
35-49	505	2.5	2	<1	<1	2	3	4	5	8
50-64	2	4.0	18	1	1	4	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	67	3.9	3	1	2	3	5	7	8	9
20-34	2845	3.2	3	1	1	3	4	5	6	10
35-49	721	3.4	10	1	1	3	4	6	7	17
50-64	6	7.8	21	2	2	7	12	14	14	14
65+										
TOT. SINGLE DX	2543	2.5	3	<1	<1	2	3	4	5	7
" MULTIPLE DX	3639	3.2	5	1	1	3	4	5	7	12
TOTAL 0-19 YRS	101	3.6	4	1	1	3	4	6	8	10
20-34	4847	2.9	3	<1	1	3	4	5	6	9
35-49	1226	3.0	7	<1	1	2	4	5	7	15
50-64	8	6.9	21	1	1	6	10	13	14	14
65+										
GRAND TOTAL	**6182**	**2.9**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	4.7	2	3	3	5	6	6	8	10
20-34	1385	4.8	3	1	3	5	6	7	8	10
35-49	175	4.5	3	<1	1	5	6	7	7	9
50-64	2	4.5	25	<1	<1	4	8	8	8	8
65+	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	114	5.9	7	3	4	5	7	9	11	17
20-34	1600	5.2	4	2	3	5	6	8	9	12
35-49	263	6.1	26	1	3	5	7	9	13	20
50-64	8	9.9	29	3	4	8	17	68	99+	99+
65+	2	20.5	613	3	3	20	38	38	38	38
TOT. SINGLE DX	1654	4.7	3	1	2	5	6	7	8	10
" MULTIPLE DX	1987	5.4	9	2	3	5	6	8	10	15
TOTAL 0-19 YRS	204	5.4	6	3	3	5	6	8	10	14
20-34	2985	5.0	4	2	3	5	6	7	8	12
35-49	438	5.5	18	<1	2	5	6	8	10	18
50-64	10	8.8	30	<1	2	8	15	51	96	99+
65+	4	13.8	268	3	3	7	23	38	38	38
GRAND TOTAL	**3641**	**5.1**	**6**	**2**	**3**	**5**	**6**	**7**	**9**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	2.4	1	<1	1	2	3	3	4	9
20-34	762	2.4	1	1	1	2	3	3	4	7
35-49	214	2.4	1	<1	1	2	3	4	5	8
50-64	77	2.7	2	1	2	2	3	5	7	8
65+	41	2.9	2	1	1	3	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	35	2.5	1	1	1	2	3	4	5	7
20-34	552	2.7	3	1	1	2	3	5	6	9
35-49	236	3.3	18	1	1	2	3	6	9	28
50-64	106	3.3	8	1	1	3	4	6	9	17
65+	77	5.7	58	1	2	3	6	10	20	44
TOT. SINGLE DX	1138	2.4	2	1	1	2	3	4	4	8
" MULTIPLE DX	1006	3.1	12	1	1	2	3	5	8	15
TOTAL 0-19 YRS	79	2.4	2	<1	1	2	3	3	4	8
20-34	1314	2.5	2	1	1	2	3	4	5	8
35-49	450	2.9	11	<1	1	2	3	5	7	13
50-64	183	3.1	6	1	1	2	3	6	8	15
65+	118	4.7	40	1	2	3	4	9	13	40
GRAND TOTAL	**2144**	**2.8**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	1.6		<1	<1	1	2	3	3	3
20-34	252	2.4	4	<1	1	2	3	4	5	10
35-49	170	2.3	4	<1	<1	2	3	4	6	13
50-64	107	2.7	5	<1	<1	2	3	5	7	14
65+	94	4.3	12	1	1	3	5	9	11	19
2. MULTIPLE DX										
0-19 YRS	20	3.1	21	<1	<1	2	3	4	13	22
20-34	339	2.9	13	<1	1	2	3	6	8	17
35-49	460	3.2	9	<1	1	2	3	7	10	17
50-64	288	4.6	28	1	1	2	6	9	13	29
65+	317	6.5	27	1	2	5	9	12	16	28
TOT. SINGLE DX	639	2.7	6	<1	<1	2	3	5	7	15
" MULTIPLE DX	1424	4.1	20	<1	1	2	5	9	12	22
TOTAL 0-19 YRS	36	2.4	12	<1	<1	2	3	4	4	22
20-34	591	2.7	10	<1	1	2	3	5	6	14
35-49	630	2.9	8	<1	1	2	3	6	9	15
50-64	395	4.1	23	<1	1	2	5	9	12	23
65+	411	6.0	25	1	2	5	8	12	15	27
GRAND TOTAL	**2063**	**3.7**	**16**	**<1**	**1**	**2**	**4**	**8**	**11**	**20**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	3.5	2	1	2	3	4	6	7	7
20-34	596	3.2	3	1	1	3	4	5	7	11
35-49	49	2.9	1	<1	1	3	3	5	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	15	4.9	7	1	2	5	6	7	11	12
20-34	157	4.3	5	1	2	4	5	7	9	12
35-49	17	3.6	8	1	1	2	4	9	11	11
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	670	3.2	3	1	1	3	4	5	7	11
" MULTIPLE DX	191	4.3	6	1	2	4	5	7	9	12
TOTAL 0-19 YRS	38	4.0	5	1	2	3	6	6	7	12
20-34	753	3.4	4	1	1	3	4	6	7	11
35-49	66	3.1	4	1	1	3	4	5	6	11
50-64	2	3.0	5	1	1	3	5	5	5	5
65+	2	8.5	1	8	8	8	9	9	9	9
GRAND TOTAL	861	3.4	4	1	1	3	4	6	7	11

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	4.5	8	1	1	4	6	9	11	11
20-34	280	5.3	5	1	2	6	7	8	9	11
35-49	58	5.2	4	1	2	6	7	8	8	12
50-64	13	2.3	1	<1	<1	2	3	4	4	4
65+	12	2.9	11	<1	<1	2	3	7	12	13
2. MULTIPLE DX										
0-19 YRS	9	4.8	13	<1	1	3	7	11	12	12
20-34	427	5.7	9	2	2	6	7	8	10	18
35-49	176	5.4	53	1	2	6	7	10	13	36
50-64	71	7.9	74	1	2	5	9	19	32	45
65+	57	9.8	137	1	2	7	13	21	24	77
TOT. SINGLE DX	373	5.1	6	1	2	5	7	8	8	12
" MULTIPLE DX	740	6.4	37	1	2	6	7	10	14	28
TOTAL 0-19 YRS	19	4.6	10	<1	1	3	6	10	12	12
20-34	707	5.6	8	1	2	6	7	8	9	14
35-49	234	6.1	42	1	2	6	7	9	12	23
50-64	84	7.0	67	<1	1	5	9	13	25	43
65+	69	8.6	122	1	1	5	13	20	22	71
GRAND TOTAL	1113	6.0	27	1	2	6	7	9	12	23

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	8.1	6	5	5	8	10	12	14	14
20-34	1434	6.7	4	5	5	6	7	9	10	14
35-49	1952	6.8	3	5	5	6	7	9	10	13
50-64	498	7.7	7	5	5	7	8	10	12	19
65+	250	8.9	11	5	6	8	9	13	16	23
2. MULTIPLE DX										
0-19 YRS	86	8.3	13	4	5	7	11	13	15	71
20-34	8561	7.1	6	5	5	7	8	9	11	16
35-49	15012	7.5	7	5	5	7	8	10	12	18
50-64	3419	8.6	16	5	6	8	9	12	16	24
65+	1337	11.2	38	6	6	9	13	18	22	31
TOT. SINGLE DX	4145	7.0	5	5	5	7	8	9	10	16
" MULTIPLE DX	28415	7.7	11	5	5	7	8	11	13	21
TOTAL 0-19 YRS	97	8.2	13	5	5	7	10	13	15	62
20-34	9995	7.0	6	5	5	7	8	9	11	16
35-49	16964	7.4	7	5	5	7	8	10	12	18
50-64	3917	8.5	16	5	6	8	9	12	15	23
65+	1587	10.9	35	6	6	9	12	17	22	31
GRAND TOTAL	32560	7.6	10	5	5	7	8	10	13	21

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	991	5.5	1	4	4	5	6	7	8	10
35-49	765	5.9	2	4	4	6	6	8	9	12
50-64	262	7.3	3	5	5	7	8	10	11	13
65+	233	8.0	5	5	6	8	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	16	5.8	3	3	4	5	7	9	9	9
20-34	3707	6.0	4	4	4	6	7	8	9	13
35-49	4927	6.4	4	4	5	6	7	9	10	14
50-64	1301	8.0	9	5	5	7	9	11	13	19
65+	949	9.3	14	6	6	8	10	14	16	24
TOT. SINGLE DX	2253	6.1	3	4	4	6	7	8	10	12
" MULTIPLE DX	10900	6.7	7	4	5	6	8	9	11	16
TOTAL 0-19 YRS	18	5.6	3	3	4	5	6	9	9	9
20-34	4698	5.9	4	4	4	6	6	8	9	13
35-49	5692	6.4	5	4	5	6	7	9	10	14
50-64	1563	7.8	8	5	5	7	9	11	13	18
65+	1182	9.1	13	6	6	8	10	13	15	22
GRAND TOTAL	13153	6.6	7	4	5	6	7	9	11	15

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	20	10.4	9	6	6	11	13	14	15	15
35-49	19	12.6	24	8	9	12	12	18	25	30
50-64	13	13.4	65	5	7	11	13	28	33	34
65+	8	14.1	19	9	9	15	17	20	21	21
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	26	12.8	76	6	7	10	13	17	30	51
35-49	33	13.1	34	5	6	12	16	24	25	27
50-64	34	16.7	164	8	9	14	17	31	65	99+
65+	32	18.3	132	6	9	14	20	40	44	45
TOT. SINGLE DX	60	12.2	28	6	7	11	13	17	24	34
" MULTIPLE DX	126	15.3	106	6	8	13	17	26	43	75
TOTAL 0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	46	11.7	48	6	7	11	13	15	19	51
35-49	52	12.9	31	5	7	12	15	21	25	30
50-64	47	15.8	138	8	9	12	17	30	60	99+
65+	40	17.4	112	7	9	15	19	38	43	45
GRAND TOTAL	186	14.3	83	6	8	12	16	25	35	64

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	1.7	3	<1	<1	1	2	3	4	13
20-34	207	1.6	1	<1	<1	1	1	2	4	6
35-49	27	1.3		<1	<1	1	1	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	36	5.6	121	<1	<1	3	6	8	11	68
20-34	257	3.2	9	<1	<1	2	4	6	9	14
35-49	63	2.4	6	<1	<1	2	2	3	8	15
50-64										
65+										
TOT. SINGLE DX	293	1.6	2	<1	<1	1	2	2	4	6
" MULTIPLE DX	356	3.3	21	<1	1	2	4	6	9	16
TOTAL 0-19 YRS	95	3.2	51	<1	<1	2	3	6	8	44
20-34	464	2.4	6	<1	<1	2	3	5	7	13
35-49	90	2.0	5	<1	<1	1	2	3	5	14
50-64										
65+										
GRAND TOTAL	649	2.5	13	<1	<1	2	3	5	7	13

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1951	1.8	1	<1	<1	1	1	3	4	6
20-34	11592	1.7	2	<1	<1	1	1	3	4	7
35-49	3925	1.7	2	<1	<1	1	1	3	5	8
50-64	1487	2.0	3	<1	<1	1	2	4	6	10
65+	565	2.7	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	912	3.1	8	1	1	2	4	6	8	13
20-34	7237	2.6	7	<1	1	2	3	5	7	12
35-49	4950	2.6	6	<1	1	2	3	5	6	14
50-64	2235	3.3	19	1	1	2	3	7	10	21
65+	1278	4.7	26	1	1	2	3	10	15	26
TOT. SINGLE DX	19530	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	16612	3.0	12	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	2863	2.2	4	<1	<1	1	2	4	5	10
20-34	18829	2.1	5	<1	<1	1	2	4	5	10
35-49	8885	2.1	6	<1	<1	1	2	4	6	12
50-64	3722	2.8	14	<1	<1	1	2	5	8	16
65+	1843	4.1	21	1	1	2	4	9	13	24
GRAND TOTAL	36142	2.3	7	<1	<1	2	2	4	6	12

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	1.7	1	<1	<1	1	2	4	4	7
20-34	308	1.6	2	<1	<1	1	2	3	3	10
35-49	82	1.4		<1	<1	1	1	2	3	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	110	2.1	6	<1	<1	<1	2	6	8	12
20-34	488	1.7	24	<1	<1	1	2	5	10	32
35-49	115	1.9	2	<1	<1	1	2	3	6	9
50-64										
65+										
TOT. SINGLE DX	468	1.6	2	<1	<1	1	2	3	3	7
" MULTIPLE DX	713	2.5	18	<1	<1	1	2	5	6	19
TOTAL 0-19 YRS	188	2.0	4	<1	<1	1	2	4	7	12
20-34	796	2.3	16	<1	<1	1	2	4	7	19
35-49	197	1.7	2	<1	<1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	1181	2.1	12	<1	<1	1	2	4	6	15

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	263	1.5		<1	<1	1	2	3	3	5
20-34	1288	1.4		<1	<1	1	2	2	3	5
35-49	186	1.4		<1	<1	1	2	2	3	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	7.5	61	2	2	7	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	53	3.2	37	<1	<1	2	3	5	7	44
20-34	299	2.6	5	<1	1	2	3	5	7	13
35-49	60	3.2	7	<1	1	2	4	7	10	13
50-64	13	5.5	23	2	2	3	7	12	18	19
65+	11	7.0	34	1	1	5	11	16	20	20
TOT. SINGLE DX	1740	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	436	3.0	11	<1	1	2	4	6	8	14
TOTAL 0-19 YRS	316	1.8	7	<1	<1	1	2	3	4	7
20-34	1587	1.6	2	<1	<1	1	2	3	4	7
35-49	246	1.8	3	<1	<1	1	2	4	5	11
50-64	14	5.4	21	2	2	4	7	11	17	19
65+	13	7.1	33	1	1	5	12	15	19	20
GRAND TOTAL	**2176**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	36	4.9	2	2	2	5	6	7	8	8
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	8	5.3	2	3	3	5	6	7	7	7
20-34	147	5.8	5	3	4	5	6	8	11	14
35-49	15	7.1	14	2	3	6	8	14	14	14
50-64	3	10.0	3	9	9	9	11	12	12	12
65+	5	9.2	4	6	6	9	10	12	12	12
TOT. SINGLE DX	39	4.9	3	2	2	5	6	7	8	10
" MULTIPLE DX	178	6.1	7	3	4	6	7	9	12	14
TOTAL 0-19 YRS	10	4.8	3	1	2	5	6	7	7	7
20-34	183	5.6	5	3	4	5	6	7	10	14
35-49	15	7.1	14	2	3	6	8	14	14	14
50-64	3	10.0	3	9	9	9	11	12	12	12
65+	6	9.3	4	6	6	9	10	12	12	12
GRAND TOTAL	**217**	**5.9**	**6**	**2**	**4**	**5**	**7**	**9**	**12**	**14**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	3.5	4	<1	<1	3	5	6	7	8
20-34	116	3.0	11	<1	<1	2	4	6	6	18
35-49	32	3.1	3	<1	1	2	4	6	8	8
50-64	14	3.1		1	2	3	4	4	5	5
65+	28	4.1	4	2	2	4	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	16	5.0	9	1	2	4	8	9	10	11
20-34	179	4.4	11	1	1	4	6	8	9	18
35-49	40	3.7	4	1	2	3	5	7	8	9
50-64	35	5.1	17	2	2	4	6	9	12	24
65+	31	4.6	12	2	2	4	5	7	8	21
TOT. SINGLE DX	213	3.2	8	<1	<1	3	4	6	7	10
" MULTIPLE DX	301	4.5	11	1	1	4	6	8	9	21
TOTAL 0-19 YRS	39	4.1	7	<1	1	4	5	8	9	11
20-34	295	3.9	12	<1	1	3	6	7	8	17
35-49	72	3.4	4	1	1	3	4	7	8	9
50-64	49	4.6	13	2	2	4	5	8	9	24
65+	59	4.4	8	2	2	4	5	7	9	20
GRAND TOTAL	**514**	**3.9**	**10**	**<1**	**1**	**3**	**5**	**7**	**8**	**16**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	73	5.2	4	2	3	5	6	7	8	13
35-49	249	6.6	5	3	4	6	8	10	11	13
50-64	431	6.7	6	3	4	6	8	10	11	17
65+	279	7.4	7	4	5	7	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	167	6.6	9	2	3	6	8	11	12	18
35-49	538	7.8	16	4	4	7	9	12	15	21
50-64	720	8.3	13	4	5	8	10	13	14	21
65+	560	8.7	16	4	5	8	10	14	16	21
TOT. SINGLE DX	1033	6.8	6	3	4	6	8	10	11	16
" MULTIPLE DX	1986	8.2	15	4	5	7	9	13	15	21
TOTAL 0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	240	6.2	8	2	3	6	7	10	11	15
35-49	787	7.4	14	3	4	7	9	11	14	20
50-64	1151	7.7	11	4	4	7	9	11	14	19
65+	839	8.3	14	4	5	7	9	13	15	20
GRAND TOTAL	**3019**	**7.7**	**13**	**4**	**4**	**7**	**9**	**12**	**14**	**19**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	1.9	1	1	1	1	2	4	5	6
20-34	164	3.6	6	1	1	3	5	7	8	15
35-49	69	4.4	9	1	1	4	6	8	10	15
50-64	28	5.8	10	1	1	6	8	10	11	11
65+	25	5.9	6	2	2	6	7	10	10	10
2. MULTIPLE DX										
0-19 YRS	50	6.0	38	1	1	3	9	13	17	35
20-34	99	4.5	13	1	1	4	6	9	11	21
35-49	69	6.5	22	1	2	6	9	11	12	27
50-64	53	11.2	200	1	2	7	10	26	37	82
65+	46	11.2	62	3	4	9	14	18	24	44
TOT. SINGLE DX	335	3.9	8	1	1	3	6	8	9	14
" MULTIPLE DX	317	7.3	64	1	1	5	9	14	18	40
TOTAL 0-19 YRS	99	4.0	24	1	1	2	5	10	14	27
20-34	263	3.9	9	1	1	3	5	7	9	16
35-49	138	5.5	17	1	1	5	7	10	12	24
50-64	81	9.3	140	1	2	7	10	16	29	75
65+	71	9.4	49	2	3	8	11	16	18	43
GRAND TOTAL	652	5.5	38	1	1	4	7	10	15	30

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	2.5	2	<1	1	2	3	4	5	10
20-34	302	2.9	5	<1	<1	2	4	6	8	11
35-49	118	3.7	12	<1	<1	2	5	8	11	19
50-64	82	4.7	16	<1	1	4	6	9	12	23
65+	73	6.2	92	2	2	4	7	10	11	68
2. MULTIPLE DX										
0-19 YRS	86	4.6	23	1	1	3	6	9	12	30
20-34	299	4.8	24	<1	1	3	6	10	13	24
35-49	164	6.9	39	1	2	5	8	13	18	34
50-64	213	6.6	46	1	2	6	8	12	14	45
65+	274	8.8	72	2	2	6	10	17	27	51
TOT. SINGLE DX	681	3.6	18	<1	1	2	4	7	9	15
" MULTIPLE DX	1036	6.5	46	1	1	5	8	13	17	41
TOTAL 0-19 YRS	192	3.4	13	<1	1	2	4	6	9	15
20-34	601	3.9	16	<1	<1	3	5	8	11	19
35-49	282	5.5	31	<1	1	4	7	12	16	30
50-64	295	6.1	39	1	2	5	7	11	14	40
65+	347	8.3	77	2	2	6	9	16	26	51
GRAND TOTAL	1717	5.4	37	<1	1	4	7	10	14	35

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	2.5	2	<1	1	2	3	5	6	7
20-34	623	2.3	2	<1	1	2	3	4	5	7
35-49	311	2.3	2	<1	<1	2	3	4	5	11
50-64	160	2.9	5	<1	1	2	3	5	7	15
65+	70	3.4	5	1	1	2	4	6	9	12
2. MULTIPLE DX										
0-19 YRS	81	3.4	8	<1	1	3	4	7	8	17
20-34	271	3.6	10	1	1	3	4	7	11	14
35-49	200	4.3	37	<1	1	3	4	8	10	43
50-64	161	5.9	58	1	2	4	7	10	14	50
65+	151	8.7	108	2	2	6	11	18	23	56
TOT. SINGLE DX	1313	2.4	3	<1	1	2	3	4	6	9
" MULTIPLE DX	864	5.1	46	1	1	3	5	10	14	39
TOTAL 0-19 YRS	230	2.8	4	<1	1	2	3	5	7	11
20-34	894	2.7	5	<1	1	2	3	5	6	12
35-49	511	3.1	17	<1	1	2	3	5	7	16
50-64	321	4.4	34	1	1	3	5	8	12	30
65+	221	7.0	82	1	2	4	9	15	21	48
GRAND TOTAL	2177	3.5	22	<1	1	2	4	7	9	21

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	4.5	19	<1	1	3	6	12	14	15
35-49	15	5.3	27	<1	1	3	7	12	19	21
50-64	23	6.6	20	2	2	4	10	13	16	17
65+	23	8.8	43	2	2	6	14	19	22	25
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	4.3	3	2	2	4	5	6	6	6
35-49	17	5.5	38	1	1	3	6	11	21	27
50-64	24	9.0	83	2	2	5	11	21	30	39
65+	50	15.5	109	3	3	13	22	31	34	45
TOT. SINGLE DX	79	6.5	30	1	2	4	9	15	18	24
" MULTIPLE DX	96	11.5	103	2	2	8	18	27	32	43
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	21	4.4	16	<1	1	3	5	11	13	15
35-49	32	5.4	32	1	1	3	6	11	20	27
50-64	47	7.8	53	2	2	5	10	17	21	39
65+	73	13.4	98	2	3	11	19	29	32	44
GRAND TOTAL	175	9.2	76	2	2	6	13	21	28	40

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	2.8	20	<1	<1	1	2	5	6	26
20-34	64	2.8	1	<1	1	3	4	5	5	7
35-49	23	3.7	6	<1	1	3	5	8	9	9
50-64	10	2.8	3	<1	1	2	4	6	7	7
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	20	3.8	22	1	1	2	4	7	15	22
20-34	46	5.1	44	1	1	3	6	8	15	43
35-49	16	4.5	10	2	2	4	5	8	13	15
50-64	10	5.5	6	2	2	6	7	8	9	9
65+	16	10.8	297	<1	<1	6	10	23	58	72
TOT. SINGLE DX	129	3.0	7	<1	1	2	4	5	6	13
" MULTIPLE DX	108	5.6	71	1	1	4	6	10	15	55
TOTAL 0-19 YRS	51	3.2	21	<1	<1	2	3	6	9	26
20-34	110	3.7	21	1	1	3	4	7	8	26
35-49	39	4.0	8	<1	1	3	5	8	9	15
50-64	20	4.2	6	1	2	3	7	8	8	9
65+	17	10.5	281	<1	1	6	10	21	55	72
GRAND TOTAL	**237**	**4.2**	**38**	**<1**	**1**	**3**	**5**	**7**	**10**	**28**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.4	5	<1	<1	1	3	7	8	8
20-34	12	3.8	4	1	1	4	5	7	8	8
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	17	2.4	2	<1	1	2	3	5	6	6
20-34	19	3.9	10	1	1	3	5	7	12	15
35-49	9	5.2	18	1	1	3	7	12	14	14
50-64	6	5.2	27	<1	<1	3	7	14	15	15
65+	7	9.9	26	5	5	10	11	18	20	20
TOT. SINGLE DX	33	2.8	5	<1	<1	2	4	6	8	8
" MULTIPLE DX	58	4.5	17	1	1	3	6	11	14	20
TOTAL 0-19 YRS	32	2.4	4	<1	<1	2	3	5	7	8
20-34	31	3.9	8	1	1	3	5	7	8	15
35-49	12	4.3	16	<1	<1	3	6	10	13	14
50-64	8	4.3	23	<1	<1	2	5	13	15	15
65+	8	9.3	26	5	5	8	11	17	20	20
GRAND TOTAL	**91**	**3.9**	**13**	**<1**	**1**	**3**	**5**	**8**	**11**	**18**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3019	2.9	1	2	2	3	3	4	4	6
20-34	12569	3.1	2	2	2	3	4	4	5	6
35-49	528	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1774	3.4	4	2	2	3	4	5	6	12
20-34	9464	3.6	4	2	2	3	4	5	6	10
35-49	684	3.6	1	2	2	3	4	5	6	8
50-64										
65+										
TOT. SINGLE DX	16116	3.1	2	2	2	3	4	4	5	6
" MULTIPLE DX	11922	3.6	4	2	2	3	4	5	6	10
TOTAL 0-19 YRS	4793	3.1	3	2	2	3	3	4	5	8
20-34	22033	3.3	3	2	2	3	4	5	5	8
35-49	1212	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**28038**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.7	1	1	1	3	3	4	5	5
20-34	262	2.7	1	1	2	3	3	4	4	5
35-49	22	3.0	2	1	1	3	3	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	70	3.7	29	1	1	3	3	6	9	38
20-34	415	3.4	9	1	2	3	4	5	6	14
35-49	47	5.5	71	2	2	3	5	6	20	53
50-64										
65+										
TOT. SINGLE DX	317	2.7	1	1	2	3	3	4	5	6
" MULTIPLE DX	532	3.6	18	1	2	3	4	5	6	22
TOTAL 0-19 YRS	103	3.4	21	1	1	3	3	5	7	28
20-34	677	3.1	7	1	2	3	4	4	5	10
35-49	69	4.7	50	2	2	3	4	6	11	49
50-64										
65+										
GRAND TOTAL	**849**	**3.3**	**12**	**1**	**2**	**3**	**4**	**5**	**6**	**14**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	436	2.8	1	1	2	3	3	4	4	7
20-34	2272	3.0	1	2	2	3	3	4	5	7
35-49	109	3.2	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	480	3.4	4	2	2	3	4	5	6	9
20-34	2481	3.5	3	2	2	3	4	5	6	9
35-49	176	3.3	1	2	2	3	4	5	5	8
50-64										
65+										
TOT. SINGLE DX	2817	3.0	2	2	2	3	3	4	5	7
" MULTIPLE DX	3137	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	916	3.1	3	2	2	3	4	4	6	8
20-34	4753	3.3	3	2	2	3	4	5	5	8
35-49	285	3.3	2	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	5954	3.3	3	2	2	3	4	5	5	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14173	2.6	1	1	2	3	3	4	4	5
20-34	56525	2.7	1	1	2	3	3	4	4	6
35-49	2525	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3598	3.3	7	1	2	3	4	5	6	14
20-34	21898	3.3	4	2	2	3	4	5	6	10
35-49	1827	3.4	3	1	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	73223	2.7	2	1	2	3	3	4	4	6
" MULTIPLE DX	27323	3.3	5	1	2	3	4	5	6	11
TOTAL 0-19 YRS	17771	2.8	3	1	2	3	3	4	4	7
20-34	78423	2.9	2	1	2	3	3	4	5	7
35-49	4352	3.1	2	1	2	3	4	4	5	9
50-64										
65+										
GRAND TOTAL	100546	2.9	2	1	2	3	3	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1682	5.2	2	3	4	5	6	7	8	11
20-34	10394	5.2	4	4	4	5	6	7	7	10
35-49	473	5.7	3	4	4	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3443	6.2	13	4	4	5	7	9	11	19
20-34	21771	5.9	10	4	4	5	6	8	10	19
35-49	1877	6.3	10	4	4	6	7	8	10	22
50-64										
65+										
TOT. SINGLE DX	12549	5.3	4	4	4	5	6	7	7	10
" MULTIPLE DX	27091	6.0	11	4	4	5	6	8	10	19
TOTAL 0-19 YRS	5125	5.8	10	4	4	5	6	8	10	16
20-34	32165	5.7	9	4	4	5	6	7	9	16
35-49	2350	6.2	9	4	4	6	7	8	10	21
50-64										
65+										
GRAND TOTAL	39640	5.8	9	4	4	5	6	7	9	17

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	5.1	2	3	4	5	6	7	8	11
20-34	678	5.2	2	4	4	5	6	6	7	11
35-49	40	5.8	5	3	4	5	7	8	11	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	168	6.2	7	3	4	6	7	9	10	18
20-34	941	6.1	14	4	4	5	6	8	10	24
35-49	97	7.1	20	4	4	6	7	11	11	32
50-64										
65+										
TOT. SINGLE DX	892	5.2	3	3	4	5	6	7	7	11
" MULTIPLE DX	1206	6.2	14	4	4	5	7	8	11	24
TOTAL 0-19 YRS	342	5.6	5	3	4	5	6	8	10	13
20-34	1619	5.7	9	4	4	5	6	7	9	18
35-49	137	6.7	16	4	4	6	7	10	11	31
50-64										
65+										
GRAND TOTAL	2098	5.8	9	3	4	5	6	8	9	18

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	28	5.2	3	3	3	5	6	8	9	11
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	5.5	8	3	3	5	6	10	11	11
20-34	54	5.8	8	3	3	5	6	8	11	19
35-49	6	6.3	15	2	2	6	7	12	13	13
50-64										
65+										
TOT. SINGLE DX	34	5.2	3	2	3	5	6	7	8	11
" MULTIPLE DX	66	5.8	8	3	3	5	6	9	12	18
TOTAL 0-19 YRS	9	5.1	7	2	2	5	6	9	11	11
20-34	82	5.6	7	3	3	5	6	8	10	17
35-49	9	6.1	10	2	2	6	7	11	13	13
50-64										
65+										
GRAND TOTAL	100	5.6	7	3	3	5	6	8	11	16

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	1.9		1	1	2	2	3	3	4
20-34	150	2.2		1	1	2	2	4	4	6
35-49	10	2.0		1	1	2	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	166	2.4	1	1	2	2	3	3	4	7
20-34	209	2.7	2	1	2	2	3	4	5	10
35-49	17	3.4	10	1	2	2	3	9	12	13
50-64										
65+										
TOT. SINGLE DX	312	2.1	1	1	1	2	2	3	4	5
" MULTIPLE DX	392	2.6	2	1	2	2	3	4	5	10
TOTAL 0-19 YRS	318	2.2	1	1	1	2	2	3	4	6
20-34	359	2.5	2	1	1	2	3	4	5	9
35-49	27	2.9	7	1	1	2	3	4	10	13
50-64										
65+										
GRAND TOTAL	704	2.4	2	1	1	2	3	3	4	8

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	4.7	35	<1	<1	3	6	9	14	35
20-34	109	5.2	64	<1	1	3	5	11	18	46
35-49	12	6.0	29	<1	1	4	9	14	17	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	32	4.5	14	1	1	4	6	7	16	17
20-34	111	7.0	70	1	1	5	8	17	18	52
35-49	10	7.8	35	1	2	6	11	16	21	21
50-64										
65+										
TOT. SINGLE DX	163	5.2	54	<1	1	3	6	11	18	41
" MULTIPLE DX	153	6.5	57	1	1	4	7	15	18	52
TOTAL 0-19 YRS	74	4.6	26	<1	1	3	6	8	16	31
20-34	220	6.1	68	<1	1	4	7	14	18	52
35-49	22	6.8	31	<1	1	5	11	14	19	21
50-64										
65+										
GRAND TOTAL	316	5.8	56	<1	1	4	7	13	18	45

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	552	2.1	1	<1	1	2	3	3	4	7
20-34	2010	2.3	3	<1	<1	2	3	4	4	7
35-49	102	3.4	36	<1	<1	2	3	5	8	38
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	273	2.8	4	1	1	2	3	5	6	11
20-34	955	3.2	9	1	1	3	4	5	7	20
35-49	82	3.7	8	1	1	3	4	7	9	17
50-64										
65+										
TOT. SINGLE DX	2664	2.3	4	<1	<1	2	3	4	4	8
" MULTIPLE DX	1310	3.2	8	1	1	3	4	5	7	17
TOTAL 0-19 YRS	825	2.3	3	<1	1	2	3	4	5	9
20-34	2965	2.6	5	<1	1	2	3	4	5	11
35-49	184	3.5	24	<1	1	3	4	6	8	19
50-64										
65+										
GRAND TOTAL	3974	2.6	6	<1	1	2	3	4	5	11

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1501	2.6	3	1	2	2	3	3	4	5
20-34	5641	2.6	1	1	1	3	3	4	4	6
35-49	329	2.7	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1192	3.2	6	1	2	3	3	5	6	13
20-34	4620	3.0	3	1	2	3	3	4	5	9
35-49	344	3.4	8	1	2	3	4	5	6	14
50-64										
65+										
TOT. SINGLE DX	7471	2.6	2	1	2	3	3	4	4	6
" MULTIPLE DX	6156	2.1	4	1	2	3	3	4	5	10
TOTAL 0-19 YRS	2693	2.8	5	1	2	3	3	4	5	10
20-34	10261	2.8	2	1	2	3	3	4	5	7
35-49	673	3.0	5	1	2	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	13627	2.8	3	1	2	3	3	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	3.0	3	<1	<1	2	4	6	7	7
20-34	55	5.2	65	<1	1	3	4	10	22	51
35-49	38	4.7	35	1	2	3	6	9	15	35
50-64	45	5.9	58	1	2	3	6	14	30	31
65+	38	7.9	86	2	2	6	10	14	17	57
2. MULTIPLE DX										
0-19 YRS	37	4.2	70	1	2	3	3	5	9	53
20-34	55	4.2	18	2	2	3	4	8	10	30
35-49	50	8.9	241	1	2	3	9	27	52	99+
50-64	91	8.9	144	2	2	4	10	19	32	71
65+	92	8.0	76	1	2	4	10	22	29	38
TOT. SINGLE DX	213	5.4	53	1	1	3	5	11	15	41
" MULTIPLE DX	325	7.3	113	1	2	3	8	18	31	68
TOTAL 0-19 YRS	74	3.6	37	<1	1	3	4	5	7	43
20-34	110	4.7	42	1	2	3	4	8	11	39
35-49	88	7.1	155	1	2	3	7	17	36	94
50-64	135	7.9	118	1	2	4	9	18	31	68
65+	130	8.0	79	2	2	5	10	20	25	43
GRAND TOTAL	538	6.6	90	1	2	3	7	15	26	53

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	272	3.9	2	2	3	4	4	5	7	9
20-34	600	3.9	5	2	3	4	4	5	6	9
35-49	258	3.8	2	2	2	4	4	6	7	10
50-64	91	4.3	5	2	2	4	5	7	9	14
65+	30	4.9	13	2	2	4	5	10	10	19
2. MULTIPLE DX										
0-19 YRS	284	4.4	20	2	3	4	5	6	8	14
20-34	424	4.8	21	3	3	4	5	7	8	18
35-49	207	5.1	15	2	3	4	5	8	10	25
50-64	66	5.5	18	2	2	4	6	11	15	22
65+	24	4.5	7	2	2	4	5	8	12	13
TOT. SINGLE DX	1251	3.9	4	2	3	4	4	5	6	10
" MULTIPLE DX	1005	4.8	20	2	3	4	5	7	9	21
TOTAL 0-19 YRS	556	4.2	12	2	3	4	5	6	7	11
20-34	1024	4.3	12	2	3	4	5	6	7	14
35-49	465	4.4	8	2	3	4	5	6	8	22
50-64	157	4.8	11	2	2	4	5	9	13	21
65+	54	4.7	11	2	2	4	5	9	11	19
GRAND TOTAL	2256	4.3	11	2	3	4	5	6	8	15

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	122	2.8	3	1	1	2	3	4	7	12
20-34	206	2.8	3	1	1	2	3	5	6	11
35-49	52	3.3	8	<1	1	2	4	6	9	17
50-64	12	4.8	24	2	2	3	6	11	18	19
65+	7	3.3	2	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	176	5.0	29	1	1	3	5	9	14	32
20-34	324	5.3	24	1	2	4	6	12	17	32
35-49	108	7.0	46	1	2	5	9	13	22	39
50-64	28	7.4	77	2	2	5	9	12	17	49
65+	22	11.0	149	2	3	7	11	27	43	54
TOT. SINGLE DX	399	2.9	5	1	1	2	3	5	7	13
" MULTIPLE DX	658	5.8	37	1	2	4	7	12	17	34
TOTAL 0-19 YRS	298	4.1	20	1	1	3	4	7	11	32
20-34	530	4.3	18	1	1	3	5	8	13	21
35-49	160	5.8	37	1	1	4	7	11	16	37
50-64	40	6.6	62	2	2	5	7	11	16	49
65+	29	9.2	124	2	2	6	10	19	37	54
GRAND TOTAL	1057	4.7	27	1	1	3	5	9	13	29

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	128	2.9	2	1	1	3	3	5	6	9
20-34	362	3.3	4	1	1	3	4	6	8	11
35-49	130	3.5	5	1	1	3	4	7	9	11
50-64	52	3.8	5	1	1	3	5	7	10	11
65+	15	6.3	33	1	2	4	8	14	21	23
2. MULTIPLE DX										
0-19 YRS	232	6.4	59	1	2	4	7	13	18	38
20-34	500	6.3	52	1	2	4	7	12	15	40
35-49	202	6.8	42	1	2	5	8	14	19	39
50-64	104	8.1	78	1	2	5	9	18	28	46
65+	63	11.2	83	2	2	8	17	22	29	43
TOT. SINGLE DX	687	3.4	6	1	1	3	4	6	8	11
" MULTIPLE DX	1101	6.9	58	1	2	5	8	14	20	40
TOTAL 0-19 YRS	360	5.2	42	1	1	3	6	10	16	34
20-34	862	5.1	35	1	2	3	6	10	13	30
35-49	332	5.5	31	1	2	4	7	10	15	35
50-64	156	6.6	58	1	2	4	8	14	21	42
65+	78	10.2	77	2	2	7	14	22	26	43
GRAND TOTAL	1788	5.5	40	1	2	4	6	11	15	37

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	16	3.9	9	<1	1	3	5	7	11	13
20-34	32	4.5	25	<1	<1	3	5	7	13	28
35-49	32	4.2	5	1	2	4	6	8	8	13
50-64	23	3.4	2	1	2	3	4	5	7	8
65+	11	3.3	5	1	1	3	4	7	10	10
2. MULTIPLE DX										
0-19 YRS	19	5.6	19	1	2	4	6	14	16	17
20-34	26	7.2	89	1	2	4	8	17	36	37
35-49	28	10.7	373	2	2	5	7	15	67	89
50-64	31	5.7	21	2	2	5	8	10	13	25
65+	18	9.8	128	2	2	6	11	26	38	45
TOT. SINGLE DX	114	4.0	11	1	1	3	5	6	8	19
" MULTIPLE DX	122	7.8	133	1	2	4	8	14	26	72
TOTAL 0-19 YRS	35	4.8	15	1	1	4	6	13	14	17
20-34	58	5.7	55	<1	1	4	6	12	24	37
35-49	60	7.2	185	1	2	4	6	10	15	87
50-64	54	4.7	14	2	2	3	6	8	10	25
65+	29	7.3	90	2	2	4	7	18	29	45
GRAND TOTAL	236	5.9	77	1	2	4	6	11	15	48

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	284	5.8	29	1	2	4	7	13	18	26
20-34	228	5.5	51	1	1	4	6	10	17	42
35-49	177	6.7	44	1	1	5	9	15	17	42
50-64	208	6.3	30	2	2	5	8	11	14	27
65+	93	8.6	40	1	2	8	11	17	19	36
2. MULTIPLE DX										
0-19 YRS	183	8.1	88	2	2	5	8	18	27	62
20-34	206	8.1	93	2	2	5	9	20	29	50
35-49	210	6.8	53	2	2	4	8	13	19	48
50-64	263	9.2	111	2	2	6	10	17	32	60
65+	160	13.2	121	3	4	9	17	33	43	95
TOT. SINGLE DX	990	6.3	39	1	2	5	8	13	17	29
" MULTIPLE DX	1022	8.9	97	2	2	5	10	19	30	54
TOTAL 0-19 YRS	467	6.7	54	1	2	4	7	15	22	44
20-34	434	6.8	73	1	1	4	7	15	23	47
35-49	387	6.8	49	1	2	5	8	14	18	46
50-64	471	7.9	78	2	2	5	9	15	23	50
65+	253	11.5	96	2	3	8	15	22	36	58
GRAND TOTAL	2012	7.6	70	2	2	5	9	16	23	48

704: Bunionectomy (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	118	3.5	2	2	2	3	4	5	7	10
20-34	249	3.6	3	2	2	3	4	5	6	9
35-49	349	3.8	3	2	2	4	5	6	7	9
50-64	377	4.1	5	2	2	4	5	6	8	11
65+	187	4.5	5	2	2	4	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	120	4.1	4	2	2	4	5	7	8	9
20-34	323	4.4	5	2	2	4	5	7	8	13
35-49	541	4.3	5	2	2	4	5	7	8	12
50-64	995	4.9	8	2	3	4	6	8	10	16
65+	735	5.7	21	2	3	5	7	9	11	21
TOT. SINGLE DX	1280	3.9	3	2	2	4	5	6	7	10
" MULTIPLE DX	2714	4.9	11	2	3	4	6	8	9	17
TOTAL 0-19 YRS	238	3.8	3	2	2	3	5	6	7	9
20-34	572	4.0	4	2	2	4	5	6	7	11
35-49	890	4.1	4	2	2	4	5	6	8	11
50-64	1372	4.7	7	2	2	4	5	7	9	15
65+	922	5.5	18	2	3	5	6	9	11	21
GRAND TOTAL	3994	4.6	9	2	2	4	5	7	9	15

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	993	4.1	22	1	1	3	4	7	12	28
20-34	1225	4.8	38	1	1	3	5	9	13	37
35-49	1010	4.7	29	1	2	3	5	9	12	28
50-64	750	4.9	20	1	2	3	6	10	13	24
65+	364	6.8	49	1	2	4	8	15	25	35
2. MULTIPLE DX										
0-19 YRS	419	8.8	159	1	2	4	9	25	39	62
20-34	983	8.4	168	1	2	4	7	20	34	77
35-49	970	7.6	92	1	2	4	9	17	29	60
50-64	1074	9.1	116	2	2	5	11	20	30	56
65+	989	13.3	186	2	2	9	17	30	40	74
TOT. SINGLE DX	4342	4.8	31	1	2	3	5	9	14	30
" MULTIPLE DX	4435	9.5	147	2	2	5	11	23	35	66
TOTAL 0-19 YRS	1412	5.5	68	1	1	3	5	12	21	45
20-34	2208	6.4	99	1	2	3	6	12	23	58
35-49	1980	6.1	62	1	2	4	6	12	20	49
50-64	1824	7.4	81	2	2	4	8	16	24	49
65+	1353	11.6	158	2	2	7	15	27	36	65
GRAND TOTAL	**8777**	**7.2**	**95**	**1**	**2**	**4**	**8**	**16**	**26**	**53**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	333	6.5	67	1	2	4	7	14	23	38
20-34	275	5.9	30	1	2	4	7	11	16	32
35-49	149	7.1	58	2	2	5	8	14	19	46
50-64	135	8.6	54	2	2	6	10	17	26	37
65+	193	14.5	68	4	6	13	17	24	30	47
2. MULTIPLE DX										
0-19 YRS	158	7.6	52	2	2	5	8	16	26	32
20-34	167	10.7	155	2	2	6	14	27	39	81
35-49	111	11.4	180	2	2	6	13	32	39	84
50-64	170	12.0	105	2	3	9	16	26	34	95
65+	435	18.0	147	5	8	15	21	31	42	81
TOT. SINGLE DX	1085	8.1	65	2	2	5	10	17	23	39
" MULTIPLE DX	1041	13.6	146	2	3	11	18	28	38	77
TOTAL 0-19 YRS	491	6.8	63	1	2	4	7	15	24	37
20-34	442	7.7	83	1	2	5	9	16	26	55
35-49	260	9.0	115	2	2	6	9	20	35	67
50-64	305	10.5	86	2	3	8	13	22	31	62
65+	628	16.9	125	5	7	14	20	29	38	67
GRAND TOTAL	**2126**	**10.8**	**112**	**2**	**2**	**7**	**14**	**23**	**31**	**61**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	560	3.2	30	<1	1	2	3	5	6	29
20-34	892	3.0	8	<1	1	2	3	5	7	14
35-49	439	3.2	9	<1	1	2	4	5	8	16
50-64	383	3.9	19	1	1	3	4	7	12	24
65+	325	5.4	29	1	1	4	6	12	16	30
2. MULTIPLE DX										
0-19 YRS	199	5.2	71	1	1	3	5	8	20	51
20-34	305	6.1	66	1	2	4	6	13	20	39
35-49	243	7.5	74	2	2	4	9	16	27	49
50-64	254	9.2	137	1	2	5	11	22	33	58
65+	471	12.7	163	2	3	8	17	28	39	61
TOT. SINGLE DX	2599	3.5	18	<1	1	2	4	6	10	22
" MULTIPLE DX	1472	8.8	120	1	2	5	10	21	32	53
TOTAL 0-19 YRS	759	3.7	42	<1	1	2	3	5	9	43
20-34	1197	3.8	25	<1	1	2	4	7	11	23
35-49	682	4.7	37	<1	1	3	5	10	15	35
50-64	637	6.0	73	1	1	3	6	13	22	42
65+	796	9.7	122	1	2	6	12	22	31	52
GRAND TOTAL	**4071**	**5.4**	**61**	**1**	**1**	**3**	**5**	**12**	**20**	**43**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	13.1	130	2	3	9	20	31	39	45
20-34	36	13.2	164	3	4	10	16	21	35	74
35-49	19	10.1	21	3	4	10	13	17	18	19
50-64	63	12.5	87	5	6	10	13	25	36	94
65+	247	14.7	56	6	7	14	17	22	27	42
2. MULTIPLE DX										
0-19 YRS	70	23.2	250	4	6	20	30	45	53	70
20-34	60	26.5	331	7	9	22	38	48	67	87
35-49	27	18.5	209	5	6	13	24	44	46	50
50-64	60	20.3	232	7	8	15	23	41	58	73
65+	492	19.9	145	8	9	16	23	35	45	79
TOT. SINGLE DX	485	13.7	86	3	5	12	17	23	32	51
" MULTIPLE DX	709	20.8	184	7	9	16	25	39	49	75
TOTAL 0-19 YRS	190	16.8	198	2	3	13	24	39	45	66
20-34	96	21.5	308	4	6	16	29	42	64	82
35-49	46	15.0	147	4	5	11	17	39	44	50
50-64	123	16.3	172	6	7	12	18	34	53	81
65+	739	18.1	122	7	9	16	21	31	40	71
GRAND TOTAL	**1194**	**17.9**	**156**	**5**	**6**	**15**	**21**	**35**	**43**	**71**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	9.6	41	3	4	6	12	18	22	30
20-34	137	11.3	39	4	5	10	14	19	24	50
35-49	112	11.2	52	4	5	10	12	21	26	42
50-64	296	12.6	45	6	7	11	14	19	25	57
65+	1653	16.3	61	8	9	15	19	24	29	48
2. MULTIPLE DX										
0-19 YRS	151	18.0	151	5	7	15	22	37	45	67
20-34	262	20.7	213	6	8	16	26	42	51	88
35-49	194	19.9	250	6	7	14	25	50	63	99+
50-64	521	18.9	143	8	9	16	22	31	44	82
65+	3938	19.9	129	9	10	17	23	33	43	70
TOT. SINGLE DX	2356	14.8	61	6	7	14	18	23	28	47
" MULTIPLE DX	5066	19.8	141	8	9	17	23	34	44	73
TOTAL 0-19 YRS	309	13.7	113	3	4	11	18	26	38	60
20-34	399	17.5	174	5	6	14	21	33	47	83
35-49	306	16.7	195	5	6	12	19	38	54	99+
50-64	817	16.6	117	6	8	14	20	29	38	80
65+	5591	18.8	112	8	10	16	22	30	40	67
GRAND TOTAL	7422	18.2	121	7	9	16	21	30	40	68

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	10.5	133	1	1	5	16	25	35	51
20-34	32	11.4	83	1	2	9	16	25	29	39
35-49	14	12.6	192	3	4	7	9	44	45	45
50-64	18	11.6	135	1	2	8	14	27	42	48
65+	66	16.8	176	3	6	13	20	36	51	61
2. MULTIPLE DX										
0-19 YRS	100	15.9	208	2	3	12	24	32	48	69
20-34	52	18.2	177	2	4	14	26	40	47	99
35-49	27	28.8	469	5	9	20	37	53	82	94
50-64	31	20.4	305	1	4	17	31	55	68	99+
65+	127	23.2	319	5	6	18	31	48	58	92
TOT. SINGLE DX	372	11.8	143	1	2	7	16	28	39	55
" MULTIPLE DX	337	20.4	288	3	4	16	27	45	55	94
TOTAL 0-19 YRS	342	12.0	161	1	2	7	19	28	39	55
20-34	84	15.6	151	2	2	13	22	38	40	86
35-49	41	23.3	428	4	5	16	36	47	66	94
50-64	49	17.1	257	1	3	12	25	46	63	99+
65+	193	21.0	279	4	6	15	27	46	55	86
GRAND TOTAL	709	15.9	230	1	2	12	22	36	48	75

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	387	4.0	25	1	1	2	4	11	15	27
20-34	240	3.1	5	1	1	2	4	6	8	11
35-49	171	3.5	8	<1	1	2	5	7	10	16
50-64	184	4.3	15	1	1	3	5	9	11	22
65+	151	5.9	32	1	2	4	7	14	17	25
2. MULTIPLE DX										
0-19 YRS	118	9.7	208	1	1	4	11	21	43	75
20-34	167	9.1	164	1	2	5	10	16	30	79
35-49	107	10.6	209	2	2	6	12	18	42	84
50-64	124	10.8	127	1	2	8	13	24	33	58
65+	172	12.5	156	1	2	8	16	28	41	58
TOT. SINGLE DX	1133	4.0	19	1	1	3	4	9	13	23
" MULTIPLE DX	688	10.6	171	1	2	6	13	24	40	73
TOTAL 0-19 YRS	505	5.3	74	1	1	2	5	14	19	45
20-34	407	5.6	79	1	1	3	6	11	15	52
35-49	278	6.2	98	1	1	3	7	13	18	53
50-64	308	6.9	71	1	1	4	8	14	23	45
65+	323	9.4	109	1	2	5	13	23	29	52
GRAND TOTAL	1821	6.5	86	1	1	3	7	14	22	48

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1395	3.5	10	1	1	3	4	6	8	16
20-34	1714	4.3	12	1	1	3	5	8	10	17
35-49	1015	4.9	10	1	2	4	6	9	11	17
50-64	906	6.2	19	2	2	5	7	11	14	23
65+	621	7.9	36	2	3	6	10	15	17	28
2. MULTIPLE DX										
0-19 YRS	584	7.0	79	1	2	4	7	14	24	54
20-34	1197	9.0	124	2	2	6	10	19	30	63
35-49	749	8.7	81	2	2	6	10	18	25	58
50-64	765	9.6	96	2	3	7	11	18	28	63
65+	835	13.2	125	3	4	10	16	26	36	72
TOT. SINGLE DX	5651	4.9	17	1	2	4	6	9	12	20
" MULTIPLE DX	4130	9.6	109	2	2	6	11	20	30	62
TOTAL 0-19 YRS	1979	4.6	34	1	1	3	5	8	12	36
20-34	2911	6.2	64	1	2	4	7	12	18	47
35-49	1764	6.5	44	1	2	5	7	12	18	39
50-64	1671	7.8	58	2	3	6	9	14	19	38
65+	1456	10.9	95	2	3	8	14	21	29	59
GRAND TOTAL	9781	6.9	62	1	2	5	8	14	20	44

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2507	2.3	7	<1	1	1	2	4	6	13
20-34	699	3.8	16	<1	1	3	4	7	10	24
35-49	475	3.8	19	1	1	3	5	7	10	16
50-64	545	4.2	16	1	1	3	5	8	11	19
65+	597	5.0	30	1	1	3	6	10	14	24
2. MULTIPLE DX										
0-19 YRS	636	5.4	64	1	1	3	5	12	23	43
20-34	623	7.2	89	1	1	4	8	15	24	62
35-49	419	8.2	114	1	1	5	10	17	30	70
50-64	481	8.9	122	1	2	5	11	17	27	64
65+	850	9.8	117	1	2	7	12	20	27	60
TOT. SINGLE DX	4823	3.2	15	<1	1	2	4	7	9	19
" MULTIPLE DX	3009	8.0	103	1	1	5	10	17	25	60
TOTAL 0-19 YRS	3143	2.9	20	<1	1	2	3	5	9	24
20-34	1322	5.4	54	1	1	3	6	11	16	39
35-49	894	5.9	69	1	1	4	7	12	17	44
50-64	1026	6.4	72	1	1	4	8	13	18	49
65+	1447	7.8	87	1	2	5	10	16	23	51
GRAND TOTAL	**7832**	**5.0**	**54**	**1**	**1**	**3**	**5**	**11**	**16**	**39**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	3.6	25	<1	1	2	3	9	14	24
20-34	232	3.5	21	<1	<1	2	4	6	13	23
35-49	103	3.0	12	<1	<1	2	4	6	8	21
50-64	98	3.3	20	<1	<1	2	4	6	9	28
65+	155	5.3	42	1	1	3	6	14	19	31
2. MULTIPLE DX										
0-19 YRS	74	7.4	97	1	1	3	9	20	30	45
20-34	162	8.7	111	1	1	4	12	22	29	42
35-49	94	6.6	79	1	1	4	8	14	23	52
50-64	110	8.3	130	1	1	5	10	19	31	84
65+	186	8.7	95	1	1	5	10	21	29	59
TOT. SINGLE DX	795	3.8	26	<1	1	2	4	9	15	24
" MULTIPLE DX	626	8.2	103	1	1	4	10	20	29	62
TOTAL 0-19 YRS	281	4.6	47	<1	1	2	4	12	19	36
20-34	394	5.6	65	<1	1	3	6	16	22	37
35-49	197	4.7	47	<1	1	3	5	10	16	27
50-64	208	6.0	85	<1	1	3	6	14	21	73
65+	341	7.1	74	1	1	4	9	19	24	47
GRAND TOTAL	**1421**	**5.7**	**65**	**<1**	**1**	**3**	**6**	**15**	**21**	**40**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	3.6	9	<1	1	3	4	7	9	16
20-34	214	3.6	11	1	2	3	4	6	8	15
35-49	104	4.0	11	<1	1	3	5	7	10	20
50-64	69	5.1	7	1	2	4	7	9	11	13
65+	48	11.8	86	3	3	10	17	21	28	45
2. MULTIPLE DX										
0-19 YRS	48	6.8	85	1	1	3	7	12	29	48
20-34	104	6.1	34	1	2	4	7	14	19	31
35-49	64	7.7	92	2	2	5	9	15	29	95
50-64	49	9.2	49	2	3	6	11	22	25	31
65+	74	14.7	78	3	5	13	20	25	31	45
TOT. SINGLE DX	570	4.6	22	1	1	3	5	9	13	22
" MULTIPLE DX	339	8.8	74	2	2	6	11	21	26	45
TOTAL 0-19 YRS	183	4.4	31	1	1	3	5	8	12	35
20-34	318	4.4	20	1	2	3	5	8	12	23
35-49	168	5.4	45	1	2	4	6	10	15	60
50-64	118	6.8	29	1	2	5	8	12	21	28
65+	122	13.5	83	3	4	12	18	24	31	45
GRAND TOTAL	**909**	**6.1**	**45**	**1**	**2**	**4**	**7**	**14**	**20**	**38**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	485	3.9	18	1	1	3	4	7	12	26
20-34	539	3.8	12	1	1	3	4	7	10	18
35-49	297	4.3	25	<1	1	3	5	8	12	22
50-64	193	5.7	49	1	1	3	6	14	21	34
65+	130	11.6	165	1	2	7	16	26	34	60
2. MULTIPLE DX										
0-19 YRS	305	6.2	56	1	1	3	6	16	23	40
20-34	418	6.3	73	1	1	3	6	14	25	48
35-49	312	6.8	93	1	2	4	7	13	23	60
50-64	267	10.8	163	2	2	6	13	26	41	59
65+	282	16.3	199	2	3	13	22	36	48	64
TOT. SINGLE DX	1644	4.8	37	1	1	3	5	9	15	30
" MULTIPLE DX	1584	8.9	126	1	2	4	11	23	31	58
TOTAL 0-19 YRS	790	4.8	34	1	1	3	5	11	16	30
20-34	957	4.9	41	1	1	3	5	9	16	35
35-49	609	5.6	62	1	1	3	6	10	16	49
50-64	460	8.6	122	1	2	4	10	22	29	54
65+	412	14.8	193	2	3	11	20	32	44	63
GRAND TOTAL	**3228**	**6.8**	**85**	**1**	**1**	**3**	**7**	**16**	**25**	**51**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	8.2	21	2	3	8	10	14	19	65
20-34	2304	8.7	24	3	3	8	11	15	18	26
35-49	4155	9.2	24	3	4	8	11	15	19	26
50-64	1960	10.1	27	4	5	9	13	16	20	28
65+	411	12.6	51	4	5	11	15	22	25	38
2. MULTIPLE DX										
0-19 YRS	36	13.9	134	3	4	10	18	32	37	52
20-34	648	11.3	48	4	5	10	14	20	24	37
35-49	1727	11.7	49	4	5	10	14	20	25	39
50-64	1506	12.9	62	5	6	11	16	22	27	43
65+	787	17.4	139	6	7	14	21	30	39	71
TOT. SINGLE DX	8925	9.4	27	3	4	8	12	16	19	27
" MULTIPLE DX	4704	13.0	73	4	5	11	16	22	28	45
TOTAL 0-19 YRS	131	9.8	59	3	3	8	11	20	25	61
20-34	2952	9.2	31	3	4	8	12	16	20	29
35-49	5882	10.0	33	3	4	9	12	17	21	29
50-64	3466	11.3	45	4	5	10	14	19	23	35
65+	1198	15.8	114	5	6	13	19	26	34	67
GRAND TOTAL	**13629**	**10.7**	**46**	**3**	**4**	**9**	**13**	**18**	**23**	**35**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	515	2.8	2	1	1	2	4	5	6	8
20-34	1608	2.9	3	1	1	2	4	5	6	9
35-49	943	3.0	3	1	1	2	4	5	6	10
50-64	520	3.4	5	1	1	3	4	6	8	14
65+	184	4.1	12	1	2	3	5	7	10	21
2. MULTIPLE DX										
0-19 YRS	390	3.2	3	1	1	3	4	6	7	10
20-34	1113	3.4	8	1	1	3	4	6	7	17
35-49	932	3.5	14	<1	1	2	4	6	8	16
50-64	966	3.7	9	1	2	3	4	7	9	17
65+	497	4.6	16	1	2	3	5	9	12	24
TOT. SINGLE DX	3770	3.0	4	1	1	3	4	5	6	10
" MULTIPLE DX	3898	3.6	11	1	1	3	4	7	9	17
TOTAL 0-19 YRS	905	3.0	3	1	1	3	4	5	6	9
20-34	2721	3.1	5	1	1	2	4	5	7	12
35-49	1875	3.2	9	1	1	2	4	6	7	14
50-64	1486	3.6	8	1	1	3	4	7	9	15
65+	681	4.5	15	1	2	3	5	8	11	24
GRAND TOTAL	**7668**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1090	2.7	7	1	1	2	3	4	6	14
20-34	1705	2.6	6	<1	1	2	3	4	6	12
35-49	1013	3.0	5	1	1	2	3	5	7	13
50-64	619	3.9	18	1	1	3	4	7	10	25
65+	264	5.0	46	1	2	3	5	11	15	40
2. MULTIPLE DX										
0-19 YRS	537	3.2	17	1	1	2	3	5	8	25
20-34	1024	3.6	20	1	1	2	4	6	9	22
35-49	822	4.1	26	1	2	3	4	7	11	23
50-64	752	5.3	44	1	2	3	6	11	18	38
65+	436	9.3	134	2	2	4	11	22	35	53
TOT. SINGLE DX	4691	3.0	11	1	1	2	3	5	7	15
" MULTIPLE DX	3571	4.7	44	1	1	3	5	9	16	37
TOTAL 0-19 YRS	1627	2.8	10	1	1	2	3	5	6	19
20-34	2729	3.0	12	1	1	2	3	5	7	16
35-49	1835	3.5	15	1	1	2	4	6	9	19
50-64	1371	4.7	33	1	2	3	5	9	15	34
65+	700	7.7	106	1	2	4	9	19	28	51
GRAND TOTAL	**8262**	**3.8**	**26**	**1**	**1**	**2**	**4**	**7**	**11**	**26**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	11.6	40	6	7	11	12	16	19	51
20-34	187	11.6	39	4	5	10	14	20	24	40
35-49	269	10.1	20	4	5	10	12	16	20	24
50-64	164	10.3	27	4	5	9	12	16	21	29
65+	27	13.4	158	4	5	10	13	26	37	68
2. MULTIPLE DX										
0-19 YRS	117	14.8	114	6	7	12	18	34	42	99+
20-34	145	19.2	312	6	7	14	22	40	83	99+
35-49	279	13.4	87	5	6	11	16	25	35	93
50-64	206	14.0	76	5	6	11	16	26	33	47
65+	65	20.1	164	6	8	18	24	41	46	96
TOT. SINGLE DX	799	10.9	35	4	5	10	13	17	21	33
" MULTIPLE DX	812	15.3	140	5	7	12	18	30	41	99+
TOTAL 0-19 YRS	269	13.0	75	6	7	11	14	20	34	95
20-34	332	14.9	172	5	6	11	17	28	40	99+
35-49	548	11.8	57	4	5	10	14	20	26	53
50-64	370	12.4	58	5	5	10	15	22	29	40
65+	92	18.2	170	5	7	15	22	38	45	89
GRAND TOTAL	**1611**	**13.1**	**93**	**5**	**6**	**11**	**15**	**23**	**32**	**80**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	4.6	16	1	2	3	5	9	12	24
20-34	183	4.3	6	1	2	3	6	8	9	11
35-49	203	4.7	9	1	2	4	6	8	10	18
50-64	203	4.9	13	1	2	4	6	10	12	17
65+	101	5.0	20	1	2	3	5	11	13	27
2. MULTIPLE DX										
0-19 YRS	84	5.4	19	1	2	4	6	9	17	25
20-34	140	6.3	46	2	2	5	7	10	15	37
35-49	140	6.3	28	1	2	5	8	11	17	36
50-64	195	6.6	28	2	2	5	8	14	18	32
65+	177	8.8	64	2	3	6	12	19	23	45
TOT. SINGLE DX	784	4.7	12	1	2	4	6	9	11	18
" MULTIPLE DX	736	6.9	41	2	2	5	8	14	20	36
TOTAL 0-19 YRS	178	5.0	18	1	2	4	5	8	14	25
20-34	323	5.2	25	2	2	4	6	9	10	34
35-49	343	5.3	18	1	2	4	7	9	12	21
50-64	398	5.7	21	2	2	4	7	12	15	27
65+	278	7.4	52	2	2	5	9	17	21	37
GRAND TOTAL	**1520**	**5.7**	**27**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	13.5	41	9	9	13	18	18	18	18
20-34	65	13.1	37	6	7	12	15	22	26	35
35-49	127	13.0	22	6	8	12	16	19	22	26
50-64	501	14.0	24	8	9	13	16	20	24	31
65+	1008	15.4	39	9	9	14	17	23	27	40
2. MULTIPLE DX										
0-19 YRS	7	18.0	76	9	10	15	22	33	35	35
20-34	61	16.6	128	8	8	13	17	31	44	61
35-49	117	14.9	47	8	8	13	17	25	32	63
50-64	501	17.0	91	8	9	15	19	28	36	60
65+	1627	19.1	94	9	11	17	22	30	37	67
TOT. SINGLE DX	1703	14.7	34	8	9	14	17	22	26	36
" MULTIPLE DX	2313	18.3	93	9	10	16	21	29	37	62
TOTAL 0-19 YRS	9	17.0	66	9	9	15	19	30	35	35
20-34	126	14.8	84	7	8	12	16	26	32	56
35-49	244	13.9	35	7	8	13	16	21	25	37
50-64	1002	15.5	60	8	9	14	17	23	29	50
65+	2635	17.6	76	9	10	16	20	27	34	58
GRAND TOTAL	**4016**	**16.8**	**71**	**8**	**9**	**15**	**19**	**26**	**32**	**56**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	13.1	69	4	5	11	16	27	30	32
20-34	25	12.6	44	4	7	11	15	21	28	32
35-49	47	14.7	84	7	8	12	18	22	43	47
50-64	149	13.4	30	7	8	13	16	19	22	32
65+	1005	16.1	45	8	10	15	19	24	29	42
2. MULTIPLE DX										
0-19 YRS	6	15.5	182	2	2	13	29	32	32	32
20-34	18	19.2	318	7	8	12	16	51	62	69
35-49	51	15.5	37	8	9	15	19	24	30	99
50-64	254	19.0	140	8	10	15	21	34	43	99
65+	2364	20.0	121	9	10	17	23	33	40	67
TOT. SINGLE DX	1243	15.6	46	8	9	14	18	24	28	43
" MULTIPLE DX	2693	19.8	123	9	10	17	23	33	41	75
TOTAL 0-19 YRS	23	13.7	93	3	4	11	21	30	32	32
20-34	43	15.3	165	6	7	11	16	28	50	69
35-49	98	15.1	60	7	8	14	19	23	34	74
50-64	403	16.9	107	8	9	14	18	30	39	83
65+	3369	18.8	102	9	10	16	22	31	38	64
GRAND TOTAL	**3936**	**18.5**	**103**	**8**	**10**	**16**	**21**	**30**	**38**	**65**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	351	4.1	4	1	2	4	5	7	8	10
20-34	568	4.5	8	1	2	4	6	7	9	16
35-49	278	6.2	37	<1	1	4	8	15	20	28
50-64	469	12.7	46	2	3	13	16	21	24	33
65+	903	15.9	42	8	9	15	19	23	27	35
2. MULTIPLE DX										
0-19 YRS	336	5.2	30	1	2	4	6	8	10	30
20-34	545	5.5	25	1	2	5	6	9	13	24
35-49	328	7.0	53	1	2	5	8	16	21	36
50-64	556	13.9	93	2	2	13	18	25	34	49
65+	1261	18.2	102	7	9	16	21	30	38	58
TOT. SINGLE DX	2569	10.1	56	2	2	9	15	20	23	33
" MULTIPLE DX	3026	12.5	106	2	2	11	17	24	32	50
TOTAL 0-19 YRS	687	4.6	17	1	2	4	5	7	9	14
20-34	1113	5.0	17	1	2	4	6	8	11	20
35-49	606	6.6	46	1	1	4	8	16	20	34
50-64	1025	13.4	72	2	2	13	17	23	29	44
65+	2164	17.2	79	7	9	16	20	26	33	50
GRAND TOTAL	**5595**	**11.4**	**84**	**2**	**2**	**10**	**16**	**22**	**27**	**43**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	436	3.3	1	1	2	3	4	5	5	8
20-34	836	3.5	3	1	2	3	4	5	7	9
35-49	355	3.7	4	1	2	3	4	6	8	11
50-64	324	4.6	13	2	2	4	5	8	10	17
65+	164	5.8	21	2	2	4	8	12	15	27
2. MULTIPLE DX										
0-19 YRS	104	3.9	13	1	2	3	4	6	8	24
20-34	287	4.6	9	2	2	4	5	8	11	19
35-49	253	5.4	30	2	2	4	6	10	14	39
50-64	325	6.7	39	2	3	5	8	13	18	30
65+	286	8.6	41	3	3	7	11	17	23	31
TOT. SINGLE DX	2115	3.8	7	1	2	3	4	6	8	13
" MULTIPLE DX	1255	6.2	32	2	2	4	7	12	17	31
TOTAL 0-19 YRS	540	3.4	4	1	2	3	4	5	6	10
20-34	1123	3.8	5	1	2	3	4	6	7	14
35-49	608	4.4	16	1	2	4	5	7	10	30
50-64	649	5.7	28	2	2	4	6	10	15	24
65+	450	7.6	36	2	2	6	10	15	19	30
GRAND TOTAL	3370	4.7	17	2	2	4	5	8	12	23

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	273	3.6	17	<1	1	2	4	6	9	28
20-34	317	3.9	17	<1	<1	2	5	9	11	19
35-49	305	3.5	12	<1	<1	2	4	7	11	18
50-64	241	3.0	15	<1	<1	2	3	5	8	22
65+	107	3.7	18	<1	<1	2	4	10	12	22
2. MULTIPLE DX										
0-19 YRS	234	6.3	55	1	2	4	6	15	24	40
20-34	204	8.2	103	1	2	5	9	17	25	58
35-49	194	6.6	51	1	2	4	8	15	21	49
50-64	224	7.3	70	1	2	5	9	16	22	45
65+	144	10.8	146	2	2	6	14	24	41	60
TOT. SINGLE DX	1243	3.5	16	<1	<1	2	4	7	11	20
" MULTIPLE DX	1000	7.6	83	1	2	4	9	18	24	53
TOTAL 0-19 YRS	507	4.8	37	1	1	3	5	10	18	29
20-34	521	5.6	56	<1	1	3	7	12	17	43
35-49	499	4.7	30	<1	1	3	5	11	16	29
50-64	465	5.1	47	<1	<1	3	6	11	18	36
65+	251	7.8	104	<1	<1	4	9	20	25	55
GRAND TOTAL	2243	5.3	50	<1	1	3	6	12	18	39

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	611	2.1	2	<1	<1	2	2	3	4	9
20-34	913	2.0	2	<1	<1	2	2	3	4	8
35-49	678	2.4	4	<1	<1	2	3	4	6	12
50-64	431	3.0	13	<1	<1	2	3	5	7	15
65+	201	4.4	22	<1	1	3	5	10	13	27
2. MULTIPLE DX										
0-19 YRS	118	4.3	41	<1	1	2	4	9	13	38
20-34	267	4.8	27	<1	1	3	6	10	16	38
35-49	350	5.9	46	1	1	4	7	13	19	39
50-64	379	6.4	46	1	2	4	8	14	19	34
65+	339	9.9	109	2	2	7	13	20	30	58
TOT. SINGLE DX	2834	2.5	6	<1	<1	2	3	4	6	13
" MULTIPLE DX	1453	6.7	61	1	2	4	8	14	21	46
TOTAL 0-19 YRS	729	2.4	9	<1	<1	2	2	4	6	13
20-34	1180	2.7	9	<1	<1	2	3	5	8	18
35-49	1028	3.6	21	<1	<1	2	4	8	12	25
50-64	810	4.6	32	<1	1	3	5	10	14	31
65+	540	7.9	84	1	2	5	10	17	26	52
GRAND TOTAL	4287	3.9	29	<1	<1	2	4	8	13	25

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.4	2	<1	1	2	3	4	6	9
20-34	56	3.4	47	<1	1	2	3	4	6	50
35-49	84	2.7	8	<1	1	2	3	4	5	20
50-64	234	2.4	2	<1	1	2	3	3	4	10
65+	157	2.7	2	1	1	2	3	4	5	14
2. MULTIPLE DX										
0-19 YRS	14	3.4	15	<1	1	2	3	7	14	16
20-34	25	5.1	35	1	2	3	5	11	19	29
35-49	50	5.4	39	2	2	4	6	10	16	38
50-64	107	3.1	3	1	2	3	4	5	6	11
65+	113	4.4	17	1	2	3	4	10	12	23
TOT. SINGLE DX	558	2.6	8	<1	1	2	3	4	5	10
" MULTIPLE DX	309	4.1	18	1	2	3	4	8	11	26
TOTAL 0-19 YRS	41	2.8	7	<1	1	2	3	5	7	16
20-34	81	4.0	44	<1	1	2	4	6	9	46
35-49	134	3.7	21	1	1	2	4	6	9	28
50-64	341	2.6	3	<1	1	2	3	4	5	10
65+	270	3.4	9	1	1	3	4	6	10	19
GRAND TOTAL	867	3.2	12	1	1	2	3	5	8	19

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (7)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	326	2.0	1	<1	1	2	2	3	4	6
20-34	494	2.1	1	<1	<1	2	3	4	5	7
35-49	198	2.2	1	<1	1	2	3	4	4	6
50-64	117	2.3	1	<1	1	2	3	4	5	8
65+	37	2.0	1	<1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	206	2.7	8	1	1	2	3	5	6	20
20-34	362	3.1	11	1	1	2	4	5	7	20
35-49	192	3.4	10	1	1	2	4	6	9	19
50-64	121	3.8	12	1	1	2	5	7	9	22
65+	44	4.1	25	<1	1	2	4	8	16	26
TOT. SINGLE DX	1172	2.1	1	<1	<1	2	3	4	4	6
" MULTIPLE DX	925	3.2	11	1	1	2	4	6	8	20
TOTAL 0-19 YRS	532	2.3	4	<1	1	2	3	4	5	8
20-34	856	2.5	6	<1	1	2	3	4	6	11
35-49	390	2.8	6	<1	1	2	3	5	6	14
50-64	238	3.1	8	<1	1	2	4	6	8	17
65+	81	3.1	15	<1	1	2	3	5	10	24
GRAND TOTAL	2097	2.6	6	<1	1	2	3	5	6	13

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	2.7	3	1	1	2	4	5	7	9
20-34	321	3.0	4	<1	1	2	4	6	7	11
35-49	346	3.4	5	1	1	2	4	6	8	11
50-64	341	3.9	6	1	1	2	5	7	9	12
65+	135	5.2	18	1	2	4	6	9	13	25
2. MULTIPLE DX										
0-19 YRS	114	4.3	26	1	1	3	4	8	14	27
20-34	205	5.2	36	1	1	3	6	10	16	31
35-49	228	5.6	32	1	1	4	6	11	15	33
50-64	280	6.0	31	1	2	4	7	13	17	31
65+	171	9.9	125	2	2	6	10	22	29	67
TOT. SINGLE DX	1346	3.5	7	1	1	3	4	6	8	13
" MULTIPLE DX	998	6.2	51	1	1	4	7	13	19	37
TOTAL 0-19 YRS	317	3.3	12	1	1	2	4	6	8	19
20-34	526	3.8	18	1	1	2	4	7	10	24
35-49	574	4.3	18	1	1	3	5	8	11	22
50-64	621	4.8	19	1	1	4	6	9	13	26
65+	306	7.8	83	1	2	5	8	17	25	57
GRAND TOTAL	2344	4.6	28	1	1	3	5	9	13	27

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	443	3.3	9	1	1	2	4	5	6	13
20-34	333	3.5	7	1	1	2	4	6	7	14
35-49	221	4.2	10	1	1	2	5	7	10	17
50-64	132	3.9	8	1	1	2	4	7	10	19
65+	65	6.2	26	1	1	3	6	11	16	32
2. MULTIPLE DX										
0-19 YRS	379	4.2	30	1	1	2	4	7	9	36
20-34	182	5.5	34	1	1	2	4	8	15	30
35-29	119	5.8	56	1	1	2	4	9	15	49
50-64	88	7.1	119	1	1	2	4	10	19	79
65+	70	9.8	129	1	1	2	7	11	16	42
TOT. SINGLE DX	1194	3.7	9	1	1	2	3	4	6	8
" MULTIPLE DX	830	5.5	56	1	1	2	4	5	10	15
TOTAL 0-19 YRS	822	3.7	17	1	1	2	3	4	6	8
20-34	515	4.2	18	1	1	2	3	5	7	10
35-49	334	4.7	27	1	1	2	4	6	8	11
50-64	218	5.2	58	1	1	2	4	6	9	11
65+	135	8.1	82	1	2	3	5	9	16	18
GRAND TOTAL	2024	4.4	29	1	2	3	5	7	11	29

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.1	3	<1	1	1	2	4	6	10
20-34	160	3.9	11	<1	1	2	3	5	9	19
35-49	105	3.3	24	<1	1	2	3	7	11	28
50-64	71	4.1	23	<1	1	2	4	10	16	24
65+	36	3.1	6	<1	1	2	4	8	9	10
2. MULTIPLE DX										
0-19 YRS	41	6.1	171	1	1	2	4	13	22	82
20-34	109	4.9	44	1	1	2	5	11	18	40
35-49	75	6.6	73	1	1	2	6	11	24	41
50-64	91	6.9	102	1	1	2	6	15	20	63
65+	80	9.5	114	1	2	3	12	24	29	57
TOT. SINGLE DX	431	3.1	15	<1	1	2	3	6	10	20
" MULTIPLE DX	396	6.7	92	1	1	2	7	16	23	54
TOTAL 0-19 YRS	100	3.7	75	<1	1	2	3	6	11	53
20-34	269	3.7	26	<1	1	2	4	7	14	27
35-49	180	4.7	47	1	1	2	4	9	17	41
50-64	162	5.7	69	<1	1	2	4	10	19	56
65+	116	7.5	89	1	1	2	6	20	26	52
GRAND TOTAL	827	4.8	55	<1	1	2	5	11	18	40

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.7	33	<1	<1	2	8	14	15	15
20-34	10	4.6	18	1	1	3	8	11	14	14
35-49	4	6.8	16	2	2	7	10	11	11	11
50-64	4	4.3	5	1	1	5	6	6	6	6
65+	3	6.7	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	5	8.4	54	<1	<1	10	13	18	18	18
20-34	16	20.1	424	1	2	13	25	52	65	71
35-49	12	21.0	344	1	3	16	36	50	51	51
50-64	14	22.5	418	1	2	17	37	57	62	63
65+	20	22.6	279	4	6	16	28	50	58	65
TOT. SINGLE DX	27	5.1	16	<1	1	5	8	11	14	15
" MULTIPLE DX	67	20.6	333	1	2	14	29	51	57	70
TOTAL 0-19 YRS	11	6.4	42	<1	<1	2	11	16	18	18
20-34	26	14.2	321	1	1	8	14	49	56	71
35-49	16	17.4	297	1	2	10	25	49	50	51
50-64	18	18.4	382	1	1	10	29	51	60	63
65+	23	20.5	272	4	5	15	26	50	56	65
GRAND TOTAL	**94**	**16.2**	**291**	**1**	**1**	**11**	**21**	**49**	**52**	**68**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	2.6	4	1	1	2	3	5	5	11
20-34	31	7.5	134	1	2	3	6	16	38	56
35-49	34	7.2	46	1	2	5	11	14	21	33
50-64	32	11.4	191	2	3	7	13	24	47	66
65+	76	12.0	144	2	3	8	14	28	36	57
2. MULTIPLE DX										
0-19 YRS	24	9.4	124	2	3	7	10	17	42	48
20-34	70	11.4	100	2	2	9	16	26	31	48
35-49	166	17.1	164	3	3	14	23	34	43	62
50-64	372	18.8	214	3	4	15	26	41	53	87
65+	603	19.1	222	3	4	15	25	41	52	78
TOT. SINGLE DX	205	9.0	122	1	2	5	11	22	33	57
" MULTIPLE DX	1235	18.1	208	3	4	14	24	38	50	74
TOTAL 0-19 YRS	56	5.5	66	1	1	3	6	11	14	47
20-34	101	10.2	113	1	2	6	13	26	32	53
35-49	200	15.4	158	2	3	12	22	33	39	58
50-64	404	18.2	216	3	4	14	25	41	53	84
65+	679	18.3	218	3	4	14	25	39	51	77
GRAND TOTAL	**1440**	**16.8**	**206**	**2**	**3**	**13**	**23**	**36**	**49**	**70**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	20.7	394	5	5	14	36	43	43	43
20-34	5	15.6	101	8	8	12	19	33	33	33
35-49	11	17.8	195	7	8	11	25	41	48	49
50-64	16	18.2	193	6	9	13	20	46	52	54
65+	78	21.0	257	6	8	16	25	42	53	82
2. MULTIPLE DX										
0-19 YRS	9	16.9	130	6	6	14	23	35	37	37
20-34	29	22.3	251	5	8	19	29	49	57	67
35-49	85	21.7	203	6	8	18	28	50	54	99+
50-64	352	24.4	262	7	9	20	33	52	67	99+
65+	928	24.6	259	8	9	20	32	47	62	96
TOT. SINGLE DX	113	20.1	233	6	8	15	23	42	51	80
" MULTIPLE DX	1403	24.3	256	8	9	20	32	49	63	99+
TOTAL 0-19 YRS	12	17.8	169	5	6	14	26	39	42	43
20-34	34	21.3	232	6	8	17	29	46	55	67
35-49	96	21.3	202	6	8	17	28	49	54	99+
50-64	368	24.2	261	7	9	19	33	52	66	99+
65+	1006	24.3	260	8	9	20	32	46	62	95
GRAND TOTAL	**1516**	**23.9**	**255**	**8**	**9**	**19**	**32**	**48**	**62**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	11.1	34	2	2	11	16	18	19	19
20-34	3	9.0	13	5	5	10	11	12	12	12
35-49	4	16.0	30	10	10	15	20	23	23	23
50-64	25	16.4	262	6	7	12	17	25	44	88
65+	79	14.3	99	5	6	11	19	26	34	57
2. MULTIPLE DX										
0-19 YRS	8	18.1	161	5	5	14	28	37	38	38
20-34	19	36.1	568	11	13	29	59	80	95	99+
35-49	32	22.0	390	8	8	15	27	55	90	99+
50-64	197	22.8	273	7	8	17	29	47	63	96
65+	1149	22.3	261	7	8	18	28	48	64	99+
TOT. SINGLE DX	120	14.4	124	4	6	12	18	25	31	70
" MULTIPLE DX	1405	22.6	272	7	8	17	29	49	65	99+
TOTAL 0-19 YRS	17	14.4	101	2	3	12	17	33	37	38
20-34	22	32.4	579	8	10	23	57	75	93	99+
35-49	36	21.3	352	8	8	15	23	52	83	99+
50-64	222	22.1	275	7	8	17	28	44	62	94
65+	1228	21.8	255	6	8	17	27	46	63	99+
GRAND TOTAL	**1525**	**21.9**	**265**	**6**	**8**	**17**	**28**	**47**	**63**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	8.2	42	3	3	5	12	19	22	22
20-34	8	8.3	25	4	4	6	10	17	19	19
35-49	6	19.7	135	3	4	20	24	37	38	38
50-64	15	25.7	212	8	11	23	30	52	57	59
65+	16	20.4	182	9	10	15	25	35	53	61
2. MULTIPLE DX										
0-19 YRS	6	19.2	351	3	3	15	23	51	54	54
20-34	12	22.3	212	6	9	27	47	99+	99+	99+
35-49	45	19.4	194	5	6	17	29	42	73	99+
50-64	112	24.4	329	5	7	21	33	52	81	99+
65+	163	25.5	264	5	8	22	34	48	55	97
TOT. SINGLE DX	54	18.0	179	3	5	14	23	36	49	61
" MULTIPLE DX	338	24.1	277	5	7	21	33	49	70	99+
TOTAL 0-19 YRS	15	12.6	180	3	3	6	17	23	46	54
20-34	20	16.7	182	4	5	12	37	99+	99+	99+
35-49	51	19.4	185	4	6	17	28	39	67	99+
50-64	127	24.5	314	5	7	21	32	52	78	99+
65+	179	25.0	258	6	8	22	33	46	55	96
GRAND TOTAL	392	23.2	268	5	6	20	32	48	64	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.1	14	1	1	3	5	11	14	14
20-34	22	5.5	14	1	1	5	9	12	13	13
35-49	10	13.6	474	1	1	6	13	44	74	74
50-64	2	[illegible]	13	2	2	4	7	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	9	13.3	139	2	3	8	19	33	33	33
20-34	20	14.2	215	1	2	8	19	43	47	49
35-49	5	11.4	86	1	1	10	16	26	26	26
50-64	3	10.7	16	6	6	13	13	13	13	13
65+	3	11.7	137	3	3	7	20	25	25	25
TOT. SINGLE DX	54	6.4	104	1	1	4	7	13	14	72
" MULTIPLE DX	40	13.2	152	1	2	8	17	33	43	49
TOTAL 0-19 YRS	28	7.1	70	1	1	4	8	15	33	33
20-34	42	9.6	127	1	2	5	11	20	42	49
35-49	15	12.9	331	1	1	7	13	26	62	74
50-64	5	8.2	23	2	2	7	13	13	13	13
65+	4	9.0	120	1	1	5	16	25	25	25
GRAND TOTAL	94	9.3	134	1	1	5	12	19	33	63

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.0	7	<1	<1	2	4	5	6	15
20-34	70	3.2	15	<1	<1	2	3	6	14	19
35-49	36	4.7	42	<1	1	2	4	11	23	29
50-64	58	6.4	34	1	2	4	8	14	16	35
65+	45	8.8	58	1	2	6	12	23	24	34
2. MULTIPLE DX										
0-19 YRS	17	5.0	55	1	2	2	4	11	25	32
20-34	36	9.1	250	1	2	4	9	13	33	92
35-49	31	11.3	152	1	2	6	19	37	46	99+
50-64	89	13.4	175	2	2	9	18	29	39	70
65+	110	16.2	193	3	4	11	23	36	48	66
TOT. SINGLE DX	239	5.2	35	<1	1	3	6	13	18	30
" MULTIPLE DX	283	13.2	190	2	2	9	18	30	40	71
TOTAL 0-19 YRS	47	3.7	25	<1	1	2	4	6	12	32
20-34	106	5.2	102	<1	<1	2	5	11	18	61
35-49	67	7.7	103	1	1	3	9	25	35	90
50-64	147	10.6	131	2	2	7	14	26	33	67
65+	155	14.1	165	2	3	9	20	29	39	64
GRAND TOTAL	522	9.6	135	1	1	5	11	24	33	65

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	3.3		3	3	3	4	4	4	4
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	5	6.8	16	4	4	4	10	13	13	13
65+	4	19.0	367	3	3	14	34	44	44	44
2. MULTIPLE DX										
0-19 YRS	2	19.0	512	3	3	19	35	35	35	35
20-34	3	19.0	156	9	9	15	28	33	33	33
35-49										
50-64	5	19.6	745	3	3	5	31	67	67	67
65+	8	11.8	34	6	6	11	13	21	25	25
TOT. SINGLE DX	15	8.6	129	2	2	4	8	24	39	44
" MULTIPLE DX	18	15.9	253	3	3	11	19	34	54	67
TOTAL 0-19 YRS	2	19.0	512	3	3	19	35	35	35	35
20-34	6	11.2	136	3	3	6	15	31	33	33
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	10	13.2	364	3	3	5	13	43	67	67
65+	12	14.2	135	3	4	11	18	31	42	44
GRAND TOTAL	33	12.6	204	2	3	7	14	33	43	67

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	511	1.9		<1	<1	2	2	3	3	5
20-34	1647	2.1	1	<1	<1	2	2	3	4	7
35-49	2947	2.3	1	<1	1	2	2	3	4	8
50-64	1724	2.7	5	1	1	2	3	4	7	12
65+	923	3.4	12	1	1	2	3	7	9	17
2. MULTIPLE DX										
0-19 YRS	97	2.4	3	<1	1	2	2	4	6	10
20-34	768	3.0	7	<1	1	2	3	5	8	15
35-49	2042	3.7	15	1	1	2	4	8	11	18
50-64	1600	4.9	34	1	2	3	6	10	14	28
65+	1377	6.5	54	2	2	4	8	14	20	37
TOT. SINGLE DX	7752	2.4	4	<1	1	2	3	4	5	11
" MULTIPLE DX	5884	4.6	30	1	2	3	5	10	14	27
TOTAL 0-19 YRS	608	2.0	1	<1	<1	2	2	3	3	6
20-34	2415	2.4	4	<1	<1	2	3	4	5	11
35-49	4989	2.8	8	<1	1	2	3	5	7	14
50-64	3324	3.8	21	1	2	2	4	8	11	21
65+	2300	5.3	40	1	2	3	6	11	17	32
GRAND TOTAL	13636	3.4	16	<1	1	2	3	6	10	19

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.3		<1	1	2	3	3	4	6
20-34	63	2.9	2	1	1	2	3	5	6	9
35-49	83	4.8	10	1	1	4	7	9	12	13
50-64	92	4.9	7	2	2	4	7	9	11	12
65+	137	6.5	12	2	2	6	9	12	13	17
2. MULTIPLE DX										
0-19 YRS	7	3.9	12	1	1	2	5	10	11	11
20-34	33	5.5	6	2	2	5	7	9	11	13
35-49	101	6.2	16	2	2	5	8	11	15	21
50-64	135	7.7	36	2	3	6	9	14	17	36
65+	297	10.4	68	2	3	8	13	19	26	43
TOT. SINGLE DX	434	4.7	10	1	2	4	7	9	12	14
" MULTIPLE DX	573	8.7	51	2	3	7	11	16	21	36
TOTAL 0-19 YRS	66	2.4	2	<1	1	2	3	4	5	10
20-34	96	3.8	6	1	1	3	5	7	9	12
35-49	184	5.6	15	1	2	5	7	10	13	19
50-64	227	6.6	27	2	2	5	8	11	15	32
65+	434	9.2	54	2	3	7	11	17	22	38
GRAND TOTAL	1007	7.0	37	2	2	5	9	13	17	31

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.3	7	2	2	5	7	9	9	9
20-34	94	7.2	5	4	5	7	9	10	12	16
35-49	507	7.0	6	3	4	7	8	10	12	15
50-64	822	7.7	8	4	5	7	9	11	14	18
65+	749	8.3	12	4	5	8	10	12	15	20
2. MULTIPLE DX										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	92	7.6	8	3	4	7	9	11	14	17
35-49	520	8.4	14	4	5	8	10	13	16	22
50-64	1047	9.5	33	4	5	8	11	15	18	30
65+	1413	10.8	53	5	6	9	12	17	21	42
TOT. SINGLE DX	2178	7.7	10	4	5	7	9	11	13	17
" MULTIPLE DX	3074	9.8	40	4	5	8	11	16	19	34
TOTAL 0-19 YRS	8	5.6	7	2	2	5	8	9	9	9
20-34	186	7.4	8	4	4	7	9	11	12	16
35-49	1027	7.7	11	4	4	7	9	11	14	19
50-64	1869	8.7	23	4	5	8	10	13	16	27
65+	2162	9.9	41	5	5	8	11	15	19	34
GRAND TOTAL	5252	9.0	28	4	5	8	10	14	17	29

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	275	3.1	2	1	2	3	4	5	6	9
20-34	685	3.3	4	<1	<1	3	4	6	7	10
35-49	605	3.9	7	<1	1	3	5	7	8	13
50-64	213	3.9	6	1	2	3	5	6	8	15
65+	75	4.6	18	1	2	4	5	8	14	27
2. MULTIPLE DX										
0-19 YRS	96	4.5	64	1	2	3	5	6	8	49
20-34	481	4.2	9	1	1	4	5	7	9	21
35-49	782	4.8	10	1	2	4	6	8	10	19
50-64	405	5.4	18	2	2	4	6	9	11	19
65+	110	6.0	45	2	2	5	7	9	13	46
TOT. SINGLE DX	1853	3.6	6	<1	1	3	4	6	7	12
" MULTIPLE DX	1874	4.8	17	1	2	4	6	8	10	19
TOTAL 0-19 YRS	371	3.4	19	1	2	3	4	5	6	11
20-34	1166	3.6	7	<1	1	3	5	6	7	12
35-49	1387	4.4	10	1	1	4	5	7	9	16
50-64	618	4.9	15	1	2	4	6	9	11	19
65+	185	5.4	35	2	2	4	6	9	13	35
GRAND TOTAL	**3727**	**4.2**	**12**	**1**	**1**	**4**	**5**	**7**	**9**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	683	3.5	7	1	2	3	4	6	7	13
20-34	1139	3.5	3	1	2	3	4	6	7	11
35-49	199	3.4	3	1	2	3	4	6	7	9
50-64	39	4.2	8	1	2	3	5	9	11	13
65+	14	6.6	146	1	1	3	5	13	40	48
2. MULTIPLE DX										
0-19 YRS	89	5.2	86	1	2	4	5	8	11	60
20-34	219	5.5	36	2	2	4	6	8	13	34
35-49	80	5.4	17	1	2	4	7	11	15	22
50-64	36	5.4	21	2	2	4	7	12	14	24
65+	15	9.9	53	2	4	7	11	23	27	29
TOT. SINGLE DX	2074	3.6	6	1	2	3	4	6	7	12
" MULTIPLE DX	439	5.6	43	2	2	4	6	10	14	29
TOTAL 0-19 YRS	772	3.7	16	1	2	3	4	6	7	14
20-34	1358	3.9	9	1	2	3	4	6	8	14
35-49	279	4.0	8	1	2	3	5	7	9	16
50-64	75	4.8	15	1	2	3	6	10	13	22
65+	29	8.3	97	1	2	6	8	20	30	48
GRAND TOTAL	**2513**	**3.9**	**13**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1056	2.5	7	<1	<1	2	3	4	7	14
20-34	1019	3.1	10	<1	<1	2	3	6	9	15
35-49	973	3.0	7	<1	<1	2	3	6	8	14
50-64	818	3.8	25	<1	1	2	4	8	10	26
65+	661	4.6	26	<1	1	3	5	10	14	28
2. MULTIPLE DX										
0-19 YRS	490	5.1	62	1	1	3	5	11	17	40
20-34	872	7.1	91	1	1	4	8	16	25	44
35-49	1343	7.3	74	1	2	5	8	16	24	52
50-64	1890	7.6	65	1	2	5	9	15	22	47
65+	2526	9.3	88	2	2	7	11	19	27	55
TOT. SINGLE DX	4527	3.3	15	<1	<1	2	4	7	9	19
" MULTIPLE DX	7121	7.9	80	1	2	5	10	17	24	51
TOTAL 0-19 YRS	1546	3.3	26	<1	1	2	3	6	10	30
20-34	1891	5.0	52	<1	1	3	5	10	16	36
35-49	2316	5.5	51	<1	1	3	6	11	18	36
50-64	2708	6.5	56	1	1	4	8	14	20	44
65+	3187	8.4	79	1	2	6	10	17	24	52
GRAND TOTAL	**11648**	**6.1**	**60**	**<1**	**1**	**4**	**7**	**13**	**20**	**42**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1725	4.0	28	<1	<1	2	5	9	13	31
20-34	1760	4.6	36	<1	<1	3	5	9	14	29
35-49	1013	5.4	36	<1	1	4	7	11	16	32
50-64	765	6.1	43	<1	1	4	8	14	19	35
65+	766	8.5	97	<1	1	5	11	19	27	53
2. MULTIPLE DX										
0-19 YRS	1815	6.5	83	1	1	3	7	15	25	48
20-34	2918	7.6	104	1	1	4	8	18	28	58
35-49	1951	9.4	136	1	1	5	11	23	33	63
50-64	2126	11.7	143	1	2	8	15	27	38	64
65+	3135	14.9	219	2	2	10	19	35	50	97
TOT. SINGLE DX	6029	5.3	45	<1	<1	3	6	12	17	36
" MULTIPLE DX	11945	10.4	154	1	1	6	13	26	37	70
TOTAL 0-19 YRS	3540	5.3	58	<1	<1	3	6	12	19	40
20-34	4678	6.4	81	<1	1	3	7	15	23	49
35-49	2964	8.1	106	<1	1	5	9	19	29	55
50-64	2891	10.2	123	1	1	7	13	24	34	59
65+	3901	13.7	202	1	2	9	18	33	46	88
GRAND TOTAL	**17974**	**8.7**	**123**	**<1**	**1**	**5**	**10**	**21**	**32**	**63**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	244	6.6	54	1	1	4	8	15	22	37
20-34	284	7.4	83	1	1	5	9	16	23	48
35-49	160	8.9	111	1	1	5	12	20	28	61
50-64	158	10.2	102	1	1	7	15	23	30	48
65+	196	14.1	132	2	3	11	19	28	38	59
2. MULTIPLE DX										
0-19 YRS	194	15.0	237	2	2	10	20	37	47	86
20-34	284	13.8	136	2	3	11	18	29	39	64
35-49	229	19.0	292	2	3	14	25	44	52	86
50-64	285	19.6	245	2	4	16	29	43	53	80
65+	534	22.4	274	3	4	19	31	47	59	99+
TOT. SINGLE DX	1042	9.1	100	1	1	6	12	21	28	49
" MULTIPLE DX	1526	18.8	252	2	3	15	27	42	53	91
TOTAL 0-19 YRS	438	10.3	153	1	1	6	13	26	37	62
20-34	568	10.6	120	1	2	7	14	24	33	57
35-49	389	14.8	243	1	2	10	20	37	45	75
50-64	443	16.3	214	2	2	12	23	38	47	68
65+	730	20.2	250	2	4	16	28	43	56	99+
GRAND TOTAL	**2568**	**14.9**	**213**	**1**	**2**	**10**	**21**	**36**	**46**	**75**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.8	15	<1	1	2	5	8	10	25
20-34	125	5.4	59	<1	<1	3	6	12	21	41
35-49	53	5.2	65	<1	<1	3	4	14	18	52
50-64	49	6.2	60	<1	1	3	7	21	22	36
65+	29	8.0	69	1	1	5	11	20	25	35
2. MULTIPLE DX										
0-19 YRS	58	8.2	123	1	1	3	9	19	24	64
20-34	80	15.4	360	1	2	5	23	46	61	82
35-49	77	15.3	354	1	2	8	25	42	78	99+
50-64	87	13.5	243	1	2	6	24	46	61	99+
65+	74	17.1	287	2	2	11	27	48	56	91
TOT. SINGLE DX	307	5.5	55	<1	1	3	6	13	21	38
" MULTIPLE DX	376	14.1	286	1	2	7	21	45	58	99+
TOTAL 0-19 YRS	109	6.1	78	1	1	3	8	16	20	54
20-34	205	9.3	199	<1	1	3	10	26	40	65
35-49	130	11.2	260	<1	1	4	13	36	52	99+
50-64	136	10.9	189	1	1	5	16	37	51	99+
65+	103	14.5	242	1	2	8	20	41	52	82
GRAND TOTAL	**683**	**10.2**	**201**	**1**	**1**	**4**	**12**	**31**	**47**	**95**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23 86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	460	2.4	5	<1	<1	2	2	3	6	12
20-34	263	3.1	7	<1	1	2	4	6	9	15
35-49	220	3.1	4	<1	1	3	4	6	7	11
50-64	224	2.7	5	<1	1	2	3	5	7	13
65+	122	3.2	12	<1	1	2	4	5	8	23
2. MULTIPLE DX										
0-19 YRS	217	4.1	32	<1	1	2	4	8	13	29
20-34	273	5.0	43	1	1	3	5	9	13	31
35-49	342	5.7	67	1	2	3	6	10	17	50
50-64	486	5.3	24	1	2	4	7	11	15	26
65+	447	9.5	82	2	2	7	12	19	26	42
TOT. SINGLE DX	1289	2.8	6	<1	1	2	3	5	7	14
" MULTIPLE DX	1765	6.2	55	1	1	4	7	13	19	38
TOTAL 0-19 YRS	677	2.9	15	<1	1	2	3	5	9	23
20-34	536	4.1	26	<1	1	3	5	8	11	25
35-49	562	4.7	45	1	1	3	5	8	12	39
50-64	710	4.5	20	1	1	3	5	10	14	21
65+	569	8.1	74	1	2	5	11	18	24	39
GRAND TOTAL	**3054**	**4.8**	**37**	**1**	**1**	**3**	**5**	**11**	**15**	**32**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.8	4	1	1	2	3	6	8	9
20-34	25	3.6	5	1	1	3	4	6	9	12
35-49	23	4.4	18	1	1	3	5	10	16	18
50-64	19	5.3	21	1	1	5	7	8	15	21
65+	28	9.9	341	1	2	4	8	17	46	95
2. MULTIPLE DX										
0-19 YRS	43	5.2	67	1	2	3	5	8	22	47
20-34	26	5.9	23	1	2	4	8	12	16	22
35-49	27	5.6	23	1	2	3	8	13	16	21
50-64	55	10.5	76	2	2	8	15	26	31	35
65+	121	11.5	156	2	3	7	14	27	42	55
TOT. SINGLE DX	118	5.4	95	1	1	3	5	9	16	58
" MULTIPLE DX	272	9.2	107	2	2	5	11	21	32	64
TOTAL 0-19 YRS	66	4.3	46	1	1	2	4	7	12	44
20-34	51	4.8	16	1	2	3	6	11	12	22
35-49	50	5.0	21	1	1	3	6	12	15	21
50-64	74	9.2	67	1	2	7	12	21	30	34
65+	149	11.2	189	2	3	6	13	26	42	95
GRAND TOTAL	390	8.0	106	1	2	4	9	18	28	63

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	281	4.2	16	1	1	3	5	9	12	18
20-34	2778	5.2	17	2	2	4	7	11	14	20
35-49	3655	5.4	18	2	2	4	7	11	14	20
50-64	1797	5.4	18	2	2	4	7	11	14	21
65+	448	5.9	21	1	2	4	8	13	15	21
2. MULTIPLE DX										
0-19 YRS	190	5.2	19	1	2	4	7	11	15	20
20-34	1636	7.0	32	2	2	5	9	14	18	30
35-49	2715	7.1	35	2	2	5	10	14	17	29
50-64	2132	7.8	38	2	2	6	10	15	20	32
65+	1138	10.2	91	2	2	8	13	21	29	46
TOT. SINGLE DX	8959	5.3	18	2	2	4	7	11	14	20
" MULTIPLE DX	7811	7.7	45	2	2	6	10	15	20	33
TOTAL 0-19 YRS	471	4.6	18	1	2	3	5	10	14	18
20-34	4414	5.9	24	2	2	4	8	12	15	24
35-49	6370	6.1	26	2	2	4	8	12	16	24
50-64	3929	6.7	31	2	2	5	9	14	17	28
65+	1586	9.0	75	2	2	7	12	18	25	44
GRAND TOTAL	16770	6.4	32	2	2	5	9	13	17	28

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	4.3	10	1	2	3	6	9	12	14
20-34	205	5.2	25	2	2	3	6	12	17	27
35-49	313	5.7	29	2	2	4	7	12	16	25
50-64	538	5.0	31	2	2	3	6	10	13	32
65+	560	5.3	31	2	2	4	7	11	14	24
2. MULTIPLE DX										
0-19 YRS	59	6.9	39	2	2	5	8	16	19	33
20-34	244	7.2	58	2	2	5	9	14	21	42
35-49	518	7.4	51	2	2	5	9	15	20	37
50-64	1548	7.5	53	2	2	5	9	15	21	41
65+	2490	7.8	46	2	2	6	10	15	21	35
TOT. SINGLE DX	1693	5.2	29	2	2	3	6	11	14	26
" MULTIPLE DX	4859	7.6	50	2	2	6	9	15	21	37
TOTAL 0-19 YRS	136	5.4	25	2	2	4	7	12	15	26
20-34	449	6.3	44	2	2	4	8	13	18	34
35-49	831	6.7	44	2	2	5	8	14	19	35
50-64	2086	6.8	49	2	2	5	8	14	20	37
65+	3050	7.4	45	2	2	6	9	14	19	33
GRAND TOTAL	6552	7.0	46	2	2	5	9	14	19	35

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	10	5.1	15	2	2	4	5	11	15	15
35-49	57	2.9	3	*	*	2	3	6	7	9
50-64	89	3.9	10	*	*	2	3	9	12	16
65+	26	5.6	35	2	2	2	5	14	20	21
2. MULTIPLE DX										
0-19 YRS	2	11.0	128	3	3	11	19	19	19	19
20-34	16	4.1	7	*	*	2	6	8	9	9
35-49	140	5.0	18	*	*	3	7	10	15	21
50-64	401	4.6	22	*	*	2	6	10	12	22
65+	166	5.5	23	2	2	3	8	13	15	24
TOT. SINGLE DX	182	3.9	13	2	2	2	4	8	12	19
" MULTIPLE DX	725	4.9	22	2	2	3	7	11	13	24
TOTAL 0-19 YRS	2	11.0	128	3	3	11	19	19	19	19
20-34	26	4.5	10	2	2	3	6	8	10	15
35-49	197	4.4	15	2	2	2	6	9	12	19
50-64	490	4.5	21	2	2	2	6	10	12	17
65+	192	5.5	25	2	2	3	8	13	15	24
GRAND TOTAL	907	4.7	20	2	2	2	6	10	13	21

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	181	5.7	90			3	7	12	16	46
20-34	515	5.0	16			4	7	11	13	19
35-49	586	5.7	28			4	8	11	15	24
50-64	761	4.9	17			3	7	11	13	19
65+	762	5.6	22			4	8	12	15	21
2. MULTIPLE DX										
0-19 YRS	95	6.8	61			4	9	15	19	45
20-34	529	7.0	41			5	9	13	19	31
35-49	1147	6.9	37			5	9	14	17	30
50-64	2556	7.3	44			5	10	15	18	31
65+	3773	8.7	58			7	12	17	22	36
TOT. SINGLE DX	2795	5.3	24	1	2	4	7	11	14	20
* MULTIPLE DX	8101	7.8	51	2	2	6	11	16	20	34
TOTAL 0-19 YRS	227	6.1	78			3	8	14	17	39
20-34	1044	6.0	30			4	8	12	16	29
35-49	1733	6.5	35			5	9	13	17	29
50-64	3317	6.8	40			5	9	14	17	32
65+	4535	8.1	54	2	2	6	11	16	21	34
GRAND TOTAL	10896	7.2	45	2	2	5	10	15	20	33

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	11259	3.5	13			3	4	6	8	18
20-34	16097	4.2	18			3	5	8	11	22
35-49	12603	4.7	21			3	6	9	12	24
50-64	9817	5.5	26			4	7	11	14	27
65+	9578	6.7	35	2	2	5	8	13	17	29
2. MULTIPLE DX										
0-19 YRS	14541	5.0	40			3	5	9	13	27
20-34	42552	5.5	31			4	6	10	14	30
35-49	28754	6.4	33			5	8	12	16	30
50-64	44647	7.4	40	2	2	6	9	14	18	33
65+	87868	9.1	59	2	3	7	11	17	23	41
TOT. SINGLE DX	59354	4.8	23	1	1	3	6	9	13	24
* MULTIPLE DX	196362	7.6	49	2	2	6	9	15	20	36
TOTAL 0-19 YRS	25800	4.4	29	1	1	3	5	8	11	23
20-34	58649	5.0	27	1	1	4	6	9	13	28
35-49	41357	5.9	31	1	2	4	7	11	15	29
50-64	54464	7.0	39	2	2	5	9	13	18	32
65+	97446	8.8	57	3	3	7	11	17	22	40
GRAND TOTAL	257716	7.0	44	1	2	5	8	14	18	34

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
* MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	3555	5.5	47			2	5	11	21	36
20-34	2409	7.1	55			3	8	14	20	42
35-49	2511	7.3	41			4	9	14	18	34
50-64	2033	7.4	42			4	9	13	18	35
65+	1857	9.1	61			5	11	17	23	45
2. MULTIPLE DX										
0-19 YRS	4137	6.8	84			4	7	13	24	51
20-34	3044	8.3	83			5	10	16	24	48
25-49	4275	8.2	51			5	10	15	23	42
50-64	7480	8.7	53			5	11	16	23	42
65+	15420	11.0	81			6	13	21	30	49
TOT. SINGLE DX	12363	7.0	50	1	2	5	8	14	19	36
* MULTIPLE DX	34356	9.4	75	2	3	7	11	18	25	47
TOTAL 0-19 YRS	7692	6.2	68			4	6	12	22	45
20-34	5453	7.8	71			4	9	15	22	46
35-49	6786	7.8	48			4	10	15	19	39
50-64	9513	8.5	52			5	10	15	19	40
65+	17277	10.8	80	3	3	6	13	20	27	49
GRAND TOTAL	46719	8.8	69	2	2	6	11	17	24	45

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7826	3.8	10	1	1	3	5	6	8	15
20-34	4235	4.4	17	1	1	3	5	8	11	20
35-49	3191	5.4	25	1	2	4	6	11	14	26
50-64	3226	6.3	30	1	2	5	8	12	15	28
65+	3641	7.1	37	2	2	5	9	14	17	32
2. MULTIPLE DX										
0-19 YRS	12322	5.1	37	1	2	4	6	9	13	33
20-34	6861	5.6	39	1	2	4	6	10	15	33
35-49	9448	6.6	36	2	2	5	8	12	16	31
50-64	19148	7.7	43	2	3	6	10	14	19	34
65+	39966	9.3	60	2	3	7	11	17	23	41
TOT. SINGLE DX	22119	5.0	23	1	2	4	6	10	13	24
" MULTIPLE DX	87745	7.8	52	2	2	6	10	15	20	37
TOTAL 0-19 YRS	20148	4.6	27	1	2	3	5	8	11	27
20-34	11096	5.1	32	1	2	4	6	9	13	28
35-49	12639	6.3	34	1	2	5	8	12	16	29
50-64	22374	7.5	42	2	2	6	9	14	18	33
65+	43607	9.1	59	2	3	7	11	17	23	41
GRAND TOTAL	109864	7.2	47	2	2	5	9	14	19	35

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula -- *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
619	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
512	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
522	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

1.9

Length of Stay by Diagnosis, Western Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 5
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 17
Summary of All Patients. 18
Summary of All Patients Except Newborn 19
Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystdocholithiasis — *see* Choledocholithiasis

Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — see Choledocholithiasis

Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — see Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
    - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 383.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. Operated										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6693	4.1	9	1	1	3	5	8	9	14
B. Operated	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. Not Operated	14921	6.5	24	2	2	5	8	12	15	25
B. Operated	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.5	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167182	2.4	7	1	1	2	3	4	5	10
20-34	89264	2.8	13	<1	1	2	3	5	7	19
35-49	27067	4.2	24	1	1	3	5	9	12	26
50-64	20214	4.6	24	1	1	3	6	9	12	26
65+	21409	5.1	24	1	1	4	7	10	13	25
B. *Operated*										
0-19 YRS	59481	2.5	8	<1	<1	2	3	5	7	14
20-34	119489	2.9	6	<1	1	2	4	5	7	12
35-49	51532	3.7	13	<1	<1	3	5	8	10	17
50-64	44781	4.2	18	<1	1	3	6	9	12	19
65+	46719	4.9	26	<1	1	3	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121878	3.9	28	1	1	3	4	6	10	29
20-34	63053	5.0	42	1	1	3	5	10	18	32
35-49	55138	5.7	41	1	1	4	7	12	18	31
50-64	89986	6.0	38	1	1	4	7	12	17	31
65+	200918	7.3	45	1	2	5	9	14	19	35
B. *Operated*										
0-19 YRS	46949	5.2	78	<1	1	2	5	11	20	55
20-34	127082	4.5	29	1	1	3	5	8	11	30
35-49	79105	6.1	46	1	1	5	7	11	17	36
50-64	95606	7.7	74	1	1	5	10	16	23	47
65+	148184	9.9	100	1	2	7	13	21	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325136	3.0	13	<1	1	2	3	5	8	18
B. *Operated*	322002	3.4	13	<1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	530973	5.9	41	1	1	4	7	12	17	32
B. *Operated*	496926	7.1	71	1	1	5	8	15	22	46
1. SINGLE DX	647138	3.2	13	<1	1	2	4	6	9	18
2. MULTIPLE DX	1027899	6.4	56	1	1	4	8	14	20	39
A. NOT OPERATED	856109	4.8	32	1	1	3	5	10	14	29
B. OPERATED	818928	5.6	51	<1	1	3	7	12	18	38
TOTAL 0-19 YRS	395490	3.2	23	<1	1	2	3	5	8	24
20-34	398888	3.7	22	<1	1	3	4	7	10	25
35-49	212842	5.2	35	<1	1	4	6	10	15	30
50-64	250587	6.2	49	1	1	4	8	13	18	36
65+	417230	7.8	64	1	2	5	10	16	22	42
GRAND TOTAL	**1675037**	**5.2**	**42**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51277	2.9	19	<1	1	2	3	5	7	22
20-34	89264	2.8	13	<1	1	2	3	5	7	19
35-49	27067	4.2	24	1	1	3	5	9	12	26
50-64	20214	4.6	24	1	1	3	6	9	12	26
65+	21409	5.1	24	1	1	4	7	10	13	25
B. *Operated*										
0-19 YRS	59433	2.5	8	<1	<1	2	3	5	7	13
20-34	119489	2.9	6	<1	1	2	4	5	7	12
35-49	51532	3.7	13	<1	<1	3	5	8	10	17
50-64	44781	4.2	18	<1	1	3	6	9	12	19
65+	46719	4.9	26	<1	1	3	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54458	4.3	46	1	1	3	4	8	13	40
20-34	63053	5.0	42	1	1	3	5	10	18	32
35-49	55138	5.7	41	1	1	4	7	12	18	31
50-64	89986	6.0	38	1	1	4	7	12	17	31
65+	200918	7.3	45	1	2	5	9	14	19	35
B. *Operated*										
0-19 YRS	43663	4.4	47	<1	<1	2	5	9	14	39
20-34	127082	4.5	29	1	1	3	5	8	11	30
35-49	79105	6.1	46	1	1	5	7	11	17	36
50-64	95606	7.7	74	1	1	5	10	16	23	47
65+	148184	9.9	100	1	2	7	13	21	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209231	3.4	19	<1	1	2	4	7	10	22
B. *Operated*	321954	3.4	13	<1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	463553	6.2	44	1	1	4	8	13	18	33
B. *Operated*	493640	7.0	68	1	1	5	8	15	22	45
1. SINGLE DX	531185	3.4	15	<1	1	2	4	7	10	19
2. MULTIPLE DX	957193	6.6	57	1	1	4	8	14	20	40
A. NOT OPERATED	672784	5.3	38	1	1	3	6	11	16	31
B. OPERATED	815594	5.6	50	<1	1	3	7	12	17	37
TOTAL 0-19 YRS	208831	3.5	29	<1	1	2	4	6	10	29
20-34	398888	3.7	22	<1	1	3	4	7	10	25
35-49	212842	5.2	35	<1	1	4	6	10	15	30
50-64	250587	6.2	49	1	1	4	8	13	18	36
65+	417230	7.8	64	1	2	5	10	16	22	42
GRAND TOTAL	**1488378**	**5.5**	**44**	**1**	**1**	**3**	**6**	**12**	**17**	**34**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1096	2.6	5	1	1	2	3	4	5	11
20-34	578	2.8	4	1	1	2	3	5	6	11
35-49	271	3.0	5	1	1	3	4	5	7	12
50-64	145	3.1	4	1	1	3	4	6	7	10
65+	145	3.5	9	1	1	3	4	7	9	13
B. *Operated*										
0-19 YRS	50	4.7	37	1	2	3	5	8	10	43
20-34	67	3.9	9	1	1	3	5	7	9	19
35-49	30	4.4	15	<1	1	3	5	10	15	16
50-64	16	6.6	25	2	2	5	10	11	18	21
65+	8	5.3	4	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1913	3.1	7	1	1	3	4	5	7	14
20-34	786	3.1	6	1	1	3	4	6	7	12
35-49	443	3.8	11	1	1	3	5	7	9	15
50-64	517	3.9	9	1	1	3	5	7	9	14
65+	970	5.3	28	1	2	4	6	9	13	23
B. *Operated*										
0-19 YRS	75	7.4	111	1	2	4	7	15	32	60
20-34	76	5.4	20	1	2	4	6	12	15	23
35-49	64	8.0	42	2	2	6	10	16	19	35
50-64	54	10.4	186	2	2	5	9	28	50	61
65+	115	8.7	102	1	2	6	9	17	24	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2235	2.8	5	1	1	2	3	5	6	12
B. *Operated*	171	4.5	20	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	4629	3.7	12	1	1	3	4	7	9	16
B. *Operated*	384	7.9	91	1	2	5	8	15	25	58
1. SINGLE DX	2406	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	5013	4.0	19	1	1	3	5	7	10	20
A. NOT OPERATED	6864	3.4	10	1	1	3	4	6	8	15
B. OPERATED	555	6.8	71	1	2	4	7	14	19	50
TOTAL 0-19 YRS	3134	3.1	10	1	1	2	4	5	7	15
20-34	1507	3.1	6	1	1	2	4	6	7	13
35-49	808	3.9	13	1	1	3	5	7	10	17
50-64	732	4.2	24	1	1	3	5	8	10	22
65+	1238	5.4	33	1	2	4	6	10	14	26
GRAND TOTAL	**7419**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.8	100	2	2	3	5	21	35	35
20-34	20	11.5	84	2	3	9	12	25	34	39
35-49	16	7.2	31	1	1	7	10	17	17	17
50-64	12	10.5	101	1	2	5	18	27	30	30
65+	14	10.6	134	1	2	8	10	32	40	42
B. *Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	13	7.7	28	1	3	6	10	18	18	18
35-49	10	6.3	14	1	1	6	9	11	12	12
50-64	9	7.9	18	1	2	9	11	13	13	13
65+	11	5.4	8	1	2	5	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.0	38	3	3	9	11	17	23	23
20-34	16	11.4	172	1	2	8	11	19	46	57
35-49	29	9.1	24	3	3	7	12	17	18	20
50-64	30	13.1	146	2	2	10	17	29	33	55
65+	60	12.2	98	2	2	10	17	23	30	54
B. *Operated*										
0-19 YRS	3	8.7	12	5	5	9	11	12	12	12
20-34	20	14.3	122	2	3	12	20	36	72	99+
35-49	19	8.9	21	2	4	9	12	15	18	20
50-64	39	13.4	152	2	5	10	17	24	28	76
65+	58	14.1	114	2	2	11	19	31	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	9.5	86	1	2	7	11	23	31	41
B. *Operated*	47	6.5	17	1	1	6	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	145	11.4	97	2	3	9	14	23	30	56
B. *Operated*	139	13.1	113	2	3	10	17	26	33	78
1. SINGLE DX	119	8.3	60	1	2	6	10	17	28	40
2. MULTIPLE DX	284	12.3	105	2	3	10	16	23	32	57
A. NOT OPERATED	217	10.8	94	2	3	8	13	23	31	55
B. OPERATED	186	11.5	96	1	2	9	15	23	29	66
TOTAL 0-19 YRS	27	7.3	52	2	3	5	10	12	25	35
20-34	69	11.5	105	1	3	9	16	23	39	91
35-49	74	8.2	24	1	2	8	12	15	18	20
50-64	90	12.4	130	1	3	10	15	26	30	68
65+	143	12.3	105	2	2	9	16	26	33	50
GRAND TOTAL	**403**	**11.1**	**95**	**2**	**3**	**9**	**14**	**23**	**30**	**55**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	2	8.5	85	2	2	8	15	15	15	15
65+	2	13.0	50	8	8	13	18	18	18	18
B. *Operated*										
0-19 YRS	6	2.5	14	<1	<1	1	1	9	10	10
20-34	3	11.3	4	9	9	12	13	13	13	13
35-49	11	8.5	82	1	1	5	14	24	25	25
50-64	7	5.0	13	2	2	4	9	10	10	10
65+	4	10.5	58	3	3	10	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	5	17.6	467	<1	<1	4	34	51	51	51
35-49	1	3.0		3	3	3	3	3	3	3
50-64	8	10.1	96	3	3	7	11	27	33	33
65+	12	15.2	174	3	3	10	18	41	42	42
B. *Operated*										
0-19 YRS	8	8.1	115	<1	1	3	10	27	32	32
20-34	11	21.5	775	1	3	8	32	72	81	82
35-49	8	15.4	125	6	6	11	21	34	38	38
50-64	15	17.1	217	1	3	15	30	35	45	49
65+	16	18.6	501	2	3	14	21	27	76	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.7	54	<1	<1	5	15	18	18	18
B. *Operated*	31	7.1	47	<1	<1	5	10	17	24	25
2. MULTIPLE DX										
A. *Not Operated*	28	13.0	183	1	3	8	17	38	43	51
B. *Operated*	58	16.9	367	1	3	10	22	36	59	96
1. SINGLE DX	37	7.2	47	<1	<1	5	11	17	22	25
2. MULTIPLE DX	86	15.6	308	1	3	9	21	37	49	92
A. NOT OPERATED	34	12.0	162	<1	2	8	17	34	42	51
B. OPERATED	89	13.4	276	1	1	8	18	32	39	91
TOTAL 0-19 YRS	17	5.4	64	<1	<1	2	5	15	26	32
20-34	20	18.0	536	<1	1	8	23	58	73	82
35-49	20	11.0	104	1	1	7	15	25	32	38
50-64	32	12.2	150	2	2	7	17	33	35	49
65+	34	16.1	300	3	3	12	18	28	42	97
GRAND TOTAL	**123**	**13.1**	**243**	**1**	**1**	**8**	**17**	**32**	**41**	**86**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.3	2	1	1	2	3	4	4	7
20-34	53	2.5	1	1	1	2	3	4	5	6
35-49	8	3.3	2	1	1	2	3	4	5	5
50-64	3	4.3	5	3	3	3	6	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	26	1.7	1	<1	<1	1	2	3	4	5
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	2.6	3	1	1	2	3	5	6	9
20-34	81	3.0	2	1	1	3	4	5	6	8
35-49	37	3.6	3	1	2	3	4	7	7	9
50-64	21	5.0	11	1	2	4	7	9	12	14
65+	18	4.1	4	2	2	4	4	8	9	9
B. *Operated*										
0-19 YRS	25	3.3	17	<1	1	2	4	7	11	20
20-34	6	3.5	4	1	1	3	5	6	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.4	2	1	1	2	3	4	5	7
B. *Operated*	31	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	353	3.0	4	1	1	2	4	6	7	9
B. *Operated*	36	3.1	13	<1	1	2	4	7	8	20
1. SINGLE DX	184	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	389	3.0	5	1	1	2	4	6	7	10
A. NOT OPERATED	506	2.8	3	1	1	2	3	5	7	9
B. OPERATED	67	2.5	8	<1	1	2	3	5	7	18
TOTAL 0-19 YRS	335	2.5	4	1	1	2	3	5	6	9
20-34	145	2.8	2	1	1	2	3	5	6	7
35-49	47	3.4	3	1	1	3	4	6	7	9
50-64	27	4.6	10	1	2	3	7	9	11	14
65+	19	4.1	4	2	2	3	4	8	9	9
GRAND TOTAL	**573**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	4.6	13	1	2	3	6	10	12	15
20-34	12	5.6	26	1	2	4	6	12	19	20
35-49	7	6.3	33	1	1	5	8	16	18	18
50-64	9	6.9	15	3	3	5	10	13	14	14
65+	28	6.8	19	2	2	6	9	14	17	17
B. *Operated*										
0-19 YRS	4	8.5	19	2	2	10	11	11	11	11
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64										
65+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	346	5.4	16	1	2	4	7	10	12	18
20-34	82	8.4	70	2	3	6	9	17	27	43
35-49	115	9.5	71	2	3	7	12	17	22	53
50-64	298	10.4	64	3	4	8	11	19	26	45
65+	1071	11.3	60	3	4	10	14	20	25	44
B. *Operated*										
0-19 YRS	37	14.5	181	3	4	11	15	37	50	55
20-34	29	13.3	101	2	4	12	19	31	45	99+
35-49	36	17.1	300	4	5	10	22	42	44	91
50-64	101	21.5	261	5	6	15	30	46	59	87
65+	287	21.1	223	6	8	17	26	44	59	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	5.0	15	1	2	4	7	10	12	18
B. *Operated*	10	7.4	15	2	2	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1912	9.8	59	2	3	8	12	18	23	41
B. *Operated*	490	19.9	231	5	6	15	26	43	56	84
1. SINGLE DX	292	5.1	15	1	2	4	7	11	12	18
2. MULTIPLE DX	2402	11.9	110	3	3	9	14	23	34	60
A. NOT OPERATED	2194	9.2	56	2	3	8	11	17	22	40
B. OPERATED	500	19.7	230	5	6	15	26	43	56	83
TOTAL 0-19 YRS	613	5.7	30	1	2	4	7	11	13	31
20-34	125	9.2	77	2	3	6	12	21	29	58
35-49	160	11.0	129	2	3	7	13	20	32	56
50-64	408	13.1	135	3	5	9	15	30	39	63
65+	1388	13.2	110	3	5	10	16	24	35	62
GRAND TOTAL	**2694**	**11.2**	**104**	**2**	**3**	**9**	**13**	**22**	**33**	**59**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	5.7	14	1	2	5	9	11	12	15
20-34	41	4.2	8	1	1	3	6	10	10	11
35-49	28	6.0	17	2	3	5	7	12	15	20
50-64	12	4.3	15	1	1	4	4	9	15	16
65+	8	8.8	12	4	4	10	11	12	12	12
B. *Operated*										
0-19 YRS	16	8.0	156	<1	1	4	8	15	41	52
20-34	8	5.4	12	1	1	7	8	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	5	5.4	27	<1	<1	4	8	14	14	14
65+	9	15.3	105	3	4	15	23	29	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	7.1	35	2	3	6	9	13	14	38
20-34	60	4.7	14	1	2	4	6	11	15	16
35-49	45	7.6	35	1	2	6	10	17	20	25
50-64	71	7.4	29	2	3	5	10	15	18	26
65+	107	8.6	56	2	3	7	10	16	22	40
B. *Operated*										
0-19 YRS	32	11.1	99	1	2	9	15	25	34	41
20-34	19	16.9	219	2	3	13	27	44	45	46
35-49	25	14.0	127	3	3	10	22	29	38	43
50-64	25	17.6	485	2	3	10	20	44	67	99
65+	43	20.8	338	5	6	14	24	53	65	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	5.5	14	1	2	4	8	11	12	16
B. *Operated*	38	8.6	101	<1	1	6	10	20	29	52
2. MULTIPLE DX										
A. *Not Operated*	406	7.2	37	2	2	5	9	14	17	33
B. *Operated*	144	16.4	264	2	3	11	22	37	47	76
1. SINGLE DX	256	6.0	28	1	2	4	8	11	14	27
2. MULTIPLE DX	550	9.6	113	2	2	7	11	20	30	57
A. NOT OPERATED	624	6.6	30	1	2	5	9	13	15	28
B. OPERATED	182	14.8	240	1	2	10	19	34	45	73
TOTAL 0-19 YRS	300	7.0	41	1	2	5	10	13	15	38
20-34	128	6.4	61	1	2	4	7	14	18	44
35-49	99	8.7	62	2	3	6	11	20	26	40
50-64	113	9.3	146	2	2	5	11	17	28	72
65+	166	12.1	155	3	3	8	14	25	34	68
GRAND TOTAL	**806**	**8.5**	**89**	**1**	**2**	**6**	**10**	**16**	**25**	**51**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	617	3.0	3	1	1	3	4	5	6	9
20-34	480	3.2	4	1	1	3	4	6	7	10
35-49	83	3.7	5	1	2	3	5	6	9	11
50-64	12	3.6	8	1	1	3	4	9	10	10
65+	5	5.8	8	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	26	3.0	1	1	1	3	4	4	5	5
20-34	36	2.9	3	1	2	2	4	5	6	9
35-49	6	3.3	3	2	2	3	4	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	3.7	7	1	2	3	4	6	8	10
20-34	212	4.1	8	1	1	3	5	7	8	22
35-49	55	5.2	14	2	2	4	6	10	13	20
50-64	19	9.7	218	2	2	6	9	17	45	68
65+	20	9.9	41	2	3	9	12	18	25	28
B. *Operated*										
0-19 YRS	20	6.1	13	2	2	5	8	12	13	13
20-34	22	5.7	13	1	2	5	7	9	13	18
35-49	6	5.0	6	4	4	4	4	9	10	10
50-64	3	6.7	2	5	5	7	8	8	8	8
65+	3	7.3	14	3	3	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1197	3.1	4	1	1	3	4	5	7	10
B. *Operated*	69	3.0	2	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	557	4.4	18	1	2	3	5	7	10	23
B. *Operated*	54	5.9	11	2	2	5	8	10	13	18
1. SINGLE DX	1266	3.1	3	1	1	3	4	5	7	10
2. MULTIPLE DX	611	4.5	18	1	2	4	5	8	10	21
A. NOT OPERATED	1754	3.5	9	1	1	3	4	6	8	12
B. OPERATED	123	4.3	8	1	2	4	5	8	10	15
TOTAL 0-19 YRS	914	3.2	4	1	1	3	4	5	7	10
20-34	750	3.5	6	1	1	3	4	6	8	12
35-49	150	4.3	9	1	2	4	5	8	10	16
50-64	35	7.3	126	1	2	5	7	10	17	68
65+	28	8.9	34	2	3	8	11	13	23	28
GRAND TOTAL	**1877**	**3.6**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.1	5	1	1	3	4	6	8	11
20-34	54	4.8	8	1	2	4	6	9	11	14
35-49	23	4.2	5	1	1	4	6	7	9	10
50-64	27	4.0	8	1	1	4	5	8	9	12
65+	87	5.9	24	1	2	5	7	11	14	29
B. *Operated*										
0-19 YRS	8	3.4	27	<1	<1	<1	3	12	16	16
20-34	14	2.4	8	<1	<1	<1	2	7	9	10
35-49	7	4.9	20	<1	<1	4	7	12	13	13
50-64	6	5.3	37	<1	<1	3	7	16	17	17
65+	9	6.2	8	3	3	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	268	3.7	7	1	1	3	4	7	9	13
20-34	97	5.3	10	2	2	5	7	9	11	18
35-49	61	6.9	24	2	3	6	8	13	16	27
50-64	155	7.1	43	2	2	6	8	13	17	44
65+	509	8.4	62	2	3	6	10	17	21	43
B. *Operated*										
0-19 YRS	18	8.3	55	1	1	5	13	22	24	24
20-34	18	10.5	207	<1	1	5	10	35	49	53
35-49	12	4.8	16	1	1	4	6	10	15	16
50-64	34	8.8	47	1	1	7	11	16	20	37
65+	76	17.6	307	3	4	11	20	42	54	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	4.3	12	1	1	3	6	8	10	17
B. *Operated*	44	4.1	18	<1	<1	2	6	10	14	17
2. MULTIPLE DX										
A. *Not Operated*	1090	6.7	43	1	2	5	8	12	18	37
B. *Operated*	158	12.9	209	1	2	8	16	36	44	71
1. SINGLE DX	358	4.3	13	<1	1	3	6	8	11	17
2. MULTIPLE DX	1248	7.5	68	1	2	5	8	15	20	45
A. NOT OPERATED	1404	6.2	37	1	2	5	7	11	17	33
B. OPERATED	202	11.0	180	<1	1	7	12	23	41	68
TOTAL 0-19 YRS	417	3.7	10	1	1	3	4	7	10	16
20-34	183	5.5	31	<1	1	4	7	10	12	35
35-49	103	5.9	19	1	2	5	7	11	15	25
50-64	222	6.9	40	1	2	6	8	13	17	39
65+	681	9.1	93	2	3	6	10	18	25	55
GRAND TOTAL	**1606**	**6.8**	**57**	**1**	**2**	**5**	**8**	**13**	**18**	**42**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	4.5	15	1	1	4	5	9	11	23
20-34	171	4.7	8	1	2	4	6	8	10	14
35-49	58	5.4	16	1	2	4	7	11	15	17
50-64	34	6.1	14	1	2	6	8	11	13	18
65+	14	5.3	4	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	5.2	14	1	1	5	8	10	11	11
35-49	12	2.8	6	<1	<1	2	4	6	9	9
50-64	8	6.4	25	1	1	7	10	13	14	14
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.9	10	1	2	4	7	8	10	18
20-34	136	5.4	17	2	2	4	6	11	12	25
35-49	60	6.7	23	2	2	6	9	14	15	22
50-64	60	6.3	18	2	2	5	8	12	16	20
65+	69	8.1	36	1	2	7	11	14	17	37
B. *Operated*										
0-19 YRS	3	9.0	43	2	2	10	14	15	15	15
20-34	23	8.3	34	1	3	8	10	16	22	27
35-49	9	7.9	51	2	3	6	13	62	99+	99+
50-64	16	9.8	41	1	1	10	15	18	19	20
65+	21	11.4	142	1	2	8	15	19	37	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	5.0	11	1	2	4	6	9	11	17
B. *Operated*	35	4.2	14	1	1	3	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	367	6.2	22	2	2	5	8	12	15	24
B. *Operated*	72	9.5	68	1	2	8	14	18	24	90
1. SINGLE DX	368	4.9	11	1	1	4	6	9	11	17
2. MULTIPLE DX	439	6.7	31	2	2	5	9	13	17	27
A. NOT OPERATED	700	5.6	17	1	2	4	7	11	13	19
B. OPERATED	107	7.8	56	1	1	6	11	16	20	75
TOTAL 0-19 YRS	103	4.7	13	1	1	4	6	9	11	21
20-34	340	5.2	14	1	2	4	7	10	12	20
35-49	139	5.9	21	1	2	4	8	13	15	32
50-64	118	6.7	21	1	2	6	9	14	17	20
65+	107	8.2	55	1	2	6	11	15	18	47
GRAND TOTAL	**807**	**5.9**	**23**	**1**	**2**	**4**	**8**	**12**	**15**	**24**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	3.5	4	1	2	3	4	6	7	10
20-34	58	3.4	3	1	1	3	5	5	7	10
35-49	11	5.4	6	3	3	4	7	9	11	11
50-64	2	6.5	13	4	4	6	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	7	7.0	49	<1	<1	5	11	19	20	20
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	230	3.5	8	1	1	3	4	6	7	11
20-34	94	4.0	4	1	2	3	5	7	8	10
35-49	19	5.0	8	1	2	5	6	8	11	14
50-64	3	10.0	192	2	2	2	20	26	26	26
65+	3	5.7	16	2	2	5	9	10	10	10
B. *Operated*										
0-19 YRS	14	4.4	12	1	2	4	5	7	13	15
20-34	5	11.6	150	2	2	7	20	31	31	31
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	3.6	4	1	2	3	5	6	7	10
B. *Operated*	9	6.3	39	<1	1	4	8	17	20	20
2. MULTIPLE DX										
A. *Not Operated*	349	3.8	9	1	2	3	4	7	8	11
B. *Operated*	22	8.9	52	1	2	4	7	17	24	31
1. SINGLE DX	248	3.7	5	1	2	3	5	7	7	11
2. MULTIPLE DX	371	4.0	12	1	2	3	5	7	9	18
A. NOT OPERATED	588	3.7	7	1	2	3	4	6	8	11
B. OPERATED	31	6.7	47	1	2	4	7	17	20	31
TOTAL 0-19 YRS	419	3.6	7	1	1	3	4	6	7	12
20-34	158	4.0	9	1	2	3	5	7	8	16
35-49	32	5.1	7	2	3	4	6	8	11	14
50-64	6	10.3	100	2	2	6	19	25	26	26
65+	4	6.0	11	2	2	6	8	10	10	10
GRAND TOTAL	**619**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**8**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	59	1.4	1	<1	<1	1	1	2	3	5
20-34	235	1.6	1	<1	<1	1	2	3	4	5
35-49	67	1.7	2	<1	<1	1	2	3	4	8
50-64	13	1.8	1	<1	<1	2	2	3	4	4
65+	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	12	3.0	23	<1	<1	1	2	8	17	18
20-34	58	3.0	23	<1	<1	2	3	5	6	33
35-49	25	3.4	6	<1	<1	3	5	7	8	9
50-64	8	4.4	46	<1	<1	2	3	16	21	21
65+	7	2.6	5	<1	<1	2	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	379	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	5	1.4		1	1	1	2	2	2	2
B. *Operated*	110	3.1	19	<1	<1	2	3	6	7	26
1. SINGLE DX	381	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	115	3.1	18	<1	<1	2	3	6	7	26
A. NOT OPERATED	7	1.6	1	<1	<1	1	2	3	3	3
B. OPERATED	489	2.0	5	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	74	1.6	4	<1	<1	1	2	2	4	15
20-34	296	1.9	5	<1	<1	1	2	3	4	6
35-49	92	2.2	3	<1	<1	1	3	5	6	9
50-64	22	2.7	17	<1	<1	2	3	4	11	21
65+	12	2.2	3	<1	<1	2	3	4	7	7
GRAND TOTAL	**496**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	812	2.5	2	1	1	2	3	4	5	7
20-34	246	2.9	3	1	1	2	4	5	6	8
35-49	108	3.9	9	1	1	3	4	8	11	15
50-64	64	3.4	3	1	1	3	5	6	7	10
65+	48	3.6	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	62	2.7	4	<1	1	2	3	4	5	14
20-34	30	4.3	37	<1	<1	2	4	8	22	28
35-49	13	3.0	14	<1	<1	2	3	6	13	15
50-64	10	2.9	2	1	1	3	3	5	6	6
65+	5	8.0	94	2	2	3	11	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	955	2.9	7	1	1	2	3	5	6	9
20-34	455	3.5	16	1	1	3	4	6	9	17
35-49	278	4.0	25	1	1	3	4	7	9	18
50-64	308	4.2	9	1	1	4	5	8	10	14
65+	535	5.3	17	2	2	4	6	10	13	24
B. *Operated*										
0-19 YRS	65	4.3	11	1	1	3	6	8	12	17
20-34	63	6.3	65	1	1	4	7	12	23	45
35-49	37	7.4	37	2	2	5	10	18	20	27
50-64	34	11.3	219	2	3	6	12	23	39	79
65+	48	11.5	232	2	2	6	11	30	58	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	2.8	3	1	1	2	3	5	6	10
B. *Operated*	120	3.4	17	<1	1	2	3	5	9	26
2. MULTIPLE DX										
A. *Not Operated*	2531	3.8	14	1	1	3	4	7	9	16
B. *Operated*	247	7.6	107	1	2	4	8	17	26	64
1. SINGLE DX	1398	2.8	5	1	1	2	3	5	6	11
2. MULTIPLE DX	2778	4.1	23	1	1	3	5	7	10	22
A. NOT OPERATED	3809	3.4	10	1	1	3	4	6	8	15
B. OPERATED	367	6.2	81	1	1	3	6	13	21	55
TOTAL 0-19 YRS	1894	2.8	5	1	1	2	3	4	6	9
20-34	794	3.5	17	1	1	3	4	6	9	21
35-49	436	4.2	23	1	1	3	5	8	11	20
50-64	416	4.6	28	1	1	4	5	8	11	22
65+	636	5.6	36	1	2	4	6	10	14	30
GRAND TOTAL	**4176**	**3.7**	**17**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	1	1	1	2	3	3	3	3
20-34	18	2.8	2	<1	1	3	3	5	6	6
35-49	5	3.4	2	1	1	4	4	5	5	5
50-64	6	3.7	2	2	2	3	4	6	6	6
65+	2	8.0	8	6	6	8	10	10	10	10
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	5	<1	<1	2	4	6	8	8
20-34	16	4.7	6	1	2	4	6	7	9	10
35-49	10	6.3	10	2	2	7	9	10	11	11
50-64	5	5.2	14	2	2	3	8	11	11	11
65+	3	3.7	9	<1	<1	3	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64										
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.1	3	1	1	3	4	5	6	10
B. *Operated*	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	44	4.6	8	1	1	4	7	9	10	11
B. *Operated*	6	5.7	5	3	3	5	7	9	9	9
1. SINGLE DX	43	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX	50	4.8	8	1	1	4	7	9	10	11
A. NOT OPERATED	83	3.9	6	1	1	3	5	8	9	11
B. OPERATED	10	4.4	6	1	1	4	6	8	9	9
TOTAL 0-19 YRS	20	2.6	3	<1	1	2	3	4	6	8
20-34	37	3.8	4	1	1	3	5	7	7	10
35-49	18	5.5	9	1	2	5	8	9	10	11
50-64	11	4.4	7	2	2	3	6	9	11	11
65+	7	4.7	10	<1	<1	4	7	9	10	10
GRAND TOTAL	**93**	**4.0**	**6**	**1**	**1**	**3**	**5**	**8**	**9**	**11**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.6	7	2	2	4	5	7	12	14
20-34	96	4.3	7	2	2	4	5	7	10	15
35-49	14	4.3	8	1	1	4	6	8	10	10
50-64	7	5.7	32	<1	<1	4	11	14	14	14
65+	3	6.3	4	4	4	7	8	8	8	8
B. *Operated*										
0-19 YRS	12	3.9	4	<1	<1	4	5	6	7	7
20-34	46	3.2	5	<1	<1	2	5	7	8	10
35-49	10	3.4	19	<1	<1	1	3	11	14	14
50-64	3	2.3		2	2	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.9	6	1	2	4	6	9	10	11
20-34	80	5.0	10	2	2	4	5	9	12	17
35-49	27	5.1	16	1	2	4	7	9	11	20
50-64	12	7.1	36	1	1	5	10	15	21	22
65+	11	13.6	208	4	4	8	16	35	51	53
B. *Operated*										
0-19 YRS	14	5.1	29	<1	<1	3	6	13	18	19
20-34	31	6.8	63	1	1	5	8	14	30	35
35-49	10	10.0	217	1	1	6	9	30	51	51
50-64	5	14.6	262	2	2	13	20	42	42	42
65+	8	22.0	445	1	2	15	39	52	57	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	4.5	8	1	2	4	6	7	12	14
B. *Operated*	72	3.3	7	<1	<1	2	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	178	5.7	27	1	2	4	7	10	13	23
B. *Operated*	68	9.3	153	1	1	5	10	29	40	56
1. SINGLE DX	255	4.2	8	<1	1	4	5	7	10	14
2. MULTIPLE DX	246	6.7	64	1	2	5	7	12	19	51
A. NOT OPERATED	361	5.1	18	1	2	4	6	9	12	20
B. OPERATED	140	6.2	86	<1	<1	4	6	12	27	52
TOTAL 0-19 YRS	137	4.7	9	1	2	4	6	9	11	15
20-34	253	4.6	15	1	1	4	5	8	11	18
35-49	61	5.4	48	<1	1	3	7	9	12	48
50-64	27	7.6	77	<1	1	5	12	14	25	42
65+	23	15.0	274	1	3	7	21	43	54	57
GRAND TOTAL	**501**	**5.4**	**37**	**1**	**1**	**4**	**6**	**10**	**13**	**39**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	7	<1	<1	3	4	7	10	10
20-34	12	5.4	9	<1	2	4	7	10	12	12
35-49	4	6.8	24	2	2	6	10	13	13	13
50-64	5	6.6	13	2	2	7	10	10	10	10
65+	9	6.7	23	<1	<1	5	10	13	14	14
B. *Operated*										
0-19 YRS	7	2.7	4	<1	<1	2	4	6	6	6
20-34	6	5.5	9	1	1	5	7	10	10	10
35-49	24	6.1	20	<1	1	5	8	14	15	15
50-64	27	9.7	119	<1	1	6	11	23	35	50
65+	20	8.3	17	1	3	8	10	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.2	22	<1	<1	3	5	11	15	25
20-34	35	7.6	115	1	2	5	7	11	30	59
35-49	27	8.4	93	1	1	6	10	15	24	51
50-64	29	10.1	237	1	2	6	10	18	38	81
65+	72	7.8	41	<1	<1	6	11	16	21	30
B. *Operated*										
0-19 YRS	7	16.6	496	<1	<1	8	28	55	60	60
20-34	15	13.7	204	1	1	8	25	38	42	44
35-49	37	12.2	128	1	3	9	16	26	33	56
50-64	66	12.8	174	2	2	9	14	26	37	72
65+	70	14.5	213	1	2	12	18	33	49	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.5	14	<1	1	4	8	11	13	14
B. *Operated*	84	7.4	52	<1	1	6	10	14	17	44
2. MULTIPLE DX										
A. *Not Operated*	218	7.2	83	<1	<1	5	9	15	20	54
B. *Operated*	195	13.5	189	1	2	9	16	29	44	83
1. SINGLE DX	124	6.8	40	<1	1	5	9	14	15	37
2. MULTIPLE DX	413	10.2	142	<1	1	6	12	23	34	65
A. NOT OPERATED	258	7.0	72	<1	<1	5	9	14	18	50
B. OPERATED	279	11.7	155	1	1	8	14	26	37	70
TOTAL 0-19 YRS	79	5.1	68	<1	<1	3	5	11	16	52
20-34	68	8.4	112	1	1	5	8	21	36	56
35-49	92	9.3	89	1	1	7	11	19	26	54
50-64	127	11.3	170	1	2	8	13	23	33	76
65+	171	10.5	118	<1	1	8	14	21	30	82
GRAND TOTAL	**537**	**9.4**	**121**	**<1**	**1**	**6**	**11**	**20**	**29**	**59**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	2.8	3	1	1	2	4	5	5	5
50-64	3	6.0	12	4	4	4	9	10	10	10
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	9	5.6	22	2	2	3	7	14	16	16
20-34	3	4.7	10	1	1	6	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.0	18	1	1	4	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.4	126	1	1	3	4	25	34	34
20-34	9	3.8	3	2	2	3	5	6	7	7
35-49	8	4.8	11	1	1	4	6	10	11	11
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	4	4.0	2	3	3	4	5	6	6	6
20-34	12	8.8	142	<1	2	6	7	20	42	46
35-49	6	6.5	23	1	1	7	11	12	12	12
50-64	3	21.0	511	6	6	10	38	47	47	47
65+	3	6.3	2	5	5	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.2	15	1	1	3	4	10	14	15
B. *Operated*	15	4.9	17	1	1	3	7	10	14	16
2. MULTIPLE DX										
A. *Not Operated*	28	5.0	38	1	1	4	5	8	13	34
B. *Operated*	28	8.7	122	1	2	6	8	12	46	47
1. SINGLE DX	29	4.6	15	1	1	3	6	10	15	16
2. MULTIPLE DX	56	6.8	82	1	1	5	7	11	27	47
A. NOT OPERATED	42	4.7	30	1	1	3	5	9	13	34
B. OPERATED	43	7.3	87	1	1	6	8	11	26	47
TOTAL 0-19 YRS	24	5.2	48	1	1	3	5	11	21	34
20-34	26	6.1	71	1	1	5	6	8	16	46
35-49	20	4.6	13	1	1	4	7	11	12	12
50-64	10	10.0	178	1	2	6	10	29	47	47
65+	5	7.8	18	5	5	6	10	15	15	15
GRAND TOTAL	**85**	**6.0**	**60**	**1**	**1**	**4**	**6**	**10**	**15**	**47**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	9	1	1	4	7	9	10	10
20-34	10	3.0	2	<1	<1	3	4	5	5	5
35-49	18	4.2	4	1	2	4	5	7	8	9
50-64	3	4.3		4	4	4	5	5	5	5
65+	2	6.0	18	3	3	6	9	9	9	9
B. *Operated*										
0-19 YRS	5	5.0	6	1	1	6	6	7	7	7
20-34	38	2.8	5	<1	<1	2	4	6	7	9
35-49	33	3.3	7	1	1	2	4	7	10	11
50-64	13	3.6	7	<1	1	3	5	8	10	10
65+	7	6.9	14	2	2	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.6	30	1	2	4	6	11	15	29
20-34	36	6.3	33	1	2	4	8	12	22	26
35-49	36	7.2	68	1	1	5	8	13	22	47
50-64	28	9.1	73	2	2	7	10	23	27	36
65+	27	8.6	44	2	2	7	11	20	22	23
B. *Operated*										
0-19 YRS	6	12.5	161	1	1	11	16	33	35	35
20-34	35	8.5	77	2	2	6	9	22	26	45
35-49	46	11.0	100	1	2	9	15	24	29	52
50-64	21	13.0	151	1	2	9	19	33	42	42
65+	18	13.4	185	1	3	8	13	39	48	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.2	5	1	1	4	5	8	9	10
B. *Operated*	96	3.5	7	<1	1	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	154	7.3	50	1	2	5	9	15	24	36
B. *Operated*	126	11.1	116	1	2	8	14	26	37	51
1. SINGLE DX	143	3.7	7	1	1	3	5	7	9	11
2. MULTIPLE DX	280	9.0	83	1	2	6	11	21	27	46
A. NOT OPERATED	201	6.6	41	1	2	4	8	13	21	32
B. OPERATED	222	7.8	83	1	1	4	10	17	27	47
TOTAL 0-19 YRS	52	6.1	39	1	1	5	7	12	16	35
20-34	119	5.6	39	<1	1	4	6	10	20	33
35-49	133	7.2	65	1	1	4	9	15	24	48
50-64	65	9.0	92	1	2	5	10	24	29	42
65+	54	9.9	90	2	2	8	12	20	25	51
GRAND TOTAL	**423**	**7.2**	**63**	**1**	**1**	**4**	**9**	**19**	**25**	**44**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	12.5	61	7	7	12	18	18	18	18
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	3.3	16	1	1	1	6	6	6	6
65+	3	15.3	186	6	6	9	25	31	31	31
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	6	4.5	3	2	2	5	6	6	6	6
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64	2	24.0	968	2	2	24	46	46	46	46
65+	2	24.5	1105	<1	<1	24	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	10.3	44	6	6	7	15	18	18	18
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	9	7.3	87	1	1	5	8	22	31	31
B. *Operated*	15	9.9	231	<1	2	5	6	46	47	48
1. SINGLE DX	5	7.2	41	2	2	6	10	18	18	18
2. MULTIPLE DX	24	8.9	173	1	1	5	7	32	47	48
A. NOT OPERATED	12	8.1	73	1	1	6	8	22	30	31
B. OPERATED	17	9.0	208	1	2	5	6	38	47	48
TOTAL 0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34	8	4.0	3	2	2	4	5	6	6	6
35-49	7	6.7	29	2	2	5	8	16	18	18
50-64	6	10.7	308	1	1	4	8	42	46	46
65+	5	19.0	395	<1	<1	9	35	48	48	48
GRAND TOTAL	**29**	**8.6**	**148**	**1**	**1**	**5**	**7**	**26**	**46**	**48**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	5	5.8	8	1	1	7	7	8	8	8
50-64	21	6.5	44	1	1	5	8	14	23	29
65+	16	5.6	45	1	1	4	7	11	23	28
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	29	4.2	17	<1	1	3	5	8	11	21
35-49	50	4.4	33	<1	<1	3	6	10	12	36
50-64	160	5.1	46	<1	<1	3	7	13	16	38
65+	174	4.6	27	<1	<1	3	5	11	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	9	3.7	3	1	1	4	5	6	6	6
35-49	19	6.3	15	1	2	6	9	11	14	16
50-64	90	5.8	19	1	1	5	8	11	14	23
65+	103	6.8	55	<1	1	4	8	14	25	38
B. *Operated*										
0-19 YRS	5	4.0	4	2	2	4	5	7	7	7
20-34	14	5.5	32	1	1	3	6	16	18	19
35-49	50	10.6	147	1	1	7	13	27	35	58
50-64	281	10.9	159	1	1	6	15	26	36	71
65+	399	10.2	131	1	1	6	13	24	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	5.9	37	1	1	5	7	11	21	29
B. *Operated*	414	4.7	34	<1	<1	3	5	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	225	6.2	35	1	1	5	8	12	16	30
B. *Operated*	749	10.3	140	1	1	6	13	25	36	64
1. SINGLE DX	458	4.9	35	<1	1	3	6	11	16	29
2. MULTIPLE DX	974	9.4	119	1	1	6	12	22	34	61
A. NOT OPERATED	269	6.1	35	1	1	5	8	11	16	29
B. OPERATED	1163	8.3	110	<1	1	4	11	20	31	59
TOTAL 0-19 YRS	10	3.6	2	2	2	3	4	6	7	7
20-34	54	4.4	18	1	1	3	5	9	15	21
35-49	124	7.3	82	<1	1	4	9	14	27	47
50-64	552	8.2	107	1	1	4	10	19	28	60
65+	692	8.2	97	<1	1	5	10	19	29	55
GRAND TOTAL	**1432**	**7.9**	**96**	**<1**	**1**	**4**	**10**	**18**	**28**	**57**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	3.1	4	1	1	4	5	6	6	6
65+	13	4.0	8	<1	1	3	5	9	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	4.5	15	1	1	3	7	10	10	10
50-64	17	5.7	17	<1	1	4	9	12	12	12
65+	30	8.2	77	1	1	4	13	23	28	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	14.3	141	3	3	11	21	31	31	31
50-64	39	6.1	25	1	1	4	9	13	18	21
65+	83	7.4	89	1	1	5	9	13	21	62
B. *Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	11	10.9	55	1	1	10	18	21	22	22
50-64	88	15.7	217	1	2	12	21	34	38	81
65+	190	16.2	187	2	2	13	21	36	49	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.4	7	<1	1	3	5	6	9	11
B. *Operated*	51	7.1	53	<1	1	4	11	16	24	31
2. MULTIPLE DX										
A. *Not Operated*	128	7.1	71	1	1	5	9	13	21	43
B. *Operated*	290	15.9	191	1	2	13	21	34	47	66
1. SINGLE DX	75	5.9	41	<1	1	4	8	13	21	30
2. MULTIPLE DX	418	13.2	170	1	2	9	18	30	39	63
A. NOT OPERATED	152	6.5	62	1	1	5	8	12	20	33
B. OPERATED	341	14.6	180	1	2	12	20	32	41	61
TOTAL 0-19 YRS										
20-34	3	7.0	75	2	2	2	13	17	17	17
35-49	21	9.4	69	1	1	10	12	21	26	31
50-64	153	11.4	158	1	1	8	14	27	35	59
65+	316	12.6	163	1	2	9	17	29	40	64
GRAND TOTAL	**493**	**12.1**	**157**	**1**	**2**	**9**	**16**	**28**	**38**	**60**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	9.8	162	1	1	5	18	28	28	28
50-64	7	5.4	35	1	1	3	11	14	14	14
65+	11	6.5	52	1	1	4	7	19	24	25
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	9.0		9	9	9	9	9	9	9
35-49	10	11.3	24	2	4	11	16	17	18	18
50-64	41	11.4	63	1	3	10	14	18	33	35
65+	56	10.8	35	<1	2	10	14	19	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49	16	5.2	24	1	1	4	7	10	16	19
50-64	60	6.6	57	1	1	5	8	13	20	46
65+	154	7.1	29	1	2	6	9	14	18	28
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	13	11.9	50	1	3	13	16	21	23	23
35-49	46	15.9	100	5	7	13	20	27	35	54
50-64	207	16.1	146	4	6	13	19	29	43	61
65+	497	18.0	180	4	6	14	22	37	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.8	60	1	1	4	9	18	26	28
B. *Operated*	109	11.0	44	1	2	10	14	18	22	35
2. MULTIPLE DX										
A. *Not Operated*	236	6.7	36	1	1	5	9	13	19	28
B. *Operated*	764	17.3	165	4	6	14	21	34	44	64
1. SINGLE DX	131	10.3	49	1	2	10	14	18	24	35
2. MULTIPLE DX	1000	14.8	154	2	3	12	19	29	41	62
A. NOT OPERATED	258	6.7	38	1	1	5	9	14	19	28
B. OPERATED	873	16.5	154	3	5	13	20	32	43	63
TOTAL 0-19 YRS	3	7.3	4	5	5	8	9	9	9	9
20-34	19	9.1	54	1	1	9	14	21	22	23
35-49	76	12.7	93	1	1	11	17	25	31	51
50-64	315	13.4	130	1	3	11	16	25	35	55
65+	718	14.9	157	2	3	12	19	30	41	63
GRAND TOTAL	**1131**	**14.2**	**144**	**1**	**3**	**11**	**18**	**28**	**38**	**62**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34										
35-49										
50-64	4	7.0	14	2	2	7	9	11	11	11
65+	5	9.8	65	1	1	8	12	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	12.5	51	5	5	11	17	22	22	22
65+	12	4.4	12	1	1	4	5	9	13	14
B. *Operated*										
0-19 YRS										
20-34	3	19.3	121	8	8	20	27	30	30	30
35-49	9	8.3	16	2	3	8	12	13	13	13
50-64	37	15.7	122	4	7	13	19	30	42	56
65+	65	16.7	135	6	7	14	18	31	45	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	9.3	41	1	1	8	11	19	23	23
2. MULTIPLE DX										
A. *Not Operated*	17	6.2	31	1	1	5	7	14	19	22
B. *Operated*	114	15.8	124	5	7	13	18	30	40	61
1. SINGLE DX	10	9.3	41	1	1	8	11	19	23	23
2. MULTIPLE DX	131	14.6	122	2	4	12	17	25	32	60
A. NOT OPERATED	17	6.2	31	1	1	5	7	14	19	22
B. OPERATED	124	15.3	120	4	7	13	18	27	35	60
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	19.3	121	8	8	20	27	30	30	30
35-49	10	7.7	18	2	2	7	11	13	13	13
50-64	45	14.7	111	3	7	12	18	24	36	56
65+	82	14.5	132	2	4	12	16	24	36	62
GRAND TOTAL	**141**	**14.2**	**118**	**2**	**4**	**12**	**16**	**24**	**32**	**59**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	8	3.9	11	<1	<1	3	7	9	9	9
65+	24	4.5	17	<1	1	4	6	10	13	19
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	9	7.7	12	1	2	8	10	12	12	12
35-49	47	9.2	20	2	3	9	11	13	15	25
50-64	163	10.1	16	6	7	9	11	15	18	23
65+	335	11.4	44	4	7	10	13	16	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	5.4	14	1	1	4	9	11	11	11
35-49	23	5.7	25	1	1	4	9	13	16	19
50-64	95	6.7	33	1	1	5	9	15	19	27
65+	335	7.6	48	1	2	5	10	17	21	33
B. *Operated*										
0-19 YRS	5	6.2	7	3	3	6	8	10	10	10
20-34	21	11.6	14	7	8	11	14	17	19	21
35-49	145	13.6	109	5	6	11	15	22	29	67
50-64	728	13.2	77	5	7	11	15	23	28	49
65+	2239	15.4	85	6	8	13	18	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.6	18	<1	1	4	6	10	14	19
B. *Operated*	555	10.8	34	4	7	10	12	16	18	28
2. MULTIPLE DX										
A. *Not Operated*	461	7.2	43	1	1	5	10	16	20	30
B. *Operated*	3138	14.8	85	6	8	12	17	25	32	53
1. SINGLE DX	589	10.4	35	2	6	10	12	16	18	27
2. MULTIPLE DX	3599	13.8	86	3	5	12	17	24	31	51
A. NOT OPERATED	495	7.1	42	1	1	5	9	16	20	30
B. OPERATED	3693	14.2	79	6	7	12	17	24	30	52
TOTAL 0-19 YRS	7	6.4	5	3	3	6	8	10	10	10
20-34	37	9.5	19	2	3	9	12	15	17	21
35-49	217	11.8	88	2	4	10	13	20	25	60
50-64	994	12.0	67	3	5	10	14	21	25	43
65+	2933	14.0	83	3	5	12	17	25	31	51
GRAND TOTAL	**4188**	**13.3**	**80**	**3**	**5**	**11**	**16**	**23**	**30**	**50**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	6	1.0		1	1	1	1	1	1	1
50-64	10	5.0	18	<1	1	4	5	11	16	16
65+	23	3.5	7	<1	1	3	4	7	10	12
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	7.8	30	1	1	8	13	13	13	13
35-49	42	9.0	38	1	2	9	12	15	18	33
50-64	154	10.1	23	2	4	10	12	16	17	27
65+	209	9.6	32	1	2	10	13	17	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	26	7.9	138	1	1	4	9	15	25	61
50-64	66	7.1	80	1	1	4	8	16	30	43
65+	192	7.5	51	1	2	5	9	14	23	37
B. *Operated*										
0-19 YRS	2	45.5	221	35	35	45	56	56	56	56
20-34	14	13.5	34	8	9	11	16	22	27	29
35-49	93	12.8	48	4	7	11	15	24	27	38
50-64	447	13.6	77	3	5	12	16	24	30	58
65+	1029	15.6	109	3	5	13	19	28	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.5	10	<1	1	3	4	7	10	16
B. *Operated*	412	9.7	29	1	2	10	13	16	18	26
2. MULTIPLE DX										
A. *Not Operated*	285	7.4	65	1	2	5	9	15	26	40
B. *Operated*	1585	14.9	98	3	5	13	18	26	34	60
1. SINGLE DX	453	9.1	30	1	2	9	12	16	18	26
2. MULTIPLE DX	1870	13.7	100	2	3	12	17	26	33	57
A. NOT OPERATED	326	6.9	59	1	1	4	9	14	22	40
B. OPERATED	1997	13.8	88	2	4	12	17	25	31	56
TOTAL 0-19 YRS	3	31.7	684	4	4	35	51	56	56	56
20-34	23	10.7	42	1	3	10	14	18	24	29
35-49	167	10.6	64	1	2	10	13	18	25	40
50-64	677	12.0	70	2	3	11	14	22	27	48
65+	1453	13.5	100	2	3	12	17	25	32	54
GRAND TOTAL	**2323**	**12.8**	**90**	**2**	**3**	**11**	**16**	**24**	**30**	**53**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	1	2	2	3	4	4	4	4
20-34	1	12.0		12	12	12	12	12	12	12
35-49	8	4.0	14	<1	<1	3	5	10	12	12
50-64	8	4.5	11	1	1	4	6	10	11	11
65+	6	5.3	17	2	2	4	6	12	13	13
B. *Operated*										
0-19 YRS	7	13.9	85	5	6	11	22	28	28	28
20-34	5	6.6	14	2	2	6	9	12	12	12
35-49	19	10.2	33	1	2	9	15	18	20	20
50-64	26	9.8	114	1	1	6	12	26	35	46
65+	52	9.6	57	1	1	9	14	21	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.9	18	1	1	4	5	11	16	18
20-34	4	7.5	12	4	4	7	10	12	12	12
35-49	28	8.1	119	1	1	5	10	17	22	57
50-64	63	4.7	15	1	1	4	7	10	12	22
65+	125	8.9	64	2	2	6	11	19	26	38
B. *Operated*										
0-19 YRS	12	9.3	22	1	4	9	11	15	19	20
20-34	21	9.6	53	1	2	9	13	20	26	27
35-49	46	12.6	73	1	3	11	17	26	32	99+
50-64	115	13.3	89	2	4	11	18	25	30	51
65+	272	18.0	178	4	6	14	23	36	41	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.5	12	<1	<1	4	5	11	12	13
B. *Operated*	109	9.9	65	1	1	8	13	20	27	38
2. MULTIPLE DX										
A. *Not Operated*	247	7.3	55	1	1	5	9	16	21	38
B. *Operated*	466	15.7	144	3	4	13	20	30	39	75
1. SINGLE DX	138	8.8	59	1	1	7	12	18	24	35
2. MULTIPLE DX	713	12.8	129	1	2	10	17	28	36	59
A. NOT OPERATED	276	7.0	51	1	1	5	9	15	19	38
B. OPERATED	575	14.6	134	2	3	12	19	29	38	68
TOTAL 0-19 YRS	52	6.9	36	1	1	5	9	14	20	28
20-34	31	8.9	40	2	2	8	12	16	25	27
35-49	101	10.2	79	1	1	9	14	19	27	78
50-64	212	10.0	82	1	2	8	12	20	28	48
65+	455	14.4	150	2	3	11	19	30	38	70
GRAND TOTAL	**851**	**12.1**	**120**	**1**	**2**	**9**	**16**	**26**	**33**	**52**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	13	7.8	37	1	2	6	12	18	19	19
65+	20	6.7	32	1	1	4	10	17	18	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	10.3	234	1	1	2	21	28	28	28
50-64	19	11.5	84	2	2	8	18	26	29	31
65+	33	15.2	159	1	2	11	20	32	48	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	13	4.4	10	<1	<1	3	7	8	10	11
50-64	81	8.0	65	1	1	6	10	17	20	46
65+	215	8.3	39	2	2	6	12	16	20	27
B. *Operated*										
0-19 YRS	1	28.0		28	28	64	99+	99+	99+	99+
20-34	3	5.3	16	<1	<1	6	8	9	9	9
35-49	56	15.7	142	1	5	13	18	28	48	56
50-64	238	16.9	212	2	4	12	22	34	45	86
65+	488	18.2	145	3	6	16	23	34	42	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.0	32	1	1	5	11	18	19	19
B. *Operated*	55	13.7	135	1	2	11	19	29	33	51
2. MULTIPLE DX										
A. *Not Operated*	310	8.0	45	1	2	6	11	16	20	34
B. *Operated*	786	17.6	165	3	5	15	23	34	44	69
1. SINGLE DX	89	11.1	105	1	2	8	17	24	31	51
2. MULTIPLE DX	1096	14.9	150	2	3	12	19	30	40	65
A. NOT OPERATED	344	7.9	44	1	2	6	11	16	19	31
B. OPERATED	841	17.4	164	2	5	15	23	34	44	69
TOTAL 0-19 YRS	1	28.0		28	28	64	99+	99+	99+	99+
20-34	4	5.0	11	<1	<1	5	7	9	9	9
35-49	73	13.3	137	1	2	11	16	27	38	56
50-64	351	14.2	180	2	3	11	18	30	41	75
65+	756	15.0	134	2	3	13	20	30	39	58
GRAND TOTAL	**1185**	**14.6**	**148**	**2**	**3**	**12**	**19**	**30**	**39**	**64**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	10.3	65	3	3	9	16	19	19	19
20-34										
35-49	24	4.1	21	1	1	3	5	8	14	22
50-64	72	3.8	15	<1	1	3	5	7	12	21
65+	130	4.3	23	1	1	3	6	9	12	25
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	3	7.0	36	1	1	7	11	13	13	13
35-49	74	7.9	33	<1	1	7	10	14	20	27
50-64	297	7.2	35	1	1	6	10	15	18	26
65+	401	7.6	45	<1	1	7	10	15	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	9	3	3	3	5	10	10	10
20-34	8	5.9	22	1	1	5	8	13	15	15
35-49	165	6.9	55	1	1	5	8	17	22	39
50-64	897	7.1	65	1	1	5	9	15	21	39
65+	1402	7.4	46	1	2	5	10	15	20	35
B. *Operated*										
0-19 YRS	9	6.3	23	3	3	5	8	14	18	18
20-34	13	12.3	147	<1	2	10	13	29	44	47
35-49	258	10.3	68	1	2	9	14	19	27	42
50-64	1458	10.9	78	2	2	9	14	22	28	46
65+	2237	11.9	97	1	2	10	15	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	4.2	21	1	1	3	5	9	12	22
B. *Operated*	778	7.4	40	<1	1	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	2477	7.2	54	1	1	5	9	15	21	38
B. *Operated*	3975	11.4	88	1	2	9	15	22	29	49
1. SINGLE DX	1007	6.7	37	<1	1	5	9	14	18	28
2. MULTIPLE DX	6452	9.8	79	1	2	8	13	20	26	46
A. NOT OPERATED	2706	7.0	51	1	1	5	9	15	20	35
B. OPERATED	4753	10.8	83	1	2	9	14	21	27	47
TOTAL 0-19 YRS	20	5.9	24	1	2	4	8	14	18	19
20-34	24	9.5	96	1	1	8	11	18	31	47
35-49	521	8.6	60	1	1	7	11	18	23	39
50-64	2724	9.1	72	1	2	7	12	18	24	40
65+	4170	9.7	78	1	2	8	13	20	26	46
GRAND TOTAL	**7459**	**9.4**	**75**	**1**	**2**	**7**	**12**	**19**	**25**	**42**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.5	2	<1	<1	1	1	4	4	4
35-49	3	4.7	16	1	1	4	8	9	9	9
50-64	16	3.1	11	<1	<1	2	4	9	10	11
65+	23	7.0	78	<1	1	4	7	19	33	33
B. *Operated*										
0-19 YRS	6	3.7	5	1	1	3	5	7	7	7
20-34	14	7.4	25	2	2	6	12	15	15	15
35-49	37	4.2	17	<1	<1	2	6	11	12	17
50-64	138	5.3	32	<1	1	2	9	14	17	21
65+	137	5.1	59	<1	<1	2	5	14	17	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	1	2	2	3	3	4	4	4
20-34	14	4.2	10	1	1	4	5	8	12	13
35-49	24	2.8	5	<1	1	2	4	6	7	9
50-64	57	5.3	19	<1	1	5	6	11	15	22
65+	68	6.4	42	1	1	5	8	12	14	42
B. *Operated*										
0-19 YRS	7	4.7	4	2	2	5	6	8	8	8
20-34	27	18.2	382	1	2	12	18	48	67	77
35-49	28	8.4	52	<1	1	7	15	19	32	99+
50-64	177	9.9	74	1	1	9	14	22	27	39
65+	234	11.9	174	1	1	8	16	30	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.9	46	<1	<1	3	6	9	18	33
B. *Operated*	332	5.1	41	<1	<1	2	7	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	169	5.2	26	1	1	4	6	11	13	27
B. *Operated*	473	11.2	142	1	1	8	15	26	37	63
1. SINGLE DX	380	5.1	41	<1	<1	2	7	14	16	32
2. MULTIPLE DX	642	9.6	118	1	1	6	13	22	32	55
A. NOT OPERATED	217	5.1	30	<1	1	4	6	10	14	33
B. OPERATED	805	8.7	109	<1	1	5	12	20	29	54
TOTAL 0-19 YRS	19	3.7	4	1	2	3	5	7	8	8
20-34	61	10.9	219	1	1	6	13	21	45	76
35-49	92	5.1	29	<1	<1	3	7	14	17	69
50-64	388	7.3	54	<1	1	5	11	17	22	32
65+	462	8.8	125	<1	1	5	12	20	33	55
GRAND TOTAL	**1022**	**7.9**	**94**	**<1**	**1**	**4**	**11**	**18**	**27**	**49**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.4	2	1	1	2	3	4	5	5
20-34	8	3.3	4	1	1	3	4	6	7	7
35-49	7	3.6	1	2	2	4	4	4	4	4
50-64	7	8.3	140	1	1	3	9	29	34	34
65+	10	6.5	28	<1	<1	5	9	15	16	16
B. Operated										
0-19 YRS	59	5.4	39	1	1	4	7	10	23	94
20-34	34	6.5	78	1	1	4	7	13	20	49
35-49	56	6.3	35	<1	1	5	9	12	16	32
50-64	72	6.0	25	<1	<1	4	10	12	13	22
65+	80	7.3	71	<1	1	4	9	16	23	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	3.4	10	<1	<1	2	4	7	10	16
20-34	25	5.3	53	1	1	4	6	10	21	36
35-49	15	4.1	11	<1	1	3	6	8	12	13
50-64	38	4.9	19	<1	1	4	7	10	12	23
65+	44	6.2	34	1	1	4	8	15	19	28
B. Operated										
0-19 YRS	33	11.5	130	1	2	5	13	27	42	48
20-34	26	9.2	77	2	2	6	12	19	31	36
35-49	41	9.9	149	2	2	7	12	15	24	78
50-64	77	11.7	211	1	1	8	14	22	39	83
65+	132	11.4	96	2	2	8	16	23	31	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	3.8	22	1	1	3	4	7	11	30
B. Operated	301	6.3	47	<1	1	4	8	13	20	42
2. MULTIPLE DX										
A. Not Operated	218	4.5	22	<1	1	3	5	10	14	25
B. Operated	309	11.1	133	1	2	8	14	22	31	65
1. SINGLE DX	371	5.8	44	1	1	4	8	12	19	36
2. MULTIPLE DX	527	8.4	98	1	1	5	10	18	24	50
A. NOT OPERATED	288	4.3	22	1	1	3	5	9	13	26
B. OPERATED	610	8.7	96	1	1	6	11	19	26	52
TOTAL 0-19 YRS	226	4.9	42	<1	1	3	6	10	16	45
20-34	93	6.6	66	1	1	4	7	15	22	44
35-49	119	7.1	73	1	1	5	9	13	17	46
50-64	194	8.1	109	<1	1	5	10	16	22	65
65+	266	9.1	81	1	2	6	12	20	25	47
GRAND TOTAL	**898**	**7.3**	**77**	**1**	**1**	**4**	**9**	**16**	**22**	**46**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	1.0		1	1	1	1	1	1	1
35-49	8	4.4	9	2	2	3	5	9	11	11
50-64	4	3.0	7	<1	<1	2	5	7	7	7
65+	4	7.0	33	1	1	6	11	14	14	14
B. Operated										
0-19 YRS	3	4.0	13	<1	<1	3	7	8	8	8
20-34	59	3.9	9	<1	<1	3	5	8	11	13
35-49	85	4.0	16	<1	1	3	5	10	11	22
50-64	102	4.2	14	<1	<1	3	5	9	11	20
65+	116	4.7	16	1	1	4	6	9	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	13	4.9	36	1	1	2	7	14	20	21
35-49	19	4.8	16	1	1	4	7	11	14	14
50-64	29	4.3	14	<1	<1	3	6	11	11	14
65+	23	5.6	14	1	2	4	7	10	13	18
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	29	7.0	94	1	1	5	7	11	22	53
35-49	60	6.2	27	1	2	5	8	13	16	29
50-64	83	7.4	47	1	2	6	9	17	21	33
65+	93	6.6	30	1	1	5	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.1	14	<1	1	3	6	10	13	14
B. Operated	365	4.3	14	<1	1	3	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	84	4.9	17	1	1	4	7	11	14	20
B. Operated	266	6.8	41	1	2	5	9	14	19	30
1. SINGLE DX	384	4.3	14	<1	1	3	6	9	11	17
2. MULTIPLE DX	350	6.3	36	1	1	5	8	14	18	30
A. NOT OPERATED	103	4.7	17	1	1	4	7	11	14	19
B. OPERATED	631	5.3	27	<1	1	4	7	11	15	28
TOTAL 0-19 YRS	4	4.0	9	<1	<1	3	6	8	8	8
20-34	104	4.8	37	<1	1	3	6	10	12	36
35-49	172	4.9	20	1	1	3	6	10	14	24
50-64	218	5.4	29	<1	1	4	7	11	16	29
65+	236	5.6	22	1	1	4	7	11	15	24
GRAND TOTAL	**734**	**5.3**	**26**	**<1**	**1**	**4**	**7**	**11**	**14**	**26**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.3		1	1	1	2	2	2	2
65+	6	5.8	44	1	1	3	9	17	18	18
B. *Operated*										
0-19 YRS	6	2.0	2	<1	<1	1	2	5	5	5
20-34	26	2.2	4	<1	<1	1	3	5	7	9
35-49	91	2.1	3	<1	<1	1	3	5	6	8
50-64	177	1.8	3	<1	<1	1	2	3	5	9
65+	356	2.4	10	<1	<1	1	2	4	7	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	16.0	1019	1	1	3	7	74	71	71
35-49	8	2.4	8	1	1	1	2	7	9	9
50-64	9	5.9	25	<1	<1	4	10	14	14	14
65+	28	4.6	11	1	1	4	6	8	11	14
B. *Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	11	4.0	46	<1	<1	1	3	13	23	24
35-49	41	4.4	48	<1	<1	2	5	10	15	40
50-64	160	3.8	58	<1	<1	2	4	7	10	28
65+	457	4.4	29	<1	1	3	5	10	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.8	27	1	1	2	3	13	16	16
B. *Operated*	656	2.2	7	<1	<1	1	2	4	6	16
2. MULTIPLE DX										
A. *Not Operated*	52	5.8	126	1	1	3	6	10	14	80
B. *Operated*	673	4.2	37	<1	<1	2	5	9	12	29
1. SINGLE DX	667	2.2	7	<1	<1	1	2	4	6	17
2. MULTIPLE DX	725	4.3	43	<1	<1	2	5	9	13	30
A. NOT OPERATED	63	5.4	108	1	1	2	6	10	14	73
B. OPERATED	1329	3.2	23	<1	<1	2	3	7	10	24
TOTAL 0-19 YRS	11	2.2	1	<1	<1	2	3	4	5	5
20-34	44	4.5	154	<1	<1	1	3	6	13	61
35-49	141	2.8	17	<1	<1	1	3	6	9	21
50-64	349	2.8	30	<1	<1	1	3	6	8	18
65+	847	3.6	21	<1	<1	2	4	8	11	25
GRAND TOTAL	**1392**	**3.3**	**27**	**<1**	**<1**	**2**	**3**	**7**	**10**	**24**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	24	3.3	14	<1	<1	2	3	9	13	17
50-64	17	5.1	40	<1	1	3	5	15	22	25
65+	15	5.4	16	<1	1	4	7	13	14	14
B. *Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	122	4.0	5	<1	1	4	6	7	7	10
35-49	536	4.7	7	<1	1	5	6	8	9	13
50-64	873	5.0	10	<1	1	5	6	8	9	14
65+	887	5.5	7	1	2	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	2.5	3	<1	1	2	4	5	6	6
35-49	92	6.5	56	1	1	4	6	14	20	41
50-64	233	7.6	69	1	1	5	9	19	22	39
65+	275	7.8	56	1	1	5	11	17	23	37
B. *Operated*										
0-19 YRS	3	8.0	1	7	7	8	9	9	9	9
20-34	105	5.1	12	1	2	5	6	10	13	19
35-49	670	6.1	24	1	2	5	7	10	14	27
50-64	1266	6.8	31	2	2	6	8	11	14	30
65+	1587	7.7	35	2	3	6	9	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.3	22	<1	<1	3	4	10	16	24
B. *Operated*	2420	5.0	8	<1	1	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	618	7.4	60	1	1	5	9	17	22	35
B. *Operated*	3631	7.0	31	2	3	6	8	12	15	30
1. SINGLE DX	2478	5.0	9	<1	1	5	6	8	9	14
2. MULTIPLE DX	4249	7.1	35	1	2	6	8	12	17	33
A. NOT OPERATED	676	7.1	57	1	1	5	9	17	22	35
B. OPERATED	6051	6.2	23	1	2	5	7	10	13	26
TOTAL 0-19 YRS	6	5.8	10	<1	<1	7	8	9	9	9
20-34	246	4.6	9	<1	1	4	6	7	10	16
35-49	1322	5.5	20	1	2	5	7	9	12	24
50-64	2389	6.2	28	1	2	5	7	10	14	28
65+	2764	7.0	29	1	2	6	8	12	15	30
GRAND TOTAL	**6727**	**6.3**	**26**	**1**	**2**	**5**	**8**	**11**	**14**	**27**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.0	1	2	2	3	4	4	4	4
35-49	31	4.4	64	1	1	3	4	5	6	47
50-64	12	4.3	15	2	2	3	4	10	15	16
65+	20	3.0	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	67	4.9	15	<1	1	5	6	11	12	19
35-49	65	4.4	12	<1	1	3	6	10	12	15
50-64	46	5.4	15	1	1	5	7	11	13	17
65+	36	4.2	29	1	1	3	4	7	8	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	4.7	20	<1	1	3	5	13	15	15
35-49	23	5.3	76	1	1	4	4	8	23	44
50-64	41	5.1	20	1	1	3	5	12	16	20
65+	40	8.3	110	2	3	5	9	17	29	59
B. *Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	64	7.8	74	<1	1	6	9	13	19	56
35-49	99	7.7	39	1	2	6	11	16	21	29
50-64	87	10.3	135	1	2	6	13	23	29	64
65+	97	8.1	92	1	2	6	10	16	28	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	3.8	29	2	2	3	4	4	6	40
B. *Operated*	215	4.7	16	<1	1	4	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	117	6.2	63	1	2	4	6	14	18	49
B. *Operated*	350	8.4	85	1	2	6	11	17	26	60
1. SINGLE DX	289	4.5	20	<1	1	3	5	9	12	19
2. MULTIPLE DX	467	7.9	80	1	2	5	10	16	24	60
A. NOT OPERATED	191	5.3	51	1	2	3	5	10	15	46
B. OPERATED	565	7.0	62	1	1	5	9	14	20	49
TOTAL 0-19 YRS	4	2.3	6	1	1	1	4	6	6	6
20-34	155	5.9	41	<1	1	5	7	12	14	31
35-49	218	6.0	40	<1	1	4	8	12	17	35
50-64	186	7.6	79	1	2	5	9	17	22	53
65+	193	6.9	78	1	2	4	7	14	23	64
GRAND TOTAL	**756**	**6.6**	**60**	**1**	**1**	**4**	**8**	**13**	**19**	**47**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	22	3.1	4	1	1	3	4	5	8	11
65+	36	3.6	5	1	1	3	4	6	9	12
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	4	5.0	5	2	2	5	6	7	7	7
35-49	30	4.5	6	<1	<1	6	6	7	7	8
50-64	173	5.4	9	<1	1	6	7	8	11	15
65+	234	5.6	12	<1	1	6	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.5	113	4	4	11	19	19	19	19
20-34										
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	39	7.1	121	1	1	4	7	13	26	63
65+	104	5.1	29	1	1	3	6	11	14	32
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	22	7.3	9	4	5	7	9	11	14	16
35-49	113	5.9	8	1	2	6	7	9	10	16
50-64	475	7.0	27	1	2	6	8	11	14	28
65+	680	8.3	52	1	2	7	9	15	19	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.4	5	1	1	3	4	5	9	12
B. *Operated*	442	5.4	10	<1	1	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	149	5.7	53	1	1	3	7	12	15	37
B. *Operated*	1291	7.6	39	1	2	7	8	13	17	32
1. SINGLE DX	502	5.2	10	<1	1	5	7	8	10	15
2. MULTIPLE DX	1440	7.4	41	1	2	6	8	13	17	33
A. NOT OPERATED	209	5.0	40	1	1	3	5	10	13	36
B. OPERATED	1733	7.1	33	1	2	6	8	11	16	28
TOTAL 0-19 YRS	4	9.8	42	4	4	8	14	19	19	19
20-34	27	6.8	9	2	3	6	8	10	13	16
35-49	148	5.5	8	1	1	6	7	8	9	14
50-64	709	6.5	28	1	1	6	7	10	13	28
65+	1054	7.2	42	1	2	6	8	13	17	33
GRAND TOTAL	**1942**	**6.8**	**34**	**1**	**1**	**6**	**8**	**11**	**15**	**28**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	1.3	1	1	1	1	1	3	3	3
35-49	33	1.3		1	1	1	2	2	2	3
50-64	57	1.9	2	<1	<1	1	2	4	5	6
65+	49	2.2	3	1	1	2	2	4	8	8
B. Operated										
0-19 YRS	3	10.0	4	8	8	10	11	12	12	12
20-34	20	5.6	2	2	3	6	7	7	8	8
35-49	28	6.2	7	1	2	6	8	10	10	11
50-64	66	7.7	19	1	2	7	10	14	17	20
65+	44	7.7	13	1	2	9	10	11	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	19	4.0	13	<1	1	4	5	7	12	16
35-49	69	3.5	16	1	1	2	4	10	13	17
50-64	151	3.8	13	<1	1	2	5	9	12	17
65+	208	4.6	30	1	1	2	5	12	16	27
B. Operated										
0-19 YRS	4	7.5	2	6	6	7	8	9	9	9
20-34	41	8.6	31	4	5	6	10	14	21	30
35-49	141	11.2	88	4	5	8	13	20	29	43
50-64	303	11.3	61	3	5	9	14	23	29	37
65+	346	15.2	120	4	6	13	18	27	38	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	1.8	2	<1	1	1	2	3	5	8
B. Operated	161	7.2	14	1	2	7	9	11	14	19
2. MULTIPLE DX										
A. Not Operated	450	4.1	21	1	1	2	5	10	13	24
B. Operated	835	12.8	92	4	5	10	16	24	32	50
1. SINGLE DX	309	4.6	15	1	1	3	7	10	11	18
2. MULTIPLE DX	1285	9.7	84	1	1	8	13	20	27	43
A. NOT OPERATED	598	3.6	17	1	1	2	4	9	12	21
B. OPERATED	996	11.9	84	3	5	9	15	22	30	48
TOTAL 0-19 YRS	12	6.1	12	1	2	6	9	11	12	12
20-34	87	6.3	23	1	1	6	7	12	15	29
35-49	271	7.5	66	1	1	6	9	15	20	37
50-64	577	8.0	52	1	1	6	10	17	24	35
65+	647	10.3	103	1	1	8	14	22	30	58
GRAND TOTAL	**1594**	**8.8**	**75**	**1**	**1**	**7**	**11**	**18**	**25**	**41**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	5.0	29	1	1	3	8	13	13	13
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	2.7	4	1	1	2	4	6	6	6
50-64	18	6.9	19	2	2	6	9	13	16	17
65+	18	7.2	42	1	1	4	10	17	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	6	4.7	3	3	3	4	6	7	7	7
65+	24	8.0	67	<1	1	5	12	19	25	35
B. Operated										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	5	13.0	72	1	1	15	20	21	21	21
35-49	15	7.1	23	1	1	6	10	13	17	19
50-64	31	12.6	265	1	3	8	12	25	33	90
65+	64	13.6	146	3	4	11	18	23	29	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.0	29	1	1	3	8	13	13	13
B. Operated	47	5.9	28	1	1	4	9	15	17	21
2. MULTIPLE DX										
A. Not Operated	31	7.2	53	<1	1	5	10	16	21	35
B. Operated	117	12.3	159	1	3	9	16	22	28	83
1. SINGLE DX	51	5.9	27	1	1	3	9	14	17	21
2. MULTIPLE DX	148	11.2	141	1	2	8	15	22	27	79
A. NOT OPERATED	35	7.0	50	<1	1	5	10	14	20	35
B. OPERATED	164	10.5	130	1	2	8	14	21	24	75
TOTAL 0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	8	9.1	71	1	1	6	17	21	21	21
35-49	22	5.7	21	1	1	5	7	12	15	19
50-64	55	9.9	164	2	3	7	11	17	26	87
65+	110	11.0	115	1	2	9	15	21	25	63
GRAND TOTAL	**199**	**9.9**	**117**	**1**	**1**	**7**	**13**	**21**	**24**	**66**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49	4	4.5	10	1	1	4	7	8	8	8
50-64	8	5.6	9	2	2	5	8	9	10	10
65+	40	5.7	16	1	2	5	7	12	14	19
B. *Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	9	3.2	11	<1	<1	2	4	9	11	11
50-64	318	5.5	17	1	1	5	8	11	13	19
65+	880	5.1	12	1	1	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34										
35-49	10	4.1	13	1	1	3	7	10	10	10
50-64	104	5.8	27	1	1	4	8	11	18	24
65+	621	7.8	51	1	2	6	10	17	22	40
B. *Operated*										
0-19 YRS	5	5.0	17	2	2	4	7	12	12	12
20-34										
35-49	15	7.4	37	1	2	6	8	20	21	22
50-64	578	7.3	46	1	2	6	9	15	18	30
65+	2969	7.9	47	2	2	6	9	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	5.3	14	1	2	4	7	11	13	19
B. *Operated*	1209	5.2	13	1	1	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	738	7.5	48	1	2	5	9	17	21	38
B. *Operated*	3567	7.8	46	2	2	6	9	15	20	35
1. SINGLE DX	1264	5.2	14	1	1	5	7	10	12	18
2. MULTIPLE DX	4305	7.7	47	1	2	6	9	15	20	35
A. NOT OPERATED	793	7.3	46	1	2	5	9	16	21	37
B. OPERATED	4776	7.1	39	1	2	5	9	14	18	32
TOTAL 0-19 YRS	11	3.4	10	1	1	2	4	8	12	12
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	38	5.2	24	<1	1	4	7	11	17	22
50-64	1008	6.6	35	1	1	5	8	13	17	27
65+	4510	7.3	42	1	2	6	9	14	19	34
GRAND TOTAL	**5569**	**7.1**	**40**	**1**	**2**	**5**	**9**	**14**	**18**	**32**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	2.5	3	<1	<1	2	4	5	5	5
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	5.8	10	1	1	6	8	9	9	9
20-34	124	3.0	6	<1	1	2	4	5	7	14
35-49	50	3.1	5	1	1	2	5	6	9	9
50-64	21	3.1	2	<1	1	3	4	5	6	7
65+	20	4.2	9	1	1	3	5	7	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	39	4.0	3	1	2	4	5	6	7	10
35-49	9	4.6	27	1	1	4	4	13	18	18
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	3	5.3	14	<1	<1	7	8	8	8	8
B. *Operated*										
0-19 YRS	9	8.2	26	2	3	9	11	16	18	18
20-34	55	8.0	89	1	1	6	10	16	26	52
35-49	31	4.7	12	<1	1	3	6	10	12	14
50-64	17	8.0	71	2	2	4	10	21	29	32
65+	23	9.0	161	2	2	5	8	18	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.8	3	<1	<1	2	4	5	6	6
B. *Operated*	223	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	57	4.0	7	<1	1	4	5	7	8	17
B. *Operated*	135	7.4	78	1	2	5	9	14	24	54
1. SINGLE DX	240	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX	192	6.4	59	1	1	4	8	12	18	48
A. NOT OPERATED	74	3.7	6	<1	1	4	5	6	7	16
B. OPERATED	358	4.8	37	1	1	3	6	9	13	32
TOTAL 0-19 YRS	21	6.3	18	1	1	6	9	11	15	18
20-34	231	4.3	29	1	1	3	5	8	11	29
35-49	93	3.8	10	1	1	3	5	8	10	16
50-64	41	5.0	37	<1	1	3	5	10	19	32
65+	46	6.7	89	1	2	4	7	13	18	62
GRAND TOTAL	**432**	**4.6**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
50-64	10	2.9	6	<1	<1	2	4	7	8	8
65+	17	3.5	11	<1	1	3	4	7	12	14
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	20	2.6	11	<1	1	2	3	4	10	16
35-49	70	3.4	12	<1	1	2	3	9	13	16
50-64	411	3.3	11	1	1	2	4	6	11	17
65+	825	4.0	14	1	1	3	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34										
35-49	6	3.2	1	2	2	3	4	5	5	5
50-64	37	4.0	12	<1	1	3	6	7	10	18
65+	146	6.2	46	<1	1	4	8	15	19	33
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	4.7	15	<1	<1	4	8	11	11	11
35-49	51	4.6	16	1	1	3	6	10	15	17
50-64	485	7.2	67	1	1	4	9	16	21	43
65+	1762	7.2	68	1	2	5	8	15	21	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.4	9	<1	<1	3	4	7	8	14
B. *Operated*	1327	3.8	13	1	1	3	4	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	192	5.7	38	<1	1	4	7	12	18	31
B. *Operated*	2308	7.1	67	1	2	4	8	15	21	42
1. SINGLE DX	1358	3.7	13	1	1	3	4	8	12	20
2. MULTIPLE DX	2500	7.0	64	1	2	4	8	15	21	41
A. NOT OPERATED	223	5.4	35	<1	1	4	7	12	17	31
B. OPERATED	3635	5.9	50	1	1	4	7	13	18	35
TOTAL 0-19 YRS	7	6.6	18	3	3	4	9	13	14	14
20-34	29	3.2	13	<1	1	2	4	9	11	16
35-49	129	3.9	13	<1	1	2	4	9	13	16
50-64	943	5.3	43	1	1	3	6	13	17	32
65+	2750	6.2	52	1	1	4	7	13	19	35
GRAND TOTAL	**3858**	**5.9**	**49**	**1**	**1**	**4**	**7**	**13**	**18**	**33**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	2.9	17	1	1	1	3	10	12	12
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	19	7.8	19	2	2	8	9	11	17	21
20-34	7	8.1	13	4	4	8	10	13	14	14
35-49	45	6.8	10	1	1	7	8	11	12	13
50-64	97	7.9	22	1	1	8	10	13	17	22
65+	94	7.5	25	1	1	8	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.5	37	1	1	3	6	15	21	22
20-34	4	12.3	112	2	2	10	19	27	27	27
35-49	16	4.4	9	2	2	3	6	8	11	13
50-64	73	7.5	62	1	1	4	11	16	22	42
65+	97	8.8	90	1	2	6	12	18	23	57
B. *Operated*										
0-19 YRS	14	11.6	37	7	7	9	14	22	26	27
20-34	13	10.3	28	3	5	10	13	19	21	21
35-49	75	9.0	31	1	2	9	11	15	19	28
50-64	219	11.8	83	2	4	10	14	19	26	60
65+	402	13.3	112	2	4	11	16	25	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.6	10	<1	1	1	3	7	11	12
B. *Operated*	262	7.6	21	1	1	5	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	201	7.9	72	1	2	5	11	17	22	41
B. *Operated*	723	12.3	94	2	4	10	15	22	28	47
1. SINGLE DX	276	7.3	21	1	1	7	10	13	16	21
2. MULTIPLE DX	924	11.3	92	2	2	9	14	21	28	46
A. NOT OPERATED	215	7.5	69	1	1	5	10	17	22	40
B. OPERATED	985	11.0	78	1	2	9	13	20	26	44
TOTAL 0-19 YRS	46	8.1	34	1	2	8	9	14	22	27
20-34	24	10.0	35	3	4	9	12	19	23	27
35-49	138	7.6	24	1	1	7	10	13	16	28
50-64	396	9.9	67	1	2	8	13	18	22	46
65+	596	11.6	100	2	2	9	14	22	28	45
GRAND TOTAL	**1200**	**10.4**	**79**	**1**	**2**	**9**	**13**	**19**	**25**	**44**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	<1	1	1	1
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	3.0	4	<1	<1	3	4	6	7	7
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	8	3.8	9	1	1	3	4	9	11	11
50-64	13	3.0	1	<1	1	3	4	4	4	4
65+	16	2.6	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	5	4.2	11	1	1	4	7	8	8	8
65+	3	24.7	569	8	8	14	42	52	52	52
B. *Operated*										
0-19 YRS	6	4.0	6	<1	<1	4	6	7	7	7
20-34										
35-49	7	3.4	6	1	1	2	5	7	8	8
50-64	6	3.2	3	1	1	3	4	6	6	6
65+	19	3.4	5	1	1	3	5	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.1		<1	<1	<1	1	2	2	2
B. *Operated*	48	3.0	3	<1	1	3	4	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	12	8.3	207	<1	<1	3	8	25	48	52
B. *Operated*	38	3.5	5	<1	1	3	5	6	8	10
1. SINGLE DX	56	2.7	3	<1	<1	3	4	4	5	11
2. MULTIPLE DX	50	4.6	94	<1	1	3	5	8	10	52
A. NOT OPERATED	20	5.4	133	<1	<1	1	5	11	33	52
B. OPERATED	86	3.2	4	<1	1	3	4	5	7	11
TOTAL 0-19 YRS	25	2.4	4	<1	<1	1	4	6	7	7
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	15	3.6	7	1	1	3	4	8	10	11
50-64	25	3.2	3	<1	1	3	4	6	7	8
65+	39	4.7	67	1	1	3	5	7	12	52
GRAND TOTAL	**106**	**3.6**	**28**	**<1**	**<1**	**3**	**4**	**6**	**8**	**31**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	7	<1	<1	1	2	6	9	11
20-34	19	3.4	10	<1	1	3	4	9	12	12
35-49	26	7.3	100	<1	1	3	8	15	35	43
50-64	21	8.6	67	1	1	7	11	19	27	36
65+	23	9.0	89	<1	1	4	14	28	30	32
B. *Operated*										
0-19 YRS	48	11.3	94	1	2	9	11	22	31	54
20-34	58	8.6	13	3	4	9	11	14	15	16
35-49	64	9.0	51	2	2	8	12	17	19	46
50-64	73	12.9	136	2	4	10	14	22	37	71
65+	53	11.6	108	4	4	9	13	18	21	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.8	36	1	1	2	4	8	13	38
20-34	25	8.6	63	1	2	5	12	25	26	29
35-49	59	5.5	21	1	1	4	8	11	15	24
50-64	75	9.0	79	1	2	6	11	20	26	49
65+	92	11.1	92	2	3	8	13	26	32	47
B. *Operated*										
0-19 YRS	46	16.0	206	2	4	12	22	46	68	99+
20-34	45	11.2	77	2	2	9	15	18	28	50
35-49	57	15.3	192	2	5	10	18	40	63	99+
50-64	105	19.0	259	2	5	15	23	39	50	87
65+	95	21.7	283	5	6	17	28	48	57	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	6.3	64	<1	1	3	8	15	28	39
B. *Operated*	296	10.7	84	2	3	9	13	17	23	54
2. MULTIPLE DX										
A. *Not Operated*	307	8.0	69	1	1	6	10	17	26	44
B. *Operated*	348	17.7	233	2	5	13	22	41	54	99+
1. SINGLE DX	404	9.6	82	1	2	8	12	17	23	51
2. MULTIPLE DX	655	13.2	180	1	2	9	17	30	45	85
A. NOT OPERATED	415	7.6	69	1	1	5	10	17	26	43
B. OPERATED	644	14.5	177	2	4	10	17	31	47	86
TOTAL 0-19 YRS	169	9.1	123	1	1	6	11	24	37	92
20-34	147	8.7	45	1	2	8	11	16	19	32
35-49	206	9.6	101	1	2	7	12	18	36	80
50-64	274	13.9	180	2	3	10	17	28	43	75
65+	263	14.9	189	2	3	10	19	32	45	66
GRAND TOTAL	**1059**	**11.8**	**146**	**1**	**2**	**9**	**15**	**26**	**38**	**67**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. Operated										
0-19 YRS	9	7.9	32	2	2	8	13	15	17	17
20-34	8	9.0	69	1	1	6	13	23	26	26
35-49	4	10.0	41	1	1	11	14	16	16	16
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	7.1	34	<1	<1	8	12	15	15	15
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	3	4.0	1	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	4	13.3	86	5	5	12	21	24	24	24
20-34	6	7.8	27	1	1	10	13	83	99+	99+
35-49	2	18.5	221	8	8	18	29	29	29	29
50-64	13	27.6	707	5	6	13	42	73	78	79
65+	6	27.3	375	3	3	32	43	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		<1	<1	1	1	1	1	1
B. Operated	23	8.2	43	1	1	8	13	16	20	26
2. MULTIPLE DX										
A. Not Operated	14	6.7	22	<1	1	6	10	13	15	15
B. Operated	31	21.3	436	2	4	13	32	66	78	99+
1. SINGLE DX	26	7.4	43	<1	1	5	12	16	19	26
2. MULTIPLE DX	45	16.8	350	1	2	10	22	46	73	99+
A. NOT OPERATED	17	5.7	23	<1	<1	4	9	13	14	15
B. OPERATED	54	15.7	307	1	2	11	18	43	70	99
TOTAL 0-19 YRS	21	8.3	44	<1	1	6	13	17	21	24
20-34	16	8.3	47	1	1	9	13	24	74	99+
35-49	7	11.6	84	1	2	11	15	26	29	29
50-64	18	21.2	616	1	2	11	30	69	76	79
65+	9	19.6	371	3	3	7	43	45	46	46
GRAND TOTAL	71	13.3	296	1	1	9	14	37	61	95

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.4	4	<1	<1	1	4	5	6	6
20-34	25	1.9	1	1	1	2	2	3	4	5
35-49	16	2.1	4	1	1	2	2	4	7	9
50-64	13	2.2	1	1	1	2	3	4	5	5
65+	11	2.2	2	1	1	2	3	5	5	5
B. Operated										
0-19 YRS	16	4.2	3	1	1	4	5	7	7	7
20-34	62	3.7	3	1	2	3	4	6	7	10
35-49	61	3.6	4	1	2	3	4	6	7	12
50-64	42	4.4	9	1	2	4	5	8	9	19
65+	29	5.2	14	2	2	4	5	10	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	4.0	11	<1	1	3	5	9	11	14
20-34	20	2.6	3	1	1	2	4	5	6	6
35-49	13	3.5	22	<1	1	2	3	7	17	19
50-64	33	3.9	14	1	1	2	4	9	13	16
65+	27	7.2	106	<1	1	3	6	17	32	46
B. Operated										
0-19 YRS	18	11.4	270	1	2	6	8	28	53	70
20-34	63	5.2	40	2	2	4	6	8	12	42
35-49	69	5.4	51	2	2	4	5	9	10	51
50-64	83	8.2	109	2	3	5	9	13	22	67
65+	69	10.4	136	2	3	7	12	21	36	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	2.1	2	1	1	2	3	4	5	6
B. Operated	230	4.1	6	1	2	4	5	7	8	14
2. MULTIPLE DX										
A. Not Operated	116	4.4	35	1	1	3	4	10	16	35
B. Operated	328	7.4	96	2	3	5	8	13	22	62
1. SINGLE DX	307	3.6	6	1	1	3	4	6	7	12
2. MULTIPLE DX	444	6.7	82	1	2	4	7	12	18	59
A. NOT OPERATED	193	3.5	23	1	1	2	4	6	12	25
B. OPERATED	558	6.1	62	2	2	4	6	10	14	57
TOTAL 0-19 YRS	69	5.7	85	1	1	4	6	8	15	62
20-34	216	4.0	19	1	1	3	5	7	8	14
35-49	159	4.3	27	1	1	3	4	7	9	23
50-64	171	6.0	63	1	2	4	6	11	16	54
65+	136	8.0	99	1	2	5	8	17	26	51
GRAND TOTAL	751	5.4	53	1	1	4	5	9	14	46

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	5.8	131	<1	<1	2	3	22	38	38
20-34	7	4.4	47	1	1	2	2	16	20	20
35-49	31	4.8	24	<1	<1	3	6	11	17	21
50-64	51	5.2	31	1	1	3	7	14	16	29
65+	82	6.9	34	1	1	5	8	16	20	25
B. *Operated*										
0-19 YRS	7	11.4	235	4	4	5	8	38	46	46
20-34	30	4.8	14	1	1	4	6	9	11	18
35-49	57	4.6	14	<1	1	3	6	11	12	16
50-64	103	5.1	30	<1	1	3	7	12	15	30
65+	169	6.3	75	<1	1	3	8	13	18	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.3	12	<1	1	2	4	8	9	22
20-34	134	6.7	64	1	1	4	8	16	20	50
35-49	461	7.0	66	1	1	4	8	16	24	43
50-64	1353	7.4	64	1	1	5	9	17	23	39
65+	2400	8.3	62	1	2	6	11	17	23	38
B. *Operated*										
0-19 YRS	37	6.9	18	1	2	7	9	12	13	21
20-34	213	9.1	67	1	2	7	10	19	25	46
35-49	611	9.7	92	1	2	7	13	20	27	49
50-64	1673	10.2	105	1	2	7	13	22	29	57
65+	2494	11.7	109	1	2	9	15	25	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	5.9	37	1	1	4	8	14	20	28
B. *Operated*	366	5.7	51	<1	1	3	7	12	16	44
2. MULTIPLE DX										
A. *Not Operated*	4409	7.8	63	1	1	5	10	17	23	39
B. *Operated*	5028	10.8	104	1	2	8	14	23	31	53
1. SINGLE DX	547	5.7	46	<1	1	4	7	13	17	33
2. MULTIPLE DX	9437	9.4	87	1	2	7	12	21	27	48
A. NOT OPERATED	4590	7.7	62	1	1	5	10	17	23	38
B. OPERATED	5394	10.5	102	1	2	8	14	22	31	53
TOTAL 0-19 YRS	115	5.2	40	<1	1	3	7	10	13	41
20-34	384	7.8	63	1	2	6	9	16	22	46
35-49	1160	8.2	79	1	1	6	10	19	25	44
50-64	3180	8.8	87	1	1	6	11	19	26	49
65+	5145	9.8	88	1	2	7	13	21	29	49
GRAND TOTAL	**9984**	**9.2**	**86**	**1**	**2**	**7**	**12**	**20**	**27**	**47**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	7	<1	<1	1	3	7	7	7
20-34	20	2.9	18	<1	<1	1	2	7	14	19
35-49	6	2.3	6	1	1	1	3	7	7	7
50-64	4	5.0	15	1	1	4	8	10	10	10
65+	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS	41	4.9	15	<1	1	4	7	9	10	19
20-34	129	4.7	14	<1	1	4	7	9	10	16
35-49	37	5.1	9	1	1	5	8	9	10	11
50-64	21	6.6	14	1	2	7	9	11	12	13
65+	21	9.0	34	1	2	9	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.5	20	<1	1	2	3	11	15	16
20-34	58	5.1	17	1	1	4	7	11	14	18
35-49	23	5.1	11	1	1	5	7	10	12	13
50-64	20	5.0	15	<1	1	3	7	11	13	15
65+	25	9.2	123	1	1	6	10	21	39	46
B. *Operated*										
0-19 YRS	26	8.9	42	1	2	8	10	17	24	30
20-34	88	8.4	48	1	2	7	11	17	22	37
35-49	29	7.8	42	1	2	6	9	19	22	27
50-64	42	7.0	21	1	2	7	10	13	15	18
65+	38	14.4	118	3	3	10	21	33	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.0	13	<1	<1	1	3	7	10	19
B. *Operated*	249	5.3	16	1	1	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	140	5.7	37	1	1	4	7	12	16	38
B. *Operated*	223	9.1	58	1	2	7	12	19	24	36
1. SINGLE DX	286	5.0	16	<1	1	4	7	10	11	19
2. MULTIPLE DX	363	7.8	53	1	1	6	10	16	22	37
A. NOT OPERATED	177	5.1	33	1	1	3	6	11	15	33
B. OPERATED	472	7.1	40	1	1	6	9	13	20	33
TOTAL 0-19 YRS	86	5.7	27	<1	1	5	8	10	16	27
20-34	295	5.8	28	1	1	5	8	11	15	28
35-49	95	5.7	21	1	1	5	8	10	13	25
50-64	87	6.3	18	1	1	6	9	12	13	17
65+	86	11.3	103	1	2	9	15	23	34	48
GRAND TOTAL	**649**	**6.6**	**39**	**1**	**1**	**5**	**9**	**13**	**18**	**33**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.4	19	<1	<1	1	4	7	12	25
20-34	5	8.2	105	1	1	5	12	26	26	26
35-49	5	4.4	9	1	1	4	6	9	9	9
50-64	18	6.9	56	<1	1	5	9	17	26	29
65+	16	4.6	44	<1	<1	2	4	18	21	22
B. *Operated*										
0-19 YRS	68	8.2	72	<1	<1	5	11	19	27	41
20-34	11	9.9	106	2	2	6	15	28	30	30
35-49	4	6.8	17	3	3	6	10	12	12	12
50-64	20	9.3	198	<1	1	3	8	34	45	52
65+	16	9.8	81	1	2	6	15	25	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	5.9	60	<1	<1	4	7	13	20	40
20-34	12	7.3	21	1	2	6	9	14	17	18
35-49	23	10.2	90	1	1	8	15	25	30	35
50-64	52	4.9	15	<1	1	4	8	10	12	16
65+	126	5.8	39	<1	<1	4	8	13	15	37
B. *Operated*										
0-19 YRS	77	14.1	212	2	3	9	18	31	48	74
20-34	13	19.2	256	2	3	16	29	42	50	52
35-49	18	15.4	181	1	2	10	24	38	41	43
50-64	38	13.6	181	1	2	8	22	34	45	48
65+	96	11.2	93	1	3	8	14	24	34	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.4	33	<1	<1	2	5	10	18	28
B. *Operated*	119	8.7	93	<1	1	5	10	23	29	45
2. MULTIPLE DX										
A. *Not Operated*	333	6.1	47	<1	<1	4	8	13	17	35
B. *Operated*	242	13.2	161	2	2	8	18	32	40	54
1. SINGLE DX	223	6.7	69	<1	<1	4	8	18	26	40
2. MULTIPLE DX	575	9.1	107	<1	1	6	11	22	33	51
A. NOT OPERATED	437	5.7	44	<1	<1	4	7	13	17	33
B. OPERATED	361	11.7	143	1	2	7	15	27	38	52
TOTAL 0-19 YRS	327	7.8	104	<1	<1	4	10	18	27	53
20-34	41	11.9	146	1	2	7	18	28	38	52
35-49	50	11.2	118	1	1	8	15	26	37	43
50-64	126	8.5	110	1	1	5	9	23	32	49
65+	254	8.0	69	<1	1	6	11	17	26	38
GRAND TOTAL	**798**	**8.4**	**98**	**<1**	**1**	**5**	**10**	**22**	**29**	**48**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.0	11	<1	<1	3	7	8	10	12
20-34	14	5.8	44	<1	1	3	7	18	22	23
35-49	19	3.7	29	1	1	1	5	7	17	24
50-64	19	3.8	11	<1	<1	3	6	9	11	12
65+	61	3.0	22	<1	<1	2	3	7	7	32
B. *Operated*										
0-19 YRS	13	16.1	276	1	2	9	24	49	49	49
20-34	19	9.7	205	1	1	4	9	30	46	58
35-49	27	11.3	223	1	2	5	11	31	49	58
50-64	18	14.0	426	1	1	4	17	48	63	72
65+	33	11.0	134	1	2	6	14	35	38	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.8	57	<1	1	5	8	12	20	39
20-34	20	5.7	48	<1	1	2	8	18	21	24
35-49	49	7.9	81	<1	1	5	9	18	32	40
50-64	80	6.1	40	<1	1	4	9	12	20	32
65+	243	6.2	72	<1	1	3	7	14	20	33
B. *Operated*										
0-19 YRS	20	21.1	428	3	4	9	37	54	63	68
20-34	33	23.7	384	1	2	24	40	58	65	99+
35-49	53	27.2	390	2	3	29	36	53	77	99+
50-64	80	24.5	377	2	4	20	39	57	61	93
65+	168	17.2	285	2	3	10	27	41	59	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.7	22	<1	<1	1	5	8	10	26
B. *Operated*	110	11.9	227	1	2	5	14	36	49	64
2. MULTIPLE DX										
A. *Not Operated*	417	6.4	65	<1	1	4	8	14	21	36
B. *Operated*	354	21.2	351	2	3	13	33	50	61	88
1. SINGLE DX	246	7.4	130	<1	1	3	7	23	34	58
2. MULTIPLE DX	771	13.2	250	1	1	7	18	36	50	76
A. NOT OPERATED	553	5.7	55	<1	1	3	7	12	19	35
B. OPERATED	464	19.0	336	2	2	11	31	48	59	80
TOTAL 0-19 YRS	81	11.0	212	<1	1	6	10	35	49	65
20-34	86	13.5	273	1	1	6	24	41	58	87
35-49	148	14.9	296	1	1	7	27	39	51	88
50-64	197	14.1	286	1	1	6	19	41	55	75
65+	505	9.8	171	1	1	5	11	27	38	62
GRAND TOTAL	**1017**	**11.8**	**227**	**1**	**1**	**6**	**14**	**34**	**46**	**69**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.2	3	<1	<1	2	3	4	6	9
20-34	31	3.8	12	1	1	3	5	7	9	19
35-49	43	3.8	11	<1	1	3	5	10	11	14
50-64	69	5.4	32	1	1	3	8	13	19	25
65+	101	5.0	37	<1	1	3	7	11	13	38
B. *Operated*										
0-19 YRS	18	8.1	49	1	2	6	12	21	22	23
20-34	43	8.7	68	1	1	5	13	21	25	35
35-49	71	5.6	36	<1	1	4	8	13	16	34
50-64	145	5.4	29	<1	1	3	8	11	16	26
65+	186	6.5	47	1	1	4	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.1	8	<1	1	2	4	8	9	13
20-34	49	6.1	68	1	1	4	7	11	24	41
35-49	116	5.7	61	1	1	4	7	10	17	45
50-64	278	7.1	75	1	1	5	9	15	22	38
65+	664	7.6	65	1	1	5	10	16	22	40
B. *Operated*										
0-19 YRS	19	8.1	29	2	2	7	9	17	20	22
20-34	55	10.5	95	1	1	9	14	24	31	41
35-49	124	10.2	95	1	2	8	12	18	25	62
50-64	362	11.3	136	1	2	7	15	25	33	58
65+	655	13.8	150	2	3	10	18	29	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	4.5	27	<1	1	3	6	10	13	25
B. *Operated*	463	6.3	43	<1	1	4	9	14	19	28
2. MULTIPLE DX										
A. *Not Operated*	1155	7.0	65	1	1	5	9	15	22	40
B. *Operated*	1215	12.4	138	1	2	9	17	26	35	61
1. SINGLE DX	729	5.7	37	<1	1	3	8	13	18	27
2. MULTIPLE DX	2370	9.8	110	1	1	7	13	22	30	54
A. NOT OPERATED	1421	6.6	59	1	1	4	8	14	20	39
B. OPERATED	1678	10.7	119	1	2	8	14	23	31	57
TOTAL 0-19 YRS	107	4.7	23	<1	1	3	6	10	15	22
20-34	178	7.7	72	1	1	4	10	19	25	41
35-49	354	7.1	67	1	1	5	9	15	19	43
50-64	854	8.5	96	1	1	5	10	19	27	50
65+	1606	9.8	107	1	1	7	13	22	30	52
GRAND TOTAL	**3099**	**8.8**	**96**	**1**	**1**	**6**	**11**	**20**	**27**	**49**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	43	2.7	4	<1	1	2	3	6	8	9
20-34	101	2.4	2	<1	1	2	3	4	5	8
35-49	121	2.7	3	<1	1	3	3	4	5	10
50-64	153	2.9	2	1	1	3	4	5	5	7
65+	99	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	11	3.8	8	1	1	3	5	8	11	11
20-34	23	3.3	8	<1	1	2	4	7	9	13
35-49	50	3.1	3	<1	1	3	4	5	6	8
50-64	58	3.2	4	1	2	3	4	5	8	11
65+	67	4.4	15	1	2	3	5	8	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	517	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	209	3.6	8	1	1	3	4	6	9	16
1. SINGLE DX	519	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX	212	3.6	8	1	1	3	4	6	9	16
A. NOT OPERATED	5	2.4	1	1	1	2	3	4	4	4
B. OPERATED	726	3.0	4	1	1	3	4	5	6	11
TOTAL 0-19 YRS	54	3.0	5	1	1	2	4	6	8	11
20-34	124	2.6	3	<1	1	2	3	4	6	10
35-49	171	2.8	3	<1	1	3	3	5	6	8
50-64	214	3.0	3	1	1	3	4	5	5	10
65+	168	3.7	8	1	1	3	4	6	8	17
GRAND TOTAL	**731**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	<1	<1	2	3	4	4	4
20-34	9	1.9	1	<1	<1	2	3	3	3	3
35-49	14	1.6	2	<1	<1	1	2	3	5	6
50-64	20	2.0	3	<1	<1	1	2	4	6	9
65+										
B. *Operated*										
0-19 YRS	22	4.3	16	<1	<1	2	9	10	12	13
20-34	30	6.6	21	<1	1	7	10	12	16	17
35-49	72	3.9	10	<1	<1	3	6	9	10	11
50-64	170	3.8	14	<1	<1	2	7	9	11	16
65+	207	4.1	20	<1	<1	2	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	3.3	4	1	1	3	5	7	7	7
35-49	6	2.5	4	<1	<1	2	3	6	6	6
50-64	29	3.9	7	<1	<1	3	5	8	9	11
65+	96	3.9	12	<1	1	3	5	9	12	16
B. *Operated*										
0-19 YRS	11	5.9	10	<1	1	6	8	10	12	12
20-34	31	7.4	43	1	2	6	8	14	17	35
35-49	86	5.3	39	<1	<1	4	8	12	15	78
50-64	302	5.9	30	<1	1	4	9	11	16	28
65+	690	6.3	38	<1	1	4	9	14	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.9	2	<1	<1	1	2	3	4	9
B. *Operated*	501	4.1	17	<1	<1	2	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	140	3.8	10	<1	1	3	5	8	11	15
B. *Operated*	1120	6.1	36	<1	1	4	9	14	17	30
1. SINGLE DX	551	3.9	16	<1	<1	2	7	9	11	17
2. MULTIPLE DX	1260	5.9	33	<1	1	4	8	13	17	29
A. NOT OPERATED	190	3.3	9	<1	<1	2	4	7	10	14
B. OPERATED	1621	5.5	31	<1	<1	3	8	12	16	27
TOTAL 0-19 YRS	35	4.7	14	<1	<1	3	8	9	12	13
20-34	75	6.2	29	1	1	5	8	12	16	31
35-49	173	4.5	25	<1	<1	3	7	10	12	39
50-64	515	5.0	24	<1	<1	3	8	10	13	23
65+	1013	5.5	33	<1	1	3	8	13	17	26
GRAND TOTAL	**1811**	**5.3**	**29**	**<1**	**<1**	**3**	**8**	**12**	**15**	**26**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.0		<1	<1	1	1	1	1	1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	83	1.5	2	<1	<1	1	1	2	5	9
20-34	49	3.1	8	<1	<1	1	5	8	9	10
35-49	45	3.3	13	<1	<1	2	4	7	11	16
50-64	32	3.1	5	<1	<1	2	5	6	7	8
65+	31	3.3	11	<1	<1	2	4	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	19.3	758	<1	<1	6	40	51	51	51
65+	6	6.5	22	<1	<1	6	7	14	15	15
B. *Operated*										
0-19 YRS	28	2.4	11	<1	<1	1	2	6	10	16
20-34	17	4.3	14	<1	<1	2	6	10	11	12
35-49	27	4.1	15	<1	<1	2	6	9	13	17
50-64	42	4.9	13	<1	1	5	7	10	11	15
65+	52	6.1	54	1	1	3	7	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.5	2	<1	<1	1	1	3	6	6
B. *Operated*	240	2.6	7	<1	<1	1	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	10	10.0	223	<1	<1	6	7	33	51	51
B. *Operated*	166	4.7	27	<1	1	2	7	10	15	22
1. SINGLE DX	252	2.6	7	<1	<1	1	3	6	9	14
2. MULTIPLE DX	176	5.0	38	<1	<1	2	7	10	16	37
A. NOT OPERATED	22	5.4	116	<1	<1	1	6	9	29	51
B. OPERATED	406	3.5	16	<1	<1	2	5	8	10	17
TOTAL 0-19 YRS	119	1.7	4	<1	<1	1	1	2	7	11
20-34	66	3.4	10	<1	<1	2	5	9	10	12
35-49	74	3.6	13	<1	<1	2	5	7	11	17
50-64	77	4.7	38	<1	<1	3	6	8	10	41
65+	92	5.1	37	<1	1	2	7	11	16	34
GRAND TOTAL	**428**	**3.6**	**21**	**<1**	**<1**	**2**	**5**	**8**	**10**	**18**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.0	4	1	1	1	2	6	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	430	2.0	2	<1	<1	2	2	4	5	9
20-34	399	2.1	3	<1	<1	2	3	4	5	10
35-49	428	2.1	4	<1	<1	1	2	4	6	9
50-64	384	2.3	4	<1	<1	2	3	4	6	11
65+	181	2.7	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	5	4.2	6	1	1	4	6	7	7	7
35-49	9	1.8	1	<1	<1	1	2	4	4	4
50-64	10	3.0	2	<1	<1	3	4	5	5	5
65+	8	1.6	3	<1	<1	1	1	5	6	6
B. *Operated*										
0-19 YRS	75	3.9	22	<1	1	2	4	9	15	23
20-34	142	3.6	12	<1	1	2	5	8	11	19
35-49	218	3.6	20	<1	<1	2	4	8	10	22
50-64	242	3.4	11	<1	<1	2	4	7	9	17
65+	189	5.3	36	<1	1	3	7	13	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.2	3	1	1	1	3	5	6	6
B. *Operated*	1822	2.2	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	36	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*	866	3.9	21	<1	1	2	4	8	12	24
1. SINGLE DX	1834	2.2	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX	902	3.9	20	<1	1	2	4	8	12	24
A. NOT OPERATED	48	2.3	3	<1	<1	1	4	5	6	7
B. OPERATED	2688	2.7	10	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	510	2.2	5	<1	<1	2	2	4	6	13
20-34	547	2.5	6	<1	<1	2	3	5	7	12
35-49	661	2.6	9	<1	<1	2	3	5	8	14
50-64	638	2.7	7	<1	<1	2	3	5	8	13
65+	380	4.0	24	<1	<1	2	4	9	14	29
GRAND TOTAL	**2736**	**2.7**	**10**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.3	26	<1	<1	3	7	14	15	15
20-34	3	4.3	12	1	1	4	7	8	8	8
35-49	2	9.5	145	1	1	9	18	18	18	18
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	401	1.8	4	<1	<1	1	2	3	5	12
20-34	156	2.3	6	<1	<1	1	3	5	9	12
35-49	116	2.6	8	<1	<1	2	3	6	8	15
50-64	93	2.9	17	<1	<1	1	3	6	10	25
65+	51	2.2	4	<1	<1	1	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	1	2	4	4	4
20-34	9	3.2	7	<1	<1	2	5	8	8	8
35-49	2	2.0		2	2	2	2	2	2	2
50-64	6	6.0	26	2	2	4	6	15	16	16
65+	16	6.9	29	<1	1	5	10	15	18	19
B. *Operated*										
0-19 YRS	108	3.1	18	<1	<1	2	3	8	9	26
20-34	64	5.3	139	<1	<1	2	5	11	16	81
35-49	70	3.8	24	<1	<1	2	5	9	13	26
50-64	85	6.5	108	<1	<1	3	7	15	27	62
65+	99	6.5	59	<1	<1	3	8	18	26	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.9	27	<1	1	3	7	14	16	18
B. *Operated*	817	2.2	6	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	45	4.4	20	<1	<1	3	6	12	15	19
B. *Operated*	426	5.0	66	<1	<1	2	5	12	18	34
1. SINGLE DX	837	2.2	7	<1	<1	1	2	4	7	14
2. MULTIPLE DX	471	4.9	62	<1	<1	2	5	12	18	32
A. NOT OPERATED	65	4.6	22	<1	<1	3	6	14	15	19
B. OPERATED	1243	3.1	29	<1	<1	2	3	7	11	26
TOTAL 0-19 YRS	532	2.1	8	<1	<1	1	2	4	7	14
20-34	232	3.2	44	<1	<1	2	3	7	10	21
35-49	190	3.1	15	<1	<1	2	4	7	10	20
50-64	186	4.6	61	<1	<1	2	4	11	16	41
65+	168	5.2	43	<1	<1	3	6	14	21	30
GRAND TOTAL	**1308**	**3.2**	**28**	**<1**	**<1**	**2**	**3**	**7**	**12**	**26**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	83	1.3		<1	<1	1	1	2	2	4
20-34	154	1.3		<1	<1	1	2	2	2	3
35-49	154	1.6	1	<1	<1	1	2	2	3	4
50-64	69	1.7	1	<1	<1	2	2	2	3	5
65+	40	1.7	1	<1	<1	2	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	58	2.2	3	<1	<1	1	3	5	6	8
35-49	118	2.1	2	<1	<1	2	2	4	5	8
50-64	115	2.6	10	<1	<1	2	2	4	9	19
65+	57	3.2	11	<1	1	2	3	7	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	500	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	4	1.8		<1	<1	2	2	2	2	2
B. *Operated*	353	2.5	6	<1	<1	2	2	5	7	15
1. SINGLE DX	503	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX	357	2.4	6	<1	<1	2	2	5	7	15
A. NOT OPERATED	7	1.6		<1	<1	2	2	2	2	2
B. OPERATED	853	1.9	3	<1	<1	1	2	3	4	10
TOTAL 0-19 YRS	89	1.3		<1	<1	1	1	2	2	4
20-34	213	1.6	1	<1	<1	1	2	3	3	7
35-49	273	1.8	1	<1	<1	2	2	3	4	6
50-64	186	2.3	6	<1	<1	2	2	3	5	16
65+	99	2.6	7	<1	<1	2	2	5	8	16
GRAND TOTAL	**860**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.1	2	<1	<1	2	3	5	5	5
35-49	9	2.4	5	<1	<1	1	4	6	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	236	4.6	3	<1	1	5	6	7	7	8
35-49	749	5.2	3	1	3	5	6	7	7	9
50-64	107	5.5	12	<1	1	6	6	7	8	21
65+	13	4.8	5	<1	1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	2.4	2	<1	1	2	3	4	5	6
35-49	68	2.9	7	<1	<1	2	4	7	7	14
50-64	20	2.6	9	<1	<1	1	3	7	10	12
65+	6	5.7	16	2	2	5	6	12	13	13
B. *Operated*										
0-19 YRS	5	4.2	4	1	1	5	5	6	6	6
20-34	948	5.3	6	1	3	5	6	7	8	12
35-49	5366	5.7	5	2	4	6	6	8	9	13
50-64	1140	5.9	7	1	4	6	7	8	9	16
65+	153	7.5	13	2	4	7	9	12	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.2	3	<1	<1	1	3	5	6	7
B. *Operated*	1107	5.1	4	1	2	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	119	2.9	7	<1	1	2	4	6	8	14
B. *Operated*	7612	5.7	5	2	4	6	7	8	9	13
1. SINGLE DX	1125	5.0	4	1	2	5	6	7	7	9
2. MULTIPLE DX	7731	5.7	6	2	4	6	6	8	9	13
A. NOT OPERATED	137	2.8	6	<1	<1	2	4	6	7	13
B. OPERATED	8719	5.7	5	1	4	6	6	8	9	13
TOTAL 0-19 YRS	7	4.0	5	1	1	5	6	6	6	6
20-34	1216	5.1	5	1	2	5	6	7	8	11
35-49	6192	5.6	5	2	4	6	6	7	8	12
50-64	1268	5.8	7	1	3	6	7	8	9	16
65+	173	7.2	13	2	3	6	9	12	13	21
GRAND TOTAL	**8856**	**5.6**	**5**	**1**	**3**	**6**	**6**	**8**	**9**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	13	3.9	3	1	2	4	5	6	7	7
35-49	20	4.2	6	<1	<1	5	6	6	8	9
50-64	5	5.0	21	<1	<1	5	7	12	12	12
65+	2	8.5	85	2	2	8	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	28	4.7	7	<1	1	5	6	9	10	10
35-49	77	5.1	4	1	2	5	6	7	8	9
50-64	34	5.2	8	<1	1	5	6	9	9	14
65+	11	7.5	24	1	2	6	11	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	41	4.4	9	<1	1	4	6	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	150	5.2	7	<1	1	5	6	8	9	14
1. SINGLE DX	43	4.3	9	<1	1	4	6	7	10	15
2. MULTIPLE DX	151	5.2	7	<1	1	5	6	8	9	14
A. NOT OPERATED	3	2.0	1	1	1	2	3	3	3	3
B. OPERATED	191	5.1	8	<1	1	5	6	8	9	15
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	42	4.4	6	<1	1	4	6	8	9	10
35-49	98	4.9	4	<1	1	5	6	7	8	9
50-64	39	5.2	10	<1	<1	5	6	9	11	14
65+	14	7.3	27	1	2	6	11	15	16	16
GRAND TOTAL	**194**	**5.0**	**8**	**<1**	**1**	**5**	**6**	**8**	**9**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	88	4.5	1	3	3	4	5	6	6	6
20-34	297	4.6	2	3	3	5	5	6	6	9
35-49	102	5.5	4	3	4	5	6	7	9	15
50-64	46	6.0	4	4	4	6	6	8	9	17
65+	35	7.5	11	3	4	6	9	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	4.0		4	4	4	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	3	6.7	10	3	3	8	9	9	9	9
B. *Operated*										
0-19 YRS	43	5.3	3	3	4	5	6	7	9	11
20-34	372	4.9	3	2	3	5	6	7	7	10
35-49	261	5.9	5	4	4	6	6	8	10	14
50-64	187	6.8	6	4	5	6	8	10	13	19
65+	137	9.3	41	4	5	8	10	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	568	5.0	4	3	3	5	6	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	6	4.3	8	1	1	3	6	9	9	9
B. *Operated*	1000	6.1	12	3	4	6	7	9	11	19
1. SINGLE DX	569	5.0	4	3	3	5	6	7	8	15
2. MULTIPLE DX	1006	6.1	12	3	4	6	7	9	11	19
A. NOT OPERATED	9	3.9	8	1	1	3	5	9	9	9
B. OPERATED	1568	5.7	9	3	3	5	6	8	10	16
TOTAL 0-19 YRS	132	4.7	2	3	3	5	5	6	7	9
20-34	672	4.7	2	3	3	5	5	6	7	9
35-49	365	5.8	5	3	4	5	6	8	9	14
50-64	233	6.6	7	4	5	6	7	9	12	19
65+	175	8.9	35	4	5	7	10	14	17	27
GRAND TOTAL	**1577**	**5.7**	**9**	**3**	**3**	**5**	**6**	**8**	**10**	**16**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	13	2.8	5	<1	<1	2	4	6	8	8
35-49	14	2.5	4	<1	<1	1	4	6	6	6
50-64	6	3.7	5	<1	<1	4	5	6	6	6
65+	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	12	4.2	2	2	2	4	5	6	6	6
35-49	20	5.0	3	<1	1	5	6	7	7	8
50-64	8	7.4	39	<1	1	6	12	17	17	17
65+	10	5.3	26	<1	<1	3	8	13	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	39	2.7	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	52	5.2	13	<1	1	5	6	8	16	17
1. SINGLE DX	40	2.7	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX	52	5.2	13	<1	1	5	6	8	16	17
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	91	4.1	10	<1	<1	4	6	7	8	17
TOTAL 0-19 YRS	5	2.6	3	<1	<1	3	4	5	5	5
20-34	25	3.4	4	<1	<1	4	5	6	7	8
35-49	35	3.9	5	<1	<1	5	6	6	7	8
50-64	14	5.8	26	<1	<1	5	6	17	17	17
65+	13	4.8	21	<1	1	3	7	11	16	17
GRAND TOTAL	**92**	**4.1**	**10**	**<1**	**<1**	**4**	**6**	**7**	**8**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	12	1.8	1	<1	<1	2	2	3	3	3
35-49	13	2.0	3	<1	<1	1	2	4	6	7
50-64	11	1.9	2	<1	<1	2	2	4	6	6
65+	7	1.4	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	9.8	95	1	1	6	18	23	23	23
35-49	5	1.6		1	1	2	2	2	2	2
50-64	5	2.4	2	<1	<1	2	3	5	5	5
65+	20	5.1	31	1	1	3	6	9	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	47	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	35	4.9	35	1	1	2	6	10	21	26
1. SINGLE DX	48	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	35	4.9	35	1	1	2	6	10	21	26
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	82	3.1	18	<1	1	2	3	6	9	25
TOTAL 0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	17	4.1	38	<1	1	2	3	15	21	23
35-49	19	1.8	2	<1	1	1	2	3	5	7
50-64	16	2.1	2	<1	<1	2	2	5	6	6
65+	27	4.1	25	<1	1	2	5	8	12	26
GRAND TOTAL	**83**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**25**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.3	15	<1	<1	1	5	9	9	9
35-49	9	4.0	11	<1	<1	2	7	9	10	10
50-64	18	2.2	4	<1	<1	2	3	4	7	9
65+	22	2.2	8	<1	<1	1	2	5	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.7	10	2	2	7	8	8	8	8
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	5	4.4	9	<1	<1	3	7	8	8	8
35-49	11	4.6	7	1	1	5	7	8	8	8
50-64	25	5.9	23	1	1	5	9	11	17	17
65+	45	4.3	27	<1	1	3	4	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	54	2.6	7	<1	<1	1	2	7	10	11
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	10	1	1	3	7	8	8	8
B. *Operated*	88	4.8	22	<1	1	3	7	10	13	25
1. SINGLE DX	54	2.6	7	<1	<1	1	2	7	10	11
2. MULTIPLE DX	93	4.8	21	<1	1	3	7	10	13	24
A. NOT OPERATED	5	4.2	10	1	1	3	7	8	8	8
B. OPERATED	142	3.9	17	<1	<1	2	5	9	11	18
TOTAL 0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	12	4.3	10	<1	<1	3	7	8	9	9
35-49	20	4.4	8	<1	<1	4	7	8	9	10
50-64	44	4.3	17	<1	1	3	6	10	13	17
65+	68	3.6	21	<1	1	2	4	10	12	27
GRAND TOTAL	**147**	**3.9**	**17**	**<1**	**1**	**2**	**5**	**9**	**11**	**18**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.4		<1	<1	<1	2	3	3	3
20-34	4	2.3	1	<1	<1	2	3	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64	6	1.5	1	<1	<1	1	2	3	3	3
65+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	8.5	1	8	8	8	9	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	4	3.3	10	1	1	2	5	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	26	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	2	8.5	1	8	8	8	9	9	9	9
B. *Operated*	11	2.5	4	1	1	2	3	6	8	8
1. SINGLE DX	26	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	13	3.4	9	1	1	2	5	8	9	9
A. NOT OPERATED	2	8.5	1	8	8	8	9	9	9	9
B. OPERATED	37	1.9	2	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	12	1.3		<1	<1	1	2	2	3	3
20-34	6	1.8	1	<1	<1	2	3	3	3	3
35-49	5	2.4	1	2	2	2	3	4	4	4
50-64	10	2.2	5	<1	<1	1	2	5	8	8
65+	6	4.2	12	1	1	3	8	9	9	9
GRAND TOTAL	**39**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**8**	**9**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	7	4.6	28	<1	<1	3	5	14	16	16
65+	8	4.5	4	1	1	5	6	7	7	7
B. *Operated*										
0-19 YRS	7	9.1	25	3	4	8	10	17	19	19
20-34	40	9.6	20	2	4	9	13	16	18	20
35-49	63	8.3	65	1	1	8	10	12	15	55
50-64	69	11.1	60	2	3	9	12	20	30	38
65+	40	9.5	37	1	2	9	12	17	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	6	2.0	4	<1	<1	1	2	6	6	6
35-49	4	8.0	55	3	3	5	12	19	19	19
50-64	22	4.1	9	1	1	3	6	8	11	12
65+	43	8.4	76	1	2	5	10	19	25	42
B. *Operated*										
0-19 YRS	7	22.0	210	11	11	18	32	46	48	48
20-34	34	11.9	27	4	6	11	16	21	78	99+
35-49	87	13.3	116	4	5	10	16	24	33	91
50-64	130	15.4	203	4	6	12	17	25	55	94
65+	122	19.0	293	2	4	14	22	48	60	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.7	14	<1	1	4	6	8	13	16
B. *Operated*	219	9.7	49	1	2	9	11	16	21	37
2. MULTIPLE DX										
A. *Not Operated*	78	6.4	53	1	1	4	7	16	20	40
B. *Operated*	380	15.9	202	3	5	11	18	33	56	99+
1. SINGLE DX	237	9.3	48	1	2	9	11	16	20	37
2. MULTIPLE DX	458	14.3	189	2	3	11	17	31	50	99
A. NOT OPERATED	96	6.1	45	1	1	4	7	16	19	39
B. OPERATED	599	13.6	155	2	4	10	16	28	45	91
TOTAL 0-19 YRS	17	13.1	154	1	2	11	18	33	44	48
20-34	82	9.8	28	1	2	10	13	17	20	99+
35-49	155	11.1	99	1	2	9	12	18	30	76
50-64	228	12.7	149	2	3	10	14	22	33	90
65+	213	14.5	217	2	3	10	18	34	50	75
GRAND TOTAL	**695**	**12.6**	**146**	**1**	**3**	**10**	**15**	**23**	**37**	**86**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	14	2.6	2	1	1	3	4	4	4	4
20-34	183	3.0	1	1	2	3	4	4	5	5
35-49	188	3.0	1	1	1	3	4	5	5	6
50-64	107	3.2	1	2	2	3	4	5	5	7
65+	42	3.3	1	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	7	3.3	1	2	2	3	4	4	4	4
20-34	53	3.2	1	1	2	3	4	5	5	6
35-49	82	4.0	14	2	2	3	4	5	7	26
50-64	110	3.9	4	2	3	3	4	5	8	14
65+	79	5.8	51	3	3	4	6	9	13	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	534	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*	331	4.3	18	2	2	4	4	6	8	22
1. SINGLE DX	535	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	335	4.3	18	2	2	4	4	6	8	21
A. NOT OPERATED	5	2.2	3	1	1	2	3	5	5	5
B. OPERATED	865	3.5	8	1	2	3	4	5	6	13
TOTAL 0-19 YRS	21	2.8	1	1	1	3	4	4	4	4
20-34	236	3.1	1	1	2	3	4	4	5	6
35-49	270	3.3	5	1	2	3	4	5	5	8
50-64	220	3.6	3	2	2	3	4	5	6	13
65+	123	4.9	35	2	2	4	5	7	10	32
GRAND TOTAL	**870**	**3.5**	**8**	**1**	**2**	**3**	**4**	**5**	**6**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	5	9.8	38	5	5	9	12	20	20	20
20-34	33	6.7	10	2	3	6	9	10	14	15
35-49	32	7.3	15	2	3	7	9	14	15	16
50-64	33	5.0	6	2	3	4	6	9	10	11
65+	21	5.5	13	1	2	4	7	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	5	3.4	3	2	2	3	4	6	6	6
50-64	15	5.1	23	1	1	3	8	12	16	17
65+	9	9.8	125	1	1	6	11	29	36	36
B. *Operated*										
0-19 YRS	6	7.0	8	4	4	6	8	12	12	12
20-34	35	9.9	87	2	3	7	10	21	35	42
35-49	53	8.4	27	3	3	8	11	15	17	29
50-64	73	7.4	55	2	3	6	9	11	19	90
65+	79	11.4	130	3	3	9	14	23	27	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	2	2	2	2	3	5	5	5
B. *Operated*	124	6.3	12	2	3	6	8	10	14	17
2. MULTIPLE DX										
A. *Not Operated*	32	5.9	50	1	1	4	7	13	19	36
B. *Operated*	246	9.2	78	3	3	7	10	18	23	61
1. SINGLE DX	129	6.2	13	2	2	5	8	10	14	17
2. MULTIPLE DX	278	8.8	76	2	3	6	10	18	23	58
A. NOT OPERATED	37	5.5	44	1	1	3	6	11	18	36
B. OPERATED	370	8.2	58	2	3	6	10	15	21	51
TOTAL 0-19 YRS	12	8.0	20	4	4	6	9	14	19	20
20-34	73	8.0	50	2	2	6	9	14	20	41
35-49	92	7.6	22	2	3	7	10	14	16	25
50-64	121	6.4	39	1	2	5	8	10	15	71
65+	109	10.1	110	3	3	6	11	22	24	63
GRAND TOTAL	**407**	**8.0**	**57**	**2**	**3**	**6**	**9**	**15**	**21**	**47**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	6	2.3	3	<1	<1	2	4	5	5	5
20-34	378	3.2	4	<1	<1	3	5	6	7	8
35-49	171	4.0	6	1	1	4	6	7	8	11
50-64	38	3.5	6	1	1	2	6	7	8	8
65+	20	3.7	7	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	19	<1	<1	1	6	10	10	10
20-34	372	4.0	5	<1	1	4	6	6	7	10
35-49	266	5.0	6	1	1	5	6	7	8	13
50-64	70	6.0	14	1	1	6	7	9	12	21
65+	46	6.1	15	1	1	6	8	11	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	613	3.4	5	<1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	8	1.3	1	<1	<1	1	1	3	3	3
B. *Operated*	758	4.6	8	<1	1	5	6	7	9	13
1. SINGLE DX	615	3.4	5	<1	1	3	5	6	7	9
2. MULTIPLE DX	766	4.6	8	<1	1	5	6	7	8	13
A. NOT OPERATED	10	1.8	2	<1	<1	1	3	4	5	5
B. OPERATED	1371	4.1	7	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	11	2.6	8	<1	<1	1	4	7	10	10
20-34	754	3.6	5	<1	<1	4	5	6	7	8
35-49	441	4.5	6	1	1	5	6	7	8	12
50-64	109	5.1	12	1	1	5	7	8	9	20
65+	66	5.4	14	1	1	5	8	10	11	19
GRAND TOTAL	**1381**	**4.1**	**7**	**<1**	**1**	**4**	**6**	**7**	**8**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	24	2.7	5	<1	<1	1	5	6	7	7
35-49	48	3.8	15	<1	<1	3	5	7	8	25
50-64	62	3.7	12	<1	<1	2	5	10	11	14
65+	96	4.4	17	<1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64	10	3.5	11	<1	<1	2	5	9	9	9
65+	4	6.8	42	<1	<1	5	11	16	16	16
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	16	5.2	13	<1	1	5	7	11	12	12
35-49	66	5.2	9	<1	2	5	6	10	11	14
50-64	129	5.1	24	<1	1	4	7	10	11	30
65+	221	7.6	40	1	2	6	10	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	235	3.8	14	<1	<1	3	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	17	4.4	16	<1	<1	5	5	9	14	16
B. *Operated*	434	6.3	31	1	1	5	8	12	17	29
1. SINGLE DX	236	3.8	14	<1	<1	3	5	8	12	18
2. MULTIPLE DX	451	6.3	31	1	1	5	8	12	16	28
A. NOT OPERATED	18	4.3	15	<1	<1	4	5	9	13	16
B. OPERATED	669	5.5	26	<1	1	4	7	11	15	25
TOTAL 0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	40	3.7	9	<1	<1	3	6	8	10	12
35-49	117	4.6	12	<1	1	4	6	9	11	18
50-64	202	4.6	20	<1	1	3	7	10	11	21
65+	321	6.6	35	1	1	5	9	14	19	28
GRAND TOTAL	**687**	**5.4**	**26**	**<1**	**1**	**4**	**7**	**11**	**15**	**24**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.5	1	<1	<1	1	2	3	4	4
20-34	12	3.3	8	<1	1	2	4	9	10	10
35-49	22	5.2	61	<1	<1	2	6	13	27	32
50-64	19	4.2	11	1	1	3	6	10	12	12
65+	31	3.4	14	<1	<1	2	4	7	14	15
B. *Operated*										
0-19 YRS	128	3.7	14	<1	<1	2	5	8	11	19
20-34	146	3.8	10	<1	<1	3	5	8	10	15
35-49	143	3.6	14	<1	<1	2	5	8	11	14
50-64	182	3.6	10	<1	1	2	5	9	11	14
65+	223	3.8	12	<1	1	2	5	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	4	<1	<1	3	4	6	7	9
20-34	26	4.1	23	<1	<1	3	4	7	16	22
35-49	46	3.9	12	<1	<1	3	5	8	12	16
50-64	88	4.1	23	<1	1	3	5	8	12	28
65+	294	5.7	36	1	1	4	7	13	16	27
B. *Operated*										
0-19 YRS	44	8.9	135	1	2	5	9	18	35	65
20-34	120	7.0	80	1	1	5	8	12	21	51
35-49	155	6.8	94	1	1	4	7	15	22	87
50-64	271	6.3	40	1	1	5	8	12	18	34
65+	498	8.0	72	1	1	5	10	16	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.6	22	<1	1	2	4	8	11	28
B. *Operated*	822	3.7	12	<1	1	2	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	475	5.0	30	<1	1	3	6	11	15	26
B. *Operated*	1088	7.3	71	1	1	5	9	15	23	47
1. SINGLE DX	922	3.7	13	<1	1	2	5	8	11	16
2. MULTIPLE DX	1563	6.6	60	1	1	4	8	14	20	41
A. NOT OPERATED	575	4.8	29	<1	1	3	6	10	15	26
B. OPERATED	1910	5.8	49	<1	1	4	7	12	16	37
TOTAL 0-19 YRS	209	4.5	43	<1	<1	3	5	9	12	36
20-34	304	5.1	41	<1	1	4	6	10	13	43
35-49	366	5.1	52	<1	1	3	6	11	16	36
50-64	560	5.0	28	<1	1	3	7	10	13	31
65+	1046	6.3	51	1	1	4	8	14	19	37
GRAND TOTAL	**2485**	**5.5**	**44**	**<1**	**1**	**3**	**7**	**12**	**16**	**34**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.8	3	2	2	3	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	6	4.7	10	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	14	2.6	1	1	2	3	3	4	4	4
20-34	121	3.1	1	1	1	3	4	4	5	7
35-49	166	3.2	1	2	2	3	4	4	5	6
50-64	137	3.3	1	1	2	3	4	4	5	7
65+	74	4.2	5	2	3	4	5	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	1.8	1	<1	<1	1	3	3	3	3
35-49	11	2.9	5	<1	<1	2	5	6	6	6
50-64	7	2.1	5	<1	<1	1	3	6	7	7
65+	18	5.4	23	<1	1	4	7	10	17	21
B. *Operated*										
0-19 YRS	6	3.8	7	2	2	3	3	8	9	9
20-34	48	3.3	2	1	2	3	4	4	5	9
35-49	76	3.8	1	2	3	4	4	5	6	8
50-64	127	4.4	5	2	2	4	5	7	9	14
65+	88	6.3	54	2	3	4	6	12	17	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.8	7	1	1	3	6	8	9	9
B. *Operated*	512	3.3	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	45	3.6	13	<1	<1	3	5	7	10	21
B. *Operated*	345	4.6	17	2	2	4	5	7	9	17
1. SINGLE DX	524	3.3	2	1	2	3	4	5	5	9
2. MULTIPLE DX	390	4.5	17	1	2	4	5	7	9	18
A. NOT OPERATED	57	3.6	12	<1	<1	3	5	7	9	20
B. OPERATED	857	3.8	8	2	2	3	4	5	7	14
TOTAL 0-19 YRS	20	3.0	3	1	2	3	3	4	7	9
20-34	179	3.1	1	1	1	3	4	4	5	7
35-49	257	3.4	1	2	2	3	4	5	5	6
50-64	272	3.8	3	1	2	4	4	5	7	13
65+	186	5.3	31	2	2	4	5	9	14	22
GRAND TOTAL	**914**	**3.8**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**15**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	40	1	1	3	5	16	19	19
20-34	23	4.0	5	1	1	4	5	7	9	10
35-49	21	4.5	11	1	1	4	7	10	11	12
50-64	10	4.5	3	2	2	5	5	7	7	7
65+	17	4.8	4	1	2	5	7	7	8	8
B. *Operated*										
0-19 YRS	25	4.2	7	1	2	4	4	7	10	14
20-34	98	3.6	2	2	2	4	4	5	6	8
35-49	89	3.5	2	1	2	3	4	6	6	6
50-64	60	3.7	2	2	2	3	4	5	7	9
65+	23	4.5	3	2	3	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.5	11	2	2	3	6	9	12	14
20-34	64	4.2	9	1	1	3	6	8	10	14
35-49	76	4.9	10	1	2	4	6	10	12	14
50-64	105	6.4	32	1	2	5	7	15	16	31
65+	186	8.0	28	2	3	7	11	16	18	23
B. *Operated*										
0-19 YRS	16	5.1	16	1	1	4	6	12	15	16
20-34	60	4.7	10	2	3	4	5	7	9	24
35-49	87	4.7	9	2	3	4	5	7	11	19
50-64	84	6.8	57	2	2	4	7	15	22	45
65+	64	8.2	95	2	3	5	8	21	29	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	4.5	9	1	1	4	6	7	10	17
B. *Operated*	295	3.7	2	2	2	4	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	447	6.4	25	1	2	5	8	14	16	22
B. *Operated*	311	6.0	42	2	3	4	6	11	18	42
1. SINGLE DX	373	3.9	4	1	2	4	5	6	7	11
2. MULTIPLE DX	758	6.2	32	2	2	5	7	13	16	28
A. NOT OPERATED	525	6.1	23	1	2	5	8	12	16	22
B. OPERATED	606	4.9	24	2	2	4	5	7	12	27
TOTAL 0-19 YRS	64	4.6	13	1	2	4	5	9	14	19
20-34	245	4.1	6	1	2	4	5	6	8	13
35-49	273	4.3	7	1	2	4	5	7	11	14
50-64	259	5.8	34	2	2	4	6	10	16	33
65+	290	7.6	40	2	3	6	9	16	18	35
GRAND TOTAL	**1131**	**5.5**	**24**	**2**	**2**	**4**	**6**	**10**	**15**	**24**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	4.5	6	1	2	4	6	7	9	14
20-34	89	4.3	8	2	2	4	5	8	8	18
35-49	56	4.3	5	1	2	4	6	7	8	11
50-64	87	4.5	7	1	2	4	5	8	9	15
65+	66	4.8	5	2	2	4	6	8	9	11
B. *Operated*										
0-19 YRS	10	4.7	3	3	3	4	6	7	8	8
20-34	14	4.5	6	1	1	4	6	8	9	9
35-49	9	4.0	3	2	2	3	5	7	7	7
50-64	9	4.9	9	1	1	5	6	10	10	10
65+	6	6.0	21	1	1	4	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	4.5	8	1	1	4	6	8	10	14
20-34	174	4.8	10	1	2	4	6	9	12	16
35-49	243	5.2	11	1	2	5	7	8	10	19
50-64	514	6.1	25	2	2	5	7	10	14	25
65+	826	6.5	21	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	9	5.3	8	1	1	6	7	9	9	9
20-34	35	8.1	97	2	2	5	10	14	21	57
35-49	47	6.9	35	1	2	5	9	11	21	33
50-64	115	10.5	155	2	3	6	10	26	39	62
65+	150	11.5	143	2	3	8	13	22	34	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	4.5	7	1	2	4	6	8	9	14
B. *Operated*	48	4.7	7	1	2	4	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	1891	5.9	19	2	2	5	7	11	14	22
B. *Operated*	356	10.1	127	2	3	7	11	20	33	65
1. SINGLE DX	590	4.5	7	1	2	4	6	8	9	14
2. MULTIPLE DX	2247	6.6	38	2	2	5	8	12	15	33
A. NOT OPERATED	2433	5.6	17	2	2	5	7	10	13	20
B. OPERATED	404	9.4	116	2	2	6	10	18	32	63
TOTAL 0-19 YRS	397	4.5	7	1	2	4	6	8	9	14
20-34	312	5.0	20	1	2	4	6	9	12	21
35-49	355	5.3	14	1	2	5	7	9	11	22
50-64	725	6.6	46	2	2	5	8	11	15	37
65+	1048	7.1	41	2	2	6	8	13	16	34
GRAND TOTAL	**2837**	**6.1**	**33**	**2**	**2**	**5**	**7**	**11**	**14**	**29**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	517	3.7	12	1	1	3	5	7	8	12
20-34	287	3.4	5	1	1	3	4	6	8	11
35-49	107	3.9	6	1	2	3	5	7	9	13
50-64	80	4.9	6	1	2	4	7	9	9	11
65+	49	6.1	19	2	2	5	7	9	12	30
B. *Operated*										
0-19 YRS	5	17.8	739	1	1	6	25	66	66	66
20-34	15	5.1	12	2	2	4	6	7	14	16
35-49	7	5.1	11	2	2	4	7	10	11	11
50-64	5	6.4	9	3	3	6	9	10	10	10
65+	5	7.4	19	1	1	7	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	498	4.0	9	1	1	3	5	7	9	11
20-34	601	4.4	12	1	2	4	5	8	11	18
35-49	373	5.5	17	1	2	5	7	9	13	19
50-64	367	6.3	24	2	2	5	8	11	15	25
65+	464	9.0	44	2	3	7	11	17	21	37
B. *Operated*										
0-19 YRS	20	5.3	12	1	2	4	7	9	13	16
20-34	62	9.4	91	2	3	7	10	19	27	60
35-49	48	7.3	25	2	2	7	9	16	17	25
50-64	46	14.8	136	4	4	11	18	33	34	64
65+	68	19.9	258	5	6	14	26	38	52	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1040	3.9	10	1	1	3	5	7	8	12
B. *Operated*	37	7.3	110	1	2	5	7	11	15	66
2. MULTIPLE DX										
A. *Not Operated*	2303	5.7	24	1	2	4	7	11	14	24
B. *Operated*	244	12.6	153	2	3	9	15	27	34	64
1. SINGLE DX	1077	4.0	13	1	1	3	5	7	8	13
2. MULTIPLE DX	2547	6.4	40	1	2	5	8	12	17	32
A. NOT OPERATED	3343	5.2	20	1	2	4	6	9	13	22
B. OPERATED	281	11.9	151	2	3	8	14	26	34	64
TOTAL 0-19 YRS	1040	3.9	14	1	1	3	5	7	8	12
20-34	965	4.5	17	1	1	4	5	8	11	21
35-49	535	5.4	16	1	2	4	7	9	13	19
50-64	498	6.9	38	2	2	5	8	12	17	33
65+	586	10.0	80	2	3	8	12	20	26	50
GRAND TOTAL	**3624**	**5.7**	**34**	**1**	**2**	**4**	**7**	**10**	**14**	**29**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	4.0	5	1	1	4	5	7	8	11
20-34	126	3.6	4	1	1	3	5	6	8	10
35-49	148	4.2	5	1	2	4	5	7	9	12
50-64	188	4.9	15	1	2	4	6	8	10	20
65+	213	5.6	14	2	2	5	6	10	12	20
B. *Operated*										
0-19 YRS	9	2.6	3	<1	<1	2	4	5	5	5
20-34	44	3.1	11	<1	<1	1	4	7	9	18
35-49	33	3.9	25	<1	<1	2	4	8	14	26
50-64	66	3.8	11	<1	<1	2	5	8	10	16
65+	56	3.0	9	<1	<1	2	3	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	4.7	19	1	2	3	5	8	12	26
20-34	555	5.0	20	1	1	4	6	9	12	23
35-49	808	6.2	37	2	2	5	7	11	15	29
50-64	1522	6.6	25	2	3	5	8	12	16	26
65+	2441	7.5	33	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	12	8.0	36	1	2	6	9	19	21	21
20-34	247	11.2	160	1	2	7	14	26	41	63
35-49	416	11.4	139	1	2	7	14	28	37	57
50-64	796	13.6	186	1	2	9	18	32	43	74
65+	1034	15.1	199	2	3	11	20	35	46	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	806	4.6	10	1	2	4	6	8	10	16
B. *Operated*	208	3.4	13	<1	<1	2	4	8	9	19
2. MULTIPLE DX										
A. *Not Operated*	5493	6.7	30	2	2	5	8	12	16	28
B. *Operated*	2505	13.6	182	2	2	9	17	32	43	72
1. SINGLE DX	1014	4.4	11	<1	1	4	6	8	10	18
2. MULTIPLE DX	7998	8.9	88	2	2	6	10	18	26	52
A. NOT OPERATED	6299	6.4	28	2	2	5	8	12	15	27
B. OPERATED	2713	12.8	177	1	2	8	17	30	42	71
TOTAL 0-19 YRS	319	4.5	14	1	1	4	5	8	10	22
20-34	972	6.3	62	1	1	4	7	13	20	47
35-49	1405	7.5	70	1	2	5	8	15	23	46
50-64	2572	8.6	85	2	2	6	10	18	26	54
65+	3744	9.4	90	2	3	7	11	19	27	53
GRAND TOTAL	**9012**	**8.4**	**82**	**2**	**2**	**6**	**9**	**17**	**25**	**50**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.0	3	1	1	3	4	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	8	2.1	2	<1	<1	2	3	4	5	5
20-34	69	3.6	4	<1	<1	4	5	6	6	9
35-49	13	3.6	4	<1	<1	3	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	9	3.6	7	1	1	3	4	8	10	10
35-49	3	4.3	9	1	1	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	18	3.8	3	1	2	4	5	5	7	8
20-34	173	4.5	6	<1	1	5	6	7	8	14
35-49	27	5.0	4	1	2	5	6	7	9	10
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.6	3	1	1	4	5	5	5	5
B. *Operated*	90	3.5	4	<1	<1	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	14	3.9	7	1	1	3	5	8	9	10
B. *Operated*	219	4.5	5	<1	1	5	6	7	8	12
1. SINGLE DX	97	3.5	4	<1	<1	4	5	6	6	8
2. MULTIPLE DX	233	4.5	5	<1	1	5	6	7	8	12
A. NOT OPERATED	21	3.8	5	1	1	4	5	7	8	10
B. OPERATED	309	4.2	5	<1	1	4	6	7	7	10
TOTAL 0-19 YRS	28	3.4	3	1	1	3	5	5	7	8
20-34	256	4.2	5	<1	1	4	6	7	8	11
35-49	44	4.6	5	1	1	5	6	7	8	10
50-64	2	5.0		5	5	5	5	5	5	5
65+										
GRAND TOTAL	**330**	**4.2**	**5**	**<1**	**1**	**4**	**5**	**7**	**7**	**10**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	1.9	4	<1	<1	1	2	3	6	11
20-34	52	3.4	13	<1	1	2	4	6	9	23
35-49	40	3.8	37	<1	1	3	4	6	6	40
50-64	29	2.6	3	1	1	2	4	4	7	8
65+	38	3.9	11	1	1	3	5	8	10	17
B. Operated										
0-19 YRS	8	3.8	8	<1	1	3	4	8	10	10
20-34	16	4.3	18	<1	<1	3	5	12	14	15
35-49	11	5.6	14	1	2	4	8	12	12	12
50-64	18	5.0	3	2	2	5	6	7	8	8
65+	14	8.9	105	1	1	5	10	23	35	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	3.0	18	1	1	2	3	6	7	23
20-34	185	4.0	16	1	1	3	5	7	11	25
35-49	182	4.7	33	<1	1	3	6	9	13	50
50-64	290	4.8	24	1	1	4	6	9	13	27
65+	814	6.3	31	1	2	5	8	13	17	32
B. Operated										
0-19 YRS	12	9.8	202	2	3	5	9	28	49	53
20-34	47	7.0	48	1	1	5	7	18	30	99+
35-49	57	8.5	50	1	2	6	13	20	23	26
50-64	81	8.3	55	1	2	6	10	16	25	39
65+	131	12.2	197	2	3	8	14	25	34	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	2.9	13	<1	1	2	4	6	8	18
B. Operated	67	5.6	32	1	1	4	7	11	14	36
2. MULTIPLE DX										
A. Not Operated	1626	5.3	28	1	1	4	6	11	15	31
B. Operated	328	9.8	118	1	2	6	12	21	29	83
1. SINGLE DX	306	3.5	18	<1	1	2	4	7	10	22
2. MULTIPLE DX	1954	6.0	46	1	1	4	7	13	18	34
A. NOT OPERATED	1865	5.0	27	1	1	3	6	10	15	30
B. OPERATED	395	9.1	106	1	2	6	11	19	26	69
TOTAL 0-19 YRS	255	3.0	23	<1	1	2	3	5	9	23
20-34	300	4.4	22	1	1	3	5	9	14	30
35-49	290	5.4	38	1	1	3	6	11	18	34
50-64	418	5.3	30	1	1	4	7	10	14	31
65+	997	7.0	57	1	2	5	8	15	19	38
GRAND TOTAL	**2260**	**5.7**	**43**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.8	1	4	4	6	6	7	7	7
20-34										
35-49										
50-64										
65+	7	6.1	19	2	2	5	9	13	14	14
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	7.6	73	1	1	4	10	19	28	40
20-34	6	6.2	21	3	3	4	11	13	13	13
35-49	21	10.0	90	1	2	6	14	19	30	42
50-64	59	10.1	60	3	3	6	13	20	30	34
65+	308	9.0	55	2	3	7	11	18	23	43
B. Operated										
0-19 YRS	6	12.2	297	1	1	6	8	43	47	47
20-34	19	6.3	7	4	4	6	6	11	14	14
35-49	47	8.1	42	4	5	6	8	16	24	33
50-64	28	11.8	100	2	3	8	15	26	37	41
65+	82	17.0	180	4	6	14	21	33	39	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	6.0	11	2	3	6	7	11	14	14
B. Operated	4	2.8	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	433	9.0	59	2	3	7	11	18	23	41
B. Operated	182	12.6	133	4	5	8	15	28	36	48
1. SINGLE DX	16	5.2	11	1	2	5	6	10	13	14
2. MULTIPLE DX	615	10.1	83	2	3	7	13	21	30	44
A. NOT OPERATED	445	8.9	58	2	3	7	11	18	23	40
B. OPERATED	186	12.4	133	4	5	8	15	28	36	48
TOTAL 0-19 YRS	51	7.8	89	1	1	5	8	18	30	47
20-34	26	6.1	10	3	3	5	6	13	13	14
35-49	68	8.7	56	3	4	6	9	18	24	40
50-64	88	10.5	72	3	3	7	14	22	32	39
65+	398	10.6	91	3	3	8	13	21	31	48
GRAND TOTAL	**631**	**10.0**	**82**	**2**	**3**	**7**	**13**	**21**	**30**	**43**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	9.6	25	2	3	10	12	15	19	26
20-34	24	10.7	18	2	6	11	13	16	18	18
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	10.7	28	3	4	10	14	17	21	27
20-34	121	12.2	28	5	6	12	14	19	23	29
35-49	11	13.0	22	6	7	13	16	20	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	26	14.8	82	3	7	13	20	33	51	99+
20-34	12	18.3	338	1	1	16	20	38	67	72
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	9.8	23	2	3	10	12	15	18	25
B. *Operated*	3	8.3	36	2	2	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	345	11.3	28	3	5	11	14	18	21	28
B. *Operated*	39	15.5	161	1	3	14	20	30	57	99+
1. SINGLE DX	87	9.8	23	2	3	10	12	15	18	25
2. MULTIPLE DX	384	11.7	43	3	5	11	14	19	22	34
A. NOT OPERATED	429	11.0	27	3	5	11	14	18	21	27
B. OPERATED	42	15.0	154	1	3	13	19	26	52	99+
TOTAL 0-19 YRS	300	10.8	33	3	4	10	14	18	22	33
20-34	158	12.4	51	4	6	12	14	19	23	32
35-49	13	11.3	36	<1	2	12	15	19	21	22
50-64										
65+										
GRAND TOTAL	**471**	**11.4**	**40**	**3**	**5**	**11**	**14**	**18**	**22**	**32**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	6	5.5	1	4	4	5	6	7	7	7
20-34	102	6.9	4	4	5	7	8	9	10	14
35-49	70	6.8	6	4	4	6	8	10	11	16
50-64	9	5.6	10	<1	1	6	7	10	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.5	83	<1	1	4	5	19	32	32
20-34	9	4.2	11	<1	1	4	5	10	12	12
35-49	21	5.8	37	<1	1	4	6	15	22	23
50-64	10	5.5	19	3	3	4	5	13	15	15
65+	14	8.4	165	1	1	5	8	14	44	52
B. *Operated*										
0-19 YRS	5	7.0	4	5	5	8	8	9	9	9
20-34	214	8.4	31	5	5	7	9	13	15	35
35-49	266	8.7	33	5	5	8	9	12	16	59
50-64	74	9.6	22	5	6	9	10	15	21	29
65+	5	8.6	27	2	2	9	11	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.8	7	<1	<1	2	3	7	9	9
B. *Operated*	187	6.8	5	4	4	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	64	6.2	64	<1	1	4	6	12	22	49
B. *Operated*	564	8.7	30	5	5	8	9	13	16	46
1. SINGLE DX	195	6.6	5	3	4	6	8	9	10	14
2. MULTIPLE DX	628	8.4	34	3	5	7	9	13	17	49
A. NOT OPERATED	72	5.8	58	<1	1	4	6	11	20	48
B. OPERATED	751	8.2	25	5	5	7	9	12	15	32
TOTAL 0-19 YRS	23	6.2	37	1	2	5	7	9	17	32
20-34	328	7.8	23	4	5	7	8	11	14	24
35-49	359	8.1	28	4	5	7	9	12	15	47
50-64	94	8.7	23	3	4	8	10	15	19	27
65+	19	8.5	125	1	1	6	9	14	36	52
GRAND TOTAL	**823**	**8.0**	**28**	**3**	**5**	**7**	**9**	**12**	**15**	**34**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.9	12	<1	<1	2	3	6	8	22
20-34	88	1.5	2	<1	<1	<1	1	3	4	8
35-49	36	2.1	4	<1	<1	<1	3	4	6	10
50-64	72	1.7	3	<1	<1	<1	<1	4	7	9
65+	39	4.4	20	<1	<1	2	6	12	13	20
B. *Operated*										
0-19 YRS	31	3.3	7	1	1	3	4	6	11	12
20-34	53	3.6	30	<1	1	1	4	8	16	32
35-49	61	2.7	6	<1	<1	2	3	7	8	10
50-64	32	3.0	5	<1	<1	2	4	6	8	9
65+	14	3.3	5	1	1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.2	17	1	1	3	5	8	10	27
20-34	94	5.7	69	<1	<1	3	6	12	21	46
35-49	122	6.3	43	1	1	4	8	13	19	39
50-64	138	6.5	28	<1	1	5	8	13	18	26
65+	234	7.0	42	1	2	5	9	14	17	39
B. *Operated*										
0-19 YRS	42	11.3	176	1	2	6	15	38	45	46
20-34	66	9.5	186	1	1	5	11	28	37	99
35-49	107	9.1	85	1	1	6	12	23	29	72
50-64	97	8.9	96	1	1	6	10	19	31	53
65+	114	10.4	113	1	2	8	13	22	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	2.3	8	<1	<1	<1	2	5	8	13
B. *Operated*	191	3.1	12	<1	1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	693	6.2	40	1	1	4	8	12	17	35
B. *Operated*	426	9.7	119	1	1	6	12	23	35	65
1. SINGLE DX	486	2.6	10	<1	<1	1	3	6	8	16
2. MULTIPLE DX	1119	7.5	73	1	1	5	9	16	24	46
A. NOT OPERATED	988	5.0	33	<1	<1	3	6	11	15	30
B. OPERATED	617	7.7	95	1	1	5	9	18	28	53
TOTAL 0-19 YRS	238	5.0	51	<1	1	3	5	10	16	45
20-34	301	4.9	76	<1	<1	2	5	11	19	46
35-49	326	6.1	52	<1	<1	4	8	14	21	40
50-64	339	5.8	47	<1	<1	4	8	11	19	35
65+	401	7.6	62	1	1	5	10	15	20	46
GRAND TOTAL	**1605**	**6.0**	**59**	**<1**	**<1**	**4**	**7**	**13**	**19**	**43**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.5		2	2	2	3	3	3	3
35-49	16	3.5	6	1	1	3	5	7	9	10
50-64	18	3.5	16	1	1	3	3	7	14	18
65+	24	4.3	6	2	2	4	5	7	10	13
B. *Operated*										
0-19 YRS										
20-34	3	7.0	91	1	1	2	14	18	18	18
35-49	4	3.5	4	2	2	3	5	6	6	6
50-64	8	5.1	23	1	1	4	6	13	16	16
65+	22	2.8	6	<1	<1	2	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.7	7	2	2	4	7	9	9	9
35-49	26	4.6	11	2	2	4	5	8	14	15
50-64	80	4.7	13	1	1	3	7	10	13	15
65+	185	6.2	61	2	2	4	7	11	14	30
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	11	3.6	5	1	1	3	4	7	9	9
50-64	24	5.9	24	1	1	4	8	13	16	20
65+	54	9.6	82	1	2	7	14	17	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.7	9	1	1	3	4	7	9	17
B. *Operated*	37	3.7	15	<1	1	3	4	7	14	18
2. MULTIPLE DX										
A. *Not Operated*	298	5.6	43	1	2	4	7	11	14	24
B. *Operated*	91	7.7	60	1	2	5	10	16	20	45
1. SINGLE DX	99	3.7	11	1	1	3	4	7	11	18
2. MULTIPLE DX	389	6.1	47	1	2	4	7	12	16	29
A. NOT OPERATED	360	5.3	37	1	2	4	6	10	13	21
B. OPERATED	128	6.6	50	1	1	4	8	16	18	44
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	4.3	19	1	2	3	4	9	16	18
35-49	57	4.0	8	1	2	3	5	7	10	15
50-64	130	4.8	16	1	1	3	6	11	14	18
65+	285	6.4	59	1	2	4	7	13	16	39
GRAND TOTAL	**488**	**5.6**	**41**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.3	2	1	1	2	3	4	5	8
20-34	24	2.5	3	1	1	2	3	5	6	7
35-49	25	2.6	4	<1	<1	2	3	6	7	8
50-64	26	2.8	6	<1	1	2	3	6	8	12
65+	77	4.4	9	1	1	4	6	7	9	19
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	6	7.0	9	2	2	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	602	3.3	10	1	1	2	4	6	8	17
20-34	351	3.5	16	1	1	3	4	6	8	24
35-49	379	3.9	15	1	1	3	5	7	9	22
50-64	772	5.1	21	1	1	4	6	10	14	24
65+	3248	7.2	39	2	2	6	9	13	18	31
B. *Operated*										
0-19 YRS	20	7.7	90	1	1	3	9	24	31	35
20-34	42	7.0	61	<1	1	4	8	22	26	32
35-49	55	8.2	61	1	2	5	11	19	25	36
50-64	111	9.3	85	1	2	7	11	21	26	54
65+	371	12.8	115	3	3	10	17	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.2	6	1	1	3	4	6	7	12
B. *Operated*	11	6.2	11	2	2	5	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	5352	6.0	32	1	2	4	7	12	16	28
B. *Operated*	599	11.1	104	2	2	8	15	24	31	52
1. SINGLE DX	215	3.4	7	1	1	3	5	7	8	12
2. MULTIPLE DX	5951	6.5	42	1	2	5	8	13	18	33
A. NOT OPERATED	5556	5.9	32	1	2	4	7	12	16	27
B. OPERATED	610	11.0	103	2	2	8	14	23	31	52
TOTAL 0-19 YRS	676	3.3	13	1	1	2	4	6	8	20
20-34	417	3.8	21	1	1	3	4	7	9	25
35-49	460	4.4	22	1	1	3	5	8	12	26
50-64	911	5.6	30	1	1	4	7	11	15	28
65+	3702	7.7	49	2	2	6	9	15	20	37
GRAND TOTAL	**6166**	**6.4**	**41**	**1**	**2**	**4**	**8**	**13**	**18**	**33**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	40	1	1	2	3	6	20	29
20-34	3	2.3		2	2	2	3	3	3	3
35-49	16	3.7	7	1	1	3	6	7	8	9
50-64	17	3.8	9	<1	<1	3	5	9	10	11
65+	41	3.2	5	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	9	5.0	7	1	2	5	6	9	9	9
50-64	4	6.0	19	2	2	5	9	12	12	12
65+	13	4.5	7	<1	1	4	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.0	77	1	1	3	5	7	12	57
20-34	39	3.5	7	1	1	2	5	8	10	11
35-49	94	3.9	8	<1	1	3	5	7	9	17
50-64	135	3.9	9	1	1	3	5	7	9	16
65+	754	5.4	17	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	5	4.2	7	<1	<1	5	6	7	7	7
20-34	25	6.0	17	1	1	5	8	12	14	18
35-49	39	6.8	35	1	2	5	9	12	17	34
50-64	58	8.2	49	2	3	7	10	16	27	95
65+	246	9.5	59	2	3	7	12	19	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.5	12	1	1	3	4	7	9	21
B. *Operated*	31	4.5	8	1	1	4	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	1063	5.0	18	1	1	4	6	10	12	20
B. *Operated*	373	8.7	53	2	3	7	11	17	22	43
1. SINGLE DX	127	3.7	11	1	1	3	5	8	9	16
2. MULTIPLE DX	1436	5.9	29	1	1	5	7	11	16	29
A. NOT OPERATED	1159	4.8	17	1	1	4	6	9	12	20
B. OPERATED	404	8.4	51	2	2	7	10	16	22	42
TOTAL 0-19 YRS	67	4.5	59	1	1	3	4	7	11	52
20-34	70	4.2	12	1	1	3	6	9	12	17
35-49	158	4.6	16	1	1	4	6	9	11	18
50-64	214	5.1	23	1	1	4	6	10	13	34
65+	1054	6.2	30	1	2	5	8	12	16	29
GRAND TOTAL	**1563**	**5.8**	**28**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.6	5	1	1	3	5	7	7	11
20-34	137	5.9	15	2	2	5	7	11	13	18
35-49	34	5.3	14	1	1	5	7	10	11	18
50-64	5	3.6	7	1	1	2	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	2.3		2	2	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	5.6	22	1	1	4	8	10	12	27
20-34	172	6.7	23	1	2	6	9	12	18	22
35-49	39	6.6	16	1	2	5	10	12	14	15
50-64	14	6.1	16	1	2	5	8	13	15	15
65+	5	4.4	4	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	10	14.2	145	2	3	10	19	32	44	44
20-34	18	14.6	229	2	2	9	21	32	49	61
35-49	7	11.9	25	3	4	11	16	18	18	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	4.7	11	1	1	4	6	9	11	17
B. *Operated*	7	2.7	1	2	2	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	335	6.3	21	1	2	5	8	11	15	22
B. *Operated*	35	13.9	158	2	2	10	19	31	41	61
1. SINGLE DX	331	4.7	11	1	1	4	6	9	11	17
2. MULTIPLE DX	370	7.0	39	1	2	5	9	13	19	32
A. NOT OPERATED	659	5.5	17	1	1	5	7	11	13	21
B. OPERATED	42	12.0	149	2	2	9	17	26	37	61
TOTAL 0-19 YRS	265	4.8	21	1	1	4	6	9	11	23
20-34	330	6.8	34	2	2	5	9	12	17	31
35-49	81	6.5	18	1	2	5	10	12	15	18
50-64	20	5.4	14	1	1	5	7	11	14	15
65+	5	4.4	4	2	2	4	6	7	7	7
GRAND TOTAL	**701**	**5.9**	**27**	**1**	**2**	**5**	**8**	**11**	**15**	**24**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	1.9	4	<1	<1	1	2	5	6	10
20-34	28	3.0	6	<1	<1	2	5	7	7	9
35-49	16	2.2	4	<1	<1	1	3	5	6	7
50-64	55	1.9	4	<1	<1	1	2	5	7	10
65+	195	2.1	6	<1	<1	1	2	4	7	13
B. *Operated*										
0-19 YRS	30	5.3	18	1	1	4	6	11	13	21
20-34	19	4.6	28	1	1	3	5	7	18	24
35-49	6	3.8	13	1	1	2	8	9	9	9
50-64	13	4.8	10	<1	<1	5	7	9	11	11
65+	36	4.5	18	<1	1	3	6	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.2	9	<1	<1	2	4	8	10	15
20-34	86	3.0	7	<1	<1	2	5	7	8	11
35-49	155	3.7	22	<1	1	2	5	8	12	21
50-64	382	3.9	20	<1	<1	2	5	9	13	21
65+	1411	4.6	24	<1	1	3	6	11	14	22
B. *Operated*										
0-19 YRS	51	6.7	28	1	2	5	8	15	16	25
20-34	44	8.0	58	1	1	7	10	18	24	38
35-49	68	7.1	46	2	2	5	9	12	17	43
50-64	138	7.2	36	1	1	5	9	14	22	27
65+	485	9.8	83	2	3	7	12	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	2.1	5	<1	<1	1	2	5	7	11
B. *Operated*	103	4.7	18	<1	1	4	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	2212	4.2	21	<1	1	3	5	9	13	21
B. *Operated*	786	8.8	68	1	2	7	11	18	24	39
1. SINGLE DX	589	2.5	8	<1	<1	1	3	6	8	14
2. MULTIPLE DX	2998	5.4	38	<1	1	4	7	12	16	28
A. NOT OPERATED	2698	3.8	19	<1	<1	2	5	9	12	21
B. OPERATED	889	8.4	64	1	2	6	10	17	23	39
TOTAL 0-19 YRS	451	3.2	12	<1	<1	2	4	7	11	17
20-34	176	4.4	26	<1	1	3	6	9	13	28
35-49	245	4.6	30	<1	1	3	6	10	13	28
50-64	588	4.5	25	<1	1	3	6	10	14	24
65+	2127	5.5	41	<1	1	4	7	13	17	29
GRAND TOTAL	**3587**	**5.0**	**34**	**<1**	**1**	**3**	**7**	**11**	**15**	**27**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	3	<1	<1	3	4	5	6	7
20-34	12	4.3	9	1	1	3	6	9	10	10
35-49	4	5.3	21	2	2	3	8	12	12	12
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.5	17	<1	1	3	5	8	10	23
20-34	34	4.3	11	1	2	3	5	10	12	16
35-49	5	6.6	59	<1	<1	3	9	20	20	20
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	3	15.3	105	4	4	18	22	24	24	24
20-34	9	10.2	121	1	1	4	19	28	32	32
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.7	7	<1	<1	3	4	8	10	12
B. *Operated*	5	6.8	49	1	1	4	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	68	4.7	18	<1	1	3	5	9	16	22
B. *Operated*	13	11.1	105	1	2	6	19	26	31	32
1. SINGLE DX	36	4.1	13	<1	<1	3	4	9	11	18
2. MULTIPLE DX	81	5.7	36	1	1	3	6	16	20	30
A. NOT OPERATED	99	4.4	15	<1	1	3	5	9	12	22
B. OPERATED	18	9.9	90	1	1	5	18	23	29	32
TOTAL 0-19 YRS	46	4.6	24	<1	<1	3	4	8	19	24
20-34	57	5.2	31	1	1	3	5	11	18	31
35-49	10	6.0	34	<1	1	4	6	16	20	20
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	12.3	66	3	3	16	17	18	18	18
GRAND TOTAL	**117**	**5.2**	**30**	**<1**	**1**	**3**	**5**	**12**	**19**	**27**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.5	4	<1	1	2	3	5	6	11
20-34	26	4.2	9	1	1	3	7	10	10	10
35-49	19	4.9	29	<1	1	3	6	14	19	19
50-64	20	3.4	7	<1	<1	3	4	7	9	10
65+	46	3.3	6	<1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	58	4.4	19	<1	1	3	5	8	13	25
20-34	69	5.0	14	1	2	5	7	9	11	25
35-49	35	6.1	39	1	1	6	7	9	11	38
50-64	29	4.6	8	1	1	4	6	9	11	12
65+	25	5.7	24	<1	1	4	8	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.9	13	<1	<1	3	5	9	11	17
20-34	107	4.5	40	1	1	4	5	8	10	38
35-49	101	5.5	15	1	2	4	8	10	15	17
50-64	204	6.0	37	1	1	4	7	12	17	32
65+	418	5.9	36	1	1	4	8	13	16	33
B. *Operated*										
0-19 YRS	77	6.7	50	<1	1	5	8	15	20	39
20-34	67	7.8	30	1	3	7	9	16	21	27
35-49	74	9.1	84	1	2	7	10	19	23	58
50-64	150	9.2	55	2	3	7	12	18	24	43
65+	246	12.5	136	2	3	9	16	25	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.1	8	<1	1	2	4	7	9	17
B. *Operated*	217	5.2	20	1	1	5	6	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	1033	5.4	31	<1	1	4	7	11	15	27
B. *Operated*	614	10.1	92	2	2	7	12	21	28	54
1. SINGLE DX	435	4.7	15	<1	1	3	6	8	10	19
2. MULTIPLE DX	1647	7.1	59	1	1	5	9	15	21	41
A. NOT OPERATED	1251	5.0	27	<1	1	3	6	10	15	24
B. OPERATED	831	8.8	77	1	2	6	10	16	25	47
TOTAL 0-19 YRS	446	4.1	20	<1	1	3	5	8	12	23
20-34	269	5.6	30	1	1	5	7	10	14	26
35-49	229	6.7	44	1	1	5	8	12	16	34
50-64	403	6.9	43	1	1	5	9	13	19	33
65+	735	7.9	78	1	1	6	10	17	23	47
GRAND TOTAL	**2082**	**6.5**	**51**	**1**	**1**	**5**	**8**	**13**	**19**	**38**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	1.6	1	<1	1	1	2	3	3	5
20-34	81	1.9	1	1	1	2	2	3	4	6
35-49	15	1.4	1	<1	1	1	1	3	4	4
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	268	3.1	2	1	2	3	4	5	5	7
20-34	100	3.4	3	1	2	3	4	5	6	10
35-49	7	3.9	3	<1	1	4	5	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.0	2	1	1	2	3	4	4	7
20-34	34	2.3	2	1	1	2	3	5	5	7
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64	6	2.7	1	1	1	3	4	4	4	4
65+	5	2.8	6	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS	137	4.2	15	1	2	3	4	6	9	26
20-34	58	4.7	8	2	2	4	5	7	11	17
35-49	11	5.2	5	3	3	5	6	8	11	11
50-64	5	5.8	12	4	4	4	7	12	12	12
65+	2	8.0	8	6	6	8	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	1.7	1	1	1	1	2	3	4	5
B. *Operated*	376	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	176	2.1	2	1	1	2	3	4	5	7
B. *Operated*	213	4.5	13	2	2	4	5	7	11	23
1. SINGLE DX	746	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	389	3.4	9	1	1	3	4	6	8	19
A. NOT OPERATED	546	1.8	1	1	1	2	2	3	4	6
B. OPERATED	589	3.7	6	2	2	3	4	5	7	13
TOTAL 0-19 YRS	801	2.6	5	1	1	2	3	4	5	9
20-34	273	3.1	4	1	1	3	4	5	7	12
35-49	38	3.1	5	<1	1	3	4	6	7	11
50-64	14	4.1	8	<1	1	4	4	8	11	12
65+	9	3.9	10	1	1	2	6	9	10	10
GRAND TOTAL	**1135**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.1	5	1	2	3	5	8	8	11
20-34	5	2.4	1	1	1	2	3	4	4	4
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	66	2.5	5	<1	<1	1	3	6	8	10
20-34	38	2.4	10	<1	<1	1	3	4	5	20
35-49	34	2.3	5	<1	<1	2	2	4	8	11
50-64	11	1.1		<1	<1	1	1	2	2	2
65+	11	3.1	6	<1	1	2	4	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.1	6	1	2	4	6	8	9	11
20-34	7	1.9		<1	<1	2	2	3	3	3
35-49	6	4.3	7	1	1	4	7	8	8	8
50-64	6	5.8	16	1	1	5	8	12	12	12
65+	4	6.3	11	3	3	6	9	10	10	10
B. *Operated*										
0-19 YRS	30	4.8	14	1	1	4	7	11	12	13
20-34	19	4.3	21	<1	<1	2	5	10	15	19
35-49	27	3.3	13	<1	<1	2	4	7	9	18
50-64	18	8.8	124	2	2	4	11	23	37	45
65+	15	3.9	7	1	1	3	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.0	5	1	2	3	5	7	8	11
B. *Operated*	160	2.4	6	<1	<1	1	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	79	4.2	7	1	1	4	6	8	10	12
B. *Operated*	109	4.9	34	<1	1	3	6	11	15	34
1. SINGLE DX	253	3.0	6	<1	<1	2	4	6	8	11
2. MULTIPLE DX	188	4.6	23	<1	1	3	6	9	11	23
A. NOT OPERATED	172	4.1	6	1	2	3	5	8	9	11
B. OPERATED	269	3.4	19	<1	<1	2	4	8	11	20
TOTAL 0-19 YRS	239	3.7	7	<1	1	3	5	8	9	11
20-34	69	2.9	12	<1	<1	2	3	5	8	20
35-49	67	2.9	8	<1	<1	2	3	7	8	17
50-64	36	5.8	74	<1	<1	3	6	15	23	45
65+	30	3.9	8	1	1	3	5	9	10	10
GRAND TOTAL	**441**	**3.7**	**14**	**<1**	**<1**	**3**	**4**	**8**	**10**	**18**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.3	14	1	1	2	4	8	14	14
20-34	13	7.7	32	<1	<1	7	11	16	18	19
35-49	7	5.7	69	<1	<1	3	5	20	24	24
50-64	9	7.8	90	1	1	5	11	24	26	26
65+	13	6.5	29	2	2	4	9	12	20	22
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	13.0	315	1	1	4	17	44	54	54
20-34	58	11.3	114	1	2	8	15	23	37	50
35-49	33	10.5	79	1	2	7	16	24	30	34
50-64	61	10.4	122	2	2	7	13	24	25	69
65+	154	7.9	51	2	2	6	10	16	22	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	16.7	145	4	4	18	25	28	28	28
50-64	7	8.9	22	4	4	9	11	16	17	17
65+	18	11.1	84	1	2	9	15	24	32	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	6.2	41	<1	1	4	8	16	22	26
B. *Operated*	5	3.4	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	315	9.4	87	1	2	6	12	21	27	45
B. *Operated*	28	11.1	73	2	3	9	16	24	29	36
1. SINGLE DX	58	6.0	39	<1	<1	4	7	15	22	26
2. MULTIPLE DX	343	9.6	86	1	2	7	13	21	28	43
A. NOT OPERATED	368	9.0	82	1	2	6	11	21	26	42
B. OPERATED	33	10.0	70	1	2	8	13	22	28	36
TOTAL 0-19 YRS	21	7.4	158	1	1	3	5	20	40	54
20-34	72	10.6	100	1	2	7	14	22	31	49
35-49	44	9.9	83	<1	1	6	16	24	29	34
50-64	78	9.9	108	1	2	7	13	23	25	62
65+	186	8.1	53	2	2	6	10	17	23	38
GRAND TOTAL	**401**	**9.1**	**81**	**1**	**2**	**6**	**11**	**21**	**26**	**42**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.0	26	<1	1	1	2	3	3	33
20-34	65	4.7	92	1	1	2	4	8	14	61
35-49	33	4.6	27	1	1	3	5	11	14	27
50-64	24	10.0	99	<1	1	7	15	25	30	36
65+	244	8.6	69	1	2	6	10	18	25	41
B. *Operated*										
0-19 YRS	6	4.7	44	1	1	2	4	17	18	18
20-34	3	3.0	12	<1	<1	1	5	7	7	7
35-49	3	3.3		3	3	3	4	4	4	4
50-64	2	7.5	13	5	5	7	10	10	10	10
65+	10	6.4	27	2	2	5	7	14	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	5.2	103	1	1	2	4	14	21	60
20-34	122	5.9	36	<1	1	4	8	15	19	27
35-49	116	9.0	149	1	2	6	9	21	33	68
50-64	207	10.1	101	2	2	7	12	24	31	62
65+	1808	9.5	77	2	2	7	12	20	28	48
B. *Operated*										
0-19 YRS	9	12.6	206	1	1	10	17	37	41	41
20-34	12	5.1	23	1	1	4	5	13	16	17
35-49	15	10.9	232	<1	<1	7	9	44	49	51
50-64	24	11.5	139	2	2	7	18	24	34	52
65+	207	15.2	156	3	4	11	21	30	42	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	6.5	69	1	1	3	8	14	23	45
B. *Operated*	24	5.3	24	<1	1	4	6	11	19	20
2. MULTIPLE DX										
A. *Not Operated*	2356	9.1	83	1	2	6	11	19	28	48
B. *Operated*	267	14.1	158	2	3	10	20	30	42	86
1. SINGLE DX	484	6.4	67	1	1	3	8	14	22	44
2. MULTIPLE DX	2623	9.6	93	1	2	7	12	21	29	52
A. NOT OPERATED	2816	8.7	82	1	2	6	11	19	27	47
B. OPERATED	291	13.3	152	2	2	9	18	29	41	80
TOTAL 0-19 YRS	212	4.1	76	1	1	1	3	10	18	47
20-34	202	5.4	53	<1	1	3	6	12	18	36
35-49	167	8.2	132	1	1	5	9	19	32	54
50-64	257	10.2	103	1	2	7	13	24	31	51
65+	2269	9.9	86	2	2	7	13	21	29	50
GRAND TOTAL	**3107**	**9.1**	**90**	**1**	**2**	**6**	**12**	**21**	**28**	**50**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	9	7.1	20	2	2	8	11	13	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	8.0	28	2	2	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64	12	15.8	96	5	6	13	22	31	36	37
65+	115	9.3	80	2	2	7	12	18	25	48
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	18.0		18	18	18	18	18	18	18
65+	13	18.5	287	4	5	14	23	47	55	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.5	21	1	1	6	11	13	14	14
B. *Operated*	3	8.0	28	2	2	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	128	10.0	84	2	3	7	13	20	26	48
B. *Operated*	14	18.5	265	4	5	14	18	46	55	57
1. SINGLE DX	13	6.8	21	1	2	8	11	12	14	14
2. MULTIPLE DX	142	10.8	106	2	3	7	13	21	37	53
A. NOT OPERATED	138	9.7	80	2	2	7	12	20	25	47
B. OPERATED	17	16.6	236	3	4	12	18	43	53	57
TOTAL 0-19 YRS										
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64	14	14.9	98	2	5	13	21	29	35	37
65+	140	10.0	100	2	2	7	12	19	31	53
GRAND TOTAL	**155**	**10.5**	**100**	**2**	**3**	**7**	**13**	**20**	**35**	**53**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	53	2.6	4	<1	1	2	3	5	7	10
35-49	62	3.5	8	1	1	3	4	6	9	15
50-64	37	4.0	15	1	1	3	5	10	15	16
65+	26	5.4	13	1	2	5	7	9	14	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	4.2	3	3	3	4	5	7	7	7
50-64	2	6.5	5	5	5	6	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.6	70	<1	1	4	6	23	28	30
20-34	357	7.1	71	1	2	4	6	24	30	34
35-49	515	6.4	50	1	2	4	6	14	25	32
50-64	436	7.6	60	1	2	5	9	17	24	35
65+	225	9.0	57	2	2	6	12	21	24	33
B. *Operated*										
0-19 YRS										
20-34	16	7.7	99	<1	<1	4	8	29	32	33
35-49	23	7.9	51	1	1	5	12	20	23	24
50-64	22	10.8	130	1	2	7	14	28	40	44
65+	30	16.7	187	3	3	12	25	37	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	3.6	10	1	1	3	4	7	10	16
B. *Operated*	7	4.9	4	3	3	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1548	7.3	59	1	2	5	8	20	25	33
B. *Operated*	91	11.5	134	1	2	8	15	31	38	52
1. SINGLE DX	189	3.6	9	1	1	3	5	7	10	16
2. MULTIPLE DX	1639	7.5	64	1	2	5	8	21	26	35
A. NOT OPERATED	1730	6.9	55	1	2	4	7	17	24	32
B. OPERATED	98	11.0	128	1	2	7	14	29	37	51
TOTAL 0-19 YRS	19	5.5	59	<1	<1	3	5	16	27	30
20-34	426	6.6	66	1	1	4	6	21	29	33
35-49	605	6.1	46	1	2	4	6	13	24	32
50-64	497	7.5	60	1	2	5	9	16	24	38
65+	281	9.5	73	2	2	6	13	21	25	42
GRAND TOTAL	**1828**	**7.1**	**60**	**1**	**2**	**4**	**7**	**18**	**25**	**34**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	8.4	119	1	1	6	10	17	36	46
20-34	28	4.6	15	1	1	3	7	10	13	15
35-49	7	2.9	10	1	1	2	3	9	10	10
50-64	8	4.0	9	<1	<1	3	6	9	9	9
65+	7	6.1	8	3	3	5	8	10	11	11
B. *Operated*										
0-19 YRS										
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	7.3	88	1	1	4	10	19	30	45
20-34	216	5.7	29	1	2	4	7	11	15	31
35-49	74	5.8	35	1	1	4	6	14	22	28
50-64	47	7.4	63	1	1	5	9	14	19	45
65+	121	7.2	44	2	2	6	8	15	20	38
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	1	15.0		15	15	15	15	15	15	15
35-49	4	6.3	47	1	1	4	11	16	16	16
50-64	8	14.5	126	2	4	11	19	33	37	37
65+	10	13.6	239	2	2	7	19	37	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.5	41	1	1	3	8	10	15	41
B. *Operated*	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	504	6.4	42	1	1	5	7	13	20	34
B. *Operated*	24	12.8	147	1	2	10	16	26	41	52
1. SINGLE DX	69	5.5	40	1	1	3	8	10	15	40
2. MULTIPLE DX	528	6.7	49	1	2	5	7	14	21	35
A. NOT OPERATED	571	6.3	42	1	1	4	7	12	19	34
B. OPERATED	26	12.3	138	2	2	9	16	25	40	52
TOTAL 0-19 YRS	64	7.8	94	1	1	4	10	17	30	46
20-34	247	5.6	28	1	1	4	7	11	15	31
35-49	85	5.6	34	1	1	4	6	14	20	28
50-64	63	7.8	70	1	1	5	10	14	28	44
65+	138	7.6	58	2	2	6	9	16	21	49
GRAND TOTAL	**597**	**6.5**	**48**	**1**	**1**	**5**	**7**	**14**	**20**	**36**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	13.3	191	1	2	10	19	36	60	99+
20-34	809	11.1	104	1	2	8	15	23	30	51
35-49	360	9.9	59	1	2	8	14	21	26	34
50-64	148	11.8	91	2	2	9	16	24	30	50
65+	41	13.7	135	1	2	10	18	30	41	48
B. *Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	38	6.8	38	2	2	5	8	12	22	31
35-49	13	7.6	42	1	1	6	12	18	20	21
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	2	11.0	2	10	10	11	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	14.8	162	1	2	10	23	38	42	99+
20-34	602	11.8	112	2	2	9	15	25	34	56
35-49	312	11.3	99	2	3	8	15	22	29	49
50-64	155	13.7	84	3	4	11	19	26	33	44
65+	70	13.5	158	3	3	10	18	27	41	65
B. *Operated*										
0-19 YRS	3	20.3	64	12	12	21	26	28	28	28
20-34	26	15.9	141	4	5	10	24	35	40	41
35-49	15	16.9	204	3	4	14	21	38	51	56
50-64	10	22.4	105	5	5	26	31	32	32	32
65+	8	26.4	219	9	10	25	32	49	56	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1427	11.1	97	1	2	8	15	23	29	50
B. *Operated*	57	7.2	36	1	2	5	9	14	21	31
2. MULTIPLE DX										
A. *Not Operated*	1178	12.1	110	2	3	9	16	25	33	56
B. *Operated*	62	18.7	162	4	5	17	28	35	40	56
1. SINGLE DX	1484	10.9	95	1	2	8	15	23	29	50
2. MULTIPLE DX	1240	12.5	114	2	3	9	16	26	34	56
A. NOT OPERATED	2605	11.6	103	1	2	9	15	24	31	51
B. OPERATED	119	13.2	134	2	3	8	20	30	35	56
TOTAL 0-19 YRS	113	13.9	175	1	2	11	20	37	49	99+
20-34	1475	11.4	107	1	2	8	15	24	31	54
35-49	700	10.7	81	2	2	8	15	21	27	40
50-64	315	13.0	91	2	3	10	18	26	31	45
65+	121	14.4	159	2	3	10	19	30	42	64
GRAND TOTAL	**2724**	**11.6**	**104**	**1**	**2**	**9**	**15**	**24**	**31**	**52**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	14.7	227	<1	1	9	20	43	48	48
20-34	47	7.1	31	1	1	5	11	15	18	23
35-49	14	8.9	28	2	3	7	12	16	20	21
50-64	6	11.0	58	2	2	11	17	20	20	20
65+	3	7.7	16	4	4	7	11	12	12	12
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	20.9	272	1	2	19	35	44	48	49
20-34	32	10.8	64	1	2	9	17	22	26	29
35-49	16	11.9	123	1	1	12	16	28	37	41
50-64	11	13.5	60	5	5	14	18	25	28	28
65+	8	23.4	635	<1	1	13	39	63	73	73
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	16.0		16	16	16	16	16	16	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	9.3	80	1	1	6	12	19	23	48
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	79	14.2	174	1	2	11	19	29	41	66
B. *Operated*	3	13.0	27	7	7	16	16	16	16	16
1. SINGLE DX	90	9.2	79	1	1	7	12	19	23	48
2. MULTIPLE DX	82	14.2	168	1	2	12	18	29	41	65
A. NOT OPERATED	168	11.6	129	1	2	8	16	24	39	49
B. OPERATED	4	11.8	24	7	7	12	16	16	16	16
TOTAL 0-19 YRS	31	17.1	246	<1	2	10	25	44	48	49
20-34	80	8.6	46	1	1	7	13	19	22	28
35-49	31	10.4	77	1	2	7	15	19	29	41
50-64	19	13.0	52	3	4	15	17	22	26	28
65+	11	19.1	502	<1	1	9	34	53	71	73
GRAND TOTAL	**172**	**11.6**	**127**	**1**	**2**	**8**	**16**	**24**	**39**	**49**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	18.2	330	2	3	12	24	44	62	78
20-34	948	10.9	87	1	2	8	15	23	29	41
35-49	436	11.0	101	1	2	8	15	23	30	51
50-64	148	12.7	78	2	3	11	17	25	30	39
65+	46	12.5	164	1	2	8	17	27	40	63
B. *Operated*										
0-19 YRS										
20-34	20	7.7	62	<1	1	5	11	16	26	33
35-49	22	8.1	69	2	3	6	10	13	27	41
50-64	6	10.7	103	3	3	5	21	25	26	26
65+	4	10.5	108	3	3	7	18	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	18.4	212	2	4	17	26	38	50	99+
20-34	752	13.1	148	2	3	9	17	28	36	62
35-49	426	11.9	126	1	3	9	15	25	32	61
50-64	237	13.4	135	2	3	10	18	29	39	56
65+	80	15.9	192	3	4	11	18	40	49	58
B. *Operated*										
0-19 YRS	7	23.9	584	1	1	14	45	59	61	61
20-34	31	24.4	419	2	4	20	36	57	88	99+
35-49	28	19.9	361	2	3	14	27	44	57	87
50-64	11	14.3	91	2	3	18	24	50	93	99+
65+	15	20.1	343	5	6	13	27	44	66	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1708	11.7	114	1	2	8	16	24	32	54
B. *Operated*	52	8.4	69	1	2	5	10	20	26	41
2. MULTIPLE DX										
A. *Not Operated*	1615	13.3	150	2	3	10	18	29	38	62
B. *Operated*	92	21.1	357	2	4	16	29	49	75	99+
1. SINGLE DX	1760	11.6	113	1	2	8	16	24	32	53
2. MULTIPLE DX	1707	13.8	164	2	3	10	18	30	40	67
A. NOT OPERATED	3323	12.5	132	1	2	9	17	26	35	59
B. OPERATED	144	16.5	289	2	2	11	23	41	55	99+
TOTAL 0-19 YRS	257	18.4	279	2	3	14	25	40	58	88
20-34	1751	12.0	123	1	2	9	17	25	34	56
35-49	912	11.6	122	1	2	8	15	25	32	60
50-64	402	13.1	112	2	3	10	18	26	35	54
65+	145	15.1	198	2	3	11	18	35	47	64
GRAND TOTAL	**3467**	**12.6**	**139**	**1**	**2**	**9**	**17**	**27**	**35**	**62**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	30.4	280	6	7	34	45	57	89	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	25.0	450	1	2	25	42	87	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	30.4	280	6	7	34	45	57	89	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	22	25.0	460	1	2	25	42	87	99+	99+
B. *Operated*										
1. SINGLE DX	14	30.4	280	6	7	34	45	57	89	99+
2. MULTIPLE DX	22	25.0	460	1	2	26	44	99+	99+	99+
A. NOT OPERATED	36	27.1	387	2	3	26	43	74	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	36	27.1	387	2	3	27	44	93	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**36**	**27.1**	**387**	**2**	**3**	**27**	**44**	**93**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	18.9	374	1	3	14	27	45	72	99+
20-34	507	9.6	106	1	2	7	12	22	30	48
35-49	488	10.8	127	1	2	7	14	24	31	58
50-64	315	13.6	150	2	3	10	17	32	39	66
65+	251	16.1	161	2	3	13	22	33	42	58
B. *Operated*										
0-19 YRS										
20-34	8	14.5	369	2	2	6	18	48	59	59
35-49	7	15.1	365	4	4	10	12	49	58	58
50-64	8	11.9	90	3	4	8	18	27	28	28
65+	11	14.0	85	4	4	11	24	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	18.3	304	2	2	13	28	46	59	99+
20-34	1021	11.8	157	1	2	8	14	26	37	69
35-49	871	12.5	138	2	3	9	17	28	37	59
50-64	641	14.1	173	2	3	10	18	31	43	67
65+	725	17.4	214	3	4	14	23	39	49	69
B. *Operated*										
0-19 YRS	12	31.4	877	2	2	36	52	99	99+	99+
20-34	58	15.0	150	2	3	11	23	31	37	57
35-49	77	16.3	141	3	5	14	23	33	39	90
50-64	58	18.2	194	4	6	15	27	37	53	97
65+	101	24.5	285	3	6	21	33	48	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1672	12.3	154	1	2	8	16	28	37	64
B. *Operated*	34	13.9	191	3	4	10	17	27	52	59
2. MULTIPLE DX										
A. *Not Operated*	3464	14.0	181	2	3	10	18	31	42	69
B. *Operated*	306	19.7	245	3	4	16	28	41	53	99+
1. SINGLE DX	1706	12.4	155	1	2	8	16	28	37	63
2. MULTIPLE DX	3770	14.4	189	2	3	10	19	32	43	71
A. NOT OPERATED	5136	13.4	173	2	2	9	17	30	42	67
B. OPERATED	340	19.1	242	3	4	15	28	39	53	99+
TOTAL 0-19 YRS	329	19.0	351	2	2	14	28	49	62	99+
20-34	1594	11.2	143	1	2	7	14	25	34	63
35-49	1443	12.2	137	1	2	8	16	27	35	60
50-64	1022	14.1	167	2	3	10	18	32	41	69
65+	1088	17.8	211	3	4	14	24	38	49	69
GRAND TOTAL	**5476**	**13.8**	**179**	**2**	**2**	**10**	**18**	**31**	**42**	**69**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	14.6	156	2	4	11	19	33	36	70
20-34	659	12.3	103	1	2	10	17	26	31	52
35-49	427	11.4	104	1	2	9	15	23	32	53
50-64	226	12.1	112	2	3	9	16	25	30	54
65+	101	15.9	148	3	4	13	21	31	36	65
B. Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	9	9.1	48	1	2	6	16	19	21	21
50-64	6	6.5	4	5	5	6	7	10	10	10
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	19.2	243	2	3	15	31	37	46	75
20-34	628	13.4	120	1	2	10	19	29	36	50
35-49	544	12.3	119	2	3	9	17	26	33	66
50-64	409	13.3	105	2	3	10	18	27	35	48
65+	254	17.4	166	3	4	14	23	35	46	60
B. Operated										
0-19 YRS	5	14.8	339	1	1	8	25	45	45	45
20-34	36	19.2	145	4	6	17	28	33	43	49
35-49	30	17.0	303	3	3	12	24	31	44	90
50-64	25	19.4	124	3	7	20	25	39	62	99+
65+	29	27.3	394	5	7	22	33	61	73	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1491	12.4	112	1	2	9	17	26	32	54
B. Operated	19	8.5	29	2	3	6	13	16	19	21
2. MULTIPLE DX										
A. Not Operated	1925	13.9	132	2	3	11	19	30	36	55
B. Operated	125	20.4	251	3	4	18	27	43	53	92
1. SINGLE DX	1510	12.3	111	1	3	9	16	26	32	53
2. MULTIPLE DX	2050	14.3	141	2	3	11	19	30	38	59
A. NOT OPERATED	3416	13.2	123	2	3	10	18	28	35	55
B. OPERATED	144	18.8	238	3	4	16	25	40	50	90
TOTAL 0-19 YRS	174	17.0	207	2	3	13	24	35	42	75
20-34	1325	13.0	113	1	2	10	18	28	35	50
35-49	1010	12.0	118	1	2	9	16	25	33	63
50-64	666	13.1	109	2	3	10	18	27	35	51
65+	385	17.8	184	3	4	14	23	35	47	67
GRAND TOTAL	**3560**	**13.4**	**129**	**2**	**3**	**10**	**18**	**28**	**36**	**57**

100: Miscellaneous psychoses (297; 298,

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	8.9	62	1	1	6	14	19	26	32
20-34	251	7.5	83	1	1	5	9	16	22	32
35-49	136	8.2	63	<1	1	6	11	17	27	37
50-64	91	9.4	99	1	1	6	11	22	29	45
65+	98	8.6	51	1	1	6	13	19	24	31
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	4.4	10	3	3	3	5	10	10	10
35-49	3	11.0	31	5	5	12	15	16	16	16
50-64	2	11.5	113	4	4	11	19	19	19	19
65+	4	8.5	4	7	7	8	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	15.4	366	1	1	8	16	48	56	85
20-34	316	8.3	58	1	2	6	11	18	24	37
35-49	220	10.5	115	1	2	7	14	24	29	68
50-64	205	8.6	66	1	2	6	11	19	24	42
65+	545	9.7	72	2	2	7	13	20	28	37
B. Operated										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	14	11.1	125	2	2	5	18	30	32	32
35-49	16	11.2	102	2	3	6	17	24	34	38
50-64	36	12.1	258	1	2	7	14	22	47	84
65+	67	14.7	184	2	3	10	21	31	55	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	635	8.2	74	1	1	6	10	18	24	39
B. Operated	15	7.5	28	1	3	7	11	16	18	19
2. MULTIPLE DX										
A. Not Operated	1361	9.6	93	1	2	7	12	20	28	49
B. Operated	134	13.5	195	2	2	9	20	30	49	86
1. SINGLE DX	650	8.2	73	1	1	6	10	18	24	38
2. MULTIPLE DX	1495	10.0	103	1	2	7	13	21	30	55
A. NOT OPERATED	1996	9.2	87	1	2	7	12	20	27	46
B. OPERATED	149	12.9	182	2	2	8	18	29	48	84
TOTAL 0-19 YRS	136	12.8	249	1	1	7	15	32	49	80
20-34	586	8.0	70	1	2	6	10	17	23	36
35-49	375	9.7	96	1	2	7	13	22	28	59
50-64	334	9.2	96	1	2	6	12	20	28	46
65+	714	10.0	81	1	2	8	13	21	28	48
GRAND TOTAL	**2145**	**9.4**	**95**	**1**	**2**	**7**	**12**	**21**	**28**	**49**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	9	<1	1	2	4	8	11	13
20-34	88	3.6	15	<1	<1	2	4	8	12	20
35-49	82	3.7	22	<1	1	2	4	8	13	27
50-64	54	4.0	16	1	1	3	5	7	11	21
65+	30	4.4	25	1	1	3	5	11	14	24
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.8	2	1	1	3	4	4	4	4
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	8	9.9	149	1	2	4	16	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	8.3	133	<1	1	4	12	28	50	99+
20-34	230	5.8	49	1	1	4	6	13	20	34
35-49	270	5.9	72	1	1	4	6	13	20	36
50-64	202	4.7	37	1	1	3	5	10	12	28
65+	241	4.7	22	1	1	3	6	9	13	25
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	20	5.0	11	<1	1	4	7	9	11	13
35-49	14	4.1	9	1	1	3	5	8	12	13
50-64	23	9.7	155	<1	1	5	13	23	38	56
65+	22	6.3	19	1	2	5	8	12	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.8	18	<1	1	2	4	8	13	21
B. *Operated*	17	6.1	80	<1	1	3	5	24	30	31
2. MULTIPLE DX										
A. *Not Operated*	976	5.4	49	1	1	3	6	12	16	35
B. *Operated*	80	6.5	57	1	1	4	8	13	18	48
1. SINGLE DX	293	3.9	21	<1	1	2	4	8	13	26
2. MULTIPLE DX	1056	5.5	50	1	1	3	6	12	16	35
A. NOT OPERATED	1252	5.1	43	1	1	3	6	11	16	34
B. OPERATED	97	6.4	61	1	1	4	8	13	21	44
TOTAL 0-19 YRS	57	6.2	86	<1	1	3	6	17	29	96
20-34	339	5.2	38	<1	1	3	6	12	16	32
35-49	371	5.3	59	1	1	3	5	12	19	34
50-64	281	5.0	44	1	1	3	6	10	14	30
65+	301	5.0	26	1	1	3	6	10	14	29
GRAND TOTAL	**1349**	**5.2**	**44**	**1**	**1**	**3**	**6**	**12**	**16**	**34**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	13.7	217	1	2	8	16	37	52	90
20-34	273	6.3	46	1	1	4	8	15	19	36
35-49	204	6.9	80	1	1	4	8	14	19	51
50-64	87	7.4	41	1	1	6	9	16	24	73
65+	38	7.1	73	1	2	4	9	13	19	51
B. *Operated*										
0-19 YRS	4	6.5	47	1	1	4	11	16	16	16
20-34	9	6.8	45	1	2	5	6	17	24	24
35-49	10	10.9	204	<1	1	5	11	36	45	45
50-64	4	18.5	26	15	15	16	21	26	26	26
65+	4	15.0	206	2	2	12	26	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	17.6	298	1	2	11	27	42	51	81
20-34	688	7.6	54	1	1	5	10	18	23	34
35-49	512	8.2	72	1	1	5	11	18	25	44
50-64	302	8.1	62	1	2	6	11	17	22	31
65+	295	9.1	70	2	3	6	11	19	26	39
B. *Operated*										
0-19 YRS	8	31.9	571	1	2	35	50	63	65	66
20-34	44	11.1	157	<1	1	7	12	33	43	51
35-49	34	10.4	75	2	2	8	14	25	29	35
50-64	22	13.9	116	2	3	12	19	31	38	39
65+	35	12.1	118	3	4	9	15	23	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	683	7.5	82	1	1	4	9	16	24	52
B. *Operated*	31	10.6	119	1	1	6	16	26	33	45
2. MULTIPLE DX										
A. *Not Operated*	1979	9.0	92	1	2	6	11	21	28	48
B. *Operated*	143	12.8	161	1	2	8	16	32	40	59
1. SINGLE DX	714	7.7	84	1	1	5	9	17	26	52
2. MULTIPLE DX	2122	9.2	98	1	2	6	12	21	29	50
A. NOT OPERATED	2662	8.6	90	1	1	6	11	20	28	50
B. OPERATED	174	12.4	154	1	2	8	16	31	39	58
TOTAL 0-19 YRS	275	16.7	287	1	2	11	27	42	53	81
20-34	1014	7.4	57	1	1	5	9	17	23	36
35-49	760	8.0	76	1	1	5	10	17	25	44
50-64	415	8.4	62	1	2	6	11	19	24	38
65+	372	9.2	77	2	3	6	11	19	27	49
GRAND TOTAL	**2836**	**8.8**	**95**	**1**	**1**	**6**	**11**	**20**	**28**	**51**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	7.1	160	<1	1	2	7	18	31	71
20-34	252	6.6	76	<1	1	3	7	16	24	46
35-49	112	7.1	96	<1	1	4	7	14	32	49
50-64	43	5.6	38	<1	1	4	6	12	19	28
65+	13	6.9	42	1	1	4	10	18	21	22
B. *Operated*										
0-19 YRS	11	2.7	2	<1	1	2	4	5	6	6
20-34	61	7.1	8	1	2	9	9	9	10	11
35-49	35	6.7	9	1	2	9	9	9	9	9
50-64	31	4.1	10	1	1	3	6	9	9	13
65+	7	4.6	10	2	2	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	10.7	271	<1	1	5	11	27	53	91
20-34	682	8.6	118	1	1	5	11	20	27	63
35-49	383	7.5	99	1	1	4	9	18	29	65
50-64	174	7.5	53	1	1	5	12	17	24	40
65+	143	7.5	58	1	1	5	9	18	23	49
B. *Operated*										
0-19 YRS	13	19.2	627	1	1	8	37	60	74	77
20-34	66	11.5	160	1	1	9	15	32	40	94
35-49	42	7.4	62	1	1	5	9	14	23	43
50-64	36	7.2	98	<1	1	4	8	10	36	45
65+	17	8.6	54	2	3	7	9	28	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	6.7	95	<1	1	3	7	15	27	50
B. *Operated*	145	5.9	11	1	2	6	9	9	9	11
2. MULTIPLE DX										
A. *Not Operated*	1595	8.4	122	1	1	5	10	20	29	69
B. *Operated*	174	9.9	154	1	1	6	9	27	41	94
1. SINGLE DX	692	6.6	78	<1	1	4	9	14	23	48
2. MULTIPLE DX	1769	8.6	126	1	1	5	10	20	30	71
A. NOT OPERATED	2142	8.0	116	1	1	4	9	18	28	66
B. OPERATED	319	8.1	92	1	2	6	9	13	28	70
TOTAL 0-19 YRS	364	9.5	242	<1	1	4	9	26	44	84
20-34	1061	8.2	105	1	1	5	10	19	27	58
35-49	572	7.4	90	1	1	4	9	16	28	52
50-64	284	6.8	53	1	1	4	9	15	23	41
65+	180	7.4	55	1	1	5	9	18	26	82
GRAND TOTAL	2461	8.0	113	1	1	4	9	18	28	67

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	5.8	75	<1	<1	1	5	23	28	29
20-34	429	10.6	115	<1	1	4	22	28	29	31
35-49	470	10.2	115	1	1	4	21	28	30	33
50-64	283	9.1	99	1	2	4	13	28	30	31
65+	112	9.6	80	1	1	5	16	23	28	31
B. *Operated*										
0-19 YRS	8	16.3	401	1	1	8	30	48	51	51
20-34	31	14.1	216	1	1	4	30	32	34	35
35-49	28	14.5	196	<1	<1	5	30	30	31	34
50-64	6	21.5	208	3	3	29	30	34	34	34
65+	3	10.0	97	2	2	7	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	22.3	307	1	1	24	31	46	59	97
20-34	1761	15.5	136	1	1	16	26	30	31	39
35-49	2142	13.5	124	1	2	9	24	29	30	37
50-64	1852	13.0	119	1	2	8	22	29	30	37
65+	989	13.2	106	2	2	10	21	27	30	37
B. *Operated*										
0-19 YRS	44	35.1	302	1	1	44	46	51	53	70
20-34	110	21.1	175	1	1	29	30	33	37	45
35-49	147	18.4	154	2	2	22	30	31	33	40
50-64	136	16.6	144	2	3	13	29	32	35	42
65+	95	16.6	123	2	4	13	24	31	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1352	9.9	108	1	1	4	21	28	29	31
B. *Operated*	76	14.9	216	<1	1	4	30	31	34	49
2. MULTIPLE DX										
A. *Not Operated*	7016	14.2	134	1	2	11	24	30	31	42
B. *Operated*	532	19.6	186	1	3	22	30	34	43	51
1. SINGLE DX	1428	10.1	115	1	1	4	21	28	30	33
2. MULTIPLE DX	7548	14.6	139	1	2	12	24	30	31	44
A. NOT OPERATED	8368	13.5	132	1	2	8	23	29	30	40
B. OPERATED	608	19.0	192	1	2	21	30	34	42	51
TOTAL 0-19 YRS	382	21.1	331	<1	1	21	31	46	53	85
20-34	2331	14.9	141	1	1	13	26	30	31	38
35-49	2787	13.2	127	1	2	7	24	29	30	37
50-64	2277	12.8	121	1	2	7	22	29	30	37
65+	1199	13.2	107	2	2	10	21	28	30	39
GRAND TOTAL	8976	13.9	138	1	2	9	24	30	31	43

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	13.7	310	3	3	4	26	34	34	34
20-34	52	13.5	153	1	1	9	25	31	36	45
35-49	14	13.6	133	<1	1	8	20	30	37	39
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	14.7	140	1	1	21	22	22	22	22
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	24.2	683	<1	<1	21	34	68	68	68
20-34	168	12.8	125	2	3	7	25	30	31	41
35-49	41	14.9	131	2	3	10	29	30	30	34
50-64	21	13.0	82	2	3	11	21	25	30	33
65+	8	11.6	38	1	3	11	16	20	21	21
B. *Operated*										
0-19 YRS										
20-34	8	21.4	240	1	2	28	30	39	43	43
35-49	3	9.0	31	3	3	10	13	14	14	14
50-64										
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	13.5	145	1	1	8	22	31	36	44
B. *Operated*	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	243	13.3	131	2	3	8	24	30	31	42
B. *Operated*	12	17.3	194	1	2	12	29	35	42	43
1. SINGLE DX	75	13.2	144	1	1	8	22	30	35	44
2. MULTIPLE DX	255	13.5	134	2	3	8	25	30	31	42
A. NOT OPERATED	316	13.4	134	1	2	8	24	30	32	42
B. OPERATED	14	15.3	191	1	2	10	28	32	41	43
TOTAL 0-19 YRS	8	20.3	509	<1	1	14	28	58	68	68
20-34	229	13.2	136	1	2	7	26	30	32	42
35-49	59	14.1	125	1	3	9	27	30	30	39
50-64	22	12.8	79	2	3	10	21	25	29	33
65+	12	12.3	52	1	1	11	18	21	22	22
GRAND TOTAL	**330**	**13.5**	**136**	**1**	**2**	**8**	**24**	**30**	**32**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	30.4	467	2	4	29	38	66	72	76
20-34	66	15.1	156	1	1	8	28	30	35	39
35-49	21	12.3	154	1	1	6	22	32	35	37
50-64	4	8.5	62	2	2	6	13	20	20	20
65+										
B. *Operated*										
0-19 YRS	2	12.0	242	<1	<1	11	23	23	23	23
20-34	5	22.6	162	1	1	30	30	31	31	31
35-49	1	23.0		23	23	23	23	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	32.4	353	4	9	30	43	63	70	94
20-34	236	17.0	179	1	2	15	29	34	38	48
35-49	74	20.1	174	2	3	22	30	35	40	56
50-64	33	14.6	101	2	3	14	22	30	33	36
65+	25	12.2	79	1	2	11	21	24	26	28
B. *Operated*										
0-19 YRS	17	34.8	227	6	11	37	45	47	57	62
20-34	30	23.4	159	2	3	29	31	36	39	45
35-49	6	18.5	112	6	6	18	30	30	30	30
50-64	2	16.5	13	14	14	16	19	19	19	19
65+	5	18.8	97	9	9	17	28	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	17.1	244	1	1	11	29	32	39	71
B. *Operated*	8	20.0	152	<1	<1	23	30	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	446	19.8	233	1	3	21	30	38	46	68
B. *Operated*	60	25.5	194	3	5	29	33	45	46	60
1. SINGLE DX	119	17.3	237	1	1	15	30	32	38	70
2. MULTIPLE DX	506	20.5	231	2	3	21	30	38	46	67
A. NOT OPERATED	557	19.2	236	1	2	20	30	37	46	68
B. OPERATED	68	24.9	190	2	4	29	32	44	45	59
TOTAL 0-19 YRS	117	32.0	353	3	7	30	45	62	68	87
20-34	337	17.3	176	1	2	19	29	33	38	48
35-49	102	18.5	172	2	3	20	30	35	38	51
50-64	39	14.1	94	2	3	14	21	29	32	36
65+	30	13.3	85	1	2	12	21	26	28	30
GRAND TOTAL	**625**	**19.9**	**234**	**1**	**2**	**21**	**30**	**38**	**46**	**68**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	1.1		<1	<1	1	1	2	2	3
20-34	64	2.3	26	<1	<1	1	1	3	6	30
35-49	31	3.4	51	<1	<1	1	2	4	28	30
50-64	19	2.3	9	<1	<1	1	2	5	10	13
65+	7	2.7	4	1	1	2	5	5	5	5
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	5.6	143	<1	<1	1	2	26	33	58
20-34	142	2.5	16	<1	<1	1	2	4	7	30
35-49	106	3.5	45	<1	<1	1	3	8	12	42
50-64	86	4.7	41	1	1	2	5	12	22	30
65+	57	4.4	21	<1	1	3	5	10	15	23
B. *Operated*										
0-19 YRS	5	2.2	5	1	1	1	3	6	6	6
20-34	14	1.7	2	<1	<1	1	2	4	5	5
35-49	4	1.3		<1	<1	<1	1	2	2	2
50-64	8	5.3	51	<1	<1	3	6	17	22	22
65+	7	6.6	30	1	1	5	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	1.9	15	<1	<1	1	1	2	4	30
B. *Operated*	8	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	508	4.0	57	<1	<1	1	3	8	17	43
B. *Operated*	38	3.4	20	<1	<1	1	4	7	14	22
1. SINGLE DX	242	1.9	15	<1	<1	1	1	2	4	30
2. MULTIPLE DX	546	4.0	54	<1	<1	1	3	8	16	43
A. NOT OPERATED	742	3.3	45	<1	<1	1	2	6	14	31
B. OPERATED	46	3.1	17	<1	<1	1	4	7	14	22
TOTAL 0-19 YRS	238	3.3	75	<1	<1	1	1	3	24	47
20-34	223	2.4	18	<1	<1	1	2	4	7	30
35-49	143	3.4	44	<1	<1	1	3	6	13	32
50-64	113	4.3	37	<1	1	2	5	10	20	30
65+	71	4.4	21	1	1	3	5	11	14	23
GRAND TOTAL	**788**	**3.3**	**43**	**<1**	**<1**	**1**	**3**	**6**	**14**	**31**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	13.5	214	<1	1	5	26	35	42	47
20-34	58	10.2	128	<1	<1	3	22	28	29	35
35-49	20	8.2	94	<1	1	3	12	26	27	27
50-64	2	8.5	5	7	7	8	10	10	10	10
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	31.4	497	<1	1	30	47	63	70	80
20-34	219	13.3	144	1	1	8	24	30	31	44
35-49	70	14.2	152	1	1	10	25	30	30	52
50-64	37	8.6	55	<1	1	7	11	21	25	25
65+	21	11.0	125	1	2	5	20	30	32	32
B. *Operated*										
0-19 YRS	8	31.3	394	3	5	32	37	60	69	69
20-34	9	18.0	175	2	3	23	29	33	35	35
35-49	3	6.0	19	1	1	8	9	9	9	9
50-64	2	13.0	98	6	6	13	20	20	20	20
65+	3	8.0	13	5	5	7	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	10.9	150	<1	1	4	23	29	35	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	506	18.7	324	1	1	14	29	44	55	75
B. *Operated*	25	19.2	270	2	3	12	30	35	46	69
1. SINGLE DX	119	10.9	150	<1	1	4	23	29	35	44
2. MULTIPLE DX	531	18.7	321	1	1	14	29	43	55	74
A. NOT OPERATED	625	17.2	300	<1	1	11	28	41	52	73
B. OPERATED	25	19.2	270	2	3	12	30	35	46	69
TOTAL 0-19 YRS	206	28.0	486	<1	1	28	43	60	69	79
20-34	286	12.8	143	<1	1	7	24	30	30	41
35-49	93	12.6	141	1	1	8	24	29	30	48
50-64	41	8.9	53	<1	1	7	11	21	25	25
65+	24	10.6	110	1	2	6	15	29	32	32
GRAND TOTAL	**650**	**17.3**	**298**	**<1**	**1**	**11**	**28**	**40**	**52**	**73**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	2	<1	<1	2	3	4	5	8
20-34	43	3.0	4	<1	1	2	4	6	7	9
35-49	27	5.1	36	1	1	4	5	12	16	30
50-64	21	3.1	20	<1	<1	1	3	6	13	21
65+	11	2.9	7	1	1	2	4	7	10	10
B. *Operated*										
0-19 YRS	5	4.2	20	1	1	3	5	12	12	12
20-34	3	2.7		2	2	3	3	3	3	3
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	9.0	330	<1	<1	2	4	44	49	78
20-34	88	4.6	12	1	1	4	7	10	11	15
35-49	110	5.3	59	1	1	3	6	11	18	41
50-64	91	5.2	45	1	1	3	6	10	17	41
65+	98	4.5	10	1	1	4	6	9	11	13
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	14	7.3	29	2	2	5	12	15	17	18
35-49	7	9.4	105	1	1	6	18	25	26	26
50-64	15	5.3	10	2	2	5	7	10	11	12
65+	10	5.8	10	1	2	5	9	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.3	14	<1	1	2	4	6	8	23
B. *Operated*	13	3.2	9	1	1	3	3	7	11	12
2. MULTIPLE DX										
A. *Not Operated*	419	5.2	56	1	1	3	6	10	13	48
B. *Operated*	49	6.4	28	1	2	5	9	13	18	26
1. SINGLE DX	142	3.3	13	<1	1	2	4	6	9	22
2. MULTIPLE DX	468	5.4	53	1	1	3	6	10	14	46
A. NOT OPERATED	548	4.8	46	1	1	3	5	9	13	43
B. OPERATED	62	5.7	26	1	1	4	7	12	16	26
TOTAL 0-19 YRS	67	5.7	167	<1	<1	2	3	7	44	73
20-34	148	4.4	12	1	1	3	6	9	12	16
35-49	147	5.4	55	1	1	3	6	13	19	31
50-64	128	4.8	37	1	1	3	6	10	15	30
65+	120	4.5	10	1	1	4	6	9	11	13
GRAND TOTAL	**610**	**4.9**	**44**	**1**	**1**	**3**	**6**	**10**	**13**	**35**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	8.7	138	<1	1	4	11	22	33	54
20-34	311	4.4	27	<1	<1	3	5	9	14	27
35-49	193	4.1	15	<1	1	3	5	9	11	20
50-64	65	4.0	17	<1	1	3	5	7	10	26
65+	32	5.4	36	<1	1	3	6	14	18	28
B. *Operated*										
0-19 YRS	14	4.4	21	1	1	3	5	8	17	19
20-34	33	3.1	5	1	1	3	3	7	8	9
35-49	16	4.4	17	1	1	2	5	12	14	15
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	4	16.3	277	6	6	9	26	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	14.3	386	1	1	6	17	48	66	87
20-34	786	5.5	38	<1	1	3	7	12	16	33
35-49	506	5.2	35	1	1	3	7	11	15	24
50-64	196	5.0	21	1	1	3	7	11	16	22
65+	182	7.0	47	1	2	5	8	15	21	36
B. *Operated*										
0-19 YRS	41	6.9	141	<1	<1	2	5	21	41	49
20-34	92	7.1	138	1	1	4	8	14	26	89
35-49	56	7.0	87	1	1	4	9	18	36	96
50-64	28	5.0	13	2	2	4	6	12	13	15
65+	8	14.6	24	8	9	14	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	776	5.3	52	<1	1	3	6	12	19	38
B. *Operated*	70	4.4	31	1	1	3	5	8	12	37
2. MULTIPLE DX										
A. *Not Operated*	2042	7.1	111	1	1	4	8	15	24	63
B. *Operated*	225	7.1	108	<1	1	4	8	17	25	80
1. SINGLE DX	846	5.2	50	<1	1	3	6	12	18	39
2. MULTIPLE DX	2267	7.1	111	1	1	4	8	15	24	68
A. NOT OPERATED	2818	6.6	96	<1	1	3	7	14	22	59
B. OPERATED	295	6.4	91	<1	1	3	7	15	23	73
TOTAL 0-19 YRS	602	11.9	298	<1	1	5	14	37	57	81
20-34	1222	5.3	42	<1	1	3	6	12	15	34
35-49	771	5.0	34	1	1	3	6	11	15	26
50-64	292	4.8	19	1	1	3	6	10	14	22
65+	226	7.2	51	1	2	5	8	16	22	37
GRAND TOTAL	**3113**	**6.6**	**95**	**<1**	**1**	**3**	**7**	**14**	**22**	**60**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	20.2	483	1	2	10	38	59	75	99+
20-34	280	9.0	187	<1	1	4	9	24	34	75
35-49	155	6.5	67	<1	1	4	8	14	20	41
50-64	69	10.4	229	<1	1	5	11	28	38	87
65+	35	11.1	130	2	2	7	15	24	32	54
B. *Operated*										
0-19 YRS	9	7.2	105	1	1	2	8	26	28	28
20-34	21	6.7	124	1	1	3	5	19	38	45
35-49	20	7.2	57	1	1	4	10	19	25	29
50-64	8	7.1	14	2	2	7	10	12	13	13
65+	9	7.2	42	2	2	4	12	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	586	22.6	473	1	2	13	42	56	66	99+
20-34	717	10.0	170	1	1	5	12	25	41	82
35-49	478	8.6	114	1	1	5	11	19	27	55
50-64	285	8.5	107	1	2	5	10	19	28	50
65+	342	7.8	58	2	2	6	10	15	21	39
B. *Operated*										
0-19 YRS	27	21.7	828	1	1	5	63	91	99+	99+
20-34	56	11.1	156	2	2	7	13	39	47	96
35-49	60	10.8	76	1	2	8	14	24	35	93
50-64	44	12.8	180	1	2	7	14	37	43	52
65+	60	10.8	77	2	3	8	13	25	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	854	12.9	307	1	1	5	15	42	57	96
B. *Operated*	67	7.0	73	1	1	4	8	19	28	43
2. MULTIPLE DX										
A. *Not Operated*	2408	12.3	243	1	2	6	14	36	51	82
B. *Operated*	247	12.4	202	1	2	8	14	37	50	99+
1. SINGLE DX	921	12.4	293	1	1	5	14	41	56	96
2. MULTIPLE DX	2655	12.3	239	1	2	6	14	37	51	84
A. NOT OPERATED	3262	12.5	260	1	2	6	14	38	52	87
B. OPERATED	314	11.2	179	1	2	7	14	32	45	99+
TOTAL 0-19 YRS	937	21.6	485	1	2	12	41	57	71	99+
20-34	1074	9.7	173	1	1	5	11	25	40	79
35-49	713	8.3	100	1	1	5	10	18	25	55
50-64	406	9.2	135	1	2	5	11	23	32	52
65+	446	8.4	67	2	2	6	10	17	24	43
GRAND TOTAL	**3576**	**12.4**	**253**	**1**	**2**	**6**	**14**	**37**	**52**	**88**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	33.0	338	20	20	33	46	46	46	46
20-34	3	16.3	276	1	1	14	29	34	34	34
35-49	2	7.5	85	1	1	7	14	14	14	14
50-64	2	18.0		18	18	18	18	18	18	18
65+										
B. *Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	1	29.0		29	29	29	29	29	29	29
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.2	53	1	1	4	8	14	25	28
20-34	16	4.4	16	<1	<1	3	5	9	15	17
35-49	8	8.0	23	3	4	6	10	16	17	17
50-64	6	16.8	225	3	3	13	27	40	41	41
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	6	5.2	3	4	4	5	6	8	8	8
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	5.3	16	1	1	6	8	9	9	9
50-64	2	24.5	145	16	16	24	33	33	33	33
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	18.4	207	1	1	18	23	41	46	46
B. *Operated*	3	11.7	229	<1	<1	5	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	45	7.2	66	1	1	4	8	17	27	41
B. *Operated*	13	7.8	72	<1	1	5	8	19	30	33
1. SINGLE DX	12	16.8	201	<1	1	16	24	38	45	46
2. MULTIPLE DX	58	7.3	66	<1	1	5	8	17	28	40
A. NOT OPERATED	54	9.0	104	1	1	5	14	21	33	46
B. OPERATED	16	8.6	90	<1	<1	5	8	28	32	33
TOTAL 0-19 YRS	23	8.0	108	<1	1	4	8	22	34	46
20-34	22	7.0	80	<1	<1	4	7	21	31	34
35-49	13	7.3	25	1	1	6	10	15	17	17
50-64	10	18.6	151	3	3	18	27	37	41	41
65+	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	**70**	**8.9**	**100**	**<1**	**1**	**5**	**10**	**23**	**33**	**45**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	342	9.8	16	2	3	10	11	14	16	21
20-34	41	6.4	26	1	2	5	8	14	17	22
35-49	29	7.2	28	1	1	6	10	15	18	21
50-64	12	6.9	33	1	1	5	10	16	19	19
65+	5	6.8	29	1	1	8	10	14	14	14
B. Operated										
0-19 YRS	33	12.5	67	2	5	11	13	18	27	48
20-34	24	6.0	28	1	1	4	8	14	17	20
35-49	29	3.4	7	1	1	2	5	8	9	9
50-64	15	6.0	61	<1	1	3	7	20	26	28
65+	6	5.5	39	1	1	3	10	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	336	10.7	24	2	3	11	12	16	19	27
20-34	55	7.9	42	1	2	7	11	15	16	34
35-49	52	11.5	120	1	2	9	15	20	37	61
50-64	64	12.3	106	2	3	10	15	21	36	53
65+	44	15.3	92	3	4	13	21	27	34	48
B. Operated										
0-19 YRS	85	15.5	90	4	7	14	20	25	43	84
20-34	28	18.2	292	1	1	13	32	47	61	99+
35-49	51	16.6	329	2	2	10	23	41	48	95
50-64	50	24.5	500	3	3	17	40	72	99	99+
65+	37	25.2	453	2	3	20	32	54	70	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	9.2	20	2	3	10	11	14	16	21
B. Operated	107	7.3	51	1	1	5	11	15	20	37
2. MULTIPLE DX										
A. Not Operated	551	11.1	52	2	3	11	13	18	23	38
B. Operated	251	19.2	308	2	3	14	25	47	62	99+
1. SINGLE DX	536	8.8	26	1	2	10	11	14	17	23
2. MULTIPLE DX	802	13.6	146	2	3	11	15	27	40	88
A. NOT OPERATED	980	10.2	39	2	3	10	12	16	20	35
B. OPERATED	358	15.7	261	1	2	12	20	40	54	99+
TOTAL 0-19 YRS	796	10.9	32	2	3	11	12	16	20	33
20-34	148	9.1	100	1	1	6	12	20	33	59
35-49	161	10.9	170	1	1	7	13	24	40	60
50-64	141	15.5	281	1	2	10	19	40	60	99+
65+	92	18.2	268	1	3	15	23	34	52	84
GRAND TOTAL	**1338**	**11.7**	**104**	**1**	**2**	**10**	**13**	**20**	**31**	**61**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	7.3	16	5	5	5	10	12	12	12
35-49	4	9.3	63	4	4	7	41	99+	99+	99+
50-64	24	6.0	18	2	3	5	6	11	18	19
65+	74	6.7	32	1	2	6	8	12	17	33
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	7	13.6	76	4	4	15	18	26	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	7	6.3	19	1	2	5	9	13	14	14
50-64	75	8.7	47	2	3	7	11	19	21	38
65+	579	9.9	80	2	3	8	12	19	24	44
B. Operated										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49										
50-64	18	8.1	50	1	2	6	10	22	25	25
65+	90	16.3	196	4	5	12	22	32	42	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	6.6	29	1	2	5	8	12	19	64
B. Operated	8	12.3	79	3	3	11	18	25	28	28
2. MULTIPLE DX										
A. Not Operated	663	9.7	76	2	3	8	12	19	23	43
B. Operated	109	15.0	178	3	4	11	20	31	39	95
1. SINGLE DX	113	7.0	34	1	2	6	8	15	19	58
2. MULTIPLE DX	772	10.5	94	2	3	8	13	21	30	46
A. NOT OPERATED	768	9.3	71	2	3	7	11	18	23	43
B. OPERATED	117	14.8	171	3	4	11	20	31	39	95
TOTAL 0-19 YRS										
20-34	6	7.0	23	3	3	5	12	14	14	14
35-49	11	7.4	32	1	3	6	12	45	92	99+
50-64	118	8.0	42	2	3	6	9	18	21	31
65+	750	10.4	95	2	3	8	13	21	30	46
GRAND TOTAL	**885**	**10.0**	**87**	**2**	**3**	**8**	**12**	**20**	**27**	**46**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	11	1	1	8	8	9	9	9
20-34	87	7.4	36	<1	1	5	12	16	19	22
35-49	113	9.2	56	1	1	8	13	19	22	38
50-64	31	10.5	78	2	2	7	18	23	27	31
65+	9	6.2	26	<1	1	5	9	15	15	15
B. *Operated*										
0-19 YRS										
20-34	25	3.2	10	1	1	2	4	7	9	15
35-49	21	4.5	21	1	1	3	5	11	15	19
50-64	11	9.3	74	2	2	7	13	23	29	30
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	11	1	1	3	5	9	10	10
20-34	110	11.0	76	2	2	10	15	22	29	41
35-49	174	10.6	115	1	2	8	14	21	30	47
50-64	92	9.9	51	1	3	8	14	18	27	35
65+	36	10.6	105	2	2	7	12	29	32	46
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	33	10.0	114	1	2	5	12	27	35	39
35-49	41	11.6	125	1	2	7	17	28	38	43
50-64	39	14.5	279	1	2	11	17	45	69	99+
65+	10	20.4	639	2	3	12	28	58	87	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	8.6	50	1	1	7	13	18	22	31
B. *Operated*	58	5.0	31	1	1	3	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	418	10.4	88	1	2	8	14	21	30	46
B. *Operated*	124	12.9	214	1	2	9	17	31	42	90
1. SINGLE DX	303	7.9	48	1	1	6	12	18	21	30
2. MULTIPLE DX	542	11.0	118	1	2	8	14	23	32	63
A. NOT OPERATED	663	9.8	75	1	2	8	14	19	25	42
B. OPERATED	182	10.4	169	1	1	6	14	26	34	81
TOTAL 0-19 YRS	12	7.1	67	1	1	5	9	16	29	31
20-34	255	8.9	66	1	2	6	13	19	24	35
35-49	349	9.9	93	1	2	8	13	21	27	45
50-64	173	11.0	110	2	2	8	14	21	30	70
65+	56	11.7	195	2	2	7	13	30	32	84
GRAND TOTAL	**845**	**9.9**	**95**	**1**	**2**	**7**	**14**	**20**	**28**	**46**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	344	2.2	3	1	1	2	3	4	5	10
20-34	214	2.6	6	1	1	2	3	5	6	16
35-49	108	2.8	8	1	1	2	3	6	8	16
50-64	74	3.6	23	<1	1	2	4	5	11	31
65+	78	4.1	18	1	1	3	4	8	12	23
B. *Operated*										
0-19 YRS	6	3.3	9	1	1	2	4	8	9	9
20-34	13	4.6	12	1	1	4	6	8	13	14
35-49	7	1.9	1	<1	<1	1	3	4	4	4
50-64	6	3.7	4	1	1	3	4	7	7	7
65+	5	3.6	6	<1	<1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	496	3.5	16	1	1	2	4	7	11	18
20-34	394	3.9	16	1	1	3	5	8	13	26
35-49	314	4.6	30	1	1	3	5	8	15	29
50-64	372	5.1	32	1	1	3	6	10	14	36
65+	569	6.4	34	1	2	5	8	13	18	31
B. *Operated*										
0-19 YRS	25	7.2	98	<1	1	3	9	16	25	48
20-34	40	6.4	36	1	1	4	8	15	21	26
35-49	26	12.0	187	1	1	6	16	28	47	54
50-64	56	7.6	62	1	2	5	10	15	26	39
65+	59	12.7	129	2	3	8	17	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	818	2.7	8	1	1	2	3	5	7	16
B. *Operated*	37	3.6	8	<1	<1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	2145	4.8	27	1	1	3	6	10	14	28
B. *Operated*	206	9.3	102	1	2	6	12	22	29	51
1. SINGLE DX	855	2.7	8	1	1	2	3	5	7	16
2. MULTIPLE DX	2351	5.2	35	1	1	3	6	11	16	33
A. NOT OPERATED	2963	4.2	23	1	1	3	5	9	13	24
B. OPERATED	243	8.4	91	1	1	5	10	19	28	48
TOTAL 0-19 YRS	871	3.1	14	1	1	2	3	6	9	17
20-34	661	3.7	15	1	1	2	4	8	12	22
35-49	455	4.5	36	1	1	3	5	9	16	35
50-64	508	5.1	35	1	1	3	6	10	15	35
65+	711	6.7	44	1	2	4	8	14	19	35
GRAND TOTAL	**3206**	**4.5**	**29**	**1**	**1**	**3**	**5**	**10**	**15**	**28**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.8	40	<1	1	2	4	7	13	73
20-34	152	3.6	13	1	1	2	4	7	11	19
35-49	109	3.4	9	1	1	2	4	9	11	48
50-64	99	4.7	30	1	1	3	5	10	13	33
65+	152	4.9	16	1	1	4	7	10	13	25
B. *Operated*										
0-19 YRS	112	4.4	33	<1	1	3	5	9	11	30
20-34	165	4.1	17	1	1	2	6	9	13	18
35-49	157	4.1	21	<1	1	3	5	10	11	16
50-64	106	5.1	47	<1	1	3	6	10	17	42
65+	104	6.1	26	1	1	4	9	14	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	5.0	75	<1	1	3	5	10	19	51
20-34	261	7.7	100	1	1	4	8	20	31	99+
35-49	252	7.3	102	1	2	4	8	14	26	57
50-64	422	10.1	166	1	2	6	11	23	38	76
65+	1420	10.4	115	2	3	7	12	23	35	66
B. *Operated*										
0-19 YRS	247	8.0	171	1	1	4	8	15	31	86
20-34	255	10.4	202	1	1	6	11	25	43	82
35-49	251	10.5	193	1	1	6	13	23	44	79
50-64	339	11.8	208	1	2	7	14	27	41	91
65+	616	14.9	208	2	3	10	21	34	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	4.1	21	1	1	3	5	9	12	25
B. *Operated*	644	4.6	27	1	1	3	6	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	2593	9.3	120	1	2	6	11	22	34	71
B. *Operated*	1708	12.0	205	1	2	7	15	29	44	87
1. SINGLE DX	1268	4.4	24	1	1	3	5	10	13	24
2. MULTIPLE DX	4301	10.4	155	1	2	6	12	25	37	80
A. NOT OPERATED	3217	8.3	105	1	1	5	10	19	29	66
B. OPERATED	2352	10.0	167	1	1	6	12	24	37	80
TOTAL 0-19 YRS	709	5.8	99	<1	1	3	6	11	19	74
20-34	833	7.1	106	1	1	4	8	17	27	79
35-49	769	7.2	109	1	1	4	8	15	24	52
50-64	966	9.6	160	1	2	5	11	22	36	80
65+	2292	11.1	137	2	2	7	13	26	37	71
GRAND TOTAL	**5569**	**9.0**	**132**	**1**	**1**	**5**	**10**	**21**	**33**	**74**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	1.8	2	<1	1	1	2	3	5	6
20-34	243	2.9	6	1	1	2	3	5	6	10
35-49	189	2.9	4	1	1	2	4	6	8	11
50-64	54	3.0	8	<1	1	2	4	6	9	16
65+	12	1.9	1	1	1	2	3	3	4	4
B. *Operated*										
0-19 YRS	7	3.3	7	1	1	2	6	7	7	7
20-34	34	2.6	3	1	1	2	4	4	6	7
35-49	31	3.3	4	1	1	3	4	6	7	9
50-64	17	2.8	8	<1	1	2	3	6	10	12
65+	6	2.7	1	1	1	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	2.9	4	1	1	2	3	6	8	11
20-34	328	3.5	9	1	1	3	4	7	8	15
35-49	318	4.7	24	1	1	3	5	9	12	28
50-64	177	3.9	9	1	1	3	5	7	10	14
65+	66	4.4	16	1	2	4	6	7	9	27
B. *Operated*										
0-19 YRS	3	5.0	37	1	1	2	9	12	12	12
20-34	39	4.8	13	1	1	3	7	12	12	13
35-49	31	4.8	10	1	1	4	7	10	12	12
50-64	28	3.9	6	1	1	3	6	8	8	9
65+	7	5.4	12	1	1	5	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	588	2.7	5	1	1	2	3	5	7	10
B. *Operated*	95	2.9	4	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	964	4.0	14	1	1	3	5	7	10	21
B. *Operated*	108	4.6	11	1	1	4	7	10	12	13
1. SINGLE DX	683	2.7	5	1	1	2	3	5	7	10
2. MULTIPLE DX	1072	4.1	14	1	1	3	5	8	10	21
A. NOT OPERATED	1552	3.5	11	1	1	3	4	7	9	18
B. OPERATED	203	3.8	8	1	1	3	5	8	11	12
TOTAL 0-19 YRS	175	2.4	4	1	1	2	3	5	7	11
20-34	644	3.3	8	1	1	3	4	6	8	14
35-49	569	4.0	16	1	1	3	5	8	10	25
50-64	276	3.7	9	1	1	3	5	7	9	14
65+	91	4.1	14	1	1	3	5	7	9	23
GRAND TOTAL	**1755**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	1.5		<1	<1	1	2	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	28	1.4		<1	<1	1	2	2	2	3
20-34	423	1.5	1	<1	<1	1	2	3	3	4
35-49	690	1.6	1	<1	<1	1	2	3	3	5
50-64	661	1.6	1	<1	<1	1	2	3	3	5
65+	462	1.7	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	2.1	6	<1	<1	<1	2	5	9	9
35-49	19	2.5	2	<1	<1	2	4	5	5	5
50-64	20	2.9	5	<1	<1	2	4	6	8	9
65+	12	3.3	5	<1	<1	3	5	6	8	8
B. *Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	155	2.2	4	<1	<1	2	3	4	6	10
35-49	259	2.3	3	<1	<1	2	3	4	6	11
50-64	469	2.4	4	<1	1	2	3	4	6	11
65+	391	2.7	9	<1	1	2	3	5	6	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.5		<1	<1	1	2	2	2	2
B. *Operated*	2264	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	63	2.7	4	<1	<1	2	4	5	7	9
B. *Operated*	1281	2.5	5	<1	<1	2	3	4	6	12
1. SINGLE DX	2274	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	1344	2.5	5	<1	<1	2	3	5	6	12
A. NOT OPERATED	73	2.5	4	<1	<1	2	3	5	7	9
B. OPERATED	3545	1.9	3	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	36	1.4		<1	<1	1	2	2	3	3
20-34	590	1.7	2	<1	<1	1	2	3	4	7
35-49	974	1.8	2	<1	<1	1	2	3	4	7
50-64	1152	2.0	2	<1	<1	2	2	3	4	9
65+	866	2.2	5	<1	<1	2	2	4	5	12
GRAND TOTAL	**3618**	**1.9**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	6.2	77	1	1	3	7	12	27	48
20-34	103	7.5	151	<1	1	4	7	15	30	75
35-49	109	6.5	56	1	1	4	8	13	19	44
50-64	103	5.9	87	1	1	3	6	9	20	61
65+	60	4.7	39	1	1	3	6	8	11	44
B. *Operated*										
0-19 YRS	85	3.7	58	<1	1	2	4	6	8	51
20-34	549	3.3	8	<1	1	2	4	7	9	14
35-49	565	3.2	9	<1	1	2	4	6	8	17
50-64	525	2.8	7	<1	<1	2	3	6	8	13
65+	233	3.3	13	<1	1	2	4	6	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	8.8	114	<1	1	5	11	15	32	52
20-34	143	6.2	53	1	1	4	7	12	17	38
35-49	188	6.6	49	1	2	4	8	14	19	33
50-64	309	7.7	108	1	2	4	9	14	22	63
65+	447	7.8	73	1	2	6	9	14	23	45
B. *Operated*										
0-19 YRS	55	4.9	43	<1	1	3	5	8	17	38
20-34	332	5.2	81	1	1	3	5	9	15	66
35-49	442	5.6	58	1	1	4	6	11	16	34
50-64	538	5.6	65	1	1	3	6	12	18	79
65+	438	8.5	150	1	1	5	9	20	29	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	6.3	87	1	1	3	7	11	19	56
B. *Operated*	1957	3.2	11	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	1112	7.4	78	1	2	5	9	14	21	51
B. *Operated*	1805	6.2	88	1	1	4	7	13	20	63
1. SINGLE DX	2390	3.7	26	<1	1	2	4	7	9	24
2. MULTIPLE DX	2917	6.7	84	1	1	4	7	13	20	58
A. NOT OPERATED	1545	7.1	80	1	1	4	8	14	20	52
B. OPERATED	3762	4.6	50	<1	1	3	5	9	14	36
TOTAL 0-19 YRS	223	5.2	67	<1	1	3	5	10	18	50
20-34	1127	4.6	50	<1	1	3	5	9	13	33
35-49	1304	4.8	37	<1	1	3	5	9	14	27
50-64	1475	5.1	58	<1	1	3	6	10	15	52
65+	1178	7.0	92	1	1	4	8	14	22	56
GRAND TOTAL	**5307**	**5.3**	**60**	**1**	**1**	**3**	**6**	**11**	**16**	**45**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	49	3.6	3	1	2	4	5	6	6	10
20-34	103	3.7	3	1	2	3	4	6	7	9
35-49	117	4.1	4	1	2	4	5	7	8	11
50-64	343	4.5	32	1	2	4	5	7	8	14
65+	369	4.2	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	6	4.2	10	1	1	3	5	9	10	10
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	44	4.3	7	1	2	4	6	7	9	14
20-34	104	5.2	8	2	3	5	6	7	11	16
35-49	116	5.2	12	1	2	4	7	9	12	21
50-64	387	4.7	8	1	2	4	6	8	9	15
65+	534	4.9	10	2	2	4	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	5	1	1	4	5	6	6	6
B. *Operated*	981	4.2	14	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	13	2.7	7	<1	<1	2	3	6	9	10
B. *Operated*	1185	4.9	9	2	2	4	6	8	10	16
1. SINGLE DX	988	4.2	14	1	2	4	5	7	8	12
2. MULTIPLE DX	1198	4.9	9	1	2	4	6	8	10	16
A. NOT OPERATED	20	2.9	6	<1	<1	2	4	6	8	10
B. OPERATED	2166	4.6	11	1	2	4	6	7	9	14
TOTAL 0-19 YRS	97	3.9	5	1	2	4	5	6	7	13
20-34	208	4.4	6	2	2	4	6	7	8	14
35-49	236	4.6	8	1	2	4	6	8	9	15
50-64	739	4.6	19	1	2	4	6	8	9	14
65+	906	4.6	8	1	2	4	6	8	9	14
GRAND TOTAL	**2186**	**4.6**	**11**	**1**	**2**	**4**	**6**	**7**	**9**	**14**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	8	2.4	10	1	1	1	2	8	10	10
65+	22	1.7	3	<1	1	1	2	3	5	9
B. *Operated*										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	7	2.1	1	1	1	2	2	4	4	4
35-49	30	2.3	2	<1	1	2	3	4	5	8
50-64	65	2.3	3	<1	<1	2	2	5	6	10
65+	143	2.2	2	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	1.5		1	1	1	2	2	2	2
65+	30	2.6	5	<1	1	2	3	5	5	12
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	7	2.9	4	1	1	3	4	6	6	6
35-49	15	2.3	2	<1	<1	2	3	5	5	5
50-64	60	3.3	10	1	1	2	4	8	10	16
65+	190	3.7	13	1	1	3	4	7	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	1.9	4	1	1	1	2	3	8	10
B. *Operated*	250	2.2	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	37	2.4	4	<1	1	2	3	5	5	12
B. *Operated*	274	3.5	11	1	1	2	4	7	10	19
1. SINGLE DX	282	2.2	3	<1	<1	2	2	4	6	10
2. MULTIPLE DX	311	3.4	11	1	1	2	4	7	10	18
A. NOT OPERATED	69	2.2	4	1	1	1	2	4	6	12
B. OPERATED	524	2.9	8	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	7	2.4	2	1	1	2	4	5	5	5
20-34	15	2.5	2	1	1	2	4	4	6	6
35-49	49	2.2	2	<1	1	2	3	4	5	8
50-64	137	2.7	7	<1	1	2	3	6	9	13
65+	385	2.9	8	<1	1	2	3	6	8	17
GRAND TOTAL	**593**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	8	2.8	9	1	1	2	3	8	10	10
B. *Operated*										
0-19 YRS	9	3.0	4	1	1	3	4	6	6	6
20-34	18	1.6	1	<1	<1	1	2	2	5	6
35-49	35	2.5	2	<1	1	2	3	5	6	7
50-64	74	2.6	7	<1	<1	2	3	5	7	17
65+	104	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	25	<1	<1	1	7	12	13	13
20-34	5	2.6	4	1	1	2	4	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	2.7	5	1	1	2	3	7	7	7
65+	26	2.7	5	<1	1	2	4	5	8	10
B. *Operated*										
0-19 YRS	6	2.2		2	2	2	2	3	3	3
20-34	10	2.8	10	<1	<1	1	3	8	11	11
35-49	29	2.4	2	<1	<1	2	3	5	6	7
50-64	45	3.2	11	<1	1	2	3	5	11	19
65+	141	3.5	13	1	1	3	4	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.5	6	1	1	2	2	5	9	10
B. *Operated*	240	2.3	4	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	44	2.8	7	<1	1	2	4	7	9	13
B. *Operated*	231	3.2	11	<1	1	2	3	6	10	20
1. SINGLE DX	254	2.3	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	275	3.2	10	<1	1	2	3	6	10	18
A. NOT OPERATED	58	2.8	7	<1	1	2	3	7	9	13
B. OPERATED	471	2.7	7	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	23	3.1	8	<1	1	2	4	6	9	13
20-34	35	2.1	4	<1	<1	1	2	5	6	11
35-49	67	2.4	2	<1	<1	2	3	5	6	7
50-64	125	2.8	8	<1	1	2	3	5	8	19
65+	279	2.9	8	<1	<1	2	3	5	9	13
GRAND TOTAL	**529**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**8**	**13**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65+	22	1.7		<1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	361	1.8	1	<1	1	2	2	2	3	5
50-64	2198	1.8	1	<1	1	2	2	3	3	5
65+	9438	1.9	1	<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	1.4	1	<1	<1	1	2	3	3	3
50-64	58	1.6	3	<1	<1	1	1	3	5	9
65+	239	1.9	3	<1	<1	1	2	3	5	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	241	2.1	1	<1	1	2	2	3	4	6
50-64	1962	2.1	2	1	1	2	2	3	4	8
65+	10170	2.3	5	1	1	2	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.7	1	<1	<1	2	2	3	3	4
B. *Operated*	11997	1.9	1	<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	305	1.9	3	<1	<1	1	2	3	5	10
B. *Operated*	12373	2.3	4	1	1	2	2	3	4	9
1. SINGLE DX	12024	1.9	1	<1	1	2	2	3	3	4
2. MULTIPLE DX	12678	2.3	4	1	1	2	2	3	4	9
A. NOT OPERATED	332	1.9	3	<1	<1	1	2	3	5	10
B. OPERATED	24370	2.1	2	<1	1	2	2	3	4	7
TOTAL 0-19 YRS										
20-34										
35-49	611	1.9	1	<1	1	2	2	3	3	6
50-64	4222	2.0	1	<1	1	2	2	3	3	7
65+	19869	2.1	3	<1	1	2	2	3	4	8
GRAND TOTAL	**24702**	**2.1**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	43	1.6	1	<1	<1	1	2	2	3	8
20-34	42	1.8	1	<1	<1	2	2	3	4	5
35-49	50	1.8		<1	<1	2	2	3	3	3
50-64	91	1.6		<1	<1	2	2	2	3	3
65+	177	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	7	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	35	2.4	3	<1	<1	2	3	4	5	10
20-34	37	1.8	1	<1	<1	2	2	3	4	5
35-49	51	2.9	10	<1	<1	2	3	5	8	21
50-64	118	2.3	7	<1	1	2	2	3	4	14
65+	257	2.1	1	<1	<1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4	1	<1	<1	<1	1	3	3	3
B. *Operated*	403	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	13	1.3		<1	<1	1	2	2	2	2
B. *Operated*	498	2.2	4	<1	<1	2	2	3	5	10
1. SINGLE DX	408	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	511	2.2	4	<1	<1	2	2	3	5	10
A. NOT OPERATED	18	1.3		<1	<1	1	2	2	3	3
B. OPERATED	901	1.9	2	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	82	1.9	2	<1	<1	1	2	4	5	9
20-34	79	1.8	1	<1	<1	2	2	3	4	5
35-49	104	2.3	6	<1	<1	2	2	3	5	16
50-64	211	2.0	4	<1	<1	2	2	3	3	7
65+	443	1.8	1	<1	<1	2	2	3	3	7
GRAND TOTAL	**919**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	5	2.8	5	1	1	2	4	6	6	6
50-64	3	3.3		3	3	3	4	4	4	4
65+	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	925	1.4	1	<1	<1	1	2	2	2	7
20-34	154	1.4		<1	<1	1	2	2	2	3
35-49	81	1.4		<1	<1	1	2	2	2	3
50-64	36	1.6	1	<1	<1	1	2	2	3	5
65+	46	1.9	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.5	1	<1	<1	1	2	3	3	4
20-34	10	4.9	33	1	1	3	4	13	21	21
35-49	9	3.9	11	1	1	2	6	9	11	11
50-64	19	5.0	49	<1	1	3	5	7	21	33
65+	33	4.3	7	1	1	3	6	8	9	9
B. *Operated*										
0-19 YRS	257	1.3		<1	<1	1	1	2	2	3
20-34	64	2.1	7	<1	<1	2	2	3	5	17
35-49	48	1.7	1	<1	<1	2	2	2	4	6
50-64	22	2.3	3	<1	1	2	2	4	7	9
65+	63	2.5	3	1	1	2	3	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.2	2	<1	<1	2	3	4	5	6
B. *Operated*	1242	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	97	3.7	18	<1	<1	3	4	8	9	27
B. *Operated*	454	1.7	2	<1	<1	1	2	2	4	8
1. SINGLE DX	1270	1.4	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX	551	2.0	5	<1	<1	1	2	4	6	9
A. NOT OPERATED	125	3.4	15	<1	<1	2	4	7	8	24
B. OPERATED	1696	1.5	1	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	1221	1.4	1	<1	<1	1	2	2	2	5
20-34	231	1.8	4	<1	<1	1	2	2	3	13
35-49	143	1.7	2	<1	<1	1	2	2	4	7
50-64	80	2.7	14	<1	<1	2	3	5	7	26
65+	146	2.7	4	<1	1	2	3	6	8	9
GRAND TOTAL	**1821**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.1	5	<1	<1	1	3	[illegible]	7	9
20-34	16	4.0	8	1	1	3	6	[illegible]	[illegible]	12
35-49	9	4.7	7	1	1	4	7	[illegible]	[illegible]	8
50-64	15	3.9	10	<1	<1	3	5	[illegible]	[illegible]	11
65+	24	5.5	12	<1	2	5	7	[illegible]	14	15
B. *Operated*										
0-19 YRS	131	1.7	2	<1	<1	1	2	3	[illegible]	6
20-34	159	1.9	1	<1	<1	2	3	3	4	6
35-49	168	1.9	4	<1	<1	1	2	3	4	8
50-64	211	1.7	1	<1	<1	1	2	3	4	6
65+	400	2.1	4	<1	<1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	2.8	4	<1	<1	2	3	[illegible]	7	10
20-34	15	3.7	11	1	1	[illegible]	5	[illegible]	12	13
35-49	21	6.2	23	1	2	5	8	11	[illegible]	23
50-64	27	5.9	75	<1	1	3	6	13	29	40
65+	76	6.7	28	1	1	5	9	14	16	25
B. *Operated*										
0-19 YRS	59	2.9	6	<1	<1	2	4	6	9	12
20-34	85	3.2	11	<1	1	3	4	5	6	22
35-49	121	3.2	21	<1	1	2	3	5	8	31
50-64	236	2.7	8	<1	1	2	3	5	7	13
65+	654	3.2	13	<1	1	2	4	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.9	8	<1	<1	2	4	7	8	14
B. *Operated*	1069	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	236	4.8	25	<1	1	3	6	10	14	27
B. *Operated*	1155	3.1	12	<1	1	2	4	5	8	20
1. SINGLE DX	1270	2.1	4	<1	<1	1	2	4	5	9
2. MULTIPLE DX	1391	3.4	15	<1	1	2	4	7	9	21
A. NOT OPERATED	437	3.9	18	<1	<1	3	5	8	12	21
B. OPERATED	2224	2.5	8	<1	<1	2	3	4	6	13
TOTAL 0-19 YRS	424	2.3	4	<1	<1	1	3	5	6	10
20-34	275	2.5	6	<1	<1	2	3	5	6	12
35-49	319	2.7	13	<1	<1	2	3	5	8	23
50-64	489	2.5	9	<1	<1	2	3	4	7	14
65+	1154	3.1	12	<1	<1	2	3	6	9	17
GRAND TOTAL	2461	2.8	10	<1	<1	2	3	5	7	16

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0 379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	3.1	3	1	1	3	4	5	6	9
20-34	33	3.4	5	1	1	3	4	7	8	11
35-49	29	3.5	6	1	1	2	5	8	9	9
50-64	23	3.5	6	1	1	3	6	7	9	10
65+	34	3.5	6	1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	50	2.2	5	<1	<1	1	2	4	8	12
20-34	89	1.8	10	<1	<1	<1	2	3	4	20
35-49	95	1.7	2	<1	<1	1	2	3	5	6
50-64	216	2.1	3	<1	<1	2	2	4	5	10
65+	658	2.0	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	283	3.8	5	1	2	3	4	7	8	11
20-34	50	4.3	44	1	1	3	4	8	11	42
35-49	37	5.2	14	1	2	4	7	8	12	22
50-64	76	5.1	24	1	2	3	6	9	13	30
65+	128	4.7	21	1	1	3	6	10	12	27
B. *Operated*										
0-19 YRS	73	3.8	12	1	1	3	5	7	8	21
20-34	129	3.3	4	<1	2	3	4	6	7	12
35-49	99	3.6	7	1	1	3	4	8	10	13
50-64	332	3.7	15	1	1	2	4	7	9	19
65+	869	3.1	10	1	1	2	3	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.2	4	1	1	3	4	6	7	10
B. *Operated*	1106	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	574	4.3	15	1	1	3	5	8	10	23
B. *Operated*	1502	3.3	11	1	1	2	4	7	9	15
1. SINGLE DX	1507	2.3	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX	2076	3.6	12	1	1	3	4	7	9	17
A. NOT OPERATED	973	3.9	11	1	1	3	5	7	9	14
B. OPERATED	2610	2.6	8	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	686	3.4	5	1	1	3	4	6	7	11
20-34	301	3.0	13	<1	<1	2	4	5	7	16
35-49	260	3.1	6	<1	<1	2	4	7	9	13
50-64	647	3.3	13	<1	1	2	4	7	9	15
65+	1689	2.8	8	<1	1	2	3	6	7	14
GRAND TOTAL	3583	3.1	9	<1	1	2	3	6	8	14

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	7	3.9	34	<1	<1	2	3	14	17	17
65+	6	3.3	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	8	2.9	17	<1	<1	1	2	10	13	13
20-34	15	2.1	4	<1	<1	1	3	3	8	9
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64	8	1.6	1	<1	<1	1	2	3	4	4
65+	17	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	5	<1	<1	3	4	6	8	8
20-34	17	2.8	3	1	1	2	3	6	7	7
35-49	19	2.6	2	1	1	2	4	4	6	7
50-64	31	4.9	17	1	1	3	6	10	12	20
65+	40	4.0	9	1	1	3	5	7	11	16
B. *Operated*										
0-19 YRS	11	1.9	2	<1	<1	1	3	4	4	4
20-34	16	3.2	3	1	1	3	4	7	7	7
35-49	19	2.3	1	<1	1	2	3	4	4	4
50-64	38	3.4	7	1	1	3	4	6	8	16
65+	42	2.5	1	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.7	10	<1	<1	2	3	5	7	17
B. *Operated*	53	2.0	4	<1	<1	1	2	3	4	13
2. MULTIPLE DX										
A. *Not Operated*	121	3.7	9	1	1	3	5	7	10	17
B. *Operated*	126	2.8	4	1	1	2	3	5	6	11
1. SINGLE DX	81	2.2	6	<1	<1	2	2	4	6	16
2. MULTIPLE DX	247	3.3	6	1	1	3	4	6	8	16
A. NOT OPERATED	149	3.5	9	<1	1	3	4	7	9	17
B. OPERATED	179	2.6	4	<1	<1	2	3	4	6	12
TOTAL 0-19 YRS	39	2.5	6	<1	<1	2	3	5	7	13
20-34	52	2.7	3	<1	1	2	3	6	7	9
35-49	48	2.3	2	<1	1	2	3	4	4	7
50-64	84	3.9	13	1	1	3	5	8	11	19
65+	105	3.0	5	<1	1	2	4	5	6	14
GRAND TOTAL	**328**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**5**	**7**	**16**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	2.3	2	<1	1	2	3	4	5	8
20-34	6	4.0	11	1	1	3	5	9	10	10
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64										
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	2795	1.1	2	<1	<1	<1	<1	1	2	3
20-34	243	1.7	1	1	1	2	2	2	3	4
35-49	231	1.6	1	1	1	2	2	2	3	4
50-64	244	1.6	1	1	1	2	2	2	3	4
65+	88	1.5		<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	962	2.6	3	<1	1	2	3	4	5	10
20-34	35	4.0	7	1	1	3	5	8	10	11
35-49	30	3.2	3	1	1	3	4	6	6	7
50-64	20	3.9	6	<1	1	3	5	7	9	11
65+	26	6.0	21	<1	1	5	8	12	15	21
B. *Operated*										
0-19 YRS	1978	1.4	3	<1	<1	1	1	2	3	6
20-34	239	2.1	2	<1	1	2	2	3	4	9
35-49	219	2.1	2	<1	1	2	3	3	5	8
50-64	201	2.3	5	<1	1	2	3	4	5	9
65+	110	2.6	5	<1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	2.4	2	<1	1	2	3	4	5	9
B. *Operated*	3601	1.2	2	<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	1073	2.7	4	<1	1	2	3	5	7	11
B. *Operated*	2747	1.6	3	<1	<1	1	2	3	3	8
1. SINGLE DX	3865	1.3	2	<1	<1	<1	1	2	3	4
2. MULTIPLE DX	3820	1.9	4	<1	<1	1	2	4	5	9
A. NOT OPERATED	1337	2.7	4	<1	1	2	3	5	6	11
B. OPERATED	6348	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	5987	1.5	3	<1	<1	<1	1	3	4	7
20-34	523	2.0	2	1	1	2	2	3	4	9
35-49	484	1.9	1	1	1	2	2	3	4	7
50-64	465	2.0	3	1	1	2	2	3	4	8
65+	226	2.6	6	<1	1	2	3	5	8	13
GRAND TOTAL	**7685**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.5	4	1	1	3	4	6	8	9
20-34	20	2.9	3	1	1	2	3	6	6	6
35-49	15	3.9	5	1	2	4	5	6	9	10
50-64	6	4.3	3	3	3	4	6	7	7	7
65+	7	6.7	13	3	3	5	10	12	12	12
B. *Operated*										
0-19 YRS	150	1.5	2	<1	<1	1	1	3	4	8
20-34	34	2.4	4	1	1	2	3	6	6	9
35-49	25	1.8	2	<1	1	1	2	3	5	7
50-64	20	2.0	1	<1	<1	2	3	3	4	4
65+	17	2.2	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	4.6	23	1	1	3	5	10	13	26
20-34	40	4.0	9	1	1	3	5	7	10	15
35-49	42	3.7	4	1	2	3	5	6	7	12
50-64	31	7.3	109	1	1	5	6	11	41	48
65+	42	7.2	49	1	2	5	9	13	25	33
B. *Operated*										
0-19 YRS	234	2.5	16	<1	<1	1	2	6	8	23
20-34	66	2.8	6	1	1	2	3	7	8	13
35-49	53	3.4	33	1	1	2	3	5	9	41
50-64	51	7.3	115	1	1	2	7	25	33	46
65+	47	9.1	123	1	1	3	13	30	34	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.7	5	1	2	3	5	7	8	12
B. *Operated*	246	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	271	5.1	33	1	1	4	5	9	13	39
B. *Operated*	451	3.9	44	<1	<1	2	3	8	16	37
1. SINGLE DX	335	2.3	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	722	4.3	40	<1	1	2	5	9	14	37
A. NOT OPERATED	360	4.7	26	1	1	4	5	9	12	33
B. OPERATED	697	3.1	30	<1	<1	2	3	6	10	34
TOTAL 0-19 YRS	541	2.7	14	<1	<1	1	3	6	8	17
20-34	160	3.0	6	1	1	2	4	6	8	13
35-49	135	3.3	15	1	1	2	4	5	7	17
50-64	108	6.1	89	1	1	3	5	15	31	47
65+	113	7.2	74	1	1	4	8	18	32	36
GRAND TOTAL	**1057**	**3.7**	**29**	**<1**	**<1**	**2**	**4**	**7**	**11**	**34**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	4	1	1	2	4	6	7	7
20-34	66	3.1	5	1	1	3	3	6	8	11
35-49	119	2.6	3	1	1	2	3	5	6	9
50-64	169	2.5	2	1	1	2	3	4	5	9
65+	231	3.0	5	1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS	12	2.2	1	1	1	2	3	4	4	4
20-34	58	2.9	3	1	1	3	3	6	7	9
35-49	89	3.6	5	1	1	3	5	7	8	11
50-64	102	3.5	5	1	1	3	4	7	8	10
65+	43	3.7	9	1	2	3	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.0	42	<1	1	3	5	12	23	25
20-34	81	3.0	4	1	1	3	4	5	6	10
35-49	157	3.5	7	1	1	3	4	7	9	12
50-64	396	3.5	6	1	1	3	4	7	8	13
65+	977	4.1	14	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	8	4.1	23	2	2	3	3	12	16	16
20-34	32	4.5	11	1	1	4	6	9	11	15
35-49	44	5.5	28	1	1	4	7	11	20	24
50-64	87	5.7	13	2	2	5	8	11	12	18
65+	103	5.6	25	1	1	4	8	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	595	2.8	4	1	1	2	3	5	7	11
B. *Operated*	304	3.4	5	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	1623	3.9	11	1	1	3	5	8	10	15
B. *Operated*	274	5.4	20	1	2	4	8	11	13	24
1. SINGLE DX	899	3.0	4	1	1	2	4	6	7	11
2. MULTIPLE DX	1897	4.1	13	1	1	3	5	8	10	17
A. NOT OPERATED	2218	3.6	9	1	1	3	4	7	9	14
B. OPERATED	578	4.4	13	1	1	3	6	8	11	21
TOTAL 0-19 YRS	42	3.5	18	1	1	2	4	5	11	25
20-34	237	3.2	5	1	1	3	4	6	8	11
35-49	409	3.5	8	1	1	3	4	7	8	15
50-64	754	3.5	7	1	1	3	4	7	9	13
65+	1354	4.0	13	1	1	3	5	8	10	16
GRAND TOTAL	**2796**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	11	1.3		1	1	1	1	2	3	3
20-34	162	1.5	1	1	1	1	2	3	3	5
35-49	245	1.5	1	1	1	1	2	3	3	4
50-64	243	1.4	1	1	1	1	2	2	3	4
65+	94	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.7	1	<1	<1	<1	2	3	3	3
65+	3	7.0	48	3	3	3	12	15	15	15
B. *Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	43	2.0	1	1	1	2	2	3	4	5
35-49	68	1.8	1	<1	1	2	2	3	4	4
50-64	76	1.9	2	1	1	2	2	3	4	8
65+	39	2.8	8	1	1	2	3	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	755	1.5	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	9	3.2	20	<1	<1	<1	3	10	15	15
B. *Operated*	230	2.1	2	1	1	2	2	3	4	9
1. SINGLE DX	757	1.5	1	1	1	1	2	3	3	4
2. MULTIPLE DX	239	2.1	3	1	1	2	2	3	4	10
A. NOT OPERATED	11	2.9	17	<1	<1	1	3	8	14	15
B. OPERATED	985	1.6	1	1	1	1	2	3	3	5
TOTAL 0-19 YRS	15	1.5	1	1	1	1	2	3	3	3
20-34	208	1.6	1	1	1	1	2	3	3	5
35-49	314	1.5	1	1	1	1	2	3	3	4
50-64	322	1.5	1	1	1	1	2	3	3	5
65+	137	2.0	4	1	1	1	2	3	5	15
GRAND TOTAL	**996**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	7	<1	<1	1	3	6	9	10
20-34	10	3.3	6	<1	<1	3	5	7	9	9
35-49	12	3.5	8	<1	1	3	4	7	11	12
50-64	9	3.9	9	1	1	3	5	8	10	10
65+	8	3.1	5	<1	<1	3	4	7	8	8
B. *Operated*										
0-19 YRS	525	1.5	2	<1	<1	1	2	2	3	4
20-34	312	1.6	1	<1	1	1	2	2	3	7
35-49	244	1.7	15	<1	1	1	2	2	3	5
50-64	201	1.6	2	<1	1	1	2	3	3	5
65+	88	1.8	3	<1	1	1	2	2	4	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.0	5	<1	<1	1	2	5	8	9
20-34	14	3.8	11	<1	<1	3	5	8	12	13
35-49	16	3.4	2	1	1	3	5	5	6	6
50-64	29	4.0	12	1	1	3	6	8	9	17
65+	45	7.1	97	1	2	5	7	12	21	64
B. *Operated*										
0-19 YRS	405	1.5		<1	<1	1	2	2	3	4
20-34	264	1.7	3	<1	1	1	2	3	4	7
35-49	226	1.9	2	<1	1	2	2	3	4	7
50-64	223	2.3	5	1	1	2	3	4	5	11
65+	123	2.8	10	<1	1	2	3	5	7	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	7	<1	<1	2	4	7	10	12
B. *Operated*	1370	1.6	4	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	128	4.6	43	<1	<1	3	5	8	12	31
B. *Operated*	1241	1.9	3	<1	1	2	2	3	4	7
1. SINGLE DX	1421	1.7	4	<1	<1	1	2	2	3	7
2. MULTIPLE DX	1369	2.2	7	<1	1	2	2	4	5	12
A. NOT OPERATED	179	4.2	33	<1	<1	3	5	8	11	22
B. OPERATED	2611	1.8	4	<1	<1	1	2	3	3	7
TOTAL 0-19 YRS	966	1.5	1	<1	<1	1	2	2	3	5
20-34	600	1.7	2	<1	1	1	2	3	4	8
35-49	498	1.9	8	<1	1	1	2	3	4	7
50-64	462	2.2	5	1	1	2	2	4	5	10
65+	264	3.2	25	<1	1	2	3	6	10	22
GRAND TOTAL	**2790**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.1	10	2	2	4	7	10	12	12
20-34	13	4.5	5	2	2	4	6	8	9	9
35-49	3	3.3	6	<1	<1	3	5	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	9.0	3	8	8	8	10	11	11	11
65+	2	10.5	5	9	9	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	7.3	70	1	2	4	8	17	30	35
20-34	11	7.5	127	2	2	4	7	21	39	41
35-49	10	5.8	10	1	1	6	8	10	12	12
50-64	20	6.5	21	1	2	5	8	12	17	21
65+	31	7.8	78	2	2	5	9	14	21	49
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	12	4.5	10	1	1	4	6	9	12	12
50-64	10	5.6	19	1	1	4	10	12	13	13
65+	14	8.3	61	1	2	6	12	21	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.8	7	2	2	4	7	8	10	12
B. *Operated*	6	8.8	6	5	5	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	96	7.1	61	1	2	5	8	13	21	45
B. *Operated*	38	6.1	32	1	2	4	8	13	19	25
1. SINGLE DX	39	5.4	9	2	2	5	8	10	11	12
2. MULTIPLE DX	134	6.9	53	1	2	5	8	13	21	42
A. NOT OPERATED	129	6.6	48	2	2	5	8	12	16	43
B. OPERATED	44	6.5	29	1	2	5	9	12	18	25
TOTAL 0-19 YRS	39	6.4	47	1	2	4	8	12	23	35
20-34	25	5.9	58	2	2	4	6	8	17	41
35-49	26	4.9	9	1	1	4	7	8	12	12
50-64	34	6.4	19	1	2	6	9	12	13	21
65+	49	8.0	66	2	2	6	10	16	21	49
GRAND TOTAL	**173**	**6.5**	**43**	**1**	**2**	**5**	**8**	**12**	**17**	**40**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.0	1	1	1	2	3	3	3	3
35-49	9	5.6	46	<1	<1	2	9	17	21	21
50-64	7	2.6	1	1	1	3	3	4	4	4
65+	6	4.3	9	<1	<1	4	7	8	8	8
B. *Operated*										
0-19 YRS	7	5.3	20	<1	<1	2	10	10	10	10
20-34	20	3.7	7	1	1	2	6	8	9	9
35-49	50	4.9	28	1	1	2	8	11	14	26
50-64	65	7.0	42	1	2	2	11	16	20	27
65+	33	5.3	27	1	1	2	9	12	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	20	1	1	6	9	10	10	10
20-34	24	4.5	59	1	1	3	4	5	16	40
35-49	73	3.6	7	<1	1	3	4	7	10	13
50-64	138	5.3	16	1	1	4	7	11	14	20
65+	287	7.8	44	2	2	6	10	15	17	38
B. *Operated*										
0-19 YRS	10	9.9	122	1	1	6	14	26	37	37
20-34	51	8.4	40	2	2	9	12	14	22	30
35-49	176	8.8	63	1	2	9	12	17	22	88
50-64	398	10.4	119	1	2	9	14	21	26	54
65+	336	11.6	119	1	2	10	16	24	36	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.7	17	<1	1	2	3	8	11	21
B. *Operated*	175	5.6	31	1	1	2	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	525	6.4	35	1	2	5	8	13	17	33
B. *Operated*	971	10.4	106	1	2	9	14	22	30	63
1. SINGLE DX	205	5.3	29	1	1	2	9	13	17	25
2. MULTIPLE DX	1496	9.0	85	1	2	7	12	19	24	53
A. NOT OPERATED	555	6.2	34	1	1	4	8	12	17	33
B. OPERATED	1146	9.7	97	1	2	8	13	21	27	55
TOTAL 0-19 YRS	21	7.4	70	<1	1	3	10	15	25	37
20-34	102	6.1	40	1	1	4	9	12	15	35
35-49	308	6.8	49	1	1	4	10	14	19	56
50-64	608	8.8	91	1	2	6	12	18	24	50
65+	662	9.6	86	1	2	7	13	20	27	53
GRAND TOTAL	**1701**	**8.6**	**79**	**1**	**2**	**6**	**12**	**18**	**24**	**50**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	4	<1	<1	2	3	6	7	7
20-34	37	2.0	2	<1	<1	2	2	4	5	6
35-49	127	2.9	4	1	1	3	4	5	6	10
50-64	156	3.3	6	1	1	3	4	6	8	12
65+	126	3.1	5	1	1	3	4	5	7	14
B. *Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	24	2.2	<	<1	1	2	3	4	5	7
35-49	29	2.9	4	1	1	2	4	5	7	10
50-64	36	3.1	6	1	1	2	4	7	8	12
65+	23	3.5	9	<1	1	2	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.3	23	1	1	3	5	7	9	27
20-34	153	3.5	7	1	1	3	4	6	7	18
35-49	540	4.0	12	1	1	3	5	7	9	16
50-64	940	4.5	22	1	1	3	5	8	11	19
65+	1569	5.5	23	1	2	4	7	11	13	24
B. *Operated*										
0-19 YRS	8	6.8	72	1	1	3	9	22	25	25
20-34	57	5.1	14	1	1	4	8	10	13	15
35-49	140	5.6	20	1	2	4	8	11	14	19
50-64	186	5.5	18	1	1	4	8	12	15	21
65+	237	7.9	64	1	2	6	10	15	20	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	3.0	5	1	1	2	4	5	7	12
B. *Operated*	116	2.9	5	1	1	2	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	3232	4.9	21	1	2	4	6	9	12	21
B. *Operated*	628	6.4	37	1	2	5	8	13	16	32
1. SINGLE DX	574	3.0	5	1	1	2	4	6	7	12
2. MULTIPLE DX	3860	5.1	24	1	2	4	6	10	13	23
A. NOT OPERATED	3690	4.6	19	1	1	3	6	9	12	21
B. OPERATED	744	5.9	34	1	1	4	8	12	15	31
TOTAL 0-19 YRS	54	4.1	25	1	1	3	5	7	13	27
20-34	271	3.5	8	1	1	3	4	7	9	15
35-49	836	4.1	12	1	1	3	5	8	10	16
50-64	1318	4.5	20	1	1	3	5	9	12	19
65+	1955	5.6	28	1	2	4	7	11	14	27
GRAND TOTAL	**4434**	**4.8**	**22**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	14	3.4	4	1	1	3	5	6	8	8
50-64	40	3.4	3	1	1	3	5	6	7	8
65+	76	4.6	12	1	2	3	6	8	10	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	4.3	13	1	1	3	7	9	9	9
50-64	11	2.9	8	<1	<1	2	3	7	11	11
65+	9	4.6	13	1	1	2	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	8	3.8	2	2	2	4	5	6	6	6
35-49	99	4.3	12	1	2	3	5	8	10	21
50-64	339	6.2	26	2	2	5	8	12	16	27
65+	1299	7.2	32	2	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	4	4.8	6	3	3	4	6	8	8	8
35-49	28	5.1	17	1	1	4	6	11	14	19
50-64	90	5.7	33	1	2	3	8	14	17	29
65+	190	10.7	69	2	2	9	14	22	31	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	4.1	9	1	1	3	5	8	9	17
B. *Operated*	24	3.8	10	<1	1	2	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	1748	6.8	30	2	2	5	8	13	17	31
B. *Operated*	314	8.7	59	1	2	6	12	19	26	36
1. SINGLE DX	158	4.0	9	1	1	3	5	8	10	16
2. MULTIPLE DX	2062	7.1	35	2	2	5	9	14	19	33
A. NOT OPERATED	1882	6.6	29	2	2	5	8	13	17	30
B. OPERATED	338	8.3	57	1	2	6	12	19	25	35
TOTAL 0-19 YRS	7	4.7	13	1	1	4	8	9	9	9
20-34	14	3.9	3	2	2	4	5	6	8	8
35-49	145	4.3	12	1	1	4	5	8	10	19
50-64	480	5.8	26	1	2	4	7	12	16	27
65+	1574	7.5	37	2	2	6	9	15	20	34
GRAND TOTAL	**2220**	**6.9**	**33**	**2**	**2**	**5**	**8**	**14**	**18**	**32**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	7	6.4	111	1	1	2	5	25	30	30
50-64	10	2.5	1	1	1	2	3	4	5	5
65+	10	5.7	27	2	2	3	9	14	18	18
B. Operated										
0-19 YRS	4	5.0	54	1	1	2	9	16	16	16
20-34	18	2.7	7	<1	<1	1	3	7	9	9
35-49	25	2.8	6	<1	<1	2	3	5	9	11
50-64	25	5.4	31	1	1	3	7	14	18	23
65+	17	5.1	66	1	1	2	4	14	27	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	5.4	21	1	1	5	7	14	16	16
20-34	28	3.7	9	<1	<1	3	5	7	9	14
35-49	32	4.5	11	1	2	4	5	8	9	18
50-64	78	6.4	28	1	2	5	8	11	18	29
65+	168	9.3	55	2	3	8	11	17	23	44
B. Operated										
0-19 YRS	16	9.0	307	1	1	3	8	19	56	72
20-34	70	10.6	199	2	2	6	11	28	42	70
35-49	127	8.2	68	1	2	5	12	19	28	36
50-64	154	9.1	123	1	2	5	11	21	30	50
65+	177	13.5	184	1	2	9	17	32	45	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.2	33	1	1	2	4	9	17	30
B. Operated	89	4.0	27	<1	<1	2	4	9	16	29
2. MULTIPLE DX										
A. Not Operated	323	7.5	43	1	2	6	9	15	19	34
B. Operated	554	10.5	149	1	2	6	13	25	35	61
1. SINGLE DX	122	4.1	28	<1	1	2	4	9	16	31
2. MULTIPLE DX	877	9.4	112	1	2	6	11	21	30	55
A. NOT OPERATED	356	7.2	43	1	2	5	9	15	19	33
B. OPERATED	643	9.6	137	1	2	5	12	24	32	56
TOTAL 0-19 YRS	39	6.6	139	1	1	3	7	15	11	72
20-34	120	7.5	132	<1	1	4	8	16	32	64
35-49	191	6.8	56	1	1	4	9	15	25	32
50-64	277	7.8	87	1	2	5	9	17	25	45
65+	372	11.0	122	1	2	8	14	25	35	57
GRAND TOTAL	**999**	**8.7**	**104**	**1**	**2**	**5**	**11**	**20**	**29**	**53**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	15.0	50	10	10	15	20	20	20	20
20-34	23	8.2	8	3	4	8	10	13	13	13
35-49	382	8.3	10	3	4	8	10	12	14	17
50-64	820	9.0	13	3	5	9	11	13	16	18
65+	785	9.2	14	4	5	9	11	13	15	21
B. Operated										
0-19 YRS										
20-34	6	8.0	26	1	1	6	12	15	15	15
35-49	72	7.5	23	1	1	7	11	13	15	21
50-64	146	9.2	24	1	2	10	12	14	16	26
65+	87	11.1	26	2	6	10	14	18	20	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	8.4	11	5	5	7	11	13	14	14
20-34	78	7.4	21	2	2	7	9	11	17	27
35-49	1040	8.9	17	3	4	9	11	13	15	23
50-64	3636	9.6	23	3	5	9	11	14	17	27
65+	6729	10.6	30	4	5	10	13	17	20	31
B. Operated										
0-19 YRS	8	9.3	18	<1	2	10	12	14	15	15
20-34	34	7.6	30	1	1	7	12	15	17	19
35-49	575	9.4	39	1	2	9	12	16	19	31
50-64	1759	11.1	64	1	2	10	14	19	25	38
65+	1746	14.5	95	2	5	13	18	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2012	8.9	13	3	5	9	11	13	15	19
B. Operated	311	9.3	26	1	2	10	12	15	18	26
2. MULTIPLE DX										
A. Not Operated	11493	10.1	27	3	5	9	12	15	19	29
B. Operated	4122	12.3	77	2	2	11	15	22	28	46
1. SINGLE DX	2323	9.0	15	3	5	9	11	13	15	20
2. MULTIPLE DX	15615	10.7	41	3	5	10	13	17	22	34
A. NOT OPERATED	13505	9.9	25	3	5	9	12	15	18	28
B. OPERATED	4433	12.1	74	2	2	11	15	21	27	44
TOTAL 0-19 YRS	20	9.4	18	2	5	9	12	14	17	20
20-34	141	7.6	21	1	2	7	10	13	15	23
35-49	2069	8.9	22	2	3	9	11	14	16	25
50-64	6361	9.9	34	2	4	9	12	15	19	30
65+	9347	11.2	43	4	5	10	13	18	23	37
GRAND TOTAL	**17938**	**10.5**	**30**	**3**	**5**	**10**	**12**	**17**	**21**	**33**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	27	2.3	4	<1	1	1	4	4	6	10
35-49	202	2.8	4	1	1	2	4	5	6	11
50-64	443	3.0	5	1	1	2	4	5	7	9
65+	426	3.1	5	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.3		1	1	1	2	2	2	2
35-49	86	3.0	7	1	1	2	3	8	10	14
50-64	150	2.8	7	1	1	2	3	6	8	13
65+	81	2.9	5	1	1	2	3	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.1	13	2	2	4	8	10	12	12
20-34	60	3.4	5	1	1	3	4	7	9	12
35-49	880	3.3	5	1	1	3	4	6	7	10
50-64	3111	3.7	7	1	1	3	4	7	8	14
65+	5464	4.6	13	1	2	4	6	8	10	18
B. *Operated*										
0-19 YRS	9	4.0	10	2	2	2	7	9	10	10
20-34	41	7.2	193	1	1	4	8	12	20	89
35-49	802	4.4	19	1	1	2	7	10	12	18
50-64	2844	5.3	26	1	1	3	8	12	15	23
65+	2198	6.8	55	1	1	4	10	15	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1100	3.0	5	1	1	2	4	5	7	10
B. *Operated*	321	2.9	6	1	1	2	3	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	9526	4.1	10	1	1	3	5	8	10	16
B. *Operated*	5894	5.7	38	1	1	3	9	13	16	28
1. SINGLE DX	1421	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	15420	4.8	21	1	1	3	6	10	13	22
A. NOT OPERATED	10626	4.0	10	1	1	3	5	7	9	16
B. OPERATED	6215	5.6	37	1	1	3	8	13	16	27
TOTAL 0-19 YRS	23	4.5	10	2	2	3	7	9	11	12
20-34	131	4.4	67	1	1	3	4	8	10	35
35-49	1970	3.7	11	1	1	3	4	8	10	15
50-64	6548	4.3	16	1	1	3	5	9	12	19
65+	8169	5.1	25	1	2	4	6	10	14	25
GRAND TOTAL	**16841**	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	109	3.0	3	1	1	3	4	5	7	9
50-64	246	3.6	5	1	1	3	5	6	7	10
65+	266	3.7	5	1	2	3	4	7	9	12
B. *Operated*										
0-19 YRS										
20-34	4	7.5	84	1	1	4	13	21	21	21
35-49	28	4.3	23	1	1	2	5	10	16	21
50-64	94	4.0	12	1	1	3	5	9	12	15
65+	58	4.8	18	1	1	3	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	23	3.5	5	1	2	3	4	6	8	11
35-49	454	4.0	9	1	2	3	5	7	10	16
50-64	1800	4.4	11	1	2	4	5	8	10	16
65+	3453	5.2	14	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS										
20-34	28	7.2	19	2	2	6	12	13	14	15
35-49	387	7.0	38	1	2	7	10	13	15	19
50-64	1578	8.3	41	1	2	8	11	15	18	32
65+	1440	10.3	72	2	2	9	14	19	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	623	3.5	5	1	1	3	4	6	8	11
B. *Operated*	184	4.4	17	1	1	3	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	5732	4.8	13	1	2	4	6	9	11	18
B. *Operated*	3433	9.0	55	1	2	8	12	17	21	39
1. SINGLE DX	807	3.7	8	1	1	3	4	7	9	14
2. MULTIPLE DX	9165	6.4	33	1	2	5	8	13	16	28
A. NOT OPERATED	6355	4.7	12	1	2	4	6	8	11	17
B. OPERATED	3617	8.8	54	1	2	8	12	17	21	38
TOTAL 0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	56	5.6	19	1	2	4	8	12	14	21
35-49	978	5.1	23	1	1	3	7	11	13	18
50-64	3718	6.0	27	1	2	4	8	12	15	24
65+	5217	6.5	35	2	2	5	8	13	17	30
GRAND TOTAL	**9972**	**6.2**	**31**	**1**	**2**	**4**	**8**	**12**	**16**	**28**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	33	2.8	5	1	1	2	3	5	6	13
50-64	90	3.6	24	<1	1	2	3	7	11	30
65+	101	4.3	15	1	1	3	5	9	12	20
B. Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	16	2.7	6	1	1	2	3	5	9	11
35-49	382	3.8	12	1	1	2	6	9	11	14
50-64	1264	4.2	16	1	1	2	7	10	12	17
65+	659	4.4	20	1	1	2	7	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.9	16	1	1	2	7	10	11	11
20-34	14	3.7	10	1	1	3	4	10	11	11
35-49	314	3.6	7	<1	1	3	4	7	9	13
50-64	1190	4.6	18	1	1	4	6	9	11	19
65+	3095	6.2	30	1	2	5	8	12	16	26
B. Operated										
0-19 YRS	18	5.9	31	<1	<1	3	10	13	17	19
20-34	55	8.7	239	1	1	3	10	14	30	82
35-49	1365	5.4	29	1	1	3	8	11	14	22
50-64	4733	6.6	41	1	1	4	10	13	17	30
65+	3535	8.7	78	1	2	7	12	18	23	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	3.8	17	<1	1	3	4	7	11	20
B. Operated	2322	4.2	16	1	1	2	7	10	12	17
2. MULTIPLE DX										
A. Not Operated	4620	5.6	26	1	2	4	7	11	15	24
B. Operated	9706	7.2	55	1	1	5	10	15	19	36
1. SINGLE DX	2551	4.2	17	1	1	2	7	10	12	18
2. MULTIPLE DX	14326	6.7	46	1	1	4	9	14	18	32
A. NOT OPERATED	4849	5.5	26	1	2	4	7	11	14	24
B. OPERATED	12028	6.6	49	1	1	4	10	14	18	33
TOTAL 0-19 YRS	26	5.8	31	<1	<1	3	10	13	17	19
20-34	90	6.5	156	1	1	3	8	12	14	82
35-49	2094	4.8	23	1	1	3	8	11	13	19
50-64	7277	5.8	34	1	1	3	9	12	15	26
65+	7390	7.2	54	1	2	5	10	15	20	35
GRAND TOTAL	**16877**	**6.3**	**43**	**1**	**1**	**4**	**9**	**13**	**17**	**30**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	6.6	13	<1	<1	8	9	10	10	10
20-34	57	7.5	11	2	3	7	9	13	14	14
35-49	71	7.9	11	3	4	8	10	12	14	17
50-64	85	7.5	11	3	4	7	9	12	14	18
65+	93	8.7	11	2	5	9	10	12	15	19
B. Operated										
0-19 YRS										
20-34	11	6.2	6	2	3	6	8	9	10	10
35-49	9	9.8	20	2	4	9	13	16	17	17
50-64	15	10.1	13	4	6	10	13	14	15	15
65+	25	10.1	10	3	7	10	12	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	8.3	2	7	7	8	9	11	11	11
20-34	99	9.2	70	3	5	8	10	12	16	53
35-49	160	9.1	14	3	5	9	11	13	16	20
50-64	333	9.9	20	4	5	9	12	14	17	27
65+	773	11.3	34	4	6	10	13	17	22	35
B. Operated										
0-19 YRS	3	10.0	3	9	9	9	11	12	12	12
20-34	44	10.4	25	5	6	9	13	16	20	28
35-49	74	10.6	27	4	5	10	13	16	18	33
50-64	143	12.0	63	5	7	11	13	17	23	37
65+	263	14.3	88	6	7	12	17	24	33	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	311	7.9	11	2	4	8	10	12	14	17
B. Operated	60	9.3	13	3	4	9	12	14	15	17
2. MULTIPLE DX										
A. Not Operated	1371	10.5	32	4	5	10	12	16	19	31
B. Operated	527	12.8	69	5	6	11	15	22	28	42
1. SINGLE DX	371	8.2	12	2	4	8	10	13	14	17
2. MULTIPLE DX	1898	11.2	43	4	6	10	13	17	22	35
A. NOT OPERATED	1682	10.0	29	4	5	9	12	16	18	30
B. OPERATED	587	12.5	64	5	6	11	14	20	27	40
TOTAL 0-19 YRS	14	8.1	7	1	4	8	9	11	12	12
20-34	211	8.9	42	3	4	8	10	13	16	26
35-49	314	9.2	17	3	5	9	11	14	16	25
50-64	576	10.1	31	4	5	9	12	14	18	30
65+	1154	11.7	46	5	6	10	14	18	24	37
GRAND TOTAL	**2269**	**10.7**	**39**	**4**	**5**	**10**	**13**	**17**	**21**	**34**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	4	3	3	5	6	7	7	7
35-49	2	9.0	32	5	5	9	13	13	13	13
50-64	3	10.7	9	8	8	10	13	14	14	14
65+	2	19.5	365	6	6	19	33	33	33	33
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	30.0		30	30	30	30	30	30	30
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	20.3	80	5	8	22	29	30	31	31
20-34	37	18.4	135	2	3	16	29	35	39	40
35-49	29	20.1	214	4	4	14	30	44	48	55
50-64	27	23.6	181	3	4	24	31	42	47	54
65+	71	26.0	183	3	7	28	35	44	49	54
B. *Operated*										
0-19 YRS	7	39.7	181	22	24	36	53	58	58	58
20-34	21	30.9	249	8	13	32	41	46	58	72
35-49	11	27.6	188	9	10	30	30	48	55	56
50-64	30	25.9	315	6	7	19	38	51	57	72
65+	35	32.5	270	5	10	35	44	55	56	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.4	76	3	4	7	13	23	33	33
B. *Operated*	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	176	22.7	177	3	5	22	32	42	46	54
B. *Operated*	104	30.2	269	6	8	31	42	55	57	72
1. SINGLE DX	11	12.2	103	3	4	8	14	31	33	33
2. MULTIPLE DX	280	25.5	224	4	7	25	35	45	54	65
A. NOT OPERATED	186	22.0	179	3	5	20	31	41	45	54
B. OPERATED	105	30.2	267	6	8	31	41	55	57	72
TOTAL 0-19 YRS	19	27.5	201	7	11	29	33	51	58	58
20-34	61	22.0	214	3	4	18	33	40	45	69
35-49	43	21.7	208	4	5	17	30	43	50	56
50-64	60	24.1	246	4	7	20	34	45	55	70
65+	108	28.0	220	5	7	29	38	47	54	61
GRAND TOTAL	**291**	**25.0**	**225**	**4**	**6**	**24**	**35**	**44**	**54**	**64**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.5	12	<1	<1	1	2	5	7	19
20-34	18	1.3		<1	<1	1	1	3	3	3
35-49	47	1.7	1	<1	<1	1	2	3	4	4
50-64	71	2.0	3	<1	1	1	2	4	5	12
65+	74	2.0	2	<1	1	2	2	4	4	10
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	5.3		5	5	5	6	6	6	6
50-64	4	3.3		3	3	3	4	4	4	4
65+	7	3.0	4	1	1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	3	1	1	2	3	4	7	8
20-34	35	2.5	2	1	1	2	3	4	5	8
35-49	82	2.3	3	<1	1	2	3	5	6	8
50-64	289	3.3	7	1	1	2	4	7	9	13
65+	501	4.2	13	1	1	3	5	8	11	19
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	5	4.0	7	<1	<1	4	6	7	7	7
35-49	14	3.3	7	<1	<1	2	4	8	9	9
50-64	25	6.2	30	<1	1	5	11	18	35	99+
65+	58	9.4	169	1	2	5	10	16	32	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	1.9	3	<1	<1	1	2	4	4	11
B. *Operated*	16	3.3	3	1	1	3	5	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	931	3.6	10	1	1	3	4	7	9	15
B. *Operated*	105	7.4	106	1	1	5	9	14	32	88
1. SINGLE DX	255	2.0	4	<1	1	1	2	4	5	11
2. MULTIPLE DX	1036	4.0	21	1	1	3	5	8	11	21
A. NOT OPERATED	1170	3.3	9	1	1	2	4	7	9	14
B. OPERATED	121	6.8	94	1	1	4	8	13	24	84
TOTAL 0-19 YRS	56	2.5	7	<1	1	2	3	4	6	18
20-34	60	2.3	3	<1	1	2	3	4	6	8
35-49	146	2.3	3	<1	1	2	3	5	6	9
50-64	389	3.3	9	1	1	2	4	7	10	17
65+	640	4.4	28	1	1	3	5	8	11	26
GRAND TOTAL	**1291**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	41	2.1	3	<1	<1	1	3	5	6	7
35-49	121	2.0	2	<1	<1	1	2	4	5	9
50-64	280	2.0	5	<1	<1	1	2	4	5	9
65+	386	2.6	4	<1	1	2	3	5	7	10
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	11	2.1	3	1	1	2	2	4	7	7
50-64	24	3.0	6	1	1	2	4	6	9	9
65+	22	4.0	8	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	3	<1	<1	2	4	6	6	6
20-34	79	2.2	3	1	1	2	3	4	6	10
35-49	254	3.0	5	<1	1	2	4	6	7	12
50-64	1260	3.8	16	<1	1	3	5	7	10	19
65+	3838	5.0	21	1	1	4	6	10	13	21
B. *Operated*										
0-19 YRS	4	6.0	25	<1	<1	5	10	12	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	36	3.9	12	1	1	3	5	9	12	16
50-64	155	6.7	45	1	2	5	9	14	18	28
65+	505	9.0	57	2	2	7	11	18	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	2.3	4	<1	<1	2	3	4	6	9
B. *Operated*	61	3.2	6	1	1	2	4	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	5446	4.6	19	1	1	3	6	9	12	21
B. *Operated*	701	8.2	53	1	2	6	10	17	21	43
1. SINGLE DX	893	2.3	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	6147	5.0	24	1	1	4	6	10	14	24
A. NOT OPERATED	6278	4.3	18	1	1	3	5	9	12	20
B. OPERATED	762	7.8	51	1	2	6	10	16	21	42
TOTAL 0-19 YRS	24	3.3	8	<1	<1	2	5	8	9	12
20-34	124	2.2	3	<1	1	2	3	4	6	9
35-49	422	2.7	5	<1	1	2	3	5	7	12
50-64	1719	3.7	18	<1	1	3	4	8	11	20
65+	4751	5.2	26	1	1	4	7	10	14	24
GRAND TOTAL	**7040**	**4.7**	**23**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.5	5	<1	<1	2	3	6	8	11
20-34	65	2.4	5	<1	<1	2	3	5	6	14
35-49	135	2.5	4	<1	1	2	3	5	6	10
50-64	193	2.6	3	1	1	2	3	5	7	9
65+	281	3.3	8	1	1	3	4	6	8	14
B. *Operated*										
0-19 YRS										
20-34	8	7.3	65	2	2	4	8	21	26	26
35-49	32	3.5	6	1	1	3	4	7	9	11
50-64	97	3.3	5	<1	1	2	5	7	7	10
65+	285	5.1	9	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.0	27	<1	1	2	4	9	11	32
20-34	194	2.9	6	<1	1	2	4	6	7	13
35-49	555	3.5	13	1	1	3	4	6	9	16
50-64	1666	4.5	17	1	1	3	5	9	12	20
65+	4107	5.4	22	1	2	4	7	10	13	25
B. *Operated*										
0-19 YRS	19	5.6	22	<1	1	4	8	11	16	20
20-34	53	7.8	117	1	1	5	8	17	20	63
35-49	169	6.4	71	1	1	4	8	12	17	33
50-64	602	6.4	37	1	2	5	8	13	18	29
65+	2569	8.4	53	2	3	7	10	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	2.8	5	1	1	2	3	5	7	11
B. *Operated*	422	4.6	10	1	1	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	6609	4.9	20	1	1	4	6	10	13	23
B. *Operated*	3412	7.9	52	2	2	6	10	15	21	37
1. SINGLE DX	1137	3.5	8	1	1	3	4	7	9	14
2. MULTIPLE DX	10021	5.9	33	1	2	4	7	12	15	29
A. NOT OPERATED	7324	4.7	19	1	1	4	6	9	12	22
B. OPERATED	3834	7.6	49	2	2	6	9	15	20	35
TOTAL 0-19 YRS	147	3.8	21	<1	1	2	4	8	11	21
20-34	320	3.8	29	<1	1	2	4	7	10	22
35-49	891	3.9	24	1	1	3	4	8	10	24
50-64	2558	4.7	22	1	1	3	6	9	13	23
65+	7242	6.4	34	1	2	5	8	12	16	29
GRAND TOTAL	**11158**	**5.7**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	5	1	1	4	6	7	7	7
20-34	6	4.2	6	2	2	3	6	8	8	8
35-49	16	5.1	8	1	2	5	7	8	10	11
50-64	106	4.7	10	1	2	4	6	8	11	15
65+	551	5.1	12	1	2	4	6	9	13	18
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.5		1	1	1	2	2	2	2
50-64	8	9.0	19	5	5	7	12	16	17	17
65+	39	6.1	10	2	3	5	8	11	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	7.1	39	1	1	6	10	16	19	31
20-34	64	6.1	22	1	2	5	7	12	17	24
35-49	315	6.3	18	2	2	5	8	11	15	20
50-64	2417	6.8	30	2	2	5	8	13	17	30
65+	13790	7.6	36	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	27	12.3	222	1	2	7	12	35	51	53
20-34	28	7.8	138	1	1	4	9	16	32	58
35-49	88	8.4	55	1	2	7	11	15	22	42
50-64	451	11.9	105	2	2	9	15	24	32	52
65+	1711	13.2	115	3	4	10	17	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	5.0	12	1	2	4	6	9	12	17
B. *Operated*	51	6.2	13	1	2	5	8	12	14	17
2. MULTIPLE DX										
A. *Not Operated*	16672	7.5	35	2	3	6	9	14	18	30
B. *Operated*	2305	12.7	113	2	3	10	16	26	33	59
1. SINGLE DX	737	5.1	12	1	2	4	7	9	12	17
2. MULTIPLE DX	18977	8.1	47	2	3	6	10	15	20	36
A. NOT OPERATED	17358	7.4	34	2	2	6	9	14	18	30
B. OPERATED	2356	12.5	112	2	3	10	16	25	33	58
TOTAL 0-19 YRS	120	8.1	83	1	1	6	10	17	30	52
20-34	98	6.5	54	1	2	4	8	13	18	44
35-49	423	6.6	26	1	2	6	9	12	16	24
50-64	2982	7.5	44	2	2	6	9	15	19	37
65+	16091	8.1	47	2	3	6	10	15	20	35
GRAND TOTAL	**19714**	**8.0**	**46**	**2**	**3**	**6**	**10**	**15**	**20**	**35**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	3	1	1	2	4	5	6	8
20-34	101	2.8	4	1	1	2	4	5	7	11
35-49	164	3.0	6	1	1	2	4	6	8	13
50-64	130	3.8	7	1	1	3	5	7	10	14
65+	90	5.3	32	1	1	4	7	9	12	37
B. *Operated*										
0-19 YRS	40	3.5	15	<1	1	2	5	8	12	19
20-34	55	4.5	14	1	1	2	7	11	12	14
35-49	102	3.5	11	1	1	2	4	9	11	14
50-64	224	4.2	32	1	1	2	5	10	13	18
65+	142	4.6	25	1	1	2	6	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	5.4	25	1	1	4	6	12	15	26
20-34	260	4.8	15	1	1	4	7	10	13	20
35-49	464	5.4	35	1	1	4	7	11	14	31
50-64	1059	5.8	21	1	2	5	8	11	14	22
65+	1734	7.2	36	2	2	6	9	14	17	32
B. *Operated*										
0-19 YRS	68	6.5	90	1	1	3	6	13	15	56
20-34	131	8.3	86	1	1	5	10	19	29	45
35-49	369	7.3	68	1	1	4	10	17	22	40
50-64	1022	7.5	69	1	1	4	11	16	23	40
65+	1163	10.2	94	1	2	8	14	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	3.5	11	1	1	3	4	7	9	14
B. *Operated*	563	4.2	24	1	1	2	5	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	3614	6.3	30	1	2	5	8	12	16	29
B. *Operated*	2753	8.6	83	1	1	6	12	19	26	47
1. SINGLE DX	1084	3.9	18	1	1	2	4	9	12	17
2. MULTIPLE DX	6367	7.3	54	1	2	5	10	15	20	38
A. NOT OPERATED	4135	6.0	29	1	2	4	8	12	15	28
B. OPERATED	3316	7.8	75	1	1	5	11	18	24	45
TOTAL 0-19 YRS	241	5.0	40	1	1	3	6	11	14	29
20-34	547	5.2	33	1	1	3	7	11	15	29
35-49	1099	5.5	42	1	1	3	7	12	16	33
50-64	2435	6.2	43	1	1	4	8	13	17	32
65+	3129	8.1	60	1	2	6	11	17	23	41
GRAND TOTAL	**7451**	**6.8**	**50**	**1**	**1**	**4**	**9**	**14**	**19**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	10	2.8	2	1	1	3	3	4	5	5
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	8	6.6	78	1	1	2	8	22	27	27
65+	5	5.6	17	2	2	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	19	4.3	10	1	1	3	6	9	12	13
50-64	107	4.9	12	1	1	4	7	11	12	14
65+	528	6.9	41	2	2	5	8	13	17	33
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	18	6.6	42	1	2	3	9	19	21	21
50-64	115	7.9	39	1	2	8	11	15	20	30
65+	136	10.1	81	1	2	8	13	20	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	6	1	1	3	4	6	9	10
B. *Operated*	14	6.9	53	1	2	3	10	16	25	27
2. MULTIPLE DX										
A. *Not Operated*	657	6.5	36	1	2	5	8	12	16	28
B. *Operated*	271	8.9	61	1	2	8	11	19	23	41
1. SINGLE DX	27	5.1	32	1	1	3	6	11	17	27
2. MULTIPLE DX	928	7.2	45	1	2	5	9	14	19	37
A. NOT OPERATED	670	6.4	36	1	2	5	8	12	16	27
B. OPERATED	285	8.8	61	1	2	7	11	19	23	41
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	6.5	33	3	3	4	10	15	15	15
35-49	38	5.4	26	1	1	3	7	12	19	21
50-64	232	6.5	29	1	1	5	9	13	15	25
65+	679	7.5	50	1	2	6	9	15	20	41
GRAND TOTAL	**955**	**7.1**	**44**	**1**	**2**	**5**	**9**	**14**	**19**	**37**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	2.0	1	<1	<1	2	3	4	4	4
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	6	17.8	411	<1	<1	12	29	50	52	52
B. *Operated*										
0-19 YRS	5	8.4	21	4	4	7	11	16	16	16
20-34	10	15.4	117	1	2	12	23	32	33	33
35-49	22	13.5	87	1	2	14	19	27	32	33
50-64	13	19.1	73	3	8	17	25	31	32	32
65+	9	14.1	180	1	1	15	30	66	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	114	1	1	2	15	20	20	20
20-34	4	3.8	13	1	1	2	6	9	9	9
35-49	7	2.0	5	<1	<1	1	2	6	7	7
50-64	14	14.1	301	<1	1	8	20	33	59	66
65+	24	15.5	168	1	2	13	26	35	61	99+
B. *Operated*										
0-19 YRS	5	15.2	106	6	6	10	23	31	31	31
20-34	26	20.4	221	4	6	16	33	42	71	99+
35-49	48	24.5	323	6	9	21	27	58	77	99+
50-64	55	26.5	529	2	5	19	44	73	99	99+
65+	44	32.1	504	4	10	26	41	76	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.8	202	<1	<1	2	4	28	45	52
B. *Operated*	59	14.7	99	1	2	14	23	31	33	93
2. MULTIPLE DX										
A. *Not Operated*	52	11.9	185	<1	1	7	22	29	46	99
B. *Operated*	178	26.1	421	4	6	21	35	67	79	99+
1. SINGLE DX	75	13.3	127	1	1	12	21	31	33	87
2. MULTIPLE DX	230	22.9	402	1	2	19	31	63	77	99+
A. NOT OPERATED	68	11.0	189	<1	1	4	20	29	48	94
B. OPERATED	237	23.3	365	2	4	19	31	62	77	99+
TOTAL 0-19 YRS	13	10.8	74	1	2	9	17	22	29	31
20-34	40	17.5	196	1	2	16	27	36	53	99+
35-49	85	17.7	278	1	1	15	23	33	61	94
50-64	84	22.7	437	1	2	17	32	63	81	99+
65+	83	24.3	424	1	2	22	32	70	81	99+
GRAND TOTAL	**305**	**20.5**	**351**	**1**	**2**	**17**	**29**	**52**	**76**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	26.0		26	26	26	26	26	26	26
65+	2	47.5	5	46	46	47	49	49	49	49
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	27.8	557	3	5	24	67	97	99+	99+
50-64	10	36.4	594	11	12	34	57	94	99+	99+
65+	7	35.1	696	6	7	42	43	75	83	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3	40.3	156	26	26	46	46	49	49	49
B. *Operated*	22	34.0	572	5	10	30	55	91	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	25	34.8	518	6	11	34	50	89	99+	99+
A. NOT OPERATED	3	40.3	156	26	26	46	46	49	49	49
B. OPERATED	22	34.0	572	5	10	30	55	91	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	5	27.8	557	3	5	24	67	97	99+	99+
50-64	11	35.5	545	11	12	30	55	93	99	99+
65+	9	37.9	552	6	8	43	47	69	83	83
GRAND TOTAL	**25**	**34.8**	**518**	**6**	**11**	**34**	**50**	**89**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0		3	3	3	3	3	3	3
35-49	4	2.3	6	<1	<1	1	3	6	6	6
50-64	9	12.0	216	1	2	7	14	36	49	49
65+	26	8.8	30	1	1	9	12	16	18	21
B. *Operated*										
0-19 YRS	3	12.0	244	2	2	4	23	30	30	30
20-34	12	7.9	25	2	2	7	12	15	16	16
35-49	14	14.1	241	2	3	10	16	27	56	64
50-64	30	9.3	75	3	4	9	11	15	20	25
65+	51	11.7	69	3	4	9	14	20	32	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.4	71	<1	1	5	10	22	28	30
20-34	9	16.1	425	1	1	9	20	52	64	64
35-49	11	5.9	28	<1	1	4	8	14	19	19
50-64	78	11.8	134	1	3	8	15	24	33	63
65+	249	14.9	162	1	3	11	19	30	38	61
B. *Operated*										
0-19 YRS	13	12.7	40	5	7	12	15	23	26	27
20-34	20	19.1	326	4	5	14	23	42	62	79
35-49	29	19.9	337	2	5	13	22	50	68	72
50-64	70	25.7	526	4	6	17	36	71	88	99+
65+	226	20.8	289	4	6	16	28	46	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	8.4	70	<1	1	6	12	16	19	49
B. *Operated*	110	10.9	87	2	3	9	14	19	25	59
2. MULTIPLE DX										
A. *Not Operated*	360	13.7	158	1	3	10	18	28	37	62
B. *Operated*	358	21.3	336	4	6	15	27	51	69	99+
1. SINGLE DX	152	10.2	83	1	2	6	13	18	24	56
2. MULTIPLE DX	718	17.5	261	2	4	13	22	38	59	89
A. NOT OPERATED	402	13.2	151	1	2	9	17	27	37	62
B. OPERATED	468	18.9	295	3	5	14	24	47	65	96
TOTAL 0-19 YRS	30	10.4	70	1	2	6	14	24	30	30
20-34	43	14.6	264	2	3	9	19	35	52	79
35-49	58	14.7	266	<1	1	10	18	33	59	72
50-64	187	16.6	314	2	4	11	20	44	65	96
65+	552	16.7	214	2	4	12	21	37	54	77
GRAND TOTAL	**870**	**16.2**	**237**	**2**	**3**	**12**	**20**	**37**	**55**	**84**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	13.0		13	13	13	13	13	13	13
35-49	4	32.0	1397	5	5	18	57	86	86	86
50-64	37	22.8	371	4	5	17	32	46	63	90
65+	97	21.2	221	6	7	16	29	43	57	66
B. *Operated*										
0-19 YRS	2	41.5	3121	2	2	41	81	81	81	81
20-34	6	33.7	793	1	1	35	49	72	75	75
35-49	6	39.8	660	8	9	36	59	77	79	79
50-64	16	22.6	265	6	8	18	50	86	99+	99+
65+	51	27.9	390	7	9	20	38	53	76	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	141	21.6	287	4	6	16	30	43	58	86
B. *Operated*	81	28.5	446	5	8	21	42	71	80	99+
1. SINGLE DX										
2. MULTIPLE DX	222	24.1	354	5	6	17	35	53	67	93
A. NOT OPERATED	141	21.6	287	4	6	16	30	43	58	86
B. OPERATED	81	28.5	446	5	8	21	42	71	80	99+
TOTAL 0-19 YRS	4	21.5	1574	1	1	2	42	81	81	81
20-34	7	30.7	722	1	2	26	48	70	75	75
35-49	10	36.7	848	5	6	32	59	82	86	86
50-64	53	22.7	333	4	6	17	34	54	83	99+
65+	148	23.5	287	6	8	17	34	46	58	77
GRAND TOTAL	**222**	**24.1**	**354**	**5**	**6**	**17**	**35**	**53**	**67**	**93**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	6	6.8	70	2	2	3	9	22	23	23
65+	14	4.2	42	1	1	2	5	7	22	26
B. *Operated*										
0-19 YRS										
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	34	4.4	15	1	1	4	6	8	14	18
50-64	357	4.6	15	1	1	4	5	8	10	18
65+	782	4.5	10	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3		5	5	5	6	6	6	6
35-49	6	4.5	6	<1	<1	4	6	8	8	8
50-64	56	4.7	22	1	1	4	6	9	12	30
65+	230	6.0	40	1	1	4	7	11	18	37
B. *Operated*										
0-19 YRS	6	8.2	30	1	1	8	11	16	16	16
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	90	6.4	31	1	1	5	9	12	17	30
50-64	1052	6.4	29	1	2	5	8	13	16	25
65+	2826	7.1	40	1	2	5	8	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.0	44	1	1	3	5	13	24	26
B. *Operated*	1175	4.5	12	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	295	5.7	36	1	1	4	7	11	15	34
B. *Operated*	3977	6.9	37	1	2	5	8	13	18	29
1. SINGLE DX	1197	4.5	12	1	1	4	6	8	10	18
2. MULTIPLE DX	4272	6.8	37	1	2	5	8	13	18	29
A. NOT OPERATED	317	5.6	36	1	1	4	7	11	17	33
B. OPERATED	5152	6.3	32	1	2	5	8	12	16	28
TOTAL 0-19 YRS	6	8.2	30	1	1	8	11	16	16	16
20-34	8	5.5	17	2	2	5	6	12	15	15
35-49	132	5.8	26	1	1	4	8	11	17	24
50-64	1471	5.9	26	1	2	5	7	11	15	25
65+	3852	6.5	35	1	2	5	8	12	17	29
GRAND TOTAL	**5469**	**6.3**	**32**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	25	19.1	409	2	3	12	23	51	66	80
B. *Operated*										
0-19 YRS										
20-34	1	43.0		43	43	43	43	43	43	43
35-49	6	6.0	13	2	2	5	8	12	12	12
50-64	54	15.0	348	2	3	7	20	47	60	99+
65+	125	15.1	257	2	2	10	18	36	52	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	29	17.0	380	2	3	7	20	48	62	80
B. *Operated*	186	15.0	279	2	2	8	19	39	53	99
1. SINGLE DX										
2. MULTIPLE DX	215	15.2	292	2	2	8	19	41	53	98
A. NOT OPERATED	29	17.0	380	2	3	7	20	48	62	80
B. OPERATED	186	15.0	279	2	2	8	19	39	53	99
TOTAL 0-19 YRS										
20-34	1	43.0		43	43	43	43	43	43	43
35-49	6	6.0	13	2	2	5	8	12	12	12
50-64	58	14.2	332	2	2	6	19	45	58	99+
65+	150	15.8	282	2	2	10	19	38	53	80
GRAND TOTAL	**215**	**15.2**	**292**	**2**	**2**	**6**	**19**	**41**	**53**	**98**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	20	7.2	130	1	1	4	8	10	32	54
50-64	45	6.2	25	1	1	5	8	12	16	25
65+	134	7.4	42	1	2	6	9	14	18	35
B. *Operated*										
0-19 YRS										
20-34	6	4.8	19	1	1	3	8	12	12	12
35-49	11	5.4	17	<1	1	4	9	11	13	13
50-64	21	6.4	10	2	2	8	8	10	12	13
65+	17	4.1	9	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	3	3	3	5	6	8	8	8
20-34	20	6.6	13	1	2	6	9	12	13	13
35-49	60	8.5	59	2	3	7	9	14	23	46
50-64	401	9.5	77	2	3	7	11	19	29	47
65+	1705	11.5	105	3	3	8	14	24	32	52
B. *Operated*										
0-19 YRS	3	18.3	542	2	2	8	36	45	45	45
20-34	11	14.5	165	6	6	10	15	32	49	51
35-49	46	12.0	231	3	3	7	14	21	32	99
50-64	144	11.6	133	2	3	7	14	26	39	58
65+	363	14.7	201	2	3	11	19	32	48	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	7.0	45	1	2	5	9	13	17	38
B. *Operated*	55	5.3	12	1	1	4	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	2191	11.0	99	2	3	8	13	22	32	50
B. *Operated*	567	13.7	188	2	3	9	17	30	47	89
1. SINGLE DX	261	6.6	39	1	2	5	8	12	16	34
2. MULTIPLE DX	2758	11.5	118	2	3	8	14	24	34	57
A. NOT OPERATED	2397	10.6	95	2	3	8	13	22	31	49
B. OPERATED	622	13.0	178	2	3	9	16	29	44	88
TOTAL 0-19 YRS	11	8.0	156	2	2	5	7	23	43	45
20-34	41	8.1	66	1	2	6	10	14	17	51
35-49	137	9.2	126	2	2	7	10	16	26	60
50-64	611	9.6	86	2	3	7	11	19	32	49
65+	2219	11.7	120	2	3	8	14	25	34	58
GRAND TOTAL	**3019**	**11.1**	**113**	**2**	**3**	**8**	**13**	**23**	**33**	**55**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	2	43.0	2450	8	8	43	78	78	78	78
35-49	23	13.4	223	3	4	8	13	32	56	60
50-64	144	15.1	253	3	3	9	17	37	55	76
65+	821	16.1	174	3	4	12	21	36	45	66
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	4	8.8	44	2	2	8	14	17	17	17
35-49	10	32.5	1157	3	5	16	66	87	94	94
50-64	42	26.8	662	4	6	13	43	63	89	98
65+	136	26.1	344	4	6	22	40	54	61	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	992	16.0	190	3	4	11	21	36	47	74
B. *Operated*	193	26.2	447	4	6	20	40	55	69	99
1. SINGLE DX										
2. MULTIPLE DX	1185	17.6	246	3	4	12	23	43	52	83
A. NOT OPERATED	992	16.0	190	3	4	11	21	36	47	74
B. OPERATED	193	26.2	447	4	6	20	40	55	69	99
TOTAL 0-19 YRS	3	13.7	41	9	9	11	18	21	21	21
20-34	6	20.2	829	2	2	9	17	72	78	78
35-49	33	19.2	558	3	4	10	18	61	79	94
50-64	186	17.8	367	3	3	11	21	45	65	98
65+	957	17.5	210	3	4	13	24	40	48	73
GRAND TOTAL	**1185**	**17.6**	**246**	**3**	**4**	**12**	**23**	**43**	**52**	**83**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	2.6	2	1	1	2	3	5	5	5
35-49	47	2.3	1	1	1	2	3	3	5	6
50-64	187	2.7	4	1	1	2	3	5	6	10
65+	447	3.3	8	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	1.7		1	1	2	2	2	2	2
35-49	38	2.7	5	1	1	2	3	4	6	13
50-64	117	3.4	7	1	1	3	5	7	9	13
65+	155	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	5	2	2	4	5	8	9	9
20-34	20	2.5	2	<1	1	2	3	4	6	7
35-49	121	3.4	4	1	1	3	5	6	7	10
50-64	726	3.9	16	1	1	3	5	7	9	14
65+	3770	5.1	21	1	2	4	6	10	13	21
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	4.1	8	1	2	3	6	7	10	11
35-49	80	4.8	57	1	1	3	5	9	14	50
50-64	407	5.1	20	1	2	4	6	10	13	23
65+	1139	7.0	56	1	2	5	8	13	18	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	691	3.0	6	1	1	2	4	6	7	12
B. *Operated*	315	3.3	7	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	4646	4.9	20	1	2	4	6	9	12	21
B. *Operated*	1641	6.4	47	1	2	5	8	12	17	35
1. SINGLE DX	1006	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	6287	5.3	28	1	2	4	6	10	13	24
A. NOT OPERATED	5337	4.6	19	1	1	4	6	9	12	20
B. OPERATED	1956	5.9	42	1	2	4	7	11	15	32
TOTAL 0-19 YRS	13	3.7	5	1	1	3	5	7	9	9
20-34	46	2.9	4	1	1	2	4	6	6	11
35-49	286	3.5	19	1	1	3	4	6	8	19
50-64	1437	4.1	15	1	1	3	5	7	10	16
65+	5511	5.3	28	1	2	4	6	10	13	24
GRAND TOTAL	**7293**	**5.0**	**25**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	6	3.2	15	1	1	2	2	10	11	11
35-49	25	7.1	60	1	2	6	8	12	19	4.
50-64	118	6.5	29	1	1	5	9	14	17	26
65+	444	7.7	53	2	2	6	9	16	21	44
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	12.2	123	4	4	11	16	31	31	31
35-49	11	4.8	8	2	2	4	7	9	11	11
50-64	28	7.0	58	1	1	5	7	19	25	34
65+	53	10.4	94	1	3	7	14	25	29	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.6	20	2	3	8	9	13	18	19
20-34	13	5.7	12	1	1	5	7	11	13	13
35-49	94	8.6	76	2	2	7	9	15	24	51
50-64	656	9.3	106	2	2	6	11	19	27	53
65+	3901	11.1	93	2	3	8	14	22	31	51
B. *Operated*										
0-19 YRS	2	42.0	2738	5	5	42	79	79	79	79
20-34	16	14.3	124	1	2	10	23	32	33	33
35-49	38	11.1	126	1	2	8	13	21	39	55
50-64	181	14.1	226	2	2	9	18	37	58	99+
65+	614	16.4	250	2	4	11	21	36	55	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	595	7.4	48	1	2	6	9	15	20	41
B. *Operated*	99	8.7	77	1	2	6	10	23	28	44
2. MULTIPLE DX										
A. *Not Operated*	4677	10.8	94	2	3	8	13	22	30	51
B. *Operated*	851	15.7	243	2	3	10	20	35	55	99
1. SINGLE DX	694	7.6	53	1	2	6	9	15	22	41
2. MULTIPLE DX	5528	11.5	120	2	3	8	14	24	34	62
A. NOT OPERATED	5272	10.4	90	2	3	8	13	21	29	51
B. OPERATED	950	15.0	230	2	3	10	19	35	53	97
TOTAL 0-19 YRS	19	10.4	292	2	2	6	9	16	52	79
20-34	40	9.6	87	1	1	6	11	28	32	33
35-49	168	8.7	82	2	2	7	9	16	24	53
50-64	983	9.8	123	2	2	7	12	21	32	69
65+	5012	11.4	113	2	3	8	14	23	33	58
GRAND TOTAL	**6222**	**11.1**	**114**	**2**	**3**	**8**	**14**	**23**	**33**	**60**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	9	1	1	3	6	7	7	7
20-34	3	7.0	7	4	4	8	9	9	9	9
35-49	42	9.7	100	2	3	6	10	20	36	48
50-64	296	12.5	145	2	3	9	15	23	39	75
65+	1547	15.4	164	3	4	11	19	33	44	63
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	18.0		18	18	18	18	18	18	18
35-49	19	23.2	277	3	6	21	28	54	59	61
50-64	61	24.0	558	4	5	18	33	61	83	95
65+	224	23.4	305	4	5	19	33	52	58	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1892	14.8	161	3	4	11	18	33	43	63
B. *Operated*	307	23.4	351	4	5	18	33	55	60	94
1. SINGLE DX										
2. MULTIPLE DX	2199	16.0	196	3	4	12	20	36	47	70
A. NOT OPERATED	1892	14.8	161	3	4	11	18	33	43	63
B. OPERATED	307	23.4	351	4	5	18	33	55	60	94
TOTAL 0-19 YRS	6	3.5	8	1	1	3	6	7	7	7
20-34	4	9.8	35	4	4	8	13	18	18	18
35-49	61	13.9	191	2	3	9	17	32	49	60
50-64	357	14.4	233	3	3	10	17	35	45	92
65+	1771	16.4	188	3	4	12	21	36	48	65
GRAND TOTAL	**2199**	**16.0**	**196**	**3**	**4**	**12**	**20**	**36**	**47**	**70**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	5	1.4		<1	<1	<1	2	2	2	2
35-49	18	3.9	5	2	2	3	5	7	9	11
50-64	44	5.5	106	1	1	3	5	8	11	70
65+	76	4.1	18	1	1	3	5	7	9	28
B. *Operated*										
0-19 YRS	3	4.3	33	1	1	1	9	11	11	11
20-34	7	4.9	25	1	1	3	11	74	99+	99+
35-49	18	4.8	28	1	1	2	5	13	18	21
50-64	49	5.3	34	1	1	2	8	13	17	29
65+	40	3.4	13	<1	1	2	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.8	14	1	2	5	9	10	11	11
20-34	32	3.3	10	1	1	2	4	7	11	14
35-49	97	6.5	47	1	2	4	6	17	23	34
50-64	249	6.6	60	1	2	4	8	13	21	75
65+	1318	7.7	51	2	2	6	9	16	22	40
B. *Operated*										
0-19 YRS	7	11.1	89	2	2	8	17	26	28	28
20-34	29	10.4	114	1	1	9	12	35	41	99+
35-49	51	11.2	116	1	2	8	14	29	38	43
50-64	140	10.0	164	1	1	6	11	24	33	67
65+	359	10.9	163	1	2	7	13	24	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	4.4	43	1	1	3	5	8	10	32
B. *Operated*	117	4.5	25	1	1	2	7	11	16	52
2. MULTIPLE DX										
A. *Not Operated*	1708	7.4	52	2	2	5	9	15	22	40
B. *Operated*	586	10.7	155	1	2	7	12	25	38	64
1. SINGLE DX	262	4.5	35	1	1	3	5	10	13	30
2. MULTIPLE DX	2294	8.2	80	1	2	5	10	17	26	50
A. NOT OPERATED	1853	7.1	52	1	2	5	8	15	22	40
B. OPERATED	703	9.7	139	1	1	6	11	23	35	63
TOTAL 0-19 YRS	24	7.2	40	1	1	6	10	12	22	28
20-34	73	6.2	63	<1	1	3	10	14	36	99+
35-49	184	7.3	66	1	2	4	8	18	28	39
50-64	482	7.3	94	1	1	4	8	15	27	69
65+	1793	8.1	74	1	2	5	10	17	24	48
GRAND TOTAL	**2556**	**7.8**	**77**	**1**	**2**	**5**	**9**	**16**	**25**	**49**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.8	2	1	1	3	4	4	4	4
65+	7	2.3	3	1	1	1	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	19	4.2	8	<1	1	4	6	8	9	10
50-64	91	4.1	13	1	1	2	7	9	11	15
65+	121	4.1	17	1	1	2	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49	6	4.8	17	2	2	3	5	12	13	13
50-64	43	3.8	4	1	1	3	5	7	8	8
65+	272	6.4	32	1	1	5	8	13	17	33
B. *Operated*										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	6	6.7	59	1	1	3	10	20	21	21
35-49	79	7.7	55	1	1	6	10	16	19	41
50-64	626	9.2	103	1	1	7	12	19	30	58
65+	1109	11.7	172	1	1	8	15	26	39	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	2	1	1	2	4	4	5	5
B. *Operated*	231	4.1	15	1	1	2	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	323	6.0	29	1	1	5	7	12	16	30
B. *Operated*	1822	10.7	144	1	1	8	13	23	35	73
1. SINGLE DX	244	4.0	14	1	1	2	6	10	12	16
2. MULTIPLE DX	2145	10.0	130	1	1	7	13	21	32	68
A. NOT OPERATED	336	5.9	28	1	1	5	7	12	15	29
B. OPERATED	2053	9.9	134	1	1	7	13	22	33	71
TOTAL 0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	8	7.3	48	1	1	4	11	19	21	21
35-49	105	6.9	46	1	1	5	9	14	17	37
50-64	765	8.3	90	1	1	6	10	18	26	55
65+	1509	10.1	141	1	1	7	13	22	34	71
GRAND TOTAL	**2389**	**9.4**	**121**	**1**	**1**	**7**	**12**	**20**	**30**	**66**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	17	3.2	7	1	1	3	4	8	9	9
B. *Operated*										
0-19 YRS										
20-34	3	13.0	21	8	8	14	16	17	17	17
35-49	2	11.5	41	7	7	11	16	16	16	16
50-64	54	8.3	15	1	2	9	10	12	14	20
65+	139	9.2	25	1	2	9	11	15	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	85	6	6	12	19	19	19	19
20-34										
35-49	3	2.7		2	2	3	3	3	3	3
50-64	23	4.7	12	<1	1	4	6	9	13	15
65+	159	6.0	40	1	1	4	7	14	19	36
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	12.0	86	1	1	10	15	27	30	30
35-49	18	8.7	34	<1	1	9	13	15	19	21
50-64	377	11.5	73	2	3	10	13	18	22	49
65+	1173	13.4	106	2	3	11	16	24	33	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.2	7	1	1	2	4	7	9	9
B. *Operated*	198	9.0	23	1	2	9	11	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	187	5.9	37	1	1	4	7	13	18	33
B. *Operated*	1579	12.9	98	2	3	11	15	22	31	65
1. SINGLE DX	218	8.5	24	1	1	9	11	14	17	22
2. MULTIPLE DX	1766	12.2	96	1	2	11	15	21	30	62
A. NOT OPERATED	207	5.6	34	1	1	4	7	13	18	30
B. OPERATED	1777	12.5	91	2	3	11	15	21	29	61
TOTAL 0-19 YRS	3	9.0	79	2	2	6	16	19	19	19
20-34	14	11.5	70	1	1	10	15	25	29	30
35-49	23	8.1	34	<1	1	7	13	15	18	21
50-64	456	10.8	66	1	2	10	12	17	21	47
65+	1488	12.1	97	1	2	10	15	22	30	64
GRAND TOTAL	**1984**	**11.8**	**89**	**1**	**2**	**10**	**14**	**21**	**28**	**56**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	5	12.8	229	2	2	9	18	39	39	39
20-34	8	4.4	23	1	1	2	6	13	15	15
35-49	15	5.0	24	<1	<1	2	8	13	14	15
50-64	44	5.8	55	1	1	4	8	10	18	41
65+	51	6.2	36	1	1	4	8	15	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	6.0	12	4	4	4	9	10	10	10
65+	8	4.0	38	<1	<1	2	3	14	19	19
B. *Operated*										
0-19 YRS	4	6.3	33	1	1	5	11	13	13	13
20-34	11	7.6	37	1	1	7	12	16	20	20
35-49	18	9.2	69	1	1	7	13	21	28	32
50-64	116	11.4	199	1	2	7	13	26	45	95
65+	193	9.8	72	2	2	8	12	19	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	9	<1	<1	2	4	8	8	8
B. *Operated*	123	6.0	48	1	1	4	8	13	20	40
2. MULTIPLE DX										
A. *Not Operated*	13	4.4	25	<1	1	3	4	12	18	19
B. *Operated*	342	10.2	114	1	2	6	12	21	29	67
1. SINGLE DX	128	5.9	47	1	1	4	8	13	19	39
2. MULTIPLE DX	355	10.0	111	1	2	6	12	21	29	66
A. NOT OPERATED	18	3.9	21	<1	<1	2	4	9	15	19
B. OPERATED	465	9.1	99	1	1	7	11	19	27	60
TOTAL 0-19 YRS	9	9.9	139	1	1	9	11	29	39	39
20-34	19	6.3	32	1	1	4	9	15	18	20
35-49	36	7.1	48	<1	1	5	11	15	21	32
50-64	164	9.7	162	1	1	7	10	23	36	69
65+	255	8.8	66	1	2	7	11	19	23	36
GRAND TOTAL	**483**	**8.9**	**97**	**1**	**1**	**7**	**11**	**19**	**27**	**59**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	5	3.0	6	1	1	2	4	7	7	7
50-64	14	4.4	7	<1	<1	4	6	8	9	9
65+	13	5.2	15	1	1	4	8	11	12	12
B. Operated										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	11	5.6	46	1	1	3	7	17	22	23
35-49	81	5.2	27	1	1	4	8	10	11	32
50-64	275	5.3	21	1	1	5	8	10	12	17
65+	297	6.0	31	1	1	5	9	12	14	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	11	6.5	19	<1	1	6	10	12	14	14
35-49	13	5.7	24	1	1	4	9	12	16	17
50-64	48	6.1	34	<1	1	4	9	12	15	34
65+	161	6.6	23	1	1	6	9	13	17	22
B. Operated										
0-19 YRS	12	14.9	281	1	2	9	18	43	56	56
20-34	22	13.4	111	4	5	11	17	21	37	53
35-49	199	9.4	74	1	1	8	11	18	25	46
50-64	926	9.5	79	1	2	8	12	17	26	55
65+	1771	11.2	105	1	2	9	14	21	29	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	4.7	10	<1	1	4	7	9	11	12
B. Operated	666	5.6	27	1	1	5	8	11	13	26
2. MULTIPLE DX										
A. Not Operated	234	6.5	25	1	1	5	9	12	16	22
B. Operated	2930	10.6	96	1	2	9	13	20	28	55
1. SINGLE DX	700	5.6	26	1	1	5	8	11	13	25
2. MULTIPLE DX	3164	10.3	92	1	2	8	13	19	27	54
A. NOT OPERATED	268	6.2	23	1	1	5	9	12	15	22
B. OPERATED	3596	9.6	87	1	1	6	12	18	26	52
TOTAL 0-19 YRS	15	13.7	228	1	3	10	13	36	52	56
20-34	46	9.6	80	1	1	6	13	18	24	53
35-49	298	8.0	62	1	1	7	10	15	22	43
50-64	1263	8.4	67	1	1	7	11	15	22	48
65+	2242	10.1	93	1	1	6	13	19	26	52
GRAND TOTAL	**3864**	**9.4**	**83**	**1**	**1**	**8**	**12**	**18**	**25**	**51**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	4.6	10	1	1	5	6	8	9	17
20-34	14	5.6	18	2	3	4	6	10	17	19
35-49	11	5.4	48	2	2	3	5	14	25	26
50-64	30	2.7	5	<1	1	2	3	6	8	10
65+	24	3.8	12	<1	1	3	5	8	11	15
B. Operated										
0-19 YRS	22	2.1	2	<1	<1	2	3	4	5	6
20-34	34	3.0	13	<1	<1	2	3	6	13	17
35-49	74	2.8	6	<1	<1	2	4	7	9	11
50-64	156	3.5	18	1	1	2	5	8	10	12
65+	198	4.3	19	<1	1	2	6	11	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	6.5	29	1	1	5	9	15	19	21
20-34	40	4.3	8	1	1	3	5	9	11	13
35-49	55	5.6	27	<1	1	4	7	11	19	24
50-64	127	5.3	37	<1	1	3	6	10	16	36
65+	326	6.7	37	1	2	5	8	14	19	34
B. Operated										
0-19 YRS	18	9.2	98	<1	1	6	10	23	33	39
20-34	48	8.0	148	1	1	4	11	18	36	99+
35-49	156	7.4	109	1	1	4	8	14	28	62
50-64	532	7.6	90	1	1	4	9	17	26	62
65+	948	10.9	145	1	2	7	14	25	37	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	4.2	14	1	1	3	6	8	9	20
B. Operated	484	3.6	16	<1	1	2	5	8	11	19
2. MULTIPLE DX										
A. Not Operated	595	6.1	34	1	1	4	8	12	18	31
B. Operated	1702	9.5	126	1	1	6	11	22	32	62
1. SINGLE DX	613	3.7	16	<1	1	2	5	8	11	19
2. MULTIPLE DX	2297	8.6	105	1	1	5	10	20	29	57
A. NOT OPERATED	724	5.8	31	1	1	4	7	11	18	29
B. OPERATED	2186	8.2	106	1	1	5	10	20	29	58
TOTAL 0-19 YRS	137	5.5	30	1	1	4	7	11	18	25
20-34	136	5.4	63	1	1	3	6	12	17	60
35-49	296	5.8	69	1	1	3	7	11	21	58
50-64	845	6.3	69	1	1	4	8	12	21	44
65+	1496	9.0	109	1	1	6	11	20	30	55
GRAND TOTAL	**2910**	**7.6**	**90**	**1**	**1**	**4**	**9**	**17**	**25**	**54**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	7.8	16	1	3	7	10	13	16	17
20-34	151	7.2	12	2	3	7	9	12	13	18
35-49	180	7.0	13	2	3	7	9	11	12	18
50-64	221	6.3	10	1	3	6	8	10	12	15
65+	232	7.0	12	2	3	6	9	11	13	17
B. *Operated*										
0-19 YRS	12	7.6	21	1	2	8	11	14	15	15
20-34	110	6.6	15	2	2	6	9	12	14	18
35-49	131	6.9	20	1	2	7	9	12	13	21
50-64	119	6.6	13	2	2	6	9	12	13	17
65+	111	6.6	13	2	2	6	9	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	8.0	9	3	4	7	10	12	13	13
20-34	156	7.2	11	3	3	7	9	11	13	19
35-49	317	8.3	22	2	3	8	10	14	16	23
50-64	589	8.0	18	3	3	8	10	13	15	25
65+	1058	8.6	20	3	4	8	11	14	17	25
B. *Operated*										
0-19 YRS	10	9.4	11	4	5	9	10	14	16	16
20-34	104	8.8	26	2	3	8	11	17	20	23
35-49	217	9.6	69	2	3	8	11	17	22	53
50-64	388	9.7	41	3	3	9	12	16	20	38
65+	667	10.9	60	3	4	9	13	18	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	796	6.8	12	2	3	7	9	11	13	18
B. *Operated*	483	6.7	16	2	2	7	9	12	13	19
2. MULTIPLE DX										
A. *Not Operated*	2133	8.3	20	3	4	8	10	13	16	24
B. *Operated*	1386	10.2	53	3	4	9	12	17	21	43
1. SINGLE DX	1279	6.8	13	2	2	7	9	11	13	18
2. MULTIPLE DX	3519	9.0	34	3	4	8	11	15	18	29
A. NOT OPERATED	2929	7.9	18	3	3	7	10	13	15	22
B. OPERATED	1869	9.3	46	2	3	8	11	16	20	37
TOTAL 0-19 YRS	47	8.1	14	2	3	8	10	13	15	17
20-34	521	7.4	16	2	3	7	9	12	15	20
35-49	845	8.1	33	2	3	7	10	13	16	29
50-64	1317	8.1	25	2	3	7	10	13	16	25
65+	2068	9.1	34	3	4	8	11	15	18	29
GRAND TOTAL	**4798**	**8.4**	**29**	**2**	**3**	**8**	**10**	**14**	**17**	**27**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	8	4.8	5	1	2	5	6	8	9	9
50-64	9	6.6	18	2	2	6	10	13	13	13
65+	32	8.7	28	2	2	8	12	15	20	23
B. *Operated*										
0-19 YRS	7	2.9	3	<1	<1	2	4	6	6	6
20-34	366	3.0	3	1	1	3	4	5	5	10
35-49	496	3.2	5	1	1	3	4	5	6	12
50-64	410	3.7	10	1	1	3	4	6	7	16
65+	153	6.5	46	1	2	4	7	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	9	3.8	13	<1	<1	4	5	9	12	12
35-49	26	7.7	71	<1	<1	6	8	20	30	36
50-64	75	9.5	94	1	2	7	12	21	27	51
65+	259	10.2	56	2	3	8	12	19	25	41
B. *Operated*										
0-19 YRS	2	10.5	181	1	1	10	20	20	20	20
20-34	84	4.4	44	1	1	3	4	6	9	47
35-49	212	4.9	21	1	2	4	5	9	15	28
50-64	235	7.5	109	2	2	4	7	17	28	57
65+	276	14.5	195	2	3	10	21	32	40	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	7.5	24	2	2	6	10	13	18	23
B. *Operated*	1432	3.7	12	1	1	3	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*	370	9.7	65	1	2	8	12	20	26	42
B. *Operated*	809	8.9	126	1	2	4	10	23	31	58
1. SINGLE DX	1483	3.8	13	1	1	3	4	6	9	20
2. MULTIPLE DX	1179	9.2	107	1	2	5	11	22	29	53
A. NOT OPERATED	421	9.5	60	1	2	8	12	19	25	42
B. OPERATED	2241	5.6	59	1	1	3	5	11	21	40
TOTAL 0-19 YRS	10	6.2	59	<1	<1	3	6	20	21	21
20-34	461	3.3	11	1	1	3	4	5	6	12
35-49	742	3.9	13	1	1	3	4	6	9	23
50-64	729	5.6	56	1	2	3	5	11	18	43
65+	720	11.0	115	2	2	7	14	24	31	54
GRAND TOTAL	**2662**	**6.2**	**61**	**1**	**2**	**4**	**6**	**14**	**22**	**40**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	18	2.0	2	<1	<1	2	2	4	5	5
35-49	21	2.6	4	<1	<1	2	3	6	7	8
50-64	28	2.1	2	<1	<1	2	3	4	5	7
65+	19	3.0	3	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	6	3.5	4	<1	<1	3	4	7	7	7
20-34	188	3.8	2	1	2	4	5	6	6	8
35-49	272	3.9	3	1	2	4	5	6	8	9
50-64	195	4.1	3	1	2	4	5	6	7	10
65+	73	3.9	4	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	49	2.9	6	<1	1	2	3	6	7	15
35-49	58	3.1	6	<1	<1	2	4	7	8	11
50-64	86	3.5	9	<1	1	3	4	7	8	19
65+	150	4.0	11	1	1	3	5	8	12	16
B. *Operated*										
0-19 YRS	22	3.4	3	<1	1	4	4	6	6	6
20-34	682	4.3	4	2	2	4	5	6	8	11
35-49	1210	4.5	5	2	2	4	5	7	8	13
50-64	931	4.8	8	2	3	4	6	7	8	18
65+	519	5.6	10	2	3	5	7	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	2.4	3	<1	<1	2	3	5	6	8
B. *Operated*	734	3.9	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	346	3.6	9	1	1	3	4	7	9	16
B. *Operated*	3364	4.7	7	2	2	4	6	7	9	14
1. SINGLE DX	822	3.7	3	1	2	4	5	6	7	9
2. MULTIPLE DX	3710	4.6	7	2	2	4	5	7	9	14
A. NOT OPERATED	434	3.3	8	<1	1	3	4	7	8	15
B. OPERATED	4098	4.5	6	2	2	4	5	7	8	13
TOTAL 0-19 YRS	33	3.2	3	<1	1	3	4	6	6	7
20-34	937	4.1	4	1	2	4	5	6	7	10
35-49	1561	4.3	5	2	2	4	5	7	8	11
50-64	1240	4.5	7	2	2	4	5	7	8	15
65+	761	5.0	10	2	2	4	6	9	11	16
GRAND TOTAL	**4532**	**4.4**	**6**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.9	6	<1	1	2	3	7	9	9
20-34	56	5.8	15	1	2	5	8	10	14	20
35-49	67	6.4	15	1	1	6	9	12	13	17
50-64	82	5.1	13	1	1	4	7	11	12	14
65+	122	5.4	14	1	1	5	7	10	12	19
B. *Operated*										
0-19 YRS	73	2.2	8	<1	1	2	2	3	4	20
20-34	193	3.2	10	<1	<1	2	4	9	11	13
35-49	85	4.6	17	<1	1	3	7	10	13	19
50-64	81	5.3	15	<1	<1	5	8	11	12	15
65+	80	6.4	22	<1	1	6	9	11	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.2	20	<1	1	3	6	9	10	26
20-34	137	5.8	22	<1	1	5	8	12	16	22
35-49	228	6.0	29	1	1	5	7	10	15	28
50-64	529	6.0	20	1	2	5	8	11	14	20
65+	1310	6.5	28	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	51	6.4	78	<1	<1	3	8	12	34	38
20-34	217	5.3	31	<1	1	3	8	12	14	27
35-49	233	7.8	56	1	1	7	10	14	21	44
50-64	364	9.1	71	1	1	8	11	17	23	43
65+	596	10.6	83	1	3	9	13	20	25	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	5.5	14	1	1	5	8	11	12	17
B. *Operated*	512	4.1	15	<1	1	2	6	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	2245	6.3	26	1	2	5	8	12	15	26
B. *Operated*	1461	8.8	71	1	1	7	11	17	24	50
1. SINGLE DX	857	4.7	15	<1	1	3	7	10	12	17
2. MULTIPLE DX	3706	7.3	45	1	2	6	9	14	19	36
A. NOT OPERATED	2590	6.2	25	1	2	5	8	11	14	26
B. OPERATED	1973	7.6	61	1	1	6	10	15	21	42
TOTAL 0-19 YRS	183	3.9	33	<1	1	2	4	9	12	36
20-34	603	4.8	22	<1	1	3	7	11	13	22
35-49	613	6.5	37	1	1	5	9	12	16	31
50-64	1056	6.9	39	1	1	6	9	13	17	32
65+	2108	7.6	46	1	2	6	9	14	19	36
GRAND TOTAL	**4563**	**6.8**	**41**	**1**	**1**	**5**	**9**	**13**	**17**	**33**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2616	2.1	2	<1	1	2	2	4	5	7
20-34	187	2.7	2	1	1	2	3	5	6	7
35-49	81	3.2	4	1	2	3	4	5	8	11
50-64	55	2.8	3	1	1	2	3	5	6	8
65+	48	3.6	6	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	382	1.8	3	<1	<1	1	2	3	4	11
20-34	159	1.8	1	1	1	2	2	3	4	6
35-49	36	2.9	5	<1	1	2	4	7	8	8
50-64	19	2.3	4	<1	<1	1	3	6	7	8
65+	9	3.0	4	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2618	2.7	4	1	1	2	3	5	6	10
20-34	429	3.1	3	1	1	3	4	5	6	10
35-49	257	3.9	7	1	1	3	5	7	10	13
50-64	296	4.5	8	1	2	4	6	8	10	14
65+	650	5.9	18	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	282	2.8	9	<1	1	2	3	6	9	17
20-34	166	3.7	11	1	1	3	4	9	11	16
35-49	66	5.3	34	1	1	3	6	13	18	27
50-64	66	7.6	139	1	1	4	11	13	20	72
65+	74	8.9	66	2	2	6	11	17	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2987	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	605	1.9	3	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	4250	3.4	8	1	1	3	4	6	9	14
B. *Operated*	654	4.4	36	1	1	2	5	11	14	27
1. SINGLE DX	3592	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	4904	3.5	12	1	1	3	4	7	9	16
A. NOT OPERATED	7237	2.9	6	1	1	2	3	5	7	13
B. OPERATED	1259	3.2	22	<1	1	2	3	7	11	23
TOTAL 0-19 YRS	5898	2.4	3	1	1	2	3	4	5	9
20-34	941	2.9	4	1	1	2	4	5	7	12
35-49	440	3.9	10	1	1	3	5	8	10	15
50-64	436	4.6	29	1	1	3	6	9	11	17
65+	781	6.0	23	1	2	5	7	12	15	26
GRAND TOTAL	**8496**	**2.9**	**8**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1807	2.8	4	1	1	2	3	5	6	9
20-34	126	3.3	3	1	2	3	4	6	7	9
35-49	96	3.3	5	1	1	3	4	6	7	12
50-64	116	4.3	5	1	2	4	6	7	9	11
65+	181	4.9	9	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	53	2.5	2	<1	1	2	3	4	5	8
20-34	5	4.4	9	2	2	3	7	9	9	9
35-49	5	6.2	18	1	1	5	10	11	11	11
50-64	5	4.2	7	2	2	3	6	8	8	8
65+	14	7.4	40	<1	2	5	10	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1964	3.6	7	1	1	3	4	7	8	13
20-34	290	4.1	10	1	2	3	5	7	9	17
35-49	421	4.9	13	1	2	4	6	9	11	21
50-64	1378	6.2	21	2	2	5	8	11	13	28
65+	3884	7.0	22	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	61	4.9	19	1	1	4	5	12	17	90
20-34	31	5.8	17	1	2	4	7	12	16	17
35-49	48	7.9	73	1	1	5	9	17	29	40
50-64	153	8.7	69	1	2	7	11	16	19	31
65+	365	10.9	106	2	3	8	13	21	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2326	3.1	5	1	1	3	4	6	7	10
B. *Operated*	82	3.8	13	<1	1	2	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	7937	5.8	20	1	2	5	7	11	14	23
B. *Operated*	658	9.4	86	2	2	7	12	19	25	53
1. SINGLE DX	2408	3.1	5	1	1	3	4	6	7	10
2. MULTIPLE DX	8595	6.1	26	1	2	5	8	12	15	25
A. NOT OPERATED	10263	5.2	17	1	2	4	7	10	13	21
B. OPERATED	740	8.7	81	1	2	6	11	18	23	53
TOTAL 0-19 YRS	3885	3.2	6	1	1	3	4	6	8	12
20-34	452	4.0	9	1	2	3	5	7	9	16
35-49	570	4.9	18	1	2	4	6	9	11	24
50-64	1652	6.3	25	2	2	5	8	11	14	28
65+	4444	7.2	30	2	3	6	9	13	17	26
GRAND TOTAL	**11003**	**5.4**	**23**	**1**	**2**	**4**	**7**	**11**	**14**	**23**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	291	1.4		<1	1	1	2	2	3	3
20-34	662	1.5	1	<1	1	1	2	2	3	4
35-49	370	1.6	1	<1	1	1	2	3	3	5
50-64	180	1.6	1	1	1	1	2	3	3	5
65+	53	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	17	1.2	1	<1	<1	1	1	2	3	4
35-49	16	1.2		<1	<1	<1	1	2	3	3
50-64	7	1.6	1	<1	<1	1	2	3	3	3
65+	4	2.3	4	<1	<1	1	3	5	5	5
B. *Operated*										
0-19 YRS	523	1.7	1	<1	1	1	2	3	3	5
20-34	1604	1.8	1	<1	1	2	2	3	4	5
35-49	986	1.9	1	<1	1	2	2	3	4	5
50-64	485	2.0	1	1	1	2	3	3	4	6
65+	170	2.2	2	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.3		<1	<1	<1	2	2	2	2
B. *Operated*	1556	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	46	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	3768	1.9	1	<1	1	2	2	3	4	5
1. SINGLE DX	1562	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	3814	1.9	1	<1	1	2	2	3	4	5
A. NOT OPERATED	52	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	5324	1.8	1	<1	1	1	2	3	4	5
TOTAL 0-19 YRS	817	1.6	1	<1	1	1	2	3	3	4
20-34	2286	1.7	1	<1	1	1	2	3	3	5
35-49	1373	1.8	1	<1	1	1	2	3	4	5
50-64	673	1.9	1	1	1	2	2	3	4	6
65+	227	2.1	2	1	1	2	3	4	5	6
GRAND TOTAL	**5376**	**1.7**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	28	1.5	1	<1	1	1	2	2	4	6
20-34	44	1.3		<1	<1	1	1	2	2	3
35-49	62	1.4	1	<1	<1	1	1	3	4	4
50-64	56	1.4		<1	<1	1	2	2	3	4
65+	32	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	38	2.7	27	<1	<1	2	2	4	5	33
20-34	106	2.2	9	<1	1	2	3	4	4	17
35-49	155	2.1	2	1	1	2	3	3	5	6
50-64	177	2.1	1	1	1	2	3	4	4	6
65+	91	2.8	4	<1	1	2	4	4	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	222	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	11	1.5	1	<1	<1	1	1	3	5	5
B. *Operated*	567	2.3	5	<1	1	2	3	4	5	9
1. SINGLE DX	224	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	578	2.3	5	<1	1	2	3	4	5	9
A. NOT OPERATED	13	1.4	1	<1	<1	1	1	3	5	5
B. OPERATED	789	2.0	4	<1	1	2	3	4	4	7
TOTAL 0-19 YRS	67	2.2	16	<1	<1	1	2	4	4	28
20-34	152	1.9	6	<1	<1	1	2	3	4	6
35-49	221	1.9	2	<1	<1	1	2	3	4	6
50-64	236	1.9	1	<1	1	2	3	3	4	5
65+	126	2.6	3	<1	1	2	3	4	6	11
GRAND TOTAL	**802**	**2.0**	**4**	**<1**	**1**	**2**	**3**	**4**	**4**	**7**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.3		<1	<1	1	1	3	3	3
20-34	12	1.7	1	<1	<1	1	2	3	4	4
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	9590	1.3		<1	<1	1	2	2	2	3
20-34	2312	1.5	1	1	1	1	2	2	3	4
35-49	282	1.6	1	<1	1	1	2	3	3	5
50-64	24	1.8	1	1	1	2	2	3	4	4
65+	25	1.4		<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	1.5	1	<1	<1	1	1	3	4	5
20-34	17	2.2	2	<1	<1	2	3	4	5	5
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	5282	1.4	1	<1	<1	1	2	2	2	4
20-34	602	1.8	2	1	1	1	2	3	4	7
35-49	87	1.9	2	1	1	2	2	3	4	9
50-64	21	3.3	18	<1	1	2	4	5	13	21
65+	14	2.5	3	1	1	2	3	4	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.4	1	<1	<1	1	2	3	3	4
B. *Operated*	12233	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	166	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	6006	1.4	1	<1	<1	1	2	2	3	4
1. SINGLE DX	12272	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX	6172	1.4	1	<1	<1	1	2	2	3	4
A. NOT OPERATED	205	1.5	1	<1	<1	1	2	3	4	5
B. OPERATED	18239	1.4	1	<1	<1	1	2	2	2	3
TOTAL 0-19 YRS	15040	1.3		<1	<1	1	2	2	2	3
20-34	2943	1.5	1	1	1	1	2	2	3	4
35-49	375	1.7	1	<1	1	1	2	3	3	5
50-64	46	2.5	9	1	1	2	3	4	5	21
65+	40	1.8	2	<1	1	1	2	3	4	8
GRAND TOTAL	**18444**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	321	2.4	2	<1	1	2	3	4	5	8
20-34	168	2.6	2	1	1	2	3	4	5	9
35-49	93	3.0	5	<1	1	2	3	6	9	12
50-64	43	2.3	2	<1	<1	2	3	5	5	7
65+	24	2.2	3	<1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	403	1.9	3	<1	<1	1	2	3	4	8
20-34	579	2.0	5	<1	<1	1	2	4	4	8
35-49	496	1.8	2	<1	<1	1	2	3	4	7
50-64	379	1.8	2	<1	<1	1	2	3	5	9
65+	228	2.0	3	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	3.0	4	1	1	2	4	6	7	10
20-34	149	3.1	5	1	1	3	4	6	8	10
35-49	112	3.6	11	<1	1	3	4	6	7	21
50-64	131	3.7	7	<1	1	3	5	7	8	14
65+	115	5.1	22	<1	1	4	7	12	15	22
B. *Operated*										
0-19 YRS	476	2.5	10	<1	<1	2	3	5	6	21
20-34	685	2.4	9	<1	1	2	3	4	6	13
35-49	621	2.5	8	<1	1	2	3	4	6	13
50-64	633	3.1	17	<1	1	2	3	6	9	19
65+	436	4.3	50	1	1	2	4	9	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	649	2.5	3	<1	1	2	3	4	5	10
B. *Operated*	2085	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	718	3.6	9	<1	1	3	4	7	9	15
B. *Operated*	2851	2.9	17	<1	1	2	3	5	8	20
1. SINGLE DX	2734	2.0	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX	3569	3.0	16	<1	1	2	3	6	8	19
A. NOT OPERATED	1367	3.1	6	<1	1	2	4	6	8	14
B. OPERATED	4936	2.5	12	<1	1	2	3	4	6	15
TOTAL 0-19 YRS	1411	2.4	5	<1	<1	2	3	4	6	11
20-34	1581	2.4	6	<1	1	2	3	4	6	10
35-49	1322	2.3	6	<1	1	2	3	4	6	12
50-64	1186	2.7	11	<1	1	2	3	5	8	15
65+	803	3.7	32	<1	1	2	4	8	12	24
GRAND TOTAL	**6303**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3387	3.5	4	1	2	3	4	6	7	11
20-34	959	4.1	5	2	2	4	5	7	8	11
35-49	735	4.8	6	2	2	4	6	8	9	14
50-64	615	5.4	9	2	2	5	7	9	12	17
65+	1024	6.1	12	2	3	5	8	11	13	18
B. *Operated*										
0-19 YRS	87	4.8	17	1	1	4	5	11	14	18
20-34	41	5.8	16	1	2	4	7	12	15	18
35-49	46	5.7	14	2	2	5	7	10	12	20
50-64	71	6.8	30	1	2	6	9	13	16	31
65+	98	8.2	30	2	3	7	10	15	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4863	4.2	11	1	2	3	5	8	10	16
20-34	1186	5.2	14	2	2	4	6	9	12	20
35-49	1296	6.2	20	2	3	5	8	11	13	23
50-64	2843	7.1	24	2	3	6	9	12	16	25
65+	10043	9.2	42	3	4	8	11	17	21	33
B. *Operated*										
0-19 YRS	241	9.2	79	2	2	6	12	21	29	52
20-34	150	10.2	79	2	3	8	13	23	27	39
35-49	220	12.6	145	2	4	9	16	22	38	67
50-64	540	13.2	121	3	4	10	17	26	37	67
65+	1601	15.9	146	4	5	12	20	32	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6720	4.3	7	1	2	4	5	8	9	14
B. *Operated*	343	6.4	24	1	2	5	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	20231	7.3	34	2	2	6	9	14	18	29
B. *Operated*	2752	14.2	137	3	4	11	18	28	39	67
1. SINGLE DX	7063	4.4	8	1	2	4	6	8	10	15
2. MULTIPLE DX	22983	8.1	51	2	2	6	10	16	21	38
A. NOT OPERATED	26951	6.5	29	2	2	5	8	12	16	27
B. OPERATED	3095	13.3	130	2	3	10	17	27	37	66
TOTAL 0-19 YRS	8578	4.1	11	1	2	3	5	7	9	17
20-34	2336	5.1	16	2	2	4	6	9	12	23
35-49	2297	6.4	32	2	2	5	8	11	15	27
50-64	4069	7.6	40	2	3	6	9	14	18	35
65+	12766	9.8	59	3	3	8	12	18	24	41
GRAND TOTAL	**30046**	**7.2**	**43**	**2**	**2**	**5**	**9**	**14**	**19**	**34**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	2.3	2	1	1	2	3	4	5	6
20-34	86	2.6	3	1	1	2	3	4	5	9
35-49	82	3.3	4	1	1	3	4	6	8	10
50-64	64	3.5	4	1	2	3	4	7	7	9
65+	103	4.3	7	1	2	4	6	7	9	13
B. *Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	5	2.4	1	1	1	2	3	4	4	4
35-49										
50-64	3	1.7		1	1	2	2	2	2	2
65+	6	11.7	196	3	3	7	8	37	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	2.8	4	1	1	2	4	5	7	10
20-34	191	2.9	4	1	1	2	4	5	7	11
35-49	193	4.0	6	1	2	3	5	7	9	14
50-64	272	4.8	11	1	2	4	6	9	11	18
65+	796	6.1	21	2	2	5	8	12	14	24
B. *Operated*										
0-19 YRS	6	3.2	2	1	1	4	4	4	4	4
20-34	20	3.6	4	<1	1	3	5	7	8	8
35-49	14	6.9	23	2	2	5	12	15	15	15
50-64	11	12.5	159	1	2	7	19	30	43	44
65+	47	10.6	93	2	3	8	14	19	34	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	3.1	4	1	1	3	4	6	7	10
B. *Operated*	17	5.8	83	1	1	3	7	8	29	40
2. MULTIPLE DX										
A. *Not Operated*	1668	4.9	15	1	2	4	6	9	12	18
B. *Operated*	98	8.4	76	1	2	5	11	18	25	45
1. SINGLE DX	485	3.2	7	1	1	3	4	6	7	11
2. MULTIPLE DX	1766	5.1	19	1	2	4	6	10	13	21
A. NOT OPERATED	2136	4.5	13	1	1	3	6	8	11	18
B. OPERATED	115	8.0	77	1	2	5	10	18	26	44
TOTAL 0-19 YRS	358	2.7	3	1	1	2	3	5	6	9
20-34	302	2.8	4	1	1	2	3	5	7	9
35-49	289	3.9	7	1	2	3	5	7	10	14
50-64	350	4.7	16	1	2	4	6	9	11	20
65+	952	6.2	25	2	2	5	8	12	14	32
GRAND TOTAL	**2251**	**4.7**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	2.3	2	1	1	2	3	4	5	8
20-34	46	3.0	3	1	1	3	4	6	7	7
35-49	45	3.8	3	2	2	3	5	6	7	8
50-64	130	5.0	16	1	2	4	7	9	11	22
65+	223	5.4	13	1	2	5	7	10	13	16
B. *Operated*										
0-19 YRS	21	2.3	5	<1	1	2	2	6	8	9
20-34	7	2.3	3	1	1	2	3	5	6	6
35-49	12	2.7	7	<1	<1	2	3	6	9	10
50-64	21	3.3	10	<1	<1	2	4	9	10	10
65+	30	4.9	31	<1	<1	2	7	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	415	2.9	5	1	1	2	4	5	7	12
20-34	125	3.9	7	1	1	3	5	7	10	14
35-49	183	5.5	40	1	2	4	6	9	12	40
50-64	734	6.4	28	2	2	5	8	12	16	27
65+	1748	7.2	31	2	3	6	9	13	17	29
B. *Operated*										
0-19 YRS	21	3.2	4	<1	1	3	4	6	7	9
20-34	16	5.8	11	1	3	5	8	11	12	12
35-49	47	7.4	95	1	1	4	9	14	20	60
50-64	129	6.2	32	<1	1	4	9	13	16	30
65+	236	9.6	87	1	2	7	12	20	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	775	3.8	10	1	1	3	5	7	9	15
B. *Operated*	91	3.5	16	<1	<1	2	4	9	10	21
2. MULTIPLE DX										
A. *Not Operated*	3205	6.2	29	1	2	5	8	12	15	27
B. *Operated*	449	8.0	69	1	1	6	10	17	23	46
1. SINGLE DX	866	3.7	10	1	1	3	5	7	10	15
2. MULTIPLE DX	3654	6.4	34	1	2	5	8	12	16	29
A. NOT OPERATED	3980	5.7	26	1	2	4	7	11	14	26
B. OPERATED	540	7.2	63	<1	1	5	10	16	21	38
TOTAL 0-19 YRS	788	2.7	4	1	1	2	3	5	6	10
20-34	194	3.8	7	1	1	3	5	7	10	13
35-49	287	5.4	43	1	2	4	6	10	13	42
50-64	1014	6.1	27	1	2	5	8	11	16	27
65+	2237	7.2	36	2	2	6	9	14	18	30
GRAND TOTAL	**4520**	**5.9**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	5.7	6	4	4	5	6	10	11	11
50-64	40	5.2	7	1	2	5	7	9	10	12
65+	95	6.2	26	2	2	4	7	11	20	26
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	7	8.0	7	3	4	9	9	11	11	11
50-64	4	10.3	55	2	2	9	15	20	20	20
65+	9	5.3	10	1	1	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	44	2	2	10	15	17	17	17
20-34	2	1.0		1	1	1	1	1	1	1
35-49	30	5.6	17	2	2	4	7	11	14	21
50-64	306	7.5	55	1	2	6	9	14	17	46
65+	867	8.6	55	2	3	7	11	17	22	42
B. *Operated*										
0-19 YRS	5	12.8	86	5	5	10	18	28	28	28
20-34	15	10.9	37	4	5	10	13	20	25	27
35-49	27	11.0	82	2	3	10	13	16	33	46
50-64	59	16.5	192	3	5	14	18	35	56	62
65+	104	13.4	125	2	3	10	18	25	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	5.9	20	2	2	4	7	10	13	25
B. *Operated*	21	7.4	18	1	2	9	9	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	1209	6.3	55	2	3	6	10	16	20	41
B. *Operated*	210	13.7	133	3	4	10	16	26	40	60
1. SINGLE DX	163	6.1	20	2	2	5	8	11	13	25
2. MULTIPLE DX	1419	9.1	70	2	3	7	11	18	23	47
A. NOT OPERATED	1351	8.0	51	2	3	6	10	15	20	40
B. OPERATED	231	13.2	125	2	4	10	16	24	39	58
TOTAL 0-19 YRS	9	11.4	63	2	3	10	15	24	26	26
20-34	18	9.8	41	1	2	9	12	18	24	27
35-49	71	7.9	45	2	3	6	10	14	16	43
50-64	409	8.6	80	2	2	6	10	16	22	56
65+	1075	8.8	62	2	3	7	11	18	23	42
GRAND TOTAL	**1582**	**8.8**	**65**	**2**	**3**	**7**	**11**	**17**	**23**	**45**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3901	2.6	3	1	1	2	3	4	5	8
20-34	1031	3.2	4	1	1	3	4	6	7	9
35-49	876	3.9	6	1	1	3	5	7	8	12
50-64	922	4.4	7	1	2	4	6	8	10	13
65+	706	4.7	9	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	47	2.9	3	1	1	3	3	6	6	7
20-34	42	3.7	9	1	1	3	5	7	8	18
35-49	27	4.3	11	1	1	3	5	10	12	13
50-64	24	5.0	9	1	2	4	7	9	11	14
65+	21	5.6	15	2	3	4	7	9	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2562	3.2	4	1	1	3	4	5	6	10
20-34	1005	4.1	8	1	1	3	5	8	10	15
35-49	1167	4.9	12	1	2	4	6	9	11	17
50-64	2230	5.8	16	2	2	5	7	10	12	21
65+	3007	6.7	25	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	52	5.4	33	1	2	3	7	11	12	37
20-34	70	5.8	21	1	2	5	7	12	14	25
35-49	70	9.1	71	1	2	7	11	17	22	52
50-64	173	8.8	47	1	2	7	12	17	21	30
65+	234	10.3	68	2	3	8	12	21	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7436	3.3	5	1	1	3	4	6	7	11
B. *Operated*	161	4.0	9	1	1	3	5	8	9	18
2. MULTIPLE DX										
A. *Not Operated*	9971	5.1	16	1	2	4	6	9	12	20
B. *Operated*	599	8.7	56	2	2	7	11	18	23	39
1. SINGLE DX	7597	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX	10570	5.3	19	1	2	4	7	10	13	22
A. NOT OPERATED	17407	4.3	12	1	1	3	5	8	10	18
B. OPERATED	760	7.7	50	1	2	6	10	16	21	36
TOTAL 0-19 YRS	6562	2.9	4	1	1	2	3	5	6	9
20-34	2148	3.7	7	1	1	3	5	7	8	13
35-49	2140	4.6	12	1	2	4	6	8	11	17
50-64	3349	5.6	16	1	2	5	7	10	12	21
65+	3968	6.5	26	2	2	5	8	12	15	26
GRAND TOTAL	**18167**	**4.5**	**14**	**1**	**1**	**3**	**6**	**8**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	1	1	2	2	4	4	4
20-34	10	4.5	18	1	1	3	6	11	15	15
35-49	31	4.2	11	1	2	3	5	8	9	19
50-64	317	5.1	11	1	2	4	7	10	12	16
65+	628	5.7	15	2	2	5	7	11	13	22
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	2	8.0	98	<1	<1	7	15	15	15	15
35-49	8	5.6	15	2	2	5	8	11	12	12
50-64	38	6.5	75	1	2	4	6	13	20	51
65+	53	8.1	79	1	2	6	10	16	17	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.0	13	1	2	3	4	9	12	18
20-34	39	5.7	19	1	2	5	7	9	14	24
35-49	197	6.6	29	2	2	5	8	12	20	29
50-64	1934	7.1	33	2	2	6	9	13	16	29
65+	5474	7.9	37	2	3	6	10	15	19	29
B. *Operated*										
0-19 YRS	7	10.4	156	1	1	1	22	28	29	29
20-34	14	9.1	61	2	3	7	11	17	29	33
35-49	57	9.6	87	1	2	7	13	20	29	50
50-64	330	11.4	144	2	3	8	14	23	37	88
65+	776	12.7	157	3	4	9	15	26	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	992	5.5	13	1	2	5	7	10	12	19
B. *Operated*	104	7.2	70	1	2	5	9	15	17	56
2. MULTIPLE DX										
A. *Not Operated*	7673	7.6	36	2	3	6	10	14	18	29
B. *Operated*	1184	12.1	149	2	3	8	15	25	37	75
1. SINGLE DX	1096	5.6	19	1	2	5	7	11	13	21
2. MULTIPLE DX	8857	8.2	53	2	3	6	10	16	21	38
A. NOT OPERATED	8665	7.4	34	2	2	6	9	14	18	28
B. OPERATED	1288	11.7	144	2	3	8	14	25	36	74
TOTAL 0-19 YRS	45	4.8	37	1	1	3	4	12	20	29
20-34	65	6.4	30	1	2	5	8	13	16	32
35-49	293	6.9	40	2	2	5	8	14	21	30
50-64	2619	7.4	48	2	2	6	9	14	18	38
65+	6931	8.2	51	2	3	6	10	16	20	37
GRAND TOTAL	**9953**	**7.9**	**50**	**2**	**2**	**6**	**10**	**15**	**20**	**37**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.0	12	<1	1	2	3	6	12	15
20-34	76	3.6	9	<1	1	3	5	9	11	13
35-49	15	3.6	10	<1	1	3	5	10	10	10
50-64	13	4.3	18	1	1	2	6	12	14	14
65+	5	2.6	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	81	5.7	12	2	2	5	7	10	13	19
20-34	284	5.2	12	2	2	4	6	9	12	18
35-49	108	6.3	20	2	2	5	7	12	17	24
50-64	40	5.7	18	2	2	4	7	10	12	25
65+	32	7.2	29	2	3	6	9	11	17	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.3	3	1	1	2	3	5	6	6
20-34	25	4.0	13	1	1	3	4	12	13	13
35-49	18	3.7	7	1	1	3	5	8	10	10
50-64	26	7.0	40	1	1	5	9	13	23	29
65+	48	7.4	32	1	2	5	10	16	19	27
B. Operated										
0-19 YRS	36	8.9	30	2	3	7	13	17	18	21
20-34	122	8.0	23	2	3	6	12	15	17	22
35-49	89	8.6	38	2	3	7	11	15	22	33
50-64	124	11.5	140	3	4	8	15	24	34	90
65+	234	11.7	109	3	4	8	14	26	36	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	3.6	10	<1	1	2	5	9	11	14
B. Operated	545	5.7	15	2	2	5	7	10	13	21
2. MULTIPLE DX										
A. Not Operated	126	5.7	27	1	1	4	8	13	16	27
B. Operated	605	10.3	85	2	3	7	13	20	28	48
1. SINGLE DX	671	5.3	15	1	2	4	6	10	13	19
2. MULTIPLE DX	731	9.5	78	2	3	7	12	19	26	43
A. NOT OPERATED	252	4.6	20	1	1	3	6	11	13	21
B. OPERATED	1150	8.1	57	2	3	6	10	16	22	39
TOTAL 0-19 YRS	143	6.0	20	1	2	5	8	13	16	21
20-34	507	5.6	16	1	2	4	7	12	14	19
35-49	230	6.8	28	1	2	5	9	13	18	26
50-64	203	9.3	102	2	2	6	11	19	28	79
65+	319	10.5	92	2	3	7	12	22	31	48
GRAND TOTAL	**1402**	**7.5**	**52**	**1**	**2**	**5**	**9**	**15**	**20**	**38**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	180	2.7	6	<1	1	2	3	5	6	14
20-34	115	2.9	6	<1	1	2	3	5	8	14
35-49	120	3.1	5	1	1	3	4	6	7	14
50-64	82	3.7	9	1	1	3	4	7	12	14
65+	165	5.2	22	1	1	4	7	10	15	27
B. Operated										
0-19 YRS	44	2.5	5	<1	<1	1	4	6	7	8
20-34	75	5.4	57	<1	1	2	7	12	19	42
35-49	83	5.7	23	1	1	5	8	13	17	20
50-64	177	4.9	17	<1	1	4	7	10	14	19
65+	162	4.7	18	<1	1	4	7	10	14	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	409	4.4	19	1	1	3	6	9	12	25
20-34	227	5.5	31	1	1	4	7	12	18	34
35-49	338	4.9	18	1	1	4	6	10	13	21
50-64	894	5.9	27	1	2	4	7	11	15	29
65+	2559	7.7	43	2	2	6	10	15	19	33
B. Operated										
0-19 YRS	131	11.3	274	1	1	5	13	24	46	90
20-34	159	9.0	81	1	1	6	13	18	24	43
35-49	284	10.2	80	1	2	8	14	21	29	44
50-64	667	10.0	97	1	2	7	13	21	31	52
65+	1254	12.0	141	1	2	9	16	26	34	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	662	3.6	11	1	1	3	4	7	10	17
B. Operated	541	4.9	23	<1	1	3	7	10	15	22
2. MULTIPLE DX										
A. Not Operated	4427	6.7	36	1	2	5	9	13	18	30
B. Operated	2495	11.0	127	1	2	8	14	23	32	61
1. SINGLE DX	1203	4.1	17	<1	1	3	5	9	13	20
2. MULTIPLE DX	6922	8.3	73	1	2	6	10	17	23	45
A. NOT OPERATED	5089	6.3	34	1	1	5	8	13	17	29
B. OPERATED	3036	9.9	114	1	1	7	13	21	30	57
TOTAL 0-19 YRS	764	5.1	67	1	1	3	5	10	17	38
20-34	576	5.9	48	1	1	4	7	14	19	41
35-49	825	6.5	45	1	1	4	8	15	20	31
50-64	1820	7.2	56	1	2	5	9	15	21	40
65+	4140	8.8	76	1	2	6	11	18	25	46
GRAND TOTAL	**8125**	**7.7**	**67**	**1**	**1**	**5**	**10**	**16**	**22**	**43**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.7	33	<1	1	2	6	13	20	21
20-34	27	4.6	42	<1	1	3	5	10	15	34
35-49	13	2.7	2	<1	<1	3	4	5	5	5
50-64	6	2.0	1	<1	<1	2	3	3	3	3
65+	6	3.8	18	1	1	2	5	11	12	12
B. *Operated*										
0-19 YRS	676	2.1	2	<1	<1	1	3	4	5	6
20-34	658	2.8	2	1	1	3	4	4	5	9
35-49	312	2.9	6	<1	1	3	4	5	6	7
50-64	151	2.8	3	1	1	3	3	4	5	10
65+	67	3.0	6	<1	1	2	4	5	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.7	5	<1	<1	2	3	6	8	10
20-34	72	3.0	3	<1	<1	3	4	5	6	7
35-49	38	4.1	33	<1	<1	2	3	8	17	30
50-64	42	3.2	5	<1	1	3	5	6	7	10
65+	39	4.6	25	1	1	3	5	8	11	31
B. *Operated*										
0-19 YRS	623	2.4	2	<1	<1	2	3	4	5	7
20-34	559	3.4	6	1	1	3	4	5	7	13
35-49	370	3.1	5	1	1	3	4	5	6	13
50-64	304	3.2	12	1	1	2	4	5	8	19
65+	274	3.6	19	1	1	2	4	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.9	26	<1	1	3	4	8	12	32
B. *Operated*	1864	2.6	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	261	3.4	12	<1	1	3	4	6	8	21
B. *Operated*	2130	3.0	7	<1	1	3	4	5	7	14
1. SINGLE DX	1928	2.6	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2391	3.1	8	<1	1	3	4	5	7	14
A. NOT OPERATED	325	3.5	14	<1	1	3	4	6	8	24
B. OPERATED	3994	2.8	6	<1	<1	2	4	5	6	11
TOTAL 0-19 YRS	1381	2.3	3	<1	<1	2	3	4	5	7
20-34	1316	3.1	5	1	1	3	4	5	6	11
35-49	733	3.1	7	1	1	3	4	5	6	11
50-64	503	3.1	9	1	1	2	4	5	7	14
65+	386	3.6	17	1	1	2	4	8	11	21
GRAND TOTAL	**4319**	**2.9**	**6**	**<1**	**<1**	**2**	**4**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.0	3	1	1	3	4	6	6	7
20-34	14	3.6	5	1	2	3	4	8	8	8
35-49	17	3.2	2	<1	1	3	4	6	6	6
50-64	26	3.7	3	1	1	3	5	7	7	8
65+	14	4.1	8	<1	1	3	7	8	9	9
B. *Operated*										
0-19 YRS	107	2.2	12	<1	<1	1	2	4	5	19
20-34	103	2.4	5	<1	<1	2	3	5	7	11
35-49	87	2.6	2	<1	<1	3	3	5	5	8
50-64	119	2.5	2	<1	1	2	3	4	5	8
65+	78	2.8	10	<1	<1	2	3	4	6	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	3.3	3	1	1	3	4	6	7	10
20-34	38	4.7	7	<1	1	4	6	8	10	13
35-49	27	5.1	17	1	1	4	7	12	15	17
50-64	45	4.6	5	1	2	4	6	8	9	12
65+	97	7.9	36	1	2	7	10	13	19	34
B. *Operated*										
0-19 YRS	53	3.2	5	1	1	3	4	5	7	14
20-34	90	3.7	9	1	1	3	5	8	10	16
35-49	96	3.8	12	1	1	3	4	7	11	21
50-64	98	2.7	3	1	1	2	3	5	7	11
65+	138	5.2	33	1	1	4	5	11	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.3	4	1	1	3	4	6	7	9
B. *Operated*	494	2.5	6	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	312	5.3	19	1	2	4	7	10	13	20
B. *Operated*	475	3.9	16	1	1	3	4	7	11	23
1. SINGLE DX	617	2.6	6	<1	<1	2	3	5	6	10
2. MULTIPLE DX	787	4.4	17	1	1	3	5	9	12	22
A. NOT OPERATED	435	4.7	15	1	1	4	6	9	12	19
B. OPERATED	969	3.2	11	<1	1	2	4	6	8	18
TOTAL 0-19 YRS	317	2.9	7	<1	1	2	4	5	6	10
20-34	245	3.3	7	<1	<1	3	4	7	9	13
35-49	227	3.4	9	<1	1	3	4	6	8	17
50-64	288	3.0	4	<1	1	3	4	5	7	10
65+	327	5.4	31	1	1	4	7	11	16	29
GRAND TOTAL	**1404**	**3.6**	**13**	**<1**	**1**	**3**	**4**	**7**	**10**	**19**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	2.4	4	1	1	2	3	4	6	11
20-34	72	2.5	3	<1	1	2	3	5	6	9
35-49	110	2.4	3	<1	1	2	3	5	6	9
50-64	115	2.6	4	1	1	2	3	5	7	10
65+	87	2.9	5	<1	<1	2	4	6	7	12
B. *Operated*										
0-19 YRS	48	4.2	7	<1	<1	4	7	8	8	10
20-34	62	4.3	14	<1	1	3	7	8	11	20
35-49	81	4.4	10	<1	<1	4	7	9	11	13
50-64	36	4.4	15	<1	<1	4	6	8	10	22
65+	142	4.1	11	<1	<1	3	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	231	3.3	6	1	1	3	4	7	8	12
20-34	263	3.3	7	<1	1	3	4	6	8	14
35-49	445	3.6	7	1	1	3	5	6	9	15
50-64	687	3.9	12	1	1	3	5	7	10	16
65+	1062	5.1	20	1	2	4	6	9	13	25
B. *Operated*										
0-19 YRS	146	7.1	49	<1	<1	5	10	16	20	34
20-34	142	6.1	70	<1	1	5	8	11	14	48
35-49	287	5.9	46	1	1	5	7	10	13	45
50-64	511	7.0	52	1	1	5	9	14	19	37
65+	872	8.1	60	1	2	6	10	16	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	419	4.3	12	<1	<1	3	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2688	4.2	14	1	1	3	5	8	11	19
B. *Operated*	1958	7.3	56	1	1	5	9	14	20	41
1. SINGLE DX	945	3.3	8	<1	<1	2	5	7	8	12
2. MULTIPLE DX	4646	5.5	34	1	1	4	7	11	15	31
A. NOT OPERATED	3214	4.0	13	1	1	3	5	8	10	18
B. OPERATED	2377	6.7	50	<1	1	5	8	14	18	38
TOTAL 0-19 YRS	567	4.1	20	<1	1	3	5	9	12	21
20-34	539	4.1	25	<1	1	3	5	8	11	17
35-49	923	4.3	20	1	1	3	5	8	10	17
50-64	1399	5.0	29	1	1	3	6	10	13	25
65+	2163	6.2	37	1	1	4	8	13	17	35
GRAND TOTAL	**5591**	**5.1**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**28**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	1	2	2	3	3	4	4	4
20-34	36	3.1	4	1	1	3	4	5	7	11
35-49	40	3.0	2	1	1	3	4	5	6	7
50-64	53	4.0	7	1	2	3	5	8	10	12
65+	52	3.9	7	<1	1	4	5	7	10	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	6.1	18	<1	2	5	8	11	14	19
35-49	56	5.7	12	<1	2	6	8	10	12	17
50-64	67	6.4	26	<1	<1	7	9	13	15	25
65+	47	6.6	33	<1	<1	5	10	15	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.3	2	1	2	3	4	6	6	6
20-34	59	3.8	6	1	1	3	5	7	9	11
35-49	112	4.5	8	1	2	4	6	8	11	15
50-64	193	4.9	10	1	2	4	6	10	11	15
65+	383	6.0	14	2	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	3	5.7	32	1	1	4	10	12	12	12
20-34	50	6.5	25	<1	1	5	10	12	14	28
35-49	113	7.6	42	<1	2	6	10	15	21	65
50-64	198	8.6	49	1	2	7	11	17	21	35
65+	356	8.8	47	2	2	7	11	17	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.5	5	1	1	3	4	6	8	12
B. *Operated*	195	6.2	22	<1	<1	6	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	761	5.3	12	1	2	5	7	10	12	17
B. *Operated*	720	8.4	45	1	2	7	11	16	20	37
1. SINGLE DX	384	4.9	16	<1	1	4	7	10	12	19
2. MULTIPLE DX	1481	6.8	30	1	2	5	9	13	17	28
A. NOT OPERATED	950	4.9	11	1	2	4	6	9	11	17
B. OPERATED	915	7.9	41	<1	2	7	10	15	19	34
TOTAL 0-19 YRS	26	3.3	5	1	2	3	4	6	7	12
20-34	169	4.8	15	1	1	4	6	10	11	18
35-49	321	5.6	22	1	2	5	7	11	14	26
50-64	511	6.4	30	<1	2	5	9	12	16	26
65+	838	7.1	31	1	2	6	9	13	18	28
GRAND TOTAL	**1865**	**6.4**	**28**	**1**	**2**	**5**	**8**	**12**	**16**	**26**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	1	3	3	4	5	6	6	6
20-34	39	3.4	2	1	2	3	4	6	6	7
35-49	53	3.8	3	1	2	3	5	7	8	8
50-64	79	4.0	5	1	2	4	5	6	8	14
65+	107	4.6	5	2	2	4	5	7	8	14
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	23	5.0	5	2	2	5	7	8	9	10
35-49	43	6.9	11	3	3	6	9	11	14	16
50-64	64	8.0	15	2	3	7	11	13	15	17
65+	84	7.0	20	2	3	6	9	15	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	5	2	2	3	6	7	8	8
20-34	43	4.0	5	2	2	4	5	6	8	13
35-49	131	4.5	6	1	2	4	5	7	9	14
50-64	281	5.3	16	2	2	4	6	9	14	21
65+	689	6.9	30	2	3	6	8	12	16	32
B. *Operated*										
0-19 YRS	2	17.0	242	6	6	17	28	28	28	28
20-34	42	7.1	46	1	2	5	9	13	20	37
35-49	106	7.4	19	2	3	7	10	13	17	58
50-64	299	9.4	89	2	3	7	12	18	24	59
65+	773	11.1	81	3	3	9	14	21	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	4.1	4	2	2	4	5	6	8	11
B. *Operated*	216	7.0	16	2	3	6	9	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	1153	6.1	24	2	2	5	7	11	14	29
B. *Operated*	1222	10.3	78	3	3	8	13	20	27	51
1. SINGLE DX	500	5.4	11	2	2	4	7	10	12	17
2. MULTIPLE DX	2375	8.3	56	2	3	6	10	16	21	43
A. NOT OPERATED	1437	5.7	20	2	2	5	7	10	14	23
B. OPERATED	1438	9.8	70	2	3	8	12	18	26	49
TOTAL 0-19 YRS	19	5.7	34	2	2	4	6	9	20	28
20-34	147	4.9	18	1	2	4	6	9	11	25
35-49	333	5.7	13	2	2	4	7	10	13	18
50-64	723	7.1	49	2	2	5	9	14	18	35
65+	1653	8.7	57	2	3	6	10	17	22	44
GRAND TOTAL	**2875**	**7.8**	**49**	**2**	**3**	**6**	**9**	**15**	**20**	**40**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.4	1	<1	1	2	3	4	4	6
20-34	192	2.8	3	1	1	2	4	5	6	8
35-49	152	3.2	4	<1	1	3	4	6	7	9
50-64	111	3.6	5	1	2	3	5	7	8	11
65+	93	3.7	5	<1	1	4	5	6	9	12
B. *Operated*										
0-19 YRS	4	8.3	9	5	5	8	10	12	12	12
20-34	39	5.9	8	1	2	7	8	9	10	12
35-49	49	6.7	14	2	2	7	9	11	13	21
50-64	33	7.5	10	3	3	8	9	11	14	17
65+	22	8.3	21	<1	1	8	11	12	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.2	4	1	1	3	4	5	6	13
20-34	252	3.5	6	1	1	3	4	6	7	14
35-49	346	3.9	7	1	2	3	5	7	9	12
50-64	404	4.5	12	1	2	4	6	8	10	20
65+	678	5.9	20	2	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	6	6.8	19	<1	<1	6	12	12	12	12
20-34	70	9.3	60	2	3	7	10	18	24	43
35-49	118	7.9	29	1	2	7	10	15	20	27
50-64	154	8.7	35	2	3	8	11	15	20	35
65+	215	10.3	86	2	3	8	13	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	3.2	4	1	1	3	4	6	7	11
B. *Operated*	147	7.0	13	2	2	7	9	11	12	21
2. MULTIPLE DX										
A. *Not Operated*	1724	4.7	14	1	2	4	6	8	11	20
B. *Operated*	563	9.2	57	2	3	8	11	17	23	41
1. SINGLE DX	741	3.9	8	1	1	3	5	8	9	13
2. MULTIPLE DX	2287	5.8	28	1	2	4	7	11	15	27
A. NOT OPERATED	2318	4.3	12	1	1	4	5	8	10	19
B. OPERATED	710	8.7	48	2	3	7	11	16	22	37
TOTAL 0-19 YRS	100	3.3	6	<1	1	3	4	6	8	13
20-34	553	4.2	16	1	1	3	5	8	10	21
35-49	665	4.6	14	1	1	4	6	9	11	21
50-64	702	5.5	19	1	2	4	7	10	14	22
65+	1008	6.7	36	2	2	5	8	12	17	28
GRAND TOTAL	**3028**	**5.4**	**24**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	2	<1	1	3	4	4	5	6
20-34	156	3.6	4	1	2	3	5	6	8	10
35-49	191	3.8	4	1	2	3	5	7	8	11
50-64	197	3.7	3	1	2	4	5	6	7	10
65+	170	4.7	6	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	54	7.6	12	2	3	7	9	12	15	18
35-49	108	7.5	11	3	4	7	9	12	14	20
50-64	94	8.0	13	3	3	8	10	13	14	21
65+	85	9.4	27	3	3	8	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.0	7	2	2	4	4	5	10	15
20-34	148	3.9	4	1	2	4	5	6	7	10
35-49	266	4.6	11	2	2	4	5	7	8	17
50-64	445	5.1	10	2	2	4	6	9	11	16
65+	969	6.7	26	2	3	5	8	13	17	27
B. *Operated*										
0-19 YRS	5	6.0	9	2	2	7	8	9	9	9
20-34	46	7.8	20	3	3	7	9	14	17	26
35-49	155	10.5	53	3	4	9	12	20	25	44
50-64	256	11.4	67	3	4	9	14	20	29	42
65+	590	15.0	140	4	5	12	18	28	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	3.9	4	1	2	3	5	6	8	11
B. *Operated*	344	8.1	16	3	4	7	10	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	1853	5.8	19	2	2	5	7	10	14	22
B. *Operated*	1052	13.1	108	3	4	10	16	25	32	62
1. SINGLE DX	1082	5.2	12	1	2	4	7	10	12	18
2. MULTIPLE DX	2905	8.4	64	2	3	6	10	17	23	42
A. NOT OPERATED	2591	5.2	16	2	2	4	6	9	12	21
B. OPERATED	1396	11.9	90	3	4	9	14	22	29	56
TOTAL 0-19 YRS	57	3.7	5	1	2	3	4	6	8	15
20-34	404	4.7	10	1	2	4	6	8	10	17
35-49	720	6.1	25	2	2	5	7	11	14	28
50-64	992	6.7	32	2	2	5	8	12	16	31
65+	1814	9.3	77	2	3	7	11	19	26	49
GRAND TOTAL	**3987**	**7.6**	**52**	**2**	**2**	**5**	**9**	**15**	**20**	**38**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	5	4.2	2	3	3	4	5	6	6	6
35-49	15	4.1	5	1	2	4	5	8	9	9
50-64	14	4.8	7	1	2	4	6	7	11	12
65+	8	4.8	4	2	2	4	6	8	8	8
B. *Operated*										
0-19 YRS										
20-34	11	9.1	4	6	7	8	11	12	13	13
35-49	27	10.0	32	3	6	9	12	15	19	32
50-64	23	10.7	26	2	6	9	14	18	21	22
65+	35	10.7	18	4	5	10	14	17	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	10	5.3	24	1	1	4	5	14	17	17
35-49	31	5.1	9	2	2	4	7	9	10	13
50-64	40	6.2	12	2	2	6	8	11	14	15
65+	88	6.6	31	2	2	5	8	11	17	33
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	8.3	17	2	4	7	11	15	15	15
35-49	47	15.6	74	8	9	14	18	24	35	51
50-64	70	16.3	188	2	5	12	19	32	48	74
65+	156	18.6	185	5	7	14	23	40	46	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.5	4	2	2	4	5	7	8	12
B. *Operated*	96	10.3	22	4	6	9	13	17	18	27
2. MULTIPLE DX										
A. *Not Operated*	171	6.1	22	2	2	5	7	11	14	25
B. *Operated*	289	17.0	163	4	6	13	20	35	44	73
1. SINGLE DX	141	8.5	24	2	3	8	11	15	17	23
2. MULTIPLE DX	460	12.9	138	2	3	10	16	27	39	63
A. NOT OPERATED	216	5.8	18	2	2	5	7	10	14	24
B. OPERATED	385	15.3	136	4	6	12	17	30	41	66
TOTAL 0-19 YRS	6	4.3		4	4	4	5	5	5	5
20-34	41	7.3	16	2	3	7	10	13	15	17
35-49	120	10.2	61	2	2	9	13	19	24	41
50-64	147	11.6	120	2	3	9	14	22	32	64
65+	287	13.6	144	3	4	10	16	29	41	62
GRAND TOTAL	**601**	**11.9**	**115**	**2**	**3**	**9**	**15**	**24**	**35**	**54**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	152	2.1	2	<1	1	2	3	4	5	9
20-34	342	2.4	3	<1	1	2	3	5	6	8
35-49	240	2.9	4	<1	1	2	4	5	7	10
50-64	181	3.0	4	<1	1	3	4	6	7	10
65+	137	3.5	10	1	1	3	4	7	8	16
B. Operated										
0-19 YRS	15	5.1	24	<1	1	2	7	14	15	15
20-34	44	3.1	4	<1	<1	3	4	6	7	9
35-49	56	4.0	11	<1	<1	3	5	9	11	17
50-64	54	4.2	9	<1	<1	4	7	8	10	11
65+	38	4.0	10	<1	<1	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	283	2.7	6	1	1	2	3	4	6	15
20-34	816	3.5	8	1	1	3	4	6	9	13
35-49	1087	4.0	10	1	1	3	5	7	9	14
50-64	1134	4.4	11	1	2	4	5	8	10	19
65+	1846	5.4	16	1	2	4	7	10	13	22
B. Operated										
0-19 YRS	26	4.7	11	1	1	4	7	10	11	13
20-34	150	5.2	14	1	2	4	7	10	12	20
35-49	223	6.3	31	1	2	5	7	11	15	36
50-64	310	7.6	65	1	2	5	9	15	21	46
65+	537	8.5	54	1	2	7	10	17	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1052	2.7	4	<1	1	2	3	5	6	10
B. Operated	207	3.9	10	<1	<1	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	5166	4.4	13	1	1	3	5	8	11	18
B. Operated	1246	7.4	48	1	2	6	9	14	19	35
1. SINGLE DX	1259	2.9	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	6412	5.0	21	1	1	4	6	9	13	23
A. NOT OPERATED	6218	4.1	12	1	1	3	5	8	10	17
B. OPERATED	1453	6.9	44	<1	2	5	9	14	18	33
TOTAL 0-19 YRS	476	2.7	6	1	1	2	3	5	6	14
20-34	1352	3.4	8	1	1	3	4	6	9	14
35-49	1606	4.1	13	1	1	3	5	8	10	16
50-64	1679	4.8	22	1	1	4	6	9	12	21
65+	2558	5.9	26	1	2	5	7	11	15	25
GRAND TOTAL	**7671**	**4.7**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	2.8	5	1	1	2	3	5	8	12
20-34	81	2.7	6	<1	1	2	3	5	6	15
35-49	76	3.1	6	1	1	2	4	5	9	14
50-64	69	3.0	6	<1	1	2	3	6	8	12
65+	45	3.6	9	<1	1	3	5	6	8	19
B. Operated										
0-19 YRS	53	3.2	4	1	1	3	4	4	5	14
20-34	11	11.5	174	2	2	9	11	27	48	50
35-49	22	9.8	51	2	2	8	12	17	27	35
50-64	23	7.3	24	<1	1	6	11	14	16	17
65+	15	9.3	29	1	3	8	14	15	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	3.4	16	<1	1	3	4	6	7	23
20-34	192	4.6	25	1	1	3	6	8	11	33
35-49	214	4.3	16	1	1	3	6	8	10	18
50-64	272	4.6	17	1	1	4	6	9	12	20
65+	479	6.3	30	1	2	5	8	12	18	28
B. Operated										
0-19 YRS	28	4.2	11	1	2	3	5	8	10	17
20-34	59	10.5	76	2	3	8	15	25	33	94
35-49	83	12.3	104	2	4	9	17	27	34	87
50-64	120	14.0	171	2	3	12	18	25	36	74
65+	214	15.6	166	3	4	12	19	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	328	3.0	6	<1	1	2	4	5	8	13
B. Operated	124	6.6	42	1	2	4	9	13	16	39
2. MULTIPLE DX										
A. Not Operated	1259	5.1	24	1	1	4	6	10	14	27
B. Operated	504	13.4	145	2	3	10	17	27	37	75
1. SINGLE DX	452	4.0	19	1	1	3	5	8	12	19
2. MULTIPLE DX	1763	7.5	72	1	2	5	9	17	24	43
A. NOT OPERATED	1587	4.7	21	1	1	3	6	9	13	24
B. OPERATED	628	12.1	132	2	2	9	16	25	34	63
TOTAL 0-19 YRS	240	3.3	10	1	1	3	4	6	8	14
20-34	343	5.4	41	1	1	3	6	12	18	38
35-49	395	6.1	46	1	1	4	7	14	19	38
50-64	484	7.0	71	1	1	4	8	16	19	53
65+	753	8.8	86	1	2	6	11	19	27	43
GRAND TOTAL	**2215**	**6.8**	**63**	**1**	**1**	**4**	**8**	**15**	**21**	**40**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	<1	1	2	3	4	4
20-34	19	2.2	2	<1	<1	2	3	4	5	6
35-49	6	3.0	3	1	1	3	3	6	6	6
50-64	3	6.7	2	5	5	7	8	8	8	8
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	3727	3.0	2	2	2	3	4	4	5	7
20-34	2861	3.2	2	2	2	3	4	5	5	8
35-49	816	3.7	3	2	2	3	4	6	7	9
50-64	288	4.2	3	2	2	4	5	6	7	12
65+	97	5.2	6	2	3	5	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	2	<1	<1	2	2	4	5	5
20-34	8	1.5	1	<1	<1	1	2	3	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	7	4.1	18	<1	<1	2	7	11	12	12
65+	5	3.6	6	<1	<1	4	6	6	6	6
B. *Operated*										
0-19 YRS	628	4.1	5	2	2	4	5	7	9	14
20-34	720	4.3	5	2	2	4	5	7	9	13
35-49	293	5.3	12	2	3	4	6	10	12	16
50-64	175	6.1	14	3	3	5	7	11	13	22
65+	125	7.3	23	2	3	6	9	14	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	7789	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	30	2.6	7	<1	<1	1	4	6	8	12
B. *Operated*	1941	4.8	9	2	2	4	6	8	11	16
1. SINGLE DX	7841	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	1971	4.7	9	2	2	4	6	8	11	16
A. NOT OPERATED	82	2.5	4	<1	<1	2	3	5	7	11
B. OPERATED	9730	3.5	4	2	2	3	4	5	7	11
TOTAL 0-19 YRS	4385	3.2	2	2	2	3	4	5	6	9
20-34	3608	3.4	3	2	2	3	4	5	6	9
35-49	1116	4.1	6	2	2	3	5	7	8	13
50-64	473	4.9	8	2	3	4	6	8	11	15
65+	230	6.3	17	2	3	5	8	11	14	19
GRAND TOTAL	**9812**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.1	4	2	2	6	7	7	7	7
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	3	6.7		6	6	7	7	7	7	7
65+	2	8.5	5	7	7	8	10	10	10	10
B. *Operated*										
0-19 YRS	891	6.1	7	2	3	6	7	9	11	15
20-34	466	6.2	8	3	3	6	8	10	11	15
35-49	243	6.5	10	3	3	6	8	10	11	17
50-64	193	7.0	6	3	4	7	9	10	11	13
65+	86	7.9	12	4	5	7	9	13	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.0	14	5	5	7	8	14	15	15
20-34	4	4.3	3	2	2	4	5	6	6	6
35-49	4	6.3	10	2	2	7	8	9	9	9
50-64	1	6.0		6	6	6	6	6	6	6
65+	5	10.6	37	5	5	8	16	19	19	19
B. *Operated*										
0-19 YRS	506	8.4	22	3	4	7	10	14	17	24
20-34	316	7.9	14	3	4	8	9	12	14	22
35-49	253	9.6	29	4	5	8	11	16	19	34
50-64	280	10.8	42	5	5	9	13	17	22	36
65+	233	12.6	67	5	6	11	15	21	25	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.4	6	1	2	6	7	7	9	10
B. *Operated*	1879	6.3	8	3	3	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	20	7.5	19	2	3	6	8	15	17	19
B. *Operated*	1588	9.5	34	4	5	8	11	16	19	32
1. SINGLE DX	1896	6.3	8	3	3	6	8	10	11	15
2. MULTIPLE DX	1608	9.5	34	4	5	8	11	16	19	32
A. NOT OPERATED	37	6.5	13	2	2	6	7	10	15	19
B. OPERATED	3467	7.8	23	3	4	7	9	13	16	25
TOTAL 0-19 YRS	1410	6.9	14	3	3	6	8	11	13	19
20-34	788	6.8	11	3	3	6	8	11	13	19
35-49	503	8.0	22	3	4	7	9	13	17	26
50-64	477	9.2	30	4	5	8	11	15	18	31
65+	326	11.3	56	5	5	9	13	20	23	49
GRAND TOTAL	**3504**	**7.8**	**22**	**3**	**4**	**7**	**9**	**13**	**16**	**25**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	1.5	1	<1	<1	1	2	2	2	8
20-34	31	1.9	2	<1	<1	2	2	3	6	6
35-49	7	2.9	4	1	1	3	3	6	7	7
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	3	3.7	4	2	2	3	5	6	6	6
B. Operated										
0-19 YRS	279	3.4	5	2	2	3	4	5	6	9
20-34	183	3.3	2	2	2	3	4	5	6	7
35-49	65	4.3	5	2	2	4	5	8	9	11
50-64	18	4.9	5	2	3	4	7	8	9	10
65+	7	4.3	8	2	2	4	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	1.8	1	1	1	2	2	3	4	4
20-34	25	2.1	2	<1	1	2	3	4	5	6
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64	5	2.6	2	2	2	2	3	5	5	5
65+	7	3.3	3	1	1	4	4	6	6	6
B. Operated										
0-19 YRS	132	4.5	8	2	2	4	5	7	10	17
20-34	147	5.0	8	2	2	4	6	8	11	17
35-49	52	5.9	6	3	3	5	7	9	11	12
50-64	18	6.1	7	2	3	5	8	10	11	11
65+	21	8.3	17	4	4	7	9	14	18	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	1.9	2	<1	1	1	2	3	6	8
B. Operated	552	3.6	4	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	61	2.2	2	1	1	2	3	4	5	6
B. Operated	370	5.2	9	2	2	4	6	9	11	17
1. SINGLE DX	632	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX	431	4.8	9	1	2	4	6	8	11	16
A. NOT OPERATED	141	2.0	2	<1	1	2	2	4	6	7
B. OPERATED	922	4.2	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	466	3.5	6	1	1	3	4	6	7	13
20-34	386	3.8	5	1	2	3	5	6	7	14
35-49	129	4.8	6	2	2	4	5	8	10	12
50-64	44	5.0	6	2	2	4	7	8	10	11
65+	38	6.3	17	1	2	6	8	11	15	21
GRAND TOTAL	**1063**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.3		<1	<1	1	2	2	2	2
20-34	10	1.5	3	<1	<1	1	1	4	6	6
35-49	13	1.7	1	<1	<1	2	2	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+	9	2.2	4	<1	<1	1	3	6	7	7
B. Operated										
0-19 YRS	1850	1.4	1	<1	<1	1	2	2	3	4
20-34	2273	2.4	1	1	1	2	3	4	4	6
35-49	2042	2.6	2	1	1	3	3	4	5	6
50-64	2948	2.7	2	1	1	3	3	4	5	7
65+	2449	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	1.5	3	<1	<1	1	1	2	5	11
20-34	21	1.9	5	<1	<1	1	2	4	7	10
35-49	25	1.6	2	<1	<1	1	2	5	5	5
50-64	44	2.8	7	<1	<1	2	3	6	8	13
65+	77	2.7	6	<1	<1	2	4	7	8	12
B. Operated										
0-19 YRS	1031	1.6	2	<1	<1	1	2	3	4	7
20-34	704	2.9	3	1	1	3	4	4	5	9
35-49	1014	3.1	3	1	1	3	4	5	6	8
50-64	2062	3.6	6	1	1	3	4	6	7	12
65+	3220	4.3	9	1	2	4	5	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	1.7	2	<1	<1	1	2	3	4	7
B. Operated	11562	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	217	2.2	5	<1	<1	1	3	5	7	12
B. Operated	8031	3.5	7	1	1	3	4	6	8	13
1. SINGLE DX	11607	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	8248	3.5	7	<1	1	3	4	6	8	13
A. NOT OPERATED	262	2.1	5	<1	<1	1	2	5	7	12
B. OPERATED	19593	2.9	4	<1	1	3	4	5	6	10
TOTAL 0-19 YRS	2941	1.5	1	<1	<1	1	2	2	3	5
20-34	3008	2.5	2	1	1	2	3	4	5	6
35-49	3094	2.8	2	1	1	3	3	4	5	7
50-64	5057	3.1	4	1	1	3	4	5	6	10
65+	5755	3.8	6	1	2	3	5	6	8	14
GRAND TOTAL	**19855**	**2.9**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**11**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.2		<1	<1	1	1	2	2	2
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49										
50-64	2	3.0	8	1	1	[illegible]	5	5	5	5
65+	5	1.4	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	218	1.5	1	<1	<1	1	2	2	3	6
20-34	80	2.5	1	1	1	2	3	4	4	5
35-49	73	3.2	3	1	1	3	4	5	6	9
50-64	83	3.5	3	1	2	3	4	5	6	10
65+	171	4.3	6	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	23	5.0	23	<1	1	3	6	13	15	16
B. *Operated*										
0-19 YRS	153	1.8	2	<1	1	1	2	3	4	9
20-34	35	4.2	11	2	2	3	5	6	11	19
35-49	32	3.8	7	1	1	3	4	7	8	14
50-64	105	5.1	22	1	2	4	6	8	10	31
65+	384	7.3	32	2	3	6	8	13	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.4	1	<1	<1	1	2	3	4	5
B. *Operated*	625	2.9	4	<1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	35	3.8	17	<1	1	3	4	12	14	16
B. *Operated*	709	5.5	27	1	1	4	7	11	14	26
1. SINGLE DX	650	2.8	4	<1	1	2	4	5	7	11
2. MULTIPLE DX	744	5.4	26	1	1	4	7	11	14	25
A. NOT OPERATED	60	2.8	12	<1	<1	1	3	6	12	16
B. OPERATED	1334	4.2	18	1	1	3	5	8	12	23
TOTAL 0-19 YRS	389	1.6	1	<1	<1	1	2	3	4	7
20-34	121	2.9	4	1	1	3	3	4	5	14
35-49	106	3.3	4	1	1	3	4	5	8	11
50-64	195	4.3	14	1	2	4	5	7	9	19
65+	583	6.3	26	2	2	5	8	12	16	26
GRAND TOTAL	**1394**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	208	1.2		<1	<1	1	1	2	2	3
20-34	125	1.9	1	<1	1	2	2	4	4	5
35-49	192	2.3	2	1	1	2	3	4	5	8
50-64	134	2.5	2	1	1	2	3	4	5	7
65+	62	3.1	6	<1	1	3	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49	4	3.8	14	<1	<1	2	6	9	9	9
50-64	7	2.4	7	<1	<1	1	3	7	8	8
65+	9	2.6	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	54	3.3	127	<1	<1	1	2	4	5	81
20-34	70	3.1	3	1	1	3	4	6	7	8
35-49	155	3.6	10	1	1	3	5	6	8	12
50-64	162	4.6	17	1	2	4	5	9	11	19
65+	123	5.1	20	1	2	4	6	9	11	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	721	2.0	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	26	2.6	5	<1	<1	2	4	6	8	9
B. *Operated*	564	4.1	25	1	1	3	5	7	10	21
1. SINGLE DX	729	2.0	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	590	4.1	24	<1	1	3	5	7	9	20
A. NOT OPERATED	34	2.4	4	<1	<1	1	3	5	8	9
B. OPERATED	1285	3.0	13	<1	<1	2	4	5	7	13
TOTAL 0-19 YRS	266	1.6	26	<1	<1	1	1	2	3	5
20-34	200	2.3	2	<1	1	2	3	4	5	7
35-49	352	2.9	6	1	1	2	4	5	6	10
50-64	306	3.6	11	1	1	3	4	6	9	17
65+	195	4.3	16	1	1	3	5	8	11	22
GRAND TOTAL	**1319**	**2.9**	**13**	**<1**	**<1**	**2**	**4**	**5**	**7**	**12**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	6	3.0	3	<1	<1	3	5	5	5	5
B. *Operated*										
0-19 YRS	61	2.1	2	<1	<1	2	2	4	5	9
20-34	228	3.0	3	<1	1	3	4	6	6	8
35-49	356	3.9	8	1	1	3	5	7	8	11
50-64	394	4.3	5	1	2	4	5	7	9	12
65+	289	4.8	6	2	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	5.0	39	<1	<1	2	7	16	16	16
35-49	17	1.8	3	<1	<1	1	2	3	6	8
50-64	23	2.4	3	<1	<1	2	3	5	6	6
65+	47	3.7	6	<1	1	3	6	7	8	9
B. *Operated*										
0-19 YRS	25	5.0	50	<1	<1	2	5	9	24	31
20-34	131	4.2	6	1	2	4	6	7	8	13
35-49	343	5.6	12	1	2	5	7	10	11	21
50-64	510	5.9	11	2	3	5	7	9	11	17
65+	640	7.3	26	2	3	6	9	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.5	2	<1	<1	2	3	5	5	5
B. *Operated*	1328	4.0	6	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	94	3.1	7	<1	<1	2	5	6	8	13
B. *Operated*	1649	6.2	18	2	2	5	8	10	13	21
1. SINGLE DX	1343	4.0	6	1	1	4	5	7	8	11
2. MULTIPLE DX	1743	6.0	18	1	2	5	8	10	13	21
A. NOT OPERATED	109	3.0	6	<1	<1	2	5	6	8	12
B. OPERATED	2977	5.2	14	1	2	5	7	9	11	18
TOTAL 0-19 YRS	90	2.9	17	<1	<1	2	3	5	9	27
20-34	365	3.5	5	1	1	3	5	6	7	12
35-49	718	4.6	11	1	1	4	6	8	10	17
50-64	931	5.1	9	1	2	5	6	9	10	15
65+	982	6.3	21	2	2	5	8	11	13	22
GRAND TOTAL	**3086**	**5.1**	**14**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	26	2.9	4	<1	<1	2	4	6	8	9
50-64	40	2.9	2	<1	1	3	4	5	5	6
65+	33	3.2	9	1	1	2	4	5	7	17
B. *Operated*										
0-19 YRS	4	3.0	5	<1	<1	2	5	5	5	5
20-34	11	5.5	12	2	2	4	7	11	13	13
35-49	16	6.4	5	2	3	6	8	9	10	10
50-64	20	6.3	6	3	3	6	8	10	11	11
65+	16	6.9	5	3	4	7	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	60	3.1	4	<1	1	3	4	5	8	10
35-49	180	3.3	4	1	1	3	4	6	6	12
50-64	354	3.7	6	1	1	3	5	7	8	12
65+	715	4.8	14	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	15	8.5	21	2	5	8	10	17	18	19
20-34	56	7.8	29	2	3	7	9	13	23	27
35-49	149	7.9	38	2	3	7	9	<12	21	38
50-64	267	7.7	17	2	3	7	9	12	15	23
65+	297	9.2	43	2	3	8	12	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.9	4	<1	1	2	4	5	6	13
B. *Operated*	67	6.1	7	2	3	6	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	1314	4.2	10	1	1	3	5	8	10	17
B. *Operated*	784	8.3	32	2	3	7	10	14	18	33
1. SINGLE DX	169	4.2	8	1	1	3	6	8	10	13
2. MULTIPLE DX	2098	5.7	23	1	2	4	7	11	14	26
A. NOT OPERATED	1416	4.1	10	1	1	3	5	7	9	17
B. OPERATED	851	8.2	31	2	3	7	10	14	18	31
TOTAL 0-19 YRS	25	6.2	22	<1	1	6	8	12	17	19
20-34	129	5.3	21	1	1	4	7	9	13	26
35-49	371	5.2	23	1	1	4	7	9	11	27
50-64	681	5.3	14	1	2	4	7	10	12	18
65+	1061	6.0	26	1	2	5	8	12	15	28
GRAND TOTAL	**2267**	**5.6**	**22**	**1**	**2**	**4**	**7**	**10**	**13**	**26**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	10	2.1	3	<1	<1	1	2	5	6	6
20-34	59	3.1	6	1	1	3	4	5	6	17
35-49	63	2.8	2	1	1	3	4	4	5	6
50-64	70	3.1	3	1	1	3	4	5	7	10
65+	79	3.6	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	5	3.8	27	<1	<1	1	5	13	13	13
50-64	6	3.7	5	1	1	3	6	7	7	7
65+	13	3.9	9	<1	<1	4	6	8	8	8
B. *Operated*										
0-19 YRS	4	3.0	6	1	1	3	5	6	6	6
20-34	28	3.9	8	1	1	3	5	7	10	14
35-49	42	4.0	9	1	2	3	5	7	11	16
50-64	57	4.0	8	1	2	3	5	7	9	15
65+	104	6.0	17	2	3	5	8	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.3	2	1	1	2	4	4	4	4
B. *Operated*	281	3.1	4	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	29	3.4	10	<1	1	2	5	8	9	13
B. *Operated*	235	4.9	13	1	2	4	6	9	13	19
1. SINGLE DX	287	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX	264	4.7	13	1	1	4	6	9	12	19
A. NOT OPERATED	35	3.2	8	<1	1	2	5	8	8	13
B. OPERATED	516	3.9	9	1	1	3	4	7	9	16
TOTAL 0-19 YRS	15	2.3	3	<1	<1	1	3	6	6	6
20-34	93	3.2	6	1	1	3	4	5	7	16
35-49	112	3.3	6	1	1	3	4	5	7	14
50-64	134	3.5	5	1	1	3	4	6	8	15
65+	197	4.9	12	1	2	4	6	9	11	21
GRAND TOTAL	**551**	**3.9**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	9	3.7	9	<1	<1	3	5	8	10	10
B. *Operated*										
0-19 YRS	36	2.2	3	<1	<1	2	3	4	6	9
20-34	83	2.8	5	1	1	2	3	4	7	15
35-49	131	3.2	4	1	1	3	4	6	7	10
50-64	170	4.0	8	1	1	3	5	8	10	15
65+	189	5.2	11	1	2	4	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.0	5	<1	<1	4	5	6	6	6
50-64	14	3.9	13	1	1	3	5	7	13	15
65+	50	5.2	30	1	1	4	6	9	16	35
B. *Operated*										
0-19 YRS	19	4.2	16	<1	1	2	7	11	13	14
20-34	42	5.8	19	1	1	4	7	13	14	19
35-49	145	6.5	34	2	2	5	8	12	17	32
50-64	225	7.1	30	2	2	6	9	13	18	32
65+	460	10.2	78	2	3	8	12	20	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.9	5	<1	1	2	3	6	9	10
B. *Operated*	609	3.9	8	1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	69	4.8	25	1	1	4	6	8	15	32
B. *Operated*	891	8.5	58	2	2	7	10	17	22	39
1. SINGLE DX	626	3.9	8	1	1	3	5	7	9	16
2. MULTIPLE DX	960	8.2	56	2	2	6	10	16	22	39
A. NOT OPERATED	86	4.4	22	1	1	3	5	8	11	29
B. OPERATED	1500	6.7	43	1	2	5	8	13	18	35
TOTAL 0-19 YRS	55	2.9	8	<1	<1	2	3	7	10	14
20-34	127	3.8	12	1	1	3	4	8	12	18
35-49	283	4.9	22	1	1	4	6	9	12	24
50-64	413	5.7	22	1	2	4	8	11	15	28
65+	708	8.5	62	2	2	6	10	17	22	39
GRAND TOTAL	**1586**	**6.5**	**42**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	2.4	3	1	1	2	3	5	6	8
20-34	149	3.2	4	1	1	3	4	6	7	11
35-49	286	3.6	6	1	1	3	5	7	9	14
50-64	328	3.7	5	1	1	3	5	6	7	10
65+	408	4.2	8	1	1	4	5	7	8	17
B. *Operated*										
0-19 YRS	115	6.0	7	2	3	6	8	9	11	14
20-34	132	7.4	10	3	4	7	9	11	14	18
35-49	185	8.7	18	3	4	8	10	13	17	24
50-64	191	9.2	23	3	5	8	11	15	18	27
65+	182	10.0	17	4	6	9	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	3.6	14	1	1	2	4	6	9	24
20-34	217	4.4	14	1	1	3	5	8	10	21
35-49	344	4.8	12	1	2	4	6	9	11	18
50-64	725	5.3	19	1	2	4	7	10	13	21
65+	1683	6.3	31	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	142	8.5	71	3	4	6	9	14	18	59
20-34	214	11.2	100	3	4	8	12	21	31	58
35-49	318	12.0	75	4	5	10	14	21	26	70
50-64	549	14.5	121	5	6	11	17	26	38	57
65+	1274	15.7	101	5	7	13	19	28	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1292	3.7	6	1	1	3	5	7	8	13
B. *Operated*	805	8.5	18	3	4	8	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	3056	5.7	25	1	2	4	7	11	14	25
B. *Operated*	2497	14.2	104	4	6	11	17	26	36	62
1. SINGLE DX	2097	5.5	16	1	1	5	7	11	13	19
2. MULTIPLE DX	5553	9.5	78	2	2	7	12	19	26	48
A. NOT OPERATED	4348	5.1	20	1	2	4	6	9	12	23
B. OPERATED	3302	12.8	89	4	5	10	15	24	32	56
TOTAL 0-19 YRS	465	5.4	33	1	1	4	7	9	13	28
20-34	712	6.8	47	1	2	5	8	12	18	39
35-49	1133	7.2	41	1	2	6	9	14	18	32
50-64	1793	8.3	67	1	2	6	10	16	23	43
65+	3547	9.6	75	2	2	7	12	20	27	46
GRAND TOTAL	**7650**	**8.4**	**64**	**1**	**2**	**6**	**10**	**17**	**24**	**44**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1920	2.3	3	1	1	2	3	4	5	8
20-34	1099	2.2	3	1	1	2	3	4	5	8
35-49	516	2.5	2	<1	1	2	3	4	5	8
50-64	349	2.7	3	1	1	2	3	5	6	9
65+	375	3.2	5	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	109	3.5	18	<1	1	3	4	5	7	29
20-34	142	3.5	4	1	1	3	5	6	8	10
35-49	67	3.9	6	1	1	3	5	7	9	11
50-64	41	4.2	9	<1	1	3	6	8	10	14
65+	49	3.9	10	1	1	3	5	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3717	3.0	6	1	1	2	4	5	6	11
20-34	1473	2.9	10	1	1	2	4	5	7	13
35-49	1005	3.6	9	1	1	3	4	7	9	15
50-64	1308	4.1	11	1	1	3	5	8	10	17
65+	3016	5.2	22	1	2	4	6	10	13	24
B. *Operated*										
0-19 YRS	160	5.9	86	1	2	3	5	11	24	43
20-34	207	5.2	40	1	1	4	6	9	12	31
35-49	130	6.7	30	<1	1	6	9	13	16	25
50-64	228	7.9	87	1	2	5	9	15	20	54
65+	469	9.5	80	2	2	7	12	19	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4259	2.4	3	1	1	2	3	4	5	9
B. *Operated*	408	3.7	9	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	10519	3.8	13	1	1	3	5	7	9	17
B. *Operated*	1194	7.7	72	1	2	5	9	15	21	43
1. SINGLE DX	4667	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	11713	4.2	20	1	1	3	5	8	11	22
A. NOT OPERATED	14778	3.4	10	1	1	3	4	6	8	16
B. OPERATED	1602	6.7	59	1	2	5	8	13	19	39
TOTAL 0-19 YRS	5906	2.8	7	1	1	2	3	5	6	11
20-34	2921	2.9	9	1	1	2	3	5	7	12
35-49	1718	3.5	10	1	1	3	4	7	9	15
50-64	1926	4.3	20	1	1	3	5	8	11	20
65+	3909	5.5	30	1	2	4	7	11	14	28
GRAND TOTAL	**16380**	**3.7**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	10	<1	<1	2	5	8	8	8
20-34	32	4.6	10	1	2	4	5	10	12	13
35-49	208	4.6	6	1	2	4	6	8	9	12
50-64	405	4.4	6	1	2	4	5	8	9	12
65+	499	4.4	8	1	1	4	6	8	10	14
B. *Operated*										
0-19 YRS	4	6.5	4	4	4	6	8	9	9	9
20-34	21	6.5	5	3	5	6	7	10	12	12
35-49	80	8.5	9	3	5	8	10	12	14	17
50-64	171	8.4	13	2	3	8	10	12	15	19
65+	126	10.2	31	2	3	9	12	18	22	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34	24	4.5	9	1	2	4	6	10	11	12
35-49	183	5.0	8	2	2	4	6	8	11	15
50-64	781	4.8	9	1	2	4	6	8	10	16
65+	2547	5.9	17	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	34	9.8	40	4	5	8	11	16	23	36
35-49	209	11.0	62	2	4	9	13	19	24	52
50-64	555	12.1	60	3	5	10	14	20	27	46
65+	1109	13.5	97	3	4	11	16	24	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1148	4.4	7	1	2	4	6	8	10	13
B. *Operated*	402	8.8	18	2	4	9	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	3539	5.6	15	2	2	5	7	10	13	20
B. *Operated*	1908	12.7	82	3	5	11	15	22	30	52
1. SINGLE DX	1550	5.6	14	1	2	5	8	10	12	18
2. MULTIPLE DX	5447	8.1	50	2	2	6	10	16	20	37
A. NOT OPERATED	4687	5.3	13	1	2	4	7	10	12	19
B. OPERATED	2310	12.1	73	3	4	10	14	21	27	47
TOTAL 0-19 YRS	13	5.2	9	<1	1	6	8	9	9	9
20-34	111	6.5	23	2	2	6	8	11	13	28
35-49	680	7.1	32	2	2	6	9	13	16	26
50-64	1912	7.2	35	2	2	6	9	13	17	30
65+	4281	7.8	49	2	2	6	10	15	20	37
GRAND TOTAL	**6997**	**7.6**	**43**	**2**	**2**	**6**	**10**	**14**	**19**	**34**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	4	1	1	2	4	6	6	6
20-34	16	2.4	2	<1	<1	2	3	5	5	5
35-49	16	2.1	1	<1	<1	2	3	4	4	4
50-64	7	3.3	4	<1	<1	2	5	6	6	6
65+	9	4.3	4	1	2	5	5	7	8	8
B. *Operated*										
0-19 YRS	94	1.9	1	<1	<1	2	3	3	5	6
20-34	552	2.5	2	<1	1	2	3	4	5	7
35-49	604	2.7	3	1	1	2	3	4	5	9
50-64	365	2.8	3	1	1	3	4	5	6	9
65+	133	3.2	6	1	1	3	4	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.2	4	1	2	4	6	7	8	8
20-34	28	2.9	8	<1	<1	2	4	6	10	12
35-49	26	3.3	7	<1	<1	3	4	6	10	12
50-64	37	5.2	64	<1	1	3	6	9	13	49
65+	33	6.6	29	1	1	4	10	15	18	19
B. *Operated*										
0-19 YRS	57	3.1	5	<1	<1	3	4	6	8	11
20-34	521	3.7	11	1	1	3	4	7	9	15
35-49	610	3.7	12	1	1	3	4	6	8	17
50-64	503	4.5	22	1	2	3	5	8	12	25
65+	295	6.3	65	1	2	4	7	14	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.7	3	<1	<1	2	4	5	6	8
B. *Operated*	1748	2.7	3	1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	142	4.6	28	<1	1	3	6	10	13	22
B. *Operated*	1986	4.3	23	1	1	3	5	8	11	22
1. SINGLE DX	1803	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	2128	4.3	23	1	1	3	5	8	11	22
A. NOT OPERATED	197	4.1	22	<1	1	3	5	8	12	19
B. OPERATED	3734	3.5	14	1	1	3	4	6	8	18
TOTAL 0-19 YRS	176	2.6	3	<1	<1	2	3	5	7	8
20-34	1117	3.1	7	1	1	3	4	5	8	13
35-49	1256	3.2	8	1	1	3	4	5	7	12
50-64	912	3.9	17	1	1	3	4	7	9	21
65+	470	5.4	46	1	1	4	6	11	16	24
GRAND TOTAL	**3931**	**3.5**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**10**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	3.2	20	<1	1	2	3	6	9	20
20-34	461	4.3	14	1	1	3	5	8	11	21
35-49	321	3.7	10	1	1	3	4	7	9	16
50-64	228	3.6	9	<1	1	3	5	7	10	16
65+	333	3.6	12	<1	1	2	5	8	10	15
B. *Operated*										
0-19 YRS	160	5.0	23	<1	<1	4	7	11	14	24
20-34	374	6.4	44	<1	1	5	8	12	17	32
35-49	239	6.1	28	<1	1	5	8	12	14	29
50-64	210	6.2	30	<1	1	5	9	13	17	28
65+	213	7.0	39	1	2	5	9	14	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	3.7	13	1	1	3	4	7	10	19
20-34	718	5.1	20	1	1	4	6	10	13	25
35-49	714	4.9	23	1	1	4	6	9	12	22
50-64	974	5.0	16	1	1	4	6	10	13	19
65+	2537	5.7	30	1	1	4	7	11	15	26
B. *Operated*										
0-19 YRS	190	8.1	71	1	2	6	10	15	25	56
20-34	703	9.7	111	1	2	6	12	22	30	61
35-49	662	10.3	128	1	2	7	12	21	29	66
50-64	863	11.5	140	1	2	8	14	24	33	62
65+	1548	12.9	141	2	3	10	16	26	38	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1583	3.8	13	<1	1	3	5	8	10	18
B. *Operated*	1196	6.2	35	<1	1	5	8	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	5240	5.3	24	1	1	4	7	10	13	23
B. *Operated*	3966	11.4	132	1	2	8	14	24	34	64
1. SINGLE DX	2779	4.8	24	<1	1	3	6	10	13	23
2. MULTIPLE DX	9206	7.9	80	1	2	5	9	17	24	48
A. NOT OPERATED	6823	4.9	22	1	1	4	6	10	13	22
B. OPERATED	5162	10.2	114	1	2	7	12	21	30	60
TOTAL 0-19 YRS	887	4.7	32	<1	1	3	6	10	14	30
20-34	2256	6.6	56	1	1	5	8	13	20	40
35-49	1936	6.7	64	1	1	4	8	13	19	40
50-64	2275	7.4	74	1	1	5	9	16	22	44
65+	4631	8.0	79	1	2	5	10	17	23	48
GRAND TOTAL	**11985**	**7.2**	**69**	**1**	**1**	**5**	**9**	**15**	**21**	**44**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	5.1	14	2	2	4	6	10	14	15
35-49	28	6.0	41	1	1	4	7	16	22	28
50-64	46	6.0	14	1	2	5	8	10	14	19
65+	13	6.1	8	2	3	6	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	13	2.1	6	<1	<1	1	2	7	9	9
50-64	15	3.3	9	1	1	2	6	8	9	9
65+	10	5.9	28	1	1	3	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	25.9	52	11	15	28	30	33	34	34
20-34	165	12.4	117	2	2	6	26	28	31	34
35-49	362	11.3	102	2	2	8	16	28	30	41
50-64	564	10.8	84	2	3	7	14	25	29	39
65+	302	9.4	60	2	3	7	12	19	27	37
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	33	11.7	146	2	3	9	14	23	27	67
35-49	109	11.5	139	1	2	8	14	27	33	59
50-64	208	12.3	143	1	2	9	15	25	33	87
65+	99	13.2	115	1	3	10	17	28	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	5.9	21	1	2	5	8	11	15	25
B. *Operated*	41	3.6	14	<1	1	1	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	1402	10.9	89	2	3	7	15	28	29	38
B. *Operated*	450	12.3	135	1	2	9	15	26	33	67
1. SINGLE DX	140	5.2	20	1	1	4	7	10	14	22
2. MULTIPLE DX	1852	11.3	101	2	3	8	15	27	30	42
A. NOT OPERATED	1501	10.6	86	2	2	7	14	27	29	37
B. OPERATED	491	11.6	131	1	1	9	15	25	33	65
TOTAL 0-19 YRS	10	25.6	47	11	15	28	30	33	34	34
20-34	213	11.7	117	2	2	7	20	28	29	35
35-49	512	10.8	108	1	2	7	14	28	30	41
50-64	833	10.8	96	2	2	8	14	24	29	43
65+	424	10.1	74	2	3	7	14	21	28	44
GRAND TOTAL	**1992**	**10.8**	**97**	**2**	**2**	**7**	**14**	**27**	**29**	**42**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	17	3.8	8	1	1	3	4	7	11	12
35-49	9	6.8	24	2	2	5	11	14	15	15
50-64	29	4.7	12	1	1	3	6	9	10	15
65+	18	5.2	13	1	1	5	7	9	12	14
B. *Operated*										
0-19 YRS	14	2.9	13	<1	<1	1	2	9	12	13
20-34	71	1.6	1	<1	<1	1	2	2	4	6
35-49	71	1.5	2	<1	<1	1	2	3	3	11
50-64	67	2.2	11	<1	<1	1	2	5	6	23
65+	56	3.0	21	<1	1	2	2	7	10	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	9	1	1	5	7	9	10	10
20-34	38	4.9	12	1	1	4	7	9	12	16
35-49	87	8.9	73	1	2	7	10	16	21	50
50-64	197	7.7	37	2	2	6	10	17	21	29
65+	257	9.3	59	2	3	7	11	19	23	41
B. *Operated*										
0-19 YRS	15	4.7	37	1	1	2	6	10	20	24
20-34	69	4.7	57	<1	<1	2	6	11	17	48
35-49	128	5.2	63	<1	1	2	6	13	18	51
50-64	228	8.2	117	1	1	5	10	21	31	49
65+	192	8.4	68	1	1	5	12	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.8	13	1	1	4	7	9	13	15
B. *Operated*	279	2.1	9	<1	<1	1	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	586	8.4	51	1	2	6	10	17	21	39
B. *Operated*	632	7.2	85	1	1	3	9	18	24	42
1. SINGLE DX	353	2.6	11	<1	<1	1	3	6	9	15
2. MULTIPLE DX	1218	7.8	69	1	1	5	10	17	23	40
A. NOT OPERATED	660	8.0	48	1	2	6	10	16	21	39
B. OPERATED	911	5.6	67	<1	1	2	7	14	22	37
TOTAL 0-19 YRS	37	4.0	22	<1	1	2	5	10	12	24
20-34	195	3.5	25	<1	1	2	4	8	11	21
35-49	295	5.5	57	<1	1	3	7	13	17	46
50-64	521	7.0	71	1	1	5	9	17	22	36
65+	523	8.2	60	1	1	6	11	18	24	38
GRAND TOTAL	**1571**	**6.6**	**60**	**1**	**1**	**4**	**9**	**15**	**21**	**38**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.6	3	1	2	3	5	6	7	7
20-34	81	4.8	9	1	1	5	6	10	11	13
35-49	31	4.2	8	2	2	3	6	7	8	16
50-64	34	4.8	17	1	1	4	6	10	16	18
65+	37	7.2	50	1	1	5	10	16	22	35
B. *Operated*										
0-19 YRS	4	6.0	9	2	2	6	8	9	9	9
20-34	21	4.3	17	1	1	4	5	9	14	18
35-49	34	5.8	99	1	1	2	5	11	20	56
50-64	34	3.3	18	<1	1	2	3	9	13	20
65+	21	4.1	19	1	1	2	5	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.9	12	1	1	4	6	8	11	19
20-34	109	5.0	20	1	2	4	6	10	12	25
35-49	128	6.4	20	1	2	5	9	12	15	23
50-64	301	7.5	41	2	2	6	9	14	19	39
65+	347	9.3	61	2	3	7	11	19	26	41
B. *Operated*										
0-19 YRS	19	10.8	151	1	1	5	16	31	39	44
20-34	46	7.7	68	<1	1	5	10	18	25	39
35-49	66	10.2	92	<1	1	7	14	24	30	43
50-64	144	11.5	103	1	2	9	16	25	32	46
65+	144	13.7	143	1	2	11	18	30	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	5.0	18	1	2	4	6	11	12	21
B. *Operated*	114	4.5	42	1	1	2	5	10	14	34
2. MULTIPLE DX										
A. *Not Operated*	921	7.6	44	2	2	6	9	15	21	36
B. *Operated*	419	11.6	116	1	1	9	16	26	33	48
1. SINGLE DX	320	4.8	26	1	1	4	6	10	13	21
2. MULTIPLE DX	1340	8.9	70	1	2	6	11	19	26	42
A. NOT OPERATED	1127	7.2	40	1	2	5	9	14	19	35
B. OPERATED	533	10.1	108	1	1	7	14	23	32	47
TOTAL 0-19 YRS	82	6.0	47	1	2	4	6	10	20	41
20-34	257	5.4	26	1	1	4	6	11	14	26
35-49	259	7.0	51	1	1	5	9	14	20	41
50-64	513	8.2	61	1	2	6	10	19	23	40
65+	549	10.1	86	1	2	7	13	22	29	45
GRAND TOTAL	**1660**	**8.1**	**64**	**1**	**2**	**6**	**10**	**17**	**24**	**41**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	3	<1	<1	2	4	5	6	6
20-34	182	2.3	2	<1	1	2	3	4	5	8
35-49	170	2.4	3	<1	1	2	3	5	6	8
50-64	182	2.4	3	<1	1	2	3	5	6	7
65+	160	3.7	8	1	1	3	5	7	10	14
B. *Operated*										
0-19 YRS	174	5.3	3	3	4	5	6	7	8	11
20-34	2036	5.7	5	3	4	5	6	8	9	12
35-49	1792	5.9	4	4	4	6	7	8	9	13
50-64	1596	6.3	5	4	4	6	7	9	10	14
65+	977	7.5	10	4	5	7	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	8	<1	1	2	4	6	7	14
20-34	174	3.1	5	<1	1	3	4	6	8	11
35-49	199	3.2	8	1	1	3	4	6	8	15
50-64	403	3.6	7	1	1	3	5	7	8	13
65+	887	5.4	18	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	121	7.2	10	4	4	6	9	12	14	17
20-34	1640	6.7	10	4	4	6	8	10	12	18
35-49	2028	7.3	16	4	4	6	8	11	13	21
50-64	2899	8.3	25	4	5	7	9	12	16	29
65+	3561	11.1	58	5	6	9	13	18	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	6575	6.1	6	4	4	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	1692	4.5	14	1	1	4	6	9	11	18
B. *Operated*	10249	8.8	35	4	5	7	10	14	18	32
1. SINGLE DX	7289	5.8	7	2	3	6	7	8	10	14
2. MULTIPLE DX	11941	8.2	34	3	4	7	9	14	17	31
A. NOT OPERATED	2406	3.9	11	1	1	3	5	8	10	17
B. OPERATED	16824	7.8	25	4	4	6	9	12	15	27
TOTAL 0-19 YRS	344	5.6	8	1	3	5	7	9	11	16
20-34	4032	5.8	8	2	3	5	7	9	10	15
35-49	4189	6.3	11	2	4	6	7	9	11	17
50-64	5080	7.1	19	2	4	6	8	11	13	22
65+	5585	9.4	47	3	4	8	11	16	21	36
GRAND TOTAL	**19230**	**7.3**	**25**	**2**	**4**	**6**	**8**	**12**	**15**	**26**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.3	1	1	1	2	3	4	5	5
20-34	109	2.8	4	1	1	2	3	5	7	10
35-49	94	3.1	3	1	1	3	4	6	6	7
50-64	101	2.9	5	<1	1	3	4	6	7	11
65+	57	3.7	4	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	24	6.5	5	4	4	6	8	10	11	13
20-34	198	5.8	5	3	3	5	7	9	10	13
35-49	194	6.2	5	4	4	6	7	9	11	14
50-64	130	6.6	6	3	4	6	7	10	12	14
65+	92	8.3	13	4	5	7	9	14	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.1	18	1	2	3	4	8	15	18
20-34	91	3.5	13	1	1	3	4	6	8	24
35-49	92	3.6	5	1	1	3	4	7	9	11
50-64	160	5.2	26	1	1	4	6	9	12	15
65+	319	6.1	23	1	2	5	8	12	14	25
B. *Operated*										
0-19 YRS	12	8.3	26	4	4	7	9	16	21	22
20-34	261	7.1	13	3	4	6	8	11	14	19
35-49	330	7.9	15	4	5	7	9	13	15	23
50-64	360	9.4	47	4	5	8	11	15	19	37
65+	437	12.3	48	5	6	10	15	21	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	3.0	4	1	1	3	4	6	7	9
B. *Operated*	638	6.5	7	3	4	6	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	677	5.1	21	1	1	4	7	10	13	23
B. *Operated*	1400	9.5	37	4	5	8	11	16	20	33
1. SINGLE DX	1018	5.2	9	1	1	5	7	9	10	15
2. MULTIPLE DX	2077	8.1	36	2	3	7	10	14	19	32
A. NOT OPERATED	1057	4.4	16	1	1	3	5	8	11	18
B. OPERATED	2038	8.6	30	4	4	7	10	14	18	30
TOTAL 0-19 YRS	70	5.2	15	1	2	4	6	9	13	21
20-34	659	5.5	12	1	2	5	7	9	11	16
35-49	710	6.2	13	1	2	6	7	11	13	18
50-64	751	7.2	36	1	2	6	9	13	15	29
65+	905	9.2	43	2	3	8	11	17	22	34
GRAND TOTAL	**3095**	**7.1**	**29**	**1**	**2**	**6**	**9**	**13**	**16**	**29**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	19	2.7	5	<1	1	2	3	7	8	3
35-49	18	3.4	15	<1	<1	2	4	6	13	18
50-64	19	2.6	2	<1	1	2	4	5	5	5
65+	28	4.1	16	1	1	3	5	7	9	22
B. *Operated*										
0-19 YRS	8	5.6	7	3	3	5	8	10	10	10
20-34	95	6.9	8	3	4	6	9	10	12	15
35-49	62	6.2	11	1	2	6	8	10	12	18
50-64	100	7.0	18	1	2	6	9	11	15	25
65+	116	9.0	24	1	3	9	12	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.9	9	1	1	3	5	9	10	10
35-49	23	3.5	4	<1	1	4	5	6	7	7
50-64	33	4.8	8	1	2	4	7	9	10	12
65+	125	5.4	16	1	1	5	7	11	12	18
B. *Operated*										
0-19 YRS	9	8.4	11	6	6	8	9	14	16	16
20-34	93	9.3	23	4	5	8	12	17	19	23
35-49	104	8.6	23	3	4	8	10	14	19	26
50-64	203	10.5	41	4	5	9	13	17	20	46
65+	485	14.1	94	3	5	12	17	24	29	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.3	10	<1	1	3	4	6	7	21
B. *Operated*	381	7.4	17	1	3	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	203	4.9	13	1	1	4	7	10	11	15
B. *Operated*	894	12.1	70	3	5	10	15	21	26	44
1. SINGLE DX	466	6.7	18	1	2	6	9	12	14	22
2. MULTIPLE DX	1097	10.8	67	2	3	9	14	20	25	42
A. NOT OPERATED	288	4.4	13	1	1	4	6	9	11	17
B. OPERATED	1275	10.7	59	2	4	9	13	19	24	40
TOTAL 0-19 YRS	19	6.5	13	1	2	6	8	11	14	16
20-34	228	7.3	18	1	2	7	9	13	16	21
35-49	207	6.9	21	1	2	6	9	12	15	25
50-64	355	8.6	35	1	3	8	11	16	18	32
65+	754	11.5	81	1	3	10	15	21	26	44
GRAND TOTAL	**1563**	**9.6**	**56**	**1**	**2**	**8**	**12**	**18**	**22**	**39**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	11	<1	<1	1	5	8	8	8
20-34	12	3.2	5	1	1	2	4	7	8	8
35-49	22	3.3	5	1	1	3	5	6	7	8
50-64	22	3.6	9	1	1	3	4	8	11	12
65+	37	6.3	21	2	2	5	9	14	16	16
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	22	7.2	48	1	1	6	9	12	21	34
35-49	15	5.9	25	<1	<1	5	9	12	16	18
50-64	32	10.5	69	1	1	10	13	22	29	37
65+	17	6.6	55	1	1	3	8	16	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	7.9	19	3	4	6	10	14	19	19
20-34	25	4.6	9	1	2	3	6	10	11	11
35-49	46	4.8	21	1	2	3	6	8	11	29
50-64	61	6.6	27	1	2	5	8	15	17	24
65+	179	7.0	35	1	2	5	9	13	21	30
B. *Operated*										
0-19 YRS	13	19.2	220	1	3	21	29	39	47	49
20-34	28	11.5	154	1	1	7	17	27	38	54
35-49	63	11.7	122	1	2	9	16	25	34	95
50-64	105	12.7	124	1	1	10	19	27	30	55
65+	213	14.1	92	2	4	12	18	27	35	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.5	14	1	1	3	6	11	13	16
B. *Operated*	88	8.1	54	1	1	7	10	16	24	36
2. MULTIPLE DX										
A. *Not Operated*	339	6.5	29	1	2	5	8	12	17	29
B. *Operated*	422	13.4	113	1	2	11	18	27	35	52
1. SINGLE DX	185	6.2	36	1	1	4	8	13	16	33
2. MULTIPLE DX	761	10.3	87	1	2	7	14	22	29	47
A. NOT OPERATED	436	6.1	26	1	2	5	8	12	15	27
B. OPERATED	510	12.5	107	1	2	10	17	26	34	50
TOTAL 0-19 YRS	47	10.6	100	1	2	7	12	23	34	49
20-34	87	7.3	74	1	1	4	9	13	25	47
35-49	146	7.7	75	1	1	5	10	20	25	68
50-64	220	9.8	88	1	1	7	13	22	27	48
65+	446	10.3	74	2	2	8	14	21	28	43
GRAND TOTAL	**946**	**9.5**	**80**	**1**	**2**	**7**	**12**	**21**	**28**	**45**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	4.7	13	1	2	4	6	9	11	21
20-34	268	4.6	12	1	1	4	6	8	11	15
35-49	297	5.0	12	1	2	4	6	9	11	17
50-64	187	5.2	11	1	2	5	7	9	11	17
65+	111	5.0	8	1	2	5	6	9	12	14
B. *Operated*										
0-19 YRS	6	7.7	30	1	1	8	12	15	15	15
20-34	43	6.4	19	1	1	6	9	13	14	20
35-49	41	8.8	84	<1	1	6	10	17	28	49
50-64	52	9.0	155	1	1	6	11	16	28	81
65+	22	8.3	110	1	1	7	9	35	64	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.7	12	1	2	5	7	10	12	17
20-34	575	6.0	27	2	2	5	7	11	14	24
35-49	784	6.4	29	2	2	5	8	12	15	26
50-64	715	6.6	23	2	2	5	8	12	15	26
65+	703	7.2	27	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	17	15.4	129	3	4	13	23	33	40	42
20-34	131	15.1	269	2	4	10	17	30	48	83
35-49	214	14.7	257	2	3	10	16	34	54	97
50-64	271	16.2	208	2	3	13	20	36	54	83
65+	265	15.2	158	3	4	12	20	28	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	910	4.9	11	1	2	4	6	9	11	16
B. *Operated*	164	8.2	90	1	1	6	10	14	27	77
2. MULTIPLE DX										
A. *Not Operated*	2835	6.5	26	2	2	5	8	12	15	26
B. *Operated*	898	15.4	212	2	4	11	19	33	49	84
1. SINGLE DX	1074	5.4	25	1	2	4	7	10	13	26
2. MULTIPLE DX	3733	8.7	85	2	2	6	10	17	24	55
A. NOT OPERATED	3745	6.2	23	2	2	5	8	11	14	24
B. OPERATED	1062	14.3	200	2	3	10	17	29	46	83
TOTAL 0-19 YRS	128	6.7	39	1	2	5	8	13	18	37
20-34	1017	6.8	64	1	2	5	8	12	17	44
35-49	1336	7.5	74	2	2	5	8	14	19	51
50-64	1225	8.6	84	2	2	6	10	17	24	55
65+	1101	8.9	71	2	3	7	11	18	24	46
GRAND TOTAL	**4807**	**7.9**	**73**	**2**	**2**	**6**	**9**	**15**	**21**	**51**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	2	<1	1	2	3	4	5	7
20-34	96	2.8	5	1	1	2	3	5	7	13
35-49	93	2.8	3	<1	1	3	4	5	6	8
50-64	147	3.9	10	1	1	3	5	6	7	22
65+	234	4.2	8	1	1	4	6	8	9	14
B. *Operated*										
0-19 YRS	7	4.0	4	1	1	4	5	7	7	7
20-34	15	4.3	5	1	2	4	5	8	9	9
35-49	16	5.6	13	1	1	5	7	10	13	15
50-64	23	4.7	10	<1	<1	4	6	10	11	12
65+	31	9.0	214	2	3	6	8	13	15	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	2.9	3	1	1	3	4	5	7	9
20-34	290	3.4	8	1	1	3	4	6	8	15
35-49	464	4.2	14	1	1	3	5	7	9	18
50-64	817	5.0	17	1	2	4	6	9	12	21
65+	2454	6.2	26	2	2	5	7	11	15	26
B. *Operated*										
0-19 YRS	18	7.9	147	1	2	4	8	11	37	55
20-34	58	5.7	20	1	2	5	8	12	16	93
35-49	102	8.3	116	1	2	6	9	14	29	63
50-64	263	9.3	102	2	3	7	11	18	26	46
65+	734	10.6	84	2	3	8	14	23	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	621	3.6	7	1	1	3	5	7	8	13
B. *Operated*	92	6.2	81	1	1	5	7	10	13	56
2. MULTIPLE DX										
A. *Not Operated*	4135	5.4	22	1	2	4	7	10	13	24
B. *Operated*	1175	9.8	90	2	3	7	12	21	27	49
1. SINGLE DX	713	3.9	17	1	1	3	5	7	9	14
2. MULTIPLE DX	5310	6.4	40	1	2	5	8	12	17	33
A. NOT OPERATED	4756	5.2	21	1	2	4	6	9	12	23
B. OPERATED	1267	9.5	90	2	3	7	11	20	27	49
TOTAL 0-19 YRS	186	3.3	18	1	1	3	4	5	7	11
20-34	459	3.6	9	1	1	3	4	7	9	17
35-49	675	4.7	30	1	1	3	5	8	10	32
50-64	1250	5.8	37	1	2	4	7	11	15	28
65+	3453	7.0	43	2	2	5	8	13	19	35
GRAND TOTAL	**6023**	**6.1**	**38**	**1**	**2**	**5**	**7**	**11**	**16**	**31**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.9	13	<1	1	3	4	9	12	15
20-34	5	5.2	12	1	1	5	8	10	10	10
35-49	7	4.1	3	2	2	4	6	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	6	9.5	27	4	4	10	13	16	16	16
B. *Operated*										
0-19 YRS	9	4.0	43	<1	<1	1	3	15	21	21
20-34	5	7.6	8	5	5	6	10	12	12	12
35-49	4	6.8	11	3	3	7	9	10	10	10
50-64	4	2.8	4	<1	<1	2	4	5	5	5
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	5.7	27	1	2	4	7	14	17	24
20-34	7	4.3	4	<1	1	5	6	7	7	7
35-49	18	6.1	14	1	2	5	7	11	14	16
50-64	41	8.0	46	1	1	5	11	17	23	30
65+	65	8.1	26	2	3	8	11	16	18	21
B. *Operated*										
0-19 YRS	10	7.0	55	1	1	6	12	55	96	99+
20-34	9	8.9	22	4	4	8	12	16	18	18
35-49	27	17.7	267	4	5	11	24	45	58	61
50-64	20	22.6	354	3	4	19	30	54	63	71
65+	25	13.8	110	2	3	13	18	23	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.9	16	<1	1	3	7	11	14	16
B. *Operated*	25	4.8	21	<1	1	4	6	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	186	7.0	30	1	2	5	9	15	18	25
B. *Operated*	91	15.6	215	2	3	11	22	32	56	88
1. SINGLE DX	65	4.8	18	<1	1	3	6	10	14	20
2. MULTIPLE DX	277	9.9	106	2	2	6	12	22	29	60
A. NOT OPERATED	226	6.7	28	1	2	5	9	14	17	24
B. OPERATED	116	13.3	192	1	2	9	18	30	51	81
TOTAL 0-19 YRS	95	5.3	28	1	1	3	6	14	20	65
20-34	26	6.7	15	1	3	6	8	12	15	18
35-49	56	11.5	168	2	3	6	12	28	44	61
50-64	66	12.0	184	1	1	7	14	29	35	69
65+	99	9.5	53	2	3	8	13	18	21	41
GRAND TOTAL	**342**	**8.9**	**93**	**1**	**2**	**6**	**11**	**19**	**26**	**58**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.4	13	1	1	4	6	7	9	25
20-34	13	3.8	2	2	2	4	4	6	7	7
35-49	3	3.0	3	1	1	4	4	4	4	4
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	4	3.0	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	50	3.6	9	1	1	3	4	8	11	15
20-34	31	1.9	2	<1	<1	2	2	3	3	9
35-49	23	3.7	24	1	1	2	4	7	16	24
50-64	13	3.1	7	1	1	2	3	7	10	11
65+	14	3.1	8	1	1	2	4	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.2	11	1	2	4	7	10	12	15
20-34	32	4.5	29	<1	1	3	5	8	11	31
35-49	34	5.1	16	<1	1	4	8	11	14	16
50-64	28	7.0	28	1	2	6	9	13	21	23
65+	65	8.5	34	1	2	8	11	16	19	31
B. *Operated*										
0-19 YRS	28	5.9	45	1	1	2	8	16	21	25
20-34	70	6.1	28	1	1	4	9	13	19	22
35-49	102	5.6	43	1	1	3	7	13	21	33
50-64	103	7.3	58	1	1	4	10	17	22	38
65+	78	10.1	121	1	2	7	15	20	29	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.1	10	1	1	4	5	7	8	21
B. *Operated*	131	3.1	10	1	1	2	3	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	228	6.2	25	1	2	5	8	12	15	25
B. *Operated*	381	7.1	62	1	1	4	10	17	21	34
1. SINGLE DX	212	3.5	10	1	1	3	4	7	9	18
2. MULTIPLE DX	609	6.8	48	1	1	4	9	15	20	33
A. NOT OPERATED	309	5.7	22	1	2	4	7	11	15	24
B. OPERATED	512	6.1	52	1	1	3	8	15	20	33
TOTAL 0-19 YRS	206	4.7	16	1	1	3	6	10	13	23
20-34	146	4.7	23	1	1	3	5	11	15	22
35-49	162	5.2	34	1	1	3	6	11	17	31
50-64	146	6.9	48	1	1	4	9	16	21	33
65+	161	8.7	77	1	2	6	12	18	21	37
GRAND TOTAL	**821**	**6.0**	**41**	**1**	**1**	**4**	**8**	**13**	**18**	**31**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	4.7	18	<1	1	3	6	9	14	19
20-34	5	2.8	2	1	1	3	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	6	3.7	5	1	1	3	6	7	7	7
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	12.7	374	<1	<1	2	27	35	35	35
50-64	4	1.3		1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	5.3	11	1	3	5	6	10	14	15
20-34	5	4.2	6	1	1	4	6	7	7	7
35-49	10	4.6	6	2	2	4	7	8	9	9
50-64	8	9.0	52	4	4	7	9	21	26	26
65+	10	13.4	10	8	8	14	16	17	17	17
B. Operated										
0-19 YRS	10	5.5	31	1	1	4	7	14	19	19
20-34	9	9.4	132	1	1	5	13	28	37	37
35-49	5	10.0	85	2	2	4	19	21	21	21
50-64	8	10.1	97	3	3	6	12	27	32	32
65+	20	12.7	255	1	2	9	12	24	52	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	4.2	14	1	1	3	5	9	11	19
B. Operated	17	4.2	66	<1	1	2	3	7	25	35
2. MULTIPLE DX										
A. Not Operated	70	6.7	23	1	2	5	8	14	16	24
B. Operated	52	10.1	148	1	2	6	12	20	32	74
1. SINGLE DX	44	4.2	33	<1	1	2	5	7	13	35
2. MULTIPLE DX	122	8.1	78	1	2	6	10	16	20	48
A. NOT OPERATED	97	6.0	22	1	2	5	8	14	16	23
B. OPERATED	69	8.6	133	1	1	5	10	19	32	66
TOTAL 0-19 YRS	73	5.0	15	1	1	4	5	10	14	19
20-34	22	5.7	62	1	1	3	6	14	24	37
35-49	20	7.0	72	1	2	4	7	20	28	35
50-64	20	7.9	67	1	1	6	8	21	29	32
65+	31	12.5	169	1	3	10	15	18	28	75
GRAND TOTAL	**166**	**7.1**	**69**	**1**	**1**	**5**	**8**	**15**	**19**	**37**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	2.7	8	<1	<1	1	5	6	6	6
50-64										
65+	2	5.5	13	3	3	5	6	6	6	6
B. Operated										
0-19 YRS	12	10.7	103	<1	1	6	16	26	29	29
20-34	35	8.1	74	<1	1	4	12	20	27	35
35-49	46	7.5	118	<1	<1	3	11	20	27	59
50-64	59	3.9	34	1	1	2	4	8	18	34
65+	44	4.4	23	1	1	3	5	7	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	8.3	20	2	2	6	12	14	15	15
20-34	25	3.2	10	<1	<1	2	3	6	11	15
35-49	41	6.2	163	<1	<1	3	5	11	24	76
50-64	69	5.5	35	1	1	4	7	12	22	26
65+	204	8.6	46	1	2	7	12	19	24	30
B. Operated										
0-19 YRS	36	11.6	144	<1	1	6	13	29	30	59
20-34	220	14.5	213	1	2	9	22	38	47	63
35-49	248	14.4	230	1	2	9	22	36	47	68
50-64	313	10.0	138	1	1	6	13	23	33	60
65+	363	12.1	141	1	2	8	16	26	36	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.9	7	<1	<1	3	6	8	8	8
B. Operated	197	6.0	66	<1	1	3	6	17	24	35
2. MULTIPLE DX										
A. Not Operated	349	7.3	58	1	1	5	9	16	22	31
B. Operated	1180	12.5	175	1	2	8	17	30	41	62
1. SINGLE DX	204	6.0	64	<1	1	3	6	16	24	35
2. MULTIPLE DX	1529	11.3	153	1	2	7	15	26	37	59
A. NOT OPERATED	356	7.3	57	1	1	5	9	17	22	31
B. OPERATED	1377	11.5	165	1	1	7	16	28	39	59
TOTAL 0-19 YRS	59	10.7	112	<1	1	6	15	29	30	56
20-34	282	12.6	190	1	1	7	18	33	44	62
35-49	338	12.4	216	<1	1	6	17	33	44	69
50-64	441	8.5	114	1	1	5	10	20	27	53
65+	613	10.3	106	1	2	7	14	23	30	52
GRAND TOTAL	**1733**	**10.7**	**145**	**1**	**1**	**6**	**14**	**26**	**36**	**58**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	5	5.8	24	1	1	4	10	12	12	12
50-64	1	7.0		7	7	7	7	7	7	7
65+	11	11.4	176	1	2	7	16	30	46	47
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	9	6.1	29	2	2	2	12	14	15	15
50-64	11	6.2	21	1	1	6	8	14	16	16
65+	5	4.6	9	1	1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	48	<1	<1	3	10	17	18	18
20-34	26	4.9	20	<1	1	3	8	10	13	21
35-49	22	7.5	73	<1	1	6	8	16	27	40
50-64	71	7.3	33	2	2	5	10	14	16	35
65+	325	9.0	47	2	3	7	12	18	20	36
B. *Operated*										
0-19 YRS	6	15.2	136	2	2	14	19	33	35	35
20-34	24	16.9	344	1	1	14	21	36	51	87
35-49	47	13.0	153	1	2	8	18	26	46	55
50-64	115	16.0	152	2	2	12	23	33	41	71
65+	172	17.9	222	3	4	14	21	39	50	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.7	99	1	2	4	8	19	29	47
B. *Operated*	30	5.2	19	1	1	4	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	450	8.4	45	1	2	7	11	17	20	37
B. *Operated*	364	16.5	198	2	3	13	22	36	47	63
1. SINGLE DX	53	6.3	54	1	1	4	8	13	18	46
2. MULTIPLE DX	814	12.0	130	2	2	9	15	26	36	55
A. NOT OPERATED	473	8.3	48	1	2	7	11	17	20	38
B. OPERATED	394	15.7	193	2	2	12	20	35	46	62
TOTAL 0-19 YRS	15	8.9	96	<1	1	4	16	19	31	35
20-34	58	9.6	187	1	1	4	13	24	34	83
35-49	83	10.3	118	1	2	7	14	23	32	53
50-64	198	12.3	120	2	2	9	17	28	37	56
65+	513	12.0	125	2	3	9	14	24	36	53
GRAND TOTAL	**867**	**11.7**	**127**	**1**	**2**	**8**	**15**	**25**	**36**	**55**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	3.4	2	1	2	3	4	5	6	8
20-34	253	3.5	3	1	2	3	4	6	7	8
35-49	76	3.7	4	1	2	3	5	6	7	11
50-64	39	4.8	6	2	3	4	6	7	10	14
65+	44	4.5	4	1	2	5	6	7	8	10
B. *Operated*										
0-19 YRS	16	4.3	2	2	2	4	5	6	7	7
20-34	21	4.8	2	2	3	5	6	7	7	7
35-49	6	5.3	2	4	4	5	7	7	7	7
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267	4.0	5	2	2	4	5	7	8	13
20-34	469	4.3	7	2	2	4	5	7	9	13
35-49	235	5.2	9	2	2	4	7	9	11	17
50-64	272	6.2	17	2	3	5	7	11	13	23
65+	486	7.3	26	3	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	24	5.1	7	1	2	5	7	9	10	11
20-34	62	7.9	40	2	3	7	9	12	16	42
35-49	34	10.7	158	1	3	7	10	19	49	56
50-64	43	13.1	101	4	5	10	15	27	33	56
65+	82	13.6	99	5	6	10	16	26	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	3.6	3	1	2	3	5	6	7	9
B. *Operated*	47	4.6	3	2	2	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	1729	5.5	15	2	2	5	7	10	13	20
B. *Operated*	245	10.8	91	3	4	8	12	21	28	56
1. SINGLE DX	634	3.7	3	1	2	3	5	6	7	9
2. MULTIPLE DX	1974	6.2	28	2	2	5	7	11	14	27
A. NOT OPERATED	2316	5.0	13	2	2	4	6	9	11	19
B. OPERATED	292	9.8	82	2	3	7	11	19	27	55
TOTAL 0-19 YRS	482	3.9	4	1	2	4	5	6	7	10
20-34	805	4.3	9	1	2	4	5	7	9	15
35-49	351	5.4	25	2	2	4	6	9	11	22
50-64	356	6.9	31	2	3	5	8	12	16	29
65+	614	7.9	39	2	3	6	9	14	20	32
GRAND TOTAL	**2608**	**5.6**	**23**	**2**	**2**	**4**	**7**	**10**	**13**	**24**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.6	9	1	2	3	4	6	7	14
20-34	241	3.4	4	1	2	3	4	5	6	11
35-49	70	4.1	5	1	1	4	5	7	8	10
50-64	30	4.3	5	1	2	4	5	8	9	9
65+	41	5.0	11	1	2	4	7	9	11	17
B. *Operated*										
0-19 YRS	21	3.3	4	<1	<1	4	4	6	7	8
20-34	30	4.9	13	1	2	4	5	10	14	15
35-49	13	5.9	14	2	3	6	6	9	16	17
50-64	5	8.0	13	3	3	8	9	13	13	13
65+	11	7.6	29	2	2	7	11	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	4.1	5	2	2	4	5	7	8	12
20-34	394	4.2	6	2	2	4	5	7	9	14
35-49	164	5.2	14	2	2	4	6	10	12	22
50-64	186	5.8	15	2	2	5	7	10	12	26
65+	369	7.3	23	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	60	7.4	41	<1	1	6	9	14	18	40
20-34	83	8.1	83	2	3	5	9	17	24	56
35-49	62	10.1	59	2	3	8	12	21	26	41
50-64	84	11.4	93	2	3	9	14	22	27	57
65+	111	13.7	137	3	5	10	17	23	35	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	3.7	6	1	2	3	4	6	8	12
B. *Operated*	80	5.2	14	<1	1	4	7	10	14	17
2. MULTIPLE DX										
A. *Not Operated*	1311	5.4	15	2	2	4	7	10	12	20
B. *Operated*	400	10.6	95	2	3	8	13	20	27	61
1. SINGLE DX	608	3.9	7	1	2	3	5	7	8	15
2. MULTIPLE DX	1711	6.6	38	2	2	5	8	12	17	30
A. NOT OPERATED	1839	4.9	13	2	2	4	6	9	11	18
B. OPERATED	480	9.7	85	2	2	7	11	19	24	57
TOTAL 0-19 YRS	425	4.4	13	1	2	4	5	7	10	18
20-34	748	4.4	16	1	2	3	5	8	10	17
35-49	309	6.0	25	1	2	4	7	11	17	26
50-64	305	7.2	42	2	2	6	8	13	20	31
65+	532	8.4	53	2	3	7	10	16	20	37
GRAND TOTAL	**2319**	**5.9**	**31**	**2**	**2**	**4**	**7**	**11**	**15**	**28**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.4		<1	1	1	2	3	3	3
20-34	220	1.8	2	<1	<1	1	2	3	4	8
35-49	282	1.8	2	<1	<1	1	2	3	5	7
50-64	156	1.7	1	<1	1	1	2	3	4	5
65+	89	2.0	1	<1	1	2	2	4	4	6
B. *Operated*										
0-19 YRS	13	5.8	8	2	3	5	7	10	12	12
20-34	132	5.9	15	1	1	6	8	9	11	25
35-49	192	6.6	11	1	2	7	8	10	12	18
50-64	161	7.0	14	1	2	7	9	11	13	18
65+	54	6.6	10	2	2	7	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	2	1	1	2	3	5	5	5
20-34	169	2.4	10	1	1	2	2	4	8	11
35-49	207	2.4	3	1	1	2	3	4	5	10
50-64	218	2.8	5	1	1	2	4	5	7	11
65+	193	3.7	11	1	1	3	4	7	10	20
B. *Operated*										
0-19 YRS	20	9.8	60	<1	2	8	13	20	27	32
20-34	140	8.1	33	1	2	7	10	14	17	27
35-49	185	8.1	26	2	2	7	10	15	18	27
50-64	257	8.4	30	2	2	8	11	14	16	28
65+	237	9.9	53	2	3	9	12	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	1.8	2	<1	1	1	2	3	4	7
B. *Operated*	552	6.5	13	1	2	7	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	803	2.8	7	1	1	2	4	5	7	12
B. *Operated*	839	8.7	37	2	2	8	11	15	19	31
1. SINGLE DX	1326	3.8	12	<1	1	2	6	8	10	14
2. MULTIPLE DX	1642	5.8	31	1	1	4	8	12	15	26
A. NOT OPERATED	1577	2.3	5	<1	1	2	3	4	6	11
B. OPERATED	1391	7.9	29	2	2	7	10	13	16	28
TOTAL 0-19 YRS	76	4.6	29	1	1	3	6	10	15	30
20-34	661	4.1	19	<1	1	2	6	9	12	20
35-49	866	4.3	17	1	1	3	7	9	11	19
50-64	792	5.3	22	1	1	4	8	11	13	21
65+	573	6.3	37	1	1	5	9	13	16	29
GRAND TOTAL	**2968**	**4.9**	**24**	**1**	**1**	**3**	**7**	**10**	**13**	**23**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	1.5	1	<1	1	1	2	3	3	5
20-34	975	1.6	1	<1	1	1	2	3	3	5
35-49	1167	1.7	2	<1	1	1	2	3	4	6
50-64	790	1.8	1	<1	1	1	2	3	4	5
65+	246	2.1	2	<1	1	2	3	3	5	9
B. *Operated*										
0-19 YRS	51	4.6	8	1	1	4	7	9	10	11
20-34	606	4.3	7	1	1	4	6	8	9	12
35-49	695	4.5	10	1	1	4	6	9	10	14
50-64	537	5.2	12	1	2	4	7	10	12	15
65+	240	5.3	10	1	2	5	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.8	1	<1	1	2	3	3	4	4
20-34	316	2.1	2	<1	1	2	3	3	4	9
35-49	460	2.0	2	<1	1	2	3	4	5	7
50-64	481	2.3	3	1	1	2	3	4	6	9
65+	322	2.8	4	1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	19	6.0	5	2	3	6	7	9	10	11
20-34	271	6.0	16	1	2	5	8	10	12	21
35-49	430	6.5	22	1	2	6	8	12	15	24
50-64	525	7.2	29	1	2	6	9	13	18	23
65+	469	8.5	40	2	2	7	11	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3271	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	2129	4.7	10	1	1	4	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	1603	2.3	3	1	1	2	3	4	5	9
B. *Operated*	1714	7.2	29	1	2	6	9	13	17	24
1. SINGLE DX	5400	2.9	7	<1	1	2	4	7	8	12
2. MULTIPLE DX	3317	4.8	22	1	1	3	7	10	13	22
A. NOT OPERATED	4874	1.9	2	<1	1	1	2	3	4	7
B. OPERATED	3843	5.8	20	1	2	5	8	11	13	22
TOTAL 0-19 YRS	187	2.9	6	1	1	2	4	7	8	11
20-34	2168	3.0	7	<1	1	2	4	7	8	12
35-49	2752	3.2	10	<1	1	2	4	7	10	15
50-64	2333	3.9	15	1	1	2	5	9	11	18
65+	1277	5.2	25	1	1	4	7	11	14	23
GRAND TOTAL	**8717**	**3.6**	**14**	**1**	**1**	**2**	**5**	**8**	**10**	**17**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	3	<1	<1	2	4	6	6	7
20-34	25	2.3	3	<1	<1	2	3	4	6	7
35-49	33	2.2	3	<1	<1	2	3	4	7	8
50-64	17	2.9	5	1	1	2	4	5	8	10
65+	15	2.5	3	1	1	2	3	6	7	7
B. *Operated*										
0-19 YRS	269	5.4	10	<1	1	5	7	9	10	13
20-34	108	5.8	9	1	1	6	8	9	11	13
35-49	79	5.2	16	<1	1	4	8	10	11	20
50-64	91	5.0	20	<1	1	4	7	11	13	22
65+	70	4.5	18	<1	1	3	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.5	13	<1	<1	2	4	6	11	20
20-34	79	2.7	4	<1	1	2	3	6	7	11
35-49	59	4.4	16	<1	1	3	5	9	13	21
50-64	82	5.0	13	1	1	4	8	10	12	15
65+	234	7.2	41	1	2	5	9	14	22	31
B. *Operated*										
0-19 YRS	334	6.1	25	<1	<1	6	8	12	14	21
20-34	173	7.4	27	1	2	7	10	13	15	26
35-49	201	8.4	44	1	2	7	12	17	21	32
50-64	332	8.0	54	1	2	7	10	16	21	36
65+	429	9.8	99	1	2	8	13	20	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	2.5	3	<1	<1	2	3	5	7	9
B. *Operated*	617	5.3	13	<1	1	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	514	5.4	28	1	1	4	7	11	15	28
B. *Operated*	1469	8.1	57	1	1	7	10	16	21	38
1. SINGLE DX	727	4.8	13	<1	1	5	7	9	11	14
2. MULTIPLE DX	1983	7.4	51	1	1	6	10	15	20	34
A. NOT OPERATED	624	4.9	25	1	1	3	6	10	14	27
B. OPERATED	2086	7.3	46	<1	1	6	9	14	19	33
TOTAL 0-19 YRS	683	5.5	18	<1	<1	5	7	10	13	18
20-34	385	5.7	19	1	1	5	8	10	13	23
35-49	372	6.5	34	1	1	5	9	14	18	24
50-64	522	6.9	42	1	1	5	9	14	19	32
65+	748	8.3	75	1	1	6	11	18	24	44
GRAND TOTAL	**2710**	**6.7**	**42**	**<1**	**1**	**5**	**9**	**13**	**18**	**31**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	1	<1	<1	2	3	4	4	4
20-34	70	1.8	1	<1	1	1	2	3	4	6
35-49	61	1.9	2	<1	<1	1	2	3	5	8
50-64	41	1.9	2	<1	<1	1	2	4	4	7
65+	10	1.2		1	1	1	1	2	3	3
B. *Operated*										
0-19 YRS	5	3.0	5	1	1	3	4	6	6	6
20-34	28	4.5	8	1	1	5	7	9	10	10
35-49	35	3.3	6	<1	1	2	5	7	9	11
50-64	34	3.9	7	1	1	3	6	8	8	11
65+	36	5.0	18	1	1	3	8	12	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	2	3	3	4	5	7	7	7
20-34	40	2.9	4	1	1	2	4	6	8	8
35-49	45	2.8	17	1	1	2	3	3	5	29
50-64	36	2.8	3	1	1	2	4	5	7	8
65+	26	3.0	7	1	1	2	3	7	9	11
B. *Operated*										
0-19 YRS	9	4.2	9	1	1	4	8	8	8	8
20-34	47	5.0	15	1	1	4	7	9	14	17
35-49	54	5.2	18	<1	1	4	7	12	15	17
50-64	94	5.1	12	1	1	4	7	10	12	16
65+	200	6.6	38	1	2	5	9	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	1.8	1	<1	<1	1	2	3	4	7
B. *Operated*	138	4.1	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	153	2.9	8	1	1	2	3	5	7	11
B. *Operated*	404	5.8	26	1	1	4	8	12	15	26
1. SINGLE DX	332	2.8	6	<1	1	2	3	7	8	12
2. MULTIPLE DX	557	5.0	23	1	1	4	7	10	14	24
A. NOT OPERATED	347	2.3	5	<1	1	2	3	4	6	8
B. OPERATED	542	5.4	23	1	1	4	7	11	14	22
TOTAL 0-19 YRS	32	3.3	5	1	1	3	4	7	8	8
20-34	185	3.2	8	1	1	2	5	7	8	15
35-49	195	3.3	12	<1	1	2	4	7	9	17
50-64	205	3.9	9	<1	1	3	6	8	10	13
65+	272	5.8	33	1	1	4	8	12	15	29
GRAND TOTAL	**889**	**4.2**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.0	1	<1	1	2	3	4	4	6
20-34	28	2.3	1	1	1	2	3	4	5	5
35-49	17	2.4	2	<1	<1	2	3	4	6	7
50-64	12	3.7	6	1	1	3	5	7	9	9
65+	22	4.0	8	<1	1	3	6	8	11	11
B. *Operated*										
0-19 YRS	31	2.0	3	<1	<1	1	2	5	7	8
20-34	49	2.3	5	<1	<1	1	3	5	6	14
35-49	64	2.0	3	<1	<1	1	2	4	5	10
50-64	94	2.5	8	<1	<1	2	3	4	7	19
65+	112	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.1	4	1	1	3	4	6	7	8
20-34	59	3.0	3	<1	1	3	4	6	7	8
35-49	46	4.6	38	1	2	3	5	8	9	42
50-64	60	4.6	10	1	2	4	5	8	10	18
65+	289	6.6	31	2	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	58	2.7	6	<1	<1	2	3	7	9	12
20-34	115	4.2	22	<1	1	3	5	9	12	27
35-49	148	4.1	21	<1	1	3	5	9	12	19
50-64	218	4.7	36	<1	1	3	5	11	15	33
65+	493	5.5	33	1	1	4	7	12	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.7	4	1	1	2	3	6	6	11
B. *Operated*	350	2.4	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	506	5.4	25	1	2	4	6	9	14	25
B. *Operated*	1032	4.9	30	<1	1	3	6	11	15	28
1. SINGLE DX	457	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	1538	5.0	28	1	1	4	6	10	15	27
A. NOT OPERATED	613	4.9	22	1	1	4	6	8	13	24
B. OPERATED	1382	4.2	25	<1	1	3	5	9	13	27
TOTAL 0-19 YRS	169	2.6	4	<1	<1	2	3	6	8	9
20-34	251	3.3	13	<1	<1	2	4	6	9	22
35-49	275	3.6	19	<1	1	2	4	7	10	19
50-64	384	4.1	25	<1	1	3	5	8	13	27
65+	916	5.5	30	1	1	4	7	11	16	27
GRAND TOTAL	**1995**	**4.4**	**24**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	<1	<1	3	4	5	5	5
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	6	5.5	11	2	2	5	7	11	11	11
B. *Operated*										
0-19 YRS	212	1.4	1	<1	<1	<1	1	2	3	7
20-34	154	1.9	3	<1	<1	1	2	4	5	8
35-49	116	2.0	2	<1	<1	1	2	4	5	9
50-64	129	2.4	5	<1	<1	2	3	5	5	13
65+	150	2.8	9	<1	1	2	3	5	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	<1	<1	1	3	3	3	3
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	5	2.4	2	<1	<1	2	3	5	5	5
50-64	5	4.0	12	1	1	3	5	10	10	10
65+	34	6.4	31	<1	1	5	9	15	20	21
B. *Operated*										
0-19 YRS	221	1.7	4	<1	<1	1	2	3	5	9
20-34	154	2.7	6	<1	1	2	3	6	8	11
35-49	164	3.0	15	<1	<1	2	3	6	7	19
50-64	257	3.9	26	1	1	2	4	7	11	30
65+	496	4.7	27	1	1	3	5	9	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.3	8	<1	<1	3	4	7	10	11
B. *Operated*	761	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	50	5.2	26	<1	<1	3	7	12	18	21
B. *Operated*	1292	3.6	20	<1	<1	2	4	7	10	20
1. SINGLE DX	778	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	1342	3.6	20	<1	<1	2	4	7	11	20
A. NOT OPERATED	67	4.7	22	<1	<1	3	7	11	15	21
B. OPERATED	2053	3.0	15	<1	<1	2	3	6	8	17
TOTAL 0-19 YRS	442	1.5	2	<1	<1	<1	1	3	4	7
20-34	313	2.3	4	<1	<1	2	3	4	6	11
35-49	286	2.6	10	<1	<1	2	3	5	6	11
50-64	393	3.4	19	<1	<1	2	4	6	10	19
65+	686	4.4	24	1	1	3	5	9	12	26
GRAND TOTAL	**2120**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**6**	**9**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.6	3	1	1	2	3	4	5	7
20-34	116	2.4	4	1	1	2	3	5	6	12
35-49	48	3.0	4	1	1	3	4	6	7	10
50-64	76	3.0	5	1	1	3	4	5	7	14
65+	140	4.0	12	1	1	3	5	7	11	19
B. *Operated*										
0-19 YRS	205	1.7	2	<1	<1	1	2	4	5	9
20-34	166	2.4	5	<1	<1	2	3	4	7	14
35-49	171	3.0	11	<1	<1	2	4	6	10	18
50-64	205	2.7	6	<1	<1	2	3	5	8	13
65+	282	3.6	10	<1	1	3	4	6	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	536	3.4	6	1	1	3	4	6	7	12
20-34	526	4.0	9	1	1	3	5	7	9	16
35-49	368	5.0	18	1	2	4	6	10	13	27
50-64	656	5.7	21	1	2	4	7	10	15	23
65+	3087	7.2	36	2	2	6	9	13	18	29
B. *Operated*										
0-19 YRS	342	3.5	29	<1	<1	2	4	8	10	18
20-34	309	4.9	53	<1	1	3	6	10	12	60
35-49	380	5.1	35	<1	1	3	6	11	16	34
50-64	691	6.1	49	1	1	4	7	12	16	36
65+	1774	7.6	60	1	2	5	9	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	3.0	6	1	1	2	4	5	7	14
B. *Operated*	1029	2.7	7	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	5173	6.1	29	1	2	5	8	12	16	27
B. *Operated*	3496	6.4	53	<1	1	4	8	14	19	36
1. SINGLE DX	1574	2.8	7	<1	<1	2	3	5	8	14
2. MULTIPLE DX	8669	6.2	39	1	2	5	8	12	17	30
A. NOT OPERATED	5718	5.8	28	1	2	4	7	11	15	27
B. OPERATED	4525	5.5	45	<1	1	4	7	12	17	33
TOTAL 0-19 YRS	1248	3.0	12	<1	<1	2	4	6	8	14
20-34	1117	3.8	21	<1	1	3	5	8	10	18
35-49	967	4.6	24	<1	1	3	6	10	14	27
50-64	1628	5.3	32	1	1	4	6	11	14	27
65+	5283	7.1	43	1	2	5	9	14	19	31
GRAND TOTAL	**10243**	**5.7**	**35**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	10	2.3	5	<1	<1	1	4	6	7	7
65+	7	4.9	6	2	2	4	6	9	9	9
B. Operated										
0-19 YRS	5	3.4	14	<1	<1	2	5	10	10	10
20-34	8	3.1	4	1	1	3	5	6	6	6
35-49	65	2.6	5	<1	<1	2	4	6	7	11
50-64	1279	4.3	4	1	1	4	5	7	8	10
65+	2285	4.9	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	3	4.7	14	2	2	3	7	9	9	9
50-64	67	3.3	7	1	1	2	5	6	9	13
65+	265	4.3	15	<1	1	3	6	9	11	20
B. Operated										
0-19 YRS	8	6.9	47	2	2	4	7	19	23	23
20-34	9	2.4	4	<1	<1	2	3	6	7	7
35-49	111	4.8	15	<1	1	4	6	8	12	22
50-64	2189	5.6	14	2	3	5	6	9	12	20
65+	6490	6.8	25	2	3	5	8	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.3	6	<1	<1	3	5	7	8	9
B. Operated	3642	4.6	5	1	2	5	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	335	4.1	13	<1	1	3	5	9	11	18
B. Operated	8907	6.5	22	2	3	5	7	11	14	25
1. SINGLE DX	3660	4.6	5	1	2	5	6	7	8	12
2. MULTIPLE DX	9142	6.4	22	2	3	5	7	11	14	25
A. NOT OPERATED	353	4.1	13	<1	1	3	5	9	11	18
B. OPERATED	12449	5.9	18	2	3	5	7	10	13	22
TOTAL 0-19 YRS	13	5.5	35	<1	<1	3	7	13	21	23
20-34	17	2.8	4	<1	<1	2	4	6	7	7
35-49	180	4.0	12	<1	1	3	5	7	9	19
50-64	3545	5.1	11	1	2	5	6	8	10	17
65+	9047	6.2	20	2	3	5	7	10	14	23
GRAND TOTAL	**12802**	**5.9**	**18**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	20	3.6	2	1	2	3	5	6	6	7
35-49	22	4.5	3	2	2	4	5	7	8	8
50-64	32	4.3	5	1	2	4	6	7	8	11
65+	28	3.9	6	1	1	3	5	6	9	10
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	14	1.2		<1	<1	1	1	2	2	2
35-49	20	2.4	7	<1	<1	1	3	5	9	12
50-64	29	2.3	7	<1	<1	2	3	3	5	15
65+	41	3.2	10	1	1	2	4	6	8	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	40	3.2	3	1	1	3	4	6	7	8
35-49	51	4.5	9	1	2	4	5	8	10	17
50-64	107	4.3	5	1	1	4	5	8	9	11
65+	122	4.8	9	1	2	4	6	9	12	14
B. Operated										
0-19 YRS	5	3.2	5	<1	<1	2	5	6	6	6
20-34	25	3.4	9	<1	<1	2	4	8	10	13
35-49	64	4.1	22	<1	<1	2	5	8	14	25
50-64	128	4.0	11	<1	1	3	5	8	11	16
65+	192	5.7	20	1	1	5	7	12	16	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	4.0	4	1	2	4	5	7	8	10
B. Operated	105	2.5	7	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. Not Operated	322	4.4	7	1	1	4	5	8	10	14
B. Operated	414	4.6	18	<1	1	4	6	10	14	20
1. SINGLE DX	210	3.3	6	<1	1	3	4	6	8	13
2. MULTIPLE DX	736	4.6	13	1	1	4	6	9	12	17
A. NOT OPERATED	427	4.3	7	1	2	4	5	8	9	13
B. OPERATED	519	4.3	16	<1	1	3	6	9	13	19
TOTAL 0-19 YRS	11	2.5	3	<1	<1	2	3	5	6	6
20-34	99	3.0	5	<1	1	3	4	6	7	11
35-49	157	4.0	14	<1	1	3	5	8	10	23
50-64	296	4.0	9	<1	1	3	5	7	10	15
65+	383	5.0	15	1	1	4	7	10	14	19
GRAND TOTAL	**946**	**4.3**	**12**	**<1**	**1**	**3**	**5**	**8**	**11**	**17**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	193	1.3	1	<1	<1	1	1	2	2	4
20-34	69	1.9	1	<1	1	2	2	3	4	5
35-49	82	1.9	1	<1	1	2	2	3	4	7
50-64	138	2.0	1	<1	1	2	2	3	4	5
65+	116	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	4	5.3	3	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	163	1.5	1	<1	<1	1	2	2	3	5
20-34	46	3.3	18	1	1	2	4	5	5	30
35-49	42	2.6	2	<1	1	2	3	5	5	6
50-64	111	3.1	6	1	1	3	4	5	7	14
65+	133	3.5	8	1	1	3	4	6	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	598	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	16	2.3	4	<1	<1	1	3	6	7	7
B. *Operated*	495	2.6	6	<1	<1	2	3	5	6	13
1. SINGLE DX	602	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	511	2.6	6	<1	<1	2	3	5	6	12
A. NOT OPERATED	20	2.3	3	<1	<1	1	3	5	6	7
B. OPERATED	1093	2.2	4	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	363	1.4	1	<1	<1	1	2	2	3	4
20-34	117	2.4	8	<1	1	2	3	4	5	14
35-49	127	2.1	2	<1	1	2	3	4	4	7
50-64	253	2.5	3	1	1	2	3	4	5	8
65+	253	3.1	5	1	1	3	4	5	7	13
GRAND TOTAL	**1113**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.6	6	1	1	4	5	6	8	12
20-34	82	3.6	4	1	1	3	5	6	7	9
35-49	46	4.0	7	1	1	4	5	7	8	15
50-64	22	4.7	4	1	2	5	6	7	8	8
65+	27	5.0	8	1	2	5	7	9	10	12
B. *Operated*										
0-19 YRS	25	2.2	3	<1	1	2	2	4	6	8
20-34	53	3.1	8	1	1	2	4	8	10	11
35-49	39	2.4	5	1	1	2	3	5	7	13
50-64	31	3.1	4	1	1	3	4	6	8	9
65+	20	5.2	12	2	2	4	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.4	11	<1	1	4	6	9	12	14
20-34	46	5.3	12	1	2	5	7	10	12	15
35-49	48	4.9	5	1	2	5	6	8	9	11
50-64	53	5.2	7	2	2	5	7	9	9	15
65+	106	6.6	17	2	3	6	8	12	14	24
B. *Operated*										
0-19 YRS	16	4.8	12	1	1	4	6	10	12	13
20-34	34	2.9	5	1	1	2	4	6	8	10
35-49	52	4.7	15	1	1	4	6	10	12	20
50-64	51	6.8	49	1	1	4	9	14	21	41
65+	90	9.3	59	2	2	7	13	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	4.0	5	1	1	4	5	7	8	12
B. *Operated*	168	3.0	7	1	1	2	4	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	273	5.7	12	2	2	5	7	10	12	16
B. *Operated*	243	6.6	42	1	1	4	8	14	19	38
1. SINGLE DX	382	3.6	6	1	1	3	5	7	8	13
2. MULTIPLE DX	516	6.1	26	1	2	5	7	12	15	28
A. NOT OPERATED	487	4.9	10	1	2	4	6	9	10	15
B. OPERATED	411	5.1	31	1	1	3	7	12	15	29
TOTAL 0-19 YRS	98	3.6	8	1	1	3	5	7	9	14
20-34	215	3.7	7	1	1	3	5	8	10	12
35-49	185	4.1	9	1	1	4	5	8	9	15
50-64	157	5.2	21	1	1	4	7	9	14	22
65+	243	7.3	34	2	2	6	9	14	18	32
GRAND TOTAL	**898**	**5.0**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	1.2		<1	<1	<1	1	2	2	3
20-34	7	1.4		<1	<1	1	2	2	2	2
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	269	1.1		<1	<1	<1	1	2	2	2
20-34	45	1.3		<1	<1	1	2	2	3	3
35-49	35	1.3		<1	<1	1	1	2	2	3
50-64	28	1.3		<1	<1	1	2	2	2	2
65+	15	1.7		<1	1	2	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	1.2		<1	<1	<1	1	2	3	3
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	5	1.0		<1	<1	<1	1	1	1	1
50-64	6	1.3	1	<1	<1	1	1	3	3	3
65+	9	4.2	50	1	1	2	3	15	23	23
B. Operated										
0-19 YRS	55	1.2		<1	<1	1	1	2	3	4
20-34	13	1.9	2	<1	<1	1	2	4	6	6
35-49	36	1.8	1	<1	<1	1	2	3	4	5
50-64	38	1.7	1	<1	<1	1	2	3	4	5
65+	47	3.6	12	<1	1	2	4	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	1.2		<1	<1	<1	1	2	2	4
B. Operated	392	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	46	1.8	11	<1	<1	1	1	3	3	23
B. Operated	189	2.1	5	<1	<1	1	2	4	6	12
1. SINGLE DX	472	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	235	2.0	6	<1	<1	1	2	4	5	13
A. NOT OPERATED	126	1.4	4	<1	<1	<1	1	2	3	9
B. OPERATED	581	1.5	2	<1	<1	1	2	2	3	8
TOTAL 0-19 YRS	412	1.2		<1	<1	<1	1	2	2	3
20-34	69	1.4	1	<1	<1	1	2	2	3	6
35-49	79	1.5	1	<1	<1	1	2	2	3	5
50-64	75	1.5	1	<1	<1	1	2	2	3	5
65+	72	3.3	15	<1	1	2	3	8	11	22
GRAND TOTAL	707	1.5	2	<1	<1	1	2	2	3	8

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.9	2	<1	<1	1	2	4	5	5
20-34	21	1.7	1	<1	1	1	2	3	4	4
35-49	9	3.8	27	<1	<1	1	4	12	17	17
50-64	16	1.8	3	<1	<1	<1	2	4	6	7
65+	3	1.3		<1	<1	<1	2	2	2	2
B. Operated										
0-19 YRS	406	1.4	1	<1	<1	1	2	2	3	4
20-34	242	1.8	2	<1	<1	1	2	3	4	10
35-49	151	2.2	6	<1	<1	1	2	4	7	15
50-64	185	2.9	6	<1	1	2	4	5	7	15
65+	102	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	2.4	6	<1	<1	2	3	5	8	12
20-34	15	2.8	5	<1	1	2	5	5	7	8
35-49	18	3.9	12	1	1	3	5	7	12	15
50-64	28	3.1	9	<1	<1	2	4	7	9	13
65+	28	8.4	68	1	1	7	10	14	22	44
B. Operated										
0-19 YRS	175	2.0	2	<1	1	2	2	4	5	8
20-34	173	2.5	4	<1	1	2	3	5	6	9
35-49	211	3.1	7	1	1	2	4	6	8	14
50-64	298	3.8	10	1	1	3	5	7	9	18
65+	235	4.5	22	1	2	3	5	8	11	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.0	5	<1	<1	1	2	4	5	15
B. Operated	1086	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	118	4.3	27	<1	<1	3	6	10	12	28
B. Operated	1092	3.3	10	1	1	2	4	6	9	18
1. SINGLE DX	1154	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	1210	3.4	12	1	1	2	4	7	9	18
A. NOT OPERATED	186	3.5	20	<1	<1	2	4	8	11	19
B. OPERATED	2178	2.7	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	629	1.7	2	<1	<1	1	2	3	4	7
20-34	451	2.1	3	<1	1	1	3	4	6	9
35-49	389	2.8	8	<1	1	2	3	6	8	15
50-64	527	3.4	8	<1	1	2	4	7	9	17
65+	368	4.3	22	1	1	3	5	8	11	25
GRAND TOTAL	2364	2.7	8	<1	1	2	3	5	7	15

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	5	1.2		1	1	1	2	2	2	2
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	29	1.4	1	<1	<1	1	2	2	3	4
20-34	312	1.8	2	<1	<1	1	2	4	5	6
35-49	967	1.9	2	<1	<1	1	2	4	5	7
50-64	621	1.8	1	<1	<1	2	2	3	4	6
65+	300	1.9	1	<1	<1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	7	1.7	1	<1	<1	1	2	4	4	4
50-64	6	1.7	1	<1	<1	1	2	3	3	3
65+	4	2.3	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	3	3	3
20-34	184	2.8	5	<1	<1	2	4	6	7	9
35-49	633	2.8	4	<1	<1	2	4	5	6	9
50-64	475	2.8	6	<1	<1	2	3	6	7	11
65+	293	3.1	6	<1	1	2	4	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	2229	1.8	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	21	1.8	1	<1	<1	2	2	3	4	4
B. *Operated*	1593	2.8	5	<1	<1	2	4	6	7	11
1. SINGLE DX	2239	1.8	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX	1614	2.8	5	<1	<1	2	4	5	7	11
A. NOT OPERATED	31	1.7	1	<1	<1	1	2	3	4	4
B. OPERATED	3822	2.2	3	<1	<1	2	3	5	6	9
TOTAL 0-19 YRS	38	1.5	1	<1	<1	1	2	3	3	4
20-34	499	2.2	3	<1	<1	1	3	5	6	9
35-49	1610	2.2	3	<1	<1	2	3	5	6	8
50-64	1107	2.2	3	<1	<1	2	2	4	6	10
65+	599	2.5	4	<1	1	2	3	4	6	10
GRAND TOTAL	**3853**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.8	4	2	2	3	4	5	9	10
20-34	27	2.8	1	1	2	3	3	4	5	7
35-49	16	3.3	6	<1	<1	3	5	8	8	8
50-64	6	1.7	1	<1	<1	1	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	225	2.2	2	<1	<1	2	3	4	5	6
20-34	376	2.6	2	<1	<1	2	3	4	5	8
35-49	272	2.6	3	<1	<1	2	4	5	5	8
50-64	232	2.5	2	<1	<1	2	3	4	5	7
65+	131	2.5	2	<1	<1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	4	1	1	4	5	7	8	8
20-34	20	2.2	1	1	1	2	3	4	4	5
35-49	21	2.6	3	<1	<1	2	4	5	6	6
50-64	17	4.4	28	<1	<1	2	6	13	17	19
65+	27	4.2	18	<1	<1	2	5	13	14	15
B. *Operated*										
0-19 YRS	68	3.0	4	<1	1	3	4	5	8	11
20-34	200	3.1	5	1	1	3	4	6	7	11
35-49	264	3.7	6	<1	1	3	5	6	8	14
50-64	214	3.6	11	<1	1	3	4	6	9	20
65+	166	3.6	14	1	1	3	4	6	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.0	3	<1	1	3	3	5	7	10
B. *Operated*	1236	2.5	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	94	3.4	12	<1	<1	2	4	7	13	17
B. *Operated*	912	3.5	8	1	1	3	4	6	8	17
1. SINGLE DX	1300	2.5	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1006	3.5	9	<1	1	3	4	6	8	17
A. NOT OPERATED	158	3.3	8	<1	<1	3	4	6	9	15
B. OPERATED	2148	2.9	5	<1	<1	2	4	5	6	12
TOTAL 0-19 YRS	317	2.5	2	<1	1	2	3	4	5	9
20-34	623	2.7	3	<1	<1	2	4	5	6	9
35-49	573	3.1	5	<1	<1	3	4	5	7	11
50-64	469	3.1	8	<1	1	2	4	6	7	17
65+	324	3.2	10	<1	1	2	4	6	9	17
GRAND TOTAL	**2306**	**2.9**	**5**	**<1**	**<1**	**2**	**4**	**5**	**6**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	1.8	1	<1	1	2	2	3	4	7
20-34	348	1.9	2	1	1	2	2	4	4	6
35-49	76	1.8	1	<1	1	1	2	4	4	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	331	3.3	3	1	1	3	4	5	7	9
20-34	1076	3.6	4	1	1	4	5	6	7	9
35-49	260	4.6	4	1	2	5	6	7	7	11
50-64	42	5.0	3	1	3	5	6	7	8	8
65+	23	7.7	15	4	5	6	8	14	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	2.3	2	<1	<1	2	3	4	5	8
20-34	238	2.5	3	1	1	2	3	5	6	8
35-49	92	2.6	3	<1	1	2	4	5	7	9
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	288	3.9	4	1	1	4	5	6	8	10
20-34	2035	4.6	6	1	1	5	6	7	9	12
35-49	851	5.6	6	2	3	5	6	8	10	15
50-64	116	6.4	6	2	4	6	7	9	11	15
65+	76	8.3	31	4	5	7	10	12	15	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	581	1.9	2	<1	1	2	2	3	4	6
B. *Operated*	1732	3.8	4	1	1	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	418	2.5	3	<1	1	2	3	5	6	8
B. *Operated*	3366	4.9	7	1	2	5	6	8	9	13
1. SINGLE DX	2313	3.3	4	1	1	3	5	6	7	9
2. MULTIPLE DX	3784	4.7	7	1	1	5	6	7	9	13
A. NOT OPERATED	999	2.1	2	<1	1	2	3	4	5	7
B. OPERATED	5098	4.6	6	1	1	5	6	7	8	13
TOTAL 0-19 YRS	855	3.1	4	1	1	3	4	5	7	9
20-34	3697	3.9	6	1	1	4	5	6	8	11
35-49	1279	5.0	6	1	1	5	6	7	9	14
50-64	163	5.9	6	2	3	6	7	8	10	14
65+	103	8.0	27	4	5	6	9	12	15	34
GRAND TOTAL	**6097**	**4.2**	**6**	**1**	**1**	**4**	**5**	**7**	**8**	**12**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	393	3.7	3	1	2	3	5	6	7	9
20-34	1051	3.8	4	1	2	3	5	6	8	10
35-49	156	4.1	6	1	2	4	5	6	7	10
50-64	3	5.0	3	4	4	4	6	7	7	7
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	122	4.4	15	<1	<1	4	6	8	10	20
20-34	793	4.1	8	<1	<1	4	5	7	9	13
35-49	204	4.8	9	<1	1	5	6	9	10	14
50-64	23	6.1	14	2	3	5	8	9	14	20
65+	8	5.3	14	2	2	4	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	255	4.2	5	1	2	4	5	7	8	13
20-34	809	4.3	5	1	2	4	5	7	9	12
35-49	151	4.5	7	1	2	4	6	8	9	12
50-64	11	5.9	15	3	3	4	8	12	15	15
65+	6	7.2	23	2	2	7	12	12	12	12
B. *Operated*										
0-19 YRS	242	5.4	11	1	2	5	7	9	11	16
20-34	2706	5.1	9	<1	1	5	6	8	10	16
35-49	911	6.3	15	1	2	6	7	10	13	22
50-64	123	7.0	10	2	4	6	8	11	14	18
65+	39	11.9	57	4	4	10	18	22	27	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1605	3.8	4	1	2	4	5	6	7	10
B. *Operated*	1150	4.3	9	<1	<1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1232	4.3	6	1	2	4	5	7	9	13
B. *Operated*	4021	5.5	12	1	1	5	6	9	12	19
1. SINGLE DX	2755	4.0	6	1	1	4	5	7	8	12
2. MULTIPLE DX	5253	5.2	11	1	2	5	6	8	11	18
A. NOT OPERATED	2837	4.0	5	1	2	4	5	7	8	11
B. OPERATED	5171	5.2	12	<1	1	5	6	8	11	18
TOTAL 0-19 YRS	1012	4.3	7	1	2	4	5	7	8	14
20-34	5359	4.6	8	1	1	4	6	7	9	14
35-49	1422	5.7	13	1	2	5	7	9	12	20
50-64	160	6.8	11	2	3	6	8	11	14	19
65+	55	10.1	53	2	3	8	14	21	24	34
GRAND TOTAL	**8008**	**4.8**	**10**	**1**	**1**	**5**	**6**	**8**	**10**	**16**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	35	2.6	7	<1	<1	2	3	4	5	16
35-49	6	3.3	4	2	2	3	4	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	28	2.4	3	<1	<1	2	4	5	5	5
20-34	593	3.7	5	<1	<1	4	5	6	7	9
35-49	308	4.8	4	1	1	5	6	7	8	9
50-64	23	4.7	3	<1	1	5	6	6	7	7
65+	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	42	3.1	8	<1	<1	2	4	6	7	16
35-49	25	2.2	4	<1	<1	1	3	6	6	7
50-64	3	1.0		<1	<1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	47	3.9	5	<1	1	4	5	7	8	10
20-34	2426	4.9	5	<1	1	5	6	7	8	12
35-49	2634	5.8	4	3	4	6	7	8	9	13
50-64	318	6.3	4	4	5	6	7	8	9	12
65+	56	6.8	6	2	4	7	8	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.7	6	<1	1	2	3	4	6	16
B. *Operated*	955	4.0	5	<1	<1	5	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	74	2.6	6	<1	<1	1	4	6	7	14
B. *Operated*	5481	5.4	5	1	3	5	6	8	9	12
1. SINGLE DX	998	4.0	5	<1	<1	4	5	6	7	9
2. MULTIPLE DX	5555	5.4	5	1	3	5	6	8	9	12
A. NOT OPERATED	117	2.7	6	<1	<1	2	3	5	7	16
B. OPERATED	6436	5.2	5	1	2	5	6	7	8	12
TOTAL 0-19 YRS	81	3.2	5	<1	<1	3	5	6	7	10
20-34	3096	4.6	5	<1	1	5	6	7	8	12
35-49	2973	5.6	5	2	4	6	6	8	9	12
50-64	344	6.2	5	3	5	6	7	8	9	11
65+	59	6.6	7	1	4	7	8	9	12	14
GRAND TOTAL	**6553**	**5.2**	**5**	**1**	**2**	**5**	**6**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	31	2.7	4	<1	<1	1	5	6	6	6
35-49	23	2.7	6	<1	<1	1	5	6	8	9
50-64	11	1.9	2	<1	<1	2	2	4	5	5
65+	7	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	2.0		<1	1	2	2	3	3	3
35-49	3	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.2	3	<1	<1	1	4	5	5	5
20-34	214	4.6	8	1	1	5	6	8	9	15
35-49	263	5.1	6	<1	1	5	6	7	9	14
50-64	77	4.0	7	<1	<1	4	6	7	8	10
65+	23	3.7	7	<1	<1	3	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	73	2.4	4	<1	<1	1	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	14	2.4	3	<1	1	2	2	3	7	8
B. *Operated*	583	4.7	7	<1	1	5	6	7	9	14
1. SINGLE DX	74	2.4	4	<1	<1	1	4	6	6	9
2. MULTIPLE DX	597	4.6	7	<1	1	5	6	7	8	14
A. NOT OPERATED	15	2.5	3	<1	2	2	2	4	7	8
B. OPERATED	656	4.4	7	<1	1	5	6	7	8	14
TOTAL 0-19 YRS	8	2.8	7	<1	<1	1	4	7	8	8
20-34	256	4.3	7	<1	1	5	6	7	8	15
35-49	289	4.9	7	<1	1	5	6	7	9	14
50-64	88	3.7	7	<1	<1	3	6	7	8	10
65+	30	3.1	7	<1	<1	2	5	7	8	9
GRAND TOTAL	**671**	**4.4**	**7**	**<1**	**1**	**5**	**6**	**7**	**8**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.0	3	<1	<1	1	2	4	6	7
20-34	83	3.0	2	1	1	3	4	5	6	7
35-49	13	3.8	6	<1	<1	4	5	7	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	27	1.8	1	<1	<1	1	3	3	4	5
20-34	198	1.7	2	<1	<1	1	2	3	4	9
35-49	117	1.6	1	<1	<1	1	2	3	4	7
50-64	34	1.5	1	<1	<1	1	2	3	3	4
65+	13	2.7	10	<1	<1	2	3	6	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.6	4	1	1	3	5	6	7	11
20-34	113	3.8	4	1	2	4	5	6	8	9
35-49	15	3.8	6	1	1	4	4	5	10	11
50-64	12	4.9	2	3	3	5	6	7	7	7
65+	21	6.1	17	2	3	5	8	11	15	18
B. *Operated*										
0-19 YRS	31	2.9	7	<1	<1	2	5	6	6	13
20-34	229	4.0	13	<1	<1	3	5	7	10	19
35-49	130	3.4	7	<1	<1	2	5	7	8	10
50-64	40	3.5	12	<1	1	2	5	7	10	18
65+	30	5.7	22	1	1	5	9	12	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	389	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	204	4.1	6	1	2	4	5	7	8	12
B. *Operated*	460	3.8	12	<1	<1	3	5	8	9	18
1. SINGLE DX	502	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX	664	3.9	10	<1	1	3	5	7	9	17
A. NOT OPERATED	317	3.7	5	1	1	3	5	6	8	11
B. OPERATED	849	2.8	8	<1	<1	2	4	6	8	13
TOTAL 0-19 YRS	116	2.8	5	<1	<1	2	4	5	7	12
20-34	623	3.1	7	<1	<1	2	4	6	7	13
35-49	275	2.7	5	<1	<1	2	4	6	8	10
50-64	87	2.9	7	<1	<1	2	4	6	7	16
65+	65	5.2	19	1	1	3	8	11	13	20
GRAND TOTAL	**1166**	**3.1**	**7**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	3.5	12	1	1	3	6	6	6	6
65+	6	4.0	19	1	1	2	6	11	12	12
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	177	4.9	3	1	2	5	6	7	8	9
35-49	328	5.3	4	2	3	5	6	7	8	10
50-64	455	5.7	5	3	3	6	7	8	9	12
65+	450	6.2	6	3	4	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	11	1.5	3	<1	<1	1	1	4	7	7
35-49	16	1.5	1	<1	<1	1	2	3	4	5
50-64	24	2.5	6	<1	<1	1	4	7	8	8
65+	36	3.6	8	<1	1	3	5	8	10	12
B. *Operated*										
0-19 YRS	9	5.9	4	2	3	6	7	8	8	8
20-34	874	5.7	3	3	4	6	6	8	9	11
35-49	1913	6.1	4	4	4	6	7	8	9	13
50-64	1546	6.5	6	4	4	6	7	9	10	15
65+	1585	7.2	11	4	4	7	8	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.4	12	<1	<1	2	5	9	12	12
B. *Operated*	1412	5.7	5	2	3	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	88	2.7	6	<1	<1	1	4	7	8	12
B. *Operated*	5927	6.4	6	4	4	6	7	9	10	15
1. SINGLE DX	1423	5.7	5	2	3	6	7	8	9	12
2. MULTIPLE DX	6015	6.4	7	3	4	6	7	9	10	15
A. NOT OPERATED	99	2.8	7	<1	<1	1	4	7	8	12
B. OPERATED	7339	6.3	6	3	4	6	7	9	10	15
TOTAL 0-19 YRS	12	5.8	5	2	2	6	7	8	8	8
20-34	1063	5.5	3	3	4	5	6	7	8	11
35-49	2259	5.9	4	3	4	6	7	8	9	12
50-64	2027	6.3	6	3	4	6	7	9	10	14
65+	2077	6.9	10	3	4	6	8	10	12	19
GRAND TOTAL	**7438**	**6.2**	**6**	**3**	**4**	**6**	**7**	**9**	**10**	**15**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	43	1.5	2	<1	<1	<1	1	3	6	6
35-49	58	1.5	2	<1	<1	<1	1	2	5	8
50-64	7	1.0		<1	<1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	2.2	5	1	1	1	3	6	6	6
35-49	5	2.8	5	<1	<1	2	4	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	69	3.3	6	<1	<1	3	5	6	7	11
35-49	108	3.4	7	<1	<1	2	5	7	9	10
50-64	22	2.1	3	<1	<1	1	3	5	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.3		1	1	1	2	2	2	2
B. Operated	110	1.5	2	<1	<1	<1	1	2	5	7
2. MULTIPLE DX										
A. Not Operated	12	2.5	4	<1	<1	2	3	6	6	6
B. Operated	200	3.2	6	<1	<1	2	5	7	8	10
1. SINGLE DX	117	1.5	2	<1	<1	1	1	2	5	7
2. MULTIPLE DX	212	3.2	6	<1	<1	2	5	7	8	10
A. NOT OPERATED	19	2.1	3	<1	1	1	2	5	6	6
B. OPERATED	310	2.6	5	<1	<1	1	4	6	7	10
TOTAL 0-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
20-34	121	2.6	5	<1	<1	1	4	6	6	10
35-49	172	2.7	6	<1	<1	1	4	7	8	10
50-64	29	1.8	3	<1	<1	1	2	5	6	6
65+										
GRAND TOTAL	**329**	**2.6**	**5**	**<1**	**<1**	**1**	**4**	**6**	**7**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.1	3	<1	<1	2	3	3	7	8
20-34	67	1.4	1	<1	<1	1	2	2	3	4
35-49	27	1.4		<1	<1	1	2	2	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. Operated										
0-19 YRS	85	1.3	1	<1	<1	1	1	2	2	6
20-34	869	1.8	2	<1	<1	1	2	5	5	7
35-49	1152	1.8	4	<1	<1	1	2	5	6	7
50-64	143	1.5	2	<1	<1	<1	1	2	5	8
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	1.8	1	1	1	2	2	3	4	7
20-34	105	2.0	3	<1	<1	1	3	4	5	9
35-49	92	2.1	3	<1	<1	1	3	5	6	9
50-64	12	1.8	3	<1	<1	1	2	5	6	6
65+										
B. Operated										
0-19 YRS	71	2.3	4	<1	<1	2	3	5	6	11
20-34	1797	4.0	7	<1	<1	4	6	7	8	11
35-49	3053	4.3	9	<1	<1	5	6	7	8	12
50-64	343	3.8	7	<1	<1	4	6	7	8	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	1.5	1	<1	<1	1	2	3	3	6
B. Operated	2249	1.8	3	<1	<1	1	2	5	5	7
2. MULTIPLE DX										
A. Not Operated	249	2.0	3	<1	<1	1	2	4	6	8
B. Operated	5264	4.2	8	<1	<1	5	6	7	8	11
1. SINGLE DX	2361	1.8	3	<1	<1	1	2	5	5	7
2. MULTIPLE DX	5513	4.1	8	<1	<1	4	6	7	8	11
A. NOT OPERATED	361	1.9	2	<1	<1	1	2	3	5	8
B. OPERATED	7513	3.4	8	<1	<1	3	5	7	7	10
TOTAL 0-19 YRS	212	1.8	2	<1	<1	1	2	3	5	8
20-34	2838	3.2	6	<1	<1	2	5	6	7	9
35-49	4324	3.6	9	<1	<1	4	6	7	8	11
50-64	500	3.0	6	<1	<1	2	5	6	7	10
65+										
GRAND TOTAL	**7874**	**3.4**	**7**	**<1**	**<1**	**2**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	5	2.8	4	<1	<1	3	4	6	6	6
65+	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	1.7	1	<1	<1	2	2	3	3	3
35-49	119	1.4	1	<1	<1	<1	1	3	4	7
50-64	476	1.2		<1	<1	<1	1	2	2	5
65+	187	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	2.1	2	<1	<1	2	3	4	5	5
50-64	22	2.7	4	<1	<1	2	5	6	7	7
65+	21	4.0	9	<1	1	3	6	8	10	12
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	4.1	8	<1	<1	5	6	7	9	10
35-49	128	3.5	7	<1	<1	2	6	7	8	11
50-64	567	2.5	6	<1	<1	1	3	6	7	10
65+	375	2.9	9	<1	<1	2	3	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.0	2	<1	<1	2	3	4	5	6
B. *Operated*	792	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	56	3.1	6	<1	<1	3	4	7	8	12
B. *Operated*	1084	2.8	7	<1	<1	2	4	6	8	11
1. SINGLE DX	806	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	1140	2.8	7	<1	<1	2	4	6	8	11
A. NOT OPERATED	70	2.9	5	<1	<1	2	3	6	8	11
B. OPERATED	1876	2.2	5	<1	<1	1	2	6	7	10
TOTAL 0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	22	3.1	6	<1	<1	2	5	6	8	10
35-49	264	2.5	5	<1	<1	1	4	6	7	11
50-64	1070	2.0	4	<1	<1	1	2	5	6	9
65+	588	2.5	7	<1	<1	2	2	6	8	13
GRAND TOTAL	**1946**	**2.2**	**5**	**<1**	**<1**	**1**	**2**	**6**	**7**	**10**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.4	2	<1	<1	2	4	4	5	5
20-34	57	2.3	3	<1	<1	2	3	5	7	9
35-49	15	1.5		<1	<1	1	2	2	3	3
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	6	5.2	27	1	1	4	6	14	15	15
B. *Operated*										
0-19 YRS	67	2.7	4	<1	<1	2	4	5	6	9
20-34	889	2.2	4	<1	<1	1	3	5	6	9
35-49	606	2.6	7	<1	<1	1	4	6	7	9
50-64	345	2.5	6	<1	<1	1	3	6	7	11
65+	121	2.4	4	<1	<1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	2	<1	<1	1	3	4	6	6
20-34	72	2.7	6	<1	<1	2	3	6	8	14
35-49	34	4.1	11	1	1	3	6	8	10	14
50-64	13	2.8	6	<1	<1	2	4	7	8	8
65+	38	7.6	93	1	1	5	9	13	34	45
B. *Operated*										
0-19 YRS	82	3.6	5	<1	1	4	5	6	7	12
20-34	1381	4.0	10	<1	<1	4	6	7	8	12
35-49	1740	4.3	8	<1	<1	5	6	7	8	12
50-64	964	4.6	23	<1	<1	5	6	8	10	19
65+	439	5.5	40	<1	<1	4	7	11	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.4	5	<1	<1	2	3	5	7	12
B. *Operated*	2028	2.4	5	<1	<1	1	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	170	4.0	30	<1	1	2	5	8	11	38
B. *Operated*	4606	4.4	15	<1	<1	4	6	7	9	16
1. SINGLE DX	2122	2.4	5	<1	<1	1	3	6	7	9
2. MULTIPLE DX	4776	4.4	16	<1	<1	4	6	8	9	17
A. NOT OPERATED	264	3.5	21	<1	<1	2	4	8	10	21
B. OPERATED	6634	3.8	13	<1	<1	3	6	7	8	15
TOTAL 0-19 YRS	175	3.1	4	<1	<1	3	4	5	6	11
20-34	2399	3.3	9	<1	<1	2	5	6	8	12
35-49	2395	3.9	8	<1	<1	4	6	7	8	11
50-64	1325	4.0	19	<1	<1	3	6	8	9	17
65+	604	5.0	37	<1	<1	3	7	10	15	37
GRAND TOTAL	**6898**	**3.8**	**13**	**<1**	**<1**	**3**	**6**	**7**	**8**	**15**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	1.9	2	<1	1	2	2	3	5	7
20-34	162	2.1	4	<1	<1	2	3	4	5	10
35-49	30	3.0	3	<1	1	3	4	5	6	9
50-64	3	6.0	3	4	4	7	7	7	7	7
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	71	2.0	2	<1	<1	1	2	4	5	8
20-34	708	2.8	4	<1	<1	2	4	6	7	9
35-49	435	4.9	7	<1	1	5	7	8	9	1
50-64	304	6.2	5	3	4	6	8	9	10	14
65+	179	6.9	8	3	4	7	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	2.1	5	<1	<1	2	2	4	4	15
20-34	215	2.2	3	<1	<1	2	3	5	6	9
35-49	74	2.2	6	<1	<1	1	3	4	6	16
50-64	19	3.1	4	1	1	3	5	6	7	7
65+	29	5.3	31	<1	<1	3	8	13	17	25
B. *Operated*										
0-19 YRS	71	3.3	12	<1	<1	2	5	7	9	21
20-34	2177	4.2	5	<1	<1	5	6	7	8	10
35-49	1514	5.7	6	1	3	6	7	8	10	13
50-64	528	6.9	8	3	4	7	8	10	12	17
65+	334	8.1	17	4	4	8	9	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	1697	4.4	8	<1	<1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	414	2.5	7	<1	<1	2	3	5	7	15
B. *Operated*	4624	5.3	8	<1	1	5	7	8	10	14
1. SINGLE DX	2004	4.0	8	<1	<1	4	6	8	9	11
2. MULTIPLE DX	5038	5.1	9	<1	1	5	6	8	10	14
A. NOT OPERATED	721	2.3	5	<1	<1	2	3	4	6	12
B. OPERATED	6321	5.0	8	<1	1	5	7	8	10	14
TOTAL 0-19 YRS	329	2.2	5	<1	<1	2	3	5	6	9
20-34	3262	3.7	6	<1	<1	4	5	6	7	10
35-49	2053	5.4	7	<1	1	5	7	8	10	13
50-64	854	6.6	7	3	4	6	8	10	11	15
65+	544	7.6	15	3	4	7	9	12	14	22
GRAND TOTAL	**7042**	**4.8**	**9**	**<1**	**1**	**5**	**6**	**8**	**9**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	17	1.6	1	<1	<1	1	2	3	4	4
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	74	4.0	1	2	3	4	5	5	6	7
20-34	1423	4.0	2	2	3	4	5	5	6	8
35-49	138	4.0	2	2	3	4	5	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	4	<1	<1	3	5	6	6	6
20-34	14	3.0	6	<1	1	2	5	7	8	8
35-49	4	2.8	3	<1	<1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	86	4.5	4	2	3	4	5	7	8	15
20-34	1556	4.3	2	2	3	4	5	6	7	9
35-49	206	4.8	13	2	3	4	5	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	1635	4.0	2	2	3	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	22	3.0	5	<1	<1	2	5	6	7	8
B. *Operated*	1848	4.4	3	2	3	4	5	6	7	10
1. SINGLE DX	1657	3.9	2	2	3	4	5	5	6	8
2. MULTIPLE DX	1870	4.3	4	2	3	4	5	6	7	10
A. NOT OPERATED	44	2.3	3	<1	<1	2	3	5	6	8
B. OPERATED	3483	4.2	3	2	3	4	5	6	6	9
TOTAL 0-19 YRS	165	4.3	3	2	3	4	5	6	7	9
20-34	3010	4.1	2	2	3	4	5	5	6	9
35-49	352	4.4	9	2	3	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	**3527**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.1		<1	<1	1	1	2	2	2
20-34	23	1.3		<1	<1	1	1	3	3	3
35-49	13	1.3		1	1	1	2	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	323	1.1		<1	<1	<1	1	1	2	3
20-34	686	1.2	1	<1	<1	<1	1	1	2	5
35-49	70	1.2		<1	<1	<1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	21	1.5	1	<1	<1	1	2	2	4	5
35-49	6	1.7	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	94	1.9	4	<1	<1	1	2	4	5	12
20-34	536	1.9	4	<1	<1	1	2	4	6	9
35-49	175	1.7	5	<1	<1	1	2	3	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.2		<1	<1	1	1	2	3	3
B. *Operated*	1079	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	30	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	805	1.9	4	<1	<1	1	2	4	5	9
1. SINGLE DX	1135	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	835	1.9	4	<1	<1	1	2	4	5	9
A. NOT OPERATED	86	1.4	1	<1	<1	1	2	2	3	5
B. OPERATED	1884	1.5	2	<1	<1	1	1	2	4	8
TOTAL 0-19 YRS	440	1.3	1	<1	<1	1	1	2	3	5
20-34	1266	1.5	2	<1	<1	1	1	3	4	8
35-49	264	1.6	3	<1	<1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**1970**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**4**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0	2	1	1	2	3	3	3	3
1. SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX	2	2.0	2	1	1	2	3	3	3	3
A. NOT OPERATED										
B. OPERATED	3	1.7	1	<1	<1	1	2	3	3	3
TOTAL 0-19 YRS										
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49										
50-64										
65+										
GRAND TOTAL	**3**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**3**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	1.4	1	<1	<1	1	1	2	3	8
20-34	459	1.3	1	<1	<1	1	1	2	2	5
35-49	41	1.5	2	<1	<1	1	1	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	642	1.2	1	<1	<1	1	1	2	2	5
20-34	4124	1.2	1	<1	<1	1	1	2	2	4
35-49	626	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.8	2	<1	<1	1	2	4	5	6
20-34	95	2.2	5	<1	<1	1	2	5	7	12
35-49	22	1.5	1	<1	<1	1	2	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	141	1.9	2	<1	<1	1	2	4	5	7
20-34	900	1.8	3	<1	<1	1	2	4	5	10
35-49	174	2.0	9	<1	<1	1	2	3	5	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	598	1.3	1	<1	<1	1	1	2	2	6
B. *Operated*	5392	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	150	2.0	4	<1	<1	1	2	4	6	9
B. *Operated*	1215	1.9	4	<1	<1	1	2	4	5	10
1. SINGLE DX	5990	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1365	1.9	4	<1	<1	1	2	4	5	10
A. NOT OPERATED	748	1.4	2	<1	<1	1	1	2	3	7
B. OPERATED	6607	1.3	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	914	1.4	1	<1	<1	1	1	2	3	6
20-34	5578	1.3	2	<1	<1	1	1	2	3	6
35-49	863	1.3	2	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**7355**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.6	2	<1	1	3	4	4	5	5
20-34	190	1.8	2	<1	<1	1	2	4	5	7
35-49	19	1.7	2	<1	<1	1	2	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	97	1.7	1	<1	<1	1	2	3	4	7
20-34	910	1.3	1	<1	<1	1	1	2	3	4
35-49	174	1.3	1	<1	<1	1	1	2	3	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.5	3	<1	1	2	3	6	6	6
20-34	57	2.8	6	<1	1	2	4	6	8	13
35-49	9	2.8	6	<1	<1	1	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	49	3.6	35	<1	1	2	3	5	12	40
20-34	377	2.3	4	<1	<1	1	3	5	6	11
35-49	74	2.4	3	<1	1	2	3	6	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	2.0	2	<1	<1	1	3	4	5	7
B. *Operated*	1181	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	82	2.8	6	<1	1	2	4	6	8	12
B. *Operated*	500	2.4	7	<1	<1	1	3	5	6	12
1. SINGLE DX	1437	1.4	1	<1	<1	1	1	3	4	5
2. MULTIPLE DX	582	2.5	7	<1	1	2	3	5	7	12
A. NOT OPERATED	338	2.2	3	<1	<1	1	3	4	5	8
B. OPERATED	1681	1.7	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	209	2.4	10	<1	<1	2	3	4	5	12
20-34	1534	1.7	2	<1	<1	1	2	3	4	8
35-49	276	1.7	2	<1	<1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	**2019**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.4		<1	<1	1	2	2	3	4
20-34	378	1.7	1	<1	<1	1	2	3	4	6
35-49	29	1.7	1	<1	<1	1	2	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	28	1.8	1	<1	<1	1	3	4	4	5
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	2	<1	1	2	3	3	6	7
20-34	107	2.4	3	1	1	2	3	4	6	9
35-49	11	2.4	2	<1	<1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
20-34	21	1.9	2	<1	1	1	2	4	5	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	39	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	134	2.4	3	<1	1	2	3	4	6	9
B. *Operated*	24	2.0	2	<1	1	1	3	4	5	6
1. SINGLE DX	514	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	158	2.3	3	<1	1	2	3	4	6	9
A. NOT OPERATED	609	1.8	1	<1	<1	1	2	3	4	7
B. OPERATED	63	1.9	2	<1	<1	1	3	4	5	6
TOTAL 0-19 YRS	93	1.5	1	<1	<1	1	2	3	3	6
20-34	534	1.9	2	<1	1	1	2	3	4	6
35-49	45	1.9	2	<1	<1	2	2	4	5	6
50-64										
65+										
GRAND TOTAL	**672**	**1.8**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	28	2.1	6	<1	<1	1	2	3	8	13
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	6.5	61	1	1	6	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	17	1.5	1	<1	<1	1	2	2	3	4
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.9	5	<1	<1	1	2	3	6	13
B. *Operated*	5	3.4	23	<1	<1	1	4	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	20	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
1. SINGLE DX	40	2.1	7	<1	<1	1	2	3	9	13
2. MULTIPLE DX	22	1.5	1	<1	<1	1	2	3	3	4
A. NOT OPERATED	55	1.8	3	<1	<1	1	2	3	4	13
B. OPERATED	7	2.9	16	<1	<1	1	2	10	12	12
TOTAL 0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	49	1.8	4	<1	<1	1	2	3	4	13
35-49	5	3.8	22	<1	<1	2	5	12	12	12
50-64										
65+										
GRAND TOTAL	**62**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**13**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.6	4	1	1	2	3	5	6	11
20-34	623	2.6	5	<1	1	2	3	5	6	11
35-49	48	2.8	6	<1	<1	2	3	5	7	16
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.1	3	1	1	3	4	6	6	6
20-34	93	2.7	5	<1	<1	2	4	5	7	12
35-49	10	2.4	4	<1	<1	2	3	6	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.3	10	1	1	2	4	6	8	19
20-34	229	3.4	14	<1	1	3	4	6	9	25
35-49	31	3.4	9	<1	1	3	4	6	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	15	4.4	17	<1	<1	3	6	9	14	16
20-34	94	3.2	16	<1	<1	2	3	6	12	22
35-49	12	3.3	9	<1	<1	2	6	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	779	2.6	5	<1	1	2	3	5	6	12
B. *Operated*	119	2.7	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	296	3.4	13	<1	1	2	4	6	9	22
B. *Operated*	121	3.3	15	<1	<1	2	4	7	12	21
1. SINGLE DX	898	2.6	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	417	3.4	13	<1	<1	2	4	7	9	21
A. NOT OPERATED	1075	2.8	7	<1	1	2	3	5	7	15
B. OPERATED	240	3.0	10	<1	<1	2	4	7	8	16
TOTAL 0-19 YRS	175	3.0	6	1	1	2	4	6	7	16
20-34	1039	2.8	8	<1	1	2	3	5	7	14
35-49	101	3.0	7	<1	<1	2	4	6	8	16
50-64										
65+										
GRAND TOTAL	**1315**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	2.8	4	1	1	2	3	5	7	10
20-34	1039	3.3	5	1	1	3	4	6	7	11
35-49	32	3.7	5	2	2	3	4	6	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.5	3	1	1	3	4	6	7	7
20-34	36	5.4	31	1	2	4	6	9	20	27
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.2	8	<1	1	3	4	5	6	21
20-34	400	3.6	8	1	1	3	4	7	8	16
35-49	17	3.8	3	1	1	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.3	5	2	2	4	5	8	9	9
20-34	35	5.5	68	1	1	3	6	10	12	49
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1244	3.3	5	1	1	3	4	6	7	11
B. *Operated*	45	5.0	26	1	2	3	5	8	17	27
2. MULTIPLE DX										
A. *Not Operated*	487	3.5	8	1	1	3	4	6	8	16
B. *Operated*	44	5.3	55	1	1	3	5	9	12	49
1. SINGLE DX	1289	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	531	3.7	12	1	1	3	4	7	9	17
A. NOT OPERATED	1731	3.3	6	1	1	3	4	6	7	13
B. OPERATED	89	5.1	40	1	1	3	5	9	13	40
TOTAL 0-19 YRS	259	3.0	5	1	1	2	4	5	7	10
20-34	1510	3.5	8	1	1	3	4	6	8	14
35-49	51	3.7	4	1	2	4	4	6	7	12
50-64										
65+										
GRAND TOTAL	**1820**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	663	1.1		<1	<1	<1	1	1	1	3
20-34	1262	1.1	1	<1	<1	<1	1	1	2	4
35-49	209	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	108	1.1		<1	<1	<1	1	1	1	5
20-34	505	1.2	1	<1	<1	<1	1	1	2	5
35-49	26	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	1.2		<1	<1	1	1	2	3	4
20-34	331	1.7	8	<1	<1	1	2	3	4	14
35-49	26	1.4	2	<1	<1	1	1	2	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.6	1	<1	<1	1	2	3	5	5
20-34	97	1.7	3	<1	<1	1	2	3	4	10
35-49	5	2.4	10	<1	<1	1	3	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4134	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	639	1.1	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	413	1.6	6	<1	<1	1	1	3	4	11
B. *Operated*	131	1.7	2	<1	<1	1	2	3	5	10
1. SINGLE DX	4773	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	544	1.7	5	<1	<1	1	2	3	4	10
A. NOT OPERATED	4547	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	770	1.2	1	<1	<1	<1	1	2	2	6
TOTAL 0-19 YRS	856	1.1		<1	<1	<1	1	1	2	4
20-34	4195	1.2	1	<1	<1	<1	1	1	2	5
35-49	266	1.2	1	<1	<1	<1	1	1	2	7
50-64										
65+										
GRAND TOTAL	**5317**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**9**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	2	1	1	2	3	4	5	7
20-34	319	2.8	13	<1	<1	2	3	6	8	19
35-49	35	4.3	89	<1	<1	2	4	6	10	57
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	44	3.3	12	<1	1	2	4	6	9	21
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	14	<1	<1	3	5	10	12	12
20-34	91	4.4	43	1	1	3	4	8	14	42
35-49	12	3.9	24	<1	1	3	4	9	18	19
50-64										
65+										
B. *Operated*										
0-19 YRS	2	16.0	200	6	6	16	26	26	26	26
20-34	26	5.4	39	<1	1	3	6	11	23	27
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	2.9	19	<1	<1	2	3	6	8	19
B. *Operated*	50	3.0	11	1	1	2	3	6	8	21
2. MULTIPLE DX										
A. *Not Operated*	111	4.3	39	1	1	3	4	8	14	38
B. *Operated*	28	6.2	51	1	1	4	6	19	26	27
1. SINGLE DX	432	3.0	18	<1	1	2	3	6	8	20
2. MULTIPLE DX	139	4.7	41	1	1	3	4	9	19	33
A. NOT OPERATED	493	3.3	24	<1	1	2	3	6	9	26
B. OPERATED	78	4.2	27	1	1	2	5	8	17	27
TOTAL 0-19 YRS	42	3.2	18	<1	1	2	4	6	9	26
20-34	480	3.3	20	<1	1	2	3	7	10	26
35-49	49	4.1	69	<1	<1	2	4	6	11	57
50-64										
65+										
GRAND TOTAL	**571**	**3.4**	**26**	**<1**	**1**	**2**	**4**	**6**	**10**	**27**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.5	1	<1	<1	1	2	3	4	7
20-34	399	1.8	3	<1	<1	1	2	3	4	9
35-49	25	1.6	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.5		<1	<1	1	2	3	3	3
20-34	53	1.9	3	<1	<1	1	2	4	6	9
35-49	7	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.4	4	<1	<1	2	3	6	7	8
20-34	121	3.5	47	<1	<1	2	3	7	11	42
35-49	19	2.9	16	<1	<1	1	3	6	13	18
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.6	22	<1	<1	2	3	12	15	15
20-34	34	2.8	6	<1	<1	2	3	6	9	11
35-49	5	4.6	65	1	1	1	6	19	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	1.7	3	<1	<1	1	2	3	4	9
B. *Operated*	71	1.9	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	164	3.3	37	<1	<1	2	3	6	10	32
B. *Operated*	47	3.1	14	<1	<1	2	3	7	12	19
1. SINGLE DX	556	1.7	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	211	3.2	32	<1	<1	2	3	7	11	25
A. NOT OPERATED	649	2.1	12	<1	<1	1	2	4	6	14
B. OPERATED	118	2.4	7	<1	<1	1	2	5	7	16
TOTAL 0-19 YRS	104	1.9	4	<1	<1	1	2	4	5	11
20-34	607	2.2	13	<1	<1	1	2	4	6	13
35-49	56	2.4	11	<1	<1	1	3	3	7	19
50-64										
65+										
GRAND TOTAL	**767**	**2.2**	**11**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	2.7	3	<1	<1	2	3	5	6	10
20-34	354	2.7	3	<1	1	2	3	5	5	7
35-49	14	2.6	2	<1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.3	3	<1	<1	2	3	5	6	6
20-34	38	2.3	3	<1	<1	2	3	5	6	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	3.4	3	<1	1	3	4	6	6	8
20-34	413	3.1	3	<1	1	3	4	5	6	9
35-49	18	3.7	3	2	2	3	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.2	10	<1	<1	2	4	8	11	12
20-34	54	3.7	6	<1	<1	3	5	7	9	12
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	493	2.7	3	<1	1	2	3	5	6	8
B. *Operated*	53	2.3	3	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	635	3.2	3	<1	1	3	4	5	6	9
B. *Operated*	67	3.6	7	<1	<1	3	5	7	9	12
1. SINGLE DX	546	2.6	3	<1	<1	2	3	5	6	7
2. MULTIPLE DX	702	3.3	3	<1	1	3	4	6	7	9
A. NOT OPERATED	1128	3.0	3	<1	1	3	4	5	6	9
B. OPERATED	120	3.0	5	<1	<1	2	4	6	7	12
TOTAL 0-19 YRS	356	3.1	3	<1	1	3	4	5	6	9
20-34	859	2.9	3	<1	1	3	4	5	6	9
35-49	33	3.2	3	1	1	3	4	5	7	8
50-64										
65+										
GRAND TOTAL	**1248**	**3.0**	**3**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.7	7	1	1	3	5	7	10	11
20-34	272	3.4	6	<1	1	3	5	7	8	12
35-49	38	4.1	14	<1	1	3	4	8	14	17
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	36	3.2	6	<1	<1	2	4	8	8	9
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.2	13	<1	<1	2	4	6	9	22
20-34	717	3.2	8	<1	<1	2	4	7	9	15
35-49	82	3.5	5	1	1	3	4	7	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.4	30	<1	<1	2	4	6	7	32
20-34	201	3.9	14	<1	<1	3	5	8	10	25
35-49	18	2.9	5	<1	1	2	4	6	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	3.5	7	<1	1	3	5	7	8	14
B. *Operated*	40	3.2	6	<1	<1	2	4	8	8	9
2. MULTIPLE DX										
A. *Not Operated*	903	3.2	8	<1	<1	2	4	7	9	15
B. *Operated*	251	3.7	15	<1	<1	3	5	7	10	27
1. SINGLE DX	380	3.5	7	<1	1	3	5	7	8	13
2. MULTIPLE DX	1154	3.3	10	<1	<1	2	4	7	9	17
A. NOT OPERATED	1243	3.3	8	<1	1	2	4	7	8	15
B. OPERATED	291	3.7	14	<1	<1	3	5	7	9	25
TOTAL 0-19 YRS	168	3.3	15	<1	<1	2	4	6	9	27
20-34	1226	3.3	9	<1	<1	2	4	7	8	15
35-49	140	3.6	8	1	1	3	4	7	9	16
50-64										
65+										
GRAND TOTAL	**1534**	**3.4**	**9**	**<1**	**1**	**2**	**4**	**7**	**9**	**15**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	544	1.7	3	<1	<1	1	2	3	4	7
20-34	2497	2.0	7	<1	<1	1	2	4	5	12
35-49	176	2.0	5	<1	<1	1	2	4	5	15
50-64										
65+										
B. *Operated*										
0-19 YRS	227	1.9	4	<1	<1	1	2	4	5	11
20-34	1472	2.1	6	<1	<1	1	2	4	6	15
35-49	94	2.3	14	<1	<1	1	2	4	7	25
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	249	2.4	5	<1	<1	2	3	5	7	11
20-34	1194	2.8	18	<1	<1	2	3	5	7	21
35-49	87	3.1	12	<1	<1	2	4	6	9	21
50-64										
65+										
B. *Operated*										
0-19 YRS	123	2.9	14	<1	<1	2	4	5	10	21
20-34	836	3.0	20	<1	<1	2	3	5	9	22
35-49	74	3.4	13	<1	<1	2	4	8	11	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3217	1.9	6	<1	<1	1	2	4	5	11
B. *Operated*	1793	2.1	6	<1	<1	1	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	1530	2.8	15	<1	<1	2	3	5	7	20
B. *Operated*	1033	3.1	19	<1	<1	2	3	6	9	22
1. SINGLE DX	5010	2.0	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2563	2.9	17	<1	<1	2	3	5	8	20
A. NOT OPERATED	4747	2.2	9	<1	<1	1	2	4	6	14
B. OPERATED	2826	2.4	11	<1	<1	1	3	5	7	17
TOTAL 0-19 YRS	1143	2.0	5	<1	<1	1	2	4	6	11
20-34	5999	2.3	11	<1	<1	1	3	4	6	16
35-49	431	2.5	10	<1	<1	1	3	5	8	16
50-64										
65+										
GRAND TOTAL	**7573**	**2.3**	**10**	**<1**	**<1**	**1**	**3**	**4**	**6**	**16**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.1	1	1	1	2	3	3	3	4
20-34	316	2.3	1	1	1	2	3	3	4	5
35-49	22	2.1	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	54	2.5	1	1	1	2	3	4	5	5
20-34	284	3.1	2	1	1	3	4	5	5	7
35-49	22	3.6	3	1	2	3	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.5	4	1	1	2	3	4	5	15
20-34	343	2.6	5	1	1	2	3	4	4	8
35-49	35	2.7	4	1	1	2	3	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	108	3.5	4	1	2	3	4	6	7	11
20-34	1181	4.4	18	1	2	4	5	6	9	21
35-49	164	4.6	16	2	2	4	5	7	10	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	2.2	1	1	1	2	3	3	4	5
B. *Operated*	360	3.0	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	442	2.6	5	1	1	2	3	4	4	11
B. *Operated*	1453	4.3	16	2	2	4	5	6	9	20
1. SINGLE DX	765	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX	1895	3.9	14	1	2	3	5	6	8	18
A. NOT OPERATED	847	2.4	3	1	1	2	3	4	4	6
B. OPERATED	1813	4.1	14	1	2	3	5	6	8	18
TOTAL 0-19 YRS	293	2.8	3	1	1	2	3	5	6	10
20-34	2124	3.6	12	1	2	3	4	6	7	16
35-49	243	4.0	12	1	2	3	5	6	9	20
50-64										
65+										
GRAND TOTAL	**2660**	**3.5**	**11**	**1**	**1**	**3**	**4**	**6**	**7**	**16**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4895	1.9	1	1	1	2	2	3	3	4
20-34	34475	1.9	1	1	1	2	2	3	3	4
35-49	2019	2.1	3	1	1	2	3	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1540	2.1	1	1	1	2	2	3	3	4
20-34	9691	2.1	1	1	1	2	3	3	3	4
35-49	573	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	2.2	1	1	1	2	3	4	4	7
20-34	1062	2.2	1	1	1	2	3	4	4	6
35-49	102	2.3	1	1	1	2	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	112	2.4	1	1	1	2	3	4	5	7
20-34	3721	2.7	1	1	2	3	3	4	4	5
35-49	598	2.9	1	2	2	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41389	1.9	1	1	1	2	2	3	3	4
B. *Operated*	11804	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1310	2.2	1	1	1	2	3	4	4	6
B. *Operated*	4431	2.7	1	1	2	3	3	4	4	6
1. SINGLE DX	53193	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	5741	2.6	1	1	1	3	3	4	4	6
A. NOT OPERATED	42699	2.0	1	1	1	2	2	3	3	4
B. OPERATED	16235	2.3	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	6693	1.9	1	1	1	2	2	3	3	4
20-34	48949	2.0	1	1	1	2	3	3	3	4
35-49	3292	2.3	2	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**58934**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	21	2.4	1	1	1	2	3	4	4	4
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.3	2	2	2	4	6	6	6	6
20-34	163	5.7	23	2	3	5	5	10	15	31
35-49	24	6.8	80	2	2	4	5	11	35	37
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	24	6.3	87	1	1	3	5	28	30	31
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	5.2	12	2	2	4	6	10	14	15
20-34	410	8.2	106	2	3	5	7	18	30	59
35-49	66	9.8	99	2	3	6	11	28	34	43
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.3	1	<1	1	2	3	4	4	4
B. *Operated*	193	5.8	30	2	3	4	5	9	15	36
2. MULTIPLE DX										
A. *Not Operated*	31	5.4	70	1	1	2	4	18	30	31
B. *Operated*	490	8.3	103	2	3	5	7	19	31	58
1. SINGLE DX	219	5.4	27	2	2	4	5	8	15	35
2. MULTIPLE DX	521	8.1	101	2	2	5	7	19	31	58
A. NOT OPERATED	57	4.0	40	1	1	2	3	5	22	31
B. OPERATED	683	7.6	83	2	3	5	6	15	28	50
TOTAL 0-19 YRS	27	4.2	8	1	2	4	5	7	10	15
20-34	618	7.3	82	2	2	5	6	14	27	53
35-49	95	8.6	92	2	2	5	8	23	34	42
50-64										
65+										
GRAND TOTAL	**740**	**7.3**	**81**	**2**	**2**	**5**	**6**	**15**	**28**	**47**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1	1	1	1	2	3	3	3	3
20-34	159	2.1	2	1	1	2	3	3	4	9
35-49	14	2.0	1	<1	<1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	23	3.3	4	1	1	3	5	7	7	7
20-34	183	3.2	4	1	1	3	4	5	6	8
35-49	12	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	2	<1	1	2	2	3	6	8
20-34	149	2.7	9	1	1	2	3	4	4	23
35-49	14	5.3	120	<1	1	2	4	10	36	43
50-64										
65+										
B. *Operated*										
0-19 YRS	62	5.7	62	1	2	4	5	11	23	47
20-34	601	4.3	14	1	2	4	5	7	9	22
35-49	79	4.1	4	1	2	4	5	6	7	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.1	2	1	1	2	3	3	4	9
B. *Operated*	218	3.2	4	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	181	2.8	17	1	1	2	3	4	5	24
B. *Operated*	742	4.4	17	1	2	4	5	7	9	24
1. SINGLE DX	411	2.7	3	1	1	2	3	5	5	8
2. MULTIPLE DX	923	4.1	17	1	1	3	5	6	9	24
A. NOT OPERATED	374	2.5	9	1	1	2	3	3	4	16
B. OPERATED	960	4.1	14	1	1	4	5	6	8	22
TOTAL 0-19 YRS	123	4.1	34	1	1	3	4	6	12	35
20-34	1092	3.6	11	1	1	3	4	6	7	21
35-49	119	3.9	17	1	1	3	5	6	7	22
50-64										
65+										
GRAND TOTAL	**1334**	**3.6**	**13**	**1**	**1**	**3**	**4**	**6**	**7**	**21**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	36	2.2	1	1	1	2	3	3	4	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	62	2.0	1	1	1	2	2	3	3	5
20-34	531	2.1	1	1	1	2	3	3	3	5
35-49	31	2.6	1	1	1	2	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	13	2.7	2	1	1	3	3	4	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	42	2.3	1	1	1	2	3	4	5	6
20-34	368	2.6	2	1	1	2	3	4	5	8
35-49	44	3.1	4	1	2	3	4	4	6	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.1	1	<1	1	2	3	4	4	5
B. *Operated*	624	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	15	2.6	2	1	1	2	3	4	5	6
B. *Operated*	454	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	666	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	469	2.6	2	1	1	2	3	4	5	8
A. NOT OPERATED	57	2.3	1	1	1	2	3	4	4	6
B. OPERATED	1078	2.3	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	110	2.1	1	1	1	2	2	3	4	6
20-34	948	2.3	1	1	1	2	3	4	4	6
35-49	77	2.9	3	1	1	3	3	4	6	12
50-64										
65+										
GRAND TOTAL	**1135**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.2	1	1	1	2	3	3	4	5
20-34	297	2.1	1	1	1	2	3	3	3	4
35-49	10	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	26	2.0	1	1	1	2	3	3	3	3
20-34	186	2.3	1	1	1	2	3	4	4	5
35-49	11	1.8	1	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A *Not Operated*										
0-19 YRS	22	2.5	2	1	1	2	3	4	6	8
20-34	125	2.5	3	1	1	2	3	4	4	11
35-49	8	2.6	2	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	54	2.8	2	1	1	3	3	4	4	10
20-34	257	2.7	1	1	2	3	3	4	5	6
35-49	19	3.1	2	1	1	3	4	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	2.1	1	1	1	2	3	3	3	4
B. *Operated*	223	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	155	2.5	3	1	1	2	3	4	4	9
B. *Operated*	330	2.8	2	1	1	3	3	4	5	7
1. SINGLE DX	565	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	485	2.7	2	1	1	2	3	4	5	8
A. NOT OPERATED	497	2.2	1	1	1	2	3	3	4	5
B. OPERATED	553	2.6	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	137	2.4	2	1	1	2	3	4	4	8
20-34	865	2.4	1	1	1	2	3	4	4	6
35-49	48	2.6	2	1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**1050**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	85	2.5	1	1	1	2	3	4	5	6
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.9		2	2	3	3	4	4	4
20-34	83	3.6	2	1	2	3	5	6	6	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	6	<1	1	3	5	7	9	10
20-34	130	3.1	5	1	1	3	4	4	5	15
35-49	6	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	42	4.5	11	2	2	4	6	7	8	22
20-34	612	5.1	27	2	2	4	5	7	11	32
35-49	67	5.7	22	2	3	5	6	9	11	34
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.4	1	1	1	2	3	4	5	6
B. *Operated*	92	3.5	2	2	2	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	149	3.1	5	1	1	3	4	4	5	13
B. *Operated*	721	5.1	25	2	2	4	5	7	11	32
1. SINGLE DX	192	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX	870	4.8	22	2	2	4	5	7	10	28
A. NOT OPERATED	249	2.8	3	1	1	3	3	4	5	10
B. OPERATED	813	4.9	23	2	2	4	5	7	10	30
TOTAL 0-19 YRS	70	3.9	9	1	2	3	5	6	8	20
20-34	910	4.4	20	1	2	4	5	6	9	22
35-49	82	5.0	20	2	2	4	6	8	10	30
50-64										
65+										
GRAND TOTAL	**1062**	**4.4**	**19**	**1**	**2**	**4**	**5**	**6**	**9**	**22**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	1	1	2	3	3	3	3
20-34	160	1.9	1	1	1	2	2	3	3	5
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	162	3.9	1	2	2	4	4	5	6	8
20-34	1521	4.0	1	2	3	4	5	5	6	7
35-49	78	4.0	2	1	2	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.0	1	1	1	2	3	4	4	4
20-34	63	2.3	2	<1	1	2	3	3	5	9
35-49	5	5.0	34	1	1	2	7	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	210	4.6	9	2	3	4	5	7	8	14
20-34	1937	4.4	5	2	3	4	5	6	7	10
35-49	229	4.5	3	1	2	4	5	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	1.9	1	1	1	2	2	3	3	5
B. *Operated*	1761	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	81	2.4	4	<1	1	2	3	4	5	13
B. *Operated*	2376	4.5	5	2	3	4	5	6	7	11
1. SINGLE DX	1933	3.8	2	1	2	4	5	5	6	7
2. MULTIPLE DX	2457	4.4	5	2	2	4	5	6	7	11
A. NOT OPERATED	253	2.1	2	1	1	2	3	3	4	6
B. OPERATED	4137	4.3	3	2	3	4	5	6	6	10
TOTAL 0-19 YRS	392	4.2	6	2	2	4	5	6	7	12
20-34	3681	4.1	3	2	2	4	5	6	6	9
35-49	317	4.3	3	1	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**4390**	**4.1**	**4**	**2**	**2**	**4**	**5**	**6**	**6**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	1.8	1	1	1	2	2	3	3	3
20-34	531	2.1	1	1	1	2	3	3	3	4
35-49	42	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
B. Operated										
0-19 YRS	178	2.5	1	1	1	2	3	4	5	6
20-34	1374	2.9	2	1	1	3	4	5	5	6
35-49	101	3.3	3	1	1	3	4	5	6	11
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	1.9	1	1	1	2	2	3	4	4
20-34	376	2.3	1	1	1	2	3	4	4	5
35-49	41	2.4	2	1	1	2	3	4	4	9
50-64										
65+										
B. Operated										
0-19 YRS	485	3.5	5	1	2	3	4	5	6	13
20-34	3749	3.5	5	1	2	3	4	5	6	8
35-49	379	3.8	3	1	2	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	630	2.1	1	1	1	2	3	3	3	5
B. Operated	1653	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	453	2.2	1	1	1	2	3	4	4	5
B. Operated	4613	3.5	5	1	2	3	4	5	6	9
1. SINGLE DX	2283	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX	5066	3.4	5	1	2	3	4	5	6	9
A. NOT OPERATED	1083	2.1	1	1	1	2	3	3	4	5
B. OPERATED	6266	3.3	4	1	2	3	4	5	6	8
TOTAL 0-19 YRS	756	3.1	4	1	1	3	4	5	6	11
20-34	6030	3.1	4	1	1	3	4	5	6	8
35-49	563	3.5	3	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**7349**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	22	2.1	1	<1	1	2	3	3	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	268	4.3	1	3	3	4	5	6	6	6
20-34	1433	4.4	1	3	3	4	5	6	6	7
35-49	70	4.5	1	3	3	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	17	3.1	2	1	1	3	4	5	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	643	4.6	3	3	3	5	5	6	7	12
20-34	4175	4.7	2	3	3	5	5	6	7	10
35-49	328	4.9	2	3	3	5	6	6	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.2	1	<1	1	2	3	3	4	4
B. Operated	1771	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	21	2.9	2	1	1	3	4	5	6	6
B. Operated	5146	4.7	2	3	3	5	5	6	7	10
1. SINGLE DX	1796	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX	5167	4.7	2	3	3	5	5	6	7	10
A. NOT OPERATED	46	2.5	1	1	1	2	3	4	5	6
B. OPERATED	6917	4.6	2	3	3	4	5	6	7	9
TOTAL 0-19 YRS	916	4.6	3	3	3	4	5	6	7	11
20-34	5647	4.6	2	3	3	4	5	6	7	9
35-49	400	4.8	2	3	3	5	5	6	7	11
50-64										
65+										
GRAND TOTAL	**6963**	**4.6**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	**9**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.2	1	1	1	2	3	3	4	4
20-34	610	2.2	1	1	1	2	3	3	4	5
35-49	30	2.1	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	176	2.8	2	1	1	2	4	5	5	7
20-34	1333	3.1	2	1	1	3	4	5	5	7
35-49	107	3.5	3	1	2	3	5	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.5	1	1	1	2	3	4	4	6
20-34	453	2.4	1	1	1	2	3	4	4	5
35-49	24	3.0	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	434	3.4	4	1	2	3	4	5	6	11
20-34	3043	3.5	3	1	2	3	4	5	6	9
35-49	272	3.8	3	1	2	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	752	2.2	1	1	1	2	3	3	4	4
B. *Operated*	1616	3.1	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	556	2.4	1	1	1	2	3	4	4	5
B. *Operated*	3755	3.5	3	1	2	3	4	5	6	9
1. SINGLE DX	2368	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX	4311	3.3	3	1	2	3	4	5	6	9
A. NOT OPERATED	1308	2.3	1	1	1	2	3	3	4	5
B. OPERATED	5371	3.4	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	801	3.0	3	1	1	3	4	5	6	10
20-34	5445	3.1	2	1	1	3	4	5	6	8
35-49	433	3.6	3	1	2	3	5	6	6	9
50-64										
65+										
GRAND TOTAL	**6679**	**3.2**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	2	<1	<1	3	3	4	5	5
20-34	91	2.1	1	1	1	2	3	3	3	4
35-49	7	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	48	3.3	2	1	2	3	4	5	5	6
20-34	323	3.6	2	1	2	4	5	5	6	7
35-49	28	4.1	2	2	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	1	1	2	3	5	5	5
20-34	62	2.9	12	<1	1	2	3	4	9	21
35-49	6	2.0		1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	86	4.4	4	2	2	4	5	6	8	14
20-34	811	4.2	11	2	2	4	5	6	7	14
35-49	101	4.2	4	2	2	4	5	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.2	1	1	1	2	3	3	4	5
B. *Operated*	399	3.6	2	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	74	2.8	10	<1	1	2	3	4	7	20
B. *Operated*	998	4.3	10	2	2	4	5	6	7	13
1. SINGLE DX	506	3.3	2	1	1	3	4	5	6	7
2. MULTIPLE DX	1072	4.2	10	1	2	4	5	6	7	15
A. NOT OPERATED	181	2.4	5	<1	1	2	3	3	4	14
B. OPERATED	1397	4.1	8	2	2	4	5	6	7	11
TOTAL 0-19 YRS	149	3.8	3	1	2	4	5	6	6	9
20-34	1287	3.9	8	1	2	4	5	6	6	12
35-49	142	4.0	3	2	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**1578**	**3.9**	**8**	**1**	**2**	**4**	**5**	**6**	**6**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6		2	2	3	3	3	3	3
20-34	150	2.2	1	1	1	2	3	3	4	5
35-49	11	1.9	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	234	4.1	1	3	3	4	5	5	6	6
20-34	5103	4.3	1	3	3	4	5	6	6	7
35-49	390	4.7	2	3	3	5	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	87	2.6	3	1	1	2	3	5	6	8
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	196	4.5	2	2	3	4	5	6	7	9
20-34	6804	4.6	5	3	3	5	5	6	7	10
35-49	861	4.9	2	3	3	5	6	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	2.2	1	1	1	2	3	3	4	5
B. *Operated*	5727	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	91	2.6	2	1	1	2	3	5	6	8
B. *Operated*	7861	4.7	4	3	3	5	5	6	7	10
1. SINGLE DX	5895	4.3	1	2	3	4	5	6	6	7
2. MULTIPLE DX	7952	4.6	4	3	3	5	5	6	7	10
A. NOT OPERATED	259	2.3	1	1	1	2	3	4	5	6
B. OPERATED	13588	4.5	3	3	3	4	5	6	6	9
TOTAL 0-19 YRS	438	4.2	2	2	3	4	5	6	6	8
20-34	12144	4.5	3	2	3	4	5	6	6	9
35-49	1265	4.8	2	3	3	5	6	6	7	10
50-64										
65+										
GRAND TOTAL	**13847**	**4.5**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.5	3	1	1	2	3	3	4	12
20-34	804	2.4	3	1	1	2	3	3	4	7
35-49	62	2.5	4	1	1	2	3	4	4	15
50-64										
65+										
B. *Operated*										
0-19 YRS	120	2.6	1	1	1	2	3	4	5	6
20-34	910	2.6	2	1	1	2	3	4	5	6
35-49	72	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	2.8	2	1	1	3	3	4	6	9
20-34	592	2.9	6	1	1	2	3	4	5	11
35-49	49	3.0	4	1	1	3	3	4	6	14
50-64										
65+										
B. *Operated*										
0-19 YRS	344	3.5	7	1	1	3	4	6	7	12
20-34	2817	3.7	13	1	2	3	4	6	7	15
35-49	304	4.0	7	1	2	4	5	6	7	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	2.4	3	1	1	2	3	3	4	7
B. *Operated*	1102	2.6	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	735	2.9	6	1	1	3	3	4	5	11
B. *Operated*	3465	3.7	12	1	2	3	4	6	7	15
1. SINGLE DX	2067	2.5	2	1	1	2	3	4	4	6
2. MULTIPLE DX	4200	3.6	11	1	2	3	4	6	7	14
A. NOT OPERATED	1700	2.6	4	1	1	2	3	4	5	9
B. OPERATED	4567	3.4	10	1	2	3	4	5	7	13
TOTAL 0-19 YRS	657	3.0	5	1	1	3	4	5	6	12
20-34	5123	3.2	9	1	1	3	4	5	6	12
35-49	487	3.5	6	1	1	3	4	6	7	15
50-64										
65+										
GRAND TOTAL	**6267**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	424	2.0	1	1	1	2	3	3	3	4
20-34	3876	2.0	1	1	1	2	3	3	3	4
35-49	229	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	327	2.1	1	1	1	2	2	3	3	5
20-34	2150	2.3	1	1	1	2	3	3	4	5
35-49	151	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	2.2	1	1	1	2	3	3	4	5
20-34	1050	2.2	1	1	1	2	3	3	4	5
35-49	82	2.3	2	1	1	2	3	4	4	8
50-64										
65+										
B. *Operated*										
0-19 YRS	318	2.5	1	1	1	2	3	4	5	7
20-34	3060	2.6	2	1	1	2	3	4	5	7
35-49	326	2.9	2	1	2	3	3	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4529	2.0	1	1	1	2	3	3	3	4
B. *Operated*	2628	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1269	2.2	1	1	1	2	3	3	4	5
B. *Operated*	3704	2.6	2	1	1	2	3	4	5	7
1. SINGLE DX	7157	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	4973	2.5	2	1	1	2	3	4	4	6
A. NOT OPERATED	5798	2.1	1	1	1	2	3	3	4	5
B. OPERATED	6332	2.5	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1206	2.2	1	1	1	2	3	3	4	5
20-34	10136	2.3	1	1	1	2	3	3	4	5
35-49	788	2.6	2	1	1	2	3	4	5	7
50-64										
65+										
GRAND TOTAL	**12130**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	1.8	1	1	1	2	2	3	3	4
20-34	830	1.9	1	<1	1	2	2	3	3	4
35-49	91	2.0	1	<1	<1	2	2	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	885	1.9	1	1	1	2	2	3	3	4
20-34	8538	1.9	1	1	1	2	2	3	3	4
35-49	655	2.0	1	1	1	2	3	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	1	1	1	2	2	3	4	4
20-34	220	2.0	1	1	1	2	3	3	4	5
35-49	25	2.1	1	<1	<1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	457	2.2	1	1	1	2	3	3	4	5
20-34	4784	2.3	1	1	1	2	3	3	4	6
35-49	600	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1032	1.9	1	<1	1	2	2	3	3	4
B. *Operated*	10078	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	267	2.0	1	1	1	2	3	3	4	4
B. *Operated*	5841	2.3	1	1	1	2	3	3	4	6
1. SINGLE DX	11110	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	6108	2.3	1	1	1	2	3	3	4	6
A. NOT OPERATED	1299	1.9	1	<1	1	2	2	3	3	4
B. OPERATED	15919	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1475	2.0	1	1	1	2	2	3	3	4
20-34	14372	2.0	1	1	1	2	3	3	3	5
35-49	1371	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**17218**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.1	1	1	1	2	3	3	3	4
20-34	259	2.2	1	1	1	2	3	3	4	4
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	704	2.2	1	1	1	2	3	3	3	4
20-34	3463	2.2	1	1	1	2	3	3	4	5
35-49	129	2.2	1	1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.2		1	1	2	3	3	3	3
20-34	120	3.1	72	1	1	2	3	4	5	35
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	596	2.4	1	1	2	2	3	3	4	5
20-34	2677	2.6	2	1	1	2	3	4	4	6
35-49	132	2.7	2	1	1	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	2.2	1	1	1	2	3	3	4	4
B. *Operated*	4296	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	147	3.0	58	1	1	2	3	3	4	12
B. *Operated*	3405	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	4616	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX	3552	2.6	4	1	1	2	3	4	4	6
A. NOT OPERATED	467	2.4	19	1	1	2	3	3	4	5
B. OPERATED	7701	2.4	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1381	2.3	1	1	1	2	3	3	4	5
20-34	6519	2.4	2	1	1	2	3	4	4	5
35-49	268	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**8168**	**2.4**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	1.9	1	1	1	2	2	3	3	8
20-34	272	2.0	1	1	1	2	2	3	3	5
35-49	13	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	247	2.1	1	1	1	2	3	3	3	4
20-34	1372	2.1	1	1	1	2	3	3	4	5
35-49	57	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	2	1	1	2	3	3	5	6
20-34	100	2.2	1	<1	1	2	3	3	4	6
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	228	2.4	2	1	1	2	3	4	5	7
20-34	1387	2.5	6	1	1	2	3	4	4	8
35-49	86	2.9	2	1	2	3	3	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	2.0	1	1	1	2	2	3	4	5
B. *Operated*	1676	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	117	2.3	1	<1	1	2	3	3	4	6
B. *Operated*	1701	2.5	6	1	1	2	3	4	4	8
1. SINGLE DX	2016	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1818	2.5	5	1	1	2	3	4	4	8
A. NOT OPERATED	457	2.1	1	1	1	2	3	3	4	6
B. OPERATED	3377	2.3	3	1	1	2	3	3	4	6
TOTAL 0-19 YRS	545	2.2	1	1	1	2	3	3	4	6
20-34	3131	2.3	3	1	1	2	3	3	4	6
35-49	158	2.8	1	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**3834**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	832	2.2	1	1	1	2	3	3	4	6
20-34	5103	2.1	1	1	1	2	3	3	4	6
35-49	347	2.4	3	1	1	2	3	4	4	11
50-64										
65+										
B. *Operated*										
0-19 YRS	1630	2.5	2	1	1	2	3	4	5	7
20-34	9915	2.6	3	1	1	2	3	4	5	7
35-49	675	2.9	4	1	1	3	4	4	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	589	2.5	3	1	1	2	3	4	5	9
20-34	3009	2.4	3	1	1	2	3	4	5	8
35-49	280	2.6	3	1	1	2	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2588	3.4	9	1	1	3	4	6	7	14
20-34	16413	3.4	7	1	2	3	4	5	7	13
35-49	1670	4.1	16	1	2	3	5	6	8	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6282	2.2	1	1	1	2	3	3	4	6
B. *Operated*	12220	2.6	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	3878	2.5	3	1	1	2	3	4	5	8
B. *Operated*	20671	3.5	8	1	2	3	4	6	7	13
1. SINGLE DX	18502	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	24549	3.3	8	1	1	3	4	5	7	12
A. NOT OPERATED	10160	2.3	2	1	1	2	3	3	4	7
B. OPERATED	32891	3.2	6	1	1	3	4	5	6	11
TOTAL 0-19 YRS	5639	2.9	6	1	1	2	3	5	6	11
20-34	34440	2.9	5	1	1	3	3	5	6	10
35-49	2972	3.5	11	1	1	3	4	6	7	15
50-64										
65+										
GRAND TOTAL	**43051**	**3.0**	**6**	**1**	**1**	**3**	**3**	**5**	**6**	**11**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.5	11	1	1	3	4	6	7	22
20-34	177	3.3	3	1	2	3	4	5	6	9
35-49	10	3.4	3	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.6	2	<1	<1	3	4	4	4	4
20-34	23	5.1	11	1	1	4	7	9	11	15
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.5	4	1	1	3	5	6	8	9
20-34	110	3.8	5	1	2	3	5	6	9	14
35-49	9	6.1	17	1	2	5	8	13	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	28	5.5	23	1	2	4	6	12	16	23
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	3.4	4	1	2	3	4	5	6	9
B. *Operated*	32	4.5	9	<1	1	4	6	9	9	15
2. MULTIPLE DX										
A. *Not Operated*	138	3.9	6	1	2	3	5	6	9	15
B. *Operated*	33	5.4	20	1	2	4	6	10	15	23
1. SINGLE DX	266	3.5	5	1	2	3	4	6	7	10
2. MULTIPLE DX	171	4.2	9	1	2	4	5	7	10	15
A. NOT OPERATED	372	3.6	5	1	2	3	4	6	7	12
B. OPERATED	65	5.0	15	1	2	4	6	9	14	22
TOTAL 0-19 YRS	75	3.4	8	1	1	3	4	6	7	19
20-34	338	3.8	6	1	2	3	4	6	8	15
35-49	24	4.8	9	1	1	4	6	8	11	15
50-64										
65+										
GRAND TOTAL	**437**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34	67	1.3		<1	<1	1	1	2	2	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.4		<1	1	1	2	2	3	3
20-34	230	1.5	1	<1	<1	1	2	3	3	6
35-49	15	1.5	1	<1	1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	1	1	1	2	3	4	4	4
20-34	20	2.0	1	<1	1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	21	1.5	1	<1	<1	1	2	3	4	5
20-34	140	2.2	3	<1	1	1	3	5	6	8
35-49	9	4.8	14	1	1	4	8	10	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	1.3		<1	<1	1	1	2	2	4
B. *Operated*	269	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	33	2.1	1	1	1	2	3	4	4	4
B. *Operated*	170	2.2	4	<1	<1	1	3	5	7	9
1. SINGLE DX	345	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	203	2.2	3	<1	1	2	3	4	6	9
A. NOT OPERATED	109	1.5	1	<1	<1	1	2	3	4	4
B. OPERATED	439	1.8	2	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	65	1.6	1	<1	<1	1	2	3	4	5
20-34	457	1.7	2	<1	<1	1	2	3	4	8
35-49	26	2.7	7	<1	1	2	3	8	9	11
50-64										
65+										
GRAND TOTAL	**548**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	3	<1	1	3	4	6	7	8
20-34	112	3.7	10	1	1	3	4	8	9	17
35-49	7	6.7	20	1	1	10	10	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.9	5	1	1	2	4	5	8	11
20-34	171	2.9	9	<1	1	2	3	7	10	13
35-49	13	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.6	5	1	1	4	4	7	8	8
20-34	61	4.8	12	1	1	4	7	10	12	14
35-49	6	6.5	18	1	1	6	10	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	20	3.0	11	1	1	2	3	8	12	13
20-34	103	3.5	12	<1	1	2	5	7	10	20
35-49	13	5.4	51	<1	<1	3	5	15	25	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	3.8	10	1	1	3	4	9	10	13
B. *Operated*	204	2.9	8	<1	1	2	3	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	76	4.8	12	1	1	4	7	10	12	14
B. *Operated*	136	3.6	16	<1	1	2	4	7	11	24
1. SINGLE DX	340	3.3	9	<1	1	2	4	7	10	13
2. MULTIPLE DX	212	4.1	14	1	1	3	5	9	12	20
A. NOT OPERATED	212	4.2	11	1	1	3	6	9	11	13
B. OPERATED	340	3.2	11	<1	1	2	4	7	10	17
TOTAL 0-19 YRS	66	3.1	6	1	1	2	4	5	9	13
20-34	447	3.5	11	<1	1	2	4	8	10	14
35-49	39	4.7	26	<1	<1	3	6	11	12	27
50-64										
65+										
GRAND TOTAL	**552**	**3.6**	**11**	**<1**	**1**	**2**	**4**	**8**	**10**	**14**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	416	3.4	5	1	2	3	4	6	7	11
20-34	390	3.7	4	1	2	3	5	6	7	11
35-49	270	4.2	7	2	2	4	5	7	9	16
50-64	193	4.8	8	2	2	4	6	8	10	14
65+	169	5.7	19	2	2	4	7	11	14	25
B. Operated										
0-19 YRS	198	3.9	14	<1	1	3	5	8	10	23
20-34	195	4.7	13	1	1	4	6	10	13	18
35-49	141	5.6	19	1	2	4	8	12	15	20
50-64	91	5.7	26	1	2	4	7	13	16	26
65+	65	6.2	17	2	2	5	9	10	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	567	4.1	8	1	2	3	5	7	9	15
20-34	563	5.3	20	2	2	4	6	9	12	23
35-49	554	5.6	15	2	2	5	7	10	12	18
50-64	720	7.1	26	2	3	6	9	14	17	27
65+	1336	8.4	45	2	3	7	10	16	20	34
B. Operated										
0-19 YRS	208	5.6	22	1	2	4	7	11	13	22
20-34	360	7.6	61	2	2	5	9	15	21	50
35-49	312	9.1	73	1	2	6	10	19	27	43
50-64	425	11.6	109	2	3	8	15	25	34	53
65+	564	13.3	128	3	4	10	18	29	38	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1438	4.1	8	1	2	3	5	7	9	14
B. Operated	690	4.9	17	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. Not Operated	3740	6.6	30	2	2	5	8	13	16	28
B. Operated	1869	10.3	97	2	3	7	13	22	32	54
1. SINGLE DX	2128	4.4	11	1	2	3	5	8	10	18
2. MULTIPLE DX	5609	7.8	55	2	2	6	9	15	21	41
A. NOT OPERATED	5178	5.9	25	2	2	5	7	11	15	25
B. OPERATED	2559	8.8	81	1	2	6	11	19	27	50
TOTAL 0-19 YRS	1389	4.1	11	1	2	3	5	7	10	18
20-34	1508	5.4	27	1	2	4	6	10	14	27
35-49	1277	6.2	31	2	2	5	7	11	16	32
50-64	1429	8.0	54	2	3	6	9	16	22	39
65+	2134	9.4	70	2	3	7	12	19	25	49
GRAND TOTAL	**7737**	**6.9**	**46**	**2**	**2**	**5**	**8**	**14**	**19**	**37**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	3.5	9	1	1	3	4	6	7	14
20-34	98	3.3	5	1	1	3	4	6	7	13
35-49	56	3.4	3	1	1	3	4	6	6	9
50-64	23	3.6	4	1	1	3	5	6	7	8
65+	30	5.6	9	2	2	5	7	10	11	12
B. Operated										
0-19 YRS	117	3.3	9	<1	<1	2	5	7	9	14
20-34	96	4.3	13	<1	1	3	5	8	12	18
35-49	58	3.8	11	<1	<1	3	5	8	11	15
50-64	43	4.6	27	<1	<1	3	5	12	16	24
65+	21	3.7	10	<1	<1	2	5	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-15 YRS	189	3.6	5	1	2	3	4	6	8	11
20-34	125	4.6	14	1	2	4	5	7	11	21
35-49	126	5.1	13	1	2	4	7	10	12	17
50-64	114	6.7	17	2	3	6	9	11	14	22
65+	198	8.4	56	2	3	6	10	16	20	43
B. Operated										
0-19 YRS	121	5.4	33	<1	1	4	7	10	16	28
20-34	133	6.6	91	1	1	4	7	12	17	53
35-49	132	8.1	116	1	2	5	8	14	27	74
50-64	145	8.8	76	1	2	6	11	19	26	45
65+	148	10.9	93	2	2	8	15	22	31	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	338	3.6	7	1	1	3	5	6	8	11
B. Operated	335	3.9	13	<1	<1	3	5	8	11	17
2. MULTIPLE DX										
A. Not Operated	752	5.7	25	1	2	4	7	11	15	24
B. Operated	679	8.1	86	1	2	5	9	18	24	46
1. SINGLE DX	673	3.7	10	<1	1	3	5	7	9	17
2. MULTIPLE DX	1431	6.8	56	1	2	5	8	14	19	41
A. NOT OPERATED	1090	5.1	21	1	2	4	6	10	12	21
B. OPERATED	1014	6.7	66	<1	1	4	8	14	21	44
TOTAL 0-19 YRS	558	3.9	13	<1	1	3	5	7	10	20
20-34	452	4.8	36	1	1	3	5	9	12	31
35-49	372	5.7	51	1	1	4	7	11	14	36
50-64	325	7.1	47	1	2	5	9	14	20	38
65+	397	8.9	67	2	2	7	11	19	23	45
GRAND TOTAL	**2104**	**5.9**	**43**	**1**	**1**	**4**	**7**	**11**	**17**	**36**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	319	2.6	2	1	1	2	3	5	5	8
20-34	652	2.6	3	1	1	2	3	4	5	8
35-49	93	3.2	7	<1	1	2	3	6	9	14
50-64	18	2.8	6	<1	<1	2	3	6	9	10
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	7	3.4	11	<1	<1	2	5	9	10	10
35-49	3	3.3		3	3	3	4	4	4	4
50-64	2	10.5	145	2	2	10	19	19	19	19
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	38	3.7	8	1	2	3	5	6	9	16
20-34	105	3.4	20	1	1	2	4	6	8	27
35-49	33	3.6	4	1	2	3	5	6	8	9
50-64	18	6.1	44	2	2	3	9	19	23	23
65+	9	6.0	45	2	2	4	6	17	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	11	1	1	3	5	9	10	10
B. *Operated*	1084	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	16	4.6	26	<1	<1	3	5	13	17	19
B. *Operated*	203	3.9	19	1	1	3	4	7	9	23
1. SINGLE DX	1090	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	219	3.9	19	1	1	3	4	7	10	23
A. NOT OPERATED	22	4.4	21	<1	1	3	5	11	15	19
B. OPERATED	1287	2.8	6	1	1	2	3	5	6	10
TOTAL 0-19 YRS	363	2.7	3	1	1	2	3	5	6	9
20-34	766	2.7	5	1	1	2	3	5	6	9
35-49	129	3.3	6	1	1	3	4	6	8	14
50-64	39	4.9	31	<1	1	3	5	11	21	23
65+	12	5.9	40	2	2	4	7	16	22	23
GRAND TOTAL	**1309**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	104	1.2		<1	<1	<1	1	2	2	4
20-34	92	1.5	2	<1	<1	<1	2	2	3	10
35-49	55	1.5	2	<1	<1	1	1	3	4	10
50-64	59	1.4	1	<1	<1	<1	1	2	3	8
65+	33	1.3		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	1.8	2	<1	<1	1	2	4	4	4
50-64	3	3.0	12	1	1	1	6	7	7	7
65+	4	4.8	3	3	3	4	6	7	7	7
B. *Operated*										
0-19 YRS	21	1.5	1	<1	<1	1	2	3	4	4
20-34	31	3.0	27	<1	<1	1	2	7	17	24
35-49	46	2.4	3	<1	<1	2	3	5	6	8
50-64	39	2.9	9	<1	<1	2	3	6	10	15
65+	21	4.9	65	<1	<1	2	6	9	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	343	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.8	5	<1	<1	2	4	7	7	7
B. *Operated*	158	2.8	18	<1	<1	1	3	6	8	23
1. SINGLE DX	345	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	172	2.8	16	<1	<1	1	3	6	7	22
A. NOT OPERATED	16	2.6	5	<1	<1	1	4	7	7	7
B. OPERATED	501	1.8	7	<1	<1	1	2	3	5	13
TOTAL 0-19 YRS	127	1.2		<1	<1	<1	1	2	3	4
20-34	124	1.9	9	<1	<1	1	2	3	4	19
35-49	106	1.9	3	<1	<1	1	2	4	5	9
50-64	102	2.0	5	<1	<1	1	2	4	7	13
65+	58	2.8	26	<1	<1	1	3	6	7	36
GRAND TOTAL	**517**	**1.9**	**7**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	3.3	12	1	1	2	4	7	7	13
20-34	95	4.2	17	<1	1	3	5	8	11	26
35-49	61	3.0	5	<1	1	2	4	5	7	13
50-64	56	6.2	68	<1	1	4	6	14	22	48
65+	79	6.3	20	1	2	5	9	12	16	20
B. *Operated*										
0-19 YRS	280	2.2	7	<1	<1	1	2	4	7	16
20-34	337	3.5	38	<1	<1	2	3	7	12	37
35-49	305	3.8	30	<1	<1	2	4	8	12	28
50-64	291	4.1	65	<1	<1	2	4	8	15	62
65+	256	5.7	80	<1	<1	2	6	16	24	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	3.8	14	1	1	3	5	7	11	21
20-34	185	7.0	94	<1	1	4	8	15	21	55
35-49	219	6.3	45	1	1	4	8	12	19	37
50-64	323	7.8	73	1	2	5	10	15	23	57
65+	856	10.1	80	2	3	7	13	21	27	46
B. *Operated*										
0-19 YRS	220	6.2	115	<1	<1	2	5	17	31	58
20-34	478	12.0	257	<1	1	5	16	34	47	88
35-49	498	10.0	188	<1	1	4	13	29	42	99+
50-64	575	11.4	232	<1	1	5	14	33	48	99
65+	1032	17.5	322	1	2	12	24	43	58	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	4.4	22	1	1	3	5	9	12	26
B. *Operated*	1469	3.8	44	<1	<1	2	4	8	14	37
2. MULTIPLE DX										
A. *Not Operated*	1799	8.2	73	1	2	6	10	17	23	45
B. *Operated*	2803	13.1	265	<1	1	7	18	35	51	93
1. SINGLE DX	1915	3.9	39	<1	<1	2	4	8	13	32
2. MULTIPLE DX	4602	11.1	196	1	1	6	14	29	42	83
A. NOT OPERATED	2245	7.4	65	1	1	5	9	16	22	43
B. OPERATED	4272	9.9	209	<1	<1	4	12	29	43	83
TOTAL 0-19 YRS	871	3.8	39	<1	<1	2	4	7	13	36
20-34	1095	7.9	156	<1	<1	3	8	20	35	66
35-49	1083	7.1	112	<1	1	3	8	20	29	81
50-64	1245	8.5	153	<1	1	4	10	22	37	75
65+	2223	12.9	210	1	1	8	17	30	44	81
GRAND TOTAL	**6517**	**9.0**	**160**	**<1**	**1**	**4**	**11**	**23**	**36**	**75**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.8	9	1	1	3	5	8	11	13
20-34	38	4.5	9	1	2	3	6	10	12	13
35-49	39	4.6	16	<1	<1	3	6	10	13	19
50-64	19	5.3	8	2	2	5	8	9	10	10
65+	8	5.8	11	2	2	6	8	10	10	10
B. *Operated*										
0-19 YRS	12	2.5	3	<1	1	2	3	4	7	7
20-34	20	3.0	7	1	1	2	4	6	9	12
35-49	20	2.9	6	<1	1	2	3	7	9	9
50-64	8	8.1	17	3	3	8	11	14	14	14
65+	7	5.9	32	<1	<1	3	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.3	28	1	1	4	6	12	14	29
20-34	135	6.4	31	1	2	5	8	12	18	29
35-49	139	7.4	50	1	2	6	9	13	21	44
50-64	142	8.5	54	2	3	6	10	17	24	44
65+	123	8.7	60	2	2	6	12	19	22	37
B. *Operated*										
0-19 YRS	24	9.7	149	1	2	6	10	24	40	53
20-34	73	10.6	129	1	2	7	13	24	36	94
35-49	89	10.0	152	2	2	7	12	21	27	78
50-64	89	14.4	153	2	3	10	22	37	52	99+
65+	58	14.4	140	3	3	11	18	31	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.6	11	<1	1	4	6	10	11	16
B. *Operated*	67	3.8	12	<1	1	2	5	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	575	7.6	48	2	2	6	9	15	22	33
B. *Operated*	333	12.1	148	2	2	8	15	28	39	99+
1. SINGLE DX	202	4.3	11	<1	1	3	6	10	11	15
2. MULTIPLE DX	908	9.2	89	2	2	6	11	21	28	53
A. NOT OPERATED	710	7.0	42	1	2	5	8	14	20	31
B. OPERATED	400	10.7	134	1	2	7	13	26	37	97
TOTAL 0-19 YRS	103	5.6	52	1	1	3	7	11	16	43
20-34	266	7.0	58	1	2	5	9	15	22	43
35-49	287	7.5	78	<1	2	5	9	14	22	44
50-64	258	10.3	93	2	3	8	12	24	35	96
65+	196	10.2	88	2	2	7	14	21	30	48
GRAND TOTAL	**1110**	**8.3**	**79**	**1**	**2**	**6**	**10**	**18**	**26**	**51**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	5.2	30	<1	1	3	6	11	15	33
20-34	36	5.6	12	2	2	5	7	10	13	18
35-49	63	6.5	14	2	2	6	9	12	13	17
50-64	119	6.3	14	2	2	5	8	11	14	17
65+	112	7.4	25	2	3	6	10	13	17	27
B. *Operated*										
0-19 YRS	12	10.5	142	2	3	7	13	23	43	46
20-34	65	8.1	59	1	2	5	12	16	27	34
35-49	122	7.4	36	1	2	6	10	16	18	30
50-64	293	7.8	38	1	2	6	11	16	21	30
65+	244	8.6	38	1	2	8	12	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	9.3	115	<1	2	6	11	17	43	50
20-34	49	6.1	29	2	2	4	8	13	15	28
35-49	93	7.3	31	2	3	5	9	13	19	29
50-64	280	7.5	37	2	2	6	9	15	19	34
65+	480	8.8	48	2	3	7	11	18	24	34
B. *Operated*										
0-19 YRS	10	6.1	19	<1	1	5	10	12	14	14
20-34	62	8.2	73	1	1	5	11	18	28	39
35-49	152	9.0	103	2	2	6	12	19	30	54
50-64	464	9.2	88	2	2	6	12	20	26	44
65+	491	12.2	112	2	3	10	16	23	33	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	386	6.4	20	2	2	5	9	12	15	20
B. *Operated*	736	8.1	41	1	2	6	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	954	8.1	46	2	2	6	10	16	22	36
B. *Operated*	1179	10.3	101	2	2	7	14	22	29	52
1. SINGLE DX	1122	7.5	35	1	2	6	10	15	18	30
2. MULTIPLE DX	2133	9.4	78	2	2	7	12	20	26	48
A. NOT OPERATED	1340	7.6	39	2	2	6	10	14	20	32
B. OPERATED	1915	9.5	79	1	2	7	13	20	25	47
TOTAL 0-19 YRS	130	7.4	76	<1	1	5	10	14	17	49
20-34	212	7.3	49	1	2	5	9	15	23	34
35-49	430	7.8	56	1	2	6	10	16	20	38
50-64	1156	8.2	56	2	2	6	11	16	22	36
65+	1327	9.9	71	2	3	8	13	20	25	45
GRAND TOTAL	**3255**	**8.7**	**63**	**2**	**2**	**6**	**12**	**17**	**23**	**40**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	5	3.2	1	2	2	3	4	5	5	5
35-49	12	4.3	15	<1	<1	3	5	10	13	14
50-64	28	4.2	7	<1	1	4	6	7	8	10
65+	86	5.2	10	1	2	4	7	9	11	16
B. *Operated*										
0-19 YRS	18	4.7	20	<1	<1	3	8	11	14	16
20-34	155	4.1	14	<1	<1	3	5	9	12	17
35-49	352	4.4	18	<1	1	3	6	10	13	20
50-64	1148	7.5	29	1	1	7	11	14	17	24
65+	1940	11.3	32	2	3	11	15	17	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	21	3	3	9	11	12	12	12
20-34	16	4.6	11	1	1	4	6	11	12	12
35-49	29	6.2	58	1	1	4	6	11	24	38
50-64	186	5.3	24	1	1	4	6	11	17	26
65+	886	6.8	28	1	2	5	9	13	18	26
B. *Operated*										
0-19 YRS	9	7.4	56	1	1	4	11	20	23	23
20-34	147	4.7	30	1	1	3	5	11	15	28
35-49	381	5.8	49	1	1	3	8	12	16	28
50-64	1422	9.1	49	1	2	9	12	17	20	36
65+	3306	13.4	66	2	4	12	16	22	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.7	10	1	2	4	6	9	11	15
B. *Operated*	3613	9.1	36	1	2	9	13	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	1120	6.5	28	1	1	5	8	13	17	27
B. *Operated*	5265	11.4	67	1	2	11	15	20	25	40
1. SINGLE DX	3748	8.9	35	1	2	9	13	16	19	26
2. MULTIPLE DX	6385	10.5	63	1	2	10	14	19	24	38
A. NOT OPERATED	1255	6.3	26	1	2	5	8	13	17	25
B. OPERATED	8878	10.5	55	1	2	10	14	18	22	36
TOTAL 0-19 YRS	34	5.5	29	<1	1	3	9	12	16	23
20-34	323	4.4	21	<1	1	3	5	10	13	25
35-49	774	5.1	35	<1	1	3	7	11	15	27
50-64	2784	8.2	40	1	2	7	12	16	19	29
65+	6218	11.7	55	2	3	11	15	19	24	37
GRAND TOTAL	**10133**	**10.0**	**54**	**1**	**2**	**9**	**14**	**18**	**22**	**34**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	7.3	39	1	2	5	11	19	22	23
20-34	49	4.3	6	2	2	4	5	8	9	13
35-49	34	4.2	13	1	1	3	4	7	10	21
50-64	26	5.5	25	1	1	4	7	13	18	19
65+	30	5.6	19	2	2	4	7	12	16	19
B. *Operated*										
0-19 YRS	66	9.4	49	1	2	8	13	19	22	37
20-34	179	4.6	24	<1	1	3	5	9	16	24
35-49	149	4.6	18	1	1	3	6	9	12	21
50-64	161	5.6	19	1	2	4	7	12	15	19
65+	109	8.2	30	1	2	8	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	8.2	35	2	2	6	12	16	20	26
20-34	82	5.5	13	1	2	5	7	10	12	20
35-49	65	6.5	20	1	2	5	9	12	16	23
50-64	99	9.5	138	1	2	6	11	19	23	75
65+	231	8.5	61	1	2	6	11	17	28	37
B. *Operated*										
0-19 YRS	82	12.5	84	2	3	10	16	24	31	47
20-34	180	8.0	75	1	2	4	10	20	27	43
35-49	206	7.0	59	1	1	5	10	16	21	45
50-64	239	9.5	82	1	2	7	13	21	29	46
65+	260	12.1	112	2	3	10	15	25	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	5.6	24	1	2	4	7	13	19	23
B. *Operated*	664	5.9	28	1	1	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	563	7.9	60	1	2	6	10	15	22	35
B. *Operated*	967	9.6	88	1	2	7	13	21	29	46
1. SINGLE DX	878	5.8	27	1	1	4	8	13	16	24
2. MULTIPLE DX	1530	9.0	78	1	2	6	12	19	25	43
A. NOT OPERATED	777	7.3	51	1	2	5	9	15	21	33
B. OPERATED	1631	8.1	67	1	2	5	11	17	24	42
TOTAL 0-19 YRS	309	9.4	55	1	2	7	13	20	23	34
20-34	490	6.0	41	1	1	4	7	14	19	33
35-49	454	5.9	38	1	1	4	7	12	17	32
50-64	525	8.1	74	1	2	5	10	17	23	44
65+	630	9.8	79	1	2	8	13	20	28	43
GRAND TOTAL	**2408**	**7.9**	**62**	**1**	**2**	**5**	**10**	**17**	**23**	**40**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	3	1	1	1	3	5	5	5
20-34	17	1.5	1	<1	<1	1	2	3	3	3
35-49	8	1.1		<1	<1	1	1	2	2	2
50-64	3	4.3	12	<1	<1	4	7	8	8	8
65+	3	3.7		3	3	4	4	4	4	4
B. *Operated*										
0-19 YRS	747	2.1	3	<1	<1	2	3	4	5	7
20-34	1891	2.3	3	<1	<1	2	3	4	5	9
35-49	960	2.2	4	<1	<1	2	3	4	5	9
50-64	501	2.3	2	<1	1	2	3	4	5	8
65+	153	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.1		<1	<1	<1	1	1	2	2
20-34	27	1.4	1	<1	<1	1	2	2	3	5
35-49	19	1.8	1	<1	<1	1	3	4	5	5
50-64	22	1.5	2	<1	<1	1	1	3	5	8
65+	21	3.9	15	<1	<1	3	5	8	13	17
B. *Operated*										
0-19 YRS	526	2.4	3	<1	1	2	3	5	5	8
20-34	1684	2.7	5	<1	<1	2	4	5	6	11
35-49	1155	2.6	6	<1	<1	2	3	5	7	12
50-64	1005	2.7	4	<1	1	2	3	5	6	11
65+	515	3.4	9	1	1	3	4	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*	4252	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	106	1.9	5	<1	<1	1	2	4	6	13
B. *Operated*	4885	2.7	5	<1	1	2	3	5	6	12
1. SINGLE DX	4290	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	4991	2.7	5	<1	1	2	3	5	6	12
A. NOT OPERATED	144	1.9	4	<1	<1	1	2	4	5	9
B. OPERATED	9137	2.5	4	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	1297	2.2	3	<1	<1	2	3	4	5	8
20-34	3619	2.5	4	<1	<1	2	3	5	6	9
35-49	2142	2.4	5	<1	<1	2	3	5	6	10
50-64	1531	2.5	4	<1	1	2	3	5	6	10
65+	692	3.3	8	<1	1	3	4	6	8	17
GRAND TOTAL	**9281**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	3.0	9	1	1	2	4	7	8	18
20-34	40	3.5	6	<1	<1	3	5	7	9	9
35-49	51	4.2	15	<1	<1	3	5	10	13	18
50-64	24	3.8	13	<1	1	3	4	9	13	14
65+	60	3.8	6	<1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	1129	2.7	3	<1	1	2	4	5	5	7
20-34	1925	3.0	4	<1	1	3	4	5	6	9
35-49	528	3.0	5	<1	<1	3	4	5	6	10
50-64	241	3.6	12	<1	1	3	4	7	10	20
65+	127	4.8	26	<1	1	3	6	11	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.3	33	1	1	3	4	10	13	35
20-34	105	4.0	18	<1	<1	3	4	8	16	20
35-49	87	4.9	22	<1	1	3	6	9	17	23
50-64	125	4.9	17	1	1	4	6	9	14	22
65+	286	6.5	31	1	2	5	8	12	16	30
B. *Operated*										
0-19 YRS	593	3.6	12	<1	1	3	4	6	9	15
20-34	972	3.9	16	<1	1	3	5	7	10	18
35-49	507	4.0	14	<1	1	3	5	8	10	21
50-64	353	4.7	26	1	1	3	5	9	14	26
65+	299	8.5	71	1	2	6	11	17	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	3.6	10	<1	1	3	5	7	9	17
B. *Operated*	3950	3.0	5	<1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	695	5.3	26	1	1	4	7	11	15	25
B. *Operated*	2724	4.4	24	1	1	3	5	9	13	25
1. SINGLE DX	4206	3.0	5	<1	1	3	4	5	7	11
2. MULTIPLE DX	3419	4.6	25	1	1	3	5	9	13	25
A. NOT OPERATED	951	4.9	22	<1	1	4	6	10	14	23
B. OPERATED	6674	3.6	13	<1	1	3	4	6	9	18
TOTAL 0-19 YRS	1895	3.1	8	<1	1	3	4	5	7	13
20-34	3042	3.3	8	<1	1	3	4	6	8	15
35-49	1173	3.6	11	<1	1	3	4	7	9	19
50-64	743	4.3	20	<1	1	3	5	8	13	24
65+	772	6.8	46	1	1	5	9	14	18	37
GRAND TOTAL	**7625**	**3.8**	**15**	**<1**	**1**	**3**	**4**	**7**	**10**	**19**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	6.0	12	2	2	5	8	12	12	12
35-49	8	6.5	13	2	2	6	9	12	12	12
50-64	7	7.6	26	2	2	8	10	15	16	16
65+	2	29.5	1201	5	5	29	54	54	54	54
B. *Operated*										
0-19 YRS										
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	2	10.0	50	5	5	10	15	15	15	15
50-64	1	21.0		21	21	21	21	21	21	21
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	2	4	4	6	7	7	7	7
20-34	6	7.0	11	4	4	6	10	12	12	12
35-49	11	12.7	132	3	3	10	17	32	38	39
50-64	9	5.6	10	2	2	7	7	10	11	11
65+	13	8.5	36	3	3	6	12	17	22	23
B. *Operated*										
0-19 YRS										
20-34	4	9.0	31	1	1	10	12	14	14	14
35-49	4	17.0	170	8	8	12	25	36	36	36
50-64	11	13.2	101	1	3	12	16	27	38	39
65+	8	14.0	144	5	5	9	19	35	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	8.4	101	2	2	6	11	12	24	54
B. *Operated*	6	11.7	49	2	2	13	15	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	43	8.5	53	2	3	7	10	16	24	39
B. *Operated*	27	13.4	106	1	5	11	15	34	39	39
1. SINGLE DX	32	9.0	91	2	2	6	11	15	20	54
2. MULTIPLE DX	70	10.4	78	2	3	8	13	21	36	39
A. NOT OPERATED	69	8.5	70	2	3	6	10	16	23	51
B. OPERATED	33	13.1	94	1	4	11	15	27	38	39
TOTAL 0-19 YRS	4	5.8	2	4	4	6	7	7	7	7
20-34	21	7.1	18	1	2	6	11	13	14	15
35-49	25	11.2	96	2	3	8	15	27	37	39
50-64	28	9.6	62	2	2	8	12	18	23	39
65+	24	12.3	150	3	4	8	13	26	43	54
GRAND TOTAL	**102**	**10.0**	**81**	**2**	**3**	**7**	**12**	**18**	**31**	**46**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	27	2	2	5	7	15	17	17
20-34	41	5.2	14	1	2	4	7	12	13	14
35-49	77	6.0	26	1	2	5	8	11	13	30
50-64	97	5.5	12	1	2	5	8	10	13	60
65+										
B. *Operated*										
0-19 YRS	6	8.7	4	6	6	8	11	11	11	11
20-34	62	5.1	41	1	1	4	6	11	14	41
35-49	200	5.2	19	1	1	4	8	10	14	21
50-64	293	5.1	20	1	1	4	7	10	13	24
65+	149	6.8	33	1	1	5	10	15	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	10	<1	<1	4	6	10	10	10
20-34	26	5.7	20	1	2	5	7	11	15	21
35-49	124	6.5	25	1	2	5	9	13	16	28
50-64	310	6.2	30	1	2	5	8	11	13	35
65+	921	7.3	31	2	3	6	9	13	17	32
B. *Operated*										
0-19 YRS	3	10.7	1	10	10	10	12	12	12	12
20-34	48	4.7	20	1	1	3	7	11	15	19
35-49	236	7.3	50	1	1	6	9	14	18	39
50-64	514	7.2	37	1	1	6	10	15	19	30
65+	497	11.5	116	1	2	9	15	25	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	5.6	18	1	2	5	8	10	13	24
B. *Operated*	710	5.5	25	1	1	4	8	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	1387	7.0	30	2	2	6	9	13	17	31
B. *Operated*	1298	8.8	74	1	1	7	11	18	25	44
1. SINGLE DX	932	5.5	23	1	1	4	8	11	15	25
2. MULTIPLE DX	2685	7.8	52	1	2	6	10	15	21	39
A. NOT OPERATED	1609	6.8	29	2	2	5	9	12	16	31
B. OPERATED	2008	7.6	59	1	1	6	10	16	22	40
TOTAL 0-19 YRS	15	7.5	11	<1	2	8	10	11	12	12
20-34	143	5.1	29	1	1	3	7	11	15	23
35-49	601	6.3	33	1	1	5	8	13	16	30
50-64	1194	6.4	31	1	1	5	8	12	16	30
65+	1664	8.4	60	1	2	6	10	17	23	43
GRAND TOTAL	**3617**	**7.2**	**46**	**1**	**2**	**6**	**9**	**14**	**19**	**36**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	5.7	11	1	1	6	8	10	11	13
20-34	587	6.0	18	1	1	5	8	12	14	19
35-49	854	6.3	17	1	2	6	8	11	14	20
50-64	446	6.4	19	1	2	6	8	11	14	23
65+	148	6.5	18	1	2	6	9	12	14	21
B. *Operated*										
0-19 YRS	118	5.4	17	1	1	5	7	11	13	21
20-34	3064	5.7	20	1	1	5	8	11	14	21
35-49	3993	5.9	23	1	1	5	8	12	15	22
50-64	1803	6.3	26	1	1	5	9	13	15	24
65+	431	7.8	45	1	1	7	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.8	43	1	1	7	9	15	24	26
20-34	383	7.1	30	1	2	6	9	14	19	27
35-49	692	7.1	29	1	2	6	9	13	18	24
50-64	691	7.5	26	1	2	6	10	14	17	26
65+	687	8.3	29	2	3	7	11	15	18	28
B. *Operated*										
0-19 YRS	21	7.9	105	1	1	4	9	21	32	43
20-34	921	8.2	43	1	1	7	10	16	20	34
35-49	1779	9.0	48	1	2	8	12	17	22	35
50-64	1512	9.3	66	1	2	7	12	19	23	37
65+	844	11.9	84	2	2	10	16	23	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2068	6.3	18	1	2	6	8	11	14	21
B. *Operated*	9409	6.0	23	1	1	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2467	7.6	28	1	2	6	10	14	18	26
B. *Operated*	5077	9.4	60	1	2	8	12	19	24	36
1. SINGLE DX	11477	6.0	22	1	1	5	8	12	15	22
2. MULTIPLE DX	7544	8.8	50	1	2	7	11	17	22	34
A. NOT OPERATED	4535	7.0	24	1	2	6	9	13	16	25
B. OPERATED	14486	7.2	39	1	1	6	10	15	19	29
TOTAL 0-19 YRS	186	5.9	28	1	1	5	7	11	15	25
20-34	4955	6.3	26	1	1	5	8	12	16	25
35-49	7318	6.8	30	1	1	6	9	13	17	26
50-64	4452	7.5	41	1	1	6	10	15	19	30
65+	2110	9.5	57	1	2	8	12	18	23	34
GRAND TOTAL	**19021**	**7.1**	**35**	**1**	**1**	**6**	**9**	**14**	**18**	**28**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	3	1	1	3	5	5	5	5
20-34	75	5.0	10	<1	1	5	7	8	9	19
35-49	136	6.1	14	1	1	6	8	11	13	16
50-64	84	5.3	10	1	1	5	7	9	12	14
65+	30	6.8	37	2	3	5	7	10	17	35
B. *Operated*										
0-19 YRS	8	4.4	14	1	1	3	7	10	10	10
20-34	282	4.9	14	1	1	4	7	10	12	16
35-49	755	5.2	19	1	1	4	7	10	13	21
50-64	373	5.3	18	1	1	5	7	10	13	21
65+	52	6.7	26	1	1	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	46	5.2	13	1	2	5	6	8	14	19
35-49	173	6.4	29	1	1	5	8	12	16	33
50-64	171	6.1	30	1	2	5	7	11	15	30
65+	196	6.7	26	2	2	5	8	12	15	30
B. *Operated*										
0-19 YRS	7	4.3	6	2	2	4	5	8	9	9
20-34	152	5.9	33	1	1	5	8	12	13	28
35-49	496	7.4	60	1	2	6	9	14	20	41
50-64	432	7.6	48	1	2	5	10	16	21	34
65+	125	10.9	79	1	2	9	14	22	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	5.6	14	1	1	5	8	10	12	17
B. *Operated*	1470	5.2	18	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	588	6.3	27	1	2	5	8	12	15	30
B. *Operated*	1212	7.6	55	1	2	6	9	16	21	40
1. SINGLE DX	1801	5.3	17	1	1	5	7	10	13	20
2. MULTIPLE DX	1800	7.2	46	1	2	5	9	14	19	36
A. NOT OPERATED	919	6.1	22	1	2	5	8	11	14	24
B. OPERATED	2682	6.3	36	1	1	5	8	12	17	31
TOTAL 0-19 YRS	23	3.9	7	1	1	4	5	9	10	10
20-34	555	5.2	19	1	1	4	7	10	13	19
35-49	1560	6.1	33	1	1	5	8	12	16	29
50-64	1060	6.4	32	1	1	5	8	12	16	31
65+	403	8.0	47	1	2	6	10	16	21	38
GRAND TOTAL	**3601**	**6.2**	**33**	**1**	**1**	**5**	**8**	**12**	**16**	**30**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	62	6.0	22	1	2	4	8	11	18	23
35-49	76	6.4	14	1	2	6	8	12	13	18
50-64	24	5.8	9	1	2	5	7	11	12	13
65+	7	6.1	12	2	2	6	8	11	12	12
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	66	5.2	32	<1	1	2	8	12	14	32
35-49	66	5.6	34	1	1	3	8	12	16	28
50-64	15	4.7	14	<1	1	3	8	9	11	11
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	28	<1	<1	5	10	11	11	11
20-34	85	7.1	20	2	3	6	9	14	18	22
35-49	104	7.8	26	2	3	7	9	13	19	29
50-64	72	7.8	32	2	2	6	10	16	18	29
65+	49	8.4	47	3	3	7	10	13	18	47
B. *Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	74	7.6	45	1	1	7	11	15	17	38
35-49	95	9.1	61	1	1	8	11	18	26	39
50-64	38	8.2	30	1	2	7	12	16	18	20
65+	17	12.5	171	1	2	9	16	24	46	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	6.1	16	1	2	5	8	11	13	19
B. *Operated*	150	5.4	30	1	1	3	8	12	14	28
2. MULTIPLE DX										
A. *Not Operated*	314	7.7	29	2	3	6	9	14	18	26
B. *Operated*	227	8.6	59	1	1	8	11	17	20	41
1. SINGLE DX	320	5.8	23	1	1	5	8	11	14	25
2. MULTIPLE DX	541	8.1	42	1	2	7	10	15	19	36
A. NOT OPERATED	484	7.1	25	2	2	6	9	13	18	23
B. OPERATED	377	7.3	50	1	1	6	10	15	18	36
TOTAL 0-19 YRS	10	5.0	16	<1	<1	5	8	10	11	11
20-34	287	6.5	30	1	1	5	9	13	17	27
35-49	341	7.4	36	1	1	6	10	14	18	35
50-64	149	7.3	27	1	2	6	10	15	17	22
65+	74	9.1	73	2	3	7	10	16	20	55
GRAND TOTAL	**861**	**7.2**	**36**	**1**	**1**	**6**	**10**	**14**	**18**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.4	7	5	5	8	11	11	11	11
20-34	37	6.1	17	1	2	5	8	12	14	17
35-49	58	6.3	14	1	2	6	9	12	13	17
50-64	47	5.8	9	2	2	5	7	10	11	14
65+	29	6.9	33	1	1	6	8	13	15	30
B. *Operated*										
0-19 YRS	7	3.4	15	1	1	2	4	10	12	12
20-34	51	3.7	10	1	1	2	6	9	10	12
35-49	61	6.0	57	1	1	3	7	14	26	39
50-64	35	6.8	62	<1	1	5	9	13	28	36
65+	9	4.9	12	1	1	4	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	41	7.3	27	2	3	6	8	16	19	27
35-49	63	6.9	18	2	3	6	9	11	18	20
50-64	80	6.7	15	2	2	6	9	11	14	20
65+	144	8.1	24	2	3	7	10	15	19	25
B. *Operated*										
0-19 YRS	3	10.3	120	4	4	4	18	23	23	23
20-34	23	6.1	23	<1	1	4	9	13	17	18
35-49	50	7.7	47	1	1	6	10	20	21	22
50-64	44	9.5	56	1	1	8	12	20	24	35
65+	29	9.6	66	2	3	7	12	18	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	6.3	16	1	2	6	8	11	13	17
B. *Operated*	163	5.3	40	1	1	3	7	11	15	35
2. MULTIPLE DX										
A. *Not Operated*	330	7.4	21	2	3	7	9	13	18	23
B. *Operated*	149	8.4	51	1	1	7	11	20	22	35
1. SINGLE DX	339	5.8	28	1	1	5	8	11	14	30
2. MULTIPLE DX	479	7.7	31	2	2	7	10	15	20	26
A. NOT OPERATED	506	7.0	20	2	2	6	9	12	15	23
B. OPERATED	312	6.8	47	1	1	5	9	15	21	35
TOTAL 0-19 YRS	17	6.6	35	1	1	4	11	14	20	23
20-34	152	5.6	20	1	1	5	8	11	15	19
35-49	232	6.7	33	1	1	5	9	13	20	28
50-64	206	7.1	31	1	2	6	9	13	17	33
65+	211	8.0	31	2	3	7	10	14	19	30
GRAND TOTAL	**818**	**6.9**	**30**	**1**	**2**	**5**	**9**	**13**	**18**	**28**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.0	9	1	1	2	4	6	7	20
20-34	591	5.6	18	1	1	5	7	11	15	19
35-49	757	6.1	22	1	1	5	8	12	16	20
50-64	428	6.1	25	1	1	5	7	12	16	24
65+	228	5.9	16	1	1	5	8	11	13	19
B. *Operated*										
0-19 YRS	46	3.0	8	1	1	2	4	7	11	13
20-34	671	3.7	15	1	1	2	5	8	12	17
35-49	902	4.4	19	1	1	3	6	9	12	21
50-64	644	5.1	21	1	1	4	8	10	14	20
65+	400	7.3	42	1	1	6	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	5.2	48	<1	<1	2	6	12	22	32
20-34	786	7.6	48	1	1	5	10	19	19	32
35-49	1177	7.8	41	1	2	6	10	18	19	30
50-64	1002	7.3	34	1	2	6	9	15	19	31
65+	1213	7.4	34	1	2	6	9	14	18	27
B. *Operated*										
0-19 YRS	46	5.3	20	1	1	4	8	14	15	16
20-34	571	6.0	34	1	1	4	8	13	17	28
35-49	1040	6.8	44	1	1	5	9	14	19	31
50-64	1109	8.5	74	1	1	7	11	17	22	46
65+	1067	11.2	101	1	2	9	14	23	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2059	5.9	21	1	1	5	8	11	15	20
B. *Operated*	2663	4.8	23	1	1	3	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	4240	7.5	39	1	2	6	10	17	19	31
B. *Operated*	3833	8.4	71	1	1	7	11	17	23	43
1. SINGLE DX	4722	5.3	22	1	1	4	7	11	15	20
2. MULTIPLE DX	8073	7.9	54	1	1	6	10	17	20	37
A. NOT OPERATED	6299	7.0	34	1	2	5	9	15	19	28
B. OPERATED	6496	6.9	54	1	1	5	9	15	19	37
TOTAL 0-19 YRS	209	4.2	24	<1	1	2	5	10	14	28
20-34	2619	5.8	32	1	1	4	8	13	18	25
35-49	3876	6.4	34	1	1	5	8	13	19	28
50-64	3183	7.1	46	1	1	6	9	15	19	34
65+	2908	8.7	62	1	2	7	11	17	22	41
GRAND TOTAL	**12795**	**6.9**	**44**	**1**	**1**	**5**	**9**	**15**	**19**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.0	5	1	1	2	4	5	8	11
20-34	52	4.0	12	1	1	3	5	8	13	16
35-49	70	3.1	4	<1	1	3	4	6	6	11
50-64	71	3.3	10	<1	1	2	4	6	9	19
65+	34	4.6	8	1	2	4	6	8	8	16
B. *Operated*										
0-19 YRS	221	2.0	2	<1	<1	1	3	4	5	7
20-34	616	2.4	5	<1	<1	2	3	4	5	9
35-49	792	2.4	3	<1	<1	2	3	5	6	10
50-64	740	2.3	3	<1	<1	2	3	4	6	9
65+	236	2.8	6	<1	<1	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.3	8	<1	1	2	4	7	10	14
20-34	66	4.0	5	1	2	4	5	8	8	11
35-49	100	5.1	25	1	1	4	6	10	15	29
50-64	128	4.9	14	1	1	4	7	9	11	21
65+	220	6.6	27	2	2	5	8	13	18	27
B. *Operated*										
0-19 YRS	106	2.7	5	<1	1	2	3	6	7	12
20-34	395	3.1	10	<1	<1	2	4	5	7	13
35-49	581	3.7	12	1	1	3	4	7	11	17
50-64	636	3.8	16	<1	1	3	4	7	11	18
65+	339	5.0	42	1	1	3	5	9	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	3.4	7	1	1	3	4	7	8	14
B. *Operated*	2605	2.4	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	570	5.3	21	1	1	4	7	11	13	25
B. *Operated*	2057	3.8	18	<1	1	3	4	7	10	19
1. SINGLE DX	2936	2.5	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	2627	4.1	19	<1	1	3	5	8	11	20
A. NOT OPERATED	901	4.6	17	1	1	3	6	9	12	20
B. OPERATED	4662	3.0	11	<1	<1	2	4	5	7	15
TOTAL 0-19 YRS	487	2.5	4	<1	<1	2	3	5	6	11
20-34	1129	2.8	7	<1	<1	2	3	5	7	11
35-49	1543	3.1	9	<1	<1	2	4	6	8	14
50-64	1575	3.2	11	<1	<1	2	4	6	9	16
65+	829	4.8	28	<1	1	3	6	9	13	25
GRAND TOTAL	**5563**	**3.3**	**12**	**<1**	**<1**	**2**	**4**	**6**	**9**	**16**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	199	2.7	3	<1	1	2	3	5	5	8
20-34	333	2.8	2	<1	1	2	4	5	6	9
35-49	405	2.7	2	<1	1	3	3	4	5	7
50-64	544	3.0	3	<1	1	3	4	5	6	8
65+	293	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	8	2.3	7	<1	<1	1	3	7	8	8
50-64	22	2.0	9	<1	<1	1	1	5	9	14
65+	24	3.4	17	<1	<1	1	5	9	12	17
B. *Operated*										
0-19 YRS	195	2.9	2	1	1	3	4	5	6	8
20-34	508	3.1	4	1	1	3	4	5	6	8
35-49	753	3.2	3	1	1	3	4	5	6	8
50-64	1348	3.5	4	1	1	3	4	6	7	10
65+	1075	4.0	5	1	2	4	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	1774	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	60	2.5	11	<1	<1	1	2	7	9	17
B. *Operated*	3879	3.5	4	1	1	3	4	6	7	10
1. SINGLE DX	1777	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	3939	3.5	4	1	1	3	4	6	7	10
A. NOT OPERATED	63	2.4	11	<1	<1	1	2	7	9	17
B. OPERATED	5653	3.3	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	395	2.8	3	<1	1	2	4	5	5	8
20-34	847	2.9	3	1	1	3	4	5	6	9
35-49	1167	3.0	2	1	1	3	4	5	6	8
50-64	1914	3.3	4	1	1	3	4	5	7	10
65+	1393	3.7	5	1	1	3	5	6	7	11
GRAND TOTAL	**5716**	**3.3**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.4		<1	<1	<1	2	2	2	2
35-49	6	1.3		<1	<1	1	2	2	2	2
50-64	5	3.8	27	<1	<1	2	5	13	13	13
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	241	1.3		<1	<1	1	1	2	3	4
20-34	448	1.5	2	<1	<1	<1	2	2	3	4
35-49	264	1.6	1	<1	<1	1	2	3	4	5
50-64	179	1.8	2	<1	<1	1	2	4	5	8
65+	97	2.1	3	<1	<1	1	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	8	1.6	1	<1	<1	1	2	3	3	3
35-49	6	4.5	36	<1	<1	1	6	15	16	16
50-64	4	3.0	6	1	1	3	5	6	6	6
65+	11	4.5	10	<1	<1	4	8	9	9	9
B. *Operated*										
0-19 YRS	25	1.9	2	<1	<1	1	2	4	5	7
20-34	100	2.0	5	<1	<1	1	3	3	4	13
35-49	112	2.7	13	<1	<1	2	3	6	8	22
50-64	144	3.1	7	<1	<1	2	4	6	8	13
65+	90	3.6	13	<1	1	3	4	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.9	7	<1	<1	<1	2	2	7	13
B. *Operated*	1229	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	31	3.4	12	<1	<1	2	4	8	9	16
B. *Operated*	471	2.8	9	<1	<1	2	3	6	8	16
1. SINGLE DX	1250	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX	502	2.8	9	<1	<1	2	3	6	8	16
A. NOT OPERATED	52	2.8	10	<1	<1	1	2	7	9	16
B. OPERATED	1700	1.9	4	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	271	1.4	1	<1	<1	1	2	2	3	4
20-34	561	1.6	2	<1	<1	1	2	3	3	5
35-49	388	1.9	5	<1	<1	1	2	3	5	9
50-64	332	2.4	5	<1	<1	2	3	5	7	12
65+	200	2.9	8	<1	<1	2	3	6	8	16
GRAND TOTAL	**1752**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	12.7	90	2	4	10	17	25	28	53
20-34	20	8.7	22	2	3	8	12	16	17	18
35-49	21	9.3	80	1	2	6	12	22	33	34
50-64	9	7.9	31	1	2	9	11	16	19	19
65+	12	7.9	60	1	2	5	11	20	27	28
B. *Operated*										
0-19 YRS	94	15.0	145	2	3	12	21	30	44	51
20-34	79	8.9	64	1	2	6	14	21	26	35
35-49	67	9.6	104	1	1	7	11	21	31	55
50-64	64	8.4	66	1	1	6	11	17	24	41
65+	37	8.7	65	1	2	6	10	20	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	14.7	128	2	3	10	21	29	40	50
20-34	31	13.6	123	1	2	10	19	28	40	42
35-49	43	13.4	99	1	3	12	19	29	32	42
50-64	75	17.4	224	2	3	11	26	42	47	61
65+	76	12.2	99	3	3	8	15	29	34	47
B. *Operated*										
0-19 YRS	108	19.7	158	4	6	16	27	42	43	50
20-34	150	19.8	275	2	3	16	29	44	54	80
35-49	167	19.1	298	2	3	13	28	49	58	99+
50-64	218	18.1	275	2	3	12	27	43	53	73
65+	229	19.7	295	2	4	15	28	47	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	10.8	74	2	3	8	14	22	28	40
B. *Operated*	341	10.6	101	1	2	8	14	23	30	49
2. MULTIPLE DX										
A. *Not Operated*	288	14.4	143	2	3	10	20	31	41	51
B. *Operated*	872	19.2	269	2	4	14	28	44	54	91
1. SINGLE DX	474	10.7	93	1	2	8	14	23	30	49
2. MULTIPLE DX	1160	18.0	242	2	3	13	26	42	51	82
A. NOT OPERATED	421	13.3	124	2	3	9	17	29	36	51
B. OPERATED	1213	16.8	237	2	3	12	23	42	50	81
TOTAL 0-19 YRS	336	16.0	140	2	4	13	22	31	43	51
20-34	280	15.2	206	1	2	10	22	38	45	74
35-49	298	15.4	227	1	2	10	21	40	51	92
50-64	366	16.0	235	2	3	10	22	39	48	68
65+	354	16.5	240	2	3	12	22	37	52	99
GRAND TOTAL	**1634**	**15.9**	**210**	**2**	**3**	**11**	**22**	**38**	**47**	**73**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	5.4	24	<1	1	4	8	10	11	25
20-34	44	3.6	21	<1	<1	2	5	8	9	29
35-49	75	2.3	2	<1	1	2	3	4	6	8
50-64	70	3.4	6	1	1	3	4	6	8	15
65+	140	5.5	15	1	2	4	8	11	13	20
B. *Operated*										
0-19 YRS	678	3.6	12	<1	1	3	4	7	9	18
20-34	783	3.6	14	<1	1	3	4	7	9	18
35-49	412	4.6	24	<1	1	3	6	10	13	19
50-64	264	5.7	23	1	1	4	8	11	14	25
65+	199	9.0	67	1	2	8	13	16	23	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.6	46	<1	1	3	6	17	20	30
20-34	106	3.5	11	1	1	3	4	7	9	20
35-49	214	4.1	17	1	1	3	5	9	12	24
50-64	420	6.6	39	1	2	4	9	15	19	31
65+	2028	8.6	44	2	3	7	11	16	20	37
B. *Operated*										
0-19 YRS	287	4.1	21	1	1	3	4	8	14	25
20-34	572	5.3	42	1	1	3	6	11	15	32
35-49	459	7.3	70	1	1	4	10	15	20	44
50-64	537	10.7	126	1	2	8	14	22	30	58
65+	974	13.5	110	2	3	11	17	26	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	4.2	14	1	1	3	6	9	11	20
B. *Operated*	2336	4.5	23	<1	1	3	5	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	2816	7.7	43	1	2	6	10	15	20	34
B. *Operated*	2829	9.4	97	1	2	6	13	20	27	47
1. SINGLE DX	2716	4.4	22	<1	1	3	5	9	13	24
2. MULTIPLE DX	5645	8.5	71	1	2	6	11	17	23	42
A. NOT OPERATED	3196	7.3	41	1	2	6	10	14	19	32
B. OPERATED	5165	7.2	69	1	1	4	9	16	21	41
TOTAL 0-19 YRS	1064	3.9	17	<1	1	3	5	8	11	23
20-34	1505	4.2	25	<1	1	3	5	8	12	27
35-49	1160	5.4	42	1	1	3	7	12	16	31
50-64	1291	8.0	76	1	2	5	10	16	23	42
65+	3341	9.9	69	2	3	8	13	19	25	44
GRAND TOTAL	**8361**	**7.2**	**58**	**1**	**1**	**5**	**9**	**15**	**20**	**38**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	178	3.0	4	<1	<1	3	4	6	7	10
20-34	127	2.8	6	<1	<1	2	4	5	8	12
35-49	54	3.0	4	<1	<1	2	4	6	7	9
50-64	41	3.0	5	<1	1	2	3	6	8	11
65+	22	4.0	7	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3	1	<1	<1	1	1	3	3	3
20-34	5	6.2	24	<1	<1	5	9	14	14	14
35-49	7	2.9	4	<1	<1	2	5	5	5	5
50-64	5	14.4	571	2	2	4	19	57	57	57
65+	9	12.1	76	1	2	10	19	25	25	25
B. *Operated*										
0-19 YRS	252	3.7	14	1	1	3	4	6	9	15
20-34	152	4.2	11	<1	1	3	5	8	9	15
35-49	125	4.1	9	1	1	3	6	8	9	15
50-64	120	4.6	15	1	1	4	6	9	11	19
65+	84	8.7	178	1	2	4	8	21	34	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	422	3.0	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	33	7.3	121	<1	<1	4	8	18	25	57
B. *Operated*	733	4.6	34	1	1	3	5	8	11	30
1. SINGLE DX	426	3.0	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX	766	4.7	37	1	1	3	5	9	11	33
A. NOT OPERATED	37	6.7	111	<1	<1	3	7	17	25	57
B. OPERATED	1155	4.0	24	<1	1	3	5	7	9	22
TOTAL 0-19 YRS	439	3.4	10	<1	1	3	4	6	7	13
20-34	284	3.6	10	<1	<1	3	5	7	9	15
35-49	187	3.7	8	<1	1	3	5	7	9	13
50-64	166	4.5	29	1	1	3	6	9	11	24
65+	116	8.0	140	1	2	4	8	18	26	72
GRAND TOTAL	**1192**	**4.1**	**26**	**<1**	**1**	**3**	**5**	**8**	**10**	**25**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	5.6	32	1	1	3	7	16	17	17
35-49	22	4.4	11	1	1	4	6	7	11	16
50-64	19	3.5	11	<1	1	2	5	8	12	14
65+	15	6.8	38	2	2	4	7	17	21	22
B. *Operated*										
0-19 YRS										
20-34	16	4.6	40	1	1	2	4	9	22	27
35-49	36	3.1	11	1	1	2	4	9	10	15
50-64	22	5.9	37	1	1	3	8	12	19	27
65+	13	5.7	20	1	1	5	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	3.8	6	1	2	3	4	6	10	13
35-49	23	6.3	20	1	1	5	10	14	15	16
50-64	40	6.8	46	1	2	5	8	10	25	34
65+	70	5.8	15	2	2	5	7	10	13	24
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	22	5.6	26	1	1	5	7	12	17	21
35-49	20	5.2	19	<1	1	4	8	11	15	17
50-64	25	6.2	46	1	1	5	7	11	21	33
65+	18	8.9	60	1	2	5	12	22	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	4.9	21	1	1	4	6	13	16	21
B. *Operated*	87	4.5	25	1	1	2	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	157	5.8	23	1	2	5	7	10	14	28
B. *Operated*	86	6.3	37	1	1	4	8	15	21	30
1. SINGLE DX	157	4.7	22	1	1	3	6	10	16	26
2. MULTIPLE DX	243	6.0	28	1	1	5	7	11	16	28
A. NOT OPERATED	227	5.5	23	1	1	4	7	10	15	26
B. OPERATED	173	5.4	32	1	1	3	7	11	17	27
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	75	4.8	24	1	1	3	6	11	16	25
35-49	101	4.5	16	1	1	3	6	10	14	17
50-64	106	5.9	38	1	1	4	7	10	18	33
65+	116	6.4	26	1	2	5	8	13	17	26
GRAND TOTAL	**400**	**5.5**	**26**	**1**	**1**	**4**	**7**	**11**	**16**	**27**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.6	5	<1	<1	2	3	5	8	11
20-34	122	3.8	10	<1	1	3	4	8	10	19
35-49	136	4.5	18	1	1	3	6	9	14	20
50-64	102	4.0	10	1	1	4	5	8	11	16
65+	83	4.3	12	1	1	3	6	8	11	20
B. *Operated*										
0-19 YRS	381	3.9	15	<1	<1	2	7	9	11	16
20-34	527	3.1	12	<1	<1	2	4	8	10	17
35-49	416	3.0	12	<1	<1	2	3	6	9	19
50-64	427	2.5	6	<1	<1	2	3	5	7	14
65+	326	2.6	7	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	2.5	4	<1	1	2	3	5	7	10
20-34	259	4.9	19	1	1	3	7	10	13	19
35-49	297	5.0	17	1	1	4	7	10	13	20
50-64	340	5.0	19	1	1	4	6	10	13	22
65+	570	6.0	27	1	2	5	7	12	15	29
B. *Operated*										
0-19 YRS	387	4.1	27	<1	1	2	4	9	13	25
20-34	597	3.7	20	<1	1	2	4	9	12	24
35-49	495	4.9	44	<1	1	3	6	11	15	30
50-64	577	5.5	46	1	1	3	7	12	17	40
65+	519	6.8	66	1	1	4	9	15	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	4.0	12	1	1	3	5	8	11	19
B. *Operated*	2077	3.0	11	<1	<1	2	3	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	1549	5.2	21	1	1	4	7	11	13	24
B. *Operated*	2575	5.0	42	<1	1	3	6	11	15	34
1. SINGLE DX	2576	3.2	11	<1	<1	2	4	8	10	17
2. MULTIPLE DX	4124	5.1	34	1	1	3	6	11	15	29
A. NOT OPERATED	2048	4.9	19	1	1	4	6	10	13	22
B. OPERATED	4652	4.1	29	<1	1	2	5	9	13	25
TOTAL 0-19 YRS	907	3.8	19	<1	<1	2	5	9	11	20
20-34	1505	3.7	17	<1	1	2	4	9	11	20
35-49	1344	4.3	26	<1	1	3	5	9	13	24
50-64	1446	4.4	27	<1	1	3	5	10	13	25
65+	1498	5.4	38	1	1	3	7	12	16	33
GRAND TOTAL	**6700**	**4.4**	**26**	**<1**	**1**	**3**	**5**	**10**	**13**	**24**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	3	6.3	17	3	3	5	9	11	11	11
35-49	8	5.8	14	2	2	5	7	12	14	14
50-64	4	3.5	6	1	1	3	5	7	7	7
65+	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	2	9.0	128	1	1	9	17	17	17	17
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	5.7	13	1	2	6	8	9	12	16
35-49	28	5.2	8	2	2	4	7	10	11	11
50-64	21	5.8	9	1	2	6	8	10	11	11
65+	9	6.0	13	2	3	5	7	12	13	13
B. *Operated*										
0-19 YRS										
20-34	5	5.2	11	1	1	5	8	9	9	9
35-49	8	8.8	48	2	2	5	16	18	18	18
50-64	5	4.8	5	3	3	4	6	8	8	8
65+	4	8.8	57	4	4	5	13	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.1	11	1	2	4	6	10	12	14
B. *Operated*	5	5.2	46	<1	<1	2	8	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	82	5.5	10	1	2	5	8	10	11	15
B. *Operated*	22	7.0	31	2	2	5	8	17	19	20
1. SINGLE DX	25	5.1	16	<1	1	4	6	11	15	17
2. MULTIPLE DX	104	5.9	15	2	2	5	8	11	14	19
A. NOT OPERATED	102	5.4	10	1	2	5	8	10	11	15
B. OPERATED	27	6.7	33	1	1	5	8	17	18	20
TOTAL 0-19 YRS	4	4.5	6	3	3	4	6	8	8	8
20-34	33	5.5	12	1	1	5	8	9	11	14
35-49	46	6.1	20	2	2	5	8	14	17	18
50-64	31	5.2	8	1	2	4	8	9	11	11
65+	15	6.4	23	1	2	5	6	13	18	20
GRAND TOTAL	**129**	**5.7**	**15**	**1**	**2**	**5**	**8**	**11**	**14**	**18**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.7	10	<1	<1	1	3	7	11	13
20-34	2	1.5	1	1	1	2	75	99+	99+	99+
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	46	4.6	11	1	1	3	6	10	12	15
20-34	18	7.1	30	1	1	6	12	16	18	18
35-49	4	5.3	14	1	1	5	8	10	10	10
50-64	4	10.0	91	2	2	9	18	21	21	21
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.0	17	<1	<1	3	5	8	10	22
20-34	5	5.2	37	2	2	3	6	16	16	16
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	3	7.3	2	6	6	7	8	9	9	9
65+	6	5.0	20	1	1	4	7	12	13	13
B. *Operated*										
0-19 YRS	100	7.8	67	1	1	5	10	17	27	41
20-34	12	9.7	61	1	1	8	14	23	23	23
35-49	12	10.7	124	1	2	7	16	24	39	41
50-64	7	6.0	11	1	1	7	9	9	9	9
65+	10	13.1	84	2	3	11	15	28	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.9	11	<1	<1	1	3	11	43	99+
B. *Operated*	73	5.5	21	1	1	4	7	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	78	4.3	17	<1	1	3	6	9	12	22
B. *Operated*	141	8.5	71	1	1	6	11	18	27	42
1. SINGLE DX	95	4.9	20	<1	1	3	7	12	15	64
2. MULTIPLE DX	219	7.0	56	<1	1	5	9	16	22	37
A. NOT OPERATED	100	4.0	16	<1	<1	3	5	9	13	60
B. OPERATED	214	7.5	55	1	1	5	10	16	22	37
TOTAL 0-19 YRS	225	5.7	41	<1	1	4	7	12	17	33
20-34	37	7.4	41	1	1	6	12	18	23	99+
35-49	20	8.4	85	<1	1	5	10	17	29	41
50-64	14	7.4	30	1	2	7	9	16	20	21
65+	18	9.1	72	1	1	6	13	21	29	33
GRAND TOTAL	**314**	**6.4**	**46**	**<1**	**1**	**4**	**8**	**15**	**21**	**37**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	1.2	1	<1	<1	<1	1	1	2	7
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	392	1.7	1	<1	<1	1	2	3	3	7
20-34	106	2.0	2	<1	<1	2	2	3	4	8
35-49	53	1.8	1	<1	<1	2	2	3	4	7
50-64	59	1.8	1	<1	1	2	2	3	3	4
65+	52	1.9	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	1.8	6	<1	<1	<1	1	4	8	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	6.3	17	3	3	5	9	11	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	150	2.5	14	<1	<1	2	3	4	6	28
20-34	45	2.0	2	<1	1	2	2	3	4	13
35-49	26	2.4	2	<1	1	2	3	4	5	8
50-64	17	2.1	1	<1	<1	2	3	4	4	4
65+	27	2.3	2	<1	<1	2	3	3	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	1.2	1	<1	<1	<1	1	1	2	7
B. Operated	662	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	42	2.1	7	<1	<1	1	1	6	10	12
B. Operated	345	2.3	7	<1	<1	2	3	4	5	11
1. SINGLE DX	776	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	387	2.3	7	<1	<1	2	3	4	5	12
A. NOT OPERATED	156	1.4	3	<1	<1	<1	1	2	4	11
B. OPERATED	1007	2.0	3	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	690	1.8	4	<1	<1	1	2	3	4	9
20-34	153	2.0	2	<1	<1	2	2	3	4	8
35-49	83	2.2	3	<1	1	2	3	4	5	10
50-64	107	2.0	1	<1	<1	2	2	3	4	4
65+	130	2.1	2	<1	<1	2	2	4	5	8
GRAND TOTAL	**1163**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.5	12	<1	<1	1	3	4	9	17
20-34	6	2.5	2	1	1	2	3	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	616	4.1	22	<1	<1	2	6	8	9	13
20-34	71	3.8	9	<1	1	2	6	8	10	13
35-49	38	4.6	12	1	1	3	6	10	11	12
50-64	32	4.8	36	1	1	2	7	10	15	30
65+	18	3.6	18	1	1	2	2	12	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	195	3.9	65	<1	<1	2	4	7	14	30
20-34	38	4.4	15	1	1	3	6	10	13	18
35-49	20	4.1	5	<1	1	4	5	7	8	10
50-64	16	5.9	51	1	1	5	6	9	24	31
65+	29	6.6	52	<1	1	5	6	14	18	38
B. Operated										
0-19 YRS	1138	6.1	54	<1	1	4	8	13	17	39
20-34	114	6.9	38	1	1	5	10	15	21	56
35-49	95	7.5	91	1	1	3	9	16	26	52
50-64	81	8.5	117	1	1	7	10	17	22	69
65+	61	10.2	103	1	1	6	14	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.5	8	<1	1	2	3	4	5	17
B. Operated	777	4.1	21	<1	<1	2	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	298	4.3	40	<1	<1	3	5	9	14	33
B. Operated	1469	6.5	61	<1	1	5	9	14	18	46
1. SINGLE DX	811	4.0	20	<1	<1	2	6	9	10	15
2. MULTIPLE DX	1767	6.2	58	<1	1	4	8	13	18	40
A. NOT OPERATED	332	4.1	37	<1	<1	2	5	8	14	32
B. OPERATED	2266	5.7	49	<1	1	4	8	12	16	34
TOTAL 0-19 YRS	1973	5.2	44	<1	<1	3	7	11	14	31
20-34	229	5.4	26	1	1	3	8	12	15	27
35-49	155	6.3	61	1	1	3	8	12	18	45
50-64	131	7.2	90	1	1	4	9	15	19	42
65+	110	8.0	80	1	1	5	11	17	26	48
GRAND TOTAL	**2598**	**5.5**	**47**	**<1**	**1**	**3**	**8**	**11**	**16**	**34**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	394	3.5	4	1	1	3	4	6	8	11
20-34	9	3.1	3	1	1	3	4	6	7	7
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	5	<1	<1	1	2	5	7	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	285	3.5	7	1	1	3	4	6	7	8
20-34	14	2.4	1	<1	1	2	3	4	4	4
35-49	8	3.4	1	2	2	3	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	411	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	25	2.0	5	<1	<1	1	2	5	7	11
B. *Operated*	310	3.5	6	1	1	3	4	6	7	8
1. SINGLE DX	415	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX	335	3.4	6	<1	1	3	4	6	7	8
A. NOT OPERATED	29	1.8	5	<1	<1	1	2	4	6	11
B. OPERATED	721	3.5	5	1	1	3	4	6	7	9
TOTAL 0-19 YRS	708	3.5	5	1	1	3	4	6	7	10
20-34	23	2.7	2	<1	1	3	3	4	5	7
35-49	13	3.2	2	1	1	3	4	5	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	4	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	**750**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	1	1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	318	3.1	2	1	2	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	<1	<1	2	4	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	93	4.5	11	2	2	4	5	8	12	19
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.5	1	1	1	1	2	3	3	3
B. *Operated*	318	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	4	2.8	3	<1	<1	2	4	5	5	5
B. *Operated*	93	4.5	11	2	2	4	5	8	12	19
1. SINGLE DX	326	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX	97	4.5	11	2	2	4	5	8	11	19
A. NOT OPERATED	12	1.9	2	<1	<1	2	3	4	5	5
B. OPERATED	411	3.4	4	2	2	3	4	5	7	12
TOTAL 0-19 YRS	423	3.4	4	1	2	3	4	5	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**423**	**3.4**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	2.3	17	<1	<1	1	2	4	7	27
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	220	4.3	14	<1	<1	3	6	9	12	16
20-34	56	3.4	15	<1	<1	2	5	8	9	23
35-49	22	3.8	11	<1	<1	3	5	9	12	14
50-64	20	3.7	7	1	1	3	6	8	9	9
65+	7	8.0	28	1	1	8	11	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	4.3	18	<1	1	3	5	10	14	20
20-34	5	6.2	17	2	2	5	10	11	11	11
35-49	6	3.0	1	2	2	3	4	4	4	4
50-64	11	6.5	62	<1	1	4	7	17	28	29
65+	20	4.9	10	<1	1	5	5	11	12	12
B. Operated										
0-19 YRS	275	7.0	48	1	1	5	9	16	22	40
20-34	61	7.3	39	<1	1	6	9	18	20	29
35-49	28	6.4	62	<1	<1	4	8	12	31	32
50-64	34	10.1	77	2	2	8	12	22	28	41
65+	40	11.2	102	<1	1	9	16	22	33	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.2	14	<1	<1	1	2	4	6	26
B. Operated	325	4.1	14	<1	<1	3	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	126	4.6	20	<1	1	3	5	10	13	24
B. Operated	438	7.6	56	<1	1	5	9	17	24	41
1. SINGLE DX	381	3.8	14	<1	<1	2	5	9	11	16
2. MULTIPLE DX	564	6.9	50	<1	1	5	9	16	21	38
A. NOT OPERATED	182	3.9	19	<1	<1	2	5	9	12	25
B. OPERATED	763	6.1	41	<1	1	4	8	13	19	32
TOTAL 0-19 YRS	625	5.3	32	<1	<1	4	7	11	16	29
20-34	124	5.4	30	<1	<1	4	8	11	18	26
35-49	59	4.8	35	<1	<1	3	5	10	13	32
50-64	68	7.3	59	1	1	5	9	17	24	39
65+	69	8.8	72	<1	1	5	12	19	24	44
GRAND TOTAL	**945**	**5.7**	**38**	**<1**	**<1**	**4**	**8**	**12**	**18**	**31**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	535	1.6	1	<1	<1	1	2	3	3	5
20-34	26	1.8	4	<1	1	1	2	3	5	11
35-49	13	1.8	1	<1	<1	2	2	3	4	4
50-64	3	2.0		2	2	2	2	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	427	1.9	2	<1	<1	1	2	3	4	7
20-34	44	2.7	3	1	1	2	4	6	7	7
35-49	15	2.9	6	1	1	2	3	8	8	8
50-64	4	4.0	9	1	1	4	6	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	579	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	14	1.0		<1	<1	<1	1	1	1	1
B. Operated	491	2.0	2	<1	<1	2	2	4	5	8
1. SINGLE DX	579	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	505	2.0	2	<1	<1	2	2	3	5	8
A. NOT OPERATED	14	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	1070	1.8	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	976	1.7	1	<1	<1	1	2	3	4	6
20-34	70	2.4	4	1	1	2	3	5	7	10
35-49	28	2.4	4	<1	1	2	3	5	8	8
50-64	7	3.1	5	1	1	2	5	7	7	7
65+	3	2.7	2	1	1	3	4	4	4	4
GRAND TOTAL	**1084**	**1.8**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	1	<1	<1	1	2	3	3	3
20-34	10	2.0	1	<1	<1	2	2	3	4	4
35-49	4	3.3	4	1	1	3	5	6	6	6
50-64	2	15.0	392	<1	<1	14	29	29	29	29
65+										
B. *Operated*										
0-19 YRS	451	3.4	9	<1	<1	2	5	8	9	14
20-34	135	3.5	9	<1	<1	3	5	7	10	14
35-49	38	4.1	10	<1	1	4	5	8	9	17
50-64	12	4.3	10	1	1	3	7	8	9	9
65+	9	3.8	6	<1	<1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.4	3	<1	<1	2	4	5	6	6
20-34	16	3.4	6	1	1	2	5	8	8	8
35-49	17	5.3	57	<1	1	3	5	9	25	33
50-64	10	4.9	16	2	2	4	5	11	15	15
65+	10	6.4	17	1	1	7	8	12	14	14
B. *Operated*										
0-19 YRS	409	4.6	17	<1	<1	3	7	10	13	19
20-34	188	5.2	20	<1	1	4	6	11	14	19
35-49	88	7.6	75	1	2	6	8	15	28	83
50-64	64	5.3	31	<1	<1	4	6	8	20	29
65+	37	9.1	38	1	2	8	12	15	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.0	31	<1	<1	2	2	4	12	29
B. *Operated*	645	3.5	9	<1	<1	2	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	73	4.2	21	<1	1	3	5	8	10	29
B. *Operated*	786	5.4	28	<1	1	4	7	11	14	28
1. SINGLE DX	670	3.5	10	<1	<1	2	5	8	9	14
2. MULTIPLE DX	859	5.3	28	<1	1	4	7	11	14	29
A. NOT OPERATED	98	3.9	23	<1	<1	2	5	8	10	31
B. OPERATED	1431	4.5	20	<1	<1	3	6	9	12	20
TOTAL 0-19 YRS	889	3.9	13	<1	<1	3	6	8	11	16
20-34	349	4.4	16	<1	1	4	6	9	12	18
35-49	147	6.3	56	1	1	5	7	10	18	57
50-64	88	5.4	32	<1	1	4	6	9	20	30
65+	56	7.8	33	<1	1	7	10	14	19	30
GRAND TOTAL	**1529**	**4.5**	**20**	**<1**	**<1**	**3**	**6**	**9**	**12**	**20**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	297	2.8	2	1	1	3	4	4	5	7
20-34	18	4.1	6	1	1	4	5	8	10	10
35-49	11	4.2	7	1	1	4	5	8	11	11
50-64	5	3.6	6	1	1	3	5	7	7	7
65+	8	3.5	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	201	3.2	4	1	1	3	4	5	6	9
20-34	53	3.1	3	1	1	3	4	5	6	7
35-49	29	3.2	2	1	1	3	4	5	6	7
50-64	40	3.5	3	1	2	3	4	6	7	9
65+	14	3.5	1	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	339	2.9	3	1	1	3	4	5	5	10
2. MULTIPLE DX										
A. *Not Operated*	24	1.0		<1	<1	1	1	1	2	2
B. *Operated*	337	3.2	3	1	1	3	4	5	6	9
1. SINGLE DX	342	2.9	3	1	1	3	4	5	5	10
2. MULTIPLE DX	361	3.1	3	1	1	3	4	5	6	9
A. NOT OPERATED	27	1.0		<1	<1	1	1	1	2	2
B. OPERATED	676	3.1	3	1	1	3	4	5	6	9
TOTAL 0-19 YRS	523	2.9	3	1	1	3	4	5	5	9
20-34	72	3.3	4	1	1	3	4	5	7	10
35-49	40	3.5	3	1	1	3	4	6	7	11
50-64	45	3.5	3	1	2	3	4	6	7	9
65+	23	3.4	2	1	2	3	4	5	6	6
GRAND TOTAL	**703**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.7	13	<1	<1	1	2	7	11	17
20-34	22	7.0	69	1	1	4	8	17	26	37
35-49	15	3.4	7	1	1	2	5	7	9	9
50-64	4	6.0	18	3	3	5	9	12	12	12
65+	6	6.0	40	<1	<1	4	7	17	18	18
B. *Operated*										
0-19 YRS	1003	3.5	14	<1	1	2	4	7	9	18
20-34	332	3.3	11	<1	<1	2	4	8	10	14
35-49	168	3.7	12	<1	<1	2	6	9	10	18
50-64	104	5.4	37	1	1	3	8	11	12	35
65+	35	5.9	37	1	1	4	8	14	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	4.7	54	<1	<1	2	6	9	16	50
20-34	50	4.7	16	<1	1	4	6	9	13	21
35-49	47	6.1	15	2	2	5	8	11	16	17
50-64	55	5.5	17	1	1	5	6	11	14	21
65+	50	7.4	24	2	3	6	9	13	15	31
B. *Operated*										
0-19 YRS	564	5.1	33	1	1	4	6	10	15	31
20-34	238	5.6	41	<1	1	4	7	12	16	36
35-49	186	7.1	40	<1	1	5	10	15	21	30
50-64	145	8.5	82	1	2	7	10	17	24	82
65+	87	9.2	76	1	2	8	13	18	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.6	24	<1	<1	2	4	9	14	19
B. *Operated*	1642	3.7	16	<1	<1	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	357	5.4	34	<1	1	4	7	11	15	30
B. *Operated*	1220	6.2	46	1	1	4	8	13	18	34
1. SINGLE DX	1788	3.7	16	<1	<1	2	4	8	11	19
2. MULTIPLE DX	1577	6.0	44	1	1	4	8	13	17	34
A. NOT OPERATED	503	4.9	32	<1	1	3	6	11	14	26
B. OPERATED	2862	4.7	30	<1	1	3	6	10	14	29
TOTAL 0-19 YRS	1821	4.1	24	<1	1	3	5	8	12	25
20-34	642	4.4	26	<1	<1	3	6	10	13	26
35-49	416	5.5	27	<1	1	4	8	12	16	27
50-64	308	6.9	56	1	1	5	9	13	17	44
65+	178	7.9	54	1	1	6	11	15	20	42
GRAND TOTAL	**3365**	**4.8**	**30**	**<1**	**1**	**3**	**6**	**10**	**14**	**29**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3176	2.4	3	1	1	2	3	4	5	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	89	3.1	6	1	1	2	4	6	8	14
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1499	6.7	92	1	1	3	6	16	28	52
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	168	15.6	385	1	2	8	20	52	74	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3176	2.4	3	1	1	2	3	4	5	10
B. *Operated*	89	3.1	6	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1499	6.7	92	1	1	3	6	16	28	52
B. *Operated*	168	15.6	385	1	2	8	20	52	74	99+
1. SINGLE DX	3265	2.4	3	1	1	2	3	4	5	11
2. MULTIPLE DX	1667	7.6	129	1	1	3	8	19	31	71
A. NOT OPERATED	4675	3.8	36	1	1	2	3	6	12	33
B. OPERATED	257	11.3	289	1	1	4	13	35	58	99+
TOTAL 0-19 YRS	4932	4.1	52	1	1	2	3	8	14	40
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**4932**	**4.1**	**52**	**1**	**1**	**2**	**3**	**8**	**14**	**40**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	763	2.1	5	<1	1	2	2	4	5	9
20-34	321	2.4	7	<1	1	2	3	4	6	19
35-49	155	2.2	2	1	1	2	3	4	5	7
50-64	123	2.6	4	1	1	2	3	5	7	12
65+	105	3.3	12	1	1	2	3	8	11	17
B. *Operated*										
0-19 YRS	17	2.4	2	<1	1	2	3	5	6	6
20-34	26	2.8	5	<1	1	2	4	7	8	9
35-49	10	5.6	30	<1	<1	4	8	15	17	17
50-64	14	4.0	12	<1	1	3	4	5	13	14
65+	9	3.1	6	1	1	2	3	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1203	2.5	5	1	1	2	3	5	6	11
20-34	439	3.8	24	<1	1	2	4	8	11	32
35-49	422	4.1	17	1	1	3	5	8	10	19
50-64	535	4.5	20	1	1	3	5	9	13	25
65+	988	6.0	36	1	2	4	7	12	17	33
B. *Operated*										
0-19 YRS	67	5.3	72	1	1	2	5	14	18	50
20-34	53	4.8	22	1	1	3	6	12	14	23
35-49	39	4.8	18	1	1	4	6	9	12	24
50-64	91	9.7	102	1	2	7	13	26	30	85
65+	131	9.4	92	2	2	7	12	20	28	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1467	2.3	6	<1	1	2	3	4	5	12
B. *Operated*	76	3.3	9	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	3587	4.1	21	1	1	3	5	8	12	22
B. *Operated*	381	7.7	78	1	1	5	9	17	26	61
1. SINGLE DX	1543	2.3	6	<1	1	2	3	4	6	13
2. MULTIPLE DX	3968	4.5	28	1	1	3	5	9	13	27
A. NOT OPERATED	5054	3.6	18	1	1	2	4	7	10	21
B. OPERATED	457	6.9	69	1	1	4	8	16	23	52
TOTAL 0-19 YRS	2050	2.4	8	<1	1	2	3	4	6	12
20-34	839	3.3	18	<1	1	2	4	7	10	21
35-49	626	3.7	14	1	1	3	4	7	9	17
50-64	763	4.8	30	1	1	3	6	10	15	30
65+	1233	6.2	41	1	2	4	8	13	17	34
GRAND TOTAL	**5511**	**3.9**	**23**	**1**	**1**	**2**	**4**	**8**	**12**	**24**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	2.7	2	1	1	3	3	5	5	9
20-34	53	3.0	3	1	1	3	4	6	7	8
35-49	45	4.1	11	1	2	3	5	9	11	16
50-64	38	4.5	5	2	2	4	6	8	9	10
65+	48	4.3	13	1	1	3	6	8	10	22
B. *Operated*										
0-19 YRS	17	4.1	26	<1	<1	2	4	15	17	17
20-34	7	6.7	47	2	2	5	5	19	22	22
35-49	6	5.0	8	2	2	5	5	10	10	10
50-64	8	5.6	15	2	2	4	8	12	13	13
65+	9	6.4	15	2	2	5	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	511	3.3	8	1	1	3	4	6	8	17
20-34	200	4.4	15	1	1	3	6	8	9	25
35-49	157	5.3	20	1	2	4	7	9	11	26
50-64	248	5.5	13	1	2	5	7	10	13	18
65+	613	6.4	24	2	2	5	8	12	16	24
B. *Operated*										
0-19 YRS	41	5.8	67	1	1	3	5	16	25	41
20-34	54	7.4	81	2	2	5	8	13	24	59
35-49	38	8.2	43	2	2	7	10	15	23	32
50-64	63	8.6	42	2	2	8	11	16	21	35
65+	111	13.6	170	2	3	10	18	29	45	99+
SUBTOTALS:										
1. SINCLE DX										
A. *Not Operated*	461	3.2	5	1	1	3	4	6	7	11
B. *Operated*	47	5.3	22	<1	1	4	6	12	17	22
2. MULTIPLE DX										
A. *Not Operated*	1729	5.0	18	1	2	4	6	10	13	22
B. *Operated*	307	9.8	107	2	2	7	12	22	29	78
1. SINGLE DX	508	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	2036	5.7	34	1	2	4	7	11	16	29
A. NOT OPERATED	2190	4.6	16	1	1	3	6	9	12	21
B. OPERATED	354	9.2	98	1	2	7	12	20	27	70
TOTAL 0-19 YRS	846	3.2	10	1	1	3	4	5	7	18
20-34	314	4.7	27	1	1	3	6	8	10	26
35-49	246	5.5	23	1	2	4	7	10	14	27
50-64	357	6.0	19	2	2	5	8	11	14	23
65+	781	7.3	51	2	2	5	9	15	20	41
GRAND TOTAL	**2544**	**5.3**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.2	4	<1	1	2	3	4	4	13
20-34	173	2.8	5	1	1	2	4	6	7	12
35-49	116	3.0	6	<1	1	2	4	6	8	13
50-64	65	3.3	9	1	1	2	4	6	9	16
65+	23	3.7	8	<1	1	3	5	8	11	12
B. *Operated*										
0-19 YRS	16	1.6	1	1	1	2	2	3	3	3
20-34	29	3.1	5	1	1	3	4	7	7	8
35-49	33	3.2	12	<1	1	2	4	6	9	19
50-64	14	2.3	2	<1	<1	2	3	5	5	5
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	2.1	5	1	1	2	3	3	4	16
20-34	380	4.0	14	1	1	3	5	8	11	19
35-49	280	4.2	11	1	1	3	5	8	11	18
50-64	208	3.9	8	1	1	3	5	8	9	14
65+	195	4.1	9	1	1	3	6	8	9	14
B. *Operated*										
0-19 YRS	13	3.1	6	<1	1	3	4	6	9	10
20-34	49	4.2	12	1	1	4	5	7	9	22
35-49	56	5.1	14	1	1	4	7	9	12	19
50-64	35	6.1	30	1	2	4	9	12	15	28
65+	37	6.0	29	1	2	4	6	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	2.9	6	1	1	2	4	6	8	12
B. *Operated*	87	2.9	7	<1	1	2	3	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	1140	3.9	11	1	1	3	5	8	10	18
B. *Operated*	190	5.1	19	1	1	4	6	10	13	25
1. SINGLE DX	520	2.9	6	1	1	2	4	6	8	13
2. MULTIPLE DX	1330	4.1	12	1	1	3	5	8	11	18
A. NOT OPERATED	1573	3.6	10	1	1	3	5	7	10	17
B. OPERATED	277	4.4	16	1	1	3	5	9	12	21
TOTAL 0-19 YRS	154	2.2	5	<1	1	2	3	4	4	13
20-34	631	3.6	11	1	1	3	4	7	10	18
35-49	485	3.9	11	1	1	3	5	8	10	18
50-64	322	3.9	11	1	1	3	5	8	11	16
65+	258	4.3	12	1	1	4	6	8	11	17
GRAND TOTAL	**1850**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5		<1	1	1	2	2	3	3
20-34	28	3.0	4	<1	<1	2	4	6	7	7
35-49	34	2.3	2	<1	1	2	3	4	5	6
50-64	63	2.9	3	<1	<1	3	4	5	6	7
65+	101	2.6	3	<1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	20	1.8	2	<1	<1	1	2	4	5	6
20-34	30	3.1	4	1	1	3	4	5	5	5
35-49	43	3.7	5	1	1	3	5	7	8	9
50-64	70	4.0	5	1	1	4	5	7	8	10
65+	90	4.4	6	1	2	4	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.5	6	1	1	2	3	5	9	11
20-34	36	3.3	6	<1	1	2	5	7	9	10
35-49	62	3.3	4	1	1	3	4	6	7	11
50-64	170	3.7	10	1	1	3	5	6	8	22
65+	379	3.8	10	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	9	2.3	2	1	1	2	3	4	4	4
20-34	17	3.9	7	<1	1	3	5	7	10	11
35-49	57	4.4	5	1	1	4	6	7	8	12
50-64	115	5.2	20	1	1	4	7	9	11	28
65+	200	5.6	20	1	2	4	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	2.6	3	<1	1	2	3	5	6	7
B. *Operated*	253	3.8	5	<1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	677	3.6	9	1	1	3	5	7	9	14
B. *Operated*	398	5.2	17	1	1	4	7	9	12	23
1. SINGLE DX	496	3.2	4	<1	1	3	4	6	7	11
2. MULTIPLE DX	1075	4.2	13	1	1	3	5	8	10	21
A. NOT OPERATED	920	3.4	8	1	1	3	4	6	8	13
B. OPERATED	651	4.6	13	1	1	4	6	8	11	21
TOTAL 0-19 YRS	76	2.1	3	<1	<1	2	2	4	5	10
20-34	111	3.2	5	<1	1	3	5	6	7	10
35-49	196	3.5	5	1	1	3	5	6	7	11
50-64	418	4.1	12	1	1	3	5	7	9	20
65+	770	4.2	12	1	1	3	5	8	11	20
GRAND TOTAL	**1571**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.1	5	1	1	2	5	7	8	8
20-34	12	3.8	4	1	1	4	5	6	7	7
35-49	9	2.6	4	<1	<1	2	4	6	6	6
50-64	14	2.7	7	<1	1	2	3	5	10	11
65+	9	4.0	9	1	1	4	4	9	11	11
B. *Operated*										
0-19 YRS	101	1.5	1	<1	<1	1	2	3	3	5
20-34	110	1.8	2	<1	<1	1	2	3	4	8
35-49	67	2.4	6	<1	<1	2	3	4	6	16
50-64	57	1.9	2	<1	<1	2	2	3	5	8
65+	42	2.6	16	<1	<1	1	2	4	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	4.1	37	<1	<1	2	4	7	11	38
20-34	48	3.1	7	<1	1	2	4	7	9	13
35-49	63	2.9	9	<1	1	2	3	6	8	18
50-64	94	4.1	12	1	1	3	6	10	12	15
65+	163	6.3	65	1	1	4	7	15	21	45
B. *Operated*										
0-19 YRS	38	4.3	78	<1	<1	2	4	8	19	51
20-34	52	3.8	14	<1	<1	2	5	10	11	15
35-49	57	4.2	36	<1	<1	2	4	9	16	32
50-64	79	5.3	45	<1	1	3	7	13	18	37
65+	110	10.2	175	<1	1	5	12	27	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.2	6	1	1	3	4	6	8	11
B. *Operated*	377	1.9	4	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	408	4.7	36	1	1	3	6	10	14	37
B. *Operated*	336	6.4	92	<1	1	3	7	15	27	52
1. SINGLE DX	439	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	744	5.4	62	<1	1	3	6	12	18	45
A. NOT OPERATED	470	4.5	33	1	1	3	5	9	14	37
B. OPERATED	713	4.0	50	<1	<1	2	4	9	15	40
TOTAL 0-19 YRS	197	2.7	25	<1	<1	1	2	4	7	31
20-34	222	2.7	7	<1	<1	2	3	6	9	13
35-49	196	3.1	16	<1	<1	2	3	6	9	24
50-64	244	3.9	22	<1	1	2	5	10	13	20
65+	324	7.1	100	<1	1	3	8	16	28	51
GRAND TOTAL	**1183**	**4.2**	**43**	**<1**	**<1**	**2**	**4**	**9**	**14**	**38**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	10.0	133	1	1	6	19	23	23	23
50-64										
65+	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*										
0-19 YRS	16	3.6	15	<1	<1	2	4	12	13	13
20-34	20	4.8	72	<1	<1	2	4	11	26	38
35-49	10	9.3	101	<1	<1	4	18	25	28	28
50-64	18	9.1	170	1	1	3	10	31	42	46
65+	27	12.6	372	1	1	7	14	25	50	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.5	3	4	4	5	7	7	7	7
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	13	6.7	18	2	2	5	9	13	14	14
65+	75	10.5	93	3	4	8	11	22	27	92
B. *Operated*										
0-19 YRS	19	8.5	164	1	1	4	10	19	41	56
20-34	28	11.4	157	1	2	4	18	32	38	45
35-49	37	15.9	333	1	3	9	17	44	63	78
50-64	129	17.9	231	2	3	14	24	36	49	78
65+	487	18.0	177	3	5	15	24	36	46	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.3	60	1	1	6	10	22	23	23
B. *Operated*	91	8.2	180	<1	<1	3	8	22	36	76
2. MULTIPLE DX										
A. *Not Operated*	95	9.6	79	2	4	7	11	19	26	87
B. *Operated*	700	17.4	197	2	3	14	23	36	47	69
1. SINGLE DX	97	8.2	172	<1	<1	4	8	22	33	73
2. MULTIPLE DX	795	16.4	189	2	3	13	22	35	46	71
A. NOT OPERATED	101	9.5	77	2	3	7	11	19	25	85
B. OPERATED	791	16.3	203	1	2	13	22	36	46	70
TOTAL 0-19 YRS	36	6.1	98	<1	<1	3	8	13	20	56
20-34	53	8.3	119	<1	1	4	8	28	36	45
35-49	52	14.0	267	1	2	8	17	30	52	78
50-64	160	16.0	221	1	2	12	22	35	46	76
65+	591	16.8	181	3	4	13	22	36	46	71
GRAND TOTAL	**892**	**15.6**	**193**	**1**	**2**	**12**	**22**	**34**	**45**	**71**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	1	<1	1	2	3	4	5	5
20-34	262	2.1	2	<1	1	2	3	4	5	10
35-49	992	2.2	2	1	1	2	3	4	5	8
50-64	964	2.4	2	1	1	2	3	4	5	7
65+	481	2.5	3	1	1	2	3	4	6	10
B. *Operated*										
0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	64	2.1	2	<1	1	2	2	4	6	8
35-49	307	2.2	5	1	1	2	2	4	5	7
50-64	331	2.3	3	<1	1	2	2	4	5	9
65+	105	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.0	2	<1	<1	1	3	4	5	6
20-34	536	2.4	3	1	1	2	3	4	5	9
35-49	2442	2.7	4	1	1	2	3	5	6	9
50-64	3553	3.1	6	1	1	3	4	5	7	11
65+	3061	3.7	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	7	2.3	3	1	1	2	4	5	5	5
20-34	107	3.2	13	1	1	2	4	7	8	22
35-49	673	3.3	9	1	1	2	4	7	9	16
50-64	1191	3.3	8	1	1	2	4	7	9	15
65+	654	4.6	18	1	1	3	6	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2720	2.3	2	1	1	2	3	4	5	8
B. *Operated*	813	2.2	3	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	9635	3.1	6	1	1	3	4	6	7	12
B. *Operated*	2632	3.6	11	1	1	2	4	7	10	17
1. SINGLE DX	3533	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	12267	3.2	7	1	1	2	4	6	8	14
A. NOT OPERATED	12355	3.0	5	1	1	2	4	5	7	11
B. OPERATED	3445	3.3	10	1	1	2	4	7	9	16
TOTAL 0-19 YRS	77	2.1	2	<1	1	2	3	4	5	6
20-34	969	2.4	4	<1	1	2	3	4	6	10
35-49	4414	2.7	4	1	1	2	3	5	6	10
50-64	6039	3.0	6	1	1	2	4	5	7	11
65+	4301	3.7	9	1	1	3	4	7	9	16
GRAND TOTAL	**15800**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	2.4	5	<1	1	2	3	5	7	11
20-34	20	2.4	3	<1	<1	2	3	4	6	8
35-49	26	2.4	4	<1	1	2	3	5	7	8
50-64	43	3.7	22	<1	<1	2	3	10	11	27
65+	57	2.9	8	<1	1	2	3	7	9	14
B. *Operated*										
0-19 YRS	14	2.4	3	<1	1	2	3	5	6	6
20-34	20	3.8	13	<1	<1	2	6	9	12	14
35-49	36	3.0	12	<1	<1	2	3	6	9	20
50-64	73	2.7	6	<1	1	2	3	6	9	12
65+	59	2.5	5	<1	<1	2	3	5	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	339	3.6	22	1	1	2	4	7	12	19
20-34	94	3.7	11	1	1	3	5	7	11	17
35-49	140	4.1	12	<1	1	3	6	8	12	17
50-64	420	5.3	17	1	1	4	7	11	13	22
65+	784	6.0	22	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	36	5.6	66	<1	<1	3	7	9	16	48
20-34	25	5.8	85	<1	1	4	6	9	19	48
35-49	80	4.4	18	<1	1	3	5	9	12	25
50-64	191	5.1	23	1	1	4	7	10	14	25
65+	295	7.1	84	1	1	5	9	14	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	2.7	8	<1	1	2	3	5	8	13
B. *Operated*	202	2.8	7	<1	<1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	1777	5.1	21	1	1	4	7	11	14	21
B. *Operated*	627	6.0	57	1	1	4	7	12	17	35
1. SINGLE DX	539	2.7	8	<1	1	2	3	6	8	13
2. MULTIPLE DX	2404	5.3	30	1	1	4	7	11	14	25
A. NOT OPERATED	2114	4.7	19	1	1	3	6	10	13	21
B. OPERATED	829	5.2	47	<1	1	3	6	11	15	30
TOTAL 0-19 YRS	580	3.3	19	1	1	2	4	6	9	19
20-34	159	3.9	22	<1	1	2	5	8	10	17
35-49	282	3.9	13	<1	1	3	5	8	11	18
50-64	727	4.9	18	1	1	4	7	10	13	23
65+	1195	5.9	37	1	1	4	8	12	16	29
GRAND TOTAL	**2943**	**4.8**	**27**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.6	1	<1	<1	1	2	3	4	4
20-34	76	1.9	1	<1	1	2	2	4	4	7
35-49	90	2.0	2	<1	<1	1	2	4	5	9
50-64	61	1.7	1	<1	1	1	2	4	4	6
65+	46	3.2	7	<1	1	2	4	6	8	15
B. *Operated*										
0-19 YRS	42	1.5	4	<1	<1	<1	1	1	5	12
20-34	19	3.4	9	<1	<1	2	4	7	11	13
35-49	14	3.1	6	<1	<1	2	5	7	8	8
50-64	33	5.4	13	1	1	5	8	10	12	15
65+	35	5.3	15	<1	1	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	6	<1	1	2	5	7	8	8
20-34	115	2.7	6	<1	1	2	3	5	7	13
35-49	107	2.9	4	1	1	2	4	6	8	11
50-64	140	3.3	13	<1	1	2	4	6	9	15
65+	364	4.8	15	1	1	4	6	9	13	20
B. *Operated*										
0-19 YRS	75	2.6	12	<1	<1	1	3	7	10	18
20-34	47	4.8	15	<1	<1	3	6	11	14	17
35-49	50	5.5	18	<1	1	5	7	11	13	22
50-64	96	6.6	29	1	2	5	8	12	19	29
65+	281	8.7	56	2	2	7	11	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	143	3.7	12	<1	<1	2	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	749	3.8	12	1	1	3	5	8	10	17
B. *Operated*	549	6.9	43	<1	1	5	9	14	18	37
1. SINGLE DX	441	2.6	6	<1	<1	2	3	6	8	13
2. MULTIPLE DX	1298	5.1	27	<1	1	4	7	11	14	26
A. NOT OPERATED	1047	3.3	10	<1	1	2	4	7	9	15
B. OPERATED	692	6.2	38	<1	<1	5	8	13	17	32
TOTAL 0-19 YRS	165	2.3	8	<1	<1	1	2	6	8	15
20-34	257	2.9	8	<1	1	2	3	6	8	15
35-49	261	3.1	8	<1	1	2	4	7	9	13
50-64	330	4.1	19	1	1	3	5	9	11	24
65+	726	6.2	34	1	2	5	8	13	16	30
GRAND TOTAL	**1739**	**4.5**	**23**	**<1**	**1**	**3**	**6**	**10**	**13**	**23**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1041	1.7	1	<1	1	1	2	3	4	6
20-34	1219	2.4	5	<1	1	2	3	5	6	10
35-49	656	2.6	4	<1	1	2	3	5	6	9
50-64	433	2.9	5	1	1	2	4	6	7	9
65+	310	3.4	8	1	1	3	4	6	9	15
B. *Operated*										
0-19 YRS	221	3.1	3	1	1	3	4	5	6	9
20-34	342	3.3	4	1	1	3	4	6	7	12
35-49	138	3.5	8	<1	1	3	5	7	8	15
50-64	92	3.8	7	<1	1	3	5	8	10	11
65+	45	4.2	9	<1	1	3	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	709	2.3	5	<1	1	2	3	4	5	10
20-34	1427	3.1	13	<1	1	2	4	6	8	14
35-49	1035	3.4	7	1	1	3	4	7	9	12
50-64	960	4.2	13	1	1	3	5	8	11	17
65+	1499	4.8	18	1	1	4	6	9	11	20
B. *Operated*										
0-19 YRS	159	3.5	5	1	1	3	4	6	8	10
20-34	387	4.7	15	1	1	4	6	9	13	18
35-49	245	5.7	26	1	1	5	7	11	15	30
50-64	249	6.8	34	1	1	6	9	14	19	28
65+	312	7.6	35	2	2	6	9	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3659	2.4	4	<1	1	2	3	5	6	9
B. *Operated*	838	3.4	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	5630	3.7	13	1	1	3	5	7	10	16
B. *Operated*	1352	5.8	26	1	1	4	7	12	15	27
1. SINGLE DX	4497	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	6982	4.1	16	1	1	3	5	8	11	19
A. NOT OPERATED	9289	3.2	10	<1	1	2	4	6	8	14
B. OPERATED	2190	4.9	19	1	1	4	6	10	13	23
TOTAL 0-19 YRS	2130	2.2	3	<1	1	2	3	4	5	9
20-34	3375	3.0	10	<1	1	2	4	6	8	14
35-49	2074	3.4	9	1	1	3	4	7	9	14
50-64	1734	4.2	15	1	1	3	5	9	11	20
65+	2166	5.0	20	1	1	4	6	9	12	22
GRAND TOTAL	**11479**	**3.5**	**12**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.1	5	1	1	1	3	4	6	13
20-34	61	2.9	9	<1	<1	2	3	5	8	20
35-49	39	2.3	4	<1	<1	1	3	5	7	10
50-64	37	2.3	3	<1	<1	2	3	4	7	8
65+	64	3.1	5	<1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	14	3.6	5	<1	1	3	5	7	8	8
20-34	40	4.2	7	<1	1	4	5	7	9	14
35-49	22	4.9	13	<1	<1	4	8	10	11	12
50-64	31	3.2	16	<1	<1	2	4	6	8	22
65+	25	4.0	17	<1	<1	2	6	13	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	2.8	11	1	1	2	3	5	7	15
20-34	251	3.5	13	<1	1	2	4	7	10	20
35-49	236	4.6	21	1	1	3	6	10	13	25
50-64	410	5.0	25	1	1	4	6	10	14	25
65+	890	5.5	20	1	2	4	7	11	15	22
B. *Operated*										
0-19 YRS	31	5.7	25	<1	1	4	8	12	18	21
20-34	86	5.1	19	1	1	5	7	10	14	25
35-49	87	6.2	69	1	1	5	7	11	17	52
50-64	132	8.2	99	<1	1	6	10	18	25	41
65+	230	9.1	64	1	2	7	11	18	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	2.5	5	<1	1	2	3	5	7	11
B. *Operated*	132	4.0	12	<1	<1	3	5	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	2104	4.7	20	1	1	3	6	10	13	23
B. *Operated*	566	7.7	66	1	1	6	9	16	22	37
1. SINGLE DX	440	3.0	8	<1	1	2	4	6	8	14
2. MULTIPLE DX	2670	5.3	31	1	1	4	7	11	15	27
A. NOT OPERATED	2412	4.4	18	1	1	3	6	9	12	22
B. OPERATED	698	7.0	58	<1	1	5	9	14	20	35
TOTAL 0-19 YRS	469	2.9	11	1	1	2	3	6	7	16
20-34	438	3.8	14	<1	1	3	5	8	10	20
35-49	384	4.7	31	<1	1	3	6	10	13	24
50-64	610	5.4	42	1	1	4	7	11	16	28
65+	1209	6.0	30	1	2	4	8	12	16	28
GRAND TOTAL	**3110**	**5.0**	**28**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	623	3.3	20	<1	1	2	4	6	9	20
20-34	236	2.8	6	<1	1	2	3	5	6	14
35-49	253	2.4	3	<1	1	2	3	4	5	8
50-64	344	2.6	7	<1	1	2	3	5	7	13
65+	494	3.4	18	1	1	2	4	7	9	15
B. *Operated*										
0-19 YRS	93	2.3	8	<1	<1	1	2	5	7	16
20-34	121	2.4	9	<1	<1	2	3	4	6	17
35-49	130	2.1	4	<1	<1	2	2	4	4	13
50-64	175	2.3	6	<1	<1	2	2	4	6	13
65+	105	3.3	11	<1	1	2	4	7	10	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1033	4.7	36	1	1	3	5	10	14	30
20-34	647	3.8	23	1	1	3	5	7	9	23
35-49	878	3.9	15	1	1	3	5	8	10	18
50-64	2041	4.5	19	1	1	3	6	9	13	22
65+	5730	5.6	30	1	2	4	7	11	15	28
B. *Operated*										
0-19 YRS	129	9.3	167	1	1	4	9	30	39	83
20-34	155	3.7	22	<1	1	2	4	9	10	15
35-49	273	5.5	57	1	1	3	7	11	17	34
50-64	560	6.2	93	1	1	3	7	14	24	51
65+	1054	8.8	110	1	2	5	11	18	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1950	3.0	14	<1	1	2	3	6	8	15
B. *Operated*	624	2.5	7	<1	<1	2	3	5	6	17
2. MULTIPLE DX										
A. *Not Operated*	10329	5.0	27	1	1	3	6	10	14	26
B. *Operated*	2171	7.4	99	1	1	4	9	16	27	61
1. SINGLE DX	2574	2.9	12	<1	1	2	3	6	8	15
2. MULTIPLE DX	12500	5.4	40	1	1	4	6	11	16	33
A. NOT OPERATED	12279	4.7	25	1	1	3	6	10	13	25
B. OPERATED	2795	6.3	83	<1	1	3	7	14	23	55
TOTAL 0-19 YRS	1878	4.5	41	1	1	3	5	9	14	34
20-34	1159	3.4	18	<1	1	2	4	6	9	20
35-49	1534	3.8	21	1	1	2	4	8	11	19
50-64	3120	4.5	31	1	1	3	5	9	13	28
65+	7383	5.9	42	1	1	4	7	12	16	33
GRAND TOTAL	**15074**	**5.0**	**36**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	1.9	3	1	1	1	2	3	4	10
20-34	16	4.0	11	<1	1	3	6	10	11	11
35-49	8	4.1	5	1	1	5	6	7	7	7
50-64	4	6.3	13	3	3	5	9	11	11	11
65+										
B. *Operated*										
0-19 YRS	56	4.6	10	1	1	4	6	8	11	16
20-34	20	5.3	7	1	2	5	7	9	10	10
35-49	4	3.8	10	<1	<1	3	6	7	7	7
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	3.2	26	1	1	2	3	6	8	32
20-34	66	4.9	27	1	1	4	6	9	13	34
35-49	37	4.9	13	<1	1	4	6	12	12	14
50-64	24	7.6	50	<1	1	6	8	18	24	30
65+	22	9.2	59	1	1	6	17	21	22	22
B. *Operated*										
0-19 YRS	103	8.7	127	1	1	6	11	35	54	99+
20-34	104	11.7	216	1	2	7	15	24	54	88
35-49	39	16.3	295	1	2	11	36	53	76	99+
50-64	22	19.0	609	1	2	11	21	68	98	99+
65+	10	14.6	519	1	2	7	12	47	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	2.1	4	1	1	1	2	4	6	11
B. *Operated*	83	4.7	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	433	4.2	30	1	1	2	5	8	13	31
B. *Operated*	278	11.9	241	1	1	7	13	40	64	99+
1. SINGLE DX	381	2.7	6	1	1	2	3	6	8	12
2. MULTIPLE DX	711	7.2	127	1	1	4	8	17	37	99+
A. NOT OPERATED	731	3.3	21	1	1	2	4	7	11	22
B. OPERATED	361	10.3	197	1	1	6	12	32	54	99+
TOTAL 0-19 YRS	713	3.6	35	1	1	2	4	7	12	45
20-34	206	8.3	130	1	1	5	9	17	30	75
35-49	88	9.9	169	1	1	5	12	37	53	99+
50-64	52	12.2	310	1	2	7	13	34	60	99+
65+	33	10.8	192	1	2	7	15	21	22	78
GRAND TOTAL	**1092**	**5.6**	**89**	**1**	**1**	**3**	**6**	**13**	**20**	**75**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	2.0	3	<1	1	1	2	4	5	12
20-34	39	3.5	20	1	1	2	4	7	14	23
35-49	9	3.9	6	<1	<1	4	5	7	8	8
50-64	9	2.6	3	1	1	2	3	5	7	7
65+	8	8.0	17	2	3	9	10	14	15	15
B. *Operated*										
0-19 YRS	27	4.3	3	1	2	4	6	7	8	8
20-34	18	9.1	191	1	1	6	9	14	43	62
35-49	6	2.5		2	2	2	3	3	3	3
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	4.0	22	1	1	2	4	9	15	24
20-34	114	6.4	99	1	1	4	7	11	16	65
35-49	55	5.3	18	1	1	4	7	11	15	20
50-64	42	5.4	27	1	1	4	7	11	14	29
65+	32	12.4	211	1	3	10	14	23	31	82
B. *Operated*										
0-19 YRS	80	17.5	351	1	2	11	24	48	67	92
20-34	125	13.8	194	2	3	9	17	34	48	82
35-49	37	15.6	535	1	1	9	18	85	99	99+
50-64	26	18.9	538	1	1	10	22	65	96	99+
65+	14	27.4	733	1	3	19	43	59	89	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.6	8	<1	1	2	3	5	8	16
B. *Operated*	53	5.8	71	1	2	4	6	9	12	61
2. MULTIPLE DX										
A. *Not Operated*	448	5.5	59	1	1	3	6	12	17	29
B. *Operated*	282	16.2	345	1	2	10	20	45	67	99+
1. SINGLE DX	284	3.2	21	1	1	2	4	6	9	17
2. MULTIPLE DX	730	9.7	196	1	1	5	11	23	43	95
A. NOT OPERATED	679	4.5	44	1	1	3	5	10	14	28
B. OPERATED	335	14.6	315	1	2	8	18	44	61	99+
TOTAL 0-19 YRS	478	5.6	98	1	1	2	5	13	21	65
20-34	296	9.3	149	1	1	5	11	23	35	70
35-49	107	8.6	218	1	1	5	9	18	31	99+
50-64	78	9.6	234	1	1	5	10	22	53	99
65+	55	15.5	353	1	3	9	16	38	53	97
GRAND TOTAL	**1014**	**7.9**	**156**	**1**	**1**	**4**	**8**	**18**	**31**	**84**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.4	1	<1	<1	1	2	2	3	4
20-34	24	1.6	1	<1	<1	1	2	3	4	5
35-49	7	1.9	1	<1	<1	1	3	4	4	4
50-64	4	2.8	1	2	2	3	3	4	4	4
65+	3	7.3	86	<1	<1	3	14	18	18	18
B. *Operated*										
0-19 YRS	527	1.6	2	<1	<1	1	2	3	3	7
20-34	628	2.1	3	<1	1	2	2	4	5	10
35-49	203	2.3	5	<1	1	2	3	5	6	12
50-64	51	2.7	10	1	1	2	3	5	10	17
65+	36	3.5	13	1	1	2	4	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.0	2	<1	1	1	3	4	6	7
20-34	122	2.5	18	<1	<1	1	3	5	6	18
35-49	48	3.0	7	<1	1	2	3	7	8	13
50-64	40	4.1	42	<1	1	3	5	7	9	42
65+	78	5.7	23	<1	1	4	8	13	16	21
B. *Operated*										
0-19 YRS	487	2.8	7	<1	1	2	3	5	7	15
20-34	883	3.9	30	1	1	3	4	8	11	21
35-49	311	4.3	51	1	1	3	4	8	11	36
50-64	141	5.7	48	1	1	3	7	12	18	32
65+	118	7.8	55	1	2	5	10	19	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.9	5	<1	<1	1	2	3	4	16
B. *Operated*	1445	2.0	3	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	350	3.4	19	<1	<1	2	4	7	10	19
B. *Operated*	1940	4.1	32	1	1	3	4	8	11	24
1. SINGLE DX	1509	2.0	3	<1	<1	1	2	3	5	11
2. MULTIPLE DX	2290	4.0	30	1	1	2	4	8	11	24
A. NOT OPERATED	414	3.1	17	<1	<1	2	4	6	9	19
B. OPERATED	3385	3.2	21	<1	1	2	3	6	9	20
TOTAL 0-19 YRS	1102	2.2	4	<1	<1	2	3	4	6	11
20-34	1657	3.1	19	<1	1	2	3	6	8	17
35-49	569	3.5	31	1	1	2	4	7	9	19
50-64	236	4.7	39	1	1	3	5	10	14	32
65+	235	6.4	40	1	1	4	8	15	20	33
GRAND TOTAL	**3799**	**3.2**	**20**	**<1**	**1**	**2**	**3**	**6**	**9**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	4.5	29	1	1	3	5	9	12	20
20-34	246	4.0	7	1	1	4	6	8	9	13
35-49	150	5.3	20	1	1	5	7	9	12	28
50-64	143	5.4	12	1	2	4	7	11	13	14
65+	266	7.1	24	2	2	6	9	13	17	27
B. *Operated*										
0-19 YRS	25	9.0	32	1	2	8	13	18	19	20
20-34	61	7.2	40	1	2	5	10	16	19	31
35-49	22	9.3	62	1	2	7	11	23	27	29
50-64	9	7.9	30	1	2	7	8	16	21	21
65+	18	10.3	69	1	2	8	14	21	28	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	4.8	16	1	2	4	5	9	11	22
20-34	394	5.1	22	1	1	4	7	10	13	20
35-49	253	5.9	18	1	2	5	8	10	14	21
50-64	364	8.0	32	2	2	7	10	15	18	26
65+	1640	9.3	44	3	3	8	12	17	21	33
B. *Operated*										
0-19 YRS	74	12.0	195	2	2	8	14	28	41	97
20-34	220	12.3	126	2	3	9	17	25	36	61
35-49	93	11.8	113	2	2	10	16	25	35	81
50-64	97	14.6	222	2	2	10	17	34	48	75
65+	209	14.4	129	4	4	12	17	29	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	5.4	19	1	1	4	7	10	13	23
B. *Operated*	135	8.3	45	1	2	6	12	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	2793	6.0	38	2	2	7	10	15	19	30
B. *Operated*	693	13.2	146	2	3	10	17	28	41	83
1. SINGLE DX	1077	5.7	23	1	1	5	7	11	14	25
2. MULTIPLE DX	3486	9.0	64	2	2	7	11	17	23	44
A. NOT OPERATED	3735	7.3	35	1	2	6	9	14	18	28
B. OPERATED	828	12.4	133	2	3	9	16	25	35	72
TOTAL 0-19 YRS	378	6.4	65	1	1	4	8	13	18	52
20-34	921	6.7	54	1	1	4	8	14	20	41
35-49	518	7.0	43	1	2	5	8	13	20	34
50-64	613	8.4	65	2	2	6	11	16	22	48
65+	2133	9.5	53	3	3	8	12	17	23	39
GRAND TOTAL	**4563**	**8.2**	**56**	**1**	**2**	**6**	**10**	**16**	**21**	**41**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	5	3.8	5	2	2	3	5	7	7	7
50-64	4	13.0	101	4	4	10	20	27	27	27
65+	4	8.0	22	3	3	7	11	14	14	14
B. *Operated*										
0-19 YRS	4	14.3	86	6	6	12	21	27	27	27
20-34	13	16.8	100	1	3	17	25	30	32	32
35-49	3	22.0	192	14	14	14	32	38	38	38
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	16.3	121	5	5	17	24	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	10.4	333	1	1	3	8	41	57	57
20-34	10	8.7	88	1	1	7	9	23	33	33
35-49	1	13.0		13	13	13	13	13	13	13
50-64	8	5.6	28	2	2	4	6	15	18	18
65+	31	9.1	27	3	4	7	12	18	20	21
B. *Operated*										
0-19 YRS	15	22.8	280	1	3	22	51	99+	99+	99+
20-34	75	29.3	405	5	7	26	43	70	86	99+
35-49	20	33.3	683	5	6	22	56	83	99+	99+
50-64	9	33.7	602	4	6	48	84	99+	99+	99+
65+	11	32.7	574	7	8	31	49	91	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.9	43	<1	2	5	8	14	23	27
B. *Operated*	24	16.7	97	3	5	16	26	30	34	38
2. MULTIPLE DX										
A. *Not Operated*	59	8.8	79	1	2	6	12	18	21	55
B. *Operated*	130	29.9	655	5	7	27	49	85	99+	99+
1. SINGLE DX	40	12.8	97	1	2	10	17	27	31	38
2. MULTIPLE DX	189	23.2	431	2	3	18	38	66	99+	99+
A. NOT OPERATED	75	8.4	72	1	2	6	11	18	21	51
B. OPERATED	154	27.7	421	5	6	24	43	74	99+	99+
TOTAL 0-19 YRS	29	17.2	282	1	1	16	31	71	99+	99+
20-34	100	25.0	384	2	4	21	36	56	82	99+
35-49	29	26.3	611	2	4	17	42	67	99	99+
50-64	22	18.7	423	2	3	13	48	99+	99+	99+
65+	49	14.8	242	3	4	9	19	33	62	99+
GRAND TOTAL	**229**	**21.4**	**388**	**2**	**3**	**17**	**33**	**60**	**93**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7		<1	<1	2	2	3	3	3
20-34	38	2.3	4	1	1	1	3	4	6	10
35-49	57	2.6	3	1	1	2	3	5	6	8
50-64	53	3.3	5	1	1	2	5	7	8	8
65+	58	5.3	12	1	2	4	8	9	12	17
B. *Operated*										
0-19 YRS										
20-34	6	3.3	4	1	1	4	5	5	5	5
35-49	4	3.0	7	1	1	2	5	7	7	7
50-64	3	8.0	21	3	3	9	11	12	12	12
65+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.3	6	1	1	2	4	7	9	10
20-34	252	3.5	8	1	1	3	5	7	8	12
35-49	278	4.5	12	1	1	3	6	9	11	16
50-64	357	4.9	15	1	1	4	7	9	11	23
65+	697	7.3	31	2	2	6	9	15	17	26
B. *Operated*										
0-19 YRS	30	6.5	24	2	2	5	7	11	18	26
20-34	120	7.2	47	1	2	6	9	14	19	37
35-49	100	8.9	77	1	2	7	10	18	25	50
50-64	126	8.9	70	2	2	6	11	18	27	44
65+	163	13.6	158	2	4	10	16	27	46	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.4	7	1	1	2	4	7	9	13
B. *Operated*	15	4.6	10	1	1	5	7	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	1539	5.8	23	1	1	4	8	11	15	24
B. *Operated*	539	9.8	96	2	2	7	12	20	28	55
1. SINGLE DX	233	3.5	7	1	1	2	5	7	9	13
2. MULTIPLE DX	2378	6.7	43	1	2	5	8	13	18	31
A. NOT OPERATED	2057	5.5	22	1	1	4	7	11	15	24
B. OPERATED	554	9.7	95	2	2	7	11	19	28	55
TOTAL 0-19 YRS	97	4.1	14	1	1	3	5	8	10	22
20-34	416	4.5	22	1	1	3	6	9	12	24
35-49	439	5.3	30	1	1	4	6	10	14	28
50-64	539	5.7	30	1	1	4	7	11	15	28
65+	1120	8.1	53	2	2	6	10	16	20	42
GRAND TOTAL	**2611**	**6.4**	**40**	**1**	**1**	**5**	**8**	**13**	**17**	**30**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	5.6	45	1	2	4	5	12	23	34
20-34	57	7.4	62	1	2	6	9	15	22	48
35-49	27	5.6	17	1	2	4	8	11	14	19
50-64	55	7.9	58	2	2	6	10	14	23	47
65+	195	8.5	30	2	3	7	11	15	18	29
B. *Operated*										
0-19 YRS	12	10.4	88	1	2	6	17	24	29	30
20-34	13	12.3	147	2	2	8	15	31	42	44
35-49	6	6.7	20	1	1	6	8	13	14	14
50-64	5	20.8	766	2	2	11	31	69	69	69
65+	17	12.7	153	2	3	11	14	34	44	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	6.4	41	1	1	5	7	12	17	35
20-34	158	8.8	82	2	2	6	10	18	30	49
35-49	89	10.5	73	2	3	8	13	20	28	47
50-64	140	12.0	94	2	3	9	16	23	26	59
65+	973	11.8	65	3	4	10	15	21	26	44
B. *Operated*										
0-19 YRS	56	14.5	114	3	4	11	20	29	35	50
20-34	102	18.5	243	4	5	14	23	41	53	71
35-49	70	23.6	312	5	7	18	32	49	64	81
50-64	69	21.0	317	2	5	14	29	53	61	96
65+	153	18.3	220	5	6	13	23	36	54	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	7.6	41	2	2	6	10	15	19	33
B. *Operated*	53	12.2	172	2	2	8	14	28	43	68
2. MULTIPLE DX										
A. *Not Operated*	1476	11.0	71	2	3	9	14	21	26	46
B. *Operated*	450	19.1	246	4	5	14	25	42	55	72
1. SINGLE DX	443	8.2	58	2	2	6	10	16	21	44
2. MULTIPLE DX	1926	12.9	123	3	4	10	16	25	35	61
A. NOT OPERATED	1866	10.3	66	2	3	8	13	19	25	45
B. OPERATED	503	18.4	242	3	5	13	24	41	53	71
TOTAL 0-19 YRS	240	8.3	73	1	2	5	11	20	27	45
20-34	330	11.7	151	2	2	8	14	27	41	67
35-49	192	14.5	201	2	3	9	18	32	47	69
50-64	269	13.6	175	2	3	10	17	27	46	71
65+	1338	12.1	85	3	4	10	15	22	29	53
GRAND TOTAL	**2369**	**12.0**	**114**	**2**	**3**	**9**	**15**	**24**	**32**	**58**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	2.8	16	<1	<1	1	2	9	11	20
20-34	23	3.7	36	1	1	2	3	8	22	23
35-49	19	2.6	5	<1	1	2	3	7	8	9
50-64	34	3.6	10	1	1	3	5	7	10	16
65+	156	4.1	12	1	1	3	5	9	10	18
B. *Operated*										
0-19 YRS	878	3.0	15	1	1	2	3	6	12	20
20-34	106	3.8	13	1	1	3	5	7	9	20
35-49	111	4.2	28	1	1	3	4	7	11	34
50-64	97	4.2	9	1	1	3	5	9	10	16
65+	156	5.3	14	1	2	4	7	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.4	14	<1	1	2	4	7	9	19
20-34	42	4.9	41	<1	1	3	6	12	16	35
35-49	35	3.8	7	1	1	3	5	8	9	10
50-64	106	6.8	68	1	1	4	7	15	22	51
65+	595	7.5	44	2	2	5	10	16	21	33
B. *Operated*										
0-19 YRS	279	5.5	42	1	1	3	6	15	19	31
20-34	134	9.2	143	1	2	6	11	17	28	76
35-49	96	8.3	94	1	1	5	10	18	31	78
50-64	151	9.9	139	2	2	6	12	22	30	94
65+	403	9.8	93	2	3	7	12	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	3.6	14	1	1	2	5	8	11	21
B. *Operated*	1348	3.5	16	1	1	2	4	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	829	6.9	45	1	2	5	9	14	20	34
B. *Operated*	1063	8.5	95	1	2	5	10	18	27	51
1. SINGLE DX	1667	3.6	16	1	1	2	4	8	11	20
2. MULTIPLE DX	1892	7.8	74	1	2	5	10	17	23	45
A. NOT OPERATED	1148	6.0	39	1	1	4	8	13	18	31
B. OPERATED	2411	5.7	57	1	1	3	7	13	19	36
TOTAL 0-19 YRS	1295	3.6	22	1	1	2	3	9	15	22
20-34	305	6.3	82	1	1	4	7	12	21	42
35-49	261	5.5	52	1	1	3	6	10	18	51
50-64	388	7.1	81	1	1	4	8	15	22	53
65+	1310	7.6	55	1	2	5	9	16	22	35
GRAND TOTAL	**3559**	**5.8**	**51**	**1**	**1**	**3**	**7**	**13**	**18**	**35**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.3	1	<1	<1	1	1	2	3	4
20-34	18	2.1	3	<1	1	2	2	5	6	6
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64	14	2.0	2	<1	1	2	2	4	5	6
65+	32	3.2	5	1	1	2	4	7	8	9
B. *Operated*										
0-19 YRS	1467	1.6	1	<1	<1	1	2	3	4	6
20-34	504	2.5	3	<1	1	2	3	4	5	10
35-49	309	2.4	5	1	1	2	3	4	5	8
50-64	366	2.2	3	<1	1	2	3	4	5	7
65+	385	2.8	6	1	1	2	4	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.0	9	<1	<1	1	2	3	4	22
20-34	61	3.3	10	1	1	2	4	6	10	18
35-49	33	4.4	69	<1	<1	2	4	9	18	46
50-64	39	5.3	33	1	1	3	6	13	19	27
65+	171	7.0	58	1	2	6	9	13	17	30
B. *Operated*										
0-19 YRS	331	3.6	34	1	1	2	3	7	10	29
20-34	398	5.5	55	1	1	4	6	11	18	39
35-49	226	4.8	29	1	1	3	5	9	12	24
50-64	268	4.8	40	1	1	3	5	10	16	42
65+	479	6.6	52	1	1	4	8	14	18	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.1	3	<1	1	1	2	5	6	8
B. *Operated*	3031	2.1	3	<1	1	1	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	356	5.2	44	1	1	3	6	12	16	27
B. *Operated*	1702	5.2	45	1	1	3	6	11	16	34
1. SINGLE DX	3136	2.1	3	<1	1	1	3	4	5	9
2. MULTIPLE DX	2058	5.2	45	1	1	3	6	11	16	32
A. NOT OPERATED	461	4.5	36	1	1	3	6	10	14	24
B. OPERATED	4733	3.2	20	<1	1	2	3	6	10	20
TOTAL 0-19 YRS	1886	1.9	8	<1	<1	1	2	3	5	11
20-34	981	3.8	27	1	1	3	4	7	11	23
35-49	573	3.5	19	1	1	3	4	6	9	21
50-64	687	3.4	21	1	1	2	4	6	9	24
65+	1067	5.2	38	1	1	3	6	12	15	30
GRAND TOTAL	**5194**	**3.3**	**22**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	5	<1	<1	1	2	5	8	8
20-34	14	2.4	3	1	1	2	3	5	6	6
35-49	7	2.6	5	<1	<1	2	3	6	7	7
50-64	6	1.7		1	1	2	2	2	2	2
65+	6	3.3	8	1	1	2	3	8	9	9
B. *Operated*										
0-19 YRS	483	1.4	1	<1	<1	1	2	2	3	5
20-34	689	1.7	2	<1	<1	1	2	3	4	9
35-49	246	1.7	1	<1	<1	1	2	3	4	6
50-64	103	2.1	6	<1	<1	1	2	3	5	16
65+	54	2.1	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.9	1	<1	<1	2	3	4	4	5
20-34	40	3.3	9	<1	<1	2	4	7	10	15
35-49	11	1.8	1	<1	<1	1	2	4	4	4
50-64	14	2.7	2	1	1	3	4	5	5	5
65+	48	7.2	55	1	1	5	9	16	23	41
B. *Operated*										
0-19 YRS	210	2.9	15	<1	<1	2	3	6	9	25
20-34	444	3.1	17	<1	1	2	3	6	8	20
35-49	147	3.6	32	<1	1	2	4	6	10	41
50-64	116	3.1	15	1	1	2	4	5	6	25
65+	109	6.0	64	1	1	3	7	13	19	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	1575	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	133	4.3	28	<1	1	3	5	9	13	27
B. *Operated*	1026	3.4	24	<1	1	2	4	7	10	26
1. SINGLE DX	1618	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1159	3.5	25	<1	1	2	4	7	10	24
A. NOT OPERATED	176	3.8	23	<1	1	2	4	9	11	24
B. OPERATED	2601	2.3	11	<1	<1	1	2	4	6	15
TOTAL 0-19 YRS	723	1.9	5	<1	<1	1	2	3	5	10
20-34	1187	2.3	8	<1	<1	1	2	4	6	11
35-49	411	2.4	13	<1	<1	1	2	4	6	18
50-64	239	2.6	10	<1	1	2	3	5	6	18
65+	217	5.2	48	1	1	3	6	12	18	42
GRAND TOTAL	**2777**	**2.4**	**12**	**<1**	**<1**	**1**	**3**	**5**	**7**	**17**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	16.9	180	1	2	18	24	34	46	51
20-34	7	3.6	5	1	1	4	6	6	6	6
35-49	8	5.3	10	1	1	5	8	9	9	9
50-64	21	6.0	31	<1	<1	5	9	13	17	22
65+	92	6.7	30	1	1	6	10	16	17	23
B. *Operated*										
0-19 YRS	69	9.1	65	1	2	6	11	20	23	45
20-34	47	9.8	36	3	4	8	12	18	22	31
35-49	83	8.5	15	3	4	8	10	13	16	23
50-64	324	10.3	31	4	5	9	12	16	20	32
65+	1816	13.0	37	6	7	12	15	19	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	13.9	152	<1	1	11	23	28	35	43
20-34	14	5.6	16	1	1	5	7	12	13	14
35-49	7	8.1	35	1	2	6	11	18	19	19
50-64	40	10.2	76	2	3	8	13	19	26	48
65+	450	11.2	102	1	2	9	15	22	30	67
B. *Operated*										
0-19 YRS	65	15.7	214	2	4	11	18	34	52	65
20-34	94	18.8	233	5	6	13	22	41	47	81
35-49	141	13.2	63	4	5	11	16	25	31	48
50-64	614	15.6	132	6	7	13	18	27	35	76
65+	6512	16.3	82	7	8	14	19	26	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	9.0	86	1	1	6	12	21	25	47
B. *Operated*	2339	12.3	38	5	6	11	15	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	533	11.0	100	1	2	9	14	22	29	65
B. *Operated*	7426	16.2	89	7	8	14	19	26	34	57
1. SINGLE DX	2509	12.1	42	4	6	11	15	19	23	34
2. MULTIPLE DX	7959	15.8	91	6	8	14	18	26	33	58
A. NOT OPERATED	703	10.5	97	1	2	8	14	22	28	54
B. OPERATED	9765	15.2	80	6	8	13	18	24	31	53
TOTAL 0-19 YRS	198	13.5	157	1	2	10	20	28	42	64
20-34	162	14.4	175	2	4	11	17	31	42	73
35-49	239	11.2	50	4	4	9	14	21	27	42
50-64	999	13.4	102	4	6	11	15	23	30	65
65+	8870	15.2	77	6	8	14	18	24	31	52
GRAND TOTAL	**10468**	**14.9**	**82**	**5**	**7**	**13**	**18**	**24**	**31**	**53**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	16.1	137	1	1	17	22	29	35	53
20-34	9	24.1	553	2	2	9	49	54	56	56
35-49	10	16.6	403	3	3	6	30	49	64	64
50-64	9	10.7	233	3	3	6	8	34	51	51
65+	34	17.0	308	<1	1	12	26	44	56	69
B. *Operated*										
0-19 YRS	351	11.0	110	1	1	7	18	25	32	46
20-34	124	11.3	90	1	2	10	14	21	29	54
35-49	46	10.6	127	1	3	7	12	21	37	58
50-64	28	15.9	277	2	4	11	16	40	59	73
65+	95	15.9	114	4	7	14	19	25	36	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	17.2	158	1	2	17	24	31	42	54
20-34	27	16.8	315	2	2	8	35	48	49	50
35-49	10	9.3	68	1	1	7	9	24	26	26
50-64	38	21.3	366	1	3	17	29	46	55	93
65+	186	18.5	311	2	3	12	26	48	53	90
B. *Operated*										
0-19 YRS	370	18.0	174	2	4	15	25	37	42	60
20-34	314	19.9	275	2	4	15	24	47	56	96
35-49	116	18.0	312	1	2	13	24	45	61	77
50-64	114	23.4	395	3	6	18	30	56	78	99+
65+	377	19.7	190	6	8	16	25	40	53	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	16.2	168	1	1	16	23	30	40	61
B. *Operated*	644	11.9	118	1	2	9	17	24	32	57
2. MULTIPLE DX										
A. *Not Operated*	407	18.0	256	1	2	14	26	42	50	78
B. *Operated*	1291	19.4	237	2	5	15	25	41	54	93
1. SINGLE DX	1044	13.6	141	1	2	11	20	28	35	57
2. MULTIPLE DX	1698	19.1	242	2	4	15	25	41	53	91
A. NOT OPERATED	807	17.1	213	1	2	15	24	36	49	65
B. OPERATED	1935	16.9	209	2	3	13	22	36	50	79
TOTAL 0-19 YRS	1205	15.3	151	1	2	14	23	30	39	54
20-34	474	17.6	247	2	3	13	22	44	53	86
35-49	182	15.6	266	1	2	10	21	34	57	67
50-64	189	21.3	372	2	4	15	29	50	64	97
65+	692	18.7	218	3	5	15	24	41	53	84
GRAND TOTAL	**2742**	**17.0**	**210**	**1**	**2**	**14**	**23**	**36**	**49**	**73**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	1.9	2	<1	1	1	2	4	5	8
20-34	94	2.7	3	<1	1	2	4	5	6	9
35-49	60	2.8	4	<1	1	2	4	6	7	8
50-64	53	3.8	8	1	1	3	5	8	10	14
65+	64	6.4	27	1	2	5	9	12	17	29
B. *Operated*										
0-19 YRS	659	3.3	17	1	1	2	4	7	9	18
20-34	529	5.0	16	1	1	4	6	10	12	19
35-49	321	5.4	21	1	2	4	7	11	14	18
50-64	184	7.5	36	2	3	6	9	14	18	27
65+	102	8.2	36	1	2	7	11	15	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.3	15	<1	1	2	4	8	10	23
20-34	91	3.6	8	1	1	3	5	7	9	14
35-49	64	4.5	16	<1	1	4	5	9	12	20
50-64	82	7.4	60	1	2	6	9	15	21	45
65+	197	8.8	59	1	2	6	11	16	22	46
B. *Operated*										
0-19 YRS	327	7.5	76	1	2	5	9	15	22	48
20-34	513	10.2	128	1	2	7	11	24	35	83
35-49	301	11.0	127	2	2	7	13	22	35	62
50-64	220	11.5	107	1	3	9	14	21	34	99+
65+	231	13.5	114	3	4	11	16	27	38	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	3.0	9	1	1	2	4	6	8	15
B. *Operated*	1795	4.9	23	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	518	6.2	43	1	1	4	8	13	17	37
B. *Operated*	1592	10.5	115	1	2	7	13	22	33	63
1. SINGLE DX	2264	4.5	20	1	1	3	6	9	12	21
2. MULTIPLE DX	2110	9.4	101	1	2	6	12	20	29	58
A. NOT OPERATED	987	4.7	29	1	1	3	6	10	14	28
B. OPERATED	3387	7.5	74	1	1	5	9	16	22	52
TOTAL 0-19 YRS	1268	4.2	34	1	1	3	5	9	12	28
20-34	1227	6.9	69	1	1	5	8	14	22	52
35-49	746	7.4	71	1	2	5	9	15	21	51
50-64	539	8.8	72	1	2	7	11	17	22	56
65+	594	10.3	80	2	3	8	13	20	27	48
GRAND TOTAL	**4374**	**6.9**	**65**	**1**	**1**	**4**	**8**	**14**	**21**	**48**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.8	1	<1	1	1	2	3	5	5
20-34	108	3.0	5	<1	1	2	4	6	7	11
35-49	64	2.9	4	<1	1	2	4	6	7	10
50-64	76	3.6	10	1	1	3	5	7	8	20
65+	78	4.7	13	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	717	2.7	4	1	1	2	3	5	6	9
20-34	1210	3.6	7	1	1	3	4	6	8	14
35-49	744	4.0	8	1	2	3	5	7	8	12
50-64	651	4.4	6	1	2	4	6	7	9	13
65+	327	6.2	20	2	2	5	7	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.6	5	<1	1	2	3	5	6	13
20-34	108	3.6	6	1	1	3	4	7	8	15
35-49	73	5.2	17	1	1	4	7	12	14	19
50-64	124	6.1	27	1	2	4	7	13	17	25
65+	245	7.2	41	2	2	6	9	15	19	42
B. *Operated*										
0-19 YRS	426	4.8	46	1	1	3	5	8	12	36
20-34	820	5.5	29	1	2	4	6	11	15	29
35-49	519	5.7	27	1	2	4	7	11	15	29
50-64	555	7.1	39	2	2	6	8	13	17	40
65+	598	9.7	63	3	3	8	12	17	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	3.2	7	<1	1	2	4	6	8	15
B. *Operated*	3649	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	609	5.6	28	1	1	4	7	12	16	31
B. *Operated*	2918	6.6	43	1	2	5	8	13	17	36
1. SINGLE DX	4051	3.8	8	1	1	3	5	7	8	15
2. MULTIPLE DX	3527	6.4	40	1	2	5	8	13	17	34
A. NOT OPERATED	1011	4.7	21	1	1	3	6	9	13	23
B. OPERATED	6567	5.1	25	1	1	4	6	9	13	25
TOTAL 0-19 YRS	1278	3.4	19	1	1	3	4	6	8	17
20-34	2246	4.3	16	1	1	3	5	8	11	20
35-49	1400	4.6	16	1	2	4	5	8	11	20
50-64	1406	5.6	23	1	2	5	7	10	13	25
65+	1248	8.0	47	2	3	6	10	15	19	40
GRAND TOTAL	**7578**	**5.0**	**25**	**1**	**1**	**4**	**6**	**9**	**13**	**25**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.4	1	<1	1	1	2	3	4	4
20-34	16	1.6	1	<1	1	1	2	3	3	3
35-49	12	3.3	16	<1	<1	2	4	10	13	14
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	8	3.6	14	1	1	2	5	10	12	12
B. *Operated*										
0-19 YRS	33	2.4	1	<1	1	2	3	4	4	5
20-34	47	2.4	2	1	1	2	3	5	6	7
35-49	17	4.8	67	1	1	3	4	7	26	36
50-64	7	3.6	1	3	3	3	4	5	5	5
65+	4	3.0	15	1	1	1	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.4	10	<1	1	1	3	4	6	21
20-34	127	3.3	6	1	1	2	5	7	8	11
35-49	73	4.9	24	1	1	4	6	8	14	31
50-64	39	5.1	20	1	1	4	6	12	15	18
65+	115	7.1	42	1	2	5	10	15	21	31
B. *Operated*										
0-19 YRS	33	4.5	23	<1	1	3	6	9	18	21
20-34	77	5.0	27	1	1	3	7	12	14	26
35-49	42	7.6	81	2	2	5	8	14	20	56
50-64	24	8.8	84	<1	1	5	14	22	28	37
65+	25	12.6	157	1	2	9	18	24	44	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.2	6	<1	1	1	2	4	7	14
B. *Operated*	108	2.9	13	1	1	2	3	5	6	20
2. MULTIPLE DX										
A. *Not Operated*	424	4.6	24	1	1	3	6	10	14	26
B. *Operated*	201	6.9	66	1	1	4	8	16	22	47
1. SINGLE DX	166	2.6	10	<1	1	2	3	5	6	14
2. MULTIPLE DX	625	5.3	38	1	1	3	6	12	17	31
A. NOT OPERATED	482	4.3	22	1	1	3	5	9	13	25
B. OPERATED	309	5.5	51	1	1	3	6	12	19	39
TOTAL 0-19 YRS	154	2.7	10	<1	1	2	3	5	8	21
20-34	267	3.6	12	1	1	2	5	8	10	16
35-49	144	5.5	46	1	1	4	6	10	15	37
50-64	74	6.0	41	1	1	4	6	15	18	34
65+	152	7.7	63	1	1	5	10	19	22	41
GRAND TOTAL	**791**	**4.8**	**34**	**1**	**1**	**3**	**6**	**10**	**15**	**29**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	8	1	1	2	4	8	8	8
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	9.0	50	4	4	9	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	13	<1	<1	2	6	9	12	12
20-34	6	8.5	62	2	2	5	12	22	23	23
35-49	3	3.0		3	3	3	3	3	3	3
50-64										
65+	4	12.3	42	9	9	9	16	22	22	22
B. *Operated*										
0-19 YRS	13	26.8	979	2	3	8	41	87	93	94
20-34	13	28.8	806	4	6	16	51	71	86	89
35-49	3	15.3	146	6	6	11	24	29	29	29
50-64	4	29.5	574	5	5	30	50	52	52	52
65+	4	12.8	40	7	7	12	18	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.4	7	1	1	3	4	8	8	8
B. *Operated*	7	5.1	19	<1	<1	4	6	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	25	6.2	36	<1	1	4	9	12	22	23
B. *Operated*	37	25.4	687	3	4	13	41	67	88	94
1. SINGLE DX	17	4.1	12	<1	1	4	5	8	12	14
2. MULTIPLE DX	62	17.6	510	1	2	8	22	49	74	93
A. NOT OPERATED	35	5.4	29	1	1	4	8	12	20	23
B. OPERATED	44	22.1	634	2	3	11	29	66	86	94
TOTAL 0-19 YRS	33	12.7	507	1	1	4	8	41	79	94
20-34	24	18.3	575	1	2	8	20	66	74	89
35-49	7	9.0	87	3	3	6	10	25	29	29
50-64	5	25.0	532	5	5	13	49	52	52	52
65+	10	11.8	35	4	5	9	16	21	22	22
GRAND TOTAL	**79**	**14.7**	**432**	**1**	**1**	**7**	**15**	**44**	**67**	**93**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	1.9	2	<1	<1	1	3	4	5	5
35-49	5	1.4		<1	<1	1	2	2	2	2
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	4	3.8	30	1	1	1	7	12	12	12
B. *Operated*										
0-19 YRS	90	2.2	1	1	1	2	3	4	4	6
20-34	412	2.4	2	1	1	2	3	4	5	7
35-49	127	2.3	2	<1	1	2	3	4	4	8
50-64	47	2.3	3	<1	1	2	3	4	5	10
65+	48	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	29	4.0	30	<1	<1	2	4	10	21	23
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64	13	3.5	16	<1	<1	2	4	9	14	15
65+	21	6.9	47	<1	1	4	9	17	22	27
B. *Operated*										
0-19 YRS	28	3.0	5	<1	1	2	4	7	7	8
20-34	105	3.5	11	1	1	3	4	6	8	20
35-49	56	4.4	19	1	1	4	5	7	13	27
50-64	39	3.7	12	<1	1	3	5	8	11	18
65+	77	5.0	41	1	1	2	6	13	18	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.0	5	<1	<1	1	2	4	7	12
B. *Operated*	724	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	80	4.2	28	<1	<1	2	4	10	17	26
B. *Operated*	305	4.0	20	1	1	3	5	8	13	21
1. SINGLE DX	749	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	385	4.1	22	<1	1	3	5	9	14	22
A. NOT OPERATED	105	3.7	24	<1	<1	2	4	9	15	25
B. OPERATED	1029	2.8	8	1	1	2	3	5	7	17
TOTAL 0-19 YRS	129	2.3	2	1	1	2	3	4	5	7
20-34	557	2.7	5	<1	1	2	3	4	6	11
35-49	195	2.8	8	<1	1	2	3	4	6	15
50-64	103	3.0	8	<1	1	2	3	6	9	16
65+	150	4.3	31	1	1	2	5	10	17	27
GRAND TOTAL	**1134**	**2.9**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**18**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	9	1.4	1	1	1	1	2	3	3	3
35-49	10	1.5	1	<1	<1	1	2	3	4	4
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	597	2.1	2	<1	<1	1	3	4	5	10
20-34	1390	2.2	3	<1	<1	2	3	4	5	7
35-49	717	2.0	2	<1	<1	2	2	4	5	7
50-64	345	2.3	3	<1	<1	2	3	5	6	9
65+	87	2.6	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	<1	<1	1	3	3	3	3
20-34	19	1.7	1	<1	<1	1	2	4	5	5
35-49	15	2.6	7	<1	<1	2	3	4	9	11
50-64	15	3.1	12	<1	<1	1	5	9	11	12
65+	12	5.3	13	1	2	5	6	10	14	15
B. *Operated*										
0-19 YRS	431	2.9	7	<1	<1	2	4	5	7	12
20-34	1075	2.7	5	<1	<1	2	4	5	6	11
35-49	577	2.6	6	<1	<1	2	3	5	6	10
50-64	507	2.6	6	<1	<1	2	3	5	6	10
65+	265	3.8	18	<1	<1	2	5	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	1.8	1	<1	1	1	3	4	4	4
B. *Operated*	3136	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	70	2.8	8	<1	<1	2	4	6	9	14
B. *Operated*	2855	2.8	7	<1	<1	2	4	5	7	12
1. SINGLE DX	3167	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2925	2.8	7	<1	<1	2	4	5	7	12
A. NOT OPERATED	101	2.5	6	<1	<1	1	3	5	7	13
B. OPERATED	5991	2.4	5	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	1043	2.4	5	<1	<1	2	3	5	6	10
20-34	2493	2.4	4	<1	<1	2	3	5	6	10
35-49	1319	2.3	4	<1	<1	2	3	4	6	9
50-64	870	2.5	5	<1	<1	2	3	5	6	10
65+	367	3.6	15	<1	<1	2	4	7	10	23
GRAND TOTAL	**6092**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	8	1	1	2	4	7	9	13
20-34	27	3.9	5	<1	1	3	5	7	9	9
35-49	13	5.9	24	1	1	4	8	14	16	17
50-64	8	15.5	509	<1	<1	9	16	54	69	69
65+	6	3.7	21	1	1	2	2	12	13	13
B. *Operated*										
0-19 YRS	174	3.0	26	<1	1	2	3	6	9	19
20-34	205	3.1	8	<1	1	2	4	7	9	15
35-49	102	3.7	17	<1	<1	2	4	10	12	20
50-64	47	5.1	63	<1	1	2	5	10	29	39
65+	49	5.0	50	<1	1	2	6	11	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.0	111	<1	1	3	6	10	23	54
20-34	32	5.0	24	<1	1	4	7	9	11	27
35-49	16	4.9	26	<1	1	3	6	10	18	21
50-64	26	7.5	173	1	1	4	6	10	47	57
65+	30	6.9	30	2	2	6	10	14	17	25
B. *Operated*										
0-19 YRS	115	5.4	53	1	1	4	7	12	17	36
20-34	195	6.2	70	<1	1	4	7	14	17	39
35-49	108	6.8	54	1	1	4	8	18	25	32
50-64	69	6.8	117	1	1	3	7	17	20	69
65+	85	10.1	122	1	2	5	15	25	42	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.1	69	1	1	3	6	11	13	55
B. *Operated*	577	3.5	23	<1	1	2	4	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	129	6.1	71	1	1	4	7	11	17	55
B. *Operated*	572	6.8	78	1	1	4	8	17	21	45
1. SINGLE DX	655	3.7	29	<1	1	2	4	8	11	28
2. MULTIPLE DX	701	6.7	77	1	1	4	8	16	21	47
A. NOT OPERATED	207	5.7	70	1	1	3	7	11	15	55
B. OPERATED	1149	5.2	53	<1	1	3	6	12	18	39
TOTAL 0-19 YRS	338	4.0	41	<1	1	2	5	8	12	25
20-34	459	4.6	37	<1	1	3	5	10	14	26
35-49	239	5.3	36	<1	1	3	7	13	20	28
50-64	150	6.9	131	1	1	3	7	17	29	69
65+	170	7.9	86	1	1	4	10	20	32	45
GRAND TOTAL	**1356**	**5.2**	**56**	**<1**	**1**	**3**	**6**	**12**	**18**	**42**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.5	1	<1	<1	1	1	2	4	6
20-34	43	1.7	1	<1	<1	1	2	4	4	5
35-49	26	2.3	4	<1	<1	2	3	5	6	10
50-64	16	2.9	6	1	1	2	4	6	9	10
65+	20	4.9	15	1	2	4	6	8	14	19
B. *Operated*										
0-19 YRS	387	2.9	3	<1	<1	3	4	5	6	8
20-34	670	3.4	4	<1	1	3	5	6	7	9
35-49	171	3.3	5	<1	1	3	4	6	7	11
50-64	39	3.9	6	1	1	3	5	8	9	13
65+	12	6.2	31	1	2	5	7	13	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	6	<1	<1	1	3	7	8	9
20-34	42	2.2	5	<1	<1	1	3	5	7	12
35-49	18	4.4	9	1	1	4	5	10	12	12
50-64	25	6.2	94	1	1	4	7	8	24	50
65+	92	6.4	30	1	2	5	8	11	16	33
B. *Operated*										
0-19 YRS	419	3.9	6	<1	1	4	5	7	8	13
20-34	939	4.0	6	<1	1	4	5	7	8	13
35-49	343	4.2	6	1	1	4	5	7	9	14
50-64	101	5.5	22	1	1	4	6	10	15	27
65+	39	9.3	216	1	2	5	8	15	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.4	6	<1	<1	1	3	5	6	12
B. *Operated*	1279	3.3	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	199	4.9	31	<1	1	4	7	9	12	33
B. *Operated*	1841	4.2	12	1	1	4	5	7	9	15
1. SINGLE DX	1409	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX	2040	4.3	14	1	1	4	5	7	9	15
A. NOT OPERATED	329	3.9	23	<1	1	3	5	8	11	25
B. OPERATED	3120	3.8	9	<1	1	3	5	7	8	13
TOTAL 0-19 YRS	853	3.3	5	<1	<1	3	4	6	7	10
20-34	1694	3.6	5	<1	1	3	5	6	8	11
35-49	558	3.8	6	<1	1	4	5	7	8	12
50-64	181	5.0	28	1	1	4	6	9	14	29
65+	163	6.9	74	1	2	5	7	11	20	63
GRAND TOTAL	**3449**	**3.8**	**10**	**<1**	**1**	**3**	**5**	**7**	**8**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.0	13	1	2	4	6	11	12	16
20-34	472	5.4	9	2	2	5	7	10	11	14
35-49	427	5.7	11	2	2	5	7	10	11	17
50-64	203	5.0	7	2	2	5	6	9	10	14
65+	82	4.7	6	1	2	4	7	8	9	11
B. *Operated*										
0-19 YRS	4	3.8	14	1	1	3	6	9	9	9
20-34	99	4.9	15	1	1	4	7	11	12	19
35-49	75	4.7	15	1	1	4	6	9	13	18
50-64	24	4.6	12	<1	1	4	7	10	11	11
65+	5	7.0	2	5	5	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.2	10	1	1	3	6	10	11	12
20-34	460	6.1	15	1	2	5	8	11	13	19
35-49	604	6.1	17	2	2	5	8	11	13	21
50-64	423	6.3	15	2	3	5	8	11	13	21
65+	541	6.9	22	2	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	7	10.6	143	1	1	6	16	31	34	34
20-34	81	8.3	57	1	1	7	10	16	21	43
35-49	104	8.4	29	1	2	8	11	15	17	26
50-64	56	9.4	59	2	3	6	13	19	24	38
65+	46	11.1	57	3	4	9	14	20	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1219	5.4	10	2	2	5	7	9	11	15
B. *Operated*	207	4.8	14	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2067	6.3	18	2	2	5	8	11	14	21
B. *Operated*	294	9.0	49	1	2	8	12	16	21	38
1. SINGLE DX	1426	5.3	10	1	2	5	7	10	11	16
2. MULTIPLE DX	2361	6.7	22	2	2	6	8	12	15	23
A. NOT OPERATED	3286	6.0	15	2	2	5	8	11	12	19
B. OPERATED	501	7.3	39	1	1	6	10	15	18	32
TOTAL 0-19 YRS	85	5.0	23	1	1	4	6	10	12	29
20-34	1112	5.8	16	1	2	5	7	11	13	19
35-49	1210	6.1	17	1	2	5	8	11	13	20
50-64	706	6.1	17	2	2	5	8	11	13	23
65+	674	6.9	24	2	3	6	9	12	15	23
GRAND TOTAL	**3787**	**6.1**	**18**	**1**	**2**	**5**	**8**	**11**	**14**	**21**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.2	4	1	1	1	2	4	6	13
20-34	404	4.5	10	1	1	4	6	8	11	17
35-49	335	5.0	9	1	1	5	7	9	11	15
50-64	136	5.0	41	1	1	4	6	9	11	21
65+	63	4.9	17	1	2	4	7	10	12	24
B. *Operated*										
0-19 YRS	4	2.3	6	1	1	1	4	6	6	6
20-34	125	3.8	14	1	1	2	6	9	11	18
35-49	98	5.0	18	1	1	4	7	10	14	21
50-64	31	4.8	17	1	1	4	7	10	13	17
65+	6	5.2	45	1	1	2	7	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	2.9	9	<1	1	2	3	7	9	17
20-34	611	5.3	21	1	1	4	7	10	12	23
35-49	589	6.0	20	1	2	5	8	12	13	23
50-64	393	5.9	17	1	2	5	8	11	14	21
65+	425	6.6	27	2	2	6	8	12	15	30
B. *Operated*										
0-19 YRS	15	2.5	5	<1	1	2	3	5	8	9
20-34	128	6.5	43	1	1	5	9	14	22	31
35-49	129	7.0	55	1	1	4	11	15	16	41
50-64	65	6.4	19	1	2	6	10	13	15	18
65+	36	9.6	121	1	3	6	11	19	23	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1027	4.6	14	1	1	4	6	9	11	15
B. *Operated*	264	4.4	17	1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	2157	5.7	21	1	1	5	7	11	13	23
B. *Operated*	373	6.8	50	1	1	5	9	14	18	35
1. SINGLE DX	1291	4.5	15	1	1	4	6	9	11	17
2. MULTIPLE DX	2530	5.9	26	1	1	5	8	11	14	26
A. NOT OPERATED	3184	5.3	19	1	1	4	7	10	12	20
B. OPERATED	637	5.8	37	1	1	4	8	13	16	27
TOTAL 0-19 YRS	247	2.6	7	<1	1	2	3	5	8	15
20-34	1268	5.0	20	1	1	4	7	10	12	23
35-49	1151	5.7	21	1	1	5	8	11	14	20
50-64	625	5.7	23	1	2	5	7	11	13	19
65+	530	6.6	33	1	2	5	8	12	15	30
GRAND TOTAL	**3821**	**5.4**	**22**	**1**	**1**	**4**	**7**	**11**	**13**	**22**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	1.9	1	<1	<1	2	3	3	4	5
20-34	67	2.4	3	<1	1	2	3	5	6	8
35-49	29	3.6	13	<1	<1	2	4	9	14	14
50-64	33	2.7	3	1	1	2	4	5	6	8
65+	30	4.3	10	1	1	4	5	8	12	15
B. *Operated*										
0-19 YRS	224	2.0	1	<1	1	2	2	4	4	5
20-34	531	2.2	2	<1	<1	2	3	4	5	8
35-49	394	2.8	2	1	1	3	3	5	6	8
50-64	356	3.5	3	1	1	3	4	6	7	9
65+	148	4.4	8	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.4	2	<1	1	2	3	4	6	7
20-34	74	2.7	7	<1	1	2	3	5	6	16
35-49	65	3.4	6	1	1	3	5	7	9	10
50-64	92	4.4	17	1	1	3	6	8	12	22
65+	222	5.5	14	1	2	5	7	11	12	19
B. *Operated*										
0-19 YRS	61	3.1	8	1	1	2	3	7	9	15
20-34	164	3.2	7	<1	1	3	4	6	7	17
35-49	138	3.4	6	1	1	3	4	6	7	10
50-64	290	4.5	12	1	2	4	5	7	10	18
65+	177	6.3	23	2	2	5	7	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	2.9	6	<1	1	2	4	5	8	14
B. *Operated*	1653	2.8	3	<1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	491	4.4	13	1	1	3	6	9	12	20
B. *Operated*	830	4.3	13	1	1	4	5	8	11	19
1. SINGLE DX	1840	2.8	3	<1	1	2	4	5	6	9
2. MULTIPLE DX	1321	4.4	13	1	1	4	5	8	11	19
A. NOT OPERATED	678	4.0	11	1	1	3	5	8	11	17
B. OPERATED	2483	3.3	7	<1	1	3	4	6	7	14
TOTAL 0-19 YRS	351	2.2	3	<1	1	2	3	4	5	8
20-34	836	2.5	4	<1	1	2	3	5	6	9
35-49	626	3.0	4	1	1	3	4	5	6	9
50-64	771	4.0	8	1	1	4	5	6	9	16
65+	577	5.4	15	1	2	4	7	10	12	21
GRAND TOTAL	**3161**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1299	1.3	1	<1	1	1	1	2	2	4
20-34	310	1.7	3	<1	<1	1	2	3	4	10
35-49	91	1.8	2	<1	1	1	2	4	4	8
50-64	43	2.2	3	1	1	1	3	5	6	7
65+	41	2.0	3	1	1	2	2	4	5	9
B. *Operated*										
0-19 YRS	16	1.4	1	<1	1	1	2	3	3	3
20-34	9	1.3	1	<1	<1	1	2	3	3	3
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	3.7	9	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1470	1.7	2	<1	1	1	2	3	4	7
20-34	1126	2.4	8	<1	1	2	3	5	6	11
35-49	468	3.0	8	<1	1	2	4	6	8	16
50-64	296	3.2	9	1	1	2	4	7	9	16
65+	393	4.5	25	1	1	3	5	9	13	26
B. *Operated*										
0-19 YRS	338	3.2	36	<1	1	1	3	6	9	39
20-34	431	3.9	34	<1	1	2	4	9	14	38
35-49	151	3.6	13	1	1	2	4	9	10	21
50-64	86	5.6	62	<1	1	3	7	13	19	48
65+	117	7.4	133	1	1	4	8	14	21	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1784	1.4	1	<1	1	1	1	2	3	6
B. *Operated*	35	1.6	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	3753	2.5	8	<1	1	2	3	5	7	14
B. *Operated*	1123	4.2	46	<1	1	2	5	9	13	38
1. SINGLE DX	1819	1.4	1	<1	1	1	1	2	3	6
2. MULTIPLE DX	4876	2.9	17	<1	1	2	3	6	8	19
A. NOT OPERATED	5537	2.1	6	<1	1	1	2	4	6	12
B. OPERATED	1158	4.1	44	<1	1	2	4	9	13	38
TOTAL 0-19 YRS	3123	1.7	5	<1	1	1	2	3	4	8
20-34	1876	2.6	14	<1	1	2	3	5	7	17
35-49	715	2.9	9	<1	1	2	4	6	9	15
50-64	427	3.6	20	1	1	2	4	7	10	19
65+	554	5.0	48	1	1	3	5	10	14	32
GRAND TOTAL	**6695**	**2.5**	**13**	**<1**	**1**	**1**	**3**	**5**	**7**	**17**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	367	1.5	3	<1	<1	1	1	2	4	10
20-34	84	3.0	43	<1	<1	2	3	4	8	43
35-49	21	3.6	15	<1	<1	1	5	11	12	12
50-64	16	2.7	6	<1	<1	2	3	7	8	9
65+	26	5.3	35	<1	1	2	7	13	21	22
B. *Operated*										
0-19 YRS	38	5.4	19	1	1	4	8	12	14	18
20-34	30	7.7	64	1	1	5	10	15	20	41
35-49	24	10.1	38	2	4	8	14	21	22	24
50-64	22	6.7	22	1	2	6	8	14	18	20
65+	29	11.9	53	5	7	10	12	23	32	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	564	2.9	20	<1	1	1	3	6	9	25
20-34	308	4.8	76	1	1	2	4	12	18	57
35-49	155	4.5	41	1	1	2	5	9	12	41
50-64	106	7.3	88	1	1	4	9	17	29	48
65+	250	8.3	96	1	1	5	10	21	28	40
B. *Operated*										
0-19 YRS	252	13.7	350	1	1	6	22	49	70	99+
20-34	245	13.9	336	<1	1	6	19	43	74	99+
35-49	95	17.9	445	1	1	11	20	55	68	99
50-64	79	13.5	181	1	2	9	16	33	46	61
65+	209	15.8	179	2	2	11	22	36	48	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	514	2.1	12	<1	<1	1	2	3	7	13
B. *Operated*	143	8.2	44	1	1	7	10	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	1383	4.8	58	1	1	2	5	11	18	36
B. *Operated*	880	14.7	301	1	1	9	21	42	63	99+
1. SINGLE DX	657	3.4	26	<1	1	1	3	9	12	22
2. MULTIPLE DX	2263	8.6	176	1	1	3	10	25	38	82
A. NOT OPERATED	1897	4.1	47	<1	1	2	4	9	15	33
B. OPERATED	1023	13.8	270	1	1	8	19	38	59	99+
TOTAL 0-19 YRS	1221	4.8	104	<1	1	1	3	11	25	72
20-34	667	8.1	187	<1	1	3	8	22	41	86
35-49	295	9.2	206	1	1	4	10	20	42	87
50-64	223	9.1	120	1	1	6	10	25	32	58
65+	514	11.4	138	1	2	7	15	28	36	56
GRAND TOTAL	**2920**	**7.5**	**147**	**<1**	**1**	**3**	**8**	**21**	**33**	**75**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.3	5	<1	1	1	3	7	8	8
20-34	38	2.9	4	1	1	2	4	6	7	8
35-49	28	3.0	5	1	1	2	4	6	9	10
50-64	6	2.3	2	1	1	2	4	4	4	4
65+	6	3.2	5	1	1	3	4	7	7	7
B. *Operated*										
0-19 YRS	21	5.0	16	1	2	4	7	9	14	18
20-34	70	5.0	11	1	2	4	7	9	13	18
35-49	17	5.4	21	1	1	4	6	14	16	17
50-64	5	5.0	8	1	1	5	7	8	8	8
65+	9	4.1	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.9	4	1	1	2	4	6	7	9
20-34	122	3.4	7	1	1	3	4	7	9	14
35-49	73	4.4	13	1	1	4	5	8	10	23
50-64	70	5.3	28	1	1	3	7	12	15	24
65+	73	7.3	72	2	2	6	8	14	19	57
B. *Operated*										
0-19 YRS	84	8.4	56	2	3	6	10	17	24	42
20-34	263	8.3	71	2	2	6	10	17	21	55
35-49	127	9.9	125	2	3	6	10	20	30	61
50-64	73	11.0	132	2	4	8	13	19	29	74
65+	84	13.4	157	2	3	9	16	31	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.8	4	1	1	2	4	6	8	10
B. *Operated*	122	5.0	12	1	2	4	6	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	402	4.6	25	1	1	3	6	9	12	23
B. *Operated*	631	9.6	101	2	3	7	11	19	29	56
1. SINGLE DX	217	4.0	10	1	1	3	5	8	9	17
2. MULTIPLE DX	1033	7.7	77	1	2	5	9	15	22	49
A. NOT OPERATED	497	4.2	22	1	1	3	5	8	11	22
B. OPERATED	753	8.9	89	2	3	6	10	17	26	53
TOTAL 0-19 YRS	186	5.5	36	1	1	4	7	11	17	32
20-34	493	6.2	47	1	1	5	8	12	17	44
35-49	245	7.2	79	1	2	5	8	15	21	49
50-64	154	7.9	84	1	1	5	10	15	21	49
65+	172	10.0	119	2	2	7	11	22	33	64
GRAND TOTAL	**1250**	**7.0**	**67**	**1**	**1**	**5**	**8**	**14**	**21**	**47**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.0	8	<1	1	2	4	7	8	13
20-34	79	2.8	4	1	1	2	4	6	7	11
35-49	26	4.0	14	1	1	3	4	8	14	16
50-64	13	1.8	1	<1	<1	1	2	3	5	5
65+	4	2.8	5	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	100	5.6	8	1	2	6	7	8	10	17
20-34	104	6.2	19	1	2	6	7	9	10	26
35-49	28	6.5	10	1	2	7	9	11	11	11
50-64	8	5.9	4	3	3	6	7	9	9	9
65+	6	6.0	14	1	1	6	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	3.9	13	1	1	3	5	8	10	20
20-34	166	3.8	9	1	1	3	5	8	9	15
35-49	56	3.4	9	1	1	3	4	7	10	17
50-64	34	5.1	20	1	1	4	8	11	11	23
65+	52	6.8	34	1	2	5	8	15	22	26
B. *Operated*										
0-19 YRS	286	10.8	125	3	4	7	11	22	32	70
20-34	507	10.9	110	2	4	8	12	20	31	73
35-49	161	11.2	133	2	3	8	12	22	31	82
50-64	97	14.2	87	4	6	11	19	26	36	76
65+	76	18.5	245	2	5	13	26	40	55	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	3.0	7	1	1	2	4	6	8	14
B. *Operated*	246	6.0	13	1	2	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	493	4.2	14	1	1	3	6	9	11	22
B. *Operated*	1127	11.7	128	2	4	8	13	24	35	79
1. SINGLE DX	514	4.4	12	1	1	4	6	8	10	15
2. MULTIPLE DX	1620	9.4	105	1	2	7	11	20	29	68
A. NOT OPERATED	761	3.8	12	1	1	3	5	8	10	19
B. OPERATED	1373	10.7	112	2	4	8	12	21	31	71
TOTAL 0-19 YRS	717	5.7	57	1	1	5	8	12	19	39
20-34	856	8.2	80	1	2	6	10	15	23	64
35-49	271	8.4	95	1	2	6	10	16	24	77
50-64	152	10.7	83	1	2	8	14	23	29	50
65+	138	13.1	184	1	2	8	17	32	43	90
GRAND TOTAL	**2134**	**8.2**	**87**	**1**	**1**	**6**	**10**	**17**	**25**	**58**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	7	2.7	3	1	1	2	4	5	5	5
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	152	2.3	5	<1	1	2	3	4	6	10
20-34	104	2.5	3	1	1	2	3	5	6	8
35-49	27	2.4	2	1	1	2	3	4	5	7
50-64	16	2.1	2	<1	1	2	3	4	4	4
65+	15	3.5	12	<1	1	2	4	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	4	1	1	2	3	5	7	9
20-34	8	2.3	1	1	1	2	3	4	4	4
35-49	5	4.2	17	1	1	3	6	11	11	11
50-64	3	5.7	14	3	3	4	8	10	10	10
65+	6	3.2	7	1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS	151	2.9	6	1	1	2	4	6	7	12
20-34	131	3.1	4	1	1	3	4	5	7	9
35-49	51	4.0	11	1	1	4	5	8	11	98
50-64	27	4.6	13	1	1	3	7	10	12	15
65+	46	4.4	14	1	1	3	7	11	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	2	<1	1	2	3	5	5	5
B. *Operated*	314	2.4	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	44	3.0	6	1	1	2	4	6	9	11
B. *Operated*	406	3.4	7	1	1	3	5	7	8	15
1. SINGLE DX	330	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	450	3.4	7	1	1	3	5	7	8	15
A. NOT OPERATED	60	2.7	5	1	1	2	3	6	8	11
B. OPERATED	720	3.0	6	1	1	2	4	6	8	13
TOTAL 0-19 YRS	328	2.6	5	<1	1	2	3	5	7	11
20-34	250	2.8	3	1	1	2	4	5	6	8
35-49	88	3.4	9	1	1	3	4	7	10	69
50-64	47	3.7	10	1	1	3	4	9	10	15
65+	67	4.1	13	1	1	3	6	10	11	15
GRAND TOTAL	**780**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**	**12**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.1	2	1	1	1	3	4	5	7
20-34	31	2.4	4	<1	<1	2	3	4	7	9
35-49	9	2.6	3	1	1	2	3	5	7	7
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	8	2.3	5	1	1	1	3	6	7	7
B. *Operated*										
0-19 YRS	184	1.7	2	<1	<1	1	2	3	5	8
20-34	91	2.1	3	<1	1	1	3	4	6	9
35-49	40	2.8	11	<1	<1	2	3	5	11	17
50-64	23	3.9	19	<1	<1	2	5	8	13	20
65+	20	2.5	13	<1	1	1	2	5	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.5	30	<1	<1	1	2	4	6	21
20-34	165	2.2	4	<1	<1	1	3	4	7	10
35-49	84	3.0	6	<1	<1	2	4	6	8	13
50-64	67	3.6	11	<1	1	2	5	7	9	17
65+	176	5.0	27	1	1	3	6	10	17	22
B. *Operated*										
0-19 YRS	426	2.8	25	<1	1	2	3	5	7	16
20-34	511	3.2	15	<1	1	2	4	7	9	20
35-49	202	4.6	42	<1	1	2	5	9	15	40
50-64	151	3.9	14	<1	1	2	5	9	11	17
65+	229	5.1	31	1	1	3	6	12	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.2	3	1	1	2	3	4	7	8
B. *Operated*	358	2.1	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	624	3.3	18	<1	1	2	4	7	9	20
B. *Operated*	1519	3.6	24	<1	1	2	4	8	11	26
1. SINGLE DX	447	2.1	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX	2143	3.5	23	<1	1	2	4	7	11	23
A. NOT OPERATED	713	3.2	16	<1	1	2	4	7	8	20
B. OPERATED	1877	3.3	21	<1	1	2	4	7	10	24
TOTAL 0-19 YRS	780	2.4	20	<1	1	1	3	5	6	14
20-34	798	2.9	11	<1	1	2	3	6	8	16
35-49	335	3.9	29	<1	1	2	5	8	12	38
50-64	244	3.8	13	<1	1	2	5	8	11	18
65+	433	4.9	29	1	1	3	6	11	16	30
GRAND TOTAL	**2590**	**3.3**	**20**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	1.5	2	<1	<1	1	2	2	3	12
20-34	117	1.9	4	<1	<1	1	2	3	5	12
35-49	37	1.9	1	<1	<1	2	3	3	4	4
50-64	12	1.5	1	<1	<1	1	2	3	4	4
65+	5	4.0	18	<1	<1	2	6	11	11	11
B. *Operated*										
0-19 YRS	94	2.0	3	<1	<1	1	2	5	6	8
20-34	136	2.9	5	<1	<1	2	4	6	7	10
35-49	39	3.2	5	1	1	3	5	7	8	8
50-64	8	2.8	8	<1	<1	1	4	8	9	9
65+	8	3.9	10	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.4	5	<1	<1	2	3	5	6	13
20-34	107	2.5	3	<1	1	2	3	5	6	8
35-49	33	2.6	9	<1	<1	2	3	4	6	18
50-64	18	4.1	11	<1	1	3	5	11	11	11
65+	14	3.2	8	<1	1	2	4	8	9	10
B. *Operated*										
0-19 YRS	127	6.1	63	1	1	4	7	13	21	46
20-34	286	6.2	64	<1	1	4	7	12	19	49
35-49	85	7.2	51	1	2	5	9	14	21	41
50-64	38	6.7	48	<1	1	5	9	12	20	37
65+	20	12.1	304	1	1	6	13	29	54	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	1.8	3	<1	<1	1	2	3	4	11
B. *Operated*	285	2.7	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	221	2.7	5	<1	1	2	3	5	7	12
B. *Operated*	556	6.6	70	1	1	4	8	14	21	48
1. SINGLE DX	522	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	777	5.5	54	<1	1	3	6	11	17	41
A. NOT OPERATED	458	2.2	4	<1	<1	2	3	4	6	11
B. OPERATED	841	5.2	51	<1	1	3	6	10	16	38
TOTAL 0-19 YRS	336	3.5	30	<1	<1	2	4	7	12	28
20-34	646	4.1	34	<1	1	2	5	8	11	33
35-49	194	4.6	30	1	1	3	5	9	14	31
50-64	76	4.8	31	<1	<1	3	7	11	12	33
65+	47	7.2	149	1	1	3	8	14	28	77
GRAND TOTAL	**1299**	**4.2**	**37**	**<1**	**1**	**2**	**5**	**8**	**13**	**32**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.8	7	<1	<1	2	3	5	7	17
20-34	98	2.7	3	<1	<1	2	3	5	6	7
35-49	30	2.4	2	1	1	3	3	4	5	5
50-64	16	3.0	3	<1	<1	3	3	6	7	7
65+	5	4.4	1	3	3	4	5	6	6	6
B. *Operated*										
0-19 YRS	579	1.9	4	<1	<1	1	2	3	5	11
20-34	911	2.1	9	<1	<1	1	2	4	5	11
35-49	350	2.1	8	<1	<1	1	2	4	6	12
50-64	207	2.2	4	<1	<1	1	3	5	7	9
65+	66	2.1	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.0	33	<1	1	2	4	7	14	34
20-34	179	4.1	22	<1	1	3	5	8	13	29
35-49	67	4.6	29	1	1	3	5	10	16	32
50-64	37	4.6	8	1	1	4	7	8	10	12
65+	45	6.0	21	1	2	5	7	12	15	24
B. *Operated*										
0-19 YRS	444	2.6	7	<1	1	2	3	6	8	12
20-34	913	3.1	18	<1	1	2	3	6	9	20
35-49	377	3.9	43	<1	1	2	4	8	12	34
50-64	216	4.2	50	<1	1	2	4	8	14	28
65+	145	4.3	64	1	1	2	4	8	12	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.8	4	<1	<1	3	3	5	6	8
B. *Operated*	2113	2.1	7	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	401	4.4	24	<1	1	3	5	8	13	31
B. *Operated*	2095	3.4	27	<1	1	2	3	7	10	27
1. SINGLE DX	2314	2.1	6	<1	<1	1	2	4	6	11
2. MULTIPLE DX	2496	3.5	26	<1	1	2	4	7	10	27
A. NOT OPERATED	602	3.9	18	<1	1	3	5	7	11	24
B. OPERATED	4208	2.7	17	<1	<1	2	3	5	8	19
TOTAL 0-19 YRS	1148	2.4	7	<1	<1	1	3	5	7	13
20-34	2101	2.8	14	<1	<1	2	3	5	7	18
35-49	824	3.2	26	<1	1	2	3	6	10	28
50-64	476	3.3	26	<1	1	2	4	7	9	25
65+	261	4.0	42	<1	1	2	4	8	12	41
GRAND TOTAL	**4810**	**2.9**	**17**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.5	3	<1	<1	2	3	5	5	11
20-34	86	2.6	3	<1	1	2	4	5	6	8
35-49	40	4.0	29	1	1	3	4	6	7	35
50-64	13	4.4	34	1	1	3	4	9	20	23
65+	13	4.9	22	<1	1	2	8	12	14	14
B. *Operated*										
0-19 YRS	302	3.4	14	<1	1	2	4	7	10	18
20-34	315	3.5	13	<1	1	3	5	7	9	18
35-49	103	3.4	12	<1	1	2	4	9	11	17
50-64	52	4.8	22	1	1	3	6	11	16	23
65+	34	5.1	15	1	1	3	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.7	5	1	1	3	4	7	8	10
20-34	72	4.0	10	<1	1	3	5	7	9	18
35-49	40	5.8	132	<1	1	3	5	10	17	72
50-64	29	4.8	7	2	2	5	6	8	11	13
65+	41	10.6	109	2	3	7	15	24	26	59
B. *Operated*										
0-19 YRS	211	5.8	66	1	1	3	6	12	19	59
20-34	245	6.1	55	1	1	4	7	12	20	38
35-49	113	8.4	87	1	1	5	10	19	27	50
50-64	85	8.5	121	1	2	5	11	18	23	66
65+	88	15.4	295	1	3	9	19	47	57	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	3.0	10	<1	1	2	4	5	7	15
B. *Operated*	806	3.6	14	<1	1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	246	5.4	50	1	1	4	6	10	15	29
B. *Operated*	742	7.7	107	1	1	4	9	17	29	59
1. SINGLE DX	1044	3.5	13	<1	1	2	4	7	10	18
2. MULTIPLE DX	988	7.1	94	1	1	4	8	16	25	58
A. NOT OPERATED	484	4.2	32	<1	1	3	5	8	12	25
B. OPERATED	1548	5.6	63	1	1	3	6	12	18	47
TOTAL 0-19 YRS	663	4.0	30	<1	1	3	5	8	12	33
20-34	718	4.3	27	<1	1	3	5	8	12	31
35-49	296	5.7	64	<1	1	3	6	13	19	40
50-64	175	6.5	71	1	1	4	7	14	20	51
65+	176	11.5	195	1	2	7	14	25	48	82
GRAND TOTAL	**2032**	**5.2**	**56**	**<1**	**1**	**3**	**6**	**11**	**17**	**44**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49										
50-64	2	4.0	2	3	3	4	5	5	5	5
65+										
B. Operated										
0-19 YRS	10	2.1	5	<1	<1	1	2	5	8	8
20-34	22	1.8	3	<1	<1	1	2	3	6	9
35-49	6	3.8	17	1	1	2	6	10	10	10
50-64	4	4.3	8	1	1	4	6	8	8	8
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	7	3.7	3	1	1	4	5	6	6	6
65+	5	8.0	71	1	1	7	11	22	22	22
B. Operated										
0-19 YRS	39	9.6	137	1	1	5	13	28	33	55
20-34	67	9.0	133	<1	1	5	12	22	31	64
35-49	29	7.7	78	1	1	5	8	23	32	33
50-64	18	8.4	60	1	1	6	9	24	26	26
65+	18	10.1	107	1	1	10	12	16	34	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.0	4	1	1	3	5	5	5	5
B. Operated	42	2.4	6	<1	<1	1	2	6	9	10
2. MULTIPLE DX										
A. Not Operated	22	4.1	21	1	1	3	5	7	14	22
B. Operated	191	9.0	114	1	1	5	12	23	31	51
1. SINGLE DX	47	2.5	6	<1	<1	1	3	7	8	10
2. MULTIPLE DX	213	8.5	107	1	1	5	10	22	31	49
A. NOT OPERATED	27	3.9	18	1	1	3	5	7	10	22
B. OPERATED	233	7.8	101	1	1	4	9	21	30	48
TOTAL 0-19 YRS	54	7.4	112	1	1	3	8	21	31	54
20-34	115	7.3	110	<1	1	3	9	19	28	54
35-49	37	6.9	65	1	1	4	7	20	29	33
50-64	31	6.5	41	1	1	5	7	14	25	26
65+	23	9.7	96	1	1	9	12	17	30	46
GRAND TOTAL	**260**	**7.4**	**94**	**1**	**1**	**4**	**9**	**20**	**28**	**45**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.9	3	1	1	2	4	5	6	6
20-34	13	4.6	12	<1	1	3	8	9	10	10
35-49	14	6.1	54	1	1	4	6	18	25	27
50-64	6	4.8	11	1	1	5	7	9	9	9
65+	4	5.5	33	2	2	3	9	14	14	14
B. Operated										
0-19 YRS	147	3.0	12	<1	.	2	3	6	9	19
20-34	212	3.0	7	<1	1	2	4	6	8	14
35-49	90	3.2	25	<1	1	2	3	5	9	34
50-64	54	4.9	49	<1	1	3	5	9	22	36
65+	19	5.6	17	<1	1	5	8	11	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.7	44	<1	<1	2	5	15	23	24
20-34	53	7.0	102	1	1	3	7	16	35	52
35-49	43	9.3	112	1	1	6	9	21	40	47
50-64	32	11.1	232	<1	1	4	12	42	49	51
65+	54	9.6	61	2	2	7	12	20	24	37
B. Operated										
0-19 YRS	90	7.1	209	<1	<1	3	7	13	21	83
20-34	231	5.2	98	1	1	3	5	9	15	54
35-49	160	5.3	32	1	1	3	6	13	17	43
50-64	93	5.2	34	1	1	3	6	12	18	31
65+	84	11.2	122	1	2	8	15	30	37	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	4.8	23	1	1	3	6	9	14	27
B. Operated	522	3.3	16	<1	1	2	4	7	9	21
2. MULTIPLE DX										
A. Not Operated	202	8.6	109	<1	1	5	10	22	37	50
B. Operated	658	6.2	95	1	1	3	7	13	21	47
1. SINGLE DX	570	3.5	17	<1	1	2	4	7	10	21
2. MULTIPLE DX	860	6.8	99	1	1	4	8	15	23	49
A. NOT OPERATED	250	7.8	95	1	1	5	9	19	29	49
B. OPERATED	1180	5.0	62	<1	1	3	5	11	17	42
TOTAL 0-19 YRS	268	4.5	83	<1	<1	2	4	9	15	61
20-34	509	4.4	60	<1	1	2	4	9	11	41
35-49	307	5.3	45	1	1	3	6	12	18	44
50-64	185	6.1	76	<1	1	3	7	13	25	48
65+	161	9.9	90	1	2	7	12	22	31	46
GRAND TOTAL	**1430**	**5.5**	**69**	**<1**	**1**	**3**	**6**	**12**	**19**	**46**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	4.0	5	1	1	4	5	6	8	12
20-34	72	3.2	3	1	1	3	5	5	5	7
35-49	26	3.5	5	1	1	3	5	5	8	11
50-64	5	3.8	4	1	1	4	5	6	6	6
65+	3	7.0	37	3	3	4	11	14	14	14
B. *Operated*										
0-19 YRS	10	4.3	8	<1	<1	4	5	8	11	11
20-34	4	4.0	2	2	2	4	5	5	5	5
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.8	5	1	1	4	5	7	8	12
20-34	61	2.9	4	<1	1	3	4	5	6	11
35-49	19	4.1	15	<1	1	3	5	7	13	18
50-64	15	4.1	5	<1	1	4	5	7	8	8
65+	23	3.8	8	1	1	3	4	9	11	12
B. *Operated*										
0-19 YRS	23	4.3	12	1	2	3	5	9	13	15
20-34	24	3.9	16	<1	1	3	5	9	12	18
35-49	10	3.0	3	1	1	3	3	5	7	7
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	4	6.5	54	1	1	4	11	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	3.8	5	1	1	4	5	6	7	12
B. *Operated*	17	4.4	7	<1	1	4	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	227	3.6	6	1	1	3	5	7	8	12
B. *Operated*	65	4.0	14	1	1	3	5	8	13	18
1. SINGLE DX	280	3.8	5	1	1	4	5	6	7	12
2. MULTIPLE DX	292	3.7	8	1	1	3	5	7	8	16
A. NOT OPERATED	490	3.7	5	1	1	3	5	6	8	12
B. OPERATED	82	4.1	12	<1	1	3	5	8	11	18
TOTAL 0-19 YRS	299	4.0	6	1	1	4	5	6	8	13
20-34	161	3.2	5	<1	1	3	4	5	7	11
35-49	57	3.7	8	1	1	3	5	6	9	18
50-64	25	3.7	4	<1	1	4	5	7	7	8
65+	30	4.5	16	1	1	3	5	11	14	17
GRAND TOTAL	**572**	**3.7**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	327	1.5	1	<1	1	1	2	2	3	7
20-34	337	1.9	3	<1	<1	1	2	4	5	9
35-49	142	2.3	4	<1	1	2	3	5	7	10
50-64	83	2.8	6	1	1	2	4	5	7	15
65+	127	3.8	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	75	2.4	4	<1	<1	2	3	5	6	11
20-34	71	2.2	6	<1	<1	1	2	5	6	14
35-49	43	3.0	10	<1	<1	2	3	8	10	15
50-64	21	3.0	13	<1	<1	2	3	7	12	16
65+	26	6.2	41	1	2	4	8	13	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	579	1.9	3	<1	1	1	2	4	5	8
20-34	763	2.6	11	<1	1	2	3	5	7	13
35-49	436	3.5	12	1	1	2	4	8	10	18
50-64	407	4.2	12	1	1	3	6	8	12	16
65+	1516	6.0	24	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	147	3.6	29	<1	1	2	5	6	9	26
20-34	192	3.4	10	<1	1	2	5	7	9	17
35-49	118	4.4	26	<1	1	3	5	11	15	26
50-64	110	7.8	77	1	1	5	8	20	24	46
65+	189	10.0	89	1	2	7	14	23	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1016	2.2	4	<1	1	1	2	4	6	11
B. *Operated*	236	2.9	12	<1	<1	2	3	6	10	15
2. MULTIPLE DX										
A. *Not Operated*	3701	4.2	18	1	1	3	5	9	12	20
B. *Operated*	756	5.9	53	1	1	3	7	14	21	36
1. SINGLE DX	1252	2.3	5	<1	1	1	3	5	6	12
2. MULTIPLE DX	4457	4.5	24	1	1	3	6	10	13	25
A. NOT OPERATED	4717	3.7	16	<1	1	2	5	8	11	19
B. OPERATED	992	5.2	45	<1	1	3	6	12	19	35
TOTAL 0-19 YRS	1128	2.0	6	<1	1	1	2	4	5	10
20-34	1363	2.6	9	<1	<1	2	3	5	7	13
35-49	739	3.4	13	<1	1	2	4	8	10	18
50-64	621	4.6	25	1	1	3	6	9	13	24
65+	1858	6.3	32	1	2	5	8	13	17	30
GRAND TOTAL	**5709**	**4.0**	**21**	**<1**	**1**	**2**	**5**	**9**	**12**	**23**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.4	7	1	1	1	2	7	10	10
20-34	31	1.9	1	<1	1	2	2	3	4	5
35-49	10	5.1	35	1	1	3	5	14	21	21
50-64	4	4.3	42	1	1	1	8	14	14	14
65+										
B. Operated										
0-19 YRS	23	4.6	32	<1	1	2	6	15	18	21
20-34	63	4.0	23	<1	1	2	4	10	16	22
35-49	20	6.6	72	<1	1	4	8	17	28	35
50-64	13	4.7	44	1	1	2	4	12	23	25
65+	5	3.4	8	<1	<1	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.2	7	<1	1	2	5	8	8	8
20-34	30	3.0	6	<1	<1	2	4	5	6	12
35-49	9	2.8	4	1	1	2	4	6	6	6
50-64	13	3.4	4	<1	1	3	4	6	8	8
65+	3	8.7	34	2	2	11	12	13	13	13
B. Operated										
0-19 YRS	54	4.9	55	<1	1	2	6	11	17	48
20-34	105	8.5	217	1	1	4	8	23	29	99
35-49	38	6.4	74	<1	1	3	6	19	25	42
50-64	22	9.7	296	<1	1	3	11	27	56	72
65+	8	13.6	335	2	2	7	15	44	57	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	2.7	11	1	1	2	3	5	10	20
B. Operated	124	4.6	34	<1	1	2	5	12	19	28
2. MULTIPLE DX										
A. Not Operated	70	3.3	7	<1	1	3	4	7	8	13
B. Operated	227	7.6	167	1	1	3	8	18	27	95
1. SINGLE DX	191	3.9	27	1	1	2	4	10	15	24
2. MULTIPLE DX	297	6.6	132	<1	1	3	6	15	24	83
A. NOT OPERATED	137	3.0	9	<1	1	2	4	6	9	15
B. OPERATED	351	6.5	122	1	1	3	7	16	24	72
TOTAL 0-19 YRS	114	4.1	35	<1	1	2	5	10	16	31
20-34	229	5.6	113	1	1	3	5	14	22	95
35-49	77	5.8	60	1	1	3	6	15	22	40
50-64	52	6.5	144	1	1	2	6	15	24	71
65+	16	9.5	185	<1	1	5	12	15	44	57
GRAND TOTAL	**488**	**5.5**	**93**	**1**	**1**	**2**	**6**	**13**	**21**	**56**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4	1	<1	<1	<1	2	3	3	3
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. Operated										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	5	1.2		1	1	1	2	2	2	2
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.8	4	<1	<1	2	4	5	5	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	7	3.0	7	<1	<1	2	4	7	8	8
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	4	3.3	7	1	1	2	5	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.5	1	<1	<1	1	2	3	3	3
B. Operated	15	1.7	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated	6	2.2	3	<1	<1	1	4	5	5	5
B. Operated	15	3.3	7	<1	<1	2	5	8	8	8
1. SINGLE DX	27	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	21	3.0	6	<1	<1	2	4	7	8	8
A. NOT OPERATED	18	1.7	2	<1	<1	1	2	4	5	5
B. OPERATED	30	2.5	5	<1	<1	1	4	6	8	8
TOTAL 0-19 YRS	26	2.1	3	<1	<1	1	3	5	6	8
20-34	14	1.6	1	<1	<1	1	2	3	5	5
35-49	6	3.3	4	1	1	3	4	7	7	7
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
GRAND TOTAL	**48**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**5**	**7**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	1.2		<1	<1	1	1	2	2	3
20-34	77	1.3	1	<1	<1	1	1	2	3	5
35-49	76	1.2		<1	<1	1	1	2	2	5
50-64	81	1.5	2	<1	<1	1	1	3	4	9
65+	63	1.6	2	<1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	185	1.6	2	<1	1	1	2	3	4	7
20-34	26	2.4	6	<1	<1	1	3	7	8	10
35-49	23	2.5	9	<1	<1	1	3	8	10	11
50-64	16	1.8	6	<1	<1	1	1	2	8	11
65+	22	2.0	8	<1	1	1	2	4	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	2.1	6	<1	<1	1	2	3	5	15
20-34	36	2.1	6	<1	<1	1	2	6	9	11
35-49	44	3.6	23	<1	<1	2	4	9	16	21
50-64	67	2.6	7	<1	1	1	3	5	8	15
65+	143	4.2	31	1	1	3	6	8	13	23
B. *Operated*										
0-19 YRS	75	3.3	15	<1	<1	2	4	7	9	22
20-34	30	5.7	26	<1	1	4	9	11	17	22
35-49	15	6.0	53	<1	1	4	8	12	25	29
50-64	46	4.9	16	<1	1	3	8	11	13	14
65+	107	7.1	82	1	1	4	8	19	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	1.3	1	<1	<1	1	1	2	2	5
B. *Operated*	272	1.8	4	<1	1	1	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	395	3.1	18	<1	1	2	3	7	10	20
B. *Operated*	273	5.5	46	<1	1	3	7	12	20	33
1. SINGLE DX	1001	1.4	2	<1	<1	1	1	2	3	7
2. MULTIPLE DX	668	4.1	31	<1	1	2	5	9	14	29
A. NOT OPERATED	1124	1.9	7	<1	<1	1	2	3	6	14
B. OPERATED	545	3.6	28	<1	1	2	4	9	13	29
TOTAL 0-19 YRS	797	1.6	3	<1	<1	1	2	3	4	9
20-34	169	2.4	10	<1	<1	1	2	7	9	16
35-49	158	2.5	15	<1	<1	1	2	6	10	21
50-64	210	2.6	9	<1	<1	1	3	7	9	14
65+	335	4.5	44	1	1	2	5	9	17	35
GRAND TOTAL	**1669**	**2.5**	**15**	**<1**	**<1**	**1**	**2**	**5**	**9**	**20**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.0	95	1	1	7	13	24	29	29
20-34	11	7.3	48	1	1	2	14	16	17	17
35-49	3	3.7	5	<1	<1	4	5	6	6	6
50-64	3	12.3	321	1	1	3	25	33	33	33
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	48	6.8	61	1	1	5	8	17	21	45
20-34	40	5.6	34	1	1	4	6	14	18	28
35-49	21	9.3	85	<1	1	5	13	24	30	33
50-64	14	9.4	75	1	2	5	18	24	26	26
65+	10	7.3	40	2	2	5	10	17	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.0	22	<1	1	3	7	11	14	21
20-34	35	7.9	57	<1	1	4	12	20	20	34
35-49	18	8.0	53	1	2	6	9	18	25	30
50-64	18	8.5	113	<1	1	5	8	24	36	41
65+	19	10.9	57	1	2	10	17	22	23	23
B. *Operated*										
0-19 YRS	87	13.2	129	1	2	11	19	31	46	99+
20-34	111	16.0	176	2	3	11	24	36	50	99+
35-49	50	17.7	212	3	4	15	25	39	61	99+
50-64	41	14.8	156	2	3	10	21	30	38	60
65+	52	27.2	326	5	7	23	46	57	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.9	77	<1	1	4	13	17	30	33
B. *Operated*	133	7.2	57	1	1	5	8	20	23	35
2. MULTIPLE DX										
A. *Not Operated*	140	7.3	54	1	1	4	10	18	21	35
B. *Operated*	341	17.1	208	2	3	13	25	42	56	99+
1. SINGLE DX	159	7.3	60	1	1	5	9	19	24	33
2. MULTIPLE DX	481	14.2	183	1	2	10	20	36	51	99+
A. NOT OPERATED	166	7.4	57	1	1	4	11	17	22	34
B. OPERATED	474	14.3	185	1	2	10	20	36	51	99+
TOTAL 0-19 YRS	193	9.3	95	1	1	6	13	22	32	99+
20-34	197	11.9	139	1	2	8	17	31	37	83
35-49	92	13.4	166	1	2	9	19	30	39	85
50-64	76	12.2	139	1	1	8	18	28	33	56
65+	82	20.8	297	2	4	17	35	52	58	99+
GRAND TOTAL	**640**	**12.5**	**161**	**1**	**1**	**8**	**18**	**31**	**45**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	3.4	12	1	1	2	4	7	10	19
20-34	77	4.6	25	<1	1	2	7	11	14	26
35-49	37	3.1	14	<1	1	1	3	10	13	15
50-64	18	4.4	13	1	1	3	6	10	13	14
65+	9	4.9	13	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	45	7.7	79	<1	1	4	10	15	27	48
20-34	32	6.6	47	<1	1	3	10	17	23	24
35-49	17	9.6	207	<1	1	4	11	21	46	60
50-64	5	8.8	68	1	1	4	16	20	20	20
65+	2	14.5	313	2	2	14	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	4.2	21	1	1	3	5	10	13	23
20-34	237	4.7	25	1	1	3	6	12	15	24
35-49	129	5.4	30	1	1	3	8	13	17	26
50-64	61	5.6	33	1	1	3	8	11	15	30
65+	93	9.3	100	1	1	5	11	23	33	47
B. *Operated*										
0-19 YRS	110	10.3	110	1	1	7	16	26	29	49
20-34	105	9.3	133	1	1	5	12	21	31	64
35-49	66	12.4	141	1	2	9	19	27	33	60
50-64	42	19.0	428	1	3	11	26	53	87	99+
65+	37	17.8	187	2	3	16	23	36	47	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.8	16	1	1	2	5	9	11	20
B. *Operated*	101	7.9	90	<1	1	4	10	19	25	54
2. MULTIPLE DX										
A. *Not Operated*	830	5.2	36	1	1	3	7	12	17	31
B. *Operated*	360	12.2	177	1	1	8	17	28	39	72
1. SINGLE DX	386	4.8	38	1	1	2	6	11	15	28
2. MULTIPLE DX	1190	7.3	89	1	1	4	9	18	25	47
A. NOT OPERATED	1115	4.8	31	1	1	3	6	11	15	29
B. OPERATED	461	11.2	161	1	1	7	16	27	37	63
TOTAL 0-19 YRS	609	5.4	46	1	1	3	7	13	19	32
20-34	451	5.9	55	1	1	3	8	14	20	31
35-49	249	7.2	80	1	1	4	10	18	23	47
50-64	126	10.0	201	1	1	6	11	26	39	90
65+	141	11.3	134	1	1	7	17	27	35	50
GRAND TOTAL	**1576**	**6.7**	**78**	**1**	**1**	**3**	**9**	**16**	**23**	**46**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	3	<1	<1	1	3	6	7	7
20-34	22	3.6	9	1	1	3	5	8	11	12
35-49	25	4.0	20	1	1	2	4	8	16	20
50-64	5	3.4	3	2	2	3	4	6	6	6
65+	3	11.0	196	<1	<1	5	21	27	27	27
B. *Operated*										
0-19 YRS	64	2.0	2	<1	<1	2	3	3	5	8
20-34	147	1.9	2	<1	<1	1	2	3	4	9
35-49	54	2.7	15	<1	<1	1	3	6	10	24
50-64	21	2.9	17	<1	<1	2	2	5	13	20
65+	8	16.0	741	<1	<1	2	24	64	72	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.2	22	1	1	2	5	12	13	19
20-34	41	7.3	156	<1	1	3	8	19	57	99+
35-49	28	4.9	16	<1	<1	4	6	8	14	20
50-64	30	7.5	49	1	1	6	9	20	21	28
65+	25	12.5	261	2	2	7	15	29	43	78
B. *Operated*										
0-19 YRS	77	6.0	276	1	1	2	4	5	48	84
20-34	154	4.2	41	<1	<1	2	4	10	17	33
35-49	61	5.6	112	<1	1	2	5	10	19	66
50-64	41	7.1	211	<1	1	2	6	18	22	90
65+	25	18.2	431	<1	1	10	33	47	64	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.8	19	1	1	2	4	7	12	25
B. *Operated*	294	2.5	28	<1	<1	1	2	3	7	23
2. MULTIPLE DX										
A. *Not Operated*	151	7.2	107	1	1	4	8	19	25	78
B. *Operated*	358	6.1	160	<1	1	2	4	13	26	71
1. SINGLE DX	366	2.8	27	<1	<1	2	3	5	8	24
2. MULTIPLE DX	509	6.5	144	<1	1	2	6	14	26	73
A. NOT OPERATED	223	6.1	81	1	1	3	7	13	20	65
B. OPERATED	652	4.5	104	<1	<1	2	3	8	16	69
TOTAL 0-19 YRS	185	4.0	121	<1	1	2	3	6	10	74
20-34	364	3.6	39	<1	<1	2	3	8	13	43
35-49	168	4.3	52	<1	<1	2	5	8	13	41
50-64	97	6.1	110	<1	1	3	7	16	21	61
65+	61	15.2	377	<1	1	7	19	46	66	77
GRAND TOTAL	**875**	**4.9**	**98**	**<1**	**<1**	**2**	**4**	**10**	**19**	**69**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	1.8	2	<1	1	1	2	3	5	9
20-34	125	2.5	3	<1	1	2	3	5	6	9
35-49	50	3.9	15	<1	1	2	5	9	11	20
50-64	26	3.2	8	<1	1	2	3	8	10	11
65+	25	3.3	9	<1	1	2	5	8	11	12
B. *Operated*										
0-19 YRS	52	2.7	10	<1	<1	2	3	5	9	19
20-34	98	3.7	18	<1	1	2	4	8	12	23
35-49	35	3.7	29	<1	1	2	4	7	9	32
50-64	17	4.8	21	<1	<1	2	8	12	14	15
65+	12	3.3	8	<1	<1	2	4	7	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	3.3	60	<1	1	2	3	5	7	51
20-34	212	2.8	7	<1	<1	2	4	6	7	16
35-49	135	4.4	12	1	1	3	6	9	11	17
50-64	99	4.2	9	1	1	3	6	8	9	16
65+	200	7.0	32	1	2	5	9	13	20	28
B. *Operated*										
0-19 YRS	85	5.6	42	1	1	4	7	11	17	38
20-34	165	7.6	112	1	1	4	8	17	30	72
35-49	88	8.3	104	<1	1	5	10	21	28	50
50-64	63	10.0	215	<1	1	5	11	19	48	76
65+	42	9.1	66	1	2	7	13	20	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	2.5	6	<1	1	2	3	5	8	11
B. *Operated*	214	3.5	18	<1	<1	2	4	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	816	4.4	28	<1	1	3	5	9	12	24
B. *Operated*	443	7.9	108	1	1	5	9	18	27	59
1. SINGLE DX	579	2.9	10	<1	1	2	3	6	9	18
2. MULTIPLE DX	1259	5.6	59	<1	1	3	7	12	18	44
A. NOT OPERATED	1181	3.8	22	<1	1	2	5	8	11	22
B. OPERATED	657	6.5	83	<1	1	3	8	15	21	55
TOTAL 0-19 YRS	446	3.2	34	<1	1	2	3	6	9	27
20-34	600	4.2	41	<1	1	2	4	8	14	38
35-49	308	5.4	44	<1	1	3	6	11	18	38
50-64	205	5.9	80	1	1	4	7	11	15	60
65+	279	6.8	36	1	1	5	9	13	20	29
GRAND TOTAL	**1838**	**4.7**	**45**	**<1**	**1**	**3**	**5**	**10**	**15**	**34**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1121	1.4	1	<1	<1	1	1	2	3	5
20-34	492	1.9	21	<1	<1	1	2	3	4	14
35-49	193	1.8	2	<1	<1	1	2	3	4	9
50-64	74	2.2	6	<1	<1	1	3	5	6	15
65+	67	3.9	25	<1	1	3	4	7	9	30
B. *Operated*										
0-19 YRS	19	1.6	1	<1	<1	1	2	3	3	3
20-34	15	1.5	1	<1	<1	1	2	3	4	4
35-49	8	2.4	6	<1	<1	1	3	7	8	8
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	8	7.0	72	1	1	4	11	22	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1290	2.9	26	<1	1	2	3	5	8	28
20-34	2059	3.3	23	<1	1	2	4	7	11	22
35-49	1237	4.0	41	<1	1	2	4	8	13	31
50-64	762	4.8	34	1	1	3	5	10	16	24
65+	1134	5.7	23	1	2	4	7	11	15	25
B. *Operated*										
0-19 YRS	60	4.1	45	<1	1	2	4	8	22	35
20-34	144	6.9	128	<1	1	2	8	19	34	72
35-49	67	9.7	271	<1	1	4	10	22	37	88
50-64	81	10.0	225	1	2	5	11	20	43	86
65+	151	12.8	168	2	3	8	16	29	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1947	1.7	7	<1	<1	1	2	3	4	8
B. *Operated*	52	2.7	16	<1	<1	1	3	5	8	25
2. MULTIPLE DX										
A. *Not Operated*	6482	4.0	29	<1	1	2	4	8	13	26
B. *Operated*	503	9.2	172	1	1	5	11	22	37	76
1. SINGLE DX	1999	1.7	8	<1	<1	1	2	3	4	9
2. MULTIPLE DX	6985	4.3	41	<1	1	2	5	9	14	31
A. NOT OPERATED	8429	3.4	25	<1	1	2	4	7	11	24
B. OPERATED	555	8.6	161	1	1	4	10	20	36	72
TOTAL 0-19 YRS	2490	2.2	16	<1	<1	1	2	4	6	22
20-34	2710	3.2	29	<1	<1	2	3	6	11	25
35-49	1505	4.0	48	<1	1	2	4	8	13	32
50-64	919	5.1	51	1	1	3	6	10	16	38
65+	1360	6.4	45	1	2	5	8	13	17	36
GRAND TOTAL	**8984**	**3.7**	**35**	**<1**	**1**	**2**	**4**	**8**	**12**	**29**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	472	1.5	4	<1	<1	1	1	2	3	9
20-34	236	1.8	3	<1	<1	1	2	3	5	9
35-49	92	1.7	2	<1	<1	1	2	3	5	8
50-64	53	2.2	3	<1	1	1	3	4	6	8
65+	27	2.7	10	<1	<1	1	3	9	11	12
B. *Operated*										
0-19 YRS	10	3.6	19	1	1	2	2	11	14	14
20-34	14	2.1	1	<1	<1	2	3	4	4	4
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	5	6.2	24	1	1	5	9	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	2.4	29	<1	1	1	3	4	6	12
20-34	309	2.6	10	<1	<1	1	3	5	10	16
35-49	183	2.8	15	<1	1	2	3	5	8	15
50-64	136	4.0	42	1	1	2	4	7	13	41
65+	115	4.2	27	1	1	2	4	8	11	30
B. *Operated*										
0-19 YRS	22	3.1	19	<1	1	2	3	6	14	20
20-34	24	6.5	49	<1	1	4	8	27	45	99+
35-49	20	9.7	272	1	1	4	12	45	85	99+
50-64	18	10.9	331	1	1	4	9	43	61	64
65+	10	9.0	75	1	1	5	20	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	1.6	3	<1	<1	1	2	3	4	10
B. *Operated*	34	3.2	11	<1	1	2	3	7	13	14
2. MULTIPLE DX										
A. *Not Operated*	989	3.0	22	<1	1	2	3	6	9	24
B. *Operated*	94	7.5	148	1	1	4	8	21	47	99+
1. SINGLE DX	914	1.7	4	<1	<1	1	2	3	4	10
2. MULTIPLE DX	1083	3.4	35	<1	1	2	3	7	10	33
A. NOT OPERATED	1869	2.4	14	<1	<1	1	2	4	7	15
B. OPERATED	128	6.4	115	1	1	3	7	18	27	99+
TOTAL 0-19 YRS	750	1.9	13	<1	<1	1	2	3	5	12
20-34	583	2.4	9	<1	<1	1	3	5	8	16
35-49	299	2.9	31	<1	1	2	3	5	8	35
50-64	212	4.2	60	1	1	2	4	7	12	47
65+	153	4.2	28	1	1	2	4	10	15	28
GRAND TOTAL	**1997**	**2.6**	**21**	**<1**	**1**	**1**	**3**	**5**	**8**	**22**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	1.7	5	<1	1	1	2	3	5	11
20-34	141	1.7	2	<1	1	1	2	3	5	6
35-49	111	1.9	2	<1	<1	1	3	4	5	8
50-64	73	2.1	3	<1	1	1	3	4	7	10
65+	68	2.5	3	<1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	5	15.0	480	<1	<1	1	28	51	51	51
20-34	10	3.7	56	<1	<1	1	2	14	25	25
35-49	15	2.9	11	<1	1	2	3	5	12	14
50-64	9	5.2	57	1	1	3	4	17	25	25
65+	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	2.7	10	<1	1	2	3	6	7	18
20-34	259	3.2	24	1	1	2	3	6	9	24
35-49	267	3.2	18	1	1	2	4	6	8	20
50-64	381	3.7	13	1	1	2	5	8	11	19
65+	783	5.1	17	1	1	4	6	10	13	21
B. *Operated*										
0-19 YRS	37	13.9	651	1	1	4	11	86	99+	99+
20-34	39	8.2	101	1	1	4	10	29	35	99+
35-49	43	12.0	307	<1	1	5	12	35	61	78
50-64	71	10.1	151	1	1	6	11	28	46	90
65+	118	9.0	84	1	2	6	12	20	26	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	1.9	3	<1	1	1	2	4	5	9
B. *Operated*	43	4.9	87	<1	1	2	3	15	25	51
2. MULTIPLE DX										
A. *Not Operated*	1963	4.0	17	1	1	3	5	8	11	21
B. *Operated*	308	10.2	200	1	1	6	11	25	46	99+
1. SINGLE DX	673	2.1	9	<1	1	1	2	4	6	13
2. MULTIPLE DX	2271	4.8	46	1	1	3	6	10	15	37
A. NOT OPERATED	2593	3.5	15	1	1	2	4	7	10	19
B. OPERATED	351	9.5	189	1	1	5	11	25	44	99+
TOTAL 0-19 YRS	552	3.2	63	<1	1	1	3	6	9	65
20-34	449	3.2	27	<1	1	2	3	6	10	35
35-49	436	3.7	49	<1	1	2	4	7	10	41
50-64	534	4.4	35	1	1	3	5	9	13	43
65+	973	5.4	27	1	1	4	7	11	15	25
GRAND TOTAL	**2944**	**4.2**	**39**	**1**	**1**	**2**	**5**	**9**	**13**	**33**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.0	4	<1	1	3	4	6	8	9
20-34	58	4.2	12	<1	<1	3	5	9	11	15
35-49	41	5.0	25	<1	1	3	7	10	16	26
50-64	34	5.3	17	<1	1	4	8	11	13	15
65+	67	5.7	43	1	1	3	8	13	22	32
B. *Operated*										
0-19 YRS	234	3.6	12	<1	1	2	4	8	10	20
20-34	392	3.9	19	<1	<1	2	5	9	12	23
35-49	363	4.6	22	<1	<1	3	6	11	15	23
50-64	512	6.6	42	<1	1	4	9	15	19	33
65+	892	7.2	67	1	1	4	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	5.1	48	<1	1	3	6	11	18	40
20-34	144	5.7	49	<1	1	4	6	12	18	38
35-49	132	6.2	36	<1	1	4	7	13	22	28
50-64	166	6.3	35	1	1	5	9	12	16	35
65+	345	7.8	81	1	1	5	10	17	28	54
B. *Operated*										
0-19 YRS	487	7.2	78	1	1	5	8	16	24	45
20-34	684	6.8	70	1	1	4	8	16	23	42
35-49	900	7.6	78	1	1	4	10	18	25	46
50-64	1606	9.1	122	1	1	5	12	21	30	59
65+	2931	10.3	126	1	2	7	14	24	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	4.7	23	<1	1	3	6	11	13	26
B. *Operated*	2393	5.8	44	<1	1	3	8	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	892	6.6	57	1	1	4	8	14	21	41
B. *Operated*	6808	9.0	111	1	1	5	12	21	30	55
1. SINGLE DX	2631	5.7	42	<1	1	3	8	13	17	30
2. MULTIPLE DX	7700	8.8	106	1	1	5	11	21	29	54
A. NOT OPERATED	1130	6.2	51	1	1	4	8	13	19	37
B. OPERATED	9201	8.2	96	1	1	5	11	19	27	50
TOTAL 0-19 YRS	864	5.8	56	<1	1	3	7	12	20	39
20-34	1278	5.7	51	<1	1	3	7	13	19	38
35-49	1436	6.7	60	<1	1	4	9	15	22	40
50-64	2518	8.3	100	1	1	5	11	19	27	50
65+	4235	9.4	111	1	1	6	12	21	30	57
GRAND TOTAL	**10331**	**8.0**	**91**	**1**	**1**	**5**	**10**	**18**	**27**	**49**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	1.5	1	<1	<1	1	2	3	3	5
20-34	137	2.2	3	<1	1	2	3	4	5	8
35-49	84	2.2	2	1	1	2	3	5	5	7
50-64	104	2.6	3	1	1	2	4	4	5	9
65+	156	2.9	3	1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	163	1.5	2	<1	<1	1	2	2	4	9
20-34	211	2.4	4	<1	1	2	3	5	7	9
35-49	108	2.7	6	<1	1	2	3	6	9	12
50-64	61	3.2	6	1	1	2	4	6	8	13
65+	58	4.2	25	1	1	3	5	7	12	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.4	3	<1	1	2	3	6	7	7
20-34	73	3.2	10	1	1	2	4	5	9	20
35-49	57	3.2	7	<1	1	3	4	6	8	16
50-64	112	3.5	7	1	1	3	4	7	10	13
65+	247	4.4	18	1	1	3	5	7	10	23
B. *Operated*										
0-19 YRS	40	3.3	14	<1	1	1	4	9	12	16
20-34	103	3.6	11	1	1	3	5	7	11	17
35-49	76	4.4	27	<1	1	3	6	10	11	32
50-64	81	5.6	35	1	1	4	7	12	19	32
65+	168	7.1	48	1	1	5	10	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	601	2.5	7	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	518	3.8	13	1	1	3	5	7	9	17
B. *Operated*	468	5.3	34	1	1	3	7	12	15	30
1. SINGLE DX	1200	2.4	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	986	4.5	23	1	1	3	6	10	13	23
A. NOT OPERATED	1117	3.0	8	1	1	2	4	6	7	13
B. OPERATED	1069	3.7	21	<1	1	2	4	8	12	21
TOTAL 0-19 YRS	350	1.8	3	<1	<1	1	2	3	5	10
20-34	524	2.7	6	<1	1	2	3	5	7	15
35-49	325	3.1	11	<1	1	2	4	6	9	13
50-64	358	3.7	13	1	1	3	4	7	10	20
65+	629	4.7	25	1	1	3	5	10	14	26
GRAND TOTAL	**2186**	**3.3**	**14**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	4.5	16	<1	1	4	6	8	10	26
20-34	131	4.6	7	1	2	4	6	8	10	14
35-49	90	4.6	9	1	2	4	6	8	10	16
50-64	61	5.9	15	1	2	5	7	11	14	18
65+	62	8.6	30	2	3	7	11	16	20	27
B. *Operated*										
0-19 YRS	50	9.0	77	1	2	6	10	18	25	53
20-34	113	7.0	35	1	2	6	8	14	19	33
35-49	80	6.2	29	1	2	5	8	12	15	32
50-64	76	9.8	133	1	1	5	13	22	36	62
65+	71	11.0	136	1	2	6	12	27	32	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.3	16	1	2	5	6	12	12	21
20-34	138	6.1	22	2	2	5	7	13	17	22
35-49	137	7.5	35	2	2	6	9	15	19	35
50-64	168	8.8	100	2	3	6	11	17	22	48
65+	257	8.7	49	2	3	7	11	17	23	40
B. *Operated*										
0-19 YRS	58	9.5	58	1	2	8	12	21	28	34
20-34	182	10.4	76	2	3	8	14	20	23	46
35-49	165	11.1	123	2	2	8	13	26	38	71
50-64	240	14.4	187	2	3	10	18	32	44	66
65+	304	16.9	209	3	3	12	23	36	45	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	5.4	16	1	2	4	7	10	14	20
B. *Operated*	390	8.4	79	1	2	6	10	19	25	48
2. MULTIPLE DX										
A. *Not Operated*	773	7.7	51	2	2	6	10	15	20	37
B. *Operated*	949	13.5	161	2	3	10	17	30	41	63
1. SINGLE DX	796	6.8	49	1	2	5	8	14	19	39
2. MULTIPLE DX	1722	10.9	120	2	3	7	13	23	33	58
A. NOT OPERATED	1179	6.9	40	2	2	5	8	14	18	28
B. OPERATED	1339	12.0	142	2	2	8	15	27	38	59
TOTAL 0-19 YRS	243	6.9	43	1	2	5	9	13	20	31
20-34	564	7.3	44	2	2	5	9	15	19	34
35-49	472	8.0	65	1	2	6	10	16	23	45
50-64	545	11.0	143	2	2	7	14	23	36	59
65+	694	12.5	141	2	3	8	16	28	37	59
GRAND TOTAL	**2518**	**9.6**	**101**	**2**	**2**	**6**	**12**	**21**	**29**	**51**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.3	106	<1	<1	2	3	7	8	64
20-34	80	3.9	10	<1	1	3	5	7	10	15
35-49	80	3.9	9	<1	1	3	5	8	11	13
50-64	79	5.3	12	1	1	5	7	11	13	14
65+	61	4.9	17	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	66	2.7	8	<1	<1	2	3	7	8	15
20-34	135	4.7	24	<1	1	3	6	10	15	26
35-49	115	5.6	44	<1	1	4	7	10	15	39
50-64	129	5.0	24	<1	1	3	7	12	15	22
65+	130	5.3	29	1	1	4	8	11	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.1	25	<1	1	2	5	10	12	31
20-34	181	4.3	16	1	1	3	5	9	11	24
35-49	198	4.6	15	1	1	4	6	10	13	20
50-64	243	6.5	66	1	1	4	8	13	17	32
65+	340	6.3	39	1	1	5	8	12	16	35
B. *Operated*										
0-19 YRS	95	6.4	80	<1	<1	4	8	14	22	88
20-34	254	7.5	87	1	1	5	9	16	24	47
35-49	296	9.7	128	1	2	7	12	22	28	85
50-64	444	10.7	143	1	1	7	13	25	37	63
65+	591	11.4	155	1	2	7	15	26	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	4.5	22	<1	1	3	6	9	12	15
B. *Operated*	575	4.9	28	<1	1	3	6	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	1029	5.5	37	1	1	4	7	12	14	28
B. *Operated*	1680	10.0	135	1	1	7	12	23	34	70
1. SINGLE DX	912	4.7	26	<1	1	3	6	10	13	24
2. MULTIPLE DX	2709	8.3	102	1	1	5	10	18	26	62
A. NOT OPERATED	1366	5.3	33	1	1	4	7	11	13	24
B. OPERATED	2255	8.7	113	1	1	5	11	20	28	63
TOTAL 0-19 YRS	265	4.6	53	<1	<1	2	5	10	14	59
20-34	650	5.6	47	1	1	4	7	12	16	33
35-49	689	6.9	74	1	1	5	8	15	22	52
50-64	895	8.3	99	1	1	5	10	18	26	57
65+	1122	8.8	105	1	1	6	11	19	28	62
GRAND TOTAL	**3621**	**7.4**	**85**	**1**	**1**	**5**	**9**	**16**	**23**	**55**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	4	1	1	2	3	6	7	7
20-34	6	4.8	21	1	1	3	7	12	13	13
35-49	9	4.8	54	1	1	2	4	16	24	24
50-64	2	12.5	145	4	4	12	21	21	21	21
65+	4	4.5	20	1	1	3	7	11	11	11
B. *Operated*										
0-19 YRS	2	15.5	313	3	3	15	28	28	28	28
20-34										
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	4	<1	<1	2	4	7	7	7
20-34	35	3.9	15	1	1	3	5	8	14	17
35-49	24	5.5	13	1	1	5	7	10	12	16
50-64	28	4.8	18	1	1	3	7	10	13	18
65+	36	3.8	7	1	1	4	5	7	9	11
B. *Operated*										
0-19 YRS	5	4.4	9	2	2	3	7	9	9	9
20-34	4	2.8	3	<1	<1	2	4	5	5	5
35-49	17	11.0	229	1	1	5	14	50	84	99+
50-64	17	7.2	19	2	3	6	10	14	16	17
65+	20	12.7	264	2	2	7	13	33	56	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.4	30	1	1	2	4	11	20	24
B. *Operated*	6	8.5	96	2	2	5	8	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	140	4.2	12	1	1	3	6	9	11	17
B. *Operated*	63	9.4	156	1	2	6	11	23	48	96
1. SINGLE DX	39	5.0	40	1	1	3	5	12	23	28
2. MULTIPLE DX	203	5.8	62	1	1	4	7	12	16	64
A. NOT OPERATED	173	4.2	16	1	1	3	5	9	12	20
B. OPERATED	69	9.4	149	1	2	6	11	24	43	94
TOTAL 0-19 YRS	36	3.7	22	<1	1	2	4	7	8	28
20-34	45	3.9	15	<1	1	3	5	8	13	17
35-49	52	7.2	93	1	1	5	8	18	28	99
50-64	48	5.9	24	1	1	4	9	12	17	21
65+	61	6.8	106	1	1	4	7	12	18	66
GRAND TOTAL	**242**	**5.7**	**59**	**1**	**1**	**4**	**7**	**12**	**17**	**61**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	1.0		<1	<1	<1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	23	1.7	1	<1	<1	1	2	3	4	4
20-34	2167	1.3	1	<1	<1	1	1	2	3	4
35-49	1119	1.2		<1	<1	<1	1	2	3	4
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	26	1.3	1	<1	<1	<1	1	2	3	7
35-49	13	1.1		<1	<1	<1	<1	1	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	9	1.0		<1	<1	1	1	1	1	1
20-34	932	1.7	2	<1	<1	1	2	3	4	6
35-49	501	1.6	2	<1	<1	1	2	3	4	6
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.3	1	<1	<1	1	1	2	5	5
B. *Operated*	3316	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	40	1.2	1	<1	<1	<1	1	2	2	7
B. *Operated*	1445	1.6	2	<1	<1	1	2	3	4	6
1. SINGLE DX	3328	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	1485	1.6	2	<1	<1	1	2	3	4	6
A. NOT OPERATED	52	1.3	1	<1	<1	<1	1	2	2	7
B. OPERATED	4761	1.4	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	32	1.5	1	<1	<1	1	2	3	4	4
20-34	3136	1.4	1	<1	<1	1	1	2	3	5
35-49	1634	1.4	1	<1	<1	1	1	2	3	5
50-64	6	1.2		<1	<1	1	1	2	2	2
65+	5	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**4813**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	7.0		7	7	7	7	7	7	7
1000-1499										
1500-1749	3	17.3	46	12	12	15	22	25	25	25
1750-2499	1604	2.5	3	1	1	2	3	4	5	9
2500+	112808	2.2	1	1	1	2	3	4	4	6
B. *Operated*										
1-999 G										
1000-1499	1	48.0		48	48	48	48	48	48	48
1500-1749										
1750-2499	3	9.0	31	3	3	10	13	14	14	14
2500+	43	3.1	5	1	2	3	4	5	6	15
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	15	61.5	397	36	39	65	88	99	99+	99+
1000-1499	127	38.1	196	18	23	36	44	59	64	77
1500-1749	223	22.3	80	10	12	21	27	34	38	49
1750-2499	4706	6.1	33	1	2	4	8	14	17	28
2500+	60438	3.1	4	1	1	3	4	5	6	9
B. *Operated*										
1-999 G	74	73.9	432	40	52	86	99+	99+	99+	99+
1000-1499	220	48.0	349	17	27	48	63	91	99+	99+
1500-1749	169	30.9	176	12	16	29	36	48	57	99
1750-2499	787	16.2	147	2	5	13	22	31	39	83
2500+	1728	7.2	69	1	2	5	8	14	20	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114416	2.2	2	1	1	2	3	4	4	6
B. *Operated*	47	4.4	50	1	2	3	4	6	14	48
2. MULTIPLE DX										
A. *Not Operated*	65509	3.5	11	1	1	3	4	5	7	17
B. *Operated*	2978	15.6	341	2	2	8	21	45	69	99+
1. SINGLE DX	114463	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX	68487	4.0	32	1	1	3	4	6	9	31
A. NOT OPERATED	179925	2.7	5	1	1	2	3	4	5	10
B. OPERATED	3025	15.4	339	1	2	8	20	45	68	99+
TOTAL 1-999 G	90	71.1	485	30	47	85	99+	99+	99+	99+
1000-1499	348	44.4	314	17	24	43	59	77	99+	99+
1500-1749	395	26.0	139	11	13	25	32	40	48	76
1750-2499	7100	6.4	53	1	1	4	8	15	20	36
2500+	175017	2.6	3	1	1	2	3	4	5	8
GRAND TOTAL	**182950**	**2.9**	**14**	**1**	**1**	**2**	**3**	**5**	**6**	**15**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	4	17.8	102	9	9	16	26	30	30	30
1750-2499	249	3.8	5	1	2	3	4	5	6	14
2500+	969	3.6	3	1	2	3	5	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	57.3	1080	21	21	66	80	85	85	85
1000-1499	34	31.6	159	10	18	31	38	43	58	70
1500-1749	75	24.3	105	14	15	22	28	38	39	70
1750-2499	792	8.6	43	2	3	6	12	17	20	34
2500+	815	4.5	5	2	2	4	5	7	8	13
B. *Operated*										
1-999 G	4	67.0	414	53	54	99+	99+	99+	99+	99+
1000-1499	51	54.4	332	26	33	57	69	96	99+	99+
1500-1749	64	33.6	257	11	12	32	42	54	60	90
1750-2499	126	15.9	98	2	5	16	22	27	31	50
2500+	25	6.5	19	2	3	5	7	11	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1222	3.7	4	1	2	3	5	5	6	11
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1719	7.8	64	2	2	5	9	17	24	38
B. *Operated*	270	27.3	446	4	5	23	42	64	94	99+
1. SINGLE DX	1223	3.7	4	1	2	3	5	5	6	11
2. MULTIPLE DX	1989	10.5	160	2	3	5	12	25	38	75
A. NOT OPERATED	2941	6.1	43	2	2	4	6	13	19	35
B. OPERATED	271	27.2	446	4	5	23	42	64	94	99+
TOTAL 1-999 G	7	62.9	594	24	43	91	99+	99+	99+	99+
1000-1499	85	45.2	386	20	23	43	62	81	99+	99+
1500-1749	143	28.3	195	12	14	25	36	46	55	79
1750-2499	1167	8.3	51	2	2	5	11	18	23	35
2500+	1810	4.0	4	2	2	4	5	6	7	12
GRAND TOTAL	**3212**	**7.9**	**111**	**2**	**2**	**4**	**7**	**18**	**29**	**64**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	8	1.8	1	1	1	2	2	3	4	4
2500+	259	1.8	1	<1	<1	2	2	3	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	30.0	68	21	21	29	35	41	41	41
1500-1749	3	16.0	67	9	9	14	22	25	25	25
1750-2499	36	6.1	25	1	1	4	9	14	16	18
2500+	149	3.2	9	1	1	2	4	6	7	9
B. *Operated*										
1-999 G										
1000-1499	2	51.5	85	45	45	51	58	58	58	58
1500-1749	3	37.3	190	27	27	32	48	53	53	53
1750-2499	9	11.3	51	2	2	12	14	22	24	24
2500+	24	6.8	43	1	1	5	10	15	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	1.8	1	<1	<1	2	2	3	4	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	192	4.5	31	1	1	3	5	9	14	31
B. *Operated*	38	12.6	204	1	1	7	14	30	50	58
1. SINGLE DX	267	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	230	5.9	68	1	1	3	6	13	24	47
A. NOT OPERATED	459	3.0	15	<1	1	2	3	6	8	25
B. OPERATED	38	12.6	204	1	1	7	14	30	50	58
TOTAL 1-999 G										
1000-1499	6	37.2	181	21	22	35	45	57	58	58
1500-1749	6	26.7	239	9	9	26	32	51	53	53
1750-2499	53	6.3	33	1	1	4	10	14	18	24
2500+	432	2.6	8	<1	1	2	3	5	6	14
GRAND TOTAL	**497**	**3.7**	**36**	**<1**	**1**	**2**	**3**	**7**	**13**	**32**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	2	2	3	4	4
20-34	8	4.9	88	<1	<1	1	3	21	28	28
35-49	8	1.4		<1	<1	1	2	2	2	2
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	539	1.8	2	<1	<1	1	2	3	4	8
20-34	914	2.0	3	<1	<1	1	2	4	5	7
35-49	446	2.0	2	<1	<1	1	3	4	5	7
50-64	291	2.2	3	<1	<1	2	3	4	5	9
65+	212	3.0	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	7	1.6	2	<1	<1	<1	1	4	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	6	4.3	23	1	1	2	10	11	11	11
B. *Operated*										
0-19 YRS	178	2.3	8	<1	<1	2	3	4	6	16
20-34	247	3.8	33	<1	<1	2	4	7	14	32
35-49	145	3.2	13	<1	<1	2	4	6	8	18
50-64	117	3.9	30	<1	1	3	4	7	10	39
65+	154	5.6	56	1	1	4	7	11	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	23	<1	<1	1	2	3	4	28
B. *Operated*	2402	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	23	2.1	8	<1	<1	1	2	6	10	11
B. *Operated*	841	3.7	29	<1	<1	2	4	7	11	29
1. SINGLE DX	2434	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	864	3.7	29	<1	<1	2	4	7	11	29
A. NOT OPERATED	55	2.3	16	<1	<1	1	2	4	9	27
B. OPERATED	3243	2.5	10	<1	<1	2	3	5	6	15
TOTAL 0-19 YRS	733	1.9	3	<1	<1	1	2	3	5	8
20-34	1176	2.4	10	<1	<1	2	3	4	6	16
35-49	601	2.3	5	<1	<1	2	3	4	6	9
50-64	415	2.7	11	<1	<1	2	3	5	6	15
65+	373	4.1	29	<1	1	3	5	8	11	21
GRAND TOTAL	**3298**	**2.5**	**10**	**<1**	**<1**	**2**	**3**	**5**	**6**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	3.0	12	<1	<1	1	5	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.7		1	1	2	2	2	2	2
65+	6	4.3	21	<1	<1	2	8	12	12	12
B. *Operated*										
0-19 YRS	4	3.8	10	<1	<1	3	6	8	8	8
20-34	8	2.5	2	<1	<1	2	4	5	5	5
35-49	17	2.8	9	<1	<1	1	3	7	10	12
50-64	15	2.5	4	<1	<1	2	3	7	7	7
65+	19	3.8	16	<1	<1	2	6	9	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	4	3.3	8	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	10	3.3	14	<1	<1	2	3	10	12	12
B. *Operated*	63	3.0	9	<1	<1	2	4	7	9	15
1. SINGLE DX	5	2.8	7	<1	<1	1	5	7	7	7
2. MULTIPLE DX	73	3.1	9	<1	<1	2	4	7	11	14
A. NOT OPERATED	11	3.1	13	<1	<1	2	3	10	12	12
B. OPERATED	67	3.0	9	<1	<1	2	4	7	8	14
TOTAL 0-19 YRS	4	3.8	10	<1	<1	3	6	8	8	8
20-34	8	2.5	2	<1	<1	2	4	5	5	5
35-49	21	2.8	9	<1	<1	1	3	7	9	12
50-64	20	2.4	3	<1	<1	2	3	5	7	7
65+	25	3.9	16	<1	<1	2	6	11	13	15
GRAND TOTAL	**78**	**3.1**	**9**	**<1**	**<1**	**2**	**4**	**7**	**10**	**14**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	697	1.8	4	<1	<1	1	2	3	5	9
20-34	973	2.7	23	<1	<1	1	2	6	10	18
35-49	363	2.7	20	<1	<1	1	3	5	10	21
50-64	408	1.9	3	<1	<1	1	2	4	5	7
65+	329	2.2	5	<1	<1	1	2	5	7	12
B. *Operated*										
0-19 YRS	445	2.3	6	<1	<1	1	2	6	8	11
20-34	1090	2.6	8	<1	<1	1	3	6	8	14
35-49	683	3.6	14	<1	<1	2	5	8	11	16
50-64	510	3.5	11	<1	<1	2	5	9	10	14
65+	385	4.4	17	<1	<1	2	7	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1799	2.4	14	<1	<1	1	3	5	6	19
20-34	1585	3.8	45	<1	<1	2	4	6	12	39
35-49	1847	3.5	29	<1	1	2	4	7	11	32
50-64	4030	3.8	38	1	1	2	4	7	11	33
65+	4289	5.5	66	1	1	3	5	12	21	46
B. *Operated*										
0-19 YRS	561	4.1	47	<1	<1	2	4	9	14	52
20-34	1149	4.4	59	<1	<1	2	5	8	13	48
35-49	1165	4.9	43	<1	1	3	6	10	14	30
50-64	1663	5.9	62	1	1	4	7	11	17	45
65+	1558	7.4	83	<1	1	5	9	16	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2770	2.3	13	<1	<1	1	2	4	7	16
B. *Operated*	3113	3.1	11	<1	<1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	13550	4.1	44	<1	1	2	4	8	14	38
B. *Operated*	6096	5.6	63	<1	1	3	7	12	18	45
1. SINGLE DX	5883	2.7	12	<1	<1	1	3	7	9	15
2. MULTIPLE DX	19646	4.6	51	<1	1	2	5	10	16	40
A. NOT OPERATED	16320	3.8	39	<1	1	2	4	7	12	36
B. OPERATED	9209	4.8	47	<1	<1	2	6	10	14	38
TOTAL 0-19 YRS	3502	2.6	17	<1	<1	1	3	5	8	20
20-34	4797	3.4	36	<1	<1	2	4	7	10	33
35-49	4058	3.9	30	<1	1	2	5	8	11	27
50-64	6611	4.2	41	<1	1	2	5	8	12	35
65+	6561	5.7	65	1	1	3	6	13	21	45
GRAND TOTAL	**25529**	**4.2**	**42**	**<1**	**<1**	**2**	**5**	**9**	**13**	**37**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — see *Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
393	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

1.10

Length of Stay by Operation, Western Region, 1983

A Companion Volume To
Length of Stay
by Diagnosis,
Western Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data 1
Data Quality 2
Coverage 3
Organization of Length of Stay Tables 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Short-Term Nonfederal Hospitals Number in Books (3)	Short-Term Nonfederal Hospitals Percent in Books (4)	Beds U.S. Total[2] (5)	Beds Number in Books (6)	Beds Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP ≥ 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever ≥ 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76670	2.5	9	<1	<1	2	3	5	7	15
20-34	174022	2.7	6	<1	1	2	3	5	6	12
35-49	61993	3.7	14	<1	1	3	5	8	10	17
50-64	51828	4.3	18	<1	1	3	6	9	12	20
65+	53634	5.0	26	<1	1	3	7	11	15	23
2. MULTIPLE DX										
0-19 YRS	64628	5.0	67	<1	1	3	5	10	17	49
20-34	152226	4.6	30	1	1	3	5	8	12	30
35-49	100833	6.0	44	1	1	5	7	11	17	35
50-64	133735	7.4	65	1	2	5	9	15	21	43
65+	238472	9.2	83	1	2	7	12	19	26	49
TOT. SINGLE DX	419147	3.3	13	<1	1	2	4	7	9	17
" MULTIPLE DX	689894	7.0	64	1	1	5	8	15	21	43
TOTAL 0-19 YRS	141298	3.7	37	<1	<1	2	4	7	11	33
20-34	326248	3.6	18	<1	1	3	4	6	9	21
35-49	162826	5.2	34	<1	1	4	6	10	14	30
50-64	185563	6.5	54	1	1	4	8	13	19	38
65+	292106	8.4	75	1	2	6	11	18	24	46
GRAND TOTAL	**1108041**	**5.6**	**48**	**1**	**1**	**3**	**7**	**12**	**17**	**36**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	9.2	59	<1	1	8	11	17	23	46
20-34	114	9.0	28	1	3	9	12	15	16	28
35-49	104	10.1	90	2	3	8	11	16	19	61
50-64	130	12.5	95	5	6	10	14	21	31	58
65+	111	11.7	86	3	4	9	14	20	32	51
2. MULTIPLE DX										
0-19 YRS	150	15.9	287	<1	1	11	20	40	65	99+
20-34	123	16.1	163	2	5	13	19	40	49	99+
35-49	160	17.4	252	4	6	13	19	41	63	99+
50-64	306	21.4	326	5	7	16	26	53	67	99+
65+	419	22.5	264	6	7	19	30	47	58	92
TOT. SINGLE DX	554	10.6	74	2	4	9	12	17	26	53
" MULTIPLE DX	1158	20.0	278	4	6	15	26	46	61	99+
TOTAL 0-19 YRS	245	13.3	210	<1	1	9	16	33	45	85
20-34	237	12.7	111	2	4	10	15	23	41	70
35-49	264	14.5	201	3	5	10	16	35	50	99+
50-64	436	18.8	274	5	6	13	21	45	58	93
65+	530	20.3	246	5	6	16	28	43	56	84
GRAND TOTAL	**1712**	**17.0**	**231**	**3**	**5**	**12**	**20**	**38**	**54**	**92**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	6.2	20	1	2	5	8	11	16	27
20-34	45	9.5	79	3	4	7	11	15	18	62
35-49	36	10.1	29	3	4	9	13	18	21	24
50-64	48	10.3	36	3	4	9	13	20	23	31
65+	48	12.0	64	4	6	10	14	20	26	99+
2. MULTIPLE DX										
0-19 YRS	95	16.1	356	3	4	9	18	44	69	99+
20-34	83	18.4	236	4	6	13	23	45	53	91
35-49	85	21.6	341	5	6	14	28	57	73	99+
50-64	117	18.2	227	4	6	13	25	43	65	99+
65+	197	20.7	226	5	6	16	27	45	56	89
TOT. SINGLE DX	245	9.3	48	3	3	8	11	17	20	56
" MULTIPLE DX	577	19.2	268	4	6	14	25	45	61	99+
TOTAL 0-19 YRS	163	11.9	239	2	3	7	12	28	47	99+
20-34	128	15.3	198	4	5	10	18	42	48	80
35-49	121	10.1	275	4	5	13	22	44	66	99+
50-64	165	15.9	184	4	5	12	20	34	53	99+
65+	245	19.0	206	5	6	15	24	43	55	99+
GRAND TOTAL	**822**	**16.3**	**223**	**3**	**4**	**11**	**20**	**39**	**56**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	170	4.1	3	2	2	4	5	6	7	10
20-34	41	5.3	6	2	3	5	6	9	10	12
35-49	20	4.7	4	2	3	4	6	8	9	10
50-64	8	5.3	4	3	3	5	6	8	9	9
65+	10	7.0	27	<1	<1	6	10	15	17	17
2. MULTIPLE DX										
0-19 YRS	101	8.6	163	2	2	5	7	14	37	97
20-34	80	11.5	160	2	3	7	12	33	45	90
35-49	39	8.0	102	1	2	5	7	18	41	99+
50-64	26	10.4	161	2	3	8	13	22	72	99+
65+	7	10.1	52	4	4	10	11	22	25	25
TOT. SINGLE DX	249	4.5	5	2	2	4	5	7	9	12
" MULTIPLE DX	253	9.6	150	2	3	6	11	20	45	99+
TOTAL 0-19 YRS	271	5.8	67	2	2	4	6	8	13	58
20-34	121	9.4	117	2	3	6	10	19	43	76
35-49	59	6.9	71	2	3	5	7	15	20	96
50-64	34	9.2	128	3	3	6	11	18	56	99+
65+	17	8.3	37	<1	2	6	11	16	22	25
GRAND TOTAL	**502**	**7.1**	**85**	**2**	**2**	**5**	**7**	**12**	**20**	**79**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	5.6	44	1	1	4	7	12	16	95
20-34	9	8.1	4	5	5	8	10	11	12	12
35-49	6	7.5	11	5	5	7	7	13	14	14
50-64	9	11.2	88	2	4	8	12	27	34	34
65+	34	9.4	25	3	3	8	12	18	19	20
2. MULTIPLE DX										
0-19 YRS	128	13.3	271	2	3	7	14	37	59	99+
20-34	33	14.4	169	5	5	8	17	43	56	99+
35-49	33	14.8	326	2	3	9	12	43	58	82
50-64	41	19.2	259	5	6	14	32	85	99+	99+
65+	150	24.4	272	6	8	21	32	49	59	99+
TOT. SINGLE DX	116	7.5	40	1	2	6	9	15	18	65
" MULTIPLE DX	385	18.5	289	3	4	12	27	47	61	99+
TOTAL 0-19 YRS	186	10.9	212	1	2	6	11	35	49	99+
20-34	42	13.0	140	5	5	8	14	33	50	99+
35-49	39	13.7	283	2	3	7	12	33	56	82
50-64	50	17.8	236	4	6	13	28	55	99+	99+
65+	184	21.6	261	5	6	17	29	47	56	96
GRAND TOTAL	**501**	**15.9**	**253**	**2**	**3**	**10**	**22**	**42**	**58**	**99+**

505: Miscelianeous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	3.9	12	1	1	3	5	8	10	19
20-34	43	7.7	46	2	2	5	9	17	23	32
35-49	14	7.1	30	3	3	5	8	15	21	23
50-64	15	4.4	7	<1	1	4	6	8	9	10
65+	8	5.8	12	2	2	5	7	11	13	13
2. MULTIPLE DX										
0-19 YRS	257	10.5	181	1	2	6	11	29	47	99+
20-34	84	16.2	285	2	3	11	19	45	81	99+
35-49	44	14.7	226	1	2	9	21	37	53	58
50-64	60	11.8	147	1	2	7	16	35	41	47
65+	62	17.5	264	3	4	13	21	40	47	93
TOT. SINGLE DX	215	5.0	22	1	1	4	6	10	14	27
" MULTIPLE DX	507	12.8	215	1	2	7	16	36	49	99+
TOTAL 0-19 YRS	392	8.2	133	1	1	4	9	22	40	90
20-34	127	13.3	220	2	2	8	17	37	54	99+
35-49	58	12.9	189	1	2	7	19	28	52	58
50-64	75	10.3	128	1	2	6	12	26	39	46
65+	70	16.2	250	2	3	12	20	37	45	89
GRAND TOTAL	722	10.5	170	1	2	6	12	27	44	98

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	6.8	8	3	4	6	8	11	13	14
20-34	154	8.4	25	3	4	7	9	15	19	25
35-49	323	8.6	22	3	4	8	10	15	18	26
50-64	329	8.8	15	4	5	8	10	13	16	21
65+	248	11.4	65	5	6	9	13	18	23	60
2. MULTIPLE DX										
0-19 YRS	22	24.0	632	6	7	11	23	72	80	88
20-34	144	14.2	103	5	6	11	18	28	39	61
35-49	361	12.6	119	5	5	9	14	20	32	68
50-64	646	12.8	101	5	5	10	15	22	30	63
65+	730	16.5	130	6	7	12	19	31	43	57
TOT. SINGLE DX	1073	9.2	32	4	4	8	11	15	19	29
" MULTIPLE DX	1903	14.4	126	5	6	11	17	27	37	62
TOTAL 0-19 YRS	41	16.0	411	4	5	8	15	45	73	88
20-34	298	11.2	71	4	4	8	13	22	28	48
35-49	684	10.7	78	4	5	8	12	18	24	56
50-64	975	11.4	76	4	5	9	13	19	26	58
65+	978	15.2	119	6	6	11	18	28	38	58
GRAND TOTAL	2976	12.5	98	4	5	10	14	22	31	58

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	8.5	50	1	2	7	12	16	18	39
20-34	148	4.9	24	<1	1	3	6	12	15	26
35-49	175	5.2	22	1	1	4	7	10	15	23
50-64	77	6.8	33	1	1	4	10	17	18	26
65+	35	6.6	24	2	2	5	9	14	16	23
2. MULTIPLE DX										
0-19 YRS	91	10.9	159	<1	<1	7	14	31	44	52
20-34	129	12.5	193	1	2	9	15	30	52	99+
35-49	157	11.0	133	1	2	8	14	22	30	56
50-64	156	14.1	267	2	3	8	18	37	49	96
65+	118	19.4	282	2	3	14	25	45	55	76
TOT. SINGLE DX	471	5.7	28	1	1	4	8	13	17	26
" MULTIPLE DX	651	13.5	216	1	2	9	17	33	47	86
TOTAL 0-19 YRS	127	10.2	129	<1	<1	7	13	25	39	50
20-34	277	8.4	117	1	1	5	11	19	31	82
35-49	332	8.0	83	1	2	5	10	16	23	42
50-64	233	11.7	201	2	2	7	14	28	43	88
65+	153	16.5	252	2	3	12	21	39	52	71
GRAND TOTAL	1122	10.3	152	1	2	6	13	23	37	66

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.3	4	<1	<1	2	2	6	7	9
20-34	173	2.7	6	<1	<1	2	3	7	9	13
35-49	235	3.1	9	<1	<1	2	3	8	9	15
50-64	251	2.7	10	<1	<1	2	3	7	9	11
65+	102	3.4	26	<1	<1	2	4	7	9	31
2. MULTIPLE DX										
0-19 YRS	19	4.5	26	<1	<1	2	5	12	16	19
20-34	146	5.3	30	1	1	3	8	12	16	28
35-49	178	5.7	36	1	1	3	8	12	18	31
50-64	267	6.1	55	1	1	3	9	12	16	55
65+	166	7.1	82	1	1	4	9	14	20	62
TOT. SINGLE DX	791	2.9	11	<1	<1	2	3	7	9	14
" MULTIPLE DX	776	6.0	52	1	1	3	8	12	18	35
TOTAL 0-19 YRS	49	3.2	14	<1	<1	2	3	8	11	19
20-34	319	3.9	19	<1	<1	2	4	9	12	20
35-49	413	4.2	23	<1	<1	2	5	9	14	28
50-64	518	4.5	37	<1	1	2	5	11	13	30
65+	268	5.7	64	<1	1	3	7	12	16	54
GRAND TOTAL	1567	4.4	34	<1	<1	2	5	10	13	28

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	1.8	1	<1	<1	1	2	3	4	6
20-34	791	1.9	1	<1	<1	1	2	3	4	7
35-49	943	1.9	3	<1	<1	1	2	3	4	8
50-64	895	1.9	1	<1	<1	2	2	3	4	8
65+	568	2.0	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	142	2.3	3	<1	1	2	3	4	7	10
20-34	511	3.1	31	<1	<1	2	3	6	9	19
35-49	487	3.0	12	<1	<1	2	3	6	9	19
50-64	698	3.2	15	<1	1	2	3	6	9	19
65+	538	3.8	26	<1	1	2	4	8	12	30
TOT. SINGLE DX	3327	1.9	3	<1	<1	2	2	3	4	8
" MULTIPLE DX	2376	3.2	20	<1	1	2	3	6	10	21
TOTAL 0-19 YRS	272	2.1	3	<1	<1	2	2	4	5	9
20-34	1302	2.4	14	<1	<1	2	2	4	6	13
35-49	1430	2.3	7	<1	<1	2	2	4	6	13
50-64	1593	2.5	8	<1	<1	2	2	4	6	14
65+	1106	2.9	15	<1	<1	2	3	5	8	19
GRAND TOTAL	5703	2.5	10	<1	<1	2	3	4	6	15

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	6.0	26	<1	1	5	6	14	19	19
20-34	28	4.3	9	<1	<1	4	6	8	10	13
35-49	12	5.3	6	1	2	4	8	9	9	9
50-64	18	4.3	8	1	1	4	5	7	11	13
65+	18	6.9	32	<1	1	6	9	12	20	25
2. MULTIPLE DX										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	30	7.9	51	2	2	5	7	21	24	28
35-49	23	7.3	23	2	2	7	9	14	17	23
50-64	65	12.4	132	4	5	8	15	25	33	57
65+	123	13.9	116	4	5	10	16	28	39	59
TOT. SINGLE DX	85	5.2	16	<1	1	5	6	9	12	23
" MULTIPLE DX	244	12.0	108	2	4	9	15	25	33	57
TOTAL 0-19 YRS	12	5.9	20	<1	1	5	6	11	19	19
20-34	58	6.2	34	1	2	5	6	12	22	28
35-49	35	6.7	18	1	3	6	8	11	15	22
50-64	83	10.7	117	1	2	7	13	23	28	57
65+	141	13.0	111	3	4	10	15	27	37	59
GRAND TOTAL	329	10.3	93	1	2	7	12	22	28	57

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	8	<1	<1	3	6	6	6	6
20-34	14	7.8	81	<1	1	5	8	21	32	35
35-49	20	4.5	6	1	<1	4	6	8	9	10
50-64	15	5.1	41	<1	<1	3	6	10	32	39
65+	14	5.5	15	2	2	4	8	11	14	15
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	1	2	2	2
20-34	23	7.5	37	1	1	3	6	10	18	20
35-49	37	9.6	165	1	1	3	6	11	32	65
50-64	33	6.5	34	1	1	3	6	9	20	34
65+	30	8.6	32	2	2	5	8	12	17	19
TOT. SINGLE DX	67	5.5	32	<1	<1	4	6	10	16	33
" MULTIPLE DX	145	6.1	73	1	1	4	6	11	18	20
TOTAL 0-19 YRS	6	2.8	6	<1	<1	2	6	6	6	6
20-34	37	7.6	54	1	1	3	6	10	19	21
35-49	57	7.8	127	1	1	3	6	11	15	23
50-64	48	6.1	36	1	1	3	6	11	13	20
65+	64	7.9	30	1	2	5	7	11	17	18
GRAND TOTAL	212	7.3	61	<1	1	3	5	9	16	20

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	3.2	2	<1	1	3	4	5	6	9
20-34	479	3.3	1	1	2	3	4	5	5	8
35-49	487	3.2	1	1	2	3	4	5	5	7
50-64	321	3.4	1	2	2	3	4	5	5	8
65+	157	4.0	2	2	2	4	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	33	4.0	3	2	2	4	5	7	8	9
20-34	229	4.1	8	2	2	4	4	6	7	18
35-49	297	4.4	30	2	2	4	4	6	8	22
50-64	355	4.8	12	2	3	4	5	7	12	20
65+	247	7.4	80	3	3	5	7	14	22	63
TOT. SINGLE DX	1507	3.3	2	1	2	3	4	5	5	8
" MULTIPLE DX	1161	5.1	32	2	3	4	5	8	12	28
TOTAL 0-19 YRS	96	3.5	3	1	1	3	4	5	7	9
20-34	708	3.5	4	1	2	3	4	5	6	10
35-49	784	3.7	13	1	2	3	4	5	6	10
50-64	676	4.1	8	2	2	4	4	6	8	17
65+	404	6.1	53	2	3	4	6	10	15	43
GRAND TOTAL	**2668**	**4.1**	**16**	**2**	**2**	**4**	**4**	**6**	**8**	**19**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	1.9	9	<1	<1	1	2	3	4	16
20-34	79	2.5	2	<1	1	2	3	5	6	8
35-49	69	3.1	3	<1	1	3	4	6	6	9
50-64	60	3.4	2	1	2	3	4	5	6	8
65+	36	5.1	40	1	2	4	5	7	13	39
2. MULTIPLE DX										
0-19 YRS	25	4.4	17	<1	1	4	6	12	14	16
20-34	59	6.1	32	1	2	5	7	12	17	31
35-49	77	5.9	23	2	2	4	6	13	17	25
50-64	137	6.9	65	2	2	5	7	11	20	45
65+	124	8.2	50	2	3	6	10	17	22	40
TOT. SINGLE DX	384	2.8	10	<1	1	2	4	5	6	13
" MULTIPLE DX	422	6.8	47	2	2	5	7	14	19	38
TOTAL 0-19 YRS	165	2.3	12	<1	<1	1	2	4	6	16
20-34	138	4.0	19	1	1	3	5	7	10	30
35-49	146	4.6	16	1	1	4	5	8	13	24
50-64	197	5.8	49	2	2	4	6	9	14	42
65+	160	7.5	50	2	3	5	8	16	21	39
GRAND TOTAL	**806**	**4.9**	**33**	**1**	**1**	**3**	**5**	**10**	**14**	**32**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	6.2	24	1	2	5	7	13	19	20
20-34	41	7.6	8	4	4	7	9	12	14	15
35-49	29	8.7	11	4	5	8	11	14	15	16
50-64	18	9.1	39	5	5	7	10	11	24	33
65+	10	9.5	12	5	5	9	12	14	16	16
2. MULTIPLE DX										
0-19 YRS	15	9.7	60	1	4	7	11	27	28	28
20-34	50	11.8	75	4	5	9	13	20	36	42
35-49	54	12.3	95	5	6	10	12	18	41	52
50-64	65	11.8	81	3	5	9	13	24	30	94
65+	69	15.8	171	3	6	11	18	31	38	75
TOT. SINGLE DX	110	8.1	17	4	4	7	10	13	15	25
" MULTIPLE DX	253	12.9	108	4	5	10	14	25	34	60
TOTAL 0-19 YRS	27	8.1	46	1	2	6	9	18	27	28
20-34	91	9.9	49	4	5	8	11	16	21	41
35-49	83	11.1	68	5	5	9	12	16	24	51
50-64	83	11.2	73	4	5	9	12	23	30	86
65+	79	15.0	155	4	6	11	18	30	36	73
GRAND TOTAL	**363**	**11.4**	**85**	**4**	**5**	**9**	**12**	**21**	**31**	**59**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	1.1		<1	<1	<1	1	1	2	2
20-34	16	1.2		<1	<1	1	1	2	2	2
35-49	23	1.9	1	<1	<1	2	2	3	4	5
50-64	45	1.5		<1	<1	1	2	3	3	3
65+	79	1.7	1	<1	<1	1	2	3	3	9
2. MULTIPLE DX										
0-19 YRS	10	1.6	3	<1	<1	<1	1	4	7	7
20-34	18	2.1	4	<1	<1	1	2	4	7	9
35-49	13	4.4	24	<1	<1	3	5	10	17	19
50-64	32	5.1	55	<1	<1	2	5	16	26	30
65+	87	3.8	34	<1	<1	2	4	7	14	36
TOT. SINGLE DX	247	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	160	3.8	33	<1	<1	2	4	8	15	30
TOTAL 0-19 YRS	94	1.1		<1	<1	<1	1	1	2	5
20-34	34	1.6	2	<1	<1	1	2	3	5	9
35-49	36	2.8	11	<1	<1	2	3	5	8	19
50-64	77	3.0	26	<1	<1	1	3	5	14	29
65+	166	2.8	20	<1	<1	2	3	6	8	22
GRAND TOTAL	407	2.4	15	<1	<1	1	2	4	7	21

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	1.7	1	<1	<1	1	2	3	4	8
20-34	55	1.6	1	<1	<1	1	2	2	5	8
35-49	66	1.6	3	<1	<1	1	1	2	4	13
50-64	116	1.5		<1	<1	1	2	2	3	6
65+	201	1.6	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	159	2.9	21	<1	<1	1	3	5	9	25
20-34	188	3.8	27	<1	1	2	5	7	10	31
35-49	116	3.4	49	<1	1	2	3	5	8	41
50-64	159	2.5	7	<1	<1	2	3	4	8	18
65+	303	4.4	54	<1	1	2	4	10	19	43
TOT. SINGLE DX	620	1.6	2	<1	<1	1	2	3	3	7
" MULTIPLE DX	925	3.6	35	<1	<1	2	3	7	11	34
TOTAL 0-19 YRS	341	2.2	11	<1	<1	1	2	4	6	16
20-34	243	3.3	22	<1	<1	2	4	7	9	30
35-49	182	2.8	33	<1	<1	1	2	4	7	34
50-64	275	2.1	5	<1	<1	1	2	4	5	16
65+	504	3.3	36	<1	<1	2	2	7	11	33
GRAND TOTAL	1545	2.8	23	<1	<1	1	3	5	8	30

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	1.6	1	<1	<1	1	2	3	5	7
20-34	28	1.9	1	<1	1	2	2	3	4	6
35-49	27	1.6		<1	1	1	2	2	3	4
50-64	32	2.0		1	1	2	2	3	3	3
65+	48	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	29	1.9	2	<1	1	2	2	3	4	8
20-34	18	1.7		1	1	2	2	3	4	4
35-49	24	2.6	4	1	1	2	3	4	7	12
50-64	51	2.0	1	<1	1	2	2	3	3	8
65+	85	2.4	3	1	1	2	2	4	6	12
TOT. SINGLE DX	172	1.8	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	207	2.2	3	1	1	2	2	3	4	11
TOTAL 0-19 YRS	66	1.7	2	<1	<1	1	2	3	4	8
20-34	46	1.8	1	<1	1	2	2	3	4	6
35-49	51	2.0	3	1	1	2	2	3	4	12
50-64	83	2.0	1	1	1	2	2	3	3	7
65+	133	2.3	3	1	1	2	2	3	5	11
GRAND TOTAL	379	2.0	2	<1	1	2	2	3	4	10

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	1.5	2	<1	<1	<1	1	2	5	7
20-34	6	1.7		<1	<1	1	2	3	3	3
35-49	6	3.0	10	<1	<1	1	6	8	8	8
50-64	9	1.2		<1	<1	<1	1	2	2	2
65+	12	3.1	35	<1	<1	1	2	8	20	22
2. MULTIPLE DX										
0-19 YRS	10	1.8	2	<1	<1	1	2	4	5	5
20-34	6	2.8	2	1	1	3	4	5	5	5
35-49	10	7.7	77	<1	1	4	8	23	28	28
50-64	6	2.8	3	1	1	2	4	6	6	6
65+	20	4.8	37	<1	<1	2	7	16	20	20
TOT. SINGLE DX	50	2.0	10	<1	<1	1	2	3	7	22
" MULTIPLE DX	52	4.3	33	<1	<1	2	5	10	20	28
TOTAL 0-19 YRS	27	1.6	2	<1	<1	<1	2	4	5	7
20-34	12	2.3	2	<1	<1	2	3	4	5	5
35-49	16	5.9	55	<1	<1	4	7	18	25	28
50-64	15	1.9	2	<1	<1	1	2	4	5	6
65+	32	4.2	36	<1	<1	2	2	14	20	22
GRAND TOTAL	102	3.2	23	<1	<1	1	3	7	15	25

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	3.1	2	2	2	3	3	6	7	7
20-34	64	2.5	2	1	1	2	3	4	5	9
35-49	57	2.3	1	1	1	2	3	4	5	7
50-64	41	2.5	1	1	1	2	3	5	5	6
65+	123	3.0	3	1	1	3	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	30	4.6	10	1	2	4	5	10	11	15
20-34	40	4.0	18	1	1	3	4	6	9	28
35-49	47	5.0	32	1	1	3	5	11	20	29
50-64	83	3.9	11	1	1	3	4	7	10	22
65+	334	3.8	8	1	1	3	5	7	8	16
TOT. SINGLE DX	303	2.7	3	1	1	3	3	4	6	9
" MULTIPLE DX	534	4.0	12	1	1	3	5	7	10	21
TOTAL 0-19 YRS	48	4.0	8	2	2	3	5	7	11	15
20-34	104	3.1	9	1	1	3	4	5	6	19
35-49	104	3.5	17	1	1	3	4	6	10	25
50-64	124	3.4	9	1	1	3	4	5	8	20
65+	457	3.6	7	1	1	3	4	6	8	16
GRAND TOTAL	**837**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.6	7	<1	<1	2	3	5	8	17
20-34	133	1.5	1	<1	<1	<1	2	3	4	5
35-49	86	1.4		<1	<1	<1	1	3	3	4
50-64	50	1.5		<1	<1	1	2	3	4	5
65+	41	1.9	3	<1	<1	1	2	4	7	9
2. MULTIPLE DX										
0-19 YRS	56	3.5	7	1	1	3	5	7	8	15
20-34	50	3.1	3	<1	1	3	4	5	5	11
35-49	28	3.3	5	<1	1	3	4	7	8	10
50-64	29	4.2	9	1	1	3	7	9	10	12
65+	71	3.5	15	<1	1	2	3	8	13	22
TOT. SINGLE DX	369	1.7	2	<1	<1	1	2	3	4	9
" MULTIPLE DX	234	3.5	9	<1	1	3	4	7	9	15
TOTAL 0-19 YRS	115	3.0	6	<1	<1	2	4	6	8	16
20-34	183	2.0	2	<1	<1	1	3	4	5	7
35-49	114	1.8	2	<1	<1	<1	2	4	5	9
50-64	79	2.5	6	<1	<1	2	3	6	8	11
65+	112	2.9	12	<1	<1	2	3	7	9	19
GRAND TOTAL	**603**	**2.4**	**6**	**<1**	**<1**	**1**	**3**	**5**	**7**	**13**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.0	1	<1	<1	2	2	4	5	6
20-34	29	1.9	1	<1	1	2	2	3	4	8
35-49	58	2.6	2	<1	1	2	3	5	6	8
50-64	103	2.6	5	<1	1	2	3	5	6	15
65+	165	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	26	2.5	3	<1	1	2	3	6	6	7
20-34	22	5.8	97	<1	<1	3	5	12	27	47
35-49	34	3.6	22	<1	<1	2	3	6	12	27
50-64	79	3.7	13	<1	1	2	4	9	12	18
65+	197	3.7	14	1	1	3	4	7	12	22
TOT. SINGLE DX	402	2.3	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	358	3.7	19	<1	1	2	4	8	12	22
TOTAL 0-19 YRS	73	2.1	2	<1	1	2	2	5	6	7
20-34	51	3.6	46	<1	<1	2	3	8	12	47
35-49	92	2.9	10	<1	<1	2	3	5	7	21
50-64	182	3.1	10	<1	1	2	3	6	10	18
65+	362	3.0	9	<1	<1	2	3	6	8	15
GRAND TOTAL	**760**	**3.0**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**15**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.8	8	1	1	4	5	8	10	11
20-34	28	2.8	2	1	1	3	4	5	6	6
35-49	26	2.3	3	<1	1	2	3	4	5	10
50-64	54	2.1	2	<1	<1	1	2	5	6	7
65+	103	2.1	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	30	4.4	13	<1	1	3	7	10	12	15
20-34	34	4.2	28	<1	1	2	5	7	16	28
35-49	19	2.7	5	<1	1	2	3	7	8	8
50-64	58	3.4	18	1	1	2	3	8	10	26
65+	191	4.1	28	<1	1	2	4	8	12	34
TOT. SINGLE DX	230	2.3	4	<1	<1	2	3	5	7	11
" MULTIPLE DX	332	3.9	24	<1	1	2	4	8	12	27
TOTAL 0-19 YRS	49	4.2	11	1	1	3	6	9	11	15
20-34	62	3.5	17	1	1	3	4	6	8	27
35-49	45	2.4	4	<1	1	2	3	4	8	10
50-64	112	2.8	11	<1	<1	2	3	6	8	20
65+	294	3.4	21	<1	<1	2	3	7	11	22
GRAND TOTAL	**562**	**3.3**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	1.6		<1	<1	1	2	3	4	4
20-34	12	2.5	2	1	1	2	3	5	5	5
35-49	113	2.0		<1	1	2	2	3	3	6
50-64	701	1.9		<1	1	2	2	3	3	5
65+	3120	2.1		<1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	25	2.0	1	<1	1	2	2	4	4	5
20-34	8	2.6	2	1	1	2	4	5	5	5
35-49	96	2.6	1	1	2	2	3	4	6	7
50-64	680	2.4	3	1	1	2	3	3	5	11
65+	3353	2.6	5	1	1	2	3	4	5	13
TOT. SINGLE DX	3958	2.0	1	<1	1	2	2	3	3	5
" MULTIPLE DX	4171	2.5	5	1	1	2	3	4	5	12
TOTAL 0-19 YRS	37	1.9	1	<1	<1	2	2	4	4	5
20-34	20	2.6	2	1	1	2	4	5	5	5
35-49	209	2.3	1	1	1	2	2	3	4	7
50-64	1390	2.2	2	1	1	2	2	3	4	7
65+	6473	2.3	3	<1	1	2	3	3	4	9
GRAND TOTAL	**8129**	**2.2**	**3**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.9	2	<1	<1	1	2	3	6	8
20-34	45	1.7		<1	<1	2	2	2	3	3
35-49	318	1.7		<1	<1	2	2	2	3	4
50-64	1631	1.8		<1	<1	2	2	2	3	4
65+	6461	1.8		<1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	54	2.3	2	<1	<1	2	3	4	5	10
20-34	44	2.7	7	<1	1	2	2	6	9	15
35-49	231	2.2	3	<1	1	2	2	3	4	11
50-64	1442	2.2	4	<1	1	2	2	3	4	9
65+	7087	2.3	6	1	1	2	2	3	4	11
TOT. SINGLE DX	8534	1.8	1	<1	1	2	2	2	3	4
" MULTIPLE DX	8858	2.3	6	1	1	2	2	3	4	11
TOTAL 0-19 YRS	133	2.1	2	<1	<1	2	2	4	5	8
20-34	89	2.2	4	<1	<1	2	2	3	6	13
35-49	549	1.9	2	<1	1	2	2	3	3	7
50-64	3073	2.0	3	<1	1	2	2	3	3	7
65+	13548	2.1	4	<1	1	2	2	3	3	8
GRAND TOTAL	**17392**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**3**	**3**	**8**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	1.5		<1	<1	1	2	3	3	3
20-34	5	1.8		<1	<1	2	2	3	3	3
35-49	30	1.6	1	<1	<1	1	2	2	4	7
50-64	195	1.7	1	<1	<1	2	2	2	3	4
65+	704	1.8		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	4	3.0	7	1	1	2	5	7	7	7
20-34	7	1.3		<1	<1	<1	2	2	2	2
35-49	28	2.3	1	1	1	2	3	3	4	6
50-64	181	2.2	5	<1	1	2	2	3	4	11
65+	769	2.2	1	1	1	2	2	3	4	8
TOT. SINGLE DX	940	1.8	1	<1	1	2	2	2	3	4
" MULTIPLE DX	989	2.2	3	1	1	2	2	3	4	8
TOTAL 0-19 YRS	10	2.1	3	<1	<1	2	2	5	7	7
20-34	12	1.5		<1	<1	1	2	3	3	3
35-49	58	2.0	1	<1	1	2	2	3	4	7
50-64	376	2.0	3	<1	1	2	2	3	4	8
65+	1473	2.0	1	<1	1	2	2	3	3	6
GRAND TOTAL	**1929**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**3**	**7**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	3.5	3	1	2	3	5	6	6	10
20-34	106	3.7	3	1	2	3	4	6	7	9
35-49	116	4.0	4	1	2	4	5	7	8	11
50-64	340	4.5	31	1	2	4	5	7	9	14
65+	381	4.2	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	50	4.3	6	1	2	4	6	7	8	14
20-34	131	5.1	7	2	2	5	6	8	10	17
35-49	135	5.1	11	1	2	4	7	9	11	20
50-64	413	4.8	7	1	2	4	6	8	9	15
65+	548	4.9	10	1	2	4	6	8	11	16
TOT. SINGLE DX	991	4.2	14	1	2	4	5	7	8	12
" MULTIPLE DX	1277	4.9	9	1	2	4	6	8	10	16
TOTAL 0-19 YRS	98	3.9	5	1	2	4	5	6	7	13
20-34	237	4.5	6	2	2	4	5	7	9	14
35-49	251	4.6	8	1	2	4	6	8	9	14
50-64	753	4.6	19	1	2	4	6	8	9	14
65+	929	4.6	8	1	2	4	6	8	10	14
GRAND TOTAL	**2268**	**4.6**	**11**	**1**	**2**	**4**	**6**	**8**	**9**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.1	1	<1	<1	2	3	4	5	5
20-34	45	2.6	19	<1	<1	1	3	5	6	30
35-49	34	2.1	2	<1	<1	2	3	4	6	7
50-64	54	2.7	3	<1	<1	2	4	5	7	9
65+	119	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	34	5.5	252	<1	1	3	4	5	7	95
20-34	106	3.5	3	1	2	3	4	6	7	9
35-49	74	4.2	8	1	1	4	5	7	9	18
50-64	197	3.8	15	1	1	3	5	7	8	23
65+	311	4.1	23	<1	1	3	5	7	9	24
TOT. SINGLE DX	274	2.4	5	<1	<1	2	3	4	5	9
" MULTIPLE DX	722	4.0	27	1	1	3	5	7	8	21
TOTAL 0-19 YRS	56	4.2	155	<1	<1	2	4	5	5	90
20-34	151	3.2	8	<1	<1	3	4	6	7	9
35-49	108	3.5	8	<1	<1	3	4	7	8	16
50-64	251	3.6	13	<1	1	3	4	7	8	17
65+	430	3.6	18	<1	1	3	4	7	8	21
GRAND TOTAL	**996**	**3.6**	**22**	**<1**	**<1**	**3**	**4**	**7**	**8**	**18**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	916	1.4		<1	<1	1	2	2	2	7
20-34	154	1.5		<1	<1	1	2	2	2	4
35-49	79	1.4		<1	<1	1	2	2	3	3
50-64	35	1.5		<1	<1	1	2	2	2	3
65+	41	1.6		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	265	1.3		<1	<1	1	1	2	2	3
20-34	66	1.6		<1	<1	1	2	2	3	4
35-49	49	1.6		<1	<1	1	2	2	3	5
50-64	28	2.1	2	1	1	2	2	4	5	9
65+	57	1.8		1	1	2	2	3	3	4
TOT. SINGLE DX	1225	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	465	1.5	1	<1	<1	1	2	2	3	4
TOTAL 0-19 YRS	1181	1.3	1	<1	<1	1	2	2	2	4
20-34	220	1.5	1	<1	<1	1	2	2	3	4
35-49	128	1.5		<1	<1	1	2	2	3	4
50-64	63	1.8	1	<1	<1	2	2	3	3	8
65+	98	1.7		<1	1	2	2	2	3	4
GRAND TOTAL	**1690**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	4	1.5		1	1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.8	1	1	1	1	2	4	4	4
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	4	5.5	7	2	2	6	7	8	8	8
65+	6	3.7	13	1	1	2	3	10	11	11
TOT. SINGLE DX	18	1.6	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	18	3.6	10	1	1	2	5	9	10	11
TOTAL 0-19 YRS	11	1.5	1	<1	<1	1	2	3	4	4
20-34	9	1.7	1	1	1	1	2	3	4	4
35-49	4	3.3	15	1	1	2	5	9	9	9
50-64	5	4.8	8	2	2	5	7	8	8	8
65+	7	3.4	12	1	1	2	3	9	11	11
GRAND TOTAL	**36**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**7**	**9**	**11**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	2.8	5	<1	<1	2	3	6	7	13
20-34	55	2.7	3	<1	1	2	3	5	7	9
35-49	39	2.8	3	1	1	2	3	5	7	11
50-64	58	2.8	3	<1	1	3	3	4	6	11
65+	71	2.8	6	<1	1	2	3	5	6	17
2. MULTIPLE DX										
0-19 YRS	65	4.2	17	<1	1	3	5	8	14	22
20-34	81	3.2	4	1	1	3	4	6	7	10
35-49	62	3.6	8	1	1	3	5	6	9	90
50-64	87	4.2	16	1	1	3	4	8	13	22
65+	147	4.4	37	1	1	3	5	9	12	27
TOT. SINGLE DX	307	2.8	5	<1	1	2	3	5	7	12
" MULTIPLE DX	442	4.0	20	1	1	3	5	7	11	23
TOTAL 0-19 YRS	149	3.4	11	<1	<1	2	4	7	8	19
20-34	136	3.0	4	<1	1	2	4	6	7	9
35-49	101	3.3	7	1	1	3	4	5	8	59
50-64	145	3.6	11	1	1	3	4	7	10	18
65+	218	3.9	28	1	1	3	4	7	10	21
GRAND TOTAL	**749**	**3.5**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	212	1.6	1	<1	<1	1	2	3	4	8
20-34	80	1.9	3	<1	<1	1	2	4	5	9
35-49	63	1.7	1	<1	<1	1	2	3	5	8
50-64	51	2.0	6	<1	<1	1	2	3	5	18
65+	64	2.4	12	<1	<1	1	3	3	7	21
2. MULTIPLE DX										
0-19 YRS	180	2.6	7	<1	<1	2	3	5	6	14
20-34	75	2.9	15	<1	<1	2	3	5	8	26
35-49	56	5.3	49	<1	1	3	8	11	16	39
50-64	66	5.5	78	<1	1	2	5	11	31	44
65+	114	6.4	55	<1	1	3	8	16	23	36
TOT. SINGLE DX	470	1.8	4	<1	<1	1	2	3	5	9
" MULTIPLE DX	491	4.2	37	<1	1	2	4	9	16	33
TOTAL 0-19 YRS	392	2.0	5	<1	<1	1	2	4	6	10
20-34	155	2.4	9	<1	<1	1	3	5	7	15
35-49	119	3.4	27	<1	<1	2	3	9	11	33
50-64	117	3.9	50	<1	<1	2	3	8	20	37
65+	178	4.9	43	<1	<1	2	6	12	19	34
GRAND TOTAL	961	3.0	22	<1	<1	2	3	6	10	30

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	1.5		<1	1	1	2	3	3	3
20-34	184	1.5		1	1	1	2	3	3	5
35-49	272	1.5		1	1	1	2	3	3	4
50-64	266	1.5		1	1	1	2	3	3	4
65+	106	1.5		1	1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	25	2.1	1	<1	1	2	2	3	4	6
20-34	71	1.8		1	1	2	2	3	3	5
35-49	95	1.8		1	1	1	2	3	4	4
50-64	103	1.9	1	1	1	2	2	3	4	7
65+	55	2.4	2	1	1	2	3	4	6	9
TOT. SINGLE DX	874	1.5	1	1	1	1	2	3	3	4
" MULTIPLE DX	349	1.9	1	1	1	2	2	3	4	6
TOTAL 0-19 YRS	71	1.7	1	<1	1	2	2	3	3	5
20-34	255	1.6	1	1	1	1	2	3	3	5
35-49	367	1.6	1	1	1	1	2	3	3	4
50-64	369	1.6	1	1	1	1	2	3	3	4
65+	161	1.8	2	1	1	1	2	3	4	7
GRAND TOTAL	1223	1.6	1	1	1	1	2	3	3	5

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	466	1.5	1	<1	<1	1	2	2	2	3
20-34	331	1.5		1	1	1	2	2	3	4
35-49	264	1.7	13	<1	1	1	2	2	3	4
50-64	253	1.5		1	1	1	2	2	3	4
65+	92	1.5		1	1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	434	1.6		<1	1	1	2	2	3	4
20-34	268	1.7		<1	1	1	2	3	3	5
35-49	228	1.9	3	<1	1	2	2	3	3	6
50-64	214	2.3	7	1	1	2	2	3	4	21
65+	110	1.9		<1	1	2	2	3	4	5
TOT. SINGLE DX	1406	1.5	3	<1	1	1	2	2	3	4
" MULTIPLE DX	1254	1.8	2	<1	1	2	2	3	3	5
TOTAL 0-19 YRS	900	1.5	1	<1	<1	1	2	2	3	4
20-34	599	1.6	1	<1	1	1	2	3	3	4
35-49	492	1.8	9	<1	1	1	2	3	3	5
50-64	467	1.9	4	1	1	2	2	3	3	8
65+	202	1.7	1	<1	1	2	2	3	4	5
GRAND TOTAL	2660	1.7	3	<1	1	1	2	2	3	5

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2587	1.1	1	<1	<1	<1	<1	1	1	2
20-34	26	1.5								
35-49	25	1.6	1							
50-64	29	1.6								
65+	12	1.2								
2. MULTIPLE DX										
0-19 YRS	1555	1.6	7	<1	<1	1	1	3	3	13
20-34	41	2.8	35						20	99+
35-49	33	2.7	12					7	9	18
50-64	38	3.5	129				2	7	9	18
65+	41	7.3	86	<1	<1	2	10	26	36	46
TOT. SINGLE DX	2679	1.1	2	<1	<1	<1	<1	1	1	2
" MULTIPLE DX	1708	1.9	14	<1	<1	1	1	2	5	22
TOTAL 0-19 YRS	4142	1.2	4	<1	<1	<1	1	1	2	6
20-34	67	2.3	22						7	87
35-49	58	2.2	8						7	17
50-64	67	4.9	82						28	45
65+	53	5.9	73					21	27	32
GRAND TOTAL	4387	1.4	7	<1	<1	<1	1	1	2	10

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	2.0	3	1	1	2	2	3	4	11
20-34	105	2.2	6					4	5	15
35-49	74	2.1	1						5	7
50-64	52	2.1	1						4	7
65+	35	3.1	8	1	1	2	3	7	8	16
2. MULTIPLE DX										
0-19 YRS	204	2.7	15	1	1	2	3	4	8	23
20-34	162	2.6	6					4	7	13
35-49	150	2.6	6					4	7	9
50-64	141	3.8	50					5	10	40
65+	82	4.2	28	1	1	3	4	8	15	33
TOT. SINGLE DX	381	2.2	4	1	1	2	2	4	5	9
" MULTIPLE DX	739	3.0	20	1	1	2	3	5	8	23
TOTAL 0-19 YRS	319	2.4	11	1	1	2	2	4	6	16
20-34	267	2.5	6					4	6	13
35-49	224	2.4	5					4	6	9
50-64	193	3.4	38					5	8	34
65+	117	3.9	23	1	1	3	4	7	15	26
GRAND TOTAL	1120	2.7	15	1	1	2	3	4	7	19

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	1.8	1	<1	<1	1	2	3	3	9
20-34	156	1.9							4	7
35-49	173	2.0							4	7
50-64	195	2.2							5	7
65+	79	3.0							6	17
2. MULTIPLE DX									5	13
0-19 YRS	124	2.4	14	<1	<1	1	2	4	7	25
20-34	100	3.0	12						11	20
35-49	89	3.8	36						17	36
50-64	101	3.9	9						7	9
65+	54	3.7	8	1	1	3	4	8	10	16
TOT. SINGLE DX	794	2.1	4	<1	1	2	2	4	5	8
" MULTIPLE DX	468	3.1	15	<1	1	2	3	6	9	23
TOTAL 0-19 YRS	315	2.1	7	<1	<1	1	2	3	5	13
20-34	256	2.4	6						6	14
35-49	262	2.7	15						6	24
50-64	296	2.6	7						6	10
65+	133	2.8	6						8	15
GRAND TOTAL	1262	2.5	8	<1	1	2	3	4	6	15

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	1.4		1	1	1	2	2	3	3
20-34	147	1.4		<1	<1	1	2	2	3	3
35-49	80	1.4		<1	<1	1	2	2	3	4
50-64	39	1.4		1	1	1	2	3	3	3
65+	13	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	131	1.8	1	1	1	2	2	3	3	6
20-34	407	1.9	1	1	1	2	3	3	4	5
35-49	246	1.8		<1	1	2	2	3	4	5
50-64	126	2.2	2	1	1	2	3	4	6	8
65+	37	3.5	55	<1	1	2	3	4	12	45
TOT. SINGLE DX	344	1.4		<1	1	1	2	2	3	3
" MULTIPLE DX	947	2.0	3	1	1	2	3	3	4	6
TOTAL 0-19 YRS	196	1.7	1	1	1	1	2	3	3	5
20-34	554	1.8	1	<1	1	1	2	3	4	5
35-49	326	1.7	1	<1	1	1	2	3	3	5
50-64	165	2.0	2	1	1	2	3	3	5	8
65+	50	3.0	41	<1	1	2	3	3	4	45
GRAND TOTAL	**1291**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**3**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	408	1.6		<1	1	1	2	3	3	6
20-34	784	1.5	1	<1	1	1	2	3	3	5
35-49	425	1.7	1	<1	1	1	2	3	4	6
50-64	199	1.6		<1	1	1	2	3	3	5
65+	67	1.8		<1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	705	1.9	2	<1	1	1	2	3	4	6
20-34	1676	1.9	2	<1	1	2	2	3	4	7
35-49	992	2.0	3	<1	1	2	2	3	4	9
50-64	519	2.3	2	1	1	2	3	4	5	8
65+	217	2.9	6	1	1	2	4	6	7	13
TOT. SINGLE DX	1883	1.6	1	<1	1	1	2	3	3	5
" MULTIPLE DX	4109	2.0	3	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	1113	1.8	2	<1	1	1	2	3	3	6
20-34	2460	1.8	2	<1	1	1	2	3	4	6
35-49	1417	1.9	3	<1	1	1	2	3	4	7
50-64	718	2.1	2	1	1	2	2	3	4	8
65+	284	2.7	5	<1	1	2	3	5	7	13
GRAND TOTAL	**5992**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	1.6	1	<1	<1	1	2	3	3	8
20-34	80	1.6	2	<1	<1	1	2	3	4	10
35-49	117	1.5		<1	<1	1	2	3	4	5
50-64	129	1.7	3	<1	<1	1	2	3	5	9
65+	145	2.0	4	<1	<1	1	2	4	5	13
2. MULTIPLE DX										
0-19 YRS	95	2.3	3	<1	<1	2	3	4	6	9
20-34	174	2.2	7	<1	1	2	2	4	5	13
35-49	211	2.2	9	1	1	2	3	3	5	11
50-64	239	2.2	3	<1	1	2	3	4	5	9
65+	238	4.0	16	<1	1	3	5	10	13	19
TOT. SINGLE DX	553	1.7	3	<1	<1	1	2	3	4	9
" MULTIPLE DX	957	2.7	9	<1	1	2	3	5	8	15
TOTAL 0-19 YRS	177	2.0	2	<1	<1	2	2	4	5	9
20-34	254	2.0	6	<1	<1	1	2	4	5	12
35-49	328	1.9	6	<1	<1	1	2	3	4	8
50-64	368	2.1	4	<1	<1	2	2	3	5	9
65+	383	3.3	13	<1	<1	2	3	8	11	19
GRAND TOTAL	**1510**	**2.3**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	292	1.3		<1	<1	1	1	2	2	5
20-34	201	1.6	1	<1	<1	1	2	3	4	5
35-49	95	2.3	3	<1	<1	1	3	5	7	8
50-64	74	3.7	6	<1	1	3	5	7	8	13
65+	83	4.1	6	1	1	4	5	7	10	13
2. MULTIPLE DX										
0-19 YRS	211	2.2	10	<1	<1	1	2	4	5	8
20-34	263	3.3	29	<1	1	2	3	7	10	20
35-49	165	3.6	11	1	1	3	5	7	9	17
50-64	151	4.7	23	1	1	3	6	9	10	30
65+	226	5.9	38	1	2	4	7	12	16	43
TOT. SINGLE DX	745	2.1	3	<1	<1	1	2	5	6	10
" MULTIPLE DX	1016	3.9	25	1	1	3	5	8	11	23
TOTAL 0-19 YRS	503	1.7	5	<1	<1	1	2	3	4	7
20-34	464	2.6	18	<1	<1	2	3	5	8	18
35-49	260	3.1	9	<1	1	2	4	6	8	12
50-64	225	4.4	18	1	1	3	5	8	10	25
65+	309	5.4	31	1	1	4	6	10	14	27
GRAND TOTAL	**1761**	**3.1**	**17**	**<1**	**<1**	**2**	**4**	**7**	**9**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.6		1	1	1	2	3	4	5
20-34	120	2.0	2	1	1	1	2	4	5	9
35-49	124	1.9	1	1	1	2	3	3	4	7
50-64	87	1.9	1	<1	1	2	3	3	4	6
65+	50	2.6	2	1	1	2	3	5	5	9
2. MULTIPLE DX										
0-19 YRS	36	4.1	35	1	1	2	4	12	20	27
20-34	181	3.2	26	1	1	2	3	5	9	23
35-49	168	2.6	5	1	1	2	3	4	5	14
50-64	185	3.3	10	1	1	2	4	6	9	15
65+	117	4.6	39	1	1	3	4	9	18	32
TOT. SINGLE DX	421	2.0	2	1	1	2	3	4	4	7
" MULTIPLE DX	687	3.4	20	1	1	2	3	6	9	21
TOTAL 0-19 YRS	76	2.8	19	1	1	1	3	4	11	25
20-34	301	2.7	17	1	1	2	3	4	7	17
35-49	292	2.3	4	1	1	2	3	4	5	8
50-64	272	2.9	8	1	1	2	3	5	7	14
65+	167	4.0	29	1	1	3	4	8	11	21
GRAND TOTAL	1108	2.8	14	1	1	2	3	5	7	18

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	2.1	6	<1	<1	1	2	5	8	14
20-34	106	2.3	3	<1	<1	2	3	4	5	10
35-49	105	2.3	7	<1	<1	1	2	5	7	16
50-64	65	3.2	15	<1	<1	2	4	6	11	25
65+	52	2.7	3	<1	<1	2	4	5	7	7
2. MULTIPLE DX										
0-19 YRS	129	3.3	21	<1	<1	1	4	7	11	25
20-34	230	4.0	43	1	1	2	4	8	14	35
35-49	222	3.2	15	<1	1	2	4	6	10	24
50-64	200	3.9	34	1	1	2	4	8	14	36
65+	149	5.9	54	1	1	3	7	14	23	46
TOT. SINGLE DX	388	2.5	7	<1	<1	2	3	5	7	11
" MULTIPLE DX	930	4.0	34	<1	1	2	4	9	14	33
TOTAL 0-19 YRS	189	2.9	17	<1	<1	1	3	7	10	23
20-34	336	3.5	31	<1	1	2	4	7	10	32
35-49	327	2.9	13	<1	<1	2	3	6	8	22
50-64	265	3.7	30	<1	1	2	4	7	12	28
65+	201	5.1	43	<1	1	3	6	12	17	44
GRAND TOTAL	1318	3.6	27	<1	1	2	4	7	11	28

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	219	1.2		<1	<1	1	1	2	2	3
20-34	148	1.5	4	<1	<1	1	1	2	3	13
35-49	41	2.1	6	<1	<1	1	2	4	6	16
50-64	35	2.1		<1	1	2	3	3	4	4
65+	32	2.9	6	<1	1	2	3	7	9	12
2. MULTIPLE DX										
0-19 YRS	167	4.1	130	<1	<1	1	2	5	11	77
20-34	176	4.6	48	<1	1	2	4	9	16	39
35-49	159	4.9	89	1	1	2	4	8	20	44
50-64	166	4.5	48	1	1	2	4	9	17	30
65+	247	4.9	43	1	1	2	5	12	16	34
TOT. SINGLE DX	475	1.6	3	<1	<1	1	2	2	3	9
" MULTIPLE DX	915	4.6	69	<1	1	2	4	9	17	40
TOTAL 0-19 YRS	386	2.4	59	<1	<1	1	2	3	4	39
20-34	324	3.2	31	<1	1	1	3	6	12	33
35-49	200	4.3	73	<1	1	2	4	8	16	41
50-64	201	4.1	41	1	1	2	4	8	15	30
65+	279	4.7	39	1	1	2	5	12	15	34
GRAND TOTAL	1390	3.6	49	<1	<1	2	3	7	13	35

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	1.1		<1	<1	<1	1	1	1	3
20-34	11	1.7		<1	<1	2	2	3	3	3
35-49	5	2.0	2	<1	<1	1	3	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	143	1.2		<1	<1	<1	1	2	2	4
20-34	32	5.8	222	<1	<1	1	2	11	38	74
35-49	18	1.9	8	<1	<1	1	1	3	9	13
50-64	7	1.4		1	1	1	2	3	3	3
65+	5	5.2	29	1	1	2	9	14	14	14
TOT. SINGLE DX	158	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	205	2.1	38	<1	<1	1	1	2	3	34
TOTAL 0-19 YRS	283	1.1		<1	<1	<1	1	1	2	3
20-34	43	4.7	168	<1	<1	1	2	3	83	74
35-49	23	1.9	7	<1	<1	1	2	3	7	13
50-64	9	1.7	1	1	1	1	2	3	3	3
65+	5	5.2	30	1	1	2	9	14	14	14
GRAND TOTAL	363	1.7	22	<1	<1	<1	1	2	3	14

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	1.7	1	<1	<1	1	2	3	4	8
20-34	39	2.2	5	<1	1	1	3	4	7	13
35-49	71	2.2	1	<1	1	2	3	4	4	5
50-64	65	3.2	11	1	1	3	4	4	5	25
65+	27	3.3	2	1	1	3	4	4	6	10
2. MULTIPLE DX										
0-19 YRS	95	2.6	36	<1	<1	1	2	3	8	38
20-34	52	3.4	61	<1	<1	2	3	5	9	56
35-49	76	2.4	2	1	1	2	3	4	6	76
50-64	103	3.4	10	1	1	3	4	6	9	19
65+	50	5.1	37	1	1	3	5	10	13	41
TOT. SINGLE DX	251	2.5	5	<1	<1	2	3	4	5	10
" MULTIPLE DX	376	3.2	26	<1	<1	2	3	5	10	36
TOTAL 0-19 YRS	144	2.3	24	<1	<1	1	2	3	6	21
20-34	91	2.9	38	<1	1	2	3	5	9	39
35-49	147	2.3	2	1	1	2	3	4	5	12
50-64	168	3.3	11	1	1	3	4	5	8	21
65+	77	4.5	26	1	1	3	4	9	11	34
GRAND TOTAL	**627**	**2.9**	**18**	**<1**	**<1**	**2**	**3**	**5**	**8**	**20**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	2.2	2	<1	<1	2	3	4	5	10
20-34	193	2.4	1	<1	1	2	3	4	5	7
35-49	208	2.7	1	1	1	3	3	4	5	8
50-64	263	2.8	2	1	1	3	4	5	5	7
65+	174	3.4	6	1	2	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	35	3.2	11	1	1	2	4	7	9	18
20-34	89	3.1	4	1	1	2	4	6	7	13
35-49	120	3.6	9	1	1	3	4	6	8	19
50-64	143	3.7	7	1	2	3	4	7	9	16
65+	212	5.7	39	1	2	4	6	11	18	36
TOT. SINGLE DX	924	2.8	3	1	1	3	3	4	5	8
" MULTIPLE DX	599	4.3	20	1	1	3	5	8	11	26
TOTAL 0-19 YRS	121	2.5	5	<1	1	2	3	4	6	14
20-34	282	2.6	3	<1	1	2	3	4	6	9
35-49	328	3.0	5	1	1	3	3	5	6	12
50-64	406	3.1	4	1	1	3	4	5	6	11
65+	386	4.6	26	1	2	3	5	9	12	30
GRAND TOTAL	**1523**	**3.3**	**10**	**1**	**1**	**3**	**4**	**5**	**8**	**17**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	233	3.3	4	1	1	3	4	5	6	13
20-34	12	3.3	3	1	1	3	4	7	7	7
35-49	12	2.6	2	1	1	2	3	5	6	6
50-64	4	7.3	26	2	2	7	11	13	13	13
65+	6	3.3	2	1	1	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	197	3.8	8	1	2	3	4	6	7	11
20-34	11	3.4	2	2	2	3	4	5	7	7
35-49	11	3.5	6	<1	<1	3	5	7	10	10
50-64	8	3.0	1	1	1	3	4	4	4	4
65+	7	2.9	6	1	1	2	4	7	8	8
TOT. SINGLE DX	267	3.3	4	1	1	3	4	5	6	13
" MULTIPLE DX	234	3.7	8	1	1	3	4	6	7	10
TOTAL 0-19 YRS	430	3.5	6	1	1	3	4	5	6	13
20-34	23	3.3	3	1	2	3	4	7	7	7
35-49	23	3.0	5	<1	1	2	4	5	7	10
50-64	12	4.4	12	1	1	4	4	11	13	13
65+	13	3.1	4	1	1	3	4	6	8	8
GRAND TOTAL	**501**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	385	2.8	4	<1	<1	2	3	6	8	10
20-34	104	3.1	9	<1	<1	2	4	8	10	14
35-49	110	2.9	9	<1	<1	2	3	7	10	17
50-64	160	3.1	10	<1	<1	2	4	7	9	16
65+	187	3.4	18	<1	<1	2	4	6	11	25
2. MULTIPLE DX										
0-19 YRS	278	3.1	7	<1	1	2	4	6	7	17
20-34	185	4.6	49	<1	1	3	5	9	11	40
35-49	154	6.6	93	<1	1	3	7	17	30	43
50-64	236	6.7	75	1	1	3	8	17	25	49
65+	355	7.6	89	1	1	5	9	16	25	55
TOT. SINGLE DX	946	3.0	10	<1	<1	2	4	6	9	16
" MULTIPLE DX	1208	5.8	65	<1	1	3	6	13	20	48
TOTAL 0-19 YRS	663	2.9	6	<1	<1	2	4	6	8	10
20-34	289	4.1	36	<1	<1	2	5	9	10	21
35-49	264	5.1	62	<1	<1	2	5	11	19	39
50-64	396	5.3	52	<1	1	3	6	13	18	38
65+	542	6.2	69	<1	1	3	7	14	21	50
GRAND TOTAL	**2154**	**4.6**	**43**	**<1**	**<1**	**3**	**5**	**10**	**15**	**37**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3962	1.3		<1	1	1	2	2	2	3
20-34	2347	1.5		1	1	1	2	2	3	4
35-49	287	1.7		<1	1	1	2	3	3	5
50-64	32	1.9		1	1	2	2	3	4	5
65+	24	1.9	5	<1	1	1	2	3	6	12
2. MULTIPLE DX										
0-19 YRS	1065	1.6	4	<1	1	1	2	2	3	6
20-34	617	1.9	3	1	1	1	2	3	4	7
35-49	105	2.4	11	1	1	2	2	4	5	22
50-64	25	4.2	49	<1	1	2	4	8	17	36
65+	13	4.1	41	1	1	2	3	10	22	25
TOT. SINGLE DX	6652	1.4	1	<1	1	1	2	2	3	4
" MULTIPLE DX	1825	1.8	6	<1	1	1	2	3	4	8
TOTAL 0-19 YRS	5027	1.4	1	<1	1	1	2	2	2	3
20-34	2964	1.6	1	1	1	1	2	3	3	5
35-49	392	1.9	4	1	1	2	2	3	4	8
50-64	57	2.9	23	1	1	2	3	4	7	34
65+	37	2.7	18	1	1	2	2	4	10	25
GRAND TOTAL	**8477**	**1.5**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5854	1.3		<1	<1	1	2	2	2	3
20-34	132	1.5		1	1	1	2	2	3	4
35-49	13	1.4		<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4139	1.4		<1	<1	1	2	2	2	4
20-34	69	2.1	20	1	1	1	2	3	4	32
35-49	5	2.0	1	1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	7	2.6	4	1	1	2	3	6	7	7
TOT. SINGLE DX	6007	1.3		<1	<1	1	2	2	2	3
" MULTIPLE DX	4221	1.4	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	9993	1.3	1	<1	<1	1	2	2	2	3
20-34	201	1.7	7	1	1	1	2	3	3	5
35-49	18	1.6	1	<1	<1	1	2	2	3	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	14	1.8	3	1	1	1	2	3	6	7
GRAND TOTAL	**10228**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	332	1.1		<1	<1	<1	1	1	2	2
20-34	7	1.1		<1	<1	1	1	2	2	2
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	703	1.2		<1	<1	1	1	2	2	4
20-34	7	1.7	1	1	1	1	3	4	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
TOT. SINGLE DX	340	1.1	1	<1	<1	<1	1	1	2	2
" MULTIPLE DX	714	1.2	1	<1	<1	1	1	2	2	4
TOTAL 0-19 YRS	1035	1.2	1	<1	<1	1	1	2	2	3
20-34	14	1.4	1	<1	<1	1	1	3	4	4
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**1054**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	349	1.9	2	<1	<1	1	2	4	5	8
20-34	216	2.0	1	<1	1	2	2	4	5	8
35-49	78	2.1	4	<1	<1	2	2	3	5	13
50-64	68	3.9	32	<1	<1	2	4	9	14	35
65+	64	3.7	11	<1	1	2	5	8	9	19
2. MULTIPLE DX										
0-19 YRS	121	2.7	4	<1	1	2	4	5	7	10
20-34	88	3.2	7	1	1	2	4	6	7	17
35-49	49	3.2	9	<1	1	2	4	7	11	17
50-64	110	5.9	59	1	1	3	7	13	25	38
65+	123	7.9	63	1	1	5	11	20	24	64
TOT. SINGLE DX	775	2.3	6	<1	<1	2	2	4	6	11
" MULTIPLE DX	491	4.8	37	<1	1	3	5	12	18	33
TOTAL 0-19 YRS	470	2.1	3	<1	<1	1	3	4	5	9
20-34	304	2.3	4	<1	1	2	3	4	6	10
35-49	127	2.5	7	<1	<1	2	3	5	7	16
50-64	178	5.1	50	<1	1	2	5	12	21	39
65+	187	6.4	50	<1	1	4	8	16	21	44
GRAND TOTAL	**1266**	**3.3**	**20**	**<1**	**1**	**2**	**3**	**7**	**11**	**24**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	1.6	1	<1	<1	<1	2	3	4	5
20-34	15	2.3	2	<1	1	2	3	5	6	6
35-49	15	2.7	4	<1	<1	2	3	4	8	9
50-64	20	3.1	2	<1	<1	3	4	5	6	7
65+	21	2.4	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	75	2.7	2	<1	1	3	4	5	6	7
20-34	14	9.9	170	<1	<1	4	8	31	40	43
35-49	24	4.5	8	<1	1	4	6	9	10	11
50-64	51	4.7	36	<1	1	3	6	10	12	40
65+	115	4.9	29	1	1	4	6	10	15	60
TOT. SINGLE DX	112	2.3	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	279	4.5	30	1	1	3	5	8	13	40
TOTAL 0-19 YRS	116	2.3	2	<1	<1	2	3	5	5	7
20-34	29	6.0	95	<1	<1	2	5	18	31	43
35-49	39	3.8	8	<1	1	3	5	9	10	11
50-64	71	4.3	27	<1	1	3	5	8	11	35
65+	136	4.5	26	1	1	3	5	8	14	48
GRAND TOTAL	**391**	**3.9**	**23**	**<1**	**<1**	**3**	**4**	**7**	**10**	**36**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	1.2		<1	<1	1	1	2	2	6
20-34	97	1.1		<1	<1	1	1	2	2	3
35-49	173	1.4		<1	<1	1	1	2	3	5
50-64	265	1.5	1	<1	<1	1	2	2	3	6
65+	205	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
0-19 YRS	40	1.9	3	<1	<1	1	2	3	5	11
20-34	48	3.7	98	<1	<1	1	3	4	9	67
35-49	101	2.7	32	<1	<1	2	2	5	7	34
50-64	234	2.9	30	<1	<1	2	2	5	9	36
65+	255	4.2	56	<1	1	2	3	10	16	48
TOT. SINGLE DX	826	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	678	3.4	44	<1	<1	2	2	6	12	42
TOTAL 0-19 YRS	126	1.4	2	<1	<1	1	1	2	3	8
20-34	145	2.0	34	<1	<1	1	1	2	3	25
35-49	274	1.9	13	<1	<1	1	2	3	4	9
50-64	499	2.2	15	<1	<1	1	2	3	6	15
65+	460	3.1	33	<1	<1	2	2	5	11	35
GRAND TOTAL	**1504**	**2.3**	**21**	**<1**	**<1**	**1**	**2**	**3**	**6**	**20**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.3	6	1	1	1	2	7	9	9
20-34	10	1.4		<1	<1	1	2	3	3	3
35-49	9	3.6	16	1	1	2	5	11	11	11
50-64	29	7.8	40	<1	1	8	12	17	20	21
65+	13	4.2	15	<1	<1	2	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	23	3.1	20	<1	<1	1	2	7	15	20
20-34	13	3.7	12	<1	1	2	5	9	12	13
35-49	14	7.4	102	<1	<1	1	12	28	29	29
50-64	39	11.3	134	1	1	8	15	30	32	52
65+	30	14.1	360	1	1	7	18	39	63	81
TOT. SINGLE DX	70	5.0	28	<1	1	2	9	13	15	21
" MULTIPLE DX	119	9.2	167	<1	1	3	12	25	32	69
TOTAL 0-19 YRS	32	2.9	17	<1	<1	1	2	7	13	20
20-34	23	2.7	8	<1	<1	2	3	6	10	13
35-49	23	5.9	70	<1	<1	1	10	18	28	29
50-64	68	9.8	96	1	1	8	14	23	30	49
65+	43	11.1	275	<1	1	5	11	24	53	81
GRAND TOTAL	**189**	**7.6**	**119**	**<1**	**1**	**3**	**10**	**19**	**29**	**59**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	24	12.7	7	9	9	13	14	16	17	20
65+	17	18.1	163	6	9	15	17	30	51	62
2. MULTIPLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	6	19.0	376	8	8	11	17	54	58	58
50-64	66	17.9	108	9	9	15	20	32	35	60
65+	55	24.2	286	10	10	18	29	44	60	91
TOT. SINGLE DX	42	14.8	76	8	9	13	16	20	27	62
" MULTIPLE DX	128	20.6	202	9	10	16	23	40	54	76
TOTAL 0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	7	17.6	328	8	8	11	16	50	58	58
50-64	90	16.5	87	9	9	14	19	27	33	59
65+	72	22.7	262	10	10	16	26	43	61	88
GRAND TOTAL	**170**	**19.2**	**177**	**9**	**10**	**15**	**20**	**34**	**50**	**70**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	15.0	50	10	10	15	20	20	20	20
20-34										
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	3	8.3	32	2	2	11	56	99+	99+	99+
65+	2	33.5	1513	6	6	33	61	61	61	61
2. MULTIPLE DX										
0-19 YRS	4	29.0	474	5	5	39	65	99+	99+	99+
20-34	5	16.6	16	10	10	17	19	21	21	21
35-49	12	14.3	158	1	3	9	23	34	39	40
50-64	20	24.0	541	2	3	16	32	68	76	78
65+	26	34.7	638	2	7	35	59	85	99+	99+
TOT. SINGLE DX	9	14.4	337	2	2	10	20	80	99+	99+
" MULTIPLE DX	67	26.1	510	2	4	20	40	69	90	99+
TOTAL 0-19 YRS	6	24.3	347	5	6	20	50	91	99+	99+
20-34	5	16.6	16	10	10	17	19	21	21	21
35-49	14	12.8	149	1	2	7	18	32	38	40
50-64	23	21.9	499	2	3	13	32	75	85	99+
65+	28	34.6	648	2	6	35	60	82	99+	99+
GRAND TOTAL	76	24.7	499	2	3	18	40	69	95	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.4	230	<1	<1	6	8	14	45	69
20-34	16	5.8	107	<1	<1	2	7	10	33	43
35-49	16	7.7	162	<1	<1	2	7	33	41	43
50-64	22	4.4	21	1	1	2	8	11	15	17
65+	21	5.6	35	<1	1	2	7	16	19	21
2. MULTIPLE DX										
0-19 YRS	84	14.4	334	1	1	7	27	67	99+	99+
20-34	48	20.4	498	1	1	18	44	99+	99+	99+
35-49	65	25.6	526	1	2	20	40	75	88	99+
50-64	149	24.2	538	1	2	18	41	74	99+	99+
65+	217	30.2	648	1	2	28	51	81	99+	99+
TOT. SINGLE DX	94	6.3	103	<1	1	3	7	13	20	58
" MULTIPLE DX	563	24.9	572	1	2	20	44	77	99+	99+
TOTAL 0-19 YRS	103	13.3	315	<1	1	6	21	61	99+	99+
20-34	64	16.7	438	<1	1	8	31	85	99+	99+
35-49	81	22.0	503	1	1	16	35	64	85	99+
50-64	171	21.6	516	1	1	14	39	71	99	99+
55+	238	28.1	644	1	2	25	49	78	99+	99+
GRAND TOTAL	657	22.2	547	1	1	15	39	72	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.3	9	<1	<1	2	4	9	10	10
20-34	28	5.1	45	<1	1	2	6	16	21	28
35-49	76	4.6	19	<1	<1	3	7	11	12	22
50-64	208	4.0	13	<1	1	3	5	9	12	16
65+	251	4.4	20	<1	1	3	6	10	13	28
2. MULTIPLE DX										
0-19 YRS	16	4.9	9	1	2	4	7	12	69	99+
20-34	107	8.2	64	1	1	6	12	19	24	40
35-49	261	9.3	66	1	2	7	13	19	24	46
50-64	832	9.0	69	1	2	7	12	18	23	45
65+	1576	10.9	99	1	2	9	14	23	30	50
TOT. SINGLE DX	575	4.3	19	<1	1	3	6	10	13	21
" MULTIPLE DX	2792	10.0	86	1	2	8	13	21	28	48
TOTAL 0-19 YRS	28	4.2	10	<1	1	4	6	10	17	99+
20-34	135	7.5	62	1	1	4	11	18	24	35
35-49	337	8.2	60	1	1	6	11	17	22	43
50-64	1040	8.0	62	1	1	6	11	17	22	43
65+	1827	10.0	93	1	2	8	13	22	29	48
GRAND TOTAL	3367	9.1	79	1	1	7	12	19	26	47

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	15.0	588	1	1	1	33	43	43	43
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
TOT. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	6	12.8	242	1	1	10	12	40	43	43
TOTAL 0-19 YRS	5	9.6	349	<1	<1	1	12	43	43	43
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	8	10.0	200	<1	<1	5	11	34	43	43

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	5.8	4	2	3	6	8	8	8	8
20-34	39	7.7	34	1	2	7	8	12	18	35
35-49	91	6.6	16	1	1	6	9	11	14	22
50-64	160	6.4	22	<1	1	6	8	13	16	22
65+	183	7.8	47	<1	1	7	10	15	19	49
2. MULTIPLE DX										
0-19 YRS	59	14.2	183	4	5	11	16	27	36	87
20-34	120	9.9	48	3	4	8	12	17	22	40
35-49	221	11.3	78	2	4	9	14	21	30	41
50-64	581	11.4	86	2	3	9	14	22	27	55
65+	892	12.4	100	1	3	10	16	24	32	52
TOT. SINGLE DX	486	7.1	31	1	1	6	9	14	17	30
" MULTIPLE DX	1873	11.8	93	2	3	9	15	22	30	52
TOTAL 0-19 YRS	72	12.7	161	4	4	9	14	21	35	82
20-34	159	9.3	45	2	4	7	11	16	21	39
35-49	312	9.9	65	2	3	8	12	17	26	38
50-64	741	10.3	77	1	2	8	13	20	24	47
65+	1075	11.6	94	1	2	9	15	23	30	52
GRAND TOTAL	2359	10.9	84	1	2	9	14	21	28	50

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.7	5	4	4	7	8	10	10	10
20-34	4	8.5	19	6	6	7	11	15	15	15
35-49	30	10.0	13	6	6	9	12	15	17	21
50-64	97	10.9	28	6	6	9	12	17	23	33
65+	92	11.8	25	7	7	10	14	18	21	34
2. MULTIPLE DX										
0-19 YRS	7	20.4	985	1	2	10	14	76	91	91
20-34	16	14.4	150	6	7	11	14	25	47	56
35-49	74	14.3	119	5	7	10	16	23	44	57
50-64	381	13.7	77	7	7	11	16	22	27	55
65+	415	15.2	72	7	8	13	18	25	30	57
TOT. SINGLE DX	230	11.0	25	6	7	10	13	17	21	31
" MULTIPLE DX	893	14.5	87	7	7	12	17	24	29	57
TOTAL 0-19 YRS	14	13.6	508	2	3	8	10	23	76	91
20-34	20	13.2	127	5	6	10	14	23	41	56
35-49	104	13.1	92	6	7	10	15	21	33	55
50-64	478	13.1	69	6	7	11	15	22	27	53
65+	507	14.6	66	7	8	12	17	24	29	51
GRAND TOTAL	1123	13.8	76	7	7	11	16	23	28	54

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	179	2.8	42	<1	<1	1	2	5	7	42
20-34	59	5.0	43	<1	1	4	6	11	13	43
35-49	59	5.3	28	<1	<1	3	7	11	16	26
50-64	152	4.3	23	<1	<1	2	6	9	13	32
65+	153	5.2	37	<1	<1	2	6	12	19	39
2. MULTIPLE DX										
0-19 YRS	199	7.6	75	<1	1	5	10	20	23	46
20-34	125	9.7	80	1	2	7	14	23	28	70
35-49	246	8.7	57	1	2	7	13	19	24	36
50-64	678	8.9	74	1	2	7	12	18	26	55
65+	1207	12.8	130	1	2	9	16	27	37	63
TOT. SINGLE DX	602	4.3	36	<1	<1	2	5	10	14	32
" MULTIPLE DX	2455	10.6	105	1	2	8	14	23	32	57
TOTAL 0-19 YRS	378	5.3	66	<1	1	2	6	14	21	47
20-34	184	8.2	73	1	2	6	11	17	27	55
35-49	305	8.0	54	<1	2	6	11	18	24	33
50-64	830	8.0	69	1	2	6	11	17	24	52
65+	1360	11.7	126	1	2	9	16	26	35	62
GRAND TOTAL	3057	9.4	98	1	1	6	13	21	29	55

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	5.0	20	1	1	4	6	12	16	16
20-34	31	4.5	4	2	3	4	5	7	7	11
35-49	20	6.8	25	1	2	6	8	13	19	22
50-64	15	5.2	16	1	1	4	8	11	13	14
65+	6	5.3	4	2	2	5	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	25	7.6	69	2	2	5	9	27	50	99+
20-34	47	8.3	40	2	3	7	10	17	27	34
35-49	24	11.4	68	2	4	9	14	22	31	37
50-64	42	14.6	160	3	3	11	19	32	42	59
65+	74	11.8	83	2	3	9	17	26	29	42
TOT. SINGLE DX	83	5.3	14	1	2	4	7	9	13	20
" MULTIPLE DX	212	11.1	90	2	3	8	16	23	32	53
TOTAL 0-19 YRS	36	6.8	55	1	2	5	8	16	34	99+
20-34	78	6.8	30	2	3	5	8	13	19	31
35-49	44	9.3	53	1	3	7	11	18	24	37
50-64	57	12.2	139	1	2	9	17	26	35	58
65+	80	11.3	80	2	2	9	16	25	28	41
GRAND TOTAL	295	9.4	75	2	2	7	13	21	28	47

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	5.4	13	2	2	5	7	10	13	20
20-34	295	5.1	13	2	2	4	6	10	13	18
35-49	126	6.1	20	2	2	5	7	11	17	23
50-64	71	7.9	48	2	3	6	9	14	17	45
65+	75	8.7	49	2	3	7	10	16	23	40
2. MULTIPLE DX										
0-19 YRS	222	13.1	241	3	3	7	15	27	58	82
20-34	357	8.6	77	2	3	6	10	17	21	61
35-49	308	9.7	95	2	3	7	11	18	26	54
50-64	493	12.2	147	3	4	9	14	27	37	87
65+	782	13.4	142	3	4	10	17	28	38	60
TOT. SINGLE DX	661	6.0	24	2	2	5	7	11	15	25
" MULTIPLE DX	2162	11.8	140	3	3	8	14	25	35	67
TOTAL 0-19 YRS	316	10.8	185	2	3	6	12	22	41	77
20-34	652	7.0	51	2	2	5	8	14	18	42
35-49	434	8.6	77	2	3	6	10	16	23	51
50-64	564	11.7	137	3	3	8	14	26	34	82
65+	857	13.0	136	3	4	9	16	28	37	59
GRAND TOTAL	**2823**	**10.4**	**118**	**2**	**3**	**7**	**12**	**21**	**31**	**62**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	5.0	6	<1	1	5	7	8	9	12
20-34	102	5.1	15	1	1	5	6	10	13	20
35-49	71	5.5	20	1	1	4	8	12	16	17
50-64	98	4.7	12	<1	1	4	6	11	12	15
65+	81	6.0	29	1	1	4	9	12	17	29
2. MULTIPLE DX										
0-19 YRS	64	11.2	175	1	3	7	13	20	34	76
20-34	116	9.6	56	1	3	8	12	18	24	44
35-49	137	9.6	75	1	1	7	13	21	26	41
50-64	401	9.6	90	1	2	7	13	21	26	37
65+	513	11.4	102	1	2	8	15	26	34	47
TOT. SINGLE DX	423	5.2	17	1	1	5	7	10	13	18
" MULTIPLE DX	1231	10.4	96	1	2	8	14	22	30	47
TOTAL 0-19 YRS	135	8.0	95	1	1	6	8	15	19	70
20-34	218	7.5	43	1	2	6	10	15	19	32
35-49	208	8.2	60	1	1	7	10	17	22	38
50-64	499	8.6	79	1	2	6	12	19	25	36
65+	594	10.7	96	1	2	8	14	24	32	47
GRAND TOTAL	**1654**	**9.1**	**81**	**1**	**2**	**6**	**12**	**19**	**26**	**42**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	7.5	6	4	5	7	8	10	12	18
20-34	31	8.7	6	5	6	8	11	13	14	14
35-49	40	10.4	14	6	7	9	12	14	18	26
50-64	84	10.6	23	3	6	10	13	17	20	26
65+	39	12.3	11	8	9	11	14	18	18	22
2. MULTIPLE DX										
0-19 YRS	373	11.3	74	5	6	9	12	18	30	59
20-34	119	13.0	91	2	7	10	15	22	32	55
35-49	208	13.3	71	7	8	11	14	22	30	75
50-64	499	16.0	116	8	9	13	17	26	36	63
65+	546	18.4	104	9	9	16	22	32	41	77
TOT. SINGLE DX	354	9.2	15	5	6	8	11	14	17	22
" MULTIPLE DX	1745	15.2	104	7	8	12	17	27	36	68
TOTAL 0-19 YRS	533	10.1	57	5	6	8	11	16	22	49
20-34	150	12.1	77	3	6	10	14	20	30	47
35-49	248	12.8	64	7	8	11	14	21	30	58
50-64	583	15.2	106	7	8	12	16	25	34	60
65+	585	18.0	101	9	9	15	21	31	41	75
GRAND TOTAL	**2099**	**14.2**	**94**	**6**	**7**	**11**	**16**	**25**	**34**	**61**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34	1	11.0		11	11	11	11	11	11	11
35-49	107	9.1	8	6	6	8	10	13	15	21
50-64	383	9.9	12	6	7	9	11	14	16	25
65+	191	10.9	17	7	8	10	12	15	20	29
2. MULTIPLE DX										
0-19 YRS	8	12.4	14	7	8	12	14	18	19	19
20-34	44	16.2	369	7	8	11	13	23	81	89
35-49	915	10.8	31	6	7	9	12	15	18	38
50-64	3741	12.2	39	7	8	11	14	18	23	39
65+	2857	15.1	80	8	8	12	17	24	31	54
TOT. SINGLE DX	684	10.1	13	6	7	9	11	14	17	26
" MULTIPLE DX	7565	13.2	58	7	8	11	15	21	26	46
TOTAL 0-19 YRS	10	12.6	14	7	8	12	16	18	19	19
20-34	45	16.1	361	7	8	11	13	22	81	89
35-49	1022	10.6	30	6	7	9	12	15	18	35
50-64	4124	12.0	38	7	8	10	14	18	23	38
65+	3048	14.8	77	8	8	12	17	24	30	53
GRAND TOTAL	**8249**	**12.9**	**55**	**7**	**8**	**11**	**14**	**20**	**26**	**45**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	338	1.4		<1	<1	1	2	2	2	4
20-34	132	2.8	12	1	1	2	2	5	8	22
35-49	787	2.4	4	1	1	2	2	4	7	12
50-64	1628	2.4	8	1	1	2	2	4	7	13
65+	807	2.5	6	1	1	2	2	5	8	13
2. MULTIPLE DX										
0-19 YRS	615	2.4	18	<1	<1	1	2	4	8	23
20-34	320	3.9	17	1	1	2	4	9	11	24
35-49	2932	3.7	17	1	1	2	4	9	12	18
50-64	8187	3.8	18	1	1	2	4	9	12	22
65+	5574	5.0	36	1	1	2	6	11	16	28
TOT. SINGLE DX	3692	2.3	7	1	1	2	2	4	7	13
" MULTIPLE DX	17628	4.1	25	1	1	2	5	10	13	23
TOTAL 0-19 YRS	953	2.0	12	<1	<1	1	2	2	6	17
20-34	452	3.5	16	1	1	2	4	8	11	23
35-49	3719	3.5	15	1	1	2	4	8	11	17
50-64	9815	3.6	17	1	1	2	4	8	11	20
65+	6381	4.7	34	1	1	2	6	11	15	27
GRAND TOTAL	21320	3.8	22	1	1	2	4	9	12	22

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.6	3	3	3	4	6	7	8	8
20-34	13	5.5	8	2	2	5	7	10	11	11
35-49	30	3.8	5	1	1	3	5	8	9	10
50-64	121	4.3	15	<1	1	3	5	10	13	18
65+	536	4.4	10	1	1	3	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	24	5.5	21	1	2	4	6	12	16	20
20-34	46	7.7	108	1	1	4	10	16	23	63
35-49	141	8.1	51	1	2	6	11	16	22	33
50-64	767	9.1	79	2	2	7	11	18	23	45
65+	4142	9.5	68	2	3	7	12	19	24	42
TOT. SINGLE DX	708	4.4	11	1	1	3	6	9	12	17
" MULTIPLE DX	5120	9.4	70	2	2	7	12	18	24	42
TOTAL 0-19 YRS	32	5.3	17	1	2	4	6	11	15	20
20-34	59	7.2	87	1	1	5	9	14	19	60
35-49	171	7.3	46	1	2	5	10	14	19	32
50-64	888	8.5	73	1	2	6	11	16	22	42
65+	4678	8.9	64	2	2	7	11	18	23	40
GRAND TOTAL	5828	8.8	65	2	2	7	11	18	23	40

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	7.0	23	1	2	6	8	14	19	21
20-34	19	6.2	36	1	1	4	8	12	21	27
35-49	52	4.1	7	1	2	3	6	8	10	12
50-64	131	3.8	7	1	1	3	4	8	10	13
65+	47	5.1	17	2	2	3	7	10	18	18
2. MULTIPLE DX										
0-19 YRS	49	10.8	114	1	2	8	13	23	37	53
20-34	59	10.0	70	1	2	8	13	22	29	41
35-49	286	5.9	38	1	2	3	7	12	21	31
50-64	705	6.9	48	2	2	4	9	14	19	35
65+	473	9.1	78	2	2	6	12	20	28	50
TOT. SINGLE DX	274	4.6	14	1	2	3	6	9	12	19
" MULTIPLE DX	1572	7.6	60	2	2	5	10	16	22	42
TOTAL 0-19 YRS	74	9.5	86	1	2	7	11	21	25	51
20-34	78	9.1	65	1	2	7	12	20	28	38
35-49	338	5.6	34	1	2	3	7	12	20	28
50-64	836	6.4	43	1	2	4	9	13	18	31
65+	520	8.8	75	2	2	6	12	19	26	46
GRAND TOTAL	1846	7.2	55	2	2	4	9	15	21	40

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	3.4	58	<1	<1	2	3	7	12	31
20-34	86	3.1	11	<1	<1	1	4	9	11	17
35-49	94	3.4	15	<1	<1	1	5	10	13	17
50-64	109	3.3	15	<1	<1	1	4	8	12	20
65+	139	4.7	36	<1	1	2	5	10	17	33
2. MULTIPLE DX										
0-19 YRS	292	5.9	46	<1	1	4	7	15	21	48
20-34	167	7.9	54	1	1	6	10	18	23	38
35-49	277	8.3	51	1	1	7	11	17	21	39
50-64	733	8.5	82	1	1	6	11	18	25	51
65+	1806	10.7	78	1	2	9	15	22	27	42
TOT. SINGLE DX	617	3.6	33	<1	<1	2	4	9	13	27
" MULTIPLE DX	3275	9.5	75	1	2	7	13	20	26	42
TOTAL 0-19 YRS	481	4.9	53	<1	<1	2	5	12	19	39
20-34	253	6.3	45	<1	1	4	8	15	20	36
35-49	371	7.1	47	<1	1	5	10	16	20	33
50-64	842	7.8	77	1	1	5	10	17	24	44
65+	1945	10.3	78	1	2	8	14	21	27	41
GRAND TOTAL	3892	8.5	73	1	1	6	12	19	24	41

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.7	2	<1	<1	2	3	5	6	6
20-34	357	2.9	1	1	1	3	4	4	5	7
35-49	495	3.1	3	1	1	3	4	5	6	10
50-64	391	3.4	2	1	2	3	4	5	6	9
65+	116	3.9	4	1	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	83	3.6	5	1	1	3	4	6	8	12
35-49	200	4.3	31	1	2	3	5	7	9	17
50-64	214	5.3	49	2	2	4	5	10	13	24
65+	137	8.6	73	2	2	5	11	22	28	56
TOT. SINGLE DX	1369	3.2	3	1	1	3	4	5	6	9
" MULTIPLE DX	635	5.5	46	1	2	4	5	11	16	34
TOTAL 0-19 YRS	11	2.5	2	<1	<1	2	3	5	6	6
20-34	440	3.0	2	1	1	3	4	5	5	9
35-49	695	3.4	12	1	1	3	4	5	7	12
50-64	605	4.0	20	1	2	3	4	6	8	19
65+	253	6.5	47	1	2	4	6	15	22	36
GRAND TOTAL	**2004**	**3.9**	**18**	**1**	**1**	**3**	**4**	**6**	**8**	**22**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.5	23	1	2	6	8	15	17	17
20-34	26	4.1	8	<1	2	3	4	10	11	11
35-49	52	6.2	28	<1	1	6	8	11	12	35
50-64	230	7.0	12	2	2	7	9	11	13	17
65+	229	9.0	34	2	4	8	11	15	18	31
2. MULTIPLE DX										
0-19 YRS	73	11.9	105	4	5	9	13	26	53	99+
20-34	112	11.3	172	2	2	8	13	24	43	92
35-49	331	10.7	77	2	2	9	14	22	26	41
50-64	1274	12.8	125	3	5	10	14	23	32	71
65+	1966	15.6	158	4	6	12	18	30	43	74
TOT. SINGLE DX	548	7.6	25	2	2	7	10	13	15	28
" MULTIPLE DX	3756	14.0	143	3	5	11	16	27	38	73
TOTAL 0-19 YRS	84	11.2	98	3	4	9	13	25	42	99+
20-34	138	10.0	150	1	2	7	11	20	41	88
35-49	383	10.1	73	1	2	8	13	20	26	38
50-64	1504	12.0	112	3	4	9	13	21	30	65
65+	2195	14.9	150	4	6	11	17	29	41	72
GRAND TOTAL	**4304**	**13.2**	**132**	**3**	**4**	**10**	**15**	**25**	**36**	**69**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	11.0		11	11	11	11	11	11	11
50-64	2	10.0	2	9	9	10	11	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	2	17.5	25	14	14	17	21	21	21	21
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	10.1	6	8	8	10	12	14	15	15
50-64	22	13.5	28	8	8	12	15	21	27	27
65+	9	23.0	308	6	8	18	28	53	56	56
TOT. SINGLE DX	4	9.3	6	6	6	10	11	11	11	11
" MULTIPLE DX	42	14.8	102	7	8	12	17	23	36	56
TOTAL 0-19 YRS	2	17.5	25	14	14	17	21	21	21	21
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	9	10.2	6	8	8	11	11	14	15	15
50-64	24	13.2	27	8	8	12	15	19	27	27
65+	9	23.0	308	6	8	18	28	53	56	56
GRAND TOTAL	**46**	**14.3**	**95**	**6**	**8**	**12**	**15**	**21**	**32**	**56**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	1.7	1	<1	<1	<1	2	4	5	5
35-49	23	2.8	6	<1	<1	2	4	7	9	11
50-64	15	4.1	8	<1	1	4	6	9	9	9
65+	9	5.9	8	1	2	5	7	10	12	12
2. MULTIPLE DX										
0-19 YRS	43	7.5	101	1	1	4	7	15	27	56
20-34	376	5.9	48	1	1	4	7	13	20	35
35-49	420	6.0	59	1	1	4	7	12	16	42
50-64	775	7.3	81	1	1	5	8	15	22	51
65+	776	7.4	60	1	2	5	9	15	22	38
TOT. SINGLE DX	63	3.3	8	<1	<1	2	5	7	9	12
" MULTIPLE DX	2390	6.9	66	1	1	5	8	14	21	41
TOTAL 0-19 YRS	44	7.4	100	1	2	4	7	15	26	56
20-34	391	5.7	47	<1	1	4	6	12	19	35
35-49	443	5.8	57	1	1	4	7	12	15	40
50-64	790	7.2	81	1	1	5	8	14	21	50
65+	785	7.4	60	1	2	5	9	15	22	38
GRAND TOTAL	**2453**	**6.8**	**65**	**1**	**1**	**5**	**8**	**14**	**21**	**41**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	5.4	18	1	2	5	6	9	11	18
20-34	181	3.8	18	<1	1	2	5	9	13	29
35-49	217	5.2	29	<1	<1	3	6	11	15	28
50-64	601	6.0	23	1	2	5	8	10	13	27
65+	948	6.4	22	1	2	5	8	12	14	23
2. MULTIPLE DX										
0-19 YRS	2774	16.2	331	2	3	9	21	44	66	99+
20-34	552	9.4	137	1	1	5	12	24	34	79
35-49	854	9.3	114	1	1	6	11	21	28	66
50-64	3337	10.2	122	1	2	7	12	21	31	65
65+	6437	11.4	124	2	3	8	14	23	33	66
TOT. SINGLE DX	2196	5.8	23	1	1	5	7	11	14	24
" MULTIPLE DX	13954	11.9	170	2	3	8	14	26	40	83
TOTAL 0-19 YRS	3023	15.3	314	1	2	8	20	42	62	99+
20-34	733	8.0	114	1	1	4	10	20	31	77
35-49	1071	8.5	100	1	1	5	11	19	26	57
50-64	3938	9.5	109	1	2	7	11	19	29	62
65+	7385	10.8	114	2	3	8	13	21	31	63
GRAND TOTAL	16150	11.0	154	1	2	7	13	24	37	78

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	264	2.5	11	<1	<1	1	3	5	7	12
20-34	236	2.8	12	<1	<1	2	3	6	9	20
35-49	190	2.8	7	<1	<1	2	3	6	8	15
50-64	236	3.8	17	<1	<1	2	5	8	13	19
65+	197	4.6	34	<1	1	3	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	131	4.4	23	<1	<1	3	5	10	15	27
20-34	187	6.6	43	<1	1	5	8	13	18	39
35-49	237	6.0	53	<1	<1	3	8	13	21	38
50-64	510	7.1	57	1	1	5	9	16	22	37
65+	663	8.7	72	1	1	6	11	18	27	40
TOT. SINGLE DX	1123	3.2	17	<1	<1	2	4	7	10	17
" MULTIPLE DX	1728	7.3	60	<1	1	5	9	17	23	39
TOTAL 0-19 YRS	395	3.1	17	<1	<1	2	4	7	9	20
20-34	423	4.5	30	<1	<1	2	6	10	14	28
35-49	427	4.6	36	<1	<1	2	5	10	16	31
50-64	746	6.0	47	<1	1	4	8	14	19	35
65+	860	7.7	67	<1	1	5	10	17	24	40
GRAND TOTAL	2851	5.7	47	<1	<1	3	7	13	18	35

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	3.1	5	1	1	2	4	7	9	9
20-34	37	4.2	9	<1	<1	4	6	8	10	11
35-49	30	4.3	8	<1	1	3	7	9	9	10
50-64	51	7.8	66	2	3	6	8	11	21	57
65+	45	6.0	15	1	2	5	8	11	15	19
2. MULTIPLE DX										
0-19 YRS	8	5.1	12	<1	<1	4	8	10	10	10
20-34	77	7.3	12	2	3	7	9	12	13	19
35-49	70	7.5	26	2	2	6	10	14	16	27
50-64	160	8.9	79	2	3	6	10	17	23	58
65+	179	11.1	106	2	3	8	13	24	30	61
TOT. SINGLE DX	176	5.6	29	1	1	5	7	10	11	24
" MULTIPLE DX	494	9.2	73	2	3	7	10	18	24	48
TOTAL 0-19 YRS	21	3.9	9	<1	1	3	5	9	10	10
20-34	114	6.3	14	1	1	6	9	11	12	18
35-49	100	6.6	23	1	2	6	9	12	15	26
50-64	211	8.6	76	2	3	6	10	16	22	59
65+	224	10.1	92	2	3	7	11	22	28	55
GRAND TOTAL	670	8.3	64	1	2	6	9	16	22	42

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	2	6.5	5	5	5	6	8	8	8	8
" MULTIPLE DX	3	4.3	10	2	2	3	7	8	8	8
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	5	5.2	8	2	2	5	8	8	8	8

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5	29.8	257	2	2	35	38	43	43	43
20-34	1	30.0		30	30	30	30	30	30	30
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	6	29.8	206	2	5	33	37	42	43	43
TOTAL 0-19 YRS	5	29.8	258	2	2	35	38	43	43	43
20-34	1	30.0		30	30	30	30	30	30	30
35-49										
50-64										
65+										
GRAND TOTAL	**6**	**29.8**	**206**	**2**	**5**	**33**	**37**	**42**	**43**	**43**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	5.2	16	<1	1	5	7	10	13	21
20-34	184	7.1	45	1	2	6	7	10	21	38
35-49	109	7.7	82	1	1	6	8	12	30	51
50-64	114	7.1	83	1	2	5	8	12	20	54
65+	169	7.7	51	1	1	6	9	15	23	38
2. MULTIPLE DX										
0-19 YRS	410	9.4	119	<1	1	6	10	22	32	65
20-34	448	10.6	92	3	4	8	12	22	30	61
35-49	420	12.4	162	2	2	8	15	29	40	75
50-64	868	10.9	87	2	3	8	13	23	29	45
65+	2215	12.1	118	2	3	9	15	23	32	57
TOT. SINGLE DX	805	6.8	50	1	1	5	8	12	18	39
" MULTIPLE DX	4361	11.5	115	2	3	8	14	23	32	57
TOTAL 0-19 YRS	639	7.9	86	<1	1	6	9	17	25	57
20-34	632	9.6	82	2	3	7	10	20	28	58
35-49	529	11.4	150	1	2	7	13	27	38	63
50-64	982	10.4	89	2	3	8	13	22	29	45
65+	2384	11.8	115	2	3	9	15	23	32	56
GRAND TOTAL	**5166**	**10.7**	**108**	**2**	**3**	**8**	**13**	**22**	**31**	**56**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	9.3	118	1	1	5	9	26	36	43
20-34	48	6.6	59	1	1	4	8	17	21	35
35-49	36	9.4	119	1	1	5	12	27	30	49
50-64	51	6.7	88	<1	1	4	6	16	25	50
65+	42	8.5	191	<1	1	4	10	19	23	86
2. MULTIPLE DX										
0-19 YRS	191	14.7	268	1	2	8	22	43	58	99+
20-34	187	12.7	154	1	2	8	17	33	40	57
35-49	268	13.0	187	1	2	8	17	34	38	62
50-64	460	12.1	162	1	2	7	16	30	40	61
65+	568	14.9	182	1	3	10	20	34	44	63
TOT. SINGLE DX	249	8.1	113	1	1	4	9	22	29	49
" MULTIPLE DX	1674	13.6	185	1	2	9	18	33	43	65
TOTAL 0-19 YRS	263	13.2	233	1	2	7	20	38	55	95
20-34	235	11.4	141	1	2	7	16	31	37	52
35-49	304	12.6	181	1	1	8	17	32	38	61
50-64	511	11.6	157	1	1	7	15	29	39	60
65+	610	14.4	185	1	2	10	20	33	44	63
GRAND TOTAL	**1923**	**12.8**	**179**	**1**	**2**	**8**	**17**	**32**	**42**	**63**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.8	18	<1	<1	2	6	9	14	18
20-34	55	4.3	14	<1	<1	3	7	10	11	17
35-49	52	3.8	12	<1	<1	3	5	8	10	18
50-64	86	3.3	7	<1	<1	2	5	7	8	12
65+	136	4.2	22	<1	<1	2	6	10	13	28
2. MULTIPLE DX										
0-19 YRS	99	6.0	161	<1	<1	2	5	13	19	86
20-34	119	9.2	122	<1	1	6	11	23	31	59
35-49	230	7.4	54	1	1	5	10	17	25	61
50-64	545	8.1	68	1	1	6	11	17	22	44
65+	1047	9.3	78	1	2	7	12	20	27	45
TOT. SINGLE DX	367	3.9	16	<1	<1	2	6	9	11	18
" MULTIPLE DX	2040	8.6	80	1	1	6	11	18	25	43
TOTAL 0-19 YRS	137	5.4	123	<1	<1	2	5	13	18	84
20-34	174	7.6	93	<1	1	5	9	17	27	53
35-49	262	6.7	49	1	1	5	8	16	21	49
50-64	631	7.5	63	1	1	5	10	16	21	42
65+	1183	8.7	75	<1	1	6	11	18	26	44
GRAND TOTAL	**2407**	**7.9**	**73**	**<1**	**1**	**6**	**10**	**17**	**24**	**45**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	362	3.1	1	1	2	3	4	5	6	8
20-34	6	8.2	17	3	3	8	11	14	14	14
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	5	8.6	4	6	6	9	10	11	11	11
65+	4	9.3	6	8	8	8	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	111	4.9	21	2	2	4	5	8	13	28
20-34	6	7.2	7	3	3	8	9	10	10	10
35-49	4	17.5	200	6	6	13	26	38	38	38
50-64	14	13.3	31	6	8	12	16	21	26	26
65+	41	23.7	236	7	8	19	32	47	57	62
TOT. SINGLE DX	380	3.3	3	1	2	3	4	5	7	11
" MULTIPLE DX	176	10.3	136	2	2	5	12	28	37	58
TOTAL 0-19 YRS	473	3.5	7	2	2	3	4	5	7	14
20-34	12	7.7	12	3	3	8	10	12	14	14
35-49	7	11.9	150	3	3	6	14	33	38	38
50-64	19	12.1	29	6	7	10	15	20	24	26
65+	45	22.4	233	7	8	17	31	45	57	62
GRAND TOTAL	556	5.5	96	2	2	3	5	11	18	44

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	9	1	1	2	5	8	8	8
20-34	1	14.0		14	14	14	14	14	14	14
35-49										
50-64	8	9.3	59	4	4	6	11	22	27	27
65+	15	8.9	53	1	1	6	13	20	24	26
2. MULTIPLE DX										
0-19 YRS	36	20.4	589	3	4	13	52	99+	99+	99+
20-34	19	23.6	523	1	3	17	40	50	73	90
35-49	28	29.3	430	5	7	20	48	60	65	80
50-64	72	21.2	295	3	5	18	28	40	61	78
65+	320	22.4	282	3	7	18	29	45	56	91
TOT. SINGLE DX	28	8.4	49	1	1	6	11	19	26	27
" MULTIPLE DX	475	22.5	326	3	6	18	29	50	64	99+
TOTAL 0-19 YRS	40	18.7	556	2	3	10	44	99+	99+	99+
20-34	20	23.2	500	1	3	16	35	49	71	90
35-49	28	29.3	431	5	7	20	48	60	65	80
50-64	80	20.0	284	3	5	16	28	39	57	78
65+	335	21.8	280	2	6	17	28	44	55	89
GRAND TOTAL	503	21.8	321	3	5	17	28	48	62	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	31	2	2	3	6	15	15	15
20-34	35	5.7	20	1	2	4	7	11	17	21
35-49	72	4.0	7	<1	1	3	5	8	11	14
50-64	93	5.9	25	<1	<1	4	7	10	14	31
65+	134	5.7	13	2	2	5	7	10	13	17
2. MULTIPLE DX										
0-19 YRS	29	9.0	288	1	1	6	8	16	31	92
20-34	148	6.0	34	1	1	4	8	11	15	31
35-49	333	7.2	55	2	2	5	9	12	16	39
50-64	672	7.8	52	2	3	6	9	14	20	42
65+	1810	9.6	73	2	3	7	12	19	25	44
TOT. SINGLE DX	339	5.3	17	<1	2	4	7	10	12	22
" MULTIPLE DX	2992	8.8	68	2	3	7	10	17	23	43
TOTAL 0-19 YRS	34	8.4	251	1	1	5	7	15	26	92
20-34	183	6.0	31	1	2	4	7	11	16	30
35-49	405	6.6	49	1	2	5	8	12	16	38
50-64	765	7.5	50	1	2	6	9	13	19	42
65+	1944	9.4	70	2	3	7	11	18	24	43
GRAND TOTAL	3331	8.4	64	2	2	6	10	16	22	42

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.0	18							
20-34	34	8.4	11							
35-49	77	10.2	30							
50-64	100	10.1	8							
65+	82	12.4	21							
2. MULTIPLE DX										
0-19 YRS	1	6.0								
20-34	57	13.8	80							
35-49	180	13.9	75							
50-64	329	16.2	131							
65+	562	19.2	152							
TOT. SINGLE DX	295	10.5	17							
" MULTIPLE DX	1129	17.2	134							
TOTAL 0-19 YRS	3	6.0	9							
20-34	91	11.8	62							
35-49	257	12.8	62							
50-64	429	14.8	109							
65+	644	18.3	141							
GRAND TOTAL	1424	15.8	117	7	8	12	18	28	38	72

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	11.0	8							
35-49	3	14.7	17							
50-64	10	13.9	7							
65+	8	15.3	40							
2. MULTIPLE DX										
0-19 YRS										
20-34	6	22.2	141							
35-49	10	18.6	168							
50-64	51	20.4	233							
65+	97	26.2	232							
TOT. SINGLE DX	23	14.2	19							
" MULTIPLE DX	164	23.8	231							
TOTAL 0-19 YRS										
20-34	8	19.4	129							
35-49	13	17.7	132							
50-64	61	19.3	202							
65+	105	25.4	226							
GRAND TOTAL	187	22.6	219	9	11	18	25	45	60	99

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0								
20-34	32	6.2	5							
35-49	47	8.9	19							
50-64	58	9.9	14							
65+	59	10.9	10							
2. MULTIPLE DX										
0-19 YRS	1	7.0								
20-34	45	12.3	70							
35-49	93	11.8	53							
50-64	132	14.4	87							
65+	182	19.1	142							
TOT. SINGLE DX	195	9.4	14							
" MULTIPLE DX	453	15.5	110							
TOTAL 0-19 YRS	2	7.0								
20-34	77	10.6	47							
35-49	140	10.8	43							
50-64	190	12.1	69							
65+	209	18.0	133							
GRAND TOTAL	618	13.9	91	6	7	11	16	25	35	57

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	6.6	61							
20-34	164	7.5	15							
35-49	181	7.8	16							
50-64	85	8.1	14							
65+	75	10.9	54							
2. MULTIPLE DX										
0-19 YRS	115	14.5	281							
20-34	353	8.8	27							
35-49	540	10.2	71							
50-64	438	11.4	120							
65+	586	18.0	166							
TOT. SINGLE DX	541	8.0	29							
" MULTIPLE DX	2052	13.1	126							
TOTAL 0-19 YRS	151	12.6	240							
20-34	517	8.4	24							
35-49	721	9.5	59							
50-64	523	12.5	107							
65+	661	17.2	159							
GRAND TOTAL	2593	12.0	109	5	5	9	13	23	31	68

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	4.7	16	<1	1	3	6	10	13	21
20-34	125	5.6	20	<1	1	5	7	11	12	23
35-49	158	4.5	9	<1	<1	4	6	9	10	14
50-64	203	3.8	12	<1	<1	3	5	9	10	15
65+	227	3.6	9	<1	<1	2	6	9	10	12
2. MULTIPLE DX										
0-19 YRS	124	6.9	35	1	2	5	9	12	16	38
20-34	281	7.6	58	1	2	5	9	16	22	44
35-49	404	6.4	37	<1	1	5	8	11	16	36
50-64	800	7.4	68	1	1	5	9	15	22	42
65+	1895	8.8	33	1	1	7	11	17	25	50
TOT. SINGLE DX	811	4.3	13	<1	<1	3	6	9	11	16
" MULTIPLE DX	3504	8.0	72	1	1	6	10	16	23	45
TOTAL 0-19 YRS	222	5.9	28	<1	1	5	8	11	15	28
20-34	406	7.0	48	1	1	5	8	14	19	41
35-49	562	5.8	30	<1	1	5	8	11	14	30
50-64	1003	6.7	59	<1	1	5	8	14	20	38
65+	2122	8.2	78	1	1	6	10	16	23	47
GRAND TOTAL	4315	7.3	63	<1	1	5	9	15	21	42

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	8.9	21	4	5	8	10	14	19	25
20-34	29	9.9	14	5	6	9	12	15	17	20
35-49	35	10.1	21	4	5	9	11	17	22	23
50-64	25	10.6	22	5	7	10	11	18	20	24
65+	35	13.4	62	6	7	12	17	20	23	49
2. MULTIPLE DX										
0-19 YRS	74	17.4	266	5	6	11	24	51	73	99+
20-34	111	13.3	81	6	6	10	16	26	31	47
35-49	133	15.0	194	5	6	10	17	36	49	99+
50-64	220	17.3	178	6	8	12	21	33	42	86
65+	475	18.7	160	7	8	15	22	37	49	95
TOT. SINGLE DX	148	10.7	32	5	6	9	13	17	21	25
" MULTIPLE DX	1013	17.2	171	6	7	13	21	35	48	99+
TOTAL 0-19 YRS	98	15.3	219	5	6	9	19	45	69	99+
20-34	140	12.6	69	5	6	10	15	23	30	42
35-49	168	14.0	162	5	6	10	15	26	44	98
50-64	245	16.7	167	6	7	12	20	31	40	83
65+	510	18.4	156	7	8	15	22	36	48	89
GRAND TOTAL	1161	16.4	158	6	7	12	20	34	45	92

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	7.6	8	4	4	7	9	12	14	15
20-34	80	11.0	40	5	6	9	12	19	24	37
35-49	149	9.7	17	6	6	9	11	13	14	28
50-64	357	10.0	12	6	7	9	11	14	17	24
65+	493	11.8	35	7	8	11	13	16	20	28
2. MULTIPLE DX										
0-19 YRS	54	18.9	349	5	6	10	28	45	60	99+
20-34	189	15.0	129	6	7	11	18	33	42	84
35-49	378	13.9	92	6	7	11	15	22	30	60
50-64	1337	13.9	82	7	8	11	16	23	30	55
65+	3299	16.4	98	8	9	14	19	28	36	64
TOT. SINGLE DX	1110	10.8	26	6	7	10	12	15	18	28
" MULTIPLE DX	5257	15.6	99	7	8	13	18	27	35	63
TOTAL 0-19 YRS	85	14.8	253	5	5	9	14	40	55	99
20-34	269	13.8	106	6	6	10	15	29	39	61
35-49	527	12.7	75	6	7	10	14	20	27	56
50-64	1694	13.1	70	7	8	11	14	21	27	53
65+	3792	15.8	92	8	8	13	18	27	34	63
GRAND TOTAL	6367	14.7	89	7	8	12	17	25	33	61

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	8.3	13	5	5	7	11	14	15	15
20-34	6	6.8	11	3	3	6	9	12	12	12
35-49	11	10.8	34	3	4	11	12	19	24	25
50-64	16	9.5	14	4	5	9	11	16	17	18
65+	21	10.5	12	7	7	10	11	15	19	22
2. MULTIPLE DX										
0-19 YRS	17	11.9	59	4	5	9	17	24	28	29
20-34	21	11.0	17	5	7	9	13	17	19	21
35-49	28	15.7	201	3	6	11	16	24	57	67
50-64	74	15.6	162	6	7	11	17	32	40	75
65+	152	18.5	190	7	8	14	21	35	46	72
TOT. SINGLE DX	65	9.6	17	4	5	9	11	15	17	25
" MULTIPLE DX	292	16.6	168	6	7	13	19	30	45	70
TOTAL 0-19 YRS	28	10.5	43	5	5	8	14	20	25	29
20-34	27	10.1	18	4	5	9	12	17	18	21
35-49	39	14.3	157	3	5	11	15	24	42	67
50-64	90	14.5	141	6	7	10	15	27	39	72
65+	173	17.5	176	7	8	13	20	32	46	71
GRAND TOTAL	357	15.3	148	5	7	12	17	28	39	67

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	6.1	8	2	3	6	8	10	11	17
20-34	89	8.3	65	3	4	7	9	11	12	55
35-49	118	8.7	10	4	5	8	11	14	14	17
50-64	110	8.5	8	4	5	9	10	11	13	20
65+	154	9.0	12	3	5	9	11	13	14	18
2. MULTIPLE DX										
0-19 YRS	180	11.1	147	3	4	7	12	23	33	99
20-34	192	11.5	124	4	5	8	12	19	28	71
35-49	244	11.8	71	5	6	10	13	20	24	67
50-64	415	13.7	129	5	6	10	15	25	38	65
65+	677	14.0	98	5	6	11	16	27	37	56
TOT. SINGLE DX	582	8.2	20	3	4	8	10	12	14	18
" MULTIPLE DX	1708	13.0	112	4	6	10	14	23	36	64
TOTAL 0-19 YRS	291	9.2	101	3	3	7	10	17	25	87
20-34	281	10.5	108	4	5	8	11	17	21	73
35-49	362	10.8	54	5	6	9	12	17	23	49
50-64	525	12.6	109	5	6	10	13	22	33	63
65+	831	13.1	86	5	6	11	14	22	35	56
GRAND TOTAL	**2290**	**11.8**	**93**	**4**	**5**	**9**	**13**	**20**	**30**	**61**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.7	19	7	7	9	13	18	19	19
20-34	6	12.8	35	7	7	12	17	21	21	21
35-49	8	9.1	8	5	6	9	10	14	15	15
50-64	24	13.3	225	6	7	10	12	16	39	82
65+	31	14.6	65	7	8	12	19	25	30	43
2. MULTIPLE DX										
0-19 YRS	30	16.6	238	5	6	10	28	39	72	99+
20-34	26	20.8	352	7	10	14	21	68	80	99+
35-49	54	21.5	323	6	8	15	25	38	74	84
50-64	141	15.7	102	6	7	12	20	29	41	99+
65+	351	21.5	186	8	9	18	27	41	52	76
TOT. SINGLE DX	76	13.1	103	7	7	10	15	21	26	72
" MULTIPLE DX	602	19.9	194	7	8	16	25	38	54	99+
TOTAL 0-19 YRS	37	15.5	201	5	6	10	19	37	61	99+
20-34	32	19.3	300	7	8	14	20	58	76	99+
35-49	62	19.9	299	6	8	14	23	33	67	84
50-64	165	15.4	120	6	7	12	19	28	40	99+
65+	382	21.0	180	8	9	17	26	39	51	75
GRAND TOTAL	**678**	**19.1**	**188**	**7**	**8**	**15**	**24**	**38**	**52**	**94**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5333	3.6	3	2	2	3	4	6	7	11
20-34	3791	3.6	3	2	2	3	4	6	7	10
35-49	1171	4.2	4	2	2	4	5	7	8	11
50-64	502	5.2	6	2	3	5	7	9	10	12
65+	186	6.1	8	3	3	6	8	10	12	14
2. MULTIPLE DX										
0-19 YRS	1568	5.5	15	2	2	4	7	10	13	20
20-34	1421	5.2	10	2	2	4	6	9	11	17
35-49	636	7.0	28	2	3	6	9	12	16	26
50-64	494	8.6	33	3	4	7	11	15	18	31
65+	379	10.4	65	3	4	9	13	18	22	59
TOT. SINGLE DX	10983	3.8	4	2	2	3	4	6	8	11
" MULTIPLE DX	4498	6.4	25	2	3	5	8	12	15	25
TOTAL 0-19 YRS	6901	4.0	7	2	2	3	5	7	9	14
20-34	5212	4.0	6	2	2	3	5	7	8	13
35-49	1807	5.2	15	2	2	4	6	9	11	18
50-64	996	6.9	23	2	3	6	8	12	15	25
65+	565	9.0	50	3	3	8	11	16	20	37
GRAND TOTAL	**15481**	**4.5**	**12**	**2**	**2**	**4**	**5**	**8**	**10**	**17**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	3.5	2	1	2	3	4	6	8	8
20-34	49	3.8	4	1	2	3	5	6	7	13
35-49	7	4.4	3	1	2	4	6	7	7	7
50-64	5	4.0	2	2	2	4	5	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	35	4.9	20	1	2	4	6	8	10	27
20-34	41	5.9	24	2	3	5	6	10	15	30
35-49	12	5.2	7	1	2	5	6	9	12	12
50-64	5	13.8	94	6	6	9	21	29	29	29
65+	2	19.5	313	7	7	19	32	32	32	32
TOT. SINGLE DX	119	3.7	3	1	2	3	4	6	7	10
" MULTIPLE DX	95	6.2	34	1	2	5	7	10	18	31
TOTAL 0-19 YRS	92	4.0	10	1	2	3	5	7	8	20
20-34	90	4.8	14	2	2	4	5	7	10	25
35-49	19	4.9	6	1	2	4	6	7	10	12
50-64	10	8.9	70	2	2	6	9	23	29	29
65+	3	14.3	236	4	4	7	26	32	32	32
GRAND TOTAL	**214**	**4.8**	**18**	**1**	**2**	**4**	**5**	**8**	**10**	**29**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	5.7	9	1	2	5	8	10	12	12
20-34	19	8.1	15	2	3	8	11	14	15	15
35-49	4	5.0	8	2	2	4	7	9	9	9
50-64	3	6.7	16	3	3	6	10	11	11	11
65+	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	10	8.1	29	3	3	6	10	17	19	19
20-34	13	9.4	34	3	4	8	11	18	24	25
35-49	7	11.6	11	7	7	12	14	16	17	17
50-64	9	14.8	131	6	6	11	18	33	42	42
65+	5	21.2	155	10	10	18	27	42	42	42
TOT. SINGLE DX	49	6.6	13	2	3	6	9	12	13	15
" MULTIPLE DX	44	11.9	73	4	4	10	16	20	30	42
TOTAL 0-19 YRS	31	6.5	17	2	3	6	8	12	16	19
20-34	32	8.6	23	3	3	8	11	14	16	25
35-49	11	9.2	21	2	3	9	12	15	17	17
50-64	12	12.8	112	3	5	10	17	26	40	42
65+	7	16.7	162	5	5	14	21	38	42	42
GRAND TOTAL	**93**	**9.1**	**48**	**3**	**3**	**8**	**11**	**17**	**19**	**42**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	2.6	6	<1	<1	2	3	5	7	14
20-34	70	2.9	3	<1	1	2	4	6	7	9
35-49	50	3.8	10	<1	1	3	4	9	11	14
50-64	84	3.4	10	<1	<1	2	4	7	9	17
65+	144	3.5	8	<1	1	3	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	36	6.5	81	1	2	4	7	15	17	53
20-34	66	6.2	47	1	1	4	6	14	23	36
35-49	80	5.7	20	1	1	5	7	12	16	77
50-64	182	7.1	68	1	1	4	9	14	23	51
65+	530	7.9	69	1	2	6	10	16	23	47
TOT. SINGLE DX	411	3.3	8	<1	<1	2	4	7	9	15
" MULTIPLE DX	894	7.4	64	1	2	5	9	15	23	50
TOTAL 0-19 YRS	99	4.0	37	<1	<1	2	4	8	14	36
20-34	136	4.5	27	<1	1	3	5	8	14	29
35-49	130	5.0	18	1	1	4	7	11	14	41
50-64	266	5.9	53	<1	1	3	7	13	17	48
65+	674	7.0	60	1	1	5	9	15	21	45
GRAND TOTAL	**1305**	**6.1**	**50**	**<1**	**1**	**4**	**7**	**13**	**18**	**43**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.6	4	<1	<1	2	3	6	8	9
20-34	127	2.5	2	1	1	2	3	5	6	8
35-49	124	2.8	4	1	1	2	4	5	8	10
50-64	71	3.2	4	1	1	3	4	6	7	12
65+	18	3.4	5	1	2	3	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	20	3.7	4	<1	1	4	5	6	8	10
20-34	102	4.9	22	1	1	4	6	9	12	29
35-49	84	4.4	25	1	1	3	5	9	12	29
50-64	91	6.6	45	1	2	4	8	14	19	39
65+	58	9.4	89	2	3	6	10	23	29	49
TOT. SINGLE DX	362	2.8	4	1	1	2	3	5	7	10
" MULTIPLE DX	355	5.9	42	1	1	4	7	11	19	34
TOTAL 0-19 YRS	42	3.1	5	<1	1	3	4	6	8	10
20-34	229	3.6	13	1	1	2	4	7	9	20
35-49	208	3.5	13	1	1	3	4	6	9	24
50-64	162	5.1	30	1	1	3	6	10	15	33
65+	76	8.0	76	2	2	5	9	20	24	46
GRAND TOTAL	**717**	**4.3**	**25**	**1**	**1**	**3**	**5**	**9**	**12**	**29**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.5	2	6	6	8	9	11	11	11
20-34	9	11.6	8	8	8	12	13	16	17	17
35-49	32	11.5	26	8	8	10	13	16	20	33
50-64	95	11.8	21	7	8	11	13	17	20	31
65+	112	12.0	20	6	8	11	15	18	20	26
2. MULTIPLE DX										
0-19 YRS	33	14.6	172	4	5	9	16	37	46	56
20-34	26	14.9	42	7	9	13	17	26	30	32
35-49	69	13.8	59	7	8	11	16	24	27	47
50-64	295	15.2	76	8	9	13	18	25	30	63
65+	627	17.8	97	8	10	15	21	30	37	69
TOT. SINGLE DX	262	11.7	21	6	8	11	14	17	20	29
" MULTIPLE DX	1050	16.6	92	8	9	14	20	28	36	63
TOTAL 0-19 YRS	47	12.8	128	5	6	9	12	28	44	56
20-34	35	14.0	36	7	9	12	17	22	28	32
35-49	101	13.1	50	7	8	11	14	22	26	45
50-64	390	14.4	65	7	8	12	16	24	27	49
65+	739	16.9	90	8	9	15	20	29	36	63
GRAND TOTAL	**1312**	**15.6**	**82**	**7**	**8**	**13**	**18**	**26**	**33**	**55**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	3.3	14	<1	<1	2	4	7	10	19
20-34	401	4.1	10	<1	1	3	5	8	10	18
35-49	409	3.8	7	<1	1	3	5	8	9	14
50-64	443	4.2	12	<1	<1	3	5	8	11	20
65+	420	4.7	20	<1	<1	4	6	9	12	28
2. MULTIPLE DX										
0-19 YRS	199	5.9	80	<1	1	3	6	11	21	56
20-34	1131	5.5	28	1	2	4	7	10	14	29
35-49	1662	6.2	38	1	2	5	7	11	17	32
50-64	2467	6.7	36	1	2	5	8	13	18	31
65+	4761	8.3	54	2	3	6	10	16	21	39
TOT. SINGLE DX	1788	4.2	13	<1	<1	3	5	8	10	18
" MULTIPLE DX	10220	7.2	46	1	2	5	9	14	19	34
TOTAL 0-19 YRS	314	5.0	58	<1	<1	3	5	9	13	40
20-34	1532	5.1	25	1	1	4	6	10	13	26
35-49	2071	5.7	33	1	2	4	7	10	14	30
50-64	2910	6.3	34	1	2	5	7	12	17	29
65+	5181	8.0	53	1	2	6	10	15	21	38
GRAND TOTAL	**12008**	**6.8**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	1.6	1	<1	<1	1	2	3	4	5
20-34	227	2.6	2	1	1	3	3	4	5	8
35-49	253	2.6	2	1	1	2	3	4	5	8
50-64	161	2.6	1	1	1	2	3	4	5	7
65+	64	3.0	4	1	1	3	4	5	6	14
2. MULTIPLE DX										
0-19 YRS	11	1.9	1	<1	<1	1	3	4	4	4
20-34	168	3.4	7	1	1	3	4	7	9	15
35-49	230	3.5	7	1	1	3	4	6	7	15
50-64	177	3.7	11	1	1	3	4	6	8	17
65+	105	6.1	83	1	2	4	5	12	20	56
TOT. SINGLE DX	749	2.6	3	1	1	2	3	4	5	7
" MULTIPLE DX	691	3.9	21	1	1	3	4	7	9	22
TOTAL 0-19 YRS	55	1.7	1	<1	<1	1	2	3	4	5
20-34	395	3.0	5	1	1	3	3	5	7	13
35-49	483	3.1	5	1	1	3	4	5	7	12
50-64	338	3.1	7	1	1	3	4	5	7	14
65+	169	4.9	55	1	1	3	5	7	15	39
GRAND TOTAL	**1440**	**3.2**	**12**	**1**	**1**	**3**	**4**	**5**	**7**	**15**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	2.1		<1	<1	2	3	3	4	4
20-34	206	2.0	2	<1	<1	2	3	3	4	6
35-49	112	2.2	1	<1	<1	2	3	4	5	8
50-64	64	2.9	3	<1	<1	3	4	5	6	10
65+	28	2.9	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	13	2.5	1	<1	<1	3	3	4	4	4
20-34	153	3.5	8	1	1	3	4	6	8	17
35-49	140	3.5	4	1	1	3	4	6	7	12
50-64	128	4.4	19	1	1	4	5	7	12	24
65+	110	5.8	28	1	1	4	6	11	18	28
TOT. SINGLE DX	428	2.3	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	544	4.2	14	1	1	3	5	7	10	21
TOTAL 0-19 YRS	31	2.3	1	<1	<1	2	3	4	4	4
20-34	359	2.7	5	<1	<1	2	3	5	6	16
35-49	252	2.9	4	<1	1	3	4	5	6	10
50-64	192	3.9	14	<1	1	3	4	6	9	21
65+	138	5.2	24	1	2	4	6	10	17	26
GRAND TOTAL	**972**	**3.3**	**10**	**<1**	**1**	**3**	**4**	**6**	**8**	**19**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.0	3	2	2	4	5	7	7	7
20-34	185	3.8	2	1	2	4	5	6	6	8
35-49	263	3.9	2	1	2	4	5	6	8	9
50-64	197	4.0	3	1	2	4	5	6	7	10
65+	73	3.9	3	1	2	4	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	23	3.7	4	<1	1	4	5	6	8	10
20-34	696	4.3	5	2	2	4	5	7	8	12
35-49	1216	4.5	6	2	2	4	5	7	8	13
50-64	930	4.8	7	2	3	4	6	7	8	18
65+	549	6.1	35	2	3	5	7	10	12	20
TOT. SINGLE DX	723	3.9	3	1	2	4	5	6	7	9
" MULTIPLE DX	3414	4.8	11	2	2	4	6	7	9	15
TOTAL 0-19 YRS	28	3.8	4	1	1	4	5	6	7	10
20-34	881	4.2	5	2	2	4	5	6	7	11
35-49	1479	4.4	6	2	2	4	5	7	8	12
50-64	1127	4.7	7	2	2	4	5	7	8	17
65+	622	5.8	32	2	3	5	7	9	12	19
GRAND TOTAL	**4137**	**4.6**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.4	2	<1	<1	2	3	5	6	7
20-34	171	2.8	3	<1	1	2	4	6	7	9
35-49	162	2.9	6	<1	1	3	4	5	6	13
50-64	88	3.3	23	<1	1	2	4	5	7	32
65+	72	4.0	10	1	1	3	5	8	12	18
2. MULTIPLE DX										
0-19 YRS	62	5.1	29	<1	1	4	6	11	17	28
20-34	167	5.2	103	1	1	3	5	9	13	68
35-49	160	3.6	6	1	1	3	5	7	9	14
50-64	150	5.4	41	1	2	3	6	11	18	33
65+	163	7.7	72	1	2	5	9	18	21	43
TOT. SINGLE DX	529	3.1	9	<1	1	2	4	6	7	13
" MULTIPLE DX	702	5.5	56	1	1	3	6	11	17	35
TOTAL 0-19 YRS	98	4.1	21	<1	<1	3	5	8	13	27
20-34	338	4.0	54	<1	1	3	4	7	9	34
35-49	322	3.3	7	1	1	3	4	6	8	13
50-64	238	4.6	36	1	1	3	5	9	13	34
65+	235	6.6	56	1	2	4	8	14	20	42
GRAND TOTAL	1231	4.4	37	1	1	3	5	8	13	29

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	9.0	19	6	6	7	12	14	14	14
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	6	12.5	26	8	8	11	15	20	21	21
50-64	6	20.3	644	1	1	15	21	64	69	69
65+	2	11.5	61	6	6	11	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	6	18.2	153	8	8	12	34	34	34	34
20-34	13	15.6	314	5	7	10	22	48	63	67
35-49	14	17.3	121	3	5	16	23	31	39	42
50-64	32	19.8	213	1	3	18	26	39	52	58
65+	34	16.6	218	1	3	12	24	38	45	69
TOT. SINGLE DX	19	13.7	218	1	2	9	16	21	47	69
" MULTIPLE DX	99	18.1	205	2	4	15	24	36	49	68
TOTAL 0-19 YRS	9	15.1	122	6	6	11	19	34	34	34
20-34	15	17.0	289	4	5	10	20	43	61	67
35-49	20	15.9	95	4	5	15	21	29	36	42
50-64	38	19.9	266	1	2	18	25	46	56	69
65+	36	16.4	209	1	3	12	23	36	45	69
GRAND TOTAL	118	17.4	208	1	4	14	22	34	49	69

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.5	18	1	1	2	6	10	13	20
20-34	136	3.0	11	<1	1	2	4	7	10	18
35-49	146	2.6	10	<1	<1	1	2	7	11	16
50-64	169	3.2	24	<1	1	1	3	8	12	24
65+	133	3.7	22	1	1	2	4	11	13	21
2. MULTIPLE DX										
0-19 YRS	97	10.3	128	1	2	7	13	20	35	86
20-34	249	8.7	119	1	1	6	10	18	25	77
35-49	391	6.8	62	1	1	4	9	16	22	37
50-64	675	8.6	77	1	1	6	12	20	28	40
65+	795	11.0	114	1	2	9	14	24	32	56
TOT. SINGLE DX	633	3.2	18	<1	1	1	3	9	12	18
" MULTIPLE DX	2207	9.2	97	1	1	7	12	21	29	55
TOTAL 0-19 YRS	146	8.4	99	1	1	6	10	19	26	71
20-34	385	6.7	88	<1	1	4	8	14	22	66
35-49	537	5.6	52	<1	1	3	8	14	19	33
50-64	844	7.5	71	1	1	5	10	18	25	40
65+	928	10.0	108	1	1	8	13	22	31	56
GRAND TOTAL	2840	7.9	86	1	1	5	11	18	25	48

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	5.5	3	3	4	5	6	8	9	12
20-34	2296	5.7	5	3	4	5	6	8	9	12
35-49	2006	6.0	4	4	4	6	7	8	10	13
50-64	1767	6.4	5	4	4	6	7	9	10	15
65+	1099	7.9	11	4	5	7	9	12	15	21
2. MULTIPLE DX										
0-19 YRS	146	7.8	15	4	4	7	9	13	16	22
20-34	2012	7.1	15	4	4	6	8	11	14	21
35-49	2475	7.7	20	4	4	7	9	12	15	25
50-64	3472	8.9	33	4	5	7	10	14	18	37
65+	4377	11.9	60	5	6	10	14	20	26	44
TOT. SINGLE DX	7370	6.3	6	4	4	6	7	9	11	15
" MULTIPLE DX	12482	9.4	41	4	5	8	11	16	20	36
TOTAL 0-19 YRS	348	6.5	10	4	4	6	7	10	13	20
20-34	4308	6.3	10	4	4	6	7	9	11	17
35-49	4481	6.9	14	4	4	6	8	10	13	22
50-64	5239	8.0	26	4	5	7	9	12	16	30
65+	5476	11.1	53	5	5	9	13	19	24	40
GRAND TOTAL	19852	8.2	30	4	4	7	9	13	17	31

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.7	17		3	9	11	16	16	16
20-34	32	7.8	42			7	9	15	20	34
35-49	37	8.0	92			6	10	15	19	56
50-64	67	8.8	43			6	11	15	24	31
65+	79	10.5	60		2	9	13	20	23	31
2. MULTIPLE DX										
0-19 YRS	16	13.5	216			9	24	47	62	99+
20-34	42	12.0	118			9	15	24	35	54
35-49	91	10.8	59			10	13	22	23	41
50-64	199	15.3	112		5	12	20	30	36	62
65+	521	16.6	109	3	6	15	21	29	39	64
TOT. SINGLE DX	229	9.1	63		1	8	11	17	21	50
" MULTIPLE DX	869	15.4	111	2	4	13	20	28	38	62
TOTAL 0-19 YRS	30	11.3	125			9	16	32	48	99+
20-34	74	10.2	89			8	12	19	26	52
35-49	128	10.0	70			9	13	21	23	52
50-64	266	13.7	103		5	11	17	28	34	59
65+	600	15.8	110	3	5	14	20	28	38	57
GRAND TOTAL	1098	14.1	107	2	3	12	19	27	36	55

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.2	20			4	8	12	15	15
20-34	54	5.6	16			5	7	11	13	18
35-49	67	5.6	43			3	7	12	22	33
50-64	87	6.2	63			2	8	16	26	33
65+	58	7.5	84			4	8	20	31	44
2. MULTIPLE DX										
0-19 YRS	18	17.8	313		2	13	26	40	59	70
20-34	97	13.1	310			8	13	31	47	67
35-49	173	11.7	219			7	14	26	47	61
50-64	298	13.0	208			9	17	30	43	75
65+	451	14.5	190		2	11	18	32	42	68
TOT. SINGLE DX	275	6.2	52	<1	1	4	8	14	24	34
" MULTIPLE DX	1037	13.5	214	1	1	9	17	31	44	76
TOTAL 0-19 YRS	27	13.6	248		2	8	16	34	46	70
20-34	151	10.3	218			7	11	20	40	60
35-49	240	10.0	178			6	12	23	34	62
50-64	385	11.5	183			7	15	28	38	73
65+	509	13.7	183	1	2	10	18	31	41	67
GRAND TOTAL	1312	12.0	189	1	1	8	15	29	41	73

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	4.3	32	<1	1	3	5	7	10	25
20-34	331	4.2	19	1	2	3	5	7	9	22
35-45	265	3.9	9	1	2	3	4	7	9	18
50-64	302	3.9	9	1	2	3	4	6	10	18
65+	378	4.2	13	1	2	3	5	8	13	19
2. MULTIPLE DX										
0-19 YRS	121	5.9	102	<1	1	3	5	8	19	68
20-34	561	6.0	48	1	2	4	6	10	17	33
35-49	751	6.3	43	1	2	4	6	10	17	33
50-64	1364	6.7	61	1	2	4	6	10	18	38
65+	3571	7.9	56	1	2	5	7	12	21	39
TOT. SINGLE DX	1183	4.1	13	<1	1	3	5	6	10	19
" MULTIPLE DX	6368	7.2	52	1	2	5	8	14	20	37
TOTAL 0-19 YRS	228	5.1	70	<1	1	3	5	8	15	56
20-34	892	5.4	38	1	2	4	6	9	15	31
35-49	1016	5.7	36	1	2	4	6	10	16	31
50-64	1666	6.2	57	1	2	4	6	10	18	30
65+	3949	7.5	53	1	2	5	8	13	20	37
GRAND TOTAL	7751	6.7	47	1	2	5	8	13	18	35

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1676	1.5		<1	<1	1	1	3	3	4
20-34	3131	1.9		1	1	1	2	4	4	5
35-49	1839	2.6		1	1	2	3	4	5	6
50-64	2633	2.7		1	1	2	3	4	5	7
65+	2312	3.2		1	1	2	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	927	1.7	4	<1	<1	1	1	3	4	9
20-34	662	3.0	3	1	1	2	3	5	6	9
35-49	864	3.2	4	1	1	2	4	5	6	9
50-64	1832	3.6	7	1	1	2	4	6	8	12
65+	3153	4.8	17	1	1	2	5	8	12	17
TOT. SINGLE DX	10591	2.5	2	<1	1	2	3	4	5	7
" MULTIPLE DX	7438	3.8	12	1	1	2	3	5	7	10
TOTAL 0-19 YRS	2603	1.6	2	<1	<1	1	1	3	3	6
20-34	3793	2.1	5	1	1	1	2	4	4	7
35-49	2703	2.8	4	1	1	2	3	4	5	7
50-64	4465	3.1	4	1	1	2	3	5	7	11
65+	5465	4.1	12	1	1	2	4	7	10	16
GRAND TOTAL	19029	3.0	6	<1	1	2	3	5	7	13

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	394	1.3		<1	<1	1	1	2	3	5
20-34	227	2.8	1	1	1	3	4	5	5	6
35-49	277	3.0	1	1	1	3	4	5	5	6
50-64	392	3.3	1	1	2	3	4	5	6	7
65+	305	3.7	3	1	2	4	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	290	3.5	127	<1	<1	1	2	4	10	98
20-34	82	2.9	1	1	1	3	4	4	5	6
35-49	182	3.6	5	1	2	3	4	6	7	11
50-64	361	4.2	8	2	2	4	5	6	9	16
65+	511	5.2	12	2	2	4	6	9	11	19
TOT. SINGLE DX	1595	2.7	2	<1	<1	3	4	5	5	7
" MULTIPLE DX	1426	4.3	34	<1	1	3	5	7	9	27
TOTAL 0-19 YRS	684	2.2	56	<1	<1	1	2	3	4	69
20-34	309	2.8	2	1	1	3	4	4	5	6
35-49	459	3.3	3	1	2	3	4	5	6	7
50-64	753	3.7	5	1	2	3	4	6	7	12
65+	816	4.6	10	2	2	4	5	8	10	17
GRAND TOTAL	**3021**	**3.5**	**18**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.8	1	<1	<1	2	2	3	4	4
20-34	61	2.5	1	1	1	2	3	4	5	7
35-49	82	2.9	2	1	1	3	4	4	5	10
50-64	100	3.1	4	1	1	3	4	5	7	11
65+	153	3.9	4	1	1	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	27	4.5	23	1	1	3	5	9	15	24
35-49	52	3.7	9	1	1	3	4	7	11	16
50-64	70	4.4	16	2	2	3	4	9	12	25
65+	242	8.0	63	2	3	6	9	16	21	40
TOT. SINGLE DX	407	3.2	4	1	1	3	4	5	7	11
" MULTIPLE DX	394	6.5	48	1	2	4	8	13	18	37
TOTAL 0-19 YRS	14	1.7	1	<1	<1	1	2	3	4	4
20-34	88	3.1	9	1	1	3	4	5	7	20
35-49	134	3.2	5	1	1	3	4	5	7	15
50-64	170	3.6	10	1	1	3	4	6	10	15
65+	395	6.4	45	1	2	5	8	12	17	37
GRAND TOTAL	**801**	**4.8**	**28**	**1**	**1**	**3**	**5**	**9**	**14**	**25**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	225	1.3		<1	<1	1	1	2	3	3
20-34	161	2.1	1	<1	1	2	3	4	4	8
35-49	253	2.3	1	1	1	2	3	4	5	8
50-64	201	2.7	2	1	1	2	3	5	6	7
65+	92	3.6	8	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	63	3.3	111	<1	<1	1	2	4	7	75
20-34	80	3.2	3	1	1	3	4	6	8	72
35-49	207	4.1	21	1	1	3	5	7	8	27
50-64	226	4.8	20	1	2	4	5	9	12	26
65+	193	6.4	33	1	2	5	8	12	18	36
TOT. SINGLE DX	932	2.2	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	769	4.7	31	1	1	3	5	9	12	35
TOTAL 0-19 YRS	288	1.7	25	<1	<1	1	2	2	3	8
20-34	241	2.4	3	<1	1	2	3	4	6	8
35-49	460	3.1	12	1	1	2	4	5	7	19
50-64	427	3.8	13	1	1	3	4	6	9	18
65+	285	5.5	27	1	2	4	6	11	16	31
GRAND TOTAL	**1701**	**3.4**	**17**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.1	2	<1	<1	2	2	4	5	8
20-34	258	3.0	4	<1	1	3	4	6	6	8
35-49	398	3.9	7	1	1	4	5	7	8	11
50-64	447	4.3	5	1	2	4	5	7	9	12
65+	351	4.9	6	2	2	5	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	29	4.6	33	<1	<1	3	7	9	10	31
20-34	149	4.6	9	1	1	4	6	8	12	16
35-49	403	5.7	13	2	2	5	7	10	12	22
50-64	619	6.4	17	2	3	6	8	10	14	26
65+	797	7.8	34	2	3	7	9	14	17	30
TOT. SINGLE DX	1523	4.0	6	1	1	4	5	7	8	12
" MULTIPLE DX	1997	6.7	24	2	3	6	8	11	15	27
TOTAL 0-19 YRS	98	2.8	13	<1	<1	2	3	6	8	21
20-34	407	3.6	7	1	1	3	5	6	8	14
35-49	801	4.8	11	1	2	4	6	8	10	19
50-64	1066	5.5	14	2	2	5	7	9	11	17
65+	1148	6.9	28	2	3	6	8	12	15	28
GRAND TOTAL	**3520**	**5.5**	**18**	**1**	**2**	**5**	**7**	**10**	**12**	**22**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	4.0	5	<1	<1	4	6	7	8	9
20-34	18	6.7	22	1	2	5	10	14	16	18
35-49	23	5.8	7	1	1	6	8	9	10	10
50-64	27	5.6	9	2	2	5	7	9	12	16
65+	28	7.7	9	3	4	8	9	11	12	17
2. MULTIPLE DX										
0-19 YRS	21	11.6	160	1	2	9	12	19	39	62
20-34	33	7.5	32	1	2	7	8	13	23	26
35-49	79	9.0	39	4	5	7	9	12	26	36
50-64	124	8.5	10	4	6	8	10	12	15	21
65+	159	13.3	79	6	6	11	15	24	34	53
TOT. SINGLE DX	116	6.0	11	1	2	6	8	10	11	17
" MULTIPLE DX	426	10.6	57	4	5	9	12	18	26	52
TOTAL 0-19 YRS	41	7.9	97	<1	1	6	9	15	19	62
20-34	51	7.2	29	1	2	7	8	13	19	26
35-49	102	8.3	34	3	4	7	9	14	23	34
50-64	151	8.0	12	3	4	7	10	12	15	21
65+	197	12.5	73	5	6	10	15	22	33	53
GRAND TOTAL	542	9.6	91	2	4	8	11	16	22	41

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	4.0	47	<1	<1	2	4	8	11	49
20-34	188	3.8	7	<1	1	3	5	8	10	12
35-49	158	4.8	18	<1	1	4	6	9	14	25
50-64	151	5.1	16	<1	1	4	7	10	14	19
65+	123	7.7	49	1	1	5	10	17	20	37
2. MULTIPLE DX										
0-19 YRS	117	6.9	64	<1	1	4	8	17	25	43
20-34	285	7.7	72	1	2	5	9	17	24	61
35-49	405	9.7	72	1	2	7	13	20	28	44
50-64	712	10.5	98	1	2	8	13	22	29	49
65+	920	12.0	100	2	3	10	16	23	33	49
TOT. SINGLE DX	746	4.9	27	<1	1	3	6	10	14	25
" MULTIPLE DX	2439	10.4	93	1	2	8	13	22	30	49
TOTAL 0-19 YRS	243	5.4	58	<1	<1	3	6	12	23	44
20-34	473	6.1	51	1	1	4	7	12	18	38
35-49	563	8.3	63	1	2	6	11	18	24	39
50-64	863	9.6	89	1	2	7	12	21	27	44
65+	1043	11.5	96	2	2	9	15	22	32	49
GRAND TOTAL	3185	9.1	83	1	1	7	12	20	26	46

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	5.0	13	2	2	4	6	9	14	19
20-34	378	4.8	8	1	2	4	6	8	10	14
35-49	174	6.3	11	2	2	6	8	11	12	16
50-64	96	8.5	43	2	3	7	10	17	23	35
65+	74	10.6	35	4	5	9	13	20	24	83
2. MULTIPLE DX										
0-19 YRS	218	7.9	56	2	3	6	9	14	25	51
20-34	619	7.3	62	2	3	5	8	12	20	51
35-49	306	11.0	105	2	3	8	13	22	31	50
50-64	397	14.8	157	4	5	11	18	29	44	83
65+	496	16.3	126	5	7	13	20	29	39	73
TOT. SINGLE DX	853	6.1	20	1	2	5	7	11	14	27
" MULTIPLE DX	2036	11.6	117	3	4	8	14	24	34	64
TOTAL 0-19 YRS	349	6.8	42	2	3	5	8	13	17	39
20-34	997	6.4	43	1	3	5	7	10	14	42
35-49	480	9.3	76	2	3	7	10	18	26	49
50-64	493	13.6	142	4	4	10	16	28	42	72
65+	570	15.5	118	5	6	12	19	28	38	73
GRAND TOTAL	2889	9.9	94	2	3	7	12	21	29	56

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	284	2.5	4	<1	<1	2	3	5	7	10
20-34	1184	2.0	3	<1	<1	1	2	4	6	9
35-49	179	1.9	5	<1	<1	1	2	4	6	14
50-64	33	2.9	6	<1	1	2	4	7	9	11
65+	14	2.4	5	<1	<1	1	3	5	[illegible]	9
2. MULTIPLE DX										
0-19 YRS	245	3.3	9	<1	1	2	4	7	9	14
20-34	1516	2.5	10	<1	<1	1	3	5	7	12
35-49	282	2.5	7	<1	<1	1	3	5	7	14
50-64	65	3.7	13	<1	<1	2	5	8	12	19
65+	39	9.4	99	<1	1	7	12	22	30	47
TOT. SINGLE DX	1694	2.1	4	<1	<1	1	2	5	6	9
" MULTIPLE DX	2147	2.8	12	<1	<1	1	3	6	8	15
TOTAL 0-19 YRS	529	2.9	7	<1	<1	2	4	6	8	12
20-34	2700	2.3	7	<1	<1	1	3	5	6	11
35-49	461	2.2	6	<1	<1	1	2	5	7	14
50-64	98	3.4	11	<1	<1	2	4	7	11	17
65+	53	7.6	84	<1	<1	4	10	21	26	47
GRAND TOTAL	3841	2.5	9	<1	<1	1	3	5	7	13

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	5.9	9	<1	1	6	7	10	11	14
20-34	312	4.6	10	<1	1	4	6	8	10	15
35-49	210	7.3	21	1	1	7	9	12	15	26
50-64	188	9.0	23	3	4	8	11	15	19	27
65+	138	9.4	18	2	5	9	12	15	18	23
2. MULTIPLE DX										
0-19 YRS	172	9.0	66	2	2	7	11	20	31	99+
20-34	835	6.0	35	<1	1	5	7	10	15	32
35-49	493	9.1	68	1	3	7	11	17	24	42
50-64	511	14.1	121	3	5	11	17	27	38	62
65+	813	16.1	109	5	7	13	20	29	38	67
TOT. SINGLE DX	934	6.9	20	1	1	7	9	12	15	22
" MULTIPLE DX	2824	11.1	97	2	3	8	14	23	31	58
TOTAL 0-19 YRS	258	8.0	49	1	2	6	9	17	25	99+
20-34	1147	5.6	29	<1	1	5	7	10	14	28
35-49	703	8.6	55	1	2	7	10	15	21	37
50-64	699	12.7	100	3	5	10	15	25	32	58
65+	951	15.1	102	5	7	12	19	27	36	64
GRAND TOTAL	3758	10.1	81	1	2	8	13	21	27	50

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	8.2	14	4	5	8	9	12	17	21
20-34	49	7.1	4	5	5	7	8	9	11	16
35-49	73	8.2	5	5	6	8	10	11	13	14
50-64	88	9.2	14	5	5	8	11	14	17	22
65+	66	10.2	12	6	6	9	12	15	18	21
2. MULTIPLE DX										
0-19 YRS	76	9.1	49	3	4	7	11	16	21	44
20-34	102	11.9	111	5	5	9	12	20	33	62
35-49	144	12.2	76	5	6	9	13	25	36	99+
50-64	260	12.6	77	6	7	10	14	22	27	59
65+	407	15.3	130	7	8	12	17	27	36	83
TOT. SINGLE DX	302	8.8	11	5	6	8	10	13	16	21
" MULTIPLE DX	989	13.3	103	5	6	10	15	24	33	62
TOTAL 0-19 YRS	102	8.9	40	3	4	7	10	15	20	39
20-34	151	10.4	81	5	5	8	11	17	24	59
35-49	217	10.8	56	5	6	8	12	20	30	70
50-64	348	11.8	63	6	6	9	13	20	25	56
65+	473	14.6	117	7	7	11	17	25	34	76
GRAND TOTAL	1291	12.2	86	5	6	9	14	21	28	58

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	5.3	25	1	1	4	7	10	15	29
20-34	222	6.7	25	1	2	6	8	11	17	27
35-49	224	7.5	31	2	2	7	9	11	14	30
50-64	201	7.0	21	1	2	7	9	11	16	25
65+	88	6.6	20	1	1	7	9	11	14	24
2. MULTIPLE DX										
0-19 YRS	173	8.1	64	1	2	6	9	16	25	40
20-34	408	13.4	165	2	2	9	18	29	43	67
35-49	448	13.0	171	1	2	9	17	30	44	63
50-64	436	11.3	115	1	2	9	14	21	28	52
65+	445	12.5	130	2	3	10	15	24	30	66
TOT. SINGLE DX	869	6.8	26	1	2	6	9	11	15	28
" MULTIPLE DX	1910	12.1	140	1	2	9	15	25	35	63
TOTAL 0-19 YRS	307	6.9	49	1	2	5	8	14	20	32
20-34	630	11.1	126	1	2	8	14	25	37	61
35-49	672	11.2	132	1	2	8	12	25	34	59
50-64	637	9.9	90	1	2	8	12	18	25	46
65+	533	11.5	117	1	2	9	14	23	29	64
GRAND TOTAL	2779	10.5	111	1	2	8	12	22	29	57

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.8	9	1	1	7	9	11	11	11
20-34	183	6.2	7	2	3	6	8	9	11	13
35-49	243	6.6	10	2	3	6	8	10	12	18
50-64	220	7.5	12	2	3	7	9	12	14	21
65+	108	7.2	10	2	2	7	9	11	13	16
2. MULTIPLE DX										
0-19 YRS	21	5.6	18	<1	<1	6	8	10	14	18
20-34	130	7.3	13	2	3	7	10	12	14	19
35-49	192	8.9	19	3	5	8	11	14	17	23
50-64	280	9.5	55	2	4	8	11	15	20	44
65+	269	11.5	104	2	4	9	13	18	24	61
TOT. SINGLE DX	768	6.8	11	2	3	7	8	11	12	18
" MULTIPLE DX	892	9.6	57	2	4	8	11	16	20	46
TOTAL 0-19 YRS	35	6.1	15	<1	1	6	8	11	11	18
20-34	313	6.7	10	2	3	6	8	11	12	17
35-49	435	7.6	16	2	4	7	9	12	15	22
50-64	500	8.6	37	2	4	8	10	14	18	29
65+	377	10.3	81	2	3	8	12	17	21	57
GRAND TOTAL	**1660**	**8.3**	**38**	**2**	**3**	**7**	**10**	**13**	**17**	**30**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	6.3	5	3	4	6	8	9	11	13
20-34	10	8.9	8	6	6	9	10	13	14	14
35-49	7	8.6	2	6	6	9	10	10	10	10
50-64	6	6.5	3	5	5	6	8	9	9	9
65+	4	11.5	25	7	7	10	15	18	18	18
2. MULTIPLE DX										
0-19 YRS	193	7.7	13	3	4	7	9	12	14	21
20-34	47	11.9	66	5	7	9	12	25	31	41
35-49	32	13.5	51	7	7	12	16	20	26	43
50-64	35	13.4	70	4	5	12	16	20	26	49
65+	60	18.6	154	7	8	15	23	28	45	73
TOT. SINGLE DX	205	6.6	7	3	4	6	8	10	11	14
" MULTIPLE DX	367	11.1	58	4	5	9	13	20	25	48
TOTAL 0-19 YRS	371	7.0	10	3	4	7	9	11	13	17
20-34	57	11.4	57	5	6	9	12	23	29	41
35-49	39	12.6	46	6	7	10	15	19	25	43
50-64	41	12.4	67	4	5	10	15	20	25	49
65+	64	18.1	149	7	8	15	22	28	43	73
GRAND TOTAL	**572**	**9.5**	**51**	**3**	**4**	**8**	**11**	**16**	**22**	**41**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	3.7	4	1	1	3	4	7	8	8
20-34	294	3.6	5	1	1	3	4	7	8	12
35-49	309	3.4	5	1	1	3	4	6	9	12
50-64	244	3.8	6	1	1	3	5	7	8	14
65+	101	3.8	7	1	1	3	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	35	7.6	30	<1	<1	6	12	15	16	22
20-34	143	6.1	40	1	2	5	7	11	15	34
35-49	200	5.2	23	1	1	4	6	10	15	25
50-64	237	6.0	20	1	2	5	8	12	15	20
65+	237	8.3	72	2	2	6	10	16	25	44
TOT. SINGLE DX	980	3.6	6	1	1	3	5	7	8	12
" MULTIPLE DX	852	6.5	41	1	2	5	8	13	17	32
TOTAL 0-19 YRS	67	5.7	21	<1	1	4	8	14	15	21
20-34	437	4.4	18	1	1	3	5	8	10	26
35-49	509	4.1	13	1	1	3	5	8	10	22
50-64	481	4.9	15	1	2	4	6	10	13	19
65+	338	7.0	57	1	2	5	8	13	19	40
GRAND TOTAL	**1832**	**5.0**	**24**	**1**	**1**	**4**	**6**	**10**	**13**	**26**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	276	1.7	2	<1	<1	<1	1	4	5	9
20-34	260	2.7	5	<1	<1	2	4	6	8	13
35-49	296	3.0	7	<1	<1	2	4	7	8	13
50-64	351	3.0	9	<1	<1	2	4	7	9	15
65+	412	3.4	13	<1	<1	2	4	7	9	19
2. MULTIPLE DX										
0-19 YRS	425	2.9	26	<1	<1	1	3	7	10	26
20-34	486	6.1	68	<1	1	4	7	12	18	45
35-49	602	6.2	56	<1	1	4	7	13	20	42
50-64	1010	6.6	60	<1	1	4	8	14	19	40
65+	2271	8.5	81	1	1	6	11	18	24	46
TOT. SINGLE DX	1595	2.8	9	<1	<1	2	4	6	8	14
" MULTIPLE DX	4794	7.1	70	<1	1	5	9	16	21	45
TOTAL 0-19 YRS	701	2.4	18	<1	<1	1	2	6	8	18
20-34	746	4.9	49	<1	<1	3	6	9	14	41
35-49	898	5.2	43	<1	<1	3	6	11	17	32
50-64	1361	5.7	50	<1	<1	3	7	12	17	38
65+	2683	7.7	74	1	1	5	10	17	23	45
GRAND TOTAL	**6389**	**6.0**	**58**	**<1**	**<1**	**4**	**8**	**14**	**19**	**39**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	46	2.1	2	<1	<1	2	3	4	5	8
35-49	112	2.3	2	<1	<1	2	3	4	5	8
50-64	477	2.6	4	<1	1	2	3	4	6	13
65+	950	3.2	6	<1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	7	4.1	7	1	1	4	6	8	9	9
20-34	64	3.4	7	<1	1	3	4	7	10	14
35-49	178	4.0	19	<1	1	3	5	8	13	23
50-64	696	4.4	29	1	1	3	5	8	12	31
65+	2331	5.8	38	1	2	4	7	12	17	29
TOT. SINGLE DX	1588	2.9	6	<1	1	2	4	5	7	12
" MULTIPLE DX	3276	5.4	35	1	1	4	6	11	16	29
TOTAL 0-19 YRS	10	3.7	7	1	1	3	5	7	9	9
20-34	110	2.9	6	<1	<1	2	4	6	7	13
35-49	290	3.4	14	<1	1	2	4	7	9	21
50-64	1173	3.7	20	<1	1	3	4	7	10	24
65+	3281	5.1	30	1	1	4	6	10	15	27
GRAND TOTAL	**4864**	**4.6**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	3.7	9	<1	1	3	4	9	10	14
20-34	79	4.7	18	<1	1	4	6	10	12	24
35-49	108	4.5	12	1	1	4	7	9	11	16
50-64	171	5.1	19	<1	1	4	7	12	15	20
65+	244	5.7	26	1	1	4	8	12	18	23
2. MULTIPLE DX										
0-19 YRS	165	7.7	119	1	2	5	8	16	22	83
20-34	143	7.0	65	1	1	5	10	14	17	80
35-49	188	7.5	69	1	1	5	9	16	25	46
50-64	438	8.7	73	1	2	6	12	18	26	47
65+	999	10.1	114	1	2	7	13	20	28	59
TOT. SINGLE DX	661	5.1	20	1	1	4	7	11	14	20
" MULTIPLE DX	1933	9.1	99	1	2	6	12	18	26	55
TOTAL 0-19 YRS	224	6.6	93	1	1	4	8	13	19	82
20-34	222	6.2	50	1	1	4	8	13	17	44
35-49	296	6.4	51	1	1	5	8	13	18	42
50-64	609	7.6	61	1	1	5	11	16	22	43
65+	1243	9.2	100	1	2	6	12	19	26	56
GRAND TOTAL	**2594**	**8.0**	**82**	**1**	**1**	**5**	**10**	**17**	**23**	**48**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	1.1		<1	<1	<1	1	1	2	3
20-34	5	1.8	1	<1	<1	1	2	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	53	2.0	12	<1	<1	1	2	3	6	25
20-34	10	2.5	7	<1	<1	1	2	7	9	9
35-49	6	3.3	6	<1	<1	3	4	8	8	8
50-64	10	4.1	13	<1	<1	3	6	10	11	11
65+	17	4.5	17	<1	<1	3	6	12	14	15
TOT. SINGLE DX	111	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	96	2.8	13	<1	<1	1	3	6	9	21
TOTAL 0-19 YRS	151	1.4	5	<1	<1	<1	1	2	2	7
20-34	15	2.3	6	<1	<1	1	2	6	8	9
35-49	8	3.1	5	<1	<1	3	4	7	8	8
50-64	14	3.4	11	<1	1	2	5	9	11	11
65+	19	4.2	16	<1	<1	3	6	11	14	15
GRAND TOTAL	**207**	**1.9**	**7**	**<1**	**<1**	**<1**	**2**	**4**	**6**	**14**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	296	3.9	8	<1	<1	3	6	8	9	13
20-34	93	3.0	7	<1	<1	2	4	6	8	14
35-49	74	4.5	16	<1	1	3	6	8	16	19
50-64	61	3.4	4	<1	1	3	4	6	8	9
65+	64	3.3	4	1	1	3	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	200	5.5	41	<1	<1	4	7	11	15	26
20-34	74	5.8	105	1	1	3	7	14	15	69
35-49	84	5.7	68	<1	1	4	7	10	13	55
50-64	108	5.9	37	1	1	4	8	11	19	67
65+	148	6.3	42	1	2	4	8	13	23	30
TOT. SINGLE DX	588	3.7	9	<1	<1	3	5	8	9	14
" MULTIPLE DX	614	5.8	52	<1	1	4	7	11	17	36
TOTAL 0-19 YRS	496	4.5	22	<1	<1	3	7	9	12	19
20-34	167	4.3	53	<1	<1	3	4	8	14	22
35-49	158	5.1	44	<1	1	4	6	9	14	23
50-64	169	5.0	27	<1	1	4	6	9	12	42
65+	212	5.4	33	1	1	4	6	10	17	29
GRAND TOTAL	**1202**	**4.8**	**32**	**<1**	**1**	**3**	**6**	**9**	**13**	**25**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.3	1	<1	<1	<1	1	2	4	72
20-34	45	1.8	2	<1	<1	1	2	5	5	7
35-49	47	1.8	3	<1	<1	1	2	4	6	10
50-64	59	2.1	9	<1	<1	1	2	3	6	22
65+	60	2.7	3	<1	<1	2	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	142	1.9	35	<1	<1	<1	1	2	4	20
20-34	88	3.9	8	<1	1	3	6	8	9	13
35-49	122	5.1	34	<1	1	3	6	10	17	29
50-64	166	6.9	99	1	1	4	8	13	20	48
65+	453	8.4	65	1	2	6	11	17	24	42
TOT. SINGLE DX	290	1.9	4	<1	<1	1	2	4	6	10
" MULTIPLE DX	971	6.4	63	<1	<1	4	8	14	20	41
TOTAL 0-19 YRS	221	1.7	23	<1	<1	<1	1	2	4	31
20-34	133	3.2	7	<1	<1	2	5	7	8	11
35-49	169	4.2	28	<1	<1	2	6	10	15	25
50-64	225	5.6	80	<1	<1	3	7	12	18	46
65+	513	7.7	61	1	1	6	10	16	23	41
GRAND TOTAL	1261	5.3	53	<1	<1	3	7	12	18	40

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	1.4		<1	<1	1	2	3	3	6
20-34	111	2.5	6	1	1	2	3	7	8	13
35-49	88	2.8	5	<1	1	2	4	6	7	11
50-64	82	3.1	6	<1	1	2	4	7	8	12
65+	98	2.9	2	1	1	3	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	107	2.7	42	<1	<1	1	2	5	7	35
20-34	128	3.3	13	1	1	2	4	7	9	21
35-49	120	5.3	46	1	1	2	6	11	19	40
50-64	170	4.9	39	1	1	3	6	11	15	41
65+	361	5.3	25	1	1	4	7	11	15	27
TOT. SINGLE DX	451	2.6	5	<1	1	2	3	5	7	11
" MULTIPLE DX	886	4.6	32	<1	1	3	5	10	13	29
TOTAL 0-19 YRS	179	2.2	26	<1	<1	1	2	3	6	11
20-34	239	2.9	11	1	1	2	3	7	8	17
35-49	208	4.2	30	1	1	2	5	8	12	33
50-64	252	4.3	30	1	1	3	5	9	13	27
65+	459	4.8	22	1	1	3	5	10	13	25
GRAND TOTAL	1337	3.9	24	<1	1	2	5	8	11	25

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	44	5.8	3	3	4	6	7	8	8	14
35-49	151	6.1	2	4	4	6	7	9	9	11
50-64	176	6.8	5	4	4	6	8	10	11	15
65+	80	7.8	5	5	5	8	9	11	12	15
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	68	6.3	3	4	4	6	7	8	10	13
35-49	277	7.0	6	4	5	6	8	10	12	16
50-64	324	7.2	7	4	5	7	8	11	12	17
65+	223	9.0	24	5	5	8	10	14	17	32
TOT. SINGLE DX	453	6.7	5	4	4	6	8	9	10	14
" MULTIPLE DX	893	7.6	12	4	5	7	9	11	13	19
TOTAL 0-19 YRS	3	7.3	4	5	5	8	9	9	9	9
20-34	112	6.1	4	4	4	6	7	8	9	13
35-49	428	6.7	5	4	4	6	8	10	11	14
50-64	500	7.1	7	4	5	7	8	10	12	16
65+	303	8.7	20	5	5	8	9	13	16	30
GRAND TOTAL	1346	7.3	10	4	5	7	8	10	12	18

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	19	5.2	3	2	3	5	6	8	9	9
35-49	92	5.9	4	3	4	5	7	9	10	11
50-64	103	5.8	3	3	4	5	8	9	9	10
65+	76	6.7	10	3	4	6	8	9	12	21
2. MULTIPLE DX										
0-19 YRS	4	5.5	11	1	1	6	8	8	8	8
20-34	34	6.1	7	2	3	6	7	9	10	15
35-49	131	6.4	9	3	3	6	7	10	11	19
50-64	142	7.1	11	3	4	7	9	11	13	19
65+	137	7.2	9	4	4	7	8	10	14	18
TOT. SINGLE DX	291	6.0	6	3	4	5	8	9	9	13
" MULTIPLE DX	448	6.8	10	3	4	6	8	10	13	18
TOTAL 0-19 YRS	5	4.6	12	<1	<1	5	8	8	8	8
20-34	53	5.8	6	2	3	6	7	8	10	15
35-49	223	6.2	7	3	3	6	7	9	11	17
50-64	245	6.5	8	3	4	6	8	10	11	18
65+	213	7.0	10	3	4	7	8	10	14	20
GRAND TOTAL	739	6.5	8	3	4	6	8	10	11	18

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	19	<1	<1	1	6	10	10	10
20-34	6	4.7	10	1	1	4	8	9	9	9
35-49	10	4.5	7	1	1	5	7	8	8	8
50-64	13	3.5	5	1	1	4	5	6	7	7
65+	4	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	10	3.0	12	<1	<1	1	5	9	11	11
20-34	11	7.9	26	1	2	7	11	16	17	17
35-49	14	6.6	19	1	2	5	8	14	14	16
50-64	26	7.8	65	1	2	4	12	19	23	35
65+	56	9.6	72	1	2	7	15	21	23	43
TOT. SINGLE DX	37	3.9	7	1	1	4	6	8	9	10
" MULTIPLE DX	117	8.1	58	1	1	6	12	19	21	38
TOTAL 0-19 YRS	14	3.1	13	<1	<1	1	5	10	11	11
20-34	17	6.8	23	1	2	6	9	15	17	17
35-49	24	5.7	15	1	2	5	7	13	14	14
50-64	39	6.4	49	1	2	4	7	18	20	35
65+	60	9.2	71	1	2	6	14	20	22	42
GRAND TOTAL	154	7.1	49	1	1	5	9	17	20	35

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34	5	7.4	4	5	5	7	9	10	10	10
35-49	1	5.0	.	5	5	5	5	5	5	5
50-64	5	6.0	21	1	1	4	9	13	13	13
65+	3	7.0	13	3	3	8	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	3	14.0	61	9	9	10	20	23	23	23
20-34	14	9.9	23	4	4	8	14	15	19	20
35-49	14	7.4	29	1	2	7	9	14	20	22
50-64	27	14.0	314	1	2	11	14	22	37	98
65+	29	10.2	61	1	2	8	14	20	23	36
TOT. SINGLE DX	18	6.3	10	1	2	6	9	10	12	13
" MULTIPLE DX	87	11.0	130	2	2	9	14	20	23	75
TOTAL 0-19 YRS	7	8.9	48	2	2	9	10	20	23	23
20-34	19	9.2	19	4	4	8	13	15	18	20
35-49	15	7.3	27	1	2	6	9	13	20	22
50-64	32	12.8	275	1	2	11	14	18	26	98
65+	32	9.9	58	1	2	8	14	20	22	36
GRAND TOTAL	105	10.2	112	2	2	8	13	18	22	64

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	4.7	.	4	4	5	5	5	5	5
35-49	32	4.7	4	3	3	4	6	7	8	11
50-64	1068	4.7	3	3	3	5	5	7	7	10
65+	2272	5.2	4	3	3	5	6	7	9	11
2. MULTIPLE DX										
0-19 YRS	9	8.2	51	3	3	5	9	21	22	22
20-34	12	7.4	17	3	3	5	7	11	15	15
35-49	108	5.9	16	3	3	5	6	8	7	16
50-64	2277	6.0	17	3	3	5	7	10	13	22
65+	8196	7.7	39	3	4	6	8	14	19	36
TOT. SINGLE DX	3375	5.0	4	3	3	5	6	7	8	12
" MULTIPLE DX	10603	7.3	35	3	4	5	8	13	17	32
TOTAL 0-19 YRS	9	8.2	51	3	3	5	9	21	22	22
20-34	15	7.1	15	3	3	6	10	11	14	15
35-49	140	5.6	14	3	3	5	6	8	11	16
50-64	3345	5.6	13	3	3	5	6	9	11	22
65+	10468	7.1	33	3	4	5	8	13	17	32
GRAND TOTAL	13978	6.8	28	3	3	5	7	11	16	30

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	2	11.0		11	11	11	11	11	11	11
50-64	157	8.9	10	5	6	8	10	13	16	20
65+	204	9.2	10	5	6	9	11	13	15	20
2. MULTIPLE DX										
0-19 YRS	3	7.3	22	2	2	9	10	11	11	11
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	14.8	37	7	7	13	20	22	22	22
50-64	233	11.0	21	5	7	10	13	17	20	27
65+	731	12.2	49	6	7	10	14	20	23	46
TOT. SINGLE DX	367	9.1	11	5	6	8	11	13	15	20
" MULTIPLE DX	973	11.9	42	6	7	10	14	19	22	44
TOTAL 0-19 YRS	5	6.6	22	<1	<1	9	10	11	11	11
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	7	13.7	29	7	8	12	18	22	22	22
50-64	390	10.2	18	5	6	9	12	16	18	26
65+	935	11.5	42	6	7	10	13	18	22	45
GRAND TOTAL	**1340**	**11.1**	**35**	**5**	**6**	**10**	**13**	**17**	**21**	**37**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	47	1.4		<1	<1	1	2	2	2	3
50-64	303	1.8	2	<1	<1	2	2	3	4	8
65+	494	2.3	3	<1	<1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	2	8.5	25	5	5	8	12	12	12	12
20-34	6	5.7	21	<1	<1	5	9	12	12	12
35-49	35	2.8	8	<1	<1	2	3	6	9	14
50-64	301	4.1	51	<1	1	2	4	9	12	38
65+	811	4.7	24	1	1	3	6	11	15	25
TOT. SINGLE DX	847	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	1155	4.5	31	<1	1	2	5	10	14	25
TOTAL 0-19 YRS	3	6.7	22	3	3	5	10	12	12	12
20-34	8	4.5	20	<1	<1	2	8	11	12	12
35-49	82	2.0	4	<1	<1	1	2	3	6	13
50-64	604	3.0	28	<1	<1	2	2	5	9	21
65+	1305	3.8	18	<1	1	2	4	9	12	22
GRAND TOTAL	**2002**	**3.5**	**21**	**<1**	**1**	**2**	**4**	**8**	**12**	**21**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.8	2	<1	<1	1	2	3	5	10
20-34	57	2.2	4	1	1	2	2	5	6	13
35-49	46	2.1	2	<1	1	1	3	4	5	9
50-64	53	2.6	5	<1	1	2	3	5	5	17
65+	35	2.7	2	1	1	3	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	62	2.5	9	<1	<1	1	3	5	9	17
20-34	41	3.7	15	<1	1	3	4	7	10	23
35-49	45	5.2	16	1	2	4	6	9	14	20
50-64	50	4.8	18	1	1	3	7	11	15	20
65+	60	6.5	41	1	2	4	7	15	22	31
TOT. SINGLE DX	270	2.2	4	<1	1	2	3	4	5	12
" MULTIPLE DX	258	4.5	23	<1	1	3	5	10	15	24
TOTAL 0-19 YRS	141	2.1	6	<1	<1	1	2	4	5	14
20-34	98	2.9	10	<1	1	2	4	5	8	18
35-49	91	3.6	12	1	1	3	5	8	9	19
50-64	103	3.7	14	1	1	2	4	8	13	18
65+	95	5.1	31	1	1	3	6	11	18	29
GRAND TOTAL	**528**	**3.4**	**14**	**<1**	**1**	**2**	**4**	**7**	**11**	**20**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	1.9	1	<1	1	2	2	3	5	8
20-34	173	2.7	4	1	1	2	3	5	6	13
35-49	81	2.3	2	1	1	2	3	5	6	8
50-64	53	3.2	7	1	1	2	4	5	10	17
65+	138	3.6	12	1	1	2	4	8	12	20
2. MULTIPLE DX										
0-19 YRS	116	2.8	22	<1	<1	2	3	4	7	28
20-34	94	4.8	61	1	1	2	4	10	25	79
35-49	64	4.8	21	1	1	3	6	10	12	25
50-64	117	5.1	26	1	1	3	7	12	14	26
65+	578	6.9	55	1	2	4	8	16	22	39
TOT. SINGLE DX	563	2.7	7	1	1	2	3	5	7	14
" MULTIPLE DX	969	5.8	48	1	1	3	7	13	21	39
TOTAL 0-19 YRS	234	2.3	12	<1	1	2	2	4	6	14
20-34	267	3.4	26	1	1	2	4	6	10	38
35-49	145	3.4	12	1	1	2	4	7	10	24
50-64	170	4.5	21	1	1	3	6	11	13	23
65+	716	6.3	49	1	1	4	8	14	22	34
GRAND TOTAL	**1532**	**4.7**	**35**	**1**	**1**	**3**	**5**	**11**	**16**	**30**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	666	1.5		<1	<1	1	2	2	3	4
20-34	67	1.5		1	1	1	2	3	3	4
35-49	5	1.6		1	1	2	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	425	1.9	1	<1	<1	2	2	3	4	7
20-34	29	2.4	2	1	1	2	3	5	6	7
35-49	9	2.0	1	1	1	2	3	4	4	4
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	1	11.0		11	11	11	11	11	11	11
TOT. SINGLE DX	743	1.5	1	<1	<1	1	2	3	3	4
" MULTIPLE DX	467	2.0	2	<1	<1	2	2	3	5	7
TOTAL 0-19 YRS	1091	1.7	1	<1	<1	1	2	3	4	6
20-34	96	1.8	1	1	1	1	2	3	4	7
35-49	14	1.9	1	1	1	2	2	4	4	4
50-64	5	2.8	6	1	1	2	4	7	7	7
65+	4	4.0	23	1	1	2	7	11	11	11
GRAND TOTAL	1210	1.7	1	<1	<1	1	2	3	4	6

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	1.4		<1	<1	1	2	2	3	6
20-34	81	1.6	1	<1	<1	1	2	3	4	6
35-49	44	1.7		<1	<1	1	2	3	4	5
50-64	10	1.6		<1	<1	2	2	2	2	2
65+	7	3.3	2	2	2	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	45	3.0	52	<1	<1	1	2	3	8	48
20-34	40	2.4	8	<1	<1	1	2	5	8	17
35-49	28	2.1	1	1	1	2	3	4	4	5
50-64	18	5.3	76	<1	1	3	5	9	27	39
65+	9	5.4	13	1	1	5	8	11	11	11
TOT. SINGLE DX	238	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	140	3.1	31	<1	1	2	3	5	9	40
TOTAL 0-19 YRS	141	1.9	18	<1	<1	1	2	3	4	19
20-34	121	1.9	4	<1	<1	1	2	3	5	11
35-49	72	1.8	1	<1	1	2	2	3	4	5
50-64	28	4.0	51	<1	<1	2	3	7	12	39
65+	16	4.5	9	1	2	4	6	10	11	11
GRAND TOTAL	378	2.2	12	<1	<1	1	2	4	5	15

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	40	1.1		<1	<1	<1	1	2	2	2
35-49	32	1.4	1	<1	<1	<1	1	2	5	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	25	3.0	9	<1	<1	1	3	9	11	11
35-49	17	2.6	6	<1	<1	1	3	8	9	9
50-64	4	7.0	24	<1	<1	8	11	11	11	11
65+	5	8.0	33	2	2	8	12	16	16	16
TOT. SINGLE DX	74	1.2	1	<1	<1	<1	1	2	2	7
" MULTIPLE DX	54	3.5	14	<1	<1	2	5	11	11	16
TOTAL 0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	65	1.8	5	<1	<1	1	1	3	7	11
35-49	49	1.9	4	<1	<1	1	2	5	7	9
50-64	5	5.8	25	<1	<1	5	11	11	11	11
65+	5	8.0	34	2	2	8	12	16	16	16
GRAND TOTAL	128	2.2	8	<1	<1	1	2	6	9	12

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	1.4		<1	<1	1	2	2	3	4
20-34	310	1.7	3	<1	<1	1	2	3	4	8
35-49	227	1.6		<1	<1	1	2	3	3	5
50-64	205	2.1	1	<1	1	2	3	4	4	7
65+	138	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	178	1.6	1	<1	<1	1	2	3	4	6
20-34	203	2.1	2	<1	<1	2	3	4	5	7
35-49	165	2.4	3	<1	1	2	3	4	6	9
50-64	168	2.7	3	1	1	2	3	5	6	9
65+	141	3.7	11	1	1	3	4	7	12	19
TOT. SINGLE DX	1169	1.8	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	855	2.4	4	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	467	1.5	1	<1	<1	1	2	3	3	5
20-34	513	1.9	3	<1	<1	1	2	3	4	7
35-49	392	1.9	2	<1	<1	1	2	4	4	8
50-64	373	2.3	2	1	1	2	3	4	5	8
65+	279	3.1	7	1	1	2	3	5	7	17
GRAND TOTAL	2024	2.1	3	<1	<1	2	2	4	5	8

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	1.2		<1	<1	<1	1	2	2	2
20-34	58	1.4		<1	<1	1	2	2	3	5
35-49	43	1.3		<1	<1	1	1	2	3	3
50-64	41	1.5		<1	<1	1	2	2	2	5
65+	20	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	79	2.0	16	<1	<1	1	1	3	5	28
20-34	28	5.1	60	<1	<1	2	6	15	27	31
35-49	66	2.7	15	<1	<1	2	2	4	8	23
50-64	63	3.2	32	<1	<1	2	2	6	11	38
65+	78	4.1	16	<1	1	3	5	10	13	19
TOT. SINGLE DX	540	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	365	3.5	46	<1	<1	1	3	8	12	32
TOTAL 0-19 YRS	448	1.3	3	<1	<1	<1	1	2	2	5
20-34	97	2.5	20	<1	<1	1	2	4	8	29
35-49	123	2.0	9	<1	<1	1	2	3	5	22
50-64	124	3.3	79	<1	<1	1	2	5	10	54
65+	113	4.0	28	<1	1	2	4	10	14	27
GRAND TOTAL	**905**	**2.1**	**20**	**<1**	**<1**	**1**	**2**	**3**	**6**	**19**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	2.7	8	<1	<1	1	3	6	8	15
20-34	36	3.0	5	<1	<1	2	5	6	7	10
35-49	52	3.3	5	<1	1	3	4	6	9	11
50-64	118	3.3	4	1	1	3	4	6	7	10
65+	75	3.6	4	1	2	3	5	6	7	13
2. MULTIPLE DX										
0-19 YRS	40	3.4	24	<1	<1	2	4	7	10	30
20-34	52	5.3	72	1	1	3	5	9	17	58
35-49	103	6.2	61	1	1	4	6	13	21	49
50-64	239	4.3	12	1	1	3	5	8	11	20
65+	184	4.8	24	1	2	4	5	8	11	28
TOT. SINGLE DX	341	3.2	5	<1	<1	3	4	6	7	13
" MULTIPLE DX	618	4.8	30	1	1	3	5	9	12	28
TOTAL 0-19 YRS	100	3.0	15	<1	<1	2	3	6	10	22
20-34	88	4.3	46	<1	<1	3	5	8	10	44
35-49	155	5.2	45	1	1	3	6	9	15	42
50-64	357	4.0	10	1	1	3	5	7	9	17
65+	259	4.4	19	1	2	3	5	8	9	27
GRAND TOTAL	**959**	**4.2**	**22**	**<1**	**1**	**3**	**5**	**8**	**10**	**24**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	4.1	2	2	2	4	5	6	7	10
20-34	652	4.3	1	2	3	4	5	6	6	8
35-49	83	4.6	4	1	2	4	6	7	8	12
50-64	13	5.2	5	<1	2	5	7	8	9	9
65+	14	9.1	16	4	5	8	10	15	18	19
2. MULTIPLE DX										
0-19 YRS	174	5.1	11	2	3	4	6	8	10	21
20-34	1240	4.9	4	2	3	5	6	7	8	12
35-49	217	5.8	12	3	3	5	6	9	12	25
50-64	32	8.3	23	2	4	7	8	17	21	22
65+	44	14.9	198	4	5	10	17	30	52	66
TOT. SINGLE DX	958	4.4	3	2	3	4	5	6	7	9
" MULTIPLE DX	1707	5.3	14	2	3	5	6	7	10	19
TOTAL 0-19 YRS	370	4.6	7	2	3	4	5	7	8	12
20-34	1892	4.7	3	2	3	5	5	6	7	10
35-49	300	5.5	11	2	3	5	6	8	11	21
50-64	45	7.4	20	2	3	7	8	13	18	22
65+	58	13.5	160	4	5	9	15	26	41	66
GRAND TOTAL	**2665**	**5.0**	**10**	**2**	**3**	**5**	**6**	**7**	**8**	**16**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	4.7	1	3	3	5	5	6	7	10
20-34	579	4.8	3	3	3	5	5	6	8	12
35-49	185	5.0	2	3	3	5	6	7	7	10
50-64	34	5.7	5	4	4	5	6	7	9	17
65+	23	6.8	4	4	4	7	8	9	11	13
2. MULTIPLE DX										
0-19 YRS	131	5.7	8	3	3	5	6	8	10	19
20-34	1412	5.4	7	3	3	5	6	8	9	15
35-49	535	5.9	9	3	4	5	6	8	11	18
50-64	81	7.3	14	4	4	6	8	11	15	24
65+	100	14.1	102	5	6	11	18	25	32	54
TOT. SINGLE DX	912	4.9	3	3	3	5	6	7	8	12
" MULTIPLE DX	2259	6.0	16	3	3	5	6	9	11	23
TOTAL 0-19 YRS	222	5.3	6	3	3	5	6	8	9	17
20-34	1991	5.2	6	3	3	5	6	7	9	14
35-49	720	5.7	8	3	4	5	6	8	10	16
50-64	115	6.9	12	4	4	6	8	10	14	23
65+	123	12.7	92	5	5	9	15	25	30	51
GRAND TOTAL	**3171**	**5.7**	**12**	**3**	**3**	**5**	**6**	**8**	**11**	**19**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	88	5.1	3	2	3	5	6	8	8	9
35-49	127	5.5	3	3	4	5	6	8	9	12
50-64	57	7.0	32	4	4	6	7	9	10	44
65+	33	8.1	8	5	5	8	9	11	14	18
2. MULTIPLE DX										
0-19 YRS	3	5.7	1	5	5	5	7	7	7	7
20-34	371	5.8	7	3	4	5	6	8	10	14
35-49	620	6.6	16	4	4	6	7	9	13	21
50-64	250	8.1	24	4	5	7	9	13	16	29
65+	176	12.0	67	4	5	10	15	22	27	46
TOT. SINGLE DX	307	5.9	10	3	4	6	7	9	9	16
" MULTIPLE DX	1420	7.3	25	4	4	6	8	12	16	30
TOTAL 0-19 YRS	5	5.8	3	4	4	5	7	8	8	8
20-34	459	5.7	7	3	4	5	6	8	10	14
35-49	747	6.4	14	4	4	6	7	9	12	20
50-64	307	7.9	26	4	5	7	9	12	16	29
65+	209	11.4	60	4	5	9	14	20	25	42
GRAND TOTAL	**1727**	**7.1**	**23**	**4**	**4**	**6**	**8**	**11**	**15**	**27**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	2.5	4	<1	<1	2	3	4	6	12
20-34	158	3.2	3	<1	1	3	4	5	6	8
35-49	21	3.6	4	1	1	3	4	7	8	9
50-64	3	5.3	26	1	1	4	9	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	38	3.9	3	<1	1	4	5	6	7	7
20-34	490	4.3	5	1	1	4	5	6	7	15
35-49	74	4.6	7	1	1	5	6	7	10	15
50-64	6	6.5	14	4	4	5	6	13	14	14
65+	8	15.9	113	6	6	12	24	32	34	34
TOT. SINGLE DX	225	3.2	4	<1	1	3	4	5	6	11
" MULTIPLE DX	616	4.5	9	1	1	4	5	6	8	16
TOTAL 0-19 YRS	81	3.1	4	<1	1	3	4	6	7	11
20-34	648	4.0	5	1	1	4	5	6	7	14
35-49	95	4.4	7	1	1	4	5	7	9	14
50-64	9	6.1	16	1	2	5	7	13	14	14
65+	8	15.9	113	6	6	12	24	32	34	34
GRAND TOTAL	**841**	**4.1**	**8**	**1**	**1**	**4**	**5**	**6**	**7**	**15**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	1161	1.1		<1	<1	<1	1	1	2	3
35-49	630	1.1		<1	<1	<1	1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	561	1.5	1	<1	<1	1	1	3	4	7
35-49	318	1.3	1	<1	<1	<1	1	2	3	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	1798	1.1		<1	<1	<1	1	1	1	2
" MULTIPLE DX	884	1.4	1	<1	<1	1	1	3	3	6
TOTAL 0-19 YRS	11	1.3		<1	<1	1	1	2	3	3
20-34	1722	1.2	1	<1	<1	<1	1	2	2	5
35-49	948	1.1		<1	<1	<1	1	1	2	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	**2682**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**4**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.7	5	<1	<1	2	4	4	9	10
20-34	1150	1.7	1	<1	<1	1	2	3	4	5
35-49	499	1.6	1	<1	<1	1	2	3	4	6
50-64	3	3.3	16	<1	<1	<1	6	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	18	2.7	3	<1	<1	2	3	5	7	8
20-34	1908	2.9	2	1	1	3	4	4	5	8
35-49	644	2.9	4	<1	1	3	4	5	6	8
50-64	3	4.7	9	2	2	4	7	8	8	8
65+										
TOT. SINGLE DX	1667	1.7	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	2573	2.9	3	1	1	3	4	5	5	8
TOTAL 0-19 YRS	33	2.7	4	<1	<1	2	3	5	8	10
20-34	3058	2.4	2	<1	<1	2	3	4	5	7
35-49	1143	2.4	3	<1	<1	2	3	4	5	7
50-64	6	4.0	11	<1	<1	3	8	8	8	8
65+										
GRAND TOTAL	**4240**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	4.0	1	2	3	4	5	5	6	8
20-34	1409	4.0	1	2	3	4	5	5	6	8
35-49	187	4.0	2	1	2	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	99	4.7	2	3	3	4	5	7	8	12
20-34	1920	4.2	2	2	3	4	5	6	7	9
35-49	293	4.5	10	1	2	4	5	6	7	13
50-64	7	5.7	11	1	1	6	8	10	10	10
65+	3	6.0	12	4	4	4	9	10	10	10
TOT. SINGLE DX	1669	4.0	2	2	2	4	5	5	6	8
" MULTIPLE DX	2322	4.3	4	2	3	4	5	6	7	10
TOTAL 0-19 YRS	172	4.4	2	2	3	4	5	6	7	10
20-34	3329	4.1	3	2	3	4	5	6	6	9
35-49	480	4.3	7	1	2	4	5	6	7	11
50-64	7	5.7	11	1	1	6	8	10	10	10
65+	3	6.0	12	4	4	4	9	10	10	10
GRAND TOTAL	**3991**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	1.5		<1	<1	1	2	3	3	3
20-34	471	1.5	1	<1	<1	1	2	2	3	7
35-49	208	1.6	1	<1	<1	1	2	2	3	8
50-64	68	1.5	1	<1	<1	1	2	2	3	7
65+	32	1.8		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	13	5.3	180	<1	<1	1	2	13	43	50
20-34	295	1.8	8	<1	<1	1	2	3	5	11
35-49	170	1.8	2	<1	<1	1	2	4	6	8
50-64	69	2.2	8	<1	<1	1	2	4	5	18
65+	41	3.5	18	<1	<1	2	4	8	9	26
TOT. SINGLE DX	792	1.5	2	<1	<1	1	2	2	3	7
" MULTIPLE DX	588	2.1	12	<1	<1	1	2	4	6	15
TOTAL 0-19 YRS	26	3.4	91	<1	<1	1	2	3	13	50
20-34	766	1.6	5	<1	<1	1	2	2	4	7
35-49	378	1.7	2	<1	<1	1	2	3	5	8
50-64	137	1.8	5	<1	<1	1	2	3	5	18
65+	73	2.7	12	<1	<1	2	3	6	8	22
GRAND TOTAL	**1380**	**1.8**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	1.1		<1	<1	<1	1	2	2	2
20-34	114	1.7	2	<1	<1	1	2	3	5	9
35-49	64	1.5		<1	<1	1	2	2	3	5
50-64	52	2.3	4	<1	<1	2	2	5	7	11
65+	32	4.0	11	<1	1	2	6	8	12	15
2. MULTIPLE DX										
0-19 YRS	7	1.7	1	<1	<1	1	2	4	4	4
20-34	107	2.1	3	<1	<1	1	2	5	6	10
35-49	115	2.9	25	<1	<1	1	3	6	9	32
50-64	103	3.8	23	<1	<1	2	5	9	14	27
65+	127	6.7	74	1	2	5	8	12	15	50
TOT. SINGLE DX	272	2.0	4	<1	<1	1	2	4	6	12
" MULTIPLE DX	459	4.0	36	<1	<1	2	5	8	12	26
TOTAL 0-19 YRS	17	1.4	1	<1	<1	1	1	2	3	4
20-34	221	1.9	3	<1	<1	1	2	4	6	9
35-49	179	2.4	17	<1	<1	1	2	4	8	23
50-64	155	3.3	17	<1	<1	2	3	7	12	21
65+	159	6.1	63	1	1	5	7	11	15	38
GRAND TOTAL	**731**	**3.2**	**25**	**<1**	**<1**	**2**	**3**	**7**	**9**	**20**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.8	4	1	1	2	4	5	7	8
20-34	417	1.9	1	<1	1	2	2	3	4	7
35-49	36	2.1	1	<1	1	2	3	4	5	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	9	5.1	28	1	1	3	6	15	17	17
20-34	161	3.7	52	1	1	2	4	6	9	49
35-49	26	2.8	5	<1	1	2	3	4	10	10
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	20.0		20	20	20	20	20	20	20
TOT. SINGLE DX	472	2.0	2	<1	1	2	3	4	4	7
" MULTIPLE DX	198	3.7	46	1	1	2	4	6	11	38
TOTAL 0-19 YRS	24	3.7	14	1	1	3	4	8	13	17
20-34	578	2.4	17	<1	1	2	3	4	5	15
35-49	62	2.4	3	<1	1	2	3	4	6	10
50-64	3	1.7		1	1	2	2	2	2	2
65+	3	9.0	97	1	1	2	16	20	20	20
GRAND TOTAL	670	2.5	16	<1	1	2	3	4	6	16

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.7	5	<1	<1	2	5	6	6	6
20-34	141	4.2	2	<1	1	4	5	6	7	8
35-49	53	3.8	4	<1	1	4	6	6	7	8
50-64	4	2.5		2	2	2	3	3	3	3
65+	7	3.7	4	1	1	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	10	3.5	7	<1	<1	3	5	7	9	9
20-34	352	4.6	5	1	1	5	6	6	7	10
35-49	178	4.9	13	<1	1	5	6	8	11	21
50-64	27	5.5	45	<1	<1	3	5	12	19	33
65+	27	9.9	122	1	1	4	14	30	33	41
TOT. SINGLE DX	212	4.0	3	<1	1	4	5	6	6	8
" MULTIPLE DX	594	5.0	16	<1	1	5	6	7	10	25
TOTAL 0-19 YRS	17	3.2	6	<1	<1	2	5	6	8	9
20-34	493	4.5	4	<1	1	5	6	6	7	10
35-49	231	4.7	12	<1	1	4	6	8	10	20
50-64	31	5.1	40	<1	<1	3	5	11	17	33
65+	34	8.6	104	1	1	4	11	29	32	41
GRAND TOTAL	806	4.7	13	<1	1	5	6	7	9	20

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	8.2	78	2	3	6	7	20	33	33
20-34	698	5.7	2	4	4	5	6	7	8	12
35-49	1192	5.8	2	4	4	6	6	7	8	10
50-64	396	6.4	3	4	5	6	7	8	10	15
65+	221	7.1	5	5	5	7	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	32	6.6	4	4	4	6	8	10	11	12
20-34	4837	6.1	6	4	4	6	7	8	9	15
35-49	10392	6.2	5	4	5	6	7	8	9	15
50-64	2867	6.9	10	5	5	6	7	9	11	21
65+	1180	8.9	25	5	5	7	10	15	18	30
TOT. SINGLE DX	2517	6.0	3	4	4	6	7	8	9	13
" MULTIPLE DX	19308	6.5	8	4	5	6	7	9	10	17
TOTAL 0-19 YRS	42	7.0	21	4	4	6	7	10	12	33
20-34	5535	6.1	6	4	4	6	7	8	9	14
35-49	11584	6.2	5	4	5	6	7	8	9	14
50-64	3263	6.9	10	4	5	6	7	9	11	20
65+	1401	8.7	23	5	5	7	9	14	17	28
GRAND TOTAL	21825	6.4	7	4	5	6	7	8	10	17

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	448	4.8	1	3	3	5	5	6	7	8
35-49	496	5.1	1	3	3	5	6	7	7	9
50-64	169	6.0	3	3	4	6	7	8	10	12
65+	144	6.6	2	4	5	6	8	9	9	11
2. MULTIPLE DX										
0-19 YRS	10	4.9	1	4	4	5	5	6	7	7
20-34	2156	5.2	2	3	4	5	6	7	8	11
35-49	3849	5.4	3	3	4	5	6	7	8	12
50-64	1044	6.3	4	4	4	6	7	8	10	12
65+	776	7.3	9	4	5	7	8	10	12	21
TOT. SINGLE DX	1259	5.3	2	3	4	5	6	7	8	10
" MULTIPLE DX	7835	5.7	4	3	4	5	6	8	9	13
TOTAL 0-19 YRS	12	4.8	1	4	4	5	5	6	7	7
20-34	2604	5.1	2	3	4	5	6	7	8	10
35-49	4345	5.4	3	3	4	5	6	7	8	11
50-64	1213	6.3	4	4	4	6	7	8	10	12
65+	920	7.2	9	4	5	7	8	10	12	19
GRAND TOTAL	9094	5.6	4	3	4	5	6	8	9	12

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	10.6	6	6	7	11	12	14	14	14
35-49	12	10.6	10	5	6	10	13	15	16	16
50-64	9	12.2	11	9	9	12	15	17	17	17
65+	9	14.1	93	7	7	9	17	31	34	34
2. MULTIPLE DX										
0-19 YRS										
20-34	19	12.1	28	5	7	11	13	15	24	31
35-49	26	11.7	36	4	6	10	12	19	24	31
50-64	28	16.2	87	7	7	14	19	32	39	41
65+	23	20.2	181	8	9	14	23	36	49	68
TOT. SINGLE DX	38	11.7	30	6	7	10	13	17	23	34
" MULTIPLE DX	96	15.1	93	6	7	12	17	29	35	56
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	26	11.7	22	6	7	11	13	14	18	31
35-49	38	11.3	28	5	6	10	12	19	21	31
50-64	37	15.4	71	7	8	13	17	28	37	41
65+	32	18.5	161	7	8	14	23	34	39	68
GRAND TOTAL	134	14.1	78	6	7	12	19	24	33	45

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	1.3		<1	<1	1	1	2	3	6
20-34	260	1.3		<1	<1	1	1	2	3	5
35-49	37	1.2		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	31	2.0	8	<1	<1	<1	2	3	4	17
20-34	270	2.0	10	<1	<1	1	2	4	5	18
35-49	64	1.5		<1	<1	1	2	2	4	6
50-64										
65+										
TOT. SINGLE DX	361	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	365	1.9	9	<1	<1	1	2	4	5	17
TOTAL 0-19 YRS	95	1.5	3	<1	<1	<1	1	3	3	12
20-34	530	1.6	6	<1	<1	1	1	3	4	11
35-49	101	1.4	1	<1	<1	1	2	2	3	5
50-64										
65+										
GRAND TOTAL	726	1.6	5	<1	<1	1	1	3	4	9

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	749	1.3		<1	<1	1	1	2	3	5
20-34	5512	1.3		<1	<1	1	1	2	3	5
35-49	2145	1.2		<1	<1	1	1	2	2	5
50-64	859	1.2		<1	<1	1	1	2	3	6
65+	336	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	359	2.3	6	<1	<1	1	1	3	5	12
20-34	3111	2.1	7	<1	<1	1	1	3	4	10
35-49	2408	1.9	5	<1	<1	1	1	2	4	12
50-64	1235	2.1	11	<1	<1	1	1	3	6	19
65+	713	3.2	28	<1	<1	1	2	5	10	25
TOT. SINGLE DX	9601	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	7826	2.2	9	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	1108	1.7	3	<1	<1	1	1	3	4	8
20-34	8623	1.6	3	<1	<1	1	1	2	4	7
35-49	4553	1.6	3	<1	<1	1	1	2	4	9
50-64	2094	1.7	5	<1	<1	1	1	3	4	11
65+	1049	2.7	21	<1	<1	1	2	4	6	20
GRAND TOTAL	17427	1.7	5	<1	<1	1	2	3	4	9

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	1.2		<1	<1	<1	<1	1	2	4
20-34	553	1.1		<1	<1	<1	1	1	2	4
35-49	83	1.2		<1	<1	<1	1	1	2	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	34	5.1	140	<1	<1	1	3	7	40	55
20-34	319	2.4	15	<1	<1	1	1	4	8	22
35-49	100	1.6	6	<1	<1	1	1	2	3	16
50-64										
65+										
TOT. SINGLE DX	762	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	453	2.4	24	<1	<1	1	2	4	7	28
TOTAL 0-19 YRS	160	2.0	32	<1	<1	<1	1	3	4	43
20-34	872	1.6	6	<1	<1	<1	1	2	4	11
35-49	183	1.4	4	<1	<1	1	1	2	3	7
50-64										
65+										
GRAND TOTAL	1215	1.6	9	<1	<1	<1	1	2	4	11

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	122	1.4	1	<1	<1	1	1	2	3	11
20-34	953	1.3	4	<1	<1	1	1	2	2	4
35-49	137	1.1		<1	<1	1	1	2	2	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	41	1.8	1	<1	<1	1	2	4	5	6
20-34	306	2.1	4	<1	<1	1	2	4	6	13
35-49	71	2.1	8	<1	<1	1	2	3	4	19
50-64	4	8.8	19	5	5	7	11	15	15	15
65+	8	5.5	12	1	1	6	8	10	11	11
TOT. SINGLE DX	1215	1.3	4	<1	<1	1	1	2	2	4
" MULTIPLE DX	430	2.2	6	<1	<1	1	2	5	7	14
TOTAL 0-19 YRS	163	1.5	2	<1	<1	1	1	2	3	10
20-34	1259	1.5	4	<1	<1	1	1	2	3	7
35-49	208	1.5	3	<1	<1	1	1	2	3	12
50-64	5	7.2	26	<1	<1	7	10	15	15	15
65+	10	5.3	12	1	1	6	8	10	11	11
GRAND TOTAL	**1645**	**1.5**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	22	2.8	4	<1	<1	2	4	6	7	9
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	3	6.7	1	6	6	6	8	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	6	5.2		4	4	5	6	6	6	6
20-34	79	4.8	2	2	3	5	6	7	7	10
35-49	13	5.7	3	4	4	5	6	8	10	11
50-64										
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	31	3.4	6	<1	<1	2	5	7	8	9
" MULTIPLE DX	99	5.0	3	2	3	5	6	7	8	11
TOTAL 0-19 YRS	7	5.0	1	4	4	5	6	6	6	6
20-34	101	4.4	4	<1	1	5	5	6	7	10
35-49	17	5.0	6	1	1	5	6	7	10	11
50-64	3	6.7	1	6	6	6	8	8	8	8
65+	2	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**130**	**4.6**	**4**	**<1**	**1**	**5**	**6**	**7**	**8**	**11**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.7	4	<1	<1	2	4	6	7	8
20-34	122	2.3	3	<1	<1	1	3	5	5	9
35-49	38	2.6	2	<1	<1	2	3	5	5	8
50-64	9	3.1	1	1	1	3	4	5	5	5
65+	14	3.1		<1	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	12	4.0	12	<1	<1	4	5	9	12	13
20-34	202	3.8	23	<1	<1	3	5	7	9	14
35-49	52	3.3	18	<1	<1	2	4	6	11	26
50-64	28	4.7	14	1	1	4	5	10	13	17
65+	27	4.6	11	1	2	4	5	10	12	15
TOT. SINGLE DX	199	2.4	3	<1	<1	2	3	5	5	8
" MULTIPLE DX	321	3.9	20	<1	1	3	5	7	10	17
TOTAL 0-19 YRS	28	3.3	8	<1	<1	2	4	7	8	13
20-34	324	3.2	16	<1	<1	2	5	6	8	13
35-49	90	3.0	12	<1	<1	2	4	5	6	22
50-64	37	4.3	12	1	1	4	5	9	12	17
65+	41	4.1	8	1	2	3	4	7	11	15
GRAND TOTAL	**520**	**3.3**	**14**	**<1**	**<1**	**3**	**4**	**6**	**8**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	46	3.8	3	1	1	4	5	6	7	9
35-49	123	4.7	4	1	2	5	6	7	8	11
50-64	248	5.4	5	2	3	5	7	8	9	12
65+	213	5.9	7	2	3	6	7	9	10	17
2. MULTIPLE DX										
0-19 YRS	8	6.5	1	5	5	6	7	8	8	8
20-34	88	5.2	4	2	3	5	6	8	10	11
35-49	315	6.1	5	3	4	6	7	9	10	14
50-64	543	6.3	6	3	4	6	7	9	11	17
65+	501	6.7	9	3	4	6	8	10	12	18
TOT. SINGLE DX	630	5.3	6	2	3	5	7	8	9	13
" MULTIPLE DX	1455	6.3	7	3	4	6	7	9	11	17
TOTAL 0-19 YRS	8	6.5	1	5	5	6	7	8	8	8
20-34	134	4.8	5	1	2	5	6	7	9	11
35-49	438	5.7	6	2	3	5	7	8	10	14
50-64	791	6.0	7	3	3	6	7	9	10	16
65+	714	6.5	9	3	4	6	8	10	11	18
GRAND TOTAL	**2085**	**6.0**	**7**	**3**	**3**	**6**	**7**	**9**	**10**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.3	8	<1	<1	1	2	5	6	16
20-34	110	2.9	5	<1	<1	2	4	6	8	12
35-49	54	4.0	29	<1	1	3	5	7	9	38
50-64	27	4.4	6	<1	1	5	6	7	8	11
65+	22	5.5	3	2	3	6	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	25	4.4	18	<1	1	4	6	9	12	20
20-34	75	4.5	44	<1	1	3	5	8	11	45
35-49	55	5.8	33	1	1	5	8	9	11	40
50-64	57	8.5	89	2	3	6	9	14	20	67
65+	58	8.4	34	4	5	7	9	14	20	36
TOT. SINGLE DX	241	3.5	12	<1	<1	3	5	7	8	14
" MULTIPLE DX	270	6.4	50	1	1	5	8	11	15	41
TOTAL 0-19 YRS	53	3.3	14	<1	<1	2	5	7	10	20
20-34	185	3.5	22	<1	<1	2	4	7	9	18
35-49	109	4.9	32	<1	1	4	6	9	9	40
50-64	84	7.2	66	1	2	6	8	12	16	54
65+	80	7.6	27	3	4	6	8	12	16	34
GRAND TOTAL	511	5.0	34	<1	1	4	6	9	12	32

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	2.2	4	<1	<1	1	2	5	7	10
20-34	254	2.5	4	<1	<1	1	3	5	7	10
35-49	70	4.0	28	<1	<1	2	5	12	13	32
50-64	45	3.4	5	<1	<1	3	5	7	8	8
65+	61	4.7	8	1	1	4	6	9	10	16
2. MULTIPLE DX										
0-19 YRS	77	4.3	15	<1	1	3	6	10	13	18
20-34	278	4.3	21	<1	1	3	5	9	12	29
35-49	111	5.4	15	<1	1	5	8	11	13	20
50-64	117	5.2	12	1	1	5	6	9	12	18
65+	196	7.7	61	1	2	6	8	14	21	48
TOT. SINGLE DX	503	3.0	9	<1	<1	2	4	6	8	13
" MULTIPLE DX	779	5.4	30	<1	1	4	7	11	14	30
TOTAL 0-19 YRS	150	3.3	11	<1	<1	2	4	8	11	15
20-34	532	3.4	14	<1	<1	2	5	7	9	17
35-49	181	4.9	21	<1	<1	4	7	11	13	21
50-64	162	4.7	11	<1	1	4	6	8	11	16
65+	257	7.0	51	1	2	6	8	13	17	34
GRAND TOTAL	1282	4.5	24	<1	<1	3	6	9	12	23

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	1.9	1	<1	<1	1	2	4	5	7
20-34	228	1.5	1	<1	<1	1	2	3	3	6
35-49	150	2.0	23	<1	<1	1	2	3	4	12
50-64	44	2.0	3	<1	<1	1	2	4	5	11
65+	23	2.3	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	27	3.7	14	<1	1	3	5	7	13	18
20-34	121	3.3	23	<1	<1	2	4	5	9	35
35-49	90	3.3	18	<1	<1	2	3	7	9	27
50-64	61	5.3	67	<1	<1	3	5	12	22	49
65+	70	5.9	48	1	1	4	6	17	24	87
TOT. SINGLE DX	504	1.8	8	<1	<1	1	2	3	4	8
" MULTIPLE DX	369	4.2	34	<1	<1	2	4	8	16	37
TOTAL 0-19 YRS	86	2.5	7	<1	<1	1	3	5	6	16
20-34	349	2.1	10	<1	<1	1	2	4	5	12
35-49	240	2.5	22	<1	<1	1	2	5	8	24
50-64	105	3.9	43	<1	<1	2	4	6	16	39
65+	93	5.0	39	<1	1	3	6	12	20	73
GRAND TOTAL	873	2.8	21	<1	<1	1	3	5	8	28

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	6	1.3		<1	<1	1	2	2	2	2
35-49	10	3.1	3	1	1	3	4	6	7	7
50-64	7	8.0	18	<1	1	8	11	14	14	14
65+	13	7.5	43	1	2	4	11	19	21	21
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	7.4	16	<1	<1	8	10	12	12	12
35-49	6	6.5	6	4	4	6	7	11	11	11
50-64	14	14.1	512	2	2	7	13	29	76	90
65+	38	16.4	200	3	4	14	19	27	45	79
TOT. SINGLE DX	36	5.3	26	<1	1	4	7	14	17	21
" MULTIPLE DX	64	14.0	240	2	3	11	17	23	38	88
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	4.1	17	<1	<1	2	8	10	12	12
35-49	16	4.4	7	1	1	4	6	7	10	11
50-64	21	12.0	347	1	2	7	12	18	53	90
65+	51	14.1	174	2	3	11	18	24	32	79
GRAND TOTAL	100	10.9	180	1	1	7	14	21	26	84

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	1.3		<1	<1	1	2	2	2	3
20-34	47	2.4	2	<1	1	2	3	4	5	7
35-49	7	2.4	2	<1	<1	2	3	5	5	5
50-64	8	2.3	4	<1	<1	2	3	6	7	7
65+	3	2.7	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	1.6	1	<1	<1	1	2	3	4	4
20-34	28	4.3	16	<1	1	3	6	7	17	17
35-49	13	3.3	4	1	1	2	5	6	7	7
50-64	7	10.7	455	<1	<1	3	5	48	59	59
65+	5	6.8	26	1	1	6	11	13	13	13
TOT. SINGLE DX	101	2.0	2	<1	<1	1	3	4	5	7
" MULTIPLE DX	64	4.5	60	<1	1	3	5	7	14	53
TOTAL 0-19 YRS	47	1.4		<1	<1	1	2	2	3	4
20-34	75	3.1	8	<1	1	3	4	6	7	17
35-49	20	3.0	4	<1	<1	2	4	6	7	7
50-64	15	6.2	216	<1	<1	2	4	7	46	59
65+	8	5.3	20	<1	<1	4	8	12	13	13
GRAND TOTAL	**165**	**3.0**	**26**	**<1**	**<1**	**2**	**3**	**6**	**7**	**17**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.8	3	<1	<1	1	2	5	5	5
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	17.7	1362	1	1	3	3	84	93	93
20-34	11	5.6	99	<1	<1	2	5	19	34	35
35-49	4	3.0	8	1	1	2	5	7	7	7
50-64	5	3.0	11	1	1	2	4	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	11	1.7	2	<1	<1	1	2	4	5	5
" MULTIPLE DX	27	7.3	337	<1	1	2	4	9	44	93
TOTAL 0-19 YRS	11	10.5	751	<1	<1	3	3	40	59	93
20-34	16	4.4	71	<1	<1	2	4	8	27	35
35-49	5	2.8	6	1	1	2	4	7	7	7
50-64	5	3.0	12	1	1	2	4	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**38**	**5.7**	**244**	**<1**	**<1**	**2**	**3**	**8**	**25**	**93**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1083	2.2		1	1	2	3	3	4	4
20-34	6583	2.5	1	1	1	2	3	4	4	5
35-49	411	2.5		1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	990	2.7	6	1	1	2	3	4	5	9
20-34	6802	2.9	4	1	2	3	3	4	5	7
35-49	533	3.2	3	1	2	3	4	4	6	10
50-64										
65+										
TOT. SINGLE DX	8077	2.4	2	1	1	2	3	3	4	5
" MULTIPLE DX	8325	2.9	5	1	2	3	3	4	5	8
TOTAL 0-19 YRS	2073	2.4	4	1	1	2	3	4	4	6
20-34	13385	2.7	3	1	1	3	3	4	4	6
35-49	944	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**16402**	**2.7**	**3**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	1.9	1	1	1	2	3	3	4	4
20-34	122	2.3	1	1	1	2	3	4	4	7
35-49	13	2.0		1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	39	2.1	1	1	1	2	3	3	4	5
20-34	269	2.5	2	1	1	2	3	4	5	9
35-49	32	2.3	1	<1	<1	2	3	4	4	6
50-64										
65+										
TOT. SINGLE DX	147	2.3	1	1	1	2	3	3	4	6
" MULTIPLE DX	340	2.5	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	51	2.0	1	1	1	2	3	3	4	5
20-34	391	2.5	2	1	1	2	3	4	5	9
35-49	45	2.2	1	<1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**487**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	327	2.2		1	1	2	3	3	4	5
20-34	2013	2.4		1	1	2	3	3	4	5
35-49	121	2.6		1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	436	2.9	4	1	2	3	3	4	5	8
20-34	3267	2.8	2	1	2	3	3	4	5	7
35-49	287	3.2	4	1	2	3	4	4	5	17
50-64										
65+										
TOT. SINGLE DX	2461	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	3990	2.9	3	1	2	3	3	4	5	7
TOTAL 0-19 YRS	763	2.6	3	1	1	2	3	4	4	7
20-34	5280	2.7	2	1	1	3	3	4	4	6
35-49	408	3.0	3	1	2	3	3	4	5	12
50-64										
65+										
GRAND TOTAL	6451	2.7	2	1	1	3	3	4	4	7

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9085	2.0		1	1	2	2	3	3	4
20-34	61569	2.0	1	1	1	2	3	3	3	4
35-49	3704	2.2	2	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2830	2.5	2	1	1	2	3	4	5	8
20-34	21440	2.6	3	1	1	2	3	4	5	8
35-49	2193	2.9	8	1	1	3	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	74358	2.0	1	1	1	2	3	3	3	4
" MULTIPLE DX	26463	2.6	4	1	1	2	3	4	5	8
TOTAL 0-19 YRS	11915	2.1	1	1	1	2	3	3	4	6
20-34	83009	2.2	2	1	1	2	3	3	4	5
35-49	5897	2.5	5	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	100821	2.2	2	1	1	2	3	3	4	5

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	873	4.3	1	3	3	4	5	5	6	8
20-34	9647	4.4	1	3	3	4	5	6	6	8
35-49	705	4.8	4	3	3	5	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2170	5.1	8	3	3	5	5	7	9	16
20-34	20777	5.0	8	3	3	5	5	6	8	15
35-49	2394	5.3	7	3	4	5	6	7	8	16
50-64										
65+										
TOT. SINGLE DX	11225	4.5	2	3	3	4	5	6	6	8
" MULTIPLE DX	25341	5.1	9	3	3	5	5	7	8	15
TOTAL 0-19 YRS	3043	4.9	6	3	3	4	5	6	8	15
20-34	30424	4.8	7	3	3	5	5	6	7	13
35-49	3099	5.2	7	3	3	5	6	7	8	15
50-64										
65+										
GRAND TOTAL	36566	4.9	7	3	3	5	5	6	7	13

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	4.3	1	3	3	4	5	6	6	10
20-34	488	4.4	1	3	3	4	5	6	6	9
35-49	43	4.8	4	3	3	5	5	6	7	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	79	5.8	11	3	3	5	6	10	11	23
20-34	821	5.4	14	3	4	5	6	7	9	22
35-49	106	5.5	4	3	3	5	6	8	10	14
50-64										
65+										
TOT. SINGLE DX	582	4.4	2	3	3	4	5	6	6	9
" MULTIPLE DX	1006	5.5	13	3	3	5	6	7	9	20
TOTAL 0-19 YRS	130	5.2	8	3	3	5	5	8	10	16
20-34	1309	5.0	10	3	3	5	5	6	8	16
35-49	149	5.3	5	3	3	5	6	7	9	14
50-64										
65+										
GRAND TOTAL	1588	5.1	9	3	3	5	5	7	8	15

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	68	3.9	1	2	2	4	5	5	6	8
35-49	3	4.3	17	1	1	3	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	84	4.6	9	2	3	4	5	6	7	23
35-49	4	5.3	8	2	2	5	7	9	9	9
50-64										
65+										
TOT. SINGLE DX	75	3.9	2	1	2	4	5	6	7	9
" MULTIPLE DX	91	4.6	10	2	2	4	5	6	7	21
TOTAL 0-19 YRS	7	4.3	2	3	3	4	5	7	7	7
20-34	152	4.3	6	2	2	4	5	6	7	9
35-49	7	4.9	10	1	1	5	8	9	9	9
50-64										
65+										
GRAND TOTAL	**166**	**4.3**	**6**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	151	1.1		<1	<1	1	1	2	2	2
20-34	147	1.4	2	<1	<1	1	1	2	3	10
35-49	16	1.6		<1	<1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	37	1.3		<1	<1	1	1	2	4	5
20-34	95	1.5	1	<1	<1	1	1	3	4	7
35-49	24	1.4		<1	1	1	2	2	3	3
50-64										
65+										
TOT. SINGLE DX	314	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	156	1.4	1	<1	<1	1	1	3	3	5
TOTAL 0-19 YRS	188	1.2		<1	<1	1	1	2	2	4
20-34	242	1.4	2	<1	<1	1	1	2	3	10
35-49	40	1.5		<1	<1	1	2	2	3	3
50-64										
65+										
GRAND TOTAL	**470**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**4**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	2.7	7	<1	<1	2	3	5	6	18
20-34	246	3.6	15	<1	<1	2	4	7	11	24
35-49	17	5.5	64	<1	1	3	7	14	27	33
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	52	4.3	22	<1	1	3	5	8	15	24
20-34	262	5.1	63	1	1	3	5	10	16	43
35-49	18	4.6	14	1	1	4	6	10	13	15
50-64										
65+										
TOT. SINGLE DX	307	3.6	17	<1	<1	2	4	7	11	24
" MULTIPLE DX	332	4.9	54	1	1	3	5	10	15	37
TOTAL 0-19 YRS	96	3.6	16	<1	<1	2	4	7	13	22
20-34	508	4.4	41	<1	1	3	5	8	14	29
35-49	35	5.0	38	1	1	3	7	11	15	33
50-64										
65+										
GRAND TOTAL	**639**	**4.3**	**37**	**<1**	**1**	**3**	**5**	**8**	**14**	**28**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	586	1.7		<1	<1	1	2	3	3	5
20-34	3719	1.9	1	<1	<1	2	2	3	4	5
35-49	223	2.1	1	<1	<1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	314	2.4	4	<1	<1	2	3	4	5	8
20-34	2034	2.5	2	<1	1	2	3	4	5	8
35-49	175	2.6	2	<1	1	2	3	4	6	8
50-64										
65+										
TOT. SINGLE DX	4528	1.9	2	<1	<1	2	2	3	4	5
" MULTIPLE DX	2523	2.5	3	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	900	2.0	2	<1	<1	2	3	3	4	6
20-34	5753	2.1	2	<1	<1	2	3	3	4	6
35-49	398	2.3	2	<1	<1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	**7051**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**3**	**4**	**6**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1273	2.0		1	1	2	2	3	3	4
20-34	10276	2.0		1	1	2	2	3	3	4
35-49	664	2.0		1	1	2	3	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1454	2.3	1	1	1	2	3	3	4	6
20-34	9956	2.4	2	1	1	2	3	4	4	7
35-49	914	2.7	6	1	1	2	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	12213	2.0	1	1	1	2	2	3	3	4
" MULTIPLE DX	12324	2.4	3	1	1	2	3	4	4	7
TOTAL 0-19 YRS	2727	2.2	1	1	1	2	3	3	4	5
20-34	20232	2.2	2	1	1	2	3	3	4	5
35-49	1578	2.4	4	1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**24537**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.6	5	<1	<1	2	3	5	8	12
20-34	23	3.2	5	<1	1	3	3	6	9	10
35-49	22	4.9	65	<1	1	3	4	9	23	39
50-64	17	4.9	9	1	2	4	8	9	10	11
65+	15	9.3	41	1	1	11	14	16	20	22
2. MULTIPLE DX										
0-19 YRS	6	2.8	10	1	1	1	4	8	9	9
20-34	25	5.9	26	1	2	4	7	14	17	22
35-49	16	11.2	377	<1	1	4	9	31	64	78
50-64	27	8.4	67	1	1	4	12	23	24	29
65+	54	14.9	160	2	3	13	21	35	51	98
TOT. SINGLE DX	105	4.6	28	<1	1	3	5	11	13	30
" MULTIPLE DX	128	10.8	147	1	2	6	15	23	35	83
TOTAL 0-19 YRS	34	2.6	6	<1	1	2	3	5	9	12
20-34	48	4.6	18	1	1	3	5	10	14	22
35-49	38	7.6	200	<1	1	4	5	13	37	78
50-64	44	7.1	48	1	2	4	10	20	23	29
65+	69	13.7	139	2	2	12	18	28	38	92
GRAND TOTAL	**233**	**8.0**	**102**	**1**	**1**	**4**	**11**	**21**	**28**	**65**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	273	3.3	1	2	2	3	4	5	5	7
20-34	469	3.3	1	2	2	3	4	5	5	7
35-49	186	3.3	1	1	2	3	4	5	6	7
50-64	45	3.5	5	1	2	3	4	5	6	16
65+	8	3.6	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	266	3.6	1	2	2	4	4	5	5	8
20-34	358	3.8	3	2	2	4	4	5	6	13
35-49	160	4.0	5	2	2	4	5	6	7	14
50-64	56	6.4	97	1	2	3	6	10	30	56
65+	29	7.6	115	2	2	3	8	16	24	57
TOT. SINGLE DX	981	3.3	2	2	2	3	4	5	5	7
" MULTIPLE DX	869	4.1	14	2	2	4	4	6	7	16
TOTAL 0-19 YRS	539	3.5	2	2	2	3	4	5	5	7
20-34	827	3.5	2	2	2	3	4	5	6	9
35-49	346	3.6	3	1	2	3	4	5	6	9
50-64	101	5.1	58	1	2	3	4	9	13	49
65+	37	6.7	94	1	2	3	8	14	20	57
GRAND TOTAL	**1850**	**3.7**	**7**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	2.0	4	<1	1	1	2	3	5	12
20-34	165	2.2	1	1	1	2	3	3	5	8
35-49	29	2.3	1	1	1	2	3	4	5	6
50-64	13	2.0		1	1	2	2	3	3	3
65+	6	4.0	12	2	2	3	3	10	11	11
2. MULTIPLE DX										
0-19 YRS	109	3.7	33	1	1	2	4	7	10	32
20-34	161	4.9	55	1	1	3	5	8	16	45
35-49	51	3.9	7	1	2	3	5	8	10	14
50-64	19	6.6	45	1	1	5	8	18	24	25
65+	27	11.1	159	<1	1	5	17	30	41	49
TOT. SINGLE DX	314	2.2	3	<1	1	2	3	3	5	11
" MULTIPLE DX	367	4.9	52	1	1	3	5	9	16	45
TOTAL 0-19 YRS	210	2.9	20	1	1	2	3	6	9	14
20-34	326	3.5	30	1	1	2	4	6	8	27
35-49	80	3.4	6	1	1	3	4	6	9	13
50-64	32	4.8	32	1	1	3	5	11	21	25
65+	33	9.8	139	<1	1	4	15	23	39	49
GRAND TOTAL	**681**	**3.7**	**31**	**1**	**1**	**2**	**4**	**6**	**10**	**30**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	2.3	2	1	1	2	3	3	4	11
20-34	250	2.5	4	1	1	2	3	5	6	11
35-49	104	2.7	4	1	1	2	4	5	6	12
50-64	25	3.7	15	1	1	2	4	10	12	17
65+	17	3.7	16	<1	1	2	4	11	14	15
2. MULTIPLE DX										
0-19 YRS	183	4.8	59	1	1	3	5	8	12	36
20-34	434	5.9	76	1	1	3	6	12	16	61
35-49	167	6.4	127	1	1	3	7	13	18	74
50-64	84	7.9	87	1	2	5	10	17	29	52
65+	49	8.8	62	1	2	6	11	21	27	34
TOT. SINGLE DX	517	2.6	5	1	1	2	3	5	6	13
" MULTIPLE DX	917	6.1	83	1	1	4	7	12	17	54
TOTAL 0-19 YRS	304	3.8	39	1	1	2	4	7	10	22
20-34	684	4.7	53	1	1	3	5	10	13	38
35-49	271	5.0	83	1	1	3	5	9	14	51
50-64	109	7.0	74	1	2	4	9	15	21	51
65+	66	7.5	55	1	2	5	10	19	23	34
GRAND TOTAL	1434	4.8	58	1	1	3	5	10	14	37

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.4	3	<1	1	2	3	4	7	8
20-34	26	3.3	4	<1	1	3	4	8	8	9
35-49	13	3.9	2	<1	<1	3	4	6	6	6
50-64	7	3.6	9	1	1	3	4	7	9	16
65+	10	6.8	108	<1	<1	3	7	23	35	35
2. MULTIPLE DX										
0-19 YRS	20	3.3	1	1	2	3	4	5	6	6
20-34	20	4.0	4	<1	1	4	5	7	8	9
35-49	17	4.4	42	1	1	3	4	6	21	29
50-64	22	4.0	8	1	2	3	5	7	11	14
65+	17	10.9	144	1	2	6	17	23	40	48
TOT. SINGLE DX	68	3.6	18	<1	1	3	4	7	8	28
" MULTIPLE DX	96	5.1	42	1	2	3	5	10	18	39
TOTAL 0-19 YRS	34	2.9	2	<1	1	3	4	5	6	8
20-34	44	3.6	5	<1	1	3	4	7	8	9
35-49	30	3.9	25	<1	1	3	4	6	6	29
50-64	29	3.8	9	1	1	3	5	7	9	16
65+	27	9.4	131	<1	1	4	12	23	37	48
GRAND TOTAL	184	4.4	31	1	1	3	4	8	13	33

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	321	5.2	47	<1	1	3	5	9	18	44
20-34	276	4.2	21	<1	1	3	5	8	12	18
35-49	164	4.6	28	1	1	3	5	9	12	39
50-64	119	5.5	21	1	1	3	6	9	14	19
65+	91	6.4	29	1	1	3	6	11	17	33
2. MULTIPLE DX										
0-19 YRS	310	5.6	31	1	2	4	6	12	16	40
20-34	247	6.0	49	1	1	4	7	13	22	41
35-49	253	6.2	58	1	1	4	7	13	18	44
50-64	305	6.6	47	1	1	3	8	12	21	39
65+	173	9.7	132	1	2	4	11	21	35	76
TOT. SINGLE DX	1071	5.0	32	<1	1	4	6	9	13	32
" MULTIPLE DX	1288	6.6	60	1	1	4	7	13	21	43
TOTAL 0-19 YRS	631	5.4	41	1	1	4	6	11	17	41
20-34	523	5.0	35	<1	1	3	6	10	15	33
35-49	417	5.6	48	1	1	4	6	11	16	43
50-64	524	6.1	37	1	2	5	7	11	18	32
65+	264	8.6	99	1	2	6	9	17	24	66
GRAND TOTAL	2359	5.9	40	1	1	4	7	12	17	42

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	151	2.7	1	<1	1	3	4	5	5	6
20-34	258	3.0	1	1	1	3	4	5	6	10
35-49	309	2.9	1	1	1	3	4	5	5	6
50-64	369	3.1	1	1	1	3	4	5	6	6
65+	172	3.3	2	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	201	3.1	3	1	1	3	4	5	6	12
20-34	455	3.1	4	1	1	3	4	5	6	6
35-49	645	3.4	5	1	1	3	4	5	6	9
50-64	1098	3.9	3	1	2	3	4	6	7	10
65+	835	4.5	16	1	2	4	5	7	10	20
TOT. SINGLE DX	1259	3.0	3	1	1	3	4	5	6	6
" MULTIPLE DX	3234	3.7	8	1	2	3	4	6	7	13
TOTAL 0-19 YRS	352	2.9	3	1	1	3	4	5	6	7
20-34	713	3.1	4	1	1	3	4	5	6	9
35-49	954	3.3	4	1	1	3	4	5	6	9
50-64	1467	3.4	4	1	2	3	4	5	7	9
65+	1007	4.3	14	1	2	4	5	7	9	18
GRAND TOTAL	4493	3.5	6	1	1	3	4	6	7	11

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1043	3.1	22	<1	1	2	3	5	8	30
20-34	1315	3.1	11	<1	1	2	4	6	8	18
35-49	886	3.4	16	<1	1	2	4	7	9	18
50-64	623	3.7	18	<1	1	3	4	7	10	22
65+	331	4.3	24	<1	1	3	5	9	15	25
2. MULTIPLE DX										
0-19 YRS	542	6.7	109	1	1	3	6	16	31	53
20-34	1187	6.3	114	<1	1	3	5	15	29	66
35-49	993	6.2	85	1	1	3	6	14	25	56
50-64	1013	7.2	103	1	1	4	7	17	30	54
65+	916	10.8	178	1	2	6	14	28	40	82
TOT. SINGLE DX	4198	3.3	18	<1	1	2	4	6	9	22
" MULTIPLE DX	4651	7.4	121	1	1	3	7	18	31	65
TOTAL 0-19 YRS	1585	4.4	55	<1	1	2	4	8	16	43
20-34	2502	4.6	63	<1	1	2	4	9	16	50
35-49	1879	4.9	55	<1	1	3	5	10	17	45
50-64	1636	5.8	74	<1	1	3	6	12	23	49
65+	1247	9.1	145	1	1	5	10	22	35	73
GRAND TOTAL	**8849**	**5.5**	**76**	**<1**	**1**	**3**	**5**	**12**	**21**	**50**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	5.5	39	1	1	4	6	10	18	35
20-34	326	4.4	31	1	1	3	5	8	10	34
35-49	149	4.5	11	1	1	3	6	9	11	15
50-64	87	7.3	62	1	2	6	9	12	16	51
65+	155	9.4	35	2	3	8	13	18	20	29
2. MULTIPLE DX										
0-19 YRS	221	8.4	110	1	2	4	8	24	32	52
20-34	255	7.5	130	1	1	4	8	15	22	65
35-49	139	8.6	65	1	1	6	11	18	23	45
50-64	153	11.7	151	2	2	8	15	25	43	80
65+	438	15.0	109	4	5	13	18	27	34	56
TOT. SINGLE DX	1094	5.7	37	1	1	4	7	11	16	32
" MULTIPLE DX	1206	11.0	124	1	2	8	14	24	31	56
TOTAL 0-19 YRS	598	6.6	68	1	1	4	7	15	24	41
20-34	581	5.8	78	1	1	4	6	11	16	48
35-49	288	6.5	42	1	1	4	8	14	18	36
50-64	240	10.1	123	1	2	7	12	21	27	70
65+	593	13.5	96	3	4	11	16	25	31	53
GRAND TOTAL	**2300**	**8.5**	**90**	**1**	**2**	**5**	**11**	**19**	**26**	**49**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	1.9	3	<1	<1	1	2	3	5	9
20-34	1074	2.1	3	<1	<1	2	3	4	5	8
35-49	533	2.3	9	<1	<1	2	3	4	5	9
50-64	358	2.5	6	<1	<1	2	3	5	6	12
65+	309	4.4	31	<1	<1	3	5	9	14	27
2. MULTIPLE DX										
0-19 YRS	268	3.5	23	<1	<1	2	4	7	9	29
20-34	414	5.8	110	<1	1	3	6	13	22	57
35-49	266	6.2	90	<1	1	3	6	14	28	44
50-64	256	7.0	93	<1	1	3	7	17	27	47
65+	446	9.5	98	1	2	6	12	23	30	49
TOT. SINGLE DX	2891	2.4	8	<1	<1	2	3	4	6	14
" MULTIPLE DX	1650	6.7	91	<1	1	3	7	16	26	47
TOTAL 0-19 YRS	885	2.4	10	<1	<1	1	3	5	6	20
20-34	1488	3.2	36	<1	<1	2	3	6	8	30
35-49	799	3.6	40	<1	<1	2	3	6	10	36
50-64	614	4.4	47	<1	<1	2	4	9	16	34
65+	755	7.4	77	<1	1	4	9	18	26	47
GRAND TOTAL	**4541**	**4.0**	**43**	**<1**	**<1**	**2**	**4**	**8**	**14**	**34**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	14.3	138	2	3	10	23	32	35	48
20-34	37	12.4	43	5	7	10	16	19	30	32
35-49	17	9.2	22	3	6	7	10	17	20	21
50-64	37	8.8	33	3	3	7	12	16	18	32
65+	118	11.8	32	6	6	11	15	18	20	66
2. MULTIPLE DX										
0-19 YRS	82	20.6	197	5	6	18	26	40	48	64
20-34	66	18.3	190	7	9	14	20	27	55	72
35-49	24	16.9	163	5	6	12	18	32	49	56
50-64	74	16.1	181	5	6	12	18	32	39	81
65+	499	15.6	83	6	8	14	18	25	30	56
TOT. SINGLE DX	281	11.9	63	3	5	10	15	21	30	48
" MULTIPLE DX	745	16.5	119	6	7	14	19	28	39	62
TOTAL 0-19 YRS	154	17.6	179	2	4	15	25	37	42	64
20-34	103	16.2	145	7	8	13	17	25	47	69
35-49	41	13.7	118	5	6	11	16	29	38	56
50-64	111	13.7	143	4	5	10	16	30	35	65
65+	617	14.8	75	6	7	13	17	23	29	56
GRAND TOTAL	**1026**	**15.2**	**108**	**5**	**6**	**13**	**18**	**27**	**35**	**58**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	7.8	21	2	2	7	11	14	18	20
20-34	95	10.0	27	3	4	9	12	18	21	25
35-49	92	8.6	22	3	4	8	10	12	17	30
50-64	200	10.1	19	4	6	10	12	16	19	29
65+	1002	13.5	42	6	8	12	16	20	24	35
2. MULTIPLE DX										
0-19 YRS	132	14.7	109	4	6	12	17	28	36	58
20-34	228	17.7	174	5	6	14	21	35	50	69
35-49	189	15.7	145	4	6	13	19	29	39	83
50-64	437	17.7	192	6	8	14	20	34	49	84
65+	3723	16.6	90	7	9	14	19	27	35	60
TOT. SINGLE DX	1481	12.2	40	4	6	11	15	19	23	34
" MULTIPLE DX	4709	16.7	107	7	8	14	19	28	37	64
TOTAL 0-19 YRS	224	11.8	85	2	4	10	14	21	29	50
20-34	323	15.5	143	4	5	12	18	30	40	63
35-49	281	13.4	116	4	5	10	15	25	32	63
50-64	637	15.3	151	5	6	12	17	29	40	82
65+	4725	15.9	82	7	8	14	18	26	32	55
GRAND TOTAL	6190	15.6	95	6	7	13	18	26	34	60

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	8.5	89	1	1	4	14	22	27	40
20-34	11	9.0	172	<1	<1	3	12	28	44	45
35-49	9	5.2	27	<1	<1	4	6	14	18	18
50-64	10	11.3	182	2	2	7	12	31	48	48
65+	38	8.4	33	1	1	8	12	17	20	21
2. MULTIPLE DX										
0-19 YRS	114	14.5	166	2	3	10	20	31	37	58
20-34	33	21.7	413	2	2	15	40	55	59	66
35-49	13	17.3	218	1	4	12	37	51	89	99+
50-64	27	18.6	320	4	4	12	23	49	80	99+
65+	111	19.7	248	4	6	15	25	39	64	89
TOT. SINGLE DX	275	8.5	85	1	1	5	12	21	26	44
" MULTIPLE DX	298	17.8	244	2	3	14	24	40	54	91
TOTAL 0-19 YRS	321	10.7	124	1	1	6	17	26	32	54
20-34	44	18.5	378	1	2	12	30	49	59	66
35-49	22	12.4	173	<1	1	8	17	43	65	99+
50-64	37	15.6	288	3	4	10	21	49	66	99+
65+	149	16.9	218	2	4	13	21	35	43	83
GRAND TOTAL	573	13.3	189	1	2	9	19	31	44	77

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	295	3.4	20	<1	1	2	3	9	14	20
20-34	226	2.8	7	<1	<1	2	3	6	8	16
35-49	130	2.5	4	<1	1	2	3	5	6	13
50-64	147	3.6	41	1	1	2	4	6	8	24
65+	112	3.8	15	1	1	2	4	11	12	20
2. MULTIPLE DX										
0-19 YRS	100	6.2	59	<1	1	3	7	18	22	38
20-34	148	7.0	114	1	1	4	8	15	31	99+
35-49	88	7.5	91	1	1	5	10	17	20	59
50-64	97	8.7	117	1	1	5	11	20	33	58
65+	117	9.6	85	1	2	7	13	23	39	99+
TOT. SINGLE DX	910	3.2	18	<1	1	2	4	7	11	17
" MULTIPLE DX	550	7.8	96	1	1	4	10	19	29	74
TOTAL 0-19 YRS	395	4.1	31	<1	1	2	4	11	17	27
20-34	374	4.5	54	<1	<1	2	5	10	15	52
35-49	218	4.6	46	<1	1	2	5	11	15	25
50-64	244	5.6	77	1	1	3	6	13	20	54
65+	229	6.8	60	1	1	4	9	15	24	55
GRAND TOTAL	1460	4.9	52	<1	1	2	6	12	17	41

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1553	2.6	4	<1	1	2	3	5	6	11
20-34	2179	3.3	6	<1	1	3	4	6	8	12
35-49	1167	4.0	10	1	1	3	5	7	9	17
50-64	862	4.5	9	1	2	4	6	8	10	16
65+	510	6.2	23	1	2	5	8	12	15	23
2. MULTIPLE DX										
0-19 YRS	728	5.6	63	1	1	3	6	11	16	41
20-34	1529	6.8	76	1	1	4	8	14	22	47
35-49	876	7.3	74	1	2	5	8	15	22	52
50-64	839	8.6	103	1	2	6	10	17	26	70
65+	953	10.4	89	2	3	8	13	20	27	52
TOT. SINGLE DX	6271	3.6	10	1	1	3	5	7	9	16
" MULTIPLE DX	4925	7.7	84	1	2	5	9	16	24	52
TOTAL 0-19 YRS	2281	3.6	25	1	1	2	4	6	9	25
20-34	3708	4.7	38	1	1	3	5	9	13	32
35-49	2043	5.4	41	1	1	4	6	10	15	35
50-64	1701	6.5	60	1	2	5	7	12	17	49
65+	1463	9.0	70	2	3	7	11	17	23	40
GRAND TOTAL	11196	5.4	46	1	1	4	6	11	16	35

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2259	2.0	7	<1	<1	1	2	3	5	14
20-34	588	3.1	8	<1	1	2	4	6	9	14
35-49	380	3.0	13	<1	1	2	4	5	7	15
50-64	328	3.2	11	<1	1	2	4	7	10	15
65+	340	3.2	8	1	1	2	4	6	9	14
2. MULTIPLE DX										
0-19 YRS	623	4.6	47	1	1	2	5	10	17	39
20-34	471	6.7	88	1	1	4	7	15	26	56
35-49	286	6.6	79	1	1	4	7	14	19	55
50-64	305	7.0	80	1	1	4	8	15	22	55
65+	619	8.2	81	1	2	6	10	16	24	47
TOT. SINGLE DX	3695	2.5	9	<1	1	1	3	5	7	15
" MULTIPLE DX	2304	6.6	75	1	1	4	8	15	21	51
TOTAL 0-19 YRS	2882	2.5	17	<1	1	1	2	5	8	20
20-34	1059	4.7	48	<1	1	3	5	9	15	45
35-49	666	4.6	45	1	1	3	5	9	14	35
50-64	633	5.1	48	1	1	3	6	11	16	47
65+	959	6.4	61	1	1	4	8	14	19	39
GRAND TOTAL	**6199**	**4.0**	**38**	**<1**	**1**	**2**	**4**	**9**	**14**	**33**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	4.2	40	<1	<1	2	4	12	16	26
20-34	167	2.5	13	<1	<1	1	3	5	8	13
35-49	83	2.6	17	<1	<1	1	2	5	7	28
50-64	89	3.3	29	<1	<1	2	3	7	12	29
65+	163	4.7	46	1	1	2	5	11	17	33
2. MULTIPLE DX										
0-19 YRS	93	5.4	60	1	1	3	6	12	21	44
20-34	145	6.9	110	<1	1	3	8	19	24	57
35-49	80	7.9	118	1	1	4	9	18	29	63
50-64	86	5.5	38	<1	1	3	8	16	19	27
65+	243	8.7	108	1	1	5	11	21	32	60
TOT. SINGLE DX	708	3.6	32	<1	<1	2	4	9	15	30
" MULTIPLE DX	647	7.3	95	1	1	4	9	18	25	56
TOTAL 0-19 YRS	299	4.6	47	<1	1	2	5	12	17	27
20-34	312	4.6	63	<1	<1	2	5	9	19	42
35-49	163	5.2	74	<1	<1	2	5	12	19	47
50-64	175	4.4	35	<1	1	2	5	13	18	29
65+	406	7.1	87	1	1	3	9	18	29	51
GRAND TOTAL	**1355**	**5.4**	**66**	**<1**	**1**	**2**	**6**	**14**	**20**	**43**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	3.2	14	1	1	3	4	5	7	27
20-34	232	2.5	1	1	1	2	3	4	5	7
35-49	86	3.3	9	1	1	3	4	5	7	19
50-64	51	4.7	15	1	1	3	6	10	12	22
65+	27	8.5	35	1	2	8	12	18	19	22
2. MULTIPLE DX										
0-19 YRS	78	5.1	24	1	1	4	6	9	19	24
20-34	97	5.6	56	1	1	3	6	11	18	45
35-49	57	7.3	78	1	2	4	8	17	32	41
50-64	39	8.2	89	1	2	5	10	18	31	44
65+	71	12.4	89	2	3	10	16	24	30	47
TOT. SINGLE DX	537	3.3	11	1	1	2	4	6	9	19
" MULTIPLE DX	342	7.5	70	1	1	5	9	17	24	44
TOTAL 0-19 YRS	219	3.9	19	1	1	3	4	7	11	25
20-34	329	3.4	20	1	1	2	4	6	9	25
35-49	143	4.9	40	1	1	3	5	9	17	38
50-64	90	6.2	50	1	1	4	7	12	20	42
65+	98	11.3	77	2	2	9	15	23	26	46
GRAND TOTAL	**879**	**4.9**	**38**	**1**	**1**	**3**	**5**	**11**	**17**	**34**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	684	2.8	8	<1	1	2	3	5	7	17
20-34	720	2.7	7	<1	<1	2	3	5	6	16
35-49	302	3.1	10	<1	1	2	4	6	9	16
50-64	173	4.3	26	<1	1	3	4	10	15	30
65+	89	9.0	133	1	1	4	12	23	28	67
2. MULTIPLE DX										
0-19 YRS	474	5.1	53	1	1	3	5	12	20	37
20-34	628	4.7	44	<1	1	3	5	10	16	35
35-49	386	5.1	61	<1	1	3	5	11	15	49
50-64	303	9.1	156	1	1	4	9	27	39	64
65+	310	16.4	251	2	2	11	24	40	56	75
TOT. SINGLE DX	1968	3.2	17	<1	1	2	3	6	10	21
" MULTIPLE DX	2101	7.2	113	1	1	3	7	18	30	59
TOTAL 0-19 YRS	1158	3.7	28	<1	1	2	4	7	13	29
20-34	1348	3.6	26	<1	1	2	4	6	11	25
35-49	688	4.3	40	<1	1	3	4	8	13	37
50-64	476	7.3	114	1	1	3	7	19	31	57
65+	399	14.8	234	1	2	9	21	37	50	74
GRAND TOTAL	**4069**	**5.3**	**71**	**<1**	**1**	**3**	**5**	**12**	**21**	**46**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	6.9	18	2	3	6	8	13	18	77
20-34	1971	7.0	18	2	3	6	9	12	15	22
35-49	2768	7.3	19	2	3	6	9	13	16	23
50-64	1242	7.9	23	3	3	7	10	14	17	26
65+	329	10.4	41	3	4	9	13	18	21	31
2. MULTIPLE DX										
0-19 YRS	31	12.2	145	2	3	9	19	28	42	51
20-34	639	9.7	46	3	4	8	11	17	22	40
35-49	1407	10.4	50	3	4	9	13	19	25	38
50-64	1292	11.4	65	4	5	9	14	21	26	40
65+	815	14.6	98	5	6	12	18	27	34	54
TOT. SINGLE DX	6389	7.5	22	2	3	6	9	13	16	24
" MULTIPLE DX	4184	11.5	67	4	5	9	14	21	27	43
TOTAL 0-19 YRS	110	8.7	61	2	3	6	10	19	24	70
20-34	2610	7.7	27	2	3	7	9	14	17	27
35-49	4175	8.4	32	3	3	7	10	15	19	29
50-64	2534	9.7	48	3	4	8	12	18	22	34
65+	1144	13.4	86	4	5	11	16	24	31	51
GRAND TOTAL	**10573**	**9.1**	**43**	**3**	**3**	**7**	**11**	**16**	**21**	**34**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	577	1.9	1	<1	<1	1	2	4	4	7
20-34	1771	2.1	2	<1	<1	2	3	4	5	7
35-49	1064	2.0	2	<1	<1	2	2	4	5	8
50-64	639	2.3	2	<1	<1	2	3	4	5	9
65+	196	2.7	3	<1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	459	2.7	8	<1	1	2	3	5	6	10
20-34	1519	2.5	4	<1	<1	2	3	5	6	11
35-49	1121	2.6	8	<1	<1	2	3	5	6	14
50-64	1248	2.7	5	<1	<1	2	3	5	6	12
65+	717	3.4	9	<1	1	3	4	6	9	17
TOT. SINGLE DX	4247	2.1	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	5064	2.7	7	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	1036	2.2	5	<1	<1	2	3	4	5	9
20-34	3290	2.2	4	<1	<1	2	3	4	5	9
35-49	2185	2.3	5	<1	<1	2	3	4	6	10
50-64	1887	2.5	5	<1	<1	2	3	5	6	11
65+	913	3.2	8	<1	1	2	4	6	9	17
GRAND TOTAL	**9311**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	934	1.8	3	<1	<1	1	2	3	4	9
20-34	1590	1.9	4	<1	<1	1	2	3	4	9
35-49	841	2.2	4	<1	<1	2	3	4	5	8
50-64	479	2.8	11	<1	<1	2	3	5	8	17
65+	265	3.2	12	<1	<1	2	4	6	9	17
2. MULTIPLE DX										
0-19 YRS	498	3.2	32	<1	<1	2	3	5	10	30
20-34	1134	2.8	15	<1	<1	2	3	5	8	19
35-49	783	3.2	25	<1	<1	2	3	6	10	28
50-64	696	4.2	40	<1	1	2	4	9	13	33
65+	475	6.8	78	1	1	4	8	16	25	48
TOT. SINGLE DX	4109	2.1	6	<1	<1	1	2	4	5	12
" MULTIPLE DX	3586	3.8	35	<1	<1	2	4	8	12	32
TOTAL 0-19 YRS	1432	2.3	14	<1	<1	1	2	4	6	19
20-34	2724	2.3	9	<1	<1	2	2	4	6	15
35-49	1624	2.7	15	<1	<1	2	3	5	7	20
50-64	1175	3.6	29	<1	<1	2	4	7	12	28
65+	740	5.5	58	<1	1	3	6	12	20	47
GRAND TOTAL	**7695**	**2.9**	**20**	**<1**	**<1**	**2**	**3**	**5**	**9**	**25**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	9.7	15	5	6	9	11	16	17	23
20-34	193	9.8	25	4	5	9	11	16	21	28
35-49	245	8.9	31	3	4	8	10	16	19	32
50-64	143	8.1	15	3	4	7	10	13	15	22
65+	31	9.3	21	4	4	8	11	17	20	21
2. MULTIPLE DX										
0-19 YRS	126	12.7	65	4	6	10	15	22	28	46
20-34	243	15.3	169	4	5	12	17	33	43	86
35-49	363	11.6	82	4	5	9	13	21	26	43
50-64	255	12.6	138	4	4	10	15	23	39	99
65+	92	17.3	209	4	5	12	23	39	46	97
TOT. SINGLE DX	761	9.1	23	4	4	8	11	15	18	27
" MULTIPLE DX	1079	13.3	127	4	5	10	15	25	37	86
TOTAL 0-19 YRS	275	11.1	40	4	6	9	12	18	23	33
20-34	436	12.9	113	4	5	10	15	24	34	62
35-49	608	10.5	64	4	4	9	12	20	24	38
50-64	398	11.0	99	4	4	9	12	18	31	83
65+	123	15.3	174	4	5	11	17	35	43	95
GRAND TOTAL	**1840**	**11.6**	**88**	**4**	**5**	**9**	**13**	**21**	**28**	**57**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.1	4	<1	1	2	4	6	7	10
20-34	241	4.0	8	<1	1	3	5	8	10	16
35-49	210	4.0	11	<1	1	3	5	8	9	19
50-64	238	4.1	17	<1	1	3	5	8	10	29
65+	129	4.7	57	<1	1	3	5	9	13	40
2. MULTIPLE DX										
0-19 YRS	110	4.0	7	1	1	3	5	7	9	15
20-34	185	4.5	14	1	1	4	5	8	11	23
35-49	195	5.1	23	1	1	4	6	10	12	24
50-64	288	5.0	49	1	1	3	6	9	12	55
65+	237	6.6	77	1	2	4	7	15	22	68
TOT. SINGLE DX	907	4.1	18	<1	1	3	5	8	10	19
" MULTIPLE DX	1015	5.2	41	1	1	4	6	10	14	29
TOTAL 0-19 YRS	199	3.6	6	1	1	3	5	6	9	13
20-34	426	4.2	11	<1	1	4	5	8	11	16
35-49	405	4.5	17	1	1	4	5	8	11	21
50-64	526	4.6	35	<1	1	3	5	8	12	31
65+	366	6.0	71	1	1	4	7	13	19	61
GRAND TOTAL	**1922**	**4.7**	**30**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	11.5	13	9	9	11	14	14	14	14
20-34	49	10.4	15	6	6	9	13	15	17	24
35-49	110	11.6	23	6	6	11	14	18	20	28
50-64	531	11.5	25	6	7	11	13	17	20	29
65+	1104	13.0	29	7	8	12	15	18	22	35
2. MULTIPLE DX										
0-19 YRS	9	12.0	46	1	3	11	16	22	23	23
20-34	66	12.8	42	7	8	10	15	22	25	38
35-49	159	14.0	46	7	8	12	17	24	30	36
50-64	747	14.3	67	7	8	12	16	23	33	47
65+	2298	16.0	68	8	9	14	18	26	32	50
TOT. SINGLE DX	1796	12.4	28	7	7	11	15	18	21	32
" MULTIPLE DX	3279	15.5	67	7	8	13	18	25	32	49
TOTAL 0-19 YRS	11	11.9	39	1	5	11	14	22	23	23
20-34	115	11.8	32	6	7	10	14	21	24	33
35-49	269	13.0	39	6	7	11	15	21	28	35
50-64	1278	13.2	52	7	7	11	15	20	27	45
65+	3402	15.1	58	8	8	13	17	23	30	46
GRAND TOTAL	**5075**	**14.4**	**55**	**7**	**8**	**13**	**16**	**22**	**29**	**45**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.4	8	1	2	7	9	10	11	11
20-34	14	12.5	58	4	6	10	15	24	30	32
35-49	22	11.5	20	6	7	11	14	16	20	25
50-64	134	11.7	43	5	6	10	14	19	24	36
65+	653	12.9	36	7	7	12	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	9	10.6	29	3	3	13	14	17	18	18
20-34	14	14.0	170	3	5	11	17	23	49	56
35-49	49	16.0	185	6	7	12	17	31	41	99+
50-64	240	15.3	80	7	8	13	18	25	30	53
65+	2155	16.5	88	8	9	15	19	27	35	57
TOT. SINGLE DX	834	12.6	38	6	7	12	15	19	22	32
" MULTIPLE DX	2467	16.6	90	8	9	14	19	27	35	57
TOTAL 0-19 YRS	20	8.3	21	2	3	7	12	15	16	18
20-34	28	13.3	111	4	5	11	16	22	34	56
35-49	71	14.6	138	6	7	11	16	27	33	98
50-64	374	14.0	70	6	7	12	16	23	29	52
65+	2808	15.9	79	7	8	14	18	25	32	54
GRAND TOTAL	**3301**	**15.6**	**80**	**7**	**8**	**14**	**18**	**25**	**32**	**54**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	600	3.8	6	1	2	4	5	6	7	10
20-34	1046	4.2	5	1	2	4	5	7	8	13
35-49	291	5.4	18	1	2	4	6	11	15	20
50-64	402	10.5	35	2	3	10	14	18	21	29
65+	940	13.0	29	6	8	12	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	532	4.6	6	2	2	4	5	7	9	15
20-34	1262	4.8	7	1	2	4	6	8	9	17
35-49	496	6.2	42	1	2	5	7	11	15	31
50-64	633	11.7	67	2	3	11	15	20	25	35
65+	1627	15.3	76	7	8	14	18	24	29	51
TOT. SINGLE DX	3279	7.5	33	2	2	5	11	15	18	26
" MULTIPLE DX	4550	9.6	67	2	3	7	13	19	23	38
TOTAL 0-19 YRS	1132	4.2	7	1	2	4	5	6	8	13
20-34	2308	4.5	7	1	2	4	5	7	9	15
35-49	787	5.9	34	1	2	5	7	11	15	27
50-64	1035	11.3	55	2	3	10	15	19	23	33
65+	2567	14.5	60	7	8	13	17	22	27	46
GRAND TOTAL	**7829**	**8.8**	**54**	**2**	**2**	**6**	**12**	**17**	**21**	**33**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	649	2.6	1	1	1	2	3	4	5	7
20-34	1423	2.9	3	1	1	3	4	5	5	8
35-49	509	3.1	4	1	1	3	4	5	6	10
50-64	506	3.6	7	1	1	3	4	6	8	13
65+	250	4.6	13	1	2	4	5	9	11	20
2. MULTIPLE DX										
0-19 YRS	192	3.2	5	1	1	3	4	6	7	14
20-34	477	3.5	7	1	1	3	4	5	7	17
35-49	403	3.7	9	1	1	3	4	6	9	19
50-64	543	4.7	24	1	2	3	5	8	11	24
65+	447	6.5	53	1	2	5	8	12	18	35
TOT. SINGLE DX	3337	3.1	5	1	1	3	4	5	6	11
" MULTIPLE DX	2062	4.5	23	1	1	3	5	8	11	23
TOTAL 0-19 YRS	841	2.8	3	1	1	2	3	4	5	8
20-34	1900	3.1	5	1	1	3	4	5	6	10
35-49	912	3.4	7	1	1	3	4	6	7	14
50-64	1049	4.1	16	1	1	3	5	7	10	18
65+	697	5.8	39	1	2	4	7	11	16	30
GRAND TOTAL	5399	3.6	12	1	1	3	4	6	8	18

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	255	3.0	14	<1	<1	2	3	6	11	19
20-34	307	2.8	6	<1	<1	2	4	6	8	13
35-49	237	2.5	5	<1	<1	2	3	5	7	12
50-64	218	2.0	5	<1	<1	1	2	4	8	11
65+	78	2.7	5	<1	<1	2	3	7	9	9
2. MULTIPLE DX										
0-19 YRS	253	5.3	54	1	1	3	6	11	15	42
20-34	254	6.4	66	<1	1	4	7	14	20	45
35-49	197	5.5	38	<1	1	4	7	11	18	41
50-64	195	7.7	103	<1	1	3	9	19	33	50
65+	130	11.2	203	1	1	5	13	33	42	67
TOT. SINGLE DX	1095	2.6	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	1029	6.8	86	<1	1	4	7	16	25	48
TOTAL 0-19 YRS	508	4.2	36	<1	<1	3	4	8	14	29
20-34	561	4.4	37	<1	<1	3	5	9	14	30
35-49	434	3.9	23	<1	<1	2	5	8	11	29
50-64	413	4.7	60	<1	<1	2	5	12	18	43
65+	208	8.0	146	<1	<1	3	8	21	36	59
GRAND TOTAL	2124	4.7	50	<1	<1	2	5	10	16	41

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	339	1.5	1	<1	<1	1	2	2	3	7
20-34	547	1.7	3	<1	<1	1	2	3	4	11
35-49	400	2.2	10	<1	<1	1	2	4	6	16
50-64	315	2.2	5	<1	<1	2	3	4	6	12
65+	176	3.1	13	<1	<1	2	3	7	10	22
2. MULTIPLE DX										
0-19 YRS	66	4.4	42	<1	<1	2	4	12	21	90
20-34	166	4.6	74	<1	<1	2	4	9	17	45
35-49	217	5.3	107	<1	<1	2	5	12	18	58
50-64	263	6.0	77	<1	1	3	7	13	23	49
65+	235	8.5	102	<1	1	4	11	22	33	44
TOT. SINGLE DX	1777	2.0	6	<1	<1	1	2	4	5	13
" MULTIPLE DX	947	6.1	89	<1	<1	3	7	16	24	46
TOTAL 0-19 YRS	405	2.0	9	<1	<1	1	2	3	5	19
20-34	713	2.4	21	<1	<1	1	2	4	6	22
35-49	617	3.3	47	<1	<1	2	3	6	10	26
50-64	578	3.9	42	<1	<1	2	4	9	13	31
65+	411	6.2	71	<1	<1	3	7	17	25	41
GRAND TOTAL	2724	3.4	39	<1	<1	2	3	7	13	33

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.5	16	<1	<1	1	2	4	13	19
20-34	54	2.2	4	<1	<1	2	2	4	8	12
35-49	98	1.7	1	<1	<1	1	2	3	4	7
50-64	254	1.7		<1	<1	1	2	3	4	6
65+	232	1.7	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	16	2.6	3	1	1	2	3	5	7	8
20-34	36	3.2	8	<1	<1	2	4	6	10	14
35-49	51	3.1	15	<1	1	2	3	6	13	20
50-64	125	2.6	7	<1	<1	2	2	5	8	17
65+	138	2.8	7	<1	1	2	3	6	10	31
TOT. SINGLE DX	657	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	366	2.8	9	<1	1	2	3	5	9	18
TOTAL 0-19 YRS	35	2.5	10	<1	<1	2	2	5	7	19
20-34	90	2.6	6	<1	<1	2	3	5	8	13
35-49	149	2.2	7	<1	<1	1	2	4	5	16
50-64	379	2.0	3	<1	<1	2	2	3	5	9
65+	370	2.1	4	<1	<1	2	2	3	6	11
GRAND TOTAL	1023	2.1	4	<1	<1	2	2	4	5	13

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	309	1.6	1	<1	<1	1	2	3	3	7
20-34	462	1.7	1	<1	<1	1	2	3	4	7
35-49	187	1.6	1	<1	<1	1	2	3	4	7
50-64	112	2.2	3	<1	<1	1	2	4	6	10
65+	34	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	217	2.2	3	<1	<1	1	3	4	6	11
20-34	409	2.7	13	<1	<1	1	3	5	8	18
35-49	174	2.3	4	<1	<1	1	3	4	7	12
50-64	121	2.7	5	<1	1	2	3	5	8	12
65+	92	3.7	42	<1	1	2	4	7	9	43
TOT. SINGLE DX	1104	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	1013	2.6	12	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	526	1.8	2	<1	<1	1	2	3	4	9
20-34	871	2.2	8	<1	<1	1	2	4	6	15
35-49	361	2.0	3	<1	<1	1	2	4	5	9
50-64	233	2.5	4	<1	1	2	3	4	6	12
65+	126	3.3	32	<1	1	2	3	5	8	30
GRAND TOTAL	2117	2.2	7	<1	<1	1	2	4	5	12

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	2.1	1	<1	1	2	3	4	5	6
20-34	367	2.4	2	<1	1	2	3	4	5	8
35-49	351	2.9	4	1	1	2	4	5	6	11
50-64	395	3.4	3	1	1	3	4	6	7	9
65+	173	4.2	8	1	1	4	5	7	9	20
2. MULTIPLE DX										
0-19 YRS	109	3.9	32	<1	1	2	4	8	15	36
20-34	256	3.8	17	1	1	3	5	7	11	25
35-49	229	4.9	51	1	1	3	5	7	13	40
50-64	376	5.5	36	1	2	4	6	9	16	34
65+	208	7.5	86	1	2	5	8	14	23	62
TOT. SINGLE DX	1431	3.0	4	<1	1	3	4	5	7	10
" MULTIPLE DX	1178	5.2	45	1	1	4	5	10	15	40
TOTAL 0-19 YRS	254	2.9	16	<1	1	2	3	5	7	19
20-34	623	3.0	9	<1	1	2	4	6	7	17
35-49	580	3.7	24	1	1	3	4	6	8	29
50-64	771	4.4	21	1	2	4	5	7	10	24
65+	381	6.0	54	1	2	4	6	11	16	55
GRAND TOTAL	2609	4.0	24	1	1	3	5	7	10	25

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	364	2.7	2	<1	1	2	4	5	5	7
20-34	399	3.0	8	1	1	2	4	5	6	11
35-49	235	3.1	6	1	1	2	4	5	7	11
50-64	114	3.1	4	1	1	2	4	5	6	12
65+	46	5.1	33	1	1	3	5	11	17	29
2. MULTIPLE DX										
0-19 YRS	408	3.5	15	1	1	2	4	6	7	27
20-34	231	5.2	67	1	1	2	5	8	14	62
35-49	121	5.5	82	1	1	2	5	10	19	55
50-64	114	6.4	110	1	1	4	6	10	19	70
65+	92	10.3	203	2	2	6	10	22	40	76
TOT. SINGLE DX	1158	3.0	7	1	1	2	4	5	6	11
" MULTIPLE DX	966	5.1	69	1	1	3	5	8	14	59
TOTAL 0-19 YRS	772	3.1	9	1	1	2	4	5	6	13
20-34	630	3.8	31	1	1	2	4	6	8	26
35-49	356	3.9	34	1	1	2	4	6	9	47
50-64	228	4.8	60	1	1	3	5	8	11	38
65+	138	8.6	152	1	2	5	8	15	30	72
GRAND TOTAL	2124	4.0	36	1	1	3	4	6	9	33

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.9	6	<1	<1	1	2	3	5	18
20-34	118	2.0	3	<1	<1	1	2	4	6	8
35-49	51	2.3	9	<1	<1	1	2	5	7	22
50-64	39	2.4	16	<1	<1	1	2	4	7	25
65+	26	2.3	5	<1	1	1	2	5	9	10
2. MULTIPLE DX										
0-19 YRS	31	3.8	16	1	1	2	5	9	12	20
20-34	104	4.3	27	1	1	2	5	10	15	27
35-49	69	6.6	129	1	1	2	6	12	36	59
50-64	61	4.0	35	1	1	2	4	9	17	30
65+	63	5.5	90	1	1	2	4	11	25	52
TOT. SINGLE DX	291	2.1	7	<1	<1	1	2	4	6	15
" MULTIPLE DX	337	4.9	61	1	1	2	5	10	19	49
TOTAL 0-19 YRS	95	2.7	12	<1	<1	1	3	5	9	20
20-34	224	3.1	15	<1	1	2	3	6	10	21
35-49	120	4.8	83	<1	1	2	4	9	15	58
50-64	100	3.4	28	<1	1	2	3	7	12	29
65+	89	4.6	67	1	1	2	4	9	20	49
GRAND TOTAL	628	3.6	37	<1	1	2	3	8	11	33

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.2	5	1	1	2	5	7	7	7
20-34	5	4.8	27	1	1	2	8	13	13	13
35-49	2	1.0		1	1	1	1	1	1	1
50-64	5	6.6	57	2	2	3	9	20	20	20
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	9	16.8	987	1	1	6	25	99	99+	99+
35-49	9	15.0	365	2	2	9	17	46	63	63
50-64	11	18.6	732	1	1	5	26	64	85	87
65+	11	20.4	474	4	4	9	23	61	66	67
TOT. SINGLE DX	19	4.3	23	1	1	3	5	11	17	20
" MULTIPLE DX	42	17.1	573	1	1	8	21	64	91	99+
TOTAL 0-19 YRS	7	3.0	5	1	1	2	4	6	7	7
20-34	14	12.5	651	1	1	5	12	98	99+	99+
35-49	11	12.5	324	1	1	4	15	37	61	63
50-64	16	14.9	537	1	2	4	18	46	75	87
65+	13	17.8	436	3	4	8	22	59	65	67
GRAND TOTAL	**61**	**13.1**	**435**	**1**	**1**	**5**	**16**	**51**	**75**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.4	104	<1	<1	3	4	10	32	45
20-34	27	4.3	22	<1	1	3	5	13	16	18
35-49	14	5.7	116	<1	<1	2	4	13	36	42
50-64	18	5.4	106	1	1	3	4	7	31	46
65+	34	5.1	41	<1	1	3	6	10	21	32
2. MULTIPLE DX										
0-19 YRS	16	10.1	276	<1	1	4	9	33	55	64
20-34	54	9.9	101	1	2	5	17	23	28	46
35-49	87	13.1	159	1	2	10	17	31	40	88
50-64	198	15.7	168	2	3	12	20	34	41	64
65+	364	15.1	190	2	3	11	20	31	45	74
TOT. SINGLE DX	111	5.1	64	<1	1	3	5	10	18	45
" MULTIPLE DX	719	14.5	178	2	3	11	19	32	42	72
TOTAL 0-19 YRS	34	7.6	185	<1	1	3	6	15	43	64
20-34	81	8.0	81	1	1	4	11	22	26	43
35-49	101	12.1	159	1	1	9	16	29	40	83
50-64	216	14.8	171	2	3	11	19	34	41	63
65+	398	14.2	185	2	2	10	20	30	44	74
GRAND TOTAL	**830**	**13.2**	**173**	**1**	**2**	**9**	**18**	**29**	**41**	**69**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	14.0	73	6	6	13	20	23	23	23
35-49	6	8.0	5	5	5	8	10	11	11	11
50-64	9	12.1	152	3	4	7	13	34	42	42
65+	13	13.2	114	3	4	9	20	25	39	42
2. MULTIPLE DX										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	20	23.2	527	4	5	13	37	52	74	94
35-49	53	22.1	345	4	6	15	31	49	58	90
50-64	166	23.4	262	7	8	19	33	51	64	99+
65+	442	24.0	259	7	8	19	32	47	59	98
TOT. SINGLE DX	32	11.7	96	3	4	8	14	22	40	42
" MULTIPLE DX	683	23.6	273	7	8	19	32	49	62	99+
TOTAL 0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	23	22.0	472	4	6	13	33	51	68	94
35-49	59	20.6	328	4	5	13	29	48	58	89
50-64	175	22.8	262	6	8	18	32	48	64	99+
65+	455	23.7	258	7	8	19	31	47	59	98
GRAND TOTAL	**715**	**23.1**	**271**	**6**	**8**	**18**	**31**	**47**	**60**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.8	1	4	4	6	7	7	7	7
20-34	5	22.0	341	3	3	22	34	49	49	49
35-49										
50-64	5	11.4	38	6	6	11	15	21	21	21
65+	16	16.7	494	5	6	9	18	24	75	97
2. MULTIPLE DX										
0-19 YRS	6	7.2	24	1	1	7	10	14	14	14
20-34	4	24.3	381	10	10	17	36	53	53	53
35-49	22	24.4	272	6	8	19	41	54	72	99+
50-64	74	22.0	159	8	10	20	30	50	87	99+
65+	446	21.1	255	6	7	16	28	45	61	99+
TOT. SINGLE DX	32	14.7	316	4	5	8	18	26	47	97
" MULTIPLE DX	552	21.3	243	6	8	16	28	45	62	99+
TOTAL 0-19 YRS	12	6.5	12	1	3	6	8	11	14	14
20-34	9	23.0	315	3	5	19	34	51	53	53
35-49	22	24.4	272	6	8	19	41	54	72	99+
50-64	79	21.4	158	7	9	20	28	44	79	99+
65+	462	21.0	264	6	7	16	28	45	61	99
GRAND TOTAL	**584**	**20.9**	**249**	**6**	**7**	**16**	**28**	**45**	**61**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.8	4	3	3	5	6	7	7	7
20-34	2	13.0	200	3	3	13	23	23	23	23
35-49	6	7.5	26	<1	<1	6	12	15	15	15
50-64	6	11.3	55	<1	1	11	18	20	20	20
65+	5	13.0	76	4	4	14	19	25	25	25
2. MULTIPLE DX										
0-19 YRS	5	16.0	356	2	2	10	25	48	48	48
20-34	17	25.4	625	1	2	20	42	85	98	99+
35-49	27	25.9	248	6	9	24	35	66	99+	99+
50-64	65	23.2	277	5	6	20	32	55	61	96
65+	116	23.7	307	7	8	18	31	52	64	99+
TOT. SINGLE DX	23	9.7	52	<1	2	7	15	21	24	25
" MULTIPLE DX	230	23.8	312	4	7	20	31	55	71	99+
TOTAL 0-19 YRS	9	11.0	215	2	2	6	12	36	48	48
20-34	19	24.1	582	1	2	19	35	79	97	99+
35-49	33	22.5	258	4	6	22	32	57	93	99+
50-64	71	22.2	268	5	6	20	30	52	58	95
65+	121	23.2	302	5	8	18	30	50	64	99+
GRAND TOTAL	253	22.5	305	3	6	18	30	52	67	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.1	13	1	1	3	5	11	12	13
20-34	19	5.3	19	1	1	4	9	11	14	16
35-49	14	9.1	99	1	3	6	10	15	36	42
50-64	11	5.2	8	1	1	6	8	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	15	4.5	13	1	1	4	8	10	10	10
20-34	18	9.7	77	2	3	7	13	18	31	39
35-49	11	15.0	248	1	3	12	15	37	57	59
50-64	9	8.3	44	3	3	7	8	19	25	25
65+										
TOT. SINGLE DX	73	5.5	33	1	1	4	8	11	12	36
" MULTIPLE DX	53	9.1	97	1	1	7	10	16	25	58
TOTAL 0-19 YRS	44	4.3	13	1	1	3	6	10	11	13
20-34	37	7.4	51	1	1	6	10	15	18	39
35-49	25	11.7	167	1	4	8	12	23	46	59
50-64	20	6.6	26	1	2	7	8	9	17	25
65+										
GRAND TOTAL	126	7.0	62	1	1	5	9	13	17	46

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.2	3	<1	<1	2	3	4	6	9
20-34	64	2.9	15	<1	<1	1	3	6	10	23
35-49	29	3.4	15	<1	<1	2	4	7	9	21
50-64	29	5.9	48	<1	<1	2	9	18	20	24
65+	25	8.9	78	1	2	6	11	16	34	35
2. MULTIPLE DX										
0-19 YRS	17	2.5	2	<1	1	2	4	5	5	5
20-34	34	5.3	31	1	1	3	6	12	14	28
35-49	19	9.3	79	1	1	7	9	22	29	34
50-64	55	15.1	333	<1	1	7	20	42	59	82
65+	103	13.6	183	1	2	11	15	28	48	87
TOT. SINGLE DX	180	4.2	31	<1	<1	2	4	10	16	31
" MULTIPLE DX	228	11.5	190	1	1	7	13	28	42	77
TOTAL 0-19 YRS	50	2.3	3	<1	<1	2	3	5	5	9
20-34	98	3.7	22	<1	1	2	4	10	13	26
35-49	48	5.7	48	<1	1	3	7	17	21	34
50-64	84	11.9	253	<1	1	6	15	32	45	76
65+	128	12.7	166	1	2	10	14	28	36	81
GRAND TOTAL	408	8.3	133	<1	1	4	11	21	31	67

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	9.2	58	2	2	5	17	18	18	18
35-49	3	3.3		3	3	3	4	4	4	4
50-64	3	4.3	1	3	3	5	5	5	5	5
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS										
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	15.8	655	1	1	4	30	54	54	54
65+	4	10.5	21	4	4	11	13	15	15	15
TOT. SINGLE DX	12	6.5	30	2	2	4	7	17	18	18
" MULTIPLE DX	12	10.3	217	1	1	5	13	27	50	54
TOTAL 0-19 YRS										
20-34	7	8.7	54	1	1	5	16	18	18	18
35-49	5	2.8	1	1	1	3	3	4	4	4
50-64	7	10.9	365	1	1	5	6	44	54	54
65+	5	10.2	17	4	4	11	13	15	15	15
GRAND TOTAL	24	8.4	122	1	1	4	11	17	29	54

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	1.3		<1	<1	1	1	2	2	4
20-34	534	1.4		<1	<1	1	2	2	3	5
35-49	1236	1.6		<1	<1	1	2	3	3	5
50-64	1003	1.8	1	<1	<1	2	2	3	4	7
65+	621	2.2	3	<1	<1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	24	2.1	2	<1	<1	1	3	6	6	6
20-34	269	3.0	29	<1	<1	1	3	6	8	40
35-49	808	2.8	14	<1	<1	2	3	5	8	24
50-64	862	3.4	19	<1	<1	2	4	8	11	20
65+	826	5.6	52	1	1	3	7	13	20	37
TOT. SINGLE DX	3526	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	2789	3.8	30	<1	<1	2	4	8	13	30
TOTAL 0-19 YRS	156	1.4	1	<1	<1	1	2	2	3	6
20-34	803	2.0	11	<1	<1	1	2	3	5	12
35-49	2044	2.1	7	<1	<1	1	2	4	5	11
50-64	1865	2.6	10	<1	<1	2	2	5	8	14
65+	1447	4.1	35	<1	1	2	4	9	14	31
GRAND TOTAL	6315	2.7	15	<1	<1	2	2	5	8	20

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	1.6		<1	<1	1	2	2	4	4
20-34	23	3.6	3	<1	1	3	5	6	7	8
35-49	35	3.7	4	<1	1	4	5	6	8	9
50-64	52	4.5	8	<1	1	4	6	8	10	15
65+	100	5.2	9	1	2	5	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	19	3.1	3	<1	<1	3	5	5	6	6
35-49	78	4.8	17	1	2	4	5	9	13	23
50-64	104	5.3	22	1	2	4	6	9	13	31
65+	208	7.4	32	2	2	6	8	14	17	31
TOT. SINGLE DX	242	4.2	8	<1	1	4	6	8	10	14
" MULTIPLE DX	411	6.1	27	1	2	5	7	12	15	29
TOTAL 0-19 YRS	34	1.9	2	<1	<1	1	2	3	4	9
20-34	42	3.4	3	<1	1	3	5	6	7	8
35-49	113	4.5	13	1	2	4	5	7	11	23
50-64	156	5.0	18	1	1	4	6	9	12	26
65+	308	6.6	26	2	2	6	8	13	16	28
GRAND TOTAL	653	5.4	21	1	2	4	7	10	14	26

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	73	5.1	3	2	3	5	6	7	8	10
35-49	370	5.6	5	3	3	5	6	8	9	13
50-64	617	5.8	5	3	4	5	7	8	10	14
65+	609	6.3	5	3	4	6	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	3	8.0	1	7	7	8	9	9	9	9
20-34	77	6.1	10	3	4	5	7	8	11	22
35-49	530	6.1	10	3	3	5	7	9	11	20
50-64	954	6.8	16	3	4	6	8	10	12	20
65+	1133	7.8	22	3	4	7	9	12	15	26
TOT. SINGLE DX	1672	5.9	5	3	4	6	7	9	10	14
" MULTIPLE DX	2697	7.0	18	3	4	6	8	11	14	22
TOTAL 0-19 YRS	6	5.8	10	1	1	7	8	9	9	9
20-34	150	5.6	7	2	3	5	6	8	10	18
35-49	900	5.9	8	3	3	5	7	9	11	18
50-64	1571	6.4	12	3	4	6	7	9	11	18
65+	1742	7.2	17	3	4	6	8	11	14	21
GRAND TOTAL	4369	6.6	14	3	4	6	8	10	12	20

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	2.4	1	<1	1	2	3	4	5	6
20-34	504	2.6	3	<1	<1	2	4	5	6	8
35-49	523	3.3	4	<1	<1	3	4	6	6	10
50-64	232	3.3	2	1	1	3	4	5	6	8
65+	66	3.2	2	<1	1	3	4	6	6	7
2. MULTIPLE DX										
0-19 YRS	72	2.9	2	1	1	3	4	5	5	8
20-34	355	3.2	4	<1	1	3	4	6	7	9
35-49	735	3.8	5	1	1	3	5	7	8	12
50-64	439	4.3	13	1	2	4	5	7	9	22
65+	122	4.7	15	1	2	4	5	9	12	23
TOT. SINGLE DX	1510	3.0	3	<1	<1	3	4	5	6	8
" MULTIPLE DX	1723	3.8	8	1	1	3	5	7	8	15
TOTAL 0-19 YRS	257	2.6	2	<1	1	2	3	4	5	7
20-34	859	2.9	4	<1	<1	3	4	5	6	9
35-49	1258	3.6	5	<1	1	3	5	6	7	11
50-64	671	4.0	10	1	1	3	5	6	8	18
65+	188	4.1	12	1	1	3	5	8	10	19
GRAND TOTAL	**3233**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	299	2.5	2	1	1	2	3	5	5	8
20-34	616	2.6	2	1	1	2	3	4	5	8
35-49	90	2.9	4	<1	1	2	3	6	8	11
50-64	20	2.4	2	<1	<1	2	3	5	6	7
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	38	3.9	8	1	2	3	5	7	10	16
20-34	102	4.3	43	1	1	3	4	7	12	41
35-49	34	5.8	181	1	2	3	5	8	9	81
50-64	16	6.9	81	2	2	3	7	22	30	33
65+	12	5.7	34	2	2	4	6	13	22	23
TOT. SINGLE DX	1028	2.6	3	1	1	2	3	5	6	8
" MULTIPLE DX	202	4.8	62	1	1	3	5	8	13	41
TOTAL 0-19 YRS	337	2.7	3	1	1	2	3	5	6	9
20-34	718	2.8	9	1	1	2	3	5	6	12
35-49	124	3.7	53	1	1	2	4	6	8	30
50-64	36	4.4	42	<1	1	2	3	11	20	33
65+	15	5.0	29	2	2	4	5	9	19	23
GRAND TOTAL	**1230**	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	591	1.7	3	<1	<1	1	2	3	4	10
20-34	564	2.2	5	<1	<1	1	2	4	7	12
35-49	530	2.5	12	<1	<1	1	3	5	7	15
50-64	441	2.4	9	<1	<1	2	3	5	7	14
65+	378	3.4	22	<1	<1	2	3	8	12	24
2. MULTIPLE DX										
0-19 YRS	295	4.2	62	<1	<1	2	4	7	15	48
20-34	461	7.2	95	<1	1	4	8	18	28	53
35-49	509	7.0	101	<1	<1	3	8	19	26	59
50-64	685	7.8	112	<1	1	4	8	19	29	57
65+	1050	9.6	128	1	1	6	11	23	32	63
TOT. SINGLE DX	2504	2.4	10	<1	<1	1	2	4	8	15
" MULTIPLE DX	3000	7.9	111	<1	1	4	9	20	29	56
TOTAL 0-19 YRS	886	2.5	24	<1	<1	1	2	4	7	23
20-34	1025	4.4	52	<1	<1	2	4	10	17	40
35-49	1039	4.7	61	<1	<1	2	5	11	19	41
50-64	1126	5.7	79	<1	<1	3	6	14	22	49
65+	1428	7.9	108	<1	<1	4	10	20	29	54
GRAND TOTAL	**5504**	**5.4**	**73**	**<1**	**<1**	**2**	**6**	**13**	**22**	**47**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	770	3.4	18	<1	<1	2	4	8	11	20
20-34	944	4.0	22	<1	1	3	5	8	13	22
35-49	525	4.3	19	<1	1	3	6	10	12	22
50-64	408	5.0	45	<1	<1	3	6	11	15	34
65+	393	6.2	53	<1	1	4	8	13	19	38
2. MULTIPLE DX										
0-19 YRS	1535	5.7	72	1	1	3	6	13	22	50
20-34	2419	6.2	82	<1	1	3	7	15	23	57
35-49	1375	8.5	125	1	1	5	10	21	30	66
50-64	1468	10.7	159	1	1	7	13	26	38	73
65+	2128	13.3	194	1	2	9	17	31	43	78
TOT. SINGLE DX	3040	4.3	29	<1	<1	3	5	10	14	25
" MULTIPLE DX	8925	8.9	136	1	1	5	11	22	33	66
TOTAL 0-19 YRS	2305	4.9	56	<1	1	2	5	11	17	43
20-34	3363	5.6	66	<1	1	3	6	12	20	45
35-49	1900	7.4	100	1	1	4	9	18	26	59
50-64	1876	9.5	140	1	1	6	12	22	35	65
65+	2521	12.2	180	1	2	8	16	28	41	73
GRAND TOTAL	**11965**	**7.8**	**113**	**<1**	**1**	**4**	**9**	**19**	**28**	**60**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	5.1	39	<1	1	3	6	12	19	28
20-34	169	4.5	27	<1	1	3	5	10	16	27
35-49	114	6.2	71	<1	<1	3	7	15	22	43
50-64	82	8.0	102	1	1	4	11	19	28	54
65+	90	10.5	93	<1	1	8	16	23	32	42
2. MULTIPLE DX										
0-19 YRS	150	9.4	77	1	1	7	14	22	27	46
20-34	236	11.9	171	1	2	8	16	27	42	74
35-49	141	11.7	101	1	1	8	18	28	30	39
50-64	218	17.7	333	1	2	13	23	39	58	92
65+	352	21.8	278	3	4	17	32	46	56	90
TOT. SINGLE DX	640	6.3	61	<1	1	3	8	16	22	39
" MULTIPLE DX	1097	15.8	239	1	2	11	22	37	48	85
TOTAL 0-19 YRS	335	7.0	61	1	1	4	9	18	23	43
20-34	405	8.8	124	1	1	5	11	21	31	64
35-49	255	9.2	95	<1	1	5	14	23	30	38
50-64	300	15.1	289	1	1	10	20	36	47	89
65+	442	19.5	261	1	3	15	29	42	54	87
GRAND TOTAL	**1737**	**12.3**	**195**	**1**	**1**	**7**	**17**	**31**	**41**	**71**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	2.7	7	<1	1	2	3	5	9	15
20-34	95	5.2	93	<1	1	2	4	14	21	57
35-49	30	2.3	2	<1	<1	2	3	5	6	7
50-64	38	5.7	74	<1	<1	2	7	17	36	99+
65+	15	3.5	14	<1	<1	2	5	5	13	16
2. MULTIPLE DX										
0-19 YRS	48	7.4	134	<1	1	3	8	19	35	62
20-34	89	11.9	247	<1	1	4	16	38	47	71
35-49	61	14.5	255	1	1	9	27	43	62	99+
50-64	61	14.8	321	1	1	9	18	36	53	84
65+	71	21.3	455	1	2	17	34	55	66	97
TOT. SINGLE DX	255	4.1	51	<1	1	2	4	9	17	48
" MULTIPLE DX	330	14.3	307	1	1	7	19	42	56	90
TOTAL 0-19 YRS	125	4.5	61	<1	1	2	4	9	14	43
20-34	184	8.4	178	<1	1	3	9	21	42	62
35-49	91	10.5	204	1	1	4	14	32	54	99+
50-64	99	11.3	245	<1	1	4	15	33	51	92
65+	86	18.2	424	<1	1	9	31	52	65	96
GRAND TOTAL	**585**	**9.8**	**221**	**<1**	**1**	**3**	**11**	**32**	**47**	**86**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	215	2.0	4	<1	<1	1	2	3	6	13
20-34	154	2.5	12	<1	<1	1	3	4	6	16
35-49	143	2.2	2	<1	<1	2	3	5	6	8
50-64	142	2.2	4	<1	<1	1	3	5	6	10
65+	71	2.0	2	<1	<1	1	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	163	2.8	10	<1	<1	2	3	6	8	24
20-34	158	4.1	21	<1	1	3	5	8	12	25
35-49	204	4.7	35	<1	1	3	5	9	15	35
50-64	227	4.6	55	<1	1	2	5	8	14	51
65+	206	8.6	99	1	1	5	11	20	28	49
TOT. SINGLE DX	725	2.2	6	<1	<1	1	3	4	6	12
" MULTIPLE DX	958	5.1	51	<1	1	3	5	11	18	42
TOTAL 0-19 YRS	378	2.4	7	<1	<1	2	2	4	7	18
20-34	312	3.3	18	<1	<1	2	4	6	10	23
35-49	347	3.7	24	<1	<1	2	4	7	11	23
50-64	369	3.7	37	<1	<1	2	4	7	10	34
65+	277	6.9	83	<1	1	4	8	16	23	46
GRAND TOTAL	**1683**	**3.8**	**33**	**<1**	**<1**	**2**	**4**	**8**	**13**	**34**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98, 92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.8	2	1	1	3	4	5	5	5
20-34	10	6.5	91	1	1	2	4	24	29	29
35-49	13	3.7	9	<1	1	3	5	9	10	10
50-64	9	4.2	5	2	2	4	6	7	8	8
65+	6	3.8	7	1	1	3	4	9	9	9
2. MULTIPLE DX										
0-19 YRS	27	7.0	113	1	2	4	6	10	29	55
20-34	17	4.6	7	1	2	4	6	9	10	10
35-49	21	4.8	19	1	2	3	4	12	17	18
50-64	30	8.4	155	1	1	5	9	13	40	62
65+	107	11.4	157	2	3	8	14	22	32	70
TOT. SINGLE DX	47	4.2	24	1	1	3	5	9	11	29
" MULTIPLE DX	202	9.1	130	2	2	6	10	17	30	58
TOTAL 0-19 YRS	36	5.9	88	1	1	4	6	9	20	55
20-34	27	5.3	37	1	1	3	6	10	20	29
35-49	34	4.4	16	1	1	3	4	9	16	18
50-64	39	7.4	123	1	2	4	8	11	29	62
65+	113	11.0	152	2	3	7	13	21	31	68
GRAND TOTAL	**249**	**8.2**	**113**	**1**	**2**	**5**	**9**	**17**	**26**	**55**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	2.9	13	1	1	2	3	8	10	17
20-34	2235	3.1	10	1	1	2	4	8	10	15
35-49	2874	3.1	13	1	1	2	3	7	10	18
50-64	1619	3.1	15	1	1	2	3	7	10	18
65+	494	3.2	14	1	1	2	3	8	11	18
2. MULTIPLE DX										
0-19 YRS	122	4.1	26	1	1	2	5	9	13	33
20-34	1290	5.1	31	1	1	3	7	11	16	28
35-49	2029	4.8	24	1	1	3	7	11	15	24
50-64	1961	5.1	37	1	1	3	7	12	17	29
65+	1264	7.4	90	1	1	4	9	16	25	51
TOT. SINGLE DX	7369	3.1	13	1	1	2	3	8	10	17
" MULTIPLE DX	6666	5.4	43	1	1	3	7	12	17	32
TOTAL 0-19 YRS	269	3.4	20	1	1	2	4	8	11	28
20-34	3525	3.8	19	1	1	2	5	9	12	20
35-49	4903	3.8	19	1	1	2	5	9	12	21
50-64	3580	4.2	28	1	1	2	5	10	14	25
65+	1758	6.2	73	1	1	3	8	14	21	46
GRAND TOTAL	14035	**4.2**	**29**	**1**	**1**	**2**	**5**	**10**	**14**	**25**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	3.1	19	1	1	2	3	6	7	29
20-34	151	3.4	16	1	1	2	4	8	12	20
35-49	230	3.1	15	1	1	2	3	6	13	19
50-64	418	3.0	10	1	1	2	3	7	8	19
65+	549	2.6	10	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	59	5.3	29	1	1	3	8	13	21	92
20-34	153	7.1	130	1	1	4	7	14	24	76
35-49	358	6.1	60	1	1	4	7	14	19	47
50-64	1169	5.3	31	1	1	3	7	12	16	29
65+	2331	6.2	46	1	1	4	8	13	19	34
TOT. SINGLE DX	1406	2.9	12	1	1	2	3	6	8	18
" MULTIPLE DX	4070	6.0	46	1	1	4	7	12	19	35
TOTAL 0-19 YRS	117	4.2	26	1	1	2	5	11	18	52
20-34	304	5.2	77	1	1	2	6	11	16	54
35-49	588	5.0	45	1	1	2	6	12	17	33
50-64	1587	4.7	27	1	1	3	6	10	14	25
65+	2880	5.5	41	1	1	3	7	11	17	33
GRAND TOTAL	**5476**	**5.2**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	2.1		1	1	2	2	3	4	4
35-49	48	2.4	3	1	1	2	3	5	7	9
50-64	89	3.2	9	1	1	2	3	8	9	17
65+	22	2.0	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
0-19 YRS	12	2.0		1	1	2	3	3	4	4
20-34	16	4.1	11	1	1	3	6	9	12	13
35-49	184	3.7	9	1	1	2	5	8	10	14
50-64	433	4.2	18	1	1	2	5	10	12	21
65+	316	4.6	24	<1	1	2	6	11	15	25
TOT. SINGLE DX	170	2.7	6	1	1	2	3	6	8	14
" MULTIPLE DX	961	4.2	19	1	1	2	5	10	13	24
TOTAL 0-19 YRS	12	2.0	1	1	1	2	3	3	4	4
20-34	27	3.3	8	1	1	2	4	8	10	13
35-49	232	3.5	9	1	1	2	4	8	9	14
50-64	522	4.0	17	1	1	2	5	9	12	20
65+	338	4.5	24	<1	1	2	5	11	15	25
GRAND TOTAL	**1131**	**4.0**	**17**	**1**	**1**	**2**	**5**	**9**	**12**	**22**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	3.1	9	<1	1	2	3	8	11	13
20-34	404	4.3	14	1	1	3	7	10	12	16
35-49	434	4.1	18	<1	1	2	6	10	12	20
50-64	605	3.6	12	1	1	2	5	9	11	14
65+	678	3.3	9	1	1	2	4	8	10	14
2. MULTIPLE DX										
0-19 YRS	186	4.5	27	1	1	2	5	11	15	28
20-34	469	6.8	51	1	1	5	9	14	19	40
35-49	896	6.6	38	1	1	5	9	13	17	32
50-64	2207	6.1	42	1	1	4	9	13	16	31
65+	3521	7.1	53	1	1	5	10	15	21	36
TOT. SINGLE DX	2224	3.7	13	1	1	2	5	9	11	15
" MULTIPLE DX	7279	6.6	48	1	1	4	9	14	19	34
TOTAL 0-19 YRS	289	4.0	21	1	1	2	5	10	13	24
20-34	873	5.7	36	1	1	4	8	12	16	28
35-49	1330	5.8	33	1	1	4	8	12	15	28
50-64	2812	5.5	37	1	1	3	8	12	15	29
65+	4199	6.5	49	1	1	4	9	14	19	35
GRAND TOTAL	9503	6.0	42	1	1	4	8	13	17	32

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4822	3.0	13	<1	1	2	3	6	8	19
20-34	7513	3.5	14	1	1	2	4	7	9	20
35-49	5353	4.0	18	1	1	3	5	8	11	21
50-64	4404	4.4	20	1	1	3	5	9	12	23
65+	4316	5.3	21	1	1	4	7	11	14	23
2. MULTIPLE DX										
0-19 YRS	7592	5.0	51	1	1	2	5	10	16	39
20-34	11860	5.3	41	1	1	3	6	10	16	34
35-49	12937	5.9	41	1	2	4	7	12	17	32
50-64	22059	6.7	44	1	2	5	8	13	18	34
65+	52055	8.2	55	2	2	6	10	16	22	40
TOT. SINGLE DX	26408	4.0	18	1	1	3	5	8	11	22
" MULTIPLE DX	106503	7.1	51	1	2	5	9	14	20	37
TOTAL 0-19 YRS	12414	4.2	38	1	1	3	4	8	13	32
20-34	19373	4.6	32	1	1	3	5	9	13	30
35-49	18290	5.4	36	1	1	4	6	11	15	30
50-64	26463	6.3	41	1	2	5	8	12	17	33
65+	56371	8.0	53	2	2	6	10	16	21	39
GRAND TOTAL	132911	6.5	46	1	1	4	8	13	18	35

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3395	4.3	36	1	1	3	4	8	17	30
20-34	1700	5.8	36	1	1	4	7	12	17	28
35-49	1655	5.9	25	1	1	5	7	11	15	26
50-64	1432	5.7	30	1	1	4	7	10	14	27
65+	1350	6.4	32	1	2	5	8	12	16	30
2. MULTIPLE DX										
0-19 YRS	3982	5.4	58	1	1	3	5	10	19	43
20-34	2504	8.0	83	1	2	5	9	18	26	50
35-49	3043	7.8	60	1	2	5	9	16	22	39
50-64	5278	7.9	65	2	2	6	9	15	22	44
65+	13413	9.0	61	2	3	7	11	17	23	44
TOT. SINGLE DX	9532	5.3	34	1	1	4	6	11	16	28
" MULTIPLE DX	28220	8.1	65	1	2	6	10	16	23	43
TOTAL 0-19 YRS	7377	4.9	49	1	1	3	5	9	18	38
20-34	4204	7.1	66	1	1	4	8	15	23	42
35-49	4698	7.1	49	1	2	5	8	14	19	37
50-64	6710	7.4	59	1	2	5	9	14	20	41
65+	14763	8.8	60	2	3	7	11	17	22	43
GRAND TOTAL	37752	7.4	59	1	2	5	9	15	21	41

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3459	2.8	10	<1	1	2	3	5	7	14
20-34	2183	3.6	21	<1	1	2	4	7	10	24
35-49	1640	4.3	24	1	1	3	5	9	12	28
50-64	1752	4.8	25	1	1	3	6	10	13	26
65+	1724	5.2	21	1	1	4	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	6555	4.9	53	1	1	3	5	9	14	42
20-34	4524	5.1	45	1	1	3	6	10	17	35
35-49	5520	5.5	38	1	1	4	7	11	16	32
50-64	11364	6.3	35	1	2	4	8	12	17	31
65+	25650	7.7	48	2	2	6	10	15	20	36
TOT. SINGLE DX	10758	3.9	20	1	1	3	5	8	11	22
" MULTIPLE DX	53613	6.6	47	1	2	5	8	13	18	35
TOTAL 0-19 YRS	10014	4.2	40	1	1	3	4	7	11	35
20-34	6707	4.6	38	1	1	3	5	9	15	33
35-49	7160	5.2	36	1	1	3	6	10	15	30
50-64	13116	6.1	35	1	2	4	8	12	16	30
65+	27374	7.5	47	2	2	6	9	15	20	36
GRAND TOTAL	64371	6.2	43	1	1	4	8	13	17	34

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
545	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

1.11

Length of Stay by Diagnosis, Canada, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 17
Summary of All Patients. 18
Summary of All Patients Except Newborn 19
Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the Canada length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	22	9.1	3,434	391	11.4
25-49	194	72	37.1	6,680	2,463	36.9
50-99	174	47	27.0	12,300	3,187	25.9
100-199	120	31	25.8	16,507	4,291	26.0
200-299	74	15	20.3	17,869	3,540	19.8
300-399	58	7	12.1	20,119	2,424	12.0
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	10	27.0	25,481	7,809	30.6
Total	919	206	22.4	111,371	25,072	22.5
Province or Territory						
Alberta	125	113	90.4	11,653	10,639	91.3
British Columbia	111	36	32.4	12,355	5,687	46.0
Manitoba	78	0	–	5,150	0	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	6	17.1	2,588	1,202	46.4
Nova Scotia	48	11	22.9	4,833	2,567	53.1
Ontario	207	0	–	37,688	0	–
Prince Edward Island	9	0	–	644	0	–
Quebec	138	1	.7	26,125	534	2.0
Saskatchewan	132	5	3.8	6,260	758	12.1
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	206	22.4	111,371	25,072	22.5

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory, 1980,* Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those who had at least one procedure that had an operative or anesthetic risk, required highly trained personnel, or required special facilities or equipment. For a complete list of these procedures refer to the Class 1 procedure section of *UHDDS Classes of Procedures, ICD-9-CM,*[1] Commission on Professional and Hospital Activities, Ann Arbor, Michigan 1978. Patients with only Class 2-4 procedures are considered nonoperated.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

[1]Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1983* or *Length of Stay by Operation, Canada, 1983.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than the one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[3] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystocholelithiasis — *see* Choledocholithiasis

Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — *see* Choledocholithiasis

Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — *see* Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 383.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84335	4.1	13	1	1	4	5	7	9	17
20-34	51942	4.4	30	<1	1	3	5	7	11	29
35-49	17650	5.9	51	1	1	4	7	12	18	37
50-64	15930	7.1	61	1	1	5	9	15	21	41
65+	19769	8.7	84	1	2	6	11	18	26	55
B. *Operated*										
0-19 YRS	30644	3.3	13	<1	1	2	4	6	9	17
20-34	61048	4.1	13	<1	1	3	5	7	9	17
35-49	24803	5.1	24	<1	1	4	7	10	13	24
50-64	19827	6.2	36	1	1	5	8	13	17	29
65+	16955	7.8	62	1	2	5	10	17	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75924	5.6	34	1	2	4	6	9	14	31
20-34	29297	6.2	71	1	1	4	7	13	21	50
35-49	21180	7.7	78	1	1	5	9	16	23	49
50-64	33227	9.0	88	1	2	6	11	18	26	53
65+	65576	11.7	139	2	3	8	14	25	36	92
B. *Operated*										
0-19 YRS	16853	6.1	84	1	1	3	6	13	21	58
20-34	53811	6.4	47	1	2	5	7	11	16	40
35-49	27989	8.3	77	1	2	6	9	16	24	51
50-64	30216	10.9	124	1	2	8	14	23	33	66
65+	37068	14.4	202	2	2	10	19	33	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189626	5.1	35	1	1	4	6	10	14	31
B. *Operated*	153277	4.8	25	<1	1	3	6	9	13	25
2. MULTIPLE DX										
A. *Not Operated*	225204	8.1	88	1	2	5	9	17	25	58
B. *Operated*	165937	9.3	115	1	2	6	11	21	30	67
1. SINGLE DX	342903	4.9	31	1	1	4	6	9	14	28
2. MULTIPLE DX	391141	8.6	100	1	2	6	10	19	28	62
A. NOT OPERATED	414830	6.7	66	1	1	4	7	14	21	47
B. OPERATED	319214	7.1	77	1	1	5	8	15	23	51
TOTAL 0-19 YRS	207756	4.7	28	1	1	4	5	8	11	27
20-34	196098	5.1	37	<1	1	4	6	9	13	33
35-49	91622	6.8	60	1	1	5	8	14	20	43
50-64	99200	8.7	87	1	2	6	11	18	26	52
65+	139368	11.5	143	2	2	8	14	25	37	85
GRAND TOTAL	**734044**	**6.9**	**71**	**1**	**1**	**4**	**8**	**14**	**22**	**49**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52239	4.0	20	1	1	3	5	8	11	22
20-34	51942	4.4	30	<1	1	3	5	7	11	29
35-49	17650	5.9	51	1	1	4	7	12	18	37
50-64	15930	7.1	61	1	1	5	9	15	21	41
65+	19769	8.7	84	1	2	6	11	18	26	55
B. *Operated*										
0-19 YRS	30641	3.3	13	<1	1	2	4	6	9	17
20-34	61048	4.1	13	<1	1	3	5	7	9	17
35-49	24803	5.1	24	<1	1	4	7	10	13	24
50-64	19827	6.2	36	1	1	5	8	13	17	29
65+	16955	7.8	62	1	2	5	10	17	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36736	5.6	42	1	1	4	7	11	16	33
20-34	29297	6.2	71	1	1	4	7	13	21	50
35-49	21180	7.7	78	1	1	5	9	16	23	49
50-64	33227	9.0	88	1	2	6	11	18	26	53
65+	65376	11.7	139	2	3	8	14	25	36	92
B. *Operated*										
0-19 YRS	16386	5.7	63	1	1	3	6	12	18	47
20-34	53811	6.4	47	1	2	5	7	11	16	40
35-49	27989	8.3	77	1	2	6	9	16	24	51
50-64	30216	10.9	124	1	2	8	14	23	33	66
65+	37068	14.4	202	2	2	10	19	33	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157530	5.2	42	1	1	4	6	11	15	34
B. *Operated*	153274	4.8	25	<1	1	3	6	9	13	25
2. MULTIPLE DX										
A. *Not Operated*	186016	8.7	99	1	2	6	11	19	28	63
B. *Operated*	165470	9.2	113	1	2	6	11	20	30	66
1. SINGLE DX	310804	5.0	33	<1	1	4	6	10	14	30
2. MULTIPLE DX	351486	8.9	106	1	2	6	11	19	29	64
A. NOT OPERATED	343546	7.1	76	1	1	4	8	15	22	51
B. OPERATED	318744	7.1	76	1	1	5	8	15	23	51
TOTAL 0-19 YRS	136002	4.5	30	1	1	3	5	9	12	28
20-34	196098	5.1	37	<1	1	4	6	9	13	33
35-49	91622	6.8	60	1	1	5	8	14	20	43
50-64	99200	8.7	87	1	2	6	11	18	26	52
65+	139368	11.5	143	2	2	8	14	25	37	85
GRAND TOTAL	**662290**	**7.1**	**76**	**1**	**1**	**5**	**8**	**15**	**23**	**51**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1414	4.1	10	1	1	3	5	8	11	16
20-34	337	3.5	7	1	1	3	4	7	9	12
35-49	116	4.1	10	1	1	3	5	8	11	15
50-64	106	4.0	7	1	1	4	6	8	9	12
65+	101	4.9	17	1	1	4	6	10	13	21
B. *Operated*										
0-19 YRS	16	6.1	18	3	3	4	6	13	16	18
20-34	41	5.6	10	2	3	5	6	9	10	21
35-49	8	7.3	43	2	2	4	10	18	21	21
50-64	7	7.9	38	3	3	6	9	19	21	21
65+	3	12.7	72	4	4	13	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1027	5.9	26	1	2	5	7	11	16	26
20-34	211	4.0	10	1	1	3	5	8	10	18
35-49	105	5.0	26	1	1	4	6	9	14	32
50-64	145	5.7	19	1	2	5	7	11	16	19
65+	245	9.2	124	2	2	6	11	16	29	77
B. *Operated*										
0-19 YRS	20	6.8	23	1	2	5	9	13	17	21
20-34	23	10.0	56	3	4	7	12	20	27	35
35-49	17	9.4	51	3	4	7	9	23	25	26
50-64	13	17.7	181	3	4	16	22	39	47	49
65+	27	16.5	221	4	5	11	17	39	47	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2074	4.1	10	1	1	3	5	8	10	16
B. *Operated*	75	6.4	21	3	3	5	7	12	20	21
2. MULTIPLE DX										
A. *Not Operated*	1733	6.1	39	1	2	4	7	12	16	33
B. *Operated*	100	12.0	122	2	4	8	15	26	36	58
1. SINGLE DX	2149	4.1	10	1	1	3	5	8	10	16
2. MULTIPLE DX	1833	6.4	45	1	2	5	8	12	17	35
A. NOT OPERATED	3807	5.0	24	1	1	4	6	9	13	22
B. OPERATED	175	9.6	86	3	3	6	11	21	28	47
TOTAL 0-19 YRS	2477	4.9	17	1	2	4	6	9	13	21
20-34	612	4.0	12	1	1	3	5	8	10	19
35-49	246	5.0	22	1	1	4	6	9	14	26
50-64	271	5.7	30	1	1	4	7	11	16	28
65+	376	8.6	110	1	2	5	10	16	27	68
GRAND TOTAL	**3982**	**5.2**	**28**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	21.6	510	4	5	10	31	60	74	80
20-34	24	20.5	161	5	5	21	29	41	64	99+
35-49	10	20.1	499	8	8	11	17	56	80	80
50-64	11	22.2	266	2	7	17	26	51	56	56
65+	13	30.1	744	1	3	22	59	95	99	99+
B. *Operated*										
0-19 YRS	3	36.3	421	19	19	31	52	59	59	59
20-34	4	9.0	21	4	4	8	12	15	15	15
35-49	3	12.7	14	10	10	14	58	99+	99+	99+
50-64	8	19.6	98	11	12	17	21	36	42	42
65+	8	23.0	242	4	8	18	40	80	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	23.7	385	2	3	16	41	51	58	59
20-34	27	26.5	492	6	8	19	32	59	83	85
35-49	9	31.1	774	6	7	18	46	78	81	81
50-64	22	26.9	303	2	7	23	45	53	57	57
65+	31	23.0	352	3	7	19	46	83	99+	99+
B. *Operated*										
0-19 YRS										
20-34	11	32.5	737	4	10	26	69	99+	99+	99+
35-49	12	25.3	348	6	8	25	61	99+	99+	99+
50-64	10	29.8	771	7	9	19	52	98	99+	99+
65+	26	23.7	296	5	8	17	36	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	22.6	390	4	5	16	30	58	80	99+
B. *Operated*	26	20.2	193	4	8	17	31	57	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	100	25.6	408	4	7	20	40	58	82	99+
B. *Operated*	59	26.7	453	6	8	19	56	99+	99+	99+
1. SINGLE DX	101	22.0	338	4	6	16	30	59	84	99+
2. MULTIPLE DX	159	26.0	422	4	7	20	45	77	99+	99+
A. NOT OPERATED	175	24.3	400	3	6	18	33	58	81	99+
B. OPERATED	85	24.7	380	5	8	19	41	99+	99+	99+
TOTAL 0-19 YRS	31	23.8	447	3	4	14	34	59	64	80
20-34	66	24.3	401	4	7	19	33	61	95	99+
35-49	34	24.2	471	7	8	17	37	94	99+	99+
50-64	51	25.3	346	3	9	19	36	56	58	99+
65+	78	24.4	378	4	7	18	42	81	99+	99+
GRAND TOTAL	**260**	**24.5**	**392**	**4**	**7**	**18**	**35**	**62**	**99+**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	3	9.0	49	2	2	9	14	16	16	16
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	20.0	72	14	14	20	26	26	26	26
B. Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	9	9.1	124	3	3	4	10	28	37	37
35-49	4	10.3	48	3	3	9	15	19	19	19
50-64	6	9.7	61	2	2	8	15	21	22	22
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	6.3	9	3	3	7	7	11	12	12
35-49	9	9.1	18	2	2	10	11	14	15	15
50-64	3	6.7	16	2	2	9	9	9	9	9
65+	4	40.8	1127	7	7	34	62	87	87	87
B. Operated										
0-19 YRS	3	51.0	1764	9	9	51	82	93	93	93
20-34	4	8.5	27	5	5	8	12	16	16	16
35-49	6	35.8	573	17	17	23	65	68	68	68
50-64	9	18.9	246	1	4	14	28	43	53	53
65+	9	28.4	701	3	6	17	43	71	88	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	10.6	54	2	2	9	14	22	26	26
B. Operated	22	8.6	75	2	2	5	12	20	28	37
2. MULTIPLE DX										
A. Not Operated	24	13.0	321	2	2	8	11	32	53	87
B. Operated	31	26.7	607	3	5	17	39	66	87	93
1. SINGLE DX	31	9.2	67	2	2	7	13	20	26	37
2. MULTIPLE DX	55	20.7	522	2	3	11	24	53	82	93
A. NOT OPERATED	33	12.3	245	2	2	9	12	27	37	87
B. OPERATED	53	19.2	462	2	3	12	22	51	68	93
TOTAL 0-19 YRS	8	21.4	1109	2	2	6	30	80	93	93
20-34	22	8.0	55	3	3	6	8	15	24	37
35-49	22	16.6	300	2	3	11	18	36	66	68
50-64	19	13.2	162	1	2	9	16	29	42	53
65+	15	30.6	696	4	7	21	42	87	88	88
GRAND TOTAL	**86**	**16.5**	**386**	**2**	**3**	**10**	**17**	**42**	**66**	**91**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	138	3.7	27	1	1	3	4	6	7	16
20-34	52	3.4	3	2	2	3	4	5	6	10
35-49	5	3.4	1	2	2	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. Operated										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	4.0	9	1	1	3	5	6	11	18
20-34	34	3.9	6	2	2	3	4	8	10	11
35-49	7	4.1	2	1	2	4	5	6	6	6
50-64	7	5.6	5	3	3	5	7	9	9	9
65+	7	5.9	11	2	2	5	9	11	11	11
B. Operated										
0-19 YRS	2	10.0	32	6	6	10	14	14	14	14
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	3.6	20	1	1	3	4	5	7	10
B. Operated	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	176	4.1	8	1	2	3	5	7	11	16
B. Operated	2	10.0	32	6	6	10	14	14	14	14
1. SINGLE DX	200	3.6	20	1	1	3	4	5	7	10
2. MULTIPLE DX	178	4.2	9	1	2	3	5	7	11	16
A. NOT OPERATED	372	3.8	14	1	1	3	5	6	8	14
B. OPERATED	6	4.7	23	2	2	2	6	13	14	14
TOTAL 0-19 YRS	265	3.8	19	1	1	3	4	6	8	17
20-34	86	3.6	4	2	2	3	4	6	8	11
35-49	12	3.8	2	1	2	4	5	5	6	6
50-64	8	5.1	6	2	2	5	7	9	9	9
65+	7	5.9	11	2	2	5	9	11	11	11
GRAND TOTAL	**378**	**3.8**	**19**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	5.7	12	2	2	5	8	11	12	14
20-34	8	5.5	25	2	2	3	8	14	15	15
35-49	7	8.1	25	<1	1	9	10	16	17	17
50-64	9	8.2	27	2	3	7	11	17	19	19
65+	19	9.8	53	2	3	7	12	23	27	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	10.1	111	2	3	8	12	18	23	71
20-34	20	10.8	74	3	4	8	12	21	32	41
35-49	31	10.2	76	3	3	8	14	20	21	47
50-64	46	12.3	69	4	5	9	16	26	29	38
65+	115	14.9	137	4	5	12	19	30	41	83
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	6	23.5	147	7	8	20	34	40	41	41
35-49	10	18.2	134	7	8	15	22	37	45	45
50-64	11	13.7	84	2	5	12	21	53	93	99+
65+	34	30.9	484	10	11	22	40	73	79	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	7.0	26	2	2	6	9	13	17	27
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	272	12.6	111	3	4	9	16	25	32	70
B. *Operated*	62	24.8	360	7	9	19	32	52	76	99
1. SINGLE DX	91	7.0	26	2	2	6	9	13	17	27
2. MULTIPLE DX	334	14.8	179	3	4	11	18	30	42	82
A. NOT OPERATED	362	11.2	96	2	3	8	14	23	29	54
B. OPERATED	63	24.5	358	7	8	18	32	51	76	99
TOTAL 0-19 YRS	108	8.2	71	2	2	6	10	14	19	49
20-34	34	11.8	105	2	3	8	15	24	39	41
35-49	48	11.6	89	3	4	9	15	21	31	47
50-64	67	11.9	66	3	5	9	15	27	30	89
65+	168	17.6	243	4	5	13	21	36	50	90
GRAND TOTAL	**425**	**13.2**	**156**	**3**	**3**	**9**	**16**	**28**	**39**	**77**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	7.9	44	2	2	6	11	16	20	31
20-34	17	4.6	8	1	1	5	6	9	11	12
35-49	12	6.2	4	3	4	6	8	9	9	9
50-64	7	5.1	2	3	3	6	6	7	7	7
65+	16	9.3	76	2	3	6	12	14	31	38
B. *Operated*										
0-19 YRS	8	7.9	24	2	3	7	10	15	17	17
20-34	2	21.5	545	5	5	21	38	38	38	38
35-49	4	31.5	715	11	11	23	51	68	68	68
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	32.0		32	32	32	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	10.9	159	2	3	7	13	21	27	81
20-34	10	6.7	28	1	1	5	11	15	18	18
35-49	8	10.3	34	3	4	9	14	19	20	20
50-64	15	9.5	86	3	4	5	12	23	33	36
65+	27	13.0	174	2	4	7	14	36	48	50
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49										
50-64	3	19.0	604	1	1	9	37	47	47	47
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	7.5	41	2	2	6	10	15	18	34
B. *Operated*	16	17.0	314	3	4	10	24	38	59	68
2. MULTIPLE DX										
A. *Not Operated*	150	10.8	139	2	3	7	13	21	30	64
B. *Operated*	6	12.2	305	1	1	6	10	43	47	47
1. SINGLE DX	223	8.2	65	2	2	6	10	16	24	38
2. MULTIPLE DX	156	10.8	144	2	3	7	13	21	33	63
A. NOT OPERATED	357	8.9	84	2	2	6	11	18	25	47
B. OPERATED	22	15.7	302	1	2	9	17	41	55	68
TOTAL 0-19 YRS	254	8.9	85	2	2	6	12	17	25	38
20-34	31	6.5	49	1	1	5	8	12	18	38
35-49	24	11.8	190	3	4	8	10	21	45	68
50-64	26	9.3	113	2	3	6	8	22	38	47
65+	44	12.0	145	2	3	7	14	32	41	50
GRAND TOTAL	**379**	**9.3**	**99**	**2**	**2**	**6**	**12**	**18**	**28**	**49**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	3.8	4	2	2	3	5	7	9	11
20-34	94	4.4	9	1	2	3	5	8	11	15
35-49	14	4.2	5	1	2	4	5	7	9	10
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	3	8.3	56	1	1	8	14	16	16	16
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.7	4	1	2	3	5	7	8	8
20-34	27	5.4	12	1	2	5	7	10	13	14
35-49	8	6.1	32	1	2	4	7	16	19	19
50-64	4	7.5	14	3	3	8	10	11	11	11
65+	3	14.7	412	1	1	5	30	38	38	38
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	1	50.0		50	50	50	50	50	50	50
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	4.1	7	1	2	3	5	8	9	13
B. *Operated*	4	7.5	40	1	1	6	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	62	5.5	30	1	2	4	7	10	13	36
B. *Operated*	3	23.3	537	8	8	12	40	50	50	50
1. SINGLE DX	192	4.2	7	1	2	3	5	8	10	15
2. MULTIPLE DX	65	6.4	60	1	2	4	7	11	15	48
A. NOT OPERATED	250	4.5	13	1	2	3	6	8	10	17
B. OPERATED	7	14.3	271	1	2	8	15	43	50	50
TOTAL 0-19 YRS	97	3.8	5	2	2	3	5	7	9	12
20-34	125	4.7	11	1	2	4	6	9	12	16
35-49	23	4.9	14	1	2	4	6	8	13	19
50-64	8	11.6	253	2	2	7	10	38	50	50
65+	4	12.3	298	1	1	5	22	38	38	38
GRAND TOTAL	**257**	**4.7**	**21**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	3.7	6	1	1	3	5	7	9	13
20-34	47	4.8	11	1	2	4	6	10	12	16
35-49	15	4.7	6	1	2	4	6	8	9	10
50-64	39	6.8	16	2	2	7	9	13	15	18
65+	70	10.6	66	2	3	8	15	22	31	35
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	10.5	41	6	6	10	15	15	15	15
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	2	15.0	288	3	3	15	27	27	27	27
65+	3	5.7	2	4	4	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.1	8	1	2	3	5	8	10	14
20-34	31	6.6	16	2	2	6	8	13	15	18
35-49	24	8.0	10	4	4	8	10	11	13	17
50-64	38	8.2	31	2	3	6	12	15	21	24
65+	179	13.2	134	3	4	9	16	28	40	67
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	7.5	41	3	3	7	12	12	12	12
35-49	3	13.0	147	2	2	11	22	26	26	26
50-64	7	15.7	269	3	3	8	21	44	49	49
65+	19	18.7	257	4	6	14	36	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	5.3	24	1	2	4	6	10	15	26
B. *Operated*	10	8.4	54	3	3	6	8	21	27	27
2. MULTIPLE DX										
A. *Not Operated*	494	8.1	72	2	2	5	9	17	25	51
B. *Operated*	33	15.9	227	2	3	11	26	60	99+	99+
1. SINGLE DX	420	5.4	25	1	2	4	7	11	15	28
2. MULTIPLE DX	527	8.6	85	2	2	6	10	19	28	63
A. NOT OPERATED	904	6.8	52	1	2	5	8	14	20	40
B. OPERATED	43	14.2	195	2	3	10	23	50	99+	99+
TOTAL 0-19 YRS	464	3.9	7	1	1	3	5	8	9	14
20-34	82	5.7	15	1	2	5	7	12	14	17
35-49	44	7.1	19	2	3	7	9	11	13	26
50-64	86	8.3	49	2	3	6	10	15	22	41
65+	271	12.8	127	3	3	9	17	30	41	99+
GRAND TOTAL	**947**	**7.2**	**61**	**1**	**2**	**5**	**9**	**15**	**22**	**50**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	7.9	16	2	4	7	10	13	15	19
20-34	62	7.2	19	1	2	7	10	13	15	22
35-49	14	5.6	9	2	2	5	8	10	11	11
50-64	12	10.3	46	3	3	8	14	21	24	24
65+	10	10.0	67	3	3	6	21	22	22	22
B. *Operated*										
0-19 YRS										
20-34	4	6.8	15	1	1	8	9	9	9	9
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.1	26	3	3	7	11	16	17	17
20-34	14	8.9	42	1	2	8	11	21	23	23
35-49	13	11.6	32	5	5	10	17	19	21	21
50-64	9	6.4	18	1	1	5	10	13	13	13
65+	4	11.3	75	5	5	8	16	24	24	24
B. *Operated*										
0-19 YRS										
20-34	5	10.6	49	1	1	9	15	20	20	20
35-49	3	9.3	30	4	4	9	13	15	15	15
50-64	4	23.5	120	11	11	24	32	35	35	35
65+	5	22.8	447	5	5	19	30	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	7.7	24	2	3	7	10	14	19	23
B. *Operated*	7	7.9	11	1	2	8	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	48	9.3	35	2	3	8	12	18	21	24
B. *Operated*	17	17.0	195	2	4	14	20	34	51	59
1. SINGLE DX	133	7.7	24	2	3	7	10	13	19	23
2. MULTIPLE DX	65	11.3	86	2	3	9	15	21	25	55
A. NOT OPERATED	174	8.1	28	2	3	7	10	17	20	24
B. OPERATED	24	14.3	157	1	4	10	18	30	42	59
TOTAL 0-19 YRS	36	7.9	17	2	4	7	10	14	16	19
20-34	85	7.7	24	1	2	7	10	13	19	23
35-49	31	8.7	27	2	3	8	11	17	18	21
50-64	26	10.9	74	2	3	8	13	24	31	35
65+	20	13.4	169	3	4	8	20	23	41	59
GRAND TOTAL	**198**	**8.9**	**47**	**2**	**3**	**7**	**11**	**18**	**21**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	4.6	9	2	2	4	5	8	11	15
20-34	65	4.6	14	1	2	4	5	8	10	22
35-49	7	5.1	13	2	2	4	7	11	12	12
50-64	4	3.3	4	2	2	3	4	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	5.0	12	2	2	4	7	9	9	19
20-34	46	6.1	14	1	2	5	9	12	13	15
35-49	3	10.0	28	6	6	8	14	16	16	16
50-64	4	9.3	12	6	6	8	11	14	14	14
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5	5.6	2	4	4	5	7	7	7	7
20-34	3	6.3		6	6	6	7	7	7	7
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	4.6	10	1	2	4	5	8	11	17
B. *Operated*	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	188	5.5	13	2	2	4	7	9	12	16
B. *Operated*	8	5.9	1	4	4	6	7	7	7	7
1. SINGLE DX	280	4.6	10	1	2	4	5	8	12	17
2. MULTIPLE DX	196	5.5	12	2	2	5	7	9	12	16
A. NOT OPERATED	466	4.9	11	2	2	4	6	9	12	16
B. OPERATED	10	6.6	10	4	4	6	7	11	15	15
TOTAL 0-19 YRS	340	4.8	10	2	2	4	6	8	10	15
20-34	115	5.3	15	1	2	4	6	10	13	20
35-49	11	6.4	19	2	2	5	8	14	16	16
50-64	8	6.3	17	2	2	6	8	12	14	14
65+	2	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**476**	**5.0**	**11**	**2**	**2**	**4**	**6**	**9**	**12**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	13	<1	<1	1	7	9	9	9
20-34	5	3.8	5	2	2	3	5	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	200	1.5	2	<1	<1	1	2	2	3	5
20-34	249	1.7	1	<1	<1	1	2	3	4	6
35-49	28	2.4	3	<1	<1	2	3	5	6	8
50-64	19	2.3	3	<1	<1	2	3	5	7	7
65+	11	9.5	353	<1	<1	3	7	34	62	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	6	1.8	3	<1	<1	1	2	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	19	1.6	2	<1	<1	1	2	3	5	7
20-34	65	3.0	12	<1	<1	2	3	5	10	20
35-49	15	3.8	8	<1	<1	3	6	9	9	9
50-64	10	3.3	3	<1	1	3	4	6	6	6
65+	7	5.7	25	3	3	4	5	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.4	8	<1	<1	2	6	8	9	9
B. *Operated*	507	1.8	10	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	8	2.1	3	<1	<1	1	3	5	5	5
B. *Operated*	116	3.1	11	<1	<1	2	4	6	9	19
1. SINGLE DX	519	1.9	10	<1	<1	1	2	3	4	8
2. MULTIPLE DX	124	3.0	10	<1	<1	2	4	6	9	19
A. NOT OPERATED	20	2.9	6	<1	<1	2	5	7	8	9
B. OPERATED	623	2.1	10	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	227	1.5	2	<1	<1	1	2	3	4	8
20-34	325	2.0	4	<1	<1	1	2	4	5	10
35-49	44	2.9	5	<1	<1	2	4	6	8	9
50-64	29	2.6	3	<1	<1	2	3	6	6	7
65+	18	8.1	221	<1	<1	4	5	16	46	65
GRAND TOTAL	**643**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**5**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	436	3.0	5	1	1	3	4	5	7	11
20-34	118	4.2	9	1	1	3	5	9	11	14
35-49	50	4.9	21	1	1	4	6	8	13	25
50-64	28	5.8	16	2	2	4	7	11	14	19
65+	40	5.8	23	1	1	4	8	11	17	21
B. *Operated*										
0-19 YRS	21	2.5	10	<1	<1	1	2	7	11	12
20-34										
35-49	2	13.5	85	7	7	13	20	20	20	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	347	3.9	11	1	1	3	5	7	9	13
20-34	89	4.9	16	1	1	4	6	9	11	24
35-49	54	5.3	9	1	2	5	7	10	12	13
50-64	62	5.1	10	1	2	4	7	9	11	15
65+	100	7.8	36	1	2	7	10	16	19	33
B. *Operated*										
0-19 YRS	6	6.2	18	2	2	5	10	12	12	12
20-34	12	22.3	746	2	3	11	25	67	91	95
35-49	3	9.0	16	5	5	9	12	13	13	13
50-64	3	10.3	161	3	3	3	20	25	25	25
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	3.7	9	1	1	3	4	7	9	16
B. *Operated*	23	3.5	23	<1	<1	1	4	11	15	20
2. MULTIPLE DX										
A. *Not Operated*	652	4.9	17	1	1	4	6	9	12	21
B. *Operated*	25	15.1	414	2	2	9	14	35	65	95
1. SINGLE DX	695	3.7	9	1	1	3	4	7	10	18
2. MULTIPLE DX	677	5.2	35	1	1	4	7	10	13	31
A. NOT OPERATED	1324	4.2	13	1	1	3	5	8	10	19
B. OPERATED	48	9.5	257	<1	1	4	11	19	37	95
TOTAL 0-19 YRS	810	3.4	8	1	1	3	4	6	8	13
20-34	219	5.5	65	1	1	4	6	10	13	41
35-49	109	5.4	17	1	2	5	7	10	13	23
50-64	93	5.5	16	2	2	4	7	10	13	22
65+	141	7.3	33	1	2	6	10	15	19	32
GRAND TOTAL	**1372**	**4.4**	**22**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	9	2	2	4	7	9	9	9
20-34	17	3.6	8	1	1	3	5	7	10	12
35-49	5	3.0	4	1	1	3	4	6	6	6
50-64	4	4.8	8	3	3	4	6	9	9	9
65+	2	10.5	25	7	7	10	14	14	14	14
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	3.8	10	1	1	3	5	9	9	9
65+	4	4.5	14	2	2	3	7	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.2	10	1	1	3	5	9	12	14
B. *Operated*	3	6.7	4	5	5	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	16	4.3	8	1	1	3	6	9	10	10
B. *Operated*										
1. SINGLE DX	35	4.4	10	1	1	3	6	9	11	14
2. MULTIPLE DX	16	4.3	8	1	1	3	6	9	10	10
A. NOT OPERATED	48	4.2	9	1	1	3	5	9	10	14
B. OPERATED	3	6.7	4	5	5	6	8	9	9	9
TOTAL 0-19 YRS	8	5.0	4	2	2	5	6	8	9	9
20-34	22	3.8	8	1	1	3	5	8	10	12
35-49	6	3.8	7	1	1	3	6	8	8	8
50-64	9	4.2	8	1	1	3	5	9	9	9
65+	6	6.5	23	2	2	5	10	14	14	14
GRAND TOTAL	**51**	**4.4**	**9**	**1**	**1**	**3**	**6**	**9**	**10**	**14**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	6.5	27	2	2	6	8	10	13	34
20-34	79	5.2	19	1	2	5	6	8	10	30
35-49	9	8.6	15	3	3	9	11	14	15	15
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	9.3	5	8	8	8	11	12	12	12
B. *Operated*										
0-19 YRS	11	3.8	6	<1	<1	4	6	7	8	8
20-34	22	3.5	8	<1	<1	2	6	8	9	10
35-49	5	3.4	11	1	1	2	5	9	9	9
50-64	5	2.4	1	1	1	2	3	4	4	4
65+	2	8.5	113	1	1	8	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.7	19	2	3	6	10	13	16	17
20-34	38	6.3	19	2	3	5	6	14	18	19
35-49	10	9.0	26	4	4	7	11	17	21	21
50-64	7	22.1	449	3	4	10	39	55	58	58
65+	10	15.8	355	3	3	11	15	45	66	66
B. *Operated*										
0-19 YRS	5	9.2	24	4	4	8	12	17	17	17
20-34	10	7.3	51	1	2	5	8	18	26	26
35-49	3	16.3	210	2	2	16	27	31	31	31
50-64	5	7.4	13	4	4	6	10	13	13	13
65+	2	5.5	25	2	2	5	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	6.0	22	2	2	5	7	10	12	34
B. *Operated*	45	3.6	10	<1	1	2	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	84	9.2	111	2	3	6	10	17	23	63
B. *Operated*	25	8.6	53	2	2	7	10	17	27	3[illegible]
1. SINGLE DX	181	5.4	20	1	1	5	7	9	12	2[illegible]
2. MULTIPLE DX	109	9.0	97	2	3	6	10	17	24	61
A. NOT OPERATED	220	7.2	58	2	3	5	8	13	17	49
B. OPERATED	70	5.4	31	1	1	4	7	11	16	30
TOTAL 0-19 YRS	79	6.3	23	1	2	6	8	11	16	29
20-34	149	5.4	20	1	1	5	6	9	14	26
35-49	27	8.6	44	1	2	8	11	16	22	31
50-64	18	11.9	238	1	2	7	11	38	53	58
65+	17	12.6	226	1	2	9	14	22	51	66
GRAND TOTAL	**290**	**6.8**	**52**	**1**	**2**	**5**	**8**	**12**	**17**	**41**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.3	17	1	2	5	6	9	10	28
20-34	5	5.4	2	4	4	5	7	7	7	7
35-49	3	6.7	5	4	4	8	8	8	8	8
50-64	7	9.6	40	1	2	9	11	20	22	22
65+	11	5.5	34	1	1	5	8	14	19	20
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	13.3	1	12	12	14	14	14	14	14
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	3	17.0	49	10	10	17	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.4	24	1	2	5	9	11	17	28
20-34	13	4.4	7	2	2	3	5	7	11	12
35-49	10	7.4	14	2	3	7	10	12	14	14
50-64	5	15.4	92	7	7	11	21	31	31	31
65+	27	11.9	55	3	4	11	16	20	24	37
B. *Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	15.7	25	11	11	15	19	21	21	21
50-64	6	19.8	389	2	2	11	36	50	52	52
65+	5	18.4	337	7	7	12	51	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	5.7	20	1	1	5	7	9	11	26
B. *Operated*	11	11.4	40	2	3	12	14	20	24	24
2. MULTIPLE DX										
A. *Not Operated*	147	7.6	36	2	2	6	10	15	19	31
B. *Operated*	16	15.6	251	2	3	11	25	52	83	99+
1. SINGLE DX	106	6.3	25	1	2	5	8	11	17	27
2. MULTIPLE DX	163	8.5	63	2	2	6	11	17	22	52
A. NOT OPERATED	242	6.8	31	1	2	6	9	13	18	31
B. OPERATED	27	14.4	167	2	3	12	16	46	57	99+
TOTAL 0-19 YRS	162	5.9	21	1	2	5	7	10	14	29
20-34	23	5.7	14	2	3	4	7	13	14	14
35-49	18	8.7	26	2	3	8	11	15	19	21
50-64	20	13.7	161	1	3	10	15	33	44	52
65+	46	11.4	88	1	2	10	16	22	39	99+
GRAND TOTAL	**269**	**7.6**	**49**	**1**	**2**	**6**	**9**	**15**	**20**	**48**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	7.9	159	1	1	3	6	28	41	41
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	3	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49										
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	2	16.5	1	16	16	16	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	11	1	1	5	8	10	10	10
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	2	11.5	85	5	5	11	18	18	18	18
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	23.0		23	23	23	23	23	23	23
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.1	97	1	1	3	7	12	32	41
B. *Operated*	8	7.1	38	1	1	5	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	13	5.8	20	1	2	5	7	12	17	18
B. *Operated*	4	9.3	90	2	2	6	15	23	23	23
1. SINGLE DX	24	6.5	75	1	1	3	8	16	24	41
2. MULTIPLE DX	17	6.6	34	1	2	5	8	16	21	23
A. NOT OPERATED	29	6.0	60	1	1	3	7	11	19	41
B. OPERATED	12	7.8	50	1	2	5	12	19	22	23
TOTAL 0-19 YRS	19	6.1	78	1	1	4	7	9	27	41
20-34	7	6.7	57	2	2	3	7	20	23	23
35-49	3	9.3	5	8	8	8	11	12	12	12
50-64	8	2.6	5	1	1	2	4	6	7	7
65+	4	14.0	37	5	5	16	17	18	18	18
GRAND TOTAL	**41**	**6.5**	**57**	**1**	**1**	**4**	**8**	**16**	**20**	**41**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.9	8	2	2	5	7	8	8	14
20-34	20	5.8	5	1	3	6	7	9	9	9
35-49	7	7.3	23	2	2	8	11	14	14	14
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	3	7.7	9	5	5	7	10	11	11	11
B. *Operated*										
0-19 YRS	2	10.5	41	6	6	10	15	15	15	15
20-34	32	5.4	13	2	2	4	7	12	13	16
35-49	19	9.8	64	2	2	7	13	24	29	29
50-64	18	11.7	105	<1	1	11	16	24	34	40
65+	4	10.8	48	5	5	9	16	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	7.3	31	2	2	6	8	13	21	27
20-34	26	5.3	10	1	2	5	7	11	12	13
35-49	18	7.9	27	1	2	8	10	17	17	17
50-64	12	9.7	36	<1	2	9	15	18	19	19
65+	11	10.7	57	1	2	12	14	22	26	26
B. *Operated*										
0-19 YRS	3	9.0	57	1	1	10	14	16	16	16
20-34	19	10.4	50	1	2	9	14	21	23	25
35-49	26	9.6	45	1	3	9	12	17	21	33
50-64	17	10.7	52	1	2	9	14	22	25	26
65+	8	17.8	272	3	4	12	27	45	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.6	9	2	2	5	7	9	11	14
B. *Operated*	76	8.4	55	2	2	6	12	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	110	7.5	30	1	2	6	10	15	19	26
B. *Operated*	73	10.9	74	1	3	9	14	20	26	46
1. SINGLE DX	139	7.1	36	2	2	5	8	15	18	30
2. MULTIPLE DX	183	8.9	50	1	2	7	12	18	22	36
A. NOT OPERATED	173	6.8	23	2	2	6	9	13	17	26
B. OPERATED	149	9.7	65	1	2	7	13	20	26	40
TOTAL 0-19 YRS	79	6.5	24	2	2	6	8	13	16	26
20-34	98	6.4	21	2	2	5	8	13	15	23
35-49	70	9.0	42	2	2	8	12	17	18	32
50-64	49	10.6	65	1	2	9	16	20	26	40
65+	26	12.5	119	2	3	10	15	25	40	48
GRAND TOTAL	**322**	**8.1**	**44**	**2**	**2**	**6**	**11**	**16**	**20**	**34**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	7.0	72	1	1	7	13	13	13	13
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	30.5	545	14	14	30	47	47	47	47
35-49	1	23.0		23	23	23	23	23	23	23
50-64	3	19.0	723	2	2	5	39	50	50	50
65+	3	32.7	1557	6	6	14	62	78	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	2	11.5	5	10	10	11	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	4	4.5	32	1	1	2	8	13	13	13
B. *Operated*	9	26.6	679	2	3	14	46	67	78	78
1. SINGLE DX	3	9.0	21	4	4	10	12	13	13	13
2. MULTIPLE DX	13	19.8	573	1	2	13	29	56	74	78
A. NOT OPERATED	5	4.4	24	1	1	2	6	13	13	13
B. OPERATED	11	23.8	581	2	4	14	41	61	77	78
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	30.5	545	14	14	30	47	47	47	47
35-49	3	9.7	134	2	2	4	18	23	23	23
50-64	6	14.0	338	1	1	9	13	46	50	50
65+	4	25.0	1273	2	2	10	46	78	78	78
GRAND TOTAL	**16**	**17.8**	**480**	**1**	**2**	**11**	**19**	**50**	**70**	**78**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	8.5	61	3	3	8	14	14	14	14
50-64	15	10.0	163	1	2	5	12	27	42	47
65+	14	12.4	71	2	3	11	19	25	26	26
B. *Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	10	7.4	69	<1	1	5	9	20	30	30
35-49	20	5.7	30	1	2	4	7	14	18	22
50-64	47	12.6	239	1	2	5	15	42	51	52
65+	71	8.9	131	1	2	6	9	18	31	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	11.9	86	3	3	9	15	23	34	37
50-64	33	13.8	163	1	2	9	26	33	35	47
65+	32	17.1	373	1	1	9	30	43	49	86
B. *Operated*										
0-19 YRS										
20-34	7	9.0	35	2	2	8	15	16	16	16
35-49	25	13.5	168	3	3	9	17	24	35	67
50-64	112	16.1	231	2	2	13	20	39	52	92
65+	93	14.9	217	2	2	11	18	39	52	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	10.5	107	1	2	6	15	25	27	47
B. *Operated*	151	9.4	148	1	2	5	10	22	38	52
2. MULTIPLE DX										
A. *Not Operated*	79	14.8	234	1	2	9	23	35	44	75
B. *Operated*	237	15.1	213	2	2	11	19	38	51	89
1. SINGLE DX	184	9.6	140	1	2	5	11	22	37	52
2. MULTIPLE DX	316	15.1	218	2	2	11	20	36	48	87
A. NOT OPERATED	112	13.6	199	1	2	8	20	33	41	63
B. OPERATED	388	12.9	195	2	2	9	16	31	48	77
TOTAL 0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	18	7.7	52	1	2	5	9	16	24	30
35-49	61	10.4	109	2	2	8	14	22	24	64
50-64	207	14.5	218	2	2	10	20	36	49	74
65+	210	13.0	209	1	2	8	16	33	43	81
GRAND TOTAL	**500**	**13.1**	**196**	**1**	**2**	**8**	**17**	**32**	**45**	**77**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	6.3	1	5	5	6	7	7	7	7
65+	15	9.5	98	1	1	6	13	30	32	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	8.0	37	3	3	5	12	18	19	19
65+	17	14.7	85	2	3	17	23	26	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.7	8	<1	<1	<1	5	6	6	6
50-64	7	11.4	61	4	5	10	12	25	28	28
65+	14	11.5	153	2	2	6	13	29	41	45
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	26.2	203	5	6	26	35	44	45	45
50-64	19	24.7	202	5	9	22	33	53	77	99+
65+	38	27.6	413	3	8	22	39	57	73	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	8.8	78	1	2	6	9	24	32	33
B. *Operated*	26	12.4	77	2	3	9	20	25	26	28
2. MULTIPLE DX										
A. *Not Operated*	24	10.4	112	<1	2	7	12	27	33	45
B. *Operated*	63	26.6	323	4	8	22	36	52	73	98
1. SINGLE DX	45	10.9	79	2	3	7	17	25	28	33
2. MULTIPLE DX	87	22.1	316	2	4	19	33	47	60	94
A. NOT OPERATED	43	9.7	95	1	2	6	11	27	31	45
B. OPERATED	89	22.4	292	3	4	19	32	47	59	93
TOTAL 0-19 YRS										
20-34										
35-49	9	18.3	267	<1	<1	19	33	41	45	45
50-64	39	16.6	180	3	4	12	24	40	53	99+
65+	84	19.1	304	2	3	14	27	40	54	80
GRAND TOTAL	**132**	**18.3**	**262**	**2**	**3**	**13**	**27**	**40**	**52**	**86**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	10	10.5	165	3	3	4	14	32	42	42
65+	20	7.5	54	<1	1	4	12	18	23	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	16.3	78	8	8	15	16	31	35	35
50-64	16	14.7	76	4	7	12	18	24	35	40
65+	53	18.0	84	3	4	18	23	28	35	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	6	6.5	22	1	1	5	11	13	13	13
50-64	28	10.9	30	2	3	11	15	17	20	25
65+	86	11.7	178	2	2	7	15	33	37	97
B. *Operated*										
0-19 YRS										
20-34	9	17.8	91	8	9	17	20	34	39	39
35-49	25	23.4	365	9	10	18	26	34	78	89
50-64	107	20.2	172	8	9	17	24	37	44	82
65+	177	21.7	170	7	9	19	27	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	8.0	83	<1	1	4	10	21	26	42
B. *Operated*	76	17.1	81	3	5	17	22	27	35	43
2. MULTIPLE DX										
A. *Not Operated*	122	11.2	134	2	2	8	14	27	35	93
B. *Operated*	318	21.2	183	8	9	18	26	39	51	99+
1. SINGLE DX	109	14.4	99	2	3	14	20	26	35	43
2. MULTIPLE DX	440	18.4	189	3	5	16	24	37	47	99+
A. NOT OPERATED	155	10.5	124	2	2	8	14	25	35	88
B. OPERATED	394	20.4	166	7	9	18	25	37	48	99+
TOTAL 0-19 YRS										
20-34	11	16.0	89	7	8	12	18	31	38	39
35-49	41	18.3	288	2	4	14	23	31	53	89
50-64	161	17.4	152	4	6	15	21	30	41	69
65+	336	17.7	175	2	3	16	25	36	48	99+
GRAND TOTAL	**549**	**17.6**	**174**	**2**	**4**	**15**	**23**	**35**	**44**	**99+**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	14.5	41	10	10	14	19	19	19	19
65+	3	25.7	65	17	17	27	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	3	3.0	3	1	1	4	4	4	4	4
50-64	3	3.0	3	2	2	2	4	5	5	5
65+	2	13.5	5	12	12	13	15	15	15	15
B. *Operated*										
0-19 YRS										
20-34	2	23.0	50	18	18	23	28	28	28	28
35-49	9	12.8	104	2	2	9	23	27	27	27
50-64	15	17.4	73	8	11	15	18	30	37	39
65+	11	19.3	159	8	9	18	22	68	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	5	21.2	80	10	10	19	28	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	9	6.2	26	1	1	4	11	14	15	15
B. *Operated*	37	17.1	105	3	7	15	22	29	48	99+
1. SINGLE DX	6	18.7	103	6	6	18	27	32	33	33
2. MULTIPLE DX	46	15.0	108	2	3	14	21	28	41	99+
A. NOT OPERATED	10	6.2	23	1	1	5	11	13	15	15
B. OPERATED	42	17.6	102	3	8	16	23	31	44	99+
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	23.0	50	18	18	23	28	28	28	28
35-49	12	10.3	96	1	2	6	18	27	27	27
50-64	20	15.0	83	2	4	14	18	29	34	39
65+	17	18.9	131	7	9	16	23	48	82	99+
GRAND TOTAL	**52**	**15.4**	**107**	**2**	**3**	**14**	**21**	**29**	**38**	**99**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	13	7.2	36	2	2	4	10	15	21	23
65+	29	8.6	46	1	2	7	11	18	25	28
B. *Operated*										
0-19 YRS										
20-34	3	9.0	7	7	7	8	11	12	12	12
35-49	26	12.5	33	2	5	11	17	19	23	25
50-64	89	12.8	30	3	8	12	15	18	24	31
65+	121	15.7	34	9	10	14	18	25	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.5	34	3	3	5	11	16	16	16
35-49	16	10.2	73	2	2	6	16	24	27	28
50-64	59	6.8	50	1	1	4	10	16	23	32
65+	121	11.7	162	1	2	7	14	26	36	76
B. *Operated*										
0-19 YRS	3	10.0	39	3	3	12	14	15	15	15
20-34	12	16.7	301	4	4	11	19	37	64	68
35-49	60	17.9	165	4	9	15	22	30	42	79
50-64	275	19.4	154	8	10	16	24	33	40	80
65+	582	23.3	199	10	11	19	28	42	59	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	8.0	42	1	2	7	11	17	24	28
B. *Operated*	239	14.2	34	6	9	13	17	23	26	33
2. MULTIPLE DX										
A. *Not Operated*	200	10.1	123	1	1	6	13	23	32	60
B. *Operated*	932	21.7	189	9	11	18	26	38	51	87
1. SINGLE DX	282	13.2	40	3	5	13	16	22	26	33
2. MULTIPLE DX	1132	19.6	197	3	6	16	24	36	46	83
A. NOT OPERATED	243	9.7	109	1	2	6	13	22	29	47
B. OPERATED	1171	20.2	166	9	10	16	24	35	45	83
TOTAL 0-19 YRS	3	10.0	39	3	3	12	14	15	15	15
20-34	19	13.5	209	3	4	9	15	23	48	68
35-49	103	15.2	126	2	4	12	19	26	32	66
50-64	436	16.0	134	3	4	13	19	30	36	59
65+	853	20.1	189	4	7	17	25	37	48	84
GRAND TOTAL	**1414**	**18.4**	**172**	**3**	**5**	**15**	**23**	**34**	**43**	**79**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	16	4.8	8	<1	<1	4	7	9	10	10
65+	14	7.3	50	1	1	4	15	17	21	22
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	13.0	73	4	4	14	19	21	21	21
35-49	13	14.8	10	10	10	15	17	19	20	20
50-64	72	14.9	58	4	7	14	18	24	31	42
65+	103	17.1	112	3	4	15	22	30	38	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	12.5	30	5	5	13	16	18	18	18
35-49	18	13.9	308	<1	1	6	22	36	58	70
50-64	48	12.8	165	1	1	8	17	37	42	48
65+	131	12.5	185	2	2	8	15	31	38	71
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	11.0	64	3	3	11	17	19	19	19
35-49	58	18.0	75	4	9	17	22	27	38	44
50-64	172	22.5	175	7	10	20	29	38	47	99+
65+	367	22.9	235	5	8	20	30	44	53	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.0	28	<1	1	4	8	15	17	22
B. *Operated*	192	16.0	85	4	5	14	20	27	34	48
2. MULTIPLE DX										
A. *Not Operated*	202	12.6	185	1	2	8	15	31	41	68
B. *Operated*	601	22.2	203	5	8	19	28	40	51	98
1. SINGLE DX	222	14.6	89	2	3	13	19	26	33	47
2. MULTIPLE DX	803	19.8	216	3	4	17	26	38	46	94
A. NOT OPERATED	232	11.8	170	1	2	8	15	30	40	67
B. OPERATED	793	20.7	182	5	8	18	25	38	46	95
TOTAL 0-19 YRS	3	5.3	44	<1	<1	2	10	13	13	13
20-34	10	12.2	41	3	3	13	18	20	21	21
35-49	89	16.7	112	3	4	15	21	26	40	60
50-64	308	18.3	163	3	4	16	24	36	42	96
65+	615	19.4	220	2	4	16	25	38	47	91
GRAND TOTAL	**1025**	**18.7**	**193**	**3**	**4**	**16**	**24**	**37**	**45**	**91**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.0		2	2	2	2	2	2	2
35-49	3	16.7	446	3	3	6	32	41	41	41
50-64	7	7.1	14	3	3	6	9	13	14	14
65+	7	4.9	18	1	1	3	7	12	13	13
B. *Operated*										
0-19 YRS	2	16.0	98	9	9	16	23	23	23	23
20-34	2	12.0	50	7	7	12	17	17	17	17
35-49	8	14.5	100	5	5	13	19	31	34	34
50-64	7	14.1	169	1	1	9	23	35	37	37
65+	18	21.6	110	10	12	20	26	46	77	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49	5	3.0	8	1	1	1	5	7	7	7
50-64	24	7.6	68	1	1	4	10	23	27	29
65+	40	10.6	138	2	2	7	14	25	29	65
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	3	15.3	41	8	8	18	19	20	20	20
35-49	16	25.4	258	9	10	20	34	52	59	62
50-64	44	19.3	168	3	7	16	24	36	53	57
65+	55	21.7	172	9	9	20	26	35	49	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.8	75	1	1	4	7	13	26	41
B. *Operated*	37	17.8	118	3	6	16	23	36	46	99+
2. MULTIPLE DX										
A. *Not Operated*	73	8.7	102	1	1	5	11	23	29	57
B. *Operated*	119	21.1	178	6	9	18	26	39	53	67
1. SINGLE DX	58	13.8	129	1	2	12	21	32	41	95
2. MULTIPLE DX	192	16.4	185	1	3	14	22	31	42	65
A. NOT OPERATED	94	8.3	96	1	1	5	10	18	29	54
B. OPERATED	156	20.3	165	5	8	18	25	38	52	72
TOTAL 0-19 YRS	5	11.8	65	3	3	9	18	23	23	23
20-34	11	7.9	50	1	1	6	15	19	20	20
35-49	32	18.3	245	1	2	14	26	41	52	62
50-64	82	14.4	153	1	2	12	19	30	38	57
65+	120	17.0	176	2	3	15	23	30	46	81
GRAND TOTAL	**250**	**15.8**	**173**	**1**	**2**	**13**	**22**	**31**	**42**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	10	8.4	24	1	2	9	10	15	16	16
65+	20	9.4	58	<1	1	8	13	20	26	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	20.3	9	17	17	21	22	23	23	23
50-64	12	24.0	224	3	5	22	38	44	46	46
65+	20	17.5	83	8	9	15	21	35	37	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	5.5	8	3	3	4	8	10	10	10
50-64	32	13.7	245	2	2	7	17	30	39	78
65+	69	10.5	107	2	2	8	12	20	37	93
B. *Operated*										
0-19 YRS										
20-34										
35-49	12	25.3	224	8	12	22	31	43	63	66
50-64	82	23.5	182	7	10	19	30	41	49	69
65+	117	23.9	190	7	10	21	29	40	49	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	8.5	44	1	1	8	11	16	22	29
B. *Operated*	35	20.0	129	6	9	17	24	38	43	46
2. MULTIPLE DX										
A. *Not Operated*	107	11.1	145	2	2	7	13	29	37	87
B. *Operated*	211	23.8	187	7	10	21	29	41	50	75
1. SINGLE DX	68	14.4	120	1	3	12	19	32	38	45
2. MULTIPLE DX	318	19.6	209	3	4	17	27	38	46	79
A. NOT OPERATED	140	10.5	122	1	2	7	13	23	31	80
B. OPERATED	246	23.3	180	7	10	20	29	40	48	70
TOTAL 0-19 YRS										
20-34										
35-49	24	17.0	205	3	4	16	23	31	43	66
50-64	136	20.1	214	3	5	16	29	40	45	71
65+	226	18.0	185	2	4	15	25	37	42	83
GRAND TOTAL	**386**	**18.7**	**196**	**3**	**4**	**15**	**26**	**37**	**43**	**75**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	23	5.0	17	1	1	4	6	10	14	19
50-64	67	8.6	148	1	2	4	12	20	24	79
65+	93	11.7	146	1	2	9	14	23	40	62
B. *Operated*										
0-19 YRS										
20-34	4	8.0	25	1	1	9	11	12	12	12
35-49	38	14.0	139	1	2	11	19	25	38	62
50-64	138	13.0	96	2	3	11	17	23	31	52
65+	158	14.9	105	2	4	14	20	28	33	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	7.4	27	4	4	6	7	16	20	20
35-49	84	8.1	49	2	2	5	12	19	23	27
50-64	341	8.6	72	1	2	6	11	20	25	44
65+	383	13.1	150	2	3	10	16	28	37	72
B. *Operated*										
0-19 YRS										
20-34	5	11.2	20	8	8	10	12	19	19	19
35-49	88	17.1	152	4	5	14	22	32	44	66
50-64	437	18.2	155	3	5	16	23	33	45	62
65+	492	18.9	192	3	5	16	25	38	47	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	9.7	134	1	2	6	12	20	28	62
B. *Operated*	338	13.9	105	2	3	12	18	26	33	52
2. MULTIPLE DX										
A. *Not Operated*	816	10.6	111	2	2	7	14	24	31	58
B. *Operated*	1022	18.4	172	3	5	16	24	35	46	74
1. SINGLE DX	522	12.4	119	1	2	10	16	24	32	59
2. MULTIPLE DX	1838	14.9	160	2	3	12	21	31	41	69
A. NOT OPERATED	1000	10.5	115	2	2	7	14	23	31	61
B. OPERATED	1360	17.3	159	3	4	15	23	32	44	69
TOTAL 0-19 YRS	18	8.2	26	<1	2	7	10	17	20	20
20-34	233	12.2	119	2	2	10	17	24	32	53
35-49	983	13.5	137	2	2	11	19	27	36	59
50-64	1126	15.8	170	2	3	13	21	31	42	73
65+	**2360**	**14.4**	**152**	**2**	**2**	**12**	**19**	**29**	**39**	**67**
GRAND TOTAL										

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	10	6.3	58	1	1	4	6	17	27	27
65+	17	7.9	84	1	2	6	9	13	32	41
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	1	2.0		2	2	2	2	2	2	2
35-49	15	13.8	83	3	4	13	16	31	32	32
50-64	51	11.5	129	2	2	9	18	21	31	60
65+	48	8.0	73	1	1	3	11	20	28	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	7	9.1	39	3	3	9	13	19	20	20
50-64	21	11.3	212	1	2	4	12	35	45	54
65+	28	6.9	21	2	2	6	9	14	26	99+
B. *Operated*										
0-19 YRS										
20-34	4	24.0	77	16	16	23	31	33	33	33
35-49	8	22.5	375	5	5	16	30	55	63	63
50-64	72	16.3	313	2	2	12	23	36	66	99
65+	63	17.5	215	2	2	16	26	44	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.9	66	1	2	5	7	12	27	41
B. *Operated*	116	10.4	102	1	2	8	15	21	30	51
2. MULTIPLE DX										
A. *Not Operated*	57	8.8	94	2	2	6	9	23	36	96
B. *Operated*	147	17.4	266	2	2	14	26	41	55	99+
1. SINGLE DX	146	9.7	96	1	2	6	13	21	29	47
2. MULTIPLE DX	204	15.0	233	2	2	10	24	38	53	99+
A. NOT OPERATED	87	8.1	85	2	2	5	9	21	33	82
B. OPERATED	263	14.3	205	2	2	10	21	34	45	99
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	6	17.3	154	2	2	16	30	33	33	33
35-49	33	14.0	159	3	3	12	17	31	36	63
50-64	154	13.4	227	2	2	8	19	29	45	96
65+	156	11.6	144	2	2	8	18	33	44	99+
GRAND TOTAL	**350**	**12.8**	**182**	**2**	**2**	**8**	**19**	**31**	**43**	**99+**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.8	96	<1	1	3	5	12	33	39
20-34	19	4.4	23	1	1	4	4	10	17	21
35-49	6	2.5	1	1	1	3	3	3	3	3
50-64	8	2.9	10	1	1	1	4	8	10	10
65+	6	8.2	29	2	2	7	14	15	15	15
B. *Operated*										
0-19 YRS	10	13.3	95	2	2	10	19	29	31	31
20-34	21	10.8	112	1	1	6	18	27	32	36
35-49	15	8.1	45	1	2	7	9	17	24	27
50-64	14	8.7	41	<1	1	8	12	18	21	22
65+	12	12.2	96	3	4	10	17	50	90	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.4	17	<1	1	3	5	11	14	18
20-34	35	4.9	59	1	1	2	4	11	27	32
35-49	3	7.7	14	5	5	6	10	12	12	12
50-64	19	4.2	33	<1	1	1	6	10	18	24
65+	29	5.4	43	2	2	4	6	12	17	34
B. *Operated*										
0-19 YRS	13	20.2	253	2	3	14	35	40	46	48
20-34	7	13.7	141	3	4	9	19	34	37	37
35-49	9	31.8	807	2	3	31	46	75	92	92
50-64	14	27.6	335	2	3	25	46	50	54	55
65+	32	15.7	178	3	4	11	22	33	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	4.7	39	1	1	3	4	10	15	38
B. *Operated*	72	10.4	78	1	2	8	15	27	31	85
2. MULTIPLE DX										
A. *Not Operated*	110	4.9	39	1	1	2	5	11	18	33
B. *Operated*	75	20.5	313	2	3	14	33	46	50	84
1. SINGLE DX	125	8.0	69	1	1	5	10	22	27	54
2. MULTIPLE DX	185	11.2	207	1	1	5	14	33	43	58
A. NOT OPERATED	163	4.8	39	1	1	3	5	11	17	34
B. OPERATED	147	15.5	222	2	2	10	23	37	48	92
TOTAL 0-19 YRS	61	9.6	133	<1	1	4	12	30	37	47
20-34	82	7.1	79	1	1	3	8	24	28	37
35-49	33	13.5	356	1	2	6	13	35	49	92
50-64	55	11.1	202	1	1	5	15	35	47	55
65+	79	10.8	123	2	2	6	15	31	36	88
GRAND TOTAL	**310**	**9.9**	**154**	**1**	**1**	**5**	**12**	**28**	**37**	**57**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	7.4	6	4	4	8	9	10	10	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	8.1	38	1	2	6	11	18	20	21
35-49	35	8.1	50	1	2	6	11	17	23	35
50-64	27	10.4	66	1	2	9	13	21	32	33
65+	21	7.6	38	1	2	6	11	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	8	5.9	32	1	1	4	9	15	17	17
50-64	9	12.0	138	5	5	5	14	31	41	41
65+	6	10.7	156	<1	<1	7	11	33	35	35
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	9	12.4	74	<1	2	14	17	25	29	29
35-49	12	11.1	63	1	2	10	15	23	26	27
50-64	23	16.0	86	3	4	16	21	27	33	40
65+	26	14.7	95	3	3	14	22	29	32	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.9	11	2	2	6	9	10	10	10
B. *Operated*	103	8.5	49	1	2	6	11	17	23	34
2. MULTIPLE DX										
A. *Not Operated*	25	9.0	99	<1	1	5	11	17	36	41
B. *Operated*	71	14.1	83	2	3	14	20	27	30	39
1. SINGLE DX	110	8.4	47	1	2	6	11	17	22	34
2. MULTIPLE DX	96	12.8	92	1	2	11	18	27	31	41
A. NOT OPERATED	32	8.3	80	1	1	6	10	16	33	41
B. OPERATED	174	10.8	70	2	2	9	15	23	29	36
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	30	9.0	52	<1	1	6	15	18	21	29
35-49	56	8.3	51	1	2	6	11	17	23	35
50-64	60	12.7	88	2	3	10	17	25	32	41
65+	58	11.1	81	2	2	9	15	25	30	36
GRAND TOTAL	**206**	**10.4**	**72**	**1**	**2**	**8**	**15**	**22**	**29**	**38**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	29.0		29	29	29	29	29	29	29
65+	8	20.6	199	8	8	13	35	40	42	42
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	5	3.2	3	2	2	3	4	6	6	6
35-49	27	4.5	17	<1	<1	2	7	10	14	16
50-64	57	4.8	31	<1	<1	3	5	10	21	27
65+	98	5.5	37	1	1	3	7	11	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	8.0	8	6	6	8	10	10	10	10
65+	23	8.0	43	<1	1	7	12	15	21	29
B. *Operated*										
0-19 YRS										
20-34	3	3.7	21	<1	<1	1	7	9	9	9
35-49	9	6.8	41	1	1	5	9	17	21	21
50-64	40	9.2	209	<1	1	4	10	19	45	67
65+	182	10.2	198	1	2	6	11	20	31	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	21.6	182	8	8	14	35	39	42	42
B. *Operated*	190	5.0	31	<1	1	3	7	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	25	8.0	40	1	1	7	11	15	19	29
B. *Operated*	234	9.9	192	1	2	6	11	20	29	91
1. SINGLE DX	199	5.8	49	<1	1	3	7	12	21	39
2. MULTIPLE DX	259	9.7	177	1	2	6	11	19	28	89
A. NOT OPERATED	34	11.6	110	1	2	9	14	30	35	42
B. OPERATED	424	7.7	125	<1	1	4	9	16	23	66
TOTAL 0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	8	3.4	8	<1	<1	2	5	8	9	9
35-49	36	5.1	23	<1	1	3	8	12	15	21
50-64	100	6.9	109	<1	<1	3	7	16	24	66
65+	311	8.8	143	1	2	5	10	18	27	71
GRAND TOTAL	**458**	**8.0**	**125**	**<1**	**1**	**4**	**9**	**17**	**26**	**65**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	20	4.9	20	1	1	4	7	9	15	20
50-64	10	11.8	117	<1	1	11	16	28	37	37
65+	8	12.8	300	2	2	5	15	43	53	53
B. *Operated*										
0-19 YRS										
20-34	28	6.4	17	2	2	6	8	12	15	18
35-49	211	7.2	11	1	2	7	9	11	13	15
50-64	259	7.8	14	2	3	8	10	12	14	20
65+	283	9.1	29	2	2	9	12	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	6.2	68	1	1	3	7	14	29	32
35-49	62	8.9	86	1	1	7	11	20	25	51
50-64	111	9.4	70	1	2	8	11	19	26	45
65+	149	11.9	157	1	3	8	16	33	51	99+
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	36	8.5	19	3	4	8	10	14	15	27
35-49	219	9.2	71	2	3	8	11	15	20	48
50-64	412	11.2	78	2	4	9	13	20	27	51
65+	456	12.7	80	3	5	11	16	22	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	8.4	109	1	1	5	10	20	30	53
B. *Operated*	781	8.1	20	2	2	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	335	10.3	114	1	2	7	13	22	36	73
B. *Operated*	1124	11.3	78	2	4	9	13	21	27	53
1. SINGLE DX	819	8.1	24	1	2	8	10	13	15	22
2. MULTIPLE DX	1459	11.1	86	2	3	9	13	21	28	60
A. NOT OPERATED	373	10.1	113	1	2	7	13	21	36	67
B. OPERATED	1905	10.0	56	2	3	9	12	17	22	41
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	77	7.3	27	2	2	7	9	12	15	31
35-49	512	8.2	47	1	2	7	10	14	17	33
50-64	792	9.8	59	2	3	8	12	17	23	38
65+	896	11.4	81	2	3	10	14	21	29	60
GRAND TOTAL	**2278**	**10.0**	**66**	**2**	**3**	**8**	**12**	**18**	**23**	**50**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.6	1	1	1	3	3	4	4	4
35-49	6	2.8	1	1	1	3	4	4	4	4
50-64	12	7.0	107	2	2	3	7	18	36	39
65+	7	3.9	10	2	2	3	4	10	11	11
B. *Operated*										
0-19 YRS										
20-34	74	4.5	12	1	1	4	6	8	11	19
35-49	53	8.5	73	2	3	7	10	16	25	50
50-64	22	11.1	153	1	2	6	13	34	40	43
65+	18	10.3	146	1	1	4	13	33	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.5	11	1	1	4	6	9	13	13
35-49	22	12.9	162	1	2	9	18	38	41	44
50-64	21	8.0	89	1	2	4	10	23	34	34
65+	22	13.2	92	1	2	12	18	23	32	42
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	44	12.0	96	1	2	9	18	25	29	43
35-49	57	15.3	227	2	2	9	21	35	52	62
50-64	50	14.9	283	2	2	10	19	36	48	76
65+	46	17.3	313	2	3	11	21	44	60	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.7	47	1	2	3	4	8	11	39
B. *Operated*	167	7.3	69	1	2	5	8	14	25	42
2. MULTIPLE DX										
A. *Not Operated*	76	10.4	107	1	2	6	15	24	37	43
B. *Operated*	198	14.9	230	2	2	10	19	36	46	70
1. SINGLE DX	197	6.9	67	1	2	4	8	13	25	41
2. MULTIPLE DX	274	13.7	200	2	2	9	18	34	44	68
A. NOT OPERATED	106	8.8	96	1	2	4	11	21	35	43
B. OPERATED	365	11.4	171	1	2	7	15	28	42	64
TOTAL 0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	134	6.9	51	1	1	5	8	17	23	34
35-49	138	11.7	159	2	2	7	15	29	41	60
50-64	105	11.8	203	1	2	6	14	33	42	73
65+	93	13.9	218	2	2	9	18	38	44	67
GRAND TOTAL	**471**	**10.8**	**155**	**1**	**2**	**6**	**13**	**26**	**39**	**62**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	14	3.1	2	2	2	3	4	5	6	6
65+	17	7.2	70	1	1	3	7	23	26	27
B. *Operated*										
0-19 YRS										
20-34	3	6.7		6	6	7	7	7	7	7
35-49	14	7.0	19	1	2	7	9	13	16	17
50-64	100	6.2	21	1	2	6	8	11	14	24
65+	78	8.1	39	1	2	7	10	15	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	31	4.3	70	1	1	2	3	6	33	36
65+	36	9.6	114	1	1	5	14	29	36	37
B. *Operated*										
0-19 YRS										
20-34	6	13.0	172	2	2	9	11	36	39	39
35-49	29	8.6	20	2	2	8	10	16	17	20
50-64	151	10.3	54	2	3	8	13	19	25	37
65+	190	12.6	122	2	2	9	16	27	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.1	41	1	1	3	5	14	23	27
B. *Operated*	195	7.0	28	1	2	7	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	67	7.1	99	1	1	3	8	24	34	37
B. *Operated*	376	11.4	89	2	2	9	14	23	28	54
1. SINGLE DX	228	6.7	30	1	2	6	9	13	17	28
2. MULTIPLE DX	443	10.7	93	1	2	8	13	23	29	54
A. NOT OPERATED	100	6.5	80	1	1	3	6	20	31	37
B. OPERATED	571	9.9	72	2	2	8	12	19	27	45
TOTAL 0-19 YRS										
20-34	9	10.9	118	2	4	7	10	28	39	39
35-49	45	7.7	21	1	2	7	10	15	17	20
50-64	296	7.9	48	1	2	7	9	16	21	35
65+	321	10.9	102	1	2	8	14	25	32	57
GRAND TOTAL	**671**	**9.4**	**75**	**1**	**2**	**8**	**11**	**19**	**27**	**44**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	10	4.7	68	1	1	1	3	18	27	27
50-64	11	7.2	82	1	1	6	8	21	31	32
65+	8	12.5	188	<1	<1	8	19	35	40	40
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	7.8	13	4	4	7	8	14	16	16
35-49	10	8.2	12	5	5	7	8	14	17	17
50-64	21	10.8	14	5	7	10	14	16	17	18
65+	16	12.7	30	4	6	12	16	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	11	5.5	17	1	1	5	8	12	14	14
50-64	81	4.8	57	<1	1	2	6	11	13	50
65+	55	6.4	73	1	1	3	7	18	27	38
B. *Operated*										
0-19 YRS	4	9.0	1	8	8	9	10	10	10	10
20-34	14	14.0	52	7	7	12	16	25	31	33
35-49	43	10.2	25	3	6	9	11	16	20	29
50-64	93	15.9	187	4	6	12	17	35	48	93
65+	80	18.7	157	7	8	15	22	33	51	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.0	96	1	1	3	8	25	34	40
B. *Operated*	56	10.3	21	4	6	9	13	16	18	23
2. MULTIPLE DX										
A. *Not Operated*	149	5.4	59	1	1	2	6	12	18	38
B. *Operated*	234	15.6	144	4	7	12	17	31	42	67
1. SINGLE DX	90	9.1	51	1	1	8	12	17	23	37
2. MULTIPLE DX	383	11.6	135	1	1	9	14	24	35	62
A. NOT OPERATED	183	5.7	66	1	1	2	6	14	22	39
B. OPERATED	290	14.5	124	4	6	11	16	26	39	64
TOTAL 0-19 YRS	6	7.0	12	1	1	8	9	10	10	10
20-34	28	9.7	52	1	2	8	13	18	25	33
35-49	74	8.5	32	1	1	8	10	15	18	29
50-64	206	10.5	138	1	1	8	13	22	35	72
65+	159	13.5	146	1	1	11	18	29	39	56
GRAND TOTAL	**473**	**11.1**	**120**	**1**	**1**	**9**	**14**	**23**	**33**	**60**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	4	1.8		<1	<1	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	13	6.9	32	<1	1	5	11	16	18	18
65+	12	15.5	153	2	3	10	25	33	37	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34										
35-49										
50-64	5	6.0	21	2	2	3	11	11	11	11
65+	8	10.6	105	3	3	5	18	27	28	28
B. *Operated*										
0-19 YRS	2	33.5	313	21	21	33	46	46	46	46
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	23.3	280	8	8	19	34	47	47	47
50-64	12	12.2	67	3	3	10	15	24	31	32
65+	24	17.7	254	2	3	12	25	36	49	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	9	<1	<1	4	6	7	7	7
B. *Operated*	32	9.4	95	<1	2	5	13	25	31	38
2. MULTIPLE DX										
A. *Not Operated*	15	7.9	69	<1	2	4	11	25	27	28
B. *Operated*	43	17.0	213	2	3	14	23	37	46	68
1. SINGLE DX	35	8.9	89	<1	2	5	13	24	30	38
2. MULTIPLE DX	58	14.7	190	2	3	10	21	34	44	66
A. NOT OPERATED	18	7.3	60	<1	1	4	11	21	27	28
B. OPERATED	75	13.8	175	2	2	9	20	34	40	63
TOTAL 0-19 YRS	7	13.3	259	<1	<1	7	19	41	46	46
20-34	5	1.8		<1	<1	2	2	2	2	2
35-49	6	16.7	272	3	3	12	21	44	47	47
50-64	31	8.6	49	<1	2	7	13	17	21	32
65+	44	15.8	199	2	3	10	25	34	39	68
GRAND TOTAL	**93**	**12.5**	**159**	**2**	**2**	**8**	**17**	**31**	**38**	**59**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	9	10.0	103	<1	1	6	16	27	31	31
65+	38	11.1	253	1	1	6	14	21	36	91
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	5.0	8	1	1	5	7	8	8	8
50-64	97	9.2	52	2	2	7	11	20	26	34
65+	348	9.7	54	2	2	9	12	17	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	66	9.9	82	1	2	7	12	24	30	41
65+	313	12.8	178	2	2	9	15	30	44	70
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	17.5	117	1	2	16	29	30	30	30
50-64	156	14.3	158	2	3	10	19	35	40	74
65+	890	14.2	120	3	5	11	18	26	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	10.8	217	1	1	6	14	21	34	91
B. *Operated*	450	9.5	53	2	2	8	12	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	381	12.2	162	2	2	8	15	30	41	65
B. *Operated*	1052	14.2	125	3	4	11	18	28	37	65
1. SINGLE DX	498	9.7	69	2	2	8	12	18	23	38
2. MULTIPLE DX	1433	13.7	135	2	3	10	17	28	38	65
A. NOT OPERATED	429	12.1	168	1	2	8	15	29	41	68
B. OPERATED	1502	12.8	108	2	4	10	16	24	35	63
TOTAL 0-19 YRS										
20-34										
35-49	14	10.4	90	1	1	7	16	29	30	30
50-64	328	11.8	114	2	2	8	15	26	36	54
65+	1589	12.8	123	2	3	10	16	24	35	64
GRAND TOTAL	**1931**	**12.6**	**121**	**2**	**3**	**10**	**16**	**25**	**35**	**64**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	4.2	25	1	1	2	5	13	13	13
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64										
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	6	6.8	9	1	2	7	8	10	10	10
20-34	41	8.8	32	2	3	8	12	16	22	25
35-49	25	6.6	31	1	2	4	10	12	20	23
50-64	9	6.6	11	2	2	7	8	11	13	13
65+	10	11.0	69	3	3	10	13	23	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.9	23	<1	<1	2	5	8	16	21
20-34	43	5.4	2	3	4	5	6	8	9	10
35-49	16	5.8	19	1	2	5	6	7	17	21
50-64	11	4.6	10	1	1	5	6	9	12	12
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	28	16.9	238	3	5	10	24	36	51	70
35-49	10	17.3	183	5	6	9	28	38	44	44
50-64	14	12.7	27	5	6	12	17	21	21	21
65+	15	15.9	143	1	3	10	27	35	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.6	17	1	1	3	5	12	13	13
B. *Operated*	91	8.1	33	2	2	7	11	14	20	29
2. MULTIPLE DX										
A. *Not Operated*	89	5.1	11	1	1	5	6	8	9	21
B. *Operated*	68	15.7	161	3	5	10	22	32	39	66
1. SINGLE DX	101	7.7	32	2	2	7	11	14	19	28
2. MULTIPLE DX	157	9.7	103	1	2	6	10	23	31	49
A. NOT OPERATED	99	5.0	11	1	1	5	6	8	11	21
B. OPERATED	159	11.3	101	2	3	8	13	24	32	49
TOTAL 0-19 YRS	27	4.6	19	<1	<1	4	7	9	12	21
20-34	117	9.3	89	2	3	6	10	19	26	56
35-49	54	8.1	70	1	2	5	9	21	27	44
50-64	34	8.5	30	1	2	7	12	17	20	21
65+	26	13.8	111	2	3	11	16	32	35	37
GRAND TOTAL	**258**	**8.9**	**76**	**1**	**2**	**6**	**10**	**20**	**27**	**44**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34										
35-49										
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	13	6.9	13	1	1	7	10	11	12	12
B. *Operated*										
0-19 YRS	4	6.3	38	2	2	4	10	15	15	15
20-34	6	12.2	49	4	4	13	19	19	19	19
35-49	30	3.9	22	<1	1	3	4	6	9	27
50-64	195	5.2	31	1	2	4	6	9	17	29
65+	409	6.1	50	1	2	4	7	12	18	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34										
35-49	2	11.0	8	9	9	11	13	13	13	13
50-64	34	7.6	126	1	2	5	8	16	25	62
65+	56	8.6	57	1	2	7	12	15	19	46
B. *Operated*										
0-19 YRS	7	10.1	75	3	3	5	19	22	22	22
20-34	4	14.5	420	2	2	5	26	45	45	45
35-49	25	8.6	72	2	3	5	10	21	28	36
50-64	228	9.4	134	1	2	5	12	25	36	57
65+	625	10.2	136	2	2	6	12	24	35	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	7.2	13	1	2	7	10	12	12	12
B. *Operated*	644	5.8	44	1	2	4	6	11	18	39
2. MULTIPLE DX										
A. *Not Operated*	94	8.3	79	1	2	6	10	15	21	55
B. *Operated*	889	10.0	134	2	2	6	12	24	36	66
1. SINGLE DX	661	5.8	43	1	2	4	6	11	17	38
2. MULTIPLE DX	983	9.8	128	2	2	6	12	23	35	65
A. NOT OPERATED	111	8.1	69	1	2	6	10	14	20	53
B. OPERATED	1533	8.2	100	1	2	5	9	19	29	55
TOTAL 0-19 YRS	15	8.3	44	2	2	6	11	22	22	22
20-34	10	13.1	169	2	2	8	19	32	45	45
35-49	57	6.2	49	1	2	4	6	16	24	35
50-64	459	7.5	93	1	2	4	8	18	27	50
65+	1103	8.5	102	1	2	5	10	19	30	57
GRAND TOTAL	**1644**	**8.2**	**98**	**1**	**2**	**5**	**9**	**18**	**29**	**55**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	7.5	25	4	4	7	11	11	11	11
65+	8	9.0	47	2	3	6	13	20	21	21
B. *Operated*										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	4	15.8	109	9	9	12	22	31	31	31
35-49	16	14.3	23	4	8	15	16	20	22	23
50-64	26	14.9	51	3	5	15	19	25	27	33
65+	43	14.7	67	2	4	15	18	27	28	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	6	7.0	7	2	2	8	9	9	9	9
50-64	20	11.3	153	1	2	7	15	23	41	54
65+	41	13.7	191	1	2	10	16	29	44	68
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	9	17.8	83	2	5	21	24	29	31	31
35-49	32	17.8	189	5	7	14	20	34	48	72
50-64	87	20.5	172	4	10	17	23	38	52	68
65+	106	21.6	158	7	10	18	27	37	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.2	37	2	2	6	9	19	21	21
B. *Operated*	91	14.7	53	2	5	14	17	24	28	38
2. MULTIPLE DX										
A. *Not Operated*	71	11.9	160	1	2	8	15	28	41	65
B. *Operated*	235	20.5	164	5	9	18	24	36	45	69
1. SINGLE DX	104	13.7	57	2	3	14	17	23	27	37
2. MULTIPLE DX	306	18.5	176	2	5	16	23	35	43	68
A. NOT OPERATED	84	11.1	143	1	2	7	14	27	34	63
B. OPERATED	326	18.9	140	3	8	16	23	32	41	67
TOTAL 0-19 YRS	6	9.2	71	1	1	7	16	21	22	22
20-34	14	16.3	88	3	5	14	24	31	31	31
35-49	57	14.9	132	2	3	13	17	24	34	70
50-64	135	17.9	156	2	4	16	22	32	42	66
65+	198	18.0	156	2	5	16	23	31	41	67
GRAND TOTAL	**410**	**17.3**	**150**	**2**	**4**	**15**	**22**	**31**	**41**	**67**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+	4	11.0	17	6	6	11	14	16	16	16
B. *Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	2	9.0	18	6	6	9	12	12	12	12
50-64	6	13.3	38	7	7	12	18	22	23	23
65+	7	8.9	30	3	3	7	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64	3	9.0	31	4	4	8	13	15	15	15
65+	6	18.7	1161	1	1	5	9	80	88	88
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	7.3	102	<1	<1	2	15	19	19	19
50-64	4	8.8	80	3	3	5	14	22	22	22
65+	9	9.7	41	4	5	7	11	20	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	9.0	33	<1	<1	10	13	16	16	16
B. *Operated*	16	11.3	37	4	5	10	16	21	22	23
2. MULTIPLE DX										
A. *Not Operated*	12	12.9	579	<1	1	5	11	37	81	88
B. *Operated*	18	9.8	68	1	2	7	13	24	27	28
1. SINGLE DX	21	10.8	35	2	4	10	16	19	22	23
2. MULTIPLE DX	30	11.0	262	<1	1	6	13	23	28	88
A. NOT OPERATED	17	11.8	410	<1	<1	6	12	16	63	88
B. OPERATED	34	10.5	53	2	3	8	16	22	25	28
TOTAL 0-19 YRS	4	8.0	178	<1	<1	1	15	28	28	28
20-34	2	12.5	145	4	4	12	21	21	21	21
35-49	6	8.8	49	<1	<1	9	13	18	19	19
50-64	13	10.9	46	3	4	8	16	22	23	23
65+	26	11.7	270	2	3	7	12	17	38	88
GRAND TOTAL	**51**	**10.9**	**166**	**<1**	**2**	**7**	**13**	**21**	**25**	**87**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	11	1	1	2	4	9	9	9
20-34	10	7.6	58	1	1	4	12	20	22	22
35-49	15	7.5	63	<1	1	7	11	30	80	99+
50-64	22	8.4	83	1	2	5	11	19	34	36
65+	6	8.8	36	1	1	9	12	17	18	18
B. *Operated*										
0-19 YRS	9	16.9	103	4	6	14	24	32	36	36
20-34	19	19.5	102	6	7	22	26	36	37	37
35-49	23	23.1	203	8	9	20	35	47	50	53
50-64	18	21.4	251	6	9	17	23	44	59	69
65+	11	25.5	83	12	14	26	31	39	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.4	24	2	3	5	11	15	16	16
20-34	14	11.4	295	1	1	4	12	41	56	60
35-49	26	11.8	199	1	2	7	12	32	49	57
50-64	32	16.5	317	2	2	9	28	40	78	99+
65+	16	14.8	116	2	2	13	23	30	34	36
B. *Operated*										
0-19 YRS	12	24.7	290	1	2	27	38	68	94	99+
20-34	14	26.9	276	7	9	27	43	60	90	99+
35-49	24	24.7	385	8	9	20	25	52	68	95
50-64	25	34.1	466	10	11	25	58	65	66	67
65+	20	36.1	545	5	11	30	56	70	74	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	7.6	62	1	1	5	11	19	32	94
B. *Operated*	80	21.5	161	7	8	18	27	39	45	64
2. MULTIPLE DX										
A. *Not Operated*	97	13.4	222	2	2	8	17	36	46	92
B. *Operated*	95	29.9	420	7	10	23	46	64	71	99+
1. SINGLE DX	138	15.7	166	1	2	12	23	36	43	72
2. MULTIPLE DX	192	21.6	387	2	2	15	31	58	66	99+
A. NOT OPERATED	155	11.2	169	1	2	7	14	32	39	99
B. OPERATED	175	26.1	318	7	9	21	36	57	56	98
TOTAL 0-19 YRS	35	15.2	194	1	2	12	25	36	55	99+
20-34	57	17.2	225	1	2	14	26	41	55	97
35-49	88	17.6	270	1	2	12	23	45	53	98
50-64	97	20.1	368	2	3	13	28	56	66	92
65+	53	24.4	361	2	4	21	32	56	67	76
GRAND TOTAL	**330**	**19.1**	**302**	**2**	**2**	**14**	**27**	**47**	**60**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	9.3	35	1	1	11	13	14	14	14
35-49	2	14.5	25	11	11	14	18	18	18	18
50-64	1	38.0		38	38	38	38	38	38	38
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	1	2.0		2	2	51	99+	99+	99+	99+
65+	4	13.8	40	9	9	11	17	23	23	23
B. *Operated*										
0-19 YRS	2	50.5	85	44	44	50	57	57	57	57
20-34	3	.3	72	1	1	4	14	17	17	17
35-49	2	17.0	72	11	11	17	23	23	23	23
50-64	3	29.0	79	19	19	32	35	36	36	36
65+	3	38.3	862	18	18	25	60	72	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	7	14.9	132	1	3	13	17	34	38	38
2. MULTIPLE DX										
A. *Not Operated*	6	12.0	48	2	3	12	21	85	99+	99+
B. *Operated*	13	27.6	420	1	3	23	38	60	70	72
1. SINGLE DX	8	13.3	134	1	1	12	16	32	38	38
2. MULTIPLE DX	19	22.7	349	1	3	18	34	64	86	99+
A. NOT OPERATED	7	10.6	54	2	2	11	19	77	99+	99+
B. OPERATED	20	23.2	346	1	3	18	34	50	64	72
TOTAL 0-19 YRS	3	34.3	826	2	2	44	54	57	57	57
20-34	8	9.3	42	1	1	11	14	16	17	17
35-49	4	15.8	34	11	11	15	20	23	23	23
50-64	5	25.4	226	2	4	34	38	94	99+	99+
65+	7	24.3	480	9	9	18	24	63	72	72
GRAND TOTAL	**27**	**19.9**	**297**	**1**	**2**	**16**	**28**	**53**	**75**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	6	5	5	8	9	10	10	10
20-34	22	7.5	18	1	2	7	10	12	15	19
35-49	19	6.2	8	1	2	7	7	10	12	12
50-64	6	7.3	8	3	3	7	10	11	11	11
65+	10	6.6	12	<1	1	7	10	10	10	10
B. *Operated*										
0-19 YRS	5	6.0	1	5	5	6	7	7	7	7
20-34	27	4.6	2	1	3	5	5	6	6	7
35-49	20	5.7	8	3	3	5	6	8	12	16
50-64	25	7.7	42	3	3	5	9	18	25	27
65+	4	17.3	137	5	5	17	27	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	8.7	57	4	4	7	8	21	28	28
20-34	29	8.2	24	2	3	7	10	13	20	23
35-49	21	7.8	13	2	3	7	10	13	14	14
50-64	26	8.0	8	2	7	7	9	12	13	14
65+	14	13.0	156	2	5	9	12	40	42	43
B. *Operated*										
0-19 YRS	5	22.8	218	4	4	31	33	37	37	37
20-34	35	10.7	214	2	4	5	5	23	56	60
35-49	19	7.9	30	4	4	6	9	14	22	27
50-64	28	11.9	83	4	5	8	16	22	25	46
65+	25	17.0	354	4	5	13	16	37	57	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	6.9	12	1	2	7	10	11	12	18
B. *Operated*	81	6.5	28	3	3	5	6	11	21	29
2. MULTIPLE DX										
A. *Not Operated*	99	8.8	40	2	3	7	10	13	18	42
B. *Operated* °	112	12.5	189	4	4	7	14	24	44	73
1. SINGLE DX	141	6.7	21	2	3	6	7	11	14	27
2. MULTIPLE DX	211	10.7	122	3	4	7	11	22	32	59
A. NOT OPERATED	159	8.1	30	2	3	7	10	12	14	39
B. OPERATED	193	10.0	130	3	4	6	10	22	31	59
TOTAL 0-19 YRS	22	11.1	107	4	4	7	10	31	34	37
20-34	113	7.9	80	2	3	6	9	12	20	59
35-49	79	6.9	15	3	3	7	8	11	14	24
50-64	85	9.1	45	3	4	7	11	18	22	39
65+	53	14.0	228	2	4	10	15	31	43	92
GRAND TOTAL	**352**	**9.1**	**85**	**2**	**3**	**7**	**10**	**16**	**24**	**49**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	14.5	365	1	1	14	28	28	28	28
35-49	12	4.8	23	<1	1	3	5	14	16	16
50-64	22	12.1	340	2	2	5	15	23	53	86
65+	58	11.0	93	1	3	7	15	24	33	43
B. Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	25	8.5	32	1	2	6	12	17	19	19
50-64	45	9.2	62	1	1	9	13	19	25	34
65+	62	9.1	97	1	1	6	12	23	27	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.4	9	<1	1	3	6	9	9	9
20-34	39	7.2	137	1	2	4	6	14	25	70
35-49	165	10.0	101	2	2	6	13	20	25	53
50-64	379	12.1	153	2	2	8	16	24	36	68
65+	526	12.7	126	2	3	10	16	28	40	99+
B. Operated										
0-19 YRS	11	10.4	80	1	1	6	15	23	30	31
20-34	57	13.5	162	2	3	10	16	31	43	59
35-49	170	14.5	126	3	6	11	18	30	39	50
50-64	449	16.2	177	2	3	13	23	33	44	66
65+	502	17.5	219	3	4	14	22	36	49	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	10.6	146	1	2	7	15	24	30	69
B. Operated	137	8.8	72	1	1	6	12	19	24	38
2. MULTIPLE DX										
A. Not Operated	1117	11.8	133	2	2	9	15	25	36	76
B. Operated	1189	16.3	167	2	3	13	22	34	45	76
1. SINGLE DX	231	9.5	102	1	1	6	13	22	28	46
2. MULTIPLE DX	2306	14.2	166	2	3	10	18	30	41	76
A. NOT OPERATED	1211	11.7	134	2	2	9	15	25	36	77
B. OPERATED	1326	15.6	161	2	3	12	21	33	43	74
TOTAL 0-19 YRS	20	7.5	57	<1	1	4	10	17	24	31
20-34	102	10.6	157	1	2	6	13	27	38	64
35-49	372	11.8	112	2	3	9	16	24	34	50
50-64	895	14.0	170	2	2	10	19	30	39	68
65+	1148	14.5	171	2	3	11	19	32	43	83
GRAND TOTAL	**2537**	**13.7**	**162**	**2**	**3**	**10**	**18**	**29**	**40**	**75**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.2	1	1	1	2	3	4	5	5
20-34	47	3.4	9	1	2	2	3	6	10	15
35-49	25	2.6	5	1	2	2	2	3	6	13
50-64	4	2.0	4	<1	<1	<1	3	5	5	5
65+	9	14.7	211	4	4	8	19	40	47	47
B. Operated										
0-19 YRS	13	11.5	129	1	1	9	17	31	34	35
20-34	44	14.5	94	3	3	13	21	30	35	36
35-49	13	12.6	244	1	2	7	17	34	52	56
50-64	6	13.7	51	6	6	11	12	25	28	28
65+	10	12.3	65	2	2	10	23	25	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	23	7.0	45	1	1	4	10	16	20	27
35-49	7	8.6	78	2	2	6	11	24	27	27
50-64	9	7.1	78	1	1	4	7	21	30	30
65+	8	7.1	25	<1	1	7	9	15	17	17
B. Operated										
0-19 YRS	11	11.4	75	3	3	9	13	26	31	31
20-34	28	15.6	96	4	6	13	22	31	34	34
35-49	16	20.3	256	3	6	14	31	46	51	53
50-64	5	21.0	332	3	3	16	33	49	49	49
65+	11	20.0	157	3	6	20	30	63	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	4.1	36	1	2	2	4	8	13	39
B. Operated	66	13.4	113	2	2	11	21	29	34	49
2. MULTIPLE DX										
A. Not Operated	50	7.1	47	1	2	5	9	16	27	30
B. Operated	71	17.0	155	3	4	14	24	36	47	90
1. SINGLE DX	160	8.6	94	1	2	4	12	23	29	44
2. MULTIPLE DX	121	12.9	134	2	2	9	18	30	39	66
A. NOT OPERATED	144	5.1	42	1	2	2	6	12	16	31
B. OPERATED	157	15.1	135	2	3	12	22	33	38	56
TOTAL 0-19 YRS	36	8.6	64	1	1	5	11	24	31	35
20-34	142	9.8	85	2	2	7	14	24	31	36
35-49	61	10.0	175	2	2	3	13	28	43	56
50-64	24	10.8	140	<1	<1	7	12	28	36	49
65+	38	14.0	135	2	3	11	22	33	47	99+
GRAND TOTAL	**301**	**10.3**	**114**	**1**	**2**	**7**	**14**	**27**	**34**	**51**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	9.9	90	<1	1	6	21	22	24	24
20-34	3	7.3	102	1	1	2	15	19	19	19
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	16	4.3	18	<1	1	2	7	12	13	14
65+	25	10.8	214	1	1	6	11	25	48	67
B. *Operated*										
0-19 YRS	12	11.0	141	1	1	7	16	27	40	42
20-34	4	24.8	375	1	1	26	40	45	45	45
35-49	3	25.7	492	2	2	29	42	46	46	46
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	29.0	606	9	10	17	47	69	72	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	5.0	30	<1	1	3	5	12	18	25
20-34	4	15.3	272	1	1	12	28	36	36	36
35-49	5	4.0	14	1	1	2	8	8	8	8
50-64	24	9.8	64	1	2	8	14	20	29	30
65+	76	15.2	242	2	3	10	20	35	70	99+
B. *Operated*										
0-19 YRS	16	18.6	142	3	4	16	25	31	45	51
20-34	3	24.7	562	3	3	21	43	50	50	50
35-49	7	23.4	244	6	7	20	35	48	50	50
50-64	17	22.5	544	4	5	11	39	55	74	84
65+	25	23.3	326	4	7	18	26	52	64	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	8.5	123	1	1	5	11	22	24	64
B. *Operated*	27	19.0	360	1	1	14	27	46	58	72
2. MULTIPLE DX										
A. *Not Operated*	153	11.0	165	1	2	7	15	29	36	99
B. *Operated*	68	22.1	321	3	5	16	27	50	57	82
1. SINGLE DX	88	11.7	216	1	1	7	14	28	45	70
2. MULTIPLE DX	221	14.4	238	1	2	9	20	35	51	88
A. NOT OPERATED	214	10.3	153	1	1	6	13	27	35	87
B. OPERATED	95	21.2	331	2	3	16	27	50	56	79
TOTAL 0-19 YRS	87	9.1	99	1	1	4	14	23	26	48
20-34	14	18.3	304	1	1	18	35	45	49	50
35-49	17	15.9	261	1	1	8	24	45	49	50
50-64	58	11.8	237	1	1	7	13	29	48	82
65+	133	16.6	287	1	3	11	22	42	66	99+
GRAND TOTAL	**309**	**13.6**	**232**	**1**	**1**	**8**	**19**	**35**	**50**	**82**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	16	1	1	3	7	11	12	12
20-34	4	3.8	8	1	1	3	6	7	7	7
35-49	9	6.7	55	<1	<1	3	10	19	20	20
50-64	14	8.6	43	1	2	7	13	18	21	22
65+	28	4.9	35	1	1	2	5	15	21	23
B. *Operated*										
0-19 YRS	2	9.0	32	5	5	9	13	13	13	13
20-34	7	8.1	36	1	1	9	12	16	17	17
35-49	10	20.8	481	3	3	13	28	55	74	74
50-64	12	12.8	272	1	1	6	13	41	54	56
65+	11	13.7	210	2	3	7	16	38	49	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	7	6.3	17	<1	1	6	9	12	13	13
35-49	15	10.2	109	1	2	4	16	28	30	31
50-64	19	8.7	90	1	2	7	11	11	30	45
65+	36	9.8	155	1	1	5	11	19	34	66
B. *Operated*										
0-19 YRS	11	35.3	307	4	14	31	50	57	64	65
20-34	17	29.1	373	1	2	25	41	57	64	66
35-49	22	36.1	527	4	6	35	44	74	85	93
50-64	23	25.0	433	3	4	15	47	56	59	62
65+	30	18.3	159	5	6	15	27	45	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	5.9	37	1	1	3	8	17	20	23
B. *Operated*	42	14.0	255	1	2	8	16	35	52	74
2. MULTIPLE DX										
A. *Not Operated*	81	8.9	112	1	1	5	11	19	29	59
B. *Operated*	103	27.2	384	3	5	24	41	53	65	96
1. SINGLE DX	104	9.2	139	1	1	5	11	21	31	64
2. MULTIPLE DX	184	19.2	346	1	2	11	31	47	58	88
A. NOT OPERATED	143	7.6	81	1	1	4	9	18	24	46
B. OPERATED	145	23.4	381	2	4	18	37	52	63	93
TOTAL 0-19 YRS	24	18.6	387	1	1	9	30	52	56	65
20-34	35	17.4	318	1	1	9	25	43	56	66
35-49	56	21.7	472	1	2	17	35	47	73	92
50-64	68	14.9	275	1	2	8	16	48	56	61
65+	105	11.3	153	1	1	7	16	30	44	81
GRAND TOTAL	**288**	**15.5**	**294**	**1**	**2**	**8**	**22**	**43**	**52**	**78**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.3	33	<1	<1	2	3	4	17	26
20-34	30	3.4	17	1	1	2	3	7	14	20
35-49	60	3.7	39	1	1	2	2	8	13	42
50-64	135	4.8	45	1	1	2	4	11	14	40
65+	101	8.4	132	1	1	4	11	19	26	65
B. Operated										
0-19 YRS	10	7.0	34	2	2	5	12	16	18	18
20-34	14	17.3	439	1	2	9	19	43	71	79
35-49	56	10.4	90	1	2	7	16	21	32	44
50-64	67	11.9	58	2	2	11	17	23	25	28
65+	81	14.6	110	2	4	12	20	30	35	46
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.9	31	<1	<1	1	9	15	16	16
20-34	18	12.2	177	1	1	7	15	32	45	52
35-49	45	6.4	83	1	1	3	7	15	29	45
50-64	144	10.5	189	1	1	7	12	23	32	88
65+	159	11.8	153	1	2	9	15	26	33	63
B. Operated										
0-19 YRS	11	19.0	578	1	1	10	23	57	79	81
20-34	14	20.4	238	5	6	12	36	42	47	49
35-49	43	16.7	145	4	5	12	21	35	44	53
50-64	113	19.2	238	3	4	15	25	43	60	99+
65+	184	23.5	351	4	6	18	33	48	64	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	344	5.5	70	1	1	2	5	13	20	45
B. Operated	228	12.6	109	2	2	10	18	26	32	45
2. MULTIPLE DX										
A. Not Operated	380	10.4	157	1	1	7	13	24	31	62
B. Operated	365	21.1	298	3	5	15	29	44	60	96
1. SINGLE DX	572	8.3	97	1	1	4	11	21	26	45
2. MULTIPLE DX	745	15.7	254	1	2	10	21	37	49	88
A. NOT OPERATED	724	8.1	122	1	1	4	10	19	27	52
B. OPERATED	593	17.8	242	2	3	13	24	39	49	88
TOTAL 0-19 YRS	53	7.7	172	<1	<1	2	10	19	26	80
20-34	76	11.2	211	1	1	6	13	35	40	72
35-49	204	8.9	106	1	2	5	12	22	33	47
50-64	459	11.1	167	1	1	7	15	25	37	78
65+	525	15.7	247	1	2	11	21	36	46	87
GRAND TOTAL	**1317**	**12.5**	**199**	**1**	**2**	**8**	**17**	**30**	**41**	**79**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. Operated										
0-19 YRS	16	4.6	16	<1	<1	4	6	9	15	17
20-34	45	4.0	3	1	2	4	5	7	8	8
35-49	53	3.7	3	1	2	3	5	6	6	8
50-64	44	4.7	5	2	2	4	6	7	9	13
65+	31	4.4	14	1	2	3	5	7	15	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	13	5.2	5	<1	2	5	7	8	8	8
35-49	18	5.4	10	1	2	5	7	11	12	12
50-64	25	6.6	22	2	3	6	7	13	17	23
65+	33	7.5	35	2	3	6	8	14	25	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	6.5	1	6	6	6	7	7	7	7
B. Operated	189	4.2	6	1	2	4	5	7	8	16
2. MULTIPLE DX										
A. Not Operated	3	11.0	64	3	3	11	17	19	19	19
B. Operated	91	6.4	22	1	2	5	7	11	15	26
1. SINGLE DX	191	4.2	6	1	2	4	5	7	8	16
2. MULTIPLE DX	94	6.6	23	1	2	5	8	12	18	26
A. NOT OPERATED	5	9.2	38	3	3	7	13	19	19	19
B. OPERATED	280	4.9	13	1	2	4	6	8	10	22
TOTAL 0-19 YRS	18	4.6	15	<1	<1	4	6	8	14	17
20-34	59	4.2	4	1	2	4	5	7	8	8
35-49	72	4.1	5	1	2	4	5	7	8	12
50-64	71	5.6	14	2	2	5	7	9	13	22
65+	65	6.0	27	1	2	5	7	11	19	26
GRAND TOTAL	**285**	**5.0**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**22**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.7	133	<1	<1	1	16	21	21	21
35-49	12	2.2	5	<1	<1	1	2	5	8	9
50-64	14	1.6	1	<1	<1	1	2	3	3	3
65+	6	2.8	5	<1	<1	2	4	7	7	7
B. *Operated*										
0-19 YRS	11	8.5	44	1	1	8	16	18	18	18
20-34	11	6.7	28	1	1	6	10	15	18	18
35-49	30	6.4	29	1	1	5	10	12	18	23
50-64	59	8.1	46	1	1	7	12	17	22	30
65+	66	7.4	33	1	2	6	11	15	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	6	3.5	4	<1	<1	3	5	6	6	6
50-64	9	4.0	12	<1	<1	2	7	10	10	10
65+	19	5.6	21	2	2	4	8	12	16	20
B. *Operated*										
0-19 YRS	8	9.3	42	2	3	8	11	20	23	23
20-34	2	11.5	85	5	5	11	18	18	18	18
35-49	28	8.3	34	2	2	7	12	18	19	21
50-64	84	9.9	92	1	1	8	13	19	30	51
65+	134	11.9	84	2	2	11	16	26	32	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.5	13	<1	<1	1	2	4	8	21
B. *Operated*	177	7.5	37	1	1	6	11	16	19	25
2. MULTIPLE DX										
A. *Not Operated*	38	4.7	15	1	2	3	6	10	12	20
B. *Operated*	256	10.8	80	1	2	9	14	23	29	41
1. SINGLE DX	212	6.7	36	<1	1	4	10	15	18	25
2. MULTIPLE DX	294	10.0	76	1	2	8	14	22	27	40
A. NOT OPERATED	73	3.6	15	<1	<1	2	4	8	11	21
B. OPERATED	433	9.4	65	1	2	8	13	19	25	37
TOTAL 0-19 YRS	21	8.2	40	1	1	7	12	18	20	23
20-34	18	7.1	41	<1	1	5	11	18	20	21
35-49	76	6.2	30	<1	1	4	9	14	18	22
50-64	166	8.3	69	1	1	6	12	17	24	41
65+	225	9.8	68	1	2	8	14	22	27	36
GRAND TOTAL	**506**	**8.6**	**62**	**1**	**1**	**7**	**12**	**18**	**24**	**36**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	20	3.0	6	1	2	2	3	6	9	11
20-34	10	2.2		2	2	2	2	3	3	3
35-49	17	4.9	52	<1	1	3	4	11	24	31
50-64	19	8.6	53	1	2	7	13	20	23	25
65+	8	4.6	13	2	2	3	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	6	10.0	144	2	2	3	25	26	26	26
20-34	7	8.3	46	<1	<1	9	15	17	17	17
35-49	9	5.7	29	<1	<1	2	11	13	15	15
50-64	20	13.1	227	1	2	6	15	40	48	51
65+	10	13.4	214	1	1	7	21	38	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	74	4.9	33	1	2	2	5	12	19	30
2. MULTIPLE DX										
A. *Not Operated*	4	3.5	14	1	1	2	6	9	9	9
B. *Operated*	52	10.8	155	<1	1	6	15	30	43	51
1. SINGLE DX	77	4.8	32	1	2	2	5	12	18	29
2. MULTIPLE DX	56	10.3	148	<1	1	5	14	29	41	51
A. NOT OPERATED	7	2.9	8	<1	<1	2	3	8	9	9
B. OPERATED	126	7.4	91	1	2	3	10	19	29	47
TOTAL 0-19 YRS	28	4.4	40	1	2	2	3	10	25	26
20-34	17	4.7	27	1	2	2	5	15	17	17
35-49	27	5.1	41	<1	1	3	5	12	17	31
50-64	41	10.6	139	<1	2	7	14	27	39	51
65+	20	8.8	129	1	2	4	9	27	38	44
GRAND TOTAL	**133**	**7.1**	**88**	**1**	**2**	**3**	**9**	**18**	**29**	**47**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	13	<1	<1	3	7	8	8	8
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49										
50-64	3	3.7	1	3	3	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	174	3.5	3	<1	1	3	4	5	8	17
20-34	190	3.2	8	<1	<1	2	4	6	8	16
35-49	182	2.9	7	<1	<1	2	3	6	7	17
50-64	142	3.3	8	<1	1	2	4	6	8	13
65+	64	4.8	25	<1	1	3	5	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	18	<1	<1	2	6	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	5.4	43	<1	<1	3	7	17	17	17
50-64	6	4.5	6	1	1	5	7	7	7	7
65+	4	4.8	12	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	36	3.6	6	<1	1	3	5	7	8	10
20-34	67	3.9	18	<1	1	2	4	8	12	23
35-49	66	4.9	54	<1	1	3	4	12	15	48
50-64	93	6.3	108	1	2	3	6	13	16	70
65+	58	6.7	37	2	2	4	9	17	25	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.1	6	<1	1	3	6	8	8	8
B. *Operated*	752	3.3	10	<1	<1	2	4	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	20	4.5	16	<1	<1	3	6	9	13	17
B. *Operated*	320	5.3	54	<1	1	3	6	12	16	49
1. SINGLE DX	760	3.4	9	<1	<1	3	4	6	8	19
2. MULTIPLE DX	340	5.2	52	<1	1	3	6	11	16	48
A. NOT OPERATED	28	4.4	13	<1	<1	3	6	9	11	17
B. OPERATED	1072	3.9	24	<1	1	3	4	8	12	23
TOTAL 0-19 YRS	217	3.5	8	<1	1	3	4	7	8	16
20-34	260	3.4	11	<1	<1	2	4	6	9	21
35-49	253	3.5	21	<1	<1	2	3	7	12	19
50-64	244	4.5	48	<1	1	3	5	8	12	26
65+	126	5.6	30	1	2	4	7	13	21	43
GRAND TOTAL	**1100**	**3.9**	**23**	**<1**	**1**	**3**	**4**	**8**	**12**	**23**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.0	9	1	2	6	7	11	12	12
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64										
65+	3	17.7	526	2	2	7	35	44	44	44
B. *Operated*										
0-19 YRS	141	3.1	9	<1	<1	2	4	7	10	14
20-34	71	2.7	8	<1	<1	2	3	5	7	17
35-49	47	4.6	57	<1	<1	2	5	13	16	46
50-64	44	3.3	13	<1	<1	2	4	8	9	20
65+	29	3.8	12	<1	<1	3	5	7	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.1	38	<1	<1	3	7	16	18	18
20-34	3	6.0	61	<1	<1	2	12	15	15	15
35-49	3	6.3	20	2	2	6	10	11	11	11
50-64	2	31.0	1682	2	2	31	60	60	60	60
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	42	4.7	27	<1	<1	2	7	11	17	24
20-34	21	9.3	163	<1	<1	3	14	21	37	55
35-49	41	5.4	46	<1	<1	2	7	14	19	33
50-64	32	4.5	25	<1	<1	3	4	13	17	21
65+	24	6.9	44	1	2	4	9	16	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	7.6	86	1	2	6	7	11	30	44
B. *Operated*	332	3.3	17	<1	<1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	16	8.9	213	<1	<1	3	10	18	47	60
B. *Operated*	160	5.8	53	<1	<1	3	8	15	20	33
1. SINGLE DX	351	3.5	21	<1	<1	2	4	8	12	19
2. MULTIPLE DX	176	6.1	67	<1	<1	3	8	16	20	49
A. NOT OPERATED	35	8.2	140	<1	1	5	8	15	37	60
B. OPERATED	492	4.1	30	<1	<1	2	5	10	14	24
TOTAL 0-19 YRS	202	3.7	15	<1	<1	2	5	9	11	18
20-34	97	4.2	48	<1	<1	2	4	11	17	40
35-49	93	5.1	49	<1	<1	2	6	13	16	40
50-64	78	4.5	58	<1	<1	2	4	9	16	49
65+	57	5.9	53	<1	<1	3	7	13	16	43
GRAND TOTAL	**527**	**4.4**	**38**	**<1**	**<1**	**2**	**5**	**10**	**15**	**30**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.7	1	<1	<1	1	2	3	4	5
20-34	82	1.6	1	<1	<1	1	2	3	3	4
35-49	71	1.8	2	<1	<1	2	2	2	3	10
50-64	19	2.3	1	<1	1	2	3	4	5	5
65+	8	3.4	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.8	1	2	2	2	4	4	4	4
20-34	29	2.1	2	<1	<1	2	3	3	5	7
35-49	45	2.7	4	<1	<1	2	3	5	8	9
50-64	19	3.0	3	<1	1	2	4	6	7	7
65+	10	9.2	178	1	1	2	16	31	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	204	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	108	3.2	21	<1	<1	2	3	5	8	30
1. SINGLE DX	205	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	108	3.2	21	<1	<1	2	3	5	8	30
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	312	2.3	9	<1	<1	2	2	4	5	13
TOTAL 0-19 YRS	30	1.9	1	<1	<1	2	2	4	4	5
20-34	111	1.8	1	<1	<1	2	2	3	3	6
35-49	116	2.2	3	<1	<1	2	2	3	5	10
50-64	38	2.7	2	<1	1	2	3	5	6	7
65+	18	6.6	104	1	1	3	5	20	33	41
GRAND TOTAL	**313**	**2.3**	**9**	**<1**	**<1**	**2**	**2**	**3**	**5**	**13**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	6	2.3	3	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	85	6.0	5	2	2	6	7	8	9	12
35-49	361	6.8	6	1	2	7	8	9	10	13
50-64	51	7.2	10	1	2	7	9	11	12	16
65+	5	5.8	13	2	2	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.0	4	1	1	2	5	6	6	6
35-49	18	2.9	8	<1	<1	2	4	7	9	11
50-64	5	2.6	2	<1	<1	2	3	5	5	5
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	263	7.1	9	1	3	7	8	10	13	18
35-49	1696	7.7	10	4	5	7	8	10	13	18
50-64	334	8.2	12	2	6	8	9	13	15	20
65+	30	11.7	29	7	7	10	15	21	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	3	<1	<1	1	3	5	5	5
B. *Operated*	503	6.7	7	1	2	7	8	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	30	2.9	6	<1	<1	2	4	6	7	11
B. *Operated*	2324	7.7	10	2	5	7	8	11	13	20
1. SINGLE DX	511	6.6	7	1	2	7	8	9	10	13
2. MULTIPLE DX	2354	7.7	11	2	5	7	8	11	13	20
A. NOT OPERATED	38	2.7	5	<1	<1	2	4	6	7	11
B. OPERATED	2827	7.5	10	2	5	7	8	10	13	19
TOTAL 0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	357	6.7	9	1	2	7	8	9	12	18
35-49	2081	7.5	9	2	5	7	8	10	12	18
50-64	390	8.0	12	2	5	7	9	12	15	20
65+	35	10.8	31	3	7	9	14	21	27	99+
GRAND TOTAL	**2865**	**7.5**	**10**	**2**	**5**	**7**	**8**	**10**	**13**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49	9	4.7	8	<1	<1	6	7	8	8	8
50-64	3	4.0	12	2	2	2	7	8	8	8
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34	6	7.2	15	2	2	7	7	13	14	14
35-49	33	7.2	15	<1	1	7	8	9	13	22
50-64	8	8.6	2	6	7	9	9	11	11	11
65+	2	8.5	5	7	7	8	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	12	4.5	8	<1	1	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
B. Operated	49	7.5	12	1	2	8	9	10	14	22
1. SINGLE DX	13	4.2	9	<1	1	5	7	8	8	8
2. MULTIPLE DX	49	7.5	12	1	2	8	9	10	14	22
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	61	6.9	13	<1	1	7	8	10	12	21
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	7.2	15	2	2	7	7	13	14	14
35-49	42	6.6	14	<1	1	7	8	9	12	22
50-64	11	7.4	8	2	2	8	9	10	11	11
65+	2	8.5	5	7	7	8	10	10	10	10
GRAND TOTAL	**62**	**6.8**	**13**	**<1**	**1**	**7**	**8**	**10**	**12**	**21**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	36	6.2	5	4	4	6	7	9	12	14
20-34	142	6.0	3	3	4	6	7	8	9	12
35-49	60	7.5	26	4	4	7	8	10	12	40
50-64	20	7.8	9	6	6	7	8	8	14	20
65+	5	10.4	14	5	5	12	13	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	19	6.4	6	3	4	6	7	10	12	13
20-34	120	6.4	5	3	4	6	7	9	10	16
35-49	60	7.9	9	5	5	7	9	12	13	20
50-64	47	9.6	14	6	6	8	10	14	16	26
65+	36	14.5	94	6	7	12	16	23	30	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	263	6.6	10	4	4	6	7	9	11	14
2. MULTIPLE DX										
A. Not Operated	2	7.0	18	4	4	7	10	10	10	10
B. Operated	302	8.3	24	4	5	7	9	13	16	26
1. SINGLE DX	265	6.5	10	3	4	6	7	9	11	14
2. MULTIPLE DX	304	8.3	24	4	5	7	9	13	16	26
A. NOT OPERATED	4	4.3	16	1	1	3	7	10	10	10
B. OPERATED	565	7.5	18	4	5	7	8	12	14	23
TOTAL 0-19 YRS	55	6.3	5	4	4	6	7	9	12	14
20-34	265	6.1	4	3	4	6	7	8	9	13
35-49	140	7.8	16	4	5	7	9	11	12	24
50-64	67	9.1	13	6	6	8	9	14	16	25
65+	42	13.9	83	6	7	12	15	20	29	60
GRAND TOTAL	**569**	**7.5**	**18**	**4**	**4**	**7**	**8**	**11**	**14**	**23**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	2.6	2	<1	<1	2	3	5	5	5
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	3.3	6	1	1	3	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	4.8	4	2	2	5	6	7	7	7
35-49	7	5.1	12	<1	<1	5	7	10	11	11
50-64	4	5.0	17	1	1	5	8	9	9	9
65+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	3.1	4	<1	1	3	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	18	5.8	27	<1	1	5	8	10	18	23
1. SINGLE DX	14	3.1	4	<1	1	3	4	6	8	8
2. MULTIPLE DX	18	5.8	27	<1	1	5	8	10	18	23
A. NOT OPERATED										
B. OPERATED	32	4.7	18	<1	1	3	6	9	11	23
TOTAL 0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	12	3.5	4	<1	1	3	5	6	7	7
35-49	10	4.4	10	<1	1	4	5	9	11	11
50-64	7	4.3	11	1	1	3	7	9	9	9
65+	1	23.0		23	23	23	23	23	23	23
GRAND TOTAL	**32**	**4.7**	**18**	**<1**	**1**	**3**	**6**	**9**	**11**	**23**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	6	2.7	2	1	1	2	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+	5	9.4	72	2	2	7	12	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	15	3.2	6	1	1	2	4	5	9	11
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	11	5.6	42	2	2	3	7	14	23	24
1. SINGLE DX	15	3.2	6	1	1	2	4	5	9	11
2. MULTIPLE DX	11	5.6	42	2	2	3	7	14	23	24
A. NOT OPERATED										
B. OPERATED	26	4.2	22	1	2	3	4	8	14	24
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	2.6	1	2	2	2	3	4	4	4
35-49	9	2.7	2	1	1	2	3	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	8	6.8	55	1	1	5	7	19	24	24
GRAND TOTAL	**26**	**4.2**	**22**	**1**	**2**	**3**	**4**	**8**	**14**	**24**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	10.6	51	<1	<1	14	16	17	17	17
50-64	3	4.0	7	1	1	5	6	6	6	6
65+	9	4.0	9	1	1	4	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	4	10.3	28	4	4	10	14	17	17	17
35-49	2	16.0	8	14	14	16	18	18	18	18
50-64	6	7.8	53	2	2	4	15	19	19	19
65+	15	13.2	117	3	3	11	15	29	39	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	17	5.9	28	<1	1	5	7	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*	27	11.8	83	3	3	10	15	21	31	43
1. SINGLE DX	18	5.8	26	<1	1	5	6	15	17	17
2. MULTIPLE DX	29	11.6	80	3	3	10	15	20	30	43
A. NOT OPERATED	3	7.7	40	4	4	4	12	15	15	15
B. OPERATED	44	9.5	69	1	2	7	14	18	23	43
TOTAL 0-19 YRS										
20-34	5	11.2	26	4	4	10	15	17	17	17
35-49	7	12.1	42	<1	1	14	17	18	18	18
50-64	10	6.3	35	1	1	4	6	17	19	19
65+	25	9.5	92	1	2	7	11	21	32	43
GRAND TOTAL	**47**	**9.4**	**66**	**1**	**2**	**7**	**15**	**18**	**22**	**43**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.7		<1	<1	2	2	2	2	2
20-34	7	2.3	3	<1	<1	2	3	5	6	6
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	17	2.1	2	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	6	1.8	1	<1	<1	2	2	3	3	3
1. SINGLE DX	17	2.1	2	<1	<1	2	2	3	5	6
2. MULTIPLE DX	7	2.0	1	<1	<1	2	3	3	3	3
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	23	2.0	1	<1	<1	2	2	3	4	6
TOTAL 0-19 YRS	7	1.7		<1	<1	2	2	2	2	2
20-34	9	2.1	3	<1	<1	2	2	5	6	6
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	3	2.3	1	<1	<1	3	3	3	3	3
GRAND TOTAL	**24**	**2.0**	**1**	**<1**	**<1**	**2**	**3**	**3**	**4**	**6**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	3	3.3	16	<1	<1	1	6	8	8	8
50-64	4	3.5	7	1	1	3	5	7	7	7
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	2	15.5	25	12	12	15	19	19	19	19
20-34	11	15.0	40	8	8	15	18	25	27	27
35-49	17	14.3	90	1	2	15	18	31	32	32
50-64	26	14.1	44	4	6	14	19	22	25	29
65+	9	17.1	105	6	7	14	22	34	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	3.0	12	<1	<1	<1	5	7	7	7
50-64	9	7.4	40	1	2	5	12	18	18	18
65+	7	7.7	93	1	1	5	7	25	29	29
B. *Operated*										
0-19 YRS	4	17.3	129	9	9	13	24	34	34	34
20-34	20	22.3	175	3	4	19	26	44	46	48
35-49	16	25.0	312	13	13	17	25	58	69	73
50-64	38	25.8	332	7	10	24	32	46	90	99+
65+	38	29.1	320	7	12	24	37	64	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.1	12	<1	<1	3	7	9	10	10
B. *Operated*	65	14.8	60	3	6	14	19	27	30	36
2. MULTIPLE DX										
A. *Not Operated*	21	6.4	50	<1	<1	4	7	17	23	29
B. *Operated*	116	25.9	291	5	11	22	32	56	76	99+
1. SINGLE DX	75	13.3	67	1	2	14	18	24	29	36
2. MULTIPLE DX	137	22.9	303	2	4	19	30	49	69	99+
A. NOT OPERATED	31	5.6	38	<1	<1	4	7	13	18	29
B. OPERATED	181	21.9	236	4	8	18	27	43	61	99+
TOTAL 0-19 YRS	7	14.7	96	3	4	12	18	31	34	34
20-34	34	18.2	149	1	4	17	24	43	44	48
35-49	39	17.0	223	<1	1	15	20	32	51	73
50-64	77	18.5	240	2	3	17	24	33	46	99+
65+	55	24.1	309	3	5	21	33	60	73	99+
GRAND TOTAL	**212**	**19.5**	**240**	**2**	**4**	**17**	**25**	**38**	**59**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	14	4.1	2	2	2	4	5	6	7	7
20-34	73	5.0	4	3	4	5	5	6	7	17
35-49	75	4.6	3	2	3	4	5	7	8	11
50-64	59	5.2	2	3	4	5	6	7	8	9
65+	25	5.6	6	2	3	5	7	10	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	40.0	2450	5	5	40	75	75	75	75
B. *Operated*										
0-19 YRS	3	8.0	28	4	4	6	12	14	14	14
20-34	22	5.6	8	3	3	5	6	10	13	15
35-49	52	6.0	9	4	4	5	7	9	12	20
50-64	54	6.4	13	3	4	5	7	11	15	21
65+	14	6.5	5	3	4	6	9	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	246	4.9	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	3	27.0	1732	1	1	5	57	75	75	75
B. *Operated*	145	6.2	10	3	4	5	7	9	14	20
1. SINGLE DX	247	4.9	3	3	3	5	6	7	8	11
2. MULTIPLE DX	148	6.6	42	3	4	5	7	10	14	22
A. NOT OPERATED	4	22.5	1236	1	1	7	42	75	75	75
B. OPERATED	391	5.4	6	3	3	5	6	8	10	16
TOTAL 0-19 YRS	17	4.8	7	2	2	4	5	7	12	14
20-34	95	5.1	5	3	4	5	6	7	9	17
35-49	128	5.1	6	3	3	5	5	8	9	14
50-64	113	5.7	8	3	4	5	6	8	11	18
65+	42	7.6	119	3	3	6	8	10	11	75
GRAND TOTAL	**395**	**5.6**	**19**	**3**	**3**	**5**	**6**	**8**	**10**	**18**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	6.5	41	2	2	6	11	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34	5	17.2	92	5	5	21	23	29	29	29
35-49	10	10.9	26	6	6	9	12	20	21	21
50-64	7	9.4	10	5	5	9	12	14	14	14
65+	2	13.5	1	13	13	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	14	2	2	8	9	9	9	9
20-34	5	4.8	14	1	1	4	6	11	11	11
35-49	8	9.0	69	1	2	6	12	23	27	27
50-64	8	8.5	36	2	2	6	13	18	19	19
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	4	15.3	38	11	11	13	19	24	24	24
20-34	18	18.9	274	6	7	15	22	27	59	79
35-49	26	17.2	331	4	5	10	17	51	59	72
50-64	29	15.3	94	5	7	12	18	28	38	46
65+	28	17.1	211	5	6	12	21	34	51	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.8	13	1	1	3	4	10	11	11
B. *Operated*	24	12.0	37	5	6	10	14	21	24	29
2. MULTIPLE DX										
A. *Not Operated*	25	7.4	38	1	2	5	11	15	21	27
B. *Operated*	105	16.9	207	5	6	12	21	34	50	75
1. SINGLE DX	30	10.4	43	2	3	9	13	21	21	29
2. MULTIPLE DX	130	15.0	188	3	4	11	18	28	46	73
A. NOT OPERATED	31	6.7	35	1	1	5	10	13	19	27
B. OPERATED	129	16.0	179	5	6	12	20	29	46	73
TOTAL 0-19 YRS	8	10.4	49	2	2	10	13	21	24	24
20-34	29	15.7	214	3	4	11	21	26	31	79
35-49	46	13.7	219	2	3	9	13	28	53	72
50-64	46	12.9	77	3	5	11	17	24	32	46
65+	31	16.4	198	5	5	12	20	34	48	68
GRAND TOTAL	**160**	**14.2**	**164**	**2**	**4**	**11**	**18**	**26**	**40**	**72**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	6	3.0	1	2	2	3	3	5	5	5
20-34	436	3.7	5	1	1	3	5	7	8	11
35-49	167	4.4	6	1	2	4	7	7	9	9
50-64	28	4.2	6	1	2	3	6	8	8	10
65+	11	5.9	15	2	2	4	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.8	16	<1	<1	<1	3	10	10	10
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64	2	17.0	288	5	5	17	29	29	29	29
65+										
B. *Operated*										
0-19 YRS	3	5.0	7	2	2	6	7	7	7	7
20-34	249	5.5	9	1	2	6	8	9	10	15
35-49	181	6.4	14	1	2	7	8	10	12	21
50-64	35	8.3	40	2	2	7	10	18	22	29
65+	8	5.3	9	2	2	4	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	648	4.0	6	1	2	3	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	10	5.8	78	<1	<1	1	8	19	29	29
B. *Operated*	476	6.0	13	1	2	6	8	9	12	21
1. SINGLE DX	650	3.9	6	1	2	3	6	7	9	11
2. MULTIPLE DX	486	6.0	15	1	2	6	8	9	12	21
A. NOT OPERATED	12	5.1	66	<1	<1	1	6	16	27	29
B. OPERATED	1124	4.8	10	1	2	4	7	8	10	15
TOTAL 0-19 YRS	9	3.7	4	2	2	3	5	7	7	7
20-34	691	4.3	7	1	2	3	6	8	9	12
35-49	351	5.4	11	1	2	6	7	9	10	19
50-64	66	6.7	36	1	2	6	8	13	21	29
65+	19	5.6	12	2	2	4	9	11	12	12
GRAND TOTAL	**1136**	**4.8**	**11**	**1**	**2**	**4**	**7**	**8**	**10**	**16**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	7.0	28	<1	<1	7	11	14	14	14
65+	4	6.0	12	3	3	6	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	10	4.6	10	1	1	4	7	9	11	11
35-49	15	6.9	22	2	3	5	8	17	18	18
50-64	22	4.7	15	<1	1	4	6	9	13	18
65+	35	6.7	70	1	2	3	7	14	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	7.0	18	4	4	6	10	13	13	13
65+	11	11.7	61	5	5	8	14	25	30	30
B. *Operated*										
0-19 YRS										
20-34	4	6.0	28	<1	<1	5	10	13	13	13
35-49	23	5.9	14	1	2	6	8	13	14	14
50-64	43	8.7	91	2	2	6	11	15	26	48
65+	65	11.9	169	2	3	8	13	30	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.4	16	<1	2	7	9	12	14	14
B. *Operated*	82	6.0	39	1	2	4	7	14	18	35
2. MULTIPLE DX										
A. *Not Operated*	19	8.8	52	<1	2	7	12	19	26	30
B. *Operated*	135	9.7	118	2	2	7	11	16	32	60
1. SINGLE DX	93	6.0	36	1	2	4	7	14	18	34
2. MULTIPLE DX	154	9.6	109	2	2	7	11	16	31	60
A. NOT OPERATED	30	7.9	40	<1	2	7	10	14	22	30
B. OPERATED	217	8.3	91	1	2	6	10	15	29	57
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	16	4.9	14	<1	<1	4	7	11	12	13
35-49	41	6.0	17	1	2	5	8	13	15	18
50-64	74	7.3	62	1	2	5	10	14	16	48
65+	115	10.1	127	2	2	7	11	23	33	61
GRAND TOTAL	**247**	**8.2**	**85**	**1**	**2**	**6**	**10**	**15**	**27**	**55**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	11.3	289	1	1	5	12	36	58	58
20-34	19	4.6	19	<1	<1	2	7	12	13	14
35-49	13	3.8	17	1	1	3	4	8	15	17
50-64	22	5.7	26	1	1	4	8	15	17	19
65+	32	5.7	41	1	1	4	7	15	19	30
B. *Operated*										
0-19 YRS	19	7.6	81	<1	1	4	8	21	30	35
20-34	61	8.2	51	1	2	6	9	18	24	36
35-49	38	8.6	122	<1	1	5	8	23	34	53
50-64	50	9.0	55	<1	1	8	13	21	24	31
65+	69	7.3	75	<1	1	4	9	19	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	3	<1	<1	3	4	5	6	6
20-34	14	4.8	41	<1	<1	3	5	10	22	26
35-49	20	5.6	20	<1	<1	4	9	12	14	15
50-64	38	9.3	64	1	2	8	12	17	19	46
65+	95	10.8	181	1	2	7	13	22	34	83
B. *Operated*										
0-19 YRS	11	9.5	36	<1	2	10	13	17	21	21
20-34	46	10.8	96	1	1	9	14	20	31	53
35-49	36	13.4	152	3	3	8	15	34	42	51
50-64	76	13.5	173	2	2	10	17	28	43	69
65+	123	14.1	185	2	3	11	18	28	42	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	5.8	56	1	1	3	7	14	18	45
B. *Operated*	237	8.1	72	1	1	5	10	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	175	9.0	123	1	1	6	11	19	25	66
B. *Operated*	292	13.2	158	2	3	10	15	28	40	69
1. SINGLE DX	333	7.5	68	1	1	4	9	18	24	39
2. MULTIPLE DX	467	11.6	149	1	2	8	14	24	35	71
A. NOT OPERATED	271	7.9	102	1	1	5	10	17	22	55
B. OPERATED	529	10.9	126	1	2	8	14	24	33	58
TOTAL 0-19 YRS	48	8.1	101	<1	1	4	11	16	26	58
20-34	140	8.2	65	<1	1	6	11	18	25	39
35-49	107	9.1	110	1	1	6	11	23	35	52
50-64	186	10.5	108	1	2	8	13	20	29	56
65+	319	10.8	154	1	1	7	14	24	32	78
GRAND TOTAL	**800**	**9.9**	**119**	**1**	**1**	**7**	**13**	**22**	**30**	**57**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	5	4.2	1	3	3	4	5	5	5	5
20-34	36	4.7	3	2	3	4	6	7	8	9
35-49	64	5.1	4	3	4	4	6	8	9	12
50-64	66	5.4	3	3	4	5	7	8	8	11
65+	29	5.7	4	2	4	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	5.0	2	4	4	4	6	7	7	7
50-64	8	4.8	18	<1	<1	3	9	11	11	11
65+	10	7.1	18	2	3	6	7	14	16	16
B. *Operated*										
0-19 YRS										
20-34	13	5.3	4	3	3	5	6	7	10	11
35-49	24	6.4	15	3	4	5	6	14	15	16
50-64	55	6.4	9	4	4	5	7	11	14	16
65+	36	9.8	43	4	4	8	12	21	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.2	13	3	3	5	8	12	12	12
B. *Operated*	200	5.2	3	3	3	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	25	5.8	15	<1	1	5	8	11	14	16
B. *Operated*	128	7.3	21	4	4	6	8	14	16	27
1. SINGLE DX	205	5.2	4	3	3	5	6	8	9	11
2. MULTIPLE DX	153	7.0	21	3	4	6	8	13	16	27
A. NOT OPERATED	30	5.8	14	1	1	5	7	11	13	16
B. OPERATED	328	6.0	11	3	4	5	7	9	13	22
TOTAL 0-19 YRS	6	3.7	2	1	1	4	5	5	5	5
20-34	51	4.9	4	2	3	4	6	7	9	11
35-49	94	5.5	7	3	4	5	6	9	12	16
50-64	130	5.8	7	3	4	5	7	9	11	15
65+	77	7.8	27	3	4	6	8	14	20	28
GRAND TOTAL	**358**	**6.0**	**12**	**3**	**4**	**5**	**7**	**9**	**13**	**22**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.5	11	1	1	5	9	9	10	10
20-34	33	4.5	8	1	2	3	7	8	9	12
35-49	25	5.2	7	2	2	4	7	9	10	10
50-64	23	7.6	29	1	2	7	9	18	19	21
65+	22	11.5	53	3	4	9	16	20	28	31
B. *Operated*										
0-19 YRS	8	6.8	9	4	4	6	8	12	13	13
20-34	49	5.6	11	2	3	5	6	8	9	22
35-49	61	5.3	4	2	3	5	7	8	9	11
50-64	40	5.2	4	3	3	5	6	7	8	13
65+	10	5.0	8	<1	1	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	9.7	40	1	2	9	15	18	20	22
20-34	33	9.4	126	1	2	6	11	16	37	56
35-49	45	8.0	31	2	2	7	10	14	19	29
50-64	71	10.5	63	2	3	8	14	19	31	39
65+	91	14.1	115	3	5	11	18	33	36	99+
B. *Operated*										
0-19 YRS	4	6.8	4	4	4	7	8	8	8	8
20-34	21	7.1	22	1	2	5	11	16	16	16
35-49	24	7.4	21	3	3	6	9	15	18	20
50-64	34	8.4	34	2	4	6	12	15	22	28
65+	21	10.3	54	3	4	8	17	22	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	6.7	26	1	2	6	9	13	17	28
B. *Operated*	168	5.4	6	2	3	5	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	261	11.1	86	2	3	9	14	21	33	68
B. *Operated*	104	8.2	32	3	3	6	11	17	20	27
1. SINGLE DX	286	5.9	15	2	2	5	7	9	13	22
2. MULTIPLE DX	365	10.3	72	2	3	8	13	20	28	54
A. NOT OPERATED	379	9.7	71	2	2	8	13	19	28	53
B. OPERATED	272	6.5	18	2	3	5	7	11	16	24
TOTAL 0-19 YRS	48	7.6	26	1	2	7	10	15	18	22
20-34	136	6.5	42	1	2	5	8	12	15	42
35-49	155	6.4	16	2	3	5	8	10	14	20
50-64	168	8.4	42	2	3	6	11	17	21	34
65+	144	12.5	94	3	4	10	17	26	34	99+
GRAND TOTAL	**651**	**8.4**	**52**	**2**	**3**	**6**	**10**	**17**	**22**	**40**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	7.6	22	2	3	7	10	14	16	25
20-34	75	7.9	31	2	2	7	10	14	17	33
35-49	84	6.7	13	2	3	6	9	12	14	16
50-64	137	7.9	25	2	2	7	10	14	19	25
65+	253	9.4	52	2	3	8	12	19	23	37
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	15.7	54	10	10	13	21	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	7.9	56	1	2	6	9	15	23	39
20-34	69	6.8	27	1	1	6	9	13	17	25
35-49	140	8.1	36	2	3	6	10	16	21	28
50-64	366	9.4	55	2	3	8	11	17	23	35
65+	817	12.5	131	3	3	9	15	25	36	88
B. *Operated*										
0-19 YRS	2	15.5	421	<1	<1	15	30	30	30	30
20-34	4	19.5	396	1	1	15	33	47	47	47
35-49	13	13.6	50	3	6	14	17	26	26	26
50-64	26	16.2	95	3	4	15	22	29	36	38
65+	35	19.9	393	5	7	12	26	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	673	8.2	35	2	3	7	10	15	19	29
B. *Operated*	6	10.8	60	1	1	10	13	23	24	24
2. MULTIPLE DX										
A. *Not Operated*	1465	10.8	98	2	3	8	14	21	28	59
B. *Operated*	80	17.5	233	3	5	14	23	37	59	99+
1. SINGLE DX	679	8.3	35	2	3	7	10	15	19	29
2. MULTIPLE DX	1545	11.2	107	2	3	8	14	23	29	69
A. NOT OPERATED	2138	10.0	80	2	3	8	12	20	26	48
B. OPERATED	86	17.1	223	2	5	13	23	34	50	99+
TOTAL 0-19 YRS	199	7.8	37	1	2	6	9	15	18	34
20-34	148	7.7	40	1	2	7	9	14	20	37
35-49	239	7.9	30	2	3	6	10	15	18	27
50-64	530	9.3	52	2	3	8	11	18	22	35
65+	1108	12.0	124	2	3	9	15	24	33	88
GRAND TOTAL	**2224**	**10.3**	**87**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	5.7	24	1	1	4	6	13	16	23
20-34	114	4.8	14	1	1	4	7	10	13	16
35-49	29	7.0	31	1	1	6	9	14	17	24
50-64	21	7.0	20	1	2	6	10	14	16	17
65+	24	7.3	34	1	1	6	11	14	19	23
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.2	26	1	2	5	8	13	17	25
20-34	93	6.5	30	1	2	5	8	12	17	31
35-49	55	8.4	40	1	3	7	10	18	19	32
50-64	43	10.6	54	2	3	9	15	21	26	31
65+	81	13.9	62	4	4	12	18	26	28	35
B. *Operated*										
0-19 YRS	3	14.3	30	6	6	17	18	18	18	18
20-34	8	15.0	55	6	6	13	19	27	28	28
35-49	8	22.9	59	12	14	24	30	75	99+	99+
50-64	9	31.9	364	9	11	31	47	58	58	58
65+	16	48.9	701	14	24	41	80	94	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	5.7	22	1	1	4	6	12	16	23
B. *Operated*	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	346	9.0	50	1	2	7	12	18	24	32
B. *Operated*	44	31.2	530	9	9	27	44	82	95	99+
1. SINGLE DX	336	5.7	22	1	1	4	6	12	16	23
2. MULTIPLE DX	390	11.6	157	2	2	8	15	26	33	69
A. NOT OPERATED	680	7.4	39	1	2	6	10	16	20	30
B. OPERATED	46	31.0	560	8	9	26	43	81	95	99+
TOTAL 0-19 YRS	225	6.0	25	1	2	4	6	14	16	24
20-34	215	5.9	26	1	1	5	8	12	15	27
35-49	92	9.2	56	1	2	7	13	19	26	73
50-64	73	12.2	135	2	3	9	15	25	40	58
65+	121	17.2	297	2	4	12	23	33	59	96
GRAND TOTAL	**726**	**8.9**	**103**	**1**	**2**	**6**	**11**	**18**	**26**	**60**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	8.3	31	2	2	7	11	14	20	26
20-34	156	6.8	17	2	2	6	9	12	15	19
35-49	184	7.4	20	2	3	7	9	12	16	26
50-64	325	8.5	27	3	3	7	11	16	20	26
65+	396	9.7	42	2	3	8	12	17	22	34
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	3.3	2	2	2	3	4	6	6	6
35-49	9	9.1	35	3	4	8	11	19	20	20
50-64	20	5.0	4	2	2	5	7	8	8	8
65+	33	10.3	182	2	3	6	12	21	22	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	7.6	39	1	2	6	10	16	21	32
20-34	235	9.2	104	1	2	7	11	16	25	64
35-49	369	9.0	40	2	3	8	11	15	20	33
50-64	892	10.5	65	3	3	9	13	19	24	44
65+	1515	12.5	115	3	4	10	15	24	35	99+
B. *Operated*										
0-19 YRS	6	13.7	79	6	6	9	24	26	26	26
20-34	82	13.4	158	3	4	9	15	37	44	89
35-49	96	19.4	263	3	5	15	25	39	56	99
50-64	178	21.6	343	3	5	17	31	54	85	99+
65+	266	24.9	465	4	5	20	39	84	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1253	8.5	31	2	3	7	11	15	19	28
B. *Operated*	70	7.9	97	2	2	5	8	17	21	66
2. MULTIPLE DX										
A. *Not Operated*	3127	11.1	90	2	3	9	14	21	28	66
B. *Operated*	628	21.5	369	3	5	17	30	58	90	99+
1. SINGLE DX	1323	8.4	35	2	3	7	11	16	20	28
2. MULTIPLE DX	3755	12.8	152	3	4	9	15	26	41	99+
A. NOT OPERATED	4380	10.3	75	2	3	8	13	19	25	56
B. OPERATED	698	20.2	358	3	4	15	28	54	86	99+
TOTAL 0-19 YRS	315	8.1	35	1	2	7	11	15	21	28
20-34	480	9.0	89	2	2	7	11	16	25	64
35-49	658	10.0	82	2	3	8	12	19	26	55
50-64	1415	11.3	106	3	3	8	14	22	30	72
65+	2210	13.5	163	3	4	10	16	28	43	99+
GRAND TOTAL	**5078**	**11.7**	**125**	**2**	**3**	**9**	**14**	**23**	**34**	**88**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	4.3	9	1	1	4	6	8	8	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.1	8	1	1	4	6	8	10	10
20-34	52	3.8	5	1	1	4	5	7	8	9
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	14	3.0	2	<1	1	3	4	4	5	5
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	39	5.9	6	<1	2	6	7	8	10	12
35-49	12	7.3	13	<1	3	7	8	13	14	14
50-64										
65+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.9	6	1	1	3	5	7	8	8
B. *Operated*	64	3.9	5	1	1	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	22	3.1	2	1	1	3	4	5	6	7
B. *Operated*	56	6.2	9	<1	1	6	8	9	13	14
1. SINGLE DX	72	3.9	5	1	1	4	5	7	8	10
2. MULTIPLE DX	78	5.3	9	<1	1	5	7	8	11	14
A. NOT OPERATED	30	3.3	3	1	1	3	4	6	7	8
B. OPERATED	120	5.0	8	1	1	5	7	8	10	14
TOTAL 0-19 YRS	20	3.6	6	1	1	2	5	7	9	10
20-34	109	4.5	6	1	1	5	6	8	8	11
35-49	20	6.2	11	1	2	6	8	11	13	14
50-64										
65+	1	14.0		14	14	14	14	14	14	14
GRAND TOTAL	**150**	**4.6**	**7**	**1**	**1**	**5**	**6**	**8**	**9**	**14**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	4.1	9	<1	1	4	6	9	10	11
20-34	35	5.0	16	1	1	4	7	8	13	18
35-49	25	4.4	18	1	1	2	6	9	13	19
50-64	30	4.1	9	1	1	3	5	8	12	13
65+	68	7.0	43	1	2	5	9	19	23	26
B. Operated										
0-19 YRS	7	5.6	25	1	1	5	6	14	16	16
20-34	9	8.9	64	2	2	8	11	21	28	28
35-49	3	13.0	147	2	2	11	22	26	26	26
50-64	4	6.0	1	5	5	6	7	7	7	7
65+	3	6.3	4	4	4	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	5.1	20	1	1	4	7	12	15	22
20-34	75	5.7	29	1	1	4	7	15	19	23
35-49	81	5.6	23	1	1	4	8	12	16	21
50-64	106	6.3	24	1	1	5	9	13	16	26
65+	228	8.8	103	1	2	6	10	17	26	69
B. Operated										
0-19 YRS	8	11.4	42	3	4	11	19	69	99+	99+
20-34	16	11.2	66	2	3	9	14	25	29	30
35-49	13	11.8	62	1	1	10	16	21	28	30
50-64	22	13.5	94	4	4	11	19	29	34	40
65+	26	21.7	356	3	6	18	24	57	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	209	5.2	23	1	1	4	7	10	15	25
B. Operated	26	7.7	44	1	2	6	8	16	26	28
2. MULTIPLE DX										
A. Not Operated	559	7.0	58	1	1	5	9	15	19	43
B. Operated	85	15.1	174	3	4	13	20	30	43	99+
1. SINGLE DX	235	5.5	26	1	1	4	7	11	17	26
2. MULTIPLE DX	644	8.0	81	1	1	6	10	17	23	62
A. NOT OPERATED	768	6.5	49	1	1	5	8	14	19	32
B. OPERATED	111	13.4	152	2	3	10	19	28	35	99+
TOTAL 0-19 YRS	135	5.1	19	1	1	4	7	11	15	34
20-34	135	6.4	35	1	1	4	8	14	19	28
35-49	122	6.2	33	1	1	4	9	14	19	27
50-64	162	6.8	37	1	2	5	9	14	19	30
65+	325	9.4	122	1	2	6	11	20	27	94
GRAND TOTAL	**879**	**7.4**	**67**	**1**	**1**	**5**	**9**	**16**	**21**	**45**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	14.7	189	5	5	9	17	39	44	44
20-34										
35-49										
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	15	15.7	469	3	4	7	14	30	73	88
B. Operated										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	1	18.0		18	18	18	18	18	18	18
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	7.2	48	2	2	4	10	18	25	27
20-34	7	7.7	24	1	1	10	11	13	14	14
35-49	5	10.4	32	4	4	12	15	17	17	17
50-64	22	13.3	39	4	5	13	17	21	24	28
65+	52	18.2	116	4	5	17	28	36	43	99+
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	26.8	196	15	15	22	35	47	47	47
35-49	5	22.2	561	1	1	12	33	62	62	62
50-64	2	16.0	392	2	2	16	30	30	30	30
65+	13	25.3	282	7	11	20	32	54	64	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	14.9	326	4	4	8	14	32	53	88
B. Operated	5	10.0	44	4	4	8	16	18	18	18
2. MULTIPLE DX										
A. Not Operated	104	14.2	97	2	4	12	20	31	36	99+
B. Operated	25	23.6	289	2	6	20	30	51	63	66
1. SINGLE DX	31	14.1	281	4	4	8	14	31	43	88
2. MULTIPLE DX	129	16.0	146	2	4	14	22	32	43	99+
A. NOT OPERATED	130	14.3	141	3	4	11	20	31	37	99+
B. OPERATED	30	21.4	272	2	4	17	24	49	62	66
TOTAL 0-19 YRS	28	9.8	99	2	2	6	11	25	33	44
20-34	13	13.3	149	1	2	10	16	29	44	47
35-49	11	16.5	272	1	3	12	18	39	60	62
50-64	27	12.9	52	3	4	12	17	21	28	30
65+	81	18.9	207	4	5	16	27	36	56	99+
GRAND TOTAL	**160**	**15.7**	**171**	**3**	**4**	**12**	**21**	**32**	**43**	**98**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	12.0	58	1	4	13	14	21	24	44
20-34	16	17.4	71	9	9	16	19	29	38	42
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	4	7.8	2	6	6	8	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	13.9	84	2	5	14	17	23	28	57
20-34	26	11.1	52	1	4	9	14	17	27	37
35-49	3	9.0	63	3	3	6	15	18	18	18
50-64										
65+										
B. *Operated*										
0-19 YRS	5	20.8	161	11	11	17	24	43	43	43
20-34	8	14.1	26	8	8	13	19	21	21	21
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	13.1	64	2	5	13	16	21	25	45
B. *Operated*	5	10.2	31	6	6	8	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	106	13.0	77	3	4	13	16	21	27	49
B. *Operated*	13	16.7	80	8	9	15	19	26	40	43
1. SINGLE DX	80	12.9	62	2	5	13	16	21	24	45
2. MULTIPLE DX	119	13.4	78	3	4	13	17	21	28	50
A. NOT OPERATED	181	13.1	71	3	4	13	16	21	26	45
B. OPERATED	18	14.9	73	7	8	13	18	21	34	43
TOTAL 0-19 YRS	141	13.4	77	2	5	14	16	22	26	48
20-34	54	13.2	58	4	6	12	16	21	29	42
35-49	4	8.8	42	3	3	7	13	18	18	18
50-64										
65+										
GRAND TOTAL	**199**	**13.2**	**71**	**3**	**5**	**13**	**16**	**21**	**26**	**45**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	8.2	33	1	2	9	10	14	20	26
20-34	6	14.0	34	6	6	14	18	22	22	22
35-49	6	18.3	266	2	3	12	32	43	44	44
50-64	3	6.3	5	5	5	5	8	9	9	9
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	7	10.6	14	7	7	9	13	16	17	17
20-34	95	8.6	3	6	7	8	9	11	13	14
35-49	45	8.5	2	7	7	8	9	10	11	12
50-64	7	8.9	3	6	6	10	10	11	11	11
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	7.9	33	2	2	6	11	17	20	22
20-34	28	7.4	41	<1	<1	5	13	18	19	22
35-49	40	11.9	166	2	2	7	14	33	43	56
50-64	24	10.4	56	2	2	7	16	22	24	25
65+	27	15.9	155	2	3	14	25	37	41	45
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	67	9.7	15	6	7	9	10	13	14	32
35-49	69	11.3	40	6	7	9	12	21	24	39
50-64	21	15.4	187	4	6	9	15	38	51	55
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	10.4	77	2	2	9	12	21	30	44
B. *Operated*	155	8.7	4	6	7	8	9	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	144	10.8	105	1	2	7	15	23	33	50
B. *Operated*	159	11.2	51	6	7	9	11	16	25	47
1. SINGLE DX	193	9.0	18	4	6	8	10	12	14	29
2. MULTIPLE DX	303	11.0	76	2	3	9	13	22	28	49
A. NOT OPERATED	182	10.8	99	1	2	8	15	23	32	48
B. OPERATED	314	10.0	29	6	7	9	10	13	17	37
TOTAL 0-19 YRS	54	8.5	31	2	2	8	11	17	19	26
20-34	196	9.0	15	3	6	9	10	13	15	22
35-49	160	10.9	71	3	4	9	11	19	32	49
50-64	55	11.9	102	2	4	9	14	23	30	55
65+	31	14.8	145	2	3	12	22	33	40	45
GRAND TOTAL	**496**	**10.3**	**55**	**2**	**4**	**9**	**11**	**17**	**24**	**45**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	6.7	135	1	1	4	6	14	18	78
20-34	15	6.7	116	<1	<1	2	9	14	35	42
35-49	7	6.7	6	4	4	7	8	10	11	11
50-64	16	9.5	88	1	2	6	12	24	33	36
65+	12	5.2	29	1	1	3	8	15	16	16
B. *Operated*										
0-19 YRS	14	4.8	18	1	1	3	7	11	15	16
20-34	58	5.9	15	1	2	5	7	10	17	19
35-49	63	4.3	7	1	1	4	5	8	10	12
50-64	29	5.6	25	<1	1	5	6	14	17	21
65+	6	12.0	84	1	1	11	19	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	6.2	33	1	1	4	8	14	18	28
20-34	34	6.8	11	1	2	7	10	12	13	13
35-49	42	7.4	54	1	2	5	8	14	29	33
50-64	38	11.1	87	1	2	9	13	24	35	41
65+	62	14.2	104	4	5	11	18	28	43	93
B. *Operated*										
0-19 YRS	20	10.1	29	3	4	9	14	19	20	20
20-34	96	8.6	141	3	3	5	7	14	27	75
35-49	101	7.8	104	1	3	6	8	13	16	62
50-64	60	9.6	48	3	3	7	14	19	23	31
65+	27	10.2	42	2	3	10	14	20	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	6.9	101	1	1	4	7	14	22	60
B. *Operated*	170	5.4	18	1	1	4	7	10	16	21
2. MULTIPLE DX										
A. *Not Operated*	252	9.2	69	1	2	7	11	19	28	44
B. *Operated*	304	8.8	94	3	3	6	10	17	21	70
1. SINGLE DX	270	6.0	49	1	1	4	7	12	17	35
2. MULTIPLE DX	556	9.0	83	2	3	7	11	18	27	48
A. NOT OPERATED	352	8.6	79	1	2	6	10	18	28	44
B. OPERATED	474	7.6	69	1	2	5	8	15	19	40
TOTAL 0-19 YRS	160	6.7	64	1	1	4	8	15	19	30
20-34	203	7.4	82	1	2	5	7	13	18	45
35-49	213	6.7	64	1	2	5	8	11	15	32
50-64	143	9.2	60	1	2	7	13	19	25	36
65+	107	12.1	86	2	3	10	17	27	34	99+
GRAND TOTAL	**826**	**8.0**	**74**	**1**	**2**	**6**	**9**	**17**	**21**	**43**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.2	69	2	2	3	8	21	21	21
35-49	23	3.9	4	1	2	3	5	8	8	8
50-64	20	6.0	23	<1	1	4	9	14	16	17
65+	65	6.4	41	2	2	5	7	11	17	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	4	14.3	122	2	2	13	22	28	28	28
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	7.1	15	3	3	6	11	13	13	13
35-49	19	6.2	41	1	2	3	9	13	22	28
50-64	45	6.9	24	2	2	6	8	13	18	24
65+	134	10.3	101	2	3	7	11	22	27	61
B. *Operated*										
0-19 YRS										
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49										
50-64	6	7.2	12	2	2	7	10	12	12	12
65+	18	18.4	295	1	2	17	23	37	57	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.8	32	1	2	4	7	11	16	31
B. *Operated*	7	8.9	106	<1	<1	2	15	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	205	9.1	78	2	3	7	10	20	24	52
B. *Operated*	26	15.2	230	2	2	10	22	34	44	70
1. SINGLE DX	120	6.0	36	1	2	4	7	12	17	33
2. MULTIPLE DX	231	9.8	98	2	3	7	11	22	27	61
A. NOT OPERATED	318	7.9	64	2	2	6	9	16	23	45
B. OPERATED	33	13.8	206	1	2	10	20	30	38	70
TOTAL 0-19 YRS										
20-34	14	7.1	31	2	2	5	12	14	19	21
35-49	44	4.8	21	1	2	3	6	9	12	28
50-64	75	7.0	29	2	2	6	9	14	17	27
65+	218	9.8	107	2	3	6	11	22	27	62
GRAND TOTAL	**351**	**8.5**	**80**	**2**	**2**	**6**	**10**	**18**	**24**	**46**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.6	17	1	1	2	4	10	15	15
20-34	4	4.3	16	1	1	3	7	10	10	10
35-49	7	3.3	7	1	1	3	3	8	9	9
50-64	12	5.4	16	1	1	4	9	11	13	13
65+	52	8.0	34	2	2	6	10	15	22	26
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	5.4	33	1	1	4	6	11	17	33
20-34	33	5.6	34	1	2	4	6	11	12	34
35-49	46	4.4	13	1	1	4	5	8	10	21
50-64	115	8.3	40	2	2	7	10	17	21	62
65+	458	11.8	120	3	3	8	15	25	39	96
B. *Operated*										
0-19 YRS	3	24.7	101	14	14	26	32	34	34	34
20-34	7	14.6	319	3	4	8	14	46	54	54
35-49	3	14.3	17	11	11	13	17	19	19	19
50-64	20	14.6	293	1	1	8	21	37	56	65
65+	42	22.2	314	2	5	20	32	58	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	6.5	29	1	1	5	9	13	17	26
B. *Operated*	2	14.5	41	10	10	14	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	727	9.9	95	2	2	7	12	20	30	72
B. *Operated*	75	19.2	293	2	2	15	28	55	77	99+
1. SINGLE DX	88	6.7	30	1	1	5	9	14	19	26
2. MULTIPLE DX	802	10.7	121	2	2	7	14	23	36	99+
A. NOT OPERATED	813	9.5	89	2	2	7	12	20	28	69
B. OPERATED	77	19.1	287	2	2	15	27	54	75	99+
TOTAL 0-19 YRS	89	5.8	45	1	1	4	6	14	20	36
20-34	45	7.0	81	1	2	5	8	11	20	54
35-49	56	4.8	18	1	1	4	6	9	15	21
50-64	147	9.0	76	2	2	7	10	20	24	66
65+	553	12.3	135	2	3	9	15	27	42	99+
GRAND TOTAL	**890**	**10.3**	**113**	**2**	**2**	**7**	**13**	**22**	**33**	**92**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	5.8	8	1	2	6	8	10	11	12
20-34	6	6.5	28	2	2	4	9	15	16	16
35-49	15	5.2	14	<1	1	4	7	12	13	13
50-64	22	7.1	21	1	2	6	9	15	16	16
65+	66	7.6	38	1	2	6	10	15	22	28
B. *Operated*										
0-19 YRS	6	4.3	16	1	1	3	5	11	12	12
20-34	3	10.0	21	6	6	9	13	15	15	15
35-49	4	7.8	11	4	4	8	10	11	11	11
50-64	12	13.8	40	4	4	14	17	21	26	27
65+	12	12.0	31	2	5	12	16	19	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	8.3	36	2	3	6	11	15	19	31
20-34	23	6.6	70	1	1	3	8	15	29	36
35-49	54	5.8	20	1	1	4	9	12	13	24
50-64	73	7.7	38	1	2	6	10	15	21	33
65+	287	10.7	73	2	3	8	13	21	27	45
B. *Operated*										
0-19 YRS	4	17.8	224	3	3	17	30	33	33	33
20-34	10	10.9	63	1	2	11	14	21	28	28
35-49	31	12.0	53	2	3	11	17	21	24	32
50-64	38	16.2	98	5	7	14	23	35	39	99+
65+	117	16.9	115	5	7	15	20	31	38	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	6.6	23	1	2	6	9	13	15	26
B. *Operated*	37	10.7	37	2	3	11	15	18	21	27
2. MULTIPLE DX										
A. *Not Operated*	518	9.2	59	1	2	7	12	19	24	37
B. *Operated*	200	15.7	104	3	6	14	20	30	38	57
1. SINGLE DX	207	7.3	28	1	2	6	10	15	17	27
2. MULTIPLE DX	718	11.0	80	2	3	9	14	22	30	45
A. NOT OPERATED	688	8.5	52	1	2	7	11	17	22	35
B. OPERATED	237	15.0	97	3	5	13	19	29	37	56
TOTAL 0-19 YRS	152	7.4	32	2	2	6	9	14	18	33
20-34	42	7.8	60	1	2	5	11	15	26	36
35-49	104	7.6	36	1	2	6	11	15	20	28
50-64	145	10.3	66	1	2	8	14	23	30	41
65+	482	11.8	87	2	3	9	15	23	30	50
GRAND TOTAL	**925**	**10.2**	**71**	**2**	**2**	**8**	**13**	**21**	**28**	**40**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	9	1	1	3	5	9	9	9
20-34	5	4.8	10	1	1	6	7	8	8	8
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.2	38	1	1	6	9	13	21	28
20-34	4	10.0	118	2	2	7	18	25	25	25
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	10.5	1	10	10	10	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.2	7	1	1	4	6	8	9	9
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	27	7.9	43	1	1	6	10	14	25	28
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	14	4.3	6	1	1	4	6	8	9	9
2. MULTIPLE DX	28	7.8	42	1	1	6	10	14	25	28
A. NOT OPERATED	40	6.7	34	1	1	5	9	12	19	28
B. OPERATED	2	4.5	1	4	4	4	5	5	5	5
TOTAL 0-19 YRS	26	6.5	32	1	1	5	9	13	17	28
20-34	10	6.9	51	1	1	5	8	18	25	25
35-49	4	5.0	9	2	2	4	7	9	9	9
50-64	2	10.5	1	10	10	10	11	11	11	11
65+										
GRAND TOTAL	**42**	**6.6**	**32**	**1**	**1**	**5**	**9**	**12**	**18**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.0	10	<1	<1	2	4	7	8	18
20-34	15	6.5	16	<1	2	7	8	10	15	17
35-49	16	5.3	20	<1	<1	4	8	12	14	15
50-64	38	5.0	22	<1	1	3	8	14	15	17
65+	131	7.2	79	<1	1	4	9	17	24	47
B. *Operated*										
0-19 YRS	10	8.7	24	1	3	8	11	16	20	20
20-34	10	8.8	14	2	3	9	10	14	16	16
35-49	11	8.8	12	2	4	9	11	14	14	14
50-64	12	12.4	69	5	5	10	16	23	33	35
65+	30	12.8	65	2	3	12	16	27	34	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.6	18	1	1	3	7	10	12	22
20-34	23	7.5	67	1	1	5	10	17	26	34
35-49	48	5.5	16	<1	1	4	8	12	13	15
50-64	118	8.3	92	<1	1	6	12	17	21	56
65+	435	10.2	101	1	2	7	13	21	29	53
B. *Operated*										
0-19 YRS	9	10.8	65	1	1	10	15	23	26	26
20-34	20	14.2	128	3	5	11	18	30	43	46
35-49	26	13.8	86	4	5	14	17	28	35	38
50-64	46	13.5	88	3	4	10	19	30	36	99+
65+	159	18.8	237	5	6	15	24	41	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	5.7	49	<1	<1	3	8	14	17	35
B. *Operated*	73	11.0	47	2	5	10	14	20	27	84
2. MULTIPLE DX										
A. *Not Operated*	688	8.9	88	1	1	6	12	19	27	48
B. *Operated*	260	16.8	187	4	5	14	22	37	48	99+
1. SINGLE DX	336	6.9	54	<1	1	5	9	15	20	36
2. MULTIPLE DX	948	11.1	127	1	2	8	14	25	34	75
A. NOT OPERATED	951	8.0	79	1	1	5	11	17	24	45
B. OPERATED	333	15.5	162	4	5	12	20	34	47	99+
TOTAL 0-19 YRS	146	4.5	22	<1	1	3	7	10	13	23
20-34	68	9.4	74	1	1	7	12	18	23	45
35-49	101	8.0	47	<1	1	6	11	15	21	36
50-64	214	9.1	85	<1	1	7	13	19	28	57
65+	755	11.6	139	1	2	8	15	26	37	93
GRAND TOTAL	**1284**	**10.0**	**111**	**1**	**1**	**7**	**13**	**22**	**31**	**64**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	12	1	1	3	5	11	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.7	2	3	3	5	6	6	6	6
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.4	140	1	1	4	9	15	37	54
20-34	10	3.1	3	<1	<1	3	4	5	6	6
35-49	3	7.3	10	5	5	6	10	11	11	11
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	3	8.0	28	4	4	6	12	14	14	14
B. *Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	1	26.0		26	26	26	26	26	26	26
50-64	2	15.5	1	15	15	15	16	16	16	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.0	9	1	1	3	5	8	11	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	37	6.8	78	1	1	4	7	13	15	54
B. *Operated*	4	20.8	37	15	15	21	26	26	26	26
1. SINGLE DX	20	4.0	9	1	1	3	5	8	11	12
2. MULTIPLE DX	41	8.1	90	1	2	5	10	16	26	54
A. NOT OPERATED	57	5.8	55	1	1	4	6	12	14	51
B. OPERATED	4	20.8	37	15	15	21	26	26	26	26
TOTAL 0-19 YRS	34	6.4	86	1	1	4	6	12	15	54
20-34	12	5.0	46	<1	1	3	4	12	24	26
35-49	7	8.9	63	3	3	6	10	23	26	26
50-64	4	11.5	22	7	7	11	15	16	16	16
65+	4	7.0	23	4	4	5	10	14	14	14
GRAND TOTAL	**61**	**6.8**	**67**	**1**	**1**	**4**	**7**	**14**	**21**	**51**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	5.9	24	1	2	5	7	12	14	29
20-34	9	3.6	7	<1	<1	3	5	8	8	8
35-49	20	4.0	12	<1	1	3	6	10	11	11
50-64	22	5.9	24	1	2	4	7	13	17	22
65+	28	5.5	19	1	1	5	8	10	13	20
B. *Operated*										
0-19 YRS	30	9.9	176	3	3	7	10	12	22	77
20-34	29	8.1	50	1	2	7	9	12	15	40
35-49	12	8.9	12	4	5	8	12	14	14	14
50-64	19	9.9	24	3	5	9	14	17	18	18
65+	22	12.1	58	2	3	12	15	24	27	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.8	19	2	2	4	8	11	13	26
20-34	27	7.0	32	2	2	6	8	14	19	28
35-49	32	7.2	35	1	2	6	9	15	20	27
50-64	58	7.4	26	1	2	6	10	14	17	25
65+	115	13.9	222	2	2	9	17	28	49	75
B. *Operated*										
0-19 YRS	32	11.0	83	2	3	9	15	23	27	44
20-34	33	13.2	165	3	4	10	13	26	50	57
35-49	16	10.4	34	3	4	8	15	19	20	20
50-64	48	14.9	171	4	5	11	18	28	31	85
65+	77	15.7	148	3	5	12	19	33	39	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	5.5	21	1	1	4	7	11	14	25
B. *Operated*	112	9.8	76	2	3	8	12	16	22	54
2. MULTIPLE DX										
A. *Not Operated*	320	9.2	108	2	2	6	11	19	27	63
B. *Operated*	206	14.0	139	3	4	10	16	28	38	80
1. SINGLE DX	309	7.1	45	1	2	6	9	13	16	31
2. MULTIPLE DX	526	11.1	125	2	2	8	14	24	29	67
A. NOT OPERATED	517	7.8	78	1	2	5	9	15	23	52
B. OPERATED	318	12.5	121	2	4	9	15	24	33	77
TOTAL 0-19 YRS	268	6.9	49	1	2	5	9	13	17	31
20-34	98	9.1	88	2	2	7	10	16	26	55
35-49	80	7.3	30	1	1	7	10	15	19	25
50-64	147	9.9	85	2	2	8	13	19	24	35
65+	242	13.4	168	2	2	9	17	28	39	77
GRAND TOTAL	**835**	**9.6**	**99**	**1**	**2**	**7**	**12**	**19**	**28**	**58**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	2.0	1	1	1	2	3	3	4	6
20-34	47	2.0	1	<1	1	2	3	4	4	5
35-49	8	2.6	3	1	1	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	134	4.3	3	2	3	4	5	6	8	10
20-34	28	4.5	2	3	3	4	5	7	7	8
35-49	3	5.3	4	3	3	6	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	2.4	2	1	1	2	3	4	5	7
20-34	11	3.5	10	1	1	3	5	9	10	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	4.0	17	1	1	3	4	11	13	13
B. *Operated*										
0-19 YRS	54	5.1	7	2	3	4	6	7	12	15
20-34	12	7.4	68	3	3	5	7	16	30	33
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	2.0	1	1	1	2	3	4	4	6
B. *Operated*	166	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	122	2.6	4	1	1	2	3	4	6	11
B. *Operated*	67	5.5	18	2	3	4	6	8	13	30
1. SINGLE DX	625	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	189	3.6	11	1	1	3	4	7	8	15
A. NOT OPERATED	581	2.1	2	1	1	2	3	4	5	8
B. OPERATED	233	4.7	7	2	3	4	5	7	8	15
TOTAL 0-19 YRS	692	2.7	3	1	1	2	4	5	6	9
20-34	98	3.6	13	1	1	3	5	6	8	22
35-49	12	3.3	4	1	1	3	5	6	7	7
50-64	4	3.8	10	1	1	3	6	8	8	8
65+	8	4.1	14	1	1	3	4	11	13	13
GRAND TOTAL	**814**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.9	14	1	1	4	6	11	14	16
20-34	10	4.0	2	2	2	4	5	6	6	6
35-49										
50-64	3	2.7	4	1	1	2	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	20	5.0	38	1	1	3	5	14	21	25
20-34	14	3.1	4	<1	<1	3	4	6	7	8
35-49	5	3.0	4	<1	<1	2	4	6	6	6
50-64	4	2.0	1	<1	<1	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.1	10	1	1	4	7	10	11	13
20-34	5	5.4	9	2	2	4	8	9	9	9
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	4	7.8	148	<1	<1	2	14	26	26	26
B. *Operated*										
0-19 YRS	15	5.1	15	<1	2	4	8	11	13	14
20-34	11	4.7	22	<1	1	3	6	12	17	17
35-49	5	3.0	2	<1	<1	3	4	5	5	5
50-64	4	7.8	32	2	2	7	12	14	14	14
65+	3	6.3	6	4	4	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.6	11	1	2	4	5	9	12	16
B. *Operated*	43	3.8	20	<1	1	2	4	7	13	25
2. MULTIPLE DX										
A. *Not Operated*	50	5.3	18	1	1	4	7	10	11	26
B. *Operated*	38	5.1	16	<1	1	4	7	11	14	17
1. SINGLE DX	88	4.2	15	<1	1	3	5	8	12	22
2. MULTIPLE DX	88	5.2	17	1	1	4	7	11	13	23
A. NOT OPERATED	95	5.0	14	1	2	4	6	10	12	21
B. OPERATED	81	4.4	19	<1	1	3	5	10	14	23
TOTAL 0-19 YRS	104	5.0	17	1	1	4	7	10	13	21
20-34	40	4.1	9	<1	1	3	5	8	9	17
35-49	12	3.6	4	<1	<1	3	5	7	8	8
50-64	13	4.2	15	<1	1	3	4	12	14	14
65+	7	7.1	77	<1	<1	4	8	23	26	26
GRAND TOTAL	**176**	**4.7**	**16**	**<1**	**1**	**4**	**6**	**10**	**13**	**23**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	11.7	191	1	1	5	20	34	36	36
20-34	21	11.7	111	1	2	10	16	28	36	38
35-49	4	4.3	6	<1	<1	4	6	7	7	7
50-64	2	36.0	2450	1	1	36	71	71	71	71
65+	10	10.0	114	3	3	5	12	28	36	36
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	6.0	86	1	1	2	7	23	26	26
20-34	11	12.5	113	3	3	11	21	56	94	99+
35-49	15	12.3	231	1	2	10	14	20	52	63
50-64	13	12.3	119	3	3	8	18	33	35	35
65+	52	15.3	336	2	3	10	16	32	60	89
B. Operated										
0-19 YRS										
20-34	1	72.0		72	72	72	72	72	72	72
35-49	1	29.0		29	29	29	29	29	29	29
50-64	1	92.0		92	92	92	92	92	92	92
65+	3	27.0	268	9	9	36	70	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	11.7	193	1	1	5	15	34	37	71
B. Operated										
2. MULTIPLE DX										
A. Not Operated	98	13.5	248	1	2	9	15	32	58	95
B. Operated	6	45.7	940	9	13	41	87	98	99+	99+
1. SINGLE DX	43	11.7	193	1	1	5	15	34	37	71
2. MULTIPLE DX	104	15.3	336	2	2	10	18	37	74	99+
A. NOT OPERATED	141	13.0	231	1	2	8	15	33	45	90
B. OPERATED	6	45.7	940	9	13	41	87	98	99+	99+
TOTAL 0-19 YRS	13	8.6	131	1	1	2	12	28	34	36
20-34	33	13.8	214	2	3	11	18	37	65	99+
35-49	20	11.5	198	<1	1	6	14	24	46	63
50-64	16	20.3	690	2	3	8	25	67	86	92
65+	65	15.1	303	2	3	10	16	36	64	98
GRAND TOTAL	**147**	**14.3**	**295**	**1**	**2**	**9**	**18**	**36**	**63**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.5	31	1	1	2	3	6	19	23
20-34	27	9.7	105	<1	1	5	10	27	29	37
35-49	11	11.8	297	1	2	6	13	33	60	62
50-64	21	10.9	236	<1	1	5	15	23	44	69
65+	212	17.4	359	2	3	12	26	71	99+	99+
B. Operated										
0-19 YRS										
20-34	1	50.0		50	50	50	50	50	50	50
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	12.5	187	3	3	8	22	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	10.1	95	1	1	7	16	26	28	28
20-34	34	13.2	261	2	3	8	14	36	73	99+
35-49	31	26.5	742	2	2	19	49	89	98	99+
50-64	85	21.1	289	4	6	17	26	41	71	94
65+	534	22.5	449	3	4	16	37	78	99+	99+
B. Operated										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	2	22.0	98	15	15	29	82	99+	99+	99+
50-64	5	31.6	1015	9	10	34	96	99+	99+	99+
65+	33	33.1	521	5	8	36	69	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	286	15.2	319	1	2	10	22	47	97	99+
B. Operated	6	17.0	391	2	2	8	32	48	50	50
2. MULTIPLE DX										
A. Not Operated	698	21.8	432	3	4	15	34	75	99+	99+
B. Operated	41	31.9	534	6	9	34	80	99+	99+	99+
1. SINGLE DX	292	15.3	320	1	2	10	23	49	97	99+
2. MULTIPLE DX	739	22.4	442	3	4	16	36	78	99+	99+
A. NOT OPERATED	984	19.9	408	2	3	14	29	71	99+	99+
B. OPERATED	47	30.0	532	3	6	32	67	99+	99+	99+
TOTAL 0-19 YRS	29	6.7	71	1	1	3	8	24	26	28
20-34	63	12.3	209	1	2	7	15	31	52	97
35-49	44	22.7	630	2	2	14	44	88	99+	99+
50-64	112	19.5	323	2	3	15	25	43	80	99+
65+	783	21.5	436	3	4	15	36	79	99+	99+
GRAND TOTAL	**1031**	**20.4**	**417**	**2**	**3**	**14**	**31**	**75**	**99+**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	45.3	1161	17	17	35	68	94	94	94
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	35.0		35	35	35	35	35	35	35
65+	32	18.2	306	3	4	15	36	98	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	38.0		38	38	38	38	38	38	38
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	45.3	1161	17	17	35	68	94	94	94
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	18.4	300	3	4	15	35	94	99+	99+
B. *Operated*	1	38.0		38	38	99+	99+	99+	99+	99+
1. SINGLE DX	4	45.3	1161	17	17	35	68	94	94	94
2. MULTIPLE DX	35	18.9	302	3	4	16	39	99+	99+	99+
A. NOT OPERATED	38	21.2	431	3	4	16	38	96	99+	99+
B. OPERATED	1	38.0		38	38	99+	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	36.5	5	35	35	36	38	38	38	38
65+	36	21.2	445	3	4	17	42	99+	99+	99+
GRAND TOTAL	**39**	**21.6**	**427**	**3**	**4**	**17**	**42**	**99+**	**99+**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	12	1	1	1	4	9	9	9
20-34	60	4.5	18	1	1	3	6	8	12	25
35-49	94	5.1	18	1	1	4	7	10	15	21
50-64	65	7.4	72	1	2	5	7	17	29	92
65+	17	9.5	188	1	2	7	12	84	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	3	1	1	2	4	5	6	6
20-34	136	5.4	34	1	1	4	6	11	16	31
35-49	227	7.1	82	1	2	5	8	14	20	48
50-64	218	9.5	84	2	2	8	12	20	32	99+
65+	94	14.7	279	2	3	9	17	38	63	95
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	16.0	129	2	2	14	28	31	33	33
50-64	16	23.1	260	6	10	19	27	48	59	63
65+	5	29.2	212	12	13	41	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	5.8	46	1	1	4	7	12	18	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	685	8.5	107	1	2	5	10	18	28	76
B. *Operated*	32	21.3	221	3	4	19	35	63	99+	99+
1. SINGLE DX	241	5.8	46	1	1	4	7	12	18	99+
2. MULTIPLE DX	717	9.1	118	1	2	6	11	21	33	91
A. NOT OPERATED	926	7.8	92	1	2	5	9	17	27	80
B. OPERATED	32	21.3	221	3	4	19	35	63	99+	99+
TOTAL 0-19 YRS	15	2.9	5	1	1	2	4	6	8	9
20-34	197	5.1	29	1	1	3	6	10	15	29
35-49	331	6.8	68	1	2	4	8	14	20	35
50-64	299	9.8	100	2	2	7	12	23	34	99+
65+	116	14.6	272	2	3	9	20	49	93	99+
GRAND TOTAL	**958**	**8.3**	**102**	**1**	**2**	**5**	**9**	**19**	**30**	**97**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	12.2	284	1	1	8	12	40	55	59
20-34	28	10.9	185	<1	<1	6	13	36	46	47
35-49	7	9.0	70	1	1	4	16	21	22	22
50-64	6	6.0	4	2	2	6	7	8	8	8
65+	7	19.1	255	4	5	13	30	45	47	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	19.1	442	1	2	14	24	48	74	76
20-34	44	10.3	226	<1	1	6	12	22	33	89
35-49	17	7.7	109	1	1	4	10	23	35	40
50-64	20	14.7	141	1	2	13	16	35	39	42
65+	31	11.5	95	1	2	8	16	25	32	44
B. *Operated*										
0-19 YRS										
20-34	3	14.7	100	5	5	19	62	99+	99+	99+
35-49	3	33.7	585	15	15	25	52	61	61	61
50-64	1	23.0		23	23	23	23	23	23	23
65+	3	37.7	220	25	25	34	49	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	11.4	184	<1	1	7	13	35	46	58
B. *Operated*	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	123	11.8	185	1	1	7	14	27	38	79
B. *Operated*	10	28.1	305	5	10	25	49	77	98	99+
1. SINGLE DX	62	11.5	181	<1	1	7	14	35	46	58
2. MULTIPLE DX	133	13.0	210	1	1	8	16	32	43	91
A. NOT OPERATED	184	11.7	184	1	1	7	14	30	41	70
B. OPERATED	11	26.9	290	6	11	25	44	73	96	99+
TOTAL 0-19 YRS	24	15.4	352	1	1	9	19	37	64	76
20-34	75	10.7	202	<1	1	6	13	28	45	97
35-49	27	10.9	196	1	1	4	15	25	43	61
50-64	28	13.1	117	2	2	10	15	32	37	42
65+	41	14.8	171	1	2	11	19	35	45	54
GRAND TOTAL	**195**	**12.5**	**201**	**1**	**1**	**8**	**15**	**32**	**44**	**83**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	35.5	505	4	10	34	46	63	80	87
20-34	225	21.1	386	2	3	15	28	53	69	99+
35-49	124	19.3	331	3	4	13	25	49	79	99+
50-64	79	17.4	190	1	2	15	24	45	63	99+
65+	19	20.6	277	1	3	17	32	57	80	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	22.8	253	1	2	29	35	59	92	99+
20-34	99	25.3	488	2	4	20	39	63	88	99+
35-49	98	21.0	237	3	5	18	29	40	51	75
50-64	41	20.7	332	3	5	17	21	48	71	80
65+	14	17.7	202	2	2	13	26	37	49	53
B. *Operated*										
0-19 YRS										
20-34	4	21.0	767	2	2	10	37	62	62	62
35-49	4	27.8	151	13	13	32	56	99+	99+	99+
50-64	2	37.5	1513	10	10	37	65	65	65	65
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	463	20.5	344	2	3	15	28	52	71	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	264	22.5	346	2	4	18	31	52	71	99+
B. *Operated*	10	27.0	515	2	5	24	57	79	98	99+
1. SINGLE DX	463	20.5	344	2	3	15	28	52	71	99+
2. MULTIPLE DX	274	22.6	351	2	4	18	31	53	71	99+
A. NOT OPERATED	727	21.2	345	2	4	16	29	52	71	99+
B. OPERATED	10	27.0	515	2	5	24	57	79	98	99+
TOTAL 0-19 YRS	28	30.0	425	1	4	31	44	62	88	99+
20-34	328	22.4	421	2	3	16	31	58	77	99+
35-49	226	20.2	287	3	4	15	28	44	62	99+
50-64	122	18.8	253	1	3	16	24	49	68	99+
65+	33	19.4	240	2	2	14	30	53	59	99+
GRAND TOTAL	**737**	**21.3**	**348**	**2**	**4**	**16**	**29**	**52**	**71**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	41.0	50	36	36	41	46	46	46	46
20-34	29	26.6	433	1	3	24	37	62	87	99+
35-49	7	19.0	159	4	5	15	28	37	39	39
50-64	7	25.9	382	11	12	20	24	60	69	69
65+	2	21.0	72	15	15	21	27	27	27	27
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	35.0	242	24	24	35	46	46	46	46
20-34	15	27.3	678	2	3	20	48	90	98	99+
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64	4	7.0	25	2	2	6	10	14	14	14
65+	1	22.0		22	22	22	22	22	22	22
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	25.7	356	2	5	23	35	59	71	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	21.6	522	1	1	15	36	63	94	99+
B. *Operated*	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	47	25.7	356	2	5	23	35	59	71	99+
2. MULTIPLE DX	26	21.2	507	1	1	14	33	62	94	99+
A. NOT OPERATED	72	24.3	411	1	3	20	36	60	83	99+
B. OPERATED	1	9.0		9	9	9	9	9	9	9
TOTAL 0-19 YRS	4	38.0	109	24	24	41	46	46	46	46
20-34	45	26.5	499	1	3	20	37	65	94	99+
35-49	10	14.4	166	1	1	11	24	34	39	39
50-64	11	19.0	327	2	4	15	22	42	67	69
65+	3	21.3	36	15	15	22	26	27	27	27
GRAND TOTAL	**73**	**24.1**	**408**	**1**	**3**	**20**	**36**	**59**	**82**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	24.7	409	1	2	22	45	85	99+	99+
20-34	555	20.6	377	2	3	15	31	55	76	99+
35-49	260	18.4	295	2	3	13	24	46	66	99+
50-64	135	19.2	333	2	3	13	25	47	56	88
65+	41	19.0	380	2	3	12	29	59	89	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	32.0	767	2	5	23	57	79	93	99+
20-34	354	22.1	380	2	3	18	30	53	75	99+
35-49	167	21.6	327	3	4	16	30	51	60	99
50-64	122	21.3	235	4	5	18	31	43	55	99+
65+	50	19.1	237	2	3	15	27	50	56	99+
B. *Operated*										
0-19 YRS	3	38.7	694	17	17	31	59	68	68	68
20-34	14	40.4	1021	5	8	33	98	99+	99+	99+
35-49	5	43.0	841	7	7	54	65	74	74	74
50-64	6	35.3	455	11	13	40	63	93	99+	99+
65+	1	10.0		10	10	55	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1044	20.0	353	2	3	14	29	52	75	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	735	22.2	361	2	4	17	31	52	70	99+
B. *Operated*	29	38.6	762	6	10	36	68	99+	99+	99+
1. SINGLE DX	1044	20.0	353	2	3	14	29	52	75	99+
2. MULTIPLE DX	764	22.9	385	2	4	18	32	56	75	99+
A. NOT OPERATED	1779	20.9	357	2	3	15	30	52	73	99+
B. OPERATED	29	38.6	762	6	10	36	68	99+	99+	99+
TOTAL 0-19 YRS	98	28.2	574	1	3	23	47	79	99+	99+
20-34	923	21.5	393	2	3	16	31	56	79	99+
35-49	432	19.9	319	2	4	15	28	50	66	99+
50-64	263	20.6	294	3	4	16	29	47	57	99
65+	92	19.0	296	2	3	13	28	54	81	99+
GRAND TOTAL	**1808**	**21.2**	**368**	**2**	**3**	**16**	**31**	**54**	**75**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	21.5	490	5	5	15	21	61	65	65
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	22.2	155	2	5	24	32	37	40	40
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	21.5	490	5	5	15	21	61	65	65
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	22.2	155	2	5	24	32	37	40	40
B. *Operated*										
1. SINGLE DX	6	21.5	490	5	5	15	21	61	65	65
2. MULTIPLE DX	10	22.2	155	2	5	24	32	37	40	40
A. NOT OPERATED	16	21.9	257	3	5	19	31	39	57	65
B. OPERATED										
TOTAL 0-19 YRS	16	21.9	257	3	5	19	31	39	57	65
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**16**	**21.9**	**257**	**3**	**5**	**19**	**31**	**39**	**57**	**65**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	10.1	93	1	2	7	13	18	35	43
20-34	243	14.3	211	1	2	10	20	34	43	91
35-49	324	15.5	185	2	3	12	21	33	46	82
50-64	317	20.3	268	3	4	16	28	44	58	99+
65+	241	20.2	223	3	5	16	27	43	52	71
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	36.0		36	36	36	36	36	36	36
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	12.0	181	1	2	6	16	35	38	51
20-34	260	21.5	365	3	4	15	31	48	59	86
35-49	305	19.6	261	3	4	15	26	45	58	91
50-64	360	23.2	293	4	6	20	32	49	70	99+
65+	359	20.5	267	3	5	17	29	45	68	99+
B. *Operated*										
0-19 YRS	1	60.0		60	60	60	60	60	60	60
20-34	14	48.5	698	7	17	56	73	91	98	99+
35-49	21	36.0	597	10	14	27	57	76	86	86
50-64	28	29.8	292	10	13	24	40	60	65	68
65+	43	38.4	329	16	17	38	54	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1152	17.4	227	2	3	14	25	38	50	85
B. *Operated*	2	23.0	338	10	10	23	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	1311	21.0	293	3	4	17	30	47	63	99+
B. *Operated*	107	37.2	440	12	15	33	56	75	86	99+
1. SINGLE DX	1154	17.4	227	2	3	14	25	38	50	85
2. MULTIPLE DX	1418	22.2	322	3	5	18	31	50	66	99+
A. NOT OPERATED	2463	19.3	265	2	4	15	27	43	55	99+
B. OPERATED	109	36.9	438	12	15	33	56	75	86	99+
TOTAL 0-19 YRS	55	11.9	176	1	2	7	15	34	41	60
20-34	517	18.8	337	2	3	12	27	44	60	93
35-49	650	18.1	248	2	3	14	25	43	55	86
50-64	706	22.2	285	4	5	18	30	47	65	99+
65+	644	21.5	274	3	5	17	30	47	65	99+
GRAND TOTAL	**2572**	**20.1**	**285**	**2**	**4**	**16**	**28**	**45**	**60**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	18.3	302	2	4	12	24	56	68	99+
20-34	277	20.0	301	1	3	16	27	44	55	84
35-49	261	17.2	201	2	3	14	23	36	44	72
50-64	180	19.4	191	3	5	16	25	38	46	83
65+	95	21.6	170	5	7	19	32	38	47	82
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	26.7	473	7	8	21	56	99+	99+	99+
20-34	229	22.9	323	3	4	19	32	51	63	93
35-49	194	21.4	286	2	5	17	28	45	62	95
50-64	205	25.7	326	4	5	22	35	51	68	89
65+	132	27.4	392	5	8	22	36	52	80	97
B. *Operated*										
0-19 YRS	1	80.0		80	80	80	80	80	80	80
20-34	12	41.5	598	7	10	41	57	72	87	90
35-49	13	23.7	151	7	11	23	30	43	46	47
50-64	15	37.8	440	11	13	34	52	72	77	79
65+	11	27.6	442	7	9	21	32	66	72	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	841	19.1	233	2	4	16	25	39	51	82
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	783	24.1	334	3	5	20	33	51	67	99+
B. *Operated*	52	33.8	467	8	12	27	48	67	78	90
1. SINGLE DX	841	19.1	233	2	4	16	25	39	51	82
2. MULTIPLE DX	835	24.7	347	3	5	21	34	53	68	99+
A. NOT OPERATED	1624	21.5	288	3	4	18	29	45	60	94
B. OPERATED	52	33.8	467	8	12	27	48	67	78	90
TOTAL 0-19 YRS	52	23.2	446	4	4	18	37	91	99+	99+
20-34	518	21.8	327	2	4	17	30	49	63	87
35-49	468	19.1	239	2	4	16	25	40	50	85
50-64	400	23.3	286	4	5	20	31	46	59	87
65+	238	25.1	311	5	7	20	34	47	61	96
GRAND TOTAL	**1676**	**21.9**	**297**	**3**	**5**	**18**	**30**	**46**	**61**	**93**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	18.3	539	<1	1	8	24	54	71	90
20-34	122	14.8	211	1	1	10	19	34	43	77
35-49	88	15.6	244	3	4	10	20	36	44	85
50-64	94	15.7	251	1	1	13	20	31	49	83
65+	80	13.1	227	1	2	9	17	46	59	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	17.1	531	<1	1	9	23	44	80	90
20-34	127	16.5	234	1	2	12	25	36	58	99+
35-49	83	13.8	120	1	2	11	21	30	37	62
50-64	82	18.5	329	1	2	14	23	44	67	96
65+	255	17.1	274	2	3	12	26	49	72	99+
B. *Operated*										
0-19 YRS										
20-34	2	51.5	3121	12	12	51	91	91	91	91
35-49	1	46.0		46	46	46	46	46	46	46
50-64	4	38.5	130	22	22	42	46	47	47	47
65+	11	25.5	338	6	7	23	35	57	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	15.1	250	1	2	10	20	35	51	90
B. *Operated*	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	568	16.7	260	1	3	12	24	40	63	99+
B. *Operated*	18	32.4	499	7	9	27	46	57	78	91
1. SINGLE DX	411	15.1	250	1	2	10	20	35	51	90
2. MULTIPLE DX	586	17.2	273	1	3	12	25	42	63	99+
A. NOT OPERATED	978	16.0	256	1	2	11	22	39	56	99+
B. OPERATED	19	32.3	472	7	9	26	46	57	76	91
TOTAL 0-19 YRS	47	17.8	524	1	1	9	24	53	74	90
20-34	251	16.0	243	1	2	11	23	36	50	91
35-49	172	14.9	188	2	3	10	21	32	42	87
50-64	180	17.4	293	1	2	14	22	41	58	95
65+	347	16.5	269	2	3	11	23	50	65	99+
GRAND TOTAL	**997**	**16.3**	**264**	**1**	**2**	**12**	**23**	**39**	**56**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.9	71	<1	1	3	5	15	32	36
20-34	226	5.4	41	<1	1	3	7	12	17	42
35-49	221	5.3	26	<1	1	4	7	11	16	25
50-64	156	6.4	65	1	1	4	7	13	16	58
65+	127	7.0	56	1	2	5	8	16	18	44
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	13.3	49	5	5	13	18	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	7.2	95	<1	1	4	9	18	27	56
20-34	301	8.3	108	1	1	5	9	19	27	57
35-49	319	8.0	85	1	1	5	9	17	27	52
50-64	300	7.5	54	1	2	6	9	15	21	40
65+	370	8.3	78	1	2	6	10	17	25	52
B. *Operated*										
0-19 YRS										
20-34	25	9.7	91	3	3	5	15	29	50	99+
35-49	26	12.6	165	2	3	8	20	36	57	99+
50-64	10	13.0	92	1	2	13	18	27	32	32
65+	10	21.0	36	10	12	22	24	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	799	5.8	47	1	1	4	7	13	17	36
B. *Operated*	5	10.8	67	1	1	12	16	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	1355	8.0	82	1	1	5	10	18	25	50
B. *Operated*	71	12.8	120	3	3	10	21	31	37	99+
1. SINGLE DX	804	5.9	47	1	1	4	7	13	17	36
2. MULTIPLE DX	1426	8.2	84	1	1	5	10	19	27	53
A. NOT OPERATED	2154	7.2	70	1	1	5	9	16	23	47
B. OPERATED	76	12.7	116	2	3	10	21	31	37	99+
TOTAL 0-19 YRS	134	6.5	83	<1	1	3	7	15	31	41
20-34	553	7.1	82	1	1	4	9	17	24	56
35-49	570	7.2	69	1	1	4	9	16	24	48
50-64	466	7.3	59	1	1	5	8	15	20	41
65+	507	8.2	75	1	2	6	10	18	23	50
GRAND TOTAL	**2230**	**7.4**	**72**	**1**	**1**	**5**	**9**	**16**	**24**	**49**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	7.8	61	1	1	4	12	18	23	38
20-34	378	8.9	71	1	2	6	12	20	25	39
35-49	305	11.0	136	1	2	7	15	24	30	57
50-64	183	12.1	98	2	3	9	17	25	29	51
65+	115	11.3	101	2	2	8	15	27	31	78
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	48.0		48	48	48	48	48	48	48
35-49	2	12.5	1	12	12	12	13	13	13	13
50-64										
65+	2	15.5	365	2	2	15	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	14.4	249	1	2	9	18	36	52	76
20-34	475	12.9	186	1	2	8	17	29	44	72
35-49	421	13.8	180	1	2	10	18	31	43	69
50-64	286	13.3	127	2	3	10	18	28	38	58
65+	281	13.6	132	2	3	10	18	28	34	63
B. *Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	26	19.7	248	3	4	16	22	43	58	64
35-49	17	20.4	305	4	5	17	24	42	64	75
50-64	18	21.3	182	7	7	19	29	44	47	47
65+	16	30.3	358	6	10	24	40	65	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1042	10.3	99	1	2	7	14	23	28	50
B. *Operated*	6	17.7	319	2	2	12	29	46	48	48
2. MULTIPLE DX										
A. *Not Operated*	1544	13.4	166	2	2	9	18	29	41	68
B. *Operated*	78	22.7	277	4	6	19	28	46	61	73
1. SINGLE DX	1048	10.3	100	1	2	7	14	23	28	50
2. MULTIPLE DX	1622	13.9	176	2	2	10	19	30	43	68
A. NOT OPERATED	2586	12.1	142	1	2	8	16	27	36	64
B. OPERATED	84	22.4	278	4	5	19	28	46	59	73
TOTAL 0-19 YRS	144	11.7	184	1	2	7	15	30	39	58
20-34	880	11.4	145	1	2	7	16	26	36	65
35-49	745	12.8	167	1	2	9	17	28	40	69
50-64	487	13.1	120	2	3	10	18	27	36	56
65+	414	13.6	144	2	3	10	18	29	36	68
GRAND TOTAL	**2670**	**12.5**	**149**	**1**	**2**	**8**	**17**	**27**	**37**	**65**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	9.6	207	<1	1	4	11	28	38	91
20-34	209	10.8	173	1	1	6	14	27	47	83
35-49	122	10.0	103	<1	1	7	13	22	27	60
50-64	65	11.0	187	1	1	6	12	29	35	75
65+	36	12.6	268	1	1	5	13	49	53	55
B. *Operated*										
0-19 YRS										
20-34	12	8.1	31	2	3	7	8	19	20	20
35-49	6	4.0	3	2	2	4	6	6	6	6
50-64	6	8.2	61	1	1	7	8	22	23	23
65+	4	8.3	48	2	2	6	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	12.3	259	1	1	6	14	30	44	91
20-34	446	14.3	235	1	1	10	21	39	54	99+
35-49	254	12.8	176	1	2	8	16	32	41	81
50-64	142	14.9	239	1	2	9	20	33	51	69
65+	97	14.1	261	1	2	9	21	33	60	99+
B. *Operated*										
0-19 YRS	5	23.8	809	2	2	18	32	73	73	73
20-34	34	24.2	493	1	2	19	36	56	75	85
35-49	16	23.4	519	1	2	17	45	64	88	99+
50-64	22	20.5	719	3	4	9	26	86	93	99+
65+	9	21.8	316	6	7	14	29	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	10.5	171	1	1	6	13	26	42	79
B. *Operated*	28	7.3	33	2	2	6	8	20	27	99+
2. MULTIPLE DX										
A. *Not Operated*	1076	13.7	227	1	2	9	19	35	49	99+
B. *Operated*	86	22.8	531	2	2	14	36	68	85	99+
1. SINGLE DX	574	10.3	165	1	1	6	13	26	41	83
2. MULTIPLE DX	1162	14.4	255	1	2	9	20	37	54	99+
A. NOT OPERATED	1622	12.7	211	1	1	8	16	32	48	97
B. OPERATED	114	19.0	453	2	2	10	26	62	82	99+
TOTAL 0-19 YRS	256	11.3	248	<1	1	6	13	31	46	96
20-34	701	13.6	234	1	1	8	19	39	52	99+
35-49	398	12.2	171	1	2	8	16	30	40	77
50-64	235	14.2	268	1	2	8	19	32	52	91
65+	146	14.0	261	1	2	9	20	35	54	99+
GRAND TOTAL	**1736**	**13.1**	**229**	**1**	**1**	**8**	**17**	**34**	**49**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	5.1	53	<1	<1	2	5	20	25	25
20-34	227	7.8	76	<1	1	4	9	25	26	32
35-49	431	7.4	61	1	1	4	8	22	25	31
50-64	251	6.6	44	1	1	5	8	14	23	30
65+	80	8.2	96	<1	1	5	10	21	25	52
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	8.2	115	<1	<1	3	12	25	27	53
20-34	354	7.1	62	1	1	4	9	20	25	35
35-49	644	7.7	58	1	2	5	10	17	25	34
50-64	589	10.0	121	1	2	6	12	23	35	55
65+	264	11.9	163	1	2	8	15	28	44	99+
B. *Operated*										
0-19 YRS										
20-34	9	10.7	141	1	1	8	15	31	32	32
35-49	28	18.5	376	1	2	13	27	41	97	99+
50-64	33	22.7	438	1	2	16	27	64	74	77
65+	13	33.4	537	5	5	35	58	77	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1017	7.3	63	1	1	4	8	22	25	31
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1899	8.9	97	1	2	5	11	22	28	52
B. *Operated*	83	21.7	426	1	2	16	30	62	75	99+
1. SINGLE DX	1019	7.3	63	1	1	4	8	22	25	31
2. MULTIPLE DX	1982	9.4	117	1	2	6	12	23	31	62
A. NOT OPERATED	2916	8.3	86	1	1	5	10	22	26	45
B. OPERATED	85	21.2	425	1	2	16	30	61	75	99+
TOTAL 0-19 YRS	76	7.1	94	<1	<1	3	9	24	26	46
20-34	591	7.4	69	1	1	4	9	24	25	32
35-49	1103	7.8	70	1	1	5	10	20	25	34
50-64	874	9.5	119	1	2	6	11	23	30	57
65+	357	11.8	180	1	2	8	15	29	46	99+
GRAND TOTAL	**3001**	**8.7**	**100**	**1**	**1**	**5**	**11**	**23**	**28**	**52**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	11.3	254	1	1	4	20	35	35	35
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	5	13.4	77	6	6	9	18	28	28	28
35-49	7	11.4	57	3	3	10	18	22	23	23
50-64	5	6.0	8	3	3	6	8	10	10	10
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	9.0	164	1	1	4	5	32	35	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	19	10.0	50	2	3	9	12	22	26	28
B. *Operated*	1	21.0		21	21	21	21	21	21	21
1. SINGLE DX	6	9.0	164	1	1	4	5	32	35	35
2. MULTIPLE DX	20	10.6	53	2	3	9	13	22	25	28
A. NOT OPERATED	25	9.8	72	2	3	7	11	23	30	35
B. OPERATED	1	21.0		21	21	21	21	21	21	21
TOTAL 0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	9	12.4	135	1	2	9	18	32	35	35
35-49	9	11.7	61	3	3	10	20	22	23	23
50-64	6	5.8	6	3	3	5	7	10	10	10
65+										
GRAND TOTAL	**26**	**10.2**	**74**	**2**	**3**	**7**	**12**	**23**	**29**	**35**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	95	1	1	4	14	22	22	22
20-34	10	8.0	63	<1	<1	6	9	21	25	25
35-49	10	4.5	13	1	1	4	7	10	12	12
50-64	2	15.0	200	5	5	15	25	25	25	25
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.0	103	<1	<1	6	12	26	31	31
20-34	43	8.6	93	1	2	5	10	26	32	38
35-49	31	12.5	152	1	1	10	19	26	33	57
50-64	11	16.4	113	1	6	13	21	31	40	41
65+	2	10.5	113	3	3	10	18	18	18	18
B. *Operated*										
0-19 YRS										
20-34	3	49.0	1027	16	16	51	73	80	80	80
35-49	2	29.5	145	21	21	29	38	38	38	38
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	7.3	53	1	1	5	9	21	25	25
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	95	10.9	118	1	1	6	17	25	32	50
B. *Operated*	8	30.0	624	6	8	18	44	71	80	80
1. SINGLE DX	28	7.1	52	1	1	5	9	21	25	25
2. MULTIPLE DX	103	12.3	178	1	1	7	18	29	38	68
A. NOT OPERATED	122	10.1	105	1	1	6	16	25	31	45
B. OPERATED	9	26.9	633	2	4	16	41	68	80	80
TOTAL 0-19 YRS	12	8.6	92	<1	1	5	12	25	30	31
20-34	57	10.5	201	1	1	5	13	27	36	78
35-49	43	11.4	143	1	1	7	18	25	35	57
50-64	14	15.4	110	2	5	13	22	27	38	41
65+	5	11.8	32	3	3	14	15	18	18	18
GRAND TOTAL	**131**	**11.2**	**155**	**1**	**1**	**6**	**16**	**25**	**33**	**61**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	1.1		<1	<1	1	1	2	2	3
20-34	37	1.3		<1	<1	1	1	2	3	3
35-49	16	1.5	1	<1	<1	1	2	3	4	5
50-64	15	2.9	8	<1	1	1	4	8	9	9
65+	15	3.1	11	<1	1	2	4	7	11	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.5	96	<1	<1	1	1	4	20	63
20-34	82	5.8	65	<1	<1	2	6	21	28	29
35-49	58	8.0	101	<1	<1	3	9	27	29	43
50-64	44	6.4	61	<1	1	3	7	21	26	31
65+	21	9.2	88	<1	1	8	14	21	31	35
B. *Operated*										
0-19 YRS	5	8.2	210	1	1	1	11	34	34	34
20-34	4	11.3	344	1	1	3	21	39	39	39
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	3	15.3	156	<1	<1	21	23	24	24	24
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	1.5	2	<1	<1	1	1	2	4	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	262	6.2	82	<1	<1	2	6	21	28	35
B. *Operated*	16	8.9	168	<1	1	2	13	33	37	39
1. SINGLE DX	164	1.5	2	<1	<1	1	1	2	4	9
2. MULTIPLE DX	278	6.3	87	<1	<1	2	6	22	28	38
A. NOT OPERATED	426	4.4	57	<1	<1	1	3	12	24	31
B. OPERATED	16	8.9	168	<1	1	2	13	33	37	39
TOTAL 0-19 YRS	143	2.3	46	<1	<1	1	1	2	4	36
20-34	123	4.6	57	<1	<1	1	4	14	27	32
35-49	77	6.4	84	<1	<1	2	6	23	28	41
50-64	62	6.0	56	<1	1	3	7	21	24	31
65+	37	6.5	63	<1	1	2	11	17	24	35
GRAND TOTAL	**442**	**4.5**	**61**	**<1**	**<1**	**1**	**4**	**13**	**25**	**34**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	22	<1	<1	1	4	8	16	18
20-34	16	3.8	24	<1	<1	2	5	8	16	20
35-49	3	11.7	82	5	5	8	18	22	22	22
50-64										
65+	3	10.0	127	3	3	4	18	23	23	23
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.6	119	<1	<1	2	9	27	28	28
20-34	40	11.6	282	1	1	5	9	37	59	62
35-49	26	9.2	72	<1	1	7	14	23	28	29
50-64	8	12.3	105	1	1	10	20	28	28	28
65+	9	11.8	96	1	3	7	18	28	29	29
B. *Operated*										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	3	14.3	208	6	6	6	25	31	31	31
35-49	1	15.0		15	15	15	15	15	15	15
50-64	1	16.0		16	16	16	16	16	16	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.8	38	<1	<1	2	6	17	21	23
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	96	10.5	168	1	1	6	13	28	34	62
B. *Operated*	6	18.3	159	6	6	15	31	35	36	36
1. SINGLE DX	36	4.8	38	<1	<1	2	6	17	21	23
2. MULTIPLE DX	102	10.9	169	1	1	6	14	28	35	61
A. NOT OPERATED	132	8.9	139	<1	1	4	10	26	29	61
B. OPERATED	6	18.3	159	6	6	15	31	35	36	36
TOTAL 0-19 YRS	28	6.5	101	<1	<1	2	5	26	29	36
20-34	59	9.6	216	<1	1	5	8	32	50	62
35-49	30	9.7	69	1	1	8	15	23	28	29
50-64	9	12.7	94	1	1	10	19	28	28	28
65+	12	11.3	93	1	2	7	19	27	29	29
GRAND TOTAL	**138**	**9.3**	**142**	**<1**	**1**	**5**	**10**	**27**	**32**	**61**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.7	7	<1	<1	3	6	7	8	9
20-34	32	4.1	19	<1	<1	3	5	9	16	17
35-49	31	5.9	26	1	1	4	9	14	15	18
50-64	28	6.2	45	1	1	5	8	10	14	37
65+	15	6.6	21	1	1	7	9	14	14	14
B. *Operated*										
0-19 YRS	2	12.5	1	12	12	12	13	13	13	13
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	8.7	178	1	1	6	10	14	28	69
20-34	39	7.6	124	<1	1	5	9	14	20	68
35-49	36	5.4	26	1	1	4	7	11	19	21
50-64	40	6.0	27	1	1	4	8	11	17	26
65+	49	8.4	32	1	2	7	12	17	23	99+
B. *Operated*										
0-19 YRS	3	21.0	436	7	7	11	36	45	45	45
20-34	9	8.6	68	<1	<1	6	12	22	27	27
35-49	5	4.6	16	<1	<1	3	7	11	11	11
50-64	5	13.0	74	2	2	16	20	22	22	22
65+	2	6.5	1	6	6	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	5.2	24	1	1	4	7	11	14	21
B. *Operated*	8	4.9	23	1	1	3	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	189	7.2	68	1	1	5	9	14	21	69
B. *Operated*	24	10.0	103	<1	<1	7	13	22	32	45
1. SINGLE DX	141	5.2	24	1	1	4	7	12	14	20
2. MULTIPLE DX	213	7.5	72	1	1	6	10	15	21	68
A. NOT OPERATED	322	6.4	51	1	1	4	8	13	17	45
B. OPERATED	32	8.8	87	<1	1	6	12	20	26	45
TOTAL 0-19 YRS	57	7.1	113	<1	1	5	8	13	15	67
20-34	81	6.3	76	<1	1	4	7	14	17	55
35-49	74	5.5	24	1	1	4	8	13	15	21
50-64	76	6.4	38	1	1	4	8	12	20	34
65+	66	7.9	29	1	2	7	11	15	21	87
GRAND TOTAL	**354**	**6.6**	**54**	**1**	**1**	**5**	**8**	**14**	**18**	**45**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	13.4	247	1	1	8	18	32	56	99+
20-34	162	7.3	74	1	1	4	9	17	24	44
35-49	95	6.4	56	<1	1	4	8	14	23	41
50-64	45	8.8	61	1	1	6	11	19	23	37
65+	26	10.7	122	1	2	6	15	27	37	39
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	16.9	357	1	2	11	28	57	99+	99+
20-34	257	10.0	108	1	1	6	13	24	33	45
35-49	141	8.6	73	1	1	6	12	18	22	42
50-64	76	13.5	175	1	2	9	18	37	43	58
65+	68	12.5	153	1	2	8	16	31	44	51
B. *Operated*										
0-19 YRS	6	31.0	768	4	4	25	46	75	78	78
20-34	11	17.1	307	1	2	13	28	45	54	55
35-49	4	16.5	254	2	2	13	29	37	37	37
50-64	2	27.5	41	23	23	27	32	32	32	32
65+	2	22.0	882	1	1	22	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	9.0	122	1	1	5	12	22	31	62
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	684	11.8	172	1	1	7	16	30	42	99+
B. *Operated*	25	21.6	397	1	2	15	33	46	61	78
1. SINGLE DX	441	9.0	122	1	1	5	12	22	31	62
2. MULTIPLE DX	709	12.1	183	1	1	7	16	30	43	99+
A. NOT OPERATED	1125	10.7	154	1	1	6	14	27	39	96
B. OPERATED	25	21.6	397	1	2	15	33	46	61	78
TOTAL 0-19 YRS	261	15.7	323	1	1	10	23	45	82	99+
20-34	430	9.2	103	1	1	5	12	22	31	46
35-49	240	7.9	70	1	1	6	10	17	24	40
50-64	123	12.0	139	1	2	8	17	27	39	57
65+	96	12.2	152	1	2	8	16	32	43	50
GRAND TOTAL	**1150**	**10.9**	**162**	**1**	**1**	**6**	**14**	**28**	**39**	**94**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	291	13.6	193	1	2	9	19	32	43	65
20-34	399	10.5	160	1	1	6	14	26	40	99+
35-49	322	10.3	98	1	2	7	14	23	28	45
50-64	234	14.5	182	2	3	11	19	32	42	62
65+	151	15.4	196	2	4	10	23	35	52	99
B. *Operated*										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	9	17.7	415	1	1	5	38	49	49	49
35-49	6	15.8	119	2	4	13	29	86	99+	99+
50-64										
65+	2	28.0	578	11	11	28	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	359	18.1	307	1	2	12	28	42	58	99+
20-34	518	12.7	216	1	2	7	17	32	50	88
35-49	447	13.2	189	1	2	8	18	33	42	67
50-64	395	13.8	180	2	3	9	17	29	38	65
65+	439	15.7	223	3	3	10	20	36	48	78
B. *Operated*										
0-19 YRS	13	22.6	460	3	4	16	44	79	95	99+
20-34	27	25.3	460	4	6	24	44	86	99+	99+
35-49	27	26.7	606	3	5	14	48	52	86	91
50-64	19	17.8	124	4	5	13	27	35	36	36
65+	26	23.9	210	7	8	21	36	50	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1397	12.3	164	1	2	8	16	30	39	70
B. *Operated*	20	16.2	276	1	2	11	31	48	72	99+
2. MULTIPLE DX										
A. *Not Operated*	2158	14.5	224	1	2	9	19	35	48	83
B. *Operated*	112	23.7	376	4	6	16	36	59	89	99+
1. SINGLE DX	1417	12.4	165	1	2	8	17	30	39	70
2. MULTIPLE DX	2270	14.9	235	1	2	10	20	36	50	87
A. NOT OPERATED	3555	13.6	201	1	2	9	18	32	45	81
B. OPERATED	132	22.6	366	3	4	16	36	55	89	99+
TOTAL 0-19 YRS	666	16.1	264	1	2	11	24	38	52	99
20-34	953	12.2	207	1	2	7	16	31	49	99+
35-49	802	12.5	174	1	2	8	16	29	40	68
50-64	648	14.2	179	2	3	10	18	31	40	63
65+	618	16.0	218	3	4	10	22	37	49	84
GRAND TOTAL	**3687**	**14.0**	**210**	**1**	**2**	**9**	**19**	**34**	**46**	**85**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	9.0	93	<1	1	6	10	23	35	35
20-34	4	6.3	4	4	4	6	8	8	8	8
35-49	6	28.3	767	10	10	14	40	76	80	80
50-64	1	14.0		14	14	14	14	14	14	14
65+	3	23.7	50	16	16	25	29	30	30	30
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	9.3	49	1	2	8	11	22	24	28
20-34	24	18.3	377	1	2	13	29	70	78	99+
35-49	7	28.0	1006	7	7	24	62	99	99+	99+
50-64	4	12.8	156	1	1	13	47	99+	99+	99+
65+										
B. *Operated*										
0-19 YRS	2	15.5	221	5	5	15	26	26	26	26
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	15.4	293	2	4	10	16	35	52	80
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	61	15.2	312	1	2	9	23	40	98	99+
B. *Operated*	2	15.5	221	5	5	26	81	99+	99+	99+
1. SINGLE DX	25	15.1	283	2	4	10	16	35	50	80
2. MULTIPLE DX	63	15.2	305	1	2	9	25	63	99+	99+
A. NOT OPERATED	85	15.2	303	1	3	10	22	36	82	99+
B. OPERATED	3	13.0	129	5	5	17	63	99+	99+	99+
TOTAL 0-19 YRS	39	9.5	62	1	2	8	11	23	27	35
20-34	28	16.5	340	1	2	12	29	70	99+	99+
35-49	13	28.2	823	7	7	20	40	97	99	99+
50-64	5	13.0	118	1	2	13	30	93	99+	99+
65+	3	23.7	50	16	16	25	29	30	30	30
GRAND TOTAL	**88**	**15.2**	**296**	**1**	**3**	**10**	**23**	**38**	**95**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	10.9	23	1	4	11	13	16	19	25
20-34	19	7.5	54	<1	1	5	9	18	25	29
35-49	9	12.3	76	2	2	13	17	25	28	28
50-64	5	4.4	15	2	2	2	6	11	11	11
65+	3	16.3	33	13	13	13	21	23	23	23
B. Operated										
0-19 YRS	6	11.8	5	8	8	12	14	14	14	14
20-34	11	10.2	103	1	2	8	12	24	37	38
35-49	7	5.9	19	1	1	5	8	13	14	14
50-64	8	5.1	12	1	1	5	7	10	11	11
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	15.3	83	6	7	14	18	23	27	61
20-34	15	8.1	22	2	4	7	10	15	19	20
35-49	11	9.9	93	1	1	8	17	24	29	30
50-64	15	9.7	29	1	2	10	14	18	18	18
65+	3	28.7	2	27	27	30	99+	99+	99+	99+
B. Operated										
0-19 YRS	13	20.2	123	4	6	19	27	37	37	37
20-34	10	16.3	105	3	3	14	22	32	33	33
35-49	16	13.3	193	3	3	6	20	38	45	47
50-64	12	22.3	327	1	3	17	45	63	93	99+
65+	4	22.3	325	3	3	23	37	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	10.3	34	1	2	11	13	16	21	28
B. Operated	32	8.3	48	1	2	7	11	14	14	38
2. MULTIPLE DX										
A. Not Operated	128	13.6	81	2	4	12	18	24	30	99+
B. Operated	55	18.1	197	3	3	15	29	40	50	97
1. SINGLE DX	157	9.9	37	1	2	10	13	16	21	29
2. MULTIPLE DX	183	15.0	119	2	4	13	19	30	39	99+
A. NOT OPERATED	253	12.0	60	2	3	11	16	21	27	70
B. OPERATED	87	14.5	164	2	3	11	20	37	43	82
TOTAL 0-19 YRS	192	13.5	62	3	6	12	16	22	26	38
20-34	55	9.8	71	1	2	7	13	20	30	38
35-49	43	11.0	115	1	2	6	16	28	33	47
50-64	40	11.9	158	1	2	9	15	35	52	99+
65+	10	22.4	142	4	9	28	37	99+	99+	99+
GRAND TOTAL	**340**	**12.6**	**88**	**2**	**3**	**11**	**16**	**24**	**33**	**74**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	7	14.7	80	2	3	15	21	27	28	28
50-64	19	13.9	196	2	4	8	15	35	47	55
65+	78	15.9	191	3	4	12	20	32	48	70
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64	6	16.5	83	6	6	15	25	29	29	29
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	3	16.7	46	9	9	19	21	22	22	22
35-49	5	13.2	72	3	3	14	17	26	26	26
50-64	45	15.9	288	2	4	12	17	47	65	99+
65+	247	17.5	287	3	4	13	23	57	99+	99+
B. Operated										
0-19 YRS										
20-34										
35-49	1	46.0		46	46	46	46	46	46	46
50-64	5	27.8	602	3	4	33	58	96	99+	99+
65+	24	26.0	470	8	8	18	37	70	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	15.4	182	3	4	11	20	31	44	69
B. Operated	7	15.1	82	6	6	15	23	28	29	29
2. MULTIPLE DX										
A. Not Operated	302	17.1	279	3	4	13	22	53	96	99+
B. Operated	30	27.0	469	7	8	18	48	74	98	99+
1. SINGLE DX	112	15.4	175	3	4	11	20	30	41	68
2. MULTIPLE DX	332	18.0	303	3	4	14	22	58	97	99+
A. NOT OPERATED	407	16.7	254	3	4	12	21	49	75	99+
B. OPERATED	37	24.8	414	6	7	18	42	68	92	99+
TOTAL 0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	4	14.3	54	7	7	14	20	22	22	22
35-49	13	16.5	143	2	3	14	24	32	43	46
50-64	75	16.2	268	2	4	12	19	50	59	99+
65+	350	17.7	281	3	4	13	22	53	85	99+
GRAND TOTAL	**444**	**17.4**	**272**	**3**	**4**	**13**	**21**	**52**	**80**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.5	5	<1	3	7	8	9	10	10
20-34	163	11.3	196	<1	<1	8	13	24	36	86
35-49	111	12.3	141	2	3	9	15	28	45	99+
50-64	53	13.7	161	2	2	9	18	36	41	57
65+	1	8.0		8	8	54	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	25	7.6	23	1	1	9	10	12	16	22
35-49	23	7.9	43	1	1	7	10	12	21	33
50-64	16	8.3	33	1	1	8	12	15	19	21
65+	3	28.0	63	19	19	31	33	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34	34	14.3	194	2	3	10	20	39	51	99+
35-49	109	15.2	230	2	4	9	19	37	60	99+
50-64	78	18.8	289	3	4	14	25	51	78	99+
65+	16	19.1	663	2	4	9	23	90	99	99+
B. *Operated*										
0-19 YRS										
20-34	21	14.7	364	2	3	7	17	58	90	99+
35-49	31	15.2	108	2	3	15	27	47	99+	99+
50-64	37	12.7	81	2	3	12	19	23	40	99+
65+	5	21.6	54	11	11	21	26	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	11.8	166	<1	2	9	14	28	39	95
B. *Operated*	69	8.9	49	1	1	8	11	15	22	34
2. MULTIPLE DX										
A. *Not Operated*	288	16.2	260	2	4	11	22	40	67	99+
B. *Operated*	94	14.4	151	2	3	13	20	37	93	99+
1. SINGLE DX	409	11.3	147	<1	1	9	14	24	36	91
2. MULTIPLE DX	382	15.8	234	2	4	11	21	40	68	99+
A. NOT OPERATED	628	13.8	214	1	2	9	17	35	55	99+
B. OPERATED	163	12.1	115	2	3	9	16	30	41	99+
TOTAL 0-19 YRS	15	9.3	80	1	5	7	8	14	33	40
20-34	293	12.1	195	<1	1	9	14	30	42	98
35-49	274	13.4	168	2	3	9	17	33	57	99+
50-64	184	15.2	197	2	3	11	19	37	57	99+
65+	25	20.2	444	3	4	19	31	90	99+	99+
GRAND TOTAL	**791**	**13.5**	**194**	**1**	**2**	**9**	**17**	**33**	**50**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	408	3.9	18	1	1	3	5	8	11	21
20-34	349	3.8	22	1	1	2	5	8	12	23
35-49	130	4.0	18	1	1	3	4	8	12	26
50-64	86	4.3	18	1	1	3	6	8	13	24
65+	63	5.0	15	1	1	4	8	11	13	15
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	4	6.5	71	1	1	3	11	19	19	19
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	4	13.0	102	7	7	9	19	28	28	28
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	6.7	82	1	1	4	7	15	26	62
20-34	281	7.5	87	1	1	4	9	16	26	46
35-49	207	7.0	87	1	1	4	8	15	18	51
50-64	205	7.7	125	1	1	4	8	17	25	81
65+	209	9.9	127	1	2	7	13	22	29	99+
B. *Operated*										
0-19 YRS	11	14.2	79	1	2	17	23	47	92	99+
20-34	23	14.5	151	1	2	9	22	34	36	37
35-49	22	14.5	199	2	2	10	21	29	44	63
50-64	17	7.9	35	1	1	7	10	18	20	21
65+	16	28.0	594	6	12	17	37	88	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1036	4.0	19	1	1	3	5	8	12	23
B. *Operated*	12	10.4	74	1	2	8	17	23	27	28
2. MULTIPLE DX										
A. *Not Operated*	1250	7.6	99	1	1	5	9	16	26	69
B. *Operated*	89	15.6	242	2	2	12	21	33	62	99+
1. SINGLE DX	1048	4.0	20	1	1	3	5	8	12	23
2. MULTIPLE DX	1339	8.2	113	1	1	5	10	18	28	88
A. NOT OPERATED	2286	6.0	66	1	1	4	7	13	18	49
B. OPERATED	101	15.0	224	1	2	11	21	32	54	99+
TOTAL 0-19 YRS	768	5.3	51	1	1	3	6	12	18	40
20-34	657	5.8	60	1	1	3	7	13	20	44
35-49	361	6.4	74	1	1	4	7	14	19	39
50-64	312	6.8	93	1	1	4	8	13	21	65
65+	289	9.8	150	1	2	7	13	21	32	99+
GRAND TOTAL	**2387**	**6.3**	**76**	**1**	**1**	**4**	**7**	**14**	**21**	**60**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	8.3	140	1	1	5	8	17	32	72
20-34	87	6.0	26	1	2	5	8	12	16	27
35-49	63	6.7	23	2	2	5	9	15	19	89
50-64	63	11.7	127	2	3	8	13	30	42	94
65+	95	12.5	185	1	2	9	14	36	53	99+
B. *Operated*										
0-19 YRS	56	8.1	159	1	2	5	9	13	21	76
20-34	65	8.2	41	1	2	7	10	17	18	37
35-49	38	9.6	75	<1	2	7	12	19	28	44
50-64	61	8.8	120	1	1	5	10	17	28	67
65+	30	9.6	61	<1	1	7	16	21	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	7.3	50	1	1	6	10	14	19	39
20-34	106	9.7	74	1	2	7	13	24	33	99+
35-49	85	13.6	388	2	2	7	14	44	74	99
50-64	162	10.7	94	2	3	8	15	25	51	99+
65+	392	18.5	308	2	4	13	27	53	76	99+
B. *Operated*										
0-19 YRS	93	9.9	156	<1	1	6	14	25	38	99+
20-34	126	13.2	285	<1	1	8	15	38	59	99+
35-49	131	12.4	204	<1	2	9	16	28	43	99
50-64	141	13.3	163	1	2	10	17	30	52	99+
65+	117	22.7	352	1	3	18	39	60	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	9.1	109	1	2	6	11	20	36	99+
B. *Operated*	250	8.7	93	1	1	6	10	18	23	59
2. MULTIPLE DX										
A. *Not Operated*	853	14.0	232	2	2	9	18	38	64	99+
B. *Operated*	608	14.4	249	<1	2	10	20	41	59	99+
1. SINGLE DX	623	9.0	103	1	2	6	11	19	30	78
2. MULTIPLE DX	1461	14.2	239	1	2	9	18	39	61	99+
A. NOT OPERATED	1226	12.5	199	2	2	8	16	34	54	99+
B. OPERATED	858	12.7	210	<1	2	8	16	32	52	99+
TOTAL 0-19 YRS	322	8.4	118	1	1	5	10	19	29	80
20-34	384	9.8	133	1	2	7	12	22	38	97
35-49	317	11.3	207	1	2	7	13	24	45	99
50-64	427	11.4	127	1	2	8	15	28	45	99+
65+	634	17.9	297	2	3	13	26	52	73	99+
GRAND TOTAL	**2084**	**12.6**	**204**	**1**	**2**	**8**	**16**	**33**	**53**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.6	5	<1	1	2	4	6	8	11
20-34	269	3.2	8	<1	1	2	4	7	8	13
35-49	215	3.1	7	1	1	2	4	7	9	12
50-64	86	3.7	22	1	1	2	4	8	11	29
65+	19	3.8	7	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	7	3.0	2	2	2	3	3	5	6	6
35-49	14	10.1	175	2	3	6	8	24	47	53
50-64	4	6.8	12	3	3	6	9	11	11	11
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.7	6	1	1	3	5	7	8	12
20-34	186	4.8	25	1	1	3	6	10	13	30
35-49	168	4.7	16	1	1	3	6	11	15	20
50-64	69	4.9	25	1	1	3	6	11	19	21
65+	36	6.3	15	1	2	5	9	12	14	14
B. *Operated*										
0-19 YRS										
20-34	10	5.6	6	2	2	5	8	9	9	9
35-49	13	9.5	41	<1	1	10	13	19	20	20
50-64	12	7.7	22	4	4	7	9	13	20	21
65+	4	4.3	11	2	2	3	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	683	3.2	9	1	1	2	4	7	9	13
B. *Operated*	30	7.1	91	2	2	5	7	11	21	53
2. MULTIPLE DX										
A. *Not Operated*	502	4.8	20	1	1	3	6	10	14	21
B. *Operated*	39	7.4	25	1	2	7	9	14	20	21
1. SINGLE DX	713	3.3	13	1	1	2	4	7	9	13
2. MULTIPLE DX	541	5.0	21	1	1	4	6	11	14	21
A. NOT OPERATED	1185	3.9	14	1	1	3	5	8	11	19
B. OPERATED	69	7.3	53	2	2	6	9	12	20	47
TOTAL 0-19 YRS	141	3.0	5	1	1	2	4	6	8	12
20-34	472	3.8	15	1	1	3	5	8	11	19
35-49	410	4.2	20	1	1	3	5	9	12	20
50-64	171	4.6	24	1	1	3	6	10	12	21
65+	60	5.4	13	1	1	5	8	10	13	14
GRAND TOTAL	**1254**	**4.0**	**17**	**1**	**1**	**3**	**5**	**9**	**11**	**20**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	2.3	1	<1	<1	2	3	4	4	4
20-34	124	2.0	1	<1	<1	2	3	3	4	5
35-49	163	2.2	2	<1	<1	2	3	3	4	8
50-64	181	2.3	2	<1	<1	2	3	4	5	8
65+	99	2.4	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	5.7	34	<1	<1	4	9	16	17	17
50-64	4	4.3	27	1	1	2	7	12	12	12
65+	6	5.8	36	1	1	3	13	14	14	14
B. *Operated*										
0-19 YRS										
20-34	35	3.5	20	<1	<1	2	3	6	15	23
35-49	50	3.4	9	<1	1	3	3	9	10	13
50-64	72	3.7	12	<1	1	3	4	7	14	18
65+	110	4.2	14	1	2	3	4	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.1	3	1	1	3	4	6	6	6
B. *Operated*	574	2.2	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	20	5.1	26	<1	1	3	8	13	15	17
B. *Operated*	267	3.8	13	1	1	3	4	7	13	18
1. SINGLE DX	582	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	287	3.9	14	1	1	3	4	9	13	18
A. NOT OPERATED	28	4.5	20	1	1	3	5	13	14	17
B. OPERATED	841	2.7	6	<1	<1	2	3	4	7	15
TOTAL 0-19 YRS	9	2.9	3	<1	1	2	3	6	7	7
20-34	162	2.3	5	<1	<1	2	3	3	4	17
35-49	222	2.6	5	<1	<1	2	3	4	7	13
50-64	260	2.7	5	<1	<1	2	3	5	6	15
65+	216	3.4	10	<1	1	3	4	7	11	17
GRAND TOTAL	**869**	**2.8**	**6**	**<1**	**<1**	**2**	**3**	**4**	**7**	**15**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	7.0	38	1	1	7	9	14	19	30
20-34	51	7.6	66	1	1	5	10	18	26	39
35-49	59	6.2	92	1	1	4	7	12	16	67
50-64	61	7.4	77	1	1	5	8	14	32	43
65+	70	8.1	45	1	2	6	12	18	24	28
B. *Operated*										
0-19 YRS	37	4.5	11	1	1	4	5	9	12	14
20-34	163	4.5	13	1	2	4	5	8	11	23
35-49	204	5.4	24	1	1	4	6	11	14	26
50-64	194	5.4	51	<1	1	3	6	9	18	39
65+	82	6.4	69	1	1	3	7	14	24	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	12.8	335	<1	<1	6	18	32	62	70
20-34	46	8.0	178	1	1	6	9	12	22	90
35-49	56	7.8	48	1	2	6	10	16	30	95
50-64	110	11.0	99	1	2	8	14	22	29	54
65+	136	11.8	107	2	3	9	14	30	43	99+
B. *Operated*										
0-19 YRS	25	11.8	263	1	2	6	9	36	49	72
20-34	89	8.3	122	1	2	5	9	20	37	99+
35-49	130	8.1	64	1	2	6	11	17	21	72
50-64	151	8.6	80	1	2	6	11	21	32	98
65+	113	11.7	142	2	2	8	16	28	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	7.3	66	1	1	5	9	15	22	39
B. *Operated*	680	5.2	34	1	1	4	6	10	14	30
2. MULTIPLE DX										
A. *Not Operated*	362	10.5	115	1	2	8	13	24	33	99+
B. *Operated*	508	9.3	107	1	2	6	11	21	36	99+
1. SINGLE DX	946	5.8	44	1	1	4	7	12	16	36
2. MULTIPLE DX	870	9.8	111	1	2	7	12	21	34	99+
A. NOT OPERATED	628	9.2	96	1	2	6	12	20	30	75
B. OPERATED	1188	7.0	69	1	2	4	8	15	22	60
TOTAL 0-19 YRS	101	8.0	131	1	1	5	8	16	29	71
20-34	349	6.4	72	1	2	4	7	12	21	80
35-49	449	6.6	49	1	2	5	8	14	18	39
50-64	516	7.8	77	1	1	5	9	17	26	54
65+	401	10.0	103	1	2	7	13	24	36	99+
GRAND TOTAL	**1816**	**7.7**	**80**	**1**	**2**	**5**	**9**	**17**	**26**	**66**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34										
35-49	4	3.5	4	1	1	4	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	20	5.8	7	2	3	5	8	9	10	10
20-34	55	5.9	12	2	2	5	8	10	13	16
35-49	65	6.4	19	2	2	5	10	13	15	18
50-64	139	6.4	12	2	2	6	9	11	12	16
65+	146	8.0	25	2	3	7	11	14	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.0	12	1	1	1	6	7	7	7
65+	8	4.4	21	<1	<1	3	6	12	14	14
B. *Operated*										
0-19 YRS	13	6.8	10	3	3	6	9	11	13	13
20-34	37	7.0	20	3	3	6	8	14	16	24
35-49	46	7.3	19	2	3	6	9	12	19	20
50-64	106	6.1	13	2	3	5	7	10	15	18
65+	121	7.5	21	2	3	7	9	13	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.8	91	1	1	4	5	24	26	26
B. *Operated*	425	6.9	18	2	2	6	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	14	3.8	15	<1	<1	1	7	8	13	14
B. *Operated*	323	6.9	18	2	3	6	8	12	15	23
1. SINGLE DX	431	6.9	19	2	2	6	10	12	14	19
2. MULTIPLE DX	337	6.8	18	2	3	6	8	12	15	22
A. NOT OPERATED	20	4.7	37	<1	<1	2	6	11	20	26
B. OPERATED	748	6.9	18	2	3	6	9	12	15	20
TOTAL 0-19 YRS	35	6.6	20	2	3	5	9	10	12	26
20-34	93	6.4	15	2	3	6	8	11	15	21
35-49	116	6.6	19	2	2	5	9	13	15	20
50-64	248	6.2	12	2	2	5	8	11	12	18
65+	276	7.7	24	2	3	7	10	13	16	27
GRAND TOTAL	**768**	**6.8**	**18**	**2**	**2**	**6**	**9**	**12**	**15**	**21**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	3.9	6	1	1	4	5	8	8	8
65+	12	4.9	40	1	1	3	5	12	22	24
B. *Operated*										
0-19 YRS	3	7.3	33	4	4	4	12	14	14	14
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	20	7.0	17	<1	1	7	9	13	15	16
50-64	51	5.4	14	2	2	4	7	11	14	17
65+	84	4.8	9	2	2	4	6	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	7	4.9	6	1	1	5	6	8	9	9
65+	27	8.3	154	1	1	4	7	24	40	55
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	22.0	128	14	14	22	30	30	30	30
35-49	7	11.6	92	2	2	7	22	22	22	22
50-64	38	7.4	18	3	3	6	9	12	17	22
65+	110	8.1	48	2	2	6	9	17	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.3	24	1	1	4	5	7	14	24
B. *Operated*	160	5.3	12	2	2	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	37	7.2	116	<1	1	4	6	18	33	55
B. *Operated*	158	8.3	46	2	2	6	10	18	22	34
1. SINGLE DX	182	5.2	14	1	2	4	6	10	13	17
2. MULTIPLE DX	195	8.0	59	2	2	6	9	18	24	36
A. NOT OPERATED	59	6.1	83	1	1	4	6	9	25	53
B. OPERATED	318	6.8	31	2	2	5	8	14	18	29
TOTAL 0-19 YRS	4	6.3	27	3	3	4	9	14	14	14
20-34	5	10.6	141	2	2	4	18	30	30	30
35-49	30	7.5	38	<1	1	6	10	18	22	22
50-64	105	5.9	16	2	2	5	7	11	14	20
65+	233	6.8	48	1	2	5	8	15	20	36
GRAND TOTAL	**377**	**6.7**	**39**	**1**	**2**	**5**	**8**	**14**	**19**	**33**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	5	4.6	11	2	2	4	6	10	10	10
65+	15	6.7	38	2	2	6	9	12	22	26
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	5.1	8	2	2	4	8	9	9	9
35-49	6	8.7	29	3	3	8	10	17	18	18
50-64	21	5.1	12	<1	1	4	7	10	12	14
65+	37	4.8	7	2	2	4	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	2	<1	<1	3	4	4	4	4
20-34	5	5.0	9	2	2	6	7	9	9	9
35-49	4	3.5	7	1	1	3	5	7	7	7
50-64	6	4.8	10	1	1	4	7	10	10	10
65+	17	8.4	87	<1	<1	5	10	21	30	35
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	7	10.1	26	5	5	10	12	18	20	20
35-49	12	5.7	23	1	1	4	7	13	16	17
50-64	19	7.9	79	2	3	4	8	17	31	40
65+	44	9.5	59	2	3	7	12	22	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.0	31	2	2	5	8	11	18	26
B. *Operated*	72	5.3	11	1	2	5	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	36	6.2	48	<1	1	4	8	13	21	35
B. *Operated*	84	8.5	56	2	2	6	11	19	23	39
1. SINGLE DX	93	5.5	15	2	2	5	7	10	11	23
2. MULTIPLE DX	120	7.8	54	1	2	6	9	19	22	39
A. NOT OPERATED	57	6.1	41	<1	1	4	8	12	21	34
B. OPERATED	156	7.0	37	1	2	5	8	14	20	37
TOTAL 0-19 YRS	8	3.6	6	<1	<1	3	5	7	8	8
20-34	19	6.9	20	2	2	6	9	12	16	20
35-49	22	6.1	23	1	1	5	8	13	17	18
50-64	51	6.1	37	1	2	4	8	10	14	40
65+	113	7.4	46	2	2	6	9	16	23	36
GRAND TOTAL	**213**	**6.8**	**38**	**1**	**2**	**5**	**8**	**13**	**20**	**36**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+	11	2.4	3	<1	<1	<1	4	5	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	119	3.9	3	2	2	4	5	6	7	9
50-64	754	4.1	5	2	2	4	5	7	8	12
65+	2740	4.2	6	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	1.6	1	1	1	1	2	4	4	4
50-64	20	3.2	16	<1	<1	1	4	9	13	16
65+	134	3.2	16	<1	<1	1	4	7	13	22
B. *Operated*										
0-19 YRS										
20-34										
35-49	95	4.7	7	2	2	4	6	8	9	16
50-64	578	4.7	12	2	2	4	6	8	11	21
65+	2850	5.3	22	2	2	4	6	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.3	3	<1	<1	1	4	5	6	6
B. *Operated*	3613	4.2	6	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	161	3.1	15	<1	<1	1	4	7	13	20
B. *Operated*	3523	5.2	20	2	2	4	6	9	12	22
1. SINGLE DX	3628	4.2	6	2	2	4	5	7	9	12
2. MULTIPLE DX	3684	5.1	20	2	2	4	6	9	12	22
A. NOT OPERATED	176	3.0	14	<1	<1	1	4	7	12	20
B. OPERATED	7136	4.7	13	2	2	4	6	8	11	18
TOTAL 0-19 YRS										
20-34										
35-49	221	4.2	5	2	2	4	5	7	8	12
50-64	1356	4.3	8	2	2	4	5	7	9	15
65+	5735	4.8	14	2	2	4	6	8	11	19
GRAND TOTAL	**7312**	**4.7**	**13**	**2**	**2**	**4**	**6**	**8**	**11**	**18**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	3.2	2	<1	<1	3	5	5	6	6
20-34	32	3.9	5	2	2	3	5	7	8	10
35-49	21	4.1	11	1	1	4	4	10	13	13
50-64	29	3.2	6	<1	<1	3	4	6	7	13
65+	51	2.5	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	15	2.7	2	<1	<1	2	4	4	5	5
20-34	21	3.7	8	<1	1	3	4	9	10	12
35-49	18	5.1	15	2	2	4	5	12	14	16
50-64	28	3.9	8	1	2	3	4	9	11	13
65+	38	3.6	9	<1	<1	3	5	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	157	3.3	5	<1	<1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	120	3.8	9	<1	<1	3	4	7	11	16
1. SINGLE DX	157	3.3	5	<1	<1	3	4	6	8	13
2. MULTIPLE DX	122	3.7	9	<1	<1	3	4	7	11	16
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	277	3.5	7	<1	<1	3	4	6	9	13
TOTAL 0-19 YRS	39	3.0	2	<1	<1	2	4	5	5	6
20-34	54	3.8	6	1	2	3	5	8	9	12
35-49	39	4.6	13	1	2	4	4	12	13	16
50-64	57	3.6	7	<1	1	3	4	6	10	13
65+	90	3.0	5	<1	<1	2	4	6	7	14
GRAND TOTAL	**279**	**3.5**	**7**	**<1**	**<1**	**3**	**4**	**6**	**9**	**13**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.0	2	<1	<1	1	3	4	5	5
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	3	4.0	12	2	2	2	7	8	8	8
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	7.0	8	5	5	7	9	9	9	9
B. *Operated*										
0-19 YRS	576	1.8	1	<1	<1	2	2	2	3	3
20-34	223	2.0		<1	1	2	2	3	3	4
35-49	99	2.4	3	<1	1	2	2	3	5	13
50-64	28	2.2		1	2	2	2	3	4	4
65+	12	2.5	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.7	3	<1	<1	<1	1	5	6	6
20-34	5	1.8	2	<1	<1	1	2	4	4	4
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	7	9.6	63	1	2	7	15	22	23	23
65+	7	13.4	92	1	2	13	21	27	28	28
B. *Operated*										
0-19 YRS	128	2.0	1	<1	1	2	2	3	4	6
20-34	53	2.6	5	1	1	2	3	4	8	13
35-49	32	2.5	3	<1	1	2	3	4	10	99+
50-64	21	4.4	14	1	2	3	5	12	13	14
65+	21	4.2	7	2	2	3	5	9	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.1	7	<1	<1	2	4	8	9	9
B. *Operated*	938	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	43	5.0	46	<1	<1	1	7	17	22	28
B. *Operated*	255	2.6	4	1	1	2	3	4	7	13
1. SINGLE DX	960	1.9	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX	298	2.9	11	<1	1	2	3	6	9	23
A. NOT OPERATED	65	4.4	33	<1	<1	2	5	9	19	27
B. OPERATED	1193	2.0	2	<1	1	2	2	3	3	9
TOTAL 0-19 YRS	737	1.8	1	<1	<1	2	2	2	3	5
20-34	283	2.2	1	<1	1	2	2	3	4	9
35-49	137	2.4	4	<1	1	2	2	3	7	25
50-64	59	3.9	17	1	2	2	4	7	13	23
65+	42	5.4	32	1	2	3	7	12	19	28
GRAND TOTAL	**1258**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	2.6	6	<1	<1	2	3	5	8	14
20-34	54	3.6	26	<1	<1	2	4	6	9	35
35-49	19	5.0	39	<1	<1	3	6	10	20	28
50-64	24	5.0	20	1	2	4	5	9	15	22
65+	39	6.7	36	<1	<1	6	8	18	20	21
B. *Operated*										
0-19 YRS	83	2.1	5	<1	<1	1	2	4	5	15
20-34	120	3.0	4	<1	<1	2	4	6	6	10
35-49	141	3.2	6	<1	<1	2	4	6	7	13
50-64	184	2.8	4	<1	<1	2	3	5	7	12
65+	251	3.4	6	<1	<1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	5.5	28	1	1	4	7	11	13	35
20-34	29	6.1	107	<1	1	3	6	11	16	57
35-49	17	7.4	129	<1	1	5	7	10	36	50
50-64	26	8.1	59	<1	2	6	10	20	29	30
65+	73	8.2	43	<1	1	6	11	18	26	82
B. *Operated*										
0-19 YRS	40	4.6	24	<1	1	2	6	9	15	25
20-34	44	4.1	15	<1	<1	3	5	8	12	21
35-49	50	3.9	9	<1	<1	3	5	10	10	12
50-64	108	5.5	66	<1	1	3	5	11	19	48
65+	217	5.2	29	<1	2	4	6	11	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	3.8	20	<1	<1	2	4	8	12	22
B. *Operated*	779	3.0	5	<1	<1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	273	6.6	50	<1	1	5	9	13	19	47
B. *Operated*	459	5.0	34	<1	1	3	5	10	15	25
1. SINGLE DX	1038	3.2	9	<1	<1	2	4	6	8	17
2. MULTIPLE DX	732	5.6	40	<1	1	4	7	11	17	35
A. NOT OPEPATED	532	5.2	37	<1	1	3	7	11	15	34
B. OPERATED	1238	3.7	17	<1	<1	3	5	7	10	21
TOTAL 0-19 YRS	374	3.7	17	<1	<1	2	4	8	12	20
20-34	247	3.7	23	<1	<1	3	5	6	8	21
35-49	227	3.8	19	<1	<1	3	5	7	10	19
50-64	342	4.2	31	<1	<1	3	4	8	12	30
65+	580	4.9	24	<1	1	3	6	10	15	25
GRAND TOTAL	1770	4.2	23	<1	<1	3	5	8	12	25

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	4.0	6	1	1	3	5	7	9	12
20-34	55	5.2	10	1	2	4	7	10	10	17
35-49	52	4.9	14	<1	1	4	6	10	12	18
50-64	36	5.6	7	1	2	6	8	9	10	11
65+	33	6.2	22	<1	1	6	8	13	14	20
B. *Operated*										
0-19 YRS	23	2.3	2	<1	<1	2	3	4	6	7
20-34	29	4.6	16	<1	<1	3	6	10	13	16
35-49	32	4.5	17	1	2	3	5	8	13	22
50-64	68	4.8	22	1	2	3	5	11	15	24
65+	181	3.9	8	1	2	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.6	61	<1	1	4	7	11	14	54
20-34	53	5.4	16	<1	1	5	7	10	13	20
35-49	34	6.5	14	1	2	6	9	11	13	16
50-64	55	7.0	27	1	2	6	9	13	15	32
65+	72	7.4	41	1	2	5	10	16	19	38
B. *Operated*										
0-19 YRS	24	4.6	15	<1	<1	4	6	10	13	17
20-34	53	7.0	36	2	2	5	9	14	19	30
35-49	61	5.9	14	2	2	5	7	11	14	20
50-64	122	6.8	55	2	2	5	7	14	18	42
65+	234	5.4	26	2	2	4	6	11	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	4.9	11	1	1	4	7	9	11	18
B. *Operated*	333	4.1	12	1	1	3	5	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	279	6.4	35	1	2	5	8	12	16	29
B. *Operated*	494	6.0	33	2	2	4	7	12	15	29
1. SINGLE DX	593	4.5	12	1	1	3	6	9	11	18
2. MULTIPLE DX	773	6.1	33	1	2	4	7	12	15	30
A. NOT OPERATED	539	5.7	24	1	1	5	7	11	14	20
B. OPERATED	827	5.2	25	1	2	4	6	11	14	25
TOTAL 0-19 YRS	196	4.4	26	<1	1	3	5	8	11	17
20-34	190	5.7	20	1	2	4	7	11	14	23
35-49	179	5.5	15	1	2	4	7	11	13	20
50-64	281	6.2	36	1	2	5	7	12	16	30
65+	520	5.2	23	1	2	4	6	11	13	27
GRAND TOTAL	1366	5.4	25	1	2	4	7	11	14	25

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	<1	<1	1	3	5	5	5
20-34	5	3.6	10	1	1	2	7	7	7	7
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	6	4.8	21	1	1	3	4	13	14	14
B. *Operated*										
0-19 YRS	6	1.8	1	1	1	2	3	3	3	3
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64	7	6.6	13	3	3	6	8	13	14	14
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.3	10	1	1	3	7	9	10	10
20-34	14	6.5	43	<1	1	5	6	16	23	25
35-49	8	10.4	126	3	3	7	11	30	37	37
50-64	10	7.2	65	1	1	4	10	21	23	23
65+	20	7.7	41	1	2	6	16	45	99+	99+
B. *Operated*										
0-19 YRS	5	3.6	7	1	1	3	5	8	8	8
20-34	4	5.0	3	3	3	5	6	7	7	7
35-49	5	5.4	15	1	1	5	8	11	11	11
50-64	17	6.9	20	1	2	6	9	13	16	18
65+	12	6.7	23	2	2	5	8	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.7	10	<1	1	3	5	7	11	14
B. *Operated*	22	3.9	9	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	63	7.1	50	1	1	5	10	20	28	99+
B. *Operated*	43	6.1	17	1	2	6	8	12	15	18
1. SINGLE DX	41	3.8	9	1	1	3	5	7	11	14
2. MULTIPLE DX	106	6.7	37	1	2	5	9	17	21	99+
A. NOT OPERATED	82	6.3	42	1	1	4	8	17	24	99+
B. OPERATED	65	5.4	15	1	1	4	7	11	13	18
TOTAL 0-19 YRS	26	3.3	7	<1	1	2	5	8	9	10
20-34	26	5.5	26	1	1	4	6	11	17	25
35-49	21	6.3	60	1	1	4	7	12	24	37
50-64	35	6.9	29	1	2	6	9	14	19	23
65+	39	6.9	31	1	2	5	13	18	56	99+
GRAND TOTAL	**147**	**5.9**	**30**	**1**	**1**	**4**	**7**	**14**	**18**	**99+**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	729	3.7	8	1	1	3	5	7	8	15
20-34	21	3.9	6	<1	1	4	6	7	8	8
35-49	5	4.6	7	2	2	4	6	9	9	9
50-64	3	3.7	6	1	1	4	5	6	6	6
65+	4	9.8	57	5	5	6	14	21	21	21
B. *Operated*										
0-19 YRS	647	1.6	2	<1	<1	1	1	3	4	9
20-34	134	2.7	2	<1	1	2	3	5	6	7
35-49	77	2.4	1	<1	1	2	3	4	4	6
50-64	64	3.0	11	<1	1	2	3	5	7	23
65+	27	2.8	8	1	1	2	3	3	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1521	4.8	15	1	1	4	6	9	12	20
20-34	40	5.1	10	1	2	4	7	9	11	13
35-49	20	6.0	16	<1	1	5	10	12	12	13
50-64	24	5.8	23	1	2	5	9	9	14	24
65+	20	6.4	16	<1	1	6	9	11	14	17
B. *Operated*										
0-19 YRS	661	2.4	5	<1	<1	2	2	4	7	14
20-34	145	3.3	5	<1	<1	3	4	7	8	10
35-49	94	3.3	8	<1	<1	3	3	6	8	19
50-64	94	4.1	16	1	2	3	5	7	11	25
65+	41	3.7	15	1	1	3	4	8	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	3.7	8	1	1	3	5	7	8	15
B. *Operated*	949	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	1625	4.8	15	1	1	4	6	9	12	20
B. *Operated*	1035	2.8	7	<1	<1	2	3	5	8	15
1. SINGLE DX	1711	2.7	6	<1	<1	2	3	6	7	13
2. MULTIPLE DX	2660	4.0	13	<1	1	3	5	8	11	18
A. NOT OPERATED	2387	4.5	13	1	1	3	6	9	11	18
B. OPERATED	1984	2.4	5	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	3558	3.5	11	<1	1	2	5	7	10	16
20-34	340	3.3	5	<1	1	3	4	6	8	11
35-49	196	3.2	7	<1	1	3	4	6	8	13
50-64	185	3.9	15	1	1	3	4	7	9	25
65+	92	4.3	17	1	1	3	5	9	11	23
GRAND TOTAL	**4371**	**3.5**	**11**	**<1**	**1**	**2**	**4**	**7**	**10**	**16**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	5.4	21	1	1	4	7	13	16	18
20-34	35	4.4	7	<1	2	4	6	9	10	11
35-49	15	5.7	11	1	2	5	9	11	11	11
50-64	9	3.1	3	1	1	3	4	6	7	7
65+	6	7.0	32	2	2	5	7	17	18	18
B. *Operated*										
0-19 YRS	82	2.6	5	<1	<1	2	3	6	8	10
20-34	32	3.8	4	<1	1	3	5	6	7	8
35-49	19	4.7	3	2	2	5	5	7	8	8
50-64	19	4.9	7	2	3	5	6	8	11	13
65+	9	3.9	7	1	1	3	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	6.7	22	2	2	6	8	12	16	25
20-34	34	5.2	9	1	2	5	7	10	10	12
35-49	14	11.3	144	2	4	8	11	19	44	51
50-64	19	9.7	73	2	3	8	11	23	32	34
65+	16	6.1	15	1	2	5	8	13	14	14
B. *Operated*										
0-19 YRS	68	5.1	26	<1	1	3	6	11	17	23
20-34	41	3.9	2	2	2	3	5	6	7	7
35-49	26	4.3	4	2	2	4	5	8	8	9
50-64	29	6.3	52	2	2	4	6	11	27	34
65+	23	6.4	36	1	2	5	7	13	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	5.1	17	1	1	4	7	11	15	18
B. *Operated*	161	3.4	6	<1	<1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	258	6.9	31	2	2	6	8	12	15	30
B. *Operated*	187	5.1	23	1	2	4	6	9	14	28
1. SINGLE DX	337	4.3	12	<1	1	3	5	9	11	17
2. MULTIPLE DX	445	6.1	29	1	2	5	7	11	15	29
A. NOT OPERATED	434	6.2	26	1	2	5	8	12	15	26
B. OPERATED	348	4.3	16	<1	1	3	5	8	10	23
TOTAL 0-19 YRS	436	5.3	21	<1	1	4	7	11	15	23
20-34	142	4.3	5	1	2	4	6	7	9	11
35-49	74	6.0	37	2	2	5	7	11	11	42
50-64	76	6.4	44	2	2	5	7	12	23	34
65+	54	5.9	24	1	2	5	7	12	15	29
GRAND TOTAL	**782**	**5.4**	**22**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	2	1	1	3	3	5	6	6
20-34	67	3.4	7	1	1	2	5	8	10	10
35-49	86	3.6	7	1	1	3	4	7	8	15
50-64	108	3.8	8	1	1	3	5	7	9	16
65+	123	4.4	11	1	2	3	6	9	11	15
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	4.4	3	3	3	4	5	7	8	8
35-49	13	6.8	35	3	3	4	9	14	22	24
50-64	14	5.9	11	2	2	6	7	10	13	14
65+	6	10.0	44	3	3	9	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.4	14	1	1	3	5	12	13	13
20-34	38	3.9	6	1	1	3	5	7	9	10
35-49	65	4.3	8	1	2	4	6	8	10	12
50-64	124	5.6	34	1	1	4	7	12	13	26
65+	248	6.7	30	1	2	5	9	14	18	27
B. *Operated*										
0-19 YRS										
20-34	5	6.2	17	3	3	4	8	13	13	13
35-49	9	5.0	15	2	2	3	7	11	14	14
50-64	13	6.8	27	2	2	6	8	14	20	21
65+	12	14.8	299	2	4	14	16	74	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.8	8	1	1	3	5	8	10	15
B. *Operated*	42	6.4	23	2	3	5	8	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	492	5.8	27	1	2	4	7	12	14	26
B. *Operated*	39	8.8	117	2	2	6	12	17	44	99+
1. SINGLE DX	441	4.1	10	1	1	3	5	8	10	16
2. MULTIPLE DX	531	6.0	34	1	2	5	8	13	15	28
A. NOT OPERATED	891	4.9	20	1	1	4	6	10	13	20
B. OPERATED	81	7.5	69	2	3	5	9	15	20	89
TOTAL 0-19 YRS	33	3.6	9	1	1	3	4	7	12	13
20-34	118	3.7	7	1	1	3	5	8	9	11
35-49	173	4.2	10	1	1	3	6	8	10	16
50-64	259	4.9	23	1	1	4	6	10	13	18
65+	389	6.3	35	1	2	5	8	14	17	29
GRAND TOTAL	**972**	**5.1**	**24**	**1**	**1**	**4**	**7**	**10**	**14**	**23**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.0		3	3	3	3	3	3	3
20-34	85	2.9	1	2	2	3	3	4	5	6
35-49	108	3.2	2	2	2	3	4	5	5	8
50-64	76	3.2	2	2	2	3	4	5	6	9
65+	16	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	3.0	1	2	2	3	3	4	4	5
35-49	33	3.1	2	2	2	3	3	4	6	8
50-64	24	2.9	1	1	2	3	3	4	5	5
65+	8	6.8	125	1	1	3	5	26	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	291	3.1	1	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	2	6.0		6	6	6	6	6	6	6
B. *Operated*	93	3.3	12	2	2	3	3	4	5	23
1. SINGLE DX	293	3.1	1	2	2	3	4	4	5	8
2. MULTIPLE DX	95	3.4	12	2	2	3	3	5	6	22
A. NOT OPERATED	4	4.3	4	2	2	4	6	6	6	6
B. OPERATED	384	3.1	4	2	2	3	4	4	5	8
TOTAL 0-19 YRS	7	2.9		2	2	3	3	3	3	3
20-34	112	2.9	1	2	2	3	3	4	4	6
35-49	143	3.2	2	2	2	3	4	5	5	8
50-64	100	3.1	2	2	2	3	4	5	6	8
65+	26	4.0	40	1	1	3	4	6	12	34
GRAND TOTAL	**388**	**3.1**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.8	5	<1	1	4	6	6	7	7
20-34	9	2.6	3	1	1	2	4	5	5	5
35-49	9	2.9	2	1	1	3	4	4	4	4
50-64	10	3.6	12	1	1	2	5	9	12	12
65+	3	7.3	30	2	2	7	11	13	13	13
B. *Operated*										
0-19 YRS	152	2.7	3	1	2	2	3	4	5	9
20-34	188	2.6	1	1	2	2	3	4	5	7
35-49	125	3.0	11	2	2	2	3	4	5	19
50-64	71	2.7	2	1	2	2	3	4	6	10
65+	21	3.8	23	1	2	2	3	6	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.5	24	1	1	4	7	12	15	21
20-34	11	3.4	7	<1	<1	3	5	8	8	8
35-49	9	3.4	19	<1	<1	1	5	11	12	12
50-64	22	7.0	18	<1	1	7	9	14	15	15
65+	17	8.2	55	1	1	6	13	20	24	25
B. *Operated*										
0-19 YRS	113	3.0	10	1	1	2	3	5	7	18
20-34	144	2.7	2	1	2	2	3	4	5	7
35-49	98	2.8	1	2	2	3	3	4	5	8
50-64	80	3.2	5	1	2	3	3	5	7	13
65+	23	6.1	53	1	2	3	7	16	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.6	7	1	1	3	5	6	8	13
B. *Operated*	557	2.8	5	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	92	5.8	27	<1	1	4	9	13	15	23
B. *Operated*	458	3.1	7	1	2	3	3	5	6	13
1. SINGLE DX	602	2.8	5	1	2	2	3	4	5	11
2. MULTIPLE DX	550	3.5	12	1	1	3	3	6	11	21
A. NOT OPERATED	137	5.1	22	1	1	4	7	12	14	22
B. OPERATED	1015	2.9	6	1	2	2	3	4	5	12
TOTAL 0-19 YRS	312	3.2	9	1	1	2	3	5	7	17
20-34	352	2.7	2	1	2	2	3	4	5	8
35-49	241	2.9	7	1	2	2	3	4	5	12
50-64	183	3.5	7	1	2	3	4	7	10	14
65+	64	6.0	44	1	2	3	7	14	24	28
GRAND TOTAL	**1152**	**3.2**	**8**	**1**	**2**	**2**	**3**	**5**	**7**	**15**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.4	104	1	1	6	10	27	34	34
20-34	3	6.3	9	3	3	7	8	9	9	9
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	10	1	2	5	7	11	12	12
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	3	23.7	1220	3	3	4	49	64	64	64
50-64	3	9.3	26	5	5	8	13	15	15	15
65+	4	10.8	10	8	8	10	13	15	15	15
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	14.5	13	12	12	14	17	17	17	17
35-49										
50-64	2	8.5	85	2	2	8	15	15	15	15
65+	1	6.0		6	6	53	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	7.5	59	1	2	6	8	15	28	34
B. *Operated*	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	20	10.1	175	2	3	7	10	15	40	64
B. *Operated*	6	9.0	43	2	2	12	16	83	99+	99+
1. SINGLE DX	18	8.1	61	1	2	6	8	17	27	34
2. MULTIPLE DX	26	9.8	142	2	2	8	12	17	69	99+
A. NOT OPERATED	37	8.9	120	1	2	6	9	15	28	64
B. OPERATED	7	10.1	45	2	2	13	17	75	99+	99+
TOTAL 0-19 YRS	18	7.4	58	1	1	6	8	15	27	34
20-34	7	8.7	22	3	3	8	11	16	17	17
35-49	6	13.3	617	2	2	3	4	58	64	64
50-64	7	10.0	33	2	3	8	15	17	17	17
65+	6	9.3	11	6	6	9	14	83	99+	99+
GRAND TOTAL	**44**	**9.1**	**107**	**2**	**2**	**7**	**11**	**17**	**41**	**99+**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	4	5.8	57	1	1	2	10	17	17	17
50-64	7	4.1	10	<1	<1	3	7	9	9	9
65+	5	5.6	10	<1	<1	5	8	9	9	9
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.5	11	<1	<1	2	3	10	11	11
35-49	26	6.0	24	<1	<1	3	11	13	14	15
50-64	44	5.7	33	<1	1	3	10	14	15	26
65+	11	8.0	39	2	2	4	14	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	18	4.5	5	1	2	4	6	7	9	10
35-49	42	5.7	20	1	2	4	7	13	15	18
50-64	87	11.7	137	2	3	8	14	25	36	61
65+	98	11.5	121	2	3	8	14	22	25	67
B. *Operated*										
0-19 YRS										
20-34	25	10.4	105	2	2	10	13	16	26	54
35-49	60	8.0	35	2	2	6	12	15	18	27
50-64	123	11.1	98	1	2	10	15	21	30	73
65+	71	14.9	152	2	3	12	22	32	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.9	18	<1	<1	4	8	9	14	17
B. *Operated*	93	5.8	29	<1	1	3	11	14	15	23
2. MULTIPLE DX										
A. *Not Operated*	246	10.1	107	2	2	7	12	21	26	62
B. *Operated*	279	11.3	103	2	2	10	15	23	31	54
1. SINGLE DX	111	5.6	27	<1	1	3	10	13	15	21
2. MULTIPLE DX	525	10.7	106	2	2	8	14	22	30	59
A. NOT OPERATED	264	9.7	103	2	2	7	12	20	25	61
B. OPERATED	372	9.9	91	1	2	9	14	20	29	53
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	56	6.9	60	1	2	5	10	13	16	52
35-49	132	6.8	29	1	2	4	11	14	15	24
50-64	261	10.2	102	1	2	8	14	21	30	62
65+	185	12.5	129	2	3	9	17	25	34	61
GRAND TOTAL	**636**	**9.8**	**96**	**1**	**2**	**7**	**13**	**20**	**27**	**55**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	23	3	3	4	7	14	15	15
20-34	51	4.3	11	1	1	4	5	8	12	16
35-49	136	4.6	10	1	2	4	6	8	11	16
50-64	232	5.0	14	1	2	4	7	9	10	24
65+	275	6.1	26	1	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	19	4.9	27	1	1	4	6	8	17	24
35-49	10	2.8	9	<1	<1	1	4	8	9	9
50-64	11	4.4	10	1	1	3	7	9	10	10
65+	12	9.3	47	1	1	8	14	18	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.6	7	1	2	6	6	10	11	11
20-34	89	5.0	12	1	1	5	6	10	13	17
35-49	266	5.9	18	1	2	5	8	12	14	21
50-64	663	6.7	35	1	2	6	8	13	16	34
65+	1123	9.1	69	2	3	7	11	18	24	57
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	13	8.8	42	1	1	7	12	19	22	23
35-49	35	8.0	29	2	2	8	11	15	17	23
50-64	69	10.9	88	1	2	9	14	22	29	45
65+	85	12.5	113	2	3	10	15	29	35	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	700	5.3	18	1	2	4	7	10	13	21
B. *Operated*	55	5.4	27	1	1	4	7	11	16	24
2. MULTIPLE DX										
A. *Not Operated*	2160	7.8	51	2	2	6	10	15	21	49
B. *Operated*	204	10.9	87	1	2	9	14	23	30	54
1. SINGLE DX	755	5.3	19	1	2	4	7	10	13	24
2. MULTIPLE DX	2364	8.1	55	2	2	6	10	15	22	49
A. NOT OPERATED	2860	7.2	44	1	2	6	9	14	18	41
B. OPERATED	259	9.7	79	1	2	8	13	22	28	47
TOTAL 0-19 YRS	30	5.6	9	2	3	5	6	10	11	15
20-34	172	5.1	17	1	1	4	6	10	13	22
35-49	447	5.6	17	1	2	4	8	11	14	21
50-64	975	6.6	35	1	2	5	8	12	16	34
65+	1495	8.8	65	2	2	7	11	17	24	55
GRAND TOTAL	**3119**	**7.4**	**48**	**1**	**2**	**6**	**9**	**14**	**20**	**43**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	13	5.3	10	2	2	5	7	9	13	14
65+	37	8.3	33	2	2	7	12	17	19	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	11	8.0	32	2	3	5	12	16	20	20
50-64	64	9.6	67	2	3	7	13	18	21	52
65+	237	11.2	123	3	4	8	13	22	36	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	9.3	24	6	6	7	13	15	15	15
50-64	9	6.0	16	2	2	5	7	13	14	14
65+	15	13.5	72	2	2	15	19	25	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.3	28	2	2	5	10	15	19	24
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	313	10.7	108	2	4	8	13	21	32	92
B. *Operated*	27	10.6	58	2	2	9	16	20	26	30
1. SINGLE DX	53	7.2	28	2	2	5	10	14	19	24
2. MULTIPLE DX	340	10.7	104	2	3	8	13	20	30	89
A. NOT OPERATED	365	10.2	98	2	3	8	12	20	28	85
B. OPERATED	28	10.2	59	2	2	8	16	20	25	30
TOTAL 0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	16	7.6	29	2	2	6	12	15	18	20
50-64	87	8.5	56	2	2	6	12	16	19	44
65+	289	10.9	109	2	3	8	13	21	32	95
GRAND TOTAL	**393**	**10.2**	**95**	**2**	**3**	**8**	**13**	**20**	**28**	**80**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	9.3	38	3	3	9	14	15	15	15
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	6	11.8	52	6	6	9	17	23	24	24
50-64	6	5.5	23	1	1	4	9	13	13	13
65+	11	10.3	38	3	3	10	14	19	24	24
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	5	6.8	18	1	1	6	11	11	11	11
35-49	4	9.0	19	4	4	9	12	14	14	14
50-64	8	15.4	247	1	2	11	23	42	47	47
65+	5	12.0	43	3	3	12	16	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	6.2	8	3	3	6	7	10	13	13
35-49	8	7.5	27	2	2	6	11	15	17	17
50-64	86	4.1	36	1	1	1	4	12	15	32
65+	51	14.0	167	1	2	12	17	27	42	63
B. *Operated*										
0-19 YRS	2	8.0	98	1	1	8	15	15	15	15
20-34	17	15.6	169	1	2	15	27	33	39	42
35-49	22	17.4	177	1	2	16	22	36	46	50
50-64	38	13.1	215	1	2	10	17	23	42	78
65+	35	21.1	232	3	5	21	28	41	53	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	9.0	38	1	3	8	13	16	24	24
B. *Operated*	23	12.2	116	1	2	11	14	28	35	47
2. MULTIPLE DX										
A. *Not Operated*	156	7.6	96	1	1	4	11	17	21	56
B. *Operated*	114	16.7	210	1	2	13	23	33	49	70
1. SINGLE DX	52	10.4	73	1	3	9	14	22	28	47
2. MULTIPLE DX	270	11.4	164	1	1	7	16	27	39	62
A. NOT OPERATED	185	7.8	87	1	1	5	12	17	22	52
B. OPERATED	137	15.9	196	1	2	12	22	32	46	67
TOTAL 0-19 YRS	8	10.4	87	1	1	9	15	24	28	28
20-34	34	10.9	110	1	2	6	15	28	33	42
35-49	40	13.7	127	1	3	11	20	28	38	50
50-64	138	7.3	114	1	1	3	11	17	23	53
65+	102	15.9	182	2	3	13	21	30	46	64
GRAND TOTAL	**322**	**11.3**	**149**	**1**	**1**	**7**	**16**	**27**	**35**	**59**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	33	12.2	18	4	7	12	14	18	20	21
35-49	262	11.8	20	4	7	11	14	17	20	26
50-64	684	12.9	27	6	8	12	15	19	22	31
65+	713	14.0	63	4	7	13	16	22	26	45
B. *Operated*										
0-19 YRS										
20-34	2	17.0	18	14	14	17	20	20	20	20
35-49	17	11.2	56	1	2	10	13	22	28	31
50-64	42	13.2	80	1	1	12	16	21	34	44
65+	22	13.3	67	1	1	14	19	22	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	47	12.7	24	4	7	12	15	18	21	28
35-49	384	12.9	30	5	7	12	15	18	24	34
50-64	1244	13.6	49	5	7	13	16	21	25	39
65+	2056	15.9	93	6	8	14	19	26	34	62
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	10.5	98	1	1	10	19	20	20	20
35-49	73	15.2	50	2	8	15	19	23	28	38
50-64	219	16.8	105	3	8	15	19	28	38	58
65+	273	22.2	181	8	11	19	27	40	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1694	13.2	41	5	7	12	15	20	22	36
B. *Operated*	83	12.9	70	1	1	12	16	21	30	42
2. MULTIPLE DX										
A. *Not Operated*	3733	14.8	72	5	8	13	17	24	30	55
B. *Operated*	570	19.1	143	5	9	16	22	33	42	78
1. SINGLE DX	1777	13.1	43	4	7	12	15	20	23	37
2. MULTIPLE DX	4303	15.4	84	5	8	13	18	25	32	58
A. NOT OPERATED	5427	14.3	63	5	7	13	17	22	28	50
B. OPERATED	653	18.3	138	2	8	16	22	32	42	73
TOTAL 0-19 YRS	5	4.4	36	1	1	2	6	15	15	15
20-34	86	12.5	24	3	7	12	15	19	20	26
35-49	736	12.7	30	4	7	12	15	19	22	32
50-64	2189	13.7	89	5	8	13	16	21	25	42
65+	3064	16.0	98	5	8	14	19	26	34	62
GRAND TOTAL	**6080**	**14.7**	**73**	**5**	**8**	**13**	**17**	**23**	**29**	**53**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	[illegible]	6	6
20-34	9	3.6	2	2	2	4	4	6	6	6
35-49	107	4.5	12	1	1	3	6	9	12	16
50-64	281	4.5	10	1	1	4	6	9	11	15
65+	337	4.9	13	1	2	4	6	10	11	19
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	16	2.2	4	<1	<1	1	3	5	7	8
50-64	36	3.0	14	<1	<1	1	3	9	11	17
65+	15	7.0	150	<1	<1	1	9	17	39	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	13	3.4	2	1	1	3	5	5	5	6
35-49	224	5.1	19	1	1	4	6	9	12	26
50-64	749	6.1	20	1	2	5	8	11	15	21
65+	1395	7.7	46	2	2	6	10	15	21	39
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	20	6.3	22	1	2	4	10	13	15	18
35-49	234	5.9	33	<1	1	3	9	12	16	31
50-64	619	6.3	29	<1	<1	4	10	13	16	23
65+	310	9.0	73	<1	2	6	13	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	736	4.7	12	1	1	4	6	9	11	17
B. Operated	69	3.7	42	<1	<1	1	3	10	13	41
2. MULTIPLE DX										
A. Not Operated	2364	6.9	35	1	2	5	9	13	18	31
B. Operated	1184	6.9	43	<1	1	4	11	14	18	32
1. SINGLE DX	805	4.6	14	1	1	4	6	9	11	18
2. MULTIPLE DX	3568	6.9	38	1	2	5	9	14	18	31
A. NOT OPERATED	3120	6.4	31	1	2	5	8	12	17	29
B. OPERATED	1253	6.7	43	<1	<1	4	10	14	18	32
TOTAL 0-19 YRS	6	8.0	109	2	2	4	6	27	29	29
20-34	44	4.7	13	1	2	3	5	10	12	18
35-49	581	5.2	23	<1	1	3	7	11	13	25
50-64	1685	5.8	22	<1	1	4	8	12	14	21
65+	2057	7.5	47	1	2	5	10	15	21	35
GRAND TOTAL	**4373**	**6.5**	**35**	**1**	**2**	**5**	**9**	**13**	**17**	**29**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.2	32	2	2	4	8	16	16	16
35-49	85	6.2	13	1	2	5	9	11	13	15
50-64	294	7.6	27	2	2	7	9	14	18	26
65+	324	8.1	27	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	6.0	21	<1	<1	4	9	12	13	13
50-64	20	9.1	43	<1	1	8	12	17	23	27
65+	14	13.6	62	6	6	13	16	20	33	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	6.0	22	2	2	5	7	14	16	16
35-49	163	7.6	24	2	3	7	9	13	17	24
50-64	744	8.1	30	2	3	7	10	14	17	26
65+	1519	9.4	41	3	3	8	12	17	22	35
B. *Operated*										
0-19 YRS	2	11.5	61	6	6	11	17	17	17	17
20-34	3	11.7		11	11	12	12	12	12	12
35-49	75	11.6	39	3	5	11	14	21	24	32
50-64	261	13.2	70	2	6	12	16	23	31	42
65+	210	17.6	101	4	7	15	23	32	37	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	706	7.7	26	2	2	7	10	14	18	25
B. Operated	42	10.0	51	<1	1	9	14	17	23	37
2. MULTIPLE DX										
A. Not Operated	2433	8.9	37	2	3	6	11	16	20	31
B. Operated	551	14.6	62	3	5	13	18	25	33	47
1. SINGLE DX	750	7.8	27	2	2	7	10	14	18	26
2. MULTIPLE DX	2984	9.9	50	2	3	6	13	19	24	36
A. NOT OPERATED	3141	9.6	35	2	3	7	11	16	20	29
B. OPERATED	593	14.3	62	3	5	12	18	25	33	46
TOTAL 0-19 YRS	3	8.3	60	2	2	6	14	17	17	17
20-34	15	7.2	24	2	2	5	12	16	16	16
35-49	331	8.0	28	2	2	7	10	14	18	25
50-64	1319	9.0	42	2	3	6	11	16	21	34
65+	2066	10.1	52	3	3	8	13	19	24	40
GRAND TOTAL	**3734**	**9.5**	**46**	**2**	**3**	**6**	**12**	**18**	**23**	**37**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	67	4.9	14	1	1	4	7	10	13	17
50-64	170	6.5	20	1	2	5	9	14	15	19
65+	329	8.3	36	2	3	7	11	16	20	29
B. *Operated*										
0-19 YRS	3	4.7	21	2	2	2	8	10	10	10
20-34	14	5.1	28	<1	<1	2	10	13	15	15
35-49	165	4.8	31	<1	1	2	8	12	15	27
50-64	523	4.5	25	<1	<1	2	8	12	14	22
65+	196	5.4	56	<1	1	2	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	21	2	2	2	8	10	10	10
20-34	12	8.5	80	1	2	5	12	22	30	31
35-49	159	6.1	22	1	2	5	9	12	14	25
50-64	758	7.2	33	1	2	6	9	14	18	30
65+	1813	10.4	91	2	3	8	13	21	30	62
B. *Operated*										
0-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
20-34	32	4.4	18	<1	1	3	4	10	13	20
35-49	337	5.6	51	<1	<1	2	9	13	17	33
50-64	1106	7.4	60	<1	<1	3	11	17	22	34
65+	512	11.4	124	<1	1	9	16	26	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	7.3	30	1	2	6	10	15	18	26
B. *Operated*	901	4.7	33	<1	<1	2	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	2745	9.3	73	2	2	7	12	18	25	50
B. *Operated*	1991	8.1	79	<1	<1	4	12	19	25	42
1. SINGLE DX	1468	5.7	33	<1	1	3	9	13	16	26
2. MULTIPLE DX	4736	8.8	76	<1	1	7	12	18	25	45
A. NOT OPERATED	3312	9.0	66	2	2	7	11	17	23	45
B. OPERATED	2892	7.0	67	<1	<1	3	11	17	23	38
TOTAL 0-19 YRS	10	3.7	11	<1	1	2	3	10	10	10
20-34	59	5.4	34	<1	1	3	7	13	18	30
35-49	728	5.5	37	<1	<1	3	9	12	15	27
50-64	2557	6.7	44	<1	1	4	10	14	19	30
65+	2850	10.0	90	1	2	8	13	21	29	56
GRAND TOTAL	**6204**	**8.1**	**68**	**<1**	**1**	**6**	**11**	**17**	**23**	**41**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	15	11.6	23	3	6	12	16	17	19	19
35-49	38	9.5	25	1	4	10	12	15	20	24
50-64	44	12.3	79	2	6	11	14	19	25	59
65+	51	12.5	29	4	6	12	17	18	21	27
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	13.3	17	8	8	14	16	17	17	17
35-49	5	13.0	28	8	8	12	16	21	21	21
50-64	15	11.1	20	5	6	10	14	19	20	20
65+	8	19.6	98	12	12	17	20	36	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	11.3	10	8	8	11	13	16	16	16
20-34	20	9.6	29	1	2	9	15	16	18	19
35-49	41	11.0	15	5	6	11	14	16	18	20
50-64	101	13.5	30	6	7	12	17	22	24	27
65+	147	17.7	96	4	9	16	21	30	37	47
B. *Operated*										
0-19 YRS										
20-34	7	11.1	9	6	7	11	13	15	15	15
35-49	11	13.5	5	9	10	14	15	16	17	17
50-64	24	19.4	148	7	9	15	21	34	53	53
65+	40	24.2	281	8	11	20	30	46	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	11.5	43	2	5	11	14	18	20	27
B. *Operated*	33	13.6	48	6	7	12	17	20	21	43
2. MULTIPLE DX										
A. *Not Operated*	315	14.8	66	4	7	13	18	25	28	42
B. *Operated*	82	20.3	200	7	9	15	24	38	53	98
1. SINGLE DX	183	11.9	45	3	5	11	15	19	21	38
2. MULTIPLE DX	397	16.0	98	6	7	14	19	27	34	59
A. NOT OPERATED	465	13.8	61	4	6	12	17	23	27	41
B. OPERATED	115	18.4	165	7	8	15	21	32	50	96
TOTAL 0-19 YRS	9	9.3	17	4	4	8	13	15	16	16
20-34	46	10.8	23	2	3	11	15	17	18	19
35-49	95	10.8	20	4	6	11	14	16	19	23
50-64	184	13.8	60	6	7	12	16	22	26	53
65+	246	17.7	123	5	8	16	21	31	38	71
GRAND TOTAL	**580**	**14.7**	**85**	**4**	**6**	**13**	**17**	**24**	**31**	**53**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	2	12.0	72	6	6	12	18	18	18	18
65+	3	20.3	617	5	5	7	38	49	49	49
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	6	20.0	330	1	1	17	32	45	47	47
35-49	3	31.3	2	30	30	31	32	33	33	33
50-64	7	19.1	199	4	5	14	30	41	43	43
65+	8	25.4	186	8	9	27	34	44	47	47
B. *Operated*										
0-19 YRS	2	22.5	841	2	2	22	43	43	43	43
20-34	1	47.0		47	47	47	47	47	47	47
35-49	2	39.0	968	17	17	39	61	61	61	61
50-64	7	37.1	101	27	27	36	44	53	54	54
65+	7	40.4	103	29	30	36	46	57	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	15.7	289	5	5	8	18	46	49	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	23.4	194	3	6	27	33	43	47	47
B. *Operated*	19	37.5	202	9	21	36	47	57	60	61
1. SINGLE DX	6	15.7	289	5	5	8	18	46	49	49
2. MULTIPLE DX	44	29.5	243	3	7	31	38	48	55	61
A. NOT OPERATED	31	21.9	213	4	5	18	33	44	47	49
B. OPERATED	19	37.5	202	9	21	36	47	57	60	61
TOTAL 0-19 YRS	3	26.0	457	2	2	33	40	43	43	43
20-34	8	22.0	352	1	2	18	39	47	47	47
35-49	5	34.4	261	17	17	31	40	61	61	61
50-64	16	26.1	231	5	6	27	36	47	52	54
65+	18	30.4	257	6	7	32	39	49	55	59
GRAND TOTAL	**50**	**27.8**	**264**	**4**	**6**	**30**	**38**	**48**	**54**	**61**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	6	1	1	2	4	7	9	9
20-34	30	2.2	2	<1	<1	2	3	4	5	7
35-49	52	1.9	2	<1	<1	1	2	4	5	8
50-64	59	3.2	9	<1	1	2	4	7	10	15
65+	54	4.1	10	1	1	3	6	8	10	15
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	2	<1	<1	2	3	4	5	5
20-34	23	5.4	46	1	1	3	5	17	23	24
35-49	35	4.2	14	<1	1	3	5	10	13	15
50-64	98	4.8	14	1	1	4	6	10	13	20
65+	135	6.9	44	1	2	5	9	14	19	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	6	12.0	114	<1	1	8	19	29	30	30
65+	7	15.3	30	7	8	16	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	2.9	7	<1	1	2	4	7	8	13
B. *Operated*	2	5.5	41	<1	<1	5	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	299	5.7	31	1	1	4	8	13	15	27
B. *Operated*	14	13.2	65	1	5	11	19	23	28	30
1. SINGLE DX	207	3.0	7	<1	1	2	4	7	9	13
2. MULTIPLE DX	313	6.0	35	1	1	4	8	14	18	29
A. NOT OPERATED	504	4.6	23	1	1	3	6	10	14	23
B. OPERATED	16	12.3	66	<1	1	11	19	22	28	30
TOTAL 0-19 YRS	18	2.4	4	<1	1	2	3	5	7	9
20-34	54	3.7	24	<1	1	2	4	8	15	24
35-49	89	2.9	8	<1	<1	2	4	6	10	15
50-64	163	4.5	18	1	1	3	6	10	12	22
65+	196	6.4	38	1	1	4	8	14	19	34
GRAND TOTAL	**520**	**4.8**	**26**	**1**	**1**	**3**	**6**	**11**	**15**	**24**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	27	2.1	4	<1	<1	1	3	5	7	8
35-49	64	2.9	7	<1	1	2	4	6	9	13
50-64	149	3.7	10	<1	1	3	5	8	10	13
65+	184	5.0	25	<1	1	3	7	9	14	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	9.5	145	1	1	9	18	18	18	18
50-64	7	5.1	32	1	1	2	8	15	16	16
65+	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	4	1	1	2	4	6	6	6
20-34	26	3.1	5	<1	1	2	5	7	7	8
35-49	80	4.1	11	<1	<1	3	5	9	11	15
50-64	435	5.9	34	1	1	4	8	12	15	25
65+	1004	9.2	81	1	2	7	11	18	25	44
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	13.7	121	<1	<1	19	20	21	21	21
50-64	43	12.6	151	<1	1	10	16	25	30	69
65+	78	15.0	245	3	4	10	18	32	62	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	4.0	16	<1	1	3	6	8	10	22
B. *Operated*	11	6.5	38	1	1	3	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	1550	7.9	66	1	2	6	10	16	22	41
B. *Operated*	125	14.0	208	1	3	10	18	26	42	88
1. SINGLE DX	436	4.1	17	<1	1	3	6	9	11	22
2. MULTIPLE DX	1675	8.3	79	1	2	6	10	17	24	45
A. NOT OPERATED	1975	7.0	58	1	1	5	9	14	20	35
B. OPERATED	136	13.4	198	1	2	10	17	26	39	86
TOTAL 0-19 YRS	6	2.5	4	<1	<1	2	3	6	6	6
20-34	54	2.6	4	<1	<1	2	3	6	7	8
35-49	149	3.8	14	<1	<1	2	5	9	11	19
50-64	634	5.9	40	1	1	4	8	12	16	25
65+	1268	8.9	87	1	2	6	11	18	25	47
GRAND TOTAL	**2111**	**7.5**	**69**	**1**	**1**	**5**	**9**	**15**	**22**	**41**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	8	<1	1	2	5	7	9	14
20-34	51	3.2	9	<1	1	3	4	6	11	14
35-49	82	3.7	11	<1	1	3	5	8	9	17
50-64	158	4.5	13	1	1	3	6	9	12	18
65+	216	5.8	27	1	1	4	8	13	17	30
B. *Operated*										
0-19 YRS	3	15.0	97	4	4	18	22	23	23	23
20-34	10	3.7	10	<1	<1	3	7	8	9	9
35-49	11	6.5	15	1	2	6	10	12	13	13
50-64	36	5.7	17	<1	<1	5	8	13	14	16
65+	131	5.9	13	1	3	5	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.6	67	1	1	4	7	16	23	42
20-34	77	4.5	33	<1	1	2	6	11	15	34
35-49	149	4.9	24	<1	1	4	6	9	14	28
50-64	413	6.2	29	1	2	5	8	12	18	28
65+	875	8.6	77	2	2	6	10	17	22	48
B. *Operated*										
0-19 YRS	8	9.4	59	<1	1	7	15	20	22	22
20-34	11	6.0	13	<1	1	6	10	38	91	99+
35-49	25	9.0	95	1	1	7	9	13	31	49
50-64	128	12.5	196	1	3	7	16	26	43	79
65+	443	11.8	119	3	4	9	14	22	34	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	4.7	19	1	1	3	6	10	14	21
B. *Operated*	191	5.9	16	<1	1	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	1547	7.3	58	1	2	5	9	15	19	40
B. *Operated*	615	11.7	132	3	3	8	14	22	37	71
1. SINGLE DX	723	5.1	18	1	1	4	7	11	14	20
2. MULTIPLE DX	2162	8.6	83	1	2	6	10	17	23	50
A. NOT OPERATED	2079	6.7	50	1	1	5	8	14	18	36
B. OPERATED	806	10.3	111	2	3	7	12	20	31	63
TOTAL 0-19 YRS	69	6.1	51	1	1	4	7	16	22	38
20-34	149	4.1	22	<1	1	3	5	10	14	40
35-49	267	5.0	28	<1	1	4	7	9	13	27
50-64	735	6.9	61	1	1	5	8	14	20	43
65+	1665	8.9	81	2	2	7	11	17	23	50
GRAND TOTAL	**2885**	**7.7**	**69**	**1**	**2**	**5**	**9**	**15**	**21**	**47**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	10.8	151	3	3	5	18	29	29	29
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	10	11.6	62	4	4	9	15	25	25	25
50-64	100	7.1	32	1	2	6	9	13	18	31
65+	698	8.9	56	2	3	7	11	16	21	44
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	4.2	10	<1	<1	5	6	8	8	8
65+	9	15.8	83	2	5	13	22	29	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	9.1	126	1	1	5	12	28	38	44
20-34	7	10.7	25	5	5	10	13	19	20	20
35-49	98	8.9	43	2	2	7	12	18	21	32
50-64	673	11.1	92	2	3	9	14	22	29	51
65+	4200	12.7	135	3	4	9	15	26	38	83
B. *Operated*										
0-19 YRS										
20-34	3	9.7	25	5	5	9	13	15	15	15
35-49	13	13.1	85	<1	2	14	18	28	28	28
50-64	76	15.7	144	<1	1	13	24	37	41	43
65+	277	25.5	339	6	8	20	32	56	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	814	8.7	53	2	3	7	11	16	21	40
B. *Operated*	15	10.9	89	<1	<1	9	18	27	29	30
2. MULTIPLE DX										
A. *Not Operated*	5005	12.4	128	3	3	9	15	25	36	76
B. *Operated*	369	22.9	307	3	6	19	31	49	70	99+
1. SINGLE DX	829	8.7	54	2	2	7	11	16	21	40
2. MULTIPLE DX	5374	13.1	147	3	4	9	16	27	38	82
A. NOT OPERATED	5819	11.9	119	2	3	9	14	24	34	72
B. OPERATED	384	22.4	303	2	5	18	29	47	65	99+
TOTAL 0-19 YRS	31	9.4	124	1	1	5	12	30	37	44
20-34	12	9.2	27	2	3	8	12	16	19	20
35-49	122	9.5	50	1	2	8	14	19	25	31
50-64	854	11.0	93	2	3	8	14	23	29	45
65+	5184	12.9	146	3	4	9	16	27	38	82
GRAND TOTAL	**6203**	**12.5**	**137**	**2**	**3**	**9**	**15**	**26**	**37**	**78**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.9	17	1	2	3	6	12	14	16
20-34	77	5.0	22	1	1	4	6	9	14	28
35-49	82	6.1	26	2	2	5	7	13	16	27
50-64	65	6.7	61	2	2	4	8	13	17	52
65+	53	7.0	33	1	2	5	10	15	18	28
B. *Operated*										
0-19 YRS	21	3.7	15	1	1	2	3	9	13	16
20-34	26	5.9	20	<1	<1	5	10	12	13	14
35-49	63	4.6	19	<1	1	3	6	12	14	18
50-64	90	4.1	22	<1	<1	2	5	11	12	23
65+	50	4.8	38	<1	1	2	7	13	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	8.1	58	2	2	6	10	21	24	34
20-34	76	6.2	73	1	1	5	7	11	13	58
35-49	143	7.5	44	2	2	6	10	15	18	33
50-64	254	9.9	95	2	2	7	13	18	25	54
65+	373	11.7	109	2	3	9	15	26	35	60
B. *Operated*										
0-19 YRS	17	9.9	194	1	1	2	11	38	42	43
20-34	25	9.7	72	<1	3	6	15	23	27	32
35-49	81	9.5	56	<1	1	9	14	20	22	34
50-64	209	10.5	98	<1	1	9	15	23	31	42
65+	203	14.2	208	<1	1	12	18	33	47	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	6.0	33	1	2	4	7	13	16	28
B. *Operated*	250	4.5	24	<1	<1	2	7	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	872	9.9	93	2	2	7	13	20	28	52
B. *Operated*	535	11.7	138	<1	1	10	15	26	35	57
1. SINGLE DX	552	5.3	29	<1	1	3	7	12	15	26
2. MULTIPLE DX	1407	10.6	111	1	2	8	14	22	31	54
A. NOT OPERATED	1174	8.9	80	2	2	6	11	18	26	46
B. OPERATED	785	9.4	113	<1	1	5	13	21	30	53
TOTAL 0-19 YRS	89	6.5	65	1	2	3	8	16	22	42
20-34	204	6.1	48	<1	1	4	8	12	16	32
35-49	369	7.1	41	1	2	5	10	15	20	29
50-64	618	8.9	86	<1	1	6	12	18	25	42
65+	679	11.6	134	1	2	9	15	26	36	66
GRAND TOTAL	**1959**	**9.1**	**93**	**1**	**1**	**6**	**12**	**19**	**27**	**52**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	20.0		20	20	20	20	20	20	20
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	6	8.5	21	3	3	9	14	83	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	10.8	11	8	8	9	13	16	16	16
65+	54	12.1	88	3	4	9	16	29	37	97
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	10.0	49	3	3	10	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	8.4	33	3	3	8	14	52	96	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	59	12.0	81	3	4	9	15	27	37	94
B. *Operated*	5	8.8	44	3	3	5	15	17	17	17
1. SINGLE DX	10	8.4	33	3	3	8	14	52	96	99+
2. MULTIPLE DX	64	11.8	79	3	4	9	15	24	36	91
A. NOT OPERATED	69	11.5	75	3	4	9	15	26	38	99+
B. OPERATED	5	8.8	44	3	3	5	15	17	17	17
TOTAL 0-19 YRS										
20-34										
35-49	1	20.0		20	20	20	20	20	20	20
50-64	9	7.9	18	3	3	8	10	14	16	16
65+	64	11.7	79	3	3	9	15	29	39	99+
GRAND TOTAL	**74**	**11.3**	**73**	**3**	**3**	**9**	**15**	**24**	**37**	**99+**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	12.0	19	9	9	10	15	17	17	17
50-64	5	5.6	25	1	1	6	8	13	13	13
65+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	10	17.0	89	5	7	15	19	32	38	38
35-49	15	19.2	184	7	8	13	21	48	48	48
50-64	9	12.6	73	1	2	14	18	23	27	27
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	4.0	19	<1	<1	2	7	9	9	9
50-64	2	11.0	98	4	4	11	18	18	18	18
65+	7	37.3	335	11	14	35	47	65	69	69
B. *Operated*										
0-19 YRS										
20-34	7	13.9	38	3	5	13	19	21	21	21
35-49	24	30.2	274	11	15	28	33	52	66	80
50-64	24	30.1	465	9	10	27	35	84	98	99+
65+	5	25.6	37	16	18	29	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.0	26	1	1	5	9	14	16	17
B. *Operated*	35	16.6	125	3	5	14	19	35	45	48
2. MULTIPLE DX										
A. *Not Operated*	13	22.8	452	<1	1	18	35	54	66	69
B. *Operated*	60	27.9	323	10	11	27	32	64	98	99+
1. SINGLE DX	48	13.7	120	1	2	12	17	27	39	48
2. MULTIPLE DX	73	26.9	344	3	10	26	33	59	93	99+
A. NOT OPERATED	26	14.4	303	<1	1	8	18	37	54	69
B. OPERATED	95	23.7	278	5	10	20	30	48	82	99+
TOTAL 0-19 YRS										
20-34	20	13.6	83	1	2	13	18	24	32	38
35-49	45	23.6	269	6	9	19	30	48	53	80
50-64	40	22.1	396	1	3	18	28	46	90	99+
65+	16	25.6	324	2	4	28	37	90	99+	99+
GRAND TOTAL	**121**	**21.7**	**295**	**1**	**4**	**18**	**30**	**48**	**72**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	18.0		18	18	18	18	18	18	18
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34	1	47.0		47	47	47	47	47	47	47
35-49	1	43.0		43	43	99+	99+	99+	99+	99+
50-64	1	49.0		49	49	99+	99+	99+	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	15.5	13	13	13	15	18	18	18	18
B. *Operated*	3	46.3	9	43	44	99+	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	5	34.0	293	13	15	74	99+	99+	99+	99+
A. NOT OPERATED	2	15.5	13	13	13	15	18	18	18	18
B. OPERATED	3	46.3	9	43	44	99+	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34	1	47.0		47	47	47	47	47	47	47
35-49	1	43.0		43	43	99+	99+	99+	99+	99+
50-64	2	33.5	481	18	18	74	99+	99+	99+	99+
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**5**	**34.0**	**293**	**13**	**15**	**74**	**99+**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49										
50-64	4	4.5		4	4	4	5	5	5	5
65+	4	23.5	650	1	1	17	41	59	59	59
B. *Operated*										
0-19 YRS	2	16.5	41	12	12	16	21	21	21	21
20-34	3	12.3	25	7	7	13	16	17	17	17
35-49	7	14.4	100	6	6	11	17	32	35	35
50-64	4	21.3	258	9	9	16	32	44	44	44
65+	12	17.7	210	6	7	13	35	60	92	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	7	16.9	323	3	3	10	28	47	50	50
50-64	16	14.4	507	1	3	7	15	20	73	96
65+	35	15.1	205	3	5	12	21	31	68	99+
B. *Operated*										
0-19 YRS	4	19.8	222	2	2	20	31	36	36	36
20-34	4	18.5	272	7	7	12	57	99+	99+	99+
35-49	9	20.1	215	8	8	25	45	99+	99+	99+
50-64	22	22.0	117	7	10	18	29	42	64	99+
65+	31	28.5	455	7	10	24	51	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	14.0	334	1	2	5	16	45	59	59
B. *Operated*	28	16.7	147	6	7	13	21	41	52	99+
2. MULTIPLE DX										
A. *Not Operated*	59	15.0	286	3	4	10	18	32	66	99+
B. *Operated*	70	24.3	295	7	9	23	39	91	99+	99+
1. SINGLE DX	37	16.1	186	4	5	12	21	42	55	99+
2. MULTIPLE DX	129	20.0	310	3	5	15	27	56	99+	99+
A. NOT OPERATED	68	14.9	267	3	3	10	18	32	60	99
B. OPERATED	98	22.1	262	7	7	18	34	63	99+	99+
TOTAL 0-19 YRS	8	16.9	116	2	4	14	24	33	36	36
20-34	7	15.9	155	7	7	13	30	83	99+	99+
35-49	23	17.4	200	4	6	11	32	50	99+	99+
50-64	46	17.7	270	3	4	14	25	41	52	99+
65+	82	20.9	345	4	6	15	28	63	99+	99+
GRAND TOTAL	**166**	**19.2**	**284**	**3**	**5**	**14**	**27**	**51**	**99**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	11.0	3	9	9	12	56	99+	99+	99+
65+	12	34.3	597	5	7	49	67	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	45.5	613	28	28	45	63	63	63	63
50-64	3	36.0	637	19	19	24	55	65	65	65
65+	2	35.0	722	16	16	54	88	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	28.4	549	6	8	29	66	99+	99+	99+
B. *Operated*	7	38.4	458	16	17	41	64	89	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	23	31.4	522	7	9	29	64	99+	99+	99+
A. NOT OPERATED	16	28.4	549	6	8	29	66	99+	99+	99+
B. OPERATED	7	38.4	458	16	17	41	64	89	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	33.7	726	10	10	28	54	63	63	63
50-64	6	23.5	444	9	10	19	55	93	99+	99+
65+	14	34.4	561	6	8	51	68	99+	99+	99+
GRAND TOTAL	**23**	**31.4**	**522**	**7**	**9**	**29**	**64**	**99+**	**99+**	**99+**

156: Precerebral *artery* occlusion without *paralysis* (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	6	3.5	2	2	2	3	4	6	6	6
65+	9	5.9	42	1	1	3	6	17	21	21
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	14	8.0	15	3	4	8	10	13	15	16
50-64	66	10.0	56	1	2	9	11	18	27	36
65+	90	9.4	163	1	1	6	12	17	22	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	16	6.3	22	2	2	5	6	13	17	18
65+	36	15.5	320	1	3	8	18	39	59	76
B. *Operated*										
0-19 YRS	3	14.3	30	9	9	14	18	20	20	20
20-34	2	10.5	61	5	5	10	16	16	16	16
35-49	29	9.8	34	1	2	9	15	18	20	21
50-64	229	11.6	75	1	2	10	15	21	27	47
65+	308	12.9	152	1	2	10	16	28	38	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.9	24	1	1	3	6	10	17	21
B. *Operated*	171	9.5	109	1	1	8	12	17	25	61
2. MULTIPLE DX										
A. *Not Operated*	53	12.6	240	2	2	7	13	32	53	76
B. *Operated*	571	12.3	115	1	2	10	15	23	32	60
1. SINGLE DX	188	9.1	103	1	1	7	12	17	22	56
2. MULTIPLE DX	624	12.3	125	1	2	10	15	24	33	63
A. NOT OPERATED	70	10.7	198	1	2	6	11	26	39	73
B. OPERATED	742	11.6	114	1	1	10	15	22	31	61
TOTAL 0-19 YRS	3	14.3	30	9	9	14	18	20	20	20
20-34	4	8.8	25	5	5	7	12	16	16	16
35-49	45	9.0	29	1	3	9	12	17	19	21
50-64	317	10.9	69	1	2	10	14	20	27	39
65+	443	12.3	168	1	1	9	15	25	37	77
GRAND TOTAL	**812**	**11.5**	**121**	**1**	**1**	**9**	**14**	**22**	**31**	**63**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	1	31.0		31	31	31	31	31	31	31
65+	2	63.5	265	52	52	63	75	75	75	75
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	27.0	215	8	8	23	40	45	45	45
50-64	13	20.8	584	5	6	14	21	91	98	99+
65+	12	25.8	991	4	4	9	50	95	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	41.3	844	7	7	41	63	75	75	75
B. *Operated*	30	23.9	654	4	5	15	38	91	99	99+
1. SINGLE DX										
2. MULTIPLE DX	34	25.9	684	4	6	16	42	89	98	99+
A. NOT OPERATED	4	41.3	844	7	7	41	63	75	75	75
B. OPERATED	30	23.9	654	4	5	15	38	91	99	99+
TOTAL 0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	27.0	215	8	8	23	40	45	45	45
50-64	14	21.6	546	5	6	15	28	90	97	99+
65+	14	31.2	1046	4	4	21	69	94	98	99+
GRAND TOTAL	**34**	**25.9**	**684**	**4**	**6**	**16**	**42**	**89**	**98**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	6.3	12	3	3	6	9	10	10	10
50-64	10	4.9	10	1	2	4	8	47	95	99+
65+	51	14.8	202	2	3	11	20	35	60	99
B. *Operated*										
0-19 YRS										
20-34	2	15.5	5	14	14	15	17	17	17	17
35-49	6	10.3	30	4	4	9	12	19	20	20
50-64	7	7.6	15	1	2	8	11	12	12	12
65+	4	9.3	3	7	7	9	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.5	6	5	5	7	9	10	10	10
35-49	17	9.4	35	2	3	8	13	18	22	23
50-64	81	17.1	222	3	5	11	22	48	54	99+
65+	265	18.1	219	3	5	13	24	40	52	97
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	6	11.7	14	6	6	12	15	16	16	16
35-49	16	13.7	361	2	2	7	15	69	92	99+
50-64	52	14.0	98	2	5	10	21	30	33	48
65+	65	21.0	359	4	6	15	29	58	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	12.7	176	2	3	8	16	29	61	99+
B. *Operated*	19	9.6	20	2	4	10	12	16	19	20
2. MULTIPLE DX										
A. *Not Operated*	367	17.3	213	3	5	12	23	42	53	99+
B. *Operated*	140	17.2	254	3	5	13	22	37	68	99+
1. SINGLE DX	84	12.0	142	2	3	9	14	25	55	99+
2. MULTIPLE DX	507	17.3	224	3	5	12	23	40	55	99+
A. NOT OPERATED	432	16.6	210	3	4	12	23	42	53	99+
B. OPERATED	159	16.3	232	3	5	12	20	36	62	99+
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	13	10.2	22	2	4	10	14	16	17	17
35-49	42	11.0	156	2	3	8	12	21	51	99+
50-64	150	14.8	166	2	4	10	19	40	51	99+
65+	385	18.0	241	3	5	13	24	41	59	99+
GRAND TOTAL	**591**	**16.5**	**215**	**3**	**4**	**12**	**22**	**40**	**55**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	12.3	94	6	6	8	15	29	31	31
50-64	17	28.2	384	3	4	32	42	86	99+	99+
65+	69	26.9	525	4	5	23	55	99+	99+	99+
B. Operated										
0-19 YRS	2	33.5	1625	5	5	33	62	62	62	62
20-34	2	30.0	2	29	29	30	31	31	31	31
35-49										
50-64	7	21.6	628	6	8	14	83	99+	99+	99+
65+	11	38.3	348	13	18	47	60	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	93	25.9	480	3	5	25	43	99+	99+	99+
B. Operated	22	31.8	480	6	11	30	66	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	115	27.1	481	4	5	26	57	99+	99+	99+
A. NOT OPERATED	93	25.9	480	3	5	25	43	99+	99+	99+
B. OPERATED	22	31.8	480	6	11	30	66	99+	99+	99+
TOTAL 0-19 YRS	2	33.5	1625	5	5	33	62	62	62	62
20-34	3	21.0	244	3	3	29	30	31	31	31
35-49	6	12.3	94	6	6	8	27	86	99+	99+
50-64	24	26.3	440	4	4	30	54	99+	99+	99+
65+	80	28.5	512	4	6	26	58	99+	99+	99+
GRAND TOTAL	**115**	**27.1**	**481**	**4**	**5**	**26**	**57**	**99+**	**99+**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	5	3.0	6	<1	<1	2	4	7	7	7
35-49	15	3.2	3	<1	1	3	4	5	7	7
50-64	88	4.8	18	1	1	4	7	10	14	22
65+	326	6.1	40	1	2	4	8	12	15	35
B. Operated										
0-19 YRS										
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	21	6.0	9	2	3	6	8	10	12	13
50-64	50	5.2	14	1	1	4	8	11	12	15
65+	47	6.0	42	1	1	5	8	12	13	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	10	4.3	6	1	1	4	6	7	8	8
35-49	45	6.0	42	1	2	4	7	10	23	31
50-64	181	7.2	48	1	2	5	9	13	18	59
65+	1012	9.3	106	1	2	7	12	20	28	96
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	6	7.0	21	1	1	7	12	12	12	12
35-49	20	6.5	18	1	2	5	8	14	16	16
50-64	137	8.5	67	1	1	7	11	15	21	74
65+	185	10.8	110	1	1	8	14	21	29	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	434	5.7	34	1	1	4	7	11	14	30
B. Operated	120	5.7	24	1	1	5	8	11	12	23
2. MULTIPLE DX										
A. Not Operated	1250	8.8	95	1	2	6	11	19	25	92
B. Operated	349	9.6	103	1	1	7	12	18	27	70
1. SINGLE DX	554	5.7	32	1	1	4	8	11	14	29
2. MULTIPLE DX	1599	9.0	97	1	2	6	11	19	25	83
A. NOT OPERATED	1684	8.0	81	1	2	5	10	17	24	69
B. OPERATED	469	8.6	86	1	1	7	11	17	22	51
TOTAL 0-19 YRS	3	10.3	1	9	9	11	11	11	11	11
20-34	23	5.0	11	<1	1	5	7	10	12	12
35-49	101	5.7	25	1	2	4	7	10	14	30
50-64	456	6.9	46	1	1	5	9	13	17	41
65+	1570	8.7	96	1	2	6	11	18	25	78
GRAND TOTAL	**2153**	**8.2**	**82**	**1**	**2**	**6**	**10**	**17**	**23**	**67**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	16	1	1	3	7	10	10	10
20-34	4	11.5	130	3	3	7	19	28	28	28
35-49	14	9.9	44	<1	1	8	15	20	21	21
50-64	71	13.7	262	1	2	8	16	31	61	96
65+	321	17.9	315	2	3	12	24	50	71	99+
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	11	8.9	113	2	2	6	9	22	38	40
50-64	16	9.0	35	2	3	7	10	20	22	23
65+	12	27.8	671	9	9	17	56	82	97	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	19.3	569	5	5	11	18	61	72	72
20-34	6	15.2	137	2	2	16	23	30	31	31
35-49	20	12.9	196	1	2	11	16	24	46	64
50-64	144	14.6	247	3	4	10	19	44	82	99+
65+	965	21.5	382	3	5	15	31	63	94	99+
B. *Operated*										
0-19 YRS										
20-34	4	17.0	49	8	8	17	21	25	25	25
35-49	5	10.8	77	3	3	10	16	24	24	24
50-64	38	18.9	398	4	5	13	17	59	83	99+
65+	95	27.4	494	6	8	23	44	91	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	16.7	297	2	3	11	21	46	65	99+
B. *Operated*	40	14.7	307	2	3	9	15	44	76	99+
2. MULTIPLE DX										
A. *Not Operated*	1142	20.4	367	3	5	14	30	60	92	99+
B. *Operated*	142	24.2	459	5	7	16	38	86	99+	99+
1. SINGLE DX	454	16.5	297	2	3	11	21	46	67	99+
2. MULTIPLE DX	1284	20.8	378	3	5	15	30	63	95	99+
A. NOT OPERATED	1556	19.4	351	3	4	13	28	55	81	99+
B. OPERATED	182	22.1	440	4	6	15	35	82	99+	99+
TOTAL 0-19 YRS	11	13.8	404	1	2	7	15	40	69	72
20-34	15	14.4	93	2	3	11	22	28	30	31
35-49	50	11.0	120	1	2	8	15	20	29	64
50-64	269	14.6	262	2	3	10	17	41	80	99+
65+	1393	21.1	381	3	4	15	31	62	92	99+
GRAND TOTAL	**1738**	**19.7**	**361**	**3**	**4**	**13**	**29**	**57**	**86**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	69.0		69	69	69	69	69	69	69
20-34										
35-49	6	24.2	846	2	3	14	22	76	82	82
50-64	59	23.2	541	3	4	15	38	73	89	99+
65+	303	27.7	546	4	6	23	52	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	38.5	1301	13	13	38	64	64	64	64
50-64	10	34.0	748	5	7	36	75	99+	99+	99+
65+	28	46.3	750	15	18	69	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	369	27.0	553	4	5	22	50	97	99+	99+
B. *Operated*	41	41.9	774	6	14	55	93	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	410	28.5	593	4	6	24	56	99+	99+	99+
A. NOT OPERATED	369	27.0	553	4	5	22	50	97	99+	99+
B. OPERATED	41	41.9	774	6	14	55	93	99+	99+	99+
TOTAL 0-19 YRS	1	69.0		69	69	69	69	69	69	69
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	27.8	834	2	4	14	43	77	82	82
50-64	69	24.8	575	3	4	17	44	83	99	99+
65+	331	29.3	588	4	6	25	59	99+	99+	99+
GRAND TOTAL	**410**	**28.5**	**593**	**4**	**6**	**24**	**56**	**99+**	**99+**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	5.2	18	1	1	4	7	12	12	12
35-49	8	6.0	29	<1	<1	6	7	15	18	18
50-64	16	8.6	157	1	2	4	9	45	82	99+
65+	108	12.3	273	1	2	7	14	32	75	99+
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	6.1	22	2	2	5	8	14	16	16
35-49	8	9.9	145	1	1	7	10	30	38	38
50-64	11	10.1	110	<1	1	8	13	26	36	37
65+	17	7.4	84	1	1	3	10	26	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.8	70	4	4	11	18	24	24	24
20-34	9	4.0	11	1	1	3	5	9	12	12
35-49	21	10.0	168	1	2	6	10	32	45	49
50-64	70	10.9	271	2	2	6	11	27	65	97
65+	485	15.6	252	2	3	10	21	44	91	99+
B. *Operated*										
0-19 YRS	3	26.0	601	1	1	27	44	50	50	50
20-34	5	16.4	40	6	6	17	21	22	22	22
35-49	19	19.3	390	2	3	13	25	47	69	79
50-64	33	15.5	329	1	1	13	22	62	93	99+
65+	54	18.7	336	2	2	12	31	50	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	11.2	237	1	2	6	13	30	66	99+
B. *Operated*	45	8.2	85	1	1	6	10	19	32	38
2. MULTIPLE DX										
A. *Not Operated*	589	14.7	251	2	3	10	20	41	81	99+
B. *Operated*	114	18.0	329	1	2	13	26	52	77	99+
1. SINGLE DX	183	10.4	201	1	1	6	12	30	51	99+
2. MULTIPLE DX	703	15.2	265	2	3	10	21	45	80	99+
A. NOT OPERATED	727	14.0	250	2	3	9	19	39	79	99+
B. OPERATED	159	15.2	279	1	1	10	22	48	61	99+
TOTAL 0-19 YRS	9	15.4	250	1	2	10	25	41	50	50
20-34	27	7.1	39	1	1	5	11	17	21	22
35-49	56	12.6	236	1	1	7	14	32	47	78
50-64	130	11.8	259	1	2	6	13	37	72	99+
65+	664	15.1	261	2	3	10	21	44	84	99+
GRAND TOTAL	**886**	**14.2**	**255**	**2**	**2**	**9**	**19**	**40**	**73**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	10.0	181	1	1	4	17	30	30	30
65+	28	8.9	78	2	2	6	12	28	38	99+
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	23	7.5	35	1	1	7	10	14	19	26
50-64	57	5.4	31	<1	1	3	8	14	18	21
65+	61	7.8	47	1	1	7	12	16	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	25	13.6	273	2	3	9	15	24	40	86
65+	156	15.2	252	2	3	11	24	55	99+	99+
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	16.4	43	7	7	20	21	22	22	22
35-49	39	12.6	131	1	2	11	16	29	50	99+
50-64	235	12.5	147	1	1	11	15	23	43	66
65+	270	17.1	271	1	1	13	23	40	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	9.0	85	2	2	5	12	30	34	99+
B. *Operated*	142	6.7	40	1	1	5	10	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	186	14.8	250	2	3	10	22	45	84	99+
B. *Operated*	550	14.8	210	1	1	12	19	35	56	99+
1. SINGLE DX	174	7.2	48	1	1	5	10	16	24	34
2. MULTIPLE DX	736	14.8	220	1	2	11	19	37	60	99+
A. NOT OPERATED	218	13.9	229	2	3	9	21	38	79	99+
B. OPERATED	692	13.1	186	1	1	11	17	30	45	99+
TOTAL 0-19 YRS	2	14.5	41	10	10	14	19	19	19	19
20-34	7	12.3	79	1	1	12	21	22	22	22
35-49	65	10.4	98	1	1	9	14	20	39	93
50-64	321	11.3	143	1	1	9	14	22	38	67
65+	515	15.0	238	1	1	11	22	38	69	99+
GRAND TOTAL	**910**	**13.3**	**196**	**1**	**1**	**10**	**17**	**32**	**56**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	8.8	70	3	3	5	14	21	21	21
65+	21	11.8	80	3	4	9	15	27	31	34
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	32	11.4	42	2	2	11	15	21	24	27
65+	66	14.0	80	3	3	13	17	23	35	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	9	7.9	38	1	1	6	10	17	22	22
65+	82	10.1	181	1	2	6	12	24	35	98
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	38.0	128	30	30	38	46	46	46	46
35-49	4	11.8	9	8	8	12	14	15	15	15
50-64	117	16.2	105	4	8	14	18	27	36	59
65+	329	19.1	152	4	9	16	23	34	45	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	11.3	77	3	4	8	15	26	29	34
B. *Operated*	98	13.1	69	2	3	12	17	23	30	43
2. MULTIPLE DX										
A. *Not Operated*	94	9.6	164	1	2	6	11	22	33	97
B. *Operated*	453	18.4	141	4	8	16	22	32	44	70
1. SINGLE DX	123	12.7	70	3	3	11	17	23	29	43
2. MULTIPLE DX	547	16.9	156	2	4	15	20	31	41	72
A. NOT OPERATED	119	10.0	145	1	2	6	12	23	33	96
B. OPERATED	551	17.5	132	3	6	15	21	31	40	70
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	3	25.7	520	1	1	30	42	46	46	46
35-49	6	8.2	36	<1	<1	9	13	15	15	15
50-64	162	14.6	94	2	5	13	18	25	31	57
65+	498	16.7	157	2	4	15	21	32	41	76
GRAND TOTAL	**670**	**16.1**	**143**	**2**	**4**	**14**	**20**	**30**	**39**	**70**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	4.2	15	<1	<1	2	9	9	9	9
35-49	7	12.4	73	1	2	11	21	23	23	23
50-64	15	9.9	16	3	6	10	13	15	16	16
65+	16	12.3	71	2	6	9	15	22	32	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	23.0		23	23	23	23	23	23	23
35-49										
50-64	3	4.7	14	2	2	3	7	9	9	9
65+	7	7.1	26	1	1	8	10	14	15	15
B. *Operated*										
0-19 YRS										
20-34	3	27.3	549	10	10	18	45	54	54	54
35-49	4	21.3	556	2	2	12	36	59	59	59
50-64	27	18.7	191	4	8	17	21	40	77	99+
65+	67	17.5	206	4	7	14	20	30	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*	45	10.2	50	1	2	9	14	18	23	37
2. MULTIPLE DX										
A. *Not Operated*	12	7.6	42	1	2	6	10	17	22	23
B. *Operated*	101	18.3	220	3	7	15	20	35	60	89
1. SINGLE DX	50	9.4	51	1	1	8	13	17	23	37
2. MULTIPLE DX	113	17.1	211	2	4	14	20	32	58	87
A. NOT OPERATED	17	6.0	36	<1	1	4	9	14	20	23
B. OPERATED	146	15.8	181	2	4	13	19	28	50	80
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	10	13.0	262	<1	<1	9	18	38	54	54
35-49	11	15.6	260	1	2	12	21	38	57	59
50-64	47	14.3	143	2	3	12	18	23	47	99+
65+	93	15.3	178	1	3	12	18	26	37	76
GRAND TOTAL	**163**	**14.8**	**174**	**2**	**2**	**12**	**18**	**25**	**45**	**78**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	4.5	9	2	2	4	7	8	8	8
35-49	8	9.3	13	3	4	10	12	13	13	13
50-64	11	8.7	24	2	2	8	13	15	16	16
65+	16	8.7	56	1	1	6	14	22	23	23
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	5.3	28	1	1	3	8	13	13	13
35-49	54	8.2	35	1	2	8	12	14	19	29
50-64	166	9.4	53	1	2	9	14	19	23	33
65+	164	9.6	79	1	2	9	13	18	23	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	5.8	2	4	4	6	7	7	7	7
35-49	4	5.0	74	<1	<1	4	9	11	11	11
50-64	22	8.0	45	1	1	7	11	16	17	18
65+	47	10.2	52	1	1	9	15	19	24	29
B. *Operated*										
0-19 YRS										
20-34	13	10.1	64	1	2	11	15	33	65	99+
35-49	60	13.2	106	1	3	13	16	22	34	92
50-64	398	13.7	146	1	1	12	17	25	36	66
65+	569	14.7	160	1	1	13	20	32	39	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	8.1	34	1	2	7	13	16	20	23
B. *Operated*	389	9.3	61	1	2	9	13	18	22	38
2. MULTIPLE DX										
A. *Not Operated*	76	9.0	42	1	1	8	13	16	21	28
B. *Operated*	1060	14.2	150	1	1	12	18	29	38	85
1. SINGLE DX	430	9.2	59	1	2	8	13	18	22	37
2. MULTIPLE DX	1138	13.8	144	1	1	12	18	28	37	81
A. NOT OPERATED	119	8.7	39	1	1	7	13	16	21	28
B. OPERATED	1449	12.8	131	1	1	11	17	26	34	71
TOTAL 0-19 YRS	4	3.0	2	1	1	3	4	4	4	4
20-34	25	7.8	44	1	2	6	11	23	41	99+
35-49	146	10.9	79	1	2	10	14	19	26	75
50-64	597	12.2	118	1	1	11	16	23	31	64
65+	796	13.3	140	1	1	11	16	25	36	76
GRAND TOTAL	**1568**	**12.5**	**125**	**1**	**1**	**11**	**16**	**25**	**34**	**68**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.4	31	1	1	7	9	15	21	23
20-34	13	4.5	4	<1	1	5	6	7	7	7
35-49	13	4.1	10	1	1	3	5	10	11	11
50-64	37	5.0	21	<1	1	4	6	12	14	22
65+	45	6.7	30	1	2	5	9	16	17	25
B. *Operated*										
0-19 YRS	4	14.0	74	3	3	14	19	24	24	24
20-34	19	8.4	81	<1	<1	6	12	17	29	38
35-49	49	5.8	40	<1	<1	3	8	14	18	29
50-64	137	9.0	78	<1	1	7	13	18	25	39
65+	135	9.6	112	<1	1	6	14	24	31	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	9.3	48	1	1	10	16	18	19	19
20-34	16	7.7	11	3	4	7	10	12	14	15
35-49	25	7.0	39	1	1	6	8	10	21	31
50-64	58	10.8	208	1	2	6	13	22	38	79
65+	165	12.6	208	1	2	8	15	33	55	99+
B. *Operated*										
0-19 YRS	4	5.3	14	2	2	5	8	9	9	9
20-34	19	12.3	137	1	2	10	17	30	41	45
35-49	72	12.3	187	1	3	8	15	27	56	92
50-64	253	12.9	149	1	2	10	17	24	44	85
65+	322	16.1	223	1	3	12	23	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	5.6	24	1	1	5	7	13	16	23
B. *Operated*	344	6.6	67	<1	1	6	13	20	26	53
2. MULTIPLE DX										
A. *Not Operated*	279	11.3	175	1	2	7	14	27	49	99+
B. *Operated*	670	14.3	190	1	2	11	18	34	48	96
1. SINGLE DX	471	8.0	72	<1	1	5	11	17	24	42
2. MULTIPLE DX	949	13.4	187	1	2	10	17	32	46	99+
A. NOT OPERATED	406	9.6	134	1	2	6	11	19	32	93
B. OPERATED	1014	12.5	162	1	1	9	16	29	41	80
TOTAL 0-19 YRS	42	8.5	41	1	1	6	13	18	21	24
20-34	67	8.6	71	<1	1	6	11	18	22	44
35-49	159	8.8	113	<1	1	6	11	18	30	67
50-64	485	11.0	131	<1	1	8	15	22	34	76
65+	667	13.3	193	1	2	9	17	32	50	99+
GRAND TOTAL	**1420**	**11.6**	**155**	**1**	**1**	**8**	**15**	**27**	**41**	**83**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.9	25	1	2	8	8	14	19	19
20-34	52	7.1	14	2	3	7	10	12	13	15
35-49	95	7.3	16	2	3	7	9	13	15	21
50-64	106	8.5	19	3	4	8	10	15	17	23
65+	130	8.9	37	3	3	7	11	17	22	29
B. *Operated*										
0-19 YRS	8	9.1	60	1	1	8	13	21	24	24
20-34	17	7.3	25	1	1	9	11	14	15	16
35-49	34	9.6	175	<1	1	6	11	15	27	77
50-64	41	8.6	37	1	2	8	12	18	21	23
65+	35	13.5	102	3	5	11	18	30	35	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.0	7	3	3	5	8	10	10	10
20-34	45	8.1	53	1	2	6	10	15	24	37
35-49	81	8.3	34	2	2	7	11	14	19	33
50-64	143	11.0	53	3	4	9	14	20	26	37
65+	246	11.7	77	3	4	9	14	20	31	48
B. *Operated*										
0-19 YRS	3	11.3	124	3	3	7	20	24	24	24
20-34	10	16.6	239	1	2	13	20	41	54	54
35-49	25	10.8	25	3	4	11	14	17	18	21
50-64	65	14.1	80	3	5	11	20	28	30	42
65+	85	14.1	80	4	5	13	18	29	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	8.1	24	2	3	7	10	14	17	26
B. *Operated*	135	10.0	91	1	2	9	12	21	25	51
2. MULTIPLE DX										
A. *Not Operated*	525	10.6	62	3	4	8	13	19	26	44
B. *Operated*	188	13.8	81	3	5	12	17	28	31	99+
1. SINGLE DX	529	8.6	42	2	3	8	11	16	20	30
2. MULTIPLE DX	713	11.4	69	3	4	9	14	21	30	48
A. NOT OPERATED	919	9.5	47	2	3	8	12	17	22	37
B. OPERATED	323	12.2	88	2	3	10	16	25	30	82
TOTAL 0-19 YRS	32	7.6	35	1	2	7	9	15	23	24
20-34	124	8.3	52	1	2	7	11	14	18	41
35-49	235	8.3	46	2	2	7	11	14	17	29
50-64	355	10.5	50	2	3	9	13	20	25	35
65+	496	11.5	71	3	4	9	14	22	30	49
GRAND TOTAL	**1242**	**10.2**	**59**	**2**	**3**	**8**	**13**	**19**	**25**	**44**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	10.2	27	2	3	10	12	17	18	18
35-49	8	15.5	139	2	3	12	23	34	37	37
50-64	34	13.3	156	1	2	9	19	37	41	48
65+	98	19.9	285	2	4	14	29	47	58	88
B. *Operated*										
0-19 YRS	13	4.8	6	1	2	4	6	8	10	10
20-34	382	4.3	15	2	2	4	5	6	8	14
35-49	623	4.4	6	2	2	4	5	7	9	13
50-64	489	5.5	27	2	2	4	6	9	12	24
65+	136	9.4	150	1	2	5	8	26	43	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	6.9	121	<1	<1	2	7	27	31	31
35-49	18	9.6	90	<1	<1	5	16	26	29	30
50-64	54	14.8	339	1	2	9	17	36	77	99+
65+	195	22.5	360	4	5	17	31	52	72	99+
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	80	6.3	54	2	2	4	6	8	19	46
35-49	207	7.2	64	2	3	5	8	13	21	31
50-64	258	8.5	85	2	2	5	9	17	27	51
65+	139	18.6	367	2	4	11	27	51	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	17.7	245	2	3	12	23	43	52	76
B. *Operated*	1643	5.1	28	2	2	4	5	8	11	28
2. MULTIPLE DX										
A. *Not Operated*	275	19.7	350	2	3	14	27	46	69	99+
B. *Operated*	685	9.9	152	2	3	6	10	23	35	78
1. SINGLE DX	1789	6.1	57	2	2	4	6	10	17	46
2. MULTIPLE DX	960	12.7	228	2	3	7	15	32	47	98
A. NOT OPERATED	421	19.0	314	2	3	13	27	45	60	99+
B. OPERATED	2328	6.5	69	2	2	4	6	11	20	51
TOTAL 0-19 YRS	15	5.0	6	1	3	5	7	8	9	10
20-34	475	4.7	24	2	2	4	5	7	10	29
35-49	856	5.3	25	2	2	4	6	9	12	28
50-64	835	7.3	77	2	2	5	8	14	22	46
65+	568	18.0	322	2	3	11	26	46	61	99+
GRAND TOTAL	**2749**	**8.4**	**127**	**2**	**2**	**5**	**8**	**19**	**32**	**66**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	34	3.1	5	<1	1	3	4	5	7	12
35-49	40	3.1	4	<1	<1	3	5	6	7	8
50-64	36	4.3	13	<1	1	3	6	9	11	18
65+	27	5.7	13	1	2	5	7	13	14	15
B. *Operated*										
0-19 YRS	10	5.2	2	2	3	5	6	7	7	7
20-34	422	4.9	4	2	3	5	6	7	8	10
35-49	524	5.2	4	2	3	5	6	8	9	12
50-64	312	5.4	9	2	3	5	6	8	9	12
65+	98	6.0	13	3	3	5	7	9	10	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		9	9	9	9	9	9	9
20-34	28	2.9	5	<1	<1	2	5	6	7	7
35-49	45	4.2	14	<1	1	3	6	8	10	20
50-64	32	3.7	11	<1	1	3	4	7	11	17
65+	72	7.8	82	1	2	6	9	13	16	62
B. *Operated*										
0-19 YRS	8	3.8	1	2	2	4	5	5	5	5
20-34	363	5.1	5	2	3	5	6	8	9	13
35-49	519	6.0	15	3	3	5	7	9	11	18
50-64	450	6.5	20	3	3	6	8	10	13	23
65+	202	8.5	39	3	4	6	10	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.9	9	<1	1	3	5	7	10	15
B. *Operated*	1366	5.2	6	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	178	5.4	43	<1	1	4	7	11	14	28
B. *Operated*	1542	6.3	16	3	3	5	7	10	13	23
1. SINGLE DX	1505	5.1	6	2	3	5	6	8	9	13
2. MULTIPLE DX	1720	6.2	21	2	3	5	7	10	13	23
A. NOT OPERATED	317	4.8	29	<1	1	4	6	9	12	22
B. OPERATED	2908	5.8	13	3	3	5	7	9	11	19
TOTAL 0-19 YRS	21	4.7	3	1	2	5	6	7	8	9
20-34	847	4.9	5	2	3	5	6	8	9	12
35-49	1128	5.4	10	2	3	5	7	8	9	16
50-64	830	5.9	16	2	3	5	7	9	11	20
65+	399	7.6	40	2	3	6	8	14	18	33
GRAND TOTAL	**3225**	**5.7**	**14**	**2**	**3**	**5**	**7**	**9**	**11**	**19**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	5.9	24	<1	<1	5	9	13	16	18
20-34	56	8.4	19	2	3	8	10	14	16	24
35-49	93	8.6	32	1	2	8	11	14	18	32
50-64	98	8.8	30	2	3	8	12	16	19	27
65+	115	9.6	50	2	3	8	12	17	24	37
B. *Operated*										
0-19 YRS	35	6.8	62	1	2	3	6	17	29	32
20-34	97	5.8	37	<1	2	3	7	13	18	31
35-49	80	7.1	24	2	2	6	10	14	18	21
50-64	50	8.5	65	2	2	8	10	14	19	53
65+	41	12.1	39	3	4	11	16	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.3	25	1	2	6	11	14	17	19
20-34	54	7.9	38	<1	1	7	12	15	21	27
35-49	88	10.9	100	2	4	9	14	18	28	92
50-64	187	10.0	64	2	3	8	13	18	21	48
65+	385	10.9	71	2	3	9	14	22	26	38
B. *Operated*										
0-19 YRS	20	4.5	17	<1	1	3	6	12	13	14
20-34	71	8.2	73	1	1	4	11	22	28	38
35-49	79	9.7	81	1	2	8	12	18	30	47
50-64	127	15.7	147	3	5	12	18	33	40	64
65+	182	19.0	255	3	6	14	23	41	57	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	8.7	35	2	3	8	11	16	19	28
B. *Operated*	303	7.6	45	2	2	5	10	16	19	32
2. MULTIPLE DX										
A. *Not Operated*	732	10.4	70	2	2	9	14	20	25	40
B. *Operated*	479	14.4	182	1	2	12	17	31	41	70
1. SINGLE DX	688	8.2	40	2	2	7	11	16	19	30
2. MULTIPLE DX	1211	12.0	118	2	2	10	15	23	33	61
A. NOT OPERATED	1117	9.8	58	2	2	8	13	18	23	38
B. OPERATED	782	11.7	140	1	2	9	15	24	35	65
TOTAL 0-19 YRS	96	6.2	36	<1	1	4	8	14	18	32
20-34	278	7.3	44	1	2	6	10	15	22	31
35-49	340	9.1	61	1	2	8	12	16	21	39
50-64	462	11.1	88	2	3	9	14	20	26	53
65+	723	12.8	125	2	3	11	16	25	33	67
GRAND TOTAL	**1899**	**10.6**	**93**	**2**	**2**	**9**	**14**	**20**	**27**	**52**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5381	3.3	6	1	1	3	4	6	8	12
20-34	310	3.3	3	1	2	3	4	5	7	9
35-49	88	4.1	5	1	2	4	6	7	8	9
50-64	64	4.7	13	1	2	4	6	9	12	21
65+	118	7.3	57	2	3	6	9	12	14	52
B. *Operated*										
0-19 YRS	210	2.5	2	2	2	2	3	3	5	9
20-34	42	4.2	13	1	2	3	4	8	13	18
35-49	11	4.9	31	1	2	3	4	13	20	21
50-64	8	2.9	1	2	2	3	4	4	4	4
65+	5	6.0	12	2	2	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4713	4.6	13	1	1	4	6	9	11	19
20-34	315	4.0	7	1	1	3	5	7	9	15
35-49	160	4.5	7	2	2	4	6	8	10	12
50-64	189	6.3	23	1	2	5	8	12	15	24
65+	460	9.1	63	2	3	7	11	17	22	34
B. *Operated*										
0-19 YRS	85	5.4	31	2	2	3	7	11	18	28
20-34	31	6.3	34	2	2	4	7	14	20	27
35-49	12	8.6	92	<1	1	7	9	21	34	36
50-64	15	8.0	50	<1	<1	5	13	16	23	26
65+	19	12.9	122	2	2	9	17	30	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5961	3.4	7	1	1	3	4	7	8	13
B. *Operated*	276	2.9	5	1	2	2	3	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	5917	5.0	19	1	2	4	6	9	12	21
B. *Operated*	162	7.0	52	1	2	4	9	16	25	36
1. SINGLE DX	6237	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	6079	5.0	20	1	2	4	6	10	12	23
A. NOT OPERATED	11878	4.2	13	1	1	3	5	8	10	18
B. OPERATED	438	4.4	27	1	2	3	4	10	14	27
TOTAL 0-19 YRS	10469	3.9	10	1	1	3	5	7	10	16
20-34	698	3.8	7	1	2	3	5	7	8	15
35-49	271	4.6	11	1	2	4	6	8	9	20
50-64	276	5.9	22	1	2	5	7	12	14	24
65+	602	8.8	64	2	3	7	10	17	22	39
GRAND TOTAL	**12316**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2737	4.8	12	1	2	4	6	9	11	17
20-34	104	4.0	4	1	2	4	5	7	8	9
35-49	74	4.4	5	1	2	4	6	8	9	11
50-64	90	5.6	9	2	2	5	7	8	12	16
65+	173	7.1	24	2	3	6	9	13	15	30
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	5	3.2	2	2	2	3	4	5	5	5
50-64	3	2.7		2	2	3	3	3	3	3
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1942	6.2	22	2	2	5	8	11	14	23
20-34	109	5.0	17	1	2	4	6	8	10	26
35-49	142	5.8	23	1	2	5	7	11	14	26
50-64	335	7.5	33	2	3	6	9	15	17	33
65+	862	9.5	58	3	4	8	12	17	22	37
B. *Operated*										
0-19 YRS	13	7.9	23	2	2	8	11	14	17	18
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	3	10.0	73	2	2	9	16	19	19	19
50-64	17	12.5	82	2	4	10	18	26	33	35
65+	34	14.9	163	2	2	14	19	26	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3178	4.9	13	1	2	4	6	9	11	17
B. *Operated*	13	5.5	22	2	2	3	6	14	16	17
2. MULTIPLE DX										
A. *Not Operated*	3390	7.1	34	2	2	6	9	13	17	29
B. *Operated*	69	12.6	113	2	2	10	18	22	29	60
1. SINGLE DX	3191	4.9	13	1	2	4	6	9	11	17
2. MULTIPLE DX	3459	7.2	36	2	2	6	9	14	18	30
A. NOT OPERATED	6568	6.1	25	1	2	5	8	11	15	25
B. OPERATED	82	11.5	105	2	2	9	16	21	28	58
TOTAL 0-19 YRS	4694	5.4	17	1	2	4	7	10	13	21
20-34	217	4.5	11	1	2	4	6	8	8	17
35-49	224	5.4	18	1	2	4	6	10	12	24
50-64	445	7.3	31	2	3	6	9	14	17	33
65+	1070	9.3	58	2	3	7	11	17	22	37
GRAND TOTAL	**6650**	**6.1**	**26**	**1**	**2**	**5**	**8**	**11**	**15**	**25**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	211	2.7	1	2	2	3	3	4	4	5
20-34	685	2.7	1	1	2	3	3	4	4	6
35-49	255	2.6	1	1	2	3	3	4	4	5
50-64	122	2.5	1	<1	1	3	3	4	4	4
65+	29	3.0	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	10	1.1		<1	<1	1	1	2	2	2
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	8	1.5	1	<1	<1	1	2	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	233	2.8	1	2	2	3	3	4	5	7
20-34	793	2.9	1	2	2	3	3	4	5	7
35-49	371	3.1	9	2	2	3	3	4	5	9
50-64	174	3.0	2	2	2	3	3	4	5	10
65+	53	3.4	4	1	2	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	1302	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	28	1.7	6	<1	<1	1	1	2	4	14
B. *Operated*	1624	3.0	3	2	2	3	3	4	5	7
1. SINGLE DX	1304	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	1652	2.9	3	2	2	3	3	4	5	8
A. NOT OPERATED	30	1.7	6	<1	<1	1	1	2	3	14
B. OPERATED	2926	2.8	2	2	2	3	3	4	4	7
TOTAL 0-19 YRS	450	2.8	1	1	2	3	3	4	5	6
20-34	1489	2.8	1	1	2	3	3	4	4	7
35-49	630	2.9	6	2	2	3	3	4	4	7
50-64	304	2.8	1	1	2	3	3	4	4	7
65+	83	3.4	4	2	2	3	4	5	7	13
GRAND TOTAL	**2956**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.9	1	2	2	3	4	4	4	4
20-34	28	2.9	6	1	1	2	3	4	7	14
35-49	44	2.4	1	<1	<1	2	3	4	4	5
50-64	50	2.8	2	1	2	2	3	4	5	9
65+	36	3.3	12	<1	1	2	4	6	7	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49										
50-64	4	1.3		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	22	2.9	2	1	2	2	3	5	6	6
20-34	68	2.8	2	1	2	2	3	5	6	9
35-49	79	2.9	4	1	2	2	3	4	5	13
50-64	115	2.9	4	1	2	2	3	4	6	12
65+	51	4.1	32	2	2	3	3	5	9	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	166	2.8	4	<1	1	2	3	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	6	1.8	1	1	1	2	2	4	4	4
B. *Operated*	335	3.0	8	1	2	2	3	5	6	14
1. SINGLE DX	168	2.8	4	<1	1	2	3	4	5	13
2. MULTIPLE DX	341	3.0	7	1	2	2	3	5	6	13
A. NOT OPERATED	8	1.6	1	1	1	1	2	3	4	4
B. OPERATED	501	3.0	6	1	2	2	3	4	6	13
TOTAL 0-19 YRS	30	2.9	1	2	2	3	3	5	5	6
20-34	99	2.8	3	1	2	2	3	4	6	12
35-49	124	2.7	3	1	1	2	3	4	5	12
50-64	169	2.8	3	1	2	2	3	4	5	10
65+	87	3.8	23	1	2	3	3	5	9	32
GRAND TOTAL	**509**	**2.9**	**6**	**1**	**2**	**2**	**3**	**4**	**6**	**13**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.1	7	<1	1	2	4	5	7	15
20-34	12	3.1	1	<1	1	3	4	5	5	5
35-49	5	3.0	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	7150	2.1	1	1	2	2	2	3	3	5
20-34	1413	2.8	1	1	2	3	3	4	4	6
35-49	147	3.1	3	2	2	3	3	4	5	12
50-64	31	3.8	11	2	2	3	4	7	9	19
65+	8	5.4	35	1	1	3	6	16	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	2.1	6	<1	<1	1	2	4	6	13
20-34	7	1.9	1	<1	<1	1	3	4	4	4
35-49	4	3.5	3	1	1	4	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2937	2.2	2	1	1	2	2	3	4	8
20-34	257	3.2	2	2	2	3	4	5	5	10
35-49	49	3.3	3	2	2	3	4	5	6	10
50-64	18	3.3	2	2	2	3	4	6	6	6
65+	5	10.8	89	3	3	6	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	3.1	5	<1	1	3	4	5	7	15
B. *Operated*	8749	2.3	1	1	2	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	173	2.1	6	<1	<1	1	2	4	6	12
B. *Operated*	3266	2.3	2	1	1	2	2	3	4	8
1. SINGLE DX	8836	2.3	1	1	2	2	3	3	4	5
2. MULTIPLE DX	3439	2.3	2	1	1	2	2	3	4	9
A. NOT OPERATED	260	2.5	6	<1	<1	2	3	5	6	14
B. OPERATED	12015	2.3	1	1	2	2	2	3	4	6
TOTAL 0-19 YRS	10318	2.2	1	1	1	2	2	3	3	6
20-34	1689	2.8	1	1	2	3	3	4	5	7
35-49	205	3.1	3	2	2	3	4	5	5	11
50-64	49	3.6	7	2	2	3	4	6	7	19
65+	14	7.0	56	1	1	3	8	20	22	22
GRAND TOTAL	**12275**	**2.3**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	3.8	8	1	1	3	5	7	9	16
20-34	150	3.3	3	1	1	3	4	6	7	9
35-49	53	3.5	3	1	2	3	4	6	8	9
50-64	33	4.2	8	<1	<1	4	6	8	8	11
65+	25	4.4	10	<1	<1	4	6	9	11	13
B. *Operated*										
0-19 YRS	155	2.6	2	1	1	2	3	4	6	7
20-34	301	2.8	3	<1	1	2	3	4	6	8
35-49	172	2.5	2	1	1	2	3	4	4	9
50-64	140	3.1	8	<1	1	2	3	5	8	16
65+	80	3.1	5	<1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	5.0	12	1	1	4	7	9	12	18
20-34	69	3.7	10	<1	1	3	4	7	9	19
35-49	41	4.5	10	<1	1	4	7	9	10	14
50-64	58	5.1	16	<1	1	4	7	12	14	17
65+	51	6.8	51	<1	1	5	7	14	17	47
B. *Operated*										
0-19 YRS	134	3.2	11	<1	<1	2	3	6	8	19
20-34	289	3.0	14	<1	<1	3	3	4	5	15
35-49	220	3.1	10	<1	<1	3	3	5	7	17
50-64	204	3.5	9	<1	1	3	4	6	9	13
65+	116	6.5	72	<1	1	3	8	14	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	516	3.7	6	1	1	3	5	7	8	13
B. *Operated*	848	2.8	3	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	382	5.0	18	1	1	4	7	9	13	18
B. *Operated*	963	3.6	20	<1	<1	3	3	6	10	25
1. SINGLE DX	1364	3.1	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	1345	4.0	20	<1	<1	3	4	8	11	19
A. NOT OPERATED	898	4.2	12	1	1	3	5	8	10	17
B. OPERATED	1811	3.2	12	<1	1	3	3	5	8	16
TOTAL 0-19 YRS	707	3.7	9	1	1	3	5	7	9	17
20-34	809	3.0	8	<1	<1	3	3	5	7	12
35-49	486	3.1	6	<1	1	3	3	5	7	13
50-64	435	3.7	10	<1	1	3	4	8	10	15
65+	272	5.3	45	<1	1	3	6	12	15	38
GRAND TOTAL	**2709**	**3.5**	**12**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3482	5.8	19	2	2	5	7	11	13	22
20-34	621	5.3	8	2	2	5	7	9	11	15
35-49	416	5.9	11	2	2	5	7	10	12	17
50-64	372	7.0	16	2	3	6	8	11	14	24
65+	792	9.2	48	2	3	7	11	16	22	35
B. *Operated*										
0-19 YRS	8	9.3	57	1	2	7	13	21	23	23
20-34	4	10.0	19	5	5	10	13	15	15	15
35-49	12	9.8	49	1	1	9	15	20	20	20
50-64	18	9.4	49	1	2	10	12	18	25	28
65+	19	13.3	109	2	3	10	18	30	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2409	7.5	37	2	2	6	9	14	19	30
20-34	328	6.7	18	2	3	6	8	13	15	23
35-49	362	7.9	32	2	3	7	10	14	18	30
50-64	797	9.8	60	3	4	8	12	17	23	43
65+	2571	12.7	102	3	4	10	15	24	32	55
B. *Operated*										
0-19 YRS	41	14.1	123	3	4	10	18	36	39	41
20-34	27	14.8	116	4	6	11	18	27	35	54
35-49	36	16.1	209	4	5	9	20	33	45	73
50-64	120	19.1	142	6	7	17	23	36	44	99+
65+	238	23.0	264	5	8	20	29	44	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5683	6.3	23	2	2	5	8	11	14	24
B. *Operated*	61	10.7	66	1	2	9	14	21	28	36
2. MULTIPLE DX										
A. *Not Operated*	6467	9.9	70	2	3	8	12	19	25	44
B. *Operated*	462	20.2	216	5	7	17	26	39	54	99+
1. SINGLE DX	5744	6.4	23	2	2	5	8	11	14	25
2. MULTIPLE DX	6929	10.5	87	2	3	8	13	21	28	51
A. NOT OPERATED	12150	8.2	51	2	3	6	10	15	21	38
B. OPERATED	523	19.1	208	4	6	16	25	38	51	99+
TOTAL 0-19 YRS	5940	6.6	28	2	2	5	8	12	16	27
20-34	980	6.1	17	2	2	5	7	11	13	22
35-49	826	7.3	34	2	3	6	9	13	17	30
50-64	1307	9.8	65	3	3	8	12	18	25	44
65+	3620	12.6	110	3	4	10	15	25	32	60
GRAND TOTAL	**12673**	**8.6**	**62**	**2**	**3**	**7**	**10**	**16**	**23**	**42**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	499	4.0	10	1	1	3	5	8	10	17
20-34	152	3.1	4	1	1	3	4	6	7	9
35-49	119	3.6	4	1	2	3	4	6	8	10
50-64	139	4.8	9	1	2	4	6	8	11	14
65+	293	7.4	44	2	2	6	9	13	18	27
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	417	5.0	20	1	1	4	6	10	12	23
20-34	177	3.7	7	1	1	3	5	7	9	15
35-49	141	4.8	9	1	2	4	6	9	10	16
50-64	282	6.9	24	2	2	6	9	13	17	24
65+	814	10.0	99	2	3	7	12	20	27	61
B. *Operated*										
0-19 YRS	3	14.7	21	12	12	12	18	20	20	20
20-34	5	9.0	17	3	3	9	12	14	14	14
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	8	11.4	39	2	3	10	16	20	21	21
65+	19	16.6	146	4	5	14	23	44	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1212	4.8	19	1	1	4	6	9	12	20
B. *Operated*	6	3.3	4	1	1	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1831	7.4	60	1	2	5	9	15	20	40
B. *Operated*	37	13.8	95	3	4	12	17	28	44	99+
1. SINGLE DX	1218	4.8	19	1	1	4	6	9	12	20
2. MULTIPLE DX	1868	7.5	61	1	2	5	9	15	21	43
A. NOT OPERATED	3043	6.3	45	1	2	5	8	12	17	33
B. OPERATED	43	12.3	96	2	3	11	16	25	43	99+
TOTAL 0-19 YRS	920	4.5	15	1	1	3	6	9	12	20
20-34	346	3.5	6	1	1	3	4	7	8	13
35-49	262	4.3	7	1	2	4	6	8	9	13
50-64	431	6.3	21	2	2	5	8	12	15	22
65+	1127	9.4	88	2	3	7	11	18	25	57
GRAND TOTAL	**3086**	**6.4**	**46**	**1**	**2**	**5**	**8**	**13**	**17**	**35**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1087	4.5	11	1	2	4	6	9	11	15
20-34	79	4.2	8	1	2	4	5	7	8	19
35-49	82	5.2	14	1	2	4	7	10	11	21
50-64	167	6.8	22	2	2	6	9	12	16	26
65+	327	8.3	45	2	3	7	10	15	21	30
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	10	6.7	26	2	2	5	8	14	20	20
35-49	10	4.5	21	<1	<1	3	5	11	16	16
50-64	28	7.1	35	1	1	5	10	13	18	29
65+	20	7.0	20	2	2	5	11	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	781	6.3	32	1	2	5	8	11	14	28
20-34	115	4.8	13	1	2	4	6	9	10	23
35-49	136	6.2	17	1	2	5	8	11	14	20
50-64	348	8.7	65	2	3	7	10	16	20	56
65+	958	10.5	83	2	3	8	13	21	27	54
B. Operated										
0-19 YRS	9	16.1	470	1	1	9	16	52	71	71
20-34	7	10.9	198	1	1	3	14	35	40	40
35-49	21	7.4	26	2	2	7	10	16	19	20
50-64	64	10.3	57	2	2	9	15	21	23	33
65+	76	17.1	256	2	3	14	20	38	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1742	5.4	21	1	2	4	7	10	13	24
B. Operated	69	6.8	27	1	2	5	10	13	16	27
2. MULTIPLE DX										
A. Not Operated	2338	8.3	60	2	2	6	10	16	22	43
B. Operated	177	13.2	175	1	2	10	17	27	38	96
1. SINGLE DX	1811	5.5	21	1	2	4	7	11	13	24
2. MULTIPLE DX	2515	8.6	70	2	2	7	11	17	23	47
A. NOT OPERATED	4080	7.1	45	2	2	5	9	14	18	35
B. OPERATED	246	11.4	142	1	2	9	15	23	35	66
TOTAL 0-19 YRS	1878	5.3	23	1	2	4	7	10	12	21
20-34	211	4.9	18	1	2	4	6	8	10	24
35-49	249	5.9	17	1	2	5	7	11	14	20
50-64	607	8.3	52	2	2	6	10	16	20	39
65+	1381	10.3	86	2	3	8	13	20	27	58
GRAND TOTAL	**4326**	**7.3**	**52**	**2**	**2**	**5**	**9**	**14**	**19**	**38**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	5	6.2	27	2	2	5	8	15	15	15
50-64	45	10.2	219	1	2	6	12	16	30	95
65+	101	11.6	119	3	4	9	14	22	35	58
B. Operated										
0-19 YRS										
20-34	4	12.3	92	3	3	12	20	21	21	21
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	2	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	11	19.5	455	4	4	10	24	57	70	71
50-64	151	13.0	142	2	3	9	19	27	38	60
65+	354	14.0	167	3	4	10	16	30	40	67
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	4	15.5	90	0	0	12	22	29	29	29
35-49	5	8.4	90	2	2	5	11	25	25	25
50-64	16	18.2	218	2	3	16	25	56	67	99+
65+	37	19.9	310	4	5	15	25	56	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	11.0	145	2	3	7	14	19	30	66
B. Operated	10	9.2	51	1	2	6	13	20	21	21
2. MULTIPLE DX										
A. Not Operated	517	13.8	165	3	4	10	16	29	41	78
B. Operated	63	16.1	254	2	4	14	24	39	72	99+
1. SINGLE DX	161	10.9	139	2	3	7	13	19	30	64
2. MULTIPLE DX	580	14.3	176	3	4	10	17	30	46	64
A. NOT OPERATED	668	13.2	162	3	3	9	15	26	39	76
B. OPERATED	73	16.9	235	2	4	14	21	35	68	99+
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	9	13.0	78	3	4	10	20	26	29	29
35-49	23	12.7	274	1	2	6	15	31	55	71
50-64	214	12.7	165	2	3	9	16	28	36	74
65+	494	13.9	170	3	4	10	16	30	41	63
GRAND TOTAL	**741**	**13.5**	**170**	**3**	**3**	**10**	**16**	**29**	**41**	**79**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4222	4.0	9	1	1	3	5	7	9	16
20-34	799	3.8	7	1	1	3	5	7	9	14
35-49	573	5.0	14	1	2	4	7	10	12	17
50-64	770	5.6	17	1	2	5	7	10	13	18
65+	613	7.5	33	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS	5	10.0	76	2	2	8	15	24	24	24
20-34	8	4.6	3	1	2	5	6	7	7	7
35-49	5	8.6	30	5	5	6	11	18	18	18
50-64	10	5.8	6	2	2	7	8	9	9	9
65+	2	17.0	128	9	9	17	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1839	4.8	15	1	2	4	6	9	12	19
20-34	410	5.3	18	1	2	4	7	9	13	24
35-49	413	6.9	37	2	2	5	9	13	17	30
50-64	822	8.6	53	2	3	7	11	16	20	30
65+	1058	9.7	70	2	3	8	12	18	23	47
B. *Operated*										
0-19 YRS	20	11.7	160	1	2	9	13	22	43	58
20-34	19	15.5	183	2	3	10	25	44	76	99+
35-49	25	18.0	305	3	4	11	21	45	59	67
50-64	35	12.3	72	2	3	11	15	22	33	39
65+	54	18.1	191	4	5	14	21	36	62	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6977	4.5	13	1	1	4	6	8	11	18
B. *Operated*	30	7.4	33	2	2	6	8	15	24	25
2. MULTIPLE DX										
A. *Not Operated*	4542	6.9	41	1	2	5	9	13	18	30
B. *Operated*	153	15.6	180	2	4	12	20	36	52	98
1. SINGLE DX	7007	4.5	13	1	1	4	6	9	11	18
2. MULTIPLE DX	4695	7.2	48	1	2	5	9	14	19	36
A. NOT OPERATED	11519	5.4	25	1	2	4	7	11	14	24
B. OPERATED	183	14.2	165	2	3	11	18	32	46	88
TOTAL 0-19 YRS	6086	4.3	11	1	1	3	5	8	10	17
20-34	1236	4.5	16	1	1	3	5	8	11	23
35-49	1016	6.1	35	1	2	5	7	11	15	30
50-64	1637	7.2	39	2	2	6	9	13	17	29
65+	1727	9.2	64	2	3	7	11	17	22	46
GRAND TOTAL	**11702**	**5.6**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	6.1	15	1	1	5	9	11	13	16
20-34	13	6.8	38	1	1	5	10	14	21	23
35-49	31	8.5	81	1	2	5	10	17	30	43
50-64	291	8.2	48	2	3	7	10	15	21	39
65+	624	9.8	83	2	3	7	12	18	25	64
B. *Operated*										
0-19 YRS										
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	7	6.0	13	<1	1	5	10	10	10	10
50-64	15	7.7	26	1	2	6	11	16	17	18
65+	16	13.3	344	3	4	7	11	25	63	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	9.0	148	2	2	6	8	14	38	57
20-34	25	6.3	18	1	2	5	8	11	15	21
35-49	104	10.1	87	2	3	7	12	20	24	55
50-64	716	11.0	99	2	3	8	13	22	30	55
65+	1886	12.9	148	3	4	9	15	27	38	87
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	12.0	64	<1	<1	13	17	22	23	23
35-49	21	17.1	137	3	5	15	20	33	45	52
50-64	79	20.2	283	3	5	15	25	51	67	99+
65+	156	21.0	322	4	6	16	28	45	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	983	9.1	71	2	3	7	11	17	23	53
B. *Operated*	40	9.8	153	1	2	7	10	17	23	79
2. MULTIPLE DX										
A. *Not Operated*	2750	12.2	133	2	3	9	15	24	34	76
B. *Operated*	263	20.2	290	4	6	15	26	46	67	99+
1. SINGLE DX	1023	9.2	74	2	3	7	11	17	23	54
2. MULTIPLE DX	3013	12.9	152	3	4	9	16	27	39	85
A. NOT OPERATED	3733	11.4	118	2	3	8	14	23	33	70
B. OPERATED	303	18.8	284	3	5	14	23	44	65	99+
TOTAL 0-19 YRS	44	7.4	72	1	2	6	9	12	15	57
20-34	46	7.4	31	1	1	6	10	14	21	23
35-49	163	10.5	95	2	3	7	13	20	29	51
50-64	1101	10.8	105	2	3	8	13	22	32	63
65+	2682	12.6	150	2	3	9	15	26	39	89
GRAND TOTAL	**4036**	**11.9**	**135**	**2**	**3**	**8**	**14**	**24**	**35**	**78**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.1	5	1	2	3	5	7	9	12
20-34	58	4.1	7	1	1	4	5	6	10	14
35-49	11	5.2	18	1	2	4	6	11	16	17
50-64	4	4.0	6	1	1	4	6	6	6	6
65+	4	7.0	34	1	1	6	11	15	15	15
B. *Operated*										
0-19 YRS	33	7.3	19	2	3	6	8	13	18	20
20-34	149	7.3	20	2	3	6	9	13	14	22
35-49	27	8.6	41	3	3	6	10	16	27	27
50-64	19	9.0	68	3	4	6	7	22	31	34
65+	6	14.0	152	3	3	10	20	34	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	10	1	1	7	8	9	9	9
20-34	13	4.9	6	2	2	5	6	8	10	10
35-49	4	4.3	12	1	1	3	6	9	9	9
50-64	9	10.8	27	3	5	10	14	19	19	19
65+	10	5.3	9	1	1	5	8	9	10	10
B. *Operated*										
0-19 YRS	12	12.3	88	2	4	9	14	29	34	35
20-34	65	10.9	94	3	3	8	13	20	23	66
35-49	20	10.5	52	2	3	9	11	20	28	33
50-64	29	10.6	45	3	4	9	14	18	25	32
65+	36	13.3	146	3	3	8	20	31	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.3	9	1	1	4	5	7	11	16
B. *Operated*	234	7.7	30	2	3	6	9	14	17	34
2. MULTIPLE DX										
A. *Not Operated*	43	6.3	17	1	2	6	8	10	15	19
B. *Operated*	162	11.4	90	3	4	8	14	23	29	55
1. SINGLE DX	332	6.7	26	2	2	5	8	13	15	29
2. MULTIPLE DX	205	10.3	79	2	3	8	12	21	26	45
A. NOT OPERATED	141	4.9	12	1	2	4	6	9	12	18
B. OPERATED	396	9.2	58	2	3	7	11	17	24	35
TOTAL 0-19 YRS	73	7.0	32	2	3	5	8	13	18	33
20-34	285	7.3	39	2	2	6	9	14	16	26
35-49	62	8.3	42	2	3	7	10	17	24	32
50-64	61	9.7	48	3	4	7	12	18	26	34
65+	56	11.5	121	2	3	8	14	26	33	57
GRAND TOTAL	**537**	**8.1**	**49**	**2**	**3**	**6**	**10**	**15**	**21**	**34**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	4.8	22	1	1	4	6	9	12	18
20-34	91	4.6	20	1	1	3	6	9	12	28
35-49	76	4.7	12	1	1	4	6	10	12	18
50-64	114	6.0	18	1	2	5	8	13	14	18
65+	173	9.1	88	2	2	7	10	19	27	53
B. *Operated*										
0-19 YRS	12	7.2	55	1	1	5	9	19	26	27
20-34	18	11.5	39	3	4	11	17	21	21	21
35-49	43	12.7	141	2	3	9	16	30	41	54
50-64	81	9.0	55	2	3	7	11	17	23	41
65+	53	10.6	85	2	2	9	15	19	32	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	6.6	33	1	2	5	8	13	16	27
20-34	89	6.5	53	1	1	4	8	12	17	44
35-49	136	7.0	32	1	2	5	9	15	19	27
50-64	299	9.0	58	1	2	7	11	18	23	38
65+	727	11.3	117	2	3	8	14	21	31	66
B. *Operated*										
0-19 YRS	23	9.4	110	2	2	7	12	18	33	50
20-34	32	16.3	126	2	3	14	24	34	43	99+
35-49	65	14.2	119	3	4	11	17	33	39	46
50-64	153	16.6	122	2	5	14	23	34	42	97
65+	196	18.8	269	3	4	14	25	42	59	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	5.8	37	1	2	4	7	11	15	33
B. *Operated*	207	10.3	80	2	2	8	13	20	30	47
2. MULTIPLE DX										
A. *Not Operated*	1651	9.1	80	2	2	7	11	17	23	51
B. *Operated*	469	16.8	187	2	3	13	23	36	49	97
1. SINGLE DX	1018	6.8	49	1	2	5	8	14	18	40
2. MULTIPLE DX	2120	10.8	114	2	2	8	14	22	32	60
A. NOT OPERATED	2462	8.0	68	1	2	6	10	16	21	44
B. OPERATED	676	14.8	163	2	3	11	19	33	43	79
TOTAL 0-19 YRS	792	5.9	32	1	2	4	7	12	15	27
20-34	230	7.5	64	1	1	5	10	17	25	45
35-49	320	8.7	72	1	2	6	11	18	26	45
50-64	647	10.2	79	2	2	8	14	22	29	49
65+	1149	12.2	147	2	3	8	15	25	38	71
GRAND TOTAL	**3138**	**9.5**	**96**	**1**	**2**	**7**	**12**	**19**	**28**	**54**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.5	5	1	1	3	4	7	8	13
20-34	58	3.6	4	1	1	3	5	5	7	12
35-49	18	3.1	3	1	1	3	3	5	8	9
50-64	7	4.9	10	2	2	3	8	10	10	10
65+	11	6.7	25	2	2	4	9	15	16	16
B. *Operated*										
0-19 YRS	878	1.8	2	<1	<1	1	2	4	5	7
20-34	1161	2.2	3	<1	<1	2	3	4	5	8
35-49	452	2.2	2	<1	<1	2	3	4	5	7
50-64	218	2.1	3	<1	<1	2	2	5	5	8
65+	87	2.3	2	<1	<1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	4.1	8	<1	<1	3	6	9	10	12
20-34	71	4.1	10	<1	1	3	6	9	10	14
35-49	36	3.2	6	<1	<1	3	4	6	9	11
50-64	24	6.6	71	<1	1	4	7	14	25	40
65+	16	4.5	29	<1	<1	3	5	9	19	23
B. *Operated*										
0-19 YRS	449	3.2	10	<1	1	2	4	5	6	19
20-34	504	3.4	5	<1	1	3	4	6	7	13
35-49	255	3.1	12	<1	1	2	4	6	8	16
50-64	231	3.0	22	<1	<1	2	3	4	6	27
65+	139	3.8	31	1	1	2	3	6	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	3.7	7	1	1	3	5	7	8	15
B. *Operated*	2796	2.1	2	<1	<1	1	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	241	4.2	16	<1	<1	3	5	5	11	19
B. *Operated*	1578	3.3	12	<1	1	2	4	6	7	19
1. SINGLE DX	2964	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1819	3.4	13	<1	1	2	4	6	8	19
A. NOT OPERATED	409	4.0	12	<1	1	3	5	8	10	15
B. OPERATED	4374	2.5	6	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	1495	2.5	5	<1	<1	2	3	5	6	10
20-34	1794	2.7	4	<1	<1	2	4	5	6	10
35-49	761	2.5	6	<1	<1	2	3	5	6	11
50-64	480	2.8	16	<1	<1	2	3	5	6	20
65+	253	3.5	21	<1	1	2	3	6	9	27
GRAND TOTAL	**4783**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	4.7	7	1	2	4	6	8	8	14
20-34	19	4.2	3	2	2	4	5	7	8	9
35-49	9	4.3	7	1	1	4	5	8	10	10
50-64	9	5.9	19	1	1	4	10	12	14	14
65+	10	5.5	10	1	2	5	7	10	11	11
B. *Operated*										
0-19 YRS	39	2.8	4	<1	<1	2	3	6	7	10
20-34	68	3.5	6	<1	<1	3	4	7	9	11
35-49	48	3.2	4	<1	<1	3	4	6	9	9
50-64	50	3.9	21	<1	1	3	4	6	12	30
65+	43	4.6	10	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.7	18	1	2	5	7	10	14	26
20-34	30	4.2	3	1	2	4	5	7	8	8
35-49	15	5.6	17	1	2	4	8	13	13	13
50-64	15	7.1	11	3	3	7	9	11	14	15
65+	37	7.3	41	1	2	5	9	18	22	31
B. *Operated*										
0-19 YRS	30	5.9	17	2	2	5	7	12	16	18
20-34	57	4.7	26	<1	2	3	5	8	9	36
35-49	47	4.1	6	1	2	3	6	8	9	12
50-64	51	4.9	10	<1	2	4	6	8	9	18
65+	50	6.3	26	2	2	5	8	14	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	4.7	7	1	2	4	6	8	10	14
B. *Operated*	248	3.6	9	<1	<1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	248	5.9	20	1	2	5	7	10	14	26
B. *Operated*	235	5.1	18	1	2	4	6	9	14	22
1. SINGLE DX	404	4.0	9	<1	1	3	5	8	9	14
2. MULTIPLE DX	483	5.5	19	1	2	4	7	10	14	23
A. NOT OPERATED	404	5.4	15	1	2	4	7	10	13	21
B. OPERATED	483	4.3	14	<1	1	3	5	8	10	20
TOTAL 0-19 YRS	329	5.1	14	1	2	4	6	8	12	18
20-34	174	4.1	12	<1	1	3	5	7	9	14
35-49	119	3.9	7	<1	1	3	5	8	9	13
50-64	125	4.9	16	<1	1	4	6	10	12	21
65+	140	6.0	25	1	2	5	8	11	18	25
GRAND TOTAL	**887**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.1	8	1	1	3	6	9	10	12
20-34	75	3.8	9	<1	1	3	6	8	10	15
35-49	108	3.7	13	<1	<1	3	5	7	11	21
50-64	103	3.6	9	<1	<1	3	5	8	10	12
65+	104	5.2	14	1	1	4	7	9	10	20
B. *Operated*										
0-19 YRS	8	9.6	28	2	2	10	13	16	16	16
20-34	44	7.7	31	1	2	7	10	13	16	32
35-49	41	7.8	24	1	2	8	9	11	17	27
50-64	70	7.0	30	<1	1	7	9	13	17	26
65+	69	7.5	93	1	2	6	9	14	15	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	4.8	23	1	1	4	6	8	12	29
20-34	91	4.0	13	<1	1	3	5	8	11	18
35-49	176	5.1	21	<1	1	4	7	10	13	26
50-64	265	6.0	25	1	1	4	9	13	16	25
65+	313	8.1	43	1	2	6	10	16	23	66
B. *Operated*										
0-19 YRS	13	7.8	50	<1	<1	4	13	20	20	20
20-34	42	8.3	30	1	2	7	10	17	19	25
35-49	101	12.1	141	<1	2	9	13	22	30	70
50-64	174	12.1	115	2	2	10	14	22	27	65
65+	268	11.2	125	2	2	8	14	23	32	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	4.1	11	<1	1	3	6	9	10	16
B. *Operated*	232	7.5	47	<1	2	7	10	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	939	6.2	31	1	1	5	8	13	17	31
B. *Operated*	598	11.4	117	1	2	9	14	22	29	72
1. SINGLE DX	685	5.2	26	<1	1	4	7	10	13	22
2. MULTIPLE DX	1537	8.2	71	1	2	6	11	17	23	56
A. NOT OPERATED	1392	5.5	25	1	1	4	7	11	15	27
B. OPERATED	830	10.3	101	1	2	8	13	19	27	68
TOTAL 0-19 YRS	178	5.0	21	1	1	4	6	10	13	24
20-34	252	5.3	21	<1	1	4	8	10	13	21
35-49	426	6.7	58	<1	1	5	9	13	18	33
50-64	612	7.4	58	<1	1	5	10	15	19	36
65+	754	8.7	77	1	2	6	11	17	25	75
GRAND TOTAL	**2222**	**7.3**	**59**	**1**	**1**	**5**	**9**	**15**	**20**	**40**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	9	4	4	8	10	11	11	11
20-34	26	3.9	4	<1	<1	4	5	6	7	8
35-49	45	4.2	9	<1	1	4	5	9	10	14
50-64	32	4.6	6	<1	1	4	5	9	9	10
65+	38	6.4	32	<1	<1	5	9	12	19	28
B. *Operated*										
0-19 YRS										
20-34	11	8.1	28	<1	1	8	11	15	19	19
35-49	28	9.4	30	<1	2	9	12	15	21	24
50-64	29	8.8	30	<1	1	9	13	17	19	19
65+	24	8.5	27	<1	2	8	12	16	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	20	<1	<1	4	8	13	13	13
20-34	25	6.4	29	1	2	5	8	14	19	25
35-49	46	9.7	134	2	2	6	9	16	32	70
50-64	54	9.0	68	1	2	7	11	17	24	46
65+	98	8.2	25	2	3	7	11	15	16	29
B. *Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	19	12.4	110	<1	2	10	14	27	39	44
35-49	51	14.1	133	4	5	11	16	30	36	67
50-64	69	13.6	96	4	5	12	16	25	29	62
65+	106	15.8	141	2	4	13	22	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	4.9	14	<1	1	4	6	9	11	23
B. *Operated*	92	8.8	28	<1	1	8	12	16	19	23
2. MULTIPLE DX										
A. *Not Operated*	228	8.4	58	2	2	7	10	15	19	42
B. *Operated*	247	14.5	123	3	5	12	19	29	37	74
1. SINGLE DX	238	6.4	23	<1	1	5	9	13	16	23
2. MULTIPLE DX	475	11.6	101	2	3	9	14	24	31	68
A. NOT OPERATED	374	7.1	44	1	2	5	9	13	16	36
B. OPERATED	339	13.0	104	1	4	11	16	25	33	69
TOTAL 0-19 YRS	12	7.0	14	<1	3	6	10	12	13	13
20-34	81	7.2	49	<1	1	5	9	14	18	41
35-49	170	9.5	96	1	2	7	11	18	30	62
50-64	184	9.9	72	1	2	8	13	19	25	43
65+	266	11.0	88	2	3	9	14	23	30	69
GRAND TOTAL	**713**	**9.9**	**81**	**1**	**2**	**8**	**12**	**20**	**27**	**48**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	3	4	4	7	8	8	8	8
20-34	20	4.5	6	1	2	4	5	7	10	12
35-49	25	5.6	7	3	3	5	6	11	11	12
50-64	39	6.8	16	3	3	5	8	11	16	21
65+	40	8.1	28	3	4	6	10	15	17	30
B. *Operated*										
0-19 YRS	3	6.3	26	2	2	5	10	12	12	12
20-34	11	8.2	13	3	4	8	11	13	15	15
35-49	13	9.1	22	3	3	9	13	15	17	17
50-64	28	9.5	28	3	4	8	13	18	20	21
65+	36	12.8	79	2	3	13	18	24	39	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	23	5.6	19	1	2	4	6	14	16	18
35-49	35	6.8	21	2	3	7	8	11	17	23
50-64	63	7.2	21	3	3	6	9	14	15	27
65+	110	10.5	80	3	3	7	14	19	23	53
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	11	13.6	90	4	5	10	18	27	36	37
35-49	44	12.0	109	4	4	9	14	22	28	63
50-64	75	13.2	117	4	4	11	16	28	33	94
65+	133	16.2	202	4	5	12	21	34	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	6.6	17	3	3	5	8	11	15	23
B. *Operated*	91	10.5	48	3	3	10	14	20	22	77
2. MULTIPLE DX										
A. *Not Operated*	233	8.6	52	2	3	6	11	16	21	41
B. *Operated*	264	14.5	159	4	4	11	19	30	37	97
1. SINGLE DX	221	8.2	33	3	3	6	11	16	20	34
2. MULTIPLE DX	497	11.7	117	3	3	9	14	23	33	78
A. NOT OPERATED	363	7.9	40	2	3	6	9	15	18	30
B. OPERATED	355	13.5	133	3	4	11	17	26	36	98
TOTAL 0-19 YRS	12	7.1	9	2	3	7	9	11	12	12
20-34	65	7.0	35	2	2	5	9	14	18	35
35-49	117	8.8	57	3	3	7	11	16	22	43
50-64	205	9.7	63	3	3	8	12	18	25	54
65+	319	12.8	133	3	4	10	16	25	37	88
GRAND TOTAL	**718**	**10.6**	**94**	**3**	**3**	**8**	**13**	**21**	**29**	**77**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	4.1	16	<1	1	3	5	8	10	25
20-34	206	3.5	5	<1	1	3	5	6	8	10
35-49	186	4.2	10	<1	<1	3	5	8	10	17
50-64	124	5.0	12	<1	1	4	7	10	12	16
65+	110	8.3	35	1	3	7	11	15	20	31
B. *Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	51	8.7	9	5	6	9	10	12	15	17
35-49	52	11.0	23	5	6	10	14	16	20	28
50-64	53	10.5	20	3	6	10	12	15	21	24
65+	17	11.9	54	2	6	10	16	17	29	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.5	14	1	2	4	6	7	9	24
20-34	133	5.1	13	1	2	4	7	9	14	18
35-49	177	6.6	27	1	2	6	8	12	14	25
50-64	193	6.9	24	1	2	6	9	13	17	24
65+	269	9.1	66	2	3	7	11	17	21	56
B. *Operated*										
0-19 YRS	5	5.6	7	<1	<1	6	7	8	8	8
20-34	47	11.7	43	4	7	9	14	21	26	37
35-49	77	12.4	49	4	6	11	16	22	24	39
50-64	72	13.8	86	4	4	12	17	26	31	55
65+	58	15.6	104	5	7	12	22	32	42	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	4.7	16	<1	1	4	6	9	12	20
B. *Operated*	175	10.2	22	4	6	10	12	15	17	27
2. MULTIPLE DX										
A. *Not Operated*	813	7.1	39	2	2	6	9	14	17	29
B. *Operated*	259	13.3	72	4	6	11	17	25	31	47
1. SINGLE DX	890	5.8	22	<1	1	5	8	12	14	23
2. MULTIPLE DX	1072	8.6	53	2	2	7	11	17	22	37
A. NOT OPERATED	1528	6.0	29	1	2	5	8	12	15	26
B. OPERATED	434	12.0	54	4	6	10	14	22	27	41
TOTAL 0-19 YRS	137	4.3	15	<1	1	3	5	8	10	25
20-34	437	5.5	19	1	1	4	7	10	14	21
35-49	492	7.1	32	<1	2	6	9	14	18	26
50-64	442	7.9	39	1	2	7	10	14	19	31
65+	454	9.8	68	2	3	8	12	19	26	47
GRAND TOTAL	**1962**	**7.4**	**41**	**1**	**2**	**6**	**10**	**14**	**19**	**34**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.9	19	<1	1	4	6	7	15	21
20-34	99	4.7	8	1	2	4	6	8	9	18
35-49	102	5.2	9	2	2	4	7	9	10	17
50-64	106	5.6	11	2	2	5	7	9	11	20
65+	100	7.7	23	2	3	7	10	14	16	25
B. *Operated*										
0-19 YRS	4	9.0	28	4	4	8	13	16	16	16
20-34	41	9.0	12	5	5	8	10	15	16	18
35-49	42	9.5	20	4	5	9	11	16	17	27
50-64	46	9.7	29	4	6	9	11	14	18	37
65+	32	12.2	32	6	7	11	15	20	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	6	2	3	6	7	9	11	11
20-34	65	5.8	26	2	3	5	6	11	13	35
35-49	85	5.4	11	2	2	5	7	9	11	20
50-64	130	7.5	20	2	3	6	10	13	18	38
65+	201	9.5	73	3	4	7	12	18	22	66
B. *Operated*										
0-19 YRS	7	9.3	31	4	4	8	14	18	18	18
20-34	19	11.9	68	2	4	10	15	18	30	40
35-49	51	13.5	113	4	5	11	15	23	35	62
50-64	77	15.6	94	7	7	14	19	26	30	56
65+	132	20.8	250	6	8	16	24	40	61	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	426	5.8	14	2	2	5	7	10	13	21
B. *Operated*	165	9.9	24	4	6	9	12	16	18	28
2. MULTIPLE DX										
A. *Not Operated*	494	7.7	43	2	3	6	9	14	19	36
B. *Operated*	286	17.2	177	5	7	14	19	32	47	70
1. SINGLE DX	591	6.9	20	2	2	6	9	13	16	24
2. MULTIPLE DX	780	11.2	113	3	3	8	14	20	30	66
A. NOT OPERATED	920	6.8	31	2	3	5	8	12	17	28
B. OPERATED	451	14.6	133	5	6	11	17	26	38	66
TOTAL 0-19 YRS	43	6.3	20	1	2	6	8	12	17	21
20-34	224	6.4	24	2	2	5	8	12	15	25
35-49	280	7.5	40	2	3	6	9	14	17	33
50-64	359	9.0	48	2	3	7	11	17	20	47
65+	465	12.5	138	3	4	9	15	23	32	71
GRAND TOTAL	**1371**	**9.4**	**78**	**2**	**3**	**7**	**11**	**18**	**23**	**52**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	6	5.7	2	4	4	5	6	8	8	8
65+	5	6.6	2	4	4	7	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34	6	9.2	49	<1	<1	10	14	18	18	18
35-49	8	11.8	17	7	7	11	16	17	17	17
50-64	6	13.2	65	3	3	12	19	24	25	25
65+	8	14.1	76	8	8	11	16	29	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	8	3.0	5	<1	<1	2	4	6	7	7
50-64	7	10.1	215	<1	1	5	8	36	43	43
65+	14	11.8	166	1	4	7	12	25	46	52
B. *Operated*										
0-19 YRS										
20-34	5	12.6	9	9	9	13	15	16	16	16
35-49	28	15.9	105	8	8	13	17	24	48	49
50-64	33	23.6	281	9	9	19	28	42	49	97
65+	36	20.6	173	8	9	17	27	38	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	5.8	3	2	4	6	7	8	8	8
B. *Operated*	28	12.2	49	1	4	11	16	19	26	34
2. MULTIPLE DX										
A. *Not Operated*	31	8.8	131	<1	<1	5	8	20	42	52
B. *Operated*	102	19.9	189	8	9	16	23	37	48	98
1. SINGLE DX	43	10.0	42	2	4	8	13	18	21	34
2. MULTIPLE DX	133	17.3	197	3	5	14	21	35	48	97
A. NOT OPERATED	46	7.8	90	<1	1	6	8	12	26	52
B. OPERATED	130	18.2	169	7	8	16	21	33	46	98
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	9.5	27	<1	1	9	14	16	17	18
35-49	45	12.6	93	<1	3	11	16	20	31	49
50-64	52	18.5	258	3	5	15	24	37	46	96
65+	63	16.7	165	5	6	13	20	34	48	96
GRAND TOTAL	**176**	**15.5**	**168**	**2**	**4**	**12**	**19**	**30**	**45**	**91**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	439	2.7	3	<1	1	2	3	5	6	8
20-34	427	3.1	9	<1	1	2	4	6	8	15
35-49	313	3.3	7	<1	1	3	4	6	8	13
50-64	256	3.9	15	<1	1	3	5	7	10	17
65+	253	5.3	17	1	1	4	7	10	13	19
B. Operated										
0-19 YRS	4	3.0	8	<1	<1	2	5	7	7	7
20-34	33	3.9	18	<1	<1	1	7	10	13	16
35-49	28	5.1	26	<1	<1	3	7	13	16	18
50-64	31	4.5	21	<1	<1	3	7	10	15	20
65+	23	5.7	33	<1	<1	4	9	13	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	323	3.6	8	1	1	3	4	7	10	14
20-34	489	3.9	11	1	1	3	5	8	10	16
35-49	462	5.3	23	1	1	4	7	11	16	25
50-64	467	6.5	26	1	1	5	9	13	16	23
65+	725	8.0	61	1	2	6	10	16	22	43
B. Operated										
0-19 YRS	7	9.3	56	1	1	8	15	20	21	21
20-34	50	10.0	126	<1	1	7	12	20	25	58
35-49	52	9.8	82	<1	1	7	12	24	29	43
50-64	88	12.8	130	<1	1	9	17	26	37	55
65+	129	13.1	138	<1	3	9	17	27	36	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1688	3.5	10	<1	1	3	4	7	9	16
B. Operated	119	4.7	23	<1	<1	2	7	11	15	20
2. MULTIPLE DX										
A. Not Operated	2466	5.8	33	1	1	4	7	12	16	29
B. Operated	326	11.9	124	<1	1	9	16	25	36	60
1. SINGLE DX	1807	3.6	11	<1	1	3	5	7	9	16
2. MULTIPLE DX	2792	6.5	47	1	1	4	8	14	19	36
A. NOT OPERATED	4154	4.9	25	1	1	3	6	10	14	25
B. OPERATED	445	10.0	107	<1	<1	7	13	21	31	57
TOTAL 0-19 YRS	773	3.1	6	1	1	2	4	6	8	13
20-34	999	3.9	18	<1	1	3	5	8	10	19
35-49	855	4.9	23	<1	1	3	6	10	13	25
50-64	842	6.3	40	<1	1	5	8	13	17	31
65+	1130	7.9	64	1	2	6	10	16	22	42
GRAND TOTAL	**4599**	**5.4**	**35**	**<1**	**1**	**4**	**7**	**11**	**16**	**30**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	3.0	4	<1	1	2	4	6	7	11
20-34	108	3.7	8	<1	<1	3	5	8	10	14
35-49	101	3.6	10	<1	<1	3	5	9	11	13
50-64	73	4.0	13	<1	<1	3	5	7	12	20
65+	91	5.1	26	1	1	3	7	11	12	32
B. Operated										
0-19 YRS	17	5.5	13	<1	<1	5	9	10	12	13
20-34	17	8.1	12	<1	2	8	11	12	13	13
35-49	24	9.8	33	2	3	9	12	17	24	25
50-64	13	13.0	38	6	6	9	19	21	23	23
65+	9	12.9	68	4	5	11	15	26	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	3.9	8	1	1	3	5	9	10	14
20-34	100	5.1	16	<1	1	4	6	10	11	22
35-49	102	5.6	15	1	2	5	7	10	13	20
50-64	134	5.6	14	1	1	5	7	10	14	17
65+	237	9.0	126	1	2	6	10	17	25	69
B. Operated										
0-19 YRS	9	9.0	32	2	3	6	12	18	19	19
20-34	23	10.0	37	1	3	9	14	17	21	28
35-49	39	11.3	53	1	2	10	16	18	26	35
50-64	59	15.3	114	1	3	14	18	30	41	49
65+	69	20.6	354	3	5	15	27	52	68	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	465	3.9	12	<1	<1	3	5	8	11	14
B. Operated	80	9.4	35	1	3	9	12	17	22	30
2. MULTIPLE DX										
A. Not Operated	641	6.6	58	1	2	5	8	12	17	34
B. Operated	199	15.4	189	1	3	12	18	29	47	85
1. SINGLE DX	545	4.7	20	<1	<1	3	6	10	13	23
2. MULTIPLE DX	840	8.7	103	1	2	6	10	17	25	60
A. NOT OPERATED	1106	5.5	41	<1	1	4	7	11	14	26
B. OPERATED	279	13.7	152	1	3	10	16	27	40	72
TOTAL 0-19 YRS	186	3.9	10	<1	1	3	5	8	10	16
20-34	248	5.1	18	<1	1	4	7	10	13	20
35-49	266	6.1	27	<1	1	5	9	13	16	25
50-64	279	7.6	55	<1	1	5	9	16	21	42
65+	406	10.2	165	1	2	6	12	22	32	76
GRAND TOTAL	**1385**	**7.1**	**74**	**<1**	**1**	**5**	**9**	**15**	**20**	**48**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.8	5	<1	<1	2	5	6	7	7
20-34	9	2.6	4	1	1	2	3	6	7	7
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	1799	4.1	7	2	3	4	5	6	7	10
20-34	1236	4.2	3	2	3	4	5	6	7	10
35-49	326	4.8	5	2	3	4	5	7	10	13
50-64	119	5.3	11	2	3	5	6	8	9	20
65+	29	6.9	23	2	3	6	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	2	<1	<1	1	3	4	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	280	5.8	12	3	3	5	7	10	13	17
20-34	238	5.7	9	3	3	5	7	9	12	16
35-49	96	7.3	17	3	4	6	9	13	16	22
50-64	51	9.1	46	3	4	8	11	16	18	45
65+	28	12.3	113	4	4	9	13	24	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.7	4	<1	1	2	4	6	7	7
B. *Operated*	3509	4.3	6	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	12	2.0	1	<1	<1	2	3	3	4	4
B. *Operated*	693	6.5	20	3	3	5	8	11	14	24
1. SINGLE DX	3540	4.3	6	2	3	4	5	6	7	10
2. MULTIPLE DX	705	6.4	20	3	3	5	7	11	14	24
A. NOT OPERATED	43	2.5	3	<1	1	2	3	5	7	7
B. OPERATED	4202	4.6	9	2	3	4	5	7	9	15
TOTAL 0-19 YRS	2104	4.3	8	2	3	4	5	7	8	13
20-34	1486	4.4	4	2	3	4	5	7	8	12
35-49	424	5.3	9	2	3	4	6	9	11	16
50-64	173	6.4	24	3	3	5	7	10	14	31
65+	58	9.5	73	3	3	7	11	23	25	52
GRAND TOTAL	**4245**	**4.6**	**9**	**2**	**3**	**4**	**5**	**7**	**9**	**15**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.3	17	2	3	5	6	13	15	15
20-34	13	5.5	6	1	2	6	6	8	10	11
35-49	4	6.3	9	3	3	6	8	10	10	10
50-64	2	3.0		3	3	3	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	269	7.3	14	3	3	7	9	13	15	19
20-34	196	6.9	12	3	3	6	9	11	12	22
35-49	81	7.7	16	3	4	7	9	12	14	26
50-64	53	8.8	13	5	5	8	10	15	16	20
65+	31	10.4	22	5	5	10	13	18	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	8.2	11	3	3	9	11	11	11	11
35-49										
50-64	4	13.0	85	3	3	12	19	25	25	25
65+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-19 YRS	144	10.9	40	4	5	9	13	19	24	29
20-34	95	9.6	25	4	5	9	11	14	16	32
35-49	60	12.1	60	4	5	10	14	20	25	50
50-64	66	12.4	34	5	7	11	15	19	23	35
65+	62	14.8	59	6	8	13	18	26	32	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.9	11	2	2	5	7	11	14	15
B. *Operated*	630	7.5	15	3	3	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	11	10.3	48	2	2	10	13	21	25	25
B. *Operated*	427	11.6	44	4	5	10	14	19	25	36
1. SINGLE DX	657	7.4	15	3	3	7	9	12	15	21
2. MULTIPLE DX	438	11.5	44	4	5	10	14	19	25	36
A. NOT OPERATED	38	7.2	25	2	2	6	10	14	17	25
B. OPERATED	1057	9.1	30	3	4	8	11	15	19	31
TOTAL 0-19 YRS	421	8.5	26	3	4	7	10	15	18	26
20-34	309	7.7	17	3	3	7	10	12	14	25
35-49	145	9.4	39	3	4	8	11	15	20	32
50-64	125	10.7	30	5	5	10	13	17	20	32
65+	95	13.4	50	5	6	12	17	23	31	36
GRAND TOTAL	**1095**	**9.1**	**30**	**3**	**4**	**8**	**11**	**15**	**19**	**30**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	1.9	1	<1	1	2	2	3	5	7
20-34	44	2.3	2	1	1	2	3	4	5	6
35-49	11	3.5	6	1	1	3	5	7	9	9
50-64	4	1.5		1	1	1	2	2	2	2
65+	4	7.3	6	4	4	7	9	10	10	10
B. *Operated*										
0-19 YRS	229	4.6	3	3	3	4	5	7	8	10
20-34	137	4.7	4	3	3	4	5	7	8	12
35-49	43	4.7	3	3	3	4	5	7	9	10
50-64	18	7.8	18	3	4	7	9	14	18	19
65+	4	13.0	12	10	10	12	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.9	2	<1	<1	1	2	4	6	6
20-34	9	3.2	3	<1	<1	4	4	6	6	6
35-49	6	2.2	1	1	1	2	3	4	4	4
50-64	3	6.0	4	4	4	6	7	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	97	5.5	12	3	3	5	6	8	10	22
20-34	93	5.8	12	3	3	5	7	9	11	22
35-49	20	6.7	9	3	4	6	8	11	12	13
50-64	12	8.5	18	4	4	8	12	14	14	14
65+	9	11.8	80	1	2	9	16	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	2.3	3	1	1	2	3	4	6	9
B. *Operated*	431	4.9	5	3	3	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	37	2.6	3	<1	<1	2	4	6	6	8
B. *Operated*	231	6.1	16	3	3	5	7	10	14	23
1. SINGLE DX	571	4.2	5	1	2	4	5	7	8	12
2. MULTIPLE DX	268	5.6	15	1	2	5	7	9	14	23
A. NOT OPERATED	177	2.4	3	<1	1	2	3	5	6	9
B. OPERATED	662	5.3	9	3	3	5	6	8	10	19
TOTAL 0-19 YRS	421	4.2	6	1	1	4	5	7	8	14
20-34	283	4.7	7	1	2	4	6	7	9	16
35-49	80	4.9	6	1	2	4	6	8	10	13
50-64	37	7.2	18	1	2	6	9	14	15	19
65+	18	10.5	50	1	3	9	12	21	27	29
GRAND TOTAL	**839**	**4.7**	**9**	**1**	**2**	**4**	**6**	**8**	**9**	**18**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	1	1	1	2	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	9	5.6	52	1	1	2	7	18	23	23
B. *Operated*										
0-19 YRS	851	2.5	2	<1	1	2	3	4	5	7
20-34	1009	3.7	2	1	2	4	4	6	6	8
35-49	1033	4.1	3	2	2	4	5	6	7	9
50-64	1292	4.3	3	2	2	4	5	7	8	10
65+	961	5.2	9	2	2	5	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.8	4	<1	<1	1	2	3	7	9
20-34	4	2.3	4	<1	<1	1	3	5	5	5
35-49	9	3.2	8	<1	<1	2	6	8	8	8
50-64	20	2.4	6	<1	<1	1	3	6	8	9
65+	19	4.3	11	<1	1	4	6	8	11	14
B. *Operated*										
0-19 YRS	461	2.9	4	<1	1	2	3	5	6	12
20-34	271	4.2	4	2	2	4	5	7	8	10
35-49	437	4.8	6	2	3	4	5	7	9	16
50-64	908	5.7	11	2	3	5	7	9	12	19
65+	1038	7.7	39	3	3	6	9	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.5	26	1	1	2	3	9	16	23
B. *Operated*	5146	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	88	2.6	7	<1	<1	1	3	7	8	12
B. *Operated*	3115	5.7	21	2	2	5	7	10	13	23
1. SINGLE DX	5167	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX	3203	5.6	21	1	2	5	7	10	13	23
A. NOT OPERATED	109	2.8	10	<1	<1	1	3	7	8	18
B. OPERATED	8261	4.7	11	1	2	4	6	8	10	18
TOTAL 0-19 YRS	1355	2.6	3	<1	1	2	3	5	6	10
20-34	1286	3.8	3	1	2	4	5	6	7	9
35-49	1481	4.3	4	2	2	4	5	6	7	11
50-64	2221	4.9	7	2	2	4	6	8	9	15
65+	2027	6.5	26	2	3	5	8	11	15	27
GRAND TOTAL	**8370**	**4.6**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	4	3.0	8	1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	124	2.1	1	1	1	2	3	3	4	6
20-34	46	3.8	2	2	2	4	5	6	6	7
35-49	28	4.5	4	2	2	4	6	7	8	10
50-64	65	4.9	6	2	2	4	6	8	11	14
65+	62	6.4	8	3	3	6	7	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	8	5.4	20	2	2	4	5	13	16	16
B. *Operated*										
0-19 YRS	67	3.3	6	1	1	3	4	8	9	10
20-34	18	4.9	6	1	2	5	6	8	9	10
35-49	23	6.0	8	3	3	6	8	10	11	12
50-64	36	6.4	8	3	3	6	8	11	13	13
65+	117	10.8	69	3	4	8	13	21	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.9	3	1	1	1	2	4	6	7
B. *Operated*	325	3.9	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	14	5.7	17	1	2	5	7	11	15	16
B. *Operated*	261	7.4	45	1	2	6	9	14	20	36
1. SINGLE DX	339	3.8	7	1	1	3	5	7	9	12
2. MULTIPLE DX	275	7.3	43	1	2	6	9	14	20	36
A. NOT OPERATED	28	3.8	13	1	1	2	5	8	11	16
B. OPERATED	586	5.5	27	1	1	4	7	10	14	32
TOTAL 0-19 YRS	199	2.5	3	1	1	2	3	4	6	9
20-34	69	4.1	4	2	2	4	5	7	8	11
35-49	53	5.2	6	2	3	4	7	9	10	12
50-64	102	5.5	7	2	3	5	7	9	11	14
65+	191	9.0	51	3	3	7	11	17	23	38
GRAND TOTAL	**614**	**5.4**	**26**	**1**	**1**	**4**	**7**	**10**	**14**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	40	1	1	1	9	12	12	12
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	128	2.3	1	<1	1	2	3	4	5	6
20-34	59	3.0	2	1	2	3	3	5	6	8
35-49	79	3.4	3	1	2	3	4	5	7	11
50-64	77	3.9	3	1	2	4	5	6	8	9
65+	29	4.1	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	3	<1	<1	1	2	5	6	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	5	5.2	27	1	1	3	9	13	13	13
B. *Operated*										
0-19 YRS	35	3.7	9	1	1	3	4	9	11	13
20-34	23	4.7	25	<1	1	4	5	7	14	26
35-49	62	4.9	11	1	2	4	6	8	10	22
50-64	74	6.1	12	1	3	6	8	10	11	21
65+	29	8.4	42	3	3	7	9	15	26	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.5	15	1	1	1	2	9	12	12
B. *Operated*	372	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	19	3.1	10	<1	1	2	4	7	11	13
B. *Operated*	223	5.5	18	1	2	4	7	10	11	26
1. SINGLE DX	380	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	242	5.3	18	1	1	4	7	10	11	26
A. NOT OPERATED	27	2.9	11	<1	1	1	3	8	12	13
B. OPERATED	595	4.0	10	1	1	3	5	7	9	16
TOTAL 0-19 YRS	175	2.6	4	<1	1	2	3	4	6	12
20-34	87	3.3	9	1	1	3	4	5	7	19
35-49	143	4.0	7	1	2	3	5	7	9	12
50-64	154	4.9	9	1	2	4	6	9	10	12
65+	63	6.2	27	1	2	5	7	10	15	31
GRAND TOTAL	**622**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	5	9.2	179	1	1	4	12	33	33	33
B. *Operated*										
0-19 YRS	64	2.7	2	<1	1	2	3	5	6	6
20-34	124	4.2	5	1	2	4	6	7	8	11
35-49	237	5.6	7	2	3	5	7	9	10	14
50-64	258	6.3	11	2	3	6	8	10	12	16
65+	152	7.7	14	3	4	7	9	13	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.3	7	1	1	2	5	7	7	7
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	16	8.7	71	<1	1	6	11	24	28	29
65+	28	9.3	82	2	2	7	12	17	24	47
B. *Operated*										
0-19 YRS	8	3.5	4	1	1	3	5	6	6	6
20-34	61	6.4	20	2	3	6	8	10	12	31
35-49	158	7.9	51	3	4	7	8	12	16	36
50-64	248	8.3	23	3	3	8	10	14	18	25
65+	231	10.1	46	4	4	9	12	18	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.1	87	1	1	3	5	19	32	33
B. *Operated*	835	5.8	10	2	2	5	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	55	7.6	70	<1	1	5	9	17	24	46
B. *Operated*	706	8.6	38	3	4	7	10	14	19	33
1. SINGLE DX	846	5.8	11	2	2	5	7	10	11	16
2. MULTIPLE DX	761	8.5	40	2	3	7	10	15	19	33
A. NOT OPERATED	66	7.4	72	<1	1	5	8	17	26	45
B. OPERATED	1541	7.1	25	2	3	6	9	12	15	26
TOTAL 0-19 YRS	73	2.7	2	<1	1	2	3	5	6	6
20-34	189	4.9	11	2	2	4	6	8	10	15
35-49	405	6.4	25	2	3	6	8	10	12	29
50-64	524	7.3	19	2	3	6	9	12	15	25
65+	416	9.1	39	3	4	8	11	16	21	37
GRAND TOTAL	**1607**	**7.1**	**27**	**2**	**3**	**6**	**9**	**12**	**15**	**29**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	5	<1	<1	3	4	7	7	7
20-34	13	3.7	8	<1	1	3	5	7	10	11
35-49	27	3.1	4	<1	1	3	4	5	7	11
50-64	38	4.4	8	<1	1	4	6	8	10	13
65+	78	6.5	16	1	2	6	9	11	14	20
B. *Operated*										
0-19 YRS										
20-34	11	8.1	4	3	5	9	9	10	10	10
35-49	21	7.9	9	2	4	8	10	11	12	12
50-64	18	7.9	11	<1	2	8	10	12	14	14
65+	13	12.0	22	8	8	10	13	17	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	29	5.0	23	<1	<1	4	6	8	11	27
35-49	96	5.1	12	<1	1	4	7	11	11	15
50-64	181	6.3	22	<1	1	5	8	12	15	23
65+	346	8.3	54	2	2	7	10	15	20	35
B. *Operated*										
0-19 YRS	3	10.3	22	5	5	12	13	14	14	14
20-34	33	10.4	17	6	7	9	12	16	18	26
35-49	108	9.9	60	3	5	9	10	14	17	57
50-64	136	10.7	31	2	5	10	13	18	20	28
65+	99	15.1	93	3	6	12	18	31	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	5.1	13	<1	1	4	7	10	12	19
B. *Operated*	63	8.8	14	2	5	9	10	13	14	24
2. MULTIPLE DX										
A. *Not Operated*	654	7.1	39	<1	2	6	9	13	18	29
B. *Operated*	379	11.6	58	3	5	10	13	19	27	41
1. SINGLE DX	225	6.1	16	<1	1	6	9	11	13	19
2. MULTIPLE DX	1033	8.8	51	1	2	8	11	16	20	36
A. NOT OPERATED	816	6.7	34	<1	2	5	9	13	17	28
B. OPERATED	442	11.2	53	3	5	10	13	18	25	39
TOTAL 0-19 YRS	11	5.1	19	<1	<1	4	7	13	14	14
20-34	86	7.3	23	1	1	7	9	12	16	27
35-49	252	7.2	38	<1	2	7	9	11	13	30
50-64	373	7.8	29	<1	2	7	10	14	18	25
65+	536	9.4	63	2	2	8	12	18	25	39
GRAND TOTAL	**1258**	**8.3**	**45**	**1**	**2**	**7**	**10**	**15**	**19**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	3	6.0	19	3	3	4	9	11	11	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	9	2.0	1	1	1	2	3	3	3	3
20-34	31	4.0	2	2	2	4	5	6	7	8
35-49	42	4.4	4	2	3	4	5	7	8	11
50-64	41	5.1	8	1	2	5	6	8	9	16
65+	34	5.9	23	2	2	4	7	9	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	4.0	27	<1	<1	1	8	10	10	10
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	7	3.0	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	11	5.5	22	2	2	5	5	12	18	19
35-49	18	7.5	39	2	3	5	8	15	23	28
50-64	37	7.3	36	3	3	6	8	14	18	35
65+	39	7.7	18	2	2	7	10	13	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.8	13	1	1	3	4	10	11	11
B. *Operated*	157	4.7	9	1	2	4	6	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	17	3.4	10	<1	1	2	4	9	10	10
B. *Operated*	109	7.1	28	2	3	6	9	14	18	31
1. SINGLE DX	163	4.7	9	1	2	4	6	8	9	16
2. MULTIPLE DX	126	6.6	27	1	2	5	8	12	16	30
A. NOT OPERATED	23	3.5	10	<1	1	2	4	9	10	11
B. OPERATED	266	5.7	18	2	2	5	7	9	14	27
TOTAL 0-19 YRS	16	2.0	1	1	1	2	3	3	4	4
20-34	45	4.4	8	1	2	4	5	7	8	19
35-49	66	5.3	16	1	3	4	6	9	12	26
50-64	82	6.0	22	1	2	5	7	9	15	30
65+	80	6.5	21	2	2	6	8	11	15	26
GRAND TOTAL	**289**	**5.5**	**18**	**1**	**2**	**4**	**7**	**9**	**13**	**25**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	6	9.2	129	2	2	4	12	29	31	31
B. *Operated*										
0-19 YRS	11	2.8	5	1	1	2	3	6	9	9
20-34	23	4.0	6	1	2	3	6	7	9	10
35-49	39	4.3	7	1	2	4	6	8	10	11
50-64	66	5.7	11	2	3	5	7	9	10	19
65+	47	9.3	36	3	4	8	12	15	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	7.5	85	<1	<1	7	14	14	14	14
50-64	3	5.7	12	2	2	6	8	9	9	9
65+	23	9.6	116	2	2	6	12	16	31	54
B. *Operated*										
0-19 YRS	8	8.1	22	3	3	7	12	15	16	16
20-34	15	7.9	19	2	2	7	11	14	16	17
35-49	43	12.1	202	3	3	7	11	34	46	67
50-64	75	11.4	113	3	4	9	14	20	31	95
65+	117	14.8	142	4	5	11	18	29	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.9	68	<1	1	4	8	18	29	31
B. *Operated*	186	5.9	20	1	2	5	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	28	9.0	100	1	2	6	12	15	22	54
B. *Operated*	258	12.8	136	3	4	9	15	24	39	80
1. SINGLE DX	198	6.0	22	1	2	5	7	11	14	28
2. MULTIPLE DX	286	12.4	133	3	4	9	14	23	39	76
A. NOT OPERATED	40	8.4	89	1	2	6	10	15	25	54
B. OPERATED	444	9.9	98	2	3	7	12	19	28	67
TOTAL 0-19 YRS	21	5.0	18	<1	1	3	7	12	14	16
20-34	38	5.5	14	2	2	5	7	11	14	17
35-49	86	8.3	119	1	2	5	9	14	34	64
50-64	146	8.6	71	2	3	6	10	17	20	82
65+	193	12.7	118	3	4	10	15	24	39	64
GRAND TOTAL	**484**	**9.8**	**98**	**2**	**3**	**7**	**12**	**19**	**28**	**64**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.6	4	<1	1	2	4	5	7	9
20-34	111	4.9	13	1	1	4	6	10	13	17
35-49	161	5.2	15	1	1	4	6	10	14	19
50-64	175	5.1	15	1	2	4	7	11	14	19
65+	231	6.8	38	1	2	6	8	12	16	36
B. *Operated*										
0-19 YRS	35	7.5	13	3	4	7	9	11	13	21
20-34	43	10.4	34	4	5	9	12	19	22	31
35-49	63	9.6	23	4	5	8	12	16	18	27
50-64	61	12.0	61	5	6	10	13	20	29	46
65+	66	16.3	126	7	8	13	17	27	38	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.7	11	1	2	4	6	9	11	16
20-34	100	4.6	9	1	1	4	6	8	10	15
35-49	137	5.9	22	1	2	5	7	13	16	22
50-64	205	7.3	42	2	2	6	8	13	17	36
65+	448	9.9	87	2	2	7	12	19	28	49
B. *Operated*										
0-19 YRS	34	12.4	65	4	5	10	14	26	27	42
20-34	78	15.1	152	5	5	11	17	30	45	63
35-49	116	15.9	109	5	7	13	19	31	35	78
50-64	179	16.8	106	6	7	14	21	30	37	64
65+	221	22.3	212	7	8	19	28	46	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	5.4	22	1	1	4	7	10	14	23
B. *Operated*	268	11.6	66	4	5	10	14	20	27	47
2. MULTIPLE DX										
A. *Not Operated*	920	8.0	61	1	2	6	9	16	20	44
B. *Operated*	628	18.1	157	5	7	14	23	34	47	72
1. SINGLE DX	1002	7.1	41	1	2	5	9	14	17	33
2. MULTIPLE DX	1548	12.1	124	2	3	9	15	25	34	62
A. NOT OPERATED	1654	6.8	45	1	2	5	8	14	17	36
B. OPERATED	896	16.2	138	5	6	13	20	31	43	68
TOTAL 0-19 YRS	155	6.3	34	1	1	5	9	13	17	27
20-34	332	7.9	66	1	2	6	10	15	22	48
35-49	477	8.6	60	1	2	6	11	17	23	37
50-64	620	9.9	78	2	2	8	13	21	27	46
65+	966	12.4	140	2	3	9	16	26	36	65
GRAND TOTAL	**2550**	**10.1**	**98**	**1**	**2**	**7**	**13**	**21**	**30**	**58**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3761	3.6	7	1	1	3	5	7	9	13
20-34	784	2.8	4	1	1	2	3	5	7	10
35-49	342	3.3	6	1	1	3	4	6	8	12
50-64	275	4.0	12	1	1	3	5	7	9	16
65+	431	5.3	20	1	1	4	7	10	14	22
B. *Operated*										
0-19 YRS	25	5.4	13	1	2	5	6	10	12	19
20-34	46	5.6	11	2	3	5	8	9	11	18
35-49	14	7.6	24	2	3	7	9	12	20	22
50-64	17	9.5	50	2	3	7	12	21	24	26
65+	6	13.5	21	8	8	13	15	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2223	5.3	24	1	2	4	7	10	14	24
20-34	485	3.5	9	1	1	3	4	7	9	15
35-49	277	5.1	30	1	2	4	6	10	13	22
50-64	377	5.9	24	1	2	4	7	12	15	26
65+	934	8.5	91	2	2	6	10	16	23	63
B. *Operated*										
0-19 YRS	32	9.4	57	2	2	8	11	19	20	40
20-34	51	8.4	57	1	3	6	10	14	24	46
35-49	33	11.2	147	3	4	7	12	23	31	68
50-64	43	18.2	265	3	6	13	20	38	65	70
65+	61	21.3	265	4	7	16	29	51	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5593	3.6	8	1	1	3	5	7	9	14
B. *Operated*	108	6.9	24	2	3	5	9	13	19	24
2. MULTIPLE DX										
A. *Not Operated*	4296	5.8	39	1	2	4	7	11	15	31
B. *Operated*	220	14.5	196	3	3	10	18	32	49	87
1. SINGLE DX	5701	3.7	9	1	1	3	5	7	9	15
2. MULTIPLE DX	4516	6.3	50	1	2	4	7	12	17	37
A. NOT OPERATED	9889	4.6	23	1	1	3	6	9	12	22
B. OPERATED	328	12.0	152	2	3	8	14	25	40	72
TOTAL 0-19 YRS	6041	4.3	15	1	1	3	5	8	11	19
20-34	1366	3.3	9	1	1	3	4	6	9	15
35-49	666	4.5	26	1	1	3	6	9	12	23
50-64	712	6.0	45	1	1	4	7	12	16	31
65+	1432	8.1	86	1	2	6	10	16	23	62
GRAND TOTAL	**10217**	**4.8**	**29**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	4.4	9	1	1	5	7	9	10	10
35-49	91	5.8	11	1	2	5	8	9	12	18
50-64	175	5.2	7	1	2	5	7	8	10	13
65+	304	6.9	37	1	2	6	9	13	17	23
B. *Operated*										
0-19 YRS										
20-34	6	11.5	38	7	7	9	13	22	23	23
35-49	14	11.4	16	6	7	11	14	17	18	19
50-64	45	13.3	30	7	8	12	16	21	25	29
65+	43	13.1	40	4	6	12	15	23	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	7	6.1	18	3	3	4	7	14	15	15
35-49	55	7.0	26	2	2	6	8	13	15	32
50-64	185	7.1	25	2	3	6	9	12	15	31
65+	643	9.2	67	2	3	7	11	16	22	44
B. *Operated*										
0-19 YRS										
20-34	15	15.8	69	4	8	13	21	30	32	33
35-49	47	16.2	91	3	7	14	22	29	35	46
50-64	135	16.7	116	5	8	14	19	29	43	67
65+	199	22.1	248	6	9	17	26	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	6.1	24	1	2	5	8	11	15	20
B. *Operated*	108	12.9	32	6	7	12	15	21	25	30
2. MULTIPLE DX										
A. *Not Operated*	891	8.6	56	2	3	7	10	15	21	42
B. *Operated*	396	19.3	185	5	8	15	23	38	55	99
1. SINGLE DX	698	7.2	31	1	2	6	9	14	17	26
2. MULTIPLE DX	1287	11.9	120	3	3	9	15	24	32	63
A. NOT OPERATED	1481	7.6	45	1	2	6	9	14	18	33
B. OPERATED	504	18.0	159	6	8	15	22	32	49	86
TOTAL 0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	47	9.2	57	1	2	7	11	21	24	33
35-49	207	8.9	51	2	3	7	11	16	23	37
50-64	540	9.4	64	2	3	7	12	18	25	48
65+	1189	10.9	115	2	3	8	14	21	29	64
GRAND TOTAL	1985	10.3	94	2	3	8	13	20	27	59

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.1	10	<1	<1	2	4	8	9	17
20-34	60	3.0	7	<1	<1	2	4	6	6	18
35-49	38	2.7	6	<1	<1	2	3	5	8	12
50-64	27	3.7	6	<1	<1	3	6	7	8	9
65+	8	4.9	45	<1	<1	1	7	16	20	20
B. *Operated*										
0-19 YRS	78	2.9	3	<1	1	3	4	5	6	7
20-34	460	3.7	7	1	1	3	4	7	9	14
35-49	398	3.9	7	1	1	3	5	7	9	12
50-64	182	4.1	9	1	2	3	5	7	10	16
65+	51	5.0	15	1	1	5	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.2	5	<1	<1	3	4	6	9	10
20-34	30	5.1	30	<1	<1	3	5	13	16	25
35-49	28	4.2	18	<1	<1	3	6	10	12	19
50-64	27	5.5	18	<1	<1	4	10	12	13	14
65+	26	6.7	16	<1	1	6	10	11	14	16
B. *Operated*										
0-19 YRS	45	5.7	41	1	2	4	6	11	19	35
20-34	251	5.0	36	1	2	4	5	8	12	25
35-49	256	4.8	13	1	2	4	6	8	10	24
50-64	165	6.1	32	1	2	4	7	10	16	27
65+	97	8.7	102	1	2	5	9	21	23	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	3.1	9	<1	<1	2	4	6	8	18
B. *Operated*	1169	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	142	4.9	18	<1	<1	4	6	11	13	19
B. *Operated*	814	5.6	37	1	2	4	6	10	15	28
1. SINGLE DX	1345	3.7	8	<1	1	3	5	7	9	14
2. MULTIPLE DX	956	5.5	35	1	2	4	6	10	14	28
A. NOT OPERATED	318	3.9	14	<1	<1	3	5	9	11	19
B. OPERATED	1983	4.6	20	1	1	4	5	8	11	22
TOTAL 0-19 YRS	197	3.6	15	<1	1	3	4	6	9	23
20-34	801	4.1	17	1	1	3	5	7	10	17
35-49	720	4.2	9	1	1	3	5	7	10	18
50-64	401	5.0	20	1	1	4	6	10	12	20
65+	182	7.2	65	1	1	5	9	16	21	34
GRAND TOTAL	2301	4.5	20	1	1	3	5	8	11	21

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	546	4.0	17	1	1	3	5	9	11	21
20-34	520	5.3	24	1	1	4	7	11	14	23
35-49	305	5.9	29	1	1	4	7	12	15	32
50-64	211	6.1	31	1	1	4	9	13	18	30
65+	309	6.4	49	1	1	4	8	13	16	31
B. *Operated*										
0-19 YRS	101	8.6	98	1	2	6	10	18	27	56
20-34	227	10.7	95	2	2	8	14	22	30	55
35-49	171	9.1	49	1	2	8	12	17	23	36
50-64	134	10.0	90	1	2	8	13	19	25	51
65+	116	10.4	84	1	2	8	15	25	31	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	5.1	25	1	1	3	7	11	16	28
20-34	488	7.4	62	1	2	5	9	16	20	40
35-49	337	7.5	60	1	1	5	9	15	20	46
50-64	369	7.8	61	1	2	6	10	16	20	33
65+	853	8.9	77	1	2	7	11	17	23	43
B. *Operated*										
0-19 YRS	103	14.5	178	2	4	9	22	30	48	58
20-34	433	15.0	173	2	3	11	20	31	42	82
35-49	308	14.6	171	3	3	11	18	30	41	82
50-64	307	15.6	178	2	3	12	20	33	47	83
65+	393	18.3	234	3	5	14	25	38	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1891	5.3	28	1	1	4	7	11	15	27
B. *Operated*	749	9.9	83	1	2	8	13	21	27	47
2. MULTIPLE DX										
A. *Not Operated*	2362	7.7	64	1	2	6	10	16	21	41
B. *Operated*	1544	15.8	191	3	4	12	21	33	47	98
1. SINGLE DX	2640	6.6	48	1	1	5	8	14	19	35
2. MULTIPLE DX	3906	10.9	130	1	2	8	14	24	33	71
A. NOT OPERATED	4253	6.6	49	1	1	5	8	14	18	34
B. OPERATED	2293	13.9	163	2	3	10	18	30	40	82
TOTAL 0-19 YRS	1065	5.8	52	1	1	3	7	13	19	37
20-34	1668	9.2	98	1	2	6	11	20	28	55
35-49	1121	9.2	92	1	2	7	12	19	28	54
50-64	1021	10.1	108	1	2	7	13	21	30	59
65+	1671	10.8	127	1	2	8	13	24	33	80
GRAND TOTAL	**6546**	**9.2**	**101**	**1**	**2**	**6**	**11**	**20**	**28**	**57**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	6.6	25	1	1	5	11	13	14	14
35-49	21	10.0	64	3	3	7	12	23	29	33
50-64	29	14.8	104	3	5	11	21	34	36	39
65+	11	13.5	109	3	4	10	21	31	32	32
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	8.1	63	1	1	8	11	21	23	23
50-64	4	11.5	100	3	3	9	19	25	25	25
65+	3	8.3	85	3	3	3	15	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	38	8.4	39	<1	1	7	11	17	21	29
35-49	107	13.6	172	3	3	10	16	27	41	73
50-64	148	17.3	236	3	4	13	22	39	50	71
65+	85	23.8	483	5	6	14	29	58	76	94
B. *Operated*										
0-19 YRS										
20-34	9	12.1	68	3	4	9	15	26	28	28
35-49	30	12.8	117	1	3	10	15	28	31	53
50-64	67	15.2	215	1	2	13	20	32	44	97
65+	29	25.9	620	2	7	16	27	85	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	12.2	88	3	3	9	14	29	33	38
B. *Operated*	14	9.1	68	1	1	6	13	23	25	25
2. MULTIPLE DX										
A. *Not Operated*	378	16.8	274	3	4	12	20	37	54	86
B. *Operated*	135	16.8	289	1	2	13	21	32	66	99+
1. SINGLE DX	83	11.7	85	2	3	9	14	25	33	38
2. MULTIPLE DX	513	16.8	277	2	3	12	20	35	55	94
A. NOT OPERATED	447	16.1	248	3	4	11	20	34	50	82
B. OPERATED	149	16.1	272	1	2	12	20	31	64	99+
TOTAL 0-19 YRS										
20-34	55	8.7	43	1	2	7	12	17	23	29
35-49	165	12.8	144	2	3	9	15	26	33	60
50-64	248	16.4	214	2	3	12	22	35	47	85
65+	128	23.0	481	4	6	15	29	59	82	96
GRAND TOTAL	**596**	**16.1**	**253**	**2**	**3**	**12**	**20**	**33**	**51**	**91**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	7	5.6	21	<1	<1	5	9	12	13	13
50-64	11	9.3	57	2	2	6	13	22	24	24
65+	14	10.1	25	2	3	12	14	15	17	17
B. *Operated*										
0-19 YRS	7	6.0	20	1	1	4	10	13	13	13
20-34	16	2.0	3	1	1	1	3	4	6	7
35-49	24	4.3	50	1	1	2	4	9	26	28
50-64	26	8.3	124	1	1	3	10	27	31	43
65+	16	8.6	145	1	1	4	11	21	39	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.7	24	3	3	11	12	12	12	12
20-34	9	5.2	7	2	2	4	7	9	11	11
35-49	22	6.7	19	2	4	8	10	15	17	18
50-64	48	13.0	194	1	3	10	15	23	33	86
65+	57	16.4	290	4	5	10	21	36	68	99+
B. *Operated*										
0-19 YRS	5	13.8	61	3	3	15	21	21	21	21
20-34	23	6.6	79	<1	1	2	9	19	26	38
35-49	37	9.8	66	1	1	9	15	20	33	99+
50-64	56	11.5	157	1	2	9	14	27	33	75
65+	49	17.5	329	1	2	9	26	43	52	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	8.6	35	1	2	7	13	15	20	24
B. *Operated*	89	6.0	81	1	1	2	5	17	28	45
2. MULTIPLE DX										
A. *Not Operated*	139	13.1	200	2	3	9	15	25	43	94
B. *Operated*	170	12.3	184	1	1	9	16	31	41	82
1. SINGLE DX	125	6.7	69	1	1	3	9	17	25	44
2. MULTIPLE DX	309	12.6	191	1	2	9	15	28	41	89
A. NOT OPERATED	175	12.2	169	2	3	9	14	23	32	91
B. OPERATED	259	10.1	157	1	1	6	14	26	37	76
TOTAL 0-19 YRS	16	9.4	41	1	3	10	13	20	21	21
20-34	51	4.7	41	1	1	2	6	10	19	38
35-49	90	7.7	51	1	1	6	12	17	20	76
50-64	141	11.2	156	1	1	8	14	25	30	79
65+	136	15.2	266	1	2	9	18	38	52	94
GRAND TOTAL	**434**	**10.9**	**163**	**1**	**1**	**7**	**14**	**25**	**36**	**83**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	7.8	22	2	3	7	10	14	18	20
20-34	24	6.2	13	2	2	5	8	12	14	15
35-49	19	10.5	103	2	3	7	13	23	35	44
50-64	22	10.1	137	1	1	6	10	33	39	43
65+	15	11.1	53	1	3	11	14	23	25	26
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	10.0	89	2	2	6	17	23	29	29
35-49	9	8.4	35	1	1	8	14	16	18	18
50-64	15	13.2	407	1	2	5	14	55	64	67
65+	13	8.1	59	1	1	5	15	19	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.9	29	2	2	6	8	17	18	18
20-34	27	8.5	39	2	2	7	12	14	19	31
35-49	39	9.2	63	1	2	7	11	17	22	46
50-64	65	10.6	67	2	3	8	13	22	28	40
65+	60	15.2	223	3	5	11	20	26	33	91
B. *Operated*										
0-19 YRS	3	7.3	36	1	1	8	12	13	13	13
20-34	10	18.9	375	1	2	17	24	46	68	68
35-49	22	12.8	197	1	1	8	14	31	47	59
50-64	31	20.6	548	1	2	13	22	48	90	98
65+	24	23.0	268	5	5	20	26	49	62	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	9.0	68	2	2	7	11	19	26	44
B. *Operated*	48	10.0	165	1	1	6	15	18	32	67
2. MULTIPLE DX										
A. *Not Operated*	201	11.3	113	2	3	8	13	23	28	58
B. *Operated*	90	18.7	359	1	2	14	24	43	59	96
1. SINGLE DX	144	9.3	100	1	2	7	12	18	27	56
2. MULTIPLE DX	291	13.6	200	2	3	9	16	26	39	83
A. NOT OPERATED	297	10.5	99	2	3	8	13	22	28	45
B. OPERATED	138	15.7	307	1	2	10	20	33	57	93
TOTAL 0-19 YRS	30	7.6	24	2	2	7	10	15	18	20
20-34	71	9.4	95	2	2	7	13	18	24	60
35-49	89	10.3	101	1	2	8	13	21	29	54
50-64	133	13.1	240	1	2	8	15	30	43	93
65+	112	15.5	208	2	3	12	21	27	36	79
GRAND TOTAL	**435**	**12.2**	**170**	**1**	**2**	**8**	**15**	**25**	**35**	**70**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.9	5	<1	1	2	4	6	7	11
20-34	209	2.6	3	<1	1	2	3	5	6	9
35-49	176	3.0	5	<1	1	2	4	7	8	11
50-64	152	3.9	8	1	1	3	5	8	9	14
65+	136	7.0	78	1	2	5	8	13	16	66
B. *Operated*										
0-19 YRS	139	7.2	5	5	5	7	8	10	12	15
20-34	1414	7.1	5	4	5	7	8	9	11	16
35-49	1113	7.4	8	5	5	7	8	10	12	17
50-64	987	8.4	11	5	5	8	9	12	15	20
65+	502	10.4	25	6	6	9	12	16	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	4	<1	1	3	4	6	8	9
20-34	103	3.5	9	<1	1	3	5	7	10	16
35-49	76	4.6	9	1	1	4	6	9	10	14
50-64	150	5.5	16	1	2	5	7	10	13	22
65+	308	8.6	61	2	2	7	10	15	26	43
B. *Operated*										
0-19 YRS	75	9.7	52	5	6	8	11	15	20	50
20-34	900	8.8	17	5	5	8	10	13	17	24
35-49	953	9.1	18	5	6	8	10	14	18	26
50-64	1330	11.0	42	6	6	9	12	18	23	35
65+	1163	15.4	113	6	7	12	18	28	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	3.8	21	1	1	3	5	8	10	16
B. *Operated*	4155	7.9	11	5	5	7	9	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	660	6.4	39	1	1	5	8	13	16	35
B. *Operated*	4421	11.3	57	5	6	9	13	20	25	44
1. SINGLE DX	4867	7.3	14	2	4	7	8	11	13	21
2. MULTIPLE DX	5081	10.6	57	4	5	9	12	19	24	43
A. NOT OPERATED	1372	5.1	32	1	1	4	7	10	13	28
B. OPERATED	8576	9.6	38	5	5	8	10	15	21	34
TOTAL 0-19 YRS	276	6.9	23	1	2	6	8	11	13	25
20-34	2626	7.2	12	2	4	7	8	11	13	21
35-49	2318	7.7	14	2	4	7	9	12	14	23
50-64	2619	9.3	31	3	5	8	11	15	19	30
65+	2109	12.6	92	3	5	10	15	24	31	59
GRAND TOTAL	**9948**	**9.0**	**39**	**3**	**4**	**8**	**10**	**15**	**20**	**34**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.5	4	1	1	3	5	7	8	8
20-34	195	3.0	7	<1	1	2	4	6	8	15
35-49	111	3.2	4	<1	1	2	4	6	7	9
50-64	104	4.0	13	1	1	3	5	8	11	19
65+	93	6.5	34	1	2	5	7	12	16	35
B. *Operated*										
0-19 YRS	16	6.4	3	4	5	6	7	9	10	11
20-34	124	7.4	9	4	5	7	8	11	13	21
35-49	119	7.6	12	4	5	7	9	10	14	23
50-64	68	8.3	11	5	5	8	9	12	12	25
65+	47	10.6	23	5	6	9	12	19	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.6	5	<1	1	3	5	7	8	8
20-34	74	3.7	9	1	1	3	5	8	9	15
35-49	67	4.6	8	1	1	4	7	9	10	11
50-64	98	6.1	24	1	1	5	8	12	16	25
65+	175	8.7	50	2	3	8	11	16	20	37
B. *Operated*										
0-19 YRS	5	5.0		5	5	5	5	5	5	5
20-34	121	8.5	16	5	5	7	10	14	19	45
35-49	157	10.5	45	5	5	9	12	18	21	28
50-64	150	11.8	50	6	7	9	13	22	28	41
65+	149	16.4	140	6	7	13	20	29	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	537	3.9	13	1	1	3	5	7	10	19
B. *Operated*	374	8.0	13	4	5	7	9	12	14	24
2. MULTIPLE DX										
A. *Not Operated*	431	6.4	33	1	2	5	8	13	16	26
B. *Operated*	582	11.9	72	5	6	9	14	22	28	54
1. SINGLE DX	911	5.6	17	1	1	5	7	10	12	21
2. MULTIPLE DX	1013	9.6	63	2	3	8	11	18	24	41
A. NOT OPERATED	968	5.0	24	1	1	4	7	10	13	22
B. OPERATED	956	10.4	53	5	5	8	11	19	24	41
TOTAL 0-19 YRS	72	4.3	5	1	1	4	6	7	8	11
20-34	514	5.5	16	1	1	5	8	10	12	21
35-49	454	7.1	29	1	2	6	9	12	17	26
50-64	420	8.0	38	1	2	7	10	14	21	29
65+	464	10.9	88	2	3	9	13	21	27	55
GRAND TOTAL	**1924**	**7.7**	**45**	**1**	**2**	**6**	**9**	**14**	**20**	**32**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	18	2.8	4	1	1	2	4	5	7	9
35-49	18	4.8	53	<1	1	3	4	7	23	33
50-64	11	2.3	1	<1	1	2	3	4	4	4
65+	25	5.4	15	1	2	5	7	11	13	18
B. *Operated*										
0-19 YRS	4	9.0	8	7	7	8	11	13	13	13
20-34	49	8.5	52	3	3	7	9	13	17	52
35-49	45	8.3	20	3	4	8	10	12	13	30
50-64	38	11.6	37	3	4	11	15	19	23	26
65+	65	14.1	60	4	6	14	17	24	33	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	15	6.7	19	1	1	7	9	13	15	16
65+	45	9.0	42	1	3	7	12	19	21	30
B. *Operated*										
0-19 YRS	4	15.0	62	7	7	14	21	24	24	24
20-34	33	10.8	41	2	4	11	12	18	21	36
35-49	37	11.1	46	4	5	10	13	20	23	39
50-64	72	14.0	65	4	6	12	17	23	32	40
65+	143	22.0	213	5	8	19	28	42	54	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.1	20	1	1	3	5	8	10	29
B. *Operated*	201	10.9	49	3	4	9	14	19	24	47
2. MULTIPLE DX										
A. *Not Operated*	69	7.9	34	1	2	7	11	16	20	29
B. *Operated*	289	17.3	156	4	6	14	22	34	42	65
1. SINGLE DX	275	9.0	50	1	2	8	12	17	23	40
2. MULTIPLE DX	358	15.4	146	3	4	12	20	31	40	64
A. NOT OPERATED	143	5.9	30	1	1	4	8	12	18	30
B. OPERATED	490	14.6	122	3	5	12	18	27	37	62
TOTAL 0-19 YRS	11	9.3	51	1	1	7	12	21	24	24
20-34	103	8.2	46	1	2	7	10	14	18	44
35-49	105	8.4	39	1	2	8	10	14	21	36
50-64	136	11.6	59	2	3	11	16	21	25	40
65+	278	16.6	168	2	4	14	22	33	42	88
GRAND TOTAL	**633**	**12.7**	**115**	**2**	**3**	**10**	**16**	**25**	**34**	**59**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	19	4.1	8	1	1	3	5	9	11	11
35-49	16	6.3	30	<1	1	4	10	14	18	20
50-64	20	4.6	8	1	1	5	6	8	10	12
65+	26	7.1	35	1	2	5	11	18	20	21
B. *Operated*										
0-19 YRS										
20-34	4	16.0	57	9	9	16	22	23	23	23
35-49	9	9.0	20	3	4	7	12	15	17	17
50-64	9	12.0	34	5	6	11	14	22	22	22
65+	12	12.2	76	1	3	10	15	24	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	5.1	12	1	1	4	8	10	11	11
35-49	12	4.4	9	1	1	4	7	9	10	10
50-64	24	8.3	33	2	3	8	10	15	19	29
65+	78	11.8	141	2	3	9	13	22	27	78
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	6	10.8	19	7	7	10	11	18	19	19
35-49	16	12.5	39	6	6	10	16	22	25	27
50-64	32	20.0	204	3	5	16	23	39	57	59
65+	46	22.9	119	10	11	20	29	40	49	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	5.5	22	1	1	4	8	11	16	21
B. *Operated*	34	11.7	48	3	5	10	14	22	23	35
2. MULTIPLE DX										
A. *Not Operated*	123	9.9	104	1	2	8	12	18	25	66
B. *Operated*	101	19.5	142	6	8	17	23	35	47	59
1. SINGLE DX	118	7.3	37	1	1	5	10	15	21	27
2. MULTIPLE DX	224	14.2	143	2	3	11	18	28	36	59
A. NOT OPERATED	207	8.1	75	1	2	6	10	15	21	42
B. OPERATED	135	17.5	129	5	7	15	22	32	42	59
TOTAL 0-19 YRS	5	4.4	15	1	1	2	8	10	10	10
20-34	37	6.7	30	1	1	5	9	11	21	23
35-49	53	8.2	35	1	2	7	11	17	20	27
50-64	85	12.2	131	1	3	9	15	24	36	59
65+	162	14.2	144	2	3	11	19	28	34	58
GRAND TOTAL	**342**	**11.8**	**117**	**1**	**2**	**9**	**15**	**23**	**31**	**59**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.4	41	1	1	5	7	15	19	32
20-34	188	5.7	21	1	2	5	7	10	14	21
35-49	213	6.2	36	1	2	5	8	11	14	23
50-64	154	7.0	17	2	3	6	9	12	14	21
65+	91	8.6	21	2	3	8	11	14	16	27
B. *Operated*										
0-19 YRS	3	18.0	49	13	13	15	23	26	26	26
20-34	15	15.9	83	3	3	15	20	30	34	36
35-49	29	17.4	267	1	3	13	20	43	55	69
50-64	13	12.8	54	5	6	11	15	25	30	31
65+	8	13.3	30	9	9	11	17	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.8	17	1	2	5	10	13	14	15
20-34	212	7.3	30	2	3	6	9	14	18	30
35-49	312	7.5	42	2	2	6	9	14	17	32
50-64	228	8.7	45	2	3	7	10	17	21	36
65+	220	11.7	99	3	4	9	14	22	29	61
B. *Operated*										
0-19 YRS	6	21.7	118	8	9	18	31	37	38	38
20-34	56	21.3	361	3	6	16	27	53	64	99+
35-49	108	19.8	230	5	6	16	23	42	59	99+
50-64	72	24.1	342	5	7	20	35	68	80	99+
65+	71	23.9	240	8	10	20	32	49	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	673	6.6	26	1	2	5	8	12	14	22
B. *Operated*	68	15.7	147	3	5	13	19	31	42	66
2. MULTIPLE DX										
A. *Not Operated*	991	8.6	55	2	3	7	11	16	21	39
B. *Operated*	313	22.0	280	5	7	17	29	50	69	99+
1. SINGLE DX	741	7.4	44	1	2	6	9	14	17	32
2. MULTIPLE DX	1304	11.8	142	2	3	8	14	25	38	74
A. NOT OPERATED	1664	7.8	44	2	2	6	9	14	19	35
B. OPERATED	381	20.9	261	4	6	16	27	45	68	99+
TOTAL 0-19 YRS	55	8.9	65	1	2	6	12	17	30	38
20-34	471	8.6	91	2	2	6	10	17	25	54
35-49	662	9.5	105	2	2	7	11	19	26	70
50-64	467	10.6	116	2	3	7	12	22	34	70
65+	390	13.2	131	3	4	10	15	27	36	71
GRAND TOTAL	**2045**	**10.2**	**111**	**2**	**3**	**7**	**12**	**21**	**31**	**69**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.1	4	1	1	2	4	7	7	9
20-34	70	4.0	6	1	1	3	5	8	9	10
35-49	69	4.5	12	1	2	4	5	9	10	21
50-64	58	6.0	18	1	2	5	7	11	15	23
65+	158	6.7	33	1	2	6	8	13	16	32
B. *Operated*										
0-19 YRS										
20-34	7	7.3	17	<1	1	7	9	13	14	14
35-49	6	5.8	12	<1	<1	6	9	10	10	10
50-64	6	7.5	14	1	1	8	10	12	12	12
65+	6	10.5	13	6	6	11	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.4	20	<1	1	3	5	11	14	24
20-34	105	4.0	8	1	1	3	5	8	10	13
35-49	131	6.0	23	1	2	5	7	11	15	27
50-64	218	8.2	66	2	3	6	10	15	20	39
65+	625	10.2	91	2	3	8	12	19	28	68
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	12	7.3	15	<1	1	8	10	12	13	13
35-49	18	12.4	40	5	5	12	15	23	25	25
50-64	42	14.0	224	3	4	11	18	23	28	98
65+	104	19.0	250	5	6	14	26	45	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	5.3	21	1	1	4	7	9	13	24
B. *Operated*	25	7.8	15	<1	1	8	10	12	14	16
2. MULTIPLE DX										
A. *Not Operated*	1135	8.5	72	1	2	6	10	16	22	50
B. *Operated*	178	16.2	217	4	5	12	21	32	49	99
1. SINGLE DX	439	5.4	21	1	1	4	7	10	13	24
2. MULTIPLE DX	1313	9.5	99	2	2	7	11	19	27	65
A. NOT OPERATED	1549	7.6	60	1	2	6	9	15	20	44
B. OPERATED	203	15.1	200	3	5	11	19	31	46	99
TOTAL 0-19 YRS	117	3.7	12	1	1	3	5	7	10	19
20-34	194	4.3	8	1	1	4	6	9	10	14
35-49	224	6.0	24	1	2	5	7	12	16	25
50-64	324	8.5	81	2	3	6	10	16	21	38
65+	893	10.6	110	2	3	8	13	21	31	74
GRAND TOTAL	**1752**	**8.5**	**82**	**1**	**2**	**6**	**10**	**17**	**24**	**52**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	6.3	18	2	2	6	8	11	14	22
20-34	6	5.8	5	3	3	6	7	9	9	9
35-49	5	4.6	3	2	2	5	6	7	7	7
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	8	10.0	25	3	4	8	15	17	17	17
20-34	9	7.8	32	1	2	8	10	17	19	19
35-49	7	9.7	8	5	6	10	12	14	14	14
50-64	10	13.0	171	4	4	9	12	34	47	47
65+	5	7.8	84	2	2	5	10	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.2	16	1	2	5	8	12	13	18
20-34	9	4.4	21	1	1	2	6	12	14	14
35-49	8	5.8	9	1	2	6	7	10	11	11
50-64	16	8.4	27	2	2	8	12	16	19	20
65+	7	8.3	31	<1	1	9	11	17	18	18
B. *Operated*										
0-19 YRS	4	12.0	55	5	5	11	18	21	21	21
20-34	14	13.4	41	6	6	11	17	24	26	27
35-49	7	14.6	79	5	5	11	23	27	27	27
50-64	13	19.3	327	4	6	14	23	38	67	74
65+	12	20.0	169	4	7	16	22	45	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.1	15	2	2	5	8	11	14	21
B. *Operated*	39	9.9	66	2	3	8	12	18	23	47
2. MULTIPLE DX										
A. *Not Operated*	92	6.5	19	1	2	6	9	13	16	19
B. *Operated*	50	16.6	152	5	6	14	21	27	45	74
1. SINGLE DX	113	7.4	36	2	2	6	9	14	18	32
2. MULTIPLE DX	142	10.1	86	1	2	8	13	20	25	48
A. NOT OPERATED	166	6.3	17	1	2	6	8	12	14	20
B. OPERATED	89	13.7	124	3	4	10	17	24	30	63
TOTAL 0-19 YRS	124	6.7	20	2	2	6	8	13	16	21
20-34	38	8.7	41	1	1	8	11	18	22	27
35-49	27	8.9	38	2	4	7	11	17	25	27
50-64	41	12.9	171	3	3	9	14	23	37	74
65+	25	13.6	138	1	3	11	17	24	45	46
GRAND TOTAL	**255**	**8.9**	**67**	**2**	**2**	**7**	**11**	**17**	**22**	**46**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	8.0	50	1	2	6	10	13	24	41
20-34	9	4.8	11	1	1	4	6	10	12	12
35-49	7	10.0	131	2	2	7	10	30	35	35
50-64	8	9.1	51	1	1	8	14	19	21	21
65+	5	9.4	44	3	3	11	17	92	99+	99+
B. *Operated*										
0-19 YRS	18	4.7	11	1	2	3	7	9	11	13
20-34	20	5.9	37	1	2	3	7	14	20	26
35-49	4	5.8	8	4	4	5	7	10	10	10
50-64	4	4.5	40	1	1	2	8	14	14	14
65+	6	11.3	84	1	1	12	16	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	10.3	91	1	3	7	14	25	34	41
20-34	18	8.9	66	2	2	7	8	22	29	33
35-49	7	17.9	254	6	6	18	20	45	51	51
50-64	10	7.8	30	1	1	7	12	16	19	19
65+	21	10.5	86	2	3	9	12	18	32	45
B. *Operated*										
0-19 YRS	26	15.4	202	2	3	9	19	37	50	52
20-34	59	12.6	68	2	3	12	17	23	31	36
35-49	47	15.1	194	2	3	12	19	35	46	66
50-64	34	15.6	277	3	3	11	21	27	29	97
65+	27	24.4	314	3	5	19	34	50	56	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	8.0	51	1	2	6	10	15	29	77
B. *Operated*	52	6.0	33	1	1	4	8	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	90	10.4	91	2	3	7	12	21	33	49
B. *Operated*	193	15.8	197	2	3	12	19	33	48	68
1. SINGLE DX	141	7.3	45	1	2	6	10	15	23	47
2. MULTIPLE DX	283	14.1	169	2	3	11	17	30	42	62
A. NOT OPERATED	179	9.2	72	1	2	7	11	19	31	49
B. OPERATED	245	13.7	178	2	2	10	17	29	41	66
TOTAL 0-19 YRS	138	9.5	93	1	2	7	11	19	33	50
20-34	106	10.0	65	2	2	8	15	19	27	35
35-49	65	14.3	184	2	3	10	18	35	46	64
50-64	56	12.5	196	1	2	10	17	25	28	93
65+	59	16.8	230	2	3	13	22	47	51	97
GRAND TOTAL	**424**	**11.8**	**138**	**2**	**2**	**8**	**15**	**26**	**35**	**56**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	8.8	35	1	2	7	13	17	21	23
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	38.0		38	38	38	38	38	38	38
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	11.0	54	1	2	12	14	22	26	29
20-34	6	6.5	6	4	4	6	7	11	11	11
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	2	12.5	145	4	4	12	21	21	21	21
B. *Operated*										
0-19 YRS	3	9.0	25	4	4	9	13	14	14	14
20-34	2	8.0	32	4	4	8	12	12	12	12
35-49	2	29.0	72	23	23	29	35	35	35	35
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	10.0	64	2	2	10	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	9.0	66	2	2	6	13	19	26	38
B. *Operated*	5	5.8	14	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	32	9.5	46	2	3	7	13	21	23	29
B. *Operated*	11	12.1	103	2	2	10	17	28	34	35
1. SINGLE DX	31	8.5	58	2	2	6	11	17	23	38
2. MULTIPLE DX	43	10.1	60	2	2	7	13	22	25	35
A. NOT OPERATED	58	9.2	54	2	2	7	13	21	23	37
B. OPERATED	16	10.1	81	2	2	8	13	22	31	35
TOTAL 0-19 YRS	45	9.6	43	2	2	9	13	20	23	29
20-34	14	5.8	8	2	3	5	7	11	12	12
35-49	6	14.0	156	4	4	9	23	34	35	35
50-64	3	3.3	5	2	2	2	5	6	6	6
65+	6	15.5	178	2	2	14	21	36	38	38
GRAND TOTAL	**74**	**9.4**	**59**	**2**	**2**	**7**	**13**	**21**	**23**	**37**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	4.8	7	2	2	5	7	7	7	7
50-64	2	15.5	365	2	2	15	29	29	29	29
65+	6	4.3	11	1	1	3	8	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	29.0		29	29	29	29	29	29	29
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	28.0		28	28	28	28	28	28	28
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	11.9	209	1	1	7	15	37	42	42
20-34	13	5.4	26	<1	1	4	6	16	16	16
35-49	14	4.6	14	<1	<1	4	6	11	11	11
50-64	34	7.5	139	1	1	5	8	12	14	70
65+	89	13.4	135	2	3	10	17	32	37	57
B. *Operated*										
0-19 YRS	18	15.6	97	1	3	12	24	30	31	31
20-34	62	20.7	372	2	3	15	26	49	61	89
35-49	45	16.2	179	1	1	12	21	40	45	55
50-64	64	17.8	189	2	4	15	29	43	49	99+
65+	62	19.0	263	2	3	15	30	51	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.5	54	1	1	4	8	13	26	29
B. *Operated*	7	10.6	154	1	1	5	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	157	10.6	129	1	2	7	14	22	36	64
B. *Operated*	271	18.3	240	2	3	14	26	44	55	99+
1. SINGLE DX	20	7.9	87	1	1	4	8	28	29	29
2. MULTIPLE DX	428	15.5	212	1	2	11	21	37	49	99+
A. NOT OPERATED	170	10.3	124	1	2	7	13	22	34	61
B. OPERATED	278	16.1	238	2	3	14	26	43	55	99+
TOTAL 0-19 YRS	26	14.0	126	1	1	11	24	31	33	42
20-34	77	18.1	339	1	2	13	23	43	56	88
35-49	65	12.6	156	<1	1	10	18	31	41	54
50-64	121	14.9	194	1	2	10	21	37	48	99+
65+	159	15.1	191	2	3	11	21	36	50	99+
GRAND TOTAL	**448**	**15.1**	**209**	**1**	**2**	**11**	**21**	**36**	**48**	**99**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	3	3.0	3	1	1	4	4	4	4	4
65+	15	9.0	44	1	1	7	14	18	20	21
B. *Operated*										
0-19 YRS										
20-34	2	11.0	72	5	5	11	17	17	17	17
35-49	4	5.8	39	2	2	3	9	15	15	15
50-64	1	21.0		21	21	21	21	21	21	21
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	10.5	103	3	3	7	17	25	25	25
35-49	4	7.0	18	<1	<1	8	10	10	10	10
50-64	28	10.5	175	1	1	5	13	25	41	62
65+	90	13.9	103	3	5	11	18	30	35	47
B. *Operated*										
0-19 YRS										
20-34	5	19.2	168	8	8	15	25	41	41	41
35-49	7	30.1	188	12	14	31	46	86	99+	99+
50-64	24	17.1	299	4	4	12	18	33	54	86
65+	24	24.8	505	5	6	16	31	66	74	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	7.7	41	1	1	7	12	18	20	21
B. *Operated*	8	8.4	63	1	1	4	16	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	127	12.7	117	2	3	9	17	27	35	50
B. *Operated*	60	21.9	366	4	6	15	30	51	76	99
1. SINGLE DX	27	7.9	45	1	1	6	14	18	21	21
2. MULTIPLE DX	187	15.7	214	2	4	11	19	34	46	87
A. NOT OPERATED	146	12.1	110	1	2	9	16	25	34	48
B. OPERATED	68	20.3	348	2	4	15	25	48	69	98
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	13.6	125	3	3	11	18	30	39	41
35-49	15	17.5	244	1	2	13	31	52	86	99+
50-64	56	13.1	228	1	2	8	16	30	40	85
65+	130	15.3	190	2	4	11	19	33	45	72
GRAND TOTAL	**214**	**14.7**	**199**	**2**	**3**	**11**	**19**	**33**	**44**	**86**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	4.1	4	2	2	4	5	7	8	10
20-34	98	3.9	3	2	2	4	5	7	8	10
35-49	29	4.5	4	2	2	4	6	6	8	11
50-64	15	6.2	20	2	3	5	7	11	18	20
65+	22	10.2	89	2	4	7	13	21	31	45
B. *Operated*										
0-19 YRS										
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	3	7.3	5	6	6	6	9	10	10	10
50-64										
65+	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.1	9	2	2	4	6	8	13	16
20-34	118	5.2	8	2	3	5	7	9	10	19
35-49	34	5.4	10	1	2	5	6	11	12	14
50-64	45	9.0	63	3	3	7	10	18	27	41
65+	68	10.0	52	3	4	8	12	19	23	42
B. *Operated*										
0-19 YRS	11	7.3	11	4	4	7	8	12	16	16
20-34	11	10.4	69	4	4	8	11	24	31	32
35-49	8	11.1	77	3	3	8	14	26	30	30
50-64	8	21.6	444	11	11	12	22	59	71	71
65+	9	23.1	334	5	7	18	28	52	67	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	4.7	15	2	2	4	5	8	9	20
B. *Operated*	7	8.3	4	6	6	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	331	6.7	29	2	3	5	8	12	17	28
B. *Operated*	47	14.1	197	4	4	9	16	30	37	71
1. SINGLE DX	268	4.8	15	2	2	4	6	8	10	20
2. MULTIPLE DX	378	7.6	56	2	3	5	9	14	19	39
A. NOT OPERATED	592	5.8	24	2	2	5	7	10	14	25
B. OPERATED	54	13.4	175	4	5	9	15	29	32	71
TOTAL 0-19 YRS	174	4.7	7	2	2	4	6	8	9	15
20-34	229	4.9	11	2	2	4	6	8	10	19
35-49	74	5.7	17	2	2	5	6	11	12	27
50-64	68	9.9	112	3	3	7	11	19	31	66
65+	101	11.2	94	3	4	8	14	22	27	56
GRAND TOTAL	**646**	**6.4**	**40**	**2**	**2**	**5**	**7**	**11**	**17**	**32**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	4.2	4	2	2	4	5	7	8	10
20-34	194	4.2	5	1	2	4	5	7	8	12
35-49	60	4.8	9	1	1	4	6	9	10	16
50-64	47	4.9	5	2	3	5	6	8	8	11
65+	31	8.0	34	2	2	6	10	17	22	24
B. *Operated*										
0-19 YRS	17	7.2	9	3	3	8	10	11	11	11
20-34	12	5.4	14	<1	1	5	7	10	13	14
35-49	7	6.6	21	<1	<1	6	8	14	15	15
50-64	6	8.2	21	4	4	6	14	14	14	14
65+	6	6.7	12	2	2	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	5.5	15	2	2	5	7	10	12	20
20-34	152	5.3	14	2	2	4	6	9	12	21
35-49	76	5.7	15	2	2	5	6	12	14	19
50-64	87	7.3	26	2	3	5	9	14	17	28
65+	139	10.2	60	3	4	8	13	20	28	39
B. *Operated*										
0-19 YRS	30	8.6	28	1	3	7	13	18	18	20
20-34	45	10.9	59	3	4	9	12	18	30	40
35-49	19	18.6	96	5	8	16	27	31	36	40
50-64	35	12.3	114	1	2	8	17	29	31	49
65+	38	24.7	476	4	6	17	30	63	74	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	4.5	8	1	2	4	6	8	9	14
B. *Operated*	48	6.7	13	1	2	6	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	579	6.9	31	2	3	5	8	13	17	30
B. *Operated*	167	14.8	197	3	4	11	18	30	40	76
1. SINGLE DX	578	4.7	8	1	2	4	6	8	10	15
2. MULTIPLE DX	746	8.6	79	2	3	6	10	17	26	47
A. NOT OPERATED	1109	5.8	21	2	2	5	7	10	14	27
B. OPERATED	215	13.0	167	2	3	9	15	28	33	72
TOTAL 0-19 YRS	370	5.1	11	2	2	4	6	9	11	18
20-34	403	5.4	19	1	2	4	7	9	12	25
35-49	162	6.9	40	1	2	5	8	14	18	32
50-64	175	7.7	44	2	3	5	9	14	22	31
65+	214	12.4	161	3	3	9	14	26	31	73
GRAND TOTAL	**1324**	**6.9**	**52**	**2**	**2**	**5**	**8**	**13**	**18**	**33**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.6	5	1	1	1	4	6	8	8
20-34	137	2.2	2	1	1	2	3	4	4	6
35-49	143	2.6	6	<1	1	2	3	5	6	11
50-64	83	2.9	6	1	1	2	3	7	8	11
65+	54	3.6	7	1	1	3	4	7	9	15
B. *Operated*										
0-19 YRS	7	8.4	26	<1	1	9	12	14	15	15
20-34	75	8.3	24	2	2	8	11	15	17	25
35-49	94	9.6	26	2	3	9	12	17	20	22
50-64	65	10.5	26	3	4	10	13	17	21	25
65+	35	10.9	34	2	4	10	14	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	15	<1	<1	3	9	10	10	10
20-34	58	4.1	17	1	1	3	5	8	16	19
35-49	76	4.8	30	1	1	3	6	9	18	28
50-64	77	3.7	12	1	1	3	5	7	9	22
65+	65	6.2	24	1	2	5	7	13	15	27
B. *Operated*										
0-19 YRS	7	8.3	15	2	3	9	11	13	13	13
20-34	58	10.9	29	2	3	10	14	19	22	23
35-49	79	12.6	120	2	5	10	15	23	29	72
50-64	104	11.7	40	3	4	11	14	19	26	31
65+	106	13.3	93	3	5	11	15	23	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	2.6	5	1	1	2	3	5	7	10
B. *Operated*	276	9.6	27	2	3	9	13	16	20	24
2. MULTIPLE DX										
A. *Not Operated*	283	4.7	21	1	1	3	6	9	15	27
B. *Operated*	354	12.2	72	2	4	11	14	21	27	47
1. SINGLE DX	706	5.3	25	1	1	3	8	13	15	22
2. MULTIPLE DX	637	8.9	63	1	2	7	12	18	23	41
A. NOT OPERATED	713	3.5	12	1	1	2	4	7	9	20
B. OPERATED	630	11.0	54	2	3	10	14	19	23	41
TOTAL 0-19 YRS	34	5.4	19	<1	1	4	9	12	13	15
20-34	328	5.5	26	1	1	3	8	13	16	22
35-49	392	6.7	54	1	1	4	9	14	20	29
50-64	329	7.4	38	1	1	6	11	15	18	29
65+	260	9.2	66	1	2	7	12	19	23	46
GRAND TOTAL	**1343**	**7.0**	**46**	**1**	**1**	**5**	**10**	**15**	**20**	**29**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.4	3	<1	1	2	3	5	6	8
20-34	273	2.4	3	1	1	2	3	5	5	9
35-49	289	2.3	2	1	1	2	3	4	5	8
50-64	217	2.5	2	1	1	2	3	5	5	7
65+	84	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	30	6.6	20	2	2	6	10	12	15	18
20-34	281	6.4	16	1	2	6	9	12	14	17
35-49	380	7.1	19	2	2	6	9	13	15	22
50-64	296	7.7	34	1	2	6	10	15	19	30
65+	127	9.1	38	2	3	8	12	17	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	9	1	1	3	5	9	9	9
20-34	76	3.0	3	1	1	2	4	6	7	9
35-49	93	3.0	5	1	1	2	4	6	7	11
50-64	98	3.9	7	1	1	3	5	7	9	15
65+	71	3.5	4	1	1	3	5	6	7	11
B. *Operated*										
0-19 YRS	5	10.6	4	8	8	11	12	13	13	13
20-34	113	9.1	46	2	3	8	11	17	25	34
35-49	152	9.3	57	2	3	8	12	16	23	35
50-64	203	11.4	75	2	3	10	15	22	26	46
65+	156	12.5	94	2	4	10	15	25	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	888	2.5	3	1	1	2	3	5	6	8
B. *Operated*	1114	7.3	25	2	2	6	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	344	3.4	5	1	1	3	5	6	7	11
B. *Operated*	629	10.7	71	2	3	9	13	21	26	46
1. SINGLE DX	2002	5.1	21	1	1	4	7	11	14	21
2. MULTIPLE DX	973	8.1	60	1	2	6	11	16	23	36
A. NOT OPERATED	1232	2.7	4	1	1	2	3	5	6	9
B. OPERATED	1743	8.5	44	2	2	7	11	15	21	33
TOTAL 0-19 YRS	66	5.0	17	1	1	3	8	12	12	18
20-34	743	5.0	20	1	1	3	7	11	13	24
35-49	914	5.5	26	1	1	4	8	12	15	23
50-64	814	6.8	44	1	1	4	9	15	20	30
65+	438	8.3	61	1	2	6	11	17	23	46
GRAND TOTAL	**2975**	**6.1**	**36**	**1**	**1**	**4**	**8**	**13**	**17**	**29**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	5	1	1	3	5	7	8	8
20-34	15	3.3	3	1	2	3	4	6	7	7
35-49	9	3.6	13	1	1	2	5	9	12	12
50-64	17	3.2	7	1	1	3	4	6	10	12
65+	16	9.0	54	1	1	8	13	19	24	26
B. *Operated*										
0-19 YRS	115	8.8	33	<1	1	9	11	15	18	28
20-34	53	9.9	28	1	3	10	13	15	20	27
35-49	36	9.0	48	1	1	9	12	19	24	26
50-64	55	7.5	90	<1	1	4	10	14	18	61
65+	32	7.6	37	<1	1	6	11	16	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.1	8	<1	<1	4	6	8	10	10
20-34	28	12.5	323	1	1	5	11	40	52	78
35-49	28	5.2	15	1	1	4	7	10	15	16
50-64	26	7.6	25	2	2	7	11	12	17	23
65+	66	10.2	61	2	3	8	14	23	28	33
B. *Operated*										
0-19 YRS	141	11.3	86	1	1	10	14	18	27	54
20-34	104	12.7	142	<1	2	10	16	26	31	68
35-49	109	10.5	49	2	2	10	14	20	23	32
50-64	119	13.1	118	2	2	11	18	24	33	57
65+	139	16.3	232	2	3	12	22	35	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.7	23	1	1	3	6	12	15	25
B. *Operated*	291	8.7	45	<1	1	9	12	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	169	8.6	91	1	2	6	10	17	27	47
B. *Operated*	612	12.9	132	1	2	11	16	25	33	63
1. SINGLE DX	358	7.9	43	<1	1	8	11	15	19	27
2. MULTIPLE DX	781	12.0	126	1	2	10	15	24	32	58
A. NOT OPERATED	236	7.5	75	1	1	5	9	15	23	42
B. OPERATED	903	11.5	108	1	2	10	14	22	29	54
TOTAL 0-19 YRS	287	9.5	61	1	1	9	12	17	20	47
20-34	200	11.2	132	<1	2	9	14	22	30	65
35-49	182	9.0	46	1	2	8	13	19	22	30
50-64	217	10.2	102	1	2	7	14	22	28	55
65+	253	13.1	163	2	2	10	17	28	38	95
GRAND TOTAL	**1139**	**10.7**	**103**	**1**	**2**	**9**	**14**	**21**	**29**	**53**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	10	<1	<1	2	6	7	7	7
20-34	12	2.8	5	<1	<1	2	4	7	8	8
35-49	22	2.2	2	<1	1	2	3	4	5	5
50-64	13	3.5	12	<1	<1	2	5	8	12	13
65+	6	3.0	6	1	1	2	6	6	6	6
B. *Operated*										
0-19 YRS	4	4.5	15	1	1	3	7	10	10	10
20-34	12	6.2	23	1	2	5	8	13	18	19
35-49	15	5.1	16	1	1	4	8	12	13	14
50-64	21	5.2	18	1	2	4	6	11	16	19
65+	29	7.4	35	1	2	5	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	21	1	1	1	7	9	9	9
20-34	7	3.6	3	1	1	4	5	6	6	6
35-49	7	3.4	10	<1	<1	3	4	9	10	10
50-64	11	5.3	15	2	2	5	7	11	15	15
65+	12	5.1	17	1	1	5	8	11	13	13
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	6.0	8	3	3	5	8	11	11	11
35-49	16	4.2	7	<1	2	4	6	8	10	11
50-64	39	9.5	44	2	3	7	13	18	25	29
65+	82	12.3	192	2	3	9	15	22	32	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.8	6	<1	1	2	4	6	7	13
B. *Operated*	81	6.1	25	1	2	5	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	40	4.5	12	1	1	4	6	9	12	15
B. *Operated*	146	10.3	128	2	3	7	14	20	24	65
1. SINGLE DX	137	4.7	19	1	1	3	6	10	14	20
2. MULTIPLE DX	186	9.0	108	1	2	6	12	17	23	60
A. NOT OPERATED	96	3.5	9	<1	1	2	5	7	10	14
B. OPERATED	227	8.8	95	2	2	6	11	17	22	55
TOTAL 0-19 YRS	11	3.8	11	<1	<1	3	6	9	10	10
20-34	39	4.6	12	1	1	4	5	9	11	19
35-49	60	3.6	9	<1	1	3	5	8	10	14
50-64	84	6.9	34	1	2	5	9	15	18	29
65+	129	10.1	140	1	2	7	13	19	24	71
GRAND TOTAL	**323**	**7.2**	**75**	**1**	**1**	**5**	**9**	**15**	**20**	**41**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	5	1	1	3	5	7	8	11
20-34	41	3.2	6	1	1	3	4	6	8	14
35-49	19	3.0	2	1	2	3	4	5	6	6
50-64	22	3.8	4	<1	1	3	4	7	8	9
65+	44	6.0	12	2	2	5	8	11	14	17
B. *Operated*										
0-19 YRS	26	3.6	47	<1	<1	2	3	5	14	36
20-34	49	3.8	16	<1	<1	3	5	8	10	23
35-49	52	3.4	20	<1	<1	2	5	7	9	27
50-64	43	4.6	20	<1	<1	4	6	9	12	26
65+	55	3.8	8	<1	<1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.1	16	1	2	4	7	8	14	24
20-34	60	3.9	8	1	1	3	5	7	10	15
35-49	45	5.2	17	1	1	5	7	8	11	26
50-64	65	6.6	24	2	3	6	8	11	15	32
65+	182	9.4	90	2	3	7	12	17	24	61
B. *Operated*										
0-19 YRS	43	4.4	19	<1	<1	3	6	9	15	21
20-34	51	6.1	34	<1	<1	4	9	13	16	33
35-49	72	6.2	40	<1	<1	4	9	15	20	26
50-64	100	8.3	100	1	1	5	9	18	28	54
65+	207	9.5	96	1	1	6	12	21	33	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	4.0	8	1	1	3	5	7	10	14
B. *Operated*	225	3.8	19	<1	<1	3	5	8	10	26
2. MULTIPLE DX										
A. *Not Operated*	418	7.0	53	1	2	5	8	14	18	38
B. *Operated*	473	7.9	77	<1	1	5	10	17	25	50
1. SINGLE DX	414	3.9	14	<1	<1	3	5	8	10	19
2. MULTIPLE DX	891	7.5	66	<1	1	5	9	15	22	47
A. NOT OPERATED	607	6.1	41	1	2	4	7	12	15	32
B. OPERATED	698	6.6	62	<1	<1	4	8	15	22	44
TOTAL 0-19 YRS	198	4.3	17	<1	1	3	5	8	11	24
20-34	201	4.3	17	<1	<1	3	5	9	12	20
35-49	188	4.9	26	<1	<1	3	6	11	16	26
50-64	230	6.7	57	<1	1	4	8	12	19	42
65+	488	8.5	80	1	2	6	11	17	24	60
GRAND TOTAL	**1305**	**6.4**	**52**	**<1**	**1**	**4**	**8**	**14**	**18**	**41**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	90.0		90	90	90	90	90	90	90
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.7	5	2	2	6	6	6	6	6
50-64	5	5.8	5	2	2	7	7	7	7	7
65+	7	6.7	55	2	2	5	7	20	23	23
B. *Operated*										
0-19 YRS	126	2.4	8	<1	1	1	2	6	9	15
20-34	86	4.5	16	<1	1	3	5	9	14	19
35-49	55	4.8	24	<1	<1	3	6	10	17	22
50-64	71	5.8	30	<1	1	3	7	15	18	23
65+	139	6.0	36	<1	2	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49										
50-64	7	2.9	3	1	1	4	4	5	5	5
65+	29	6.8	22	1	1	7	9	13	18	18
B. *Operated*										
0-19 YRS	46	2.7	8	<1	1	1	3	6	10	12
20-34	40	7.5	65	<1	1	5	8	20	28	32
35-49	47	9.8	158	<1	<1	5	12	25	39	60
50-64	105	7.8	37	<1	2	6	10	18	20	26
65+	315	8.8	105	1	2	5	11	19	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	10.7	441	2	2	6	7	20	66	90
B. *Operated*	477	4.6	24	<1	1	3	6	10	15	20
2. MULTIPLE DX										
A. *Not Operated*	40	5.9	20	1	1	5	8	11	16	18
B. *Operated*	553	8.1	88	1	1	5	10	18	25	56
1. SINGLE DX	494	4.8	39	<1	1	3	6	10	16	22
2. MULTIPLE DX	593	7.9	84	1	1	5	10	18	24	55
A. NOT OPERATED	57	7.3	145	1	1	5	8	11	18	85
B. OPERATED	1030	6.5	62	<1	1	4	8	15	20	40
TOTAL 0-19 YRS	174	3.0	52	<1	1	1	2	6	9	18
20-34	130	5.4	33	<1	1	4	7	13	17	31
35-49	105	7.1	89	<1	<1	4	8	16	23	56
50-64	188	6.8	34	<1	1	5	9	16	19	25
65+	490	7.9	81	1	2	5	9	17	23	55
GRAND TOTAL	**1087**	**6.5**	**66**	**<1**	**1**	**4**	**8**	**15**	**19**	**45**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	438	3.6	6	1	1	3	5	7	8	12
20-34	163	3.0	3	1	1	3	4	5	6	9
35-49	70	3.8	5	1	1	3	5	7	8	10
50-64	64	4.3	9	1	1	4	5	9	11	15
65+	193	6.2	29	1	2	5	7	13	17	33
B. *Operated*										
0-19 YRS	99	3.8	19	<1	<1	2	4	10	14	20
20-34	133	3.3	10	<1	<1	2	4	9	9	12
35-49	103	4.3	24	<1	<1	3	5	11	15	26
50-64	144	4.5	33	<1	<1	3	5	10	15	38
65+	189	5.8	20	<1	1	5	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	532	5.1	12	1	2	4	7	9	12	18
20-34	264	4.7	26	1	1	3	6	9	12	19
35-49	147	5.5	24	1	2	4	7	10	12	24
50-64	237	7.0	33	1	2	6	9	14	17	20
65+	898	9.9	101	2	3	7	12	20	31	66
B. *Operated*										
0-19 YRS	137	5.1	35	<1	1	3	7	11	16	24
20-34	133	8.4	117	<1	<1	5	10	21	29	75
35-49	134	6.9	102	<1	<1	4	8	14	21	62
50-64	273	8.4	84	<1	1	6	10	20	27	48
65+	548	10.6	126	1	2	7	14	23	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	928	4.1	12	1	1	3	5	8	10	18
B. *Operated*	668	4.5	22	<1	<1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	2078	7.4	61	1	2	5	9	14	20	45
B. *Operated*	1225	8.9	106	<1	1	6	11	20	28	61
1. SINGLE DX	1596	4.3	15	<1	1	3	5	9	11	22
2. MULTIPLE DX	3303	7.9	78	1	2	5	9	16	23	52
A. NOT OPERATED	3006	6.4	48	1	2	4	8	12	17	36
B. OPERATED	1893	7.3	81	<1	<1	5	9	16	24	51
TOTAL 0-19 YRS	1206	4.4	14	1	1	3	6	9	11	18
20-34	693	4.7	39	<1	<1	3	6	9	14	32
35-49	454	5.4	45	<1	<1	4	7	10	14	44
50-64	718	6.8	52	<1	1	5	8	15	20	38
65+	1828	9.3	95	2	2	6	11	20	28	63
GRAND TOTAL	**4899**	**6.7**	**61**	**<1**	**1**	**5**	**8**	**14**	**20**	**45**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	12	4.1	13	1	1	3	5	9	13	14
65+	27	3.5	9	1	1	3	4	8	10	13
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	29	4.5	10	<1	<1	4	6	9	10	13
50-64	613	6.9	15	<1	2	7	9	12	14	19
65+	1127	8.4	24	2	3	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	5.3	9	1	1	6	8	8	8	8
50-64	35	5.2	126	1	1	3	4	7	13	68
65+	150	9.9	202	1	2	5	12	20	36	92
B. *Operated*										
0-19 YRS	3	33.3	1497	10	10	12	61	78	78	78
20-34	5	6.8	21	<1	<1	7	10	13	13	13
35-49	37	8.5	58	<1	<1	6	13	19	24	32
50-64	759	9.6	38	2	4	8	11	16	22	32
65+	2283	11.8	83	3	4	10	14	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.7	10	1	1	3	5	8	11	14
B. *Operated*	1772	7.8	21	1	2	7	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	192	8.9	184	1	1	5	10	19	29	88
B. *Operated*	3087	11.3	74	2	4	9	13	20	27	46
1. SINGLE DX	1813	7.7	21	1	2	7	10	13	15	23
2. MULTIPLE DX	3279	11.1	81	2	3	9	13	20	27	51
A. NOT OPERATED	233	8.0	157	1	1	4	9	16	26	84
B. OPERATED	4859	10.0	57	2	3	8	12	18	23	40
TOTAL 0-19 YRS	6	19.5	833	2	2	9	12	71	76	78
20-34	7	5.9	19	<1	<1	6	8	12	13	13
35-49	73	6.6	38	<1	<1	6	8	14	19	31
50-64	1419	8.3	32	1	2	7	10	14	18	29
65+	3587	10.6	72	2	3	9	13	19	25	46
GRAND TOTAL	**5092**	**9.9**	**62**	**2**	**3**	**8**	**12**	**18**	**23**	**41**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	12	2.9	5	<1	<1	3	4	7	8	8
35-49	12	4.2	2	1	2	4	5	6	7	7
50-64	9	3.4	4	1	1	3	5	6	6	6
65+	8	5.4	2	4	4	5	6	7	7	7
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	19	2.2	5	<1	<1	<1	3	6	8	9
35-49	22	3.7	13	<1	<1	2	5	10	11	12
50-64	25	4.4	19	1	1	3	5	7	12	23
65+	31	5.7	23	2	2	5	7	10	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	4.0	3	2	2	3	5	7	7	7
35-49	22	5.3	11	1	2	4	8	10	12	14
50-64	34	6.0	18	1	1	5	8	12	16	19
65+	46	6.9	26	3	3	5	8	12	14	33
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	4.3	10	<1	<1	4	6	9	11	11
35-49	19	4.7	15	<1	<1	3	7	11	13	14
50-64	59	7.0	28	<1	1	6	10	13	17	26
65+	80	8.4	43	1	2	7	11	18	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.9	4	1	1	4	5	6	7	8
B. *Operated*	98	4.2	17	<1	<1	3	6	9	11	24
2. MULTIPLE DX										
A. *Not Operated*	116	6.0	19	2	2	5	8	11	13	24
B. *Operated*	173	7.2	33	<1	1	6	10	13	20	27
1. SINGLE DX	141	4.1	13	<1	<1	3	5	8	10	23
2. MULTIPLE DX	289	6.7	28	<1	2	5	9	12	17	27
A. NOT OPERATED	159	5.4	15	1	2	5	7	10	12	19
B. OPERATED	271	6.1	29	<1	<1	5	8	12	17	26
TOTAL 0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	59	3.3	6	<1	<1	3	5	7	8	11
35-49	75	4.5	11	<1	<1	4	7	10	12	14
50-64	127	6.0	23	<1	1	5	7	12	17	24
65+	165	7.3	33	2	2	6	9	12	20	31
GRAND TOTAL	**430**	**5.8**	**24**	**<1**	**1**	**5**	**8**	**11**	**14**	**26**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	4	4
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	194	2.6	2	<1	1	2	3	4	6	7
20-34	57	3.6	3	2	2	3	4	6	7	12
35-49	57	3.7	3	1	2	3	5	6	8	9
50-64	92	3.7	3	1	2	3	5	6	6	9
65+	59	4.7	8	2	2	4	6	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	1.9	3	<1	<1	1	2	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	2	12.0	200	2	2	12	22	22	22	22
B. Operated										
0-19 YRS	111	2.9	7	<1	1	2	3	5	7	14
20-34	22	4.7	7	<1	1	5	7	8	9	10
35-49	34	4.3	4	2	3	4	5	7	9	10
50-64	85	5.3	13	2	2	4	6	11	12	19
65+	85	6.4	21	2	2	5	8	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.7	1	<1	<1	1	2	4	4	4
B. Operated	459	3.4	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	19	2.8	24	<1	<1	1	2	6	15	22
B. Operated	337	4.7	13	1	1	4	6	8	11	20
1. SINGLE DX	470	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	356	4.6	14	1	1	3	6	8	11	22
A. NOT OPERATED	30	2.4	16	<1	<1	1	2	5	6	22
B. OPERATED	796	3.9	8	1	2	3	5	7	9	15
TOTAL 0-19 YRS	327	2.6	4	<1	1	2	3	5	6	8
20-34	80	3.9	5	1	2	3	5	7	8	11
35-49	91	3.9	4	2	2	3	5	7	8	10
50-64	180	4.6	8	1	2	4	5	7	10	17
65+	148	5.8	18	2	2	5	7	10	13	24
GRAND TOTAL	**826**	**3.9**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	4.8	9	1	2	4	6	10	11	12
20-34	82	5.0	8	2	3	5	7	9	10	15
35-49	44	5.2	9	1	2	5	6	9	11	14
50-64	35	6.4	7	2	3	6	8	11	12	13
65+	27	8.3	41	2	3	6	10	14	20	34
B. Operated										
0-19 YRS	8	3.8	7	1	1	3	5	8	9	8
20-34	29	4.3	3	1	2	4	5	6	7	9
35-49	14	4.6	15	1	1	3	6	10	14	15
50-64	11	7.5	29	3	3	5	10	16	21	21
65+	6	5.4	4	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.0	5	<1	1	4	6	7	8	8
20-34	27	5.3	6	1	2	5	6	10	10	11
35-49	19	5.5	12	1	2	5	7	9	13	16
50-64	30	6.5	22	1	2	5	9	12	13	23
65+	54	10.2	70	4	4	8	12	17	32	90
B. Operated										
0-19 YRS	11	6.8	47	1	1	6	7	16	25	26
20-34	20	6.1	25	2	2	4	7	11	18	24
35-49	12	8.5	91	2	3	6	8	16	35	38
50-64	15	9.1	39	2	3	8	15	17	20	21
65+	24	13.1	165	2	3	8	15	30	43	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	232	5.6	13	2	2	5	7	10	11	16
B. Operated	70	4.9	11	1	2	4	6	8	10	20
2. MULTIPLE DX										
A. Not Operated	140	7.4	39	2	2	6	9	13	16	60
B. Operated	62	9.1	86	2	2	6	10	22	28	49
1. SINGLE DX	302	5.4	12	1	2	5	7	9	11	16
2. MULTIPLE DX	222	8.0	57	2	2	6	9	14	24	55
A. NOT OPERATED	372	6.3	24	2	2	5	8	11	13	32
B. OPERATED	152	7.2	55	2	2	5	8	14	24	38
TOTAL 0-19 YRS	73	4.9	14	1	2	4	6	9	11	23
20-34	158	5.1	9	2	2	5	6	9	10	16
35-49	89	5.6	22	1	2	5	7	10	12	24
50-64	91	7.0	20	2	3	6	9	12	17	22
65+	113	10.0	81	3	4	8	11	17	33	72
GRAND TOTAL	**524**	**6.9**	**33**	**2**	**2**	**5**	**8**	**11**	**15**	**36**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	1.8	1	<1	<1	2	2	3	4	6
20-34	36	2.2	2	<1	<1	2	3	4	5	6
35-49	10	2.5	4	1	1	2	3	6	7	7
50-64	9	1.7	1	<1	<1	2	2	3	3	3
65+	15	3.3	10	<1	1	2	4	8	11	12
B. *Operated*										
0-19 YRS	358	1.8	2	<1	<1	1	2	3	3	7
20-34	51	1.6	1	<1	<1	1	2	3	4	4
35-49	27	2.3	4	<1	<1	2	3	3	5	11
50-64	20	3.0	5	<1	1	2	3	5	8	11
65+	16	4.4	27	1	1	2	5	15	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	1.7	2	<1	<1	1	2	3	5	7
20-34	10	3.1	7	1	1	2	4	7	10	10
35-49	7	3.1	7	<1	<1	2	4	8	9	9
50-64	10	2.7	2	1	1	2	3	5	5	5
65+	15	9.3	243	1	1	3	8	34	51	57
B. *Operated*										
0-19 YRS	64	2.4	3	<1	<1	2	3	4	6	8
20-34	19	2.6	2	<1	<1	3	4	4	5	6
35-49	18	3.6	12	1	1	2	4	9	12	14
50-64	21	6.0	23	1	1	4	10	14	14	15
65+	25	3.6	8	1	2	3	3	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	2.0	2	<1	<1	2	2	3	4	7
B. *Operated*	472	1.9	3	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	101	3.2	43	<1	<1	2	3	5	8	45
B. *Operated*	147	3.3	9	<1	<1	2	4	6	10	15
1. SINGLE DX	716	1.9	3	<1	<1	2	2	3	4	8
2. MULTIPLE DX	248	3.2	23	<1	<1	2	3	6	9	16
A. NOT OPERATED	345	2.3	14	<1	<1	2	2	4	5	10
B. OPERATED	619	2.2	5	<1	<1	2	2	4	6	14
TOTAL 0-19 YRS	655	1.8	2	<1	<1	2	2	3	4	7
20-34	116	2.1	2	<1	<1	2	3	4	4	8
35-49	62	2.8	7	<1	<1	2	3	5	9	14
50-64	60	3.8	13	1	1	2	4	10	13	15
65+	71	4.9	64	1	1	3	4	9	16	52
GRAND TOTAL	**964**	**2.3**	**8**	**<1**	**<1**	**2**	**2**	**4**	**5**	**13**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.1	4	<1	<1	1	2	4	7	10
20-34	31	2.9	4	1	1	2	3	5	8	11
35-49	16	3.6	17	<1	<1	2	5	10	14	16
50-64	7	1.9	1	<1	<1	2	3	3	3	3
65+	10	3.8	3	1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	235	2.5	8	<1	1	2	3	4	5	13
20-34	166	3.0	7	<1	1	3	4	5	7	9
35-49	91	2.9	4	<1	1	3	4	5	7	11
50-64	91	3.9	10	<1	1	3	5	7	10	18
65+	38	4.6	10	1	2	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.6	2	<1	1	2	4	5	5	6
20-34	17	7.0	93	<1	<1	3	7	27	31	32
35-49	11	5.1	41	<1	<1	2	6	16	21	21
50-64	20	3.7	10	<1	1	3	4	8	11	14
65+	26	8.0	41	1	2	7	11	21	39	99+
B. *Operated*										
0-19 YRS	75	3.7	11	<1	1	3	4	7	10	18
20-34	106	4.4	15	<1	1	3	5	10	13	20
35-49	79	5.5	51	1	2	3	6	11	16	47
50-64	97	5.5	45	1	2	4	6	10	14	41
65+	64	6.5	30	2	2	5	8	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	2.6	6	<1	<1	2	3	5	8	12
B. *Operated*	621	3.0	8	<1	1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	116	4.9	33	<1	1	3	5	13	19	54
B. *Operated*	421	5.0	31	1	1	3	6	10	14	25
1. SINGLE DX	750	2.9	8	<1	1	2	3	5	7	16
2. MULTIPLE DX	537	5.0	31	1	1	3	6	10	14	30
A. NOT OPERATED	245	3.7	20	<1	1	2	4	8	13	30
B. OPERATED	1042	3.8	18	<1	1	3	4	7	10	21
TOTAL 0-19 YRS	417	2.7	8	<1	1	2	3	5	7	13
20-34	320	3.6	15	<1	1	3	4	7	10	23
35-49	197	4.1	27	<1	1	3	4	9	12	24
50-64	215	4.5	27	<1	1	3	5	9	13	20
65+	138	6.1	26	1	2	4	8	13	16	39
GRAND TOTAL	**1287**	**3.8**	**18**	**<1**	**1**	**3**	**4**	**8**	**10**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	29	1.9		<1	<1	2	2	3	3	4
20-34	192	2.4	4	<1	<1	2	3	4	6	12
35-49	431	2.5	3	<1	<1	2	3	4	5	12
50-64	177	2.6	3	<1	<1	2	3	5	7	9
65+	45	3.0	4	1	2	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	2	9.0	32	5	5	9	13	13	13	13
65+	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	90	3.3	33	<1	<1	2	3	6	9	37
35-49	248	3.5	14	<1	<1	2	4	7	10	18
50-64	150	3.6	7	<1	<1	3	5	7	9	13
65+	71	4.4	16	1	2	3	5	9	11	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.0	19	1	1	1	8	10	10	10
B. Operated	874	2.5	3	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. Not Operated	8	3.9	17	<1	<1	3	5	11	13	13
B. Operated	561	3.6	16	<1	<1	2	4	7	10	18
1. SINGLE DX	879	2.5	3	<1	<1	2	3	4	6	11
2. MULTIPLE DX	569	3.6	16	<1	<1	2	4	7	10	18
A. NOT OPERATED	13	3.9	16	<1	<1	1	6	11	13	13
B. OPERATED	1435	2.9	8	<1	<1	2	3	6	8	13
TOTAL 0-19 YRS	32	1.9		<1	<1	2	2	3	3	4
20-34	284	2.7	13	<1	<1	2	3	5	7	12
35-49	684	2.9	8	<1	<1	2	3	5	8	14
50-64	330	3.1	6	<1	<1	2	3	7	8	13
65+	118	3.9	12	1	2	3	4	7	10	20
GRAND TOTAL	**1448**	**2.9**	**9**	**<1**	**<1**	**2**	**3**	**6**	**8**	**13**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	5.3	17	1	2	5	5	11	16	17
20-34	48	4.2	10	1	2	3	5	7	10	19
35-49	11	3.7	7	<1	<1	4	5	8	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+	5	4.6	9	1	1	6	7	8	8	8
B. Operated										
0-19 YRS	141	3.1	3	<1	1	3	4	5	7	8
20-34	406	3.4	5	<1	1	3	4	5	7	11
35-49	204	3.2	4	<1	1	3	4	6	7	11
50-64	113	3.1	3	<1	1	3	4	6	7	9
65+	51	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.0	6	1	1	5	6	8	8	8
20-34	16	3.5	4	<1	<1	3	4	7	7	7
35-49	13	2.5	6	<1	<1	1	3	7	8	8
50-64	5	2.6	4	<1	<1	2	4	6	6	6
65+	12	8.8	41	<1	1	7	13	17	22	23
B. Operated										
0-19 YRS	35	3.7	4	1	1	4	5	6	8	10
20-34	193	4.1	7	1	2	4	5	8	10	14
35-49	138	4.5	9	1	2	4	6	8	11	15
50-64	85	4.6	15	1	1	4	6	9	11	22
65+	48	5.7	24	<1	2	4	7	11	18	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	4.3	10	1	1	4	5	8	9	18
B. Operated	915	3.3	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	52	4.6	18	<1	1	3	6	9	14	23
B. Operated	499	4.4	11	1	2	4	5	8	11	18
1. SINGLE DX	992	3.3	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	551	4.5	11	1	1	4	6	8	11	18
A. NOT OPERATED	129	4.4	13	1	1	3	6	8	12	20
B. OPERATED	1414	3.7	7	<1	1	3	5	7	8	13
TOTAL 0-19 YRS	194	3.4	4	<1	1	3	4	6	7	10
20-34	663	3.7	6	<1	1	3	4	7	8	12
35-49	366	3.7	6	<1	1	3	5	7	8	12
50-64	204	3.8	9	<1	1	3	5	7	9	15
65+	116	4.8	18	1	2	3	6	9	14	23
GRAND TOTAL	**1543**	**3.7**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**14**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.7	2	<1	1	2	3	5	6	7
20-34	224	2.5	4	<1	1	2	3	5	6	11
35-49	43	2.3	2	<1	1	2	3	4	4	8
50-64	4	5.5	18	1	1	5	8	11	11	11
65+										
B. *Operated*										
0-19 YRS	180	4.3	5	1	2	4	6	7	9	12
20-34	563	4.6	6	1	2	5	6	8	9	13
35-49	184	5.7	7	1	2	6	7	9	10	14
50-64	28	7.4	4	4	5	7	9	10	11	12
65+	10	8.6	12	5	5	8	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	5	<1	1	2	4	5	9	10
20-34	109	3.1	5	<1	1	2	4	7	8	9
35-49	21	3.6	7	<1	<1	4	5	7	8	9
50-64	9	3.1	3	<1	<1	4	4	5	6	6
65+	2	8.0	32	4	4	8	12	12	12	12
B. *Operated*										
0-19 YRS	69	5.2	12	1	2	5	7	8	10	19
20-34	622	6.1	11	1	2	6	8	10	12	18
35-49	273	7.5	20	2	4	7	9	11	13	20
50-64	35	8.9	30	4	5	8	9	13	20	33
65+	15	15.7	74	6	7	14	21	26	35	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	2.5	3	<1	1	2	3	5	6	11
B. *Operated*	965	4.9	7	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	177	3.2	5	<1	1	2	4	7	8	10
B. *Operated*	1014	6.6	17	2	2	6	8	10	13	21
1. SINGLE DX	1314	4.3	7	1	1	4	6	8	9	12
2. MULTIPLE DX	1191	6.1	17	1	2	6	8	10	13	20
A. NOT OPERATED	526	2.8	4	<1	1	2	4	5	7	10
B. OPERATED	1979	5.8	13	1	2	6	7	9	11	18
TOTAL 0-19 YRS	363	4.0	7	1	1	4	5	7	8	12
20-34	1518	4.8	9	1	1	5	7	8	10	14
35-49	521	6.3	16	1	2	6	8	10	12	18
50-64	76	7.5	19	2	4	7	9	11	13	30
65+	27	12.5	58	5	6	10	16	22	28	38
GRAND TOTAL	**2505**	**5.2**	**12**	**1**	**1**	**5**	**7**	**9**	**11**	**16**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	426	4.6	6	1	2	4	6	8	9	13
20-34	981	4.6	5	1	2	4	6	7	9	12
35-49	89	5.3	7	2	2	5	6	9	11	14
50-64	15	5.9	14	1	2	5	8	11	13	14
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	99	5.2	9	1	2	5	7	9	11	14
20-34	432	5.3	13	<1	1	5	7	9	11	17
35-49	111	5.8	14	<1	1	6	8	10	13	19
50-64	11	7.3	20	1	1	7	10	14	14	14
65+	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	5.0	9	1	2	5	6	8	10	13
20-34	408	5.3	11	1	2	5	7	10	11	18
35-49	51	5.3	9	1	2	5	7	9	13	14
50-64	11	9.0	34	2	4	8	9	20	21	21
65+	2	10.5	61	5	5	16	79	99+	99+	99+
B. *Operated*										
0-19 YRS	141	6.7	24	2	2	6	8	10	12	31
20-34	920	6.0	14	1	2	6	7	10	12	18
35-49	289	7.4	17	2	2	7	9	12	15	22
50-64	27	8.7	23	4	5	7	10	14	20	26
65+	8	21.1	384	5	5	9	44	45	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1513	4.7	6	1	2	4	6	8	9	13
B. *Operated*	655	5.4	13	<1	1	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	638	5.3	11	1	2	5	7	9	11	19
B. *Operated*	1385	6.5	19	1	2	6	8	10	13	22
1. SINGLE DX	2168	4.9	8	1	2	5	6	8	10	14
2. MULTIPLE DX	2023	6.1	17	1	2	6	8	10	13	21
A. NOT OPERATED	2151	4.9	8	1	2	4	6	8	10	14
B. OPERATED	2040	6.1	17	1	2	6	8	10	13	21
TOTAL 0-19 YRS	832	5.1	11	1	2	5	7	9	10	14
20-34	2741	5.3	11	1	2	5	7	9	11	16
35-49	540	6.5	15	1	2	6	8	11	14	21
50-64	64	7.9	23	1	2	7	9	14	19	25
65+	14	15.2	267	2	4	9	37	46	86	99+
GRAND TOTAL	**4191**	**5.5**	**13**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.8	2	<1	<1	3	4	4	4	4
20-34	20	4.3	7	<1	1	4	6	7	10	12
35-49	6	3.8	2	2	2	4	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. Operated										
0-19 YRS	13	2.9	5	<1	1	2	4	7	7	7
20-34	290	4.6	10	<1	<1	5	7	8	9	14
35-49	174	6.7	7	1	2	7	8	9	10	15
50-64	9	7.2	1	6	6	7	8	8	8	8
65+	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	21	3.8	7	<1	1	3	5	8	9	10
35-49	10	3.6	9	<1	<1	2	6	8	9	9
50-64										
65+										
B. Operated										
0-19 YRS	17	4.4	8	<1	1	5	7	8	9	9
20-34	663	6.4	13	1	2	6	8	9	11	19
35-49	740	7.4	7	2	5	7	8	10	12	17
50-64	88	8.5	18	5	6	7	9	11	15	32
65+	6	9.2	5	7	7	9	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.0	5	<1	1	4	5	6	7	12
B. Operated	488	5.3	10	<1	1	6	7	9	10	15
2. MULTIPLE DX										
A. Not Operated	33	3.8	7	<1	<1	3	6	8	9	10
B. Operated	1514	7.0	11	1	3	7	8	10	12	18
1. SINGLE DX	520	5.2	10	<1	1	6	7	9	10	14
2. MULTIPLE DX	1547	6.9	11	1	2	7	8	10	12	18
A. NOT OPERATED	65	3.9	6	<1	<1	3	5	7	8	12
B. OPERATED	2002	6.6	11	1	2	7	8	9	11	17
TOTAL 0-19 YRS	37	3.6	6	<1	1	3	6	7	8	9
20-34	994	5.8	13	<1	1	6	7	9	10	17
35-49	930	7.2	8	2	4	7	8	10	12	16
50-64	98	8.4	17	5	6	7	9	11	15	30
65+	8	7.9	12	1	3	8	10	12	12	12
GRAND TOTAL	**2067**	**6.5**	**11**	**1**	**2**	**7**	**8**	**9**	**11**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	2.8	2	2	2	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	78	3.5	10	<1	<1	2	6	8	9	12
35-49	33	3.3	8	<1	<1	2	6	8	8	9
50-64	12	3.2	6	1	1	2	5	7	8	8
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	2.9	6	1	1	2	4	7	8	8
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	98	5.9	16	<1	1	6	8	11	13	20
35-49	109	6.5	13	<1	<1	7	8	10	12	18
50-64	21	6.3	24	1	1	7	8	11	16	22
65+	3	12.3	165	3	3	7	22	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.6	18	1	1	2	6	12	13	13
B. Operated	130	3.3	8	<1	<1	2	6	8	8	11
2. MULTIPLE DX										
A. Not Operated	9	2.7	6	<1	<1	1	4	6	8	8
B. Operated	234	6.3	17	<1	1	7	8	10	13	22
1. SINGLE DX	137	3.4	9	<1	<1	2	6	8	9	12
2. MULTIPLE DX	243	6.1	17	<1	1	7	8	10	13	22
A. NOT OPERATED	16	3.5	11	<1	1	2	5	8	11	13
B. OPERATED	364	5.2	16	<1	<1	6	7	9	12	20
TOTAL 0-19 YRS	10	3.0	7	<1	<1	2	4	7	8	8
20-34	188	4.7	14	<1	<1	4	7	9	11	16
35-49	143	5.7	13	<1	<1	7	8	9	12	16
50-64	33	5.2	19	1	1	4	7	10	11	22
65+	6	9.5	90	1	1	6	13	26	27	27
GRAND TOTAL	**380**	**5.1**	**16**	**<1**	**<1**	**5**	**7**	**9**	**12**	**20**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.7	4	1	2	3	4	7	9	9
20-34	71	3.4	3	1	1	3	4	6	7	9
35-49	18	4.4	9	1	1	4	6	6	11	14
50-64	3	8.3	12	5	5	8	11	12	12	12
65+	3	9.0	43	3	3	8	14	16	16	16
B. *Operated*										
0-19 YRS	33	2.3	2	1	1	2	3	5	6	7
20-34	249	2.3	4	<1	1	2	3	5	5	9
35-49	129	2.5	4	<1	1	2	3	5	6	11
50-64	32	2.5	4	1	1	2	3	5	6	10
65+	4	3.8	5	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.1	10	1	1	3	5	9	11	14
20-34	79	4.5	9	1	2	4	6	8	9	18
35-49	19	5.2	7	1	2	5	6	9	11	11
50-64	15	5.9	14	<1	1	6	8	11	13	14
65+	16	8.9	91	2	3	6	10	15	34	42
B. *Operated*										
0-19 YRS	12	2.7	4	<1	<1	2	4	6	7	7
20-34	104	4.3	18	<1	1	3	6	9	12	24
35-49	66	5.2	35	<1	1	3	7	10	16	32
50-64	20	5.8	20	<1	<1	5	8	13	15	15
65+	14	18.2	850	1	2	7	15	75	93	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.9	6	1	1	3	5	7	8	14
B. *Operated*	447	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	156	5.1	19	1	2	4	7	9	11	19
B. *Operated*	216	5.5	84	<1	1	3	7	10	16	46
1. SINGLE DX	576	2.7	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	372	5.4	57	1	1	4	7	9	14	32
A. NOT OPERATED	285	4.5	14	1	1	4	6	8	10	16
B. OPERATED	663	3.4	32	<1	1	2	4	7	9	19
TOTAL 0-19 YRS	106	3.3	5	1	1	2	4	7	8	12
20-34	503	3.2	8	<1	1	2	4	7	8	15
35-49	232	3.6	15	<1	1	2	5	7	10	19
50-64	70	4.4	14	1	1	3	6	10	12	15
65+	37	11.9	375	1	2	6	9	18	61	98
GRAND TOTAL	**948**	**3.7**	**27**	**<1**	**1**	**2**	**5**	**7**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	2.2	5	<1	<1	1	3	6	6	6
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65+	6	8.7	31	3	3	7	15	16	16	16
B. *Operated*										
0-19 YRS										
20-34	91	7.4	8	3	4	7	9	11	13	16
35-49	243	8.0	11	4	5	7	9	12	13	19
50-64	332	8.1	11	4	5	7	9	12	15	18
65+	243	8.7	10	5	6	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	3.1	9	1	1	2	4	8	9	9
50-64	18	3.7	7	<1	<1	3	5	8	9	10
65+	34	5.1	22	1	1	4	6	12	15	22
B. *Operated*										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	229	9.0	31	3	5	7	10	16	21	32
35-49	616	9.6	23	5	6	8	11	16	20	28
50-64	668	9.9	24	5	6	9	11	16	19	29
65+	576	10.9	30	6	7	9	13	16	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.8	22	<1	<1	3	6	14	16	16
B. *Operated*	909	8.1	11	4	5	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	64	4.3	16	<1	1	3	6	8	12	21
B. *Operated*	2091	10.0	26	5	6	9	11	16	21	30
1. SINGLE DX	925	8.1	11	4	5	7	9	12	14	19
2. MULTIPLE DX	2155	9.8	27	4	6	8	11	16	20	30
A. NOT OPERATED	80	4.4	17	<1	1	3	6	9	14	20
B. OPERATED	3000	9.4	22	5	6	8	11	15	18	27
TOTAL 0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	323	8.5	25	3	4	7	9	14	19	27
35-49	874	9.0	21	4	5	8	10	14	17	28
50-64	1022	9.2	21	4	5	8	10	14	17	26
65+	859	10.0	26	5	6	9	12	16	19	28
GRAND TOTAL	**3080**	**9.3**	**23**	**4**	**5**	**8**	**11**	**15**	**18**	**27**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	14	1.9	2	<1	1	2	2	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	58	1.8	3	<1	<1	1	2	3	7	8
35-49	45	1.6	1	<1	<1	1	2	2	3	7
50-64	7	2.3	1	<1	<1	2	3	4	4	4
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	4	1.8		1	1	2	2	2	2	2
35-49	8	2.5	7	1	1	2	2	7	9	9
50-64										
65+										
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	45	4.5	24	<1	<1	2	7	9	12	27
35-49	70	3.4	10	<1	<1	2	6	9	10	12
50-64	11	4.8	16	1	1	4	8	11	12	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.3	2	<1	1	2	3	4	5	5
B. Operated	112	1.8	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
A. Not Operated	15	2.3	4	1	1	2	2	4	8	9
B. Operated	129	3.9	15	<1	<1	2	7	9	10	17
1. SINGLE DX	132	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX	144	3.7	14	<1	<1	2	6	8	10	15
A. NOT OPERATED	35	2.3	3	1	1	2	3	4	5	9
B. OPERATED	241	2.9	10	<1	<1	1	3	8	9	12
TOTAL 0-19 YRS	10	2.2	1	1	1	2	3	4	4	4
20-34	121	2.8	12	<1	<1	1	3	7	9	10
35-49	125	2.7	7	<1	<1	2	3	7	9	12
50-64	20	3.8	10	<1	1	3	5	9	11	12
65+										
GRAND TOTAL	**276**	**2.8**	**9**	**<1**	**<1**	**2**	**3**	**7**	**9**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	2.3	2	1	1	2	2	5	6	7
20-34	198	1.9	1	<1	1	2	2	3	4	6
35-49	59	2.1	3	<1	<1	2	2	4	6	10
50-64	8	1.9	2	<1	<1	1	2	4	5	5
65+										
B. Operated										
0-19 YRS	66	1.7	1	<1	<1	1	2	3	4	7
20-34	1153	2.6	6	<1	<1	1	3	7	8	10
35-49	1207	2.9	8	<1	<1	2	3	7	8	10
50-64	133	2.3	6	<1	<1	1	2	7	8	12
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	2.6	2	1	1	2	3	5	5	7
20-34	154	2.8	6	<1	<1	2	3	6	8	12
35-49	84	2.6	4	<1	1	2	3	5	8	9
50-64	12	5.8	58	1	1	3	5	19	26	27
65+										
B. Operated										
0-19 YRS	53	3.1	5	<1	<1	2	5	7	7	9
20-34	1468	5.3	13	<1	1	6	7	9	10	16
35-49	2156	5.8	15	<1	1	6	8	10	12	19
50-64	234	4.9	16	<1	<1	4	6	10	12	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	326	2.0	2	<1	1	2	3	4	5	7
B. Operated	2559	2.7	7	<1	<1	1	3	7	8	10
2. MULTIPLE DX										
A. Not Operated	297	2.8	7	<1	1	2	3	6	8	13
B. Operated	3911	5.5	14	<1	1	6	8	9	11	16
1. SINGLE DX	2885	2.6	6	<1	<1	2	3	7	8	10
2. MULTIPLE DX	4208	5.3	14	<1	1	6	8	9	11	17
A. NOT OPERATED	625	2.4	5	<1	1	2	3	5	6	10
B. OPERATED	6470	4.4	13	<1	<1	3	7	9	10	15
TOTAL 0-19 YRS	229	2.4	3	<1	1	2	3	5	7	8
20-34	2973	3.9	11	<1	<1	2	7	8	9	14
35-49	3506	4.7	14	<1	<1	4	7	9	10	16
50-64	387	4.0	15	<1	<1	2	7	9	12	16
65+										
GRAND TOTAL	**7099**	**4.2**	**13**	**<1**	**<1**	**2**	**7**	**8**	**10**	**15**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	3.7	3	2	2	3	5	7	7	7
50-64	9	2.9	2	<1	1	3	3	5	6	6
65+	14	3.4	9	1	1	2	5	8	10	11
B. *Operated*										
0-19 YRS										
20-34	4	4.8	17	<1	<1	4	8	10	10	10
35-49	113	1.8	3	<1	<1	1	2	3	6	9
50-64	347	1.7	2	<1	<1	1	2	2	3	8
65+	100	2.2	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	5.1	9	2	2	5	7	9	10	10
50-64	22	3.9	25	<1	<1	2	3	15	16	17
65+	25	4.5	13	<1	1	3	6	10	12	14
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	3.2	5	1	1	2	5	6	6	6
35-49	112	2.9	9	<1	<1	2	3	8	10	14
50-64	416	3.1	16	<1	<1	2	3	8	10	18
65+	184	4.4	24	<1	1	2	5	11	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.8	15	1	1	3	4	7	11	21
B. *Operated*	564	1.8	2	<1	<1	2	2	2	5	9
2. MULTIPLE DX										
A. *Not Operated*	55	4.3	17	<1	<1	2	6	10	15	17
B. *Operated*	718	3.4	17	<1	<1	2	3	8	11	21
1. SINGLE DX	596	1.9	3	<1	<1	2	2	3	5	10
2. MULTIPLE DX	773	3.5	17	<1	<1	2	3	8	11	21
A. NOT OPERATED	87	4.1	16	<1	<1	3	6	9	14	20
B. OPERATED	1282	2.7	11	<1	<1	2	2	7	9	17
TOTAL 0-19 YRS	2	11.0	200	<1	<1	10	21	21	21	21
20-34	10	3.7	9	<1	<1	2	6	8	10	10
35-49	240	2.5	6	<1	<1	2	2	6	9	12
50-64	794	2.5	10	<1	<1	2	2	6	8	15
65+	323	3.7	17	<1	1	2	4	8	12	21
GRAND TOTAL	**1369**	**2.8**	**12**	**<1**	**<1**	**2**	**2**	**7**	**9**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	5	<1	<1	2	3	7	8	10
20-34	62	2.6	6	<1	<1	2	3	6	8	13
35-49	18	2.7	3	<1	<1	2	4	5	6	6
50-64	5	6.4	44	1	1	3	13	15	15	15
65+	6	5.0	14	1	1	5	9	9	9	9
B. *Operated*										
0-19 YRS	42	3.4	7	<1	1	3	5	7	10	11
20-34	529	4.0	11	<1	1	3	6	8	9	19
35-49	303	3.5	9	<1	<1	2	6	8	9	14
50-64	199	3.0	7	<1	<1	2	4	8	8	11
65+	42	4.1	59	<1	1	2	4	7	10	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.4	3	<1	<1	2	3	5	7	7
20-34	64	2.9	8	<1	1	2	4	5	10	14
35-49	16	3.5	15	<1	1	2	5	11	13	13
50-64	7	7.1	114	1	1	2	9	26	30	30
65+	13	5.5	22	2	2	5	6	11	17	19
B. *Operated*										
0-19 YRS	31	4.2	9	1	1	4	7	8	9	12
20-34	653	5.7	19	<1	1	6	7	9	11	25
35-49	624	5.8	18	<1	1	6	8	9	12	20
50-64	303	5.4	26	<1	1	4	8	11	14	27
65+	122	7.3	90	1	1	4	9	17	22	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	2.9	8	<1	<1	2	4	7	10	14
B. *Operated*	1116	3.7	12	<1	<1	2	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	113	3.5	17	<1	1	2	4	7	11	23
B. *Operated*	1733	5.8	25	<1	1	6	8	10	13	25
1. SINGLE DX	1232	3.6	11	<1	<1	2	5	8	9	16
2. MULTIPLE DX	1846	5.6	25	<1	1	5	8	9	13	25
A. NOT OPERATED	229	3.2	12	<1	<1	2	4	7	10	16
B. OPERATED	2849	4.9	21	<1	1	4	7	9	11	22
TOTAL 0-19 YRS	111	3.3	7	<1	1	2	5	7	9	12
20-34	1308	4.7	16	<1	1	4	7	8	10	20
35-49	961	5.0	16	<1	1	5	7	9	12	18
50-64	514	4.5	21	<1	<1	2	7	9	12	24
65+	184	6.3	77	1	1	3	8	15	20	50
GRAND TOTAL	**3078**	**4.8**	**20**	**<1**	**1**	**4**	**7**	**9**	**11**	**21**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	182	2.1	2	<1	1	2	3	4	5	8
20-34	191	2.3	4	<1	1	2	3	4	6	11
35-49	38	2.3	2	1	1	2	3	5	5	6
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	4	2.5	1	1	1	3	3	3	3	3
B. Operated										
0-19 YRS	74	2.4	5	<1	<1	2	2	4	8	11
20-34	684	2.9	7	<1	<1	2	3	7	8	12
35-49	322	6.7	18	<1	1	7	9	12	14	18
50-64	172	8.3	19	1	2	8	10	13	17	23
65+	76	10.1	80	2	3	9	12	16	22	62
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	2.3	3	<1	1	2	3	4	6	9
20-34	145	3.3	8	<1	<1	2	4	7	9	14
35-49	30	3.3	8	<1	1	2	5	7	8	13
50-64	7	8.0	122	<1	<1	5	8	27	32	32
65+	12	7.2	156	1	1	3	5	21	42	46
B. Operated										
0-19 YRS	45	3.8	9	<1	1	2	6	8	9	13
20-34	1295	4.3	11	<1	<1	3	7	8	10	16
35-49	527	7.8	19	1	2	7	10	13	15	23
50-64	243	11.1	39	2	5	10	13	17	23	31
65+	127	14.6	74	4	6	12	21	28	31	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	419	2.2	3	<1	1	2	3	4	5	8
B. Operated	1328	4.9	22	<1	<1	3	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	255	3.4	18	<1	1	2	4	7	9	19
B. Operated	2237	6.4	29	<1	1	6	8	12	16	27
1. SINGLE DX	1747	4.2	18	<1	<1	2	7	9	12	18
2. MULTIPLE DX	2492	6.1	29	<1	1	6	8	12	16	27
A. NOT OPERATED	674	2.7	9	<1	1	2	3	5	7	12
B. OPERATED	3565	5.8	27	<1	1	6	8	12	15	24
TOTAL 0-19 YRS	362	2.4	4	<1	1	2	3	5	7	10
20-34	2315	3.6	10	<1	<1	2	6	8	9	15
35-49	917	7.0	19	<1	1	7	9	12	15	20
50-64	426	9.8	34	1	3	9	12	16	22	29
65+	219	12.4	86	2	3	10	16	26	30	41
GRAND TOTAL	**4239**	**5.3**	**25**	**<1**	**1**	**4**	**8**	**11**	**14**	**23**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.6	2	1	1	2	3	5	5	5
20-34	18	1.8	1	<1	1	2	2	3	4	5
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64										
65+										
B. Operated										
0-19 YRS	24	5.8	5	2	3	6	7	8	9	12
20-34	498	5.2	3	3	3	5	6	7	8	11
35-49	46	5.7	14	2	3	5	7	8	9	28
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	10	2.3	2	<1	<1	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. Operated										
0-19 YRS	16	5.7	7	3	3	5	7	9	12	13
20-34	364	5.7	4	3	4	5	7	8	9	13
35-49	66	6.6	27	3	4	6	7	9	12	37
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.1	2	<1	1	2	2	5	5	6
B. Operated	568	5.3	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	13	2.2	2	<1	<1	2	3	4	5	5
B. Operated	446	5.8	8	3	4	5	7	8	9	14
1. SINGLE DX	593	5.2	4	2	3	5	6	7	8	12
2. MULTIPLE DX	459	5.7	8	3	3	5	7	8	9	14
A. NOT OPERATED	38	2.2	2	<1	<1	2	3	5	5	6
B. OPERATED	1014	5.5	6	3	3	5	6	8	9	13
TOTAL 0-19 YRS	47	5.3	6	2	2	5	7	8	10	13
20-34	890	5.3	4	3	3	5	6	7	9	12
35-49	115	6.1	22	2	3	5	7	8	11	32
50-64										
65+										
GRAND TOTAL	**1052**	**5.4**	**6**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.5	1	1	1	2	3	4	4	4
20-34	10	2.6	5	<1	<1	1	4	6	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	689	1.2		<1	<1	<1	1	2	2	4
20-34	1465	1.2		<1	<1	<1	1	2	2	4
35-49	66	1.2	1	<1	<1	<1	1	2	2	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	5.3	16	3	3	3	8	10	10	10
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	366	1.6	2	<1	<1	1	2	2	4	8
20-34	1163	1.9	4	<1	<1	1	2	3	5	9
35-49	226	2.4	3	<1	<1	2	3	4	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.5	3	<1	1	2	4	5	6	7
B. *Operated*	2220	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	6	3.7	11	1	1	3	4	9	10	10
B. *Operated*	1755	1.9	3	<1	<1	1	2	4	5	8
1. SINGLE DX	2239	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	1761	1.9	3	<1	<1	1	2	4	5	9
A. NOT OPERATED	25	2.8	5	<1	1	2	4	5	8	10
B. OPERATED	3975	1.5	2	<1	<1	<1	2	3	4	7
TOTAL 0-19 YRS	1064	1.4	1	<1	<1	1	1	2	3	5
20-34	2641	1.5	2	<1	<1	<1	2	3	4	7
35-49	295	2.1	3	<1	<1	2	3	4	6	8
50-64										
65+										
GRAND TOTAL	**4000**	**1.5**	**2**	**<1**	**<1**	**<1**	**2**	**3**	**4**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. NOT OPERATED	2	4.5	1	4	4	4	5	5	5	5
B. OPERATED										
TOTAL 0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+										
GRAND TOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	2.4	9	<1	1	2	3	4	5	19
20-34	682	2.0	3	<1	1	1	2	4	5	10
35-49	50	1.9	3	<1	<1	1	2	4	6	8
50-64										
65+										
B. Operated										
0-19 YRS	398	1.9	2	<1	1	1	2	4	5	7
20-34	3613	1.8	3	<1	<1	1	2	3	4	8
35-49	395	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.9	3	<1	1	3	3	6	6	6
20-34	92	2.6	5	1	1	2	3	5	8	11
35-49	8	3.4	12	1	1	2	4	9	11	11
50-64										
65+										
B. Operated										
0-19 YRS	32	2.4	3	<1	<1	2	3	5	6	9
20-34	526	2.5	8	<1	1	2	3	5	6	12
35-49	92	2.8	7	<1	1	2	4	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	831	2.1	4	<1	1	1	2	4	5	10
B. Operated	4406	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	112	2.7	5	1	1	2	3	6	8	11
B. Operated	650	2.5	8	<1	1	2	3	5	7	13
1. SINGLE DX	5237	1.8	3	<1	<1	1	2	3	5	8
2. MULTIPLE DX	762	2.6	8	<1	1	2	3	5	7	12
A. NOT OPERATED	943	2.1	4	<1	1	2	2	4	5	11
B. OPERATED	5056	1.9	3	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	541	2.0	3	<1	1	1	2	4	5	8
20-34	4913	1.9	3	<1	<1	1	2	4	5	9
35-49	545	1.8	2	<1	1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	**5999**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	3.7	11	1	1	3	4	6	8	23
20-34	167	2.9	4	<1	1	3	4	5	6	9
35-49	10	2.9	5	1	1	2	4	6	8	8
50-64										
65+										
B. Operated										
0-19 YRS	63	2.1	2	<1	1	2	3	4	5	7
20-34	632	2.0	2	<1	1	2	2	4	5	9
35-49	50	1.8	2	<1	<1	1	2	3	5	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.3	7	1	1	3	4	6	9	12
20-34	47	3.6	12	<1	1	3	4	7	8	22
35-49	4	4.3	9	1	1	4	6	8	8	8
50-64										
65+										
B. Operated										
0-19 YRS	28	2.8	6	<1	1	2	4	7	8	9
20-34	158	2.9	9	<1	1	2	3	6	10	19
35-49	25	2.8	7	<1	1	2	3	8	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	226	3.1	6	1	1	3	4	5	6	11
B. Operated	745	2.0	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	71	3.6	10	1	1	3	5	7	8	20
B. Operated	211	2.9	8	<1	1	2	3	6	9	15
1. SINGLE DX	971	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	282	3.1	9	<1	1	2	4	6	9	17
A. NOT OPERATED	297	3.2	7	1	1	3	4	6	7	15
B. OPERATED	956	2.2	4	<1	1	2	2	4	6	10
TOTAL 0-19 YRS	160	2.9	6	1	1	2	4	6	7	12
20-34	1004	2.4	4	<1	1	2	3	5	6	10
35-49	89	2.3	4	<1	1	2	2	5	8	10
50-64										
65+										
GRAND TOTAL	**1253**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.7	3	<1	1	2	3	5	6	9
20-34	1187	3.1	5	1	1	3	4	5	7	12
35-49	48	3.5	6	1	1	3	5	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	27	3.1	6	1	1	3	3	6	10	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.4	8	<1	1	3	4	6	8	16
20-34	203	4.1	14	1	1	3	5	9	11	22
35-49	12	4.3	5	2	2	4	6	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	8	4.4	8	1	1	4	5	9	10	10
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1400	3.1	5	1	1	3	4	5	7	11
B. *Operated*	31	2.9	6	1	1	2	3	5	10	11
2. MULTIPLE DX										
A. *Not Operated*	246	4.0	13	1	1	3	5	8	10	21
B. *Operated*	11	4.6	10	1	1	4	6	10	10	10
1. SINGLE DX	1431	3.1	5	1	1	3	4	5	7	11
2. MULTIPLE DX	257	4.1	13	1	1	3	5	8	10	21
A. NOT OPERATED	1646	3.2	6	1	1	3	4	6	8	14
B. OPERATED	42	3.4	7	1	1	3	4	7	10	11
TOTAL 0-19 YRS	201	2.8	4	<1	1	2	3	5	6	10
20-34	1425	3.2	7	1	1	3	4	6	8	14
35-49	62	3.8	7	1	1	3	6	7	9	10
50-64										
65+										
GRAND TOTAL	**1688**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	5	1	1	2	3	6	8	8
20-34	45	2.8	5	1	1	2	3	5	9	11
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	2.7	2	<1	1	2	3	5	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.7	5	1	1	2	3	5	9	11
B. *Operated*	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	16	2.7	2	<1	1	2	3	5	6	6
B. *Operated*	1	11.0		11	11	11	11	11	11	11
1. SINGLE DX	59	2.7	5	1	1	2	3	5	9	11
2. MULTIPLE DX	17	3.2	6	<1	1	2	4	6	9	11
A. NOT OPERATED	73	2.7	4	1	1	2	3	5	8	11
B. OPERATED	3	6.0	19	3	3	4	9	11	11	11
TOTAL 0-19 YRS	11	2.6	4	1	1	2	3	6	8	8
20-34	62	3.0	5	1	1	2	4	5	9	11
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
GRAND TOTAL	**76**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**9**	**11**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	4.4	11	1	1	3	5	9	12	17
20-34	523	4.4	14	1	2	3	6	8	10	19
35-49	23	4.1	8	1	1	3	5	8	10	13
50-64										
65+										
B. Operated										
0-19 YRS	15	4.9	15	2	2	4	6	9	15	17
20-34	117	4.3	8	1	2	4	5	8	11	15
35-49	6	3.5	6	1	1	3	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.8	6	2	2	3	4	8	10	10
20-34	136	5.2	19	1	2	4	6	9	13	24
35-49	14	7.2	36	1	1	6	10	17	18	18
50-64										
65+										
B. Operated										
0-19 YRS	12	7.1	34	2	2	6	8	16	22	23
20-34	93	4.3	14	<1	<1	3	6	9	13	17
35-49	2	22.0	162	13	13	22	31	31	31	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	623	4.4	13	1	2	3	6	8	10	18
B. Operated	138	4.3	9	1	2	4	5	8	11	16
2. MULTIPLE DX										
A. Not Operated	161	5.3	19	1	2	4	6	10	14	23
B. Operated	107	5.0	24	<1	<1	3	6	11	14	26
1. SINGLE DX	761	4.4	13	1	2	3	5	8	10	17
2. MULTIPLE DX	268	5.2	21	<1	1	4	6	10	14	23
A. NOT OPERATED	784	4.6	15	1	2	4	6	8	11	20
B. OPERATED	245	4.6	15	<1	1	3	6	9	13	18
TOTAL 0-19 YRS	115	4.7	14	1	2	4	5	9	13	20
20-34	869	4.5	14	1	1	4	6	8	11	18
35-49	45	5.8	33	1	1	4	7	13	17	31
50-64										
65+										
GRAND TOTAL	**1029**	**4.6**	**15**	**1**	**1**	**4**	**6**	**8**	**12**	**19**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	3.9	8	1	2	3	5	7	9	16
20-34	587	5.2	16	2	2	4	7	9	11	24
35-49	22	6.3	29	1	1	5	8	14	20	20
50-64										
65+										
B. Operated										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	3	6.3	10	4	4	5	9	10	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.5	5	1	1	3	4	7	7	11
20-34	182	5.3	17	1	2	4	6	10	12	22
35-49	8	8.3	76	3	3	5	8	23	29	29
50-64										
65+										
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	11	7.5	58	1	2	5	10	18	27	28
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	692	5.1	16	1	2	4	6	9	11	23
B. Operated	6	4.8	11	1	1	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	221	5.1	18	1	2	4	6	10	12	24
B. Operated	13	6.7	52	1	2	5	7	15	26	28
1. SINGLE DX	698	5.1	16	1	2	4	6	9	11	23
2. MULTIPLE DX	234	5.2	20	1	2	4	6	10	12	28
A. NOT OPERATED	913	5.1	16	1	2	4	6	9	11	23
B. OPERATED	19	6.1	39	1	1	5	7	12	21	28
TOTAL 0-19 YRS	119	3.8	7	1	1	3	5	7	9	15
20-34	783	5.2	17	1	2	4	7	10	12	24
35-49	30	6.8	40	1	2	5	8	15	20	29
50-64										
65+										
GRAND TOTAL	**932**	**5.1**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**24**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	623	1.3	1	<1	<1	1	1	2	3	6
20-34	3022	1.3	1	<1	<1	1	1	2	3	6
35-49	109	1.3	5	<1	<1	1	1	2	2	12
50-64										
65+										
B. *Operated*										
0-19 YRS	93	1.4	1	<1	<1	1	1	2	3	7
20-34	527	1.5	3	<1	<1	1	1	2	3	8
35-49	20	1.2		<1	<1	1	1	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	1.9	2	<1	<1	1	2	4	5	7
20-34	255	1.9	4	<1	<1	1	2	4	5	11
35-49	15	1.3		<1	<1	1	1	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	25	1.9	2	<1	<1	1	2	3	5	7
20-34	124	2.5	24	<1	<1	1	2	4	8	29
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3754	1.3	1	<1	<1	1	1	2	3	6
B. Operated	640	1.4	3	<1	<1	1	1	2	3	8
2. MULTIPLE DX										
A. Not Operated	338	1.9	4	<1	<1	1	2	4	5	10
B. Operated	154	2.4	19	<1	<1	1	2	4	8	21
1. SINGLE DX	4394	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	492	2.0	9	<1	<1	1	2	4	6	11
A. NOT OPERATED	4092	1.4	1	<1	<1	1	1	2	3	7
B. OPERATED	794	1.6	6	<1	<1	1	1	3	4	9
TOTAL 0-19 YRS	809	1.4	1	<1	<1	1	1	2	3	6
20-34	3928	1.4	2	<1	<1	1	1	2	3	7
35-49	149	1.3	4	<1	<1	1	1	2	2	6
50-64										
65+										
GRAND TOTAL	**4886**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.6	14	1	1	3	7	9	13	14
20-34	132	4.4	25	1	1	3	5	8	14	28
35-49	8	5.4	17	2	2	4	6	13	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	26	9.3	143	<1	1	4	13	28	36	50
35-49	4	11.8	265	2	2	4	21	37	37	37
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	5.9	41	<1	<1	4	6	17	23	24
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	13.4	66	1	3	14	19	25	33	35
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	4.5	24	1	1	3	5	9	14	26
B. Operated	32	9.5	145	<1	1	4	13	30	36	50
2. MULTIPLE DX										
A. Not Operated	21	5.7	39	<1	1	4	6	16	23	24
B. Operated	14	12.6	89	1	2	11	19	24	33	35
1. SINGLE DX	186	5.4	47	1	1	3	5	12	18	38
2. MULTIPLE DX	35	8.5	69	<1	1	5	13	22	24	35
A. NOT OPERATED	175	4.7	25	1	1	3	5	9	14	25
B. OPERATED	46	10.4	120	1	1	6	15	28	35	50
TOTAL 0-19 YRS	17	4.9	16	1	1	3	7	12	14	14
20-34	191	5.9	53	1	1	4	6	14	22	37
35-49	13	7.2	93	2	2	4	6	19	34	37
50-64										
65+										
GRAND TOTAL	**221**	**5.9**	**52**	**1**	**1**	**4**	**6**	**14**	**21**	**38**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.4	5	<1	<1	2	3	5	6	14
20-34	444	3.1	11	<1	<1	2	4	6	8	14
35-49	22	2.9	6	<1	1	2	3	6	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	23	3.8	30	<1	1	3	4	5	14	28
20-34	153	3.1	6	<1	<1	2	4	6	8	12
35-49	11	2.6	5	<1	<1	2	3	6	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	2	1	2	3	4	5	6	6
20-34	105	3.4	8	1	1	3	5	7	9	15
35-49	4	4.3	8	1	1	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.6	4	1	1	2	3	6	7	7
20-34	63	4.0	12	1	1	3	5	8	12	17
35-49	7	3.7	7	1	1	2	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	3.0	10	<1	<1	2	4	6	8	14
B. *Operated*	187	3.1	9	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	126	3.4	7	1	1	3	4	6	9	14
B. *Operated*	80	3.8	11	1	1	3	5	8	10	16
1. SINGLE DX	729	3.0	10	<1	<1	2	4	6	8	14
2. MULTIPLE DX	206	3.6	8	1	1	3	5	7	9	16
A. NOT OPERATED	668	3.0	10	<1	1	2	4	6	8	14
B. OPERATED	267	3.3	10	<1	1	2	4	7	8	16
TOTAL 0-19 YRS	126	2.8	9	<1	<1	2	3	5	6	19
20-34	765	3.2	10	<1	1	2	4	7	8	15
35-49	44	3.1	6	<1	1	2	4	6	8	12
50-64										
65+										
GRAND TOTAL	**935**	**3.1**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	3.1	3	1	1	3	4	5	6	10
20-34	299	3.2	4	<1	1	3	4	6	7	10
35-49	7	2.7	3	<1	<1	2	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.2	2	<1	1	2	3	4	5	5
20-34	31	4.1	8	<1	1	3	6	9	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.7	7	<1	1	3	5	7	8	14
20-34	219	4.1	8	1	1	4	6	8	9	17
35-49	6	2.5	2	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	19	4.2	15	<1	<1	2	6	9	13	16
20-34	77	4.2	36	<1	<1	3	5	8	10	41
35-49	3	6.0	7	4	4	5	8	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	3.1	4	1	1	3	4	5	7	10
B. *Operated*	47	3.5	6	<1	1	3	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	320	4.0	8	1	1	3	5	7	9	16
B. *Operated*	99	4.2	31	<1	<1	3	5	8	10	33
1. SINGLE DX	451	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	419	4.0	13	<1	1	3	5	8	9	16
A. NOT OPERATED	724	3.5	6	1	1	3	5	6	8	11
B. OPERATED	146	4.0	23	<1	<1	3	5	8	9	17
TOTAL 0-19 YRS	227	3.4	6	<1	1	3	5	6	7	13
20-34	626	3.7	10	<1	1	3	5	7	8	12
35-49	17	3.2	4	<1	1	3	4	6	8	9
50-64										
65+										
GRAND TOTAL	**870**	**3.6**	**9**	**<1**	**1**	**3**	**5**	**7**	**8**	**12**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	4.2	13	1	1	3	5	9	14	16
20-34	180	5.0	21	<1	1	4	6	10	12	23
35-49	23	5.5	11	2	2	5	7	9	13	16
50-64										
65+										
B. Operated										
0-19 YRS	8	7.9	38	2	2	6	12	18	19	19
20-34	58	4.9	17	1	1	4	6	11	16	17
35-49	4	5.5	14	1	1	6	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	2.6	5	<1	1	2	3	5	7	15
20-34	594	4.3	39	<1	<1	2	5	8	15	39
35-49	29	5.6	39	1	1	3	7	12	22	28
50-64										
65+										
B. Operated										
0-19 YRS	51	2.6	6	<1	<1	2	4	5	7	14
20-34	265	3.6	19	<1	<1	2	4	8	10	28
35-49	7	8.7	59	2	2	7	9	22	25	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	240	4.9	19	1	1	4	6	9	12	23
B. Operated	70	5.3	19	1	1	4	7	12	16	19
2. MULTIPLE DX										
A. Not Operated	699	4.2	36	<1	1	2	5	8	14	36
B. Operated	323	3.5	18	<1	<1	2	4	8	10	26
1. SINGLE DX	310	5.0	19	1	1	4	6	10	15	21
2. MULTIPLE DX	1022	4.0	30	<1	<1	2	4	8	12	34
A. NOT OPERATED	939	4.4	32	<1	1	3	5	9	13	34
B. OPERATED	393	3.8	19	<1	<1	2	5	8	11	22
TOTAL 0-19 YRS	172	3.2	10	<1	<1	2	4	6	9	17
20-34	1097	4.3	30	<1	<1	3	5	9	12	35
35-49	63	5.9	29	1	1	5	7	11	18	28
50-64										
65+										
GRAND TOTAL	**1332**	**4.2**	**28**	**<1**	**<1**	**3**	**5**	**8**	**12**	**32**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	220	2.5	10	<1	<1	1	3	5	8	14
20-34	1392	3.1	21	<1	<1	2	3	7	10	20
35-49	52	2.3	4	<1	<1	1	3	5	7	9
50-64										
65+										
B. Operated										
0-19 YRS	142	3.4	18	<1	<1	2	4	7	12	22
20-34	1161	3.4	28	<1	<1	2	4	7	11	29
35-49	68	3.3	33	<1	<1	2	3	5	6	38
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	117	3.7	27	<1	1	2	4	7	10	35
20-34	601	4.3	39	<1	<1	2	5	9	13	33
35-49	42	4.8	18	<1	1	4	7	10	15	20
50-64										
65+										
B. Operated										
0-19 YRS	99	3.7	14	<1	<1	2	5	10	12	17
20-34	609	4.2	36	<1	<1	2	5	10	16	29
35-49	27	5.9	87	<1	<1	3	5	16	31	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1664	3.0	19	<1	<1	2	3	6	10	19
B. Operated	1371	3.4	27	<1	<1	2	4	7	11	29
2. MULTIPLE DX										
A. Not Operated	760	4.2	36	<1	1	2	5	9	13	33
B. Operated	735	4.2	35	<1	<1	2	5	10	15	29
1. SINGLE DX	3035	3.2	23	<1	<1	2	3	7	10	24
2. MULTIPLE DX	1495	4.2	36	<1	<1	2	5	9	14	32
A. NOT OPERATED	2424	3.4	25	<1	<1	2	4	7	11	27
B. OPERATED	2106	3.7	30	<1	<1	2	4	8	12	29
TOTAL 0-19 YRS	578	3.2	16	<1	<1	2	3	7	10	18
20-34	3763	3.6	29	<1	<1	2	4	8	12	29
35-49	189	3.7	30	<1	<1	2	4	7	10	36
50-64										
65+										
GRAND TOTAL	**4530**	**3.5**	**27**	**<1**	**<1**	**2**	**4**	**7**	**11**	**29**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	2	2	3	5	5	6	6	6
20-34	95	5.1	15	3	3	5	5	7	9	26
35-49	5	18.8	1250	1	1	4	24	82	82	82
50-64										
65+										
B. *Operated*										
0-19 YRS	11	6.7	9	3	3	5	9	11	12	12
20-34	81	7.1	37	3	3	5	7	14	17	38
35-49	6	5.7	13	3	3	4	5	12	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.2	3	3	3	5	7	8	9	9
20-34	129	5.5	39	3	3	4	5	7	11	35
35-49	12	3.8	1	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	19	8.9	79	1	3	6	8	21	33	38
20-34	393	10.6	127	3	4	6	10	26	34	65
35-49	35	10.7	189	3	4	6	11	15	32	81
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.6	66	3	3	5	5	7	9	55
B. *Operated*	98	7.0	32	3	3	5	7	13	17	36
2. MULTIPLE DX										
A. *Not Operated*	158	5.3	33	3	3	4	5	7	10	26
B. *Operated*	447	10.5	130	3	4	6	10	25	34	73
1. SINGLE DX	211	6.3	50	3	3	5	6	9	13	41
2. MULTIPLE DX	605	9.2	109	3	3	6	8	19	30	60
A. NOT OPERATED	271	5.4	46	3	3	4	5	7	9	36
B. OPERATED	545	9.9	114	3	4	6	10	22	33	57
TOTAL 0-19 YRS	60	6.5	30	3	3	5	7	10	12	37
20-34	698	8.5	91	3	3	5	8	17	28	54
35-49	58	9.4	219	3	3	5	9	15	29	82
50-64										
65+										
GRAND TOTAL	**816**	**8.4**	**96**	**3**	**3**	**5**	**8**	**16**	**27**	**55**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1657	4.3	2	2	3	4	5	6	7	9
20-34	12959	4.1	2	2	3	4	5	6	6	8
35-49	477	4.1	2	2	3	4	5	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	323	4.7	3	3	3	4	5	6	8	13
20-34	2535	4.5	2	3	3	4	5	6	7	9
35-49	106	4.8	12	3	3	4	5	6	9	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	4.7	6	2	3	4	6	7	8	16
20-34	1030	4.5	6	2	3	4	5	6	7	11
35-49	47	4.6	4	3	3	4	5	7	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	64	4.8	2	2	3	5	6	7	8	9
20-34	1800	4.9	3	3	3	5	6	7	8	10
35-49	199	5.1	3	3	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15093	4.1	2	2	3	4	5	6	6	8
B. *Operated*	2964	4.6	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1181	4.5	6	2	3	4	5	6	8	11
B. *Operated*	2063	4.9	3	3	3	5	6	7	8	10
1. SINGLE DX	18057	4.2	2	2	3	4	5	6	6	9
2. MULTIPLE DX	3244	4.8	4	3	3	4	5	7	8	10
A. NOT OPERATED	16274	4.2	2	2	3	4	5	6	6	8
B. OPERATED	5027	4.7	3	3	3	4	5	6	7	10
TOTAL 0-19 YRS	2148	4.4	2	2	3	4	5	6	7	9
20-34	18324	4.3	2	2	3	4	5	6	7	9
35-49	829	4.5	4	2	3	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**21301**	**4.3**	**2**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	3.8	1	<1	2	4	4	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.7		5	5	6	6	6	6	6
20-34	31	16.4	204	5	5	10	22	38	53	55
35-49	6	11.8	46	5	5	12	18	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	18.5	659	5	5	6	32	57	57	57
20-34	87	15.9	260	4	5	9	20	35	49	83
35-49	14	15.7	228	5	5	8	22	47	49	49
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.9	1	<1	2	4	4	5	5	5
B. *Operated*	40	14.9	173	5	5	8	20	34	46	55
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*	105	16.0	262	4	5	9	20	37	50	82
1. SINGLE DX	51	12.5	156	4	4	6	17	30	39	55
2. MULTIPLE DX	109	15.5	259	4	5	9	20	36	49	82
A. NOT OPERATED	15	3.7	1	<1	2	4	4	5	5	5
B. OPERATED	145	15.7	237	5	5	9	20	37	50	80
TOTAL 0-19 YRS	9	11.2	295	5	5	6	6	37	57	57
20-34	131	14.8	233	4	4	9	20	34	48	81
35-49	20	14.6	171	5	5	8	18	36	48	49
50-64										
65+										
GRAND TOTAL	**160**	**14.6**	**227**	**4**	**4**	**8**	**18**	**34**	**48**	**79**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	2	1	1	2	4	5	5	5
20-34	96	3.5	4	1	1	3	4	6	6	13
35-49	6	5.3	47	1	1	3	5	18	19	19
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.6	30	2	2	5	8	16	19	19
20-34	74	5.3	5	3	3	5	6	8	9	13
35-49	5	7.4	25	3	3	6	9	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	13	3	3	5	7	12	13	13
20-34	74	4.6	10	1	1	4	6	8	8	20
35-49	7	8.6	149	1	1	5	6	30	36	36
50-64										
65+										
B. *Operated*										
0-19 YRS	24	6.7	13	2	3	6	8	9	15	19
20-34	279	7.3	64	3	3	5	7	11	17	46
35-49	25	6.1	8	3	4	6	7	9	13	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	3.6	6	1	1	3	4	6	6	16
B. *Operated*	87	5.6	8	3	3	5	7	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	87	5.0	21	1	1	4	6	8	9	31
B. *Operated*	328	7.2	56	3	3	5	7	11	16	43
1. SINGLE DX	196	4.5	8	1	2	4	6	7	9	17
2. MULTIPLE DX	415	6.7	49	2	3	5	7	10	15	41
A. NOT OPERATED	196	4.2	13	1	1	4	5	7	8	21
B. OPERATED	415	6.8	46	3	3	5	7	10	15	41
TOTAL 0-19 YRS	45	6.0	15	2	2	5	7	9	15	19
20-34	523	5.9	39	1	2	5	6	9	12	39
35-49	43	6.6	35	1	2	5	7	13	17	36
50-64										
65+										
GRAND TOTAL	**611**	**6.0**	**37**	**1**	**2**	**5**	**7**	**9**	**13**	**37**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3		4	4	4	5	5	5	5
20-34	45	4.1	2	1	2	4	5	5	6	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.8	1	2	3	3	5	5	6	6
20-34	243	4.3	3	2	2	4	5	6	7	9
35-49	16	3.7	4	1	1	3	5	6	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	1	4	4	5	6	6	6	6
20-34	19	4.2	1	3	3	4	5	6	6	6
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	12	5.1	6	2	2	5	6	9	11	11
20-34	210	5.0	9	2	3	5	6	7	8	17
35-49	12	4.3	3	2	2	4	5	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.1	2	1	2	4	5	5	6	7
B. *Operated*	276	4.2	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	25	4.4	1	3	3	4	5	6	6	6
B. *Operated*	234	5.0	9	2	3	5	6	7	8	16
1. SINGLE DX	326	4.2	3	2	2	4	5	6	7	9
2. MULTIPLE DX	259	4.9	8	2	3	5	6	7	8	15
A. NOT OPERATED	75	4.2	1	2	3	4	5	6	6	7
B. OPERATED	510	4.6	6	2	3	4	5	7	8	13
TOTAL 0-19 YRS	37	4.4	3	2	3	4	5	6	8	11
20-34	517	4.6	5	2	3	4	5	6	7	13
35-49	31	3.9	3	1	2	4	5	6	8	9
50-64										
65+										
GRAND TOTAL	**585**	**4.5**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**13**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.6	1	3	3	4	5	6	6	6
20-34	189	4.3	2	2	3	4	5	6	7	9
35-49	11	4.3		3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	16	5.3	5	3	4	5	6	8	11	12
20-34	90	4.6	2	3	3	4	6	6	7	10
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.3	2	2	3	4	5	6	8	8
20-34	108	4.7	3	3	3	4	6	7	7	11
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	15	5.2	2	3	4	5	6	8	8	8
20-34	121	5.1	4	3	3	5	6	7	8	14
35-49	10	6.8	4	4	4	7	8	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	4.3	2	2	3	4	5	6	7	9
B. *Operated*	108	4.7	3	3	3	4	6	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	124	4.7	3	2	3	4	6	7	7	10
B. *Operated*	146	5.2	4	3	3	5	6	7	8	13
1. SINGLE DX	335	4.5	2	3	3	4	5	6	7	10
2. MULTIPLE DX	270	5.0	3	3	3	5	6	7	8	13
A. NOT OPERATED	351	4.5	2	2	3	4	5	6	7	9
B. OPERATED	254	5.0	3	3	3	5	6	7	8	12
TOTAL 0-19 YRS	71	4.8	2	3	3	5	5	6	8	11
20-34	508	4.6	3	2	3	4	5	6	7	10
35-49	26	5.3	3	3	4	5	6	8	9	10
50-64										
65+										
GRAND TOTAL	**605**	**4.7**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	26	6.7	36	2	3	5	7	12	25	27
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	17.0	162	8	8	17	26	26	26	26
20-34	18	7.6	39	4	5	6	8	9	23	32
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	41	6.0	32	3	3	5	6	9	11	39
35-49	3	7.0	7	4	4	8	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	11	8.3	42	3	3	7	8	16	26	27
20-34	289	11.4	125	4	4	7	12	25	38	54
35-49	23	15.7	351	4	5	8	15	38	66	80
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.5	35	3	3	4	7	11	24	27
B. *Operated*	20	8.6	52	4	5	6	8	18	29	32
2. MULTIPLE DX										
A. *Not Operated*	46	6.1	29	3	3	5	6	9	10	39
B. *Operated*	323	11.6	138	4	4	7	12	26	38	63
1. SINGLE DX	47	7.4	42	3	3	5	8	11	26	32
2. MULTIPLE DX	369	10.9	128	3	4	7	10	23	37	58
A. NOT OPERATED	73	6.3	31	3	3	5	6	9	12	36
B. OPERATED	343	11.4	134	4	4	7	11	26	38	59
TOTAL 0-19 YRS	15	9.2	52	3	3	7	8	26	27	27
20-34	374	10.3	108	3	4	7	10	22	34	50
35-49	27	14.3	310	4	4	8	13	32	61	80
50-64										
65+										
GRAND TOTAL	**416**	**10.5**	**119**	**3**	**4**	**7**	**10**	**22**	**34**	**57**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	4	3	3	5	6	8	8	8
20-34	88	4.7	3	3	3	4	6	7	7	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	45	5.8	4	2	4	6	7	9	10	12
20-34	448	5.8	3	3	4	6	7	8	8	11
35-49	14	5.3	3	2	3	5	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.9	1	2	2	4	5	5	5	5
20-34	47	5.2	7	3	3	5	6	8	9	19
35-49	5	4.8	7	2	2	4	6	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	62	6.5	6	2	4	6	8	10	11	13
20-34	916	6.9	27	3	4	6	7	9	12	30
35-49	62	7.7	57	3	4	6	8	9	15	54
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.8	3	3	3	4	6	7	8	12
B. *Operated*	507	5.8	3	3	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	60	5.0	6	2	3	5	6	8	9	18
B. *Operated*	1040	6.9	28	3	4	6	7	9	11	30
1. SINGLE DX	601	5.6	3	3	3	6	7	8	8	11
2. MULTIPLE DX	1100	6.8	27	3	4	6	7	9	11	30
A. NOT OPERATED	154	4.9	4	3	3	4	6	7	8	14
B. OPERATED	1547	6.5	20	3	4	6	7	9	10	24
TOTAL 0-19 YRS	120	6.0	6	2	3	6	7	9	10	12
20-34	1499	6.4	18	3	4	6	7	8	10	22
35-49	82	7.1	45	3	4	6	8	9	10	48
50-64										
65+										
GRAND TOTAL	**1701**	**6.4**	**19**	**3**	**4**	**6**	**7**	**9**	**10**	**22**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.6	3	1	2	3	4	6	7	7
20-34	221	4.3	2	3	3	4	5	6	7	9
35-49	7	3.9	1	3	3	4	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	71	5.2	2	4	4	5	6	7	8	9
20-34	576	5.0	3	3	3	5	6	7	8	10
35-49	21	5.1	3	2	3	5	6	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	4.3	2	1	3	4	5	6	7	7
20-34	174	4.2	1	3	3	4	5	5	6	6
35-49	7	4.3	2	3	3	4	5	7	7	7
50-64										
65+										
B. Operated										
0-19 YRS	158	6.2	12	3	4	6	7	9	11	16
20-34	1823	5.8	7	3	4	5	7	8	10	14
35-49	109	6.6	8	3	4	6	8	9	11	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	4.3	2	2	3	4	5	6	7	8
B. Operated	668	5.1	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	196	4.2	2	3	3	4	5	6	7	8
B. Operated	2090	5.9	9	3	4	5	7	8	10	15
1. SINGLE DX	909	4.8	3	3	3	5	6	7	8	10
2. MULTIPLE DX	2286	5.8	7	3	3	5	7	8	10	14
A. NOT OPERATED	437	4.2	2	3	3	4	5	6	7	8
B. OPERATED	2758	5.7	7	3	3	5	7	8	9	14
TOTAL 0-19 YRS	257	5.7	8	3	3	5	6	8	10	12
20-34	2794	5.5	6	3	3	5	6	8	9	13
35-49	144	6.1	7	3	3	6	7	9	10	16
50-64										
65+										
GRAND TOTAL	**3199**	**5.5**	**6**	**3**	**3**	**5**	**6**	**8**	**9**	**14**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	18	4.2	2	1	3	4	5	6	6	6
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	83	7.0	5	5	5	7	7	9	12	17
20-34	619	6.6	3	4	5	6	7	8	9	12
35-49	15	6.9	1	5	6	7	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	5.3	6	3	3	5	6	9	12	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	166	7.7	12	5	5	7	8	10	12	25
20-34	1345	7.2	9	4	5	7	8	10	11	19
35-49	71	7.6	9	5	5	7	8	10	13	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.2	2	1	3	4	5	6	6	6
B. Operated	717	6.7	3	4	5	6	7	8	9	12
2. MULTIPLE DX										
A. Not Operated	13	5.2	6	3	3	5	6	8	11	12
B. Operated	1582	7.3	10	4	5	7	8	10	11	21
1. SINGLE DX	737	6.6	3	4	5	6	7	8	9	12
2. MULTIPLE DX	1595	7.2	10	4	5	7	8	10	11	21
A. NOT OPERATED	33	4.6	3	3	3	4	5	6	7	12
B. OPERATED	2299	7.1	8	4	5	7	8	9	11	18
TOTAL 0-19 YRS	252	7.4	10	5	5	7	8	10	12	21
20-34	1993	7.0	7	4	5	7	8	9	11	17
35-49	87	7.4	8	5	5	7	8	9	13	21
50-64										
65+										
GRAND TOTAL	**2332**	**7.0**	**8**	**4**	**5**	**7**	**8**	**9**	**11**	**18**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	5.0	4	3	4	5	6	6	7	16
20-34	288	4.5	2	3	3	4	5	6	6	8
35-49	10	3.5	2	1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	126	5.2	10	2	3	5	6	7	8	17
20-34	737	5.1	3	3	3	5	6	7	8	10
35-49	15	5.7	2	4	4	5	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.9	2	3	3	5	6	7	8	10
20-34	252	5.2	12	3	3	5	6	7	8	22
35-49	9	5.6	5	4	4	5	6	9	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	179	5.9	6	3	4	5	7	8	11	15
20-34	1734	5.7	7	3	4	5	7	8	10	16
35-49	74	6.8	14	3	4	6	7	10	17	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	4.5	2	3	3	4	5	6	7	8
B. *Operated*	878	5.1	4	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	304	5.1	11	3	3	5	6	7	8	17
B. *Operated*	1987	5.8	7	3	4	5	7	8	10	16
1. SINGLE DX	1225	4.9	3	3	3	5	6	7	8	10
2. MULTIPLE DX	2291	5.7	8	3	4	5	6	8	10	16
A. NOT OPERATED	651	4.8	6	3	3	5	5	6	7	11
B. OPERATED	2865	5.6	6	3	4	5	6	8	9	15
TOTAL 0-19 YRS	397	5.5	7	3	3	5	6	8	9	15
20-34	3011	5.4	6	3	3	5	6	7	9	14
35-49	108	6.2	11	3	4	6	7	9	15	20
50-64										
65+										
GRAND TOTAL	**3516**	**5.4**	**6**	**3**	**3**	**5**	**6**	**8**	**9**	**15**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	38	4.6	3	2	3	4	5	7	8	12
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	13	5.3	4	3	3	5	6	8	10	10
20-34	163	5.5	14	3	3	5	7	8	9	11
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	24	4.5	3	2	2	4	6	7	8	8
35-49	3	5.3	4	3	3	6	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	21	6.3	4	3	4	6	8	8	10	12
20-34	361	6.8	18	3	4	6	8	10	13	32
35-49	28	6.9	9	3	3	7	9	11	12	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.6	3	2	3	4	5	6	8	12
B. *Operated*	179	5.5	13	3	3	5	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	30	4.6	3	2	2	4	6	7	8	8
B. *Operated*	410	6.8	16	3	4	6	8	10	12	29
1. SINGLE DX	222	5.3	11	3	3	5	6	8	9	11
2. MULTIPLE DX	440	6.6	16	3	4	6	8	10	12	28
A. NOT OPERATED	73	4.6	3	2	3	4	5	7	8	11
B. OPERATED	589	6.4	16	3	4	6	7	9	11	26
TOTAL 0-19 YRS	40	5.8	4	3	4	5	7	8	9	12
20-34	586	6.2	16	3	3	5	7	9	11	26
35-49	36	6.4	8	3	3	6	8	11	11	14
50-64										
65+										
GRAND TOTAL	**662**	**6.2**	**15**	**3**	**3**	**5**	**7**	**9**	**11**	**25**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	9	3.6	2	1	1	4	4	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	55	6.9	7	4	5	6	7	9	11	21
20-34	1780	6.6	2	5	5	6	7	8	9	11
35-49	76	7.0	2	5	5	7	8	9	10	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.2	1	3	3	4	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	43	6.9	9	4	5	6	8	10	11	22
20-34	2302	7.2	10	5	5	7	8	9	10	20
35-49	258	7.4	12	5	5	7	8	9	11	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.7	2	1	2	4	5	5	6	6
B. *Operated*	1911	6.6	2	5	5	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	1	3	3	4	5	5	5	5
B. *Operated*	2603	7.2	11	5	5	7	8	9	10	20
1. SINGLE DX	1923	6.6	2	5	5	6	7	8	9	11
2. MULTIPLE DX	2608	7.2	11	5	5	7	8	9	10	20
A. NOT OPERATED	17	3.8	2	1	2	4	5	5	6	6
B. OPERATED	4514	6.9	7	5	5	7	7	8	10	15
TOTAL 0-19 YRS	100	6.8	8	4	5	6	7	9	11	22
20-34	4096	6.9	7	5	5	7	7	8	10	14
35-49	335	7.3	10	5	5	7	8	9	10	22
50-64										
65+										
GRAND TOTAL	**4531**	**6.9**	**7**	**5**	**5**	**7**	**7**	**8**	**10**	**15**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	4.5	3	2	2	4	5	7	8	9
20-34	512	4.4	4	3	3	4	5	6	7	10
35-49	25	4.6	3	2	3	4	5	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	49	4.6	4	2	3	4	5	8	9	13
20-34	455	4.9	3	3	3	5	6	7	8	10
35-49	17	4.4	2	2	3	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.9	4	3	3	4	7	8	8	10
20-34	310	4.7	4	3	3	4	5	7	8	13
35-49	16	5.0	13	3	3	4	5	6	14	18
50-64										
65+										
B. *Operated*										
0-19 YRS	100	6.5	27	3	4	6	7	9	12	33
20-34	1290	5.9	12	3	3	5	7	8	11	21
35-49	87	5.9	7	3	3	6	7	9	11	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	4.4	4	3	3	4	5	6	7	10
B. *Operated*	521	4.9	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	367	4.7	4	3	3	4	5	7	8	13
B. *Operated*	1477	5.9	13	3	3	5	7	8	11	19
1. SINGLE DX	1126	4.6	4	3	3	4	5	7	8	10
2. MULTIPLE DX	1844	5.7	11	3	3	5	6	8	10	18
A. NOT OPERATED	972	4.5	4	3	3	4	5	7	7	12
B. OPERATED	1998	5.6	11	3	3	5	6	8	10	18
TOTAL 0-19 YRS	258	5.3	13	3	3	5	6	8	9	14
20-34	2567	5.2	8	3	3	5	6	8	9	17
35-49	145	5.4	7	3	3	5	6	8	10	17
50-64										
65+										
GRAND TOTAL	**2970**	**5.3**	**9**	**3**	**3**	**5**	**6**	**8**	**9**	**17**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	4.3	1	2	3	4	5	6	6	6
20-34	724	4.1	1	2	3	4	5	6	6	8
35-49	23	3.9	1	2	3	4	5	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	29	4.6	1	3	4	4	5	6	7	7
20-34	264	4.9	3	3	3	5	6	7	7	11
35-49	9	5.9	10	2	3	5	7	11	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.4	1	3	3	4	5	6	6	7
20-34	225	4.3	2	2	3	4	5	6	6	8
35-49	11	3.9	1	2	2	4	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	34	5.2	8	2	3	5	6	7	9	18
20-34	472	5.2	6	3	3	5	6	7	9	17
35-49	35	5.8	6	2	3	5	7	9	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	4.1	1	2	3	4	5	6	6	8
B. *Operated*	302	4.9	3	3	3	5	6	7	7	12
2. MULTIPLE DX										
A. *Not Operated*	265	4.3	2	2	3	4	5	6	6	8
B. *Operated*	541	5.2	6	3	3	5	6	7	9	17
1. SINGLE DX	1122	4.3	2	3	3	4	5	6	7	8
2. MULTIPLE DX	806	4.9	5	3	3	5	5	7	8	15
A. NOT OPERATED	1085	4.2	1	2	3	4	5	6	6	8
B. OPERATED	843	5.1	5	3	3	5	6	7	8	15
TOTAL 0-19 YRS	165	4.5	3	2	3	4	5	6	7	9
20-34	1685	4.6	3	3	3	4	5	6	7	10
35-49	78	5.0	5	2	3	5	6	8	9	14
50-64										
65+										
GRAND TOTAL	**1928**	**4.6**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.4	2	3	3	4	5	6	7	7
20-34	457	4.0	2	2	3	4	5	5	6	8
35-49	21	4.2	2	2	3	4	5	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	296	4.3	2	2	3	4	5	6	7	9
20-34	4015	4.0	2	2	3	4	5	6	6	8
35-49	211	4.2	2	2	3	4	5	6	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.5	2	1	3	5	5	6	7	7
20-34	124	4.3	2	2	3	4	5	6	7	9
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	126	4.7	4	3	3	4	5	6	8	12
20-34	2222	4.8	6	3	3	4	5	7	8	11
35-49	201	5.1	10	3	3	4	6	7	9	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	4.0	2	2	3	4	5	6	6	8
B. *Operated*	4522	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	141	4.4	2	2	3	4	5	6	7	9
B. *Operated*	2549	4.8	6	3	3	4	5	7	8	12
1. SINGLE DX	5037	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX	2690	4.8	6	3	3	4	5	7	8	12
A. NOT OPERATED	656	4.1	2	2	3	4	5	6	7	8
B. OPERATED	7071	4.3	4	2	3	4	5	6	7	10
TOTAL 0-19 YRS	473	4.4	3	2	3	4	5	6	7	9
20-34	6818	4.3	3	2	3	4	5	6	7	9
35-49	436	4.6	6	2	3	4	5	6	8	14
50-64										
65+										
GRAND TOTAL	**7727**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	1	4	4	5	6	6	6	6
20-34	65	4.6	2	3	3	4	5	6	7	11
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	60	5.0	10	3	3	4	5	6	12	19
20-34	526	4.5	2	3	3	4	5	6	7	9
35-49	16	4.0	3	1	3	4	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	1	4	4	6	6	7	7	7
20-34	31	4.8	3	3	3	4	6	7	10	10
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	67	5.9	16	3	3	5	6	8	10	29
20-34	479	4.9	6	3	3	5	5	7	8	15
35-49	19	5.4	5	2	3	5	7	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.6	2	3	3	4	5	6	7	11
B. *Operated*	602	4.5	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	37	5.0	3	3	3	5	6	7	9	10
B. *Operated*	565	5.0	7	3	3	5	6	7	8	17
1. SINGLE DX	675	4.5	3	3	3	4	5	6	7	10
2. MULTIPLE DX	602	5.0	7	3	3	5	6	7	8	16
A. NOT OPERATED	110	4.7	3	3	3	4	5	7	7	11
B. OPERATED	1167	4.8	5	3	3	4	5	6	7	14
TOTAL 0-19 YRS	140	5.4	12	3	3	5	6	7	9	21
20-34	1101	4.7	4	3	3	4	5	6	7	11
35-49	36	4.9	5	2	3	4	6	8	9	10
50-64										
65+										
GRAND TOTAL	**1277**	**4.8**	**5**	**3**	**3**	**4**	**5**	**6**	**7**	**13**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	35	4.3	3	2	3	4	5	6	8	10
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.8	3	1	2	3	4	6	8	9
20-34	184	4.3	2	2	3	4	5	6	7	9
35-49	5	5.8	8	3	3	5	8	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	16	4.6	5	2	3	4	5	6	10	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	19	6.0	23	3	3	4	6	10	18	24
20-34	151	4.8	3	3	3	5	6	6	8	9
35-49	11	5.0	3	2	3	5	6	7	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.3	3	2	3	4	5	6	7	10
B. *Operated*	208	4.3	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	19	4.6	5	2	2	4	5	6	9	12
B. *Operated*	181	5.0	5	3	3	5	6	7	8	15
1. SINGLE DX	248	4.3	2	2	3	4	5	6	7	10
2. MULTIPLE DX	200	4.9	5	3	3	5	6	7	8	14
A. NOT OPERATED	59	4.4	3	2	3	4	5	6	8	12
B. OPERATED	389	4.6	4	3	3	4	5	6	8	10
TOTAL 0-19 YRS	42	4.8	13	2	3	4	5	7	10	24
20-34	386	4.5	3	3	3	4	5	6	8	10
35-49	20	5.2	4	2	3	5	6	8	9	10
50-64										
65+										
GRAND TOTAL	**448**	**4.6**	**4**	**3**	**3**	**4**	**5**	**6**	**8**	**10**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	275	4.5	8	1	2	4	5	7	8	18
20-34	2256	4.4	5	2	3	4	5	6	7	11
35-49	93	4.5	3	2	3	4	5	6	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	421	5.3	9	3	3	5	6	8	10	17
20-34	3271	5.1	7	3	3	4	6	7	9	16
35-49	146	5.2	5	3	3	5	6	8	9	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	4.8	10	2	2	4	5	7	9	13
20-34	1517	4.6	8	2	2	4	5	7	8	16
35-49	90	4.7	6	2	2	4	5	7	11	14
50-64										
65+										
B. *Operated*										
0-19 YRS	724	6.3	21	3	3	5	7	10	14	28
20-34	7405	6.1	20	3	3	5	7	9	13	25
35-49	520	7.0	28	3	3	5	8	12	17	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2624	4.4	5	2	3	4	5	6	8	11
B. *Operated*	3838	5.1	7	3	3	5	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1798	4.7	8	2	2	4	5	7	8	15
B. *Operated*	8649	6.1	21	3	3	5	7	9	13	26
1. SINGLE DX	6462	4.8	7	3	3	4	5	7	9	14
2. MULTIPLE DX	10447	5.9	19	3	3	5	6	9	12	24
A. NOT OPERATED	4422	4.5	6	2	3	4	5	7	8	13
B. OPERATED	12487	5.8	17	3	3	5	6	9	12	23
TOTAL 0-19 YRS	1611	5.5	15	2	3	5	6	9	11	21
20-34	14449	5.4	14	3	3	5	6	8	10	21
35-49	849	6.1	20	3	3	5	7	10	13	25
50-64										
65+										
GRAND TOTAL	**16909**	**5.5**	**14**	**3**	**3**	**5**	**6**	**8**	**11**	**21**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	2	1	1	3	4	5	5	5
20-34	74	4.2	4	1	2	4	5	7	9	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	11	4.6	12	1	1	5	8	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.0	12	3	3	8	10	12	12	12
20-34	38	4.8	6	1	2	5	7	8	9	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	17	6.6	35	1	1	5	10	13	20	24
35-49	2	3.0	?	2	2	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	4.0	4	1	2	4	5	7	8	10
B. *Operated*	13	4.4	11	1	1	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	44	5.2	7	2	2	5	7	9	10	12
B. *Operated*	23	5.7	28	1	1	4	8	11	17	24
1. SINGLE DX	96	4.1	5	1	1	4	5	8	9	10
2. MULTIPLE DX	67	5.3	14	1	2	5	7	10	11	22
A. NOT OPERATED	127	4.4	6	1	2	4	6	8	9	11
B. OPERATED	36	5.2	22	1	1	4	8	10	12	24
TOTAL 0-19 YRS	19	4.3	9	1	1	3	5	9	11	12
20-34	140	4.7	9	1	1	4	6	9	10	14
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64										
65+										
GRAND TOTAL	**163**	**4.6**	**9**	**1**	**1**	**4**	**6**	**9**	**10**	**13**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	1	<1	1	2	2	3	4	4
20-34	110	2.0	1	1	1	2	2	4	4	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	40	2.0	3	<1	<1	1	2	5	6	9
20-34	335	1.8	1	<1	1	1	2	3	4	6
35-49	20	2.9	6	<1	<1	2	4	6	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	3	3	3	3	3
20-34	39	2.7	2	1	1	3	3	5	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.5	13	1	1	2	4	8	13	15
20-34	171	2.7	6	<1	1	2	3	6	7	14
35-49	7	3.1	16	<1	<1	2	3	10	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.0	1	1	1	2	2	4	5	6
B. *Operated*	395	1.8	2	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	44	2.7	2	1	1	3	3	4	6	6
B. *Operated*	195	2.8	7	<1	1	2	3	6	8	14
1. SINGLE DX	520	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	239	2.8	6	<1	1	2	3	6	7	14
A. NOT OPERATED	169	2.2	2	1	1	2	3	4	5	6
B. OPERATED	590	2.2	4	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	76	2.3	5	<1	1	2	3	5	6	13
20-34	655	2.1	3	<1	1	2	3	4	5	8
35-49	28	3.0	8	<1	<1	2	4	7	10	12
50-64										
65+										
GRAND TOTAL	**759**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	2	2	2	4	4	5	7	7
20-34	87	4.5	10	2	2	4	5	8	11	18
35-49	3	6.3	6	4	4	6	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	5	6.4	11	2	2	7	8	11	11	11
20-34	69	5.1	17	<1	1	4	6	11	16	18
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.8	15	1	2	5	9	11	13	13
20-34	50	6.0	22	1	2	5	8	12	16	22
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	30	6.2	21	1	1	5	9	12	13	21
35-49	3	6.7	25	2	2	6	10	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.5	9	2	2	4	5	8	11	17
B. *Operated*	75	5.1	17	<1	1	4	7	11	15	18
2. MULTIPLE DX										
A. *Not Operated*	62	6.0	20	1	2	5	8	12	16	22
B. *Operated*	34	6.1	21	1	1	5	9	12	13	21
1. SINGLE DX	176	4.8	12	1	2	4	6	9	12	18
2. MULTIPLE DX	96	6.0	20	1	1	5	8	12	15	22
A. NOT OPERATED	163	5.1	14	1	2	4	6	10	12	21
B. OPERATED	109	5.4	18	<1	1	4	7	11	14	19
TOTAL 0-19 YRS	28	4.9	10	1	2	4	7	10	11	13
20-34	236	5.2	16	1	1	4	7	11	13	21
35-49	8	6.0	10	2	3	5	8	11	12	12
50-64										
65+										
GRAND TOTAL	**272**	**5.2**	**15**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	4.2	6	1	2	4	6	7	9	12
20-34	283	4.3	11	1	2	4	5	7	8	20
35-49	144	5.4	17	1	2	5	6	10	12	27
50-64	111	6.4	18	2	3	6	8	11	14	23
65+	105	10.3	104	2	3	7	13	20	27	56
B. *Operated*										
0-19 YRS	118	5.0	15	1	1	4	7	10	13	20
20-34	90	6.4	49	1	1	4	7	15	20	39
35-49	67	8.0	105	1	1	5	8	18	30	54
50-64	42	7.5	30	1	2	6	9	15	20	24
65+	25	9.4	47	1	1	9	11	19	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	5.7	19	2	2	5	7	9	14	23
20-34	188	5.8	20	2	2	4	6	11	14	26
35-49	156	7.6	42	2	3	6	9	14	19	38
50-64	211	8.3	53	2	3	7	10	15	20	30
65+	339	11.8	92	3	4	9	15	23	29	64
B. *Operated*										
0-19 YRS	85	7.8	53	2	2	6	9	14	22	44
20-34	87	11.2	182	1	2	7	12	25	47	67
35-49	51	11.3	144	2	3	8	11	25	48	53
50-64	74	14.4	229	2	3	11	19	27	88	99+
65+	104	16.1	258	3	4	14	22	41	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	919	5.4	25	1	2	4	6	9	13	27
B. *Operated*	342	6.6	47	1	1	5	8	13	20	34
2. MULTIPLE DX										
A. *Not Operated*	1064	8.4	58	2	3	6	10	17	22	41
B. *Operated*	401	12.9	190	2	3	9	16	29	48	99+
1. SINGLE DX	1261	5.7	31	1	2	4	7	10	15	27
2. MULTIPLE DX	1485	9.6	98	2	3	7	11	20	27	65
A. NOT OPERATED	2003	7.0	45	2	2	5	8	14	19	35
B. OPERATED	743	10.0	134	1	2	6	12	22	33	86
TOTAL 0-19 YRS	669	5.2	18	1	2	4	6	9	12	22
20-34	648	5.9	46	1	2	4	6	11	16	37
35-49	418	7.3	59	2	2	5	8	14	20	49
50-64	438	8.8	78	2	3	7	11	17	23	86
65+	573	12.6	129	3	4	9	16	26	36	69
GRAND TOTAL	2746	7.8	71	1	2	5	9	16	22	49

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	5.2	10	1	2	5	7	9	12	15
20-34	57	5.1	14	2	2	4	6	10	13	19
35-49	26	6.1	33	1	1	4	8	16	20	24
50-64	24	6.3	13	2	2	6	8	11	14	16
65+	42	11.6	74	2	3	9	17	25	32	99+
B. *Operated*										
0-19 YRS	51	3.8	8	<1	1	3	6	8	10	11
20-34	35	4.8	32	<1	<1	3	5	8	17	30
35-49	31	4.1	15	<1	<1	3	5	9	11	19
50-64	16	8.8	117	1	1	5	9	27	37	40
65+	16	9.4	56	1	2	9	15	18	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	6.2	19	2	2	5	8	11	14	31
20-34	69	5.7	23	2	2	4	7	12	16	26
35-49	35	7.9	44	2	2	6	10	21	27	99+
50-64	53	9.7	61	3	3	7	12	20	31	35
65+	91	14.1	192	2	4	8	17	35	47	62
B. *Operated*										
0-19 YRS	37	5.7	13	1	1	5	8	10	13	15
20-34	32	5.8	24	<1	1	4	7	14	15	21
35-49	19	19.0	525	1	2	8	31	58	69	73
50-64	38	11.7	134	3	3	7	14	33	42	46
65+	41	16.3	252	3	4	11	21	30	46	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	6.1	25	1	2	5	7	12	16	25
B. *Operated*	149	5.3	35	<1	1	3	7	11	17	30
2. MULTIPLE DX										
A. *Not Operated*	453	8.3	71	2	2	6	9	17	26	55
B. *Operated*	167	11.2	181	1	2	7	13	25	41	71
1. SINGLE DX	491	5.9	28	1	1	4	7	12	17	29
2. MULTIPLE DX	620	9.1	102	2	2	6	10	18	29	62
A. NOT OPERATED	795	7.3	52	2	2	5	8	14	21	46
B. OPERATED	316	8.4	120	1	1	5	9	18	29	62
TOTAL 0-19 YRS	486	5.5	15	1	2	5	7	10	13	19
20-34	193	5.4	22	1	2	4	6	11	16	25
35-49	111	8.4	137	1	1	5	8	19	36	83
50-64	131	9.5	82	2	3	7	11	19	34	44
65+	190	13.6	169	2	3	9	17	28	44	77
GRAND TOTAL	1111	7.6	71	1	2	5	9	15	23	51

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	2	<1	1	4	5	6	6	6
20-34	10	2.4	6	<1	<1	1	4	6	8	8
35-49	3	10.7	64	3	3	10	17	19	19	19
50-64										
65+										
B. *Operated*										
0-19 YRS	357	4.2	7	1	2	4	5	7	8	15
20-34	730	4.3	9	1	2	4	5	7	9	16
35-49	92	4.0	5	1	2	4	5	7	9	12
50-64	18	5.5	18	2	2	4	6	13	15	16
65+	3	4.7		4	4	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	6	<1	<1	4	6	7	7	7
20-34	10	3.8	5	<1	<1	4	6	7	7	7
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64										
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	48	4.6	10	1	2	4	5	9	12	15
20-34	121	5.9	24	1	2	5	7	12	17	24
35-49	22	4.9	11	1	2	3	7	10	11	13
50-64	11	8.7	72	2	2	4	11	23	28	29
65+	4	13.5	123	3	3	11	22	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.0	16	<1	<1	3	5	8	13	19
B. *Operated*	1200	4.2	9	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	19	4.3	11	<1	<1	4	6	7	12	15
B. *Operated*	206	5.8	25	1	2	4	7	11	16	27
1. SINGLE DX	1224	4.2	9	1	2	4	5	7	9	16
2. MULTIPLE DX	225	5.7	24	1	2	4	7	11	16	26
A. NOT OPERATED	43	4.1	14	<1	<1	4	6	7	12	19
B. OPERATED	1406	4.5	11	1	2	4	5	8	10	18
TOTAL 0-19 YRS	422	4.2	8	1	2	4	5	7	9	15
20-34	871	4.5	12	1	2	4	5	8	10	19
35-49	119	4.3	9	1	2	3	5	8	10	15
50-64	29	6.7	39	2	2	4	9	15	19	29
65+	8	10.4	75	3	3	6	15	24	28	28
GRAND TOTAL	**1449**	**4.5**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	38	1.8	2	<1	<1	1	2	4	6	7
20-34	54	1.8	2	<1	<1	<1	2	4	5	9
35-49	42	1.5	1	<1	<1	1	2	3	3	4
50-64	29	3.1	5	<1	<1	2	4	7	7	8
65+	10	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	4	4
20-34	17	2.5	3	<1	<1	2	3	6	7	7
35-49	7	7.3	51	<1	<1	5	14	18	18	18
50-64	10	2.9	1	<1	1	3	4	5	5	5
65+	12	4.2	11	<1	1	3	6	9	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.3	33	1	1	5	11	13	13	13
B. *Operated*	173	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	6	3.5	6	<1	<1	3	5	7	7	7
B. *Operated*	58	3.3	12	<1	<1	2	4	7	10	18
1. SINGLE DX	177	2.1	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX	64	3.3	11	<1	<1	2	4	7	9	18
A. NOT OPERATED	10	4.6	16	<1	<1	3	7	11	13	13
B. OPERATED	231	2.3	5	<1	<1	1	3	5	7	13
TOTAL 0-19 YRS	53	1.8	3	<1	<1	1	2	4	6	9
20-34	74	2.0	3	<1	<1	1	3	4	5	9
35-49	50	2.4	11	<1	<1	1	2	4	5	18
50-64	39	3.0	4	<1	<1	2	4	6	7	8
65+	25	3.8	11	<1	<1	3	4	8	12	13
GRAND TOTAL	**241**	**2.4**	**6**	**<1**	**<1**	**1**	**3**	**5**	**7**	**13**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	5.2	24	1	1	4	7	11	14	23
20-34	177	6.2	37	1	1	4	8	13	19	33
35-49	94	8.4	55	1	1	6	12	21	25	31
50-64	120	9.8	78	1	2	7	14	22	29	38
65+	133	11.8	119	2	3	8	16	27	36	99+
B. *Operated*										
0-19 YRS	242	2.9	9	<1	<1	2	3	7	9	15
20-34	336	4.3	33	<1	<1	2	5	9	15	26
35-49	188	5.1	40	<1	<1	3	6	11	18	32
50-64	177	5.6	73	<1	1	3	6	12	18	47
65+	129	7.8	82	1	1	4	10	21	29	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	395	6.8	40	1	1	5	9	13	17	34
20-34	145	7.4	59	1	1	5	9	17	23	50
35-49	146	10.5	130	2	2	7	13	24	30	47
50-64	213	12.3	118	2	3	9	16	24	35	56
65+	450	16.8	229	2	4	12	23	38	51	99+
B. *Operated*										
0-19 YRS	88	7.5	119	<1	1	3	10	21	29	90
20-34	212	12.2	256	<1	<1	6	17	42	55	99+
35-49	177	14.3	306	1	2	7	20	37	56	93
50-64	261	13.3	256	1	2	7	18	35	51	99
65+	293	20.9	421	2	2	15	32	60	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	954	7.2	55	1	1	5	9	16	22	36
B. *Operated*	1072	4.8	43	<1	<1	3	5	10	17	33
2. MULTIPLE DX										
A. *Not Operated*	1349	11.5	145	1	2	8	14	27	36	74
B. *Operated*	1031	14.9	316	1	2	8	21	43	62	99+
1. SINGLE DX	2026	5.9	50	<1	1	3	7	13	20	35
2. MULTIPLE DX	2380	13.0	222	1	2	8	17	33	48	99+
A. NOT OPERATED	2303	9.7	112	1	2	6	12	22	32	59
B. OPERATED	2103	9.7	203	<1	1	4	11	28	44	97
TOTAL 0-19 YRS	1155	5.4	36	<1	1	4	7	12	16	32
20-34	870	7.1	102	<1	<1	4	8	16	26	66
35-49	605	9.6	154	<1	1	5	11	24	33	70
50-64	771	10.7	156	1	2	6	14	25	37	77
65+	1005	16.2	269	1	2	11	23	40	60	99+
GRAND TOTAL	**4406**	**9.7**	**155**	**<1**	**1**	**5**	**12**	**25**	**36**	**86**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	9.2	42	2	3	8	12	20	24	25
20-34	20	6.3	20	1	1	5	9	11	15	19
35-49	14	6.7	41	<1	1	5	8	16	22	24
50-64	15	8.1	17	3	5	7	10	15	17	18
65+	15	7.1	22	1	2	6	10	14	16	17
B. *Operated*										
0-19 YRS	5	6.4	32	1	1	4	12	13	13	13
20-34	6	11.0	82	2	2	9	14	26	27	27
35-49	2	12.5	41	8	8	12	17	17	17	17
50-64	4	21.0	377	5	5	15	35	48	48	48
65+	3	14.7	374	3	3	4	29	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	11.7	399	2	3	7	10	15	55	95
20-34	62	12.6	162	2	3	9	14	28	35	69
35-49	39	10.5	82	2	2	8	14	22	30	42
50-64	56	15.4	169	3	4	13	19	34	40	73
65+	38	13.1	104	2	3	10	23	34	68	99+
B. *Operated*										
0-19 YRS	6	19.2	417	5	5	13	16	56	60	60
20-34	29	20.4	320	2	5	16	22	52	62	77
35-49	34	18.4	252	5	6	14	24	32	46	87
50-64	21	19.4	445	2	3	14	32	98	99+	99+
65+	20	30.5	356	7	10	28	43	53	69	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	7.5	28	1	2	6	9	15	18	25
B. *Operated*	20	12.6	156	1	2	8	15	32	42	48
2. MULTIPLE DX										
A. *Not Operated*	215	13.0	161	2	3	9	16	29	38	97
B. *Operated*	110	21.4	340	4	6	15	28	49	75	99+
1. SINGLE DX	101	8.5	56	1	2	7	10	17	23	42
2. MULTIPLE DX	325	15.8	236	2	3	11	21	35	50	99+
A. NOT OPERATED	296	11.5	130	2	2	8	14	24	34	85
B. OPERATED	130	20.0	321	2	5	15	26	48	61	99+
TOTAL 0-19 YRS	48	11.2	235	1	3	7	12	16	28	95
20-34	117	13.4	191	2	2	9	16	26	41	72
35-49	89	13.0	157	1	2	9	17	26	32	72
50-64	96	15.4	219	3	4	11	20	35	46	99+
65+	76	16.6	231	2	3	11	25	40	54	99+
GRAND TOTAL	**426**	**14.1**	**203**	**2**	**3**	**10**	**18**	**32**	**43**	**98**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	9.4	76	2	2	8	11	17	28	51
20-34	57	9.8	52	2	3	8	14	21	26	28
35-49	93	10.3	59	2	2	9	16	20	22	38
50-64	142	13.8	74	2	3	12	19	25	29	38
65+	123	13.0	99	2	2	10	19	26	30	52
B. *Operated*										
0-19 YRS	12	5.3	28	<1	1	3	8	14	17	17
20-34	16	12.0	75	2	3	9	18	26	29	30
35-49	50	9.3	60	1	2	8	14	20	22	38
50-64	103	11.5	142	1	2	8	15	26	40	57
65+	65	14.0	178	2	2	10	19	28	36	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	14.0	364	1	2	9	15	28	49	95
20-34	44	12.7	80	3	4	10	18	24	28	44
35-49	91	12.0	74	2	3	10	17	25	29	34
50-64	244	15.4	137	2	4	14	20	27	33	71
65+	333	16.7	174	3	4	14	23	34	45	99+
B. *Operated*										
0-19 YRS	6	20.5	100	9	9	22	29	31	31	31
20-34	18	20.8	167	3	5	19	26	39	46	50
35-49	73	18.3	261	2	3	15	24	38	53	81
50-64	150	19.3	251	2	4	17	27	44	65	99+
65+	139	22.9	303	3	5	20	29	52	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	11.9	77	2	2	10	18	24	28	40
B. *Operated*	246	11.5	128	1	2	8	16	24	31	52
2. MULTIPLE DX										
A. *Not Operated*	737	15.4	152	2	4	13	20	29	38	86
B. *Operated*	386	20.5	267	3	4	18	27	42	62	99+
1. SINGLE DX	711	11.8	95	2	2	10	16	24	28	51
2. MULTIPLE DX	1123	17.1	197	2	4	14	23	34	48	99+
A. NOT OPERATED	1202	14.0	126	2	3	11	19	27	34	66
B. OPERATED	632	17.0	232	2	3	13	24	37	52	99+
TOTAL 0-19 YRS	93	10.8	158	2	2	8	12	26	30	76
20-34	135	12.5	89	2	3	10	18	24	29	45
35-49	307	12.5	121	2	2	10	17	25	32	56
50-64	639	15.3	156	2	3	13	21	30	40	86
65+	660	17.0	198	2	4	14	24	35	48	99
GRAND TOTAL	**1834**	**15.0**	**164**	**2**	**3**	**12**	**21**	**30**	**40**	**85**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	162	3	3	12	21	21	21	21
20-34	9	7.0	49	1	2	4	8	18	24	24
35-49	13	4.6	16	1	1	3	8	11	13	13
50-64	56	8.1	52	2	2	6	11	17	21	36
65+	199	9.5	108	2	2	7	11	20	28	54
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	53	5.0	21	1	2	3	6	11	16	21
35-49	130	7.2	40	2	2	6	9	15	17	30
50-64	418	10.8	58	2	3	10	15	19	24	33
65+	541	14.2	64	2	5	14	19	24	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.5	61	10	10	15	21	21	21	21
20-34	6	8.7	104	1	1	5	7	27	29	29
35-49	30	7.5	60	1	1	5	11	15	17	39
50-64	152	9.4	46	3	3	8	12	17	21	41
65+	693	12.3	142	2	3	9	15	25	38	99
B. *Operated*										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	48	8.3	76	1	2	5	10	18	28	43
35-49	117	9.8	86	1	2	7	14	20	27	52
50-64	381	14.9	151	2	3	13	19	29	35	65
65+	666	19.2	173	4	6	17	24	35	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	9.0	91	1	2	6	11	18	25	50
B. *Operated*	1145	11.7	65	2	3	11	16	21	26	40
2. MULTIPLE DX										
A. *Not Operated*	883	11.6	124	2	3	9	15	23	32	90
B. *Operated*	1214	16.5	165	2	3	15	21	32	42	82
1. SINGLE DX	1424	11.2	71	2	2	9	15	21	26	40
2. MULTIPLE DX	2097	14.5	154	2	3	12	19	29	39	84
A. NOT OPERATED	1162	11.0	117	2	3	8	14	22	30	79
B. OPERATED	2359	14.2	122	2	3	13	19	27	34	63
TOTAL 0-19 YRS	9	9.2	59	2	2	5	16	21	21	21
20-34	116	6.7	51	1	2	4	8	16	23	36
35-49	290	8.2	61	1	2	6	11	17	21	45
50-64	1007	12.0	96	2	3	10	16	22	29	45
65+	2099	14.7	140	2	4	13	19	28	38	81
GRAND TOTAL	**3521**	**13.1**	**123**	**2**	**3**	**11**	**17**	**25**	**33**	**71**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	8.2	53	1	2	5	10	20	26	29
20-34	60	7.4	28	2	3	6	9	12	13	30
35-49	47	6.9	31	1	2	5	9	12	17	31
50-64	47	7.3	37	1	2	6	9	13	17	38
65+	107	9.7	72	2	3	7	12	22	28	41
B. *Operated*										
0-19 YRS	12	16.3	153	3	3	14	22	36	41	42
20-34	40	5.0	13	1	1	4	6	10	13	15
35-49	38	5.7	23	1	1	4	7	11	15	24
50-64	39	10.3	53	1	2	9	15	20	23	35
65+	24	12.7	86	2	6	10	17	35	53	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	9.2	53	2	2	7	13	18	23	33
20-34	39	6.9	18	2	2	6	9	13	16	19
35-49	40	10.4	82	2	3	6	15	22	28	43
50-64	88	8.8	46	2	3	7	12	17	20	39
65+	262	12.2	146	2	3	8	15	24	39	73
B. *Operated*										
0-19 YRS	7	20.3	99	4	6	20	26	33	35	35
20-34	32	8.0	56	1	2	5	10	21	24	32
35-49	24	14.3	241	2	2	8	17	33	53	66
50-64	57	14.0	207	1	2	8	19	30	52	62
65+	60	23.0	251	4	6	22	34	59	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	8.2	50	2	2	6	10	16	25	35
B. *Operated*	153	8.6	60	1	2	6	12	17	25	42
2. MULTIPLE DX										
A. *Not Operated*	459	10.7	107	2	3	7	13	21	30	67
B. *Operated*	180	16.2	221	2	3	11	23	38	60	99+
1. SINGLE DX	475	8.4	53	1	2	6	11	17	25	37
2. MULTIPLE DX	639	12.3	145	2	3	8	16	26	38	77
A. NOT OPERATED	781	9.7	85	2	3	7	12	20	27	57
B. OPERATED	333	12.7	161	1	2	8	18	32	41	99+
TOTAL 0-19 YRS	110	10.1	77	2	2	7	14	25	29	38
20-34	171	6.9	28	1	2	6	9	13	17	30
35-49	149	8.7	83	1	2	6	10	19	27	47
50-64	231	10.0	90	1	2	7	12	20	25	60
65+	453	13.0	154	2	3	9	18	30	43	99+
GRAND TOTAL	**1114**	**10.6**	**109**	**2**	**2**	**7**	**13**	**23**	**33**	**66**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	5	1	1	3	4	7	8	8
20-34	12	3.7	43	<1	<1	1	3	11	22	24
35-49	5	2.4	2	1	1	3	3	4	4	4
50-64	6	4.0	7	<1	<1	4	5	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	354	3.6	3	1	2	3	4	6	7	9
20-34	977	3.6	3	1	2	3	4	6	6	10
35-49	467	3.8	4	1	1	3	5	6	7	10
50-64	208	4.3	6	1	2	4	5	7	8	13
65+	51	5.1	11	1	1	5	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	19	<1	<1	1	4	11	14	14
20-34	14	2.7	5	<1	<1	2	4	6	7	8
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	8	3.8	19	<1	<1	1	6	11	13	13
65+	4	24.3	1106	5	5	9	42	74	74	74
B. *Operated*										
0-19 YRS	150	4.0	6	<1	1	4	5	7	8	10
20-34	540	4.1	10	<1	1	4	5	7	9	15
35-49	225	4.2	11	1	1	3	5	7	9	20
50-64	180	4.9	14	1	2	4	6	8	11	23
65+	49	5.8	21	1	2	5	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.4	16	<1	1	2	4	6	8	24
B. *Operated*	2057	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	39	5.1	140	<1	<1	2	5	10	14	74
B. *Operated*	1144	4.3	11	1	1	4	5	7	9	18
1. SINGLE DX	2093	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	1183	4.3	15	1	1	4	5	7	9	19
A. NOT OPERATED	75	4.3	80	<1	<1	2	5	8	12	61
B. OPERATED	3201	3.9	7	1	2	4	5	6	8	13
TOTAL 0-19 YRS	525	3.7	4	1	1	3	5	6	8	10
20-34	1543	3.8	6	1	2	3	5	6	7	11
35-49	701	3.9	6	1	1	3	5	6	8	14
50-64	402	4.6	10	1	2	4	5	8	9	19
65+	105	6.2	60	1	2	5	7	11	14	46
GRAND TOTAL	**3276**	**3.9**	**8**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	4.5	20	1	1	3	5	9	12	24
20-34	52	3.6	13	<1	<1	2	4	8	11	20
35-49	35	4.3	16	<1	1	3	6	9	10	22
50-64	30	6.5	26	1	2	5	8	14	17	23
65+	31	6.5	30	<1	1	4	10	16	18	19
B. *Operated*										
0-19 YRS	415	4.0	4	1	2	4	5	6	7	12
20-34	831	3.9	5	1	2	3	5	6	8	11
35-49	168	4.0	10	2	2	3	4	6	9	18
50-64	69	4.6	16	1	2	3	5	9	10	25
65+	32	9.6	95	1	1	6	16	25	37	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.2	24	1	1	3	7	10	14	28
20-34	49	5.0	36	<1	1	4	6	9	14	39
35-49	44	8.7	173	<1	1	5	10	18	29	79
50-64	52	7.7	58	2	2	6	9	15	22	46
65+	113	11.4	160	2	2	7	14	26	40	85
B. *Operated*										
0-19 YRS	138	5.4	17	2	2	4	6	10	12	27
20-34	249	5.8	43	1	2	4	6	11	20	43
35-49	87	5.9	98	1	2	3	6	12	13	66
50-64	59	9.5	113	1	2	4	14	23	34	52
65+	44	14.7	321	2	3	8	20	26	50	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	4.8	20	1	1	3	6	10	14	23
B. *Operated*	1515	4.1	9	1	2	3	5	7	8	17
2. MULTIPLE DX										
A. *Not Operated*	331	8.2	103	1	1	5	9	17	26	73
B. *Operated*	577	6.8	79	1	2	4	7	14	22	46
1. SINGLE DX	1787	4.2	10	1	2	3	5	7	9	20
2. MULTIPLE DX	908	7.3	88	1	2	4	8	14	24	52
A. NOT OPERATED	603	6.6	69	1	1	4	8	14	20	45
B. OPERATED	2092	4.8	29	1	2	4	5	8	11	29
TOTAL 0-19 YRS	750	4.5	11	1	2	4	5	8	10	20
20-34	1181	4.3	15	1	2	3	5	7	9	22
35-49	334	5.1	57	1	2	3	5	10	13	32
50-64	210	7.0	58	1	2	4	9	15	22	41
65+	220	11.1	168	1	2	7	14	25	36	93
GRAND TOTAL	**2695**	**5.2**	**39**	**1**	**2**	**4**	**5**	**9**	**14**	**32**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	10.3	35	<1	1	10	15	17	17	17
35-49	7	11.1	40	4	4	10	14	22	24	24
50-64	3	10.3	24	7	7	8	14	16	16	16
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	5	6.0	35	2	2	2	10	15	15	15
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	9.3	20	5	5	8	13	16	16	16
35-49	8	12.3	57	3	3	13	17	22	24	24
50-64	6	12.2	24	6	6	13	14	19	19	19
65+	6	6.0	4	4	4	5	6	10	10	10
B. *Operated*										
0-19 YRS										
20-34	7	26.0	896	2	3	11	34	78	88	88
35-49	5	7.0	25	1	1	6	11	13	13	13
50-64	7	16.6	177	3	3	16	32	83	99+	99+
65+	2	13.5	1	13	13	13	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	9.9	36	1	3	8	14	17	21	24
B. *Operated*	9	8.2	33	2	2	9	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	26	10.1	32	3	4	8	14	18	20	24
B. *Operated*	21	17.1	331	2	3	12	23	56	93	99+
1. SINGLE DX	29	9.4	35	2	2	8	15	16	18	24
2. MULTIPLE DX	47	13.3	196	3	3	11	15	27	47	99+
A. NOT OPERATED	46	10.0	33	3	4	8	14	17	20	24
B. OPERATED	30	14.5	289	2	2	11	16	38	86	99+
TOTAL 0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	23	14.8	320	1	4	11	16	30	54	88
35-49	25	9.6	46	1	2	9	15	19	24	24
50-64	17	13.5	85	3	5	13	17	36	77	99+
65+	9	7.2	17	2	3	6	11	14	14	14
GRAND TOTAL	**76**	**11.8**	**137**	**2**	**3**	**10**	**15**	**22**	**33**	**97**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	4.0	5	2	2	3	5	8	9	9
35-49	21	5.3	8	1	1	5	7	9	11	11
50-64	52	6.3	19	2	2	5	8	11	16	24
65+	88	8.5	60	2	2	6	11	19	21	39
B. *Operated*										
0-19 YRS	3	10.0	4	8	8	10	11	12	12	12
20-34	18	6.8	18	1	2	7	10	13	14	14
35-49	55	8.3	23	1	1	8	12	14	17	19
50-64	74	8.2	60	1	1	6	14	18	23	33
65+	20	10.6	74	1	1	10	13	20	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	8	4.8	14	<1	1	3	7	11	12	12
35-49	42	8.3	54	2	2	6	10	19	26	36
50-64	113	8.3	46	2	3	7	10	14	21	39
65+	355	11.9	138	2	3	9	15	24	33	87
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	12	7.2	21	1	2	7	11	13	15	15
35-49	39	11.5	85	2	2	9	15	21	32	46
50-64	84	11.9	104	1	1	10	16	26	36	82
65+	53	17.8	191	2	4	14	27	39	44	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	7.1	39	1	2	5	8	14	20	36
B. *Operated*	170	8.4	44	1	1	7	12	17	19	33
2. MULTIPLE DX										
A. *Not Operated*	520	10.7	112	2	3	8	13	22	30	78
B. *Operated*	189	13.1	127	1	2	10	18	31	41	52
1. SINGLE DX	344	7.7	42	1	1	6	11	17	19	36
2. MULTIPLE DX	709	11.3	117	2	3	8	14	24	33	62
A. NOT OPERATED	694	9.8	96	2	2	7	12	19	27	51
B. OPERATED	359	10.9	93	1	1	9	14	23	33	49
TOTAL 0-19 YRS	8	5.5	19	1	1	5	9	11	12	12
20-34	49	5.9	16	1	2	4	9	12	13	15
35-49	157	8.7	47	1	2	7	11	16	20	36
50-64	323	8.9	63	1	1	7	11	18	26	49
65+	516	11.9	133	2	3	8	15	25	36	79
GRAND TOTAL	**1053**	**10.2**	**95**	**1**	**2**	**8**	**13**	**20**	**30**	**50**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	8.6	95	2	3	7	8	12	33	45
20-34	268	7.0	24	1	2	6	9	13	17	24
35-49	366	7.3	30	1	2	6	9	14	18	27
50-64	225	7.7	20	2	3	7	10	13	16	24
65+	93	9.5	61	2	3	7	11	19	24	45
B. *Operated*										
0-19 YRS	51	7.9	48	1	1	7	11	15	19	40
20-34	847	8.3	39	1	2	7	11	16	20	33
35-49	1168	8.6	37	1	2	8	12	16	20	28
50-64	505	9.4	53	1	1	9	13	18	23	31
65+	92	8.7	55	1	1	8	13	18	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	26	2	2	6	10	14	14	14
20-34	92	7.1	35	2	2	6	8	13	18	34
35-49	206	8.8	40	1	2	7	12	17	24	28
50-64	217	10.1	47	2	4	8	13	19	25	35
65+	175	13.4	172	2	4	9	16	25	36	82
B. *Operated*										
0-19 YRS	11	11.3	25	2	5	11	15	18	19	19
20-34	290	10.9	50	2	3	10	14	19	25	33
35-49	558	12.5	84	2	3	11	16	24	29	43
50-64	405	14.2	113	2	3	12	18	27	33	56
65+	127	17.6	131	3	5	16	23	32	43	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	969	7.6	30	2	2	6	10	14	18	27
B. *Operated*	2663	8.7	41	1	2	8	12	16	21	30
2. MULTIPLE DX										
A. *Not Operated*	694	10.1	79	2	3	8	13	19	26	38
B. *Operated*	1391	13.1	92	2	3	11	17	25	31	47
1. SINGLE DX	3632	8.4	39	1	2	7	11	16	20	30
2. MULTIPLE DX	2085	12.1	90	2	3	10	16	24	30	46
A. NOT OPERATED	1663	8.6	52	2	2	7	11	16	22	35
B. OPERATED	4054	10.2	63	1	2	9	14	19	25	39
TOTAL 0-19 YRS	83	8.4	53	1	2	7	11	15	19	43
20-34	1497	8.5	40	1	2	7	11	16	20	32
35-49	2298	9.4	50	1	2	8	13	18	23	33
50-64	1352	10.7	70	1	2	9	14	20	26	40
65+	487	12.9	128	2	3	10	17	25	34	55
GRAND TOTAL	**5717**	**9.7**	**61**	**1**	**2**	**8**	**13**	**19**	**24**	**37**

305: Derangement and displacement of intervertebral disc, except lumber (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	35	7.5	32	2	3	6	9	14	19	30
35-49	62	6.0	21	1	2	5	8	13	15	24
50-64	44	7.0	24	1	2	6	10	14	16	23
65+	20	9.7	52	4	6	8	9	19	27	35
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	39	7.6	43	1	1	6	11	17	20	26
35-49	116	8.2	36	1	1	8	11	15	17	31
50-64	69	7.2	25	1	1	6	10	15	17	18
65+	8	3.8	8	1	1	3	4	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	15	8.4	41	1	1	7	13	18	21	22
35-49	41	8.2	38	2	3	7	10	15	21	32
50-64	60	9.5	58	2	3	8	10	19	21	39
65+	70	11.7	147	1	2	8	15	21	35	73
B. Operated										
0-19 YRS										
20-34	18	9.2	18	2	3	9	11	16	17	17
35-49	81	13.1	115	3	4	11	16	24	31	64
50-64	82	11.4	76	2	3	10	14	23	28	45
65+	16	11.1	95	1	2	8	13	26	34	37
SUBTOTALS:			—							
1. SINGLE DX										
A. Not Operated	162	7.1	29	1	2	6	9	14	18	29
B. Operated	233	7.6	33	1	1	7	11	15	17	26
2. MULTIPLE DX										
A. Not Operated	187	9.9	86	2	3	7	13	19	24	43
B. Operated	197	11.9	89	2	3	10	15	23	28	46
1. SINGLE DX	395	7.4	32	1	1	6	10	15	18	26
2. MULTIPLE DX	384	10.9	88	2	3	9	14	21	26	43
A. NOT OPERATED	349	8.6	62	1	2	7	11	18	20	39
B. OPERATED	430	9.6	63	1	2	8	13	18	23	42
TOTAL 0-19 YRS	3	11.3	12	8	8	11	14	15	15	15
20-34	107	7.9	34	1	1	7	11	17	19	28
35-49	300	9.1	61	1	2	7	12	17	23	42
50-64	255	9.0	52	1	2	8	12	18	22	38
65+	114	10.7	116	1	3	7	14	20	33	57
GRAND TOTAL	**779**	**9.2**	**62**	**1**	**2**	**7**	**12**	**18**	**23**	**41**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.8	9	1	1	2	5	8	10	10
20-34	28	5.4	14	1	2	5	7	9	14	17
35-49	41	5.7	15	1	2	5	8	12	14	16
50-64	23	7.4	80	2	2	5	8	13	29	44
65+	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-19 YRS	3	5.3	26	1	1	4	9	11	11	11
20-34	42	9.0	66	1	1	7	10	25	25	36
35-49	32	7.2	30	1	1	6	12	15	18	19
50-64	10	6.9	45	1	1	3	12	17	20	20
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	24	7.7	59	1	2	6	8	12	22	40
35-49	22	8.0	40	1	2	6	10	18	22	23
50-64	22	9.4	41	2	3	8	12	21	22	22
65+	26	11.4	192	2	3	9	15	19	34	74
B. Operated										
0-19 YRS										
20-34	21	7.5	25	2	2	6	10	14	19	20
35-49	20	13.6	27	7	9	13	16	24	60	99+
50-64	11	13.0	111	2	2	11	23	28	31	31
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	5.8	29	1	2	5	7	11	14	32
B. Operated	88	7.9	49	1	1	6	11	17	25	32
2. MULTIPLE DX										
A. Not Operated	96	9.2	85	2	2	7	11	19	22	58
B. Operated	53	10.9	49	2	2	10	14	22	28	97
1. SINGLE DX	191	6.8	39	1	1	5	8	14	19	32
2. MULTIPLE DX	149	9.8	73	2	2	8	12	20	24	74
A. NOT OPERATED	199	7.4	59	1	2	6	9	14	20	42
B. OPERATED	141	9.0	51	1	2	8	12	20	25	41
TOTAL 0-19 YRS	14	5.0	14	1	1	4	10	10	11	11
20-34	115	7.6	45	1	2	6	9	15	24	37
35-49	115	7.9	33	1	2	7	11	16	20	52
50-64	66	8.9	68	2	2	6	12	21	26	42
65+	30	10.5	171	2	2	8	11	17	24	74
GRAND TOTAL	**340**	**8.1**	**56**	**1**	**2**	**6**	**10**	**16**	**22**	**40**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	49	6.2	29	1	2	5	7	14	21	24
35-49	53	6.3	11	1	3	5	8	10	12	16
50-64	30	8.0	25	2	2	7	9	16	19	21
65+	26	7.3	11	2	3	7	9	13	14	15
B. *Operated*										
0-19 YRS	2	12.5	1	12	12	12	13	13	13	13
20-34	32	4.8	15	1	1	4	7	9	12	18
35-49	44	3.8	13	<1	1	2	5	10	12	13
50-64	24	3.7	9	1	1	2	6	8	9	10
65+	2	11.0	128	3	3	11	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	5.0	6	1	1	5	6	9	9	10
35-49	47	9.6	55	2	4	8	12	16	19	49
50-64	51	8.2	28	3	3	7	10	14	20	29
65+	70	12.2	98	2	4	10	16	24	32	55
B. *Operated*										
0-19 YRS										
20-34	19	6.2	19	1	1	6	9	13	14	14
35-49	19	8.1	190	1	1	3	7	18	42	61
50-64	11	13.0	117	2	2	10	24	28	28	28
65+	10	14.4	129	1	1	15	21	29	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	6.7	20	2	2	6	8	13	16	22
B. *Operated*	104	4.4	16	1	1	3	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	190	9.6	63	2	3	7	12	18	24	43
B. *Operated*	59	9.5	115	1	1	6	14	22	28	59
1. SINGLE DX	265	5.8	19	1	1	5	8	12	15	21
2. MULTIPLE DX	249	9.6	75	1	2	7	12	19	25	49
A. NOT OPERATED	351	8.3	45	2	2	6	10	16	21	34
B. OPERATED	163	6.2	57	1	1	3	8	14	20	36
TOTAL 0-19 YRS	6	6.3	27	2	2	5	12	13	13	13
20-34	121	5.6	20	1	1	5	8	11	15	23
35-49	163	6.8	49	1	1	5	9	12	16	45
50-64	116	7.6	37	1	2	6	9	15	22	29
65+	108	11.2	83	2	3	9	15	23	27	47
GRAND TOTAL	**514**	**7.6**	**50**	**1**	**1**	**6**	**10**	**16**	**21**	**34**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.6	22	<1	1	2	4	7	10	29
20-34	359	5.7	40	1	1	4	7	12	16	39
35-49	378	6.5	44	1	1	5	8	12	18	40
50-64	201	6.7	45	1	1	5	8	14	19	39
65+	118	7.8	46	1	2	6	10	15	16	39
B. *Operated*										
0-19 YRS	30	4.8	9	1	2	4	6	10	11	11
20-34	266	4.9	17	1	1	3	6	10	11	20
35-49	312	6.1	42	1	1	5	8	13	15	25
50-64	211	7.1	27	1	1	7	10	14	18	24
65+	61	9.3	44	1	1	8	14	18	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.3	11	<1	1	3	6	8	11	15
20-34	234	6.5	56	1	1	5	8	13	16	43
35-49	320	7.9	66	1	2	5	10	16	22	42
50-64	277	9.0	62	2	2	7	11	18	26	40
65+	302	11.9	142	2	3	8	16	25	32	70
B. *Operated*										
0-19 YRS	13	9.9	116	2	2	7	10	20	39	44
20-34	187	7.6	40	1	2	6	11	15	19	31
35-49	255	8.6	50	1	2	7	11	17	21	39
50-64	269	11.1	100	2	2	9	14	21	27	61
65+	179	15.6	134	2	3	13	20	30	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1155	6.2	42	1	1	4	8	12	17	39
B. *Operated*	880	6.1	31	1	1	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	1178	8.8	85	1	2	6	11	18	26	48
B. *Operated*	903	10.5	88	2	2	9	14	21	27	52
1. SINGLE DX	2035	6.2	37	1	1	4	8	12	17	32
2. MULTIPLE DX	2081	9.5	87	1	2	7	12	20	26	50
A. NOT OPERATED	2333	7.5	65	1	1	5	9	16	22	40
B. OPERATED	1783	8.4	65	1	2	6	11	17	22	41
TOTAL 0-19 YRS	187	4.4	26	1	1	3	6	9	11	31
20-34	1046	6.0	38	1	1	4	8	12	16	34
35-49	1265	7.2	51	1	1	5	9	14	20	40
50-64	958	8.7	64	1	2	7	11	18	23	40
65+	660	11.9	121	2	2	9	16	24	31	61
GRAND TOTAL	**4116**	**7.9**	**65**	**1**	**1**	**6**	**10**	**16**	**22**	**41**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	4.5	11	1	2	4	6	8	12	17
20-34	54	4.7	18	1	1	4	5	9	13	26
35-49	47	6.7	121	1	2	4	6	9	29	66
50-64	64	5.7	26	1	1	4	8	12	14	27
65+	37	5.6	12	2	3	4	7	12	14	15
B. Operated										
0-19 YRS	108	3.2	7	<1	1	3	4	6	6	15
20-34	217	3.3	9	<1	1	2	4	6	9	17
35-49	243	3.7	22	<1	1	3	4	7	9	14
50-64	202	3.3	10	<1	<1	2	4	6	8	15
65+	61	2.8	6	<1	<1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	5.7	18	1	2	4	9	11	15	19
20-34	39	5.5	13	1	2	4	8	11	12	16
35-49	46	6.5	12	1	2	6	9	10	12	16
50-64	75	7.7	50	<1	1	6	9	18	22	38
65+	94	9.2	71	1	2	7	11	17	25	51
B. Operated										
0-19 YRS	37	2.9	5	<1	<1	2	3	5	8	12
20-34	100	3.6	10	<1	1	3	4	6	9	20
35-49	118	5.0	28	1	1	3	5	13	17	26
50-64	145	5.2	31	1	1	3	6	11	16	30
65+	61	7.9	117	1	1	4	9	15	29	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	278	5.3	35	1	2	4	6	10	13	28
B. Operated	831	3.4	12	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	285	7.5	44	1	2	6	9	15	19	36
B. Operated	461	5.0	36	1	1	3	5	11	16	31
1. SINGLE DX	1109	3.8	19	<1	1	3	5	7	9	19
2. MULTIPLE DX	746	5.9	41	1	1	4	7	12	17	31
A. NOT OPERATED	563	6.4	40	1	2	5	8	13	17	28
B. OPERATED	1292	3.9	22	<1	1	3	4	7	11	23
TOTAL 0-19 YRS	252	3.9	10	1	1	3	5	7	10	17
20-34	410	3.8	11	1	1	3	4	8	9	18
35-49	454	4.6	34	1	1	3	5	9	12	27
50-64	486	4.8	27	<1	1	3	6	10	14	28
65+	253	6.8	64	<1	1	5	8	14	18	46
GRAND TOTAL	**1855**	**4.7**	**29**	**<1**	**1**	**3**	**6**	**9**	**13**	**26**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. Operated										
0-19 YRS	109	3.6	4	1	2	3	5	6	7	11
20-34	231	3.9	3	1	2	4	5	6	7	10
35-49	197	4.1	6	1	2	4	5	7	9	12
50-64	322	4.5	5	2	2	4	6	7	9	12
65+	157	4.1	10	1	1	4	5	7	8	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	4	2.3	6	1	1	1	4	6	6	6
50-64	9	2.3	2	<1	<1	2	3	5	6	6
65+	5	2.8	4	<1	<1	3	4	6	6	6
B. Operated										
0-19 YRS	74	4.1	2	2	2	4	5	6	6	8
20-34	148	4.6	9	1	2	4	6	7	8	20
35-49	195	4.8	6	2	3	4	6	7	9	13
50-64	415	5.3	9	2	2	5	6	8	10	17
65+	286	6.0	20	1	2	5	7	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	1016	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	22	2.3	3	<1	<1	2	3	6	6	6
B. Operated	1118	5.2	11	2	2	5	6	8	10	20
1. SINGLE DX	1019	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX	1140	5.1	11	2	2	4	6	8	10	20
A. NOT OPERATED	25	2.2	3	<1	<1	2	3	6	6	6
B. OPERATED	2134	4.7	9	1	2	4	6	8	9	16
TOTAL 0-19 YRS	185	3.7	3	1	2	3	5	6	6	8
20-34	382	4.2	5	1	2	4	5	6	7	10
35-49	396	4.4	6	1	2	4	6	7	9	12
50-64	748	4.9	8	2	2	4	6	8	10	13
65+	448	5.3	18	1	2	4	6	9	13	23
GRAND TOTAL	**2159**	**4.7**	**9**	**1**	**2**	**4**	**6**	**8**	**9**	**16**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	145	1.7	1	<1	<1	1	2	3	4	5
20-34	235	1.7	1	<1	<1	1	2	3	4	6
35-49	102	2.1	3	<1	<1	1	2	4	6	9
50-64	80	2.7	5	<1	<1	2	3	5	6	13
65+	29	3.9	36	<1	1	2	3	7	9	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	6	6.5	44	<1	<1	4	14	15	15	15
50-64	7	3.7	11	<1	<1	3	5	9	10	10
65+	6	5.8	23	1	1	5	11	11	11	11
B. *Operated*										
0-19 YRS	13	1.5		<1	<1	1	2	3	3	3
20-34	46	1.9	1	<1	<1	2	2	3	4	5
35-49	32	3.0	12	<1	<1	2	4	6	8	19
50-64	41	3.0	6	<1	1	2	4	5	6	15
65+	24	4.7	8	1	2	4	7	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	2	<1	<1	1	3	5	5	5
B. *Operated*	591	2.0	4	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	26	4.3	20	<1	<1	2	7	11	14	15
B. *Operated*	156	2.8	6	<1	<1	2	3	5	7	15
1. SINGLE DX	598	2.0	4	<1	<1	1	2	4	5	8
2. MULTIPLE DX	182	3.0	8	<1	<1	2	4	6	9	15
A. NOT OPERATED	33	3.8	17	<1	<1	1	5	11	14	15
B. OPERATED	747	2.2	5	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	164	1.7	1	<1	<1	1	2	3	4	5
20-34	285	1.7	1	<1	<1	1	2	3	4	6
35-49	142	2.5	7	<1	<1	2	3	5	7	15
50-64	130	2.8	5	<1	<1	2	4	5	6	15
65+	59	4.4	23	1	1	3	6	8	11	32
GRAND TOTAL	**780**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	15.3	102	2	4	14	21	31	35	42
20-34	31	12.1	136	2	2	7	18	32	39	42
35-49	20	12.4	191	1	2	9	18	22	43	63
50-64	15	15.8	177	2	4	12	23	37	45	48
65+	11	13.0	247	1	3	6	13	37	55	57
B. *Operated*										
0-19 YRS	24	15.1	174	1	2	11	23	34	44	47
20-34	35	15.2	167	2	3	10	22	39	43	44
35-49	20	19.9	311	3	5	14	32	49	51	53
50-64	29	16.4	228	2	4	13	22	35	51	69
65+	13	28.2	458	5	6	24	42	65	67	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	17.8	132	2	4	14	27	32	36	39
20-34	15	13.2	87	3	4	9	20	29	32	33
35-49	12	13.3	63	1	4	13	16	27	28	28
50-64	29	22.6	455	2	2	16	32	50	58	97
65+	25	17.2	56	7	7	18	21	27	29	34
B. *Operated*										
0-19 YRS	18	28.2	590	3	8	21	48	92	99+	99+
20-34	43	23.9	434	2	4	17	44	58	83	99+
35-49	29	27.6	233	8	11	26	41	49	63	99+
50-64	42	27.0	445	2	5	22	40	49	73	99
65+	31	27.1	445	1	3	22	38	60	62	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	13.8	145	2	3	10	19	31	38	59
B. *Operated*	121	17.7	245	2	3	13	24	43	49	68
2. MULTIPLE DX										
A. *Not Operated*	100	17.8	198	2	4	15	25	32	41	76
B. *Operated*	163	26.4	412	2	5	22	42	60	83	99+
1. SINGLE DX	240	15.8	199	2	3	11	22	37	47	65
2. MULTIPLE DX	263	23.2	347	2	4	19	32	51	66	99+
A. NOT OPERATED	219	15.6	172	2	3	12	22	32	39	59
B. OPERATED	284	22.7	359	2	3	17	35	50	66	99+
TOTAL 0-19 YRS	103	18.0	225	2	3	15	26	35	50	99+
20-34	124	17.2	263	2	3	10	26	44	55	99+
35-49	81	19.8	251	2	3	15	28	48	51	88
50-64	115	21.8	372	2	3	16	30	47	55	98
65+	80	22.2	322	3	5	18	28	53	62	80
GRAND TOTAL	**503**	**19.6**	**289**	**2**	**3**	**15**	**27**	**44**	**57**	**99**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	9.6	58	1	2	7	14	20	26	32
20-34	29	3.8	8	<1	1	3	5	8	10	12
35-49	37	5.4	54	1	1	3	6	14	18	40
50-64	34	5.9	44	1	1	4	9	13	16	35
65+	82	8.5	65	1	2	6	12	18	27	80
B. *Operated*										
0-19 YRS	275	4.9	30	1	1	4	5	9	15	27
20-34	390	5.0	16	2	2	4	6	10	13	22
35-49	144	7.5	80	1	2	5	8	14	21	55
50-64	94	7.3	27	2	2	6	9	16	18	24
65+	55	12.2	66	2	2	10	19	24	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	9.7	72	<1	2	7	15	24	27	34
20-34	33	4.8	17	<1	<1	3	7	12	14	15
35-49	43	6.3	114	1	1	3	6	12	18	69
50-64	118	8.6	77	1	1	7	11	17	23	77
65+	444	16.5	202	3	4	13	22	33	47	99+
B. *Operated*										
0-19 YRS	95	7.7	99	1	1	4	9	20	25	53
20-34	190	8.1	95	2	2	5	9	15	26	57
35-49	116	13.4	214	1	2	7	19	38	52	73
50-64	151	15.7	178	2	3	13	22	32	45	99
65+	156	23.2	325	3	4	19	35	52	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	7.5	56	1	1	5	10	17	23	40
B. *Operated*	958	6.0	37	1	2	4	7	12	18	27
2. MULTIPLE DX										
A. *Not Operated*	671	13.5	177	1	2	10	17	30	41	93
B. *Operated*	708	13.9	217	2	2	8	19	36	49	85
1. SINGLE DX	1211	6.3	41	1	2	4	8	14	19	32
2. MULTIPLE DX	1379	13.7	197	2	2	9	18	32	46	91
A. NOT OPERATED	924	11.9	151	1	2	8	16	27	38	90
B. OPERATED	1666	9.3	128	1	2	5	11	22	33	63
TOTAL 0-19 YRS	474	6.5	55	1	1	4	7	16	21	36
20-34	642	5.8	41	1	2	4	7	11	15	36
35-49	340	9.1	136	1	2	5	9	22	35	61
50-64	397	10.7	116	1	2	8	14	24	32	78
65+	737	16.7	220	2	3	13	22	38	50	99+
GRAND TOTAL	**2590**	**10.2**	**138**	**1**	**2**	**6**	**13**	**24**	**35**	**70**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	54	5.6	41	2	2	4	5	11	14	44
20-34	34	4.0	8	1	2	3	5	9	10	13
35-49	19	4.6	8	1	2	4	7	9	10	11
50-64	17	6.2	31	1	1	3	9	15	17	18
65+	10	5.3	64	2	2	3	4	16	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	1	18.0		18	18	18	18	18	18	18
65+	9	14.1	99	<1	2	13	18	29	35	35
B. *Operated*										
0-19 YRS	60	5.4	9	2	2	5	7	10	12	15
20-34	56	4.9	20	<1	<1	4	6	9	14	25
35-49	30	9.1	270	<1	1	5	8	18	30	89
50-64	32	6.0	9	2	3	6	7	9	13	14
65+	20	8.8	59	<1	1	6	13	20	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	9	2	2	2	5	8	8	8
B. *Operated*	134	5.1	28	1	2	4	6	10	13	31
2. MULTIPLE DX										
A. *Not Operated*	16	10.4	88	<1	<1	10	16	20	30	35
B. *Operated*	198	6.2	58	<1	2	5	7	11	16	29
1. SINGLE DX	138	5.1	28	1	2	4	6	10	13	30
2. MULTIPLE DX	214	6.6	61	<1	2	5	8	12	18	32
A. NOT OPERATED	20	9.0	79	<1	<1	6	14	19	27	35
B. OPERATED	332	5.8	46	1	2	4	7	10	15	29
TOTAL 0-19 YRS	120	5.4	24	2	2	4	6	10	13	25
20-34	92	4.5	15	<1	<1	3	6	9	12	22
35-49	51	7.3	165	<1	1	4	8	10	24	88
50-64	50	6.3	19	1	2	6	8	13	16	18
65+	39	9.1	75	1	2	5	14	20	28	35
GRAND TOTAL	**352**	**6.0**	**48**	**1**	**2**	**4**	**7**	**11**	**17**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	4	2	2	5	6	7	7	7
35-49	6	5.3	13	<1	<1	5	9	10	10	10
50-64	6	8.0	58	2	2	6	7	21	23	23
65+	7	9.0	34	3	3	7	14	18	18	18
B. *Operated*										
0-19 YRS										
20-34	10	5.0	8	2	2	4	7	9	10	10
35-49	5	10.4	159	1	1	7	15	32	32	32
50-64	5	10.0	58	2	2	11	15	20	20	20
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	12.0	147	5	5	5	21	26	26	26
35-49	9	8.3	61	3	3	5	9	21	28	28
50-64	9	20.0	344	5	6	15	22	51	65	65
65+	20	7.5	20	2	2	7	9	13	17	20
B. *Operated*										
0-19 YRS										
20-34	3	10.0	19	5	5	12	13	13	13	13
35-49	4	11.3	91	3	3	8	17	25	25	25
50-64	5	10.2	23	4	4	11	14	16	16	16
65+	2	17.5	265	6	6	17	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.0	29	1	2	5	8	16	20	23
B. *Operated*	21	7.3	56	1	1	5	10	16	25	32
2. MULTIPLE DX										
A. *Not Operated*	42	10.5	123	2	3	7	12	22	29	65
B. *Operated*	14	11.5	58	3	4	10	13	25	28	29
1. SINGLE DX	44	7.2	41	1	2	5	9	16	21	32
2. MULTIPLE DX	56	10.8	106	2	3	8	13	24	29	63
A. NOT OPERATED	65	9.3	92	2	2	7	10	19	26	60
B. OPERATED	35	9.0	59	1	2	7	12	20	28	32
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	20	6.8	30	2	2	5	8	12	19	26
35-49	24	8.5	68	1	2	6	9	25	29	32
50-64	25	13.2	168	2	3	11	16	23	39	65
65+	30	8.3	37	2	2	7	9	17	20	29
GRAND TOTAL	**100**	**9.2**	**80**	**2**	**2**	**7**	**11**	**19**	**27**	**48**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	3.5	12	1	1	3	4	6	8	22
20-34	98	4.3	22	1	1	3	4	10	12	28
35-49	89	4.9	43	1	1	3	5	8	18	36
50-64	78	5.4	44	1	1	3	6	10	14	42
65+	88	7.8	57	1	1	6	10	17	21	41
B. *Operated*										
0-19 YRS	170	5.1	32	<1	1	3	5	13	18	26
20-34	316	4.0	19	<1	1	3	4	10	13	19
35-49	174	4.3	21	<1	1	3	4	10	13	28
50-64	209	3.5	12	<1	<1	2	4	8	11	19
65+	128	3.3	8	<1	1	3	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.7	11	1	1	3	5	7	9	20
20-34	104	4.6	18	1	1	3	6	9	12	22
35-49	107	7.1	55	1	2	5	8	14	18	40
50-64	118	8.2	121	1	1	5	10	14	24	61
65+	213	10.0	81	2	2	7	13	23	29	38
B. *Operated*										
0-19 YRS	173	6.0	64	<1	1	3	5	15	24	50
20-34	372	4.5	33	<1	<1	3	4	10	14	32
35-49	207	5.6	39	<1	1	3	7	12	18	32
50-64	235	6.8	71	1	1	4	8	16	22	56
65+	163	7.9	82	1	2	4	11	18	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	431	5.2	38	1	1	3	6	11	17	35
B. *Operated*	997	4.0	19	<1	1	3	4	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	597	7.6	72	1	1	5	9	15	24	39
B. *Operated*	1150	5.9	55	<1	1	3	7	14	20	44
1. SINGLE DX	1428	4.4	25	<1	1	3	5	10	14	28
2. MULTIPLE DX	1747	6.5	61	1	1	3	8	14	21	40
A. NOT OPERATED	1028	6.6	59	1	1	4	8	14	20	38
B. OPERATED	2147	5.0	39	<1	1	3	5	12	17	32
TOTAL 0-19 YRS	476	5.0	39	<1	1	3	5	12	18	37
20-34	890	4.3	25	<1	1	3	4	10	13	29
35-49	577	5.4	38	<1	1	3	6	11	17	34
50-64	640	5.8	60	<1	1	3	7	13	18	42
65+	592	7.7	68	1	2	5	10	17	24	43
GRAND TOTAL	**3175**	**5.5**	**46**	**<1**	**1**	**3**	**6**	**13**	**18**	**35**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	9.5	113	2	2	9	17	17	17	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	3	7.0	75	2	2	2	13	17	17	17
1. SINGLE DX	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX	4	6.0	54	2	2	3	10	17	17	17
A. NOT OPERATED	3	2.7	2	1	1	3	4	4	4	4
B. OPERATED	3	7.0	75	2	2	2	13	17	17	17
TOTAL 0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	2	9.5	113	2	2	9	17	17	17	17
65+	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	**6**	**4.8**	**37**	**1**	**1**	**3**	**4**	**16**	**17**	**17**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	14	1	1	5	7	11	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	12	10.5	51	1	3	8	16	20	24	25
20-34	1	28.0		28	28	28	28	28	28	28
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	7.2	71	1	1	4	9	17	27	93
20-34	5	18.2	380	5	5	14	52	95	99+	99+
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	15.5	421	1	1	15	30	30	30	30
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	24	11.2	68	2	3	8	15	24	30	30
20-34	6	15.5	48	8	8	13	22	26	26	26
35-49	4	14.8	71	5	5	17	44	99+	99+	99+
50-64	2	40.5	61	35	35	40	46	46	46	46
65+	2	15.5	13	13	13	15	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.7	13	1	1	4	7	10	12	13
B. *Operated*	13	11.8	70	1	3	9	17	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	72	8.2	99	1	1	5	11	20	48	99+
B. *Operated*	38	14.0	100	3	4	12	21	30	41	99+
1. SINGLE DX	28	8.0	51	1	1	6	11	18	25	28
2. MULTIPLE DX	110	10.2	107	1	2	7	15	27	44	99+
A. NOT OPERATED	87	7.6	86	1	1	5	9	18	31	99+
B. OPERATED	51	13.5	92	2	4	12	19	29	35	99
TOTAL 0-19 YRS	112	8.2	65	1	2	5	10	19	26	70
20-34	13	16.4	179	2	4	13	26	57	90	99+
35-49	5	12.6	76	4	4	14	25	92	99+	99+
50-64	5	23.2	392	1	1	30	38	46	46	46
65+	3	13.0	25	8	8	13	17	18	18	18
GRAND TOTAL	**138**	**9.7**	**96**	**1**	**2**	**6**	**14**	**25**	**32**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	1.1		<1	<1	1	1	1	2	3
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	264	2.3	3	<1	<1	2	2	4	5	12
20-34	95	2.7	4	<1	<1	2	3	5	7	10
35-49	36	3.1	2	<1	<1	3	4	5	6	6
50-64	21	3.5	5	1	1	3	5	7	8	9
65+	20	3.1	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	1.7	2	<1	<1	1	2	3	5	6
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
B. Operated										
0-19 YRS	56	3.4	23	<1	<1	2	4	6	9	34
20-34	25	4.0	7	<1	1	3	5	7	9	13
35-49	11	5.4	16	2	2	3	9	11	12	12
50-64	15	6.4	30	1	2	4	9	16	19	20
65+	7	6.3	56	2	2	3	5	20	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	1.1		<1	<1	1	1	1	2	3
B. Operated	436	2.5	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	17	2.2	6	<1	<1	1	2	5	9	10
B. Operated	114	4.3	22	<1	1	3	5	9	12	28
1. SINGLE DX	487	2.4	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX	131	4.0	21	<1	1	3	5	8	11	25
A. NOT OPERATED	68	1.4	2	<1	<1	1	1	2	3	9
B. OPERATED	550	2.9	8	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	386	2.3	6	<1	<1	2	2	4	5	12
20-34	120	3.0	5	<1	<1	2	4	6	8	11
35-49	49	3.7	7	<1	1	3	4	7	10	12
50-64	36	4.7	17	1	2	3	6	9	14	20
65+	27	3.9	16	2	2	3	4	5	9	23
GRAND TOTAL	**618**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.3	22	<1	<1	2	4	5	13	24
20-34	9	4.9	15	<1	<1	3	8	10	11	11
35-49	2	9.0	98	2	2	9	16	16	16	16
50-64	4	4.3	4	2	2	4	6	6	6	6
65+	2	7.5	25	4	4	7	11	11	11	11
B. Operated										
0-19 YRS	199	5.4	22	2	2	2	9	11	14	18
20-34	50	6.9	105	<1	<1	3	9	13	20	63
35-49	17	6.1	19	1	2	3	10	13	14	14
50-64	13	5.5	12	2	2	4	8	11	12	12
65+	6	6.8	68	1	1	5	6	21	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	5.9	33	1	1	4	8	13	17	31
20-34	19	5.3	21	1	1	3	7	13	16	16
35-49	12	6.8	23	2	3	5	8	16	16	16
50-64	6	11.3	93	3	3	8	17	27	28	28
65+	10	11.3	26	4	6	10	13	20	20	20
B. Operated										
0-19 YRS	225	7.7	107	2	2	2	10	17	31	74
20-34	52	7.8	27	1	2	8	11	15	19	20
35-49	24	7.7	71	<1	1	6	10	16	23	40
50-64	27	11.1	79	1	1	11	14	24	29	38
65+	19	12.2	89	<1	2	11	18	22	32	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	4.2	21	<1	<1	2	5	10	13	24
B. Operated	285	5.8	36	1	2	3	9	12	14	29
2. MULTIPLE DX										
A. Not Operated	144	6.5	35	1	1	4	9	14	18	29
B. Operated	347	8.2	90	1	2	4	11	18	29	58
1. SINGLE DX	328	5.6	35	<1	1	3	9	12	14	26
2. MULTIPLE DX	491	7.7	74	1	2	4	11	16	23	54
A. NOT OPERATED	187	6.0	32	<1	1	4	8	14	17	27
B. OPERATED	632	7.1	67	1	2	3	10	15	20	53
TOTAL 0-19 YRS	547	6.4	60	1	2	3	9	14	18	53
20-34	130	6.9	55	<1	1	4	10	14	16	41
35-49	55	7.1	43	1	1	6	10	16	16	39
50-64	50	9.1	63	1	2	7	12	18	28	38
65+	37	10.8	65	1	2	10	14	20	23	40
GRAND TOTAL	**819**	**6.9**	**59**	**1**	**2**	**4**	**10**	**15**	**19**	**44**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	115	5.9	4	3	3	6	7	8	9	11
20-34	6	5.3	12	2	2	4	6	11	12	12
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.1	48	1	1	4	8	16	24	24
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	88	6.6	13	3	3	6	8	11	14	20
20-34	9	4.9	5	3	3	4	6	9	9	9
35-49	3	9.3	49	2	2	10	14	16	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	3	1	1	2	4	5	5	5
B. *Operated*	124	5.8	4	2	3	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	12	5.3	43	<1	<1	3	7	13	22	24
B. *Operated*	100	6.5	13	2	3	6	8	11	14	20
1. SINGLE DX	128	5.7	4	2	3	6	7	8	9	12
2. MULTIPLE DX	112	6.4	16	2	3	6	8	11	15	23
A. NOT OPERATED	16	4.6	33	<1	1	2	6	9	19	24
B. OPERATED	224	6.1	8	2	3	6	7	9	11	17
TOTAL 0-19 YRS	217	6.1	9	2	3	6	7	9	11	19
20-34	17	4.6	8	1	2	4	5	9	11	12
35-49	4	7.8	43	2	2	6	13	16	16	16
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**240**	**6.0**	**10**	**2**	**3**	**6**	**7**	**9**	**11**	**18**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.3	6	1	1	3	4	7	9	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	94	6.7	20	3	4	6	8	10	15	29
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.8	246	3	3	7	23	37	37	37
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	29	10.6	59	4	4	8	15	22	25	35
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.3	6	1	1	3	4	7	9	10
B. *Operated*	94	6.7	20	3	4	6	8	10	15	29
2. MULTIPLE DX										
A. *Not Operated*	4	13.8	246	3	3	7	23	37	37	37
B. *Operated*	29	10.6	59	4	4	8	15	22	25	35
1. SINGLE DX	115	6.1	19	1	2	5	8	10	14	28
2. MULTIPLE DX	33	11.0	75	3	4	8	15	24	33	37
A. NOT OPERATED	25	5.0	51	1	1	3	5	9	17	37
B. OPERATED	123	7.7	31	3	4	6	9	15	18	33
TOTAL 0-19 YRS	148	7.2	35	2	3	5	8	14	17	35
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**148**	**7.2**	**35**	**2**	**3**	**5**	**8**	**14**	**17**	**35**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	2.6	8	<1	<1	1	3	6	8	16
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	6.0		6	6	6	6	5	6	6
65+	5	5.0	18	1	1	6	7	11	11	11
B. Operated										
0-19 YRS	74	4.5	20	<1	<1	2	6	9	13	25
20-34	41	4.5	25	<1	<1	3	5	10	16	25
35-49	9	4.4	13	<1	<1	3	6	10	12	12
50-64	9	4.8	4	2	2	5	6	8	9	9
65+	5	10.0	63	2	2	10	16	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	6.7	53	<1	1	4	8	16	23	34
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	7	6.3	17	2	2	5	10	12	12	12
65+	9	6.3	7	2	3	7	8	10	11	11
B. Operated										
0-19 YRS	82	11.1	102	1	2	8	16	24	29	52
20-34	48	6.4	37	<1	1	4	9	17	19	27
35-49	19	10.4	86	1	2	7	12	29	31	32
50-64	13	11.0	92	1	2	8	13	28	30	30
65+	8	9.8	38	3	3	8	14	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.9	9	<1	<1	2	4	7	9	15
B. Operated	138	4.7	22	<1	<1	3	6	10	14	25
2. MULTIPLE DX										
A. Not Operated	62	6.5	40	<1	1	5	8	13	21	33
B. Operated	170	9.6	81	1	2	7	12	22	28	4,
1. SINGLE DX	203	4.1	18	<1	<1	2	6	9	13	23
2. MULTIPLE DX	232	8.8	72	1	1	6	11	21	27	37
A. NOT OPERATED	127	4.7	27	<1	<1	3	6	11	14	27
B. OPERATED	308	7.4	60	<1	1	5	9	18	25	31
TOTAL 0-19 YRS	256	6.5	60	<1	<1	4	8	16	23	34
20-34	91	5.5	31	<1	1	3	7	14	18	26
35-49	31	8.1	65	<1	1	6	11	19	30	32
50-64	30	7.9	51	2	2	6	9	18	27	30
65+	27	7.8	29	1	2	7	11	16	20	21
GRAND TOTAL	**435**	**6.6**	**52**	**<1**	**1**	**4**	**8**	**16**	**22**	**31**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	406	3.3	4	<1	2	3	4	6	8	10
20-34	35	3.5	6	<1	2	3	4	7	8	11
35-49	8	3.1	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.4	1	<1	<1	1	1	3	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	237	3.6	4	1	2	3	4	6	8	11
20-34	31	4.2	9	<1	2	4	5	8	11	15
35-49	12	4.7	8	2	2	4	5	8	12	13
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.0		<1	<1	<1	1	1	1	1
B. Operated	449	3.3	4	<1	2	3	4	6	8	10
2. MULTIPLE DX										
A. Not Operated	11	1.5	1	<1	<1	1	2	3	4	4
B. Operated	281	3.7	5	1	2	3	4	6	8	12
1. SINGLE DX	455	3.3	4	<1	2	3	4	6	8	10
2. MULTIPLE DX	292	3.6	5	1	2	3	4	6	8	12
A. NOT OPERATED	17	1.4	1	<1	<1	<1	1	3	4	4
B. OPERATED	730	3.5	4	<1	2	3	4	6	8	11
TOTAL 0-19 YRS	659	3.3	4	<1	2	3	4	6	8	10
20-34	67	3.8	7	<1	2	3	5	8	9	14
35-49	20	4.1	6	2	2	3	5	6	9	13
50-64	1	5.0		5	5	5	5	5	5	5
65+										
GRAND TOTAL	**747**	**3.4**	**4**	**<1**	**2**	**3**	**4**	**6**	**8**	**11**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6		<1	<1	2	2	2	2	2
20-34	6	8.8	207	1	1	4	5	35	38	38
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	10.0	148	2	2	4	19	24	24	24
B. *Operated*										
0-19 YRS	180	6.9	27	1	1	5	11	15	17	19
20-34	62	5.4	26	<1	1	5	7	9	13	34
35-49	23	4.0	8	<1	1	3	6	8	10	11
50-64	15	5.3	20	<1	1	4	8	12	15	16
65+	6	3.7	2	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.4	1	<1	<1	2	3	4	5	5
20-34	7	4.0	10	<1	<1	3	5	9	10	10
35-49	13	6.4	37	2	2	5	7	14	22	24
50-64	7	7.1	10	4	4	7	7	13	14	14
65+	8	4.9	9	1	1	5	6	10	11	11
B. *Operated*										
0-19 YRS	121	9.1	50	<1	1	8	13	17	23	33
20-34	59	7.9	39	1	2	6	9	16	18	35
35-49	56	9.4	55	2	2	7	12	19	23	34
50-64	33	12.9	111	1	4	10	16	24	42	46
65+	13	10.8	51	<1	2	12	16	20	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.1	81	<1	1	2	4	13	30	38
B. *Operated*	286	6.2	25	1	1	5	9	14	16	19
2. MULTIPLE DX										
A. *Not Operated*	57	4.4	15	<1	1	4	5	9	12	23
B. *Operated*	282	9.4	57	1	2	7	13	18	23	37
1. SINGLE DX	307	6.1	29	1	1	5	8	14	16	22
2. MULTIPLE DX	339	8.6	53	1	2	6	12	17	23	36
A. NOT OPERATED	78	4.6	32	<1	1	3	5	9	13	34
B. OPERATED	568	7.8	44	1	1	6	11	16	19	34
TOTAL 0-19 YRS	330	7.3	37	<1	1	5	11	15	18	28
20-34	134	6.6	39	<1	1	5	7	15	17	37
35-49	95	7.5	45	1	2	6	10	17	22	34
50-64	57	9.8	83	1	1	7	14	20	26	46
65+	30	7.7	44	1	1	5	12	18	23	24
GRAND TOTAL	**646**	**7.4**	**43**	**1**	**1**	**6**	**10**	**16**	**19**	**34**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.2	89	<1	<1	1	2	17	31	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	158	4.0	5	2	2	3	5	8	9	11
20-34	16	3.6	3	1	2	3	5	6	6	6
35-49	10	4.1	2	1	2	4	5	6	6	6
50-64	3	6.3	2	5	5	6	7	8	8	8
65+	4	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.0	103	<1	<1	6	20	24	25	25
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	75	5.7	27	2	2	4	6	10	19	30
20-34	37	4.2	4	1	2	4	5	7	8	9
35-49	13	5.3	8	2	2	5	7	10	11	11
50-64	17	3.8	8	2	2	3	4	7	11	13
65+	13	3.9	14	2	2	3	4	7	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.2	89	<1	<1	1	2	17	31	31
B. *Operated*	191	4.0	5	1	2	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	8	8.9	99	<1	<1	4	17	24	25	25
B. *Operated*	155	5.0	17	2	2	4	5	9	11	23
1. SINGLE DX	201	4.0	9	1	2	3	5	8	9	11
2. MULTIPLE DX	163	5.2	21	2	2	4	6	9	14	25
A. NOT OPERATED	18	6.3	93	<1	<1	1	6	24	29	31
B. OPERATED	346	4.4	11	2	2	4	5	8	10	21
TOTAL 0-19 YRS	250	4.7	19	1	2	3	5	9	10	25
20-34	54	3.9	3	1	2	4	5	6	8	9
35-49	23	4.8	6	2	2	4	6	8	10	11
50-64	20	4.2	8	2	2	3	5	7	10	13
65+	17	3.8	11	1	2	3	4	6	12	16
GRAND TOTAL	**364**	**4.5**	**15**	**1**	**2**	**3**	**5**	**8**	**10**	**23**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	4.5	29	1	1	2	6	10	15	31
20-34	17	3.9	12	<1	1	3	6	8	12	14
35-49	10	4.7	2	3	3	5	5	7	7	7
50-64	10	4.6	15	1	1	4	5	11	13	13
65+	7	12.1	80	1	2	14	19	24	25	25
B. *Operated*										
0-19 YRS	336	5.0	21	1	2	3	6	11	14	25
20-34	196	4.7	56	1	1	3	5	8	12	30
35-49	57	6.3	166	1	1	4	6	13	14	92
50-64	42	4.8	12	1	2	4	6	8	11	21
65+	12	9.0	86	3	3	5	10	22	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	6.9	49	<1	1	5	10	16	19	76
20-34	19	7.7	85	<1	1	4	10	21	32	36
35-49	21	9.9	51	1	2	9	12	18	25	33
50-64	18	7.6	28	1	1	6	11	16	18	18
65+	18	16.9	255	2	4	10	20	49	54	54
B. *Operated*										
0-19 YRS	187	8.3	73	1	2	6	10	18	25	57
20-34	107	8.9	130	1	2	4	10	22	38	84
35-49	56	10.8	108	2	2	7	16	24	32	53
50-64	35	12.1	66	2	3	11	17	25	29	30
65+	18	13.6	267	1	2	8	16	56	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	4.9	28	1	1	3	7	13	15	29
B. *Operated*	643	5.1	45	1	2	3	6	10	14	33
2. MULTIPLE DX										
A. *Not Operated*	172	8.5	80	1	1	6	11	18	24	54
B. *Operated*	403	9.4	102	1	2	6	12	21	31	67
1. SINGLE DX	757	5.1	43	1	1	3	6	10	14	32
2. MULTIPLE DX	575	9.1	95	1	2	6	11	20	30	61
A. NOT OPERATED	286	7.0	62	1	1	5	9	16	20	52
B. OPERATED	1046	6.8	72	1	2	4	8	15	21	54
TOTAL 0-19 YRS	689	6.1	42	1	1	4	8	13	18	44
20-34	339	6.2	82	1	1	3	6	13	22	51
35-49	144	8.5	119	1	2	5	10	17	25	57
50-64	105	7.7	43	1	2	5	10	17	21	29
65+	55	13.5	199	2	3	9	16	39	55	97
GRAND TOTAL	**1332**	**6.8**	**69**	**1**	**2**	**4**	**8**	**15**	**21**	**54**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	3.4	11	1	1	3	4	6	8	19
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.2	6	1	1	2	4	7	9	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	10.1	165	2	2	5	11	28	40	90
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	18.1	222	2	3	13	35	46	82	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	3.4	11	1	1	3	4	6	8	19
B. *Operated*	9	3.2	6	1	1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*	300	10.1	165	2	2	5	11	28	40	90
B. *Operated*	16	18.1	222	2	3	13	35	46	82	99+
1. SINGLE DX	550	3.4	11	1	1	3	4	6	8	19
2. MULTIPLE DX	316	10.5	170	2	2	6	12	32	42	99+
A. NOT OPERATED	841	5.8	76	1	1	3	5	12	22	53
B. OPERATED	25	12.8	194	1	2	8	21	40	58	99+
TOTAL 0-19 YRS	866	6.0	81	1	1	3	6	13	24	55
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**866**	**6.0**	**81**	**1**	**1**	**3**	**6**	**13**	**24**	**55**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	724	3.4	9	1	1	3	4	7	8	15
20-34	142	3.5	11	<1	1	2	5	7	10	18
35-49	64	4.0	20	<1	1	3	5	9	11	25
50-64	38	4.3	17	1	1	4	5	7	7	26
65+	53	7.0	45	1	1	5	9	15	19	38
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	7.2	23	3	3	5	11	15	15	15
35-49										
50-64	3	8.3	2	7	7	8	9	10	10	10
65+	2	31.5	113	24	24	31	39	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	926	4.3	17	1	1	3	5	8	11	19
20-34	117	5.1	71	1	1	3	6	9	13	45
35-49	95	5.8	35	1	1	5	8	11	13	38
50-64	142	6.7	69	1	2	4	9	14	18	42
65+	163	10.6	131	2	2	7	13	22	29	66
B. *Operated*										
0-19 YRS	10	8.6	27	1	2	7	12	16	17	17
20-34	6	7.7	48	1	1	5	11	19	20	20
35-49	6	13.3	104	2	2	12	14	30	32	32
50-64	12	10.4	74	2	3	7	14	22	31	33
65+	11	16.1	122	3	5	11	25	31	37	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1021	3.7	12	1	1	3	5	7	10	18
B. *Operated*	12	11.3	110	3	4	8	17	51	91	99+
2. MULTIPLE DX										
A. *Not Operated*	1443	5.4	44	1	1	4	6	10	15	30
B. *Operated*	45	11.4	79	2	3	8	16	25	32	38
1. SINGLE DX	1033	3.8	14	1	1	3	5	7	11	21
2. MULTIPLE DX	1488	5.6	46	1	1	4	6	11	16	33
A. NOT OPERATED	2464	4.7	32	1	1	3	6	9	13	28
B. OPERATED	57	11.4	84	2	3	8	16	26	36	95
TOTAL 0-19 YRS	1661	3.9	14	1	1	3	5	8	10	17
20-34	271	4.4	38	1	1	3	5	9	11	23
35-49	165	5.4	34	1	1	4	7	11	15	39
50-64	195	6.5	59	1	1	4	8	14	18	36
65+	229	10.2	117	1	2	7	12	23	29	48
GRAND TOTAL	**2521**	**4 8**	**34**	**1**	**1**	**3**	**6**	**9**	**14**	**29**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	497	3.1	6	1	1	2	4	6	7	14
20-34	35	5.4	17	1	2	4	7	11	13	21
35-49	18	7.8	24	2	3	7	8	16	19	21
50-64	22	8.5	40	2	2	6	13	19	22	24
65+	32	4.7	9	2	2	4	6	9	10	16
B. *Operated*										
0-19 YRS	4	8.3	45	3	3	7	13	17	17	17
20-34	8	6.9	60	3	3	3	8	21	24	24
35-49	6	14.8	315	3	3	8	15	46	50	50
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	2	15.5	41	11	11	15	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	518	3.9	9	1	1	3	5	7	9	13
20-34	51	4.9	17	1	2	4	6	8	17	21
35-49	32	7.6	59	2	2	6	9	15	16	43
50-64	56	6.2	18	1	2	6	8	14	15	16
65+	98	8.2	37	2	2	7	11	16	20	69
B. *Operated*										
0-19 YRS	7	15.0	163	3	3	10	22	35	38	38
20-34	15	9.6	33	3	3	8	14	17	21	22
35-49	10	8.1	50	3	3	6	9	20	25	25
50-64	12	13.6	74	3	3	14	19	26	29	30
65+	25	20.0	210	6	8	13	28	40	49	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	3.7	10	1	1	3	4	7	10	18
B. *Operated*	22	9.9	120	3	3	5	13	21	34	50
2. MULTIPLE DX										
A. *Not Operated*	755	4.9	18	1	1	4	6	10	13	21
B. *Operated*	69	14.4	136	3	3	11	20	30	38	59
1. SINGLE DX	626	3.9	15	1	1	3	4	7	11	20
2. MULTIPLE DX	824	5.7	35	1	2	4	7	11	16	36
A. NOT OPERATED	1359	4.3	15	1	1	3	5	8	12	21
B. OPERATED	91	13.3	135	3	3	9	17	28	38	58
TOTAL 0-19 YRS	1026	3.6	10	1	1	3	4	7	9	15
20-34	109	5.8	24	1	2	4	7	13	17	23
35-49	66	8.4	70	2	2	6	9	15	22	49
50-64	92	7.7	35	2	2	6	11	15	20	28
65+	157	9.4	81	2	2	7	12	20	30	61
GRAND TOTAL	**1450**	**4.9**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.9	16	<1	1	3	5	8	11	21
20-34	159	3.6	25	<1	1	2	4	7	8	21
35-49	84	4.8	29	<1	1	3	6	10	13	33
50-64	43	4.8	14	1	1	4	6	10	12	18
65+	28	6.1	22	1	1	5	8	12	17	20
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	14	4.6	7	2	2	4	7	8	10	11
35-49	18	5.4	64	1	1	3	5	9	26	36
50-64	6	7.5	71	2	2	5	7	22	24	24
65+	8	7.1	32	1	1	6	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.7	15	1	1	2	4	8	12	22
20-34	121	4.6	17	1	1	3	6	9	14	21
35-49	102	5.0	19	1	1	4	6	9	16	23
50-64	88	7.2	67	1	1	5	9	15	19	50
65+	101	7.9	56	2	2	6	11	15	20	43
B. *Operated*										
0-19 YRS	2	15.0	392	1	1	15	29	29	29	29
20-34	8	12.1	202	2	2	6	16	37	43	43
35-49	14	6.2	25	1	2	5	9	15	16	16
50-64	16	7.4	73	1	1	5	8	12	29	37
65+	6	17.8	85	8	9	18	31	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	4.2	23	1	1	3	6	8	11	20
B. *Operated*	49	5.7	38	1	2	4	7	12	14	36
2. MULTIPLE DX										
A. *Not Operated*	490	5.7	37	1	1	4	7	12	16	27
B. *Operated*	46	9.6	98	1	2	7	12	28	38	99+
1. SINGLE DX	464	4.4	25	1	1	3	6	9	12	24
2. MULTIPLE DX	536	6.0	43	1	1	4	7	13	18	37
A. NOT OPERATED	905	5.0	31	1	1	3	6	10	15	26
B. OPERATED	95	7.6	70	1	2	5	9	18	32	74
TOTAL 0-19 YRS	184	3.9	19	1	1	2	5	8	12	26
20-34	302	4.3	27	1	1	3	5	8	11	24
35-49	218	5.1	27	1	1	4	6	10	16	30
50-64	153	6.6	53	1	1	5	8	13	18	37
65+	143	8.0	53	1	2	6	11	16	21	50
GRAND TOTAL	**1000**	**5.3**	**35**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.7	1	<1	1	1	2	3	4	5
20-34	34	2.8	4	<1	1	2	4	5	7	8
35-49	44	2.9	5	1	1	2	4	6	7	11
50-64	78	3.1	4	<1	1	2	4	5	7	12
65+	116	3.5	8	<1	1	3	5	7	10	14
B. *Operated*										
0-19 YRS	20	2.1	3	<1	<1	1	2	5	6	7
20-34	16	3.6	7	1	1	3	5	7	8	9
35-49	19	4.2	3	2	2	4	6	6	7	7
50-64	25	3.5	4	1	1	3	5	6	7	8
65+	30	3.9	11	1	1	3	5	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	2.8	4	<1	1	2	4	6	7	9
20-34	28	3.6	25	1	1	3	4	5	8	28
35-49	37	3.9	7	1	1	4	5	7	8	13
50-64	96	4.8	16	1	1	4	6	8	12	23
65+	187	5.1	20	1	1	4	6	9	13	28
B. *Operated*										
0-19 YRS	4	2.8	4	1	1	3	4	5	5	5
20-34	14	4.9	11	1	1	4	7	10	11	11
35-49	20	4.5	6	1	1	4	6	8	9	10
50-64	43	6.0	41	1	2	4	7	14	20	31
65+	82	6.0	53	1	1	4	6	13	16	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	3.0	5	<1	1	2	4	6	7	12
B. *Operated*	110	3.5	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	401	4.5	16	1	1	4	6	8	11	28
B. *Operated*	163	5.7	40	1	1	4	6	12	16	30
1. SINGLE DX	432	3.1	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	564	4.9	23	1	1	4	6	9	13	28
A. NOT OPERATED	723	3.8	12	1	1	3	5	7	9	17
B. OPERATED	273	4.8	27	1	1	3	5	10	13	24
TOTAL 0-19 YRS	127	2.3	3	<1	1	2	3	5	6	8
20-34	92	3.5	12	1	1	3	4	7	9	21
35-49	120	3.7	6	1	1	3	5	7	8	12
50-64	242	4.3	17	1	1	3	5	8	12	24
65+	415	4.8	23	1	1	4	6	9	13	25
GRAND TOTAL	**996**	**4.1**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.8	19	<1	1	3	4	7	14	22
20-34	28	3.6	7	<1	1	3	5	7	8	12
35-49	9	2.2	1	1	1	2	3	4	4	4
50-64	11	5.0	11	1	1	4	8	10	10	10
65+	16	4.6	24	<1	<1	3	6	10	17	20
B. Operated										
0-19 YRS	48	2.1	2	<1	<1	2	2	3	5	9
20-34	54	3.2	10	1	1	2	3	6	9	20
35-49	28	4.6	16	<1	<1	3	6	9	12	19
50-64	18	2.6	3	<1	<1	2	3	5	7	8
65+	12	3.8	8	2	2	3	4	7	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	4.2	6	1	2	4	5	8	10	11
20-34	35	5.5	26	1	1	3	7	14	18	20
35-49	25	6.6	41	1	1	4	10	18	20	24
50-64	36	7.7	48	2	2	6	10	14	20	38
65+	51	6.8	48	1	1	4	9	15	21	37
B. Operated										
0-19 YRS	9	4.9	23	2	2	3	5	13	17	17
20-34	21	3.6	11	<1	1	3	4	6	11	16
35-49	16	5.6	16	1	2	4	8	13	14	14
50-64	24	8.2	180	<1	1	4	7	17	34	66
65+	24	14.1	504	2	3	6	14	41	55	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	3.9	13	<1	1	3	5	8	10	21
B. Operated	160	3.1	9	<1	<1	2	3	6	9	18
2. MULTIPLE DX										
A. Not Operated	169	6.4	37	1	1	4	8	14	19	35
B. Operated	94	7.9	147	1	1	4	8	16	29	72
1. SINGLE DX	246	3.4	10	<1	1	2	4	7	9	20
2. MULTIPLE DX	263	6.9	77	1	1	4	8	14	20	45
A. NOT OPERATED	255	5.5	31	1	1	4	7	12	18	24
B. OPERATED	254	4.9	65	<1	1	3	5	9	15	46
TOTAL 0-19 YRS	101	3.2	9	<1	1	2	4	6	8	19
20-34	138	3.9	14	1	1	3	5	7	13	20
35-49	78	5.2	24	<1	1	3	7	13	16	23
50-64	89	6.5	73	1	1	4	7	13	17	55
65+	103	7.8	114	1	2	4	9	17	26	61
GRAND TOTAL	**509**	**5.2**	**48**	**1**	**1**	**3**	**6**	**12**	**17**	**37**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	11.0	98	4	4	11	18	18	18	18
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	9	15.6	251	1	3	9	19	43	44	44
B. Operated										
0-19 YRS	6	9.7	41	1	1	10	13	18	19	19
20-34	4	12.0	150	<1	<1	9	21	28	28	28
35-49	3	6.3	20	2	2	6	10	11	11	11
50-64	8	14.4	156	2	2	11	21	35	38	38
65+	16	18.8	257	2	4	17	23	36	56	67
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	12.0	223	1	1	6	23	29	29	29
65+	27	17.3	417	2	3	10	20	46	63	95
B. Operated										
0-19 YRS	3	8.3	32	2	2	10	12	13	13	13
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	17	17.4	251	1	3	13	24	44	49	51
50-64	29	33.0	494	7	8	29	48	67	71	84
65+	97	29.0	435	6	9	25	42	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	14.1	195	1	3	9	14	43	44	44
B. Operated	37	14.6	175	1	2	12	20	28	38	67
2. MULTIPLE DX										
A. Not Operated	33	15.6	369	1	3	9	19	33	56	95
B. Operated	148	27.7	439	4	7	22	41	70	99	99+
1. SINGLE DX	49	14.5	177	1	2	11	19	33	42	67
2. MULTIPLE DX	181	25.5	446	3	5	20	39	67	95	99+
A. NOT OPERATED	45	15.2	319	1	3	9	19	42	52	95
B. OPERATED	185	25.1	413	2	5	20	38	67	86	99+
TOTAL 0-19 YRS	10	8.7	33	1	1	10	13	16	19	19
20-34	9	9.3	85	<1	1	4	16	24	28	28
35-49	21	15.2	225	1	3	10	20	43	47	51
50-64	41	27.2	470	2	6	21	39	64	68	84
65+	149	25.0	426	4	6	20	37	69	99	99+
GRAND TOTAL	**230**	**23.2**	**409**	**2**	**4**	**18**	**35**	**59**	**86**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.8	4	1	1	2	3	5	7	10
20-34	197	3.0	5	<1	1	2	4	6	7	10
35-49	531	3.3	7	1	1	3	4	6	8	12
50-64	513	3.7	7	1	1	3	5	7	9	13
65+	303	4.9	20	1	1	3	6	10	13	20
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	11	3.5	4	1	1	3	4	7	7	7
35-49	104	3.1	7	1	1	2	4	6	8	15
50-64	122	3.6	18	1	1	2	4	8	9	25
65+	20	5.1	21	1	1	3	7	10	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.9	4	1	1	2	4	6	7	9
20-34	187	3.6	9	1	1	3	5	6	9	16
35-49	567	4.3	13	1	1	3	6	9	10	19
50-64	909	5.3	29	1	2	4	6	10	12	26
65+	948	6.5	29	1	2	5	8	13	16	30
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	36	6.1	14	1	2	6	9	10	13	17
35-49	155	5.9	33	1	2	4	8	12	15	35
50-64	261	6.0	36	1	2	4	7	15	18	37
65+	78	9.8	58	2	2	8	13	22	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1596	3.7	10	1	1	3	5	7	9	15
B. *Operated*	259	3.5	13	1	1	2	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	2647	5.4	25	1	1	4	7	10	14	25
B. *Operated*	532	6.5	39	1	2	4	8	15	19	35
1. SINGLE DX	1855	3.6	10	1	1	3	4	7	9	15
2. MULTIPLE DX	3179	5.5	27	1	1	4	7	11	15	27
A. NOT OPERATED	4243	4.7	20	1	1	3	6	9	12	21
B. OPERATED	791	5.5	32	1	1	3	7	12	16	31
TOTAL 0-19 YRS	92	2.9	4	1	1	2	4	6	7	10
20-34	431	3.5	8	1	1	3	4	7	9	14
35-49	1357	4.0	13	1	1	3	5	8	10	18
50-64	1805	4.8	24	1	1	3	6	9	12	25
65+	1349	6.3	29	1	2	5	8	13	16	29
GRAND TOTAL	**5034**	**4.8**	**22**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	3.7	8	<1	1	3	5	7	8	16
20-34	19	2.2	2	<1	<1	2	3	4	5	6
35-49	21	4.0	6	1	1	3	6	7	9	11
50-64	40	4.5	12	<1	1	3	7	10	11	13
65+	68	6.3	81	1	1	4	8	11	14	62
B. *Operated*										
0-19 YRS	5	3.2	15	<1	<1	1	5	10	10	10
20-34	8	3.5	30	1	1	2	2	13	17	17
35-49	7	4.4	13	2	2	4	5	11	12	12
50-64	29	4.4	16	1	1	3	6	9	11	19
65+	19	5.8	17	1	2	4	9	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	5.4	27	1	1	4	7	13	17	25
20-34	31	4.4	34	<1	<1	2	5	9	22	25
35-49	41	4.5	9	1	1	4	6	8	11	14
50-64	85	6.9	50	1	2	5	8	13	19	40
65+	186	8.5	132	1	2	6	9	16	27	63
B. *Operated*										
0-19 YRS	8	6.9	33	2	2	4	11	16	17	17
20-34	12	8.3	57	<1	1	7	11	20	25	26
35-49	22	7.9	20	2	3	7	12	13	16	19
50-64	60	7.8	33	2	2	7	11	14	20	29
65+	51	12.1	74	2	4	10	17	23	38	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	4.3	25	1	1	3	6	8	11	18
B. *Operated*	68	4.6	17	1	1	3	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	481	6.7	73	1	1	5	8	13	19	49
B. *Operated*	153	9.2	49	2	2	8	12	18	23	42
1. SINGLE DX	389	4.3	23	1	1	3	6	9	11	18
2. MULTIPLE DX	634	7.3	68	1	1	5	9	15	21	45
A. NOT OPERATED	802	5.7	55	1	1	4	7	11	16	36
B. OPERATED	221	7.8	44	1	2	6	11	17	21	41
TOTAL 0-19 YRS	324	4.5	18	1	1	3	6	9	14	22
20-34	70	4.3	32	<1	<1	2	4	10	18	26
35-49	91	5.2	13	1	1	4	6	11	12	17
50-64	214	6.3	35	1	1	5	8	12	18	32
65+	324	8.4	108	1	2	6	9	16	24	66
GRAND TOTAL	**1023**	**6.2**	**53**	**1**	**1**	**4**	**8**	**12**	**18**	**40**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.8	4	<1	1	2	4	6	7	8
20-34	257	2.3	3	<1	1	2	3	4	6	10
35-49	263	2.3	2	<1	1	2	3	4	6	7
50-64	199	2.6	5	1	1	2	3	5	7	10
65+	123	4.1	15	1	1	3	5	7	14	22
B. Operated										
0-19 YRS	54	2.3	3	<1	1	1	3	5	7	7
20-34	59	4.5	11	<1	1	4	6	10	11	14
35-49	57	5.8	21	<1	1	5	8	13	16	19
50-64	37	5.4	18	1	1	4	7	11	14	21
65+	45	6.0	26	1	1	5	7	11	14	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	4.5	14	1	1	3	6	8	11	23
20-34	128	3.5	12	1	1	3	5	6	9	19
35-49	104	4.0	26	1	1	2	4	8	13	31
50-64	116	5.6	48	1	1	4	6	9	17	43
65+	238	8.4	129	1	1	5	8	22	32	99+
B. Operated										
0-19 YRS	40	3.2	15	<1	1	2	3	6	11	21
20-34	41	6.0	15	<1	1	5	8	12	13	17
35-49	55	9.6	210	<1	1	6	9	17	49	76
50-64	51	7.6	41	<1	1	6	10	17	20	31
65+	130	12.4	148	2	2	9	15	26	37	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	912	2.7	5	<1	1	2	3	5	7	12
B. Operated	252	4.7	17	<1	1	4	6	10	13	19
2. MULTIPLE DX										
A. Not Operated	633	5.9	69	1	1	3	6	12	22	94
B. Operated	317	9.1	417	<1	1	6	11	19	28	97
1. SINGLE DX	1164	3.1	9	<1	1	2	4	6	9	16
2. MULTIPLE DX	950	7.0	87	1	1	4	8	15	24	55
A. NOT OPERATED	1545	4.0	34	1	1	2	4	7	11	33
B. OPERATED	569	7.2	77	<1	1	5	9	15	21	90
TOTAL 0-19 YRS	211	3.1	9	<1	1	2	4	6	8	17
20-34	485	3.2	9	<1	1	2	4	6	9	14
35-49	479	3.9	39	<1	1	2	4	8	11	29
50-64	403	4.4	26	1	1	3	5	9	13	29
65+	536	8.2	107	1	1	5	9	19	28	68
GRAND TOTAL	**2114**	**4.8**	**48**	**1**	**1**	**3**	**6**	**10**	**15**	**39**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1912	2.5	4	1	1	2	3	5	7	10
20-34	1490	2.9	7	<1	1	2	4	6	8	15
35-49	677	3.5	8	1	1	3	4	7	9	15
50-64	375	4.1	11	1	1	3	6	8	10	17
65+	356	5.3	20	1	1	4	7	11	14	21
B. Operated										
0-19 YRS	206	4.0	6	1	1	3	5	8	10	12
20-34	334	4.4	18	<1	1	3	5	9	12	24
35-49	97	5.3	24	<1	1	5	7	9	12	29
50-64	56	6.4	26	1	2	5	9	15	16	25
65+	25	6.7	36	<1	<1	6	9	17	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	876	3.2	8	1	1	2	4	6	9	14
20-34	1138	3.9	15	1	1	3	5	8	10	18
35-49	534	5.2	21	1	1	4	7	10	13	20
50-64	510	6.3	30	1	2	5	8	12	16	27
65+	831	7.8	42	1	2	6	10	15	20	35
B. Operated										
0-19 YRS	105	5.8	30	1	2	4	6	11	16	32
20-34	273	6.9	60	1	1	5	8	14	19	40
35-49	117	8.7	43	2	2	7	12	18	21	32
50-64	108	10.7	39	3	4	9	13	20	26	60
65+	120	13.1	109	2	4	10	16	25	39	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4810	3.1	8	1	1	2	4	6	8	15
B. Operated	718	4.6	17	<1	1	4	6	9	12	22
2. MULTIPLE DX										
A. Not Operated	3889	5.1	25	1	1	4	7	10	14	24
B. Operated	723	8.6	64	1	2	7	11	18	24	43
1. SINGLE DX	5528	3.3	9	<1	1	2	4	7	9	15
2. MULTIPLE DX	4612	5.6	33	1	1	4	7	12	16	28
A. NOT OPERATED	8699	4.0	16	1	1	3	5	8	11	20
B. OPERATED	1441	6.6	45	1	1	5	8	14	19	37
TOTAL 0-19 YRS	3099	2.9	7	1	1	2	4	6	8	13
20-34	3235	3.7	17	<1	1	3	5	7	10	19
35-49	1425	4.7	19	1	1	4	6	10	12	20
50-64	1049	6.0	27	1	1	5	8	12	16	26
65+	1332	7.8	46	1	2	6	10	15	21	40
GRAND TOTAL	**10140**	**4.4**	**21**	**1**	**1**	**3**	**5**	**9**	**13**	**23**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	3.9	12	1	1	3	5	8	11	17
20-34	53	3.6	12	<1	1	3	5	7	9	20
35-49	33	2.9	4	<1	<1	3	4	5	6	10
50-64	30	4.1	11	1	1	3	6	10	11	12
65+	46	6.0	41	<1	1	4	7	13	20	30
B. *Operated*										
0-19 YRS	4	3.5	14	1	1	2	6	9	9	9
20-34	21	7.7	201	<1	1	4	8	11	37	68
35-49	16	4.4	21	<1	<1	4	5	7	16	20
50-64	10	5.8	27	<1	1	4	7	15	15	15
65+	10	7.3	29	<1	<1	7	11	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	4.7	24	1	1	3	6	10	13	26
20-34	73	4.0	24	1	1	2	4	10	13	30
35-49	56	5.1	37	1	1	4	6	11	13	40
50-64	132	5.8	22	1	1	5	8	12	16	22
65+	249	8.9	57	1	2	7	12	18	24	36
B. *Operated*										
0-19 YRS	13	8.4	50	1	2	9	12	17	23	25
20-34	26	13.1	352	<1	2	9	13	24	44	98
35-49	18	11.8	452	1	1	5	13	17	63	94
50-64	28	11.0	147	2	2	6	15	32	37	50
65+	52	15.8	141	1	3	13	21	34	42	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	4.0	15	<1	1	3	5	9	12	19
B. *Operated*	61	6.2	84	<1	<1	4	7	12	16	63
2. MULTIPLE DX										
A. *Not Operated*	752	6.3	39	1	1	5	8	13	18	29
B. *Operated*	137	13.1	214	1	2	9	17	27	38	95
1. SINGLE DX	442	4.3	25	<1	1	3	5	9	12	21
2. MULTIPLE DX	889	7.3	72	1	1	5	9	15	22	41
A. NOT OPERATED	1133	5.5	32	1	1	4	7	12	15	28
B. OPERATED	198	11.0	183	<1	1	7	14	23	35	81
TOTAL 0-19 YRS	478	4.4	20	1	1	3	6	9	12	25
20-34	173	5.7	100	1	1	3	6	11	15	60
35-49	123	5.4	91	<1	<1	3	6	10	15	56
50-64	200	6.3	41	1	1	4	8	14	17	35
65+	357	9.5	74	1	2	7	13	19	25	47
GRAND TOTAL	**1331**	**6.3**	**58**	**1**	**1**	**4**	**8**	**14**	**18**	**36**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	976	4.6	25	1	1	3	6	9	13	24
20-34	264	4.0	13	1	1	3	5	8	10	19
35-49	245	4.2	13	1	1	3	6	9	11	17
50-64	285	4.8	18	1	1	3	6	10	14	24
65+	608	7.0	63	1	1	5	9	15	20	73
B. *Operated*										
0-19 YRS	37	3.6	10	<1	<1	2	5	8	9	17
20-34	101	3.5	8	<1	<1	3	4	8	9	14
35-49	84	3.9	16	<1	<1	2	5	10	11	21
50-64	56	6.1	49	1	1	3	7	13	24	37
65+	51	7.1	44	1	1	4	9	18	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	701	6.4	39	1	1	4	8	14	19	31
20-34	305	4.4	26	1	1	3	5	9	11	25
35-49	332	6.3	69	1	1	4	7	14	19	57
50-64	612	6.5	60	1	1	5	8	13	17	34
65+	1773	9.9	126	1	2	7	12	22	34	99+
B. *Operated*										
0-19 YRS	47	12.9	265	1	1	7	16	39	50	82
20-34	81	6.6	61	1	1	4	7	14	23	43
35-49	84	8.0	63	1	2	5	10	19	22	41
50-64	122	11.0	188	1	2	7	14	23	32	88
65+	188	16.8	258	2	3	13	22	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2378	5.1	33	1	1	3	6	11	15	29
B. *Operated*	329	4.6	25	<1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	3723	7.9	90	1	1	5	10	17	25	67
B. *Operated*	522	12.1	195	1	2	8	16	26	45	89
1. SINGLE DX	2707	5.1	32	1	1	3	6	11	15	28
2. MULTIPLE DX	4245	8.4	104	1	2	5	10	18	28	75
A. NOT OPERATED	6101	6.8	69	1	1	4	8	14	21	55
B. OPERATED	851	9.2	142	1	1	5	11	22	30	80
TOTAL 0-19 YRS	1761	5.5	39	1	1	4	7	11	17	33
20-34	751	4.4	23	1	1	3	6	9	12	25
35-49	745	5.6	46	1	1	4	7	11	16	30
50-64	1075	6.6	66	1	1	4	8	13	18	37
65+	2620	9.7	125	1	2	6	12	21	33	99+
GRAND TOTAL	**6952**	**7.1**	**79**	**1**	**1**	**5**	**9**	**15**	**22**	**57**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.2	4	1	1	2	3	4	5	8
20-34	12	3.3	14	<1	<1	2	3	10	13	13
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	3.3	6	1	1	3	5	6	6	6
65+	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	21	7.0	15	2	2	7	8	11	15	19
20-34	8	7.3	11	3	3	7	9	12	13	13
35-49	3	7.0	1	6	6	7	8	8	8	8
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.7	13	1	1	3	5	7	9	23
20-34	23	4.3	11	1	1	4	6	7	11	16
35-49	14	6.2	36	1	1	4	8	17	19	20
50-64	12	8.2	169	1	1	3	7	26	44	47
65+	10	13.2	128	1	1	11	19	29	39	39
B. *Operated*										
0-19 YRS	35	12.0	250	1	1	6	14	47	60	99+
20-34	25	15.5	202	2	3	11	18	30	43	72
35-49	10	22.5	340	2	4	23	50	99+	99+	99+
50-64	10	21.6	192	5	6	24	37	67	97	99+
65+	6	5.0	16	1	1	4	6	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	2.3	4	1	1	2	3	4	6	12
B. *Operated*	34	7.2	13	2	3	7	9	12	13	19
2. MULTIPLE DX										
A. *Not Operated*	137	5.2	42	1	1	4	5	10	17	40
B. *Operated*	86	14.9	237	1	2	9	24	48	72	99+
1. SINGLE DX	212	3.1	9	1	1	2	4	7	9	15
2. MULTIPLE DX	223	8.9	139	1	1	5	10	27	45	99+
A. NOT OPERATED	315	3.5	23	1	1	2	4	7	10	23
B. OPERATED	120	12.7	185	1	2	8	17	39	56	99+
TOTAL 0-19 YRS	291	4.1	46	1	1	2	5	7	10	51
20-34	68	8.6	109	1	1	6	10	18	25	65
35-49	29	11.6	192	1	2	7	18	50	97	99+
50-64	26	13.0	196	1	2	7	22	44	55	99+
65+	21	8.3	86	<1	1	5	12	19	29	39
GRAND TOTAL	**435**	**6.1**	**84**	**1**	**1**	**3**	**6**	**16**	**27**	**75**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.6	4	1	1	2	3	6	7	9
20-34	22	3.8	9	1	1	3	6	7	10	13
35-49	6	3.2	3	2	2	3	4	6	6	6
50-64	4	4.5	11	2	2	4	7	9	9	9
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	7.7	17	3	3	9	10	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	6.1	31	1	1	4	11	12	15	29
20-34	40	7.1	29	<1	1	6	10	14	18	24
35-49	20	5.4	13	<1	1	5	6	10	13	16
50-64	19	9.2	188	1	1	6	9	16	43	63
65+	16	16.1	181	1	2	11	24	37	43	45
B. *Operated*										
0-19 YRS	19	14.2	138	4	4	11	15	36	43	45
20-34	41	16.3	368	1	2	12	20	59	95	99+
35-49	14	11.9	186	1	2	5	16	39	41	42
50-64	5	15.0	45	8	8	14	18	26	26	26
65+	8	15.9	119	3	4	23	29	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.0	5	1	1	2	4	6	7	11
B. *Operated*	11	4.5	9	2	2	3	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	141	7.8	74	1	1	5	11	15	23	47
B. *Operated*	87	15.0	243	1	2	12	21	43	92	99+
1. SINGLE DX	129	3.1	6	1	1	2	4	6	8	11
2. MULTIPLE DX	228	10.6	149	1	2	7	13	26	42	99+
A. NOT OPERATED	259	5.6	48	1	1	4	7	12	16	38
B. OPERATED	98	13.8	227	1	2	11	18	42	77	99+
TOTAL 0-19 YRS	152	5.1	42	1	1	3	6	11	15	41
20-34	107	9.8	179	1	1	6	12	21	47	99+
35-49	41	7.2	79	1	2	4	6	16	30	42
50-64	31	9.4	130	1	2	8	11	16	26	63
65+	26	15.2	150	2	3	11	27	43	99+	99+
GRAND TOTAL	**357**	**7.9**	**110**	**1**	**1**	**5**	**10**	**18**	**29**	**99**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.7	1	<1	<1	1	2	4	4	5
20-34	59	2.2	4	<1	<1	1	3	5	6	11
35-49	14	2.1	2	<1	<1	2	3	4	5	5
50-64	6	4.2	13	1	1	3	5	10	11	11
65+	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	303	2.2	3	<1	<1	2	3	4	5	8
20-34	503	2.5	2	<1	1	2	3	4	5	9
35-49	110	3.1	7	1	1	2	4	6	9	14
50-64	32	3.3	10	1	1	2	4	7	9	17
65+	8	2.6	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.4	4	<1	1	2	3	5	6	11
20-34	71	3.4	17	<1	<1	2	4	7	9	25
35-49	25	2.7	7	<1	<1	2	3	7	9	12
50-64	19	5.3	36	1	1	3	6	14	21	24
65+	26	9.3	135	1	1	4	10	23	31	53
B. *Operated*										
0-19 YRS	179	4.2	19	1	1	3	5	8	12	24
20-34	352	5.6	63	1	1	4	6	10	15	57
35-49	131	5.8	30	1	1	4	7	11	16	27
50-64	42	6.3	30	1	1	5	9	12	16	28
65+	19	13.7	450	1	1	7	15	38	71	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	2.2	3	<1	<1	1	3	5	5	11
B. *Operated*	956	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	182	4.1	36	<1	1	2	4	8	16	26
B. *Operated*	723	5.5	56	1	1	4	6	10	16	45
1. SINGLE DX	1066	2.4	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	905	5.2	52	1	1	3	6	10	16	43
A. NOT OPERATED	292	3.4	25	<1	<1	2	4	6	11	25
B. OPERATED	1679	3.8	28	<1	1	2	4	7	10	26
TOTAL 0-19 YRS	550	2.8	9	<1	1	2	3	5	7	17
20-34	985	3.6	27	<1	1	2	4	6	9	28
35-49	280	4.3	19	<1	1	3	5	9	12	21
50-64	99	5.0	25	1	1	3	7	11	16	26
65+	57	9.3	222	1	1	4	9	22	42	85
GRAND TOTAL	**1971**	**3.7**	**28**	**<1**	**1**	**2**	**4**	**7**	**10**	**26**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	6.3	54	1	1	4	6	15	21	38
20-34	161	6.3	37	1	1	5	8	13	16	39
35-49	72	6.4	22	1	2	5	9	13	15	21
50-64	58	11.1	115	2	3	8	14	20	28	68
65+	77	11.1	52	2	4	10	14	23	28	81
B. *Operated*										
0-19 YRS	8	16.5	67	5	6	18	24	25	25	25
20-34	22	15.5	149	3	4	11	20	35	43	47
35-49	6	9.8	16	6	6	9	11	16	17	17
50-64	2	10.5	113	3	3	10	18	18	18	18
65+	2	44.5	2245	11	11	44	78	78	78	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	6.9	52	1	2	5	8	12	19	44
20-34	142	8.1	89	1	2	6	10	14	19	65
35-49	73	8.7	44	1	2	7	12	17	24	32
50-64	97	11.2	67	2	3	9	16	23	27	38
65+	214	18.8	198	4	6	15	24	37	50	99+
B. *Operated*										
0-19 YRS	17	21.3	497	2	3	15	24	53	73	84
20-34	61	16.6	342	2	3	12	18	39	64	96
35-49	22	23.0	444	2	4	16	26	56	70	83
50-64	10	14.1	58	3	4	12	19	26	27	27
65+	26	18.2	209	3	3	12	33	43	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	7.8	55	1	2	6	11	16	21	40
B. *Operated*	40	16.1	204	3	4	11	20	30	44	78
2. MULTIPLE DX										
A. *Not Operated*	581	12.5	140	2	3	9	16	27	35	72
B. *Operated*	136	18.3	330	2	3	12	22	45	62	99
1. SINGLE DX	484	8.5	72	1	2	6	11	18	24	42
2. MULTIPLE DX	717	13.6	181	2	3	10	17	30	42	83
A. NOT OPERATED	1025	10.5	109	1	2	7	13	23	30	66
B. OPERATED	176	17.8	301	3	3	12	22	43	59	95
TOTAL 0-19 YRS	156	8.7	123	1	1	5	10	20	29	53
20-34	386	9.1	124	1	2	6	11	17	25	65
35-49	173	9.6	110	1	2	7	12	18	26	59
50-64	167	11.3	83	2	3	9	15	23	27	40
65+	319	17.0	184	3	5	13	23	34	45	99+
GRAND TOTAL	**1201**	**11.5**	**143**	**1**	**2**	**8**	**15**	**25**	**34**	**72**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	9	5.2	14	1	2	4	6	11	14	14
35-49	3	5.3	16	1	1	6	9	9	9	9
50-64	4	9.5	43	<1	<1	10	14	16	16	16
65+	2	32.0	1152	8	8	32	56	56	56	56
B. Operated										
0-19 YRS										
20-34	6	45.0	1233	4	5	43	81	83	83	83
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	8	20.3	766	2	2	16	86	99+	99+	99+
35-49	3	12.3	112	<1	<1	14	70	22	22	22
50-64	4	25.0	360	9	9	20	39	51	51	51
65+	9	22.2	314	4	5	20	42	77	99+	99+
B. Operated										
0-19 YRS	7	47.3	1446	7	12	90	99+	99+	99+	99+
20-34	12	33.6	365	11	15	32	61	99+	99+	99+
35-49	5	34.8	1172	7	7	37	86	99	99+	99+
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	7.4	126	<1	1	4	8	14	28	56
B. Operated	7	40.4	1174	4	6	23	77	83	83	83
2. MULTIPLE DX										
A. Not Operated	26	20.7	384	2	3	14	33	94	99+	99+
B. Operated	24	37.8	794	7	9	44	95	99+	99+	99+
1. SINGLE DX	31	14.8	528	1	1	6	14	59	80	83
2. MULTIPLE DX	50	28.9	644	3	7	26	73	99+	99+	99+
A. NOT OPERATED	50	14.3	300	1	1	9	22	55	98	99+
B. OPERATED	31	38.4	645	7	8	39	86	99+	99+	99+
TOTAL 0-19 YRS	15	25.5	1107	1	1	20	95	99+	99+	99+
20-34	35	25.2	666	2	3	20	57	94	99+	99+
35-49	12	20.0	629	<1	1	13	30	89	98	99+
50-64	8	17.3	241	<1	2	13	21	44	51	51
65+	11	24.0	382	4	6	20	48	69	96	99+
GRAND TOTAL	**81**	**23.5**	**640**	**1**	**2**	**16**	**52**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.0	4	1	1	2	5	6	7	7
20-34	35	2.9	4	1	1	2	4	6	7	7
35-49	46	3.5	6	1	1	3	5	7	9	10
50-64	32	4.0	5	1	2	3	6	7	8	9
65+	66	7.0	38	1	2	5	9	15	20	31
B. Operated										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	5.2	46	<1	1	3	5	11	17	35
20-34	96	5.3	25	1	1	4	7	11	15	26
35-49	110	5.7	27	1	1	4	7	11	14	27
50-64	144	7.7	42	2	2	6	10	15	26	30
65+	262	11.7	108	2	3	9	15	24	33	54
B. Operated										
0-19 YRS	6	7.3	64	<1	<1	5	7	21	23	23
20-34	36	9.9	70	3	3	7	12	19	29	41
35-49	37	9.7	65	3	4	6	12	19	25	34
50-64	38	15.3	251	2	3	12	18	28	51	83
65+	31	20.4	424	3	5	13	26	72	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	4.6	19	1	1	3	6	9	12	25
B. Operated	3	5.7	17	1	1	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	638	8.6	72	1	2	5	10	18	27	43
B. Operated	148	13.3	199	3	3	9	16	28	51	99+
1. SINGLE DX	195	4.6	19	1	1	3	6	9	12	25
2. MULTIPLE DX	786	9.5	99	1	2	7	12	19	29	59
A. NOT OPERATED	830	7.7	62	1	2	5	9	15	24	41
B. OPERATED	151	13.2	196	2	3	9	15	28	51	99
TOTAL 0-19 YRS	45	4.6	36	<1	1	3	5	7	15	35
20-34	168	5.8	35	1	1	4	7	13	17	32
35-49	194	5.9	29	1	1	4	6	12	17	31
50-64	215	8.5	94	2	2	6	10	15	27	47
65+	359	11.6	132	2	3	8	14	24	39	70
GRAND TOTAL	**981**	**8.5**	**87**	**1**	**2**	**6**	**10**	**18**	**27**	**53**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	8.4	68	1	2	6	11	20	28	36
20-34	34	10.0	103	2	3	7	10	19	33	54
35-49	16	12.3	67	<1	1	14	19	22	24	25
50-64	27	15.2	85	4	5	14	20	26	32	41
65+	87	18.2	154	3	5	14	27	33	45	52
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	2	16.5	85	10	10	16	23	23	23	23
35-49										
50-64	1	28.0		28	28	28	28	28	28	28
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	9.0	61	2	2	7	12	24	33	99+
20-34	52	13.3	155	2	5	9	15	27	35	68
35-49	42	14.4	180	2	3	8	20	35	47	54
50-64	44	18.0	237	3	4	14	26	43	63	99+
65+	189	24.0	284	6	8	20	31	51	58	95
B. *Operated*										
0-19 YRS	14	25.1	397	3	4	15	48	55	56	56
20-34	31	25.0	489	3	5	20	35	73	84	99+
35-49	15	34.8	331	16	18	24	55	59	62	63
50-64	15	36.2	423	11	17	30	49	62	83	90
65+	22	36.8	648	5	12	32	62	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	14.2	129	2	3	10	20	30	38	51
B. *Operated*	5	14.2	116	3	3	10	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	360	19.2	255	3	5	14	27	44	56	98
B. *Operated*	97	30.9	489	4	6	24	49	65	87	99+
1. SINGLE DX	203	14.2	128	2	3	10	21	29	37	51
2. MULTIPLE DX	457	21.7	326	3	5	16	30	51	62	99+
A. NOT OPERATED	558	17.4	215	3	4	13	24	39	51	85
B. OPERATED	102	30.1	483	4	6	24	48	64	85	99+
TOTAL 0-19 YRS	83	11.4	153	2	2	7	13	29	49	85
20-34	119	15.4	255	2	4	10	18	35	56	89
35-49	73	18.1	255	2	3	14	23	47	57	62
50-64	87	20.4	269	4	5	17	28	46	59	96
65+	298	23.2	292	5	7	19	31	49	60	99+
GRAND TOTAL	**660**	**19.4**	**277**	**3**	**4**	**14**	**27**	**47**	**57**	**99**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.0	5	<1	<1	1	2	4	8	12
20-34	16	3.5	12	<1	1	2	4	5	12	15
35-49	13	2.3	3	<1	<1	2	3	5	6	6
50-64	33	5.5	60	1	2	3	5	11	16	44
65+	71	10.8	128	1	2	6	14	29	34	90
B. *Operated*										
0-19 YRS	333	4.0	31	1	1	2	4	10	17	30
20-34	56	4.8	21	1	1	4	6	9	17	22
35-49	31	3.6	8	1	1	3	5	7	11	11
50-64	47	4.7	14	1	1	4	6	10	12	19
65+	58	9.8	78	1	2	8	13	19	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.9	30	1	1	4	5	8	18	27
20-34	17	6.9	67	2	2	3	7	16	28	34
35-49	17	4.7	16	1	1	3	6	11	12	13
50-64	44	10.4	168	1	2	5	16	30	32	67
65+	155	19.4	334	2	3	13	28	53	66	99+
B. *Operated*										
0-19 YRS	83	7.7	61	1	1	5	9	20	26	31
20-34	50	10.1	101	1	1	7	13	21	25	52
35-49	25	13.2	372	2	2	6	18	26	47	97
50-64	55	14.0	257	2	2	7	21	32	47	78
65+	82	17.2	288	2	3	12	22	46	54	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	5.8	73	<1	1	2	6	15	27	49
B. *Operated*	525	4.8	35	1	1	3	5	12	18	30
2. MULTIPLE DX										
A. *Not Operated*	260	14.6	271	1	2	8	20	39	61	97
B. *Operated*	295	12.4	205	1	2	8	17	26	43	86
1. SINGLE DX	724	5.1	46	1	1	3	5	12	19	36
2. MULTIPLE DX	555	13.4	237	1	2	8	18	32	50	87
A. NOT OPERATED	459	10.8	204	1	1	5	14	30	45	77
B. OPERATED	820	7.5	109	1	1	4	9	19	25	49
TOTAL 0-19 YRS	509	4.4	35	1	1	2	4	11	18	30
20-34	139	6.8	60	1	1	4	8	17	21	44
35-49	86	6.4	131	1	1	4	6	13	19	73
50-64	179	9.1	148	1	1	4	10	23	32	67
65+	366	15.7	258	2	2	10	21	40	60	99+
GRAND TOTAL	**1279**	**8.7**	**146**	**1**	**1**	**4**	**10**	**23**	**33**	**69**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	1.4	1	<1	<1	1	1	2	4	7
20-34	25	1.7	1	<1	<1	1	3	3	3	3
35-49	15	2.3	3	<1	<1	2	3	5	6	7
50-64	13	2.0	3	<1	<1	1	2	4	6	7
65+	18	6.4	71	<1	1	2	6	22	26	28
B. Operated										
0-19 YRS	1369	1.6	2	<1	1	1	2	3	4	7
20-34	286	2.4	3	1	1	2	3	4	5	9
35-49	203	2.6	7	1	1	2	3	5	7	16
50-64	258	2.3	3	1	1	2	3	5	6	9
65+	261	3.2	31	1	1	2	3	6	9	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.2	12	<1	<1	2	4	9	12	14
20-34	15	4.6	24	<1	<1	2	5	14	15	16
35-49	9	5.2	15	2	2	4	6	12	14	14
50-64	18	4.7	24	1	1	3	8	10	16	20
65+	55	14.8	157	2	4	11	20	31	39	61
B. Operated										
0-19 YRS	213	4.2	45	1	1	2	5	9	13	48
20-34	167	7.5	115	1	1	4	7	18	31	60
35-49	98	5.0	45	1	1	3	6	9	13	45
50-64	114	5.3	43	1	1	3	6	11	22	61
65+	195	11.1	229	1	1	5	14	32	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	2.3	14	<1	<1	1	2	4	7	23
B. Operated	2377	2.0	6	1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	128	8.7	105	1	1	5	12	21	26	57
B. Operated	787	6.9	112	1	1	3	7	16	29	72
1. SINGLE DX	2507	2.1	7	<1	1	1	2	4	5	10
2. MULTIPLE DX	915	7.1	111	1	1	3	8	18	28	60
A. NOT OPERATED	258	5.5	89	<1	1	2	6	16	22	40
B. OPERATED	3164	3.2	37	1	1	2	3	6	10	38
TOTAL 0-19 YRS	1672	2.0	8	<1	1	1	2	3	5	12
20-34	493	4.1	47	1	1	2	4	7	13	51
35-49	325	3.4	20	1	1	2	4	6	9	21
50-64	403	3.3	17	1	1	2	4	7	9	31
65+	529	7.4	138	1	1	3	8	21	33	82
GRAND TOTAL	**3422**	**3.4**	**39**	**1**	**1**	**2**	**3**	**6**	**11**	**39**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.3	3	<1	1	1	3	4	6	7
20-34	14	1.6	1	<1	<1	1	2	3	4	5
35-49	11	1.6	1	<1	<1	1	2	3	5	5
50-64	3	4.3	17	1	1	3	7	9	9	9
65+	5	4.4	21	1	1	3	7	12	12	12
B. Operated										
0-19 YRS	282	2.0	6	<1	<1	1	2	3	4	13
20-34	264	2.0	3	<1	1	2	2	3	5	9
35-49	62	2.1	2	<1	1	2	3	4	5	6
50-64	52	2.0	2	1	1	2	2	4	4	6
65+	16	2.1	2	1	1	2	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.6	4	<1	<1	2	4	6	7	7
20-34	26	3.8	16	<1	<1	2	4	10	13	15
35-49	5	3.4	5	1	1	3	5	7	7	7
50-64	6	8.7	107	1	1	3	17	25	26	26
65+	8	9.0	59	3	3	6	10	22	27	27
B. Operated										
0-19 YRS	66	4.0	26	1	1	2	5	9	11	29
20-34	115	4.5	74	1	1	3	4	6	14	49
35-49	44	3.9	7	1	1	3	5	7	9	13
50-64	34	3.8	20	1	1	2	5	6	9	26
65+	27	5.2	30	1	1	3	8	13	32	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	2.3	5	<1	<1	1	3	5	6	12
B. Operated	676	2.0	4	<1	1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	55	4.9	32	<1	1	3	6	10	16	27
B. Operated	286	4.3	42	1	1	3	5	9	12	31
1. SINGLE DX	733	2.0	4	<1	1	1	2	4	5	9
2. MULTIPLE DX	341	4.4	40	1	1	3	5	9	13	30
A. NOT OPERATED	112	3.5	20	<1	1	2	4	8	12	26
B. OPERATED	962	2.7	16	<1	1	2	3	5	8	18
TOTAL 0-19 YRS	382	2.4	10	<1	1	1	2	4	7	17
20-34	419	2.8	24	<1	1	2	3	5	7	16
35-49	122	2.7	5	<1	1	2	4	5	7	12
50-64	95	3.1	17	1	1	2	4	5	9	26
65+	56	4.8	29	1	1	3	7	11	21	95
GRAND TOTAL	**1074**	**2.8**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**22**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	9.6	78	2	2	6	13	25	28	28
20-34	2	5.0		5	5	5	5	5	5	5
35-49	5	10.6	81	4	4	7	15	26	26	26
50-64	6	14.3	336	1	1	4	29	43	45	45
65+	57	17.7	343	1	2	13	25	51	78	99+
B. *Operated*										
0-19 YRS	17	16.5	223	1	2	11	23	42	48	51
20-34	14	10.4	19	3	5	10	13	15	18	19
35-49	28	11.2	29	6	6	10	14	19	23	25
50-64	106	15.2	87	5	6	13	17	27	39	46
65+	419	20.0	185	5	7	17	24	37	51	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	19.8	419	3	3	10	35	51	51	51
20-34	7	9.1	53	2	3	7	11	22	24	24
35-49	3	35.0	2887	2	2	6	74	97	97	97
50-64	13	32.8	957	4	5	18	55	84	92	94
65+	104	21.3	474	1	2	16	32	79	98	99+
B. *Operated*										
0-19 YRS	18	25.9	359	3	6	20	41	55	61	64
20-34	29	18.1	177	4	5	13	26	34	38	66
35-49	42	21.2	341	6	8	16	23	40	67	95
50-64	147	22.1	259	6	8	18	26	47	61	99+
65+	1122	28.1	402	7	10	23	41	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	15.7	290	1	2	9	25	49	62	99+
B. *Operated*	584	18.4	164	5	7	15	22	36	45	76
2. MULTIPLE DX										
A. *Not Operated*	132	27.0	545	1	3	15	32	79	96	99+
B. *Operated*	1358	27.0	385	7	9	21	39	68	96	99+
1. SINGLE DX	664	18.0	180	4	6	15	22	36	48	81
2. MULTIPLE DX	1490	26.6	401	6	8	21	38	68	96	99+
A. NOT OPERATED	212	19.6	456	1	2	13	29	54	88	99+
B. OPERATED	1942	24.4	334	6	8	19	34	58	85	99+
TOTAL 0-19 YRS	50	18.3	284	2	2	13	28	47	52	64
20-34	52	14.3	127	3	5	12	17	29	35	65
35-49	78	17.4	308	5	6	13	19	28	56	96
50-64	272	19.3	242	5	6	15	24	42	55	94
65+	1702	25.4	366	5	8	20	35	63	92	99+
GRAND TOTAL	**2154**	**23.9**	**348**	**5**	**7**	**18**	**33**	**58**	**86**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	24.4	264	1	3	23	32	45	56	69
20-34	8	51.6	686	6	16	58	82	94	99+	99+
35-49	2	29.0	338	16	16	29	42	42	42	42
50-64	2	28.5	613	11	11	28	46	46	46	46
65+	16	21.5	529	3	6	14	21	45	83	98
B. *Operated*										
0-19 YRS	103	21.2	343	2	3	16	32	50	63	88
20-34	37	15.3	276	2	3	11	16	28	43	97
35-49	13	20.0	159	4	7	19	31	51	89	99+
50-64	9	18.6	154	3	7	16	41	99+	99+	99+
65+	35	18.0	102	3	4	16	24	36	41	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	26.7	295	2	5	27	37	53	57	65
20-34	10	46.0	1342	1	1	65	85	99+	99+	99+
35-49	4	13.5	192	5	5	8	22	34	34	34
50-64	8	27.6	445	4	5	26	41	60	65	65
65+	24	36.0	944	6	9	24	59	89	92	94
B. *Operated*										
0-19 YRS	100	31.3	447	5	7	26	48	65	76	99+
20-34	81	26.8	392	5	8	21	38	62	73	99+
35-49	31	19.9	163	5	7	19	31	48	93	99+
50-64	29	30.5	450	5	7	32	53	99+	99+	99+
65+	55	35.5	493	11	13	32	64	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	25.7	344	2	3	23	34	50	64	97
B. *Operated*	197	19.3	268	2	4	15	27	46	63	99+
2. MULTIPLE DX										
A. *Not Operated*	98	30.5	594	2	5	26	46	75	88	99+
B. *Operated*	296	29.6	425	5	8	25	47	73	99+	99+
1. SINGLE DX	350	22.1	310	2	3	19	31	47	63	99+
2. MULTIPLE DX	394	29.8	466	5	7	25	47	73	94	99+
A. NOT OPERATED	251	27.5	445	2	4	24	38	61	80	99+
B. OPERATED	493	25.5	387	3	5	20	38	64	88	99+
TOTAL 0-19 YRS	380	25.7	350	2	4	22	36	55	64	85
20-34	136	26.5	531	3	6	18	40	71	91	99+
35-49	50	19.8	164	5	5	18	31	46	93	99+
50-64	48	27.7	394	5	7	25	47	99+	99+	99+
65+	130	29.2	530	5	10	24	42	88	99+	99+
GRAND TOTAL	**744**	**26.2**	**407**	**3**	**5**	**22**	**38**	**63**	**84**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	3.0	10	1	1	2	3	6	9	19
20-34	86	3.4	7	<1	1	3	5	7	10	12
35-49	35	4.6	15	<1	1	3	6	10	13	16
50-64	30	6.5	23	1	2	5	9	14	17	18
65+	21	19.0	447	2	3	13	23	59	69	78
B. *Operated*										
0-19 YRS	316	4.7	25	1	1	3	5	9	12	26
20-34	290	6.6	49	1	2	5	8	12	14	49
35-49	157	6.2	23	2	2	5	8	12	15	21
50-64	75	8.8	77	1	1	6	11	17	27	50
65+	26	13.4	120	2	2	10	19	30	39	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.7	16	1	1	3	7	11	12	17
20-34	36	4.9	35	1	1	3	5	14	15	31
35-49	25	6.0	31	1	1	4	9	13	17	21
50-64	37	17.3	353	1	2	10	26	44	51	86
65+	40	16.7	306	1	3	11	22	38	63	75
B. *Operated*										
0-19 YRS	111	11.0	188	2	2	6	12	22	45	72
20-34	191	13.0	207	2	2	7	16	35	48	76
35-49	97	13.9	258	3	3	8	17	37	64	99+
50-64	74	20.2	294	2	5	15	30	46	65	99+
65+	44	25.6	431	5	6	19	44	63	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	4.8	57	1	1	3	5	10	15	42
B. *Operated*	864	6.2	42	1	1	4	8	12	16	38
2. MULTIPLE DX										
A. *Not Operated*	175	10.3	191	1	1	5	12	24	42	74
B. *Operated*	517	14.8	260	2	3	9	19	40	56	99+
1. SINGLE DX	1164	5.9	46	1	1	4	7	12	16	38
2. MULTIPLE DX	692	13.7	246	1	2	8	17	37	52	98
A. NOT OPERATED	475	6.8	113	1	1	3	7	15	23	60
B. OPERATED	1381	9.5	141	1	2	6	11	20	37	74
TOTAL 0-19 YRS	592	5.5	59	1	1	3	6	11	18	48
20-34	603	8.1	104	1	2	5	9	16	31	55
35-49	314	8.4	108	1	2	5	10	16	23	74
50-64	216	13.8	220	1	2	9	18	36	48	98
65+	131	19.4	348	2	4	13	23	54	71	99+
GRAND TOTAL	**1856**	**8.8**	**135**	**1**	**1**	**5**	**10**	**19**	**32**	**71**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	3.2	11	1	1	2	4	6	12	16
20-34	109	3.0	7	<1	1	2	4	6	7	15
35-49	58	3.1	6	1	1	2	4	6	7	13
50-64	64	4.4	16	1	1	4	5	8	11	23
65+	50	9.4	105	1	1	6	11	19	31	50
B. *Operated*										
0-19 YRS	307	3.5	8	1	1	3	4	6	9	14
20-34	564	4.4	8	1	2	4	5	8	10	14
35-49	330	4.7	10	1	2	4	6	8	11	18
50-64	236	6.3	29	2	2	5	7	11	15	33
65+	116	8.4	48	2	3	6	11	17	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.1	10	1	1	3	5	9	11	13
20-34	60	4.8	20	<1	1	3	6	11	14	22
35-49	41	4.9	16	1	1	3	7	11	12	20
50-64	47	7.4	53	1	2	5	9	16	34	99+
65+	85	16.6	256	2	3	10	22	45	49	72
B. *Operated*										
0-19 YRS	132	7.3	71	1	2	5	8	17	25	52
20-34	300	8.5	110	2	2	5	10	16	26	64
35-49	186	7.6	72	2	2	5	8	14	22	53
50-64	173	12.3	172	2	3	9	14	25	35	67
65+	115	18.0	268	4	5	12	22	43	56	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	4.1	26	1	1	3	5	7	13	24
B. *Operated*	1553	4.9	16	1	2	4	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	277	8.8	124	1	1	5	10	20	35	64
B. *Operated*	906	10.1	140	2	3	6	11	22	32	67
1. SINGLE DX	1945	4.7	18	1	1	4	6	9	12	22
2. MULTIPLE DX	1183	9.8	136	1	2	6	11	21	33	68
A. NOT OPERATED	669	6.0	71	1	1	3	6	14	20	48
B. OPERATED	2459	6.8	68	1	2	4	7	13	20	46
TOTAL 0-19 YRS	594	4.3	25	1	1	3	5	9	13	26
20-34	1033	5.5	42	1	2	4	6	10	14	32
35-49	615	5.4	31	1	2	4	6	10	13	26
50-64	520	8.2	86	2	2	5	9	16	25	57
65+	366	13.5	191	2	3	8	17	30	46	73
GRAND TOTAL	**3128**	**6.6**	**69**	**1**	**2**	**4**	**7**	**13**	**20**	**47**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.9	4	<1	1	1	2	4	6	12
20-34	38	2.8	9	<1	<1	2	3	9	10	11
35-49	15	3.1	8	1	1	2	4	6	10	12
50-64	6	3.2	19	<1	<1	1	2	11	12	12
65+	10	15.1	109	1	3	13	20	31	35	35
B. *Operated*										
0-19 YRS	16	2.8	1	<1	1	3	3	5	5	5
20-34	16	2.8	4	<1	1	2	4	6	7	7
35-49	11	2.4	1	1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.9	8	1	1	2	4	7	9	14
20-34	50	3.9	9	<1	<1	3	5	9	9	11
35-49	27	5.9	12	1	1	5	9	11	12	13
50-64	28	7.4	37	1	2	6	10	17	19	28
65+	43	11.5	108	1	2	8	14	26	36	45
B. *Operated*										
0-19 YRS	19	3.0	4	1	1	3	3	7	8	8
20-34	30	3.8	5	1	1	3	5	7	8	10
35-49	13	11.1	138	<1	1	6	17	30	35	36
50-64	10	6.9	27	3	3	5	8	15	20	20
65+	9	22.0	150	2	6	20	27	39	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.4	26	<1	1	1	3	10	12	30
B. *Operated*	45	2.7	2	<1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	209	5.9	43	1	1	4	8	12	18	36
B. *Operated*	81	7.2	77	1	1	4	8	20	28	43
1. SINGLE DX	170	3.2	20	<1	1	2	3	7	12	26
2. MULTIPLE DX	290	6.3	53	1	1	4	8	13	24	37
A. NOT OPERATED	334	5.0	38	1	1	3	7	11	16	35
B. OPERATED	126	5.6	55	1	1	3	5	13	25	38
TOTAL 0-19 YRS	152	2.5	5	1	1	2	3	5	8	12
20-34	134	3.4	8	<1	1	2	5	8	9	11
35-49	66	5.7	42	1	1	3	7	12	17	35
50-64	45	6.6	33	1	1	5	9	16	18	28
65+	63	13.5	124	1	2	10	19	28	36	46
GRAND TOTAL	**460**	**5.1**	**43**	**1**	**1**	**3**	**6**	**11**	**18**	**35**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	2	10.5	41	6	6	10	15	15	15	15
20-34										
35-49										
50-64										
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	5.5	5	4	4	5	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	18.0		18	18	18	18	18	18	18
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	17.0		17	17	17	17	17	17	17
B. *Operated*	3	12.7	34	6	6	15	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	4	3.5	7	1	1	3	5	7	7	7
B. *Operated*	3	15.3	14	11	11	17	18	18	18	18
1. SINGLE DX	4	13.8	28	6	6	16	17	17	17	17
2. MULTIPLE DX	7	8.6	48	1	1	7	15	18	18	18
A. NOT OPERATED	5	6.2	42	1	1	4	9	17	17	17
B. OPERATED	6	14.0	22	6	6	16	17	18	18	18
TOTAL 0-19 YRS	4	8.3	37	1	1	8	13	15	15	15
20-34	1	18.0		18	18	18	18	18	18	18
35-49	3	12.0	75	2	2	17	17	17	17	17
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	1	17.0		17	17	17	17	17	17	17
GRAND TOTAL	**11**	**10.5**	**44**	**1**	**2**	**11**	**17**	**18**	**18**	**18**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6		<1	<1	2	2	2	2	2
20-34	23	3.0	16	<1	<1	2	3	6	13	18
35-49	9	2.4	5	<1	<1	1	3	6	7	7
50-64	3	1.3		1	1	1	2	2	2	2
65+	8	3.9	9	1	1	3	7	8	8	8
B. *Operated*										
0-19 YRS	85	2.3	1	<1	1	2	3	4	4	6
20-34	355	2.4	2	<1	1	2	3	4	5	9
35-49	92	2.5	3	1	1	2	3	4	5	10
50-64	50	1.8	3	<1	1	1	2	3	5	11
65+	23	2.5	13	<1	<1	1	2	4	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	18	2.4	3	<1	<1	2	4	5	6	7
35-49	3	6.7	96	1	1	1	14	18	18	18
50-64	3	4.3	6	2	2	4	6	7	7	7
65+	9	7.0	27	1	2	7	8	59	99+	99+
B. *Operated*										
0-19 YRS	20	2.8	3	1	1	3	4	4	6	8
20-34	69	3.3	6	1	1	3	4	6	10	12
35-49	30	3.7	19	1	1	3	3	7	11	23
50-64	31	4.3	16	1	1	3	5	8	14	20
65+	38	6.2	43	1	1	4	7	18	23	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.8	10	<1	<1	2	3	7	9	18
B. *Operated*	605	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	35	4.2	18	<1	1	3	6	8	19	99+
B. *Operated*	188	4.0	18	1	1	3	4	8	12	24
1. SINGLE DX	653	2.4	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	223	4.1	18	1	1	3	4	8	13	26
A. NOT OPERATED	83	3.4	14	<1	<1	2	5	8	13	72
B. OPERATED	793	2.8	7	<1	1	2	3	4	6	15
TOTAL 0-19 YRS	112	2.4	2	<1	1	2	3	4	4	7
20-34	465	2.6	4	<1	1	2	3	4	5	11
35-49	134	2.8	8	<1	1	2	3	5	7	19
50-64	87	2.8	9	<1	1	1	3	6	8	18
65+	78	5.0	31	<1	1	3	6	14	19	79
GRAND TOTAL	**876**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**18**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	4	1	1	3	5	6	6	6
20-34	26	2.1	2	<1	1	2	3	4	5	7
35-49	5	2.6	9	<1	<1	1	3	8	8	8
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	118	3.6	4	1	1	3	4	6	8	10
20-34	310	3.6	4	1	2	3	4	6	7	12
35-49	111	4.0	4	1	2	4	5	7	7	10
50-64	56	4.2	5	2	2	4	5	8	8	14
65+	5	3.6	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	7	1	1	3	5	6	6	6
20-34	7	4.9	15	2	2	3	6	12	13	13
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	5	3.4	3	1	1	3	4	6	6	6
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	35	5.0	12	2	2	4	6	9	12	18
20-34	105	5.1	34	1	1	4	6	10	11	34
35-49	42	5.2	13	2	2	4	7	9	11	22
50-64	29	4.7	6	1	2	4	6	9	10	10
65+	7	6.3	50	2	2	4	6	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.5	4	<1	1	2	3	6	7	8
B. *Operated*	600	3.8	4	1	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	20	3.4	9	<1	1	3	5	6	10	13
B. *Operated*	218	5.1	23	1	2	4	6	9	11	22
1. SINGLE DX	642	3.7	4	1	1	3	5	6	8	11
2. MULTIPLE DX	238	4.9	22	1	1	4	6	9	11	22
A. NOT OPERATED	62	2.8	5	<1	1	2	4	6	7	12
B. OPERATED	818	4.1	10	1	2	4	5	7	9	15
TOTAL 0-19 YRS	167	3.9	6	1	1	3	5	7	8	13
20-34	448	3.9	12	1	1	3	5	6	8	16
35-49	160	4.2	7	1	1	4	5	7	9	12
50-64	90	4.3	6	1	2	4	5	8	9	12
65+	15	4.7	27	1	1	3	6	7	18	22
GRAND TOTAL	**880**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**8**	**15**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.9	31	<1	<1	2	3	10	19	21
20-34	14	4.2	15	<1	1	4	6	7	14	16
35-49	11	9.6	90	1	1	5	17	24	37	27
50-64	5	2.4	4	1	1	2	3	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	89	3.4	20	<1	1	1	3	9	12	23
20-34	90	4.0	24	<1	1	2	4	10	15	26
35-49	39	4.0	22	1	1	2	4	12	16	20
50-64	15	4.2	26	1	1	2	5	12	17	19
65+	10	17.0	651	1	1	2	43	58	63	63
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	7.5	38	1	1	6	11	18	20	21
20-34	9	8.7	47	1	1	8	16	18	18	18
35-49	12	6.7	20	1	2	5	11	13	14	14
50-64	2	8.0	98	1	1	8	15	15	15	15
65+	4	24.3	176	6	6	27	33	37	37	37
B. Operated										
0-19 YRS	38	6.5	45	1	1	4	10	15	19	30
20-34	65	11.3	163	1	1	6	16	28	43	58
35-49	22	6.7	68	1	1	5	9	13	25	38
50-64	22	7.3	101	1	1	3	11	34	59	99+
65+	18	19.4	620	1	2	8	23	66	78	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	5.2	42	<1	1	2	6	17	21	27
B. Operated	243	4.3	53	<1	1	2	4	11	16	44
2. MULTIPLE DX										
A. Not Operated	43	9.1	67	1	1	6	14	19	26	37
B. Operated	165	9.9	175	1	1	5	12	26	39	81
1. SINGLE DX	286	4.5	51	<1	1	2	4	12	18	38
2. MULTIPLE DX	208	9.8	153	1	1	5	12	24	37	77
A. NOT OPERATED	86	7.2	58	1	1	4	9	18	22	34
B. OPERATED	408	6.6	110	1	1	3	8	16	26	61
TOTAL 0-19 YRS	155	4.6	31	<1	1	2	6	12	18	26
20-34	178	6.9	87	<1	1	3	8	18	26	46
35-49	84	5.8	45	1	1	3	9	16	19	34
50-64	44	5.7	64	1	1	2	6	16	34	99+
65+	33	18.7	544	1	1	5	32	56	71	82
GRAND TOTAL	**494**	**6.7**	**100**	**1**	**1**	**3**	**8**	**16**	**26**	**57**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	2.1	3	<1	1	2	2	4	5	9
20-34	66	2.3	2	<1	1	2	3	4	5	9
35-49	43	2.7	3	<1	1	2	4	5	7	8
50-64	12	4.6	31	1	1	3	6	11	20	21
65+	13	5.8	10	2	3	5	8	10	12	12
B. Operated										
0-19 YRS	84	3.6	3	1	1	3	5	6	7	9
20-34	219	3.9	9	1	1	3	5	6	7	12
35-49	53	4.0	7	1	2	4	5	8	9	14
50-64	18	4.5	4	2	3	4	5	7	9	10
65+	4	4.8	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.7	16	<1	1	2	5	7	15	16
20-34	25	3.0	7	<1	<1	2	4	6	8	13
35-49	14	5.8	26	<1	1	4	9	15	17	17
50-64	18	8.1	34	1	1	7	13	17	19	20
65+	34	9.5	68	2	2	7	14	20	29	33
B. Operated										
0-19 YRS	64	5.2	21	2	2	5	6	9	10	33
20-34	181	5.2	12	2	2	4	6	9	11	19
35-49	71	6.3	24	2	2	5	7	12	17	29
50-64	34	6.6	95	1	2	4	6	10	21	57
65+	7	26.1	1009	1	2	9	50	77	81	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	2.7	6	<1	1	2	3	5	7	11
B. Operated	378	3.9	7	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	116	6.2	40	1	1	4	8	16	19	32
B. Operated	357	6.0	49	2	2	5	6	9	14	36
1. SINGLE DX	571	3.5	7	1	1	3	5	6	8	12
2. MULTIPLE DX	473	6.0	47	1	2	4	6	10	16	33
A. NOT OPERATED	309	4.0	21	<1	1	2	5	9	15	21
B. OPERATED	735	4.9	29	1	2	4	6	8	10	24
TOTAL 0-19 YRS	232	3.7	11	1	1	3	5	6	9	15
20-34	491	4.1	10	1	1	4	5	7	9	17
35-49	181	4.7	16	1	1	4	5	9	13	19
50-64	82	6.2	53	1	1	4	7	12	18	46
65+	58	10.3	186	2	2	6	11	20	32	79
GRAND TOTAL	**1044**	**4.6**	**27**	**1**	**1**	**4**	**5**	**8**	**11**	**22**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.9	24	<1	1	2	4	7	16	23
20-34	96	5.0	13	1	1	4	7	10	12	18
35-49	80	5.4	11	2	2	5	7	10	11	19
50-64	36	5.9	10	1	3	5	7	12	12	14
65+	12	9.9	20	3	4	10	14	16	16	16
B. *Operated*										
0-19 YRS										
20-34	4	7.5	15	2	2	8	10	11	11	11
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.6	4	1	1	3	5	6	8	9
20-34	39	5.7	12	2	2	4	7	12	12	15
35-49	48	6.1	26	2	2	4	7	11	16	29
50-64	42	8.1	43	3	4	7	9	13	24	37
65+	51	10.8	52	3	4	9	13	20	29	35
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	10.8	64	3	3	9	17	21	21	21
35-49	3	15.7	70	6	6	20	21	21	21	21
50-64	3	20.7	64	13	13	20	27	29	29	29
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	5.4	14	1	2	5	7	10	12	18
B. *Operated*	7	5.7	13	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	194	7.5	37	2	3	6	9	15	20	33
B. *Operated*	12	13.8	73	2	3	13	20	24	28	29
1. SINGLE DX	253	5.4	14	1	2	5	7	10	12	18
2. MULTIPLE DX	206	7.9	41	2	3	6	9	16	21	32
A. NOT OPERATED	440	6.4	25	1	2	5	8	12	16	29
B. OPERATED	19	10.8	65	2	2	9	18	21	26	29
TOTAL 0-19 YRS	37	3.7	16	<1	1	2	4	5	11	23
20-34	143	5.5	15	1	2	4	7	11	13	18
35-49	133	5.9	19	2	2	5	7	10	14	23
50-64	82	7.6	36	2	3	6	8	13	20	35
65+	64	10.6	45	3	4	9	13	19	25	34
GRAND TOTAL	**459**	**6.5**	**28**	**1**	**2**	**5**	**8**	**12**	**17**	**29**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	2.4	3	<1	1	2	3	4	7	8
20-34	249	4.2	11	1	1	3	6	8	11	17
35-49	155	4.6	14	1	1	4	6	8	11	23
50-64	69	6.2	19	1	1	5	9	13	16	19
65+	43	8.0	54	1	1	5	11	19	23	31
B. *Operated*										
0-19 YRS										
20-34	12	5.7	13	2	2	5	8	11	12	12
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.8	4	<1	1	2	4	5	7	10
20-34	162	4.0	11	<1	1	3	6	8	11	16
35-49	125	5.5	18	1	1	4	8	11	13	22
50-64	88	5.8	20	1	2	5	7	11	15	25
65+	100	10.7	67	2	3	8	14	22	28	39
B. *Operated*										
0-19 YRS	6	2.7	4	1	1	2	4	6	6	6
20-34	9	5.2	11	2	2	4	8	10	10	10
35-49	13	6.8	21	1	2	6	10	13	15	15
50-64	3	11.0	81	2	2	11	18	20	20	20
65+	4	6.3	16	2	2	6	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	647	4.4	16	1	1	3	6	9	12	19
B. *Operated*	17	4.6	12	1	2	3	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	538	5.8	30	1	1	4	8	13	16	27
B. *Operated*	35	6.0	21	1	2	4	10	11	14	20
1. SINGLE DX	664	4.4	16	1	1	3	6	9	12	19
2. MULTIPLE DX	573	5.8	30	1	1	4	8	12	16	27
A. NOT OPERATED	1185	5.0	23	1	1	4	6	11	14	25
B. OPERATED	52	5.5	18	1	2	4	9	11	13	20
TOTAL 0-19 YRS	200	2.5	3	<1	1	2	3	5	7	9
20-34	432	4.2	11	1	1	3	6	9	11	17
35-49	298	5.0	16	1	1	4	7	10	13	22
50-64	160	6.1	21	1	2	5	8	12	16	22
65+	147	9.8	63	2	3	7	13	21	27	38
GRAND TOTAL	**1237**	**5.0**	**23**	**1**	**1**	**4**	**6**	**11**	**14**	**24**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	1.9	2	<1	1	1	2	4	4	8
20-34	76	2.4	5	<1	<1	2	3	5	6	13
35-49	47	3.5	17	1	1	2	4	8	10	26
50-64	17	4.6	12	<1	1	3	9	10	11	11
65+	29	8.1	130	1	1	4	9	14	38	55
B. *Operated*										
0-19 YRS	72	2.5	1	1	1	2	3	4	5	5
20-34	195	2.7	2	1	1	2	3	4	5	6
35-49	101	3.0	2	1	1	3	4	5	5	7
50-64	51	5.6	55	1	2	5	6	8	10	54
65+	17	6.2	57	1	2	4	7	9	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.3	9	1	1	2	4	6	11	15
20-34	44	2.3	2	<1	1	2	3	4	5	6
35-49	25	3.8	10	1	1	3	4	6	12	14
50-64	31	5.5	20	1	1	5	7	11	17	18
65+	69	11.0	110	2	2	7	17	22	31	51
B. *Operated*										
0-19 YRS	17	2.9	3	1	1	3	4	6	7	7
20-34	44	3.6	10	1	1	3	4	6	8	20
35-49	28	6.0	63	1	1	3	7	15	29	32
50-64	24	7.8	37	2	3	6	9	14	20	30
65+	20	11.5	131	2	3	7	15	29	41	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	3.1	22	<1	1	2	3	6	9	23
B. *Operated*	436	3.2	11	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	197	6.2	58	1	1	3	7	16	20	42
B. *Operated*	133	5.9	50	1	1	3	6	14	19	40
1. SINGLE DX	711	3.2	15	1	1	2	4	5	7	14
2. MULTIPLE DX	330	6.1	55	1	1	3	7	15	20	40
A. NOT OPERATED	472	4.4	39	<1	1	2	4	10	16	33
B. OPERATED	569	3.8	21	1	1	3	4	6	9	30
TOTAL 0-19 YRS	223	2.4	3	<1	1	2	3	4	5	11
20-34	359	2.7	4	<1	1	2	3	5	6	10
35-49	201	3.6	15	1	1	3	4	6	9	27
50-64	123	5.9	37	1	2	5	7	10	14	36
65+	135	9.9	112	1	2	6	13	21	34	52
GRAND TOTAL	**1041**	**4.1**	**30**	**1**	**1**	**3**	**4**	**8**	**12**	**31**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1084	1.4	1	<1	1	1	2	2	3	5
20-34	268	1.8	5	<1	<1	1	2	3	4	10
35-49	58	2.1	4	<1	1	1	2	4	7	11
50-64	28	2.3	4	<1	1	2	3	5	7	9
65+	42	3.2	9	1	1	2	4	7	10	15
B. *Operated*										
0-19 YRS	5	3.4	7	1	1	3	5	7	7	7
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	575	2.1	8	<1	1	1	2	4	5	12
20-34	315	2.6	14	<1	1	1	3	5	8	18
35-49	135	2.8	7	1	1	2	3	6	8	14
50-64	84	3.8	12	1	1	2	6	9	10	18
65+	84	7.6	68	1	1	4	11	20	23	42
B. *Operated*										
0-19 YRS	126	3.0	24	<1	1	2	3	6	9	29
20-34	137	2.8	10	<1	1	2	3	5	8	19
35-49	46	3.8	16	<1	1	2	5	10	12	19
50-64	34	3.5	13	1	1	2	4	10	11	15
65+	22	5.6	25	<1	1	5	8	16	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1480	1.6	2	<1	1	1	2	3	4	7
B. *Operated*	7	3.3	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1193	2.8	16	<1	1	2	3	6	9	21
B. *Operated*	365	3.2	17	<1	1	2	4	8	10	24
1. SINGLE DX	1487	1.6	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	1558	2.9	16	<1	1	2	3	6	10	21
A. NOT OPERATED	2673	2.1	9	<1	1	1	2	4	6	15
B. OPERATED	372	3.2	17	<1	1	2	4	7	10	24
TOTAL 0-19 YRS	1790	1.7	5	<1	1	1	2	3	4	9
20-34	722	2.3	10	<1	<1	1	2	5	7	17
35-49	239	2.9	8	<1	1	2	3	6	9	14
50-64	146	3.4	11	1	1	2	4	9	10	15
65+	148	6.1	48	1	1	4	8	16	21	48
GRAND TOTAL	**3045**	**2.3**	**10**	**<1**	**1**	**1**	**2**	**4**	**7**	**16**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	679	1.6	10	<1	1	1	2	2	3	8
20-34	154	1.6	2	<1	<1	1	2	2	4	8
35-49	43	2.6	13	<1	<1	2	2	4	8	22
50-64	31	2.0	1	<1	<1	2	3	4	4	4
65+	31	4.3	17	1	1	3	5	11	15	17
B. *Operated*										
0-19 YRS	12	6.0	12	1	2	5	8	11	12	12
20-34	19	5.4	32	<1	<1	3	9	14	17	18
35-49	7	7.7	45	<1	<1	8	10	18	20	20
50-64	11	8.0	11	1	3	8	9	12	13	13
65+	6	13.5	80	3	4	12	14	28	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	2.4	10	<1	1	1	2	4	8	19
20-34	197	2.9	15	<1	<1	1	3	7	11	28
35-49	77	3.6	23	1	1	2	4	7	13	27
50-64	49	3.5	20	1	1	2	3	11	15	19
65+	80	8.0	106	1	1	5	10	17	33	87
B. *Operated*										
0-19 YRS	102	8.3	250	<1	1	3	8	29	68	99+
20-34	104	13.0	342	<1	1	4	21	48	59	94
35-49	51	8.3	78	1	1	5	15	25	34	99+
50-64	36	16.5	499	1	1	8	23	64	85	99+
65+	50	16.2	356	1	1	11	20	32	55	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	1.7	9	<1	1	1	2	3	4	9
B. *Operated*	55	7.2	33	<1	1	7	11	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	778	3.3	26	<1	1	2	3	7	14	29
B. *Operated*	343	11.7	301	1	1	4	17	32	62	99+
1. SINGLE DX	993	2.0	12	<1	1	1	2	4	6	14
2. MULTIPLE DX	1121	5.9	125	<1	1	2	5	16	28	92
A. NOT OPERATED	1716	2.4	17	<1	1	1	2	5	8	20
B. OPERATED	398	11.1	267	<1	1	5	15	30	59	99+
TOTAL 0-19 YRS	1168	2.5	34	<1	1	1	2	4	8	29
20-34	474	4.8	102	<1	<1	1	3	13	24	62
35-49	178	4.9	42	<1	1	2	5	16	23	80
50-64	127	7.2	184	1	1	2	8	17	27	93
65+	167	10.0	181	1	1	5	13	27	33	94
GRAND TOTAL	**2114**	**4.1**	**75**	**<1**	**1**	**1**	**3**	**9**	**18**	**62**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	5	1	1	4	5	7	7	7
20-34	24	2.4	3	<1	1	2	3	6	6	6
35-49	7	2.3	2	1	1	3	3	4	4	4
50-64	7	2.4	3	<1	<1	2	4	5	5	5
65+	5	5.6	8	2	2	7	8	8	8	8
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	24	4.8	18	1	1	4	6	10	15	19
35-49	3	5.0	19	2	2	3	8	10	10	10
50-64	4	14.0	174	3	3	10	22	33	33	33
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.7	11	1	1	4	6	9	11	16
20-34	32	5.4	15	1	1	5	7	10	12	19
35-49	9	5.3	9	3	3	4	6	10	12	12
50-64	21	6.7	25	1	1	6	8	16	17	18
65+	20	12.7	61	3	4	11	16	20	29	38
B. *Operated*										
0-19 YRS	29	6.8	15	3	3	6	8	9	11	24
20-34	57	14.4	233	3	4	10	14	33	46	91
35-49	27	11.3	113	3	4	8	14	19	30	57
50-64	21	12.6	154	4	5	9	14	22	43	60
65+	13	13.9	94	6	6	12	16	32	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.9	4	1	1	2	4	6	7	8
B. *Operated*	34	5.9	39	1	1	4	7	12	18	33
2. MULTIPLE DX										
A. *Not Operated*	110	6.8	31	1	2	5	9	14	18	27
B. *Operated*	147	12.0	149	3	4	8	13	22	37	61
1. SINGLE DX	86	4.1	20	1	1	3	5	8	11	28
2. MULTIPLE DX	257	9.8	105	2	3	7	11	18	25	57
A. NOT OPERATED	162	5.6	26	1	1	4	7	11	16	20
B. OPERATED	181	10.9	134	2	3	8	12	20	34	59
TOTAL 0-19 YRS	68	5.4	13	1	2	5	7	9	10	23
20-34	137	8.5	128	1	1	6	10	15	23	59
35-49	46	8.3	82	1	2	6	10	17	21	57
50-64	53	9.0	94	1	2	7	10	17	28	59
65+	39	12.0	70	3	4	11	15	20	34	38
GRAND TOTAL	**343**	**8.4**	**90**	**1**	**2**	**6**	**10**	**16**	**21**	**54**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	4.0	11	1	1	3	5	8	11	17
20-34	70	4.4	11	1	1	4	7	9	10	15
35-49	14	2.8	4	1	1	2	3	6	8	8
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	5	10.0	55	3	3	9	14	22	22	22
B. *Operated*										
0-19 YRS	35	7.7	8	3	4	7	9	11	13	14
20-34	31	9.8	54	4	4	7	11	21	24	37
35-49	9	8.9	10	4	4	10	11	13	14	14
50-64	4	5.5	17	1	1	6	9	9	9	9
65+	3	14.0	76	4	4	18	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.2	19	1	1	4	8	11	14	19
20-34	74	4.4	10	1	2	4	5	9	11	17
35-49	23	3.5	7	1	1	3	5	7	10	12
50-64	12	6.3	15	1	2	5	10	11	12	12
65+	6	7.2	20	2	2	7	11	13	13	13
B. *Operated*										
0-19 YRS	65	15.8	153	4	6	12	18	37	42	61
20-34	128	16.6	285	3	5	10	20	32	56	92
35-49	37	20.2	355	5	6	10	36	60	85	99+
50-64	17	17.4	138	4	7	15	21	37	44	46
65+	10	22.8	524	8	10	16	26	92	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	4.2	12	1	1	3	6	8	11	18
B. *Operated*	82	8.8	29	3	4	8	10	14	20	33
2. MULTIPLE DX										
A. *Not Operated*	184	4.8	14	1	1	4	7	10	12	18
B. *Operated*	257	17.2	260	4	6	11	21	39	60	99
1. SINGLE DX	294	5.5	21	1	1	4	7	10	14	23
2. MULTIPLE DX	441	12.0	194	1	2	8	14	29	43	90
A. NOT OPERATED	396	4.5	13	1	1	3	6	9	11	18
B. OPERATED	339	15.1	217	3	5	10	18	35	50	97
TOTAL 0-19 YRS	290	7.4	66	1	1	5	9	14	21	43
20-34	303	10.1	163	1	2	7	10	23	32	72
35-49	83	11.4	226	1	1	7	11	39	59	99+
50-64	35	11.5	106	1	2	9	15	24	37	46
65+	24	15.1	274	3	3	13	18	27	89	99+
GRAND TOTAL	**735**	**9.4**	**135**	**1**	**1**	**6**	**10**	**21**	**32**	**68**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	7	<1	<1	3	5	6	6	6
20-34	7	4.1	21	1	1	3	5	12	14	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	61	4.9	15	<1	1	4	6	10	14	17
20-34	66	4.5	10	1	1	4	6	8	10	16
35-49	25	5.1	20	2	2	4	6	8	13	24
50-64	11	3.6	3	1	1	3	5	6	7	7
65+	8	3.5	5	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.0	13	<1	<1	4	7	11	11	11
20-34	16	3.7	7	<1	<1	4	5	8	9	9
35-49	8	3.8	9	1	1	3	5	9	10	10
50-64	6	5.8	19	2	2	5	6	13	14	14
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	40	5.6	47	<1	1	3	7	13	16	39
20-34	73	5.2	18	1	1	4	7	12	15	19
35-49	27	6.3	30	1	1	5	8	15	19	24
50-64	12	8.8	53	2	2	6	11	22	25	26
65+	18	6.3	55	<1	1	4	8	13	24	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.8	13	<1	<1	3	5	8	13	14
B. *Operated*	171	4.6	12	1	1	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	42	4.1	10	<1	1	4	6	9	11	14
B. *Operated*	170	5.8	33	1	1	4	7	13	16	31
1. SINGLE DX	184	4.6	12	1	1	4	6	8	11	17
2. MULTIPLE DX	212	5.5	29	1	1	4	7	12	15	28
A. NOT OPERATED	55	4.0	11	<1	1	3	6	9	11	14
B. OPERATED	341	5.2	23	1	1	4	7	11	15	24
TOTAL 0-19 YRS	114	5.1	25	<1	1	4	6	11	15	25
20-34	162	4.7	14	1	1	4	6	9	13	17
35-49	61	5.4	23	1	1	4	6	10	16	24
50-64	30	6.2	30	2	2	5	6	13	20	26
65+	29	5.0	38	<1	1	3	6	11	14	32
GRAND TOTAL	**396**	**5.1**	**21**	**1**	**1**	**4**	**6**	**10**	**14**	**24**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.4	5	<1	<1	1	3	6	7	11
20-34	23	1.9	2	<1	1	1	2	4	5	7
35-49	8	2.3	6	1	1	1	2	6	8	8
50-64	11	1.8	1	<1	<1	1	2	4	4	4
65+	10	4.1	23	1	1	2	6	12	15	15
B. *Operated*										
0-19 YRS	142	2.1	5	<1	<1	1	2	5	7	11
20-34	72	2.4	5	<1	<1	1	3	5	7	12
35-49	31	2.8	14	<1	<1	2	3	5	6	22
50-64	13	6.8	319	<1	<1	1	2	18	57	66
65+	11	1.8	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	5	<1	<1	1	2	5	7	14
20-34	74	3.7	39	<1	<1	2	4	7	9	39
35-49	33	3.9	30	<1	1	2	5	7	10	31
50-64	27	5.2	26	<1	1	3	8	12	15	22
65+	38	8.6	143	1	1	4	10	19	33	63
B. *Operated*										
0-19 YRS	220	2.9	10	<1	1	2	4	6	9	17
20-34	231	3.4	23	<1	1	2	4	6	9	22
35-49	123	4.1	57	<1	1	2	5	8	10	43
50-64	108	6.3	81	1	1	3	7	14	22	51
65+	95	7.5	97	1	1	5	9	18	30	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.4	6	<1	<1	1	3	6	7	13
B. *Operated*	269	2.5	21	<1	<1	1	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	223	4.4	50	<1	1	2	5	9	15	37
B. *Operated*	777	4.3	44	<1	1	2	5	9	13	39
1. SINGLE DX	377	2.5	16	<1	<1	1	3	5	7	14
2. MULTIPLE DX	1000	4.3	45	<1	1	2	5	9	14	38
A. NOT OPERATED	331	3.8	36	<1	<1	2	4	8	12	32
B. OPERATED	1046	3.8	39	<1	1	2	4	8	12	36
TOTAL 0-19 YRS	469	2.6	8	<1	<1	1	3	5	7	14
20-34	400	3.2	22	<1	<1	2	4	6	9	26
35-49	195	3.8	43	<1	<1	2	4	8	10	31
50-64	159	5.9	85	1	1	3	7	13	21	63
65+	154	7.1	99	1	1	4	8	17	29	63
GRAND TOTAL	**1377**	**3.8**	**38**	**<1**	**1**	**2**	**4**	**8**	**12**	**35**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.0	10	<1	<1	2	4	6	11	14
20-34	24	2.3	3	<1	<1	2	3	4	6	9
35-49	7	2.3	4	<1	<1	1	3	6	6	6
50-64	7	2.0	2	1	1	1	3	4	4	4
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	39	2.5	4	<1	1	2	4	6	7	8
20-34	52	3.8	8	1	1	3	6	7	9	14
35-49	13	4.0	9	1	1	3	5	9	11	11
50-64	4	6.0	11	2	2	6	8	10	10	10
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.5	20	1	1	3	6	12	14	14
20-34	30	4.4	66	1	1	2	4	7	9	46
35-49	7	4.9	14	2	2	4	5	11	13	13
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	35	5.9	83	1	1	4	5	10	21	51
20-34	72	9.3	203	<1	1	5	8	22	48	70
35-49	16	6.7	15	2	3	7	8	16	71	99+
50-64	11	7.5	21	1	2	7	10	15	15	15
65+	6	10.3	29	2	2	11	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.6	5	<1	<1	2	3	5	7	13
B. *Operated*	111	3.4	7	1	1	2	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	49	4.4	45	1	1	3	5	7	13	46
B. *Operated*	140	8.1	131	1	1	5	8	17	35	73
1. SINGLE DX	178	3.1	7	<1	1	2	4	7	8	13
2. MULTIPLE DX	189	7.1	110	1	1	4	7	15	25	69
A. NOT OPERATED	116	3.4	23	<1	1	2	4	6	9	25
B. OPERATED	251	6.0	81	1	1	4	7	11	18	68
TOTAL 0-19 YRS	108	3.9	34	<1	1	2	5	7	11	34
20-34	178	5.9	103	<1	1	3	6	9	19	63
35-49	43	4.9	13	1	1	4	7	10	14	99+
50-64	25	5.2	17	1	1	4	7	11	15	15
65+	13	6.5	28	1	1	5	10	15	16	16
GRAND TOTAL	**367**	**5.2**	**64**	**<1**	**1**	**3**	**6**	**9**	**15**	**51**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.4	5	<1	1	3	5	6	6	12
20-34	69	3.2	4	1	1	3	4	6	6	11
35-49	18	3.6	7	1	1	3	4	8	9	10
50-64	12	5.5	12	2	2	4	7	10	13	14
65+	7	3.9	7	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	234	2.3	6	<1	1	1	3	5	6	13
20-34	354	2.6	6	<1	1	2	3	6	8	14
35-49	127	3.1	11	1	1	2	4	6	8	19
50-64	91	3.2	14	<1	1	2	4	7	11	21
65+	24	3.2	18	1	1	2	3	7	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.2	43	<1	<1	3	6	11	19	35
20-34	64	3.7	12	<1	1	3	5	7	9	21
35-49	25	5.2	46	<1	1	4	5	11	17	34
50-64	13	6.4	20	1	2	4	10	12	14	15
65+	13	8.2	33	2	3	6	11	17	21	22
B. *Operated*										
0-19 YRS	162	5.0	38	1	1	3	6	11	15	31
20-34	341	3.8	29	1	1	2	4	7	10	26
35-49	115	5.1	46	1	1	3	6	12	16	43
50-64	68	7.1	106	1	1	4	8	16	24	60
65+	46	8.5	111	1	2	4	12	23	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.5	6	1	1	3	5	6	8	12
B. *Operated*	830	2.7	8	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	154	4.9	29	<1	1	3	6	11	14	34
B. *Operated*	732	4.9	48	1	1	3	5	11	16	43
1. SINGLE DX	975	2.8	8	<1	1	2	3	6	8	14
2. MULTIPLE DX	886	4.9	44	1	1	3	5	11	15	36
A. NOT OPERATED	299	4.2	18	<1	1	3	5	8	11	23
B. OPERATED	1562	3.7	28	1	1	2	4	8	12	27
TOTAL 0-19 YRS	474	3.6	21	<1	1	2	4	8	12	26
20-34	828	3.2	16	<1	1	2	4	6	9	18
35-49	285	4.1	29	1	1	2	4	8	12	32
50-64	184	5.0	51	1	1	3	6	11	15	42
65+	90	6.7	72	1	1	4	8	16	23	83
GRAND TOTAL	**1861**	**3.8**	**26**	**1**	**1**	**2**	**4**	**8**	**12**	**27**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.0	10	<1	1	3	6	9	10	15
20-34	54	3.9	9	<1	1	3	5	8	10	14
35-49	17	3.9	5	1	1	3	6	7	8	8
50-64	11	4.2	11	1	1	4	6	9	12	12
65+	9	13.7	115	1	3	12	17	32	36	36
B. *Operated*										
0-19 YRS	182	4.0	23	<1	1	2	5	9	14	26
20-34	139	5.6	47	1	1	3	7	13	19	37
35-49	36	7.1	114	1	1	4	8	16	35	51
50-64	31	8.0	109	1	1	5	10	17	34	50
65+	10	10.9	77	1	1	9	19	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.3	17	1	2	4	6	10	14	21
20-34	23	5.5	27	1	2	4	7	9	17	26
35-49	19	5.2	35	1	1	3	5	13	20	25
50-64	19	6.2	16	3	4	5	7	9	16	21
65+	18	13.8	335	1	2	6	15	31	59	76
B. *Operated*										
0-19 YRS	68	7.9	84	1	1	4	11	19	23	51
20-34	67	8.1	108	<1	1	4	9	23	32	54
35-49	39	8.7	84	1	1	5	12	22	28	41
50-64	19	14.1	312	1	1	7	19	42	60	64
65+	18	16.6	424	<1	1	9	19	55	67	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	4.5	20	<1	1	3	6	9	13	24
B. *Operated*	398	5.3	49	1	1	3	6	12	18	39
2. MULTIPLE DX										
A. *Not Operated*	109	6.9	81	1	2	4	7	14	25	51
B. *Operated*	211	9.4	145	1	1	5	13	22	33	62
1. SINGLE DX	554	5.1	41	1	1	3	6	11	17	35
2. MULTIPLE DX	320	8.6	124	1	1	5	10	21	28	61
A. NOT OPERATED	265	5.5	46	1	1	4	6	10	15	32
B. OPERATED	609	6.8	86	1	1	4	7	17	23	54
TOTAL 0-19 YRS	345	4.9	34	<1	1	3	5	11	16	27
20-34	283	5.8	54	1	1	4	7	13	20	37
35-49	111	6.9	75	1	1	4	8	17	23	46
50-64	80	8.5	129	1	1	5	9	19	28	62
65+	55	14.2	273	1	1	9	19	33	55	76
GRAND TOTAL	**874**	**6.4**	**74**	**1**	**1**	**4**	**7**	**15**	**22**	**51**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	4	4.3	13	1	1	3	7	9	9	9
20-34	6	5.3	13	2	2	4	8	11	11	11
35-49	6	7.3	33	<1	<1	7	13	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	6	3.8	26	<1	<1	2	4	13	14	14
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	10	5.4	24	1	1	3	8	13	15	15
20-34	32	6.7	50	<1	1	4	9	15	22	32
35-49	7	18.6	243	1	1	15	31	41	43	43
50-64	3	6.3	17	3	3	5	9	11	11	11
65+	5	18.0	287	4	4	12	27	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.2		<1	<1	1	1	2	2	2
B. Operated	16	5.8	20	<1	1	4	9	13	14	14
2. MULTIPLE DX										
A. Not Operated	12	4.2	17	<1	1	3	5	11	14	14
B. Operated	57	8.9	103	<1	1	5	11	22	33	46
1. SINGLE DX	27	3.9	17	<1	<1	2	6	11	13	14
2. MULTIPLE DX	69	8.1	91	<1	1	4	11	21	32	45
A. NOT OPERATED	23	2.7	11	<1	<1	1	3	8	11	14
B. OPERATED	73	8.2	86	<1	1	5	11	21	31	45
TOTAL 0-19 YRS	22	4.0	15	<1	<1	2	6	10	13	15
20-34	47	5.8	41	<1	1	3	8	13	21	32
35-49	15	12.3	155	<1	1	10	15	33	40	43
50-64	4	5.3	16	2	2	4	8	11	11	11
65+	8	12.0	233	<1	1	5	16	38	46	46
GRAND TOTAL	**96**	**6.9**	**73**	**<1**	**1**	**4**	**9**	**15**	**23**	**45**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	4.2	8	1	1	3	4	9	10	10
20-34	14	8.8	187	<1	1	5	8	16	46	55
35-49	16	9.8	378	1	1	4	10	14	61	81
50-64	3	3.0	3	1	1	4	4	4	4	4
65+	2	8.5	13	6	6	8	11	11	11	11
B. Operated										
0-19 YRS	46	5.0	50	<1	1	2	4	12	23	33
20-34	92	4.5	15	1	1	3	6	10	12	20
35-49	41	7.0	67	1	1	4	7	16	25	50
50-64	21	4.8	18	1	1	3	6	12	15	17
65+	5	8.0	31	2	2	11	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	8.1	223	1	1	4	7	11	48	61
20-34	26	6.0	42	1	1	4	8	9	23	30
35-49	28	10.2	75	1	3	7	13	23	28	37
50-64	17	8.6	39	1	2	9	13	20	68	99+
65+	21	12.2	73	3	4	10	20	32	60	99+
B. Operated										
0-19 YRS	25	10.8	378	1	2	5	8	18	72	77
20-34	62	7.2	79	1	1	4	8	20	32	93
35-49	42	9.2	254	1	2	4	6	24	35	94
50-64	25	11.3	79	2	2	7	16	25	28	34
65+	16	20.5	478	2	3	13	23	59	75	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	7.7	193	1	1	4	8	12	24	61
B. Operated	205	5.2	38	1	1	3	6	12	16	33
2. MULTIPLE DX										
A. Not Operated	107	9.0	83	1	2	6	12	21	31	99+
B. Operated	170	10.1	211	1	2	5	12	25	39	91
1. SINGLE DX	250	5.7	66	1	1	3	6	12	16	50
2. MULTIPLE DX	277	9.7	161	1	2	5	12	23	34	98
A. NOT OPERATED	152	8.6	115	1	1	5	11	20	31	99
B. OPERATED	375	7.4	122	1	1	4	8	16	27	75
TOTAL 0-19 YRS	96	6.9	159	1	1	3	7	12	26	74
20-34	194	5.9	52	1	1	3	7	12	21	50
35-49	127	8.8	173	1	1	4	11	18	32	84
50-64	66	8.1	53	1	2	6	12	21	25	89
65+	44	14.8	226	2	3	11	16	33	67	99+
GRAND TOTAL	**527**	**7.8**	**120**	**1**	**1**	**4**	**9**	**17**	**28**	**81**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	4.3	5	1	2	4	5	6	9	13
20-34	148	4.2	4	1	1	4	5	6	8	10
35-49	39	4.6	10	<1	1	4	5	9	12	16
50-64	8	4.1	5	1	1	4	6	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	5	4.4	5	1	1	5	6	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.4	6	1	1	4	5	7	9	13
20-34	78	4.3	14	1	1	4	5	7	10	25
35-49	34	5.1	19	1	2	4	5	10	15	23
50-64	15	5.1	9	2	2	4	6	9	12	13
65+	13	9.0	66	2	2	9	10	22	28	30
B. *Operated*										
0-19 YRS	15	5.7	21	1	2	4	6	15	16	16
20-34	23	5.3	12	1	2	5	6	12	13	14
35-49	4	8.3	13	3	3	9	10	11	11	11
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	4.3	5	1	1	4	5	6	8	13
B. *Operated*	8	5.6	13	1	1	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	198	4.8	16	1	1	4	6	9	11	26
B. *Operated*	44	5.7	14	1	2	5	7	12	14	16
1. SINGLE DX	379	4.3	5	1	1	4	5	6	9	13
2. MULTIPLE DX	242	5.0	16	1	1	4	6	9	13	23
A. NOT OPERATED	569	4.5	9	1	1	4	5	7	9	15
B. OPERATED	52	5.7	14	1	2	5	7	12	14	16
TOTAL 0-19 YRS	253	4.4	6	1	2	4	5	7	9	13
20-34	250	4.3	8	1	1	4	5	7	9	13
35-49	78	5.1	15	1	1	4	5	10	13	21
50-64	26	5.0	8	1	2	5	6	9	10	13
65+	14	8.7	62	2	2	7	10	21	28	30
GRAND TOTAL	**621**	**4.6**	**10**	**1**	**1**	**4**	**5**	**7**	**10**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	585	1.9	3	<1	1	1	2	4	5	10
20-34	389	2.3	4	<1	<1	2	3	4	6	10
35-49	163	2.8	8	<1	<1	2	3	6	8	14
50-64	101	4.3	21	<1	1	2	5	10	14	22
65+	119	6.1	32	1	1	5	8	13	17	30
B. *Operated*										
0-19 YRS	39	3.1	13	<1	<1	2	3	7	9	20
20-34	36	4.5	38	1	1	2	5	9	13	35
35-49	18	3.7	10	1	1	3	5	9	11	11
50-64	12	4.0	9	1	1	4	6	9	9	9
65+	10	9.0	101	1	1	4	15	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	455	2.3	5	<1	1	2	3	5	6	13
20-34	516	2.9	7	<1	1	2	4	6	8	13
35-49	234	3.7	14	1	1	3	4	7	10	18
50-64	205	5.2	24	1	1	4	7	11	12	25
65+	485	10.8	146	1	2	7	13	24	36	91
B. *Operated*										
0-19 YRS	58	2.9	6	<1	1	2	4	7	8	10
20-34	73	5.8	70	<1	1	4	6	11	17	53
35-49	24	7.4	38	1	2	6	9	16	22	26
50-64	15	11.2	101	2	2	7	20	33	80	99+
65+	27	18.5	312	1	2	12	26	41	53	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1357	2.7	9	<1	1	2	3	5	8	16
B. *Operated*	115	4.3	29	<1	1	2	5	9	13	30
2. MULTIPLE DX										
A. *Not Operated*	1895	5.1	56	<1	1	3	6	11	17	39
B. *Operated*	197	7.3	105	1	1	4	8	19	29	67
1. SINGLE DX	1472	2.8	11	<1	1	2	3	6	9	17
2. MULTIPLE DX	2092	5.3	61	<1	1	3	6	12	19	41
A. NOT OPERATED	3252	4.1	38	<1	1	2	5	9	13	32
B. OPERATED	312	6.2	79	<1	1	3	7	14	25	52
TOTAL 0-19 YRS	1137	2.2	4	<1	1	1	3	4	6	11
20-34	1014	2.9	12	<1	1	2	4	6	8	14
35-49	439	3.6	13	<1	1	2	4	8	10	20
50-64	333	5.1	27	1	1	4	7	11	14	28
65+	641	10.2	137	1	2	7	13	22	34	77
GRAND TOTAL	**3564**	**4.3**	**42**	**<1**	**1**	**2**	**5**	**10**	**14**	**35**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.3	24	1	1	2	3	9	16	20
20-34	28	2.4	4	<1	<1	1	3	5	8	8
35-49	5	5.4	12	2	2	4	8	10	10	10
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	9	5.6	57	1	1	2	8	19	23	23
20-34	16	7.3	106	1	1	4	7	16	35	43
35-49	9	4.8	18	1	1	3	7	12	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.5	21	1	1	6	11	12	12	12
20-34	15	3.2	7	1	1	2	4	7	9	10
35-49	3	2.0		2	2	2	2	2	2	2
50-64	4	4.8		4	4	5	5	5	5	5
65+	8	8.0	31	3	3	6	13	15	16	16
B. *Operated*										
0-19 YRS	8	4.8	17	1	1	3	8	11	12	12
20-34	20	11.3	315	<1	1	6	12	36	61	65
35-49	9	7.7	75	1	1	4	10	22	28	28
50-64	2	18.5	613	1	1	18	36	36	36	36
65+	3	3.3	1	2	2	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.9	11	<1	1	2	3	8	10	20
B. *Operated*	34	6.2	68	1	1	3	7	14	22	43
2. MULTIPLE DX										
A. *Not Operated*	40	5.1	17	1	1	3	7	12	13	16
B. *Operated*	42	9.0	192	1	1	4	10	19	45	65
1. SINGLE DX	87	4.2	35	<1	1	2	4	9	14	36
2. MULTIPLE DX	82	7.1	110	1	1	4	8	13	21	63
A. NOT OPERATED	93	3.8	15	1	1	2	5	10	12	18
B. OPERATED	76	7.8	137	1	1	4	8	15	34	63
TOTAL 0-19 YRS	44	4.8	28	1	1	2	7	12	15	23
20-34	79	5.8	114	<1	1	3	6	11	16	63
35-49	26	5.6	35	1	1	3	8	13	17	28
50-64	9	7.0	121	1	1	4	5	24	36	36
65+	11	6.7	27	2	2	4	12	15	16	16
GRAND TOTAL	**169**	**5.6**	**73**	**1**	**1**	**3**	**7**	**12**	**16**	**55**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	3	<1	<1	1	2	4	6	6
20-34	5	1.4		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.2	4	<1	<1	1	2	6	6	6
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	2.2	1	<1	<1	2	3	3	3	3
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.6	2	<1	1	1	2	2	5	6
B. *Operated*	9	2.7	3	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	9	2.6	5	<1	<1	2	3	6	8	8
B. *Operated*	3	2.0	3	1	1	1	3	4	4	4
1. SINGLE DX	24	2.0	2	<1	1	1	2	5	6	6
2. MULTIPLE DX	12	2.4	4	<1	<1	2	3	5	8	8
A. NOT OPERATED	24	2.0	3	<1	1	1	2	4	7	8
B. OPERATED	12	2.5	3	<1	<1	2	4	5	6	6
TOTAL 0-19 YRS	19	1.9	3	<1	<1	1	2	5	6	6
20-34	13	2.1	1	<1	<1	2	3	4	5	5
35-49	4	3.5	10	1	1	2	5	8	8	8
50-64										
65+										
GRAND TOTAL	**36**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	1.4	1	<1	<1	1	1	2	3	6
20-34	48	1.5	1	<1	<1	1	2	2	3	6
35-49	30	1.3		<1	<1	1	1	2	3	3
50-64	43	1.5	1	<1	<1	1	2	2	4	7
65+	26	1.8	7	<1	1	1	1	3	6	14
B. *Operated*										
0-19 YRS	53	3.3	8	<1	1	2	4	7	10	11
20-34	8	2.9	14	<1	<1	2	3	9	12	12
35-49	6	3.2	19	1	1	2	2	11	12	12
50-64	8	6.1	26	1	1	5	8	15	17	17
65+	5	5.8	64	1	1	2	8	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.6	6	1	1	2	3	6	7	15
20-34	15	2.0	3	<1	<1	1	3	4	6	7
35-49	19	3.3	6	1	1	2	5	7	9	9
50-64	29	3.0	9	1	1	1	4	7	10	12
65+	40	5.3	85	<1	1	2	6	11	17	56
B. *Operated*										
0-19 YRS	29	6.3	28	1	1	5	9	13	19	20
20-34	12	6.9	108	<1	<1	4	7	20	35	38
35-49	12	13.6	155	<1	1	10	25	31	34	35
50-64	19	9.1	179	1	1	4	9	21	42	59
65+	24	7.7	146	<1	1	4	6	17	37	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	80	3.7	14	<1	1	2	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	152	3.4	28	1	1	2	4	7	10	21
B. *Operated*	96	8.2	113	1	1	5	9	20	29	58
1. SINGLE DX	450	1.8	4	<1	<1	1	2	3	5	12
2. MULTIPLE DX	248	5.3	66	1	1	2	6	12	20	56
A. NOT OPERATED	522	2.0	10	<1	<1	1	2	4	6	12
B. OPERATED	176	6.2	73	1	1	4	7	13	21	52
TOTAL 0-19 YRS	354	2.2	7	<1	<1	1	2	5	7	14
20-34	83	2.5	20	<1	<1	1	2	5	7	29
35-49	67	4.2	49	<1	1	2	3	11	24	34
50-64	99	3.7	46	<1	1	1	4	7	12	40
65+	95	5.0	80	<1	1	2	5	12	19	57
GRAND TOTAL	**698**	**3.0**	**29**	**<1**	**<1**	**1**	**3**	**7**	**11**	**28**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.1	81	1	1	4	10	24	27	27
20-34	8	8.4	40	1	2	6	15	16	16	16
35-49										
50-64										
65+	2	10.0	162	1	1	10	19	19	19	19
B. *Operated*										
0-19 YRS	26	16.0	168	3	3	11	23	37	41	50
20-34	17	13.4	71	3	3	11	22	26	27	27
35-49	3	9.0	37	2	2	12	13	13	13	13
50-64	7	17.7	167	2	4	17	19	39	44	44
65+	4	11.0	77	4	4	8	17	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	13.7	226	<1	1	11	18	25	49	64
20-34	14	7.4	71	1	1	4	11	23	26	27
35-49	3	8.7	20	4	4	9	12	13	13	13
50-64	4	21.0	437	3	3	22	62	99+	99+	99+
65+	10	20.9	368	3	3	13	30	53	59	59
B. *Operated*										
0-19 YRS	32	21.6	413	4	7	16	28	66	88	99+
20-34	36	23.1	364	3	6	21	32	90	99+	99+
35-49	22	27.9	327	6	9	23	38	54	64	69
50-64	20	32.1	452	10	12	21	53	62	71	80
65+	17	37.5	224	17	18	36	47	61	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	8.5	59	1	1	4	15	18	24	27
B. *Operated*	57	14.7	124	2	3	12	20	30	38	50
2. MULTIPLE DX										
A. *Not Operated*	49	13.7	225	1	1	10	22	38	59	99+
B. *Operated*	127	26.9	385	5	8	22	40	65	81	99+
1. SINGLE DX	74	13.3	115	2	3	11	19	27	37	49
2. MULTIPLE DX	176	23.2	374	2	3	18	33	62	75	99+
A. NOT OPERATED	66	12.3	186	1	1	9	17	27	51	94
B. OPERATED	184	23.1	335	3	6	18	32	55	69	99+
TOTAL 0-19 YRS	83	17.0	278	2	3	12	22	39	64	97
20-34	75	16.4	250	1	2	12	26	46	91	99+
35-49	28	23.8	322	2	5	21	33	50	61	69
50-64	31	27.4	405	3	9	20	47	62	78	99+
65+	33	27.6	348	3	4	24	44	51	63	65
GRAND TOTAL	**250**	**20.3**	**317**	**2**	**3**	**16**	**28**	**50**	**66**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	5.9	42	1	1	3	8	14	19	31
20-34	112	4.9	38	<1	1	2	6	12	21	29
35-49	50	5.0	45	<1	1	2	5	12	22	35
50-64	24	8.3	31	1	2	7	11	16	19	22
65+	10	8.4	57	1	1	5	17	20	21	21
B. *Operated*										
0-19 YRS	28	7.7	83	1	1	5	9	20	26	42
20-34	13	14.8	241	1	3	8	20	44	50	51
35-49	7	10.9	79	<1	<1	13	19	20	20	20
50-64	2	8.5	5	7	7	8	10	10	10	10
65+	2	33.0	450	18	18	33	48	48	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	7.3	49	1	1	5	10	15	22	34
20-34	176	5.9	50	1	1	3	8	14	19	48
35-49	78	9.2	156	1	1	5	11	21	28	70
50-64	57	10.1	113	1	1	5	14	25	32	48
65+	30	16.1	202	1	2	12	21	38	41	64
B. *Operated*										
0-19 YRS	55	18.4	204	2	3	16	25	38	43	70
20-34	58	17.9	286	2	4	14	20	42	53	88
35-49	21	25.4	266	4	7	22	39	59	79	99+
50-64	17	23.6	269	7	9	19	29	55	61	62
65+	13	19.5	224	3	7	14	27	39	54	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	5.7	42	1	1	3	7	14	20	30
B. *Operated*	52	10.9	148	1	1	7	16	23	42	51
2. MULTIPLE DX										
A. *Not Operated*	661	7.8	78	1	1	5	10	18	25	47
B. *Operated*	164	19.8	251	2	4	16	25	41	58	86
1. SINGLE DX	445	6.3	56	1	1	3	8	16	21	42
2. MULTIPLE DX	825	10.2	135	1	1	6	14	24	34	62
A. NOT OPERATED	1054	7.0	66	1	1	4	9	16	23	41
B. OPERATED	216	17.6	239	1	2	14	23	40	53	77
TOTAL 0-19 YRS	600	7.9	74	1	1	5	10	19	26	39
20-34	359	7.9	113	1	1	4	10	19	26	53
35-49	156	10.1	170	1	1	5	14	24	40	74
50-64	100	11.9	143	1	2	8	16	26	36	60
65+	55	16.1	200	1	2	13	21	36	46	64
GRAND TOTAL	**1270**	**8.8**	**111**	**1**	**1**	**5**	**12**	**21**	**29**	**57**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.9	2	1	1	2	4	5	6	6
20-34	19	3.3	12	<1	<1	2	5	8	12	14
35-49	5	2.4	2	1	1	2	4	4	4	4
50-64	5	4.6	11	1	1	4	6	10	10	10
65+	4	4.3	16	1	1	3	7	10	10	10
B. *Operated*										
0-19 YRS	13	4.6	15	1	2	3	6	10	14	15
20-34	52	3.5	7	1	1	2	5	7	9	11
35-49	12	7.9	359	1	1	2	3	23	62	68
50-64	14	3.7	6	<1	1	3	4	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	5	<1	<1	2	4	6	7	7
20-34	21	4.4	19	1	1	3	5	12	15	16
35-49	9	6.9	79	<1	<1	4	9	21	29	29
50-64	16	7.9	45	1	1	6	11	19	22	24
65+	17	14.2	222	2	3	12	20	53	86	99+
B. *Operated*										
0-19 YRS	26	2.5	8	1	1	2	3	5	7	14
20-34	52	3.9	18	1	1	3	4	14	17	97
35-49	19	4.9	26	1	1	3	6	11	18	22
50-64	9	2.9	2	2	2	2	3	5	6	6
65+	4	11.5	252	<1	<1	5	21	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.3	8	<1	1	2	4	7	10	14
B. *Operated*	91	4.3	53	1	1	3	5	8	9	46
2. MULTIPLE DX										
A. *Not Operated*	71	7.7	92	1	1	4	10	19	25	92
B. *Operated*	110	3.9	24	1	1	2	4	7	16	60
1. SINGLE DX	137	3.9	38	1	1	2	4	8	10	22
2. MULTIPLE DX	181	5.4	54	1	1	3	6	15	20	88
A. NOT OPERATED	117	6.0	63	1	1	3	7	15	20	76
B. OPERATED	201	4.1	37	1	1	3	4	8	14	51
TOTAL 0-19 YRS	60	3.1	8	1	1	2	4	6	8	15
20-34	144	3.7	13	1	1	2	5	9	14	21
35-49	45	5.8	118	1	1	3	5	9	24	68
50-64	44	5.2	24	1	1	3	6	10	16	24
65+	25	12.2	195	1	1	9	17	34	72	99+
GRAND TOTAL	**318**	**4.8**	**47**	**1**	**1**	**3**	**5**	**10**	**16**	**66**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	2.4	5	<1	1	2	3	5	7	11
20-34	222	3.0	10	<1	<1	2	4	6	8	13
35-49	64	4.0	21	1	1	3	5	7	9	31
50-64	39	4.8	21	1	1	3	7	10	15	20
65+	55	6.8	28	1	1	5	9	13	19	24
B. *Operated*										
0-19 YRS	37	4.9	19	<1	1	4	7	9	17	19
20-34	42	6.9	37	1	1	5	9	18	20	21
35-49	16	6.1	21	1	1	5	8	15	16	16
50-64	7	4.1	14	1	1	3	8	10	10	10
65+	5	6.6	36	1	1	6	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	3.6	13	1	1	2	4	8	11	17
20-34	161	3.3	7	<1	1	2	4	6	9	14
35-49	75	4.5	12	<1	1	4	6	9	11	20
50-64	79	6.8	50	1	1	4	9	14	17	41
65+	172	12.7	193	2	2	8	16	28	42	87
B. *Operated*										
0-19 YRS	29	9.4	162	<1	1	8	11	15	30	68
20-34	43	6.9	30	1	2	5	10	15	18	20
35-49	22	7.5	202	1	2	3	6	14	40	68
50-64	12	14.3	134	2	3	10	20	34	37	37
65+	15	25.0	446	6	8	17	28	59	74	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	628	3.3	13	<1	1	2	4	7	10	19
B. *Operated*	107	5.9	27	1	1	5	7	15	18	21
2. MULTIPLE DX										
A. *Not Operated*	629	6.5	81	1	1	4	7	15	21	54
B. *Operated*	121	10.6	182	1	2	7	13	21	35	71
1. SINGLE DX	735	3.7	16	<1	1	2	5	8	11	20
2. MULTIPLE DX	750	7.2	99	1	1	4	8	16	23	61
A. NOT OPERATED	1257	4.9	49	<1	1	3	6	11	16	34
B. OPERATED	228	8.4	114	1	1	5	10	18	22	68
TOTAL 0-19 YRS	456	3.4	21	1	1	2	4	8	11	18
20-34	468	3.8	15	<1	1	2	5	8	12	20
35-49	177	4.8	40	1	1	3	6	9	11	31
50-64	137	6.8	52	1	1	4	9	14	20	38
65+	247	12.0	184	1	2	8	15	25	41	79
GRAND TOTAL	**1485**	**5.4**	**61**	**1**	**1**	**3**	**6**	**12**	**18**	**42**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	863	1.6	2	<1	<1	1	2	3	4	7
20-34	306	2.3	10	<1	<1	1	3	4	6	17
35-49	136	2.6	7	<1	1	2	3	6	8	29
50-64	56	4.5	32	1	1	3	5	10	17	30
65+	87	5.8	67	1	1	3	7	11	15	53
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	709	4.7	69	<1	1	2	5	9	18	51
20-34	1153	6.3	103	<1	1	3	6	16	27	58
35-49	586	6.9	111	1	1	3	7	15	27	55
50-64	345	8.5	153	1	1	4	10	19	30	76
65+	451	9.1	94	1	2	7	11	19	28	48
B. *Operated*										
0-19 YRS	8	14.9	353	1	2	6	21	47	57	57
20-34	44	18.0	342	1	1	13	27	56	85	99+
35-49	28	12.3	128	2	2	8	16	27	34	47
50-64	22	16.3	132	1	4	15	24	36	38	39
65+	32	19.0	239	2	4	15	27	41	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1448	2.2	10	<1	1	1	2	4	6	13
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	3244	6.7	103	1	1	3	7	16	26	56
B. *Operated*	134	16.6	238	1	2	12	24	38	57	99+
1. SINGLE DX	1449	2.2	10	<1	1	1	2	4	6	13
2. MULTIPLE DX	3378	7.1	112	1	1	3	8	17	28	59
A. NOT OPERATED	4692	5.3	78	<1	1	2	5	12	20	47
B. OPERATED	135	16.4	238	1	2	12	24	38	57	99+
TOTAL 0-19 YRS	1580	3.1	36	<1	1	1	3	6	9	29
20-34	1504	5.8	97	<1	1	2	5	15	26	58
35-49	750	6.3	97	1	1	3	7	14	25	54
50-64	423	8.4	141	1	1	4	10	19	30	62
65+	570	9.2	104	1	2	7	11	20	29	61
GRAND TOTAL	**4827**	**5.6**	**86**	**<1**	**1**	**2**	**6**	**13**	**23**	**51**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	397	1.5	15	<1	1	1	1	2	3	6
20-34	119	1.5	1	<1	<1	1	1	3	4	8
35-49	66	1.8	7	<1	<1	1	2	3	4	19
50-64	28	1.8	8	<1	<1	1	2	2	4	16
65+	16	2.6	8	1	1	1	3	6	10	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	2.4	11	<1	1	1	2	5	9	16
20-34	110	3.3	21	<1	1	2	4	8	10	26
35-49	76	3.7	27	1	1	2	3	8	15	29
50-64	41	3.8	20	<1	<1	2	5	10	18	99+
65+	43	8.2	194	<1	1	3	8	15	45	71
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	11.6	83	3	3	11	13	26	32	32
35-49	3	7.0	61	2	2	3	13	16	16	16
50-64	2	7.5	13	5	5	10	77	99+	99+	99+
65+	3	31.7	1782	2	2	80	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	626	1.6	11	<1	<1	1	1	2	3	8
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	410	3.6	39	<1	1	2	4	8	13	40
B. *Operated*	17	13.4	350	2	2	11	24	99+	99+	99+
1. SINGLE DX	628	1.6	11	<1	<1	1	1	2	3	8
2. MULTIPLE DX	427	4.0	54	<1	1	2	4	10	15	84
A. NOT OPERATED	1036	2.4	23	<1	1	1	2	4	8	22
B. OPERATED	19	12.2	324	2	2	10	16	99+	99+	99+
TOTAL 0-19 YRS	539	1.8	14	<1	1	1	2	3	4	13
20-34	237	2.7	17	<1	<1	1	3	6	10	19
35-49	145	2.9	19	<1	1	2	3	5	12	25
50-64	71	3.1	16	<1	<1	1	4	9	16	99+
65+	63	7.8	226	<1	1	2	8	15	73	99+
GRAND TOTAL	**1055**	**2.6**	**30**	**<1**	**1**	**1**	**2**	**5**	**9**	**32**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not-Operated*										
0-19 YRS	177	2.6	8	<1	1	1	3	6	8	16
20-34	125	2.4	9	<1	<1	1	2	4	9	15
35-49	58	2.6	5	<1	1	2	3	6	8	11
50-64	44	4.6	28	1	1	3	5	10	17	27
65+	52	5.8	27	1	1	4	9	13	16	25
B. *Operated*										
0-19 YRS	4	10.0	24	4	4	11	14	14	14	14
20-34	9	17.8	559	1	2	7	25	59	73	73
35-49	1	40.0		40	40	40	40	40	40	40
50-64	4	22.3	469	3	3	16	36	53	53	53
65+	2	2.5	1	2	2	3	76	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	5.4	67	<1	1	3	5	11	27	38
20-34	108	3.7	29	<1	1	2	4	7	9	35
35-49	95	5.7	56	1	1	3	8	12	16	46
50-64	117	8.1	102	1	1	4	10	19	26	54
65+	162	9.0	73	1	2	6	13	20	29	51
B. *Operated*										
0-19 YRS	4	9.5	35	1	1	11	13	14	14	14
20-34	10	7.4	49	1	1	8	17	99+	99+	99+
35-49	15	12.9	158	2	2	10	17	38	42	43
50-64	17	18.5	223	2	4	16	32	45	78	99+
65+	26	14.8	174	2	2	14	22	36	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	3.1	13	<1	1	2	4	7	10	18
B. *Operated*	20	16.7	380	2	2	9	25	61	85	99+
2. MULTIPLE DX										
A. *Not Operated*	621	6.6	70	1	1	4	8	15	24	44
B. *Operated*	72	13.9	163	1	2	10	23	42	87	99+
1. SINGLE DX	476	3.7	36	<1	1	2	4	9	13	34
2. MULTIPLE DX	693	7.4	85	1	1	4	9	19	30	56
A. NOT OPERATED	1077	5.1	49	<1	1	3	6	12	18	34
B. OPERATED	92	14.5	208	1	2	10	23	43	90	99+
TOTAL 0-19 YRS	324	4.0	36	<1	1	2	4	9	14	33
20-34	252	3.7	45	<1	1	2	4	8	11	72
35-49	169	5.5	61	1	1	3	7	11	19	42
50-64	182	8.5	117	1	1	4	10	22	33	68
65+	242	8.9	79	1	1	6	13	21	30	99+
GRAND TOTAL	**1169**	**5.9**	**68**	**1**	**1**	**3**	**7**	**14**	**23**	**53**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.5	39	1	1	3	7	13	21	25
20-34	42	2.7	5	<1	<1	1	4	6	7	10
35-49	17	5.5	16	<1	1	5	8	12	13	13
50-64	12	10.9	268	1	1	6	8	31	57	61
65+	37	8.3	68	1	1	5	9	23	27	32
B. *Operated*										
0-19 YRS	81	5.4	34	<1	1	3	8	11	16	32
20-34	215	3.6	22	<1	<1	2	4	8	12	27
35-49	119	6.1	49	<1	1	4	8	14	21	33
50-64	174	9.6	102	1	2	7	13	19	22	59
65+	276	11.3	169	1	2	7	15	26	34	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.8	130	1	1	4	9	17	28	65
20-34	65	4.2	14	<1	1	3	5	9	10	19
35-49	47	6.0	33	1	1	5	9	11	14	31
50-64	78	8.9	62	1	2	7	11	21	23	39
65+	119	11.1	180	1	1	6	15	29	47	78
B. *Operated*										
0-19 YRS	177	12.0	218	1	2	8	13	28	41	83
20-34	265	8.2	102	<1	1	5	10	20	31	72
35-49	249	10.8	125	1	1	7	15	27	37	63
50-64	502	13.3	175	1	2	10	17	29	43	82
65+	617	16.3	282	2	3	11	20	38	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	5.9	60	<1	1	3	7	13	22	40
B. *Operated*	865	7.8	100	<1	1	4	10	18	25	53
2. MULTIPLE DX										
A. *Not Operated*	351	8.3	103	1	1	5	10	20	29	64
B. *Operated*	1810	13.1	206	1	2	9	17	31	46	96
1. SINGLE DX	989	7.5	95	<1	1	4	9	17	25	52
2. MULTIPLE DX	2161	12.3	192	1	2	8	16	30	43	91
A. NOT OPERATED	475	7.6	93	1	1	5	9	18	27	60
B. OPERATED	2675	11.4	178	1	1	7	15	27	39	79
TOTAL 0-19 YRS	316	9.5	158	1	1	6	11	21	32	72
20-34	587	5.7	61	<1	<1	3	6	13	22	45
35-49	432	8.8	95	1	1	5	11	21	31	51
50-64	766	12.0	151	1	2	9	16	25	39	71
65+	1049	14.1	240	1	2	9	18	34	51	98
GRAND TOTAL	**3150**	**10.8**	**167**	**1**	**1**	**7**	**14**	**26**	**38**	**78**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	1.8	1	<1	<1	2	2	3	3	4
20-34	223	2.7	4	1	1	2	3	6	7	10
35-49	89	2.8	3	1	1	2	3	5	6	9
50-64	63	3.4	4	1	1	3	4	6	7	12
65+	68	4.3	10	1	2	4	5	8	11	16
B. *Operated*										
0-19 YRS	61	2.1	2	<1	1	2	2	4	5	7
20-34	119	3.2	6	1	1	2	4	6	8	12
35-49	49	5.4	60	1	1	3	6	11	17	54
50-64	27	3.8	7	1	1	3	5	7	9	13
65+	17	7.5	36	1	2	6	9	15	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.2	14	1	1	2	3	5	7	23
20-34	56	3.1	4	1	1	2	4	7	8	9
35-49	51	4.4	9	1	1	4	5	9	11	13
50-64	50	4.9	19	1	1	3	7	13	15	18
65+	76	6.3	38	1	2	5	8	11	14	35
B. *Operated*										
0-19 YRS	8	5.8	38	1	1	2	11	15	15	15
20-34	47	7.1	90	1	2	4	9	13	16	64
35-49	39	9.4	184	1	1	5	11	25	29	77
50-64	24	7.0	48	1	2	5	9	11	21	34
65+	46	9.4	47	1	2	8	13	19	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	2.8	4	1	1	2	4	6	7	11
B. *Operated*	273	3.7	20	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	270	4.6	20	1	1	3	6	9	13	27
B. *Operated*	164	8.2	91	1	1	5	10	16	25	60
1. SINGLE DX	817	3.1	10	1	1	2	4	6	8	13
2. MULTIPLE DX	434	5.9	50	1	1	4	7	13	16	34
A. NOT OPERATED	814	3.4	10	1	1	2	4	7	9	14
B. OPERATED	437	5.4	51	1	1	3	6	11	16	32
TOTAL 0-19 YRS	207	2.3	5	<1	1	2	3	4	5	14
20-34	445	3.4	15	1	1	2	4	7	9	13
35-49	228	4.8	54	1	1	3	5	10	13	37
50-64	164	4.5	16	1	1	3	5	9	13	18
65+	207	6.4	34	1	2	5	8	13	17	31
GRAND TOTAL	**1251**	**4.1**	**25**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	4.9	9	1	2	4	7	9	9	17
20-34	147	6.2	17	2	2	5	8	10	15	20
35-49	96	7.6	41	2	3	6	9	15	17	38
50-64	55	7.6	27	2	3	6	10	14	20	25
65+	36	11.3	68	3	4	8	14	22	29	36
B. *Operated*										
0-19 YRS	26	7.4	33	1	2	6	10	15	21	25
20-34	53	10.1	52	1	2	8	14	21	24	30
35-49	39	9.2	114	2	3	7	9	20	28	62
50-64	36	10.1	48	2	3	10	12	18	19	38
65+	23	11.3	77	2	2	8	17	25	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.4	23	1	2	5	8	13	15	25
20-34	110	7.2	27	2	3	6	9	14	17	28
35-49	99	8.0	46	2	3	6	10	15	18	42
50-64	80	10.0	80	2	3	7	12	19	31	46
65+	84	12.9	121	3	4	10	16	27	39	86
B. *Operated*										
0-19 YRS	20	8.9	79	1	2	6	11	20	32	37
20-34	65	18.1	396	3	3	11	19	50	64	96
35-49	63	18.5	249	3	4	12	22	47	50	75
50-64	60	19.6	225	2	5	17	24	38	53	76
65+	76	21.7	222	3	4	19	30	45	51	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	6.9	29	2	2	6	8	13	17	29
B. *Operated*	177	9.7	65	2	2	8	12	20	25	36
2. MULTIPLE DX										
A. *Not Operated*	432	8.9	63	2	3	7	11	17	24	51
B. *Operated*	284	18.8	265	2	3	14	23	43	52	78
1. SINGLE DX	597	7.7	41	2	2	6	9	15	20	31
2. MULTIPLE DX	716	12.8	167	2	3	9	16	27	42	63
A. NOT OPERATED	852	7.9	47	2	2	6	9	15	20	39
B. OPERATED	461	15.3	208	2	3	11	19	33	48	67
TOTAL 0-19 YRS	191	6.1	25	1	2	5	8	11	15	26
20-34	375	9.1	108	2	2	6	10	18	23	62
35-49	297	10.2	113	2	3	7	12	19	31	57
50-64	231	11.9	121	2	3	9	15	24	38	58
65+	219	15.5	162	2	4	12	21	32	45	60
GRAND TOTAL	**1313**	**10.5**	**116**	**2**	**3**	**7**	**12**	**22**	**31**	**58**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	9	<1	<1	1	2	7	10	12
20-34	41	4.0	13	<1	1	3	5	9	12	16
35-49	38	5.7	27	1	1	5	8	12	16	26
50-64	35	6.6	21	1	2	6	8	10	17	22
65+	26	7.2	28	1	1	6	11	13	16	24
B. *Operated*										
0-19 YRS	33	7.0	82	<1	1	4	7	20	22	46
20-34	66	5.4	20	<1	1	4	7	11	16	21
35-49	45	9.8	216	1	2	5	9	20	32	87
50-64	55	8.5	59	1	2	6	11	21	23	37
65+	49	7.0	61	1	1	4	9	23	32	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	5.0	38	1	1	3	6	11	19	33
20-34	124	4.5	23	1	1	3	6	9	11	22
35-49	110	6.6	41	1	1	5	8	13	18	38
50-64	108	7.7	51	1	1	6	11	16	20	38
65+	125	11.5	141	1	2	8	15	29	44	99+
B. *Operated*										
0-19 YRS	45	8.6	91	1	1	5	11	28	31	38
20-34	100	10.2	88	<1	1	8	14	21	32	42
35-49	128	14.3	223	1	2	10	19	27	50	88
50-64	131	17.0	276	2	2	12	26	50	81	99+
65+	184	15.3	223	2	2	11	20	35	52	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	5.3	22	1	1	4	7	12	14	24
B. *Operated*	248	7.4	81	1	1	4	9	19	23	87
2. MULTIPLE DX										
A. *Not Operated*	526	7.3	69	1	1	5	9	16	23	49
B. *Operated*	,588	14.1	208	1	2	10	19	33	51	99+
1. SINGLE DX	406	6.6	59	1	1	4	8	14	22	48
2. MULTIPLE DX	1114	10.9	153	1	1	7	14	26	39	91
A. NOT OPERATED	684	6.9	59	1	1	5	8	15	21	45
B. OPERATED	836	12.1	179	1	2	8	17	30	45	99+
TOTAL 0-19 YRS	155	6.2	62	1	1	3	7	16	24	38
20-34	331	6.3	47	1	1	4	8	14	19	39
35-49	321	10.0	149	1	2	6	12	23	29	81
50-64	329	11.4	159	1	2	7	16	27	45	99+
65+	384	12.4	171	1	2	8	17	31	48	99+
GRAND TOTAL	**1520**	**9.7**	**132**	**1**	**1**	**6**	**12**	**23**	**34**	**87**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.2	1	1	1	2	3	3	4	4
20-34	9	2.9	4	1	1	3	4	6	7	7
35-49	3	10.7	154	3	3	4	20	25	25	25
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.5	6	<1	1	3	5	7	9	10
20-34	11	6.7	12	1	2	7	9	11	12	12
35-49	13	5.6	15	1	1	5	8	11	13	13
50-64	5	6.6	31	2	2	5	9	16	16	16
65+	13	5.6	20	<1	1	4	9	12	14	14
B. *Operated*										
0-19 YRS	3	8.7	12	5	5	9	11	12	12	12
20-34	2	15.5	85	9	9	15	22	22	22	22
35-49	2	45.5	2113	13	13	45	78	78	78	78
50-64	4	16.0	21	10	10	16	19	21	21	21
65+	2	7.0	32	3	3	7	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.0	15	1	1	2	3	4	6	25
B. *Operated*	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	71	5.0	14	1	1	4	7	10	12	16
B. *Operated*	13	17.4	363	3	5	12	18	33	70	78
1. SINGLE DX	40	3.0	14	1	1	2	3	4	6	25
2. MULTIPLE DX	84	6.9	84	1	1	5	9	13	16	59
A. NOT OPERATED	109	4.3	15	1	1	3	5	10	12	20
B. OPERATED	15	15.5	337	2	3	11	17	22	64	78
TOTAL 0-19 YRS	57	3.2	6	1	1	2	4	6	9	12
20-34	23	5.9	23	1	1	4	8	11	15	22
35-49	19	10.4	302	1	1	5	11	20	54	78
50-64	9	10.8	48	2	2	10	16	19	21	21
65+	16	5.5	20	<1	1	4	9	12	13	14
GRAND TOTAL	**124**	**5.6**	**65**	**1**	**1**	**3**	**7**	**12**	**16**	**39**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.1	4	<1	<1	1	2	6	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.3	3	<1	1	3	4	6	7	7
20-34	3076	2.2	2	<1	<1	2	3	4	4	6
35-49	1093	2.1	1	<1	<1	2	3	4	4	5
50-64	8	2.8	4	<1	<1	2	4	6	6	6
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	40	1.6	2	<1	<1	1	2	2	5	7
35-49	13	1.1		<1	<1	<1	1	1	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.3	8	<1	1	2	4	8	11	12
20-34	1281	2.9	4	<1	<1	3	4	5	6	9
35-49	558	2.8	4	<1	<1	2	4	5	6	9
50-64	5	3.0	7	<1	<1	2	5	7	7	7
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	4	<1	<1	1	2	6	7	7
B. *Operated*	4196	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	53	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	1861	2.9	4	<1	<1	3	4	5	6	9
1. SINGLE DX	4204	2.2	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	1914	2.9	4	<1	<1	3	4	5	6	9
A. NOT OPERATED	61	1.5	2	<1	<1	1	1	2	5	7
B. OPERATED	6057	2.4	2	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	32	3.3	6	<1	1	3	4	6	8	12
20-34	4405	2.4	2	<1	<1	2	3	4	5	7
35-49	1664	2.3	2	<1	<1	2	3	4	5	7
50-64	13	2.8	4	<1	<1	2	4	6	7	7
65+	4	4.0	17	1	1	2	6	10	10	10
GRAND TOTAL	**6118**	**2.4**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE D .										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	303	5.5	11	3	3	5	6	9	11	20
2500+	31450	4.2	2	2	3	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	3	4.3		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	13	68.3	809	8	29	83	99+	99+	99+	99+
1000-1499	111	53.2	343	27	31	50	67	82	90	99+
1500-1749	129	34.4	136	16	21	34	41	48	56	91
1750-2499	1946	10.8	62	3	4	8	15	21	26	37
2500+	36002	4.9	6	3	3	4	6	7	8	13
B. *Operated*										
1-999 G	12	88.5	17	84	86	99+	99+	99+	99+	99+
1000-1499	31	64.3	234	42	43	68	83	99+	99+	99+
1500-1749	22	45.0	180	29	32	42	52	61	75	83
1750-2499	75	24.5	298	6	7	19	32	52	59	98
2500+	295	11.9	157	3	4	7	14	27	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31753	4.3	2	2	3	4	5	6	7	9
B. *Operated*	3	4.3		4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	38201	5.5	23	3	3	5	6	7	10	25
B. *Operated*	435	21.6	530	3	4	12	37	83	99+	99+
1. SINGLE DX	31756	4.3	2	2	3	4	5	6	7	9
2. MULTIPLE DX	38636	5.6	31	3	3	5	6	8	11	32
A. NOT OPERATED	69954	4.9	14	3	3	4	5	7	8	18
B. OPERATED	438	21.5	528	3	4	12	37	83	99+	99+
TOTAL 1-999 G	25	78.0	519	61	75	99+	99+	99+	99+	99+
1000-1499	142	55.6	338	29	32	53	70	87	94	99+
1500-1749	151	35.9	155	17	22	34	42	53	58	89
1750-2499	2324	10.5	72	3	4	7	14	21	27	43
2500+	67750	4.6	5	3	3	4	5	7	8	12
GRAND TOTAL	**70392**	**5.0**	**19**	**3**	**3**	**4**	**5**	**7**	**8**	**21**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	32	8.1	9	4	5	7	10	14	14	14
2500+	251	5.6	4	3	4	5	7	8	9	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	94.0		94	94	99+	99+	99+	99+	99+
1000-1499	36	53.4	433	18	32	57	68	86	96	99+
1500-1749	40	29.7	194	12	17	26	35	42	54	88
1750-2499	369	14.6	87	5	6	12	19	27	31	43
2500+	466	6.7	8	4	4	6	7	10	12	18
B. *Operated*										
1-999 G	3	90.0	3	89	89	91	96	99+	99+	99+
1000-1499	6	58.5	89	46	47	64	84	99+	99+	99+
1500-1749	5	41.0	52	30	30	40	47	48	48	48
1750-2499	14	18.8	369	7	7	13	20	32	71	82
2500+	2	13.5	41	9	9	13	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	5.8	5	3	4	5	7	9	9	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	912	12.8	169	4	5	8	16	28	38	77
B. *Operated*	30	37.2	777	7	8	40	67	94	99+	99+
1. SINGLE DX	283	5.8	5	3	4	5	7	9	9	14
2. MULTIPLE DX	942	13.6	206	4	5	8	16	29	43	92
A. NOT OPERATED	1195	11.2	139	4	4	7	12	24	34	68
B. OPERATED	30	37.2	777	7	8	40	67	94	99+	99+
TOTAL 1-999 G	4	91.0	6	89	89	94	99+	99+	99+	99+
1000-1499	42	54.1	384	19	32	58	68	92	99+	99+
1500-1749	45	30.9	190	13	17	28	39	47	51	88
1750-2499	415	14.2	93	5	6	11	19	26	31	49
2500+	719	6.3	7	3	4	6	7	9	11	17
GRAND TOTAL	**1225**	**11.8**	**170**	**4**	**4**	**7**	**12**	**26**	**38**	**88**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	4.5	1	4	4	4	5	5	5	5
2500+	58	3.6	2	1	2	4	4	6	7	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	54.0		54	54	54	54	54	54	54
1000-1499	1	48.0		48	48	48	48	48	48	48
1500-1749	2	29.0	8	27	27	29	31	31	31	31
1750-2499	10	13.9	163	2	2	7	24	35	36	36
2500+	61	5.3	8	2	3	5	7	9	12	15
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	1.0		<1	<1	<1	<1	<1	<1	<1
2500+	1	47.0		47	47	47	47	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.7	2	1	2	4	4	6	7	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	75	8.3	99	2	3	5	8	15	33	52
B. *Operated*	2	24.0	1058	<1	<1	23	47	47	47	47
1. SINGLE DX	60	3.7	2	1	2	4	4	6	7	8
2. MULTIPLE DX	77	8.7	116	2	3	5	8	22	35	52
A. NOT OPERATED	135	6.2	61	2	2	4	6	9	22	49
B. OPERATED	2	24.0	1058	<1	<1	23	47	47	47	47
TOTAL 1-999 G	1	54.0		54	54	54	54	54	54	54
1000-1499	1	48.0		48	48	48	48	48	48	48
1500-1749	2	29.0	8	27	27	29	31	31	31	31
1750-2499	13	11.5	144	<1	2	6	16	34	36	36
2500+	120	4.8	21	1	2	4	6	8	9	25
GRAND TOTAL	**137**	**6.5**	**72**	**1**	**2**	**4**	**6**	**9**	**26**	**49**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	4	1.8		<1	<1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	161	2.6	3	1	1	2	3	4	5	11
20-34	283	2.9	4	<1	1	2	4	5	6	10
35-49	119	3.6	23	<1	1	2	4	6	8	30
50-64	92	3.3	6	1	1	2	4	7	9	12
65+	49	3.9	7	<1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	43	4.0	16	1	1	3	4	8	14	21
20-34	66	6.0	102	1	1	4	5	13	17	70
35-49	38	6.1	29	1	2	4	7	15	19	22
50-64	31	5.7	25	1	2	3	8	13	18	19
65+	44	6.8	41	1	2	5	9	11	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.7		<1	<1	2	2	2	2	2
B. *Operated*	704	3.1	7	<1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	9	1.2		<1	<1	1	1	2	2	2
B. *Operated*	222	5.7	50	1	2	4	6	13	17	26
1. SINGLE DX	713	3.0	7	<1	1	2	4	5	7	12
2. MULTIPLE DX	231	5.6	49	1	1	4	6	12	17	25
A. NOT OPERATED	18	1.4		<1	<1	1	2	2	2	2
B. OPERATED	926	3.7	19	1	1	3	4	7	10	19
TOTAL 0-19 YRS	209	2.9	5	1	1	2	3	4	6	14
20-34	356	3.4	23	<1	1	3	4	6	8	16
35-49	161	4.1	25	<1	1	3	5	8	12	23
50-64	123	3.9	12	1	1	3	4	9	11	18
65+	95	5.2	24	1	1	4	7	10	13	30
GRAND TOTAL	**944**	**3.7**	**18**	**<1**	**1**	**3**	**4**	**7**	**10**	**19**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	13	2.7	8	1	1	2	3	6	10	11
50-64	7	3.0	16	1	1	1	3	10	12	12
65+	37	2.9	24	1	1	1	3	5	12	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	5	16.4	177	5	5	15	23	38	38	38
65+	1	5.0		5	5	52	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	59	2.8	19	1	1	1	3	5	12	27
B. *Operated*	8	11.6	146	1	2	6	23	75	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	67	3.9	40	1	1	1	4	12	19	89
A. NOT OPERATED	59	2.8	19	1	1	1	3	5	12	27
B. OPERATED	8	11.6	146	1	2	6	23	75	99+	99+
TOTAL 0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	15	2.7	7	1	1	2	3	5	10	11
50-64	12	8.6	121	1	1	4	13	24	36	38
65+	38	2.9	24	1	1	1	4	9	21	99+
GRAND TOTAL	**67**	**3.9**	**40**	**1**	**1**	**1**	**4**	**12**	**19**	**89**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1426	3.5	23	<1	1	2	4	7	10	26
20-34	1165	2.9	27	<1	<1	2	3	5	7	25
35-49	272	4.2	46	<1	<1	2	4	9	16	41
50-64	250	6.5	89	<1	1	3	7	16	28	50
65+	276	9.8	206	<1	1	5	10	29	43	96
B. *Operated*										
0-19 YRS	237	2.9	14	<1	<1	2	3	5	11	18
20-34	1075	3.2	13	<1	<1	2	4	6	8	18
35-49	400	4.0	11	<1	<1	3	5	8	11	19
50-64	225	4.1	19	<1	1	3	5	9	11	28
65+	231	3.9	22	1	1	2	4	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	779	4.8	54	<1	1	3	5	10	18	38
20-34	969	4.5	48	<1	<1	2	5	9	16	41
35-49	827	5.0	53	1	1	3	5	10	17	43
50-64	1576	5.5	63	<1	1	3	6	13	22	54
65+	1701	9.6	173	1	1	5	12	27	47	99+
B. *Operated*										
0-19 YRS	248	5.5	71	<1	<1	3	6	12	20	50
20-34	839	5.2	32	<1	<1	4	6	10	15	40
35-49	643	6.3	59	<1	1	4	8	14	20	41
50-64	934	6.6	82	<1	1	3	8	16	26	51
65+	1095	6.7	102	<1	1	3	7	16	27	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3389	4.1	50	<1	<1	2	4	8	13	40
B. *Operated*	2168	3.5	14	<1	<1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	5852	6.3	94	<1	1	3	7	16	26	80
B. *Operated*	3759	6.2	73	<1	1	3	7	14	22	50
1. SINGLE DX	5557	3.9	36	<1	<1	2	4	8	11	34
2. MULTIPLE DX	9611	6.3	86	<1	1	3	7	15	25	66
A. NOT OPERATED	9241	5.5	79	<1	1	3	5	13	23	64
B. OPERATED	5927	5.2	53	<1	<1	3	6	11	18	41
TOTAL 0-19 YRS	2690	4.0	36	<1	<1	2	4	8	12	32
20-34	4048	3.8	30	<1	<1	2	4	8	11	30
35-49	2142	5.1	47	<1	1	3	6	11	17	40
50-64	2985	5.8	68	<1	1	3	7	14	23	49
65+	3303	8.2	145	1	1	4	10	22	37	99+
GRAND TOTAL	**15168**	**5.4**	**69**	**<1**	**1**	**3**	**6**	**12**	**21**	**54**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs -- *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

1.12

Length of Stay by Operation, Canada, 1983

A Companion Volume To
Length of Stay
by Diagnosis,
Canada, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data edits, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	22	9.1	3,434	391	11.4
25-49	194	72	37.1	6,680	2,463	36.9
50-99	174	47	27.0	12,300	3,187	25.9
100-199	120	31	25.8	16,507	4,291	26.0
200-299	74	15	20.3	17,869	3,540	19.8
300-399	58	7	12.1	20,119	2,424	12.0
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	10	27.0	25,481	7,809	30.6
Total	919	206	22.4	111,371	25,072	22.5
Province or Territory						
Alberta	125	113	90.4	11,653	10,639	91.3
British Columbia	111	36	32.4	12,355	5,687	46.0
Manitoba	78	0	–	5,150	0	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	6	17.1	2,588	1,202	46.4
Nova Scotia	48	11	22.9	4,833	2,567	53.1
Ontario	207	0	–	37,688	0	–
Prince Edward Island	9	0	–	644	0	–
Quebec	138	1	.7	26,125	534	2.0
Saskatchewan	132	5	3.8	6,260	758	12.1
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	206	22.4	111,371	25,072	22.5

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] Canadian Hospital Directory, 1980, Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. Generally "principal procedure" is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one Uniform Hospital Discharge Data Set (UHDDS)[2] Class 1 procedure. A Class 1 procedure is defined as a procedure with an operative anesthetic risk or one that requires highly trained personnel or special facilities or equipment. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those patients whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* procedure codes included in that *List B* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1983* or *Length of Stay by Operation, Canada, 1983.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR], or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. *Diastolic BP ≥ 110*			
2. *Not controlled by outpatient Rx*			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. *Sepsis or fever ≥ 102°, chills*			
2. *Abscess formation*			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	19	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	19	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53803	3.8	17	1	1	3	5	7	10	19
20-34	90565	4.2	14	<1	1	4	5	7	9	17
35-49	32094	5.2	26	<1	1	4	7	10	14	25
50-64	26161	6.5	40	1	1	5	8	13	17	32
65+	25086	8.3	72	1	2	6	10	17	24	47
2. MULTIPLE DX										
0-19 YRS	37697	6.2	64	1	1	4	7	12	19	48
20-34	68076	6.3	48	1	2	5	7	11	16	41
35-49	36872	8.1	74	1	2	6	9	16	23	50
50-64	44643	10.5	114	1	2	8	13	22	31	64
65+	69728	13.7	183	2	3	10	17	30	45	99+
TOT. SINGLE DX	227709	4.9	28	1	1	4	6	9	13	26
" MULTIPLE DX	257016	9.3	112	1	2	6	11	20	30	68
TOTAL 0-19 YRS	91500	4.8	38	1	1	3	5	9	13	32
20-34	158641	5.1	30	1	1	4	6	9	12	29
35-49	68966	6.8	54	1	1	5	8	13	19	40
50-64	70804	9.0	91	1	2	6	11	19	27	54
65+	94814	12.2	159	2	2	9	15	27	40	94
GRAND TOTAL	**484725**	**7.2**	**77**	**1**	**1**	**5**	**8**	**15**	**23**	**52**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	12.0	130	1	1	9	17	33	36	36
20-34	46	15.4	67	5	6	15	21	27	31	37
35-49	50	20.0	177	6	8	15	29	39	48	53
50-64	51	17.3	131	6	8	15	20	28	43	69
65+	29	18.3	101	6	7	16	27	37	42	99+
2. MULTIPLE DX										
0-19 YRS	33	21.5	366	2	2	17	27	60	87	99+
20-34	61	27.1	229	11	14	23	35	50	71	99+
35-49	68	21.6	209	8	9	17	28	43	85	99+
50-64	105	26.8	313	8	10	24	33	63	88	99+
65+	86	32.9	472	10	11	27	55	72	99+	99+
TOT. SINGLE DX	194	17.2	127	4	6	15	22	35	40	62
" MULTIPLE DX	353	26.8	336	8	10	23	36	63	95	99+
TOTAL 0-19 YRS	51	18.2	300	1	2	14	25	36	62	99+
20-34	107	22.1	192	6	8	19	29	43	53	99+
35-49	118	20.9	195	6	8	16	28	42	53	99+
50-64	156	23.7	273	8	9	19	28	50	68	99+
65+	115	29.2	417	8	10	24	44	67	99	99+
GRAND TOTAL	**547**	**23.4**	**283**	**6**	**8**	**19**	**31**	**53**	**70**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	8.1	8	2	4	8	10	12	12	12
20-34	9	12.7	33	5	5	13	15	21	23	23
35-49	12	14.2	180	2	3	9	17	37	46	48
50-64	12	15.1	68	3	6	13	22	26	29	29
65+	10	16.1	209	7	7	10	15	42	50	50
2. MULTIPLE DX										
0-19 YRS	17	15.1	231	2	3	9	24	52	83	99+
20-34	17	22.6	585	5	7	14	34	95	99+	99+
35-49	21	28.1	653	5	7	24	52	99+	99+	99+
50-64	24	35.8	656	8	9	28	62	80	93	99+
65+	17	34.5	786	9	10	27	45	86	90	91
TOT. SINGLE DX	60	12.7	95	3	5	10	14	24	33	50
" MULTIPLE DX	96	27.9	624	4	7	22	44	91	99+	99+
TOTAL 0-19 YRS	34	11.6	129	2	4	8	12	30	53	99+
20-34	26	19.2	409	5	6	14	24	85	99+	99+
35-49	33	23.1	517	4	6	19	33	95	99+	99+
50-64	36	28.9	551	8	8	22	43	73	87	99+
65+	27	27.7	638	7	7	18	33	75	88	91
GRAND TOTAL	**156**	**22.1**	**474**	**4**	**6**	**14**	**28**	**74**	**94**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.5	10	2	3	7	8	9	12	19
20-34	22	8.5	21	2	3	8	11	14	18	20
35-49	5	7.6	12	2	2	8	10	11	11	11
50-64	11	10.6	26	3	4	9	14	18	21	21
65+	4	10.0	14	5	5	10	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	25	11.4	103	5	6	9	10	28	63	99+
20-34	30	11.8	99	4	5	10	12	19	20	60
35-49	14	13.8	129	4	6	11	15	51	88	99+
50-64	9	12.9	92	4	4	9	21	28	29	29
65+	3	10.7		10	10	11	11	11	11	11
TOT. SINGLE DX	75	8.0	18	2	3	8	10	13	17	21
" MULTIPLE DX	81	12.1	98	4	5	10	13	21	52	99+
TOTAL 0-19 YRS	58	8.6	55	3	4	8	9	14	24	96
20-34	52	10.4	68	3	4	9	11	17	20	59
35-49	19	12.2	104	3	5	10	14	34	75	99+
50-64	20	11.7	54	3	4	9	15	23	27	29
65+	7	10.3	7	5	6	11	11	13	14	14
GRAND TOTAL	**156**	**10.1**	**63**	**3**	**4**	**9**	**11**	**18**	**24**	**97**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	11.6	35	4	5	11	16	18	23	25
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	9.0		9	9	9	9	9	9	9
50-64	4	14.3	14	9	9	15	17	18	18	18
65+	6	16.2	91	5	5	17	22	29	30	30
2. MULTIPLE DX										
0-19 YRS	32	24.1	211	6	9	25	40	95	99+	99+
20-34	17	25.5	290	7	10	18	40	51	56	58
35-49	12	24.8	343	5	6	23	34	55	62	63
50-64	21	24.6	456	6	7	18	40	94	99+	99+
65+	23	33.8	446	8	13	31	43	97	99+	99+
TOT. SINGLE DX	28	12.9	42	5	5	13	17	21	25	30
" MULTIPLE DX	105	26.6	341	6	9	24	41	66	99+	99+
TOTAL 0-19 YRS	48	19.9	186	5	5	16	34	52	99+	99+
20-34	18	24.8	282	7	10	16	39	51	56	58
35-49	13	23.6	334	5	7	23	31	53	61	63
50-64	25	22.9	397	6	7	16	32	86	99+	99+
65+	29	30.2	420	5	8	29	41	84	99+	99+
GRAND TOTAL	**133**	**23.7**	**309**	**5**	**7**	**18**	**37**	**59**	**99+**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	9.1	33	3	3	8	11	17	22	26
20-34	20	18.6	575	1	2	10	18	64	82	83
35-49	5	14.2	414	2	2	6	21	50	50	50
50-64	5	22.6	139	6	6	24	30	38	38	38
65+	2	11.0	8	9	9	11	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	102	15.1	365	2	3	9	14	32	69	95
20-34	34	23.5	579	3	4	14	28	61	72	99
35-49	14	21.1	190	4	7	18	30	35	51	56
50-64	10	10.4	35	3	3	11	15	18	20	20
65+	12	28.3	454	6	7	21	43	57	71	73
TOT. SINGLE DX	57	14.1	275	2	3	9	15	27	49	83
" MULTIPLE DX	172	17.9	396	3	4	10	20	45	69	96
TOTAL 0-19 YRS	127	13.9	305	3	3	9	14	29	49	94
20-34	54	21.7	573	2	4	12	25	61	79	98
35-49	19	19.3	239	2	3	17	30	43	53	56
50-64	15	14.5	98	3	4	13	19	27	35	38
65+	14	25.9	424	5	7	16	41	52	68	73
GRAND TOTAL	229	16.9	367	3	3	10	18	42	69	94

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	59	10.9	23	6	6	10	12	18	23	25
35-49	122	10.4	37	5	5	9	12	15	19	45
50-64	114	12.1	61	6	6	10	13	19	24	47
65+	27	14.0	30	7	7	13	17	23	24	25
2. MULTIPLE DX										
0-19 YRS	5	21.2	367	7	7	10	34	52	52	52
20-34	43	17.1	138	8	8	12	20	37	55	99+
35-49	95	13.7	65	5	6	12	16	21	34	45
50-64	170	17.2	139	6	8	14	20	31	47	98
65+	102	21.9	183	8	9	19	27	41	52	93
TOT. SINGLE DX	323	11.4	43	5	6	10	13	18	23	36
" MULTIPLE DX	415	17.6	142	6	8	14	21	34	45	94
TOTAL 0-19 YRS	6	19.7	308	7	7	11	28	50	52	52
20-34	102	13.5	80	6	7	11	16	24	35	80
35-49	217	11.9	52	5	6	10	14	18	24	45
50-64	284	15.2	114	6	7	12	18	26	35	84
65+	129	20.2	162	8	9	17	25	38	46	89
GRAND TOTAL	738	14.9	108	6	7	12	17	26	37	69

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	11.6	62	3	3	11	20	21	21	21
20-34	52	8.4	46	2	3	5	11	19	24	28
35-49	61	8.1	46	2	2	6	11	17	23	31
50-64	35	10.1	49	1	2	9	14	23	26	26
65+	6	23.7	280	4	5	21	42	43	43	43
2. MULTIPLE DX										
0-19 YRS	26	17.2	159	4	5	15	20	42	44	45
20-34	34	16.6	416	1	1	10	19	61	83	99+
35-49	56	17.0	234	2	2	15	23	33	51	99
50-64	53	18.8	231	2	4	15	24	41	48	66
65+	22	20.0	197	1	2	18	28	40	47	52
TOT. SINGLE DX	181	9.2	61	2	2	7	12	21	26	39
" MULTIPLE DX	191	17.8	248	2	3	15	23	41	52	94
TOTAL 0-19 YRS	33	16.0	142	3	4	15	20	36	44	45
20-34	86	11.7	206	2	2	8	13	24	38	94
35-49	137	11.8	141	2	2	8	17	27	32	88
50-64	88	15.4	176	2	3	11	18	36	42	64
65+	28	20.8	208	2	3	18	30	43	44	52
GRAND TOTAL	372	13.6	175	2	2	10	18	32	42	83

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	10.3	230	1	2	4	12	25	50	59
20-34	49	3.7	7	<1	1	3	5	8	10	13
35-49	44	4.3	11	<1	1	3	6	10	12	15
50-64	84	4.5	19	1	2	3	5	8	11	27
65+	32	7.3	115	1	1	4	7	13	35	53
2. MULTIPLE DX										
0-19 YRS	8	10.1	72	1	2	6	19	22	22	22
20-34	33	5.2	44	<1	<1	3	6	17	28	99+
35-49	45	10.9	173	2	2	5	13	21	32	67
50-64	50	7.8	65	1	2	5	10	22	26	33
65+	42	10.6	71	2	2	8	14	24	28	38
TOT. SINGLE DX	224	5.0	45	1	1	3	6	10	14	41
" MULTIPLE DX	178	8.9	93	1	2	5	12	21	26	65
TOTAL 0-19 YRS	23	10.3	170	1	2	5	16	23	37	59
20-34	82	4.3	22	<1	<1	3	5	9	16	77
35-49	89	7.6	104	1	2	4	10	17	21	64
50-64	134	5.7	39	1	2	3	6	12	21	32
65+	74	9.1	92	2	2	6	11	19	31	49
GRAND TOTAL	402	6.7	70	1	2	4	8	16	22	56

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.4	9	<1	1	2	3	7	11	15
20-34	233	2.5	3	<1	<1	2	3	4	6	10
35-49	265	3.1	11	<1	<1	2	3	5	10	17
50-64	271	3.0	9	<1	<1	2	3	5	9	18
65+	141	3.1	9	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
0-19 YRS	46	4.8	59	1	1	3	5	9	12	52
20-34	146	4.8	57	1	1	2	4	10	22	99+
35-49	131	4.9	24	1	1	3	6	11	16	24
50-64	157	6.2	55	1	1	3	6	16	25	33
65+	172	6.4	71	1	2	4	7	15	18	38
TOT. SINGLE DX	940	2.9	9	<1	<1	2	3	5	8	16
" MULTIPLE DX	652	5.6	55	1	1	3	6	13	21	40
TOTAL 0-19 YRS	76	4.2	40	1	1	2	5	9	11	42
20-34	379	3.4	25	<1	<1	2	3	6	10	39
35-49	396	3.7	16	<1	<1	2	4	8	11	22
50-64	428	4.1	29	<1	<1	2	4	9	15	31
65+	313	4.9	46	<1	1	3	5	11	16	29
GRAND TOTAL	1592	4.0	29	<1	1	2	4	9	13	29

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	11.7	24	6	6	14	15	15	15	15
20-34	23	8.3	15	3	5	7	10	14	16	19
35-49	15	11.2	43	3	5	8	15	18	26	29
50-64	17	14.2	130	6	6	11	16	25	44	53
65+	19	11.4	35	5	5	9	16	19	24	26
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	17	9.9	28	2	3	9	14	16	19	21
35-49	20	20.1	451	4	6	10	22	64	70	73
50-64	45	14.3	62	5	6	12	20	28	35	99+
65+	70	17.6	95	7	8	15	22	30	34	56
TOT. SINGLE DX	77	11.1	54	5	5	9	14	18	24	46
" MULTIPLE DX	153	16.0	130	5	6	13	20	29	36	73
TOTAL 0-19 YRS	4	10.8	20	6	6	11	14	15	15	15
20-34	40	9.0	21	2	4	8	13	15	18	21
35-49	35	16.3	290	4	6	9	17	29	65	73
50-64	62	14.3	79	5	6	12	18	27	35	94
65+	89	16.2	89	5	7	14	20	29	33	53
GRAND TOTAL	230	14.4	109	5	6	12	17	26	33	68

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.0	57	2	2	11	15	17	17	17
20-34	11	5.7	21	<1	1	4	8	14	15	15
35-49	7	5.6	9	1	1	6	8	10	10	10
50-64	6	15.7	196	3	4	12	15	40	43	43
65+	5	16.6	284	4	4	6	29	43	43	43
2. MULTIPLE DX										
0-19 YRS										
20-34	12	21.3	373	3	4	12	31	57	58	58
35-49	29	15.4	322	1	3	10	19	33	47	91
50-64	13	12.6	36	2	4	13	14	19	25	27
65+	11	17.6	316	1	3	12	23	41	64	66
TOT. SINGLE DX	32	9.7	105	1	2	6	12	19	41	43
" MULTIPLE DX	65	16.3	269	2	3	12	19	37	56	87
TOTAL 0-19 YRS	3	10.0	57	2	2	11	15	17	17	17
20-34	23	13.9	260	1	2	9	15	41	57	58
35-49	36	13.5	275	1	3	8	17	26	43	91
50-64	19	13.6	81	2	4	13	15	23	36	43
65+	16	17.3	287	2	4	11	24	41	59	66
GRAND TOTAL	97	14.1	223	1	3	10	17	27	44	79

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	5.2	4	3	3	5	6	8	8	13
20-34	176	5.1	4	3	4	5	6	7	8	13
35-49	212	5.1	3	3	3	5	6	7	9	12
50-64	177	5.4	3	3	4	5	6	8	8	12
65+	60	6.9	40	3	4	6	8	10	11	48
2. MULTIPLE DX										
0-19 YRS	8	7.5	11	4	4	7	9	13	14	14
20-34	87	7.4	65	3	4	5	7	12	15	56
35-49	115	6.8	19	4	4	5	8	12	15	29
50-64	152	7.0	20	4	4	6	7	12	15	23
65+	83	11.3	139	4	4	8	14	24	28	98
TOT. SINGLE DX	656	5.3	7	3	4	5	6	8	9	12
" MULTIPLE DX	445	7.8	53	4	4	6	8	14	20	45
TOTAL 0-19 YRS	39	5.7	6	3	4	5	7	8	12	14
20-34	263	5.8	25	3	4	5	6	8	11	22
35-49	327	5.7	10	3	4	5	6	9	10	18
50-64	329	6.1	12	3	4	5	7	8	12	22
65+	143	9.4	102	3	4	7	10	17	26	94
GRAND TOTAL	**1101**	**6.3**	**27**	**3**	**4**	**5**	**7**	**9**	**13**	**27**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.9	2	1	2	3	3	4	6	11
20-34	34	3.6	2	1	2	3	4	6	8	8
35-49	20	4.1	5	<1	1	4	5	8	9	9
50-64	28	4.8	2	3	3	5	6	7	7	8
65+	16	4.9	5	1	2	5	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	7	7.9	34	2	2	7	11	17	18	18
20-34	26	8.9	54	2	2	7	10	21	28	29
35-49	25	8.2	9	4	4	8	10	12	13	15
50-64	42	8.9	28	2	3	8	12	17	21	22
65+	40	13.8	199	4	5	9	20	51	99+	99+
TOT. SINGLE DX	157	3.7	4	1	2	3	5	7	8	9
" MULTIPLE DX	140	10.1	83	2	4	8	12	20	27	99+
TOTAL 0-19 YRS	66	3.4	8	1	2	3	4	6	11	17
20-34	60	5.9	32	1	2	4	7	10	19	29
35-49	45	6.3	12	1	2	6	9	11	12	15
50-64	70	7.3	22	2	3	6	9	13	17	22
65+	56	11.3	160	3	3	8	15	25	94	99+
GRAND TOTAL	**297**	**6.7**	**51**	**2**	**2**	**5**	**8**	**14**	**20**	**93**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	9	13.2	55	6	6	11	16	26	29	29
35-49	9	11.8	25	7	7	10	14	20	21	21
50-64	6	14.8	25	11	11	13	17	23	24	24
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	8	16.5	73	7	8	13	25	28	29	29
20-34	25	18.7	205	7	9	16	22	28	42	79
35-49	17	20.6	257	8	9	17	24	40	61	72
50-64	24	22.3	157	8	10	18	29	43	47	51
65+	16	26.2	246	8	11	21	34	48	62	68
TOT. SINGLE DX	25	13.1	33	7	7	12	15	21	25	29
" MULTIPLE DX	90	21.2	198	8	9	17	26	38	49	76
TOTAL 0-19 YRS	8	16.5	73	7	8	13	25	28	29	29
20-34	34	17.3	169	6	8	14	21	28	30	79
35-49	26	17.6	191	8	8	12	19	30	48	72
50-64	30	20.8	139	8	10	17	24	41	46	51
65+	17	25.4	241	8	11	18	34	47	61	68
GRAND TOTAL	**115**	**19.4**	**173**	**7**	**8**	**17**	**24**	**34**	**45**	**74**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	1.5	2	<1	<1	1	1	2	2	11
20-34	20	1.7	1	<1	<1	1	2	3	4	5
35-49	20	1.6	1	<1	<1	<1	2	3	4	4
50-64	29	3.2	9	<1	<1	2	3	7	10	15
65+	28	3.4	7	<1	<1	3	4	8	9	11
2. MULTIPLE DX										
0-19 YRS	16	2.4	5	<1	<1	2	3	7	8	9
20-34	6	5.2	37	<1	<1	3	6	16	17	17
35-49	10	4.7	37	<1	<1	1	7	15	18	18
50-64	26	5.6	24	<1	<1	4	9	13	15	19
65+	49	10.9	203	<1	1	6	17	28	48	99+
TOT. SINGLE DX	162	2.2	5	<1	<1	1	2	4	7	12
" MULTIPLE DX	107	7.4	115	<1	<1	4	9	19	27	90
TOTAL 0-19 YRS	81	1.7	3	<1	<1	1	2	2	5	11
20-34	26	2.5	10	<1	<1	2	2	5	8	17
35-49	30	2.6	14	<1	<1	<1	2	6	13	18
50-64	55	4.3	18	<1	<1	3	6	10	14	19
65+	77	8.2	144	<1	<1	4	9	23	29	95
GRAND TOTAL	269	4.3	55	<1	<1	2	4	10	18	44

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	2.4	4	<1	<1	2	3	4	6	14
20-34	48	2.4	2	<1	<1	2	3	5	6	6
35-49	63	2.5	2	<1	<1	2	3	4	5	10
50-64	102	2.7	3	<1	<1	2	3	5	7	9
65+	153	2.7	4	<1	<1	2	3	5	5	10
2. MULTIPLE DX										
0-19 YRS	84	3.6	38	<1	<1	2	3	7	10	38
20-34	109	3.6	10	<1	<1	2	5	7	10	16
35-49	77	3.5	15	<1	<1	2	4	7	9	25
50-64	101	3.8	14	<1	<1	3	4	9	11	21
65+	155	7.5	140	<1	1	3	7	18	35	70
TOT. SINGLE DX	443	2.6	4	<1	<1	2	3	4	6	10
" MULTIPLE DX	526	4.8	58	<1	<1	3	5	10	16	44
TOTAL 0-19 YRS	161	3.0	23	<1	<1	2	3	5	8	35
20-34	157	[illegible]	8	<1	<1	2	4	6	9	14
35-49	140	[illegible].0	10	<1	<1	2	4	6	7	17
50-64	203	[illegible].2	9	<1	<1	2	4	6	9	17
65+	308	5.1	78	<1	1	3	4	11	19	66
GRAND TOTAL	969	3.8	34	<1	<1	2	4	7	11	35

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	2.4	1	<1	<1	2	4	4	5	5
20-34	34	3.1	6	1	1	2	4	6	9	13
35-49	23	3.2	2	2	2	2	4	6	7	7
50-64	48	3.3	3	<1	2	3	4	6	7	12
65+	33	3.3	2	2	2	3	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	9	3.8	2	2	2	4	5	6	6	6
20-34	11	5.5	16	2	2	4	8	12	15	15
35-49	15	4.8	13	<1	1	3	8	10	12	12
50-64	21	7.3	177	1	2	3	6	12	35	64
65+	40	5.1	12	2	3	4	6	8	11	22
TOT. SINGLE DX	156	3.2	4	1	2	3	4	6	7	12
" MULTIPLE DX	96	5.5	48	2	2	4	6	10	12	45
TOTAL 0-19 YRS	27	2.9	2	<1	1	2	4	5	6	6
20-34	45	3.7	10	1	2	2	4	8	11	15
35-49	38	3.8	8	1	2	3	5	8	10	12
50-64	69	4.5	58	1	2	3	5	7	12	54
65+	73	4.3	9	2	2	3	6	7	8	20
GRAND TOTAL	252	4.0	22	1	2	3	5	7	10	15

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0	54	<1	<1	1	9	16	16	16
20-34	8	4.1	38	<1	<1	1	4	15	19	19
35-49	3	1.7		1	1	2	2	2	2	2
50-64	4	2.0		1	1	2	3	3	3	3
65+	8	3.3	13	<1	<1	2	3	9	12	12
2. MULTIPLE DX										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	12	10.1	332	<1	<1	5	7	29	62	67
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	12.0	111	2	2	11	20	23	23	23
65+	9	3.8	9	<1	<1	4	5	8	10	10
TOT. SINGLE DX	27	3.4	21	<1	<1	2	3	11	16	19
" MULTIPLE DX	27	7.7	165	<1	<1	4	7	13	30	67
TOTAL 0-19 YRS	6	5.7	43	<1	<1	2	12	16	16	16
20-34	20	7.7	215	<1	<1	4	6	16	43	67
35-49	4	1.8		1	1	2	2	2	2	2
50-64	7	6.3	66	1	1	2	9	21	23	23
65+	17	3.5	10	<1	<1	2	4	9	11	12
GRAND TOTAL	54	5.5	96	<1	<1	2	5	12	18	65

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.2	1	2	2	5	5	5	5	5
20-34	34	5.0	2	2	3	5	6	7	8	8
35-49	31	5.5	5	2	3	5	6	8	12	12
50-64	15	5.5	5	3	3	5	6	8	11	12
65+	42	6.5	5	3	4	6	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	4	12.3	72	8	8	8	17	25	25	25
20-34	16	5.3	7	3	3	4	6	10	12	13
35-49	13	5.5	9	2	2	5	8	10	11	11
50-64	28	9.6	74	4	4	6	9	21	34	37
65+	59	7.4	56	2	3	5	7	13	23	49
TOT. SINGLE DX	127	5.6	5	2	3	5	7	8	10	13
" MULTIPLE DX	120	7.6	51	2	3	5	8	13	23	41
TOTAL 0-19 YRS	9	7.8	46	2	3	5	8	18	25	25
20-34	50	5.1	4	2	3	5	6	7	8	13
35-49	44	5.5	6	2	3	5	7	10	11	12
50-64	43	8.2	54	3	4	5	8	17	26	37
65+	101	7.0	36	2	3	6	7	11	16	38
GRAND TOTAL	**247**	**6.6**	**28**	**2**	**3**	**5**	**7**	**10**	**14**	**34**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	5.6	16	<1	1	6	7	11	12	20
20-34	47	3.8	11	<1	<1	3	5	8	10	17
35-49	42	2.7	8	<1	<1	2	3	6	9	16
50-64	42	2.9	5	<1	<1	2	3	6	7	12
65+	43	3.3	8	<1	<1	3	3	6	9	14
2. MULTIPLE DX										
0-19 YRS	9	8.1	40	1	1	6	14	16	17	17
20-34	24	5.6	14	<1	<1	5	7	12	14	15
35-49	18	4.3	11	<1	1	3	6	10	12	13
50-64	16	6.7	73	<1	1	4	7	30	76	99+
65+	36	10.1	160	<1	1	4	15	31	42	48
TOT. SINGLE DX	205	3.5	10	<1	<1	3	5	7	10	16
" MULTIPLE DX	103	7.3	80	<1	1	5	8	17	32	72
TOTAL 0-19 YRS	40	6.2	22	<1	1	6	8	13	16	20
20-34	71	4.4	13	<1	<1	4	6	9	13	17
35-49	60	3.2	10	<1	<1	2	4	7	10	16
50-64	58	3.9	26	<1	<1	3	4	7	18	94
65+	79	6.4	88	<1	<1	3	5	16	26	46
GRAND TOTAL	**308**	**4.8**	**36**	**<1**	**<1**	**3**	**6**	**12**	**15**	**42**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.8	22	<1	1	4	9	13	14	14
20-34	9	3.8	7	<1	<1	3	5	8	9	9
35-49	15	7.5	18	1	3	6	10	13	15	16
50-64	34	6.6	21	2	2	5	9	14	17	20
65+	65	4.9	8	2	2	4	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	4	3.8	5	<1	<1	4	5	6	6	6
20-34	11	13.5	88	4	4	11	18	30	30	30
35-49	17	7.5	41	1	1	5	10	20	22	22
50-64	40	8.5	45	3	3	6	9	15	20	40
65+	112	9.0	51	2	3	6	11	21	24	36
TOT. SINGLE DX	131	5.6	14	2	2	5	7	11	14	18
" MULTIPLE DX	184	8.9	52	2	3	6	11	20	23	37
TOTAL 0-19 YRS	12	5.1	17	<1	<1	4	7	12	14	14
20-34	20	9.1	74	<1	1	6	11	25	30	30
35-49	32	7.5	30	1	2	6	10	14	21	22
50-64	74	7.6	35	2	3	6	9	15	19	36
65+	177	7.5	39	2	2	6	9	15	22	33
GRAND TOTAL	**315**	**7.5**	**39**	**2**	**2**	**6**	**9**	**15**	**21**	**32**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.0	3	2	2	5	6	7	7	7
20-34	26	3.8	5	1	1	3	5	7	9	11
35-49	18	5.6	11	<1	1	5	8	10	11	12
50-64	46	5.2	17	1	2	4	6	10	13	23
65+	68	4.5	8	1	2	4	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	13	5.4	26	<1	1	4	6	15	16	16
20-34	22	7.3	37	1	1	4	12	17	20	20
35-49	9	8.6	59	1	1	7	11	22	24	24
50-64	27	7.2	42	1	1	4	10	20	21	23
65+	73	7.5	46	2	2	6	9	15	22	34
TOT. SINGLE DX	167	4.7	11	1	2	4	6	9	11	17
" MULTIPLE DX	144	7.3	43	1	2	5	10	17	21	32
TOTAL 0-19 YRS	22	5.2	16	<1	1	5	6	11	15	16
20-34	48	5.4	23	1	1	4	6	13	16	20
35-49	27	6.6	28	1	1	5	9	12	19	24
50-64	73	5.9	28	1	1	4	8	12	20	23
65+	141	6.1	30	2	2	5	7	11	16	32
GRAND TOTAL	**311**	**5.9**	**27**	**1**	**2**	**4**	**7**	**12**	**17**	**26**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	10	5.5	7	2	2	6	7	9	10	10
35-49	84	4.2	4	2	2	4	5	7	8	13
50-64	525	4.4	5	2	2	4	5	7	8	13
65+	1986	4.6	6	2	2	4	6	7	10	13
2. MULTIPLE DX										
0-19 YRS	6	3.7	7	2	2	3	4	8	9	9
20-34	13	6.3	11	3	3	5	7	11	14	15
35-49	69	5.5	11	2	3	4	6	10	13	19
50-64	371	5.8	24	2	2	5	7	10	14	32
65+	1777	6.3	36	2	2	5	7	11	16	31
TOT. SINGLE DX	2609	4.5	6	2	2	4	5	7	9	13
" MULTIPLE DX	2236	6.1	34	2	2	5	7	11	15	30
TOTAL 0-19 YRS	10	3.4	5	2	2	3	4	7	9	9
20-34	23	6.0	9	2	3	5	7	10	12	15
35-49	153	4.8	8	2	2	4	5	8	11	17
50-64	896	5.0	14	2	2	4	6	8	11	21
65+	3763	5.4	21	2	2	4	6	9	11	22
GRAND TOTAL	**4845**	**5.3**	**20**	**2**	**2**	**4**	**6**	**9**	**11**	**21**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.5	7	<1	1	3	5	5	6	16
20-34	35	3.4	3	1	2	3	4	6	8	9
35-49	67	3.5	2	2	2	3	4	5	7	8
50-64	250	3.3	3	2	2	3	4	5	7	10
65+	746	3.2	4	2	2	2	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	27	7.2	224	<1	2	4	6	9	28	80
20-34	26	4.2	11	<1	2	3	4	9	12	13
35-49	53	4.2	7	2	2	3	5	8	11	14
50-64	247	3.9	9	2	2	3	4	7	10	22
65+	1044	4.4	18	2	2	3	5	8	11	24
TOT. SINGLE DX	1129	3.2	4	2	2	3	4	5	7	11
" MULTIPLE DX	1397	4.4	20	2	2	3	5	8	11	23
TOTAL 0-19 YRS	58	5.2	110	<1	2	3	5	7	13	75
20-34	61	3.7	7	1	2	3	4	8	9	13
35-49	120	3.8	5	2	2	3	4	6	8	13
50-64	497	3.6	6	2	2	3	4	6	8	16
65+	1790	3.9	13	2	2	3	4	7	10	19
GRAND TOTAL	**2526**	**3.9**	**13**	**2**	**2**	**3**	**4**	**6**	**10**	**19**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	11	3.1	2	2	2	2	4	6	6	6
50-64	64	3.3	4	1	1	3	4	6	7	12
65+	254	4.0	8	1	2	4	5	7	8	15
2. MULTIPLE DX										
0-19 YRS	2	6.0	50	<1	<1	5	11	11	11	11
20-34	4	3.0	4	2	2	2	4	6	6	6
35-49	8	4.4	5	2	2	4	7	7	7	7
50-64	65	3.5	1	2	2	4	4	5	6	8
65+	284	5.2	17	2	2	4	6	9	12	26
TOT. SINGLE DX	331	3.8	8	1	2	3	5	6	7	13
" MULTIPLE DX	363	4.9	15	2	2	4	6	8	11	22
TOTAL 0-19 YRS	3	5.0	28	<1	<1	3	9	11	11	11
20-34	5	2.6	4	<1	<1	2	3	6	6	6
35-49	19	3.6	4	2	2	3	5	7	7	7
50-64	129	3.4	3	1	2	3	4	5	6	10
65+	538	4.6	14	1	2	4	5	7	10	22
GRAND TOTAL	**694**	**4.4**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**20**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	5.8	6	2	3	5	8	9	10	10
20-34	56	5.8	12	2	2	5	8	10	13	16
35-49	64	6.5	18	2	2	5	10	13	15	18
50-64	135	6.5	12	2	2	6	9	11	12	16
65+	148	7.9	25	2	3	7	11	14	16	28
2. MULTIPLE DX										
0-19 YRS	20	5.8	10	1	2	5	8	10	12	13
20-34	40	7.5	20	2	3	6	10	13	16	24
35-49	50	7.2	14	2	3	7	9	12	15	20
50-64	105	6.2	12	2	3	5	7	10	15	18
65+	125	8.1	41	2	3	7	9	13	17	35
TOT. SINGLE DX	423	6.9	18	2	2	6	10	12	14	19
" MULTIPLE DX	340	7.2	25	2	3	6	9	12	15	24
TOTAL 0-19 YRS	40	5.8	8	2	3	5	8	10	10	13
20-34	96	6.5	17	2	2	6	8	12	15	21
35-49	114	6.8	17	2	2	6	9	13	15	19
50-64	240	6.3	13	2	2	6	8	11	13	18
65+	273	8.0	33	2	3	7	10	13	17	28
GRAND TOTAL	**763**	**7.0**	**21**	**2**	**2**	**6**	**9**	**12**	**15**	**22**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.6	5	<1	<1	<1	4	7	7	7
20-34	14	5.9	22	<1	<1	6	8	11	16	18
35-49	16	5.6	23	1	2	5	6	8	18	22
50-64	29	4.8	5	2	2	4	7	8	8	10
65+	35	6.0	20	2	2	5	8	11	13	24
2. MULTIPLE DX										
0-19 YRS	14	3.9	10	<1	<1	3	5	8	11	12
20-34	51	6.6	20	2	2	5	8	13	15	25
35-49	60	7.3	35	2	2	6	8	19	22	92
50-64	73	6.8	29	2	2	5	8	13	15	32
65+	96	6.6	37	2	2	5	8	12	16	36
TOT. SINGLE DX	107	5.2	16	<1	1	4	7	10	11	23
" MULTIPLE DX	294	6.7	31	2	2	5	8	13	18	32
TOTAL 0-19 YRS	27	3.3	8	<1	<1	2	5	7	9	12
20-34	65	6.4	20	<1	2	5	8	13	15	24
35-49	76	6.9	33	2	2	6	7	18	22	81
50-64	102	6.2	23	2	2	5	8	11	14	29
65+	131	6.4	33	2	2	5	8	12	15	29
GRAND TOTAL	**401**	**6.3**	**27**	**1**	**2**	**5**	**7**	**12**	**16**	**27**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	580	1.8		<1	<1	2	2	2	3	3
20-34	224	2.0		<1	1	2	2	3	3	4
35-49	98	2.2	1	<1	1	2	2	3	3	9
50-64	26	2.0		1	2	2	2	3	3	3
65+	11	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	129	2.2	4	<1	1	2	2	3	5	12
20-34	53	2.5	3	1	1	2	2	3	5	13
35-49	32	2.5	3	<1	1	2	3	4	10	99+
50-64	22	3.5	12	1	1	2	3	6	11	18
65+	17	3.1	3	2	2	2	3	7	8	8
TOT. SINGLE DX	939	1.9	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	253	2.5	5	1	1	2	3	4	6	18
TOTAL 0-19 YRS	709	1.8	1	<1	<1	2	2	2	3	6
20-34	277	2.1	1	<1	1	2	2	3	3	5
35-49	130	2.3	2	<1	1	2	2	3	5	28
50-64	48	2.7	6	1	2	2	3	3	6	18
65+	28	2.8	3	1	2	2	3	5	8	8
GRAND TOTAL	**1192**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**3**	**7**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34										
35-49										
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	3	1.7		<1	<1	2	2	2	2	2
" MULTIPLE DX	5	6.2	38	2	2	4	8	17	17	17
TOTAL 0-19 YRS	3	6.7	80	<1	<1	2	13	17	17	17
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**8**	**4.5**	**27**	**<1**	**<1**	**3**	**4**	**13**	**17**	**17**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.4	3	<1	1	3	4	6	8	9
20-34	31	4.5	15	2	2	3	5	8	13	21
35-49	19	7.9	72	<1	1	5	11	22	28	32
50-64	24	7.3	38	2	2	5	8	18	22	25
65+	28	6.4	21	2	3	5	7	16	17	18
2. MULTIPLE DX										
0-19 YRS	10	4.9	7	1	1	4	7	9	10	10
20-34	28	7.0	26	2	2	6	10	16	17	18
35-49	14	7.5	38	2	3	6	7	19	21	21
50-64	33	8.7	131	2	2	6	7	22	26	62
65+	39	8.4	63	2	2	6	10	26	30	99+
TOT. SINGLE DX	133	5.6	28	2	2	4	6	13	18	26
" MULTIPLE DX	124	7.8	66	2	2	6	8	18	25	71
TOTAL 0-19 YRS	41	3.7	5	1	1	3	5	7	9	10
20-34	59	5.6	22	2	2	4	7	14	17	21
35-49	33	7.8	56	1	2	5	10	19	24	32
50-64	57	8.1	91	2	2	6	8	21	24	59
65+	67	7.6	46	2	2	5	8	18	28	88
GRAND TOTAL	**257**	**6.7**	**47**	**2**	**2**	**5**	**7**	**16**	**21**	**32**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	208	1.9	1	<1	<1	2	2	3	3	9
20-34	79	2.1	2	<1	<1	2	2	4	6	9
35-49	30	2.5	14	<1	<1	2	2	4	4	22
50-64	22	2.4	2	<1	1	2	3	4	5	7
65+	23	3.1	5	<1	1	2	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	89	3.9	8	<1	1	3	5	7	11	15
20-34	53	7.1	97	<1	<1	3	7	21	30	48
35-49	19	10.2	503	<1	1	2	6	27	68	97
50-64	28	10.5	254	1	1	4	9	32	43	73
65+	49	7.9	76	1	2	6	10	16	21	50
TOT. SINGLE DX	362	2.1	3	<1	<1	2	2	3	5	10
" MULTIPLE DX	238	6.7	113	<1	1	3	6	16	24	53
TOTAL 0-19 YRS	297	2.5	4	<1	<1	2	3	4	7	12
20-34	132	4.1	46	<1	<1	2	4	8	21	35
35-49	49	5.5	212	<1	<1	2	3	10	23	97
50-64	50	6.9	158	<1	1	3	6	18	34	73
65+	72	6.4	59	1	1	4	8	15	17	46
GRAND TOTAL	600	3.9	52	<1	<1	2	3	8	12	34

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.6		1	2	3	3	4	5	5
20-34	92	2.9		2	2	3	3	4	4	6
35-49	122	3.1	1	2	2	3	4	5	5	7
50-64	80	3.3	2	2	2	3	4	6	7	10
65+	17	2.5		1	1	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	9	2.9	2	2	2	2	3	6	7	7
20-34	34	2.9		2	2	3	3	4	4	5
35-49	45	2.9	1	1	2	3	3	4	5	8
50-64	37	2.8	1	1	1	3	3	4	5	5
65+	9	6.3	111	1	1	3	5	23	34	34
TOT. SINGLE DX	327	3.0	2	2	2	3	4	4	5	8
" MULTIPLE DX	134	3.1	8	1	2	3	3	4	5	12
TOTAL 0-19 YRS	25	2.7	1	1	2	2	3	4	5	7
20-34	126	2.9	1	2	2	3	3	4	4	6
35-49	167	3.0	1	2	2	3	4	4	5	8
50-64	117	3.1	2	2	2	3	4	5	6	9
65+	26	3.8	39	1	1	3	3	4	12	34
GRAND TOTAL	461	3.0	4	2	2	3	3	4	5	8

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	2.5	1	1	2	2	3	4	5	6
20-34	221	2.6	1	1	2	2	3	4	5	6
35-49	143	2.6	1	1	2	2	3	4	5	7
50-64	87	2.5		1	2	2	3	4	4	5
65+	27	3.4	18	1	1	2	3	5	10	24
2. MULTIPLE DX										
0-19 YRS	113	2.9	2	2	2	2	3	4	6	11
20-34	183	2.6	1	<1	1	2	3	4	5	8
35-49	129	3.9	71	<1	1	2	3	5	6	65
50-64	97	3.1	8	1	2	3	3	5	6	19
65+	32	5.3	43	2	2	3	4	14	24	27
TOT. SINGLE DX	630	2.6	2	1	2	2	3	4	5	6
" MULTIPLE DX	554	3.2	22	1	2	2	3	5	6	22
TOTAL 0-19 YRS	265	2.6	2	1	2	2	3	4	5	10
20-34	404	2.6	1	1	2	2	3	4	5	7
35-49	272	3.2	35	1	2	2	3	4	5	10
50-64	184	2.8	5	1	2	2	3	4	5	8
65+	59	4.4	32	1	2	3	3	8	23	27
GRAND TOTAL	1184	2.9	11	1	2	2	3	4	5	10

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	608	1.4	2	<1	<1	1	1	2	3	9
20-34	44	2.0	1	<1	<1	1	2	3	4	7
35-49	20	1.8	1	<1	<1	1	2	4	4	5
50-64	12	2.0	1	<1	<1	1	2	3	4	4
65+	11	3.9	22	<1	<1	2	3	12	16	16
2. MULTIPLE DX										
0-19 YRS	615	2.9	12	<1	<1	2	2	6	10	18
20-34	30	4.1	49	<1	<1	2	3	9	16	37
35-49	18	2.3	3	<1	<1	2	2	4	7	8
50-64	31	4.5	24	<1	1	2	5	11	16	21
65+	15	4.9	61	<1	<1	2	3	12	25	26
TOT. SINGLE DX	705	1.5	3	<1	<1	1	1	2	4	10
" MULTIPLE DX	709	3.0	16	<1	<1	2	2	7	11	21
TOTAL 0-19 YRS	1223	2.2	8	<1	<1	1	2	6	7	15
20-34	74	2.9	22	<1	<1	1	2	4	8	32
35-49	38	2.1	2	<1	<1	1	2	4	5	8
50-64	53	3.5	16	<1	<1	2	3	8	14	21
65+	26	4.5	44	<1	<1	2	3	15	23	26
GRAND TOTAL	1414	2.3	10	<1	<1	1	2	4	8	16

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	3.8	3	2	2	3	5	7	7	9
20-34	53	3.9	2	2	2	4	5	6	6	8
35-49	35	4.3	6	2	2	3	5	8	10	13
50-64	23	5.7	24	2	2	4	6	10	17	25
65+	8	5.9	40	2	2	4	6	17	21	21
2. MULTIPLE DX										
0-19 YRS	61	4.6	15	2	2	3	5	8	14	22
20-34	89	4.1	2	2	2	4	5	6	7	11
35-49	51	4.4	10	2	2	3	5	7	8	24
50-64	49	4.4	7	2	2	4	5	7	8	19
65+	25	6.5	46	2	3	4	6	13	27	29
TOT. SINGLE DX	174	4.3	8	2	2	3	5	7	8	19
" MULTIPLE DX	275	4.5	12	2	2	4	5	7	9	24
TOTAL 0-19 YRS	116	4.2	10	2	2	3	5	7	9	20
20-34	142	4.0	6	2	2	4	5	6	7	9
35-49	86	4.3	9	2	2	3	5	8	9	20
50-64	72	4.8	13	2	2	4	6	7	9	24
65+	33	6.4	44	2	3	4	6	15	25	29
GRAND TOTAL	449	4.4	11	2	2	3	5	7	9	23

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.2	8	<1	<1	1	2	5	6	19
20-34	34	3.3	3	<1	<1	2	4	5	8	8
35-49	17	4.1	16	1	2	3	4	6	11	24
50-64	14	5.4	10	1	2	4	7	12	17	20
65+	7	5.6	31	1	2	3	9	15	16	16
2. MULTIPLE DX										
0-19 YRS	45	4.6	40	<1	<1	2	4	13	19	31
20-34	31	3.7	6	<1	<1	2	4	8	11	13
35-49	23	4.9	16	1	2	3	4	9	11	15
50-64	11	4.4	9	1	2	4	7	12	14	15
65+	8	2.8	1	1	2	2	3	5	5	5
TOT. SINGLE DX	141	3.5	13	<1	<1	2	4	7	10	20
" MULTIPLE DX	118	4.3	21	<1	<1	3	5	9	14	27
TOTAL 0-19 YRS	97	3.2	24	<1	<1	2	3	7	14	28
20-34	65	3.5	6	1	2	3	4	7	8	13
35-49	40	4.5	17	1	2	3	4	9	14	24
50-64	25	5.0	15	1	2	4	7	9	14	20
65+	15	4.1	16	1	2	2	4	11	15	16
GRAND TOTAL	259	3.8	17	<1	<1	3	4	8	12	24

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	2.7		1	2	3	3	4	4	5
20-34	385	2.7	1	<1	2	3	3	4	4	6
35-49	157	2.7		1	2	3	3	3	4	5
50-64	81	2.5		<1	1	3	3	3	4	4
65+	16	2.6		2	2	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	180	2.6		<1	2	3	3	3	4	6
20-34	641	2.8	6	<1	<1	3	3	4	4	9
35-49	297	3.3	18	<1	2	3	3	4	4	25
50-64	145	2.9	1	<1	2	3	3	4	5	10
65+	46	3.6	17	<1	1	3	3	5	9	28
TOT. SINGLE DX	772	2.7	1	<1	2	3	3	4	4	5
" MULTIPLE DX	1309	3.0	9	<1	1	3	3	4	4	10
TOTAL 0-19 YRS	313	2.6	1	<1	2	3	3	3	4	5
20-34	1026	2.8	5	<1	1	3	3	4	4	8
35-49	454	3.1	12	<1	2	3	3	4	4	13
50-64	226	2.8	1	<1	2	3	3	4	4	8
65+	62	3.4	13	1	1	3	3	5	8	26
GRAND TOTAL	**2081**	**2.8**	**6**	**<1**	**2**	**3**	**3**	**4**	**4**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	2.8	5	<1	1	2	3	4	5	9
20-34	623	2.6	1	<1	1	3	3	4	5	6
35-49	195	2.6	1	<1	1	3	3	4	4	7
50-64	82	2.6		<1	1	3	3	4	4	5
65+	23	4.1	7	1	1	3	5	7	10	13
2. MULTIPLE DX										
0-19 YRS	247	2.9	3	<1	<1	3	3	5	5	8
20-34	650	2.9	4	<1	<1	3	3	4	5	8
35-49	269	3.1	2	<1	1	3	3	5	6	10
50-64	116	3.7	11	<1	1	3	4	7	11	20
65+	40	4.4	17	1	2	3	4	7	16	20
TOT. SINGLE DX	1144	2.7	2	<1	1	3	3	4	5	7
" MULTIPLE DX	1322	3.0	5	<1	1	3	3	5	6	11
TOTAL 0-19 YRS	468	2.8	4	<1	1	3	3	4	5	8
20-34	1273	2.8	3	<1	1	3	3	4	5	7
35-49	464	2.9	2	<1	1	3	3	4	5	10
50-64	198	3.2	7	<1	1	3	3	5	8	17
65+	63	4.3	14	1	2	3	5	7	13	20
GRAND TOTAL	**2466**	**2.9**	**4**	**<1**	**1**	**3**	**3**	**4**	**5**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.8	1	<1	1	3	3	5	6	6
20-34	53	2.5	1	1	1	2	3	4	5	6
35-49	65	2.7	3	<1	<1	2	3	4	6	13
50-64	76	3.2	4	<1	2	3	4	6	8	11
65+	75	3.8	12	<1	1	3	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	36	3.0	3	1	1	3	4	5	6	12
20-34	88	3.3	10	1	2	3	3	5	6	23
35-49	98	3.7	20	1	2	2	3	5	11	28
50-64	153	4.7	53	1	2	3	4	9	16	46
65+	110	6.5	113	2	2	3	7	12	20	61
TOT. SINGLE DX	291	3.1	6	<1	1	2	3	6	8	13
" MULTIPLE DX	485	4.5	50	1	2	3	4	9	14	35
TOTAL 0-19 YRS	58	2.9	3	<1	1	3	3	5	6	12
20-34	141	3.0	7	1	2	3	3	4	6	13
35-49	163	3.3	14	<1	1	2	3	5	8	21
50-64	229	4.2	38	1	2	3	4	8	12	34
65+	185	5.4	74	1	2	3	6	11	18	37
GRAND TOTAL	**776**	**4.0**	**34**	**1**	**2**	**3**	**4**	**7**	**11**	**29**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	1.6	1	<1	<1	1	2	3	4	6
20-34	171	1.9	2	<1	<1	2	2	3	5	9
35-49	39	2.9	3	<1	<1	2	4	6	7	7
50-64	33	2.9	3	1	1	2	4	6	7	8
65+	32	3.6	11	<1	1	2	5	9	12	13
2. MULTIPLE DX										
0-19 YRS	67	3.2	8	<1	<1	2	5	8	9	12
20-34	74	4.3	32	<1	1	3	5	8	11	38
35-49	41	3.6	6	<1	1	3	4	7	9	13
50-64	53	7.0	187	1	1	4	7	12	22	95
65+	101	6.9	98	1	1	5	8	13	19	64
TOT. SINGLE DX	475	2.1	3	<1	<1	2	2	4	6	9
" MULTIPLE DX	336	5.2	71	<1	1	3	6	10	13	44
TOTAL 0-19 YRS	267	2.0	3	<1	<1	1	2	4	6	10
20-34	245	2.6	13	<1	<1	2	3	5	7	12
35-49	80	3.3	5	<1	1	3	4	6	8	12
50-64	86	5.5	120	1	1	3	5	9	13	73
65+	133	6.1	79	1	1	4	7	12	16	52
GRAND TOTAL	**811**	**3.4**	**33**	**<1**	**<1**	**2**	**4**	**7**	**9**	**22**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.6	17	1	1	2	3	11	13	13
20-34	61	3.5	8	1	2	3	4	4	10	18
35-49	36	3.1		2	2	3	4	4	5	6
50-64	33	4.0	12	2	2	3	4	6	9	21
65+	16	4.1	21	1	1	3	4	9	17	20
2. MULTIPLE DX										
0-19 YRS	5	3.2	4	2	2	2	4	7	7	7
20-34	40	3.6	2	2	2	3	4	5	7	9
35-49	42	4.3	22	2	2	3	4	8	13	28
50-64	39	4.1	7	2	2	3	4	8	12	14
65+	19	5.6	41	1	2	4	5	9	22	31
TOT. SINGLE DX	153	3.6	9	1	2	3	4	5	9	20
" MULTIPLE DX	145	4.2	15	2	2	3	4	7	10	28
TOTAL 0-19 YRS	12	3.4	11	1	1	2	3	9	12	13
20-34	101	3.5	6	2	2	3	4	5	7	16
35-49	78	3.7	13	2	2	3	4	5	9	25
50-64	72	4.0	10	2	2	3	4	7	11	19
65+	35	4.9	32	1	2	3	5	9	17	31
GRAND TOTAL	298	3.9	12	2	2	3	4	6	10	21

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.2	1	<1	<1	2	3	4	5	6
20-34	73	2.4	3	<1	1	2	3	4	5	12
35-49	46	2.4	2	<1	1	2	3	4	5	10
50-64	30	4.8	28	<1	1	3	4	12	21	21
65+	27	11.0	279	2	2	4	10	33	46	78
2. MULTIPLE DX										
0-19 YRS	42	2.8	9	<1	<1	2	2	6	10	17
20-34	83	4.6	28	<1	1	3	5	10	16	31
35-49	81	3.9	28	<1	1	2	3	8	12	34
50-64	71	4.5	15	1	2	3	5	9	11	23
65+	30	5.6	22	2	2	3	9	13	16	19
TOT. SINGLE DX	215	3.8	48	<1	1	2	3	6	11	26
" MULTIPLE DX	307	4.2	22	<1	1	3	4	9	13	23
TOTAL 0-19 YRS	81	2.5	6	<1	<1	2	2	5	6	15
20-34	156	3.6	18	<1	1	2	4	6	13	20
35-49	127	3.3	19	<1	1	2	3	5	11	26
50-64	101	4.6	19	1	2	3	5	9	15	23
65+	57	8.2	149	2	2	4	9	16	32	75
GRAND TOTAL	522	4.1	33	<1	1	2	4	8	13	30

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	515	1.2		<1	<1	1	1	2	2	3
20-34	746	1.5		<1	<1	1	2	2	2	5
35-49	322	1.7	2	<1	<1	1	2	2	3	6
50-64	158	1.8	5	<1	<1	1	2	2	3	6
65+	62	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	213	2.8	12	<1	<1	2	3	6	9	21
20-34	283	4.7	87	<1	<1	2	4	12	22	99+
35-49	192	3.2	23	<1	1	2	3	7	9	26
50-64	219	5.3	117	<1	<1	2	4	14	22	60
65+	164	9.0	214	1	1	3	9	29	55	99+
TOT. SINGLE DX	1803	1.5	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	1071	4.8	90	<1	1	2	4	11	22	72
TOTAL 0-19 YRS	728	1.7	4	<1	<1	1	2	3	4	10
20-34	1029	2.4	27	<1	<1	1	2	3	7	24
35-49	514	2.2	11	<1	<1	2	2	3	6	20
50-64	377	3.8	73	<1	<1	2	2	5	17	51
65+	226	7.0	166	<1	1	2	5	23	36	99+
GRAND TOTAL	2874	2.7	37	<1	<1	1	2	4	8	34

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	175	1.2		<1	<1	1	1	2	2	2
20-34	52	1.7	2	<1	<1	1	2	3	5	12
35-49	11	1.5		<1	<1	<1	2	3	4	4
50-64	5	2.4	1	1	1	2	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	52	3.3	27	<1	<1	2	2	8	14	29
20-34	20	4.8	109	<1	<1	2	2	10	31	47
35-49	10	5.6	49	1	1	2	9	17	23	23
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.5	1	2	2	2	3	3	3	3
TOT. SINGLE DX	243	1.3	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	86	3.9	47	<1	<1	2	2	10	17	41
TOTAL 0-19 YRS	227	1.7	7	<1	<1	1	2	2	2	16
20-34	72	2.6	33	<1	<1	1	2	3	5	40
35-49	21	3.5	27	<1	<1	2	3	10	16	23
50-64	7	2.1	1	1	1	2	3	4	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	329	2.0	14	<1	<1	1	2	2	5	23

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.0	2	<1	<1	1	3	5	6	6
20-34	20	3.1	2	1	1	3	4	5	6	6
35-49	35	4.1	4	<1	1	4	5	6	7	11
50-64	35	3.3	3	<1	1	3	5	5	6	6
65+	16	3.8	6	1	1	3	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	22	2.1	2	<1	<1	2	3	4	6	7
20-34	17	3.4	5	<1	<1	3	4	7	9	9
35-49	20	5.0	31	1	1	3	5	11	19	25
50-64	31	4.7	29	1	1	3	5	13	16	24
65+	16	7.3	90	1	1	3	7	21	32	36
TOT. SINGLE DX	127	3.3	4	<1	1	3	5	6	6	9
" MULTIPLE DX	106	4.4	31	<1	1	3	4	9	16	30
TOTAL 0-19 YRS	43	2.1	2	<1	<1	1	3	4	6	7
20-34	37	3.2	4	<1	1	3	4	6	7	9
35-49	55	4.4	14	1	1	4	5	7	10	24
50-64	66	3.9	16	<1	1	3	5	6	13	23
65+	32	5.5	50	1	1	3	6	11	21	36
GRAND TOTAL	**233**	**3.8**	**16**	**<1**	**1**	**3**	**5**	**6**	**9**	**24**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	4.0	9	<1	1	3	5	7	10	17
20-34	99	3.9	3	1	2	4	5	7	8	10
35-49	96	4.0	5	1	2	3	5	6	8	15
50-64	87	4.4	6	2	2	4	5	7	9	15
65+	62	5.4	26	2	2	4	6	8	18	31
2. MULTIPLE DX										
0-19 YRS	10	6.5	17	2	3	5	8	13	16	16
20-34	59	5.2	18	1	2	4	6	8	10	29
35-49	59	5.6	22	1	2	4	6	12	15	29
50-64	66	6.5	30	2	3	5	7	10	17	31
65+	68	8.1	40	3	3	6	9	16	22	33
TOT. SINGLE DX	378	4.3	9	1	2	4	5	7	9	18
" MULTIPLE DX	262	6.4	29	2	2	5	7	11	17	30
TOTAL 0-19 YRS	44	4.6	12	1	2	4	6	8	12	17
20-34	158	4.4	10	1	2	4	5	8	8	17
35-49	155	4.6	13	1	2	4	5	8	11	19
50-64	153	5.3	18	2	2	4	6	9	12	30
65+	130	6.8	35	2	2	5	7	13	21	33
GRAND TOTAL	**640**	**5.2**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**27**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	4.9	3	1	2	5	6	7	8	9
20-34	3	7.3	17	4	4	6	10	12	12	12
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	78	6.6	13	3	3	6	8	11	14	21
20-34	7	6.0	20	3	3	4	8	14	15	15
35-49	3	22.0	511	3	3	16	39	47	47	47
50-64	3	6.0	39	1	1	4	11	13	13	13
65+										
TOT. SINGLE DX	59	5.0	5	1	2	5	6	8	9	12
" MULTIPLE DX	91	7.0	33	3	3	6	8	13	15	37
TOTAL 0-19 YRS	133	5.9	10	2	3	6	7	9	12	19
20-34	10	6.4	18	3	3	5	9	13	15	15
35-49	3	22.0	511	3	3	16	39	47	47	47
50-64	3	6.0	39	1	1	4	11	13	13	13
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**150**	**6.2**	**23**	**2**	**3**	**5**	**7**	**10**	**14**	**22**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	3.9	8	<1	<1	3	6	8	8	12
20-34	57	3.5	6	<1	<1	3	5	7	9	12
35-49	47	3.5	8	<1	1	2	4	8	10	14
50-64	67	7.0	121	<1	1	3	7	15	33	52
65+	88	5.5	26	1	2	3	8	12	17	26
2. MULTIPLE DX										
0-19 YRS	139	6.1	64	1	1	4	7	11	28	58
20-34	81	5.1	58	1	1	3	6	11	15	49
35-49	58	6.2	44	1	1	4	8	19	24	25
50-64	114	10.3	170	1	2	6	13	26	42	99+
65+	141	12.0	217	1	2	7	16	30	47	88
TOT. SINGLE DX	414	4.7	32	<1	1	3	6	9	12	30
" MULTIPLE DX	533	8.4	132	1	1	5	10	20	32	87
TOTAL 0-19 YRS	294	4.9	36	<1	1	4	6	8	11	40
20-34	138	4.5	37	<1	1	3	5	9	12	24
35-49	105	5.0	30	1	1	3	6	10	21	25
50-64	181	9.1	154	<1	1	5	11	23	42	96
65+	229	9.5	154	1	2	5	12	20	35	78
GRAND TOTAL	**947**	**6.8**	**91**	**<1**	**1**	**4**	**8**	**15**	**24**	**62**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2393	2.3		1	2	2	3	3	4	5
20-34	1377	2.8	1	1	2	3	3	4	4	6
35-49	144	3.1	2	2	2	3	3	4	5	12
50-64	22	3.2	2	1	2	3	4	6	7	7
65+	4	6.8	68	1	1	3	11	19	19	19
2. MULTIPLE DX										
0-19 YRS	482	2.9	15	1	1	2	3	4	6	14
20-34	246	3.4	5	2	2	3	4	5	6	11
35-49	49	3.2	2	2	2	3	4	5	6	10
50-64	18	3.9	23	1	2	3	3	5	16	23
65+	3	8.0	61	3	3	4	14	17	17	17
TOT. SINGLE DX	3940	2.5	1	1	2	2	3	4	4	6
" MULTIPLE DX	798	3.1	12	1	2	2	3	5	6	14
TOTAL 0-19 YRS	2875	2.4	3	1	2	2	3	3	4	6
20-34	1623	2.9	2	2	2	3	3	4	5	7
35-49	193	3.1	3	2	2	3	3	5	5	11
50-64	40	3.6	12	1	2	3	4	5	7	23
65+	7	7.3	55	1	1	4	14	19	19	19
GRAND TOTAL	**4738**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4613	2.1		1	2	2	2	3	3	4
20-34	46	2.9	3	1	2	3	3	4	6	13
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	2096	2.2	1	1	2	2	2	3	3	8
20-34	15	3.3	1	2	2	3	4	5	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	4665	2.1	1	1	2	2	2	3	3	4
" MULTIPLE DX	2112	2.2	2	1	2	2	2	3	3	8
TOTAL 0-19 YRS	6709	2.1	1	1	2	2	2	3	3	5
20-34	61	3.0	3	1	2	3	3	5	6	12
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3		2	2	2	3	3	3	3
GRAND TOTAL	**6777**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	390	1.8		<1	<1	2	2	2	2	4
20-34	4	2.3		2	2	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	492	2.0	2	<1	<1	2	2	2	3	10
20-34	3	12.0	81	3	3	12	19	21	21	21
35-49										
50-64										
65+										
TOT. SINGLE DX	394	1.8	1	<1	<1	2	2	2	2	4
" MULTIPLE DX	495	2.0	3	<1	<1	2	2	2	3	12
TOTAL 0-19 YRS	882	1.9	2	<1	<1	2	2	2	2	7
20-34	7	6.4	54	2	2	3	10	19	21	21
35-49										
50-64										
65+										
GRAND TOTAL	**889**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**2**	**2**	**10**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	3.0	5	<1	1	2	4	6	7	14
20-34	118	3.1	3	1	1	3	4	5	7	10
35-49	45	3.3	9	1	2	3	3	5	6	22
50-64	38	5.1	41	1	1	3	5	9	17	36
65+	24	8.9	234	1	2	4	9	15	34	78
2. MULTIPLE DX										
0-19 YRS	30	4.2	6	1	1	4	7	8	8	8
20-34	28	3.3	2	1	1	3	5	6	6	7
35-49	21	6.0	18	1	2	5	8	9	15	21
50-64	44	12.4	219	1	2	9	14	26	52	64
65+	43	10.2	128	1	2	6	15	21	34	53
TOT. SINGLE DX	353	3.7	26	1	1	3	4	6	9	19
" MULTIPLE DX	166	8.0	107	1	2	4	9	17	24	53
TOTAL 0-19 YRS	158	3.2	6	<1	1	2	4	7	8	14
20-34	146	3.2	4	1	1	3	4	5	7	10
35-49	66	4.2	14	1	2	3	5	8	9	22
50-64	82	9.0	149	1	2	4	11	19	41	60
65+	67	9.8	164	1	2	5	13	18	29	74
GRAND TOTAL	**519**	**5.1**	**56**	**1**	**1**	**3**	**5**	**10**	**15**	**50**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	1.6	1	<1	<1	1	2	3	4	5
20-34	11	1.9	1	1	1	2	3	4	4	4
35-49	21	2.6	5	<1	1	2	3	6	9	11
50-64	28	2.9	2	<1	1	3	4	5	5	5
65+	42	3.7	9	<1	1	3	5	7	10	15
2. MULTIPLE DX										
0-19 YRS	97	4.8	13	1	2	4	6	8	10	23
20-34	20	3.4	5	<1	<1	3	4	7	8	9
35-49	20	4.7	14	1	1	4	7	8	13	17
50-64	40	4.3	9	<1	1	3	6	8	9	16
65+	85	6.3	86	1	2	4	7	12	17	61
TOT. SINGLE DX	154	2.6	5	<1	<1	2	3	5	6	12
" MULTIPLE DX	262	5.1	36	1	1	4	6	9	13	27
TOTAL 0-19 YRS	149	3.7	11	<1	<1	3	5	7	8	18
20-34	31	2.9	4	<1	1	3	4	6	7	9
35-49	41	3.6	11	1	1	2	5	8	9	17
50-64	68	3.7	7	<1	1	3	5	7	8	15
65+	127	5.4	62	1	1	3	6	11	16	41
GRAND TOTAL	**416**	**4.2**	**26**	**<1**	**1**	**3**	**5**	**8**	**10**	**18**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.2		1	1	2	2	3	5	5
20-34	29	2.0	1	<1	<1	2	2	3	4	7
35-49	48	2.2	3	1	1	2	2	3	4	11
50-64	86	3.7	48	1	2	2	3	6	11	47
65+	78	3.2	10	1	1	2	3	7	10	21
2. MULTIPLE DX										
0-19 YRS	7	2.1		1	1	2	3	3	3	3
20-34	15	2.0		<1	<1	2	2	3	3	3
35-49	25	5.2	80	<1	<1	2	3	19	31	36
50-64	101	3.5	11	<1	1	2	4	7	12	57
65+	62	7.7	112	1	2	2	8	23	38	44
TOT. SINGLE DX	266	3.0	20	1	1	2	3	5	8	22
" MULTIPLE DX	210	4.8	52	<1	1	2	4	12	19	43
TOTAL 0-19 YRS	32	2.2	1	1	1	2	2	3	5	5
20-34	44	2.0	1	<1	<1	2	2	3	3	7
35-49	73	3.3	31	<1	1	2	3	4	11	34
50-64	187	3.6	28	<1	1	2	3	7	11	46
65+	140	5.2	60	1	1	2	4	12	23	42
GRAND TOTAL	**476**	**3.8**	**35**	**<1**	**1**	**2**	**3**	**7**	**13**	**40**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	15.5	145	7	7	15	24	24	24	24
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	7	11.4	125	3	3	7	20	29	31	31
50-64	5	16.2	146	3	3	20	24	32	32	32
65+	6	21.0	21	15	15	20	24	28	28	28
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	4	11.0	90	2	2	9	18	23	23	23
50-64	16	22.0	228	2	2	26	32	37	50	55
65+	13	20.9	247	2	2	21	39	99+	99+	99+
TOT. SINGLE DX	22	14.6	107	2	3	16	23	29	31	32
" MULTIPLE DX	34	19.9	219	2	2	19	32	52	86	99+
TOTAL 0-19 YRS	3	12.7	96	7	7	7	20	24	24	24
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	11	11.3	102	2	2	7	21	26	31	31
50-64	21	20.6	207	2	3	21	29	36	45	55
65+	19	20.9	171	2	3	21	32	72	99+	99+
GRAND TOTAL	**56**	**17.8**	**179**	**2**	**2**	**17**	**28**	**38**	**54**	**99+**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	13.0		13	13	13	13	13	13	13
50-64	10	21.5	99	13	13	19	21	38	46	46
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	5	32.0	361	17	17	24	43	63	63	63
50-64	20	31.4	487	13	14	24	34	66	82	97
65+	15	35.1	274	18	19	27	44	50	75	83
TOT. SINGLE DX	13	19.5	89	13	13	18	20	34	44	46
" MULTIPLE DX	40	32.9	376	14	16	26	39	63	75	97
TOTAL 0-19 YRS										
20-34										
35-49	7	26.6	327	13	13	19	34	58	63	63
50-64	30	28.1	373	13	13	21	31	57	68	97
65+	16	33.8	287	14	18	27	43	50	73	83
GRAND TOTAL	**53**	**29.6**	**336**	**13**	**13**	**25**	**35**	**53**	**67**	**97**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	38.0		38	38	38	38	38	38	38
65+	1	38.0		38	38	38	38	38	38	38
2. MULTIPLE DX										
0-19 YRS										
20-34	1	40.0		40	40	40	40	40	40	40
35-49	1	12.0		12	12	12	12	12	12	12
50-64	4	13.3	34	7	7	18	99+	99+	99+	99+
65+	9	34.2	846	4	5	22	54	80	86	86
TOT. SINGLE DX	2	38.0		38	38	38	38	38	38	38
" MULTIPLE DX	15	27.5	606	5	6	20	54	97	99+	99+
TOTAL 0-19 YRS										
20-34	1	40.0		40	40	40	40	40	40	40
35-49	1	12.0		12	12	12	12	12	12	12
50-64	5	18.2	148	7	8	20	84	99+	99+	99+
65+	10	34.6	754	4	5	30	48	78	86	86
GRAND TOTAL	**17**	**28.8**	**543**	**5**	**6**	**22**	**46**	**94**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	7.7	14	3	4	6	10	14	14	14
20-34	9	8.0	138	1	1	3	8	28	38	38
35-49	5	3.8	16	2	2	2	11	91	99+	99+
50-64	10	13.8	396	2	2	4	15	46	65	65
65+	6	20.5	865	2	2	10	20	73	79	79
2. MULTIPLE DX										
0-19 YRS	23	21.4	345	2	4	18	29	50	63	72
20-34	6	26.5	622	2	2	57	99+	99+	99+	99+
35-49	13	27.7	845	2	3	17	65	86	97	99+
50-64	26	22.1	595	2	2	19	50	90	99+	99+
65+	26	28.6	639	2	3	25	54	93	99+	99+
TOT. SINGLE DX	39	10.8	270	2	2	5	12	33	72	99+
" MULTIPLE DX	94	24.8	567	2	2	21	52	99+	99+	99+
TOTAL 0-19 YRS	32	17.5	288	2	4	10	24	43	57	72
20-34	15	15.4	389	1	2	10	78	99+	99+	99+
35-49	18	21.1	722	2	2	10	58	92	99+	99+
50-64	36	19.8	542	2	2	10	40	74	99+	99+
65+	32	27.1	665	2	2	21	51	84	99+	99+
GRAND TOTAL	**133**	**20.7**	**517**	**2**	**2**	**12**	**42**	**83**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	12.7	517	2	2	3	6	54	59	59
20-34	17	7.1	23	1	2	7	9	12	18	21
35-49	41	10.2	95	1	2	7	15	20	28	50
50-64	102	10.1	61	1	2	8	15	20	22	42
65+	89	12.4	114	2	3	9	15	23	33	60
2. MULTIPLE DX										
0-19 YRS	8	15.1	91	2	4	20	25	72	99+	99+
20-34	26	11.5	63	<1	2	10	16	21	27	33
35-49	76	10.8	80	2	3	8	14	22	32	45
50-64	215	16.2	154	3	4	13	21	33	40	61
65+	298	15.9	146	3	4	13	21	31	42	71
TOT. SINGLE DX	255	10.8	93	1	2	8	15	21	25	51
" MULTIPLE DX	623	15.2	140	3	4	13	20	31	39	63
TOTAL 0-19 YRS	14	14.1	250	2	2	9	23	59	90	99+
20-34	43	9.8	51	1	2	8	13	21	23	33
35-49	117	10.6	85	2	2	8	15	21	32	49
50-64	317	14.2	132	2	3	11	19	28	37	53
65+	387	15.1	141	3	4	12	20	30	40	64
GRAND TOTAL	**878**	**13.9**	**130**	**2**	**3**	**11**	**18**	**28**	**37**	**58**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	1	17.0		17	17	17	17	17	17	17
TOTAL 0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49										
50-64										
65+										
GRAND TOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	10	10.2	26	2	3	10	14	17	19	19
20-34	31	10.6	25	4	4	10	14	18	21	21
35-49	32	13.3	119	3	5	10	15	24	27	62
50-64	58	15.1	105	2	4	13	18	27	32	58
65+	56	12.8	90	1	3	10	18	27	32	42
2. MULTIPLE DX										
0-19 YRS	17	12.8	89	3	7	9	15	25	36	42
20-34	47	15.1	73	5	7	13	20	27	34	42
35-49	58	16.6	156	4	6	13	18	32	39	71
50-64	168	18.3	128	5	7	16	22	32	45	56
65+	197	19.7	202	3	5	16	26	40	49	95
TOT. SINGLE DX	187	13.1	87	2	4	11	16	25	31	54
" MULTIPLE DX	487	18.1	157	4	6	15	23	34	45	71
TOTAL 0-19 YRS	27	11.8	66	2	5	9	15	20	28	42
20-34	78	13.3	59	4	6	12	16	23	28	40
35-49	90	15.4	145	3	6	12	18	28	34	69
50-64	226	17.4	124	4	6	15	21	31	45	57
65+	253	18.2	185	3	5	15	25	37	45	89
GRAND TOTAL	674	16.7	143	3	5	14	21	32	43	62

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34	3	23.3	170	11	11	22	33	37	37	37
35-49	6	21.3	143	10	10	18	31	39	40	40
50-64	24	18.8	87	10	11	16	22	31	39	50
65+	32	20.8	72	10	11	18	28	34	34	40
2. MULTIPLE DX										
0-19 YRS	3	20.0	117	8	8	23	27	29	29	29
20-34	11	15.7	41	9	9	14	20	25	27	27
35-49	27	21.9	217	9	11	17	25	43	55	76
50-64	122	21.6	134	10	11	19	24	35	50	83
65+	86	25.7	188	12	13	24	32	48	64	99+
TOT. SINGLE DX	65	20.2	85	10	11	18	26	34	38	49
" MULTIPLE DX	249	22.8	162	10	11	19	27	42	51	99+
TOTAL 0-19 YRS	3	20.0	117	8	8	23	27	29	29	29
20-34	14	17.4	68	9	9	16	22	28	35	37
35-49	33	21.8	199	9	10	17	25	41	50	76
50-64	146	21.1	128	10	11	18	24	35	50	78
65+	118	24.4	161	11	12	22	30	44	53	99+
GRAND TOTAL	314	22.2	147	10	11	19	27	39	50	99+

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	58	4.7	30	1	1	2	6	12	16	27
20-34	51	6.4	30	1	1	5	8	14	20	28
35-49	70	8.6	117	<1	1	5	11	21	43	90
50-64	140	6.7	34	1	2	5	9	13	16	33
65+	105	10.2	86	2	2	8	14	22	29	47
2. MULTIPLE DX										
0-19 YRS	79	9.5	80	1	1	7	13	25	33	99+
20-34	79	11.2	99	1	2	8	14	23	31	53
35-49	95	12.0	115	1	2	9	16	28	34	82
50-64	297	12.5	102	2	3	10	17	28	35	47
65+	378	16.5	209	2	3	13	22	34	50	99+
TOT. SINGLE DX	424	7.6	63	1	1	5	10	17	22	45
" MULTIPLE DX	928	13.7	151	2	2	11	18	30	40	98
TOTAL 0-19 YRS	137	7.5	65	1	1	4	11	22	27	99+
20-34	130	9.3	78	1	1	7	12	20	29	40
35-49	165	10.5	116	1	1	7	14	25	36	93
50-64	437	10.6	68	2	2	8	14	23	31	45
65+	483	15.2	189	2	3	12	20	32	44	99
GRAND TOTAL	1352	11.8	131	1	2	9	16	28	35	73

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	6	7.2	54	2	2	4	10	20	21	21
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	28.0	1058	5	5	28	51	51	51	51
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	8	15.4	320	1	2	7	23	46	50	50
20-34	3	16.0	67	9	9	14	22	25	25	25
35-49	7	14.6	162	4	5	8	21	36	39	39
50-64	6	14.5	119	2	2	13	19	32	33	33
65+	5	36.0	1299	5	5	20	65	89	89	89
TOT. SINGLE DX	12	10.5	196	2	2	4	12	30	48	51
" MULTIPLE DX	29	18.6	392	2	4	10	25	46	59	89
TOTAL 0-19 YRS	10	13.2	270	1	2	6	10	43	50	50
20-34	9	10.1	70	2	2	9	16	23	25	25
35-49	8	13.1	156	3	3	8	18	35	39	39
50-64	8	17.9	276	2	3	13	26	46	51	51
65+	6	32.5	1113	5	5	17	57	86	89	89
GRAND TOTAL	41	16.2	342	2	3	9	20	43	54	89

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.7	4	1	2	5	6	7	8	11
20-34	140	6.1	10	2	2	5	8	11	13	15
35-49	33	7.9	40	2	3	6	10	12	17	37
50-64	24	8.0	33	3	4	6	8	17	21	28
65+	17	11.8	84	2	3	9	19	33	74	99+
2. MULTIPLE DX										
0-19 YRS	65	19.4	447	4	4	11	24	60	72	97
20-34	93	12.0	196	3	3	8	14	23	44	97
35-49	70	13.1	113	3	4	9	16	28	42	48
50-64	124	14.6	178	3	3	11	18	27	45	87
65+	130	17.9	258	3	5	13	24	40	63	99+
TOT. SINGLE DX	243	6.7	24	2	3	6	8	12	15	36
" MULTIPLE DX	482	15.4	236	3	4	10	19	36	57	98
TOTAL 0-19 YRS	94	14.9	356	2	3	7	14	45	69	93
20-34	233	8.4	93	2	3	6	9	15	21	76
35-49	103	11.4	95	3	3	8	14	23	36	47
50-64	148	13.5	161	3	3	10	17	26	40	83
65+	147	17.2	242	3	4	12	24	39	64	99+
GRAND TOTAL	**725**	**12.5**	**181**	**2**	**3**	**8**	**15**	**27**	**43**	**94**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	9.0	28	<1	1	9	11	16	20	23
20-34	55	9.7	56	1	2	9	13	19	23	34
35-49	35	10.3	64	1	2	8	14	25	27	32
50-64	36	10.8	44	1	2	10	13	20	21	33
65+	24	9.3	55	1	2	7	14	20	25	28
2. MULTIPLE DX										
0-19 YRS	28	10.0	42	1	2	9	12	21	24	27
20-34	44	12.9	92	2	2	10	19	26	34	41
35-49	61	15.9	145	3	4	13	19	33	39	59
50-64	114	18.2	225	2	3	14	26	43	59	99+
65+	154	18.5	207	3	3	16	25	37	47	63
TOT. SINGLE DX	190	9.8	49	1	2	9	13	20	23	33
" MULTIPLE DX	401	16.8	185	2	3	13	22	35	46	81
TOTAL 0-19 YRS	68	9.4	34	1	1	9	12	19	22	26
20-34	99	11.1	75	2	2	9	14	23	32	38
35-49	96	13.9	122	2	3	12	18	30	35	56
50-64	150	16.5	192	2	3	12	22	36	55	99+
65+	178	17.3	197	2	3	15	23	36	44	62
GRAND TOTAL	**591**	**14.6**	**152**	**2**	**3**	**11**	**19**	**31**	**39**	**65**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	10.6	7	8	9	9	11	15	17	19
20-34	17	10.4	2	8	9	10	11	13	13	13
35-49	26	10.7	5	6	7	11	12	13	15	15
50-64	30	12.7	20	8	9	12	14	17	25	26
65+	14	13.6	11	9	10	13	15	19	21	21
2. MULTIPLE DX										
0-19 YRS	44	15.8	149	8	9	12	15	38	56	99+
20-34	30	13.1	66	8	9	12	13	16	19	54
35-49	48	13.5	36	9	9	12	14	22	31	99+
50-64	127	17.4	106	10	10	14	19	31	40	62
65+	95	20.8	156	10	11	16	25	39	51	66
TOT. SINGLE DX	126	11.4	11	8	9	11	13	15	18	25
" MULTIPLE DX	344	17.2	118	9	10	13	19	31	43	66
TOTAL 0-19 YRS	83	13.4	89	8	9	10	14	19	39	88
20-34	47	12.1	44	8	9	11	13	15	17	54
35-49	74	12.5	27	7	9	11	13	17	26	85
50-64	157	16.5	93	9	10	13	17	28	37	61
65+	109	19.9	143	10	11	16	24	37	50	65
GRAND TOTAL	**470**	**15.7**	**96**	**9**	**9**	**12**	**16**	**27**	**39**	**64**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	11.5	9	8	8	11	14	15	15	15
35-49	36	12.9	22	9	9	12	14	18	26	28
50-64	111	11.9	14	8	9	11	13	16	22	28
65+	48	16.0	99	9	9	13	16	29	38	59
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	8	13.6	16	9	9	13	17	19	20	20
35-49	149	13.2	51	8	9	11	14	19	24	49
50-64	571	14.6	55	9	9	12	16	23	30	44
65+	285	17.4	85	9	10	14	22	30	36	62
TOT. SINGLE DX	200	13.1	39	9	9	11	14	18	24	42
" MULTIPLE DX	1014	15.2	65	9	9	12	17	25	33	47
TOTAL 0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34	12	12.9	14	8	9	12	15	19	20	20
35-49	185	13.2	46	8	9	11	14	19	25	48
50-64	682	14.1	50	9	9	12	15	22	28	43
65+	333	17.2	88	9	10	14	20	30	36	60
GRAND TOTAL	**1214**	**14.8**	**61**	**9**	**9**	**12**	**16**	**24**	**31**	**46**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	2.5	5	1	2	2	2	3	5	13
20-34	77	2.7	10	<1	<1	2	3	5	7	21
35-49	315	2.7	5	<1	<1	2	3	6	8	12
50-64	687	2.6	11	<1	<1	1	3	6	9	17
65+	233	3.0	21	<1	<1	1	3	7	15	22
2. MULTIPLE DX										
0-19 YRS	207	3.3	22	1	2	2	2	5	9	29
20-34	136	4.4	13	<1	1	3	6	10	12	18
35-49	813	4.7	27	<1	<1	3	5	11	16	26
50-64	1963	4.9	37	<1	<1	3	5	13	16	28
65+	843	6.9	70	<1	1	3	10	18	23	38
TOT. SINGLE DX	1460	2.7	11	<1	<1	2	3	6	9	18
" MULTIPLE DX	3962	5.2	42	<1	<1	3	6	13	18	32
TOTAL 0-19 YRS	355	3.0	16	1	2	2	2	4	8	23
20-34	213	3.8	13	<1	<1	3	4	8	12	19
35-49	1128	4.1	22	<1	<1	3	4	10	14	23
50-64	2650	4.3	31	<1	<1	2	4	11	15	27
65+	1076	6.1	63	<1	1	3	8	17	23	36
GRAND TOTAL	5422	4.5	35	<1	<1	2	4	11	16	29

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.6	35	4	4	5	10	18	18	18
20-34	13	5.4	26	1	1	3	7	11	18	20
35-49	15	8.5	31	3	3	7	10	17	21	23
50-64	64	7.6	52	2	3	5	10	16	19	42
65+	220	6.1	16	1	2	5	8	11	15	19
2. MULTIPLE DX										
0-19 YRS	13	9.0	36	2	3	6	12	18	21	22
20-34	19	7.5	21	3	3	7	9	11	18	23
35-49	48	13.0	57	3	5	13	16	21	22	49
50-64	252	13.2	92	3	4	12	16	24	37	51
65+	860	13.4	133	3	4	11	17	25	36	71
TOT. SINGLE DX	317	6.5	26	2	2	5	8	13	17	24
" MULTIPLE DX	1192	13.2	120	3	4	11	16	24	34	64
TOTAL 0-19 YRS	18	8.6	35	2	3	6	12	18	20	22
20-34	32	6.6	23	2	2	6	8	11	19	23
35-49	63	11.9	54	3	4	11	16	20	22	46
50-64	316	12.1	89	3	3	10	16	23	34	50
65+	1080	11.9	118	3	3	9	15	23	32	64
GRAND TOTAL	1509	11.8	107	3	3	9	15	22	31	59

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	8.3	17	2	2	9	10	14	16	16
20-34	6	9.8	15	3	3	11	12	14	14	14
35-49	20	4.0	6	2	2	3	4	9	10	10
50-64	55	6.1	37	2	2	4	9	13	18	35
65+	14	9.4	50	2	3	8	12	18	25	27
2. MULTIPLE DX										
0-19 YRS	7	14.3	134	2	3	10	24	32	33	33
20-34	10	10.9	64	3	4	9	11	23	32	32
35-49	34	13.1	43	3	6	12	17	21	23	35
50-64	97	9.6	79	2	2	8	12	20	28	49
65+	42	12.3	82	2	3	10	17	27	31	35
TOT. SINGLE DX	104	6.5	33	2	2	4	10	13	17	31
" MULTIPLE DX	190	11.1	76	2	2	10	14	22	29	35
TOTAL 0-19 YRS	16	10.9	72	2	2	9	11	27	31	33
20-34	16	10.5	44	3	4	9	12	15	27	32
35-49	54	9.7	49	2	2	9	14	18	22	35
50-64	152	8.4	67	2	2	5	11	18	22	36
65+	56	11.6	75	2	3	10	16	26	29	35
GRAND TOTAL	294	9.5	65	2	2	8	12	19	27	35

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	3.6	15	<1	1	2	4	8	12	22
20-34	40	3.9	17	<1	<1	2	4	10	14	19
35-49	32	3.3	14	<1	<1	2	3	9	12	17
50-64	42	3.9	24	<1	<1	2	4	8	14	27
65+	50	5.9	43	<1	1	3	7	14	22	28
2. MULTIPLE DX										
0-19 YRS	54	5.9	23	<1	1	4	7	14	17	20
20-34	39	9.0	156	<1	1	4	11	18	37	63
35-49	55	8.4	73	1	1	5	11	20	28	40
50-64	152	10.9	164	1	1	7	13	24	41	69
65+	246	15.2	183	2	2	12	21	32	45	62
TOT. SINGLE DX	213	4.2	24	<1	<1	2	5	10	15	27
" MULTIPLE DX	546	12.0	159	1	2	8	17	26	40	61
TOTAL 0-19 YRS	103	4.8	21	<1	1	3	6	12	15	21
20-34	79	6.4	92	<1	1	3	8	14	19	59
35-49	87	6.6	57	<1	1	3	9	17	23	37
50-64	194	9.4	142	<1	1	6	11	22	30	61
65+	296	13.6	172	1	2	10	19	30	41	58
GRAND TOTAL	759	9.8	133	1	1	6	13	23	32	54

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	4.4	6	1	1	4	6	8	9	10
20-34	374	4.2	13	2	2	4	5	6	8	13
35-49	625	4.3	4	2	2	4	5	7	9	12
50-64	484	5.1	10	2	2	4	6	9	11	18
65+	110	5.1	10	1	2	4	6	9	12	18
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	79	6.2	51	2	2	4	6	8	14	46
35-49	189	6.3	25	2	3	5	7	11	17	30
50-64	243	7.0	30	2	3	5	8	14	19	29
65+	92	11.0	138	2	2	7	13	23	34	65
TOT. SINGLE DX	1608	4.6	9	2	2	4	5	8	9	14
" MULTIPLE DX	604	7.3	50	2	3	5	8	14	20	36
TOTAL 0-19 YRS	16	4.6	6	1	1	4	6	8	9	10
20-34	453	4.5	21	2	2	4	5	7	8	24
35-49	814	4.8	10	2	2	4	5	8	10	18
50-64	727	5.7	18	2	2	5	7	10	14	23
65+	202	7.8	77	1	2	5	9	15	22	57
GRAND TOTAL	**2212**	**5.3**	**22**	**2**	**2**	**4**	**6**	**9**	**12**	**24**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	28.5	41	24	24	28	33	33	33	33
20-34	5	12.0	94	6	6	8	15	29	29	29
35-49	40	12.0	21	4	8	12	14	18	21	26
50-64	147	13.8	44	6	8	12	16	23	25	37
65+	139	13.8	48	7	8	12	16	20	24	42
2. MULTIPLE DX										
0-19 YRS	13	19.2	63	5	8	19	25	29	29	29
20-34	39	15.0	105	3	4	12	19	35	37	41
35-49	117	19.4	201	7	8	15	24	39	50	96
50-64	471	16.9	111	6	8	14	20	29	38	63
65+	510	20.4	162	8	10	17	26	37	48	99+
TOT. SINGLE DX	333	13.6	45	6	8	12	15	21	25	40
" MULTIPLE DX	1150	18.7	145	7	9	15	22	35	43	90
TOTAL 0-19 YRS	15	20.4	68	5	9	22	27	29	32	33
20-34	44	14.7	103	3	5	12	19	34	36	41
35-49	157	17.5	165	6	8	13	20	34	45	92
50-64	618	16.1	97	6	8	13	19	27	36	57
65+	649	19.0	146	8	9	15	23	35	44	99+
GRAND TOTAL	**1483**	**17.5**	**127**	**7**	**8**	**14**	**21**	**33**	**40**	**76**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	1	12.0		12	12	12	12	12	12	12
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	10	5.1	27	<1	<1	3	7	13	17	17
20-34	53	10.8	260	1	1	7	11	18	35	87
35-49	52	6.1	22	1	1	5	8	12	15	23
50-64	97	9.9	107	1	2	7	12	22	26	56
65+	52	7.5	95	1	2	5	8	14	23	61
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	264	8.6	118	1	1	6	10	18	23	62
TOTAL 0-19 YRS	10	5.1	27	<1	<1	3	7	13	17	17
20-34	54	10.6	257	1	1	7	11	18	35	87
35-49	52	6.1	23	1	1	5	8	12	15	23
50-64	97	9.9	107	1	2	7	12	22	26	56
65+	52	7.5	96	1	2	5	8	14	23	61
GRAND TOTAL	**265**	**8.6**	**118**	**1**	**1**	**6**	**10**	**18**	**23**	**62**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	7.5	21	1	2	8	9	14	15	22
20-34	58	8.6	117	1	1	5	10	19	33	61
35-49	89	8.7	71	1	2	6	11	19	24	44
50-64	197	10.4	58	1	2	9	14	19	25	37
65+	226	12.7	106	1	2	11	16	25	34	51
2. MULTIPLE DX										
0-19 YRS	261	22.7	529	3	5	13	40	83	99+	99+
20-34	166	11.4	177	1	2	6	13	23	46	66
35-49	225	15.0	246	1	2	10	19	37	52	97
50-64	794	15.1	163	3	4	12	18	28	44	98
65+	1038	17.9	198	4	6	15	22	36	49	95
TOT. SINGLE DX	628	10.6	83	1	2	9	14	21	29	45
" MULTIPLE DX	2484	16.8	232	2	4	13	21	37	56	99+
TOTAL 0-19 YRS	319	19.9	471	2	3	11	31	68	97	99+
20-34	224	10.7	163	1	2	6	13	22	39	64
35-49	314	13.2	204	1	2	9	17	31	44	85
50-64	991	14.2	146	2	3	11	17	27	38	88
65+	1264	17.0	186	3	5	14	21	34	44	89
GRAND TOTAL	**3112**	**15.6**	**208**	**2**	**3**	**12**	**19**	**33**	**51**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	4.4	32	<1	1	2	4	10	17	30
20-34	123	5.6	39	1	1	3	7	14	17	33
35-49	96	7.5	78	1	2	4	9	17	27	48
50-64	83	8.2	68	<1	1	6	11	19	25	43
65+	70	10.0	87	2	2	6	15	24	31	40
2. MULTIPLE DX										
0-19 YRS	51	9.6	172	1	2	6	11	18	31	81
20-34	86	10.3	94	1	2	7	16	25	34	40
35-49	97	11.2	110	1	2	8	14	27	36	46
50-64	180	12.4	134	2	2	9	17	27	34	63
65+	209	17.3	222	3	4	13	22	42	53	97
TOT. SINGLE DX	478	6.8	61	<1	1	4	8	16	24	36
" MULTIPLE DX	623	13.4	166	2	2	9	18	30	41	65
TOTAL 0-19 YRS	157	6.1	83	<1	1	3	7	15	22	40
20-34	209	7.6	67	1	2	4	10	18	28	37
35-49	193	9.4	98	1	2	6	11	24	29	46
50-64	263	11.1	117	1	2	8	16	24	31	57
65+	279	15.5	198	2	3	11	21	35	48	86
GRAND TOTAL	**1101**	**10.5**	**131**	**1**	**2**	**6**	**14**	**25**	**34**	**58**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	7.1	78	1	1	3	11	23	25	25
35-49	5	6.8	21	1	1	8	11	11	11	11
50-64	15	13.5	114	1	3	10	23	29	32	33
65+	10	8.8	27	4	4	7	15	17	18	18
2. MULTIPLE DX										
0-19 YRS	4	8.8	39	4	4	6	12	18	18	18
20-34	22	13.5	88	3	4	12	14	29	35	40
35-49	32	11.7	90	2	3	8	14	27	29	43
50-64	48	11.8	87	3	4	10	13	25	39	41
65+	66	15.9	130	4	5	13	21	29	33	62
TOT. SINGLE DX	38	10.1	73	1	2	8	13	25	29	33
" MULTIPLE DX	172	13.5	106	3	4	11	17	28	32	55
TOTAL 0-19 YRS	5	9.0	30	4	4	7	12	18	18	18
20-34	29	11.9	91	2	2	11	14	27	32	40
35-49	37	11.0	83	2	3	8	13	25	29	43
50-64	63	12.2	93	2	4	10	15	26	35	41
65+	76	15.0	122	4	4	12	19	29	32	61
GRAND TOTAL	**210**	**12.9**	**101**	**3**	**3**	**10**	**16**	**28**	**32**	**49**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	22.0		22	22	22	22	22	22	22
35-49										
50-64	1	49.0		49	49	49	49	49	49	49
65+	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	3	11.3	4	9	9	12	13	13	13	13
" MULTIPLE DX	3	27.7	366	12	12	22	42	49	49	49
TOTAL 0-19 YRS										
20-34	2	17.0	50	12	12	17	22	22	22	22
35-49	1	13.0		13	13	13	13	13	13	13
50-64	2	29.0	800	9	9	29	49	49	49	49
65+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**6**	**19.5**	**228**	**9**	**9**	**13**	**22**	**46**	**49**	**49**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	1	28.0		28	28	28	28	28	28	28
TOTAL 0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	9.3	100	2	2	7	10	14	21	66
20-34	75	11.2	148	2	2	8	12	20	38	70
35-49	62	13.4	172	2	4	9	14	29	40	72
50-64	88	10.7	71	1	4	9	14	18	19	54
65+	119	14.9	153	2	4	12	18	27	43	85
2. MULTIPLE DX										
0-19 YRS	108	15.1	170	2	3	12	21	31	43	68
20-34	154	13.6	102	3	5	10	17	30	37	52
35-49	155	15.3	148	4	5	12	20	31	39	71
50-64	352	16.4	166	4	5	13	22	34	46	85
65+	787	18.8	195	4	6	15	24	39	49	99+
TOT. SINGLE DX	424	12.1	132	2	3	9	14	23	34	75
" MULTIPLE DX	1556	17.1	176	4	5	14	22	36	47	99+
TOTAL 0-19 YRS	188	12.7	148	2	3	9	15	24	38	70
20-34	229	12.8	118	2	4	9	15	28	37	57
35-49	217	14.7	155	3	5	11	18	30	39	72
50-64	440	15.3	152	4	5	12	19	31	43	78
65+	906	18.3	191	4	5	15	23	38	48	99+
GRAND TOTAL	**1980**	**16.0**	**171**	**3**	**5**	**13**	**21**	**34**	**45**	**89**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	15.7	488	2	2	6	11	54	72	72
20-34	8	19.1	520	1	1	7	34	56	64	64
35-49	5	16.6	129	5	5	16	27	30	30	30
50-64	4	12.3	421	1	1	2	23	43	43	43
65+	4	7.3	18	2	2	7	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	39	20.4	466	1	2	8	36	52	60	82
20-34	40	24.3	289	4	6	21	33	48	56	75
35-49	34	22.9	368	4	5	20	34	59	77	99+
50-64	33	17.4	233	3	3	12	25	42	62	99+
65+	32	22.0	189	4	7	22	35	95	99+	99+
TOT. SINGLE DX	31	15.2	343	1	2	6	23	39	63	72
" MULTIPLE DX	178	21.5	313	3	4	19	33	52	70	99+
TOTAL 0-19 YRS	49	19.5	465	2	2	8	33	52	65	82
20-34	48	23.4	321	2	4	20	34	48	59	75
35-49	39	22.1	338	4	5	19	31	56	73	99+
50-64	37	16.9	245	2	3	10	25	43	57	99+
65+	36	20.4	191	3	5	21	32	77	99+	99+
GRAND TOTAL	**209**	**20.6**	**321**	**2**	**3**	**16**	**32**	**52**	**67**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.8	20	<1	<1	2	9	11	12	12
20-34	26	7.8	50	1	2	7	10	17	23	32
35-49	16	7.8	51	1	1	6	9	19	25	27
50-64	56	7.1	65	1	2	4	8	17	19	49
65+	71	7.4	40	1	2	5	10	17	22	26
2. MULTIPLE DX										
0-19 YRS	18	6.3	33	<1	<1	4	11	16	19	19
20-34	28	12.3	286	1	2	6	10	42	54	68
35-49	69	14.1	214	1	2	9	19	33	54	95
50-64	140	13.3	149	2	2	9	18	30	48	99+
65+	275	14.0	237	2	2	9	17	32	49	87
TOT. SINGLE DX	177	7.3	49	1	2	5	10	17	21	31
" MULTIPLE DX	530	13.5	208	1	2	9	17	31	49	99+
TOTAL 0-19 YRS	26	5.8	29	<1	<1	4	10	12	18	19
20-34	54	10.2	174	1	2	6	10	24	45	67
35-49	85	12.9	189	1	2	9	17	30	47	91
50-64	196	11.5	133	2	2	8	17	28	44	99+
65+	346	12.6	204	2	2	8	16	28	41	81
GRAND TOTAL	**707**	**11.9**	**175**	**1**	**2**	**8**	**15**	**28**	**41**	**84**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	6.5	18	3	3	5	8	10	15	28
20-34										
35-49										
50-64										
65+	2	15.0	18	12	12	15	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	38	10.1	48	4	4	8	12	18	25	35
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	3	20.7	160	7	7	23	30	32	32	32
50-64	7	17.6	42	11	11	16	19	29	31	31
65+	6	20.0	110	9	9	19	29	33	33	33
TOT. SINGLE DX	112	6.7	19	3	3	6	8	11	15	28
" MULTIPLE DX	56	12.7	70	4	4	10	17	26	32	35
TOTAL 0-19 YRS	148	7.4	28	3	4	6	9	14	17	32
20-34	2	11.5	1	11	11	11	12	12	12	12
35-49	3	20.7	160	7	7	23	30	32	32	32
50-64	7	17.6	43	11	11	16	19	29	31	31
65+	8	18.8	87	9	10	15	27	32	33	33
GRAND TOTAL	168	8.7	44	3	4	6	10	17	25	33

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	12.0	54	6	6	10	17	22	22	22
35-49										
50-64	2	12.5	25	9	9	12	16	16	16	16
65+	6	17.7	58	8	8	18	23	27	27	27
2. MULTIPLE DX										
0-19 YRS	10	44.6	980	11	14	34	85	98	99+	99+
20-34	4	15.8	166	8	8	11	51	99+	99+	99+
35-49	6	11.7	20	6	6	13	15	16	16	16
50-64	11	23.5	451	8	9	18	46	99+	99+	99+
65+	13	29.4	458	7	9	39	56	99+	99+	99+
TOT. SINGLE DX	13	14.3	52	6	7	13	22	24	26	27
" MULTIPLE DX	44	27.7	573	7	8	19	55	99+	99+	99+
TOTAL 0-19 YRS	11	41.2	1011	7	10	31	80	97	99+	99+
20-34	8	13.9	98	6	6	11	25	74	99+	99+
35-49	6	11.7	20	6	6	13	15	16	16	16
50-64	13	21.8	395	8	9	17	33	99+	99+	99+
65+	19	25.7	353	8	9	23	44	82	99+	99+
GRAND TOTAL	57	24.7	483	7	8	17	40	97	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.3	56	2	2	8	15	19	19	19
20-34	17	7.1	15	2	3	5	9	14	16	16
35-49	31	9.3	54	3	3	7	11	17	28	35
50-64	60	7.6	28	<1	2	7	10	15	18	25
65+	86	10.0	58	1	3	8	13	20	23	41
2. MULTIPLE DX										
0-19 YRS	8	8.4	40	2	2	7	11	18	21	21
20-34	60	10.1	65	2	3	8	13	18	25	47
35-49	129	9.3	46	2	3	8	12	18	22	53
50-64	244	12.8	118	3	4	10	15	26	33	72
65+	563	14.9	146	4	5	12	19	30	38	99
TOT. SINGLE DX	198	8.9	46	1	3	7	12	18	22	35
" MULTIPLE DX	1004	13.3	125	3	4	10	17	27	35	83
TOTAL 0-19 YRS	12	8.7	41	2	2	7	12	20	21	21
20-34	77	9.4	56	2	3	7	12	17	21	44
35-49	160	9.3	48	2	3	8	12	18	22	40
50-64	304	11.8	105	2	4	9	14	24	30	62
65+	649	14.3	137	3	4	11	19	28	37	94
GRAND TOTAL	1202	12.6	115	3	4	10	16	25	34	78

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.0	4	8	8	10	11	12	12	12
20-34	30	11.4	9	7	8	11	13	16	18	19
35-49	43	12.7	14	8	8	12	15	17	20	24
50-64	48	13.7	19	9	9	13	16	21	23	25
65+	37	18.6	64	9	10	17	22	28	36	45
2. MULTIPLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	30	15.0	46	8	9	14	18	23	26	40
35-49	84	18.2	156	8	9	14	22	32	44	75
50-64	165	20.2	109	9	9	17	22	34	51	97
65+	156	24.8	202	10	12	21	32	48	77	99+
TOT. SINGLE DX	161	14.0	33	8	9	13	16	21	25	37
" MULTIPLE DX	436	21.1	190	9	10	17	26	40	50	99+
TOTAL 0-19 YRS	4	12.3	23	8	8	11	15	19	19	19
20-34	60	13.2	31	8	8	12	16	19	23	39
35-49	127	16.3	115	8	9	13	17	28	35	58
50-64	213	18.7	168	9	9	16	20	31	44	96
65+	193	23.6	182	10	11	20	29	46	66	99+
GRAND TOTAL	597	19.2	157	9	9	16	23	36	47	99+

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	3	13.0	19	10	10	11	16	18	18	18
65+	7	21.1	59	11	12	20	25	33	35	35
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	21.8	149	11	11	17	32	39	39	39
35-49	9	30.8	336	13	15	24	40	62	63	63
50-64	20	26.2	131	12	14	22	37	44	47	48
65+	27	33.1	312	11	15	28	50	74	99+	99+
TOT. SINGLE DX	11	18.3	55	10	10	17	21	30	35	35
" MULTIPLE DX	67	28.9	244	11	13	25	39	56	64	99+
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	21.8	150	11	11	17	32	39	39	39
35-49	10	29.1	327	13	13	22	33	61	63	63
50-64	28	24.8	136	11	11	20	33	44	47	48
65+	34	30.6	281	11	15	26	44	61	95	99+
GRAND TOTAL	78	27.4	231	11	12	24	37	53	62	99+

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34	54	9.1	8	6	6	9	10	13	15	18
35-49	50	10.5	18	6	6	9	13	15	17	27
50-64	33	12.5	40	7	8	10	13	21	24	37
65+	15	11.9	12	7	7	13	15	18	75	99+
2. MULTIPLE DX										
0-19 YRS	4	11.8	37	6	6	11	17	18	18	18
20-34	41	12.0	26	7	7	10	15	18	24	28
35-49	76	14.1	91	7	7	12	17	22	30	62
50-64	79	14.6	52	8	8	13	17	25	28	44
65+	55	20.4	108	10	10	10	24	36	50	97
TOT. SINGLE DX	154	10.6	20	6	7	9	13	16	20	36
" MULTIPLE DX	255	15.3	79	7	8	13	18	25	33	56
TOTAL 0-19 YRS	6	12.0	28	6	6	12	16	18	18	18
20-34	95	10.4	18	6	7	9	12	15	18	28
35-49	126	12.7	65	6	7	11	15	19	23	53
50-64	112	14.0	49	8	8	12	16	24	27	42
65+	70	18.6	100	8	10	16	23	35	52	99+
GRAND TOTAL	409	13.5	62	6	7	11	16	23	28	54

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	9.6	18	3	5	9	13	16	17	17
20-34	156	8.6	5	6	6	8	9	12	13	16
35-49	127	9.4	13	6	6	8	10	13	16	26
50-64	82	10.6	44	6	7	9	11	18	21	32
65+	46	14.3	64	6	7	12	19	28	32	35
2. MULTIPLE DX										
0-19 YRS	18	14.3	82	3	4	12	20	27	31	33
20-34	126	10.6	33	6	7	9	11	17	21	37
35-49	235	12.6	78	6	7	10	13	21	28	57
50-64	209	16.3	115	7	7	13	19	31	37	60
65+	196	22.5	305	8	9	16	28	49	64	99
TOT. SINGLE DX	425	9.9	21	6	6	9	11	14	19	30
" MULTIPLE DX	784	15.8	156	6	7	11	18	31	43	67
TOTAL 0-19 YRS	32	12.2	59	3	4	10	16	25	28	33
20-34	282	9.5	19	6	6	9	10	13	16	31
35-49	362	11.5	58	6	7	9	12	17	24	55
50-64	291	14.7	96	7	7	11	18	27	35	55
65+	242	21.0	270	7	8	16	28	46	60	98
GRAND TOTAL	1209	13.7	117	6	7	10	15	25	35	65

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	7.7	22	1	2	7	9	16	17	22
20-34	113	7.9	43	2	2	7	9	15	19	37
35-49	73	10.3	107	1	2	8	12	21	34	62
50-64	88	8.0	39	1	2	7	11	16	20	31
65+	66	7.8	42	1	1	6	11	15	21	31
2. MULTIPLE DX										
0-19 YRS	59	14.4	201	3	4	9	19	27	52	75
20-34	157	11.5	110	3	4	9	13	22	29	54
35-49	143	11.5	83	2	3	9	15	22	29	49
50-64	199	13.8	118	2	3	11	18	29	36	59
65+	336	15.0	155	3	4	12	20	31	38	80
TOT. SINGLE DX	391	8.3	52	1	2	7	11	16	21	37
" MULTIPLE DX	894	13.5	133	2	3	10	17	28	36	63
TOTAL 0-19 YRS	110	11.3	129	3	3	8	13	22	28	64
20-34	270	10.0	85	2	3	8	12	18	27	48
35-49	216	11.1	91	2	3	9	13	21	30	50
50-64	287	12.0	101	1	2	10	16	26	35	57
65+	402	13.8	144	2	3	11	17	30	35	75
GRAND TOTAL	**1285**	**11.9**	**114**	**2**	**3**	**9**	**15**	**25**	**33**	**58**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	11.3	42	5	5	11	16	18	18	18
20-34	8	11.9	74	5	5	8	15	26	31	31
35-49	7	9.9	3	8	8	10	11	13	13	13
50-64	23	15.7	91	7	8	13	18	28	39	47
65+	20	16.5	46	6	8	15	23	26	28	29
2. MULTIPLE DX										
0-19 YRS	15	29.1	888	6	7	16	29	82	89	91
20-34	58	21.1	167	8	10	17	30	38	45	69
35-49	57	22.9	294	8	9	16	35	48	80	99+
50-64	81	22.6	251	8	9	18	27	43	56	91
65+	112	25.2	299	9	11	20	33	54	78	99+
TOT. SINGLE DX	61	14.6	64	6	7	13	18	26	30	46
" MULTIPLE DX	323	23.6	289	8	9	18	30	47	71	99+
TOTAL 0-19 YRS	18	26.2	783	5	6	15	27	82	87	91
20-34	66	20.0	164	7	8	16	27	38	42	68
35-49	64	21.5	279	8	8	15	31	47	75	99+
50-64	104	21.0	223	8	9	17	25	40	50	85
65+	132	23.8	270	9	10	19	29	50	75	99+
GRAND TOTAL	**384**	**22.1**	**264**	**8**	**9**	**17**	**27**	**44**	**67**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	16.9	48	7	8	17	19	27	32	32
20-34	44	16.8	60	9	10	14	21	25	37	41
35-49	55	14.2	29	8	10	13	17	20	26	34
50-64	139	14.3	30	8	9	13	16	22	26	34
65+	166	15.4	29	10	10	14	17	23	26	30
2. MULTIPLE DX										
0-19 YRS	32	26.0	417	9	9	23	30	65	95	99+
20-34	129	20.7	213	8	9	16	26	36	50	88
35-49	152	18.2	100	8	9	16	22	28	42	63
50-64	396	19.8	149	10	10	16	23	34	48	69
65+	675	24.2	203	10	12	20	30	48	63	99+
TOT. SINGLE DX	413	15.0	34	9	10	14	17	23	27	37
" MULTIPLE DX	1384	22.0	188	9	10	18	27	42	57	99+
TOTAL 0-19 YRS	41	24.0	347	8	9	19	29	50	87	99+
20-34	173	19.7	177	8	9	16	23	35	44	81
35-49	207	17.1	84	8	9	15	20	27	39	61
50-64	535	18.4	124	9	10	15	21	31	42	63
65+	841	22.5	182	10	11	18	27	44	60	99+
GRAND TOTAL	**1797**	**20.4**	**161**	**9**	**10**	**16**	**24**	**37**	**50**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	21.3	120	9	9	25	29	30	30	30
35-49	5	8.6	5	6	6	8	10	12	12	12
50-64	4	14.8	11	11	11	15	17	18	18	18
65+	18	23.3	179	8	10	21	26	45	56	60
2. MULTIPLE DX										
0-19 YRS	6	19.2	359	4	4	9	37	48	49	49
20-34	7	11.3	44	5	5	7	18	20	20	20
35-49	19	22.8	363	11	11	18	27	35	69	95
50-64	32	23.5	119	11	11	23	27	41	46	47
65+	56	29.6	400	7	9	23	43	64	76	98
TOT. SINGLE DX	30	19.5	148	8	8	17	25	31	50	60
" MULTIPLE DX	120	25.3	313	6	8	21	32	51	68	96
TOTAL 0-19 YRS	6	19.2	359	4	4	9	37	48	49	49
20-34	10	14.3	80	5	5	13	20	27	30	30
35-49	24	19.9	320	7	8	15	20	32	54	95
50-64	36	22.6	115	11	11	21	26	40	45	47
65+	74	28.1	351	8	9	23	36	60	74	94
GRAND TOTAL	**150**	**24.2**	**284**	**6**	**8**	**20**	**30**	**48**	**62**	**95**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	8.3	21	3	3	7	12	14	17	19
20-34	28	8.1	13	3	4	8	10	13	14	19
35-49	30	9.7	17	4	5	9	12	15	19	21
50-64	30	9.0	7	5	5	10	11	12	13	13
65+	37	11.6	40	4	6	11	13	20	33	99+
2. MULTIPLE DX										
0-19 YRS	32	13.1	91	4	5	10	17	24	39	42
20-34	67	14.0	102	3	5	11	18	28	44	91
35-49	73	15.4	124	5	7	12	16	25	40	65
50-64	123	15.9	155	4	6	13	20	30	49	99+
65+	173	20.7	266	6	8	15	23	39	63	81
TOT. SINGLE DX	149	9.5	22	3	4	9	12	14	19	39
" MULTIPLE DX	468	17.1	187	5	6	13	20	33	47	86
TOTAL 0-19 YRS	56	11.1	66	3	4	9	14	21	26	42
20-34	95	12.3	83	3	5	10	14	22	39	77
35-49	103	13.7	100	5	6	11	15	21	30	62
50-64	153	14.6	134	4	6	11	17	26	41	99
65+	210	19.1	238	7	8	14	21	36	62	89
GRAND TOTAL	617	15.3	157	4	6	12	18	29	43	85

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	[illegible]	1	9	9	9	10	10	10	10
20-34	3	19.3	92	9	9	21	26	28	28	28
35-49	3	20.0	133	8	8	21	28	31	31	31
50-64	11	12.6	19	9	9	11	15	19	23	23
65+	8	24.3	109	11	13	25	36	75	99+	99+
2. MULTIPLE DX										
0-19 YRS	9	21.4	261	6	8	17	23	50	58	58
20-34	14	20.9	350	6	8	16	22	39	71	80
35-49	13	22.0	121	4	9	24	31	34	41	43
50-64	48	27.8	219	12	14	25	33	45	52	97
65+	86	27.5	235	10	13	25	36	60	99	99+
TOT. SINGLE DX	27	17.4	84	9	9	15	24	36	43	99+
" MULTIPLE DX	170	26.3	234	9	12	24	33	52	74	99+
TOTAL 0-19 YRS	11	19.3	232	6	8	15	18	45	57	58
20-34	17	20.6	297	7	8	17	23	33	64	80
35-49	16	21.6	115	4	8	22	31	31	40	43
50-64	59	25.0	217	9	11	22	30	43	50	93
65+	94	27.2	224	10	13	25	36	60	99+	99+
GRAND TOTAL	197	25.1	222	9	10	22	32	48	72	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2547	4.5	8	2	3	4	5	7	8	14
20-34	1724	4.5	4	2	3	4	5	7	9	12
35-49	467	5.3	7	3	3	4	6	9	10	15
50-64	195	6.3	13	3	3	6	8	9	14	18
65+	65	8.8	26	3	4	8	10	15	21	26
2. MULTIPLE DX										
0-19 YRS	640	6.8	23	3	3	5	8	12	16	25
20-34	538	6.5	17	3	3	5	8	11	14	25
35-49	186	8.7	36	3	4	7	10	16	19	30
50-64	133	10.9	93	4	4	9	13	17	21	54
65+	98	15.3	159	4	6	11	20	30	33	77
TOT. SINGLE DX	4998	4.7	8	2	3	4	5	7	9	15
" MULTIPLE DX	1595	7.8	42	3	3	6	9	14	18	31
TOTAL 0-19 YRS	3187	5.0	12	2	3	4	5	8	10	18
20-34	2262	5.0	8	2	3	4	6	8	10	15
35-49	653	6.2	18	3	3	5	7	11	14	23
50-64	328	8.2	51	3	3	7	9	14	16	32
65+	163	12.7	116	4	5	10	14	24	31	53
GRAND TOTAL	6593	5.5	18	2	[illegible]	4	6	9	12	22

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	4.5	3	2	2	4	5	7	7	11
20-34	28	4.1	2	2	3	4	5	6	7	9
35-49	5	6.6	6	4	4	6	8	10	10	10
50-64	3	6.7	1	6	6	6	8	8	8	8
65+	2	11.0	98	4	4	11	18	18	18	18
2. MUL IPLE DX										
0-19 YRS	14	7.9	57	2	3	6	8	12	28	33
20-34	13	6.4	6	3	4	5	8	10	12	12
35-49	3	9.7	24	4	4	12	13	13	13	13
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	14.5	41	9	9	13	19	23	23	23
TOT. SINGLE DX	71	4.8	6	2	3	4	6	7	9	17
" MULTIPLE DX	35	8.2	36	3	4	8	9	13	21	33
TOTAL 0-19 YRS	47	5.5	21	2	2	5	6	8	10	33
20-34	41	4.9	5	2	3	4	6	8	9	12
35-49	8	7.8	13	4	4	7	11	13	13	13
50-64	4	7.0	1	6	6	7	8	8	8	8
65+	6	13.3	48	4	4	13	18	22	23	23
GRAND TOTAL	106	5.9	18	2	3	5	7	10	12	27

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	10.3	47	3	3	7	15	20	23	23
20-34	8	9.4	32	3	4	8	12	18	21	21
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	1	10.0		10	10	10	10	10	10	10
65+	4	14.5	22	8	8	16	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	4	11.8	32	6	6	11	16	18	18	18
20-34										
35-49	3	10.0	4	8	8	10	11	12	12	12
50-64	3	17.7	24	12	12	20	21	21	21	21
65+	3	22.7	200	14	14	15	33	39	39	39
TOT. SINGLE DX	24	10.6	33	3	4	9	15	19	22	23
" MULTIPLE DX	13	15.2	72	6	7	14	18	25	36	39
TOTAL 0-19 YRS	13	10.8	40	3	4	8	15	19	22	23
20-34	8	9.4	33	3	4	8	12	18	21	21
35-49	5	9.8	2	8	8	10	11	12	12	12
50-64	4	15.8	31	10	10	16	20	21	21	21
65+	7	18.0	97	8	9	15	18	35	39	39
GRAND TOTAL	**37**	**12.2**	**50**	**4**	**5**	**12**	**15**	**21**	**22**	**39**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	5.5	22	<1	1	4	7	11	15	25
20-34	68	5.6	24	1	1	4	8	11	14	28
35-49	46	5.0	12	1	1	4	7	10	11	18
50-64	70	6.1	31	<1	1	4	8	12	21	25
65+	103	6.3	37	1	2	4	8	14	16	35
2. MULTIPLE DX										
0-19 YRS	27	11.0	199	2	2	7	10	47	59	99+
20-34	61	8.6	60	2	3	7	11	16	22	47
35-49	64	11.8	139	2	3	8	15	28	33	63
50-64	94	11.1	147	2	2	8	12	27	34	67
65+	239	13.8	151	2	3	11	16	27	40	77
TOT. SINGLE DX	339	5.8	28	1	1	4	8	12	15	26
" MULTIPLE DX	485	12.2	143	2	3	9	15	27	37	73
TOTAL 0-19 YRS	79	7.4	88	<1	1	5	8	13	34	86
20-34	129	7.0	43	1	2	5	9	14	19	34
35-49	110	9.0	97	1	2	6	11	18	30	55
50-64	164	8.9	104	1	2	6	10	21	30	52
65+	342	11.5	129	2	2	8	14	25	33	66
GRAND TOTAL	**824**	**9.6**	**105**	**1**	**2**	**7**	**12**	**21**	**29**	**59**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	18	3.8	14	1	1	3	4	7	13	17
35-49	14	5.0	7	2	2	4	6	9	11	12
50-64	8	4.8	12	2	2	4	5	11	13	13
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	9	4.3	11	1	1	3	6	10	10	10
35-49	6	6.0	31	3	3	3	7	16	17	17
50-64	5	13.4	362	2	2	4	19	47	47	47
65+	4	11.5	43	4	4	11	16	20	20	20
TOT. SINGLE DX	47	4.3	11	1	1	3	5	9	12	17
" MULTIPLE DX	26	7.6	88	1	2	4	10	16	25	47
TOTAL 0-19 YRS	8	2.9	7	1	1	2	3	7	9	9
20-34	27	4.0	13	1	1	3	4	9	11	17
35-49	20	5.3	14	2	2	4	6	10	14	17
50-64	13	8.1	147	2	2	4	7	20	42	47
65+	5	11.2	33	4	4	11	13	20	20	20
GRAND TOTAL	**73**	**5.5**	**40**	**1**	**1**	**4**	**6**	**11**	**16**	**41**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	15.4	216	5	5	10	21	41	41	41
20-34	12	17.7	27	10	11	17	22	25	26	26
35-49	21	15.2	27	6	10	14	18	22	26	27
50-64	64	15.8	33	10	11	14	18	22	27	40
65+	71	20.3	103	10	10	19	25	32	37	66
2. MULTIPLE DX										
0-19 YRS	19	22.5	186	5	7	21	26	47	54	54
20-34	33	25.0	302	9	10	20	30	52	60	82
35-49	55	18.9	55	11	11	17	24	32	35	96
50-64	185	22.6	150	11	11	19	29	38	48	94
65+	298	25.5	205	11	13	22	32	45	59	99+
TOT. SINGLE DX	173	17.7	69	10	10	15	21	27	33	45
" MULTIPLE DX	590	23.9	182	11	12	20	30	44	54	99+
TOTAL 0-19 YRS	24	21.0	192	5	6	18	26	42	53	54
20-34	45	23.0	238	10	11	19	26	44	56	82
35-49	76	17.9	50	10	11	16	22	29	34	84
50-64	249	20.9	129	11	11	17	25	37	45	83
65+	369	24.5	190	10	12	21	30	45	55	99
GRAND TOTAL	**763**	**22.5**	**163**	**10**	**11**	**19**	**27**	**39**	**51**	**95**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	5.9	8	2	2	7	8	9	10	10
20-34	91	6.1	48	1	2	4	7	11	17	44
35-49	95	5.3	16	1	2	4	7	10	15	22
50-64	95	6.7	37	<1	1	5	9	13	16	37
65+	113	7.2	31	<1	2	6	10	14	17	28
2. MULTIPLE DX										
0-19 YRS	24	9.4	41	2	3	8	12	18	23	29
20-34	163	8.5	78	2	2	6	10	16	29	55
35-49	208	8.6	45	2	3	7	11	17	23	40
50-64	311	10.0	68	1	2	8	13	21	27	43
65+	448	12.5	140	3	3	9	15	25	33	67
TOT. SINGLE DX	410	6.3	33	<1	2	5	8	13	16	28
" MULTIPLE DX	1154	10.5	96	2	3	8	13	21	29	59
TOTAL 0-19 YRS	40	8.0	30	2	2	7	10	14	19	29
20-34	254	7.6	69	1	2	5	9	15	26	55
35-49	303	7.6	39	1	2	6	10	14	21	35
50-64	406	9.3	63	1	2	7	12	19	25	43
65+	561	11.4	123	2	3	9	14	23	29	61
GRAND TOTAL	**1564**	**9.4**	**83**	**1**	**2**	**7**	**11**	**19**	**26**	**53**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.4	1	1	1	2	3	4	5	5
20-34	142	4.2	7	1	2	3	5	8	11	14
35-49	141	4.2	7	1	1	3	5	7	9	17
50-64	75	4.3	10	1	2	4	5	7	9	22
65+	15	5.8	18	<1	1	5	7	14	14	14
2. MULTIPLE DX										
0-19 YRS	12	5.8	15	1	2	5	7	10	15	16
20-34	69	5.1	16	2	2	4	6	8	12	23
35-49	89	5.1	13	2	2	4	6	8	12	21
50-64	56	6.6	34	2	2	5	7	14	20	33
65+	35	8.1	36	2	2	6	10	20	22	22
TOT. SINGLE DX	395	4.2	9	1	1	3	5	7	10	14
" MULTIPLE DX	261	5.8	23	2	2	4	7	10	18	22
TOTAL 0-19 YRS	34	3.6	8	1	1	3	4	7	8	16
20-34	211	4.5	11	1	2	4	5	8	11	19
35-49	230	4.5	10	1	2	4	5	8	10	19
50-64	131	5.3	22	1	2	4	6	10	14	28
65+	50	7.4	31	1	2	6	10	16	21	22
GRAND TOTAL	**656**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.7	2	<1	<1	3	4	4	6	6
20-34	142	2.9	3	<1	<1	2	4	6	7	10
35-49	79	4.1	9	1	1	3	5	7	9	20
50-64	30	3.3	4	<1	1	3	4	6	8	10
65+	24	4.4	5	1	2	5	5	7	9	10
2. MULTIPLE DX										
0-19 YRS	10	3.4	3	<1	<1	3	4	6	7	7
20-34	74	4.1	11	<1	1	4	5	7	8	22
35-49	62	3.6	4	1	1	4	4	6	7	13
50-64	54	7.3	75	1	2	5	7	14	26	52
65+	35	8.1	41	2	3	6	10	19	21	32
TOT. SINGLE DX	308	3.3	6	<1	<1	3	4	6	7	11
" MULTIPLE DX	235	5.3	31	<1	2	4	6	9	16	32
TOTAL 0-19 YRS	43	2.8	2	<1	<1	3	4	5	6	7
20-34	216	3.3	6	<1	<1	3	4	6	7	14
35-49	141	3.9	7	1	1	3	5	6	8	16
50-64	84	5.9	53	1	2	4	6	10	17	46
65+	59	6.6	30	2	2	5	7	12	19	31
GRAND TOTAL	**543**	**4.2**	**18**	**<1**	**1**	**3**	**5**	**7**	**10**	**22**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.2	2	2	3	5	6	7	7	7
20-34	406	5.0	3	2	3	5	6	7	8	10
35-49	509	5.2	4	3	3	5	6	8	9	12
50-64	298	5.4	7	3	3	5	6	8	9	12
65+	91	5.7	5	3	3	5	7	8	9	15
2. MULTIPLE DX										
0-19 YRS	8	3.8	1	2	2	4	5	5	5	5
20-34	377	5.4	12	3	3	5	6	8	10	17
35-49	509	6.1	16	3	3	5	7	9	11	20
50-64	458	7.1	41	3	3	6	8	10	15	42
65+	192	8.8	43	3	4	6	10	17	23	34
TOT. SINGLE DX	1313	5.2	5	3	3	5	6	8	9	12
" MULTIPLE DX	1544	6.6	27	3	3	5	7	10	14	29
TOTAL 0-19 YRS	17	4.5	2	2	2	5	5	6	7	7
20-34	783	5.2	8	2	3	5	6	8	9	14
35-49	1018	5.7	11	3	3	5	7	8	10	17
50-64	756	6.4	29	3	3	5	7	10	12	33
65+	283	7.8	33	3	3	6	8	15	19	31
GRAND TOTAL	**2857**	**5.9**	**17**	**3**	**3**	**5**	**7**	**9**	**11**	**21**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.3	3	1	1	3	5	6	7	9
20-34	248	3.5	6	<1	1	3	4	7	9	15
35-49	188	3.8	7	1	1	3	5	6	8	13
50-64	94	4.7	58	1	1	3	5	8	11	49
65+	33	4.9	15	1	1	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	41	8.8	89	1	2	5	11	21	31	45
20-34	140	6.5	113	1	1	4	7	11	18	75
35-49	120	6.3	71	1	2	4	7	11	15	57
50-64	71	7.2	81	1	2	4	8	14	19	54
65+	64	11.4	197	1	2	7	17	25	51	97
TOT. SINGLE DX	614	3.8	15	1	1	3	5	7	9	16
" MULTIPLE DX	436	7.5	109	1	2	4	8	15	25	69
TOTAL 0-19 YRS	92	5.7	49	1	1	4	6	11	17	41
20-34	388	4.6	47	1	1	3	5	8	11	32
35-49	308	4.7	33	1	1	3	5	8	11	29
50-64	165	5.8	70	1	1	4	6	10	17	54
65+	97	9.2	144	1	2	5	10	23	32	91
GRAND TOTAL	**1050**	**5.3**	**57**	**1**	**1**	**3**	**6**	**10**	**14**	**51**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	2	15.0	72	9	9	15	21	21	21	21
50-64										
65+	5	13.2	108	1	1	18	21	23	23	23
2. MULTIPLE DX										
0-19 YRS										
20-34	4	25.8	64	18	18	24	31	37	37	37
35-49	2	11.5	221	1	1	11	22	22	22	22
50-64	7	46.4	718	17	19	44	56	90	98	98
65+	2	17.5	145	9	9	17	26	26	26	26
TOT. SINGLE DX	8	13.6	73	1	2	15	21	22	23	23
" MULTIPLE DX	15	32.4	553	3	9	26	42	59	88	98
TOTAL 0-19 YRS										
20-34	5	23.2	81	13	13	24	27	37	37	37
35-49	4	13.3	102	1	1	15	21	22	22	22
50-64	7	46.4	719	17	19	44	56	90	98	98
65+	7	14.4	101	1	1	18	22	25	26	26
GRAND TOTAL	**23**	**25.9**	**459**	**1**	**3**	**22**	**30**	**51**	**73**	**98**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	6.1	26	1	1	4	9	12	17	20
20-34	64	8.0	70	1	1	5	11	22	26	36
35-49	54	6.4	52	1	1	2	10	18	24	28
50-64	68	6.9	109	1	1	3	8	15	24	63
65+	50	8.7	66	1	1	5	14	22	23	33
2. MULTIPLE DX										
0-19 YRS	23	15.6	298	2	3	11	17	29	53	86
20-34	86	16.5	332	1	1	11	22	38	62	98
35-49	138	12.5	135	1	1	10	16	26	45	99+
50-64	216	13.7	136	1	2	11	19	31	37	66
65+	188	17.8	212	2	4	15	22	34	48	76
TOT. SINGLE DX	254	7.4	73	1	1	4	11	18	24	37
" MULTIPLE DX	651	15.0	193	1	2	12	20	31	45	86
TOTAL 0-19 YRS	41	11.4	198	1	2	9	14	21	31	86
20-34	150	12.9	237	1	1	9	18	27	47	95
35-49	192	10.8	119	1	1	8	15	24	37	83
50-64	284	12.0	138	1	1	9	17	28	36	64
65+	238	15.9	195	1	2	12	21	29	45	74
GRAND TOTAL	**905**	**12.9**	**171**	**1**	**1**	**10**	**18**	**27**	**38**	**78**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	7.1	5	4	5	7	8	10	12	15
20-34	1569	7.1	6	4	5	7	8	10	11	17
35-49	1270	7.5	8	5	5	7	8	10	12	18
50-64	1065	8.5	11	5	5	8	9	12	15	20
65+	569	10.6	27	6	6	9	12	17	22	29
2. MULTIPLE DX										
0-19 YRS	88	10.0	52	5	5	8	11	17	24	47
20-34	1054	9.0	20	5	5	8	10	14	18	29
35-49	1156	9.7	32	5	6	8	11	15	20	35
50-64	1538	11.4	50	6	6	9	13	19	24	40
65+	1413	16.7	143	6	7	13	20	31	42	79
TOT. SINGLE DX	4635	8.0	12	5	5	7	9	11	14	22
" MULTIPLE DX	5249	11.9	75	5	6	9	13	21	28	52
TOTAL 0-19 YRS	250	8.1	24	5	5	7	9	12	15	26
20-34	2623	7.9	13	5	5	7	9	11	14	23
35-49	2426	8.5	21	5	5	7	9	13	16	27
50-64	2603	10.2	37	5	6	8	11	16	21	33
65+	1982	14.9	118	6	7	11	18	27	36	59
GRAND TOTAL	**9884**	**10.1**	**45**	**5**	**5**	**8**	**11**	**17**	**23**	**42**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	17	14.6	128	3	4	11	18	23	42	52
35-49	22	11.3	122	2	2	10	13	19	35	54
50-64	34	15.0	101	7	3	14	21	26	36	46
65+	58	15.3	63	3	6	14	19	25	34	41
2. MULTIPLE DX										
0-19 YRS	3	45.0	148	31	31	51	52	53	53	53
20-34	21	14.4	47	4	7	12	19	22	27	31
35-49	29	18.9	269	5	6	13	23	32	66	74
50-64	95	22.4	165	8	10	19	29	44	51	81
65+	177	22.0	116	7	10	20	29	36	44	89
TOT. SINGLE DX	132	14.4	91	2	3	13	18	24	34	52
" MULTIPLE DX	325	21.6	147	7	9	19	28	37	50	80
TOTAL 0-19 YRS	4	35.0	499	5	5	41	52	53	53	53
20-34	38	14.5	81	3	7	12	18	23	28	52
35-49	51	15.6	217	2	3	11	20	31	53	74
50-64	129	20.5	158	4	8	18	27	40	50	67
65+	235	20.3	111	5	8	19	27	35	41	69
GRAND TOTAL	457	19.5	142	4	7	17	25	36	45	66

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	9.6	75	1	1	7	15	22	26	26
20-34	24	11.5	73	2	3	9	16	25	30	31
35-49	31	11.9	179	2	2	9	14	29	66	99+
50-64	32	12.6	79	2	2	11	15	25	30	42
65+	20	11.1	75	2	3	9	13	22	30	37
2. MULTIPLE DX										
0-19 YRS	6	23.5	366	8	8	18	27	57	60	60
20-34	50	15.5	194	2	3	11	19	37	53	99+
35-49	81	17.6	155	3	6	15	22	36	44	92
50-64	92	18.2	261	3	4	13	25	45	70	99+
65+	120	19.7	306	3	5	15	25	43	73	99+
TOT. SINGLE DX	116	11.7	101	2	2	9	15	23	31	79
" MULTIPLE DX	349	18.3	244	3	5	14	24	41	68	99+
TOTAL 0-19 YRS	15	15.1	224	1	2	13	19	27	52	60
20-34	74	14.2	157	2	3	10	17	30	47	92
35-49	112	16.0	167	2	4	14	20	36	46	99+
50-64	124	16.8	220	3	4	13	22	40	68	99+
65+	140	18.5	282	3	5	14	24	39	70	99+
GRAND TOTAL	465	16.6	216	2	4	13	22	37	58	99+

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	5.3	15	1	1	5	7	9	13	20
20-34	259	5.9	22	1	1	5	8	12	15	23
35-49	212	5.6	24	<1	1	4	7	11	15	22
50-64	225	6.3	26	1	1	5	9	12	16	31
65+	290	8.0	77	1	1	6	10	15	21	41
2. MULTIPLE DX										
0-19 YRS	71	8.4	114	2	2	5	9	16	27	69
20-34	274	9.0	86	2	2	6	10	19	30	55
35-49	272	8.9	53	2	3	7	10	18	23	34
50-64	478	10.5	105	2	2	8	13	20	27	75
65+	1069	12.4	129	2	4	9	15	25	36	83
TOT. SINGLE DX	1080	6.5	39	1	1	5	8	13	16	32
" MULTIPLE DX	2164	11.0	111	2	3	8	14	22	31	73
TOTAL 0-19 YRS	165	6.7	60	1	1	5	8	13	16	33
20-34	533	7.5	58	1	2	6	9	15	21	52
35-49	484	7.4	43	1	2	6	9	15	20	33
50-64	703	9.1	84	1	2	7	11	17	24	73
65+	1359	11.5	122	2	3	8	14	23	34	74
GRAND TOTAL	3244	9.5	92	1	2	7	12	19	27	63

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	888	2.5	2	<1	1	2	3	4	5	7
20-34	1000	3.7	2	1	2	3	4	6	6	8
35-49	982	4.0	2	2	2	4	5	6	7	8
50-64	1233	4.3	3	2	2	4	5	7	8	10
65+	928	5.2	8	2	2	5	7	8	10	15
2. MULTIPLE DX										
0-19 YRS	468	3.5	36	<1	1	2	4	5	8	48
20-34	268	4.2	4	2	2	4	5	7	8	10
35-49	408	4.7	5	2	3	4	6	7	9	13
50-64	854	5.8	12	2	3	5	7	10	13	21
65+	1056	8.1	43	3	3	6	9	15	20	36
TOT. SINGLE DX	5031	4.0	5	1	2	4	5	6	8	11
" MULTIPLE DX	3054	6.0	28	2	2	5	7	10	15	28
TOTAL 0-19 YRS	1356	2.9	14	<1	1	2	3	5	6	12
20-34	1268	3.8	3	1	2	4	5	6	7	9
35-49	1390	4.2	3	2	2	4	5	6	7	11
50-64	2087	4.9	8	2	2	4	6	8	10	16
65+	1984	6.7	29	2	3	5	8	12	16	31
GRAND TOTAL	8085	4.7	14	1	2	4	6	8	10	20

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	2.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	54	4.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	78	4.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	125	4.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	88	6.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	82	4.8	76	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	23	4.3	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	48	5.6	9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	92	6.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	115	9.7	64	[illegible]	4	7	11	19	24	45
TOT. SINGLE DX	437	4.4	9	[illegible]	[illegible]	4	6	7	9	12
" MULTIPLE DX	360	6.8	46	[illegible]	[illegible]	5	8	13	18	36
TOTAL 0-19 YRS	174	3.3	39	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	77	4.2	3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	126	5.2	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	217	5.4	7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	203	8.1	44	[illegible]	4	6	9	14	19	35
GRAND TOTAL	797	5.5	26	1	2	5	7	9	13	26

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	36	4.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	45	4.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	62	4.8	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	57	7.7	43	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	4	2.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	12	4.1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	25	6.6	10	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	48	7.6	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	64	8.9	25	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOT. SINGLE DX	211	5.1	17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
" MULTIPLE DX	154	7.5	26	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOTAL 0-19 YRS	15	2.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	49	4.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	70	4.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	110	6.0	20	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	121	8.3	34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	365	6.1	22	2	2	5	7	11	15	27

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	2.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	66	3.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	99	3.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	103	4.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	39	4.8	5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	43	3.2	113	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	30	5.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	74	5.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	89	6.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	52	9.1	37	[illegible]	4	6	11	14	25	32
TOT. SINGLE DX	454	3.3	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
" MULTIPLE DX	290	6.7	37	[illegible]	[illegible]	2	5	8	11	14	33
TOTAL 0-19 YRS	188	2.4	31	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	96	3.7	9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	173	4.3	6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	192	5.4	15	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	91	7.3	28	[illegible]	[illegible]	3	6	9	12	18	31
GRAND TOTAL	744	4.6	20	1	2	3	6	9	11	20

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	2.7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	130	4.2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	245	5.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	269	6.5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	161	7.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
0-19 YRS	[illegible]	6.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	68	6.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	168	9.0	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	293	9.4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	274	10.9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOT. SINGLE DX	868	5.8	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
" MULTIPLE DX	814	9.6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TOTAL 0-19 YRS	74	3.3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
20-34	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
35-49	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
50-64	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
65+	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	1682	7.6	44	2	3	6	9	13	17	27

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	7.5	4	3	4	8	9	10	10	10
35-49	11	7.7	9	2	3	7	10	11	11	11
50-64	11	8.8	12	1	3	10	11	13	14	14
65+	14	10.3	9	4	7	10	13	14	14	14
2. MULTIPLE DX										
0-19 YRS	6	15.7	206	2	2	12	20	40	42	42
20-34	21	10.1	11	4	6	10	12	15	16	16
35-49	55	12.2	82	7	7	9	12	19	26	57
50-64	86	12.8	33	7	8	11	16	20	23	35
65+	50	16.2	126	4	7	11	21	35	42	99+
TOT. SINGLE DX	47	8.7	10	3	4	9	11	13	14	14
" MULTIPLE DX	218	13.2	72	6	7	11	15	22	30	57
TOTAL 0-19 YRS	6	15.7	207	2	2	12	20	40	42	42
20-34	32	9.2	10	3	5	9	11	13	16	16
35-49	66	11.5	73	6	7	9	11	16	23	56
50-64	97	12.3	33	6	7	11	15	20	22	34
65+	64	14.9	106	4	8	11	19	30	41	94
GRAND TOTAL	**265**	**12.4**	**64**	**5**	**7**	**10**	**13**	**20**	**28**	**56**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	4.7	20	1	1	4	5	10	15	25
20-34	82	7.4	101	1	1	5	8	14	22	64
35-49	77	7.6	47	1	2	6	9	18	22	34
50-64	66	10.5	90	2	3	8	13	22	34	43
65+	49	12.4	101	1	2	9	18	26	31	50
2. MULTIPLE DX										
0-19 YRS	39	9.6	111	1	1	7	11	22	38	48
20-34	92	9.8	78	2	3	7	12	20	23	54
35-49	138	13.8	224	2	3	9	16	29	45	78
50-64	186	14.6	166	2	4	11	18	27	35	75
65+	215	17.5	180	3	5	14	23	36	47	92
TOT. SINGLE DX	326	8.4	79	1	2	6	10	20	25	45
" MULTIPLE DX	670	14.4	175	2	3	11	19	29	41	77
TOTAL 0-19 YRS	91	6.8	64	1	1	4	9	14	22	44
20-34	174	8.7	90	1	2	6	10	18	23	56
35-49	215	11.6	170	1	2	8	13	24	33	77
50-64	252	13.5	150	2	3	10	18	27	34	57
65+	264	16.6	170	2	4	14	22	33	44	86
GRAND TOTAL	**996**	**12.5**	**151**	**1**	**2**	**9**	**17**	**26**	**36**	**71**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	6.7	26	2	3	5	8	11	14	33
20-34	185	7.0	26	2	3	6	8	14	19	25
35-49	80	8.9	68	3	4	7	10	15	17	56
50-64	45	11.0	27	4	5	9	14	16	22	28
65+	50	13.4	66	4	6	11	18	27	30	34
2. MULTIPLE DX										
0-19 YRS	79	9.8	141	3	4	6	10	16	24	75
20-34	267	10.4	117	3	3	7	11	21	28	52
35-49	127	13.8	143	5	5	10	17	29	49	99+
50-64	131	16.4	133	5	6	12	22	28	37	65
65+	149	21.2	238	6	8	17	27	47	69	99+
TOT. SINGLE DX	430	8.5	44	2	3	7	10	16	22	33
" MULTIPLE DX	753	14.1	168	4	4	10	18	29	39	80
TOTAL 0-19 YRS	149	8.3	89	3	3	6	9	14	23	64
20-34	452	9.0	83	2	3	7	10	18	24	34
35-49	207	11.9	120	4	5	8	14	23	32	86
50-64	176	15.1	112	5	6	12	20	27	34	62
65+	199	19.3	207	6	7	15	24	38	59	99+
GRAND TOTAL	**1183**	**12.1**	**130**	**3**	**4**	**8**	**15**	**25**	**33**	**70**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	261	3.5	7	<1	1	2	5	8	9	12
20-34	1113	2.5	5	<1	<1	2	3	5	7	11
35-49	192	2.5	5	<1	<1	2	3	5	8	14
50-64	24	4.3	16	1	1	3	6	10	14	15
65+	5	2.4		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	140	4.0	14	1	1	2	5	8	10	18
20-34	1043	2.8	12	<1	<1	2	3	6	9	14
35-49	154	3.1	15	<1	1	2	2	6	9	23
50-64	24	6.4	103	1	2	3	6	12	28	50
65+	9	17.1	127	4	5	16	21	34	42	42
TOT. SINGLE DX	1595	2.7	6	<1	<1	2	3	6	8	12
" MULTIPLE DX	1370	3.1	17	<1	<1	2	3	7	10	19
TOTAL 0-19 YRS	401	3.7	10	<1	1	2	5	8	9	14
20-34	2156	2.7	9	<1	<1	2	3	6	8	13
35-49	346	2.8	10	<1	<1	2	3	6	8	19
50-64	48	5.4	60	1	1	3	6	11	15	50
65+	14	11.9	132	2	2	8	17	25	38	42
GRAND TOTAL	**2965**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**9**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	7.5	13	3	3	7	9	11	12	21
20-34	96	6.7	17	1	2	6	8	12	16	23
35-49	89	8.7	23	2	4	8	11	16	17	26
50-64	59	11.4	82	4	5	9	13	20	27	60
65+	38	16.4	116	5	7	13	19	34	41	47
2. MULTIPLE DX										
0-19 YRS	49	14.9	235	2	2	11	18	33	51	99+
20-34	216	10.4	141	2	2	7	10	24	41	61
35-49	168	13.1	126	3	4	9	15	29	40	94
50-64	165	17.5	165	5	7	13	23	35	48	94
65+	130	22.7	197	7	9	20	33	54	87	99+
TOT. SINGLE DX	312	9.4	52	2	3	8	11	17	22	39
" MULTIPLE DX	728	15.1	178	2	4	11	20	36	51	99+
TOTAL 0-19 YRS	79	12.1	163	2	3	9	13	26	39	97
20-34	312	9.2	106	2	2	6	9	17	31	55
35-49	257	11.6	95	2	4	9	14	23	34	70
50-64	224	15.9	150	5	6	11	20	32	44	76
65+	168	21.3	186	7	8	18	31	50	58	99+
GRAND TOTAL	1040	13.4	147	2	4	9	16	31	45	99+

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.3	6	5	6	9	10	13	15	15
20-34	26	10.7	26	6	7	9	11	14	23	31
35-49	26	14.1	15	8	9	14	16	19	21	23
50-64	28	16.3	42	9	10	15	20	26	29	33
65+	36	17.3	47	9	10	16	20	27	29	42
2. MULTIPLE DX										
0-19 YRS	22	16.1	89	7	8	12	22	31	36	36
20-34	45	14.8	90	7	8	13	16	23	35	55
35-49	67	16.4	84	8	8	14	19	30	34	52
50-64	116	17.7	73	8	9	15	21	29	35	45
65+	122	22.5	150	10	11	19	28	37	47	74
TOT. SINGLE DX	126	14.4	39	8	8	13	17	23	27	35
" MULTIPLE DX	372	18.6	111	8	9	16	22	31	38	54
TOTAL 0-19 YRS	32	14.0	73	5	8	11	16	28	35	36
20-34	71	13.3	70	7	8	10	15	21	30	54
35-49	93	15.8	66	8	9	14	17	24	33	51
50-64	144	17.4	68	8	10	15	21	29	33	43
65+	158	21.3	131	10	11	18	26	35	43	69
GRAND TOTAL	498	17.5	96	8	9	15	21	29	36	53

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	9.1	45	1	2	8	13	18	24	28
20-34	90	9.9	31	2	3	10	12	15	23	27
35-49	86	11.2	23	4	6	10	13	19	21	26
50-64	78	11.6	54	2	3	10	14	18	26	45
65+	41	14.9	80	6	8	13	16	24	38	46
2. MULTIPLE DX										
0-19 YRS	62	16.5	175	3	5	12	18	33	50	69
20-34	206	16.7	181	2	4	13	21	33	44	86
35-49	187	15.8	146	2	3	13	20	30	36	65
50-64	143	15.5	109	3	4	13	20	31	39	56
65+	119	18.8	165	3	8	16	23	33	46	67
TOT. SINGLE DX	340	11.1	45	2	3	10	13	19	24	39
" MULTIPLE DX	717	16.5	155	2	4	13	21	32	44	71
TOTAL 0-19 YRS	107	13.4	134	2	2	11	17	27	35	60
20-34	296	14.6	145	2	3	12	18	28	39	75
35-49	273	14.3	112	3	4	12	18	27	32	52
50-64	221	14.1	94	2	4	12	17	27	36	51
65+	160	17.8	146	4	8	14	22	32	43	54
GRAND TOTAL	1057	14.8	126	2	4	12	18	28	37	57

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	10.4	10	7	7	10	12	15	18	18
20-34	79	10.1	17	3	4	10	13	15	17	23
35-49	131	10.9	17	5	6	10	13	16	20	23
50-64	95	11.6	34	3	6	10	14	19	22	33
65+	53	12.6	29	6	7	11	15	20	22	34
2. MULTIPLE DX										
0-19 YRS	4	29.5	1574	9	9	10	50	89	89	89
20-34	49	11.9	62	3	4	10	13	21	33	39
35-49	71	13.0	38	5	6	12	15	22	26	34
50-64	107	14.9	63	7	8	13	18	24	29	47
65+	83	18.7	195	6	7	14	22	36	47	80
TOT. SINGLE DX	368	11.1	24	4	6	10	13	17	20	28
" MULTIPLE DX	314	15.2	115	5	7	12	18	26	33	56
TOTAL 0-19 YRS	14	15.9	450	7	8	10	12	25	75	89
20-34	128	10.8	35	3	4	10	13	17	20	37
35-49	202	11.6	26	5	7	11	14	18	21	29
50-64	202	13.3	52	4	7	12	16	22	27	35
65+	136	16.3	139	6	7	13	19	28	43	59
GRAND TOTAL	**682**	**13.0**	**70**	**4**	**7**	**11**	**15**	**21**	**26**	**46**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	11.6	15	8	8	10	13	17	18	29
20-34	13	12.1	16	3	5	13	14	16	18	18
35-49	3	17.0	48	13	13	13	22	25	25	25
50-64	1	28.0		28	28	28	28	28	28	28
65+	3	28.3	386	16	16	18	43	51	51	51
2. MULTIPLE DX										
0-19 YRS	74	15.1	68	9	9	12	16	27	34	50
20-34	27	22.7	218	6	7	18	32	43	51	62
35-49	17	22.8	258	8	11	16	28	53	59	61
50-64	18	31.6	304	10	12	30	39	62	70	70
65+	29	30.6	197	13	15	29	40	57	65	99+
TOT. SINGLE DX	90	12.6	36	8	8	11	14	18	21	43
" MULTIPLE DX	165	21.7	201	9	9	16	30	41	55	70
TOTAL 0-19 YRS	144	13.4	46	8	9	11	15	19	30	42
20-34	40	19.3	176	4	7	14	25	39	46	62
35-49	20	22.0	227	8	11	15	26	48	58	61
50-64	19	31.4	288	10	12	29	39	59	70	70
65+	32	30.4	204	13	16	28	40	56	64	99+
GRAND TOTAL	**255**	**18.5**	**161**	**8**	**9**	**13**	**23**	**37**	**48**	**69**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	6.2	24	1	1	4	11	13	16	17
20-34	147	5.2	11	1	2	4	7	10	11	16
35-49	173	5.1	7	2	2	5	6	8	10	14
50-64	130	5.4	13	1	2	4	7	10	13	19
65+	39	6.3	17	2	2	5	8	11	15	23
2. MULTIPLE DX										
0-19 YRS	17	9.4	22	1	2	11	12	14	17	18
20-34	61	8.7	49	2	3	7	11	16	24	36
35-49	77	7.1	21	2	2	5	9	14	18	21
50-64	80	10.7	91	2	3	8	13	22	27	58
65+	55	10.8	71	2	3	9	13	24	31	37
TOT. SINGLE DX	507	5.3	11	2	2	5	7	10	12	17
" MULTIPLE DX	290	9.2	58	2	3	8	12	17	23	36
TOTAL 0-19 YRS	35	7.7	25	1	2	8	11	14	16	18
20-34	208	6.2	25	2	2	5	8	12	15	31
35-49	250	5.7	12	2	2	5	7	10	13	20
50-64	210	7.4	50	2	2	5	9	15	19	32
65+	94	8.9	54	2	2	6	11	19	25	37
GRAND TOTAL	**797**	**6.7**	**32**	**2**	**2**	**5**	**8**	**13**	**16**	**31**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	2.8	8	<1	<1	2	3	7	10	15
20-34	284	4.0	12	<1	<1	3	6	9	11	18
35-49	293	4.1	15	<1	<1	3	6	9	11	21
50-64	396	4.0	19	<1	<1	2	5	9	14	22
65+	482	4.4	26	<1	1	3	5	9	13	28
2. MULTIPLE DX										
0-19 YRS	243	4.5	26	<1	<1	3	6	9	14	23
20-34	333	8.6	107	<1	<1	6	11	20	32	99+
35-49	421	7.3	89	<1	<1	4	10	16	25	72
50-64	750	8.0	96	<1	<1	5	11	20	28	99
65+	1771	10.9	196	<1	1	6	14	29	44	99+
TOT. SINGLE DX	1660	4.0	18	<1	<1	2	5	9	12	21
" MULTIPLE DX	3518	9.2	146	<1	1	5	11	22	35	99+
TOTAL 0-19 YRS	448	3.7	19	<1	<1	2	5	9	12	20
20-34	617	6.5	69	<1	<1	4	9	14	21	99
35-49	714	6.0	61	<1	<1	4	8	13	18	57
50-64	1146	6.6	74	<1	<1	4	9	16	23	63
65+	2253	9.5	167	<1	1	5	12	24	39	98
GRAND TOTAL	**5178**	**7.5**	**111**	**<1**	**<1**	**4**	**9**	**18**	**29**	**84**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.9	22	1	1	3	7	13	15	15
20-34	13	6.2	21	1	1	5	8	11	18	19
35-49	50	4.8	37	<1	1	3	5	9	13	36
50-64	224	4.9	26	1	2	4	6	8	11	34
65+	450	5.2	32	1	2	4	6	10	13	23
2. MULTIPLE DX										
0-19 YRS	4	6.5	25	3	3	4	9	14	14	14
20-34	26	10.6	345	2	2	6	9	15	40	98
35-49	59	8.0	102	1	2	5	10	17	36	96
50-64	320	7.3	83	1	2	5	8	14	21	53
65+	788	8.4	84	2	2	5	10	18	25	57
TOT. SINGLE DX	745	5.1	30	1	2	4	6	9	13	27
" MULTIPLE DX	1197	8.1	90	2	2	5	9	17	25	59
TOTAL 0-19 YRS	12	5.4	22	1	1	4	7	14	15	15
20-34	39	9.1	238	1	2	5	9	14	22	98
35-49	109	6.5	75	1	2	4	6	15	26	76
50-64	544	6.3	61	1	2	4	7	12	17	47
65+	1238	7.3	68	2	2	5	9	15	22	50
GRAND TOTAL	**1942**	**7.0**	**70**	**1**	**2**	**5**	**8**	**14**	**20**	**50**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	10.9	127	2	2	8	13	30	36	36
20-34	39	8.8	49	2	2	6	13	19	21	29
35-49	47	8.5	37	2	2	7	11	15	20	31
50-64	59	9.1	71	1	2	6	11	21	27	40
65+	95	10.7	122	2	2	7	12	28	38	46
2. MULTIPLE DX										
0-19 YRS	35	15.3	214	3	3	10	19	38	48	59
20-34	53	15.2	225	1	3	10	21	33	49	70
35-49	67	13.3	146	1	2	10	20	29	40	53
50-64	135	15.2	203	2	2	12	21	30	45	70
65+	284	17.0	269	2	3	12	23	40	53	99+
TOT. SINGLE DX	249	9.6	83	2	2	7	12	22	29	45
" MULTIPLE DX	574	15.9	232	2	3	11	22	36	48	97
TOTAL 0-19 YRS	44	14.4	196	2	3	9	19	38	44	59
20-34	92	12.5	160	1	3	8	18	25	42	65
35-49	114	11.3	106	1	2	9	16	23	31	50
50-64	194	13.3	171	2	2	9	18	28	41	63
65+	379	15.4	239	2	3	10	22	37	48	99+
GRAND TOTAL	**823**	**14.0**	**195**	**2**	**2**	**9**	**19**	**31**	**45**	**82**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	1.7	2	<1	1	1	2	3	5	10
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	4	5.3	14	<1	<1	5	8	10	10	10
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	14	2.4	5	<1	<1	2	3	5	8	9
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49	3	9.0	52	1	1	11	14	15	15	15
50-64	5	7.6	14	3	3	7	10	13	13	13
65+	8	9.4	30	2	3	9	14	16	17	17
TOT. SINGLE DX	48	2.1	4	<1	<1	1	2	4	7	10
" MULTIPLE DX	33	5.5	25	<1	1	4	9	14	15	17
TOTAL 0-19 YRS	53	1.9	3	<1	<1	1	2	4	6	10
20-34	6	2.5	6	<1	<1	1	4	7	7	7
35-49	7	6.9	28	<1	<1	6	11	14	15	15
50-64	6	6.7	16	2	2	6	9	13	13	13
65+	9	8.7	31	2	2	6	14	16	17	17
GRAND TOTAL	**81**	**3.5**	**15**	**<1**	**1**	**2**	**4**	**10**	**13**	**16**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	9.1	24	2	3	9	13	16	18	22
20-34	38	8.4	55	1	2	7	10	17	24	36
35-49	28	8.1	39	2	2	5	14	17	19	22
50-64	34	8.8	44	1	1	8	14	18	21	23
65+	41	8.7	75	2	3	6	11	16	18	55
2. MULTIPLE DX										
0-19 YRS	61	11.8	57	1	3	11	15	20	28	41
20-34	29	12.0	209	2	2	7	15	29	34	72
35-49	33	11.1	122	2	3	8	15	28	50	99+
50-64	50	10.8	69	2	2	10	18	22	26	34
65+	69	12.1	201	1	2	7	15	29	36	75
TOT. SINGLE DX	252	8.8	41	2	2	8	13	17	19	27
" MULTIPLE DX	242	11.6	126	2	2	9	15	25	32	73
TOTAL 0-19 YRS	172	10.0	38	2	3	10	13	16	19	31
20-34	67	10.0	123	1	2	7	13	21	31	66
35-49	61	9.7	85	2	2	7	15	20	31	94
50-64	84	10.0	60	1	2	9	16	20	23	33
65+	110	10.8	156	2	2	6	13	24	32	66
GRAND TOTAL	**494**	**10.2**	**85**	**2**	**2**	**8**	**13**	**19**	**26**	**55**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	2.4	5	<1	<1	2	3	5	9	11
20-34	66	3.5	10	<1	<1	2	6	8	9	14
35-49	33	3.7	18	<1	<1	3	4	7	16	19
50-64	58	4.3	20	<1	<1	3	6	13	14	19
65+	94	4.1	12	<1	<1	3	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	88	4.6	21	1	1	3	7	11	15	21
20-34	53	8.3	136	<1	<1	4	10	18	32	69
35-49	57	8.4	118	<1	<1	4	10	17	28	61
50-64	112	8.0	70	<1	1	6	10	18	26	45
65+	354	12.1	174	1	2	8	16	30	44	99+
TOT. SINGLE DX	338	3.5	12	<1	<1	2	5	8	11	18
" MULTIPLE DX	664	9.8	136	<1	1	6	12	24	36	79
TOTAL 0-19 YRS	175	3.5	14	<1	1	2	4	9	11	19
20-34	119	5.7	71	<1	<1	3	7	12	16	47
35-49	90	6.7	86	<1	<1	4	8	15	20	56
50-64	170	6.7	57	<1	<1	4	8	15	21	37
65+	448	10.4	151	1	2	6	14	25	40	99
GRAND TOTAL	**1002**	**7.7**	**103**	**<1**	**<1**	**4**	**9**	**18**	**28**	**65**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.0	2	2	2	2	4	6	6	6
20-34	35	4.6	7	1	2	4	6	9	9	12
35-49	23	6.9	37	1	2	5	10	13	21	28
50-64	21	7.4	21	2	3	5	11	15	15	16
65+	42	8.5	25	2	2	7	13	16	17	19
2. MULTIPLE DX										
0-19 YRS	6	8.8	58	2	2	6	16	20	20	20
20-34	17	9.1	47	1	2	8	14	20	24	26
35-49	16	11.8	92	2	3	9	13	31	35	36
50-64	31	9.4	133	2	2	6	12	16	22	66
65+	82	8.0	60	2	2	6	10	15	23	47
TOT. SINGLE DX	130	6.6	23	2	2	5	9	14	16	21
" MULTIPLE DX	152	8.9	77	2	2	6	11	16	24	56
TOTAL 0-19 YRS	15	5.3	31	2	2	3	6	16	19	20
20-34	52	6.1	24	1	2	5	8	13	15	26
35-49	39	8.9	64	2	2	7	11	16	31	36
50-64	52	8.6	88	2	3	6	11	15	16	65
65+	124	8.2	49	2	2	6	10	16	19	36
GRAND TOTAL	**282**	**7.8**	**53**	**2**	**2**	**6**	**10**	**15**	**19**	**35**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	28	8.7	8	5	6	8	10	12	14	18
35-49	129	9.1	7	6	6	9	10	13	14	17
50-64	86	8.7	8	6	6	8	10	13	15	19
65+	45	12.0	114	6	6	9	13	16	30	72
2. MULTIPLE DX										
0-19 YRS										
20-34	29	11.1	48	6	7	9	13	18	22	41
35-49	124	11.8	47	6	7	10	13	17	24	43
50-64	123	12.3	32	6	7	11	15	20	23	34
65+	59	20.2	189	7	7	16	27	35	41	74
TOT. SINGLE DX	288	9.4	25	6	6	8	10	14	16	26
" MULTIPLE DX	335	13.4	76	6	7	11	16	23	30	46
TOTAL 0-19 YRS										
20-34	57	9.9	30	6	6	8	11	14	19	40
35-49	253	10.4	29	6	6	9	12	16	17	29
50-64	209	10.8	25	6	6	9	12	17	21	32
65+	104	16.6	172	6	7	12	22	32	38	73
GRAND TOTAL	**623**	**11.6**	**57**	**6**	**6**	**9**	**13**	**18**	**25**	**40**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	17	9.1	6	6	6	9	10	14	15	15
35-49	38	9.6	15	5	6	8	12	16	16	19
50-64	41	10.5	28	6	6	8	12	21	22	23
65+	17	10.3	25	5	6	9	12	16	23	26
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	11	10.8	21	7	7	10	12	18	22	22
35-49	54	11.6	27	7	7	10	12	19	22	35
50-64	45	15.4	69	8	9	13	17	25	33	46
65+	27	18.1	54	8	9	16	25	29	31	34
TOT. SINGLE DX	113	10.0	20	5	6	9	11	16	21	24
" MULTIPLE DX	138	14.1	52	7	8	12	16	25	29	42
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	28	9.8	12	6	7	9	10	15	17	22
35-49	92	10.8	23	6	7	9	12	17	20	31
50-64	86	13.1	55	6	7	11	15	23	25	45
65+	44	15.1	57	6	7	13	19	27	29	34
GRAND TOTAL	**251**	**12.2**	**42**	**6**	**7**	**10**	**14**	**22**	**26**	**35**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	9.5	9	7	7	8	11	14	14	14
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	4.0	18	<1	<1	3	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	13	6.6	18	2	2	6	8	14	16	16
35-49	7	3.3	5	1	1	3	4	7	8	8
50-64	5	8.0	26	3	3	6	13	14	14	14
65+	8	8.8	24	2	3	8	11	16	18	18
TOT. SINGLE DX	8	7.4	13	<1	2	7	8	12	14	14
" MULTIPLE DX	36	6.6	21	2	2	5	9	13	15	18
TOTAL 0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	17	7.3	17	2	2	6	9	14	15	16
35-49	8	3.8	6	1	1	3	5	8	8	8
50-64	6	7.7	22	3	3	6	13	14	14	14
65+	10	7.8	25	<1	1	7	9	15	18	18
GRAND TOTAL	44	6.7	19	1	2	6	9	13	15	18

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	8.5	72	1	1	7	15	19	19	19
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	3	13.0	61	8	8	9	19	22	22	22
20-34	4	14.5	59	7	7	13	20	22	22	22
35-49	5	12.8	55	2	2	14	19	20	20	20
50-64	7	21.9	178	4	6	20	30	42	44	44
65+	8	24.4	854	2	2	18	29	74	91	91
TOT. SINGLE DX	7	8.3	49	1	1	11	12	16	19	19
" MULTIPLE DX	27	18.9	317	2	3	19	23	34	51	91
TOTAL 0-19 YRS	4	10.0	77	1	1	8	15	22	22	22
20-34	8	11.5	67	1	1	11	17	23	25	25
35-49	5	12.8	55	2	2	14	19	20	20	20
50-64	8	20.5	168	4	6	17	29	40	44	44
65+	9	23.0	765	2	2	17	26	68	91	91
GRAND TOTAL	34	16.7	278	1	2	13	20	32	42	91

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34										
35-49	19	6.0	2	4	4	6	6	9	10	10
50-64	520	7.8	10	4	4	7	9	12	14	19
65+	1108	9.3	21	4	4	8	11	14	18	28
2. MULTIPLE DX										
0-19 YRS	4	115	998	10	10	23	56	78	78	78
20-34	6	14.7	153	4	4	10	18	36	38	38
35-49	29	13.0	126	4	5	8	15	31	40	45
50-64	740	10.8	54	5	6	9	12	18	25	40
65+	2532	13.6	108	5	6	10	16	25	35	55
TOT. SINGLE DX	1649	8.8	19	4	5	8	10	14	16	24
" MULTIPLE DX	3308	13.0	99	5	6	10	15	24	32	65
TOTAL 0-19 YRS	6	24.8	779	7	7	11	34	74	78	78
20-34	6	14.7	153	4	4	10	18	36	38	38
35-49	45	10.1	85	4	4	6	10	21	34	45
50-64	1260	9.6	29	4	5	8	11	17	21	28
65+	3640	12.3	86	5	6	10	14	22	30	58
GRAND TOTAL	4957	11.6	76	5	5	9	13	20	28	52

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	35	13.9	49	6	8	12	17	26	27	30
65+	95	12.7	25	7	7	12	15	20	22	30
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	75	18.1	80	9	9	15	23	32	36	41
65+	263	19.6	143	8	10	16	24	36	42	67
TOT. SINGLE DX	131	12.9	32	6	7	12	16	22	26	30
" MULTIPLE DX	341	19.1	131	8	9	16	24	35	41	64
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	3	2.7		2	2	3	3	3	3	3
50-64	110	16.7	74	8	8	14	22	31	35	41
65+	358	17.8	121	7	9	14	21	31	39	63
GRAND TOTAL	**472**	**17.4**	**111**	**7**	**8**	**14**	**21**	**31**	**37**	**55**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	12	3.1	3	1	1	3	4	6	7	7
50-64	89	3.9	13	<1	1	3	5	7	11	21
65+	175	3.9	9	1	2	3	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	13	8.5	55	<1	1	6	14	18	23	24
50-64	114	7.4	59	2	2	5	9	19	23	38
65+	364	8.4	91	1	2	5	10	20	24	54
TOT. SINGLE DX	277	3.8	11	1	1	3	5	8	11	17
" MULTIPLE DX	493	8.1	83	1	2	5	10	19	24	51
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	25	5.9	37	<1	1	4	7	16	19	24
50-64	203	5.8	42	1	2	4	6	13	20	37
65+	539	6.9	70	1	2	4	8	16	22	49
GRAND TOTAL	**770**	**6.6**	**61**	**1**	**2**	**4**	**8**	**15**	**22**	**41**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.9	4	1	1	2	3	6	9	10
20-34	45	3.4	4	<1	1	3	5	6	8	9
35-49	26	4.0	5	<1	<1	4	5	7	9	10
50-64	31	4.0	2	1	2	4	5	6	7	7
65+	18	4.4	3	2	2	4	6	6	7	8
2. MULTIPLE DX										
0-19 YRS	26	4.7	26	1	1	3	5	12	15	24
20-34	22	5.5	12	2	3	4	7	10	13	16
35-49	25	4.4	5	1	2	4	6	7	9	10
50-64	33	6.9	30	2	2	5	10	15	18	24
65+	41	10.1	229	3	3	6	9	18	26	98
TOT. SINGLE DX	172	3.5	4	1	1	3	5	6	8	10
" MULTIPLE DX	147	6.8	82	1	2	5	8	13	18	28
TOTAL 0-19 YRS	78	3.5	12	1	1	3	4	8	10	21
20-34	67	4.1	8	1	1	3	5	6	9	15
35-49	51	4.2	5	<1	1	4	6	7	9	10
50-64	64	5.5	19	1	2	4	6	12	15	23
65+	59	8.4	166	2	3	6	8	13	24	91
GRAND TOTAL	**319**	**5.0**	**42**	**1**	**1**	**4**	**6**	**9**	**12**	**25**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.0	12	1	1	3	4	8	10	22
20-34	79	5.9	24	2	2	4	7	12	17	25
35-49	38	5.1	25	1	2	4	5	10	19	23
50-64	23	7.0	57	2	2	5	8	13	22	38
65+	47	8.5	48	2	3	7	12	16	17	42
2. MULTIPLE DX										
0-19 YRS	42	5.3	16	1	2	4	6	10	14	20
20-34	62	9.1	126	2	2	5	9	24	29	66
35-49	27	7.6	73	2	3	5	8	15	26	44
50-64	32	11.0	123	2	2	6	12	25	40	47
65+	162	12.2	141	2	3	9	16	24	35	68
TOT. SINGLE DX	236	6.0	32	1	2	4	7	12	16	27
" MULTIPLE DX	325	10.2	120	2	2	7	12	22	30	64
TOTAL 0-19 YRS	91	4.6	14	1	2	3	6	9	10	21
20-34	141	7.3	71	2	2	4	8	16	24	41
35-49	65	6.1	46	1	2	4	6	10	20	41
50-64	55	9.3	98	2	2	5	11	22	35	47
65+	209	11.4	123	2	3	8	14	22	32	65
GRAND TOTAL	**561**	**8.4**	**87**	**2**	**2**	**5**	**10**	**18**	**24**	**47**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	479	3.1	3	<1	1	3	4	5	8	10
20-34	57	3.1	4	<1	1	2	4	7	8	11
35-49	6	2.2	1	1	1	2	3	4	4	4
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	226	3.6	4	1	2	3	4	6	8	11
20-34	16	5.6	19	2	2	5	7	14	16	17
35-49	7	5.6	12	3	3	5	6	12	13	13
50-64	4	6.5	9	5	5	5	8	11	11	11
65+										
TOT. SINGLE DX	543	3.1	4	<1	1	3	4	6	8	10
" MULTIPLE DX	253	3.8	6	1	2	3	5	7	9	15
TOTAL 0-19 YRS	705	3.3	4	<1	1	3	4	6	8	10
20-34	73	3.6	9	<1	1	3	5	7	8	17
35-49	13	4.0	10	1	1	3	5	7	12	13
50-64	4	6.5	9	5	5	5	8	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**796**	**3.3**	**5**	**<1**	**1**	**3**	**4**	**6**	**8**	**11**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	2.6	1	1	1	2	3	5	5	7
20-34	60	3.4	3	1	1	3	4	6	8	9
35-49	21	3.3	8	<1	1	3	3	5	10	15
50-64	6	4.5	6	2	2	4	6	9	9	9
65+	4	4.0	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	20	4.6	29	<1	1	3	5	7	17	26
20-34	36	3.8	11	<1	1	3	4	8	10	18
35-49	10	3.9	8	1	1	3	6	8	8	8
50-64	8	4.0	9	<1	1	3	4	9	11	11
65+	2	4.5	1	4	4	4	5	5	5	5
TOT. SINGLE DX	151	3.1	4	1	1	3	4	5	7	9
" MULTIPLE DX	76	4.1	15	<1	1	3	5	8	10	24
TOTAL 0-19 YRS	80	3.1	9	1	1	2	4	5	7	20
20-34	96	3.5	6	<1	1	3	4	6	9	15
35-49	31	3.5	8	<1	1	3	3	6	8	15
50-64	14	4.2	8	<1	2	3	5	9	11	11
65+	6	4.2	1	3	3	4	5	6	6	6
GRAND TOTAL	**227**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	260	1.1		<1	<1	<1	1	1	2	3
35-49	92	1.2		<1	<1	<1	1	2	3	5
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
0-19 YRS										
20-34	48	2.0	2	<1	<1	1	3	4	5	8
35-49	19	4.1	68	<1	<1	1	2	15	27	32
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	21.0	18	18	18	21	24	24	24	24
TOT. SINGLE DX	358	1.2	1	<1	<1	<1	1	1	2	3
" MULTIPLE DX	71	3.1	30	<1	<1	1	3	5	17	30
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	308	1.2	1	<1	<1	<1	1	2	3	5
35-49	111	1.7	13	<1	<1	<1	1	2	3	26
50-64	5	1.2		<1	<1	<1	1	2	2	2
65+	4	13.8	96	1	1	15	21	24	24	24
GRAND TOTAL	**429**	**1.5**	**6**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**13**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	231	2.6	1	<1	1	2	3	4	5	7
20-34	217	3.2	6	<1	1	3	4	5	6	10
35-49	174	3.0	2	<1	1	3	4	5	6	8
50-64	119	3.3	4	<1	2	3	4	5	6	12
65+	62	4.6	9	2	2	3	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	125	2.8	3	<1	1	2	4	5	7	9
20-34	92	3.3	6	1	1	3	4	6	7	15
35-49	103	3.7	9	1	2	3	4	6	9	19
50-64	114	5.1	13	1	2	4	6	11	13	18
65+	80	6.3	27	2	2	5	8	12	14	32
TOT. SINGLE DX	803	3.1	4	<1	1	3	4	5	6	10
" MULTIPLE DX	514	4.1	13	1	1	3	5	8	11	17
TOTAL 0-19 YRS	356	2.7	2	<1	1	2	3	5	6	8
20-34	309	3.3	7	<1	1	3	4	5	7	12
35-49	277	3.2	5	<1	1	3	4	5	7	12
50-64	233	4.1	9	1	2	3	5	8	11	18
65+	142	5.5	20	2	2	4	7	11	13	30
GRAND TOTAL	**1317**	**3.5**	**8**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	1.8	2	<1	<1	1	2	3	3	7
20-34	61	1.8		<1	<1	1	2	3	4	5
35-49	35	2.2	2	<1	<1	2	2	3	4	11
50-64	25	2.8	4	<1	1	2	3	4	7	11
65+	22	4.0	20	1	1	3	4	10	17	18
2. MULTIPLE DX										
0-19 YRS	86	2.3	2	<1	<1	2	3	5	6	8
20-34	35	3.1	7	<1	<1	2	4	6	11	13
35-49	30	4.1	20	1	1	3	4	9	14	23
50-64	28	6.0	51	1	1	3	7	13	21	34
65+	37	7.4	140	1	2	3	5	18	30	64
TOT. SINGLE DX	798	1.9	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	331	4.4	53	<1	1	2	4	8	15	39
TOTAL 0-19 YRS	694	1.9	2	<1	<1	2	2	3	4	7
20-34	160	2.4	6	<1	<1	2	3	4	5	13
35-49	92	3.1	13	<1	1	2	3	5	10	22
50-64	85	4.1	27	<1	1	2	4	9	13	30
65+	98	6.8	129	1	1	3	5	16	30	61
GRAND TOTAL	1129	2.7	18	<1	<1	2	3	4	6	22

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	3.1	33	<1	<1	1	2	6	14	35
20-34	31	2.2	3	<1	<1	1	3	5	7	7
35-49	17	4.3	9	1	2	4	5	9	11	12
50-64	31	5.9	10	2	2	5	8	10	11	17
65+	14	8.3	64	2	2	6	12	16	28	32
2. MULTIPLE DX										
0-19 YRS	18	4.0	5	<1	<1	4	5	8	8	8
20-34	17	6.5	33	<1	<1	4	13	14	15	16
35-49	24	12.3	224	3	3	7	11	27	57	60
50-64	48	9.7	77	2	3	7	12	16	21	59
65+	32	12.8	92	3	3	9	17	30	35	37
TOT. SINGLE DX	139	4.2	25	<1	<1	2	6	9	13	32
" MULTIPLE DX	139	9.7	98	1	2	7	12	19	27	59
TOTAL 0-19 YRS	64	3.3	26	<1	<1	1	4	7	10	32
20-34	48	3.7	18	<1	<1	2	4	12	14	16
35-49	41	9.0	149	2	2	5	9	17	38	60
50-64	79	8.2	54	2	3	7	10	15	18	48
65+	46	11.4	87	2	3	8	15	29	33	37
GRAND TOTAL	278	7.0	69	<1	<1	5	9	15	20	51

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	5.6	3	3	4	5	7	8	9	11
20-34	340	5.6	3	3	3	5	6	8	9	12
35-49	66	6.3	4	3	4	6	8	9	10	12
50-64	9	7.2	4	3	4	7	8	10	10	10
65+	8	13.4	18	8	8	13	15	20	22	22
2. MULTIPLE DX										
0-19 YRS	48	6.8	12	3	4	6	7	10	17	17
20-34	400	6.3	8	3	4	6	7	9	11	19
35-49	105	7.0	12	3	4	6	8	12	14	21
50-64	22	14.1	81	5	6	11	18	30	34	36
65+	15	16.0	64	5	7	16	23	26	30	32
TOT. SINGLE DX	522	5.8	5	3	4	5	7	9	10	13
" MULTIPLE DX	590	7.0	18	3	4	6	7	11	15	26
TOTAL 0-19 YRS	147	6.0	7	3	4	5	7	9	11	17
20-34	740	6.0	7	3	4	6	7	8	10	14
35-49	171	6.7	10	3	4	6	8	10	13	20
50-64	31	12.1	68	5	6	8	15	25	33	36
65+	23	15.1	49	6	8	14	19	25	28	32
GRAND TOTAL	1112	6.5	12	3	4	6	7	9	13	22

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	5.9	5	3	3	6	7	8	11	14
20-34	279	6.4	4	3	4	6	7	9	11	13
35-49	145	7.0	13	4	5	7	7	9	11	19
50-64	23	7.1	3	5	6	6	8	10	12	12
65+	9	10.7	19	5	5	11	14	17	18	18
2. MULTIPLE DX										
0-19 YRS	39	7.6	7	4	5	7	8	10	12	20
20-34	457	7.3	13	4	4	7	8	11	13	22
35-49	231	7.8	13	4	5	7	9	11	15	20
50-64	36	11.5	103	5	5	8	10	25	39	49
65+	22	28.1	340	9	10	22	41	54	65	72
TOT. SINGLE DX	497	6.7	8	4	4	6	7	9	11	15
" MULTIPLE DX	785	8.3	38	4	5	7	9	12	18	40
TOTAL 0-19 YRS	80	6.7	7	3	4	6	8	9	12	18
20-34	736	7.0	10	4	4	6	8	10	12	19
35-49	376	7.5	13	4	5	7	8	10	13	20
50-64	59	9.8	68	5	5	7	9	15	30	48
65+	31	23.1	309	6	8	18	31	51	60	72
GRAND TOTAL	**1282**	**7.6**	**27**	**4**	**5**	**7**	**8**	**11**	**13**	**33**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	14	6.6	8	5	5	6	7	9	14	16
35-49	34	7.1	4	4	5	7	8	10	11	14
50-64	17	9.1	14	4	5	7	12	14	17	18
65+	3	11.3	26	7	7	10	15	17	17	17
2. MULTIPLE DX										
0-19 YRS	2	15.0	50	10	10	15	20	20	20	20
20-34	73	6.8	4	4	4	7	8	10	11	13
35-49	150	8.2	13	4	5	7	9	13	17	23
50-64	58	14.2	100	6	6	11	16	25	36	61
65+	38	13.7	28	6	7	13	17	23	26	99+
TOT. SINGLE DX	68	7.7	9	4	5	7	8	13	15	18
" MULTIPLE DX	321	9.7	37	4	5	8	11	17	22	38
TOTAL 0-19 YRS	2	15.0	50	10	10	15	20	20	20	20
20-34	87	6.8	5	4	4	7	8	10	11	15
35-49	184	8.0	12	4	5	7	9	13	15	22
50-64	75	13.0	85	5	6	10	15	24	32	57
65+	41	13.5	28	6	7	13	17	23	26	99+
GRAND TOTAL	**389**	**9.3**	**33**	**4**	**5**	**7**	**10**	**16**	**20**	**36**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.1	7	1	1	3	6	7	10	12
20-34	93	4.0	7	1	1	3	6	8	10	12
35-49	19	3.8	6	1	1	3	6	8	8	8
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	15	4.2	6	1	1	4	6	8	9	10
20-34	215	5.3	6	1	2	5	6	8	9	15
35-49	34	5.4	15	1	2	5	7	8	11	23
50-64	3	7.0	7	4	4	8	9	9	9	9
65+										
TOT. SINGLE DX	139	4.1	8	1	1	3	6	8	10	12
" MULTIPLE DX	267	5.2	8	1	2	5	6	8	9	16
TOTAL 0-19 YRS	41	4.1	7	1	1	4	6	7	10	12
20-34	308	4.9	7	1	2	5	6	8	9	14
35-49	53	4.8	13	1	1	5	7	8	8	23
50-64	3	7.0	7	4	4	8	9	9	9	9
65+	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**406**	**4.8**	**8**	**1**	**2**	**5**	**6**	**8**	**9**	**14**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1074	1.3		<1	<1	1	2	2	2	3
35-49	429	1.3		<1	<1	1	2	2	2	3
50-64	3	3.3	5	2	2	2	5	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	422	2.0	5	<1	<1	1	2	3	6	10
35-49	194	1.8	5	<1	<1	1	2	3	4	16
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	1507	1.3		<1	<1	1	2	2	2	3
" MULTIPLE DX	622	1.9	5	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34	1496	1.5	2	<1	<1	1	2	2	3	7
35-49	623	1.5	2	<1	<1	1	2	2	3	5
50-64	4	2.8	5	1	1	2	4	6	6	6
65+										
GRAND TOTAL	**2129**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.9	4	1	1	3	6	7	7	7
20-34	1818	2.9	2	1	2	3	4	4	5	7
35-49	585	2.9	1	1	2	3	3	4	5	7
50-64	3	3.7	2	2	2	4	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	10	3.8	4	2	2	4	4	7	8	8
20-34	1068	4.1	11	2	2	4	5	7	8	12
35-49	386	4.0	9	2	2	3	4	7	8	14
50-64	2	5.5	5	4	4	5	7	7	7	7
65+										
TOT. SINGLE DX	2416	2.9	2	1	2	3	4	4	5	7
" MULTIPLE DX	1466	4.1	11	2	2	4	5	7	8	13
TOTAL 0-19 YRS	20	3.9	4	1	2	4	5	7	8	8
20-34	2886	3.4	6	1	2	3	4	5	6	9
35-49	971	3.4	5	1	2	3	4	5	6	11
50-64	5	4.4	3	2	2	4	5	7	7	7
65+										
GRAND TOTAL	**3882**	**3.4**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	5.2	5	2	2	5	7	8	8	12
20-34	687	5.1	4	2	3	5	6	7	8	11
35-49	113	5.2	3	2	3	5	7	8	8	10
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	35	6.1	6	3	3	6	7	9	11	13
20-34	716	5.5	4	3	3	5	7	8	9	12
35-49	121	5.8	7	2	3	5	7	8	10	17
50-64										
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	834	5.1	5	2	3	5	6	7	8	11
" MULTIPLE DX	873	5.6	5	3	3	5	7	8	9	12
TOTAL 0-19 YRS	66	5.7	6	2	3	5	7	9	10	13
20-34	1403	5.3	4	2	3	5	6	8	8	12
35-49	234	5.5	6	2	3	5	7	8	9	13
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	2	9.0	18	6	6	9	12	12	12	12
GRAND TOTAL	**1707**	**5.4**	**5**	**2**	**3**	**5**	**6**	**8**	**9**	**12**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.4	1	<1	<1	2	3	4	5	5
20-34	532	2.6	2	<1	1	2	3	4	5	9
35-49	171	2.5	2	1	1	2	3	4	4	11
50-64	54	2.6	3	1	1	2	3	4	5	13
65+	15	3.9	29	1	1	2	3	6	19	23
2. MULTIPLE DX										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	238	3.3	37	<1	1	3	4	5	7	13
35-49	123	3.0	5	<1	<1	3	4	5	7	13
50-64	38	3.9	9	1	2	3	4	6	12	16
65+	11	6.4	21	2	2	4	10	13	16	16
TOT. SINGLE DX	788	2.6	3	<1	1	2	3	4	5	9
" MULTIPLE DX	414	3.3	25	<1	1	3	4	5	8	16
TOTAL 0-19 YRS	20	2.4	2	<1	<1	2	3	4	5	5
20-34	770	2.8	13	<1	1	2	3	4	5	10
35-49	294	2.7	4	<1	1	2	3	4	5	11
50-64	92	3.2	6	1	1	3	4	5	6	15
65+	26	4.9	27	1	1	3	6	10	17	23
GRAND TOTAL	**1202**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	1.9	4	<1	<1	1	2	4	7	8
20-34	99	1.8	2	<1	<1	1	2	3	5	10
35-49	73	2.5	5	<1	<1	2	3	5	9	11
50-64	39	3.3	37	<1	<1	2	3	5	10	38
65+	23	5.0	30	<1	1	3	7	11	17	25
2. MULTIPLE DX										
0-19 YRS	5	1.8	1	<1	<1	1	2	4	4	4
20-34	45	5.5	147	<1	<1	2	4	13	27	69
35-49	82	4.2	36	<1	<1	2	4	10	18	33
50-64	65	4.0	45	<1	<1	2	3	9	14	43
65+	40	8.5	74	1	2	6	12	22	35	99+
TOT. SINGLE DX	246	2.6	12	<1	<1	2	2	5	8	14
" MULTIPLE DX	237	5.1	68	<1	<1	2	5	13	21	49
TOTAL 0-19 YRS	17	1.9	3	<1	<1	1	2	4	7	8
20-34	144	3.0	50	<1	<1	1	2	4	7	45
35-49	155	3.4	23	<1	<1	2	4	8	11	29
50-64	104	3.8	42	<1	<1	2	3	7	13	42
65+	63	7.2	60	1	1	5	9	18	25	92
GRAND TOTAL	**483**	**3.8**	**41**	**<1**	**<1**	**2**	**4**	**8**	**13**	**41**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.8	7	2	2	3	5	8	10	10
20-34	218	3.4	9	1	1	3	4	6	8	19
35-49	37	3.2	3	1	1	3	4	5	7	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	63	4.4	11	1	2	3	5	10	13	88
35-49	12	7.1	67	2	2	3	7	21	28	29
50-64										
65+										
TOT. SINGLE DX	264	3.4	9	1	1	3	4	6	8	16
" MULTIPLE DX	76	4.9	21	1	2	3	6	10	17	81
TOTAL 0-19 YRS	10	4.4	10	2	2	3	5	10	10	10
20-34	281	3.6	10	1	2	3	4	6	10	22
35-49	49	4.2	21	1	2	3	4	7	11	29
50-64										
65+										
GRAND TOTAL	340	3.7	12	1	2	3	4	7	10	24

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	11	1	1	4	7	8	8	8
20-34	55	5.7	3	2	3	6	7	8	9	10
35-49	22	4.5	7	<1	1	5	6	8	9	10
50-64	7	2.6	4	1	1	2	4	6	6	6
65+	2	2.0		2	2	2	75	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	79	5.7	9	1	1	6	7	8	10	18
35-49	37	4.9	7	<1	1	6	7	8	9	10
50-64	18	3.9	15	1	1	2	7	13	62	99+
65+	11	11.2	102	2	2	8	23	50	93	99+
TOT. SINGLE DX	90	5.1	6	1	1	6	7	8	9	63
" MULTIPLE DX	147	5.7	19	1	1	6	7	9	16	99+
TOTAL 0-19 YRS	6	5.3	9	1	1	6	8	8	8	8
20-34	134	5.7	7	1	2	6	7	8	9	15
35-49	59	4.8	7	<1	1	5	7	8	9	10
50-64	25	3.6	12	1	1	2	5	9	33	99+
65+	13	9.8	97	2	2	8	25	99+	99+	99+
GRAND TOTAL	237	5.5	14	1	1	6	7	9	10	99+

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.3	2	5	5	8	8	8	8	8
20-34	507	7.3	3	5	6	7	8	9	10	14
35-49	820	7.5	3	5	6	7	8	9	10	15
50-64	184	8.2	4	6	6	8	9	11	13	16
65+	63	9.8	14	6	7	9	11	14	17	27
2. MULTIPLE DX										
0-19 YRS	26	8.8	52	5	5	7	8	12	20	43
20-34	1977	8.0	11	5	6	7	8	10	13	21
35-49	3858	8.1	8	6	6	7	9	11	13	20
50-64	852	9.4	21	6	6	8	10	14	17	29
65+	255	13.8	71	7	7	11	16	23	29	55
TOT. SINGLE DX	1578	7.6	4	5	6	7	8	10	11	15
" MULTIPLE DX	6968	8.4	15	5	6	8	9	12	15	24
TOTAL 0-19 YRS	30	8.6	46	5	5	7	8	11	14	43
20-34	2484	7.8	10	5	6	7	8	10	12	20
35-49	4678	8.0	7	6	6	7	9	10	13	19
50-64	1036	9.2	19	6	6	8	10	14	16	28
65+	318	13.0	63	7	7	10	15	22	28	50
GRAND TOTAL	8546	8.3	13	5	6	7	9	11	14	22

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	205	7.0	3	5	5	7	8	9	10	13
35-49	233	7.2	5	5	5	7	8	9	12	16
50-64	113	8.6	6	6	6	8	9	12	14	17
65+	92	9.4	10	6	6	8	10	14	17	21
2. MULTIPLE DX										
0-19 YRS	3	4.7	1	4	4	4	6	6	6	6
20-34	688	7.4	12	5	5	7	8	10	13	23
35-49	1118	8.0	11	5	5	7	8	12	14	23
50-64	368	9.5	16	6	6	8	11	14	17	26
65+	278	11.7	37	7	7	10	14	17	22	42
TOT. SINGLE DX	643	7.7	6	5	5	7	8	10	13	18
" MULTIPLE DX	2455	8.5	17	5	5	7	9	13	16	25
TOTAL 0-19 YRS	3	4.7	1	4	4	4	6	6	6	6
20-34	893	7.3	10	5	5	7	8	10	12	22
35-49	1351	7.8	11	5	5	7	8	11	14	22
50-64	481	9.3	14	6	6	8	10	14	16	24
65+	370	11.1	32	7	7	9	13	16	21	41
GRAND TOTAL	3098	8.3	15	5	5	7	9	12	15	24

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	12.7	40	9	9	9	17	20	20	20
35-49	7	17.9	89	7	7	15	25	32	33	33
50-64	1	25.0		25	25	25	25	25	25	25
65+										
2. MULTIPLE DX										
0-19 YRS	2	30.5	481	15	15	30	46	46	46	46
20-34	15	21.0	164	8	8	15	27	39	56	59
35-49	15	24.1	179	10	11	23	26	43	57	62
50-64	18	25.6	188	10	11	22	30	48	53	56
65+	6	55.2	542	17	19	66	69	75	76	76
TOT. SINGLE DX	11	17.1	74	7	8	15	24	29	33	33
* MULTIPLE DX	56	27.3	311	9	10	22	34	59	67	76
TOTAL 0-19 YRS	2	30.5	481	15	15	30	46	46	46	46
20-34	18	19.6	175	8	8	15	25	37	51	59
35-49	22	22.1	154	8	9	22	26	39	51	62
50-64	19	25.6	178	10	11	22	30	48	52	56
65+	6	55.2	542	17	19	66	69	75	76	76
GRAND TOTAL	67	25.6	285	8	9	21	30	54	65	75

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	1.2		<1	<1	<1	1	2	2	2
20-34	105	1.5		<1	<1	1	2	3	3	5
35-49	9	1.4		<1		1	1	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	2.1	1	<1	<1	2	3	4	4	4
20-34	62	3.9	25	<1	1	3	4	7	14	31
35-49	20	3.5	9	<1	1	3	4	6	8	10
50-64										
65+										
TOT. SINGLE DX	155	1.4	1	<1	<1	<1	2	2	3	5
* MULTIPLE DX	88	3.6	18	<1	1	3	4	6	10	27
TOTAL 0-19 YRS	52	1.4	1	<1	<1	<1	2	2	3	4
20-34	167	2.4	11	<1	<1	1	3	4	6	20
35-49	29	2.8	4	<1	<1	3	3	6	7	10
50-64										
65+										
GRAND TOTAL	243	2.2	8	<1	<1	1	3	4	5	16

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	614	1.9	1	<1	<1	1	2	3	4	7
20-34	5701	1.8	1	<1	<1	1	2	3	4	6
35-49	1681	1.5	1	<1	<1	1	2	3	3	6
50-64	603	1.8	1	<1	<1	1	2	3	4	9
65+	140	2.7	2	<1	1	1	2	4	6	16
2. MULTIPLE DX										
0-19 YRS	187	3.0	6	<1	<1	2	4	6	7	13
20-34	1855	2.4	3	<1	<1	2	3	5	7	11
35-49	1356	2.5	6	<1	<1	2	3	6	7	11
50-64	685	3.4	7	<1	1	2	4	6	10	15
65+	296	5.6	73	<1	1	2	4	10	20	42
TOT. SINGLE DX	6739	1.8	2	<1	<1	1	2	3	4	6
* MULTIPLE DX	4379	2.8	19	<1	<1	2	3	5	8	21
TOTAL 0-19 YRS	801	2.2	4	<1	<1	1	2	4	6	9
20-34	7556	1.9	2	<1	<1	1	2	4	5	10
35-49	3037	2.0	6	<1	<1	1	2	3	5	14
50-64	1288	2.5	22	<1	1	2	3	5	7	14
65+	436	4.6	56	<1	1	2	4	10	18	42
GRAND TOTAL	13118	2.1	8	<1	<1	1	2	4	5	13

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	527	1.1		<1	<1	<1	1	2	2	2
20-34	1281	1.1		<1	<1	<1	1	2	2	2
35-49	53	1.1		<1	<1	<1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	222	1.4	1	<1	<1	1	1	2	3	6
20-34	887	1.9	10	<1	<1	1	2	3	4	14
35-49	174	2.2	9	<1	<1	1	2	4	5	9
50-64										
65+										
TOT. SINGLE DX	1861	1.1		<1	<1	<1	1	1	2	2
* MULTIPLE DX	1283	1.8	10	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	749	1.2	1	<1	<1	<1	1	2	3	5
20-34	2168	1.4	6	<1	<1	1	2	3	4	6
35-49	227	1.9	9	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	3144	1.4	4	<1	<1	<1	1	2	3	6

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	1.8	2	<1	<1	1	2	4	5	6
20-34	239	1.7	2	<1	<1	1	2	3	4	8
35-49	21	1.3		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12	1.7		<1	<1	1	2	3	3	3
20-34	86	3.1	19	<1	<1	2	3	6	10	29
35-49	18	2.4	2	<1	<1	2	3	5	6	6
50-64	1	17.0		17	17	17	17	17	17	17
65+										
TOT. SINGLE DX	298	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	117	2.9	17	<1	<1	2	3	6	9	24
TOTAL 0-19 YRS	50	1.8	2	<1	<1	1	2	4	5	6
20-34	325	2.1	7	<1	<1	1	2	4	6	13
35-49	39	1.8	2	<1	<1	1	2	4	5	6
50-64	1	17.0		17	17	17	17	17	17	17
65+										
GRAND TOTAL	**415**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	35	5.9	5	3	4	6	6	8	10	15
35-49	3	4.0	7	1	1	5	6	6	6	6
50-64	3	7.0	9	4	4	7	9	10	10	10
65+	8	8.8	16	6	6	7	10	16	17	17
2. MULTIPLE DX										
0-19 YRS	7	6.7	6	4	4	6	7	11	12	12
20-34	57	5.5	2	3	4	6	6	7	8	8
35-49	8	6.8	6	2	3	7	8	10	10	10
50-64	4	17.5	344	5	5	10	28	45	45	45
65+	8	13.0	34	9	9	11	13	23	27	27
TOT. SINGLE DX	50	6.3	8	3	4	6	7	9	13	17
" MULTIPLE DX	84	7.0	28	3	4	6	7	10	12	39
TOTAL 0-19 YRS	8	6.5	6	4	4	6	7	11	12	12
20-34	92	5.7	3	3	4	6	6	7	8	13
35-49	11	6.0	7	1	2	6	8	9	10	10
50-64	7	13.0	207	4	4	8	11	38	45	45
65+	16	10.9	28	6	6	10	13	17	24	27
GRAND TOTAL	**134**	**6.7**	**21**	**3**	**4**	**6**	**7**	**10**	**13**	**30**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.4	18	1	1	3	7	11	11	11
20-34	66	3.6	27	<1	<1	2	4	6	7	35
35-49	13	5.5	31	<1	<1	5	7	14	19	20
50-64	10	11.6	151	3	3	7	12	32	43	43
65+	7	8.3	29	1	2	7	9	17	19	19
2. MULTIPLE DX										
0-19 YRS	5	3.4	5	<1	<1	4	5	6	6	6
20-34	100	5.2	71	<1	<1	2	6	10	18	45
35-49	20	5.0	14	<1	1	4	7	9	13	17
50-64	21	9.5	114	2	3	6	9	27	36	45
65+	13	9.5	171	3	3	5	7	25	46	51
TOT. SINGLE DX	101	5.0	44	<1	<1	3	6	10	19	40
" MULTIPLE DX	159	6.1	77	<1	<1	4	6	11	25	47
TOTAL 0-19 YRS	10	3.9	11	<1	<1	3	6	9	11	11
20-34	166	4.6	54	<1	<1	2	5	8	14	43
35-49	33	5.2	21	<1	<1	4	7	10	16	20
50-64	31	10.2	123	3	3	6	10	27	42	45
65+	20	9.1	118	2	3	6	8	18	35	51
GRAND TOTAL	**260**	**5.6**	**64**	**<1**	**<1**	**3**	**6**	**10**	**20**	**45**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	55	7.4	11	3	4	7	9	13	14	16
35-49	161	8.2	13	4	5	7	9	12	14	24
50-64	208	7.9	12	4	5	7	9	12	15	24
65+	114	8.2	8	5	5	8	10	12	13	20
2. MULTIPLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	111	10.2	41	4	5	8	13	17	22	37
35-49	344	9.8	20	5	6	9	11	16	20	27
50-64	378	9.9	23	5	6	8	12	16	19	30
65+	264	10.7	39	5	6	9	12	17	23	38
TOT. SINGLE DX	538	8.0	12	4	5	7	9	12	14	22
" MULTIPLE DX	1098	10.1	29	5	6	9	12	16	21	30
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	166	9.2	33	4	5	7	12	15	18	25
35-49	505	9.3	19	5	5	8	10	14	18	27
50-64	586	9.2	21	5	5	8	10	15	18	28
65+	378	10.0	32	5	6	8	11	15	19	36
GRAND TOTAL	**1636**	**9.4**	**24**	**5**	**5**	**8**	**11**	**15**	**18**	**28**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.6	61	<1	<1	5	8	19	26	27
20-34	50	5.1	12	1	1	4	7	8	13	17
35-49	21	6.6	30	1	2	4	10	15	19	21
50-64	12	7.1	16	<1	2	6	10	12	15	15
65+	6	7.3	18	1	1	7	9	13	14	14
2. MULTIPLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	36	6.1	23	1	2	5	8	11	13	26
35-49	22	7.0	18	2	2	6	8	13	17	19
50-64	14	8.9	20	2	3	8	9	16	18	19
65+	10	15.9	432	1	4	8	16	47	73	73
TOT. SINGLE DX	100	6.0	22	1	1	5	8	12	15	24
" MULTIPLE DX	84	7.9	75	1	2	7	9	14	19	57
TOTAL 0-19 YRS	13	6.1	54	<1	1	5	7	17	25	27
20-34	86	5.5	17	1	1	4	8	11	13	23
35-49	43	6.8	24	2	2	5	9	13	18	21
50-64	26	8.0	19	2	3	8	9	15	17	19
65+	16	12.7	284	1	2	8	12	20	57	73
GRAND TOTAL	184	6.8	47	1	2	5	8	13	16	27

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.5	8	<1	<1	1	2	5	11	13
20-34	90	3.1	6	<1	1	2	4	7	8	11
35-49	48	3.6	9	<1	1	3	5	8	9	17
50-64	35	4.8	10	1	2	5	6	9	11	14
65+	26	6.3	16	1	2	6	8	11	13	19
2. MULTIPLE DX										
0-19 YRS	23	7.1	52	<1	1	4	10	16	24	30
20-34	85	6.1	64	1	1	3	8	13	18	50
35-49	46	8.3	86	1	2	6	10	17	21	56
50-64	58	8.4	38	2	2	7	10	17	21	30
65+	67	10.3	124	2	3	8	10	17	30	68
TOT. SINGLE DX	229	3.7	10	<1	1	2	6	8	10	15
" MULTIPLE DX	279	8.1	78	1	2	6	10	16	21	53
TOTAL 0-19 YRS	53	4.5	32	<1	<1	2	5	12	15	30
20-34	175	4.6	37	<1	1	2	6	11	13	24
35-49	94	5.9	52	1	2	4	8	13	17	45
50-64	93	7.0	31	1	2	6	9	14	19	29
65+	93	9.2	97	2	2	8	10	15	24	61
GRAND TOTAL	508	6.1	52	1	1	4	8	12	17	36

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.1	1	<1	<1	2	3	4	5	7
20-34	333	2.0	4	<1	<1	2	2	3	5	7
35-49	139	2.3	2	<1	1	2	3	4	5	8
50-64	62	3.1	9	<1	1	2	3	8	10	15
65+	17	2.5	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	29	2.9	4	<1	<1	2	3	6	7	9
20-34	114	3.3	14	<1	1	2	4	7	13	21
35-49	47	4.3	23	<1	1	3	5	9	10	30
50-64	29	4.7	17	<1	<1	3	7	12	15	15
65+	31	7.1	53	2	2	4	9	19	21	34
TOT. SINGLE DX	627	2.2	4	<1	<1	2	3	4	5	10
" MULTIPLE DX	250	4.1	21	<1	<1	3	5	9	14	23
TOTAL 0-19 YRS	105	2.3	2	<1	<1	2	3	4	6	8
20-34	447	2.3	7	<1	<1	2	3	4	5	14
35-49	186	2.8	8	<1	1	2	3	5	7	14
50-64	91	3.6	12	<1	1	2	5	9	11	15
65+	48	5.4	40	<1	1	3	6	11	20	34
GRAND TOTAL	877	2.7	10	<1	<1	2	3	5	8	18

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.8	1	2	2	2	3	5	5	5
20-34	3	6.0	21	2	2	5	9	11	11	11
35-49	4	8.3	47	3	3	6	13	18	18	18
50-64	6	7.2	31	3	3	5	8	17	18	18
65+	12	17.3	174	1	2	16	29	34	37	38
2. MULTIPLE DX										
0-19 YRS										
20-34	2	11.0	8	9	9	11	13	13	13	13
35-49	9	13.3	185	5	5	7	15	37	47	47
50-64	2	6.0	2	5	5	6	7	7	7	7
65+	15	23.9	264	8	9	19	33	41	61	68
TOT. SINGLE DX	30	10.5	112	2	2	5	18	29	32	38
" MULTIPLE DX	28	18.3	233	5	6	13	24	39	49	68
TOTAL 0-19 YRS	5	2.8	2	2	2	2	3	5	5	5
20-34	5	8.0	20	2	2	9	11	13	13	13
35-49	13	11.8	141	3	4	7	14	26	43	47
50-64	8	6.9	23	3	3	5	7	15	18	18
65+	27	21.0	228	2	5	19	31	38	45	68
GRAND TOTAL	58	14.3	183	2	2	9	21	33	40	66

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	1.3		1	1	1	2	2	2	2
20-34	31	3.8	8	<1	1	3	6	8	11	11
35-49	7	2.9	2	2	2	2	4	6	6	6
50-64	4	3.0	2	2	2	3	4	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	5	2.6	3	1	1	2	4	5	5	5
20-34	20	4.8	15	1	2	4	5	9	14	18
35-49	6	2.2		1	1	2	3	3	3	3
50-64	8	4.5	12	<1	<1	3	7	10	11	11
65+	6	21.7	842	1	1	11	26	73	78	78
TOT. SINGLE DX	50	3.2	6	<1	1	2	4	6	10	11
" MULTIPLE DX	45	6.4	142	1	1	3	6	11	20	78
TOTAL 0-19 YRS	12	1.8	2	1	1	1	2	4	5	5
20-34	51	4.2	11	<1	1	3	5	9	11	18
35-49	13	2.5	2	1	1	2	3	4	6	6
50-64	12	4.0	9	<1	1	3	5	9	11	11
65+	7	19.0	752	1	1	8	23	68	78	78
GRAND TOTAL	**95**	**4.7**	**72**	**<1**	**1**	**3**	**5**	**8**	**11**	**55**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.0	17	<1	<1	2	2	10	14	14
20-34	23	2.1	5	<1	<1	1	2	5	9	9
35-49	3	6.0	49	1	1	3	11	14	14	14
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	19.0	648	1	1	19	37	37	37	37
2. MULTIPLE DX										
0-19 YRS	3	4.7	22	<1	<1	3	8	10	10	10
20-34	16	6.3	42	<1	<1	4	10	18	19	20
35-49	14	7.1	128	<1	1	4	8	14	38	45
50-64	6	11.3	25	4	4	12	16	17	17	17
65+	2	7.5	85	1	1	7	14	14	14	14
TOT. SINGLE DX	39	3.5	41	<1	<1	1	3	9	14	37
" MULTIPLE DX	41	7.2	67	<1	<1	4	11	16	19	45
TOTAL 0-19 YRS	12	3.4	17	<1	<1	2	3	11	14	14
20-34	39	3.8	24	<1	<1	1	5	11	16	20
35-49	17	6.9	110	<1	1	4	8	13	34	45
50-64	8	9.1	36	1	2	9	14	17	17	17
65+	4	13.3	288	1	1	8	25	37	37	37
GRAND TOTAL	**80**	**5.4**	**57**	**<1**	**<1**	**2**	**7**	**14**	**17**	**43**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	308	4.8	7	3	3	4	5	7	8	13
20-34	2215	4.6	2	3	3	4	5	6	7	9
35-49	73	4.4	1	3	3	4	5	6	6	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	353	5.4	11	3	3	5	6	8	10	15
20-34	3152	5.4	9	3	3	5	6	7	9	17
35-49	141	6.2	22	3	3	5	7	9	14	24
50-64										
65+										
TOT. SINGLE DX	2596	4.6	3	3	3	4	5	6	7	9
" MULTIPLE DX	3646	5.4	10	3	3	5	6	7	9	17
TOTAL 0-19 YRS	661	5.2	9	3	3	5	6	7	9	14
20-34	5367	5.0	7	3	3	5	6	7	8	14
35-49	214	5.6	16	3	3	5	6	8	10	21
50-64										
65+										
GRAND TOTAL	**6242**	**5.1**	**8**	**3**	**3**	**5**	**6**	**7**	**8**	**15**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.9	1	1	2	4	5	6	6	6
20-34	117	4.7	8	3	3	4	5	6	7	17
35-49	5	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	25	4.6	4	1	2	4	6	8	8	8
20-34	348	6.0	39	2	3	5	6	9	13	39
35-49	17	5.9	19	2	3	5	6	8	17	22
50-64										
65+										
TOT. SINGLE DX	138	4.6	8	3	3	4	5	6	7	13
" MULTIPLE DX	390	5.9	36	2	3	5	6	9	13	34
TOTAL 0-19 YRS	41	4.3	3	1	2	4	6	7	8	9
20-34	465	5.7	32	2	3	5	6	8	11	31
35-49	22	5.4	16	2	3	5	6	7	14	22
50-64										
65+										
GRAND TOTAL	**528**	**5.6**	**29**	**2**	**3**	**5**	**6**	**8**	**11**	**28**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	4.7	2	3	3	4	5	6	7	13
20-34	702	4.8	3	3	3	4	5	7	7	11
35-49	34	4.4	1	3	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	152	5.5	7	3	3	5	6	8	10	20
20-34	1884	5.4	8	3	3	5	6	8	9	16
35-49	94	6.6	69	3	3	5	7	9	12	55
50-64										
65+										
TOT. SINGLE DX	814	4.8	4	3	3	4	5	7	7	11
" MULTIPLE DX	2130	5.5	11	3	3	5	6	8	9	16
TOTAL 0-19 YRS	230	5.2	6	3	3	5	6	8	9	19
20-34	2586	5.3	7	3	3	5	6	7	8	15
35-49	128	6.0	52	3	3	5	6	8	11	36
50-64										
65+										
GRAND TOTAL	**2944**	**5.3**	**9**	**3**	**3**	**5**	**6**	**7**	**9**	**16**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2718	4.5	3	2	3	4	5	6	7	11
20-34	22260	4.3	3	2	3	4	5	6	7	10
35-49	838	4.3	3	2	3	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	900	5.3	11	2	3	5	6	8	10	20
20-34	9705	5.1	12	2	3	5	6	7	9	18
35-49	679	5.2	6	2	3	5	6	8	9	16
50-64										
65+										
TOT. SINGLE DX	25816	4.3	3	2	3	4	5	6	7	10
" MULTIPLE DX	11284	5.1	12	2	3	5	6	7	9	18
TOTAL 0-19 YRS	3618	4.7	6	2	3	4	5	7	8	13
20-34	31965	4.5	6	2	3	4	5	6	7	12
35-49	1517	4.7	5	2	3	4	5	7	8	13
50-64										
65+										
GRAND TOTAL	**37100**	**4.5**	**6**	**2**	**3**	**4**	**5**	**6**	**8**	**12**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	6.9	5	5	5	6	7	9	11	18
20-34	3224	6.7	5	5	5	6	7	8	9	13
35-49	134	7.4	5	5	5	7	8	9	11	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	528	8.3	26	5	5	7	9	12	16	30
20-34	7053	8.0	28	5	5	7	8	11	15	33
35-49	611	8.5	31	5	5	7	9	12	17	35
50-64										
65+										
TOT. SINGLE DX	3603	6.8	6	5	5	6	7	8	9	14
" MULTIPLE DX	8192	8.1	29	5	5	7	8	11	15	33
TOTAL 0-19 YRS	773	7.8	20	5	5	7	8	11	13	27
20-34	10277	7.6	22	5	5	7	8	10	13	29
35-49	745	8.3	27	5	5	7	8	11	16	32
50-64										
65+										
GRAND TOTAL	**11795**	**7.7**	**22**	**5**	**5**	**7**	**8**	**10**	**13**	**29**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	8.9	18	6	6	7	9	16	18	18
20-34	73	7.3	3	4	5	7	8	9	11	14
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5	7.6	10	5	5	6	9	13	13	13
20-34	103	10.7	95	5	5	8	10	21	32	59
35-49	14	13.1	137	5	5	8	13	29	43	47
50-64										
65+										
TOT. SINGLE DX	81	7.4	5	4	5	7	8	10	11	17
" MULTIPLE DX	122	10.9	96	5	5	8	10	22	32	56
TOTAL 0-19 YRS	12	8.3	14	5	5	7	9	14	17	18
20-34	176	9.3	60	5	5	8	9	13	23	49
35-49	15	12.7	129	5	5	8	13	27	42	47
50-64										
65+										
GRAND TOTAL	**203**	**9.5**	**63**	**5**	**5**	**8**	**9**	**13**	**25**	**49**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	4.9	4	2	2	5	6	7	9	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	8.0	9	5	5	8	10	11	11	11
20-34	38	5.2	4	3	3	5	6	7	9	13
35-49	8	5.9	6	3	3	5	7	10	11	11
50-64										
65+										
TOT. SINGLE DX	25	4.8	4	2	2	5	6	7	8	10
" MULTIPLE DX	49	5.4	5	3	3	5	6	8	11	13
TOTAL 0-19 YRS	4	6.8	12	3	3	6	9	11	11	11
20-34	61	5.1	4	2	3	5	6	7	9	13
35-49	9	5.8	6	3	3	5	7	9	11	11
50-64										
65+										
GRAND TOTAL	74	5.2	5	2	3	5	6	8	10	13

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.8	1	1	1	1	2	3	4	6
20-34	98	1.8	1	1	1	2	2	3	4	6
35-49	11	1.9	2	1	1	1	2	4	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	112	1.6		1	1	1	2	2	3	5
20-34	178	2.1	7	1	1	2	2	3	4	17
35-49	24	2.1	1	1	1	2	3	4	5	5
50-64										
65+										
TOT. SINGLE DX	188	1.8	1	1	1	1	2	3	4	6
" MULTIPLE DX	314	1.9	5	1	1	1	2	3	4	8
TOTAL 0-19 YRS	191	1.6	1	1	1	1	2	3	4	5
20-34	276	2.0	5	1	1	2	2	3	4	9
35-49	35	2.1	2	1	1	2	2	4	5	6
50-64										
65+										
GRAND TOTAL	502	1.9	3	1	1	1	2	3	4	7

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	6.0	54	<1	<1	3	7	18	23	28
20-34	170	4.3	61	<1	<1	1	4	10	15	47
35-49	12	2.2	1	<1	<1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	4.8	26	2	2	3	5	14	15	15
20-34	44	7.6	101	<1	<1	4	8	20	29	50
35-49	10	5.0	56	<1	<1	1	7	16	25	25
50-64										
65+										
TOT. SINGLE DX	202	4.3	58	<1	<1	1	5	11	16	40
" MULTIPLE DX	60	6.9	86	<1	<1	4	8	19	25	49
TOTAL 0-19 YRS	26	5.7	47	<1	<1	3	6	17	21	28
20-34	214	5.0	71	<1	<1	2	5	13	19	51
35-49	22	3.5	27	<1	<1	2	3	7	15	25
50-64										
65+										
GRAND TOTAL	262	4.9	65	<1	<1	2	5	13	19	49

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	404	3.2	8	<1	<1	3	4	5	7	18
20-34	2712	3.3	10	<1	<1	3	4	6	7	16
35-49	135	4.0	35	<1	<1	3	4	6	10	38
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	341	3.8	9	<1	1	4	5	6	8	15
20-34	2548	4.6	19	<1	1	4	5	7	9	23
35-49	153	5.5	23	2	2	5	6	8	13	28
50-64										
65+										
TOT. SINGLE DX	3251	3.3	12	<1	<1	3	4	6	7	17
" MULTIPLE DX	3042	4.6	19	<1	1	4	5	7	9	22
TOTAL 0-19 YRS	745	3.5	9	<1	<1	3	4	6	7	17
20-34	5260	3.9	16	<1	<1	4	5	6	8	19
35-49	288	4.8	29	<1	<1	4	5	8	10	36
50-64										
65+										
GRAND TOTAL	6293	3.9	15	<1	<1	4	5	6	8	19

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	317	4.4	4	2	3	4	5	6	8	13
20-34	4251	4.0	2	2	3	4	5	6	6	8
35-49	227	4.2	2	2	3	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	246	4.8	7	2	3	4	5	7	8	19
20-34	3902	4.8	7	2	3	4	5	7	9	15
35-49	313	5.6	31	3	3	4	6	8	11	26
50-64										
65+										
TOT. SINGLE DX	4795	4.1	2	2	3	4	5	6	6	9
" MULTIPLE DX	4461	4.9	9	2	3	4	5	7	9	16
TOTAL 0-19 YRS	563	4.6	6	2	3	4	5	6	8	15
20-34	8153	4.4	5	2	3	4	5	6	7	11
35-49	540	5.0	20	2	3	4	5	7	9	19
50-64										
65+										
GRAND TOTAL	**9256**	**4.4**	**6**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.2	5	2	2	3	6	8	8	8
20-34	12	3.3	1	1	2	3	4	5	5	5
35-49	6	7.2	25	3	3	5	12	15	15	15
50-64	7	12.0	215	2	2	6	12	38	44	44
65+	5	4.6	6	1	1	5	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	6	4.3	2	3	3	4	6	6	6	6
20-34	5	3.8		3	3	4	4	5	5	5
35-49	7	9.1	18	4	4	9	11	16	17	17
50-64	15	17.7	180	3	3	17	27	40	41	41
65+	10	22.5	188	2	5	20	37	39	40	40
TOT. SINGLE DX	36	5.9	53	1	2	4	6	12	14	44
" MULTIPLE DX	43	14.0	155	3	3	9	20	37	40	41
TOTAL 0-19 YRS	12	4.3	4	2	2	4	6	7	8	8
20-34	17	3.4	1	1	2	3	4	5	5	5
35-49	13	8.2	21	3	4	7	12	15	17	17
50-64	22	15.9	190	2	3	12	23	40	42	44
65+	15	16.5	199	1	2	13	29	39	40	40
GRAND TOTAL	**79**	**10.3**	**124**	**2**	**3**	**5**	**13**	**30**	**39**	**43**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	4.0	2	2	2	4	5	6	7	8
20-34	329	3.8	2	2	2	4	5	6	6	9
35-49	79	3.6	2	1	2	4	5	6	6	7
50-64	16	4.1	4	2	2	4	5	7	8	9
65+	4	6.0	36	3	3	3	9	15	15	15
2. MULTIPLE DX										
0-19 YRS	193	4.1	2	2	2	4	5	6	6	10
20-34	222	4.5	3	2	3	4	5	6	7	11
35-49	44	4.2	2	2	2	4	5	7	7	8
50-64	16	7.4	91	1	1	4	9	16	32	39
65+										
TOT. SINGLE DX	605	3.9	2	2	2	4	5	6	7	9
" MULTIPLE DX	475	4.4	6	2	2	4	5	6	7	12
TOTAL 0-19 YRS	374	4.0	2	2	2	4	5	6	7	8
20-34	551	4.1	3	2	2	4	5	6	7	9
35-49	119	3.8	2	2	2	4	5	6	7	8
50-64	32	5.8	49	1	2	4	6	12	16	39
65+	4	6.0	36	3	3	3	9	15	15	15
GRAND TOTAL	**1080**	**4.1**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.8	2	1	1	2	4	5	6	8
20-34	164	2.8	2	1	1	2	4	5	6	9
35-49	34	3.1	3	1	1	3	4	6	8	9
50-64	9	3.2	3	2	2	2	4	6	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	68	5.4	30	1	2	4	6	11	14	32
20-34	99	5.0	16	1	2	4	6	10	14	22
35-49	34	6.8	104	1	2	4	7	13	50	99+
50-64	7	3.6	5	1	1	3	5	7	8	8
65+	7	15.7	292	3	3	11	19	45	51	51
TOT. SINGLE DX	276	2.8	3	1	1	2	4	5	6	9
" MULTIPLE DX	215	5.7	45	1	2	4	6	11	16	54
TOTAL 0-19 YRS	137	4.1	18	1	1	3	5	8	11	26
20-34	263	3.6	9	1	1	3	4	6	9	16
35-49	68	4.9	57	1	1	3	5	9	13	92
50-64	16	3.4	4	1	2	3	4	7	8	8
65+	7	15.7	292	3	3	11	19	45	51	51
GRAND TOTAL	**491**	**4.1**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**26**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	3.5	9	1	1	3	4	6	12	15
20-34	150	2.7	3	1	1	2	3	5	6	10
35-49	52	3.7	10	1	1	2	4	6	13	14
50-64	19	4.1	18	1	1	3	5	9	15	17
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	54	6.7	74	2	2	4	7	18	33	97
20-34	163	7.2	78	1	2	5	8	14	26	48
35-49	66	7.5	39	1	2	6	9	17	19	40
50-64	28	8.5	79	1	2	7	9	20	30	36
65+	7	10.1	32	2	3	9	14	18	19	19
TOT. SINGLE DX	256	3.1	7	1	1	2	4	5	8	15
" MULTIPLE DX	316	7.3	68	1	2	5	9	15	25	48
TOTAL 0-19 YRS	91	5.4	50	1	2	3	5	13	22	78
20-34	313	5.1	48	1	1	3	6	9	15	41
35-49	118	5.7	30	1	1	4	7	12	14	29
50-64	41	6.9	58	1	1	5	9	14	27	36
65+	9	8.2	39	<1	1	9	11	18	19	19
GRAND TOTAL	572	5.4	45	1	1	3	6	10	17	42

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	17	3.7	9	<1	1	3	4	8	12	13
35-49	5	3.6	4	1	1	4	5	6	6	6
50-64	5	2.6	1	1	1	3	3	4	4	4
65+	4	5.5	25	2	2	3	8	13	13	13
2. MULTIPLE DX										
0-19 YRS	5	11.8	255	1	1	6	16	40	40	40
20-34	16	7.3	29	1	2	6	9	12	20	23
35-49	8	10.3	76	2	2	7	16	24	27	27
50-64	7	7.0	42	1	1	8	10	17	19	19
65+	7	14.7	219	<1	<1	12	27	37	38	38
TOT. SINGLE DX	35	3.7	8	1	1	3	4	6	12	13
" MULTIPLE DX	43	9.5	92	1	1	7	11	24	34	40
TOTAL 0-19 YRS	9	8.0	149	1	1	4	6	27	40	40
20-34	33	5.5	20	1	1	4	7	10	13	23
35-49	13	7.7	58	1	1	5	10	18	25	27
50-64	12	5.2	19	1	1	3	8	13	18	19
65+	11	11.4	161	<1	1	4	14	34	38	38
GRAND TOTAL	78	6.9	62	1	1	4	8	15	25	39

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	5.6	33	2	2	4	7	10	12	36
20-34	129	5.9	45	1	2	4	6	11	22	36
35-49	96	7.9	115	1	2	6	9	16	19	68
50-64	134	8.8	61	2	2	7	11	15	24	51
65+	87	10.3	42	3	6	9	13	19	25	34
2. MULTIPLE DX										
0-19 YRS	76	11.1	231	2	3	6	11	32	42	96
20-34	68	12.1	297	2	3	6	10	37	50	92
35-49	74	14.2	226	2	3	8	20	34	45	98
50-64	128	12.4	198	2	3	8	17	29	49	74
65+	110	16.3	278	3	4	11	18	39	59	84
TOT. SINGLE DX	576	7.6	60	1	2	6	9	15	20	37
" MULTIPLE DX	476	13.6	246	2	3	8	16	35	49	85
TOTAL 0-19 YRS	206	7.8	112	2	2	5	8	15	21	84
20-34	217	8.4	156	1	2	4	8	18	36	66
35-49	170	10.6	173	1	2	7	12	24	34	97
50-64	262	11.1	133	2	3	7	13	24	32	58
65+	197	13.6	182	3	4	9	15	28	39	78
GRAND TOTAL	1052	10.3	153	2	2	7	11	22	36	76

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	3.9	4	1	2	4	5	6	7	13
20-34	174	4.0	2	2	2	4	5	6	7	9
35-49	151	4.5	6	2	2	4	5	6	10	12
50-64	223	5.0	8	2	2	5	6	6	10	13
65+	70	4.9	16	1	1	4	6	6	11	27
2. MULTIPLE DX										
0-19 YRS	67	4.2	3	2	2	4	5	6	7	9
20-34	149	4.6	7	2	2	4	5	7	7	19
35-49	165	5.6	35	2	3	4	6	8	10	41
50-64	312	5.9	37	2	2	5	7	9	11	29
65+	201	6.3	22	1	2	5	8	12	16	31
TOT. SINGLE DX	708	4.5	7	1	2	4	6	7	9	12
" MULTIPLE DX	914	5.6	26	2	2	5	6	8	11	28
TOTAL 0-19 YRS	177	4.1	3	2	2	4	5	6	7	10
20-34	323	4.3	5	2	2	4	5	6	7	10
35-49	316	5.1	22	2	2	4	6	8	10	26
50-64	535	5.5	26	2	2	5	6	8	11	26
65+	271	5.9	22	1	2	5	7	11	15	29
GRAND TOTAL	1622	5.1	18	2	2	4	6	8	10	22

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	374	4.3	18	1	2	3	5	8	12	24
20-34	515	4.9	31	1	2	4	5	8	13	33
35-49	232	6.5	81	1	2	4	6	11	20	50
50-64	171	6.8	56	1	2	5	7	15	22	42
65+	112	9.6	148	1	1	5	12	23	31	85
2. MULTIPLE DX										
0-19 YRS	128	8.1	102	2	2	5	10	18	23	72
20-34	276	11.6	306	1	2	5	10	37	68	99
35-49	190	10.1	193	2	2	5	12	21	44	69
50-64	204	14.4	349	2	2	8	16	36	61	95
65+	138	21.1	405	2	2	15	29	54	76	99+
TOT. SINGLE DX	1404	5.6	51	1	2	4	6	10	17	42
" MULTIPLE DX	936	12.8	294	2	2	6	15	36	56	97
TOTAL 0-19 YRS	502	5.3	43	1	2	3	5	11	16	42
20-34	791	7.2	138	1	2	4	6	13	28	75
35-49	422	8.1	135	1	2	4	7	17	33	66
50-64	375	11.0	229	2	2	5	12	26	42	91
65+	250	15.9	322	1	2	9	23	42	59	99
GRAND TOTAL	**2340**	**8.5**	**161**	**1**	**2**	**4**	**8**	**20**	**36**	**77**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	6.6	72	2	2	4	7	12	18	53
20-34	175	6.0	30	2	2	4	8	11	15	31
35-49	53	7.2	54	1	2	6	8	14	17	48
50-64	49	9.3	105	1	1	8	11	17	22	69
65+	96	16.6	110	5	6	14	20	31	39	53
2. MULTIPLE DX										
0-19 YRS	50	14.0	261	3	3	7	17	46	56	58
20-34	68	12.0	194	1	2	7	15	37	61	99+
35-49	35	16.5	271	3	3	10	21	51	62	99+
50-64	54	20.2	286	4	5	14	29	40	46	93
65+	116	27.1	394	5	8	21	42	68	99+	99+
TOT. SINGLE DX	479	8.7	82	2	2	6	11	18	24	48
" MULTIPLE DX	323	19.6	335	3	3	14	30	54	66	99+
TOTAL 0-19 YRS	156	9.0	143	2	2	5	9	20	42	58
20-34	243	7.7	83	2	2	5	8	17	27	63
35-49	88	10.9	159	2	2	7	11	23	49	86
50-64	103	15.0	228	2	2	9	20	34	42	81
65+	212	22.3	292	5	6	17	31	53	76	99+
GRAND TOTAL	**802**	**13.1**	**212**	**2**	**3**	**8**	**17**	**36**	**51**	**99+**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	209	3.1	6	1	1	2	4	5	8	12
20-34	347	3.2	8	<1	1	2	4	6	8	15
35-49	146	4.4	41	<1	1	3	5	7	12	46
50-64	115	4.4	32	1	2	3	4	9	11	38
65+	90	6.8	65	1	1	4	8	14	21	83
2. MULTIPLE DX										
0-19 YRS	75	6.9	71	1	2	4	8	17	21	48
20-34	116	9.1	178	1	2	5	8	22	37	73
35-49	72	7.1	59	1	2	4	9	19	25	87
50-64	59	8.5	76	2	2	5	12	19	27	45
65+	106	15.2	356	2	2	8	19	39	65	99+
TOT. SINGLE DX	907	3.9	23	<1	1	3	4	7	11	25
" MULTIPLE DX	428	9.8	178	1	2	5	11	23	40	96
TOTAL 0-19 YRS	284	4.1	26	1	1	3	4	8	12	25
20-34	463	4.7	57	<1	1	3	4	8	14	42
35-49	218	5.3	49	1	1	3	6	12	19	48
50-64	174	5.8	51	1	2	3	6	12	18	43
65+	196	11.3	239	1	2	6	14	34	51	99+
GRAND TOTAL	**1335**	**5.8**	**80**	**1**	**1**	**3**	**5**	**12**	**20**	**58**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	29.2	342	3	4	28	46	54	58	59
20-34	6	25.3	1250	3	4	13	15	89	97	97
35-49	3	22.7	408	11	11	11	37	46	46	46
50-64	18	11.7	21	5	6	13	16	60	99+	99+
65+	35	19.7	124	5	6	18	31	38	41	99+
2. MULTIPLE DX										
0-19 YRS	16	33.0	416	7	9	29	47	63	70	72
20-34	13	29.4	543	6	8	18	51	67	69	70
35-49	11	39.5	790	8	11	37	68	96	99+	99+
50-64	25	23.0	368	5	6	15	38	52	63	74
65+	173	32.5	476	8	10	30	47	72	91	99+
TOT. SINGLE DX	81	20.7	261	4	6	16	32	47	70	99+
" MULTIPLE DX	238	31.7	482	7	9	28	47	71	85	99+
TOTAL 0-19 YRS	35	30.9	369	4	6	28	46	58	63	72
20-34	19	28.1	713	4	7	15	45	68	85	97
35-49	14	35.9	722	9	11	36	56	95	99	99+
50-64	43	18.3	252	5	6	14	20	52	80	99+
65+	208	30.3	439	6	9	28	44	69	86	99+
GRAND TOTAL	**319**	**28.9**	**448**	**6**	**8**	**23**	**43**	**68**	**85**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	11.8	148	2	3	8	13	24	47	55
20-34	36	10.9	24	2	5	10	14	19	20	22
35-49	29	12.8	51	6	6	10	16	25	27	31
50-64	62	15.2	98	5	6	13	16	33	40	48
65+	179	21.2	237	4	7	17	27	38	54	77
2. MULTIPLE DX										
0-19 YRS	55	19.2	185	4	6	16	24	35	53	64
20-34	86	24.2	316	5	8	17	33	56	69	99+
35-49	52	18.3	107	6	8	17	23	28	51	99
50-64	111	24.8	321	7	9	21	32	64	87	99+
65+	495	28.2	408	7	9	24	44	86	99+	99+
TOT. SINGLE DX	340	17.3	181	4	6	14	21	34	44	72
" MULTIPLE DX	799	26.0	361	7	8	21	37	69	99+	99+
TOTAL 0-19 YRS	89	16.4	182	3	4	13	20	34	51	61
20-34	122	20.3	267	5	7	14	27	48	64	99+
35-49	81	16.3	94	6	7	15	22	27	31	87
50-64	173	21.3	261	6	7	16	27	49	72	99+
65+	674	26.3	372	7	8	22	37	71	99+	99+
GRAND TOTAL	1139	23.4	323	6	7	18	32	60	89	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	20.8	334	1	2	17	29	48	69	96
20-34	12	11.1	216	1	2	4	14	36	47	49
35-49	2	7.0	32	3	3	11	78	99+	99+	99+
50-64	3	18.3	160	7	7	16	28	32	32	32
65+	12	17.8	433	1	2	13	28	80	96	99+
2. MULTIPLE DX										
0-19 YRS	41	35.9	472	3	5	33	55	70	85	99+
20-34	11	17.6	176	4	4	20	34	57	94	99+
35-49	7	21.3	248	5	6	23	40	85	99+	99+
50-64	13	31.7	353	7	12	32	40	77	95	99+
65+	29	32.1	640	3	6	34	67	99+	99+	99+
TOT. SINGLE DX	95	18.8	325	1	2	14	29	49	74	99+
" MULTIPLE DX	101	31.3	481	4	5	31	54	76	99+	99+
TOTAL 0-19 YRS	107	26.6	437	1	4	23	43	63	76	99+
20-34	23	14.2	200	2	3	7	25	39	64	99+
35-49	9	18.1	230	3	4	18	44	99+	99+	99+
50-64	16	29.2	342	6	8	32	35	72	91	99+
65+	41	27.9	611	2	3	23	59	98	99+	99+
GRAND TOTAL	196	25.2	442	2	3	21	42	71	99+	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	4.5	45	<1	1	2	4	11	19	38
20-34	62	2.9	4	<1	<1	2	4	6	8	12
35-49	24	3.2	3	1	1	3	4	6	7	7
50-64	31	4.8	10	1	1	4	6	10	12	14
65+	15	10.5	190	1	1	7	12	30	46	52
2. MULTIPLE DX										
0-19 YRS	21	12.2	365	1	2	5	19	24	53	88
20-34	33	9.1	285	<1	1	4	7	17	46	84
35-49	8	12.5	342	1	1	3	18	44	54	54
50-64	18	13.4	172	2	3	8	19	34	46	50
65+	11	14.4	255	<1	1	8	31	62	95	99+
TOT. SINGLE DX	196	4.4	36	<1	1	3	5	9	13	35
" MULTIPLE DX	91	11.6	274	1	1	5	14	40	50	95
TOTAL 0-19 YRS	85	6.4	132	1	1	2	5	19	24	71
20-34	95	5.0	109	<1	1	3	5	8	10	67
35-49	32	5.5	97	1	1	3	5	10	21	54
50-64	49	8.0	85	1	2	5	8	18	25	50
65+	26	12.2	212	1	1	8	17	45	59	99+
GRAND TOTAL	297	6.6	122	1	1	3	6	16	25	73

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	503	3.7	9	1	1	3	4	7	10	18
20-34	831	4.2	13	1	1	3	5	8	10	15
35-49	399	5.0	26	1	2	4	6	9	12	21
50-64	271	6.0	22	2	2	5	7	11	15	27
65+	137	8.4	53	2	2	6	12	18	21	39
2. MULTIPLE DX										
0-19 YRS	208	9.8	188	1	2	5	10	22	43	73
20-34	433	8.5	86	2	2	5	10	17	27	55
35-49	232	9.2	124	2	3	5	10	21	37	71
50-64	232	11.9	147	2	3	8	14	26	39	87
65+	158	17.2	305	2	3	12	21	44	62	99
TOT. SINGLE DX	2141	4.7	20	1	1	4	5	9	12	21
" MULTIPLE DX	1263	10.6	156	2	2	6	12	24	38	83
TOTAL 0-19 YRS	711	5.5	69	1	1	3	5	10	17	51
20-34	1264	5.7	43	1	2	4	6	11	16	36
35-49	631	6.5	66	1	2	4	7	12	19	57
50-64	503	8.7	89	2	2	6	10	19	27	56
65+	295	13.1	207	2	3	8	17	27	48	88
GRAND TOTAL	3404	6.9	78	1	2	4	7	14	21	55

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2083	2.2	9	<1	1	1	2	4	6	17
20-34	563	3.5	10	<1	1	2	5	8	10	15
35-49	347	3.5	11	1	1	2	5	8	11	17
50-64	343	3.3	23	1	1	2	4	7	10	30
65+	294	4.5	55	1	1	2	4	9	15	45
2. MULTIPLE DX										
0-19 YRS	359	4.7	39	1	1	2	6	10	15	37
20-34	309	8.7	175	1	1	4	8	21	36	70
35-49	194	8.1	144	1	1	4	9	18	28	68
50-64	198	10.8	218	1	1	5	14	29	40	98
65+	262	12.0	205	1	1	7	16	30	49	97
TOT. SINGLE DX	3630	2.8	16	1	1	2	3	6	9	19
" MULTIPLE DX	1322	8.5	153	1	1	4	9	22	34	69
TOTAL 0-19 YRS	2442	2.6	15	1	1	1	2	5	8	20
20-34	872	5.3	75	1	1	3	5	11	17	51
35-49	541	5.2	64	1	1	3	6	11	15	46
50-64	541	6.1	107	1	1	3	6	16	27	69
65+	556	8.0	140	1	1	3	10	21	35	65
GRAND TOTAL	**4952**	**4.3**	**59**	**1**	**1**	**2**	**4**	**9**	**16**	**47**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	3.2	26	<1	<1	1	3	8	16	27
20-34	170	1.7	3	<1	<1	1	2	3	4	13
35-49	69	2.7	12	<1	1	1	2	7	11	19
50-64	66	2.5	11	<1	1	1	2	6	11	18
65+	62	8.8	253	<1	1	2	6	28	45	79
2. MULTIPLE DX										
0-19 YRS	50	5.3	34	1	1	2	8	18	20	99
20-34	77	7.4	124	<1	1	3	9	16	33	58
35-49	35	7.9	263	<1	1	2	5	22	42	83
50-64	41	6.5	104	1	1	4	7	13	16	65
65+	65	11.2	257	1	1	5	12	27	46	81
TOT. SINGLE DX	503	3.2	47	<1	<1	1	2	6	13	33
" MULTIPLE DX	268	7.8	157	1	1	4	9	19	37	80
TOTAL 0-19 YRS	186	3.7	29	<1	1	1	3	10	19	30
20-34	247	3.5	48	<1	<1	1	3	9	13	45
35-49	104	4.5	101	<1	1	2	3	9	16	61
50-64	107	4.0	50	1	1	2	4	8	14	39
65+	127	10.0	255	1	1	4	10	27	45	81
GRAND TOTAL	**771**	**4.8**	**90**	**<1**	**<1**	**2**	**4**	**11**	**20**	**59**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	3.0	3	1	1	3	3	4	6	11
20-34	265	2.9	2	1	1	3	3	4	6	10
35-49	70	2.9	2	1	1	3	3	5	6	8
50-64	19	8.3	143	1	1	4	8	28	40	45
65+	10	9.9	91	2	2	6	18	25	29	29
2. MULTIPLE DX										
0-19 YRS	24	7.8	145	1	2	4	8	16	71	99+
20-34	53	4.9	58	1	2	3	4	7	16	53
35-49	21	3.6	3	1	2	3	4	6	8	10
50-64	15	6.3	25	2	3	4	9	11	18	21
65+	12	22.7	463	3	4	23	45	76	95	99+
TOT. SINGLE DX	430	3.3	13	1	1	3	3	5	7	19
" MULTIPLE DX	125	7.1	124	2	2	4	7	17	44	99+
TOTAL 0-19 YRS	90	4.3	45	1	1	3	4	8	11	84
20-34	318	3.2	12	1	1	3	3	5	7	14
35-49	91	3.0	3	1	1	3	3	5	7	9
50-64	34	7.4	90	1	1	4	8	18	32	45
65+	22	16.9	324	2	3	8	25	54	80	99+
GRAND TOTAL	**555**	**4.1**	**40**	**1**	**1**	**3**	**4**	**7**	**10**	**50**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	4.3	16	1	2	3	5	7	10	20
20-34	246	4.1	10	1	2	3	4	7	8	15
35-49	97	4.0	9	1	2	3	5	7	9	19
50-64	65	6.3	37	1	2	4	8	15	16	34
65+	27	12.3	145	2	3	7	15	32	43	46
2. MULTIPLE DX										
0-19 YRS	105	7.0	55	1	2	4	8	18	27	33
20-34	161	5.3	50	2	2	4	5	9	11	48
35-49	78	7.9	104	1	2	4	6	22	31	48
50-64	75	11.8	256	2	3	6	11	46	58	99+
65+	44	21.1	417	3	3	17	36	75	99+	99+
TOT. SINGLE DX	622	4.7	23	1	2	3	5	8	13	29
" MULTIPLE DX	463	8.7	148	2	2	4	8	24	39	97
TOTAL 0-19 YRS	292	5.3	32	1	2	3	5	10	16	30
20-34	407	4.5	27	1	2	3	5	8	10	25
35-49	175	5.8	55	1	2	4	5	10	22	46
50-64	140	9.2	161	1	2	5	9	23	48	99+
65+	71	17.7	329	3	3	13	25	48	77	99+
GRAND TOTAL	**1085**	**6.4**	**80**	**1**	**2**	**4**	**6**	**13**	**24**	**63**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	10.2	53	2	3	9	12	17	23	40
20-34	569	10.1	38	3	4	9	12	17	22	35
35-49	806	10.6	31	3	5	10	13	17	21	30
50-64	348	11.7	43	4	5	10	15	19	23	39
65+	54	13.0	43	3	6	12	15	20	25	40
2. MULTIPLE DX										
0-19 YRS	9	10.4	20	3	5	9	13	17	18	18
20-34	212	12.3	52	4	6	11	15	21	27	49
35-49	442	14.5	81	5	6	12	17	25	32	46
50-64	359	16.6	103	6	8	14	20	29	35	59
65+	104	20.4	157	7	9	17	24	34	47	68
TOT. SINGLE DX	1810	10.7	37	3	5	9	13	18	21	33
" MULTIPLE DX	1126	15.3	94	5	7	13	19	27	33	54
TOTAL 0-19 YRS	42	10.2	46	2	3	9	13	17	21	40
20-34	781	10.7	43	3	4	9	13	18	22	38
35-49	1248	12.0	52	4	5	11	14	20	26	39
50-64	707	14.2	80	4	6	12	17	25	31	50
65+	158	17.9	130	6	8	15	22	32	41	65
GRAND TOTAL	**2936**	**12.4**	**64**	**4**	**5**	**11**	**15**	**21**	**27**	**42**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	3.8	3	1	2	4	5	6	7	11
20-34	899	3.7	3	2	2	4	4	6	6	9
35-49	449	3.9	4	1	2	4	5	6	7	9
50-64	218	4.4	5	2	2	4	5	7	8	12
65+	45	5.2	26	1	1	5	6	8	11	34
2. MULTIPLE DX										
0-19 YRS	92	4.1	5	<1	1	4	5	7	8	12
20-34	420	3.9	5	1	1	4	5	7	8	11
35-49	198	4.2	6	1	2	4	5	7	9	12
50-64	186	4.6	10	1	1	4	6	8	10	17
65+	52	8.4	153	1	2	5	7	18	25	65
TOT. SINGLE DX	1856	3.9	4	1	2	4	5	6	7	10
" MULTIPLE DX	948	4.4	16	1	1	4	5	7	9	17
TOTAL 0-19 YRS	337	3.9	4	1	2	4	5	6	8	11
20-34	1319	3.8	4	1	2	4	5	6	7	10
35-49	647	4.0	5	1	2	4	5	6	8	11
50-64	404	4.5	8	1	2	4	5	8	9	16
65+	97	6.9	95	1	1	5	7	12	23	64
GRAND TOTAL	**2804**	**4.1**	**8**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	2.9	4	1	1	2	4	5	7	13
20-34	409	2.9	8	1	1	2	3	5	7	16
35-49	191	3.1	6	1	1	2	4	6	8	16
50-64	119	3.6	12	<1	1	2	4	7	9	23
65+	50	4.7	28	1	1	3	5	13	16	24
2. MULTIPLE DX										
0-19 YRS	59	4.4	19	<1	1	3	5	11	14	20
20-34	190	3.9	28	<1	1	3	4	7	12	34
35-49	109	5.6	72	<1	1	3	6	10	18	58
50-64	115	8.7	119	1	1	4	11	22	34	54
65+	83	11.6	219	1	2	5	16	36	44	92
TOT. SINGLE DX	991	3.1	9	1	1	2	4	6	8	17
" MULTIPLE DX	556	6.4	90	1	1	3	6	16	24	54
TOTAL 0-19 YRS	281	3.2	8	1	1	2	4	6	9	17
20-34	599	3.3	15	1	1	2	4	6	8	21
35-49	300	4.0	32	1	1	3	4	7	10	22
50-64	234	6.1	71	1	1	3	6	13	23	50
65+	133	9.0	158	1	1	4	11	24	40	80
GRAND TOTAL	**1547**	**4.3**	**41**	**1**	**1**	**2**	**4**	**8**	**14**	**37**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	14.4	25	7	8	13	18	20	25	26
20-34	72	12.8	73	6	7	11	13	20	29	58
35-49	58	12.4	75	5	6	11	13	19	24	65
50-64	20	13.5	16	8	8	14	15	18	21	23
65+	2	10.0	32	6	6	10	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	45	19.6	266	6	7	16	25	65	99+	99+
20-34	71	17.7	129	8	9	14	22	33	46	62
35-49	77	20.0	225	8	9	16	24	44	53	99+
50-64	54	19.0	123	9	10	15	28	45	83	99+
65+	12	23.5	157	10	13	20	28	45	50	51
TOT. SINGLE DX	189	13.0	58	6	7	12	15	20	25	53
" MULTIPLE DX	259	19.2	181	8	9	15	24	42	52	99+
TOTAL 0-19 YRS	82	17.2	163	7	8	15	20	30	77	99+
20-34	143	15.2	106	7	8	12	17	27	39	64
35-49	135	16.7	174	7	8	12	19	28	47	99
50-64	74	17.5	100	8	9	15	23	36	50	99+
65+	14	21.6	159	7	10	19	22	43	49	51
GRAND TOTAL	**448**	**16.6**	**138**	**7**	**8**	**13**	**20**	**30**	**46**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	4.0	4	<1	1	4	5	7	9	9
20-34	89	5.4	17	1	2	4	7	9	11	26
35-49	89	6.0	23	1	2	5	7	10	14	30
50-64	93	6.1	24	2	2	5	7	12	16	26
65+	57	5.1	30	1	2	4	6	8	11	33
2. MULTIPLE DX										
0-19 YRS	28	7.3	32	2	2	6	9	14	17	30
20-34	57	7.6	50	2	2	6	9	17	30	95
35-49	48	11.4	244	2	2	6	13	21	35	87
50-64	83	7.2	47	2	2	5	8	15	24	81
65+	69	12.9	309	2	2	6	14	41	55	98
TOT. SINGLE DX	361	5.5	22	1	2	4	7	10	13	29
" MULTIPLE DX	285	9.4	148	2	2	6	10	21	36	96
TOTAL 0-19 YRS	61	5.5	20	1	2	5	6	10	14	28
20-34	146	6.2	31	2	2	5	8	10	15	40
35-49	137	7.9	106	1	2	5	8	15	21	69
50-64	176	6.6	35	2	2	5	7	14	20	41
65+	126	9.4	197	1	2	4	9	25	45	92
GRAND TOTAL	**646**	**7.2**	**81**	**2**	**2**	**5**	**8**	**14**	**22**	**66**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	16.3	65	8	9	15	19	27	36	37
35-49	44	13.4	20	6	7	13	16	20	21	27
50-64	223	14.4	53	7	7	13	17	21	24	45
65+	369	16.2	63	7	7	15	19	25	30	39
2. MULTIPLE DX										
0-19 YRS										
20-34	21	24.9	287	9	11	21	29	33	62	88
35-49	42	19.8	84	8	12	18	21	29	41	53
50-64	275	20.5	151	8	10	17	24	34	41	85
65+	557	22.6	184	7	11	19	27	42	58	99
TOT. SINGLE DX	647	15.4	58	7	7	15	18	23	27	39
" MULTIPLE DX	895	21.9	173	8	10	18	26	38	53	91
TOTAL 0-19 YRS										
20-34	32	21.9	224	9	9	18	24	37	40	88
35-49	86	16.5	62	7	8	15	19	24	29	53
50-64	498	17.8	116	7	8	15	20	30	36	75
65+	926	20.1	146	7	9	17	24	34	49	82
GRAND TOTAL	**1542**	**19.2**	**135**	**7**	**8**	**17**	**22**	**32**	**42**	**75**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	7	16.6	156	6	6	13	20	38	42	42
50-64	39	18.7	97	7	8	18	23	25	35	61
65+	180	19.5	131	7	8	17	23	35	47	94
2. MULTIPLE DX										
0-19 YRS	2	24.0	578	7	7	24	41	41	41	41
20-34	4	39.0	944	7	7	35	62	78	78	78
35-49	11	13.2	26	7	8	11	18	21	22	22
50-64	53	24.8	282	8	10	21	30	47	69	81
65+	452	27.1	376	7	10	21	36	67	94	99+
TOT. SINGLE DX	227	19.3	125	7	8	17	23	32	46	86
" MULTIPLE DX	522	26.6	367	7	10	21	35	63	90	99+
TOTAL 0-19 YRS	2	24.0	578	7	7	24	41	41	41	41
20-34	5	37.2	725	7	7	30	55	78	78	78
35-49	18	14.5	73	6	7	12	19	21	34	42
50-64	92	22.2	211	7	9	19	24	43	55	78
65+	632	24.9	318	7	10	20	32	55	87	99+
GRAND TOTAL	**749**	**24.4**	**305**	**7**	**9**	**19**	**31**	**52**	**81**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	4.5	2	2	3	4	5	7	8	9
20-34	320	5.3	11	2	3	5	6	8	11	19
35-49	69	6.6	49	2	2	5	7	11	21	45
50-64	68	14.3	113	3	4	13	18	26	32	61
65+	113	17.7	147	3	6	16	23	40	42	90
2. MULTIPLE DX										
0-19 YRS	126	5.6	13	3	3	5	6	8	11	22
20-34	245	6.3	23	3	3	5	7	10	16	27
35-49	71	11.2	155	3	3	6	11	31	38	61
50-64	81	19.6	385	3	4	15	25	57	97	99+
65+	127	25.2	301	6	7	21	31	52	75	99+
TOT. SINGLE DX	770	7.8	65	2	3	5	8	17	23	42
" MULTIPLE DX	650	12.0	196	3	3	6	16	29	45	97
TOTAL 0-19 YRS	326	4.9	7	2	3	5	6	7	8	13
20-34	565	5.7	17	2	3	5	6	9	12	23
35-49	140	8.9	108	2	3	5	9	21	32	57
50-64	149	17.2	267	3	4	14	22	38	62	99+
65+	240	21.7	242	5	7	19	26	43	57	99+
GRAND TOTAL	**1420**	**9.8**	**130**	**2**	**3**	**5**	**11**	**22**	**32**	**73**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	256	3.5	5	1	2	3	4	6	7	8
20-34	681	3.4	2	1	2	3	4	5	6	9
35-49	171	3.7	4	1	2	3	4	6	7	13
50-64	160	5.1	19	1	2	4	6	9	11	29
65+	60	7.2	36	1	2	5	9	16	19	32
2. MULTIPLE DX										
0-19 YRS	55	4.9	21	1	2	4	5	9	15	24
20-34	165	4.4	11	1	2	4	5	7	11	18
35-49	106	5.4	34	1	1	4	6	10	15	36
50-64	145	6.8	30	1	2	5	8	14	18	28
65+	96	9.4	67	2	3	6	11	23	28	36
TOT. SINGLE DX	1328	3.8	8	1	2	3	4	6	8	14
" MULTIPLE DX	567	6.1	34	1	2	4	7	13	18	31
TOTAL 0-19 YRS	311	3.8	8	1	2	3	4	6	7	19
20-34	846	3.6	4	1	2	3	4	5	7	12
35-49	277	4.3	17	1	2	3	5	7	10	23
50-64	305	5.9	25	1	2	4	7	12	15	29
65+	156	8.5	56	2	2	6	10	20	24	34
GRAND TOTAL	**1895**	**4.5**	**17**	**1**	**2**	**3**	**5**	**7**	**11**	**24**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	5.5	69	<1	1	4	6	10	17	85
20-34	103	5.2	39	<1	1	3	6	10	15	39
35-49	72	4.4	9	<1	1	4	6	8	10	16
50-64	68	3.0	18	<1	<1	2	4	6	7	29
65+	31	3.0	24	<1	<1	1	2	6	16	24
2. MULTIPLE DX										
0-19 YRS	86	7.8	60	2	2	5	9	18	26	39
20-34	63	7.5	72	1	1	4	8	15	23	49
35-49	46	7.6	44	1	1	6	11	17	22	31
50-64	43	6.6	75	1	2	4	7	12	24	48
65+	31	13.0	95	2	2	11	20	31	36	99+
TOT. SINGLE DX	390	4.6	39	<1	<1	3	5	9	14	38
" MULTIPLE DX	269	8.1	69	1	2	5	10	19	27	47
TOTAL 0-19 YRS	202	6.5	67	1	1	4	8	14	21	59
20-34	166	6.1	53	1	1	4	7	14	19	40
35-49	118	5.6	25	<1	1	4	7	12	15	26
50-64	111	4.4	43	<1	<1	2	4	9	11	39
65+	62	8.0	84	<1	<1	3	13	24	31	92
GRAND TOTAL	**659**	**6.0**	**54**	**<1**	**1**	**4**	**7**	**14**	**20**	**40**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	2.6	14	<1	<1	2	3	4	7	24
20-34	266	2.2	7	<1	<1	1	2	4	5	16
35-49	146	3.1	14	<1	<1	2	3	7	10	25
50-64	114	4.2	34	<1	<1	3	5	8	16	31
65+	49	3.9	12	<1	1	2	4	10	13	15
2. MULTIPLE DX										
0-19 YRS	43	7.0	124	<1	<1	3	5	29	40	99+
20-34	72	4.5	47	<1	<1	2	3	10	20	40
35-49	64	8.1	217	<1	<1	3	9	16	26	86
50-64	96	8.8	155	1	1	4	11	23	52	99+
65+	67	13.7	264	2	2	7	18	38	61	95
TOT. SINGLE DX	771	2.9	15	<1	<1	2	3	5	9	22
" MULTIPLE DX	342	8.5	169	<1	<1	3	10	23	40	99+
TOTAL 0-19 YRS	239	3.4	37	<1	<1	2	3	5	13	39
20-34	338	2.7	17	<1	<1	2	3	4	8	22
35-49	210	4.6	81	<1	<1	2	4	10	15	49
50-64	210	6.3	94	<1	<1	3	7	16	23	84
65+	116	9.5	180	1	2	4	11	25	43	83
GRAND TOTAL	**1113**	**4.6**	**69**	**<1**	**<1**	**2**	**4**	**11**	**17**	**55**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.5	7	<1	<1	1	2	7	8	8
20-34	17	2.5		<1	1	2	3	3	4	5
35-49	40	2.5	2	<1	<1	2	3	4	5	9
50-64	126	2.9	6	<1	<1	2	3	4	6	14
65+	92	2.6	1	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	2.9	1	1	1	3	4	4	4	4
35-49	32	4.0	19	<1	1	3	4	7	13	24
50-64	86	4.3	21	1	2	3	4	9	17	23
65+	84	5.3	58	1	2	3	4	11	22	44
TOT. SINGLE DX	281	2.7	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	211	4.6	35	1	2	3	4	9	19	31
TOTAL 0-19 YRS	7	2.7	7	<1	<1	2	4	7	8	8
20-34	25	2.6	1	1	1	3	3	4	4	5
35-49	72	3.2	10	<1	<1	2	3	5	8	22
50-64	212	3.4	13	<1	1	2	4	6	10	22
65+	176	3.9	30	<1	1	3	3	7	10	31
GRAND TOTAL	**492**	**3.5**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**23**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	2.0	2	<1	1	2	2	3	5	9
20-34	193	2.2	3	<1	1	2	2	4	6	11
35-49	69	2.4	2	<1	1	2	3	4	5	8
50-64	45	2.4	4	<1	1	2	3	4	5	13
65+	16	2.0	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	74	3.4	21	<1	1	2	3	6	11	28
20-34	185	3.1	12	<1	1	2	3	5	7	35
35-49	62	3.0	6	<1	<1	2	4	5	8	15
50-64	43	4.8	27	<1	1	2	4	11	18	99+
65+	19	4.7	16	<1	1	3	7	12	14	14
TOT. SINGLE DX	430	2.2	3	<1	1	2	3	4	5	9
" MULTIPLE DX	383	3.4	15	<1	1	2	4	6	10	25
TOTAL 0-19 YRS	181	2.6	10	<1	1	2	3	4	6	23
20-34	378	2.6	8	<1	1	2	3	5	7	16
35-49	131	2.7	4	<1	1	2	3	5	6	12
50-64	88	3.5	17	<1	1	2	4	6	12	24
65+	35	3.5	11	<1	1	2	4	8	12	14
GRAND TOTAL	813	2.8	9	<1	1	2	3	5	7	16

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	3.0	5	<1	1	2	4	6	7	13
20-34	161	3.2	7	<1	1	2	4	6	9	13
35-49	138	4.1	42	1	1	3	4	6	9	44
50-64	92	5.1	45	1	1	4	6	8	14	45
65+	23	4.5	19	<1	<1	3	6	10	14	20
2. MULTIPLE DX										
0-19 YRS	36	4.3	21	1	1	3	5	8	16	22
20-34	89	5.7	119	1	1	3	5	9	18	72
35-49	62	6.5	160	1	1	3	5	10	20	84
50-64	68	5.8	41	1	1	4	6	12	24	31
65+	40	8.8	92	1	2	7	12	16	36	99+
TOT. SINGLE DX	510	3.8	24	<1	1	3	4	7	9	21
" MULTIPLE DX	295	6.1	94	1	1	3	6	13	19	71
TOTAL 0-19 YRS	132	3.4	10	<1	1	2	4	6	8	20
20-34	250	4.1	47	1	1	3	4	7	9	27
35-49	200	4.8	79	1	1	3	5	8	10	55
50-64	160	5.4	44	1	1	4	6	9	16	33
65+	63	7.3	70	1	1	5	10	16	18	94
GRAND TOTAL	805	4.7	51	1	1	3	5	8	13	44

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	4.1	10	1	1	3	5	7	9	16
20-34	165	4.2	10	1	1	3	5	7	9	16
35-49	78	3.9	7	1	1	3	4	6	8	14
50-64	41	4.7	22	1	1	3	5	8	15	25
65+	19	6.3	50	1	2	3	7	9	23	34
2. MULTIPLE DX										
0-19 YRS	113	5.3	23	1	2	4	6	9	15	29
20-34	77	6.1	115	1	2	4	7	12	37	90
35-49	39	6.1	31	1	2	3	6	10	15	99+
50-64	38	9.3	199	1	2	5	9	35	68	99+
65+	20	19.0	501	1	3	10	27	53	71	81
TOT. SINGLE DX	515	4.2	12	1	2	3	5	7	9	19
" MULTIPLE DX	267	7.5	113	1	2	4	7	16	30	96
TOTAL 0-19 YRS	305	4.6	15	1	2	3	5	8	11	25
20-34	242	5.2	43	1	2	4	5	8	16	43
35-49	107	4.2	9	1	2	3	5	8	11	31
50-64	69	6.5	98	1	2	4	7	14	28	93
65+	39	12.8	316	1	3	6	12	40	54	81
GRAND TOTAL	782	5.3	49	1	2	4	6	9	15	65

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.1	3	<1	<1	2	3	3	6	10
20-34	43	2.7	6	<1	1	2	4	6	8	12
35-49	26	3.3	7	1	1	3	4	6	6	7
50-64	31	3.4	7	1	1	3	4	6	6	12
65+	17	4.3	44	1	1	3	4	10	22	28
2. MULTIPLE DX										
0-19 YRS	18	7.2	66	1	2	4	10	12	27	37
20-34	43	5.7	70	1	2	3	5	9	29	35
35-49	28	5.0	28	1	2	3	5	10	14	28
50-64	16	10.8	191	1	2	4	10	35	39	40
65+	11	9.9	214	1	2	4	17	64	95	99+
TOT. SINGLE DX	140	3.1	10	<1	1	2	4	7	8	14
" MULTIPLE DX	116	5.9	90	1	1	3	6	24	34	66
TOTAL 0-19 YRS	41	4.4	37	<1	1	3	4	10	12	37
20-34	86	4.2	40	<1	1	3	4	8	19	34
35-49	54	4.1	17	1	1	3	5	6	11	27
50-64	47	5.9	80	1	1	3	6	12	30	40
65+	28	6.5	113	1	1	3	6	27	51	99+
GRAND TOTAL	256	4.8	50	1	1	2	5	10	24	40

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	4.8	7	1	1	5	6	9	9	9
35-49	1	22.0		22	22	22	22	22	22	22
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2	12.0	18	9	9	12	15	15	15	15
20-34	9	22.1	947	<1	1	8	30	77	81	81
35-49	3	24.7	1108	3	3	8	49	63	63	63
50-64	3	56.0	163	45	45	70	99+	99+	99+	99+
65+	8	12.5	51	4	5	11	15	24	27	27
TOT. SINGLE DX	10	6.2	40	1	1	5	9	16	22	22
" MULTIPLE DX	25	22.6	621	2	3	12	51	79	99+	99+
TOTAL 0-19 YRS	3	11.0	12	9	9	9	14	15	15	15
20-34	15	15.2	621	<1	1	5	10	70	78	81
35-49	4	24.0	741	3	3	15	42	63	63	63
50-64	4	42.3	865	1	5	61	99+	99+	99+	99+
65+	9	11.2	59	1	2	11	15	23	27	27
GRAND TOTAL	**35**	**17.9**	**505**	**1**	**1**	**9**	**23**	**70**	**93**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	3.8	8	1	1	4	5	6	10	13
20-34	20	9.6	298	<1	1	3	6	27	55	73
35-49	11	9.1	123	2	2	6	11	24	39	40
50-64	16	9.3	133	1	1	6	8	33	38	40
65+	22	11.7	404	1	2	5	7	35	71	77
2. MULTIPLE DX										
0-19 YRS	8	8.3	50	3	3	6	10	21	24	24
20-34	15	11.3	265	1	2	5	17	61	89	99+
35-49	23	18.9	353	1	3	10	34	45	59	65
50-64	47	26.4	566	4	4	21	42	75	97	99+
65+	79	25.4	525	2	3	19	38	64	87	99+
TOT. SINGLE DX	87	8.8	212	1	1	4	7	18	40	76
" MULTIPLE DX	172	22.8	491	2	3	15	36	63	86	99+
TOTAL 0-19 YRS	26	5.2	24	1	1	4	6	12	15	24
20-34	35	10.3	277	1	1	4	12	36	71	99+
35-49	34	15.7	295	1	2	7	26	40	53	65
50-64	63	22.0	509	2	2	13	37	64	86	99+
65+	101	22.4	527	2	3	15	33	59	86	99+
GRAND TOTAL	**259**	**18.1**	**440**	**1**	**2**	**8**	**29**	**50**	**78**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	4	22.8	226	2	2	25	32	38	38	38
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	40.0	882	19	19	40	61	61	61	61
65+	7	24.9	103	15	15	27	55	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	7	30.0	880	6	6	19	72	93	99+	99+
35-49	8	43.1	317	17	19	51	69	99+	99+	99+
50-64	32	45.1	375	19	21	51	68	99+	99+	99+
65+	109	38.9	526	12	15	38	69	99+	99+	99+
TOT. SINGLE DX	15	25.8	212	4	10	26	38	92	99+	99+
" MULTIPLE DX	157	39.9	500	12	15	41	68	99+	99+	99+
TOTAL 0-19 YRS	2	29.5	25	26	26	29	33	33	33	33
20-34	11	27.4	609	2	5	23	53	84	98	99+
35-49	9	39.3	407	9	14	51	66	99+	99+	99+
50-64	34	44.8	381	19	20	51	67	99+	99+	99+
65+	116	38.0	511	12	15	38	68	99+	99+	99+
GRAND TOTAL	**172**	**38.7**	**489**	**12**	**15**	**39**	**68**	**99+**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	22.0	50	17	17	22	27	27	27	27
20-34										
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	7	25.3	92	12	13	21	34	38	38	38
65+	13	25.8	507	4	6	20	37	67	67	67
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	20.0		20	20	20	20	20	20	20
35-49	12	32.3	653	11	12	19	45	72	89	92
50-64	21	38.8	347	12	15	41	55	89	99+	99+
65+	117	32.6	440	9	12	28	51	81	99+	99+
TOT. SINGLE DX	24	23.8	317	5	6	20	31	54	67	67
" MULTIPLE DX	152	33.2	442	9	12	29	49	81	99+	99+
TOTAL 0-19 YRS	3	18.0	73	10	10	17	24	27	27	27
20-34	1	20.0		20	20	20	20	20	20	20
35-49	14	28.8	635	7	9	16	41	67	86	92
50-64	28	35.4	314	12	14	38	46	76	99+	99+
65+	130	31.9	448	8	9	27	50	79	99+	99+
GRAND TOTAL	**176**	**31.9**	**433**	**8**	**11**	**28**	**46**	**78**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	18.0	91	8	8	19	25	27	27	27
20-34	1	22.0		22	22	22	22	22	22	22
35-49										
50-64	3	29.7	604	4	4	32	48	53	53	53
65+	3	22.3	261	5	5	25	34	37	37	37
2. MULTIPLE DX										
0-19 YRS	5	13.4	164	5	5	8	17	36	36	36
20-34	4	19.5	193	7	7	26	52	99+	99+	99+
35-49	3	40.7	44	33	33	44	45	45	45	45
50-64	7	38.3	663	15	15	35	46	82	90	90
65+	21	39.0	594	2	3	37	60	81	92	99+
TOT. SINGLE DX	10	23.2	236	4	4	23	32	45	53	53
" MULTIPLE DX	40	33.9	537	3	6	36	48	81	94	99+
TOTAL 0-19 YRS	8	15.1	126	5	6	10	23	33	36	36
20-34	5	20.0	147	7	7	24	36	94	99+	99+
35-49	3	40.7	44	33	33	44	45	45	45	45
50-64	10	35.7	594	4	9	33	48	71	90	90
65+	24	36.9	571	2	3	37	52	79	89	99+
GRAND TOTAL	50	31.7	489	3	5	32	44	73	90	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	10	5.8	21	1	1	5	7	13	17	17
35-49	2	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5	15.6	239	6	6	9	20	43	43	43
20-34	2	9.0	18	6	6	9	12	12	12	12
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	40.5	925	19	19	40	62	62	62	62
65+	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	16	5.1	17	1	1	5	7	9	15	17
" MULTIPLE DX	11	17.6	331	5	5	12	17	51	61	62
TOTAL 0-19 YRS	9	9.9	169	1	1	7	10	31	43	43
20-34	12	6.3	21	1	1	5	8	13	16	17
35-49	3	8.0	12	6	6	6	11	12	12	12
50-64	2	40.5	925	19	19	40	62	62	62	62
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	27	10.2	176	1	1	6	11	19	46	62

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.1	80	<1	1	3	5	21	28	28
20-34	20	4.9	69	<1	1	3	4	9	24	39
35-49	12	4.2	8	<1	1	4	5	8	11	12
50-64	18	6.3	32	1	1	4	9	14	19	22
65+	6	8.2	86	1	1	3	18	22	22	22
2. MULTIPLE DX										
0-19 YRS	4	5.0	8	1	1	6	7	7	7	7
20-34	5	11.8	277	1	1	3	20	40	40	40
35-49	11	19.5	509	2	2	15	25	52	78	80
50-64	21	19.7	467	1	2	14	43	76	99+	99+
65+	27	21.5	440	5	7	14	29	80	99+	99+
TOT. SINGLE DX	64	5.6	48	<1	1	3	6	13	22	37
" MULTIPLE DX	68	18.9	422	1	2	12	28	68	99	99+
TOTAL 0-19 YRS	12	5.8	54	<1	1	4	6	13	26	28
20-34	25	6.3	109	<1	1	3	4	14	39	40
35-49	23	11.5	297	1	1	5	14	28	50	80
50-64	39	13.5	306	1	1	7	21	56	83	99+
65+	33	19.1	399	2	3	12	25	60	98	99+
GRAND TOTAL	132	12.5	284	1	1	6	16	40	69	99+

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	3	33.7	200	25	25	26	44	50	50	50
65+	2	18.5	25	15	15	18	22	22	22	22
TOT. SINGLE DX	2	7.5	41	3	3	7	12	12	12	12
" MULTIPLE DX	7	21.3	235	3	4	22	26	45	50	50
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	4	26.0	369	3	3	25	38	50	50	50
65+	3	16.3	26	12	12	15	20	22	22	22
GRAND TOTAL	9	18.2	218	3	3	15	25	40	50	50

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	2.0	1	<1	<1	2	2	3	4	8
20-34	365	2.1	1	<1	<1	2	2	3	5	8
35-49	640	2.4	2	<1	<1	2	3	4	6	10
50-64	340	3.1	6	<1	<1	2	3	6	9	13
65+	173	4.4	15	1	2	3	5	10	14	19
2. MULTIPLE DX										
0-19 YRS	12	8.5	413	1	1	2	4	25	66	73
20-34	157	3.0	11	<1	<1	2	3	6	10	18
35-49	383	3.6	21	<1	<1	2	4	7	10	23
50-64	289	5.1	40	<1	1	3	6	10	15	37
65+	248	8.9	105	2	2	5	11	22	30	48
TOT. SINGLE DX	1596	2.7	5	<1	<1	2	3	5	7	12
" MULTIPLE DX	1089	5.2	53	<1	<1	3	5	11	17	41
TOTAL 0-19 YRS	90	2.8	57	<1	<1	2	2	4	4	47
20-34	522	2.4	5	<1	<1	2	3	4	6	12
35-49	1023	2.9	10	<1	<1	2	3	5	7	14
50-64	629	4.0	23	<1	<1	2	5	8	11	23
65+	421	7.1	73	1	2	4	8	16	23	42
GRAND TOTAL	2685	3.7	26	<1	<1	2	4	7	11	25

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.7	3	<1	<1	3	4	5	6	8
20-34	27	3.1	4	<1	<1	3	4	5	9	9
35-49	40	6.1	19	<1	1	6	7	9	17	21
50-64	29	7.0	16	2	2	8	9	11	13	20
65+	53	8.2	15	2	3	8	11	14	15	16
2. MULTIPLE DX										
0-19 YRS	5	3.6	2	2	2	3	4	6	6	6
20-34	13	4.6	7	2	2	4	6	8	10	11
35-49	23	8.4	22	3	4	7	10	17	18	19
50-64	56	7.3	16	2	3	7	9	12	16	24
65+	80	12.9	88	3	4	11	18	27	38	99+
TOT. SINGLE DX	176	5.9	17	<1	1	5	8	11	14	19
" MULTIPLE DX	177	9.7	58	2	3	7	12	20	25	87
TOTAL 0-19 YRS	32	2.9	3	<1	1	3	4	5	6	8
20-34	40	3.6	6	<1	<1	3	5	7	9	11
35-49	63	6.9	21	1	2	6	8	15	18	21
50-64	85	7.2	16	2	3	7	9	11	16	23
65+	133	11.0	64	3	3	9	14	21	29	99+
GRAND TOTAL	353	7.8	41	1	2	7	9	16	21	40

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	19	7.7	15	3	4	7	9	14	17	18
35-49	128	8.6	5	5	6	8	10	12	14	15
50-64	175	8.7	8	5	5	8	10	12	14	17
65+	156	10.9	26	6	6	10	12	16	19	37
2. MULTIPLE DX										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	28	8.3	8	4	5	8	10	13	14	15
35-49	143	9.8	24	5	6	9	11	14	18	31
50-64	276	11.5	44	5	6	10	13	19	26	35
65+	282	12.6	45	6	7	11	15	21	27	36
TOT. SINGLE DX	480	9.4	15	5	6	9	11	14	15	23
" MULTIPLE DX	731	11.5	41	5	6	10	13	18	24	35
TOTAL 0-19 YRS	4	6.3	14	1	1	7	9	9	9	9
20-34	47	8.1	11	4	4	8	10	13	15	18
35-49	271	9.2	16	5	6	9	10	13	15	23
50-64	451	10.4	32	5	6	9	12	16	20	34
65+	438	12.0	39	6	7	10	14	19	23	36
GRAND TOTAL	1211	10.6	32	5	6	9	12	16	21	33

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	3.3	2	1	1	3	4	5	7	8
20-34	491	3.6	6	<1	1	3	4	6	8	12
35-49	224	4.1	6	1	2	4	5	7	10	13
50-64	84	4.2	5	1	2	4	5	7	8	13
65+	26	3.5	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	44	4.5	52	1	1	3	4	6	9	50
20-34	335	4.1	14	1	1	4	4	7	9	15
35-49	247	4.9	15	1	2	4	6	10	11	23
50-64	111	5.3	31	1	2	4	6	9	13	36
65+	23	8.9	69	2	3	7	10	20	33	33
TOT. SINGLE DX	948	3.7	6	1	1	3	4	6	8	12
" MULTIPLE DX	760	4.7	21	1	1	4	5	8	11	27
TOTAL 0-19 YRS	167	3.6	16	1	1	3	4	5	7	10
20-34	826	3.8	10	1	1	3	4	6	8	14
35-49	471	4.6	11	1	2	4	5	8	11	18
50-64	195	4.8	20	1	2	4	6	8	10	31
65+	49	6.0	42	1	1	4	7	10	18	33
GRAND TOTAL	**1708**	**4.2**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	352	4.2	7	1	2	4	5	7	8	15
20-34	724	4.3	9	1	2	4	5	7	9	16
35-49	89	4.0	5	1	1	4	5	7	9	12
50-64	19	6.6	38	2	2	4	8	15	21	26
65+	3	4.7		4	4	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	47	4.6	9	1	2	4	5	9	12	15
20-34	122	6.1	24	1	2	5	7	12	17	24
35-49	24	7.3	63	1	2	4	8	15	30	33
50-64	14	8.6	69	2	2	4	11	20	27	29
65+	5	15.2	106	3	3	16	23	28	28	28
TOT. SINGLE DX	1187	4.3	9	1	2	4	5	7	9	16
" MULTIPLE DX	212	6.2	32	1	2	4	7	13	19	29
TOTAL 0-19 YRS	399	4.2	8	1	2	4	5	7	9	15
20-34	846	4.5	12	1	2	4	5	8	10	20
35-49	113	4.7	19	1	2	4	5	9	10	30
50-64	33	7.4	51	2	2	4	10	19	25	29
65+	8	11.3	91	3	3	6	19	26	28	28
GRAND TOTAL	**1399**	**4.6**	**13**	**1**	**2**	**4**	**5**	**8**	**10**	**21**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	2.4	6	<1	<1	1	3	5	8	13
20-34	370	3.3	18	<1	<1	2	4	7	13	22
35-49	302	3.6	25	<1	<1	2	4	7	12	26
50-64	216	4.7	33	<1	<1	3	5	11	16	31
65+	159	7.2	96	<1	1	3	10	18	24	62
2. MULTIPLE DX										
0-19 YRS	152	6.3	98	<1	<1	3	8	15	22	74
20-34	234	9.7	235	<1	1	4	10	22	47	90
35-49	218	11.6	192	<1	2	7	14	27	40	73
50-64	319	11.5	132	1	2	8	16	25	38	62
65+	454	14.6	195	2	3	10	20	36	51	99+
TOT. SINGLE DX	1435	3.8	30	<1	<1	2	4	9	14	27
" MULTIPLE DX	1377	11.7	183	1	2	7	15	29	44	91
TOTAL 0-19 YRS	540	3.5	36	<1	<1	2	3	8	12	24
20-34	604	5.8	112	<1	<1	2	6	13	21	66
35-49	520	7.0	111	<1	<1	3	8	17	25	56
50-64	535	8.8	104	<1	1	5	11	21	31	54
65+	613	12.7	181	1	2	8	17	32	47	99+
GRAND TOTAL	**2812**	**7.6**	**120**	**<1**	**<1**	**3**	**9**	**19**	**30**	**66**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	505	3.9	17	<1	1	2	5	8	11	21
20-34	446	5.0	33	<1	1	3	6	12	16	30
35-49	217	6.7	108	<1	1	4	7	12	25	54
50-64	179	8.0	104	1	1	5	10	18	24	52
65+	120	9.7	119	1	1	5	14	23	37	76
2. MULTIPLE DX										
0-19 YRS	727	5.7	63	1	1	3	7	14	20	48
20-34	918	6.7	92	<1	1	3	7	16	28	63
35-49	463	9.6	160	1	1	5	11	25	38	73
50-64	453	12.6	222	1	1	7	17	32	46	84
65+	547	18.6	407	1	2	12	27	62	86	99+
TOT. SINGLE DX	1467	5.6	58	<1	1	3	7	12	19	43
" MULTIPLE DX	3108	9.8	192	1	1	5	12	27	44	99+
TOTAL 0-19 YRS	1232	4.9	45	<1	1	3	6	11	17	40
20-34	1364	6.1	74	<1	1	3	7	14	23	52
35-49	680	8.7	145	1	1	4	10	23	35	68
50-64	632	11.3	193	1	1	6	14	28	40	81
65+	667	17.0	367	1	2	11	24	56	82	99+
GRAND TOTAL	**4575**	**8.5**	**153**	**1**	**1**	**4**	**10**	**22**	**37**	**86**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	9.9	99	1	1	7	14	24	33	44
20-34	92	10.9	180	1	1	7	13	25	34	76
35-49	31	10.9	54	1	2	11	16	19	26	29
50-64	39	15.9	253	1	1	11	17	25	48	85
65+	44	22.0	208	2	5	21	28	45	48	53
2. MULTIPLE DX										
0-19 YRS	70	20.0	314	2	3	16	26	39	65	87
20-34	87	23.0	302	2	5	19	33	54	89	99+
35-49	54	26.4	274	4	10	23	33	48	59	88
50-64	67	24.4	263	8	10	19	30	50	64	98
65+	99	37.7	593	9	14	31	55	87	98	99+
TOT. SINGLE DX	301	12.6	170	1	2	9	17	27	42	53
" MULTIPLE DX	377	27.0	411	3	7	22	36	60	86	99+
TOTAL 0-19 YRS	165	14.2	214	1	2	10	20	30	40	71
20-34	179	16.8	275	1	2	12	23	42	56	99+
35-49	85	20.7	249	2	3	18	29	38	52	81
50-64	106	20.5	283	2	4	17	26	41	61	93
65+	143	32.9	526	5	8	28	45	76	95	99+
GRAND TOTAL	**678**	**20.6**	**355**	**2**	**2**	**17**	**28**	**48**	**65**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.8	6	<1	1	2	4	6	8	12
20-34	30	6.6	124	1	1	3	6	14	25	59
35-49	17	3.4	14	1	1	2	3	7	13	17
50-64	8	18.6	421	3	3	13	21	54	66	66
65+	9	9.3	101	1	1	4	13	27	29	29
2. MULTIPLE DX										
0-19 YRS	13	8.5	76	1	1	6	12	22	28	30
20-34	28	17.3	314	2	2	11	31	52	58	99+
35-49	14	20.1	285	1	3	16	32	42	53	56
50-64	28	18.2	302	2	3	12	23	40	54	78
65+	7	24.9	452	5	6	27	71	99+	99+	99+
TOT. SINGLE DX	86	6.4	111	1	1	3	6	14	25	63
" MULTIPLE DX	90	17.3	287	2	2	11	28	50	61	99+
TOTAL 0-19 YRS	35	4.9	39	1	1	2	6	12	19	30
20-34	58	11.8	241	1	1	5	17	44	55	96
35-49	31	11.0	203	1	1	3	16	34	40	56
50-64	36	18.3	318	2	3	12	23	41	61	78
65+	16	16.1	298	1	2	10	29	88	99+	99+
GRAND TOTAL	**176**	**12.0**	**230**	**1**	**1**	**5**	**18**	**37**	**55**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	2.9	19	<1	<1	2	3	5	10	18
20-34	285	3.6	8	<1	<1	3	5	7	8	15
35-49	190	3.9	6	<1	<1	3	5	7	8	13
50-64	128	4.2	8	<1	2	4	5	7	9	16
65+	53	4.6	23	<1	1	3	6	9	9	26
2. MULTIPLE DX										
0-19 YRS	75	7.8	164	1	1	4	7	16	39	72
20-34	219	4.9	16	<1	1	4	6	8	11	17
35-49	206	6.5	54	1	2	5	7	11	16	43
50-64	198	5.7	31	1	2	4	7	10	16	30
65+	133	13.1	168	1	2	9	17	31	40	75
TOT. SINGLE DX	858	3.6	12	<1	<1	3	4	7	9	17
" MULTIPLE DX	831	7.1	74	<1	2	5	8	14	22	50
TOTAL 0-19 YRS	277	4.2	63	<1	<1	2	4	8	13	49
20-34	504	4.2	13	<1	<1	4	5	7	9	17
35-49	396	5.2	33	<1	1	4	6	9	12	27
50-64	326	5.1	23	<1	2	4	6	9	13	26
65+	186	10.7	141	1	2	6	13	27	36	69
GRAND TOTAL	**1689**	**5.3**	**45**	**<1**	**<1**	**4**	**6**	**10**	**15**	**39**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	8.4	64	1	2	5	12	24	32	99+
20-34	174	5.9	37	<1	1	4	7	14	18	31
35-49	239	5.6	29	<1	1	4	8	12	15	28
50-64	357	5.1	29	<1	1	3	8	11	15	23
65+	305	6.3	45	1	1	4	9	15	19	33
2. MULTIPLE DX										
0-19 YRS	31	9.8	95	1	2	8	13	24	48	99+
20-34	146	9.7	78	1	2	7	13	21	27	40
35-49	282	9.0	86	1	1	6	12	17	24	51
50-64	753	8.5	89	1	1	5	12	19	27	59
65+	1023	10.1	119	1	1	7	14	21	29	67
TOT. SINGLE DX	1109	5.8	36	1	1	4	8	13	18	31
" MULTIPLE DX	2233	9.4	103	1	1	7	13	20	28	61
TOTAL 0-19 YRS	65	9.1	79	1	2	7	13	24	35	99+
20-34	318	7.6	60	1	1	5	11	18	24	39
35-49	521	7.5	63	1	1	5	10	16	21	34
50-64	1110	7.4	73	1	1	4	10	17	24	47
65+	1328	9.2	105	1	1	6	13	20	27	62
GRAND TOTAL	3342	8.2	84	1	1	5	12	18	25	51

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7593	4.2	23	1	1	3	5	8	11	22
20-34	7145	4.4	26	1	1	3	5	9	12	24
35-49	3961	5.2	30	1	1	4	7	10	14	27
50-64	3463	6.7	49	2	2	5	8	13	18	37
65+	4256	9.2	89	2	2	7	11	18	26	60
2. MULTIPLE DX										
0-19 YRS	6419	6.1	54	1	1	4	7	12	17	39
20-34	5603	6.2	53	1	1	4	7	12	19	46
35-49	4884	7.8	66	1	1	5	10	16	21	43
50-64	7889	9.9	92	2	2	7	12	20	28	58
65+	17396	13.0	155	2	3	9	16	28	41	99+
TOT. SINGLE DX	26418	5.5	43	1	1	4	7	11	16	34
" MULTIPLE DX	42191	9.9	115	1	2	7	12	21	31	72
TOTAL 0-19 YRS	14012	5.1	39	1	1	3	6	10	14	31
20-34	12748	5.2	43	1	1	3	6	10	15	35
35-49	8845	6.6	52	1	1	5	8	14	18	38
50-64	11352	8.9	81	2	2	7	11	18	25	52
65+	21652	12.2	145	2	3	9	15	26	38	98
GRAND TOTAL	68609	8.2	91	1	1	5	10	17	26	60

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2910	5.5	42	1	1	4	6	11	17	35
20-34	1232	7.6	100	1	1	4	8	16	27	61
35-49	991	7.8	60	1	2	6	9	15	23	42
50-64	992	9.3	90	2	2	6	11	19	30	48
65+	1123	11.9	130	2	3	8	14	26	36	61
2. MULTIPLE DX										
0-19 YRS	2275	7.3	83	1	2	5	8	15	23	66
20-34	1158	8.9	124	1	2	6	10	19	29	84
35-49	1120	10.2	119	2	2	7	12	21	31	58
50-64	1916	12.1	158	2	3	8	14	25	36	79
65+	4372	15.5	218	3	4	11	19	35	54	99+
TOT. SINGLE DX	7248	7.7	80	1	2	5	9	16	25	47
" MULTIPLE DX	10841	11.9	170	2	3	8	14	27	41	89
TOTAL 0-19 YRS	5185	6.3	61	1	2	4	7	12	20	45
20-34	2390	8.2	113	1	2	5	9	18	28	67
35-49	2111	9.0	93	2	2	6	11	19	28	52
50-64	2908	11.1	137	2	3	8	13	23	34	70
65+	5495	14.8	203	3	4	10	18	33	50	99+
GRAND TOTAL	18089	10.2	138	1	2	7	12	23	34	76

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49										
50-64	5	4.6	23	1	1	3	6	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS	6	33.8	559	7	7	34	55	61	62	62
20-34	3	5.0	37	1	1	2	9	12	12	12
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	4	12.8	65	5	5	12	19	22	22	22
65+	2	39.5	1513	12	12	39	67	67	67	67
TOT. SINGLE DX	7	5.0	24	1	1	3	9	13	13	13
" MULTIPLE DX	17	21.1	488	1	1	12	29	61	65	67
TOTAL 0-19 YRS	6	33.8	559	7	7	34	55	61	62	62
20-34	5	5.4	31	1	1	2	11	12	12	12
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	9	8.2	55	1	1	5	14	20	22	22
65+	2	39.5	1513	12	12	39	67	67	67	67
GRAND TOTAL	**24**	**16.4**	**402**	**1**	**1**	**10**	**19**	**56**	**63**	**67**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	5.4	24	1	1	3	8	12	15	22
20-34	622	4.6	20	1	1	3	6	10	13	22
35-49	750	4.8	24	1	1	3	6	11	15	26
50-64	468	4.7	25	1	1	3	6	11	15	25
65+	121	5.9	46	1	1	3	8	15	20	35
2. MULTIPLE DX										
0-19 YRS	37	8.0	63	1	2	6	11	18	22	41
20-34	367	6.6	40	1	1	4	9	14	17	27
35-49	522	7.1	67	1	1	5	9	14	21	40
50-64	475	8.4	94	1	1	5	10	19	25	53
65+	208	12.5	141	1	1	10	17	28	42	59
TOT. SINGLE DX	2024	4.8	25	1	1	3	6	11	15	25
" MULTIPLE DX	1609	8.1	82	1	1	5	10	18	23	47
TOTAL 0-19 YRS	100	6.4	40	1	1	4	9	14	18	32
20-34	989	5.3	29	1	1	3	7	13	15	25
35-49	1272	5.7	44	1	1	3	7	12	17	29
50-64	943	6.5	64	1	1	4	8	15	21	38
65+	329	10.1	117	1	1	7	14	23	32	57
GRAND TOTAL	**3633**	**6.2**	**53**	**1**	**1**	**4**	**8**	**14**	**20**	**35**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	5.6	24	1	2	4	6	13	18	21
20-34	71	6.8	47	2	2	4	9	15	17	42
35-49	110	6.7	48	1	1	5	8	12	20	42
50-64	134	5.6	14	1	1	5	8	12	13	15
65+	109	6.9	160	1	1	3	8	13	19	84
2. MULTIPLE DX										
0-19 YRS	10	16.5	222	2	2	10	29	40	43	43
20-34	71	7.6	38	2	2	6	9	15	21	31
35-49	121	10.1	107	1	2	7	12	22	33	74
50-64	340	9.7	85	1	2	7	13	19	27	45
65+	343	10.0	130	1	1	8	12	21	29	91
TOT. SINGLE DX	445	6.4	64	1	1	4	8	12	16	48
" MULTIPLE DX	885	9.8	104	1	2	7	12	20	29	65
TOTAL 0-19 YRS	31	9.1	110	2	2	4	11	24	37	43
20-34	142	7.2	43	2	2	5	9	15	17	32
35-49	231	8.5	82	1	2	6	10	18	26	55
50-64	474	8.5	69	1	2	6	11	16	24	43
65+	452	9.3	140	1	1	7	12	19	28	91
GRAND TOTAL	**1330**	**8.6**	**94**	**1**	**1**	**6**	**11**	**17**	**24**	**59**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	10	7.0	28	1	1	5	10	15	18	18
50-64	23	6.3	39	1	1	2	11	16	18	20
65+	7	4.0	18	1	1	1	6	11	12	12
2. MULTIPLE DX										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	11.5	25	8	8	11	15	15	15	15
35-49	15	14.3	327	1	2	10	15	26	63	75
50-64	50	9.6	61	1	1	9	15	19	22	34
65+	16	10.6	72	1	1	13	18	21	22	23
TOT. SINGLE DX	40	6.1	33	1	1	4	10	15	17	20
" MULTIPLE DX	84	10.8	110	1	1	9	15	21	24	61
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	11.5	25	8	8	11	15	15	15	15
35-49	25	11.4	215	1	2	8	13	19	38	75
50-64	73	8.5	56	1	1	8	13	19	21	34
65+	23	8.6	64	1	1	5	16	20	22	23
GRAND TOTAL	**124**	**9.3**	**89**	**1**	**1**	**8**	**14**	**19**	**22**	**45**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10297	4.5	18	1	1	4	6	8	11	20
20-34	3666	4.3	27	1	1	3	5	8	11	27
35-49	1670	5.6	30	1	1	4	7	12	16	29
50-64	1812	6.9	40	1	1	5	9	14	19	32
65+	2548	8.7	79	1	2	6	11	18	25	68
2. MULTIPLE DX										
0-19 YRS	11622	6.2	40	1	2	5	7	12	16	34
20-34	3367	6.2	63	1	1	4	7	13	21	48
35-49	2591	7.2	63	1	2	5	9	14	21	40
50-64	4493	9.1	84	2	2	6	11	18	25	52
65+	10176	11.9	154	2	3	8	15	26	40	99+
TOT. SINGLE DX	19993	5.3	33	1	1	4	6	11	14	30
" MULTIPLE DX	32249	8.5	93	1	2	6	10	18	26	63
TOTAL 0-19 YRS	21919	5.4	31	1	1	4	6	10	14	29
20-34	7033	5.2	45	1	1	3	6	10	16	38
35-49	4261	6.6	51	1	1	5	8	13	19	37
50-64	6305	8.4	73	1	2	6	11	17	23	47
65+	12724	11.3	141	2	3	8	14	24	37	99+
GRAND TOTAL	**52242**	**7.3**	**72**	**1**	**2**	**5**	**9**	**15**	**22**	**52**

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
609	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

1.13

Geriatric Length of Stay by Diagnosis and Operation, United States, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data 1
Data Quality 2
Coverage 3
Organization of Length of Stay Tables 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients in Diagnosis Groups 17
Diagnosis Groups 1-398 18
Summary of All Patients in Operation Groups 218
Operation Groups 501-764 219
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Short-Term Nonfederal Hospitals Number in Books (3)	Short-Term Nonfederal Hospitals Percent in Books (4)	Beds U.S. Total[2] (5)	Beds Number in Books (6)	Beds Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activites, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses or procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM*.[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM*, Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 67 year old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, and *Volume 3, Procedures, Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. *Suspicion of life threatening disease, e.g.*			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. *Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)*			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystdocholithiasis — *see* Choledocholithiasis

Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0

Choleduchitis (suppurative) 576.1

Choledocholith — *see* Choledocholithiasis

Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Choiemic gallstone — *see* Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 385.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. Operated										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1629	6.5	24	2	2	5	8	12	15	23
70-74	1688	7.0	24	2	3	6	9	13	16	22
75-79	1639	7.8	32	2	3	6	10	15	18	30
80-84	1253	8.2	35	2	3	7	10	15	18	32
85+	1294	9.1	46	3	3	8	11	16	21	34
B. Operated										
65-69 YRS	6320	13.1	58	6	7	11	16	22	26	44
70-74	5233	14.5	70	6	7	12	17	24	30	50
75-79	3672	16.0	86	7	8	14	19	26	32	55
80-84	2020	18.2	104	8	9	16	22	30	38	59
85+	1293	19.9	137	8	9	17	24	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1465	5.3	16	1	2	5	7	9	11	17
B. Operated	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. Not Operated	7503	7.6	32	2	3	6	10	14	17	28
B. Operated	18538	15.1	82	6	7	13	18	25	32	52
1. SINGLE DX	8859	9.5	26	3	5	8	11	16	19	28
2. MULTIPLE DX	26041	12.9	79	3	5	11	16	23	29	48
A. NOT OPERATED	9168	7.3	30	2	3	6	9	13	17	28
B. OPERATED	25932	13.7	70	6	7	11	17	23	29	47
TOTAL 65-69 YRS	11701	10.8	47	3	5	9	13	18	23	36
70-74	9438	11.8	58	3	5	10	15	20	26	41
75-79	6749	12.9	75	3	5	11	16	23	28	45
80-84	3971	13.7	91	3	5	11	17	25	31	52
85+	3041	14.0	112	3	4	12	18	26	34	57
GRAND TOTAL	**34900**	**12.1**	**68**	**3**	**5**	**10**	**15**	**21**	**27**	**44**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. Operated										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. Operated										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. Operated										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41431	6.4	42	1	1	5	8	13	17	33
70-74	36426	6.6	44	1	2	5	8	13	18	34
75-79	28829	6.8	44	1	2	5	8	14	18	35
80-84	20098	7.0	45	1	2	5	9	14	18	35
85+	17602	7.2	47	1	2	5	9	14	19	36
B. *Operated*										
65-69 YRS	81260	5.8	33	1	1	4	8	13	16	27
70-74	69345	6.0	38	1	2	4	8	13	17	29
75-79	53584	6.2	44	1	2	3	8	14	19	31
80-84	32690	6.5	52	1	2	3	9	16	20	34
85+	21800	7.5	67	1	2	4	11	18	23	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	290713	8.2	55	2	2	6	10	16	21	39
70-74	307604	8.7	60	2	2	7	11	17	22	41
75-79	285303	9.2	66	2	3	7	11	18	24	44
80-84	223141	9.7	72	2	3	7	12	19	25	47
85+	207591	10.2	81	2	3	8	13	20	26	53
B. *Operated*										
65-69 YRS	230573	10.9	118	2	2	8	14	23	31	61
70-74	216064	11.6	130	2	2	9	15	24	34	64
75-79	175710	12.4	142	2	2	9	16	26	36	67
80-84	113818	13.5	160	2	2	10	18	29	39	74
85+	84679	14.7	172	2	2	12	19	31	42	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144286	6.7	44	1	2	5	8	13	18	34
B. *Operated*	258679	6.2	42	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	1314352	9.1	66	2	3	7	11	18	23	44
B. *Operated*	820844	12.2	139	2	2	9	16	26	35	67
1. SINGLE DX	402965	6.4	43	1	2	4	8	14	18	32
2. MULTIPLE DX	2135196	10.3	96	2	2	8	13	21	29	55
A. NOT OPERATED	1458638	8.8	64	2	2	7	11	17	23	43
B. OPERATED	1079523	10.7	122	2	2	8	14	23	32	61
TOTAL 65-69 YRS	643977	8.7	77	1	2	6	11	18	24	47
70-74	629439	9.3	84	2	2	7	12	19	26	50
75-79	543426	9.8	91	2	2	7	12	20	28	52
80-84	389747	10.4	100	2	2	8	13	21	29	56
85+	331572	11.0	107	2	2	8	14	22	30	61
GRAND TOTAL	**2538161**	**9.6**	**90**	**2**	**2**	**7**	**12**	**20**	**27**	**52**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	220	3.9	7	1	1	3	5	7	8	13
70-74	205	4.4	10	1	2	4	5	9	10	18
75-79	150	4.6	9	1	2	4	6	10	11	13
80-84	92	4.7	13	1	2	3	5	10	13	17
85+	95	4.4	13	1	1	4	5	8	11	22
B. *Operated*										
65-69 YRS	8	5.3	9	2	2	5	7	9	10	10
70-74	8	7.8	35	3	3	7	9	18	21	21
75-79	5	6.4	7	3	3	8	8	9	9	9
80-84	6	8.0	36	1	1	7	11	17	18	18
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1116	5.6	23	2	2	4	7	10	13	20
70-74	1250	5.9	22	2	2	5	7	11	14	24
75-79	1129	6.4	33	2	2	5	8	12	16	29
80-84	857	6.8	32	2	2	5	8	13	17	29
85+	738	7.3	42	2	2	6	9	14	18	33
B. *Operated*										
65-69 YRS	122	11.1	128	3	3	8	12	22	32	64
70-74	106	12.6	133	2	4	9	17	24	29	66
75-79	90	13.9	161	3	4	9	16	25	41	66
80-84	84	14.7	199	2	4	11	17	29	39	84
85+	45	12.2	71	2	4	9	18	27	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	4.3	10	1	2	4	5	8	10	16
B. *Operated*	28	6.8	20	2	2	6	8	11	18	21
2. MULTIPLE DX										
A. *Not Operated*	5090	6.3	30	2	2	5	8	12	15	27
B. *Operated*	447	12.8	144	3	4	9	16	25	33	73
1. SINGLE DX	790	4.4	11	1	2	4	5	8	11	17
2. MULTIPLE DX	5537	6.8	42	2	2	5	8	13	17	33
A. NOT OPERATED	5852	6.0	27	2	2	5	7	11	15	26
B. OPERATED	475	12.4	139	2	3	9	16	24	33	72
TOTAL 65-69 YRS	1466	5.8	32	1	2	4	7	11	14	27
70-74	1569	6.1	31	2	2	5	7	11	16	27
75-79	1374	6.7	42	2	2	5	8	12	17	35
80-84	1039	7.2	49	2	2	5	9	14	18	35
85+	879	7.2	42	2	2	5	9	14	18	33
GRAND TOTAL	**6327**	**6.5**	**39**	**2**	**2**	**5**	**8**	**12**	**16**	**30**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	10.5	39	2	4	10	14	18	21	31
70-74	27	13.0	126	3	3	13	16	19	33	59
75-79	21	11.6	81	3	4	9	16	21	31	42
80-84	19	9.3	27	1	2	9	12	17	20	21
85+	17	13.3	109	<1	2	10	22	29	34	36
B. *Operated*										
65-69 YRS	31	14.6	241	1	3	11	17	24	35	87
70-74	24	12.5	60	3	4	11	19	22	27	32
75-79	24	13.4	51	2	4	14	18	20	24	32
80-84	7	23.7	563	1	2	14	41	62	65	65
85+	4	6.0	22	3	3	4	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	101	15.3	142	3	5	11	21	28	39	61
70-74	129	15.0	180	2	4	11	20	31	53	75
75-79	94	15.8	176	3	4	13	20	35	53	99+
80-84	85	16.4	167	3	3	14	21	29	40	69
85+	83	17.5	152	4	6	15	21	33	43	68
B. *Operated*										
65-69 YRS	117	18.4	201	3	5	14	25	38	54	83
70-74	109	20.4	255	3	6	15	28	41	54	90
75-79	92	16.9	144	3	4	14	24	33	39	53
80-84	58	20.4	324	6	8	14	24	41	74	84
85+	43	24.0	235	6	8	21	33	46	55	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	11.5	75	2	3	10	15	21	28	48
B. *Operated*	90	14.0	160	2	3	12	17	23	32	78
2. MULTIPLE DX										
A. *Not Operated*	492	15.9	164	3	4	13	21	31	46	75
B. *Operated*	419	19.5	225	3	6	15	26	40	52	79
1. SINGLE DX	206	12.6	113	2	3	11	16	21	30	62
2. MULTIPLE DX	911	17.5	195	3	5	14	23	36	51	76
A. NOT OPERATED	608	15.0	150	3	4	12	19	29	43	71
B. OPERATED	509	18.5	218	3	5	14	24	39	51	80
TOTAL 65-69 YRS	281	16.0	171	3	4	13	20	31	45	71
70-74	289	16.7	201	3	4	13	21	38	51	81
75-79	231	15.6	143	3	4	13	20	32	42	87
80-84	169	17.3	229	3	4	14	20	31	49	75
85+	147	18.6	182	3	5	15	25	36	46	65
GRAND TOTAL	**1117**	**16.6**	**183**	**3**	**4**	**13**	**21**	**33**	**48**	**75**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	12.0	59	5	5	8	16	24	26	26
70-74	5	9.8	58	2	2	6	18	18	18	18
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	7	11.9	59	2	2	12	17	22	23	23
75-79	6	19.7	301	2	2	18	29	46	48	48
80-84	3	19.0	201	8	8	14	30	35	35	35
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	13.0	93	3	4	9	21	22	29	43
70-74	28	11.7	79	4	4	9	13	22	35	42
75-79	16	12.5	105	2	3	8	17	24	35	40
80-84	16	12.9	86	4	4	13	16	37	79	99+
85+	6	26.0	399	4	4	25	42	50	51	51
B. *Operated*										
65-69 YRS	32	22.2	393	3	3	18	30	52	87	99+
70-74	23	23.9	506	2	4	19	33	57	98	99+
75-79	23	23.7	382	2	2	22	27	62	84	99+
80-84	10	24.7	327	3	5	22	43	51	57	57
85+	7	24.9	589	4	4	18	34	64	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	11.6	50	3	4	9	18	19	24	26
B. *Operated*	17	15.5	163	2	2	14	21	34	43	48
2. MULTIPLE DX										
A. *Not Operated*	91	13.4	114	3	4	10	18	27	42	79
B. *Operated*	95	23.5	407	2	4	19	33	59	85	99+
1. SINGLE DX	31	13.7	112	2	3	12	18	27	35	48
2. MULTIPLE DX	186	18.5	288	3	4	14	24	45	64	99+
A. NOT OPERATED	105	13.1	105	3	4	10	18	24	41	73
B. OPERATED	112	22.2	377	2	3	18	29	54	76	99+
TOTAL 65-69 YRS	65	17.3	256	3	4	13	22	42	52	98
70-74	63	16.0	260	3	4	11	19	36	56	99+
75-79	46	19.2	282	2	2	15	24	52	63	99+
80-84	29	17.6	196	4	4	14	23	44	57	99+
85+	14	24.4	440	4	4	15	38	53	68	72
GRAND TOTAL	**217**	**17.8**	**265**	**3**	**4**	**14**	**23**	**43**	**58**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.4	3	2	2	3	4	6	6	6
70-74	5	3.4	1	2	2	3	4	5	5	5
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	3	2.3		2	2	2	3	3	3	3
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	5.1	6	2	3	5	6	9	10	11
70-74	25	5.6	13	2	2	4	7	9	15	17
75-79	14	6.3	21	2	2	5	8	14	16	17
80-84	12	7.5	18	3	3	6	11	13	16	16
85+	9	11.2	143	3	3	5	15	32	36	36
B. *Operated*										
65-69 YRS										
70-74	1	12.0		12	12	12	12	12	12	12
75-79	2	27.5	265	16	16	27	39	39	39	39
80-84										
85+	2	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.2	2	2	2	3	4	5	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	96	6.3	26	2	3	5	7	11	15	32
B. *Operated*	5	18.2	138	12	12	12	22	39	39	39
1. SINGLE DX	16	3.2	2	2	2	3	4	5	6	6
2. MULTIPLE DX	101	6.9	37	2	3	5	8	12	16	37
A. NOT OPERATED	112	5.8	23	2	2	5	7	11	14	30
B. OPERATED	5	18.2	138	12	12	12	22	39	39	39
TOTAL 65-69 YRS	41	4.9	6	2	2	5	6	9	10	11
70-74	31	5.5	13	2	2	4	7	10	14	17
75-79	19	8.1	78	2	2	5	9	17	29	39
80-84	15	6.5	19	2	2	6	10	12	15	16
85+	11	11.4	115	3	3	7	12	31	36	36
GRAND TOTAL	**117**	**6.4**	**33**	**2**	**2**	**5**	**7**	**13**	**16**	**37**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	51	9.9	51	3	1	8	11	19	35	99
70-74	57	10.1	41	2	3	9	13	16	25	31
75-79	40	9.9	69	4	4	8	11	12	22	53
80-84	45	9.4	31	3	4	8	13	19	21	26
85+	51	11.0	81	3	4	10	13	17	22	62
B. Operated										
65-69 YRS	2	13.0	39	8	8	11	18	20	20	20
70-74	5	23.0	352	7	7	16	36	52	52	52
75-79	5	13.0	12	11	11	12	14	19	19	19
80-84	2	38.5	181	29	29	38	48	48	48	48
85+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1066	12.6	76	4	5	10	15	23	31	53
70-74	1284	13.1	90	4	5	11	16	23	31	55
75-79	1377	14.0	118	4	5	11	17	25	33	61
80-84	1349	13.8	86	4	6	12	17	23	32	56
85+	1546	13.9	94	4	6	12	17	23	32	64
B. Operated										
65-69 YRS	366	23.4	278	7	9	18	29	47	67	88
70-74	372	22.3	262	6	8	18	28	47	62	99+
75-79	388	23.4	262	7	9	18	29	44	63	80
80-84	312	23.3	241	8	10	19	29	48	66	99+
85+	251	24.4	284	7	9	20	31	48	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	244	10.1	54	3	4	9	12	17	22	53
B. Operated	17	18.3	194	6	7	12	22	45	51	52
2. MULTIPLE DX										
A. Not Operated	6622	13.6	94	4	5	11	16	23	32	58
B. Operated	1689	23.3	265	7	9	18	29	47	65	99+
1. SINGLE DX	261	10.6	66	3	4	9	12	18	28	53
2. MULTIPLE DX	8311	15.6	144	4	6	12	18	29	40	76
A. NOT OPERATED	6866	13.5	93	4	5	11	16	23	31	58
B. OPERATED	1706	23.2	264	7	9	18	29	47	65	99+
TOTAL 65-69 YRS	1486	15.2	147	4	5	12	18	30	41	78
70-74	1718	15.2	140	4	6	12	18	29	39	70
75-79	1810	15.9	163	4	6	12	19	30	42	76
80-84	1708	15.4	128	5	6	13	18	28	39	77
85+	1850	15.3	132	4	6	12	18	28	38	75
GRAND TOTAL	**8572**	**15.4**	**142**	**4**	**6**	**12**	**18**	**29**	**40**	**76**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	24	5.3	9	2	3	4	7	10	11	12
70-74	13	5.4	6	2	3	5	7	8	10	11
75-79	21	6.4	13	1	2	6	9	12	12	13
80-84	13	8.5	23	4	4	7	9	16	20	21
85+	15	8.5	46	3	3	6	10	16	26	29
B. Operated										
65-69 YRS	7	14.3	116	3	3	15	25	27	27	27
70-74	7	13.6	69	5	6	12	17	28	30	30
75-79	4	11.8	33	5	5	11	15	19	19	19
80-84										
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	159	9.5	78	2	3	7	11	18	21	57
70-74	180	11.6	145	3	4	8	13	21	34	77
75-79	158	12.1	127	3	4	9	15	23	32	68
80-84	121	11.5	66	4	5	9	14	19	32	41
85+	124	10.6	107	3	3	9	12	18	24	99+
B. Operated										
65-69 YRS	51	21.4	282	3	4	15	28	45	59	72
70-74	64	19.7	323	4	5	14	22	44	64	82
75-79	45	20.8	200	5	6	18	28	44	49	63
80-84	35	21.7	281	4	8	16	27	44	62	68
85+	30	21.2	213	5	8	19	26	44	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	6.6	19	2	3	5	9	11	13	26
B. Operated	19	13.7	69	3	4	12	19		29	30
2. MULTIPLE DX										
A. Not Operated	742	11.1	108	3	4	8	13	20	31	70
B. Operated	225	20.8	264	4	5	16	26	44	60	82
1. SINGLE DX	105	7.9	35	2	3	6	10	15	20	29
2. MULTIPLE DX	967	13.3	141	3	4	9	16	27	40	74
A. NOT OPERATED	828	10.6	101	3	3	8	13	19	30	69
B. OPERATED	244	20.3	252	4	5	15	26	44	58	82
TOTAL 65-69 YRS	241	11.7	142	2	3	8	13	26	35	65
70-74	264	13.3	193	3	4	9	16	25	41	82
75-79	228	13.3	145	3	4	9	16	29	35	64
80-84	169	13.4	125	4	5	10	15	28	34	62
85+	170	12.3	136	3	4	10	15	22	37	99+
GRAND TOTAL	**1072**	**12.8**	**151**	**3**	**4**	**9**	**15**	**26**	**36**	**72**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	7.0	10	2	3	7	8	11	13	13
70-74	6	4.0	11	1	1	3	5	9	10	10
75-79	5	5.4	8	3	3	5	7	10	10	10
80-84	1	8.0	-	8	8	8	8	8	8	8
85+	3	6.7	14	4	4	5	9	11	11	11
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	11.5	149	3	4	8	12	20	40	61
70-74	22	11.9	61	3	4	10	12	24	30	34
75-79	13	10.8	59	2	3	8	16	24	26	26
80-84	5	9.0	22	2	2	10	13	13	13	13
85+	7	12.4	157	2	2	11	28	81	99+	99+
B. *Operated*										
65-69 YRS	5	11.8	110	3	3	9	14	30	30	30
70-74	5	16.6	122	5	5	15	23	34	34	34
75-79	5	13.6	55	8	8	10	18	26	26	26
80-84	3	21.0	109	14	14	16	29	33	33	33
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	5.9	10	1	2	5	8	10	12	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	69	11.4	91	2	3	9	13	24	34	92
B. *Operated*	18	15.2	91	4	6	12	19	32	34	34
1. SINGLE DX	24	5.9	10	1	2	5	8	10	12	13
2. MULTIPLE DX	87	12.2	92	2	3	10	15	26	34	3[illegible]
A. NOT OPERATED	93	10.0	76	2	3	8	12	21	28	[illegible]3
B. OPERATED	18	15.2	91	4	6	12	19	32	34	34
TOTAL 65-69 YRS	36	10.4	108	2	4	8	10	18	29	61
70-74	33	11.2	72	1	3	10	13	[illegible]	33	34
75-79	23	10.2	52	2	3	8	14	24	26	26
80-84	9	12.9	75	2	4	13	14	26	[illegible]3	33
85+	10	10.7	116	2	2	10	19	62	[illegible]7	99+
GRAND TOTAL	**111**	**10.8**	**81**	**2**	**3**	**9**	**13**	**24**	**33**	**76**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	155	6.3	20	2	2	5	8	11	14	27
70-74	147	6.5	20	1	2	6	8	12	13	24
75-79	145	6.4	17	2	2	6	8	11	15	22
80-84	78	8.4	31	2	2	7	11	16	20	27
85+	54	6.7	17	2	3	6	8	12	16	19
B. *Operated*										
65-69 YRS	16	6.9	26	1	2	5	9	14	19	21
70-74	10	6.5	21	2	2	5	7	14	17	17
75-79	9	6.9	19	2	2	6	11	12	13	13
80-84	5	5.4	15	2	2	5	7	12	12	12
85+	3	10.3	26	6	6	9	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	657	8.6	43	2	3	7	10	16	21	31
70-74	771	8.9	50	2	3	7	11	17	23	35
75-79	774	9.9	73	2	3	8	12	18	26	43
80-84	643	10.1	64	2	3	8	12	20	27	40
85+	535	11.3	87	2	3	9	14	22	27	60
B. *Operated*										
65-69 YRS	80	15.7	344	2	3	9	17	34	63	91
70-74	80	15.2	156	4	5	11	19	33	41	66
75-79	84	15.3	101	4	5	13	21	33	38	81
80-84	66	21.3	314	3	4	17	25	46	61	88
85+	53	15.3	174	2	4	12	17	35	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	6.7	21	2	2	6	8	12	15	24
B. *Operated*	43	6.9	22	2	2	5	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	3380	9.7	63	2	3	8	12	19	25	41
B. *Operated*	363	16.4	219	3	4	12	20	36	45	86
1. SINGLE DX	622	6.7	21	2	2	6	8	12	15	24
2. MULTIPLE DX	3743	10.3	82	2	3	8	12	20	27	46
A. NOT OPERATED	3959	9.3	58	2	3	7	11	18	24	38
B. OPERATED	406	15.4	207	3	3	11	19	34	43	81
TOTAL 65-69 YRS	908	8.8	70	2	3	7	10	16	23	43
70-74	1008	9.1	58	2	3	7	11	18	23	39
75-79	1012	9.8	71	2	3	8	12	19	26	42
80-84	792	10.8	91	2	3	8	13	21	29	47
85+	645	11.3	91	2	3	9	14	22	27	59
GRAND TOTAL	**4365**	**9.8**	**75**	**2**	**3**	**8**	**12**	**19**	**26**	**44**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	30	8.1	46	2	3	7	9	12	15	40
70-74	24	7.7	12	2	3	8	10	12	13	13
75-79	17	6.2	6	2	4	6	8	9	10	10
80-84	8	6.6	5	3	3	7	8	9	10	10
85+	6	9.0	62	2	2	5	18	20	20	20
B. Operated										
65-69 YRS	7	11.6	60	<1	<1	15	16	21	22	22
70-74	6	8.8	70	4	4	5	11	24	25	25
75-79	3	7.3	102	1	1	2	15	19	19	19
80-84										
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	130	9.4	55	2	3	8	12	16	23	39
70-74	114	10.9	50	3	4	10	14	20	25	37
75-79	64	10.4	30	3	4	9	13	18	21	27
80-84	33	13.5	139	4	4	10	13	28	40	58
85+	45	10.4	31	4	4	9	13	19	21	27
B. Operated										
65-69 YRS	42	15.1	165	3	4	12	19	29	46	59
70-74	25	13.3	137	1	2	10	18	28	37	54
75-79	21	18.1	372	4	5	13	19	34	61	92
80-84	6	15.8	207	3	3	12	24	38	40	40
85+	5	16.6	5	14	14	16	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	7.5	25	2	3	7	9	12	14	33
B. Operated	17	9.9	60	<1	1	10	15	21	24	25
2. MULTIPLE DX										
A. Not Operated	386	10.5	54	3	4	9	13	18	24	39
B. Operated	99	15.4	192	2	4	13	19	31	39	75
1. SINGLE DX	102	7.9	31	2	3	7	10	14	18	32
2. MULTIPLE DX	485	11.5	86	3	4	9	14	21	28	56
A. NOT OPERATED	471	10.0	50	3	4	8	13	18	23	39
B. OPERATED	116	14.6	176	2	3	12	18	28	38	70
TOTAL 65-69 YRS	209	10.5	80	2	3	8	13	19	26	57
70-74	169	10.7	60	3	3	9	13	20	25	39
75-79	105	11.2	107	2	4	9	13	19	25	61
80-84	47	12.6	128	4	4	10	13	25	40	58
85+	57	10.8	34	4	4	9	15	19	20	27
GRAND TOTAL	**587**	**10.9**	**78**	**3**	**4**	**9**	**14**	**19**	**25**	**49**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79	2	5.5	5	4	4	5	7	7	7	7
80-84	1	15.0		15	15	15	15	15	15	15
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	6.7	14	2	2	8	10	11	11	11
70-74	1	42.0		42	42	42	42	42	42	42
75-79	6	7.5	7	4	4	7	8	12	12	12
80-84	3	4.0	3	2	2	5	5	5	5	5
85+										
B. Operated										
65-69 YRS	2	8.5	5	7	7	8	10	10	10	10
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	8.3	22	4	4	7	11	15	15	15
B. Operated										
2. MULTIPLE DX										
A. Not Operated	17	8.6	84	2	2	7	9	12	31	42
B. Operated	4	12.0	66	7	7	9	17	24	24	24
1. SINGLE DX	4	8.3	22	4	4	7	11	15	15	15
2. MULTIPLE DX	21	9.2	79	2	2	7	10	17	32	42
A. NOT OPERATED	21	8.5	70	2	2	7	9	13	27	42
B. OPERATED	4	12.0	66	7	7	9	17	24	24	24
TOTAL 65-69 YRS	10	7.1	10	2	2	8	10	11	11	11
70-74	2	24.5	613	7	7	24	42	42	42	42
75-79	8	7.0	7	4	4	7	8	11	12	12
80-84	4	6.8	32	2	2	5	10	15	15	15
85+	1	24.0		24	24	24	24	24	24	24
GRAND TOTAL	**25**	**9.1**	**68**	**2**	**2**	**7**	**10**	**15**	**28**	**42**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	13	2.8	4	<1	1	2	4	6	6	6
70-74	8	2.0	1	<1	<1	2	3	4	4	4
75-79	10	3.2	4	<1	<1	3	5	6	7	7
80-84	4	3.5	2	2	2	3	4	5	5	5
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	2.5	5	1	1	2	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	33	4.8	18	1	2	4	5	8	15	22
70-74	13	5.9	16	<1	1	5	9	11	12	12
75-79	16	4.6	8	2	2	4	6	9	11	12
80-84	7	6.0	19	1	1	4	10	12	12	12
85+	3	8.0	21	4	4	7	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	36	2.8	3	<1	1	2	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*	72	5.2	15	1	2	4	7	11	12	21
1. SINGLE DX	38	2.7	3	<1	<1	2	4	6	6	7
2. MULTIPLE DX	77	5.0	15	1	1	4	6	11	12	20
A. NOT OPERATED	7	1.7	1	<1	<1	1	2	4	4	4
B. OPERATED	108	4.4	12	1	1	3	6	9	12	19
TOTAL 65-69 YRS	49	4.0	14	1	1	3	5	7	9	22
70-74	22	4.3	13	<1	1	3	7	10	11	12
75-79	27	3.9	7	1	1	3	6	7	9	12
80-84	13	4.7	13	1	1	4	5	12	12	12
85+	4	6.8	20	3	3	5	10	13	13	13
GRAND TOTAL	**115**	**4.2**	**12**	**1**	**1**	**3**	**5**	**9**	**12**	**18**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	4.0	10	1	1	3	5	7	9	18
70-74	63	5.1	29	1	2	3	7	9	11	37
75-79	72	5.4	21	2	2	4	6	10	15	25
80-84	62	5.0	9	1	2	4	6	9	12	14
85+	41	4.0	4	2	2	3	5	8	8	9
B. *Operated*										
65-69 YRS	6	9.0	74	2	2	6	11	24	25	25
70-74	5	10.0	102	2	2	4	17	26	26	26
75-79	3	7.7	32	3	3	6	12	14	14	14
80-84	4	8.5	30	2	2	8	12	15	15	15
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	698	5.8	24	2	2	5	7	11	14	24
70-74	755	5.9	16	2	2	5	7	11	14	20
75-79	713	6.2	27	2	2	5	7	12	15	29
80-84	540	6.1	17	2	2	5	8	11	14	22
85+	496	7.3	48	2	2	5	8	14	19	38
B. *Operated*										
65-69 YRS	62	12.4	150	2	3	8	15	33	43	95
70-74	47	13.7	222	3	4	10	15	21	40	84
75-79	57	15.9	258	3	3	9	21	39	58	67
80-84	28	20.0	271	3	4	17	24	44	53	76
85+	19	8.7	24	1	2	8	12	15	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	4.7	15	1	2	4	6	8	10	24
B. *Operated*	19	9.4	56	2	2	7	14	22	26	26
2. MULTIPLE DX										
A. *Not Operated*	3202	6.2	26	2	2	5	7	11	15	25
B. *Operated*	213	14.3	205	2	3	9	18	33	46	79
1. SINGLE DX	359	4.9	18	1	2	4	6	9	12	25
2. MULTIPLE DX	3415	6.7	41	2	2	5	8	13	17	35
A. NOT OPERATED	3542	6.0	25	2	2	5	7	11	15	25
B. OPERATED	232	13.9	194	2	3	9	17	31	45	77
TOTAL 65-69 YRS	868	6.1	35	1	2	5	7	11	15	34
70-74	870	6.3	32	2	2	5	8	12	15	24
75-79	845	6.8	47	2	2	5	8	13	18	39
80-84	634	6.6	36	2	2	5	8	12	17	26
85+	557	7.1	44	2	2	5	8	14	18	36
GRAND TOTAL	**3774**	**6.5**	**39**	**2**	**2**	**5**	**8**	**12**	**16**	**34**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	7.0	14	3	3	7	10	12	12	12
70-74	6	7.0	10	4	4	6	8	12	13	13
75-79	3	5.3	8	2	2	7	7	7	7	7
80-84	2	11.0	18	8	8	11	14	14	14	14
85+	3	5.3	17	2	2	4	8	10	10	10
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	7.3	42	1	2	5	7	16	24	26
70-74	19	9.4	15	4	5	9	10	16	18	18
75-79	7	10.9	50	5	5	8	12	23	26	26
80-84	7	8.0	17	1	2	9	11	13	13	13
85+	2	8.5	61	3	3	8	14	14	14	14
B. *Operated*										
65-69 YRS	2	18.0	72	12	12	18	24	24	24	24
70-74	2	29.0	882	8	8	29	50	50	50	50
75-79	3	6.7	6	4	4	7	8	9	9	9
80-84	2	18.0	32	14	14	18	22	22	22	22
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.9	13	2	2	7	9	12	13	14
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	49	8.8	28	3	3	8	11	15	18	26
B. *Operated*	9	16.7	201	4	5	12	22	40	50	50
1. SINGLE DX	21	6.7	13	2	2	6	9	12	13	14
2. MULTIPLE DX	58	10.0	60	3	4	8	12	18	25	48
A. NOT OPERATED	69	8.2	24	2	3	7	10	14	17	26
B. OPERATED	10	15.2	200	2	3	10	22	37	50	50
TOTAL 65-69 YRS	22	8.2	43	2	3	6	12	18	25	26
70-74	28	10.0	76	4	4	8	10	16	21	50
75-79	13	8.6	34	2	4	7	9	16	24	26
80-84	11	10.4	31	1	3	10	14	17	22	22
85+	5	6.6	27	2	2	4	11	14	14	14
GRAND TOTAL	**79**	**9.1**	**50**	**2**	**3**	**8**	**11**	**15**	**23**	**43**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.2	10	1	1	3	7	8	8	8
70-74	14	5.7	32	1	1	3	11	16	17	17
75-79	4	4.3	3	2	2	4	5	6	6	6
80-84	4	6.8	38	1	1	6	12	13	13	13
85+	3	6.3	1	5	5	7	7	7	7	7
B. *Operated*										
65-69 YRS	3	1.0		<1	<1	1	1	1	1	1
70-74	2	5.5	25	2	2	5	9	9	9	9
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	2	3.0	2	2	2	3	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	10.3	45	1	2	9	15	21	22	25
70-74	42	9.7	172	1	2	7	12	17	47	99+
75-79	33	10.5	97	3	3	7	13	20	27	53
80-84	27	10.7	59	1	2	9	14	18	30	34
85+	10	7.9	33	<1	1	7	11	16	20	20
B. *Operated*										
65-69 YRS	15	9.6	80	1	2	6	12	25	29	31
70-74	11	15.8	222	3	4	10	20	40	51	52
75-79	13	18.9	284	2	2	16	39	61	91	99+
80-84	5	16.4	327	2	2	6	34	39	39	39
85+	1	30.0		30	30	30	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	5.5	21	1	1	4	7	12	16	17
B. *Operated*	9	3.0	7	<1	<1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*	151	10.1	92	1	2	8	13	19	25	84
B. *Operated*	45	15.0	203	2	2	10	23	39	53	99+
1. SINGLE DX	39	4.9	18	1	1	4	7	11	15	17
2. MULTIPLE DX	196	11.2	121	1	2	9	14	24	34	93
A. NOT OPERATED	181	9.3	83	1	2	7	13	18	24	75
B. OPERATED	54	13.0	190	1	2	9	18	39	49	98
TOTAL 65-69 YRS	62	9.2	53	1	1	8	12	21	24	30
70-74	69	9.8	153	1	2	7	12	18	32	97
75-79	52	11.9	149	2	3	7	15	29	51	99
80-84	38	10.6	90	1	2	9	13	26	34	39
85+	14	9.1	59	1	2	7	11	21	28	30
GRAND TOTAL	**235**	**10.2**	**109**	**1**	**2**	**7**	**13**	**21**	**32**	**87**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	13.3	507	<1	<1	6	8	53	64	64
70-74	14	5.2	16	1	1	4	9	10	12	12
75-79	4	9.5	51	2	2	9	15	17	17	17
80-84	2	10.0	32	6	6	10	14	14	14	14
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	28	9.7	243	1	1	7	11	16	25	85
70-74	13	7.4	60	1	1	7	9	14	28	31
75-79	7	7.7	31	2	2	7	9	17	19	19
80-84	3	8.0	127	1	1	2	16	21	21	21
85+	2	7.5	85	<1	<1	7	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	9.7	100	<1	1	8	12	18	25	61
70-74	96	10.5	103	1	3	8	13	19	27	64
75-79	70	10.4	136	2	3	9	13	19	27	98
80-84	50	10.1	32	3	4	9	15	18	19	25
85+	61	13.1	146	3	4	9	15	27	34	65
B. *Operated*										
65-69 YRS	93	14.8	218	1	2	10	17	38	49	67
70-74	62	18.8	317	3	4	14	26	44	81	99+
75-79	40	20.0	327	2	3	14	29	53	68	99+
80-84	29	21.2	501	4	5	12	29	65	99	99+
85+	20	17.8	288	2	2	13	24	40	56	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	8.4	139	1	1	6	10	14	22	64
B. *Operated*	53	8.7	151	1	1	7	10	16	21	83
2. MULTIPLE DX										
A. *Not Operated*	361	10.7	106	2	3	8	13	19	26	73
B. *Operated*	244	17.7	301	2	3	12	23	43	65	99+
1. SINGLE DX	81	8.6	145	1	1	7	10	15	20	78
2. MULTIPLE DX	605	13.5	196	2	3	10	16	30	44	94
A. NOT OPERATED	389	10.5	109	1	3	8	13	19	25	71
B. OPERATED	297	16.1	285	1	2	11	19	41	60	99+
TOTAL 65-69 YRS	212	12.1	186	<1	2	8	14	25	41	72
70-74	185	12.7	184	1	3	9	15	30	43	96
75-79	121	13.4	209	2	3	10	15	31	53	99+
80-84	84	13.9	220	3	4	10	17	25	45	99+
85+	84	14.0	178	2	3	10	16	32	40	69
GRAND TOTAL	**686**	**12.9**	**192**	**1**	**2**	**9**	**15**	**29**	**42**	**90**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	2	3.0		3	3	3	3	3	3	3
75-79										
80-84	3	8.3	37	3	3	7	13	15	15	15
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	12.3	217	1	1	7	23	29	29	29
70-74	5	13.2	101	4	4	9	18	30	30	30
75-79	5	8.0	22	5	5	6	10	16	16	16
80-84	1	5.0		5	5	5	5	5	5	5
85+	4	6.8	30	4	4	4	10	15	15	15
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	3	6.7	2	5	5	7	8	8	8	8
75-79	6	18.5	160	8	8	13	29	38	39	39
80-84	1	6.0		6	6	6	6	6	6	6
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.4	20	3	3	3	6	13	15	15
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	18	9.7	69	2	4	6	14	25	30	30
B. *Operated*	11	12.7	125	3	4	8	14	33	38	39
1. SINGLE DX	9	4.6	18	1	1	3	5	12	15	15
2. MULTIPLE DX	29	10.9	89	3	4	8	14	29	30	39
A. NOT OPERATED	25	8.5	58	2	3	5	10	16	29	30
B. OPERATED	13	11.0	122	1	2	8	12	31	37	39
TOTAL 65-69 YRS	7	7.0	98	1	1	3	6	25	29	29
70-74	10	9.2	65	3	3	7	9	22	30	30
75-79	12	12.7	121	1	4	9	15	32	38	39
80-84	5	7.2	21	3	3	6	9	15	15	15
85+	4	6.8	30	4	4	4	10	15	15	15
GRAND TOTAL	**38**	**9.4**	**78**	**2**	**3**	**6**	**11**	**25**	**30**	**39**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	7.4	15	3	3	6	9	14	15	15
70-74	4	8.0	103	1	1	4	14	23	23	23
75-79	4	4.3	7	2	2	3	6	8	8	8
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
65-69 YRS	16	6.8	12	2	3	6	8	12	14	15
70-74	7	4.6	13	<1	<1	4	6	10	11	11
75-79	2	7.5	61	2	2	7	13	13	13	13
80-84	3	15.0	121	4	4	15	23	26	26	26
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	10.1	51	3	4	8	12	20	23	38
70-74	48	7.6	27	3	3	6	10	14	21	22
75-79	42	11.0	100	3	3	8	12	21	36	48
80-84	22	10.0	79	2	3	8	10	23	35	35
85+	36	11.3	61	3	4	10	16	21	25	37
B. *Operated*										
65-69 YRS	54	13.1	115	2	3	10	20	26	40	98
70-74	44	16.6	250	2	3	11	21	44	53	65
75-79	22	15.9	118	2	5	13	23	31	38	44
80-84	13	13.4	28	5	6	14	16	21	23	24
85+	2	9.5	41	5	5	9	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	6.6	28	1	2	5	8	13	20	23
B. *Operated*	28	7.1	30	1	2	6	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	211	9.9	61	3	3	8	12	21	23	41
B. *Operated*	135	14.7	150	2	3	12	20	31	44	70
1. SINGLE DX	46	6.9	28	1	2	5	9	14	17	26
2. MULTIPLE DX	346	11.8	101	3	3	9	14	23	35	51
A. NOT OPERATED	229	9.7	59	3	3	8	11	21	23	40
B. OPERATED	163	13.4	137	2	3	10	17	28	41	64
TOTAL 65-69 YRS	140	10.7	74	2	3	8	13	22	28	55
70-74	103	11.3	144	2	3	7	14	24	39	62
75-79	70	12.1	106	2	3	9	14	27	34	47
80-84	39	11.4	64	2	3	9	15	22	31	35
85+	40	11.0	58	3	4	10	14	21	24	37
GRAND TOTAL	**392**	**11.2**	**95**	**2**	**3**	**8**	**14**	**23**	**31**	**51**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	3	10.3	72	2	2	10	17	19	19	19
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	6.6	22	1	2	6	9	14	15	15
70-74	4	11.3	174	4	4	5	18	31	31	31
75-79	7	8.1	11	3	3	9	11	12	12	12
80-84	5	5.6	2	4	4	5	6	8	8	8
85+	3	10.0	43	3	3	11	15	16	16	16
B. *Operated*										
65-69 YRS	6	27.7	272	7	7	28	43	47	48	48
70-74	6	15.0	435	<1	<1	3	30	49	51	51
75-79	3	6.3	10	4	4	5	9	10	10	10
80-84	1	2.0		2	2	2	2	2	2	2
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	3	10.3	72	2	2	10	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	28	7.8	36	2	3	6	10	14	17	31
B. *Operated*	16	17.3	322	<1	2	8	30	47	50	51
1. SINGLE DX	4	9.0	55	2	2	7	14	19	19	19
2. MULTIPLE DX	44	11.3	156	1	2	6	12	30	44	51
A. NOT OPERATED	29	7.7	35	3	3	6	10	14	17	31
B. OPERATED	19	16.2	283	1	2	10	29	46	50	51
TOTAL 65-69 YRS	16	14.4	216	2	3	7	21	42	46	48
70-74	13	12.8	242	<1	1	5	22	35	48	51
75-79	10	7.6	10	3	3	8	10	11	12	12
80-84	6	5.0	4	2	2	5	6	8	8	8
85+	3	10.0	43	3	3	11	15	16	16	16
GRAND TOTAL	**48**	**11.1**	**147**	**2**	**2**	**6**	**12**	**30**	**43**	**51**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	5.5	25	1	1	4	7	12	17	25
70-74	31	4.8	31	1	1	2	6	10	15	28
75-79	22	7.5	63	1	2	5	11	15	26	37
80-84	17	5.8	27	1	1	5	6	16	19	19
85+	9	8.6	35	2	2	7	12	18	19	19
B. *Operated*										
65-69 YRS	340	6.8	75	1	1	4	8	15	20	42
70-74	261	6.0	45	1	1	3	7	16	19	31
75-79	175	5.0	27	1	2	4	5	10	13	31
80-84	123	6.1	39	1	1	4	8	15	20	31
85+	61	7.3	89	1	1	5	8	15	22	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	258	8.7	83	1	2	6	11	18	28	54
70-74	207	9.2	104	1	2	6	11	23	31	66
75-79	120	11.5	146	1	2	7	14	29	40	56
80-84	79	10.2	80	1	2	7	14	24	31	40
85+	74	11.5	96	2	3	9	14	23	33	53
B. *Operated*										
65-69 YRS	763	13.4	228	2	2	9	17	32	54	99+
70-74	580	13.1	204	2	2	9	17	30	45	81
75-79	411	13.4	239	1	2	8	18	35	55	99+
80-84	243	11.2	130	2	2	7	15	26	34	57
85+	167	11.3	133	2	2	7	14	26	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	5.9	34	1	1	4	7	13	18	30
B. *Operated*	960	6.2	54	1	1	4	7	14	19	41
2. MULTIPLE DX										
A. *Not Operated*	738	9.7	101	1	2	7	12	22	31	55
B. *Operated*	2164	12.9	206	2	2	8	17	30	48	94
1. SINGLE DX	1093	6.2	52	1	1	4	7	14	19	38
2. MULTIPLE DX	2902	12.1	181	1	2	8	15	28	42	83
A. NOT OPERATED	871	9.1	92	1	2	6	11	20	30	54
B. OPERATED	3124	10.9	169	1	2	6	14	25	39	81
TOTAL 65-69 YRS	1415	10.7	166	1	2	6	13	25	39	92
70-74	1079	10.4	151	1	2	6	13	24	34	75
75-79	728	10.9	179	1	2	6	13	27	44	80
80-84	462	9.5	99	1	2	6	13	21	29	54
85+	311	10.5	114	1	2	7	14	23	34	56
GRAND TOTAL	**3995**	**10.5**	**153**	**1**	**2**	**6**	**13**	**24**	**37**	**77**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	5.1	20	1	1	3	7	13	14	18
70-74	23	9.2	92	2	3	5	11	14	27	49
75-79	29	6.0	22	2	2	5	7	12	16	22
80-84	11	7.4	21	1	2	8	10	14	17	17
85+	8	15.0	275	3	3	7	25	42	44	44
B. *Operated*										
65-69 YRS	78	12.1	136	1	1	8	20	30	39	46
70-74	62	9.9	71	1	1	6	16	20	26	40
75-79	52	10.3	63	2	3	8	14	22	28	36
80-84	26	11.9	138	1	1	8	20	28	38	44
85+	19	14.2	374	2	3	7	16	34	65	83
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	166	8.5	72	1	2	6	9	20	29	43
70-74	144	9.2	66	1	2	7	12	18	22	44
75-79	108	12.4	186	2	3	8	14	26	42	77
80-84	72	8.9	52	1	2	7	12	18	25	38
85+	42	10.4	112	2	3	7	14	20	26	62
B. *Operated*										
65-69 YRS	381	20.8	352	2	4	15	28	47	63	94
70-74	291	18.7	306	2	3	14	26	47	62	95
75-79	178	18.9	332	2	3	14	25	51	73	99+
80-84	114	19.8	363	2	3	14	28	45	66	84
85+	77	18.8	197	3	3	15	27	42	49	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	7.1	58	1	2	5	9	14	17	46
B. *Operated*	237	11.3	121	1	2	7	16	25	33	45
2. MULTIPLE DX										
A. *Not Operated*	532	9.7	95	1	2	7	12	20	29	46
B. *Operated*	1041	19.7	319	2	3	14	26	47	63	99+
1. SINGLE DX	347	10.0	105	1	2	6	13	23	31	45
2. MULTIPLE DX	1573	16.3	265	2	3	11	22	39	53	89
A. NOT OPERATED	642	9.2	90	1	2	6	11	19	28	47
B. OPERATED	1278	18.1	293	2	3	13	24	42	58	95
TOTAL 65-69 YRS	664	15.8	273	2	2	10	21	38	50	88
70-74	520	14.4	223	2	2	10	19	34	49	85
75-79	367	14.7	244	2	3	10	19	37	55	99+
80-84	223	14.8	215	1	2	10	20	35	46	75
85+	146	15.6	208	3	3	10	21	38	45	63
GRAND TOTAL	**1920**	**15.1**	**242**	**2**	**2**	**10**	**20**	**36**	**49**	**87**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	7.6	112	1	2	4	7	14	35	49
70-74	28	8.4	150	1	1	5	8	15	27	65
75-79	25	6.4	40	1	1	5	8	15	23	24
80-84	20	7.3	33	1	2	6	9	15	21	25
85+	17	9.5	64	1	2	7	11	24	26	27
B. *Operated*										
65-69 YRS	101	14.1	79	1	3	13	19	25	30	40
70-74	113	15.5	152	1	4	13	21	28	32	81
75-79	81	15.7	81	4	6	14	19	28	34	47
80-84	51	13.0	93	2	3	12	20	26	31	46
85+	31	19.0	145	2	6	18	23	32	35	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	236	8.5	83	1	2	6	10	19	22	47
70-74	229	9.2	54	2	3	7	12	20	24	34
75-79	206	9.8	70	2	3	7	12	20	28	42
80-84	162	10.2	87	2	3	7	12	22	33	44
85+	170	11.0	125	2	3	8	13	20	28	69
B. *Operated*										
65-69 YRS	656	19.8	184	4	7	17	25	37	47	70
70-74	604	21.1	215	4	7	18	26	40	50	86
75-79	613	21.0	172	5	8	18	27	39	48	73
80-84	408	21.2	189	5	8	19	26	41	53	99+
85+	263	20.4	171	4	6	18	27	38	49	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	7.7	83	1	1	5	9	16	25	55
B. *Operated*	377	15.1	110	2	3	13	20	27	32	50
2. MULTIPLE DX										
A. *Not Operated*	1003	9.6	82	2	2	7	12	20	26	44
B. *Operated*	2544	20.7	188	4	7	18	26	39	49	76
1. SINGLE DX	492	13.4	113	1	2	11	19	25	31	50
2. MULTIPLE DX	3547	17.6	183	3	4	15	23	35	45	73
A. NOT OPERATED	1118	9.4	82	1	2	7	11	20	26	45
B. OPERATED	2921	20.0	181	4	7	17	25	37	48	74
TOTAL 65-69 YRS	1018	16.3	173	2	3	14	22	33	43	65
70-74	974	17.3	195	3	4	15	22	32	43	79
75-79	925	17.6	162	3	4	15	24	34	43	61
80-84	641	17.3	177	3	4	15	23	36	46	81
85+	481	16.6	170	3	4	13	22	33	41	67
GRAND TOTAL	**4039**	**17.1**	**176**	**2**	**4**	**14**	**23**	**34**	**44**	**71**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	5	7.6	22	5	5	6	9	16	16	16
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	4	17.5	118	8	8	14	24	33	33	33
70-74	3	12.3	60	6	6	10	18	21	21	21
75-79	10	14.3	36	8	8	13	18	24	25	25
80-84	3	20.7	26	15	15	22	24	25	25	25
85+	4	20.3	340	1	1	21	36	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	5.1	4	2	3	5	6	8	9	11
70-74	23	8.0	53	1	2	5	11	21	25	26
75-79	7	16.3	350	3	3	11	16	49	57	57
80-84	11	12.4	126	1	2	8	23	30	30	30
85+	4	15.5	415	4	4	6	26	46	46	46
B. *Operated*										
65-69 YRS	84	20.8	179	7	8	18	26	41	61	99+
70-74	75	22.1	273	7	9	16	25	46	59	88
75-79	85	18.8	99	7	8	16	23	31	39	52
80-84	48	22.9	231	8	10	19	26	51	60	99+
85+	30	22.8	176	10	11	20	27	40	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.8	21	3	3	5	6	15	16	16
B. *Operated*	24	16.4	90	4	7	14	22	33	36	37
2. MULTIPLE DX										
A. *Not Operated*	77	8.6	93	1	2	5	9	20	29	54
B. *Operated*	322	21.1	187	7	9	17	26	41	55	95
1. SINGLE DX	30	14.5	90	3	5	13	21	29	35	37
2. MULTIPLE DX	399	18.7	193	3	5	15	24	37	51	84
A. NOT OPERATED	83	8.4	88	2	3	5	9	18	27	53
B. OPERATED	346	20.8	182	7	8	17	25	40	53	94
TOTAL 65-69 YRS	120	16.5	177	3	4	13	22	33	50	99+
70-74	106	18.1	245	3	4	15	21	36	53	82
75-79	102	18.2	109	6	8	15	23	31	39	56
80-84	62	21.0	216	4	7	17	25	46	57	97
85+	39	21.3	208	2	4	19	28	41	45	68
GRAND TOTAL	**429**	**18.4**	**187**	**3**	**5**	**15**	**23**	**36**	**49**	**78**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	5.2	20	1	1	4	6	10	16	22
70-74	53	4.9	17	1	1	4	6	10	14	19
75-79	61	7.0	39	1	2	5	8	14	19	34
80-84	39	6.5	66	1	1	4	6	13	24	44
85+	23	5.7	19	1	2	4	8	12	16	19
B. *Operated*										
65-69 YRS	595	12.8	41	3	7	12	15	20	23	35
70-74	603	13.3	46	3	8	12	16	21	25	41
75-79	500	13.9	58	4	8	12	16	21	27	43
80-84	297	15.4	60	7	9	14	18	24	27	50
85+	180	16.2	118	3	8	15	20	28	32	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	657	9.2	95	2	2	6	11	20	28	48
70-74	689	9.3	84	2	2	6	11	19	25	54
75-79	580	9.7	80	1	2	7	13	22	28	44
80-84	438	9.8	78	2	2	7	13	21	27	47
85+	403	11.2	100	2	3	8	14	22	32	51
B. *Operated*										
65-69 YRS	3113	16.9	106	6	8	14	20	29	35	61
70-74	3540	17.7	107	7	9	15	21	30	38	63
75-79	3359	19.0	134	8	9	16	23	32	42	72
80-84	2408	20.6	149	8	10	18	25	36	44	74
85+	1764	22.3	168	8	10	19	28	39	49	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	5.9	32	1	1	4	7	11	17	29
B. *Operated*	2175	13.8	57	3	8	12	16	22	26	44
2. MULTIPLE DX										
A. *Not Operated*	2767	9.7	87	2	2	7	12	21	28	49
B. *Operated*	14184	18.9	131	7	9	16	23	33	42	70
1. SINGLE DX	2415	13.0	60	2	4	12	16	21	25	43
2. MULTIPLE DX	16951	17.4	135	4	6	15	22	31	40	67
A. NOT OPERATED	3007	9.4	84	2	2	7	12	20	27	48
B. OPERATED	16359	18.2	124	7	9	16	22	31	40	67
TOTAL 65-69 YRS	4429	15.0	104	3	5	13	18	26	33	57
70-74	4885	15.8	106	3	5	14	20	27	35	59
75-79	4500	17.1	129	3	6	15	21	30	38	65
80-84	3182	18.5	146	4	6	16	23	33	41	68
85+	2370	19.8	171	4	6	17	25	36	47	90
GRAND TOTAL	**19366**	**16.9**	**128**	**3**	**6**	**14**	**21**	**30**	**38**	**64**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	6.5	38	1	2	4	7	15	24	27
70-74	45	5.1	17	<1	1	4	6	11	14	20
75-79	47	6.1	40	1	2	5	6	11	23	32
80-84	37	7.1	102	1	2	4	8	13	19	61
85+	31	6.4	17	2	2	5	9	13	15	16
B. *Operated*										
65-69 YRS	436	12.7	64	2	3	12	17	21	25	33
70-74	411	12.7	56	2	3	12	17	22	25	36
75-79	357	14.4	111	2	3	13	18	24	32	53
80-84	223	14.7	114	2	3	13	19	27	36	54
85+	140	13.4	129	2	3	12	17	26	35	64
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	355	10.1	122	1	2	6	12	22	30	49
70-74	381	9.5	75	2	2	7	12	20	27	48
75-79	344	10.0	88	2	3	7	12	21	29	45
80-84	270	10.5	126	2	3	7	12	26	35	64
85+	237	10.4	110	2	2	7	12	21	32	59
B. *Operated*										
65-69 YRS	1679	17.7	123	4	7	16	22	30	37	61
70-74	1719	18.6	137	4	6	16	24	33	41	66
75-79	1456	20.3	175	5	7	18	25	37	48	82
80-84	979	20.3	180	4	6	18	25	36	45	85
85+	683	20.0	141	4	6	18	27	36	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	6.2	42	1	2	4	7	13	17	29
B. *Operated*	1567	13.4	86	2	3	13	17	23	28	48
2. MULTIPLE DX										
A. *Not Operated*	1587	10.0	102	2	2	7	12	21	30	52
B. *Operated*	6516	19.2	150	4	7	17	24	34	43	72
1. SINGLE DX	1781	12.6	86	2	3	12	17	22	28	48
2. MULTIPLE DX	8103	17.4	154	3	4	15	23	33	41	70
A. NOT OPERATED	1801	9.6	96	2	2	6	12	20	29	50
B. OPERATED	8083	18.0	143	3	5	16	23	32	41	59
TOTAL 65-69 YRS	2524	15.5	121	3	4	14	20	28	34	57
70-74	2556	16.1	127	2	4	14	21	30	38	61
75-79	2204	17.4	166	3	4	15	22	33	44	74
80-84	1509	17.4	176	3	4	15	23	34	43	75
85+	1091	16.7	149	2	4	15	23	33	41	68
GRAND TOTAL	**9884**	**16.5**	**145**	**3**	**4**	**14**	**21**	**31**	**39**	**66**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41	6.7	59	<1	1	5	7	12	22	43
70-74	27	6.9	24	1	1	6	10	13	18	20
75-79	24	6.4	33	1	1	4	8	16	20	23
80-84	10	11.5	144	1	1	8	17	29	41	41
85+	11	6.1	13	1	2	5	8	11	14	14
B. *Operated*										
65-69 YRS	61	13.7	114	2	3	11	18	25	37	53
70-74	78	11.1	73	1	2	11	16	23	25	45
75-79	40	12.0	53	1	2	12	15	19	28	33
80-84	32	14.3	79	2	4	13	20	24	34	39
85+	16	15.1	64	3	4	15	21	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	168	8.4	54	1	2	6	11	20	24	34
70-74	208	11.1	103	2	2	8	15	23	32	57
75-79	185	11.0	94	1	2	8	14	23	31	43
80-84	108	11.9	95	3	3	9	15	22	29	52
85+	99	12.2	80	2	3	11	16	21	31	48
B. *Operated*										
65-69 YRS	424	19.6	168	5	7	16	25	37	47	71
70-74	398	20.7	197	5	7	17	25	40	52	78
75-79	364	20.8	168	6	8	18	26	37	48	66
80-84	244	21.4	176	5	8	19	28	40	50	76
85+	153	20.5	185	5	8	17	25	35	47	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	7.0	48	1	1	5	8	14	19	42
B. *Operated*	227	12.7	81	2	2	11	17	24	27	49
2. MULTIPLE DX										
A. *Not Operated*	768	10.7	87	2	2	8	14	22	29	49
B. *Operated*	1583	20.5	178	5	8	18	26	38	49	74
1. SINGLE DX	340	10.8	77	1	2	9	15	22	26	45
2. MULTIPLE DX	2351	17.3	169	3	4	15	22	34	44	67
A. NOT OPERATED	881	10.3	84	1	2	8	14	21	29	48
B. OPERATED	1810	19.5	173	4	7	17	25	36	47	72
TOTAL 65-69 YRS	694	15.6	156	2	3	13	21	32	42	61
70-74	711	16.3	174	2	3	14	21	33	46	70
75-79	613	16.7	158	2	4	15	22	32	41	62
80-84	394	18.0	164	3	5	15	24	35	46	72
85+	279	16.7	153	3	4	14	21	31	39	56
GRAND TOTAL	**2691**	**16.5**	**162**	**2**	**4**	**14**	**22**	**33**	**42**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	34	9.1	66	2	2	7	10	18	29	39
70-74	44	5.7	16	1	2	4	7	11	14	18
75-79	43	9.0	71	1	2	6	11	23	30	35
80-84	16	9.6	63	1	2	6	16	21	23	24
85+	24	7.8	33	2	2	6	12	16	20	21
B. *Operated*										
65-69 YRS	73	16.9	169	2	2	15	22	35	41	59
70-74	65	15.8	87	3	5	15	21	28	34	50
75-79	44	18.8	224	2	4	17	23	26	49	91
80-84	25	17.9	443	1	2	13	20	39	66	98
85+	19	19.3	195	3	5	17	25	43	52	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	353	9.4	67	1	2	7	13	20	27	36
70-74	389	10.3	82	1	2	8	13	22	29	40
75-79	312	10.9	78	2	3	9	14	20	27	49
80-84	181	10.2	61	2	3	9	13	21	25	42
85+	151	11.0	75	3	3	9	14	20	23	53
B. *Operated*										
65-69 YRS	674	21.2	171	5	8	19	27	39	47	67
70-74	671	21.3	168	6	9	18	26	38	47	68
75-79	585	21.0	170	5	8	18	25	38	46	64
80-84	353	22.2	179	5	9	19	28	41	51	68
85+	232	22.6	155	7	10	20	29	38	48	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	8.0	50	1	2	6	10	17	23	35
B. *Operated*	226	17.3	186	2	3	15	22	32	42	70
2. MULTIPLE DX										
A. *Not Operated*	1386	10.3	74	2	2	8	14	20	27	44
B. *Operated*	2515	21.5	169	5	8	19	27	39	47	68
1. SINGLE DX	387	13.4	150	2	2	10	18	27	34	55
2. MULTIPLE DX	3901	17.5	164	3	4	15	23	34	43	63
A. NOT OPERATED	1547	10.0	72	2	2	8	13	20	27	43
B. OPERATED	2741	21.1	172	5	8	18	26	38	47	68
TOTAL 65-69 YRS	1134	16.9	166	2	3	14	23	34	42	62
70-74	1169	16.8	159	2	4	15	22	32	41	64
75-79	984	17.2	163	3	4	15	22	34	41	58
80-84	575	17.9	181	3	4	15	23	36	45	65
85+	426	17.5	155	3	5	15	23	34	43	68
GRAND TOTAL	**4288**	**17.1**	**164**	**2**	**4**	**15**	**23**	**34**	**42**	**62**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	407	5.7	39	1	1	4	7	13	19	34
70-74	332	6.1	48	1	1	4	7	15	21	37
75-79	190	7.8	60	1	1	6	10	17	25	35
80-84	94	7.0	52	1	1	4	9	14	22	36
85+	37	10.4	82	1	2	8	15	23	31	36
B. *Operated*										
65-69 YRS	1070	10.8	65	2	2	9	14	21	25	39
70-74	820	10.3	59	1	2	9	14	20	24	35
75-79	456	10.1	69	1	2	8	14	21	27	41
80-84	209	9.8	69	2	2	8	13	19	25	42
85+	61	10.8	69	2	3	9	13	20	26	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3418	8.9	76	1	2	6	11	19	26	47
70-74	2686	9.5	76	1	2	7	12	21	26	41
75-79	1760	10.0	85	2	2	7	13	20	28	46
80-84	942	10.9	102	2	2	8	14	22	30	51
85+	448	11.2	104	2	3	8	15	25	33	63
B. *Operated*										
65-69 YRS	4953	15.0	124	2	4	12	19	29	37	59
70-74	4333	15.4	150	2	4	12	20	30	39	62
75-79	2509	15.3	136	3	4	13	20	30	38	60
80-84	1134	15.1	135	2	4	13	20	29	39	58
85+	391	15.3	142	3	4	12	20	30	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1060	6.5	49	1	1	4	8	15	21	36
B. *Operated*	2616	10.4	64	2	2	9	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	9254	9.6	82	1	2	7	12	20	27	48
B. *Operated*	13320	15.2	136	2	4	12	20	29	38	61
1. SINGLE DX	3676	9.3	63	1	2	7	13	19	24	37
2. MULTIPLE DX	22574	12.9	122	2	3	10	17	26	34	57
A. NOT OPERATED	10314	9.3	80	1	2	7	12	20	27	46
B. OPERATED	15936	14.4	128	2	3	12	19	28	36	58
TOTAL 65-69 YRS	9848	12.0	107	2	2	9	16	25	32	53
70-74	8171	12.6	122	2	2	10	17	25	33	57
75-79	4915	12.6	116	2	3	10	17	26	34	55
80-84	2379	12.7	119	2	3	10	16	26	34	53
85+	937	12.9	121	2	3	10	16	28	34	58
GRAND TOTAL	**26250**	**12.4**	**115**	**2**	**2**	**10**	**16**	**25**	**33**	**55**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	6.5	53	<1	1	4	8	18	23	33
70-74	31	6.5	28	1	2	5	9	15	19	19
75-79	16	5.4	21	1	2	4	6	15	16	16
80-84	8	8.4	103	2	2	5	7	25	33	33
85+	10	4.1	30	1	1	2	2	13	19	19
B. *Operated*										
65-69 YRS	355	6.7	54	1	1	2	11	18	22	31
70-74	268	7.5	109	1	1	2	10	20	31	59
75-79	148	7.0	87	1	1	3	10	19	22	51
80-84	69	7.8	87	1	2	3	12	19	23	52
85+	29	5.9	22	1	2	3	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	141	7.1	42	1	1	5	10	15	20	32
70-74	98	8.6	135	1	2	6	10	15	23	70
75-79	64	10.9	121	2	2	7	12	27	39	48
80-84	30	6.6	12	3	3	6	8	10	11	20
85+	31	7.0	27	1	2	5	9	14	18	24
B. *Operated*										
65-69 YRS	532	14.2	174	1	2	11	20	31	39	62
70-74	439	15.2	200	2	2	12	21	36	44	74
75-79	279	14.4	207	1	2	10	21	35	44	72
80-84	148	15.1	195	1	2	13	21	36	44	59
85+	65	13.1	186	2	2	11	19	30	56	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	6.2	41	1	1	4	8	16	19	33
B. *Operated*	869	7.0	78	1	1	3	11	18	24	47
2. MULTIPLE DX										
A. *Not Operated*	364	8.1	79	1	2	6	10	16	23	45
B. *Operated*	1463	14.6	191	1	2	11	21	35	43	67
1. SINGLE DX	969	7.0	74	1	1	3	10	18	23	45
2. MULTIPLE DX	1827	13.3	175	1	2	10	19	31	41	64
A. NOT OPERATED	464	7.7	71	1	2	5	10	16	22	42
B. OPERATED	2332	11.8	162	1	2	8	17	29	38	62
TOTAL 65-69 YRS	1063	10.5	126	1	1	7	15	25	33	51
70-74	836	11.7	171	1	2	7	16	30	40	63
75-79	507	11.5	166	1	2	7	16	29	40	64
80-84	255	11.9	154	1	2	8	17	27	40	58
85+	135	9.5	114	2	2	6	13	23	29	67
GRAND TOTAL	**2796**	**11.1**	**149**	**1**	**2**	**7**	**16**	**27**	**37**	**61**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	6.8	56	<1	<1	4	11	12	19	37
70-74	17	6.2	23	1	1	5	10	14	15	15
75-79	11	7.2	39	<1	1	6	9	18	21	21
80-84	10	7.4	32	2	2	5	11	16	19	19
85+	6	7.0	38	1	1	5	10	17	18	18
B. *Operated*										
65-69 YRS	85	7.8	65	1	2	5	8	18	28	36
70-74	104	10.1	118	2	2	8	12	20	34	62
75-79	70	10.4	95	1	2	8	13	23	34	45
80-84	55	8.6	85	1	2	5	14	16	23	51
85+	45	6.0	24	1	1	4	9	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	7.8	66	1	1	5	10	17	25	83
70-74	93	8.8	97	1	1	6	10	17	27	57
75-79	76	8.7	79	1	2	5	12	18	26	47
80-84	40	15.1	422	1	2	8	19	32	69	90
85+	24	12.8	170	1	2	8	19	35	45	46
B. *Operated*										
65-69 YRS	179	14.7	219	2	2	11	17	35	47	92
70-74	170	14.9	114	2	3	13	20	30	34	52
75-79	132	15.9	207	2	3	11	21	37	49	78
80-84	117	16.4	295	2	3	11	22	42	53	86
85+	90	13.9	173	2	3	10	16	33	46	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	6.8	38	<1	1	5	11	14	18	34
B. *Operated*	359	8.9	86	1	2	6	12	19	29	46
2. MULTIPLE DX										
A. *Not Operated*	317	9.6	135	1	2	6	12	21	33	72
B. *Operated*	688	15.2	197	2	3	11	19	34	46	74
1. SINGLE DX	429	8.5	78	1	2	6	11	18	25	40
2. MULTIPLE DX	1005	13.4	184	2	2	9	17	31	44	73
A. NOT OPERATED	387	9.1	118	1	1	6	11	19	31	59
B. OPERATED	1047	13.0	168	2	2	9	17	30	40	66
TOTAL 65-69 YRS	374	11.0	150	1	2	8	14	24	37	83
70-74	384	11.8	115	1	2	9	16	25	33	52
75-79	289	12.3	150	1	2	9	17	28	39	67
80-84	222	13.8	264	2	2	8	17	33	48	90
85+	165	11.3	138	1	2	8	14	26	39	58
GRAND TOTAL	**1434**	**12.0**	**157**	**1**	**2**	**8**	**15**	**27**	**37**	**63**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	4.7	14	2	2	4	5	10	14	14
70-74	12	5.5	26	1	2	4	6	12	19	20
75-79	3	4.0		4	4	4	4	4	4	4
80-84	3	5.3	4	3	3	6	7	7	7	7
85+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
65-69 YRS	171	6.2	30	1	2	5	8	11	15	33
70-74	129	5.7	24	1	1	4	8	12	15	27
75-79	88	6.3	35	1	2	4	8	12	17	33
80-84	63	6.4	53	1	2	4	8	14	16	48
85+	38	5.3	15	1	2	4	7	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	6.1	28	1	2	5	7	12	16	32
70-74	63	7.5	24	2	3	6	10	15	17	24
75-79	36	13.0	260	1	1	6	17	33	55	69
80-84	25	6.5	16	2	3	6	7	12	16	19
85+	17	13.9	142	3	4	8	16	30	43	49
B. *Operated*										
65-69 YRS	188	9.3	57	2	2	7	12	20	25	37
70-74	204	9.1	46	2	2	8	12	17	22	34
75-79	156	9.4	69	2	2	7	12	20	27	33
80-84	95	10.8	103	2	2	9	14	21	27	61
85+	51	9.4	64	2	2	7	11	21	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.3	17	2	2	4	6	12	15	20
B. *Operated*	489	6.0	31	1	2	4	8	12	15	31
2. MULTIPLE DX										
A. *Not Operated*	202	8.5	83	1	2	6	9	17	24	54
B. *Operated*	694	9.5	63	2	2	7	12	19	25	37
1. SINGLE DX	517	6.0	30	1	2	4	8	12	15	30
2. MULTIPLE DX	896	9.3	68	2	2	7	12	19	25	40
A. NOT OPERATED	230	8.1	76	1	2	5	9	16	24	51
B. OPERATED	1183	8.1	53	1	2	6	11	17	22	35
TOTAL 65-69 YRS	429	7.5	43	1	2	5	10	16	21	35
70-74	408	7.7	37	1	2	6	10	16	19	30
75-79	283	8.8	86	1	2	6	11	19	27	54
80-84	186	8.7	77	2	2	6	11	18	21	53
85+	107	8.7	66	2	2	6	10	18	24	43
GRAND TOTAL	**1413**	**8.1**	**56**	**1**	**2**	**6**	**10**	**16**	**22**	**36**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.9	47	<1	<1	2	7	12	23	28
70-74	11	2.8	9	<1	<1	2	3	7	11	11
75-79	10	5.7	26	<1	<1	4	9	13	16	16
80-84	10	5.4	40	2	2	2	6	15	22	22
85+	14	7.4	146	<1	<1	1	9	21	39	44
B. *Operated*										
65-69 YRS	453	2.9	11	<1	<1	2	3	5	8	17
70-74	480	3.1	11	<1	<1	2	3	7	9	18
75-79	436	3.2	10	<1	<1	2	4	7	9	16
80-84	308	3.5	13	<1	<1	2	4	7	9	19
85+	298	3.9	17	<1	1	2	4	10	12	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	5.9	12	1	1	6	8	10	13	15
70-74	47	7.2	73	<1	1	5	9	14	24	48
75-79	42	6.5	45	1	2	5	8	15	26	99+
80-84	53	9.6	105	1	1	7	14	24	36	42
85+	56	9.9	76	1	1	6	14	22	31	37
B. *Operated*										
65-69 YRS	617	5.1	35	1	1	3	6	11	16	32
70-74	690	5.5	45	1	1	3	7	13	18	35
75-79	705	6.5	62	1	1	3	8	15	20	46
80-84	614	7.1	95	1	1	4	8	16	24	59
85+	652	7.6	80	1	2	4	9	17	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	5.3	57	<1	<1	2	7	14	20	42
B. *Operated*	1975	3.2	12	<1	<1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	236	8.1	68	1	1	5	10	19	28	43
B. *Operated*	3278	6.3	64	1	1	3	8	14	21	43
1. SINGLE DX	2037	3.3	14	<1	<1	2	4	7	10	19
2. MULTIPLE DX	3514	6.5	64	1	1	3	8	15	21	42
A. NOT OPERATED	298	7.5	67	<1	1	3	9	17	25	43
B. OPERATED	5253	5.2	47	<1	1	3	6	12	17	36
TOTAL 65-69 YRS	1125	4.2	26	<1	1	2	5	9	13	29
70-74	1228	4.6	34	<1	1	2	5	10	15	31
75-79	1193	5.3	45	<1	1	3	6	12	18	39
80-84	985	6.1	72	<1	1	3	7	13	21	44
85+	1020	6.6	66	1	1	4	8	16	21	38
GRAND TOTAL	**5551**	**5.3**	**48**	**<1**	**1**	**3**	**6**	**12**	**18**	**37**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	7.2	43	1	2	5	8	15	21	36
70-74	53	5.9	40	1	1	4	7	13	18	32
75-79	36	7.6	60	1	1	5	9	21	24	36
80-84	17	5.5	12	1	2	4	6	10	13	15
85+	19	8.4	144	1	1	4	8	30	41	42
B. *Operated*										
65-69 YRS	1535	6.9	14	2	2	7	9	11	12	16
70-74	1279	7.3	14	2	3	7	9	11	14	20
75-79	891	7.6	17	2	3	7	9	12	14	23
80-84	606	7.4	16	2	3	7	9	12	14	19
85+	365	7.0	18	2	2	7	9	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	648	9.7	92	1	2	7	13	21	28	55
70-74	615	10.6	115	1	2	7	14	22	35	66
75-79	423	11.8	130	2	3	8	15	25	36	73
80-84	277	12.0	102	2	3	9	16	25	33	46
85+	265	11.9	110	2	3	9	16	25	32	99+
B. *Operated*										
65-69 YRS	3002	10.1	68	3	4	8	12	18	25	49
70-74	2706	10.6	67	3	4	9	12	17	24	47
75-79	2199	10.9	70	3	4	9	13	19	26	51
80-84	1438	11.1	80	3	4	9	13	19	26	53
85+	961	10.9	77	3	4	9	13	19	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	6.9	53	1	1	5	8	15	22	39
B. *Operated*	4676	7.2	15	2	3	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	2228	10.9	110	1	2	8	14	23	33	67
B. *Operated*	10306	10.7	71	3	4	9	12	18	25	51
1. SINGLE DX	4852	7.2	16	2	3	7	9	11	14	20
2. MULTIPLE DX	12534	10.7	78	2	4	9	13	19	26	53
A. NOT OPERATED	2404	10.6	107	1	2	7	14	23	32	62
B. OPERATED	14982	9.6	56	2	4	8	11	16	21	42
TOTAL 65-69 YRS	5236	9.2	57	2	3	8	11	16	21	44
70-74	4653	9.6	60	2	3	8	11	16	23	43
75-79	3549	10.1	66	2	4	8	12	18	24	48
80-84	2338	10.3	69	2	4	8	12	18	24	45
85+	1610	10.2	72	2	3	8	12	19	27	57
GRAND TOTAL	**17386**	**9.7**	**63**	**2**	**3**	**8**	**11**	**17**	**23**	**46**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	66	4.6	9	2	3	4	5	6	10	19
70-74	76	4.1	9	1	2	4	4	6	12	17
75-79	45	4.5	9	1	2	4	5	8	12	16
80-84	32	4.1	5	2	2	4	4	7	10	11
85+	13	6.0	20	3	3	4	6	10	18	20
B. *Operated*										
65-69 YRS	150	5.3	13	2	2	4	7	10	12	17
70-74	83	5.1	24	1	2	4	6	9	15	31
75-79	61	5.6	109	2	2	3	5	8	10	76
80-84	29	4.3	7	2	2	3	6	8	9	11
85+	19	8.9	57	2	3	6	15	20	24	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	7.4	45	2	2	5	9	16	20	37
70-74	111	8.6	70	2	2	6	11	17	25	46
75-79	89	7.5	54	2	2	5	9	15	24	41
80-84	59	10.5	113	2	3	8	13	21	33	60
85+	55	10.5	74	3	4	7	14	22	32	41
B. *Operated*										
65-69 YRS	260	10.2	121	2	2	7	12	23	33	69
70-74	203	9.9	107	2	2	7	12	20	28	56
75-79	143	12.3	154	2	2	9	16	27	33	65
80-84	93	12.9	151	2	3	9	16	29	39	63
85+	62	11.3	146	2	3	8	13	22	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	4.4	9	2	2	4	5	7	11	18
B. *Operated*	342	5.4	35	2	2	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	427	8.6	67	2	3	6	11	17	24	39
B. *Operated*	761	10.9	130	2	2	7	13	24	33	66
1. SINGLE DX	574	5.0	25	2	2	4	5	9	12	20
2. MULTIPLE DX	1188	10.1	108	2	2	7	12	22	30	54
A. NOT OPERATED	659	7.1	51	2	2	4	8	15	20	38
B. OPERATED	1103	9.2	107	2	2	6	11	20	28	54
TOTAL 65-69 YRS	589	7.8	71	2	2	5	9	16	23	45
70-74	473	7.8	73	2	2	5	10	17	23	44
75-79	338	8.8	110	2	2	5	10	20	27	57
80-84	213	9.8	111	2	2	6	12	22	31	54
85+	149	10.2	98	2	3	7	12	21	27	52
GRAND TOTAL	1762	8.4	87	2	2	5	10	18	26	47

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	113	3.6	19	1	1	3	4	5	6	29
70-74	84	4.1	13	1	1	3	4	6	12	22
75-79	51	4.3	9	1	2	4	4	9	13	14
80-84	36	4.7	19	1	2	4	5	8	11	26
85+	16	4.8	10	1	3	4	5	7	13	15
B. *Operated*										
65-69 YRS	525	6.2	12	1	2	7	8	10	12	16
70-74	367	6.6	17	1	2	7	8	11	14	22
75-79	232	6.7	20	1	2	7	9	11	14	23
80-84	123	6.4	27	1	1	6	9	12	15	28
85+	64	7.4	78	2	2	6	9	13	17	61
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	197	6.9	91	1	2	4	8	13	20	49
70-74	169	7.5	124	1	2	4	8	17	26	73
75-79	131	8.6	101	1	1	5	9	23	28	50
80-84	86	9.5	87	2	2	7	11	18	32	47
85+	88	9.4	67	2	2	7	12	18	29	41
B. *Operated*										
65-69 YRS	1375	9.0	46	2	2	8	11	16	21	35
70-74	1085	9.5	58	1	2	8	11	17	23	43
75-79	750	11.4	97	2	2	9	14	22	31	53
80-84	391	12.5	140	2	3	9	15	24	30	65
85+	230	12.4	115	2	3	10	16	23	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	4.0	15	1	1	3	4	6	10	23
B. *Operated*	1311	6.5	20	1	2	7	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	671	8.0	98	1	2	4	10	17	27	49
B. *Operated*	3831	10.2	75	2	2	8	12	19	25	48
1. SINGLE DX	1611	6.0	20	1	2	6	8	11	13	21
2. MULTIPLE DX	4502	9.9	79	2	2	8	12	19	25	48
A. NOT OPERATED	971	6.8	76	1	2	4	7	14	23	45
B. OPERATED	5142	9.2	63	1	2	8	11	17	23	43
TOTAL 65-69 YRS	2210	7.9	43	1	2	7	10	14	19	33
70-74	1705	8.4	56	1	2	7	10	16	21	41
75-79	1164	9.8	83	1	2	8	12	19	25	48
80-84	636	10.5	112	1	2	8	13	21	28	58
85+	398	10.6	99	2	2	8	13	21	30	57
GRAND TOTAL	6113	8.9	66	1	2	7	11	17	23	44

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	157	2.7	8	1	1	2	3	4	8	20
70-74	127	3.0	8	1	1	2	3	5	8	16
75-79	72	3.5	35	1	1	2	3	9	12	39
80-84	20	6.2	36	1	1	4	8	14	20	25
85+	9	8.3	69	1	1	5	13	22	22	22
B. *Operated*										
65-69 YRS	102	11.2	40	2	5	10	14	19	25	32
70-74	65	11.2	65	3	4	10	13	18	24	54
75-79	39	14.8	128	7	8	11	18	23	26	76
80-84	12	14.7	55	6	7	12	22	26	27	27
85+	7	13.1	26	10	10	11	14	22	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	548	5.1	50	1	1	3	6	11	17	34
70-74	457	5.4	50	1	1	3	6	14	19	33
75-79	250	6.9	94	1	1	3	8	16	25	44
80-84	121	8.9	114	1	2	5	12	20	26	52
85+	68	11.4	123	2	2	9	13	25	32	65
B. *Operated*										
65-69 YRS	647	16.6	132	5	6	13	21	30	37	62
70-74	493	18.2	190	4	7	15	22	33	50	71
75-79	318	19.3	158	6	8	15	24	37	47	61
80-84	201	20.2	157	8	10	17	24	37	43	69
85+	83	21.4	186	7	9	18	25	39	47	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	3.3	17	1	1	2	3	6	10	22
B. *Operated*	225	12.1	64	3	6	10	14	22	25	40
2. MULTIPLE DX										
A. *Not Operated*	1444	6.1	69	1	1	3	7	14	21	38
B. *Operated*	1742	18.2	160	5	7	15	22	33	43	68
1. SINGLE DX	610	6.5	52	1	1	3	9	15	21	28
2. MULTIPLE DX	3186	12.7	155	1	2	10	17	27	36	64
A. NOT OPERATED	1829	5.5	59	1	1	3	6	13	20	35
B. OPERATED	1967	17.5	153	5	7	14	22	31	42	68
TOTAL 65-69 YRS	1454	10.4	115	1	1	8	14	23	31	56
70-74	1142	11.0	149	1	1	8	15	24	33	66
75-79	679	12.8	161	1	2	10	17	28	39	59
80-84	354	15.3	164	2	2	13	20	29	38	68
85+	167	16.3	173	2	3	13	21	33	40	74
GRAND TOTAL	**3796**	**11.7**	**144**	**1**	**2**	**9**	**16**	**26**	**34**	**59**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	3.2	5	<1	1	2	4	6	7	9
70-74	14	6.1	50	1	2	4	6	14	25	28
75-79	14	5.2	25	1	1	4	6	9	18	21
80-84	10	3.7	3	<1	1	4	5	6	7	7
85+	8	10.6	165	3	3	6	11	33	41	41
B. *Operated*										
65-69 YRS	35	11.0	236	1	2	6	11	29	41	80
70-74	45	8.1	68	1	2	4	11	23	26	29
75-79	43	8.9	107	1	2	4	12	24	29	50
80-84	38	8.3	80	2	2	5	10	19	31	39
85+	32	7.2	35	1	2	5	10	15	19	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	5.4	27	1	1	3	7	14	15	24
70-74	47	7.4	40	1	2	5	9	19	22	26
75-79	37	9.7	103	2	2	5	12	25	37	41
80-84	32	15.2	208	2	3	8	26	36	43	57
85+	37	8.3	51	1	2	6	11	15	28	30
B. *Operated*										
65-69 YRS	111	15.2	147	2	3	11	21	29	42	59
70-74	134	15.8	184	2	3	12	21	31	45	62
75-79	118	14.3	130	2	3	11	21	32	39	73
80-84	108	16.2	172	3	5	12	20	35	43	67
85+	72	13.3	166	2	3	9	17	27	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	5.0	37	1	1	3	6	8	14	38
B. *Operated*	193	8.7	103	1	2	5	11	22	28	47
2. MULTIPLE DX										
A. *Not Operated*	196	8.8	87	1	2	5	11	23	30	43
B. *Operated*	543	15.1	160	2	3	11	21	32	41	62
1. SINGLE DX	265	7.7	88	1	2	4	9	20	26	44
2. MULTIPLE DX	739	13.4	148	2	2	10	19	30	38	60
A. NOT OPERATED	268	7.8	76	1	2	4	9	19	28	41
B. OPERATED	736	13.4	153	2	2	10	19	30	38	61
TOTAL 65-69 YRS	215	11.1	142	1	2	7	15	25	31	58
70-74	240	12.1	143	2	2	8	18	26	33	59
75-79	212	11.8	121	2	2	8	18	27	34	54
80-84	188	13.8	165	2	2	9	19	34	39	59
85+	149	10.6	115	2	2	7	13	24	31	49
GRAND TOTAL	**1004**	**11.9**	**138**	**2**	**2**	**8**	**16**	**27**	**35**	**58**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	70	4.9	19	1	2	3	5	12	14	21
70-74	97	5.3	16	1	1	4	7	11	15	19
75-79	84	6.6	29	1	2	5	9	14	17	28
80-84	75	6.2	31	<1	1	5	8	12	17	29
85+	31	7.1	10	2	3	7	8	12	13	15
B. Operated										
65-69 YRS	1422	6.5	24	1	2	5	9	12	16	23
70-74	1526	6.4	23	1	2	5	8	12	15	23
75-79	1160	6.7	22	2	2	6	9	12	14	25
80-84	680	7.4	31	2	2	6	9	13	16	26
85+	343	8.2	35	2	3	7	10	15	18	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	726	9.1	84	2	2	6	11	18	26	47
70-74	1064	9.5	80	2	2	7	12	20	29	45
75-79	1108	9.2	78	1	2	6	11	21	27	45
80-84	900	9.9	86	2	3	7	12	20	28	51
85+	659	10.4	99	2	3	8	13	21	29	58
B. Operated										
65-69 YRS	3440	9.7	61	2	3	8	12	19	24	40
70-74	4342	9.9	68	2	3	8	12	19	25	45
75-79	4201	10.3	71	2	3	8	13	20	25	43
80-84	2831	11.5	88	3	4	9	14	22	28	55
85+	1831	12.9	105	3	4	10	16	25	32	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	357	5.9	23	1	2	4	8	12	16	24
B. Operated	5131	6.8	25	1	2	6	9	12	16	24
2. MULTIPLE DX										
A. Not Operated	4457	9.6	85	2	2	7	12	20	28	48
B. Operated	16645	10.6	76	2	3	8	13	20	26	46
1. SINGLE DX	5488	6.7	25	1	2	6	9	12	16	24
2. MULTIPLE DX	21102	10.4	78	2	3	8	13	20	27	47
A. NOT OPERATED	4814	9.3	81	2	2	7	12	19	27	47
B. OPERATED	21776	9.7	66	2	3	8	12	19	24	43
TOTAL 65-69 YRS	5658	8.8	56	2	2	7	11	17	22	38
70-74	7029	9.0	61	2	2	7	11	17	23	42
75-79	6553	9.4	65	2	3	7	11	18	24	41
80-84	4486	10.5	80	2	3	8	13	20	27	50
85+	2864	11.7	97	2	3	9	15	23	30	58
GRAND TOTAL	**26590**	**9.6**	**69**	**2**	**3**	**7**	**12**	**19**	**25**	**44**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	12.0	50	7	7	12	17	17	17	17
85+	2	12.0	50	7	7	12	17	17	17	17
B. Operated										
65-69 YRS	28	6.4	22	1	2	5	8	13	17	19
70-74	15	6.9	26	2	3	5	9	17	18	19
75-79	17	4.8	11	1	1	4	6	9	12	14
80-84	14	8.9	79	2	2	5	13	18	31	35
85+	4	4.5	6	3	3	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	8.2	56	<1	1	5	14	19	24	24
70-74	7	6.7	179	<1	<1	2	2	30	37	37
75-79	8	6.4	17	2	2	7	10	66	99+	99+
80-84	3	8.3	26	4	4	7	12	14	14	14
85+	3	3.3	5	2	2	2	5	6	6	6
B. Operated										
65-69 YRS	34	6.9	17	2	3	6	9	12	16	20
70-74	42	8.1	27	2	3	7	11	16	18	24
75-79	44	13.0	125	3	3	10	16	23	39	62
80-84	23	9.8	65	2	2	9	13	16	27	39
85+	13	13.6	190	3	4	10	16	28	50	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	8.0	42	2	2	7	14	17	17	17
B. Operated	78	6.5	30	2	2	5	8	14	17	31
2. MULTIPLE DX										
A. Not Operated	32	7.0	60	<1	1	5	9	17	35	99+
B. Operated	156	10.0	76	2	3	8	13	18	22	54
1. SINGLE DX	85	6.6	31	2	2	5	8	15	17	29
2. MULTIPLE DX	188	9.5	74	2	2	7	13	18	24	59
A. NOT OPERATED	39	7.2	56	<1	1	5	10	17	30	99+
B. OPERATED	234	8.8	63	2	3	7	11	17	20	42
TOTAL 65-69 YRS	74	6.9	24	2	2	6	9	14	17	23
70-74	65	7.6	41	1	2	6	10	17	19	35
75-79	70	10.1	97	2	2	8	14	19	37	92
80-84	42	9.5	63	2	2	8	14	16	26	39
85+	22	10.4	133	2	3	7	13	21	35	55
GRAND TOTAL	**273**	**8.6**	**62**	**2**	**2**	**7**	**11**	**17**	**21**	**51**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	3.4	10	<1	1	2	4	9	11	15
70-74	43	5.0	12	1	1	4	7	10	11	16
75-79	32	4.5	13	1	1	4	6	8	13	17
80-84	23	7.4	22	1	2	7	9	13	17	22
85+	23	7.8	45	1	2	5	12	16	21	27
B. *Operated*										
65-69 YRS	1471	4.8	26	1	1	3	5	10	15	25
70-74	1484	4.9	21	1	2	3	6	10	14	24
75-79	1235	5.2	27	1	2	4	6	11	16	24
80-84	847	5.3	25	1	2	4	6	10	15	23
85+	580	5.7	24	1	2	4	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	228	7.4	77	1	1	5	10	15	22	50
70-74	234	9.7	151	1	1	5	11	25	34	57
75-79	236	9.4	112	1	2	6	11	22	29	49
80-84	203	9.2	86	1	2	6	12	18	24	53
85+	197	8.9	50	1	2	7	11	19	22	36
B. *Operated*										
65-69 YRS	2413	9.0	108	1	2	5	11	20	28	61
70-74	2709	8.8	101	1	2	5	11	20	27	55
75-79	2738	9.0	91	2	2	6	11	19	28	49
80-84	1883	9.1	79	2	2	6	11	19	27	46
85+	1521	10.3	105	2	3	7	12	22	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	5.3	20	1	1	4	7	11	15	22
B. *Operated*	5617	5.1	25	1	2	4	6	10	15	24
2. MULTIPLE DX										
A. *Not Operated*	1098	8.9	97	1	1	6	11	20	27	50
B. *Operated*	11264	9.1	97	2	2	6	11	20	28	52
1. SINGLE DX	5774	5.1	24	1	2	4	6	10	15	24
2. MULTIPLE DX	12362	9.1	97	2	2	6	11	20	28	52
A. NOT OPERATED	1255	8.5	89	1	1	6	11	18	26	49
B. OPERATED	16881	7.8	77	1	2	5	9	17	24	45
TOTAL 65-69 YRS	4148	7.4	80	1	2	4	9	17	23	46
70-74	4470	7.5	80	1	2	5	9	17	24	44
75-79	4241	7.9	76	1	2	5	9	17	24	47
80-84	2956	8.0	67	2	2	5	10	17	23	43
85+	2321	9.0	84	2	2	6	11	19	25	48
GRAND TOTAL	**18136**	**7.8**	**77**	**1**	**2**	**5**	**9**	**17**	**24**	**46**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.6	24	1	1	3	6	9	17	21
70-74	16	5.3	23	1	1	3	8	11	16	18
75-79	8	4.6	6	2	2	4	7	8	8	8
80-84	9	12.2	134	3	3	7	17	32	37	37
85+	2	6.0	50	1	1	6	11	11	11	11
B. *Operated*										
65-69 YRS	189	10.4	38	1	2	10	13	17	23	29
70-74	146	11.0	38	2	3	10	15	17	21	34
75-79	117	11.7	61	2	2	10	16	23	25	36
80-84	51	12.8	79	1	2	11	17	22	32	44
85+	31	10.7	40	3	3	9	14	18	26	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	195	9.5	77	2	2	7	12	19	28	43
70-74	189	10.3	84	1	2	8	14	24	27	47
75-79	138	10.7	102	1	2	8	14	23	34	50
80-84	118	10.8	123	2	3	7	12	25	36	59
85+	80	10.5	94	2	3	7	14	18	28	52
B. *Operated*										
65-69 YRS	719	15.6	134	2	5	13	19	29	36	56
70-74	666	16.2	112	3	6	13	21	29	37	59
75-79	502	16.3	119	3	5	14	21	29	35	67
80-84	264	18.2	138	4	7	16	23	33	40	66
85+	141	18.7	145	5	6	16	24	36	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	6.2	45	1	1	4	7	12	21	37
B. *Operated*	534	11.1	47	2	2	10	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	720	10.3	93	1	2	7	13	23	29	50
B. *Operated*	2292	16.4	126	3	6	14	21	30	38	64
1. SINGLE DX	586	10.7	49	1	2	10	14	19	24	36
2. MULTIPLE DX	3012	15.0	125	2	3	12	19	29	36	59
A. NOT OPERATED	772	10.0	91	1	2	7	13	22	28	50
B. OPERATED	2826	15.4	115	2	5	13	19	28	36	60
TOTAL 65-69 YRS	1120	13.5	114	2	3	11	17	26	33	50
70-74	1017	14.2	103	2	3	12	18	27	34	53
75-79	765	14.5	113	2	3	13	19	28	33	58
80-84	442	15.5	138	2	4	12	20	30	38	63
85+	254	15.0	132	3	4	13	19	30	42	98
GRAND TOTAL	**3598**	**14.3**	**115**	**2**	**3**	**12**	**18**	**27**	**35**	**56**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79	2	2.0		2	2	2	2	2	2	2
80-84										
85+	2	14.0	242	3	3	14	25	25	25	25
B. *Operated*										
65-69 YRS	17	2.8	4	<1	1	2	4	6	8	8
70-74	25	3.8	5	2	2	3	5	7	8	10
75-79	15	4.0	6	2	2	3	6	7	9	10
80-84	8	4.8	10	2	2	4	5	10	12	12
85+	13	4.5	5	2	2	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	12	1	1	6	8	10	10	10
70-74	3	22.7	646	7	7	9	41	52	52	52
75-79	7	15.3	209	2	2	14	18	40	45	45
80-84	2	6.5	13	4	4	6	9	9	9	9
85+	6	7.8	101	1	1	4	7	26	28	28
B. *Operated*										
65-69 YRS	31	5.8	31	1	2	4	7	14	15	27
70-74	25	6.2	45	2	3	4	6	14	20	34
75-79	24	10.8	124	1	2	6	14	27	38	42
80-84	6	6.3	16	2	2	5	9	13	13	13
85+	9	8.9	103	2	2	5	9	25	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.2	85	2	2	3	3	23	25	25
B. *Operated*	78	3.8	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	24	11.2	172	1	2	7	12	30	47	52
B. *Operated*	95	7.5	66	2	2	4	8	16	27	39
1. SINGLE DX	84	4.0	11	1	2	3	5	7	9	21
2. MULTIPLE DX	119	8.2	88	2	2	5	9	18	31	47
A. NOT OPERATED	30	10.2	155	1	2	6	10	26	45	52
B. OPERATED	173	5.8	42	1	2	4	7	11	18	36
TOTAL 65-69 YRS	56	4.7	21	1	1	3	6	10	14	26
70-74	53	6.0	66	2	2	4	5	9	16	51
75-79	43	8.9	107	2	2	5	10	23	37	45
80-84	16	5.6	11	2	2	4	7	12	13	13
85+	30	7.1	64	2	2	4	7	18	28	35
GRAND TOTAL	**203**	**6.5**	**60**	**1**	**2**	**4**	**7**	**14**	**24**	**43**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	9.0	72	1	1	5	14	19	26	39
70-74	59	12.1	134	2	3	8	15	26	37	56
75-79	31	10.4	90	2	2	8	13	28	32	33
80-84	16	8.3	48	1	1	7	11	18	25	27
85+	2	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	113	16.7	141	4	6	14	20	31	39	66
70-74	75	16.3	188	2	4	13	20	30	45	72
75-79	37	20.3	253	6	7	16	26	39	53	82
80-84	12	18.0	336	1	4	13	22	42	65	69
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	169	12.9	118	2	3	9	16	29	40	91
70-74	166	15.5	195	2	3	11	21	39	46	75
75-79	105	14.0	186	3	3	9	16	34	50	80
80-84	67	15.9	226	2	4	11	22	33	39	83
85+	32	13.0	133	2	3	10	16	26	43	52
B. *Operated*										
65-69 YRS	196	27.9	438	6	8	22	37	64	72	98
70-74	150	26.6	359	7	9	21	35	56	75	91
75-79	88	30.5	427	6	7	25	41	66	71	78
80-84	46	23.6	372	5	7	19	30	46	63	94
85+	11	33.9	393	10	10	32	52	62	67	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	10.4	97	1	2	8	14	26	31	51
B. *Operated*	237	17.2	182	4	6	14	21	32	42	70
2. MULTIPLE DX										
A. *Not Operated*	539	14.3	170	2	3	10	18	34	45	79
B. *Operated*	491	27.7	405	6	8	22	35	50	72	94
1. SINGLE DX	391	14.6	159	2	3	11	18	29	38	66
2. MULTIPLE DX	1030	20.7	327	3	4	15	28	46	64	92
A. NOT OPERATED	693	13.4	156	2	3	9	17	32	43	66
B. OPERATED	728	24.3	357	5	7	18	31	55	68	91
TOTAL 65-69 YRS	524	19.0	290	3	4	14	24	41	60	94
70-74	450	18.9	270	3	4	14	25	42	55	83
75-79	261	20.0	326	3	4	13	27	48	64	78
80-84	141	17.7	281	2	4	12	23	33	51	89
85+	45	18.1	265	3	4	12	23	44	57	67
GRAND TOTAL	**1421**	**19.0**	**288**	**3**	**4**	**14**	**25**	**42**	**58**	**88**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	2	38.0		38	38	38	38	38	38	38
75-79										
80-84	1	21.0		21	21	21	21	21	21	21
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	6	25.2	244	4	6	23	29	50	52	52
70-74	4	9.5	67	2	2	9	16	18	18	18
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	10.0	13	6	6	11	12	13	13	13
70-74	6	21.7	338	5	5	17	32	50	52	52
75-79	6	9.8	34	3	3	9	16	17	17	17
80-84	3	16.7	145	4	4	18	25	28	28	28
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	17	31.2	698	3	4	23	57	82	93	99+
70-74	18	24.6	242	4	8	21	42	54	80	99+
75-79	11	35.1	658	7	7	33	51	71	89	91
80-84	7	31.9	792	7	8	17	44	78	86	86
85+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	21.0	289	4	4	21	38	38	38	38
B. *Operated*	11	17.4	227	2	2	18	23	38	51	52
2. MULTIPLE DX										
A. *Not Operated*	19	14.5	153	3	4	11	18	30	43	52
B. *Operated*	54	29.7	520	4	7	22	45	78	89	99+
1. SINGLE DX	16	18.5	231	2	2	19	26	38	48	52
2. MULTIPLE DX	73	25.8	466	4	5	20	41	58	85	99+
A. NOT OPERATED	24	15.9	177	3	4	11	23	38	42	52
B. OPERATED	65	27.6	488	3	4	21	44	68	87	99+
TOTAL 65-69 YRS	27	26.5	544	4	4	21	39	77	85	99+
70-74	30	22.9	250	2	4	20	37	51	56	99+
75-79	18	24.8	575	2	4	16	36	56	78	91
80-84	11	26.7	556	4	6	18	39	61	84	86
85+	3	11.0	93	4	4	7	18	22	22	22
GRAND TOTAL	**89**	**24.5**	**428**	**3**	**4**	**20**	**36**	**56**	**83**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	4.0	15	1	1	3	5	9	14	17
70-74	10	4.2	10	1	1	4	5	9	12	12
75-79	5	3.8	1	2	2	4	4	5	5	5
80-84	6	9.5	176	1	1	4	9	33	36	36
85+										
B. *Operated*										
65-69 YRS	48	5.0	6	2	3	4	6	10	11	12
70-74	25	6.7	15	3	3	6	8	13	14	18
75-79	22	9.3	81	2	3	6	10	23	32	37
80-84	13	8.2	73	3	3	5	8	20	31	34
85+	5	7.8	11	4	4	9	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	10.8	131	1	2	6	15	23	33	57
70-74	42	9.5	111	1	2	5	11	24	32	50
75-79	35	8.6	86	1	2	5	12	19	42	99+
80-84	34	10.7	129	1	2	7	14	19	31	60
85+	17	10.9	126	1	1	7	16	22	38	46
B. *Operated*										
65-69 YRS	96	11.4	135	2	3	8	13	24	40	58
70-74	117	12.0	126	2	3	8	15	27	36	60
75-79	70	12.5	172	3	4	9	14	22	37	84
80-84	41	17.4	352	4	5	11	19	52	76	99+
85+	26	16.8	375	4	5	9	16	45	56	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.9	36	1	1	3	5	9	14	36
B. *Operated*	113	6.7	32	2	3	5	7	12	16	35
2. MULTIPLE DX										
A. *Not Operated*	166	10.0	113	1	2	6	14	22	33	59
B. *Operated*	350	12.9	184	3	4	8	15	27	43	78
1. SINGLE DX	153	6.2	33	2	2	5	7	11	16	36
2. MULTIPLE DX	516	12.0	163	2	3	8	15	26	42	75
A. NOT OPERATED	206	9.0	102	1	2	5	12	21	30	58
B. OPERATED	463	11.4	154	3	3	7	13	23	38	74
TOTAL 65-69 YRS	201	9.0	101	2	2	5	10	21	28	57
70-74	194	10.4	107	2	3	7	14	21	31	55
75-79	132	10.6	131	2	3	7	13	21	36	94
80-84	94	13.2	230	2	3	8	16	32	56	90
85+	48	13.8	255	2	4	8	15	35	46	90
GRAND TOTAL	**669**	**10.7**	**139**	**2**	**3**	**7**	**13**	**22**	**36**	**70**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	209	7.1	51	1	1	5	9	17	22	37
70-74	141	7.5	49	1	2	5	11	17	22	35
75-79	117	7.8	108	1	2	5	8	15	21	63
80-84	75	9.2	55	1	3	6	12	18	24	36
85+	42	8.6	72	1	2	6	12	17	29	39
B. *Operated*										
65-69 YRS	287	8.3	78	1	1	5	11	18	22	52
70-74	281	8.5	75	1	1	5	12	20	26	51
75-79	174	9.4	114	<1	1	6	13	22	29	52
80-84	141	7.9	73	1	1	5	10	19	25	41
85+	92	9.0	64	1	1	7	13	19	24	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4415	9.6	82	1	2	7	12	21	28	45
70-74	4183	10.2	89	2	2	7	13	21	28	47
75-79	3251	10.9	106	2	3	8	14	23	31	55
80-84	2062	11.4	96	2	3	9	15	23	31	50
85+	1335	11.5	120	2	3	9	14	23	31	63
B. *Operated*										
65-59 YRS	4300	14.5	159	2	3	11	19	30	40	66
70-74	3838	14.4	161	2	3	11	19	30	40	70
75-79	2766	15.2	170	2	3	12	20	32	43	64
80-84	1502	15.1	167	2	3	12	20	31	41	70
85+	900	14.3	153	2	3	11	18	29	37	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	584	7.7	64	1	2	5	10	17	22	40
B. *Operated*	975	8.5	82	1	1	5	12	19	26	50
2. MULTIPLE DX										
A. *Not Operated*	15246	10.5	95	2	2	8	13	22	29	50
B. *Operated*	13306	14.7	163	2	3	11	19	31	41	68
1. SINGLE DX	1559	8.2	75	1	2	5	11	18	24	45
2. MULTIPLE DX	28552	12.4	131	2	3	9	16	26	35	60
A. NOT OPERATED	15830	10.4	94	2	2	7	13	22	29	50
B. OPERATED	14281	14.3	159	2	3	11	19	30	40	66
TOTAL 65-69 YRS	9211	11.8	124	2	2	9	15	25	34	59
70-74	8443	12.0	126	2	2	9	16	25	34	60
75-79	6308	12.7	139	2	3	9	17	27	36	61
80-84	3780	12.7	127	2	3	10	17	26	35	60
85+	2369	12.4	132	2	3	9	16	25	34	64
GRAND TOTAL	**30111**	**12.2**	**129**	**2**	**2**	**9**	**16**	**26**	**35**	**60**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	6.1	38	1	1	3	10	17	18	18
70-74	17	5.7	34	1	1	3	9	15	19	21
75-79	4	8.5	154	1	1	3	15	27	27	27
80-84	2	1.0		1	1	1	1	1	1	1
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	43	10.0	62	1	1	9	16	23	25	26
70-74	27	12.9	129	2	2	9	17	31	40	42
75-79	17	15.8	180	1	2	12	21	35	43	47
80-84	12	5.9	27	2	2	5	9	16	17	17
85+	6	13.0	142	2	2	10	19	32	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	9.9	122	1	1	6	14	24	30	51
70-74	59	9.5	73	1	2	7	14	21	28	37
75-79	43	10.1	93	1	1	8	14	22	27	50
80-84	31	11.0	135	1	2	7	13	30	39	46
85+	9	15.0	367	3	3	7	18	48	62	62
B. *Operated*										
65-69 YRS	81	13.8	115	1	2	11	19	28	37	45
70-74	79	17.7	193	3	5	14	23	32	44	80
75-79	67	19.0	210	2	3	14	27	45	47	56
80-84	26	15.9	170	2	3	12	23	34	45	46
85+	17	24.1	222	3	4	21	35	42	52	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.8	43	1	1	3	8	16	20	27
B. *Operated*	105	11.5	102	1	2	9	16	25	33	44
2. MULTIPLE DX										
A. *Not Operated*	198	10.2	112	1	1	7	13	23	31	51
B. *Operated*	270	17.1	178	2	3	14	23	35	45	57
1. SINGLE DX	140	10.1	93	1	1	8	15	24	32	42
2. MULTIPLE DX	468	14.2	161	1	2	11	19	32	42	56
A. NOT OPERATED	233	9.6	104	1	1	6	13	22	30	50
B. OPERATED	375	15.5	163	2	3	12	21	34	43	56
TOTAL 65-69 YRS	191	11.3	105	1	1	9	17	24	33	48
70-74	182	13.2	147	1	2	10	18	28	35	61
75-79	131	15.3	179	1	2	11	22	35	46	54
80-84	71	11.8	137	1	2	7	16	30	39	46
85+	33	19.0	257	3	3	16	29	40	55	62
GRAND TOTAL	**608**	**13.2**	**148**	**1**	**2**	**10**	**18**	**30**	**38**	**52**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	28	6.7	53	<1	1	4	10	15	20	34
70-74	30	4.5	22	<1	<1	3	6	9	9	25
75-79	20	7.1	56	<1	<1	4	11	20	24	26
80-84	22	5.8	25	1	2	4	8	11	17	22
85+	12	7.1	36	1	2	5	8	17	21	22
B. *Operated*										
65-69 YRS	32	8.4	98	1	2	5	9	17	33	49
70-74	34	9.7	167	2	3	7	10	15	23	77
75-79	19	12.4	102	2	3	8	22	28	31	33
80-84	18	6.7	27	2	2	6	10	11	16	23
85+	7	6.4	15	2	2	8	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	240	8.2	43	1	2	6	11	17	23	29
70-74	257	8.9	80	1	1	6	12	20	29	45
75-79	221	8.9	92	1	1	6	11	18	25	47
80-84	238	8.5	82	1	2	6	11	18	24	53
85+	153	10.1	77	2	2	8	13	22	31	40
B. *Operated*										
65-69 YRS	202	14.9	182	3	4	12	17	32	55	89
70-74	203	13.3	143	3	4	10	16	26	37	65
75-79	152	14.6	186	3	4	10	19	33	39	73
80-84	119	11.7	102	3	3	9	14	23	34	52
85+	74	16.2	213	2	4	13	20	39	62	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	6.0	38	<1	1	4	8	14	21	29
B. *Operated*	110	9.1	104	2	2	7	10	19	28	60
2. MULTIPLE DX										
A. *Not Operated*	1109	8.8	75	1	2	6	12	18	25	40
B. *Operated*	750	14.1	164	3	4	10	17	28	41	73
1. SINGLE DX	222	7.6	72	1	1	5	9	15	25	38
2. MULTIPLE DX	1859	10.9	117	1	2	8	14	24	32	63
A. NOT OPERATED	1221	8.6	72	1	2	6	11	18	25	39
B. OPERATED	860	13.4	159	2	3	10	16	28	40	72
TOTAL 65-69 YRS	502	10.8	114	1	2	6	14	22	31	67
70-74	524	10.4	113	1	2	7	13	23	30	48
75-79	412	11.1	133	1	2	7	14	25	33	67
80-84	397	9.3	85	1	2	7	11	19	25	50
85+	246	11.7	123	2	2	8	15	26	36	66
GRAND TOTAL	2081	10.6	113	1	2	8	13	23	31	60

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	73	3.6	22	<1	1	2	5	8	10	29
70-74	75	7.0	69	1	1	4	7	20	28	38
75-79	49	4.9	56	<1	1	2	5	13	21	37
80-84	62	4.9	27	<1	1	3	6	11	19	24
85+	40	5.2	21	<1	1	4	7	10	13	25
B. *Operated*										
65-69 YRS	36	11.3	106	2	2	8	15	30	33	38
70-74	56	11.9	175	1	2	7	12	31	40	68
75-79	29	11.3	118	1	2	8	16	23	27	53
80-84	18	7.9	65	2	3	6	8	12	28	38
85+	16	10.1	81	2	3	7	12	29	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	276	7.9	83	1	1	5	10	18	26	51
70-74	323	7.5	70	1	1	4	10	16	26	37
75-79	301	8.6	115	1	1	5	11	21	29	46
80-84	218	6.7	91	1	1	4	8	13	21	49
85+	160	8.4	65	1	1	6	11	21	26	35
B. *Operated*										
65-69 YRS	231	21.3	317	3	4	16	31	50	59	83
70-74	244	17.8	275	2	3	11	28	41	57	77
75-79	206	18.4	292	3	4	12	26	45	51	77
80-84	130	15.9	302	3	4	9	20	39	58	92
85+	100	15.7	167	3	4	13	20	32	41	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	5.1	41	<1	1	3	6	11	20	33
B. *Operated*	155	11.0	125	1	2	7	13	29	35	53
2. MULTIPLE DX										
A. *Not Operated*	1278	7.6	86	1	1	5	10	18	26	43
B. *Operated*	911	18.3	284	2	4	12	27	41	56	80
1. SINGLE DX	454	7.1	77	1	1	4	8	18	28	40
2. MULTIPLE DX	2189	12.2	196	1	1	7	15	31	41	68
A. NOT OPERATED	1577	7.3	79	1	1	4	9	17	25	41
B. OPERATED	1066	17.3	267	1	3	11	25	40	53	78
TOTAL 65-69 YRS	616	12.6	212	1	1	7	17	33	46	65
70-74	698	11.4	173	1	1	7	13	29	40	66
75-79	585	11.9	196	1	1	7	16	31	41	70
80-84	428	9.3	164	1	1	5	10	21	29	82
85+	315	10.4	106	1	2	7	14	24	31	53
GRAND TOTAL	2643	11.3	179	1	1	7	14	29	40	66

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	273	6.4	81	1	1	4	6	14	27	46
70-74	232	6.8	40	1	1	5	9	15	18	33
75-79	140	8.1	106	<1	1	5	10	18	27	56
80-84	74	6.7	36	1	1	5	9	15	19	26
85+	40	10.0	63	1	2	8	12	19	27	39
B. *Operated*										
65-69 YRS	409	8.5	57	1	2	6	12	19	23	38
70-74	409	9.9	92	1	2	8	13	20	27	54
75-79	262	10.1	104	2	2	7	13	21	29	47
80-84	144	10.0	89	2	2	7	12	21	31	50
85+	77	8.4	39	1	2	8	12	17	19	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1023	8.6	86	1	1	6	11	19	25	46
70-74	1083	9.8	101	1	2	7	12	21	29	53
75-79	954	9.9	94	1	2	7	13	22	30	46
80-84	592	10.2	107	1	1	7	14	24	31	51
85+	369	11.6	132	1	2	8	15	28	35	58
B. *Operated*										
65-69 YRS	1065	16.0	221	2	3	12	20	36	48	85
70-74	1176	16.0	182	2	4	12	22	34	44	69
75-79	913	16.6	174	3	4	13	22	34	48	74
80-84	578	16.8	219	2	4	12	22	37	46	82
85+	348	18.3	200	4	5	15	24	38	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	7.0	68	1	1	4	9	16	23	44
B. *Operated*	1301	9.4	80	1	2	7	12	20	26	46
2. MULTIPLE DX										
A. *Not Operated*	4021	9.7	100	1	2	7	12	22	29	49
B. *Operated*	4080	16.5	197	3	4	12	22	35	47	78
1. SINGLE DX	2060	8.5	77	1	1	6	11	18	25	45
2. MULTIPLE DX	8101	13.1	160	1	2	9	17	29	39	67
A. NOT OPERATED	4780	9.3	96	1	1	6	12	21	28	49
B. OPERATED	5381	14.8	178	2	3	11	19	32	43	71
TOTAL 65-69 YRS	2770	11.2	148	1	2	7	15	25	35	67
70-74	2900	12.1	139	1	2	9	15	26	36	60
75-79	2269	12.5	139	1	2	9	17	27	38	59
80-84	1388	12.8	160	1	2	9	17	29	39	64
85+	834	14.0	162	2	2	10	19	30	40	64
GRAND TOTAL	**10161**	**12.2**	**147**	**1**	**2**	**9**	**16**	**27**	**37**	**63**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	226	3.6	4	1	1	3	5	6	7	11
70-74	165	4.0	5	1	2	4	5	6	9	13
75-79	104	3.6	3	1	2	3	5	6	7	8
80-84	53	3.8	4	2	2	3	5	6	8	9
85+	22	4.2	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	3	7.3	25	2	2	8	11	12	12	12
75-79	2	5.0	2	4	4	5	6	6	6	6
80-84	2	5.5	5	4	4	5	7	7	7	7
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	187	4.9	12	2	2	4	6	9	12	17
70-74	133	4.8	13	1	2	4	6	8	10	21
75-79	107	6.0	43	1	2	5	7	10	15	37
80-84	56	6.0	29	2	2	4	7	14	18	25
85+	27	7.9	22	2	2	8	13	14	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8		1	1	2	2	2	2	2
B. *Operated*	570	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	11	5.1	9	2	2	4	7	10	12	12
B. *Operated*	510	5.4	22	1	2	4	6	10	14	21
1. SINGLE DX	574	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	521	5.4	22	1	2	4	6	10	14	21
A. NOT OPERATED	15	4.2	9	1	2	3	6	8	11	12
B. OPERATED	1080	4.5	13	1	2	4	5	8	10	18
TOTAL 65-69 YRS	416	4.1	8	1	2	4	5	7	9	15
70-74	301	4.4	9	1	2	4	5	8	10	18
75-79	214	4.8	24	1	2	4	5	8	10	17
80-84	113	4.9	17	2	2	4	6	8	14	24
85+	51	6.1	17	2	2	5	8	13	14	18
GRAND TOTAL	**1095**	**4.5**	**13**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	2.3	3	<1	<1	2	3	4	5	9
70-74	71	2.6	5	<1	1	2	3	6	7	11
75-79	52	3.0	7	1	1	2	4	6	9	15
80-84	23	3.9	23	<1	1	2	3	9	18	20
85+	25	3.4	8	<1	1	2	4	9	10	11
B. *Operated*										
65-69 YRS	654	3.8	19	<1	1	2	4	10	12	22
70-74	549	3.8	18	<1	1	2	4	10	13	21
75-79	376	4.1	19	<1	1	2	5	10	14	21
80-84	183	4.3	25	1	1	2	4	11	17	23
85+	79	5.3	25	1	1	3	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	4.7	19	1	1	3	6	9	12	25
70-74	248	4.6	25	1	1	3	6	9	12	19
75-79	218	5.1	25	1	1	4	7	11	13	22
80-84	155	5.4	27	1	2	4	7	10	13	28
85+	113	7.7	46	1	2	6	10	16	19	37
B. *Operated*										
65-69 YRS	1661	6.8	63	1	1	4	9	15	20	37
70-74	1631	7.2	51	1	1	5	10	16	21	34
75-79	1410	7.7	56	1	1	5	11	17	22	32
80-84	786	8.8	86	1	2	6	12	18	24	49
85+	446	11.0	117	1	2	8	14	24	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	2.8	7	<1	1	2	3	6	8	15
B. *Operated*	1841	4.0	19	<1	1	2	4	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	968	5.3	27	1	1	4	7	11	14	24
B. *Operated*	5934	7.7	67	1	1	5	11	17	22	37
1. SINGLE DX	2083	3.8	18	<1	1	2	4	10	13	21
2. MULTIPLE DX	6902	7.3	62	1	1	5	10	16	22	36
A. NOT OPERATED	1210	4.8	24	1	1	3	6	10	13	22
B. OPERATED	7775	6.8	58	1	1	4	9	15	21	35
TOTAL 65-69 YRS	2620	5.8	49	1	1	3	8	13	17	33
70-74	2499	6.1	42	1	1	3	9	14	18	31
75-79	2056	6.6	47	1	1	4	9	15	20	31
80-84	1147	7.5	70	1	1	4	10	17	22	41
85+	663	9.5	95	1	2	7	13	20	29	45
GRAND TOTAL	**8985**	**6.5**	**54**	**1**	**1**	**4**	**9**	**15**	**20**	**34**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	6.5	41	2	2	6	11	11	11	11
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	2	8.0	98	1	1	8	15	15	15	15
85+										
B. *Operated*										
65-69 YRS	76	4.5	26	<1	<1	2	6	11	18	24
70-74	49	3.8	15	1	1	2	4	9	13	16
75-79	27	4.0	16	1	1	2	5	7	12	20
80-84	14	2.8	5	<1	1	2	3	5	9	10
85+	5	7.0	71	1	1	2	13	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.6	17	<1	<1	4	6	12	13	13
70-74	14	8.0	29	1	3	6	11	15	20	22
75-79	9	9.9	36	2	2	11	14	18	20	20
80-84	6	4.2	2	2	2	4	5	6	6	6
85+	2	12.0	18	9	9	12	15	15	15	15
B. *Operated*										
65-69 YRS	111	9.7	99	1	2	6	13	23	28	52
70-74	91	10.5	158	2	2	7	14	23	40	65
75-79	43	7.5	51	1	2	5	10	18	27	28
80-84	16	8.6	87	<1	2	5	13	22	30	34
85+	12	7.4	46	2	2	4	12	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.0	27	1	1	4	10	14	15	15
B. *Operated*	171	4.2	21	<1	1	2	5	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	38	7.4	27	1	2	6	11	14	18	22
B. *Operated*	273	9.4	108	1	2	6	13	22	28	56
1. SINGLE DX	178	4.2	21	<1	1	2	5	10	15	21
2. MULTIPLE DX	311	9.2	99	1	2	6	13	21	27	53
A. NOT OPERATED	45	7.2	27	1	2	6	11	14	16	22
B. OPERATED	444	7.4	81	1	1	4	9	18	24	48
TOTAL 65-69 YRS	195	7.5	74	<1	1	5	9	18	24	45
70-74	156	8.1	108	1	2	4	9	19	26	58
75-79	81	6.5	40	1	2	4	8	15	21	28
80-84	38	5.7	48	<1	1	3	6	16	20	34
85+	19	7.8	47	1	1	5	14	19	21	21
GRAND TOTAL	**489**	**7.4**	**76**	**1**	**1**	**4**	**9**	**17**	**23**	**46**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	2.5	2	<1	<1	2	3	5	5	5
70-74	5	4.4	23	1	1	1	9	11	11	11
75-79	3	8.0	147	1	1	1	17	22	22	22
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	550	3.1	8	<1	1	2	3	6	9	17
70-74	319	3.1	7	<1	1	2	4	6	8	14
75-79	163	3.7	17	<1	1	2	4	7	11	23
80-84	75	3.8	11	<1	1	3	4	8	10	19
85+	44	3.3	8	<1	<1	2	5	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	3.2	5	<1	<1	3	5	7	7	8
70-74	27	5.4	10	1	1	5	7	11	11	12
75-79	24	7.8	39	1	2	7	9	12	19	33
80-84	21	7.6	28	1	2	7	10	15	19	23
85+	10	6.5	16	1	2	5	7	13	14	14
B. *Operated*										
65-69 YRS	549	5.5	36	1	1	3	7	12	16	32
70-74	447	6.4	52	1	2	4	8	14	23	34
75-79	281	6.5	47	1	2	4	8	13	20	41
80-84	114	7.3	56	1	2	5	9	15	22	40
85+	64	6.0	33	1	2	4	7	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.5	21	<1	1	2	4	8	14	22
B. *Operated*	1151	3.3	9	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	112	5.8	22	<1	1	3	7	11	13	27
B. *Operated*	1455	6.1	44	1	2	4	8	13	19	36
1. SINGLE DX	1176	3.3	10	<1	1	2	4	6	9	17
2. MULTIPLE DX	1567	6.1	43	1	1	4	8	13	18	35
A. NOT OPERATED	137	5.4	22	<1	1	5	7	11	13	24
B. OPERATED	2606	4.9	31	1	1	3	5	10	15	31
TOTAL 65-69 YRS	1142	4.3	23	<1	1	3	5	9	13	25
70-74	798	5.0	35	1	1	3	6	11	16	32
75-79	471	5.6	38	1	1	3	7	11	17	38
80-84	212	6.0	39	1	1	4	8	12	18	32
85+	120	5.0	23	1	1	3	6	12	14	27
GRAND TOTAL	**2743**	**4.9**	**30**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	5.0	48	<1	<1	1	10	13	13	13
70-74	4	2.0	1	1	1	2	3	3	3	3
75-79	5	7.2	75	<1	<1	5	11	22	22	22
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	12.0		12	12	56	99+	99+	99+	99+
B. *Operated*										
65-69 YRS	154	3.5	14	<1	<1	2	4	7	11	23
70-74	102	3.6	11	<1	1	2	5	9	12	15
75-79	61	3.8	43	<1	<1	2	4	6	10	47
80-84	35	3.0	10	<1	1	2	3	8	12	14
85+	21	3.0	3	<1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.5	18	<1	1	3	9	11	14	15
70-74	14	8.3	29	<1	2	8	14	15	16	16
75-79	28	8.8	32	1	2	8	12	15	20	26
80-84	40	6.2	54	1	1	3	8	19	23	31
85+	11	8.5	99	<1	1	5	11	23	35	36
B. *Operated*										
65-69 YRS	207	6.4	114	<1	1	3	6	14	21	67
70-74	171	7.6	117	<1	1	3	8	19	28	56
75-79	130	9.2	82	1	1	5	15	22	29	38
80-84	68	8.4	61	1	1	6	12	19	25	35
85+	47	7.8	56	1	2	6	9	20	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	5.9	41	<1	<1	3	12	22	80	99+
B. *Operated*	373	3.5	17	<1	<1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*	108	7.3	45	1	1	6	10	15	20	33
B. *Operated*	623	7.7	99	<1	1	4	10	19	26	52
1. SINGLE DX	387	3.6	18	<1	<1	2	4	8	12	23
2. MULTIPLE DX	731	7.6	90	<1	1	4	10	18	25	48
A. NOT OPERATED	122	7.1	44	<1	1	5	10	15	21	53
B. OPERATED	996	6.1	72	<1	1	3	7	15	21	43
TOTAL 65-69 YRS	379	5.2	71	<1	<1	3	5	11	17	37
70-74	291	6.1	78	<1	1	3	7	14	21	49
75-79	224	7.7	70	<1	1	4	10	19	25	38
80-84	144	6.5	50	1	1	3	9	16	21	33
85+	80	6.7	51	1	2	4	8	17	28	80
GRAND TOTAL	**1118**	**6.2**	**69**	**<1**	**1**	**3**	**7**	**15**	**21**	**43**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	139	2.2	1	1	1	2	3	3	4	5
70-74	107	2.3	1	<1	1	2	3	4	4	6
75-79	69	2.5	2	<1	1	2	3	4	5	10
80-84	16	2.7	1	<1	2	2	3	4	5	6
85+	12	2.1	1	<1	1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	6.5	5	5	5	6	8	8	8	8
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	2	5.5	25	2	2	5	9	9	9	9
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	197	3.9	40	1	2	3	4	6	9	39
70-74	156	4.4	59	1	2	3	5	9	12	16
75-79	95	4.7	25	1	2	3	5	9	14	29
80-84	55	4.6	10	<1	2	3	6	9	12	15
85+	27	5.9	26	1	2	4	7	16	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		1	1	2	2	2	2	2
B. *Operated*	343	2.3	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	9	4.7	6	2	2	5	6	9	9	9
B. *Operated*	530	4.4	39	1	2	3	5	8	11	25
1. SINGLE DX	346	2.3	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	539	4.4	39	1	2	3	5	8	11	24
A. NOT OPERATED	12	3.9	6	1	1	3	5	8	9	9
B. OPERATED	873	3.6	25	1	1	2	4	6	9	17
TOTAL 65-69 YRS	339	3.2	24	1	1	2	3	5	7	17
70-74	264	3.6	36	1	1	2	3	6	9	16
75-79	167	3.7	16	1	1	2	4	8	9	23
80-84	74	4.2	9	<1	2	3	6	8	11	14
85+	41	4.7	20	1	1	3	5	12	16	19
GRAND TOTAL	**885**	**3.6**	**25**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	43	6.0	11	1	2	6	8	9	11	17
70-74	29	6.7	26	<1	2	7	8	12	15	26
75-79	11	9.5	25	3	5	8	13	18	20	20
80-84	4	8.5	122	2	2	3	14	25	25	25
85+	8	6.6	21	2	2	5	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	5.1	9	3	3	4	6	8	13	14
70-74	15	7.1	22	2	3	6	9	10	18	21
75-79	14	8.0	33	2	2	6	10	14	23	25
80-84	24	5.5	10	1	2	5	8	9	11	14
85+	16	6.9	37	1	2	5	11	23	74	99+
B. *Operated*										
65-69 YRS	415	9.2	43	2	3	8	11	14	19	36
70-74	232	9.4	30	2	4	8	11	16	19	29
75-79	157	11.8	78	3	4	10	14	21	24	50
80-84	60	14.1	115	2	4	12	20	26	45	95
85+	36	9.3	55	2	3	7	10	18	27	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	2	1	1	2	3	5	5	5
B. *Operated*	95	6.8	22	1	2	7	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	82	6.4	21	2	2	5	8	13	17	75
B. *Operated*	900	10.0	53	2	4	8	12	17	22	40
1. SINGLE DX	102	6.5	22	1	2	6	8	12	16	25
2. MULTIPLE DX	982	9.7	51	2	3	8	11	17	22	41
A. NOT OPERATED	89	6.1	21	1	2	5	8	12	14	70
B. OPERATED	995	9.7	51	2	3	8	11	17	22	38
TOTAL 65-69 YRS	473	8.7	40	2	3	8	10	14	17	33
70-74	277	8.9	30	2	3	8	10	16	19	28
75-79	183	11.4	72	3	4	10	14	20	24	46
80-84	90	11.3	99	2	2	9	14	23	31	82
85+	61	8.1	46	1	2	6	10	17	26	92
GRAND TOTAL	**1084**	**9.4**	**49**	**2**	**3**	**8**	**11**	**16**	**22**	**38**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	3.3	4	<1	<1	3	5	6	6	6
70-74	4	7.5	43	2	2	7	13	15	15	15
75-79	4	1.8		1	1	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	16.3	533	3	3	3	33	43	43	43
70-74										
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	21	8.2	78	1	2	8	11	14	28	42
70-74	15	7.7	20	1	2	8	13	14	74	99+
75-79	9	5.4	22	1	1	3	8	13	15	15
80-84	14	5.6	29	2	2	4	8	12	19	21
85+	3	4.0	1	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	3.9	19	<1	1	2	4	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	4	13.0	400	3	3	3	23	43	43	43
B. *Operated*	62	6.9	41	1	2	6	9	14	18	92
1. SINGLE DX	13	3.9	19	<1	1	2	4	12	14	15
2. MULTIPLE DX	66	7.3	59	1	2	6	9	14	24	90
A. NOT OPERATED	4	13.0	400	3	3	3	23	43	43	43
B. OPERATED	75	6.4	38	1	2	5	9	14	16	85
TOTAL 65-69 YRS	28	8.4	108	<1	2	5	10	15	42	43
70-74	19	7.6	23	1	2	8	13	15	57	99+
75-79	13	4.3	18	1	1	2	7	10	14	15
80-84	15	5.3	28	1	2	2	7	11	18	21
85+	4	3.8	1	3	3	4	4	5	5	5
GRAND TOTAL	79	6.7	54	1	2	5	9	14	18	83

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	74	7.9	9	4	5	7	9	12	14	18
70-74	44	8.6	13	4	4	8	11	13	15	21
75-79	33	9.4	15	6	6	8	11	15	17	21
80-84	20	10.3	10	7	7	9	12	15	17	18
85+	4	12.5	54	5	5	11	18	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	10.0		10	10	10	10	10	10	10
80-84	2	8.0		8	8	8	8	8	8	8
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	317	10.8	39	5	6	9	12	18	22	34
70-74	213	11.6	46	6	6	10	13	19	26	40
75-79	126	12.3	55	6	7	10	14	18	24	46
80-84	93	14.6	58	6	8	12	18	24	28	46
85+	40	17.1	74	7	8	15	21	30	33	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	175	8.7	13	4	5	8	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	7	6.4	10	2	2	8	9	10	10	10
B. *Operated*	789	12.0	50	6	6	10	14	21	26	43
1. SINGLE DX	176	8.7	13	4	5	8	10	14	16	21
2. MULTIPLE DX	796	12.0	50	6	6	10	14	21	26	43
A. NOT OPERATED	8	6.0	10	2	2	6	9	10	10	10
B. OPERATED	964	11.4	45	5	6	9	13	19	24	41
TOTAL 65-69 YRS	392	10.2	35	5	6	9	11	17	21	31
70-74	259	11.1	42	5	6	9	12	17	24	38
75-79	160	11.7	48	6	6	10	14	18	22	44
80-84	115	13.7	52	6	8	11	17	23	26	45
85+	46	16.2	74	6	8	14	21	30	31	41
GRAND TOTAL	972	11.4	45	5	6	9	13	19	24	40

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	7	2.6	4	1	1	2	3	6	7	7
70-74	7	2.6	1	2	2	2	3	5	5	5
75-79	5	3.2	9	1	1	2	5	8	8	8
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	12	4.8	24	<1	<1	3	6	13	16	17
70-74	10	5.7	25	2	2	4	7	14	17	17
75-79	7	6.6	16	3	3	5	10	12	12	12
80-84	3	6.3	12	3	3	6	9	10	10	10
85+	5	4.0	10	1	1	3	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	20	3.0	5	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	7	<1	<1	2	5	6	6	6
B. *Operated*	37	5.4	19	<1	1	3	8	12	15	17
1. SINGLE DX	20	3.0	5	1	1	2	4	7	8	8
2. MULTIPLE DX	40	5.2	18	<1	1	3	7	11	14	17
A. NOT OPERATED	3	3.0	7	<1	<1	2	5	6	6	6
B. OPERATED	57	4.5	15	1	1	3	6	11	12	17
TOTAL 65-69 YRS	20	4.1	16	<1	<1	3	5	9	14	17
70-74	17	4.4	17	2	2	3	5	11	15	17
75-79	14	4.6	14	<1	1	3	8	11	12	12
80-84	4	6.5	8	3	3	6	8	10	10	10
85+	5	4.0	10	1	1	3	6	9	9	9
GRAND TOTAL	**60**	**4.5**	**15**	**<1**	**1**	**3**	**6**	**10**	**12**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	11	2.8	3	2	2	2	3	5	8	8
70-74	9	2.3	1	1	1	2	3	4	4	4
75-79	3	1.3		<1	<1	1	2	2	2	2
80-84	5	1.6	1	<1	<1	1	2	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	20	4.5	18	1	1	4	5	7	14	21
70-74	23	7.3	46	2	2	4	8	20	23	26
75-79	14	6.3	16	2	2	6	7	13	14	14
80-84	9	6.3	20	1	1	6	9	13	15	15
85+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	28	2.3	2	<1	<1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	67	6.1	27	2	2	4	7	14	19	25
1. SINGLE DX	29	2.4	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	67	6.1	27	2	2	4	7	14	19	25
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	95	5.0	23	1	1	3	6	11	15	24
TOTAL 65-69 YRS	31	3.9	13	1	2	3	5	7	8	21
70-74	32	5.9	38	1	2	3	6	16	22	26
75-79	18	5.4	16	<1	1	4	7	12	14	14
80-84	14	4.6	18	<1	<1	3	8	10	14	15
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**96**	**5.0**	**23**	**1**	**1**	**3**	**6**	**11**	**15**	**24**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. Operated										
65-69 YRS	49	3.4	10	1	1	2	3	7	11	15
70-74	38	2.5	4	<1	1	2	3	5	8	10
75-79	18	4.2	23	1	1	2	4	10	16	20
80-84	17	4.7	84	<1	1	2	4	4	28	40
85+	8	4.0	14	2	2	3	4	11	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	3.7	9	1	1	3	6	7	7	7
70-74										
75-79										
80-84	3	5.3	24	2	2	3	9	11	11	11
85+	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
65-69 YRS	80	6.3	64	1	1	3	7	17	23	42
70-74	95	5.3	23	1	1	4	7	13	16	23
75-79	63	6.0	28	2	2	4	8	12	17	26
80-84	52	6.3	36	1	2	4	9	12	20	29
85+	13	5.1	22	1	1	3	7	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	130	3.5	19	1	1	2	3	7	11	24
2. MULTIPLE DX										
A. Not Operated	8	3.9	12	1	1	3	5	10	11	11
B. Operated	303	5.8	37	1	1	4	7	13	18	28
1. SINGLE DX	132	3.5	19	1	1	2	4	7	11	24
2. MULTIPLE DX	311	5.8	36	1	1	4	7	13	18	27
A. NOT OPERATED	10	3.8	10	1	1	3	5	9	11	11
B. OPERATED	433	5.1	33	1	1	3	6	12	16	27
TOTAL 65-69 YRS	133	5.1	44	1	1	3	5	13	18	36
70-74	133	4.5	19	1	1	3	6	10	14	21
75-79	81	5.6	27	1	2	4	7	12	17	26
80-84	73	5.8	44	1	1	4	7	12	20	37
85+	23	4.4	17	1	1	3	5	12	14	16
GRAND TOTAL	**443**	**5.1**	**32**	**1**	**1**	**3**	**6**	**12**	**16**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS	3	1.7		<1	<1	2	2	2	2	2
70-74	2	1.0		1	1	1	1	1	1	1
75-79										
80-84	5	3.2	15	1	1	2	4	10	10	10
85+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	9.0		9	9	9	9	9	9	9
85+	2	7.0	2	6	6	7	8	8	8	8
B. Operated										
65-69 YRS	5	2.6	2	1	1	2	4	4	4	4
70-74	4	2.5	1	1	1	3	3	3	3	3
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	2	9.0	98	2	2	9	16	16	16	16
85+	3	7.0	39	2	2	5	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	13	2.4	6	<1	<1	2	2	5	9	10
2. MULTIPLE DX										
A. Not Operated	4	6.3	10	2	2	7	8	9	9	9
B. Operated	17	4.2	18	1	1	3	4	12	15	16
1. SINGLE DX	13	2.4	6	<1	<1	2	2	5	9	10
2. MULTIPLE DX	21	4.6	16	1	1	3	5	11	15	16
A. NOT OPERATED	4	6.3	10	2	2	7	8	9	9	9
B. OPERATED	30	3.4	13	1	1	2	3	8	14	16
TOTAL 65-69 YRS	8	2.3	1	<1	<1	2	3	4	4	4
70-74	7	2.0	1	1	1	2	3	3	3	3
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	8	5.4	31	1	1	2	9	16	16	16
85+	8	5.4	17	2	2	4	7	12	14	14
GRAND TOTAL	**34**	**3.8**	**13**	**1**	**1**	**2**	**4**	**9**	**13**	**16**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	6.5	73	1	1	3	8	15	29	34
70-74	11	6.7	25	2	2	5	10	14	18	18
75-79	7	3.4	3	1	1	3	5	6	6	6
80-84	6	8.0	31	3	3	5	14	16	16	16
85+	5	4.6	4	2	2	4	6	7	7	7
B. *Operated*										
65-69 YRS	99	13.4	140	2	3	11	17	23	31	96
70-74	81	17.3	171	2	4	15	21	32	42	75
75-79	46	18.2	279	4	6	13	23	33	42	96
80-84	16	15.1	109	5	7	12	18	29	41	46
85+	5	20.0	96	12	12	20	24	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	9.9	126	1	2	6	13	20	33	98
70-74	63	8.1	31	2	2	7	10	18	20	22
75-79	73	11.7	127	2	3	8	13	25	40	58
80-84	60	12.5	159	2	4	9	14	26	34	74
85+	36	11.7	167	2	3	9	15	19	25	79
B. *Operated*										
65-69 YRS	222	22.5	304	4	7	18	30	54	77	99+
70-74	210	25.0	364	5	7	19	31	57	69	90
75-79	144	28.4	443	3	6	23	41	64	74	99+
80-84	57	26.4	301	3	10	23	34	51	65	79
85+	21	29.4	371	3	8	28	46	55	62	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	6.0	36	1	1	4	7	14	17	34
B. *Operated*	247	15.8	175	2	4	12	20	31	36	93
2. MULTIPLE DX										
A. *Not Operated*	287	10.7	118	2	3	8	13	20	30	75
B. *Operated*	654	25.2	359	3	7	20	34	56	70	99+
1. SINGLE DX	291	14.4	166	2	3	11	19	29	35	89
2. MULTIPLE DX	941	20.8	330	3	4	16	28	51	64	99+
A. NOT OPERATED	331	10.1	110	2	2	7	12	20	29	74
B. OPERATED	901	22.6	326	3	6	17	29	51	68	99+
TOTAL 65-69 YRS	391	17.8	259	2	3	14	23	45	59	99+
70-74	365	19.9	298	3	4	15	24	45	60	88
75-79	270	21.5	378	3	4	15	31	52	68	99
80-84	139	18.3	251	3	4	14	24	40	52	76
85+	67	17.3	283	3	3	12	20	46	55	77
GRAND TOTAL	**1232**	**19.2**	**298**	**2**	**3**	**14**	**24**	**46**	**61**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
65-69 YRS	126	4.4	5	2	3	4	5	6	7	15
70-74	85	4.3	4	2	2	4	5	7	8	11
75-79	50	4.5	5	2	2	4	5	7	9	12
80-84	22	4.7	4	1	2	5	5	7	9	10
85+	5	6.8	40	3	3	4	8	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	8	3	3	4	6	9	9	9
70-74	6	7.0	16	2	2	7	10	12	12	12
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	2	10.0	2	9	9	10	11	11	11	11
85+	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
65-69 YRS	161	5.5	11	2	3	5	6	9	13	20
70-74	130	7.5	57	3	3	5	8	13	22	47
75-79	77	8.4	83	3	3	5	9	18	26	55
80-84	36	8.5	39	3	4	7	11	15	18	36
85+	15	11.5	103	4	5	8	13	20	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.3	13	1	1	4	5	10	11	11
B. *Operated*	288	4.5	5	2	3	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	16	6.8	14	2	3	6	10	12	13	14
B. *Operated*	419	7.1	46	3	3	5	8	13	19	39
1. SINGLE DX	294	4.4	5	2	3	4	5	6	8	13
2. MULTIPLE DX	435	7.1	44	3	3	5	8	12	19	37
A. NOT OPERATED	22	6.1	15	1	2	5	9	11	13	14
B. OPERATED	707	6.0	31	2	3	5	6	10	14	35
TOTAL 65-69 YRS	293	5.0	9	2	3	4	5	8	10	20
70-74	223	6.2	37	2	3	5	6	10	14	39
75-79	130	6.8	54	3	3	5	7	11	19	41
80-84	60	7.1	28	2	3	5	9	12	15	34
85+	23	10.3	78	3	4	7	13	18	28	44
GRAND TOTAL	**729**	**6.0**	**30**	**2**	**3**	**5**	**6**	**10**	**14**	**35**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.4	41	1	1	2	9	16	16	16
70-74	4	7.0	37	<1	<1	6	11	15	15	15
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+										
B. *Operated*										
65-69 YRS	51	10.3	126	3	4	7	11	20	26	75
70-74	26	7.7	26	2	2	6	10	16	19	21
75-79	22	7.9	34	2	3	6	10	17	21	26
80-84	3	6.0	12	4	4	4	9	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	7.1	26	1	2	6	10	16	16	16
70-74	18	12.1	205	2	3	7	13	23	47	63
75-79	6	6.0	6	2	2	6	7	9	9	9
80-84	7	13.0	137	4	4	8	18	33	36	36
85+	4	10.3	20	8	8	8	13	17	17	17
B. *Operated*										
65-69 YRS	164	13.1	153	4	4	9	15	28	35	75
70-74	116	13.1	138	3	4	10	17	27	34	64
75-79	65	14.4	93	3	4	12	21	25	32	46
80-84	24	16.9	163	5	5	11	20	35	44	53
85+	8	20.5	167	10	11	16	26	43	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.5	33	<1	<1	5	10	15	16	16
B. *Operated*	102	9.0	78	2	3	6	10	18	21	52
2. MULTIPLE DX										
A. *Not Operated*	58	9.5	95	1	2	7	10	18	23	61
B. *Operated*	377	13.7	140	3	4	10	18	29	35	62
1. SINGLE DX	112	8.8	74	2	3	6	10	18	21	47
2. MULTIPLE DX	435	13.2	135	3	4	9	17	27	34	63
A. NOT OPERATED	68	9.0	86	1	2	7	10	17	22	58
B. OPERATED	479	12.7	130	3	4	9	17	26	34	62
TOTAL 65-69 YRS	243	11.8	137	3	4	8	14	25	32	76
70-74	164	12.0	127	3	4	9	15	24	32	61
75-79	93	12.3	83	3	3	9	18	25	32	42
80-84	35	15.0	146	4	4	10	19	34	39	53
85+	12	17.1	137	8	8	14	17	38	45	46
GRAND TOTAL	**547**	**12.3**	**126**	**3**	**4**	**9**	**16**	**25**	**33**	**63**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	64	4.8	9	1	2	5	7	8	9	14
70-74	39	4.6	7	1	1	4	7	9	9	9
75-79	21	3.5	6	<1	1	3	5	8	9	9
80-84	11	3.0	4	<1	1	2	4	6	8	8
85+	6	4.2	5	2	2	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	10	2	2	3	7	8	8	8
70-74										
75-79	2	12.5	85	6	6	12	19	19	19	19
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	7.5	5	6	6	7	9	9	9	9
B. *Operated*										
65-69 YRS	148	6.5	19	2	2	6	8	12	14	22
70-74	58	8.3	53	2	3	7	11	14	15	51
75-79	45	7.1	29	1	2	6	9	11	20	28
80-84	21	7.2	19	2	2	7	9	13	17	20
85+	16	8.3	39	1	2	8	9	15	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*	141	4.4	7	1	1	4	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	8	7.0	30	2	2	6	8	16	19	19
B. *Operated*	288	7.1	29	2	2	6	9	13	15	25
1. SINGLE DX	143	4.4	7	1	1	4	7	8	9	11
2. MULTIPLE DX	296	7.1	29	2	2	6	9	13	15	24
A. NOT OPERATED	10	6.6	25	2	2	6	8	14	19	19
B. OPERATED	429	6.2	24	1	2	6	8	11	14	22
TOTAL 65-69 YRS	216	6.0	16	1	2	6	8	11	14	22
70-74	98	6.8	38	1	2	6	9	13	14	36
75-79	68	6.1	26	1	2	5	9	11	19	27
80-84	33	5.7	18	1	2	5	8	10	14	20
85+	24	7.2	30	2	2	7	9	15	18	26
GRAND TOTAL	**439**	**6.2**	**23**	**1**	**2**	**6**	**8**	**11**	**14**	**22**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0	4	1	1	3	4	5	5	5
70-74										
75-79	3	3.0	3	2	2	2	4	5	5	5
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	167	5.5	31	1	1	4	7	12	18	28
70-74	150	4.7	20	<1	1	3	6	12	15	22
75-79	100	4.5	13	1	1	3	6	9	12	17
80-84	64	4.1	9	1	1	3	5	8	9	15
85+	35	5.0	27	1	2	3	6	11	20	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	5.7	38	<1	1	4	8	16	20	22
70-74	15	14.1	253	2	3	7	15	49	50	50
75-79	9	5.9	31	<1	<1	4	9	15	18	18
80-84	13	5.8	12	<1	1	6	8	10	12	12
85+	8	11.9	51	4	4	11	17	22	24	24
B. *Operated*										
65-69 YRS	347	9.5	104	2	2	7	12	18	28	50
70-74	344	8.0	56	1	2	5	11	18	21	33
75-79	279	10.0	117	1	2	6	13	21	37	54
80-84	172	10.8	80	2	2	8	14	23	30	40
85+	112	10.6	114	1	2	7	16	24	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	3	1	1	2	4	5	5	5
B. *Operated*	516	4.9	21	1	1	3	6	11	15	22
2. MULTIPLE DX										
A. *Not Operated*	60	8.7	96	<1	1	6	10	18	26	50
B. *Operated*	1254	9.5	92	2	2	7	12	20	27	47
1. SINGLE DX	523	4.8	21	1	1	3	6	11	15	22
2. MULTIPLE DX	1314	9.4	92	1	2	6	12	20	27	48
A. NOT OPERATED	67	8.0	89	1	1	5	9	17	25	50
B. OPERATED	1770	8.1	76	1	2	5	11	18	24	42
TOTAL 65-69 YRS	532	8.1	83	1	2	5	10	16	22	48
70-74	509	7.2	54	1	2	5	10	16	20	33
75-79	391	8.5	93	1	2	5	11	18	25	48
80-84	249	8.8	67	1	2	6	12	21	26	38
85+	156	9.4	96	1	2	6	14	22	27	35
GRAND TOTAL	**1837**	**8.1**	**76**	**1**	**2**	**5**	**11**	**18**	**24**	**45**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	91	5.3	38	1	1	3	6	14	17	34
70-74	89	5.5	56	1	1	3	7	12	16	44
75-79	67	5.7	39	1	1	3	6	14	17	34
80-84	41	5.1	25	1	1	3	7	13	17	20
85+	37	7.8	44	1	2	5	10	19	21	28
B. *Operated*										
65-69 YRS	441	5.5	30	1	1	3	8	12	17	28
70-74	371	5.0	26	1	1	3	7	11	14	26
75-79	321	4.7	25	1	1	3	6	11	15	28
80-84	156	5.0	20	1	2	3	6	10	15	23
85+	91	6.1	39	1	1	3	9	15	16	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	437	7.2	89	1	1	4	8	15	21	48
70-74	449	7.0	41	1	1	5	9	15	20	31
75-79	460	7.5	51	1	2	5	10	16	23	37
80-84	332	9.2	109	1	2	6	11	19	29	65
85+	351	8.9	75	1	2	6	11	21	26	54
B. *Operated*										
65-69 YRS	917	9.2	81	1	2	7	12	19	27	44
70-74	910	9.8	98	1	2	7	13	21	28	58
75-79	786	10.6	116	2	2	8	14	22	28	62
80-84	491	10.9	101	2	2	8	15	24	32	51
85+	336	12.5	129	2	2	9	17	26	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	5.7	42	1	1	3	7	14	17	35
B. *Operated*	1380	5.2	27	1	1	3	7	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	2029	7.8	71	1	2	5	10	17	24	42
B. *Operated*	3440	10.3	102	2	2	8	13	22	29	53
1. SINGLE DX	1705	5.3	30	1	1	3	7	12	16	28
2. MULTIPLE DX	5469	9.4	92	1	2	7	12	20	27	52
A. NOT OPERATED	2354	7.5	68	1	1	5	9	16	23	41
B. OPERATED	4820	8.8	86	1	2	6	12	19	26	49
TOTAL 65-69 YRS	1886	7.7	71	1	1	5	10	17	23	41
70-74	1819	7.9	71	1	1	5	10	17	24	42
75-79	1634	8.4	82	1	2	6	11	18	25	44
80-84	1020	9.2	93	1	2	6	12	20	28	50
85+	815	10.0	97	2	2	7	13	22	29	55
GRAND TOTAL	**7174**	**8.4**	**80**	**1**	**2**	**6**	**11**	**18**	**25**	**47**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.4	12	1	1	4	6	10	10	10
70-74	7	5.1	10	1	1	5	7	9	10	10
75-79	7	4.7	4	3	3	4	6	8	8	8
80-84	5	5.0	14	<1	<1	5	7	11	11	11
85+	5	6.4	11	3	3	7	9	10	10	10
B. *Operated*										
65-69 YRS	212	4.7	5	2	3	4	5	7	8	15
70-74	139	4.7	4	2	3	4	5	7	9	13
75-79	55	5.5	6	3	3	5	6	9	11	14
80-84	26	5.7	8	2	3	5	7	10	11	14
85+	5	5.6	8	3	3	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	7.2	89	<1	1	6	9	11	16	67
70-74	51	6.6	66	1	1	4	7	16	24	41
75-79	48	7.1	16	2	3	6	9	13	14	21
80-84	34	8.4	41	2	3	6	11	16	24	29
85+	29	9.0	48	2	3	7	12	20	25	29
B. *Operated*										
65-69 YRS	235	6.9	24	3	3	5	8	12	16	26
70-74	200	7.7	49	3	3	5	9	15	18	41
75-79	109	8.0	43	3	3	6	9	17	24	33
80-84	46	11.3	148	3	4	7	12	24	47	54
85+	28	14.9	149	2	3	12	18	30	42	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.1	9	1	1	5	7	10	10	11
B. *Operated*	437	4.9	5	3	3	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	224	7.5	55	1	2	5	9	14	20	36
B. *Operated*	618	8.1	53	3	3	6	9	15	20	45
1. SINGLE DX	466	4.9	5	2	3	4	6	7	9	14
2. MULTIPLE DX	642	7.9	54	2	3	6	9	15	20	41
A. NOT OPERATED	253	7.2	50	1	2	5	9	13	19	34
B. OPERATED	1055	6.7	36	3	3	5	7	12	17	30
TOTAL 65-69 YRS	514	6.0	25	2	3	5	7	10	13	23
70-74	397	6.5	37	2	3	5	7	12	17	30
75-79	219	7.1	28	3	3	6	8	14	18	29
80-84	111	8.8	81	2	3	6	10	17	26	53
85+	67	11.0	94	2	3	8	14	24	29	53
GRAND TOTAL	**1308**	**6.8**	**39**	**2**	**3**	**5**	**8**	**12**	**17**	**31**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	6.7	24	1	3	6	8	12	14	28
70-74	39	6.0	19	1	2	4	8	12	17	18
75-79	33	6.7	24	2	3	6	8	11	13	28
80-84	17	7.9	31	2	2	7	9	16	21	23
85+	14	7.3	19	1	2	7	10	13	15	15
B. *Operated*										
65-69 YRS	63	5.2	22	2	3	4	5	7	8	31
70-74	29	5.4	15	2	3	5	6	8	16	20
75-79	22	4.9	5	1	2	5	6	9	9	9
80-84	9	5.2	15	2	2	4	7	12	14	14
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	423	8.9	66	2	3	7	10	17	23	38
70-74	454	9.9	61	3	3	8	12	20	25	39
75-79	391	9.8	55	3	3	8	12	17	24	43
80-84	268	11.3	62	2	4	9	14	21	28	39
85+	191	12.1	76	3	4	10	16	23	28	48
B. *Operated*										
65-69 YRS	156	11.3	129	3	4	7	14	25	33	89
70-74	118	12.6	201	3	4	9	15	24	38	96
75-79	116	15.7	223	3	4	10	20	36	52	67
80-84	51	15.5	144	4	5	13	21	32	41	99
85+	34	18.0	265	2	3	14	22	43	61	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	6.7	23	2	2	6	9	12	15	27
B. *Operated*	125	5.2	16	2	2	4	6	7	9	29
2. MULTIPLE DX										
A. *Not Operated*	1727	10.1	64	3	3	8	13	19	26	40
B. *Operated*	475	13.6	184	3	4	9	18	30	41	90
1. SINGLE DX	293	6.0	20	2	2	5	7	11	14	28
2. MULTIPLE DX	2202	10.8	92	3	3	8	13	21	28	52
A. NOT OPERATED	1895	9.8	61	3	3	8	12	18	25	39
B. OPERATED	600	11.9	161	2	3	7	14	26	37	78
TOTAL 65-69 YRS	707	8.9	75	2	3	6	10	17	26	40
70-74	640	9.9	85	3	3	7	12	20	26	49
75-79	562	10.7	94	3	3	8	13	20	31	60
80-84	345	11.6	75	2	4	9	15	23	29	44
85+	241	12.6	104	2	3	10	16	24	29	57
GRAND TOTAL	**2495**	**10.3**	**86**	**3**	**3**	**8**	**13**	**20**	**28**	**48**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	306	6.8	13	2	3	6	8	11	14	19
70-74	231	6.6	18	1	2	6	9	11	14	22
75-79	152	7.7	30	3	3	6	9	16	19	26
80-84	97	7.5	37	2	3	6	9	13	19	37
85+	51	7.5	15	3	3	7	9	13	16	21
B. Operated										
65-69 YRS	15	6.2	37	1	1	4	10	13	20	23
70-74	6	10.5	35	2	3	10	13	19	20	20
75-79	5	6.2	11	3	3	5	9	11	11	11
80-84	7	9.9	102	1	2	7	9	27	32	32
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2377	8.3	36	3	3	7	10	14	18	33
70-74	2237	8.4	40	3	3	7	10	15	19	31
75-79	1732	8.7	34	3	3	7	11	16	19	33
80-84	1110	9.1	46	2	3	7	11	17	22	37
85+	749	9.9	67	2	3	8	12	18	25	48
B. Operated										
65-69 YRS	354	13.4	116	3	4	10	16	25	31	59
70-74	331	14.5	171	3	4	11	16	32	39	76
75-79	241	13.8	105	3	4	11	17	28	36	47
80-84	118	14.4	102	3	5	12	20	28	32	51
85+	73	18.8	198	4	6	15	23	48	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	837	7.0	20	2	3	6	9	12	15	23
B. Operated	34	7.6	46	1	1	6	10	14	22	32
2. MULTIPLE DX										
A. Not Operated	8205	8.7	41	3	3	7	10	15	20	34
B. Operated	1117	14.2	135	3	4	11	17	28	38	65
1. SINGLE DX	871	7.0	21	2	3	6	9	12	16	24
2. MULTIPLE DX	9322	9.3	56	3	3	7	11	17	22	41
A. NOT OPERATED	9042	8.5	39	2	3	7	10	15	19	34
B. OPERATED	1151	14.0	133	3	4	11	17	28	38	65
TOTAL 65-69 YRS	3052	8.7	46	3	3	7	10	15	20	36
70-74	2805	9.0	58	2	3	7	11	16	21	39
75-79	2130	9.2	44	3	3	8	11	17	22	38
80-84	1332	9.4	53	2	3	7	11	18	24	38
85+	874	10.5	81	3	3	8	13	20	28	55
GRAND TOTAL	**10193**	**9.1**	**53**	**3**	**3**	**7**	**11**	**16**	**22**	**40**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	100	7.2	21	2	3	6	9	12	16	20
70-74	77	7.9	22	3	3	7	10	16	17	23
75-79	54	6.9	16	1	2	6	10	13	14	16
80-84	42	9.1	44	2	3	7	10	16	24	36
85+	20	6.7	13	2	2	6	9	12	13	13
B. Operated										
65-69 YRS	3	5.7	17	1	1	7	8	9	9	9
70-74	3	5.7	30	2	2	3	10	12	12	12
75-79	3	9.7	9	7	7	9	12	13	13	13
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	655	10.4	58	3	4	9	13	19	24	38
70-74	624	11.8	110	3	4	9	14	21	30	65
75-79	521	11.4	72	3	4	10	14	19	26	45
80-84	366	11.7	68	3	4	10	14	21	25	40
85+	295	12.6	83	3	5	11	15	22	30	45
B. Operated										
65-69 YRS	120	22.9	257	7	9	18	26	46	57	80
70-74	73	20.9	231	6	7	17	27	42	50	99+
75-79	74	27.4	326	7	10	23	36	57	63	97
80-84	58	26.1	297	8	10	21	34	51	55	91
85+	27	20.1	176	7	8	16	24	30	42	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	7.6	23	2	3	7	9	13	16	25
B. Operated	9	7.0	18	1	1	7	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	2461	11.4	79	3	4	9	14	20	26	45
B. Operated	352	23.8	270	7	9	19	29	49	58	95
1. SINGLE DX	302	7.5	23	2	3	7	9	13	16	25
2. MULTIPLE DX	2813	13.0	120	3	4	10	16	24	33	61
A. NOT OPERATED	2754	11.0	75	3	4	9	13	20	25	44
B. OPERATED	361	23.3	271	6	8	19	29	49	58	95
TOTAL 65-69 YRS	878	11.7	102	3	4	9	14	22	29	58
70-74	777	12.3	121	3	4	9	15	23	33	71
75-79	652	12.8	124	3	4	10	15	24	32	63
80-84	466	13.3	118	3	5	10	16	25	34	54
85+	342	12.9	92	3	5	11	15	23	30	46
GRAND TOTAL	**3115**	**12.4**	**113**	**3**	**4**	**10**	**15**	**23**	**32**	**61**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	825	6.9	16	2	3	6	9	12	13	20
70-74	659	7.1	21	2	3	6	9	12	16	23
75-79	450	7.9	35	3	3	6	10	13	17	28
80-84	228	7.4	23	3	3	6	9	13	15	30
85+	140	9.0	61	3	3	7	11	16	18	46
B. Operated										
65-69 YRS	143	5.2	30	1	2	3	6	12	14	31
70-74	125	6.1	76	1	1	3	7	17	28	65
75-79	92	4.8	42	1	2	3	5	10	17	39
80-84	43	6.0	49	2	2	3	7	12	26	32
85+	10	6.3	108	2	2	2	8	61	97	99+
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7097	8.8	36	3	4	8	11	15	19	30
70-74	6688	9.1	42	3	4	8	11	16	21	36
75-79	5029	9.9	59	3	4	8	12	18	23	43
80-84	3010	10.4	67	3	4	8	13	19	25	47
85+	1832	10.9	77	3	4	9	13	20	25	52
B. Operated										
65-69 YRS	2430	18.6	261	2	4	14	24	42	56	99+
70-74	2347	20.3	285	3	5	16	27	45	63	99+
75-79	1690	19.8	261	3	4	16	26	43	58	99+
80-84	943	21.6	313	3	4	16	30	50	64	99+
85+	505	20.8	269	3	6	16	27	43	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2302	7.3	25	2	3	6	9	12	15	24
B. Operated	413	5.5	50	1	2	3	6	12	21	45
2. MULTIPLE DX										
A. Not Operated	23656	9.5	50	3	4	8	12	17	22	39
B. Operated	7915	19.9	276	3	4	15	26	44	60	99+
1. SINGLE DX	2715	7.1	29	2	2	6	9	12	15	29
2. MULTIPLE DX	31571	12.1	127	3	4	9	14	24	35	71
A. NOT OPERATED	25958	9.3	48	3	4	8	11	17	21	38
B. OPERATED	8328	19.1	274	2	3	15	26	43	59	99+
TOTAL 65-69 YRS	10495	10.9	105	3	3	8	13	21	30	62
70-74	9819	11.6	123	3	3	8	14	23	34	71
75-79	7261	12.0	123	3	4	9	14	24	35	72
80-84	4224	12.7	143	3	4	9	15	26	38	73
85+	2487	12.8	131	3	4	10	15	25	37	75
GRAND TOTAL	**34284**	**11.7**	**121**	**3**	**4**	**8**	**14**	**23**	**34**	**70**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS										
70-74	2	6.5	25	3	3	6	10	10	10	10
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	4	5.8	15	2	2	5	9	10	10	10
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	6	5.0	10	2	2	4	6	10	10	10
A. NOT OPERATED	2	3.5	1	3	3	3	4	4	4	4
B. OPERATED	6	4.3	14	1	1	3	6	10	10	10
TOTAL 65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	4	4.3	16	1	1	3	7	10	10	10
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	6.0	8	4	4	6	8	8	8	8
GRAND TOTAL	**8**	**4.1**	**10**	**1**	**1**	**3**	**6**	**9**	**10**	**10**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	74	4.9	21	1	1	3	6	11	14	24
70-74	92	4.7	16	1	1	4	6	9	14	21
75-79	88	5.0	12	1	2	4	6	10	13	17
80-84	38	4.2	12	1	1	3	4	10	12	15
85+	30	3.9	6	1	1	3	5	7	10	10
B. *Operated*										
65-69 YRS	18	6.7	13	2	3	5	9	12	14	15
70-74	27	8.9	59	2	3	6	11	15	24	39
75-79	13	6.1	10	1	2	6	8	10	12	12
80-84	3	9.0	37	5	5	6	13	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1220	7.2	34	1	2	6	9	14	18	31
70-74	1339	7.7	44	2	2	6	10	15	19	32
75-79	1271	7.6	46	2	2	6	9	15	19	33
80-84	920	8.3	58	2	2	6	10	17	23	35
85+	726	8.3	56	2	2	6	10	16	22	41
B. *Operated*										
65-69 YRS	209	13.2	194	3	4	9	16	29	41	95
70-74	204	14.2	166	3	4	10	18	26	36	71
75-79	158	17.0	226	4	5	13	22	37	49	99
80-84	83	20.1	407	4	5	13	21	51	73	98
85+	61	20.4	230	4	5	18	27	40	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	4.7	15	1	1	4	6	10	13	19
B. *Operated*	61	7.6	34	2	3	6	9	14	16	37
2. MULTIPLE DX										
A. *Not Operated*	5476	7.8	46	2	2	6	10	15	20	34
B. *Operated*	715	15.7	226	3	4	11	20	33	47	96
1. SINGLE DX	383	5.2	19	1	1	4	6	10	14	21
2. MULTIPLE DX	6191	8.7	74	2	2	6	10	17	24	44
A. NOT OPERATED	5798	7.6	45	2	2	6	9	15	20	33
B. OPERATED	776	15.1	216	3	4	10	19	32	44	95
TOTAL 65-69 YRS	1521	7.9	60	1	2	6	10	16	20	40
70-74	1662	8.3	63	2	2	6	10	17	22	38
75-79	1530	8.4	71	2	2	6	10	17	24	46
80-84	1044	9.1	94	2	2	6	11	19	26	53
85+	817	9.1	78	2	2	7	11	19	27	45
GRAND TOTAL	**6574**	**8.5**	**71**	**2**	**2**	**6**	**10**	**17**	**23**	**44**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	5.0	4	3	3	5	6	8	8	8
70-74	6	11.0	98	4	4	7	13	28	30	30
75-79	13	9.6	44	2	4	8	13	20	25	26
80-84	8	5.0	10	2	2	4	7	10	11	11
85+	13	8.1	41	2	3	7	10	14	25	27
B. *Operated*										
65-69 YRS	3	4.7	22	1	1	3	8	10	10	10
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	3	5.7	12	2	2	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	237	11.0	68	3	4	9	13	22	29	39
70-74	307	11.4	83	3	4	9	14	20	28	51
75-79	342	11.2	73	3	4	9	14	22	29	99+
80-84	372	10.7	74	3	4	8	13	20	24	43
85+	455	12.4	119	3	4	9	15	24	34	93
B. *Operated*										
65-69 YRS	77	18.6	209	4	6	14	26	37	47	68
70-74	103	19.4	197	6	7	14	26	38	51	67
75-79	102	24.0	454	4	6	17	30	59	83	98
80-84	100	18.9	189	5	6	15	29	39	51	80
85+	90	17.4	176	4	5	13	26	37	45	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	8.0	40	2	3	6	10	14	26	30
B. *Operated*	8	5.6	12	1	1	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1713	11.4	87	3	4	9	14	22	29	58
B. *Operated*	472	19.8	252	4	6	15	27	40	57	90
1. SINGLE DX	54	7.6	37	2	2	6	9	13	24	30
2. MULTIPLE DX	2185	13.2	134	3	4	10	16	27	37	76
A. NOT OPERATED	1759	11.3	86	3	4	9	14	22	29	58
B. OPERATED	480	19.6	251	4	6	14	27	40	57	89
TOTAL 65-69 YRS	323	12.6	112	3	4	9	15	27	34	59
70-74	417	13.3	123	3	4	10	16	27	37	62
75-79	458	14.0	185	3	4	10	17	29	44	99
80-84	480	12.3	108	3	4	9	15	24	35	58
85+	561	13.1	130	3	4	10	16	27	35	93
GRAND TOTAL	**2239**	**13.1**	**133**	**3**	**4**	**10**	**16**	**27**	**36**	**75**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	9.1	51	2	3	6	11	18	27	29
70-74	29	9.3	41	3	3	8	12	19	23	30
75-79	8	12.0	265	4	4	6	9	39	52	52
80-84	7	6.1	6	3	3	6	8	10	10	10
85+	2	18.5	145	10	10	18	27	27	27	27
B. *Operated*										
65-69 YRS	21	15.8	364	3	5	9	17	35	67	84
70-74	4	13.5	92	5	5	11	20	27	27	27
75-79										
80-84	2	10.0		10	10	10	10	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0		4	4	4	4	4	4	4
B. *Operated*	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	87	9.4	64	2	3	7	11	19	27	44
B. *Operated*	27	15.0	293	3	5	9	16	26	58	84
1. SINGLE DX	4	6.0	16	4	4	4	8	12	12	12
2. MULTIPLE DX	114	10.7	122	3	3	8	12	22	28	64
A. NOT OPERATED	89	9.3	63	3	3	7	11	19	27	43
B. OPERATED	29	14.5	276	3	4	9	16	25	55	84
TOTAL 65-69 YRS	63	11.3	160	2	3	7	13	21	28	80
70-74	34	9.7	46	3	3	8	13	22	26	30
75-79	10	10.4	217	4	4	5	9	31	52	52
80-84	9	7.0	8	3	3	7	10	10	10	10
85+	2	18.5	145	10	10	18	27	27	27	27
GRAND TOTAL	118	10.6	119	3	3	7	12	22	28	63

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	5.2	20	1	1	4	6	13	14	22
70-74	32	4.3	14	1	1	3	6	11	13	13
75-79	19	7.4	59	<1	1	5	9	18	27	31
80-84	24	7.0	33	<1	<1	6	10	16	18	20
85+	11	5.0	12	1	1	3	7	10	12	12
B. *Operated*										
65-69 YRS	41	6.3	32	1	1	4	10	15	19	24
70-74	15	12.1	330	<1	1	7	10	33	61	71
75-79	17	6.8	102	1	1	2	6	21	34	40
80-84	11	7.5	45	1	1	7	11	18	22	22
85+	3	6.3	26	2	2	5	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	342	8.5	63	2	2	6	10	18	26	42
70-74	327	8.4	56	2	3	6	10	16	21	40
75-79	227	8.6	54	2	3	7	11	16	22	41
80-84	178	8.7	51	2	3	7	11	17	21	43
85+	184	10.5	68	2	3	8	14	19	23	49
B. *Operated*										
65-69 YRS	200	12.7	146	2	3	9	16	26	44	69
70-74	184	13.0	183	1	2	9	17	27	39	86
75-79	153	13.7	143	2	3	11	17	28	38	54
80-84	60	14.4	134	2	3	11	20	35	37	95
85+	46	13.1	92	2	2	12	16	26	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	5.6	26	1	1	4	8	13	15	24
B. *Operated*	87	7.6	98	1	1	4	10	16	23	59
2. MULTIPLE DX										
A. *Not Operated*	1258	8.8	59	2	3	7	11	17	22	42
B. *Operated*	643	13.2	150	2	3	10	17	27	39	73
1. SINGLE DX	219	6.4	55	[illegible]	1	4	8	13	19	35
2. MULTIPLE DX	1901	10.3	94	2	3	7	13	21	28	53
A. NOT OPERATED	1390	8.5	57	2	2	6	11	17	22	41
B. OPERATED	730	12.5	147	2	2	9	16	27	38	72
TOTAL 65-69 YRS	629	9.4	90	2	2	7	11	20	28	51
70-74	558	9.8	108	2	2	7	12	20	27	70
75-79	416	10.3	95	2	2	8	13	22	29	46
80-84	273	9.7	73	1	2	7	12	20	26	54
85+	244	10.7	72	2	2	9	14	19	26	53
GRAND TOTAL	**2120**	**9.9**	**91**	**2**	**2**	**7**	**12**	**20**	**27**	**52**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	4.5	7	2	2	4	6	9	10	11
70-74	60	4.6	6	2	2	4	6	8	10	13
75-79	35	5.1	8	1	2	5	7	9	10	13
80-84	41	4.6	5	1	2	4	6	7	8	13
85+	23	4.6	9	1	2	4	6	8	10	14
B. *Operated*										
65-69 YRS	18	5.4	35	1	1	3	6	11	20	26
70-74	16	3.9	14	<1	<1	2	5	11	12	12
75-79	9	6.6	43	<1	<1	2	12	16	18	18
80-84	8	3.9	12	<1	<1	3	5	9	11	11
85+	5	7.8	33	4	4	4	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	365	7.4	32	2	3	6	9	14	18	30
70-74	387	7.1	25	2	3	6	9	13	18	27
75-79	332	7.8	47	2	3	5	9	14	20	34
80-84	220	7.6	61	2	2	6	9	14	18	32
85+	189	8.3	41	2	3	7	10	15	20	37
B. *Operated*										
65-69 YRS	72	10.8	100	2	3	8	13	22	35	52
70-74	71	11.5	83	2	3	9	16	24	32	40
75-79	60	13.4	219	2	3	9	16	27	48	75
80-84	32	12.1	167	1	2	8	16	28	47	53
85+	28	14.4	249	3	4	9	15	39	48	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	4.7	7	2	2	4	6	8	10	13
B. *Operated*	56	5.2	26	<1	1	3	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	1493	7.5	39	2	3	6	9	14	18	28
B. *Operated*	263	12.1	145	2	3	9	15	25	38	66
1. SINGLE DX	279	4.8	11	1	2	4	6	9	11	16
2. MULTIPLE DX	1756	8.2	58	2	3	6	10	16	21	40
A. NOT OPERATED	1716	7.2	36	2	2	6	9	14	18	28
B. OPERATED	319	10.9	131	1	2	8	14	22	35	64
TOTAL 65-69 YRS	519	7.5	41	2	2	6	9	14	19	35
70-74	534	7.3	34	2	2	6	9	15	19	29
75-79	436	8.3	71	2	3	6	10	15	22	60
80-84	301	7.6	67	2	2	6	9	14	18	44
85+	245	8.6	66	2	3	6	10	15	24	45
GRAND TOTAL	**2035**	**7.7**	**53**	**2**	**2**	**6**	**9**	**15**	**20**	**36**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	4.4	8	1	2	4	6	8	11	13
70-74	99	5.5	27	1	1	4	6	9	16	30
75-79	120	6.3	23	1	2	5	8	12	14	26
80-84	115	6.6	34	1	2	5	8	14	16	33
85+	144	6.5	24	1	2	5	8	13	16	26
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	3	25.0	388	3	3	31	38	41	41	41
75-79	5	6.2	12	2	2	8	9	9	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85+	4	7.8	5	5	5	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2742	7.4	36	2	2	6	9	14	18	31
70-74	3602	8.2	46	2	3	6	10	15	21	35
75-79	4206	8.8	56	2	3	7	11	16	21	40
80-84	4159	9.5	61	2	3	7	12	18	23	46
85+	5466	10.0	69	3	3	8	12	19	25	47
B. *Operated*										
65-69 YRS	313	16.3	183	3	4	13	21	35	48	67
70-74	351	16.1	165	4	5	13	21	30	41	72
75-79	419	18.1	207	4	5	15	23	35	48	94
80-84	368	18.8	189	4	5	16	24	39	54	99+
85+	445	19.4	212	4	6	16	26	39	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	6.0	24	1	2	5	7	11	15	26
B. *Operated*	15	9.6	127	2	2	7	9	31	38	41
2. MULTIPLE DX										
A. *Not Operated*	20175	9.0	57	2	3	7	11	17	22	41
B. *Operated*	1896	17.9	194	4	5	14	23	36	49	92
1. SINGLE DX	579	6.1	27	1	2	5	7	12	15	27
2. MULTIPLE DX	22071	9.7	75	2	3	7	12	19	25	49
A. NOT OPERATED	20739	8.9	56	2	3	7	11	17	22	40
B. OPERATED	1911	17.8	194	4	5	14	23	36	49	91
TOTAL 65-69 YRS	3143	8.2	57	2	2	6	10	16	21	42
70-74	4055	8.8	62	2	3	7	11	17	23	42
75-79	4750	9.6	76	2	3	7	12	18	25	47
80-84	4643	10.1	77	2	3	8	12	20	26	54
85+	6059	10.6	85	3	3	8	13	21	28	53
GRAND TOTAL	**22650**	**9.6**	**74**	**2**	**3**	**7**	**12**	**19**	**25**	**49**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	5.2	14	1	2	4	6	9	15	19
70-74	72	5.5	34	<1	1	4	7	10	13	39
75-79	67	4.6	12	1	2	4	6	9	10	18
80-84	75	4.8	18	1	1	4	6	8	12	26
85+	69	4.7	21	1	1	4	6	9	10	30
B. *Operated*										
65-69 YRS	21	6.6	17	2	3	6	7	13	17	18
70-74	28	6.9	15	3	3	6	9	12	15	20
75-79	19	6.5	15	1	2	5	10	13	14	14
80-84	25	8.4	27	3	3	8	10	14	20	25
85+	17	6.8	20	2	3	6	9	13	17	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	785	6.9	28	2	2	6	9	12	16	25
70-74	1007	7.5	46	1	2	6	9	14	17	37
75-79	1278	7.3	34	2	2	6	9	14	17	27
80-84	1131	7.7	42	1	2	6	9	14	19	35
85+	1403	7.6	47	1	2	6	10	14	19	34
B. *Operated*										
65-69 YRS	383	11.5	61	3	4	10	14	22	27	44
70-74	471	10.9	54	4	4	9	13	20	25	34
75-79	502	11.2	57	3	4	9	14	20	26	40
80-84	423	11.9	76	3	4	10	15	22	28	57
85+	341	12.5	128	3	5	10	14	21	29	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	5.0	20	1	1	4	6	9	11	27
B. *Operated*	110	7.1	19	2	3	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	5604	7.4	40	1	2	6	9	14	18	33
B. *Operated*	2120	11.5	73	3	4	10	14	21	27	45
1. SINGLE DX	456	5.5	20	1	2	4	7	10	13	25
2. MULTIPLE DX	7724	8.5	52	2	2	7	11	16	21	37
A. NOT OPERATED	5950	7.3	39	1	2	6	9	14	18	33
B. OPERATED	2230	11.3	71	3	4	9	14	20	27	44
TOTAL 65-69 YRS	1252	8.2	42	2	2	7	10	15	20	32
70-74	1578	8.4	50	2	3	7	10	15	21	35
75-79	1866	8.2	43	2	2	7	10	16	20	34
80-84	1654	8.6	54	2	2	7	11	17	22	44
85+	1830	8.4	65	1	2	7	10	16	21	40
GRAND TOTAL	**8180**	**8.4**	**51**	**2**	**2**	**7**	**10**	**16**	**21**	**36**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	6.0	8	4	4	6	8	8	8	8
70-74	2	8.5	13	6	6	8	11	11	11	11
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	7.6	21	2	2	7	11	15	16	16
70-74	6	7.3	13	2	2	8	8	13	13	13
75-79	3	9.3	22	4	4	11	12	13	13	13
80-84	2	9.0	8	7	7	9	11	11	11	11
85+	5	5.2	7	2	2	5	7	9	9	9
B. *Operated*										
65-69 YRS	3	11.7	1	11	11	11	13	13	13	13
70-74	1	26.0		26	26	26	26	26	26	26
75-79	1	55.0		55	55	55	55	55	55	55
80-84										
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.3	14	1	1	5	8	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	32	7.4	16	2	2	7	11	13	15	16
B. *Operated*	6	21.8	295	11	11	14	26	52	55	55
1. SINGLE DX	6	5.3	14	1	1	5	8	11	11	11
2. MULTIPLE DX	38	9.7	82	2	2	8	11	15	22	55
A. NOT OPERATED	38	7.1	16	2	2	7	11	13	14	16
B. OPERATED	6	21.8	295	11	11	14	26	52	55	55
TOTAL 65-69 YRS	21	8.0	19	2	3	8	11	14	15	16
70-74	9	9.7	48	2	3	8	11	21	26	26
75-79	5	16.8	480	1	1	11	23	55	55	55
80-84	2	9.0	8	7	7	9	11	11	11	11
85+	7	6.1	21	2	2	5	8	14	15	15
GRAND TOTAL	**44**	**9.1**	**74**	**2**	**2**	**8**	**11**	**15**	**19**	**55**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	192	4.2	27	<1	1	2	5	10	14	27
70-74	263	3.7	20	<1	1	2	4	9	13	22
75-79	297	3.6	14	<1	1	2	5	8	11	17
80-84	301	3.5	17	<1	<1	2	5	8	10	25
85+	318	3.5	19	1	1	2	4	7	10	18
B. *Operated*										
65-69 YRS	67	7.4	42	1	1	5	10	14	22	35
70-74	66	8.8	54	1	3	7	12	16	18	44
75-79	74	7.6	30	1	2	7	9	14	19	28
80-84	49	8.0	33	1	2	7	11	14	19	31
85+	58	8.2	25	2	3	7	10	15	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1517	6.0	37	1	1	4	8	13	17	32
70-74	1929	6.3	40	1	1	5	8	13	17	31
75-79	2149	6.6	47	1	1	5	9	14	18	32
80-84	2187	6.7	52	1	1	5	8	14	18	37
85+	2408	7.4	52	1	2	5	10	15	21	37
B. *Operated*										
65-69 YRS	629	13.0	137	3	4	10	16	25	34	70
70-74	801	12.1	88	3	4	10	15	23	29	53
75-79	913	13.5	148	3	4	10	16	25	39	71
80-84	721	12.6	100	3	4	10	15	25	33	66
85+	659	14.4	186	3	4	11	18	28	38	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1371	3.7	19	<1	1	2	5	8	11	21
B. *Operated*	314	8.0	37	1	2	7	10	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	10190	6.7	47	1	1	5	9	14	19	33
B. *Operated*	3723	13.1	131	3	4	10	16	25	34	69
1. SINGLE DX	1685	4.5	25	<1	1	3	6	10	14	24
2. MULTIPLE DX	13913	8.4	77	1	1	6	11	17	24	48
A. NOT OPERATED	11561	6.3	44	1	1	4	8	13	18	32
B. OPERATED	4037	12.7	126	3	4	10	15	24	33	67
TOTAL 65-69 YRS	2405	7.7	73	1	1	5	10	16	22	42
70-74	3059	7.7	59	1	1	6	10	16	23	36
75-79	3433	8.2	82	1	1	6	10	17	23	49
80-84	3258	7.7	67	1	1	5	10	16	22	43
85+	3443	8.4	84	1	2	6	11	18	24	54
GRAND TOTAL	**15598**	**8.0**	**73**	**1**	**1**	**6**	**10**	**17**	**23**	**45**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	23.0		23	23	23	23	23	23	23
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	1	34.0		34	34	34	34	34	34	34
70-74										
75-79										
80-84										
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	8.5	38	3	3	6	11	18	21	21
70-74										
75-79										
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	10.3	121	3	3	5	18	23	23	23
B. *Operated*	2	26.0	128	18	18	26	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	12	8.3	31	3	3	7	11	17	20	21
B. *Operated*										
1. SINGLE DX	5	16.6	166	3	3	18	26	34	34	34
2. MULTIPLE DX	12	8.3	31	3	3	7	11	17	20	21
A. NOT OPERATED	15	8.7	43	3	3	7	11	21	22	23
B. OPERATED	2	26.0	128	18	18	26	34	34	34	34
TOTAL 65-69 YRS	12	11.8	97	3	3	9	18	26	33	34
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	12.5	61	7	7	12	18	18	18	18
GRAND TOTAL	**17**	**10.8**	**78**	**3**	**3**	**7**	**16**	**23**	**30**	**34**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	4.3	13	<1	1	3	6	9	11	19
70-74	79	4.5	35	1	1	3	5	8	14	37
75-79	74	3.6	10	1	1	3	5	7	11	14
80-84	36	4.7	47	1	1	2	5	12	16	38
85+	25	3.7	8	1	1	2	5	9	9	10
B. *Operated*										
65-69 YRS	46	7.9	89	1	2	6	9	13	17	64
70-74	43	10.3	217	1	2	6	10	18	35	90
75-79	41	8.2	21	1	2	8	11	13	18	21
80-84	27	10.3	28	2	4	9	14	18	19	19
85+	20	11.2	81	2	4	8	13	28	31	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	705	6.7	31	1	2	5	9	13	16	26
70-74	719	7.5	41	1	2	6	9	15	21	33
75-79	611	7.5	59	1	1	5	9	16	22	39
80-84	401	8.2	95	1	1	5	10	17	24	53
85+	306	8.2	55	1	2	6	10	18	21	39
B. *Operated*										
65-69 YRS	436	13.0	119	3	4	10	16	25	34	62
70-74	417	12.8	118	2	3	10	16	25	34	61
75-79	412	14.5	179	3	4	10	18	28	42	70
80-84	250	15.0	134	3	5	12	20	32	40	62
85+	196	15.0	177	3	4	11	18	30	52	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	4.2	22	1	1	3	5	8	12	26
B. *Operated*	177	9.3	94	1	2	7	11	18	20	58
2. MULTIPLE DX										
A. *Not Operated*	2742	7.5	52	1	1	6	9	15	20	37
B. *Operated*	1711	13.8	143	3	4	10	17	27	37	63
1. SINGLE DX	456	6.2	56	1	1	4	8	12	18	38
2. MULTIPLE DX	4453	9.9	96	1	2	7	12	20	28	55
A. NOT OPERATED	3021	7.2	50	1	1	5	9	15	20	36
B. OPERATED	1888	13.4	140	3	4	10	16	26	37	63
TOTAL 65-69 YRS	1252	8.8	72	1	2	7	11	17	22	44
70-74	1258	9.2	79	1	2	7	11	19	26	49
75-79	1138	9.8	111	1	2	7	12	21	29	57
80-84	714	10.5	115	1	2	7	14	22	33	57
85+	547	10.5	110	1	2	8	13	22	31	57
GRAND TOTAL	**4909**	**9.6**	**94**	**1**	**2**	**7**	**12**	**20**	**27**	**54**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	1.6	1	1	1	1	2	3	3	3
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. Operated										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	5.7	38	1	1	2	11	15	16	16
70-74	4	6.3	4	4	4	6	8	8	8	8
75-79	6	5.2	18	2	2	3	9	12	12	12
80-84	3	8.7	2	7	7	9	10	10	10	10
85+	3	3.7	4	2	2	3	5	6	6	6
B. Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	4	12.8	73	5	5	12	20	22	22	22
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.1	2	1	1	2	3	4	4	4
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	23	5.6	17	1	2	4	9	12	14	16
B. Operated	6	11.3	49	5	5	8	18	22	22	22
1. SINGLE DX	10	2.3	2	1	1	2	4	4	4	4
2. MULTIPLE DX	29	6.9	28	2	2	6	9	15	18	22
A. NOT OPERATED	32	4.8	16	1	1	3	7	11	13	16
B. OPERATED	7	10.3	49	4	4	7	16	21	22	22
TOTAL 65-69 YRS	15	4.1	23	1	1	2	4	13	15	16
70-74	9	8.9	43	4	4	6	11	20	22	22
75-79	7	5.0	15	2	2	3	8	11	12	12
80-84	5	7.4	5	4	4	7	9	10	10	10
85+	3	3.7	4	2	2	3	5	6	6	6
GRAND TOTAL	**39**	**5.7**	**25**	**1**	**1**	**4**	**8**	**13**	**17**	**22**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74	2	14.5	221	4	4	14	25	25	25	25
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
65-69 YRS	23	3.7	7	<1	<1	3	5	8	9	10
70-74	9	3.1	5	1	1	3	4	6	8	8
75-79	7	3.0	1	2	2	3	3	5	5	5
80-84	6	2.4	3	<1	<1	2	4	5	5	5
85+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	5.1	9	2	2	5	6	10	11	11
70-74	7	9.6	117	2	2	7	10	28	33	33
75-79	5	5.6	28	1	1	6	8	14	14	14
80-84	10	8.6	28	3	3	8	11	17	20	20
85+	8	9.0	43	1	2	8	12	20	22	22
B. Operated										
65-69 YRS	44	7.8	92	1	2	5	10	22	25	27
70-74	38	6.6	25	1	2	6	8	15	19	21
75-79	25	7.2	69	1	1	5	9	15	25	27
80-84	12	7.3	69	<1	1	5	8	18	25	26
85+	8	8.1	40	1	2	7	11	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	6.0	62	1	1	3	5	19	25	25
B. Operated	49	3.2	5	<1	<1	3	4	7	8	10
2. MULTIPLE DX										
A. Not Operated	37	7.8	43	1	2	6	10	14	21	33
B. Operated	127	7.3	41	1	2	5	9	17	23	27
1. SINGLE DX	57	3.6	13	<1	<1	3	4	7	8	24
2. MULTIPLE DX	164	7.4	41	1	2	6	9	16	22	27
A. NOT OPERATED	45	7.5	45	1	2	6	9	14	23	33
B. OPERATED	176	6.2	34	1	1	4	8	14	21	27
TOTAL 65-69 YRS	76	6.2	36	<1	2	4	6	14	23	27
70-74	56	6.7	40	1	2	5	8	16	21	33
75-79	38	6.0	38	1	1	4	6	14	21	27
80-84	31	6.4	32	<1	1	5	8	14	20	26
85+	20	7.4	37	1	1	6	9	17	21	22
GRAND TOTAL	**221**	**6.4**	**37**	**1**	**1**	**4**	**8**	**14**	**21**	**27**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	12.4	85	2	3	9	17	28	31	31
70-74	29	11.3	88	1	2	9	16	26	32	33
75-79	18	9.3	109	<1	1	7	11	15	35	47
80-84	16	7.5	55	<1	1	5	9	16	26	30
85+	12	8.3	36	1	1	7	14	16	17	17
B. *Operated*										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	146	13.2	146	2	3	9	17	30	38	58
70-74	145	12.0	141	2	2	8	15	25	37	79
75-79	159	9.6	58	2	3	7	12	19	25	41
80-84	148	11.3	130	1	2	8	14	23	30	61
85+	121	10.5	160	2	2	7	12	18	32	77
B. *Operated*										
65-69 YRS	20	19.1	158	1	4	18	28	37	43	47
70-74	16	21.4	613	2	3	13	30	69	81	84
75-79	11	19.7	516	1	1	10	35	55	71	72
80-84	9	9.0	60	2	2	8	11	22	26	26
85+	8	11.3	32	4	4	12	14	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	10.1	79	1	2	8	14	22	31	41
B. *Operated*	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	719	11.3	126	2	2	8	14	24	32	62
B. *Operated*	64	17.4	305	2	2	13	22	39	54	82
1. SINGLE DX	95	10.0	78	1	2	8	14	22	31	41
2. MULTIPLE DX	783	11.8	143	2	2	8	15	26	35	72
A. NOT OPERATED	812	11.2	120	2	2	8	14	24	31	59
B. OPERATED	66	17.1	302	2	2	12	21	39	52	82
TOTAL 65-69 YRS	184	13.8	144	2	3	10	19	31	38	56
70-74	191	12.6	176	2	2	9	15	27	37	81
75-79	189	10.2	92	2	2	7	12	19	26	50
80-84	173	10.8	120	1	2	8	14	23	30	57
85+	141	10.4	142	2	2	7	13	17	30	73
GRAND TOTAL	**878**	**11.6**	**136**	**2**	**2**	**8**	**15**	**25**	**33**	**69**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	225	10.4	112	1	2	7	14	24	30	47
70-74	342	11.5	154	2	3	8	13	24	36	79
75-79	469	11.9	135	2	3	8	16	26	36	73
80-84	422	10.1	92	2	2	8	13	21	28	63
85+	365	10.8	138	2	2	7	13	22	36	63
B. *Operated*										
65-69 YRS	10	9.4	39	2	2	8	11	20	20	20
70-74	18	9.3	91	2	2	6	10	24	32	37
75-79	9	10.6	45	2	3	10	13	21	24	24
80-84	10	10.2	57	3	3	6	18	20	21	21
85+	4	21.8	669	5	5	11	37	60	60	60
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1147	12.3	125	2	3	9	16	25	34	70
70-74	1999	12.5	133	2	3	9	16	27	39	99+
75-79	3069	12.3	148	2	3	9	15	26	36	82
80-84	2934	12.3	134	2	3	9	15	27	38	99+
85+	2985	12.1	151	2	3	9	15	25	37	99+
B. *Operated*										
65-69 YRS	138	18.5	189	4	4	14	25	42	48	86
70-74	219	19.6	287	3	5	15	26	47	83	99+
75-79	302	19.0	256	4	5	15	25	46	75	99+
80-84	268	20.9	317	4	6	16	28	52	91	99+
85+	224	21.3	375	3	5	16	28	59	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1823	11.0	127	2	2	8	14	23	33	63
B. *Operated*	51	10.7	107	2	3	7	15	21	25	60
2. MULTIPLE DX										
A. *Not Operated*	12134	12.3	141	2	3	9	15	26	37	99+
B. *Operated*	1151	19.9	291	3	5	15	27	49	80	99+
1. SINGLE DX	1874	11.0	126	2	2	8	14	23	33	63
2. MULTIPLE DX	13285	12.9	158	2	3	9	16	28	41	99+
A. NOT OPERATED	13957	12.1	139	2	3	9	15	26	37	96
B. OPERATED	1202	19.5	287	3	5	15	26	48	77	99+
TOTAL 65-69 YRS	1520	12.5	132	2	3	9	16	27	35	68
70-74	2578	13.0	152	2	3	9	16	28	42	99+
75-79	3849	12.8	158	2	3	9	16	27	40	92
80-84	3634	12.7	148	2	3	9	16	28	41	99+
85+	3578	12.5	169	2	3	9	15	27	41	99+
GRAND TOTAL	**15159**	**12.7**	**155**	**2**	**3**	**9**	**16**	**27**	**40**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	10.0	18	1	4	10	12	15	17	17
70-74	17	13.6	104	2	3	13	16	24	38	45
75-79	25	11.0	89	1	2	8	16	27	30	34
80-84	20	16.3	156	1	2	12	23	33	43	50
85+	13	19.8	747	3	3	8	24	55	89	97
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	11.0	2	10	10	11	12	12	12	12
75-79	1	13.0		13	13	13	13	13	13	13
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	13.9	164	3	3	10	18	35	52	91
70-74	114	13.9	190	2	4	9	19	29	37	85
75-79	157	12.3	161	3	3	9	14	22	41	87
80-84	180	12.4	119	3	4	9	15	26	40	92
85+	181	12.3	175	2	3	9	14	30	56	99+
B. *Operated*										
65-69 YRS	8	24.6	479	5	5	13	42	58	63	63
70-74	19	31.8	628	4	6	27	49	72	85	90
75-79	20	30.6	559	4	6	19	57	69	86	99+
80-84	16	20.4	533	6	7	13	19	46	83	98
85+	6	30.2	1119	10	11	23	98	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	14.1	202	2	2	10	17	29	44	81
B. *Operated*	4	9.3	25	2	2	11	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	701	12.7	158	2	3	9	16	27	42	99+
B. *Operated*	69	27.8	593	5	7	18	49	76	98	99+
1. SINGLE DX	88	13.8	195	2	2	10	17	28	43	79
2. MULTIPLE DX	770	14.1	215	2	3	10	17	34	55	99+
A. NOT OPERATED	785	12.9	163	2	3	9	16	27	43	99+
B. OPERATED	73	26.8	579	4	6	17	48	74	98	99+
TOTAL 65-69 YRS	87	14.3	184	3	3	10	18	37	52	86
70-74	152	16.1	264	2	4	10	21	35	51	90
75-79	203	13.9	218	2	3	10	16	29	57	94
80-84	216	13.3	155	2	4	10	17	27	41	99
85+	200	13.4	244	2	3	9	15	40	78	99+
GRAND TOTAL	**858**	**14.1**	**213**	**2**	**3**	**10**	**17**	**34**	**53**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	5.9	15	1	2	5	8	12	13	18
70-74	39	7.6	66	2	2	6	8	13	19	50
75-79	9	6.7	27	1	1	6	12	58	99+	99+
80-84	7	5.4	13	3	3	4	6	12	13	13
85+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	17.0		17	17	17	17	17	17	17
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	547	10.4	108	2	3	7	13	22	27	65
70-74	262	11.2	99	2	3	8	15	23	33	58
75-79	140	10.3	122	2	3	7	12	20	29	56
80-84	41	10.2	47	2	4	9	13	20	26	30
85+	23	7.8	40	1	2	6	9	17	21	28
B. *Operated*										
65-69 YRS	52	18.1	273	3	3	12	24	46	59	99
70-74	23	20.5	212	5	7	17	26	56	71	99+
75-79	15	24.7	604	6	8	15	25	77	86	89
80-84	6	17.3	91	7	8	17	31	87	99+	99+
85+	1	54.0		54	54	54	54	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	6.5	32	2	2	5	8	13	16	65
B. *Operated*	2	11.0	72	5	5	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	1013	10.5	104	2	3	7	13	21	29	58
B. *Operated*	97	20.0	304	3	5	15	26	55	74	99+
1. SINGLE DX	121	6.6	33	2	2	5	8	13	17	64
2. MULTIPLE DX	1110	11.3	128	2	3	8	14	24	33	74
A. NOT OPERATED	1132	10.1	98	2	3	7	12	21	28	58
B. OPERATED	99	19.9	301	3	5	15	26	55	74	99+
TOTAL 65-69 YRS	662	10.6	118	2	3	7	13	22	32	67
70-74	325	11.4	110	2	3	8	15	25	33	59
75-79	164	11.4	176	2	3	7	14	21	33	93
80-84	54	10.4	54	3	3	9	14	21	29	97
85+	26	9.4	118	2	2	6	9	18	33	54
GRAND TOTAL	**1231**	**10.9**	**121**	**2**	**3**	**7**	**13**	**23**	**33**	**73**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	8.5	208	1	2	5	6	18	49	56
70-74	7	4.9	17	1	1	3	6	12	13	13
75-79	4	7.3	9	4	4	7	9	11	11	11
80-84	6	5.5	6	2	2	6	7	8	8	8
85+	5	8.8	37	2	2	8	15	15	15	15
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	123	9.7	119	2	3	7	11	16	28	63
70-74	151	9.2	76	2	3	6	11	18	25	47
75-79	108	8.3	41	1	2	6	11	18	21	29
80-84	93	9.8	100	2	3	7	12	17	26	60
85+	70	7.7	46	2	3	6	10	13	18	42
B. *Operated*										
65-69 YRS	10	11.6	188	2	2	6	14	33	47	47
70-74	8	26.8	527	3	4	24	42	62	64	64
75-79	10	16.2	164	3	3	14	21	36	46	46
80-84	8	17.0	286	2	2	11	24	46	52	52
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	7.1	85	1	2	5	8	13	15	56
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	545	9.0	79	2	3	7	11	17	25	47
B. *Operated*	36	17.4	283	2	3	12	24	47	56	64
1. SINGLE DX	35	7.1	85	1	2	5	8	13	15	56
2. MULTIPLE DX	581	9.5	96	2	3	7	11	18	26	53
A. NOT OPERATED	580	8.9	80	2	3	7	11	16	24	48
B. OPERATED	36	17.4	283	2	3	12	24	47	56	64
TOTAL 65-69 YRS	146	9.7	130	2	3	7	10	17	36	57
70-74	166	9.8	108	2	3	6	11	22	32	57
75-79	122	8.9	54	1	2	7	12	19	23	35
80-84	107	10.1	111	2	3	7	12	18	28	59
85+	75	7.7	44	2	3	6	10	14	17	41
GRAND TOTAL	**616**	**9.4**	**95**	**2**	**3**	**7**	**11**	**18**	**26**	**54**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	118	16.6	110	2	5	15	21	32	38	46
70-74	52	18.1	139	4	5	16	25	36	39	50
75-79	30	13.4	103	2	3	10	18	25	36	47
80-84	11	16.5	516	1	2	9	15	54	75	77
85+	7	14.1	87	1	2	14	22	26	27	27
B. *Operated*										
65-69 YRS	2	15.5	61	10	10	15	21	21	21	21
70-74	2	17.5	61	12	12	17	23	23	23	23
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	179	20.8	288	3	4	16	28	43	60	99
70-74	115	21.3	253	4	6	17	27	50	57	90
75-79	55	17.7	213	4	6	14	20	31	41	77
80-84	18	16.2	278	3	3	9	23	45	57	60
85+	12	23.9	632	3	5	14	29	65	86	90
B. *Operated*										
65-69 YRS	14	28.6	411	9	10	22	36	58	76	81
70-74	7	35.3	310	19	19	27	49	59	62	62
75-79	4	15.8	108	7	7	13	24	29	29	29
80-84										
85+	3	16.0	19	11	11	18	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	16.4	134	2	4	14	22	32	39	49
B. *Operated*	5	16.0	33	10	10	14	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	379	20.3	276	3	5	16	27	43	59	95
B. *Operated*	28	27.1	332	8	9	20	35	54	64	81
1. SINGLE DX	223	16.4	132	3	4	14	22	32	39	49
2. MULTIPLE DX	407	20.8	282	3	5	16	28	44	59	93
A. NOT OPERATED	597	18.9	228	3	4	15	25	39	53	88
B. OPERATED	33	25.4	300	8	10	20	32	51	61	81
TOTAL 65-69 YRS	313	19.5	231	3	5	16	25	40	49	93
70-74	176	20.8	227	4	5	17	27	46	55	79
75-79	90	16.1	171	3	5	13	20	30	36	76
80-84	29	16.3	353	2	3	9	18	47	61	77
85+	22	19.7	380	2	5	15	24	37	68	90
GRAND TOTAL	**630**	**19.3**	**233**	**3**	**5**	**15**	**25**	**39**	**53**	**86**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	9.8	36	4	4	9	15	18	18	18
70-74	4	7.0	50	2	2	5	12	17	17	17
75-79	1	22.0		22	22	22	22	22	22	22
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	21.3	469	2	4	14	35	53	71	73
70-74	4	17.5	572	<1	<1	8	31	53	53	53
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	9.3	52	2	2	6	16	19	22	22
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	19.4	443	1	2	8	32	52	67	73
B. *Operated*										
1. SINGLE DX	12	9.3	52	2	2	6	16	19	22	22
2. MULTIPLE DX	16	19.4	443	1	2	8	32	52	67	73
A. NOT OPERATED	28	15.0	293	1	2	7	18	39	55	73
B. OPERATED										
TOTAL 65-69 YRS	17	17.2	336	3	4	12	20	39	61	73
70-74	8	12.3	298	<1	1	7	13	42	53	53
75-79	2	14.0	128	6	6	14	22	22	22	22
80-84	1	2.0		2	2	2	2	2	2	2
85+										
GRAND TOTAL	**28**	**15.0**	**293**	**1**	**2**	**7**	**18**	**39**	**55**	**73**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	17.0	170	3	4	14	22	32	40	81
70-74	105	17.2	204	2	4	14	23	37	43	73
75-79	54	18.4	242	1	2	15	26	41	53	63
80-84	20	11.3	119	<1	1	8	16	29	38	38
85+	9	7.7	41	1	2	6	10	19	21	21
B. *Operated*										
65-69 YRS	5	15.4	190	3	3	11	29	32	32	32
70-74	1	25.0		25	25	25	25	25	25	25
75-79	1	15.0		15	15	15	15	15	15	15
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	364	18.6	206	4	5	15	24	39	50	76
70-74	250	18.4	209	4	5	14	26	39	50	72
75-79	130	17.9	195	3	4	15	23	41	49	73
80-84	48	14.3	80	4	4	14	18	28	32	40
85+	25	13.2	95	3	3	11	19	30	33	34
B. *Operated*										
65-69 YRS	43	28.2	324	10	11	23	42	59	75	99+
70-74	18	24.1	183	6	8	21	32	45	49	51
75-79	9	24.2	476	5	5	15	42	59	61	61
80-84	3	22.0	103	11	11	24	29	31	31	31
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	16.7	186	2	3	14	22	34	42	80
B. *Operated*	7	16.7	140	3	3	15	27	31	32	32
2. MULTIPLE DX										
A. *Not Operated*	817	18.0	195	3	5	14	24	37	48	70
B. *Operated*	73	26.5	292	6	10	21	37	51	67	95
1. SINGLE DX	383	16.7	185	2	3	14	22	33	42	80
2. MULTIPLE DX	890	18.7	208	4	5	15	25	40	50	75
A. NOT OPERATED	1193	17.6	193	3	4	14	23	36	47	74
B. OPERATED	80	25.6	285	6	8	21	33	50	64	93
TOTAL 65-69 YRS	600	18.8	209	3	5	15	24	39	50	80
70-74	374	18.4	207	3	5	14	26	38	46	70
75-79	194	18.3	218	2	4	15	25	41	53	67
80-84	71	13.8	94	2	3	13	18	30	34	40
85+	34	11.8	85	2	3	8	15	30	32	34
GRAND TOTAL	**1273**	**18.1**	**202**	**3**	**4**	**14**	**24**	**38**	**48**	**76**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	782	20.7	244	2	4	17	28	41	50	77
70-74	604	21.1	220	2	4	19	29	41	51	71
75-79	397	20.9	218	2	4	18	29	41	49	71
80-84	163	21.4	232	3	5	18	28	47	55	66
85+	80	17.1	273	2	2	11	23	45	51	68
B. *Operated*										
65-69 YRS	11	22.6	128	4	8	25	27	40	42	42
70-74	4	27.5	310	11	11	23	39	52	52	52
75-79	7	30.3	1053	5	5	17	38	87	98	98
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1771	21.9	268	3	5	18	30	44	57	86
70-74	1586	21.9	244	4	6	19	30	44	55	80
75-79	1169	21.4	250	4	5	18	29	43	53	79
80-84	547	21.5	267	4	6	17	29	43	55	86
85+	223	19.1	260	3	4	15	25	40	53	77
B. *Operated*										
65-69 YRS	177	28.7	325	7	9	26	38	57	77	99+
70-74	124	31.5	376	7	10	29	47	71	99+	99+
75-79	121	29.9	299	8	11	28	39	57	74	99+
80-84	76	32.9	449	6	8	29	45	76	99	99+
85+	18	34.9	550	6	10	29	49	72	75	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2026	20.8	232	2	4	18	28	41	50	73
B. *Operated*	24	25.0	402	4	5	22	28	43	66	98
2. MULTIPLE DX										
A. *Not Operated*	5296	21.6	257	4	5	18	29	44	55	83
B. *Operated*	516	30.5	357	7	10	28	42	62	85	99+
1. SINGLE DX	2050	20.8	234	2	4	18	28	41	51	74
2. MULTIPLE DX	5812	22.4	272	4	6	19	30	45	58	92
A. NOT OPERATED	7322	21.4	250	3	5	18	29	43	54	79
B. OPERATED	540	30.3	360	7	9	27	41	62	84	99+
TOTAL 65-69 YRS	2741	22.0	267	3	5	18	30	44	56	85
70-74	2318	22.2	250	3	6	19	30	45	56	87
75-79	1694	21.9	254	4	5	19	30	43	54	84
80-84	787	22.6	288	4	6	19	30	46	59	96
85+	322	19.5	291	2	4	14	27	43	54	74
GRAND TOTAL	**7862**	**22.0**	**262**	**3**	**5**	**18**	**30**	**44**	**56**	**87**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	290	18.0	191	3	4	14	23	37	45	68
70-74	197	18.6	211	1	4	15	25	38	44	73
75-79	89	19.3	188	5	6	15	25	40	54	87
80-84	34	15.8	187	2	4	13	18	31	46	70
85+	8	17.9	160	2	3	16	28	36	38	38
B. *Operated*										
65-69 YRS	4	52.3	910	25	25	44	72	95	95	95
70-74	2	15.0	2	14	14	15	16	16	16	16
75-79	1	44.0		44	44	44	44	44	44	44
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	597	19.8	215	4	6	17	25	38	51	75
70-74	458	22.0	234	4	6	19	29	42	52	75
75-79	229	23.4	304	4	6	18	33	49	59	85
80-84	94	21.8	257	4	5	19	26	42	61	92
85+	23	16.6	119	6	7	15	18	31	46	47
B. *Operated*										
65-69 YRS	67	32.0	356	11	14	26	44	63	89	99+
70-74	36	34.5	459	8	12	38	53	85	99+	99+
75-79	25	38.4	466	9	14	34	44	73	82	85
80-84	8	40.9	371	9	13	42	55	65	68	68
85+	6	63.3	496	28	33	64	90	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	18.3	196	3	5	15	24	37	46	69
B. *Operated*	7	40.4	766	14	14	40	48	86	95	95
2. MULTIPLE DX										
A. *Not Operated*	1401	21.2	239	4	6	18	28	42	53	79
B. *Operated*	142	35.6	438	9	13	32	50	75	91	99+
1. SINGLE DX	625	18.5	206	3	5	15	24	38	47	71
2. MULTIPLE DX	1543	22.5	274	4	6	19	30	46	60	89
A. NOT OPERATED	2019	20.3	227	3	5	17	26	41	52	77
B. OPERATED	149	35.8	449	9	14	33	50	76	94	99+
TOTAL 65-69 YRS	958	20.3	235	4	5	17	26	40	55	84
70-74	693	21.7	249	3	6	18	29	42	54	85
75-79	344	23.5	305	4	6	19	33	48	60	85
80-84	136	21.4	273	3	5	17	26	45	61	85
85+	37	24.5	473	5	6	16	30	64	87	99+
GRAND TOTAL	**2168**	**21.4**	**258**	**4**	**6**	**17**	**28**	**43**	**57**	**85**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	142	12.7	134	1	2	10	17	28	34	57
70-74	157	10.9	104	1	2	8	14	23	31	53
75-79	123	10.5	117	1	2	7	13	22	30	62
80-84	74	12.8	169	1	2	9	17	27	42	65
85+	55	7.5	35	1	2	6	10	13	21	28
B. *Operated*										
65-69 YRS	9	12.2	92	3	3	9	18	28	31	31
70-74	1	13.0		13	13	13	13	13	13	13
75-79	4	17.0	441	2	2	9	29	48	48	48
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	627	12.6	116	2	3	10	17	27	34	53
70-74	679	11.5	95	2	3	9	15	25	31	49
75-79	717	11.9	129	2	3	8	15	25	36	59
80-84	539	12.1	132	2	3	9	15	25	37	80
85+	464	10.0	74	2	3	7	13	20	29	45
B. *Operated*										
65-69 YRS	80	17.8	191	3	4	14	24	38	48	63
70-74	86	16.7	220	3	4	12	21	35	44	98
75-79	78	18.7	216	3	4	15	24	42	51	93
80-84	64	17.7	178	3	4	16	23	36	52	95
85+	35	19.3	241	3	5	16	29	40	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	11.2	118	1	2	8	15	24	32	60
B. *Operated*	15	13.0	158	2	3	9	16	31	44	48
2. MULTIPLE DX										
A. *Not Operated*	3026	11.7	111	2	3	9	15	25	34	58
B. *Operated*	343	17.9	205	3	4	14	23	39	49	99+
1. SINGLE DX	566	11.2	119	1	2	8	15	24	32	59
2. MULTIPLE DX	3369	12.3	124	2	3	9	16	26	36	64
A. NOT OPERATED	3577	11.6	112	2	3	8	15	25	33	58
B. OPERATED	358	17.6	204	3	4	14	23	39	48	99
TOTAL 65-69 YRS	858	13.1	128	2	3	10	17	28	36	53
70-74	923	11.9	110	2	3	9	15	26	32	55
75-79	922	12.3	139	2	3	9	15	26	38	62
80-84	678	12.7	142	2	3	9	16	27	38	79
85+	554	10.3	86	2	3	7	13	21	30	51
GRAND TOTAL	**3935**	**12.2**	**124**	**2**	**3**	**9**	**16**	**26**	**35**	**61**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	91	5.9	36	1	1	4	7	12	13	35
70-74	72	6.0	39	1	1	4	7	14	23	30
75-79	66	5.7	39	1	1	4	7	12	18	34
80-84	29	4.2	7	1	1	4	5	8	9	13
85+	18	5.1	13	<1	1	4	7	11	13	14
B. *Operated*										
65-69 YRS	2	18.5	313	6	6	18	31	31	31	31
70-74	3	5.0	7	3	3	4	7	8	8	8
75-79	3	4.7	12	1	1	5	7	8	8	8
80-84	3	11.0	217	2	2	3	22	28	28	28
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	593	7.2	54	1	2	5	8	15	23	37
70-74	477	7.2	63	1	2	5	9	14	20	34
75-79	366	6.0	33	1	2	4	7	12	16	28
80-84	266	6.8	39	1	2	5	8	15	19	35
85+	126	5.4	27	1	1	4	6	10	14	31
B. *Operated*										
65-69 YRS	29	9.2	66	2	3	6	10	20	23	39
70-74	24	10.5	247	2	3	7	9	18	40	80
75-79	22	9.0	29	3	4	7	12	18	20	22
80-84	16	10.2	64	2	3	9	12	15	30	37
85+	5	6.0	12	2	2	6	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	5.7	33	1	1	4	7	12	16	31
B. *Operated*	12	8.6	100	1	2	5	8	29	31	31
2. MULTIPLE DX										
A. *Not Operated*	1628	6.8	48	1	2	5	8	14	19	35
B. *Operated*	96	9.5	97	2	3	7	11	18	22	61
1. SINGLE DX	288	5.8	36	1	1	4	7	12	17	32
2. MULTIPLE DX	1924	6.9	51	1	2	5	8	14	20	36
A. NOT OPERATED	2104	6.6	46	1	2	5	8	14	19	35
B. OPERATED	108	9.4	97	2	3	7	11	19	23	56
TOTAL 65-69 YRS	715	7.2	53	1	2	5	8	15	23	38
70-74	576	7.2	67	1	2	5	9	14	20	35
75-79	457	6.1	34	1	2	4	7	12	17	28
80-84	314	6.7	40	1	2	5	8	14	18	36
85+	150	5.4	24	1	1	4	7	11	14	30
GRAND TOTAL	**2212**	**6.8**	**49**	**1**	**2**	**5**	**8**	**14**	**20**	**35**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	241	12.7	92	2	3	10	17	26	34	40
70-74	197	13.4	127	1	2	10	18	28	36	50
75-79	134	10.6	96	2	2	8	14	21	28	56
80-84	56	14.5	235	2	2	9	21	41	70	99+
85+	21	7.6	34	1	2	5	10	16	20	24
B. *Operated*										
65-69 YRS	2	26.5	85	20	20	26	33	33	33	33
70-74	3	13.3	165	4	4	8	23	28	28	28
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	2	4.5	13	2	2	4	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	858	11.8	103	2	3	8	16	26	33	44
70-74	769	12.2	114	2	3	8	16	26	36	47
75-79	561	11.2	98	2	3	8	14	24	29	52
80-84	313	10.5	71	3	3	8	13	21	28	43
85+	144	10.3	77	3	4	7	11	23	30	58
B. *Operated*										
65-69 YRS	80	21.1	280	3	4	15	31	45	55	73
70-74	60	19.3	216	4	5	16	24	40	50	67
75-79	53	18.2	204	4	5	13	27	38	48	99
80-84	21	18.7	270	4	6	15	21	44	58	69
85+	7	21.9	225	3	5	19	30	46	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	649	12.5	115	2	3	9	17	27	36	51
B. *Operated*	9	12.3	135	2	3	7	22	31	33	33
2. MULTIPLE DX										
A. *Not Operated*	2645	11.5	100	2	3	8	15	24	32	47
B. *Operated*	221	19.7	239	4	5	15	28	41	50	75
1. SINGLE DX	658	12.5	116	2	3	9	17	27	36	51
2. MULTIPLE DX	2866	12.2	116	2	3	8	16	26	35	53
A. NOT OPERATED	3294	11.7	103	2	3	8	16	25	34	49
B. OPERATED	230	19.4	236	3	5	15	28	41	49	75
TOTAL 65-69 YRS	1181	12.6	118	2	3	9	17	27	35	47
70-74	1029	12.8	125	2	3	9	17	28	36	55
75-79	750	11.6	108	2	3	8	15	24	33	56
80-84	392	11.5	109	3	3	8	15	23	35	63
85+	172	10.4	83	2	3	7	12	23	31	54
GRAND TOTAL	**3524**	**12.2**	**116**	**2**	**3**	**9**	**16**	**26**	**35**	**53**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	7.4	56	1	1	4	9	18	23	40
70-74	38	12.4	284	1	2	7	14	23	40	98
75-79	34	10.8	83	1	2	7	15	22	30	42
80-84	16	7.6	82	2	2	4	7	21	31	35
85+	9	5.4	9	2	2	6	6	10	12	12
B. *Operated*										
65-69 YRS	29	5.3	6	2	3	5	7	9	9	11
70-74	11	6.6	21	2	2	6	7	14	18	18
75-79	6	3.8	2	2	2	4	5	6	6	6
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	267	10.5	102	1	2	7	14	25	34	71
70-74	247	11.1	131	1	2	7	14	27	38	59
75-79	159	10.3	103	2	2	7	14	22	31	56
80-84	112	10.1	88	1	2	7	12	22	29	50
85+	88	9.9	93	1	2	7	13	22	32	84
B. *Operated*										
65-69 YRS	52	12.5	177	2	3	9	14	28	34	80
70-74	32	9.5	54	3	3	6	12	19	28	31
75-79	20	11.2	71	2	3	9	17	28	64	99+
80-84	9	18.4	414	3	3	8	31	53	58	58
85+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	9.2	117	1	2	6	12	19	25	46
B. *Operated*	47	5.4	9	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	873	10.5	107	1	2	7	14	24	33	59
B. *Operated*	114	12.0	142	2	3	8	16	28	34	88
1. SINGLE DX	211	8.3	95	1	2	6	10	17	24	44
2. MULTIPLE DX	987	10.7	111	1	2	7	14	24	33	60
A. NOT OPERATED	1037	10.3	109	1	2	7	14	23	32	58
B. OPERATED	161	10.1	112	2	3	6	11	24	31	78
TOTAL 65-69 YRS	415	9.9	100	1	2	7	13	23	31	57
70-74	328	10.9	138	2	2	7	14	26	33	62
75-79	219	10.3	95	2	2	7	14	22	31	58
80-84	138	10.3	110	1	2	7	12	23	32	58
85+	98	9.6	88	1	2	6	12	22	29	79
GRAND TOTAL	**1198**	**10.3**	**109**	**1**	**2**	**7**	**13**	**23**	**32**	**59**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	439	11.0	95	1	2	7	20	28	30	37
70-74	184	10.7	95	1	2	6	19	27	30	35
75-79	64	10.8	94	1	1	8	16	23	29	42
80-84	16	4.9	26	<1	<1	4	6	10	18	21
85+	12	10.7	168	1	1	6	12	32	43	45
B. *Operated*										
65-69 YRS	3	10.7	82	4	4	7	17	21	21	21
70-74	3	28.3		28	28	28	29	29	29	29
75-79										
80-84	2	9.0	98	2	2	9	16	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2278	12.8	118	2	3	8	21	28	32	43
70-74	1180	12.2	99	2	3	8	20	28	30	39
75-79	505	11.8	87	2	3	8	19	26	30	37
80-84	140	11.0	115	1	2	7	16	25	30	62
85+	45	12.2	234	1	2	7	14	29	47	75
B. *Operated*										
65-69 YRS	171	19.4	185	4	5	16	27	39	51	92
70-74	88	18.4	126	4	7	16	26	32	36	55
75-79	49	19.1	136	3	6	17	27	33	41	49
80-84	17	15.3	73	3	5	15	24	29	72	99+
85+	2	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	10.8	95	1	2	7	18	27	30	38
B. *Operated*	8	16.9	128	2	3	18	28	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	4148	12.5	110	2	3	8	21	28	31	42
B. *Operated*	327	18.8	155	4	6	16	26	35	43	73
1. SINGLE DX	723	10.9	96	1	2	7	19	27	30	38
2. MULTIPLE DX	4475	12.9	116	2	3	9	21	28	32	45
A. NOT OPERATED	4863	12.2	108	2	3	8	20	28	30	42
B. OPERATED	335	18.8	154	3	5	16	27	35	43	70
TOTAL 65-69 YRS	2891	12.9	122	2	3	8	21	28	32	46
70-74	1455	12.4	103	2	2	8	21	28	31	40
75-79	618	12.2	96	2	2	9	19	27	30	41
80-84	175	10.9	107	1	2	7	16	25	30	63
85+	59	11.8	210	1	1	7	14	28	44	74
GRAND TOTAL	**5198**	**12.6**	**114**	**2**	**3**	**8**	**21**	**28**	**31**	**43**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	20.5	62	10	10	21	25	29	29	29
70-74	2	18.0	450	3	3	18	33	33	33	33
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	17.0	42	9	9	17	20	27	28	28
70-74	10	10.8	30	1	3	10	16	17	18	18
75-79	3	10.7	54	5	5	8	16	19	19	19
80-84	2	13.0		13	13	13	13	13	13	13
85+	2	10.0	72	4	4	10	16	16	16	16
B. Operated										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	2	14.0	32	10	10	14	18	18	18	18
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	17.0	157	1	1	21	27	32	33	33
B. Operated										
2. MULTIPLE DX										
A. Not Operated	24	12.7	39	3	5	13	17	19	23	28
B. Operated	4	15.3	14	10	10	16	18	18	18	18
1. SINGLE DX	7	17.0	157	1	1	21	27	32	33	33
2. MULTIPLE DX	28	13.1	36	4	5	14	17	19	22	28
A. NOT OPERATED	31	13.7	65	1	4	13	19	24	29	33
B. OPERATED	4	15.3	14	10	10	16	18	18	18	18
TOTAL 65-69 YRS	12	18.0	43	9	10	18	22	28	29	29
70-74	14	12.3	65	1	3	10	16	20	30	33
75-79	4	12.5	50	5	5	13	18	19	19	19
80-84	3	9.0	48	1	1	13	13	13	13	13
85+	2	10.0	72	4	4	10	16	16	16	16
GRAND TOTAL	**35**	**13.9**	**59**	**2**	**4**	**14**	**18**	**22**	**29**	**33**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	10.8	91	2	2	9	13	26	28	28
70-74	2	21.5	85	15	15	21	28	28	28	28
75-79										
80-84	1	11.0		11	11	11	11	11	11	11
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	28	17.3	116	2	4	18	25	31	33	46
70-74	26	12.4	75	2	3	8	21	23	25	30
75-79	16	16.3	81	3	4	18	22	28	32	34
80-84	8	9.0	33	1	2	9	13	17	18	18
85+	3	14.0	28	8	8	16	17	18	18	18
B. Operated										
65-69 YRS	4	18.0	305	7	7	10	28	44	44	44
70-74	3	19.3	101	10	10	18	27	30	30	30
75-79	2	10.0	32	6	6	10	14	14	14	14
80-84	2	22.5	61	17	17	22	28	28	28	28
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	13.2	89	2	2	12	18	28	28	28
B. Operated										
2. MULTIPLE DX										
A. Not Operated	81	14.6	89	2	3	14	21	26	31	42
B. Operated	11	17.7	138	6	7	14	25	36	43	44
1. SINGLE DX	9	13.2	89	2	2	12	18	28	28	28
2. MULTIPLE DX	92	15.0	95	2	4	14	21	29	31	45
A. NOT OPERATED	90	14.4	88	2	3	13	21	28	30	41
B. OPERATED	11	17.7	138	6	7	14	25	36	43	44
TOTAL 65-69 YRS	38	16.3	127	2	3	13	25	31	39	46
70-74	31	13.6	81	2	3	10	21	26	30	30
75-79	18	15.6	77	3	4	16	21	27	32	34
80-84	11	11.6	58	1	2	11	16	22	27	28
85+	3	14.0	28	8	8	16	17	18	18	18
GRAND TOTAL	**101**	**14.8**	**93**	**2**	**4**	**13**	**21**	**28**	**31**	**45**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	2.5	3	<1	<1	2	4	5	5	5
70-74	16	3.4	22	<1	<1	1	4	10	16	18
75-79	15	2.7	6	<1	1	1	4	6	8	9
80-84	7	2.6	3	1	1	2	3	5	6	6
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	132	6.0	48	<1	1	4	7	12	21	41
70-74	88	7.0	64	1	1	4	8	18	21	42
75-79	47	5.7	21	1	1	5	7	14	16	21
80-84	31	3.7	7	1	1	3	5	8	10	10
85+	9	3.0	6	1	1	2	4	7	8	8
B. *Operated*										
65-69 YRS	11	8.0	33	1	1	7	14	15	17	17
70-74	8	13.6	224	1	2	7	18	39	47	47
75-79	4	4.5	12	1	1	4	7	8	8	8
80-84	3	12.7	312	1	1	4	26	33	33	33
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.8	8	<1	1	2	4	5	8	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	307	5.9	44	1	1	4	7	14	20	33
B. *Operated*	27	9.4	112	1	1	7	13	21	35	47
1. SINGLE DX	58	2.8	8	<1	1	2	4	5	8	17
2. MULTIPLE DX	334	6.2	50	1	1	4	7	14	21	40
A. NOT OPERATED	365	5.4	40	1	1	3	6	12	17	28
B. OPERATED	27	9.4	112	1	1	7	13	21	35	47
TOTAL 65-69 YRS	162	5.7	43	<1	1	4	7	13	16	39
70-74	112	6.9	72	1	1	4	8	18	22	49
75-79	66	4.9	18	1	1	4	7	9	15	20
80-84	41	4.2	27	1	1	3	5	8	10	33
85+	11	2.6	5	<1	<1	1	4	6	8	8
GRAND TOTAL	**392**	**5.7**	**45**	**1**	**1**	**4**	**7**	**13**	**19**	**37**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	6.7	55	1	1	5	7	20	21	21
70-74	2	7.0	50	2	2	7	12	12	12	12
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	9.4	61	2	3	7	11	24	28	31
70-74	28	9.3	60	1	2	7	14	22	27	28
75-79	18	8.9	78	2	3	5	11	26	31	32
80-84	17	8.5	60	2	2	7	9	20	28	32
85+	10	13.5	643	2	2	5	11	48	85	85
B. *Operated*										
65-69 YRS	7	15.9	504	2	3	7	13	55	66	66
70-74										
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.8	40	1	1	4	7	16	21	21
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	113	9.5	109	2	2	6	11	24	29	52
B. *Operated*	9	14.3	389	2	3	7	12	45	66	66
1. SINGLE DX	10	5.8	40	1	1	4	7	16	21	21
2. MULTIPLE DX	122	9.9	128	2	2	6	11	24	29	71
A. NOT OPERATED	123	9.2	104	2	2	6	11	22	28	46
B. OPERATED	9	14.3	389	2	3	7	12	45	66	66
TOTAL 65-69 YRS	53	9.9	115	2	3	7	11	24	29	65
70-74	30	9.2	58	1	2	7	14	21	27	28
75-79	20	8.5	72	2	3	5	10	23	30	32
80-84	18	8.1	60	1	2	7	8	19	28	32
85+	11	13.4	578	2	2	5	12	41	81	85
GRAND TOTAL	**132**	**9.6**	**123**	**2**	**2**	**6**	**11**	**23**	**29**	**69**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	4.1	11	1	1	3	5	9	10	15
70-74	25	4.3	8	1	2	3	6	9	10	11
75-79	18	6.2	57	1	1	4	7	11	25	34
80-84	14	4.9	14	1	1	4	8	11	11	11
85+	9	3.9	11	<1	<1	2	6	9	11	11
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	7.0		7	7	7	7	7	7	7
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	194	5.6	16	1	2	5	7	9	13	22
70-74	182	6.6	35	1	2	5	8	12	17	31
75-79	176	6.3	46	1	2	5	7	12	14	33
80-84	105	6.3	29	2	2	5	8	12	16	30
85+	69	5.9	12	2	3	5	7	11	14	16
B. *Operated*										
65-69 YRS	22	10.3	76	2	2	7	14	25	31	31
70-74	12	5.8	5	3	3	6	7	9	10	10
75-79	17	12.4	129	3	4	9	12	23	43	52
80-84	9	9.4	9	5	5	10	12	57	99+	99+
85+	6	12.8	26	7	7	14	15	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.6	19	1	1	3	6	10	11	25
B. *Operated*	4	4.8	11	<1	<1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	726	6.2	29	1	2	5	8	11	14	27
B. *Operated*	66	10.1	66	3	3	8	12	19	31	92
1. SINGLE DX	102	4.6	18	1	1	3	6	9	11	24
2. MULTIPLE DX	792	6.5	33	1	2	5	8	12	16	31
A. NOT OPERATED	824	6.0	28	1	2	5	7	11	14	27
B. OPERATED	70	9.8	64	3	3	8	12	18	30	90
TOTAL 65-69 YRS	249	5.8	22	1	2	5	7	10	15	27
70-74	220	6.3	30	1	2	5	8	11	15	29
75-79	212	6.7	55	1	2	5	8	12	15	41
80-84	129	6.4	26	1	2	5	8	12	16	47
85+	84	6.2	16	1	2	5	8	12	15	19
GRAND TOTAL	**894**	**6.3**	**32**	**1**	**2**	**5**	**8**	**12**	**15**	**31**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	76	8.2	53	1	1	6	11	18	24	32
70-74	55	9.5	65	1	2	6	13	21	27	33
75-79	39	11.6	205	1	2	7	16	28	56	99+
80-84	29	9.4	67	1	1	8	12	20	23	39
85+	9	8.0	33	2	2	6	14	15	16	16
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79	1	41.0		41	41	41	41	41	41	41
80-84	2	8.5	13	6	6	8	11	11	11	11
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	288	9.3	90	1	2	6	12	19	29	45
70-74	246	9.9	78	2	2	7	14	22	28	44
75-79	204	11.3	131	2	3	8	14	24	35	77
80-84	124	9.2	84	1	2	6	12	19	27	51
85+	85	9.7	98	1	2	7	13	22	26	56
B. *Operated*										
65-69 YRS	12	12.3	59	2	3	12	15	25	28	28
70-74	18	20.8	377	4	8	16	24	40	70	88
75-79	11	19.1	125	8	9	15	21	38	44	45
80-84	6	12.7	47	5	5	10	19	23	23	23
85+	2	25.0	450	10	10	25	40	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	9.4	86	1	2	7	12	21	27	56
B. *Operated*	4	16.3	277	6	6	9	26	41	41	41
2. MULTIPLE DX										
A. *Not Operated*	947	9.9	96	2	2	7	13	21	29	47
B. *Operated*	49	17.5	204	4	6	14	21	35	42	88
1. SINGLE DX	212	9.5	89	1	2	7	12	21	28	56
2. MULTIPLE DX	996	10.3	104	2	2	7	13	22	30	48
A. NOT OPERATED	1155	9.8	94	1	2	7	13	21	29	47
B. OPERATED	53	17.4	204	4	6	13	21	36	42	87
TOTAL 65-69 YRS	377	9.2	82	1	2	6	12	19	27	45
70-74	319	10.5	98	2	2	7	14	23	28	45
75-79	255	11.8	146	2	3	8	15	27	37	81
80-84	161	9.4	78	1	2	6	12	20	25	48
85+	96	9.8	100	1	2	7	13	22	27	56
GRAND TOTAL	**1208**	**10.2**	**101**	**1**	**2**	**7**	**13**	**22**	**30**	**48**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	170	12.2	121	2	3	8	15	30	35	53
70-74	127	12.6	131	2	2	8	17	30	36	54
75-79	94	11.2	107	2	2	7	17	29	35	78
80-84	55	12.1	166	3	3	6	15	25	33	75
85+	17	16.9	354	1	2	11	22	42	61	70
B. *Operated*										
65-69 YRS	8	7.9	46	1	1	6	13	18	19	19
70-74	5	7.2	60	2	2	3	12	20	20	20
75-79	3	4.0	7	2	2	3	6	7	7	7
80-84	3	9.0	109	2	2	4	17	21	21	21
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	739	11.7	127	2	3	8	15	26	34	57
70-74	799	11.2	105	2	3	8	14	23	31	55
75-79	583	11.2	120	2	3	7	13	25	34	54
80-84	390	11.0	109	2	3	7	13	23	33	55
85+	202	11.0	149	2	2	7	13	25	36	98
B. *Operated*										
65-69 YRS	98	17.0	217	2	3	12	21	41	56	81
70-74	91	18.4	172	4	5	14	28	40	45	84
75-79	51	14.1	100	3	4	12	19	31	36	99
80-84	27	20.0	273	5	6	16	23	35	62	78
85+	16	16.9	507	2	3	11	15	83	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	463	12.3	134	2	2	8	16	29	36	55
B. *Operated*	20	7.6	46	1	2	4	12	19	20	21
2. MULTIPLE DX										
A. *Not Operated*	2713	11.3	118	2	3	8	14	25	34	58
B. *Operated*	283	17.2	203	3	4	13	23	37	53	99+
1. SINGLE DX	483	12.1	132	2	2	8	16	29	35	55
2. MULTIPLE DX	2996	11.8	129	2	3	8	15	26	35	61
A. NOT OPERATED	3176	11.4	120	2	3	8	14	25	34	57
B. OPERATED	303	16.6	198	2	4	12	23	36	52	99+
TOTAL 65-69 YRS	1015	12.3	136	2	3	8	15	28	36	59
70-74	1022	12.0	118	2	3	8	15	26	35	56
75-79	731	11.4	117	2	3	8	14	26	35	56
80-84	475	11.6	128	2	3	8	14	24	35	60
85+	236	11.9	188	2	2	8	14	29	45	99+
GRAND TOTAL	**3479**	**11.9**	**129**	**2**	**3**	**8**	**15**	**27**	**35**	**60**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	6.0	8	4	4	8	77	99+	99+	99+
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	8.7	24	3	4	7	12	17	18	18
70-74	7	15.1	470	1	1	4	27	52	57	57
75-79	9	11.9	31	3	5	10	17	19	19	19
80-84	1	9.0		9	9	54	99+	99+	99+	99+
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	9	2	2	8	99+	99+	99+	99+
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	28	11.4	129	1	2	8	16	27	59	99+
B. *Operated*										
1. SINGLE DX	4	6.0	13	2	2	9	99+	99+	99+	99+
2. MULTIPLE DX	28	11.4	129	1	2	8	16	27	59	99+
A. NOT OPERATED	31	10.7	121	1	2	8	17	61	99+	99+
B. OPERATED	1	10.0		10	10	10	10	10	10	10
TOTAL 65-69 YRS	13	8.3	22	3	4	7	12	26	84	99+
70-74	7	15.1	470	1	1	4	27	52	57	57
75-79	11	10.8	33	2	3	10	16	19	19	19
80-84	1	9.0		9	9	99+	99+	99+	99+	99+
85+										
GRAND TOTAL	**32**	**10.7**	**117**	**1**	**2**	**8**	**17**	**57**	**99+**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	8.5	41	1	1	7	13	17	21	21
70-74	13	11.8	82	1	1	11	15	21	33	36
75-79	6	6.5	8	3	3	6	9	10	10	10
80-84	2	13.5	61	8	8	13	19	19	19	19
85+	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*										
65-69 YRS	12	9.5	135	1	1	5	13	28	37	39
70-74	10	15.9	315	2	2	9	24	45	57	57
75-79	4	14.5	75	4	4	15	21	23	23	23
80-84										
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	15.1	103	2	4	13	18	27	31	54
70-74	65	19.0	265	2	3	13	28	44	48	78
75-79	42	16.2	99	5	6	14	20	26	38	52
80-84	25	17.6	170	4	7	15	20	35	44	67
85+	18	17.9	77	4	7	19	23	35	74	99+
B. *Operated*										
65-69 YRS	58	24.4	412	3	5	19	36	52	79	99+
70-74	47	33.2	576	5	7	28	48	78	96	99+
75-79	31	31.2	348	3	9	30	43	64	73	99+
80-84	10	22.0	201	6	10	15	35	45	48	48
85+	8	16.0	33	9	9	18	21	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	9.7	53	1	2	9	13	17	21	36
B. *Operated*	27	12.9	184	1	1	8	19	31	42	57
2. MULTIPLE DX										
A. *Not Operated*	222	17.0	155	3	5	14	21	33	45	72
B. *Operated*	154	27.8	433	4	7	23	42	65	92	99+
1. SINGLE DX	60	11.1	112	1	1	9	15	23	34	55
2. MULTIPLE DX	376	21.4	297	3	6	16	28	48	66	99+
A. NOT OPERATED	255	16.0	148	2	4	13	20	31	43	69
B. OPERATED	181	25.6	423	2	4	20	39	57	83	99+
TOTAL 65-69 YRS	152	17.8	247	2	3	14	23	40	52	95
70-74	135	23.0	413	2	3	16	33	53	73	99+
75-79	83	21.0	248	4	5	16	28	43	58	91
80-84	37	18.5	171	5	7	15	20	37	46	67
85+	29	16.6	65	2	8	18	22	33	97	99+
GRAND TOTAL	**436**	**20.0**	**284**	**2**	**4**	**15**	**25**	**45**	**59**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	140	8.7	43	2	2	7	11	17	23	32
70-74	195	9.9	71	2	3	7	12	21	29	45
75-79	141	9.7	45	3	3	9	12	18	24	34
80-84	72	9.6	41	2	3	8	14	18	20	31
85+	29	11.0	98	1	2	8	12	26	36	41
B. *Operated*										
65-69 YRS	9	8.7	44	1	2	6	15	18	20	20
70-74	11	15.0	193	3	3	14	20	34	49	50
75-79	9	19.0	149	5	7	18	30	71	99+	99+
80-84	2	15.5	313	3	3	15	28	28	28	28
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	783	11.7	107	3	3	9	14	23	32	59
70-74	1175	11.8	105	3	4	9	15	23	31	64
75-79	1228	12.2	96	3	4	10	15	24	32	82
80-84	785	12.5	110	3	4	10	15	23	30	63
85+	375	13.6	177	3	4	9	16	27	43	93
B. *Operated*										
65-69 YRS	138	19.6	271	4	5	14	28	53	65	99+
70-74	149	20.0	268	4	6	17	25	57	77	99+
75-79	167	18.3	168	5	6	16	24	36	57	99+
80-84	103	17.3	122	4	5	15	25	38	42	99+
85+	35	18.0	153	4	5	15	26	45	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	9.6	55	2	3	8	12	19	25	41
B. *Operated*	31	14.4	143	3	3	12	21	34	49	99+
2. MULTIPLE DX										
A. *Not Operated*	4346	12.2	110	3	4	9	15	23	32	70
B. *Operated*	592	18.8	208	4	6	15	25	41	65	99+
1. SINGLE DX	608	9.8	61	2	3	8	12	20	26	42
2. MULTIPLE DX	4938	13.0	126	3	4	10	16	26	35	82
A. NOT OPERATED	4923	11.9	104	3	3	9	15	23	31	66
B. OPERATED	623	18.6	206	4	5	15	25	41	65	99+
TOTAL 65-69 YRS	1070	12.3	128	3	3	9	15	25	35	69
70-74	1530	12.4	124	3	4	9	16	25	34	78
75-79	1545	12.7	104	3	4	10	16	25	34	98
80-84	962	12.8	109	3	4	10	16	24	32	68
85+	439	13.8	171	3	4	10	17	29	43	99+
GRAND TOTAL	**5546**	**12.6**	**120**	**3**	**4**	**10**	**16**	**25**	**35**	**79**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	9.7	31	2	3	9	14	15	21	24
70-74	9	7.7	18	3	3	7	9	15	15	15
75-79	2	5.0	2	4	4	5	6	6	6	6
80-84	2	8.0	8	6	6	8	10	10	10	10
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	3	12.3	44	5	5	14	17	18	18	18
70-74	2	13.5	5	12	12	13	15	15	15	15
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	127	11.6	138	2	3	8	14	28	36	77
70-74	56	10.0	43	3	4	8	13	19	21	35
75-79	20	10.4	76	2	3	7	11	28	31	32
80-84	6	7.3	20	1	1	7	10	14	14	14
85+	3	11.0	48	7	7	7	16	19	19	19
B. *Operated*										
65-69 YRS	36	21.3	432	4	4	14	27	69	82	99+
70-74	19	20.9	366	2	3	13	30	54	64	66
75-79	6	15.5	219	2	2	10	20	41	43	43
80-84	3	38.7	1425	6	6	30	67	80	80	80
85+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	9.0	26	2	3	8	13	15	17	24
B. *Operated*	5	12.8	24	5	5	14	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	212	10.9	103	2	3	8	13	23	31	66
B. *Operated*	65	21.2	420	3	4	13	29	60	75	98
1. SINGLE DX	48	9.4	27	2	3	8	14	15	18	24
2. MULTIPLE DX	277	13.3	195	2	3	9	15	30	45	85
A. NOT OPERATED	255	10.6	90	2	3	8	13	21	30	63
B. OPERATED	70	20.6	396	3	4	13	28	57	74	97
TOTAL 65-69 YRS	195	13.1	188	2	3	9	14	29	47	94
70-74	86	12.2	130	3	4	9	15	23	36	64
75-79	28	11.1	102	2	3	7	12	29	33	43
80-84	11	16.0	508	1	3	8	13	50	77	80
85+	5	10.4	25	7	7	9	12	19	19	19
GRAND TOTAL	**325**	**12.7**	**172**	**2**	**3**	**9**	**14**	**28**	**40**	**82**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	129	4.3	12	1	1	3	5	8	11	17
70-74	98	4.7	17	1	1	4	6	11	13	22
75-79	58	4.3	9	1	1	4	5	8	11	15
80-84	31	4.0	9	1	1	3	6	6	9	14
85+	32	5.9	72	1	1	4	7	9	16	48
B. *Operated*										
65-69 YRS	4	3.0	1	2	2	3	4	4	4	4
70-74	3	5.3	8	2	2	7	7	7	7	7
75-79	7	4.0	3	2	2	4	5	7	7	7
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	853	7.6	70	1	2	5	9	15	21	46
70-74	785	7.9	51	1	2	6	10	16	21	39
75-79	680	8.1	67	2	2	6	10	16	21	36
80-84	476	9.6	126	2	2	7	11	18	26	73
85+	326	9.0	50	2	3	7	12	18	21	35
B. *Operated*										
65-69 YRS	94	12.7	160	2	3	8	17	25	48	66
70-74	101	15.6	127	3	4	13	20	29	40	52
75-79	61	17.9	170	3	5	14	24	34	46	63
80-84	36	20.3	320	2	3	16	29	43	61	72
85+	29	22.8	474	2	3	17	34	62	68	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	4.5	18	1	1	3	6	8	11	20
B. *Operated*	17	3.6	4	1	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	3120	8.2	67	2	2	6	10	16	22	42
B. *Operated*	321	16.4	205	2	3	13	22	35	49	70
1. SINGLE DX	365	4.5	17	1	1	3	5	8	11	20
2. MULTIPLE DX	3441	9.0	85	2	2	6	11	18	25	49
A. NOT OPERATED	3468	7.9	63	1	2	6	10	16	21	41
B. OPERATED	338	15.7	202	2	3	12	21	35	49	70
TOTAL 65-69 YRS	1080	7.7	74	1	2	5	9	16	21	50
70-74	987	8.3	62	1	2	6	11	17	24	41
75-79	806	8.5	62	2	2	6	11	17	24	42
80-84	544	10.0	141	2	2	6	11	21	29	72
85+	389	9.7	96	2	2	7	12	19	25	60
GRAND TOTAL	**3806**	**8.6**	**81**	**2**	**2**	**6**	**10**	**18**	**25**	**47**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	269	7.3	74	1	2	5	9	15	22	76
70-74	299	8.3	91	1	2	6	10	15	24	48
75-79	254	7.5	39	1	2	6	9	14	19	30
80-84	128	8.9	116	1	2	6	11	19	28	99+
85+	95	7.3	52	1	2	5	9	13	20	42
B. *Operated*										
65-69 YRS	170	7.6	49	1	2	5	10	18	22	30
70-74	171	8.3	66	1	2	6	11	16	21	46
75-79	116	9.4	60	2	2	7	13	20	22	38
80-84	41	10.6	105	1	2	8	14	22	34	49
85+	36	10.2	109	1	2	5	18	27	33	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1659	12.0	136	2	3	8	15	26	39	86
70-74	2020	11.9	134	2	3	8	14	26	38	67
75-79	2080	11.9	120	2	3	9	14	25	36	67
80-84	1555	12.4	127	3	4	9	15	25	35	63
85+	1229	11.5	105	3	4	8	14	23	32	60
B. *Operated*										
65-69 YRS	920	15.6	234	2	3	11	20	35	55	99+
70-74	887	16.5	227	2	3	12	22	35	50	94
75-79	804	17.7	239	3	4	13	24	43	55	99+
80-84	460	17.2	219	3	4	13	23	37	49	99
85+	277	17.3	262	2	3	11	23	40	53	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1045	7.8	73	1	2	5	9	15	22	52
B. *Operated*	534	8.6	65	1	2	6	12	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	8543	11.9	126	2	3	9	14	25	36	68
B. *Operated*	3348	16.7	234	2	3	12	22	38	53	99+
1. SINGLE DX	1579	8.1	71	1	2	6	10	17	22	49
2. MULTIPLE DX	11891	13.3	161	2	3	9	17	29	42	84
A. NOT OPERATED	9588	11.5	121	2	3	8	14	24	35	67
B. OPERATED	3882	15.6	218	2	3	11	21	35	50	99+
TOTAL 65-69 YRS	3018	12.4	162	2	3	9	16	28	42	97
70-74	3377	12.6	158	2	3	9	16	28	40	77
75-79	3254	12.9	150	2	3	9	16	29	42	82
80-84	2184	13.2	150	3	4	9	17	28	38	74
85+	1637	12.2	134	2	3	9	15	26	37	69
GRAND TOTAL	**13470**	**12.7**	**153**	**2**	**3**	**9**	**16**	**28**	**40**	**79**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	52	3.9	13	<1	1	3	6	7	9	23
70-74	27	3.9	5	2	2	4	4	7	9	11
75-79	14	3.6	8	1	2	3	4	7	11	12
80-84	4	1.8		1	1	2	2	2	2	2
85+	4	2.8	1	2	2	3	3	4	4	4
B. *Operated*										
65-69 YRS	13	5.0	20	1	1	4	5	14	15	15
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	5.0	8	3	3	5	7	7	7	7
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	187	5.9	16	2	2	5	8	11	13	21
70-74	138	5.3	12	2	2	4	7	10	12	19
75-79	56	5.8	19	1	2	4	8	12	14	21
80-84	38	4.8	7	1	2	5	6	8	10	13
85+	11	4.8	7	2	2	4	7	9	10	10
B. *Operated*										
65-69 YRS	41	7.4	66	2	2	5	9	12	22	47
70-74	27	8.2	49	2	2	7	11	14	28	30
75-79	9	7.0	8	3	4	6	9	11	11	11
80-84	4	5.5	18	1	1	5	9	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.7	9	1	1	3	4	7	9	17
B. *Operated*	17	4.8	16	1	2	3	5	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	430	5.6	14	2	2	5	7	10	13	19
B. *Operated*	81	7.5	51	2	2	6	10	12	21	42
1. SINGLE DX	118	3.9	10	1	1	3	4	7	10	18
2. MULTIPLE DX	511	5.9	20	2	2	5	7	11	13	26
A. NOT OPERATED	531	5.2	14	1	2	4	7	10	12	19
B. OPERATED	98	7.1	46	2	2	5	9	12	16	39
TOTAL 65-69 YRS	293	5.7	24	1	2	5	7	11	14	27
70-74	193	5.5	17	2	2	4	7	10	12	25
75-79	81	5.5	16	1	2	4	7	11	13	20
80-84	47	4.5	8	1	2	4	6	8	10	13
85+	15	4.3	6	2	2	4	5	8	9	10
GRAND TOTAL	**629**	**5.5**	**19**	**1**	**2**	**4**	**7**	**11**	**12**	**23**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.2	7	2	2	3	6	8	8	8
70-74	2	4.0	18	<1	<1	3	7	7	7	7
75-79	1	2.0		2	2	2	2	2	2	2
80-84	3	3.7	9	1	1	3	6	7	7	7
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	743	2.1	2	<1	1	2	2	3	4	7
70-74	589	2.2	3	<1	<1	2	3	3	4	10
75-79	469	2.2	1	<1	1	2	3	3	4	6
80-84	264	2.2	2	<1	<1	2	3	4	5	9
85+	139	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	4.7	18	1	1	4	6	8	10	27
70-74	43	5.2	7	2	2	5	7	9	10	12
75-79	28	5.3	13	<1	1	4	8	10	14	14
80-84	11	5.6	7	2	2	5	8	9	10	10
85+	11	7.3	32	<1	1	5	13	15	16	16
B. *Operated*										
65-69 YRS	725	3.5	14	1	1	2	4	7	9	19
70-74	614	3.7	15	1	1	2	4	8	10	20
75-79	483	3.9	18	1	1	3	4	8	12	24
80-84	242	4.2	21	1	1	3	4	8	14	27
85+	138	4.6	23	1	1	3	5	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.5	6	<1	1	2	6	7	8	8
B. *Operated*	2204	2.2	2	<1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	136	5.2	14	1	2	4	7	10	12	18
B. *Operated*	2202	3.8	16	1	1	2	4	7	11	22
1. SINGLE DX	2217	2.2	2	<1	1	2	3	3	4	8
2. MULTIPLE DX	2338	3.9	16	1	1	3	4	8	11	22
A. NOT OPERATED	149	5.1	13	1	1	4	7	9	11	16
B. OPERATED	4406	3.0	10	<1	1	2	3	5	8	18
TOTAL 65-69 YRS	1516	2.9	8	<1	1	2	3	5	7	16
70-74	1248	3.0	10	<1	1	2	3	6	8	18
75-79	981	3.1	10	<1	1	2	3	5	9	20
80-84	520	3.2	12	<1	1	2	3	6	9	20
85+	290	3.7	15	1	1	2	4	8	11	23
GRAND TOTAL	4555	3.1	10	<1	1	2	3	5	8	18

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	211	6.4	57	1	1	4	8	12	18	34
70-74	156	6.9	58	1	2	5	8	13	19	47
75-79	104	6.3	32	1	2	4	8	14	17	30
80-84	65	6.0	21	1	2	5	8	13	13	22
85+	48	6.9	27	1	2	6	9	13	16	29
B. *Operated*										
65-69 YRS	502	4.1	23	1	1	3	4	9	12	27
70-74	322	4.1	16	1	1	3	5	8	11	21
75-79	201	4.6	25	1	1	3	5	10	15	31
80-84	80	5.4	22	1	2	4	7	11	15	23
85+	48	6.0	28	1	2	4	7	12	18	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	895	8.6	82	2	2	6	10	16	23	55
70-74	865	9.0	70	2	2	7	11	17	22	49
75-79	700	8.9	68	2	3	7	11	18	26	50
80-84	440	8.7	43	2	3	7	11	16	22	63
85+	299	9.9	82	2	3	8	12	18	25	54
B. *Operated*										
65-69 YRS	761	9.9	166	2	2	6	12	22	34	91
70-74	606	10.6	150	1	2	7	14	26	36	95
75-79	374	11.3	161	2	2	7	14	26	41	78
80-84	199	13.5	223	2	3	9	17	30	42	87
85+	100	13.8	209	2	3	10	17	30	55	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	584	6.5	46	1	2	5	8	13	17	33
B. *Operated*	1153	4.4	22	1	1	3	5	9	13	27
2. MULTIPLE DX										
A. *Not Operated*	3199	8.9	71	2	3	7	11	17	23	52
B. *Operated*	2040	10.9	169	2	2	7	14	25	39	90
1. SINGLE DX	1737	5.1	31	1	1	3	6	11	14	29
2. MULTIPLE DX	5239	9.7	110	2	2	7	12	20	30	69
A. NOT OPERATED	3783	8.5	67	2	2	6	10	16	22	50
B. OPERATED	3193	8.6	126	1	2	4	10	21	30	80
TOTAL 65-69 YRS	2369	7.9	99	1	2	5	9	17	24	67
70-74	1949	8.5	90	1	2	6	10	18	27	56
75-79	1379	8.7	89	2	2	6	10	19	28	53
80-84	784	9.3	92	2	2	7	11	19	25	77
85+	495	10.0	102	2	2	7	12	19	29	61
GRAND TOTAL	6976	8.5	94	1	2	6	10	18	26	59

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	2	1	1	2	3	4	4	4
70-74	3	4.0	4	2	2	4	5	6	6	6
75-79	1	7.0		7	7	7	7	7	7	7
80-84	2	8.0	32	4	4	8	12	12	12	12
85+										
B. *Operated*										
65-69 YRS	594	4.5	6	1	2	4	6	8	9	14
70-74	434	4.4	5	2	2	4	5	7	8	12
75-79	284	4.7	6	2	2	4	6	8	9	13
80-84	134	4.6	4	2	2	4	6	7	8	10
85+	55	4.9	4	2	3	5	6	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.2	9	<1	<1	3	4	7	11	11
70-74	16	5.4	29	<1	1	3	7	16	16	16
75-79	5	2.6	1	2	2	2	3	4	4	4
80-84	2	4.0	8	2	2	4	6	6	6	6
85+	2	12.0	242	1	1	12	23	23	23	23
B. *Operated*										
65-69 YRS	778	5.1	12	2	2	4	6	8	10	17
70-74	613	5.3	9	2	2	5	6	8	11	17
75-79	416	5.9	16	2	3	5	7	10	14	22
80-84	200	6.3	22	2	3	5	7	12	15	25
85+	93	6.4	26	1	2	5	8	11	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.4	11	1	1	4	6	9	12	12
B. *Operated*	1501	4.5	6	2	2	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	36	4.6	27	<1	1	3	5	14	16	23
B. *Operated*	2100	5.5	14	2	2	5	7	9	12	20
1. SINGLE DX	1511	4.5	6	2	2	4	6	7	9	13
2. MULTIPLE DX	2136	5.5	14	2	2	5	7	9	12	20
A. NOT OPERATED	46	4.6	23	<1	1	3	5	12	16	23
B. OPERATED	3601	5.1	11	2	2	4	6	8	10	17
TOTAL 65-69 YRS	1387	4.8	10	1	2	4	6	8	10	15
70-74	1066	5.0	8	2	2	4	6	8	10	16
75-79	706	5.4	12	2	2	5	6	9	12	19
80-84	338	5.6	15	2	2	5	7	9	13	21
85+	150	5.9	20	1	2	5	7	10	13	26
GRAND TOTAL	**3647**	**5.1**	**11**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	1.7	1	1	1	2	2	3	3	3
70-74	34	1.7	1	<1	1	1	2	3	4	5
75-79	31	2.5	5	<1	1	2	3	5	8	11
80-84	16	2.3	2	1	1	2	3	5	6	6
85+	11	2.5	5	1	1	2	3	6	9	9
B. *Operated*										
65-69 YRS	231	2.7	2	1	1	2	3	4	5	7
70-74	223	2.8	5	1	1	2	3	5	6	10
75-79	176	3.0	5	1	1	2	4	5	7	10
80-84	99	2.6	3	1	1	2	3	5	6	9
85+	39	3.5	12	<1	1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	2.8	5	1	1	2	3	6	8	9
70-74	33	4.0	15	1	1	3	4	11	14	16
75-79	37	4.1	13	1	1	3	5	11	12	14
80-84	36	4.6	14	1	1	3	5	9	14	17
85+	27	4.5	20	1	1	3	6	10	16	19
B. *Operated*										
65-69 YRS	230	4.2	21	1	2	3	5	8	11	23
70-74	249	4.3	15	1	1	3	5	10	13	21
75-79	238	4.5	39	1	1	3	6	9	11	15
80-84	190	5.0	26	2	2	3	6	10	13	24
85+	117	5.8	42	1	2	4	7	11	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.0	3	1	1	2	2	3	5	10
B. *Operated*	768	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	167	4.0	13	1	1	3	5	9	12	17
B. *Operated*	1024	4.6	27	1	2	3	5	9	12	23
1. SINGLE DX	889	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1191	4.5	25	1	1	3	5	9	12	22
A. NOT OPERATED	288	3.2	10	1	1	2	3	7	11	16
B. OPERATED	1792	3.9	18	1	1	3	4	7	10	20
TOTAL 65-69 YRS	524	3.3	11	1	1	2	4	6	8	15
70-74	539	3.5	11	1	1	2	4	7	10	18
75-79	482	3.8	22	1	1	3	4	7	10	14
80-84	341	4.2	18	1	1	3	5	8	11	22
85+	194	4.9	32	1	1	3	6	10	15	28
GRAND TOTAL	**2080**	**3.8**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.0	2	1	1	3	4	5	5	5
70-74	12	2.6	6	1	1	2	3	6	9	10
75-79	15	3.6	14	1	1	3	4	5	13	16
80-84	3	1.7		1	1	2	2	2	2	2
85+	8	3.4	8	1	1	3	4	8	10	10
B. *Operated*										
65-69 YRS	141	2.8	4	<1	1	2	3	5	7	11
70-74	137	3.0	4	<1	1	2	4	5	8	10
75-79	116	2.9	4	<1	1	2	3	5	7	10
80-84	84	2.9	6	<1	<1	2	3	5	8	13
85+	46	3.0	4	<1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	5.1	93	<1	1	2	4	8	35	43
70-74	31	4.6	19	1	1	2	7	12	15	16
75-79	33	5.2	29	<1	1	3	7	13	15	24
80-84	17	3.4	3	1	1	3	4	6	7	8
85+	21	6.9	31	1	2	5	10	15	19	22
B. *Operated*										
65-69 YRS	165	4.1	13	1	2	3	5	7	11	22
70-74	182	4.6	24	1	1	3	5	9	14	26
75-79	182	4.4	23	1	1	3	5	9	14	26
80-84	111	4.4	22	1	1	3	5	9	14	28
85+	78	5.4	46	1	1	3	5	13	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.1	8	1	1	2	4	5	10	16
B. *Operated*	524	2.9	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	131	5.1	38	1	1	3	6	12	15	37
B. *Operated*	718	4.5	23	1	1	3	5	9	13	26
1. SINGLE DX	570	2.9	5	<1	1	2	3	5	8	11
2. MULTIPLE DX	849	4.6	26	1	1	3	5	9	14	27
A. NOT OPERATED	177	4.6	31	1	1	3	5	10	15	32
B. OPERATED	1242	3.8	16	1	1	3	4	7	10	23
TOTAL 65-69 YRS	343	3.6	16	1	1	3	4	7	9	23
70-74	362	3.9	16	1	1	3	5	8	10	23
75-79	346	3.9	17	1	1	3	4	8	12	24
80-84	215	3.7	14	<1	1	3	4	7	10	21
85+	153	4.8	31	1	1	3	5	10	14	33
GRAND TOTAL	**1419**	**3.9**	**18**	**1**	**1**	**3**	**4**	**8**	**11**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	1.6		<1	1	1	2	3	3	3
70-74	41	1.8	1	<1	<1	2	2	3	4	4
75-79	38	2.3	6	1	1	2	2	3	4	16
80-84	32	1.8	1	<1	<1	2	2	3	3	5
85+	24	1.6	1	<1	1	1	2	3	3	4
B. *Operated*										
65-69 YRS	11223	2.2	1	1	1	2	2	3	3	5
70-74	14183	2.2	1	1	1	2	2	3	4	5
75-79	14933	2.3	1	1	1	2	3	3	4	5
80-84	10900	2.3	1	1	1	2	3	3	4	6
85+	7115	2.4	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	323	2.2	7	<1	<1	1	2	4	8	12
70-74	385	2.2	5	<1	<1	1	2	4	6	12
75-79	432	2.6	9	<1	1	2	3	5	9	16
80-84	346	2.9	9	<1	1	2	3	7	10	14
85+	289	2.9	11	<1	1	2	3	7	10	16
B. *Operated*										
65-69 YRS	10843	2.7	5	1	2	2	3	4	5	12
70-74	14140	2.7	6	1	2	2	3	4	5	12
75-79	15251	2.8	7	1	2	2	3	4	6	13
80-84	11507	2.9	7	1	2	2	3	4	6	13
85+	8159	3.1	10	1	2	2	3	5	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	1.9	2	<1	<1	2	2	3	3	5
B. *Operated*	58354	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1775	2.5	8	<1	1	2	3	6	9	14
B. *Operated*	59900	2.8	7	1	2	2	3	4	6	13
1. SINGLE DX	58515	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	61675	2.8	7	1	2	2	3	4	6	13
A. NOT OPERATED	1936	2.5	7	<1	1	2	3	5	9	14
B. OPERATED	118254	2.5	4	1	2	2	3	4	4	10
TOTAL 65-69 YRS	22415	2.4	3	1	1	2	3	3	4	9
70-74	28749	2.5	4	1	1	2	3	3	4	9
75-79	30654	2.5	4	1	2	2	3	4	4	9
80-84	22785	2.6	4	1	2	2	3	4	5	11
85+	15587	2.8	6	1	2	2	3	4	5	12
GRAND TOTAL	**120190**	**2.5**	**4**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	2	2.0	2	<1	<1	1	3	3	3	3
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	145	2.1	1	<1	1	2	2	3	4	5
70-74	172	1.8	1	<1	<1	2	2	3	3	4
75-79	161	1.8	1	<1	<1	2	2	3	3	6
80-84	92	1.8	1	<1	<1	2	2	3	3	4
85+	66	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	2.6	6	<1	<1	2	3	7	7	7
70-74	6	1.3		1	1	1	2	2	2	2
75-79	4	4.8	31	1	1	2	8	13	13	13
80-84	4	3.5	11	1	1	3	6	8	8	8
85+	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
65-69 YRS	199	2.8	9	1	2	2	3	4	6	11
70-74	222	2.7	6	<1	1	2	3	4	6	15
75-79	207	2.8	6	<1	1	2	3	5	7	16
80-84	125	2.8	19	1	1	2	3	4	5	24
85+	93	3.2	9	1	2	2	3	5	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	636	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	22	2.6	9	<1	<1	1	2	7	10	13
B. *Operated*	846	2.8	9	1	1	2	3	4	7	16
1. SINGLE DX	641	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX	868	2.8	9	<1	1	2	3	4	7	16
A. NOT OPERATED	27	2.5	8	<1	<1	1	3	6	9	13
B. OPERATED	1482	2.4	6	<1	1	2	3	3	5	12
TOTAL 65-69 YRS	350	2.5	6	<1	1	2	3	4	5	10
70-74	402	2.3	4	<1	<1	2	2	3	4	11
75-79	372	2.4	4	<1	1	2	2	4	6	13
80-84	222	2.4	11	<1	<1	2	3	3	4	10
85+	163	2.6	6	<1	<1	2	3	4	6	18
GRAND TOTAL	**1509**	**2.4**	**6**	**<1**	**1**	**2**	**3**	**3**	**5**	**12**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.8	6	1	1	2	4	7	8	8
70-74	12	3.4	12	<1	<1	2	5	8	12	13
75-79	5	3.0	2	1	1	3	4	5	5	5
80-84	3	4.7	9	2	2	4	7	8	8	8
85+	2	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	69	2.3	3	1	1	2	2	4	7	9
70-74	45	2.1	2	<1	<1	2	2	3	5	7
75-79	27	2.2	1	1	1	2	2	4	5	7
80-84	16	2.0	1	1	1	2	2	3	4	4
85+	12	3.0	9	<1	1	2	3	7	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	5.7	32	1	2	4	6	10	15	37
70-74	68	6.1	35	1	2	5	7	12	16	34
75-79	47	7.7	28	1	2	6	11	16	18	23
80-84	29	8.7	51	2	2	7	10	20	24	32
85+	23	5.6	13	1	2	4	8	12	13	13
B. *Operated*										
65-69 YRS	87	4.0	30	1	1	2	3	9	15	31
70-74	75	4.0	18	2	2	2	4	8	11	25
75-79	45	4.6	23	1	1	2	5	12	17	20
80-84	19	8.5	102	1	2	6	10	19	34	44
85+	14	3.7	20	1	1	2	5	10	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.5	8	1	1	3	5	7	8	13
B. *Operated*	169	2.2	3	<1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	233	6.6	33	1	2	5	8	13	17	33
B. *Operated*	240	4.4	31	1	1	2	5	10	16	30
1. SINGLE DX	199	2.4	4	<1	1	2	2	5	7	11
2. MULTIPLE DX	473	5.5	33	1	2	3	7	12	17	31
A. NOT OPERATED	263	6.2	31	1	2	5	8	12	16	32
B. OPERATED	409	3.5	20	1	1	2	3	7	12	24
TOTAL 65-69 YRS	230	3.9	23	1	1	2	4	8	13	30
70-74	200	4.3	22	1	1	3	5	8	12	29
75-79	124	5.2	24	1	1	3	7	12	17	22
80-84	67	6.9	58	1	2	4	9	15	21	42
85+	51	4.5	15	1	1	3	6	11	13	17
GRAND TOTAL	**672**	**4.6**	**26**	**1**	**1**	**3**	**5**	**10**	**14**	**29**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	4.4	13	<1	<1	3	5	8	12	18
70-74	40	5.2	11	1	2	5	7	10	12	13
75-79	32	4.5	11	1	1	4	6	9	11	15
80-84	31	5.2	10	1	2	5	8	10	11	12
85+	31	6.8	20	1	2	6	9	14	16	18
B. *Operated*										
65-69 YRS	604	2.4	3	<1	1	2	3	4	5	10
70-74	614	2.4	2	<1	<1	2	3	4	5	8
75-79	544	2.5	3	<1	1	2	3	4	5	9
80-84	379	2.7	5	<1	1	2	3	5	6	10
85+	291	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	6.2	29	<1	1	5	9	13	16	26
70-74	127	6.0	27	1	1	5	8	13	15	29
75-79	116	7.5	73	1	1	5	9	16	27	43
80-84	93	7.2	41	1	1	6	9	14	16	38
85+	88	8.4	51	1	1	7	12	20	24	28
B. *Operated*										
65-69 YRS	755	3.2	12	1	1	2	4	5	7	15
70-74	944	3.6	15	1	1	3	4	6	8	24
75-79	807	3.6	15	1	1	3	4	6	9	19
80-84	614	3.9	17	1	1	3	4	8	11	21
85+	436	4.0	24	1	1	3	4	8	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	5.2	13	1	1	4	7	10	13	17
B. *Operated*	2432	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	503	7.0	45	1	1	5	9	15	19	33
B. *Operated*	3556	3.6	16	1	1	3	4	6	9	20
1. SINGLE DX	2609	2.6	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	4059	4.0	21	1	1	3	4	8	12	25
A. NOT OPERATED	680	6.5	37	1	1	5	8	14	18	29
B. OPERATED	5988	3.1	11	<1	1	2	4	5	8	16
TOTAL 65-69 YRS	1481	3.0	10	<1	1	2	3	5	8	15
70-74	1725	3.4	12	<1	1	2	4	6	8	19
75-79	1499	3.5	16	1	1	2	4	6	9	21
80-84	1117	3.8	16	1	1	2	4	8	11	20
85+	846	4.0	22	1	1	2	4	8	13	21
GRAND TOTAL	**6668**	**3.5**	**15**	**1**	**1**	**2**	**4**	**6**	**10**	**20**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	73	4.0	8	1	1	3	6	8	9	15
70-74	70	4.4	8	1	1	4	6	9	10	12
75-79	35	4.8	18	1	2	3	6	9	13	22
80-84	31	5.8	21	1	2	5	7	10	20	21
85+	27	5.1	11	1	2	5	8	10	11	13
B. *Operated*										
65-69 YRS	788	2.3	2	1	1	2	2	3	5	9
70-74	881	2.3	3	1	1	2	2	3	4	9
75-79	789	2.4	2	1	1	2	3	4	5	8
80-84	507	2.4	2	1	1	2	3	4	4	8
85+	271	2.3	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	203	5.8	36	1	1	4	8	11	13	24
70-74	233	5.5	17	1	1	5	8	10	14	19
75-79	204	6.1	31	1	1	5	8	12	15	25
80-84	160	5.9	21	1	1	5	8	12	14	24
85+	85	7.0	32	1	2	6	9	14	17	30
B. *Operated*										
65-69 YRS	1086	3.8	13	1	2	2	4	8	11	17
70-74	1171	3.9	17	1	2	2	4	8	11	21
75-79	1090	3.6	14	1	1	2	4	7	10	19
80-84	703	4.0	22	1	2	2	4	8	12	24
85+	394	4.1	23	1	1	2	4	9	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	4.6	12	1	1	4	6	9	10	20
B. *Operated*	3236	2.3	2	1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	885	5.9	27	1	1	5	8	11	14	23
B. *Operated*	4444	3.8	17	1	2	2	4	8	11	21
1. SINGLE DX	3472	2.5	3	1	1	2	3	4	6	10
2. MULTIPLE DX	5329	4.2	19	1	2	3	5	9	12	21
A. NOT OPERATED	1121	5.7	24	1	1	4	8	11	14	22
B. OPERATED	7680	3.2	11	1	1	2	3	6	9	17
TOTAL 65-69 YRS	2150	3.4	12	1	1	2	4	7	10	16
70-74	2355	3.5	13	1	1	2	4	7	10	19
75-79	2118	3.4	12	1	1	2	3	7	10	17
80-84	1401	3.7	16	1	1	2	4	7	11	20
85+	777	3.8	18	1	1	2	4	8	12	23
GRAND TOTAL	**8801**	**3.5**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.3	6	1	1	3	5	7	7	7
70-74	9	3.8	7	1	1	3	6	8	8	8
75-79	10	2.1	1	<1	<1	2	3	4	4	4
80-84	5	4.6	1	4	4	4	5	6	6	6
85+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
65-69 YRS	34	2.7	4	<1	1	2	3	5	8	9
70-74	13	2.3	2	<1	<1	2	4	4	4	4
75-79	13	2.5	1	1	1	2	3	4	5	5
80-84	8	2.3	1	1	1	2	3	4	4	4
85+	6	2.8	7	1	1	2	3	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	85	5.3	11	1	2	5	7	10	12	14
70-74	83	5.3	22	1	2	4	6	11	15	25
75-79	64	7.2	34	1	2	6	10	14	20	26
80-84	43	6.5	71	1	2	4	7	12	14	56
85+	16	4.8	17	1	1	4	6	11	14	16
B. *Operated*										
65-69 YRS	72	4.8	12	2	2	4	6	9	13	16
70-74	68	4.5	18	1	2	3	5	9	14	23
75-79	55	5.3	19	1	2	3	7	12	16	17
80-84	29	5.8	38	1	1	4	7	9	20	32
85+	17	4.6	20	1	2	3	5	9	16	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.1	4	1	1	3	4	6	7	8
B. *Operated*	74	2.6	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	291	5.9	28	1	2	4	7	12	15	26
B. *Operated*	241	5.0	19	1	2	4	6	10	14	22
1. SINGLE DX	108	2.7	3	1	1	2	4	5	7	9
2. MULTIPLE DX	532	5.5	24	1	2	4	7	11	15	23
A. NOT OPERATED	325	5.6	27	1	1	4	7	12	14	25
B. OPERATED	315	4.4	16	1	1	3	5	9	12	21
TOTAL 65-69 YRS	198	4.6	10	1	2	4	6	9	12	15
70-74	173	4.7	19	1	1	3	6	9	15	23
75-79	142	5.7	25	1	1	4	7	13	16	25
80-84	85	5.7	50	1	2	4	7	9	13	48
85+	42	4.2	16	1	1	3	5	8	13	20
GRAND TOTAL	640	5.0	22	1	1	4	6	10	14	22

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	31	1	1	2	8	13	13	13
70-74	8	4.3	28	<1	<1	3	4	13	17	17
75-79	2	6.0	18	3	3	6	9	9	9	9
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	4	2.8	3	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	188	2.1	1	1	1	2	3	3	4	7
70-74	86	1.9	1	<1	1	2	2	3	3	7
75-79	42	1.9	1	<1	1	2	2	3	4	4
80-84	20	2.4	1	1	1	2	3	3	5	6
85+	18	3.3	56	<1	<1	1	2	21	70	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	59	7.0	32	1	2	5	9	13	22	26
70-74	46	6.3	18	<1	1	6	9	11	15	20
75-79	40	8.3	49	1	2	7	10	13	20	42
80-84	38	8.3	24	3	4	7	10	14	20	24
85+	20	7.1	37	<1	1	5	10	17	21	21
B. *Operated*										
65-69 YRS	256	2.8	3	1	1	2	3	4	5	10
70-74	179	3.8	35	1	1	2	3	5	11	27
75-79	80	3.3	11	<1	1	2	3	6	9	19
80-84	37	4.1	22	<1	1	3	4	8	15	25
85+	15	3.9	10	1	1	3	5	7	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.1	19	<1	<1	3	4	11	15	17
B. *Operated*	354	2.1	4	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	203	7.3	31	1	2	6	9	13	20	25
B. *Operated*	567	3.3	16	1	1	2	3	5	9	17
1. SINGLE DX	373	2.2	5	<1	1	2	2	3	4	12
2. MULTIPLE DX	770	4.4	23	1	1	3	5	9	13	23
A. NOT OPERATED	222	7.1	31	1	2	6	9	13	20	25
B. OPERATED	921	2.8	12	1	1	2	3	4	7	16
TOTAL 65-69 YRS	507	3.0	8	1	1	2	3	5	8	16
70-74	319	3.7	25	1	1	2	3	6	11	19
75-79	164	4.2	23	1	1	3	5	9	12	21
80-84	96	5.3	24	1	1	4	7	11	15	25
85+	57	4.7	35	<1	<1	2	5	13	21	95
GRAND TOTAL	1143	3.7	18	1	1	2	4	8	11	22

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	7.8	27	1	2	7	9	16	19	20
70-74	6	5.5	15	<1	<1	5	7	11	12	12
75-79	7	4.3	17	1	1	3	5	11	13	13
80-84	4	7.5	6	6	6	7	9	11	11	11
85+	5	3.6	4	2	2	3	5	7	7	7
B. *Operated*										
65-69 YRS	35	3.8	12	<1	1	2	4	10	11	17
70-74	28	2.6	3	1	1	2	3	5	6	8
75-79	16	3.4	7	1	2	3	3	7	10	11
80-84	9	4.2	23	<1	<1	2	6	12	15	15
85+	7	6.6	20	1	1	7	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	6.9	39	1	3	5	8	13	16	40
70-74	53	8.0	32	2	2	6	11	15	18	32
75-79	53	10.3	78	1	3	8	13	22	30	42
80-84	46	12.2	95	2	3	9	15	26	33	45
85+	36	9.7	86	2	4	7	9	19	34	44
B. *Operated*										
65-69 YRS	87	6.0	63	1	1	3	6	17	25	40
70-74	71	12.8	262	1	1	4	24	37	46	61
75-79	39	12.1	178	1	1	7	15	36	40	47
80-84	20	13.8	194	1	1	9	21	36	43	49
85+	16	7.9	124	1	2	4	7	23	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	6.0	18	1	1	5	7	12	15	20
B. *Operated*	95	3.6	10	<1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	255	9.2	65	2	3	7	11	17	26	43
B. *Operated*	233	9.9	166	1	1	4	11	32	39	53
1. SINGLE DX	129	4.2	14	1	1	3	6	10	12	18
2. MULTIPLE DX	488	9.5	113	1	2	5	11	26	35	47
A. NOT OPERATED	289	8.8	60	2	3	6	11	17	25	43
B. OPERATED	328	8.1	129	1	1	3	8	27	36	50
TOTAL 65-69 YRS	201	6.0	45	1	1	4	6	13	20	37
70-74	158	9.1	143	1	1	4	10	29	36	59
75-79	115	9.6	106	1	2	5	12	26	36	44
80-84	79	11.4	113	1	2	8	14	27	36	48
85+	64	8.5	83	2	2	6	8	15	34	44
GRAND TOTAL	**617**	**8.4**	**97**	**1**	**1**	**5**	**10**	**20**	**32**	**46**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	433	3.6	7	1	1	3	5	7	9	14
70-74	350	3.5	6	1	1	3	5	7	8	14
75-79	257	3.6	5	1	1	3	4	6	8	13
80-84	152	4.3	11	1	2	3	5	8	9	22
85+	99	4.1	6	1	2	3	6	7	9	12
B. *Operated*										
65-69 YRS	78	4.0	8	1	1	3	5	8	10	14
70-74	43	5.1	11	2	2	4	6	11	12	15
75-79	24	5.5	10	1	2	6	7	10	12	13
80-84	7	3.9	5	2	2	3	5	8	8	8
85+	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1545	4.8	13	1	2	4	6	9	11	16
70-74	1589	5.2	16	1	2	4	7	9	12	18
75-79	1318	5.4	13	2	2	5	7	10	12	19
80-84	987	5.7	16	2	2	5	7	10	13	20
85+	565	6.0	17	2	2	5	8	12	14	21
B. *Operated*										
65-69 YRS	170	6.9	24	2	2	6	9	14	16	22
70-74	150	7.2	23	2	2	6	9	13	16	24
75-79	113	9.0	56	2	2	7	11	18	25	40
80-84	74	8.6	33	2	3	7	11	16	20	27
85+	33	11.3	53	3	4	11	14	21	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1291	3.7	7	1	1	3	5	7	9	13
B. *Operated*	154	4.6	9	1	2	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	6004	5.3	15	1	2	4	7	10	12	18
B. *Operated*	540	7.9	35	2	2	6	10	15	19	27
1. SINGLE DX	1445	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX	6544	5.5	17	1	2	4	7	10	13	20
A. NOT OPERATED	7295	5.0	14	1	2	4	6	9	12	17
B. OPERATED	694	7.2	31	2	2	6	9	14	18	26
TOTAL 65-69 YRS	2226	4.7	13	1	2	4	6	9	11	16
70-74	2132	5.0	15	1	2	4	7	9	12	18
75-79	1712	5.4	16	1	2	4	7	10	13	20
80-84	1220	5.7	17	2	2	5	7	10	14	21
85+	699	6.0	19	2	2	5	8	12	14	22
GRAND TOTAL	**7989**	**5.2**	**16**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	217	2.4	1	1	1	2	3	3	4	6
70-74	109	2.4	1	1	1	2	3	4	4	7
75-79	66	2.4	1	1	1	2	3	4	5	6
80-84	22	2.2	1	1	1	2	3	4	4	4
85+	6	2.8	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	5.6	30	1	1	4	7	15	15	15
70-74	8	4.9	28	1	1	3	7	14	16	16
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	2	9.0	50	4	4	9	14	14	14	14
85+										
B. *Operated*										
65-69 YRS	86	2.8	2	1	2	3	3	4	5	8
70-74	55	2.6	1	1	1	3	3	4	5	6
75-79	31	3.2	4	1	1	3	4	7	8	9
80-84	10	2.3	1	1	1	2	3	3	3	3
85+	3	7.0	61	2	2	3	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	420	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	17	5.7	24	1	1	4	7	15	16	16
B. *Operated*	185	2.8	3	1	1	3	3	4	6	9
1. SINGLE DX	422	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX	202	3.1	5	1	1	3	3	5	7	15
A. NOT OPERATED	19	5.3	23	1	1	4	7	15	16	16
B. OPERATED	605	2.5	2	1	1	2	3	4	4	8
TOTAL 65-69 YRS	309	2.5	2	1	1	2	3	4	4	7
70-74	172	2.6	3	1	1	2	3	4	5	9
75-79	100	2.7	3	1	1	2	3	5	6	9
80-84	34	2.6	5	1	1	2	3	4	4	14
85+	9	4.2	20	2	2	3	4	11	16	16
GRAND TOTAL	**624**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	3.6	4	1	1	4	4	5	8	10
70-74	31	3.4	4	<1	1	4	4	6	7	7
75-79	14	3.7	8	1	1	3	7	8	9	9
80-84	9	4.4	12	<1	<1	4	6	10	12	12
85+	5	3.4	8	1	1	2	5	8	8	8
B. *Operated*										
65-69 YRS	183	2.3	3	1	1	2	2	3	5	11
70-74	111	2.4	4	<1	1	2	3	4	5	13
75-79	57	2.7	13	<1	1	2	3	4	5	27
80-84	12	2.0	1	<1	1	2	2	3	4	4
85+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	5.0	11	1	2	4	6	9	10	19
70-74	86	6.7	58	1	1	5	8	12	16	48
75-79	73	6.7	25	1	2	6	9	12	15	28
80-84	45	6.8	29	2	2	5	10	16	17	26
85+	24	6.5	26	<1	2	5	9	12	17	23
B. *Operated*										
65-69 YRS	283	3.4	21	1	1	2	3	6	10	28
70-74	147	3.2	9	1	1	2	4	6	10	14
75-79	88	3.4	9	1	1	2	4	6	11	17
80-84	31	4.9	15	2	2	3	7	11	12	18
85+	25	3.4	6	<1	1	3	4	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.6	5	1	1	4	4	7	8	11
B. *Operated*	366	2.4	5	1	1	2	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	305	6.3	32	1	2	5	8	12	15	24
B. *Operated*	574	3.4	15	1	1	2	4	6	10	20
1. SINGLE DX	445	2.6	5	1	1	2	3	4	6	11
2. MULTIPLE DX	879	4.4	23	1	1	3	5	10	12	23
A. NOT OPERATED	384	5.7	27	1	1	4	7	11	14	23
B. OPERATED	940	3.0	12	1	1	2	3	5	8	17
TOTAL 65-69 YRS	563	3.3	14	1	1	2	3	6	9	19
70-74	375	3.8	21	1	1	2	4	8	11	18
75-79	232	4.3	18	1	1	3	5	9	12	23
80-84	97	5.4	22	1	2	4	7	12	16	22
85+	57	4.6	16	<1	1	3	6	10	12	22
GRAND TOTAL	**1324**	**3.8**	**18**	**1**	**1**	**2**	**4**	**8**	**11**	**20**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	11.3	66	2	2	15	16	17	17	17
70-74	3	7.3		7	7	7	8	8	8	8
75-79	2	10.0	50	5	5	10	15	15	15	15
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	10.8	65	2	3	9	14	20	27	40
70-74	48	8.1	30	3	3	7	10	15	18	32
75-79	40	10.5	100	2	2	7	12	27	30	49
80-84	17	9.5	59	3	4	7	11	15	29	36
85+	13	8.9	70	3	3	5	11	20	30	32
B. *Operated*										
65-69 YRS	28	13.4	137	2	2	11	18	26	39	51
70-74	19	15.3	155	2	2	14	22	35	42	43
75-79	11	19.4	215	3	6	15	24	40	55	56
80-84	6	8.5	38	2	2	7	9	19	20	20
85+	2	23.5	1	23	23	23	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	9.1	24	2	3	8	15	16	17	17
B. *Operated*	3	8.3	16	4	4	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	187	9.8	63	2	3	8	13	20	28	40
B. *Operated*	66	14.8	146	2	2	12	21	28	41	55
1. SINGLE DX	13	8.9	21	2	4	8	13	16	17	17
2. MULTIPLE DX	253	11.1	89	2	2	9	14	23	30	49
A. NOT OPERATED	197	9.8	61	2	3	8	13	19	27	40
B. OPERATED	69	14.5	142	2	2	12	21	28	40	55
TOTAL 65-69 YRS	101	11.5	84	2	2	10	16	21	28	46
70-74	71	10.0	70	2	3	8	12	21	28	42
75-79	54	12.3	128	2	2	8	15	28	30	56
80-84	24	9.2	50	3	4	7	10	15	25	36
85+	16	10.6	82	3	3	7	16	24	30	32
GRAND TOTAL	**266**	**11.0**	**86**	**2**	**2**	**8**	**14**	**23**	**30**	**48**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	7.3	23	2	3	6	10	14	17	19
70-74	23	5.0	9	1	2	5	7	9	11	12
75-79	11	6.5	14	2	3	5	8	12	16	16
80-84	6	7.3	29	<1	<1	6	11	15	16	16
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	94	7.0	48	2	2	3	11	16	18	35
70-74	42	8.2	44	1	1	7	13	18	20	22
75-79	20	7.7	48	1	2	4	13	17	21	24
80-84	1	13.0		13	13	13	13	13	13	13
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	453	8.1	35	2	2	7	10	15	19	31
70-74	429	8.8	45	2	3	7	11	16	19	42
75-79	366	9.3	49	2	3	8	12	17	21	44
80-84	223	11.4	97	3	4	8	14	24	31	48
85+	152	11.6	161	2	3	8	13	21	35	78
B. *Operated*										
65-69 YRS	598	13.1	137	2	2	11	18	26	35	72
70-74	452	14.4	172	2	2	12	20	31	41	70
75-79	188	14.5	164	2	2	11	22	34	38	60
80-84	56	17.8	172	2	2	15	28	37	39	54
85+	19	20.2	296	2	4	13	25	47	59	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	6.2	16	2	2	5	8	12	15	19
B. *Operated*	158	7.5	47	2	2	4	12	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	1623	9.3	62	2	3	8	11	17	22	45
B. *Operated*	1313	14.0	158	2	2	12	19	31	38	65
1. SINGLE DX	216	7.1	39	2	2	5	11	16	19	27
2. MULTIPLE DX	2936	11.4	110	2	2	9	15	24	33	55
A. NOT OPERATED	1681	9.2	61	2	3	7	11	17	22	44
B. OPERATED	1471	13.3	150	2	2	11	19	30	37	64
TOTAL 65-69 YRS	1161	10.6	95	2	2	8	14	21	30	52
70-74	946	11.3	113	2	2	8	15	24	32	54
75-79	585	10.9	91	2	2	8	14	22	32	49
80-84	286	12.5	116	2	3	9	17	27	35	51
85+	174	12.4	179	2	3	9	14	23	41	76
GRAND TOTAL	**3152**	**11.1**	**107**	**2**	**2**	**8**	**15**	**23**	**32**	**55**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	391	4.5	9	1	2	4	6	8	10	16
70-74	356	4.6	8	1	2	4	6	8	10	14
75-79	237	5.1	26	2	2	4	6	8	10	15
80-84	141	5.0	27	1	1	3	6	11	14	25
85+	85	4.9	11	1	2	4	7	10	11	15
B. *Operated*										
65-69 YRS	53	5.3	39	1	1	3	7	11	14	33
70-74	32	5.8	22	1	2	5	8	10	18	21
75-79	15	6.8	26	2	2	5	8	10	20	23
80-84	8	6.4	53	2	2	4	6	19	24	24
85+	6	6.3	21	2	2	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3759	6.5	27	2	2	5	8	12	15	26
70-74	3571	7.0	35	2	2	6	9	13	17	31
75-79	2915	7.2	33	2	2	6	9	13	17	31
80-84	1904	7.4	36	2	2	6	9	14	19	32
85+	1262	8.0	44	2	2	6	10	15	20	36
B. *Operated*										
65-69 YRS	632	10.2	79	2	2	8	14	19	25	49
70-74	517	11.0	108	2	3	8	14	22	30	56
75-79	372	12.4	107	2	3	10	16	25	37	56
80-84	206	13.1	102	3	4	11	17	27	36	55
85+	113	13.3	154	3	3	11	17	25	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1210	4.7	14	1	2	4	6	9	10	16
B. *Operated*	114	5.8	32	1	2	4	8	11	18	31
2. MULTIPLE DX										
A. *Not Operated*	13411	7.0	33	2	2	6	9	13	17	30
B. *Operated*	1840	11.4	101	2	3	9	15	22	31	56
1. SINGLE DX	1324	4.8	16	1	2	4	6	9	11	20
2. MULTIPLE DX	15251	7.6	44	2	2	6	9	14	19	36
A. NOT OPERATED	14621	6.9	32	2	2	5	8	13	17	29
B. OPERATED	1954	11.1	99	2	2	8	14	22	30	56
TOTAL 65-69 YRS	4835	6.8	35	2	2	5	8	13	17	30
70-74	4476	7.3	43	2	2	6	9	14	19	33
75-79	3539	7.6	43	2	2	6	9	14	19	38
80-84	2259	7.8	45	2	2	6	10	15	21	38
85+	1466	8.2	53	2	2	7	10	16	21	40
GRAND TOTAL	**16575**	**7.3**	**42**	**2**	**2**	**6**	**9**	**14**	**19**	**35**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	6.6	25	2	2	6	8	11	12	34
70-74	168	5.9	13	2	2	5	8	10	13	16
75-79	141	6.9	19	2	3	6	8	13	17	22
80-84	90	7.1	28	2	3	6	8	14	17	28
85+	93	6.4	18	2	3	5	8	11	15	25
B. *Operated*										
65-69 YRS	22	6.5	91	1	2	2	7	13	26	45
70-74	11	8.4	186	1	1	3	8	27	46	48
75-79	5	5.0	15	<1	<1	4	8	10	10	10
80-84	4	8.0	19	2	2	9	11	12	12	12
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2354	8.7	44	2	3	7	11	16	21	36
70-74	2763	9.0	49	2	3	7	11	17	21	39
75-79	2672	9.6	57	3	3	8	12	18	23	43
80-84	2110	10.3	67	3	4	8	13	19	26	46
85+	1714	10.7	81	3	4	8	13	20	27	48
B. *Operated*										
65-69 YRS	401	13.0	156	2	2	10	16	26	32	73
70-74	380	13.5	134	2	4	10	17	26	37	68
75-79	321	14.8	113	3	4	12	20	29	36	56
80-84	200	17.5	210	4	5	14	22	36	44	89
85+	152	19.7	265	4	5	15	27	45	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	6.5	20	2	3	6	8	11	14	25
B. *Operated*	42	6.9	96	1	2	3	9	13	26	48
2. MULTIPLE DX										
A. *Not Operated*	11613	9.6	58	3	3	8	12	18	24	42
B. *Operated*	1454	14.8	164	2	4	11	19	30	40	84
1. SINGLE DX	651	6.5	25	2	2	6	8	11	14	28
2. MULTIPLE DX	13067	10.2	73	3	3	8	12	19	26	46
A. NOT OPERATED	12222	9.4	57	3	3	8	12	18	23	42
B. OPERATED	1496	14.6	164	2	3	11	18	30	40	83
TOTAL 65-69 YRS	2894	9.2	61	2	3	7	11	17	23	40
70-74	3322	9.4	60	2	3	7	11	18	23	44
75-79	3139	10.0	64	3	3	8	12	19	25	43
80-84	2404	10.8	82	3	4	8	13	20	28	50
85+	1959	11.2	99	3	3	8	14	22	29	65
GRAND TOTAL	**13718**	**10.0**	**71**	**2**	**3**	**8**	**12**	**19**	**25**	**46**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	5.9	29	2	2	4	6	16	20	21
70-74	28	8.9	84	2	3	7	11	13	18	52
75-79	17	6.8	30	1	2	6	9	11	19	24
80-84	8	10.3	55	3	3	8	16	21	23	23
85+	3	8.3	33	5	5	5	13	15	15	15
B. *Operated*										
65-69 YRS	42	8.4	45	1	2	7	13	19	22	25
70-74	26	8.3	68	1	2	4	14	19	24	33
75-79	16	12.1	187	1	2	6	16	39	43	44
80-84	4	3.5	1	3	3	3	4	5	5	5
85+	4	5.0	5	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	391	9.9	86	2	2	8	12	19	26	49
70-74	414	11.5	102	3	3	9	14	22	31	68
75-79	372	11.9	115	2	3	9	15	21	30	63
80-84	295	13.0	118	3	4	10	16	25	35	59
85+	213	12.5	102	3	4	9	16	26	40	99+
B. *Operated*										
65-69 YRS	401	14.8	183	2	2	11	20	31	45	69
70-74	308	16.0	201	2	4	11	22	35	53	99+
75-79	204	17.2	293	2	3	12	22	39	73	99+
80-84	98	19.6	217	3	4	16	28	41	53	61
85+	30	16.5	120	3	6	15	22	30	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	7.6	51	2	2	6	9	14	20	43
B. *Operated*	92	8.7	74	1	2	5	13	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	1685	11.6	105	2	3	9	14	22	31	64
B. *Operated*	1041	16.1	212	2	3	12	21	34	51	86
1. SINGLE DX	174	8.2	63	2	2	6	11	18	23	43
2. MULTIPLE DX	2726	13.3	151	2	3	10	17	28	39	77
A. NOT OPERATED	1767	11.4	103	2	3	9	14	22	31	63
B. OPERATED	1133	15.5	205	2	3	11	20	34	49	85
TOTAL 65-69 YRS	860	12.0	134	2	2	8	15	26	34	66
70-74	776	13.1	145	2	3	10	17	27	39	84
75-79	609	13.6	181	2	3	10	17	28	41	83
80-84	405	14.4	149	3	4	11	18	31	40	60
85+	250	12.8	104	3	4	9	16	27	40	99+
GRAND TOTAL	**2900**	**13.0**	**147**	**2**	**3**	**10**	**16**	**27**	**39**	**76**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1762	11.1	19	5	6	11	13	16	18	26
70-74	1459	11.4	22	4	6	11	14	17	19	25
75-79	958	11.9	28	5	6	11	14	17	20	33
80-84	568	11.8	29	4	6	11	14	18	21	27
85+	344	12.0	31	5	6	11	15	18	21	31
B. *Operated*										
65-69 YRS	218	11.8	45	2	2	11	15	20	25	31
70-74	132	13.1	45	2	4	12	16	21	25	34
75-79	71	14.8	55	6	7	14	18	24	31	38
80-84	25	13.8	32	6	7	14	18	21	23	28
85+	12	15.1	45	3	6	15	19	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11342	12.6	40	5	7	12	15	19	23	36
70-74	11266	13.1	47	5	7	12	15	20	25	40
75-79	9630	13.7	55	5	7	12	16	22	26	41
80-84	6770	14.3	61	6	7	13	17	23	28	45
85+	4304	14.6	74	5	7	13	17	24	30	49
B. *Operated*										
65-69 YRS	2841	16.1	119	2	5	14	20	28	35	60
70-74	2106	17.5	115	4	8	15	21	30	38	63
75-79	1492	19.0	131	6	9	16	23	32	41	70
80-84	790	21.3	155	8	10	18	26	39	50	99+
85+	499	21.3	166	8	10	18	25	37	46	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5091	11.5	24	5	6	11	14	17	19	27
B. *Operated*	458	12.9	47	2	3	12	16	21	25	36
2. MULTIPLE DX										
A. *Not Operated*	43312	13.4	52	5	7	12	16	21	26	41
B. *Operated*	7728	17.9	130	4	8	15	22	31	40	69
1. SINGLE DX	5549	11.6	26	4	6	11	14	17	20	28
2. MULTIPLE DX	51040	14.1	67	5	7	13	17	23	28	46
A. NOT OPERATED	48403	13.2	50	5	7	12	15	21	25	40
B. OPERATED	8186	17.6	127	3	7	15	22	31	39	68
TOTAL 65-69 YRS	16163	13.1	54	4	6	12	15	20	25	41
70-74	14963	13.5	57	5	7	12	16	22	27	43
75-79	12151	14.2	65	5	7	13	17	23	28	46
80-84	8153	14.8	72	6	7	13	17	24	31	50
85+	5159	15.1	84	5	7	13	18	25	32	53
GRAND TOTAL	**56589**	**13.9**	**63**	**5**	**7**	**12**	**16**	**22**	**28**	**45**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	777	4.0	6	1	1	3	5	7	9	12
70-74	680	4.2	8	1	2	3	5	8	10	15
75-79	509	4.3	6	1	2	4	6	8	9	13
80-84	314	4.6	17	1	2	4	5	9	10	19
85+	203	4.5	10	1	2	4	6	8	12	16
B. *Operated*										
65-69 YRS	194	3.5	10	1	1	2	4	8	11	17
70-74	92	4.3	25	1	1	2	5	10	13	28
75-79	37	3.2	6	1	2	2	3	7	9	11
80-84	9	3.8	22	1	1	3	3	11	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8304	5.5	13	2	2	5	7	10	12	19
70-74	8688	5.9	18	2	2	5	7	11	13	22
75-79	7477	6.1	20	2	2	5	8	11	14	23
80-84	5187	6.5	26	2	2	5	8	12	15	24
85+	3359	6.5	26	2	2	5	8	12	15	28
B. *Operated*										
65-69 YRS	3673	7.5	55	1	2	5	11	16	21	35
70-74	2352	8.6	75	2	2	6	12	18	24	40
75-79	1083	10.1	86	2	2	8	14	21	27	46
80-84	416	12.6	101	2	3	10	16	24	31	51
85+	191	12.3	103	2	3	10	16	24	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2483	4.2	8	1	2	4	5	8	9	14
B. *Operated*	332	3.7	14	1	1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	33015	6.0	19	2	2	5	7	11	14	22
B. *Operated*	7715	8.6	71	2	2	6	12	18	24	40
1. SINGLE DX	2815	4.2	9	1	2	3	5	8	10	15
2. MULTIPLE DX	40730	6.5	30	2	2	5	8	12	16	28
A. NOT OPERATED	35498	5.9	19	2	2	5	7	11	13	22
B. OPERATED	8047	8.4	70	1	2	6	12	18	23	40
TOTAL 65-69 YRS	12948	6.0	26	1	2	5	8	12	15	25
70-74	11812	6.3	30	2	2	5	8	12	16	27
75-79	9106	6.5	29	2	2	5	8	12	16	28
80-84	5926	6.8	33	2	2	5	8	13	17	30
85+	3753	6.7	31	2	2	5	8	13	16	30
GRAND TOTAL	**43545**	**6.3**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	702	5.2	10	2	2	5	7	9	11	15
70-74	661	5.4	13	2	2	5	7	10	13	18
75-79	521	6.0	31	2	2	5	7	10	13	22
80-84	289	5.8	15	1	2	5	7	11	13	18
85+	195	6.3	32	2	2	5	7	10	14	34
B. *Operated*										
65-69 YRS	107	7.1	32	1	2	6	11	14	18	27
70-74	51	8.3	54	1	2	5	12	19	26	32
75-79	21	7.2	52	1	2	6	8	11	22	36
80-84	5	11.8	77	3	3	12	20	21	21	21
85+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7536	6.8	20	2	3	6	8	12	15	23
70-74	7726	7.2	27	2	3	6	9	13	16	26
75-79	6700	7.6	28	2	3	6	9	13	17	28
80-84	4590	7.8	34	2	3	6	10	14	18	29
85+	2862	8.2	42	2	3	7	10	15	20	35
B. *Operated*										
65-69 YRS	2418	11.6	88	2	2	10	15	22	28	49
70-74	1731	12.8	93	2	3	11	17	24	31	50
75-79	918	14.1	107	2	4	12	18	27	33	56
80-84	367	16.1	167	3	5	13	20	32	41	75
85+	160	15.4	161	4	5	13	18	28	38	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2368	5.6	18	2	2	5	7	10	13	21
B. *Operated*	186	7.6	41	1	2	6	11	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	29414	7.4	28	2	3	6	9	13	17	27
B. *Operated*	5594	12.8	102	2	3	11	16	24	31	53
1. SINGLE DX	2554	5.8	20	2	2	5	7	10	13	21
2. MULTIPLE DX	35008	8.2	44	2	3	7	10	15	20	34
A. NOT OPERATED	31782	7.2	28	2	3	6	9	13	16	27
B. OPERATED	5780	12.6	101	2	2	11	16	24	31	53
TOTAL 65-69 YRS	10763	7.8	39	2	3	6	10	15	19	32
70-74	10169	8.0	42	2	3	6	10	15	19	33
75-79	8160	8.2	42	2	3	6	10	15	20	33
80-84	5251	8.3	47	2	3	7	10	15	20	36
85+	3219	8.4	50	2	3	7	10	16	21	38
GRAND TOTAL	**37562**	**8.1**	**43**	**2**	**3**	**6**	**10**	**15**	**19**	**33**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	349	4.6	10	1	1	4	6	9	11	16
70-74	294	4.9	12	2	2	4	6	9	11	18
75-79	232	5.5	16	2	2	4	7	10	14	21
80-84	141	6.3	31	1	2	5	8	12	17	50
85+	112	6.0	17	2	2	5	7	12	16	20
B. *Operated*										
65-69 YRS	2228	6.1	35	1	2	3	10	14	17	25
70-74	1039	6.4	40	1	2	3	11	15	18	27
75-79	305	7.6	58	1	2	4	12	18	21	31
80-84	61	8.1	47	1	2	7	12	19	22	29
85+	15	7.9	104	1	1	4	11	17	34	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5618	7.0	27	2	2	6	9	13	16	27
70-74	6130	7.5	32	2	3	6	9	14	17	27
75-79	5907	8.2	41	2	3	6	10	15	20	35
80-84	4586	8.8	57	2	3	7	11	16	22	39
85+	4057	9.2	59	2	3	7	11	18	23	41
B. *Operated*										
65-69 YRS	8128	9.7	84	2	2	8	13	20	25	45
70-74	5025	11.0	98	2	2	9	15	22	30	51
75-79	2145	12.5	118	2	2	10	17	26	33	56
80-84	710	13.5	112	2	3	11	18	27	34	59
85+	406	14.8	134	2	4	12	19	30	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1128	5.2	16	1	2	4	7	10	13	20
B. *Operated*	3648	6.4	37	1	2	3	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	26298	8.0	42	2	3	6	10	15	19	34
B. *Operated*	16414	10.7	97	2	2	9	15	22	29	50
1. SINGLE DX	4776	6.1	33	1	2	3	9	14	17	25
2. MULTIPLE DX	42712	9.1	65	2	2	7	12	18	24	41
A. NOT OPERATED	27426	7.9	41	2	3	6	10	15	19	34
B. OPERATED	20062	9.9	89	2	2	8	14	21	27	47
TOTAL 65-69 YRS	16323	8.1	58	2	2	6	11	16	21	36
70-74	12488	8.7	62	2	2	7	12	18	23	41
75-79	8589	9.2	64	2	2	7	12	18	24	41
80-84	5498	9.4	66	2	3	7	12	18	24	41
85+	4590	9.6	68	2	3	7	12	19	24	44
GRAND TOTAL	**47488**	**8.8**	**62**	**2**	**2**	**7**	**11**	**17**	**23**	**40**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	177	10.7	17	5	6	10	13	16	18	25
70-74	147	11.0	29	5	5	10	14	19	21	29
75-79	108	11.2	20	4	7	10	14	16	20	25
80-84	74	11.5	30	4	6	11	14	17	22	33
85+	43	11.6	49	2	4	10	14	20	29	33
B. *Operated*										
65-69 YRS	23	14.5	49	7	8	12	18	23	29	35
70-74	28	12.0	46	3	6	10	13	21	30	32
75-79	19	12.5	13	6	8	13	15	17	19	19
80-84	9	12.0	18	4	6	11	14	18	19	19
85+	2	20.5	365	7	7	20	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1176	12.8	40	5	7	12	16	20	24	36
70-74	1167	13.0	41	5	7	12	15	20	25	35
75-79	1011	13.9	55	5	7	12	17	23	28	41
80-84	715	14.9	81	5	7	13	17	23	31	53
85+	511	15.5	88	5	6	13	19	27	34	56
B. *Operated*										
65-69 YRS	359	18.3	157	7	8	14	22	33	43	71
70-74	340	18.3	132	7	8	15	22	32	41	66
75-79	238	18.1	120	6	8	16	22	33	42	89
80-84	182	18.9	132	7	9	16	24	34	40	47
85+	98	18.8	131	7	9	15	24	35	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	11.1	25	4	6	10	14	17	21	29
B. *Operated*	81	13.1	41	5	7	12	16	21	28	35
2. MULTIPLE DX										
A. *Not Operated*	4580	13.7	56	5	7	12	16	22	28	42
B. *Operated*	1217	18.4	137	7	8	15	22	33	42	68
1. SINGLE DX	630	11.3	28	4	6	10	14	17	21	29
2. MULTIPLE DX	5797	14.7	77	5	7	13	17	25	31	49
A. NOT OPERATED	5129	13.4	53	5	7	12	16	22	27	41
B. OPERATED	1298	18.1	132	7	8	15	22	33	41	67
TOTAL 65-69 YRS	1735	13.8	68	6	7	12	16	22	28	45
70-74	1682	13.9	64	5	7	12	16	23	28	45
75-79	1376	14.4	66	5	7	13	17	24	30	45
80-84	980	15.4	90	5	7	13	18	26	34	52
85+	654	15.7	94	5	7	13	19	29	36	59
GRAND TOTAL	**6427**	**14.4**	**73**	**5**	**7**	**12**	**17**	**24**	**30**	**48**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	24.5	273	5	6	29	32	50	51	51
70-74	9	22.6	137	3	5	25	32	36	36	36
75-79	8	24.9	92	11	12	25	33	36	37	37
80-84	4	27.0	149	16	16	24	35	44	44	44
85+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
65-69 YRS	2	39.5	61	34	34	39	45	45	45	45
70-74										
75-79	1	35.0		35	35	35	35	35	35	35
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	110	25.0	187	3	6	27	34	43	45	55
70-74	113	29.2	212	5	8	31	41	47	53	61
75-79	75	30.2	233	7	11	30	38	47	55	88
80-84	42	32.2	193	6	13	31	41	51	56	64
85+	43	32.8	212	9	17	32	38	56	62	65
B. *Operated*										
65-69 YRS	51	36.2	211	10	18	37	45	56	63	99
70-74	38	38.6	453	12	15	34	56	80	94	99+
75-79	43	38.0	389	11	16	36	56	64	85	99+
80-84	16	43.0	284	22	29	39	54	83	95	99+
85+	14	35.6	261	9	11	39	44	74	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	24.2	156	5	8	25	33	38	49	51
B. *Operated*	3	38.0	37	34	34	35	42	45	45	45
2. MULTIPLE DX										
A. *Not Operated*	383	28.9	212	5	8	30	38	47	54	63
B. *Operated*	162	37.9	323	11	16	37	51	67	88	99+
1. SINGLE DX	36	25.3	160	5	9	27	34	43	48	51
2. MULTIPLE DX	545	31.6	261	6	10	31	42	54	61	99+
A. NOT OPERATED	416	28.6	209	5	8	30	37	46	53	62
B. OPERATED	165	37.9	317	11	16	37	51	67	88	99+
TOTAL 65-69 YRS	174	28.4	223	4	7	30	40	48	52	67
70-74	160	31.0	282	6	10	31	43	54	63	98
75-79	127	32.6	289	8	12	30	41	57	59	98
80-84	62	34.6	233	8	17	33	43	55	66	98
85+	58	33.3	221	10	16	32	40	58	64	98
GRAND TOTAL	**581**	**31.2**	**257**	**6**	**10**	**31**	**42**	**53**	**60**	**99**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	130	3.1	6	<1	1	2	4	6	8	12
70-74	112	3.1	4	<1	1	3	4	6	7	10
75-79	64	3.1	4	1	1	3	4	5	7	11
80-84	44	4.3	19	<1	1	3	5	9	12	25
85+	31	3.5	7	1	1	3	3	6	8	15
B. *Operated*										
65-69 YRS	8	5.3	22	1	1	4	9	12	13	13
70-74	5	3.6	2	2	2	4	5	5	5	5
75-79	1	15.0		15	15	15	15	15	15	15
80-84	2	5.0	32	1	1	5	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	742	5.1	20	1	2	4	6	9	12	18
70-74	766	5.5	21	1	2	4	7	11	13	20
75-79	604	6.1	27	2	2	5	7	12	15	27
80-84	404	6.7	30	1	2	5	9	13	16	32
85+	310	7.2	32	2	2	6	9	13	17	30
B. *Operated*										
65-69 YRS	69	10.2	132	2	2	7	11	23	32	70
70-74	62	12.1	91	3	4	9	13	28	33	94
75-79	55	10.9	95	2	2	8	15	27	32	40
80-84	36	10.8	35	4	5	9	14	19	23	26
85+	21	12.6	150	3	4	9	16	21	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	3.3	7	1	1	3	4	6	8	13
B. *Operated*	16	5.3	20	1	1	4	8	13	14	15
2. MULTIPLE DX										
A. *Not Operated*	2826	5.9	25	1	2	5	7	11	14	26
B. *Operated*	243	11.1	99	2	3	8	13	26	32	61
1. SINGLE DX	397	3.4	8	1	1	3	4	6	8	14
2. MULTIPLE DX	3069	6.3	33	1	2	5	8	12	16	31
A. NOT OPERATED	3207	5.6	24	1	2	4	7	11	14	25
B. OPERATED	259	10.8	96	2	3	8	13	24	32	59
TOTAL 65-69 YRS	949	5.2	28	1	1	4	6	10	13	31
70-74	945	5.6	27	1	2	4	7	11	14	28
75-79	724	6.3	33	1	2	5	7	12	16	32
80-84	486	6.8	31	1	2	5	9	14	17	29
85+	362	7.2	39	1	2	5	9	13	19	32
GRAND TOTAL	**3466**	**6.0**	**31**	**1**	**2**	**4**	**7**	**12**	**15**	**30**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	528	3.2	6	1	1	2	4	6	8	12
70-74	497	3.5	9	<1	1	3	5	7	8	13
75-79	354	3.9	11	<1	1	3	5	8	10	18
80-84	224	4.3	11	1	1	4	6	9	10	14
85+	160	5.4	23	1	2	4	7	11	15	24
B. Operated										
65-69 YRS	24	4.0	15	1	1	2	5	10	13	16
70-74	18	4.9	8	1	2	4	7	9	10	11
75-79	20	5.9	16	1	2	5	8	10	14	18
80-84	12	7.0	8	4	4	6	9	11	13	13
85+	6	6.5	20	3	3	5	8	14	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4272	5.9	25	1	2	5	8	11	15	26
70-74	5086	6.5	33	1	2	5	8	12	16	30
75-79	4629	6.9	34	2	2	5	9	13	17	28
80-84	3442	7.9	49	2	2	6	10	15	20	34
85+	2974	8.6	63	2	3	7	11	16	21	43
B. Operated										
65-69 YRS	522	10.9	77	2	3	9	14	22	28	46
70-74	545	11.6	75	2	3	10	15	24	32	57
75-79	582	13.3	94	3	4	11	17	26	34	62
80-84	472	14.7	164	4	4	11	18	27	39	81
85+	328	15.6	164	3	5	12	19	32	46	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1763	3.8	10	1	1	3	5	8	10	15
B. Operated	80	5.3	14	1	2	4	7	10	12	17
2. MULTIPLE DX										
A. Not Operated	20403	7.0	39	1	2	5	9	13	17	31
B. Operated	2449	13.0	112	3	4	10	16	26	34	70
1. SINGLE DX	1843	3.8	11	1	1	3	5	8	10	16
2. MULTIPLE DX	22852	7.7	50	2	2	6	9	15	20	37
A. NOT OPERATED	22166	6.8	38	1	2	5	8	13	17	31
B. OPERATED	2529	12.8	110	2	4	10	16	26	33	69
TOTAL 65-69 YRS	5346	6.1	31	1	2	5	8	12	16	28
70-74	6146	6.7	37	1	2	5	8	13	17	33
75-79	5585	7.4	43	1	2	6	9	14	19	34
80-84	4150	8.5	65	2	2	6	10	16	22	43
85+	3468	9.1	75	2	3	7	11	17	24	49
GRAND TOTAL	**24695**	**7.4**	**48**	**1**	**2**	**6**	**9**	**14**	**19**	**36**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	485	4.3	8	1	1	3	6	8	10	15
70-74	463	4.3	11	1	1	3	6	8	10	15
75-79	354	4.8	12	1	2	4	6	9	12	18
80-84	257	4.9	22	1	1	4	6	9	12	24
85+	198	5.3	20	1	1	4	6	10	13	25
B. Operated										
65-69 YRS	299	6.6	19	2	3	6	8	12	14	23
70-74	333	6.7	18	2	3	6	9	11	14	25
75-79	390	6.8	15	2	3	6	9	12	15	19
80-84	325	7.6	31	3	3	7	9	13	16	31
85+	287	8.2	31	3	3	7	11	15	19	29
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5813	6.5	28	2	2	5	8	12	16	25
70-74	6277	7.0	34	2	2	6	9	13	17	30
75-79	5785	7.5	39	2	2	6	9	14	18	32
80-84	4288	8.0	45	2	3	6	10	15	19	36
85+	3651	8.2	46	2	3	7	10	15	20	36
B. Operated										
65-69 YRS	2280	10.4	72	2	3	8	13	19	26	47
70-74	3055	10.8	72	3	4	9	13	20	27	47
75-79	3459	11.4	74	3	4	9	14	21	26	49
80-84	2874	11.9	84	3	4	10	15	22	29	52
85+	2557	12.6	101	3	4	10	15	23	31	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1757	4.6	13	1	1	4	6	8	11	18
B. Operated	1634	7.2	23	2	3	6	9	13	15	25
2. MULTIPLE DX										
A. Not Operated	25814	7.3	38	2	2	6	9	14	18	31
B. Operated	14225	11.4	81	3	4	9	14	21	28	52
1. SINGLE DX	3391	5.8	19	1	2	5	7	11	14	22
2. MULTIPLE DX	40039	8.8	57	2	3	7	11	17	22	40
A. NOT OPERATED	27571	7.2	36	2	2	6	9	13	17	31
B. OPERATED	15859	11.0	76	3	4	9	14	20	27	50
TOTAL 65-69 YRS	8877	7.4	41	2	2	6	9	14	18	32
70-74	10128	8.0	48	2	2	6	10	15	20	36
75-79	9988	8.8	53	2	3	7	11	17	21	37
80-84	7744	9.3	62	2	3	7	11	17	23	45
85+	6693	9.8	71	2	3	8	12	19	25	49
GRAND TOTAL	**43430**	**8.6**	**54**	**2**	**3**	**7**	**11**	**16**	**21**	**39**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	587	7.0	31	2	2	5	9	13	18	31
70-74	824	7.2	43	2	2	6	9	13	18	27
75-79	933	6.9	26	2	3	6	9	12	15	28
80-84	867	7.0	26	2	2	6	9	14	17	27
85+	1021	7.7	36	2	3	6	9	14	18	31
B. *Operated*										
65-69 YRS	21	12.2	176	2	2	7	19	29	45	53
70-74	29	6.6	15	2	3	6	7	11	15	20
75-79	19	12.1	56	2	3	11	18	26	64	99+
80-84	21	9.8	51	3	4	8	10	18	26	34
85+	22	10.0	57	3	3	7	12	19	26	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14780	9.3	51	2	3	8	11	17	22	38
70-74	19427	9.5	56	3	3	8	12	17	23	39
75-79	21583	9.9	57	3	3	8	12	18	24	40
80-84	19440	10.3	68	3	4	8	13	19	25	44
85+	20829	10.7	77	3	4	8	13	20	27	50
B. *Operated*										
65-69 YRS	1862	16.5	157	4	5	13	21	32	42	68
70-74	2171	16.9	167	4	5	14	21	34	45	69
75-79	2244	17.6	172	4	6	14	22	34	45	94
80-84	1783	18.5	176	5	6	15	24	36	46	85
85+	1618	18.8	187	5	7	15	24	36	50	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4232	7.2	33	2	2	6	9	13	17	29
B. *Operated*	112	9.8	69	2	3	7	12	20	28	70
2. MULTIPLE DX										
A. *Not Operated*	96059	10.0	63	3	3	8	12	18	24	43
B. *Operated*	9678	17.6	172	4	6	14	22	34	45	82
1. SINGLE DX	4344	7.2	34	2	2	6	9	14	18	29
2. MULTIPLE DX	105737	10.7	78	3	3	8	13	20	27	49
A. NOT OPERATED	100291	9.8	62	3	3	8	12	18	24	42
B. OPERATED	9790	17.5	171	4	6	14	22	34	45	82
TOTAL 65-69 YRS	17250	10.0	67	3	3	8	12	19	25	43
70-74	22451	10.1	71	3	3	8	12	19	25	46
75-79	24779	10.4	72	3	3	8	13	20	26	46
80-84	22111	10.8	80	3	4	9	13	21	27	49
85+	23490	11.1	88	3	4	9	14	21	28	55
GRAND TOTAL	**110081**	**10.5**	**76**	**3**	**3**	**8**	**13**	**20**	**27**	**48**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	195	6.2	33	2	2	5	8	11	15	36
70-74	158	6.4	22	2	2	5	8	11	14	27
75-79	111	6.7	27	2	2	5	9	12	15	30
80-84	64	7.2	45	2	3	5	8	14	20	42
85+	46	6.3	22	2	2	5	8	12	14	26
B. *Operated*										
65-69 YRS	336	5.7	31	1	2	2	10	14	17	22
70-74	206	7.9	66	1	2	3	12	21	26	33
75-79	92	6.7	70	1	1	2	8	20	29	32
80-84	30	8.4	103	1	1	5	11	21	28	48
85+	9	11.2	66	1	3	7	16	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2863	8.7	51	2	3	7	11	16	21	38
70-74	2654	8.9	47	2	3	7	11	17	22	37
75-79	2337	9.2	55	2	3	7	12	18	23	36
80-84	1638	9.8	74	2	3	8	12	18	26	50
85+	1291	10.2	80	2	3	8	13	20	28	47
B. *Operated*										
65-69 YRS	1875	11.3	117	2	2	9	15	25	34	57
70-74	1564	12.7	144	2	2	10	17	27	36	67
75-79	984	14.2	178	2	2	11	19	30	40	69
80-84	403	15.8	156	2	3	13	20	32	40	62
85+	181	16.4	175	3	4	13	21	34	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	6.5	29	2	2	5	8	11	15	34
B. *Operated*	673	6.7	52	1	2	3	11	16	22	29
2. MULTIPLE DX										
A. *Not Operated*	10783	9.2	58	2	3	7	11	17	23	40
B. *Operated*	5007	12.9	145	2	2	10	17	28	37	63
1. SINGLE DX	1247	6.6	41	1	2	4	9	14	19	29
2. MULTIPLE DX	15790	10.4	88	2	2	8	13	21	29	48
A. NOT OPERATED	11357	9.1	57	2	3	7	11	17	23	40
B. OPERATED	5680	12.1	138	2	2	10	16	27	35	59
TOTAL 65-69 YRS	5269	9.3	75	2	2	7	12	19	25	45
70-74	4582	10.1	84	2	2	8	13	21	28	48
75-79	3524	10.5	95	2	2	8	13	22	29	47
80-84	2135	10.8	95	2	3	8	13	22	30	54
85+	1527	10.9	94	2	3	8	14	22	31	51
GRAND TOTAL	**17037**	**10.1**	**86**	**2**	**2**	**8**	**13**	**21**	**28**	**47**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	5.8	16	2	2	5	8	10	15	18
70-74	24	6.5	31	2	2	4	9	13	21	23
75-79	23	5.7	24	<1	1	4	8	13	17	20
80-84	22	4.5	10	<1	1	4	6	10	11	11
85+	14	6.6	31	1	1	5	8	17	19	19
B. *Operated*										
65-69 YRS	8	7.9	64	2	2	3	13	21	23	23
70-74	10	4.4	9	2	2	3	6	9	10	10
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	698	7.0	25	2	3	6	9	13	16	26
70-74	895	8.1	46	2	3	6	10	15	19	35
75-79	1024	8.7	62	2	3	6	11	16	22	45
80-84	932	9.5	77	2	3	7	11	18	24	39
85+	921	9.9	75	3	3	7	12	19	27	47
B. *Operated*										
65-69 YRS	251	9.9	89	2	2	7	15	21	27	43
70-74	241	10.9	98	2	2	9	14	22	32	54
75-79	157	13.7	141	2	3	11	17	30	42	53
80-84	130	14.3	178	2	3	11	19	32	47	99+
85+	86	16.6	149	3	3	15	20	28	33	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	5.8	22	1	2	4	8	11	17	22
B. *Operated*	20	6.2	31	2	2	3	9	13	19	23
2. MULTIPLE DX										
A. *Not Operated*	4470	8.7	60	2	3	7	11	16	22	41
B. *Operated*	865	12.2	125	2	2	9	16	26	33	60
1. SINGLE DX	121	5.8	23	1	2	4	8	11	17	23
2. MULTIPLE DX	5335	9.3	72	2	3	7	11	18	25	44
A. NOT OPERATED	4571	8.7	59	2	3	7	11	16	22	41
B. OPERATED	885	12.1	123	2	2	9	16	26	33	60
TOTAL 65-69 YRS	975	7.7	43	2	2	6	10	16	19	32
70-74	1170	8.6	58	2	2	7	10	16	21	36
75-79	1206	9.3	75	2	3	7	12	18	26	48
80-84	1084	9.9	90	2	3	7	12	20	28	51
85+	1021	10.4	84	2	3	8	13	20	28	52
GRAND TOTAL	**5456**	**9.2**	**71**	**2**	**3**	**7**	**11**	**18**	**25**	**44**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	8.5	227	<1	<1	3	8	30	50	52
70-74	11	8.9	84	<1	1	6	12	25	29	29
75-79	8	15.8	176	2	2	13	21	37	43	43
80-84	8	21.3	564	<1	1	11	39	59	62	62
85+	2	11.0	162	2	2	11	20	20	20	20
B. *Operated*										
65-69 YRS	23	19.6	140	2	2	18	28	40	66	99+
70-74	12	15.7	184	2	2	16	26	54	91	99+
75-79	2	21.0	72	15	15	21	27	27	27	27
80-84	5	48.6	994	10	10	54	75	84	84	84
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	13.7	261	1	1	9	18	31	56	70
70-74	26	17.7	379	2	2	16	27	42	94	99+
75-79	38	18.5	285	2	4	14	25	35	79	99+
80-84	32	20.5	126	5	6	20	32	43	89	99+
85+	20	21.2	131	5	7	22	30	40	71	99+
B. *Operated*										
65-69 YRS	99	32.4	357	9	12	28	45	69	84	99+
70-74	65	34.0	363	13	14	31	48	69	96	99+
75-79	35	37.1	732	5	10	28	61	96	99	99+
80-84	8	33.4	440	6	11	32	53	90	99+	99+
85+	5	24.6	95	9	12	30	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	12.7	243	<1	1	6	18	36	52	62
B. *Operated*	42	22.0	324	2	2	18	29	56	89	99+
2. MULTIPLE DX										
A. *Not Operated*	143	18.2	240	2	3	16	27	36	72	99+
B. *Operated*	212	33.5	415	9	13	29	48	74	99+	99+
1. SINGLE DX	82	17.5	303	1	2	15	24	51	65	99+
2. MULTIPLE DX	355	27.4	400	3	6	24	38	67	97	99+
A. NOT OPERATED	183	17.0	245	1	2	14	25	36	63	99+
B. OPERATED	254	31.6	417	6	11	27	46	73	99+	99+
TOTAL 65-69 YRS	160	25.8	375	1	3	22	38	58	75	99+
70-74	114	25.9	407	2	3	22	37	63	95	99+
75-79	83	26.1	538	3	4	21	33	69	97	99+
80-84	53	25.2	366	4	5	22	35	71	95	99+
85+	27	21.1	127	4	7	23	31	74	99+	99+
GRAND TOTAL	**437**	**25.5**	**396**	**2**	**4**	**22**	**35**	**63**	**95**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	34.0		34	34	34	34	34	34	34
70-74	4	32.5	590	1	1	37	51	54	54	54
75-79	2	30.0	392	16	16	30	44	44	44	44
80-84	2	37.5	145	29	29	37	46	46	46	46
85+										
B. *Operated*										
65-69 YRS	8	46.0	834	11	11	53	78	93	99+	99+
70-74	5	42.6	240	22	23	50	58	96	99+	99+
75-79	4	30.8	134	17	17	37	57	99+	99+	99+
80-84	3	43.0	1369	6	6	43	71	80	80	80
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	33.2	296	1	7	34	47	52	54	54
B. *Operated*	20	41.7	556	9	12	43	75	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	29	39.0	478	6	12	43	57	88	99+	99+
A. NOT OPERATED	9	33.2	296	1	7	34	47	52	54	54
B. OPERATED	20	41.7	556	9	12	43	75	99+	99+	99+
TOTAL 65-69 YRS	9	44.7	746	11	11	47	77	91	99+	99+
70-74	9	38.1	370	1	11	46	57	79	99+	99+
75-79	6	30.5	159	16	16	37	44	89	99+	99+
80-84	5	40.8	730	6	6	43	54	80	80	80
85+										
GRAND TOTAL	**29**	**39.0**	**478**	**6**	**12**	**43**	**57**	**88**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	8.6	82	<1	<1	7	12	14	28	45
70-74	22	11.6	105	<1	1	9	19	26	32	35
75-79	53	13.3	164	1	2	11	17	28	37	75
80-84	27	10.3	83	<1	1	10	14	22	32	35
85+	25	11.0	133	2	2	9	12	21	32	59
B. *Operated*										
65-69 YRS	70	13.6	125	5	5	10	16	25	30	70
70-74	64	11.6	73	3	4	9	14	21	24	52
75-79	51	19.5	276	4	7	15	23	38	50	98
80-84	35	12.1	56	4	6	11	13	21	31	35
85+	15	16.6	95	6	7	14	22	35	36	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	216	17.3	205	1	4	13	23	37	52	71
70-74	245	17.0	240	2	3	13	21	39	58	90
75-79	272	18.6	205	4	6	16	23	39	53	99+
80-84	247	19.0	177	4	5	16	24	36	48	70
85+	210	17.8	187	2	4	15	23	34	51	78
B. *Operated*										
65-69 YRS	222	21.3	280	5	7	16	28	44	58	91
70-74	209	24.1	354	6	7	19	33	63	88	99+
75-79	224	23.9	360	4	7	17	32	58	67	99+
80-84	152	23.7	193	8	10	20	30	48	57	99+
85+	97	26.0	321	6	8	24	35	49	68	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	11.3	122	<1	1	9	14	23	34	56
B. *Operated*	235	14.3	139	4	5	11	17	28	35	60
2. MULTIPLE DX										
A. *Not Operated*	1190	18.0	203	3	4	15	23	37	51	88
B. *Operated*	904	23.5	307	6	7	19	31	51	68	99+
1. SINGLE DX	391	13.1	134	1	3	10	16	26	35	59
2. MULTIPLE DX	2094	20.4	255	4	6	16	26	44	59	99+
A. NOT OPERATED	1346	17.2	198	2	4	14	22	36	49	85
B. OPERATED	1139	21.6	286	5	7	16	28	48	64	99+
TOTAL 65-69 YRS	537	18.0	230	3	5	14	23	38	50	77
70-74	540	18.9	279	3	4	14	26	43	65	99+
75-79	600	20.2	274	3	6	16	25	46	60	99+
80-84	461	19.5	182	4	6	16	25	38	50	75
85+	347	19.6	235	3	5	15	25	39	55	85
GRAND TOTAL	**2485**	**19.2**	**243**	**3**	**5**	**15**	**25**	**40**	**56**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	70	27.0	352	6	8	21	36	64	76	99+
70-74	96	23.8	286	5	7	21	31	44	62	98
75-79	95	25.7	309	4	6	23	36	56	66	99+
80-84	94	24.3	295	7	9	21	30	59	82	99+
85+	71	23.7	308	6	9	19	34	55	81	99+
B. *Operated*										
65-69 YRS	54	32.2	398	8	11	29	51	83	99+	99+
70-74	35	33.6	372	8	11	33	47	62	67	76
75-79	40	35.2	465	8	14	32	53	64	73	92
80-84	38	29.9	303	10	11	28	45	82	99+	99+
85+	18	38.2	418	5	10	38	53	77	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	426	24.9	306	6	8	21	34	55	73	99+
B. *Operated*	185	33.2	387	9	11	30	51	69	91	99+
1. SINGLE DX										
2. MULTIPLE DX	611	27.4	345	6	9	23	38	62	79	99+
A. NOT OPERATED	426	24.9	306	6	8	21	34	55	73	99+
B. OPERATED	185	33.2	387	9	11	30	51	69	91	99+
TOTAL 65-69 YRS	124	29.3	375	7	9	24	43	70	85	99+
70-74	131	26.4	326	5	8	22	35	53	66	97
75-79	135	28.5	371	5	6	23	40	59	67	99+
80-84	132	25.9	301	8	10	23	34	65	94	99+
85+	89	26.7	360	6	9	22	40	63	82	99+
GRAND TOTAL	**611**	**27.4**	**345**	**6**	**9**	**23**	**38**	**62**	**79**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	3.6	8	1	1	2	5	7	10	12
70-74	43	4.3	15	1	1	3	5	9	12	22
75-79	30	4.1	22	1	1	3	5	7	8	26
80-84	19	4.9	32	1	1	3	5	9	19	26
85+	8	3.9	3	1	1	4	5	6	6	6
B. *Operated*										
65-69 YRS	1211	6.4	21	2	2	5	8	12	15	24
70-74	1121	6.4	22	2	2	5	8	12	15	24
75-79	744	6.4	19	1	2	5	8	12	15	22
80-84	288	6.7	27	1	2	6	8	14	17	27
85+	68	6.3	15	1	2	6	9	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	362	7.2	71	1	2	5	9	14	20	50
70-74	403	7.3	53	1	2	5	9	14	20	41
75-79	397	8.4	56	2	2	6	10	17	23	41
80-84	269	8.8	87	2	2	6	10	18	24	44
85+	184	9.4	78	2	4	7	12	18	23	68
B. *Operated*										
65-69 YRS	3996	9.0	61	2	3	7	11	17	23	40
70-74	3840	9.4	61	2	3	7	12	18	24	38
75-79	2629	9.8	67	2	3	8	12	19	24	41
80-84	1054	10.6	77	2	3	8	14	20	27	44
85+	331	10.4	67	2	3	8	14	21	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	4.1	15	1	1	3	5	7	11	26
B. *Operated*	3432	6.4	21	2	2	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1615	8.0	67	1	2	6	10	16	22	46
B. *Operated*	11850	9.5	64	2	3	7	12	18	24	40
1. SINGLE DX	3579	6.3	21	1	2	5	8	12	15	24
2. MULTIPLE DX	13465	9.3	65	2	3	7	11	18	24	41
A. NOT OPERATED	1762	7.7	64	1	2	6	9	16	22	46
B. OPERATED	15282	8.8	56	2	2	7	11	17	22	38
TOTAL 65-69 YRS	5616	8.3	54	2	2	6	10	16	21	38
70-74	5407	8.6	54	2	2	7	11	17	22	37
75-79	3800	8.9	58	2	2	7	11	18	22	38
80-84	1630	9.6	72	2	2	7	12	19	26	43
85+	591	9.5	65	2	3	7	12	19	23	47
GRAND TOTAL	**17044**	**8.7**	**57**	**2**	**2**	**7**	**11**	**17**	**22**	**38**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	18.3	522	1	2	11	19	40	86	90
70-74	33	16.3	343	2	2	9	16	38	59	85
75-79	19	19.7	479	4	5	13	23	56	78	84
80-84	20	14.7	136	4	4	9	23	31	38	44
85+	11	24.8	210	9	13	19	30	44	61	63
B. *Operated*										
65-69 YRS	192	16.9	235	2	3	12	24	43	53	99+
70-74	177	18.8	259	2	3	14	26	40	52	99+
75-79	103	18.2	270	3	5	13	25	39	58	99
80-84	40	21.1	349	2	3	17	27	44	59	86
85+	15	18.7	335	2	3	11	30	50	57	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	119	17.9	368	2	4	12	21	35	67	89
B. Operated	527	18.1	261	2	3	13	25	43	53	99+
1. SINGLE DX										
2. MULTIPLE DX	646	18.1	280	2	4	13	24	42	54	99
A. NOT OPERATED	119	17.9	368	2	4	12	21	35	67	89
B. OPERATED	527	18.1	261	2	3	13	25	43	53	99+
TOTAL 65-69 YRS	228	17.1	279	2	3	12	23	43	54	99+
70-74	210	18.4	271	2	3	14	25	39	53	99
75-79	122	18.4	299	3	5	13	24	40	59	99
80-84	60	19.0	284	2	4	14	25	43	48	84
85+	26	21.3	281	3	4	17	30	49	61	63
GRAND TOTAL	**646**	**18.1**	**280**	**2**	**4**	**13**	**24**	**42**	**54**	**99**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	174	9.5	69	2	2	7	11	22	29	69
70-74	209	10.3	78	2	3	8	13	21	28	43
75-79	206	11.5	92	2	3	8	15	23	31	49
80-84	162	13.0	131	2	3	9	18	28	33	57
85+	125	11.4	67	3	4	9	14	20	30	43
B. *Operated*										
65-69 YRS	57	9.0	54	1	2	7	11	20	23	39
70-74	33	9.4	84	2	3	6	9	20	26	49
75-79	34	13.0	297	1	2	7	15	30	38	95
80-84	10	11.9	110	2	2	9	13	30	33	33
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1654	12.9	129	3	4	10	16	26	37	67
70-74	2270	13.4	136	3	4	10	16	27	37	71
75-79	2385	14.1	148	3	4	10	18	29	40	79
80-84	2099	15.1	157	3	5	12	19	30	41	74
85+	1772	15.5	173	4	5	12	19	32	45	99+
B. *Operated*										
65-69 YRS	527	15.4	193	2	3	11	19	36	42	74
70-74	522	17.2	245	3	4	13	23	44	57	99+
75-79	436	19.6	254	4	5	14	27	48	70	99+
80-84	293	22.0	285	5	6	17	30	46	59	99+
85+	162	24.7	352	5	7	20	31	53	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	676	11.1	89	2	3	8	14	23	31	67
B. Operated	135	10.3	127	2	2	8	12	22	29	56
2. MULTIPLE DX										
A. Not Operated	10180	14.2	149	3	4	11	18	29	39	82
B. Operated	1940	18.6	265	3	4	14	25	43	56	99+
1. SINGLE DX	1011	11.0	94	2	3	8	14	23	31	66
2. MULTIPLE DX	12120	14.9	170	3	4	11	19	31	43	91
A. NOT OPERATED	11056	13.9	145	3	4	10	17	28	39	79
B. OPERATED	2075	18.1	260	3	4	13	24	42	57	99+
TOTAL 65-69 YRS	2412	13.1	139	3	4	10	16	28	36	72
70-74	3034	13.8	154	3	4	10	17	29	40	91
75-79	3061	14.7	171	3	4	11	18	31	43	91
80-84	2564	15.7	175	3	5	12	20	31	43	78
85+	2060	15.9	188	4	5	12	20	33	47	99+
GRAND TOTAL	**13131**	**14.6**	**166**	**3**	**4**	**11**	**18**	**31**	**42**	**90**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	736	18.4	199	4	6	14	24	39	49	79
70-74	918	18.7	222	4	5	14	25	40	51	86
75-79	1050	19.6	220	4	6	16	26	39	49	84
80-84	896	19.5	209	5	6	16	25	40	53	99+
85+	810	19.4	175	5	7	16	25	37	49	99+
B. *Operated*										
65-69 YRS	147	25.4	346	5	8	21	36	51	71	99+
70-74	162	27.1	343	6	8	23	41	60	84	99+
75-79	188	28.3	407	5	8	23	39	65	79	99+
80-84	100	33.7	437	7	12	31	52	89	99+	99+
85+	70	31.3	515	8	9	27	39	74	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4410	19.1	206	4	6	15	25	39	50	91
B. *Operated*	667	28.5	399	6	8	24	40	66	87	99+
1. SINGLE DX										
2. MULTIPLE DX	5077	20.4	241	4	6	16	27	43	56	99+
A. NOT OPERATED	4410	19.1	206	4	6	15	25	39	50	91
B. OPERATED	667	28.5	399	6	8	24	40	66	87	99+
TOTAL 65-69 YRS	883	19.6	230	4	6	15	26	41	52	88
70-74	1080	20.0	249	4	6	15	27	44	58	99+
75-79	1238	20.9	258	4	6	17	28	44	56	92
80-84	996	20.9	250	5	7	17	28	44	64	99+
85+	880	20.4	212	5	7	17	26	40	54	99+
GRAND TOTAL	**5077**	**20.4**	**241**	**4**	**6**	**16**	**27**	**43**	**56**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	594	4.3	19	1	1	4	5	8	10	16
70-74	659	4.4	9	1	1	4	6	8	10	15
75-79	697	4.8	14	1	2	4	6	9	11	19
80-84	580	4.8	20	1	1	4	6	9	11	19
85+	574	4.9	18	1	2	4	6	9	13	22
B. *Operated*										
65-69 YRS	270	4.3	9	1	2	3	6	8	11	16
70-74	247	5.5	40	1	2	4	8	10	14	18
75-79	161	4.9	12	1	2	4	7	9	13	16
80-84	72	6.1	39	1	2	4	7	12	20	37
85+	32	6.2	20	1	2	5	8	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4243	6.4	25	2	2	5	8	12	15	25
70-74	5760	6.7	30	2	2	5	8	12	16	28
75-79	7038	7.2	35	2	2	6	9	13	17	32
80-84	6568	7.7	47	2	2	6	9	15	19	36
85+	6656	8.3	67	2	2	6	10	15	21	53
B. *Operated*										
65-69 YRS	1717	8.7	60	2	2	7	11	16	21	45
70-74	1746	9.6	69	2	3	7	12	18	24	42
75-79	1507	10.5	95	2	3	8	13	20	27	65
80-84	951	12.1	119	2	3	9	15	24	34	79
85+	591	13.2	148	3	4	9	17	27	37	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3104	4.6	16	1	2	4	6	9	11	19
B. *Operated*	782	5.1	23	1	2	4	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	30265	7.3	43	2	2	6	9	14	18	35
B. *Operated*	6512	10.3	89	2	3	8	13	20	27	59
1. SINGLE DX	3886	4.7	17	1	2	4	6	9	11	19
2. MULTIPLE DX	36777	7.9	52	2	2	6	10	15	20	40
A. NOT OPERATED	33369	7.1	41	2	2	6	9	13	17	34
B. OPERATED	7294	9.7	85	2	2	7	12	19	25	57
TOTAL 65-69 YRS	6824	6.7	34	2	2	5	8	13	16	28
70-74	8412	7.1	39	2	2	6	9	13	18	34
75-79	9403	7.5	45	2	2	6	9	14	18	36
80-84	8171	8.0	56	2	2	6	10	15	21	40
85+	7853	8.4	72	2	2	6	10	16	22	56
GRAND TOTAL	**40663**	**7.6**	**50**	**2**	**2**	**6**	**9**	**14**	**19**	**37**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	483	10.1	109	2	2	7	13	20	27	65
70-74	618	11.1	121	2	3	8	14	22	31	56
75-79	628	11.4	94	2	3	9	15	23	29	47
80-84	596	11.6	88	2	3	9	16	22	31	52
85+	608	11.8	113	2	3	9	15	23	34	62
B. Operated										
65-69 YRS	79	9.2	49	2	2	6	11	17	24	37
70-74	69	12.8	187	2	3	9	14	27	41	76
75-79	47	9.7	77	2	3	6	12	16	25	99+
80-84	43	13.1	88	2	3	9	22	27	31	35
85+	23	15.5	264	2	3	11	20	28	47	78
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3475	13.1	142	3	4	10	16	27	37	72
70-74	4600	13.5	135	3	4	10	17	27	38	72
75-79	5484	14.3	144	3	4	11	18	29	40	77
80-84	5150	14.8	149	3	4	11	19	30	42	98
85+	5339	14.7	152	3	4	11	18	29	41	90
B. Operated										
65-69 YRS	845	17.9	275	3	4	13	23	45	66	99+
70-74	939	20.1	319	4	5	15	26	49	71	99+
75-79	845	21.2	308	4	5	16	29	49	62	99+
80-84	581	23.1	336	5	7	19	32	59	90	99+
85+	458	24.0	303	5	8	21	34	59	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2933	11.2	105	2	3	8	14	22	30	57
B. Operated	261	11.4	118	2	3	9	14	25	31	76
2. MULTIPLE DX										
A. Not Operated	24048	14.1	145	3	4	11	18	29	40	81
B. Operated	3668	20.8	311	4	5	16	28	50	74	99+
1. SINGLE DX	3194	11.3	106	2	3	8	14	22	30	57
2. MULTIPLE DX	27716	15.0	172	3	4	11	19	32	45	97
A. NOT OPERATED	26981	13.8	142	3	4	11	17	28	39	78
B. OPERATED	3929	20.2	304	3	5	15	27	49	72	99+
TOTAL 65-69 YRS	4882	13.6	165	3	3	10	16	29	42	83
70-74	6226	14.2	169	3	4	10	18	29	42	85
75-79	7004	14.8	165	3	4	11	18	31	42	85
80-84	6370	15.2	167	3	4	12	19	32	45	99+
85+	6428	15.1	166	3	4	12	19	31	44	99+
GRAND TOTAL	**30910**	**14.6**	**167**	**3**	**4**	**11**	**18**	**31**	**43**	**92**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1436	18.1	196	4	5	14	24	38	51	79
70-74	1876	18.7	236	4	5	14	24	40	54	93
75-79	2110	18.4	197	4	6	15	24	38	50	99+
80-84	1915	18.4	183	4	6	15	24	38	49	99+
85+	1816	18.4	195	4	6	14	23	38	53	99+
B. Operated										
65-69 YRS	313	25.6	410	5	7	20	37	65	97	99+
70-74	331	26.7	350	5	7	23	40	60	83	99+
75-79	317	29.0	412	5	8	26	46	64	89	99+
80-84	207	29.6	348	8	9	26	44	57	83	99+
85+	162	25.6	280	6	9	22	36	59	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	9153	18.4	201	4	6	14	24	38	51	99+
B. Operated	1330	27.3	372	6	8	23	42	61	86	99+
1. SINGLE DX										
2. MULTIPLE DX	10483	19.5	232	4	6	15	25	42	57	99+
A. NOT OPERATED	9153	18.4	201	4	6	14	24	38	51	99+
B. OPERATED	1330	27.3	372	6	8	23	42	61	86	99+
TOTAL 65-69 YRS	1749	19.4	242	4	5	15	25	43	57	99+
70-74	2207	19.9	261	4	5	15	26	44	59	99+
75-79	2427	19.8	238	4	6	15	26	43	58	99+
80-84	2122	19.5	210	4	6	16	25	42	52	99+
85+	1978	19.0	205	4	6	15	24	40	56	99+
GRAND TOTAL	**10483**	**19.5**	**232**	**4**	**6**	**15**	**25**	**42**	**57**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	123	5.5	35	1	1	4	7	9	14	35
70-74	174	5.8	17	1	2	5	8	10	15	22
75-79	165	6.4	27	1	2	5	8	14	17	26
80-84	179	7.1	87	2	2	5	8	13	17	57
85+	141	7.2	43	2	2	5	8	15	19	36
B. *Operated*										
65-69 YRS	116	6.4	40	1	2	4	8	16	19	30
70-74	105	7.6	61	1	2	5	9	17	22	40
75-79	74	6.4	35	1	2	5	9	13	15	34
80-84	21	6.2	30	1	1	4	8	14	19	22
85+	11	10.5	85	1	2	7	15	26	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1556	8.8	74	2	3	7	10	17	23	50
70-74	2233	9.2	75	2	3	7	11	18	26	54
75-79	2655	9.8	85	2	3	7	12	19	27	54
80-84	2720	10.0	74	2	3	8	12	20	26	51
85+	2899	10.6	105	2	3	8	13	21	31	98
B. *Operated*										
65-69 YRS	650	13.1	191	2	3	9	16	29	43	93
70-74	688	12.5	159	2	3	9	15	25	36	73
75-79	614	13.4	181	2	3	9	16	28	46	96
80-84	368	16.2	225	3	4	12	21	35	60	99+
85+	272	14.9	184	3	4	10	18	32	50	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	782	6.4	43	2	2	5	8	12	16	32
B. *Operated*	327	6.9	47	1	2	5	9	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	12063	9.8	84	2	3	7	12	19	27	59
B. *Operated*	2592	13.7	185	2	3	10	16	29	46	92
1. SINGLE DX	1109	6.6	44	1	2	5	8	13	17	33
2. MULTIPLE DX	14655	10.5	104	2	3	8	13	21	30	68
A. NOT OPERATED	12845	9.6	83	2	3	7	12	19	26	58
B. OPERATED	2919	12.9	174	2	3	9	16	28	43	87
TOTAL 65-69 YRS	2445	9.7	107	2	2	7	11	19	29	64
70-74	3200	9.7	93	2	3	7	11	19	28	57
75-79	3508	10.2	101	2	3	7	12	20	29	61
80-84	3288	10.5	96	2	3	8	13	21	29	66
85+	3323	10.8	111	2	3	8	13	21	32	90
GRAND TOTAL	**15764**	**10.2**	**101**	**2**	**3**	**7**	**12**	**21**	**29**	**66**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	3.3	5	<1	<1	2	4	7	8	8
70-74	14	3.9	7	<1	1	3	7	8	8	8
75-79	21	6.6	30	1	2	4	9	15	19	21
80-84	20	6.4	36	1	1	5	9	10	19	28
85+	31	7.0	67	1	1	4	7	17	29	36
B. *Operated*										
65-69 YRS	212	6.7	50	1	1	5	10	14	17	23
70-74	203	6.8	42	1	1	3	11	15	21	30
75-79	121	7.6	54	1	1	4	12	17	24	31
80-84	61	8.7	59	1	2	7	13	18	24	37
85+	24	10.3	72	2	2	7	17	25	26	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	270	7.8	77	1	2	5	9	15	26	48
70-74	435	8.5	92	1	2	6	10	16	23	54
75-79	507	8.3	50	2	3	7	10	16	20	43
80-84	547	9.9	99	2	3	7	12	18	26	49
85+	726	10.2	82	2	3	8	12	19	27	58
B. *Operated*										
65-69 YRS	1661	14.5	213	2	2	11	18	30	48	87
70-74	1604	15.3	218	2	2	12	19	33	49	79
75-79	1265	17.1	242	2	3	13	22	37	51	82
80-84	778	19.5	270	2	4	15	26	42	56	99
85+	684	18.0	193	3	5	14	24	38	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.5	33	1	1	4	7	10	16	32
B. *Operated*	621	7.2	50	1	1	4	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	2485	9.2	81	2	2	7	11	18	25	52
B. *Operated*	5992	16.3	228	2	2	12	21	35	50	87
1. SINGLE DX	737	7.0	48	1	1	4	10	15	20	30
2. MULTIPLE DX	8477	14.2	196	2	2	10	18	31	45	82
A. NOT OPERATED	2601	9.0	79	2	2	7	11	17	25	50
B. OPERATED	6613	15.5	219	2	2	12	20	34	48	85
TOTAL 65-69 YRS	2173	12.7	187	1	2	9	16	28	41	81
70-74	2256	13.2	188	1	2	10	17	29	42	73
75-79	1914	14.0	195	2	2	10	18	32	45	76
80-84	1406	15.1	215	2	3	11	20	34	46	89
85+	1465	13.8	149	2	3	10	18	30	41	85
GRAND TOTAL	**9214**	**13.6**	**188**	**2**	**2**	**10**	**17**	**30**	**43**	**80**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	3.3	10	<1	<1	2	4	8	10	15
70-74	32	4.4	18	<1	1	3	5	10	12	20
75-79	28	4.1	8	1	1	3	6	9	9	10
80-84	20	4.5	13	1	1	3	6	11	13	13
85+	30	5.3	32	1	2	3	7	10	11	31
B. *Operated*										
65-69 YRS	327	11.3	28	2	3	11	14	18	20	28
70-74	289	11.2	38	2	2	11	14	18	21	31
75-79	193	11.3	34	2	2	11	14	19	22	31
80-84	89	12.5	53	2	3	12	16	19	22	43
85+	35	13.3	57	1	3	13	17	23	25	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	6.6	71	1	1	5	8	13	16	41
70-74	287	6.2	41	1	1	5	8	12	15	33
75-79	315	7.1	32	1	2	6	9	14	17	28
80-84	257	8.3	50	1	2	7	11	17	24	38
85+	246	8.6	71	1	2	6	11	17	25	66
B. *Operated*										
65-69 YRS	1734	15.3	130	2	6	13	18	27	35	79
70-74	1781	16.2	141	3	5	14	19	29	40	83
75-79	1262	17.3	136	3	5	15	21	33	43	64
80-84	570	18.4	165	4	6	15	23	33	43	75
85+	180	21.9	286	3	5	17	28	48	66	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	4.3	17	<1	1	3	5	9	11	21
B. *Operated*	933	11.5	36	2	2	11	14	18	22	30
2. MULTIPLE DX										
A. *Not Operated*	1329	7.3	52	1	2	5	9	15	19	39
B. *Operated*	5527	16.6	145	3	5	14	20	30	40	79
1. SINGLE DX	1075	10.5	39	2	2	11	14	18	21	30
2. MULTIPLE DX	6856	14.8	140	2	3	12	18	29	37	75
A. NOT OPERATED	1471	7.1	49	1	2	5	9	14	18	38
B. OPERATED	6460	15.8	133	2	5	13	19	29	38	75
TOTAL 65-69 YRS	2317	13.7	117	2	3	12	16	24	32	70
70-74	2389	14.2	128	2	3	12	17	26	35	73
75-79	1798	14.6	122	2	3	13	18	29	37	60
80-84	936	14.8	141	2	3	12	19	29	37	70
85+	491	13.6	188	2	3	10	17	30	43	82
GRAND TOTAL	**7931**	**14.2**	**129**	**2**	**3**	**12**	**17**	**27**	**35**	**71**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	5	7.2	34	<1	<1	8	11	15	15	15
75-79	4	2.0	1	1	1	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	101	8.6	52	1	1	7	13	17	21	37
70-74	68	9.0	37	2	2	9	12	16	19	35
75-79	49	7.8	44	1	2	6	10	15	21	31
80-84	26	8.3	36	1	2	7	13	16	19	23
85+	3	4.3	24	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	4.5	26	<1	<1	3	4	13	18	19
70-74	12	7.1	28	1	2	7	9	15	18	19
75-79	19	7.7	42	<1	1	4	15	17	19	20
80-84	10	6.2	13	2	2	6	9	11	12	12
85+	15	7.9	40	1	1	6	12	17	21	23
B. *Operated*										
65-69 YRS	303	13.6	177	2	3	10	16	27	40	83
70-74	296	14.5	161	2	3	11	18	29	35	69
75-79	199	16.5	184	2	4	13	21	33	43	76
80-84	73	16.5	185	3	4	12	19	36	46	66
85+	67	17.4	160	5	6	14	24	30	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.4	21	<1	1	2	7	12	15	15
B. *Operated*	247	8.5	44	1	2	7	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	74	6.7	32	1	1	4	9	16	18	22
B. *Operated*	938	15.0	174	2	3	11	18	30	40	75
1. SINGLE DX	258	8.3	44	1	2	7	11	16	20	31
2. MULTIPLE DX	1012	14.4	168	2	3	11	18	29	39	73
A. NOT OPERATED	85	6.4	31	1	1	4	9	16	18	22
B. OPERATED	1185	13.6	154	2	3	11	17	27	37	71
TOTAL 65-69 YRS	422	12.0	147	1	2	9	15	22	36	77
70-74	381	13.2	139	2	3	10	16	25	33	66
75-79	271	14.1	162	2	3	11	19	28	39	73
80-84	110	13.5	150	2	2	11	17	29	40	62
85+	86	15.1	151	1	2	12	21	28	34	67
GRAND TOTAL	**1270**	**13.2**	**149**	**2**	**2**	**10**	**16**	**26**	**36**	**70**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	4.2	14	<1	<1	3	7	10	12	14
70-74	27	5.9	22	<1	<1	4	10	13	14	15
75-79	25	6.3	52	<1	1	4	9	14	18	22
80-84	22	6.2	17	1	1	7	9	12	13	14
85+	13	7.2	28	1	2	6	12	15	17	17
B. *Operated*										
65-69 YRS	608	8.4	42	1	2	8	12	16	19	30
70-74	463	8.0	32	1	2	8	11	15	18	26
75-79	299	9.0	61	1	2	8	13	17	20	42
80-84	141	9.9	61	1	2	9	14	19	23	37
85+	98	10.2	45	2	2	10	14	19	21	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	237	7.4	34	1	1	6	11	15	18	28
70-74	198	8.2	34	1	2	7	12	16	20	35
75-79	212	9.6	72	2	2	7	11	19	24	46
80-84	158	9.5	47	2	2	8	12	18	22	43
85+	159	10.5	149	1	3	8	11	20	28	75
B. *Operated*										
65-69 YRS	2839	13.5	129	2	3	11	17	27	36	77
70-74	2564	14.6	159	2	3	11	18	29	40	69
75-79	1882	15.4	167	2	3	12	19	30	42	82
80-84	1075	15.6	180	2	3	12	20	31	43	84
85+	859	16.9	168	3	5	13	22	35	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	5.6	21	<1	1	4	9	12	14	18
B. *Operated*	1609	8.6	45	1	2	8	12	16	19	32
2. MULTIPLE DX										
A. *Not Operated*	964	8.9	64	1	2	7	11	17	21	42
B. *Operated*	9219	14.7	156	2	3	12	18	29	40	77
1. SINGLE DX	1735	8.4	44	1	2	8	12	16	19	30
2. MULTIPLE DX	10183	14.2	150	2	3	11	18	28	39	75
A. NOT OPERATED	1090	8.5	60	1	2	7	11	16	21	40
B. OPERATED	10828	13.8	144	2	2	11	17	27	38	73
TOTAL 65-69 YRS	3723	12.2	114	2	2	10	15	24	33	66
70-74	3252	13.2	139	2	2	11	16	25	36	68
75-79	2418	14.0	151	2	2	11	18	28	38	74
80-84	1396	14.2	157	2	3	11	18	28	39	80
85+	1129	15.3	161	2	4	12	19	33	42	76
GRAND TOTAL	**11918**	**13.3**	**139**	**2**	**2**	**11**	**17**	**26**	**37**	**72**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	5.1	26	1	1	3	6	10	14	27
70-74	77	5.3	25	1	1	4	6	10	16	28
75-79	59	7.2	46	<1	1	5	9	14	24	33
80-84	48	6.1	25	1	1	5	9	12	19	21
85+	34	10.0	189	<1	1	5	9	25	47	60
B. *Operated*										
65-69 YRS	411	6.8	41	1	1	4	10	14	18	31
70-74	361	7.1	64	1	1	5	10	15	19	34
75-79	263	8.3	81	1	1	5	12	18	24	45
80-84	135	7.5	64	1	1	5	10	16	21	43
85+	51	8.3	79	1	1	4	13	19	32	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	590	7.8	60	1	2	6	10	16	21	48
70-74	630	8.1	68	1	2	6	10	16	22	43
75-79	663	8.9	67	2	2	7	11	18	25	42
80-84	446	10.3	91	2	3	8	13	20	28	52
85+	421	9.9	106	2	3	7	12	19	27	78
B. *Operated*										
65-69 YRS	1900	13.1	188	2	2	9	17	28	42	82
70-74	1806	14.7	206	2	2	11	19	33	47	79
75-79	1372	15.2	222	2	2	11	20	34	48	95
80-84	765	16.2	202	2	3	12	22	35	48	84
85+	597	17.6	234	3	4	14	22	39	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	6.2	48	1	1	4	8	12	20	32
B. *Operated*	1221	7.4	61	1	1	5	10	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	2750	8.9	76	2	2	7	11	18	24	50
B. *Operated*	6440	14.8	208	2	2	11	19	33	47	88
1. SINGLE DX	1539	7.1	58	1	1	5	9	16	21	37
2. MULTIPLE DX	9190	13.0	176	2	2	9	17	29	42	91
A. NOT OPERATED	3068	8.6	74	1	2	6	11	17	24	49
B. OPERATED	7661	13.6	192	2	2	10	18	31	44	82
TOTAL 65-69 YRS	3001	10.9	146	1	2	7	14	23	33	74
70-74	2874	12.0	165	1	2	8	15	27	40	72
75-79	2357	12.5	169	2	2	9	16	28	40	73
80-84	1394	13.1	159	2	2	9	17	29	40	75
85+	1103	14.0	191	2	3	10	18	31	46	98
GRAND TOTAL	**10729**	**12.2**	**163**	**2**	**2**	**8**	**16**	**27**	**39**	**75**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	590	8.3	21	3	4	8	10	13	15	21
70-74	474	8.2	18	3	4	8	10	13	15	21
75-79	336	9.0	33	3	4	8	11	14	17	30
80-84	190	8.9	20	2	3	8	12	15	16	23
85+	145	8.8	16	3	4	8	11	14	16	24
B. Operated										
65-69 YRS	177	8.9	21	2	3	9	11	15	17	26
70-74	169	9.1	26	3	3	9	12	15	18	29
75-79	105	8.9	28	2	3	8	11	15	20	27
80-84	71	9.7	24	2	3	10	12	15	18	25
85+	35	9.1	27	2	2	9	13	16	18	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2192	10.1	33	4	5	9	12	17	21	29
70-74	2114	10.2	31	3	5	9	12	16	20	29
75-79	1713	10.5	43	4	5	9	13	17	21	36
80-84	1196	10.8	42	4	5	10	13	18	23	39
85+	908	11.4	61	3	4	10	14	19	24	46
B. Operated										
65-69 YRS	1062	12.2	86	3	4	10	15	21	28	55
70-74	950	12.3	54	3	5	11	16	22	26	37
75-79	745	13.3	86	4	5	11	16	23	32	53
80-84	457	13.0	60	4	6	12	16	22	27	53
85+	322	14.6	121	4	5	12	18	27	36	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1735	8.5	22	3	4	8	11	13	16	23
B. Operated	557	9.1	25	2	3	9	12	15	18	25
2. MULTIPLE DX										
A. Not Operated	8123	10.5	39	4	5	9	13	17	21	35
B. Operated	3576	12.8	77	3	5	11	15	22	29	50
1. SINGLE DX	2292	8.7	23	3	4	8	11	14	16	24
2. MULTIPLE DX	11699	11.2	52	4	5	10	14	19	24	40
A. NOT OPERATED	9858	10.1	37	3	4	9	12	17	20	33
B. OPERATED	4133	12.3	72	3	4	11	15	21	27	48
TOTAL 65-69 YRS	4021	10.3	46	3	4	9	12	17	22	36
70-74	3707	10.4	37	3	4	9	13	17	21	32
75-79	2899	11.0	55	3	4	9	13	18	23	42
80-84	1954	11.2	45	4	5	10	14	18	24	40
85+	1410	11.8	72	3	4	10	14	20	26	47
GRAND TOTAL	**13991**	**10.8**	**48**	**3**	**4**	**9**	**13**	**18**	**23**	**38**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	46	11.1	66	2	2	9	16	21	25	37
70-74	73	11.3	73	2	4	9	13	23	31	42
75-79	64	11.0	53	2	3	10	15	21	25	32
80-84	51	10.4	63	3	4	9	13	15	28	49
85+	51	10.8	35	2	4	10	14	20	22	26
B. Operated										
65-69 YRS	415	6.4	32	2	2	5	7	13	19	28
70-74	275	9.2	76	2	3	5	13	22	29	38
75-79	153	13.7	177	2	3	9	20	31	37	63
80-84	86	17.4	129	3	4	15	24	32	39	55
85+	45	19.2	248	2	4	16	28	40	45	63
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	364	11.5	72	2	3	10	15	22	27	42
70-74	434	12.4	87	3	4	10	15	23	31	49
75-79	487	12.8	99	3	4	10	17	24	33	69
80-84	449	13.7	131	3	4	11	17	26	37	59
85+	507	13.6	104	3	4	10	17	26	32	55
B. Operated										
65-69 YRS	568	12.8	167	2	3	7	17	31	41	68
70-74	546	16.8	265	3	3	12	23	39	52	87
75-79	399	18.8	215	3	4	16	25	37	53	98
80-84	277	20.6	227	4	5	18	27	40	46	89
85+	188	22.9	268	5	6	19	33	45	53	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	297	10.9	58	2	3	9	14	20	26	38
B. Operated	974	9.9	102	2	3	6	13	24	31	46
2. MULTIPLE DX										
A. Not Operated	2241	12.9	100	3	4	10	16	24	31	58
B. Operated	1978	17.2	232	3	4	13	24	37	48	87
1. SINGLE DX	1261	10.1	92	2	3	6	13	23	30	44
2. MULTIPLE DX	4219	14.9	167	3	4	11	20	31	41	70
A. NOT OPERATED	2538	12.7	96	3	4	10	16	24	31	57
B. OPERATED	2952	14.6	201	2	3	10	21	33	44	82
TOTAL 65-69 YRS	1395	10.5	106	2	3	7	14	23	31	56
70-74	1328	13.5	166	2	3	9	18	29	39	68
75-79	1103	15.0	157	3	4	12	20	30	39	78
80-84	863	16.1	169	3	4	12	21	32	42	63
85+	791	16.0	163	3	5	12	21	32	42	64
GRAND TOTAL	**5480**	**13.8**	**154**	**2**	**3**	**10**	**18**	**29**	**39**	**66**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	58	2.9	7	<1	<1	2	4	6	8	14
70-74	57	3.4	7	<1	1	3	4	6	9	15
75-79	37	3.5	11	<1	1	3	4	7	12	16
80-84	25	3.8	9	<1	1	3	4	6	12	12
85+	26	4.5	20	1	1	4	5	7	12	24
B. *Operated*										
65-69 YRS	248	4.6	5	2	2	4	6	7	9	12
70-74	161	4.6	5	1	2	4	6	8	9	11
75-79	78	5.5	7	1	2	5	7	9	11	12
80-84	27	4.8	10	1	2	4	7	10	11	14
85+	22	6.4	27	1	2	5	7	14	19	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	365	4.5	17	1	1	3	6	8	10	17
70-74	368	5.0	13	1	2	4	6	9	12	18
75-79	273	6.3	46	1	2	5	7	11	18	43
80-84	243	5.0	14	1	2	4	6	10	12	18
85+	217	6.1	23	1	2	4	8	12	15	25
B. *Operated*										
65-69 YRS	1624	6.4	17	2	3	5	7	11	14	23
70-74	1067	6.8	20	2	3	5	8	12	15	24
75-79	619	7.4	24	3	3	6	9	14	17	27
80-84	278	8.7	50	3	3	7	10	16	22	42
85+	128	10.3	54	3	4	8	13	20	25	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.5	10	<1	1	3	4	6	9	15
B. *Operated*	536	4.8	7	1	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	1466	5.3	22	1	2	4	7	10	13	24
B. *Operated*	3716	7.0	24	3	3	6	8	12	16	26
1. SINGLE DX	739	4.4	8	1	1	4	6	8	9	14
2. MULTIPLE DX	5182	6.5	24	2	2	5	8	12	15	26
A. NOT OPERATED	1669	5.1	21	1	1	4	6	10	13	23
B. OPERATED	4252	6.7	22	2	3	5	8	12	15	25
TOTAL 65-69 YRS	2295	5.8	17	2	2	5	7	10	12	20
70-74	1653	6.0	17	2	2	5	7	11	14	22
75-79	1007	6.8	29	2	2	5	8	13	16	29
80-84	573	6.8	35	2	2	5	8	12	17	34
85+	393	7.4	37	2	2	6	9	14	19	32
GRAND TOTAL	**5921**	**6.2**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**25**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	202	7.2	20	1	2	6	10	13	14	19
70-74	192	7.2	27	1	2	6	9	14	17	29
75-79	162	6.9	28	1	1	6	9	12	17	27
80-84	142	6.6	23	1	1	6	9	12	16	22
85+	87	6.8	21	1	2	6	9	13	15	22
B. *Operated*										
65-69 YRS	195	8.7	74	1	1	8	11	17	22	49
70-74	156	8.1	32	1	2	8	12	14	17	29
75-79	89	9.0	68	2	2	8	12	16	20	50
80-84	64	9.3	47	1	2	9	13	19	25	90
85+	36	11.4	52	2	3	9	15	18	29	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1561	8.0	38	2	2	7	10	15	19	34
70-74	1735	8.2	40	2	3	7	10	15	19	34
75-79	1797	8.3	42	2	3	7	11	16	20	36
80-84	1386	8.2	38	2	3	7	11	15	19	32
85+	1073	8.9	59	2	3	7	11	16	22	41
B. *Operated*										
65-69 YRS	907	12.6	98	2	3	10	15	24	32	50
70-74	965	12.9	117	2	3	10	16	25	33	58
75-79	803	13.7	136	2	3	11	17	27	40	73
80-84	486	13.9	130	2	4	11	17	27	37	64
85+	339	16.2	188	3	5	13	19	31	43	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785	7.0	24	1	2	6	9	13	16	23
B. *Operated*	540	8.8	57	1	2	8	12	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	7552	8.3	43	2	3	7	11	15	20	35
B. *Operated*	3500	13.5	126	2	3	11	17	26	35	64
1. SINGLE DX	1325	7.7	38	1	2	7	10	14	18	29
2. MULTIPLE DX	11052	9.9	75	2	3	8	12	19	25	47
A. NOT OPERATED	8337	8.2	41	2	2	7	11	15	19	34
B. OPERATED	4040	12.8	119	2	3	10	16	25	33	61
TOTAL 65-69 YRS	2865	9.4	63	2	2	8	12	18	24	41
70-74	3048	9.6	68	2	2	8	12	18	25	44
75-79	2851	9.8	74	2	3	8	12	19	25	51
80-84	2078	9.5	65	2	3	8	12	18	24	45
85+	1535	10.5	95	2	3	8	13	20	28	52
GRAND TOTAL	**12377**	**9.7**	**71**	**2**	**3**	**8**	**12**	**18**	**25**	**46**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	83	4.6	6	1	2	4	6	7	9	15
70-74	86	4.5	10	1	1	4	5	8	11	18
75-79	64	4.5	7	1	1	4	6	8	9	13
80-84	44	4.6	12	1	2	4	5	8	13	17
85+	49	4.9	12	1	2	4	7	11	13	99+
B. Operated										
65-69 YRS	23	2.8	3	<1	1	2	3	5	7	8
70-74	14	5.2	31	<1	1	3	6	14	19	21
75-79	6	2.5	2	1	1	2	4	4	4	4
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1041	6.9	28	2	3	6	8	12	15	27
70-74	1020	6.9	27	2	3	6	8	13	16	25
75-79	949	7.4	30	2	3	6	9	13	16	27
80-84	728	7.1	26	2	3	6	9	13	16	25
85+	738	7.4	30	2	3	6	9	14	17	28
B. Operated										
65-69 YRS	125	9.7	124	2	2	6	13	20	28	65
70-74	121	10.8	88	2	2	8	15	25	33	61
75-79	83	12.7	105	2	4	11	15	26	32	53
80-84	62	13.8	83	2	4	13	19	26	29	47
85+	41	13.3	110	3	4	11	16	24	39	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	326	4.6	9	1	2	4	6	8	11	17
B. Operated	47	3.5	12	1	1	2	4	7	9	21
2. MULTIPLE DX										
A. Not Operated	4476	7.1	28	2	3	6	9	13	16	26
B. Operated	432	11.5	105	2	2	9	15	24	30	54
1. SINGLE DX	373	4.5	9	1	2	4	6	8	11	17
2. MULTIPLE DX	4908	7.5	36	2	3	6	9	14	18	30
A. NOT OPERATED	4802	6.9	27	2	3	6	9	13	16	26
B. OPERATED	479	10.7	101	2	2	8	14	23	29	53
TOTAL 65-69 YRS	1272	6.9	37	2	2	5	8	12	16	30
70-74	1241	7.1	34	2	2	5	8	14	19	30
75-79	1102	7.6	36	2	3	6	9	14	17	31
80-84	836	7.5	33	2	3	6	9	14	18	28
85+	830	7.5	34	2	2	6	10	14	18	33
GRAND TOTAL	**5281**	**7.3**	**35**	**2**	**2**	**6**	**9**	**14**	**17**	**30**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	317	5.5	14	2	2	5	7	9	11	21
70-74	300	5.7	11	2	2	5	7	10	12	19
75-79	235	5.8	12	2	2	5	8	10	12	18
80-84	199	6.3	11	2	3	6	8	11	14	18
85+	190	6.2	14	2	2	5	8	11	14	18
B. Operated										
65-69 YRS	18	4.7	23	1	2	3	6	8	17	22
70-74	12	8.3	41	1	2	7	13	18	19	19
75-79	7	8.3	30	3	4	6	9	18	20	20
80-84	8	4.6	12	<1	<1	4	8	9	9	9
85+	3	8.7	10	5	5	10	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5281	7.6	26	3	3	7	9	13	17	25
70-74	5668	8.0	33	3	3	7	10	14	18	30
75-79	4806	8.1	31	3	3	7	10	14	18	29
80-84	3347	8.6	37	3	3	7	10	15	19	32
85+	3101	8.9	44	3	3	7	11	16	20	37
B. Operated										
65-69 YRS	510	12.0	114	2	3	9	15	23	31	63
70-74	464	12.4	101	3	4	10	15	24	32	57
75-79	353	14.2	132	3	5	11	18	27	34	82
80-84	223	14.7	128	3	4	11	20	29	40	63
85+	175	14.6	127	4	5	12	19	26	41	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1241	5.8	12	2	2	5	7	10	12	18
B. Operated	48	6.4	27	1	2	5	8	15	19	22
2. MULTIPLE DX										
A. Not Operated	22203	8.2	33	3	3	7	10	14	18	30
B. Operated	1725	13.2	118	3	4	10	16	25	34	65
1. SINGLE DX	1289	5.9	13	2	2	5	7	10	12	19
2. MULTIPLE DX	23928	8.5	41	3	3	7	10	15	20	34
A. NOT OPERATED	23444	8.0	32	3	3	7	10	14	18	30
B. OPERATED	1773	13.0	117	3	4	10	16	25	33	64
TOTAL 65-69 YRS	6126	7.9	34	2	3	7	10	14	18	31
70-74	6444	8.2	38	3	3	7	10	15	19	33
75-79	5401	8.4	39	3	3	7	10	15	19	32
80-84	3777	8.9	44	3	3	7	11	16	21	36
85+	3469	9.1	48	3	3	7	11	16	21	40
GRAND TOTAL	**25217**	**8.4**	**40**	**3**	**3**	**7**	**10**	**15**	**19**	**33**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	121	2.2	1	1	1	2	3	4	4	7
70-74	73	2.3	1	1	1	2	3	4	4	4
75-79	33	1.9	1	1	1	2	3	3	4	4
80-84	8	2.5	1	2	2	2	3	4	4	4
85+	11	2.8	3	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	3.7	11	<1	<1	3	5	9	10	10
70-74	7	1.9	1	<1	<1	1	3	4	4	4
75-79	5	4.0	10	1	1	3	6	9	9	9
80-84	1	18.0		18	18	18	18	18	18	18
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	492	2.9	4	1	1	3	3	5	6	10
70-74	249	3.2	7	1	1	3	3	5	7	14
75-79	115	3.5	6	1	2	3	4	5	8	14
80-84	26	3.7	6	1	2	3	4	8	10	11
85+	13	5.6	69	1	1	2	3	20	27	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	246	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	21	3.7	18	<1	<1	2	5	9	14	18
B. *Operated*	895	3.1	6	1	1	3	3	5	7	14
1. SINGLE DX	247	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX	916	3.1	6	1	1	3	4	5	7	14
A. NOT OPERATED	22	3.6	17	<1	<1	2	5	9	13	18
B. OPERATED	1141	2.9	5	1	1	2	3	5	6	13
TOTAL 65-69 YRS	620	2.8	3	1	1	2	3	5	6	9
70-74	329	2.9	5	1	1	2	3	5	6	13
75-79	154	3.1	5	1	1	3	3	5	8	14
80-84	35	3.8	11	1	2	3	4	9	11	18
85+	25	4.2	38	1	1	2	3	6	21	29
GRAND TOTAL	**1163**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+										
B. *Operated*										
65-69 YRS	118	2.1	1	<1	1	2	2	3	4	7
70-74	75	2.1	1	<1	1	2	2	3	4	6
75-79	43	2.0	1	<1	<1	2	2	3	4	5
80-84	20	2.2	2	1	1	2	2	4	5	6
85+	10	2.4	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	2.8	6	<1	<1	1	5	7	8	8
70-74	5	3.8	2	2	2	4	5	5	5	5
75-79	3	3.3	16	1	1	1	6	8	8	8
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	285	2.9	3	1	1	2	4	5	7	11
70-74	169	3.2	6	1	1	3	4	5	7	13
75-79	120	3.1	4	1	1	3	4	6	7	9
80-84	40	4.1	29	1	1	3	4	6	8	35
85+	20	3.8	5	2	2	3	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	266	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	20	3.2	5	<1	<1	3	5	7	8	8
B. *Operated*	634	3.1	6	1	1	3	4	5	7	12
1. SINGLE DX	267	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	654	3.1	6	1	1	3	4	5	7	12
A. NOT OPERATED	21	3.1	5	<1	<1	2	5	6	8	8
B. OPERATED	900	2.8	5	1	1	2	3	5	6	11
TOTAL 65-69 YRS	413	2.7	3	1	1	2	3	4	6	9
70-74	249	2.9	5	1	1	2	3	5	6	13
75-79	167	2.8	3	1	1	2	3	5	7	9
80-84	61	3.5	20	1	1	3	4	6	7	32
85+	31	3.3	4	1	2	2	4	7	7	10
GRAND TOTAL	**921**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74										
75-79										
80-84										
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	35	2.0	2	1	1	2	2	4	4	8
70-74	17	1.9	1	<1	1	2	2	3	4	4
75-79	12	1.9	2	1	1	2	2	4	5	5
80-84	7	2.3	1	1	1	2	3	3	3	3
85+	16	1.8		1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	8.0	18	5	5	8	11	11	11	11
70-74	5	4.0	4	<1	<1	4	5	6	6	6
75-79										
80-84										
85+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
65-69 YRS	38	4.2	24	1	1	2	4	11	16	23
70-74	17	3.8	9	1	1	3	5	8	11	12
75-79	15	2.9	6	1	1	2	4	7	8	9
80-84	5	2.0	2	1	1	2	3	4	4	4
85+	7	2.6	3	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	87	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	9	5.2	7	<1	1	5	6	9	11	11
B. *Operated*	82	3.6	14	1	1	2	4	8	11	21
1. SINGLE DX	91	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	91	3.8	14	1	1	2	5	8	11	21
A. NOT OPERATED	13	4.2	8	<1	<1	4	5	8	10	11
B. OPERATED	169	2.8	8	1	1	2	3	5	8	16
TOTAL 65-69 YRS	77	3.2	14	1	1	2	3	8	11	21
70-74	39	3.0	5	<1	1	2	4	6	8	12
75-79	27	2.5	4	1	1	2	2	5	7	9
80-84	12	2.2	1	1	1	2	3	4	4	4
85+	27	2.3	2	1	1	2	2	4	6	7
GRAND TOTAL	**182**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	2.7	7	1	1	2	3	5	7	16
70-74	59	4.2	15	1	1	3	5	11	13	19
75-79	32	2.8	4	<1	<1	2	3	6	7	8
80-84	21	4.3	13	<1	1	3	6	10	12	13
85+	13	4.5	13	<1	1	4	5	11	13	13
B. *Operated*										
65-69 YRS	634	2.4	4	<1	1	2	2	4	5	12
70-74	401	2.6	7	1	1	2	3	4	6	14
75-79	238	3.1	16	1	1	2	3	5	9	23
80-84	92	2.6	3	<1	1	2	3	4	5	10
85+	34	3.1	11	1	1	2	3	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	293	5.7	16	1	2	5	7	11	14	19
70-74	261	5.8	25	1	1	5	7	11	13	30
75-79	184	6.3	26	1	2	5	8	13	16	25
80-84	121	7.1	35	2	2	6	9	14	19	31
85+	81	8.6	105	2	2	5	10	15	20	68
B. *Operated*										
65-69 YRS	967	4.4	34	1	1	2	4	10	15	36
70-74	675	5.1	59	1	1	3	5	11	15	44
75-79	420	5.7	57	1	1	3	6	13	20	34
80-84	158	6.5	110	1	1	3	8	14	20	54
85+	80	7.9	50	1	2	6	11	18	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	3.5	11	<1	1	2	4	7	12	16
B. *Operated*	1399	2.6	7	<1	1	2	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*	940	6.3	31	1	2	5	8	12	15	26
B. *Operated*	2300	5.1	51	1	1	3	5	11	17	40
1. SINGLE DX	1584	2.7	8	<1	1	2	3	5	7	16
2. MULTIPLE DX	3240	5.4	46	1	1	3	6	12	16	37
A. NOT OPERATED	1125	5.8	29	1	2	4	7	12	15	26
B. OPERATED	3699	4.1	36	1	1	2	4	9	14	32
TOTAL 65-69 YRS	1954	3.9	22	1	1	2	4	8	12	23
70-74	1396	4.5	37	1	1	2	5	9	13	33
75-79	874	5.0	39	1	1	3	6	11	16	32
80-84	392	5.7	59	1	2	3	6	12	17	42
85+	208	7.2	66	1	2	5	9	15	19	40
GRAND TOTAL	**4824**	**4.5**	**35**	**1**	**1**	**3**	**5**	**10**	**14**	**28**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1420	7.0	17	2	3	6	8	12	15	21
70-74	1382	7.1	14	3	3	6	9	12	14	21
75-79	1238	7.6	22	3	3	7	9	13	15	25
80-84	1046	8.1	24	3	3	7	11	14	17	23
85+	1305	8.6	28	3	4	7	11	15	18	28
B. *Operated*										
65-69 YRS	124	10.0	73	1	2	8	13	18	25	48
70-74	139	11.6	72	2	3	10	15	22	29	42
75-79	94	11.3	77	2	3	9	14	23	30	47
80-84	56	11.6	50	2	2	11	18	22	24	26
85+	47	14.1	121	3	5	10	18	34	40	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10031	9.5	41	3	4	8	12	16	21	34
70-74	12119	10.0	47	3	4	8	12	17	22	37
75-79	12583	10.7	57	3	4	9	13	19	24	41
80-84	11300	11.4	63	4	4	9	14	20	25	42
85+	14459	12.1	75	4	5	10	15	21	27	49
B. *Operated*										
65-69 YRS	1763	16.8	160	4	6	14	21	32	43	98
70-74	1864	18.2	171	5	6	15	23	35	47	95
75-79	1751	19.2	195	5	7	16	24	38	49	86
80-84	1368	20.0	197	5	7	17	25	39	54	99+
85+	1296	20.4	194	6	7	17	26	39	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6391	7.7	21	3	3	7	10	13	16	23
B. *Operated*	460	11.3	76	2	2	9	15	22	27	45
2. MULTIPLE DX										
A. *Not Operated*	60492	10.8	59	3	4	9	13	19	24	41
B. *Operated*	8042	18.8	184	5	7	15	24	36	49	95
1. SINGLE DX	6851	7.9	26	3	3	7	10	14	17	26
2. MULTIPLE DX	68534	11.8	80	3	4	9	14	21	28	51
A. NOT OPERATED	66883	10.5	56	3	4	9	13	19	24	40
B. OPERATED	8502	18.4	181	4	6	15	23	35	48	92
TOTAL 65-69 YRS	13338	10.2	62	3	4	8	12	18	24	43
70-74	15504	10.8	67	3	4	9	13	19	26	46
75-79	15666	11.4	78	3	4	9	14	21	28	49
80-84	13770	12.0	81	3	4	10	15	22	28	53
85+	17107	12.5	87	4	5	10	15	22	29	54
GRAND TOTAL	**75385**	**11.4**	**76**	**3**	**4**	**9**	**14**	**21**	**27**	**49**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	140	4.8	11	1	2	4	6	8	11	20
70-74	120	4.8	9	2	2	4	6	8	9	17
75-79	125	5.1	10	2	2	4	6	9	11	16
80-84	79	5.5	14	1	2	5	7	10	13	19
85+	94	6.2	13	2	2	6	8	12	13	17
B. *Operated*										
65-69 YRS	2	6.0	2	5	5	6	7	7	7	7
70-74	6	7.5	37	3	3	5	9	18	19	19
75-79										
80-84	1	8.0		8	8	8	8	8	8	8
85+	3	17.7	374	6	6	7	32	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	878	6.4	17	2	3	5	8	12	15	21
70-74	997	6.7	24	2	3	5	8	12	15	24
75-79	1002	7.2	25	2	3	6	9	13	16	28
80-84	776	7.7	29	2	3	6	10	14	18	29
85+	803	8.6	37	2	3	7	11	15	20	31
B. *Operated*										
65-69 YRS	48	11.9	70	3	4	10	15	22	29	45
70-74	67	14.6	135	3	3	10	22	27	39	56
75-79	42	13.1	62	3	4	12	18	21	30	37
80-84	37	16.9	285	4	5	12	20	29	48	95
85+	38	12.8	67	3	4	12	17	23	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	5.2	11	2	2	4	7	10	12	19
B. *Operated*	12	9.8	108	3	3	6	8	25	38	40
2. MULTIPLE DX										
A. *Not Operated*	4456	7.3	27	2	3	6	9	13	16	27
B. *Operated*	232	13.8	122	3	4	11	18	26	31	55
1. SINGLE DX	570	5.3	13	2	2	4	7	10	12	19
2. MULTIPLE DX	4688	7.6	33	2	3	6	9	14	18	29
A. NOT OPERATED	5014	7.0	25	2	3	6	9	13	16	27
B. OPERATED	244	13.6	121	3	4	11	18	26	32	54
TOTAL 65-69 YRS	1068	6.4	21	2	2	5	8	12	15	23
70-74	1190	6.9	32	2	3	5	8	13	16	27
75-79	1169	7.2	26	2	3	6	9	13	17	29
80-84	893	7.9	42	2	3	6	10	15	19	31
85+	938	8.6	38	2	3	7	11	15	20	32
GRAND TOTAL	**5258**	**7.3**	**32**	**2**	**3**	**6**	**9**	**14**	**17**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	408	6.2	14	2	2	5	8	11	14	19
70-74	424	6.5	18	2	3	6	8	12	15	21
75-79	284	6.1	15	2	3	5	7	11	14	21
80-84	161	6.6	20	2	3	5	8	12	16	28
85+	125	6.1	13	2	3	5	8	11	13	18
B. *Operated*										
65-69 YRS	68	4.4	14	<1	1	3	6	9	12	21
70-74	55	4.4	17	1	1	2	6	11	14	16
75-79	33	5.6	19	1	1	4	8	13	15	16
80-84	9	6.8	37	2	2	4	13	16	16	16
85+	5	9.8	80	2	2	6	14	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2852	8.3	43	3	3	7	10	14	19	35
70-74	2954	8.2	41	2	3	7	10	15	19	33
75-79	2430	8.3	42	3	3	7	10	15	19	33
80-84	1507	8.2	36	3	3	7	10	15	18	31
85+	1387	8.8	40	2	3	7	11	16	21	34
B. *Operated*										
65-69 YRS	484	11.2	135	2	2	8	13	23	32	84
70-74	451	11.2	110	2	3	9	14	22	30	63
75-79	338	12.8	131	2	3	9	17	26	36	51
80-84	183	13.2	103	3	4	10	16	27	36	51
85+	104	16.2	182	3	5	13	21	29	53	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1402	6.3	16	2	3	5	8	11	14	21
B. *Operated*	170	4.9	20	1	1	3	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	11130	8.3	41	2	3	7	10	15	19	33
B. *Operated*	1560	12.1	128	2	3	9	15	25	34	63
1. SINGLE DX	1572	6.2	16	2	2	5	8	11	14	21
2. MULTIPLE DX	12690	8.8	53	2	3	7	11	16	21	39
A. NOT OPERATED	12532	8.1	38	2	3	7	10	15	19	32
B. OPERATED	1730	11.4	122	2	2	8	15	23	32	62
TOTAL 65-69 YRS	3812	8.4	53	2	3	7	10	15	21	39
70-74	3884	8.3	48	2	3	7	10	15	20	36
75-79	3085	8.6	52	2	3	7	10	16	21	38
80-84	1860	8.6	43	2	3	7	10	16	20	36
85+	1621	9.1	51	2	3	7	11	17	22	39
GRAND TOTAL	**14262**	**8.5**	**50**	**2**	**3**	**7**	**10**	**16**	**21**	**37**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	171	8.2	39	2	3	6	10	17	23	32
70-74	187	8.1	64	2	3	6	10	16	20	47
75-79	114	7.2	39	2	2	6	9	13	18	34
80-84	80	7.4	25	2	2	6	10	14	15	30
85+	29	6.5	61	1	2	4	7	12	25	39
B. *Operated*										
65-69 YRS	9	10.0	96	1	1	8	11	25	34	34
70-74	10	8.5	28	2	2	8	12	16	18	18
75-79	7	9.0	36	2	3	8	10	19	21	21
80-84	3	7.0	7	4	4	8	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1550	10.1	68	2	3	8	12	19	26	44
70-74	1692	10.3	73	3	3	8	13	20	26	48
75-79	1271	9.8	65	2	3	8	12	18	24	47
80-84	642	10.1	69	2	3	8	12	19	24	40
85+	351	10.2	97	3	3	7	12	18	23	61
B. *Operated*										
65-69 YRS	193	19.6	281	4	5	16	25	46	80	99+
70-74	187	18.2	262	3	4	14	22	40	51	88
75-79	157	18.1	213	4	5	15	23	40	57	99+
80-84	56	17.7	169	3	5	14	24	30	48	64
85+	27	20.5	234	8	9	16	23	31	52	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	581	7.8	46	2	2	6	9	15	19	34
B. *Operated*	29	8.9	45	2	2	8	11	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	5506	10.1	71	3	3	8	12	19	25	46
B. *Operated*	620	18.6	245	3	5	15	24	40	62	99+
1. SINGLE DX	610	7.8	46	2	2	6	10	15	19	34
2. MULTIPLE DX	6126	11.0	95	3	3	8	14	21	29	60
A. NOT OPERATED	6087	9.9	69	2	3	8	12	19	25	46
B. OPERATED	649	18.2	240	3	5	14	23	39	60	99+
TOTAL 65-69 YRS	1923	10.9	95	3	3	8	13	22	28	68
70-74	2076	10.8	94	3	3	8	13	21	28	55
75-79	1549	10.4	85	2	3	8	13	20	27	58
80-84	781	10.3	76	2	3	8	12	19	26	43
85+	407	10.6	111	2	3	7	13	19	28	63
GRAND TOTAL	**6736**	**10.7**	**91**	**2**	**3**	**8**	**13**	**21**	**28**	**58**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1400	5.8	14	2	2	5	8	10	12	18
70-74	1055	6.2	17	2	2	5	8	11	13	21
75-79	622	6.3	17	2	2	5	8	12	15	21
80-84	306	6.4	22	2	2	5	8	12	15	21
85+	172	6.1	19	1	2	5	8	12	14	30
B. Operated										
65-69 YRS	24	9.6	45	1	2	8	14	20	23	25
70-74	17	6.1	10	2	3	7	8	9	13	15
75-79	14	5.4	42	<1	1	3	5	12	23	26
80-84	2	16.0	32	12	12	16	20	20	20	20
85+	2	13.5	61	8	8	13	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5510	7.6	33	2	3	6	10	14	18	28
70-74	4755	8.1	35	2	3	7	10	15	19	30
75-79	3296	8.6	38	2	3	7	10	15	20	32
80-84	1814	9.1	46	2	3	8	11	16	21	33
85+	1017	9.2	43	2	3	8	11	16	21	35
B. Operated										
65-69 YRS	400	13.7	151	2	4	11	17	25	34	74
70-74	321	14.2	98	3	5	12	19	29	36	67
75-79	201	14.7	156	4	5	11	17	28	38	65
80-84	103	14.1	102	3	4	11	18	28	34	53
85+	57	16.4	110	3	7	13	19	32	42	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3555	6.1	16	2	2	5	8	11	14	20
B. Operated	59	7.9	39	1	2	6	11	18	21	26
2. MULTIPLE DX										
A. Not Operated	16392	8.3	37	2	3	7	10	15	19	30
B. Operated	1082	14.2	129	3	4	11	18	28	36	66
1. SINGLE DX	3614	6.1	17	2	2	5	8	11	14	20
2. MULTIPLE DX	17474	8.7	44	2	3	7	11	16	20	35
A. NOT OPERATED	19947	7.9	34	2	3	7	10	14	18	29
B. OPERATED	1141	13.9	126	3	4	11	17	27	36	66
TOTAL 65-69 YRS	7334	7.8	38	2	3	6	10	14	18	30
70-74	6148	8.1	37	2	3	7	10	15	19	32
75-79	4133	8.5	43	2	3	7	10	15	20	34
80-84	2225	9.0	48	2	3	7	11	16	21	35
85+	1248	9.1	47	2	3	7	11	17	21	39
GRAND TOTAL	**21088**	**8.2**	**41**	**2**	**3**	**7**	**10**	**15**	**19**	**33**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1467	7.3	31	2	3	6	9	13	18	29
70-74	1290	7.5	38	2	3	6	9	14	18	34
75-79	881	7.2	34	2	2	6	9	13	17	29
80-84	383	7.3	28	2	3	6	9	13	18	30
85+	175	7.0	25	2	2	6	9	12	17	29
B. Operated										
65-69 YRS	81	9.4	97	2	2	5	12	21	35	45
70-74	60	7.4	23	1	2	7	10	14	16	20
75-79	56	9.4	53	1	2	6	12	21	24	40
80-84	20	12.9	184	3	3	9	16	26	47	61
85+	8	15.5	79	2	4	14	23	27	28	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9630	9.3	53	2	3	7	11	17	22	35
70-74	9876	9.4	56	3	3	7	12	17	22	41
75-79	7312	9.6	58	2	3	8	12	18	24	40
80-84	3963	9.7	58	2	3	8	12	18	24	42
85+	2166	10.3	76	3	3	8	13	19	25	50
B. Operated										
65-69 YRS	1223	16.0	225	3	4	12	19	35	53	99+
70-74	1231	15.7	192	3	4	12	20	34	48	99+
75-79	871	16.2	193	3	4	12	21	33	49	99+
80-84	408	16.3	194	3	4	12	21	33	44	99
85+	201	17.3	205	4	5	14	22	35	55	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4196	7.4	33	2	3	6	9	13	18	30
B. Operated	225	9.4	75	2	2	7	12	20	24	42
2. MULTIPLE DX										
A. Not Operated	32947	9.5	57	2	3	8	12	18	23	40
B. Operated	3934	16.1	203	3	4	12	20	34	50	99+
1. SINGLE DX	4421	7.5	36	2	3	6	9	14	18	32
2. MULTIPLE DX	36881	10.2	77	2	3	8	12	19	26	51
A. NOT OPERATED	37143	9.3	55	2	3	7	11	17	23	39
B. OPERATED	4159	15.7	198	3	4	12	20	34	49	99+
TOTAL 65-69 YRS	12401	9.7	72	2	3	7	12	18	25	47
70-74	12457	9.8	72	2	3	8	12	19	25	50
75-79	9120	10.0	73	2	3	8	12	19	26	49
80-84	4774	10.1	72	2	3	8	12	19	26	46
85+	2550	10.6	87	3	3	8	13	20	27	56
GRAND TOTAL	**41382**	**9.9**	**73**	**2**	**3**	**8**	**12**	**19**	**25**	**49**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	7.1	33	1	2	5	8	18	20	21
70-74	18	6.6	27	<1	1	6	10	13	18	21
75-79	10	4.5	2	2	2	4	6	7	7	7
80-84	5	7.4	13	3	3	7	10	12	12	12
85+	3	5.0	13	2	2	4	8	9	9	9
B. *Operated*										
65-69 YRS	89	9.4	35	3	4	7	13	18	22	28
70-74	42	8.6	53	2	2	6	11	18	26	33
75-79	32	9.3	68	3	4	6	10	21	32	37
80-84	15	10.0	63	3	4	8	11	20	30	33
85+	6	11.8	42	6	6	9	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	9.8	60	2	3	7	12	20	28	35
70-74	80	10.4	68	2	3	8	14	19	32	40
75-79	79	8.9	45	2	2	7	12	21	23	29
80-84	42	10.8	69	3	4	8	14	25	28	34
85+	31	8.9	61	1	2	8	10	16	19	42
B. *Operated*										
65-69 YRS	342	13.0	135	3	4	9	16	26	38	73
70-74	317	14.4	175	4	4	10	18	29	42	69
75-79	209	13.2	99	4	4	10	17	26	37	48
80-84	102	14.5	113	4	5	11	20	28	39	48
85+	65	12.5	144	4	4	9	14	22	49	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	6.3	22	1	2	5	8	12	18	21
B. *Operated*	184	9.3	47	3	3	7	12	19	23	33
2. MULTIPLE DX										
A. *Not Operated*	308	9.8	59	2	3	7	13	20	27	37
B. *Operated*	1035	13.6	139	3	4	10	17	27	39	60
1. SINGLE DX	235	8.7	43	2	3	7	11	18	22	33
2. MULTIPLE DX	1343	12.7	123	3	4	9	16	26	36	56
A. NOT OPERATED	359	9.3	55	2	2	7	12	19	26	36
B. OPERATED	1219	13.0	127	3	4	9	16	26	37	58
TOTAL 65-69 YRS	522	11.7	107	3	4	8	15	23	31	60
70-74	457	12.9	145	3	4	9	16	27	36	62
75-79	330	11.5	85	3	4	8	15	23	31	46
80-84	164	12.9	97	3	4	10	18	26	35	47
85+	105	11.2	112	2	3	9	13	20	29	58
GRAND TOTAL	**1578**	**12.1**	**113**	**3**	**4**	**9**	**15**	**25**	**34**	**51**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	279	5.0	20	1	1	4	6	9	13	26
70-74	268	5.8	25	1	2	5	7	11	14	29
75-79	219	6.9	49	1	2	5	9	13	17	34
80-84	183	6.2	21	1	2	5	8	12	15	23
85+	182	7.4	33	1	2	6	10	15	19	28
B. *Operated*										
65-69 YRS	348	7.3	44	1	2	6	9	16	19	33
70-74	277	7.0	45	1	1	5	9	14	21	42
75-79	188	7.9	44	1	2	6	11	16	22	32
80-84	92	7.1	62	1	1	5	9	15	21	46
85+	44	11.2	217	1	1	7	15	24	31	88
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3569	8.2	42	2	3	7	10	15	19	32
70-74	3825	9.0	49	2	3	7	11	17	22	37
75-79	3715	9.6	56	2	3	8	12	18	23	38
80-84	2883	10.4	72	2	3	8	13	19	26	49
85+	2934	10.9	73	2	3	9	14	21	27	46
B. *Operated*										
65-69 YRS	1974	12.3	138	2	2	9	16	26	34	64
70-74	1727	13.4	148	2	3	10	17	28	37	71
75-79	1413	14.6	175	2	3	11	19	31	41	75
80-84	853	16.6	182	3	4	13	22	34	47	98
85+	607	17.3	191	3	4	14	22	35	49	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1131	6.2	30	1	2	5	8	12	16	27
B. *Operated*	949	7.5	54	1	1	6	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	16926	9.5	58	2	3	8	12	18	23	40
B. *Operated*	6574	14.1	162	2	3	11	18	30	41	73
1. SINGLE DX	2080	6.8	41	1	2	5	9	14	18	32
2. MULTIPLE DX	23500	10.8	91	2	3	8	14	21	29	52
A. NOT OPERATED	18057	9.3	57	2	3	7	12	18	23	40
B. OPERATED	7523	13.3	153	2	2	10	17	28	39	71
TOTAL 65-69 YRS	6170	9.3	76	2	2	7	12	18	25	46
70-74	6097	10.0	81	2	3	7	13	20	27	47
75-79	5535	10.7	91	2	3	8	13	21	28	50
80-84	4011	11.4	101	2	3	9	14	23	31	60
85+	3767	11.8	98	2	3	9	15	23	31	56
GRAND TOTAL	**25580**	**10.5**	**88**	**2**	**3**	**8**	**13**	**21**	**28**	**50**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	3.7	5	<1	<1	4	6	6	6	6
70-74	12	4.8	11	1	2	4	6	10	12	12
75-79	8	4.4	8	2	2	4	5	9	11	11
80-84	2	4.5	1	4	4	4	5	5	5	5
85+	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	247	2.6	2	1	1	2	3	5	5	8
70-74	142	2.8	3	1	1	2	3	5	7	9
75-79	94	2.6	3	1	1	2	3	5	6	9
80-84	44	2.5	5	<1	1	2	3	4	6	14
85+	44	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	80	4.8	21	1	1	4	6	9	13	27
70-74	68	6.7	99	1	1	4	7	13	21	66
75-79	49	6.1	37	1	1	4	8	13	17	35
80-84	40	6.2	29	1	1	5	8	14	16	25
85+	21	6.7	49	2	2	5	7	12	24	33
B. Operated										
65-69 YRS	806	3.7	16	1	1	2	4	7	11	21
70-74	602	3.7	22	1	2	2	4	7	10	26
75-79	445	3.6	15	1	2	2	4	7	10	23
80-84	284	3.8	13	1	2	2	4	8	12	18
85+	234	3.7	11	1	2	2	4	7	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.2	7	1	1	4	5	8	11	12
B. Operated	571	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	258	5.9	48	1	1	4	7	12	17	33
B. Operated	2371	3.7	17	1	2	2	4	7	11	22
1. SINGLE DX	604	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX	2629	3.9	20	1	2	2	4	8	12	23
A. NOT OPERATED	291	5.7	44	1	1	4	7	12	17	32
B. OPERATED	2942	3.5	14	1	1	2	4	7	10	19
TOTAL 65-69 YRS	1142	3.5	14	1	1	2	4	7	9	19
70-74	824	3.8	26	1	1	2	4	7	10	25
75-79	596	3.7	15	1	1	2	4	7	11	23
80-84	370	3.9	14	1	1	2	4	9	13	18
85+	301	3.7	13	1	2	2	4	7	10	19
GRAND TOTAL	**3233**	**3.7**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	4.2	14	<1	1	3	5	9	14	16
70-74	28	4.0	7	<1	1	3	6	8	9	11
75-79	16	3.8	3	<1	1	4	5	7	7	7
80-84	12	4.0	5	1	2	4	5	7	9	9
85+	15	5.4	9	1	2	6	7	10	10	10
B. Operated										
65-69 YRS	166	3.0	6	1	1	2	4	5	6	10
70-74	164	3.3	5	1	1	3	4	6	7	15
75-79	107	3.1	6	<1	1	3	3	5	7	15
80-84	52	3.6	6	1	1	3	4	7	9	13
85+	17	4.8	18	1	2	3	6	13	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	126	7.1	31	1	2	6	9	13	15	31
70-74	138	8.5	50	1	2	7	10	17	22	35
75-79	113	8.4	36	2	3	7	11	16	18	36
80-84	117	8.1	31	1	2	7	11	15	18	28
85+	126	9.3	39	3	3	8	12	15	18	40
B. Operated										
65-69 YRS	303	5.5	36	1	2	3	6	12	19	31
70-74	245	5.6	44	1	2	4	6	11	18	34
75-79	171	5.9	37	1	2	4	7	11	17	35
80-84	95	8.3	83	1	2	5	10	19	27	48
85+	81	10.0	71	1	2	7	14	21	31	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	4.2	8	<1	1	4	6	8	10	15
B. Operated	506	3.2	6	1	1	3	4	6	7	15
2. MULTIPLE DX										
A. Not Operated	620	8.3	38	2	3	7	11	15	19	34
B. Operated	895	6.3	48	1	2	4	7	13	21	34
1. SINGLE DX	604	3.4	7	1	1	3	4	6	8	15
2. MULTIPLE DX	1515	7.1	45	1	2	5	9	14	20	34
A. NOT OPERATED	718	7.7	36	1	2	6	10	14	18	33
B. OPERATED	1401	5.2	35	1	2	3	5	10	17	32
TOTAL 65-69 YRS	622	5.1	28	1	1	3	6	10	15	30
70-74	575	5.5	36	1	2	4	6	11	17	33
75-79	407	5.8	31	1	2	4	7	12	17	32
80-84	276	7.1	46	1	2	5	9	14	20	34
85+	239	8.9	48	2	3	7	12	17	21	35
GRAND TOTAL	**2119**	**6.0**	**37**	**1**	**2**	**4**	**7**	**13**	**17**	**32**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	185	3.5	5	<1	1	3	5	7	8	11
70-74	153	3.7	6	<1	1	3	5	7	8	12
75-79	126	4.0	12	1	1	3	5	8	10	19
80-84	78	4.4	13	1	1	4	6	8	12	20
85+	69	4.1	10	1	1	3	5	7	9	18
B. *Operated*										
65-69 YRS	229	6.4	80	1	1	4	8	11	15	53
70-74	195	5.1	26	<1	1	3	8	10	13	25
75-79	172	6.5	37	1	1	5	9	14	17	42
80-84	96	6.1	52	1	1	4	7	11	15	46
85+	73	7.2	53	1	1	5	9	18	22	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1772	5.7	22	1	2	4	7	10	13	23
70-74	1751	6.0	24	1	2	5	7	11	14	25
75-79	1462	6.4	29	2	2	5	8	12	16	27
80-84	1099	6.9	29	2	2	5	9	13	17	29
85+	895	7.7	51	2	2	6	9	14	18	38
B. *Operated*										
65-69 YRS	1422	8.9	73	1	2	7	11	18	24	47
70-74	1374	9.4	88	1	2	7	12	19	25	49
75-79	1230	9.6	87	2	2	7	12	19	29	57
80-84	866	11.1	135	2	2	8	13	25	35	57
85+	632	11.4	115	2	2	8	15	25	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	3.8	8	1	1	3	5	7	9	15
B. *Operated*	765	6.1	51	<1	1	4	8	12	16	41
2. MULTIPLE DX										
A. *Not Operated*	6979	6.3	29	1	2	5	8	12	15	28
B. *Operated*	5524	9.8	95	2	2	7	12	20	29	53
1. SINGLE DX	1376	5.1	33	1	1	4	7	10	13	28
2. MULTIPLE DX	12503	7.9	61	2	2	6	9	15	22	43
A. NOT OPERATED	7590	6.1	28	1	2	5	8	11	15	27
B. OPERATED	6289	9.4	91	1	2	7	12	19	28	52
TOTAL 65-69 YRS	3608	6.9	48	1	2	5	8	13	18	38
70-74	3473	7.2	52	1	2	5	9	14	19	37
75-79	2990	7.6	56	1	2	5	9	15	20	41
80-84	2139	8.5	77	2	2	6	10	17	25	43
85+	1669	8.9	78	2	2	6	11	18	26	49
GRAND TOTAL	**13879**	**7.6**	**59**	**1**	**2**	**6**	**9**	**15**	**21**	**41**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	133	4.9	19	1	2	4	6	8	11	23
70-74	102	5.2	11	1	1	5	7	9	11	17
75-79	90	6.5	20	1	2	5	8	12	13	24
80-84	54	5.4	14	1	1	4	7	12	13	15
85+	44	6.7	25	2	2	6	8	12	15	27
B. *Operated*										
65-69 YRS	108	7.9	30	<1	1	7	11	16	17	25
70-74	90	6.9	28	<1	<1	6	10	15	18	21
75-79	71	7.9	42	<1	1	7	11	16	24	25
80-84	49	8.4	41	2	2	7	11	19	23	30
85+	17	6.9	13	2	3	6	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	709	6.8	19	2	3	6	9	12	15	24
70-74	759	7.2	27	2	3	6	9	13	16	27
75-79	668	8.0	30	2	3	7	10	14	18	31
80-84	556	8.1	26	2	3	7	10	15	18	26
85+	422	8.6	32	2	3	7	11	16	20	33
B. *Operated*										
65-69 YRS	725	9.9	57	2	3	8	12	19	24	44
70-74	755	10.2	59	2	3	8	13	20	25	38
75-79	683	11.1	73	3	4	9	14	21	27	45
80-84	451	11.2	87	2	3	9	14	21	29	45
85+	278	11.7	96	3	4	9	15	21	26	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	5.5	18	1	2	4	7	10	13	20
B. *Operated*	335	7.6	33	<1	1	6	11	16	19	25
2. MULTIPLE DX										
A. *Not Operated*	3114	7.6	27	2	3	7	9	14	17	28
B. *Operated*	2892	10.6	70	2	3	9	13	20	25	44
1. SINGLE DX	758	6.5	25	1	1	5	9	13	16	25
2. MULTIPLE DX	6006	9.1	50	2	3	7	11	17	22	37
A. NOT OPERATED	3537	7.4	26	2	3	6	9	13	16	27
B. OPERATED	3227	10.3	67	2	3	8	13	20	25	41
TOTAL 65-69 YRS	1675	8.0	39	2	2	7	10	15	19	33
70-74	1706	8.4	43	2	3	7	10	16	20	36
75-79	1512	9.3	52	2	3	8	12	17	22	38
80-84	1110	9.2	53	2	3	7	12	17	22	36
85+	761	9.6	58	2	3	8	12	18	22	36
GRAND TOTAL	**6764**	**8.8**	**48**	**2**	**3**	**7**	**11**	**16**	**21**	**36**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	127	5.9	13	2	2	5	7	10	11	20
70-74	133	6.3	11	3	3	5	8	11	12	18
75-79	120	6.1	14	2	3	5	8	10	12	21
80-84	60	6.4	12	3	3	6	7	10	12	25
85+	58	7.7	23	3	3	6	10	13	18	26
B. *Operated*										
65-69 YRS	135	8.8	30	3	3	8	12	16	18	27
70-74	88	10.2	38	3	4	8	14	18	21	33
75-79	67	9.5	31	3	4	9	11	17	21	29
80-84	58	11.3	60	3	4	9	15	20	28	38
85+	45	10.8	37	3	4	10	13	19	21	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	669	7.5	23	3	3	6	9	13	16	28
70-74	777	8.1	32	3	3	7	9	15	19	29
75-79	781	9.0	50	3	3	7	11	15	21	34
80-84	559	9.4	49	3	4	8	12	17	20	34
85+	601	10.5	49	3	4	9	13	19	23	36
B. *Operated*										
65-69 YRS	771	12.8	102	3	4	10	16	25	32	54
70-74	877	13.1	105	4	5	10	15	26	33	56
75-79	840	14.1	125	4	5	11	18	27	37	60
80-84	685	15.4	151	4	5	12	19	30	40	66
85+	496	15.2	149	4	5	12	19	31	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	6.3	14	2	3	5	8	10	13	22
B. *Operated*	393	9.8	37	3	3	9	13	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	3387	8.8	41	3	4	7	11	16	20	33
B. *Operated*	3669	14.0	124	4	5	11	17	27	36	61
1. SINGLE DX	891	7.9	27	2	3	6	10	15	18	27
2. MULTIPLE DX	7056	11.5	91	3	4	9	14	22	30	53
A. NOT OPERATED	3885	8.5	38	3	3	7	10	15	19	32
B. OPERATED	4062	13.6	117	4	5	10	17	26	35	60
TOTAL 65-69 YRS	1702	9.9	66	3	3	7	12	19	25	44
70-74	1875	10.4	71	3	4	8	13	20	27	48
75-79	1808	11.2	90	3	4	8	14	21	29	53
80-84	1362	12.4	109	3	4	9	15	24	32	59
85+	1200	12.3	95	3	4	10	15	23	31	50
GRAND TOTAL	**7947**	**11.1**	**85**	**3**	**4**	**8**	**14**	**21**	**29**	**51**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	266	4.5	6	1	2	4	6	8	9	13
70-74	191	4.9	10	1	2	4	6	9	11	16
75-79	137	5.1	10	2	2	4	6	10	12	15
80-84	94	5.1	10	1	2	4	7	10	11	15
85+	80	6.2	22	1	2	5	7	13	18	22
B. *Operated*										
65-69 YRS	63	9.2	32	3	3	8	11	18	23	25
70-74	34	9.7	42	2	3	8	13	22	24	27
75-79	24	10.6	67	<1	1	9	13	22	28	35
80-84	12	8.0	7	5	5	8	10	12	13	13
85+	14	11.0	60	2	5	9	13	23	29	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1554	6.3	18	2	3	5	8	11	13	24
70-74	1481	6.8	28	2	3	6	8	12	15	24
75-79	1237	7.4	33	2	3	6	9	13	17	30
80-84	863	7.8	31	2	3	6	10	14	17	29
85+	683	8.8	47	3	3	7	11	16	21	36
B. *Operated*										
65-69 YRS	465	11.3	77	3	4	9	14	21	27	47
70-74	382	10.8	73	3	4	9	13	21	27	50
75-79	354	12.4	97	3	4	10	15	23	29	51
80-84	213	13.0	85	3	4	11	17	26	29	48
85+	121	14.7	136	4	5	11	19	28	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	5.0	10	1	2	4	6	9	11	18
B. *Operated*	147	9.6	40	2	3	8	12	20	24	31
2. MULTIPLE DX										
A. *Not Operated*	5818	7.2	29	2	3	6	9	13	16	27
B. *Operated*	1535	11.9	87	3	4	10	15	23	28	49
1. SINGLE DX	915	5.7	18	1	2	5	7	11	13	23
2. MULTIPLE DX	7353	8.2	45	2	3	6	10	15	20	34
A. NOT OPERATED	6586	6.9	28	2	3	6	8	12	16	26
B. OPERATED	1682	11.7	84	3	4	9	15	22	28	48
TOTAL 65-69 YRS	2348	7.2	33	2	3	6	9	13	17	28
70-74	2088	7.4	38	2	3	6	9	13	18	29
75-79	1752	8.3	49	2	3	7	10	15	20	35
80-84	1182	8.5	44	2	3	7	11	16	21	33
85+	898	9.4	62	2	3	7	11	18	25	44
GRAND TOTAL	**8268**	**7.9**	**43**	**2**	**3**	**6**	**10**	**15**	**20**	**33**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	295	5.7	8	2	3	5	7	9	10	16
70-74	240	5.6	9	2	3	5	7	9	12	15
75-79	195	6.3	9	3	3	6	8	10	12	16
80-84	97	7.2	39	3	3	5	9	12	17	39
85+	117	7.3	19	3	3	6	9	12	15	24
B. *Operated*										
65-69 YRS	135	9.4	16	3	4	9	12	15	17	20
70-74	107	11.5	28	5	6	10	14	18	20	32
75-79	95	12.0	67	4	6	11	14	17	25	54
80-84	65	13.5	98	4	5	12	16	23	26	69
85+	37	16.0	100	5	7	13	19	32	37	47
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1211	7.3	25	2	3	6	9	12	16	26
70-74	1340	8.1	31	3	3	7	10	14	17	30
75-79	1199	8.4	34	3	3	7	10	15	19	33
80-84	938	10.0	62	3	4	8	12	19	23	45
85+	891	10.3	71	3	4	8	12	17	24	50
B. *Operated*										
65-69 YRS	643	14.7	129	4	5	12	18	28	35	68
70-74	630	15.5	156	4	5	12	19	30	47	99+
75-79	645	17.4	172	5	6	13	21	36	47	69
80-84	497	19.4	217	5	7	15	25	37	47	84
85+	391	19.8	158	6	8	16	24	34	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	944	6.1	13	2	3	5	8	10	12	18
B. *Operated*	439	11.6	52	4	5	11	14	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	5579	8.6	43	3	3	7	10	15	20	34
B. *Operated*	2806	17.0	168	5	6	13	21	33	45	79
1. SINGLE DX	1383	7.9	32	3	3	7	10	14	17	29
2. MULTIPLE DX	8385	11.4	101	3	4	8	14	22	30	60
A. NOT OPERATED	6523	8.3	40	3	3	7	10	15	19	33
B. OPERATED	3245	16.3	156	4	6	13	20	31	42	77
TOTAL 65-69 YRS	2284	9.3	64	3	3	7	11	17	23	41
70-74	2317	10.0	75	3	4	8	12	18	25	56
75-79	2134	11.1	93	3	4	8	13	21	31	54
80-84	1597	12.9	130	3	4	9	15	26	33	68
85+	1436	12.8	111	3	4	10	16	24	32	62
GRAND TOTAL	**9768**	**10.9**	**93**	**3**	**4**	**8**	**13**	**21**	**29**	**55**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	6.3	5	2	2	7	8	9	9	9
70-74	12	6.6	6	3	4	6	8	10	11	11
75-79	16	6.5	15	1	2	6	9	11	14	15
80-84	17	7.1	15	2	3	6	9	14	15	15
85+	11	12.3	88	4	5	10	16	26	35	36
B. *Operated*										
65-69 YRS	53	10.2	23	4	5	10	13	16	17	29
70-74	38	14.7	65	4	7	13	19	25	31	38
75-79	26	16.5	135	5	7	15	19	25	37	65
80-84	13	12.8	80	3	4	12	17	23	34	36
85+	8	13.1	28	7	7	12	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	106	7.7	19	2	3	7	10	13	17	21
70-74	107	9.3	93	3	3	6	10	15	30	57
75-79	97	10.3	44	2	3	9	15	20	23	29
80-84	93	9.5	39	3	4	8	11	19	21	33
85+	72	11.8	143	3	3	9	13	21	31	76
B. *Operated*										
65-69 YRS	239	18.6	165	6	8	15	23	40	46	82
70-74	191	20.1	197	5	7	16	26	40	50	97
75-79	182	19.2	134	5	7	17	25	33	42	63
80-84	120	21.7	229	6	8	18	25	41	55	79
85+	105	21.5	188	6	8	17	28	44	49	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	7.4	24	2	3	7	9	11	16	32
B. *Operated*	138	13.1	65	4	5	12	16	21	26	41
2. MULTIPLE DX										
A. *Not Operated*	475	9.5	65	3	3	8	11	18	22	42
B. *Operated*	837	19.9	178	6	8	16	25	39	48	76
1. SINGLE DX	213	11.1	58	3	4	9	15	19	24	37
2. MULTIPLE DX	1312	16.1	162	3	5	13	21	33	43	70
A. NOT OPERATED	550	9.3	60	3	3	7	11	17	21	38
B. OPERATED	975	18.9	168	5	7	15	24	38	47	74
TOTAL 65-69 YRS	417	14.2	129	3	5	11	17	29	41	66
70-74	348	15.7	170	3	4	12	19	35	43	76
75-79	321	15.7	120	3	4	13	21	29	35	62
80-84	243	15.5	170	4	5	12	19	30	40	72
85+	196	17.1	181	3	5	13	22	37	47	77
GRAND TOTAL	**1525**	**15.4**	**150**	**3**	**4**	**12**	**19**	**31**	**41**	**67**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	370	3.9	10	1	1	3	5	7	8	13
70-74	276	4.5	13	1	1	4	6	9	11	17
75-79	205	4.5	14	1	1	4	6	8	10	18
80-84	148	4.5	8	1	2	4	5	8	10	15
85+	106	4.5	14	1	1	4	6	8	11	21
B. *Operated*										
65-69 YRS	76	5.5	28	<1	<1	4	7	11	16	29
70-74	70	6.3	18	<1	<1	6	9	12	13	18
75-79	44	5.4	25	<1	<1	4	7	12	17	22
80-84	26	7.2	32	<1	1	5	11	13	16	27
85+	16	6.4	26	2	2	5	8	14	19	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3319	6.0	23	2	2	5	7	11	14	23
70-74	3115	6.3	21	2	2	5	8	12	15	22
75-79	2742	6.6	22	2	2	5	8	12	15	23
80-84	1957	7.3	39	2	2	6	9	13	16	31
85+	1568	8.0	42	2	3	6	10	15	18	33
B. *Operated*										
65-69 YRS	1047	10.1	63	3	3	8	12	18	25	40
70-74	1002	9.9	68	2	3	8	12	18	23	47
75-79	805	10.6	84	3	4	9	13	19	25	47
80-84	540	10.6	65	3	4	8	13	20	27	40
85+	343	11.3	56	3	4	9	14	21	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1105	4.3	12	1	1	4	6	8	10	17
B. *Operated*	232	5.9	25	<1	<1	5	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	12701	6.7	28	2	2	5	8	12	15	25
B. *Operated*	3737	10.3	69	2	3	8	13	19	25	43
1. SINGLE DX	1337	4.6	14	1	1	4	6	9	11	19
2. MULTIPLE DX	16438	7.5	39	2	2	6	9	14	18	31
A. NOT OPERATED	13806	6.5	27	2	2	5	8	12	15	25
B. OPERATED	3969	10.1	67	2	3	8	12	18	24	42
TOTAL 65-69 YRS	4812	6.7	34	2	2	5	8	12	17	30
70-74	4463	7.0	34	2	2	6	9	13	17	29
75-79	3796	7.3	38	2	2	6	9	14	17	30
80-84	2671	7.8	45	2	2	6	9	14	19	32
85+	2033	8.4	45	2	3	7	11	16	20	34
GRAND TOTAL	**17775**	**7.3**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**31**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	4.1	9	1	1	3	5	7	9	17
70-74	80	4.3	10	<1	1	3	6	9	10	17
75-79	54	4.9	10	1	1	4	6	8	11	16
80-84	25	4.4	40	<1	1	3	4	5	13	34
85+	21	6.1	22	1	2	5	7	13	17	20
B. *Operated*										
65-69 YRS	23	10.0	35	<1	1	9	15	16	18	21
70-74	38	12.2	136	<1	1	8	17	25	35	60
75-79	15	12.6	47	<1	<1	13	19	20	23	24
80-84	13	17.4	443	1	2	7	24	50	68	72
85+	17	16.8	96	3	4	17	25	30	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	651	6.2	36	1	2	5	8	12	16	27
70-74	585	6.4	25	2	2	5	8	12	16	25
75-79	561	7.2	35	2	2	6	9	14	17	32
80-84	393	7.7	38	2	3	6	9	15	20	31
85+	348	8.5	70	2	3	7	10	16	22	39
B. *Operated*										
65-69 YRS	317	15.7	144	3	4	13	20	30	39	86
70-74	299	17.3	201	3	5	13	22	37	48	81
75-79	266	16.5	178	4	4	13	21	35	45	89
80-84	145	20.3	171	4	5	17	29	42	46	59
85+	128	20.0	226	4	6	15	26	39	55	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	4.5	13	1	1	4	6	8	11	18
B. *Operated*	106	13.2	134	1	2	11	18	25	32	65
2. MULTIPLE DX										
A. *Not Operated*	2538	7.0	39	2	2	5	9	14	18	31
B. *Operated*	1155	17.4	181	3	5	14	22	36	46	85
1. SINGLE DX	381	6.9	62	1	1	4	8	16	21	35
2. MULTIPLE DX	3693	10.3	107	2	2	7	13	22	31	56
A. NOT OPERATED	2813	6.8	37	1	2	5	8	13	17	31
B. OPERATED	1261	17.0	178	3	4	14	22	35	45	82
TOTAL 65-69 YRS	1086	8.9	85	1	2	6	11	18	25	46
70-74	1002	9.7	106	2	2	7	12	20	30	62
75-79	896	9.9	95	2	2	7	12	20	30	50
80-84	576	11.0	112	2	3	7	14	26	35	52
85+	514	11.6	134	2	3	8	14	24	32	57
GRAND TOTAL	**4074**	**9.9**	**103**	**2**	**2**	**7**	**12**	**21**	**30**	**55**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	4.6	5	1	1	5	7	7	7	7
70-74	5	4.6	7	2	2	4	6	9	9	9
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+	1	14.0		14	14	14	14	14	14	14
B. Operated										
65-69 YRS	219	5.6	8	3	3	5	7	9	11	16
70-74	123	5.8	6	3	3	6	7	9	10	12
75-79	56	7.4	20	3	3	6	9	15	16	22
80-84	23	8.2	22	3	4	8	10	13	19	23
85+	28	6.3	12	3	3	6	8	10	12	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	3.8	8	<1	<1	3	6	8	8	8
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	1	6.0		6	6	6	6	6	6	6
80-84	3	15.0	49	10	10	12	20	23	23	23
85+	6	12.2	69	3	3	11	20	23	23	23
B. Operated										
65-69 YRS	227	8.7	42	3	4	7	10	15	21	39
70-74	159	9.2	43	3	4	7	11	15	21	38
75-79	101	9.5	19	4	5	9	12	15	17	24
80-84	62	13.4	172	4	4	11	15	20	35	84
85+	41	13.0	76	4	6	10	16	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.6	12	1	2	5	7	10	13	14
B. Operated	449	6.1	10	3	3	5	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	20	8.4	47	<1	1	6	11	21	23	23
B. Operated	590	9.7	57	3	4	8	12	16	21	46
1. SINGLE DX	463	6.0	10	3	3	5	7	10	12	19
2. MULTIPLE DX	610	9.7	56	3	4	8	12	16	21	45
A. NOT OPERATED	34	7.2	34	1	1	6	9	15	22	23
B. OPERATED	1039	8.2	40	3	3	6	10	14	18	32
TOTAL 65-69 YRS	461	7.1	27	3	3	6	8	12	16	31
70-74	289	7.7	29	3	3	6	9	13	16	31
75-79	159	8.7	20	3	4	8	11	15	17	23
80-84	88	12.1	133	3	4	10	14	20	23	75
85+	76	10.4	60	3	4	8	14	20	23	45
GRAND TOTAL	**1073**	**8.1**	**40**	**3**	**3**	**6**	**10**	**14**	**18**	**32**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	10.8	14	6	6	10	14	15	15	15
70-74	9	8.6	10	5	5	7	11	13	14	14
75-79	4	7.5	6	4	4	8	9	10	10	10
80-84	3	32.7	1417	8	8	14	60	76	76	76
85+	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	180	9.3	19	4	5	8	11	15	18	26
70-74	130	9.6	18	5	5	9	12	15	17	25
75-79	65	10.1	17	4	6	9	12	15	18	24
80-84	45	11.0	39	5	6	10	12	14	18	44
85+	30	13.7	28	6	7	13	16	22	24	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	5.5	9	3	3	5	8	10	10	10
70-74	15	10.2	24	2	4	10	15	16	17	18
75-79	7	9.7	22	2	3	10	13	16	16	16
80-84	5	10.2	31	5	5	8	14	19	19	19
85+	6	16.2	79	6	6	15	22	29	30	30
B. Operated										
65-69 YRS	446	15.0	121	5	7	12	18	26	35	62
70-74	326	15.1	103	6	7	12	19	26	36	64
75-79	250	15.7	105	7	8	13	19	26	36	64
80-84	173	18.2	155	7	8	15	21	32	38	70
85+	109	16.1	75	6	8	14	20	27	35	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	12.0	214	5	5	9	12	15	39	76
B. Operated	450	9.9	22	5	5	9	12	16	19	25
2. MULTIPLE DX										
A. Not Operated	39	10.3	36	2	3	9	15	17	21	30
B. Operated	1304	15.7	115	6	7	13	19	26	36	67
1. SINGLE DX	472	10.0	31	5	5	9	12	15	19	26
2. MULTIPLE DX	1343	15.5	113	6	7	13	18	26	35	67
A. NOT OPERATED	61	10.9	99	3	4	9	14	16	20	71
B. OPERATED	1754	14.2	97	5	7	12	17	24	32	61
TOTAL 65-69 YRS	637	13.3	97	5	6	10	16	23	29	57
70-74	480	13.3	82	5	6	11	16	23	31	60
75-79	326	14.3	90	6	7	12	18	23	31	57
80-84	228	16.8	152	6	7	13	19	30	37	72
85+	146	15.5	66	6	7	14	19	27	32	42
GRAND TOTAL	**1815**	**14.1**	**98**	**5**	**6**	**11**	**17**	**24**	**32**	**61**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.4	2	1	1	3	3	4	4	4
70-74	4	6.5	30	2	2	6	11	13	13	13
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
B. *Operated*										
65-69 YRS	15	6.7	8	2	2	7	9	10	11	11
70-74	13	7.0	31	2	3	5	7	15	21	23
75-79	7	6.7	7	4	4	7	9	10	10	10
80-84	2	8.5	25	5	5	8	12	12	12	12
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	4.3	14	1	1	4	5	7	13	17
70-74	8	5.4	15	1	1	4	8	11	12	12
75-79	4	4.3	4	2	2	4	6	7	7	7
80-84	3	10.7	30	7	7	8	15	17	17	17
85+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	41	10.8	58	3	4	8	14	18	26	40
70-74	31	10.5	47	3	3	8	14	20	21	33
75-79	18	12.2	48	5	5	11	13	25	27	28
80-84	18	11.8	30	5	6	11	14	18	23	27
85+	15	12.4	123	4	5	7	17	20	40	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.4	15	1	1	3	6	11	13	13
B. *Operated*	39	6.7	15	2	3	6	9	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	35	5.1	16	1	1	4	6	10	16	17
B. *Operated*	123	11.2	56	3	4	9	14	20	26	42
1. SINGLE DX	49	6.3	16	2	2	5	9	11	13	23
2. MULTIPLE DX	158	9.9	54	2	3	8	13	18	23	39
A. NOT OPERATED	45	4.9	15	1	1	4	6	10	14	17
B. OPERATED	162	10.2	50	3	4	8	13	19	23	39
TOTAL 65-69 YRS	79	8.0	44	1	2	6	10	16	18	37
70-74	56	8.7	40	2	2	7	12	18	21	32
75-79	30	9.6	40	4	4	7	12	18	26	28
80-84	23	11.3	28	5	6	10	14	17	21	27
85+	19	10.6	109	3	4	6	13	20	35	47
GRAND TOTAL	**207**	**9.0**	**47**	**2**	**3**	**7**	**12**	**18**	**21**	**36**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.7	10	1	1	3	4	9	11	11
70-74	8	4.6	29	<1	<1	2	6	14	17	17
75-79	14	3.6	9	<1	1	2	5	8	10	11
80-84	10	3.8	14	1	1	2	4	9	14	14
85+	13	3.0	14	<1	<1	1	4	8	13	14
B. *Operated*										
65-69 YRS	4512	3.9	3	1	2	4	5	6	7	10
70-74	3496	4.1	4	2	2	4	5	6	8	10
75-79	2356	4.4	5	2	2	4	5	7	8	11
80-84	1123	4.7	5	2	2	4	6	8	9	12
85+	534	5.2	11	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	109	2.7	5	<1	1	2	4	5	7	12
70-74	147	3.7	11	<1	<1	2	5	9	12	14
75-79	107	5.5	24	<1	1	4	8	13	17	22
80-84	89	4.7	21	1	1	3	6	11	12	24
85+	73	7.0	63	<1	1	4	8	13	25	44
B. *Operated*										
65-69 YRS	5548	5.4	14	2	2	4	6	9	12	20
70-74	4961	5.8	17	2	3	5	7	10	13	22
75-79	3821	6.3	21	2	3	5	7	11	15	25
80-84	2063	6.9	25	2	3	6	8	12	16	28
85+	1146	8.2	37	2	3	7	10	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.7	13	<1	1	2	5	8	13	17
B. *Operated*	12021	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	525	4.5	23	<1	1	3	6	9	13	24
B. *Operated*	17539	6.1	20	2	3	5	7	11	14	24
1. SINGLE DX	12079	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX	18064	6.0	20	2	3	5	7	11	14	24
A. NOT OPERATED	583	4.4	22	<1	1	3	6	9	13	24
B. OPERATED	29560	5.3	14	2	2	4	6	9	12	21
TOTAL 65-69 YRS	10182	4.7	10	2	2	4	5	8	10	17
70-74	8612	5.1	12	2	2	4	6	9	11	18
75-79	6298	5.6	16	2	2	5	7	9	13	22
80-84	3285	6.1	19	2	3	5	7	10	13	24
85+	1766	7.2	32	2	3	6	9	13	17	29
GRAND TOTAL	**30143**	**5.3**	**14**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	1.4	1	1	1	1	2	3	3	3
70-74	8	2.0	1	1	1	2	3	4	4	4
75-79	8	1.3		<1	<1	1	2	2	2	2
80-84	7	2.9	8	<1	<1	1	6	7	7	7
85+	8	1.9	1	1	1	2	3	3	3	3
B. Operated										
65-69 YRS	230	4.8	6	2	2	4	6	8	9	12
70-74	218	5.6	10	2	2	5	7	9	12	16
75-79	209	5.5	8	2	2	5	7	9	11	15
80-84	179	6.5	11	3	3	6	8	10	14	20
85+	146	6.4	14	2	3	6	8	11	13	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	4.7	21	1	1	3	6	10	16	19
70-74	21	5.5	20	<1	1	3	9	12	14	16
75-79	30	4.9	12	1	1	5	7	10	13	14
80-84	35	5.7	42	1	1	3	7	12	20	32
85+	54	5.5	16	1	1	5	8	11	13	16
B. Operated										
65-69 YRS	397	8.3	48	2	3	6	10	15	19	41
70-74	503	8.8	44	3	3	7	11	17	21	37
75-79	584	9.7	64	3	4	8	11	18	25	46
80-84	469	11.0	77	3	4	8	13	22	30	45
85+	503	11.0	74	3	4	8	13	20	28	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	1.9	2	<1	1	1	2	3	6	7
B. Operated	982	5.7	10	2	3	5	7	9	11	19
2. MULTIPLE DX										
A. Not Operated	153	5.3	22	1	1	4	7	11	14	22
B. Operated	2456	9.8	63	3	4	8	12	18	25	41
1. SINGLE DX	1018	5.5	10	2	2	5	7	9	11	18
2. MULTIPLE DX	2609	9.5	61	2	3	7	11	18	25	41
A. NOT OPERATED	189	4.7	20	1	1	3	7	11	13	20
B. OPERATED	3438	8.6	51	2	3	7	10	16	22	38
TOTAL 65-69 YRS	645	6.9	35	2	2	5	8	13	17	28
70-74	750	7.7	35	2	3	6	9	15	19	35
75-79	831	8.4	51	2	3	7	10	15	22	39
80-84	690	9.5	63	2	3	7	11	18	28	42
85+	711	9.5	62	2	3	7	11	18	24	39
GRAND TOTAL	**3627**	**8.4**	**50**	**2**	**3**	**6**	**10**	**15**	**21**	**38**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74	3	3.7	14	1	1	2	6	8	8	8
75-79	2	2.0	2	<1	<1	1	3	3	3	3
80-84										
85+										
B. Operated										
65-69 YRS	141	4.0	5	1	2	4	5	7	9	11
70-74	75	3.9	7	1	2	3	5	7	8	18
75-79	38	4.4	5	1	2	4	5	7	10	11
80-84	18	5.2	5	2	2	5	7	8	9	10
85+	9	6.9	18	3	3	5	10	14	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	16	6.1	83	<1	<1	3	7	14	30	37
70-74	13	6.5	20	1	1	5	9	13	15	15
75-79	9	6.9	13	2	2	8	10	56	99+	99+
80-84	7	5.1	11	1	1	6	8	10	10	10
85+	12	6.3	25	2	3	5	6	15	18	19
B. Operated										
65-69 YRS	279	6.5	21	2	2	5	8	13	16	22
70-74	220	7.7	64	2	2	6	10	13	16	39
75-79	105	6.9	32	2	2	5	8	13	21	28
80-84	60	8.4	52	3	3	6	9	18	25	35
85+	20	13.1	143	3	4	9	17	27	43	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.0	9	<1	<1	2	4	8	8	8
B. Operated	281	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	57	6.2	35	<1	1	5	9	14	17	95
B. Operated	684	7.3	44	2	3	5	9	14	19	33
1. SINGLE DX	286	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX	741	7.2	43	2	2	5	9	14	19	34
A. NOT OPERATED	62	6.0	33	<1	1	4	8	13	16	92
B. OPERATED	965	6.4	35	2	2	5	8	12	16	30
TOTAL 65-69 YRS	436	5.7	19	1	2	4	7	10	15	21
70-74	311	6.7	50	2	2	5	8	12	15	33
75-79	154	6.2	25	2	2	5	8	12	18	30
80-84	85	7.5	41	2	3	6	8	15	21	35
85+	41	9.8	89	3	3	6	14	19	27	52
GRAND TOTAL	**1027**	**6.4**	**35**	**2**	**2**	**5**	**8**	**12**	**16**	**31**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.1	1	2	2	3	4	5	5	5
70-74	5	5.0	17	<1	<1	4	8	11	11	11
75-79	8	2.8	4	1	1	2	3	6	7	7
80-84	6	3.3	1	2	2	3	4	5	5	5
85+	5	3.4	3	1	1	4	5	5	5	5
B. *Operated*										
65-69 YRS	683	6.0	10	2	3	6	7	10	11	18
70-74	488	6.1	9	2	3	6	8	9	11	18
75-79	264	6.5	9	2	3	6	8	10	12	14
80-84	113	6.7	13	2	3	6	8	11	14	20
85+	60	6.7	9	2	3	7	8	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	89	4.5	14	1	1	4	5	9	12	20
70-74	88	5.1	25	1	1	4	6	9	11	31
75-79	69	5.8	24	1	1	4	8	12	14	28
80-84	62	6.4	20	1	2	5	8	12	14	23
85+	53	6.0	17	2	2	6	8	11	14	21
B. *Operated*										
65-69 YRS	1214	8.6	37	3	4	7	10	15	20	33
70-74	1030	9.4	50	3	4	8	11	16	21	37
75-79	669	9.8	57	3	4	8	11	17	21	40
80-84	293	10.7	74	3	5	9	12	18	24	60
85+	137	10.9	48	3	4	9	14	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.4	4	1	1	3	4	6	7	11
B. *Operated*	1608	6.2	10	2	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	361	5.4	20	1	1	4	7	10	14	23
B. *Operated*	3343	9.4	49	3	4	8	11	16	21	38
1. SINGLE DX	1642	6.1	10	2	3	6	8	10	12	17
2. MULTIPLE DX	3704	9.0	48	2	3	7	11	16	21	38
A. NOT OPERATED	395	5.3	19	1	1	4	7	10	14	22
B. OPERATED	4951	8.3	39	3	3	7	10	14	19	32
TOTAL 65-69 YRS	1996	7.5	28	2	3	6	9	12	17	28
70-74	1611	8.1	39	3	3	7	10	14	18	33
75-79	1010	8.6	45	2	3	7	10	14	19	32
80-84	474	9.1	56	2	3	8	11	16	20	45
85+	255	8.7	37	2	3	7	11	17	20	35
GRAND TOTAL	**5346**	**8.1**	**38**	**2**	**3**	**7**	**10**	**14**	**19**	**32**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	147	4.0	6	1	1	3	5	8	9	13
70-74	119	3.9	5	1	2	4	5	7	8	11
75-79	97	4.6	9	1	2	4	6	9	11	17
80-84	52	5.2	10	1	1	5	6	9	13	14
85+	33	4.5	6	1	2	4	6	7	8	14
B. *Operated*										
65-69 YRS	43	8.6	25	2	3	8	10	16	18	27
70-74	30	11.7	33	<1	5	11	14	19	22	27
75-79	24	9.1	32	1	2	8	12	16	21	25
80-84	9	14.6	81	1	3	16	19	27	31	31
85+	5	14.0	180	1	1	13	21	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1842	5.2	12	2	2	4	6	9	12	18
70-74	1797	5.8	20	2	2	5	7	10	13	22
75-79	1517	6.1	24	2	2	5	7	11	14	25
80-84	1168	6.5	31	2	2	5	8	11	15	25
85+	919	7.3	30	2	3	6	9	13	17	30
B. *Operated*										
65-69 YRS	634	9.5	43	2	3	8	12	17	21	36
70-74	588	10.5	66	2	3	9	13	19	24	36
75-79	375	11.2	89	2	4	9	14	20	26	54
80-84	221	11.8	82	3	4	9	15	23	27	52
85+	133	11.7	76	2	3	9	15	22	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	4.3	7	1	2	4	5	8	9	14
B. *Operated*	111	10.3	42	2	3	9	14	18	22	33
2. MULTIPLE DX										
A. *Not Operated*	7243	6.0	22	2	2	5	7	11	14	23
B. *Operated*	1951	10.6	66	2	3	9	13	19	24	40
1. SINGLE DX	559	5.5	20	1	2	4	7	11	14	22
2. MULTIPLE DX	9194	7.0	35	2	2	5	9	13	17	30
A. NOT OPERATED	7691	5.9	22	2	2	5	7	11	14	23
B. OPERATED	2062	10.5	65	2	3	9	13	19	24	40
TOTAL 65-69 YRS	2666	6.2	23	2	2	5	8	12	15	25
70-74	2534	6.9	35	2	2	5	9	13	17	30
75-79	2013	7.0	40	2	2	5	8	13	17	31
80-84	1450	7.3	42	2	2	6	9	14	17	33
85+	1090	7.8	38	2	3	6	9	15	19	35
GRAND TOTAL	**9753**	**6.9**	**34**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF FATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	47	1	1	2	8	15	15	15
70-74										
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	2	4.5	25	<1	<1	4	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	118	4.2	5	2	2	4	5	7	7	13
70-74	99	4.4	4	2	2	4	5	7	8	13
75-79	84	4.8	6	1	2	4	6	8	9	13
80-84	47	5.2	13	2	3	4	6	9	11	20
85+	30	5.3	5	2	2	6	7	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	5.7	45	1	1	4	6	9	24	31
70-74	19	5.7	11	1	2	5	7	11	13	15
75-79	20	6.2	15	<1	1	5	8	12	14	15
80-84	11	6.1	20	2	2	4	7	14	15	15
85+	17	8.9	102	<1	1	5	9	23	35	41
B. *Operated*										
65-69 YRS	154	7.2	34	2	3	5	8	15	19	32
70-74	172	7.2	31	2	3	6	9	14	18	29
75-79	161	8.2	32	3	3	6	11	19	22	23
80-84	87	8.9	55	3	4	7	11	15	19	49
85+	58	10.6	71	3	4	8	13	21	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.9	24	<1	<1	3	7	13	15	15
B. *Operated*	378	4.6	6	2	2	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	91	6.5	39	1	2	5	7	14	15	37
B. *Operated*	632	8.0	40	2	3	6	10	15	21	33
1. SINGLE DX	386	4.6	6	2	2	4	6	7	9	16
2. MULTIPLE DX	723	7.8	40	2	3	6	9	15	21	33
A. NOT OPERATED	99	6.3	37	1	1	5	7	14	15	36
B. OPERATED	1010	6.7	30	2	3	5	8	13	18	28
TOTAL 65-69 YRS	300	5.9	25	2	2	4	7	11	17	28
70-74	290	6.1	22	2	3	5	7	10	15	28
75-79	267	6.9	25	2	3	6	8	14	20	23
80-84	147	7.5	41	3	3	6	9	13	18	37
85+	105	8.8	61	2	3	6	11	15	27	42
GRAND TOTAL	**1109**	**6.7**	**30**	**2**	**3**	**5**	**8**	**13**	**18**	**29**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.6	4	<1	1	3	6	7	7	7
70-74	14	7.0	116	<1	<1	3	7	16	36	42
75-79	16	3.6	6	<1	1	3	5	5	9	10
80-84	9	4.0	6	<1	<1	4	6	8	8	8
85+	12	9.8	313	1	1	3	7	32	59	64
B. *Operated*										
65-69 YRS	274	6.4	15	2	2	5	8	11	14	21
70-74	223	6.4	15	2	2	6	8	11	13	17
75-79	185	7.7	30	2	3	7	10	14	17	30
80-84	131	8.8	41	3	3	7	10	18	24	32
85+	111	10.0	103	3	3	8	11	17	27	62
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	81	6.1	37	2	2	4	7	13	22	30
70-74	84	5.5	9	2	2	5	8	10	11	13
75-79	92	7.2	36	1	2	5	9	16	21	70
80-84	88	7.8	26	1	3	7	10	13	17	29
85+	110	7.6	46	2	2	5	10	15	21	36
B. *Operated*										
65-69 YRS	671	10.4	57	3	4	8	13	19	24	44
70-74	684	11.8	101	3	4	10	14	21	27	82
75-79	675	12.2	84	3	4	10	15	22	29	58
80-84	477	13.6	105	4	5	11	17	25	34	68
85+	450	14.5	111	5	5	12	17	29	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	5.4	80	<1	1	3	5	8	13	60
B. *Operated*	924	7.4	34	2	3	6	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	455	6.9	32	2	2	5	9	13	18	32
B. *Operated*	2957	12.3	91	3	4	10	15	22	31	61
1. SINGLE DX	994	7.3	37	2	3	6	9	13	17	31
2. MULTIPLE DX	3412	11.6	86	3	4	9	14	21	29	58
A. NOT OPERATED	525	6.7	39	1	2	5	8	13	18	33
B. OPERATED	3881	11.1	82	3	4	9	14	21	28	53
TOTAL 65-69 YRS	1045	8.9	48	2	3	7	11	17	22	36
70-74	1005	10.0	81	2	3	8	12	18	24	64
75-79	968	10.7	73	2	3	9	14	20	26	49
80-84	705	11.9	88	3	4	9	15	22	29	55
85+	683	12.6	110	3	3	10	16	25	35	63
GRAND TOTAL	**4406**	**10.6**	**79**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	563	5.1	10	1	2	5	7	9	11	16
70-74	472	5.3	15	1	2	4	7	10	13	17
75-79	407	5.9	23	1	2	5	7	10	13	24
80-84	278	5.4	14	1	2	4	7	11	14	19
85+	242	6.8	31	2	2	6	8	12	15	29
B. *Operated*										
65-69 YRS	279	11.8	45	5	7	11	14	17	21	35
70-74	255	12.6	50	6	7	11	15	20	26	45
75-79	209	13.0	39	5	7	12	16	21	25	35
80-84	138	13.9	84	4	7	12	16	21	27	60
85+	118	15.3	82	6	8	13	19	24	31	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1778	7.3	32	2	2	6	9	13	17	29
70-74	2052	7.9	41	2	3	6	10	15	19	30
75-79	1965	8.2	49	2	3	6	10	15	20	35
80-84	1665	8.7	44	2	3	7	11	16	20	35
85+	1755	9.9	62	2	3	8	12	18	24	46
B. *Operated*										
65-69 YRS	1410	17.7	154	6	8	14	21	33	42	74
70-74	1528	18.2	144	6	8	15	22	32	43	77
75-79	1400	19.3	153	7	8	16	23	36	46	83
80-84	1090	19.8	145	7	9	16	24	35	46	86
85+	968	20.7	189	7	9	17	25	37	52	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1962	5.6	17	1	2	5	7	10	13	20
B. *Operated*	999	12.9	56	5	7	11	15	20	25	46
2. MULTIPLE DX										
A. *Not Operated*	9215	8.4	46	2	3	7	10	16	20	36
B. *Operated*	6396	19.0	156	7	8	16	23	35	46	82
1. SINGLE DX	2961	8.0	42	2	2	7	10	15	19	33
2. MULTIPLE DX	15611	12.7	118	2	3	10	16	25	34	62
A. NOT OPERATED	11177	7.9	42	2	3	6	10	15	19	34
B. OPERATED	7395	18.2	147	6	8	15	22	33	44	77
TOTAL 65-69 YRS	4030	10.9	99	2	3	8	14	21	30	53
70-74	4307	11.6	102	2	3	9	15	23	30	53
75-79	3981	12.1	112	2	3	9	15	25	33	58
80-84	3171	12.5	108	2	3	10	16	25	33	57
85+	3083	13.2	127	3	4	10	17	26	34	66
GRAND TOTAL	**18572**	**12.0**	**109**	**2**	**3**	**9**	**15**	**24**	**32**	**59**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	649	4.1	10	1	1	3	5	8	10	16
70-74	551	3.9	7	1	1	3	5	7	9	13
75-79	502	4.2	11	1	1	3	5	8	10	17
80-84	369	4.4	18	1	1	3	5	8	11	14
85+	305	4.6	12	1	2	4	6	9	11	24
B. *Operated*										
65-69 YRS	60	6.9	62	<1	1	4	8	16	24	41
70-74	38	7.7	26	1	2	7	11	14	17	22
75-79	42	8.6	46	1	2	7	12	16	22	34
80-84	17	7.1	44	1	1	5	9	19	20	21
85+	12	4.6	9	1	1	4	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3909	5.7	18	2	2	5	7	10	13	22
70-74	4340	6.1	23	2	2	5	7	11	15	25
75-79	4093	6.6	31	2	2	5	8	12	16	29
80-84	3206	7.1	42	2	2	5	9	13	18	33
85+	3195	7.5	45	2	2	6	9	14	19	36
B. *Operated*										
65-69 YRS	572	10.7	81	2	3	8	13	21	29	51
70-74	611	12.0	94	2	4	9	15	24	31	46
75-79	517	13.0	124	3	4	10	16	24	33	59
80-84	375	13.8	131	3	4	11	17	28	39	59
85+	302	14.9	150	3	4	12	19	29	43	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2376	4.2	11	1	1	3	5	8	10	16
B. *Operated*	169	7.3	45	1	1	6	10	15	19	33
2. MULTIPLE DX										
A. *Not Operated*	18743	6.5	31	2	2	5	8	12	16	28
B. *Operated*	2377	12.6	112	3	4	10	16	25	34	57
1. SINGLE DX	2545	4.4	14	1	1	3	5	8	11	18
2. MULTIPLE DX	21120	7.2	44	2	2	5	9	14	19	35
A. NOT OPERATED	21119	6.3	29	2	2	5	8	12	15	27
B. OPERATED	2546	12.2	109	2	3	9	15	24	33	55
TOTAL 65-69 YRS	5190	6.0	27	1	2	5	7	11	15	27
70-74	5540	6.5	33	2	2	5	8	13	17	29
75-79	5154	7.0	43	2	2	5	8	14	18	33
80-84	3967	7.5	53	2	2	6	9	14	20	39
85+	3814	7.9	55	2	2	6	10	15	20	43
GRAND TOTAL	**23665**	**6.9**	**41**	**2**	**2**	**5**	**8**	**13**	**18**	**34**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1030	4.8	10	1	2	4	6	9	10	15
70-74	966	4.9	9	1	2	4	6	9	10	14
75-79	765	5.1	12	1	1	5	7	9	11	17
80-84	605	5.4	14	1	2	5	7	10	13	18
85+	440	6.0	18	1	2	5	8	11	13	22
B. *Operated*										
65-69 YRS	250	12.0	32	3	5	11	15	19	21	27
70-74	205	11.4	34	2	3	11	15	18	21	29
75-79	167	12.7	53	3	4	12	16	21	25	39
80-84	55	14.0	88	1	2	13	19	25	31	39
85+	55	15.8	158	3	5	14	21	29	48	98
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4063	6.3	18	2	2	5	8	11	14	21
70-74	4823	6.3	23	2	2	6	8	12	14	24
75-79	4876	6.9	27	2	2	6	9	13	16	26
80-84	4241	7.5	39	2	3	6	9	14	18	32
85+	3897	8.3	42	2	3	7	10	15	20	32
B. *Operated*										
65-69 YRS	1947	14.2	99	3	5	12	17	25	32	54
70-74	1986	15.3	131	3	5	13	19	28	37	65
75-79	1715	15.8	129	3	5	13	20	30	39	61
80-84	1139	17.4	179	4	5	14	22	34	46	76
85+	744	17.1	168	4	5	14	21	35	45	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3806	5.1	12	1	2	4	7	9	11	17
B. *Operated*	732	12.4	52	2	4	12	16	21	24	39
2. MULTIPLE DX										
A. *Not Operated*	21900	7.1	30	2	2	6	9	13	16	27
B. *Operated*	7531	15.6	134	3	5	13	19	29	39	67
1. SINGLE DX	4538	6.3	25	1	2	5	8	12	16	24
2. MULTIPLE DX	29431	9.3	70	2	3	7	11	18	24	45
A. NOT OPERATED	25706	6.8	28	2	2	6	8	12	16	26
B. OPERATED	8263	15.3	128	3	5	13	19	28	37	65
TOTAL 65-69 YRS	7290	8.4	53	2	2	6	11	16	21	37
70-74	7980	8.7	64	2	2	7	11	17	23	41
75-79	7523	8.9	65	2	3	7	11	18	24	42
80-84	6040	9.2	79	2	3	7	11	18	25	50
85+	5136	9.5	70	2	3	7	11	18	24	49
GRAND TOTAL	**33969**	**8.9**	**65**	**2**	**3**	**7**	**11**	**17**	**23**	**43**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	4.1	8	<1	1	4	5	9	10	11
70-74	19	4.5	8	1	1	4	5	8	10	12
75-79	7	3.0	6	1	1	2	5	7	7	7
80-84	8	3.9	4	1	1	4	5	6	7	7
85+	8	6.8	27	1	1	6	8	15	18	18
B. *Operated*										
65-69 YRS	355	3.8	7	1	2	3	5	7	9	13
70-74	182	4.4	10	1	2	4	5	7	10	19
75-79	91	4.9	12	2	2	4	6	9	14	18
80-84	42	5.8	30	1	2	4	6	15	18	27
85+	28	5.0	12	1	1	4	6	9	13	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	98	6.6	40	1	2	5	8	14	23	72
70-74	80	5.6	17	1	2	4	8	12	15	19
75-79	73	9.7	151	1	1	6	11	20	34	73
80-84	61	9.6	142	2	2	7	11	17	22	77
85+	58	10.5	100	2	3	7	16	19	23	62
B. *Operated*										
65-69 YRS	807	6.5	41	2	2	4	7	12	18	39
70-74	569	7.4	65	2	2	5	8	14	20	57
75-79	291	8.4	93	2	3	5	9	17	24	53
80-84	140	10.4	140	3	3	6	12	24	31	85
85+	98	9.9	52	2	3	8	14	22	25	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.4	10	1	1	4	6	8	10	17
B. *Operated*	698	4.3	10	1	2	4	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	370	8.1	86	1	2	5	10	17	23	62
B. *Operated*	1905	7.5	65	2	2	5	8	15	22	50
1. SINGLE DX	763	4.3	10	1	2	4	5	8	10	18
2. MULTIPLE DX	2275	7.6	69	2	2	5	8	15	22	50
A. NOT OPERATED	435	7.5	76	1	2	5	9	16	20	51
B. OPERATED	2603	6.6	53	2	2	4	7	13	19	43
TOTAL 65-69 YRS	1283	5.7	32	1	2	4	6	11	15	33
70-74	850	6.5	49	2	2	5	7	12	18	44
75-79	462	7.8	88	1	2	5	8	16	23	52
80-84	251	9.2	121	2	3	6	11	19	27	81
85+	192	9.3	62	2	3	7	13	19	23	52
GRAND TOTAL	**3038**	**6.8**	**56**	**1**	**2**	**5**	**7**	**14**	**19**	**44**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	564	4.5	18	1	1	3	6	8	11	21
70-74	520	4.6	15	1	1	4	6	9	12	20
75-79	491	4.8	19	1	1	4	6	10	12	25
80-84	319	4.7	16	1	1	4	6	10	13	19
85+	344	4.6	18	1	1	3	6	9	12	22
B. Operated										
65-69 YRS	448	7.4	53	1	2	5	10	16	21	35
70-74	396	8.6	65	1	2	7	12	17	22	36
75-79	277	9.4	78	1	2	7	13	19	29	46
80-84	166	9.3	59	1	2	6	12	19	24	41
85+	116	9.8	60	2	2	8	13	20	24	41
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3414	6.4	29	1	2	5	8	12	17	28
70-74	3805	6.8	38	1	2	5	8	13	17	31
75-79	3616	6.7	39	1	2	5	8	13	17	30
80-84	3149	7.3	46	1	2	6	9	14	19	34
85+	3195	7.8	57	2	2	6	9	15	21	43
B. Operated										
65-69 YRS	2475	13.5	154	2	3	10	17	28	39	74
70-74	2409	13.9	157	2	3	10	18	30	39	74
75-79	1945	15.2	183	2	3	12	20	32	44	74
80-84	1351	15.9	164	3	4	13	21	33	44	75
85+	1017	16.5	202	3	4	13	21	34	48	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2238	4.6	17	1	1	3	6	9	12	21
B. Operated	1403	8.6	63	1	2	6	11	18	23	38
2. MULTIPLE DX										
A. Not Operated	17179	7.0	42	1	2	5	9	13	18	32
B. Operated	9197	14.7	169	2	3	11	19	31	42	75
1. SINGLE DX	3641	6.1	39	1	1	4	8	13	19	30
2. MULTIPLE DX	26376	9.7	100	2	3	7	12	20	28	55
A. NOT OPERATED	19417	6.7	39	1	2	5	8	13	17	31
B. OPERATED	10600	13.9	159	2	3	10	18	29	40	72
TOTAL 65-69 YRS	6901	8.9	87	1	2	6	11	19	26	49
70-74	7130	9.1	90	1	2	6	11	19	27	50
75-79	6329	9.3	100	1	2	6	11	20	28	55
80-84	4985	9.5	92	2	2	7	12	20	28	54
85+	4672	9.5	101	2	2	6	11	20	28	56
GRAND TOTAL	**30017**	**9.2**	**93**	**1**	**2**	**6**	**11**	**19**	**27**	**53**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	46	8.0	24	2	2	8	11	16	16	23
70-74	31	8.2	30	3	4	7	9	14	15	32
75-79	16	8.4	27	2	2	7	13	16	17	17
80-84	1	21.0		21	21	21	21	21	21	21
85+	1	11.0		11	11	11	11	11	11	11
B. Operated										
65-69 YRS	19	4.3	[illegible]	1	1	2	6	10	13	16
70-74	11	6.3	[illegible]	1	1	4	9	16	23	24
75-79	6	7.7	35	<1	<1	8	13	14	14	14
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	845	12.0	88	3	4	9	15	24	32	46
70-74	429	12.6	112	3	4	10	16	23	32	52
75-79	192	12.5	131	3	4	10	15	27	36	71
80-84	65	12.9	160	3	4	10	14	26	30	84
85+	17	11.9	128	1	4	7	16	26	37	43
B. Operated										
65-69 YRS	291	15.9	163	2	3	12	21	35	44	66
70-74	159	15.3	158	2	4	12	18	30	45	58
75-79	61	17.4	229	3	6	13	22	36	48	82
80-84	15	18.7	291	5	7	10	24	44	58	63
85+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	8.3	27	2	3	7	11	16	17	28
B. Operated	36	5.4	28	1	1	3	8	13	15	24
2. MULTIPLE DX										
A. Not Operated	1548	12.3	103	3	4	9	15	24	32	52
B. Operated	527	16.0	172	2	4	12	20	35	45	64
1. SINGLE DX	131	7.5	29	1	2	7	10	15	16	26
2. MULTIPLE DX	2075	13.2	123	3	4	10	16	26	35	56
A. NOT OPERATED	1643	12.1	100	3	4	9	15	24	32	52
B. OPERATED	563	15.3	169	2	3	12	20	34	44	63
TOTAL 65-69 YRS	1201	12.7	107	2	3	10	16	26	34	53
70-74	630	13.0	121	2	4	10	16	25	34	55
75-79	275	13.3	150	3	3	10	16	28	38	72
80-84	81	14.1	185	4	4	10	16	27	37	64
85+	19	11.6	115	2	4	7	13	26	35	43
GRAND TOTAL	**2206**	**12.9**	**119**	**2**	**4**	**10**	**16**	**25**	**34**	**58**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	7.0	25	1	2	6	9	14	19	21
70-74	37	8.8	80	2	2	5	10	25	31	37
75-79	19	7.2	29	1	1	7	9	14	19	23
80-84	14	7.8	29	2	4	6	8	17	22	23
85+	4	5.8	34	1	1	5	10	13	13	13
B. *Operated*										
65-69 YRS	118	3.5	13	1	1	2	4	9	10	18
70-74	81	4.0	23	1	1	2	4	10	15	25
75-79	30	7.5	67	1	1	3	13	21	26	30
80-84	7	5.7	8	2	2	6	8	10	10	10
85+	7	8.7	31	2	2	8	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	594	11.4	98	3	3	9	14	22	29	55
70-74	528	11.2	91	3	3	9	14	22	29	44
75-79	433	11.8	78	3	4	9	15	22	28	47
80-84	197	14.0	128	3	4	10	18	30	41	81
85+	97	13.8	92	4	5	11	16	28	34	49
B. *Operated*										
65-69 YRS	494	10.3	88	1	1	8	14	23	28	42
70-74	402	12.2	137	1	2	10	17	27	33	64
75-79	262	15.0	159	1	2	13	20	33	41	58
80-84	113	14.0	128	2	2	10	20	31	39	74
85+	35	15.9	74	5	8	16	18	27	36	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	7.7	43	1	2	6	9	16	23	34
B. *Operated*	243	4.4	25	1	1	2	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	1849	11.8	95	3	4	9	15	23	31	54
B. *Operated*	1306	12.3	123	1	2	10	17	26	34	55
1. SINGLE DX	361	5.4	33	1	1	3	7	13	17	27
2. MULTIPLE DX	3155	12.0	107	2	3	9	16	25	32	54
A. NOT OPERATED	1967	11.6	93	3	3	9	14	23	30	54
B. OPERATED	1549	11.1	116	1	1	9	16	25	32	51
TOTAL 65-69 YRS	1250	10.1	88	1	2	8	13	21	28	47
70-74	1048	11.0	107	1	2	8	14	23	31	49
75-79	744	12.6	108	2	3	10	17	25	34	52
80-84	331	13.6	124	2	4	10	18	29	39	68
85+	143	13.9	86	3	5	12	17	27	33	42
GRAND TOTAL	**3516**	**11.4**	**103**	**1**	**2**	**9**	**15**	**24**	**31**	**52**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	8.6	62	1	2	6	10	20	28	38
70-74	50	6.7	37	1	2	5	7	13	15	35
75-79	37	6.9	17	2	3	5	9	13	16	17
80-84	24	5.8	18	1	2	5	7	9	14	22
85+	16	10.1	25	2	3	11	14	16	18	19
B. *Operated*										
65-69 YRS	32	7.8	41	2	2	5	13	18	20	21
70-74	43	7.1	33	1	1	6	10	16	18	23
75-79	19	6.7	82	<1	1	3	8	16	28	38
80-84	6	6.2	37	2	2	4	6	17	18	18
85+	3	18.7	214	3	3	21	29	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	667	10.2	72	2	3	8	13	20	25	47
70-74	528	10.1	76	2	3	8	13	20	27	53
75-79	414	11.0	72	3	4	9	14	21	27	68
80-84	195	11.6	93	3	4	9	14	22	35	53
85+	151	11.2	71	3	4	9	14	21	26	45
B. *Operated*										
65-69 YRS	262	14.4	162	1	2	10	19	30	42	68
70-74	242	18.3	223	2	3	15	26	39	51	82
75-79	141	16.6	138	3	4	14	23	30	35	64
80-84	76	18.9	209	2	3	15	26	42	49	66
85+	46	19.3	144	4	7	17	25	34	48	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	7.6	39	2	2	5	9	15	19	34
B. *Operated*	103	7.5	50	1	1	5	11	17	20	35
2. MULTIPLE DX										
A. *Not Operated*	1955	10.6	76	3	3	8	13	20	27	50
B. *Operated*	767	16.8	183	2	3	13	23	34	46	69
1. SINGLE DX	292	7.5	43	1	2	5	10	16	20	34
2. MULTIPLE DX	2722	12.3	113	2	3	9	15	26	34	61
A. NOT OPERATED	2144	10.3	73	2	3	8	13	20	27	47
B. OPERATED	870	15.7	176	2	2	12	22	33	45	69
TOTAL 65-69 YRS	1023	11.1	97	2	3	8	14	23	30	52
70-74	863	12.0	129	2	3	8	15	27	35	64
75-79	611	11.9	92	2	3	10	15	24	30	64
80-84	301	12.9	129	2	3	9	15	28	36	55
85+	216	13.0	95	3	4	11	16	25	32	52
GRAND TOTAL	**3014**	**11.9**	**109**	**2**	**3**	**9**	**15**	**25**	**33**	**59**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	352	4.2	8	1	1	3	6	8	10	13
70-74	300	4.3	15	1	2	4	5	7	9	17
75-79	250	4.6	9	1	1	4	6	8	10	16
80-84	171	5.6	13	1	2	5	7	10	11	20
85+	158	6.1	16	2	2	5	8	11	13	23
B. *Operated*										
65-69 YRS	2417	8.2	11	5	5	8	9	12	15	20
70-74	1676	9.1	17	5	5	8	10	14	16	23
75-79	948	9.8	20	5	6	9	12	15	18	25
80-84	416	11.0	22	6	6	10	13	18	20	26
85+	222	11.6	25	5	6	11	14	19	22	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1689	5.9	20	2	2	5	7	11	14	22
70-74	1767	6.3	22	2	2	5	8	11	14	25
75-79	1601	6.9	32	2	2	6	9	13	15	26
80-84	1342	7.7	47	2	3	6	9	14	18	32
85+	1448	8.7	50	2	3	7	11	15	21	35
B. *Operated*										
65-69 YRS	6938	11.6	51	5	6	10	14	19	24	41
70-74	5941	12.6	59	5	6	11	15	21	26	43
75-79	4288	14.2	72	6	7	12	17	23	29	49
80-84	2493	16.5	100	7	8	14	20	28	36	55
85+	1548	18.3	124	7	9	16	22	32	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1231	4.8	12	1	2	4	6	9	11	16
B. *Operated*	5679	9.1	17	5	5	8	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	7847	7.0	34	2	2	6	9	13	16	28
B. *Operated*	21208	13.5	73	6	6	11	16	23	29	49
1. SINGLE DX	6910	8.3	19	3	4	8	10	13	16	22
2. MULTIPLE DX	29055	11.7	71	3	4	10	14	21	26	46
A. NOT OPERATED	9078	6.7	32	2	2	5	8	12	16	27
B. OPERATED	26887	12.5	64	5	6	10	15	21	27	46
TOTAL 65-69 YRS	11396	9.8	43	3	4	8	12	17	21	36
70-74	9684	10.6	51	3	4	9	13	18	23	36
75-79	7087	11.6	65	3	4	10	14	21	26	43
80-84	4422	12.9	91	3	4	11	16	23	30	50
85+	3376	13.2	104	3	4	11	17	24	32	58
GRAND TOTAL	**35965**	**11.1**	**62**	**3**	**4**	**9**	**14**	**20**	**25**	**43**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	156	4.6	7	1	2	4	6	8	9	13
70-74	123	4.9	8	1	2	4	7	9	10	14
75-79	115	5.1	12	1	2	5	7	9	10	21
80-84	75	5.5	9	1	2	5	7	10	11	14
85+	74	6.7	18	2	2	6	8	13	17	21
B. *Operated*										
65-69 YRS	222	9.5	21	5	5	8	11	15	19	26
70-74	157	10.1	23	5	5	9	12	16	20	26
75-79	93	10.7	21	5	6	9	12	16	21	27
80-84	53	11.7	25	4	6	11	14	19	20	26
85+	42	13.9	95	5	6	12	16	22	35	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	616	6.5	18	1	2	6	8	12	15	19
70-74	636	7.1	25	2	3	6	9	12	15	29
75-79	547	7.5	25	2	3	7	9	13	17	26
80-84	440	8.4	29	2	3	7	11	15	19	27
85+	507	9.3	40	3	4	8	11	17	22	37
B. *Operated*										
65-69 YRS	843	12.8	59	5	6	11	15	21	28	43
70-74	775	14.1	75	6	7	11	17	25	30	46
75-79	527	15.7	88	7	8	13	19	27	32	50
80-84	407	17.3	115	7	8	15	21	31	38	59
85+	300	19.0	148	8	9	16	22	36	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	5.2	11	1	2	4	7	9	11	17
B. *Operated*	567	10.4	29	5	5	9	12	17	20	27
2. MULTIPLE DX										
A. *Not Operated*	2746	7.7	28	2	3	7	10	14	17	27
B. *Operated*	2852	15.0	90	6	7	12	18	27	33	59
1. SINGLE DX	1110	7.8	27	2	3	7	10	14	18	25
2. MULTIPLE DX	5598	11.4	73	3	4	9	14	21	28	45
A. NOT OPERATED	3289	7.3	26	2	3	6	9	13	17	27
B. OPERATED	3419	14.2	83	6	7	12	17	24	32	51
TOTAL 65-69 YRS	1837	9.6	46	2	3	8	12	17	21	38
70-74	1691	10.4	59	3	3	9	13	19	25	38
75-79	1282	10.9	67	2	3	9	14	21	27	41
80-84	975	12.1	84	3	4	10	15	22	29	45
85+	923	12.5	98	3	4	10	16	23	33	65
GRAND TOTAL	**6708**	**10.8**	**67**	**3**	**3**	**9**	**13**	**20**	**26**	**43**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	4.0	8	1	1	3	5	9	9	10
70-74	50	4.7	15	1	1	4	7	9	11	22
75-79	32	5.3	10	2	2	4	8	9	10	15
80-84	37	5.6	18	1	2	5	7	10	13	22
85+	27	5.2	17	1	2	4	6	11	16	17
B. *Operated*										
65-69 YRS	155	9.7	45	1	2	9	13	18	21	29
70-74	173	10.4	42	2	3	10	13	17	24	32
75-79	153	11.7	35	2	4	11	15	19	23	28
80-84	100	12.2	66	2	2	11	17	23	28	34
85+	83	11.8	57	1	2	13	16	21	26	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	154	6.6	27	1	2	6	8	12	14	26
70-74	154	7.2	24	2	3	6	9	14	18	25
75-79	162	7.4	35	2	2	7	9	12	15	26
80-84	157	7.6	27	1	2	6	10	14	19	29
85+	181	8.7	41	2	3	7	10	15	22	34
B. *Operated*										
65-69 YRS	543	14.2	91	3	6	13	17	24	30	47
70-74	660	16.0	110	4	6	14	19	28	34	59
75-79	602	17.2	133	5	7	14	20	30	41	68
80-84	470	18.0	126	3	7	16	22	32	40	63
85+	435	18.0	120	4	7	16	22	31	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	4.9	13	1	1	4	7	10	11	20
B. *Operated*	664	11.0	47	2	3	10	15	20	23	32
2. MULTIPLE DX										
A. *Not Operated*	808	7.5	32	2	2	6	9	13	17	29
B. *Operated*	2710	16.5	117	4	6	14	20	29	37	61
1. SINGLE DX	852	9.6	46	1	2	9	13	18	22	31
2. MULTIPLE DX	3518	14.5	112	3	4	12	18	27	33	58
A. NOT OPERATED	996	7.0	29	1	2	6	9	13	16	28
B. OPERATED	3374	15.5	108	3	5	14	19	27	34	58
TOTAL 65-69 YRS	894	11.6	80	2	3	10	15	21	26	44
70-74	1037	13.2	96	2	3	11	17	24	31	54
75-79	949	14.2	113	2	4	12	18	25	33	57
80-84	764	14.5	114	2	3	13	20	28	35	61
85+	726	14.5	108	2	4	13	19	28	33	52
GRAND TOTAL	**4370**	**13.5**	**103**	**2**	**3**	**12**	**17**	**25**	**32**	**54**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	5.4	17	1	2	4	6	9	13	24
70-74	46	6.6	28	1	2	5	8	15	16	29
75-79	38	6.0	10	2	2	6	9	11	12	13
80-84	41	7.4	23	1	2	7	10	14	15	23
85+	35	7.2	15	2	3	6	10	13	14	18
B. *Operated*										
65-69 YRS	35	9.1	62	1	2	9	13	18	20	39
70-74	23	11.7	79	1	1	10	15	26	29	32
75-79	33	10.8	92	1	2	8	17	24	29	37
80-84	15	11.3	96	1	2	9	14	22	35	39
85+	11	11.8	88	1	2	9	18	25	32	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	221	8.6	50	2	2	7	10	16	23	43
70-74	251	8.7	49	2	3	7	10	16	24	37
75-79	228	9.6	65	2	3	8	11	19	27	56
80-84	202	9.4	49	3	4	7	12	17	20	39
85+	273	9.8	57	2	3	8	13	17	22	40
B. *Operated*										
65-69 YRS	252	15.7	131	2	4	13	21	31	40	50
70-74	307	16.0	152	3	4	14	20	27	38	71
75-79	242	17.6	162	4	5	15	23	30	40	82
80-84	178	20.4	217	4	7	17	25	42	50	92
85+	154	19.6	150	5	8	17	24	36	45	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	6.4	19	1	2	6	9	13	15	24
B. *Operated*	117	10.6	79	1	2	8	16	22	29	39
2. MULTIPLE DX										
A. *Not Operated*	1175	9.2	54	2	3	8	11	17	22	41
B. *Operated*	1133	17.4	162	3	5	15	22	32	42	79
1. SINGLE DX	336	7.9	44	1	2	6	10	16	21	34
2. MULTIPLE DX	2308	13.3	124	2	3	10	17	26	35	57
A. NOT OPERATED	1394	8.8	50	2	3	7	11	16	21	39
B. OPERATED	1250	16.8	158	2	4	14	21	31	41	79
TOTAL 65-69 YRS	567	11.4	98	2	2	9	15	24	31	44
70-74	627	12.2	113	2	3	9	16	24	29	57
75-79	541	13.0	124	2	3	10	17	26	33	64
80-84	436	13.7	147	3	4	10	18	28	41	60
85+	473	12.9	107	2	4	10	16	24	33	53
GRAND TOTAL	**2644**	**12.6**	**117**	**2**	**3**	**10**	**16**	**25**	**33**	**56**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	264	6.2	15	2	2	5	8	11	14	20
70-74	205	6.3	23	2	2	5	8	11	12	25
75-79	156	7.6	26	2	3	7	9	13	19	29
80-84	84	8.2	40	2	3	7	10	14	20	34
85+	65	8.2	27	3	4	7	10	14	18	30
B. *Operated*										
65-69 YRS	52	11.4	157	1	2	8	13	20	44	67
70-74	39	10.4	46	2	2	10	14	19	29	99+
75-79	21	8.1	91	1	1	6	12	24	67	99+
80-84	18	7.8	19	2	3	7	11	13	16	18
85+	7	16.9	307	1	3	11	16	47	55	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1330	8.3	41	2	3	7	10	14	19	33
70-74	1157	8.5	32	2	3	7	10	15	19	32
75-79	968	9.2	45	3	4	8	11	17	20	32
80-84	629	10.2	58	3	3	8	12	18	24	46
85+	612	11.0	71	3	4	9	14	20	26	50
B. *Operated*										
65-69 YRS	480	17.9	206	3	5	14	21	34	46	84
70-74	419	18.4	224	3	5	14	23	38	50	97
75-79	307	18.1	178	5	7	14	23	36	53	99+
80-84	204	18.6	165	4	6	15	23	37	49	99+
85+	133	18.4	174	5	7	15	21	35	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	6.9	23	2	3	6	8	12	14	28
B. *Operated*	137	10.4	105	1	2	9	13	19	39	99+
2. MULTIPLE DX										
A. *Not Operated*	4696	9.1	47	3	3	7	11	16	21	37
B. *Operated*	1543	18.2	197	4	6	14	22	36	49	96
1. SINGLE DX	911	7.4	37	2	2	6	9	13	17	34
2. MULTIPLE DX	6239	11.4	99	3	4	9	14	22	30	61
A. NOT OPERATED	5470	8.8	44	2	3	7	11	16	20	36
B. OPERATED	1680	17.6	194	3	5	14	22	36	49	96
TOTAL 65-69 YRS	2126	10.3	95	2	3	8	12	20	27	57
70-74	1820	10.5	95	2	3	8	13	21	30	58
75-79	1452	10.9	85	3	4	8	13	21	28	58
80-84	935	11.8	92	3	4	9	15	23	32	55
85+	817	12.0	95	3	4	10	15	22	29	60
GRAND TOTAL	**7150**	**10.9**	**93**	**3**	**3**	**8**	**13**	**21**	**29**	**57**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	245	4.8	12	1	1	4	6	9	10	19
70-74	265	5.0	11	1	1	4	6	9	11	16
75-79	232	5.4	15	1	2	5	7	9	12	18
80-84	221	5.4	20	1	2	5	6	9	11	16
85+	220	6.2	22	1	2	5	8	11	18	23
B. *Operated*										
65-69 YRS	28	11.6	262	2	2	8	12	21	38	86
70-74	34	7.8	22	2	3	7	10	14	17	23
75-79	34	10.1	40	3	3	8	14	18	24	25
80-84	23	11.9	92	4	5	10	13	17	32	51
85+	26	8.0	9	3	4	9	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2286	6.9	31	2	2	6	8	13	16	27
70-74	2691	7.4	32	2	3	6	9	13	18	31
75-79	2743	8.0	41	2	3	6	10	15	20	32
80-84	2689	8.2	46	2	3	7	10	15	19	33
85+	3034	8.7	45	2	3	7	11	16	20	36
B. *Operated*										
65-69 YRS	749	11.7	111	3	4	9	14	23	32	57
70-74	858	12.2	105	3	4	10	15	23	32	58
75-79	805	13.4	131	3	4	10	16	27	36	69
80-84	635	13.7	101	3	4	11	17	27	34	49
85+	555	14.1	128	4	5	11	18	27	34	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1183	5.3	16	1	2	5	7	9	12	19
B. *Operated*	145	9.8	82	2	3	8	12	16	23	53
2. MULTIPLE DX										
A. *Not Operated*	13443	7.9	40	2	3	6	9	14	19	32
B. *Operated*	3602	12.9	116	3	4	10	16	25	34	62
1. SINGLE DX	1328	5.8	25	1	2	5	7	10	14	23
2. MULTIPLE DX	17045	8.9	60	2	3	7	11	17	23	41
A. NOT OPERATED	14626	7.7	38	2	3	6	9	14	18	32
B. OPERATED	3747	12.8	115	3	4	10	16	25	34	62
TOTAL 65-69 YRS	3308	7.9	54	2	2	6	9	15	20	40
70-74	3848	8.3	52	2	3	6	10	16	21	36
75-79	3814	9.0	64	2	3	7	11	17	23	43
80-84	3568	9.0	60	2	3	7	11	17	24	41
85+	3835	9.3	60	2	3	7	11	18	23	41
GRAND TOTAL	**18373**	**8.7**	**58**	**2**	**3**	**7**	**10**	**17**	**22**	**41**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.4	15	2	2	4	7	12	13	13
70-74	11	6.3	20	1	1	6	9	13	14	14
75-79	10	8.6	53	4	4	6	8	20	28	28
80-84	5	6.8	14	4	4	6	8	13	13	13
85+	3	12.7	72	3	3	16	18	19	19	19
B. *Operated*										
65-69 YRS	4	8.8	14	5	5	9	12	12	12	12
70-74	9	6.8	19	<1	1	7	9	13	14	14
75-79	5	17.2	331	3	3	9	26	48	48	48
80-84	2	7.5	25	4	4	7	11	11	11	11
85+	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	102	10.7	128	2	3	8	12	18	31	68
70-74	98	11.1	75	2	3	9	14	21	27	47
75-79	69	11.3	83	3	3	9	14	24	28	51
80-84	55	10.8	102	2	3	9	14	25	32	98
85+	26	10.9	34	3	4	10	14	20	21	26
B. *Operated*										
65-69 YRS	71	15.7	225	2	3	12	17	30	50	81
70-74	69	19.5	238	6	7	15	23	42	55	81
75-79	53	19.1	172	4	6	16	25	37	57	98
80-84	28	17.4	158	4	5	14	21	42	45	47
85+	18	23.9	227	3	7	21	29	38	58	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	7.4	31	1	3	6	9	14	18	28
B. *Operated*	22	9.9	92	1	3	8	12	16	31	48
2. MULTIPLE DX										
A. *Not Operated*	350	10.9	93	2	3	9	13	20	29	55
B. *Operated*	239	18.4	211	3	5	14	22	40	50	85
1. SINGLE DX	58	8.3	55	1	3	7	12	14	19	46
2. MULTIPLE DX	589	14.0	154	3	3	11	17	28	41	67
A. NOT OPERATED	386	10.6	88	2	3	8	13	20	28	55
B. OPERATED	261	17.7	206	3	5	14	21	38	49	83
TOTAL 65-69 YRS	184	12.4	166	2	3	9	14	21	37	75
70-74	187	13.7	150	2	3	10	17	28	41	60
75-79	137	14.3	137	3	4	11	19	30	39	66
80-84	90	12.6	123	2	3	11	16	27	42	84
85+	49	15.8	141	3	4	14	20	29	34	70
GRAND TOTAL	**647**	**13.5**	**147**	**2**	**3**	**10**	**16**	**28**	**41**	**62**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.3	8	1	1	4	6	8	8	8
70-74	14	8.3	55	2	3	6	10	15	28	32
75-79	10	11.8	70	3	3	10	16	25	27	27
80-84	5	12.2	121	3	3	10	16	31	31	31
85+	2	9.0	32	5	5	9	13	13	13	13
B. *Operated*										
65-69 YRS	24	4.3	10	1	1	3	7	10	10	10
70-74	15	10.5	262	1	1	4	10	39	53	58
75-79	8	8.5	58	1	1	9	12	20	23	23
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	119	8.9	40	2	3	8	11	15	24	31
70-74	138	11.1	109	3	3	9	13	21	31	59
75-79	127	10.1	57	2	3	8	13	22	24	60
80-84	78	14.2	190	3	3	10	18	27	36	83
85+	79	13.8	187	2	3	10	16	27	41	84
B. *Operated*										
65-69 YRS	140	11.5	78	2	2	10	17	24	28	39
70-74	135	15.1	200	2	3	12	19	33	38	78
75-79	77	15.8	161	2	3	13	22	30	43	63
80-84	33	19.4	205	3	8	14	26	38	54	59
85+	17	18.9	216	5	8	13	28	38	54	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	9.4	62	2	3	7	12	23	30	32
B. *Operated*	48	6.9	100	1	1	4	9	11	25	58
2. MULTIPLE DX										
A. *Not Operated*	541	11.2	108	3	3	8	14	22	29	59
B. *Operated*	402	14.5	156	2	3	12	18	29	37	63
1. SINGLE DX	83	8.0	84	1	1	5	10	14	28	52
2. MULTIPLE DX	943	12.6	131	2	3	10	16	25	34	62
A. NOT OPERATED	576	11.1	105	3	3	8	13	22	29	58
B. OPERATED	450	13.7	155	2	2	10	18	28	37	62
TOTAL 65-69 YRS	287	9.7	60	2	2	8	13	20	26	36
70-74	302	12.7	158	2	3	10	15	26	35	70
75-79	222	12.1	100	2	3	10	15	24	30	61
80-84	117	15.5	194	3	3	11	20	31	38	73
85+	98	14.6	191	2	4	11	16	29	41	79
GRAND TOTAL	**1026**	**12.2**	**128**	**2**	**3**	**9**	**15**	**25**	**34**	**60**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	2	3.0		3	3	3	3	3	3	3
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	9.6	47	4	4	7	11	19	26	29
70-74	11	9.1	23	3	3	10	12	15	17	17
75-79	14	16.0	370	3	5	9	17	30	68	79
80-84	13	17.7	275	4	4	11	20	50	56	58
85+	18	15.8	166	3	3	11	24	37	44	48
B. *Operated*										
65-69 YRS	19	10.8	39	2	3	10	17	19	22	24
70-74	19	19.4	362	3	4	11	27	49	66	75
75-79	12	16.7	398	1	2	8	19	54	63	64
80-84	11	15.4	192	2	3	13	17	37	50	51
85+	6	25.2	529	4	4	21	29	63	67	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.8	5	3	3	4	6	8	8	8
B. *Operated*	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	72	13.8	179	3	4	10	16	28	47	74
B. *Operated*	67	16.3	264	2	4	11	19	38	56	74
1. SINGLE DX	8	4.0	5	1	1	4	5	7	8	8
2. MULTIPLE DX	139	15.0	220	3	4	10	17	30	51	75
A. NOT OPERATED	77	13.2	173	3	4	9	15	27	45	73
B. OPERATED	70	15.7	260	2	3	10	19	35	55	73
TOTAL 65-69 YRS	37	10.0	41	3	4	8	14	19	22	29
70-74	33	14.4	249	3	3	10	14	32	53	75
75-79	28	15.4	351	2	2	8	18	42	65	79
80-84	24	16.6	228	3	4	12	18	48	53	58
85+	25	17.8	248	3	4	12	28	39	53	67
GRAND TOTAL	**147**	**14.4**	**214**	**3**	**3**	**10**	**17**	**29**	**50**	**75**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	4.2	10	1	1	3	7	9	9	9
70-74	11	3.5	12	<1	<1	2	6	9	10	10
75-79	18	7.2	30	1	1	7	11	15	18	19
80-84	5	5.6	31	1	1	3	11	13	13	13
85+	6	12.5	118	4	4	7	22	29	30	30
B. *Operated*										
65-69 YRS	65	5.3	38	1	1	3	5	12	18	35
70-74	74	6.2	31	1	2	4	8	15	18	26
75-79	39	7.4	96	<1	1	3	8	19	27	51
80-84	22	7.2	54	1	1	4	12	20	24	25
85+	5	5.4	5	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	394	7.9	61	1	1	6	10	16	22	43
70-74	465	9.6	79	1	1	7	13	20	29	46
75-79	394	10.5	91	2	3	8	13	22	30	55
80-84	295	10.9	66	2	3	9	15	21	27	42
85+	282	11.4	71	1	3	9	16	24	32	99+
B. *Operated*										
65-69 YRS	752	13.2	168	2	2	9	18	31	43	73
70-74	597	15.1	227	2	3	10	21	34	48	84
75-79	478	16.0	204	2	3	12	21	36	48	72
80-84	244	19.4	281	2	3	14	30	42	56	88
85+	85	19.4	290	2	4	15	24	39	61	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.1	34	1	1	4	9	13	18	30
B. *Operated*	205	6.2	47	1	2	4	7	16	19	35
2. MULTIPLE DX										
A. *Not Operated*	1830	9.9	76	1	2	8	13	21	27	46
B. *Operated*	2156	15.3	214	2	3	11	21	35	47	81
1. SINGLE DX	261	6.2	44	1	1	4	8	15	19	33
2. MULTIPLE DX	3986	12.8	158	1	2	9	17	29	39	69
A. NOT OPERATED	1886	9.8	75	1	2	8	13	21	27	46
B. OPERATED	2361	14.5	206	2	2	10	20	34	46	77
TOTAL 65-69 YRS	1227	11.0	134	1	2	7	14	25	37	61
70-74	1147	12.2	162	1	2	8	16	27	38	72
75-79	929	13.1	157	2	3	9	16	30	41	61
80-84	566	14.4	177	2	3	10	19	33	42	64
85+	378	13.1	131	2	3	10	17	27	37	95
GRAND TOTAL	**4247**	**12.4**	**153**	**1**	**2**	**9**	**16**	**28**	**38**	**67**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	10.9	80	1	1	10	19	23	23	23
70-74	20	6.1	19	1	1	6	8	11	15	19
75-79	13	10.2	56	1	2	10	14	21	25	26
80-84	18	9.4	139	<1	1	5	13	25	39	47
85+	17	7.5	27	1	2	7	10	12	19	22
B. *Operated*										
65-69 YRS	28	9.8	236	<1	1	5	7	26	53	67
70-74	10	13.7	222	1	1	10	19	37	50	50
75-79	5	20.2	461	2	2	6	42	47	47	47
80-84	2	15.5	421	1	1	15	30	30	30	30
85+	3	7.3	57	2	2	4	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	363	10.9	76	2	2	9	14	22	27	42
70-74	439	11.6	85	2	3	9	14	23	28	51
75-79	471	12.4	90	2	4	10	16	23	30	50
80-84	477	13.0	125	3	4	10	16	23	34	74
85+	544	13.2	98	3	4	11	17	25	34	53
B. *Operated*										
65-69 YRS	278	18.0	181	2	4	15	24	35	45	66
70-74	275	21.5	263	4	5	17	31	44	64	99+
75-79	221	19.8	240	4	6	16	25	43	53	99+
80-84	144	23.0	256	4	6	18	30	51	66	99+
85+	122	21.2	229	5	6	17	27	43	51	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	8.4	62	1	1	6	11	19	23	42
B. *Operated*	48	11.8	241	1	1	6	14	37	50	67
2. MULTIPLE DX										
A. *Not Operated*	2294	12.3	97	2	3	10	16	24	30	54
B. *Operated*	1040	20.4	234	4	5	16	27	42	53	99+
1. SINGLE DX	125	9.7	132	1	1	6	12	23	33	56
2. MULTIPLE DX	3334	14.8	153	2	4	11	19	30	41	70
A. NOT OPERATED	2371	12.2	96	2	3	10	16	23	30	53
B. OPERATED	1088	20.0	237	3	5	16	27	42	53	99
TOTAL 65-69 YRS	678	13.8	138	2	2	11	18	29	37	54
70-74	744	15.1	175	2	4	11	20	33	43	86
75-79	710	14.7	150	2	4	11	19	29	40	71
80-84	641	15.1	173	3	4	12	19	31	46	94
85+	686	14.5	129	3	4	11	18	29	40	56
GRAND TOTAL	**3459**	**14.7**	**153**	**2**	**4**	**11**	**19**	**30**	**40**	**69**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	54	5.4	6	2	3	5	7	8	11	13
70-74	52	5.8	13	2	2	5	7	12	13	16
75-79	49	6.6	16	2	3	6	9	12	14	21
80-84	30	6.2	14	2	3	5	8	13	14	16
85+	26	6.5	18	2	4	5	7	11	15	23
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	5	12.6	75	8	8	9	14	28	29	28
75-79	3	5.7	30	2	2	3	10	12	12	12
80-84	2	9.0	2	8	8	9	10	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	578	7.9	24	3	3	7	9	13	16	25
70-74	616	8.1	27	3	4	7	10	14	18	26
75-79	582	9.4	44	3	4	8	11	16	21	32
80-84	444	9.4	45	3	4	8	11	17	21	35
85+	493	9.7	39	3	4	8	12	16	21	32
B. *Operated*										
65-69 YRS	119	14.7	147	5	6	11	18	25	35	75
70-74	137	14.6	89	5	6	12	20	26	32	46
75-79	98	16.2	154	4	5	12	20	28	44	69
80-84	79	16.3	110	5	6	13	20	31	36	60
85+	50	14.5	89	4	5	12	19	27	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	6.0	13	2	3	5	7	11	13	19
B. *Operated*	11	9.2	50	2	2	8	10	18	27	28
2. MULTIPLE DX										
A. *Not Operated*	2713	8.8	36	3	4	7	11	15	19	31
B. *Operated*	483	15.2	120	5	6	12	19	27	37	67
1. SINGLE DX	222	6.2	15	2	3	5	7	11	13	22
2. MULTIPLE DX	3196	9.8	54	3	4	8	12	18	23	39
A. NOT OPERATED	2924	8.6	35	3	4	7	10	15	19	31
B. OPERATED	494	15.1	119	5	6	12	19	27	37	67
TOTAL 65-69 YRS	752	8.8	49	3	4	7	10	14	20	38
70-74	810	9.1	43	3	4	7	11	17	21	37
75-79	732	10.1	63	3	4	8	12	18	25	43
80-84	555	10.2	59	3	4	8	12	19	23	41
85+	569	10.0	45	3	4	8	13	18	22	37
GRAND TOTAL	**3418**	**9.6**	**52**	**3**	**4**	**8**	**12**	**17**	**22**	**38**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	76	5.8	11	2	3	5	7	10	12	20
70-74	67	6.0	16	2	3	5	7	9	12	27
75-79	48	6.7	42	3	3	6	7	11	12	47
80-84	43	8.8	53	3	4	7	10	14	20	45
85+	36	5.8	12	1	2	5	7	12	13	15
B. *Operated*										
65-69 YRS	19	9.3	34	2	2	8	13	17	21	24
70-74	24	10.0	53	2	3	8	11	23	28	29
75-79	12	15.3	116	3	3	15	26	28	30	30
80-84	5	6.8	14	3	3	6	10	12	12	12
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	513	7.9	28	3	3	7	10	14	17	26
70-74	557	8.3	35	3	3	7	10	14	18	33
75-79	519	8.8	44	3	3	7	11	16	20	37
80-84	400	9.8	41	3	4	8	12	18	23	33
85+	414	9.7	37	3	4	8	12	17	19	34
B. *Operated*										
65-69 YRS	242	13.3	102	3	4	11	17	24	34	99+
70-74	230	15.3	120	3	5	12	20	29	38	66
75-79	173	15.7	136	4	5	13	21	30	38	81
80-84	123	15.3	188	3	5	11	19	33	42	89
85+	89	18.3	226	5	6	14	21	44	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	6.5	25	2	3	5	7	11	13	29
B. *Operated*	61	10.5	60	2	3	8	13	25	28	30
2. MULTIPLE DX										
A. *Not Operated*	2403	8.8	37	3	3	7	11	15	19	32
B. *Operated*	857	15.1	140	3	5	12	19	29	40	86
1. SINGLE DX	331	7.2	34	2	3	6	8	12	17	29
2. MULTIPLE DX	3260	10.5	72	3	4	8	13	19	26	49
A. NOT OPERATED	2673	8.6	37	3	3	7	11	15	19	32
B. OPERATED	918	14.8	136	3	4	12	19	29	39	85
TOTAL 65-69 YRS	850	9.3	54	2	3	7	11	17	23	43
70-74	878	10.0	67	3	3	8	12	19	26	46
75-79	752	10.3	76	3	3	8	12	20	27	47
80-84	571	10.9	78	3	4	8	13	20	27	49
85+	540	10.8	78	3	4	9	13	18	25	65
GRAND TOTAL	**3591**	**10.2**	**69**	**3**	**3**	**8**	**12**	**19**	**25**	**47**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	2.6	3	1	1	2	3	5	6	9
70-74	122	3.0	5	<1	1	2	4	5	7	13
75-79	69	3.3	7	1	1	2	4	7	8	13
80-84	32	4.0	6	1	2	3	5	8	10	10
85+	24	4.5	20	<1	1	3	5	13	15	18
B. *Operated*										
65-69 YRS	211	8.1	24	1	2	8	11	14	17	24
70-74	134	8.9	53	1	2	8	11	14	17	51
75-79	72	9.3	32	2	2	9	12	17	19	25
80-84	27	8.4	32	2	2	8	11	16	20	26
85+	20	6.0	13	1	2	6	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	472	4.3	12	1	1	3	5	8	11	18
70-74	401	5.0	16	1	2	4	6	9	12	22
75-79	245	5.1	13	2	2	4	7	10	11	19
80-84	163	6.0	17	2	2	5	7	12	14	21
85+	122	7.5	30	2	2	6	10	15	19	26
B. *Operated*										
65-69 YRS	672	10.4	71	2	3	9	13	18	22	42
70-74	567	10.8	61	2	3	9	14	19	25	41
75-79	368	12.1	86	2	3	10	15	*23	28	54
80-84	170	11.7	69	2	3	9	16	22	26	35
85+	89	11.2	86	2	2	9	14	25	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	3.0	5	1	1	2	4	6	7	13
B. *Operated*	464	8.5	34	2	2	8	11	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	1403	5.1	16	1	2	4	6	10	13	20
B. *Operated*	1866	11.0	72	2	3	9	14	20	25	42
1. SINGLE DX	899	5.8	28	1	1	4	8	12	14	23
2. MULTIPLE DX	3269	8.5	56	2	2	7	11	17	22	37
A. NOT OPERATED	1838	4.6	15	1	1	4	6	9	12	19
B. OPERATED	2330	10.5	65	2	3	9	13	19	24	42
TOTAL 65-69 YRS	1543	7.3	48	1	2	6	10	15	18	33
70-74	1224	7.9	49	1	2	6	10	15	20	35
75-79	754	8.7	62	1	2	7	12	18	23	41
80-84	392	8.5	49	2	2	7	11	17	22	32
85+	255	8.4	52	2	2	7	11	17	25	33
GRAND TOTAL	**4168**	**7.9**	**51**	**1**	**2**	**6**	**10**	**16**	**20**	**35**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	709	2.4	2	1	1	2	3	5	5	7
70-74	346	2.5	3	1	1	2	3	5	6	8
75-79	156	2.8	3	1	1	2	4	5	6	9
80-84	63	2.6	1	1	1	3	3	4	5	5
85+	31	3.1	4	1	1	3	4	6	7	9
B. Operated										
65-69 YRS	717	6.9	20	2	2	6	9	12	15	22
70-74	412	6.8	18	2	2	6	9	12	15	20
75-79	224	7.1	22	2	2	6	10	13	16	23
80-84	76	6.9	17	2	2	6	11	13	14	15
85+	34	9.4	40	3	3	8	12	17	24	26
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	846	3.4	7	1	1	3	4	7	8	13
70-74	495	3.6	7	1	1	3	4	7	8	13
75-79	311	4.0	11	1	1	3	5	7	9	15
80-84	186	4.0	7	1	1	3	5	8	9	14
85+	77	5.4	14	1	2	4	7	10	12	20
B. Operated										
65-69 YRS	1183	9.1	48	2	3	8	12	16	20	32
70-74	855	10.0	52	2	3	9	13	18	23	34
75-79	533	10.6	53	3	4	9	14	19	24	36
80-84	215	13.0	144	2	4	10	14	22	39	70
85+	86	12.4	65	2	3	10	16	22	25	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1305	2.5	3	1	1	2	3	5	6	8
B. Operated	1463	7.0	20	2	2	6	9	13	15	21
2. MULTIPLE DX										
A. Not Operated	1915	3.7	8	1	1	3	5	7	9	14
B. Operated	2872	10.0	59	2	3	8	13	18	23	37
1. SINGLE DX	2768	4.8	17	1	1	3	7	10	13	18
2. MULTIPLE DX	4787	7.5	48	1	2	6	10	15	19	32
A. NOT OPERATED	3220	3.2	6	1	1	3	4	6	8	12
B. OPERATED	4335	9.0	48	2	3	8	11	16	20	33
TOTAL 65-69 YRS	3455	5.9	31	1	1	4	8	12	15	24
70-74	2108	6.6	36	1	2	5	9	14	17	27
75-79	1224	7.3	41	1	2	5	10	15	19	30
80-84	540	7.8	81	1	2	5	10	15	21	51
85+	228	8.3	48	1	2	6	11	18	21	31
GRAND TOTAL	**7555**	**6.5**	**38**	**1**	**1**	**5**	**9**	**14**	**17**	**28**

2[illegible] Miscellaneous diseases of kidney and ureter
(588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	41	3.4	5	<1	1	3	5	7	7	11
70-74	35	4.3	10	1	2	3	5	9	12	15
75-79	23	5.3	15	1	1	4	8	13	13	13
80-84	19	5.5	15	1	2	5	8	11	13	14
85+	13	6.3	13	1	2	6	8	12	14	14
B. Operated										
65-69 YRS	169	6.0	36	1	1	4	8	13	17	28
70-74	118	6.3	39	1	1	4	9	15	19	29
75-79	70	5.3	21	1	1	4	8	13	16	18
80-84	40	4.2	15	<1	1	3	5	9	11	20
85+	20	6.2	27	1	1	4	11	14	16	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	348	6.5	24	1	2	5	8	13	15	25
70-74	409	8.4	43	2	2	7	11	17	21	36
75-79	396	8.4	61	2	2	7	10	15	22	39
80-84	319	9.3	56	2	2	7	12	19	23	35
85+	273	10.1	86	2	3	8	12	21	31	91
B. Operated										
65-69 YRS	863	11.0	100	2	2	8	14	23	32	51
70-74	819	11.5	111	1	2	9	15	23	30	61
75-79	547	12.0	120	2	2	9	16	24	33	58
80-84	346	13.6	135	2	2	11	18	29	36	59
85+	214	14.5	154	2	3	12	19	27	40	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	4.6	11	1	1	3	6	9	13	14
B. Operated	417	5.8	32	1	1	4	8	13	17	28
2. MULTIPLE DX										
A. Not Operated	1745	8.5	53	2	2	7	10	16	22	40
B. Operated	2789	11.9	116	2	2	9	16	24	33	57
1. SINGLE DX	548	5.5	27	1	1	4	8	13	15	24
2. MULTIPLE DX	4534	10.6	95	2	2	8	14	22	29	52
A. NOT OPERATED	1876	8.2	51	2	2	6	10	16	22	39
B. OPERATED	3206	11.1	110	1	2	9	15	23	31	54
TOTAL 65-69 YRS	1421	9.1	76	1	2	7	12	19	25	45
70-74	1381	10.0	86	1	2	8	13	21	27	43
75-79	1036	10.0	93	1	2	7	13	21	28	47
80-84	724	11.0	98	2	2	8	14	23	30	52
85+	520	11.6	116	2	3	8	14	25	34	65
GRAND TOTAL	**5082**	**10.1**	**90**	**1**	**2**	**8**	**13**	**21**	**28**	**50**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	2.5	2	1	1	2	3	5	5	7
70-74	24	2.3	3	1	1	2	3	4	6	9
75-79	12	2.3	2	1	1	2	3	4	5	5
80-84	4	4.3	3	2	2	4	5	6	6	6
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	91	4.6	10	1	2	4	7	10	11	13
70-74	71	6.3	28	1	1	5	9	13	19	23
75-79	39	5.3	14	2	2	4	7	10	13	17
80-84	38	6.9	42	1	2	5	9	12	22	32
85+	19	6.9	17	2	2	6	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	4.0	10	1	1	3	5	8	12	15
70-74	58	4.8	22	1	1	3	6	12	16	21
75-79	47	6.4	94	2	2	4	7	10	12	68
80-84	24	8.7	87	2	2	5	11	19	27	44
85+	22	6.6	21	1	1	6	7	14	17	17
B. *Operated*										
65-69 YRS	339	7.9	60	2	2	6	10	16	22	32
70-74	385	8.7	62	2	2	7	11	17	22	47
75-79	313	10.1	89	2	3	8	12	19	26	47
80-84	221	10.3	97	2	3	7	14	20	29	47
85+	158	12.6	139	2	3	10	16	23	31	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.5	3	1	1	2	3	5	5	8
B. *Operated*	258	5.7	21	1	2	4	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	230	5.4	41	1	1	4	6	12	16	26
B. *Operated*	1416	9.5	83	2	2	7	12	18	25	49
1. SINGLE DX	335	5.0	19	1	1	3	7	10	13	22
2. MULTIPLE DX	1646	8.9	79	2	2	6	11	17	24	47
A. NOT OPERATED	307	4.7	33	1	1	3	5	9	14	20
B. OPERATED	1674	8.9	75	2	2	7	11	17	23	45
TOTAL 65-69 YRS	544	6.5	44	1	2	5	9	13	17	29
70-74	538	7.7	53	1	2	5	10	16	20	38
75-79	411	9.0	84	2	2	6	11	17	24	47
80-84	287	9.7	89	2	2	7	12	19	29	43
85+	201	11.2	119	2	3	8	14	22	29	80
GRAND TOTAL	**1981**	**8.3**	**71**	**1**	**2**	**6**	**10**	**17**	**22**	**43**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	3.3	5	1	1	3	5	6	7	11
70-74	32	5.6	11	2	2	5	7	11	13	15
75-79	30	5.3	36	2	2	4	6	8	10	35
80-84	23	4.2	7	1	2	4	5	8	10	11
85+	37	4.9	15	1	2	4	5	10	13	21
B. *Operated*										
65-69 YRS	261	3.0	4	1	1	2	3	6	8	11
70-74	267	3.2	6	1	1	3	4	6	8	15
75-79	214	3.6	9	1	1	3	4	7	10	14
80-84	123	4.3	10	1	2	3	6	9	11	14
85+	59	4.8	13	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	366	6.3	21	2	2	5	8	11	15	25
70-74	423	6.9	28	2	2	6	8	12	14	25
75-79	405	7.5	33	2	3	6	10	14	16	41
80-84	449	8.3	40	3	3	7	10	14	20	33
85+	509	9.2	64	3	3	7	11	16	23	54
B. *Operated*										
65-69 YRS	1134	6.3	55	1	2	4	8	13	16	39
70-74	1221	6.8	53	1	2	5	8	15	19	32
75-79	1097	7.3	54	2	2	5	9	15	21	35
80-84	787	8.5	67	2	2	6	11	16	21	47
85+	663	9.4	68	2	3	7	12	19	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	4.5	14	1	1	4	6	8	11	20
B. *Operated*	924	3.5	7	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	2152	7.8	40	2	3	6	9	14	18	36
B. *Operated*	4902	7.4	59	1	2	5	9	15	20	40
1. SINGLE DX	1097	3.7	9	1	1	3	5	7	9	14
2. MULTIPLE DX	7054	7.5	53	2	2	6	9	15	20	40
A. NOT OPERATED	2325	7.5	39	2	3	6	9	14	18	35
B. OPERATED	5826	6.8	53	1	2	5	8	14	19	36
TOTAL 65-69 YRS	1812	5.7	41	1	2	4	7	11	15	32
70-74	1943	6.3	42	1	2	4	8	13	17	30
75-79	1746	6.9	45	2	2	5	9	14	19	35
80-84	1382	8.0	54	2	2	6	10	15	20	43
85+	1268	9.0	64	2	3	7	11	18	23	42
GRAND TOTAL	**8151**	**7.0**	**49**	**1**	**2**	**5**	**9**	**14**	**18**	**36**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.6	6	1	1	3	5	7	8	8
70-74	10	2.9	5	<1	<1	2	4	6	7	7
75-79	6	2.7	3	1	1	2	3	6	6	6
80-84	5	5.2	12	2	2	5	7	11	11	11
85+	8	2.8	3	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	307	3.7	11	1	2	3	4	7	8	15
70-74	310	3.9	9	1	1	3	5	8	11	14
75-79	245	4.3	15	1	1	3	5	7	9	23
80-84	119	3.8	6	1	2	3	5	7	9	11
85+	93	4.4	13	1	1	3	5	9	13	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	4.8	14	1	2	4	6	9	13	16
70-74	67	6.0	22	1	2	4	8	11	15	25
75-79	79	5.6	18	1	2	5	7	10	13	24
80-84	80	6.3	36	1	1	4	8	12	16	33
85+	48	9.1	87	1	2	5	14	20	26	49
B. *Operated*										
65-69 YRS	1021	5.7	33	1	2	4	7	12	15	25
70-74	1102	5.9	35	1	2	4	7	11	15	30
75-79	1003	6.6	39	1	2	5	8	14	17	32
80-84	673	7.5	58	2	2	6	9	15	22	43
85+	466	7.8	56	2	2	6	9	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.3	6	<1	1	3	5	6	8	11
B. *Operated*	1074	4.0	11	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	317	6.3	35	1	2	4	8	13	17	31
B. *Operated*	4265	6.5	42	1	2	5	8	13	17	32
1. SINGLE DX	1111	3.9	11	1	1	3	5	7	9	17
2. MULTIPLE DX	4582	6.5	42	1	2	5	8	13	17	32
A. NOT OPERATED	354	6.0	32	1	1	4	7	11	16	30
B. OPERATED	5339	6.0	37	1	2	4	7	12	16	31
TOTAL 65-69 YRS	1379	5.2	28	1	2	4	6	10	14	24
70-74	1489	5.5	29	1	2	4	7	11	14	28
75-79	1333	6.1	34	1	2	4	8	12	16	31
80-84	877	6.9	50	1	2	5	9	14	20	38
85+	615	7.3	53	2	2	5	9	15	20	41
GRAND TOTAL	**5693**	**6.0**	**37**	**1**	**2**	**4**	**7**	**12**	**16**	**31**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	241	4.5	10	1	1	4	6	8	10	16
70-74	271	4.8	12	1	1	4	6	9	12	17
75-79	252	5.7	20	1	2	5	7	10	14	21
80-84	237	5.6	13	1	2	5	8	11	13	16
85+	257	6.8	27	1	2	5	9	14	17	30
B. *Operated*										
65-69 YRS	613	4.0	12	1	1	3	5	7	9	19
70-74	604	3.9	9	1	1	3	5	7	10	15
75-79	450	4.4	23	1	1	3	5	9	11	16
80-84	238	4.9	17	1	1	4	5	10	12	23
85+	161	5.9	30	1	2	5	7	10	12	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3125	7.6	40	2	3	6	9	14	18	32
70-74	4247	8.2	46	2	3	7	10	15	20	35
75-79	5071	8.9	53	2	3	7	11	16	20	38
80-84	4852	9.4	61	2	3	8	12	17	22	42
85+	5946	9.8	60	3	3	8	12	17	23	42
B. *Operated*										
65-69 YRS	2878	8.1	68	1	2	6	10	17	23	44
70-74	3159	8.6	80	2	2	6	11	17	24	48
75-79	2921	9.6	92	2	2	7	12	19	26	55
80-84	2108	10.9	96	2	3	8	14	22	30	56
85+	1717	11.5	111	2	3	8	15	23	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1258	5.5	17	1	2	4	7	11	13	20
B. *Operated*	2066	4.3	16	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	23241	8.9	54	2	3	7	11	16	21	39
B. *Operated*	12783	9.5	88	2	2	7	12	19	26	54
1. SINGLE DX	3324	4.8	17	1	1	4	6	9	12	19
2. MULTIPLE DX	36024	9.1	66	2	3	7	11	17	23	44
A. NOT OPERATED	24499	8.8	52	2	3	7	11	16	21	38
B. OPERATED	14849	8.8	82	2	2	6	11	18	25	51
TOTAL 65-69 YRS	6857	7.4	50	1	2	5	9	14	20	36
70-74	8281	8.0	57	2	2	6	10	15	21	39
75-79	8694	8.8	65	2	3	7	11	17	22	45
80-84	7435	9.6	70	2	3	7	12	18	24	48
85+	8081	10.0	70	2	3	8	12	18	24	49
GRAND TOTAL	**39348**	**8.8**	**63**	**2**	**2**	**7**	**11**	**17**	**22**	**43**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	2.8	8	<1	1	2	3	5	7	18
70-74	38	3.4	10	<1	1	2	4	8	10	16
75-79	28	4.7	18	1	1	3	6	14	14	15
80-84	23	4.3	8	<1	1	4	6	9	10	10
85+	11	2.6	3	<1	<1	3	4	5	6	6
B. *Operated*										
65-69 YRS	4601	5.8	9	2	2	5	7	9	11	16
70-74	3901	6.1	10	2	2	6	8	10	12	17
75-79	2558	6.5	13	2	3	6	8	10	13	20
80-84	1204	7.3	20	2	3	6	9	12	15	22
85+	537	8.3	25	2	4	7	10	14	17	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	418	4.5	14	<1	1	3	6	9	11	17
70-74	466	5.9	43	1	1	4	7	12	16	28
75-79	432	5.8	34	1	1	4	7	11	18	36
80-84	335	6.5	39	1	2	5	8	13	17	38
85+	315	8.4	87	1	2	6	10	15	24	57
B. *Operated*										
65-69 YRS	10743	7.8	28	2	3	7	9	13	17	27
70-74	11191	8.5	37	2	4	7	10	15	19	31
75-79	8417	9.4	48	3	4	8	11	16	21	36
80-84	4804	10.5	56	3	4	9	13	19	24	41
85+	2789	12.0	74	4	5	10	15	22	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.6	11	<1	1	2	4	8	10	16
B. *Operated*	12801	6.3	12	2	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1966	6.1	43	1	1	4	7	12	17	36
B. *Operated*	37944	9.0	43	3	4	7	11	16	21	35
1. SINGLE DX	12943	6.3	12	2	2	6	8	10	12	18
2. MULTIPLE DX	39910	8.9	44	2	3	7	11	16	20	35
A. NOT OPERATED	2108	5.9	41	1	1	4	7	12	16	36
B. OPERATED	50745	8.3	37	2	3	7	10	15	19	32
TOTAL 65-69 YRS	15804	7.1	23	2	3	6	9	12	15	24
70-74	15596	7.8	31	2	3	7	9	14	17	28
75-79	11435	8.6	41	2	3	7	10	15	20	34
80-84	6366	9.7	51	3	4	8	12	17	22	37
85+	3652	11.1	70	3	4	9	14	20	27	48
GRAND TOTAL	**52853**	**8.2**	**37**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	61	4.7	6	1	2	4	7	8	9	10
70-74	42	4.2	4	1	2	4	5	7	8	9
75-79	21	4.0	3	1	2	4	5	7	7	8
80-84	5	6.4	12	2	2	7	9	11	11	11
85+	6	4.3	8	2	2	3	4	9	10	10
B. *Operated*										
65-69 YRS	93	3.4	6	1	1	3	4	6	8	13
70-74	66	3.3	8	1	1	2	4	6	11	13
75-79	48	4.1	12	1	2	3	6	8	10	19
80-84	28	4.7	7	1	1	4	7	8	9	11
85+	12	7.8	40	<1	2	5	10	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	260	5.7	11	2	3	5	7	10	12	17
70-74	216	5.7	9	2	2	5	7	9	11	15
75-79	153	6.4	38	2	3	5	7	11	13	41
80-84	87	6.3	17	1	2	5	8	11	14	73
85+	61	7.3	31	3	3	6	9	14	15	37
B. *Operated*										
65-69 YRS	491	6.4	41	1	2	5	8	12	16	32
70-74	392	6.5	27	2	2	5	8	13	17	24
75-79	273	7.3	45	2	2	6	9	14	18	31
80-84	167	7.8	35	2	2	6	10	16	21	28
85+	89	9.4	53	2	3	8	11	18	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.5	5	1	2	4	6	8	8	10
B. *Operated*	247	3.9	10	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	777	6.0	18	2	3	5	7	10	13	19
B. *Operated*	1412	7.0	39	2	2	5	9	14	18	28
1. SINGLE DX	382	4.1	8	1	1	3	5	8	9	15
2. MULTIPLE DX	2189	6.6	31	2	2	5	8	13	16	27
A. NOT OPERATED	912	5.8	17	2	2	5	7	10	12	18
B. OPERATED	1659	6.5	35	1	2	5	8	13	17	28
TOTAL 65-69 YRS	905	5.8	27	1	2	5	7	10	14	22
70-74	716	5.9	19	1	2	5	8	11	14	22
75-79	495	6.6	39	2	2	5	8	13	16	30
80-84	287	7.0	27	1	2	6	9	14	17	28
85+	168	8.3	44	3	3	6	11	15	20	38
GRAND TOTAL	**2571**	**6.3**	**29**	**1**	**2**	**5**	**8**	**12**	**15**	**26**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	6	1	1	2	4	6	6	6
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	257	3.2	3	1	2	3	4	5	6	10
70-74	200	3.2	2	1	2	3	4	5	6	8
75-79	87	3.2	3	1	2	3	4	5	6	11
80-84	34	4.0	6	2	2	3	5	6	8	15
85+	14	3.8	5	1	2	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	5.1	6	2	2	5	7	9	9	9
70-74	6	4.3	11	<1	<1	4	5	10	10	10
75-79	9	3.0	2	1	1	3	4	5	5	5
80-84	5	4.2	9	1	1	3	6	9	9	9
85+	7	5.0	4	2	2	4	7	8	8	8
B. *Operated*										
65-69 YRS	377	4.8	15	2	2	4	5	8	13	22
70-74	293	4.9	13	1	2	4	5	9	12	20
75-79	191	5.3	21	2	2	4	6	10	13	29
80-84	82	5.4	14	2	2	4	6	10	14	20
85+	39	8.1	29	2	3	6	11	17	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	5	1	1	3	5	6	6	6
B. *Operated*	592	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	35	4.3	6	1	1	4	5	8	9	10
B. *Operated*	982	5.1	17	2	2	4	6	10	13	21
1. SINGLE DX	597	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX	1017	5.1	16	2	2	4	6	10	13	21
A. NOT OPERATED	40	4.2	6	1	1	4	5	8	9	10
B. OPERATED	1574	4.4	12	1	2	3	5	8	11	19
TOTAL 65-69 YRS	646	4.2	11	1	2	3	5	7	10	19
70-74	499	4.2	9	1	2	3	5	8	10	18
75-79	288	4.6	16	1	2	4	5	9	11	23
80-84	121	4.9	12	2	2	4	6	9	12	18
85+	60	6.7	24	2	2	5	9	15	18	21
GRAND TOTAL	1614	4.4	12	1	2	3	5	8	11	19

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	85	5.6	6	2	3	5	7	10	10	14
70-74	64	5.2	6	2	2	5	7	9	10	12
75-79	39	5.6	6	3	3	5	6	8	10	15
80-84	15	5.4	8	1	2	5	8	9	10	11
85+	15	5.5	14	1	1	4	9	11	12	12
B. *Operated*										
65-69 YRS	63	5.2	14	2	2	4	7	10	12	20
70-74	40	5.0	14	1	2	4	6	10	14	17
75-79	24	5.2	18	1	2	4	6	9	15	21
80-84	9	7.2	19	2	2	7	11	13	13	13
85+	4	5.0	10	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	235	6.9	20	2	3	6	8	11	14	22
70-74	226	7.2	24	3	3	6	8	12	14	29
75-79	137	7.3	18	2	3	7	9	12	14	25
80-84	91	8.1	19	3	3	8	11	13	16	24
85+	60	8.9	32	3	4	7	11	15	17	38
B. *Operated*										
65-69 YRS	165	8.9	45	2	2	7	12	19	23	32
70-74	161	8.7	43	2	3	7	11	18	22	31
75-79	123	9.3	56	2	3	7	11	18	22	42
80-84	74	10.7	81	3	3	8	13	19	27	51
85+	42	11.1	50	3	4	9	15	21	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	5.5	7	2	2	5	7	9	10	13
B. *Operated*	140	5.3	15	2	2	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	749	7.3	22	3	3	6	9	12	15	28
B. *Operated*	565	9.3	52	2	3	7	12	18	23	37
1. SINGLE DX	358	5.4	10	2	2	5	7	9	11	17
2. MULTIPLE DX	1314	8.2	36	2	3	7	10	15	19	31
A. NOT OPERATED	967	6.9	19	2	3	6	8	11	14	26
B. OPERATED	705	8.5	47	2	3	7	11	17	22	35
TOTAL 65-69 YRS	548	7.1	26	2	3	6	9	12	16	28
70-74	491	7.2	28	2	3	6	9	13	17	29
75-79	323	7.7	33	2	3	6	9	13	18	32
80-84	189	8.9	45	3	3	8	11	15	19	39
85+	121	9.1	38	3	3	7	11	16	20	33
GRAND TOTAL	1672	7.6	32	2	3	6	9	14	18	29

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	1.9		<1	1	2	2	3	3	3
70-74	19	2.0	1	1	1	2	2	3	4	4
75-79	12	2.2	2	<1	<1	2	3	4	5	5
80-84	7	1.9		<1	<1	2	2	3	3	3
85+	7	2.1	1	1	1	2	3	4	4	4
B. Operated										
65-69 YRS	40	2.2	2	<1	1	2	2	4	5	7
70-74	48	2.1	1	<1	<1	2	2	3	4	8
75-79	28	2.4	2	1	1	2	3	4	5	7
80-84	15	2.1	1	<1	<1	2	3	3	4	4
85+	9	2.7	1	2	2	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	54	3.1	7	1	1	2	3	6	7	15
70-74	40	2.8	3	1	1	2	3	5	6	7
75-79	26	3.7	11	1	1	3	4	7	12	16
80-84	19	5.4	26	<1	1	4	7	10	17	23
85+	15	4.1	18	2	2	2	3	14	15	15
B. Operated										
65-69 YRS	171	3.9	15	1	1	2	4	8	12	20
70-74	145	3.9	23	1	1	3	4	7	9	38
75-79	96	4.5	24	1	1	3	5	9	12	29
80-84	68	5.8	37	1	2	3	8	11	18	32
85+	63	6.7	45	1	2	4	9	13	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	2.0	1	1	1	2	2	3	4	5
B. Operated	140	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	154	3.5	10	1	1	2	4	7	10	16
B. Operated	543	4.6	26	1	1	3	5	10	13	33
1. SINGLE DX	212	2.1	1	<1	1	2	2	3	4	7
2. MULTIPLE DX	697	4.3	23	1	1	3	5	9	13	28
A. NOT OPERATED	226	3.0	8	1	1	2	3	6	7	15
B. OPERATED	683	4.1	22	1	1	2	4	9	12	28
TOTAL 65-69 YRS	292	3.3	11	1	1	2	3	7	10	19
70-74	252	3.2	15	1	1	2	3	6	7	15
75-79	162	3.8	17	1	1	3	4	8	11	17
80-84	109	5.0	30	1	1	3	6	10	16	31
85+	94	5.5	36	1	2	3	7	12	15	34
GRAND TOTAL	**909**	**3.8**	**19**	**1**	**1**	**2**	**4**	**8**	**11**	**22**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	2.0	2	<1	1	2	2	3	5	7
70-74	13	2.9	7	<1	1	2	3	8	10	10
75-79	11	3.2	7	<1	<1	3	4	7	10	10
80-84	4	2.5	2	1	1	2	3	4	4	4
85+	5	3.8	8	1	1	3	6	8	8	8
B. Operated										
65-69 YRS	256	3.7	5	1	1	3	5	7	9	12
70-74	136	4.0	18	1	1	3	5	7	8	22
75-79	73	3.3	3	1	1	3	4	6	7	10
80-84	28	3.7	6	1	2	3	4	7	9	12
85+	12	5.9	28	1	2	4	7	14	19	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	65	6.6	45	1	1	4	8	13	18	40
70-74	49	6.0	25	1	1	5	8	12	14	28
75-79	49	8.2	75	1	2	6	10	18	35	99+
80-84	39	7.6	16	2	3	7	10	13	14	20
85+	30	11.1	122	1	1	9	17	24	37	48
B. Operated										
65-69 YRS	531	5.4	32	1	2	4	6	10	15	28
70-74	309	6.5	57	2	2	4	8	12	19	46
75-79	214	7.2	62	2	2	5	8	14	23	42
80-84	111	8.0	83	1	2	5	10	17	24	57
85+	50	10.0	57	1	2	9	15	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.7	5	<1	1	2	3	5	8	10
B. Operated	505	3.8	9	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. Not Operated	232	7.6	54	1	2	6	10	15	20	46
B. Operated	1215	6.4	51	1	2	4	7	13	19	40
1. SINGLE DX	560	3.7	9	1	1	3	5	7	8	12
2. MULTIPLE DX	1447	6.6	51	1	2	4	8	13	19	40
A. NOT OPERATED	287	6.6	48	1	1	5	9	14	19	45
B. OPERATED	1720	5.7	40	1	2	4	6	11	16	37
TOTAL 65-69 YRS	874	4.9	26	1	2	4	6	9	13	24
70-74	507	5.7	44	1	2	4	7	10	15	41
75-79	347	6.4	53	1	2	4	7	13	22	45
80-84	182	7.1	58	1	2	5	9	13	19	48
85+	97	9.5	74	1	2	7	15	19	24	44
GRAND TOTAL	**2007**	**5.8**	**41**	**1**	**2**	**4**	**7**	**12**	**16**	**38**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		<1	<1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	682	2.3	1	1	1	2	3	3	4	7
70-74	451	2.4	2	1	1	2	3	3	5	9
75-79	223	2.7	4	1	1	2	3	4	6	13
80-84	97	2.8	3	<1	1	2	3	5	7	10
85+	37	3.2	4	1	2	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	4.8	12	1	1	4	6	9	13	14
70-74	12	4.3	10	1	1	3	6	9	10	10
75-79	8	3.4	9	<1	<1	2	5	8	9	9
80-84	3	17.7	433	1	1	11	33	41	41	41
85+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	793	3.7	8	1	2	3	4	7	10	16
70-74	570	3.8	13	1	2	3	4	7	11	17
75-79	359	3.7	9	1	2	3	4	7	9	19
80-84	141	4.1	9	2	2	3	5	8	11	16
85+	70	4.7	8	1	2	4	6	9	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	1490	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	38	5.3	46	1	1	3	7	10	13	41
B. *Operated*	1933	3.8	10	1	2	3	4	7	10	16
1. SINGLE DX	1498	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX	1971	3.8	11	1	2	3	4	7	10	16
A. NOT OPERATED	46	4.6	40	<1	1	3	6	9	12	41
B. OPERATED	3423	3.2	7	1	1	2	3	6	8	14
TOTAL 65-69 YRS	1490	3.0	6	1	1	2	3	5	7	13
70-74	1034	3.2	8	1	1	2	3	6	8	15
75-79	592	3.3	7	1	1	2	4	6	8	15
80-84	242	3.8	13	1	1	3	4	7	10	16
85+	111	4.2	7	1	2	3	5	9	10	12
GRAND TOTAL	**3469**	**3.2**	**7**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.8	10	2	2	5	8	10	10	10
70-74	10	4.5	24	<1	<1	2	6	13	15	15
75-79	3	1.3		1	1	1	2	2	2	2
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	5	4.4	11	1	1	5	7	8	8	8
B. *Operated*										
65-69 YRS	283	2.7	2	<1	1	2	3	5	5	8
70-74	170	2.6	3	1	1	2	3	5	5	10
75-79	137	2.6	2	<1	1	2	3	5	6	8
80-84	51	3.2	6	1	2	3	4	5	6	16
85+	24	4.5	35	1	1	3	5	8	16	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	3.7	7	<1	1	3	5	7	9	10
70-74	49	5.2	25	1	1	3	7	13	17	21
75-79	35	5.9	29	<1	2	5	8	9	15	30
80-84	23	7.1	187	<1	<1	3	6	15	37	66
85+	23	5.0	14	1	2	4	7	10	13	15
B. *Operated*										
65-69 YRS	363	4.3	17	1	2	3	5	8	11	21
70-74	276	4.7	37	1	2	3	5	10	12	25
75-79	172	4.9	27	1	2	3	6	10	13	31
80-84	70	5.1	31	1	2	3	6	11	14	32
85+	36	7.9	69	2	2	4	10	22	27	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.1	14	<1	1	3	6	10	12	15
B. *Operated*	665	2.8	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	179	5.2	40	<1	1	4	6	10	15	27
B. *Operated*	917	4.7	29	1	2	3	5	10	13	30
1. SINGLE DX	691	2.8	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	1096	4.8	30	1	2	3	5	10	13	30
A. NOT OPERATED	205	5.0	37	<1	1	4	6	10	14	25
B. OPERATED	1582	3.9	19	1	1	3	4	7	11	22
TOTAL 65-69 YRS	700	3.6	11	1	1	3	4	6	9	16
70-74	505	4.1	25	1	1	3	4	9	12	18
75-79	347	4.0	18	<1	1	3	5	8	11	30
80-84	147	4.7	47	1	1	3	4	10	14	35
85+	88	6.0	43	1	2	4	8	12	22	34
GRAND TOTAL	**1787**	**4.0**	**21**	**1**	**1**	**3**	**4**	**8**	**11**	**22**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	2	3.5	1	3	3	3	4	4	4	4
85+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
65-69 YRS	40	8.5	10	5	6	8	10	12	14	21
70-74	24	8.3	25	4	5	7	9	11	18	29
75-79	23	8.0	16	2	3	7	10	13	18	19
80-84	11	9.0	26	2	4	8	10	17	22	22
85+	9	10.4	36	2	3	9	13	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	6.3	21	1	2	5	9	14	15	15
70-74	8	3.9	4	2	2	3	5	7	7	7
75-79	13	7.4	55	1	2	5	9	16	27	29
80-84	12	7.8	25	4	4	6	10	15	19	20
85+	9	10.7	141	1	1	5	16	29	37	37
B. *Operated*										
65-69 YRS	150	9.4	22	5	5	8	11	16	18	25
70-74	113	10.9	43	6	6	9	12	19	23	39
75-79	86	10.9	30	5	6	9	13	18	21	32
80-84	38	12.4	45	6	6	11	15	20	25	39
85+	26	15.4	77	4	6	12	22	27	32	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	107	9.6	18	3	5	8	10	12	19	25
2. MULTIPLE DX										
A. *Not Operated*	54	7.3	48	1	2	5	9	15	19	37
B. *Operated*	413	10.8	37	5	6	9	12	19	23	33
1. SINGLE DX	116	8.1	19	2	3	7	9	12	18	24
2. MULTIPLE DX	467	10.4	39	3	5	9	12	18	22	34
A. NOT OPERATED	63	6.6	44	1	1	4	7	15	18	36
B. OPERATED	520	10.3	34	5	6	8	12	18	22	32
TOTAL 65-69 YRS	202	9.0	20	4	5	8	10	15	18	24
70-74	147	9.9	41	3	5	8	11	18	23	35
75-79	125	9.8	32	2	4	9	11	17	21	31
80-84	63	10.7	41	4	5	8	13	19	21	37
85+	46	12.9	85	1	2	11	19	25	32	37
GRAND TOTAL	**583**	**9.9**	**36**	**3**	**5**	**8**	**11**	**18**	**22**	**33**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.6	8	3	3	5	7	10	11	11
70-74	1	4.0		4	4	4	4	4	4	4
75-79	4	5.5	9	3	3	5	8	9	9	9
80-84										
85+	6	5.5	8	4	4	5	5	10	11	11
B. *Operated*										
65-69 YRS	27	7.6	34	1	2	6	9	16	22	24
70-74	7	9.7	62	2	2	9	13	22	24	24
75-79	5	10.2	15	7	7	9	13	16	16	16
80-84	3	20.0	867	3	3	3	41	54	54	54
85+	5	2.6	1	<1	<1	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	8.6	51	2	3	6	11	16	22	36
70-74	23	7.0	27	2	2	5	10	13	17	22
75-79	22	10.7	54	3	4	9	12	17	26	38
80-84	8	11.0	67	5	5	8	12	25	30	30
85+	10	14.9	356	2	3	6	16	49	58	58
B. *Operated*										
65-69 YRS	87	12.9	129	2	4	9	17	24	27	70
70-74	53	14.5	220	4	5	10	17	27	30	97
75-79	40	15.0	116	3	4	13	20	34	47	99+
80-84	21	14.3	76	6	7	11	19	34	61	99+
85+	19	17.2	429	3	4	11	18	46	74	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.4	7	3	3	5	7	10	11	11
B. *Operated*	47	8.4	80	1	2	6	10	17	24	54
2. MULTIPLE DX										
A. *Not Operated*	90	9.6	81	2	3	7	12	16	30	51
B. *Operated*	220	14.2	167	3	4	11	18	26	37	98
1. SINGLE DX	65	7.6	61	2	2	5	9	14	22	50
2. MULTIPLE DX	310	12.8	146	3	4	10	15	24	35	89
A. NOT OPERATED	108	8.9	71	2	3	7	11	16	23	48
B. OPERATED	267	13.1	156	2	4	10	17	24	34	95
TOTAL 65-69 YRS	148	10.8	98	2	3	8	14	22	25	53
70-74	84	11.9	161	2	3	9	14	23	28	83
75-79	71	12.8	89	3	4	11	16	22	38	90
80-84	32	14.0	126	3	5	10	17	34	51	99+
85+	40	13.1	313	2	3	6	13	31	60	84
GRAND TOTAL	**375**	**11.9**	**135**	**2**	**3**	**9**	**15**	**23**	**36**	**83**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	6.0	16	1	1	7	9	11	11	11
70-74	4	4.3	8	2	2	4	6	8	8	8
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	12.3	69	3	3	15	18	19	19	19
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	90	7.6	10	3	5	7	9	11	14	19
70-74	40	9.0	18	4	5	8	11	14	17	23
75-79	22	8.1	10	2	3	8	10	12	14	15
80-84	11	8.5	18	4	4	8	10	15	19	19
85+	10	11.0	120	1	2	7	16	28	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	4.8	11	1	1	5	8	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	3	12.3	69	3	3	15	18	19	19	19
B. *Operated*	173	8.3	19	3	5	7	9	13	16	22
1. SINGLE DX	11	4.8	11	1	1	5	8	9	11	11
2. MULTIPLE DX	176	8.3	19	3	5	7	10	14	16	22
A. NOT OPERATED	3	12.3	69	3	3	15	18	19	19	19
B. OPERATED	184	8.1	19	2	4	7	9	12	15	22
TOTAL 65-69 YRS	95	7.6	10	2	5	7	9	11	14	19
70-74	47	8.8	22	2	4	8	11	15	19	23
75-79	22	8.1	10	2	3	8	10	12	14	15
80-84	12	7.9	22	1	3	7	10	14	18	19
85+	11	10.5	111	1	3	6	14	25	38	39
GRAND TOTAL	**187**	**8.1**	**19**	**2**	**4**	**7**	**9**	**13**	**16**	**22**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	25	3.2	19	<1	1	2	3	4	15	20
70-74	16	2.2		1	1	2	3	3	3	3
75-79	12	2.8	6	1	1	2	3	6	9	10
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	12.0	50	7	7	12	17	17	17	17
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84										
85+	2	6.0	18	3	3	6	9	9	9	9
B. *Operated*										
65-69 YRS	98	4.7	20	1	1	3	7	10	14	22
70-74	65	4.7	12	1	1	3	7	9	10	18
75-79	47	5.1	21	1	2	3	7	12	15	23
80-84	20	6.2	17	2	2	6	8	10	14	18
85+	12	8.3	53	2	2	6	10	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	58	2.8	9	1	1	2	3	4	8	20
2. MULTIPLE DX										
A. *Not Operated*	7	7.1	23	3	3	6	8	15	17	17
B. *Operated*	242	5.1	20	1	1	3	7	10	14	23
1. SINGLE DX	59	2.8	9	1	1	2	3	4	8	19
2. MULTIPLE DX	249	5.2	20	1	1	3	7	10	14	23
A. NOT OPERATED	8	6.5	23	2	2	5	8	15	17	17
B. OPERATED	300	4.7	18	1	1	3	7	10	14	22
TOTAL 65-69 YRS	124	4.4	20	1	1	2	6	10	14	21
70-74	83	4.4	12	1	1	3	7	8	11	18
75-79	61	4.7	18	1	2	3	6	10	14	22
80-84	23	5.6	17	1	2	5	8	10	13	18
85+	17	7.1	42	2	2	5	9	20	23	23
GRAND TOTAL	**308**	**4.7**	**19**	**1**	**1**	**3**	**7**	**10**	**14**	**22**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	6	6.8	10	2	2	8	9	10	10	10
75-79	4	4.3	3	2	2	4	5	6	6	6
80-84	3	5.0	3	4	4	4	6	7	7	7
85+										
B. *Operated*										
65-69 YRS	31	3.5	13	<1	<1	2	4	8	13	16
70-74	26	4.3	27	<1	1	3	4	8	19	23
75-79	17	2.7	2	1	1	2	3	5	6	7
80-84	7	2.6	1	1	1	3	3	4	4	4
85+	7	2.9	6	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	7.3	33	2	2	5	8	15	21	25
70-74	41	7.8	56	2	2	6	9	16	21	43
75-79	44	6.9	27	3	3	6	8	12	17	30
80-84	34	8.1	31	2	3	7	10	16	19	24
85+	35	8.0	20	1	4	7	10	14	16	21
B. *Operated*										
65-69 YRS	79	6.3	50	1	2	4	8	13	17	46
70-74	53	5.8	36	1	1	4	7	15	19	28
75-79	49	6.7	40	<1	1	4	9	14	19	34
80-84	36	9.2	80	2	2	6	10	19	34	39
85+	31	9.0	90	1	2	7	13	19	20	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	5.5	7	2	2	5	7	9	10	10
B. *Operated*	88	3.5	13	<1	1	2	4	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	182	7.6	33	2	3	6	9	15	19	28
B. *Operated*	248	7.0	55	1	2	5	9	15	19	39
1. SINGLE DX	103	3.7	13	<1	1	3	4	8	10	20
2. MULTIPLE DX	430	7.3	46	1	2	5	9	15	19	36
A. NOT OPERATED	197	7.4	32	2	3	6	9	14	19	28
B. OPERATED	336	6.1	46	1	1	4	8	14	19	36
TOTAL 65-69 YRS	140	5.9	39	1	1	4	7	13	16	28
70-74	126	6.2	40	1	1	4	8	15	19	32
75-79	114	6.1	30	1	2	5	7	12	16	31
80-84	80	8.0	52	2	2	6	9	16	22	38
85+	73	7.9	50	1	2	7	10	15	19	43
GRAND TOTAL	**533**	**6.6**	**41**	**1**	**2**	**5**	**8**	**14**	**19**	**34**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	3.1	4	<1	<1	3	5	6	6	6
70-74	6	2.0	1	<1	<1	2	3	3	3	3
75-79	8	4.5	6	2	2	4	7	8	8	8
80-84	8	4.6	17	<1	<1	3	8	11	12	12
85+	3	3.0	12	1	1	1	6	7	7	7
B. *Operated*										
65-69 YRS	1058	7.2	6	4	4	7	8	10	12	15
70-74	808	7.4	8	4	5	7	9	10	12	18
75-79	514	7.5	8	4	5	7	9	10	13	18
80-84	166	8.0	13	4	5	7	9	12	14	20
85+	69	8.5	29	4	4	8	9	12	17	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	102	3.5	9	<1	1	3	4	8	9	15
70-74	91	4.7	29	1	1	3	5	9	12	32
75-79	69	5.0	12	<1	1	4	7	11	12	14
80-84	55	5.7	32	1	1	4	7	14	24	96
85+	54	7.1	22	2	2	6	9	14	19	96
B. *Operated*										
65-69 YRS	3210	8.3	13	4	5	8	9	12	15	20
70-74	2419	8.6	20	4	5	8	10	13	15	26
75-79	1647	9.2	26	5	5	8	10	14	18	30
80-84	697	10.0	35	4	5	8	12	16	20	34
85+	265	10.2	37	3	5	9	12	17	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.5	7	<1	<1	3	5	7	8	12
B. *Operated*	2615	7.4	8	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	371	4.9	21	1	1	4	6	10	14	28
B. *Operated*	8238	8.8	21	4	5	8	10	13	16	25
1. SINGLE DX	2655	7.3	8	4	4	7	8	10	12	17
2. MULTIPLE DX	8609	8.6	21	4	5	8	10	13	16	26
A. NOT OPERATED	411	4.8	20	<1	1	4	6	10	13	28
B. OPERATED	10853	8.5	18	4	5	8	10	13	15	23
TOTAL 65-69 YRS	4385	7.9	12	4	5	7	9	12	14	20
70-74	3324	8.2	18	4	5	8	9	12	15	24
75-79	2238	8.7	22	4	5	8	10	13	17	25
80-84	926	9.4	32	3	4	8	11	15	19	32
85+	391	9.4	35	3	4	8	11	16	20	41
GRAND TOTAL	**11264**	**8.3**	**18**	**4**	**5**	**8**	**9**	**13**	**15**	**24**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.6	3	<1	<1	2	4	5	6	6
70-74	6	2.5	2	1	1	2	3	5	5	5
75-79	8	4.3	9	1	1	4	6	9	10	10
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	5	2.4	3	1	1	2	3	5	5	5
B. *Operated*										
65-69 YRS	491	2.0	2	<1	<1	2	2	3	4	8
70-74	327	2.0	1	<1	1	2	2	3	4	7
75-79	184	2.1	1	<1	1	2	2	3	5	7
80-84	71	2.7	5	1	1	2	3	5	6	14
85+	51	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	54	3.6	8	1	1	3	4	9	10	12
70-74	48	3.5	9	1	1	3	5	7	8	17
75-79	40	6.1	27	1	1	4	8	12	18	24
80-84	27	6.0	20	1	1	5	9	12	15	18
85+	54	5.6	19	1	2	5	8	10	12	23
B. *Operated*										
65-69 YRS	1003	3.5	14	1	1	2	4	8	10	18
70-74	805	3.6	12	1	1	2	4	8	11	17
75-79	481	3.9	15	1	1	2	4	9	11	18
80-84	273	4.8	28	1	1	3	6	12	16	29
85+	144	5.4	39	1	2	3	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.0	4	<1	1	2	4	6	6	10
B. *Operated*	1124	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	223	4.8	17	1	1	3	7	10	12	22
B. *Operated*	2706	3.8	17	1	1	2	4	9	12	19
1. SINGLE DX	1153	2.1	2	<1	1	2	2	3	5	8
2. MULTIPLE DX	2929	3.9	17	1	1	2	4	9	12	20
A. NOT OPERATED	252	4.6	16	1	1	3	6	9	12	21
B. OPERATED	3830	3.3	13	<1	1	2	3	7	10	17
TOTAL 65-69 YRS	1556	3.0	10	<1	1	2	3	7	9	16
70-74	1106	3.1	9	1	1	2	3	7	9	15
75-79	713	3.6	13	1	1	2	4	8	10	18
80-84	373	4.5	24	1	1	3	5	10	14	20
85+	254	4.8	28	1	1	3	6	10	12	23
GRAND TOTAL	**4082**	**3.4**	**13**	**<1**	**1**	**2**	**3**	**7**	**10**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.0	19	<1	<1	1	3	9	15	15
70-74	7	5.6	17	1	1	5	6	12	14	14
75-79	5	2.0	1	1	1	2	2	3	3	3
80-84	6	7.0	30	1	1	7	9	15	16	16
85+	11	4.1	13	1	1	3	6	10	11	11
B. *Operated*										
65-69 YRS	350	3.1	15	<1	1	2	3	6	8	17
70-74	226	2.8	5	1	1	2	3	6	7	11
75-79	127	3.4	10	<1	1	2	4	8	9	19
80-84	59	4.8	29	<1	1	2	6	14	17	27
85+	28	3.8	14	1	1	2	5	7	11	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	5.4	30	1	1	4	7	10	14	33
70-74	64	8.8	49	1	2	8	11	16	22	39
75-79	67	7.3	57	1	2	5	8	13	22	43
80-84	56	6.2	17	2	2	5	8	13	15	21
85+	64	6.8	33	1	1	6	8	14	16	34
B. *Operated*										
65-69 YRS	1154	6.2	52	1	1	4	8	12	19	40
70-74	850	6.0	49	1	1	4	8	13	16	35
75-79	507	7.6	85	1	2	4	9	18	25	54
80-84	279	9.3	151	1	2	6	11	21	31	68
85+	186	10.3	148	1	2	6	12	24	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.3	17	<1	1	3	6	11	15	16
B. *Operated*	790	3.2	13	<1	1	2	3	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	309	7.0	39	1	2	5	9	14	17	36
B. *Operated*	2976	6.9	73	1	1	4	8	15	22	46
1. SINGLE DX	829	3.3	13	<1	1	2	3	7	9	18
2. MULTIPLE DX	3285	6.9	70	1	1	4	8	15	22	45
A. NOT OPERATED	348	6.7	37	1	1	5	9	14	16	36
B. OPERATED	3766	6.1	63	1	1	3	8	13	20	43
TOTAL 65-69 YRS	1572	5.5	44	<1	1	3	7	11	17	38
70-74	1147	5.5	42	1	1	3	7	12	16	33
75-79	706	6.8	70	1	2	4	8	16	22	48
80-84	400	8.2	116	1	2	5	9	18	26	55
85+	289	8.6	109	1	2	6	10	18	32	58
GRAND TOTAL	**4114**	**6.2**	**61**	**1**	**1**	**3**	**8**	**13**	**19**	**43**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	3.9	18	<1	1	5	10	11	11	11
70-74	2	6.0	32	2	2	6	10	10	10	10
75-79	3	3.3	6	1	1	3	5	6	6	6
80-84	3	10.0	169	2	2	3	19	25	25	25
85+	4	4.5	6	3	3	4	6	8	8	8
B. Operated										
65-69 YRS	280	8.1	14	3	4	8	10	12	14	20
70-74	202	7.8	13	3	4	8	10	12	15	20
75-79	109	8.8	13	3	4	9	10	13	16	21
80-84	46	8.4	11	2	5	8	10	13	15	17
85+	23	10.2	20	5	5	10	12	18	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	39	6.3	79	<1	1	4	7	13	19	53
70-74	34	5.8	24	<1	1	5	8	11	19	21
75-79	32	9.9	300	1	2	4	11	24	29	96
80-84	26	10.4	124	2	2	7	13	21	38	51
85+	18	6.3	32	1	2	5	7	13	19	23
B. Operated										
65-69 YRS	530	9.5	41	2	4	8	11	16	20	34
70-74	405	9.4	28	2	4	9	11	15	19	30
75-79	299	10.5	67	2	4	9	12	17	23	36
80-84	119	9.6	30	2	3	9	12	16	21	30
85+	48	9.1	24	2	3	8	11	15	19	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	5.9	32	<1	1	3	9	11	18	25
B. Operated	660	8.2	14	3	4	8	10	13	15	20
2. MULTIPLE DX										
A. Not Operated	149	7.7	117	1	1	5	8	15	23	53
B. Operated	1401	9.7	41	2	4	9	11	16	20	32
1. SINGLE DX	680	8.2	14	2	4	8	10	12	15	20
2. MULTIPLE DX	1550	9.5	49	2	3	8	11	16	20	33
A. NOT OPERATED	169	7.5	107	1	1	5	8	15	23	53
B. OPERATED	2061	9.2	33	2	4	8	11	15	16	30
TOTAL 65-69 YRS	857	8.9	35	2	4	8	10	14	18	30
70-74	643	8.7	24	2	4	8	10	15	18	26
75-79	443	10.0	70	2	3	9	12	17	22	33
80-84	194	9.4	39	2	3	9	11	15	21	34
85+	93	8.6	26	2	3	8	11	14	20	25
GRAND TOTAL	**2230**	**9.1**	**39**	**2**	**3**	**8**	**11**	**15**	**19**	**30**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS	—	—								
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	313	6.4	26	2	3	5	8	10	13	27
70-74	250	6.6	25	2	3	5	8	11	14	23
75-79	239	7.9	44	2	3	6	9	15	21	30
80-84	189	8.4	43	2	3	7	10	15	19	38
85+	180	8.1	53	2	3	6	10	14	20	60
B. *Operated*										
65-69 YRS	139	9.0	86	1	2	7	12	17	22	53
70-74	112	8.0	47	2	3	6	10	13	23	37
75-79	67	9.7	55	2	3	7	14	19	20	43
80-84	62	9.8	73	2	3	8	12	19	27	49
85+	37	12.5	82	2	3	10	16	28	34	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2121	9.2	49	3	3	7	11	16	21	35
70-74	1991	9.6	48	3	4	8	12	17	22	37
75-79	1811	10.1	68	3	4	8	12	18	23	44
80-84	1576	10.6	59	3	4	9	13	19	24	42
85+	1686	11.1	82	3	4	8	13	21	29	53
B. *Operated*										
65-69 YRS	948	14.9	177	3	4	11	18	32	43	77
70-74	850	15.7	162	3	4	12	21	32	44	78
75-79	728	16.4	184	3	5	13	20	33	48	94
80-84	526	17.9	230	4	5	13	23	38	51	99+
85+	442	17.9	214	4	5	13	23	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1171	7.3	37	2	3	6	9	13	17	31
B. *Operated*	417	9.3	69	2	3	7	12	18	27	44
2. MULTIPLE DX										
A. *Not Operated*	9185	10.0	61	3	4	8	12	18	24	43
B. *Operated*	3494	16.2	189	3	5	12	21	34	47	91
1. SINGLE DX	1588	7.8	46	2	3	6	9	14	19	36
2. MULTIPLE DX	12679	11.8	103	3	4	9	14	23	31	61
A. NOT OPERATED	10356	9.7	59	3	4	8	12	18	23	42
B. OPERATED	3911	15.5	180	3	4	12	20	32	45	87
TOTAL 65-69 YRS	3521	10.5	91	3	3	8	12	20	28	55
70-74	3203	10.9	85	3	4	8	13	21	29	52
75-79	2845	11.5	104	3	4	9	14	22	29	65
80-84	2353	12.0	106	3	4	9	14	23	31	59
85+	2345	12.1	113	3	4	9	15	24	33	72
GRAND TOTAL	**14267**	**11.3**	**99**	**3**	**4**	**8**	**14**	**22**	**30**	**59**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	45	5.3	11	2	2	5	8	10	12	16
70-74	38	5.8	16	2	2	5	8	11	12	21
75-79	28	7.4	16	2	2	8	10	12	14	19
80-84	22	6.5	13	1	2	6	8	10	13	17
85+	29	7.2	32	2	2	5	9	16	19	25
B. *Operated*										
65-69 YRS	80	6.7	75	1	2	4	7	14	23	52
70-74	58	8.2	76	<1	<1	6	9	22	28	40
75-79	32	6.2	38	1	1	3	8	15	21	24
80-84	24	8.9	55	2	3	8	11	15	25	36
85+	19	9.9	42	1	2	8	16	18	21	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	288	9.2	60	3	3	7	11	17	23	44
70-74	326	9.5	76	2	3	7	11	18	22	51
75-79	223	10.0	63	3	4	8	12	18	26	45
80-84	206	10.1	70	3	4	8	13	17	20	44
85+	198	10.1	68	3	4	8	12	18	28	52
B. *Operated*										
65-69 YRS	293	12.0	151	2	2	8	15	28	43	89
70-74	263	12.6	172	2	3	9	16	24	39	87
75-79	185	15.0	176	2	3	11	20	35	41	55
80-84	141	14.7	222	3	4	10	17	30	42	83
85+	126	13.7	188	2	3	9	16	27	40	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	6.3	17	2	2	5	8	11	15	21
B. *Operated*	213	7.5	65	<1	1	5	10	16	24	38
2. MULTIPLE DX										
A. *Not Operated*	1241	9.7	68	3	3	8	12	18	24	48
B. *Operated*	1008	13.3	176	2	3	9	17	28	40	82
1. SINGLE DX	375	7.0	45	1	2	5	9	15	19	34
2. MULTIPLE DX	2249	11.3	119	2	3	8	14	22	33	66
A. NOT OPERATED	1403	9.3	63	2	3	7	11	17	23	46
B. OPERATED	1221	12.3	162	2	2	8	16	27	38	78
TOTAL 65-69 YRS	706	9.8	101	2	2	7	12	21	32	61
70-74	685	10.4	113	2	3	7	12	21	26	71
75-79	468	11.6	111	2	3	8	14	25	35	52
80-84	393	11.5	127	2	4	9	14	20	30	73
85+	372	11.1	108	2	3	8	13	21	33	64
GRAND TOTAL	**2624**	**10.7**	**111**	**2**	**3**	**8**	**13**	**21**	**31**	**61**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	12.0		12	12	12	12	12	12	12
85+										
B. *Operated*										
65-69 YRS	14	4.3	10	1	1	4	5	8	12	13
70-74	10	3.9	4	2	2	3	4	7	9	9
75-79	9	10.2	251	1	1	3	10	38	48	48
80-84	3	4.3	17	1	1	3	7	9	9	9
85+	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	7.3	52	<1	<1	5	12	19	20	20
70-74	1	13.0		13	13	13	13	13	13	13
75-79	2	7.5	61	2	2	7	13	13	13	13
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	28	7.5	70	1	1	5	9	16	19	43
70-74	14	6.8	20	2	3	5	8	14	16	17
75-79	9	16.6	480	2	3	11	13	50	74	74
80-84	6	7.8	63	2	2	5	9	22	23	23
85+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*	40	5.3	64	1	1	3	5	9	18	48
2. MULTIPLE DX										
A. *Not Operated*	11	7.4	43	<1	1	5	13	16	20	20
B. *Operated*	58	8.7	122	1	2	6	11	16	21	71
1. SINGLE DX	41	5.5	64	1	1	3	5	10	18	48
2. MULTIPLE DX	69	8.5	109	1	2	5	11	16	20	68
A. NOT OPERATED	12	7.8	41	<1	1	7	13	15	19	20
B. OPERATED	98	7.3	100	1	2	4	8	15	21	61
TOTAL 65-69 YRS	49	6.6	51	1	1	4	8	15	17	43
70-74	25	5.9	16	2	3	4	7	13	15	17
75-79	20	12.8	324	1	2	7	13	36	61	74
80-84	10	7.2	44	1	1	5	9	17	23	23
85+	6	2.3	1	2	2	2	2	4	4	4
GRAND TOTAL	**110**	**7.4**	**94**	**1**	**2**	**4**	**9**	**14**	**20**	**58**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	2	<1	<1	2	3	4	4	4
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79										
80-84	2	2.0		2	2	2	2	2	2	2
85+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
65-69 YRS	107	2.0	5	<1	<1	1	2	4	5	14
70-74	61	2.1	4	<1	<1	1	3	4	7	11
75-79	40	2.5	14	<1	<1	1	3	4	6	24
80-84	24	2.3	2	<1	<1	2	3	4	6	7
85+	12	1.8	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	6.3	6	4	4	5	8	10	10	10
70-74	4	5.0	3	3	3	5	6	7	7	7
75-79										
80-84	3	5.0	13	2	2	4	8	9	9	9
85+	2	8.0	18	5	5	8	11	11	11	11
B. *Operated*										
65-69 YRS	117	4.3	28	<1	1	2	5	8	16	27
70-74	85	5.1	37	1	2	3	5	11	16	34
75-79	58	4.8	23	<1	1	3	6	10	15	27
80-84	34	6.8	72	<1	1	4	8	14	16	48
85+	21	5.5	9	1	2	4	7	9	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	2	<1	<1	2	3	5	6	6
B. *Operated*	244	2.1	6	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	16	5.9	7	2	3	5	8	10	11	11
B. *Operated*	315	4.9	33	<1	1	3	6	11	15	32
1. SINGLE DX	254	2.1	6	<1	<1	1	2	4	6	11
2. MULTIPLE DX	331	5.0	32	<1	1	3	6	11	15	30
A. NOT OPERATED	26	4.6	8	<1	2	4	6	9	10	11
B. OPERATED	559	3.7	23	<1	<1	2	4	8	13	24
TOTAL 65-69 YRS	235	3.3	16	<1	<1	2	4	7	10	21
70-74	152	3.8	25	<1	<1	2	4	8	14	28
75-79	98	3.8	20	<1	<1	2	4	8	13	26
80-84	63	4.8	45	<1	1	3	6	10	14	44
85+	37	4.4	10	<1	<1	4	6	9	10	14
GRAND TOTAL	**585**	**3.8**	**23**	**<1**	**<1**	**2**	**4**	**8**	**12**	**24**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	179	8.8	101	<1	1	6	10	20	27	54
70-74	148	8.6	67	1	2	7	10	17	29	44
75-79	155	9.3	113	2	2	7	11	19	28	81
80-84	103	9.4	82	2	3	6	12	18	23	52
85+	128	9.8	105	2	3	8	12	17	21	62
B. *Operated*										
65-69 YRS	498	6.7	99	<1	1	3	7	18	26	52
70-74	401	8.7	165	<1	1	3	10	23	37	66
75-79	283	9.4	131	<1	1	4	13	26	34	51
80-84	188	10.5	140	<1	1	5	16	27	36	86
85+	172	11.8	171	<1	1	8	17	28	38	85
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1238	11.5	116	2	3	8	14	24	30	57
70-74	1362	11.7	110	2	3	8	15	24	32	57
75-79	1305	12.9	128	3	4	10	16	26	36	84
80-84	1238	13.7	158	3	4	10	17	28	40	75
85+	1392	13.6	134	3	4	11	17	26	36	81
B. *Operated*										
65-69 YRS	1575	14.9	278	1	2	9	21	37	56	98
70-74	1550	18.3	321	2	2	13	26	45	63	99+
75-79	1369	19.8	317	2	3	15	28	48	64	99+
80-84	1134	21.2	320	2	4	16	30	52	66	99+
85+	1122	22.2	314	3	6	17	30	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	9.2	94	1	2	7	11	18	26	54
B. *Operated*	1542	8.7	138	<1	1	4	12	23	34	63
2. MULTIPLE DX										
A. *Not Operated*	6535	12.7	130	2	3	9	16	26	35	72
B. *Operated*	6750	18.9	315	2	2	14	27	46	63	99+
1. SINGLE DX	2255	8.9	124	<1	1	5	11	21	31	62
2. MULTIPLE DX	13285	15.9	234	2	3	11	21	36	52	99+
A. NOT OPERATED	7248	12.3	127	2	3	9	15	25	34	70
B. OPERATED	8292	17.0	298	1	2	12	24	42	59	99+
TOTAL 65-69 YRS	3490	12.2	194	1	2	8	16	29	41	80
70-74	3461	14.2	224	1	2	9	19	33	48	90
75-79	3112	15.4	227	2	3	11	21	35	51	99+
80-84	2663	16.5	240	2	3	12	22	39	54	99+
85+	2814	16.7	227	2	4	12	21	38	53	99+
GRAND TOTAL	**15540**	**14.9**	**224**	**2**	**2**	**10**	**20**	**35**	**50**	**95**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	8.2	42	1	2	6	11	18	21	27
70-74	15	10.3	72	3	3	7	10	26	27	27
75-79	8	6.5	4	4	4	6	8	9	10	10
80-84	4	6.5	30	2	2	6	11	13	13	13
85+	6	5.2	4	3	3	5	6	8	8	8
B. *Operated*										
65-69 YRS	26	9.5	37	1	1	9	15	18	19	21
70-74	18	12.4	104	2	3	11	16	27	37	42
75-79	7	8.9	52	2	2	5	14	20	21	21
80-84	2	12.5	1	12	12	12	13	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	255	10.2	85	2	3	8	13	18	25	48
70-74	223	11.0	75	2	3	8	14	26	31	60
75-79	163	12.5	91	3	4	10	16	22	29	56
80-84	61	13.9	123	2	4	11	17	28	38	60
85+	31	12.2	120	3	3	10	15	20	37	57
B. *Operated*										
65-69 YRS	162	18.0	294	3	5	13	22	37	59	98
70-74	137	19.5	353	3	4	12	25	44	67	91
75-79	111	19.3	230	3	5	15	27	44	51	84
80-84	40	18.1	256	3	4	14	28	48	82	99+
85+	11	18.9	216	3	4	15	29	43	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	8.1	40	2	2	6	10	18	26	27
B. *Operated*	53	10.5	60	1	2	10	15	19	22	42
2. MULTIPLE DX										
A. *Not Operated*	733	11.4	89	2	3	9	14	23	30	57
B. *Operated*	461	18.8	289	3	4	14	24	44	60	98
1. SINGLE DX	110	9.3	51	2	2	7	12	18	25	34
2. MULTIPLE DX	1194	14.2	179	3	4	10	17	30	44	83
A. NOT OPERATED	790	11.1	86	2	3	9	14	22	29	55
B. OPERATED	514	17.9	272	3	4	13	23	42	58	96
TOTAL 65-69 YRS	467	12.8	167	2	3	10	15	25	34	78
70-74	393	14.0	188	3	3	10	17	30	40	90
75-79	289	14.9	154	3	4	11	19	31	44	64
80-84	107	15.1	172	2	3	12	20	38	48	99+
85+	48	12.9	140	3	3	10	15	29	40	57
GRAND TOTAL	**1304**	**13.8**	**170**	**3**	**3**	**10**	**17**	**29**	**42**	**77**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	250	8.1	28	2	3	7	10	16	19	27
70-74	173	8.4	43	2	3	7	10	15	20	41
75-79	117	8.3	22	2	3	7	11	14	16	29
80-84	47	9.7	49	2	3	9	12	15	30	34
85+	25	8.3	26	2	3	7	11	17	18	20
B. Operated										
65-69 YRS	471	10.0	66	2	2	8	14	19	26	40
70-74	273	11.0	55	2	3	10	15	19	24	36
75-79	134	12.7	75	2	3	11	16	25	30	38
80-84	32	11.6	68	3	3	9	17	24	27	31
85+	12	18.4	95	3	6	17	27	32	35	35
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1077	10.1	69	2	3	8	12	19	24	47
70-74	941	10.1	60	3	3	8	13	20	24	45
75-79	736	10.5	62	3	4	9	14	19	23	38
80-84	387	11.0	85	3	4	9	14	22	29	60
85+	187	10.9	110	3	3	9	13	19	25	70
B. Operated										
65-69 YRS	921	13.6	119	3	4	11	18	28	36	82
70-74	706	14.9	179	3	3	12	19	31	44	83
75-79	403	16.4	165	3	4	14	20	32	43	77
80-84	155	18.3	187	4	5	16	24	33	40	78
85+	32	14.5	69	4	4	14	19	29	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	612	8.3	33	2	3	7	10	15	19	30
B. Operated	922	10.9	66	2	3	9	15	21	27	38
2. MULTIPLE DX										
A. Not Operated	3328	10.4	69	3	3	8	13	19	25	46
B. Operated	2217	14.9	152	3	4	12	19	30	40	82
1. SINGLE DX	1534	9.9	54	2	3	8	13	18	24	35
2. MULTIPLE DX	5545	12.2	107	3	4	10	16	23	32	63
A. NOT OPERATED	3940	10.0	64	3	3	8	12	19	24	43
B. OPERATED	3139	13.7	130	2	3	11	17	27	36	72
TOTAL 65-69 YRS	2719	11.1	85	2	3	9	15	21	29	52
70-74	2093	11.7	103	3	3	9	15	23	31	59
75-79	1390	12.3	97	3	4	10	16	23	30	59
80-84	621	12.8	117	3	4	10	16	26	33	62
85+	256	11.4	100	3	3	9	14	21	28	77
GRAND TOTAL	**7079**	**11.7**	**97**	**2**	**3**	**9**	**15**	**22**	**30**	**57**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	152	5.7	23	2	2	4	7	11	13	30
70-74	165	6.2	17	1	2	5	8	12	13	21
75-79	171	6.7	23	2	2	5	9	13	17	23
80-84	140	6.6	22	1	2	6	8	12	14	26
85+	157	6.6	45	1	2	6	8	11	15	24
B. Operated										
65-69 YRS	2689	11.8	38	2	3	12	16	19	22	30
70-74	2487	13.2	40	2	5	13	16	20	23	33
75-79	1875	14.7	45	4	8	14	18	22	26	37
80-84	887	14.6	41	3	7	15	17	22	26	32
85+	246	16.4	62	4	8	15	19	25	33	43
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1091	7.0	27	1	2	6	9	13	16	28
70-74	1484	8.0	48	1	2	6	10	15	19	34
75-79	1660	8.1	43	2	2	7	10	15	19	33
80-84	1438	9.4	73	2	3	7	12	17	22	44
85+	1380	9.4	76	2	3	7	12	18	25	57
B. Operated										
65-69 YRS	4184	13.9	78	2	3	13	17	24	29	44
70-74	4335	15.4	81	3	5	14	18	25	31	50
75-79	3602	16.8	90	4	7	16	20	27	34	58
80-84	1818	18.3	102	5	9	16	22	31	38	59
85+	677	18.9	145	5	8	16	23	32	42	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	785	6.4	26	1	2	5	8	12	15	24
B. Operated	8184	13.3	43	2	4	13	17	20	24	33
2. MULTIPLE DX										
A. Not Operated	7053	8.4	55	2	2	7	11	16	21	38
B. Operated	14616	15.8	90	3	5	15	19	26	33	54
1. SINGLE DX	8969	12.7	45	2	3	13	16	20	24	33
2. MULTIPLE DX	21669	13.4	91	2	3	12	17	24	30	50
A. NOT OPERATED	7838	8.2	52	2	2	7	10	15	20	36
B. OPERATED	22800	14.9	75	3	5	14	18	24	30	48
TOTAL 65-69 YRS	8116	12.1	63	2	3	12	16	21	25	38
70-74	8471	13.2	70	2	3	13	17	22	27	42
75-79	7308	14.0	79	3	4	13	18	24	29	47
80-84	4283	14.1	94	3	4	13	18	24	31	52
85+	2460	12.6	112	2	3	10	16	24	32	66
GRAND TOTAL	**30638**	**13.2**	**77**	**2**	**3**	**12**	**17**	**23**	**28**	**46**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	6.9	117	1	1	4	8	12	16	76
70-74	61	7.6	59	1	2	5	9	16	19	44
75-79	50	5.2	13	1	2	4	6	10	13	21
80-84	42	7.0	60	2	2	6	7	11	13	52
85+	33	6.3	23	1	2	5	8	13	16	23
B. *Operated*										
65-69 YRS	167	9.6	45	2	2	9	14	18	20	31
70-74	152	12.2	113	2	2	11	17	22	29	84
75-79	98	13.1	91	2	3	12	16	22	27	57
80-84	48	13.0	79	2	3	12	17	20	30	51
85+	13	13.4	82	3	4	14	21	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	355	8.3	62	2	2	6	10	15	22	49
70-74	413	8.6	52	2	3	6	11	16	23	39
75-79	383	9.5	56	2	3	7	12	19	26	38
80-84	347	10.3	106	2	3	8	12	19	29	58
85+	284	9.9	70	2	3	8	12	20	27	39
B. *Operated*										
65-69 YRS	379	14.8	170	2	3	11	19	33	43	71
70-74	329	17.1	220	2	3	14	22	37	48	96
75-79	266	19.5	252	3	4	15	25	43	54	71
80-84	157	20.2	214	2	5	17	25	40	47	77
85+	76	23.0	371	4	6	17	28	54	66	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	6.7	60	1	2	5	8	13	16	46
B. *Operated*	478	11.6	82	2	2	11	16	20	26	51
2. MULTIPLE DX										
A. *Not Operated*	1782	9.3	69	2	3	7	11	18	25	43
B. *Operated*	1207	17.7	225	3	3	14	23	39	49	80
1. SINGLE DX	726	9.9	80	2	2	8	14	19	23	51
2. MULTIPLE DX	2989	12.7	149	2	3	9	16	27	38	66
A. NOT OPERATED	2030	8.9	68	2	3	7	11	17	24	44
B. OPERATED	1685	15.9	192	2	3	13	20	33	45	72
TOTAL 65-69 YRS	963	11.0	115	2	2	8	14	22	34	62
70-74	955	12.0	135	2	3	9	16	25	34	61
75-79	797	13.0	147	2	3	10	16	28	37	66
80-84	594	12.9	149	2	3	9	16	27	38	56
85+	406	12.2	151	2	3	8	15	25	36	68
GRAND TOTAL	**3715**	**12.1**	**136**	**2**	**3**	**9**	**15**	**25**	**36**	**63**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.8	13	2	2	7	8	10	10	10
70-74	2	2.5	5	<1	<1	2	4	4	4	4
75-79	4	3.3	2	1	1	4	4	4	4	4
80-84	5	7.8	42	3	3	6	10	19	19	19
85+	3	12.3	186	3	3	6	22	28	28	28
B. *Operated*										
65-69 YRS	248	3.2	6	1	1	2	4	6	8	16
70-74	146	3.2	5	1	1	2	4	7	8	11
75-79	68	3.4	8	1	1	3	4	6	9	15
80-84	23	4.3	11	1	2	3	5	9	12	14
85+	11	3.5	14	<1	<1	2	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	3.7	9	<1	<1	3	5	9	10	12
70-74	27	5.0	12	1	1	4	7	10	12	15
75-79	18	5.2	19	<1	1	4	6	11	16	18
80-84	7	13.1	156	5	5	8	15	35	40	40
85+	7	8.7	19	4	4	8	10	16	17	17
B. *Operated*										
65-69 YRS	742	4.0	18	1	1	3	4	7	11	22
70-74	501	4.3	20	1	1	3	5	8	12	20
75-79	266	4.4	18	1	1	3	5	9	14	23
80-84	90	5.9	45	1	1	3	7	12	16	39
85+	39	5.9	36	<1	1	3	9	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.5	44	<1	1	4	7	15	24	28
B. *Operated*	496	3.3	7	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	99	5.3	27	<1	1	4	7	10	14	29
B. *Operated*	1638	4.3	21	1	1	3	5	9	12	23
1. SINGLE DX	515	3.4	8	1	1	2	4	7	8	16
2. MULTIPLE DX	1737	4.4	21	1	1	3	5	9	12	23
A. NOT OPERATED	118	5.5	30	<1	1	4	7	11	16	32
B. OPERATED	2134	4.1	18	1	1	3	5	8	11	20
TOTAL 65-69 YRS	1035	3.8	15	1	1	3	4	7	10	19
70-74	676	4.1	17	1	1	3	5	8	11	19
75-79	356	4.3	16	1	1	3	5	8	13	20
80-84	125	6.1	47	1	2	3	7	12	17	41
85+	60	6.1	38	<1	1	3	9	14	18	30
GRAND TOTAL	**2252**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	4.7	14	<1	1	4	6	9	12	21
70-74	67	5.9	16	1	2	5	7	11	14	20
75-79	66	5.7	19	1	2	5	7	12	14	20
80-84	54	6.1	23	1	2	5	8	11	17	96
85+	48	6.3	26	1	1	5	8	11	12	32
B. *Operated*										
65-69 YRS	199	6.0	61	1	1	3	7	15	17	33
70-74	183	7.0	42	1	1	4	10	16	19	32
75-79	101	8.1	61	1	1	5	11	20	26	33
80-84	43	7.4	48	1	1	5	11	15	18	36
85+	24	8.5	43	1	3	6	13	17	21	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	295	6.2	25	1	2	5	8	11	16	24
70-74	344	6.9	42	1	2	5	9	14	17	28
75-79	369	7.8	46	2	2	6	9	15	22	38
80-84	302	9.3	91	2	3	7	11	18	27	51
85+	302	8.4	76	2	2	7	11	15	18	80
B. *Operated*										
65-69 YRS	410	9.4	95	2	2	6	13	21	30	48
70-74	331	9.5	101	1	2	6	12	22	30	52
75-79	253	11.7	114	2	3	8	16	26	32	59
80-84	135	13.1	106	2	3	10	17	31	36	57
85+	80	10.8	93	2	3	8	14	23	32	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	5.6	19	1	1	5	7	11	13	27
B. *Operated*	550	6.9	53	1	1	4	10	16	20	32
2. MULTIPLE DX										
A. *Not Operated*	1612	7.7	56	2	2	6	9	15	20	42
B. *Operated*	1209	10.4	103	2	2	7	14	24	31	52
1. SINGLE DX	878	6.4	41	1	1	4	8	14	18	32
2. MULTIPLE DX	2821	8.9	78	2	2	6	11	19	26	49
A. NOT OPERATED	1940	7.4	51	1	2	6	9	14	19	39
B. OPERATED	1759	9.3	90	1	2	6	13	21	29	47
TOTAL 65-69 YRS	997	7.3	63	1	2	5	9	16	22	39
70-74	925	7.8	63	1	2	5	10	16	23	39
75-79	789	8.9	71	1	2	6	11	20	26	42
80-84	534	9.8	89	2	2	7	12	21	30	51
85+	454	8.6	73	2	2	7	11	17	22	68
GRAND TOTAL	**3699**	**8.3**	**70**	**1**	**2**	**6**	**10**	**17**	**25**	**44**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	28.5	1301	3	3	28	54	54	54	54
70-74	2	8.5	25	5	5	8	12	12	12	12
75-79	2	3.0		3	3	3	3	3	3	3
80-84	4	6.3	3	4	4	6	7	8	8	8
85+										
B. *Operated*										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	26.0		26	26	26	26	26	26	26
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	7.0	14	2	3	6	11	12	13	13
70-74	22	11.3	37	4	5	9	14	20	24	25
75-79	16	8.6	28	2	3	8	11	16	21	23
80-84	10	6.6	5	3	3	7	8	9	10	10
85+	4	9.0	15	6	6	8	12	14	14	14
B. *Operated*										
65-69 YRS	10	16.2	206	1	2	11	25	39	39	39
70-74	12	8.8	30	2	3	7	13	17	20	20
75-79	3	22.7	234	11	11	17	34	40	40	40
80-84	5	13.0	44	7	7	10	19	22	22	22
85+	1	93.0		93	93	93	93	93	93	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.5	242	3	3	5	8	33	54	54
B. *Operated*	3	13.7	134	3	3	12	22	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	72	8.7	25	3	3	8	11	15	19	25
B. *Operated*	31	15.9	318	2	4	10	19	39	40	93
1. SINGLE DX	13	11.2	206	3	3	6	12	32	50	54
2. MULTIPLE DX	103	10.9	122	3	3	8	13	20	25	65
A. NOT OPERATED	82	8.9	49	3	3	7	11	15	21	45
B. OPERATED	34	15.7	298	2	3	10	20	39	40	93
TOTAL 65-69 YRS	33	11.2	145	1	3	7	12	28	39	54
70-74	37	10.1	34	3	3	8	13	19	23	25
75-79	22	10.8	83	2	3	8	12	24	32	40
80-84	19	8.2	21	3	4	7	9	15	20	22
85+	5	25.8	1422	6	6	10	34	93	93	93
GRAND TOTAL	**116**	**10.9**	**130**	**3**	**3**	**8**	**12**	**22**	**26**	**67**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	230	6.9	25	2	2	5	9	13	17	29
70-74	207	7.0	21	2	2	6	8	13	17	22
75-79	184	7.4	21	2	3	7	10	13	15	24
80-84	111	7.4	30	2	2	6	9	13	19	28
85+	65	7.4	66	2	3	5	9	12	15	57
B. *Operated*										
65-69 YRS	342	7.9	38	1	2	7	11	15	19	31
70-74	189	9.0	61	1	2	7	12	19	23	39
75-79	110	8.0	51	1	2	6	11	18	25	62
80-84	27	7.1	37	2	2	5	11	15	18	26
85+	11	8.8	35	1	2	8	12	17	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1602	7.9	29	2	3	7	10	14	18	28
70-74	1736	8.2	31	2	3	7	10	15	18	29
75-79	1764	8.7	44	2	3	7	11	16	21	34
80-84	1297	9.2	54	2	3	7	11	17	22	40
85+	1106	9.5	62	2	3	8	12	18	23	41
B. *Operated*										
65-69 YRS	924	11.7	89	2	2	10	15	24	31	52
70-74	798	13.9	148	2	3	11	18	29	37	63
75-79	511	14.4	136	2	3	11	18	29	41	65
80-84	244	14.9	133	3	4	12	19	30	38	70
85+	116	18.2	201	4	6	15	24	39	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	7.2	27	2	3	6	9	13	17	26
B. *Operated*	679	8.2	47	1	2	7	11	16	22	38
2. MULTIPLE DX										
A. *Not Operated*	7505	8.6	42	2	3	7	11	16	20	34
B. *Operated*	2593	13.5	128	2	3	11	17	28	36	64
1. SINGLE DX	1476	7.6	36	2	2	6	10	14	19	34
2. MULTIPLE DX	10098	9.9	69	2	3	8	12	19	25	44
A. NOT OPERATED	8302	8.5	41	2	3	7	11	15	20	33
B. OPERATED	3272	12.4	116	2	3	10	16	26	34	60
TOTAL 65-69 YRS	3098	8.9	51	2	3	7	11	17	23	37
70-74	2930	9.7	71	2	3	8	12	18	25	46
75-79	2569	9.7	66	2	3	8	12	19	25	44
80-84	1679	9.9	68	2	3	8	12	19	25	44
85+	1298	10.2	81	2	3	8	13	20	27	62
GRAND TOTAL	**11574**	**9.6**	**65**	**2**	**3**	**8**	**12**	**18**	**24**	**44**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	394	7.8	23	2	3	7	10	14	17	26
70-74	269	8.2	30	2	3	7	11	15	16	28
75-79	126	8.4	32	1	2	7	12	17	19	26
80-84	72	8.8	26	2	3	8	12	17	18	22
85+	33	8.0	30	1	3	7	10	14	20	26
B. *Operated*										
65-69 YRS	1043	9.0	47	1	2	8	12	17	22	32
70-74	495	9.5	46	1	2	9	13	19	23	30
75-79	232	11.2	69	1	2	10	15	21	23	40
80-84	63	11.8	76	1	2	11	17	26	29	32
85+	35	10.7	62	1	2	9	16	22	27	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1196	9.2	33	3	3	8	12	16	19	30
70-74	1065	9.7	36	2	3	9	12	17	20	30
75-79	790	9.7	37	3	4	8	12	18	22	30
80-84	502	10.6	58	3	4	9	14	19	26	36
85+	314	11.0	65	3	4	9	14	20	26	44
B. *Operated*										
65-69 YRS	1687	13.3	90	2	4	11	17	24	30	47
70-74	1133	14.0	107	2	3	12	18	27	35	55
75-79	646	15.2	102	3	5	13	20	28	32	50
80-84	271	17.1	155	3	4	14	22	31	38	65
85+	82	18.0	113	3	5	17	25	31	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	8.1	27	2	3	7	10	15	17	26
B. *Operated*	1868	9.6	51	1	2	8	13	19	23	32
2. MULTIPLE DX										
A. *Not Operated*	3867	9.8	41	3	4	8	12	18	21	32
B. *Operated*	3819	14.2	104	2	4	12	18	26	33	51
1. SINGLE DX	2762	9.1	44	1	2	8	12	17	21	30
2. MULTIPLE DX	7686	12.0	77	3	4	10	15	22	29	45
A. NOT OPERATED	4761	9.5	38	2	3	8	12	17	21	31
B. OPERATED	5687	12.7	91	2	3	11	17	24	30	48
TOTAL 65-69 YRS	4320	10.6	62	2	3	9	14	20	25	40
70-74	2962	11.2	69	2	3	9	14	21	27	43
75-79	1794	11.8	71	2	4	10	15	22	27	42
80-84	908	12.5	95	2	3	10	16	25	31	49
85+	464	12.0	79	3	4	9	16	24	29	39
GRAND TOTAL	**10448**	**11.2**	**70**	**2**	**3**	**9**	**15**	**21**	**27**	**42**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	8.4	31	2	3	7	11	17	21	26
70-74	60	8.3	56	2	2	7	10	14	19	43
75-79	33	8.2	35	3	4	7	10	13	16	35
80-84	16	9.7	51	3	4	8	12	15	28	33
85+	7	6.3	47	2	2	3	7	18	21	21
B. *Operated*										
65-69 YRS	136	8.4	38	1	2	7	12	15	19	28
70-74	60	9.2	45	1	2	8	12	17	25	29
75-79	20	10.3	177	1	1	7	12	22	42	60
80-84	7	13.6	116	1	2	12	17	31	34	34
85+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	362	8.2	27	3	3	7	10	14	17	26
70-74	320	8.4	32	2	3	7	11	16	19	32
75-79	251	8.7	49	2	3	7	10	16	21	38
80-84	154	8.4	40	3	3	7	10	15	18	33
85+	96	8.9	37	2	3	8	12	15	21	33
B. *Operated*										
65-69 YRS	312	11.2	92	2	2	9	14	22	29	60
70-74	160	13.2	140	2	3	10	17	26	36	59
75-79	82	14.6	189	2	3	12	18	25	42	78
80-84	35	19.8	233	3	5	16	26	40	56	66
85+	16	14.1	108	1	2	13	18	26	37	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	8.4	41	2	3	7	10	16	20	37
B. *Operated*	225	8.9	54	1	2	8	12	16	23	36
2. MULTIPLE DX										
A. *Not Operated*	1183	8.5	35	2	3	7	10	15	19	32
B. *Operated*	605	12.8	130	2	3	10	17	24	36	63
1. SINGLE DX	433	8.7	47	1	2	7	11	16	21	36
2. MULTIPLE DX	1788	9.9	71	2	3	8	12	19	24	46
A. NOT OPERATED	1391	8.5	36	2	3	7	10	15	19	33
B. OPERATED	830	11.7	112	1	2	9	15	23	32	60
TOTAL 65-69 YRS	902	9.3	53	2	3	8	12	17	23	39
70-74	600	9.8	68	2	3	8	12	18	25	42
75-79	386	10.0	89	2	3	8	12	18	25	57
80-84	212	10.6	92	3	3	8	12	20	30	54
85+	121	9.4	49	2	2	8	13	18	22	38
GRAND TOTAL	**2221**	**9.7**	**67**	**2**	**3**	**8**	**12**	**18**	**24**	**43**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	7.2	13	1	2	8	10	12	12	16
70-74	13	7.0	8	3	4	6	8	11	13	14
75-79	8	6.4	14	1	2	6	10	11	11	11
80-84	3	4.0	9	1	1	4	6	7	7	7
85+	3	7.3	26	3	3	6	11	13	13	13
B. *Operated*										
65-69 YRS	2	7.0	8	5	5	7	9	9	9	9
70-74	4	4.5	6	3	3	4	6	8	8	8
75-79	2	8.5	25	5	5	8	12	12	12	12
80-84										
85+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	146	9.0	39	2	3	8	11	16	20	32
70-74	106	8.7	27	3	3	8	11	15	19	26
75-79	87	8.3	31	2	3	7	11	16	20	28
80-84	61	9.1	26	3	4	8	12	17	19	22
85+	45	9.8	51	2	3	8	12	20	24	38
B. *Operated*										
65-69 YRS	34	11.6	46	3	3	11	17	21	25	26
70-74	24	12.0	58	2	2	11	17	23	25	26
75-79	13	21.7	287	6	8	14	35	51	56	57
80-84	7	8.4	25	2	2	9	13	15	15	15
85+	3	12.0	61	3	3	16	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	6.9	12	1	3	7	9	12	13	16
B. *Operated*	9	7.1	18	3	3	5	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	445	8.9	34	2	3	7	11	16	20	29
B. *Operated*	81	13.1	98	2	3	11	17	24	30	55
1. SINGLE DX	72	6.9	13	1	3	7	9	12	13	16
2. MULTIPLE DX	526	9.5	46	2	3	8	12	18	22	35
A. NOT OPERATED	508	8.6	32	2	3	7	11	16	20	28
B. OPERATED	90	12.5	93	2	3	10	17	23	26	54
TOTAL 65-69 YRS	218	9.1	37	2	3	8	12	17	20	30
70-74	147	9.0	32	3	3	8	11	17	22	26
75-79	110	9.8	77	2	3	8	11	17	24	52
80-84	71	8.8	26	3	3	8	12	16	18	22
85+	52	9.9	49	2	3	8	13	19	23	38
GRAND TOTAL	**598**	**9.2**	**43**	**2**	**3**	**8**	**12**	**17**	**21**	**33**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	78	7.5	25	1	2	7	11	13	15	28
70-74	48	8.4	26	2	3	8	11	14	18	28
75-79	45	8.7	22	1	4	8	11	15	18	22
80-84	30	9.4	63	2	3	8	12	15	17	45
85+	16	5.0	12	2	2	5	6	8	14	16
B. *Operated*										
65-69 YRS	22	6.0	26	1	1	5	8	13	16	19
70-74	20	7.4	28	1	1	6	13	14	15	15
75-79	11	7.8	66	2	2	5	7	23	27	27
80-84	6	4.8	18	2	2	3	8	12	12	12
85+	2	11.5	41	7	7	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	298	8.9	30	3	4	7	12	17	20	27
70-74	292	9.7	34	3	4	9	12	16	21	31
75-79	253	9.8	51	3	4	8	12	16	22	36
80-84	164	10.5	56	3	4	9	12	17	22	49
85+	118	10.9	98	3	4	8	13	21	25	61
B. *Operated*										
65-69 YRS	54	10.7	101	2	3	8	13	26	34	52
70-74	55	14.5	113	2	4	13	19	30	36	52
75-79	53	14.4	112	3	4	12	18	29	39	50
80-84	24	18.6	187	3	5	16	19	33	54	58
85+	10	19.6	190	3	5	16	31	69	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	8.0	29	1	2	7	11	14	17	29
B. *Operated*	61	6.9	33	1	1	5	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	1125	9.8	48	3	4	8	12	17	21	35
B. *Operated*	196	14.2	127	3	3	12	17	30	39	56
1. SINGLE DX	278	7.8	30	1	2	7	11	14	17	26
2. MULTIPLE DX	1321	10.4	67	3	4	8	13	19	25	48
A. NOT OPERATED	1342	9.5	46	3	3	8	12	17	21	35
B. OPERATED	257	12.5	114	2	2	10	16	27	36	53
TOTAL 65-69 YRS	452	8.7	39	2	3	7	11	16	20	30
70-74	415	10.1	46	2	4	9	13	19	23	34
75-79	362	10.3	59	3	4	9	13	18	25	41
80-84	224	11.1	84	3	3	9	13	18	26	54
85+	146	10.8	101	2	3	8	13	22	28	73
GRAND TOTAL	1599	9.9	58	2	3	8	12	18	23	44

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	488	6.7	29	1	2	6	9	12	15	23
70-74	373	6.8	25	1	2	6	9	13	17	21
75-79	227	6.6	26	1	1	6	9	13	15	20
80-84	133	7.4	31	1	2	6	10	15	18	25
85+	104	7.2	23	1	2	6	10	14	17	22
B. *Operated*										
65-69 YRS	573	8.2	38	1	2	6	12	16	19	29
70-74	441	8.7	54	1	2	6	12	18	21	34
75-79	286	10.3	64	1	2	9	15	20	29	36
80-84	85	9.1	65	1	1	8	12	17	30	36
85+	32	13.7	92	1	1	13	20	26	27	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1751	8.2	32	2	2	7	11	15	18	27
70-74	1725	8.6	43	2	3	7	11	16	20	30
75-79	1488	9.2	45	2	3	8	12	17	22	32
80-84	1026	9.4	50	2	3	8	12	18	22	36
85+	721	9.5	63	2	3	8	12	18	22	36
B. *Operated*										
65-69 YRS	1547	12.0	93	2	3	10	16	24	31	47
70-74	1248	13.0	103	2	3	11	17	25	32	51
75-79	901	14.0	116	2	3	12	19	28	35	56
80-84	338	16.3	132	3	4	13	22	30	38	71
85+	170	17.4	131	3	5	15	25	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1325	6.8	27	1	2	6	9	13	16	24
B. *Operated*	1417	9.0	52	1	2	6	12	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	6711	8.8	44	2	3	7	11	17	21	32
B. *Operated*	4204	13.3	107	2	3	11	17	26	34	54
1. SINGLE DX	2742	7.9	41	1	2	7	11	16	20	32
2. MULTIPLE DX	10915	10.6	73	2	3	8	14	21	27	43
A. NOT OPERATED	6036	8.5	42	2	2	7	11	16	20	31
B. OPERATED	5621	12.2	97	2	2	10	16	25	31	50
TOTAL 65-69 YRS	4359	9.4	56	2	2	8	12	18	23	36
70-74	3787	9.9	67	2	2	8	13	19	25	42
75-79	2902	10.6	73	2	2	9	14	21	27	43
80-84	1582	10.7	75	2	3	9	14	22	28	45
85+	1027	10.7	81	2	3	8	14	22	29	54
GRAND TOTAL	13657	10.0	68	2	2	8	13	20	26	41

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	5.1	11	1	2	4	7	11	12	15
70-74	74	5.6	15	2	2	5	7	10	12	23
75-79	61	5.5	13	1	2	5	8	10	12	17
80-84	36	5.6	8	2	2	5	7	8	10	16
85+	31	4.8	12	1	1	4	7	9	14	15
B. *Operated*										
65-69 YRS	585	3.3	7	<1	1	3	4	6	8	15
70-74	317	3.3	7	<1	<1	2	4	6	9	15
75-79	145	3.7	19	<1	1	2	4	7	13	22
80-84	68	4.4	56	<1	<1	3	4	7	11	47
85+	25	4.1	17	1	1	3	4	11	15	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	414	6.8	24	2	2	6	9	13	16	26
70-74	358	7.6	28	2	2	6	10	14	18	27
75-79	333	7.5	35	2	3	6	9	14	19	30
80-84	257	7.3	27	2	2	6	9	14	19	25
85+	239	8.8	63	2	3	7	10	18	24	38
B. *Operated*										
65-69 YRS	686	5.4	27	1	2	4	6	11	15	27
70-74	484	5.8	48	1	2	4	6	12	18	33
75-79	320	6.4	55	1	2	5	7	12	21	44
80-84	150	7.5	49	2	2	5	9	17	21	45
85+	64	11.6	154	2	3	9	16	21	28	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	5.3	12	1	2	5	7	10	12	17
B. *Operated*	1140	3.4	12	<1	<1	3	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	1601	7.5	34	2	2	6	9	14	19	28
B. *Operated*	1704	6.1	46	1	2	4	7	13	18	34
1. SINGLE DX	1445	3.8	13	<1	1	3	5	7	10	17
2. MULTIPLE DX	3305	6.8	41	1	2	5	8	14	18	31
A. NOT OPERATED	1906	7.2	31	2	2	6	9	14	18	27
B. OPERATED	2844	5.1	34	<1	1	3	6	11	16	30
TOTAL 65-69 YRS	1788	5.0	21	1	1	4	6	10	13	23
70-74	1233	5.7	32	1	1	4	7	12	16	28
75-79	859	6.3	39	1	2	5	8	12	18	31
80-84	511	6.9	37	1	2	5	8	14	19	34
85+	359	8.7	76	2	2	6	10	18	24	49
GRAND TOTAL	**4750**	**5.9**	**34**	**1**	**2**	**4**	**7**	**12**	**16**	**28**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	33	<1	<1	<1	8	11	11	11
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	667	3.7	4	1	2	3	5	6	7	10
70-74	463	3.6	4	1	1	3	4	6	7	10
75-79	254	4.1	6	1	1	4	5	7	9	13
80-84	109	3.9	5	1	1	3	5	6	9	12
85+	45	4.0	7	1	1	3	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	3.5	15	<1	<1	2	5	9	12	17
70-74	30	4.3	15	<1	1	3	6	10	14	14
75-79	22	4.0	14	<1	1	3	6	8	12	16
80-84	14	4.6	14	<1	1	3	7	10	12	12
85+	9	6.8	62	1	1	3	9	20	25	25
B. *Operated*										
65-69 YRS	2412	4.5	6	2	2	4	5	7	9	13
70-74	1601	4.8	11	2	2	4	6	8	9	16
75-79	832	5.2	15	2	2	4	6	9	11	17
80-84	348	5.6	16	2	2	5	7	10	13	22
85+	102	5.8	21	1	2	5	7	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	19	<1	<1	1	7	11	11	11
B. *Operated*	1538	3.7	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	117	4.2	18	<1	<1	2	6	10	13	20
B. *Operated*	5295	4.8	10	2	2	4	6	8	10	17
1. SINGLE DX	1545	3.7	4	1	1	3	5	6	8	11
2. MULTIPLE DX	5412	4.8	10	2	2	4	6	8	10	17
A. NOT OPERATED	124	4.1	18	<1	<1	2	6	10	13	19
B. OPERATED	6833	4.6	9	1	2	4	5	8	9	16
TOTAL 65-69 YRS	3124	4.3	6	1	2	4	5	7	8	13
70-74	2095	4.5	10	1	2	4	5	7	9	16
75-79	1109	4.9	13	1	2	4	6	8	10	17
80-84	472	5.2	14	1	2	4	6	9	11	21
85+	157	5.4	19	1	2	4	7	10	13	26
GRAND TOTAL	**6957**	**4.5**	**9**	**1**	**2**	**4**	**5**	**8**	**9**	**16**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.2		<1	<1	1	1	2	2	2
70-74	3	7.7	9	5	5	7	10	11	11	11
75-79	4	8.0	25	2	2	8	12	13	13	13
80-84	2	3.0	8	1	1	3	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	220	2.5	3	<1	<1	2	3	5	6	8
70-74	114	2.8	4	<1	1	2	3	5	7	11
75-79	70	3.0	6	<1	<1	2	4	6	8	13
80-84	28	4.8	8	1	1	4	7	9	11	11
85+	16	3.0	5	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	4.8	20	<1	<1	3	8	12	12	12
70-74	23	5.6	8	2	2	5	7	9	10	12
75-79	11	8.0	12	2	3	8	11	13	13	13
80-84	9	7.9	14	1	2	9	11	12	12	12
85+	5	6.4	12	3	3	6	8	12	12	12
B. *Operated*										
65-69 YRS	208	4.5	26	<1	1	3	5	8	12	23
70-74	147	4.6	17	1	1	3	6	8	12	22
75-79	89	4.9	16	<1	1	3	7	10	14	19
80-84	59	5.2	23	1	1	4	6	12	15	25
85+	25	7.2	50	2	2	5	8	14	26	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.8	18	<1	1	3	7	11	13	13
B. *Operated*	448	2.8	4	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	61	6.3	13	1	2	6	9	12	12	13
B. *Operated*	528	4.8	23	1	1	3	6	9	13	24
1. SINGLE DX	462	2.9	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX	589	4.9	22	1	1	4	6	10	13	24
A. NOT OPERATED	75	6.0	14	1	1	5	9	12	12	13
B. OPERATED	976	3.9	15	<1	1	3	5	8	10	20
TOTAL 65-69 YRS	446	3.5	15	<1	<1	2	4	7	9	17
70-74	287	4.0	12	1	1	3	5	8	10	16
75-79	174	4.4	13	<1	<1	3	6	9	12	17
80-84	98	5.3	18	1	1	4	7	11	13	24
85+	46	5.7	33	<1	1	4	7	12	16	31
GRAND TOTAL	**1051**	**4.0**	**16**	**<1**	**1**	**3**	**5**	**8**	**11**	**18**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	14.2	110	3	4	11	21	29	32	48
70-74	16	13.1	82	1	2	12	21	27	28	28
75-79	13	13.8	144	1	2	12	25	30	36	37
80-84	16	18.3	218	5	6	13	21	41	52	57
85+	11	12.3	69	2	3	10	18	24	29	29
B. *Operated*										
65-69 YRS	87	16.1	198	2	3	12	23	36	43	93
70-74	73	16.5	179	2	3	13	24	36	44	58
75-79	44	14.9	161	2	3	10	23	30	40	52
80-84	18	12.1	73	3	4	10	16	23	32	37
85+	17	11.6	46	4	5	10	16	20	26	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	153	17.6	189	3	4	14	26	39	46	74
70-74	139	16.4	142	3	4	13	23	35	40	51
75-79	127	15.6	143	3	5	11	21	33	38	57
80-84	82	20.5	312	2	3	14	30	47	58	94
85+	70	15.8	233	3	4	10	19	38	49	77
B. *Operated*										
65-69 YRS	435	22.8	303	4	6	18	31	48	65	99+
70-74	395	23.5	347	3	5	18	32	53	63	98
75-79	251	24.6	369	4	6	18	34	55	72	99+
80-84	158	23.5	291	4	6	19	33	48	59	99
85+	117	24.9	305	6	10	19	34	51	65	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	14.4	123	2	3	11	21	28	36	54
B. *Operated*	239	15.4	166	2	3	12	22	34	42	62
2. MULTIPLE DX										
A. *Not Operated*	571	17.0	192	3	4	13	23	37	46	73
B. *Operated*	1356	23.6	326	4	6	18	32	52	65	99+
1. SINGLE DX	325	15.2	154	2	3	11	21	33	41	58
2. MULTIPLE DX	1927	21.6	295	3	5	16	30	47	60	98
A. NOT OPERATED	657	16.7	183	3	4	12	22	36	46	64
B. OPERATED	1595	22.4	311	3	5	17	31	49	62	99+
TOTAL 65-69 YRS	705	20.5	265	3	5	16	29	43	57	99+
70-74	623	20.8	287	3	4	16	28	44	59	94
75-79	435	20.7	295	3	5	16	28	48	61	90
80-84	274	21.5	286	3	5	16	30	46	58	97
85+	215	20.3	274	4	5	14	26	46	55	82
GRAND TOTAL	**2252**	**20.7**	**280**	**3**	**5**	**16**	**29**	**46**	**59**	**96**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	161	7.1	30	1	2	5	10	14	17	27
70-74	188	7.2	23	2	2	6	10	14	16	21
75-79	192	8.0	33	2	3	7	11	15	19	31
80-84	174	8.4	34	2	2	7	11	17	19	25
85+	156	8.6	53	2	2	7	11	14	21	42
B. *Operated*										
65-69 YRS	362	8.6	43	1	2	7	13	16	20	31
70-74	243	10.1	51	2	3	9	14	17	23	39
75-79	201	11.0	59	2	3	11	15	20	23	34
80-84	94	12.9	50	2	4	12	16	23	26	35
85+	84	14.8	82	3	4	14	19	26	30	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1613	8.9	52	2	3	7	11	17	22	36
70-74	2207	10.0	57	2	3	8	13	19	23	39
75-79	2662	10.3	56	3	3	9	13	19	23	39
80-84	2322	11.0	63	3	4	9	14	20	25	41
85+	2453	11.0	75	3	3	9	14	21	27	49
B. *Operated*										
65-69 YRS	1116	14.4	153	2	3	12	18	30	39	65
70-74	1082	15.9	131	3	4	14	21	30	39	66
75-79	1053	17.5	163	3	5	15	22	32	43	82
80-84	721	17.9	153	4	6	15	23	33	43	82
85+	507	19.6	190	4	7	16	24	39	49	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	871	7.9	34	2	2	7	11	15	18	30
B. *Operated*	984	10.4	56	2	2	9	15	19	24	33
2. MULTIPLE DX										
A. *Not Operated*	11257	10.3	61	2	3	8	13	19	25	41
B. *Operated*	4479	16.6	157	3	4	14	21	32	42	71
1. SINGLE DX	1855	9.2	47	2	2	8	13	17	21	33
2. MULTIPLE DX	15736	12.1	97	2	3	10	15	23	31	54
A. NOT OPERATED	12128	10.1	60	2	3	8	13	19	24	41
B. OPERATED	5463	15.5	144	2	4	13	20	30	39	67
TOTAL 65-69 YRS	3252	10.6	92	2	3	8	14	21	29	50
70-74	3720	11.6	84	2	3	9	15	22	29	48
75-79	4108	12.1	93	3	3	10	16	23	30	55
80-84	3311	12.4	89	3	4	10	16	23	29	50
85+	3200	12.3	103	3	4	10	15	24	33	57
GRAND TOTAL	**17591**	**11.8**	**92**	**2**	**3**	**9**	**15**	**23**	**30**	**52**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	9.7	200	1	1	2	20	26	26	26
70-74										
75-79	1	8.0		8	8	8	8	8	8	8
80-84	3	2.7	1	2	2	2	4	4	4	4
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	49	6.2	24	2	2	5	9	12	15	28
70-74	18	6.8	63	2	2	4	7	18	28	32
75-79	23	6.1	38	<1	1	5	8	10	20	29
80-84	4	5.8	67	1	1	2	10	18	18	18
85+	4	4.8	4	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	13.6	185	3	4	9	17	29	46	59
70-74	26	17.1	500	3	3	9	15	49	78	92
75-79	17	16.4	492	3	4	7	17	43	76	91
80-84	12	12.9	197	1	2	9	12	39	46	47
85+	11	18.5	152	1	3	14	28	35	37	37
B. *Operated*										
65-69 YRS	182	8.3	75	1	2	5	10	18	24	47
70-74	104	8.8	129	2	2	5	11	18	24	73
75-79	57	10.5	119	1	3	8	12	20	40	54
80-84	34	9.9	49	2	3	7	15	22	24	24
85+	13	13.1	156	2	3	9	19	29	43	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.5	69	1	1	3	7	21	26	26
B. *Operated*	98	6.2	34	1	2	5	8	12	18	31
2. MULTIPLE DX										
A. *Not Operated*	85	15.8	330	3	3	9	18	36	52	92
B. *Operated*	390	9.1	96	2	2	6	12	19	24	52
1. SINGLE DX	106	6.2	36	1	2	4	8	12	19	30
2. MULTIPLE DX	475	10.3	144	2	2	6	13	21	33	66
A. NOT OPERATED	93	15.0	313	2	3	8	17	36	50	92
B. OPERATED	488	8.5	85	1	2	5	10	18	24	50
TOTAL 65-69 YRS	253	8.3	76	1	2	5	10	18	26	50
70-74	148	10.0	194	2	2	5	11	21	32	78
75-79	98	10.5	169	1	2	7	12	20	40	73
80-84	53	9.9	83	2	2	7	13	22	24	47
85+	29	13.8	144	2	2	9	21	32	37	46
GRAND TOTAL	**581**	**9.5**	**127**	**2**	**2**	**6**	**11**	**20**	**29**	**59**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	5.8	21	1	1	5	7	14	15	17
70-74	22	7.5	37	<1	1	6	11	17	20	22
75-79	20	5.2	19	1	1	4	7	11	15	19
80-84	10	6.7	8	2	2	7	8	10	11	11
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	27	5.7	30	1	1	4	8	12	16	24
70-74	17	6.5	27	2	2	4	8	15	18	19
75-79	10	7.4	32	2	2	6	11	16	20	20
80-84	4	6.3	22	2	2	5	10	12	12	12
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	124	8.3	30	2	3	7	10	15	17	30
70-74	139	8.4	44	2	3	7	10	14	18	41
75-79	98	8.0	32	2	2	7	11	15	19	30
80-84	66	7.8	27	2	3	6	10	16	19	25
85+	33	7.6	34	2	2	6	9	18	20	24
B. *Operated*										
65-69 YRS	45	11.6	56	2	3	11	16	23	26	31
70-74	24	12.3	52	3	3	12	17	22	26	30
75-79	16	15.7	93	4	5	15	22	25	35	40
80-84	13	11.8	62	3	4	12	13	23	31	33
85+	6	14.2	77	4	4	12	19	28	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	6.2	23	1	1	5	8	13	17	21
B. *Operated*	58	6.3	27	1	1	4	8	13	18	24
2. MULTIPLE DX										
A. *Not Operated*	460	8.1	34	2	3	7	10	15	19	30
B. *Operated*	104	12.6	62	3	4	12	17	23	28	36
1. SINGLE DX	137	6.2	25	1	1	5	8	13	17	22
2. MULTIPLE DX	564	9.0	42	2	3	7	11	17	21	31
A. NOT OPERATED	539	7.8	33	2	2	7	10	15	19	28
B. OPERATED	162	10.3	59	2	2	9	14	21	25	33
TOTAL 65-69 YRS	222	8.4	37	1	2	7	11	16	21	30
70-74	202	8.6	45	2	3	7	11	15	20	34
75-79	144	8.5	43	2	2	7	11	18	22	32
80-84	93	8.2	31	2	3	6	11	15	19	30
85+	40	8.4	45	1	2	6	11	19	22	29
GRAND TOTAL	**701**	**8.4**	**40**	**2**	**2**	**7**	**11**	**16**	**21**	**30**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	172	4.9	12	1	1	4	6	10	12	15
70-74	138	6.1	28	1	1	5	8	13	17	28
75-79	108	5.7	17	1	1	5	8	11	15	21
80-84	52	6.3	29	1	2	5	7	16	18	22
85+	50	5.8	15	1	2	5	9	11	14	15
B. *Operated*										
65-69 YRS	650	3.2	11	<1	1	2	3	6	9	21
70-74	390	3.2	9	1	1	2	3	7	9	16
75-79	226	3.5	11	1	1	2	4	8	10	18
80-84	70	4.6	32	<1	1	3	5	10	17	33
85+	25	4.8	35	<1	1	3	6	12	17	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	888	6.5	26	1	2	5	8	12	16	27
70-74	891	7.0	28	2	2	5	9	13	17	28
75-79	771	7.7	45	2	2	6	9	14	18	35
80-84	565	8.2	53	2	3	6	10	16	19	31
85+	420	7.9	51	2	2	6	10	16	20	35
B. *Operated*										
65-69 YRS	870	6.8	77	1	2	4	9	15	21	55
70-74	717	8.1	83	1	2	5	10	18	25	55
75-79	508	9.5	117	1	2	6	12	21	28	58
80-84	236	11.3	135	2	2	8	14	27	33	62
85+	115	13.2	144	3	3	9	18	29	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	5.6	19	1	1	4	8	11	15	21
B. *Operated*	1361	3.4	12	<1	1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	3535	7.3	38	2	2	6	9	14	18	31
B. *Operated*	2446	8.5	99	1	2	5	11	18	27	57
1. SINGLE DX	1881	4.0	15	1	1	3	5	9	12	20
2. MULTIPLE DX	5981	7.8	63	1	2	6	10	16	21	43
A. NOT OPERATED	4055	7.1	36	2	2	6	9	14	18	29
B. OPERATED	3807	6.6	74	1	1	3	8	15	22	48
TOTAL 65-69 YRS	2580	5.7	41	1	1	4	7	12	16	31
70-74	2136	6.6	46	1	2	4	9	14	19	33
75-79	1613	7.5	65	1	2	5	9	15	21	41
80-84	923	8.6	74	2	2	6	11	17	22	56
85+	610	8.6	70	2	2	6	10	18	24	43
GRAND TOTAL	**7862**	**6.9**	**54**	**1**	**2**	**5**	**9**	**14**	**19**	**37**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	6.0	8	4	4	6	8	8	8	8
80-84	2	5.5	1	5	5	5	6	6	6	6
85+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	7.1	28	2	3	5	9	14	18	27
70-74	30	6.4	21	2	2	5	8	11	18	22
75-79	21	8.9	33	2	2	8	13	17	20	22
80-84	8	8.8	12	4	5	8	11	13	14	14
85+	4	8.5	15	5	5	7	11	14	14	14
B. *Operated*										
65-69 YRS	5	12.2	41	6	6	10	17	22	22	22
70-74	2	13.5	85	7	7	13	20	20	20	20
75-79	3	9.7	30	4	4	10	14	15	15	15
80-84	2	5.5	1	5	5	5	6	6	6	6
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.7	26	1	1	5	8	15	16	16
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	100	7.4	25	2	2	6	9	14	18	25
B. *Operated*	12	10.7	36	4	5	9	15	21	22	22
1. SINGLE DX	7	6.4	22	1	2	5	7	14	16	16
2. MULTIPLE DX	112	7.8	27	2	3	6	10	15	19	24
A. NOT OPERATED	106	7.4	25	2	2	6	9	14	18	24
B. OPERATED	13	10.2	35	4	5	8	15	20	22	22
TOTAL 65-69 YRS	42	7.7	31	2	3	6	9	15	20	27
70-74	33	6.6	26	1	2	5	8	12	20	22
75-79	26	8.7	30	2	3	8	13	16	20	22
80-84	12	7.7	10	4	5	6	10	13	14	14
85+	6	9.2	22	5	5	7	14	16	16	16
GRAND TOTAL	**119**	**7.7**	**27**	**2**	**3**	**6**	**10**	**15**	**19**	**24**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	7.0	8	5	5	7	9	9	9	9
75-79										
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	4	11.8	76	1	1	12	18	21	21	21
70-74	2	14.5	5	13	13	14	16	16	16	16
75-79	4	8.5	54	3	3	6	13	19	19	19
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	5.4	36	1	1	2	12	51	96	99+
70-74	8	7.1	42	<1	<1	5	12	17	18	18
75-79	11	7.4	31	3	3	5	10	17	18	18
80-84	9	6.7	24	1	2	4	12	13	13	13
85+	5	5.0	40	1	1	3	7	16	16	16
B. *Operated*										
65-69 YRS	13	9.9	20	2	4	10	13	16	17	17
70-74	13	12.1	36	2	4	12	16	20	22	23
75-79	14	14.1	129	4	5	11	17	34	42	44
80-84	4	16.3	66	10	10	14	22	27	27	27
85+	5	12.6	51	5	5	11	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.2	11	2	2	5	8	9	9	9
B. *Operated*	10	11.0	49	1	2	11	16	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	43	6.4	31	<1	1	4	11	17	18	99+
B. *Operated*	49	12.5	61	4	5	11	16	20	27	44
1. SINGLE DX	15	9.1	43	1	2	8	15	19	20	21
2. MULTIPLE DX	92	9.7	56	1	2	9	14	18	23	76
A. NOT OPERATED	48	6.3	29	1	1	4	9	17	18	99+
B. OPERATED	59	12.2	58	3	4	11	16	20	25	43
TOTAL 65-69 YRS	28	8.3	37	1	1	9	13	18	25	99+
70-74	25	10.3	38	<1	2	10	15	18	20	23
75-79	29	10.8	87	3	3	8	15	19	34	44
80-84	14	9.5	50	1	2	9	13	19	25	27
85+	11	8.2	55	1	1	5	15	20	21	21
GRAND TOTAL	**107**	**9.6**	**53**	**1**	**2**	**9**	**14**	**18**	**21**	**67**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	64	2.4	2	<1	1	2	3	4	5	8
70-74	70	2.3	1	<1	1	2	3	4	5	6
75-79	77	2.4	1	<1	1	2	3	4	5	74
80-84	35	2.9	9	<1	1	2	3	5	7	18
85+	26	2.3	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	3	1.0		1	1	1	1	1	1	1
80-84	2	5.0	32	1	1	5	9	9	9	9
85+	2	5.5	41	1	1	5	10	10	10	10
B. *Operated*										
65-69 YRS	118	2.8	4	1	2	2	3	4	6	13
70-74	123	3.1	13	1	2	2	3	5	7	26
75-79	104	2.9	11	1	1	2	3	4	7	22
80-84	71	2.8	4	1	1	2	3	5	6	13
85+	37	2.9	7	1	1	2	3	5	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	272	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	12	2.9	10	1	1	1	3	9	10	10
B. *Operated*	453	2.9	8	1	2	2	3	4	7	16
1. SINGLE DX	272	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	465	2.9	8	1	2	2	3	5	7	16
A. NOT OPERATED	12	2.9	10	1	1	1	3	9	10	10
B. OPERATED	725	2.7	6	1	1	2	3	4	6	14
TOTAL 65-69 YRS	184	2.7	3	1	1	2	3	4	6	10
70-74	196	2.8	9	1	1	2	3	4	6	18
75-79	184	2.6	7	<1	1	2	3	4	6	25
80-84	108	2.9	6	1	1	2	3	5	7	16
85+	65	2.7	5	1	1	2	3	4	8	13
GRAND TOTAL	**737**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**14**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.0	33	1	1	3	7	15	15	15
70-74										
75-79	6	3.2	3	2	2	3	4	6	6	6
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
65-69 YRS	41	6.9	53	1	1	4	10	14	24	32
70-74	22	4.7	31	1	2	2	3	12	17	24
75-79	4	8.0	42	2	2	7	13	15	15	15
80-84	1	2.0		2	2	2	2	2	2	2
85+	4	4.0	13	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	50	7.2	46	2	2	6	8	14	19	39
70-74	67	8.8	86	1	1	7	11	17	21	55
75-79	44	7.5	43	1	2	6	8	15	21	33
80-84	28	9.9	54	2	2	7	14	23	26	29
85+	31	6.9	13	1	3	7	9	11	15	16
B. *Operated*										
65-69 YRS	121	11.9	102	2	2	10	16	26	30	52
70-74	77	12.7	149	1	2	11	17	28	48	89
75-79	50	12.6	178	2	3	9	16	22	28	88
80-84	19	19.5	293	3	4	17	25	37	60	76
85+	22	8.7	46	1	2	7	14	19	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.1	13	1	2	3	4	9	14	15
B. *Operated*	72	6.1	43	1	1	3	10	14	23	30
2. MULTIPLE DX										
A. *Not Operated*	220	8.0	54	1	2	6	9	16	19	38
B. *Operated*	289	12.5	138	2	2	10	17	26	32	71
1. SINGLE DX	86	5.7	38	1	1	3	9	14	17	29
2. MULTIPLE DX	509	10.6	107	2	2	7	15	22	29	59
A. NOT OPERATED	234	7.8	53	1	2	6	9	16	19	38
B. OPERATED	361	11.2	126	1	2	9	15	24	30	64
TOTAL 65-69 YRS	217	9.7	83	1	2	7	14	23	29	42
70-74	166	10.1	115	1	2	7	14	21	34	60
75-79	104	9.7	113	2	2	7	13	19	27	60
80-84	49	13.3	167	2	3	9	17	28	32	76
85+	59	7.3	26	1	2	7	9	15	18	24
GRAND TOTAL	**595**	**9.9**	**100**	**1**	**2**	**7**	**14**	**20**	**29**	**55**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74										
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	1.7	1	1	1	1	3	3	3	3
1. SINGLE DX	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX	3	1.7	1	1	1	1	3	3	3	3
A. NOT OPERATED										
B. OPERATED	6	2.2	1	1	1	2	3	3	3	3
TOTAL 65-69 YRS	3	2.3	1	1	1	3	3	3	3	3
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	6	2.2	1	1	1	2	3	3	3	3

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.8	11	1	1	4	5	9	9	9
70-74	9	4.3	5	1	1	5	6	7	7	7
75-79	6	4.5	16	<1	<1	3	9	10	10	10
80-84	6	3.7	1	2	2	4	5	5	5	5
85+	7	4.4	9	<1	<1	5	6	8	9	9
B. *Operated*										
65-69 YRS	25	8.2	39	1	2	8	11	16	21	26
70-74	18	5.4	13	1	2	5	7	9	13	16
75-79	10	7.0	78	1	1	2	14	21	26	26
80-84	5	7.0	17	2	2	7	10	12	12	12
85+	6	7.8	21	2	2	7	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	7.2	81	1	2	5	8	15	19	55
70-74	58	6.0	18	1	1	5	9	12	14	17
75-79	51	6.2	19	2	2	5	8	11	13	25
80-84	37	6.0	27	1	1	4	8	12	19	23
85+	34	7.6	36	2	3	6	11	13	15	34
B. *Operated*										
65-69 YRS	82	11.5	94	1	3	9	15	22	34	48
70-74	59	12.6	181	1	2	8	19	26	35	78
75-79	56	14.4	201	1	2	10	18	31	42	77
80-84	42	15.7	221	1	3	12	19	31	57	65
85+	29	15.8	120	2	4	16	20	28	38	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.2	7	<1	1	4	6	9	9	10
B. *Operated*	64	7.1	34	1	1	5	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	220	6.5	34	1	2	5	8	13	15	28
B. *Operated*	268	13.5	159	1	2	10	19	28	36	64
1. SINGLE DX	97	6.1	26	1	1	5	9	13	16	26
2. MULTIPLE DX	488	10.3	114	1	2	7	13	21	30	57
A. NOT OPERATED	253	6.2	31	1	2	5	8	12	14	25
B. OPERATED	332	12.3	141	1	2	9	17	25	34	60
TOTAL 65-69 YRS	152	9.6	83	1	2	7	12	19	28	50
70-74	144	8.5	94	1	2	5	11	19	22	48
75-79	123	9.9	122	1	2	7	12	22	31	63
80-84	90	10.4	139	1	2	7	13	22	29	63
85+	76	10.5	81	2	3	7	14	21	28	48
GRAND TOTAL	**585**	**9.6**	**102**	**1**	**2**	**7**	**12**	**20**	**27**	**56**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	3.3		3	3	3	4	4	4	4
70-74	4	3.8	2	2	2	4	5	5	5	5
75-79										
80-84	1	11.0		11	11	11	11	11	11	11
85+	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	10	4.1	7	2	2	3	5	8	11	11
1. SINGLE DX	6	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX	10	4.1	7	2	2	3	5	8	11	11
A. NOT OPERATED										
B. OPERATED	16	3.5	5	1	2	3	4	5	9	11
TOTAL 65-69 YRS	4	3.5		3	3	3	4	4	4	4
70-74	5	3.4	2	2	2	3	5	5	5	5
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	2	7.0	32	3	3	7	11	11	11	11
85+	3	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	**16**	**3.5**	**5**	**1**	**2**	**3**	**4**	**5**	**9**	**11**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.3	1	1	1	2	3	3	3	3
70-74	8	2.8	1	1	1	3	4	4	4	4
75-79	5	7.0	56	1	1	2	14	17	17	17
80-84	1	6.0		6	6	6	6	6	6	6
85+	3	4.7	9	2	2	4	7	8	8	8
B. Operated										
65-69 YRS	27	6.1	37	1	1	4	8	11	20	29
70-74	18	6.6	50	<1	<1	4	7	19	22	24
75-79	9	5.0	11	2	2	3	6	10	12	12
80-84	10	4.5	6	1	1	4	7	8	8	8
85+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	30	5.3	20	1	2	4	6	10	14	23
70-74	33	7.2	33	1	2	5	9	14	23	26
75-79	40	7.7	45	2	2	6	9	16	22	35
80-84	26	7.5	22	3	3	7	8	13	17	25
85+	11	11.2	27	3	4	12	15	18	21	21
B. Operated										
65-69 YRS	94	8.5	57	2	2	6	12	17	22	42
70-74	83	9.8	130	2	2	8	12	16	23	75
75-79	66	9.5	64	2	2	9	12	19	23	47
80-84	29	9.8	31	2	3	9	13	17	22	24
85+	17	11.8	45	2	4	12	14	18	27	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.1	16	1	1	3	4	10	15	17
B. Operated	65	6.1	35	1	1	4	7	12	20	28
2. MULTIPLE DX										
A. Not Operated	140	7.3	32	2	2	6	9	14	20	27
B. Operated	289	9.4	76	2	2	8	12	17	23	44
1. SINGLE DX	86	5.6	31	1	1	4	7	12	19	27
2. MULTIPLE DX	429	8.7	63	2	2	7	11	16	22	35
A. NOT OPERATED	161	6.9	31	1	2	5	8	14	18	26
B. OPERATED	354	8.8	70	2	2	7	12	16	23	35
TOTAL 65-69 YRS	155	7.3	47	1	2	5	9	14	21	29
70-74	142	8.4	93	1	2	6	10	16	23	40
75-79	120	8.5	54	2	2	6	11	16	22	39
80-84	66	9.0	26	2	3	7	10	15	18	25
85+	32	11.3	41	2	3	11	14	20	23	31
GRAND TOTAL	**515**	**8.2**	**59**	**2**	**2**	**6**	**11**	**16**	**22**	**32**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS	8	4.8	10	2	2	4	5	10	12	12
70-74	4	3.3	2	2	2	3	4	5	5	5
75-79	3	2.7		2	2	3	3	3	3	3
80-84										
85+	4	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. Operated										
65-69 YRS	47	5.4	10	2	3	4	6	10	11	17
70-74	26	5.7	11	3	3	5	6	12	13	15
75-79	18	6.4	16	2	3	5	7	14	16	16
80-84	3	6.3	2	5	5	6	7	8	8	8
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	19	3.8	6	1	2	3	5	6	9	12
2. MULTIPLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	94	5.7	11	2	3	5	6	11	13	17
1. SINGLE DX	19	3.8	6	1	2	3	5	6	9	12
2. MULTIPLE DX	97	5.6	11	2	3	5	6	11	13	17
A. NOT OPERATED	3	2.0	1	1	1	2	3	3	3	3
B. OPERATED	113	5.4	11	2	3	5	6	11	12	16
TOTAL 65-69 YRS	55	5.3	9	2	3	4	6	10	12	17
70-74	31	5.2	11	2	3	5	5	11	13	15
75-79	22	5.8	15	2	2	5	7	13	15	16
80-84	4	5.3	6	2	2	5	7	8	8	8
85+	4	3.3	4	1	1	3	5	6	6	6
GRAND TOTAL	**116**	**5.3**	**11**	**2**	**3**	**4**	**6**	**11**	**12**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	7.7	33	1	2	6	8	19	21	21
70-74	9	6.0	12	1	2	5	9	11	11	11
75-79	8	6.8	14	1	2	7	9	12	13	13
80-84	3	16.3	112	5	5	18	24	26	26	26
85+	7	6.6	20	<1	1	5	8	14	15	15
B. *Operated*										
65-69 YRS	70	6.7	32	2	2	5	9	14	19	29
70-74	53	5.9	30	1	1	4	9	14	18	23
75-79	23	8.5	76	2	2	5	15	18	26	37
80-84	10	5.7	25	<1	<1	4	9	13	17	17
85+	10	5.5	67	<1	<1	3	4	18	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	96	7.3	25	2	3	6	9	13	18	25
70-74	103	9.5	39	2	3	8	13	19	21	29
75-79	85	9.0	47	2	3	7	11	20	24	36
80-84	59	9.2	64	1	3	7	11	18	24	47
85+	40	10.8	143	2	3	7	13	21	26	73
B. *Operated*										
65-69 YRS	172	10.4	113	2	2	8	13	20	33	78
70-74	136	12.8	198	2	3	9	15	28	43	83
75-79	77	13.4	130	2	3	10	17	25	36	58
80-84	27	15.0	277	<1	1	11	18	42	49	69
85+	11	12.6	483	1	1	5	15	84	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	7.6	31	1	2	6	9	16	20	26
B. *Operated*	166	6.6	39	1	1	4	9	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	383	8.9	52	2	3	7	11	17	21	34
B. *Operated*	423	12.1	163	2	2	9	15	25	37	80
1. SINGLE DX	206	6.8	37	1	1	5	9	16	19	29
2. MULTIPLE DX	806	10.6	113	2	3	8	13	21	30	70
A. NOT OPERATED	423	8.8	50	2	3	7	11	17	21	33
B. OPERATED	589	10.5	134	1	2	7	14	23	34	75
TOTAL 65-69 YRS	351	8.7	72	2	2	6	11	17	24	41
70-74	301	10.2	115	1	2	8	13	20	28	55
75-79	193	10.6	87	2	2	8	14	24	27	49
80-84	99	10.6	126	1	2	8	13	22	36	59
85+	68	9.9	172	1	1	7	11	21	33	96
GRAND TOTAL	**1012**	**9.8**	**100**	**1**	**2**	**7**	**12**	**20**	**27**	**60**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	219	4.6	20	1	1	3	6	8	12	20
70-74	182	4.8	14	1	1	4	6	9	11	20
75-79	140	5.7	29	1	1	4	8	12	15	31
80-84	78	4.4	10	1	1	3	6	8	10	18
85+	74	4.9	23	1	1	4	6	10	14	28
B. Operated										
65-69 YRS	16	7.1	95	1	1	3	7	23	33	37
70-74	8	12.3	161	1	1	6	24	30	32	32
75-79	6	4.8	5	2	2	5	6	8	8	8
80-84	3	7.3	34	3	3	5	12	14	14	14
85+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1536	7.3	46	2	2	6	9	14	20	33
70-74	1557	7.6	45	2	2	6	9	14	19	35
75-79	1292	7.8	45	2	2	6	10	15	19	39
80-84	925	8.5	63	2	3	6	11	16	21	39
85+	709	8.0	49	2	3	6	10	16	20	38
B. Operated										
65-69 YRS	196	12.8	142	2	3	9	15	27	37	78
70-74	169	13.1	118	3	4	10	18	29	39	95
75-79	130	12.7	127	2	3	10	16	23	31	73
80-84	99	14.9	116	3	4	13	20	28	41	78
85+	41	13.7	112	3	5	10	15	32	40	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	693	4.9	20	1	1	4	6	10	12	21
B. Operated	35	7.8	85	1	2	4	8	24	31	37
2. MULTIPLE DX										
A. Not Operated	6019	7.8	49	2	2	6	10	15	19	37
B. Operated	635	13.2	126	2	3	10	17	27	39	80
1. SINGLE DX	728	5.0	23	1	1	4	6	10	13	25
2. MULTIPLE DX	6654	8.3	59	2	2	6	10	16	21	41
A. NOT OPERATED	6712	7.5	46	2	2	6	9	14	19	36
B. OPERATED	670	12.9	126	2	3	10	17	27	39	75
TOTAL 65-69 YRS	1967	7.6	56	1	2	6	9	15	21	38
70-74	1916	7.8	52	1	2	6	10	15	21	40
75-79	1568	8.0	53	2	2	6	10	16	20	40
80-84	1105	8.8	69	2	2	6	11	17	23	44
85+	826	8.0	52	2	2	6	10	16	20	40
GRAND TOTAL	**7382**	**8.0**	**56**	**2**	**2**	**6**	**10**	**16**	**21**	**40**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	99	5.4	17	1	2	4	7	10	13	23
70-74	71	6.4	57	1	2	5	7	12	19	50
75-79	60	6.3	11	2	3	6	8	10	13	18
80-84	49	5.6	13	1	2	4	8	11	14	15
85+	50	5.8	36	2	2	4	6	11	14	40
B. Operated										
65-69 YRS	11	13.9	127	3	3	13	16	28	43	44
70-74	13	10.3	44	1	2	10	15	21	21	21
75-79	4	14.5	116	2	2	16	23	24	24	24
80-84	3	6.0	9	3	3	6	8	9	9	9
85+	3	10.3	6	8	8	10	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	744	7.0	27	2	3	5	9	14	16	26
70-74	810	7.7	35	2	3	6	10	14	18	27
75-79	767	7.9	37	2	3	6	9	15	19	33
80-84	596	8.1	49	2	3	7	10	14	18	32
85+	495	8.3	46	2	3	7	10	15	20	37
B. Operated										
65-69 YRS	150	14.0	144	3	4	11	16	26	36	71
70-74	160	14.4	83	4	5	12	19	28	34	42
75-79	98	18.0	168	3	5	14	24	38	47	80
80-84	80	16.9	126	4	5	15	19	30	40	60
85+	41	19.5	179	4	6	16	26	39	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	5.9	27	1	2	5	7	11	14	23
B. Operated	34	11.6	72	2	3	10	16	21	24	44
2. MULTIPLE DX										
A. Not Operated	3412	7.7	38	2	3	6	9	14	18	31
B. Operated	529	15.7	133	3	5	13	20	32	38	64
1. SINGLE DX	363	6.4	34	1	2	5	8	13	16	25
2. MULTIPLE DX	3941	8.8	58	2	3	7	11	17	22	40
A. NOT OPERATED	3741	7.6	37	2	3	6	9	14	18	30
B. OPERATED	563	15.5	130	3	4	13	19	31	38	63
TOTAL 65-69 YRS	1004	7.9	52	2	3	6	10	15	19	35
70-74	1054	8.7	50	2	3	7	11	17	21	35
75-79	929	8.9	60	2	3	7	10	18	23	45
80-84	728	8.9	63	2	3	7	11	16	21	43
85+	589	8.8	63	2	3	7	10	17	24	42
GRAND TOTAL	**4304**	**8.6**	**56**	**2**	**3**	**7**	**10**	**16**	**22**	**40**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	3.8	7	1	1	3	4	7	10	14
70-74	53	4.5	10	1	2	3	6	10	11	15
75-79	29	3.7	4	1	2	3	5	7	8	9
80-84	20	3.5	6	<1	<1	3	5	7	8	8
85+	8	4.6	9	1	1	4	7	9	9	9
B. *Operated*										
65-69 YRS	16	4.9	13	1	2	4	7	11	12	13
70-74	5	3.2	5	1	1	3	4	7	7	7
75-79	7	4.3	8	2	2	4	5	9	10	10
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	3	3.0	4	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	415	5.4	18	1	2	4	7	10	12	20
70-74	392	5.5	15	1	2	5	7	10	14	18
75-79	292	5.5	17	1	2	4	7	11	14	20
80-84	185	5.2	16	1	2	4	6	10	14	20
85+	119	6.2	31	1	2	5	8	11	16	37
B. *Operated*										
65-69 YRS	79	8.1	43	2	2	6	11	17	22	31
70-74	67	7.5	25	2	3	6	9	14	17	27
75-79	57	8.9	57	3	4	6	11	16	22	47
80-84	26	11.0	65	3	4	9	15	22	32	33
85+	25	8.8	55	2	3	6	11	18	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	4.0	7	1	1	3	5	8	10	14
B. *Operated*	33	4.2	10	1	1	3	5	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	1403	5.5	18	1	2	4	7	10	13	21
B. *Operated*	254	8.5	45	2	3	6	11	16	22	33
1. SINGLE DX	207	4.0	8	1	1	3	5	8	10	14
2. MULTIPLE DX	1657	6.0	23	1	2	5	7	11	15	25
A. NOT OPERATED	1577	5.3	17	1	2	4	7	10	13	20
B. OPERATED	287	8.0	43	2	2	6	10	16	20	32
TOTAL 65-69 YRS	574	5.6	21	1	2	4	7	10	13	25
70-74	517	5.6	16	1	2	5	7	10	14	19
75-79	385	5.9	23	1	2	4	7	12	15	22
80-84	233	5.7	24	1	2	4	7	11	15	28
85+	155	6.5	34	1	2	5	8	11	17	36
GRAND TOTAL	**1864**	**5.7**	**22**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	181	3.3	5	1	1	3	4	6	7	11
70-74	153	3.5	4	1	1	3	5	6	7	11
75-79	103	3.2	5	1	1	3	4	5	8	11
80-84	83	3.1	8	<1	1	2	4	5	7	18
85+	67	3.1	5	1	1	2	4	6	8	12
B. *Operated*										
65-69 YRS	122	4.6	9	1	2	4	6	8	9	17
70-74	108	4.7	7	1	2	4	6	8	10	14
75-79	63	5.0	12	1	2	4	7	10	11	17
80-84	38	4.4	5	1	1	4	6	7	8	11
85+	39	3.5	5	<1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	504	4.5	11	1	1	4	6	8	10	17
70-74	528	4.4	10	1	1	4	6	8	10	16
75-79	456	4.8	17	1	1	4	6	9	12	19
80-84	358	4.9	19	1	1	4	6	9	12	20
85+	369	4.9	19	1	1	4	6	10	13	23
B. *Operated*										
65-69 YRS	285	6.6	43	1	2	5	8	12	15	32
70-74	291	6.9	37	1	2	5	8	14	18	30
75-79	238	7.9	51	2	2	6	9	16	24	39
80-84	133	6.5	21	1	2	5	8	13	15	24
85+	123	6.3	25	1	2	5	8	12	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	3.3	5	1	1	3	4	6	7	11
B. *Operated*	370	4.5	8	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2215	4.7	14	1	1	4	6	9	11	19
B. *Operated*	1070	6.9	38	1	2	5	8	13	18	32
1. SINGLE DX	957	3.8	7	1	1	3	5	7	8	13
2. MULTIPLE DX	3285	5.4	23	1	1	4	7	10	14	25
A. NOT OPERATED	2802	4.4	13	1	1	4	6	8	10	18
B. OPERATED	1440	6.3	32	1	2	5	8	12	16	29
TOTAL 65-69 YRS	1092	4.8	19	1	1	4	6	9	11	19
70-74	1080	5.0	18	1	1	4	6	9	12	23
75-79	860	5.5	27	1	1	4	7	10	14	28
80-84	612	5.0	18	1	1	4	6	9	13	20
85+	598	4.9	18	1	1	4	6	10	12	23
GRAND TOTAL	**4242**	**5.0**	**20**	**1**	**1**	**4**	**6**	**9**	**12**	**23**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	3.8	8	<1	1	3	5	9	10	11
70-74	21	3.2	2	1	1	3	4	5	6	6
75-79	12	4.8	18	2	2	3	5	13	14	14
80-84	8	5.0	10	<1	1	4	7	10	11	11
85+	11	4.4	7	<1	1	3	6	8	9	9
B. *Operated*										
65-69 YRS	83	3.1	5	<1	1	2	4	6	9	12
70-74	66	3.2	9	<1	1	2	3	8	9	15
75-79	24	4.3	58	<1	1	2	3	9	23	36
80-84	18	4.7	31	1	1	3	5	9	19	25
85+	11	3.5	13	<1	<1	2	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	236	5.7	37	1	1	4	7	11	15	30
70-74	266	7.6	64	1	2	5	10	15	21	42
75-79	254	7.5	53	1	2	5	9	16	22	43
80-84	157	9.8	70	2	2	7	14	20	26	34
85+	140	10.9	113	1	2	8	15	23	31	49
B. *Operated*										
65-69 YRS	174	7.3	90	1	2	4	8	19	29	99+
70-74	146	10.0	164	1	1	5	12	29	42	99+
75-79	125	13.4	221	2	2	8	18	34	51	80
80-84	59	12.1	120	1	2	9	20	30	36	94
85+	33	12.7	99	<1	2	12	19	26	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.0	8	1	1	3	5	8	10	14
B. *Operated*	202	3.4	15	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	1053	7.9	65	1	2	5	10	16	23	42
B. *Operated*	537	10.3	149	1	2	6	14	28	41	99+
1. SINGLE DX	277	3.6	13	<1	1	2	4	8	10	17
2. MULTIPLE DX	1590	8.7	95	1	2	5	11	20	28	61
A. NOT OPERATED	1128	7.7	62	1	2	5	10	16	23	42
B. OPERATED	739	8.4	122	1	1	4	11	23	34	99+
TOTAL 65-69 YRS	516	5.7	50	1	1	4	7	12	19	66
70-74	499	7.6	88	1	1	4	9	16	29	55
75-79	415	9.0	111	1	2	5	12	20	28	56
80-84	242	9.8	80	1	2	6	14	24	28	43
85+	195	10.4	104	1	2	8	15	23	29	45
GRAND TOTAL	**1867**	**8.0**	**86**	**1**	**2**	**5**	**10**	**18**	**27**	**55**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	14	<1	<1	6	7	11	11	11
70-74	4	5.5	27	<1	<1	5	10	10	10	10
75-79	2	5.0	32	<1	<1	4	9	9	9	9
80-84	5	5.0	10	<1	<1	5	7	9	9	9
85+	7	8.9	56	2	2	4	16	19	19	19
B. *Operated*										
65-69 YRS	74	16.9	159	3	5	15	21	38	53	89
70-74	61	16.8	193	2	4	13	20	41	52	95
75-79	68	16.5	226	3	4	12	21	30	46	78
80-84	76	18.0	301	3	4	13	22	40	52	94
85+	91	14.8	157	2	3	11	19	28	32	71
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	88	10.6	68	2	3	8	15	22	25	43
70-74	105	10.9	55	3	3	9	14	22	27	35
75-79	94	11.5	109	3	4	9	13	23	27	67
80-84	92	11.4	112	2	3	8	13	25	35	90
85+	158	10.4	72	2	4	8	13	20	28	60
B. *Operated*										
65-69 YRS	737	23.6	311	5	7	18	32	49	63	99
70-74	801	23.9	271	5	7	20	32	47	62	99+
75-79	749	23.4	275	5	7	19	30	50	66	99+
80-84	617	22.4	239	5	8	19	30	44	58	99+
85+	753	19.9	223	5	7	16	24	39	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.3	27	<1	<1	5	9	14	18	19
B. *Operated*	370	16.5	205	3	4	13	20	36	48	83
2. MULTIPLE DX										
A. *Not Operated*	537	10.9	81	2	3	8	13	22	28	61
B. *Operated*	3657	22.7	266	5	7	18	30	46	61	99+
1. SINGLE DX	394	15.9	200	2	4	12	20	35	46	82
2. MULTIPLE DX	4194	21.2	258	4	6	17	28	44	58	99+
A. NOT OPERATED	561	10.7	79	2	3	8	13	22	27	60
B. OPERATED	4027	22.1	264	5	7	18	29	46	60	99+
TOTAL 65-69 YRS	905	21.7	291	4	6	16	29	46	59	98
70-74	971	22.0	260	4	6	18	30	44	58	99
75-79	913	21.6	269	4	6	17	28	46	62	99+
80-84	790	20.6	243	4	6	16	28	42	56	99+
85+	1009	17.9	205	4	6	14	22	36	52	97
GRAND TOTAL	**4588**	**20.7**	**255**	**4**	**6**	**16**	**28**	**43**	**58**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	918	3.4	5	1	1	3	4	6	7	12
70-74	619	3.5	6	1	1	3	4	7	8	13
75-79	334	3.5	7	1	1	3	4	6	8	14
80-84	198	3.3	4	1	1	3	4	6	7	12
85+	146	3.6	7	1	1	3	4	8	9	14
B. *Operated*										
65-69 YRS	290	3.0	6	1	1	2	3	6	8	12
70-74	124	3.2	6	1	1	2	3	7	9	13
75-79	41	4.3	11	1	2	3	6	9	12	15
80-84	7	3.3	2	2	2	3	4	5	5	5
85+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5230	4.5	11	1	2	4	6	8	10	16
70-74	4053	4.9	13	1	2	4	6	9	11	19
75-79	2837	4.9	14	1	2	4	6	9	11	19
80-84	1717	5.2	16	1	2	4	6	10	12	21
85+	1242	5.1	18	1	2	4	6	9	12	21
B. *Operated*										
65-69 YRS	1104	5.6	29	1	2	4	7	12	15	25
70-74	661	6.5	38	1	2	5	9	14	18	28
75-79	297	8.2	47	2	2	6	11	17	22	31
80-84	109	8.0	39	2	2	6	10	16	20	33
85+	65	10.6	119	2	2	6	15	21	39	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2215	3.4	6	1	1	3	4	6	8	13
B. *Operated*	465	3.2	7	1	1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	15079	4.8	13	1	2	4	6	9	11	19
B. *Operated*	2236	6.5	39	1	2	5	9	14	18	29
1. SINGLE DX	2680	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX	17315	5.0	17	1	2	4	6	9	12	21
A. NOT OPERATED	17294	4.6	12	1	2	4	6	8	11	18
B. OPERATED	2701	5.9	35	1	2	4	8	13	17	28
TOTAL 65-69 YRS	7542	4.5	13	1	2	4	6	8	11	18
70-74	5457	4.9	16	1	2	4	6	9	12	20
75-79	3509	5.1	17	1	2	4	6	9	12	21
80-84	2031	5.2	17	1	2	4	6	10	13	21
85+	1456	5.2	23	1	2	4	6	10	13	21
GRAND TOTAL	19995	4.8	16	1	2	4	6	9	12	20

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	4.0	9	<1	1	3	6	9	10	13
70-74	84	5.0	21	1	1	3	7	10	15	23
75-79	66	3.9	10	<1	1	3	5	9	11	15
80-84	30	3.5	7	1	1	3	5	8	9	11
85+	33	3.9	8	<1	1	3	6	8	8	12
B. *Operated*										
65-69 YRS	117	3.7	8	<1	1	3	5	8	10	13
70-74	91	4.1	10	<1	1	3	6	9	10	13
75-79	66	4.5	46	<1	<1	3	5	8	10	46
80-84	31	4.9	22	1	1	3	7	11	13	22
85+	12	6.8	26	2	2	5	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1080	7.0	42	1	2	5	9	13	17	33
70-74	1122	7.2	36	1	2	6	9	13	18	32
75-79	860	7.2	32	2	2	6	9	14	18	28
80-84	566	7.1	50	1	2	5	9	14	19	29
85+	391	7.4	46	1	2	6	9	14	19	34
B. *Operated*										
65-69 YRS	584	7.9	78	1	2	5	10	16	22	45
70-74	482	8.5	79	1	2	6	10	18	24	49
75-79	358	8.5	73	1	2	6	10	17	23	55
80-84	182	8.9	50	2	2	7	12	20	24	30
85+	80	11.0	65	2	3	9	15	20	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	4.2	13	1	1	3	6	9	11	16
B. *Operated*	317	4.2	19	<1	1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	4019	7.2	40	1	2	6	9	14	18	31
B. *Operated*	1686	8.4	74	1	2	6	11	18	24	43
1. SINGLE DX	617	4.2	16	<1	1	3	6	9	11	16
2. MULTIPLE DX	5705	7.5	50	1	2	6	9	15	20	36
A. NOT OPERATED	4319	7.0	38	1	2	5	9	13	18	30
B. OPERATED	2003	7.8	68	1	2	5	10	16	22	42
TOTAL 65-69 YRS	1868	7.0	51	1	2	5	9	14	18	35
70-74	1779	7.3	47	1	2	5	9	14	19	36
75-79	1350	7.2	44	1	2	6	9	14	19	41
80-84	809	7.3	48	1	2	5	9	15	20	29
85+	516	7.7	49	1	2	6	10	16	20	35
GRAND TOTAL	6322	7.2	48	1	2	5	9	14	19	35

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	142	2.9	4	1	1	2	4	5	7	10
70-74	124	3.3	20	<1	1	2	4	6	7	28
75-79	102	3.3	6	1	1	3	4	6	8	13
80-84	44	3.0	5	<1	<1	2	4	6	8	10
85+	44	4.6	24	<1	1	3	6	10	12	29
B. *Operated*										
65-69 YRS	86	6.1	19	1	2	5	8	11	15	22
70-74	89	6.0	18	1	1	4	8	12	15	19
75-79	73	7.1	37	1	2	5	9	14	15	36
80-84	42	7.4	38	1	2	5	12	14	23	25
85+	34	7.8	44	2	2	6	11	15	23	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	539	4.8	21	1	1	4	6	10	14	25
70-74	611	6.0	38	1	2	4	8	12	15	28
75-79	549	5.8	19	1	2	5	7	11	14	21
80-84	414	7.6	46	1	2	5	9	16	22	34
85+	498	7.7	61	2	2	6	9	16	22	53
B. *Operated*										
65-69 YRS	539	9.0	50	2	3	7	11	17	22	36
70-74	602	9.4	53	2	3	8	12	17	23	36
75-79	512	10.4	78	2	3	9	13	19	26	51
80-84	414	11.5	99	2	3	9	15	22	28	58
85+	327	12.2	111	2	3	9	15	23	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	3.3	11	<1	1	2	4	6	8	14
B. *Operated*	324	6.6	28	1	2	5	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	2611	6.3	37	1	2	5	8	13	17	31
B. *Operated*	2394	10.3	75	2	3	8	13	19	25	50
1. SINGLE DX	780	4.7	21	1	1	3	6	10	13	23
2. MULTIPLE DX	5005	8.2	59	1	2	6	10	16	22	42
A. NOT OPERATED	3067	5.8	34	1	1	4	7	12	16	29
B. OPERATED	2718	9.8	71	2	3	8	12	18	24	47
TOTAL 65-69 YRS	1306	6.4	36	1	2	5	8	13	17	30
70-74	1426	7.2	46	1	2	6	9	14	18	34
75-79	1236	7.6	50	1	2	6	10	15	19	36
80-84	914	9.1	73	1	2	7	12	19	25	45
85+	903	9.2	82	2	2	7	12	18	25	54
GRAND TOTAL	**5785**	**7.7**	**55**	**1**	**2**	**6**	**10**	**15**	**21**	**39**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	577	3.9	10	1	1	3	5	8	10	16
70-74	428	4.0	8	1	1	3	5	7	9	16
75-79	356	4.0	9	1	1	3	5	8	10	15
80-84	224	4.3	12	1	1	4	6	8	11	19
85+	158	4.3	8	1	1	4	6	8	10	13
B. *Operated*										
65-69 YRS	87	5.5	17	1	1	5	7	12	16	18
70-74	34	4.8	13	2	2	4	5	10	14	16
75-79	41	6.6	20	1	2	6	11	12	13	20
80-84	21	6.3	27	1	1	5	8	12	18	24
85+	9	4.3	8	1	1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2297	5.3	18	1	2	4	7	10	12	19
70-74	2268	5.4	21	1	2	4	7	10	12	20
75-79	1912	5.8	19	1	2	5	7	11	13	23
80-84	1418	6.3	27	2	2	5	8	12	16	25
85+	1218	6.5	36	2	2	5	8	12	15	31
B. *Operated*										
65-69 YRS	417	8.9	61	2	3	7	11	18	23	37
70-74	400	9.3	48	2	3	8	12	17	21	31
75-79	321	9.7	57	2	3	8	13	20	23	40
80-84	191	10.6	45	3	4	9	14	21	24	32
85+	121	12.3	88	2	4	10	16	24	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1743	4.0	10	1	1	3	5	8	9	16
B. *Operated*	192	5.7	18	1	2	4	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	9113	5.8	23	1	2	5	7	11	14	22
B. *Operated*	1450	9.7	57	2	3	8	12	19	23	36
1. SINGLE DX	1935	4.2	11	1	1	3	5	8	10	16
2. MULTIPLE DX	10563	6.3	30	1	2	5	8	12	16	26
A. NOT OPERATED	10856	5.5	21	1	2	4	7	10	13	21
B. OPERATED	1642	9.2	54	2	2	7	12	18	22	35
TOTAL 65-69 YRS	3378	5.5	24	1	2	4	7	10	14	23
70-74	3130	5.7	25	1	2	5	7	11	14	22
75-79	2630	6.0	24	1	2	5	8	11	15	26
80-84	1854	6.5	30	1	2	5	8	13	17	26
85+	1506	6.7	40	1	2	5	8	13	16	34
GRAND TOTAL	**12498**	**6.0**	**27**	**1**	**2**	**5**	**7**	**11**	**15**	**25**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	4.0	13	1	1	3	5	8	12	19
70-74	103	4.8	42	1	1	3	6	10	13	38
75-79	78	5.0	41	1	1	3	6	9	13	42
80-84	65	4.7	11	<1	1	4	7	9	12	16
85+	61	5.6	74	<1	1	3	6	11	14	60
B. *Operated*										
65-69 YRS	52	5.9	20	1	1	4	9	13	14	20
70-74	37	5.1	31	<1	1	3	6	11	17	28
75-79	26	5.5	21	<1	1	5	6	13	16	16
80-84	15	6.1	51	1	1	5	8	12	19	22
85+	8	4.5	45	1	1	2	3	16	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	964	6.4	35	1	2	5	8	13	16	27
70-74	1108	6.7	38	1	2	5	8	13	18	32
75-79	1072	6.9	33	2	2	5	8	13	18	27
80-84	867	7.0	33	2	2	6	9	13	17	26
85+	735	7.9	61	2	2	6	9	16	21	42
B. *Operated*										
65-69 YRS	331	11.1	118	2	2	8	14	25	31	52
70-74	284	12.0	93	2	3	10	16	24	31	51
75-79	265	12.6	149	2	3	9	15	26	41	59
80-84	186	11.3	90	2	2	9	14	25	33	43
85+	148	12.1	91	2	3	10	16	22	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	4.8	35	1	1	3	6	9	13	22
B. *Operated*	138	5.5	25	1	1	4	7	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	4746	6.9	39	2	2	5	8	14	18	31
B. *Operated*	1214	11.8	111	2	3	9	15	24	33	54
1. SINGLE DX	540	5.0	32	1	1	3	6	10	14	22
2. MULTIPLE DX	5960	7.9	58	2	2	6	10	16	21	41
A. NOT OPERATED	5148	6.8	39	1	2	5	8	13	18	30
B. OPERATED	1352	11.1	106	2	2	8	14	23	31	51
TOTAL 65-69 YRS	1442	7.3	56	1	2	5	9	15	21	39
70-74	1532	7.5	53	1	2	5	9	15	21	38
75-79	1441	7.8	60	2	2	6	10	15	20	45
80-84	1133	7.6	44	2	2	6	9	15	20	34
85+	952	8.4	69	1	2	6	10	18	21	49
GRAND TOTAL	**6500**	**7.7**	**56**	**1**	**2**	**6**	**9**	**15**	**21**	**41**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	990	4.8	34	1	1	3	6	10	13	28
70-74	923	5.7	63	1	1	4	6	10	15	49
75-79	874	5.1	30	1	1	3	6	10	14	29
80-84	612	5.7	54	1	1	4	6	11	14	55
85+	520	5.3	34	1	1	4	6	10	13	30
B. *Operated*										
65-69 YRS	248	5.1	67	1	1	3	6	10	14	68
70-74	188	4.7	26	1	1	3	6	9	12	27
75-79	129	5.9	68	1	1	3	6	12	19	50
80-84	63	4.7	17	<1	1	3	6	10	16	17
85+	38	5.1	28	1	2	3	6	14	23	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6735	6.7	35	1	2	5	8	13	17	30
70-74	7381	7.0	41	2	2	5	9	13	18	34
75-79	7367	7.0	40	2	2	5	9	13	18	31
80-84	5874	7.2	40	2	2	5	9	14	19	33
85+	5214	7.7	56	2	2	6	9	15	21	41
B. *Operated*										
65-69 YRS	1338	11.0	166	2	2	7	13	27	42	87
70-74	1355	11.7	169	2	2	8	14	25	39	76
75-79	1194	11.5	140	2	2	8	14	24	34	86
80-84	804	12.4	154	2	3	9	15	27	38	76
85+	571	12.9	157	2	3	9	16	27	37	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3919	5.3	43	1	1	4	6	10	14	31
B. *Operated*	666	5.1	48	1	1	3	6	10	15	47
2. MULTIPLE DX										
A. *Not Operated*	32571	7.1	42	2	2	5	9	14	18	33
B. *Operated*	5262	11.7	158	2	2	8	14	26	39	81
1. SINGLE DX	4585	5.3	44	1	1	4	6	10	14	32
2. MULTIPLE DX	37833	7.7	60	2	2	6	9	15	21	43
A. NOT OPERATED	36490	6.9	42	1	2	5	8	13	18	33
B. OPERATED	5928	11.0	150	2	2	7	13	24	36	80
TOTAL 65-69 YRS	9311	7.0	57	1	2	5	8	14	20	42
70-74	9847	7.5	63	1	2	5	9	15	20	43
75-79	9564	7.4	55	1	2	5	9	14	19	39
80-84	7353	7.6	56	2	2	6	9	15	21	42
85+	6343	8.0	66	2	2	6	10	16	22	45
GRAND TOTAL	**42418**	**7.5**	**59**	**1**	**2**	**5**	**9**	**15**	**20**	**42**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.7	3	2	2	5	5	7	7	7
70-74	4	8.5	28	2	2	8	12	15	15	15
75-79	3	4.0	9	1	1	4	6	7	7	7
80-84	5	12.0	82	1	1	9	19	24	24	24
85+	5	3.2	3	2	2	2	4	6	6	6
B. *Operated*										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	2	23.0	392	9	9	23	37	37	37	37
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	1	10.0		10	10	10	10	10	10	10
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	7.6	79	<1	1	4	9	18	26	43
70-74	24	11.8	118	1	2	8	17	29	38	39
75-79	28	9.4	45	2	2	8	15	19	20	23
80-84	24	10.4	211	1	1	7	11	20	44	69
85+	28	8.3	39	2	2	6	11	19	22	23
B. *Operated*										
65-69 YRS	24	18.7	480	2	2	12	20	35	83	90
70-74	19	22.6	403	2	3	17	35	44	63	78
75-79	17	13.9	183	2	3	8	20	27	46	56
80-84	12	24.9	707	2	3	11	47	66	77	79
85+	7	17.9	126	3	4	22	27	31	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.5	33	1	2	5	8	16	20	24
B. *Operated*	7	11.4	132	3	4	8	10	32	37	37
2. MULTIPLE DX										
A. *Not Operated*	138	9.3	93	1	2	6	12	20	26	46
B. *Operated*	79	19.5	396	2	3	12	27	44	70	87
1. SINGLE DX	30	7.7	57	1	2	6	9	16	24	37
2. MULTIPLE DX	217	13.0	226	1	2	8	17	29	42	79
A. NOT OPERATED	161	8.9	85	1	2	6	11	20	24	43
B. OPERATED	86	18.8	377	2	3	11	26	43	64	86
TOTAL 65-69 YRS	66	11.3	243	1	2	6	14	23	33	88
70-74	49	16.2	251	1	2	9	24	38	43	78
75-79	50	10.5	93	2	2	8	15	21	26	56
80-84	42	14.7	358	1	2	8	15	42	64	79
85+	40	9.3	65	2	2	6	11	22	26	32
GRAND TOTAL	**247**	**12.4**	**208**	**1**	**2**	**7**	**15**	**28**	**39**	**79**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	5.0	7	3	3	4	7	9	9	9
70-74	11	4.8	14	<1	1	3	8	11	11	11
75-79	6	3.8	25	1	1	2	3	13	14	14
80-84	4	5.5	40	2	2	3	9	15	15	15
85+	6	11.0	147	2	2	7	10	32	35	35
B. *Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	9.6	52	1	2	8	13	20	23	36
70-74	50	12.0	198	3	3	8	15	29	47	99+
75-79	42	12.9	160	1	3	10	14	26	39	68
80-84	30	11.0	84	2	3	8	14	21	32	43
85+	31	11.7	122	1	2	11	16	20	23	60
B. *Operated*										
65-69 YRS	38	28.1	718	4	4	18	38	86	97	99+
70-74	21	30.8	419	3	5	33	43	58	72	79
75-79	14	22.3	208	3	8	20	36	49	87	99+
80-84	11	27.4	645	4	6	19	68	99+	99+	99+
85+	9	9.4	146	1	1	5	25	67	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.9	45	1	1	3	9	12	15	35
B. *Operated*	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	202	11.4	125	2	3	9	14	22	34	75
B. *Operated*	93	25.9	528	3	4	20	39	75	99	99+
1. SINGLE DX	33	6.0	42	1	2	3	9	12	15	35
2. MULTIPLE DX	295	16.0	296	2	3	11	19	41	67	99+
A. NOT OPERATED	233	10.7	118	1	2	8	14	21	33	70
B. OPERATED	95	25.5	525	3	4	19	39	74	99	99+
TOTAL 65-69 YRS	91	17.1	411	2	3	10	20	39	73	99
70-74	83	15.7	307	2	3	9	19	43	56	94
75-79	63	14.0	178	1	2	11	16	37	43	95
80-84	45	14.5	262	2	3	10	17	45	80	99+
85+	46	11.2	124	1	2	8	16	25	39	99+
GRAND TOTAL	**328**	**15.0**	**280**	**2**	**3**	**10**	**18**	**39**	**65**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	3.5	7	<1	1	3	5	7	10	10
70-74	6	2.5	1	2	2	2	3	4	4	4
75-79	7	4.0	18	<1	<1	3	5	11	13	13
80-84	6	1.8	1	<1	<1	2	3	3	3	3
85+	3	10.3	44	6	6	7	15	18	18	18
B. *Operated*										
65-69 YRS	51	4.2	16	1	1	3	5	9	13	23
70-74	35	3.4	7	1	1	3	4	7	10	12
75-79	38	4.5	16	1	1	3	5	12	14	17
80-84	14	2.9	6	<1	1	2	3	6	9	10
85+	16	5.3	27	1	1	3	5	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	4.9	23	1	1	3	6	10	13	28
70-74	102	6.3	36	1	1	5	8	14	16	34
75-79	121	6.1	33	1	2	4	7	14	20	51
80-84	99	7.4	32	1	2	6	10	15	18	25
85+	143	7.1	62	2	2	5	8	14	17	83
B. *Operated*										
65-69 YRS	176	8.0	72	1	2	5	10	16	29	42
70-74	139	8.5	62	2	2	6	12	19	27	37
75-79	159	10.0	100	1	2	7	12	21	29	53
80-84	111	9.4	76	2	2	7	12	20	31	41
85+	97	10.8	102	1	2	8	14	22	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.7	14	<1	1	3	5	7	12	18
B. *Operated*	154	4.1	14	1	1	3	5	10	14	17
2. MULTIPLE DX										
A. *Not Operated*	549	6.4	40	1	1	5	8	14	17	32
B. *Operated*	682	9.2	82	1	2	6	12	20	28	43
1. SINGLE DX	188	4.0	14	1	1	3	5	9	13	18
2. MULTIPLE DX	1231	8.0	65	1	2	5	10	16	23	41
A. NOT OPERATED	583	6.3	38	1	1	5	8	14	17	31
B. OPERATED	836	8.3	73	1	2	5	11	18	25	41
TOTAL 65-69 YRS	323	6.4	51	1	1	4	8	14	19	36
70-74	282	7.0	48	1	2	5	9	15	21	36
75-79	325	7.8	68	1	2	5	10	16	23	47
80-84	230	7.9	54	1	2	5	10	17	22	38
85+	259	8.4	78	1	2	6	11	17	22	67
GRAND TOTAL	**1419**	**7.5**	**80**	**1**	**2**	**5**	**10**	**16**	**22**	**39**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	318	8.1	22	2	3	7	11	14	17	22
70-74	338	8.7	37	2	3	7	11	17	21	30
75-79	308	9.4	32	3	4	8	12	17	21	27
80-84	264	9.8	39	3	3	9	13	17	21	29
85+	250	9.8	49	2	3	8	13	18	22	35
B. *Operated*										
65-69 YRS	22	8.0	26	2	2	7	12	16	17	18
70-74	12	14.3	79	2	4	12	21	27	32	33
75-79	14	11.7	18	7	8	10	14	17	20	21
80-84	8	8.1	31	<1	1	8	12	16	17	17
85+	5	16.2	133	4	4	17	23	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1212	10.6	49	3	4	9	13	19	24	36
70-74	1679	11.2	68	3	4	9	14	20	25	46
75-79	1998	11.8	64	3	4	10	15	21	27	43
80-84	1863	11.8	67	4	4	10	15	21	26	45
85+	2089	12.2	78	3	4	10	15	22	27	49
B. *Operated*										
65-69 YRS	177	17.8	217	4	5	13	23	36	54	94
70-74	235	17.1	144	4	5	14	22	31	42	66
75-79	236	19.5	199	6	7	16	24	41	52	99+
80-84	200	20.8	214	6	7	17	25	40	51	88
85+	181	20.3	178	5	7	17	26	39	48	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1478	9.1	35	2	3	8	12	17	21	29
B. *Operated*	61	10.8	49	2	3	10	14	19	23	33
2. MULTIPLE DX										
A. *Not Operated*	8841	11.6	67	3	4	10	15	21	26	44
B. *Operated*	1029	19.1	190	4	6	16	24	37	50	87
1. SINGLE DX	1539	9.2	36	2	3	8	12	17	21	29
2. MULTIPLE DX	9870	12.4	85	3	4	10	16	23	29	51
A. NOT OPERATED	10319	11.3	63	3	4	9	14	20	25	43
B. OPERATED	1090	18.6	186	4	6	15	23	36	48	84
TOTAL 65-69 YRS	1729	10.8	67	3	4	9	13	20	25	48
70-74	2264	11.5	76	3	4	9	15	22	27	49
75-79	2556	12.3	78	3	4	10	15	22	28	51
80-84	2335	12.4	84	3	4	10	15	22	28	49
85+	2525	12.5	88	3	4	10	16	23	29	53
GRAND TOTAL	**11409**	**12.0**	**80**	**3**	**4**	**10**	**15**	**22**	**28**	**50**

345. Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	5	8.4	16	5	5	7	10	15	15	15
75-79	4	11.5	86	5	5	8	17	25	25	25
80-84	2	12.5	5	11	11	12	14	14	14	14
85+	3	7.0	27	4	4	4	11	13	13	13
B. *Operated*										
65-69 YRS	2	22.5	613	5	5	22	40	40	40	40
70-74	2	39.5	1625	11	11	39	68	68	68	68
75-79	1	17.0		17	17	17	17	17	17	17
80-84	1	27.0		27	27	27	27	27	27	27
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	16.6	175	3	6	12	23	29	48	59
70-74	20	11.1	50	3	4	9	13	22	26	28
75-79	32	13.4	194	4	5	10	14	19	59	64
80-84	28	10.1	36	4	4	9	13	21	32	99+
85+	31	12.9	223	2	3	7	15	24	54	70
B. *Operated*										
65-69 YRS	10	38.9	715	7	9	50	74	99+	99+	99+
70-74	17	32.5	530	3	6	36	62	89	99+	99+
75-79	14	32.1	919	5	7	18	38	87	90	91
80-84	5	19.0	187	2	2	27	31	93	99+	99+
85+	8	22.3	90	13	13	19	31	35	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	9.1	34	3	4	7	12	15	22	25
B. *Operated*	6	28.0	537	5	6	22	40	65	68	68
2. MULTIPLE DX										
A. *Not Operated*	129	12.7	142	3	4	9	15	23	31	76
B. *Operated*	54	30.8	571	4	7	29	60	89	99+	99+
1. SINGLE DX	21	14.5	234	3	4	10	15	32	53	68
2. MULTIPLE DX	183	18.0	335	3	4	12	23	60	77	99+
A. NOT OPERATED	144	12.3	131	3	4	9	14	23	29	71
B. OPERATED	60	30.5	559	5	7	29	59	87	99+	99+
TOTAL 65-69 YRS	31	23.7	456	3	6	19	40	72	96	99+
70-74	44	20.4	391	3	5	13	30	67	78	99+
75-79	51	18.4	437	4	5	11	17	48	76	91
80-84	36	12.0	65	4	4	11	17	30	72	99+
85+	42	14.3	198	2	3	11	16	30	44	70
GRAND TOTAL	**204**	**17.7**	**324**	**3**	**4**	**12**	**23**	**59**	**73**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	5.0	17	1	2	4	6	10	10	27
70-74	83	4.7	7	1	2	4	7	8	10	14
75-79	87	5.2	12	1	2	4	7	10	13	16
80-84	73	5.9	12	1	2	5	8	11	12	16
85+	114	6.3	19	1	2	5	8	13	16	21
B. *Operated*										
65-69 YRS	3	7.3	6	5	5	7	9	10	10	10
70-74	2	12.0	200	2	2	12	22	22	22	22
75-79	4	7.3	26	1	1	7	11	13	13	13
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	881	7.3	30	2	2	6	9	14	17	27
70-74	985	8.0	43	2	2	7	10	15	19	33
75-79	1082	9.1	55	2	3	7	12	17	23	40
80-84	1022	9.3	67	2	3	7	11	18	24	39
85+	1139	9.9	75	2	3	8	13	19	24	51
B. *Operated*										
65-69 YRS	192	14.7	246	2	4	10	16	32	56	87
70-74	183	15.8	215	2	4	12	19	36	55	85
75-79	180	15.4	112	4	5	12	19	30	40	88
80-84	126	17.5	245	3	5	12	21	37	56	89
85+	121	17.5	168	4	5	14	24	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	5.4	14	1	2	5	7	10	13	19
B. *Operated*	11	7.7	37	1	1	7	10	17	22	22
2. MULTIPLE DX										
A. *Not Operated*	5109	8.8	56	2	3	7	11	17	22	38
B. *Operated*	802	16.0	197	3	4	12	20	34	53	94
1. SINGLE DX	463	5.5	15	1	2	5	7	10	13	20
2. MULTIPLE DX	5911	9.8	81	2	3	7	12	19	25	55
A. NOT OPERATED	5561	8.5	53	2	2	7	11	16	21	37
B. OPERATED	813	15.9	196	3	4	12	20	34	52	93
TOTAL 65-69 YRS	1171	8.3	72	2	2	6	10	16	21	55
70-74	1253	8.9	75	2	2	7	11	17	23	55
75-79	1353	9.7	65	2	3	7	12	19	25	47
80-84	1222	9.9	89	2	3	7	12	19	26	56
85+	1375	10.3	84	2	3	8	13	20	28	56
GRAND TOTAL	**6374**	**9.5**	**78**	**2**	**3**	**7**	**12**	**18**	**25**	**52**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	139	11.2	118	2	4	9	14	17	25	67
70-74	203	10.8	47	3	4	10	14	19	23	37
75-79	238	12.0	72	3	4	10	15	22	27	47
80-84	292	11.4	60	3	4	10	15	20	22	41
85+	350	11.5	61	2	3	10	14	21	27	40
B. Operated										
65-69 YRS	5	16.2	307	5	5	10	21	47	47	47
70-74	5	27.0	249	12	12	19	41	49	49	49
75-79	8	13.4	216	3	4	7	16	39	47	47
80-84	8	23.8	411	3	4	15	42	53	56	56
85+	7	9.9	18	2	3	12	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	499	14.0	94	4	5	12	18	25	31	46
70-74	733	14.4	97	4	5	12	18	25	33	54
75-79	1035	15.2	115	4	5	13	19	26	35	61
80-84	1223	15.4	118	4	5	13	19	28	35	63
85+	1815	15.3	134	4	5	13	19	24	37	72
B. Operated										
65-69 YRS	101	26.0	305	5	8	21	35	55	60	71
70-74	128	24.5	303	8	9	19	33	55	65	99+
75-79	158	24.5	262	6	9	20	34	47	57	96
80-84	144	24.6	282	6	8	20	32	57	69	99+
85+	174	22.4	267	6	6	19	31	47	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1222	11.4	67	3	4	10	15	20	25	44
B. Operated	33	17.6	251	3	4	12	19	47	49	56
2. MULTIPLE DX										
A. Not Operated	5305	15.1	118	4	5	13	19	27	35	64
B. Operated	705	24.2	281	6	8	20	32	52	62	99+
1. SINGLE DX	1255	11.6	73	3	4	10	15	20	26	46
2. MULTIPLE DX	6010	16.1	146	4	5	13	20	30	40	72
A. NOT OPERATED	6527	14.4	110	4	5	12	18	26	34	60
B. OPERATED	738	23.9	281	6	8	19	32	51	61	99+
TOTAL 65-69 YRS	744	15.1	148	4	5	12	19	29	39	63
70-74	1069	15.0	127	4	5	12	19	27	39	64
75-79	1439	15.7	135	4	5	13	19	29	38	62
80-84	1667	15.5	134	4	5	13	19	29	38	70
85+	2346	15.2	139	3	5	12	19	29	38	76
GRAND TOTAL	**7265**	**15.4**	**136**	**4**	**5**	**13**	**19**	**29**	**38**	**69**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	142	4.5	23	1	1	3	5	9	14	27
70-74	158	4.8	28	1	1	3	6	9	14	25
75-79	231	5.3	32	1	1	4	6	11	16	31
80-84	226	6.2	40	1	1	4	7	12	17	32
85+	238	5.5	21	1	2	4	7	11	14	23
B. Operated										
65-69 YRS	252	5.3	22	1	1	4	6	11	16	23
70-74	240	6.5	38	1	2	5	8	13	17	32
75-79	213	6.9	28	1	2	5	9	13	19	27
80-84	162	7.0	28	1	2	5	9	16	17	23
85+	148	8.4	74	2	3	6	9	15	21	59
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	370	9.3	92	2	2	6	12	20	25	52
70-74	593	8.9	53	2	2	7	12	19	23	35
75-79	720	9.3	78	2	2	7	12	19	25	47
80-84	733	9.4	75	2	3	7	12	19	25	49
85+	979	11.0	127	2	3	8	13	24	32	70
B. Operated										
65-69 YRS	482	11.0	139	2	3	7	13	23	33	61
70-74	514	11.6	130	2	3	8	14	24	34	85
75-79	577	12.7	180	2	2	9	15	27	38	83
80-84	475	13.7	150	2	3	10	18	29	37	91
85+	416	14.4	160	3	4	11	18	31	40	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	995	5.4	29	1	1	4	6	11	16	27
B. Operated	1015	6.6	36	1	2	5	8	13	18	28
2. MULTIPLE DX										
A. Not Operated	3395	9.7	89	2	2	7	12	20	27	50
B. Operated	2464	12.6	154	2	3	9	16	27	37	82
1. SINGLE DX	2010	6.0	33	1	1	4	7	12	16	27
2. MULTIPLE DX	5859	10.9	118	2	2	8	14	23	31	62
A. NOT OPERATED	4390	8.7	79	1	2	6	11	18	25	47
B. OPERATED	3479	10.9	127	2	2	7	14	23	33	67
TOTAL 65-69 YRS	1246	8.6	95	1	2	5	11	19	25	53
70-74	1505	9.0	79	1	2	6	12	20	25	47
75-79	1741	9.6	106	1	2	7	12	20	28	60
80-84	1596	10.0	95	2	2	7	13	21	29	57
85+	1781	10.8	123	2	3	7	13	24	32	60
GRAND TOTAL	**7869**	**9.7**	**101**	**1**	**2**	**7**	**12**	**21**	**28**	**55**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	43	3.0	9	<1	<1	2	4	6	8	17
70-74	43	2.8	5	<1	1	2	4	6	8	10
75-79	40	3.2	9	<1	1	2	4	7	10	14
80-84	41	3.6	7	<1	1	3	5	8	10	11
85+	54	4.5	21	1	1	3	5	7	11	27
B. Operated										
65-69 YRS	703	2.9	5	1	1	2	4	5	7	13
70-74	600	3.1	7	1	1	2	4	6	8	14
75-79	458	3.5	8	1	1	3	4	7	10	14
80-84	258	4.4	34	1	1	3	5	8	12	21
85+	199	4.2	18	1	1	3	5	8	11	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	120	6.8	77	1	1	5	8	14	18	46
70-74	154	7.4	58	1	2	5	10	15	20	37
75-79	192	8.3	63	1	2	7	11	16	22	57
80-84	193	8.9	65	2	2	6	11	19	24	41
85+	239	7.9	44	2	3	6	10	15	20	41
B. Operated										
65-69 YRS	641	6.6	61	1	1	4	8	15	20	38
70-74	736	7.2	66	1	2	5	9	15	22	46
75-79	656	7.7	54	1	2	5	10	16	23	37
80-84	515	8.7	78	1	2	6	11	19	26	56
85+	437	11.1	155	2	3	7	13	23	35	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	221	3.5	11	<1	1	3	4	7	9	16
B. Operated	2218	3.4	11	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. Not Operated	656	8.0	60	1	2	6	10	16	21	44
B. Operated	2965	8.1	79	1	2	5	10	17	25	46
1. SINGLE DX	2439	3.4	11	1	1	3	4	7	9	16
2. MULTIPLE DX	3883	8.0	75	1	2	5	10	17	24	46
A. NOT OPERATED	1119	7.1	53	1	1	5	9	15	20	39
B. OPERATED	5203	6.1	56	1	1	4	7	13	19	36
TOTAL 65-69 YRS	1507	4.9	39	1	1	3	6	10	15	31
70-74	1533	5.5	45	1	1	3	6	12	16	33
75-79	1346	6.2	43	1	1	4	8	13	19	33
80-84	1007	7.4	66	1	1	5	9	17	23	41
85+	929	8.4	97	1	2	5	10	18	25	52
GRAND TOTAL	**6322**	**6.2**	**55**	**1**	**1**	**4**	**7**	**13**	**19**	**38**

350: Miscellaneous fractures of upper extremity (814-819)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	3.8	3	<1	1	4	5	7	7	7
70-74	11	3.1	7	<1	<1	2	3	6	9	9
75-79	11	2.3	2	<1	<1	2	3	5	5	5
80-84	8	4.0	7	<1	<1	4	6	8	8	8
85+	12	4.6	15	<1	<1	3	7	11	12	12
B. Operated										
65-69 YRS	109	2.9	7	1	1	2	3	5	8	15
70-74	71	2.4	3	1	1	2	3	5	6	9
75-79	58	2.9	5	1	1	2	4	6	6	10
80-84	33	3.8	12	1	1	3	4	8	10	15
85+	28	3.4	9	<1	1	2	5	8	10	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	36	6.3	27	1	2	5	9	13	13	27
70-74	35	7.2	60	1	1	4	8	18	23	42
75-79	65	8.0	46	1	2	6	10	18	22	36
80-84	54	8.2	40	2	3	6	11	14	17	36
85+	78	7.5	27	1	2	7	9	14	18	26
B. Operated										
65-69 YRS	166	4.5	20	1	1	3	6	11	13	21
70-74	149	7.1	89	1	1	3	7	19	28	47
75-79	108	6.0	44	1	1	4	8	15	20	34
80-84	90	8.8	139	1	1	5	10	20	40	89
85+	87	7.4	49	1	1	5	10	19	23	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	3.6	7	<1	<1	3	5	7	9	12
B. Operated	299	2.9	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	268	7.6	40	1	2	6	10	15	21	35
B. Operated	600	6.5	65	1	1	4	7	15	22	45
1. SINGLE DX	355	3.0	6	<1	1	2	4	7	8	12
2. MULTIPLE DX	868	6.8	57	1	1	4	9	15	21	43
A. NOT OPERATED	324	6.9	37	1	1	5	9	13	18	28
B. OPERATED	899	5.3	48	1	1	3	6	12	18	41
TOTAL 65-69 YRS	325	4.1	16	1	1	3	5	10	13	20
70-74	286	5.8	63	1	·	3	6	12	24	46
75-79	242	5.6	37	1	1	3	7	13	18	32
80-84	185	7.5	85	1	1	5	9	17	24	65
85+	205	6.7	35	1	1	5	9	14	21	28
GRAND TOTAL	**1243**	**5.7**	**46**	**1**	**1**	**3**	**7**	**13**	**18**	**39**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	58	9.2	100	<1	1	8	11	18	22	65
70-74	96	7.8	28	1	2	7	11	15	18	22
75-79	116	10.4	76	1	1	9	15	20	23	47
80-84	151	10.2	111	<1	2	8	14	22	27	99+
85+	222	10.2	76	1	1	8	14	21	27	44
B. *Operated*										
65-69 YRS	1106	14.1	46	7	8	13	17	21	24	38
70-74	1504	15.1	60	7	8	14	18	23	28	42
75-79	2119	16.0	64	7	9	15	18	25	30	47
80-84	2463	16.9	65	8	9	15	19	26	32	50
85+	3341	17.0	77	8	9	15	20	26	34	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	213	13.9	162	1	3	11	17	31	43	99
70-74	338	14.6	157	3	4	11	18	30	37	66
75-79	534	15.2	193	2	3	11	18	32	45	70
80-84	585	14.7	163	2	3	12	18	32	44	99+
85+	985	15.0	191	2	3	11	19	33	50	99+
B. *Operated*										
65-69 YRS	2743	18.7	128	8	9	16	22	32	43	82
70-74	4593	19.7	141	8	10	16	23	34	45	81
75-79	6714	20.3	150	8	10	17	24	36	47	87
80-84	8107	21.1	166	8	10	18	25	37	50	96
85+	11507	21.0	166	9	10	17	25	37	50	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	9.8	79	1	1	8	13	20	25	47
B. *Operated*	10533	16.2	67	7	9	15	19	25	31	51
2. MULTIPLE DX										
A. *Not Operated*	2655	14.8	179	2	3	11	19	32	46	91
B. *Operated*	33664	20.5	157	8	10	17	24	36	48	92
1. SINGLE DX	11176	15.8	70	6	8	14	18	25	30	51
2. MULTIPLE DX	36319	20.1	161	7	9	17	24	36	48	92
A. NOT OPERATED	3298	13.8	163	1	3	11	18	29	43	84
B. OPERATED	44197	19.5	139	8	10	16	23	33	44	84
TOTAL 65-69 YRS	4120	17.1	113	6	8	15	20	28	38	75
70-74	6531	18.2	128	7	9	16	21	31	40	74
75-79	9483	19.0	137	7	9	16	22	33	43	79
80-84	11306	19.7	149	7	9	17	23	34	46	91
85+	16055	19.6	153	7	9	16	23	34	46	90
GRAND TOTAL	**47495**	**19.1**	**143**	**7**	**9**	**16**	**22**	**33**	**44**	**84**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	17.8	376	1	3	12	22	58	73	99+
70-74	48	17.6	367	<1	1	11	24	56	61	99+
75-79	46	18.7	449	1	2	10	22	52	59	87
80-84	54	14.3	204	1	2	10	19	38	40	68
85+	92	17.2	334	1	2	11	21	46	59	80
B. *Operated*										
65-69 YRS	112	18.4	152	7	8	15	23	37	43	65
70-74	104	18.8	111	7	10	17	23	32	48	99+
75-79	128	17.9	134	5	8	15	22	33	50	99+
80-84	130	20.3	217	7	9	15	23	40	57	90
85+	172	19.2	139	6	8	17	23	36	52	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	109	20.5	386	2	3	14	32	57	71	99+
70-74	143	23.5	411	3	5	16	34	55	72	99+
75-79	166	21.1	411	2	3	14	28	50	71	94
80-84	201	18.3	276	2	4	13	25	47	64	99+
85+	349	19.1	387	2	3	12	26	52	70	99+
B. *Operated*										
65-69 YRS	296	25.3	341	6	9	20	33	58	81	99+
70-74	336	26.8	332	8	10	22	37	68	99+	99+
75-79	461	27.2	331	9	11	22	35	61	75	99+
80-84	454	25.3	328	8	10	20	31	54	76	99+
85+	671	24.1	260	7	9	20	31	52	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	17.0	336	1	2	11	21	50	60	90
B. *Operated*	646	18.9	151	6	8	16	23	36	50	99+
2. MULTIPLE DX										
A. *Not Operated*	968	20.1	373	2	3	13	28	51	71	99+
B. *Operated*	2218	25.6	312	8	10	21	33	57	80	99+
1. SINGLE DX	924	18.4	207	3	5	15	22	39	55	99+
2. MULTIPLE DX	3186	23.9	337	4	7	19	32	55	76	99+
A. NOT OPERATED	1246	19.4	366	2	3	12	27	51	67	99+
B. OPERATED	2864	24.1	283	7	9	19	30	53	73	99+
TOTAL 65-69 YRS	555	22.4	322	4	6	17	29	53	72	99+
70-74	631	24.0	327	5	8	19	33	58	82	99+
75-79	801	24.0	337	4	7	19	31	55	71	99+
80-84	839	22.1	303	4	7	17	27	49	69	99+
85+	1284	21.6	290	3	6	17	28	49	64	99+
GRAND TOTAL	**4110**	**22.6**	**313**	**4**	**6**	**18**	**29**	**52**	**71**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	5.4	11	1	2	5	7	11	12	15
70-74	124	8.1	37	2	2	7	11	14	18	35
75-79	78	9.7	97	2	3	8	11	18	24	64
80-84	57	9.1	129	2	2	6	11	18	22	78
85+	70	7.9	28	1	2	7	11	15	17	27
B. *Operated*										
65-69 YRS	223	9.7	44	2	3	8	12	18	23	31
70-74	165	11.5	81	2	3	9	15	22	28	48
75-79	119	11.3	71	2	3	9	14	23	29	45
80-84	65	11.3	76	3	4	10	14	23	31	41
85+	31	10.4	70	2	3	9	12	21	32	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	259	10.9	86	2	3	8	14	21	29	47
70-74	224	10.2	60	2	3	8	14	20	24	48
75-79	246	12.3	117	3	4	9	15	27	35	58
80-84	225	11.9	80	2	4	10	15	22	30	47
85+	250	10.8	99	2	3	8	13	22	25	64
B. *Operated*										
65-69 YRS	394	15.3	157	3	5	12	19	33	44	86
70-74	291	17.2	234	3	5	13	21	36	45	95
75-79	263	17.2	167	4	5	14	21	34	43	98
80-84	177	20.4	237	4	6	17	25	46	61	99+
85+	169	18.9	283	3	5	13	24	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	7.8	54	2	2	6	10	13	18	32
B. *Operated*	603	10.8	64	2	3	9	14	21	26	40
2. MULTIPLE DX										
A. *Not Operated*	1204	11.2	89	2	3	9	14	22	30	55
B. *Operated*	1294	17.3	206	3	5	13	22	37	50	99+
1. SINGLE DX	1040	9.5	62	2	3	8	12	18	23	39
2. MULTIPLE DX	2498	14.4	159	3	4	11	18	30	43	85
A. NOT OPERATED	1641	10.3	82	2	3	8	13	20	27	50
B. OPERATED	1897	15.2	170	3	4	12	19	32	44	91
TOTAL 65-69 YRS	984	11.8	107	2	3	9	15	24	33	54
70-74	804	12.7	136	2	3	10	16	24	35	77
75-79	706	13.7	133	3	4	10	17	28	39	70
80-84	524	14.4	156	3	4	11	19	29	42	83
85+	520	13.0	165	2	3	9	16	28	49	88
GRAND TOTAL	**3538**	**12.9**	**135**	**2**	**3**	**10**	**16**	**26**	**37**	**74**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	147	4.5	15	1	1	3	6	9	12	20
70-74	129	5.6	21	1	1	4	7	12	15	20
75-79	116	6.8	34	2	2	5	9	14	18	31
80-84	111	6.5	18	1	2	6	9	12	15	20
85+	74	7.3	55	1	2	5	8	13	20	44
B. *Operated*										
65-69 YRS	766	6.7	18	2	2	6	9	12	15	22
70-74	539	7.9	36	2	3	7	10	13	17	33
75-79	335	9.2	48	3	3	8	11	16	20	30
80-84	138	8.8	31	3	4	7	12	17	19	23
85+	93	10.1	69	2	3	9	13	19	20	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	323	6.8	24	1	2	6	9	13	16	25
70-74	350	8.0	44	2	3	6	10	15	21	32
75-79	350	9.2	84	2	3	7	12	17	24	47
80-84	294	8.9	47	2	3	7	11	17	22	35
85+	302	10.4	67	2	3	8	13	21	28	39
B. *Operated*										
65-69 YRS	1041	10.2	76	3	3	8	12	19	25	47
70-74	862	11.7	95	3	4	9	14	22	28	59
75-79	657	13.4	125	3	4	10	16	25	38	66
80-84	380	14.3	147	4	5	11	16	29	45	82
85+	281	14.1	162	3	4	11	17	27	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	6.0	27	1	2	4	8	12	16	27
B. *Operated*	1871	7.8	33	2	3	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	1619	8.6	55	2	3	7	11	17	22	41
B. *Operated*	3221	12.1	109	3	4	9	14	23	31	64
1. SINGLE DX	2448	7.4	32	2	2	6	9	13	17	28
2. MULTIPLE DX	4840	10.9	93	2	3	8	13	21	28	59
A. NOT OPERATED	2196	7.9	49	2	2	6	10	16	21	35
B. OPERATED	5092	10.5	85	3	3	8	13	19	26	56
TOTAL 65-69 YRS	2277	8.2	48	2	3	7	10	15	20	34
70-74	1880	9.5	68	2	3	7	11	18	23	48
75-79	1458	10.9	95	2	3	8	13	20	28	59
80-84	923	10.8	91	2	3	8	13	20	29	57
85+	750	11.5	106	2	3	8	14	22	30	62
GRAND TOTAL	**7288**	**9.7**	**76**	**2**	**3**	**7**	**12**	**18**	**24**	**50**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	4.6	14	1	1	3	7	11	12	12
70-74	15	4.0	12	<1	1	3	6	9	12	13
75-79	4	2.5	2	1	1	2	3	4	4	4
80-84	15	5.3	19	1	1	4	7	7	16	19
85+	20	6.0	38	2	2	4	6	12	21	29
B. *Operated*										
65-69 YRS	4	6.3	57	1	1	4	11	17	17	17
70-74	2	3.0	8	1	1	3	5	5	5	5
75-79	2	4.0		4	4	4	4	4	4	4
80-84	1	9.0		9	9	9	9	9	9	9
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	120	7.7	45	1	2	6	10	14	18	39
70-74	154	8.2	65	1	2	6	11	16	24	37
75-79	155	9.1	87	1	2	7	12	18	23	54
80-84	124	9.2	63	2	3	7	12	18	23	47
85+	170	9.6	89	2	2	8	12	21	25	77
B. *Operated*										
65-69 YRS	38	10.1	84	1	2	8	11	23	32	44
70-74	33	11.8	68	2	3	9	18	24	28	29
75-79	30	12.9	150	2	2	8	15	37	41	42
80-84	23	16.0	190	3	4	12	19	52	67	99+
85+	44	13.4	133	2	2	10	18	31	38	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.9	22	1	1	3	6	10	13	28
B. *Operated*	11	4.6	23	1	1	4	6	12	17	17
2. MULTIPLE DX										
A. *Not Operated*	723	8.8	72	2	2	7	11	17	24	45
B. *Operated*	168	12.6	120	2	2	9	17	29	39	53
1. SINGLE DX	74	4.9	22	1	1	3	6	9	13	27
2. MULTIPLE DX	891	9.5	83	2	2	7	12	20	27	50
A. NOT OPERATED	786	8.5	69	1	2	6	11	17	24	43
B. OPERATED	179	12.1	118	1	2	9	16	28	38	53
TOTAL 65-69 YRS	171	8.0	53	1	2	6	10	15	24	41
70-74	204	8.5	64	1	2	6	11	18	25	36
75-79	191	9.5	97	1	2	7	12	18	27	50
80-84	163	9.8	83	2	3	7	12	20	27	55
85+	236	9.9	96	2	2	7	12	23	29	53
GRAND TOTAL	**965**	**9.2**	**80**	**1**	**2**	**7**	**12**	**19**	**26**	**48**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	9.0		9	9	9	9	9	9	9
80-84	2	11.0	32	7	7	11	15	15	15	15
85+										
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	1	69.0		69	69	69	69	69	69	69
75-79	2	17.0	18	14	14	17	20	20	20	20
80-84	1	10.0		10	10	10	10	10	10	10
85+	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	13.0	37	9	9	10	16	22	22	22
70-74	4	31.3	1255	6	6	18	54	83	83	83
75-79	4	5.3	7	3	3	4	7	9	9	9
80-84	8	10.3	38	3	3	10	15	19	19	19
85+	8	11.9	60	2	2	10	19	22	23	23
B. *Operated*										
65-69 YRS	8	19.3	617	1	2	6	36	59	60	60
70-74	7	36.4	1373	8	8	12	74	89	90	90
75-79	6	24.7	230	9	10	20	31	50	52	52
80-84	1	71.0		71	71	71	71	71	71	71
85+	3	24.0	76	14	14	28	29	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	10.3	17	7	7	9	13	15	15	15
B. *Operated*	6	23.8	548	4	5	17	26	65	69	69
2. MULTIPLE DX										
A. *Not Operated*	28	13.4	230	3	3	10	19	23	31	83
B. *Operated*	25	28.0	705	2	5	16	45	71	86	90
1. SINGLE DX	9	19.3	393	4	5	14	21	52	69	69
2. MULTIPLE DX	53	20.3	499	3	3	11	22	58	81	90
A. NOT OPERATED	31	13.1	209	3	3	10	18	22	25	83
B. OPERATED	31	27.2	658	3	5	16	40	70	84	90
TOTAL 65-69 YRS	13	16.2	391	1	3	9	16	58	60	60
70-74	12	37.4	1196	6	7	18	76	86	89	90
75-79	13	16.3	179	3	4	14	20	35	49	52
80-84	12	15.4	333	3	4	10	17	35	66	71
85+	12	16.1	91	2	3	16	24	29	30	30
GRAND TOTAL	**62**	**20.1**	**477**	**3**	**4**	**11**	**22**	**59**	**76**	**89**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	1.9	1	<1	<1	1	3	4	4	4
70-74	11	2.5	11	<1	<1	1	3	7	12	12
75-79	10	2.5	10	<1	<1	1	1	8	9	9
80-84	8	3.9	33	1	1	2	3	13	18	18
85+	9	4.1	17	1	1	2	6	11	13	13
B. *Operated*										
65-69 YRS	73	2.6	7	<1	1	1	4	5	7	14
70-74	62	2.0	4	<1	1	1	3	4	6	13
75-79	44	2.7	5	<1	1	2	4	4	7	12
80-84	39	3.4	25	<1	1	1	3	10	15	25
85+	29	2.8	4	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	4.4	13	1	1	3	6	9	11	17
70-74	38	5.8	19	1	1	5	8	10	15	21
75-79	33	10.4	183	1	1	5	10	27	51	56
80-84	36	8.2	46	1	2	7	10	19	25	27
85+	41	7.9	60	1	2	5	10	16	26	37
B. *Operated*										
65-69 YRS	98	6.0	84	1	1	3	6	15	24	51
70-74	100	6.1	36	1	1	4	8	16	18	27
75-79	87	7.3	61	1	1	5	10	15	23	39
80-84	77	6.5	82	1	1	4	7	13	24	55
85+	87	6.8	44	1	1	4	8	18	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.8	12	<1	1	1	3	8	11	18
B. *Operated*	247	2.6	8	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	178	7.4	66	1	1	5	9	16	22	50
B. *Operated*	449	6.5	61	1	1	4	8	15	21	38
1. SINGLE DX	301	2.7	9	<1	1	2	3	5	8	15
2. MULTIPLE DX	627	6.8	62	1	1	4	8	16	21	39
A. NOT OPERATED	232	6.3	57	1	1	4	8	13	20	40
B. OPERATED	696	5.1	45	1	1	3	6	12	18	34
TOTAL 65-69 YRS	217	4.3	44	<1	1	2	4	9	15	41
70-74	211	4.7	26	1	1	3	6	12	16	22
75-79	174	6.5	74	1	1	3	8	15	22	52
80-84	160	6.0	60	1	1	3	8	14	22	33
85+	166	6.2	42	1	1	4	7	14	18	35
GRAND TOTAL	**928**	**5.4**	**48**	**1**	**1**	**3**	**6**	**12**	**18**	**35**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.0	6	<1	<1	2	5	6	6	6
70-74	4	5.5	25	3	3	3	8	13	13	13
75-79	1	1.0		1	1	1	1	1	1	1
80-84	6	4.2	20	<1	<1	3	4	12	13	13
85+	3	8.7	20	4	4	9	12	13	13	13
B. *Operated*										
65-69 YRS	221	3.4	10	1	1	3	4	6	9	13
70-74	104	3.7	9	1	1	3	5	7	9	16
75-79	53	5.4	17	1	2	4	7	11	13	18
80-84	20	5.3	11	<1	1	4	7	10	11	12
85+	11	5.5	21	<1	1	4	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	4.5	6	<1	1	5	7	7	8	8
70-74	13	5.0	20	1	1	5	5	8	17	19
75-79	19	7.2	23	1	1	8	10	13	17	18
80-84	7	9.6	7	7	7	8	11	14	14	14
85+	10	16.3	566	2	2	8	17	50	82	82
B. *Operated*										
65-69 YRS	530	4.3	29	1	1	3	5	9	12	25
70-74	313	4.8	23	1	1	3	6	10	13	27
75-79	198	5.6	30	1	1	4	7	12	16	37
80-84	69	8.3	57	1	2	6	11	21	24	32
85+	25	7.5	42	2	2	5	10	14	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.7	18	<1	<1	3	6	13	13	13
B. *Operated*	409	3.9	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	67	7.7	105	1	1	6	9	15	17	71
B. *Operated*	1135	5.0	30	1	1	3	6	10	15	28
1. SINGLE DX	428	3.9	11	1	1	3	5	8	11	16
2. MULTIPLE DX	1202	5.2	35	1	1	3	6	11	15	28
A. NOT OPERATED	86	7.0	87	1	1	5	8	13	17	59
B. OPERATED	1544	4.7	26	1	1	3	6	10	13	26
TOTAL 65-69 YRS	774	4.0	23	1	1	3	5	8	11	23
70-74	434	4.6	20	1	1	3	6	9	13	24
75-79	271	5.6	27	1	1	4	8	12	16	24
80-84	102	7.6	44	1	2	6	10	16	23	31
85+	49	8.9	147	2	2	6	11	16	20	82
GRAND TOTAL	**1630**	**4.8**	**29**	**1**	**1**	**3**	**6**	**10**	**14**	**26**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.4	13	1	1	3	5	10	13	13
70-74	12	6.2	22	1	1	5	9	14	14	14
75-79	6	4.3	10	1	1	4	7	9	9	9
80-84	2	2.0		2	2	2	2	2	2	2
85+	6	7.0	48	<1	<1	4	11	18	19	19
B. *Operated*										
65-69 YRS	67	5.6	59	1	1	3	6	12	21	42
70-74	60	7.4	69	1	1	4	9	21	27	29
75-79	29	6.0	47	1	1	3	8	20	23	23
80-84	26	5.7	28	1	1	4	9	11	17	23
85+	16	14.1	139	1	1	14	25	31	32	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	9.0	74	1	2	7	12	17	28	43
70-74	47	8.1	49	1	2	7	11	15	25	33
75-79	41	7.8	61	1	2	6	9	19	31	99+
80-84	30	10.6	119	1	1	9	13	22	35	51
85+	33	8.3	22	2	3	8	11	13	16	25
B. *Operated*										
65-69 YRS	139	12.5	181	1	2	7	17	35	42	99+
70-74	112	12.9	235	1	2	6	18	38	48	99+
75-79	72	13.6	178	1	2	9	20	37	48	90
80-84	67	17.2	302	1	2	11	24	51	63	99+
85+	47	11.0	122	2	2	7	17	25	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.3	20	1	1	4	7	13	14	19
B. *Operated*	198	6.9	67	1	1	3	8	21	25	36
2. MULTIPLE DX										
A. *Not Operated*	194	8.6	63	1	2	7	12	17	25	48
B. *Operated*	437	13.3	208	1	2	8	20	39	50	99+
1. SINGLE DX	234	6.7	60	1	1	3	8	20	23	34
2. MULTIPLE DX	631	11.9	168	1	2	7	16	32	44	99+
A. NOT OPERATED	230	8.1	58	1	2	6	11	16	25	45
B. OPERATED	635	11.3	173	1	1	6	16	31	43	99+
TOTAL 65-69 YRS	259	9.8	134	1	1	5	12	26	40	74
70-74	231	10.1	149	1	1	5	14	26	38	95
75-79	148	10.1	124	1	1	6	14	26	39	99+
80-84	125	13.0	218	1	2	8	17	40	52	99+
85+	102	10.4	90	1	2	7	14	24	31	73
GRAND TOTAL	**865**	**10.5**	**144**	**1**	**2**	**6**	**14**	**26**	**41**	**98**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	24	5.3	12	2	2	5	6	8	12	19
70-74	24	5.9	26	1	2	5	7	12	16	25
75-79	16	4.8	10	<1	<1	5	7	8	11	13
80-84	14	5.0	9	2	3	4	7	9	10	11
85+	24	6.8	33	1	2	5	9	16	19	23
B. *Operated*										
65-69 YRS	29	6.2	22	1	2	5	7	14	16	20
70-74	24	7.4	25	2	2	6	9	14	20	22
75-79	19	7.6	12	3	4	7	10	13	15	16
80-84	5	8.2	30	4	4	5	12	17	17	17
85+	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	95	6.4	26	2	2	5	8	11	15	28
70-74	108	7.4	51	2	2	5	9	15	19	44
75-79	109	7.8	33	2	3	6	10	15	19	31
80-84	100	8.4	32	2	3	7	11	16	22	66
85+	125	9.5	111	2	3	7	12	19	24	62
B. *Operated*										
65-69 YRS	67	9.4	141	2	2	6	10	16	27	70
70-74	52	7.4	34	1	2	6	9	13	22	32
75-79	33	9.1	76	1	2	6	11	22	27	42
80-84	11	12.5	156	3	4	8	13	28	47	49
85+	15	16.0	280	3	4	12	20	23	60	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	5.7	19	1	2	5	7	11	14	24
B. *Operated*	79	7.1	21	2	2	6	9	14	17	21
2. MULTIPLE DX										
A. *Not Operated*	537	8.0	54	2	3	6	10	15	21	34
B. *Operated*	178	9.5	113	2	2	7	10	17	26	69
1. SINGLE DX	181	6.3	20	1	2	5	8	12	16	23
2. MULTIPLE DX	715	8.4	69	2	3	6	10	16	22	48
A. NOT OPERATED	639	7.6	49	2	2	6	9	15	20	32
B. OPERATED	257	8.7	85	2	2	7	10	16	23	67
TOTAL 65-69 YRS	215	7.2	61	2	2	5	8	14	18	42
70-74	208	7.2	41	2	2	6	9	13	19	36
75-79	177	7.8	37	1	3	6	10	15	19	32
80-84	130	8.3	41	3	3	7	11	15	22	59
85+	166	9.7	117	2	3	7	12	20	23	69
GRAND TOTAL	**896**	**7.9**	**60**	**2**	**2**	**6**	**9**	**15**	**21**	**42**

361: Sprains and strains of sacroiliac region (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	169	6.2	13	2	2	6	8	10	13	18
70-74	131	6.8	19	2	2	5	9	12	15	24
75-79	84	6.8	14	2	2	6	10	12	13	16
80-84	43	6.0	12	1	2	5	8	11	13	14
85+	51	6.1	15	1	2	5	8	11	14	17
B. Operated										
65-69 YRS	10	7.3	21	1	1	7	10	14	17	17
70-74	2	8.0	50	3	3	8	13	13	13	13
75-79	1	5.0		5	5	5	5	5	5	5
80-84	3	10.7	22	7	7	9	14	16	16	16
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	846	7.6	20	2	3	7	10	13	17	23
70-74	781	8.2	29	3	3	7	10	15	17	29
75-79	667	8.4	30	2	3	7	11	15	18	27
80-84	520	9.1	48	2	3	7	11	16	20	32
85+	426	9.2	61	2	3	7	12	16	20	65
B. Operated										
65-69 YRS	87	12.4	60	4	6	10	16	21	29	41
70-74	60	14.5	156	4	5	11	16	26	43	63
75-79	56	13.6	70	4	5	12	17	23	28	44
80-84	29	13.7	92	3	5	10	18	26	31	46
65+	25	20.3	403	6	7	13	20	55	76	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	478	6.4	15	2	2	5	8	11	14	18
B. Operated	16	7.9	21	1	2	7	10	16	17	17
2. MULTIPLE DX										
A. Not Operated	3240	8.3	35	2	3	7	10	15	18	29
B. Operated	257	14.1	124	4	5	11	17	26	34	63
1. SINGLE DX	494	6.5	15	2	2	6	9	12	14	18
2. MULTIPLE DX	3497	8.8	43	2	3	7	11	16	19	33
A. NOT OPERATED	3718	8.1	32	2	3	7	10	14	18	28
B. OPERATED	273	13.7	120	4	5	11	16	24	32	63
TOTAL 65-69 YRS	1112	7.7	24	2	3	7	10	14	17	27
70-74	974	8.4	38	2	3	7	10	15	18	34
75-79	808	8.6	33	2	3	7	11	16	19	29
80-84	595	9.1	49	2	3	7	11	16	20	33
85+	502	9.4	79	2	3	6	12	16	21	70
GRAND TOTAL	**3991**	**8.5**	**40**	**2**	**3**	**7**	**11**	**15**	**18**	**32**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	110	4.6	10	1	1	4	7	9	10	16
70-74	76	5.6	21	1	2	5	7	11	11	28
75-79	41	5.9	18	2	2	4	7	12	15	16
80-84	27	6.4	21	1	1	5	9	13	15	20
85+	28	8.4	76	1	2	5	11	23	30	35
B. Operated										
65-69 YRS	13	7.2	34	<1	1	7	12	16	18	18
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	653	7.1	25	2	2	6	9	12	15	25
70-74	509	7.1	23	2	3	6	9	13	16	28
75-79	465	7.8	42	2	2	6	10	14	18	30
80-84	369	8.1	39	2	3	7	10	15	20	35
85+	341	9.1	60	2	3	7	11	18	24	40
B. Operated										
65-69 YRS	56	12.2	151	1	2	10	16	20	31	65
70-74	38	13.0	128	3	4	10	16	23	30	66
75-79	27	11.3	54	2	3	10	16	21	24	33
80-84	21	14.4	163	3	3	14	17	23	42	63
85+	23	12.0	34	2	5	13	16	20	21	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	282	5.7	22	1	2	4	7	11	13	26
B. Operated	15	7.1	33	<1	1	7	12	15	17	18
2. MULTIPLE DX										
A. Not Operated	2337	7.7	36	2	3	6	10	14	18	30
B. Operated	165	12.5	113	2	3	11	16	22	26	65
1. SINGLE DX	297	5.7	23	1	2	4	7	11	14	26
2. MULTIPLE DX	2502	8.0	42	2	3	6	10	15	19	32
A. NOT OPERATED	2619	7.5	35	2	2	6	9	14	17	30
B. OPERATED	180	12.0	109	1	3	10	16	21	25	65
TOTAL 65-69 YRS	832	7.1	34	2	2	6	9	13	16	26
70-74	624	7.3	31	2	3	6	9	13	17	30
75-79	534	7.9	42	2	2	6	10	15	18	30
80-84	417	8.3	45	2	3	7	10	15	21	35
85+	392	9.3	60	2	3	7	12	18	25	38
GRAND TOTAL	**2799**	**7.8**	**41**	**2**	**2**	**6**	**10**	**14**	**18**	**32**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	4.0	8	<1	<1	4	5	8	10	12
70-74	52	4.6	10	<1	1	4	6	9	11	14
75-79	39	5.4	17	<1	1	4	8	11	14	18
80-84	27	4.6	11	1	2	4	6	8	12	15
85+	25	4.0	4	<1	2	4	4	7	8	9
B. *Operated*										
65-69 YRS	214	4.9	9	1	2	4	6	9	11	16
70-74	142	5.3	11	2	2	4	7	9	10	18
75-79	70	5.8	13	2	2	5	8	11	13	17
80-84	21	5.9	8	2	2	6	7	11	11	12
85+	11	6.2	22	2	2	4	9	13	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	196	6.4	30	1	2	5	8	13	17	30
70-74	213	7.2	32	1	2	5	9	15	20	33
75-79	220	6.7	28	2	2	5	8	12	15	30
80-84	216	7.2	45	2	2	5	9	13	16	40
85+	250	8.4	64	2	2	6	10	17	22	40
B. *Operated*										
65-69 YRS	256	6.8	28	2	2	5	8	12	17	28
70-74	191	6.9	35	2	2	5	8	13	19	31
75-79	104	8.3	40	2	3	6	10	14	23	34
80-84	48	8.5	39	2	2	7	11	16	19	36
85+	26	9.9	33	2	3	9	13	19	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	4.5	10	<1	1	4	6	9	11	15
B. *Operated*	458	5.2	10	2	2	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	1095	7.3	41	2	2	5	9	14	19	33
B. *Operated*	625	7.3	33	2	3	6	9	14	19	30
1. SINGLE DX	650	5.0	10	1	2	4	6	9	11	17
2. MULTIPLE DX	1720	7.3	38	2	2	6	9	14	19	33
A. NOT OPERATED	1287	6.9	37	1	2	5	8	13	18	33
B. OPERATED	1083	6.4	25	2	2	5	8	11	16	28
TOTAL 65-69 YRS	715	5.9	22	1	2	5	7	11	14	26
70-74	598	6.4	27	2	2	5	8	12	17	30
75-79	433	6.8	28	2	2	6	8	12	16	30
80-84	312	7.1	40	2	2	5	9	13	16	36
85+	312	8.1	57	2	2	6	10	16	22	36
GRAND TOTAL	**2370**	**6.7**	**32**	**2**	**2**	**5**	**8**	**12**	**17**	**29**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	2.2	4	1	1	2	2	4	7	10
70-74	56	2.6	5	1	1	2	3	5	6	14
75-79	45	3.2	17	1	1	2	4	6	7	27
80-84	36	3.5	16	1	1	2	4	7	9	23
85+	27	2.4	4	<1	1	2	3	5	8	8
B. *Operated*										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	2	4.0	18	1	1	4	7	7	7	7
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	529	5.2	32	1	1	4	6	11	15	25
70-74	556	5.8	33	1	1	4	7	13	16	30
75-79	542	7.1	62	1	2	5	9	14	18	32
80-84	442	7.3	74	1	2	5	9	17	22	49
85+	492	7.4	59	1	2	5	9	15	19	54
B. *Operated*										
65-69 YRS	200	8.2	155	1	1	4	9	19	29	70
70-74	171	7.5	101	1	1	4	9	16	22	41
75-79	185	9.1	119	1	1	6	11	21	31	58
80-84	125	9.8	136	1	2	6	12	25	35	99+
85+	140	8.6	71	1	1	6	13	22	31	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	2.7	9	1	1	2	3	5	7	16
B. *Operated*	5	4.0	8	1	1	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2561	6.5	52	1	1	5	8	13	18	33
B. *Operated*	821	8.5	118	1	1	5	11	20	31	79
1. SINGLE DX	231	2.8	9	1	1	2	3	6	7	16
2. MULTIPLE DX	3382	7.0	69	1	1	5	9	15	21	46
A. NOT OPERATED	2787	6.2	49	1	1	4	8	13	18	32
B. OPERATED	826	8.5	118	1	1	5	11	20	31	79
TOTAL 65-69 YRS	793	5.7	64	1	1	3	7	11	18	37
70-74	785	6.0	47	1	1	4	7	13	17	33
75-79	773	7.3	74	1	1	5	9	15	20	42
80-84	603	7.6	85	1	2	5	9	18	25	68
85+	659	7.4	60	1	2	5	10	16	21	64
GRAND TOTAL	**3613**	**6.7**	**66**	**1**	**1**	**4**	**8**	**14**	**20**	**43**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	40	4.4	30	1	1	2	5	12	17	26
70-74	38	4.4	16	<1	1	3	6	12	14	15
75-79	42	4.7	36	<1	1	2	6	11	15	34
80-84	29	7.8	107	<1	<1	4	10	17	23	53
85+	32	5.6	34	1	1	3	8	13	21	22
B. Operated										
65-69 YRS	36	12.1	117	2	3	8	14	31	40	46
70-74	31	15.0	126	7	8	12	16	29	62	99+
75-79	33	16.9	234	6	7	12	23	31	77	99+
80-84	31	15.3	88	2	7	12	19	31	34	37
85+	20	15.4	70	5	7	14	20	24	32	40
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	265	6.2	33	1	1	4	8	14	17	29
70-74	292	8.7	108	1	1	6	11	18	31	70
75-79	310	9.7	115	1	1	6	13	20	30	56
80-84	329	10.3	112	1	2	7	14	21	36	54
85+	388	10.3	115	1	2	7	14	24	32	97
B. Operated										
65-69 YRS	184	18.7	310	1	2	14	27	50	61	99+
70-74	197	19.4	317	1	2	13	27	42	60	90
75-79	220	19.7	277	2	3	15	28	44	53	84
80-84	206	20.5	313	2	3	16	27	45	60	86
85+	187	16.6	237	1	2	13	24	42	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	181	5.2	42	<1	1	2	7	13	16	32
B. Operated	151	14.8	132	4	6	12	17	29	40	99
2. MULTIPLE DX										
A. Not Operated	1584	9.2	101	1	2	6	12	20	29	56
B. Operated	994	19.0	292	2	3	14	26	45	57	99+
1. SINGLE DX	332	9.6	105	1	1	7	13	22	30	68
2. MULTIPLE DX	2578	13.0	197	1	2	8	17	31	45	85
A. NOT OPERATED	1765	8.8	97	1	1	6	12	19	28	53
B. OPERATED	1145	18.5	272	2	3	13	26	43	56	99+
TOTAL 65-69 YRS	525	10.8	171	1	1	6	14	28	41	97
70-74	558	12.5	205	1	2	8	16	31	42	84
75-79	605	13.4	202	1	2	8	18	33	44	78
80-84	595	14.0	203	1	2	10	18	32	45	77
85+	627	12.1	156	1	2	8	16	28	43	99+
GRAND TOTAL	**2910**	**12.6**	**188**	**1**	**2**	**8**	**16**	**30**	**43**	**85**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	5.1	44	2	2	2	4	17	20	20
70-74	6	2.8	4	1	1	2	4	6	6	6
75-79	5	3.0	5	2	2	2	4	7	7	7
80-84	4	3.8	8	1	1	3	6	7	7	7
85+	3	7.3	34	3	3	5	12	14	14	14
B. Operated										
65-69 YRS	12	5.1	4	3	3	5	6	9	9	9
70-74	4	24.0	423	5	5	19	37	53	53	53
75-79	3	3.7	1	3	3	3	5	5	5	5
80-84										
85+	3	6.7	30	3	3	4	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	82	7.3	31	1	2	6	9	14	19	28
70-74	92	7.7	47	2	3	6	9	15	18	44
75-79	73	9.0	79	2	3	7	10	16	18	60
80-84	56	11.4	80	2	3	9	14	25	30	41
85+	38	12.6	67	4	5	9	21	26	31	99+
B. Operated										
65-69 YRS	116	12.4	120	3	4	9	14	28	35	76
70-74	76	15.1	196	3	4	10	20	33	43	99
75-79	78	15.8	163	3	4	12	22	32	42	65
80-84	41	16.1	185	4	5	11	19	34	45	70
85+	36	11.8	80	3	4	9	16	21	23	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.2	19	1	1	2	5	7	15	20
B. Operated	22	8.5	122	3	3	5	9	18	34	53
2. MULTIPLE DX										
A. Not Operated	341	9.0	60	2	3	7	11	18	24	42
B. Operated	347	14.1	151	3	4	10	17	30	39	70
1. SINGLE DX	47	6.2	70	1	2	4	6	14	20	53
2. MULTIPLE DX	688	11.6	112	2	3	8	14	24	33	66
A. NOT OPERATED	366	8.7	59	2	2	7	11	17	23	41
B. OPERATED	369	13.8	151	3	4	10	17	30	39	70
TOTAL 65-69 YRS	217	9.9	85	2	3	7	12	20	30	63
70-74	178	11.1	133	2	3	7	14	24	37	83
75-79	159	12.0	131	2	3	8	15	27	34	66
80-84	101	13.0	127	2	3	10	16	27	37	61
85+	80	11.8	71	3	4	9	16	23	28	85
GRAND TOTAL	**735**	**11.3**	**111**	**2**	**3**	**8**	**14**	**24**	**33**	**64**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.2	13	1	1	2	4	9	12	12
70-74	5	8.2	38	1	1	12	13	14	14	14
75-79	7	2.0	2	1	1	1	3	5	5	5
80-84	2	9.0	18	6	6	9	12	12	12	12
85+	7	4.0	3	2	2	4	5	7	7	7
B. *Operated*										
65-69 YRS	17	8.8	48	2	3	8	9	13	26	33
70-74	10	6.8	13	1	2	6	9	12	14	14
75-79	6	9.0	6	6	6	8	12	12	12	12
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	56	7.7	172	1	2	5	8	16	20	91
70-74	53	6.9	38	1	2	5	8	17	21	25
75-79	37	6.4	28	1	2	5	8	12	21	22
80-84	49	9.7	64	2	2	7	13	22	26	33
85+	59	8.8	76	1	2	6	12	21	24	96
B. *Operated*										
65-69 YRS	98	18.1	345	3	5	13	19	39	76	99
70-74	91	19.5	223	3	6	14	29	41	54	65
75-79	61	19.5	201	4	6	15	27	41	52	59
80-84	57	19.9	385	2	4	13	26	50	74	99+
85+	38	17.8	202	3	4	13	24	36	53	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.3	16	1	1	3	5	12	12	14
B. *Operated*	35	8.5	30	2	4	8	10	13	15	33
2. MULTIPLE DX										
A. *Not Operated*	254	8.0	80	1	2	5	10	19	23	55
B. *Operated*	345	19.0	276	3	5	14	24	42	55	97
1. SINGLE DX	65	6.6	28	1	1	6	9	12	14	30
2. MULTIPLE DX	599	14.3	222	2	3	10	19	31	48	92
A. NOT OPERATED	284	7.6	75	1	2	5	9	19	22	48
B. OPERATED	380	18.0	262	3	5	13	23	39	54	94
TOTAL 65-69 YRS	180	13.2	274	1	2	9	16	26	47	96
70-74	159	14.2	180	2	2	10	20	33	44	56
75-79	111	13.5	166	1	2	10	17	32	43	56
80-84	109	15.0	255	2	3	11	20	32	51	99
85+	105	11.8	137	2	3	8	15	26	38	78
GRAND TOTAL	**664**	**13.6**	**208**	**2**	**2**	**9**	**16**	**30**	**47**	**88**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	1	29.0		29	29	29	29	29	29	29
85+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
65-69 YRS	29	3.7	8	1	1	3	5	7	11	11
70-74	15	2.9	2	<1	1	3	4	5	6	6
75-79	12	4.6	56	1	1	2	3	13	26	28
80-84	14	2.9	3	1	1	3	4	5	7	8
85+	8	5.1	28	1	1	3	6	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	6.0	56	1	1	3	8	16	26	27
70-74	8	5.9	18	1	1	5	9	12	13	13
75-79	6	4.2	9	<1	<1	4	6	8	8	8
80-84	3	4.7	40	1	1	1	9	12	12	12
85+	18	5.9	19	<1	1	4	9	13	15	15
B. *Operated*										
65-69 YRS	55	5.1	11	1	1	4	7	10	11	14
70-74	46	7.2	165	<1	1	3	7	11	25	76
75-79	48	7.2	70	1	1	5	8	15	21	52
80-84	39	6.2	30	1	1	4	9	15	17	23
85+	46	5.4	26	1	1	4	7	11	22	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.8	120	1	1	2	5	27	29	29
B. *Operated*	78	3.7	15	1	1	3	4	7	10	25
2. MULTIPLE DX										
A. *Not Operated*	46	5.6	26	1	1	4	8	12	14	27
B. *Operated*	234	6.2	59	1	1	4	8	13	17	56
1. SINGLE DX	84	3.9	22	1	1	3	4	7	11	29
2. MULTIPLE DX	280	6.1	54	1	1	4	8	12	17	51
A. NOT OPERATED	52	5.8	35	1	1	4	8	12	15	29
B. OPERATED	312	5.6	49	1	1	4	7	11	16	49
TOTAL 65-69 YRS	95	4.8	15	1	1	4	7	10	11	21
70-74	70	6.0	113	<1	1	3	7	10	17	70
75-79	68	6.3	61	1	1	4	8	15	21	48
80-84	57	5.7	35	1	1	3	8	14	17	29
85+	74	5.4	24	1	1	4	7	11	17	82
GRAND TOTAL	**364**	**5.6**	**47**	**1**	**1**	**4**	**7**	**11**	**16**	**45**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	2.1	2	<1	<1	1	3	4	6	6
70-74	10	1.7	2	<1	<1	1	2	4	5	5
75-79	10	2.1	5	<1	<1	1	2	6	8	8
80-84	14	3.0	7	<1	<1	2	4	6	10	11
85+	14	3.2	5	<1	1	2	5	7	7	7
B. *Operated*										
65-69 YRS	33	2.8	4	<1	<1	2	3	6	8	9
70-74	23	3.6	99	<1	<1	1	2	3	20	49
75-79	26	3.7	17	<1	<1	2	5	10	12	17
80-84	18	2.1	3	<1	<1	1	2	4	7	8
85+	25	3.6	10	<1	<1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	142	5.4	66	1	1	3	6	12	19	44
70-74	156	4.8	34	<1	1	3	6	10	12	47
75-79	179	6.4	32	1	1	5	8	13	16	35
80-84	190	6.7	42	1	1	4	9	15	20	34
85+	261	7.1	55	1	1	5	10	14	18	42
B. *Operated*										
65-69 YRS	298	6.4	50	1	1	4	8	14	20	42
70-74	250	5.1	31	1	1	3	6	11	13	27
75-79	267	6.4	41	1	1	4	8	14	20	34
80-84	263	7.1	75	1	1	5	9	15	22	48
85+	307	7.3	63	1	1	5	9	15	22	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.5	4	<1	<1	2	3	5	7	11
B. *Operated*	125	3.2	25	<1	<1	2	3	6	9	25
2. MULTIPLE DX										
A. *Not Operated*	928	6.2	46	1	1	4	8	13	18	40
B. *Operated*	1385	6.5	53	1	1	4	8	14	20	42
1. SINGLE DX	186	2.9	18	<1	<1	2	3	6	9	16
2. MULTIPLE DX	2313	6.4	50	1	1	4	8	14	19	41
A. NOT OPERATED	989	6.0	45	1	1	4	7	13	17	40
B. OPERATED	1510	6.2	51	1	1	4	8	13	19	42
TOTAL 65-69 YRS	486	5.7	51	1	1	3	7	13	18	41
70-74	439	4.8	35	<1	1	3	6	10	13	41
75-79	482	6.2	36	1	1	4	8	13	17	33
80-84	485	6.6	59	1	1	4	8	15	21	39
85+	607	7.0	57	1	1	5	9	15	19	45
GRAND TOTAL	**2499**	**6.1**	**49**	**1**	**1**	**4**	**8**	**13**	**18**	**40**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	2.8	10	<1	<1	1	3	8	11	11
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	4	5.3	13	2	2	4	8	10	10	10
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	14	4.2	8	<1	1	4	6	9	10	10
70-74	16	3.2	6	1	1	2	4	7	8	8
75-79	4	3.0	7	1	1	2	5	7	7	7
80-84	2	5.0	18	2	2	5	8	8	8	8
85+	8	5.8	12	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	8.1	132	<1	1	4	8	26	37	47
70-74	20	3.4	9	1	1	2	4	6	10	14
75-79	23	6.1	18	1	2	5	8	11	15	20
80-84	18	8.8	152	<1	1	5	7	17	40	55
85+	30	9.5	77	1	2	5	17	21	27	35
B. *Operated*										
65-69 YRS	38	9.2	72	1	2	7	12	18	27	41
70-74	37	9.6	67	2	3	7	13	22	30	31
75-79	22	11.4	167	1	2	7	13	36	44	49
80-84	19	9.3	46	1	2	8	13	16	24	30
85+	15	15.5	368	1	2	7	19	32	66	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.5	9	<1	<1	2	5	8	10	11
B. *Operated*	44	4.0	8	1	1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	117	7.4	80	1	1	4	8	18	25	50
B. *Operated*	131	10.4	116	1	2	7	14	21	32	54
1. SINGLE DX	64	3.9	9	<1	1	3	6	9	10	11
2. MULTIPLE DX	248	9.0	101	1	2	6	11	19	31	49
A. NOT OPERATED	137	6.8	71	1	1	4	7	17	21	48
B. OPERATED	175	8.8	96	1	2	6	11	18	31	47
TOTAL 65-69 YRS	90	7.3	75	<1	1	5	9	17	27	45
70-74	74	6.4	46	1	1	4	8	14	22	31
75-79	51	8.1	88	1	2	5	10	14	33	49
80-84	43	8.5	85	1	2	6	10	16	22	55
85+	54	10.5	154	1	2	6	17	21	31	75
GRAND TOTAL	**312**	**7.9**	**86**	**1**	**1**	**5**	**10**	**18**	**27**	**48**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.1	5	<1	<1	2	4	7	8	8
70-74	16	2.5	4	<1	<1	2	3	6	7	7
75-79	11	3.2	8	<1	<1	3	4	8	10	10
80-84	10	5.9	29	1	1	4	7	15	17	17
85+	3	23.7	914	<1	<1	12	46	58	58	58
B. *Operated*										
65-69 YRS	168	2.5	12	<1	<1	1	3	4	8	25
70-74	100	2.8	12	<1	1	2	3	5	6	22
75-79	61	2.3	3	<1	<1	2	3	5	6	8
80-84	32	3.3	11	<1	<1	2	4	8	10	15
85+	32	3.3	8	<1	1	3	4	7	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	4.4	14	1	1	3	5	10	12	18
70-74	49	6.4	32	2	2	5	7	12	16	37
75-79	36	6.9	27	3	3	5	9	16	20	23
80-84	43	6.7	29	1	1	6	9	12	14	31
85+	50	8.4	54	1	1	7	11	18	25	35
B. *Operated*										
65-69 YRS	289	4.2	35	1	1	2	4	9	12	30
70-74	197	5.1	50	1	1	3	6	11	17	43
75-79	112	5.5	52	<1	1	3	7	12	23	41
80-84	58	7.3	70	1	1	4	11	18	29	36
85+	79	9.2	135	1	1	6	11	15	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.5	61	<1	<1	2	5	8	13	54
B. *Operated*	393	2.7	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	227	6.6	33	1	2	5	8	12	18	32
B. *Operated*	735	5.4	57	1	1	3	6	12	18	41
1. SINGLE DX	452	2.9	17	<1	<1	2	3	6	8	17
2. MULTIPLE DX	962	5.7	52	1	1	3	7	12	18	40
A. NOT OPERATED	286	6.1	39	1	1	4	8	12	17	34
B. OPERATED	1128	4.5	43	<1	1	2	5	10	14	37
TOTAL 65-69 YRS	525	3.6	25	1	1	2	4	8	11	27
70-74	362	4.5	37	1	1	3	5	9	14	37
75-79	220	4.7	35	<1	1	3	5	10	16	30
80-84	143	6.1	44	1	1	4	8	13	18	34
85+	164	8.1	103	1	1	5	10	14	29	58
GRAND TOTAL	**1414**	**4.8**	**42**	**1**	**1**	**3**	**5**	**11**	**14**	**36**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.6	16	1	2	5	8	12	14	14
70-74	18	6.9	47	1	1	4	7	18	23	25
75-79	12	3.8	4	<1	1	3	5	7	7	7
80-84	10	9.6	84	<1	2	5	15	23	31	31
85+	10	6.3	23	<1	<1	5	10	13	15	15
B. *Operated*										
65-69 YRS	66	5.6	29	1	1	4	7	10	16	29
70-74	45	5.7	17	1	1	4	8	14	14	15
75-79	32	7.5	52	1	1	6	10	15	27	32
80-84	17	10.4	100	2	2	6	14	25	33	37
85+	19	10.5	101	1	2	8	11	26	36	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	6.9	48	1	2	5	8	13	18	46
70-74	74	9.4	103	3	4	7	11	17	20	70
75-79	72	12.5	160	2	3	9	15	25	35	75
80-84	50	10.9	81	2	3	8	16	24	30	44
85+	60	10.3	68	2	3	9	14	19	37	93
B. *Operated*										
65-69 YRS	131	12.0	126	1	2	9	17	27	36	70
70-74	134	12.6	153	2	3	9	15	25	43	61
75-79	108	16.7	242	2	3	13	22	44	60	99+
80-84	66	15.1	196	2	2	12	22	35	60	99+
85+	53	15.8	217	1	2	12	26	32	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	6.4	36	1	1	4	7	15	18	30
B. *Operated*	179	6.9	47	1	1	5	8	14	22	36
2. MULTIPLE DX										
A. *Not Operated*	318	10.0	97	2	3	8	13	18	26	65
B. *Operated*	492	14.0	180	2	2	10	18	31	49	99+
1. SINGLE DX	241	6.8	44	1	1	5	8	14	20	32
2. MULTIPLE DX	810	12.5	151	2	3	9	16	28	38	86
A. NOT OPERATED	380	9.4	89	2	2	7	12	18	25	56
B. OPERATED	671	12.1	154	1	2	8	16	29	39	85
TOTAL 65-69 YRS	271	9.0	88	1	2	6	11	20	29	51
70-74	271	10.2	116	2	2	7	13	20	25	60
75-79	224	13.4	190	2	2	9	16	29	47	85
80-84	143	12.7	140	2	2	9	17	31	37	99+
85+	142	12.1	132	1	2	9	15	29	37	99+
GRAND TOTAL	**1051**	**11.2**	**132**	**1**	**2**	**8**	**15**	**25**	**35**	**75**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.3		<1	<1	<1	2	2	2	2
70-74										
75-79	2	5.5	5	4	4	5	7	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	5.3	12	2	2	5	8	9	9	9
70-74	7	6.4	29	2	2	4	10	15	16	16
75-79	9	15.9	464	2	3	8	15	50	72	72
80-84	5	6.4	79	1	1	3	9	22	22	22
85+	7	8.7	35	3	3	5	15	17	17	17
B. *Operated*										
65-69 YRS	26	13.5	339	1	1	8	16	29	54	87
70-74	15	10.4	125	1	2	6	12	35	36	36
75-79	17	14.1	158	3	6	12	16	27	46	55
80-84	8	5.3	21	1	1	4	8	13	14	14
85+	6	12.0	290	3	3	4	12	43	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	7	<1	<1	2	5	7	7	7
B. *Operated*	5	4.8	16	1	1	4	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	31	9.6	166	1	2	5	12	17	22	72
B. *Operated*	72	12.0	210	1	2	7	14	29	45	80
1. SINGLE DX	10	3.9	11	<1	<1	3	6	9	11	11
2. MULTIPLE DX	103	11.2	196	1	2	6	13	24	39	79
A. NOT OPERATED	36	8.7	148	<1	1	5	11	17	21	72
B. OPERATED	77	11.5	200	1	1	6	13	29	42	78
TOTAL 65-69 YRS	33	11.6	282	<1	1	6	11	29	43	87
70-74	24	8.6	90	1	2	5	11	20	35	36
75-79	28	14.0	238	2	4	9	15	26	57	72
80-84	14	5.4	37	1	1	3	5	15	20	22
85+	14	9.9	131	3	3	5	12	20	40	46
GRAND TOTAL	**113**	**10.6**	**184**	**1**	**1**	**6**	**12**	**22**	**36**	**78**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	5.2	16	1	2	4	6	12	13	13
70-74	12	4.6	15	<1	1	4	5	11	14	15
75-79	7	8.4	40	<1	<1	10	12	17	18	18
80-84	5	9.4	50	2	2	8	15	19	19	19
85+	9	13.9	212	3	3	6	24	38	44	44
B. *Operated*										
65-69 YRS	43	5.8	54	1	2	3	6	12	15	46
70-74	30	6.3	44	2	2	4	7	14	21	32
75-79	19	9.4	32	2	2	9	13	18	20	21
80-84	15	9.1	79	<1	1	7	11	23	30	32
85+	13	9.4	48	2	2	6	13	22	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	11.1	95	2	3	8	15	25	35	40
70-74	61	10.8	169	1	2	6	15	24	29	80
75-79	73	12.5	119	2	3	10	18	24	32	62
80-84	65	12.2	92	2	3	10	17	23	29	50
85+	78	12.8	107	2	3	10	18	25	30	55
B. *Operated*										
65-69 YRS	103	8.6	67	1	2	6	12	21	24	40
70-74	94	10.1	62	2	3	8	15	20	27	74
75-79	80	12.4	119	1	2	10	17	29	33	49
80-84	47	22.1	370	3	4	16	28	46	71	88
85+	36	18.8	157	5	6	16	22	34	49	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	7.6	67	1	2	4	11	17	23	44
B. *Operated*	120	7.3	51	2	2	4	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	339	12.0	115	2	3	9	17	24	30	52
B. *Operated*	360	12.6	146	2	2	9	17	28	36	69
1. SINGLE DX	167	7.4	55	1	2	4	10	16	21	42
2. MULTIPLE DX	699	12.3	131	2	2	9	17	25	34	57
A. NOT OPERATED	386	11.4	111	2	2	8	16	24	29	51
B. OPERATED	480	11.3	128	2	2	8	15	24	33	57
TOTAL 65-69 YRS	222	8.5	73	1	2	5	12	21	25	42
70-74	197	9.4	92	2	2	6	13	20	28	67
75-79	179	11.9	107	2	2	10	17	25	30	49
80-84	132	15.3	212	2	3	11	19	32	42	74
85+	136	14.1	127	2	4	11	19	28	37	56
GRAND TOTAL	**866**	**11.3**	**120**	**2**	**2**	**8**	**16**	**24**	**32**	**54**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	6.4	29	1	1	4	11	14	14	14
70-74	5	3.0	1	2	2	3	3	4	4	4
75-79	4	4.3	8	1	1	4	6	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	5	6.6	26	2	2	6	10	14	14	14
70-74										
75-79	4	3.0	1	2	2	3	4	4	4	4
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	30	5.1	13	2	2	4	6	8	15	16
70-74	28	5.2	13	1	2	4	7	10	13	16
75-79	36	7.0	81	<1	1	4	7	15	28	45
80-84	21	4.7	11	1	2	4	7	12	48	99+
85+	38	6.6	84	1	1	4	7	12	21	54
B. Operated										
65-69 YRS	6	5.7	41	1	1	3	7	17	18	18
70-74	11	8.3	38	1	2	7	10	19	21	21
75-79	11	9.3	72	2	3	7	10	20	32	33
80-84	11	9.5	94	1	1	6	13	25	32	33
85+	6	14.0	205	2	2	8	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.4	12	1	1	3	5	10	13	14
B. Operated	10	5.3	16	2	2	4	8	11	14	14
2. MULTIPLE DX										
A. Not Operated	153	5.9	46	1	2	4	6	11	18	54
B. Operated	45	9.2	79	1	2	7	11	21	32	33
1. SINGLE DX	26	4.7	13	1	2	3	6	10	14	14
2. MULTIPLE DX	198	6.6	55	1	2	4	7	13	21	50
A. NOT OPERATED	169	5.7	43	1	2	4	6	11	16	52
B. OPERATED	55	8.5	70	1	2	6	11	19	32	33
TOTAL 65-69 YRS	46	5.5	18	1	2	4	6	13	16	18
70-74	44	5.7	20	1	2	4	7	11	16	21
75-79	55	7.0	69	1	2	4	7	12	28	44
80-84	34	6.3	41	1	2	4	8	13	29	99+
85+	45	7.5	101	1	2	4	7	20	32	54
GRAND TOTAL	**224**	**6.4**	**51**	**1**	**2**	**4**	**7**	**13**	**20**	**47**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	162	3.5	10	<1	<1	2	4	7	10	15
70-74	158	3.9	9	<1	1	3	5	7	10	11
75-79	209	4.3	12	1	1	3	6	9	11	19
80-84	157	5.0	14	1	1	4	7	11	13	19
85+	216	4.9	14	1	1	4	7	11	13	18
B. Operated										
65-69 YRS	41	5.6	13	1	2	4	8	10	14	15
70-74	29	6.1	26	1	2	4	10	14	15	19
75-79	24	5.0	18	1	2	3	6	14	14	15
80-84	19	5.8	31	1	1	3	10	13	18	21
85+	17	9.3	56	1	2	6	12	18	27	32
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1162	6.3	32	1	1	5	8	13	16	23
70-74	1478	6.8	40	1	2	5	8	14	18	30
75-79	1655	7.5	46	1	3	5	10	16	20	32
80-84	1928	8.0	52	1	2	6	10	16	22	41
85+	2607	8.3	61	2	2	6	10	16	21	40
B. Operated										
65-69 YRS	210	10.0	103	1	2	7	12	23	33	46
70-74	216	11.9	131	2	2	8	15	27	37	66
75-79	225	14.0	209	2	3	10	18	31	45	90
80-84	213	13.4	124	2	3	10	18	29	36	57
85+	221	14.7	155	2	3	11	20	33	36	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	902	4.4	12	<1	1	3	6	9	11	17
B. Operated	130	6.1	26	1	2	4	8	14	15	23
2. MULTIPLE DX										
A. Not Operated	6830	7.5	50	1	2	6	10	15	19	35
B. Operated	1089	12.8	147	2	2	9	17	28	37	64
1. SINGLE DX	1032	4.6	14	<1	1	3	6	10	13	18
2. MULTIPLE DX	9915	8.1	63	1	2	6	10	16	22	41
A. NOT OPERATED	9732	7.3	47	1	2	5	9	14	19	33
B. OPERATED	1215	12.1	139	2	2	8	16	27	36	56
TOTAL 65-69 YRS	1575	6.5	42	1	1	5	6	14	17	33
70-74	1881	7.1	51	1	2	5	9	15	19	36
75-79	2113	7.9	65	1	2	5	10	16	21	42
80-84	2317	8.3	59	1	2	6	11	17	23	44
85+	3061	8.5	68	2	2	6	11	17	23	42
GRAND TOTAL	**10947**	**7.8**	**59**	**1**	**2**	**6**	**10**	**16**	**21**	**40**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	2	7.5	1	7	7	7	8	8	8	8
80-84										
85+										
B. *Operated*										
65-69 YRS	5	6.6	35	<1	<1	3	12	14	14	14
70-74	3	3.0	3	1	1	4	4	4	4	4
75-79										
80-84	2	4.5	25	1	1	4	8	8	8	8
85+	2	13.5	41	9	9	13	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	4.8	16	<1	1	4	5	12	14	14
70-74	3	8.0	9	5	5	8	10	11	11	11
75-79	5	12.2	203	3	3	7	17	37	37	37
80-84	3	2.7	1	2	2	2	4	4	4	4
85+	5	7.2	25	2	2	5	12	13	13	13
B. *Operated*										
65-69 YRS	20	8.4	104	1	1	4	11	20	34	43
70-74	9	14.4	307	2	2	7	18	43	57	57
75-79	8	11.9	60	3	4	9	19	23	23	23
80-84	8	18.8	482	2	3	12	22	56	69	69
85+	10	16.0	209	1	2	9	25	40	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*	12	6.5	32	<1	1	4	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*	24	7.0	56	1	2	4	9	13	21	37
B. *Operated*	55	12.8	202	1	2	8	16	27	42	68
1. SINGLE DX	14	6.6	27	<1	1	6	9	14	17	18
2. MULTIPLE DX	79	11.0	164	1	2	7	14	25	40	66
A. NOT OPERATED	26	7.0	51	1	2	5	8	13	19	37
B. OPERATED	67	11.6	177	1	1	7	16	25	41	67
TOTAL 65-69 YRS	33	7.2	72	<1	1	4	11	14	23	43
70-74	15	10.9	201	1	2	5	15	22	48	57
75-79	15	11.4	91	3	3	7	14	23	34	37
80-84	13	12.8	344	1	2	5	16	35	63	69
85+	17	13.1	142	1	2	9	18	36	40	41
GRAND TOTAL	**93**	**10.3**	**145**	**1**	**2**	**7**	**13**	**24**	**39**	**64**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	9.0		9	9	9	9	9	9	9
85+										
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	5.0		5	5	5	5	5	5	5
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	3	3.0	3	2	2	2	4	5	5	5
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	4	4.5	11	2	2	4	7	9	9	9
A. NOT OPERATED	1	9.0		9	9	9	9	9	9	9
B. OPERATED	5	2.4	2	1	1	2	3	5	5	5
TOTAL 65-69 YRS										
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	2	2.0		2	2	2	2	2	2	2
80-84	2	7.0	8	5	5	7	9	9	9	9
85+										
GRAND TOTAL	**6**	**3.5**	**9**	**1**	**1**	**2**	**5**	**9**	**9**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	113	1.4	1	<1	<1	1	2	2	3	5
70-74	122	1.8	2	<1	1	1	2	3	4	7
75-79	71	1.6	3	<1	1	1	2	3	4	11
80-84	55	2.0	5	<1	1	1	2	3	5	15
85+	72	1.9	4	<1	<1	1	2	4	5	12
B. *Operated*										
65-69 YRS	29	3.0	11	<1	1	2	3	8	12	14
70-74	28	4.4	118	1	1	1	2	7	17	58
75-79	10	3.3	6	<1	1	2	5	7	8	9
80-84	17	2.5	15	<1	<1	1	2	4	12	17
85+	11	2.7	6	1	1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	179	3.6	13	1	1	2	4	8	12	21
70-74	180	4.5	20	1	1	3	6	11	14	22
75-79	200	4.6	24	1	1	3	6	11	14	26
80-84	147	3.8	9	1	1	3	5	7	11	14
85+	179	5.1	33	1	1	3	6	12	15	23
B. *Operated*										
65-69 YRS	140	8.4	135	1	1	4	10	19	28	65
70-74	154	8.8	101	1	1	5	12	24	29	65
75-79	120	8.3	103	1	1	5	10	19	27	61
80-84	79	7.4	65	1	2	5	11	16	21	49
85+	79	7.9	69	1	2	5	10	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	1.7	2	<1	1	1	2	3	4	8
B. *Operated*	104	3.3	38	1	1	2	3	7	10	36
2. MULTIPLE DX										
A. *Not Operated*	885	4.3	21	1	1	3	5	10	14	21
B. *Operated*	572	8.3	100	1	1	5	11	19	27	59
1. SINGLE DX	537	2.0	10	<1	1	1	2	3	5	13
2. MULTIPLE DX	1457	5.9	55	1	1	3	7	14	19	36
A. NOT OPERATED	1318	3.5	16	1	1	2	4	8	12	19
B. OPERATED	676	7.5	94	1	1	4	9	18	25	58
TOTAL 65-69 YRS	460	4.5	54	1	1	2	5	10	17	35
70-74	484	5.2	54	1	1	2	6	13	18	41
75-79	411	5.1	48	1	1	3	6	12	17	33
80-84	298	4.3	27	1	1	3	5	11	14	23
85+	341	5.0	38	1	1	3	6	12	17	34
GRAND TOTAL	**1994**	**4.9**	**46**	**1**	**1**	**3**	**5**	**12**	**17**	**34**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.6	11	2	2	4	8	10	10	10
70-74	2	6.0	50	1	1	6	11	11	11	11
75-79	4	12.5	47	6	6	11	18	21	21	21
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	20	18.4	291	2	2	11	27	46	57	60
70-74	17	16.2	343	2	2	8	21	50	58	62
75-79	12	9.8	55	2	3	8	13	22	25	26
80-84	8	23.9	567	3	3	19	36	63	70	70
85+	8	25.3	185	4	6	25	33	44	47	47
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	11.8	71	2	4	9	18	26	29	32
70-74	34	12.1	45	3	5	11	15	21	25	30
75-79	24	13.7	59	4	4	13	17	25	30	32
80-84	21	14.9	55	2	5	15	20	25	27	28
85+	20	13.9	44	4	5	15	17	20	26	32
B. *Operated*										
65-69 YRS	94	23.6	330	2	5	21	38	55	99+	99+
70-74	75	25.3	442	4	5	20	39	68	98	99+
75-79	60	28.0	311	5	7	27	35	59	76	99+
80-84	49	35.0	475	10	11	32	53	79	99	99+
85+	44	31.2	340	7	12	26	44	58	65	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.7	31	1	2	6	10	16	20	21
B. *Operated*	65	17.8	288	2	3	11	26	47	55	69
2. MULTIPLE DX										
A. *Not Operated*	140	13.0	56	3	4	12	17	24	28	32
B. *Operated*	322	27.6	388	4	6	25	42	64	94	99+
1. SINGLE DX	78	16.1	258	2	2	10	22	40	53	68
2. MULTIPLE DX	462	23.1	332	4	5	19	32	56	76	99+
A. NOT OPERATED	153	12.5	56	3	4	11	17	23	28	32
B. OPERATED	387	25.9	384	3	5	23	39	60	80	99+
TOTAL 65-69 YRS	160	19.4	277	2	4	15	29	50	66	99+
70-74	128	20.3	350	3	4	14	29	57	74	99+
75-79	100	21.8	267	4	5	19	29	46	63	99+
80-84	79	28.1	443	3	6	24	42	71	84	99+
85+	73	25.4	296	5	7	21	34	51	61	78
GRAND TOTAL	**540**	**22.1**	**327**	**3**	**4**	**17**	**31**	**54**	**72**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	9.8	72	1	2	8	14	25	28	31
70-74	19	8.5	68	1	1	5	11	23	26	27
75-79	10	11.8	356	2	3	6	9	38	65	65
80-84	14	10.1	63	1	1	9	16	22	26	27
85+	9	6.0	10	2	2	6	9	10	10	10
B. *Operated*										
65-69 YRS	12	11.3	79	2	2	8	14	28	29	29
70-74	5	24.6	514	1	1	17	43	57	57	57
75-79	9	13.9	93	2	2	13	22	27	27	27
80-84	5	13.6	33	5	5	15	18	19	19	19
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	157	9.7	75	1	2	7	13	19	25	38
70-74	127	12.1	129	1	1	8	16	26	34	56
75-79	82	12.1	130	2	2	8	17	25	35	60
80-84	83	12.3	147	2	3	7	16	27	40	60
85+	78	14.5	204	2	2	11	20	30	42	99
B. *Operated*										
65-69 YRS	58	21.0	434	1	3	13	30	52	67	90
70-74	56	24.2	383	3	6	17	39	62	78	99+
75-79	54	23.4	254	4	6	20	36	43	63	98
80-84	27	25.9	203	7	9	23	35	47	51	60
85+	29	32.3	498	7	7	32	46	61	72	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	9.4	95	1	1	8	11	22	27	55
B. *Operated*	31	14.5	148	2	2	12	19	28	38	57
2. MULTIPLE DX										
A. *Not Operated*	527	11.8	129	1	2	8	16	25	34	58
B. *Operated*	224	24.4	364	3	5	19	36	54	70	99+
1. SINGLE DX	109	10.8	114	1	2	8	14	26	27	60
2. MULTIPLE DX	751	15.5	232	1	3	11	20	37	49	78
A. NOT OPERATED	605	11.5	125	1	2	8	16	25	33	58
B. OPERATED	255	23.2	347	2	4	18	35	53	65	99
TOTAL 65-69 YRS	253	12.4	178	1	2	8	16	27	38	70
70-74	207	15.3	232	1	2	11	20	39	55	87
75-79	155	16.1	210	2	3	12	23	37	44	70
80-84	129	14.9	175	2	3	11	19	35	46	60
85+	116	18.3	330	2	3	12	25	43	59	97
GRAND TOTAL	**860**	**14.9**	**219**	**1**	**2**	**10**	**19**	**35**	**48**	**78**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.6	10	2	2	3	6	10	10	10
70-74	6	20.0	1319	<1	1	6	7	85	94	94
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	3	5.0	12	3	3	3	8	9	9	9
85+	2	16.0	242	5	5	16	27	27	27	27
B. *Operated*										
65-69 YRS	11	2.1	2	<1	<1	2	3	4	5	5
70-74	7	16.6	692	2	2	3	23	63	72	72
75-79	2	26.5	685	8	8	26	45	45	45	45
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	36	7.5	44	2	2	6	10	14	24	30
70-74	40	10.2	52	2	3	8	12	22	27	29
75-79	33	14.0	179	2	3	11	19	59	99+	99+
80-84	44	12.7	174	2	3	9	18	27	31	78
85+	45	9.2	49	2	2	7	11	16	26	33
B. *Operated*										
65-69 YRS	43	16.1	342	1	2	10	21	47	56	85
70-74	27	14.3	316	1	2	8	23	51	72	99+
75-79	17	13.3	149	<1	1	10	21	35	36	37
80-84	11	13.2	53	3	5	13	20	49	93	99+
85+	6	14.7	226	1	1	11	17	40	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	11.0	462	1	2	5	7	22	67	94
B. *Operated*	22	8.9	310	<1	<1	3	4	34	56	72
2. MULTIPLE DX										
A. *Not Operated*	198	10.7	101	2	2	8	13	25	31	99+
B. *Operated*	104	14.8	260	1	2	10	21	42	54	99+
1. SINGLE DX	40	9.8	369	<1	1	3	6	28	58	94
2. MULTIPLE DX	302	12.1	159	2	2	9	15	29	47	99+
A. NOT OPERATED	216	10.7	129	2	2	7	13	26	31	99+
B. OPERATED	126	13.8	271	1	1	8	20	41	53	99+
TOTAL 65-69 YRS	95	10.6	198	1	2	5	13	26	43	75
70-74	80	12.9	275	1	2	8	13	29	59	98
75-79	54	13.9	176	2	2	10	20	43	86	99+
80-84	59	12.2	144	2	3	9	18	27	31	98
85+	54	9.9	72	2	2	7	12	20	30	43
GRAND TOTAL	**342**	**11.8**	**183**	**2**	**2**	**8**	**14**	**29**	**47**	**99+**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	3.5	6	<1	1	3	5	7	8	9
70-74	28	3.9	15	<1	<1	2	5	10	12	16
75-79	25	5.9	40	1	1	3	7	17	19	26
80-84	33	5.0	8	1	2	5	7	8	11	12
85+	42	4.5	18	<1	1	4	5	12	14	18
B. *Operated*										
65-69 YRS	25	6.8	39	<1	1	5	10	16	20	22
70-74	18	6.8	70	2	2	4	7	16	29	36
75-79	6	3.7	9	1	1	3	5	9	9	9
80-84	9	9.9	75	2	2	7	14	24	26	26
85+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	210	6.4	30	1	2	5	8	12	16	29
70-74	249	6.9	34	1	1	6	9	13	18	30
75-79	283	7.9	36	1	2	6	10	16	21	29
80-84	253	8.0	49	2	2	6	10	15	21	34
85+	342	8.9	54	2	2	7	12	17	23	49
B. *Operated*										
65-69 YRS	68	13.4	271	1	2	8	17	29	58	99
70-74	79	16.3	287	1	2	10	23	39	61	95
75-79	47	13.7	159	2	2	10	23	32	47	99+
80-84	35	14.8	123	3	4	11	22	32	45	99+
85+	36	16.0	204	2	3	12	23	36	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.5	16	<1	1	4	6	9	13	18
B. *Operated*	60	6.8	50	1	1	4	8	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	1337	7.8	42	1	2	6	10	15	21	31
B. *Operated*	265	14.8	226	2	2	10	21	36	52	99+
1. SINGLE DX	224	5.1	26	<1	1	4	6	12	16	26
2. MULTIPLE DX	1602	8.9	80	1	2	6	11	19	26	54
A. NOT OPERATED	1501	7.4	41	1	2	6	9	15	20	30
B. OPERATED	325	13.3	203	1	2	9	18	32	46	99+
TOTAL 65-69 YRS	339	7.5	85	1	1	5	8	15	21	59
70-74	374	8.7	103	1	1	6	10	19	30	65
75-79	361	8.5	56	1	2	6	11	18	25	37
80-84	330	8.5	59	2	2	6	11	18	24	50
85+	422	9.1	68	1	2	7	12	18	24	51
GRAND TOTAL	**1826**	**8.5**	**75**	**1**	**2**	**6**	**10**	**18**	**24**	**50**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	99	4.1	20	1	1	3	4	8	11	28
70-74	78	4.0	20	1	1	3	5	7	10	28
75-79	67	4.9	16	1	1	4	6	10	12	22
80-84	60	5.1	22	1	1	4	6	10	14	27
85+	64	4.9	19	1	1	3	6	12	13	21
B. *Operated*										
65-69 YRS	3	6.3	20	2	2	6	10	11	11	11
70-74	6	11.2	109	1	1	10	21	24	24	24
75-79	6	8.8	69	3	3	5	10	23	25	25
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1205	7.0	47	1	2	5	9	14	19	40
70-74	1343	7.3	46	1	2	6	9	14	19	34
75-79	1185	7.7	50	2	2	6	9	14	19	36
80-84	929	7.7	56	2	2	6	9	14	19	35
85+	818	7.8	50	1	2	6	10	14	18	31
B. *Operated*										
65-69 YRS	119	14.5	182	3	3	11	18	30	38	74
70-74	114	15.7	188	3	4	12	20	32	41	73
75-79	120	15.2	139	3	5	13	20	28	40	91
80-84	88	16.8	181	3	5	13	21	38	43	90
85+	72	12.6	71	2	4	11	17	24	32	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	4.5	19	1	1	3	5	9	13	24
B. *Operated*	16	8.9	67	1	1	5	13	24	25	25
2. MULTIPLE DX										
A. *Not Operated*	5480	7.4	49	1	2	6	9	14	19	35
B. *Operated*	513	15.1	158	3	4	12	19	31	40	75
1. SINGLE DX	384	4.7	22	1	1	3	5	10	13	25
2. MULTIPLE DX	5993	8.1	63	1	2	6	10	16	22	40
A. NOT OPERATED	5848	7.3	48	1	2	5	9	14	18	34
B. OPERATED	529	14.9	156	3	4	12	19	31	39	75
TOTAL 65-69 YRS	1426	7.4	61	1	2	5	9	15	22	45
70-74	1541	7.8	61	1	2	6	9	16	21	38
75-79	1378	8.2	61	2	2	6	10	16	22	43
80-84	1078	8.3	71	2	2	6	10	16	23	42
85+	954	8.0	52	1	2	6	10	15	20	33
GRAND TOTAL	**6377**	**7.9**	**61**	**1**	**2**	**6**	**10**	**16**	**21**	**39**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	84	2.4	6	<1	1	2	3	5	7	13
70-74	67	2.2	4	<1	1	2	2	5	5	11
75-79	21	1.6	1	1	1	1	2	3	3	3
80-84	18	2.3	4	1	1	2	3	5	8	9
85+	25	2.2	2	<1	1	2	3	4	5	6
B. *Operated*										
65-69 YRS	4	2.8		2	2	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	238	4.8	39	1	1	3	5	9	21	37
70-74	166	4.6	30	1	1	3	5	9	15	23
75-79	141	4.7	44	1	1	3	6	9	12	29
80-84	105	6.4	52	1	1	4	8	13	22	39
85+	69	7.3	104	1	1	5	7	18	22	54
B. *Operated*										
65-69 YRS	15	16.5	132	2	2	14	28	31	36	37
70-74	14	13.7	139	2	2	10	21	34	36	37
75-79	11	14.5	157	1	1	10	28	32	33	33
80-84	15	23.1	572	1	2	15	33	60	78	84
85+	6	18.2	523	4	4	8	21	59	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.2	4	<1	1	2	3	5	6	11
B. *Operated*	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	719	5.2	46	1	1	3	6	10	17	40
B. *Operated*	61	17.3	278	1	2	11	29	35	52	82
1. SINGLE DX	219	2.2	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	780	6.1	75	1	1	3	7	13	23	46
A. NOT OPERATED	934	4.5	38	1	1	3	5	9	13	36
B. OPERATED	65	16.4	273	2	2	10	24	34	49	81
TOTAL 65-69 YRS	341	4.7	42	1	1	2	5	10	21	36
70-74	247	4.4	35	1	1	2	5	10	15	34
75-79	173	4.9	52	1	1	3	6	10	16	33
80-84	138	7.7	129	1	1	4	9	18	30	63
85+	100	6.7	111	1	1	3	6	15	21	59
GRAND TOTAL	**999**	**5.3**	**62**	**1**	**1**	**3**	**6**	**11**	**20**	**44**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	126	3.3	18	<1	1	2	3	6	10	27
70-74	137	3.9	12	1	1	3	5	8	10	18
75-79	114	3.8	8	1	1	3	5	8	9	13
80-84	79	4.4	12	1	1	3	6	9	11	19
85+	71	5.6	53	1	1	4	6	10	11	46
B. *Operated*										
65-69 YRS	6	3.2	5	1	1	3	5	6	6	6
70-74	8	16.9	310	2	2	10	28	46	48	48
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1074	5.8	24	1	1	5	7	12	14	27
70-74	1220	6.8	44	1	2	5	8	13	18	31
75-79	1115	6.7	35	1	2	5	8	13	16	32
80-84	895	7.5	55	1	2	6	9	14	18	42
85+	883	8.3	55	2	3	6	10	16	21	39
B. *Operated*										
65-69 YRS	142	14.2	199	2	2	10	19	34	51	99+
70-74	146	13.7	247	2	3	10	16	28	45	87
75-79	118	13.0	99	2	4	10	17	24	35	75
80-84	96	14.2	155	2	3	11	19	29	35	71
85+	62	17.1	258	2	3	13	22	39	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	4.0	18	1	1	3	5	8	10	22
B. *Operated*	21	8.2	159	1	1	4	7	26	44	48
2. MULTIPLE DX										
A. *Not Operated*	5187	7.0	43	1	2	5	9	13	17	33
B. *Operated*	564	14.1	189	2	3	10	18	30	44	88
1. SINGLE DX	548	4.2	24	1	1	3	5	8	11	27
2. MULTIPLE DX	5751	7.7	61	1	2	6	9	15	20	43
A. NOT OPERATED	5714	6.7	41	1	2	5	8	13	17	32
B. OPERATED	585	13.9	189	2	3	10	18	30	44	87
TOTAL 65-69 YRS	1348	6.4	50	1	1	5	8	13	18	39
70-74	1511	7.3	67	1	2	5	9	14	19	44
75-79	1350	7.0	42	1	2	5	9	14	19	36
80-84	1072	7.9	65	1	2	6	10	15	20	44
85+	1018	8.7	72	2	2	6	10	17	22	50
GRAND TOTAL	**6299**	**7.4**	**59**	**1**	**2**	**5**	**9**	**15**	**20**	**41**

Length of Stay Tables
Operation Groups

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	81	5.4	37	1	1	4	6	13	17	34
70-74	103	5.6	26	<1	1	4	7	12	16	25
75-79	80	6.5	43	<1	1	5	8	14	21	32
80-84	53	5.9	22	<1	1	4	8	13	15	19
85+	57	8.2	137	1	1	4	9	19	31	70
B. *Operated*										
65-69 YRS	1072	8.4	75	1	2	5	11	18	25	44
70-74	975	8.5	88	1	2	5	12	18	25	47
75-79	942	9.0	91	1	2	5	13	19	27	51
80-84	621	9.0	96	1	2	5	12	21	26	43
85+	477	8.2	83	1	2	5	10	19	26	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	380	8.0	60	1	1	6	11	17	24	37
70-74	406	8.2	64	1	2	6	11	17	25	41
75-79	409	8.5	83	1	2	6	11	18	27	61
80-84	295	8.2	52	1	2	6	11	16	22	33
85+	303	8.8	68	1	2	7	11	18	28	57
B. *Operated*										
65-69 YRS	3257	11.9	161	1	2	8	16	27	39	76
70-74	3104	12.3	161	1	2	8	16	28	39	65
75-79	2546	12.8	169	2	2	9	17	29	41	67
80-84	1683	13.1	182	2	2	8	18	31	41	78
85+	1301	12.6	165	2	2	9	17	29	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	6.2	48	<1	1	4	8	14	19	35
B. *Operated*	4087	8.6	66	1	2	5	12	19	25	47
2. MULTIPLE DX										
A. *Not Operated*	1793	8.3	66	1	2	6	11	17	25	47
C. *Operated*	11891	12.5	166	2	2	8	16	29	40	71
1. SINGLE DX	4461	8.4	83	1	2	5	12	19	25	46
2. MULTIPLE DX	13684	11.9	155	1	2	8	16	27	38	68
A. NOT OPERATED	2167	8.0	64	1	1	6	10	17	23	43
B. OPERATED	15978	11.5	149	1	2	8	15	26	36	66
TOTAL 65-69 YRS	4790	10.7	135	1	2	7	14	24	33	67
70-74	4588	11.0	138	1	2	7	15	25	35	61
75-79	3977	11.4	143	1	2	8	15	25	37	62
80-84	2652	11.5	149	1	2	7	15	26	35	69
85+	2138	11.0	137	1	2	7	14	25	35	67
GRAND TOTAL	**18145**	**11.1**	**140**	**1**	**2**	**7**	**15**	**25**	**35**	**64**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	274	3.5	5	1	1	3	5	6	7	11
70-74	241	3.6	5	1	1	3	5	6	8	12
75-79	163	3.8	5	1	1	4	5	7	8	12
80-84	74	4.1	7	1	2	4	5	7	9	15
85+	41	4.3	9	1	1	4	5	9	11	13
B. *Operated*										
65-69 YRS	111	5.0	38	1	1	3	5	9	11	34
70-74	85	4.8	13	1	1	4	6	11	12	16
75-79	54	5.5	18	1	2	5	7	11	15	20
80-84	38	6.6	45	1	1	4	8	14	20	35
85+	19	4.7	9	1	2	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	360	4.9	19	1	2	4	6	9	12	26
70-74	324	4.6	16	1	1	4	5	8	10	19
75-79	287	5.3	21	1	2	4	6	10	14	26
80-84	165	5.4	11	1	2	5	7	10	12	16
85+	124	5.8	23	1	2	5	6	12	15	26
B. *Operated*										
65-69 YRS	204	8.2	69	1	2	6	11	16	22	45
70-74	208	8.0	67	1	1	6	10	17	25	45
75-79	151	7.2	41	1	2	6	10	14	18	41
80-84	108	9.2	80	1	2	6	11	23	30	44
85+	63	10.8	119	1	2	8	14	24	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	3.7	6	1	1	3	5	7	8	12
B. *Operated*	307	5.2	26	1	1	4	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	1260	5.1	18	1	2	4	6	9	12	23
B. *Operated*	734	8.3	69	1	2	6	11	17	25	44
1. SINGLE DX	1100	4.1	12	1	1	3	5	8	9	16
2. MULTIPLE DX	1994	6.3	39	1	2	5	7	12	17	34
A. NOT OPERATED	2053	4.5	14	1	1	4	5	8	11	18
B. OPERATED	1041	7.4	59	1	2	5	9	15	22	42
TOTAL 65-69 YRS	949	5.2	31	1	1	4	6	10	14	27
70-74	858	5.2	28	1	1	4	6	10	14	31
75-79	655	5.4	23	1	1	4	7	11	14	26
80-84	385	6.3	36	1	2	5	7	12	18	33
85+	247	6.7	50	1	2	5	8	13	20	42
GRAND TOTAL	**3094**	**5.5**	**31**	**1**	**1**	**4**	**6**	**11**	**15**	**30**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	104	8.5	34	2	3	7	11	16	21	29
70-74	66	8.2	33	2	3	6	10	16	19	31
75-79	56	8.3	40	2	3	6	11	18	21	31
80-84	41	9.3	48	2	3	8	11	21	24	35
85+	22	7.8	27	2	3	7	9	14	20	24
B. Operated										
65-69 YRS	112	10.5	106	2	3	8	13	24	31	82
70-74	92	12.6	124	2	2	9	17	29	41	46
75-79	58	9.5	59	2	2	7	13	23	26	33
80-84	28	20.3	239	2	4	17	32	45	53	56
85+	18	12.7	99	3	3	9	17	27	37	41
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	378	9.8	56	2	3	8	12	18	25	42
70-74	280	10.7	89	3	3	8	14	20	27	42
75-79	217	10.2	46	2	3	8	14	18	24	36
80-84	127	11.3	113	3	4	8	14	21	27	71
85+	93	11.2	51	3	4	10	14	21	25	38
B. Operated										
65-69 YRS	421	17.0	219	3	4	12	23	39	47	78
70-74	327	17.8	234	4	5	12	24	41	54	83
75-79	216	18.1	213	3	4	14	25	42	50	99+
80-84	130	20.2	355	2	4	15	25	44	60	89
85+	88	21.5	301	3	6	15	28	51	59	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	8.4	36	2	3	7	11	17	21	32
B. Operated	308	12.0	121	2	2	8	17	27	38	54
2. MULTIPLE DX										
A. Not Operated	1095	10.4	69	3	3	8	13	19	26	42
B. Operated	1182	18.1	244	3	4	13	24	41	54	88
1. SINGLE DX	597	10.3	83	2	3	7	13	22	29	48
2. MULTIPLE DX	2277	14.4	175	3	4	10	18	30	43	74
A. NOT OPERATED	1384	10.0	63	2	3	8	12	18	25	40
B. OPERATED	1490	16.9	225	2	4	12	22	38	49	87
TOTAL 65-69 YRS	1015	12.7	140	2	3	9	15	28	39	68
70-74	765	13.8	163	3	4	10	17	30	42	72
75-79	547	13.0	129	2	3	10	17	27	37	67
80-84	326	15.4	233	2	4	10	19	31	48	85
85+	221	15.1	180	3	4	11	19	30	45	62
GRAND TOTAL	**2874**	**13.5**	**158**	**2**	**3**	**10**	**17**	**29**	**41**	**70**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS	94	6.7	50	1	1	5	8	13	23	37
70-74	76	5.3	19	1	1	4	7	11	14	21
75-79	55	5.1	13	1	1	4	7	10	12	17
80-84	42	6.4	23	1	1	6	10	13	15	18
85+	27	5.3	18	1	1	4	8	11	14	18
B. Operated										
65-69 YRS	205	6.8	63	1	1	5	9	14	16	39
70-74	179	6.9	43	1	1	4	10	15	21	32
75-79	130	8.0	61	1	1	5	12	19	24	35
80-84	90	7.0	50	1	1	5	9	16	21	35
85+	49	8.0	96	1	2	5	9	17	21	64
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	431	7.9	55	1	2	6	10	16	19	40
70-74	431	7.6	41	1	2	6	10	15	19	32
75-79	334	9.0	83	1	2	7	11	18	24	45
80-84	225	8.8	64	1	2	7	11	18	27	44
85+	143	9.6	75	1	2	7	13	19	25	64
B. Operated										
65-69 YRS	810	15.0	238	1	2	10	20	36	50	84
70-74	726	13.5	186	1	2	9	18	33	44	85
75-79	518	13.8	209	1	2	9	18	31	45	72
80-84	314	12.5	184	1	2	9	16	27	37	73
85+	198	15.3	212	2	2	11	20	35	44	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	294	5.9	26	1	1	4	8	12	15	28
B. Operated	653	7.2	58	1	1	5	9	16	21	34
2. MULTIPLE DX										
A. Not Operated	1564	8.3	61	1	2	6	11	17	21	40
B. Operated	2566	14.1	209	1	2	9	19	33	45	79
1. SINGLE DX	947	6.8	49	1	1	5	9	15	19	33
2. MULTIPLE DX	4130	11.9	161	1	2	8	15	27	38	70
A. NOT OPERATED	1858	7.9	56	1	2	6	10	16	21	40
B. OPERATED	3219	12.7	186	1	2	8	16	29	41	73
TOTAL 65-69 YRS	1540	11.4	166	1	2	7	14	26	38	70
70-74	1412	10.4	125	1	2	7	14	23	34	63
75-79	1037	11.1	147	1	2	7	14	23	34	66
80-84	671	10.2	121	1	2	7	13	22	32	60
85+	417	11.8	150	1	2	8	16	25	38	67
GRAND TOTAL	**5077**	**10.9**	**144**	**1**	**2**	**7**	**14**	**24**	**35**	**67**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	2.1	5	1	1	1	2	6	7	7
70-74	4	3.0	3	1	1	3	4	5	5	5
75-79	4	5.5	23	1	1	5	9	11	11	11
80-84	3	8.3	86	2	2	4	15	19	19	19
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	5.9	64	1	1	4	7	11	18	47
70-74	54	4.3	10	1	1	4	7	8	11	14
75-79	34	4.0	22	1	1	3	4	9	12	25
80-84	26	5.6	15	1	2	5	7	11	13	15
85+	23	3.1	6	1	1	2	4	6	9	11
B. *Operated*										
65-69 YRS	24	11.0	187	2	3	8	10	23	39	69
70-74	12	15.8	305	2	2	11	18	44	59	62
75-79	17	11.9	346	1	2	5	11	27	61	78
80-84	5	20.2	307	2	2	14	36	43	43	43
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.0	20	1	1	2	5	9	15	19
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	180	4.7	26	1	1	3	6	11	12	25
B. *Operated*	58	13.0	261	2	2	8	13	32	54	77
1. SINGLE DX	21	4.0	19	1	1	2	5	9	15	19
2. MULTIPLE DX	238	6.7	95	1	1	4	7	12	22	63
A. NOT OPERATED	200	4.6	25	1	1	3	6	11	12	25
B. OPERATED	59	12.9	258	2	2	8	13	32	53	77
TOTAL 65-69 YRS	75	7.2	103	1	1	5	9	12	24	63
70-74	70	6.2	75	1	1	4	7	12	16	57
75-79	55	6.5	130	1	1	3	6	12	24	76
80-84	34	8.0	81	1	2	5	11	15	31	43
85+	25	3.1	6	1	1	2	4	6	9	11
GRAND TOTAL	**259**	**6.5**	**89**	**1**	**1**	**4**	**7**	**12**	**21**	**61**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	2.0	1	<1	<1	2	3	3	3	3
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	8	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	2.5	1	<1	<1	3	3	3	3	3
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	13	2.0	2	<1	<1	2	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	6	2.5	2	<1	<1	3	3	4	4	4
1. SINGLE DX	14	2.0	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX	7	2.4	1	<1	<1	3	3	4	4	4
A. NOT OPERATED	2	2.0		2	2	2	2	2	2	2
B. OPERATED	19	2.2	2	<1	<1	2	3	4	5	6
TOTAL 65-69 YRS	10	2.2	1	<1	<1	2	3	3	3	3
70-74										
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85+	9	2.0	3	<1	<1	1	2	5	6	6
GRAND TOTAL	**21**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	5	3.0	9	1	1	2	4	8	8	8
75-79	5	3.2	4	1	1	3	4	6	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85+	4	6.3	85	<1	<1	2	11	20	20	20
B. *Operated*										
65-69 YRS	337	3.3	11	<1	1	3	4	5	7	14
70-74	261	3.5	8	<1	1	3	4	6	9	16
75-79	173	3.8	7	1	1	3	5	7	9	14
80-84	124	4.7	15	1	2	4	6	10	12	21
85+	84	5.9	24	1	2	4	8	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	1.3		<1	<1	1	2	2	2	2
70-74	6	1.8	1	1	1	2	2	3	3	3
75-79	13	2.5	3	1	1	2	3	5	6	6
80-84	6	5.8	21	2	2	4	10	13	13	13
85+	5	3.4	19	<1	<1	1	5	11	11	11
B. *Operated*										
65-69 YRS	226	5.4	33	1	2	4	6	11	18	29
70-74	186	6.6	68	1	2	4	7	12	23	44
75-79	169	7.7	52	2	2	5	9	15	20	43
80-84	119	9.1	105	2	2	6	10	21	29	51
85+	111	9.1	72	1	2	7	12	19	23	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.4	21	<1	1	2	3	7	15	20
B. *Operated*	979	3.8	12	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	34	2.9	9	<1	1	2	3	6	11	13
B. *Operated*	811	7.2	62	1	2	5	8	16	22	42
1. SINGLE DX	997	3.8	12	<1	1	3	5	7	10	17
2. MULTIPLE DX	845	7.0	61	1	2	4	8	16	22	41
A. NOT OPERATED	52	3.1	13	<1	1	2	3	7	11	20
B. OPERATED	1790	5.4	38	1	1	3	6	11	16	33
TOTAL 65-69 YRS	570	4.1	21	<1	1	3	4	7	11	26
70-74	458	4.7	35	1	1	3	5	9	13	30
75-79	360	5.6	32	1	2	4	7	11	15	32
80-84	250	6.8	62	2	2	4	8	14	22	39
85+	204	7.6	53	1	2	5	10	16	20	49
GRAND TOTAL	**1842**	**5.3**	**37**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.8	1	1	1	3	3	4	4	4
70-74	3	1.3		1	1	1	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	158	2.0	6	1	1	1	2	3	5	13
70-74	134	1.6	4	1	1	1	1	3	4	13
75-79	107	1.4	2	<1	<1	1	1	2	3	9
80-84	42	1.4	1	<1	1	1	1	2	3	8
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	52	5.3	61	<1	<1	2	6	16	23	41
70-74	18	5.2	18	<1	<1	4	7	13	15	15
75-79	20	7.7	65	1	1	5	10	23	25	25
80-84	16	4.2	41	<1	<1	1	5	8	21	26
85+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.1	1	1	1	2	3	4	4	4
B. *Operated*	5	3.0	4	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	443	1.7	4	1	1	1	2	3	4	12
B. *Operated*	107	5.6	51	<1	<1	3	6	15	23	33
1. SINGLE DX	15	2.4	2	<1	1	2	3	5	5	5
2. MULTIPLE DX	550	2.4	16	<1	1	1	2	4	9	23
A. NOT OPERATED	453	1.7	4	1	1	1	2	3	4	12
B. OPERATED	112	5.5	49	<1	<1	3	6	15	23	32
TOTAL 65-69 YRS	217	2.8	21	<1	<1	1	3	5	11	24
70-74	156	2.1	7	1	1	1	2	4	8	14
75-79	129	2.4	17	<1	1	1	2	4	7	25
80-84	59	2.2	13	<1	<1	1	2	3	8	24
85+	4	2.5	6	1	1	2	4	6	6	6
GRAND TOTAL	**565**	**2.4**	**15**	**<1**	**1**	**1**	**2**	**4**	**8**	**23**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	631	3.1	31	<1	<1	1	3	6	11	23
70-74	446	4.2	60	<1	<1	2	4	8	16	48
75-79	329	4.3	52	<1	<1	2	5	10	17	53
80-84	204	6.0	137	<1	1	2	6	13	20	90
85+	145	8.4	202	<1	1	2	12	32	79	99+
B. *Operated*										
65-69 YRS	792	4.6	22	1	1	2	7	11	13	19
70-74	602	4.6	23	<1	1	2	7	11	13	18
75-79	444	4.3	22	<1	1	2	6	11	13	20
80-84	257	4.5	21	1	1	2	6	11	14	21
85+	145	4.4	23	<1	1	2	5	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10763	4.3	41	1	1	3	5	8	13	37
70-74	7626	5.1	58	1	1	3	5	10	18	46
75-79	4694	6.3	82	1	1	3	6	15	25	50
80-84	2135	7.6	106	1	1	4	8	19	29	56
85+	1238	10.0	171	1	1	5	12	24	40	98
B. *Operated*										
65-69 YRS	3795	6.7	82	1	1	3	8	15	22	50
70-74	3210	6.9	93	1	1	3	9	15	26	52
75-79	2196	7.3	89	1	1	4	10	16	24	51
80-84	1144	7.6	94	1	1	4	10	16	24	52
85+	611	7.4	74	1	1	4	11	19	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1755	4.4	71	<1	<1	2	4	10	18	79
B. *Operated*	2240	4.5	22	<1	1	2	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	26456	5.4	67	1	1	3	5	11	20	48
B. *Operated*	10956	7.0	88	1	1	3	9	16	24	51
1. SINGLE DX	3995	4.5	43	<1	1	2	5	11	14	35
2. MULTIPLE DX	37412	5.9	73	1	1	3	6	13	21	49
A. NOT OPERATED	28211	5.4	67	1	1	3	5	11	20	48
B. OPERATED	13196	6.6	77	1	1	3	9	14	21	47
TOTAL 65-69 YRS	15981	4.9	51	1	1	3	5	10	16	40
70-74	11884	5.5	66	1	1	3	6	12	19	46
75-79	7663	6.4	80	1	1	3	7	15	24	49
80-84	3740	7.3	99	1	1	4	8	17	26	55
85+	2139	8.8	138	1	1	4	11	22	36	97
GRAND TOTAL	**41407**	**5.8**	**71**	**1**	**1**	**3**	**6**	**13**	**21**	**48**

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1 SINGLE DX										
65-69 YRS	97475	5.9	34	1	2	4	8	13	16	27
70-74	83336	6.1	39	1	2	4	8	13	17	29
75-79	64723	6.4	44	1	2	4	8	14	19	31
80-84	40489	6.7	52	1	2	4	9	15	20	34
85+	28297	7.6	64	1	2	5	11	17	22	39
2. MULTIPLE DX										
65-69 YRS	367396	10.1	96	2	2	7	13	21	28	54
70-74	363311	10.7	104	2	2	8	14	22	30	57
75-79	313948	11.3	112	2	2	8	14	23	32	59
80-84	221716	12.0	122	2	3	9	15	25	34	64
85+	180939	12.7	129	2	3	10	16	26	35	69
TOT. SINGLE DX	314320	6.3	43	1	2	4	8	14	18	31
" MULTIPLE DX	1447310	11.1	110	2	2	8	14	23	31	59
TOTAL 65-69 YRS	464871	9.2	86	2	2	7	12	19	26	50
70-74	446647	9.8	95	2	2	7	13	20	28	53
75-79	378671	10.5	104	2	2	8	14	22	30	56
80-84	262205	11.2	115	2	2	8	15	23	32	60
85+	209236	12.0	124	2	2	9	15	25	34	65
GRAND TOTAL	1761630	10.3	102	2	2	7	13	21	29	56

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	208	16.0	124	5	7	13	19	30	39	69
70-74	185	16.4	154	5	7	13	19	29	41	71
75-79	98	18.3	215	4	7	14	24	35	48	93
80-84	60	14.3	104	4	6	12	16	27	31	65
85+	22	14.4	72	6	7	13	16	27	35	36
2. MULTIPLE DX										
65-69 YRS	642	25.8	325	7	9	21	35	56	70	99+
70-74	545	26.0	303	7	9	22	34	52	68	99+
75-79	408	29.0	406	7	9	24	40	61	73	99
80-84	228	26.6	322	8	9	23	35	55	80	99+
85+	139	24.8	252	7	9	22	32	50	56	86
TOT. SINGLE DX	573	16.3	146	5	7	13	19	30	39	74
" MULTIPLE DX	1982	26.6	332	7	9	22	35	56	70	99+
TOTAL 65-69 YRS	870	23.4	295	6	8	18	31	51	65	99+
70-74	730	23.6	283	6	8	19	30	48	64	92
75-79	506	27.0	387	7	8	22	36	58	71	99
80-84	288	24.1	302	6	8	20	31	51	74	99+
85+	161	23.4	240	7	9	20	30	48	56	85
GRAND TOTAL	2555	24.3	308	6	8	19	32	52	67	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	84	16.1	194	5	6	11	19	32	48	98
70-74	58	15.9	140	6	7	11	20	30	44	64
75-79	56	22.3	346	7	7	17	28	35	58	98
80-84	29	15.3	82	6	6	11	20	32	35	37
85+	16	17.6	70	6	7	17	22	25	35	40
2. MULTIPLE DX										
65-69 YRS	223	27.2	394	7	8	21	37	58	80	99+
70-74	202	27.9	372	7	8	24	40	58	79	99+
75-79	198	24.5	289	6	7	20	36	50	61	99+
80-84	144	24.3	249	8	10	20	30	45	60	89
85+	75	26.3	295	7	11	23	35	48	77	99+
TOT. SINGLE DX	243	17.5	200	6	7	13	22	32	46	96
" MULTIPLE DX	842	26.1	332	6	8	21	36	55	74	99+
TOTAL 65-69 YRS	307	24.2	363	6	8	18	33	55	78	99+
70-74	260	25.2	345	7	8	20	35	56	69	99+
75-79	254	24.0	302	6	7	19	32	49	59	99+
80-84	173	22.8	233	7	9	18	29	43	57	87
85+	91	24.8	266	7	10	21	33	45	74	99+
GRAND TOTAL	1085	24.2	315	6	8	19	33	51	66	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	17	7.2	28	<1	1	6	9	17	19	19
70-74	3	9.0	31	3	3	10	13	14	14	14
75-79	6	13.8	103	6	6	11	15	31	37	37
80-84	2	7.5	13	5	5	7	10	10	10	10
85+										
2. MULTIPLE DX										
65-69 YRS	33	17.5	291	4	6	12	19	31	62	73
70-74	30	21.8	375	4	6	17	31	35	63	90
75-79	7	13.0	85	4	5	11	17	29	31	31
80-84	6	22.3	349	4	4	18	32	51	59	59
85+	3	16.7	408	5	5	5	31	40	40	40
TOT. SINGLE DX	30	9.2	51	1	3	7	12	17	19	37
" MULTIPLE DX	53	19.2	299	4	5	12	26	34	56	89
TOTAL 65-69 YRS	32	12.1	173	1	3	9	14	21	30	73
70-74	23	20.1	347	4	5	14	29	34	55	90
75-79	15	13.4	88	4	5	11	16	31	35	37
80-84	10	19.3	312	4	4	11	32	46	59	59
85+	3	16.7	408	5	5	5	31	40	40	40
GRAND TOTAL	83	15.6	231	3	4	10	20	33	39	84

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	34	12.8	69	3	4	10	16	24	30	38
70-74	40	14.6	98	3	6	13	17	22	29	62
75-79	31	13.5	32	5	6	13	19	21	22	26
80-84	16	15.6	170	3	4	11	19	36	45	49
85+	5	20.6	78	11	11	20	24	35	35	35
2. MULTIPLE DX										
65-69 YRS	135	27.8	320	7	9	25	38	61	73	99+
70-74	159	26.1	299	8	9	22	36	51	74	99+
75-79	170	28.4	273	6	11	25	39	53	66	99+
80-84	72	33.1	353	9	15	32	43	59	72	99+
85+	21	27.0	150	10	13	23	35	45	51	53
TOT. SINGLE DX	126	14.2	82	4	5	12	18	23	32	52
" MULTIPLE DX	557	28.2	301	8	9	25	38	55	68	99+
TOTAL 65-69 YRS	169	24.8	306	5	7	21	34	58	68	99+
70-74	199	23.8	280	7	9	20	32	50	65	99+
75-79	201	26.1	265	7	9	22	35	51	63	99+
80-84	88	30.0	364	8	8	27	42	53	65	99
85+	26	25.7	140	10	12	23	35	42	51	53
GRAND TOTAL	683	25.6	290	7	8	21	35	51	64	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	10.1	31	3	4	8	14	17	21	24
70-74	19	14.7	239	2	3	9	14	47	49	50
75-79	11	16.4	351	2	2	8	26	50	51	51
80-84	5	12.8	48	8	8	10	15	25	25	25
85+										
2. MULTIPLE DX										
65-69 YRS	100	21.7	317	3	5	16	31	55	98	99+
70-74	78	19.7	174	3	4	17	29	43	50	99+
75-79	63	24.1	366	3	4	20	34	61	91	99+
80-84	22	26.3	420	5	7	23	41	92	99+	99+
85+	18	26.8	386	6	9	26	31	46	74	91
TOT. SINGLE DX	57	13.1	162	2	3	9	14	31	49	51
" MULTIPLE DX	281	22.3	302	3	5	18	31	53	90	99+
TOTAL 65-69 YRS	122	19.6	285	3	5	14	26	52	79	99+
70-74	97	18.7	188	3	4	16	28	45	49	99+
75-79	74	23.0	367	2	4	17	33	60	81	99+
80-84	27	23.8	375	6	7	21	40	79	99+	99+
85+	18	26.8	387	6	9	26	31	46	74	91
GRAND TOTAL	**338**	**20.8**	**289**	**3**	**4**	**16**	**29**	**50**	**68**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	376	11.3	40	5	6	10	14	18	22	30
70-74	259	13.1	82	5	6	11	16	21	28	59
75-79	176	13.4	56	5	6	11	17	24	31	38
80-84	41	15.1	68	5	6	12	19	28	34	35
85+	19	18.7	66	8	10	17	22	30	36	40
2. MULTIPLE DX										
65-69 YRS	1006	17.8	170	6	7	14	21	33	44	85
70-74	844	19.1	166	7	8	15	24	35	47	71
75-79	519	20.3	173	7	9	17	26	40	50	81
80-84	204	23.4	201	9	10	20	31	44	57	99+
85+	76	23.8	185	10	11	21	29	39	50	73
TOT. SINGLE DX	871	12.6	60	5	6	10	15	21	27	40
" MULTIPLE DX	2649	19.3	175	7	8	15	24	36	47	81
TOTAL 65-69 YRS	1382	16.0	144	6	7	13	19	29	39	79
70-74	1103	17.7	153	6	7	14	21	33	44	70
75-79	695	18.5	153	6	7	15	23	35	44	77
80-84	245	22.0	189	7	9	19	28	42	50	99+
85+	95	22.8	164	10	11	20	28	38	44	73
GRAND TOTAL	**3520**	**17.6**	**155**	**6**	**7**	**14**	**22**	**33**	**44**	**76**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	71	10.1	99	2	2	6	15	21	29	52
70-74	45	10.0	187	1	2	5	13	18	34	83
75-79	25	10.8	66	2	2	11	16	21	26	33
80-84	14	9.6	190	1	1	4	10	37	44	46
85+	7	13.0	168	2	2	4	26	29	30	30
2. MULTIPLE DX										
65-69 YRS	234	19.1	273	2	4	15	24	40	57	96
70-74	177	18.9	248	2	3	14	26	41	49	84
75-79	129	23.6	305	4	6	19	33	52	57	73
80-84	58	25.0	412	3	4	18	43	59	69	77
85+	31	32.3	512	3	6	31	52	67	69	77
TOT. SINGLE DX	162	10.3	127	1	2	6	15	23	31	52
" MULTIPLE DX	629	21.2	307	2	4	16	29	48	61	83
TOTAL 65-69 YRS	305	17.0	247	2	3	13	22	37	53	90
70-74	222	17.1	248	2	2	13	23	38	49	84
75-79	154	21.5	288	2	4	16	28	48	56	72
80-84	72	22.0	403	2	3	17	32	50	67	76
85+	38	28.7	500	2	3	27	42	65	69	77
GRAND TOTAL	**791**	**18.9**	**289**	**2**	**3**	**14**	**25**	**44**	**56**	**82**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	288	3.1	7	<1	1	2	3	5	8	14
70-74	160	4.0	19	1	2	3	5	7	10	16
75-79	97	3.6	10	1	2	3	4	7	9	20
80-84	35	4.4	12	2	2	3	6	10	12	16
85+	25	7.1	31	1	1	6	9	16	18	25
2. MULTIPLE DX										
65-69 YRS	263	8.0	141	2	2	4	9	16	26	93
70-74	202	7.6	108	1	2	4	8	17	24	59
75-79	107	8.3	113	1	2	5	10	20	26	61
80-84	54	8.5	62	1	2	6	10	20	27	35
85+	27	8.0	41	1	2	7	12	18	21	24
TOT. SINGLE DX	605	3.7	13	1	1	3	4	7	10	16
" MULTIPLE DX	653	8.0	116	1	2	4	9	17	26	68
TOTAL 65-69 YRS	551	5.5	77	1	2	3	5	11	16	65
70-74	362	6.0	72	1	2	3	7	13	18	49
75-79	204	6.1	70	1	2	3	6	12	22	44
80-84	89	6.9	47	2	2	4	9	14	21	35
85+	52	7.6	36	1	2	6	10	16	21	25
GRAND TOTAL	**1258**	**5.9**	**71**	**1**	**2**	**3**	**6**	**12**	**18**	**51**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	913	2.4	2	<1	1	2	3	4	5	9
70-74	713	2.6	8	<1	1	2	3	4	6	14
75-79	535	2.4	3	<1	1	2	3	4	4	11
80-84	290	2.3	2	<1	<1	2	3	4	5	10
85+	160	2.8	7	1	1	2	3	4	7	17
2. MULTIPLE DX										
65-69 YRS	1000	4.6	26	1	1	3	5	11	15	28
70-74	839	5.0	30	1	1	3	5	11	17	28
75-79	607	4.9	37	1	1	3	5	11	16	30
80-84	308	6.0	52	1	2	3	6	15	23	36
85+	171	5.7	31	1	2	3	7	13	19	26
TOT. SINGLE DX	2611	2.4	5	<1	1	2	3	4	5	11
" MULTIPLE DX	2925	5.0	33	1	1	3	5	11	17	29
TOTAL 65-69 YRS	1913	3.6	16	<1	1	2	4	7	11	21
70-74	1552	3.9	21	<1	1	2	4	8	12	23
75-79	1142	3.8	23	1	1	2	4	8	12	23
80-84	598	4.2	32	<1	1	2	4	9	15	29
85+	331	4.3	22	1	1	3	4	10	15	25
GRAND TOTAL	5536	3.8	21	<1	1	2	4	8	12	25

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	12.6	137	4	4	9	15	21	45	57
70-74	33	11.5	50	2	4	10	16	23	25	26
75-79	28	11.3	42	1	3	10	15	20	22	28
80-84	22	11.5	53	5	6	9	12	19	30	37
85+	5	9.8	121	2	2	5	14	29	29	29
2. MULTIPLE DX										
65-69 YRS	241	16.9	144	5	6	13	21	32	42	62
70-74	271	16.6	119	6	7	13	21	31	36	62
75-79	213	17.7	193	6	7	14	21	31	41	85
80-84	147	19.7	201	6	7	15	25	42	53	81
85+	67	15.9	63	6	8	14	19	28	30	90
TOT. SINGLE DX	118	11.7	72	2	4	10	15	22	26	49
" MULTIPLE DX	939	17.3	152	6	7	14	22	32	41	77
TOTAL 65-69 YRS	271	16.4	145	5	6	13	20	31	42	60
70-74	304	16.0	114	5	6	13	21	30	34	60
75-79	241	16.9	180	5	7	13	21	30	39	82
80-84	169	18.6	190	6	7	14	24	38	52	78
85+	72	15.5	68	5	6	14	19	28	30	88
GRAND TOTAL	1057	16.7	146	5	6	13	21	31	40	72

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	16	6.7	42	2	2	4	8	14	24	28
70-74	12	3.5	6	1	1	3	4	7	10	10
75-79	13	7.8	35	2	2	7	10	18	19	19
80-84	8	7.3	24	3	3	6	10	15	17	17
85+	8	6.3	22	2	2	5	7	14	17	17
2. MULTIPLE DX										
65-69 YRS	103	11.2	95	2	3	10	15	20	24	57
70-74	82	11.9	104	2	2	9	16	25	32	52
75-79	69	13.4	135	2	3	10	19	23	42	94
80-84	36	11.0	128	1	2	8	15	19	39	55
85+	17	11.9	94	1	2	9	16	28	33	35
TOT. SINGLE DX	57	6.3	29	2	2	4	8	15	18	27
" MULTIPLE DX	307	11.9	110	2	3	9	16	22	33	63
TOTAL 65-69 YRS	119	10.6	90	2	3	8	15	20	25	51
70-74	94	10.8	100	2	2	8	14	23	30	50
75-79	82	12.5	123	2	3	10	17	22	41	91
80-84	44	10.3	111	1	2	8	13	18	29	55
85+	25	10.1	77	1	2	8	13	24	30	35
GRAND TOTAL	364	11.0	101	2	2	9	15	22	29	56

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	435	4.7	5	3	3	4	5	7	8	13
70-74	271	4.8	6	2	3	4	5	7	9	17
75-79	133	5.4	10	3	3	5	6	9	11	18
80-84	58	5.9	21	2	3	5	7	10	12	32
85+	12	7.6	19	3	3	6	10	14	17	18
2. MULTIPLE DX										
65-69 YRS	552	7.7	60	3	3	5	9	14	20	42
70-74	447	8.9	81	3	3	6	10	17	23	56
75-79	282	10.3	121	3	3	6	11	21	31	65
80-84	120	13.8	223	3	4	8	15	33	46	75
85+	66	15.1	221	4	5	10	18	28	48	85
TOT. SINGLE DX	909	5.0	8	2	3	4	5	7	9	16
" MULTIPLE DX	1467	9.4	103	3	3	6	10	18	27	57
TOTAL 65-69 YRS	987	6.4	39	3	3	5	7	11	15	32
70-74	718	7.4	57	3	3	5	8	14	19	42
75-79	415	8.7	91	3	3	6	9	18	25	58
80-84	178	11.3	171	3	4	6	11	27	42	74
85+	78	14.0	198	4	4	9	17	26	47	80
GRAND TOTAL	**2376**	**7.7**	**71**	**3**	**3**	**5**	**8**	**15**	**21**	**48**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	73	4.7	8	2	2	4	5	7	10	19
70-74	55	5.6	28	2	2	4	6	10	13	38
75-79	36	6.7	56	2	2	5	7	15	23	40
80-84	23	5.8	22	2	2	4	7	16	17	18
85+	4	4.8	8	3	3	4	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	269	10.3	127	3	4	6	11	22	34	75
70-74	218	11.7	113	3	4	8	15	27	35	77
75-79	133	12.9	133	3	4	9	17	25	36	84
80-84	60	14.1	140	2	4	10	19	32	37	58
85+	31	19.0	134	6	7	16	23	40	44	44
TOT. SINGLE DX	191	5.5	25	2	2	4	6	9	14	34
" MULTIPLE DX	711	11.9	129	3	4	8	15	26	36	71
TOTAL 65-69 YRS	342	9.1	108	3	3	5	10	20	30	67
70-74	273	10.5	102	2	3	7	12	26	35	65
75-79	169	11.6	123	2	3	8	15	24	35	77
80-84	83	11.8	121	2	3	8	16	25	35	56
85+	35	17.4	141	3	5	15	21	39	43	44
GRAND TOTAL	**902**	**10.6**	**114**	**2**	**3**	**7**	**13**	**24**	**35**	**63**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	36	13.4	159	3	4	10	14	25	28	76
70-74	22	10.4	25	4	5	9	12	17	21	26
75-79	8	13.0	18	9	9	11	17	19	20	20
80-84										
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	133	19.1	224	6	7	14	24	38	55	99+
70-74	77	16.8	189	5	6	13	20	28	41	83
75-79	39	19.6	81	4	8	18	27	32	33	34
80-84	15	21.5	237	3	8	19	35	40	50	53
85+	7	20.3	203	8	8	16	30	44	46	46
TOT. SINGLE DX	67	12.3	97	4	5	10	14	20	26	68
" MULTIPLE DX	271	18.7	193	5	7	15	25	34	49	96
TOTAL 65-69 YRS	169	17.9	215	5	7	13	23	35	52	99
70-74	99	15.4	160	4	6	11	18	27	35	76
75-79	47	18.5	77	5	9	17	26	32	33	34
80-84	15	21.5	238	3	8	19	35	40	50	53
85+	8	18.9	190	8	8	13	25	42	46	46
GRAND TOTAL	**338**	**17.4**	**180**	**5**	**7**	**13**	**23**	**33**	**46**	**92**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	100	2.0	2	<1	<1	2	2	3	4	11
70-74	97	1.9	1	<1	<1	2	2	3	4	8
75-79	101	2.6	4	<1	<1	2	3	5	8	56
80-84	48	2.5	2	<1	<1	2	3	5	6	9
85+	40	2.1	2	<1	<1	2	2	3	6	9
2. MULTIPLE DX										
65-69 YRS	183	5.0	48	<1	1	3	5	11	16	35
70-74	147	5.5	49	<1	1	2	7	14	20	36
75-79	155	6.0	55	1	1	3	7	14	22	33
80-84	119	5.6	56	<1	1	2	6	15	21	44
85+	116	7.3	102	1	1	4	9	15	20	60
TOT. SINGLE DX	386	2.2	3	<1	<1	2	2	4	5	11
" MULTIPLE DX	720	5.8	60	<1	1	3	7	14	20	38
TOTAL 65-69 YRS	283	4.0	34	<1	<1	2	4	10	13	30
70-74	244	4.1	34	<1	<1	2	4	10	15	32
75-79	256	4.6	38	<1	1	2	5	10	16	33
80-84	167	4.7	43	<1	1	2	5	10	19	41
85+	156	5.9	81	<1	1	3	8	14	17	46
GRAND TOTAL	**1106**	**4.5**	**43**	**<1**	**1**	**2**	**5**	**11**	**15**	**33**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	341	2.0	1	<1	<1	2	2	3	4	9
70-74	324	1.9	1	<1	<1	2	2	3	4	7
75-79	274	2.2	7	<1	<1	2	2	3	4	20
80-84	207	2.0	1	<1	1	2	2	3	4	6
85+	178	1.8		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
65-69 YRS	503	4.2	40	1	1	2	3	9	16	29
70-74	535	5.0	75	1	1	2	5	12	18	45
75-79	448	4.7	52	1	1	2	4	11	18	36
80-84	381	5.2	69	1	1	3	5	11	19	41
85+	333	6.1	69	1	1	3	7	16	22	72
TOT. SINGLE DX	1324	2.0	3	<1	<1	2	2	3	4	8
" MULTIPLE DX	2200	5.0	61	1	1	2	5	12	19	45
TOTAL 65-69 YRS	844	3.3	26	<1	1	2	3	5	11	27
70-74	859	3.9	50	<1	1	2	3	8	14	35
75-79	722	3.8	37	<1	1	2	3	7	14	31
80-84	588	4.1	48	<1	1	2	4	8	14	32
85+	511	4.6	50	<1	1	2	4	12	17	52
GRAND TOTAL	**3524**	**3.8**	**41**	**<1**	**1**	**2**	**3**	**8**	**14**	**34**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	86	2.6	4	1	1	2	3	4	4	14
70-74	80	2.5	1	1	1	2	3	3	4	7
75-79	76	2.4		1	2	2	3	3	4	5
80-84	42	2.6	1	1	2	2	3	4	5	6
85+	26	2.7	5	1	1	2	3	3	6	14
2. MULTIPLE DX										
65-69 YRS	86	3.0	4	1	2	2	3	5	8	12
70-74	121	3.0	3	1	2	3	3	5	6	12
75-79	113	2.9	3	1	2	2	3	4	6	13
80-84	88	4.2	27	1	2	3	4	8	11	34
85+	49	4.3	101	1	2	3	3	4	9	72
TOT. SINGLE DX	310	2.5	2	1	1	2	3	4	4	7
" MULTIPLE DX	457	3.3	19	1	2	2	3	5	8	14
TOTAL 65-69 YRS	172	2.8	4	1	1	2	3	4	6	13
70-74	201	2.8	2	1	2	2	3	4	5	10
75-79	189	2.7	3	1	2	2	3	4	5	11
80-84	130	3.7	20	2	2	2	3	6	10	33
85+	75	3.8	68	1	2	2	3	4	8	57
GRAND TOTAL	**767**	**3.0**	**12**	**1**	**2**	**2**	**3**	**4**	**6**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	18	2.7	7	<1	<1	2	3	5	9	12
70-74	18	3.2	15	<1	<1	1	3	10	12	14
75-79	9	1.7		<1	<1	2	2	2	2	2
80-84	10	4.8	41	1	1	2	3	15	22	22
85+	5	5.6	26	2	2	3	9	14	14	14
2. MULTIPLE DX										
65-69 YRS	21	6.6	98	<1	1	3	6	19	33	42
70-74	36	5.3	83	<1	1	2	6	9	31	42
75-79	24	3.4	8	1	1	2	4	8	10	11
80-84	14	5.6	38	<1	1	2	5	16	19	20
85+	16	8.4	63	1	2	4	16	25	74	99+
TOT. SINGLE DX	60	3.3	16	<1	<1	2	3	9	13	21
" MULTIPLE DX	111	5.6	62	1	1	3	6	15	25	64
TOTAL 65-69 YRS	39	4.8	59	<1	<1	2	5	11	20	42
70-74	54	4.6	61	<1	<1	2	5	10	13	42
75-79	33	2.9	6	<1	1	2	3	7	10	11
80-84	24	5.3	38	1	1	2	5	16	21	22
85+	21	7.8	54	1	2	4	14	22	56	99+
GRAND TOTAL	**171**	**4.8**	**47**	**<1**	**1**	**2**	**5**	**12**	**20**	**42**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	139	3.5	3	1	2	3	4	6	7	12
70-74	172	3.5	3	1	2	3	4	6	7	10
75-79	173	3.6	3	1	1	3	4	6	7	12
80-84	114	3.6	2	1	2	3	4	6	7	9
85+	73	3.6	3	1	2	3	4	6	8	8
2. MULTIPLE DX										
65-69 YRS	250	4.0	4	2	2	4	5	6	7	15
70-74	385	4.5	14	1	2	4	5	8	9	24
75-79	327	4.8	22	2	2	4	5	7	10	24
80-84	223	5.2	29	1	2	4	5	8	12	33
85+	126	5.0	15	2	2	4	6	10	14	20
TOT. SINGLE DX	671	3.6	4	1	2	3	4	6	7	10
" MULTIPLE DX	1311	4.6	18	1	2	4	5	7	10	23
TOTAL 65-69 YRS	389	3.8	4	1	2	3	5	6	7	14
70-74	557	4.2	12	1	2	3	5	7	9	19
75-79	500	4.4	17	1	2	4	5	7	9	20
80-84	337	4.6	21	1	2	4	5	8	10	30
85+	199	4.5	11	2	2	4	5	8	12	19
GRAND TOTAL	**1982**	**4.3**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**19**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	2.4	5	<1	<1	1	2	7	9	11
70-74	64	2.1	3	<1	<1	2	2	3	4	13
75-79	45	2.1	2	<1	<1	2	2	4	6	8
80-84	40	3.4	15	<1	1	2	4	6	11	22
85+	25	2.8	1	1	1	3	4	4	5	5
2. MULTIPLE DX										
65-69 YRS	82	4.0	11	1	1	3	5	8	12	17
70-74	110	4.0	30	<1	1	2	3	8	19	30
75-79	87	5.1	48	<1	1	2	6	13	16	41
80-84	55	4.9	31	1	1	3	5	11	16	32
85+	52	5.5	43	1	1	3	6	16	20	32
TOT. SINGLE DX	242	2.5	6	<1	<1	2	3	4	7	14
" MULTIPLE DX	386	4.6	32	1	1	2	5	10	16	29
TOTAL 65-69 YRS	150	3.3	9	<1	<1	2	4	8	9	16
70-74	174	3.3	21	<1	1	2	3	6	10	25
75-79	132	4.1	35	<1	<1	2	4	10	15	26
80-84	95	4.2	25	1	1	3	4	11	15	28
85+	77	4.6	31	1	1	3	4	11	19	30
GRAND TOTAL	**628**	**3.8**	**23**	**<1**	**1**	**2**	**4**	**8**	**13**	**24**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	253	2.9	3	<1	1	2	3	5	6	10
70-74	245	3.0	3	<1	1	2	4	5	7	10
75-79	191	3.0	3	1	1	3	3	5	7	10
80-84	119	2.7	3	<1	1	2	3	5	6	10
85+	50	3.1	8	<1	<1	2	4	6	8	18
2. MULTIPLE DX										
65-69 YRS	262	5.0	42	1	1	3	6	9	15	35
70-74	278	4.7	40	1	1	3	5	10	13	41
75-79	271	4.4	17	1	1	3	5	9	12	22
80-84	160	4.7	15	1	2	3	6	9	12	21
85+	92	4.5	23	1	1	3	5	9	12	30
TOT. SINGLE DX	858	2.9	4	<1	1	2	3	5	7	10
" MULTIPLE DX	1063	4.7	30	1	1	3	5	9	13	28
TOTAL 65-69 YRS	515	4.0	24	1	1	3	4	7	10	26
70-74	523	3.9	24	1	1	3	4	7	10	20
75-79	462	3.8	12	1	1	3	4	8	10	16
80-84	279	3.8	11	1	1	3	5	7	10	18
85+	142	4.0	18	1	1	3	4	8	11	23
GRAND TOTAL	**1921**	**3.9**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	157	2.5	3	1	1	2	3	4	6	11
70-74	157	2.5	3	<1	1	2	3	4	6	12
75-79	125	3.2	8	1	1	2	4	6	7	19
80-84	79	2.5	3	<1	<1	2	3	5	7	9
85+	40	3.9	11	1	1	3	5	7	11	17
2. MULTIPLE DX										
65-69 YRS	202	4.8	45	1	1	3	6	11	13	55
70-74	237	4.1	15	1	1	3	5	9	12	20
75-79	230	6.0	70	1	1	3	7	13	17	43
80-84	182	5.1	33	1	1	3	6	11	17	26
85+	119	7.6	107	1	2	4	8	18	31	57
TOT. SINGLE DX	558	2.8	5	<1	1	2	3	5	7	12
" MULTIPLE DX	973	5.3	50	1	1	3	6	11	16	39
TOTAL 65-69 YRS	359	3.8	28	1	1	2	4	8	11	29
70-74	394	3.5	12	1	1	2	4	8	10	16
75-79	355	5.0	50	1	1	3	6	10	15	35
80-84	264	4.3	26	1	1	3	5	9	13	25
85+	159	6.7	86	1	1	4	7	13	27	52
GRAND TOTAL	**1531**	**4.4**	**35**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4468	2.4	2	1	2	2	3	3	4	6
70-74	5777	2.4	1	1	2	2	3	3	4	5
75-79	6080	2.4	1	1	2	2	3	3	4	6
80-84	4635	2.5	1	1	2	2	3	3	4	7
85+	3159	2.5	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
65-69 YRS	5026	3.2	11	2	2	2	3	5	7	16
70-74	6446	3.2	13	2	2	2	3	5	7	19
75-79	6976	3.3	15	2	2	2	3	5	7	19
80-84	5438	3.3	13	2	2	3	3	5	8	17
85+	4034	3.8	27	2	2	3	4	6	10	27
TOT. SINGLE DX	24119	2.4	1	1	2	2	3	3	4	6
" MULTIPLE DX	27920	3.3	16	2	2	2	3	5	8	20
TOTAL 65-69 YRS	9494	2.8	8	1	2	2	3	4	5	13
70-74	12223	2.8	8	1	2	2	3	4	5	13
75-79	13056	2.9	9	1	2	2	3	4	5	14
80-84	10073	2.9	8	1	2	2	3	4	6	14
85+	7193	3.2	16	2	2	2	3	5	7	19
GRAND TOTAL	**52039**	**2.9**	**9**	**1**	**2**	**2**	**3**	**4**	**5**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6751	2.1		1	1	2	2	3	3	5
70-74	8360	2.1		1	1	2	2	3	3	5
75-79	8790	2.1		1	1	2	2	3	3	5
80-84	6113	2.2		1	1	2	2	3	4	5
85+	3907	2.2		1	1	2	2	3	4	6
2. MULTIPLE DX										
65-69 YRS	6178	2.7	10	1	2	2	3	4	5	14
70-74	8009	2.7	6	1	2	2	3	4	5	13
75-79	8520	2.7	6	1	2	2	3	4	5	14
80-84	6234	2.9	11	1	2	2	3	4	6	16
85+	4294	3.0	11	1	2	2	3	5	7	17
TOT. SINGLE DX	33921	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	33235	2.8	9	1	2	2	3	4	6	15
TOTAL 65-69 YRS	12929	2.4	5	1	1	2	2	3	4	10
70-74	16369	2.4	4	1	1	2	2	3	4	9
75-79	17310	2.4	4	1	1	2	2	3	4	10
80-84	12347	2.5	6	1	1	2	3	3	5	12
85+	8201	2.6	7	1	1	2	3	4	5	13
GRAND TOTAL	**67156**	**2.4**	**8**	**1**	**1**	**2**	**2**	**3**	**4**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	954	2.2	1	1	1	2	2	3	4	5
70-74	1103	2.1		1	1	2	2	3	4	5
75-79	1090	2.2		1	1	2	2	3	4	5
80-84	753	2.3	1	1	1	2	3	3	4	5
85+	398	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
65-69 YRS	864	2.6	4	1	1	2	3	4	5	12
70-74	1097	2.8	6	1	2	2	3	4	6	13
75-79	1170	2.8	5	1	1	2	3	4	6	15
80-84	766	3.1	19	1	2	2	3	4	6	18
85+	478	3.5	25	1	1	2	3	5	9	24
TOT. SINGLE DX	4298	2.2	1	1	1	2	2	3	4	5
" MULTIPLE DX	4375	2.9	10	1	2	2	3	4	6	16
TOTAL 65-69 YRS	1818	2.4	3	1	1	2	3	3	4	9
70-74	2200	2.5	3	1	1	2	3	3	4	10
75-79	2260	2.5	3	1	1	2	3	4	5	10
80-84	1519	2.7	10	1	2	2	3	4	4	12
85+	876	3.0	15	1	1	2	3	4	6	20
GRAND TOTAL	**8673**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	605	4.4	6	1	2	4	5	8	9	14
70-74	439	4.5	6	2	2	4	5	7	9	14
75-79	290	4.7	5	2	2	4	6	8	9	13
80-84	144	4.5	3	2	2	4	6	7	8	10
85+	60	4.7	3	2	3	4	6	7	8	10
2. MULTIPLE DX										
65-69 YRS	842	5.2	18	2	2	4	6	9	10	19
70-74	651	5.3	10	2	2	5	6	9	11	18
75-79	440	5.8	15	2	2	5	7	10	14	22
80-84	218	6.2	20	2	3	5	7	11	15	25
85+	99	6.4	25	1	2	5	8	11	15	32
TOT. SINGLE DX	1538	4.5	6	1	2	4	6	7	9	13
" MULTIPLE DX	2250	5.5	16	2	2	5	7	9	12	20
TOTAL 65-69 YRS	1447	4.9	14	1	2	4	6	8	10	16
70-74	1090	5.0	9	2	2	4	6	8	10	17
75-79	730	5.4	12	2	2	5	6	9	12	19
80-84	362	5.6	14	2	2	5	7	9	13	21
85+	159	5.7	18	1	2	5	7	10	13	25
GRAND TOTAL	**3788**	**5.1**	**12**	**2**	**2**	**4**	**6**	**8**	**11**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	130	3.0	5	<1	1	2	3	6	8	13
70-74	132	2.9	6	<1	1	2	3	5	7	15
75-79	125	3.1	5	<1	1	2	3	7	10	11
80-84	82	3.0	4	<1	1	2	4	5	7	14
85+	40	3.0	4	<1	1	2	4	5	8	11
2. MULTIPLE DX										
65-69 YRS	346	4.8	29	1	2	3	6	9	13	31
70-74	347	4.5	22	1	2	3	5	9	11	24
75-79	270	4.5	17	1	2	3	5	9	12	27
80-84	167	4.7	35	1	2	3	5	9	15	27
85+	97	6.4	56	1	2	3	7	15	21	39
TOT. SINGLE DX	509	3.0	6	<1	1	2	3	6	8	12
" MULTIPLE DX	1227	4.8	28	1	2	3	5	9	13	28
TOTAL 65-69 YRS	476	4.4	23	1	1	3	5	8	12	28
70-74	479	4.0	19	1	1	3	5	7	9	23
75-79	395	4.0	14	1	1	3	5	8	11	22
80-84	249	4.2	26	1	1	3	4	8	12	27
85+	137	5.4	44	1	1	3	6	13	18	37
GRAND TOTAL	1736	4.2	22	1	1	3	5	8	12	25

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	72	2.0	1	1	1	2	2	2	3	8
70-74	43	1.8		<1	<1	2	2	3	3	4
75-79	27	2.0		1	1	2	2	3	3	4
80-84	12	1.9		1	1	2	2	3	3	3
85+	9	1.8		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	75	2.1		1	1	2	2	3	4	5
70-74	56	2.9	9	1	1	2	3	4	8	20
75-79	41	2.0		1	1	2	2	3	4	5
80-84	17	3.5	29	1	1	2	2	6	18	24
85+	12	1.9		1	1	2	2	3	4	4
TOT. SINGLE DX	163	1.9	1	<1	1	2	2	3	3	4
" MULTIPLE DX	201	2.4	6	1	1	2	2	3	5	17
TOTAL 65-69 YRS	147	2.0	1	1	1	2	2	3	4	5
70-74	99	2.4	6	<1	1	2	2	3	4	18
75-79	68	2.0	1	1	1	2	2	3	4	5
80-84	29	2.9	18	1	1	2	2	4	7	24
85+	21	1.9	1	<1	1	2	2	3	4	4
GRAND TOTAL	364	2.2	4	1	1	2	2	3	4	9

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	4	3.0	4	2	2	2	4	6	6	6
70-74	4	2.8		2	2	2	3	3	3	3
75-79	3	2.0		2	2	2	3	3	3	3
80-84	3	6.7	65	2	2	2	13	16	16	16
85+	2	6.0	50	1	1	6	11	11	11	11
TOT. SINGLE DX	4	2.8	1	2	2	3	3	4	4	4
" MULTIPLE DX	16	3.8	16	1	1	2	3	10	14	16
TOTAL 65-69 YRS	4	3.0	4	2	2	2	4	6	6	6
70-74	6	2.8	1	2	2	3	3	4	4	4
75-79	4	2.3		1	1	2	3	3	3	3
80-84	4	5.5	49	2	2	2	9	16	16	16
85+	2	6.0	50	1	1	6	11	11	11	11
GRAND TOTAL	20	3.6	13	1	1	2	3	8	13	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	3.3	7	1	2	3	4	7	8	16
70-74	125	3.2	6	1	1	2	4	6	8	15
75-79	81	3.3	5	1	1	3	4	6	7	16
80-84	74	3.2	7	1	1	3	3	5	9	16
85+	46	3.3	3	1	2	3	4	5	8	9
2. MULTIPLE DX										
65-69 YRS	185	4.6	16	1	2	3	5	10	14	21
70-74	202	5.8	66	1	1	3	6	12	19	61
75-79	178	6.8	75	1	2	4	8	14	21	53
80-84	133	5.6	33	1	2	4	7	13	16	34
85+	125	7.8	114	1	2	4	9	17	25	73
TOT. SINGLE DX	430	3.3	6	1	2	3	4	6	8	15
" MULTIPLE DX	823	6.0	60	1	2	4	7	13	19	46
TOTAL 65-69 YRS	289	4.1	14	1	2	3	4	8	12	20
70-74	327	4.8	45	1	1	3	5	10	14	46
75-79	259	5.7	56	1	2	3	7	11	18	51
80-84	207	4.8	25	1	1	3	5	11	14	28
85+	171	6.6	88	1	2	4	7	15	21	64
GRAND TOTAL	1253	5.1	43	1	2	3	5	10	15	34

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	118	2.7	7	<1	<1	2	3	5	8	18
70-74	85	2.1	2	<1	<1	2	2	4	5	8
75-79	73	3.2	15	<1	<1	2	3	6	10	25
80-84	51	3.1	12	<1	<1	2	3	5	8	21
85+	56	3.6	15	<1	<1	2	4	8	13	19
2. MULTIPLE DX										
65-69 YRS	185	6.4	55	1	1	3	8	14	22	40
70-74	175	8.2	134	1	1	3	8	22	33	63
75-79	194	8.3	95	1	1	5	11	19	35	99+
80-84	143	8.7	120	1	2	5	10	20	31	53
85+	171	9.6	97	2	2	7	13	21	26	73
TOT. SINGLE DX	383	2.8	10	<1	<1	2	3	5	8	18
" MULTIPLE DX	868	8.2	100	1	1	5	10	19	29	59
TOTAL 65-69 YRS	303	5.0	40	<1	1	3	6	12	19	32
70-74	260	6.2	99	<1	1	2	6	16	25	59
75-79	267	6.9	79	1	1	3	9	17	32	90
80-84	194	7.3	98	<1	1	4	8	16	26	50
85+	227	8.1	84	1	2	5	11	18	25	61
GRAND TOTAL	1251	6.6	78	<1	1	3	8	16	24	51

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	238	2.3	1	1	1	2	3	3	4	5
70-74	119	2.3	1	1	1	2	3	4	4	7
75-79	71	2.4	1	1	1	2	3	4	5	6
80-84	22	2.2		1	1	2	3	4	4	4
85+	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	123	2.7	1	1	1	2	3	4	5	9
70-74	73	3.1	13	1	1	3	3	4	5	27
75-79	44	3.1	4	1	1	2	4	8	9	9
80-84	12	2.6	1	1	1	3	3	4	5	5
85+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	454	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	253	2.9	6	1	1	3	3	4	5	9
TOTAL 65-69 YRS	361	2.5	2	1	1	2	3	4	4	7
70-74	192	2.6	6	1	1	2	3	4	4	8
75-79	115	2.7	3	1	1	2	3	4	6	9
80-84	34	2.3	1	1	1	2	3	3	4	5
85+	5	2.8	1	2	2	3	3	4	4	4
GRAND TOTAL	707	2.5	3	1	1	2	3	4	4	8

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	193	2.0		1	1	2	2	3	3	4
70-74	97	2.0	1	<1	1	2	2	3	3	9
75-79	44	2.1	1	1	1	2	2	3	4	8
80-84	16	2.3		1	1	2	3	3	3	3
85+	8	2.8	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	262	2.5	1	1	1	2	3	4	5	10
70-74	131	2.5	3	1	1	2	3	4	5	11
75-79	61	2.9	5	1	1	2	3	5	8	14
80-84	21	3.2	7	1	2	2	3	5	10	14
85+	14	3.0	3	<1	1	2	4	5	7	7
TOT. SINGLE DX	358	2.1	1	1	1	2	2	3	4	6
" MULTIPLE DX	489	2.6	3	1	1	2	3	4	5	11
TOTAL 65-69 YRS	455	2.3	1	1	1	2	3	3	4	7
70-74	228	2.3	3	1	1	2	2	3	5	10
75-79	105	2.6	4	1	1	2	3	4	6	12
80-84	37	2.8	5	1	2	2	3	4	6	14
85+	22	2.9	2	1	1	2	4	5	6	7
GRAND TOTAL	847	2.4	2	1	1	2	3	3	5	10

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	41	1.7	1	<1	<1	1	2	3	4	5
70-74	34	2.9	26	<1	<1	1	2	5	13	28
75-79	18	1.8		<1	1	2	2	3	4	4
80-84	9	2.2	2	1	1	2	2	5	6	6
85+	13	1.5	1	<1	<1	1	2	14	81	99+
2. MULTIPLE DX										
65-69 YRS	85	5.8	52	1	1	2	7	17	23	32
70-74	90	8.2	125	<1	1	3	10	23	32	56
75-79	52	7.9	136	<1	1	3	11	17	25	74
80-84	35	7.9	54	<1	1	6	11	19	24	31
85+	18	6.8	43	1	1	5	9	13	22	28
TOT. SINGLE DX	115	2.1	9	<1	<1	1	2	4	5	52
" MULTIPLE DX	280	7.3	91	<1	1	3	10	19	27	42
TOTAL 65-69 YRS	126	4.5	39	<1	1	2	4	13	19	30
70-74	124	6.7	104	<1	<1	2	8	19	30	50
75-79	70	6.4	108	<1	1	2	8	15	21	65
80-84	44	6.8	49	<1	1	4	9	17	21	31
85+	31	4.5	32	<1	<1	2	7	12	26	99+
GRAND TOTAL	395	5.8	73	<1	1	2	7	15	25	41

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	3.2	3	1	2	3	4	6	8	10
70-74	52	3.3	7	1	1	3	4	5	8	16
75-79	25	3.0	1	1	2	3	3	5	5	6
80-84	5	2.6	1	1	1	3	3	4	4	4
85+	5	8.6	186	2	2	3	11	33	33	33
2. MULTIPLE DX										
65-69 YRS	174	4.3	31	1	2	3	4	6	12	32
70-74	99	5.9	88	2	2	3	4	12	23	57
75-79	59	6.8	74	1	2	3	6	22	30	37
80-84	28	8.3	127	2	2	4	9	19	29	57
85+	13	4.4	10	1	1	3	6	9	11	12
TOT. SINGLE DX	156	3.4	10	1	2	3	3	6	8	16
" MULTIPLE DX	373	5.4	61	1	2	3	5	11	20	48
TOTAL 65-69 YRS	243	4.0	24	1	2	3	4	6	9	32
70-74	151	5.0	62	1	2	3	4	10	16	52
75-79	84	5.7	55	1	2	3	5	14	26	35
80-84	33	7.4	112	2	2	3	7	17	25	57
85+	18	5.6	55	1	1	3	5	11	25	33
GRAND TOTAL	529	4.8	47	1	2	3	4	8	15	37

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	122	2.9	4	1	1	2	3	5	8	12
70-74	52	3.1	6	1	1	3	3	5	8	15
75-79	28	3.0	7	1	1	2	3	6	9	13
80-84	9	2.6	2	1	1	2	3	5	6	6
85+	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	103	5.1	96	1	1	3	5	9	16	56
70-74	73	4.9	25	1	1	3	6	10	13	31
75-79	38	4.5	16	1	1	3	7	9	12	21
80-84	13	8.8	265	1	2	3	7	21	54	62
85+	7	5.9	35	2	2	4	6	16	19	19
TOT. SINGLE DX	214	3.0	5	1	1	2	3	6	8	13
" MULTIPLE DX	234	5.2	68	1	1	3	6	10	15	38
TOTAL 65-69 YRS	225	3.9	48	1	1	3	4	7	10	20
70-74	125	4.2	19	1	1	3	5	10	12	25
75-79	66	3.9	13	1	1	3	5	9	10	20
80-84	22	6.2	162	1	1	3	6	10	31	62
85+	10	5.2	26	2	2	4	6	13	19	19
GRAND TOTAL	448	4.1	39	1	1	3	4	8	12	22

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	51	2.4	1	1	1	2	3	4	4	6
70-74	27	2.9	5	1	1	2	3	4	6	14
75-79	14	3.2	8	1	1	2	3	9	10	10
80-84	4	2.8	1	2	2	3	3	4	4	4
85+	4	4.0	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	192	4.0	15	1	1	3	4	7	14	20
70-74	102	3.5	5	1	2	3	4	6	8	14
75-79	58	6.1	95	1	2	3	5	11	19	60
80-84	16	4.4	20	2	2	3	4	9	17	20
85+	3	7.0	61	2	2	3	13	16	16	16
TOT. SINGLE DX	100	2.7	4	1	1	2	3	4	5	12
" MULTIPLE DX	371	4.2	26	1	2	3	4	7	13	21
TOTAL 65-69 YRS	243	3.6	13	1	1	3	4	6	12	19
70-74	129	3.4	6	1	2	3	4	5	8	14
75-79	72	5.5	79	1	1	3	5	10	15	57
80-84	20	4.1	17	2	2	3	4	7	14	20
85+	7	5.3	24	2	2	3	5	14	16	16
GRAND TOTAL	**471**	**3.9**	**22**	**1**	**1**	**3**	**4**	**6**	**11**	**21**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	127	2.3	2	1	1	2	3	4	5	8
70-74	75	2.5	1	1	1	2	3	4	5	8
75-79	44	2.7	6	1	1	2	3	4	8	16
80-84	15	3.5	9	1	1	3	4	7	11	13
85+	11	3.1	6	1	1	2	4	7	9	9
2. MULTIPLE DX										
65-69 YRS	508	3.2	5	1	1	3	4	6	8	13
70-74	286	4.0	13	1	1	3	4	8	12	20
75-79	148	5.4	80	1	2	3	5	9	15	39
80-84	67	6.1	34	1	2	4	8	14	20	28
85+	56	7.0	67	1	2	4	8	18	27	40
TOT. SINGLE DX	272	2.5	3	1	1	2	3	4	6	9
" MULTIPLE DX	1065	4.1	24	1	1	3	4	8	11	23
TOTAL 65-69 YRS	635	3.0	5	1	1	2	4	5	7	12
70-74	361	3.7	11	1	1	3	4	7	11	19
75-79	192	4.8	65	1	1	3	5	9	14	34
80-84	82	5.6	31	1	2	4	7	13	18	28
85+	67	6.4	59	1	1	4	6	16	22	39
GRAND TOTAL	**1337**	**3.8**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	249	2.5	6	<1	<1	2	3	4	5	15
70-74	205	2.5	7	<1	1	2	3	4	6	17
75-79	171	2.9	6	<1	1	2	3	5	8	14
80-84	113	2.7	3	<1	1	2	3	5	6	10
85+	80	3.0	8	<1	1	2	3	5	10	16
2. MULTIPLE DX										
65-69 YRS	534	4.5	27	1	1	3	5	10	15	29
70-74	424	5.6	66	1	1	3	6	13	19	44
75-79	379	6.0	49	1	1	4	7	14	18	45
80-84	242	8.5	147	1	2	5	9	18	31	98
85+	210	8.7	89	2	2	6	11	19	26	73
TOT. SINGLE DX	818	2.7	7	<1	1	2	3	5	7	14
" MULTIPLE DX	1789	6.1	67	1	1	3	7	14	20	46
TOTAL 65-69 YRS	783	3.8	22	<1	1	2	4	8	12	28
70-74	629	4.6	49	1	1	3	4	10	15	39
75-79	550	5.0	38	1	1	3	6	11	15	35
80-84	355	6.7	109	1	1	3	8	15	24	80
85+	290	7.1	73	1	2	4	10	16	23	57
GRAND TOTAL	**2607**	**5.0**	**51**	**1**	**1**	**3**	**5**	**11**	**17**	**38**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	135	4.4	8	1	1	4	6	8	9	15
70-74	111	4.4	7	1	1	4	6	8	10	14
75-79	65	3.9	7	1	1	3	5	7	10	14
80-84	38	4.2	5	<1	1	4	6	7	8	11
85+	40	3.1	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
65-69 YRS	363	6.4	38	1	2	5	8	12	17	36
70-74	354	6.7	42	1	2	5	8	14	19	29
75-79	286	7.9	86	2	2	6	8	15	23	39
80-84	170	7.2	85	1	2	5	8	14	18	57
85+	166	8.0	71	1	2	6	9	17	22	46
TOT. SINGLE DX	389	4.2	8	1	1	4	5	7	9	14
" MULTIPLE DX	1339	7.1	60	1	2	5	8	14	19	39
TOTAL 65-69 YRS	498	5.9	31	1	2	5	7	11	15	28
70-74	465	6.2	35	1	2	4	8	12	16	28
75-79	351	7.2	74	1	2	5	8	14	21	36
80-84	208	6.7	72	1	2	5	7	12	18	48
85+	206	7.0	62	1	1	5	8	14	20	41
GRAND TOTAL	**1728**	**6.5**	**50**	**1**	**2**	**5**	**7**	**12**	**17**	**35**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	107	3.0	2	1	1	3	4	5	6	10
70-74	79	3.9	17	1	2	3	4	6	10	28
75-79	36	3.6	11	1	1	3	4	9	13	16
80-84	17	5.3	41	2	2	3	5	15	23	26
85+	4	4.0	7	2	2	3	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	219	5.6	32	2	2	4	6	12	17	25
70-74	140	5.0	23	1	2	3	5	11	16	24
75-79	88	5.2	20	1	1	3	6	13	16	20
80-84	35	8.7	177	2	2	3	10	20	32	72
85+	14	9.1	178	1	2	4	7	22	45	52
TOT. SINGLE DX	243	3.5	12	1	1	3	4	5	9	18
" MULTIPLE DX	496	5.7	43	1	2	4	6	13	18	27
TOTAL 65-69 YRS	326	4.7	25	1	2	3	5	9	14	23
70-74	219	4.6	21	1	2	3	5	10	14	25
75-79	124	4.7	18	1	1	3	5	11	16	19
80-84	52	7.6	133	2	2	3	7	19	26	71
85+	18	8.0	142	1	2	4	7	18	39	52
GRAND TOTAL	**739**	**5.0**	**33**	**1**	**2**	**3**	**5**	**11**	**15**	**25**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	97	3.6	11	1	1	2	4	7	12	18
70-74	69	4.3	37	1	1	3	4	7	11	42
75-79	46	4.3	16	1	2	3	5	9	12	23
80-84	18	5.8	137	<1	<1	3	4	8	35	52
85+	12	3.1	1	2	2	3	4	5	6	6
2. MULTIPLE DX										
65-69 YRS	231	7.2	107	1	1	4	9	16	21	61
70-74	159	7.5	68	1	1	4	10	22	28	93
75-79	134	8.2	73	2	2	5	11	17	20	47
80-84	63	9.0	44	1	2	7	13	19	23	26
85+	29	9.1	44	1	2	8	13	17	24	28
TOT. SINGLE DX	242	4.1	28	1	1	3	4	7	11	25
" MULTIPLE DX	616	7.8	81	1	2	4	10	18	24	51
TOTAL 65-69 YRS	328	6.1	82	1	1	3	7	14	19	52
70-74	228	6.5	61	1	1	4	7	17	25	58
75-79	180	7.2	61	1	2	4	9	16	20	44
80-84	81	8.2	65	1	2	5	11	18	23	44
85+	41	7.3	40	1	2	5	11	15	20	28
GRAND TOTAL	**858**	**6.7**	**68**	**1**	**1**	**4**	**8**	**16**	**22**	**48**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	98	2.1	1	<1	1	2	2	3	4	8
70-74	72	2.4	3	1	1	2	2	4	5	12
75-79	63	2.4	2	1	1	2	3	4	6	8
80-84	35	2.0		1	1	2	2	3	3	5
85+	32	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
65-69 YRS	785	6.3	79	1	2	3	7	15	24	45
70-74	663	6.4	70	1	2	3	7	16	23	51
75-79	524	7.3	98	1	2	3	9	17	29	52
80-84	375	8.8	124	1	2	4	12	22	33	63
85+	345	8.3	121	2	2	4	11	19	34	99+
TOT. SINGLE DX	300	2.3	2	1	1	2	2	3	5	9
" MULTIPLE DX	2692	7.1	93	1	2	3	9	17	27	57
TOTAL 65-69 YRS	883	5.9	72	1	1	3	6	14	21	44
70-74	735	6.0	65	1	2	3	7	16	22	49
75-79	587	6.8	90	1	2	3	8	16	25	49
80-84	410	8.2	117	1	2	3	10	20	31	63
85+	377	7.8	113	1	2	4	11	18	33	96
GRAND TOTAL	**2992**	**6.6**	**86**	**1**	**2**	**3**	**8**	**16**	**24**	**55**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	3.1	1	2	2	3	4	5	5	5
70-74	5	3.2	8	1	1	3	4	8	8	8
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	6	2.3	5	1	1	2	2	7	7	7
70-74	5	4.4	29	1	1	2	6	14	14	14
75-79	9	6.6	66	<1	<1	4	7	21	26	26
80-84	5	17.6	1178	2	2	2	22	79	79	79
85+	1	16.0		16	16	16	16	16	16	16
TOT. SINGLE DX	15	2.8	3	<1	1	3	3	5	7	8
" MULTIPLE DX	26	7.7	247	<1	1	2	5	16	37	79
TOTAL 65-69 YRS	13	2.8	3	1	1	2	3	5	7	7
70-74	10	3.8	17	1	1	2	3	11	14	14
75-79	9	6.6	66	<1	<1	4	7	21	26	26
80-84	6	14.8	989	<1	<1	2	3	71	79	79
85+	3	6.3	70	1	1	2	12	16	16	16
GRAND TOTAL	**41**	**5.9**	**161**	**<1**	**1**	**2**	**4**	**13**	**20**	**79**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	84	3.0	2	1	1	3	4	5	6	9
70-74	39	3.3	8	1	1	3	4	6	10	16
75-79	22	3.8	5	1	1	3	5	8	8	8
80-84	3	3.0	1	2	2	3	4	4	4	4
85+	8	3.5	10	<1	<1	3	4	9	11	11
2. MULTIPLE DX										
65-69 YRS	144	5.2	39	1	2	3	6	10	15	40
70-74	86	6.5	74	1	2	3	8	17	23	49
75-79	71	6.2	44	1	2	3	7	16	19	33
80-84	43	5.1	27	1	2	3	5	14	18	21
85+	12	7.5	86	2	2	4	8	21	32	34
TOT. SINGLE DX	156	3.2	5	1	1	3	4	5	8	12
" MULTIPLE DX	356	5.8	49	1	2	3	6	14	19	40
TOTAL 65-69 YRS	228	4.4	27	1	2	3	4	8	13	36
70-74	125	5.5	56	1	1	3	5	12	19	48
75-79	93	5.6	36	1	2	3	7	15	18	33
80-84	46	5.0	26	1	2	3	4	14	17	21
85+	20	5.9	58	1	2	3	7	13	24	34
GRAND TOTAL	**512**	**5.0**	**37**	**1**	**2**	**3**	**5**	**11**	**16**	**34**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	379	4.1	9	1	2	4	5	7	9	15
70-74	307	4.0	6	2	2	3	5	7	9	16
75-79	192	3.9	4	2	2	3	5	6	7	12
80-84	103	4.9	11	2	2	4	6	9	12	19
85+	46	5.5	13	2	2	5	7	10	12	22
2. MULTIPLE DX										
65-69 YRS	430	6.1	43	2	2	4	7	11	17	42
70-74	343	6.7	50	2	2	4	7	15	20	42
75-79	283	7.7	77	2	2	5	9	14	20	55
80-84	154	9.0	115	2	2	5	10	19	31	59
85+	126	9.9	71	2	3	7	13	19	30	42
TOT. SINGLE DX	1027	4.2	8	2	2	4	5	7	9	15
" MULTIPLE DX	1336	7.3	65	2	2	5	8	15	21	43
TOTAL 65-69 YRS	809	5.2	28	2	2	4	5	9	12	28
70-74	650	5.5	32	2	2	4	6	10	16	30
75-79	475	6.1	52	2	2	4	7	11	17	36
80-84	257	7.4	78	2	2	5	8	15	23	46
85+	172	8.7	60	2	3	7	11	18	22	40
GRAND TOTAL	**2363**	**5.9**	**42**	**2**	**2**	**4**	**6**	**11**	**17**	**35**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	4.1	11	1	1	3	5	10	11	11
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	3.6	8	1	1	3	6	8	8	8
70-74	3	4.3	16	2	2	2	7	9	9	9
75-79	6	9.2	105	1	1	4	14	27	28	28
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	10.0	162	1	1	10	19	19	19	19
TOT. SINGLE DX	10	3.7	9	1	1	3	4	8	11	11
" MULTIPLE DX	19	6.1	51	1	1	3	8	17	24	28
TOTAL 65-69 YRS	14	3.9	9	1	1	3	6	8	10	11
70-74	5	3.6	10	1	1	2	5	9	9	9
75-79	7	8.3	93	1	1	4	12	25	28	28
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	10.0	162	1	1	10	19	19	19	19
GRAND TOTAL	**29**	**5.3**	**37**	**1**	**1**	**3**	**6**	**13**	**19**	**28**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	337	4.1	24	<1	1	2	5	9	13	28
70-74	273	4.9	44	<1	1	2	5	11	17	39
75-79	193	3.9	20	<1	1	2	5	8	10	24
80-84	134	4.2	15	<1	1	3	5	9	13	20
85+	64	5.3	24	1	1	3	7	14	16	22
2. MULTIPLE DX										
65-69 YRS	691	8.8	115	1	2	5	11	21	29	61
70-74	534	9.1	145	1	2	5	11	20	35	67
75-79	431	9.3	138	1	2	5	11	21	39	67
80-84	291	9.2	93	2	2	6	11	21	29	46
85+	232	9.5	90	2	2	7	13	20	28	59
TOT. SINGLE DX	1001	4.4	28	<1	1	3	5	9	14	27
" MULTIPLE DX	2179	9.1	122	1	2	5	11	20	31	62
TOTAL 65-69 YRS	1028	7.3	90	1	1	4	9	17	24	56
70-74	807	7.7	115	1	1	4	9	17	30	61
75-79	624	7.6	109	1	1	4	9	16	29	63
80-84	425	7.6	75	1	2	5	9	18	26	41
85+	296	8.6	79	1	2	6	12	18	24	57
GRAND TOTAL	**3180**	**7.6**	**97**	**1**	**1**	**4**	**9**	**17**	**26**	**56**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	2.4	2	1	1	2	3	4	5	9
70-74	21	2.3	5	<1	1	2	2	4	8	12
75-79	16	2.8	6	1	1	2	3	5	9	11
80-84	4	1.8		1	1	2	2	2	2	2
85+	9	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	38	5.1	15	1	1	4	8	13	15	99+
70-74	22	7.4	81	1	1	4	7	21	30	37
75-79	15	8.9	110	1	2	4	10	23	35	39
80-84	4	5.8	30	1	1	4	10	13	13	13
85+	3	4.7	5	2	2	6	6	6	6	6
TOT. SINGLE DX	78	2.3	4	1	1	2	2	4	5	12
" MULTIPLE DX	82	6.4	51	1	2	4	8	15	24	80
TOTAL 65-69 YRS	66	3.9	12	1	1	3	5	10	14	86
70-74	43	4.9	50	1	1	2	4	13	21	37
75-79	31	5.8	65	1	1	2	6	14	23	39
80-84	8	3.8	18	1	1	2	5	11	13	13
85+	12	2.5	3	1	1	2	2	6	6	6
GRAND TOTAL	160	4.4	32	1	1	2	5	10	15	39

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	1.3		1	1	1	2	2	2	2
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84	3	1.7		1	1	2	2	2	2	2
85+	8	1.6		1	1	2	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	5	1.2		1	1	1	2	2	2	2
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84	3	2.0	3	1	1	1	3	4	4	4
85+	7	1.9		1	1	2	2	3	3	3
TOT. SINGLE DX	19	1.5		1	1	1	2	2	3	3
" MULTIPLE DX	19	1.8	2	1	1	1	2	4	6	7
TOTAL 65-69 YRS	12	1.3		1	1	1	2	2	2	2
70-74	2	1.0		1	1	1	1	1	1	1
75-79	3	3.3	10	1	1	2	6	7	7	7
80-84	6	1.8	1	1	1	2	2	4	4	4
85+	15	1.7	1	1	1	2	2	3	3	3
GRAND TOTAL	38	1.7	1	1	1	1	2	3	4	7

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS										
70-74	2	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
TOT. SINGLE DX	5	1.4	1	<1	<1	1	2	3	3	3
" MULTIPLE DX	2	1.0		1	1	1	1	1	1	1
TOTAL 65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	7	1.3	1	<1	<1	1	1	3	3	3

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	4.4	66	1	1	3	5	8	11	40
70-74	80	3.9	8	1	1	2	5	9	10	12
75-79	57	4.6	15	1	1	4	6	8	13	20
80-84	37	5.0	13	1	2	3	7	10	12	15
85+	11	6.9	37	1	1	5	11	16	21	21
2. MULTIPLE DX										
65-69 YRS	270	10.2	146	2	2	6	13	22	43	76
70-74	212	9.8	137	1	2	6	13	23	35	68
75-79	137	10.7	159	1	2	7	13	22	43	77
80-84	65	10.7	184	1	2	7	12	21	27	84
85+	42	18.4	339	1	2	11	25	52	59	71
TOT. SINGLE DX	321	4.5	36	1	1	3	6	9	11	20
" MULTIPLE DX	726	10.7	164	1	2	6	13	24	42	75
TOTAL 65-69 YRS	406	8.2	127	1	1	4	10	19	33	69
70-74	292	8.2	109	1	1	4	10	19	28	55
75-79	194	8.9	125	1	2	5	10	21	31	69
80-84	102	8.6	129	1	2	5	10	17	23	73
85+	53	16.0	297	1	2	9	23	45	56	71
GRAND TOTAL	1047	8.8	133	1	2	5	11	20	32	64

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	58	3.8	6	1	1	3	5	7	10	11
70-74	48	3.5	3	1	1	3	5	7	8	8
75-79	30	2.9	4	1	1	3	4	5	6	11
80-84	21	3.5	15	<1	<1	2	5	6	12	19
85+	15	2.8	4	1	1	2	4	5	7	8
2. MULTIPLE DX										
65-69 YRS	173	5.5	15	1	2	4	7	10	15	23
70-74	185	6.6	50	1	1	5	8	12	20	41
75-79	135	7.0	52	1	2	4	9	14	21	40
80-84	106	7.5	82	1	2	5	7	18	29	78
85+	109	6.5	53	1	2	4	8	13	15	48
TOT. SINGLE DX	172	3.5	6	1	1	3	5	6	8	11
" MULTIPLE DX	710	6.5	49	1	2	5	8	13	19	42
TOTAL 65-69 YRS	231	5.0	14	1	2	4	6	10	13	22
70-74	233	6.0	43	1	1	4	7	10	17	40
75-79	165	6.3	46	1	2	4	8	13	19	38
80-84	129	6.9	74	1	1	5	7	16	22	70
85+	124	6.0	49	1	1	4	7	13	15	45
GRAND TOTAL	882	5.9	41	1	1	4	7	12	17	40

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	579	2.1	6	<1	1	2	2	3	4	15
70-74	388	2.4	14	<1	1	2	2	3	6	24
75-79	221	2.0	1	<1	1	2	2	3	4	7
80-84	79	2.4	3	<1	1	2	3	3	5	12
85+	35	3.0	8	1	1	2	3	6	11	13
2. MULTIPLE DX										
65-69 YRS	711	5.0	52	1	1	2	4	12	20	33
70-74	500	5.6	81	1	1	2	6	13	21	45
75-79	305	6.0	79	1	1	2	6	17	23	39
80-84	122	7.6	99	1	1	3	10	22	29	45
85+	42	10.9	303	1	2	3	13	42	68	99+
TOT. SINGLE DX	1302	2.2	8	<1	1	2	2	3	5	15
" MULTIPLE DX	1680	5.7	76	1	1	2	5	14	23	46
TOTAL 65-69 YRS	1290	3.7	34	<1	1	2	3	9	14	29
70-74	888	4.2	55	1	1	2	3	9	16	40
75-79	526	4.3	50	1	1	2	3	10	19	31
80-84	201	5.5	68	1	1	2	4	15	26	41
85+	77	7.3	183	1	1	2	6	18	47	94
GRAND TOTAL	2982	4.2	49	1	1	2	3	10	16	38

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	61	8.4	62	1	1	7	13	20	22	33
70-74	33	8.1	62	1	1	6	11	19	25	34
75-79	10	8.5	89	1	1	6	10	23	33	33
80-84	7	8.0	53	1	1	7	9	20	23	23
85+	3	11.0	81	2	2	11	18	20	20	20
2. MULTIPLE DX										
65-69 YRS	103	16.0	264	1	2	12	21	36	51	78
70-74	79	19.7	335	2	3	15	26	51	68	99+
75-79	40	14.0	251	1	3	8	19	33	41	83
80-84	17	19.5	316	1	3	10	23	31	62	79
85+	5	18.0	609	4	4	9	22	62	62	62
TOT. SINGLE DX	114	8.4	62	1	1	6	12	20	23	34
" MULTIPLE DX	244	17.2	295	2	2	13	23	43	62	87
TOTAL 65-69 YRS	164	13.2	202	1	2	10	18	29	45	74
70-74	112	16.2	282	1	2	12	23	43	65	99+
75-79	50	12.9	222	1	2	7	15	32	39	83
80-84	24	16.1	262	2	2	12	22	29	45	79
85+	8	15.4	385	2	3	9	15	49	62	62
GRAND TOTAL	350	14.4	237	1	2	10	20	32	47	83

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	62	16.5	43	9	10	15	20	27	30	36
70-74	44	18.5	96	9	11	16	22	25	35	62
75-79	27	20.9	124	11	12	19	22	34	41	62
80-84	14	20.1	149	9	11	17	20	38	52	56
85+	4	11.0	8	8	8	11	13	14	14	14
2. MULTIPLE DX										
65-69 YRS	154	24.9	263	10	12	20	29	46	56	91
70-74	121	23.2	196	10	12	19	27	45	74	99+
75-79	74	25.2	192	11	12	22	34	52	89	99+
80-84	23	30.1	477	11	13	22	41	62	79	92
85+	6	22.3	11	18	18	22	25	27	27	27
TOT. SINGLE DX	151	18.1	84	9	11	16	20	29	34	62
" MULTIPLE DX	378	24.7	237	10	12	20	30	49	72	99+
TOTAL 65-69 YRS	216	22.5	214	10	11	18	26	38	51	86
70-74	165	21.9	173	10	11	18	25	43	62	99+
75-79	101	24.0	176	11	12	21	31	49	73	99+
80-84	37	26.4	370	9	12	20	33	58	67	92
85+	10	17.8	43	6	8	19	23	26	27	27
GRAND TOTAL	529	22.0	202	10	11	19	27	43	58	99+

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	9.7	50	4	4	7	14	21	22	22
70-74	4	11.3	35	3	3	12	15	17	17	17
75-79										
80-84	1	61.0		61	61	61	61	61	61	61
85+										
2. MULTIPLE DX										
65-69 YRS	75	39.2	718	3	6	40	73	94	99+	99+
70-74	53	37.3	621	5	7	39	59	91	99+	99+
75-79	49	28.9	427	7	7	29	50	99+	99+	99+
80-84	15	34.1	477	7	8	46	59	99+	99+	99+
85+	14	31.9	480	8	9	28	57	73	93	99+
TOT. SINGLE DX	11	14.9	270	3	3	12	16	38	59	61
" MULTIPLE DX	206	35.4	598	5	8	35	59	99	99+	99+
TOTAL 65-69 YRS	81	37.0	729	3	5	36	68	93	99+	99+
70-74	57	35.5	624	4	6	36	57	88	99+	99+
75-79	49	28.9	427	7	7	29	50	99+	99+	99+
80-84	16	35.8	491	7	8	53	61	99+	99+	99+
85+	14	31.9	481	8	9	28	57	73	93	99+
GRAND TOTAL	217	34.4	600	4	7	33	59	98	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	57	10.0	200	1	1	4	10	30	43	67
70-74	42	8.6	206	1	1	3	7	29	40	71
75-79	22	9.5	167	1	1	7	13	35	71	99+
80-84	16	4.3	40	<1	1	2	3	11	21	26
85+	5	8.8	63	1	1	7	16	19	19	19
2. MULTIPLE DX										
65-69 YRS	430	33.5	735	2	2	34	63	99	99+	99+
70-74	322	31.8	615	2	2	32	53	96	99+	99+
75-79	232	33.7	621	2	4	34	55	86	99+	99+
80-84	111	38.8	702	2	3	39	66	95	99+	99+
85+	67	39.7	537	5	8	41	57	81	99	99+
TOT. SINGLE DX	142	8.8	174	1	1	3	9	28	40	73
" MULTIPLE DX	1162	33.9	668	2	3	34	59	94	99+	99+
TOTAL 65-69 YRS	487	30.7	729	1	2	31	57	94	99+	99+
70-74	364	29.1	622	2	2	29	50	92	99+	99+
75-79	254	31.6	628	2	3	31	53	85	99+	99+
80-84	127	34.5	751	1	2	34	62	93	99+	99+
85+	72	37.5	565	3	6	38	55	79	96	99+
GRAND TOTAL	1304	31.2	675	2	2	31	55	90	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	639	7.5	68	1	2	5	9	16	20	43
70-74	528	7.6	51	1	2	6	10	16	21	33
75-79	352	7.3	47	1	2	5	10	14	19	38
80-84	173	7.7	45	1	2	6	11	16	21	34
85+	52	12.0	122	2	3	8	16	26	40	51
2. MULTIPLE DX										
65-69 YRS	3561	12.4	115	2	3	10	16	25	32	59
70-74	3218	13.1	128	2	3	10	17	26	34	62
75-79	2313	13.9	128	2	3	11	18	27	37	62
80-84	1209	14.3	129	2	3	12	18	28	36	66
85+	577	15.8	167	2	4	12	20	31	40	70
TOT. SINGLE DX	1744	7.7	59	1	2	6	10	16	21	39
" MULTIPLE DX	10878	13.3	127	2	3	10	17	27	35	62
TOTAL 65-69 YRS	4200	11.7	111	2	2	9	15	24	32	57
70-74	3746	12.3	121	2	2	10	16	24	33	59
75-79	2665	13.0	123	2	3	10	17	26	35	61
80-84	1382	13.4	124	2	3	11	18	28	35	63
85+	629	15.5	164	2	4	12	20	30	40	69
GRAND TOTAL	12622	12.5	121	2	3	10	16	25	34	60

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	9.0		9	9	14	99+	99+	99+	99+
70-74	2	12.0	18	9	9	12	15	15	15	15
75-79										
80-84	3	40.7	1605	10	10	26	71	86	86	86
85+	1	16.0		16	16	16	16	16	16	16
TOT. SINGLE DX										
" MULTIPLE DX	7	24.4	773	9	9	15	56	96	99+	99+
TOTAL 65-69 YRS	1	9.0		9	9	54	99+	99+	99+	99+
70-74	2	12.0	18	9	9	12	15	15	15	15
75-79										
80-84	3	40.7	1605	10	10	26	71	86	86	86
85+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	7	24.4	773	9	9	15	56	96	99+	99+

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	377	11.0	60	2	3	9	15	20	27	39
70-74	316	10.5	55	1	1	10	14	20	25	32
75-79	178	10.5	77	1	1	9	15	22	29	46
80-84	62	9.8	89	1	2	7	12	19	29	48
85+	23	8.4	37	1	1	8	13	21	46	99+
2. MULTIPLE DX										
65-69 YRS	1776	15.6	134	3	4	13	20	30	38	59
70-74	1511	15.9	154	2	4	13	21	30	41	64
75-79	957	16.2	151	2	3	13	22	32	41	63
80-84	422	16.6	157	2	4	14	22	32	42	71
85+	147	15.6	168	3	3	12	20	35	44	90
TOT. SINGLE DX	956	10.6	63	1	2	9	14	21	26	42
" MULTIPLE DX	4813	15.9	147	2	4	13	21	31	40	62
TOTAL 65-69 YRS	2153	14.8	124	2	4	12	19	29	36	57
70-74	1827	15.0	141	2	3	12	19	29	38	62
75-79	1135	15.3	144	2	3	12	21	31	40	59
80-84	484	15.8	153	2	3	13	21	31	42	65
85+	170	14.6	157	2	3	12	19	34	44	98
GRAND TOTAL	5769	15.0	137	2	3	12	20	29	38	61

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	246	14.5	40	8	8	13	17	23	26	37
70-74	150	15.1	42	8	9	13	19	23	29	35
75-79	77	14.8	38	7	8	14	17	24	26	35
80-84	27	16.4	38	9	9	17	19	23	29	34
85+	9	12.8	14	9	9	13	14	19	21	21
2. MULTIPLE DX										
65-69 YRS	903	18.8	100	8	9	16	23	31	39	63
70-74	715	20.4	146	8	10	18	24	35	45	78
75-79	316	19.6	129	8	9	17	23	34	45	90
80-84	92	19.8	81	10	11	18	24	31	41	51
85+	25	21.0	150	9	10	18	26	33	51	57
TOT. SINGLE DX	509	14.8	40	8	8	13	18	23	28	36
" MULTIPLE DX	2051	19.5	121	8	9	17	24	32	42	71
TOTAL 65-69 YRS	1149	17.8	91	8	9	16	22	29	36	56
70-74	865	19.5	132	8	9	17	24	32	42	74
75-79	393	18.6	115	8	9	16	23	31	41	81
80-84	119	19.1	73	9	10	17	23	30	37	47
85+	34	18.8	126	9	9	16	21	33	46	57
GRAND TOTAL	2560	18.6	109	8	9	16	23	31	38	66

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	469	7.1	51	1	1	5	10	15	20	34
70-74	415	7.0	40	1	1	5	10	16	19	30
75-79	254	8.0	53	1	2	6	10	20	23	35
80-84	127	9.3	104	1	1	6	13	20	26	60
85+	53	12.1	98	2	2	9	15	26	39	42
2. MULTIPLE DX										
65-69 YRS	2765	12.6	136	2	2	10	16	26	36	65
70-74	2549	13.3	146	2	3	10	17	28	37	67
75-79	1856	13.9	136	2	3	11	18	29	39	66
80-84	1054	15.9	158	2	4	13	21	33	41	74
85+	585	17.4	153	3	5	15	23	34	46	75
TOT. SINGLE DX	1318	7.6	56	1	1	5	10	17	22	37
" MULTIPLE DX	8809	13.8	145	2	3	11	18	29	39	67
TOTAL 65-69 YRS	3234	11.8	128	2	2	9	15	25	34	62
70-74	2964	12.4	136	2	2	9	16	26	36	65
75-79	2110	13.2	130	2	3	10	18	28	37	64
80-84	1181	15.1	157	2	3	12	20	32	40	72
85+	638	16.9	151	3	4	15	22	33	44	70
GRAND TOTAL	10127	13.0	138	2	2	10	17	28	37	65

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	29	12.9	120	1	2	12	16	27	37	49
70-74	12	6.9	28	2	2	5	9	17	17	17
75-79	10	10.7	115	1	1	6	21	27	33	33
80-84	5	11.2	54	4	4	8	18	21	21	21
85+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	121	13.6	145	2	3	10	18	31	42	74
70-74	106	14.8	207	2	3	10	19	28	37	83
75-79	67	15.6	266	3	3	11	17	34	55	88
80-84	41	16.3	219	2	3	13	22	38	45	73
85+	33	14.8	120	3	4	11	23	28	50	99+
TOT. SINGLE DX	58	10.9	93	1	2	8	16	22	31	48
" MULTIPLE DX	368	14.7	190	2	3	11	20	31	43	88
TOTAL 65-69 YRS	150	13.5	140	2	3	10	17	31	41	64
70-74	118	14.0	195	2	3	10	17	28	36	81
75-79	77	14.9	248	2	3	10	17	33	52	85
80-84	46	15.8	203	2	3	12	21	34	45	73
85+	35	14.3	118	2	3	11	22	28	47	99+
GRAND TOTAL	426	14.2	179	2	3	10	18	30	42	78

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	165	10.8	57	3	4	9	14	22	25	39
70-74	101	9.8	52	2	3	9	13	18	20	41
75-79	59	11.3	110	3	3	7	14	30	37	44
80-84	36	12.0	74	3	4	10	16	21	30	42
85+	19	16.1	347	2	3	11	20	23	59	88
2. MULTIPLE DX										
65-69 YRS	1161	14.5	142	4	5	11	18	30	41	83
70-74	1046	15.7	159	4	4	12	21	33	43	77
75-79	742	16.8	175	4	5	13	22	34	46	74
80-84	448	16.7	167	4	5	13	22	34	44	87
85+	343	17.6	161	4	5	14	24	36	49	69
TOT. SINGLE DX	380	11.0	81	3	3	9	14	21	26	43
" MULTIPLE DX	3740	15.8	160	4	5	12	20	32	43	77
TOTAL 65-69 YRS	1326	14.0	133	3	4	11	17	28	39	74
70-74	1147	15.2	153	3	4	11	20	31	43	73
75-79	801	16.4	173	4	5	13	22	34	45	73
80-84	484	16.4	162	4	5	13	21	33	43	87
85+	362	17.6	171	4	5	14	23	36	49	85
GRAND TOTAL	**4120**	**15.4**	**154**	**4**	**5**	**12**	**20**	**31**	**42**	**74**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	175	8.7	56	1	2	7	12	19	23	36
70-74	145	10.1	120	1	2	6	13	25	35	48
75-79	75	9.5	54	1	2	9	16	18	20	35
80-84	45	10.0	102	2	2	7	14	20	23	60
85+	39	8.6	36	1	2	7	14	17	19	24
2. MULTIPLE DX										
65-69 YRS	1031	13.7	130	2	3	11	18	29	37	57
70-74	906	15.0	190	2	3	11	20	32	43	86
75-79	637	15.0	167	2	3	12	19	31	44	65
80-84	381	16.1	158	3	4	13	21	34	41	59
85+	252	16.5	196	2	4	12	21	34	50	80
TOT. SINGLE DX	479	9.4	78	1	2	7	13	20	25	43
" MULTIPLE DX	3207	14.9	164	2	3	12	19	31	41	72
TOTAL 65-69 YRS	1206	13.0	123	2	2	10	18	28	35	53
70-74	1051	14.3	183	2	3	10	19	31	42	84
75-79	712	14.4	158	2	3	11	18	30	41	63
80-84	426	15.5	156	3	3	12	20	33	40	59
85+	291	15.5	182	2	4	12	20	32	45	80
GRAND TOTAL	**3686**	**14.1**	**156**	**2**	**3**	**11**	**19**	**30**	**39**	**66**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	129	13.9	22	9	9	13	16	19	22	33
70-74	79	16.3	40	10	11	13	20	27	29	35
75-79	27	19.6	62	10	11	18	27	31	33	36
80-84	6	14.2	41	9	9	11	17	25	26	26
85+	3	16.7	22	13	13	15	20	22	22	22
2. MULTIPLE DX										
65-69 YRS	906	20.1	145	9	10	17	23	35	45	84
70-74	703	22.0	172	9	11	18	27	41	52	99+
75-79	389	24.1	219	9	11	20	29	41	52	90
80-84	112	26.5	187	11	12	24	34	45	56	69
85+	23	23.8	363	8	12	15	31	47	67	93
TOT. SINGLE DX	244	15.3	36	9	10	13	18	25	29	36
" MULTIPLE DX	2133	21.8	175	9	11	18	26	39	51	88
TOTAL 65-69 YRS	1035	19.3	134	9	10	16	22	33	43	81
70-74	782	21.4	162	9	11	17	26	39	50	98
75-79	416	23.8	210	9	11	20	29	41	51	89
80-84	118	25.8	187	10	11	22	34	44	56	68
85+	26	23.0	327	8	13	15	28	44	61	93
GRAND TOTAL	**2377**	**21.2**	**165**	**9**	**11**	**17**	**25**	**38**	**49**	**85**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	809	12.7	24	8	8	11	14	18	22	34
70-74	371	13.6	23	8	9	12	15	19	23	32
75-79	116	15.6	41	8	9	14	19	24	29	39
80-84	20	15.1	33	8	9	14	19	22	26	30
85+	2	26.0	392	12	12	26	40	40	40	40
2. MULTIPLE DX										
65-69 YRS	5771	16.3	96	8	9	14	18	26	33	60
70-74	3490	17.8	104	9	9	15	21	30	39	64
75-79	1277	19.6	127	9	10	16	23	33	41	69
80-84	202	21.8	154	9	10	18	26	37	45	72
85+	16	21.6	189	9	9	16	33	40	50	55
TOT. SINGLE DX	1318	13.3	27	8	9	12	15	19	23	34
" MULTIPLE DX	10756	17.3	106	8	9	14	20	29	37	64
TOTAL 65-69 YRS	6580	15.9	89	8	9	13	18	26	32	58
70-74	3861	17.4	98	9	9	15	20	29	37	62
75-79	1393	19.3	121	9	10	16	23	33	41	67
80-84	222	21.2	147	9	10	18	26	36	43	69
85+	18	22.1	192	9	9	16	34	40	49	55
GRAND TOTAL	**12074**	**16.8**	**99**	**8**	**9**	**14**	**19**	**28**	**36**	**60**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2291	3.1	9	1	1	2	3	6	10	15
70-74	1080	3.5	14	1	1	2	3	8	11	19
75-79	336	3.6	12	1	1	2	4	7	11	19
80-84	70	6.3	44	1	1	3	9	18	21	27
85+	17	6.4	34	1	1	2	11	14	17	19
2. MULTIPLE DX										
65-69 YRS	11158	5.7	38	1	2	3	8	13	17	28
70-74	6579	6.5	45	1	2	4	9	15	19	32
75-79	2496	7.6	62	1	2	5	10	17	22	40
80-84	533	10.1	104	2	2	7	13	22	29	59
85+	134	11.0	95	2	2	9	16	22	31	60
TOT. SINGLE DX	3794	3.3	12	1	1	2	3	7	10	18
" MULTIPLE DX	20900	6.3	47	1	2	3	9	14	19	32
TOTAL 65-69 YRS	13449	5.3	35	1	2	3	7	12	16	27
70-74	7659	6.0	43	1	2	3	8	14	18	31
75-79	2832	7.1	58	1	2	4	10	16	21	37
80-84	603	9.6	99	2	2	7	13	21	28	57
85+	151	10.5	90	2	2	8	15	22	30	53
GRAND TOTAL	**24694**	**5.9**	**43**	**1**	**2**	**3**	**8**	**14**	**18**	**31**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	499	6.3	28	1	2	5	8	13	15	30
70-74	612	6.3	25	2	2	5	8	12	16	27
75-79	739	6.0	20	2	2	5	8	12	15	21
80-84	602	6.3	23	2	2	5	8	12	15	25
85+	540	6.6	28	2	2	5	9	13	18	27
2. MULTIPLE DX										
65-69 YRS	3480	12.2	90	3	4	10	16	23	30	50
70-74	4900	12.2	89	3	4	10	16	23	30	51
75-79	5732	12.6	96	3	4	10	16	24	30	54
80-84	4817	12.7	100	3	4	10	16	24	32	52
85+	4212	13.1	108	3	4	11	17	24	32	60
TOT. SINGLE DX	2992	6.3	25	2	2	5	8	12	15	25
" MULTIPLE DX	23141	12.6	97	3	4	10	16	24	31	54
TOTAL 65-69 YRS	3979	11.5	87	2	3	9	15	22	29	48
70-74	5512	11.6	86	2	3	9	15	22	29	49
75-79	6471	11.9	93	2	3	9	15	23	29	51
80-84	5419	12.0	96	3	3	10	15	23	30	51
85+	4752	12.3	104	2	3	10	16	23	31	58
GRAND TOTAL	**26133**	**11.9**	**93**	**2**	**3**	**9**	**15**	**23**	**30**	**52**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	181	6.0	21	2	2	4	8	12	16	22
70-74	89	5.8	35	2	2	4	6	14	18	32
75-79	33	6.6	25	2	2	4	8	16	17	18
80-84	7	13.9	250	3	3	11	15	42	48	48
85+	4	15.8	114	6	6	16	25	25	25	25
2. MULTIPLE DX										
65-69 YRS	847	10.0	94	2	2	7	13	21	30	55
70-74	491	11.3	116	2	3	8	14	22	32	55
75-79	239	13.6	154	3	3	10	18	29	37	76
80-84	70	18.0	177	2	4	15	27	34	41	69
85+	24	23.6	229	4	4	19	34	47	51	52
TOT. SINGLE DX	314	6.3	33	2	2	4	8	14	18	26
" MULTIPLE DX	1671	11.4	120	2	3	8	14	25	34	56
TOTAL 65-69 YRS	1028	9.3	84	2	2	6	12	19	29	53
70-74	580	10.4	108	2	2	7	14	22	29	53
75-79	272	12.7	144	3	3	9	16	23	34	72
80-84	77	17.6	182	2	4	14	25	34	44	68
85+	28	22.5	216	4	5	19	31	46	51	52
GRAND TOTAL	**1985**	**10.6**	**110**	**2**	**3**	**7**	**14**	**23**	**31**	**54**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	316	4.5	34	1	1	2	5	11	15	33
70-74	273	4.7	32	1	1	2	6	11	16	24
75-79	170	5.2	35	1	1	3	7	11	18	30
80-84	94	5.6	44	1	1	3	6	16	22	31
85+	80	7.5	50	1	1	6	10	17	21	37
2. MULTIPLE DX										
65-69 YRS	2117	11.3	107	1	2	9	15	23	29	52
70-74	2109	12.6	127	2	2	10	16	26	34	59
75-79	1914	13.6	135	2	3	10	18	29	37	65
80-84	1488	14.6	132	2	3	12	19	29	36	59
85+	1544	15.5	148	2	4	13	20	30	37	69
TOT. SINGLE DX	933	5.1	37	1	1	2	6	11	17	29
" MULTIPLE DX	9172	13.3	131	2	3	10	18	27	35	60
TOTAL 65-69 YRS	2433	10.4	103	1	2	8	14	22	29	51
70-74	2382	11.7	123	1	2	9	15	25	33	57
75-79	2084	12.9	132	2	2	10	17	28	36	62
80-84	1582	14.1	132	2	3	12	19	28	36	59
85+	1624	15.1	147	2	3	12	20	30	36	66
GRAND TOTAL	**10105**	**12.5**	**128**	**1**	**2**	**10**	**17**	**26**	**34**	**58**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	364	5.3	13	2	2	4	6	9	13	21
70-74	196	5.4	14	2	2	4	6	10	15	20
75-79	95	8.0	72	2	3	5	9	17	22	53
80-84	30	9.5	62	2	3	7	13	22	25	32
85+	7	10.9	86	3	3	5	16	26	28	28
2. MULTIPLE DX										
65-69 YRS	402	8.8	78	2	3	6	10	18	26	49
70-74	276	9.3	83	2	3	6	11	20	27	66
75-79	156	12.5	126	3	4	8	18	26	35	67
80-84	70	14.3	113	3	4	12	18	26	37	50
85+	28	18.1	327	4	4	12	22	32	45	96
TOT. SINGLE DX	692	5.9	26	2	2	4	7	11	16	25
" MULTIPLE DX	932	10.3	102	2	3	7	13	22	29	58
TOTAL 65-69 YRS	766	7.1	50	2	3	5	8	15	20	40
70-74	472	7.7	58	2	3	5	9	16	22	38
75-79	251	10.8	111	3	3	7	15	22	30	58
80-84	100	12.9	102	3	3	10	17	24	33	48
85+	35	16.7	284	4	4	11	22	29	37	96
GRAND TOTAL	**1624**	**8.4**	**74**	**2**	**3**	**5**	**9**	**18**	**23**	**45**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	538	11.8	51	4	6	10	14	19	22	44
70-74	426	11.7	52	4	5	11	14	18	23	32
75-79	268	12.9	64	3	5	12	15	21	27	47
80-84	111	13.8	64	3	6	13	17	22	26	51
85+	43	18.2	164	5	7	15	24	30	36	80
2. MULTIPLE DX										
65-69 YRS	3551	17.4	161	5	7	14	21	33	44	82
70-74	3129	18.6	188	6	7	15	22	36	49	80
75-79	2023	19.9	199	7	8	16	24	40	52	95
80-84	882	22.1	222	6	9	17	28	42	56	78
85+	468	22.5	201	8	10	19	28	40	54	88
TOT. SINGLE DX	1386	12.3	60	4	6	11	15	20	25	44
" MULTIPLE DX	10053	18.9	187	6	8	15	23	37	49	85
TOTAL 65-69 YRS	4089	16.6	150	5	7	13	19	31	42	79
70-74	3555	17.7	177	5	7	14	21	34	47	78
75-79	2291	19.1	189	6	8	15	23	38	50	92
80-84	993	21.2	211	6	8	17	27	41	54	77
85+	511	22.1	200	8	10	18	27	39	52	88
GRAND TOTAL	**11439**	**18.1**	**176**	**5**	**7**	**14**	**22**	**35**	**47**	**81**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	1	15.0		15	15	15	15	15	15	15
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	11	20.5	181	10	10	15	25	40	55	56
70-74	7	21.0	171	10	10	18	21	43	49	49
75-79	2	27.0	18	24	24	27	30	30	30	30
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	15.5	145	7	7	15	24	24	24	24
TOT. SINGLE DX	2	15.0		15	15	15	15	15	15	15
" MULTIPLE DX	23	20.1	152	7	9	18	24	34	51	56
TOTAL 65-69 YRS	12	20.0	167	10	11	15	24	37	53	56
70-74	8	20.3	152	10	10	17	21	41	49	49
75-79	2	27.0	18	24	24	27	30	30	30	30
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	15.5	145	7	7	15	24	24	24	24
GRAND TOTAL	**25**	**19.7**	**141**	**7**	**10**	**17**	**24**	**30**	**51**	**56**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	6.6	31	1	2	5	8	16	17	25
70-74	26	7.1	26	2	2	6	10	13	19	22
75-79	14	5.4	26	1	1	4	5	12	18	20
80-84	7	10.0	79	1	1	12	14	23	25	25
85+	4	5.3	7	3	3	5	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	1394	8.6	67	1	2	6	10	18	25	42
70-74	1119	9.3	94	2	2	7	12	19	28	57
75-79	741	9.8	110	2	2	6	12	20	31	58
80-84	300	10.4	105	1	2	7	14	23	33	52
85+	83	12.4	215	1	2	8	14	27	46	78
TOT. SINGLE DX	86	6.8	32	1	2	5	10	15	18	25
" MULTIPLE DX	3637	9.3	92	2	2	7	11	19	28	55
TOTAL 65-69 YRS	1429	8.6	67	1	2	6	10	18	25	42
70-74	1145	9.3	93	2	2	7	12	19	28	57
75-79	755	9.7	109	2	2	6	12	20	31	57
80-84	307	10.4	104	1	2	7	14	23	32	51
85+	87	12.1	208	2	2	8	13	26	45	77
GRAND TOTAL	**3723**	**9.3**	**90**	**2**	**2**	**6**	**11**	**19**	**28**	**54**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1888	8.7	35	2	3	7	11	16	19	30
70-74	1596	8.7	35	2	3	7	11	15	19	32
75-79	1067	8.8	34	2	3	8	11	15	19	31
80-84	468	9.7	52	2	3	8	13	18	23	40
85+	177	9.8	41	2	3	9	13	17	20	37
2. MULTIPLE DX										
65-69 YRS	9630	13.6	144	3	4	10	16	27	38	74
70-74	9192	14.2	152	3	4	11	18	28	38	73
75-79	6364	14.8	148	3	4	11	19	30	40	75
80-84	3014	16.5	184	3	5	13	21	33	45	85
85+	1552	17.4	207	3	5	14	22	36	51	88
TOT. SINGLE DX	5196	8.8	37	2	3	7	11	16	19	32
" MULTIPLE DX	29752	14.5	157	3	4	11	18	29	40	76
TOTAL 65-69 YRS	11518	12.8	130	3	4	10	15	25	35	69
70-74	10788	13.4	139	3	4	10	16	26	36	69
75-79	7431	13.9	137	3	4	11	18	28	37	71
80-84	3482	15.6	172	3	4	12	19	32	43	81
85+	1729	16.6	196	3	4	13	21	34	49	86
GRAND TOTAL	**34948**	**13.7**	**143**	**3**	**4**	**10**	**17**	**27**	**37**	**72**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	424	6.3	36	1	1	5	8	13	17	26
70-74	343	6.5	33	1	1	5	9	14	17	31
75-79	195	8.3	70	1	2	6	10	18	26	46
80-84	96	6.5	34	1	1	5	10	14	18	29
85+	65	8.6	71	1	1	6	12	18	25	43
2. MULTIPLE DX										
65-69 YRS	1358	11.0	102	2	2	8	14	23	30	54
70-74	1204	11.3	110	2	2	9	15	23	33	51
75-79	771	12.5	130	2	2	9	16	26	37	58
80-84	449	12.3	118	2	3	10	16	25	30	50
85+	301	13.7	175	2	3	10	17	28	38	70
TOT. SINGLE DX	1123	6.9	44	1	1	5	9	15	18	24
" MULTIPLE DX	4083	11.7	118	2	2	9	15	24	33	56
TOTAL 65-69 YRS	1782	9.9	91	1	2	8	13	20	28	51
70-74	1547	10.2	97	1	2	8	13	21	29	50
75-79	966	11.6	121	2	2	9	15	25	34	55
80-84	545	11.3	108	2	2	9	16	24	29	48
85+	366	12.8	161	2	2	9	16	27	35	69
GRAND TOTAL	**5206**	**10.7**	**106**	**1**	**2**	**8**	**14**	**23**	**30**	**52**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	113	9.2	36	3	4	8	11	18	23	30
70-74	72	9.3	54	2	3	8	10	20	26	87
75-79	29	9.2	108	2	2	6	11	22	30	51
80-84	15	6.4	24	1	1	5	9	14	18	18
85+	5	14.4	255	3	3	10	20	42	42	42
2. MULTIPLE DX										
65-69 YRS	351	11.5	98	3	4	9	14	21	30	52
70-74	328	13.0	135	3	4	9	16	25	36	72
75-79	177	14.5	152	4	5	10	19	29	43	72
80-84	89	12.9	89	3	4	11	16	24	30	48
85+	40	15.8	249	3	5	10	16	33	46	87
TOT. SINGLE DX	238	9.1	54	2	3	8	10	18	24	43
" MULTIPLE DX	985	12.8	127	3	4	9	15	26	35	66
TOTAL 65-69 YRS	464	10.9	84	3	4	9	13	20	28	46
70-74	400	12.3	123	3	4	9	14	24	36	76
75-79	206	13.7	149	3	4	9	18	29	41	72
80-84	108	11.8	84	2	3	9	15	21	28	48
85+	45	15.7	245	3	4	10	16	36	44	87
GRAND TOTAL	**1223**	**12.1**	**115**	**3**	**4**	**9**	**14**	**24**	**32**	**63**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	18.0	328	3	3	13	32	42	42	42
70-74	3	6.0	37	2	2	3	10	13	13	13
75-79	2	13.5	41	9	9	13	18	18	18	18
80-84										
85+										
TOT. SINGLE DX	2	6.5	41	2	2	6	11	11	11	11
" MULTIPLE DX	9	13.0	169	2	2	9	19	34	42	42
TOTAL 65-69 YRS	5	16.6	256	3	3	11	27	42	42	42
70-74	4	5.0	29	2	2	3	8	13	13	13
75-79	2	13.5	41	9	9	13	18	18	18	18
80-84										
85+										
GRAND TOTAL	**11**	**11.8**	**146**	**2**	**2**	**9**	**17**	**30**	**41**	**42**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	13.0		13	13	13	13	13	13	13
TOT. SINGLE DX										
* MULTIPLE DX	1	13.0		13	13	13	13	13	13	13
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	1	13.0		13	13	13	13	13	13	13

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	387	8.5	52	1	2	7	10	19	24	34
70-74	387	9.7	90	1	2	7	12	19	30	50
75-79	330	9.1	49	1	2	7	12	19	23	31
80-84	191	10.3	85	1	3	8	12	19	25	42
85+	144	9.3	54	2	3	7	12	18	23	43
2. MULTIPLE DX										
65-69 YRS	3649	13.6	135	3	4	10	17	27	36	64
70-74	4151	13.4	116	3	4	11	16	26	34	65
75-79	3976	14.3	131	3	4	11	17	28	39	61
80-84	3058	14.7	146	3	5	11	18	28	38	74
85+	2297	15.2	158	4	5	12	18	29	41	83
TOT. SINGLE DX	1439	9.3	67	2	2	7	11	19	25	41
* MULTIPLE DX	17131	14.1	135	3	4	11	17	28	38	67
TOTAL 65-69 YRS	4036	13.1	130	3	4	10	16	25	35	62
70-74	4538	13.1	116	3	4	10	16	26	34	64
75-79	4306	13.9	127	3	4	11	17	27	37	59
80-84	3249	14.4	144	3	4	11	18	28	38	72
85+	2441	14.9	155	3	5	11	18	28	41	82
GRAND TOTAL	18570	13.8	132	3	4	11	17	27	37	65

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	11.0	180	1	2	6	14	23	29	62
70-74	44	11.4	183	1	2	6	17	26	40	69
75-79	32	6.9	19	1	2	5	10	13	16	18
80-84	11	11.3	71	1	2	5	10	24	30	31
85+	7	8.4	39	1	2	5	15	16	16	16
2. MULTIPLE DX										
65-69 YRS	847	16.0	240	2	3	11	22	38	50	70
70-74	629	17.2	231	2	4	12	24	39	54	99+
75-79	480	18.6	236	3	4	14	26	39	57	93
80-84	254	20.3	241	4	5	16	28	42	57	89
85+	201	20.9	168	5	6	18	28	40	49	61
TOT. SINGLE DX	150	10.6	143	1	2	6	14	22	29	69
* MULTIPLE DX	2411	17.7	234	2	4	13	24	39	53	85
TOTAL 65-69 YRS	913	15.7	237	2	3	10	21	37	50	70
70-74	673	16.8	230	2	4	12	24	38	53	99+
75-79	512	18.1	233	3	4	14	25	39	56	90
80-84	265	19.9	238	4	5	16	27	41	57	88
85+	208	20.5	169	5	7	18	28	39	48	79
GRAND TOTAL	2561	17.3	231	2	3	13	24	39	52	84

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	271	7.2	98	1	1	4	9	15	23	48
70-74	231	6.5	44	<1	1	3	8	13	19	39
75-79	192	6.8	38	1	1	3	9	14	21	35
80-84	98	6.9	42	<1	1	4	8	16	22	32
85+	35	7.7	54	1	2	5	10	17	21	39
2. MULTIPLE DX										
65-69 YRS	1751	10.3	117	1	2	7	13	22	30	60
70-74	1668	10.9	121	1	2	8	14	24	33	66
75-79	1474	11.5	128	2	3	8	15	25	35	74
80-84	1024	12.1	151	2	3	9	15	26	39	75
85+	758	12.3	119	2	3	9	16	25	34	50
TOT. SINGLE DX	865	6.6	60	<1	1	4	9	15	20	42
* MULTIPLE DX	6675	11.2	131	2	2	8	14	24	34	66
TOTAL 65-69 YRS	2022	9.9	116	1	2	7	12	21	30	60
70-74	1899	10.3	124	1	2	7	13	23	31	63
75-79	1666	11.0	126	2	3	8	14	24	33	73
80-84	1122	11.6	145	2	3	8	15	25	37	73
85+	833	11.9	115	2	3	9	16	25	33	50
GRAND TOTAL	7540	10.7	125	1	2	8	13	23	32	65

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	8.8	1	8	8	9	9	10	10	10
70-74	4	16.5	156	8	8	11	24	35	35	35
75-79	3	12.0	21	8	8	11	15	17	17	17
80-84										
85+	3	7.0	49	2	2	4	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	40	21.7	194	8	10	17	26	36	54	76
70-74	52	20.8	217	7	7	17	27	37	43	90
75-79	31	23.5	331	5	9	17	30	63	76	99+
80-84	33	25.6	403	6	8	21	35	57	91	99+
85+	23	24.3	346	7	9	18	25	59	73	78
TOT. SINGLE DX	14	11.3	62	2	4	9	13	19	31	35
" MULTIPLE DX	179	22.8	279	7	8	18	28	47	64	99
TOTAL 65-69 YRS	44	20.5	191	8	9	16	26	35	54	76
70-74	56	20.5	211	7	7	17	27	36	42	89
75-79	34	22.5	313	6	8	17	29	62	74	99+
80-84	33	25.6	403	6	8	21	35	57	91	99+
85+	26	22.3	341	4	6	18	23	53	72	78
GRAND TOTAL	**193**	**22.0**	**272**	**7**	**8**	**17**	**28**	**44**	**62**	**99**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	23	13.4	94	4	5	10	15	25	37	45
70-74	27	13.4	49	5	5	13	19	24	26	26
75-79	25	17.8	369	3	4	13	28	41	96	99+
80-84	22	14.3	153	2	3	12	20	28	39	56
85+	25	12.3	88	1	1	10	20	23	29	37
2. MULTIPLE DX										
65-69 YRS	356	25.3	457	4	6	18	35	64	87	99+
70-74	459	26.0	387	5	7	20	36	59	71	99+
75-79	499	26.2	322	6	8	23	37	59	75	99+
80-84	532	24.8	313	5	7	21	35	56	74	99+
85+	662	24.3	328	5	7	20	34	53	75	99+
TOT. SINGLE DX	122	14.2	149	2	3	12	20	28	34	96
" MULTIPLE DX	2508	25.2	353	5	7	21	35	57	75	99+
TOTAL 65-69 YRS	379	24.6	443	4	6	18	35	63	84	99+
70-74	486	25.3	376	5	7	20	35	57	70	99+
75-79	524	25.8	328	5	7	22	36	58	75	99+
80-84	554	24.4	311	5	7	21	33	55	72	99+
85+	687	23.9	325	4	6	20	33	52	74	99+
GRAND TOTAL	**2630**	**24.7**	**349**	**5**	**7**	**20**	**35**	**56**	**74**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	279	6.2	20	<1	1	5	8	12	15	22
70-74	238	7.2	41	<1	1	6	9	14	17	27
75-79	201	6.9	29	<1	1	6	9	13	18	27
80-84	143	7.5	46	1	2	5	10	14	18	35
85+	84	9.4	49	2	3	8	11	17	24	37
2. MULTIPLE DX										
65-69 YRS	2969	10.5	74	2	3	8	13	19	26	47
70-74	3207	10.9	79	2	3	9	13	20	27	49
75-79	2981	11.6	79	3	4	9	14	22	28	50
80-84	2124	12.3	89	3	4	10	15	23	30	52
85+	1437	13.1	113	3	4	10	16	24	32	63
TOT. SINGLE DX	945	7.1	35	<1	1	6	9	14	17	28
" MULTIPLE DX	12718	11.4	85	3	4	9	14	21	28	51
TOTAL 65-69 YRS	3248	10.1	72	2	3	8	12	19	25	46
70-74	3445	10.6	77	2	3	9	13	20	27	48
75-79	3182	11.3	78	3	4	9	14	21	28	49
80-84	2267	12.0	88	3	4	10	15	23	30	52
85+	1521	12.9	110	3	4	10	16	24	32	63
GRAND TOTAL	**13663**	**11.1**	**82**	**2**	**4**	**9**	**14**	**21**	**28**	**50**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	163	14.6	37	8	9	13	17	24	26	39
70-74	144	16.1	58	8	9	15	19	24	32	39
75-79	83	16.6	65	10	10	15	20	26	29	55
80-84	49	18.2	102	8	10	16	22	28	30	72
85+	27	20.8	83	10	10	20	25	32	37	47
2. MULTIPLE DX										
65-69 YRS	837	20.9	174	9	10	17	25	38	49	80
70-74	686	22.7	180	9	10	19	28	40	51	99
75-79	612	23.5	179	10	11	19	28	44	54	76
80-84	411	25.8	215	11	12	22	32	45	61	99+
85+	239	27.7	222	10	13	25	36	50	61	99+
TOT. SINGLE DX	466	16.1	61	8	9	14	19	25	29	41
" MULTIPLE DX	2785	23.3	191	9	11	19	28	42	54	91
TOTAL 65-69 YRS	1000	19.9	157	9	10	16	24	35	44	78
70-74	830	21.6	166	9	10	18	26	38	49	93
75-79	695	22.7	171	10	11	19	27	43	52	74
80-84	460	25.0	209	10	12	21	30	44	60	98
85+	266	27.0	213	10	12	24	34	48	59	99+
GRAND TOTAL	3251	22.2	179	9	10	19	27	40	51	87

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	18.1	51	11	11	15	23	29	34	35
70-74	16	20.5	267	8	9	16	23	28	62	77
75-79	13	23.5	113	12	14	20	26	39	49	51
80-84	4	30.8	131	21	21	28	39	46	46	46
85+	2	18.0	50	13	13	18	23	23	23	23
2. MULTIPLE DX										
65-69 YRS	185	26.1	240	11	13	21	32	54	64	93
70-74	130	28.2	288	12	14	23	33	59	67	94
75-79	105	28.8	220	13	14	26	35	51	85	99+
80-84	52	26.4	160	12	15	23	32	48	59	99
85+	12	25.3	149	10	11	21	33	44	50	51
TOT. SINGLE DX	66	20.5	124	9	11	17	24	33	38	73
" MULTIPLE DX	484	27.3	238	12	13	23	33	52	67	99+
TOTAL 65-69 YRS	216	24.9	221	11	13	20	29	50	62	87
70-74	146	27.4	290	11	13	22	31	59	68	93
75-79	118	28.2	210	13	15	26	34	50	78	99+
80-84	56	26.7	157	12	15	23	33	47	58	98
85+	14	24.3	137	10	12	21	29	42	49	51
GRAND TOTAL	550	26.5	229	11	13	22	32	50	65	99+

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	47	11.2	13	7	7	11	13	16	17	24
70-74	33	14.2	44	7	8	13	17	24	26	38
75-79	24	14.2	28	8	9	13	17	21	26	30
80-84	13	11.3	13	7	7	11	13	18	18	18
85+	6	16.0	64	10	10	12	19	30	31	31
2. MULTIPLE DX										
65-69 YRS	219	18.3	133	8	8	15	21	33	43	72
70-74	201	19.9	149	8	9	17	24	34	45	79
75-79	161	22.1	211	9	10	18	27	40	50	85
80-84	95	23.4	174	10	12	20	29	43	49	94
85+	59	23.7	219	10	12	20	26	45	70	98
TOT. SINGLE DX	123	12.9	29	7	7	12	15	18	24	33
" MULTIPLE DX	735	20.6	170	8	9	17	25	37	48	85
TOTAL 65-69 YRS	266	17.0	119	7	8	14	20	31	40	70
70-74	234	19.1	138	8	9	16	23	34	42	69
75-79	185	21.1	195	9	10	17	24	37	48	85
80-84	108	21.9	171	9	10	18	28	39	49	93
85+	65	23.0	209	10	11	19	26	39	70	96
GRAND TOTAL	858	19.5	157	8	9	16	23	35	45	83

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	112	11.3	25	6	6	10	13	17	22	30
70-74	107	12.8	78	6	6	10	14	22	27	58
75-79	85	14.2	118	6	7	12	14	25	32	72
80-84	54	14.8	70	5	7	12	18	26	34	44
85+	43	16.8	77	6	8	14	21	31	34	39
2. MULTIPLE DX										
65-69 YRS	710	18.6	191	7	7	14	23	37	48	90
70-74	671	20.4	212	7	8	16	25	41	56	96
75-79	597	21.3	212	7	8	17	26	41	49	78
80-84	455	24.1	243	9	9	20	30	44	57	97
85+	374	22.3	204	8	10	18	27	43	51	76
TOT. SINGLE DX	401	13.4	73	6	7	11	15	23	30	41
" MULTIPLE DX	2807	21.0	214	7	8	17	26	41	53	88
TOTAL 65-69 YRS	822	17.7	175	7	7	13	22	34	46	84
70-74	778	19.4	201	7	8	15	23	33	55	90
75-79	682	20.4	206	7	8	16	25	39	48	78
80-84	509	23.1	233	8	9	19	29	43	56	96
85+	417	21.7	194	8	10	17	27	41	50	73
GRAND TOTAL	3208	20.1	203	7	8	16	25	39	51	83

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	740	3.8	22	<1	1	2	4	9	12	23
70-74	661	4.3	22	<1	1	2	6	10	14	23
75-79	440	5.2	45	<1	1	2	7	12	16	40
80-84	239	5.8	50	1	1	3	8	14	21	32
85+	138	8.7	88	1	1	5	12	21	31	41
2. MULTIPLE DX										
65-69 YRS	3986	9.5	85	1	2	7	12	20	27	49
70-74	4035	9.7	86	1	2	8	12	20	27	49
75-79	3607	10.3	93	1	2	8	14	21	28	51
80-84	2372	11.6	111	2	2	9	15	23	31	55
85+	1514	12.7	104	2	3	10	16	25	33	52
TOT. SINGLE DX	2218	4.8	36	<1	1	2	6	11	16	29
" MULTIPLE DX	15514	10.4	95	1	2	8	13	21	29	51
TOTAL 65-69 YRS	4726	8.6	80	1	1	6	11	18	25	48
70-74	4696	9.0	81	1	1	7	12	19	26	47
75-79	4047	9.8	91	1	2	7	13	20	27	50
80-84	2611	11.1	109	1	2	8	14	22	30	54
85+	1652	12.4	104	2	3	10	16	25	33	51
GRAND TOTAL	**17732**	**9.7**	**91**	**1**	**2**	**7**	**13**	**20**	**27**	**49**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	56	15.6	119	7	8	12	17	25	38	73
70-74	63	14.1	38	7	8	12	17	23	27	32
75-79	45	13.8	50	7	8	12	16	22	24	49
80-84	38	20.8	190	6	8	18	23	39	57	66
85+	35	18.7	186	8	9	14	22	30	44	81
2. MULTIPLE DX										
65-69 YRS	578	22.8	260	9	10	18	28	48	66	99+
70-74	637	21.2	197	8	9	17	26	43	54	99+
75-79	527	22.7	203	8	10	19	29	43	55	99+
80-84	410	22.0	191	8	10	18	28	43	58	99+
85+	336	22.6	224	9	10	18	28	43	57	80
TOT. SINGLE DX	237	16.2	111	7	8	14	18	25	34	67
" MULTIPLE DX	2488	22.2	216	8	10	18	28	44	59	99+
TOTAL 65-69 YRS	634	22.1	252	8	9	17	26	45	64	99+
70-74	700	20.6	187	8	9	17	25	42	54	99+
75-79	572	22.0	197	8	9	18	28	43	54	99+
80-84	448	21.9	191	8	10	18	28	42	58	99+
85+	371	22.2	221	9	10	18	27	42	55	81
GRAND TOTAL	**2725**	**21.7**	**210**	**8**	**9**	**17**	**26**	**43**	**57**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	925	13.5	34	8	9	12	15	20	23	35
70-74	808	14.0	35	8	9	12	16	21	24	35
75-79	670	14.6	52	8	9	13	16	21	26	50
80-84	372	16.2	54	9	10	14	18	25	28	50
85+	206	17.4	107	8	10	15	20	28	31	75
2. MULTIPLE DX										
65-69 YRS	4764	18.0	121	8	9	15	21	30	39	70
70-74	5088	19.0	126	9	10	16	22	32	42	74
75-79	4659	20.4	139	9	10	17	24	35	45	73
80-84	3115	22.2	156	10	11	19	26	39	49	83
85+	2107	23.8	169	10	12	21	29	41	51	94
TOT. SINGLE DX	2981	14.5	48	8	9	13	16	21	26	43
" MULTIPLE DX	19733	20.1	141	9	10	17	24	35	45	78
TOTAL 65-69 YRS	5689	17.3	110	8	9	14	20	29	37	67
70-74	5896	18.3	117	9	10	15	21	31	39	70
75-79	5329	19.7	132	9	10	16	23	33	44	70
80-84	3487	21.5	149	10	11	18	26	38	49	81
85+	2313	23.2	167	10	11	20	28	40	50	92
GRAND TOTAL	**22714**	**19.4**	**132**	**9**	**10**	**16**	**23**	**33**	**43**	**74**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	11.9	49	6	7	10	13	20	22	44
70-74	35	13.4	53	6	7	12	15	20	24	47
75-79	34	15.7	49	8	9	13	19	26	29	39
80-84	16	16.3	48	8	9	15	19	30	31	31
85+	13	23.5	399	8	8	15	28	62	70	72
2. MULTIPLE DX										
65-69 YRS	231	21.1	238	7	8	17	25	42	59	91
70-74	242	22.3	255	8	9	17	24	45	55	88
75-79	203	23.1	240	8	10	18	29	46	56	78
80-84	170	21.8	165	8	10	19	28	38	61	99+
85+	162	24.3	185	9	11	21	30	45	58	96
TOT. SINGLE DX	133	14.9	92	7	8	12	17	23	31	61
" MULTIPLE DX	1008	22.4	222	8	9	18	27	43	58	89
TOTAL 65-69 YRS	266	19.9	223	7	8	16	23	38	57	89
70-74	277	21.2	238	8	9	17	24	44	54	87
75-79	237	22.0	219	8	9	17	27	42	55	75
80-84	186	21.3	157	8	10	18	27	37	59	99+
85+	175	24.2	199	8	11	21	30	46	60	92
GRAND TOTAL	**1141**	**21.5**	**213**	**8**	**9**	**17**	**26**	**41**	**57**	**88**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	266	9.6	17	4	5	9	12	14	16	23
70-74	227	9.8	15	4	6	10	12	14	16	25
75-79	143	10.7	45	4	6	9	13	16	19	36
80-84	97	11.4	92	3	5	10	13	18	19	64
85+	65	11.8	33	3	4	11	15	21	23	27
2. MULTIPLE DX										
65-69 YRS	1092	15.2	129	6	7	12	17	27	38	68
70-74	1022	15.5	137	5	7	12	17	29	40	76
75-79	818	15.5	111	6	7	13	17	28	37	70
80-84	522	18.7	171	6	8	14	23	37	47	85
85+	319	18.9	194	5	7	15	23	38	49	85
TOT. SINGLE DX	798	10.3	33	4	5	10	12	16	18	28
" MULTIPLE DX	3773	16.2	141	6	7	13	19	31	41	76
TOTAL 65-69 YRS	1358	14.1	112	5	6	11	16	26	35	64
70-74	1249	14.4	120	5	6	11	16	25	38	62
75-79	961	14.8	105	6	7	12	17	26	37	67
80-84	619	17.6	166	6	7	14	21	34	45	84
85+	384	17.7	175	4	6	14	21	37	46	81
GRAND TOTAL	**4571**	**15.1**	**127**	**5**	**7**	**12**	**17**	**28**	**38**	**70**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	46	14.2	53	7	7	13	16	22	29	45
70-74	67	17.1	125	7	7	14	20	30	44	60
75-79	46	18.5	214	7	9	15	19	32	44	98
80-84	34	18.9	69	8	10	18	23	30	37	41
85+	27	26.8	427	8	9	20	33	53	79	83
2. MULTIPLE DX										
65-69 YRS	517	23.4	248	9	10	19	28	45	67	99+
70-74	615	23.4	202	8	11	20	29	44	57	99+
75-79	538	27.5	254	10	12	24	35	52	69	99+
80-84	411	25.9	227	9	12	22	33	49	65	99+
85+	331	26.3	229	10	12	23	33	53	63	99+
TOT. SINGLE DX	220	18.3	167	7	8	15	21	31	46	79
" MULTIPLE DX	2412	25.1	234	9	11	21	32	48	64	99+
TOTAL 65-69 YRS	563	22.7	239	8	10	18	27	45	65	99+
70-74	682	22.8	198	8	10	19	28	43	55	98
75-79	584	26.8	256	10	12	23	34	51	68	99+
80-84	445	25.4	219	9	11	21	32	47	64	99+
85+	358	26.3	243	10	11	23	33	53	64	99+
GRAND TOTAL	**2632**	**24.6**	**232**	**9**	**11**	**20**	**30**	**47**	**62**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	404	6.9	12	3	3	6	9	11	14	20
70-74	259	7.4	14	3	4	7	9	12	15	22
75-79	123	8.5	19	3	4	8	10	14	16	23
80-84	64	9.2	14	4	5	9	12	14	15	22
85+	54	9.2	32	3	3	8	12	17	23	25
2. MULTIPLE DX										
65-69 YRS	702	12.6	112	4	5	10	15	23	32	59
70-74	497	12.7	90	4	5	10	15	23	31	58
75-79	377	13.1	68	5	6	11	16	22	26	60
80-84	247	15.7	138	5	6	13	18	26	36	71
85+	166	15.5	94	5	6	13	19	27	36	50
TOT. SINGLE DX	904	7.6	16	3	3	7	9	13	15	22
" MULTIPLE DX	1989	13.4	101	4	5	11	16	24	32	59
TOTAL 65-69 YRS	1106	10.6	84	3	4	8	12	19	26	54
70-74	756	10.9	71	4	4	9	13	20	25	55
75-79	500	12.0	60	4	5	10	14	21	25	46
80-84	311	14.4	120	4	6	12	17	24	33	69
85+	220	14.0	86	4	5	11	17	26	33	49
GRAND TOTAL	**2893**	**11.6**	**82**	**4**	**4**	**9**	**14**	**21**	**26**	**53**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	5	8.0	9	4	4	8	11	11	11	11
75-79	5	15.0	106	4	4	14	25	26	26	26
80-84										
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	11	14.2	65	7	7	9	19	27	32	32
70-74	4	13.0	130	3	3	10	21	29	29	29
75-79	8	16.1	52	7	8	15	22	26	26	26
80-84	8	14.1	49	7	7	12	20	24	25	25
85+	8	17.9	126	7	8	16	18	36	44	44
TOT. SINGLE DX	11	11.9	60	4	4	11	15	25	26	26
" MULTIPLE DX	39	15.2	72	7	7	13	19	26	31	44
TOTAL 65-69 YRS	11	14.2	65	7	7	9	19	27	32	32
70-74	9	10.2	61	3	3	8	12	23	29	29
75-79	13	15.7	66	4	6	14	25	26	26	26
80-84	8	14.1	50	7	7	12	20	24	25	25
85+	9	17.7	111	7	8	16	17	34	44	44
GRAND TOTAL	**50**	**14.5**	**70**	**4**	**6**	**13**	**19**	**26**	**29**	**44**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	10.1	23	5	5	10	13	17	18	18
70-74	7	12.4	3	10	10	12	14	15	15	15
75-79	4	9.0		8	8	9	10	10	10	10
80-84	1	8.0		8	8	8	8	8	8	8
85+	4	14.0	35	7	7	14	18	21	21	21
2. MULTIPLE DX										
65-69 YRS	18	18.0	83	5	7	17	22	28	37	43
70-74	10	15.0	35	7	8	13	20	23	25	25
75-79	7	33.3	781	7	9	24	38	82	92	92
80-84	5	23.6	52	17	17	21	29	34	34	34
85+	7	24.4	37	18	18	23	27	34	36	36
TOT. SINGLE DX	23	11.2	16	5	6	11	14	16	19	21
" MULTIPLE DX	47	21.2	106	7	8	19	25	33	42	92
TOTAL 65-69 YRS	25	15.8	78	5	6	16	19	28	32	43
70-74	17	13.9	23	8	9	13	16	21	24	25
75-79	11	24.5	619	7	8	18	27	62	89	92
80-84	6	21.0	82	8	9	19	28	33	34	34
85+	11	20.6	60	7	10	21	24	31	36	36
GRAND TOTAL	70	17.9	151	6	7	16	22	28	36	82

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	289	4.9	36	1	1	3	6	9	12	35
70-74	257	5.0	26	1	1	3	6	10	14	27
75-79	220	5.0	30	1	2	3	6	10	15	31
80-84	155	6.5	36	1	2	5	8	13	20	35
85+	107	7.5	69	2	2	5	9	16	23	46
2. MULTIPLE DX										
65-69 YRS	935	9.1	78	2	2	6	11	19	27	47
70-74	940	9.5	85	2	2	7	12	20	28	46
75-79	847	10.8	118	2	2	7	14	23	32	55
80-84	666	12.2	130	2	3	9	15	25	34	68
85+	543	12.7	108	2	3	10	17	25	34	53
TOT. SINGLE DX	1028	5.5	37	1	2	4	6	11	16	32
" MULTIPLE DX	2931	10.6	104	2	2	8	13	23	31	53
TOTAL 65-69 YRS	1224	8.1	72	1	2	5	10	18	24	43
70-74	1197	8.5	76	1	2	6	11	18	26	45
75-79	1067	9.6	106	1	2	6	12	21	30	55
80-84	821	11.1	117	2	2	8	14	24	33	63
85+	650	11.9	106	2	3	9	16	24	33	53
GRAND TOTAL	4959	9.5	94	2	2	6	12	21	28	51

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	61	4.6	14	1	1	4	5	10	13	21
70-74	36	4.1	7	2	2	3	4	7	9	16
75-79	16	5.8	11	2	3	5	7	12	14	14
80-84	7	8.9	80	1	1	5	12	24	27	27
85+	7	7.3	16	4	4	6	7	14	16	16
2. MULTIPLE DX										
65-69 YRS	132	11.2	110	2	3	7	14	28	33	51
70-74	129	10.8	150	1	2	6	12	32	35	60
75-79	63	10.5	96	2	3	7	14	24	27	57
80-84	28	11.6	81	3	4	8	15	25	28	41
85+	19	10.2	41	2	3	11	13	58	99+	99+
TOT. SINGLE DX	127	5.0	16	1	2	4	6	10	14	23
" MULTIPLE DX	371	11.0	116	2	3	7	14	27	34	60
TOTAL 65-69 YRS	193	9.1	90	2	2	6	11	22	30	46
70-74	165	9.3	127	1	2	5	10	23	34	57
75-79	79	9.8	83	2	3	7	11	22	26	53
80-84	35	11.1	80	2	3	8	15	25	27	41
85+	26	9.4	35	2	4	9	13	26	99+	99+
GRAND TOTAL	498	9.4	97	2	2	6	11	23	32	56

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	252	15.4	51	8	9	14	18	22	27	33
70-74	224	14.8	40	7	9	14	18	22	24	36
75-79	199	17.3	79	7	9	15	20	29	34	53
80-84	81	18.7	137	6	8	16	21	35	40	70
85+	40	17.9	56	7	9	17	21	29	34	40
2. MULTIPLE DX										
65-69 YRS	1064	20.0	108	9	11	17	24	33	38	55
70-74	1030	20.8	126	10	11	18	25	34	42	67
75-79	846	22.0	146	10	11	19	26	38	46	78
80-84	507	23.0	143	10	12	20	27	38	45	86
85+	298	24.1	164	9	11	21	30	42	51	74
TOT. SINGLE DX	796	16.2	66	7	9	15	19	24	30	46
" MULTIPLE DX	3745	21.4	133	10	11	19	26	36	44	71
TOTAL 65-69 YRS	1316	19.1	100	9	10	17	22	31	37	61
70-74	1254	19.8	116	9	10	17	23	32	40	62
75-79	1045	21.1	137	9	11	18	25	36	44	71
80-84	588	22.4	145	10	11	20	27	37	45	81
85+	338	23.3	155	8	11	20	29	40	50	72
GRAND TOTAL	4541	20.5	125	9	10	18	24	34	42	68

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	834	5.4	22	1	1	4	7	10	14	24
70-74	732	5.8	33	1	1	4	7	11	15	32
75-79	601	6.1	32	1	1	5	8	11	15	27
80-84	341	6.1	23	1	1	5	8	12	15	22
85+	217	7.1	41	1	1	6	9	13	19	45
2. MULTIPLE DX										
65-69 YRS	7096	9.0	60	2	3	7	11	17	23	40
70-74	7347	9.5	70	2	3	7	11	18	24	47
75-79	6485	10.0	74	2	3	8	12	19	26	45
80-84	4526	11.0	81	3	4	9	14	21	28	51
85+	3373	11.7	95	3	4	9	14	22	28	56
TOT. SINGLE DX	2725	5.9	29	1	1	5	8	11	15	28
" MULTIPLE DX	28827	10.0	75	2	3	8	12	19	25	47
TOTAL 65-69 YRS	7930	8.6	57	1	2	7	11	16	22	39
70-74	8079	9.1	69	2	3	7	11	17	24	45
75-79	7086	9.7	72	2	3	8	12	18	25	44
80-84	4867	10.7	79	2	3	8	14	21	27	50
85+	3590	11.4	94	2	3	9	14	21	28	56
GRAND TOTAL	31552	9.6	72	2	3	7	12	18	25	46

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	140	3.5	5	1	2	3	4	5	8	11
70-74	78	4.1	6	1	2	4	6	7	9	14
75-79	39	4.4	11	1	2	4	5	7	11	20
80-84	11	6.3	38	2	2	3	7	16	20	20
85+	10	3.8	2	1	1	4	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	299	6.3	54	2	2	4	6	11	17	35
70-74	163	7.0	73	2	2	5	7	12	20	44
75-79	87	8.6	142	3	3	5	8	16	32	67
80-84	33	10.0	145	3	4	6	10	30	44	49
85+	25	10.8	92	1	4	8	14	27	36	40
TOT. SINGLE DX	278	3.9	8	1	1	3	5	7	8	19
" MULTIPLE DX	607	7.2	79	2	3	5	7	14	19	49
TOTAL 65-69 YRS	439	5.4	40	2	2	4	6	10	14	33
70-74	241	6.0	53	2	2	4	6	10	15	41
75-79	126	7.3	105	2	3	5	7	13	21	59
80-84	44	9.1	119	2	3	6	9	21	27	49
85+	35	8.8	76	1	4	5	13	14	31	40
GRAND TOTAL	885	6.2	99	2	2	4	6	11	17	45

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	85	4.1	4	1	2	4	5	7	9	11
70-74	48	4.2	6	1	2	4	5	6	10	11
75-79	33	3.3	2	1	2	3	4	6	7	9
80-84	25	4.9	11	1	2	4	6	8	11	16
85+	11	5.8	14	1	2	5	7	12	14	14
2. MULTIPLE DX										
65-69 YRS	281	5.4	17	2	2	4	6	9	12	24
70-74	217	6.7	49	2	2	5	8	11	19	29
75-79	132	7.6	41	2	3	5	8	14	18	37
80-84	77	7.5	32	2	3	6	9	16	17	30
85+	57	9.7	74	2	3	8	13	19	23	51
TOT. SINGLE DX	200	4.2	6	1	2	4	5	7	9	13
" MULTIPLE DX	764	6.7	38	2	2	5	8	13	18	30
TOTAL 65-69 YRS	366	5.1	15	2	2	4	6	9	11	21
70-74	265	6.2	42	2	2	5	7	11	17	28
75-79	165	6.6	37	2	3	5	7	13	17	35
80-84	102	6.8	29	2	3	6	9	15	17	29
85+	68	9.1	66	2	3	7	12	18	21	49
GRAND TOTAL	964	6.1	32	2	2	5	7	11	17	28

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	246	4.7	5	1	2	4	6	7	9	14
70-74	152	4.7	4	1	2	4	6	8	9	10
75-79	70	5.6	6	1	2	4	7	9	11	14
80-84	26	5.1	4	1	2	4	7	9	11	14
85+	19	6.9	29	1	2	5	8	14	20	24
2. MULTIPLE DX										
65-69 YRS	1453	6.8	27	2	3	6	8	11	14	26
70-74	1084	7.3	28	2	3	6	9	12	17	30
75-79	632	8.2	59	2	3	6	10	15	19	35
80-84	294	9.5	54	2	4	7	11	16	24	41
85+	130	11.8	72	2	4	9	14	22	34	59
TOT. SINGLE DX	518	5.0	7	1	2	4	6	8	9	14
" MULTIPLE DX	3793	7.6	41	2	3	6	9	13	18	33
TOTAL 65-69 YRS	1699	6.5	23	2	3	5	7	11	14	25
70-74	1236	7.0	25	2	3	6	8	11	16	30
75-79	707	8.0	55	2	3	6	9	14	18	32
80-84	320	9.1	51	2	4	7	11	16	23	40
85+	149	11.1	69	2	4	9	14	22	29	49
GRAND TOTAL	4311	7.2	37	2	3	6	8	13	17	31

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	134	3.9	9	1	1	3	4	7	9	15
70-74	84	4.2	7	1	1	4	5	9	10	13
75-79	59	5.3	15	1	2	4	7	11	15	16
80-84	39	6.1	33	1	2	5	8	10	13	36
85+	21	6.0	19	1	1	6	8	11	16	19
2. MULTIPLE DX										
65-69 YRS	303	8.4	106	2	2	5	9	18	25	61
70-74	274	8.5	78	2	3	6	10	16	25	62
75-79	184	10.5	136	2	3	6	13	20	29	70
80-84	120	10.2	89	2	3	8	12	20	29	51
85+	125	12.7	114	3	4	9	17	25	36	75
TOT. SINGLE DX	337	4.6	14	1	1	4	6	9	11	17
" MULTIPLE DX	1006	9.6	105	2	3	6	11	20	28	66
TOTAL 65-69 YRS	437	7.0	81	1	2	4	7	14	22	50
70-74	358	7.5	65	2	2	5	9	14	21	53
75-79	243	9.3	112	1	2	6	11	19	26	70
80-84	159	9.2	78	2	3	7	11	19	25	42
85+	146	11.7	106	3	3	8	15	24	34	68
GRAND TOTAL	**1343**	**8.3**	**87**	**2**	**2**	**5**	**10**	**18**	**24**	**54**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	7.2	30	3	3	6	9	16	17	17
70-74	7	8.9	47	2	2	6	13	20	21	21
75-79	6	16.0	182	2	3	11	26	37	38	38
80-84	2	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	45	19.0	215	1	4	17	25	37	46	69
70-74	57	21.7	199	3	5	20	28	38	49	66
75-79	25	18.9	186	2	3	17	29	35	41	53
80-84	26	22.4	269	1	2	21	32	43	55	69
85+	14	18.1	158	5	6	16	24	39	45	47
TOT. SINGLE DX	21	9.8	87	2	2	8	14	23	31	38
" MULTIPLE DX	167	20.4	207	2	4	19	29	38	48	68
TOTAL 65-69 YRS	51	17.6	208	1	3	16	23	35	41	69
70-74	64	20.3	198	3	4	19	28	35	47	66
75-79	31	18.3	181	2	3	15	29	36	38	53
80-84	28	20.9	278	1	2	20	31	42	53	69
85+	14	18.1	158	5	6	16	24	39	45	47
GRAND TOTAL	**188**	**19.2**	**204**	**2**	**3**	**17**	**28**	**37**	**45**	**68**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	239	5.4	38	1	1	3	7	13	18	27
70-74	205	5.9	40	1	1	3	9	13	18	29
75-79	92	8.0	74	1	1	4	12	20	25	42
80-84	41	9.1	82	1	2	7	11	17	19	56
85+	17	13.3	224	1	1	9	16	31	50	60
2. MULTIPLE DX										
65-69 YRS	1616	12.3	114	1	2	10	16	25	32	55
70-74	1413	13.1	124	2	2	11	17	25	34	62
75-79	927	14.8	122	2	3	12	20	29	35	57
80-84	453	15.2	154	2	3	12	20	31	41	62
85+	225	16.9	141	3	5	14	22	32	42	57
TOT. SINGLE DX	594	6.4	55	1	1	3	10	15	20	37
" MULTIPLE DX	4634	13.5	126	2	2	11	18	27	35	59
TOTAL 65-69 YRS	1855	11.4	110	1	2	9	15	24	31	53
70-74	1618	12.2	120	1	2	10	16	24	32	59
75-79	1019	14.2	122	2	2	12	19	28	35	55
80-84	494	14.7	151	2	3	11	19	30	41	61
85+	242	16.6	147	3	4	14	22	32	42	59
GRAND TOTAL	**5228**	**12.7**	**123**	**1**	**2**	**10**	**17**	**26**	**34**	**57**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2687	8.4	12	5	5	8	10	13	15	21
70-74	1877	9.3	18	5	6	8	11	14	17	25
75-79	1104	10.1	22	5	6	9	12	16	18	27
80-84	496	11.4	25	6	6	10	14	18	21	29
85+	279	12.7	36	6	7	11	16	21	23	29
2. MULTIPLE DX										
65-69 YRS	8366	12.4	63	5	6	10	15	21	26	45
70-74	7317	13.8	78	6	7	11	16	23	29	52
75-79	5343	15.3	87	6	7	13	18	26	32	56
80-84	3228	17.6	110	7	8	15	21	30	39	62
85+	2018	19.3	132	8	9	17	23	34	44	90
TOT. SINGLE DX	6443	9.4	19	5	5	8	11	15	18	25
" MULTIPLE DX	26272	14.5	88	6	7	12	17	25	32	56
TOTAL 65-69 YRS	11053	11.4	54	5	6	9	13	19	24	42
70-74	9194	12.8	69	5	6	11	15	22	28	48
75-79	6447	14.4	80	6	7	12	17	24	31	53
80-84	3724	16.8	104	7	8	14	20	29	37	59
85+	2297	18.5	125	7	9	16	22	32	42	84
GRAND TOTAL	**32715**	**13.5**	**79**	**6**	**6**	**11**	**16**	**23**	**30**	**51**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	11.9	77	1	2	11	17	22	25	48
70-74	134	11.7	59	2	3	11	16	22	28	33
75-79	115	12.5	56	2	3	13	17	21	25	37
80-84	69	15.8	166	2	3	14	21	25	30	87
85+	64	12.4	76	2	3	12	16	21	26	48
2. MULTIPLE DX										
65-69 YRS	654	17.9	140	3	5	16	23	34	42	65
70-74	745	19.2	169	4	7	16	24	34	46	80
75-79	702	19.3	144	4	7	17	24	35	41	62
80-84	564	21.3	190	5	8	18	27	40	50	82
85+	457	20.4	147	4	8	18	25	36	47	87
TOT. SINGLE DX	496	12.6	81	2	3	12	17	22	26	39
" MULTIPLE DX	3122	19.5	159	4	7	17	25	35	45	76
TOTAL 65-69 YRS	768	17.0	135	3	4	15	22	31	41	62
70-74	879	18.1	160	3	5	16	23	32	44	76
75-79	817	18.4	137	3	6	16	23	33	40	57
80-84	633	20.7	191	4	8	18	26	40	49	83
85+	521	19.4	146	3	7	17	24	33	45	80
GRAND TOTAL	3618	18.6	154	3	6	16	23	34	43	73

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	145	9.7	115	1	2	6	12	22	34	50
70-74	116	10.2	86	1	2	7	15	23	29	45
75-79	79	8.0	73	1	1	5	12	20	25	83
80-84	54	5.4	14	1	2	4	8	11	13	18
85+	41	10.1	107	1	1	7	14	21	29	53
2. MULTIPLE DX										
65-69 YRS	687	17.2	231	2	3	13	23	39	52	99+
70-74	726	16.2	227	2	3	12	21	34	50	87
75-79	484	16.0	190	2	3	12	20	34	45	81
80-84	319	15.7	146	2	3	13	21	31	42	56
85+	214	16.7	228	2	3	13	21	33	49	94
TOT. SINGLE DX	435	9.0	89	1	2	6	12	21	29	50
" MULTIPLE DX	2430	16.4	210	2	3	12	22	35	49	88
TOTAL 65-69 YRS	832	15.9	219	2	2	11	22	37	49	99+
70-74	842	15.4	212	2	3	11	20	33	46	84
75-79	563	14.8	182	2	3	12	18	31	45	83
80-84	373	14.2	140	2	3	11	19	29	41	56
85+	255	15.6	215	2	3	12	19	31	49	92
GRAND TOTAL	2865	15.3	199	2	2	11	20	33	46	85

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1127	5.0	25	1	1	4	6	10	14	22
70-74	1002	5.4	32	<1	1	4	7	11	14	26
75-79	810	5.4	24	1	1	4	7	11	15	25
80-84	519	6.4	44	1	1	4	8	14	17	32
85+	384	6.9	30	1	2	5	9	14	16	25
2. MULTIPLE DX										
65-69 YRS	7652	8.0	50	2	2	6	10	15	21	37
70-74	8598	8.5	58	2	2	7	10	16	22	40
75-79	8029	9.1	65	2	3	7	11	17	24	42
80-84	6183	9.8	78	2	3	7	12	19	26	51
85+	4896	10.4	79	2	3	8	13	20	27	51
TOT. SINGLE DX	3842	5.6	30	1	1	4	7	11	15	25
" MULTIPLE DX	35358	9.0	66	2	3	7	11	17	23	43
TOTAL 65-69 YRS	8779	7.6	48	1	2	6	9	15	20	36
70-74	9600	8.2	57	2	2	6	10	16	21	39
75-79	8839	8.8	63	2	2	7	11	17	23	41
80-84	6702	9.5	77	2	3	7	12	18	25	50
85+	5280	10.2	77	2	3	8	13	19	26	49
GRAND TOTAL	39200	8.7	63	2	2	7	11	17	23	42

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4187	3.9	3		2	4	5	6	7	10
70-74	3336	4.2	4	2	2	4	5	6	8	11
75-79	2267	4.5	4	2	2	4	5	7	8	12
80-84	1151	4.9	7	2	2	4	6	8	9	14
85+	605	5.3	11	2	2	5	6	8	11	19
2. MULTIPLE DX										
65-69 YRS	5246	5.8	22	2	2	5	7	10	14	26
70-74	4853	6.3	28	2	3	5	7	12	16	31
75-79	4023	7.0	34	2	3	5	8	13	17	37
80-84	2329	8.1	45	2	3	6	9	15	21	37
85+	1538	9.6	66	3	3	7	12	18	24	41
TOT. SINGLE DX	11546	4.3	5	2	2	4	5	7	8	12
" MULTIPLE DX	17989	6.8	35	2	3	5	8	13	17	32
TOTAL 65-69 YRS	9433	5.0	15	2	2	4	6	8	11	20
70-74	8189	5.4	20	2	2	4	6	9	13	23
75-79	6290	6.1	25	2	3	5	7	11	15	28
80-84	3480	7.0	35	2	3	5	8	13	18	32
85+	2143	8.4	54	2	3	6	10	16	22	39
GRAND TOTAL	29535	5.8	25	2	2	5	7	10	14	27

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	553	4.5	3	2	2	4	6	7	8	11
70-74	381	4.8	4	2	2	5	6	8	9	11
75-79	294	4.9	4	2	3	5	6	8	9	14
80-84	143	5.4	5	2	3	5	6	9	10	13
85+	74	6.1	8	2	3	6	8	10	11	17
2. MULTIPLE DX										
65-69 YRS	811	6.0	11	2	3	5	7	10	13	20
70-74	726	6.9	28	2	3	5	8	12	16	29
75-79	524	7.8	35	3	3	6	9	13	18	33
80-84	319	8.1	28	3	3	7	9	14	18	32
85+	196	10.2	63	3	3	8	13	18	24	44
TOT. SINGLE DX	1445	4.8	5	2	2	4	6	8	9	12
" MULTIPLE DX	2576	7.2	29	3	3	6	8	13	16	28
TOTAL 65-69 YRS	1364	5.4	9	2	3	5	6	9	11	17
70-74	1107	6.2	21	2	3	5	7	10	13	26
75-79	818	6.8	27	3	3	5	8	12	14	27
80-84	462	7.3	23	3	3	6	9	12	16	28
85+	270	9.1	52	3	3	8	11	17	20	42
GRAND TOTAL	**4021**	**6.3**	**21**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	187	4.6	7	1	2	4	6	7	9	17
70-74	158	4.9	11	2	2	4	6	8	9	16
75-79	154	5.5	9	2	2	5	7	10	12	15
80-84	104	6.3	17	3	3	6	8	10	15	26
85+	94	7.5	43	3	3	6	9	11	19	42
2. MULTIPLE DX										
65-69 YRS	262	7.3	35	2	3	6	8	14	17	38
70-74	326	8.8	56	2	3	6	10	18	23	39
75-79	349	9.5	65	3	3	7	12	19	23	36
80-84	268	11.4	106	3	4	9	13	22	28	67
85+	236	12.4	82	3	4	10	16	23	34	66
TOT. SINGLE DX	697	5.5	16	2	2	5	7	9	11	22
" MULTIPLE DX	1441	9.8	71	3	3	7	12	18	24	44
TOTAL 65-69 YRS	449	6.2	26	2	2	5	7	12	16	27
70-74	484	7.5	45	2	3	5	9	15	20	37
75-79	503	8.3	52	2	3	6	10	16	21	33
80-84	372	10.0	87	3	3	7	11	18	26	51
85+	330	11.0	76	3	3	9	14	21	32	52
GRAND TOTAL	**2138**	**8.4**	**57**	**2**	**3**	**6**	**10**	**16**	**22**	**41**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	217	4.4	6	1	2	4	5	8	9	13
70-74	123	4.7	11	1	2	4	6	8	11	21
75-79	72	4.8	5	2	2	4	6	8	8	13
80-84	37	6.8	28	2	2	6	8	10	17	31
85+	24	7.9	65	3	3	5	8	15	24	42
2. MULTIPLE DX										
65-69 YRS	462	7.7	45	2	3	6	9	15	20	44
70-74	371	9.5	73	2	3	7	12	18	26	63
75-79	226	9.1	54	2	3	7	11	17	24	36
80-84	133	11.5	87	3	4	9	16	22	31	44
85+	84	13.9	106	4	5	11	18	31	38	83
TOT. SINGLE DX	473	4.9	13	1	2	4	6	8	10	19
" MULTIPLE DX	1276	9.3	66	2	3	7	11	18	25	48
TOTAL 65-69 YRS	679	6.6	36	2	2	5	8	12	18	41
70-74	494	8.3	62	2	3	6	10	17	22	44
75-79	298	8.1	46	2	3	6	10	15	21	34
80-84	170	10.4	78	3	3	8	12	19	29	38
85+	108	12.6	103	3	4	9	15	30	38	72
GRAND TOTAL	**1749**	**8.1**	**56**	**2**	**3**	**6**	**10**	**16**	**22**	**43**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	770	6.2	10	2	3	6	8	10	12	19
70-74	561	6.1	8	2	3	6	8	10	11	17
75-79	316	6.9	13	3	3	6	8	11	14	21
80-84	142	6.8	13	2	3	6	8	11	15	19
85+	76	7.3	10	2	3	7	9	12	14	16
2. MULTIPLE DX										
65-69 YRS	1524	9.5	43	3	4	8	11	18	22	36
70-74	1310	9.9	50	3	4	8	12	18	22	38
75-79	888	10.5	61	3	4	9	13	19	25	40
80-84	431	11.3	61	3	5	9	14	20	27	57
85+	251	12.8	84	4	5	11	17	26	35	98
TOT. SINGLE DX	1865	6.4	11	2	3	6	8	10	12	19
" MULTIPLE DX	4404	10.2	54	3	4	8	12	19	24	40
TOTAL 65-69 YRS	2294	8.4	35	3	3	7	10	15	20	30
70-74	1871	8.8	41	3	4	7	11	16	20	35
75-79	1204	9.6	51	3	4	8	11	17	22	36
80-84	573	10.2	53	3	4	8	12	19	23	49
85+	327	11.5	73	3	4	9	14	23	30	69
GRAND TOTAL	**6269**	**9.0**	**44**	**3**	**4**	**7**	**11**	**16**	**21**	**37**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	8.6	17	3	4	8	10	14	17	25
70-74	39	10.1	19	2	5	10	13	16	18	22
75-79	30	11.7	51	4	5	10	14	18	25	41
80-84	16	15.8	71	5	6	15	20	30	33	34
85+	7	9.6	30	2	3	8	15	17	17	17
2. MULTIPLE DX										
65-69 YRS	281	13.1	59	5	7	11	15	21	28	46
70-74	260	15.4	140	6	7	12	18	27	38	96
75-79	160	17.1	134	7	8	14	20	32	52	99+
80-84	91	20.5	208	6	7	16	25	45	52	62
85+	62	20.3	133	8	9	17	25	34	40	65
TOT. SINGLE DX	141	10.5	36	4	5	9	12	18	21	35
" MULTIPLE DX	854	15.9	125	6	7	13	18	29	40	72
TOTAL 65-69 YRS	330	12.4	56	5	6	10	15	20	26	45
70-74	299	14.7	127	6	7	12	17	25	35	94
75-79	190	16.2	125	6	8	14	19	28	47	99+
80-84	107	19.8	190	6	7	16	23	42	52	60
85+	69	19.2	133	7	8	17	22	34	38	64
GRAND TOTAL	**995**	**15.1**	**116**	**5**	**7**	**12**	**17**	**26**	**39**	**67**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	286	8.4	90	1	2	6	10	17	22	60
70-74	218	9.7	77	1	2	8	13	21	28	44
75-79	125	11.2	91	2	2	9	14	21	30	50
80-84	59	12.4	93	2	2	11	16	26	34	44
85+	40	8.1	40	1	2	6	11	20	21	24
2. MULTIPLE DX										
65-69 YRS	1752	13.8	141	2	3	11	18	27	37	60
70-74	1465	14.7	145	2	4	12	19	30	38	68
75-79	1112	15.6	166	2	3	13	20	31	41	74
80-84	650	17.1	209	3	4	13	22	36	43	84
85+	449	16.5	153	3	4	14	21	34	40	65
TOT. SINGLE DX	728	9.6	86	1	2	7	13	20	27	47
" MULTIPLE DX	5428	15.0	158	2	3	12	19	31	40	67
TOTAL 65-69 YRS	2038	13.1	138	2	3	10	17	26	36	60
70-74	1683	14.1	139	2	3	11	18	29	37	67
75-79	1237	15.2	160	2	3	12	20	31	40	68
80-84	709	16.7	201	3	4	13	22	35	43	76
85+	489	15.8	149	2	4	13	21	33	39	60
GRAND TOTAL	**6156**	**14.4**	**152**	**2**	**3**	**11**	**19**	**30**	**38**	**65**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	162	12.9	64	4	6	11	16	24	32	40
70-74	110	12.8	64	4	6	11	15	25	32	69
75-79	89	14.6	120	4	6	12	18	27	31	71
80-84	43	14.3	98	2	4	11	17	31	36	39
85+	38	16.2	100	4	6	14	19	30	32	55
2. MULTIPLE DX										
65-69 YRS	780	18.1	167	6	7	14	22	33	45	76
70-74	760	19.4	165	6	8	16	24	35	44	84
75-79	559	21.3	202	6	8	18	27	41	51	88
80-84	384	22.3	211	7	9	18	27	39	55	82
85+	267	21.0	160	7	9	18	26	36	47	81
TOT. SINGLE DX	442	13.6	82	4	6	11	17	27	32	49
" MULTIPLE DX	2750	20.0	181	7	8	17	25	37	47	82
TOTAL 65-69 YRS	942	17.2	153	6	7	13	21	32	42	73
70-74	870	18.6	157	6	7	15	23	34	43	83
75-79	648	20.4	196	6	8	17	26	40	50	87
80-84	427	21.5	206	7	8	17	27	37	55	78
85+	305	20.4	155	7	8	17	25	34	46	76
GRAND TOTAL	**3192**	**19.1**	**172**	**6**	**7**	**16**	**24**	**35**	**46**	**77**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	3.2	9	<1	1	2	3	8	12	12
70-74	17	3.4	14	<1	<1	2	3	8	14	16
75-79	6	5.3	52	<1	<1	3	4	18	20	20
80-84	5	4.6	22	2	2	3	6	13	13	13
85+	9	6.6	28	2	2	4	9	15	18	18
2. MULTIPLE DX										
65-69 YRS	96	9.1	76	1	2	6	14	22	27	39
70-74	64	10.3	79	1	2	9	14	21	27	45
75-79	59	11.7	117	1	2	9	18	24	35	48
80-84	29	18.6	278	3	4	13	24	42	46	75
85+	14	15.6	565	1	2	10	12	34	81	95
TOT. SINGLE DX	67	4.0	18	<1	1	2	4	10	13	20
" MULTIPLE DX	262	11.4	140	1	2	8	15	23	34	48
TOTAL 65-69 YRS	126	7.7	66	1	1	4	11	18	24	37
70-74	81	8.8	73	1	1	6	13	21	24	43
75-79	65	11.1	114	1	2	8	17	23	34	48
80-84	34	16.5	264	2	3	12	19	41	44	75
85+	23	12.1	365	1	2	9	12	20	51	95
GRAND TOTAL	**329**	**9.9**	**124**	**1**	**2**	**7**	**13**	**22**	**32**	**48**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	257	10.4	26	3	5	10	13	16	19	28
70-74	228	11.6	43	4	6	10	14	19	23	41
75-79	147	12.8	44	5	6	11	16	19	24	41
80-84	81	13.2	44	5	7	12	16	21	24	43
85+	65	14.1	55	6	8	12	17	24	29	40
2. MULTIPLE DX										
65-69 YRS	1130	17.4	161	4	7	14	22	34	44	71
70-74	1056	18.3	170	5	7	15	23	35	43	75
75-79	935	18.8	156	6	8	15	23	33	46	79
80-84	578	20.3	203	8	9	16	23	33	53	86
85+	457	21.2	181	7	9	18	26	39	50	75
TOT. SINGLE DX	778	11.8	41	4	6	10	14	19	23	37
" MULTIPLE DX	4156	18.8	172	6	7	15	23	34	46	78
TOTAL 65-69 YRS	1387	16.1	144	4	6	12	20	31	41	69
70-74	1284	17.1	155	5	7	14	21	32	41	71
75-79	1082	18.0	146	6	8	15	22	32	43	78
80-84	659	19.4	189	7	9	16	22	32	49	86
85+	522	20.3	171	7	9	17	25	38	48	75
GRAND TOTAL	4934	17.7	158	5	7	14	22	32	43	75

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	164	12.5	35	7	8	11	14	17	24	42
70-74	119	12.6	27	7	8	11	15	19	21	35
75-79	79	15.2	38	8	9	14	18	25	28	35
80-84	43	15.0	63	8	9	12	17	24	36	40
85+	18	13.4	22	7	8	13	17	18	23	26
2. MULTIPLE DX										
65-69 YRS	750	17.7	153	7	8	14	21	32	40	78
70-74	688	17.5	112	8	9	14	21	30	38	60
75-79	487	19.2	127	8	9	16	24	32	43	78
80-84	260	20.6	130	9	10	18	25	35	43	63
85+	122	22.9	183	9	10	19	29	47	59	99+
TOT. SINGLE DX	423	13.3	37	7	8	12	16	20	25	38
" MULTIPLE DX	2307	18.6	137	8	9	15	22	32	42	73
TOTAL 65-69 YRS	914	16.8	136	7	8	13	19	30	39	77
70-74	807	16.8	103	8	8	14	20	28	37	56
75-79	566	18.6	117	8	9	16	23	31	41	73
80-84	303	19.8	124	9	9	17	24	34	41	63
85+	140	21.7	173	8	9	18	27	42	57	99+
GRAND TOTAL	2730	17.7	125	8	8	14	21	31	40	68

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	255	9.1	40	1	2	8	11	15	21	34
70-74	169	9.7	65	1	2	9	11	16	21	47
75-79	87	10.6	65	1	1	9	14	19	24	43
80-84	34	6.3	20	1	2	5	9	12	16	19
85+	15	8.8	46	1	1	8	11	21	22	23
2. MULTIPLE DX										
65-69 YRS	895	13.2	109	2	3	11	17	25	33	56
70-74	733	15.3	145	2	4	12	19	29	36	66
75-79	460	16.3	165	2	4	13	21	31	42	78
80-84	247	17.1	168	3	5	14	21	33	44	71
85+	111	16.6	204	2	3	14	21	30	49	72
TOT. SINGLE DX	560	9.3	52	1	2	8	11	17	22	37
" MULTIPLE DX	2446	15.0	143	2	4	12	19	29	37	66
TOTAL 65-69 YRS	1150	12.3	97	2	3	10	15	23	31	53
70-74	902	14.2	135	2	3	11	17	28	35	61
75-79	547	15.4	154	2	4	12	19	29	39	72
80-84	281	15.8	163	2	3	13	19	32	42	67
85+	126	15.7	191	2	3	13	20	29	41	70
GRAND TOTAL	3006	13.9	131	2	3	11	17	27	35	62

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	289	9.4	21	3	4	9	11	16	18	26
70-74	156	9.1	17	2	4	8	11	15	17	21
75-79	82	10.9	25	4	6	10	13	17	19	30
80-84	29	9.8	25	1	4	11	13	15	16	26
85+	9	11.8	29	3	4	12	16	18	19	19
2. MULTIPLE DX										
65-69 YRS	528	12.5	61	3	5	11	15	22	27	37
70-74	468	13.4	80	3	5	11	16	22	28	50
75-79	280	14.4	118	4	6	12	17	26	33	64
80-84	124	15.5	183	3	5	12	17	33	49	72
85+	48	18.9	220	3	5	15	25	42	49	72
TOT. SINGLE DX	565	9.6	22	3	4	9	12	16	18	26
" MULTIPLE DX	1448	13.7	96	3	5	11	16	24	31	56
TOTAL 65-69 YRS	817	11.4	50	3	5	10	14	20	25	35
70-74	624	12.3	68	3	5	10	15	21	26	47
75-79	362	13.6	99	4	6	11	16	24	31	60
80-84	153	14.4	158	2	5	11	15	27	45	70
85+	57	17.8	196	3	5	15	20	40	47	71
GRAND TOTAL	2013	12.5	78	3	5	10	15	21	28	50

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	20	13.9	65	3	5	12	18	24	32	38
70-74	15	14.4	22	6	8	14	18	21	21	21
75-79	8	13.4	10	9	10	13	15	18	19	19
80-84	6	14.7	70	5	5	14	20	26	27	27
85+	2	17.5	145	9	9	17	26	26	26	26
2. MULTIPLE DX										
65-69 YRS	108	21.9	180	10	11	17	24	38	52	78
70-74	95	22.5	191	10	11	19	25	40	58	91
75-79	74	25.4	269	8	10	20	32	47	60	83
80-84	40	21.5	173	6	8	20	29	48	50	99+
85+	10	19.4	69	6	9	18	24	32	33	33
TOT. SINGLE DX	51	14.2	43	5	7	13	18	22	26	38
" MULTIPLE DX	327	22.8	200	8	10	19	27	42	53	83
TOTAL 65-69 YRS	128	20.7	171	9	10	17	24	37	47	76
70-74	110	21.4	176	8	11	18	24	37	48	88
75-79	82	24.2	257	8	10	18	30	47	59	82
80-84	46	20.6	163	5	8	19	28	46	49	99+
85+	12	19.1	70	6	8	18	25	32	33	33
GRAND TOTAL	378	21.6	187	8	9	18	25	39	50	82

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	270	5.0	11	1	2	4	7	9	12	17
70-74	169	5.4	12	2	2	4	7	10	12	16
75-79	102	5.3	12	2	2	4	6	11	13	16
80-84	48	7.4	36	2	2	6	10	16	18	32
85+	13	7.2	38	1	2	6	8	14	24	26
2. MULTIPLE DX										
65-69 YRS	540	8.2	61	2	2	6	10	14	20	43
70-74	390	8.7	51	2	3	7	11	17	25	39
75-79	229	10.0	56	2	3	7	14	20	25	34
80-84	115	12.7	137	2	3	9	17	27	36	62
85+	53	12.2	161	2	3	9	14	21	28	75
TOT. SINGLE DX	602	5.4	15	2	2	4	7	10	13	18
" MULTIPLE DX	1327	9.2	70	2	3	7	12	18	25	44
TOTAL 65-69 YRS	810	7.1	47	2	2	5	9	13	17	33
70-74	559	7.7	42	2	2	6	10	15	20	32
75-79	331	8.6	47	2	2	6	12	18	23	32
80-84	163	11.2	113	2	2	8	14	24	32	55
85+	66	11.2	140	2	3	8	13	21	27	72
GRAND TOTAL	1929	8.0	56	2	2	6	10	16	21	37

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1591	4.0	14	1	1	3	5	9	11	17
70-74	1359	4.0	14	1	1	3	5	9	11	19
75-79	1005	4.5	18	1	1	3	6	10	12	21
80-84	617	4.7	21	1	1	3	6	10	13	23
85+	373	5.3	28	1	1	4	7	11	16	24
2. MULTIPLE DX										
65-69 YRS	6874	8.3	82	1	2	6	11	18	25	47
70-74	7239	9.0	91	1	2	6	11	20	27	50
75-79	6440	10.0	102	1	2	7	13	21	30	54
80-84	4545	11.5	119	2	2	8	15	24	34	65
85+	3537	12.2	130	2	2	9	16	25	34	76
TOT. SINGLE DX	4945	4.3	17	1	1	3	6	9	12	20
" MULTIPLE DX	28635	9.9	103	1	2	7	13	21	29	57
TOTAL 65-69 YRS	8465	7.5	72	1	1	5	9	16	23	44
70-74	8598	8.2	83	1	1	5	10	18	26	47
75-79	7445	9.3	95	1	2	7	12	20	28	52
80-84	5162	10.6	112	1	2	8	14	23	32	61
85+	3910	11.5	125	2	2	9	15	24	33	72
GRAND TOTAL	33580	9.0	94	1	2	6	12	20	28	53

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	1573	3.8	12			3	5	7	9	13
70-74	1567	4.1	10			3	5	7	10	16
75-79	1336	4.3	16			3	5	8	10	20
80-84	852	4.7	13			4	6	9	11	18
85+	562	5.4	16			4	7	10	13	22
2. MULTIPLE DX										
65-69 YRS	3206	6.5	56			4	7	13	18	37
70-74	3672	6.7	45			5	8	14	19	35
75-79	3430	7.7	68			5	9	16	23	41
80-84	2376	8.5	69			6	10	18	24	42
85+	1892	10.0	87			7	12	20	28	49
TOT. SINGLE DX	5890	4.3	14			3	5	8	10	18
" MULTIPLE DX	14576	7.6	64			5	9	16	22	40
TOTAL 65-69 YRS	4779	5.6	43			4	6	11	15	32
70-74	5239	5.9	37			4	7	11	15	29
75-79	4766	6.7	56			4	8	14	20	37
80-84	3228	7.5	57			5	9	15	22	39
85+	2454	8.9	75			6	11	19	25	44
GRAND TOTAL	20466	6.6	52	1	2	4	8	14	19	37

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	475	5.5	34			4	9	15	19	25
70-74	420	6.8	42			4	10	17	21	28
75-79	296	7.4	43			5	11	17	19	26
80-84	176	7.5	40			5	11	18	21	26
85+	119	6.8	41			5	9	14	18	32
2. MULTIPLE DX										
65-69 YRS	1498	11.3	134			8	15	25	34	64
70-74	1639	12.2	147			9	15	26	34	64
75-79	1529	13.4	161			9	17	28	40	69
80-84	1066	13.7	137			10	18	29	40	62
85+	795	13.6	166			10	17	28	39	88
TOT. SINGLE DX	1486	6.9	40			4	10	16	20	26
" MULTIPLE DX	6527	12.6	149			9	16	27	37	66
TOTAL 65-69 YRS	1973	10.2	115			7	13	22	30	54
70-74	2059	11.1	131			8	14	24	31	60
75-79	1825	12.2	146			9	16	26	36	64
80-84	1242	12.8	128			10	17	28	36	61
85+	914	12.8	156			9	16	26	38	82
GRAND TOTAL	8013	11.6	134	2	2	8	15	25	34	62

639: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	14	2.2				2	3	4	4	4
70-74	9	2.2				2	3	4	4	4
75-79	8	2.5				2	3	5	7	7
80-84	3	3.0	13			2	4	10	10	10
85+	1	3.0				3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	50	7.2	74			4	10	15	22	43
70-74	50	6.5	32			5	8	14	17	30
75-79	39	9.4	150			5	11	14	15	16
80-84	30	8.4	48			5	13	16	19	30
85+	15	11.5	100			6	13	18	37	64
TOT. SINGLE DX	35	2.9	5			2	3	7	8	10
" MULTIPLE DX	184	7.5	51	1	2	5	10	16	19	42
TOTAL 65-69 YRS	64	6.1	63			3	6	14	19	42
70-74	59	5.7	31			4	7	13	17	29
75-79	47	8.7	120			4	9	13	15	16
80-84	33	8.3	45			4	11	16	19	30
85+	16	10.9	98			6	13	18	36	64
GRAND TOTAL	219	6.8	66	1	2	4	9	15	18	40

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	115	4.1	9			3	5	7	10	19
70-74	122	4.3	11			3	5	9	11	15
75-79	94	4.6	14			4	6	8	11	21
80-84	50	4.0	7			3	5	6	7	15
85+	37	5.0	21			4	6	8	12	17
2. MULTIPLE DX										
65-69 YRS	288	7.2	66			4	8	15	23	42
70-74	311	6.7	36			5	8	14	19	30
75-79	247	8.3	67			5	10	17	24	38
80-84	181	8.4	75			5	10	17	23	42
85+	116	10.7	95			7	10	20	28	42
TOT. SINGLE DX	418	4.3	12			3	5	8	11	18
" MULTIPLE DX	1143	7.8	64	1	2	5	9	16	25	42
TOTAL 65-69 YRS	403	6.3	52			4	8	13	19	40
70-74	433	6.0	31			4	7	12	17	28
75-79	341	7.3	55			5	9	15	24	33
80-84	231	7.4	54			5	9	15	22	39
85+	153	9.3	83			6	12	22	29	42
GRAND TOTAL	1561	6.9	53	1	2	4	8	15	23	36

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	164	3.5	8	1	1	3	5	7	9	16
70-74	162	3.6	10	1	1	2	4	8	11	19
75-79	108	4.4	27	<1	1	3	5	8	11	31
80-84	59	3.7	8	1	1	3	4	9	11	91
85+	57	3.9	13	1	1	3	5	8	12	18
2. MULTIPLE DX										
65-69 YRS	1186	8.1	67	1	2	6	10	17	24	43
70-74	1297	8.4	84	1	2	6	10	17	25	53
75-79	1189	9.8	92	1	2	7	13	21	28	53
80-84	848	10.3	88	2	2	8	14	20	28	52
85+	655	11.5	104	2	3	9	16	24	30	51
TOT. SINGLE DX	550	3.8	13	1	1	3	5	8	10	18
" MULTIPLE DX	5175	9.4	87	1	2	7	12	19	27	50
TOTAL 65-69 YRS	1350	7.6	62	1	2	5	10	16	22	42
70-74	1459	7.9	79	1	2	5	10	17	23	50
75-79	1297	9.4	89	1	2	7	12	20	27	52
80-84	907	9.9	86	2	2	7	13	20	27	52
85+	712	10.9	101	2	2	8	15	23	30	51
GRAND TOTAL	**5725**	**8.8**	**82**	**1**	**2**	**6**	**11**	**19**	**26**	**48**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	173	4.1	15	1	2	3	5	8	10	16
70-74	156	4.3	13	1	1	4	5	8	11	18
75-79	138	4.3	8	1	2	4	5	7	9	19
80-84	59	4.0	5	1	2	3	5	8	9	11
85+	26	5.4	13	2	3	4	7	11	14	16
2. MULTIPLE DX										
65-69 YRS	480	6.4	38	2	2	4	8	13	17	31
70-74	554	7.5	74	1	2	5	9	15	21	61
75-79	515	7.3	54	2	2	5	9	15	22	35
80-84	309	7.7	38	2	2	6	10	15	19	42
85+	210	10.7	142	2	3	7	12	22	35	74
TOT. SINGLE DX	552	4.3	12	1	2	3	5	8	10	17
" MULTIPLE DX	2068	7.5	64	2	2	5	9	15	21	42
TOTAL 65-69 YRS	653	5.8	33	2	2	4	7	12	15	29
70-74	710	6.8	62	1	2	4	8	15	19	46
75-79	653	6.6	46	1	2	5	8	13	18	34
80-84	368	7.1	35	2	2	5	9	14	19	40
85+	236	10.1	131	2	3	7	11	20	34	69
GRAND TOTAL	**2620**	**6.9**	**55**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	157	8.9	9	5	6	8	10	12	14	22
70-74	102	8.8	9	5	6	8	10	13	15	20
75-79	65	9.8	10	6	6	9	11	14	16	20
80-84	23	8.9	7	5	5	8	10	13	14	15
85+	11	11.8	14	8	8	11	13	18	20	20
2. MULTIPLE DX										
65-69 YRS	402	10.6	36	5	6	9	12	17	21	35
70-74	270	11.2	29	5	6	10	13	18	21	32
75-79	187	11.7	59	6	7	10	13	19	24	68
80-84	79	12.1	43	5	6	10	15	19	26	40
85+	31	16.0	99	5	7	12	19	31	36	47
TOT. SINGLE DX	358	9.1	10	5	6	9	10	13	15	20
" MULTIPLE DX	969	11.3	42	5	6	9	13	18	24	36
TOTAL 65-69 YRS	559	10.1	30	5	6	9	11	16	19	34
70-74	372	10.6	25	5	6	9	13	17	20	31
75-79	252	11.2	47	6	6	10	12	18	22	33
80-84	102	11.4	37	5	6	10	13	17	21	37
85+	42	14.9	80	6	7	12	17	26	35	47
GRAND TOTAL	**1327**	**10.7**	**35**	**5**	**6**	**9**	**12**	**17**	**20**	**34**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	77	8.2	23	3	4	8	9	13	16	32
70-74	69	7.4	6	4	4	7	9	11	12	15
75-79	37	8.9	18	4	4	8	10	16	16	22
80-84	17	8.8	11	3	5	9	10	13	16	17
85+	6	12.7	21	7	7	12	15	19	20	20
2. MULTIPLE DX										
65-69 YRS	135	8.9	30	4	4	7	10	15	20	36
70-74	123	9.3	18	4	5	8	11	15	17	25
75-79	108	11.0	50	4	5	9	14	21	24	36
80-84	34	11.8	70	4	6	10	13	18	46	99+
85+	20	11.6	35	5	6	10	14	20	24	27
TOT. SINGLE DX	206	8.2	17	4	4	8	10	13	16	21
" MULTIPLE DX	420	9.9	36	4	5	8	12	17	22	37
TOTAL 65-69 YRS	212	8.7	28	3	4	8	10	14	19	36
70-74	192	8.6	15	4	5	8	10	13	15	23
75-79	145	10.4	43	4	4	8	13	18	24	35
80-84	51	10.8	52	4	5	10	12	17	23	99
85+	26	11.8	31	6	6	10	15	20	22	27
GRAND TOTAL	**626**	**9.4**	**30**	**4**	**4**	**8**	**11**	**16**	**20**	**35**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	4.8	20	1	1	4	7	9	15	20
70-74	5	3.2	3	1	1	3	4	6	6	6
75-79	10	4.5	9	2	2	3	8	9	10	10
80-84	5	1.8		1	1	2	2	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	89	12.0	182	1	2	7	16	25	38	73
70-74	61	10.8	73	1	2	9	16	24	27	39
75-79	60	15.7	217	2	3	13	18	31	40	76
80-84	38	16.1	210	2	5	12	20	30	36	82
85+	29	12.7	99	3	4	10	17	25	37	44
TOT. SINGLE DX	40	4.1	13	1	1	3	6	8	9	20
" MULTIPLE DX	277	13.1	163	2	2	10	18	27	36	76
TOTAL 65-69 YRS	108	10.7	161	1	2	6	15	24	34	64
70-74	66	10.2	72	1	2	8	15	23	26	38
75-79	70	14.1	203	2	2	10	18	29	38	76
80-84	43	14.4	207	1	2	12	20	30	36	82
85+	30	12.3	100	2	3	9	17	24	37	44
GRAND TOTAL	317	12.0	153	1	2	8	17	25	34	76

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	15	8.7	51	1	2	7	10	22	25	26
70-74	6	5.8	9	<1	<1	7	8	9	9	9
75-79	1	15.0		15	15	15	15	15	15	15
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	51	15.0	190	1	3	12	19	23	32	77
70-74	34	14.5	88	2	3	12	22	28	30	36
75-79	40	15.8	186	3	3	10	18	41	44	47
80-84	23	11.7	143	3	4	8	15	22	36	59
85+	16	9.6	141	1	2	6	8	22	41	49
TOT. SINGLE DX	25	8.0	37	1	2	7	9	15	23	26
" MULTIPLE DX	164	14.1	157	2	3	10	19	28	41	68
TOTAL 65-69 YRS	66	13.6	165	1	2	10	18	22	27	76
70-74	40	13.2	86	2	3	10	20	27	29	36
75-79	41	15.7	182	3	4	11	18	41	44	47
80-84	25	11.2	135	2	4	8	14	22	32	59
85+	17	9.5	133	1	2	6	8	21	40	49
GRAND TOTAL	189	13.3	145	2	3	9	18	26	40	65

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3984	6.3	6	3	4	6	7	9	11	15
70-74	3762	6.5	8	4	4	6	8	10	11	18
75-79	2660	7.1	15	4	4	6	8	11	13	20
80-84	1405	7.8	23	4	4	7	9	12	15	24
85+	694	8.7	24	4	5	8	10	14	18	30
2. MULTIPLE DX										
65-69 YRS	11411	9.0	41	4	4	7	10	16	21	35
70-74	12850	9.8	57	4	4	8	11	18	23	42
75-79	10803	10.9	76	4	5	8	13	20	26	50
80-84	6892	12.2	87	4	5	9	15	23	30	58
85+	4328	14.1	104	5	5	11	17	27	34	58
TOT. SINGLE DX	12505	6.8	12	4	4	6	8	10	12	19
" MULTIPLE DX	46284	10.6	69	4	5	8	12	20	26	47
TOTAL 65-69 YRS	15395	8.3	34	4	4	7	9	14	19	32
70-74	16612	9.1	48	4	4	7	10	16	21	39
75-79	13463	10.1	67	4	5	8	12	13	24	46
80-84	8297	11.5	80	4	5	9	14	21	28	54
85+	5022	13.4	97	5	5	10	16	26	34	54
GRAND TOTAL	58789	9.8	60	4	4	7	11	18	24	44

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	430	11.7	22	6	7	11	14	17	21	26
70-74	348	11.1	16	6	7	11	13	16	19	25
75-79	184	11.7	22	6	7	11	14	18	20	30
80-84	80	12.0	17	6	7	11	15	17	21	23
85+	37	12.8	19	6	8	12	16	20	22	23
2. MULTIPLE DX										
65-69 YRS	1217	13.9	55	7	8	12	16	22	27	46
70-74	1201	14.1	55	6	8	12	16	22	27	48
75-79	877	15.5	72	7	8	13	18	26	34	52
80-84	475	16.7	101	7	8	14	20	27	36	64
85+	275	16.7	124	7	9	16	22	32	43	81
TOT. SINGLE DX	1076	11.6	20	6	7	11	14	17	20	25
" MULTIPLE DX	4045	14.9	71	7	8	13	17	24	31	52
TOTAL 65-69 YRS	1647	13.3	48	6	8	12	16	21	25	42
70-74	1549	13.4	48	6	8	12	16	21	26	45
75-79	1058	14.8	66	7	8	13	17	24	33	51
80-84	555	16.0	92	7	8	14	19	26	35	61
85+	312	18.0	116	7	9	16	21	31	40	80
GRAND TOTAL	**5121**	**14.2**	**62**	**6**	**8**	**12**	**17**	**23**	**29**	**49**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	990	2.9	7	1	1	2	3	5	8	14
70-74	800	3.2	8	1	1	2	3	6	9	16
75-79	493	3.4	8	1	1	2	4	6	9	17
80-84	204	3.7	7	1	2	3	4	8	9	12
85+	75	3.8	12	<1	1	3	4	7	8	22
2. MULTIPLE DX										
65-69 YRS	1536	5.9	43	1	2	3	7	13	19	31
70-74	1499	6.9	53	1	2	4	9	16	20	38
75-79	1225	7.8	66	1	2	5	10	17	23	39
80-84	679	9.0	69	2	2	7	12	19	25	41
85+	351	10.4	76	2	2	8	14	22	30	98
TOT. SINGLE DX	2562	3.2	8	1	1	2	3	6	8	15
" MULTIPLE DX	5290	7.3	59	1	2	4	10	17	22	39
TOTAL 65-69 YRS	2526	4.7	31	1	1	3	5	11	15	27
70-74	2299	5.6	41	1	1	3	7	13	18	34
75-79	1718	6.6	54	1	2	4	8	15	20	35
80-84	883	7.8	60	1	2	5	10	17	23	37
85+	426	9.2	72	2	2	7	12	21	27	69
GRAND TOTAL	**7852**	**6.0**	**46**	**1**	**1**	**3**	**7**	**14**	**19**	**34**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	4.6	12	1	2	3	5	10	11	18
70-74	59	4.5	35	1	1	3	5	9	12	40
75-79	22	2.9	2	<1	1	3	4	5	5	5
80-84	15	4.5	3	2	3	4	5	8	9	9
85+	7	7.6	40	3	3	5	11	18	20	20
2. MULTIPLE DX										
65-69 YRS	156	7.7	53	2	2	5	10	18	25	39
70-74	133	9.3	127	2	2	5	11	19	40	56
75-79	102	8.5	51	2	2	7	11	16	20	39
80-84	58	10.5	150	2	2	6	12	21	27	76
85+	39	16.1	249	2	3	11	20	37	50	77
TOT. SINGLE DX	169	4.5	20	1	1	3	5	9	11	21
" MULTIPLE DX	488	9.3	104	2	2	6	12	20	30	53
TOTAL 65-69 YRS	222	6.8	43	2	2	4	8	17	22	38
70-74	192	7.8	104	1	2	4	8	17	31	53
75-79	124	7.5	47	1	2	5	9	15	18	39
80-84	73	9.2	126	2	2	6	11	20	25	71
85+	46	14.8	225	3	3	11	20	30	49	77
GRAND TOTAL	**657**	**8.0**	**87**	**1**	**2**	**5**	**10**	**18**	**25**	**52**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	225	4.2	13	1	2	3	4	9	12	21
70-74	217	4.5	12	1	2	3	5	9	12	19
75-79	189	4.2	9	1	2	3	5	9	11	15
80-84	95	5.9	32	1	2	3	9	13	16	29
85+	49	7.1	65	1	2	4	8	16	25	39
2. MULTIPLE DX										
65-69 YRS	663	8.7	77	2	2	6	11	18	24	43
70-74	821	9.2	89	2	2	6	11	20	25	48
75-79	799	9.6	95	2	2	6	13	21	27	49
80-84	497	11.5	141	2	3	8	15	23	33	65
85+	266	11.2	95	2	2	9	15	24	28	53
TOT. SINGLE DX	775	4.7	18	1	2	3	5	10	13	23
" MULTIPLE DX	3046	9.8	98	2	2	7	12	21	27	51
TOTAL 65-69 YRS	888	7.6	65	2	2	4	10	16	22	41
70-74	1038	8.2	77	2	2	5	10	18	23	45
75-79	988	8.6	84	2	2	5	11	19	25	46
80-84	592	10.6	128	2	2	7	14	22	31	61
85+	315	10.5	93	2	2	8	14	24	28	46
GRAND TOTAL	**3821**	**8.7**	**86**	**2**	**2**	**5**	**11**	**19**	**25**	**46**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74	3	2.7		2	2	3	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS										
70-74	2	6.5	41	2	2	6	11	11	11	11
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	2	3.5	5	2	2	3	5	5	5	5
TOT. SINGLE DX	9	2.0	1	<1	<1	2	3	3	3	3
" MULTIPLE DX	5	4.8	14	2	2	4	6	11	11	11
TOTAL 65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74	5	4.2	15	2	2	3	5	11	11	11
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	3	2.7	4	1	1	2	4	5	5	5
GRAND TOTAL	**14**	**3.0**	**7**	**<1**	**1**	**2**	**3**	**6**	**10**	**11**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	3.3		2	2	3	4	5	5	5
70-74	5	4.4	6	1	1	5	6	7	7	7
75-79	7	5.0	24	2	2	4	4	14	16	16
80-84	4	5.5	13	2	2	5	8	10	10	10
85+										
2. MULTIPLE DX										
65-69 YRS	29	9.0	86	1	2	7	12	16	21	50
70-74	18	6.9	41	2	2	4	9	14	23	28
75-79	11	6.3	18	3	3	5	7	12	17	18
80-84	8	8.0	16	2	2	9	11	13	13	13
85+	7	8.7	19	4	4	9	10	16	17	17
TOT. SINGLE DX	25	4.4	10	1	2	3	5	7	11	16
" MULTIPLE DX	73	7.9	50	2	2	6	10	14	18	45
TOTAL 65-69 YRS	38	7.7	72	1	2	5	10	14	19	50
70-74	23	6.4	35	1	2	5	9	12	20	28
75-79	18	5.8	20	2	2	4	7	14	17	18
80-84	12	7.2	15	2	2	8	10	12	13	13
85+	7	8.7	19	4	4	9	10	16	17	17
GRAND TOTAL	**98**	**7.0**	**42**	**2**	**2**	**5**	**9**	**14**	**17**	**39**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	6.9	3	5	5	6	9	9	9	9
70-74	15	6.3	3	3	5	6	8	9	9	9
75-79	4	9.3	65	3	3	6	14	21	21	21
80-84	5	8.4	12	5	5	8	10	14	14	14
85+										
2. MULTIPLE DX										
65-69 YRS	40	9.6	47	2	3	8	12	18	21	39
70-74	36	10.0	66	5	5	8	10	16	30	44
75-79	29	9.9	29	4	5	8	12	16	23	26
80-84	19	8.9	30	3	4	7	12	17	22	24
85+	7	14.0	44	5	6	13	15	25	27	27
TOT. SINGLE DX	31	7.1	12	3	5	6	8	9	14	21
" MULTIPLE DX	131	9.9	46	3	5	8	12	17	23	40
TOTAL 65-69 YRS	47	9.2	41	2	4	8	10	16	21	39
70-74	51	8.9	50	5	5	7	9	14	20	44
75-79	33	9.8	32	3	4	8	12	18	23	26
80-84	24	8.8	26	3	4	7	11	15	20	24
85+	7	14.0	45	5	6	13	15	25	27	27
GRAND TOTAL	**162**	**9.4**	**40**	**3**	**5**	**8**	**11**	**16**	**21**	**39**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	327	3.2	2	1	2	3	4	5	6	11
70-74	215	3.2	3	1	2	3	4	5	6	10
75-79	99	3.2	3	1	2	3	4	5	6	12
80-84	34	3.8	7	2	2	3	4	6	10	15
85+	11	3.8	7	1	1	2	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	462	4.7	16	1	2	4	5	9	12	20
70-74	328	5.0	13	1	2	4	6	10	13	20
75-79	197	6.2	64	2	2	4	6	12	17	39
80-84	80	7.0	57	2	2	5	8	13	18	44
85+	35	8.4	43	2	2	6	11	20	22	28
TOT. SINGLE DX	686	3.2	3	1	2	3	4	5	6	11
" MULTIPLE DX	1102	5.3	29	2	2	4	6	10	14	23
TOTAL 65-69 YRS	789	4.1	11	1	2	3	5	7	11	18
70-74	543	4.3	10	1	2	3	5	8	11	18
75-79	296	5.2	46	2	2	4	5	10	13	33
80-84	114	6.1	45	2	2	4	7	12	15	43
85+	46	7.3	38	1	2	5	9	19	21	28
GRAND TOTAL	**1788**	**4.5**	**20**	**1**	**2**	**3**	**5**	**8**	**12**	**20**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	64	2.2	2	<1	1	2	2	4	6	10
70-74	65	2.1	1	<1	1	2	2	3	4	8
75-79	36	2.1		<1	1	2	3	3	4	5
80-84	20	2.4	2	<1	<1	2	3	4	6	8
85+	13	2.6	1	2	2	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	245	4.8	30	1	1	3	6	11	15	30
70-74	213	5.6	46	1	2	3	7	13	16	37
75-79	146	6.0	34	1	2	4	8	13	19	27
80-84	109	6.5	45	1	2	4	8	15	21	33
85+	77	9.5	117	1	2	7	13	20	27	67
TOT. SINGLE DX	288	2.1	1	<1	1	2	2	3	4	8
" MULTIPLE DX	1012	6.0	52	1	2	3	7	14	18	35
TOTAL 65-69 YRS	411	4.1	24	1	1	2	4	9	13	29
70-74	363	4.5	34	1	1	2	5	9	15	29
75-79	233	5.5	55	1	1	3	6	13	17	42
80-84	170	6.1	46	1	2	3	7	13	21	33
85+	123	8.2	97	1	2	4	11	16	26	50
GRAND TOTAL	**1300**	**5.1**	**44**	**1**	**1**	**3**	**6**	**12**	**16**	**33**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	180	4.7	5	2	2	4	6	8	9	12
70-74	100	4.8	9	1	2	4	6	9	11	16
75-79	59	4.4	3	2	2	4	5	7	8	9
80-84	26	6.7	49	1	2	4	8	15	20	35
85+	6	3.7	5	1	1	3	4	8	8	8
2. MULTIPLE DX										
65-69 YRS	371	5.8	28	2	2	5	7	10	15	28
70-74	220	6.7	38	2	2	5	8	12	16	34
75-79	119	8.6	81	2	2	5	10	18	25	48
80-84	54	9.6	97	2	2	7	12	20	28	60
85+	24	11.2	43	3	4	11	14	22	25	27
TOT. SINGLE DX	371	4.8	9	2	2	4	6	8	10	16
" MULTIPLE DX	788	6.9	47	2	2	5	8	13	18	39
TOTAL 65-69 YRS	551	5.4	21	2	2	4	6	9	12	24
70-74	320	6.1	31	2	2	5	8	11	15	30
75-79	178	7.2	59	2	2	5	8	15	20	43
80-84	80	8.6	83	2	2	6	10	16	26	53
85+	30	9.7	44	2	3	9	13	19	24	27
GRAND TOTAL	**1159**	**6.2**	**36**	**2**	**2**	**5**	**7**	**11**	**16**	**32**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	27	10.7	42	5	6	9	12	18	28	31
70-74	12	8.3	8	5	5	8	9	13	14	14
75-79	16	12.3	37	6	7	10	14	24	26	26
80-84	11	13.5	40	7	7	11	18	23	26	26
85+	3	11.3	2	10	10	11	12	13	13	13
2. MULTIPLE DX										
65-69 YRS	75	13.9	102	4	6	10	17	25	32	59
70-74	76	15.9	150	6	7	12	18	27	44	67
75-79	55	15.8	81	7	8	14	18	27	30	53
80-84	41	19.1	108	6	9	18	23	29	42	56
85+	22	18.5	134	3	4	17	25	33	44	48
TOT. SINGLE DX	68	11.1	35	6	6	9	13	19	26	30
" MULTIPLE DX	269	16.0	117	5	7	14	19	28	37	62
TOTAL 65-69 YRS	102	13.0	88	4	6	10	16	24	31	54
70-74	87	14.9	139	5	7	12	17	26	39	67
75-79	71	15.0	73	7	8	14	17	26	28	52
80-84	52	17.9	99	7	8	17	22	28	34	56
85+	25	17.7	124	4	4	14	25	30	43	48
GRAND TOTAL	**337**	**15.0**	**104**	**5**	**7**	**12**	**18**	**27**	**32**	**57**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	46	7.8	6	5	5	7	8	12	13	18
70-74	25	9.8	41	4	4	8	11	22	25	28
75-79	20	10.3	24	6	6	8	11	18	22	24
80-84	13	12.4	31	6	7	12	16	22	22	22
85+	8	10.6	22	5	6	10	11	18	21	21
2. MULTIPLE DX										
65-69 YRS	176	16.4	108	6	7	13	21	33	37	52
70-74	145	15.4	79	6	7	12	20	27	34	44
75-79	108	15.8	119	7	7	13	19	29	37	60
80-84	69	15.8	78	5	8	13	19	30	34	48
85+	36	18.0	104	8	8	15	22	30	44	48
TOT. SINGLE DX	112	9.4	23	5	5	8	11	16	22	26
" MULTIPLE DX	534	16.0	98	6	7	13	20	30	36	48
TOTAL 65-69 YRS	222	14.6	99	5	6	11	19	30	36	48
70-74	170	14.6	78	5	6	11	18	26	32	44
75-79	128	15.0	108	6	7	12	18	27	36	54
80-84	82	15.3	72	6	7	13	19	28	32	46
85+	44	16.6	97	7	8	14	21	29	40	48
GRAND TOTAL	**646**	**14.9**	**91**	**6**	**6**	**12**	**19**	**28**	**35**	**47**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	63	9.0	12	5	5	8	11	14	15	23
70-74	31	9.2	24	5	5	8	10	13	21	29
75-79	23	11.0	32	5	6	9	12	20	23	27
80-84	15	8.8	3	7	7	8	10	11	13	14
85+	4	12.3	29	5	5	13	16	18	18	18
2. MULTIPLE DX										
65-69 YRS	302	13.4	76	5	6	10	17	23	29	43
70-74	234	14.4	82	5	7	12	17	26	32	51
75-79	147	15.5	107	7	7	13	18	28	36	56
80-84	89	17.7	98	8	9	15	21	30	36	87
85+	48	16.9	61	6	7	16	21	27	34	35
TOT. SINGLE DX	136	9.4	18	5	6	8	11	14	19	27
" MULTIPLE DX	820	14.7	87	6	7	12	18	26	33	52
TOTAL 65-69 YRS	365	12.6	68	5	6	10	16	22	28	38
70-74	265	13.8	79	5	6	11	17	24	31	50
75-79	170	14.9	99	6	7	12	18	26	35	55
80-84	104	16.4	94	7	8	14	20	29	34	62
85+	52	16.6	60	6	7	16	21	26	34	35
GRAND TOTAL	**956**	**14.0**	**81**	**5**	**6**	**11**	**17**	**25**	**32**	**50**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	5	11.8	41	4	4	9	18	19	19	19
70-74	5	13.0	160	2	2	8	20	34	34	34
75-79	3	18.0	97	10	10	15	25	29	29	29
80-84	4	10.0	27	6	6	9	14	17	17	17
85+	3	10.7	12	7	7	11	13	14	14	14
TOT. SINGLE DX	2	4.0	18	1	1	4	7	7	7	7
" MULTIPLE DX	20	12.5	65	3	5	10	16	24	31	34
TOTAL 65-69 YRS	6	11.0	37	4	4	9	18	19	19	19
70-74	6	11.0	152	1	1	7	15	32	34	34
75-79	3	18.0	97	10	10	15	25	29	29	29
80-84	4	10.0	27	6	6	9	14	17	17	17
85+	3	10.7	12	7	7	11	13	14	14	14
GRAND TOTAL	**22**	**11.7**	**66**	**2**	**3**	**10**	**15**	**22**	**31**	**34**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	2	8.0	2	7	7	8	9	9	9	9
75-79										
80-84	1	12.0		12	12	12	12	12	12	12
85+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	7	15.1	419	3	3	10	11	51	61	61
70-74	2	6.5	25	3	3	6	10	10	10	10
75-79	5	22.8	301	4	4	31	37	38	38	38
80-84	2	14.5	61	9	9	14	20	20	20	20
85+	2	8.0	50	3	3	8	13	13	13	13
TOT. SINGLE DX * MULTIPLE DX	5	7.6	9	5	5	7	10	12	12	12
	18	15.4	259	3	3	10	20	38	52	61
TOTAL 65-69 YRS	7	15.1	420	3	3	10	11	51	61	61
70-74	4	7.3	10	3	3	8	9	10	10	10
75-79	5	22.8	302	4	4	31	37	38	38	38
80-84	3	13.7	32	9	9	12	18	20	20	20
85+	4	6.5	20	3	3	5	9	13	13	13
GRAND TOTAL	23	13.7	213	3	3	9	13	37	46	61

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	70	2.6	2	A	A	2	3	4	7	10
70-74	35	3.1	2	A	A	2	3	4	4	5
75-79	21	3.0	2	A	A	2	3	5	6	8
80-84	20	3.5	4	A	A	2	3	5	8	9
85+	10	3.5	4	A	A	2	3	7	7	7
2. MULTIPLE DX										
65-69 YRS	117	4.6	40	1	1	2	4	9	17	36
70-74	73	5.0	40	1	1	2	5	10	21	35
75-79	52	6.4	62	1	1	3	6	13	20	42
80-84	28	6.4	29	1	1	4	10	15	18	21
85+	17	7.6	81	1	1	3	10	18	31	37
TOT. SINGLE DX * MULTIPLE DX	156	2.6	2	A	1	2	3	4	5	9
	287	5.4	46	1	1	3	6	12	19	37
TOTAL 65-69 YRS	187	3.9	27	1	1	2	4	7	11	29
70-74	108	4.1	29	1	1	2	4	8	11	29
75-79	73	5.4	47	1	1	3	5	11	18	32
80-84	48	4.8	21	1	1	3	7	12	18	40
85+	27	6.1	56	1	1	3	6	11	15	21
GRAND TOTAL	443	4.4	32	1	1	3	4	9	14	35

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	161	3.9	12	1	1	2	5	8	11	17
70-74	124	4.1	14	1	1	2	5	8	10	19
75-79	80	3.8	7	1	1	2	5	8	10	12
80-84	40	5.2	16	A	1	2	6	11	14	17
85+	13	5.8	24	A	2	4	7	12	18	20
2. MULTIPLE DX										
65-69 YRS	473	5.6	80	1	2	4	7	11	16	31
70-74	376	6.3	32	1	2	5	8	13	18	32
75-79	289	7.3	66	1	2	6	9	15	24	46
80-84	173	7.9	76	2	2	6	10	14	22	56
85+	109	11.3	170	2	2	6	13	22	33	74
TOT. SINGLE DX * MULTIPLE DX	418	4.1	13	1	1	2	6	9	11	17
	1420	6.8	57	1	2	5	8	14	20	41
TOTAL 65-69 YRS	634	5.2	27	1	1	3	7	11	14	28
70-74	500	5.5	29	1	2	4	7	12	16	31
75-79	369	6.5	56	1	2	4	8	13	22	42
80-84	213	7.4	66	2	2	5	9	13	20	48
85+	122	10.7	158	2	2	7	12	22	32	71
GRAND TOTAL	1838	6.2	48	1	2	4	8	12	18	37

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	7.5	5	6	6	7	9	9	9	9
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+	1	20.0		20	20	20	20	20	20	20
TOT. SINGLE DX	4	4.8	12	1	1	4	7	9	9	9
" MULTIPLE DX	3	12.0	48	8	8	8	17	20	20	20
TOTAL 65-69 YRS	3	7.7	2	6	6	8	9	9	9	9
70-74										
75-79	2	5.5	13	3	3	5	8	8	8	8
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	**7**	**7.9**	**37**	**1**	**1**	**8**	**9**	**18**	**20**	**20**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	3.5	18	<1	1	2	3	9	16	18
70-74	15	3.9	16	1	2	2	5	8	15	17
75-79	6	4.8	16	2	2	3	4	12	13	13
80-84	7	2.9	2	2	2	2	3	5	6	6
85+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	88	6.7	99	<1	1	3	9	14	17	63
70-74	86	8.0	90	1	2	4	11	20	27	51
75-79	51	12.5	115	2	2	11	16	29	41	42
80-84	29	10.1	95	2	2	5	16	24	32	38
85+	30	10.2	67	1	2	9	15	17	31	36
TOT. SINGLE DX	52	3.8	15	1	1	2	4	7	14	18
" MULTIPLE DX	284	8.9	99	1	2	5	12	20	29	46
TOTAL 65-69 YRS	110	6.1	85	<1	1	3	8	14	16	53
70-74	101	7.4	82	1	2	3	10	18	23	50
75-79	57	11.7	110	2	2	10	14	28	40	42
80-84	36	8.7	85	2	2	4	12	22	30	38
85+	32	9.9	65	1	2	8	14	17	30	36
GRAND TOTAL	**336**	**8.1**	**89**	**1**	**2**	**4**	**11**	**17**	**26**	**43**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	520	8.3	9	5	6	8	9	11	14	22
70-74	351	8.8	13	5	6	8	10	13	16	23
75-79	190	8.9	10	6	6	8	10	13	16	21
80-84	76	10.6	24	5	6	9	12	16	21	30
85+	35	12.0	118	5	6	9	12	21	26	68
2. MULTIPLE DX										
65-69 YRS	2559	10.6	42	6	6	9	12	17	22	39
70-74	1662	11.2	44	6	6	9	13	19	23	37
75-79	1018	12.9	63	6	7	10	15	22	28	47
80-84	483	14.2	87	6	7	11	16	24	32	52
85+	222	14.0	66	6	7	11	18	25	33	45
TOT. SINGLE DX	1172	8.8	16	5	6	8	10	13	16	25
" MULTIPLE DX	5944	11.6	53	6	6	9	13	20	25	42
TOTAL 65-69 YRS	3079	10.2	38	6	6	8	11	16	22	35
70-74	2013	10.8	40	6	6	9	12	18	23	35
75-79	1208	12.3	57	6	7	10	14	21	26	45
80-84	559	13.7	80	6	7	11	16	23	31	51
85+	257	13.8	74	6	7	11	17	25	33	49
GRAND TOTAL	**7116**	**11.1**	**48**	**6**	**6**	**9**	**13**	**19**	**23**	**40**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	418	7.6	4	5	5	7	8	11	12	15
70-74	298	8.1	6	5	6	8	9	11	13	18
75-79	214	8.0	7	5	5	7	9	11	13	20
80-84	59	8.7	15	5	5	8	10	12	13	30
85+	19	8.2	4	5	6	8	9	11	12	13
2. MULTIPLE DX										
65-69 YRS	1577	8.6	15	5	6	8	10	12	15	22
70-74	1232	9.0	15	5	6	8	10	13	15	26
75-79	790	9.7	33	5	6	8	10	14	17	29
80-84	297	11.1	33	5	6	10	13	18	22	35
85+	119	11.3	53	5	6	9	12	19	23	50
TOT. SINGLE DX	1008	7.9	7	5	5	8	9	11	12	18
" MULTIPLE DX	4015	9.2	22	5	6	8	10	14	16	27
TOTAL 65-69 YRS	1995	8.4	13	5	6	8	9	12	14	21
70-74	1530	8.8	14	5	6	8	10	13	15	25
75-79	1004	9.3	29	5	6	8	10	14	17	26
80-84	356	10.7	31	5	6	9	12	17	22	34
85+	138	10.9	48	5	6	9	12	18	22	49
GRAND TOTAL	**5023**	**9.0**	**19**	**5**	**6**	**8**	**10**	**13**	**16**	**26**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	18	13.9	40	8	9	11	16	24	29	31
70-74	14	15.4	45	8	9	14	17	23	31	34
75-79	4	14.0	27	9	9	14	18	19	19	19
80-84	2	17.0	200	7	7	17	27	27	27	27
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	49	22.8	299	9	9	17	25	48	67	79
70-74	33	24.4	249	8	9	20	32	44	65	69
75-79	27	21.4	152	10	11	17	30	43	63	99+
80-84	13	20.6	118	11	13	16	24	34	48	51
85+	6	10.8	25	5	5	9	17	17	17	17
TOT. SINGLE DX	39	14.7	42	8	9	14	17	25	29	34
" MULTIPLE DX	128	22.1	227	9	9	17	27	44	61	83
TOTAL 65-69 YRS	67	20.4	244	8	9	15	23	42	62	78
70-74	47	21.7	204	8	9	17	26	41	48	69
75-79	31	20.5	142	9	10	17	29	41	58	99+
80-84	15	20.1	117	8	10	16	26	30	46	51
85+	7	11.7	27	5	5	10	17	17	17	17
GRAND TOTAL	167	20.4	194	8	9	16	24	39	52	78

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	854	2.2	2	<1	<1	2	2	4	5	9
70-74	578	2.5	4	<1	1	2	2	4	6	11
75-79	355	3.0	25	<1	1	2	3	5	8	18
80-84	153	2.7	5	1	1	2	3	5	8	12
85+	114	3.3	7	1	1	2	4	6	8	17
2. MULTIPLE DX										
65-69 YRS	1926	4.3	37	<1	1	2	4	10	14	32
70-74	1518	4.6	36	1	1	2	5	10	14	32
75-79	976	5.2	52	1	1	3	6	12	18	33
80-84	543	6.4	69	1	2	3	8	14	22	49
85+	340	7.2	62	1	2	5	9	16	20	43
TOT. SINGLE DX	2054	2.5	8	<1	1	2	3	4	6	11
" MULTIPLE DX	5303	4.9	46	1	1	2	5	11	16	33
TOTAL 65-69 YRS	2780	3.7	28	<1	1	2	3	8	12	26
70-74	2096	4.0	29	<1	1	2	4	9	12	26
75-79	1331	4.6	46	1	1	2	5	10	15	32
80-84	696	5.6	57	1	1	3	6	13	18	43
85+	454	6.2	51	1	2	4	8	14	18	28
GRAND TOTAL	7357	4.3	36	<1	1	2	4	9	14	30

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	3	6.0	37	2	2	3	10	13	13	13
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	14	5.6	15	1	1	6	8	11	13	13
70-74	10	5.3	11	<1	<1	5	8	9	10	10
75-79	3	11.7	90	2	2	16	60	99+	99+	99+
80-84	3	11.3	56	7	7	7	17	20	20	20
85+	7	14.9	407	3	3	6	16	51	59	59
TOT. SINGLE DX	6	4.8	20	2	2	3	7	12	13	13
" MULTIPLE DX	37	8.2	100	1	1	7	9	20	44	99+
TOTAL 65-69 YRS	15	5.3	15	1	1	5	8	11	12	13
70-74	13	5.5	15	<1	1	4	8	11	13	13
75-79	4	9.3	84	2	2	12	41	99+	99+	99+
80-84	3	11.3	56	7	7	7	17	20	20	20
85+	8	13.9	357	3	3	6	13	47	59	59
GRAND TOTAL	**43**	**7.7**	**89**	**1**	**1**	**6**	**9**	**19**	**32**	**99+**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	2	9.0	2	8	8	9	10	10	10	10
70-74	3	17.3	262	7	7	9	29	36	36	36
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+	3	8.3	6	6	6	8	10	11	11	11
2. MULTIPLE DX										
65-69 YRS	7	8.7	4	6	6	9	10	11	11	11
70-74	13	10.2	24	3	5	9	12	19	20	20
75-79	8	10.8	53	3	4	8	15	23	24	24
80-84	3	13.3	102	7	7	8	21	25	25	25
85+	2	11.5	1	11	11	11	12	12	12	12
TOT. SINGLE DX	9	11.6	86	6	6	9	10	26	36	36
" MULTIPLE DX	33	10.4	29	4	6	9	12	20	23	25
TOTAL 65-69 YRS	9	8.8	3	6	6	9	10	11	11	11
70-74	16	11.5	63	4	5	9	12	20	31	36
75-79	9	10.6	47	3	4	8	12	22	24	24
80-84	3	13.3	102	7	7	8	21	25	25	25
85+	5	9.6	6	6	6	11	11	12	12	12
GRAND TOTAL	**42**	**10.6**	**40**	**4**	**6**	**9**	**11**	**20**	**24**	**36**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	46	4.3	5	1	2	4	4	7	10	12
70-74	27	4.0	4	2	2	4	5	6	9	11
75-79	17	4.0	2	2	2	4	5	7	8	8
80-84	9	5.2	8	2	2	5	6	10	11	11
85+	5	4.8	3	3	3	4	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	82	4.6	16	1	2	3	4	9	13	24
70-74	69	4.1	6	2	2	3	4	6	8	17
75-79	33	4.7	18	2	2	4	4	6	18	21
80-84	34	4.4	3	2	3	4	5	8	8	8
85+	20	6.0	18	2	3	5	6	11	16	21
TOT. SINGLE DX	104	4.3	5	2	2	4	5	7	9	12
" MULTIPLE DX	238	4.5	12	2	2	4	4	8	11	21
TOTAL 65-69 YRS	128	4.5	12	1	2	4	4	9	12	23
70-74	96	4.1	6	2	2	3	4	6	9	16
75-79	50	4.5	13	2	2	4	4	7	8	21
80-84	43	4.5	4	2	2	4	5	8	8	11
85+	25	5.7	16	2	3	4	6	10	14	21
GRAND TOTAL	**342**	**4.5**	**10**	**2**	**2**	**4**	**4**	**8**	**10**	**21**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
65-69 YRS	505	6.7	5	3	4	6	8	10	12	14
70-74	373	7.0	6	4	4	7	8	10	11	15
75-79	200	7.3	8	4	4	7	8	10	13	18
80-84	70	7.9	13	4	5	7	9	12	16	24
85+	27	9.7	58	4	5	8	10	14	21	45
2. MULTIPLE DX										
65-69 YRS	1092	8.2	13	4	5	7	9	13	15	21
70-74	777	8.2	16	4	5	7	9	13	15	21
75-79	518	9.2	26	4	5	8	11	15	18	26
80-84	229	9.6	29	4	5	8	11	15	19	31
85+	62	9.2	30	4	5	8	11	15	18	38
TOT. SINGLE DX	1175	7.0	8	4	4	7	8	10	12	16
" MULTIPLE DX	2678	8.6	19	4	5	8	10	14	16	23
TOTAL 65-69 YRS	1597	7.7	11	4	4	7	9	12	14	20
70-74	1150	7.8	14	4	4	7	9	12	14	20
75-79	718	8.7	22	4	5	8	10	14	17	25
80-84	299	9.2	27	4	5	8	11	14	18	30
85+	89	9.3	38	4	5	8	10	15	17	43
GRAND TOTAL	**3853**	**8.1**	**16**	**4**	**5**	**7**	**9**	**12**	**15**	**22**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	44	6.9	25	2	3	6	8	10	11	36
70-74	32	6.2	17	1	2	6	8	10	15	21
75-79	16	6.4	9	2	3	6	7	10	13	15
80-84	9	9.0	24	2	3	8	11	17	18	18
85+	4	8.0	46	3	3	5	12	18	18	18
2. MULTIPLE DX										
65-69 YRS	102	9.6	86	2	4	8	10	18	22	58
70-74	70	8.7	51	2	3	8	10	14	16	89
75-79	54	10.2	38	2	4	9	13	18	25	97
80-84	16	8.6	15	3	4	8	13	15	70	99+
85+	18	14.7	74	4	5	13	21	26	32	34
TOT. SINGLE DX	105	6.8	21	2	2	6	8	10	15	28
" MULTIPLE DX	260	9.8	63	2	4	8	12	18	24	97
TOTAL 65-69 YRS	146	8.8	69	2	3	7	9	15	20	39
70-74	102	7.9	42	2	2	7	9	14	16	71
75-79	70	9.3	34	2	4	8	12	16	21	87
80-84	25	8.8	18	2	4	8	13	15	34	99+
85+	22	13.5	74	4	4	12	20	24	30	34
GRAND TOTAL	**365**	**8.9**	**53**	**2**	**3**	**7**	**10**	**16**	**21**	**74**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	105	5.3	66	<1	1	4	6	9	11	49
70-74	113	5.3	15	2	2	5	7	9	11	24
75-79	77	5.5	10	2	2	5	7	10	12	17
80-84	36	6.4	37	2	2	5	7	10	18	35
85+	24	5.0	13	1	2	4	7	8	13	17
2. MULTIPLE DX										
65-69 YRS	386	8.2	81	2	2	6	9	15	22	49
70-74	323	8.8	93	2	2	6	9	21	29	64
75-79	296	9.6	95	2	2	7	10	21	32	57
80-84	190	11.9	178	2	3	8	14	24	36	96
85+	112	10.6	136	2	2	8	11	25	51	99+
TOT. SINGLE DX	355	5.4	31	1	2	4	7	9	12	24
" MULTIPLE DX	1307	9.4	108	2	2	7	10	19	31	73
TOTAL 65-69 YRS	491	7.6	80	1	2	6	8	13	20	49
70-74	436	7.9	76	2	2	6	9	16	27	60
75-79	373	8.8	81	2	2	6	9	17	27	51
80-84	226	11.0	160	2	3	7	13	22	35	92
85+	136	9.6	119	2	2	7	10	21	41	99+
GRAND TOTAL	**1662**	**8.5**	**94**	**2**	**2**	**6**	**9**	**17**	**27**	**62**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	2.9	4	<1	1	2	4	5	8	11
70-74	66	3.8	26	1	1	3	3	7	12	29
75-79	62	3.0	4	1	1	2	4	6	8	11
80-84	28	3.6	10	1	2	3	4	6	11	17
85+	23	3.1	4	<1	1	3	4	5	8	11
2. MULTIPLE DX										
65-69 YRS	163	7.6	126	1	1	4	9	14	24	79
70-74	173	7.0	82	1	2	4	8	18	24	69
75-79	140	7.3	58	2	2	5	9	14	20	40
80-84	109	11.5	144	2	2	8	15	25	37	85
85+	97	11.9	135	2	2	8	15	28	41	80
TOT. SINGLE DX	260	3.3	11	1	1	2	4	6	8	17
" MULTIPLE DX	682	8.6	109	1	2	5	10	20	27	70
TOTAL 65-69 YRS	244	6.0	91	1	1	3	7	12	17	58
70-74	239	6.1	69	1	1	3	6	17	22	54
75-79	202	6.0	46	1	2	4	7	11	16	35
80-84	137	9.9	127	2	2	6	13	23	33	78
85+	120	10.2	122	2	2	6	13	26	34	71
GRAND TOTAL	**942**	**7.1**	**88**	**1**	**2**	**4**	**8**	**16**	**25**	**59**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	10.1	88	1	2	7	15	27	30	31
70-74	35	7.8	48	2	2	4	11	20	24	25
75-79	22	12.0	138	2	3	7	18	26	36	50
80-84	24	9.2	74	2	3	6	10	21	30	39
85+	13	11.2	44	2	4	9	15	20	25	26
2. MULTIPLE DX										
65-69 YRS	71	16.3	188	3	4	11	22	31	45	75
70-74	63	18.5	174	4	5	17	25	35	48	60
75-79	60	16.2	82	4	5	14	23	31	33	93
80-84	60	16.3	122	4	5	14	22	34	37	46
85+	21	18.5	253	3	6	17	21	28	55	79
TOT. SINGLE DX	113	9.7	77	2	2	6	13	23	26	43
" MULTIPLE DX	275	16.9	151	3	4	15	23	32	39	74
TOTAL 65-69 YRS	90	15.0	173	2	3	10	21	30	41	70
70-74	98	14.7	155	2	3	11	21	30	39	60
75-79	82	15.1	100	3	4	12	22	30	33	83
80-84	84	14.3	118	3	4	10	20	32	37	44
85+	34	15.7	183	2	4	15	19	24	34	79
GRAND TOTAL	**388**	**14.8**	**140**	**2**	**3**	**11**	**21**	**30**	**37**	**60**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	4.1	5	2	2	3	5	8	9	9
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	21	6.4	74	<1	1	3	6	13	27	40
70-74	20	7.7	26	2	3	6	10	13	19	24
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	4	23.8	1041	5	5	9	41	72	72	72
85+	6	12.3	57	4	4	9	19	23	24	24
TOT. SINGLE DX	9	3.6	6	<1	1	3	4	7	9	9
" MULTIPLE DX	53	8.9	125	1	2	6	10	17	24	71
TOTAL 65-69 YRS	28	5.9	57	<1	1	3	6	11	19	40
70-74	22	7.1	27	1	2	6	9	13	18	24
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	4	23.8	1041	5	5	9	41	72	72	72
85+	6	12.3	57	4	4	9	19	23	24	24
GRAND TOTAL	**62**	**8.1**	**111**	**1**	**2**	**5**	**9**	**15**	**24**	**68**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79	1	19.0		19	19	19	19	19	19	19
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	9	9.4	34	3	4	7	13	19	20	20
70-74	7	4.1	6	1	1	4	5	8	9	9
75-79	9	7.9	21	1	1	10	11	13	14	14
80-84	6	16.8	376	1	1	7	34	47	48	48
85+	4	11.0	88	5	5	7	16	25	25	25
TOT. SINGLE DX	2	12.0	98	5	5	12	19	19	19	19
" MULTIPLE DX	35	9.4	94	1	2	7	11	20	32	48
TOTAL 65-69 YRS	10	9.0	32	3	4	7	11	19	20	20
70-74	7	4.1	7	1	1	4	5	8	9	9
75-79	10	9.0	31	1	1	10	11	16	19	19
80-84	6	16.8	377	1	1	7	34	47	48	48
85+	4	11.0	88	5	5	7	16	25	25	25
GRAND TOTAL	**37**	**9.6**	**92**	**1**	**2**	**7**	**11**	**20**	**31**	**48**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX * MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	5.9	25	<1	1	4	8	13	17	20
70-74	32	7.8	54	2	2	6	11	15	22	37
75-79	19	6.5	27	1	2	6	9	13	18	21
80-84	12	12.5	49	3	3	14	15	20	27	28
85+	6	15.0	449	2	2	7	15	53	57	57
2. MULTIPLE DX										
65-69 YRS	104	11.2	150	2	2	6	16	26	36	85
70-74	83	9.7	123	1	2	6	14	20	27	66
75-79	64	11.0	171	2	2	7	14	28	36	75
80-84	26	13.9	226	2	2	10	16	51	68	99+
85+	19	12.7	68	2	3	13	20	25	27	27
TOT. SINGLE DX	104	7.9	64	1	2	5	11	15	20	46
" MULTIPLE DX	296	11.1	148	2	2	8	15	26	35	81
TOTAL 65-69 YRS	139	9.9	124	1	2	6	14	24	34	75
70-74	115	9.2	104	2	2	6	12	20	24	52
75-79	83	10.0	141	2	2	6	12	22	33	67
80-84	38	13.4	168	2	3	12	16	29	59	99+
85+	25	13.2	146	2	2	11	18	26	34	57
GRAND TOTAL	400	10.2	128	2	2	7	14	22	33	76

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	41	3.4	3	1	1	3	5	6	7	9
70-74	29	4.6	13	2	2	3	6	9	10	19
75-79	7	5.7	9	3	3	4	9	10	10	10
80-84	2	4.0	2	3	3	4	5	5	5	5
85+	4	3.3	4	1	1	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	72	6.4	40	2	2	4	7	15	22	29
70-74	29	4.7	61	2	2	3	4	5	9	45
75-79	25	10.2	204	2	2	5	10	24	48	64
80-84	4	22.5	541	6	6	13	35	57	57	57
85+	4	7.3	5	4	4	8	9	9	9	9
TOT. SINGLE DX	83	4.0	8	1	2	3	5	8	9	16
" MULTIPLE DX	134	7.3	94	2	2	4	8	14	26	58
TOTAL 65-69 YRS	113	5.3	29	1	2	3	6	12	18	28
70-74	58	4.6	37	2	2	3	5	8	9	43
75-79	32	9.2	164	2	2	5	10	17	41	64
80-84	6	16.3	417	3	3	9	14	53	57	57
85+	8	5.3	9	1	1	5	8	9	9	9
GRAND TOTAL	217	6.0	64	2	2	4	6	12	18	49

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	3.4	1	2	2	3	5	5	5	5
70-74	7	4.6	11	1	1	3	6	10	11	11
75-79	5	5.6	13	2	2	5	8	11	11	11
80-84	2	2.5	1	2	2	2	3	3	3	3
85+	4	3.5	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	26	9.2	78	1	2	6	14	20	25	40
70-74	23	10.7	75	2	3	9	12	22	34	36
75-79	22	12.9	157	1	2	11	18	29	45	49
80-84	25	11.6	84	2	3	9	14	21	35	40
85+	17	20.6	652	2	3	10	23	65	82	90
TOT. SINGLE DX	25	4.1	7	1	2	3	5	7	11	11
" MULTIPLE DX	113	12.5	186	2	3	9	14	23	40	76
TOTAL 65-69 YRS	33	7.9	67	1	2	5	9	20	21	40
70-74	30	9.3	66	1	3	7	12	17	33	36
75-79	27	11.6	138	1	2	9	14	22	44	49
80-84	27	11.0	84	2	3	9	13	21	34	40
85+	21	17.3	569	2	2	8	17	60	78	90
GRAND TOTAL	138	11.0	164	2	2	7	13	21	38	71

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	5.0	22	1	2	4	5	10	16	23
70-74	15	3.3	3	1	2	3	4	5	7	8
75-79	16	5.5	18	<1	1	5	6	14	14	14
80-84	6	4.3	10	1	1	4	5	10	10	10
85+	3	7.0	49	2	2	4	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	77	11.6	114	2	2	8	14	31	36	51
70-74	46	11.0	91	3	3	7	17	28	50	99+
75-79	57	12.6	140	2	4	10	14	23	29	70
80-84	33	10.6	74	3	2	9	16	22	29	37
85+	23	13.6	65	3	4	12	20	23	28	33
TOT. SINGLE DX	65	4.8	17	1	2	4	5	10	14	22
" MULTIPLE DX	236	11.8	105	2	3	9	16	25	34	74
TOTAL 65-69 YRS	102	10.0	100	2	2	7	12	24	33	47
70-74	61	9.1	80	2	2	6	14	27	37	99+
75-79	73	11.0	122	1	3	9	13	22	26	67
80-84	39	9.7	69	1	2	8	14	21	27	37
85+	26	12.8	66	3	4	11	19	23	27	33
GRAND TOTAL	301	10.2	94	2	2	7	14	23	31	63

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	3.6	6	1	2	3	4	7	10	11
70-74	10	1.9		<1	<1	2	3	3	3	3
75-79	10	6.2	103	2	2	3	4	20	35	35
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	33	6.0	28	2	2	5	8	10	14	30
70-74	17	9.2	138	1	2	5	10	23	40	48
75-79	15	9.3	144	1	2	3	16	20	39	45
80-84	15	13.7	117	2	3	11	22	28	35	38
85+	6	6.5	43	2	2	3	11	17	18	18
TOT. SINGLE DX	48	3.7	25	1	1	3	4	5	10	35
" MULTIPLE DX	86	8.6	90	2	2	5	11	21	28	47
TOTAL 65-69 YRS	58	5.0	20	1	2	4	6	10	11	29
70-74	27	6.5	99	<1	1	3	7	17	28	48
75-79	25	8.1	125	1	2	3	7	20	37	45
80-84	17	12.3	118	1	2	10	21	27	34	38
85+	7	9.9	39	2	2	3	9	17	18	18
GRAND TOTAL	134	6.9	72	1	2	3	8	18	24	48

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	217	6.8	34	1	2	6	8	11	16	33
70-74	108	8.0	38	2	2	6	10	15	18	36
75-79	71	9.4	89	2	2	7	11	16	26	57
80-84	20	8.9	33	1	2	7	14	17	19	21
85+	24	13.0	148	3	4	10	18	21	34	62
2. MULTIPLE DX										
65-69 YRS	429	10.2	114	2	2	7	12	21	35	71
70-74	245	12.3	160	2	3	8	15	27	36	78
75-79	115	14.2	196	2	3	9	17	43	49	58
80-84	83	18.7	236	3	5	14	25	43	52	91
85+	60	20.1	318	3	5	16	23	35	52	98
TOT. SINGLE DX	440	7.9	52	2	2	6	9	15	18	42
" MULTIPLE DX	932	12.6	170	2	3	8	16	30	43	74
TOTAL 65-69 YRS	646	9.1	90	2	2	6	10	18	30	65
70-74	353	10.9	127	2	3	7	13	23	33	69
75-79	186	12.4	160	2	3	8	15	30	45	58
80-84	103	16.8	211	3	4	13	22	38	47	85
85+	84	18.0	278	3	4	15	21	34	46	96
GRAND TOTAL	1372	11.1	137	2	3	7	13	23	37	68

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	438	4.1	4	2	2	4	5	7	8	11
70-74	270	4.0	4	1	2	4	5	6	7	14
75-79	143	5.1	14	2	2	4	6	8	10	25
80-84	56	4.2	4	1	2	4	5	7	8	9
85+	18	4.6	6	1	2	4	6	8	9	10
2. MULTIPLE DX										
65-69 YRS	2008	4.8	9	2	2	4	5	8	9	17
70-74	1252	5.3	24	2	2	4	6	8	11	24
75-79	626	6.2	43	2	2	5	7	11	13	34
80-84	232	7.2	57	2	3	5	8	15	20	30
85+	66	8.0	56	2	3	6	8	16	27	38
TOT. SINGLE DX	925	4.2	6	2	2	4	5	7	8	12
" MULTIPLE DX	4184	5.3	23	2	2	4	6	8	11	24
TOTAL 65-69 YRS	2446	4.6	9	2	2	4	5	7	9	16
70-74	1522	5.1	21	2	2	4	6	8	10	22
75-79	769	6.0	38	2	2	5	7	10	13	33
80-84	288	6.6	49	2	2	5	7	13	18	29
85+	84	7.2	48	2	2	5	8	13	22	38
GRAND TOTAL	5109	5.1	20	2	2	4	6	8	10	23

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	696	5.8	44	1	1	4	6	11	19	36
70-74	450	6.4	53	1	2	4	8	13	23	35
75-79	271	7.5	79	1	2	4	8	16	26	51
80-84	101	8.6	108	<1	1	4	12	19	23	59
85+	75	8.0	76	1	1	4	11	20	31	37
2. MULTIPLE DX										
65-69 YRS	1607	11.9	179	1	2	7	16	30	41	85
70-74	1332	13.4	219	2	2	8	18	32	46	84
75-79	877	15.4	239	2	3	10	21	36	48	80
80-84	515	16.3	250	2	3	11	21	39	53	99+
85+	283	18.0	227	2	3	14	24	38	54	97
TOT. SINGLE DX	1593	6.5	59	1	1	4	8	14	22	38
" MULTIPLE DX	4614	13.8	217	2	2	9	19	33	46	85
TOTAL 65-69 YRS	2303	10.0	147	1	2	5	12	26	36	76
70-74	1782	11.6	187	1	2	6	15	29	40	73
75-79	1148	13.5	213	2	2	8	18	33	46	79
80-84	616	15.0	236	2	2	10	19	36	48	97
85+	358	15.9	212	2	2	12	22	35	47	89
GRAND TOTAL	**6207**	**12.0**	**187**	**1**	**2**	**7**	**16**	**30**	**42**	**80**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	166	11.3	61	2	3	10	15	20	28	38
70-74	152	12.2	52	2	4	11	16	21	27	38
75-79	157	14.2	96	3	5	12	18	25	30	53
80-84	146	14.9	72	5	7	14	17	23	29	45
85+	191	16.0	87	5	6	15	20	27	32	61
2. MULTIPLE DX										
65-69 YRS	370	15.9	171	3	4	13	19	33	50	97
70-74	413	17.4	165	4	6	15	21	32	42	83
75-79	447	18.9	173	6	8	16	22	37	55	99+
80-84	481	20.5	208	7	8	17	24	38	56	95
85+	587	20.5	196	8	9	17	25	39	50	98
TOT. SINGLE DX	812	13.8	77	3	5	13	17	24	30	49
" MULTIPLE DX	2298	18.9	188	5	7	16	23	36	50	97
TOTAL 65-69 YRS	536	14.5	142	2	4	12	18	29	39	86
70-74	565	16.0	141	3	5	14	20	29	37	75
75-79	604	17.7	158	5	7	15	21	33	49	99+
80-84	627	19.2	183	6	8	15	23	34	44	92
85+	778	19.4	173	6	8	16	23	34	46	95
GRAND TOTAL	**3110**	**17.6**	**164**	**4**	**6**	**15**	**21**	**32**	**44**	**88**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	468	4.0	20	<1	1	3	4	7	11	29
70-74	389	4.7	27	<1	1	3	5	10	15	27
75-79	279	5.6	34	1	1	4	7	12	15	36
80-84	214	7.5	61	1	2	5	9	18	21	33
85+	183	8.4	43	2	2	7	12	17	22	30
2. MULTIPLE DX										
65-69 YRS	524	9.5	127	2	2	5	12	23	36	65
70-74	557	12.4	205	2	2	7	17	30	45	81
75-79	468	13.7	199	2	3	9	18	32	47	73
80-84	382	14.5	207	2	3	9	20	31	44	75
85+	431	14.7	162	2	3	12	19	31	44	92
TOT. SINGLE DX	1533	5.5	36	1	1	3	6	12	17	29
" MULTIPLE DX	2362	12.8	183	2	2	8	17	30	43	79
TOTAL 65-69 YRS	992	6.9	85	1	2	4	7	16	26	49
70-74	946	9.2	146	1	2	5	11	22	32	65
75-79	747	10.6	153	1	2	6	13	25	37	67
80-84	596	12.0	166	2	2	7	17	26	37	69
85+	614	12.9	135	2	3	10	16	27	36	77
GRAND TOTAL	**3895**	**9.9**	**138**	**1**	**2**	**5**	**13**	**23**	**33**	**65**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	99	13.8	72	6	7	12	16	20	26	59
70-74	142	13.7	48	6	6	13	16	22	30	99+
75-79	189	15.2	86	6	7	14	18	23	28	78
80-84	219	16.6	85	7	9	15	19	26	33	70
85+	287	16.6	85	7	9	15	18	26	38	63
2. MULTIPLE DX										
65-69 YRS	287	18.7	147	6	8	15	23	35	46	81
70-74	370	20.0	188	8	9	16	22	35	55	99+
75-79	573	19.8	137	8	10	16	24	34	48	66
80-84	669	20.1	170	8	9	17	24	40	53	99+
85+	968	20.2	171	8	9	17	23	37	50	92
TOT. SINGLE DX	936	15.6	80	6	8	14	18	23	33	67
" MULTIPLE DX	2867	19.9	164	8	9	16	23	37	51	94
TOTAL 65-69 YRS	386	17.5	133	6	8	14	20	31	43	72
70-74	512	18.2	157	7	9	15	21	32	50	99+
75-79	762	18.6	129	8	9	16	22	32	44	69
80-84	888	19.3	152	7	9	16	22	35	50	99+
85+	1255	19.4	154	8	9	16	22	35	47	88
GRAND TOTAL	**3803**	**18.9**	**147**	**7**	**9**	**16**	**22**	**33**	**47**	**88**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	679	14.9	59	7	8	13	18	22	28	45
70-74	816	15.5	65	7	8	14	18	24	29	48
75-79	1167	16.1	66	7	9	15	19	25	31	48
80-84	1290	17.3	80	8	10	15	20	26	34	59
85+	1871	17.3	83	8	9	15	20	27	35	63
2. MULTIPLE DX										
65-69 YRS	1735	20.0	158	8	9	17	24	36	50	85
70-74	2692	21.1	176	8	10	17	25	39	52	99
75-79	3718	21.6	183	8	10	18	26	40	53	98
80-84	4588	21.9	185	8	10	18	26	39	55	98
85+	6693	21.5	181	8	10	18	25	40	55	99+
TOT. SINGLE DX	5823	16.5	75	7	9	15	19	25	32	57
" MULTIPLE DX	19426	21.4	180	8	10	18	25	39	54	99+
TOTAL 65-69 YRS	2414	18.6	136	7	9	16	22	32	44	80
70-74	3508	19.8	156	8	9	16	23	35	47	85
75-79	4885	20.3	161	8	10	17	24	36	48	90
80-84	5878	20.9	166	8	10	17	24	36	50	92
85+	8564	20.6	163	8	10	17	24	37	51	99+
GRAND TOTAL	25249	20.3	160	8	10	17	24	36	49	95

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	12.5	114	2	3	10	13	37	46	99+
70-74	35	14.1	140	1	2	12	18	29	45	50
75-79	48	15.4	203	2	2	12	17	33	42	68
80-84	49	19.1	230	3	5	15	25	43	56	68
85+	56	16.3	136	3	5	14	20	29	43	55
2. MULTIPLE DX										
65-69 YRS	87	28.1	513	6	6	20	41	59	85	99
70-74	95	22.0	295	5	6	17	31	46	63	93
75-79	117	27.7	426	6	7	22	42	71	99	99+
80-84	117	23.3	367	5	7	17	30	53	78	99+
85+	179	22.9	343	4	6	17	30	50	73	99
TOT. SINGLE DX	216	15.9	172	2	3	12	20	34	45	68
" MULTIPLE DX	595	24.5	385	5	7	18	33	55	80	99+
TOTAL 65-69 YRS	115	24.3	460	4	6	16	36	56	84	99+
70-74	130	19.8	264	3	5	15	28	45	51	88
75-79	165	24.1	391	2	6	18	35	62	84	99+
80-84	166	22.1	329	4	6	16	28	47	69	99
85+	235	21.3	302	4	6	15	27	46	62	96
GRAND TOTAL	811	22.2	343	4	6	16	30	51	72	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	207	4.2	13	1	1	3	5	10	12	16
70-74	165	4.6	43	1	1	3	5	10	15	23
75-79	144	5.0	34	1	1	3	5	10	16	31
80-84	65	6.5	44	1	1	4	8	15	19	36
85+	54	7.9	115	1	1	4	10	15	20	68
2. MULTIPLE DX										
65-69 YRS	199	10.0	140	1	1	6	13	24	30	58
70-74	186	10.5	118	1	2	7	13	24	36	54
75-79	171	11.1	118	2	2	9	13	27	40	91
80-84	122	14.0	183	2	2	10	20	29	44	80
85+	99	15.8	201	2	3	12	20	37	48	65
TOT. SINGLE DX	635	5.0	39	1	1	3	6	12	15	28
" MULTIPLE DX	777	11.7	148	1	2	8	15	27	40	60
TOTAL 65-69 YRS	406	7.0	84	1	1	4	8	15	24	56
70-74	351	7.7	91	1	1	4	9	17	25	53
75-79	315	8.3	89	1	2	5	10	20	29	56
80-84	187	11.4	148	1	2	7	16	27	39	68
85+	153	13.0	184	1	2	8	16	32	46	69
GRAND TOTAL	1412	8.7	110	1	1	5	11	21	30	58

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	922	6.8	23	2	2	5	9	13	16	24
70-74	717	7.8	41	2	3	6	9	14	18	36
75-79	495	8.7	50	2	3	7	11	16	21	31
80-84	233	8.8	41	2	3	7	11	17	22	30
85+	168	9.9	73	2	3	8	12	19	25	52
2. MULTIPLE DX										
65-69 YRS	1377	11.3	101	3	3	8	14	22	31	57
70-74	1197	12.7	127	3	4	10	15	25	35	73
75-79	935	13.5	122	3	4	11	17	27	35	60
80-84	607	15.3	179	3	4	12	19	32	46	96
85+	466	17.3	199	4	5	13	22	35	47	86
TOT. SINGLE DX	2535	7.9	40	2	3	6	10	15	19	30
" MULTIPLE DX	4582	13.3	136	3	4	10	16	27	37	72
TOTAL 65-69 YRS	2299	9.5	75	2	3	7	12	18	26	49
70-74	1914	10.9	101	3	3	8	13	22	29	61
75-79	1430	11.9	103	2	3	9	15	23	31	57
80-84	840	13.5	150	3	4	10	17	27	38	79
85+	634	15.3	177	3	4	11	19	30	42	82
GRAND TOTAL	7117	11.3	108	2	3	8	14	23	31	60

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	764	4.0	17	1	1	2	5	9	12	20
70-74	634	4.6	32	1	1	3	5	9	14	27
75-79	501	4.8	21	1	1	3	6	10	13	23
80-84	336	5.0	22	1	1	4	6	10	14	22
85+	258	5.5	38	1	1	4	6	11	14	35
2. MULTIPLE DX										
65-69 YRS	1006	9.5	131	1	2	6	11	21	31	67
70-74	1080	9.3	109	1	2	6	12	20	28	62
75-79	1065	10.4	125	1	2	7	13	22	31	69
80-84	832	11.4	140	1	2	8	15	25	35	79
85+	819	12.2	170	2	3	8	14	26	43	82
TOT. SINGLE DX	2493	4.6	25	1	1	3	6	10	13	24
" MULTIPLE DX	4802	10.4	134	1	2	7	13	23	33	70
TOTAL 65-69 YRS	1770	7.1	89	1	1	4	8	15	23	55
70-74	1714	7.5	87	1	1	5	9	17	24	52
75-79	1566	8.6	99	1	1	6	11	19	26	58
80-84	1168	9.5	114	1	2	6	12	22	32	62
85+	1077	10.6	147	1	2	7	13	23	37	74
GRAND TOTAL	**7295**	**8.4**	**105**	**1**	**1**	**5**	**10**	**19**	**27**	**60**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	164	4.8	41	<1	1	2	5	13	18	30
70-74	168	5.5	44	1	1	3	6	15	21	29
75-79	135	5.9	51	1	1	3	6	17	22	33
80-84	120	6.1	65	1	1	2	8	18	24	41
85+	86	7.0	67	1	1	4	8	18	28	36
2. MULTIPLE DX										
65-69 YRS	245	8.8	126	1	1	4	10	25	32	56
70-74	225	9.2	135	1	1	5	12	21	33	67
75-79	225	11.2	160	1	2	8	14	29	41	78
80-84	192	12.1	168	1	1	7	17	32	43	62
85+	186	8.7	74	1	2	6	11	20	22	41
TOT. SINGLE DX	673	5.7	52	1	1	3	6	16	23	33
" MULTIPLE DX	1073	9.9	135	1	1	6	12	24	35	60
TOTAL 65-69 YRS	409	7.2	97	1	1	3	8	19	29	53
70-74	393	7.6	100	1	1	4	10	19	26	56
75-79	360	9.2	126	1	1	5	11	22	35	63
80-84	312	9.8	137	1	1	5	13	25	37	59
85+	272	8.1	72	1	1	5	10	20	24	37
GRAND TOTAL	**1746**	**8.3**	**108**	**1**	**1**	**4**	**10**	**21**	**30**	**55**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	7.8	64	1	2	5	8	17	25	44
70-74	25	11.4	92	2	2	8	15	23	33	40
75-79	26	12.2	95	2	3	11	15	20	38	44
80-84	14	13.2	49	2	4	15	18	22	24	24
85+	25	15.0	98	2	5	12	20	27	33	47
2. MULTIPLE DX										
65-69 YRS	61	10.5	79	3	4	8	13	16	33	47
70-74	55	11.4	91	2	2	9	16	25	30	47
75-79	73	16.6	130	3	4	15	21	33	41	56
80-84	64	17.6	157	2	3	15	24	35	45	54
85+	47	19.3	254	4	5	15	22	40	51	92
TOT. SINGLE DX	143	11.0	84	2	2	8	15	22	28	45
" MULTIPLE DX	300	15.0	148	2	3	13	20	30	43	54
TOTAL 65-69 YRS	114	9.2	74	2	3	6	11	16	27	46
70-74	80	11.4	91	2	2	8	16	24	30	46
75-79	99	15.5	124	3	3	13	20	31	40	55
80-84	78	16.8	140	2	3	15	22	33	44	54
85+	72	17.8	202	3	5	15	21	29	47	83
GRAND TOTAL	**443**	**13.7**	**131**	**2**	**3**	**11**	**18**	**27**	**37**	**51**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	186	8.6	94	1	2	5	11	21	31	50
70-74	122	12.6	298	1	2	5	14	38	57	90
75-79	103	13.7	216	1	2	8	18	31	47	71
80-84	57	14.2	235	1	2	10	18	33	38	93
85+	38	14.0	196	2	2	10	19	27	40	74
2. MULTIPLE DX										
65-69 YRS	406	14.2	226	2	2	10	19	40	56	99+
70-74	311	16.5	249	2	3	11	25	46	59	99+
75-79	289	20.7	309	2	4	16	29	49	59	96
80-84	183	21.7	269	3	4	18	31	46	52	90
85+	118	21.4	313	3	4	17	28	49	65	87
TOT. SINGLE DX	506	11.6	196	1	2	6	15	28	41	76
" MULTIPLE DX	1307	17.9	273	2	3	13	26	45	59	99+
TOTAL 65-69 YRS	592	12.4	192	2	2	7	16	33	49	99+
70-74	433	15.4	266	2	2	9	23	44	59	99+
75-79	392	18.8	294	2	3	14	26	45	58	89
80-84	240	19.9	270	2	3	16	28	43	50	97
85+	156	19.6	294	2	3	15	25	45	63	81
GRAND TOTAL	**1813**	**16.1**	**259**	**2**	**2**	**11**	**23**	**42**	**54**	**99+**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	838	11.2	43	3	5	10	14	19	23	35
70-74	419	12.1	48	4	5	11	16	21	26	33
75-79	204	14.5	77	4	6	13	19	23	30	58
80-84	59	14.0	53	5	6	13	17	26	30	37
85+	26	12.4	52	4	5	11	17	23	27	28
2. MULTIPLE DX										
65-69 YRS	1544	15.6	100	5	6	13	19	27	35	54
70-74	1049	17.6	151	6	7	14	22	32	42	71
75-79	620	18.5	145	6	8	15	23	33	42	59
80-84	227	21.7	209	6	9	17	28	40	58	80
85+	65	24.1	236	6	9	21	32	46	57	97
TOT. SINGLE DX	1546	12.0	51	4	5	10	15	21	25	36
" MULTIPLE DX	3505	17.3	137	5	7	14	21	31	40	66
TOTAL 65-69 YRS	2382	14.1	85	4	6	12	17	24	31	49
70-74	1468	16.0	128	5	6	13	20	29	38	67
75-79	824	17.5	131	5	7	15	22	32	40	59
80-84	286	20.1	187	6	8	16	26	35	48	75
85+	91	20.8	211	5	6	17	28	43	53	91
GRAND TOTAL	5051	15.7	117	5	6	13	19	28	36	60

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	392	3.4	9	1	1	3	4	6	7	14
70-74	214	3.4	6	1	1	3	4	7	8	13
75-79	94	3.9	12	1	1	3	5	8	11	21
80-84	40	3.7	4	1	1	3	5	6	8	10
85+	9	3.9	10	2	2	3	4	9	12	12
2. MULTIPLE DX										
65-69 YRS	1158	4.1	21	1	1	3	5	8	11	22
70-74	741	4.3	15	1	1	3	5	8	12	23
75-79	413	4.8	22	1	1	3	6	9	14	22
80-84	145	6.3	46	1	1	4	8	14	21	31
85+	43	5.4	20	1	2	4	8	13	15	20
TOT. SINGLE DX	749	3.4	9	1	1	3	4	6	8	13
" MULTIPLE DX	2500	4.4	22	1	1	3	5	9	12	23
TOTAL 65-69 YRS	1550	3.9	19	1	1	3	4	7	10	22
70-74	955	4.1	13	1	1	3	5	8	11	21
75-79	507	4.6	21	1	1	3	6	9	13	22
80-84	185	5.7	39	1	1	4	6	12	19	30
85+	52	5.2	19	2	2	3	6	12	14	20
GRAND TOTAL	3249	4.2	19	1	1	3	5	8	12	23

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	497	3.9	20	1	1	3	4	7	12	24
70-74	310	4.0	24	1	1	3	4	8	11	25
75-79	160	4.7	27	1	1	3	5	12	15	23
80-84	68	5.7	48	1	1	4	8	11	12	46
85+	43	7.5	118	<1	1	3	9	18	23	64
2. MULTIPLE DX										
65-69 YRS	855	7.2	99	1	2	3	8	18	28	50
70-74	619	8.4	121	1	2	4	10	24	32	91
75-79	405	9.9	147	1	2	4	12	24	41	65
80-84	196	10.6	127	2	2	7	14	27	35	99+
85+	94	14.5	210	1	2	11	20	37	46	67
TOT. SINGLE DX	1078	4.3	29	1	1	3	5	9	13	26
" MULTIPLE DX	2169	8.7	125	1	2	4	10	22	34	62
TOTAL 65-69 YRS	1352	6.0	73	1	1	3	6	14	22	46
70-74	929	6.9	93	1	1	3	8	16	28	62
75-79	565	8.5	119	1	2	4	10	22	34	60
80-84	264	9.4	112	1	2	6	11	24	33	97
85+	137	12.3	191	1	1	7	17	27	45	65
GRAND TOTAL	3247	7.2	97	1	1	4	8	18	28	54

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	62	11.6	51	4	5	10	14	17	27	40
70-74	30	13.3	176	5	5	10	14	20	49	68
75-79	14	11.0	16	7	7	10	14	17	20	21
80-84	1	32.0		32	32	32	32	32	32	32
85+	4	10.3	33	5	5	9	15	17	17	17
2. MULTIPLE DX										
65-69 YRS	145	19.6	247	5	6	14	26	41	54	99+
70-74	106	23.4	314	5	6	19	31	52	70	99+
75-79	45	23.1	222	8	10	19	31	47	61	99+
80-84	18	20.7	150	6	9	18	33	45	76	99+
85+	9	24.8	142	9	10	22	32	42	46	46
TOT. SINGLE DX	111	12.1	82	5	5	10	14	19	29	56
" MULTIPLE DX	323	21.5	258	5	7	17	30	45	64	99+
TOTAL 65-69 YRS	207	17.2	201	5	6	12	22	38	42	99
70-74	136	21.1	300	5	6	16	27	49	68	99+
75-79	59	20.3	200	7	8	16	25	43	53	98
80-84	19	21.3	149	6	9	19	34	44	73	99+
85+	13	20.3	152	5	6	17	29	38	44	46
GRAND TOTAL	434	19.1	230	5	6	14	24	41	53	99+

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	237	5.2	46	1	1	3	6	9	14	34
70-74	156	4.4	18	<1	1	3	5	10	13	22
75-79	87	5.2	18	1	1	4	7	12	13	20
80-84	37	5.8	33	1	1	3	7	16	18	26
85+	16	8.2	85	<1	2	4	10	27	29	29
2. MULTIPLE DX										
65-69 YRS	379	7.7	90	2	3	5	8	16	23	67
70-74	266	7.9	67	2	3	5	10	17	21	42
75-79	187	8.7	88	2	3	5	11	20	32	43
80-84	84	11.7	158	2	3	7	16	27	41	57
85+	32	10.7	98	2	2	7	15	22	24	48
TOT. SINGLE DX	533	5.1	24	1	1	3	6	10	16	28
" MULTIPLE DX	944	8.4	91	2	3	5	10	19	25	51
TOTAL 65-69 YRS	612	6.7	75	1	2	4	7	13	20	57
70-74	422	6.6	52	1	2	4	8	15	19	38
75-79	274	7.6	69	1	2	5	9	18	24	37
80-84	121	9.9	127	1	2	6	12	23	35	55
85+	48	9.9	94	1	2	5	15	22	28	48
GRAND TOTAL	1477	7.2	73	1	2	4	8	16	22	48

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1378	14.1	29	8	9	13	16	19	24	32
70-74	1362	14.8	32	8	9	14	17	21	24	36
75-79	1122	15.8	42	9	10	15	18	23	27	42
80-84	593	15.8	38	9	10	15	18	23	27	36
85+	275	17.6	69	9	10	16	20	28	35	48
2. MULTIPLE DX										
65-69 YRS	2335	17.5	86	9	10	15	20	27	35	61
70-74	2628	18.4	98	9	10	16	21	30	38	63
75-79	2336	19.4	102	9	11	17	24	33	40	67
80-84	1444	21.0	138	10	11	17	24	33	44	89
85+	913	21.9	155	10	12	18	26	36	48	78
TOT. SINGLE DX	4730	15.1	38	8	9	14	17	22	26	37
" MULTIPLE DX	9656	19.1	110	9	10	16	22	31	39	68
TOTAL 65-69 YRS	3713	16.2	68	8	9	14	18	25	31	55
70-74	3990	17.2	79	9	10	15	19	26	34	58
75-79	3458	18.2	86	9	11	16	20	28	37	62
80-84	2037	19.5	115	9	11	16	22	32	39	77
85+	1188	20.9	139	10	11	17	25	34	44	76
GRAND TOTAL	14386	17.8	90	9	10	16	20	28	36	62

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	440	14.2	46	7	8	13	16	20	26	38
70-74	581	15.5	61	7	9	14	18	22	27	38
75-79	749	16.4	55	8	10	15	19	25	29	50
80-84	821	16.8	50	9	10	16	20	26	31	46
85+	983	17.0	68	8	10	15	20	26	32	54
2. MULTIPLE DX										
65-69 YRS	1074	19.2	139	8	10	16	22	32	43	84
70-74	1689	19.7	119	9	10	17	23	33	44	69
75-79	2514	20.6	151	9	10	17	24	36	48	99+
80-84	2643	21.5	150	9	11	18	25	38	49	99
85+	3404	21.4	155	9	11	18	26	36	49	92
TOT. SINGLE DX	3574	16.2	58	8	9	15	19	25	29	48
" MULTIPLE DX	11324	20.8	148	9	10	18	24	36	47	92
TOTAL 65-69 YRS	1514	17.8	118	8	9	15	20	29	37	79
70-74	2270	18.6	108	8	10	16	21	30	39	66
75-79	3263	19.7	133	8	10	17	23	33	44	92
80-84	3464	20.4	131	9	11	17	24	35	45	85
85+	4387	20.4	140	9	10	17	24	34	46	87
GRAND TOTAL	14898	19.7	130	9	10	17	23	33	44	84

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1226	14.3	36	6	8	14	17	21	25	34
70-74	1250	14.7	37	7	8	14	17	21	26	35
75-79	985	15.9	39	7	9	15	19	23	27	38
80-84	467	16.3	42	7	9	16	19	24	29	35
85+	130	17.4	47	8	10	16	20	26	32	39
2. MULTIPLE DX										
65-69 YRS	2010	16.6	82	7	8	15	19	26	33	53
70-74	2170	16.9	76	7	9	15	19	26	32	53
75-79	1885	18.5	97	8	10	16	21	28	37	62
80-84	946	19.8	100	9	11	18	24	32	38	69
85+	298	21.3	150	8	11	18	24	34	47	74
TOT. SINGLE DX	4058	15.1	40	7	9	15	18	22	26	35
" MULTIPLE DX	7309	17.8	92	8	9	16	21	28	35	59
TOTAL 65-69 YRS	3236	15.7	67	6	8	15	18	24	30	48
70-74	3420	16.1	63	7	8	15	19	24	30	47
75-79	2870	17.6	79	8	9	16	20	27	34	57
80-84	1413	18.7	84	8	10	17	22	30	35	57
85+	428	20.1	122	8	11	17	23	32	42	70
GRAND TOTAL	11367	16.8	75	7	9	15	19	26	32	52

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	463	5.1	14	2	2	4	6	9	12	20
70-74	276	6.2	25	2	2	4	8	12	15	26
75-79	132	6.4	31	1	2	4	8	14	18	29
80-84	56	6.4	15	1	2	6	8	12	15	17
85+	32	8.4	49	1	2	6	12	19	21	32
2. MULTIPLE DX										
65-69 YRS	769	6.7	46	2	2	5	7	12	17	41
70-74	565	8.1	77	2	2	5	9	17	22	40
75-79	299	9.2	56	2	3	7	11	21	27	33
80-84	129	9.1	47	2	3	7	12	18	23	36
85+	40	10.9	40	2	3	10	15	19	23	28
TOT. SINGLE DX	959	5.8	22	2	2	4	7	11	15	24
" MULTIPLE DX	1802	7.8	59	2	2	5	9	16	22	39
TOTAL 65-69 YRS	1232	6.1	35	2	2	4	7	11	16	35
70-74	841	7.4	61	2	2	5	9	15	20	39
75-79	431	8.4	51	1	2	6	11	19	24	32
80-84	185	8.3	39	2	3	7	11	17	20	33
85+	72	9.8	46	2	3	8	14	19	23	31
GRAND TOTAL	**2761**	**7.1**	**47**	**2**	**2**	**5**	**8**	**15**	**19**	**33**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	189	3.1	16	<1	<1	2	3	6	10	18
70-74	105	3.3	10	<1	<1	2	4	7	9	16
75-79	58	3.4	9	<1	<1	2	4	9	10	12
80-84	26	6.5	48	1	1	3	9	13	26	28
85+	11	6.6	46	1	1	3	10	19	20	20
2. MULTIPLE DX										
65-69 YRS	235	10.1	151	1	2	5	12	27	40	63
70-74	184	9.8	115	1	2	6	13	24	32	70
75-79	123	10.6	110	1	2	6	16	30	38	99+
80-84	79	13.9	182	2	2	9	21	32	64	99+
85+	51	18.0	269	2	3	12	24	42	48	80
TOT. SINGLE DX	389	3.5	17	<1	<1	2	4	8	12	21
" MULTIPLE DX	672	11.1	151	1	2	6	16	28	40	99+
TOTAL 65-69 YRS	424	7.0	103	<1	1	3	7	17	29	53
70-74	289	7.4	87	<1	1	4	9	18	26	56
75-79	181	8.3	89	<1	1	5	12	25	33	99+
80-84	105	12.0	159	2	2	8	19	28	56	99+
85+	62	16.0	248	2	2	11	21	41	45	77
GRAND TOTAL	**1061**	**8.3**	**115**	**<1**	**1**	**4**	**11**	**23**	**33**	**72**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	353	3.5	16	<1	<1	2	4	6	12	25
70-74	214	4.4	26	<1	1	3	5	10	15	26
75-79	136	5.0	47	<1	<1	3	6	10	14	37
80-84	56	4.9	18	<1	1	3	6	11	13	23
85+	32	4.7	16	<1	1	4	6	11	12	19
2. MULTIPLE DX										
65-69 YRS	529	9.3	111	1	2	6	12	20	29	59
70-74	395	10.5	129	1	2	6	14	25	34	59
75-79	285	13.5	200	2	2	8	18	33	43	69
80-84	171	13.5	236	2	2	7	17	37	48	78
85+	97	12.4	121	2	2	10	15	28	34	55
TOT. SINGLE DX	791	4.1	25	<1	<1	2	5	9	14	26
" MULTIPLE DX	1477	11.1	151	1	2	7	14	26	36	62
TOTAL 65-69 YRS	882	7.0	82	<1	1	3	9	17	23	49
70-74	609	8.3	102	1	1	4	10	21	29	52
75-79	421	10.7	167	<1	1	6	13	28	38	64
80-84	227	11.4	196	1	2	5	14	28	45	63
85+	129	10.5	106	1	2	8	13	25	32	51
GRAND TOTAL	**2268**	**8.7**	**118**	**<1**	**1**	**4**	**11**	**21**	**31**	**56**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	427	2.3	1	<1	1	2	3	4	5	7
70-74	276	2.3	2	<1	1	2	3	3	5	8
75-79	156	2.3	1	1	1	2	3	4	4	7
80-84	32	2.1	1	<1	1	2	2	4	4	5
85+	12	2.1	1	<1	<1	2	2	4	6	6
2. MULTIPLE DX										
65-69 YRS	307	3.7	22	1	1	2	4	7	11	20
70-74	203	4.1	25	1	1	3	4	10	13	25
75-79	122	4.5	40	1	1	3	4	10	19	99+
80-84	55	4.9	23	1	2	3	6	12	14	26
85+	13	8.4	139	1	1	5	9	51	89	99+
TOT. SINGLE DX	903	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	700	4.1	29	1	1	3	4	9	13	42
TOTAL 65-69 YRS	734	2.8	11	<1	1	2	3	5	7	15
70-74	479	3.1	13	<1	1	2	3	5	8	18
75-79	278	3.2	19	1	1	2	3	5	9	43
80-84	87	3.9	17	1	1	2	4	10	13	23
85+	25	5.4	81	<1	1	3	6	12	57	99+
GRAND TOTAL	**1603**	**3.1**	**14**	**1**	**1**	**2**	**3**	**5**	**9**	**20**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	78	2.0	1	<1	<1	2	3	3	4	7
70-74	48	2.3	1	<1	1	2	3	4	4	5
75-79	19	2.0	1	<1	1	2	3	4	5	5
80-84	14	2.4	2	<1	1	2	3	4	6	7
85+	5	2.4	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	126	4.2	51	1	1	2	4	8	12	45
70-74	87	3.7	15	1	1	2	4	7	13	22
75-79	55	3.6	22	<1	1	3	4	5	11	32
80-84	25	4.2	20	<1	1	3	5	7	12	24
85+	14	5.6	20	2	2	4	8	13	15	16
TOT. SINGLE DX	164	2.1	2	<1	1	2	3	4	4	7
" MULTIPLE DX	307	4.0	32	1	1	3	4	7	13	29
TOTAL 65-69 YRS	204	3.4	33	<1	1	2	3	5	9	33
70-74	135	3.2	11	1	1	2	4	5	8	21
75-79	74	3.2	18	<1	1	2	4	5	7	28
80-84	39	3.5	15	<1	1	3	4	7	8	24
85+	19	4.7	17	1	1	3	6	11	15	16
GRAND TOTAL	471	3.4	22	1	1	2	3	5	9	25

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	293	4.4	9	1	2	4	5	9	10	17
70-74	183	4.4	10	<1	1	4	6	8	10	20
75-79	91	6.0	42	1	2	4	7	11	17	41
80-84	37	6.4	75	<1	<1	5	6	12	24	48
85+	13	6.2	31	2	2	4	9	12	20	22
2. MULTIPLE DX										
65-69 YRS	383	7.5	71	1	2	5	8	15	22	61
70-74	270	7.9	91	2	2	5	9	16	27	54
75-79	169	9.6	116	2	2	6	10	22	28	58
80-84	54	9.4	98	1	2	7	11	18	26	56
85+	42	16.8	311	2	3	11	22	42	61	70
TOT. SINGLE DX	617	4.8	20	1	2	4	6	9	11	22
" MULTIPLE DX	918	8.6	102	2	2	6	9	18	27	61
TOTAL 65-69 YRS	676	6.2	47	1	2	4	7	12	17	38
70-74	453	6.5	62	1	2	4	7	11	19	45
75-79	260	8.3	93	2	2	5	9	18	26	56
80-84	91	8.2	90	<1	1	5	10	17	25	53
85+	55	14.3	264	2	2	8	20	38	52	70
GRAND TOTAL	1535	7.0	72	1	2	5	8	14	22	55

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	106	5.0	22	1	2	4	5	9	12	29
70-74	85	6.0	21	1	2	5	8	10	16	25
75-79	41	5.5	10	1	1	5	7	10	12	15
80-84	19	6.4	16	2	3	5	7	13	16	17
85+	12	11.0	94	1	2	8	19	25	28	29
2. MULTIPLE DX										
65-69 YRS	156	9.1	104	1	2	6	11	19	27	70
70-74	95	11.0	166	2	3	7	12	24	47	59
75-79	72	13.3	220	2	3	8	16	41	56	95
80-84	29	10.9	110	3	3	8	13	22	28	54
85+	17	17.6	344	5	6	13	18	34	67	83
TOT. SINGLE DX	263	5.8	24	1	2	4	7	11	16	28
" MULTIPLE DX	369	10.9	157	2	3	7	13	23	43	77
TOTAL 65-69 YRS	262	7.4	75	1	2	5	9	15	23	62
70-74	180	8.6	104	2	2	6	9	17	29	58
75-79	113	10.5	158	1	3	6	13	22	42	87
80-84	48	9.1	77	3	3	6	11	18	23	54
85+	29	14.9	245	2	3	11	19	27	38	83
GRAND TOTAL	632	8.8	108	2	2	6	10	18	27	61

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	61	3.4	104	<1	1	2	3	4	6	73
70-74	39	3.3	24	<1	1	2	3	7	9	31
75-79	22	3.0	6	1	1	2	4	7	9	10
80-84	12	3.3	9	1	1	2	4	9	10	10
85+	9	5.2	31	2	2	2	6	15	16	16
2. MULTIPLE DX										
65-69 YRS	120	9.1	176	1	1	3	9	27	32	64
70-74	96	8.8	136	1	2	4	10	24	40	51
75-79	62	8.7	125	1	1	3	11	25	30	54
80-84	40	11.4	202	1	1	5	15	30	39	68
85+	35	10.7	150	1	2	6	12	28	31	61
TOT. SINGLE DX	143	3.4	55	1	1	2	3	6	9	34
" MULTIPLE DX	353	9.4	156	1	1	4	11	26	35	55
TOTAL 65-69 YRS	181	7.2	159	1	1	3	6	19	31	72
70-74	135	7.2	110	1	1	3	8	18	36	50
75-79	84	7.2	100	1	1	3	8	21	26	53
80-84	52	9.5	168	1	1	3	12	28	35	67
85+	44	9.6	130	1	2	5	12	26	31	61
GRAND TOTAL	496	7.6	134	1	1	3	8	21	31	54

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	3.6	6	1	1	3	5	7	7	7
70-74	4	4.5	7	2	2	4	6	8	8	8
75-79	1	9.0		9	9	9	9	9	9	9
80-84	2	5.5	5	4	4	5	7	7	7	7
85+										
2. MULTIPLE DX										
65-69 YRS	19	27.1	378	5	8	19	37	61	66	67
70-74	16	27.4	361	3	4	27	42	56	57	57
75-79	25	18.1	159	6	8	15	24	43	66	99+
80-84	9	22.8	172	9	9	23	28	43	51	51
85+	18	18.5	203	4	5	16	22	45	54	54
TOT. SINGLE DX	12	4.7	7	1	2	4	7	8	9	9
" MULTIPLE DX	87	22.3	261	4	6	17	29	52	57	87
TOTAL 65-69 YRS	24	22.2	392	2	3	16	32	57	66	67
70-74	20	22.9	375	2	3	23	33	54	57	57
75-79	26	17.7	156	6	8	15	24	42	63	99+
80-84	11	19.6	187	4	6	17	27	38	50	51
85+	18	18.5	204	4	5	16	22	45	54	54
GRAND TOTAL	**99**	**20.2**	**264**	**3**	**4**	**16**	**27**	**51**	**57**	**83**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	70	10.1	144	1	2	5	13	25	41	56
70-74	56	11.5	196	2	2	5	15	38	44	58
75-79	47	8.6	140	1	2	6	10	17	20	78
80-84	35	11.6	99	1	2	8	16	28	32	36
85+	38	11.0	107	2	3	8	10	31	36	41
2. MULTIPLE DX										
65-69 YRS	714	21.2	307	3	5	16	28	48	62	92
70-74	705	21.6	280	3	4	18	30	45	58	83
75-79	558	19.3	247	3	4	15	27	41	52	92
80-84	363	21.0	280	3	4	16	28	46	59	99+
85+	332	21.6	302	4	5	17	29	46	71	99+
TOT. SINGLE DX	246	10.5	142	2	2	6	13	26	37	57
" MULTIPLE DX	2672	20.9	284	3	5	16	28	46	60	98
TOTAL 65-69 YRS	784	20.2	302	2	4	15	27	47	60	90
70-74	761	20.9	281	2	4	17	29	45	58	80
75-79	605	18.5	247	3	3	15	25	40	51	90
80-84	398	20.1	271	3	4	16	28	44	57	99+
85+	370	20.5	292	3	5	16	28	43	68	99+
GRAND TOTAL	**2918**	**20.1**	**280**	**3**	**4**	**15**	**28**	**44**	**58**	**93**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	17.0	121	4	5	15	21	29	40	55
70-74	37	18.7	125	8	9	16	22	45	79	99+
75-79	39	25.2	286	6	8	22	32	45	64	78
80-84	30	20.8	333	5	6	15	28	44	55	84
85+	33	16.4	85	3	5	15	20	32	33	42
2. MULTIPLE DX										
65-69 YRS	747	29.9	367	9	11	25	41	64	78	99+
70-74	851	30.2	337	9	12	26	41	61	73	99+
75-79	762	30.7	383	9	11	25	42	66	81	99+
80-84	533	29.6	382	8	10	24	39	63	81	99+
85+	461	24.8	283	7	9	20	33	47	67	99+
TOT. SINGLE DX	167	19.9	198	5	7	16	25	40	54	97
" MULTIPLE DX	3354	29.4	358	9	11	24	40	62	78	99+
TOTAL 65-69 YRS	775	29.5	364	9	11	25	41	63	77	99+
70-74	888	29.7	334	9	11	25	40	60	73	99+
75-79	801	30.4	380	8	11	25	41	66	80	99+
80-84	563	29.2	384	8	10	24	38	62	80	99+
85+	494	24.2	275	7	9	20	32	47	66	99+
GRAND TOTAL	**3521**	**29.0**	**354**	**8**	**10**	**24**	**39**	**62**	**77**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	15.7	117	4	5	15	20	34	51	99+
70-74	28	18.5	212	5	6	13	22	38	57	62
75-79	36	17.8	117	5	6	16	23	34	42	46
80-84	39	18.6	263	4	6	17	23	33	40	97
85+	53	14.6	106	6	6	11	18	25	31	58
2. MULTIPLE DX										
65-69 YRS	554	27.5	358	8	10	23	37	64	92	99+
70-74	709	28.0	371	8	9	23	38	63	82	99+
75-79	771	25.9	311	8	10	21	35	56	75	99+
80-84	750	23.8	269	7	9	20	32	51	71	99+
85+	1061	20.7	226	6	8	16	27	47	62	99+
TOT. SINGLE DX	187	16.8	158	4	6	14	20	32	44	84
" MULTIPLE DX	3845	24.7	305	7	9	20	33	56	76	99+
TOTAL 65-69 YRS	585	26.9	353	8	9	22	36	63	89	99+
70-74	737	27.6	368	7	9	22	38	63	80	99+
75-79	807	25.5	305	7	9	21	35	55	75	99+
80-84	789	23.6	270	7	8	20	32	50	70	99+
85+	1114	20.4	222	6	7	16	26	46	61	99+
GRAND TOTAL	**4032**	**24.3**	**301**	**7**	**8**	**19**	**33**	**55**	**75**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	13	15.9	147	2	4	14	26	36	38	38
70-74	9	21.1	244	8	9	17	24	46	60	60
75-79	4	15.5	30	10	10	15	20	22	22	22
80-84	10	23.1	325	3	4	19	36	49	61	61
85+	2	22.0	162	13	13	22	31	31	31	31
2. MULTIPLE DX										
65-69 YRS	217	30.0	351	8	10	27	40	65	83	99+
70-74	210	29.4	336	8	11	25	40	57	79	99+
75-79	188	28.5	305	6	9	24	42	55	64	99+
80-84	107	30.0	457	7	10	25	41	69	84	99+
85+	77	22.7	240	5	8	18	34	52	93	99+
TOT. SINGLE DX	38	19.3	197	3	5	15	25	37	51	61
" MULTIPLE DX	799	28.8	343	7	10	25	40	57	78	99+
TOTAL 65-69 YRS	230	29.2	350	7	9	27	40	62	81	99+
70-74	219	29.0	334	8	11	25	39	57	77	99+
75-79	192	28.3	303	6	9	24	41	54	64	99+
80-84	117	29.4	447	6	9	24	40	68	84	99+
85+	79	22.6	237	5	8	18	33	51	91	99+
GRAND TOTAL	**837**	**28.3**	**340**	**7**	**9**	**24**	**39**	**57**	**76**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	5.8	4	4	4	6	7	8	8	8
70-74	4	14.5	193	2	2	14	26	28	28	28
75-79	1	29.0		29	29	29	29	29	29	29
80-84	2	9.0	128	1	1	9	17	17	17	17
85+	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	5	2.8	3	1	1	2	4	5	5	5
" MULTIPLE DX	12	11.7	110	1	2	7	21	28	29	29
TOTAL 65-69 YRS	7	4.0	7	1	1	4	6	8	8	8
70-74	5	12.6	163	2	2	5	26	28	28	28
75-79	2	16.5	313	4	4	16	29	29	29	29
80-84	2	9.0	128	1	1	9	17	17	17	17
85+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**17**	**9.1**	**94**	**1**	**1**	**4**	**13**	**27**	**29**	**29**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	33	6.9	33	<1	1	5	11	16	18	23
70-74	40	8.8	47	1	1	7	14	20	21	23
75-79	28	12.1	90	2	3	9	16	26	34	34
80-84	22	11.4	67	3	5	9	14	26	30	35
85+	18	7.9	36	1	3	6	8	19	22	23
2. MULTIPLE DX										
65-69 YRS	150	17.0	279	2	3	11	22	43	60	99+
70-74	145	15.0	166	2	3	11	21	35	46	99+
75-79	101	19.3	283	4	5	14	24	43	53	83
80-84	58	14.6	126	4	5	12	19	33	42	96
85+	61	15.8	155	3	5	11	20	29	40	68
TOT. SINGLE DX	141	9.3	57	1	2	7	14	21	24	34
" MULTIPLE DX	515	16.5	218	2	4	12	21	38	51	99
TOTAL 65-69 YRS	183	15.2	250	2	3	10	19	42	55	97
70-74	185	13.6	147	1	2	11	19	31	39	90
75-79	129	17.7	250	3	4	12	23	38	50	74
80-84	80	13.7	111	4	5	11	18	28	37	87
85+	79	14.0	139	3	4	10	20	26	35	65
GRAND TOTAL	**656**	**14.9**	**192**	**2**	**3**	**11**	**20**	**34**	**47**	**89**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	4	20.5	321	6	6	16	34	44	44	44
75-79	1	24.0		24	24	24	24	24	24	24
80-84										
85+	2	13.0	32	9	9	13	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	8	10.8	70	4	4	7	16	24	25	25
70-74	5	19.8	397	6	6	12	25	55	55	55
75-79	7	14.3	31	9	10	12	15	24	26	26
80-84	7	22.6	808	5	5	11	23	73	85	85
85+	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	9	15.6	181	3	4	9	24	36	44	44
" MULTIPLE DX	28	16.3	287	4	5	12	15	27	58	85
TOTAL 65-69 YRS	10	9.4	63	3	3	6	9	24	25	25
70-74	9	20.1	320	6	6	12	30	51	55	55
75-79	8	15.5	38	9	10	13	20	25	26	26
80-84	7	22.6	809	5	5	11	23	73	85	85
85+	3	12.7	16	9	9	12	16	17	17	17
GRAND TOTAL	**37**	**16.1**	**256**	**4**	**5**	**12**	**18**	**27**	**51**	**85**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1365	2.7	3	<1	1	2	3	5	7	11
70-74	955	3.1	10	<1	1	2	3	6	9	14
75-79	625	3.6	12	<1	1	2	4	8	11	17
80-84	306	3.9	10	1	1	3	5	8	11	15
85+	177	4.4	21	1	1	3	6	9	11	21
2. MULTIPLE DX										
65-69 YRS	1904	6.2	58	1	2	3	7	13	19	42
70-74	1619	7.2	79	1	2	4	9	16	24	42
75-79	1266	8.1	90	1	2	5	10	17	26	48
80-84	676	9.2	104	2	2	6	11	20	27	70
85+	508	10.2	124	2	2	7	13	22	30	70
TOT. SINGLE DX	3428	3.2	9	<1	1	2	3	7	[illegible]	14
" MULTIPLE DX	5973	7.6	83	1	2	4	9	17	24	48
TOTAL 65-69 YRS	3269	4.7	39	1	1	3	5	10	15	34
70-74	2574	5.7	58	1	2	3	7	13	19	36
75-79	1891	6.6	69	1	2	4	8	15	20	42
80-84	982	7.6	81	1	2	5	9	17	22	54
85+	685	8.7	104	1	2	6	11	19	28	57
GRAND TOTAL	9401	6.0	61	1	2	3	7	13	19	40

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	107	5.3	11	1	2	5	7	10	12	16
70-74	103	5.7	19	1	2	5	8	10	14	24
75-79	98	7.3	31	2	2	6	8	12	16	34
80-84	138	6.9	10	2	3	7	9	12	13	16
85+	120	6.9	10	2	3	7	9	11	13	15
2. MULTIPLE DX										
65-69 YRS	267	9.1	81	2	3	6	11	19	27	46
70-74	257	10.9	123	2	3	8	12	23	29	66
75-79	254	10.9	75	3	4	8	13	19	28	50
80-84	275	10.7	90	3	4	8	13	19	26	55
85+	301	10.8	64	4	4	9	12	18	28	51
TOT. SINGLE DX	566	6.5	16	2	2	6	8	11	13	21
" MULTIPLE DX	1354	10.5	87	3	3	8	12	19	28	52
TOTAL 65-69 YRS	374	8.0	65	2	2	6	9	16	23	35
70-74	360	9.4	99	2	2	7	11	18	26	62
75-79	352	9.9	65	2	3	8	12	17	25	48
80-84	413	9.4	67	3	4	7	11	16	21	47
85+	421	9.7	52	3	4	8	11	16	22	44
GRAND TOTAL	1920	9.3	69	2	3	7	11	17	24	48

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1168	7.7	11	4	5	7	9	11	13	16
70-74	955	8.0	9	4	5	8	9	11	14	19
75-79	596	8.1	10	4	5	8	9	12	14	21
80-84	333	8.6	15	4	5	8	10	13	14	24
85+	141	8.2	11	4	5	8	10	14	15	18
2. MULTIPLE DX										
65-69 YRS	2174	9.9	40	4	5	8	11	16	20	36
70-74	2018	10.3	42	5	5	9	12	16	21	39
75-79	1546	10.8	48	5	5	9	12	18	23	42
80-84	865	11.5	51	5	6	10	13	19	24	42
85+	426	11.9	72	5	5	10	14	20	26	55
TOT. SINGLE DX	3193	8.0	11	4	5	8	9	12	14	19
" MULTIPLE DX	7029	10.5	47	5	5	9	12	17	21	40
TOTAL 65-69 YRS	3342	9.1	32	4	5	8	10	14	17	30
70-74	2973	9.6	33	4	5	8	11	15	18	33
75-79	2142	10.1	40	4	5	9	11	16	20	38
80-84	1198	10.7	43	5	5	9	12	17	21	39
85+	567	11.0	60	4	5	9	13	18	23	47
GRAND TOTAL	10222	9.7	37	4	5	8	11	15	19	35

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	115	3.8	6	1	2	3	5	6	8	16
70-74	57	3.6	5	1	2	3	4	7	8	14
75-79	44	3.5	3	1	1	3	4	6	7	10
80-84	20	3.9	7	<1	1	3	5	6	10	13
85+	12	5.8	59	2	2	4	5	13	28	30
2. MULTIPLE DX										
65-69 YRS	247	5.0	10	2	2	4	6	9	11	17
70-74	132	5.7	32	1	2	4	6	10	16	36
75-79	62	8.0	98	1	2	5	8	20	29	56
80-84	29	5.4	19	1	2	4	6	14	15	18
85+	22	12.9	171	1	1	10	16	25	43	60
TOT. SINGLE DX	248	3.8	8	1	2	3	5	6	8	16
" MULTIPLE DX	492	6.0	38	2	2	4	7	11	16	36
TOTAL 65-69 YRS	362	4.6	9	2	2	4	6	9	11	17
70-74	189	5.0	25	1	2	4	5	10	12	32
75-79	106	6.1	64	1	2	4	6	10	21	47
80-84	49	4.8	14	1	1	4	6	11	14	18
85+	34	10.4	141	1	2	6	14	23	32	60
GRAND TOTAL	740	5.2	29	1	2	4	6	9	14	30

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	14	4.3	9	1	1	4	5	8	12	13
70-74	11	3.2		2	2	3	4	5	5	5
75-79	10	9.3	231	<1	<1	3	5	36	48	48
80-84	4	3.8	13	1	1	2	6	9	9	9
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	31	6.9	62	1	1	5	8	13	16	43
70-74	23	9.3	54	2	3	6	14	21	25	29
75-79	10	19.2	718	2	2	7	13	69	74	74
80-84	7	7.7	52	2	2	7	9	20	23	23
85+	3	5.3	17	2	2	4	8	10	10	10
TOT. SINGLE DX	41	5.0	63	1	1	3	4	8	18	48
" MULTIPLE DX	74	9.3	152	2	2	6	11	17	28	72
TOTAL 65-69 YRS	45	6.1	47	1	1	4	7	12	16	43
70-74	34	7.3	45	2	2	5	8	16	22	29
75-79	20	14.3	476	<1	1	5	12	56	69	74
80-84	11	6.3	39	1	1	4	8	15	22	23
85+	5	4.0	12	2	2	2	5	10	10	10
GRAND TOTAL	115	7.8	124	1	2	4	8	16	24	68

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	860	3.9	31	<1	<1	2	4	8	13	29
70-74	616	4.6	61	<1	<1	2	5	9	14	37
75-79	461	4.2	28	<1	<1	2	5	9	13	28
80-84	305	5.0	39	<1	1	3	6	12	18	33
85+	259	5.3	43	<1	<1	3	6	14	20	30
2. MULTIPLE DX										
65-69 YRS	2370	9.5	115	1	2	6	11	21	32	58
70-74	2271	10.1	113	1	2	7	12	21	30	65
75-79	1883	11.5	141	2	2	8	14	26	35	74
80-84	1358	12.2	152	2	2	9	15	26	42	83
85+	1357	12.3	133	2	2	9	16	27	37	91
TOT. SINGLE DX	2501	4.4	41	<1	<1	2	5	10	15	32
" MULTIPLE DX	9239	10.8	130	1	2	8	13	24	34	69
TOTAL 65-69 YRS	3230	8.0	99	<1	1	5	10	18	28	53
70-74	2887	8.9	107	1	1	6	11	20	29	57
75-79	2344	10.0	128	1	2	7	13	24	32	64
80-84	1663	10.9	140	1	2	8	14	24	36	75
85+	1616	11.2	126	1	2	8	14	24	35	78
GRAND TOTAL	11740	9.5	117	1	1	6	12	21	31	62

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	727	7.6	84	<1	1	4	9	17	25	51
70-74	623	8.1	97	<1	1	5	9	18	29	47
75-79	442	8.6	99	1	1	5	11	20	30	47
80-84	353	9.4	119	1	1	6	12	22	33	56
85+	318	9.3	107	1	2	6	12	20	28	72
2. MULTIPLE DX										
65-69 YRS	3348	14.4	224	1	2	10	19	35	49	90
70-74	3312	15.5	253	2	2	10	20	37	54	99+
75-79	2992	16.0	247	2	3	11	21	38	56	99+
80-84	2478	16.8	247	2	3	12	23	40	55	99+
85+	2580	16.3	242	2	3	12	21	38	56	99+
TOT. SINGLE DX	2463	8.4	99	1	1	5	10	19	28	54
" MULTIPLE DX	14710	15.7	243	2	2	11	21	38	54	99+
TOTAL 65-69 YRS	4075	13.2	206	1	2	9	17	33	46	84
70-74	3935	14.3	236	2	2	9	19	35	50	95
75-79	3434	15.1	235	2	2	10	20	36	53	99+
80-84	2831	15.8	237	2	2	11	21	38	53	99+
85+	2898	15.5	233	2	2	11	20	37	54	99+
GRAND TOTAL	17173	14.7	229	1	2	10	19	35	51	99+

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	173	12.1	107	1	1	9	17	26	30	53
70-74	149	14.8	140	2	2	12	20	33	38	52
75-79	132	15.1	166	1	3	13	22	31	36	67
80-84	90	16.2	154	1	3	14	23	32	40	63
85+	59	18.5	240	2	3	15	28	39	53	98
2. MULTIPLE DX										
65-69 YRS	525	21.2	260	3	4	18	30	44	57	99+
70-74	595	23.0	328	3	5	18	32	51	65	99+
75-79	537	24.5	267	4	7	22	34	48	59	99+
80-84	387	27.0	319	4	8	24	39	59	75	99+
85+	320	28.0	357	4	8	25	38	55	75	99+
TOT. SINGLE DX	612	14.7	151	1	2	12	21	31	38	62
" MULTIPLE DX	2364	24.3	307	3	6	21	34	51	65	99+
TOTAL 65-69 YRS	698	19.0	238	2	3	16	26	41	54	99+
70-74	744	21.3	302	2	4	17	30	48	63	99+
75-79	669	22.7	261	2	5	19	32	46	55	99+
80-84	486	24.8	305	3	5	22	35	54	71	99+
85+	379	26.5	351	4	6	23	37	53	72	99+
GRAND TOTAL	2976	22.3	290	2	4	19	31	47	62	99+

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	29	9.2	163	<1	1	4	10	22	41	57
70-74	25	9.0	168	<1	1	3	10	24	44	52
75-79	24	8.8	86	<1	1	5	11	25	29	35
80-84	16	5.9	46	1	1	3	13	20	72	99+
85+	6	11.7	191	1	1	8	15	35	37	37
2. MULTIPLE DX										
65-69 YRS	93	17.0	311	1	2	10	24	41	62	94
70-74	84	18.4	323	1	2	13	31	50	64	99+
75-79	84	23.5	550	2	2	17	37	62	78	99+
80-84	43	20.8	532	2	2	14	35	74	94	99+
85+	50	30.4	563	2	6	24	54	79	98	99+
TOT. SINGLE DX	100	8.7	126	1	1	4	12	23	38	78
" MULTIPLE DX	354	21.2	448	1	2	15	34	58	82	99+
TOTAL 65-69 YRS	122	15.1	286	1	1	9	21	38	58	90
70-74	109	16.2	302	1	2	10	27	47	58	99+
75-79	108	20.3	484	1	2	15	47	57	72	99
80-84	59	16.8	443	1	3	11	49	59	95	99+
85+	56	28.4	554	2	3	20	50	75	94	99+
GRAND TOTAL	454	18.5	404	1	2	12	29	54	72	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	214	2.6	5	<1	1	2	3	5	7	13
70-74	125	3.4	11	<1	1	2	4	7	10	19
75-79	62	3.9	22	<1	1	3	4	7	10	28
80-84	36	3.4	4	1	1	2	5	6	8	11
85+	15	8.1	138	<1	1	2	7	27	37	40
2. MULTIPLE DX										
65-69 YRS	522	8.2	80	1	1	5	11	19	25	49
70-74	417	10.5	128	1	2	7	13	25	34	79
75-79	349	12.1	150	2	2	9	15	27	41	99+
80-84	273	14.3	197	2	4	10	17	35	52	99+
85+	252	16.6	238	3	4	12	20	36	49	99+
TOT. SINGLE DX	452	3.3	14	<1	1	2	4	6	9	21
" MULTIPLE DX	1813	11.6	153	1	2	8	15	26	38	99+
TOTAL 65-69 YRS	736	6.6	65	1	1	4	8	16	22	41
70-74	542	8.9	111	1	1	5	11	19	30	74
75-79	411	10.8	140	1	2	8	14	24	36	99+
80-84	309	13.0	188	2	3	9	15	34	46	99+
85+	267	16.1	236	2	3	12	20	36	46	99+
GRAND TOTAL	2265	9.9	136	1	1	6	13	23	35	91

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	10.7	437	1	1	3	10	24	63	95
70-74	22	5.4	24	1	2	4	6	12	18	22
75-79	9	6.2	33	2	2	4	6	16	20	20
80-84	6	8.7	17	1	2	9	11	13	13	13
85+	6	6.7	72	2	2	3	4	22	24	24
2. MULTIPLE DX										
65-69 YRS	172	11.1	85	2	3	8	14	21	31	46
70-74	188	10.7	65	3	3	8	15	21	26	55
75-79	196	12.3	99	3	4	10	15	23	32	54
80-84	111	14.8	202	4	4	12	16	27	48	94
85+	61	12.8	63	3	5	11	15	26	29	35
TOT. SINGLE DX	65	7.7	158	1	1	4	9	17	22	87
" MULTIPLE DX	728	12.0	101	3	4	9	15	23	30	62
TOTAL 65-69 YRS	194	11.1	123	1	2	8	14	21	31	48
70-74	210	10.1	64	3	3	7	14	21	25	49
75-79	205	12.0	98	3	4	9	15	22	31	52
80-84	117	14.5	194	3	4	11	16	27	46	94
85+	67	12.2	66	3	4	10	15	26	29	35
GRAND TOTAL	**793**	**11.7**	**108**	**2**	**3**	**9**	**15**	**23**	**30**	**63**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1029	5.0	25	1	1	3	6	12	15	23
70-74	595	5.2	26	1	1	3	7	12	16	26
75-79	331	5.2	31	1	1	3	6	11	16	31
80-84	91	5.4	32	1	1	3	6	14	16	29
85+	33	6.0	34	1	1	4	8	16	18	22
2. MULTIPLE DX										
65-69 YRS	2437	9.4	98	1	2	6	12	20	28	51
70-74	1783	10.2	102	1	2	7	14	22	31	53
75-79	1106	11.2	113	1	2	8	15	24	32	55
80-84	405	12.9	127	2	2	10	20	28	34	71
85+	137	14.6	135	2	4	12	21	29	55	99+
TOT. SINGLE DX	2079	5.1	27	1	1	3	7	12	16	25
" MULTIPLE DX	5868	10.4	106	1	2	7	14	23	31	55
TOTAL 65-69 YRS	3466	8.1	81	1	1	5	11	18	25	47
70-74	2378	9.0	88	1	2	6	12	20	28	48
75-79	1437	9.8	101	1	2	7	13	22	29	48
80-84	496	11.6	118	1	2	8	16	26	32	57
85+	170	12.9	127	1	2	10	19	26	37	99+
GRAND TOTAL	**7947**	**9.0**	**91**	**1**	**2**	**6**	**12**	**20**	**28**	**48**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	899	4.3	19	1	1	3	5	9	12	23
70-74	737	4.8	32	1	1	3	6	9	13	28
75-79	488	4.7	24	1	1	3	6	10	14	28
80-84	205	4.3	18	1	1	3	5	9	10	26
85+	70	4.9	34	1	1	3	5	10	15	35
2. MULTIPLE DX										
65-69 YRS	3846	7.8	60	2	2	6	10	16	22	39
70-74	3627	8.6	75	2	2	6	11	18	24	48
75-79	2736	8.8	73	2	2	7	11	18	24	48
80-84	1320	9.0	64	2	2	7	11	18	23	41
85+	480	9.3	68	2	3	7	12	19	24	45
TOT. SINGLE DX	2399	4.6	25	1	1	3	6	9	12	26
" MULTIPLE DX	12009	8.5	69	2	2	6	11	17	23	45
TOTAL 65-69 YRS	4745	7.2	55	1	2	5	9	15	21	37
70-74	4364	7.9	70	1	2	6	10	16	22	47
75-79	3224	8.2	69	2	2	6	10	17	23	44
80-84	1525	8.4	61	2	2	7	11	17	22	38
85+	550	8.8	66	2	2	6	11	18	23	43
GRAND TOTAL	**14408**	**7.8**	**64**	**1**	**2**	**6**	**10**	**16**	**22**	**42**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	91	3.6	15	1	1	2	4	8	13	21
70-74	34	3.3	14	1	1	2	3	4	13	20
75-79	21	4.4	17	1	1	2	6	11	14	14
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	630	6.1	33	1	2	4	9	14	17	26
70-74	330	5.8	37	1	1	3	8	14	17	29
75-79	128	8.2	103	1	2	4	11	18	23	58
80-84	30	8.0	81	1	2	3	11	24	25	35
85+	6	11.8	226	2	2	3	24	36	37	37
TOT. SINGLE DX	148	3.7	15	1	1	2	4	9	14	20
" MULTIPLE DX	1124	6.3	46	1	2	4	9	14	18	31
TOTAL 65-69 YRS	721	5.8	32	1	2	3	8	13	16	26
70-74	364	5.6	36	1	1	3	7	14	17	27
75-79	149	7.6	93	1	2	4	10	17	22	53
80-84	31	7.9	80	1	2	3	11	24	25	35
85+	7	10.9	195	2	2	4	19	34	37	37
GRAND TOTAL	**1272**	**6.0**	**43**	**1**	**2**	**3**	**8**	**14**	**18**	**28**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1310	4.9	23	1	1	3	7	11	14	22
70-74	1073	5.0	23	1	1	3	7	11	14	22
75-79	687	5.1	22	1	1	3	7	12	15	23
80-84	382	6.0	30	1	1	4	9	13	15	24
85+	154	6.5	25	1	2	5	9	15	16	22
2. MULTIPLE DX										
65-69 YRS	6529	8.3	58	1	2	6	11	17	22	38
70-74	5865	9.2	74	1	2	7	12	19	24	44
75-79	4435	9.8	81	2	2	8	13	20	26	49
80-84	2508	10.7	88	2	2	8	14	21	28	51
85+	1484	12.1	105	2	3	10	15	24	32	55
TOT. SINGLE DX	3606	5.2	24	1	1	3	7	12	15	23
" MULTIPLE DX	20821	9.4	76	2	2	7	13	19	25	45
TOTAL 65-69 YRS	7839	7.7	54	1	2	6	11	16	21	37
70-74	6938	8.6	69	1	2	7	12	18	23	40
75-79	5122	9.2	76	1	2	7	12	19	25	45
80-84	2890	10.0	83	2	2	8	13	20	26	46
85+	1638	11.6	101	2	3	9	15	23	30	54
GRAND TOTAL	24427	8.8	71	1	2	7	12	18	24	42

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9669	6.4	38	1	2	5	8	12	16	29
70-74	8132	6.9	42	1	2	5	8	13	18	33
75-79	6494	7.2	42	2	2	6	9	14	18	35
80-84	4570	7.8	51	2	2	6	10	15	20	38
85+	3719	7.8	48	2	2	6	10	15	20	34
2. MULTIPLE DX										
65-69 YRS	79272	9.0	58	2	3	7	11	17	23	41
70-74	85036	9.5	[illegible]	2	3	7	12	18	24	44
75-79	80474	10.0	71	2	3	8	12	19	25	46
80-84	62453	10.6	80	3	3	8	13	20	27	50
85+	54034	11.0	85	3	3	9	14	21	28	54
TOT. SINGLE DX	32584	7.0	44	1	2	5	9	14	18	33
" MULTIPLE DX	361269	9.9	72	2	3	8	12	19	25	46
TOTAL 65-69 YRS	88941	8.7	57	2	3	7	11	16	22	40
70-74	93168	9.3	65	2	3	7	11	18	24	43
75-79	86968	9.8	70	2	3	8	12	19	25	45
80-84	67023	10.4	79	2	3	8	13	20	27	49
85+	57753	10.8	84	2	3	8	13	21	28	53
GRAND TOTAL	393853	9.7	70	2	3	7	12	19	25	45

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2110	8.4	62	2	2	6	10	16	22	45
70-74	1833	8.5	59	2	2	7	11	16	22	41
75-79	1456	9.2	65	2	2	7	12	17	23	45
80-84	1043	9.2	68	2	2	7	11	18	23	40
85+	987	9.3	65	2	3	7	12	18	23	47
2. MULTIPLE DX										
65-69 YRS	14312	10.2	75	2	3	8	13	19	26	47
70-74	15387	10.8	81	2	3	8	13	20	27	51
75-79	14756	11.2	86	3	3	9	14	21	29	52
80-84	12012	11.6	85	3	4	9	14	22	29	49
85+	11675	12.1	97	3	4	10	15	23	30	57
TOT. SINGLE DX	7429	8.8	64	2	2	7	11	17	23	44
" MULTIPLE DX	68142	11.1	85	3	3	9	14	21	28	51
TOTAL 65-69 YRS	16422	10.0	75	2	3	8	12	19	26	47
70-74	17220	10.5	79	2	3	8	13	20	27	50
75-79	16212	11.0	85	3	3	9	14	21	28	51
80-84	13055	11.4	85	3	3	9	14	21	29	49
85+	12662	11.9	96	3	4	9	15	22	30	56
GRAND TOTAL	75571	10.9	84	2	3	9	13	21	28	50

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3514	6.7	32	1	2	5	8	13	17	29
70-74	3226	7.1	41	1	2	5	9	14	18	32
75-79	2429	7.3	38	1	2	6	9	14	18	31
80-84	1717	7.5	42	1	2	6	10	14	18	35
85+	1471	7.8	55	2	2	6	10	15	19	47
2. MULTIPLE DX										
65-69 YRS	35017	8.7	56	2	3	7	11	17	22	40
70-74	37501	9.1	61	2	3	7	11	17	23	41
75-79	34439	9.5	66	2	3	7	12	18	24	44
80-84	26489	10.1	72	2	3	8	13	19	26	47
85+	24733	10.6	83	2	3	8	13	20	27	53
TOT. SINGLE DX	12357	7.1	41	1	2	5	9	14	18	33
" MULTIPLE DX	158179	9.5	67	2	3	7	12	18	24	44
TOTAL 65-69 YRS	38531	8.5	54	2	3	7	11	16	21	39
70-74	40727	9.0	60	2	3	7	11	17	23	41
75-79	36868	9.4	65	2	3	7	12	18	24	44
80-84	28206	9.9	71	2	3	8	12	19	25	47
85+	26204	10.5	83	2	3	8	13	20	27	53
GRAND TOTAL	**170536**	**9.3**	**66**	**2**	**3**	**7**	**12**	**18**	**24**	**44**

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12-44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19, 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98, 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

Group Number	Title
13	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

1.14

Pediatric Length of Stay by Diagnosis and Operation, United States, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients in Diagnosis Groups 16
Summary of All Patients Except Newborn 17
Diagnosis Groups 1-398 18
Summary of All Patients in Operation Groups. 218
Operation Groups 501-764 219
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.
[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parenthesis by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses and procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 12 year old patient is admitted to a hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pleural effusion, excluding tuberculosis	3		186
Criteria for admission			
1. *For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)*			
2. *Scheduled for operation other than thoracentesis*			
3.			
4.			
Pleurisy, without mention of effusion or tbc	4		186
Pneumonia			
acute interstitial	3		17
broncho-, organism not specified	3		179
chronic, interstitial	3		186
lobar	3		179
organism or type not specified	3		179
pneumococcal	3		179
viral	3		179
Criteria for admission (for above 7)			
1. *Respiratory distress (cyanosis, dyspnea at rest, tachypnea > 40 resp/min, PO_2 < 50)*			
2. *Complicating respiratory disease e.g., emphysema, COPD, asthma*			
3. *Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease*			
4.			
5.			

b. The Alphabetic Index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.

Pleurodynia — *continued*
epidemic 074.1
viral 074.1
Pleuroencephalitis 323.9
Pleuropericarditis *(see also* Pericarditis) 423.9
acute 420.90
Pleuropneumonia (acute) (bilateral) (double) (septic) *(see also* Pneumonia) 486
chronic *(see also* Fibrosis, lung) 515
Pleurorrhea *(see also* Hydrothorax) 511.8
Plexitis, brachial 353.0
Plica
polonica 132.0
vesicular 474.8
Plicae dysphonia ventricularis 784.49
Plicated tongue 529.5
congenital 750.13
Plug
bronchus NEC 519.1
meconium (newborn) NEC 777.1
mucus — *see* Mucus, plug
Plumbism 984.9
specified type of lead — *see* Table of drugs and chemicals
Plummer's disease (toxic nodular goiter) 242.3
Plummer-Vinson syndrome (sideropenic dysphagia) 280.8
Pluricarential syndrome of infancy 260
Plurideficiency syndrome of infancy 260
Plus (and minus) hand (intrinsic) 736.09
Pneumathemia — *see* Air, embolism, by type
Pneumatic drill or hammer disease 994.9
Pneumatocele (lung) 518.8
extracranial 348.8
tension 492.0
Pneumatosis
cystoides intestinalis 569.89
peritonei 568.89
pulmonum 492.8
Pneumaturia 599.8
Pneumoblastoma (M8981/3) — *see* Neoplasm, lung, malignant
Pneumocephalus 348.8
Pneumoconiosis 038.2
with pneumonia 481
Pneumoconiosis, pneumoconial — *see* condition
Pneumoconiosis (due to) (inhalation of) 505
aluminum 503
asbestos 501
bagasse 495.1
bauxite 503
beryllium 503
carbon electrode makers' 503
coal
miners' (simple) 500
workers' (simple) 500
cotton dust 504
Pneumoconiosis (due to) (inhalation of) — *continued*
diatomite fibrosis 502
dust NEC 504
inorganic 503
lime 502
marble 502
organic NEC 504
fumes or vapors (from silo) 506.9
graphite 503
hard metal 503
mica 502
moldy hay 495.0
rheumatoid 714.81
silica NEC 502
and carbon 500
silicate NEC 502
talc 502
Pneumocystis carinii pneumonia 136.3
Pneumocystosis 136.3
with pneumonia 136.3
Pneumoenteritis 025
Pneumohemopericardium *(see also* Pericarditis) 423.9
Pneumohemothorax *(see also* Hemothorax) 511.8
traumatic 860.4
with open wound into thorax 860.5
Pneumohydropericardium *(see also* Pericarditis) 423.9
Pneumohydrothorax *(see also* Hydrothorax) 511.8
Pneumomediastinum 518.1
congenital 770.2
fetus or newborn 770.2
Pneumomycosis 117.9
Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltrative) (insular) (intermittent) (intrauterine) (latent) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486
with influenza, flu, or grippe 487.0
adenoviral 480.0
adynamic 514
alba 090.0
allergic 518.3
alveolar — *see* Pneumonia, lobar
anthrax 022.1 *[484.5]*
apex, apical — *see* Pneumonia, lobar
ascaris 127.0
aspiration 507.0

Step 2. Find the table for group 179 in the length of stay book.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	330	7.2	17	2	3	6	9	13	16	21
1-11 MOS	7894	6.0	17	2	2	5	7	11	13	21
1-5 YRS	13395	5.1	12	2	2	4	6	9	11	17
6-12 YRS	3717	5.4	13	2	2	5	7	10	12	19
13-19 YRS	2110	6.4	20	2	3	5	8	11	14	26
B. Operated										
0-27 DYS	13	11.6	59	4	6	9	12	22	32	34
1-11 MOS	169	13.7	157	3	4	10	17	28	46	95
1-5 YRS	251	12.2	112	3	3	9	15	24	32	64
6-12 YRS	124	12.1	54	3	4	11	17	22	26	34
13-19 YRS	139	15.7	147	3	4	12	20	34	41	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32232	4.7	8	2	2	4	6	8	10	14
B. Operated	221	8.1	47	2	2	6	10	17	20	33
2. MULTIPLE DX										
A. Not Operated	27446	5.5	15	2	2	5	7	10	12	19
B. Operated	696	13.2	120	3	4	10	17	25	36	69
1. SINGLE DX	32453	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX	28142	5.7	19	2	2	5	7	10	13	22
A. NOT OPERATED	59678	5.1	11	2	2	4	6	9	11	17
B. OPERATED	917	12.0	107	2	3	9	16	23	32	63
TOTAL 0-27 DYS	822	6.5	14	2	3	6	8	11	13	20
1-11 MOS	17013	5.6	15	2	2	5	7	10	12	19
1-5 YRS	28596	4.8	11	2	2	4	6	8	10	16
6-12 YRS	9125	5.1	12	2	2	4	6	9	11	18
13-19 YRS	5039	6.0	20	2	3	5	7	10	13	25
GRAND TOTAL	**60595**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**18**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 4. Since no surgery is scheduled, use the first five lines of the table (Section 1.A).

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	10	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	501371	3.0	2	1	1	3	3	5	5	7
1-11 MOS	48000	3.7	8	1	1	3	5	7	9	14
1-5 YRS	98979	3.2	9	1	1	2	4	6	8	15
6-12 YRS	64198	3.5	23	1	1	2	4	6	9	26
13-19 YRS	144531	3.8	34	<1	1	3	4	6	10	34
B. *Operated*										
0-27 DYS	1679	4.8	31	1	1	3	5	9	13	24
1-11 MOS	13518	3.6	18	<1	<1	2	4	8	11	21
1-5 YRS	60663	2.5	12	<1	<1	2	2	5	8	18
6-12 YRS	78457	2.8	13	<1	1	2	3	5	8	18
13-19 YRS	177398	3.1	9	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	292046	4.6	24	2	2	3	5	7	10	26
1-11 MOS	67868	4.7	19	1	2	4	6	9	12	22
1-5 YRS	122159	3.9	14	1	1	3	5	7	9	18
6-12 YRS	62492	4.4	45	1	1	3	5	8	12	41
13-19 YRS	116562	5.7	80	1	1	3	6	11	21	53
B. *Operated*										
0-27 DYS	11991	18.4	420	2	3	10	27	57	80	99+
1-11 MOS	12284	7.8	109	<1	1	4	10	19	28	68
1-5 YRS	53300	3.8	42	<1	<1	2	3	9	14	35
6-12 YRS	48168	4.2	48	<1	1	2	4	9	15	38
13-19 YRS	118344	5.2	50	1	1	3	6	10	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857079	3.2	10	1	1	3	4	5	6	14
B. *Operated*	331715	2.9	11	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	661127	4.6	34	1	1	3	5	8	11	32
B. *Operated*	244087	5.5	78	<1	1	3	6	11	20	56
1. SINGLE DX	1188794	3.1	11	1	1	3	4	5	7	14
2. MULTIPLE DX	905214	4.9	46	1	1	3	5	8	13	39
A. NOT OPERATED	1518206	3.8	21	1	1	3	4	6	8	23
B. OPERATED	575802	4.0	41	<1	1	2	4	8	12	36
TOTAL 0-27 DYS	807087	3.8	20	1	2	3	4	6	7	21
1-11 MOS	141670	4.5	24	1	1	3	5	9	12	25
1-5 YRS	335101	3.4	17	<1	1	2	4	7	9	20
6-12 YRS	253315	3.6	30	<1	1	2	4	7	10	29
13-19 YRS	556835	4.3	40	1	1	3	4	8	12	36
GRAND TOTAL	**2094008**	**3.9**	**27**	**1**	**1**	**3**	**4**	**6**	**9**	**27**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13042	3.5	12	1	1	3	4	6	9	19
1-11 MOS	48000	3.7	8	1	1	3	5	7	9	14
1-5 YRS	98979	3.2	9	1	1	2	4	6	8	15
6-12 YRS	64198	3.5	23	1	1	2	4	6	9	25
13-19 YRS	144531	3.8	34	<1	1	3	4	6	10	34
B. *Operated*										
0-27 DYS	1472	4.8	29	1	1	3	5	9	13	23
1-11 MOS	13518	3.6	18	<1	<1	2	4	8	11	21
1-5 YRS	60663	2.5	12	<1	<1	2	2	5	8	18
6-12 YRS	78457	2.8	13	<1	1	2	3	5	8	18
13-19 YRS	177398	3.1	9	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9160	6.2	57	1	2	4	7	13	20	39
1-11 MOS	67868	4.7	19	1	2	4	6	9	12	22
1-5 YRS	122159	3.9	14	1	1	3	5	7	9	18
6-12 YRS	62492	4.4	45	1	1	3	5	8	12	41
13-19 YRS	116562	5.7	80	1	1	3	6	11	21	53
B. *Operated*										
0-27 DYS	1487	12.3	229	1	2	7	15	30	55	99+
1-11 MOS	12284	7.8	109	<1	1	4	10	19	28	68
1-5 YRS	53300	3.8	42	<1	<1	2	3	9	14	35
6-12 YRS	48168	4.2	48	<1	1	2	4	9	15	38
13-19 YRS	118344	5.2	50	1	1	3	6	10	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368750	3.6	21	1	1	3	4	6	9	24
B. *Operated*	331508	2.9	11	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	378241	4.7	42	1	1	3	5	8	13	37
B. *Operated*	233583	4.9	53	<1	1	3	5	10	16	42
1. SINGLE DX	700258	3.3	17	<1	1	2	4	6	8	20
2. MULTIPLE DX	611824	4.8	46	1	1	3	5	9	14	39
A. NOT OPERATED	746991	4.2	32	1	1	3	5	7	11	31
B. OPERATED	565091	3.7	29	<1	1	2	4	7	11	28
TOTAL 0-27 DYS	25161	5.1	47	1	1	3	5	10	16	37
1-11 MOS	141670	4.5	24	1	1	3	5	9	12	25
1-5 YRS	335101	3.4	17	<1	1	2	4	7	9	20
6-12 YRS	253315	3.6	30	<1	1	2	4	7	10	29
13-19 YRS	556835	4.3	40	1	1	3	4	8	12	36
GRAND TOTAL	**1312082**	**4.0**	**31**	**<1**	**1**	**3**	**4**	**7**	**11**	**30**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	208	4.2	12	1	2	3	5	7	9	18
1-11 MOS	2018	3.7	7	1	1	3	4	7	9	13
1-5 YRS	2773	3.2	5	1	1	3	4	6	7	11
6-12 YRS	1711	2.6	4	1	1	2	3	5	6	10
13-19 YRS	1620	2.8	4	1	1	2	4	5	6	10
B. *Operated*										
0-27 DYS	4	7.8	25	3	3	7	12	13	13	13
1-11 MOS	23	7.0	41	1	2	5	9	13	21	31
1-5 YRS	30	5.4	58	1	1	4	5	8	14	43
6-12 YRS	32	5.9	41	2	2	4	7	10	13	37
13-19 YRS	83	5.0	9	2	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	208	5.1	14	2	2	4	6	9	11	27
1-11 MOS	3384	4.4	13	1	2	4	5	8	10	17
1-5 YRS	4810	3.5	5	1	1	3	4	6	7	12
6-12 YRS	1691	3.2	4	1	1	3	4	6	7	11
13-19 YRS	1482	3.3	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	8	9.4	58	3	3	8	12	22	25	25
1-11 MOS	63	11.3	162	3	3	7	13	25	53	95
1-5 YRS	62	7.8	72	2	3	5	7	16	24	50
6-12 YRS	42	5.3	48	2	2	4	6	8	24	99+
13-19 YRS	70	6.4	39	1	3	5	7	10	15	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8330	3.2	6	1	1	3	4	6	7	12
B. *Operated*	172	5.6	28	2	2	4	6	10	13	36
2. MULTIPLE DX										
A. *Not Operated*	11575	3.7	8	1	1	3	4	6	8	14
B. *Operated*	245	7.9	85	2	3	5	8	16	25	64
1. SINGLE DX	8502	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	11820	3.8	10	1	2	3	5	7	8	15
A. NOT OPERATED	19905	3.5	7	1	1	3	4	6	8	13
B. OPERATED	417	7.0	63	2	2	5	7	13	21	54
TOTAL 0-27 DYS	428	4.8	14	1	2	4	6	9	11	25
1-11 MOS	5488	4.3	13	1	2	3	5	7	10	17
1-5 YRS	7675	3.4	6	1	1	3	4	6	7	12
6-12 YRS	3476	3.0	5	1	1	2	4	5	7	11
13-19 YRS	3255	3.2	6	1	1	3	4	6	7	12
GRAND TOTAL	**20322**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.2	5	1	1	5	6	7	7	7
1-5 YRS	32	5.1	22	1	2	4	6	10	11	26
6-12 YRS	14	6.4	46	2	2	4	6	15	24	26
13-19 YRS	20	12.8	67	4	5	10	17	23	29	35
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	8	14.0	431	1	2	6	15	50	63	63
6-12 YRS	2	8.5	25	5	5	8	12	12	12	12
13-19 YRS	10	9.5	15	4	4	9	13	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	8.8	80	1	1	5	15	23	23	23
1-5 YRS	26	8.2	60	3	3	6	10	21	26	36
6-12 YRS	5	8.0	24	3	3	6	12	15	15	15
13-19 YRS	13	8.2	27	2	3	8	10	17	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	13.5	5	12	12	13	15	15	15	15
1-5 YRS	4	8.8	12	4	4	9	11	12	12	12
6-12 YRS	1	47.0		47	47	47	47	47	47	47
13-19 YRS	12	13.8	225	2	4	10	12	34	55	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	7.4	48	2	2	5	9	17	24	33
B. *Operated*	22	10.9	160	2	3	8	13	17	38	63
2. MULTIPLE DX										
A. *Not Operated*	49	8.2	47	3	3	6	10	18	23	36
B. *Operated*	19	14.5	206	3	4	11	13	38	53	58
1. SINGLE DX	93	8.3	75	2	2	5	10	17	24	51
2. MULTIPLE DX	68	10.0	97	3	3	7	12	21	25	56
A. NOT OPERATED	120	7.8	47	2	3	5	10	17	23	35
B. OPERATED	41	12.6	180	2	3	10	13	22	52	63
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	8.2	43	1	1	5	13	17	22	23
1-5 YRS	70	7.5	84	2	3	4	9	12	23	58
6-12 YRS	22	8.8	108	2	2	5	12	18	34	47
13-19 YRS	55	11.3	83	3	4	9	14	21	24	57
GRAND TOTAL	**161**	**9.0**	**85**	**2**	**3**	**6**	**11**	**19**	**24**	**57**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	8	6.9	43	2	2	4	10	18	20	20
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	26	9.2	285	<1	<1	2	9	29	53	74
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	10	11.9	311	<1	1	8	9	37	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	13.8	149	3	4	8	21	34	35	35
6-12 YRS	4	27.3	899	1	1	19	48	69	69	69
13-19 YRS	2	16.0	200	6	6	16	26	26	26	26
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.0	84	3	3	9	18	21	21	21
1-5 YRS	10	10.8	91	<1	1	8	20	57	96	99+
6-12 YRS	4	20.8	448	3	3	18	38	45	45	45
13-19 YRS	8	10.3	43	1	2	12	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.4	35	2	2	4	6	17	20	20
B. *Operated*	39	9.6	265	<1	<1	4	9	24	55	74
2. MULTIPLE DX										
A. *Not Operated*	14	17.9	341	1	3	10	28	38	62	69
B. *Operated*	25	12.2	124	1	2	9	20	32	56	99+
1. SINGLE DX	49	8.9	218	<1	<1	4	9	18	49	74
2. MULTIPLE DX	39	14.3	203	1	2	9	21	33	57	99+
A. NOT OPERATED	24	13.1	240	2	2	7	17	31	45	69
B. OPERATED	64	10.6	209	<1	<1	5	13	31	51	96
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	9.5	65	3	3	7	15	21	21	21
1-5 YRS	52	9.8	187	<1	<1	5	12	31	46	99
6-12 YRS	10	20.2	524	1	2	9	32	57	69	69
13-19 YRS	21	11.3	170	1	2	9	15	21	42	61
GRAND TOTAL	**88**	**11.3**	**216**	**<1**	**1**	**6**	**14**	**31**	**49**	**90**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	5.4	15	2	2	3	9	11	11	11
1-11 MOS	25	2.9	2	<1	1	3	4	5	6	6
1-5 YRS	285	2.6	2	1	1	2	3	4	5	7
6-12 YRS	337	2.7	13	1	1	2	3	4	5	7
13-19 YRS	198	3.1	3	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	26	1.8	2	<1	1	2	2	2	5	7
6-12 YRS	65	1.7		<1	1	2	2	2	3	4
13-19 YRS	33	2.6	5	1	1	2	2	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	3	2	2	5	5	5	5	5
1-11 MOS	61	3.6	5	1	2	3	4	7	8	13
1-5 YRS	611	3.0	3	1	1	3	4	5	6	9
6-12 YRS	651	3.0	3	1	1	3	4	5	6	9
13-19 YRS	455	3.5	4	1	2	3	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	34	3.2	5	<1	1	2	5	7	3	8
6-12 YRS	37	2.8	11	1	1	2	2	5	8	20
13-19 YRS	15	4.5	52	<1	1	3	4	5	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	850	2.8	7	1	1	2	3	4	5	8
B. *Operated*	124	2.0	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	1781	3.2	3	1	1	3	4	5	7	10
B. *Operated*	87	3.3	16	1	1	2	4	7	8	26
1. SINGLE DX	974	2.7	6	1	1	2	3	4	5	8
2. MULTIPLE DX	1868	3.2	4	1	1	3	4	5	7	10
A. NOT OPERATED	2631	3.0	4	1	1	3	4	5	6	9
B. OPERATED	211	2.5	8	1	1	2	2	5	7	15
TOTAL 0-27 DYS	8	4.9	10	2	2	4	7	10	11	11
1-11 MOS	87	3.5	4	1	1	3	4	6	8	12
1-5 YRS	956	2.8	3	1	1	2	3	5	6	8
6-12 YRS	1090	2.8	6	1	1	2	3	5	6	9
13-19 YRS	701	3.4	5	1	1	3	4	6	7	11
GRAND TOTAL	**2842**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	227	5.8	11	2	2	5	8	11	12	16
1-11 MOS	519	5.2	14	1	2	4	7	11	12	16
1-5 YRS	404	4.7	9	1	2	4	6	9	11	14
6-12 YRS	62	5.5	13	1	2	5	7	11	13	16
13-19 YRS	32	6.7	35	1	2	5	8	12	21	30
B. Operated										
0-27 DYS	9	7.0	15	2	2	7	10	12	12	12
1-11 MOS	13	10.7	13	4	5	12	13	14	15	15
1-5 YRS	8	6.4	15	<1	1	6	10	11	11	11
6-12 YRS	2	8.0	72	2	2	8	14	14	14	14
13-19 YRS	3	15.3	25	10	10	16	19	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	199	6.8	21	2	2	5	9	12	15	25
1-11 MOS	714	6.2	19	2	2	5	9	12	14	22
1-5 YRS	687	6.2	22	2	2	5	8	12	14	24
6-12 YRS	161	7.3	37	2	2	6	10	14	17	30
13-19 YRS	169	8.2	39	2	3	7	10	15	21	31
B. Operated										
0-27 DYS	21	10.5	109	2	2	7	11	28	38	39
1-11 MOS	36	14.1	173	3	5	10	14	30	46	65
1-5 YRS	43	11.7	63	2	3	11	15	23	29	34
6-12 YRS	23	17.1	127	3	6	14	28	39	59	99+
13-19 YRS	43	16.5	215	3	4	13	20	35	52	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1244	5.2	13	1	2	4	7	10	12	16
B. Operated	35	9.0	22	2	3	10	12	14	16	20
2. MULTIPLE DX										
A. Not Operated	1930	6.6	[illegible]	2	2	5	9	12	15	25
B. Operated	166	14.1	144	3	4	11	16	31	40	70
1. SINGLE DX	1279	5.3	13	1	2	4	7	11	12	16
2. MULTIPLE DX	2096	7.2	37	2	2	5	9	13	17	32
A. NOT OPERATED	3174	6.0	20	2	2	5	8	11	14	22
B. OPERATED	201	13.2	126	3	4	11	15	28	38	68
TOTAL 0-27 DYS	456	6.5	21	2	2	5	9	11	13	23
1-11 MOS	1282	6.1	24	2	2	4	8	12	14	23
1-5 YRS	1142	5.9	21	1	2	5	8	11	14	23
6-12 YRS	248	7.8	48	2	2	6	10	14	22	41
13-19 YRS	247	9.5	79	2	3	7	12	19	27	51
GRAND TOTAL	**3375**	**6.5**	**29**	**2**	**2**	**5**	**8**	**12**	**15**	**29**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	51	8.7	28	2	2	9	12	15	16	22
1-11 MOS	391	7.2	20	2	2	6	10	13	15	21
1-5 YRS	256	7.2	19	1	2	7	10	13	15	18
6-12 YRS	79	5.6	15	1	2	4	8	12	12	15
13-19 YRS	126	6.1	13	2	2	5	9	11	13	15
B. Operated										
0-27 DYS	2	8.0	72	2	2	8	14	14	14	14
1-11 MOS	12	9.3	16	2	2	10	12	13	14	14
1-5 YRS	26	7.8	104	<1	1	4	11	15	23	52
6-12 YRS	9	10.6	198	2	2	3	15	33	45	45
13-19 YRS	11	4.5	14	1	1	3	5	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	29	12.4	82	3	4	11	15	22	33	43
1-11 MOS	300	8.7	33	2	3	8	11	15	18	31
1-5 YRS	288	6.9	23	2	2	6	10	13	15	25
6-12 YRS	113	5.6	20	1	2	4	7	12	14	24
13-19 YRS	141	6.7	29	2	2	5	8	13	16	30
B. Operated										
0-27 DYS	4	14.3	118	2	2	13	22	28	28	28
1-11 MOS	34	12.4	65	2	2	11	17	23	27	36
1-5 YRS	35	9.2	44	1	3	9	12	19	24	28
6-12 YRS	11	19.4	260	2	5	11	31	45	52	53
13-19 YRS	27	17.7	208	4	4	12	22	40	53	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	903	7.0	19	2	2	6	10	13	15	21
B. Operated	60	7.9	81	1	1	5	11	14	16	51
2. MULTIPLE DX										
A. Not Operated	871	7.5	31	2	2	6	10	14	16	30
B. Operated	111	13.4	123	2	3	10	17	28	38	54
1. SINGLE DX	963	7.1	23	1	2	6	10	13	15	21
2. MULTIPLE DX	982	8.2	45	2	2	7	11	15	19	36
A. NOT OPERATED	1774	7.2	25	2	2	6	10	13	15	26
B. OPERATED	171	11.5	115	1	2	9	14	24	36	53
TOTAL 0-27 DYS	86	10.2	52	2	2	10	15	16	22	39
1-11 MOS	737	8.1	29	2	3	7	11	14	17	28
1-5 YRS	605	7.2	26	1	2	6	10	13	15	25
6-12 YRS	212	6.5	46	1	2	4	9	13	15	41
13-19 YRS	305	7.3	47	2	2	5	9	13	18	39
GRAND TOTAL	**1945**	**7.6**	**34**	**2**	**2**	**6**	**10**	**14**	**16**	**29**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	270	4.3	6	2	2	4	5	7	8	13
1-11 MOS	1015	3.7	4	1	2	3	4	6	7	10
1-5 YRS	656	3.6	5	1	1	3	4	6	9	12
6-12 YRS	939	2.9	3	1	1	3	4	5	6	8
13-19 YRS	963	3.3	4	1	1	3	4	6	7	11
B. Operated										
0-27 DYS	6	7.8	14	3	3	7	12	12	12	12
1-11 MOS	15	4.9	3	3	3	4	6	7	8	9
1-5 YRS	6	5.8	15	3	3	5	7	12	13	13
6-12 YRS	9	6.7	67	1	1	3	8	20	27	27
13-19 YRS	18	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	110	5.0	9	2	2	4	5	9	10	18
1-11 MOS	516	4.2	6	1	2	4	5	7	9	13
1-5 YRS	309	4.5	12	1	2	4	5	8	11	17
6-12 YRS	251	3.9	14	1	2	3	4	8	9	16
13-19 YRS	307	4.2	11	1	2	3	5	8	10	15
B. Operated										
0-27 DYS	3	7.0	19	4	4	5	10	12	12	12
1-11 MOS	33	5.9	15	<1	2	4	8	12	13	15
1-5 YRS	11	7.6	18	3	3	7	10	14	16	16
6-12 YRS	4	3.3	4	2	2	3	4	6	6	6
13-19 YRS	15	8.2	40	2	3	7	10	16	24	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3645	3.4	4	1	1	3	4	6	7	11
B. Operated	54	5.0	17	1	2	4	6	9	12	26
2. MULTIPLE DX										
A. Not Operated	1493	4.3	10	1	2	4	5	8	10	15
B. Operated	66	6.6	21	1	2	5	8	13	15	25
1. SINGLE DX	3699	3.4	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1559	4.4	11	1	2	4	5	8	10	16
A. NOT OPERATED	5338	3.7	6	1	2	3	4	6	8	12
B. OPERATED	120	5.9	20	1	2	4	8	12	13	27
TOTAL 0-27 DYS	389	4.5	7	2	2	4	5	7	10	14
1-11 MOS	1579	3.9	5	1	2	3	5	7	8	12
1-5 YRS	984	3.9	8	1	1	3	5	7	9	15
6-12 YRS	1203	3.1	6	1	1	3	4	6	7	10
13-19 YRS	1303	3.6	7	1	1	3	4	6	8	12
GRAND TOTAL	**5458**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	22	6.2	14	1	1	5	9	12	13	13
1-11 MOS	314	2.8	2	1	1	3	3	4	5	9
1-5 YRS	523	3.2	4	1	1	3	4	5	7	10
6-12 YRS	154	4.0	13	1	1	3	5	7	9	26
13-19 YRS	142	4.0	12	1	1	3	5	7	8	18
B. Operated										
0-27 DYS	2	39.0	1058	16	16	39	62	62	62	62
1-11 MOS	4	3.8	4	2	2	4	5	6	6	6
1-5 YRS	6	3.2	3	<1	<1	4	4	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	9	6.6	113	<1	<1	<1	8	25	33	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	18	6.1	36	1	2	5	13	15	20	22
1-11 MOS	442	3.3	4	1	2	3	4	5	6	11
1-5 YRS	1067	3.7	6	1	1	3	5	6	8	13
6-12 YRS	383	3.6	10	1	1	3	5	7	9	14
13-19 YRS	317	5.3	23	1	2	5	7	9	11	18
B. Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	9	10.6	223	3	3	4	10	35	49	49
1-5 YRS	19	10.3	63	2	2	9	14	23	27	29
6-12 YRS	18	8.6	71	1	1	6	12	18	30	36
13-19 YRS	21	10.3	49	3	4	9	14	24	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1175	3.4	5	1	1	3	4	6	7	12
B. Operated	22	8.0	186	<1	<1	4	6	21	45	62
2. MULTIPLE DX										
A. Not Operated	2227	3.9	9	1	1	3	5	7	9	14
B. Operated	68	9.9	77	2	3	7	13	22	29	90
1. SINGLE DX	1197	3.4	10	1	1	3	4	6	8	13
2. MULTIPLE DX	2295	4.1	12	1	1	3	5	7	10	16
A. NOT OPERATED	3402	3.7	8	1	1	3	4	7	8	13
B. OPERATED	90	9.5	106	<1	1	6	13	22	33	64
TOTAL 0-27 DYS	43	8.7	95	1	2	6	12	15	18	162
1-11 MOS	769	3.2	6	1	1	3	4	5	6	11
1-5 YRS	1615	3.6	6	1	1	3	4	6	8	13
6-12 YRS	556	4.0	13	1	1	3	5	7	10	20
13-19 YRS	509	5.1	23	1	2	4	6	9	11	27
GRAND TOTAL	**3492**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.7	6	4	4	7	8	9	9	9
1-5 YRS	42	4.3	6	1	2	4	6	8	9	12
6-12 YRS	137	4.5	8	1	2	4	6	8	9	15
13-19 YRS	277	6.4	15	2	2	6	8	11	13	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	16.0	392	2	2	16	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	4.0	12	2	2	3	5	10	10	10
1-5 YRS	22	6.1	17	1	2	5	8	12	16	18
6-12 YRS	58	5.7	20	2	3	4	7	11	15	26
13-19 YRS	174	6.5	16	2	2	6	9	12	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	11	12.8	56	3	5	11	15	23	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	5.6	13	1	2	5	7	9	12	21
B. *Operated*	5	8.0	154	1	1	2	11	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	260	6.3	17	2	2	5	8	11	15	21
B. *Operated*	15	11.6	52	2	3	11	15	17	28	32
1. SINGLE DX	464	5.6	14	1	2	5	7	9	12	21
2. MULTIPLE DX	275	6.6	20	2	2	5	9	13	15	23
A. NOT OPERATED	719	5.9	15	2	2	5	7	10	13	21
B. OPERATED	20	10.7	73	1	2	10	14	23	31	32
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	6.1	20	2	2	4	9	13	15	15
1-5 YRS	67	4.9	11	1	2	4	7	9	12	17
6-12 YRS	198	4.8	11	1	2	4	6	8	10	19
13-19 YRS	464	6.6	19	2	2	6	8	12	14	24
GRAND TOTAL	**739**	**6.0**	**17**	**2**	**2**	**5**	**8**	**11**	**14**	**22**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	2.4	1	1	1	2	3	4	4	4
1-5 YRS	154	3.7	4	1	1	3	5	6	8	11
6-12 YRS	283	3.9	5	1	2	3	5	7	8	12
13-19 YRS	1595	4.2	6	1	2	4	5	7	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	6.5	16	1	1	6	8	12	13	13
6-12 YRS	5	3.2	7	<1	<1	2	6	6	6	6
13-19 YRS	15	6.7	28	1	2	5	8	16	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.2	1	1	1	3	4	4	4	4
1-5 YRS	233	4.1	5	1	2	4	5	7	8	12
6-12 YRS	338	4.1	8	1	2	4	5	7	9	13
13-19 YRS	1878	4.6	7	2	2	4	6	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	57.0		57	57	57	57	57	57	57
1-5 YRS	6	4.3	4	1	1	5	6	6	6	6
6-12 YRS	13	7.8	79	1	2	5	8	19	31	34
13-19 YRS	61	6.7	15	1	2	6	9	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2038	4.1	6	1	2	4	5	7	8	12
B. *Operated*	26	6.0	22	1	1	5	8	13	17	20
2. MULTIPLE DX										
A. *Not Operated*	2455	4.5	7	2	2	4	5	8	9	14
B. *Operated*	81	7.3	55	1	2	6	9	14	15	50
1. SINGLE DX	2064	4.2	6	1	2	4	5	7	9	13
2. MULTIPLE DX	2536	4.6	9	2	2	4	6	8	10	14
A. NOT OPERATED	4493	4.3	6	1	2	4	5	7	9	13
B. OPERATED	107	7.0	47	1	2	6	8	14	15	44
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	7.3	246	1	1	3	4	20	52	57
1-5 YRS	399	4.0	5	1	2	4	5	7	8	12
6-12 YRS	639	4.1	8	1	2	4	5	7	9	14
13-19 YRS	3549	4.5	7	2	2	4	6	8	9	14
GRAND TOTAL	**4600**	**4.4**	**7**	**1**	**2**	**4**	**5**	**8**	**9**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	8	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.7	5	2	2	6	6	6	6	6
1-5 YRS	62	1.6	1	<1	<1	1	2	3	4	7
6-12 YRS	126	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	504	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	20	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	13	2.4	3	1	1	2	2	4	7	8
6-12 YRS	19	1.8	1	<1	<1	2	2	2	5	5
13-19 YRS	138	3.3	16	<1	<1	2	4	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	695	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	26	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*	171	3.0	14	<1	<1	2	3	5	7	19
1. SINGLE DX	705	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	197	2.9	12	<1	<1	2	3	5	7	19
A. NOT OPERATED	36	1.9	2	<1	<1	1	3	4	5	6
B. OPERATED	866	2.1	4	<1	<1	2	2	4	5	8
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	4	3.8	7	1	1	4	6	6	6	6
1-5 YRS	78	1.8	2	<1	<1	1	2	3	4	8
6-12 YRS	148	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	670	2.2	5	<1	<1	2	3	4	5	9
GRAND TOTAL	**902**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	644	3.5	2	2	2	3	4	5	6	9
1-11 MOS	2092	2.8	2	1	1	3	4	4	5	7
1-5 YRS	2135	2.8	3	1	1	2	3	5	6	8
6-12 YRS	1282	2.7	4	1	1	2	3	5	6	9
13-19 YRS	1069	3.0	4	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS	18	3.8	6	1	1	3	5	8	9	9
1-11 MOS	32	3.8	5	1	2	3	4	7	9	11
1-5 YRS	49	3.2	7	<1	<1	3	4	6	8	16
6-12 YRS	63	3.3	8	<1	1	2	4	7	9	15
13-19 YRS	56	3.5	9	1	1	3	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	327	4.1	9	1	2	4	5	6	8	14
1-11 MOS	1814	3.3	5	1	1	3	4	5	7	12
1-5 YRS	3070	3.0	4	1	1	3	4	5	6	9
6-12 YRS	1544	3.1	4	1	1	3	4	5	6	11
13-19 YRS	1365	3.5	9	1	1	3	4	6	7	14
B. *Operated*										
0-27 DYS	16	5.4	53	2	2	3	5	9	25	32
1-11 MOS	48	5.3	12	1	2	4	7	11	12	13
1-5 YRS	78	4.4	14	1	1	4	6	8	9	24
6-12 YRS	67	6.6	60	1	2	5	8	11	13	53
13-19 YRS	84	6.8	69	1	1	5	7	14	19	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7222	2.9	3	1	1	3	4	5	6	8
B. *Operated*	218	3.4	7	<1	1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	8120	3.2	5	1	1	3	4	5	7	11
B. *Operated*	293	5.8	42	1	2	4	7	10	13	52
1. SINGLE DX	7440	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	8413	3.3	7	1	1	3	4	6	7	12
A. NOT OPERATED	15342	3.1	4	1	1	3	4	5	6	10
B. OPERATED	511	4.8	29	1	1	3	6	9	12	32
TOTAL 0-27 DYS	1005	3.7	5	1	2	3	4	5	7	11
1-11 MOS	3986	3.1	4	1	1	3	4	5	6	10
1-5 YRS	5332	2.9	4	1	1	3	4	5	6	9
6-12 YRS	2956	3.0	6	1	1	2	4	5	6	11
13-19 YRS	2574	3.4	9	1	1	3	4	6	7	14
GRAND TOTAL	**15853**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.8	2	1	1	3	4	4	4	4
1-5 YRS	70	3.9	4	1	2	4	5	6	7	11
6-12 YRS	88	4.3	11	2	2	3	5	7	9	22
13-19 YRS	69	4.6	8	1	2	4	5	8	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.3	8	1	1	3	5	7	7	7
6-12 YRS	3	4.3	1	3	3	5	5	5	5	5
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.0	11	1	1	2	5	8	8	8
1-5 YRS	32	4.8	6	2	2	4	6	8	10	11
6-12 YRS	42	4.4	6	1	1	4	6	8	10	10
13-19 YRS	36	5.1	7	1	2	5	6	9	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	2	9.5	25	6	6	9	13	13	13	13
13-19 YRS	2	6.0	18	3	3	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	4.2	8	1	2	4	5	7	8	15
B. *Operated*	9	3.6	4	1	1	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	114	4.7	6	1	2	4	6	8	10	12
B. *Operated*	6	6.7	15	3	3	6	9	13	13	13
1. SINGLE DX	240	4.2	8	1	2	4	5	7	8	15
2. MULTIPLE DX	120	4.8	7	1	2	4	6	9	10	13
A. NOT OPERATED	345	4.4	7	1	2	4	5	7	10	14
B. OPERATED	15	4.8	10	1	1	4	6	9	12	13
TOTAL 0-27 DYS										
1-11 MOS	8	2.9	6	1	1	2	4	7	8	8
1-5 YRS	108	4.2	5	1	2	4	5	7	8	11
6-12 YRS	135	4.4	9	1	2	4	5	8	10	15
13-19 YRS	109	4.7	7	1	2	4	6	8	10	15
GRAND TOTAL	**360**	**4.4**	**7**	**1**	**2**	**4**	**5**	**8**	**10**	**14**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	21	5.5	13	<1	1	5	8	10	12	14
1-11 MOS	14	6.9	7	4	4	6	10	10	12	12
1-5 YRS	25	5.6	42	1	1	4	7	11	19	32
6-12 YRS	13	4.4	10	1	1	3	6	9	11	11
13-19 YRS	293	4.5	5	2	2	4	5	7	9	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	5	4.4	13	1	1	3	7	10	10	10
6-12 YRS	3	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	50	3.4	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	9.6	1	8	8	10	10	11	11	11
1-11 MOS	8	6.5	15	<1	1	6	9	12	13	13
1-5 YRS	20	7.4	25	<1	1	7	10	14	17	19
6-12 YRS	8	9.1	116	<1	<1	7	10	27	34	34
13-19 YRS	233	5.7	12	2	3	5	7	9	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	4	2.8	3	1	1	2	4	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	46	7.0	78	<1	1	5	9	15	20	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	4.8	8	1	2	4	6	8	10	14
B. *Operated*	59	3.4	5	<1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	274	6.0	16	2	3	5	8	10	13	20
B. *Operated*	52	6.7	72	<1	1	4	9	14	19	54
1. SINGLE DX	425	4.6	8	1	2	4	6	8	10	13
2. MULTIPLE DX	326	6.1	25	1	2	5	8	11	14	23
A. NOT OPERATED	640	5.3	12	1	2	4	7	9	11	18
B. OPERATED	111	5.0	39	<1	1	3	6	10	13	35
TOTAL 0-27 DYS	27	6.3	13	1	1	7	9	10	11	14
1-11 MOS	23	7.0	11	2	4	6	10	12	13	13
1-5 YRS	54	5.9	31	1	1	4	8	12	16	31
6-12 YRS	25	5.4	47	<1	<1	3	8	11	17	34
13-19 YRS	622	5.1	14	1	2	4	6	9	11	18
GRAND TOTAL	**751**	**5.2**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	16	3.8	6	<1	<1	3	6	7	8	9
1-5 YRS	42	4.0	9	<1	1	3	6	9	10	12
6-12 YRS	39	3.1	14	<1	<1	2	4	7	12	18
13-19 YRS	22	2.9	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.7	12	<1	<1	5	7	8	8	8
1-5 YRS	4	1.8	2	<1	<1	1	3	4	4	4
6-12 YRS	7	5.9	16	2	2	6	8	12	13	13
13-19 YRS	9	8.6	123	<1	<1	6	11	26	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.6	5	1	1	3	5	6	9	10
1-11 MOS	117	4.4	10	1	1	3	6	8	10	17
1-5 YRS	78	4.4	9	1	2	4	5	9	12	15
6-12 YRS	64	5.2	20	<1	<1	4	7	12	16	19
13-19 YRS	48	5.2	20	1	1	4	6	11	14	25
B. *Operated*										
0-27 DYS	3	10.7	86	3	3	8	18	21	21	21
1-11 MOS	5	19.2	548	3	3	10	28	60	60	60
1-5 YRS	5	10.6	245	<1	<1	4	16	38	38	38
6-12 YRS	8	24.6	586	2	3	16	44	60	64	64
13-19 YRS	10	8.2	94	1	1	6	8	22	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.4	9	<1	<1	3	4	7	9	16
B. *Operated*	24	5.9	55	<1	<1	4	7	12	20	36
2. MULTIPLE DX										
A. *Not Operated*	321	4.7	13	<1	1	4	6	9	12	17
B. *Operated*	31	14.8	324	<1	1	8	20	43	60	64
1. SINGLE DX	147	3.8	17	<1	<1	3	5	8	10	19
2. MULTIPLE DX	352	5.6	48	<1	1	4	6	10	15	38
A. NOT OPERATED	444	4.3	12	<1	1	3	6	8	11	16
B. OPERATED	55	10.9	223	<1	<1	6	11	36	48	64
TOTAL 0-27 DYS	22	4.3	19	1	1	3	5	9	14	21
1-11 MOS	141	4.9	32	1	1	3	6	9	10	24
1-5 YRS	129	4.5	18	<1	1	4	6	9	11	20
6-12 YRS	118	5.9	78	<1	<1	3	6	14	17	55
13-19 YRS	89	5.3	35	<1	1	4	6	11	14	35
GRAND TOTAL	**499**	**5.1**	**39**	**<1**	**1**	**4**	**6**	**10**	**14**	**37**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINCLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	3.0	6	1	1	3	3	7	8	8
6-12 YRS	9	3.0	4	1	1	3	4	6	7	7
13-19 YRS	8	3.1	3	1	1	3	4	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.5	34	3	3	5	11	16	16	16
6-12 YRS	18	4.5	6	2	3	4	5	9	10	10
13-19 YRS	13	4.5	5	2	2	4	5	7	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	25	5.5	43	1	2	4	6	10	17	34
6-12 YRS	22	3.8	6	1	1	3	6	7	8	9
13-19 YRS	15	4.8	7	1	2	4	6	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	15	3.9	4	2	2	3	5	6	9	10
13-19 YRS	12	4.8	12	2	2	4	5	9	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.1	4	1	1	3	4	7	7	8
B. *Operated*	35	4.9	9	2	3	4	5	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	63	4.7	21	1	1	4	6	9	10	31
B. *Operated*	29	4.3	7	2	2	3	5	7	10	15
1. SINGLE DX	60	4.1	7	1	2	3	5	7	10	15
2. MULTIPLE DX	92	4.6	16	1	2	4	6	8	10	26
A. NOT OPERATED	88	4.2	16	1	1	3	5	8	9	26
B. OPERATED	64	4.6	8	2	2	4	5	8	11	16
TOTAL 0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	38	5.2	33	1	1	4	6	10	14	34
6-12 YRS	64	3.9	5	1	2	3	5	7	9	10
13-19 YRS	48	4.4	7	2	2	4	5	8	10	15
GRAND TOTAL	**152**	**4.4**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.3	4	4	4	7	8	8	8	8
1-11 MOS	6	6.7	73	2	2	3	5	22	24	24
1-5 YRS	37	3.5	5	<1	1	3	5	7	7	9
6-12 YRS	21	4.6	6	2	2	4	5	9	10	10
13-19 YRS	38	3.9	7	<1	1	3	6	7	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	6	2.7	1	1	1	3	4	4	4	4
13-19 YRS	25	5.0	9	1	1	5	7	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	39	8.3	27	2	2	8	11	16	18	23
1-5 YRS	65	6.8	20	2	3	6	9	11	13	28
6-12 YRS	41	5.8	14	1	2	5	7	11	13	20
13-19 YRS	62	5.3	19	1	2	4	7	9	10	28
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	19.3	82	11	11	18	26	29	29	29
1-5 YRS	9	16.0	98	4	5	14	23	31	35	35
6-12 YRS	7	9.7	95	1	1	3	17	24	25	25
13-19 YRS	31	7.7	37	1	2	7	10	16	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	4.1	10	<1	1	3	6	7	9	17
B. *Operated*	32	4.7	9	1	1	4	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	207	6.4	21	2	2	5	8	12	15	26
B. *Operated*	51	10.0	68	1	2	8	14	23	26	35
1. SINGLE DX	137	4.2	9	1	1	4	6	8	10	14
2. MULTIPLE DX	258	7.2	32	1	2	6	9	14	19	29
A. NOT OPERATED	312	5.7	18	1	2	5	7	10	13	23
B. OPERATED	83	8.0	52	1	2	6	11	18	24	33
TOTAL 0-27 DYS	4	5.8	4	4	4	6	7	8	8	8
1-11 MOS	48	8.8	41	2	2	8	12	18	23	29
1-5 YRS	112	6.4	31	1	2	5	8	12	15	32
6-12 YRS	75	5.6	20	1	2	4	7	10	15	24
13-19 YRS	156	5.4	19	1	1	4	7	10	12	24
GRAND TOTAL	**395**	**6.1**	**26**	**1**	**2**	**5**	**8**	**11**	**16**	**28**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	6.5	41	2	2	6	11	11	11	11
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	5.5	10	2	2	5	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	7	3.4	3	2	2	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.5	22	2	2	6	10	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	4.3	9	1	1	4	6	9	9	9
B. *Operated*	10	4.0	3	2	2	4	5	6	7	7
1. SINGLE DX	4	6.5	22	2	2	6	10	11	11	11
2. MULTIPLE DX	17	4.1	5	1	2	4	5	7	8	9
A. NOT OPERATED	11	5.1	13	1	1	4	8	10	11	11
B. OPERATED	10	4.0	3	2	2	4	5	6	7	7
TOTAL 0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS	5	5.0	17	1	1	4	8	11	11	11
13-19 YRS	12	4.1	5	2	2	3	5	8	9	9
GRAND TOTAL	**21**	**4.6**	**8**	**1**	**2**	**4**	**6**	**9**	**10**	**11**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	5.3	2	3	3	5	6	7	7	7
13-19 YRS	8	3.6	7	1	1	3	5	6	9	9
B. Operated										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	2.9	1	2	2	3	4	4	4	4
13-19 YRS	14	3.6	4	1	1	3	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	5.0	1	4	4	5	6	6	6	6
6-12 YRS	11	6.0	9	1	2	7	8	10	11	11
13-19 YRS	26	4.8	16	1	2	3	6	11	14	17
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	12	6.3	20	1	1	5	9	14	14	14
13-19 YRS	7	4.6	8	1	1	4	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.4	5	1	1	4	6	7	8	9
B. Operated	24	3.8	8	1	2	3	5	6	10	15
2. MULTIPLE DX										
A. Not Operated	41	5.2	12	1	2	4	7	10	12	17
B. Operated	21	5.3	16	1	1	4	8	11	14	14
1. SINGLE DX	40	4.0	7	1	1	4	5	7	8	15
2. MULTIPLE DX	62	5.2	13	1	1	4	7	10	13	17
A. NOT OPERATED	57	5.0	10	1	2	4	7	9	11	17
B. OPERATED	45	4.5	12	1	1	4	5	9	14	15
TOTAL 0-27 DYS										
1-11 MOS	2	11.0	32	7	7	11	15	15	15	15
1-5 YRS	6	3.3	4	1	1	3	5	6	6	6
6-12 YRS	39	5.3	11	1	2	4	7	10	13	14
13-19 YRS	55	4.3	10	1	1	4	5	8	11	17
GRAND TOTAL	102	4.7	11	1	1	4	6	9	12	16

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated	2	4.5	25	1	1	4	8	8	8	8
1. SINGLE DX										
2. MULTIPLE DX	2	4.5	25	1	1	4	8	8	8	8
A. NOT OPERATED										
B. OPERATED	2	4.5	25	1	1	4	8	8	8	8
TOTAL 0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
GRAND TOTAL	2	4.5	25	1	1	4	8	8	8	8

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	4	14.0	74	5	5	13	21	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0		3	3	3	3	3	3	3
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*	5	15.4	65	5	5	18	22	24	24	24
1. SINGLE DX	4	3.5	1	3	3	3	4	5	5	5
2. MULTIPLE DX	7	12.6	69	3	3	9	20	23	24	24
A. NOT OPERATED	5	4.0	5	3	3	3	5	8	8	8
B. OPERATED	6	13.7	70	5	5	13	21	24	24	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	14.5	85	8	8	14	21	21	21	21
13-19 YRS	9	8.1	59	3	3	5	11	22	24	24
GRAND TOTAL	**11**	**9.3**	**63**	**3**	**3**	**5**	**16**	**22**	**24**	**24**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	17.0		17	17	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	13.3	6	11	11	13	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	17.0		17	17	17	17	17	17	17
1. SINGLE DX	3	13.3	6	11	11	13	15	16	16	16
2. MULTIPLE DX	1	17.0		17	17	17	17	17	17	17
A. NOT OPERATED										
B. OPERATED	4	14.3	8	11	11	14	16	17	17	17
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	2	15.0	8	13	13	15	17	17	17	17
GRAND TOTAL	**4**	**14.3**	**8**	**11**	**11**	**14**	**16**	**17**	**17**	**17**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS										
13-19 YRS	5	12.4	112	3	3	8	18	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS										
6-12 YRS	3	15.0	193	6	6	8	25	31	31	31
13-19 YRS	4	7.8	4	6	6	8	9	10	10	10
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	11.0	4	9	9	11	12	13	13	13
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	2	21.0	98	17	17	24	31	31	31	31
13-19 YRS	15	13.9	90	3	4	12	20	24	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	8	13.3	93	3	4	9	20	29	30	30
2. MULTIPLE DX										
A. *Not Operated*	10	9.4	60	5	5	7	9	20	31	31
B. *Operated*	22	14.5	82	4	5	12	21	26	33	37
1. SINGLE DX	8	13.3	93	3	4	9	20	29	30	30
2. MULTIPLE DX	32	12.9	79	4	5	10	18	26	31	37
A. NOT OPERATED	10	9.4	60	5	5	7	9	20	31	31
B. OPERATED	30	14.2	82	3	4	11	21	28	31	37
TOTAL 0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	7	8.9	8	5	5	9	11	13	13	13
1-5 YRS	2	24.5	5	23	23	24	26	26	26	26
6-12 YRS	5	18.6	145	6	6	17	31	31	31	31
13-19 YRS	24	12.6	80	3	4	9	18	25	32	37
GRAND TOTAL	**40**	**13.0**	**79**	**4**	**5**	**9**	**18**	**28**	**31**	**37**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	41	10	10	14	19	19	19	19
1-5 YRS	2	21.5	25	18	18	21	25	25	25	25
6-12 YRS										
13-19 YRS	4	31.3	355	13	13	28	45	56	56	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	4	7.3	16	4	4	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	8	24.6	219	10	11	20	30	50	56	56
1. SINGLE DX	5	6.0	20	1	1	4	10	12	12	12
2. MULTIPLE DX	9	22.1	248	2	5	19	27	48	56	56
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	12	18.8	217	4	4	15	23	41	54	56
TOTAL 0-27 DYS										
1-11 MOS	3	12.7	30	9	9	10	17	19	19	19
1-5 YRS	4	11.5	142	1	1	10	21	25	25	25
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	6	22.2	411	4	4	17	35	54	56	56
GRAND TOTAL	**14**	**16.4**	**223**	**1**	**2**	**12**	**21**	**37**	**52**	**56**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	19	4.5	68	1	1	2	4	6	24	38
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	8	10.5	38	2	3	11	15	18	19	19
1-5 YRS	19	15.4	228	2	2	11	22	28	49	66
6-12 YRS	3	6.0	21	2	2	5	9	11	11	11
13-19 YRS	10	8.9	24	3	3	8	10	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	42	4.2	15	1	1	3	4	11	13	18
6-12 YRS	10	9.8	65	4	4	7	12	23	30	30
13-19 YRS	10	5.0	23	1	1	4	5	12	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS	7	23.7	309	4	5	18	36	50	53	53
1-5 YRS	15	19.2	294	2	4	14	22	51	60	63
6-12 YRS	10	14.5	152	<1	2	11	15	36	39	39
13-19 YRS	5	16.4	419	6	6	8	19	53	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.2	52	1	1	2	4	5	15	38
B. *Operated*	40	12.1	130	2	2	9	15	25	28	66
2. MULTIPLE DX										
A. *Not Operated*	65	5.5	31	1	1	4	6	12	18	29
B. *Operated*	37	18.4	261	2	4	12	25	49	53	63
1. SINGLE DX	65	9.0	114	1	2	5	11	20	28	62
2. MULTIPLE DX	102	10.2	152	1	1	5	12	25	38	58
A. NOT OPERATED	90	5.1	37	1	1	4	5	12	18	35
B. OPERATED	77	15.1	200	2	3	11	18	34	52	65
TOTAL 0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	19	13.8	187	1	2	9	18	35	46	53
1-5 YRS	95	8.9	146	1	1	4	12	23	30	65
6-12 YRS	25	10.6	99	1	2	7	12	30	35	39
13-19 YRS	27	8.6	98	2	3	6	8	17	25	53
GRAND TOTAL	**167**	**9.7**	**136**	**1**	**1**	**5**	**12**	**23**	**34**	**61**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	2	19.0	162	10	10	19	28	28	28	28
1-5 YRS										
6-12 YRS										
13-19 YRS	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	2	22.0	72	16	16	22	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	4	19.5	97	10	10	28	46	99+	99+	99+
1. SINGLE DX	4	12.3	151	2	2	9	22	28	28	28
2. MULTIPLE DX	5	15.8	141	1	2	20	28	93	99+	99+
A. NOT OPERATED	3	2.0	1	1	1	2	3	3	3	3
B. OPERATED	6	20.3	74	10	10	28	28	86	99+	99+
TOTAL 0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	2	19.0	162	10	10	19	28	28	28	28
1-5 YRS	1	16.0		16	16	58	99+	99+	99+	99+
6-12 YRS										
13-19 YRS	5	9.2	130	1	1	3	16	28	28	28
GRAND TOTAL	**9**	**14.2**	**131**	**1**	**1**	**14**	**28**	**64**	**99+**	**99+**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.7	41	7	7	9	16	19	19	19
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.3	22	5	5	12	13	14	14	14
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	4	4.0	9	<1	<1	4	6	7	7	7
13-19 YRS	7	6.7	11	2	2	7	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	3	13.7	169	1	1	13	23	27	27	27
1-5 YRS	6	4.3	8	2	2	3	4	9	10	10
6-12 YRS	4	6.3	22	2	2	5	10	12	12	12
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	3	12.3	66	3	3	16	17	18	18	18
1-11 MOS	3	11.7	225	3	3	3	23	29	29	29
1-5 YRS	3	5.7	4	4	4	5	7	8	8	8
6-12 YRS	3	9.0	76	3	3	5	15	19	19	19
13-19 YRS	9	13.8	78	4	5	10	19	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	8.4	41	3	3	7	11	19	19	19
B. *Operated*	15	6.7	15	<1	2	7	9	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	16	7.5	58	1	2	4	11	21	25	27
B. *Operated*	21	11.4	77	3	3	8	17	26	30	31
1. SINGLE DX	20	7.2	20	1	2	7	9	13	16	19
2. MULTIPLE DX	37	9.7	71	2	3	8	14	24	28	31
A. NOT OPERATED	21	7.7	52	1	2	4	10	20	24	27
B. OPERATED	36	9.5	55	2	3	7	13	19	27	31
TOTAL 0-27 DYS	4	14.8	68	3	3	17	20	22	22	22
1-11 MOS	12	11.8	85	1	2	10	16	28	29	29
1-5 YRS	12	4.8	6	2	2	4	6	9	10	10
6-12 YRS	11	6.2	29	<1	1	5	8	15	19	19
13-19 YRS	18	9.8	58	2	3	8	12	22	28	31
GRAND TOTAL	**57**	**8.8**	**54**	**2**	**2**	**7**	**12**	**19**	**26**	**31**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	3	7.0	19	2	2	9	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.8	30	1	1	6	10	11	11	11
1-5 YRS	9	6.1	16	1	1	6	8	12	14	14
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	11	4.2	16	1	1	2	5	10	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	7	2.6	1	1	1	3	3	4	4	4
13-19 YRS	15	5.3	11	2	2	4	8	10	11	12
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	14.3	124	6	6	10	23	27	27	27
1-5 YRS	11	17.8	587	1	2	10	20	47	85	88
6-12 YRS	2	7.0	8	5	5	7	9	9	9	9
13-19 YRS	10	10.1	68	3	3	7	16	23	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.7	12	1	1	4	8	10	10	10
B. *Operated*	25	5.4	18	1	1	5	8	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	25	4.5	9	1	2	3	6	9	10	12
B. *Operated*	27	13.4	276	2	3	9	18	25	36	88
1. SINGLE DX	32	5.3	16	1	1	4	8	11	14	15
2. MULTIPLE DX	52	9.1	165	1	2	6	10	20	26	87
A. NOT OPERATED	32	4.5	9	1	1	4	6	9	10	12
B. OPERATED	52	9.6	165	1	2	6	11	20	26	87
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	9.4	67	1	1	9	11	22	27	27
1-5 YRS	23	11.2	316	1	1	6	12	20	44	88
6-12 YRS	13	4.2	8	1	2	3	4	9	11	11
13-19 YRS	39	6.3	31	2	2	5	9	14	18	27
GRAND TOTAL	**84**	**7.6**	**111**	**1**	**2**	**5**	**9**	**15**	**20**	**67**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	26	5.7	150	1	1	3	4	4	22	65
6-12 YRS	74	3.4	6	1	1	3	4	5	9	16
13-19 YRS	116	2.9	7	<1	<1	2	4	5	6	15
B. *Operated*										
0-27 DYS	2	8.5	13	6	6	8	11	11	11	11
1-11 MOS	13	8.1	27	1	2	7	11	16	18	18
1-5 YRS	46	9.7	115	1	1	7	12	23	36	53
6-12 YRS	77	6.7	35	1	1	5	8	15	16	32
13-19 YRS	157	7.0	31	1	2	5	10	14	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.0	2	<1	<1	1	4	4	4	4
1-5 YRS	65	5.7	73	<1	1	3	6	12	18	56
6-12 YRS	137	4.5	36	1	1	3	5	8	14	35
13-19 YRS	217	4.1	14	1	1	3	5	9	12	20
B. *Operated*										
0-27 DYS										
1-11 MOS	7	7.9	13	2	2	8	11	12	12	12
1-5 YRS	25	13.1	289	1	2	11	14	25	41	87
6-12 YRS	59	11.4	117	2	2	10	12	24	38	53
13-19 YRS	93	12.7	152	2	2	9	14	31	45	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.4	24	<1	1	3	4	5	8	18
B. *Operated*	295	7.4	46	1	2	5	10	15	19	38
2. MULTIPLE DX										
A. *Not Operated*	425	4.5	31	1	1	3	5	9	13	23
B. *Operated*	184	12.2	153	2	2	9	14	26	44	54
1. SINGLE DX	513	5.7	40	1	1	4	7	12	16	35
2. MULTIPLE DX	609	6.8	80	1	1	4	8	14	21	50
A. NOT OPERATED	643	4.1	29	<1	1	3	4	8	12	21
B. OPERATED	479	9.2	92	1	2	7	12	19	27	52
TOTAL 0-27 DYS	2	8.5	13	6	6	8	11	11	11	11
1-11 MOS	28	6.3	23	<1	1	5	10	12	16	18
1-5 YRS	162	8.0	136	1	1	4	8	17	25	65
6-12 YRS	347	5.9	51	1	1	4	7	13	17	44
13-19 YRS	583	6.0	50	1	1	4	8	13	19	45
GRAND TOTAL	**1122**	**6.3**	**62**	**1**	**1**	**4**	**8**	**13**	**19**	**47**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	7	1	1	2	5	6	6	6
6-12 YRS	3	5.0	1	4	4	5	6	6	6	6
13-19 YRS	20	4.0	8	<1	<1	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	2	9.0	50	4	4	9	14	14	14	14
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	6	4.8	5	1	1	5	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	26	4.0	7	<1	<1	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*	10	7.7	44	1	2	5	8	19	24	24
1. SINGLE DX	26	4.0	7	<1	<1	3	6	8	9	9
2. MULTIPLE DX	13	6.6	38	1	2	5	7	16	22	24
A. NOT OPERATED	3	3.0	3	2	2	2	4	5	5	5
B. OPERATED	36	5.0	19	<1	1	4	6	9	13	24
TOTAL 0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	5	5.4	27	1	1	4	8	14	14	14
6-12 YRS	4	5.3	1	4	4	5	6	6	6	6
13-19 YRS	29	4.0	7	<1	<1	4	6	8	9	9
GRAND TOTAL	**39**	**4.8**	**18**	**<1**	**1**	**4**	**6**	**9**	**12**	**24**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	8	4.0	7	<1	<1	4	6	7	8	8
13-19 YRS	13	2.9	3	<1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	3.3	7	<1	<1	2	5	7	7	7
1-5 YRS	4	2.3	2	1	1	2	3	4	4	4
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	7	4.9	23	2	2	3	6	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	28	3.0	4	<1	<1	2	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	4	2.5		2	2	2	3	3	3	3
B. *Operated*	18	3.8	13	<1	1	2	4	8	13	15
1. SINGLE DX	29	3.0	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX	22	3.6	11	1	1	2	3	8	11	15
A. NOT OPERATED	5	2.6		2	2	3	3	3	3	3
B. OPERATED	46	3.3	7	<1	<1	2	4	7	8	15
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	9	2.3	4	<1	<1	2	3	5	7	7
1-5 YRS	9	2.6	1	1	1	2	3	4	4	4
6-12 YRS	10	3.6	6	<1	<1	3	6	7	8	8
13-19 YRS	22	3.5	9	1	1	3	4	6	10	15
GRAND TOTAL	**51**	**3.3**	**7**	**<1**	**<1**	**2**	**4**	**6**	**8**	**15**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.3	10	<1	<1	4	7	7	7	7
1-5 YRS										
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	8	4.4	9	<1	<1	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	9.3	102	3	3	4	17	21	21	21
13-19 YRS	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	7	7.7	4	4	5	8	9	10	10	10
1-5 YRS	2	12.5	61	7	7	12	18	18	18	18
6-12 YRS										
13-19 YRS	3	8.7	49	2	2	8	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	14	4.6	8	<1	<1	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	7	7.1	43	3	3	4	9	19	21	21
B. *Operated*	12	8.8	20	2	3	8	10	17	18	18
1. SINGLE DX	15	4.4	8	<1	<1	5	7	7	9	9
2. MULTIPLE DX	19	8.2	27	2	3	7	10	17	20	21
A. NOT OPERATED	8	6.4	42	1	2	4	7	18	21	21
B. OPERATED	26	6.5	17	<1	1	7	8	10	16	18
TOTAL 0-27 DYS										
1-11 MOS	13	6.1	8	<1	2	7	8	9	10	10
1-5 YRS	3	9.7	54	4	4	7	15	18	18	18
6-12 YRS	5	8.2	54	3	3	6	10	21	21	21
13-19 YRS	13	5.5	20	<1	1	5	8	11	15	16
GRAND TOTAL	**34**	**6.5**	**22**	**<1**	**1**	**7**	**8**	**11**	**18**	**21**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.5	4	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.5	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	6	3.5	4	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	2	12.0	12*	4	4	12	20	20	20	20
B. Operated	6	2.3	6	1	1	1	3	7	7	7
1. SINGLE DX	7	3.1	4	1	1	3	5	6	6	6
2. MULTIPLE DX	8	4.6	43	1	1	2	5	16	20	20
A. NOT OPERATED	3	5.3	104	1	1	4	16	20	20	20
B. OPERATED	12	2.9	5	1	1	2	5	6	7	7
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	10.5	161	1	1	10	20	20	20	20
6-12 YRS										
13-19 YRS	11	2.8	4	1	1	3	4	6	6	6
GRAND TOTAL	**15**	**4.0**	**24**	**1**	**1**	**3**	**5**	**7**	**17**	**20**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS										
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	2	12.5	85	6	6	12	19	19	19	19
B. Operated										
0-27 DYS										
1-11 MOS	2	7.0	72	1	1	7	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	5	8.8	11	6	6	9	10	14	14	14
2. MULTIPLE DX										
A. Not Operated	3	9.7	66	4	4	6	16	19	19	19
B. Operated	3	7.0	36	1	1	7	11	13	13	13
1. SINGLE DX	5	8.8	11	6	6	9	10	14	14	14
2. MULTIPLE DX	6	8.3	43	1	1	6	13	16	19	19
A. NOT OPERATED	3	9.7	66	4	4	6	16	19	19	19
B. OPERATED	8	8.1	17	1	2	8	11	14	14	14
TOTAL 0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	3	6.0	39	1	1	4	11	13	13	13
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	5	9.4	30	6	6	7	11	19	19	19
GRAND TOTAL	**11**	**8.5**	**26**	**1**	**3**	**7**	**12**	**16**	**19**	**19**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.0	1	1	1	2	3	3	3	3
6-12 YRS	2	6.5	5	5	5	6	8	8	8	8
13-19 YRS	13	2.5	1	1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	10.3	14	6	6	12	13	13	13	13
13-19 YRS	27	7.4	8	3	5	7	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	16.7	482	3	3	5	33	42	42	42
13-19 YRS	12	9.1	95	1	1	5	14	23	32	33
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	3	10.7	40	7	7	7	15	18	18	18
13-19 YRS	25	8.5	9	5	5	8	11	13	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.8	3	1	1	2	3	5	7	8
B. *Operated*	31	7.7	8	3	5	7	9	12	13	16
2. MULTIPLE DX										
A. *Not Operated*	19	8.8	132	1	1	4	10	27	38	42
B. *Operated*	32	8.4	11	5	5	7	10	13	15	18
1. SINGLE DX	51	5.8	12	1	2	5	8	11	12	16
2. MULTIPLE DX	51	8.5	54	1	2	7	10	16	19	42
A. NOT OPERATED	39	5.7	73	1	1	3	5	15	27	42
B. OPERATED	63	8.0	10	4	5	7	10	12	14	18
TOTAL 0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	10	2.9	4	1	1	2	4	6	7	7
6-12 YRS	11	11.5	121	3	4	7	13	28	41	42
13-19 YRS	77	7.2	24	1	2	7	9	12	16	29
GRAND TOTAL	**102**	**7.2**	**35**	**1**	**2**	**6**	**9**	**12**	**17**	**37**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.5	41	3	3	7	12	12	12	12
6-12 YRS										
13-19 YRS	4	4.5	22	<1	<1	3	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.1		<1	<1	1	1	2	2	2
B. *Operated*	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	4	4.0	4	1	1	5	5	5	5	5
B. *Operated*	6	5.5	24	<1	<1	4	11	12	12	12
1. SINGLE DX	12	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX	10	4.9	15	<1	<1	5	5	11	12	12
A. NOT OPERATED	11	2.2	3	<1	<1	1	4	5	5	5
B. OPERATED	11	3.8	16	<1	<1	2	5	11	12	12
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	3.0	9	<1	1	2	5	6	11	12
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	3.5	16	<1	<1	2	5	10	11	11
GRAND TOTAL	**22**	**3.0**	**10**	**<1**	**<1**	**2**	**5**	**7**	**11**	**12**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.8	12	1	1	4	7	9	9	9
6-12 YRS										
13-19 YRS	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	2	10.0	8	8	8	10	12	12	12	12
1-11 MOS	5	7.6	45	2	2	5	11	19	19	19
1-5 YRS	9	8.8	40	2	2	8	15	17	17	17
6-12 YRS	2	10.0	50	5	5	10	15	15	15	15
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	6	5.0	10	1	1	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	9	2.8	5	1	1	2	3	6	8	8
B. Operated	18	8.7	34	2	2	8	15	17	18	19
1. SINGLE DX	9	3.8	10	1	1	3	6	9	9	9
2. MULTIPLE DX	27	6.7	32	1	2	4	11	16	17	19
A. NOT OPERATED	12	2.4	4	1	1	2	3	5	8	8
B. OPERATED	24	7.8	30	1	2	7	12	16	18	19
TOTAL 0-27 DYS	4	6.0	25	1	1	5	10	12	12	12
1-11 MOS	6	7.7	36	2	2	6	8	18	19	19
1-5 YRS	19	5.8	30	1	1	3	9	16	17	17
6-12 YRS	3	7.0	52	1	1	5	12	15	15	15
13-19 YRS	4	3.8	8	2	2	3	5	8	8	8
GRAND TOTAL	**36**	**6.0**	**27**	**1**	**1**	**4**	**8**	**15**	**17**	**19**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	18	3.1	4	<1	1	2	5	6	6	6
B. Operated										
0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	10	6.9	53	1	1	4	9	19	22	22
6-12 YRS	4	4.5	8	2	2	4	7	7	7	7
13-19 YRS	31	5.2	11	1	2	5	7	10	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	5.2	39	1	1	4	7	16	16	16
6-12 YRS										
13-19 YRS	23	5.0	8	<1	1	5	7	9	10	11
B. Operated										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	7.7	80	2	2	3	14	18	18	18
6-12 YRS	3	3.7	2	2	2	4	5	5	5	5
13-19 YRS	33	10.2	41	2	4	9	14	18	25	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.0	4	<1	1	2	5	6	6	6
B. Operated	46	5.8	22	1	1	5	7	13	17	22
2. MULTIPLE DX										
A. Not Operated	28	5.0	12	1	1	4	7	9	11	16
B. Operated	40	9.4	42	2	3	8	14	17	24	26
1. SINGLE DX	66	4.9	18	1	1	4	6	10	14	21
2. MULTIPLE DX	68	7.6	34	1	1	5	10	16	18	26
A. NOT OPERATED	48	4.2	10	1	1	4	6	8	9	16
B. OPERATED	86	7.4	34	1	2	6	10	16	19	26
TOTAL 0-27 DYS										
1-11 MOS	2	10.5	85	4	4	10	17	17	17	17
1-5 YRS	20	6.1	45	1	1	3	8	17	20	22
6-12 YRS	7	4.1	5	2	2	4	6	7	7	7
13-19 YRS	105	6.4	26	1	1	5	8	13	15	25
GRAND TOTAL	**134**	**6.3**	**28**	**1**	**1**	**5**	**8**	**14**	**17**	**25**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	13	3	3	5	8	8	8	8
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	8.3	38	2	2	8	13	14	14	14
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	6	2.7	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	10	7.2	34	1	1	5	11	16	18	18
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	8.7	24	3	3	11	12	12	12	12
1-5 YRS	6	16.7	129	1	2	17	25	31	32	32
6-12 YRS										
13-19 YRS	3	12.0	151	3	3	7	21	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.8	8	1	1	3	6	8	8	8
B. *Operated*	13	4.1	19	<1	1	2	4	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	11	6.6	34	1	1	4	11	16	18	18
B. *Operated*	13	12.8	101	1	2	11	20	27	31	32
1. SINGLE DX	18	4.0	15	<1	1	3	5	11	14	14
2. MULTIPLE DX	24	10.0	78	1	1	7	15	25	28	32
A. NOT OPERATED	16	5.8	27	1	1	4	9	14	17	18
B. OPERATED	26	8.4	77	1	1	4	13	24	27	32
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	3	8.7	24	3	3	11	12	12	12	12
1-5 YRS	22	9.8	70	1	1	8	14	20	28	32
6-12 YRS	6	2.0	2	<1	<1	1	2	5	5	5
13-19 YRS	9	5.8	61	1	1	3	5	18	26	26
GRAND TOTAL	**42**	**7.4**	**59**	**1**	**1**	**4**	**11**	**18**	**25**	**32**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.5	1	2	2	4	4	4	4	4
1-5 YRS	28	3.4	12	<1	1	2	4	7	10	17
6-12 YRS	6	2.8	1	2	2	3	4	4	4	4
13-19 YRS	5	4.2	9	2	2	2	7	8	8	8
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	9.4	8	5	6	9	12	13	13	13
1-5 YRS	58	10.8	31	4	7	10	13	16	20	38
6-12 YRS	16	10.6	16	6	7	9	12	18	19	19
13-19 YRS	10	7.1	28	1	1	6	13	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	2.9	2	1	1	3	4	5	5	5
1-5 YRS	38	5.3	35	1	1	3	6	11	17	32
6-12 YRS	17	3.8	5	1	1	4	5	6	9	10
13-19 YRS	5	8.0	64	2	2	5	10	22	22	22
B. *Operated*										
0-27 DYS										
1-11 MOS	6	14.3	59	7	7	11	23	25	25	25
1-5 YRS	40	17.6	274	4	6	12	22	39	48	89
6-12 YRS	12	12.6	35	3	6	12	16	22	22	22
13-19 YRS	5	15.4	71	8	8	14	20	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.4	8	<1	1	3	4	7	8	17
B. *Operated*	93	10.2	26	3	6	9	12	16	19	32
2. MULTIPLE DX										
A. *Not Operated*	70	4.8	25	1	1	4	5	10	17	30
B. *Operated*	63	16.1	192	5	7	11	17	30	42	84
1. SINGLE DX	138	8.0	31	1	2	8	11	14	18	25
2. MULTIPLE DX	133	10.2	136	1	2	7	12	23	31	59
A. NOT OPERATED	115	4.3	19	1	1	3	5	8	11	25
B. OPERATED	156	12.6	101	3	6	10	14	22	29	52
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	30	7.0	34	1	2	5	9	13	23	25
1-5 YRS	164	9.9	113	1	2	8	12	17	30	52
6-12 YRS	51	7.9	30	2	2	7	11	17	19	22
13-19 YRS	25	8.4	49	1	2	6	13	17	24	29
GRAND TOTAL	**271**	**9.1**	**83**	**1**	**2**	**7**	**11**	**17**	**25**	**43**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	2.5	5	<1	<1	1	4	6	8	8
1-5 YRS	37	1.5	1	<1	1	1	2	2	4	6
6-12 YRS	6	1.7	1	1	1	2	2	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	23	2.8	2	1	1	3	3	4	6	7
1-5 YRS	26	2.8	5	<1	1	2	3	6	7	11
6-12 YRS	3	4.7	5	2	2	6	6	6	6	6
13-19 YRS	4	5.5	18	1	1	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.7	14	2	2	3	7	9	9	9
1-5 YRS	13	3.2	17	<1	<1	1	4	8	14	16
6-12 YRS	8	7.0	103	2	2	4	4	24	32	32
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.7	2	4	4	6	7	7	7	7
1-5 YRS	10	3.3	6	<1	<1	2	6	7	8	8
6-12 YRS	4	3.0	3	<1	<1	3	4	5	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	1.7	2	<1	1	1	2	3	4	8
B. *Operated*	57	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	24	4.7	45	<1	<1	3	4	10	21	32
B. *Operated*	18	3.6	5	<1	<1	3	6	7	8	8
1. SINGLE DX	111	2.4	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	42	4.2	27	<1	<1	3	4	7	12	32
A. NOT OPERATED	78	2.6	16	<1	<1	1	3	4	7	28
B. OPERATED	75	3.2	5	1	1	3	4	6	7	11
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	40	3.1	4	<1	1	3	4	6	8	9
1-5 YRS	86	2.4	6	<1	1	1	3	5	6	14
6-12 YRS	21	4.4	42	<1	1	3	4	6	18	32
13-19 YRS	5	4.8	16	1	1	4	7	11	11	11
GRAND TOTAL	**153**	**2.9**	**11**	**<1**	**1**	**2**	**4**	**6**	**7**	**16**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.7	65	<1	<1	<1	11	15	15	15
1-5 YRS	27	4.7	45	<1	1	2	6	10	25	28
6-12 YRS	46	3.1	15	<1	<1	2	3	8	15	18
13-19 YRS	39	4.0	12	1	1	3	5	8	12	17
B. *Operated*										
0-27 DYS										
1-11 MOS	9	9.8	17	2	4	10	13	15	15	15
1-5 YRS	58	11.7	58	1	3	10	16	19	21	44
6-12 YRS	84	11.0	68	1	2	10	14	19	27	47
13-19 YRS	56	12.4	101	2	5	10	14	17	39	54
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.7	52	2	2	3	12	15	15	15
1-5 YRS	54	3.2	15	<1	1	2	4	8	12	19
6-12 YRS	78	4.4	25	1	1	3	5	11	14	26
13-19 YRS	55	7.6	119	1	1	4	6	19	36	55
B. *Operated*										
0-27 DYS										
1-11 MOS	8	29.8	442	7	9	25	42	60	68	68
1-5 YRS	86	21.6	339	4	4	15	31	47	63	99
6-12 YRS	90	17.5	174	4	5	15	22	33	57	86
13-19 YRS	83	18.7	305	3	5	14	25	60	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.9	22	<1	1	2	5	8	15	25
B. *Operated*	207	11.5	72	1	2	10	15	18	24	50
2. MULTIPLE DX										
A. *Not Operated*	190	5.0	52	1	1	3	5	11	19	43
B. *Operated*	267	19.6	278	3	5	15	26	45	65	99+
1. SINGLE DX	322	8.8	67	1	1	8	12	17	20	48
2. MULTIPLE DX	457	13.5	235	1	1	8	18	36	56	99+
A. NOT OPERATED	305	4.6	41	<1	1	2	5	10	16	33
B. OPERATED	474	16.0	204	2	4	12	19	36	54	99+
TOTAL 0-27 DYS										
1-11 MOS	23	15.8	268	<1	1	12	15	42	52	68
1-5 YRS	225	12.6	212	1	1	8	16	32	45	75
6-12 YRS	298	10.0	113	1	1	7	14	22	30	60
13-19 YRS	233	12.1	193	1	2	8	15	29	52	99+
GRAND TOTAL	**779**	**11.6**	**171**	**1**	**1**	**8**	**15**	**26**	**43**	**83**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.2	2	<1	<1	2	3	4	4	4
6-12 YRS	2	4.5	25	<1	<1	4	8	8	8	8
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.3	6	2	2	5	7	8	8	8
1-5 YRS	13	11.5	55	2	3	10	17	20	27	29
6-12 YRS	9	11.8	89	2	2	13	16	27	29	29
13-19 YRS	13	15.6	248	5	7	10	16	33	59	65
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	11	6.5	37	<1	<1	4	9	17	19	19
6-12 YRS	8	5.6	55	<1	<1	3	6	18	23	23
13-19 YRS	8	10.4	98	1	1	7	19	25	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS	3	26.7	1049	6	6	10	50	64	64	64
1-5 YRS	14	13.4	90	3	3	12	17	21	37	41
6-12 YRS	20	17.3	119	3	3	15	25	35	38	39
13-19 YRS	19	20.8	233	4	4	17	25	47	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.7	5	<1	<1	2	3	6	8	8
B. *Operated*	39	12.3	125	2	3	9	15	24	29	65
2. MULTIPLE DX										
A. *Not Operated*	29	7.1	56	<1	1	4	9	21	25	25
B. *Operated*	56	18.0	189	3	4	15	24	40	47	63
1. SINGLE DX	48	10.5	116	1	2	8	14	21	29	65
2. MULTIPLE DX	85	14.3	170	1	2	12	19	32	42	60
A. NOT OPERATED	38	6.1	47	<1	<1	3	8	18	24	25
B. OPERATED	95	15.6	169	3	3	12	18	32	45	65
TOTAL 0-27 DYS										
1-11 MOS	10	11.1	351	2	2	5	8	37	64	64
1-5 YRS	43	9.7	68	1	1	8	15	19	23	41
6-12 YRS	39	12.9	114	<1	1	12	17	29	35	39
13-19 YRS	41	16.6	219	2	3	13	24	42	49	65
GRAND TOTAL	**133**	**12.9**	**153**	**1**	**2**	**10**	**17**	**27**	**40**	**64**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	61	3.9	31	<1	1	3	4	7	10	36
6-12 YRS	14	3.3	27	<1	1	1	3	9	18	20
13-19 YRS	10	3.7	2	2	2	4	4	5	6	6
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	10	9.0	24	1	2	9	14	15	15	15
1-5 YRS	34	7.6	26	1	2	7	11	14	19	20
6-12 YRS	11	5.8	32	<1	2	4	5	14	21	22
13-19 YRS	36	5.8	23	1	1	5	6	11	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	9.5	248	<1	1	3	7	32	52	57
1-5 YRS	92	4.4	20	1	1	3	6	9	14	24
6-12 YRS	23	3.3	3	<1	1	3	4	6	7	7
13-19 YRS	22	2.9	6	1	1	2	4	6	9	10
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	15	18.3	289	6	7	12	19	41	63	70
1-5 YRS	27	18.1	469	1	3	9	24	55	68	83
6-12 YRS	23	14.9	181	2	2	11	21	30	45	57
13-19 YRS	60	6.7	24	2	2	5	8	12	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.7	26	<1	1	3	4	6	9	32
B. *Operated*	92	6.9	27	1	2	5	9	15	19	23
2. MULTIPLE DX										
A. *Not Operated*	150	4.5	36	1	1	3	5	9	13	28
B. *Operated*	126	12.0	202	2	3	7	12	27	43	73
1. SINGLE DX	181	5.3	29	1	1	4	6	12	17	24
2. MULTIPLE DX	276	7.9	125	1	1	4	8	17	27	63
A. NOT OPERATED	239	4.2	32	<1	1	3	4	8	12	29
B. OPERATED	218	9.9	134	1	2	6	11	20	28	67
TOTAL 0-27 DYS	2	11.0	50	6	6	11	16	16	16	16
1-11 MOS	42	11.7	206	<1	1	8	14	26	47	70
1-5 YRS	214	6.5	100	1	1	3	7	13	20	59
6-12 YRS	71	7.4	95	1	1	4	8	21	27	53
13-19 YRS	128	5.5	21	1	1	4	6	10	15	25
GRAND TOTAL	**457**	**6.9**	**88**	**1**	**1**	**4**	**8**	**15**	**23**	**57**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	4	<1	<1	1	3	5	5	5
1-5 YRS	38	3.6	36	<1	1	2	3	6	8	38
6-12 YRS	8	3.6	5	1	1	3	6	7	7	7
13-19 YRS	6	2.4	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	8	8.8	66	2	2	7	10	22	27	27
1-5 YRS	25	9.4	117	1	2	5	12	21	38	46
6-12 YRS	9	4.6	17	1	1	3	6	12	14	14
13-19 YRS	22	5.9	16	1	2	4	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	8.9	83	1	2	7	10	22	32	36
1-5 YRS	68	4.0	14	<1	1	3	5	9	11	22
6-12 YRS	38	5.3	82	1	1	2	4	10	30	43
13-19 YRS	96	3.8	10	1	1	3	5	7	9	19
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	19	15.6	431	4	5	8	11	34	67	93
1-5 YRS	46	13.7	117	2	3	11	17	32	38	47
6-12 YRS	30	10.9	94	1	2	8	14	26	35	37
13-19 YRS	90	9.0	47	1	2	8	11	18	21	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.3	25	<1	1	2	3	6	7	36
B. *Operated*	65	7.4	62	1	2	5	9	14	22	44
2. MULTIPLE DX										
A. *Not Operated*	222	4.6	31	1	1	3	5	9	12	37
B. *Operated*	187	11.0	114	2	2	8	13	22	33	46
1. SINGLE DX	123	5.5	48	1	1	3	6	11	15	40
2. MULTIPLE DX	409	7.5	79	1	1	5	9	15	24	41
A. NOT OPERATED	280	4.3	30	1	1	3	5	9	11	37
B. OPERATED	252	10.1	103	2	2	8	12	20	33	46
TOTAL 0-27 DYS	4	4.8	10	2	2	4	7	9	9	9
1-11 MOS	50	10.9	215	1	2	8	10	27	35	93
1-5 YRS	177	7.2	77	1	1	4	8	15	27	44
6-12 YRS	85	7.0	79	1	1	4	8	18	33	41
13-19 YRS	216	6.1	32	1	1	5	8	12	17	28
GRAND TOTAL	**532**	**7.1**	**73**	**1**	**1**	**4**	**9**	**14**	**23**	**41**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	25	1.8	3	<1	<1	1	2	4	5	8
13-19 YRS	37	2.7	7	<1	<1	2	3	6	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	11	6.5	34	2	2	6	7	15	21	22
6-12 YRS	51	6.2	14	1	1	6	9	11	14	15
13-19 YRS	228	6.9	25	1	1	6	9	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	14	3.9	21	<1	<1	2	5	7	16	18
13-19 YRS	81	4.1	22	<1	1	2	5	10	14	25
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	3	6.0	61	3	3	4	14	17	17	17
6-12 YRS	12	6.5	20	<1	<1	5	11	12	13	13
13-19 YRS	112	10.9	121	2	3	8	13	23	28	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.4	5	<1	<1	1	3	5	7	14
B. *Operated*	291	6.7	24	1	1	6	9	14	16	22
2. MULTIPLE DX										
A. *Not Operated*	97	4.0	21	<1	<1	2	5	9	15	23
B. *Operated*	129	10.4	110	2	2	8	13	22	28	69
1. SINGLE DX	356	5.9	23	1	1	5	8	13	15	22
2. MULTIPLE DX	226	7.6	81	<1	1	5	10	17	24	40
A. NOT OPERATED	162	3.4	15	<1	<1	2	4	7	12	18
B. OPERATED	420	7.9	53	1	2	7	10	15	19	29
TOTAL 0-27 DYS										
1-11 MOS	3	6.3	16	2	2	7	9	10	10	10
1-5 YRS	19	5.7	30	1	2	3	7	15	20	22
6-12 YRS	102	4.8	16	<1	<1	4	8	10	13	17
13-19 YRS	458	7.0	53	1	1	5	9	15	18	29
GRAND TOTAL	**582**	**6.6**	**46**	**1**	**1**	**5**	**9**	**14**	**18**	**28**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	13	4.8	21	1	1	5	6	9	16	18
1-5 YRS	210	4.0	19	<1	<1	3	5	10	12	18
6-12 YRS	167	3.1	9	<1	<1	2	4	7	9	14
13-19 YRS	112	4.8	33	<1	<1	3	5	12	17	28
B. Operated										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	17	8.4	38	1	1	8	11	19	21	22
1-5 YRS	172	6.9	63	<1	1	4	10	17	21	39
6-12 YRS	96	6.1	62	<1	1	3	8	16	26	39
13-19 YRS	68	9.3	99	1	2	5	12	26	33	38
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	24	7.6	46	1	2	5	9	19	24	25
1-5 YRS	343	4.7	26	1	1	3	6	11	15	26
6-12 YRS	324	5.0	29	<1	1	3	6	11	14	29
13-19 YRS	156	5.5	77	<1	1	4	7	11	12	53
B. Operated										
0-27 DYS										
1-11 MOS	4	14.3	63	6	6	13	19	25	25	25
1-5 YRS	147	14.4	194	1	2	11	19	34	44	64
6-12 YRS	102	15.8	222	1	2	10	24	38	53	65
13-19 YRS	85	15.9	271	2	3	10	20	40	48	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	504	3.9	19	<1	<1	3	5	9	12	20
B. Operated	354	7.3	70	<1	1	4	10	20	25	38
2. MULTIPLE DX										
A. Not Operated	847	5.1	37	<1	1	3	6	11	15	29
B. Operated	338	15.2	219	1	2	10	21	36	48	72
1. SINGLE DX	858	5.3	43	<1	<1	3	6	12	18	36
2. MULTIPLE DX	1185	7.9	110	1	1	4	9	19	29	55
A. NOT OPERATED	1351	4.6	31	<1	1	3	5	10	14	27
B. OPERATED	692	11.1	158	1	1	7	15	27	38	60
TOTAL 0-27 DYS	3	11.7	97	5	5	7	19	23	23	23
1-11 MOS	58	7.7	42	1	1	6	10	19	23	25
1-5 YRS	872	6.6	73	<1	1	4	8	16	23	44
6-12 YRS	689	6.3	74	<1	1	3	7	14	25	47
13-19 YRS	421	8.0	125	<1	1	4	9	19	30	55
GRAND TOTAL	**2043**	**6.8**	**83**	**<1**	**1**	**4**	**8**	**16**	**24**	**47**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	6	3.5	6	<1	<1	3	5	7	7	7
1-5 YRS	65	4.8	15	<1	<1	4	6	11	12	18
6-12 YRS	46	3.5	9	<1	<1	3	5	6	9	13
13-19 YRS	62	4.4	9	<1	1	4	6	8	10	12
B. Operated										
0-27 DYS										
1-11 MOS	7	10.1	69	<1	1	10	16	23	24	24
1-5 YRS	24	14.9	213	3	3	7	25	49	62	99+
6-12 YRS	32	8.2	76	2	2	4	10	25	27	33
13-19 YRS	26	14.3	209	1	1	9	18	38	49	49
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	25	4.6	6	1	1	5	6	7	9	11
1-5 YRS	70	6.9	54	<1	1	4	9	15	26	33
6-12 YRS	94	6.9	68	<1	1	4	8	16	23	48
13-19 YRS	118	6.2	42	<1	1	5	7	12	16	41
B. Operated										
0-27 DYS										
1-11 MOS	5	35.0	473	5	5	21	52	62	62	62
1-5 YRS	39	18.5	340	2	4	9	30	46	54	62
6-12 YRS	25	28.8	619	4	5	24	45	69	81	91
13-19 YRS	58	25.1	452	2	3	21	39	60	68	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	4.3	11	<1	<1	4	6	8	11	14
B. Operated	89	11.9	156	1	2	8	16	34	49	60
2. MULTIPLE DX										
A. Not Operated	308	6.5	50	<1	1	4	7	13	20	37
B. Operated	127	24.2	459	2	4	14	37	57	68	93
1. SINGLE DX	268	6.8	72	<1	1	4	8	15	26	49
2. MULTIPLE DX	435	11.6	234	1	2	6	11	34	47	79
A. NOT OPERATED	487	5.7	37	<1	1	4	7	11	15	33
B. OPERATED	216	19.1	369	2	2	11	31	49	62	94
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	43	8.9	155	<1	1	5	7	25	37	62
1-5 YRS	198	9.5	144	<1	1	5	11	28	37	68
6-12 YRS	197	9.1	182	<1	1	4	9	25	35	73
13-19 YRS	264	10.8	204	1	1	5	10	35	42	68
GRAND TOTAL	**703**	**9.0**	**177**	**<1**	**1**	**5**	**10**	**28**	**40**	**69**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	3.0	5	1	1	2	4	6	6	6
1-5 YRS	41	2.8	4	<1	<1	3	4	5	6	9
6-12 YRS	66	3.3	14	<1	1	3	3	6	9	22
13-19 YRS	61	3.7	14	<1	1	3	4	7	11	22
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	28	9.5	63	1	1	8	12	22	25	34
6-12 YRS	49	6.7	34	<1	<1	5	10	13	15	30
13-19 YRS	63	8.4	72	1	2	5	11	20	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.6	7	1	1	3	5	8	8	8
1-5 YRS	70	4.3	18	<1	1	3	5	10	14	20
6-12 YRS	78	6.4	104	1	1	3	6	9	32	56
13-19 YRS	108	4.1	15	1	1	3	5	9	13	19
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	10.8	53	1	1	12	14	21	21	21
1-5 YRS	20	15.7	377	1	2	9	15	47	68	72
6-12 YRS	24	9.0	53	2	3	7	11	20	25	32
13-19 YRS	52	14.1	105	4	5	11	19	29	42	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	3.4	11	<1	1	3	4	6	9	22
B. *Operated*	142	8.0	57	1	1	6	11	18	24	35
2. MULTIPLE DX										
A. *Not Operated*	261	4.8	43	1	1	3	5	9	15	39
B. *Operated*	102	13.0	144	2	3	9	17	25	36	68
1. SINGLE DX	315	5.4	37	<1	1	3	7	12	20	33
2. MULTIPLE DX	363	7.1	84	1	1	4	9	16	22	48
A. NOT OPERATED	434	4.2	31	1	1	3	5	8	11	31
B. OPERATED	244	10.1	99	1	2	7	13	21	30	45
TOTAL 0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	16	5.6	30	1	1	3	8	12	18	21
1-5 YRS	159	6.3	83	<1	1	3	7	14	30	62
6-12 YRS	217	5.8	58	<1	1	3	7	12	21	43
13-19 YRS	284	6.8	58	1	1	4	9	17	22	41
GRAND TOTAL	**678**	**6.3**	**63**	**1**	**1**	**4**	**8**	**14**	**21**	**42**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	10	3.3	6	<1	<1	3	4	7	9	9
1-5 YRS	19	1.9	2	<1	<1	2	2	3	5	7
6-12 YRS	48	2.8	6	<1	<1	2	4	6	8	12
13-19 YRS	133	3.5	7	<1	1	3	4	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	14	3.2	7	<1	1	2	4	6	10	11
13-19 YRS	38	5.3	24	1	1	3	7	11	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*	210	3.2	6	<1	1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	59	4.4	19	<1	1	3	5	11	11	25
1. SINGLE DX	214	3.2	6	<1	1	2	4	7	8	12
2. MULTIPLE DX	61	4.3	18	<1	1	3	5	11	11	24
A. NOT OPERATED	6	1.8	1	1	1	2	2	3	3	3
B. OPERATED	269	3.4	9	<1	1	3	4	8	10	12
TOTAL 0-27 DYS										
1-11 MOS	11	3.1	6	<1	<1	3	4	7	9	9
1-5 YRS	26	1.8	2	<1	<1	2	2	3	4	7
6-12 YRS	63	2.9	6	<1	<1	2	4	6	9	12
13-19 YRS	175	3.9	11	<1	1	3	5	8	11	14
GRAND TOTAL	**275**	**3.4**	**9**	**<1**	**1**	**2**	**4**	**8**	**10**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	2.6	7	1	1	2	3	5	10	11
6-12 YRS	13	1.5	1	1	1	1	2	3	3	3
13-19 YRS	12	4.5	24	<1	<1	3	6	11	17	18
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.0	7	2	2	3	6	7	7	7
1-5 YRS	55	2.6	4	1	1	2	3	5	8	9
6-12 YRS	52	3.9	25	1	1	2	3	10	16	26
13-19 YRS	50	5.4	19	<1	1	4	8	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	7	3.1	8	1	1	2	4	8	9	9
6-12 YRS	15	2.8	3	<1	1	3	4	5	6	6
13-19 YRS	19	4.3	7	2	2	3	6	9	10	10
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	5.0	32	1	1	5	9	9	9	9
1-5 YRS	19	6.3	38	<1	1	5	8	15	22	25
6-12 YRS	26	3.9	11	<1	1	3	5	10	12	12
13-19 YRS	59	8.6	83	1	2	7	11	15	19	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.8	11	<1	1	2	3	6	10	18
B. *Operated*	161	3.9	16	1	1	2	4	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	43	3.4	6	1	1	3	5	7	9	10
B. *Operated*	107	7.0	59	1	1	5	9	13	17	43
1. SINGLE DX	200	3.7	15	1	1	2	4	9	12	18
2. MULTIPLE DX	150	6.0	46	1	1	4	8	12	15	25
A. NOT OPERATED	82	3.1	8	1	1	2	4	7	9	16
B. OPERATED	268	5.1	35	1	1	3	7	12	15	25
TOTAL 0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	7	3.4	11	1	1	2	6	9	9	9
1-5 YRS	95	3.4	13	1	1	2	4	8	9	22
6-12 YRS	106	3.5	16	1	1	2	3	8	12	22
13-19 YRS	140	6.5	48	1	1	5	9	13	16	29
GRAND TOTAL	**350**	**4.7**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	34	1.7	2	<1	1	1	2	3	4	7
6-12 YRS	16	2.1	1	<1	1	2	3	4	5	5
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	4.1	17	<1	<1	2	7	11	13	13
1-5 YRS	213	1.9	2	1	1	2	2	3	4	8
6-12 YRS	144	1.8	2	<1	1	1	2	3	5	9
13-19 YRS	110	2.6	5	1	1	2	2	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	1.7	1	<1	<1	1	2	3	4	4
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	7	8.3	76	1	1	5	11	23	26	26
1-5 YRS	41	3.2	10	1	1	2	3	8	11	15
6-12 YRS	45	2.0	3	<1	1	2	2	2	5	10
13-19 YRS	39	4.6	29	1	1	2	6	11	19	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	1.8	1	<1	1	1	2	3	4	7
B. *Operated*	480	2.1	3	<1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	20	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	132	3.5	18	1	1	2	3	9	11	24
1. SINGLE DX	533	2.1	3	<1	1	2	2	4	6	9
2. MULTIPLE DX	152	3.2	16	1	1	2	3	8	11	24
A. NOT OPERATED	73	1.8	1	<1	1	1	2	3	4	7
B. OPERATED	612	2.4	7	1	1	2	2	4	8	13
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	20	5.5	39	<1	1	3	9	12	19	26
1-5 YRS	303	2.1	3	1	1	2	2	3	5	10
6-12 YRS	208	1.9	2	<1	1	2	2	3	5	9
13-19 YRS	153	3.1	12	1	1	2	3	8	9	21
GRAND TOTAL	**685**	**2.3**	**6**	**1**	**1**	**2**	**2**	**4**	**7**	**12**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	14	<1	<1	2	6	8	8	8
1-5 YRS	7	2.7	2	1	1	3	4	5	5	5
6-12 YRS	7	2.9	3	1	1	2	4	6	6	6
13-19 YRS	22	2.7	3	1	1	2	4	5	6	7
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	35	2.3	3	<1	<1	2	3	4	7	8
1-5 YRS	193	2.2	3	<1	<1	2	2	4	6	9
6-12 YRS	623	2.8	5	<1	1	2	3	5	6	13
13-19 YRS	1432	2.8	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	9	5.2	39	<1	<1	3	6	15	21	21
6-12 YRS	9	4.4	30	<1	<1	2	6	14	15	15
13-19 YRS	15	1.3		<1	<1	1	1	2	3	3
B. *Operated*										
0-27 DYS	3	10.7	10	7	7	12	13	13	13	13
1-11 MOS	25	7.8	48	1	1	6	9	19	24	25
1-5 YRS	41	6.8	77	1	1	4	9	14	18	53
6-12 YRS	117	4.9	67	<1	1	3	5	10	17	50
13-19 YRS	253	4.0	28	1	1	3	4	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.8	3	1	1	2	4	6	7	8
B. *Operated*	2284	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	37	3.0	19	<1	<1	1	3	6	14	21
B. *Operated*	439	4.8	45	1	1	3	5	10	15	27
1. SINGLE DX	2323	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	476	4.7	43	<1	1	3	5	10	15	25
A. NOT OPERATED	76	2.9	11	<1	<1	2	4	6	8	19
B. OPERATED	2723	3.1	11	<1	1	2	4	5	7	16
TOTAL 0-27 DYS	4	9.0	18	4	4	9	12	13	13	13
1-11 MOS	67	4.4	27	<1	<1	2	6	9	16	25
1-5 YRS	250	3.1	19	<1	<1	2	3	6	9	20
6-12 YRS	756	3.1	15	<1	1	2	3	5	7	18
13-19 YRS	1722	3.0	7	1	1	2	4	5	7	12
GRAND TOTAL	**2799**	**3.1**	**11**	**<1**	**1**	**2**	**4**	**5**	**7**	**16**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	31	2.9	9	<1	<1	1	4	7	8	14
1-5 YRS	21	2.8	9	<1	<1	2	3	4	9	15
6-12 YRS	11	3.8	15	<1	1	2	5	10	14	14
13-19 YRS	11	2.5	4	1	1	2	4	5	7	7
B. *Operated*										
0-27 DYS	23	4.5	12	<1	1	3	6	10	12	13
1-11 MOS	335	2.7	8	<1	<1	2	3	6	9	15
1-5 YRS	889	2.3	5	<1	<1	2	2	4	7	11
6-12 YRS	585	2.3	8	<1	<1	2	2	4	7	13
13-19 YRS	494	2.4	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	48	4.4	19	<1	<1	3	6	12	13	20
1-5 YRS	33	2.8	6	<1	<1	1	5	6	8	10
6-12 YRS	12	1.9	2	<1	<1	1	3	4	5	5
13-19 YRS	6	3.5	6	1	1	3	5	7	7	7
B. *Operated*										
0-27 DYS	6	10.5	69	2	2	9	17	22	23	23
1-11 MOS	82	8.0	122	<1	1	4	9	19	30	56
1-5 YRS	165	3.0	8	<1	1	2	4	7	8	12
6-12 YRS	150	2.6	10	<1	<1	2	2	5	8	19
13-19 YRS	159	4.0	57	<1	<1	2	4	7	11	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.9	8	<1	<1	2	3	6	8	15
B. *Operated*	2326	2.4	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	100	3.5	13	<1	<1	2	5	8	11	17
B. *Operated*	562	4.0	43	<1	<1	2	4	9	12	37
1. SINGLE DX	2403	2.4	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	662	3.9	38	<1	<1	2	4	8	12	35
A. NOT OPERATED	177	3.2	11	<1	<1	2	4	7	11	15
B. OPERATED	2888	2.7	14	<1	<1	2	3	5	8	17
TOTAL 0-27 DYS	33	5.2	27	<1	1	3	8	12	16	23
1-11 MOS	496	3.7	32	<1	<1	2	4	9	13	26
1-5 YRS	1108	2.4	5	<1	<1	2	3	5	7	11
6-12 YRS	758	2.4	8	<1	<1	2	2	5	7	15
13-19 YRS	670	2.8	17	<1	<1	2	3	5	7	15
GRAND TOTAL	**3065**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**6**	**8**	**17**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	30	2.1	1	<1	1	2	2	3	4	5
13-19 YRS	789	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	111	2.3	3	<1	1	2	2	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*	820	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	5	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*	114	2.3	3	<1	1	2	2	4	6	9
1. SINGLE DX	823	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	119	2.3	3	<1	1	2	2	4	6	9
A. NOT OPERATED	8	2.0	2	<1	<1	2	2	4	5	5
B. OPERATED	934	1.9	1	<1	<1	2	2	3	3	6
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	32	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	907	1.9	1	<1	<1	2	2	3	3	6
GRAND TOTAL	**942**	**1.9**	**1**	**<1**	**<1**	**2**	**2**	**3**	**3**	**6**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	12	4.8	10	<1	<1	6	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	6	6.7	13	1	2	8	10	82	99+	99+
1-5 YRS	4	8.5	14	6	6	7	11	14	14	14
6-12 YRS	4	6.8	13	4	4	5	9	12	12	12
13-19 YRS	20	5.9	19	1	2	5	7	9	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	13	5.1	10	<1	<1	6	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	36	6.4	15	1	2	6	8	12	19	99+
1. SINGLE DX	14	4.9	9	<1	<1	6	7	8	10	10
2. MULTIPLE DX	38	6.3	15	1	2	6	8	12	18	99+
A. NOT OPERATED	3	3.7	1	3	3	3	5	5	5	5
B. OPERATED	49	6.1	14	1	1	6	8	11	14	99+
TOTAL 0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	8	6.6	10	1	2	8	9	64	99+	99+
1-5 YRS	4	8.5	14	6	6	7	11	14	14	14
6-12 YRS	4	6.8	13	4	4	5	9	12	12	12
13-19 YRS	34	5.4	15	<1	1	5	7	9	10	21
GRAND TOTAL	**52**	**5.9**	**13**	**1**	**1**	**6**	**8**	**10**	**14**	**98**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	2.6	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.0	11	2	2	3	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	2.6	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	4	4.0	11	2	2	3	6	9	9	9
1. SINGLE DX	7	2.6	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX	4	4.0	11	2	2	3	6	9	9	9
A. NOT OPERATED										
B. OPERATED	11	3.1	6	<1	1	2	3	7	9	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	3.1	6	<1	1	2	3	7	9	9
GRAND TOTAL	**11**	**3.1**	**6**	**<1**	**1**	**2**	**3**	**7**	**9**	**9**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.7		3	3	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	35	6.2	8	3	4	6	7	10	11	18
13-19 YRS	373	5.4	2	3	4	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	4.8	4	3	3	5	6	7	7	7
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	8.7	4	7	7	8	10	11	11	11
1-5 YRS	4	5.5	2	4	4	5	6	7	7	7
6-12 YRS	30	6.5	6	4	4	6	7	9	10	17
13-19 YRS	256	6.1	6	4	4	6	7	8	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7		3	3	4	4	4	4	4
B. *Operated*	412	5.5	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	5	2	2	3	5	7	7	7
B. *Operated*	294	6.2	6	4	4	6	7	8	9	19
1. SINGLE DX	415	5.5	3	3	4	5	6	7	8	11
2. MULTIPLE DX	299	6.2	6	3	4	6	7	8	9	19
A. NOT OPERATED	8	4.0	3	2	2	4	5	7	7	7
B. OPERATED	706	5.8	5	3	4	6	6	8	9	15
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	7.8	6	5	5	7	9	11	11	11
1-5 YRS	7	4.4	4	1	1	5	6	7	7	7
6-12 YRS	66	6.3	8	3	4	6	7	9	11	18
13-19 YRS	636	5.7	4	3	4	6	6	8	8	14
GRAND TOTAL	**714**	**5.8**	**5**	**3**	**4**	**6**	**6**	**8**	**9**	**15**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	6.7	10	3	3	8	9	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS	14	3.4	6	<1	<1	3	6	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	7	7.3	10	3	3	7	9	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.7	10	3	3	8	9	9	9	9
B. *Operated*	19	3.3	6	<1	<1	2	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	9	7.0	10	3	3	7	9	11	13	13
1. SINGLE DX	22	3.8	7	<1	<1	3	6	8	9	9
2. MULTIPLE DX	9	7.0	10	3	3	7	9	11	13	13
A. NOT OPERATED	3	6.7	10	3	3	8	9	9	9	9
B. OPERATED	28	4.5	10	<1	<1	4	7	9	10	13
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	5.5	25	2	2	5	9	9	9	9
6-12 YRS	4	3.8	5	2	2	3	5	7	7	7
13-19 YRS	24	5.0	10	<1	1	5	7	9	10	13
GRAND TOTAL	**31**	**4.7**	**10**	**<1**	**1**	**5**	**7**	**9**	**9**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.7		<1	<1	2	2	2	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	11	3.0	3	1	1	3	3	5	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	17	2.4	3	<1	1	2	3	3	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	4	4.3	16	<1	<1	3	7	10	10	10
1. SINGLE DX	17	2.4	3	<1	1	2	3	3	6	8
2. MULTIPLE DX	4	4.3	16	<1	<1	3	7	10	10	10
A. NOT OPERATED										
B. OPERATED	21	2.8	5	<1	<1	2	3	5	9	10
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	3	1.7		<1	<1	2	2	2	2	2
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	12	3.6	7	1	1	3	3	9	10	10
GRAND TOTAL	**21**	**2.8**	**5**	**<1**	**<1**	**2**	**3**	**5**	**9**	**10**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	4	2.5	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	2.8	6	<1	<1	1	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	3.1	7	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	7	3.1	6	<1	<1	2	6	6	6	6
1. SINGLE DX	7	3.1	7	1	1	3	5	7	8	8
2. MULTIPLE DX	8	3.1	5	<1	<1	2	5	6	6	6
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	14	3.1	6	<1	1	2	5	6	8	8
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	5.7	6	3	3	6	7	8	8	8
13-19 YRS	10	2.7	4	<1	<1	2	5	6	6	6
GRAND TOTAL	15	3.1	5	<1	1	3	5	6	8	8

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	7	1.6		<1	<1	2	2	2	2	2
1-5 YRS	36	1.3		<1	<1	1	2	2	2	2
6-12 YRS	17	1.8		<1	<1	2	2	3	4	4
13-19 YRS	13	1.8		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	7	2.3	2	1	1	2	3	4	4	4
6-12 YRS	3	2.7	4	<1	<1	2	4	5	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	73	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	13	2.3	2	<1	<1	2	4	4	5	5
1. SINGLE DX	73	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX	17	2.1	2	<1	<1	2	3	4	5	5
A. NOT OPERATED	4	1.5	1	<1	<1	1	2	3	3	3
B. OPERATED	86	1.6	1	<1	<1	1	2	2	4	5
TOTAL 0-27 DYS										
1-11 MOS	9	1.4		<1	<1	1	2	2	2	2
1-5 YRS	46	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	21	2.0	1	<1	<1	2	2	4	4	5
13-19 YRS	14	1.9	1	<1	<1	2	2	3	4	4
GRAND TOTAL	90	1.6	1	<1	<1	1	2	2	4	5

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated* -										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.0	57	3	3	10	16	17	17	17
1-5 YRS	6	6.5	14	<1	<1	7	10	10	10	10
6-12 YRS	11	11.0	18	3	6	11	12	18	19	19
13-19 YRS	22	8.2	12	1	2	9	11	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	4	4.3	16	1	1	3	7	10	10	10
13-19 YRS	4	15.5	166	3	3	13	25	32	32	32
B. *Operated*										
0-27 DYS										
1-11 MOS	10	13.2	68	2	2	12	19	24	25	25
1-5 YRS	17	20.2	181	2	3	21	29	40	46	48
6-12 YRS	4	9.3	31	4	4	9	14	15	15	15
13-19 YRS	20	18.3	329	3	5	11	22	47	67	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	15	2	2	3	6	10	10	10
B. *Operated*	43	8.9	18	1	3	9	11	14	17	19
2. MULTIPLE DX										
A. *Not Operated*	12	8.3	88	1	1	4	12	23	31	32
B. *Operated*	51	17.2	209	2	4	13	23	33	48	68
1. SINGLE DX	47	8.5	19	1	2	9	11	13	17	19
2. MULTIPLE DX	63	15.5	197	2	2	11	21	31	43	68
A. NOT OPERATED	16	7.3	71	1	1	3	10	18	28	32
B. OPERATED	94	13.4	138	2	3	10	17	25	35	68
TOTAL 0-27 DYS										
1-11 MOS	16	11.7	63	1	2	12	17	23	25	25
1-5 YRS	28	14.1	172	1	2	10	22	34	42	48
6-12 YRS	19	9.2	26	1	2	10	12	16	18	19
13-19 YRS	47	13.1	176	2	3	10	13	25	37	68
GRAND TOTAL	**110**	**12.5**	**133**	**1**	**2**	**10**	**16**	**24**	**32**	**67**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	10	2.7	1	1	1	3	4	4	4	4
13-19 YRS	95	3.4	2	2	2	3	4	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	37	4.0	3	2	2	4	4	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0	32	<1	<1	4	9	9	9	9
B. *Operated*	109	3.3	2	1	2	3	4	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	39	3.9	3	2	2	4	4	5	6	13
1. SINGLE DX	111	3.3	2	1	2	3	4	4	5	11
2. MULTIPLE DX	40	4.0	3	2	2	4	4	5	6	13
A. NOT OPERATED	3	4.7	16	<1	<1	4	8	9	9	9
B. OPERATED	148	3.5	2	2	2	3	4	5	5	13
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	1.6		<1	<1	2	2	2	2	2
6-12 YRS	11	2.7	1	1	1	3	4	4	4	4
13-19 YRS	134	3.6	3	2	2	3	4	5	5	13
GRAND TOTAL	**151**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	3.1	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	24	9.3	14	5	5	9	10	13	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	6.7	83	1	1	3	5	23	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	2	15.5	113	8	8	15	23	23	23	23
13-19 YRS	25	14.1	287	2	4	10	15	23	42	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.0	2	1	1	3	4	5	5	5
B. *Operated*	25	9.4	14	5	5	9	11	14	18	20
2. MULTIPLE DX										
A. *Not Operated*	6	6.7	83	1	1	3	5	23	25	25
B. *Operated*	29	13.9	252	2	4	10	15	23	29	90
1. SINGLE DX	35	7.6	19	1	3	8	10	12	17	20
2. MULTIPLE DX	35	12.6	228	1	2	9	15	23	26	90
A. NOT OPERATED	16	4.4	32	1	1	3	4	5	19	25
B. OPERATED	54	11.8	145	4	5	9	14	18	23	87
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	3	15.0	57	8	8	14	21	23	23	23
13-19 YRS	64	10.0	136	1	3	8	11	17	24	81
GRAND TOTAL	**79**	**10.1**	**128**	**1**	**2**	**8**	**12**	**18**	**23**	**77**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	24	2.5	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS										
6-12 YRS										
13-19 YRS	25	3.4	4	1	2	3	4	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	2.7	4	<1	<1	2	3	5	8	9
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	26	4.2	24	1	2	3	4	7	13	26
1. SINGLE DX	28	2.7	4	<1	<1	2	3	5	8	9
2. MULTIPLE DX	29	3.9	22	<1	1	3	4	7	11	26
A. NOT OPERATED	3	1.0		<1	<1	1	1	1	1	1
B. OPERATED	54	3.4	14	<1	1	3	4	6	9	25
TOTAL 0-27 DYS										
1-11 MOS	4	9.5	130	1	1	5	17	26	26	26
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	52	2.8	4	<1	1	2	4	5	7	10
GRAND TOTAL	**57**	**3.3**	**13**	**<1**	**1**	**2**	**4**	**6**	**9**	**25**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.3	108	2	2	7	18	22	22	22
1-5 YRS										
6-12 YRS	3	2.3	5	1	1	1	4	5	5	5
13-19 YRS	5	8.4	160	2	2	3	11	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	10	2.4	12	<1	<1	1	2	7	12	12
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	11	7.3	98	1	1	3	6	26	31	31
1. SINGLE DX	11	2.6	11	<1	<1	1	3	8	12	12
2. MULTIPLE DX	11	7.3	98	1	1	3	6	26	31	31
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	21	5.0	60	<1	<1	2	4	16	26	31
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	10.8	73	2	2	9	17	22	22	22
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS	5	2.2	3	1	1	1	3	5	5	5
13-19 YRS	7	6.3	120	<1	<1	2	4	26	31	31
GRAND TOTAL	**22**	**5.0**	**57**	**<1**	**<1**	**2**	**5**	**15**	**26**	**31**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	11	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	51	3.6	14	<1	<1	2	5	7	10	23
6-12 YRS	53	3.8	23	<1	1	2	4	9	10	29
13-19 YRS	60	2.7	5	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS	5	2.8	2	1	1	3	4	5	5	5
1-11 MOS	49	4.1	15	1	1	2	6	10	14	16
1-5 YRS	139	5.4	45	<1	1	3	7	11	15	47
6-12 YRS	174	4.2	26	<1	<1	2	4	10	13	23
13-19 YRS	307	4.5	16	1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.5	12	1	1	4	7	9	9	9
1-11 MOS	16	4.0	18	<1	<1	2	6	11	12	13
1-5 YRS	65	3.2	9	<1	<1	2	4	8	10	12
6-12 YRS	58	4.0	20	<1	1	2	5	10	14	24
13-19 YRS	77	5.4	132	1	1	3	5	9	14	80
B. *Operated*										
0-27 DYS										
1-11 MOS	10	7.8	57	1	1	7	9	19	27	27
1-5 YRS	52	12.9	139	2	2	9	20	23	38	56
6-12 YRS	100	12.0	226	1	2	8	14	24	37	81
13-19 YRS	158	7.4	65	1	2	5	9	16	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	3.2	13	<1	1	2	4	7	9	22
B. *Operated*	674	4.6	24	<1	1	3	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	220	4.3	56	<1	1	2	5	9	11	29
B. *Operated*	320	9.7	132	1	2	6	12	22	27	66
1. SINGLE DX	851	4.3	22	<1	1	3	5	10	12	22
2. MULTIPLE DX	540	7.5	108	1	1	4	9	17	24	57
A. NOT OPERATED	397	3.8	37	<1	1	2	4	8	10	24
B. OPERATED	994	6.2	65	1	1	3	8	14	20	44
TOTAL 0-27 DYS	11	3.4	5	1	1	3	4	7	9	9
1-11 MOS	86	4.2	20	<1	1	2	6	10	13	23
1-5 YRS	307	5.9	59	<1	1	3	8	13	21	48
6-12 YRS	385	6.1	88	<1	1	3	7	14	20	58
13-19 YRS	602	5.2	44	1	1	3	6	11	15	35
GRAND TOTAL	**1391**	**5.5**	**58**	**<1**	**1**	**3**	**7**	**12**	**17**	**40**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.4	1	2	2	2	3	4	4	4
13-19 YRS	12	2.4	1	1	1	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	3.5	1	3	3	3	4	5	5	5
13-19 YRS	73	3.4	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.3	17	<1	<1	3	7	9	9	9
13-19 YRS	9	4.2	5	<1	<1	5	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	5.0	27	2	2	2	9	11	11	11
13-19 YRS	19	4.8	7	2	3	4	6	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.3	1	1	1	2	3	4	4	4
B. *Operated*	81	3.4	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	12	4.3	7	<1	<1	4	6	8	9	9
B. *Operated*	24	5.0	9	2	2	4	7	10	11	12
1. SINGLE DX	99	3.2	1	1	2	3	4	4	5	6
2. MULTIPLE DX	36	4.7	8	<1	1	4	6	9	11	12
A. NOT OPERATED	30	3.1	4	<1	1	3	4	6	7	9
B. OPERATED	105	3.7	3	2	2	3	4	6	7	11
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	4	2.3	1	1	1	2	3	3	3	3
6-12 YRS	17	3.6	7	1	2	3	4	8	10	11
13-19 YRS	113	3.6	3	1	2	3	4	6	7	11
GRAND TOTAL	**135**	**3.6**	**3**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	3.1	4	1	1	2	4	6	8	8
1-11 MOS	13	5.2	25	1	1	2	8	12	17	18
1-5 YRS	19	4.8	15	1	1	3	6	11	13	14
6-12 YRS	29	3.5	5	1	1	3	5	7	9	9
13-19 YRS	76	4.5	15	1	1	4	6	8	9	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	16	5.8	36	1	3	4	5	13	22	25
13-19 YRS	127	4.8	11	2	3	4	5	6	8	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	4.4	23	2	2	2	4	13	16	16
1-11 MOS	14	6.7	29	1	2	5	12	14	18	19
1-5 YRS	11	5.1	9	2	2	4	7	10	10	10
6-12 YRS	25	4.7	8	2	2	4	6	8	10	15
13-19 YRS	103	5.8	41	1	2	5	7	10	12	37
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	72	1	1	7	13	13	13	13
1-5 YRS	4	9.5	32	3	3	9	14	16	16	16
6-12 YRS	8	12.8	265	4	4	7	12	41	52	52
13-19 YRS	65	6.4	30	2	3	5	6	12	21	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.3	13	1	1	3	5	9	10	19
B. *Operated*	145	4.9	13	2	3	4	5	6	10	25
2. MULTIPLE DX										
A. *Not Operated*	162	5.6	31	1	2	4	7	10	13	19
B. *Operated*	79	7.2	54	2	3	5	8	13	23	45
1. SINGLE DX	294	4.6	13	1	2	4	5	7	10	24
2. MULTIPLE DX	241	6.1	39	1	2	5	7	11	14	31
A. NOT OPERATED	311	5.0	23	1	1	4	6	9	12	19
B. OPERATED	224	5.7	29	2	3	4	6	10	14	28
TOTAL 0-27 DYS	21	3.7	12	1	2	2	4	8	12	16
1-11 MOS	30	6.1	27	1	1	4	10	13	18	19
1-5 YRS	35	5.3	16	1	2	4	8	12	14	16
6-12 YRS	78	5.3	43	1	1	4	6	9	14	44
13-19 YRS	371	5.3	24	1	2	4	6	9	12	26
GRAND TOTAL	**535**	**5.3**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**26**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	8.0	18	:	1	9	10	12	12	12
1-5 YRS	178	5.9	10	1	2	6	7	9	11	18
6-12 YRS	598	5.8	9	2	2	5	7	9	12	15
13-19 YRS	621	5.4	9	2	2	5	7	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	11	4.0	4	1	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	13	5.7	14	<1	2	5	7	10	15	16
1-5 YRS	125	5.3	14	1	1	5	8	10	13	15
6-12 YRS	324	5.9	22	1	1	5	8	11	14	24
13-19 YRS	515	6.0	61	1	2	5	7	10	12	38
B. *Operated*										
0-27 DYS										
1-11 MOS	2	12.0	18	9	9	12	15	15	15	15
1-5 YRS	2	25.5	613	8	8	25	43	43	43	43
6-12 YRS	14	17.8	748	1	1	7	19	62	89	97
13-19 YRS	22	8.0	38	2	3	6	10	16	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1403	5.6	9	2	2	5	7	9	11	15
B. *Operated*	14	4.2	3	1	2	4	5	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	979	5.9	42	1	2	5	7	10	13	24
B. *Operated*	40	12.5	316	1	2	6	12	26	50	97
1. SINGLE DX	1417	5.6	9	2	2	5	7	9	11	15
2. MULTIPLE DX	1019	6.1	54	1	2	5	7	11	14	32
A. NOT OPERATED	2382	5.7	22	1	2	5	7	10	12	18
B. OPERATED	54	10.4	247	1	2	6	10	22	40	95
TOTAL 0-27 DYS	3	2.7	2	<1	<1	3	4	4	4	4
1-11 MOS	20	6.9	17	<1	1	6	9	13	15	16
1-5 YRS	306	5.8	16	1	1	5	7	10	12	17
6-12 YRS	938	6.0	26	1	2	5	8	10	13	20
13-19 YRS	1169	5.7	33	1	2	5	7	9	12	21
GRAND TOTAL	**2436**	**5.8**	**28**	**1**	**2**	**5**	**7**	**10**	**12**	**20**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.3	3	5	5	7	8	9	9	9
1-5 YRS	105	6.0	12	1	1	6	8	10	12	17
6-12 YRS	912	4.9	11	1	2	4	7	9	11	15
13-19 YRS	1833	4.3	13	1	2	3	6	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	36.0	1800	6	6	36	66	66	66	66
6-12 YRS	8	5.6	9	1	2	6	8	9	10	10
13-19 YRS	16	6.6	12	2	3	6	7	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	6	3	3	5	7	8	8	8
1-11 MOS	11	8.8	22	2	2	9	12	15	17	17
1-5 YRS	91	7.1	19	1	2	7	9	13	16	22
6-12 YRS	601	5.4	41	1	1	4	7	10	13	28
13-19 YRS	1665	4.9	16	1	2	4	6	9	11	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	7.0	12	<1	<1	8	10	10	10	10
6-12 YRS	14	15.5	115	2	3	15	21	28	39	42
13-19 YRS	74	10.2	104	3	3	7	12	23	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2854	4.6	13	1	2	4	6	9	11	15
B. *Operated*	26	8.5	147	2	3	6	8	11	26	66
2. MULTIPLE DX										
A. *Not Operated*	2371	5.2	23	1	2	4	7	9	12	22
B. *Operated*	94	10.8	103	3	3	8	13	23	32	57
1. SINGLE DX	2880	4.6	14	1	2	4	6	9	11	15
2. MULTIPLE DX	2465	5.4	27	1	2	4	7	10	13	25
A. NOT OPERATED	5225	4.9	17	1	2	4	6	9	11	17
B. OPERATED	120	10.3	112	2	3	7	11	21	30	67
TOTAL 0-27 DYS	3	5.3	6	3	3	5	7	8	8	8
1-11 MOS	15	8.4	17	2	2	8	10	14	16	17
1-5 YRS	204	6.8	33	1	2	6	8	11	14	21
6-12 YRS	1535	5.2	25	1	2	4	7	10	12	20
13-19 YRS	3588	4.8	17	1	2	4	6	9	11	19
GRAND TOTAL	**5345**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.3	26	3	3	6	11	13	13	13
1-5 YRS	98	6.5	15	1	2	7	8	11	13	18
6-12 YRS	437	6.2	12	2	3	6	8	11	12	17
13-19 YRS	719	5.5	15	1	2	5	7	9	11	16
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	19	4.6	23	<1	<1	3	6	10	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	4.7	9	1	1	5	7	9	9	9
1-11 MOS	19	6.5	11	2	3	6	8	12	13	14
1-5 YRS	68	6.1	16	1	2	5	9	11	15	17
6-12 YRS	292	5.5	19	1	1	4	7	10	12	22
13-19 YRS	824	5.8	28	1	2	5	7	10	14	22
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	3	11.3	4	9	9	12	13	13	13	13
1-5 YRS	2	6.0	18	3	3	6	9	9	9	9
6-12 YRS	7	7.0	24	1	1	7	10	14	15	15
13-19 YRS	56	8.9	64	2	3	7	10	17	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1257	5.8	14	1	2	5	7	10	12	17
B. *Operated*	23	4.3	19	<1	1	3	5	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	1210	5.8	25	1	2	5	7	10	14	22
B. *Operated*	69	8.9	57	2	2	8	11	17	22	41
1. SINGLE DX	1280	5.8	14	1	2	5	7	10	12	17
2. MULTIPLE DX	1279	5.9	27	1	2	5	8	11	14	22
A. NOT OPERATED	2467	5.8	19	1	2	5	7	10	12	21
B. OPERATED	92	7.8	52	1	2	6	10	14	21	40
TOTAL 0-27 DYS	9	6.2	38	1	1	5	7	16	21	21
1-11 MOS	26	7.0	14	2	3	6	11	13	13	14
1-5 YRS	168	6.3	15	1	2	6	8	11	14	18
6-12 YRS	738	5.9	15	1	2	5	8	11	12	20
13-19 YRS	1618	5.8	24	1	2	5	7	10	13	22
GRAND TOTAL	**2559**	**5.9**	**21**	**1**	**2**	**5**	**8**	**10**	**13**	**21**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	2.5	2	1	1	2	4	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	5.0	10	2	2	4	7	9	9	9
13-19 YRS	100	3.6	5	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	21	3.6	7	1	1	3	5	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	123	4.7	10	1	1	4	6	8	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.5	2	1	1	2	4	4	5	5
B. *Operated*	104	3.7	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	24	3.5	6	<1	1	3	5	7	9	10
B. *Operated*	127	4.6	9	1	1	4	6	8	11	14
1. SINGLE DX	129	3.4	5	1	1	3	5	6	8	10
2. MULTIPLE DX	151	4.5	9	1	1	4	6	8	10	13
A. NOT OPERATED	49	3.0	4	1	1	2	4	6	7	10
B. OPERATED	231	4.2	8	1	1	4	6	8	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	4	<1	<1	4	5	5	5	5
6-12 YRS	8	4.0	7	1	1	3	6	8	9	9
13-19 YRS	269	4.0	7	1	1	4	5	7	9	13
GRAND TOTAL	**280**	**4.0**	**7**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	5.3	13	1	1	4	9	10	10	10
1-11 MOS	40	4.4	34	1	1	2	5	12	19	27
1-5 YRS	231	2.8	8	1	1	2	3	5	9	18
6-12 YRS	229	2.6	6	1	1	2	3	6	7	9
13-19 YRS	230	3.1	5	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	5	4.2	6	2	2	3	6	8	8	8
1-5 YRS	14	4.6	10	1	2	4	6	10	11	11
6-12 YRS	19	3.9	6	<1	1	4	5	7	9	10
13-19 YRS	32	5.9	22	2	2	5	8	10	12	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	6.2	21	<1	2	5	8	14	16	16
1-11 MOS	70	6.2	56	1	1	4	7	14	23	40
1-5 YRS	271	4.0	15	1	1	3	5	9	12	18
6-12 YRS	282	3.0	10	1	1	2	4	6	9	18
13-19 YRS	381	4.0	24	1	1	3	5	7	10	20
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	16	9.3	178	1	2	5	9	20	45	56
1-5 YRS	31	10.4	201	1	1	5	11	21	52	64
6-12 YRS	15	6.9	39	2	2	5	9	25	78	99+
13-19 YRS	33	9.4	87	2	3	7	10	18	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	2.9	8	1	1	2	4	6	8	16
B. *Operated*	71	5.1	15	1	2	4	7	10	11	23
2. MULTIPLE DX										
A. *Not Operated*	1018	3.9	20	1	1	3	5	8	12	21
B. *Operated*	96	9.4	129	2	2	5	10	20	41	83
1. SINGLE DX	808	3.1	9	1	1	2	4	6	8	16
2. MULTIPLE DX	1114	4.4	32	1	1	3	5	9	13	26
A. NOT OPERATED	1755	3.5	16	1	1	2	4	7	10	18
B. OPERATED	167	7.6	84	1	2	5	9	15	24	63
TOTAL 0-27 DYS	23	6.7	25	1	2	6	10	14	17	18
1-11 MOS	131	5.9	63	1	1	3	7	14	22	45
1-5 YRS	547	3.9	25	1	1	2	4	9	12	19
6-12 YRS	545	3.0	9	1	1	2	4	6	8	18
13-19 YRS	676	4.1	22	1	1	3	5	8	10	21
GRAND TOTAL	**1922**	**3.9**	**23**	**1**	**1**	**3**	**4**	**8**	**11**	**23**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	26	5.1	6	2	3	5	7	9	10	11
1-5 YRS	14	5.8	25	1	2	4	6	16	18	18
6-12 YRS	4	22.5	1052	4	4	7	40	71	71	71
13-19 YRS	11	5.6	22	1	2	4	7	13	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	4.8	5	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	5.5	14	1	2	4	7	12	13	14
1-11 MOS	107	10.0	81	2	2	8	12	20	29	48
1-5 YRS	58	7.0	19	1	2	5	11	14	17	93
6-12 YRS	18	9.5	36	2	3	9	13	16	22	26
13-19 YRS	30	15.8	256	2	3	8	25	42	54	58
B. *Operated*										
0-27 DYS										
1-11 MOS	4	18.8	154	5	5	17	27	35	35	35
1-5 YRS	7	23.4	355	1	2	26	46	85	99+	99+
6-12 YRS	10	17.1	329	2	2	9	31	45	57	57
13-19 YRS	12	13.1	234	1	3	7	12	44	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.6	90	1	2	4	7	11	17	68
B. *Operated*	7	4.0	6	<1	<1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	228	9.7	87	2	2	7	12	20	29	58
B. *Operated*	33	17.2	269	1	3	10	31	47	55	99+
1. SINGLE DX	63	6.3	81	1	2	4	7	10	16	64
2. MULTIPLE DX	261	10.6	115	2	2	7	12	25	37	58
A. NOT OPERATED	284	9.1	89	2	2	6	11	18	27	58
B. OPERATED	40	14.9	247	1	2	8	23	45	51	99+
TOTAL 0-27 DYS	16	5.3	14	1	2	4	6	12	13	14
1-11 MOS	137	9.3	74	2	3	7	11	19	28	43
1-5 YRS	80	8.1	69	1	2	5	11	18	36	99+
6-12 YRS	33	13.2	237	2	3	9	14	32	54	71
13-19 YRS	58	12.3	200	2	2	7	12	32	49	58
GRAND TOTAL	**324**	**9.8**	**111**	**2**	**2**	**6**	**11**	**21**	**33**	**61**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	59	8.5	50	2	2	7	11	16	20	40
1-5 YRS	123	8.0	23	1	2	7	11	14	16	22
6-12 YRS	207	11.6	39	3	5	10	14	18	22	33
13-19 YRS	262	13.0	38	4	6	12	15	22	25	35
B. *Operated*										
0-27 DYS										
1-11 MOS	2	26.0	338	13	13	25	39	39	39	39
1-5 YRS	7	7.4	32	2	2	5	10	16	18	18
6-12 YRS	10	22.1	391	2	4	14	39	53	66	66
13-19 YRS	15	12.1	32	2	4	12	15	18	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	139	11.1	112	2	3	8	14	22	31	54
1-5 YRS	211	9.4	26	2	3	10	12	16	18	23
6-12 YRS	311	11.8	41	3	5	11	14	19	23	34
13-19 YRS	414	11.6	49	2	4	11	14	20	24	36
B. *Operated*										
0-27 DYS	1	19.0		19	19	59	99+	99+	99+	99+
1-11 MOS	12	19.8	224	3	3	18	42	99+	99+	99+
1-5 YRS	44	11.2	78	2	2	10	14	20	33	45
6-12 YRS	41	15.8	251	2	3	11	20	25	55	80
13-19 YRS	71	17.9	239	2	3	14	20	41	49	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	11.2	40	2	4	10	14	19	22	33
B. *Operated*	34	14.9	175	2	3	12	15	39	39	66
2. MULTIPLE DX										
A. *Not Operated*	1076	11.1	51	2	3	10	14	18	23	37
B. *Operated*	169	15.8	203	2	3	13	19	37	49	99+
1. SINGLE DX	685	11.4	47	2	4	10	14	19	23	38
2. MULTIPLE DX	1245	11.8	74	2	3	10	14	20	26	48
A. NOT OPERATED	1727	11.1	47	2	3	10	14	19	23	35
B. OPERATED	203	15.6	197	2	3	13	18	38	47	99+
TOTAL 0-27 DYS	2	13.0	72	7	7	19	80	99+	99+	99+
1-11 MOS	212	11.0	108	2	3	8	14	23	37	87
1-5 YRS	385	9.1	32	2	2	9	12	15	18	27
6-12 YRS	569	12.2	63	3	5	11	14	20	24	44
13-19 YRS	762	12.7	66	3	4	12	15	21	26	42
GRAND TOTAL	**1930**	**11.6**	**64**	**2**	**3**	**10**	**14**	**20**	**25**	**44**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	4.3	11	1	1	3	6	9	11	11
6-12 YRS	63	2.0	6	1	1	1	1	5	9	13
13-19 YRS	61	3.1	60	1	1	1	3	6	8	54
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	41	7.2	7	4	5	7	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	4.3	4	3	3	3	5	8	9	9
6-12 YRS	44	9.0	290	1	1	4	7	39	98	99+
13-19 YRS	59	9.8	286	1	1	4	6	37	67	97
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	40	8.2	11	3	5	8	10	11	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	2.7	31	1	1	1	3	6	9	20
B. *Operated*	43	7.2	7	4	5	7	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	112	9.1	265	1	1	4	6	38	68	99+
B. *Operated*	41	8.2	11	4	5	8	10	11	13	22
1. SINGLE DX	177	3.8	29	1	1	1	6	8	10	17
2. MULTIPLE DX	153	8.9	196	1	2	5	8	19	53	99+
A. NOT OPERATED	246	5.6	147	1	1	3	5	9	38	99+
B. OPERATED	84	7.7	9	4	5	7	9	11	12	21
TOTAL 0-27 DYS										
1-11 MOS	2	9.5	5	8	8	9	11	11	11	11
1-5 YRS	20	4.3	7	1	1	3	6	8	10	11
6-12 YRS	107	4.9	134	1	1	2	5	9	39	99+
13-19 YRS	201	6.9	112	1	1	5	8	10	20	71
GRAND TOTAL	**330**	**6.1**	**113**	**1**	**1**	**4**	**7**	**10**	**19**	**97**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	55	3.2	9	1	1	2	4	6	9	17
1-11 MOS	69	5.1	23	1	1	4	6	10	12	28
1-5 YRS	171	3.0	10	<1	<1	2	4	7	9	14
6-12 YRS	158	1.9	3	<1	<1	1	2	3	4	11
13-19 YRS	159	2.6	5	<1	<1	2	4	6	7	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	14	3.6	15	<1	1	3	5	91	99+	99+
1-5 YRS	62	4.8	18	1	1	3	6	12	14	18
6-12 YRS	42	3.6	8	<1	1	3	5	8	10	13
13-19 YRS	48	4.6	21	1	1	3	5	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	35	5.8	58	1	2	3	6	11	25	39
1-11 MOS	142	6.1	31	1	2	4	7	12	19	28
1-5 YRS	300	4.7	26	1	1	3	6	9	13	23
6-12 YRS	209	4.3	28	<1	<1	2	5	10	14	24
13-19 YRS	197	4.7	15	<1	1	4	6	10	13	18
B. *Operated*										
0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS	27	19.9	285	2	3	13	40	47	60	99+
1-5 YRS	64	10.1	99	1	2	8	15	27	62	99+
6-12 YRS	34	8.0	90	1	2	5	9	16	24	52
13-19 YRS	55	8.6	105	1	1	6	11	22	39	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	2.9	9	<1	<1	2	4	6	9	14
B. *Operated*	167	4.4	16	1	1	3	5	11	13	85
2. MULTIPLE DX										
A. *Not Operated*	883	4.9	26	<1	1	3	6	10	14	25
B. *Operated*	182	10.7	139	1	2	7	14	29	49	99+
1. SINGLE DX	779	3.2	11	<1	<1	2	4	7	10	17
2. MULTIPLE DX	1065	5.9	50	<1	1	4	7	13	18	49
A. NOT OPERATED	1495	4.1	20	<1	<1	3	5	9	11	22
B. OPERATED	349	7.7	90	1	1	4	10	18	41	99+
TOTAL 0-27 DYS	93	4.3	29	1	1	3	4	8	14	34
1-11 MOS	252	7.1	74	1	1	5	8	17	28	97
1-5 YRS	597	4.8	32	<1	1	3	6	11	15	38
6-12 YRS	443	3.7	25	<1	<1	2	4	9	12	22
13-19 YRS	459	4.5	26	<1	<1	3	6	10	13	26
GRAND TOTAL	**1844**	**4.7**	**35**	**<1**	**<1**	**3**	**6**	**10**	**15**	**45**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	11.0	18	8	8	11	14	14	14	14
13-19 YRS	4	6.3	3	4	4	6	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	6.8	11	1	2	7	8	11	14	14
B. *Operated*										
1. SINGLE DX	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX	10	6.8	11	1	2	7	8	11	14	14
A. NOT OPERATED	12	6.0	13	1	1	6	8	10	13	14
B. OPERATED										
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	2	5.5	13	3	3	5	8	8	8	8
6-12 YRS	2	11.0	18	8	8	11	14	14	14	14
13-19 YRS	5	5.2	8	1	1	6	7	8	8	8
GRAND TOTAL	**12**	**6.0**	**13**	**1**	**1**	**6**	**8**	**10**	**13**	**14**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	3.9	7	1	1	3	6	8	9	9
1-11 MOS	93	3.4	6	1	1	3	4	6	8	13
1-5 YRS	161	2.7	4	1	1	2	3	5	6	10
6-12 YRS	74	2.8	5	1	1	2	3	5	7	13
13-19 YRS	47	2.3	2	1	1	2	3	4	4	8
B. *Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	7.0	32	3	3	7	11	11	11	11
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	69	6.0	47	1	1	4	6	14	23	35
1-11 MOS	813	4.5	15	1	2	3	5	8	12	24
1-5 YRS	1302	3.3	5	1	1	3	4	6	7	13
6-12 YRS	539	3.5	8	1	1	3	4	6	8	16
13-19 YRS	520	3.9	23	1	1	3	5	6	9	21
B. *Operated*										
0-27 DYS	3	12.3	34	8	8	10	17	19	19	19
1-11 MOS	35	11.0	160	1	2	6	10	27	34	63
1-5 YRS	29	9.2	85	1	2	6	14	28	41	99+
6-12 YRS	11	7.3	53	1	1	4	15	45	92	99+
13-19 YRS	26	7.5	79	1	1	5	9	15	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	391	2.9	4	1	1	2	3	5	7	12
B. *Operated*	8	4.3	10	1	1	3	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	3243	3.8	12	1	1	3	4	6	9	17
B. *Operated*	104	9.3	104	1	2	6	10	27	35	99+
1. SINGLE DX	399	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX	3347	3.9	16	1	1	3	4	7	10	22
A. NOT OPERATED	3634	3.7	11	1	1	3	4	6	9	16
B. OPERATED	112	8.9	99	1	2	6	10	26	35	99+
TOTAL 0-27 DYS	90	5.8	40	1	1	4	6	12	19	34
1-11 MOS	943	4.6	21	1	1	3	5	8	12	17
1-5 YRS	1493	3.3	7	1	1	3	4	6	7	15
6-12 YRS	626	3.5	9	1	1	3	4	6	8	19
13-19 YRS	594	3.9	25	1	1	3	4	6	9	26
GRAND TOTAL	**3746**	**3.8**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**21**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	42	3.0	3	1	1	3	4	5	6	7
1-5 YRS	70	3.7	7	1	1	3	5	7	9	14
6-12 YRS	12	4.1	12	<1	<1	3	5	9	12	13
13-19 YRS	34	4.3	23	1	1	3	5	7	8	29
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	3.6	4	1	1	3	5	6	6	6
6-12 YRS	4	4.0	10	1	1	3	6	8	8	8
13-19 YRS	12	5.1	12	1	1	4	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	81	5.7	48	2	2	4	6	9	14	48
1-5 YRS	89	4.5	11	1	1	4	6	9	10	18
6-12 YRS	30	3.9	10	1	1	3	4	7	12	15
13-19 YRS	129	4.2	8	1	1	4	5	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	9	12.6	113	3	4	10	17	30	37	37
1-5 YRS	11	5.9	17	<1	1	5	8	12	15	15
6-12 YRS	4	8.3	33	3	3	7	12	16	16	16
13-19 YRS	35	5.9	10	2	2	6	7	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	3.7	10	1	1	3	5	7	8	15
B. *Operated*	23	4.4	9	1	1	3	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	330	4.6	19	1	1	4	6	8	10	17
B. *Operated*	59	7.1	32	2	2	6	9	14	17	35
1. SINGLE DX	181	3.8	10	1	1	3	5	7	8	14
2. MULTIPLE DX	389	5.0	22	1	2	4	6	9	12	19
A. NOT OPERATED	488	4.3	16	1	1	3	5	8	10	16
B. OPERATED	82	6.3	27	1	2	5	8	11	15	31
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	132	5.3	43	1	1	4	6	9	14	41
1-5 YRS	177	4.2	10	1	1	3	5	8	10	17
6-12 YRS	50	4.3	13	<1	1	3	5	9	13	16
13-19 YRS	210	4.5	11	1	1	4	6	8	10	15
GRAND TOTAL	**570**	**4.6**	**18**	**1**	**1**	**4**	**6**	**8**	**11**	**18**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	26	3.2	3	1	2	3	4	5	8	8
1-5 YRS	279	4.0	6	1	1	3	5	7	9	11
6-12 YRS	559	3.8	9	1	1	3	5	7	9	13
13-19 YRS	845	4.9	12	1	2	4	6	8	10	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	5.5	3	3	3	6	7	7	7	7
6-12 YRS	7	5.1	8	2	2	5	8	9	9	9
13-19 YRS	5	9.8	21	4	4	8	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	49	4.4	12	1	2	4	5	8	9	23
1-5 YRS	423	5.2	18	1	2	4	6	10	12	19
6-12 YRS	504	5.2	17	<1	1	4	7	10	12	22
13-19 YRS	641	6.3	23	1	2	5	8	12	15	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	8	8.6	34	1	1	7	14	16	16	16
6-12 YRS	21	13.6	130	1	2	11	20	31	37	41
13-19 YRS	44	12.6	82	2	2	10	18	23	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1709	4.4	10	1	1	4	6	8	9	15
B. *Operated*	16	6.7	14	2	2	6	8	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	1617	5.6	20	1	2	5	7	11	13	23
B. *Operated*	74	12.3	91	1	2	10	18	24	32	43
1. SINGLE DX	1725	4.4	10	1	1	4	6	8	9	15
2. MULTIPLE DX	1691	5.9	25	1	2	5	7	11	15	26
A. NOT OPERATED	3326	5.0	15	1	1	4	6	9	12	22
B. OPERATED	90	11.3	81	1	2	8	16	23	30	43
TOTAL 0-27 DYS										
1-11 MOS	76	4.0	9	1	2	3	4	7	8	20
1-5 YRS	714	4.7	14	1	2	4	6	9	11	16
6-12 YRS	1091	4.7	16	1	1	4	6	9	11	23
13-19 YRS	1535	5.7	21	1	2	5	7	10	14	24
GRAND TOTAL	**3416**	**5.1**	**18**	**1**	**1**	**4**	**6**	**10**	**12**	**23**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	4.0	10	<1	1	3	7	9	11	12
1-11 MOS	91	2.9	10	<1	1	2	4	7	10	17
1-5 YRS	286	2.5	10	<1	<1	1	3	5	6	16
6-12 YRS	233	2.4	24	<1	<1	<1	2	4	7	33
13-19 YRS	275	1.5	2	<1	<1	1	1	3	4	9
B. *Operated*										
0-27 DYS										
1-11 MOS	15	7.2	35	1	2	7	9	13	21	24
1-5 YRS	67	5.8	40	1	1	4	6	11	16	40
6-12 YRS	52	5.6	17	1	2	5	7	12	14	21
13-19 YRS	38	7.0	22	2	3	6	8	13	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	2.3	3	<1	<1	1	3	5	7	7
1-11 MOS	118	3.6	14	1	1	2	5	9	11	19
1-5 YRS	335	4.0	54	<1	<1	2	5	8	11	30
6-12 YRS	258	3.4	14	<1	<1	2	4	8	10	21
13-19 YRS	302	3.9	20	<1	<1	2	5	8	14	24
B. *Operated*										
0-27 DYS										
1-11 MOS	18	10.2	291	1	1	4	11	22	54	74
1-5 YRS	68	12.1	200	2	2	6	15	28	44	68
6-12 YRS	50	9.7	194	2	2	6	10	19	27	94
13-19 YRS	67	12.1	175	2	3	9	16	21	30	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	902	2.3	11	<1	<1	1	2	5	7	15
B. *Operated*	172	6.1	29	1	2	5	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	1026	3.8	29	<1	<1	2	5	8	11	23
B. *Operated*	203	11.4	196	1	2	7	14	23	39	83
1. SINGLE DX	1074	2.9	16	<1	<1	1	3	6	9	20
2. MULTIPLE DX	1229	5.0	64	<1	<1	3	6	11	16	43
A. NOT OPERATED	1928	3.1	21	<1	<1	1	4	7	9	19
B. OPERATED	375	9.0	126	1	2	5	11	18	25	67
TOTAL 0-27 DYS	30	3.3	8	<1	<1	2	4	7	9	12
1-11 MOS	242	4.1	37	1	1	2	5	9	12	24
1-5 YRS	756	4.3	56	<1	<1	2	5	9	14	44
6-12 YRS	593	3.7	37	<1	<1	2	4	8	12	27
13-19 YRS	682	3.9	37	<1	<1	1	5	9	15	26
GRAND TOTAL	**2303**	**4.0**	**43**	**<1**	**<1**	**2**	**5**	**9**	**13**	**28**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	2.4	1	<1	<1	2	3	4	4	4
1-5 YRS	17	2.1	1	1	1	2	3	4	4	4
6-12 YRS	13	5.1	16	<1	1	4	6	12	14	14
13-19 YRS	21	3.4	7	<1	<1	2	5	7	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	17	3.9	17	<1	1	3	6	7	14	17
1-5 YRS	62	3.6	7	<1	1	3	4	7	9	13
6-12 YRS	61	4.2	17	1	1	3	5	10	13	22
13-19 YRS	98	5.0	29	1	1	4	7	10	12	34
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	7.7	10	4	4	9	10	10	10	10
6-12 YRS	13	7.5	56	1	1	4	13	19	23	24
13-19 YRS	9	13.3	91	2	3	13	17	28	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.3	7	<1	<1	2	4	7	10	14
B. *Operated*	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	239	4.4	19	1	1	3	5	8	12	23
B. *Operated*	25	9.6	68	1	2	6	14	19	26	34
1. SINGLE DX	61	3.3	7	<1	1	2	4	7	9	14
2. MULTIPLE DX	264	4.9	26	1	1	3	6	11	14	25
A. NOT OPERATED	296	4.2	17	1	1	3	5	8	12	20
B. OPERATED	29	8.7	64	1	2	5	13	19	24	34
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	22	3.6	13	<1	<1	2	5	7	11	17
1-5 YRS	84	3.5	7	1	1	3	4	7	9	13
6-12 YRS	88	4.8	23	1	1	3	5	12	16	24
13-19 YRS	129	5.3	34	<1	1	3	7	11	14	36
GRAND TOTAL	**325**	**4.6**	**23**	**1**	**1**	**3**	**5**	**10**	**13**	**24**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.9	1	1	1	2	3	4	4	4
1-11 MOS	50	3.6	39	1	1	3	4	4	5	46
1-5 YRS	431	3.4	6	1	1	3	4	7	9	11
6-12 YRS	274	3.7	10	<1	1	3	4	7	9	15
13-19 YRS	121	3.8	11	<1	1	3	5	7	10	19
B. *Operated*										
0-27 DYS										
1-11 MOS	17	4.2	7	<1	1	4	5	8	11	12
1-5 YRS	169	4.7	21	1	1	3	6	9	14	25
6-12 YRS	105	5.3	12	1	2	5	7	9	11	19
13-19 YRS	149	5.8	11	2	2	5	7	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.7	27	1	1	5	9	15	16	16
1-11 MOS	65	5.4	50	1	1	3	6	10	14	46
1-5 YRS	486	4.3	14	<1	1	3	6	8	10	19
6-12 YRS	305	4.5	13	<1	1	4	6	10	12	17
13-19 YRS	242	5.0	20	<1	1	4	6	10	13	22
B. *Operated*										
0-27 DYS	4	6.3	25	<1	<1	5	9	13	13	13
1-11 MOS	19	8.8	106	<1	1	6	8	30	34	34
1-5 YRS	110	7.7	49	2	3	5	9	17	23	66
6-12 YRS	92	7.6	50	1	2	5	10	14	20	41
13-19 YRS	141	8.4	92	<1	1	6	10	20	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	3.5	10	1	1	3	4	7	9	15
B. *Operated*	440	5.2	15	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	1105	4.6	17	<1	1	3	6	9	11	21
B. *Operated*	366	8.0	68	1	2	6	9	17	25	71
1. SINGLE DX	1324	4.1	12	1	1	3	5	8	10	18
2. MULTIPLE DX	1471	5.4	32	1	1	4	7	11	15	33
A. NOT OPERATED	1989	4.1	14	1	1	3	5	8	10	18
B. OPERATED	806	6.4	41	1	2	5	8	13	19	38
TOTAL 0-27 DYS	19	4.6	19	<1	1	3	6	12	15	16
1-11 MOS	151	5.1	50	1	1	3	5	9	13	46
1-5 YRS	1196	4.3	16	1	1	3	5	8	11	23
6-12 YRS	776	4.7	18	<1	1	4	6	9	12	20
13-19 YRS	653	5.7	34	1	1	4	7	11	16	32
GRAND TOTAL	**2795**	**4.8**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**25**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	2.9	3	1	1	3	4	6	6	6
1-5 YRS	178	1.9	2	1	1	2	2	4	4	7
6-12 YRS	1406	2.0	2	1	1	2	2	3	4	6
13-19 YRS	1294	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	77	3.2	3	1	2	3	4	5	6	11
6-12 YRS	548	3.5	2	2	2	3	4	5	6	10
13-19 YRS	708	3.8	3	2	2	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.0	12	3	3	3	8	9	9	9
1-5 YRS	159	2.5	2	1	1	2	3	5	6	7
6-12 YRS	813	2.7	3	1	1	2	3	5	6	8
13-19 YRS	617	2.8	5	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.7	36	2	2	7	12	14	14	14
1-5 YRS	55	4.1	3	2	2	4	5	7	8	9
6-12 YRS	254	4.4	8	2	2	4	5	7	9	15
13-19 YRS	388	4.9	10	2	2	4	6	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2885	2.1	2	1	1	2	3	4	5	7
B. *Operated*	1333	3.7	2	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	1592	2.7	4	1	1	2	3	5	6	9
B. *Operated*	700	4.7	9	2	2	4	5	7	9	18
1. SINGLE DX	4218	2.6	2	1	1	2	3	5	5	8
2. MULTIPLE DX	2292	3.3	6	1	1	3	4	6	7	13
A. NOT OPERATED	4477	2.3	2	1	1	2	3	4	5	8
B. OPERATED	2033	4.0	5	2	2	4	5	6	8	13
TOTAL 0-27 DYS										
1-11 MOS	13	4.5	14	1	1	3	6	10	13	14
1-5 YRS	469	2.6	3	1	1	2	3	5	5	8
6-12 YRS	3021	2.7	3	1	1	2	3	5	6	9
13-19 YRS	3007	3.1	5	1	1	3	4	5	7	10
GRAND TOTAL	**6510**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	58	4.7	4	2	3	4	6	8	8	10
1-5 YRS	319	4.6	6	1	2	4	6	8	10	12
6-12 YRS	202	4.3	7	1	1	4	6	8	9	12
13-19 YRS	91	3.3	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	14	6.4	7	3	3	6	8	10	11	11
1-5 YRS	132	3.8	16	<1	<1	2	5	9	12	18
6-12 YRS	140	2.8	6	<1	<1	2	3	7	8	12
13-19 YRS	158	2.9	4	<1	1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0	1	2	2	2	2	2	2	2
1-11 MOS	39	5.7	10	1	2	5	8	9	12	14
1-5 YRS	247	4.8	9	1	2	4	6	9	10	14
6-12 YRS	151	4.6	10	1	2	4	6	9	12	15
13-19 YRS	79	4.5	7	1	1	4	6	9	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	26	8.4	31	3	4	7	11	13	17	31
1-5 YRS	71	6.3	16	1	1	6	8	12	13	18
6-12 YRS	66	4.1	17	<1	1	2	5	11	13	20
13-19 YRS	66	5.0	25	<1	1	3	7	9	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	4.3	6	1	2	4	6	8	9	11
B. *Operated*	444	3.2	9	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	517	4.7	9	1	2	4	6	9	11	14
B. *Operated*	229	5.5	22	<1	1	4	8	12	14	21
1. SINGLE DX	1116	3.9	8	1	1	3	5	8	9	13
2. MULTIPLE DX	746	5.0	13	1	2	4	7	9	12	19
A. NOT OPERATED	1189	4.5	7	1	2	4	6	8	10	13
B. OPERATED	673	4.0	14	<1	1	3	6	9	12	19
TOTAL 0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	137	5.9	13	2	3	5	8	9	12	16
1-5 YRS	769	4.7	10	1	1	4	6	9	11	15
6-12 YRS	559	4.0	9	<1	1	3	5	8	10	14
13-19 YRS	394	3.6	9	<1	1	3	5	7	9	17
GRAND TOTAL	**1862**	**4.3**	**10**	**1**	**1**	**3**	**6**	**8**	**10**	**15**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	35	5.4	30	<1	1	4	7	14	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	22.0	648	4	4	22	40	40	40	40
1-5 YRS										
6-12 YRS	4	7.3	100	1	1	3	13	22	22	22
13-19 YRS	40	10.3	148	1	1	5	12	29	38	54
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.1	29	<1	1	3	6	14	18	19
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	46	10.5	156	1	1	5	13	30	41	54
B. *Operated*	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX	39	5.0	29	<1	1	3	6	14	18	19
2. MULTIPLE DX	47	10.5	153	1	1	5	13	30	41	54
A. NOT OPERATED	84	8.0	105	1	1	4	10	19	30	51
B. OPERATED	2	6.0	32	2	2	6	10	10	10	10
TOTAL 0-27 DYS										
1-11 MOS	2	22.0	648	4	4	22	40	40	40	40
1-5 YRS										
6-12 YRS	8	4.4	53	1	1	2	4	17	22	22
13-19 YRS	76	8.0	97	1	1	4	10	19	30	52
GRAND TOTAL	**86**	**8.0**	**103**	**1**	**1**	**4**	**10**	**19**	**30**	**51**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	69	1.4	1	<1	<1	1	1	2	3	8
6-12 YRS	181	1.6	1	<1	1	1	2	3	3	6
13-19 YRS	307	3.2	31	<1	1	2	3	5	7	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	4.8	45	1	1	2	6	17	18	18
13-19 YRS	7	4.0	5	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	12	5.4	34	1	1	3	9	37	88	99+
1-5 YRS	67	4.1	25	1	1	2	4	11	15	25
6-12 YRS	146	4.5	68	1	1	2	4	7	13	47
13-19 YRS	392	7.0	89	1	1	4	7	18	28	53
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.3	16	2	2	2	7	9	9	9
6-12 YRS	8	19.6	486	2	2	11	23	58	65	65
13-19 YRS	33	11.2	216	1	1	6	20	34	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	584	2.4	17	<1	1	1	2	4	6	23
B. *Operated*	14	4.1	21	1	1	2	6	9	16	18
2. MULTIPLE DX										
A. *Not Operated*	618	6.1	77	1	1	3	6	14	25	50
B. *Operated*	44	12.3	256	1	1	7	15	40	74	99+
1. SINGLE DX	598	2.4	17	<1	1	2	2	4	6	22
2. MULTIPLE DX	662	6.5	91	1	1	3	7	16	28	67
A. NOT OPERATED	1202	4.3	51	1	1	2	4	9	17	41
B. OPERATED	58	10.3	210	1	1	6	12	33	66	99+
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	19	3.9	25	<1	1	2	6	16	60	99+
1-5 YRS	160	2.6	13	<1	1	1	2	5	10	20
6-12 YRS	341	3.3	49	1	1	2	3	6	9	41
13-19 YRS	739	5.6	74	1	1	3	5	13	25	56
GRAND TOTAL	**1260**	**4.6**	**60**	**1**	**1**	**2**	**4**	**10**	**19**	**48**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	19	3.3	5	<1	<1	3	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	7.0	79	2	2	4	5	23	27	27
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	63	6.8	43	1	2	5	9	14	20	35
B *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.5	85	1	1	7	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.1	4	<1	<1	2	4	6	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	72	6.7	45	1	2	5	8	14	22	35
B. *Operated*	2	7.5	85	1	1	7	14	14	14	14
1. SINGLE DX	21	3.1	4	<1	<1	2	4	6	8	8
2. MULTIPLE DX	74	6.7	45	1	1	5	9	14	22	35
A. NOT OPERATED	93	5.9	38	<1	1	4	6	12	18	33
B. OPERATED	2	7.5	85	1	1	7	14	14	14	14
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	6.4	71	2	2	4	5	20	27	27
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	84	6.1	36	<1	1	4	7	14	17	34
GRAND TOTAL	**95**	**5.9**	**38**	**<1**	**1**	**4**	**6**	**14**	**17**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	5	20.6	1028	1	1	4	35	76	76	76
13-19 YRS	61	8.5	85	1	1	5	13	18	27	45
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	18.0	128	10	10	18	26	26	26	26
1-11 MOS	3	6.0	16	2	2	6	9	10	10	10
1-5 YRS	4	5.8	58	1	1	3	10	17	17	17
6-12 YRS	9	2.3	7	1	1	2	2	6	9	9
13-19 YRS	158	11.6	182	1	1	7	14	29	41	66
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS										
6-12 YRS										
13-19 YRS	3	24.0	133	13	13	23	33	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	9.3	147	1	1	5	13	20	32	70
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	176	10.9	171	1	1	6	14	29	40	65
B. *Operated*	4	21.8	109	13	13	19	29	36	36	36
1. SINGLE DX	69	9.3	147	1	1	5	13	20	32	70
2. MULTIPLE DX	180	11.2	172	1	1	7	14	29	39	65
A. NOT OPERATED	245	10.5	164	1	1	6	14	26	38	66
B. OPERATED	4	21.8	109	13	13	19	29	36	36	36
TOTAL 0-27 DYS	2	18.0	128	10	10	18	26	26	26	26
1-11 MOS	5	8.4	23	2	2	9	11	15	15	15
1-5 YRS	6	5.7	43	1	1	3	10	16	17	17
6-12 YRS	14	8.9	403	1	1	2	4	26	65	76
13-19 YRS	222	10.9	158	1	1	7	14	28	38	63
GRAND TOTAL	**249**	**10.7**	**165**	**1**	**1**	**6**	**14**	**27**	**38**	**66**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	5.5	2	4	4	5	6	7	7	7
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	317	20.3	321	2	3	17	28	49	63	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	55.0	1899	10	10	58	87	97	97	97
13-19 YRS	158	22.3	387	3	4	18	34	53	74	99+
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	16.3	70	9	9	14	22	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	20.1	319	2	3	17	28	49	63	99+
B. *Operated*	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	163	22.7	423	2	4	17	35	56	75	99+
B. *Operated*	5	17.2	57	9	9	16	23	28	28	28
1. SINGLE DX	324	20.0	318	2	3	17	28	49	63	99+
2. MULTIPLE DX	168	22.5	413	2	4	17	34	55	75	99+
A. NOT OPERATED	485	21.0	354	2	3	17	29	52	69	99+
B. OPERATED	7	14.3	75	1	3	13	20	27	28	28
TOTAL 0-27 DYS	2	11.5	181	2	2	11	21	21	21	21
1-11 MOS	4	5.5	2	4	4	5	6	7	7	7
1-5 YRS	2	8.0	72	2	2	8	14	14	14	14
6-12 YRS	3	55.0	1899	10	10	77	98	99+	99+	99+
13-19 YRS	481	20.9	340	2	3	17	29	50	66	99+
GRAND TOTAL	**492**	**20.9**	**351**	**2**	**3**	**17**	**29**	**51**	**68**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	41.5	824	2	2	43	69	96	99+	99+
13-19 YRS	86	19.8	359	2	4	13	28	47	63	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	38.3	169	17	18	42	49	51	51	51
13-19 YRS	65	30.4	465	3	4	29	43	67	80	98
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	35.0	288	23	23	35	47	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	21.6	427	2	3	14	35	56	76	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	71	31.1	442	3	5	29	43	66	78	97
B. *Operated*	2	35.0	288	23	23	35	47	47	47	47
1. SINGLE DX	94	21.6	427	2	3	14	35	56	76	99+
2. MULTIPLE DX	73	31.2	434	3	5	29	44	66	77	96
A. NOT OPERATED	165	25.7	453	3	4	19	40	58	79	99+
B. OPERATED	2	35.0	288	23	23	35	47	47	47	47
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	40.1	511	2	3	43	50	89	97	99+
13-19 YRS	153	24.5	427	3	4	18	37	56	70	99+
GRAND TOTAL	**167**	**25.8**	**450**	**3**	**4**	**19**	**41**	**58**	**79**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	8.5	5	7	7	8	10	10	10	10
1-11 MOS	6	27.0	280	7	7	25	46	47	47	47
1-5 YRS										
6-12 YRS	18	25.2	459	1	2	24	40	67	87	99+
13-19 YRS	707	21.7	346	2	4	16	30	48	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	98.0		98	98	98	98	98	98	98
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	21.0	403	7	7	12	36	44	44	44
1-11 MOS	4	15.3	23	11	11	14	18	22	22	22
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	20	32.8	603	3	8	27	50	64	84	98
13-19 YRS	523	21.3	306	2	4	18	32	53	72	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS										
6-12 YRS										
13-19 YRS	27	28.9	482	3	7	22	47	64	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	733	21.8	347	2	4	17	31	49	70	99+
B. *Operated*	1	98.0		98	98	98	98	98	98	98
2. MULTIPLE DX										
A. *Not Operated*	551	21.6	318	2	4	18	32	53	71	99+
B. *Operated*	28	28.5	468	3	7	20	47	63	89	99+
1. SINGLE DX	734	21.9	355	2	4	17	31	49	71	99+
2. MULTIPLE DX	579	21.9	326	2	4	18	33	54	73	99+
A. NOT OPERATED	1284	21.7	334	2	4	17	32	52	71	99+
B. OPERATED	29	30.9	618	3	7	22	47	76	98	99+
TOTAL 0-27 DYS	5	16.0	250	7	7	10	20	44	44	44
1-11 MOS	11	21.9	182	7	9	18	26	46	47	47
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	38	29.2	535	1	3	27	45	66	86	99+
13-19 YRS	1258	21.7	337	2	4	17	32	52	72	99+
GRAND TOTAL	**1313**	**21.9**	**342**	**2**	**4**	**17**	**32**	**52**	**71**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	24	18.3	716	1	2	6	26	87	98	99+
6-12 YRS	50	32.1	513	4	6	40	61	99+	99+	99+
13-19 YRS	17	27.8	558	3	7	23	31	64	84	92
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	23	15.1	498	1	1	4	22	61	80	99+
6-12 YRS	60	25.8	490	2	2	24	45	97	99+	99+
13-19 YRS	14	28.1	544	2	3	25	51	99	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	45.0		45	45	72	99+	99+	99+	99+
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	27.7	596	2	3	24	54	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	97	23.6	512	1	2	21	45	88	99+	99+
B. *Operated*	2	24.0	882	3	3	45	86	99+	99+	99+
1. SINGLE DX	91	27.7	596	2	3	24	55	99+	99+	99+
2. MULTIPLE DX	99	23.6	511	1	2	21	46	94	99+	99+
A. NOT OPERATED	188	25.5	554	1	2	23	50	99+	99+	99+
B. OPERATED	2	24.0	882	3	3	72	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	48	16.4	590	1	1	5	21	65	98	99+
6-12 YRS	111	28.8	504	2	4	32	57	99+	99+	99+
13-19 YRS	31	27.9	533	2	6	24	45	89	99	99+
GRAND TOTAL	**190**	**25.5**	**553**	**1**	**2**	**23**	**50**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	15.8	152	3	4	13	19	36	38	38
1-5 YRS	1	32.0		32	32	32	32	32	32	32
6-12 YRS	37	26.2	482	2	3	23	43	65	99	99+
13-19 YRS	501	17.6	301	2	3	12	24	42	59	90
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	27.9	1195	3	3	17	39	88	99	99+
1-5 YRS	2	36.5	41	32	32	36	41	41	41	41
6-12 YRS	70	37.2	699	5	7	32	59	90	99	99+
13-19 YRS	885	22.7	432	2	3	17	34	61	83	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	33.0		33	33	33	33	33	33	33
13-19 YRS	42	33.4	516	5	7	36	53	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	18.1	315	2	3	12	25	44	60	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	964	23.8	469	2	3	18	37	64	89	99+
B. *Operated*	43	33.4	504	5	7	35	52	99+	99+	99+
1. SINGLE DX	545	18.1	315	2	3	12	25	44	60	98
2. MULTIPLE DX	1007	24.2	474	2	3	18	38	66	91	99+
A. NOT OPERATED	1509	21.8	420	2	3	16	32	59	78	99+
B. OPERATED	43	33.4	504	5	7	35	52	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	13	22.3	700	3	3	17	24	57	91	99
1-5 YRS	3	35.0	27	32	32	32	39	41	41	41
6-12 YRS	108	33.4	640	3	5	28	54	89	99	99+
13-19 YRS	1428	21.2	398	2	3	15	31	58	76	99+
GRAND TOTAL	**1552**	**22.1**	**426**	**2**	**3**	**16**	**33**	**59**	**80**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	16.3	72	8	8	16	23	25	25	25
1-5 YRS										
6-12 YRS	22	12.7	143	3	4	8	14	33	40	45
13-19 YRS	400	17.0	210	2	3	13	24	39	50	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	14.3	49	7	7	15	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	18.8	353	5	5	12	29	50	50	50
1-5 YRS										
6-12 YRS	27	23.1	468	4	5	17	42	51	92	99+
13-19 YRS	415	21.8	351	3	4	17	30	48	63	98
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	21.6	430	1	2	16	48	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	16.8	206	2	3	13	24	37	50	84
B. *Operated*	3	14.3	49	7	7	15	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	447	21.9	357	3	4	17	31	48	63	99
B. *Operated*	14	21.6	430	1	2	16	48	96	99+	99+
1. SINGLE DX	428	16.8	205	2	3	13	24	37	50	84
2. MULTIPLE DX	461	21.9	358	3	4	17	32	50	66	99+
A. NOT OPERATED	872	19.4	290	2	4	15	27	44	58	98
B. OPERATED	17	20.4	364	1	3	15	44	86	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	8	17.9	224	5	5	14	23	42	50	50
1-5 YRS										
6-12 YRS	49	18.4	343	4	5	8	31	47	52	99+
13-19 YRS	832	19.5	289	2	3	15	27	44	59	99+
GRAND TOTAL	**889**	**19.4**	**291**	**2**	**4**	**15**	**27**	**44**	**59**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	18	19.3	895	1	1	5	9	78	87	89
13-19 YRS	304	13.4	182	1	2	10	18	30	40	66
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.3	26	2	2	5	10	12	12	12
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	29	22.1	681	1	2	8	42	65	79	85
13-19 YRS	289	17.7	407	1	2	11	25	49	85	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	24.7	557	<1	3	15	44	62	74	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	13.6	221	1	2	9	18	31	45	81
B. *Operated*	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	323	17.9	428	1	2	10	25	53	80	99+
B. *Operated*	10	24.7	557	<1	3	15	44	62	74	74
1. SINGLE DX	327	13.5	220	1	2	9	18	31	45	80
2. MULTIPLE DX	333	18.1	431	1	2	10	25	53	79	99+
A. NOT OPERATED	647	15.8	328	1	2	10	20	41	63	99+
B. OPERATED	13	19.8	505	<1	1	11	28	55	70	74
TOTAL 0-27 DYS										
1-11 MOS	4	5.5	20	2	2	4	8	12	12	12
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	48	20.6	740	1	1	7	36	67	85	89
13-19 YRS	604	15.6	300	1	2	10	20	38	59	99+
GRAND TOTAL	**660**	**15.8**	**331**	**1**	**2**	**10**	**20**	**42**	**63**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	30	4.4	105	<1	<1	2	4	5	8	58
13-19 YRS	199	5.1	62	<1	1	3	5	10	21	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.7	20	<1	<1	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.3	1	3	3	5	5	5	5	5
1-5 YRS	6	3.7	6	1	1	3	4	8	8	8
6-12 YRS	40	10.6	312	1	1	4	9	29	49	90
13-19 YRS	322	7.6	102	1	1	4	8	25	34	73
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	13	18.0	233	3	3	17	29	40	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	5.0	66	<1	1	2	4	9	18	44
B. *Operated*	3	5.7	20	<1	<1	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	372	7.8	122	1	1	4	8	25	34	83
B. *Operated*	16	14.8	234	1	1	7	23	36	47	52
1. SINGLE DX	237	5.0	65	<1	1	2	4	9	18	44
2. MULTIPLE DX	388	8.1	128	1	1	4	8	26	34	79
A. NOT OPERATED	606	6.7	102	<1	1	3	6	18	30	57
B. OPERATED	19	13.4	209	<1	1	7	18	35	45	52
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.8	2	2	2	4	5	5	5	5
1-5 YRS	13	2.4	4	1	1	2	3	5	7	8
6-12 YRS	70	7.9	230	1	1	3	5	22	43	84
13-19 YRS	537	6.9	94	<1	1	3	7	20	32	52
GRAND TOTAL	**625**	**6.9**	**107**	**<1**	**1**	**3**	**6**	**18**	**32**	**56**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	18.5	13	16	16	18	21	21	21	21
1-5 YRS	3	34.0	679	4	4	47	50	51	51	51
6-12 YRS	41	23.8	488	2	3	17	41	85	99+	99+
13-19 YRS	648	16.9	301	1	2	11	27	46	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	15.0	378	1	1	13	76	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.3	86	5	5	7	18	22	22	22
1-5 YRS	4	8.5	126	1	1	4	15	25	25	25
6-12 YRS	79	38.2	784	3	4	41	77	99+	99+	99+
13-19 YRS	1096	21.3	444	2	3	14	32	59	80	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	68.0	1058	45	45	91	98	99+	99+	99+
13-19 YRS	50	30.9	470	5	6	24	49	59	71	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	694	17.4	315	1	2	11	28	48	75	99+
B. *Operated*	6	15.0	378	1	1	13	76	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	1182	22.4	483	2	3	15	34	63	84	99+
B. *Operated*	52	32.3	525	5	6	25	49	67	85	99+
1. SINGLE DX	700	17.4	315	1	2	11	28	50	80	99+
2. MULTIPLE DX	1234	22.8	488	2	3	15	35	63	84	99+
A. NOT OPERATED	1876	20.5	426	1	2	14	32	59	83	99+
B. OPERATED	58	30.6	531	3	6	24	49	75	95	99+
TOTAL 0-27 DYS										
1-11 MOS	5	14.2	62	5	5	16	21	22	22	22
1-5 YRS	7	19.4	475	1	1	6	41	50	51	51
6-12 YRS	122	33.8	741	2	4	34	63	99+	99+	99+
13-19 YRS	1800	20.0	400	1	2	14	31	55	79	99+
GRAND TOTAL	**1934**	**20.8**	**432**	**1**	**2**	**14**	**33**	**59**	**84**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	10	4.4	54	1	1	2	4	15	25	25
6-12 YRS	91	8.5	156	1	1	4	8	42	99+	99+
13-19 YRS	696	12.0	232	1	1	5	16	35	46	80
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	20	4.9	23	<1	1	3	6	9	16	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	12.3	77	2	3	12	16	24	28	28
1-5 YRS	8	20.5	1071	1	1	5	63	95	99+	99+
6-12 YRS	116	16.3	481	1	1	6	25	60	83	99+
13-19 YRS	1060	13.5	298	1	1	7	18	42	60	99+
B. Operated										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	4	20.0	1203	2	2	3	38	72	72	72
13-19 YRS	47	17.9	436	1	2	9	39	54	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	798	11.5	222	1	1	5	15	35	46	99+
B. Operated	22	4.8	22	<1	1	3	6	9	14	22
2. MULTIPLE DX										
A. Not Operated	1202	13.8	318	1	1	7	18	43	65	99+
B. Operated	52	17.9	466	1	2	8	39	58	80	99+
1. SINGLE DX	820	11.3	218	1	1	5	15	35	46	99+
2. MULTIPLE DX	1254	14.0	325	1	1	7	18	43	67	99+
A. NOT OPERATED	2000	12.9	281	1	1	6	17	40	59	99+
B. OPERATED	74	14.0	368	<1	2	6	14	48	75	99+
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	11.5	66	2	3	10	16	23	28	28
1-5 YRS	19	11.0	513	<1	1	3	5	71	94	99+
6-12 YRS	212	13.0	362	1	1	5	18	52	83	99+
13-19 YRS	1831	13.0	275	1	1	6	17	39	56	99+
GRAND TOTAL	**2074**	**12.9**	**284**	**1**	**1**	**6**	**17**	**41**	**59**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	5.7	30	2	2	3	10	12	12	12
1-11 MOS	9	13.4	85	3	4	10	24	25	25	25
1-5 YRS	5	6.6	69	1	1	4	10	21	21	21
6-12 YRS	8	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	811	15.2	181	<1	1	10	29	34	35	42
B. Operated										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS										
6-12 YRS										
13-19 YRS	10	13.2	353	<1	<1	1	18	46	51	51
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	17.0	127	5	5	21	26	26	26	26
1-11 MOS	16	8.9	106	<1	1	5	10	26	33	35
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	19.2	601	<1	<1	9	31	59	74	74
13-19 YRS	2112	21.2	231	1	1	23	33	40	44	59
B. Operated										
0-27 DYS	2	24.0	288	12	12	24	36	36	36	36
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS										
13-19 YRS	77	30.5	317	<1	1	32	45	48	52	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	836	15.0	179	<1	1	10	29	34	35	42
B. Operated	11	13.5	318	<1	<1	1	17	46	51	51
2. MULTIPLE DX										
A. Not Operated	2145	21.1	232	1	1	23	33	40	44	59
B. Operated	81	30.0	312	<1	1	32	45	48	52	66
1. SINGLE DX	847	14.9	181	<1	1	10	28	34	35	42
2. MULTIPLE DX	2226	21.4	238	1	1	23	34	41	45	59
A. NOT OPERATED	2981	19.6	225	1	1	21	31	37	42	53
B. OPERATED	92	28.0	338	<1	1	30	45	48	52	65
TOTAL 0-27 DYS	10	15.0	144	2	2	12	26	32	36	36
1-11 MOS	29	10.6	94	1	1	7	16	25	31	35
1-5 YRS	7	8.1	93	1	1	6	17	23	23	23
6-12 YRS	17	10.9	383	<1	<1	2	11	35	61	74
13-19 YRS	3010	19.8	230	1	1	21	32	38	44	53
GRAND TOTAL	**3073**	**19.6**	**230**	**1**	**1**	**21**	**32**	**38**	**44**	**54**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	17.8	178	1	2	14	34	37	38	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	43	18.7	302	2	4	15	20	39	57	91
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	35.5	113	28	28	35	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	17.8	178	1	2	14	34	37	38	43
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	44	18.4	298	2	4	14	20	39	56	91
B. *Operated*	2	35.5	113	28	28	35	43	43	43	43
1. SINGLE DX	30	17.8	178	1	2	14	34	37	38	43
2. MULTIPLE DX	46	19.1	300	2	4	15	21	41	54	91
A. NOT OPERATED	74	18.1	247	2	4	14	21	37	43	85
B. OPERATED	2	35.5	113	28	28	35	43	43	43	43
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	75	18.8	251	2	4	15	23	38	43	85
GRAND TOTAL	**76**	**18.6**	**249**	**2**	**4**	**14**	**23**	**38**	**43**	**85**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	2	11.0	200	1	1	11	21	21	21	21
1-5 YRS										
6-12 YRS	1	28.0		28	28	28	28	28	28	28
13-19 YRS	218	16.7	268	1	1	10	29	38	45	65
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	12.0	242	<1	<1	11	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	13.7	254	3	3	6	25	32	32	32
1-5 YRS										
6-12 YRS	6	37.8	385	3	6	40	46	60	62	62
13-19 YRS	480	22.7	301	1	1	25	35	43	51	74
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	38.0	208	9	12	41	45	47	63	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	16.8	266	1	1	10	29	38	45	65
B. *Operated*	2	12.0	242	<1	<1	11	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	490	22.8	304	1	1	25	35	43	52	73
B. *Operated*	25	38.0	208	9	12	41	45	47	63	68
1. SINGLE DX	224	16.7	265	1	1	10	29	38	45	65
2. MULTIPLE DX	515	23.6	310	1	1	27	37	45	53	73
A. NOT OPERATED	712	21.0	300	1	1	21	34	42	49	71
B. OPERATED	27	36.0	249	3	11	41	45	47	63	68
TOTAL 0-27 DYS	2	17.0	242	6	6	17	28	28	28	28
1-11 MOS	5	12.6	179	1	1	6	24	32	32	32
1-5 YRS										
6-12 YRS	7	36.4	335	3	8	36	46	59	62	62
13-19 YRS	725	21.4	305	1	1	21	35	43	49	71
GRAND TOTAL	**739**	**21.5**	**305**	**1**	**1**	**22**	**35**	**43**	**49**	**71**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	1.5	1	<1	<1	1	2	3	5	5
6-12 YRS	61	1.2		<1	<1	1	1	2	2	3
13-19 YRS	793	1.6	8	<1	<1	1	1	2	3	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.9	6	1	1	2	4	7	8	8
6-12 YRS	28	2.9	56	<1	<1	1	2	2	8	41
13-19 YRS	674	3.8	62	<1	<1	1	2	7	20	42
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	34	4.0	45	<1	<1	1	3	14	16	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	867	1.6	8	<1	<1	1	1	2	3	14
B. *Operated*	4	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	709	3.7	62	<1	<1	1	2	7	20	42
B. *Operated*	34	4.0	45	<1	<1	1	3	14	16	34
1. SINGLE DX	871	1.6	8	<1	<1	1	1	2	3	14
2. MULTIPLE DX	743	3.8	61	<1	<1	1	2	7	18	41
A. NOT OPERATED	1576	2.5	33	<1	<1	1	2	3	8	32
B. OPERATED	38	3.7	41	<1	<1	1	2	12	16	34
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	19	2.0	3	<1	<1	1	2	5	7	8
6-12 YRS	91	1.7	18	<1	<1	1	2	2	2	26
13-19 YRS	1503	2.6	35	<1	<1	1	2	4	9	32
GRAND TOTAL	**1614**	**2.6**	**33**	**<1**	**<1**	**1**	**2**	**4**	**8**	**32**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	10	6.0	86	1	1	2	3	23	25	25
13-19 YRS	194	9.0	130	<1	1	3	13	30	34	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	30.0		30	30	30	30	30	30	30
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	16.5	348	1	1	13	18	49	52	52
13-19 YRS	465	19.3	386	1	1	11	30	48	61	79
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	24.3	388	3	3	25	35	48	64	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	8.8	126	<1	1	3	12	30	33	43
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	473	19.3	385	1	1	11	30	48	61	79
B. *Operated*	14	24.3	388	3	3	25	35	48	64	69
1. SINGLE DX	208	8.8	126	<1	1	3	12	30	33	43
2. MULTIPLE DX	487	19.4	385	1	1	12	30	48	61	79
A. NOT OPERATED	681	16.1	329	<1	1	7	28	42	54	76
B. OPERATED	14	24.3	388	3	3	25	35	48	64	69
TOTAL 0-27 DYS										
1-11 MOS	3	13.3	209	4	4	6	24	30	30	30
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	16	9.9	195	1	1	2	16	25	44	52
13-19 YRS	673	16.5	335	<1	1	8	29	42	55	77
GRAND TOTAL	**695**	**16.2**	**331**	**<1**	**1**	**7**	**28**	**42**	**54**	**76**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.3	10	2	2	3	7	8	8	8
1-5 YRS	14	2.8	4	<1	1	2	3	6	7	7
6-12 YRS	95	3.7	23	1	1	3	4	6	9	30
13-19 YRS	160	3.3	5	<1	1	3	4	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS	8	4.0	13	1	1	3	5	10	12	12
13-19 YRS	12	5.2	13	1	1	4	7	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.8	2	2	2	2	3	5	5	5
1-11 MOS	7	4.0	7	1	1	3	5	8	9	9
1-5 YRS	17	3.2	6	1	1	3	4	7	8	9
6-12 YRS	85	7.3	190	1	1	3	5	9	49	92
13-19 YRS	213	5.1	47	1	1	3	6	8	12	42
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	12.5	1	12	12	12	13	13	13	13
6-12 YRS	7	7.7	205	1	1	2	5	33	40	40
13-19 YRS	20	9.3	185	1	2	5	10	18	41	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	3.5	11	1	1	3	4	6	8	14
B. *Operated*	22	4.6	11	1	1	4	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	327	5.5	81	1	1	3	5	9	13	58
B. *Operated*	30	8.9	166	1	1	4	12	18	40	63
1. SINGLE DX	294	3.5	12	1	1	3	4	6	8	14
2. MULTIPLE DX	357	5.8	89	1	1	3	5	9	16	62
A. NOT OPERATED	599	4.6	51	1	1	3	5	8	10	48
B. OPERATED	52	7.1	104	1	1	4	7	13	19	63
TOTAL 0-27 DYS	5	2.8	2	2	2	2	3	5	5	5
1-11 MOS	11	4.1	6	1	1	3	5	8	9	9
1-5 YRS	35	3.6	9	1	1	3	5	7	11	13
6-12 YRS	195	5.4	103	1	1	3	5	8	25	68
13-19 YRS	405	4.6	38	1	1	3	5	8	12	37
GRAND TOTAL	**651**	**4.8**	**55**	**1**	**1**	**3**	**5**	**8**	**12**	**49**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	7.7	44	2	2	10	57	99+	99+	99+
1-5 YRS	18	6.6	214	<1	<1	2	4	11	44	64
6-12 YRS	189	15.1	320	1	2	8	24	45	72	99+
13-19 YRS	1660	11.6	181	1	1	7	15	29	41	65
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	12.3	42	6	6	12	17	19	19	19
13-19 YRS	19	8.1	156	1	1	3	6	26	41	50
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	5.0	13	2	2	3	7	11	12	12
1-5 YRS	25	11.6	216	2	3	6	15	30	48	63
6-12 YRS	220	18.3	423	2	2	9	32	62	99	99+
13-19 YRS	2081	13.6	275	1	1	7	18	36	52	90
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	1.0		<1	<1	<1	<1	1	1	1
6-12 YRS	6	30.0	1218	<1	<1	15	64	81	83	83
13-19 YRS	89	17.1	383	<1	1	10	26	50	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1871	11.9	197	1	1	7	16	30	43	80
B. *Operated*	22	8.7	140	1	1	4	7	24	37	50
2. MULTIPLE DX										
A. *Not Operated*	2336	14.0	289	1	1	7	18	38	57	99
B. *Operated*	108	15.9	411	<1	<1	7	22	50	78	99+
1. SINGLE DX	1893	11.8	196	1	1	7	16	30	43	80
2. MULTIPLE DX	2444	14.1	294	1	1	7	19	39	57	99+
A. NOT OPERATED	4207	13.1	249	1	1	7	17	35	50	91
B. OPERATED	130	14.7	371	<1	<1	6	21	46	67	99+
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	12	5.7	19	2	2	5	10	32	87	99+
1-5 YRS	56	7.5	178	<1	<1	3	6	20	39	64
6-12 YRS	418	17.0	386	1	2	9	28	56	87	99+
13-19 YRS	3849	12.8	238	1	1	7	17	33	47	86
GRAND TOTAL	**4337**	**13.1**	**253**	**1**	**1**	**7**	**17**	**36**	**50**	**92**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.0	2	1	1	2	3	4	4	4
1-11 MOS	17	2.9	4	1	1	2	4	6	8	9
1-5 YRS	153	8.4	260	1	1	3	6	21	51	99+
6-12 YRS	615	17.4	451	1	2	7	31	61	98	99+
13-19 YRS	1845	19.2	442	1	2	11	30	56	70	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	3.8	5	1	1	4	5	6	6	6
6-12 YRS	16	4.1	11	<1	1	3	5	10	12	13
13-19 YRS	25	11.0	286	1	1	4	19	56	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	37	7.2	133	<1	1	3	7	13	34	60
1-5 YRS	220	8.3	174	1	1	4	8	27	52	99+
6-12 YRS	881	25.0	693	2	2	15	48	86	99+	99+
13-19 YRS	2551	21.0	465	2	2	13	33	60	79	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	20	19.8	780	<1	1	5	34	68	79	84
6-12 YRS	37	24.8	860	2	2	19	82	99+	99+	99+
13-19 YRS	105	29.8	738	2	3	28	58	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2635	18.0	438	1	2	9	29	56	73	99+
B. *Operated*	46	7.8	169	1	1	3	7	41	60	99+
2. MULTIPLE DX										
A. *Not Operated*	3690	21.0	514	2	2	12	35	65	88	99+
B. *Operated*	163	27.2	773	1	2	18	58	99	99+	99+
1. SINGLE DX	2681	17.8	435	1	2	9	29	56	73	99+
2. MULTIPLE DX	3853	21.3	526	2	2	12	36	67	90	99+
A. NOT OPERATED	6325	19.8	484	1	2	11	32	61	83	99+
B. OPERATED	209	23.0	704	1	2	10	52	97	99+	99+
TOTAL 0-27 DYS	6	3.0	7	1	1	2	4	8	8	8
1-11 MOS	56	5.7	93	1	1	3	6	11	19	59
1-5 YRS	397	8.9	240	1	1	3	7	28	56	99+
6-12 YRS	1549	21.7	610	2	2	11	42	80	99+	99+
13-19 YRS	4526	20.4	464	1	2	12	32	59	77	99+
GRAND TOTAL	**6534**	**19.9**	**491**	**1**	**2**	**11**	**33**	**62**	**84**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	4.0	32	<1	<1	2	5	14	14	14
6-12 YRS	4	2.5	4	1	1	3	29	99+	99+	99+
13-19 YRS	30	8.5	113	1	1	4	13	28	45	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	4.7	2	3	3	5	6	6	6	6
13-19 YRS	3	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.3	16	4	4	4	9	11	11	11
1-5 YRS	31	5.6	52	1	1	3	5	24	30	99+
6-12 YRS	46	11.3	308	1	2	5	11	42	93	99+
13-19 YRS	133	14.1	245	1	2	8	19	29	42	88
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS										
6-12 YRS	6	13.7	419	2	2	7	9	50	55	55
13-19 YRS	24	8.3	56	2	2	5	10	17	29	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	7.2	93	<1	1	4	9	28	67	99+
B. *Operated*	7	3.7	5	<1	<1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	213	12.1	235	1	2	7	16	29	49	99+
B. *Operated*	31	9.4	118	2	2	6	10	20	31	55
1. SINGLE DX	47	6.7	81	<1	1	4	7	25	49	99+
2. MULTIPLE DX	244	11.8	220	1	2	6	15	29	44	99+
A. NOT OPERATED	253	11.4	215	1	1	6	16	29	50	99+
B. OPERATED	38	8.4	102	2	2	5	9	15	30	55
TOTAL 0-27 DYS										
1-11 MOS	5	6.8	19	3	3	4	11	12	12	12
1-5 YRS	37	5.4	47	<1	1	3	6	20	29	99+
6-12 YRS	59	10.6	283	1	2	5	9	47	95	99+
13-19 YRS	190	12.3	204	1	1	7	17	28	41	92
GRAND TOTAL	**291**	**11.0**	**201**	**1**	**1**	**6**	**15**	**28**	**45**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	88	12.6	32	3	4	12	16	21	23	25
1-11 MOS	593	10.6	20	2	5	11	12	15	16	23
1-5 YRS	638	11.1	16	4	6	11	13	15	17	24
6-12 YRS	144	7.2	26	1	2	7	10	13	15	23
13-19 YRS	115	7.1	31	1	2	6	11	13	14	28
B. *Operated*										
0-27 DYS	3	10.7		10	10	11	56	99+	99+	99+
1-11 MOS	55	12.3	37	4	6	12	14	16	17	47
1-5 YRS	68	13.8	33	8	9	12	15	20	27	34
6-12 YRS	10	12.5	149	2	2	10	14	33	39	39
13-19 YRS	22	14.0	158	2	2	9	20	38	39	40
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	66	13.6	48	2	3	14	17	22	24	33
1-11 MOS	704	12.0	31	3	5	11	14	17	20	31
1-5 YRS	586	11.0	21	2	5	11	13	16	18	25
6-12 YRS	111	9.1	53	2	2	9	12	15	24	42
13-19 YRS	84	7.9	31	2	2	7	11	14	16	76
B. *Operated*										
0-27 DYS	15	21.8	219	4	8	17	29	35	57	64
1-11 MOS	171	18.9	153	7	10	15	21	34	45	78
1-5 YRS	92	17.9	114	8	10	15	21	32	41	59
6-12 YRS	29	16.4	106	4	6	13	23	28	32	50
13-19 YRS	39	26.5	467	2	5	27	38	57	71	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1578	10.3	23	2	3	11	12	15	17	24
B. *Operated*	158	13.2	57	3	5	12	15	21	30	47
2. MULTIPLE DX										
A. *Not Operated*	1551	11.3	31	2	4	11	14	17	19	31
B. *Operated*	346	19.4	182	6	8	15	24	35	47	73
1. SINGLE DX	1736	10.6	27	2	3	11	13	16	18	28
2. MULTIPLE DX	1897	12.7	68	2	4	11	15	19	27	49
A. NOT OPERATED	3129	10.8	27	2	3	11	13	16	18	27
B. OPERATED	504	17.4	151	4	7	14	20	32	41	71
TOTAL 0-27 DYS	172	13.8	59	2	4	13	17	22	25	57
1-11 MOS	1523	12.3	47	3	5	11	14	17	22	45
1-5 YRS	1384	11.6	29	3	6	11	13	16	19	32
6-12 YRS	294	9.0	55	1	2	9	12	16	24	40
13-19 YRS	260	10.8	152	1	2	7	12	27	38	73
GRAND TOTAL	**3633**	**11.7**	**49**	**2**	**4**	**11**	**14**	**17**	**22**	**41**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.3	20	1	1	5	9	10	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3	10.7	30	5	5	11	15	16	16	16
B. *Operated*										
1. SINGLE DX	4	5.3	20	1	1	5	9	10	10	10
2. MULTIPLE DX	3	10.7	30	5	5	11	15	16	16	16
A. NOT OPERATED	7	7.6	28	1	1	8	11	15	16	16
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.3	70	1	1	2	12	16	16	16
6-12 YRS	2	9.5	5	8	8	9	11	11	11	11
13-19 YRS	2	7.5	13	5	5	7	10	10	10	10
GRAND TOTAL	**7**	**7.6**	**28**	**1**	**1**	**8**	**11**	**15**	**16**	**16**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.6	11	1	1	5	8	8	8	8
13-19 YRS	27	8.0	25	2	2	7	12	16	16	17
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	3	8.7	42	2	2	9	13	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	2	10.0	128	2	2	10	18	18	18	18
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	7.5	61	2	2	7	13	13	13	13
13-19 YRS	29	6.7	19	2	2	6	9	10	13	22
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	26.0		26	26	26	26	26	26	26
13-19 YRS	6	37.0	624	9	10	32	67	67	67	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	7.5	24	1	2	6	11	16	16	17
B. Operated	4	6.8	43	<1	<1	5	12	15	15	15
2. MULTIPLE DX										
A. Not Operated	34	6.8	23	2	2	6	9	13	17	22
B. Operated	7	35.4	537	9	10	31	58	67	67	67
1. SINGLE DX	36	7.4	25	1	2	6	11	16	16	17
2. MULTIPLE DX	41	11.7	218	2	2	7	11	28	48	67
A. NOT OPERATED	66	7.2	23	2	2	6	10	14	16	21
B. OPERATED	11	25.0	565	<1	1	15	32	67	67	67
TOTAL 0-27 DYS										
1-11 MOS	2	10.0	128	2	2	10	18	18	18	18
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	8	8.1	68	1	1	6	11	22	26	26
13-19 YRS	65	10.1	144	2	2	7	11	16	31	67
GRAND TOTAL	**77**	**9.7**	**131**	**1**	**2**	**7**	**11**	**17**	**29**	**67**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	18	7.3	65	1	1	4	9	16	27	34
1-11 MOS	181	5.7	29	1	1	4	7	11	14	31
1-5 YRS	744	3.4	11	1	1	2	4	7	9	15
6-12 YRS	736	3.2	9	1	1	2	4	6	8	16
13-19 YRS	803	3.3	8	1	1	3	4	6	8	13
B. Operated										
0-27 DYS										
1-11 MOS	2	5.0	32	1	1	5	9	9	9	9
1-5 YRS	6	9.2	31	2	2	8	13	17	18	18
6-12 YRS	13	7.3	25	2	2	8	12	13	16	17
13-19 YRS	21	6.7	24	2	2	5	10	13	16	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	11.9	186	2	2	8	14	31	48	48
1-11 MOS	282	5.6	37	1	1	4	7	11	17	38
1-5 YRS	1099	4.2	19	1	1	3	5	8	11	21
6-12 YRS	724	4.1	15	1	1	3	5	8	11	21
13-19 YRS	810	5.2	28	1	1	4	6	11	15	27
B. Operated										
0-27 DYS										
1-11 MOS	17	14.2	84	2	3	16	18	28	31	32
1-5 YRS	54	8.0	46	1	2	6	10	20	25	95
6-12 YRS	21	10.5	352	1	2	5	9	22	52	68
13-19 YRS	40	13.4	191	2	2	10	15	29	44	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2482	3.5	12	1	1	3	4	7	9	17
B. Operated	42	7.1	24	2	2	6	12	13	17	19
2. MULTIPLE DX										
A. Not Operated	2925	4.6	23	1	1	3	6	9	13	24
B. Operated	132	10.8	146	2	2	7	15	22	31	90
1. SINGLE DX	2524	3.6	12	1	1	3	4	7	9	17
2. MULTIPLE DX	3057	4.9	30	1	1	3	6	10	15	27
A. NOT OPERATED	5407	4.1	18	1	1	3	5	8	11	21
B. OPERATED	174	9.9	119	2	2	7	13	21	28	64
TOTAL 0-27 DYS	28	9.0	108	1	2	5	13	16	35	48
1-11 MOS	482	5.9	38	1	1	4	7	12	18	34
1-5 YRS	1903	4.0	17	1	1	3	5	8	11	21
6-12 YRS	1494	3.8	18	1	1	3	4	8	11	20
13-19 YRS	1674	4.5	25	1	1	3	5	9	13	26
GRAND TOTAL	**5581**	**4.3**	**22**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	3.6	5	<1	<1	4	5	6	7	7
1-11 MOS	120	3.1	6	<1	1	2	4	5	8	13
1-5 YRS	316	3.3	22	<1	<1	2	4	6	9	28
6-12 YRS	236	4.1	34	1	1	3	4	7	10	35
13-19 YRS	324	4.4	20	1	1	3	5	10	12	25
B. *Operated*										
0-27 DYS	4	8.3	77	1	1	5	13	21	21	21
1-11 MOS	119	6.3	22	1	2	6	8	11	14	23
1-5 YRS	236	4.2	16	1	1	3	5	8	11	20
6-12 YRS	282	4.9	32	1	1	3	5	10	14	34
13-19 YRS	212	7.1	61	1	2	4	10	15	19	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	7.2	26	<1	1	7	11	14	16	16
1-11 MOS	230	5.2	42	1	1	3	6	11	17	34
1-5 YRS	556	5.0	43	<1	1	3	6	10	15	35
6-12 YRS	426	5.5	64	1	1	4	6	10	14	50
13-19 YRS	538	7.5	107	1	1	4	8	18	30	71
B. *Operated*										
0-27 DYS	11	14.0	58	4	5	15	21	24	26	26
1-11 MOS	143	14.3	270	2	3	8	16	38	57	99+
1-5 YRS	433	7.1	99	1	1	4	8	14	26	62
6-12 YRS	516	6.6	78	1	1	4	8	13	21	55
13-19 YRS	455	11.2	199	1	2	6	13	30	44	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	3.8	22	<1	1	3	4	7	11	25
B. *Operated*	853	5.5	35	1	1	4	7	11	16	35
2. MULTIPLE DX										
A. *Not Operated*	1759	5.9	69	1	1	4	7	12	19	46
B. *Operated*	1558	8.9	143	1	2	5	10	21	35	82
1. SINGLE DX	1859	4.6	29	1	1	3	5	10	13	27
2. MULTIPLE DX	3317	7.3	106	1	1	4	8	16	27	69
A. NOT OPERATED	2765	5.2	53	1	1	3	6	10	16	43
B. OPERATED	2411	7.7	108	1	1	4	8	16	27	67
TOTAL 0-27 DYS	34	8.5	50	<1	1	6	12	21	23	26
1-11 MOS	612	7.1	101	1	1	4	8	15	23	69
1-5 YRS	1541	5.1	52	<1	1	3	5	10	15	44
6-12 YRS	1460	5.5	59	1	1	3	6	11	16	43
13-19 YRS	1529	7.9	115	1	1	4	9	18	30	69
GRAND TOTAL	**5176**	**6.3**	**80**	**1**	**1**	**4**	**7**	**13**	**22**	**54**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	42	2.0	1	1	1	2	2	3	4	5
6-12 YRS	341	2.4	2	1	1	2	3	4	5	8
13-19 YRS	571	2.8	4	1	1	2	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	2.0		1	1	2	2	3	3	3
13-19 YRS	35	4.2	8	1	2	3	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	23	3.7	7	<1	1	3	6	7	8	10
6-12 YRS	228	3.2	5	1	1	3	4	6	7	12
13-19 YRS	378	3.7	14	1	1	3	4	6	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	9	4.6	20	1	1	2	9	11	12	12
13-19 YRS	25	6.7	46	1	2	5	8	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	957	2.6	3	1	1	2	3	5	6	8
B. *Operated*	44	3.8	7	1	2	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	633	3.5	10	1	1	3	4	6	8	15
B. *Operated*	36	6.0	38	1	1	4	8	13	15	33
1. SINGLE DX	1001	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	669	3.6	12	1	1	3	4	6	9	15
A. NOT OPERATED	1590	3.0	6	1	1	2	4	6	7	11
B. OPERATED	80	4.8	22	1	2	3	6	10	13	28
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	2.3	1	1	1	2	3	3	3	3
1-5 YRS	68	2.6	4	1	1	2	3	6	7	10
6-12 YRS	586	2.7	4	1	1	2	3	5	6	10
13-19 YRS	1009	3.3	9	1	1	3	4	6	8	14
GRAND TOTAL	**1670**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.3		3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	10	<1	<1	2	5	8	8	8
1-5 YRS	3	3.3		3	3	3	4	4	4	4
6-12 YRS	8	2.1	1	<1	<1	2	3	4	4	4
13-19 YRS	104	2.5	35	<1	<1	2	2	4	4	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	5.0	9	2	2	5	7	9	10	10
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	2.3		2	2	2	3	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	7	4.0	21	1	1	3	4	12	14	14
13-19 YRS	42	2.5	5	<1	1	2	3	4	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3		3	3	3	4	4	4	4
B. *Operated*	119	2.5	31	<1	<1	2	2	4	4	26
2. MULTIPLE DX										
A. *Not Operated*	9	4.2	9	1	1	3	6	9	10	10
B. *Operated*	56	2.8	7	<1	1	2	3	4	8	14
1. SINGLE DX	122	2.6	30	<1	<1	2	2	4	4	25
2. MULTIPLE DX	65	3.0	7	<1	1	2	3	6	9	14
A. NOT OPERATED	12	4.0	7	1	1	3	5	8	10	10
B. OPERATED	175	2.6	23	<1	<1	2	3	4	5	14
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	8	2.8	5	<1	<1	2	3	6	8	8
1-5 YRS	6	2.7	1	1	1	3	3	4	4	4
6-12 YRS	16	2.9	10	<1	<1	2	3	4	11	14
13-19 YRS	156	2.7	25	<1	<1	2	3	4	5	14
GRAND TOTAL	**187**	**2.7**	**22**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7		5	5	6	6	6	6	6
1-11 MOS	6	3.8	12	<1	<1	3	5	9	10	10
1-5 YRS	61	6.3	34	<1	1	5	8	13	19	26
6-12 YRS	103	5.2	32	1	1	3	7	11	15	31
13-19 YRS	170	6.1	75	1	2	4	7	11	20	48
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	3.8	17	1	1	2	5	11	11	11
1-5 YRS	14	4.1	6	1	2	3	6	8	8	8
6-12 YRS	66	5.1	90	1	1	3	4	8	15	64
13-19 YRS	343	3.4	9	1	1	3	4	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	5.5	6	2	3	5	7	9	10	11
1-5 YRS	48	8.0	217	1	1	4	7	15	24	92
6-12 YRS	54	7.5	78	1	1	4	10	15	23	47
13-19 YRS	136	9.0	125	1	2	5	10	23	28	58
B. *Operated*										
0-27 DYS										
1-11 MOS	9	7.1	79	2	2	3	7	23	29	29
1-5 YRS	23	4.2	17	<1	1	3	5	8	12	20
6-12 YRS	47	6.1	61	1	2	4	7	11	18	42
13-19 YRS	205	5.6	68	1	1	3	6	10	26	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	5.8	45	1	1	3	7	11	18	36
B. *Operated*	429	3.7	22	1	1	3	4	7	8	21
2. MULTIPLE DX										
A. *Not Operated*	253	8.3	125	1	1	5	9	19	26	55
B. *Operated*	284	5.6	63	1	1	3	6	11	23	85
1. SINGLE DX	772	4.6	33	1	1	3	5	9	12	30
2. MULTIPLE DX	537	6.9	94	1	1	4	7	15	26	61
A. NOT OPERATED	596	6.9	81	1	1	4	8	14	23	50
B. OPERATED	713	4.4	39	1	1	3	5	8	11	43
TOTAL 0-27 DYS	4	4.5	6	1	1	5	6	6	6	6
1-11 MOS	35	5.4	26	<1	2	4	6	11	13	29
1-5 YRS	146	6.3	90	1	1	4	7	12	18	54
6-12 YRS	270	5.8	61	1	1	3	7	12	17	41
13-19 YRS	854	5.3	55	1	1	3	6	10	19	51
GRAND TOTAL	**1309**	**5.5**	**59**	**1**	**1**	**3**	**6**	**11**	**19**	**48**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	3.5	19	1	1	2	6	10	10	10
6-12 YRS	4	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	4	1.5		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	13	2.9	3	1	1	3	4	6	6	6
6-12 YRS	71	5.2	18	2	2	4	6	8	10	30
13-19 YRS	153	4.8	15	2	2	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.3	23	<1	<1	1	3	12	13	13
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	2.0	1	1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	4.3	13	2	2	3	5	10	12	12
1-5 YRS	18	4.1	3	2	2	4	6	7	7	7
6-12 YRS	48	5.0	8	1	2	5	6	9	11	14
13-19 YRS	108	5.9	46	2	2	4	6	9	15	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	6	<1	<1	1	2	4	9	10
B. *Operated*	240	4.8	15	2	2	4	6	9	10	19
2. MULTIPLE DX										
A. *Not Operated*	14	2.4	10	<1	<1	1	2	4	11	13
B. *Operated*	183	5.4	31	2	2	4	6	9	13	34
1. SINGLE DX	253	4.7	15	1	2	4	6	8	10	17
2. MULTIPLE DX	197	5.2	30	1	2	4	6	9	13	33
A. NOT OPERATED	27	2.3	8	<1	<1	1	2	3	10	13
B. OPERATED	423	5.1	22	2	2	4	6	9	11	31
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	18	3.6	13	<1	<1	2	4	10	13	13
1-5 YRS	37	3.5	5	1	1	3	5	7	7	10
6-12 YRS	124	5.0	14	1	2	4	6	8	10	19
13-19 YRS	270	5.2	28	2	2	4	6	9	12	35
GRAND TOTAL	**450**	**4.9**	**22**	**1**	**2**	**4**	**6**	**9**	**11**	**29**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	10	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	7	1.9		1	1	2	2	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	7	2.7	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.8	12	1	1	1	4	9	9	9
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	5	2.6	1	2	2	2	3	4	4	4
13-19 YRS	5	2.8	2	2	2	2	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.2		1	1	1	1	2	3	3
B. *Operated*	17	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	8	2.5	8	1	1	1	3	7	9	9
B. *Operated*	17	2.3	1	1	1	2	3	4	5	5
1. SINGLE DX	31	1.8	2	1	1	1	2	4	5	6
2. MULTIPLE DX	25	2.4	3	1	1	2	3	4	6	9
A. NOT OPERATED	22	1.7	3	1	1	1	1	3	6	9
B. OPERATED	34	2.3	2	1	1	2	3	4	5	6
TOTAL 0-27 DYS										
1-11 MOS	16	2.1	4	1	1	2	2	3	7	9
1-5 YRS	18	1.2		1	1	1	1	2	2	2
6-12 YRS	10	2.8	1	2	2	3	4	4	4	4
13-19 YRS	12	2.8	3	1	1	2	4	5	6	6
GRAND TOTAL	**56**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	**9**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	5	2.0	1	1	1	2	3	3	3	3
6-12 YRS	12	2.3	2	1	1	2	3	5	5	5
13-19 YRS	16	2.8	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.0	4	<1	<1	1	3	5	5	5
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	7	5.0	22	1	1	2	8	12	13	13
13-19 YRS	6	3.5	8	1	1	3	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	7	3.4	4	1	1	3	5	7	7	7
6-12 YRS	7	3.6	11	2	2	2	3	9	11	11
13-19 YRS	22	3.3	9	<1	1	3	4	5	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.7	2	<1	<1	1	2	4	5	5
B. *Operated*	36	2.4	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	21	3.2	12	<1	<1	1	5	8	11	13
B. *Operated*	37	3.4	8	1	1	3	4	5	10	16
1. SINGLE DX	45	2.3	2	<1	1	2	3	5	5	6
2. MULTIPLE DX	58	3.3	9	<1	1	2	4	7	10	16
A. NOT OPERATED	30	2.8	9	<1	<1	1	5	7	9	13
B. OPERATED	73	2.9	5	1	1	2	3	5	6	15
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	2.0	2	<1	<1	1	3	4	5	5
1-5 YRS	19	2.2	3	1	1	1	3	4	6	7
6-12 YRS	28	3.2	10	1	1	2	3	8	11	13
13-19 YRS	47	3.1	6	1	1	2	4	5	6	16
GRAND TOTAL	**103**	**2.9**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	1.7		<1	<1	2	2	3	3	3
1-5 YRS	61	2.1	1	1	1	2	2	4	5	6
6-12 YRS	98	2.1	2	<1	1	2	2	3	4	10
13-19 YRS	94	2.1	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	7	1.1		<1	<1	1	1	2	2	2
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	3.2	5	2	2	2	4	7	7	7
1-5 YRS	31	2.3	2	<1	1	2	3	4	5	8
6-12 YRS	60	2.9	5	<1	1	2	3	5	8	11
13-19 YRS	63	3.1	10	1	1	2	4	5	7	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.0	2	<1	<1	1	3	4	5	5
B. *Operated*	267	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	15	1.2		<1	<1	1	1	2	2	2
B. *Operated*	160	2.9	6	<1	1	2	3	5	7	11
1. SINGLE DX	276	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	175	2.7	6	<1	1	2	3	5	7	11
A. NOT OPERATED	24	1.5	1	<1	<1	1	2	3	4	5
B. OPERATED	427	2.4	3	1	1	2	3	4	5	10
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	22	2.0	2	<1	<1	2	2	3	5	7
1-5 YRS	103	2.1	2	<1	1	2	2	4	5	7
6-12 YRS	164	2.4	3	<1	1	2	3	4	5	11
13-19 YRS	160	2.5	5	1	1	2	3	4	5	11
GRAND TOTAL	**451**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	1.3		<1	<1	1	2	2	2	2
1-5 YRS	47	1.6	2	<1	<1	1	2	3	4	8
6-12 YRS	19	3.1	10	<1	1	2	3	6	11	14
13-19 YRS	15	3.1	7	<1	1	2	4	7	9	9
B. *Operated*										
0-27 DYS	5	1.4		1	1	1	2	2	2	2
1-11 MOS	378	1.4	2	<1	<1	1	2	2	2	2
1-5 YRS	3054	1.5		<1	<1	1	2	2	2	3
6-12 YRS	1598	1.6		<1	<1	2	2	2	2	3
13-19 YRS	812	1.7	1	<1	1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	29	1.7	2	<1	<1	1	2	3	6	7
1-5 YRS	153	1.2		<1	<1	1	1	2	3	5
6-12 YRS	44	1.7	4	<1	<1	1	1	3	6	11
13-19 YRS	34	2.9	12	<1	<1	2	4	5	10	18
B. *Operated*										
0-27 DYS										
1-11 MOS	69	1.8	4	<1	<1	1	2	2	4	14
1-5 YRS	761	1.5		<1	<1	1	2	2	2	4
6-12 YRS	403	1.7	1	<1	<1	2	2	2	2	4
13-19 YRS	230	1.7		<1	1	2	2	2	2	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.2	5	<1	<1	1	3	4	7	12
B. *Operated*	5847	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	260	1.6	3	<1	<1	1	1	3	4	10
B. *Operated*	1463	1.6	1	<1	<1	2	2	2	2	4
1. SINGLE DX	5936	1.5	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX	1723	1.6	1	<1	<1	1	2	2	3	5
A. NOT OPERATED	349	1.7	3	<1	<1	1	2	3	4	11
B. OPERATED	7310	1.5	1	<1	<1	2	2	2	2	3
TOTAL 0-27 DYS	5	1.4		1	1	1	2	2	2	2
1-11 MOS	484	1.5	2	<1	<1	1	2	2	2	7
1-5 YRS	4015	1.5		<1	<1	1	2	2	2	3
6-12 YRS	2064	1.6	1	<1	<1	2	2	2	2	4
13-19 YRS	1091	1.8	1	<1	1	2	2	2	3	6
GRAND TOTAL	**7659**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	67	3.4	3	1	1	3	4	6	7	8
1-11 MOS	211	1.7	2	<1	<1	1	2	4	5	8
1-5 YRS	335	2.3	3	<1	<1	1	3	5	6	9
6-12 YRS	75	3.4	10	<1	1	3	4	6	7	18
13-19 YRS	53	4.1	14	<1	<1	3	5	8	13	18
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	31	2.4	5	<1	<1	1	3	6	8	10
1-5 YRS	313	1.6	1	<1	<1	1	2	2	3	7
6-12 YRS	228	1.7	2	<1	<1	1	2	3	4	9
13-19 YRS	252	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	68	3.8	4	1	2	3	5	7	8	11
1-11 MOS	174	3.5	6	<1	1	3	5	7	9	11
1-5 YRS	279	3.2	5	<1	1	3	4	6	8	10
6-12 YRS	95	3.8	8	1	1	3	6	7	10	14
13-19 YRS	65	3.4	5	1	1	3	5	6	7	11
B. *Operated*										
0-27 DYS	4	3.3	2	2	2	3	4	5	5	5
1-11 MOS	15	2.9	4	<1	<1	3	4	6	7	7
1-5 YRS	102	2.8	8	<1	<1	2	3	6	8	16
6-12 YRS	92	3.3	10	<1	<1	2	4	6	8	19
13-19 YRS	128	3.0	4	<1	1	2	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	2.4	5	<1	<1	1	3	5	6	11
B. *Operated*	825	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	682	3.4	5	<1	1	3	4	7	8	11
B. *Operated*	341	3.0	7	<1	<1	2	4	6	8	15
1. SINGLE DX	1566	2.1	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX	1023	3.3	6	<1	1	3	4	6	8	12
A. NOT OPERATED	1423	2.9	5	<1	<1	2	4	6	7	11
B. OPERATED	1166	2.2	4	<1	<1	2	2	4	6	11
TOTAL 0-27 DYS	140	3.5	3	1	1	3	4	6	7	10
1-11 MOS	431	2.5	5	<1	<1	1	3	5	7	10
1-5 YRS	1029	2.3	4	<1	<1	2	3	5	6	10
6-12 YRS	490	2.7	7	<1	<1	2	3	6	7	14
13-19 YRS	499	2.8	5	<1	<1	2	3	5	7	12
GRAND TOTAL	**2589**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	3.3	2	1	2	3	4	5	7	7
1-11 MOS	254	3.8	6	1	2	3	5	7	8	11
1-5 YRS	609	3.5	4	1	1	3	4	6	7	11
6-12 YRS	272	3.8	6	1	1	3	5	7	9	12
13-19 YRS	188	4.1	9	1	2	4	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	28	2.7	4	<1	<1	2	3	6	7	7
1-5 YRS	67	3.6	16	<1	1	2	4	8	10	23
6-12 YRS	79	3.2	8	1	1	2	4	8	10	12
13-19 YRS	80	3.2	8	<1	1	2	3	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	3.7	2	2	2	4	4	5	6	7
1-11 MOS	262	4.6	7	1	2	4	6	9	10	13
1-5 YRS	594	4.3	7	1	2	4	5	8	9	14
6-12 YRS	243	4.7	11	1	2	4	6	8	10	16
13-19 YRS	152	4.7	8	1	2	4	6	8	11	13
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	49	6.4	88	1	2	4	6	17	40	99+
1-5 YRS	70	5.1	35	<1	1	3	6	11	18	31
6-12 YRS	73	5.6	28	1	2	3	7	12	20	25
13-19 YRS	99	6.2	40	1	2	4	7	13	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1347	3.7	5	1	2	3	5	6	8	11
B. *Operated*	254	3.3	10	<1	1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	1277	4.5	8	1	2	4	5	8	10	14
B. *Operated*	292	5.8	43	1	1	4	6	13	21	37
1. SINGLE DX	1601	3.7	6	1	1	3	5	6	8	11
2. MULTIPLE DX	1569	4.7	15	1	2	4	6	8	11	22
A. NOT OPERATED	2624	4.1	7	1	2	4	5	7	9	13
B. OPERATED	546	4.6	29	1	1	3	6	10	14	32
TOTAL 0-27 DYS	51	3.5	2	2	2	3	4	5	7	7
1-11 MOS	593	4.3	14	1	2	4	5	7	10	17
1-5 YRS	1340	4.0	8	1	2	3	5	7	9	13
6-12 YRS	667	4.3	11	1	1	3	5	8	10	17
13-19 YRS	519	4.5	15	1	2	4	6	8	12	23
GRAND TOTAL	**3170**	**4.2**	**11**	**1**	**2**	**3**	**5**	**7**	**10**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	15	1.9	2	<1	<1	1	2	4	6	6
1-5 YRS	21	1.9	1	<1	<1	2	2	3	4	4
6-12 YRS	22	2.1	1	1	1	2	3	4	5	5
13-19 YRS	21	2.1	1	<1	<1	2	2	4	4	4
B. Operated										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	14	1.6		<1	<1	1	2	2	2	2
6-12 YRS	16	3.1	16	<1	<1	2	3	12	13	13
13-19 YRS	14	2.1	4	<1	<1	2	2	4	8	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	14	3.1	6	<1	<1	2	5	7	7	7
1-5 YRS	27	2.6	3	<1	<1	2	4	5	6	7
6-12 YRS	27	3.0	5	<1	1	2	4	7	8	9
13-19 YRS	43	4.2	11	<1	1	3	6	8	11	17
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	1.8	1	<1	<1	2	2	3	4	4
6-12 YRS	28	2.9	6	1	1	2	3	6	9	10
13-19 YRS	28	3.6	13	1	1	3	4	7	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	2.0	1	<1	<1	2	3	4	4	6
B. Operated	46	2.3	7	<1	<1	2	2	3	10	13
2. MULTIPLE DX										
A. Not Operated	111	3.4	7	<1	<1	2	5	7	8	13
B. Operated	67	3.0	8	<1	1	2	3	5	9	18
1. SINGLE DX	125	2.1	3	<1	<1	2	2	4	4	13
2. MULTIPLE DX	178	3.2	8	<1	1	2	4	7	8	15
A. NOT OPERATED	190	2.8	5	<1	<1	2	4	6	7	11
B. OPERATED	113	2.7	8	<1	1	2	3	5	9	15
TOTAL 0-27 DYS										
1-11 MOS	31	2.4	4	<1	<1	1	3	6	7	7
1-5 YRS	73	2.1	2	<1	<1	2	2	4	5	7
6-12 YRS	93	2.8	6	1	1	2	3	5	9	13
13-19 YRS	106	3.4	9	<1	1	2	4	7	9	18
GRAND TOTAL	**303**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**6**	**7**	**13**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	161	3.3	3	1	2	3	4	5	6	10
1-11 MOS	1298	2.7	2	1	1	2	3	4	5	7
1-5 YRS	1256	2.8	8	<1	1	2	4	5	6	8
6-12 YRS	154	3.6	30	<1	<1	2	4	5	7	12
13-19 YRS	55	3.2	5	<1	<1	3	5	6	7	10
B. Operated										
0-27 DYS	11	4.9	20	<1	<1	3	9	12	12	12
1-11 MOS	1054	1.2	2	<1	<1	1	1	1	2	6
1-5 YRS	7346	1.1	1	<1	<1	1	1	1	2	3
6-12 YRS	3246	1.2	1	<1	<1	1	1	2	2	3
13-19 YRS	860	1.7	1	<1	<1	2	2	3	3	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	160	4.0	5	2	2	3	5	7	9	12
1-11 MOS	3465	3.4	5	1	1	3	4	6	7	12
1-5 YRS	5170	3.2	4	1	1	3	4	6	7	10
6-12 YRS	707	3.4	5	<1	1	3	4	6	7	13
13-19 YRS	225	4.0	9	1	1	3	5	6	10	14
B. Operated										
0-27 DYS	16	4.3	16	1	1	3	5	6	14	16
1-11 MOS	469	2.8	16	<1	<1	1	4	6	9	16
1-5 YRS	5908	1.5	2	<1	<1	1	2	2	3	7
6-12 YRS	3383	1.6	2	<1	<1	1	2	2	3	5
13-19 YRS	908	2.1	2	<1	1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2924	2.8	6	<1	1	3	4	5	6	8
B. Operated	12517	1.2	1	<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	9727	3.3	5	1	1	3	4	6	7	11
B. Operated	10684	1.6	3	<1	<1	1	2	2	3	8
1. SINGLE DX	15441	1.5	2	<1	<1	<1	1	3	4	6
2. MULTIPLE DX	20411	2.4	4	<1	<1	2	3	5	6	10
A. NOT OPERATED	12651	3.2	5	1	1	3	4	6	7	11
B. OPERATED	23201	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-27 DYS	348	3.7	5	1	2	3	4	6	6	12
1-11 MOS	6286	2.8	5	<1	<1	2	4	5	7	11
1-5 YRS	19680	1.9	4	<1	<1	1	2	4	5	8
6-12 YRS	7490	1.6	3	<1	<1	1	2	3	4	7
13-19 YRS	2048	2.2	3	<1	<1	2	2	4	5	10
GRAND TOTAL	**35852**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.2	1	2	2	4	4	4	4	4
1-11 MOS	66	2.9	4	1	1	2	3	5	7	11
1-5 YRS	115	3.7	9	1	1	3	5	7	9	16
6-12 YRS	111	3.8	6	1	1	3	5	6	8	13
13-19 YRS	87	3.5	6	1	1	3	5	6	9	14
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	69	2.0	7	<1	<1	1	1	5	8	15
1-5 YRS	593	1.5	4	<1	<1	<1	1	2	3	10
6-12 YRS	370	1.4	1	<1	<1	1	1	2	3	8
13-19 YRS	136	2.4	5	<1	<1	2	3	4	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	2.7	2	1	1	2	3	5	6	6
1-11 MOS	199	3.6	10	1	1	3	4	6	8	20
1-5 YRS	378	3.5	5	<1	1	3	4	6	8	11
6-12 YRS	183	4.2	12	1	1	3	5	7	10	21
13-19 YRS	157	4.9	16	1	2	4	6	8	10	15
B. *Operated*										
0-27 DYS	6	4.7	3	3	3	4	5	8	8	8
1-11 MOS	47	2.8	12	<1	<1	2	3	6	7	22
1-5 YRS	725	2.0	6	<1	<1	1	2	3	6	15
6-12 YRS	506	2.1	9	<1	<1	1	2	3	5	15
13-19 YRS	222	3.0	15	1	1	2	3	5	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	3.5	6	1	1	3	4	6	8	12
B. *Operated*	1170	1.6	4	<1	<1	1	1	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	929	3.9	10	1	1	3	5	7	9	14
B. *Operated*	1506	2.2	9	<1	<1	1	2	4	6	15
1. SINGLE DX	1554	2.1	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX	2435	2.9	10	<1	<1	2	3	6	8	15
A. NOT OPERATED	1313	3.8	9	1	1	3	5	7	9	14
B. OPERATED	2676	1.9	6	<1	<1	1	2	3	6	12
TOTAL 0-27 DYS	25	3.3	2	1	2	3	4	5	6	8
1-11 MOS	381	3.1	9	<1	1	2	4	6	7	15
1-5 YRS	1811	2.2	6	<1	<1	1	2	5	7	12
6-12 YRS	1170	2.4	8	<1	<1	1	3	5	6	13
13-19 YRS	602	3.4	12	<1	1	3	4	7	8	15
GRAND TOTAL	**3989**	**2.6**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	2.7	2	1	1	3	3	4	6	6
6-12 YRS	23	2.9	3	1	1	3	4	5	6	8
13-19 YRS	73	3.1	5	1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	29	2.8	4	1	1	2	3	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	4	8.5	122	2	2	3	14	25	25	25
1-5 YRS	15	3.3	5	<1	1	3	4	6	8	8
6-12 YRS	23	2.7	1	1	1	2	3	5	5	5
13-19 YRS	86	3.6	5	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS	4	5.8	7	2	2	6	7	8	8	8
6-12 YRS	5	2.4	1	1	1	3	3	3	3	3
13-19 YRS	10	4.1	19	2	2	3	3	11	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	3.0	4	1	1	3	4	5	7	12
B. *Operated*	35	2.7	4	1	1	2	3	4	8	10
2. MULTIPLE DX										
A. *Not Operated*	130	3.5	8	1	1	3	4	6	8	16
B. *Operated*	20	4.6	19	1	2	3	6	12	16	16
1. SINGLE DX	146	2.9	4	1	1	2	4	5	7	12
2. MULTIPLE DX	150	3.7	9	1	1	3	4	6	8	16
A. NOT OPERATED	241	3.3	6	1	1	3	4	6	7	13
B. OPERATED	55	3.4	10	1	1	2	3	7	10	16
TOTAL 0-27 DYS	3	7.0	61	2	2	3	13	16	16	16
1-11 MOS	5	7.2	100	2	2	3	9	25	25	25
1-5 YRS	37	3.2	4	1	1	3	4	6	7	8
6-12 YRS	53	2.7	2	1	1	2	3	5	5	8
13-19 YRS	198	3.3	6	1	1	3	4	6	8	14
GRAND TOTAL	**296**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	22	2.2	1	1	1	2	3	4	4	5
13-19 YRS	73	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	5	2.6	1	1	1	3	3	3	3	3
13-19 YRS	21	2.7	1	1	1	3	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	96	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	29	2.8	1	1	1	3	3	4	5	5
1. SINGLE DX	97	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	32	2.7	1	1	1	3	3	4	5	5
A. NOT OPERATED	4	1.5		1	1	1	2	2	2	2
B. OPERATED	125	2.3	1	1	1	2	3	4	4	5
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	29	2.2	1	1	1	2	3	3	4	5
13-19 YRS	95	2.3	1	1	1	2	3	4	4	5
GRAND TOTAL	**129**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	2.4	1	1	1	2	3	4	4	4
1-5 YRS	24	2.7	7	<1	<1	1	3	7	9	10
6-12 YRS	31	3.2	6	<1	<1	2	5	7	9	10
13-19 YRS	32	2.2	2	<1	<1	2	3	4	4	7
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	19	2.5	27	<1	<1	1	2	3	15	24
1-5 YRS	390	1.5		<1	<1	1	2	2	3	4
6-12 YRS	1289	1.8	1	<1	<1	2	2	3	3	4
13-19 YRS	895	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	4.1	4	<1	2	4	5	7	8	8
1-5 YRS	42	3.3	12	<1	<1	2	4	8	9	19
6-12 YRS	49	2.6	7	<1	<1	1	3	6	9	12
13-19 YRS	44	2.4	5	<1	<1	1	3	4	5	14
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.0	95	<1	<1	1	3	21	29	29
1-5 YRS	280	1.7	2	<1	<1	1	2	3	3	8
6-12 YRS	948	1.8	1	<1	<1	2	2	3	3	6
13-19 YRS	757	2.1	2	1	1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.7	5	<1	<1	2	3	6	8	10
B. *Operated*	2594	1.8	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	149	2.9	8	<1	<1	2	3	6	8	14
B. *Operated*	1993	2.0	2	<1	1	2	2	3	3	7
1. SINGLE DX	2687	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	2142	2.0	2	<1	1	2	2	3	4	8
A. NOT OPERATED	242	2.8	7	<1	<1	2	3	6	8	12
B. OPERATED	4587	1.9	2	<1	<1	2	2	3	3	5
TOTAL 0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	46	3.4	28	<1	<1	2	3	6	11	29
1-5 YRS	736	1.7	2	<1	<1	1	2	3	3	8
6-12 YRS	2317	1.8	1	<1	<1	2	2	3	3	6
13-19 YRS	1728	2.0	2	1	1	2	2	3	4	6
GRAND TOTAL	**4829**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**7**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	4.4	5	1	2	4	6	8	8	9
6-12 YRS	95	6.6	16	2	3	6	8	12	15	19
13-19 YRS	66	6.8	25	2	3	6	8	12	14	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	5.2	13	2	2	4	6	10	14	15
6-12 YRS	59	9.9	191	1	2	6	10	18	31	86
13-19 YRS	41	9.9	137	2	2	6	11	24	34	62
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	3	12.0	76	2	2	16	17	18	18	18
13-19 YRS	5	13.6	65	2	2	14	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	6.4	18	2	3	5	8	12	14	20
B. *Operated*	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	112	9.4	153	2	2	6	10	18	30	72
B. *Operated*	9	12.7	53	2	2	14	18	21	22	22
1. SINGLE DX	184	6.4	18	2	3	5	8	12	14	20
2. MULTIPLE DX	121	9.7	146	2	2	6	11	19	29	70
A. NOT OPERATED	294	7.6	71	2	2	5	8	14	18	49
B. OPERATED	11	11.6	53	2	2	12	17	21	22	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	34	4.8	8	2	2	4	6	8	10	15
6-12 YRS	158	8.0	84	2	2	6	9	15	18	54
13-19 YRS	113	8.2	70	2	2	6	9	16	22	47
GRAND TOTAL	**305**	**7.7**	**71**	**2**	**2**	**6**	**9**	**14**	**19**	**47**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	2	2	2	4	5	5	5	5
13-19 YRS	15	3.7	3	1	1	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	3	4.3	24	1	1	2	8	10	10	10
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	16	6.1	21	<1	1	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	14	9.2	70	1	2	7	12	20	29	31
13-19 YRS	28	4.8	10	1	1	4	6	10	12	13
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	5.3	16	2	2	4	8	11	11	11
1-5 YRS	5	3.0	12	1	1	2	4	9	9	9
6-12 YRS	9	12.3	136	2	2	8	18	31	37	37
13-19 YRS	24	11.3	71	1	2	10	18	23	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.7	3	1	1	4	5	6	6	6
B. *Operated*	23	5.7	19	<1	1	2	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	45	6.0	32	1	1	4	8	12	16	31
B. *Operated*	43	9.7	78	1	2	8	14	22	26	37
1. SINGLE DX	41	4.8	12	1	1	4	7	10	11	12
2. MULTIPLE DX	88	7.8	57	1	2	5	11	20	23	35
A. NOT OPERATED	63	5.4	24	1	1	4	6	12	14	29
B. OPERATED	66	8.3	61	1	2	7	12	21	23	36
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	4.4	11	1	1	3	6	10	11	11
1-5 YRS	9	3.6	12	1	1	2	5	10	10	10
6-12 YRS	28	9.4	83	2	2	6	13	21	32	37
13-19 YRS	83	6.7	36	1	2	5	10	13	21	28
GRAND TOTAL	**129**	**6.9**	**45**	**1**	**1**	**4**	**10**	**15**	**21**	**32**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	14	2.9	3	1	1	3	3	6	7	7
1-5 YRS	7	2.1	1	<1	<1	3	3	3	3	3
6-12 YRS	35	2.9	3	1	1	3	4	5	7	8
13-19 YRS	123	3.5	8	1	1	3	4	7	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	3	7.7	12	4	4	8	10	11	11	11
6-12 YRS	7	8.3	134	2	2	3	8	29	34	34
13-19 YRS	38	2.5	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	20	6.9	57	1	1	5	8	18	27	28
1-5 YRS	21	4.4	9	1	1	3	6	9	10	11
6-12 YRS	51	4.7	18	1	2	4	6	8	12	28
13-19 YRS	184	3.9	8	1	1	3	5	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	6	11.8	181	2	2	5	23	33	34	34
6-12 YRS	14	9.4	68	2	2	7	14	19	28	31
13-19 YRS	38	5.3	26	1	1	3	7	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.3	7	1	1	3	4	6	8	14
B. *Operated*	50	3.7	24	1	1	2	4	8	9	34
2. MULTIPLE DX										
A. *Not Operated*	278	4.3	14	1	2	3	5	8	9	26
B. *Operated*	59	7.1	54	1	1	4	9	17	24	34
1. SINGLE DX	231	3.4	10	1	1	3	4	6	9	16
2. MULTIPLE DX	337	4.8	22	1	2	3	6	9	14	28
A. NOT OPERATED	459	3.9	11	1	1	3	5	7	9	18
B. OPERATED	109	5.6	43	1	1	3	6	13	18	34
TOTAL 0-27 DYS	4	5.3	4	3	3	5	7	7	7	7
1-11 MOS	37	5.5	38	1	1	3	7	10	22	28
1-5 YRS	37	5.4	41	1	1	3	6	10	19	34
6-12 YRS	107	5.0	30	1	1	3	6	9	15	32
13-19 YRS	383	3.8	10	1	1	3	4	7	9	17
GRAND TOTAL	**568**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	5	5.2	7	2	2	5	7	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	6.3	7	4	4	5	8	10	11	11
1-5 YRS	5	6.0	12	2	2	5	9	10	10	10
6-12 YRS	7	13.9	85	3	4	14	18	28	30	30
13-19 YRS	6	4.2	6	1	1	4	6	7	7	7
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	9.5	113	2	2	9	17	17	17	17
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	12.0	162	3	3	12	21	21	21	21
13-19 YRS	4	5.3	8	2	2	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.6	7	2	2	5	8	9	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	26	7.6	41	2	2	6	9	17	21	30
B. *Operated*	10	7.3	45	1	1	5	8	19	21	21
1. SINGLE DX	7	5.6	7	2	2	5	8	9	9	9
2. MULTIPLE DX	36	7.5	41	1	2	6	9	17	20	30
A. NOT OPERATED	33	7.2	34	2	2	6	9	15	19	30
B. OPERATED	10	7.3	45	1	1	5	8	19	21	21
TOTAL 0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	10	6.7	20	2	3	5	8	14	17	17
1-5 YRS	7	5.7	13	1	1	5	9	10	10	10
6-12 YRS	9	13.4	85	3	3	14	19	26	30	30
13-19 YRS	15	4.8	6	1	2	5	7	8	9	9
GRAND TOTAL	**43**	**7.2**	**36**	**1**	**2**	**6**	**9**	**17**	**20**	**30**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	1	3	3	3	3
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	7	5.1	33	1	1	3	7	15	17	17
13-19 YRS	9	3.6	6	1	1	3	4	7	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.3	4	2	2	5	6	6	6	6
1-5 YRS										
6-12 YRS	9	4.0	7	1	1	3	6	8	8	8
13-19 YRS	17	6.4	28	1	1	4	8	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	6.0	17	1	1	6	8	12	13	13
1-5 YRS	5	4.4	16	1	1	3	8	10	10	10
6-12 YRS	18	8.6	59	1	2	6	11	20	27	30
13-19 YRS	36	5.1	19	1	1	4	7	11	13	20
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.3	8	2	2	7	7	7	7	7
1-5 YRS	5	29.6	716	2	2	20	46	72	72	72
6-12 YRS	17	13.1	340	1	2	4	18	39	61	70
13-19 YRS	41	10.4	163	1	1	6	15	21	28	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.3	18	1	1	3	4	10	15	17
B. *Operated*	29	5.4	20	1	1	4	8	11	16	19
2. MULTIPLE DX										
A. *Not Operated*	66	6.1	30	1	1	4	8	13	17	29
B. *Operated*	66	12.3	256	1	2	6	17	24	48	74
1. SINGLE DX	51	4.9	19	1	1	3	8	10	16	19
2. MULTIPLE DX	132	9.2	152	1	1	5	11	20	29	72
A. NOT OPERATED	88	5.6	28	1	1	4	7	13	16	27
B. OPERATED	95	10.2	193	1	2	5	14	20	36	73
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	16	4.9	10	1	2	4	7	8	12	13
1-5 YRS	11	16.7	452	1	1	10	19	51	70	72
6-12 YRS	51	8.8	146	1	1	4	8	21	30	70
13-19 YRS	103	7.3	82	1	1	4	9	16	20	52
GRAND TOTAL	**183**	**8.0**	**118**	**1**	**1**	**4**	**9**	**18**	**23**	**71**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	3	10.3	14	6	6	12	13	13	13	13
1-5 YRS	2	11.5	145	3	3	11	20	20	20	20
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	6	7.5	16	3	3	8	10	13	13	13
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	5	5.2	27	1	1	2	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	9.8	2	8	8	10	11	11	11	11
1-11 MOS	20	15.3	177	3	4	11	17	31	46	60
1-5 YRS	9	12.3	49	5	5	11	14	24	28	28
6-12 YRS	9	10.6	34	2	4	10	12	19	23	23
13-19 YRS	17	11.2	38	4	5	11	12	18	26	30
B. *Operated*										
0-27 DYS	2	14.0	2	13	13	14	15	15	15	15
1-11 MOS	6	7.2	24	<1	<1	8	12	12	12	12
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	2	13.0	32	9	9	13	17	17	17	17
13-19 YRS	6	15.7	283	8	8	9	10	46	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	9.8	28	3	3	10	13	16	19	20
B. *Operated*	7	5.3	25	1	1	2	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	60	12.5	83	4	5	11	13	24	29	57
B. *Operated*	18	11.4	109	1	3	9	12	16	37	50
1. SINGLE DX	20	8.3	30	1	1	8	13	14	17	20
2. MULTIPLE DX	78	12.3	88	3	5	10	13	22	30	57
A. NOT OPERATED	73	12.0	74	3	5	11	13	21	29	54
B. OPERATED	25	9.7	91	1	1	9	12	15	25	50
TOTAL 0-27 DYS	9	11.3	6	8	8	11	13	15	15	15
1-11 MOS	29	13.1	137	2	3	10	14	27	34	60
1-5 YRS	14	10.6	53	1	3	9	13	21	26	28
6-12 YRS	12	11.3	29	2	5	10	14	19	22	23
13-19 YRS	34	10.4	78	2	3	9	12	14	28	50
GRAND TOTAL	**98**	**11.4**	**78**	**2**	**3**	**10**	**13**	**19**	**29**	**55**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.3	6	5	5	7	9	10	10	10
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	5	2.6	3	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	4.1	6	2	2	3	6	8	8	8
1-11 MOS	17	6.5	26	2	2	6	8	11	19	23
1-5 YRS	6	6.5	5	3	3	7	8	9	9	9
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	16	4.8	21	<1	1	4	6	8	16	20
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	5.0	27	2	2	2	6	14	16	16
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	4	4.0	16	2	2	2	6	10	10	10
13-19 YRS	6	3.3	5	2	2	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.1	7	1	1	3	5	8	10	10
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	48	5.5	18	2	2	4	7	9	13	23
B. *Operated*	20	4.4	14	2	2	2	7	9	13	16
1. SINGLE DX	13	3.8	6	1	1	3	5	8	10	10
2. MULTIPLE DX	68	5.2	17	2	2	4	7	9	12	22
A. NOT OPERATED	59	5.2	16	1	2	4	7	9	11	23
B. OPERATED	22	4.2	13	2	2	2	7	9	12	16
TOTAL 0-27 DYS	8	4.5	7	2	2	4	7	8	8	8
1-11 MOS	28	6.1	23	2	2	5	8	11	17	23
1-5 YRS	9	5.8	7	2	2	6	8	9	9	9
6-12 YRS	8	3.8	7	2	2	3	4	8	10	10
13-19 YRS	28	4.0	14	1	1	3	5	7	9	20
GRAND TOTAL	**81**	**4.9**	**15**	**1**	**2**	**4**	**7**	**9**	**11**	**22**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	13	6.3	22	2	2	5	8	13	18	19
1-5 YRS	8	7.6	21	2	3	6	10	15	16	16
6-12 YRS	6	8.0	21	1	1	8	9	14	15	15
13-19 YRS	8	6.3	11	2	2	6	9	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0	72	2	2	8	14	14	14	14
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	21.3	134	8	8	27	28	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2		3	3	3	4	4	4	4
B. *Operated*	3	7.3	46	2	2	5	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	37	6.6	18	2	2	6	9	12	16	19
B. *Operated*	6	13.8	139	2	2	11	27	29	29	29
1. SINGLE DX	8	4.8	18	2	2	3	4	12	15	15
2. MULTIPLE DX	43	7.6	39	2	2	6	10	15	22	29
A. NOT OPERATED	42	6.2	17	2	2	5	9	12	15	19
B. OPERATED	9	11.7	109	2	2	8	18	28	29	29
TOTAL 0-27 DYS	3	6.3	56	2	2	2	12	15	15	15
1-11 MOS	17	6.1	23	2	2	4	8	13	17	19
1-5 YRS	9	7.1	21	2	2	6	10	14	16	16
6-12 YRS	9	6.4	19	1	1	6	9	13	15	15
13-19 YRS	13	9.3	77	2	3	7	11	27	29	29
GRAND TOTAL	**51**	**7.2**	**36**	**2**	**2**	**5**	**9**	**15**	**19**	**29**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.0	7	3	3	4	7	9	9	9
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	4	5.8	56	2	2	2	10	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	8.0	9	5	5	8	10	11	11	11
1-11 MOS	16	6.4	54	1	1	5	8	14	25	30
1-5 YRS	12	7.6	141	1	1	4	7	22	41	44
6-12 YRS	8	9.6	20	4	4	9	14	15	15	15
13-19 YRS	8	8.0	17	3	3	7	11	14	15	15
B. *Operated*										
0-27 DYS	6	4.5	15	1	1	3	5	11	12	12
1-11 MOS	19	7.7	34	2	2	6	12	17	19	19
1-5 YRS	12	4.3	18	<1	<1	2	7	11	13	13
6-12 YRS	10	5.6	15	<1	<1	5	9	11	12	12
13-19 YRS	6	6.0	50	1	1	2	13	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.3	19	2	2	9	11	12	12	12
B. *Operated*	11	5.1	24	1	1	3	8	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	47	7.6	59	1	1	6	9	15	18	44
B. *Operated*	53	6.0	27	<1	1	3	10	13	17	19
1. SINGLE DX	15	5.9	24	1	2	4	10	12	16	17
2. MULTIPLE DX	100	6.8	42	1	1	5	10	14	16	37
A. NOT OPERATED	51	7.7	55	1	1	6	10	14	15	44
B. OPERATED	64	5.8	26	1	1	3	10	13	17	19
TOTAL 0-27 DYS	10	6.3	17	1	2	5	11	12	12	12
1-11 MOS	40	7.0	38	1	1	6	10	14	19	30
1-5 YRS	27	5.5	72	<1	1	3	5	12	18	44
6-12 YRS	19	7.5	20	<1	1	7	11	14	15	15
13-19 YRS	19	7.0	32	1	1	6	12	16	17	17
GRAND TOTAL	**115**	**6.7**	**39**	**1**	**1**	**5**	**10**	**14**	**16**	**35**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.0	2	12	12	13	14	14	14	14
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	24	9.6	41	2	5	9	11	13	25	34
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	15.0	8	13	13	15	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0		7	7	7	7	7	7	7
1-5 YRS	3	10.0	3	9	9	9	11	12	12	12
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	32	10.3	12	5	6	10	13	15	16	18
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	3	14.3	70	9	9	10	20	24	24	24
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	13	13.8	133	3	5	12	15	28	44	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	9.9	37	3	5	9	11	14	23	34
B. *Operated*	3	14.3	5	13	13	13	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	38	10.5	15	5	6	10	12	15	17	23
B. *Operated*	18	13.5	104	4	5	11	15	24	38	48
1. SINGLE DX	30	10.4	36	3	5	10	12	15	21	34
2. MULTIPLE DX	56	11.4	44	5	6	10	13	16	23	47
A. NOT OPERATED	65	10.2	24	4	5	10	12	15	19	32
B. OPERATED	21	13.6	89	4	6	12	15	23	35	48
TOTAL 0-27 DYS	2	12.5	1	12	12	12	13	13	13	13
1-11 MOS	5	11.4	51	7	7	9	13	24	24	24
1-5 YRS	5	11.2	5	9	9	12	13	14	14	14
6-12 YRS	3	14.3	57	9	9	11	20	23	23	23
13-19 YRS	71	10.9	44	3	5	10	12	16	21	45
GRAND TOTAL	**86**	**11.1**	**41**	**4**	**5**	**10**	**12**	**16**	**23**	**43**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	34.0		34	34	34	34	34	34	34
1-5 YRS	1	32.0		32	32	32	32	32	32	32
6-12 YRS	3	8.3	46	3	3	6	13	16	16	16
13-19 YRS	10	20.2	90	3	8	18	29	33	36	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	27.5	313	15	15	27	40	40	40	40
1-5 YRS	12	21.5	273	1	2	16	32	46	52	53
6-12 YRS	15	26.4	180	2	4	29	32	42	52	55
13-19 YRS	28	19.3	153	2	4	19	29	36	43	45
B. *Operated*										
0-27 DYS										
1-11 MOS	1	34.0		34	34	34	34	34	34	34
1-5 YRS	6	37.5	512	1	3	43	57	58	58	58
6-12 YRS	6	44.7	154	32	32	42	57	61	62	62
13-19 YRS	6	32.2	163	14	15	32	41	49	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	19.5	118	3	3	17	29	34	35	36
B. *Operated*	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	57	21.9	188	2	4	22	30	42	44	55
B. *Operated*	19	37.9	257	7	17	36	51	58	60	62
1. SINGLE DX	16	20.1	115	3	4	18	29	34	35	36
2. MULTIPLE DX	76	25.9	251	2	4	27	34	49	56	61
A. NOT OPERATED	72	21.4	172	2	4	21	30	39	43	55
B. OPERATED	20	37.5	248	7	18	35	50	58	60	62
TOTAL 0-27 DYS										
1-11 MOS	4	30.8	118	15	15	34	37	40	40	40
1-5 YRS	19	27.1	367	1	2	30	41	55	58	58
6-12 YRS	25	28.7	260	3	4	30	35	55	58	62
13-19 YRS	44	21.3	153	3	5	21	30	38	44	50
GRAND TOTAL	**92**	**24.9**	**230**	**2**	**4**	**25**	**34**	**44**	**55**	**60**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	3.9	5	<1	1	4	5	8	8	9
1-11 MOS	33	2.9	3	1	1	2	4	6	6	7
1-5 YRS	24	1.9	2	<1	<1	2	2	3	6	6
6-12 YRS	35	3.1	11	1	1	2	4	6	7	19
13-19 YRS	33	2.5	4	1	1	2	3	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.6	5	1	1	3	4	7	8	8
1-11 MOS	24	2.7	3	1	1	2	3	5	7	7
1-5 YRS	20	2.8	4	1	1	2	3	5	7	9
6-12 YRS	30	2.8	3	1	1	2	4	5	7	8
13-19 YRS	44	2.8	4	1	1	2	3	7	7	8
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	12.0	18	9	9	12	15	15	15	15
1-5 YRS										
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	4	7.5	52	2	2	5	12	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.8	5	<1	1	2	4	6	7	9
B. *Operated*	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	128	2.8	4	1	1	2	3	6	7	9
B. *Operated*	9	7.2	33	2	2	6	10	17	18	18
1. SINGLE DX	152	2.8	5	<1	1	2	4	6	7	9
2. MULTIPLE DX	137	3.1	7	1	1	2	4	7	8	15
A. NOT OPERATED	277	2.8	5	1	1	2	4	6	7	9
B. OPERATED	12	6.1	29	2	2	4	8	16	18	18
TOTAL 0-27 DYS	35	3.8	5	<1	1	3	5	8	8	9
1-11 MOS	59	3.1	6	1	1	2	4	6	7	14
1-5 YRS	44	2.3	3	<1	1	2	2	5	6	9
6-12 YRS	68	3.0	7	1	1	2	4	6	7	17
13-19 YRS	83	2.9	7	1	1	2	3	6	7	15
GRAND TOTAL	**289**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	3.0	5	<1	<1	3	5	6	6	6
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	2.2	1	1	1	2	3	3	3	3
13-19 YRS	17	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	<1	<1	2	3	4	4	4
1-11 MOS	13	7.2	14	1	2	8	11	12	13	13
1-5 YRS	11	4.3	5	<1	1	5	6	7	8	8
6-12 YRS	13	3.2	6	<1	<1	2	5	7	8	8
13-19 YRS	35	2.8	3	<1	1	2	4	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.5	25	12	12	15	19	19	19	19
1-5 YRS	3	10.7	37	4	4	12	15	16	16	16
6-12 YRS	3	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	10	5.0	11	2	2	4	6	10	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.3	2	<1	1	2	3	4	6	6
B. *Operated*	2	10.5	13	8	8	10	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	75	3.8	8	<1	1	3	5	8	10	13
B. *Operated*	18	6.6	29	1	2	4	12	15	18	19
1. SINGLE DX	35	2.8	6	<1	1	2	3	6	8	13
2. MULTIPLE DX	93	4.4	13	<1	1	3	6	9	12	18
A. NOT OPERATED	108	3.4	7	<1	1	3	5	7	8	12
B. OPERATED	20	7.0	28	1	2	5	12	15	17	19
TOTAL 0-27 DYS	3	2.3	2	<1	<1	2	3	4	4	4
1-11 MOS	24	6.5	22	<1	1	6	10	12	15	19
1-5 YRS	16	5.3	16	<1	1	4	6	12	15	16
6-12 YRS	22	2.8	4	<1	<1	2	4	6	7	8
13-19 YRS	63	3.1	6	<1	1	2	4	6	8	13
GRAND TOTAL	**128**	**3.9**	**12**	**<1**	**1**	**3**	**5**	**8**	**12**	**17**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	31	5.7	43	1	1	4	6	12	24	31
1-11 MOS	49	3.7	7	1	1	3	5	7	9	11
1-5 YRS	40	3.2	7	<1	1	2	4	7	10	11
6-12 YRS	49	2.8	7	<1	1	2	3	5	7	16
13-19 YRS	126	3.6	10	1	1	3	4	8	10	16
B. *Operated*										
0-27 DYS	3	6.7	6	4	4	7	8	9	9	9
1-11 MOS	2	12.5	5	11	11	12	14	14	14	14
1-5 YRS	9	5.2	20	1	1	2	9	12	13	13
6-12 YRS	12	5.7	18	<1	<1	4	8	13	14	14
13-19 YRS	18	4.1	8	<1	1	3	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	6.1	22	1	2	5	9	14	15	17
1-11 MOS	98	6.3	59	1	1	4	7	18	22	41
1-5 YRS	73	4.8	29	1	1	3	5	14	17	25
6-12 YRS	73	3.6	11	1	1	3	4	7	9	19
13-19 YRS	272	4.4	24	1	1	3	5	8	11	24
B. *Operated*										
0-27 DYS	4	13.5	162	3	3	9	21	32	32	32
1-11 MOS	19	10.2	33	4	5	9	13	19	23	23
1-5 YRS	26	13.3	312	1	2	7	16	32	55	80
6-12 YRS	26	4.8	15	1	2	3	8	10	12	17
13-19 YRS	53	7.8	103	1	2	5	8	15	27	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	3.7	12	1	1	3	4	8	10	13
B. *Operated*	44	5.3	15	<1	1	4	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	543	4.8	29	1	1	3	6	9	15	28
B. *Operated*	128	8.9	124	1	2	6	10	17	29	68
1. SINGLE DX	339	3.9	13	1	1	3	5	8	11	16
2. MULTIPLE DX	671	5.6	50	1	1	3	7	11	17	37
A. NOT OPERATED	838	4.4	24	1	1	3	5	9	13	25
B. OPERATED	172	8.0	98	1	2	5	9	15	23	61
TOTAL 0-27 DYS	65	6.4	40	1	2	4	8	14	19	32
1-11 MOS	168	6.0	44	1	1	4	7	13	20	36
1-5 YRS	148	5.9	83	1	1	3	6	14	20	50
6-12 YRS	160	3.7	12	<1	1	3	4	8	11	17
13-19 YRS	469	4.6	29	1	1	3	6	9	11	28
GRAND TOTAL	**1010**	**5.0**	**38**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	26	5.1	20	1	-	4	7	9	13	23
1-5 YRS	12	7.2	62	1	2	5	6	19	28	30
6-12 YRS	5	5.6	3	4	4	5	7	8	8	8
13-19 YRS	7	7.3	35	1	1	5	12	15	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.5	25	5	5	8	12	12	12	12
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	5.7	22	2	2	4	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	7.3	31	1	2	5	12	16	18	18
1-11 MOS	210	6.5	34	1	2	5	8	12	20	32
1-5 YRS	138	7.3	44	2	2	6	8	14	24	34
6-12 YRS	50	5.6	11	2	2	5	8	10	13	99
13-19 YRS	70	7.1	33	2	2	5	9	15	17	30
B. *Operated*										
0-27 DYS	4	20.0	375	9	9	11	30	49	49	49
1-11 MOS	36	16.1	225	1	2	9	25	41	50	53
1-5 YRS	32	11.7	79	2	3	9	14	25	33	38
6-12 YRS	10	6.4	20	2	2	5	10	13	16	16
13-19 YRS	22	16.6	416	1	2	8	24	48	69	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	5.9	30	1	2	4	7	12	16	30
B. *Operated*	7	5.4	19	1	1	4	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	495	6.7	34	1	2	5	8	13	18	33
B. *Operated*	104	14.1	210	2	2	9	19	33	49	69
1. SINGLE DX	57	5.9	28	1	2	4	7	12	15	30
2. MULTIPLE DX	599	8.0	72	1	2	6	9	16	25	49
A. NOT OPERATED	545	6.7	34	1	2	5	8	13	18	32
B. OPERATED	111	13.5	202	2	2	9	16	32	48	69
TOTAL 0-27 DYS	31	8.9	83	1	2	7	12	17	18	49
1-11 MOS	274	7.6	68	1	2	5	9	17	25	47
1-5 YRS	183	8.0	53	2	2	6	10	14	27	36
6-12 YRS	66	5.7	12	2	2	5	8	10	14	86
13-19 YRS	102	9.1	127	1	2	5	11	18	29	69
GRAND TOTAL	**656**	**7.8**	**68**	**1**	**2**	**5**	**9**	**16**	**25**	**48**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	6	3	3	6	7	8	8	8
1-11 MOS	15	4.1	7	1	1	4	5	8	9	10
1-5 YRS	27	4.2	15	<1	1	3	5	10	12	16
6-12 YRS	43	4.4	14	1	1	3	5	11	13	16
13-19 YRS	193	4.0	9	1	1	3	5	7	10	17
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	4.0	20	1	1	2	4	10	15	18
1-5 YRS	66	3.6	15	<1	1	2	7	8	10	20
6-12 YRS	89	4.4	15	1	1	2	7	10	11	16
13-19 YRS	88	4.3	24	1	1	2	4	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	8.3	15	4	4	7	12	14	14	14
1-11 MOS	60	7.7	44	1	2	5	11	17	21	31
1-5 YRS	76	5.8	32	1	2	4	7	15	19	26
6-12 YRS	84	6.0	36	1	1	4	8	13	17	32
13-19 YRS	333	6.1	57	2	2	4	7	10	15	47
B. *Operated*										
0-27 DYS										
1-11 MOS	37	11.8	311	1	2	5	11	56	65	99+
1-5 YRS	81	6.9	138	1	1	2	8	16	24	97
6-12 YRS	67	6.8	88	1	1	2	9	15	23	52
13-19 YRS	129	8.4	127	1	1	4	10	17	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	4.1	10	1	1	3	5	8	11	16
B. *Operated*	262	4.1	18	1	1	2	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	559	6.2	48	1	2	4	7	12	17	32
B. *Operated*	314	8.1	144	1	1	3	10	17	33	74
1. SINGLE DX	543	4.1	14	1	1	3	6	9	12	18
2. MULTIPLE DX	873	6.9	83	1	2	4	8	15	21	57
A. NOT OPERATED	840	5.5	37	1	2	4	6	11	15	30
B. OPERATED	576	6.3	90	1	1	2	8	14	21	62
TOTAL 0-27 DYS	10	6.8	15	1	2	6	8	13	14	14
1-11 MOS	130	7.9	118	1	1	4	10	17	28	72
1-5 YRS	250	5.4	61	1	1	3	7	12	19	42
6-12 YRS	283	5.4	39	1	1	3	8	12	16	32
13-19 YRS	743	5.7	55	1	1	4	7	11	15	46
GRAND TOTAL	**1416**	**5.8**	**58**	**1**	**1**	**3**	**7**	**12**	**17**	**47**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	9.7	6	7	7	10	11	12	12	12
1-5 YRS	3	5.3	10	3	3	4	8	9	9	9
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	6.8	8	3	3	6	9	11	12	12
B. *Operated*	3	5.3	12	2	2	5	8	9	9	9
1. SINGLE DX										
2. MULTIPLE DX	13	6.5	8	2	3	6	9	10	12	12
A. NOT OPERATED	10	6.8	8	3	3	6	9	11	12	12
B. OPERATED	3	5.3	12	2	2	5	8	9	9	9
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	7.2	16	2	2	7	10	12	12	12
1-5 YRS	3	5.3	10	3	3	4	8	9	9	9
6-12 YRS	2	7.5	5	6	6	7	9	9	9	9
13-19 YRS	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**13**	**6.5**	**8**	**2**	**3**	**6**	**9**	**10**	**12**	**12**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.8	44	<1	<1	6	13	17	17	17
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	7.0	13	4	4	6	10	11	11	11
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	2	17.5	221	7	7	17	28	28	28	28
13-19 YRS	6	16.5	126	4	4	14	25	33	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	13.3	37	8	8	12	18	20	20	20
1-5 YRS	3	5.0	1	4	4	5	6	6	6	6
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	6	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	41.5	2113	9	9	41	74	74	74	74
1-5 YRS										
6-12 YRS	2	18.5	1	18	18	18	19	19	19	19
13-19 YRS	15	14.8	240	1	2	9	19	35	51	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.4	30	<1	<1	3	7	15	17	17
B. *Operated*	14	11.9	105	<1	2	8	16	29	33	34
2. MULTIPLE DX										
A. *Not Operated*	13	5.3	30	<1	<1	4	6	14	19	20
B. *Operated*	19	18.0	374	1	2	10	20	48	66	74
1. SINGLE DX	23	9.4	83	<1	1	6	12	26	30	34
2. MULTIPLE DX	32	12.8	269	<1	1	8	18	32	55	74
A. NOT OPERATED	22	5.4	29	<1	<1	4	6	14	18	20
B. OPERATED	33	15.4	262	1	2	9	19	34	54	74
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	13	14.1	353	<1	2	9	13	31	66	74
1-5 YRS	5	3.6	4	<1	<1	4	5	6	6	6
6-12 YRS	6	12.5	117	<1	<1	12	19	27	28	28
13-19 YRS	30	11.4	175	1	1	7	16	32	35	57
GRAND TOTAL	**55**	**11.4**	**191**	**<1**	**1**	**7**	**15**	**28**	**35**	**73**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	33.0	8	31	31	33	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	17.5	25	14	14	17	21	21	21	21
B. *Operated*	2	33.0	8	31	31	33	35	35	35	35
1. SINGLE DX										
2. MULTIPLE DX	4	25.3	91	14	14	26	33	35	35	35
A. NOT OPERATED	2	17.5	25	14	14	17	21	21	21	21
B. OPERATED	2	33.0	8	31	31	33	35	35	35	35
TOTAL 0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	3	29.0	52	21	21	31	34	35	35	35
GRAND TOTAL	**4**	**25.3**	**91**	**14**	**14**	**26**	**33**	**35**	**35**	**35**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0		7	7	7	7	7	7	7
1-11 MOS	4	11.8	15	8	8	11	15	16	16	16
1-5 YRS	3	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	5	5.0	16	<1	<1	5	9	9	9	9
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	9	14.4	538	1	1	7	12	52	75	75
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	9.5	112	2	2	6	11	28	30	30
13-19 YRS	12	8.7	42	2	2	7	14	17	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	11.9	68	3	3	10	19	24	24	24
1-11 MOS	13	8.1	39	<1	1	7	13	18	19	19
1-5 YRS	7	6.1	42	<1	<1	6	6	17	20	20
6-12 YRS	10	11.3	76	2	2	10	17	24	30	30
13-19 YRS	11	6.2	12	2	2	6	8	11	14	14
B. *Operated*										
0-27 DYS	5	24.4	278	10	10	19	33	52	52	52
1-11 MOS	18	19.4	111	9	10	15	24	32	44	51
1-5 YRS	9	9.8	7	4	6	10	12	13	13	13
6-12 YRS	11	19.0	382	2	4	15	27	80	97	99+
13-19 YRS	28	22.0	565	5	6	16	22	52	95	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.0	22	<1	<1	6	9	14	15	16
B. *Operated*	30	10.5	198	2	2	7	14	21	30	75
2. MULTIPLE DX										
A. *Not Operated*	48	8.6	47	1	2	7	12	19	22	30
B. *Operated*	71	19.5	333	5	6	14	23	40	71	99
1. SINGLE DX	46	9.0	140	<1	1	7	11	17	24	75
2. MULTIPLE DX	119	15.1	245	2	3	11	18	29	51	97
A. NOT OPERATED	64	7.9	41	<1	1	7	10	17	21	29
B. OPERATED	101	16.8	307	2	3	12	19	32	65	98
TOTAL 0-27 DYS	15	15.9	155	3	4	12	21	27	46	52
1-11 MOS	44	14.4	179	1	2	12	17	26	39	75
1-5 YRS	21	6.6	27	<1	<1	6	10	13	16	20
6-12 YRS	29	13.3	205	2	2	10	17	31	72	99+
13-19 YRS	56	14.5	347	2	2	9	16	27	52	96
GRAND TOTAL	**165**	**13.4**	**222**	**1**	**2**	**10**	**17**	**27**	**38**	**96**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	31.3	441	2	2	35	44	52	52	52
6-12 YRS	1	81.0		81	81	81	81	81	81	81
13-19 YRS	4	31.0	702	13	13	20	47	70	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	5.6	22	1	1	4	10	12	12	12
B. *Operated*	9	36.7	705	2	6	35	56	77	81	81
1. SINGLE DX										
2. MULTIPLE DX	14	25.6	679	1	2	14	36	71	79	81
A. NOT OPERATED	5	5.6	22	1	1	4	10	12	12	12
B. OPERATED	9	36.7	705	2	6	35	56	77	81	81
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	27.4	405	2	2	35	40	52	52	52
6-12 YRS	2	41.0	3200	1	1	41	81	81	81	81
13-19 YRS	5	25.2	695	2	2	16	36	70	70	70
GRAND TOTAL	**14**	**25.6**	**679**	**1**	**2**	**14**	**36**	**71**	**79**	**81**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.0	12	2	2	2	7	8	8	8
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	2	6.0	50	1	1	6	11	11	11	11
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	4	18.5	447	2	2	11	32	49	49	49
1-11 MOS	4	8.3	10	5	5	8	11	11	11	11
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	3	7.0	52	1	1	5	12	15	15	15
13-19 YRS	3	3.7	2	2	2	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	7	5.0	20	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	16	9.6	130	1	2	6	11	16	39	49
1. SINGLE DX	9	4.4	17	1	1	2	8	11	11	11
2. MULTIPLE DX	17	9.4	122	1	2	6	11	16	37	49
A. NOT OPERATED	3	4.0	9	1	1	4	6	7	7	7
B. OPERATED	23	8.2	99	1	1	5	10	15	28	49
TOTAL 0-27 DYS	4	18.5	447	2	2	11	32	49	49	49
1-11 MOS	8	6.5	12	2	2	6	9	11	11	11
1-5 YRS	4	6.3	17	1	1	7	9	10	10	10
6-12 YRS	7	5.4	31	1	1	4	9	14	15	15
13-19 YRS	3	3.7	2	2	2	4	5	5	5	5
GRAND TOTAL	**26**	**7.7**	**90**	**1**	**1**	**5**	**10**	**15**	**23**	**49**

157: Precerebral artery occlusion with paralysis (433 plus 342 & 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	27.0		27	27	27	27	27	27	27
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	27.0		27	27	27	27	27	27	27
B. *Operated*	1	13.0		13	13	13	13	13	13	13
1. SINGLE DX										
2. MULTIPLE DX	2	20.0	98	13	13	20	27	27	27	27
A. NOT OPERATED	1	27.0		27	27	27	27	27	27	27
B. OPERATED	1	13.0		13	13	13	13	13	13	13
TOTAL 0-27 DYS										
1-11 MOS	1	27.0		27	27	27	27	27	27	27
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**2**	**20.0**	**98**	**13**	**13**	**20**	**27**	**27**	**27**	**27**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	14	1	1	2	5	8	8	8
13-19 YRS	5	7.6	38	1	1	9	11	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	98	5	5	12	19	19	19	19
1-11 MOS	6	4.9	6	1	2	4	7	9	10	10
1-5 YRS	7	16.1	481	1	1	5	27	54	59	59
6-12 YRS	3	6.3	6	4	4	6	8	9	9	9
13-19 YRS	5	7.2	38	1	1	5	12	16	16	16
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	2	12.0	200	2	2	12	22	22	22	22
6-12 YRS	2	6.5	25	3	3	6	10	10	10	10
13-19 YRS	6	23.3	166	10	10	20	33	44	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.7	14	1	1	2	4	9	14	14
B. *Operated*	8	6.1	30	1	1	5	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	25	9.2	156	1	1	5	10	19	39	59
B. *Operated*	11	16.8	176	2	3	12	24	36	44	45
1. SINGLE DX	18	4.8	22	1	1	2	8	13	15	16
2. MULTIPLE DX	36	11.6	170	1	2	7	13	32	41	59
A. NOT OPERATED	35	7.7	121	1	1	4	9	16	29	59
B. OPERATED	19	12.3	139	1	1	10	16	30	40	45
TOTAL 0-27 DYS	4	8.5	55	2	2	6	13	19	19	19
1-11 MOS	10	5.4	17	1	1	4	8	12	14	14
1-5 YRS	11	12.9	336	1	1	3	19	43	56	59
6-12 YRS	9	5.0	11	1	1	4	8	10	10	10
13-19 YRS	20	11.4	133	1	1	9	15	29	39	45
GRAND TOTAL	**54**	**9.3**	**130**	**1**	**1**	**5**	**10**	**22**	**33**	**58**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	17.0	142	4	4	14	23	36	36	36
1-5 YRS	6	8.8	73	1	1	7	9	23	25	25
6-12 YRS	3	10.3	16	6	6	11	13	14	14	14
13-19 YRS	2	8.5	5	7	7	8	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	181	2	2	11	21	21	21	21
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	1	33.0		33	33	33	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	11.6	79	2	3	10	14	24	33	36
B. *Operated*	4	15.3	210	2	2	13	27	33	33	33
1. SINGLE DX										
2. MULTIPLE DX	20	12.4	98	1	2	10	17	29	34	36
A. NOT OPERATED	16	11.6	79	2	3	10	14	24	33	36
B. OPERATED	4	15.3	210	2	2	13	27	33	33	33
TOTAL 0-27 DYS										
1-11 MOS	7	15.4	132	2	2	14	20	33	36	36
1-5 YRS	7	8.3	63	1	1	6	9	22	25	25
6-12 YRS	3	10.3	16	6	6	11	13	14	14	14
13-19 YRS	3	16.7	202	7	7	10	27	33	33	33
GRAND TOTAL	**20**	**12.4**	**98**	**1**	**2**	**10**	**17**	**29**	**34**	**36**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	4.0	4	2	2	4	5	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	6	2.2	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	4.0	7	1	1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	7.0	5	4	4	7	9	10	10	10
1-11 MOS	19	4.7	3	2	2	5	6	7	8	8
1-5 YRS	8	9.1	23	2	3	9	11	16	18	18
6-12 YRS	8	7.8	16	3	3	9	10	13	14	14
13-19 YRS	13	4.2	9	<1	1	4	5	9	11	12
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	7	6.1	4	4	4	5	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.0	2	<1	1	3	4	5	6	6
B. *Operated*	6	3.8	9	1	1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	54	5.9	12	2	2	5	8	11	12	18
B. *Operated*	10	5.6	4	3	3	5	6	9	10	10
1. SINGLE DX	17	3.3	4	<1	1	3	5	6	7	8
2. MULTIPLE DX	64	5.9	11	2	2	5	8	10	12	17
A. NOT OPERATED	65	5.4	12	2	2	5	7	10	12	17
B. OPERATED	16	4.9	6	1	1	5	6	8	9	10
TOTAL 0-27 DYS	8	6.6	4	4	4	6	8	10	10	10
1-11 MOS	24	4.7	4	2	2	5	6	7	8	8
1-5 YRS	10	7.8	26	2	2	8	11	15	18	18
6-12 YRS	10	6.7	18	1	2	6	9	12	14	14
13-19 YRS	29	4.2	7	<1	1	4	5	8	10	12
GRAND TOTAL	**81**	**5.3**	**11**	**1**	**2**	**5**	**7**	**10**	**11**	**17**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	13	<1	<1	3	7	8	8	8
1-5 YRS	3	3.3	1	2	2	4	4	4	4	4
6-12 YRS	3	7.0	19	2	2	9	10	10	10	10
13-19 YRS	11	7.0	124	1	1	4	6	21	38	40
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	0	2	2	4	6	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.0	54	2	2	6	13	18	18	18
1-11 MOS	15	10.4	49	1	3	9	16	21	22	23
1-5 YRS	23	11.3	174	1	2	9	11	22	38	65
6-12 YRS	8	11.1	154	2	3	5	15	32	39	39
13-19 YRS	14	7.2	32	1	3	6	7	13	22	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	4	5.8	19	2	2	4	8	12	12	12
6-12 YRS	2	16.5	265	5	5	16	28	28	28	28
13-19 YRS	4	31.3	1155	5	5	20	55	79	79	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.0	71	<1	1	4	7	9	25	40
B. *Operated*	6	3.7	5	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	64	10.0	101	1	2	7	12	21	24	51
B. *Operated*	11	18.1	509	2	3	9	25	51	77	79
1. SINGLE DX	26	5.5	56	1	2	3	6	9	16	40
2. MULTIPLE DX	75	11.1	163	1	2	7	13	23	31	75
A. NOT OPERATED	84	9.0	96	1	2	6	10	19	24	56
B. OPERATED	17	13.0	370	2	2	5	13	31	63	79
TOTAL 0-27 DYS	4	8.0	54	2	2	6	13	18	18	18
1-11 MOS	19	9.8	49	<1	1	8	16	20	22	23
1-5 YRS	32	9.4	135	1	2	6	11	18	24	65
6-12 YRS	14	10.4	120	2	2	5	13	29	37	39
13-19 YRS	32	9.8	234	1	2	5	8	27	39	79
GRAND TOTAL	**101**	**9.7**	**141**	**1**	**2**	**6**	**11**	**21**	**30**	**72**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	22.8	541	1	1	16	37	60	60	60
1-5 YRS	5	9.8	15	5	5	10	13	14	14	14
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	5	13.0	212	1	1	10	18	38	38	38
B. *Operated*										
0-27 DYS										
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	2	16.5	221	6	6	16	27	27	27	27
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	13.8	237	1	1	10	14	36	52	60
B. *Operated*	5	15.2	221	1	1	7	29	35	35	35
1. SINGLE DX										
2. MULTIPLE DX	22	14.1	223	1	1	9	16	36	47	60
A. NOT OPERATED	17	13.8	237	1	1	10	14	36	52	60
B. OPERATED	5	15.2	221	1	1	7	29	35	35	35
TOTAL 0-27 DYS										
1-11 MOS	6	24.8	457	1	2	22	35	57	60	60
1-5 YRS	7	11.7	57	5	5	10	14	24	27	27
6-12 YRS	3	2.3	5	1	1	1	4	5	5	5
13-19 YRS	6	12.0	175	1	1	8	11	35	38	38
GRAND TOTAL	**22**	**14.1**	**223**	**1**	**1**	**9**	**16**	**36**	**47**	**60**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.0	17	1	1	8	10	11	11	11
1-5 YRS										
6-12 YRS	4	2.5		2	2	2	3	3	3	3
13-19 YRS	4	2.5	1	1	1	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	6.3	4	4	4	7	8	8	8	8
6-12 YRS	7	6.9	28	1	1	9	11	13	13	13
13-19 YRS	7	6.1	31	1	1	4	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	8	6	6	8	10	10	10	10
1-11 MOS	14	6.5	15	1	2	6	10	11	14	15
1-5 YRS	15	5.2	48	1	1	3	6	27	79	99+
6-12 YRS	8	5.1	22	1	1	4	8	12	13	13
13-19 YRS	18	11.4	399	1	2	7	10	13	60	90
B. *Operated*										
0-27 DYS										
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS	7	7.0	23	2	2	7	13	74	99+	99+
6-12 YRS	7	12.1	44	2	3	14	18	20	20	20
13-19 YRS	12	7.8	8	2	4	8	9	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.2	11	1	1	3	6	10	11	11
B. *Operated*	18	6.2	23	1	1	5	11	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	57	7.6	147	1	1	5	9	13	23	99
B. *Operated*	27	9.4	37	2	2	8	13	20	35	99+
1. SINGLE DX	31	5.4	18	1	1	3	9	11	13	16
2. MULTIPLE DX	84	8.2	112	1	2	6	10	15	28	99+
A. NOT OPERATED	70	6.9	123	1	1	5	9	12	15	98
B. OPERATED	45	8.2	33	1	2	8	11	16	22	99+
TOTAL 0-27 DYS	2	8.0	8	6	6	8	10	10	10	10
1-11 MOS	21	7.4	36	1	2	6	10	13	21	28
1-5 YRS	25	5.8	35	1	2	4	9	26	99+	99+
6-12 YRS	26	7.1	35	1	1	5	11	15	19	20
13-19 YRS	41	8.6	185	1	2	7	9	12	15	90
GRAND TOTAL	**115**	**7.4**	**88**	**1**	**1**	**5**	**10**	**14**	**20**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.7	9	2	2	3	8	9	9	9
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	12.5	110	2	2	10	19	27	27	27
6-12 YRS	2	10.0	128	2	2	10	18	18	18	18
13-19 YRS	3	6.7	10	3	3	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	10	4.6	9	1	1	4	8	9	9	9
B. *Operated*	11	10.2	67	2	2	9	16	22	27	27
1. SINGLE DX	3	6.0	13	2	2	7	8	9	9	9
2. MULTIPLE DX	21	7.5	46	1	2	5	9	18	23	27
A. NOT OPERATED	11	5.0	10	1	1	4	8	9	9	9
B. OPERATED	13	9.3	61	2	2	8	13	21	26	27
TOTAL 0-27 DYS	2	14.0	50	9	9	14	19	19	19	19
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	12	7.3	50	2	2	5	9	16	25	27
6-12 YRS	2	10.0	128	2	2	10	18	18	18	18
13-19 YRS	6	5.8	11	1	1	6	9	9	9	9
GRAND TOTAL	**24**	**7.3**	**41**	**1**	**2**	**6**	**9**	**18**	**21**	**27**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	7.0	19	2	2	9	10	10	10	10
1-5 YRS	3	32.3	394	15	15	28	47	54	54	54
6-12 YRS										
13-19 YRS	6	11.2	25	2	3	12	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	3	12.0	43	6	6	11	17	19	19	19
B. *Operated*	13	14.5	189	2	2	11	15	33	50	54
1. SINGLE DX	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX	16	14.0	158	2	2	11	15	27	46	54
A. NOT OPERATED	3	12.0	43	6	6	11	17	19	19	19
B. OPERATED	16	12.4	172	1	2	10	15	27	46	54
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	7.0	19	2	2	9	10	10	10	10
1-5 YRS	3	32.3	394	15	15	28	47	54	54	54
6-12 YRS	2	10.0	162	1	1	10	19	19	19	19
13-19 YRS	10	9.4	24	2	2	10	14	15	16	16
GRAND TOTAL	**19**	**12.4**	**148**	**1**	**2**	**10**	**15**	**24**	**42**	**54**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	7.1	166	2	2	3	4	28	39	39
13-19 YRS	14	4.5	16	1	2	2	6	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	8	8.1	12	3	3	8	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	23	5.3	65	1	2	2	4	12	23	39
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	12	6.2	16	1	2	5	9	12	13	13
1. SINGLE DX	25	5.0	60	1	2	2	4	11	20	39
2. MULTIPLE DX	13	6.0	15	1	2	4	9	12	13	13
A. NOT OPERATED	3	2.7	2	<1	<1	3	4	4	4	4
B. OPERATED	35	5.6	47	1	2	3	8	12	14	39
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.8	1	<1	<1	2	2	3	3	3
6-12 YRS	9	6.7	148	2	2	3	3	25	39	39
13-19 YRS	24	5.6	16	1	2	4	9	12	13	14
GRAND TOTAL	**38**	**5.4**	**44**	**1**	**2**	**3**	**7**	**12**	**14**	**39**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	5.8	3	4	4	5	7	8	8	8
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	2	6.0	50	1	1	6	11	11	11	11
13-19 YRS	13	7.8	25	1	2	7	11	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	2	8.0	18	5	5	8	11	11	11	11
6-12 YRS										
13-19 YRS	4	7.8	11	4	4	8	10	11	11	11
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	12.4	153	3	3	5	19	33	36	36
1-5 YRS	2	8.5	41	4	4	8	13	13	13	13
6-12 YRS	4	18.5	694	4	4	6	32	58	58	58
13-19 YRS	16	11.4	45	2	3	10	15	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.8	6	2	3	5	7	9	10	10
B. *Operated*	18	7.4	25	1	1	6	11	15	16	17
2. MULTIPLE DX										
A. *Not Operated*	7	7.7	9	4	4	7	11	11	11	11
B. *Operated*	30	12.0	139	2	3	9	15	23	36	58
1. SINGLE DX	26	6.9	20	1	2	6	10	14	15	17
2. MULTIPLE DX	37	11.2	117	2	3	8	13	23	32	58
A. NOT OPERATED	15	6.7	8	2	4	6	9	11	11	11
B. OPERATED	48	10.3	100	1	2	8	13	21	25	58
TOTAL 0-27 DYS	3	7.3	42	1	1	7	12	14	14	14
1-11 MOS	9	11.0	127	2	2	5	14	30	36	36
1-5 YRS	6	6.7	19	2	2	5	11	13	13	13
6-12 YRS	7	13.0	403	1	2	6	10	49	58	58
13-19 YRS	38	9.0	32	2	3	8	12	17	22	23
GRAND TOTAL	**63**	**9.4**	**80**	**2**	**2**	**7**	**12**	**18**	**23**	**55**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	58	6.5	18	2	3	6	8	11	14	24
1-5 YRS	273	7.1	26	2	2	6	9	13	17	26
6-12 YRS	53	6.5	26	1	1	5	8	13	18	22
13-19 YRS	35	4.1	7	1	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.0	10	1	1	5	7	9	9	9
1-5 YRS	26	2.6	7	<1	1	2	2	7	8	13
6-12 YRS	20	4.3	21	<1	<1	2	6	10	15	19
13-19 YRS	39	5.2	21	1	2	3	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	48	9.5	40	2	2	9	13	17	20	31
1-5 YRS	170	7.9	34	2	2	7	10	15	19	28
6-12 YRS	62	7.1	44	1	1	5	10	16	19	34
13-19 YRS	45	6.1	35	1	2	4	8	12	17	31
B. *Operated*										
0-27 DYS	4	11.5	59	7	7	8	16	23	23	23
1-11 MOS	7	18.0	421	2	3	10	20	54	62	62
1-5 YRS	20	6.4	50	1	1	3	9	14	22	29
6-12 YRS	16	12.6	197	1	1	9	20	47	82	99+
13-19 YRS	39	10.3	167	1	2	6	11	28	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	6.7	24	2	2	5	9	13	16	23
B. *Operated*	90	4.2	17	<1	1	2	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	327	7.7	37	1	2	6	10	16	19	31
B. *Operated*	86	10.5	162	1	1	7	13	28	49	86
1. SINGLE DX	510	6.2	23	1	2	5	8	12	16	23
2. MULTIPLE DX	413	8.3	64	1	2	6	11	16	23	50
A. NOT OPERATED	747	7.1	30	1	2	6	9	14	18	28
B. OPERATED	176	7.3	97	1	1	3	9	16	28	60
TOTAL 0-27 DYS	7	7.9	50	2	2	7	8	20	23	23
1-11 MOS	118	8.3	55	2	2	7	10	16	20	41
1-5 YRS	489	7.1	30	1	2	6	9	14	17	28
6-12 YRS	151	7.1	54	1	1	5	9	16	21	49
13-19 YRS	158	6.5	62	1	2	4	8	13	21	50
GRAND TOTAL	**923**	**7.1**	**43**	**1**	**2**	**5**	**9**	**14**	**19**	**35**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	11.5	1	11	11	11	12	12	12	12
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	8	3.3	4	1	1	3	4	6	7	7
13-19 YRS	132	7.4	17	2	3	7	10	12	14	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	7.5	13	5	5	7	10	10	10	10
13-19 YRS	76	6.8	18	1	2	6	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	8	10.6	25	4	5	10	14	18	19	19
1-5 YRS	4	10.3	16	6	6	10	13	15	15	15
6-12 YRS	10	6.4	66	2	2	4	6	18	29	29
13-19 YRS	107	8.6	31	2	2	8	11	14	17	33
B. *Operated*										
0-27 DYS										
1-11 MOS	4	11.0	69	3	3	10	18	20	20	20
1-5 YRS	3	13.3	44	6	6	15	18	19	19	19
6-12 YRS	2	14.0	8	12	12	14	16	16	16	16
13-19 YRS	62	9.5	35	1	3	9	12	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	7.2	17	2	2	7	10	12	14	20
B. *Operated*	79	6.8	17	1	2	6	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	130	8.6	32	2	2	8	11	14	19	32
B. *Operated*	71	9.8	36	1	3	9	12	17	20	34
1. SINGLE DX	222	7.1	17	2	2	7	10	12	14	20
2. MULTIPLE DX	201	9.0	34	2	3	8	12	15	20	33
A. NOT OPERATED	273	7.9	25	2	2	7	11	13	16	28
B. OPERATED	150	8.3	28	1	2	8	11	15	19	21
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	14	10.9	29	3	4	11	16	19	20	20
1-5 YRS	9	10.6	24	5	5	9	15	17	19	19
6-12 YRS	22	6.0	40	1	2	4	7	13	21	29
13-19 YRS	377	8.0	25	2	2	7	11	13	16	24
GRAND TOTAL	**423**	**8.0**	**26**	**2**	**2**	**7**	**11**	**14**	**17**	**26**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	87	3.4	3	2	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	18	5.7	27	1	1	5	6	15	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	93	3.4	3	2	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	3	8.7	116	1	1	4	17	21	21	21
B. *Operated*	21	6.0	26	1	1	5	7	14	18	20
1. SINGLE DX	94	3.4	3	2	2	3	4	5	7	11
2. MULTIPLE DX	24	6.3	34	1	1	5	8	17	20	21
A. NOT OPERATED	4	7.3	86	1	1	3	12	21	21	21
B. OPERATED	114	3.9	8	2	2	3	5	6	9	18
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	6	8.2	51	3	3	5	12	20	21	21
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	6.5	13	4	4	6	9	9	9	9
13-19 YRS	107	3.8	8	1	2	3	4	6	8	18
GRAND TOTAL	**118**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**10**	**20**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	8	<1	<1	2	5	5	5	5
6-12 YRS	8	1.4	1	1	1	1	2	3	3	3
13-19 YRS	38	2.2	1	<1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	8	<1	<1	<1	5	6	6	6
1-5 YRS	6	2.7	3	1	1	2	5	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	83	3.9	5	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	8	2.8	2	1	1	3	4	5	5	5
13-19 YRS	46	3.2	2	1	2	3	4	5	6	7
B. *Operated*										
0-27 DYS	4	6.0	6	4	4	6	8	9	9	9
1-11 MOS	4	3.8	10	1	1	6	30	99+	99+	99+
1-5 YRS	9	3.4	7	<1	<1	3	4	8	9	9
6-12 YRS	4	5.8	48	<1	<1	3	10	16	16	16
13-19 YRS	182	4.5	5	2	2	4	5	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.1	1	<1	1	2	3	4	5	5
B. *Operated*	93	3.8	5	<1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	61	3.1	2	1	1	3	4	5	6	9
B. *Operated*	203	4.5	6	1	2	4	6	7	10	16
1. SINGLE DX	141	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	264	4.2	6	1	2	4	5	7	9	15
A. NOT OPERATED	109	2.7	2	<1	1	2	4	5	5	8
B. OPERATED	296	4.3	6	1	2	4	5	7	9	15
TOTAL 0-27 DYS	5	6.6	6	4	4	7	9	9	9	9
1-11 MOS	9	3.2	6	<1	<1	3	6	53	99+	99+
1-5 YRS	21	2.8	5	<1	<1	2	4	6	7	9
6-12 YRS	21	2.7	11	<1	1	2	3	5	10	16
13-19 YRS	349	4.0	5	1	2	4	5	7	8	11
GRAND TOTAL	**405**	**3.9**	**5**	**1**	**1**	**4**	**5**	**7**	**9**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	5	8.0	93	2	2	4	11	25	25	25
1-5 YRS	17	2.8	3	<1	1	3	3	5	6	7
6-12 YRS	26	4.5	54	1	1	3	3	6	17	39
13-19 YRS	107	5.3	18	1	1	4	8	12	14	16
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	7.0	91	1	1	2	14	18	18	18
1-5 YRS	13	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	62	3.0	12	<1	1	2	3	5	7	22
13-19 YRS	447	2.9	8	1	1	2	3	4	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.0	31	1	1	5	10	12	12	12
1-11 MOS	13	8.6	50	1	2	7	13	20	22	23
1-5 YRS	33	5.6	25	<1	1	3	9	14	16	17
6-12 YRS	51	4.4	67	1	1	3	4	7	14	58
13-19 YRS	178	4.7	21	1	1	3	6	9	13	26
B. *Operated*										
0-27 DYS										
1-11 MOS	12	9.3	124	1	1	5	11	28	37	38
1-5 YRS	28	7.7	69	1	1	5	9	19	25	36
6-12 YRS	51	7.1	213	<1	1	3	7	13	18	90
13-19 YRS	212	5.7	38	1	1	3	7	13	16	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	5.0	25	1	1	3	6	12	14	24
B. *Operated*	526	2.9	9	1	1	2	3	4	8	18
2. MULTIPLE DX										
A. *Not Operated*	278	4.9	32	1	1	3	6	12	15	26
B. *Operated*	303	6.2	74	1	1	3	8	14	19	37
1. SINGLE DX	682	3.4	13	1	1	2	3	7	12	19
2. MULTIPLE DX	581	5.6	54	1	1	3	7	12	17	36
A. NOT OPERATED	434	5.0	29	1	1	3	6	12	14	25
B. OPERATED	829	4.1	35	1	1	2	4	9	14	27
TOTAL 0-27 DYS	5	6.8	25	1	1	5	12	12	12	12
1-11 MOS	33	8.6	79	1	2	6	11	23	25	38
1-5 YRS	91	5.1	35	<1	1	3	6	13	17	31
6-12 YRS	190	4.7	88	1	1	2	4	9	15	58
13-19 YRS	944	4.1	20	1	1	3	4	10	13	23
GRAND TOTAL	**1263**	**4.4**	**33**	**1**	**1**	**3**	**4**	**11**	**14**	**26**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	224	2.8	2	1	1	2	4	5	6	7
1-11 MOS	3645	2.9	3	1	1	2	4	5	6	9
1-5 YRS	9838	2.5	2	<1	1	2	3	4	5	8
6-12 YRS	1700	2.6	2	1	1	2	3	5	5	7
13-19 YRS	1175	3.1	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	41	5.1	24	1	1	3	7	14	15	16
1-5 YRS	423	2.5	9	<1	1	2	2	5	7	15
6-12 YRS	745	1.8	3	<1	1	2	2	2	3	6
13-19 YRS	954	1.9	1	1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	309	3.7	6	1	1	3	4	6	8	14
1-11 MOS	5418	3.6	6	1	1	3	4	6	8	14
1-5 YRS	11706	3.2	4	1	1	3	4	6	7	10
6-12 YRS	3125	3.2	4	1	1	3	4	6	7	10
13-19 YRS	2596	3.7	6	1	2	3	5	6	7	11
B. *Operated*										
0-27 DYS	4	4.8	18	2	2	3	7	11	11	11
1-11 MOS	96	9.4	140	2	3	6	11	20	29	72
1-5 YRS	637	3.3	12	1	1	2	4	8	10	19
6-12 YRS	606	2.2	3	<1	1	2	2	4	6	10
13-19 YRS	428	3.3	11	1	1	2	4	6	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16582	2.6	3	1	1	2	3	5	6	8
B. *Operated*	2165	2.0	4	<1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	23154	3.4	5	1	1	3	4	6	7	11
B. *Operated*	1771	3.2	18	1	1	2	3	7	10	20
1. SINGLE DX	18747	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX	24925	3.4	6	1	1	3	4	6	7	12
A. NOT OPERATED	39736	3.0	4	1	1	3	4	5	7	10
B. OPERATED	3936	2.6	11	<1	1	2	2	5	7	16
TOTAL 0-27 DYS	539	3.3	5	1	1	3	4	6	7	12
1-11 MOS	9200	3.4	7	1	1	3	4	6	8	13
1-5 YRS	22604	2.9	4	1	1	2	4	5	6	10
6-12 YRS	6176	2.8	4	1	1	2	3	5	6	9
13-19 YRS	5153	3.2	5	1	1	3	4	5	7	11
GRAND TOTAL	**43672**	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	187	3.6	4	1	2	3	4	6	8	12
1-11 MOS	7442	3.8	5	1	2	3	5	7	8	11
1-5 YRS	6700	3.1	3	1	1	3	4	5	6	9
6-12 YRS	876	3.1	3	1	1	3	4	5	6	9
13-19 YRS	407	3.7	3	1	2	3	5	6	7	9
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	24	4.6	16	1	1	3	5	9	14	18
1-5 YRS	61	3.6	8	1	1	3	4	8	11	13
6-12 YRS	8	2.9	2	1	1	3	4	5	5	5
13-19 YRS	12	5.3	98	<1	<1	2	4	17	33	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	195	5.1	11	2	2	4	6	10	12	15
1-11 MOS	8032	4.6	8	2	2	4	6	8	10	14
1-5 YRS	6115	3.8	6	1	2	3	5	7	8	12
6-12 YRS	1101	3.9	6	1	2	3	5	7	8	13
13-19 YRS	769	5.1	13	2	2	4	6	9	12	21
B. *Operated*										
0-27 DYS	6	13.0	20	8	8	11	18	19	19	19
1-11 MOS	111	8.5	44	2	3	7	12	19	25	99+
1-5 YRS	89	6.5	18	2	2	6	8	12	14	20
6-12 YRS	14	5.1	12	2	2	4	5	10	14	15
13-19 YRS	27	6.4	27	1	1	4	8	14	18	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15612	3.5	4	1	1	3	4	6	7	10
B. *Operated*	106	3.9	19	1	1	3	4	8	12	26
2. MULTIPLE DX										
A. *Not Operated*	16212	4.3	7	1	2	4	5	7	9	14
B. *Operated*	247	7.5	32	2	2	6	10	15	20	43
1. SINGLE DX	15718	3.5	4	1	1	3	4	6	7	10
2. MULTIPLE DX	16459	4.4	8	1	2	4	5	8	9	14
A. NOT OPERATED	31824	3.9	6	1	2	3	5	7	8	12
B. OPERATED	353	6.4	31	1	2	5	8	13	18	35
TOTAL 0-27 DYS	389	4.5	9	1	2	4	5	8	10	17
1-11 MOS	15609	4.3	7	1	2	4	5	7	9	13
1-5 YRS	12965	3.5	5	1	1	3	4	6	7	11
6-12 YRS	1999	3.6	5	1	1	3	4	6	7	11
13-19 YRS	1215	4.7	11	1	2	4	5	8	10	19
GRAND TOTAL	**32177**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**13**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.4	1	2	2	2	3	4	4	4
1-5 YRS	10	1.5	1	1	1	1	2	3	4	4
6-12 YRS	96	1.9	1	1	1	2	2	3	4	5
13-19 YRS	2136	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	48	1.2	1	<1	<1	1	1	2	3	6
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.4	2	1	1	2	3	5	5	5
1-5 YRS	20	1.7		<1	1	2	2	2	2	2
6-12 YRS	207	1.9	1	<1	<1	2	2	3	4	6
13-19 YRS	3536	2.3	1	1	1	2	3	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	1	<1	<1	2	3	3	3	3
B. Operated	2248	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	53	1.2	1	<1	<1	1	1	2	3	6
B. Operated	3771	2.3	1	1	1	2	3	4	4	5
1. SINGLE DX	2252	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	3824	2.3	1	1	1	2	3	4	4	5
A. NOT OPERATED	57	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	6019	2.3	1	1	1	2	3	3	4	5
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	12	2.4	1	1	1	2	3	4	5	5
1-5 YRS	33	1.6		<1	1	2	2	2	2	4
6-12 YRS	305	1.9	1	<1	1	2	2	3	4	5
13-19 YRS	5724	2.3	1	1	1	2	3	3	4	5
GRAND TOTAL	**6076**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	45	2.0	1	1	1	2	2	3	4	6
13-19 YRS	87	2.1	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.5	3	1	1	2	4	5	5	5
6-12 YRS	77	2.5	4	<1	<1	2	3	4	5	14
13-19 YRS	169	2.8	8	1	1	2	3	5	5	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	137	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	5	2.4	2	<1	<1	2	4	4	4	4
B. Operated	252	2.7	7	1	1	2	3	4	5	15
1. SINGLE DX	140	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	257	2.7	7	<1	1	2	3	4	5	15
A. NOT OPERATED	8	2.0	2	<1	<1	2	3	4	4	4
B. OPERATED	389	2.5	5	1	1	2	3	4	5	9
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	11	2.3	2	<1	<1	2	3	5	5	5
6-12 YRS	124	2.3	3	<1	1	2	3	4	5	11
13-19 YRS	260	2.6	6	1	1	2	3	4	5	9
GRAND TOTAL	**397**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	1	1	1	2	3	3	3	3
1-5 YRS	83	1.9	1	<1	<1	1	2	4	4	6
6-12 YRS	81	1.9	2	<1	<1	1	2	3	4	9
13-19 YRS	78	2.2	2	<1	<1	2	3	4	5	9
B. *Operated*										
0-27 DYS	9	1.9	1	1	1	2	2	3	3	3
1-11 MOS	30	1.3		<1	<1	1	2	2	2	2
1-5 YRS	12842	1.5		<1	<1	2	2	2	2	3
6-12 YRS	23248	1.6		<1	1	2	2	2	2	3
13-19 YRS	18386	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.3	6	1	1	3	4	7	9	9
1-5 YRS	521	1.5	1	<1	<1	1	2	3	4	7
6-12 YRS	421	1.4	1	<1	<1	1	1	3	4	6
13-19 YRS	235	1.9	3	<1	<1	1	2	4	6	7
B. *Operated*										
0-27 DYS	10	1.5		1	1	1	2	2	2	2
1-11 MOS	71	2.4	11	<1	<1	2	2	4	7	22
1-5 YRS	16004	1.6	1	<1	<1	1	2	2	2	4
6-12 YRS	13657	1.6	1	<1	1	2	2	2	2	4
13-19 YRS	4485	1.9	1	1	1	2	2	3	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.0	2	<1	<1	2	2	4	5	6
B. *Operated*	54515	1.6	1	<1	1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	1187	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	34227	1.6	1	<1	1	2	2	2	3	4
1. SINGLE DX	54761	1.6	1	<1	1	2	2	2	2	3
2. MULTIPLE DX	35414	1.6	1	<1	1	2	2	2	3	4
A. NOT OPERATED	1433	1.7	2	<1	<1	1	2	3	4	7
B. OPERATED	88742	1.6	1	<1	1	2	2	2	3	4
TOTAL 0-27 DYS	21	1.8	1	1	1	2	2	3	3	3
1-11 MOS	113	2.2	8	<1	<1	2	2	3	6	17
1-5 YRS	29450	1.6	1	<1	<1	1	2	2	2	4
6-12 YRS	37407	1.6	1	<1	1	2	2	2	2	3
13-19 YRS	23184	1.8	1	1	1	2	2	3	3	4
GRAND TOTAL	**90175**	**1.6**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	2.3	2	<1	1	2	3	5	6	6
1-11 MOS	139	3.0	5	1	1	2	4	6	8	21
1-5 YRS	574	2.5	4	<1	1	2	3	5	6	10
6-12 YRS	426	3.0	3	<1	1	3	4	5	6	9
13-19 YRS	748	3.3	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS	2	10.5	181	1	1	10	20	20	20	20
1-11 MOS	59	4.8	95	1	1	2	4	10	22	62
1-5 YRS	282	2.5	4	<1	<1	2	3	5	7	9
6-12 YRS	544	2.2	3	<1	<1	2	2	4	5	10
13-19 YRS	1352	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	28	3.4	6	1	1	3	5	7	9	10
1-11 MOS	206	3.8	8	1	1	3	5	7	10	14
1-5 YRS	581	3.5	5	1	1	3	4	6	8	12
6-12 YRS	472	3.9	6	1	1	3	5	7	8	13
13-19 YRS	622	3.9	6	1	2	3	5	6	8	13
B. *Operated*										
0-27 DYS	3	16.0	144	4	4	16	25	28	28	28
1-11 MOS	73	9.8	148	<1	1	5	14	25	45	89
1-5 YRS	402	3.0	13	<1	<1	2	3	7	9	25
6-12 YRS	494	2.7	10	<1	1	2	3	5	8	13
13-19 YRS	1226	3.0	11	1	1	2	3	5	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1909	2.9	3	1	1	3	4	5	6	9
B. *Operated*	2239	2.5	6	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1909	3.8	6	1	1	3	5	7	8	13
B. *Operated*	2198	3.2	18	<1	1	2	3	6	9	23
1. SINGLE DX	4148	2.7	5	<1	1	2	3	5	6	9
2. MULTIPLE DX	4107	3.4	12	1	1	3	4	6	8	18
A. NOT OPERATED	3818	3.3	5	1	1	3	4	6	7	11
B. OPERATED	4437	2.8	12	<1	1	2	3	5	7	17
TOTAL 0-27 DYS	55	3.9	24	1	1	2	4	7	14	28
1-11 MOS	477	4.6	44	1	1	3	5	10	15	48
1-5 YRS	1839	2.9	7	<1	1	2	4	6	7	13
6-12 YRS	1936	2.9	6	<1	1	2	4	6	7	11
13-19 YRS	3948	3.0	6	1	1	3	4	5	6	11
GRAND TOTAL	**8255**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	494	5.1	9	2	2	4	6	9	11	15
1-11 MOS	6898	4.4	7	2	2	4	5	7	9	1[illegible]
1-5 YRS	13417	4.0	5	1	2	4	5	7	8	12
6-12 YRS	4986	4.3	5	2	2	4	5	7	8	12
13-19 YRS	2654	4.8	9	2	2	4	6	8	9	12
B. *Operated*										
0-27 DYS	9	6.6	10	2	2	7	9	11	11	11
1-11 MOS	62	5.5	12	2	2	5	7	10	13	18
1-5 YRS	104	6.3	45	1	1	4	8	14	20	34
6-12 YRS	41	4.9	20	1	1	4	6	12	14	22
13-19 YRS	36	7.5	17	1	2	7	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	394	6.4	19	1	2	5	8	12	15	23
1-11 MOS	8967	5.3	15	2	2	4	7	9	11	19
1-5 YRS	16510	4.5	9	2	2	4	6	8	10	15
6-12 YRS	4835	5.0	10	2	2	4	6	9	11	16
13-19 YRS	2503	6.0	19	2	2	5	7	11	14	23
B. *Operated*										
0-27 DYS	25	10.3	38	4	5	8	11	20	24	31
1-11 MOS	261	11.8	123	2	3	9	15	22	29	74
1-5 YRS	360	10.5	127	2	3	7	13	20	29	62
6-12 YRS	155	12.4	141	3	3	8	15	26	37	54
13-19 YRS	163	14.0	114	3	4	11	18	30	41	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28449	4.2	6	2	2	4	5	7	9	12
B. *Operated*	252	6.0	28	1	2	4	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	33209	4.9	12	2	2	4	6	9	11	17
B. *Operated*	964	11.7	125	2	3	8	15	24	32	62
1. SINGLE DX	28701	4.3	6	2	2	4	5	7	9	12
2. MULTIPLE DX	34173	5.1	16	2	2	4	6	9	11	20
A. NOT OPERATED	61658	4.6	9	2	2	4	6	8	10	15
B. OPERATED	1216	10.6	110	2	3	7	13	22	30	57
TOTAL 0-27 DYS	922	5.8	15	2	2	5	7	10	13	20
1-11 MOS	16188	5.0	14	2	2	4	6	9	11	18
1-5 YRS	30391	4.3	9	1	2	4	5	7	9	15
6-12 YRS	10017	4.8	11	2	2	4	6	8	10	16
13-19 YRS	5356	5.6	19	2	2	5	7	10	12	22
GRAND TOTAL	**62874**	**4.7**	**12**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	2.7	1	2	2	3	3	4	4	4
1-11 MOS	116	3.5	3	1	1	3	5	6	7	8
1-5 YRS	297	3.1	4	1	1	3	4	5	7	9
6-12 YRS	291	2.8	3	1	1	2	3	5	5	10
13-19 YRS	298	2.8	2	1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	6.0	13	2	2	[illegible]	8	9	9	9
6-12 YRS										
13-19 YRS	3	3.3	5	2	2	[illegible]	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.4	3	2	2	3	4	6	7	7
1-11 MOS	200	4.0	8	1	1	3	5	8	10	14
1-5 YRS	672	3.4	4	1	1	3	4	6	7	12
6-12 YRS	457	3.3	4	1	1	3	4	5	7	11
13-19 YRS	482	3.5	4	1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	15.0	103	4	4	17	22	24	24	24
1-5 YRS	10	6.6	6	3	3	7	8	10	11	11
6-12 YRS	6	6.2	54	2	2	4	4	19	21	21
13-19 YRS	12	11.8	697	<1	1	3	8	35	86	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1011	3.0	3	1	1	3	4	5	6	9
B. *Operated*	7	4.4	8	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1821	3.5	5	1	1	3	4	6	7	12
B. *Operated*	31	9.3	283	1	1	5	8	19	24	95
1. SINGLE DX	1018	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1852	3.6	10	1	1	3	4	6	8	13
A. NOT OPERATED	2832	3.3	4	1	1	3	4	6	7	11
B. OPERATED	38	8.4	235	1	2	5	8	15	23	95
TOTAL 0-27 DYS	19	3.1	2	2	2	3	4	5	6	7
1-11 MOS	320	3.9	8	1	1	3	5	7	9	15
1-5 YRS	982	3.4	4	1	1	3	4	6	7	12
6-12 YRS	754	3.1	4	1	1	3	4	5	6	11
13-19 YRS	795	3.3	14	1	1	3	4	6	7	10
GRAND TOTAL	**2870**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	3.9	5	1	2	4	5	7	8	9
1-11 MOS	1122	3.6	5	1	1	3	5	7	8	11
1-5 YRS	2171	2.9	3	1	1	3	4	5	6	9
6-12 YRS	409	3.2	4	1	1	3	4	5	7	8
13-19 YRS	185	3.6	4	1	2	3	5	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	12	3.9	14	1	1	3	5	10	13	13
1-5 YRS	31	2.7	5	1	1	2	3	6	9	9
6-12 YRS	10	3.3	7	1	1	3	4	7	10	10
13-19 YRS	11	4.7	5	2	2	3	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	4.7	10	1	2	4	6	9	11	17
1-11 MOS	1401	4.4	7	1	2	4	5	8	9	14
1-5 YRS	2233	3.7	5	1	2	3	5	6	8	12
6-12 YRS	506	4.0	8	1	2	3	5	7	10	14
13-19 YRS	350	4.5	11	1	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS	29	7.0	23	1	2	5	10	14	15	20
1-5 YRS	53	5.7	22	<1	1	4	8	11	13	27
6-12 YRS	12	5.3	25	2	2	3	7	13	18	19
13-19 YRS	30	8.9	88	1	2	6	12	14	32	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3912	3.2	4	1	1	3	4	6	7	10
B. *Operated*	64	3.4	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	4527	4.0	7	1	2	3	5	7	8	14
B. *Operated*	124	6.7	39	1	2	5	9	13	15	36
1. SINGLE DX	3976	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	4651	4.1	8	1	2	3	5	7	9	14
A. NOT OPERATED	8439	3.6	6	1	1	3	5	6	8	12
B. OPERATED	188	5.6	31	1	1	4	8	12	14	30
TOTAL 0-27 DYS	62	4.4	8	1	2	4	6	7	10	16
1-11 MOS	2564	4.1	7	1	2	4	5	7	9	14
1-5 YRS	4488	3.3	4	1	1	3	4	6	7	11
6-12 YRS	937	3.7	6	1	1	3	4	6	8	14
13-19 YRS	576	4.5	14	1	2	4	5	7	10	15
GRAND TOTAL	**8627**	**3.7**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.6	22	2	2	7	9	15	15	15
1-5 YRS	5	5.6	10	3	3	4	7	11	11	11
6-12 YRS	5	3.4	5	1	1	4	5	6	6	6
13-19 YRS	8	17.0	804	2	3	5	15	65	86	86
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	8.0	8	6	6	8	10	10	10	10
13-19 YRS	13	11.7	47	5	5	10	14	23	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	8	1	1	4	6	8	8	8
B. *Operated*	9	5.9	31	1	1	4	6	15	20	20
2. MULTIPLE DX										
A. *Not Operated*	23	9.5	296	1	2	5	7	15	41	86
B. *Operated*	15	11.2	43	5	5	10	14	22	26	28
1. SINGLE DX	15	5.1	22	1	1	4	6	8	17	20
2. MULTIPLE DX	38	10.2	193	1	2	6	11	16	26	86
A. NOT OPERATED	29	8.4	239	1	1	5	7	14	20	86
B. OPERATED	24	9.2	44	2	3	7	12	20	24	28
TOTAL 0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	9	5.8	18	1	1	7	7	12	15	15
1-5 YRS	6	5.3	9	3	3	4	6	10	11	11
6-12 YRS	11	4.3	8	1	1	5	6	8	10	10
13-19 YRS	26	12.0	267	2	4	7	13	21	40	86
GRAND TOTAL	**53**	**8.8**	**148**	**1**	**2**	**6**	**10**	**16**	**22**	**84**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	4.8	20	<1	1	4	5	11	17	17
1-11 MOS	1672	4.2	6	1	2	4	5	7	9	12
1-5 YRS	12443	3.2	3	1	1	3	4	5	6	9
6-12 YRS	9339	3.3	4	1	1	3	4	5	6	9
13-19 YRS	5370	3.5	4	1	2	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	8	7.9	28	3	3	6	11	16	18	18
1-5 YRS	54	3.5	7	<1	1	3	5	7	9	13
6-12 YRS	35	3.9	6	<1	1	3	5	8	8	11
13-19 YRS	30	3.5	4	1	2	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	4.4	13	1	1	3	5	10	14	14
1-11 MOS	1854	5.0	10	2	2	4	6	9	11	16
1-5 YRS	8913	3.8	6	1	2	3	5	6	8	11
6-12 YRS	4286	3.9	7	1	2	3	5	6	8	12
13-19 YRS	2627	4.3	8	1	2	4	5	7	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS	38	10.1	43	2	3	9	12	16	25	33
1-5 YRS	113	7.6	56	2	2	5	9	14	24	39
6-12 YRS	53	8.3	141	1	2	6	10	12	19	84
13-19 YRS	66	6.2	14	2	2	5	8	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28834	3.3	4	1	1	3	4	6	7	9
B. *Operated*	127	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	17691	4.0	7	1	2	3	5	7	8	13
B. *Operated*	270	7.7	61	2	2	6	10	13	18	37
1. SINGLE DX	28961	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	17961	4.1	8	1	2	3	5	7	9	13
A. NOT OPERATED	46525	3.6	5	1	2	3	4	6	7	11
B. OPERATED	397	6.5	47	1	2	5	8	12	15	35
TOTAL 0-27 DYS	21	4.6	16	1	1	3	5	10	15	17
1-11 MOS	3572	4.7	9	2	2	4	6	8	10	15
1-5 YRS	21523	3.4	5	1	1	3	4	6	7	10
6-12 YRS	13713	3.5	5	1	2	3	4	6	7	10
13-19 YRS	8093	3.8	6	1	2	3	5	6	8	12
GRAND TOTAL	**46922**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	16	4.2	3	2	2	4	5	7	7	7
1-5 YRS	17	4.5	12	1	1	4	5	11	13	13
6-12 YRS	16	4.6	18	1	2	3	5	14	15	15
13-19 YRS	18	4.6	10	1	1	3	6	10	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	9	7.4	85	1	1	4	8	22	31	31
13-19 YRS	11	6.9	72	1	1	3	9	19	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	4.9	4	2	2	5	7	8	8	8
1-11 MOS	41	7.7	112	1	2	5	9	12	19	68
1-5 YRS	51	5.8	32	1	2	4	8	11	18	33
6-12 YRS	36	8.0	62	2	3	5	10	13	30	36
13-19 YRS	41	10.0	58	2	2	8	14	20	28	33
B. *Operated*										
0-27 DYS										
1-11 MOS	5	11.8	119	1	1	9	18	29	29	29
1-5 YRS	14	6.4	37	1	1	4	10	16	18	19
6-12 YRS	11	9.0	161	1	1	5	11	26	43	45
13-19 YRS	19	9.8	64	1	1	9	15	23	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.5	10	1	2	4	5	9	13	15
B. *Operated*	24	6.3	64	1	1	3	8	14	30	31
2. MULTIPLE DX										
A. *Not Operated*	176	7.6	63	2	2	5	10	15	22	35
B. *Operated*	49	8.9	81	1	1	7	12	19	27	45
1. SINGLE DX	91	5.0	25	1	1	4	6	10	13	31
2. MULTIPLE DX	225	7.9	67	1	2	5	10	16	25	38
A. NOT OPERATED	243	6.8	51	1	2	4	9	13	18	34
B. OPERATED	73	8.0	76	1	1	4	11	19	29	42
TOTAL 0-27 DYS	7	4.9	4	2	2	5	7	8	8	8
1-11 MOS	63	7.1	85	1	2	4	7	12	19	63
1-5 YRS	85	5.5	28	1	1	4	7	12	16	28
6-12 YRS	72	7.3	69	1	2	4	9	14	30	43
13-19 YRS	89	8.5	55	1	2	7	11	17	27	32
GRAND TOTAL	**316**	**7.1**	**56**	**1**	**2**	**4**	**9**	**15**	**21**	**34**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0	2	1	1	2	3	3	3	3
13-19 YRS	108	3.2	7	1	1	2	4	5	9	15
B. Operated										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	15.0	2	14	14	15	16	16	16	16
6-12 YRS	4	10.3	14	6	6	10	13	15	15	15
13-19 YRS	677	6.4	21	2	3	5	8	11	15	25
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	5.0	13	2	2	4	7	10	10	10
1-5 YRS	5	4.2	7	<1	<1	3	7	7	7	7
6-12 YRS	4	5.8	20	2	2	5	9	11	11	11
13-19 YRS	55	4.4	14	1	1	3	5	9	11	22
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	6	10.0	34	4	4	8	11	20	21	21
13-19 YRS	133	10.0	36	3	3	9	12	18	20	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	3.2	7	1	1	2	4	5	9	15
B. Operated	484	6.5	22	2	3	5	8	11	15	25
2. MULTIPLE DX										
A. Not Operated	69	4.5	13	1	1	3	6	9	11	21
B. Operated	142	10.0	35	3	4	9	12	18	21	30
1. SINGLE DX	694	5.5	19	1	2	4	7	10	14	24
2. MULTIPLE DX	211	8.2	34	2	2	7	11	17	20	29
A. NOT OPERATED	279	3.5	9	1	1	3	4	7	10	15
B. OPERATED	626	7.3	27	2	3	6	9	14	17	26
TOTAL 0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	6	6.3	15	2	2	5	10	12	12	12
1-5 YRS	8	7.1	28	<1	1	6	11	15	16	16
6-12 YRS	16	8.0	27	1	2	8	10	15	19	21
13-19 YRS	873	6.0	24	1	2	5	8	12	16	25
GRAND TOTAL	**905**	**6.1**	**24**	**1**	**2**	**5**	**8**	**12**	**16**	**25**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	27	3.4	9	<1	<1	2	4	8	11	11
1-11 MOS	388	3.6	12	1	1	3	4	7	8	11
1-5 YRS	810	3.1	5	1	1	3	4	5	6	12
6-12 YRS	279	3.4	6	1	1	3	4	6	8	14
13-19 YRS	296	3.6	10	1	1	3	4	7	10	18
B. Operated										
0-27 DYS										
1-11 MOS	28	5.7	41	1	1	3	6	14	23	26
1-5 YRS	129	3.4	17	<1	1	2	3	8	12	23
6-12 YRS	52	6.2	38	1	1	4	9	14	16	31
13-19 YRS	81	5.8	26	1	1	4	8	13	17	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	53	5.2	13	2	2	4	7	9	10	19
1-11 MOS	810	5.4	33	1	2	4	6	10	13	27
1-5 YRS	1288	4.7	28	1	1	3	6	9	12	23
6-12 YRS	415	4.9	16	1	1	4	6	10	14	21
13-19 YRS	478	5.6	32	1	1	4	7	12	16	20
B. Operated										
0-27 DYS	7	8.1	69	2	2	6	9	23	26	26
1-11 MOS	109	15.1	261	2	2	10	20	34	70	99+
1-5 YRS	253	9.6	189	1	1	4	12	24	41	96
6-12 YRS	96	9.3	195	1	1	5	12	20	28	85
13-19 YRS	191	11.2	124	1	2	8	15	29	36	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1800	3.3	8	1	1	3	4	6	8	15
B. Operated	290	4.8	27	1	1	3	6	11	16	25
2. MULTIPLE DX										
A. Not Operated	3044	5.0	28	1	1	4	6	10	13	24
B. Operated	656	10.9	185	1	1	6	14	28	41	91
1. SINGLE DX	2090	3.5	11	1	1	3	4	6	9	18
2. MULTIPLE DX	3700	6.1	61	1	1	4	7	13	18	42
A. NOT OPERATED	4844	4.4	21	1	1	3	5	8	11	21
B. OPERATED	946	9.1	144	1	1	5	12	22	34	80
TOTAL 0-27 DYS	87	4.9	17	1	1	4	7	10	11	23
1-11 MOS	1335	5.7	54	1	1	4	6	11	17	38
1-5 YRS	2480	4.6	40	1	1	3	5	9	13	35
6-12 YRS	842	5.0	37	1	1	3	6	10	14	23
13-19 YRS	1046	6.1	49	1	1	4	7	14	19	36
GRAND TOTAL	**5790**	**5.2**	**44**	**1**	**1**	**3**	**6**	**10**	**15**	**35**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	2.6	4	<1	<1	2	3	5	8	8
1-5 YRS	51	3.0	3	<1	1	3	4	6	7	9
6-12 YRS	34	3.2	3	<1	1	3	4	6	7	9
13-19 YRS	50	3.4	12	<1	<1	3	4	6	10	21
B. *Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	14	2.4	6	<1	<1	1	3	5	9	10
1-5 YRS	884	1.2	1	<1	<1	1	1	2	2	5
6-12 YRS	485	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	5886	2.0	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	1	3	3	3	5	5	5	5
1-11 MOS	31	3.6	4	1	2	3	4	6	7	10
1-5 YRS	193	3.1	6	<1	<1	3	4	6	6	13
6-12 YRS	89	2.9	4	<1	<1	3	4	6	7	9
13-19 YRS	223	2.6	4	<1	<1	2	4	5	7	9
B. *Operated*										
0-27 DYS	3	3.0	3	2	2	2	4	5	5	5
1-11 MOS	10	2.8	3	1	1	3	4	5	5	5
1-5 YRS	795	1.6	3	<1	<1	1	2	2	4	9
6-12 YRS	630	1.9	2	<1	<1	2	2	3	5	8
13-19 YRS	3137	2.7	3	<1	1	2	4	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.2	6	<1	1	3	4	6	7	12
B. *Operated*	7271	1.9	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	539	2.9	5	<1	<1	2	4	6	7	10
B. *Operated*	4575	2.4	3	<1	<1	2	3	4	5	8
1. SINGLE DX	7418	1.9	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX	5114	2.5	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	686	2.9	5	<1	<1	2	4	6	7	10
B. OPERATED	11846	2.1	2	<1	<1	2	2	4	5	7
TOTAL 0-27 DYS	8	3.0	2	<1	1	3	4	5	5	5
1-11 MOS	67	3.0	4	<1	1	3	4	5	7	10
1-5 YRS	1923	1.6	3	<1	<1	1	2	3	4	7
6-12 YRS	1238	2.0	2	<1	<1	2	2	4	5	8
13-19 YRS	9296	2.3	2	<1	<1	2	3	4	5	7
GRAND TOTAL	**12532**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.0	9	1	1	3	6	8	8	8
1-11 MOS	48	3.2	2	1	2	3	4	5	6	7
1-5 YRS	199	3.7	5	1	1	3	5	6	8	11
6-12 YRS	76	3.4	3	<1	1	3	4	6	7	9
13-19 YRS	81	4.0	5	1	1	4	5	7	8	11
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	25	2.6	9	<1	<1	2	2	6	10	14
1-5 YRS	119	2.9	13	<1	<1	2	3	6	7	17
6-12 YRS	224	2.5	4	<1	<1	2	3	5	6	9
13-19 YRS	206	2.7	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.8	2	3	3	5	6	7	7	7
1-11 MOS	95	4.1	7	1	2	3	5	7	9	16
1-5 YRS	392	3.7	5	1	1	3	5	6	7	11
6-12 YRS	124	4.0	6	1	2	3	5	7	9	14
13-19 YRS	131	4.2	6	1	2	4	5	7	9	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	11	5.3	12	1	1	5	7	11	11	11
1-5 YRS	90	3.8	10	1	1	3	5	8	11	16
6-12 YRS	121	3.6	6	1	1	3	4	7	8	14
13-19 YRS	137	3.2	5	1	1	3	4	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	3.6	4	1	1	3	5	6	8	10
B. *Operated*	575	2.6	6	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	747	3.9	5	1	2	3	5	7	8	12
B. *Operated*	360	3.5	7	1	1	3	4	7	10	14
1. SINGLE DX	983	3.0	5	<1	1	3	4	6	7	10
2. MULTIPLE DX	1107	3.8	6	1	1	3	5	7	8	13
A. NOT OPERATED	1155	3.8	5	1	1	3	5	6	8	12
B. OPERATED	935	3.0	6	<1	1	2	4	6	8	11
TOTAL 0-27 DYS	11	4.4	5	<1	1	4	6	8	8	8
1-11 MOS	179	3.7	6	1	1	3	5	6	8	13
1-5 YRS	800	3.6	6	1	1	3	4	6	8	12
6-12 YRS	545	3.2	5	<1	1	3	4	6	7	11
13-19 YRS	555	3.3	5	<1	1	3	4	6	8	12
GRAND TOTAL	**2090**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	165	3.4	5	1	1	3	4	6	8	12
1-11 MOS	584	3.6	8	1	1	3	4	7	9	14
1-5 YRS	119	3.4	8	1	1	2	4	7	9	14
6-12 YRS	55	3.2	23	1	1	2	3	6	9	33
13-19 YRS	135	2.7	3	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	76	7.6	52	1	2	6	8	16	22	40
1-5 YRS	133	4.2	25	<1	<1	2	5	10	15	25
6-12 YRS	77	4.0	17	<1	<1	2	6	8	13	22
13-19 YRS	90	4.5	20	<1	<1	3	7	8	10	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	138	4.0	7	1	1	3	5	7	10	13
1-11 MOS	715	4.7	16	1	2	4	6	8	13	22
1-5 YRS	177	5.0	52	1	1	3	5	9	14	50
6-12 YRS	104	3.5	7	1	1	3	4	6	8	16
13-19 YRS	290	4.0	24	1	1	3	5	7	10	16
B. *Operated*										
0-27 DYS	11	15.4	139	2	3	14	26	31	35	35
1-11 MOS	158	13.4	123	2	3	10	19	31	36	64
1-5 YRS	251	10.0	156	<1	<1	7	13	24	35	67
6-12 YRS	125	9.0	78	1	1	7	12	21	27	43
13-19 YRS	172	7.9	110	1	2	5	9	14	21	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	3.4	8	1	1	3	4	7	9	13
B. *Operated*	378	4.9	29	<1	<1	3	7	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	1424	4.5	21	1	1	3	5	8	11	21
B. *Operated*	717	10.2	128	<1	1	7	13	24	31	66
1. SINGLE DX	1436	3.8	14	1	1	3	5	8	10	20
2. MULTIPLE DX	2141	6.4	64	1	1	4	7	14	21	37
A. NOT OPERATED	2482	4.0	16	1	1	3	5	7	10	19
B. OPERATED	1095	8.3	100	<1	1	5	11	21	28	47
TOTAL 0-27 DYS	316	4.1	15	1	1	3	5	7	10	26
1-11 MOS	1533	5.3	34	1	1	4	6	11	16	32
1-5 YRS	680	6.4	85	<1	1	3	7	15	23	55
6-12 YRS	361	5.5	43	<1	1	3	6	13	19	32
13-19 YRS	687	4.8	44	1	1	3	5	9	12	26
GRAND TOTAL	**3577**	**5.3**	**45**	**1**	**1**	**3**	**6**	**11**	**17**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	15	4.0	5	2	2	3	6	7	9	9
13-19 YRS	51	4.1	5	1	2	4	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS	4	6.3	16	3	3	6	9	11	11	11
13-19 YRS	14	5.1	9	2	2	5	7	8	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.4	11	2	2	4	6	10	10	10
1-5 YRS	10	4.4	2	3	3	4	5	7	8	8
6-12 YRS	22	4.2	5	1	2	4	6	7	9	10
13-19 YRS	70	4.4	6	1	1	4	6	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	6.3	45	1	1	4	10	16	16	16
13-19 YRS	26	6.7	16	2	3	5	9	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.9	5	1	2	3	5	7	8	13
B. *Operated*	21	6.1	13	2	2	5	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	107	4.3	6	1	2	4	6	8	9	11
B. *Operated*	33	6.5	18	1	2	5	9	11	15	20
1. SINGLE DX	92	4.4	8	1	2	4	6	8	11	14
2. MULTIPLE DX	140	4.9	9	1	2	4	6	9	11	16
A. NOT OPERATED	178	4.2	5	1	2	4	6	7	9	12
B. OPERATED	54	6.4	16	2	2	5	9	11	14	20
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	6.0	24	1	1	4	10	13	14	14
1-5 YRS	17	4.4	6	1	2	4	6	8	9	10
6-12 YRS	45	4.5	9	1	2	4	6	8	10	16
13-19 YRS	161	4.7	8	1	2	4	6	8	10	13
GRAND TOTAL	**232**	**4.7**	**9**	**1**	**2**	**4**	**6**	**9**	**11**	**14**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	6.0	30	1	1	5	7	15	16	16
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	26	4.2	4	2	2	4	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	15	7.0	5	3	5	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.5	20	2	2	8	11	12	12	12
1-5 YRS	11	4.1	5	1	2	4	5	7	9	9
6-12 YRS	6	4.2	5	2	2	3	6	8	8	8
13-19 YRS	33	5.6	11	2	2	5	7	10	12	15
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	113	7	7	14	22	22	22	22
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	3	19.3	206	3	3	25	29	30	30	30
13-19 YRS	15	11.9	167	3	4	7	12	28	47	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.4	8	1	2	3	6	7	8	16
B. *Operated*	17	6.8	5	3	4	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	54	5.3	10	2	2	4	7	10	12	15
B. *Operated*	23	11.9	150	2	3	7	13	28	38	53
1. SINGLE DX	52	5.2	8	2	2	5	7	9	10	16
2. MULTIPLE DX	77	7.2	60	2	2	5	8	13	24	47
A. NOT OPERATED	89	4.9	9	2	2	4	6	9	12	16
B. OPERATED	40	9.7	93	2	3	7	10	23	29	53
TOTAL 0-27 DYS										
1-11 MOS	7	8.9	46	2	2	7	11	20	22	22
1-5 YRS	20	4.5	12	1	1	3	6	8	12	16
6-12 YRS	13	7.6	82	2	2	3	7	26	29	30
13-19 YRS	89	6.5	39	2	2	5	7	10	13	43
GRAND TOTAL	**129**	**6.4**	**40**	**2**	**2**	**5**	**7**	**11**	**15**	**35**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	3.7	6	<1	<1	4	5	6	6	6
1-5 YRS	5	5.0	11	1	1	5	6	10	10	10
6-12 YRS	92	3.3	5	1	1	3	4	6	7	12
13-19 YRS	378	3.5	8	1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	21	6.8	20	1	1	7	9	12	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	8.3	62	4	4	5	12	20	20	20
1-5 YRS	10	6.4	21	1	1	5	8	14	14	14
6-12 YRS	75	4.5	8	1	2	4	6	8	11	13
13-19 YRS	358	4.5	8	1	2	4	6	8	10	13
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	7.2	21	3	3	6	7	15	16	16
13-19 YRS	43	8.5	31	2	2	7	11	16	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	3.5	8	1	1	3	4	6	8	11
B. *Operated*	23	6.7	19	1	2	6	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	447	4.6	9	1	2	4	6	8	10	14
B. *Operated*	52	8.2	28	2	3	7	10	16	17	29
1. SINGLE DX	502	3.7	9	1	1	3	4	7	8	12
2. MULTIPLE DX	499	4.9	12	1	2	4	6	9	12	18
A. NOT OPERATED	926	4.0	9	1	2	3	5	7	9	13
B. OPERATED	75	7.7	25	2	2	7	9	15	17	27
TOTAL 0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	9	5.7	31	<1	1	4	5	14	20	20
1-5 YRS	16	5.9	16	1	1	5	7	13	14	14
6-12 YRS	174	4.0	7	1	1	3	5	7	10	14
13-19 YRS	800	4.3	11	1	2	3	5	8	10	16
GRAND TOTAL	**1001**	**4.3**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	15	4.2	4	1	2	4	5	7	8	8
13-19 YRS	112	4.3	7	1	2	4	6	7	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	4	3.5	4	2	2	3	5	6	6	6
13-19 YRS	41	7.6	6	4	4	7	9	12	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	5.3	21	2	2	3	8	12	12	12
1-5 YRS	6	4.0	6	1	1	4	5	8	8	8
6-12 YRS	18	4.2	5	1	2	4	5	8	9	9
13-19 YRS	92	4.7	6	2	2	4	6	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	10.5	5	9	9	10	12	12	12	12
6-12 YRS	7	6.3	9	2	2	8	8	10	10	10
13-19 YRS	26	9.6	23	2	4	9	12	18	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	4.2	6	1	2	4	5	7	8	15
B. *Operated*	47	7.3	7	3	4	7	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*	121	4.6	6	1	2	4	6	8	9	14
B. *Operated*	36	9.0	20	2	4	8	11	13	19	22
1. SINGLE DX	176	5.0	8	1	2	5	7	8	11	15
2. MULTIPLE DX	157	5.6	13	2	2	4	8	10	12	19
A. NOT OPERATED	250	4.4	6	1	2	4	5	8	9	15
B. OPERATED	83	8.0	13	2	4	8	10	12	13	21
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	5.7	14	2	2	4	8	11	12	12
1-5 YRS	10	5.6	11	1	2	5	8	10	12	12
6-12 YRS	44	4.5	5	1	2	4	6	8	9	10
13-19 YRS	271	5.4	11	2	2	5	7	10	12	18
GRAND TOTAL	**333**	**5.3**	**10**	**2**	**2**	**4**	**7**	**9**	**12**	**17**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	4.8	5	<1	<1	5	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	4	7.5	26	<1	<1	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	3.4	2	1	1	4	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	59.0		59	59	59	59	59	59	59
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	4	8.5	38	4	4	7	13	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.7	4	<1	1	5	6	7	7	7
B. *Operated*	6	6.3	19	<1	<1	5	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	9	5.6	11	1	2	5	7	11	12	12
B. *Operated*	6	18.0	433	4	4	12	17	55	59	59
1. SINGLE DX	13	5.5	10	<1	<1	5	6	11	12	12
2. MULTIPLE DX	15	10.5	201	1	3	5	11	17	48	59
A. NOT OPERATED	16	5.2	8	<1	1	5	6	9	11	12
B. OPERATED	12	12.2	242	<1	3	7	13	30	55	59
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	4	4.8	2	4	4	4	6	7	7	7
1-5 YRS	2	34.0	1250	9	9	34	59	59	59	59
6-12 YRS	3	8.3	33	5	5	5	13	15	15	15
13-19 YRS	18	5.8	17	<1	<1	5	7	12	15	17
GRAND TOTAL	**28**	**8.2**	**115**	**<1**	**2**	**5**	**9**	**14**	**21**	**59**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	2.7	2	1	1	2	4	5	6	6
1-11 MOS	158	2.8	3	1	1	2	4	5	6	9
1-5 YRS	390	2.5	2	1	1	2	3	4	5	9
6-12 YRS	647	2.4	2	1	1	2	3	4	5	7
13-19 YRS	1152	2.9	4	1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	13	3.5	6	<1	1	2	5	7	9	9
13-19 YRS	60	5.0	12	1	2	4	6	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	2.9	2	1	2	2	3	5	6	8
1-11 MOS	277	3.6	7	1	2	3	4	6	7	14
1-5 YRS	1049	2.8	3	1	1	2	3	5	6	9
6-12 YRS	1086	3.1	5	1	1	3	4	5	7	10
13-19 YRS	1729	3.6	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	13	5.7	13	1	1	6	8	11	13	13
1-5 YRS	20	5.6	14	1	2	4	8	11	13	15
6-12 YRS	33	4.4	9	1	1	4	6	8	12	13
13-19 YRS	138	6.1	15	1	2	5	8	11	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2377	2.7	3	1	1	2	3	5	5	9
B. *Operated*	77	4.8	12	1	2	4	6	11	13	15
2. MULTIPLE DX										
A. *Not Operated*	4164	3.3	5	1	1	2	4	6	7	12
B. *Operated*	204	5.7	14	1	2	5	7	11	13	17
1. SINGLE DX	2454	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	4368	3.4	6	1	1	3	4	6	8	13
A. NOT OPERATED	6541	3.1	4	1	1	3	4	5	7	11
B. OPERATED	281	5.5	13	1	2	5	7	11	13	16
TOTAL 0-27 DYS	53	2.8	2	1	1	2	4	5	6	8
1-11 MOS	449	3.4	6	1	1	3	4	6	7	13
1-5 YRS	1462	2.7	3	1	1	2	3	5	6	10
6-12 YRS	1779	2.9	4	1	1	2	4	5	6	9
13-19 YRS	3079	3.5	6	1	1	3	4	6	8	13
GRAND TOTAL	**6822**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	2.2	1	1	1	2	3	4	4	4
1-11 MOS	63	3.5	8	1	1	2	4	8	11	12
1-5 YRS	38	3.1	4	1	1	2	4	6	7	10
6-12 YRS	149	3.0	3	1	1	3	4	5	6	7
13-19 YRS	263	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	59	4.4	7	2	2	4	5	8	8	17
1-11 MOS	205	3.6	4	1	2	3	4	5	7	13
1-5 YRS	26	4.4	6	1	2	4	6	8	9	12
6-12 YRS	2	10.5	113	3	3	10	18	18	18	18
13-19 YRS	13	7.0	24	<1	1	7	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	3.4	5	1	1	3	5	7	8	8
1-11 MOS	87	3.8	9	1	1	3	4	8	10	15
1-5 YRS	123	3.4	7	1	1	3	4	7	9	14
6-12 YRS	182	3.5	11	1	1	3	4	6	7	12
13-19 YRS	397	4.1	12	1	1	3	5	7	9	18
B. *Operated*										
0-27 DYS	15	5.1	7	2	2	4	6	9	10	11
1-11 MOS	72	6.3	28	2	2	5	7	15	16	28
1-5 YRS	12	5.8	11	1	2	6	8	11	11	11
6-12 YRS	14	6.4	25	1	2	4	10	13	17	18
13-19 YRS	39	8.4	49	1	2	7	12	21	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	3.2	4	1	1	3	4	6	7	11
B. *Operated*	305	4.0	7	2	2	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	808	3.8	11	1	1	3	5	7	9	17
B. *Operated*	152	6.7	30	2	2	5	8	14	18	30
1. SINGLE DX	838	3.5	5	1	1	3	4	6	8	12
2. MULTIPLE DX	960	4.3	15	1	1	3	5	8	11	22
A. NOT OPERATED	1341	3.6	8	1	1	3	4	6	8	14
B. OPERATED	457	4.9	16	2	2	4	6	10	14	25
TOTAL 0-27 DYS	113	3.9	6	1	2	3	5	7	8	14
1-11 MOS	427	4.1	11	1	2	3	4	7	12	16
1-5 YRS	199	3.6	7	1	1	3	4	7	9	13
6-12 YRS	347	3.4	9	1	1	3	4	6	7	13
13-19 YRS	712	4.1	13	1	1	3	5	7	9	21
GRAND TOTAL	**1798**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.7	9	<1	<1	3	5	9	9	9
6-12 YRS	52	2.3	2	<1	<1	2	3	4	5	8
13-19 YRS	79	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	6	4.0	3	2	2	4	4	7	7	7
1-11 MOS	17	3.4	2	1	2	3	4	5	6	7
1-5 YRS	468	3.8	4	2	2	3	4	7	8	10
6-12 YRS	6592	3.4	2	2	2	3	4	5	6	9
13-19 YRS	10686	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	3.4	5	1	1	3	4	7	8	8
6-12 YRS	44	2.7	3	<1	1	2	4	5	7	8
13-19 YRS	65	2.6	3	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.8		3	3	4	4	4	4	4
1-5 YRS	126	6.3	22	2	2	5	8	12	18	24
6-12 YRS	1063	4.8	9	2	2	4	5	9	11	16
13-19 YRS	1820	4.9	8	2	3	4	6	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	17769	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	118	2.7	3	<1	1	2	3	5	7	8
B. *Operated*	3014	4.9	9	2	2	4	6	8	11	17
1. SINGLE DX	17906	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX	3132	4.8	9	2	2	4	6	8	11	17
A. NOT OPERATED	255	2.5	3	<1	1	2	3	4	6	8
B. OPERATED	20783	3.7	4	2	2	3	4	6	7	11
TOTAL 0-27 DYS	7	3.9	2	2	2	4	4	6	7	7
1-11 MOS	21	3.5	1	1	2	3	4	5	6	7
1-5 YRS	608	4.3	9	2	2	4	5	7	9	18
6-12 YRS	7751	3.6	3	2	2	3	4	5	7	11
13-19 YRS	12651	3.8	3	2	2	3	4	6	7	11
GRAND TOTAL	**21038**	**3.7**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	10.5	16	5	6	9	13	16	19	20
6-12 YRS	24	5.3	7	2	3	5	7	9	10	11
13-19 YRS	24	8.8	9	4	4	9	11	12	14	16
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	7.7	30	4	4	5	12	14	14	14
1-5 YRS	428	7.7	13	3	4	7	9	12	14	19
6-12 YRS	1677	7.0	12	3	3	7	8	11	13	18
13-19 YRS	1668	6.8	11	3	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	7.4	20	1	2	7	9	14	15	15
6-12 YRS	7	10.7	34	1	2	12	15	17	17	17
13-19 YRS	19	8.2	20	2	3	7	10	15	19	20
B. *Operated*										
0-27 DYS										
1-11 MOS	5	10.2	29	5	5	7	16	16	16	16
1-5 YRS	251	10.7	43	4	5	9	13	18	23	41
6-12 YRS	835	10.0	37	4	5	8	12	17	21	30
13-19 YRS	850	9.8	37	4	5	8	11	17	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	7.8	14	3	3	8	10	12	14	20
B. *Operated*	3777	7.0	12	3	3	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	35	8.5	22	1	3	7	12	16	17	20
B. *Operated*	1941	10.0	37	4	5	8	12	17	22	32
1. SINGLE DX	3838	7.0	12	3	3	7	9	11	13	18
2. MULTIPLE DX	1976	10.0	37	4	5	8	12	17	22	32
A. NOT OPERATED	96	8.0	17	2	3	8	11	13	16	20
B. OPERATED	5718	8.0	23	3	4	7	9	13	17	26
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	9.3	27	4	4	7	15	16	16	16
1-5 YRS	701	8.8	26	3	4	8	10	14	18	28
6-12 YRS	2543	7.9	22	3	4	7	9	13	17	25
13-19 YRS	2561	7.8	22	3	4	7	9	12	16	26
GRAND TOTAL	**5814**	**8.0**	**22**	**3**	**4**	**7**	**9**	**13**	**16**	**26**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	3.5	27	1	1	2	3	11	18	18
6-12 YRS	116	2.1	2	1	1	2	2	4	5	9
13-19 YRS	172	2.1	3	<1	1	2	3	4	5	10
B. Operated										
0-27 DYS										
1-11 MOS	4	4.0	1	3	3	4	5	5	5	5
1-5 YRS	61	4.1	5	2	2	3	5	8	9	11
6-12 YRS	529	3.8	4	2	2	3	4	6	7	12
13-19 YRS	991	4.1	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	1.8		<1	<1	2	2	3	3	3
6-12 YRS	54	2.7	4	1	1	2	4	6	7	7
13-19 YRS	94	2.9	4	1	1	2	3	5	7	11
B. Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS	37	5.2	11	1	2	4	7	9	12	17
6-12 YRS	267	4.8	6	2	3	4	6	8	10	12
13-19 YRS	575	5.3	11	2	3	5	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	298	2.2	3	<1	1	2	2	4	6	10
B. Operated	1585	4.0	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. Not Operated	157	2.8	4	1	1	2	4	5	7	8
B. Operated	880	5.2	10	2	3	4	6	8	10	17
1. SINGLE DX	1883	3.7	5	1	2	3	4	6	8	11
2. MULTIPLE DX	1037	4.8	10	2	2	4	6	8	10	16
A. NOT OPERATED	455	2.4	4	1	1	2	3	4	6	10
B. OPERATED	2465	4.4	7	2	2	4	5	7	9	13
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	4	4.0	1	3	3	4	5	5	5	5
1-5 YRS	117	4.2	9	1	1	3	5	8	9	12
6-12 YRS	966	3.8	5	1	2	3	5	6	8	12
13-19 YRS	1832	4.2	7	1	2	4	5	7	8	13
GRAND TOTAL	**2920**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1-11 MOS	40	1.2		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1-5 YRS	33	1.1		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6-12 YRS	17	1.5		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
13-19 YRS	24	2.0	3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
B. Operated										
0-27 DYS	59	1.7	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1-11 MOS	2473	1.6	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1-5 YRS	4135	1.5	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6-12 YRS	2259	1.7	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
13-19 YRS	3408	2.7	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	1.8	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1-11 MOS	224	1.8	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1-5 YRS	266	1.4	3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6-12 YRS	43	1.6	4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
13-19 YRS	40	1.7	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
B. Operated										
0-27 DYS	50	1.9	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1-11 MOS	1878	2.2	9	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1-5 YRS	3107	1.7	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6-12 YRS	1120	2.0	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
13-19 YRS	1009	3.1	7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	1.4	1	<1	<1	1	1	2	3	6
B. Operated	12334	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	578	1.6	3	<1	<1	<1	1	1	3	4	10
B. Operated	7164	2.1	5	<1	<1	<1	2	2	4	5	9
1. SINGLE DX	12449	1.9	1	<1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	7742	2.1	4	<1	<1	<1	2	2	4	5	9
A. NOT OPERATED	693	1.5	3	<1	<1	<1	1	1	3	4	9
B. OPERATED	19498	2.0	2	<1	<1	<1	2	2	3	4	6
TOTAL 0-27 DYS	115	1.8	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1-11 MOS	6615	1.8	5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
1-5 YRS	7541	1.6	1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6-12 YRS	3439	1.8	2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
13-19 YRS	4481	2.8	3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
GRAND TOTAL	**20191**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	1.1		<1	<1	1	1	2	2	2
1-5 YRS	24	1.2		<1	<1	1	1	2	2	2
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	9	1.3	1	<1	<1	1	1	3	4	4
B. *Operated*										
0-27 DYS	61	2.1	2	1	1	2	2	4	6	7
1-11 MOS	453	1.9	2	<1	1	2	2	3	5	7
1-5 YRS	387	1.6	1	<1	1	1	2	3	4	6
6-12 YRS	74	2.1	1	1	1	2	3	3	5	6
13-19 YRS	132	2.9	2	1	1	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	18	1.6	1	<1	<1	1	2	4	4	4
1-5 YRS	16	6.6	326	<1	<1	2	3	7	54	74
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	42	5.0	211	1	1	3	3	6	8	96
1-11 MOS	370	2.7	10	<1	1	2	3	5	9	18
1-5 YRS	255	2.4	6	<1	1	2	3	4	7	15
6-12 YRS	32	2.4	2	<1	1	2	3	4	6	6
13-19 YRS	53	3.8	8	1	2	3	5	6	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	1.2		<1	<1	1	1	2	2	4
B. *Operated*	1107	2.0	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	38	3.7	139	<1	<1	1	2	4	6	74
B. *Operated*	752	2.8	20	<1	1	2	3	5	8	16
1. SINGLE DX	1164	1.9	2	<1	1	2	2	3	4	6
2. MULTIPLE DX	790	2.9	25	<1	1	2	3	5	8	17
A. NOT OPERATED	95	2.2	56	<1	<1	1	2	3	4	44
B. OPERATED	1859	2.3	9	<1	1	2	3	4	5	12
TOTAL 0-27 DYS	106	3.2	86	1	1	2	3	5	7	47
1-11 MOS	862	2.2	6	<1	1	2	2	4	6	14
1-5 YRS	682	2.0	11	<1	1	1	2	3	4	10
6-12 YRS	108	2.2	1	1	1	2	3	4	5	6
13-19 YRS	196	3.1	4	1	1	3	4	5	6	14
GRAND TOTAL	**1954**	**2.3**	**11**	**<1**	**1**	**2**	**3**	**4**	**5**	**12**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	1.3		<1	<1	<1	2	2	2	2
1-5 YRS	8	1.4		<1	<1	1	2	2	2	2
6-12 YRS	5	2.2	5	<1	<1	1	3	6	6	6
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	192	1.8	1	<1	<1	2	2	3	4	6
1-5 YRS	1057	1.8	2	<1	<1	2	2	3	3	5
6-12 YRS	427	1.9	1	<1	<1	2	2	3	3	5
13-19 YRS	196	2.6	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	23	1.7	2	<1	<1	1	2	4	6	7
1-5 YRS	58	1.4	1	<1	<1	1	1	2	4	6
6-12 YRS	5	1.4		<1	<1	1	2	2	2	2
13-19 YRS	10	2.8	6	<1	<1	2	5	7	8	8
B. *Operated*										
0-27 DYS	4	36.5	1324	7	7	46	88	99+	99+	99+
1-11 MOS	73	2.8	5	<1	1	2	3	5	7	14
1-5 YRS	249	2.7	15	<1	<1	2	3	5	6	14
6-12 YRS	91	2.4	2	<1	1	2	3	4	5	9
13-19 YRS	49	3.1	2	1	2	3	4	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.8	3	<1	<1	1	2	3	6	7
B. *Operated*	1874	1.9	2	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	98	1.7	2	<1	<1	1	2	3	5	8
B. *Operated*	466	3.0	28	<1	<1	2	3	5	6	20
1. SINGLE DX	1896	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	564	2.8	23	<1	<1	2	3	5	6	14
A. NOT OPERATED	120	1.7	2	<1	<1	1	2	3	6	8
B. OPERATED	2340	2.1	7	<1	<1	2	2	3	4	8
TOTAL 0-27 DYS	9	18.4	796	1	1	8	46	92	99+	99+
1-11 MOS	295	2.1	3	<1	<1	2	2	4	5	10
1-5 YRS	1372	2.0	4	<1	<1	2	2	3	4	7
6-12 YRS	528	2.0	1	<1	<1	2	2	3	4	6
13-19 YRS	256	2.7	2	1	1	2	3	5	5	8
GRAND TOTAL	**2460**	**2.1**	**7**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	17	3.4	4	2	2	3	4	7	8	8
1-5 YRS	99	2.1	3	<1	<1	2	2	4	6	9
6-12 YRS	100	2.0	1	<1	<1	2	2	3	4	7
13-19 YRS	182	2.9	8	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	6	4.7	17	1	1	4	6	11	12	12
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	24	6.1	31	1	2	4	8	15	19	22
1-5 YRS	56	3.6	24	<1	<1	2	4	9	15	95
6-12 YRS	28	3.5	9	<1	1	3	4	8	10	13
13-19 YRS	60	4.6	7	1	2	4	6	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	1	<1	<1	1	2	4	4	4
B. Operated	399	2.5	5	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	12	3.0	11	<1	<1	1	4	8	11	12
B. Operated	169	4.3	17	<1	1	3	6	9	13	29
1. SINGLE DX	406	2.5	5	<1	<1	2	3	4	6	9
2. MULTIPLE DX	181	4.2	17	<1	1	3	5	9	12	28
A. NOT OPERATED	19	2.5	7	<1	<1	1	3	5	9	12
B. OPERATED	568	3.0	9	<1	1	2	3	6	8	16
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	42	4.9	21	1	2	3	6	10	16	22
1-5 YRS	161	2.6	11	<1	<1	2	2	6	8	29
6-12 YRS	131	2.3	3	<1	<1	2	3	4	5	11
13-19 YRS	251	3.3	8	1	1	3	4	6	7	12
GRAND TOTAL	**587**	**3.0**	**9**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	8	4.0	6	1	1	3	6	8	8	8
B. Operated										
0-27 DYS										
1-11 MOS	10	6.0	5	2	3	6	7	9	11	11
1-5 YRS	9	6.6	96	<1	<1	2	7	23	31	31
6-12 YRS	2	4.0	18	<1	<1	3	7	7	7	7
13-19 YRS	9	7.2	17	2	2	8	9	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	5	10.4	151	1	1	4	19	30	30	30
1-5 YRS	14	7.4	85	1	1	3	6	22	28	30
6-12 YRS	10	4.9	10	1	1	4	7	9	11	11
13-19 YRS	49	3.8	5	1	2	3	5	7	9	10
B. Operated										
0-27 DYS	3	15.0	64	7	7	15	21	23	23	23
1-11 MOS	10	7.0	9	2	3	8	9	11	12	12
1-5 YRS	17	12.0	61	3	4	10	18	24	26	27
6-12 YRS	9	13.9	106	6	6	9	15	31	39	39
13-19 YRS	27	10.6	119	2	3	8	10	25	31	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.4	5	1	1	3	4	7	8	8
B. Operated	30	6.4	34	<1	1	6	8	11	15	31
2. MULTIPLE DX										
A. Not Operated	80	5.0	30	1	1	3	6	9	17	30
B. Operated	66	11.1	84	3	4	8	14	23	27	52
1. SINGLE DX	42	5.5	27	<1	1	5	7	10	13	31
2. MULTIPLE DX	146	7.7	63	1	2	5	9	18	24	40
A. NOT OPERATED	92	4.8	27	1	1	3	6	9	15	30
B. OPERATED	96	9.6	72	1	2	7	11	21	27	48
TOTAL 0-27 DYS	5	10.6	73	1	1	7	17	23	23	23
1-11 MOS	26	7.1	33	2	2	6	8	12	18	30
1-5 YRS	41	9.0	78	1	1	6	15	23	28	31
6-12 YRS	23	8.1	67	1	2	7	9	15	26	39
13-19 YRS	93	6.2	48	1	2	4	8	10	15	43
GRAND TOTAL	**188**	**7.3**	**56**	**1**	**2**	**5**	**9**	**15**	**23**	**36**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	13	<1	<1	3	6	6	6	6
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.5	20	1	1	3	7	11	11	11
1-5 YRS	9	1.8		<1	<1	2	2	3	3	3
6-12 YRS	18	1.8	1	<1	<1	1	2	3	4	4
13-19 YRS	39	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	3.0	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.8	18	<1	<1	2	6	10	10	10
6-12 YRS	13	2.5	2	<1	1	2	4	5	6	6
13-19 YRS	14	4.1	2	2	2	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	5	<1	<1	3	5	6	6	6
B. *Operated*	70	2.6	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	9	2.1	2	<1	<1	1	3	4	4	4
B. *Operated*	31	3.4	4	<1	1	3	4	6	7	10
1. SINGLE DX	76	2.7	3	<1	1	2	3	5	6	10
2. MULTIPLE DX	40	3.1	4	<1	<1	3	4	6	7	10
A. NOT OPERATED	15	2.6	3	<1	<1	2	4	5	6	6
B. OPERATED	101	2.9	3	<1	1	2	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS	4	4.5	20	1	1	3	7	11	11	11
1-5 YRS	18	2.3	5	<1	<1	2	2	5	8	10
6-12 YRS	34	2.1	2	<1	<1	2	3	4	5	6
13-19 YRS	60	3.3	2	1	1	3	4	5	6	8
GRAND TOTAL	**116**	**2.8**	**3**	**<1**	**1**	**2**	**4**	**5**	**6**	**10**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	31	3.1	11	<1	1	2	3	8	11	15
1-5 YRS	72	2.4	7	<1	<1	2	3	4	6	19
6-12 YRS	24	2.9	9	<1	<1	2	3	5	10	15
13-19 YRS	59	3.1	4	<1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	7	2.3	2	<1	<1	2	4	4	4	4
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS										
B. *Operated*										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	26	4.1	11	1	1	3	6	10	11	14
1-5 YRS	20	5.9	22	1	1	4	8	12	16	19
6-12 YRS	19	3.9	9	<1	1	2	6	9	10	10
13-19 YRS	25	7.2	61	1	2	4	11	15	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.1		<1	<1	1	1	2	2	2
B. *Operated*	188	2.8	7	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	12	2.6	3	<1	<1	2	3	5	7	7
B. *Operated*	91	5.5	32	1	1	3	7	11	15	32
1. SINGLE DX	195	2.8	7	<1	<1	2	3	5	7	15
2. MULTIPLE DX	103	5.2	30	1	1	3	7	11	15	31
A. NOT OPERATED	19	2.1	3	<1	<1	1	3	4	6	7
B. OPERATED	279	3.7	17	<1	1	2	4	8	11	22
TOTAL 0-27 DYS	4	8.5	139	<1	<1	3	15	26	26	26
1-11 MOS	61	3.4	11	<1	1	2	4	9	11	15
1-5 YRS	103	3.0	11	<1	<1	2	3	6	8	20
6-12 YRS	46	3.4	9	<1	<1	2	4	8	9	15
13-19 YRS	84	4.3	24	1	1	3	5	9	12	31
GRAND TOTAL	**298**	**3.6**	**16**	**<1**	**1**	**2**	**4**	**8**	**11**	**22**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.8	1	<1	<1	2	2	3	3	3
1-11 MOS	143	2.1	3	1	1	1	3	4	6	8
1-5 YRS	199	2.0	2	<1	1	1	2	4	5	6
6-12 YRS	89	3.5	5	1	1	3	4	7	9	10
13-19 YRS	154	3.6	4	1	1	3	5	7	7	9
B. *Operated*										
0-27 DYS	4	9.0	43	1	1	9	13	17	17	17
1-11 MOS	212	5.1	7	2	3	4	6	8	10	15
1-5 YRS	143	6.6	25	2	3	6	7	11	13	25
6-12 YRS	69	7.6	11	4	4	7	9	11	13	21
13-19 YRS	173	8.7	14	4	5	8	10	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	4	1	1	3	5	6	6	6
1-11 MOS	82	3.1	6	<1	1	2	4	6	9	12
1-5 YRS	145	3.5	10	1	1	3	4	7	9	16
6-12 YRS	96	4.6	19	1	1	3	5	8	14	24
13-19 YRS	147	4.7	29	1	1	3	6	8	11	27
B. *Operated*										
0-27 DYS	7	17.3	187	4	5	11	27	39	41	41
1-11 MOS	191	10.5	162	3	4	7	11	16	28	96
1-5 YRS	161	8.8	38	3	4	7	10	15	22	42
6-12 YRS	100	9.7	70	4	4	8	10	15	27	51
13-19 YRS	201	10.3	41	4	5	9	12	17	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	2.7	4	1	1	2	4	5	7	9
B. *Operated*	501	6.8	16	3	3	6	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	474	4.0	17	1	1	3	5	8	10	22
B. *Operated*	660	10.0	82	4	4	8	11	17	27	60
1. SINGLE DX	1191	4.7	14	1	1	4	7	9	11	18
2. MULTIPLE DX	1134	7.5	63	1	2	6	9	14	19	42
A. NOT OPERATED	1064	3.3	10	1	1	2	4	6	8	15
B. OPERATED	1261	8.5	53	3	4	7	10	14	19	42
TOTAL 0-27 DYS	20	9.0	112	<1	1	5	11	24	36	41
1-11 MOS	628	5.8	64	1	1	4	7	10	13	45
1-5 YRS	648	5.0	25	1	1	4	6	10	14	29
6-12 YRS	354	6.3	34	1	2	5	8	11	14	29
13-19 YRS	675	7.1	31	1	2	6	9	13	16	30
GRAND TOTAL	**2325**	**6.1**	**40**	**1**	**1**	**5**	**8**	**11**	**14**	**31**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	441	3.4	4	1	1	3	4	6	7	11
1-11 MOS	4520	3.4	4	1	2	3	4	6	7	10
1-5 YRS	5910	2.9	3	1	1	3	4	5	6	9
6-12 YRS	3644	2.3	2	1	1	2	3	4	5	7
13-19 YRS	3831	2.4	3	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	4	2.8	3	1	1	2	4	5	5	5
1-11 MOS	55	7.5	139	1	1	4	9	20	35	99
1-5 YRS	63	3.3	22	<1	1	3	4	5	8	33
6-12 YRS	99	5.1	94	1	1	3	5	7	10	65
13-19 YRS	235	4.5	15	1	2	4	5	8	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	585	4.7	13	1	2	4	5	8	11	16
1-11 MOS	9134	4.2	10	1	2	4	5	7	9	15
1-5 YRS	12602	3.4	5	1	2	3	4	6	7	11
6-12 YRS	4047	3.0	6	1	1	3	4	5	6	10
13-19 YRS	3401	3.1	4	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS	15	19.1	579	3	3	10	24	46	82	94
1-11 MOS	216	11.9	237	2	3	6	12	35	55	99+
1-5 YRS	227	7.6	88	2	2	5	8	14	23	44
6-12 YRS	84	6.8	41	1	2	5	8	14	19	36
13-19 YRS	221	6.0	27	1	2	5	8	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18346	2.8	3	1	1	2	4	5	6	9
B. *Operated*	456	4.8	49	1	1	3	5	8	11	39
2. MULTIPLE DX										
A. *Not Operated*	29769	3.6	7	1	2	3	4	6	7	13
B. *Operated*	763	8.5	123	2	2	5	9	17	31	66
1. SINGLE DX	18802	2.9	4	1	1	2	4	5	6	9
2. MULTIPLE DX	30532	3.7	10	1	2	3	4	6	8	14
A. NOT OPERATED	48115	3.3	6	1	1	3	4	6	7	11
B. OPERATED	1219	7.1	99	1	2	4	7	13	24	62
TOTAL 0-27 DYS	1045	4.4	20	1	2	3	5	7	10	16
1-11 MOS	13925	4.1	13	1	2	3	5	7	8	16
1-5 YRS	18802	3.3	6	1	1	3	4	5	7	11
6-12 YRS	7874	2.8	6	1	1	2	3	5	6	9
13-19 YRS	7688	2.9	5	1	1	2	4	5	7	11
GRAND TOTAL	**49334**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.3	6	4	4	6	8	9	9	9
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	8	3.8	6	<1	<1	3	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS										
13-19 YRS	4	7.8	2	6	6	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	4.7	5	2	2	6	6	6	6	6
1-5 YRS	10	13.5	379	2	2	9	11	42	67	67
6-12 YRS	3	4.3	2	3	3	4	5	6	6	6
13-19 YRS	4	6.0	5	4	4	5	7	9	9	9
B. *Operated*										
0-27 DYS	2	13.0	8	11	11	13	15	15	15	15
1-11 MOS	5	7.2	52	1	1	4	11	19	19	19
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS										
13-19 YRS	8	14.3	79	7	7	10	19	29	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.5	7	<1	1	5	6	8	9	9
B. *Operated*	7	7.0	4	4	4	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	21	9.2	190	2	2	6	9	14	40	67
B. *Operated*	16	12.1	64	2	3	10	17	22	29	32
1. SINGLE DX	21	5.3	7	1	1	6	7	9	9	9
2. MULTIPLE DX	37	10.5	135	2	2	7	11	19	28	67
A. NOT OPERATED	35	7.3	120	1	2	6	8	10	16	67
B. OPERATED	23	10.6	51	2	4	9	14	20	25	32
TOTAL 0-27 DYS	3	11.0	16	7	7	11	14	15	15	15
1-11 MOS	12	6.2	22	1	2	5	8	12	18	19
1-5 YRS	15	11.6	263	1	2	9	11	18	55	67
6-12 YRS	4	4.8	2	3	3	5	6	6	6	6
13-19 YRS	24	8.3	47	1	2	7	9	17	25	32
GRAND TOTAL	**58**	**8.6**	**94**	**1**	**2**	**6**	**9**	**18**	**21**	**64**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	2.9	3	1	1	3	4	6	6	6
1-11 MOS	19	2.0	2	<1	<1	2	3	4	5	5
1-5 YRS	17	2.5	4	<1	<1	1	4	6	6	6
6-12 YRS	16	3.3	10	1	1	3	3	6	12	14
13-19 YRS	38	2.9	4	<1	1	3	4	5	5	12
B. *Operated*										
0-27 DYS	4	3.3	7	<1	<1	2	5	7	7	7
1-11 MOS	132	1.9	2	<1	<1	1	2	4	5	7
1-5 YRS	62	2.5	3	<1	1	2	3	5	7	9
6-12 YRS	57	3.1	13	<1	1	2	4	5	6	26
13-19 YRS	327	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	4.4	12	1	1	4	6	10	12	12
1-11 MOS	34	3.7	10	1	1	2	5	8	10	16
1-5 YRS	29	4.0	11	1	1	3	5	8	9	17
6-12 YRS	22	2.6	2	1	1	3	3	4	5	7
13-19 YRS	58	4.5	19	1	2	3	5	9	13	26
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	42	3.1	7	<1	<1	2	4	7	9	11
1-5 YRS	45	3.4	11	<1	1	2	4	9	9	17
6-12 YRS	23	4.0	12	1	1	3	5	8	11	16
13-19 YRS	246	4.4	16	1	2	4	5	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.7	4	<1	1	2	4	5	6	13
B. *Operated*	582	3.0	6	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	152	4.0	13	1	1	3	5	7	11	17
B. *Operated*	357	4.1	14	1	1	3	5	8	9	19
1. SINGLE DX	686	3.0	6	<1	1	2	4	5	7	14
2. MULTIPLE DX	509	4.1	14	1	1	3	5	8	10	18
A. NOT OPERATED	256	3.5	10	1	1	3	4	6	8	17
B. OPERATED	939	3.4	10	<1	1	3	4	6	8	16
TOTAL 0-27 DYS	28	3.4	6	1	1	3	5	7	8	12
1-11 MOS	227	2.4	5	<1	<1	2	3	5	7	11
1-5 YRS	153	3.1	7	<1	1	2	4	7	8	17
6-12 YRS	118	3.2	10	1	1	3	4	6	8	20
13-19 YRS	669	3.9	11	1	1	3	5	7	9	19
GRAND TOTAL	**1195**	**3.4**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	26	2.2	2	<1	1	2	2	4	6	6
1-11 MOS	134	2.4	3	<1	1	2	3	4	6	10
1-5 YRS	506	2.6	5	<1	1	2	3	5	6	11
6-12 YRS	832	3.1	13	1	1	2	4	6	7	15
13-19 YRS	1475	4.2	14	1	1	3	5	7	10	18
B. Operated										
0-27 DYS	9	5.3	26	1	1	4	7	14	15	15
1-11 MOS	36	5.4	50	1	1	3	5	12	23	38
1-5 YRS	207	4.1	27	<1	<1	2	5	8	11	33
6-12 YRS	238	5.9	47	<1	1	4	7	13	20	40
13-19 YRS	516	7.3	44	1	1	5	9	15	20	34
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	34	3.1	5	1	1	3	4	6	8	10
1-11 MOS	156	4.1	14	1	1	3	5	9	10	22
1-5 YRS	501	3.7	11	1	1	3	5	7	10	15
6-12 YRS	812	3.9	18	1	1	3	4	7	10	28
13-19 YRS	1487	4.6	16	1	1	4	6	9	11	22
B. Operated										
0-27 DYS	7	10.0	97	1	1	10	12	26	30	30
1-11 MOS	86	11.7	217	1	2	8	13	25	50	97
1-5 YRS	179	8.1	117	1	1	5	9	16	34	47
6-12 YRS	271	9.2	93	1	2	7	11	21	30	49
13-19 YRS	783	10.5	99	2	2	8	13	23	33	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2973	3.5	12	1	1	3	4	6	9	17
B. Operated	1006	6.2	43	1	1	4	8	14	18	36
2. MULTIPLE DX										
A. Not Operated	2990	4.2	16	1	1	3	5	8	11	22
B. Operated	1326	10.0	108	1	2	7	12	22	32	50
1. SINGLE DX	3979	4.2	21	1	1	3	5	8	12	23
2. MULTIPLE DX	4316	6.0	51	1	1	4	7	12	19	40
A. NOT OPERATED	5963	3.9	14	1	1	3	5	7	10	18
B. OPERATED	2332	8.4	83	1	1	6	10	18	27	45
TOTAL 0-27 DYS	76	3.7	18	1	1	2	4	8	12	25
1-11 MOS	412	5.3	68	1	1	3	6	11	16	54
1-5 YRS	1393	3.9	28	<1	1	3	5	8	11	31
6-12 YRS	2153	4.5	33	1	1	3	5	9	14	31
13-19 YRS	4261	5.9	39	1	1	4	7	12	17	35
GRAND TOTAL	**8295**	**5.1**	**38**	**1**	**1**	**3**	**6**	**10**	**15**	**34**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	4	9.5	74	2	2	7	16	21	21	21
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	13	17.6	168	3	3	20	29	32	34	34
B. Operated										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.3	2	4	4	5	6	7	7	7
B. Operated										
2. MULTIPLE DX										
A. Not Operated	20	14.3	141	2	3	9	20	31	33	34
B. Operated	3	15.3	64	7	7	16	21	23	23	23
1. SINGLE DX	6	5.3	2	4	4	5	6	7	7	7
2. MULTIPLE DX	23	14.4	128	2	3	10	27	30	33	34
A. NOT OPERATED	24	12.8	129	2	3	6	24	30	33	34
B. OPERATED	3	15.3	64	7	7	16	21	23	23	23
TOTAL 0-27 DYS										
1-11 MOS	7	9.3	50	2	2	7	15	20	21	21
1-5 YRS	3	12.0	103	3	3	10	20	23	23	23
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	15	15.9	164	3	3	9	29	32	33	34
GRAND TOTAL	**27**	**13.1**	**120**	**3**	**3**	**7**	**22**	**30**	**33**	**34**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.0	8	1	1	2	4	8	8	8
1-5 YRS	10	3.7	8	1	1	3	4	8	9	9
6-12 YRS	6	2.0	4	1	1	1	2	6	6	6
13-19 YRS	14	4.7	11	<1	1	4	7	9	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS	9	5.9	17	1	1	7	9	11	13	13
1-5 YRS	17	2.2	2	<1	<1	2	3	4	5	5
6-12 YRS	12	2.6	4	1	1	2	3	5	8	8
13-19 YRS	34	5.9	107	1	1	2	4	12	35	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	9	6.0	20	<1	1	4	10	12	13	13
1-5 YRS	22	4.8	9	<1	1	4	7	9	10	11
6-12 YRS	17	4.6	15	1	1	3	6	10	14	16
13-19 YRS	36	8.0	60	2	2	6	10	16	18	44
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	10	10.3	101	1	1	8	11	28	30	30
1-5 YRS	18	7.3	55	1	1	5	9	18	27	30
6-12 YRS	21	4.8	13	1	1	3	6	11	12	13
13-19 YRS	46	9.6	236	1	1	4	12	24	31	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.7	9	1	1	3	5	8	9	12
B. *Operated*	72	4.4	56	1	1	2	4	8	13	42
2. MULTIPLE DX										
A. *Not Operated*	85	6.3	35	1	2	4	9	12	16	35
B. *Operated*	96	8.3	139	1	1	4	10	20	29	67
1. SINGLE DX	108	4.2	40	1	1	2	4	8	10	39
2. MULTIPLE DX	181	7.4	91	1	1	4	9	15	23	41
A. NOT OPERATED	121	5.5	28	1	1	4	8	11	14	26
B. OPERATED	168	6.6	106	1	1	3	8	13	27	43
TOTAL 0-27 DYS	2	14.5	41	10	10	14	19	19	19	19
1-11 MOS	34	6.7	44	1	1	4	9	13	23	30
1-5 YRS	67	4.6	22	1	1	3	6	9	10	29
6-12 YRS	56	3.9	12	1	1	3	6	9	12	16
13-19 YRS	130	7.7	130	1	1	4	9	17	30	55
GRAND TOTAL	**289**	**6.2**	**74**	**1**	**1**	**3**	**8**	**12**	**19**	**41**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.2	3	<1	<1	4	4	5	5	5
1-5 YRS	30	5.0	23	1	1	3	7	11	15	23
6-12 YRS	65	4.4	8	<1	1	4	6	8	9	15
13-19 YRS	137	5.2	12	2	2	4	6	9	12	20
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3	5	1	1	1	4	5	5	5
1-5 YRS	8	6.3	37	1	1	4	10	16	17	17
6-12 YRS	8	5.1	87	1	1	2	3	21	28	28
13-19 YRS	18	7.3	50	1	1	6	9	18	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	19	6.6	46	1	1	4	7	20	23	24
1-5 YRS	43	6.2	20	1	2	5	10	13	14	19
6-12 YRS	76	5.1	16	1	2	4	7	10	13	20
13-19 YRS	119	5.9	16	1	2	5	8	11	15	20
B. *Operated*										
0-27 DYS										
1-11 MOS	7	15.3	235	3	3	10	25	40	43	43
1-5 YRS	12	8.4	106	1	1	5	10	22	36	38
6-12 YRS	22	9.0	95	1	1	5	14	26	30	34
13-19 YRS	37	13.1	173	2	2	9	16	25	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	4.9	12	1	2	4	6	8	12	20
B. *Operated*	37	6.2	50	1	1	3	7	18	23	28
2. MULTIPLE DX										
A. *Not Operated*	260	5.8	19	1	2	5	8	11	15	21
B. *Operated*	78	11.4	146	1	2	8	15	27	36	63
1. SINGLE DX	274	5.1	17	1	1	4	6	9	14	22
2. MULTIPLE DX	338	7.1	53	1	2	5	9	15	20	39
A. NOT OPERATED	497	5.3	16	1	2	4	7	10	13	21
B. OPERATED	115	9.7	120	1	1	6	14	25	29	53
TOTAL 0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	34	7.5	87	1	1	4	7	21	29	43
1-5 YRS	93	6.1	33	1	1	4	8	13	15	32
6-12 YRS	171	5.3	27	1	1	4	7	10	16	28
13-19 YRS	311	6.5	40	2	2	5	8	12	18	26
GRAND TOTAL	**612**	**6.2**	**38**	**1**	**2**	**5**	**7**	**12**	**18**	**29**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	4	3.3	4	1	1	3	5	5	5	5
6-12 YRS	5	3.4	2	1	1	4	4	5	5	5
13-19 YRS	159	2.9	5	<1	1	2	4	6	7	9
B. Operated										
0-27 DYS	4	6.3	5	4	4	6	8	9	9	9
1-11 MOS	13	8.1	24	4	5	6	9	13	21	23
1-5 YRS	8	6.6	9	2	3	6	8	11	12	12
6-12 YRS	24	5.7	9	1	2	6	7	10	12	13
13-19 YRS	1016	6.3	6	4	4	6	7	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	6	5.8	13	1	1	7	8	10	10	10
1-5 YRS	5	9.6	64	1	1	7	17	19	19	19
6-12 YRS	8	3.4	4	1	1	3	4	6	7	7
13-19 YRS	182	3.8	6	1	1	3	5	7	8	13
B. Operated										
0-27 DYS	4	5.8	13	<1	<1	6	8	9	9	9
1-11 MOS	21	9.6	23	5	5	8	13	20	54	99+
1-5 YRS	20	10.4	49	1	2	9	13	20	25	28
6-12 YRS	32	9.9	54	2	4	8	12	18	30	34
13-19 YRS	663	8.6	16	4	5	7	10	14	17	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	2.9	4	<1	1	2	4	6	7	9
B. Operated	1065	6.4	6	4	4	6	7	10	11	16
2. MULTIPLE DX										
A. Not Operated	201	4.0	8	1	1	3	5	7	9	16
B. Operated	740	8.7	19	4	5	8	10	14	17	24
1. SINGLE DX	1237	5.9	8	2	3	6	7	9	11	16
2. MULTIPLE DX	941	7.7	20	2	3	7	9	13	17	24
A. NOT OPERATED	373	3.5	7	1	1	3	5	7	8	15
B. OPERATED	1805	7.3	13	4	4	6	8	12	14	22
TOTAL 0-27 DYS	8	6.0	8	<1	1	6	8	9	9	9
1-11 MOS	44	8.0	24	1	2	7	10	16	23	99+
1-5 YRS	37	8.7	41	1	2	7	12	18	21	28
6-12 YRS	69	7.2	35	2	2	6	9	13	17	33
13-19 YRS	2020	6.6	12	2	3	6	8	11	13	19
GRAND TOTAL	**2178**	**6.7**	**14**	**2**	**3**	**6**	**8**	**11**	**13**	**21**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	11.0	271	1	1	2	23	30	30	30
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.2		2	2	2	3	3	3	3
13-19 YRS	135	3.6	5	1	1	3	5	7	8	10
B. Operated										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	3	5.3	8	2	2	7	7	7	7	7
1-5 YRS										
6-12 YRS	4	6.5	3	5	5	6	8	9	9	9
13-19 YRS	96	7.2	9	4	4	7	9	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	4	7.8	68	2	2	4	12	20	20	20
6-12 YRS	7	6.3	30	2	2	4	7	16	18	18
13-19 YRS	139	4.0	5	1	2	3	5	8	9	12
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	11.6	141	1	2	7	15	32	36	36
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	5	8.2	1	7	7	8	9	10	10	10
13-19 YRS	101	8.8	20	4	4	7	11	15	18	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	3.7	9	1	1	3	5	7	8	13
B. Operated	105	7.1	9	3	4	7	9	10	12	17
2. MULTIPLE DX										
A. Not Operated	152	4.3	8	1	2	3	5	8	9	18
B. Operated	115	8.9	26	4	4	7	11	15	18	2[illegible]
1. SINGLE DX	250	5.1	12	1	2	5	7	9	10	16
2. MULTIPLE DX	267	6.3	21	2	2	5	8	12	15	22
A. NOT OPERATED	297	4.0	9	1	1	3	5	8	9	15
B. OPERATED	220	8.0	18	4	4	7	10	13	16	22
TOTAL 0-27 DYS	5	7.4	10	3	3	7	10	11	11	11
1-11 MOS	14	10.0	115	1	1	7	10	31	35	36
1-5 YRS	6	6.0	49	1	1	4	5	18	20	20
6-12 YRS	21	5.8	15	2	2	5	8	9	14	18
13-19 YRS	471	5.6	13	1	2	5	7	10	13	19
GRAND TOTAL	**517**	**5.7**	**17**	**1**	**2**	**5**	**7**	**10**	**13**	**21**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	11	3.2	5	2	2	2	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	6	9.8	11	5	5	10	11	15	15	15
13-19 YRS	40	8.0	18	3	4	8	10	12	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	13	3.5	5	1	1	3	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	16.0	91	10	10	11	23	27	27	27
1-5 YRS	2	8.0	8	6	6	8	10	10	10	10
6-12 YRS	2	12.0	32	8	8	12	16	16	16	16
13-19 YRS	31	9.6	26	5	5	8	12	15	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	4	2	2	2	5	7	8	8
B. *Operated*	48	8.1	17	3	4	8	10	12	13	28
2. MULTIPLE DX										
A. *Not Operated*	15	3.9	7	1	1	3	6	8	9	9
B. *Operated*	38	10.1	31	5	6	8	12	16	24	29
1. SINGLE DX	60	7.1	18	2	2	7	9	11	13	27
2. MULTIPLE DX	53	8.4	32	1	3	7	11	15	19	29
A. NOT OPERATED	27	3.6	5	1	1	3	6	7	8	9
B. OPERATED	86	9.0	24	4	5	8	11	13	17	29
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	13.3	91	5	5	10	19	27	27	27
1-5 YRS	4	6.0	9	3	3	5	8	10	10	10
6-12 YRS	9	10.2	12	5	6	9	12	16	16	16
13-19 YRS	95	7.3	23	2	2	7	9	12	15	29
GRAND TOTAL	**113**	**7.7**	**25**	**2**	**2**	**7**	**10**	**12**	**16**	**28**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	7	8.0	2	6	6	8	9	10	10	10
1-5 YRS	8	7.4	8	6	6	6	7	12	14	14
6-12 YRS	4	7.5	12	4	4	7	10	11	11	11
13-19 YRS	10	3.4	6	1	1	3	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	4	12.8	11	9	9	12	15	17	17	17
6-12 YRS										
13-19 YRS	12	11.3	83	1	2	10	14	22	34	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	22	12.0	35	6	6	11	14	24	25	26
1-5 YRS	39	8.2	23	1	2	7	11	15	18	19
6-12 YRS	8	10.6	47	3	3	10	16	21	21	21
13-19 YRS	13	9.9	121	2	2	5	12	24	39	42
B. *Operated*										
0-27 DYS										
1-11 MOS	11	26.5	114	7	11	32	34	38	40	40
1-5 YRS	14	21.4	154	6	8	21	28	38	47	49
6-12 YRS	4	13.8	84	2	2	16	21	21	21	21
13-19 YRS	12	9.7	49	1	2	9	15	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.0	10	1	1	6	8	10	11	14
B. *Operated*	18	10.7	64	1	1	10	13	17	28	36
2. MULTIPLE DX										
A. *Not Operated*	82	9.7	45	2	2	9	12	19	22	37
B. *Operated*	41	18.6	145	2	4	18	27	35	38	49
1. SINGLE DX	48	7.8	35	1	1	7	10	14	16	36
2. MULTIPLE DX	123	12.7	95	2	3	11	17	26	34	44
A. NOT OPERATED	112	8.7	38	1	2	7	11	16	20	32
B. OPERATED	59	16.2	132	1	3	13	22	34	37	48
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	42	14.7	102	5	6	11	20	33	35	40
1-5 YRS	65	11.2	77	2	2	9	13	21	29	47
6-12 YRS	16	10.6	46	2	3	10	16	21	21	21
13-19 YRS	47	8.8	73	1	2	6	13	18	24	42
GRAND TOTAL	**171**	**11.3**	**83**	**1**	**2**	**9**	**14**	**23**	**33**	**42**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	4.8	7	1	1	5	6	7	7	7
1-5 YRS	13	6.0	19	2	2	5	6	12	17	18
6-12 YRS	48	4.4	7	1	1	4	6	8	9	11
13-19 YRS	251	5.0	10	1	2	4	6	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	13.3	91	1	2	12	19	28	30	30
6-12 YRS	9	9.2	23	1	2	10	12	15	17	17
13-19 YRS	28	12.1	149	1	2	8	15	30	38	51
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	5	4	4	4	7	8	8	8
1-11 MOS	10	5.3	8	2	2	5	6	9	12	12
1-5 YRS	12	9.3	77	1	2	6	12	22	31	33
6-12 YRS	49	5.6	17	1	2	4	8	10	12	22
13-19 YRS	246	6.0	17	1	2	5	8	10	12	23
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.8	47	3	3	10	16	19	19	19
1-5 YRS	12	26.7	696	2	2	19	38	66	89	93
6-12 YRS	6	21.3	298	9	9	14	29	51	53	53
13-19 YRS	68	13.6	152	2	3	11	16	27	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	5.0	10	1	2	4	6	9	11	17
B. *Operated*	44	11.7	113	1	2	9	15	27	33	51
2. MULTIPLE DX										
A. *Not Operated*	320	6.0	19	1	2	5	8	11	13	24
B. *Operated*	90	15.7	241	2	3	11	17	35	53	86
1. SINGLE DX	361	5.8	27	1	2	4	7	11	14	30
2. MULTIPLE DX	410	8.1	83	2	2	6	9	16	22	53
A. NOT OPERATED	637	5.5	15	1	2	5	7	10	12	21
B. OPERATED	134	14.4	202	2	2	11	17	30	42	78
TOTAL 0-27 DYS	4	4.8	5	3	3	4	6	8	8	8
1-11 MOS	18	6.4	20	1	2	5	7	13	17	19
1-5 YRS	44	13.7	286	2	2	7	17	33	46	93
6-12 YRS	112	6.2	40	1	2	4	8	11	16	38
13-19 YRS	593	6.7	44	1	2	5	8	12	17	36
GRAND TOTAL	**771**	**7.0**	**58**	**1**	**2**	**5**	**8**	**13**	**18**	**40**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	35	3.0	4	<1	1	3	4	6	8	10
1-11 MOS	65	2.1	2	<1	1	2	3	4	5	7
1-5 YRS	86	2.3	1	<1	1	2	3	4	5	6
6-12 YRS	76	3.0	3	1	1	2	4	6	7	8
13-19 YRS	118	3.1	4	<1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.1	7	2	2	5	7	9	9	9
1-5 YRS										
6-12 YRS	10	7.0	39	1	1	5	11	16	21	21
13-19 YRS	16	5.8	21	1	2	4	6	13	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	30	3.9	5	1	1	3	6	7	9	9
1-11 MOS	96	3.5	5	1	2	3	5	6	8	11
1-5 YRS	127	3.4	5	1	1	3	4	7	8	12
6-12 YRS	119	3.2	4	1	1	3	4	6	7	10
13-19 YRS	306	3.5	6	1	1	3	4	7	8	12
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	11	9.6	32	1	3	10	12	18	21	21
1-5 YRS	13	11.8	118	2	2	7	19	30	36	37
6-12 YRS	19	7.7	113	1	2	5	8	13	34	49
13-19 YRS	42	7.4	91	2	2	5	8	11	23	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	2.7	3	<1	1	2	4	5	6	9
B. *Operated*	33	6.0	23	1	2	5	8	12	18	21
2. MULTIPLE DX										
A. *Not Operated*	678	3.5	5	1	1	3	4	7	8	12
B. *Operated*	87	8.3	90	2	2	5	10	16	29	53
1. SINGLE DX	413	3.0	5	1	1	2	4	5	7	12
2. MULTIPLE DX	765	4.0	17	1	1	3	5	7	10	18
A. NOT OPERATED	1058	3.2	4	1	1	3	4	6	7	11
B. OPERATED	120	7.7	72	1	2	5	9	14	21	51
TOTAL 0-27 DYS	67	3.4	5	1	1	3	5	6	8	10
1-11 MOS	179	3.5	8	1	1	3	4	7	10	15
1-5 YRS	226	3.5	14	1	1	3	4	6	8	21
6-12 YRS	224	3.7	16	1	1	3	5	7	8	17
13-19 YRS	482	3.9	14	1	1	3	5	7	9	15
GRAND TOTAL	**1178**	**3.7**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	54	2.9	7	1	1	2	3	4	7	15
1-11 MOS	132	4.5	15	1	2	3	5	8	11	20
1-5 YRS	50	3.4	5	<1	1	3	5	7	8	8
6-12 YRS	10	4.8	13	<1	<1	5	6	10	13	13
13-19 YRS	7	4.7	27	1	1	3	7	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	5	7.2	22	3	3	5	11	14	14	14
1-5 YRS	23	4.9	28	<1	1	3	7	11	18	22
6-12 YRS	11	9.5	164	<1	<1	6	10	30	43	44
13-19 YRS	7	3.3	7	<1	<1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	66	4.2	7	1	2	4	5	9	11	13
1-11 MOS	214	5.6	22	1	2	4	7	11	15	23
1-5 YRS	90	7.2	130	1	2	4	7	17	33	99+
6-12 YRS	13	5.2	31	<1	<1	4	6	14	19	20
13-19 YRS	18	8.0	127	<1	1	4	7	22	36	45
B. *Operated*										
0-27 DYS	3	28.7	858	7	7	17	51	62	62	62
1-11 MOS	12	30.3	946	5	6	24	97	99+	99+	99+
1-5 YRS	22	14.5	211	1	2	11	22	41	75	99+
6-12 YRS	10	4.8	10	1	1	4	6	9	12	12
13-19 YRS	5	10.8	75	3	3	7	17	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	4.0	12	1	1	3	5	8	10	19
B. *Operated*	46	6.0	58	<1	1	4	7	14	21	44
2. MULTIPLE DX										
A. *Not Operated*	401	5.8	49	1	2	4	6	12	17	45
B. *Operated*	52	16.8	418	1	3	11	24	91	99+	99+
1. SINGLE DX	299	4.3	19	1	1	3	5	8	12	22
2. MULTIPLE DX	453	7.1	103	1	2	4	7	15	24	99+
A. NOT OPERATED	654	5.1	35	1	2	4	6	9	15	34
B. OPERATED	98	11.7	275	1	1	6	15	48	96	99+
TOTAL 0-27 DYS	123	4.2	36	1	2	3	4	7	12	29
1-11 MOS	363	6.0	68	1	2	4	7	13	18	99
1-5 YRS	185	6.7	103	1	1	4	7	16	29	99+
6-12 YRS	44	6.1	56	<1	1	4	6	13	20	44
13-19 YRS	37	6.9	80	<1	1	4	7	18	24	45
GRAND TOTAL	**752**	**6.0**	**71**	**1**	**1**	**4**	**6**	**13**	**19**	**94**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	5.1	17	1	1	5	7	12	13	13
1-5 YRS	203	5.7	19	1	2	4	8	11	14	20
6-12 YRS	183	4.9	13	1	1	4	7	10	13	16
13-19 YRS	89	4.3	11	1	1	3	6	8	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	181	2	2	11	21	21	21	21
1-5 YRS	52	4.8	21	1	2	3	6	11	18	20
6-12 YRS	81	3.4	8	2	2	2	3	8	9	15
13-19 YRS	118	4.0	21	1	1	2	5	8	11	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	12	7.8	28	2	3	6	11	16	19	20
1-5 YRS	171	6.3	29	1	1	5	8	12	18	32
6-12 YRS	181	5.0	12	1	1	4	7	10	12	16
13-19 YRS	108	5.3	13	1	2	4	7	10	12	17
B. *Operated*										
0-27 DYS	2	39.5	2245	6	6	39	73	73	73	73
1-11 MOS	5	15.0	267	5	5	9	18	44	44	44
1-5 YRS	29	14.0	212	2	3	10	17	30	47	69
6-12 YRS	50	9.0	108	2	2	5	12	26	42	99+
13-19 YRS	100	6.3	51	2	2	4	9	14	16	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	5.1	15	1	1	4	7	10	13	19
B. *Operated*	253	4.1	18	1	2	2	4	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	473	5.6	19	1	1	4	7	11	14	20
B. *Operated*	186	8.8	125	2	2	5	11	19	32	72
1. SINGLE DX	737	4.7	17	1	1	3	6	10	13	19
2. MULTIPLE DX	659	6.5	51	1	2	4	8	13	17	44
A. NOT OPERATED	957	5.4	17	1	1	4	7	11	14	19
B. OPERATED	439	6.1	69	1	2	3	7	13	20	48
TOTAL 0-27 DYS	3	27.3	1566	3	3	6	56	73	73	73
1-11 MOS	28	8.5	75	1	2	6	10	18	23	44
1-5 YRS	455	6.3	39	1	2	4	8	13	18	32
6-12 YRS	495	5.1	23	1	1	4	7	10	14	26
13-19 YRS	415	5.0	25	1	2	3	6	11	14	20
GRAND TOTAL	**1396**	**5.6**	**33**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	49	5.9	18	2	2	5	7	10	16	22
6-12 YRS	75	5.3	10	2	2	5	7	9	12	15
13-19 YRS	48	4.5	6	1	2	4	6	8	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0	.	6	6	6	6	6	6	6
6-12 YRS	7	4.6	20	1	.	3	5	12	14	14
13-19 YRS	10	4.7	20	<1	<1	3	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0	.	1	1	1	1	1	1	1
1-5 YRS	49	5.9	9	3	3	5	8	10	12	15
6-12 YRS	83	6.7	15	2	3	6	8	11	16	20
13-19 YRS	92	5.6	12	1	2	5	7	11	14	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	13.8	96	5	5	11	19	29	30	30
6-12 YRS	10	6.3	176	1	1	2	3	24	44	44
13-19 YRS	23	7.6	62	1	2	6	10	19	27	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	5.3	11	2	2	5	7	9	11	18
B. *Operated*	18	4.7	18	<1	1	3	6	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	185	6.1	13	2	3	5	8	11	14	18
B. *Operated*	39	8.2	95	1	1	5	10	23	31	44
1. SINGLE DX	190	5.2	12	2	2	4	7	9	13	18
2. MULTIPLE DX	224	6.5	27	1	2	5	8	12	15	31
A. NOT OPERATED	357	5.7	12	2	2	5	7	10	13	18
B. OPERATED	57	7.1	73	1	1	3	9	17	28	43
TOTAL 0-27 DYS										
1-11 MOS	1	1.0	.	1	1	1	1	1	1	1
1-5 YRS	105	6.4	20	2	3	5	8	11	15	26
6-12 YRS	175	6.0	21	2	2	5	7	10	15	20
13-19 YRS	133	5.5	20	1	2	4	7	10	14	26
GRAND TOTAL	**414**	**5.9**	**21**	**1**	**2**	**5**	**7**	**11**	**15**	**23**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	10.4	27	6	6	9	13	19	19	19
1-5 YRS	8	6.1	46	1	1	4	6	18	22	22
6-12 YRS	28	3.1	12	<1	<1	2	4	9	10	16
13-19 YRS	21	4.2	11	<1	1	3	6	9	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0	.	5	5	5	5	5	5	5
1-5 YRS	6	9.5	35	2	2	11	13	17	17	17
6-12 YRS	31	4.8	54	<1	<1	<1	4	14	22	38
13-19 YRS	67	8.6	56	2	2	6	10	20	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	22	7.4	50	1	1	5	12	19	23	25
1-5 YRS	53	6.8	46	1	1	4	8	17	23	31
6-12 YRS	75	5.2	45	<1	<1	3	6	17	25	81
13-19 YRS	92	4.6	25	<1	<1	3	5	11	14	26
B. *Operated*										
0-27 DYS										
1-11 MOS	8	23.8	681	1	4	16	22	68	86	86
1-5 YRS	25	17.2	116	2	3	15	28	33	55	99+
6-12 YRS	85	13.4	138	1	2	9	19	27	34	59
13-19 YRS	184	14.4	198	1	2	10	21	29	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	4.5	20	<1	1	3	6	9	15	22
B. *Operated*	125	7.0	57	<1	<1	4	9	18	25	34
2. MULTIPLE DX										
A. *Not Operated*	242	5.5	39	<1	<1	3	6	14	21	29
B. *Operated*	302	14.6	187	1	2	11	21	29	44	81
1. SINGLE DX	187	6.2	46	<1	<1	4	8	16	22	32
2. MULTIPLE DX	544	10.5	141	<1	1	6	15	25	30	65
A. NOT OPERATED	304	5.3	35	<1	<1	3	6	14	20	28
B. OPERATED	427	12.4	161	<1	1	8	19	27	34	68
TOTAL 0-27 DYS										
1-11 MOS	36	11.4	216	1	1	7	15	21	25	86
1-5 YRS	92	9.8	84	1	1	6	14	25	29	76
6-12 YRS	239	7.8	93	<1	<1	4	10	22	27	51
13-19 YRS	364	10.2	136	<1	1	6	13	25	30	58
GRAND TOTAL	**731**	**9.4**	**120**	**<1**	**<1**	**5**	**13**	**24**	**29**	**60**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	4.0	0	2	2	4	6	6	6	6
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.6	3	1	1	2	4	5	5	5
13-19 YRS	3	7.7	54	2	2	5	13	16	16	16
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	9.0	57	<1	<1	10	14	16	16	16
13-19 YRS	9	8.3	68	1	2	5	11	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	11.5	13	9	9	11	14	14	14	14
1-11 MOS	11	9.7	34	1	3	9	12	19	21	21
1-5 YRS	7	5.6	26	1	1	4	7	14	16	16
6-12 YRS	12	4.7	28	<1	1	3	6	11	19	20
13-19 YRS	13	7.1	19	<1	1	8	9	13	15	15
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	2	7.5	5	6	6	7	9	9	9	9
1-5 YRS	9	15.0	159	2	2	14	20	36	39	39
6-12 YRS	7	23.3	272	9	10	18	26	52	58	58
13-19 YRS	23	14.3	151	2	3	12	21	37	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.9	15	1	1	3	5	7	14	16
B. Operated	13	8.1	57	<1	1	5	11	22	23	23
2. MULTIPLE DX										
A. Not Operated	45	7.0	28	1	1	6	9	15	18	21
B. Operated	42	15.5	167	2	3	13	21	36	54	99+
1. SINGLE DX	27	5.9	38	1	1	4	6	16	22	23
2. MULTIPLE DX	87	11.1	112	1	2	8	15	26	35	84
A. NOT OPERATED	59	6.3	27	1	1	5	9	15	17	21
B. OPERATED	55	13.0	150	1	3	10	19	31	48	97
TOTAL 0-27 DYS	5	8.6	23	2	2	9	12	14	14	14
1-11 MOS	16	8.3	30	2	3	7	10	17	20	21
1-5 YRS	18	9.9	113	1	1	6	14	27	36	39
6-12 YRS	27	9.6	151	<1	1	5	14	22	32	58
13-19 YRS	48	10.8	101	1	2	8	16	25	36	99+
GRAND TOTAL	**114**	**9.9**	**99**	**1**	**1**	**7**	**14**	**22**	**30**	**73**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	29	4.0	2	2	2	4	5	6	7	8
1-5 YRS	194	4.2	4	2	2	4	5	6	8	11
6-12 YRS	235	3.9	3	2	2	4	5	6	7	9
13-19 YRS	593	4.1	4	2	2	4	5	6	7	11
B. Operated										
0-27 DYS										
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	11	5.4	16	1	2	5	6	11	16	16
6-12 YRS	21	5.0	6	1	1	5	7	8	9	10
13-19 YRS	27	5.0	3	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	5.7	5	2	2	6	6	6	6	6
1-11 MOS	35	4.7	4	2	2	5	5	6	9	10
1-5 YRS	193	4.6	6	2	2	4	6	8	10	17
6-12 YRS	216	4.3	5	2	2	4	5	7	9	14
13-19 YRS	663	4.7	5	2	2	4	6	7	8	13
B. Operated										
0-27 DYS										
1-11 MOS	5	7.4	17	1	1	8	11	11	11	11
1-5 YRS	44	6.7	16	2	3	6	7	11	15	23
6-12 YRS	31	5.5	5	2	3	5	7	9	10	11
13-19 YRS	97	7.3	40	2	3	6	8	12	17	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1153	4.1	4	2	2	4	5	6	7	10
B. Operated	61	5.1	6	1	2	5	6	8	9	15
2. MULTIPLE DX										
A. Not Operated	1333	4.6	5	2	2	4	6	7	9	13
B. Operated	177	6.9	32	2	3	6	8	11	15	22
1. SINGLE DX	1214	4.1	4	2	2	4	5	6	7	10
2. MULTIPLE DX	1510	4.9	9	2	2	4	6	8	10	15
A. NOT OPERATED	2486	4.4	4	2	2	4	5	7	8	12
B. OPERATED	238	6.4	26	2	3	6	7	10	14	19
TOTAL 0-27 DYS	8	6.0	4	2	3	5	6	6	6	8
1-11 MOS	71	4.6	5	2	2	4	5	6	9	11
1-5 YRS	442	4.7	8	2	2	4	6	7	10	16
6-12 YRS	503	4.2	4	2	2	4	5	7	8	11
13-19 YRS	1700	4.6	7	2	2	4	5	7	8	14
GRAND TOTAL	**2724**	**4.6**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	34	5.1	38	1	1	3	5	10	19	32
1-5 YRS	180	4.1	5	1	2	4	5	7	8	14
6-12 YRS	284	3.9	4	1	2	3	5	6	8	11
13-19 YRS	693	4.0	4	1	2	4	5	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	24	4.4	10	<1	<1	4	6	9	11	11
6-12 YRS	31	4.8	17	1	1	4	6	8	10	22
13-19 YRS	57	5.5	21	1	2	4	6	10	14	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	7.8	7	4	5	7	10	11	12	12
1-11 MOS	54	5.8	13	2	2	5	7	11	13	19
1-5 YRS	231	5.1	9	2	2	4	6	9	11	16
6-12 YRS	268	4.4	6	2	2	4	5	8	9	13
13-19 YRS	788	4.6	12	2	2	4	6	7	9	13
B. *Operated*										
0-27 DYS	3	11.3	9	8	8	12	13	14	14	14
1-11 MOS	12	8.3	17	3	3	9	11	14	15	15
1-5 YRS	58	6.5	17	<1	1	6	9	11	14	21
6-12 YRS	71	6.4	43	1	1	5	7	14	19	38
13-19 YRS	153	7.0	36	2	2	5	8	13	16	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1192	4.0	5	1	2	4	5	6	8	12
B. *Operated*	115	5.0	17	1	1	4	6	9	11	25
2. MULTIPLE DX										
A. *Not Operated*	1349	4.7	10	2	2	4	6	8	10	14
B. *Operated*	297	6.8	33	1	2	5	9	13	16	34
1. SINGLE DX	1307	4.1	6	1	2	4	5	7	8	13
2. MULTIPLE DX	1646	5.1	15	2	2	4	6	9	11	18
A. NOT OPERATED	2541	4.4	8	2	2	4	5	7	9	14
B. OPERATED	412	6.3	29	1	2	5	8	12	15	29
TOTAL 0-27 DYS	12	8.8	9	4	5	9	11	13	14	14
1-11 MOS	103	5.8	22	1	2	4	8	11	14	26
1-5 YRS	493	4.9	9	1	2	4	6	9	11	16
6-12 YRS	654	4.4	10	1	2	4	5	7	9	18
13-19 YRS	1691	4.6	12	2	2	4	6	7	9	15
GRAND TOTAL	**2953**	**4.7**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	2.5	4	1	1	2	4	5	5	5
6-12 YRS	29	3.2	6	1	1	2	4	6	7	13
13-19 YRS	203	2.3	2	1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.1	9	1	1	6	7	9	10	10
6-12 YRS	14	7.3	17	1	2	6	12	13	13	13
13-19 YRS	63	7.5	21	3	3	7	10	11	12	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.3	5	1	1	4	6	7	7	7
1-5 YRS	5	2.0	1	1	1	2	2	3	3	3
6-12 YRS	27	3.6	6	1	1	3	5	7	8	11
13-19 YRS	150	3.0	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	10.3	90	1	1	10	17	20	20	20
1-5 YRS	3	6.3	2	5	5	6	7	8	8	8
6-12 YRS	22	7.8	42	2	2	7	10	13	22	32
13-19 YRS	82	9.4	59	1	2	8	12	18	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	2.4	3	1	1	2	3	5	6	9
B. *Operated*	84	7.3	20	2	3	7	10	11	13	28
2. MULTIPLE DX										
A. *Not Operated*	188	3.1	4	1	1	3	4	6	7	10
B. *Operated*	111	9.0	54	1	2	8	11	17	20	41
1. SINGLE DX	321	3.7	12	1	1	2	5	9	11	13
2. MULTIPLE DX	299	5.3	30	1	1	4	7	11	15	31
A. NOT OPERATED	425	2.7	3	1	1	2	3	5	6	9
B. OPERATED	195	8.3	40	1	2	7	10	14	18	34
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	10	6.1	31	1	1	5	7	15	20	20
1-5 YRS	19	3.9	7	1	1	3	6	8	9	10
6-12 YRS	92	5.0	20	1	1	4	7	11	13	25
13-19 YRS	498	4.3	22	1	1	3	5	10	12	21
GRAND TOTAL	**620**	**4.5**	**22**	**1**	**1**	**3**	**6**	**10**	**12**	**21**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	12	1.7	1	<1	<1	1	2	3	4	4
1-5 YRS	4	2.5	2	1	1	2	3	4	4	4
6-12 YRS	63	2.3	2	1	1	2	3	4	4	7
13-19 YRS	597	2.2	2	1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	7	6.6	7	2	2	7	9	9	9	9
6-12 YRS	32	5.6	13	1	2	5	7	11	13	14
13-19 YRS	372	5.0	9	1	2	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	5	2.4	2	<1	<1	3	3	4	4	4
6-12 YRS	23	3.0	4	<1	1	2	4	6	7	8
13-19 YRS	213	2.6	2	1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.0	61	2	2	3	13	16	16	16
1-5 YRS	5	5.0	8	2	2	5	7	9	9	9
6-12 YRS	24	5.2	13	1	2	5	6	10	13	17
13-19 YRS	161	6.5	19	2	2	6	8	13	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	2.2	2	1	1	2	3	4	5	6
B. *Operated*	413	5.1	9	1	2	4	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	245	2.6	2	1	1	2	3	4	6	8
B. *Operated*	193	6.3	18	2	2	5	8	12	14	21
1. SINGLE DX	1090	3.3	7	1	1	3	4	7	9	13
2. MULTIPLE DX	438	4.2	13	1	1	3	6	9	12	18
A. NOT OPERATED	922	2.3	2	1	1	2	3	4	5	7
B. OPERATED	606	5.5	12	1	2	5	7	10	12	17
TOTAL 0-27 DYS	4	1.8	1	<1	<1	1	2	3	3	3
1-11 MOS	18	3.2	18	<1	1	2	3	10	15	16
1-5 YRS	21	4.4	8	<1	1	4	7	9	9	9
6-12 YRS	142	3.6	8	1	1	3	4	7	10	14
13-19 YRS	1343	3.6	8	1	1	3	4	7	9	14
GRAND TOTAL	**1528**	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	34	3.9	10	1	1	3	6	9	10	14
1-5 YRS	50	2.1	5	<1	<1	1	2	4	7	14
6-12 YRS	48	2.4	4	<1	<1	2	3	4	5	12
13-19 YRS	56	3.4	7	1	1	3	4	6	10	14
B. *Operated*										
0-27 DYS	6	6.8	59	1	1	4	10	20	21	21
1-11 MOS	50	6.2	19	<1	1	5	8	12	15	17
1-5 YRS	520	5.8	13	<1	1	6	8	10	12	16
6-12 YRS	518	6.5	14	<1	1	6	9	11	13	17
13-19 YRS	232	7.5	20	1	2	7	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	7.9	21	2	2	9	10	14	15	15
1-11 MOS	66	5.6	22	1	1	4	8	13	15	21
1-5 YRS	95	3.8	11	<1	1	3	4	8	13	16
6-12 YRS	71	3.2	6	<1	1	2	4	6	8	14
13-19 YRS	93	3.5	8	<1	1	3	4	7	9	16
B. *Operated*										
0-27 DYS	7	10.1	12	6	6	11	13	15	15	15
1-11 MOS	120	8.3	50	<1	1	6	10	17	21	38
1-5 YRS	633	6.4	34	<1	1	6	9	12	15	21
6-12 YRS	540	6.9	26	<1	1	6	9	13	16	24
13-19 YRS	414	9.1	50	1	2	8	11	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	2.9	6	<1	1	2	3	6	8	14
B. *Operated*	1326	6.4	16	<1	1	6	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	332	4.0	13	<1	1	3	5	9	12	17
B. *Operated*	1714	7.3	38	<1	1	7	10	14	17	27
1. SINGLE DX	1516	5.9	16	<1	1	6	8	11	13	18
2. MULTIPLE DX	2046	6.8	35	<1	1	6	9	13	17	25
A. NOT OPERATED	522	3.6	11	<1	1	3	4	8	11	15
B. OPERATED	3040	6.9	28	<1	1	6	9	13	15	23
TOTAL 0-27 DYS	22	7.8	29	<1	1	8	11	15	18	21
1-11 MOS	270	6.7	34	1	1	5	9	14	17	26
1-5 YRS	1298	5.8	24	<1	1	5	8	11	13	19
6-12 YRS	1177	6.3	20	<1	1	6	9	12	15	21
13-19 YRS	795	7.6	37	1	1	7	10	14	18	30
GRAND TOTAL	**3562**	**6.4**	**27**	**<1**	**1**	**6**	**9**	**12**	**15**	**23**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.4	1	1	1	2	3	4	4	4
13-19 YRS	51	2.6	3	<1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	7.2	73	1	1	4	8	22	24	24
13-19 YRS	19	4.0	7	<1	1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	4.0	5	2	2	4	5	7	7	7
13-19 YRS	35	4.1	6	<1	1	4	6	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	5	3.6	13	<1	<1	2	5	10	10	10
6-12 YRS	10	5.1	22	1	2	4	4	13	17	17
13-19 YRS	28	4.5	11	1	1	3	7	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.6	3	<1	1	2	3	5	7	9
B. *Operated*	27	4.7	21	1	1	4	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	41	4.0	6	<1	1	4	6	8	8	9
B. *Operated*	44	4.6	13	1	1	3	7	9	12	17
1. SINGLE DX	86	3.3	10	<1	1	2	4	7	8	19
2. MULTIPLE DX	85	4.3	10	1	1	3	6	8	9	16
A. NOT OPERATED	100	3.2	5	<1	1	3	4	7	8	9
B. OPERATED	71	4.6	16	1	1	3	6	9	11	23
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	9	2.9	9	<1	<1	2	3	8	10	10
6-12 YRS	26	4.8	26	1	1	3	4	9	18	24
13-19 YRS	133	3.6	7	1	1	3	5	8	9	12
GRAND TOTAL	**171**	**3.8**	**10**	**1**	**1**	**3**	**5**	**8**	**9**	**16**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	2.7	2	1	1	2	4	5	5	5
1-5 YRS	73	2.6	2	1	1	2	3	5	6	8
6-12 YRS	101	2.9	4	1	1	2	4	5	6	12
13-19 YRS	144	2.9	3	<1	1	2	4	5	7	8
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	70	2.2	3	<1	<1	2	3	5	6	8
6-12 YRS	124	2.1	4	<1	<1	2	2	4	5	11
13-19 YRS	184	2.5	4	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	19	4.2	2	2	2	4	5	7	7	7
1-5 YRS	94	3.6	4	1	1	3	5	7	8	8
6-12 YRS	125	3.4	4	1	1	3	4	6	7	11
13-19 YRS	234	3.9	10	1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS	2	9.0	32	5	5	9	13	13	13	13
1-11 MOS	5	8.0	49	<1	<1	6	12	19	19	19
1-5 YRS	160	2.6	5	<1	<1	2	3	6	7	11
6-12 YRS	203	2.8	5	<1	<1	2	4	5	8	12
13-19 YRS	319	3.7	10	1	1	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.8	3	1	1	2	4	5	6	8
B. *Operated*	379	2.3	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	474	3.7	7	1	1	3	5	7	8	10
B. *Operated*	689	3.3	8	<1	1	2	4	7	9	13
1. SINGLE DX	708	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	1163	3.4	8	<1	1	3	4	7	8	12
A. NOT OPERATED	803	3.3	5	1	1	3	4	6	7	10
B. OPERATED	1068	2.9	7	<1	1	2	4	6	8	12
TOTAL 0-27 DYS	6	5.2	15	3	3	4	5	12	13	13
1-11 MOS	34	4.3	11	1	2	4	5	7	9	19
1-5 YRS	397	2.8	4	<1	1	2	4	6	7	9
6-12 YRS	553	2.8	5	<1	1	2	4	5	7	11
13-19 YRS	881	3.4	8	1	1	3	4	7	8	12
GRAND TOTAL	**1871**	**3.1**	**6**	**<1**	**1**	**2**	**4**	**6**	**8**	**12**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.3	8	<1	<1	2	5	7	7	7
1-5 YRS	13	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	18	1.6	1	<1	<1	1	2	2	4	5
1-5 YRS	852	1.4	1	<1	<1	1	2	2	3	5
6-12 YRS	718	1.6	2	<1	<1	1	2	3	4	7
13-19 YRS	321	2.7	8	<1	<1	2	3	5	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	23	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	18	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	5	4.2	2	3	3	4	5	6	6	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	17	3.8	26	<1	<1	2	3	10	17	20
1-5 YRS	724	1.8	2	<1	<1	1	2	3	4	7
6-12 YRS	778	2.1	6	<1	<1	1	2	4	5	12
13-19 YRS	386	3.1	6	<1	1	2	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.0	2	<1	<1	1	3	4	5	7
B. *Operated*	1909	1.7	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	47	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	1906	2.2	5	<1	<1	2	2	4	6	11
1. SINGLE DX	1935	1.7	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1953	2.2	5	<1	<1	2	2	4	6	11
A. NOT OPERATED	73	1.8	2	<1	<1	1	2	3	5	7
B. OPERATED	3815	1.9	4	<1	<1	1	2	4	5	10
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	40	2.7	13	<1	<1	1	3	6	10	20
1-5 YRS	1612	1.6	2	<1	<1	1	2	3	4	6
6-12 YRS	1515	1.9	4	<1	<1	1	2	3	5	9
13-19 YRS	720	2.9	7	<1	<1	2	3	4	8	14
GRAND TOTAL	**3888**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	41	4.0	5	1	2	4	5	7	9	12
1-11 MOS	318	3.8	5	1	2	3	5	7	8	12
1-5 YRS	653	3.1	5	1	1	3	4	5	7	9
6-12 YRS	617	2.8	3	1	1	2	4	5	6	8
13-19 YRS	676	3.1	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	5	8.0	19	3	3	7	10	15	15	15
1-11 MOS	34	3.7	7	<1	1	3	6	8	9	10
1-5 YRS	521	2.5	9	<1	<1	1	3	5	7	12
6-12 YRS	570	2.4	6	<1	<1	1	3	5	7	12
13-19 YRS	480	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	121	5.8	9	2	2	5	8	10	11	15
1-11 MOS	779	4.8	10	2	2	4	6	9	11	18
1-5 YRS	1307	4.0	7	1	1	3	5	7	9	13
6-12 YRS	921	3.7	8	1	1	3	5	7	9	15
13-19 YRS	1453	4.0	7	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS	20	10.0	98	3	4	7	10	15	34	49
1-11 MOS	113	6.0	30	<1	1	4	8	11	15	29
1-5 YRS	842	3.2	18	<1	<1	2	4	7	10	17
6-12 YRS	868	3.3	14	<1	<1	2	4	8	10	16
13-19 YRS	708	4.2	16	1	1	3	5	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2305	3.1	4	1	1	3	4	5	7	9
B. *Operated*	1610	2.5	7	<1	<1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	4581	4.1	8	1	1	3	5	7	9	14
B. *Operated*	2551	3.7	18	<1	<1	2	5	8	11	19
1. SINGLE DX	3915	2.9	5	<1	1	2	4	5	7	10
2. MULTIPLE DX	7132	4.0	11	1	1	3	5	8	10	16
A. NOT OPERATED	6886	3.8	7	1	1	3	5	7	8	13
B. OPERATED	4161	3.2	14	<1	<1	2	4	7	10	17
TOTAL 0-27 DYS	187	5.9	20	2	2	5	8	10	12	18
1-11 MOS	1244	4.6	11	1	2	4	6	8	10	18
1-5 YRS	3323	3.4	10	<1	1	3	4	7	8	13
6-12 YRS	2976	3.1	8	<1	1	2	4	6	8	14
13-19 YRS	3317	3.7	8	1	1	3	5	7	9	15
GRAND TOTAL	**11047**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**14**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	4.7	8	<1	1	4	7	9	10	10
1-5 YRS	5	5.6	32	<1	<1	2	10	14	14	14
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	4	6.0	7	3	3	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	6	11.0	47	4	4	8	18	21	21	21
1-11 MOS	12	8.0	28	3	3	7	9	15	22	23
1-5 YRS	3	10.7	25	6	6	10	14	16	16	16
6-12 YRS	6	7.0	12	1	2	7	8	12	12	12
13-19 YRS	9	3.8	4	2	2	3	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	21	5.1	12	<1	1	5	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	36	7.5	26	2	2	7	9	16	20	23
1. SINGLE DX	21	5.1	12	<1	1	5	7	10	12	14
2. MULTIPLE DX	36	7.5	26	2	2	7	9	16	20	23
A. NOT OPERATED										
B. OPERATED	57	6.6	22	1	2	6	8	12	17	23
TOTAL 0-27 DYS	7	10.3	43	4	4	8	16	20	21	21
1-11 MOS	21	6.6	22	1	2	6	8	10	16	23
1-5 YRS	8	7.5	33	<1	1	7	12	15	16	16
6-12 YRS	8	6.1	12	1	1	7	8	11	12	12
13-19 YRS	13	4.5	6	2	2	4	6	8	9	9
GRAND TOTAL	**57**	**6.6**	**22**	**1**	**2**	**6**	**8**	**12**	**17**	**23**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	28	2.5	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	46	3.4	16	<1	<1	2	4	6	10	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	3.6	2	2	2	3	4	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	3.8	10	1	1	3	6	8	8	8
13-19 YRS	64	3.0	6	<1	1	2	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.5	1	1	1	3	3	4	4	5
B. *Operated*	48	3.4	15	<1	<1	2	4	6	9	24
2. MULTIPLE DX										
A. *Not Operated*	33	3.6	2	2	2	3	4	6	7	8
B. *Operated*	71	3.0	6	<1	1	2	4	7	9	10
1. SINGLE DX	79	3.0	10	<1	1	2	3	6	7	21
2. MULTIPLE DX	104	3.2	5	1	1	3	4	6	8	10
A. NOT OPERATED	64	3.1	2	1	1	3	4	5	6	8
B. OPERATED	119	3.2	9	<1	1	2	4	7	9	16
TOTAL 0-27 DYS										
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	2.8	6	1	1	2	3	7	8	8
13-19 YRS	171	3.1	7	<1	1	2	4	6	8	12
GRAND TOTAL	**183**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**12**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	7	1.6	2	<1	<1	1	1	4	5	5
1-5 YRS	15	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	5	1.4		<1	<1	1	2	2	2	2
13-19 YRS	5	2.2	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	126	1.9	23	<1	<1	1	2	2	3	18
1-5 YRS	498	1.6	1	<1	<1	1	2	2	3	4
6-12 YRS	155	1.9	1	<1	<1	2	2	3	3	4
13-19 YRS	330	2.8	3	1	1	3	3	5	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	24	2.3	5	<1	<1	2	3	4	7	11
1-5 YRS	55	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	12	1.4	1	<1	<1	1	2	3	4	4
13-19 YRS	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	139	1.9	1	<1	<1	2	2	3	4	6
1-5 YRS	553	1.8	1	<1	<1	2	2	3	4	6
6-12 YRS	215	2.1	1	<1	1	2	3	3	4	6
13-19 YRS	165	3.0	2	1	1	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.4	1	<1	<1	1	1	2	3	5
B. *Operated*	1110	2.0	4	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	97	1.6	2	<1	<1	1	2	3	4	9
B. *Operated*	1075	2.1	1	<1	<1	2	3	3	4	6
1. SINGLE DX	1144	2.0	4	<1	<1	2	2	3	4	7
2. MULTIPLE DX	1172	2.0	2	<1	<1	2	3	3	4	6
A. NOT OPERATED	131	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	2185	2.1	3	<1	<1	2	2	3	4	6
TOTAL 0-27 DYS	7	3.3	16	<1	<1	1	4	10	12	12
1-11 MOS	296	1.9	11	<1	<1	1	2	3	4	6
1-5 YRS	1121	1.7	1	<1	<1	2	2	3	3	5
6-12 YRS	387	2.0	1	<1	<1	2	2	3	4	5
13-19 YRS	505	2.8	3	1	1	3	3	5	5	9
GRAND TOTAL	**2316**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**6**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	8	3.6	6	1	1	3	6	7	7	7
6-12 YRS	90	3.1	3	1	1	3	4	5	7	9
13-19 YRS	349	4.2	7	1	1	4	5	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	11	1.7	2	<1	<1	1	2	4	5	5
6-12 YRS	43	2.8	5	1	1	2	4	6	8	10
13-19 YRS	121	3.9	8	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	4.5	9	1	1	5	7	7	7	7
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	37	3.4	3	1	1	3	4	6	7	7
13-19 YRS	119	4.4	9	1	1	4	5	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS	6	7.0	28	2	2	5	10	15	16	16
1-5 YRS	4	5.3	30	1	1	3	9	13	13	13
6-12 YRS	21	3.0	7	1	1	2	3	7	10	11
13-19 YRS	71	5.2	14	1	1	4	6	11	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	4.0	7	1	1	4	5	7	9	12
B. *Operated*	177	3.5	7	1	1	3	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	162	4.2	7	1	1	4	5	7	10	14
B. *Operated*	102	4.9	14	1	1	4	6	11	13	16
1. SINGLE DX	627	3.8	7	1	1	3	5	7	9	12
2. MULTIPLE DX	264	4.4	10	1	1	4	5	9	11	16
A. NOT OPERATED	612	4.0	7	1	1	4	5	7	9	13
B. OPERATED	279	4.0	10	1	1	3	5	9	11	14
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	15	4.9	16	1	1	4	7	10	14	16
1-5 YRS	24	3.1	8	<1	1	2	5	6	9	13
6-12 YRS	191	3.1	4	1	1	3	4	6	7	10
13-19 YRS	660	4.3	8	1	1	4	5	8	10	14
GRAND TOTAL	**891**	**4.0**	**8**	**1**	**1**	**3**	**5**	**8**	**10**	**14**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	18	1.2		△	△	1	1	2	2	2
1-11 MOS	114	1.2		△	△	1	1	2	2	3
1-5 YRS	732	1.4	1	△	△	1	1	2	2	4
6-12 YRS	320	1.5		△	△	1	2	2	2	4
13-19 YRS	220	1.8		△	1	2	2	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS	191	1.3		△	△	1	2	2	2	2
1-5 YRS	779	1.4		△	△	1	2	2	2	3
6-12 YRS	394	1.5		△	△	1	2	2	2	3
13-19 YRS	307	1.7		△	△	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	44	1.3		△	△	1	1	2	3	3
1-5 YRS	193	1.4	1	△	△	1	2	2	3	3
6-12 YRS	58	1.7	1	△	△	2	2	3	3	6
13-19 YRS	45	2.0	1	△	1	2	2	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS	49	1.7	2	△	△	1	2	3	4	8
1-5 YRS	291	1.7	1	△	△	1	2	3	4	5
6-12 YRS	145	1.7	1	△	△	2	2	3	3	5
13-19 YRS	109	2.4	3	△	1	2	2	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1404	1.5	1	△	△	1	2	2	3	4
B. *Operated*	1671	1.5		△	△	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	340	1.5	1	△	△	1	2	2	3	5
B. *Operated*	594	1.8	2	△	△	2	2	3	4	7
1. SINGLE DX	3075	1.5		△	△	1	2	2	2	3
2. MULTIPLE DX	934	1.7	1	△	△	1	2	3	4	7
A. NOT OPERATED	1744	1.5	1	△	△	1	2	2	3	4
B. OPERATED	2265	1.6	1	△	△	1	2	2	3	4
TOTAL 0-27 DYS	18	1.2		△	△	1	1	2	2	2
1-11 MOS	398	1.3		△	△	1	2	2	2	4
1-5 YRS	1995	1.5	1	△	△	1	2	2	3	4
6-12 YRS	917	1.5	1	△	△	1	2	2	3	4
13-19 YRS	681	1.9	1	△	△	2	2	3	3	5
GRAND TOTAL	**4009**	**1.5**	**1**	**△**	**△**	**1**	**2**	**2**	**3**	**4**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.0	1	1	1	2	3	4	4	4
1-11 MOS	9	2.4	3	△	△	2	3	5	5	5
1-5 YRS	63	2.4	4	△	△	2	3	5	6	11
6-12 YRS	80	1.9	1	1	1	2	2	4	4	6
13-19 YRS	107	2.0	3	△	△	1	2	4	6	11
B. *Operated*										
0-27 DYS	4	3.8	10	1	1	3	6	8	8	8
1-11 MOS	35	1.6	1	△	△	1	2	3	4	4
1-5 YRS	240	1.8	2	△	△	1	2	3	4	8
6-12 YRS	710	1.7	1	1	1	1	2	3	4	6
13-19 YRS	1444	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.8	6	1	2	3	5	8	9	9
1-11 MOS	15	3.5	9	1	1	2	5	9	9	9
1-5 YRS	73	2.5	4	△	△	2	3	5	7	10
6-12 YRS	49	2.3	4	△	1	2	3	4	5	12
13-19 YRS	52	3.5	13	△	1	2	4	7	10	23
B. *Operated*										
0-27 DYS	8	2.4	2	1	1	2	3	5	5	5
1-11 MOS	38	2.4	6	△	1	2	3	5	9	13
1-5 YRS	182	2.4	5	△	△	2	3	5	7	13
6-12 YRS	286	2.2	3	△	1	2	3	4	5	9
13-19 YRS	516	2.9	5	1	1	3	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	2.1	3	△	1	2	2	4	5	10
B. *Operated*	2433	2.0	2	△	1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	203	2.9	7	△	1	2	3	6	8	12
B. *Operated*	1030	2.6	4	1	1	2	3	5	6	12
1. SINGLE DX	2699	2.0	2	△	1	2	2	4	5	7
2. MULTIPLE DX	1233	2.7	5	△	1	2	3	5	7	12
A. NOT OPERATED	469	2.4	5	△	1	2	3	5	6	12
B. OPERATED	3463	2.2	3	△	1	2	3	4	5	9
TOTAL 0-27 DYS	33	3.1	5	1	1	3	4	6	8	9
1-11 MOS	97	2.3	5	△	△	2	3	5	8	12
1-5 YRS	558	2.1	3	△	△	2	2	4	6	9
6-12 YRS	1125	1.9	2	△	1	2	2	3	4	7
13-19 YRS	2119	2.4	3	1	1	2	3	4	5	10
GRAND TOTAL	**3932**	**2.2**	**3**	**△**	**1**	**2**	**3**	**4**	**5**	**9**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	7	1.7	1	1	1	2	2	3	3	3
6-12 YRS	8	1.9	2	<1	<1	1	2	4	5	5
13-19 YRS	278	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	6	2.0	2	<1	<1	1	2	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	90	2.8	4	<1	1	2	3	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.3		<1	<1	1	2	2	2	2
B. *Operated*	299	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	8	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*	95	2.9	4	<1	1	2	3	6	7	11
1. SINGLE DX	305	1.9	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX	103	2.8	4	<1	1	2	3	6	7	11
A. NOT OPERATED	14	1.6	1	<1	<1	1	2	3	4	5
B. OPERATED	394	2.1	3	<1	<1	2	2	3	4	9
TOTAL 0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	6	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	9	1.9	1	<1	<1	2	2	4	4	4
6-12 YRS	11	2.2	3	<1	<1	2	2	5	6	6
13-19 YRS	380	2.1	3	<1	<1	2	2	3	4	9
GRAND TOTAL	**408**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	5.0	12	1	2	4	5	10	12	16
1-11 MOS	12	3.4	3	1	1	3	4	6	8	8
1-5 YRS	9	2.8	3	1	1	2	4	6	6	6
6-12 YRS	14	2.9	6	<1	1	2	3	6	9	10
13-19 YRS	52	3.6	5	1	1	3	5	7	8	10
B. *Operated*										
0-27 DYS	4	5.3	2	4	4	5	6	7	7	7
1-11 MOS	9	4.0	10	2	2	3	4	9	12	12
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	66	2.3	1	1	1	2	3	4	5	6
13-19 YRS	1383	2.8	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	3.9	2	2	2	4	5	5	5	5
1-11 MOS	8	2.5	2	1	1	2	3	4	5	5
1-5 YRS	8	2.9	2	<1	<1	3	4	5	5	5
6-12 YRS	8	3.0	3	<1	<1	3	4	5	5	5
13-19 YRS	48	2.8	6	<1	<1	2	3	6	8	11
B. *Operated*										
0-27 DYS	5	8.2	13	5	5	7	11	13	13	13
1-11 MOS	4	2.5	1	1	1	3	3	3	3	3
1-5 YRS	6	2.8	5	<1	<1	2	3	7	7	7
6-12 YRS	27	3.6	8	1	1	3	4	8	11	11
13-19 YRS	336	3.2	3	1	1	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.8	7	1	1	3	5	7	10	13
B. *Operated*	1467	2.7	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	80	2.9	4	<1	<1	2	4	5	7	11
B. *Operated*	378	3.3	4	1	1	3	4	5	7	11
1. SINGLE DX	1580	2.8	2	1	1	3	4	5	6	8
2. MULTIPLE DX	458	3.2	4	<1	1	3	4	5	7	11
A. NOT OPERATED	193	3.4	6	<1	1	3	4	6	8	11
B. OPERATED	1845	2.9	2	1	1	3	4	5	6	8
TOTAL 0-27 DYS	43	5.2	10	2	2	4	6	10	12	16
1-11 MOS	33	3.2	5	1	1	3	4	5	8	12
1-5 YRS	28	2.6	3	<1	<1	2	4	5	6	7
6-12 YRS	115	2.7	4	1	1	2	3	5	6	11
13-19 YRS	1819	2.9	2	1	1	3	4	5	6	8
GRAND TOTAL	**2038**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	67	2.6	2	1	1	2	3	4	6	7
13-19 YRS	1280	2.5	3	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	53	4.7	8	2	3	4	5	7	10	18
13-19 YRS	1601	4.2	6	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	43	3.6	4	1	1	3	4	7	8	8
13-19 YRS	876	3.1	5	1	1	3	4	5	7	11
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	6.5	14	4	4	5	9	12	12	12
1-5 YRS	3	6.3	9	3	3	7	8	9	9	9
6-12 YRS	34	4.9	21	1	2	4	6	7	12	27
13-19 YRS	1611	5.0	8	1	2	5	6	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1351	2.5	3	1	1	2	3	4	5	8
B. Operated	1663	4.2	6	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	919	3.1	5	1	1	3	4	5	7	11
B. Operated	1653	5.0	8	1	2	5	6	8	10	14
1. SINGLE DX	3014	3.4	5	1	1	3	5	6	7	11
2. MULTIPLE DX	2572	4.3	8	1	1	4	6	8	9	13
A. NOT OPERATED	2270	2.7	4	1	1	2	3	5	6	9
B. OPERATED	3316	4.6	7	1	2	4	6	8	9	13
TOTAL 0-27 DYS	4	4.5	4	2	2	5	6	6	6	6
1-11 MOS	9	4.1	11	1	1	3	5	9	12	12
1-5 YRS	8	3.8	7	2	2	3	5	8	9	9
6-12 YRS	197	3.8	8	1	1	3	5	7	7	16
13-19 YRS	5368	3.8	6	1	1	3	5	7	8	12
GRAND TOTAL	**5586**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**12**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	5	4.4	2	3	3	5	5	6	6	6
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	17	4.7	4	2	3	4	5	8	9	9
13-19 YRS	3085	4.2	5	1	2	4	5	7	8	11
B. Operated										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	4	3.5	3	1	1	4	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	9	8.6	48	1	1	8	11	19	24	24
13-19 YRS	730	5.2	13	1	1	5	7	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	3	6.3	9	3	3	7	8	9	9	9
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	9	7.6	26	3	3	5	11	16	16	16
13-19 YRS	2070	4.8	7	2	2	4	6	8	10	13
B. Operated										
0-27 DYS	3	8.3	56	<1	<1	8	14	16	16	16
1-11 MOS	3	7.3	30	2	2	7	11	13	13	13
1-5 YRS	3	4.0	1	3	3	4	5	5	5	5
6-12 YRS	24	9.0	46	1	2	8	12	13	21	35
13-19 YRS	1442	6.3	17	1	2	6	8	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3108	4.2	5	1	2	4	5	7	8	11
B. Operated	746	5.2	14	1	1	5	7	9	11	19
2. MULTIPLE DX										
A. Not Operated	2084	4.9	7	2	2	4	6	8	10	14
B. Operated	1475	6.4	17	1	2	6	8	11	13	21
1. SINGLE DX	3854	4.4	7	1	2	4	5	7	9	12
2. MULTIPLE DX	3559	5.5	12	2	2	5	7	9	12	16
A. NOT OPERATED	5192	4.4	6	2	2	4	6	7	9	12
B. OPERATED	2221	6.0	16	1	2	5	8	11	13	20
TOTAL 0-27 DYS	5	5.4	44	<1	<1	1	10	16	16	16
1-11 MOS	15	5.1	9	1	2	5	7	9	12	13
1-5 YRS	7	4.4	1	3	3	5	5	6	6	6
6-12 YRS	59	7.5	33	2	2	6	9	13	16	34
13-19 YRS	7327	4.9	9	1	2	4	6	8	10	15
GRAND TOTAL	**7413**	**4.9**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	3.3	3	1	1	3	4	6	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	199	3.1	5	<1	1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	30	3.9	10	1	1	3	5	9	11	13
B. *Operated*										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	12	6.0	12	<1	<1	6	8	11	12	12
1-5 YRS										
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	247	4.2	8	1	1	4	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.3	3	1	1	3	4	6	6	7
B. *Operated*	201	3.1	5	<1	1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.9	10	1	1	3	5	9	11	13
B. *Operated*	263	4.3	9	1	1	4	6	8	10	15
1. SINGLE DX	228	3.2	5	<1	1	2	4	6	7	9
2. MULTIPLE DX	294	4.3	9	1	1	4	6	8	10	14
A. NOT OPERATED	58	3.6	6	1	1	3	5	7	9	13
B. OPERATED	464	3.8	8	<1	1	3	5	7	9	13
TOTAL 0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	14	5.7	11	<1	<1	6	7	10	12	12
1-5 YRS										
6-12 YRS	3	6.0	3	4	4	7	7	7	7	7
13-19 YRS	503	3.7	7	<1	1	3	5	7	9	13
GRAND TOTAL	**522**	**3.8**	**7**	**<1**	**1**	**3**	**5**	**7**	**9**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	5	2.2	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	29	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	17	4.5	6	1	2	4	6	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.3	12	<1	<1	4	7	8	8	8
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	69	2.8	5	<1	1	2	3	5	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	1	<1	<1	2	3	3	3	3
B. *Operated*	29	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	20	4.3	6	1	2	4	6	8	9	10
B. *Operated*	75	2.8	6	<1	1	2	3	5	8	12
1. SINGLE DX	36	2.0	1	<1	<1	2	3	3	4	5
2. MULTIPLE DX	95	3.1	6	<1	1	2	4	7	8	12
A. NOT OPERATED	27	3.7	5	<1	1	3	5	7	8	10
B. OPERATED	104	2.6	4	<1	1	2	3	5	7	11
TOTAL 0-27 DYS										
1-11 MOS	3	4.3	12	<1	<1	4	7	8	8	8
1-5 YRS	6	2.8	1	<1	<1	3	4	4	4	4
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	120	2.8	5	<1	1	2	3	6	8	11
GRAND TOTAL	**131**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**6**	**8**	**11**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	23	2.1	1	<1	<1	2	3	4	4	4
6-12 YRS	8	2.8	3	1	1	3	4	5	5	5
13-19 YRS	155	3.3	4	<1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	10	1.6	2	<1	<1	<1	1	4	6	6
6-12 YRS	12	2.3	1	<1	1	2	3	4	4	4
13-19 YRS	282	2.3	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	6.7	30	3	3	4	11	13	13	13
1-5 YRS	26	3.7	7	1	2	3	4	7	9	14
6-12 YRS	28	2.9	3	<1	<1	3	4	6	6	7
13-19 YRS	211	4.1	6	1	2	4	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	7	2	2	6	7	7	7	7
1-5 YRS	9	3.9	5	1	1	4	6	7	7	7
6-12 YRS	20	4.0	22	<1	<1	2	4	11	16	18
13-19 YRS	208	3.6	9	<1	1	2	5	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.2	4	<1	1	3	4	6	7	11
B. *Operated*	307	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	270	4.0	6	1	2	4	5	7	7	14
B. *Operated*	240	3.6	10	<1	1	2	5	8	10	15
1. SINGLE DX	496	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	510	3.8	8	1	1	3	5	7	9	15
A. NOT OPERATED	459	3.7	5	1	1	3	5	6	7	13
B. OPERATED	547	2.9	6	<1	1	2	3	6	7	14
TOTAL 0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	11	4.3	12	1	1	3	6	9	13	13
1-5 YRS	68	2.9	5	<1	<1	2	4	6	7	13
6-12 YRS	68	3.1	8	<1	<1	2	4	5	7	17
13-19 YRS	856	3.3	6	1	1	3	4	6	7	13
GRAND TOTAL	**1006**	**3.2**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	4	2.5	6	1	1	2	4	6	6	6
13-19 YRS	8	4.5	5	2	2	4	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	7.4	7	5	5	7	8	12	14	14
1-5 YRS	5	9.0	19	5	5	8	11	16	16	16
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	15	6.5	14	2	3	6	7	9	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*	17	3.8	7	<1	1	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	31	7.1	13	2	4	6	8	12	16	18
1. SINGLE DX	21	3.5	6	<1	1	3	5	7	8	9
2. MULTIPLE DX	32	7.1	12	2	4	6	8	11	16	18
A. NOT OPERATED	5	3.2	7	1	1	2	5	7	7	7
B. OPERATED	48	5.9	13	1	2	6	8	9	14	18
TOTAL 0-27 DYS	4	7.0	2	5	5	7	8	8	8	8
1-11 MOS	11	6.8	10	1	3	7	8	11	14	14
1-5 YRS	8	6.1	27	<1	<1	5	9	14	16	16
6-12 YRS	5	2.4	4	1	1	2	3	6	6	6
13-19 YRS	25	5.4	12	1	2	5	6	9	11	18
GRAND TOTAL	**53**	**5.7**	**13**	**1**	**1**	**6**	**7**	**9**	**13**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	1.8	1	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	3.5	1	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	9.0	2	8	8	9	10	10	10	10
13-19 YRS	32	2.7	5	<1	1	2	3	5	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	1	<1	<1	1	3	4	4	4
B. *Operated*	23	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	11	3.5	1	2	2	3	4	5	5	5
B. *Operated*	34	3.1	7	<1	1	2	4	8	10	11
1. SINGLE DX	32	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX	45	3.2	5	<1	1	2	4	6	9	11
A. NOT OPERATED	20	2.7	2	<1	1	3	4	5	5	5
B. OPERATED	57	2.5	5	<1	<1	2	3	5	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	9.0	2	8	8	9	10	10	10	10
13-19 YRS	75	2.4	3	<1	<1	2	3	4	5	10
GRAND TOTAL	**77**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	2.7	2	1	1	2	3	5	6	7
13-19 YRS	331	2.0	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	15	1.9	2	<1	1	1	2	4	5	5
13-19 YRS	767	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	35	2.3	1	1	1	2	3	4	4	4
13-19 YRS	375	2.8	4	1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	3.7	3	<1	1	4	5	6	7	7
13-19 YRS	794	2.9	4	<1	1	2	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	782	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	410	2.8	4	1	1	2	3	5	6	9
B. *Operated*	815	2.9	4	<1	1	2	4	5	7	11
1. SINGLE DX	1137	1.9	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	1225	2.8	4	1	1	2	3	5	7	10
A. NOT OPERATED	765	2.4	3	<1	1	2	3	5	6	8
B. OPERATED	1597	2.4	3	<1	1	2	3	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	95	2.6	2	1	1	2	4	5	6	7
13-19 YRS	2267	2.4	3	<1	1	2	3	5	6	9
GRAND TOTAL	**2362**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.8	1	4	4	5	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	4	4.8	1	4	4	5	5	6	6	6
B. *Operated*	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX	5	4.2	2	2	2	4	5	6	6	6
A. NOT OPERATED	4	4.8	1	4	4	5	5	6	6	6
B. OPERATED	3	1.7		<1	<1	2	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	3.4	3	<1	<1	4	5	6	6	6
GRAND TOTAL	**7**	**3.4**	**3**	**<1**	**<1**	**4**	**5**	**6**	**6**	**6**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	21	2.0	4	<1	<1	1	2	6	7	8
6-12 YRS	22	2.2	4	<1	<1	2	2	4	7	9
13-19 YRS	119	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.9	5	<1	<1	2	5	6	6	6
1-5 YRS	11	2.7	5	1	1	1	5	6	6	6
6-12 YRS	28	3.5	11	1	1	3	4	6	9	18
13-19 YRS	404	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS										
1-5 YRS	13	3.7	16	<1	1	3	4	7	14	16
6-12 YRS	19	2.2	3	<1	1	1	3	5	6	7
13-19 YRS	123	3.2	7	<1	1	2	4	7	9	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	4.0	15	<1	<1	2	7	10	10	10
1-5 YRS	16	5.1	39	<1	<1	3	6	12	21	25
6-12 YRS	46	5.3	28	1	2	4	5	9	15	30
13-19 YRS	469	3.9	10	<1	1	3	5	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.3	3	<1	<1	2	3	5	7	9
B. *Operated*	450	2.7	4	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	158	3.1	7	<1	1	2	4	7	9	13
B. *Operated*	540	4.0	12	<1	1	3	5	7	9	22
1. SINGLE DX	617	2.6	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	698	3.8	11	<1	1	3	5	7	9	18
A. NOT OPERATED	325	2.7	5	<1	1	2	3	5	7	11
B. OPERATED	990	3.4	9	<1	1	3	5	6	8	14
TOTAL 0-27 DYS	7	2.0	2	1	1	2	2	4	5	5
1-11 MOS	17	3.6	10	<1	<1	2	6	9	10	10
1-5 YRS	61	3.3	17	<1	<1	2	4	7	10	24
6-12 YRS	115	3.8	17	1	1	3	4	7	9	25
13-19 YRS	1115	3.2	7	<1	1	2	4	6	7	12
GRAND TOTAL	**1315**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	67	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	711	2.0	2	<1	1	2	2	3	4	7
B. *Operated*										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	6	2.5	4	1	1	2	3	6	6	6
1-5 YRS	5	5.2	39	<1	<1	3	8	16	16	16
6-12 YRS	9	2.6	1	1	1	2	3	4	5	5
13-19 YRS	470	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	35	1.9	1	<1	1	2	2	4	4	5
13-19 YRS	557	2.5	3	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	5	6.0	10	2	2	6	9	9	9	9
1-5 YRS	5	4.2	11	1	1	3	7	9	9	9
6-12 YRS	12	3.0	6	1	1	2	4	7	9	9
13-19 YRS	470	3.5	8	<1	1	2	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	780	2.0	2	<1	1	2	2	3	4	7
B. *Operated*	493	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	592	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	494	3.5	8	<1	1	2	5	7	9	13
1. SINGLE DX	1273	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1086	2.9	6	<1	1	2	4	6	7	11
A. NOT OPERATED	1372	2.2	2	<1	1	2	3	4	5	8
B. OPERATED	987	3.0	6	<1	1	2	4	6	8	12
TOTAL 0-27 DYS	5	4.2	6	2	2	4	6	8	8	8
1-11 MOS	12	3.8	9	1	1	3	6	9	9	9
1-5 YRS	11	4.4	21	<1	<1	3	6	12	16	16
6-12 YRS	123	2.1	2	<1	1	2	2	4	5	7
13-19 YRS	2208	2.5	4	<1	1	2	3	5	7	10
GRAND TOTAL	**2359**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	2.1	2	<1	<1	2	2	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	415	4.9	2	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	2.6	2	<1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	394	5.4	5	3	3	5	6	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.1	2	<1	<1	2	2	5	6	6
B. *Operated*	416	4.9	2	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	21	2.6	2	<1	1	2	3	5	6	6
B. *Operated*	394	5.4	5	3	3	5	6	8	9	13
1. SINGLE DX	434	4.7	3	2	3	5	6	7	8	9
2. MULTIPLE DX	415	5.2	5	2	3	5	6	8	9	13
A. NOT OPERATED	39	2.4	2	<1	1	2	3	5	6	6
B. OPERATED	810	5.1	4	3	3	5	6	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	848	5.0	4	2	3	5	6	7	8	11
GRAND TOTAL	**849**	**5.0**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	160	1.4	1	<1	1	1	1	2	3	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	29	1.6	2	<1	<1	1	2	3	5	6
13-19 YRS	5846	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	72	1.5	1	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	1520	1.7	3	<1	<1	<1	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	1.4	1	<1	1	1	1	2	3	7
B. *Operated*	5875	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	72	1.5	1	<1	<1	1	2	3	4	7
B. *Operated*	1524	1.7	3	<1	<1	<1	2	3	4	8
1. SINGLE DX	6035	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1596	1.7	3	<1	<1	<1	2	3	4	8
A. NOT OPERATED	232	1.4	1	<1	<1	1	2	2	3	7
B. OPERATED	7399	1.4	1	<1	<1	1	1	2	3	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	33	1.7	2	<1	<1	1	2	3	5	6
13-19 YRS	7598	1.4	1	<1	<1	1	1	2	3	5
GRAND TOTAL	**7631**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	5	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	6	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	6	1.5	1	<1	<1	1	2	3	3	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**7**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**3**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	855	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	5678	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	174	2.1	3	<1	1	2	2	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	995	2.2	3	<1	1	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	5681	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	175	2.1	3	<1	1	2	2	4	6	10
B. *Operated*	995	2.2	3	<1	1	2	3	4	6	11
1. SINGLE DX	6536	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1170	2.2	3	<1	1	2	3	4	6	11
A. NOT OPERATED	1030	1.7	1	<1	<1	1	2	3	4	6
B. OPERATED	6676	1.6	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.8	3	1	1	2	4	5	5	5
13-19 YRS	7702	1.6	2	<1	<1	1	2	3	4	6
GRAND TOTAL	**7706**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	244	2.9	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	616	2.0	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	86	3.5	5	1	1	3	5	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	239	3.4	15	<1	1	2	4	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	2.9	4	1	1	3	4	5	7	10
B. *Operated*	616	2.0	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	86	3.5	5	1	1	3	5	6	7	13
B. *Operated*	240	3.3	15	<1	1	2	4	6	9	15
1. SINGLE DX	860	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	326	3.4	13	<1	1	3	4	6	8	14
A. NOT OPERATED	330	3.0	4	1	1	3	4	6	7	10
B. OPERATED	856	2.3	6	<1	1	2	3	4	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1185	2.5	6	<1	1	2	3	5	6	11
GRAND TOTAL	**1186**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	801	2.1	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	28	2.1	[illegible]	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	219	3.0	5	<1	1	3	4	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	3.3	6	<1	1	3	5	7	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	801	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	28	2.1	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	219	3.0	5	<1	1	3	4	5	7	13
B. *Operated*	13	3.3	6	<1	1	3	5	7	9	9
1. SINGLE DX	829	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	232	3.0	5	<1	1	3	4	5	7	13
A. NOT OPERATED	1020	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	41	2.5	4	<1	<1	2	3	6	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1061	2.3	3	<1	1	2	3	4	5	8
GRAND TOTAL	**1061**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	46	2.0	1	<1	<1	2	3	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	3.0	2	<1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.0	1	<1	<1	2	3	3	4	6
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	21	3.0	2	<1	1	3	4	5	6	7
B. *Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
1. SINGLE DX	49	2.0	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX	23	2.9	3	<1	<1	3	4	5	6	7
A. NOT OPERATED	67	2.3	2	<1	<1	2	3	4	5	7
B. OPERATED	5	1.6		<1	<1	2	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	72	2.3	2	<1	<1	2	3	4	5	7
GRAND TOTAL	**72**	**2.3**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	952	3.3	6	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	119	4.1	14	<1	1	3	5	7	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	277	3.4	10	1	1	3	4	6	9	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	57	4.1	9	<1	<1	3	6	8	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	953	3.3	6	1	1	3	4	6	7	12
B. *Operated*	119	4.1	14	<1	1	3	5	7	8	20
2. MULTIPLE DX										
A. *Not Operated*	277	3.4	10	1	1	3	4	6	9	18
B. *Operated*	57	4.1	9	<1	<1	3	6	8	9	16
1. SINGLE DX	1072	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX	334	3.5	10	<1	1	3	4	7	9	17
A. NOT OPERATED	1230	3.3	7	1	1	3	4	6	8	13
B. OPERATED	176	4.1	12	<1	1	3	6	7	9	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1405	3.4	7	1	1	3	4	6	8	13
GRAND TOTAL	**1406**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	1187	3.2	5	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	3.8	8	<1	<1	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	551	3.5	6	1	2	3	4	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	5.1	10	1	1	5	7	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1190	3.2	5	1	1	3	4	5	7	11
B. *Operated*	16	3.8	8	<1	<1	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	551	3.5	6	1	2	3	4	6	7	14
B. *Operated*	30	5.1	10	1	1	5	7	9	10	15
1. SINGLE DX	1206	3.2	5	1	1	3	4	5	7	11
2. MULTIPLE DX	581	3.6	6	1	2	3	4	6	8	14
A. NOT OPERATED	1741	3.3	5	1	1	3	4	6	7	12
B. OPERATED	46	4.7	10	<1	1	4	6	9	10	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	1784	3.3	5	1	1	3	4	6	7	12
GRAND TOTAL	**1787**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	4992	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	651	1.2	1	<1	<1	<1	1	1	2	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	554	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	108	2.0	5	<1	<1	1	2	4	5	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4993	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	651	1.2	1	<1	<1	<1	1	1	2	6
2. MULTIPLE DX										
A. *Not Operated*	554	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	108	2.0	5	<1	<1	1	2	4	5	15
1. SINGLE DX	5644	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	662	1.7	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	5547	1.2	1	<1	<1	1	1	2	2	4
B. OPERATED	759	1.3	2	<1	<1	1	1	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	6305	1.2	1	<1	<1	1	1	2	2	5
GRAND TOTAL	**6306**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	155	2.4	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	3.5	13	<1	<1	2	5	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	52	3.2	5	<1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	6.1	67	1	1	3	5	20	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	2.4	2	1	1	2	3	4	5	7
B. *Operated*	22	3.5	13	<1	<1	2	5	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	52	3.2	5	<1	1	3	4	6	7	12
B. *Operated*	8	6.1	67	1	1	3	5	20	26	26
1. SINGLE DX	177	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	60	3.6	13	<1	1	3	4	6	7	25
A. NOT OPERATED	207	2.6	3	1	1	2	3	5	6	7
B. OPERATED	30	4.2	27	<1	<1	3	5	9	15	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	237	2.8	6	<1	1	2	4	5	6	12
GRAND TOTAL	**237**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**5**	**6**	**12**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	441	2.0	2	<1	<1	1	2	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	53	2.0	2	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	164	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	29	3.7	20	<1	<1	2	3	13	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	2.0	2	<1	<1	1	2	4	5	7
B. *Operated*	53	2.0	2	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	164	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	29	3.7	20	<1	<1	2	3	13	15	17
1. SINGLE DX	494	2.0	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	193	2.4	6	<1	<1	2	3	5	7	15
A. NOT OPERATED	605	2.0	3	<1	<1	1	2	4	5	8
B. OPERATED	82	2.6	9	<1	<1	2	3	4	9	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	687	2.1	3	<1	<1	2	2	4	5	10
GRAND TOTAL	**687**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1068	3.2	4	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	152	1.9	3	<1	<1	<1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1314	3.5	4	<1	1	3	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	112	3.2	9	<1	<1	2	4	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068	3.2	4	<1	1	3	4	6	7	10
B. *Operated*	152	1.9	3	<1	<1	<1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	1315	3.5	4	<1	1	3	5	6	7	9
B. *Operated*	112	3.2	9	<1	<1	2	4	7	10	15
1. SINGLE DX	1220	3.0	4	<1	<1	3	4	6	7	10
2. MULTIPLE DX	1427	3.5	4	<1	1	3	4	6	7	10
A. NOT OPERATED	2383	3.3	4	<1	1	3	4	6	7	10
B. OPERATED	264	2.4	6	<1	<1	1	3	6	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2646	3.3	4	<1	<1	3	4	6	7	10
GRAND TOTAL	**2647**	**3.3**	**4**	**<1**	**<1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	339	3.7	9	<1	1	3	5	8	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	32	3.6	7	<1	1	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	1031	3.6	13	<1	1	3	4	7	9	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	142	4.5	43	<1	<1	3	5	7	11	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	3.7	9	<1	1	3	5	8	10	16
B. *Operated*	32	3.6	7	<1	1	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	1033	3.6	13	<1	1	3	4	7	9	18
B. *Operated*	142	4.5	43	<1	<1	3	5	7	11	40
1. SINGLE DX	371	3.7	9	<1	1	3	5	7	10	15
2. MULTIPLE DX	1175	3.8	17	<1	1	3	5	7	10	22
A. NOT OPERATED	1372	3.6	12	<1	1	3	5	7	9	18
B. OPERATED	174	4.4	37	<1	<1	3	5	7	11	37
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	1544	3.7	15	<1	1	3	5	7	10	18
GRAND TOTAL	1546	3.7	15	<1	1	3	5	7	10	18

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2868	2.2	7	<1	<1	1	3	4	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	696	2.4	7	<1	<1	1	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1366	2.9	10	<1	<1	2	4	6	8	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	470	3.5	16	<1	<1	2	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2870	2.2	7	<1	<1	1	3	4	6	12
B. *Operated*	897	2.4	7	<1	<1	1	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	1366	2.9	10	<1	<1	2	4	6	8	15
B. *Operated*	470	3.5	16	<1	<1	2	4	7	10	21
1. SINGLE DX	3767	2.2	7	<1	<1	1	3	4	6	12
2. MULTIPLE DX	1836	3.1	12	<1	<1	2	4	6	8	17
A. NOT OPERATED	4236	2.4	8	<1	<1	1	3	5	6	13
B. OPERATED	1367	2.8	10	<1	<1	2	3	6	8	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	5600	2.5	9	<1	<1	1	3	5	7	14
GRAND TOTAL	5603	2.5	9	<1	<1	1	3	5	7	14

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	385	2.8	1	1	2	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	213	3.5	8	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	540	3.2	3	2	2	3	4	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	575	4.7	16	2	2	4	5	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	2.8	1	1	2	3	3	4	5	7
B. *Operated*	213	3.5	8	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	542	3.2	3	2	2	3	4	4	5	9
B. *Operated*	576	4.7	16	2	2	4	5	8	11	24
1. SINGLE DX	598	3.0	4	1	2	3	3	4	5	8
2. MULTIPLE DX	1118	4.0	10	2	2	3	4	6	9	19
A. NOT OPERATED	927	3.0	2	1	2	3	3	4	5	8
B. OPERATED	789	4.4	14	2	2	3	5	7	10	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	1713	3.7	8	2	2	3	4	6	7	16
GRAND TOTAL	**1716**	**3.7**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**16**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.6	1	1	1	2	3	4	5	5
13-19 YRS	28979	2.6	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	6506	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1077	3.0	2	1	2	3	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	663	3.2	2	2	2	3	4	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28990	2.6	1	1	1	3	3	4	4	5
B. *Operated*	6509	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1077	3.0	2	1	2	3	3	4	5	8
B. *Operated*	663	3.2	2	2	2	3	4	4	5	7
1. SINGLE DX	35499	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	1740	3.1	2	1	2	3	4	4	5	8
A. NOT OPERATED	30067	2.7	1	1	1	3	3	4	4	5
B. OPERATED	7172	2.7	1	1	2	3	3	4	4	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.6	1	1	1	3	3	4	5	5
13-19 YRS	37225	2.7	1	1	1	3	3	4	4	5
GRAND TOTAL	**37239**	**2.7**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	2.6	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	48	6.0	17	2	3	5	7	11	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	3.1	3	1	2	3	4	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	118	7.9	64	3	3	6	8	14	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.6	1	1	1	2	3	4	4	4
B. *Operated*	48	6.0	17	2	3	5	7	11	17	22
2. MULTIPLE DX										
A. *Not Operated*	17	3.1	3	1	2	3	4	6	7	8
B. *Operated*	118	7.9	64	3	3	6	8	14	23	47
1. SINGLE DX	57	5.4	16	2	2	4	6	10	15	22
2. MULTIPLE DX	135	7.3	58	2	3	5	8	12	21	44
A. NOT OPERATED	26	2.9	2	1	2	3	3	5	6	8
B. OPERATED	166	7.3	51	2	3	5	7	12	20	40
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	192	6.7	46	2	2	5	7	11	19	38
GRAND TOTAL	**192**	**6.7**	**46**	**2**	**2**	**5**	**7**	**11**	**19**	**38**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	134	2.4	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	139	3.8	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	123	2.9	2	1	1	3	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	399	5.2	22	2	2	4	6	8	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	2.4	1	1	1	2	3	3	4	5
B. *Operated*	139	3.8	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	123	2.9	2	1	1	3	3	5	6	9
B. *Operated*	401	5.2	22	2	2	4	6	8	12	25
1. SINGLE DX	273	3.1	2	1	1	3	4	5	6	7
2. MULTIPLE DX	524	4.7	19	1	2	4	5	7	10	22
A. NOT OPERATED	257	2.6	2	1	1	2	3	4	5	8
B. OPERATED	540	4.9	18	1	2	4	6	7	10	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	795	4.1	14	1	2	3	5	7	8	19
GRAND TOTAL	**797**	**4.2**	**14**	**1**	**2**	**3**	**5**	**7**	**8**	**19**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	2.6	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	296	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	2.8	1	2	2	3	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	169	3.0	2	1	1	3	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.6	1	<1	<1	3	3	4	4	4
B. *Operated*	296	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.8	1	2	2	3	3	4	5	5
B. *Operated*	169	3.0	2	1	1	3	3	4	5	11
1. SINGLE DX	321	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX	183	2.9	2	1	2	3	3	4	5	10
A. NOT OPERATED	39	2.7	1	<1	1	3	3	4	4	5
B. OPERATED	465	2.7	2	1	1	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	504	2.7	2	1	1	3	3	4	5	7
GRAND TOTAL	**504**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	168	2.7	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	94	3.0	2	1	1	3	4	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	93	3.3	2	2	2	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	130	3.4	3	1	2	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	2.7	1	1	1	3	3	4	4	5
B. *Operated*	94	3.0	2	1	1	3	4	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	93	3.3	2	2	2	3	4	5	7	9
B. *Operated*	130	3.4	3	1	2	3	4	5	6	11
1. SINGLE DX	262	2.8	1	1	1	3	3	4	4	7
2. MULTIPLE DX	223	3.3	2	1	2	3	4	5	6	10
A. NOT OPERATED	261	2.9	1	1	2	3	3	4	5	7
B. OPERATED	224	3.2	2	1	2	3	4	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	485	3.0	2	1	2	3	4	4	5	8
GRAND TOTAL	**485**	**3.0**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	2.8	1	1	2	3	3	4	4	7
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	3.6	2	1	2	3	4	6	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	68	4.4	19	1	2	3	4	8	11	29
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	237	5.7	19	2	2	5	7	9	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.8	1	1	2	3	3	4	4	7
B. Operated	33	3.6	2	1	2	3	4	6	6	7
2. MULTIPLE DX										
A. Not Operated	68	4.4	19	1	2	3	4	8	11	29
B. Operated	237	5.7	19	2	2	5	7	9	11	23
1. SINGLE DX	75	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX	305	5.4	19	2	2	5	6	9	11	25
A. NOT OPERATED	110	3.8	13	1	2	3	4	6	8	21
B. OPERATED	270	5.4	18	2	2	5	6	9	10	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	380	5.0	17	2	2	4	6	8	10	22
GRAND TOTAL	**380**	**5.0**	**17**	**2**	**2**	**4**	**6**	**8**	**10**	**22**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	83	2.8	1	1	2	3	3	4	5	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	947	4.7	2	2	3	5	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	60	2.7	2	1	1	3	4	4	5	7
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1030	5.3	6	2	3	5	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	2.8	1	1	2	3	3	4	5	5
B. Operated	948	4.7	2	2	3	5	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	60	2.7	2	1	1	3	4	4	5	7
B. Operated	1031	5.3	6	2	3	5	6	8	9	14
1. SINGLE DX	1031	4.5	2	2	3	5	5	6	7	9
2. MULTIPLE DX	1091	5.2	6	2	3	5	6	8	9	14
A. NOT OPERATED	143	2.7	1	1	1	3	3	4	5	6
B. OPERATED	1979	5.0	4	2	3	5	6	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	2120	4.9	4	2	3	5	6	7	8	12
GRAND TOTAL	**2122**	**4.9**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	193	2.5	1	1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	639	3.6	3	1	2	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	137	2.9	2	1	1	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1794	4.3	6	2	2	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.5	1	1	1	2	3	4	4	5
B. *Operated*	639	3.6	3	1	2	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	137	2.9	2	1	1	3	3	4	5	7
B. *Operated*	1794	4.3	6	2	2	4	5	7	8	12
1. SINGLE DX	832	3.4	2	1	2	3	4	6	6	8
2. MULTIPLE DX	1931	4.2	6	2	2	4	5	6	8	12
A. NOT OPERATED	330	2.6	1	1	1	3	3	4	4	6
B. OPERATED	2433	4.1	5	2	2	4	5	6	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2763	4.0	5	2	2	4	5	6	7	11
GRAND TOTAL	**2763**	**4.0**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	3.7	4	2	2	3	4	6	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1577	5.2	2	3	4	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	4.0	6	1	2	3	6	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	7.0	4	5	5	7	8	9	9	9
13-19 YRS	3499	5.8	6	3	4	5	6	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.7	4	2	2	3	4	6	9	11
B. *Operated*	1577	5.2	2	3	4	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	25	4.0	6	1	2	3	6	7	9	12
B. *Operated*	3502	5.8	6	3	4	5	6	8	10	14
1. SINGLE DX	1596	5.2	2	3	4	5	6	7	8	10
2. MULTIPLE DX	3527	5.8	6	3	4	5	6	8	10	14
A. NOT OPERATED	44	3.9	5	1	2	3	5	7	8	12
B. OPERATED	5079	5.6	5	3	4	5	6	8	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	7.0	4	5	5	7	8	9	9	9
13-19 YRS	5120	5.6	5	3	4	5	6	8	9	13
GRAND TOTAL	**5123**	**5.6**	**5**	**3**	**4**	**5**	**6**	**8**	**9**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	429	2.9	1	1	2	3	4	4	5	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	641	3.8	3	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	289	3.3	2	1	2	3	4	5	5	11
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1622	4.4	7	2	2	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	2.9	1	1	2	3	4	4	5	6
B. Operated	642	3.8	3	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	289	3.3	2	1	2	3	4	5	5	11
B. Operated	1622	4.4	7	2	2	4	5	7	8	12
1. SINGLE DX	1071	3.4	2	1	2	3	4	5	6	7
2. MULTIPLE DX	1911	4.2	7	2	2	4	5	7	8	12
A. NOT OPERATED	718	3.1	2	1	2	3	4	4	5	7
B. OPERATED	2264	4.2	6	2	2	4	5	7	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2981	3.9	5	2	2	4	5	6	7	11
GRAND TOTAL	**2982**	**3.9**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**11**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	55	2.6	1	1	1	3	3	4	5	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	194	4.1	2	2	2	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	46	4.7	35	1	2	3	4	8	19	30
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	434	5.2	6	2	3	5	6	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.6	1	1	1	3	3	4	5	5
B. Operated	194	4.1	2	2	2	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	46	4.7	35	1	2	3	4	8	19	30
B. Operated	434	5.2	6	2	3	5	6	8	9	13
1. SINGLE DX	249	3.8	2	1	2	4	5	6	6	7
2. MULTIPLE DX	480	5.2	9	2	3	5	6	8	9	17
A. NOT OPERATED	101	3.5	17	1	1	3	3	5	8	28
B. OPERATED	628	4.9	5	2	3	5	6	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	729	4.7	7	2	2	4	6	7	8	14
GRAND TOTAL	**729**	**4.7**	**7**	**2**	**2**	**4**	**6**	**7**	**8**	**14**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	3.0	2	1	2	3	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1359	5.2	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	3.5	4	2	2	3	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1156	5.5	5	3	4	5	6	7	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.0	2	1	2	3	3	5	6	8
B. *Operated*	1359	5.2	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	10	3.5	4	2	2	3	4	7	8	8
B. *Operated*	1156	5.5	5	3	4	5	6	7	9	12
1. SINGLE DX	1392	5.1	2	3	3	5	6	7	7	8
2. MULTIPLE DX	1166	5.5	5	3	4	5	6	7	9	12
A. NOT OPERATED	43	3.1	2	1	2	3	4	5	7	8
B. OPERATED	2515	5.3	3	3	4	5	6	7	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2558	5.3	3	3	4	5	6	7	8	11
GRAND TOTAL	**2558**	**5.3**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	720	3.1	2	2	2	3	4	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	637	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	585	3.6	6	1	2	3	4	6	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	3	3	3	3	3
13-19 YRS	1861	4.3	8	2	2	4	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	720	3.1	2	2	2	3	4	4	5	8
B. *Operated*	637	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	585	3.6	6	1	2	3	4	6	6	11
B. *Operated*	1863	4.3	8	2	2	4	5	7	8	14
1. SINGLE DX	1357	3.2	2	2	2	3	4	4	6	8
2. MULTIPLE DX	2448	4.1	7	2	2	4	5	6	6	13
A. NOT OPERATED	1305	3.3	4	1	2	3	4	5	6	9
B. OPERATED	2500	4.1	7	2	2	4	5	6	6	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	3803	3.8	5	2	2	3	4	6	7	11
GRAND TOTAL	**3805**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2301	2.7	1	1	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1315	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	601	2.8	1	1	2	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1362	3.2	3	1	2	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2302	2.7	1	1	2	3	3	4	4	5
B. *Operated*	1315	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	601	2.8	1	1	2	3	3	4	5	7
B. *Operated*	1363	3.2	3	1	2	3	4	5	6	8
1. SINGLE DX	3617	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	1964	3.1	2	1	2	3	4	5	5	7
A. NOT OPERATED	2903	2.7	1	1	2	3	3	4	4	5
B. OPERATED	2678	3.0	2	1	2	3	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	5579	2.8	1	1	2	3	3	4	5	6
GRAND TOTAL	**5581**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	601	2.5	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.8	2	1	1	1	3	4	4	4
13-19 YRS	4113	2.5	2	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	184	3.0	3	1	2	3	3	4	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1951	2.9	4	1	2	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	601	2.5	1	1	1	3	3	4	4	5
B. *Operated*	4117	2.5	2	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	184	3.0	3	1	2	3	3	4	6	12
B. *Operated*	1952	2.9	4	1	2	3	3	4	5	7
1. SINGLE DX	4718	2.5	2	1	1	3	3	4	4	5
2. MULTIPLE DX	2136	2.9	4	1	2	3	3	4	5	8
A. NOT OPERATED	785	2.6	1	1	1	3	3	4	4	6
B. OPERATED	6069	2.7	2	1	1	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.8	2	1	1	1	2	4	4	4
13-19 YRS	6849	2.7	2	1	1	3	3	4	4	6
GRAND TOTAL	**6854**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	428	2.8	3	1	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.8		2	2	3	3	3	3	3
13-19 YRS	3990	2.8	2	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	149	3.2	2	2	2	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2782	3.1	2	2	2	3	4	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	2.8	3	1	2	3	3	4	4	5
B. *Operated*	3995	2.8	2	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	149	3.2	2	2	2	3	4	5	6	9
B. *Operated*	2782	3.1	2	2	2	3	4	4	5	8
1. SINGLE DX	4424	2.8	2	1	2	3	3	4	4	5
2. MULTIPLE DX	2931	3.1	2	2	2	3	4	4	5	8
A. NOT OPERATED	578	2.9	2	1	2	3	3	4	4	6
B. OPERATED	6777	3.0	2	2	2	3	3	4	5	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.7		2	2	3	3	3	3	3
13-19 YRS	7349	3.0	2	2	2	3	3	4	5	6
GRAND TOTAL	**7355**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	302	2.6	2	1	1	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1604	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	123	3.4	23	1	2	3	3	4	6	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	1211	3.2	4	1	2	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	2.6	2	1	1	3	3	4	4	6
B. *Operated*	1604	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	123	3.4	23	1	2	3	3	4	6	21
B. *Operated*	1213	3.2	4	1	2	3	4	5	6	11
1. SINGLE DX	1906	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	1336	3.2	5	1	2	3	4	5	6	11
A. NOT OPERATED	425	2.9	8	1	2	3	3	4	5	7
3. OPERATED	2817	2.9	2	1	2	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	3240	2.9	3	1	2	3	3	4	5	8
GRAND TOTAL	**3242**	**2.9**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	4670	2.9	4	1	1	3	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.2	1	2	2	3	4	4	4	4
13-19 YRS	9933	3.2	4	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	2979	3.4	12	1	1	3	4	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	8.9	83	2	2	6	10	25	30	30
13-19 YRS	12531	4.3	11	2	2	4	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4674	2.9	4	1	1	3	3	4	5	9
B. *Operated*	9938	3.2	4	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	2981	3.4	12	1	1	3	4	5	7	13
B. *Operated*	12539	4.3	11	2	2	4	5	7	9	17
1. SINGLE DX	14612	3.1	4	1	2	3	4	5	6	9
2. MULTIPLE DX	15520	4.2	11	1	2	3	5	7	9	16
A. NOT OPERATED	7655	3.1	7	1	1	3	4	5	6	11
B. OPERATED	22477	3.8	8	1	2	3	4	6	8	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	5.4	42	1	2	3	6	10	22	30
13-19 YRS	30113	3.7	8	1	2	3	4	6	7	13
GRAND TOTAL	**30132**	**3.7**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	204	3.8	6	1	2	3	4	6	7	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	4.3	16	<1	1	3	4	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	80	4.2	4	1	2	4	5	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	3.4	2	1	2	3	4	16	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.8	6	1	2	3	4	6	7	18
B. *Operated*	16	4.3	16	<1	1	3	4	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	80	4.2	4	1	2	4	5	7	9	11
B. *Operated*	13	3.4	2	1	2	3	4	16	81	99+
1. SINGLE DX	220	3.8	7	1	2	3	4	6	7	17
2. MULTIPLE DX	93	4.1	4	1	2	4	5	7	9	61
A. NOT OPERATED	284	3.9	6	1	2	3	5	6	8	14
B. OPERATED	29	3.9	10	1	1	3	4	9	16	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	313	3.9	6	1	2	3	5	6	8	18
GRAND TOTAL	**313**	**3.9**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**18**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	67	1.6	1	<1	1	1	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	163	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	2.3	1	1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	111	2.6	5	<1	1	2	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	1.6	1	<1	1	1	2	3	3	5
B. *Operated*	163	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	31	2.3	1	1	1	2	3	4	4	5
B. *Operated*	111	2.6	5	<1	1	2	3	5	7	11
1. SINGLE DX	230	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	142	2.6	4	<1	1	2	3	5	6	9
A. NOT OPERATED	98	1.8	1	<1	1	2	2	3	4	5
B. OPERATED	274	2.2	4	<1	1	2	2	4	6	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	372	2.1	3	<1	1	2	2	4	5	8
GRAND TOTAL	**372**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	65	4.5	14	1	2	3	5	10	13	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	129	3.1	6	1	1	3	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	56	4.5	12	1	2	4	5	8	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	97	3.9	19	1	2	3	4	6	9	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.5	14	1	2	3	5	10	13	19
B. *Operated*	130	3.1	6	1	1	3	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	56	4.5	12	1	2	4	5	8	12	21
B. *Operated*	97	3.9	19	1	2	3	4	6	9	27
1. SINGLE DX	195	3.6	9	1	1	3	4	7	11	16
2. MULTIPLE DX	153	4.1	16	1	2	3	5	7	11	22
A. NOT OPERATED	121	4.5	13	1	2	3	5	8	12	21
B. OPERATED	227	3.4	12	1	1	3	4	6	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	347	3.8	12	1	1	3	5	7	11	16
GRAND TOTAL	**348**	**3.8**	**12**	**1**	**1**	**3**	**4**	**7**	**11**	**16**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	4.1	3	1	2	4	5	6	8	9
1-11 MOS	261	4.2	7	2	2	3	5	7	9	13
1-5 YRS	895	3.9	6	1	2	3	5	7	8	11
6-12 YRS	813	4.0	5	2	2	3	5	7	8	12
13-19 YRS	864	4.3	7	2	2	4	5	7	9	14
B. *Operated*										
0-27 DYS	6	4.3	4	2	2	4	6	7	7	7
1-11 MOS	118	4.9	11	1	1	4	7	9	11	15
1-5 YRS	453	4.1	11	<1	1	3	6	8	10	15
6-12 YRS	348	5.2	21	1	1	4	7	10	13	22
13-19 YRS	443	5.0	13	1	1	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	48	5.6	18	2	2	4	7	11	14	21
1-11 MOS	374	5.0	9	2	2	4	6	9	11	15
1-5 YRS	891	4.6	9	2	2	4	6	8	10	15
6-12 YRS	724	4.5	11	2	2	4	5	8	10	19
13-19 YRS	936	4.9	11	2	2	4	6	8	11	17
B. *Operated*										
0-27 DYS	6	8.5	103	2	2	5	6	27	29	29
1-11 MOS	120	7.0	49	1	2	5	8	12	15	45
1-5 YRS	319	5.8	22	1	2	5	7	11	13	28
6-12 YRS	298	7.6	82	1	2	5	8	14	23	48
13-19 YRS	419	7.2	52	2	2	5	8	13	18	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2856	4.1	6	1	2	4	5	7	8	12
B. *Operated*	1368	4.8	14	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	2973	4.7	10	2	2	4	6	8	10	17
B. *Operated*	1162	6.9	52	1	2	5	8	12	18	44
1. SINGLE DX	4224	4.3	9	1	2	4	5	8	10	15
2. MULTIPLE DX	4135	5.3	23	2	2	4	6	9	12	25
A. NOT OPERATED	5829	4.4	8	2	2	4	5	8	10	15
B. OPERATED	2530	5.7	33	1	1	4	7	11	14	31
TOTAL 0-27 DYS	83	5.3	19	2	2	4	6	9	12	26
1-11 MOS	873	5.0	15	1	2	4	6	9	11	17
1-5 YRS	2558	4.4	10	1	2	4	5	8	10	15
6-12 YRS	2183	4.9	21	1	2	4	6	8	11	24
13-19 YRS	2662	5.1	17	2	2	4	6	9	12	20
GRAND TOTAL	**8359**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	150	3.7	3	1	2	4	5	6	7	8
1-11 MOS	87	4.2	7	<1	1	3	6	8	10	12
1-5 YRS	397	4.3	8	1	2	4	5	7	9	15
6-12 YRS	185	4.3	13	1	2	4	5	7	9	18
13-19 YRS	220	4.2	9	1	2	3	5	8	10	17
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	43	5.6	18	<1	1	4	8	11	13	21
1-5 YRS	238	3.4	10	<1	<1	2	4	7	10	16
6-12 YRS	208	3.7	10	<1	1	3	5	9	10	16
13-19 YRS	210	4.4	34	<1	1	3	5	8	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	142	4.2	11	2	2	3	5	7	9	14
1-11 MOS	146	5.2	8	2	2	4	7	10	11	13
1-5 YRS	508	4.4	11	1	2	4	5	8	9	13
6-12 YRS	234	4.1	5	1	2	4	5	7	8	12
13-19 YRS	247	4.6	11	1	2	4	6	9	10	19
B. *Operated*										
0-27 DYS	4	6.5	10	4	4	5	8	11	11	11
1-11 MOS	82	6.8	23	1	2	6	9	12	16	24
1-5 YRS	171	5.4	29	1	1	4	7	10	13	31
6-12 YRS	115	4.8	16	1	1	4	6	8	12	22
13-19 YRS	216	6.0	29	1	1	4	8	12	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1039	4.2	9	1	2	4	5	7	9	14
B. *Operated*	700	3.9	18	<1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	1277	4.5	10	1	2	4	6	8	10	14
B. *Operated*	588	5.7	26	1	1	4	7	11	15	25
1. SINGLE DX	1739	4.1	12	1	1	3	5	7	10	17
2. MULTIPLE DX	1865	4.9	15	1	2	4	6	9	11	21
A. NOT OPERATED	2316	4.3	9	1	2	4	5	8	9	14
B. OPERATED	1288	4.7	22	<1	1	3	6	10	13	22
TOTAL 0-27 DYS	297	4.0	7	2	2	4	5	7	7	12
1-11 MOS	358	5.4	13	1	2	4	7	10	12	20
1-5 YRS	1314	4.3	13	1	1	4	5	8	10	16
6-12 YRS	742	4.1	10	1	1	3	5	8	9	15
13-19 YRS	893	4.8	21	1	1	4	6	9	13	23
GRAND TOTAL	**3604**	**4.5**	**14**	**1**	**1**	**4**	**6**	**8**	**11**	**19**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	42	3.4	5	<1	1	3	5	6	8	9
B. *Operated*										
0-27 DYS	3	5.3	8	2	2	7	7	7	7	7
1-11 MOS	26	3.0	5	<1	<1	2	3	7	9	9
1-5 YRS	20	2.3	3	<1	<1	2	3	5	6	7
6-12 YRS	25	3.1	2	1	1	3	4	5	5	5
13-19 YRS	3036	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	32	2.3	6	<1	<1	1	2	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	7	4.3	6	1	1	4	6	8	8	8
1-5 YRS	8	5.1	25	2	2	3	6	14	16	16
6-12 YRS	6	3.8	11	1	1	3	5	9	10	10
13-19 YRS	357	4.5	11	1	2	4	5	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.3	5	1	1	3	5	6	8	9
B. *Operated*	3110	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	38	2.5	6	<1	<1	1	3	7	8	11
B. *Operated*	376	4.5	11	1	2	4	5	7	10	17
1. SINGLE DX	3157	3.5	5	1	1	3	4	6	7	11
2. MULTIPLE DX	416	4.3	11	1	1	4	5	7	10	17
A. NOT OPERATED	85	3.0	5	<1	<1	2	4	6	8	10
B. OPERATED	3488	3.6	6	1	2	3	4	6	7	12
TOTAL 0-27 DYS	6	4.3	6	1	1	4	7	7	7	7
1-11 MOS	37	3.2	5	<1	1	2	4	7	8	9
1-5 YRS	31	3.2	9	<1	<1	2	4	6	9	16
6-12 YRS	32	3.3	3	1	1	3	4	5	5	10
13-19 YRS	3467	3.6	6	1	2	3	4	6	7	11
GRAND TOTAL	**3523**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.8	5	<1	<1	2	4	6	6	6
13-19 YRS	9	3.3	16	<1	<1	1	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	56	1.6	1	<1	<1	1	2	3	4	5
1-5 YRS	225	1.4		<1	<1	1	2	2	2	4
6-12 YRS	120	1.5	1	<1	<1	1	2	2	2	6
13-19 YRS	185	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	14	<1	<1	2	6	8	8	8
1-5 YRS	7	1.1		<1	<1	<1	<1	2	2	2
6-12 YRS	5	1.0		1	1	1	1	1	1	1
13-19 YRS	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	36	2.2	3	<1	<1	2	2	5	7	8
6-12 YRS	29	2.4	12	<1	<1	1	2	4	7	19
13-19 YRS	59	2.3	2	<1	<1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.5	6	<1	<1	1	3	7	8	8
B. *Operated*	586	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	19	1.7	3	<1	<1	1	2	3	6	8
B. *Operated*	126	2.4	5	<1	<1	2	3	4	6	11
1. SINGLE DX	597	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	145	2.3	5	<1	<1	2	2	4	6	9
A. NOT OPERATED	30	2.0	4	<1	<1	1	2	5	8	8
B. OPERATED	712	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS										
1-11 MOS	62	1.8	2	<1	<1	1	2	3	5	9
1-5 YRS	270	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	159	1.7	3	<1	<1	1	2	2	3	8
13-19 YRS	251	1.9	1	<1	<1	2	2	4	4	7
GRAND TOTAL	**742**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	50	3.2	3	1	1	3	4	5	7	7
1-11 MOS	167	3.3	5	1	1	3	4	6	7	11
1-5 YRS	621	3.0	4	1	1	3	4	6	7	10
6-12 YRS	331	4.0	16	1	1	3	5	8	12	22
13-19 YRS	433	4.5	25	1	1	3	5	9	14	26
B. *Operated*										
0-27 DYS	2	10.0	18	7	7	10	13	13	13	13
1-11 MOS	25	3.7	20	<1	<1	2	4	12	15	18
1-5 YRS	328	2.8	14	<1	<1	2	3	4	10	21
6-12 YRS	624	2.7	9	<1	<1	2	3	5	9	17
13-19 YRS	1280	2.9	18	<1	<1	2	3	5	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	51	4.8	10	2	2	4	6	7	13	19
1-11 MOS	301	4.4	9	1	2	4	5	8	10	16
1-5 YRS	664	4.0	11	1	1	3	5	7	9	16
6-12 YRS	457	4.7	24	1	1	3	6	9	12	23
13-19 YRS	564	5.8	44	1	1	4	7	12	16	33
B. *Operated*										
0-27 DYS	1	57.0		57	57	57	57	57	57	57
1-11 MOS	20	7.3	91	<1	<1	4	6	20	29	37
1-5 YRS	233	4.8	34	1	1	3	6	10	17	37
6-12 YRS	351	5.1	56	<1	1	2	6	12	17	51
13-19 YRS	814	7.6	143	<1	1	3	8	18	32	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1602	3.7	13	1	1	3	4	7	9	21
B. *Operated*	2259	2.8	15	<1	<1	2	3	5	9	19
2. MULTIPLE DX										
A. *Not Operated*	2037	4.7	23	1	1	4	6	9	12	23
B. *Operated*	1419	6.6	106	<1	1	3	7	15	25	59
1. SINGLE DX	3861	3.2	14	<1	<1	2	3	6	9	19
2. MULTIPLE DX	3456	5.5	58	1	1	3	6	11	17	43
A. NOT OPERATED	3639	4.3	19	1	1	3	5	8	11	22
B. OPERATED	3678	4.3	53	<1	<1	2	4	9	15	42
TOTAL 0-27 DYS	104	4.6	35	1	2	4	5	7	9	35
1-11 MOS	513	4.1	12	1	1	3	5	7	10	18
1-5 YRS	1846	3.5	13	<1	1	3	4	7	9	21
6-12 YRS	1763	4.0	25	<1	1	2	4	8	12	22
13-19 YRS	3091	4.9	60	<1	1	2	5	10	17	43
GRAND TOTAL	7317	4.3	38	<1	1	3	5	9	13	31

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	38	1.6	12	<1	<1	<1	<1	<1	2	22
6-12 YRS	45	6.2	41	1	1	4	8	11	18	39
13-19 YRS	125	5.9	39	1	2	4	6	14	17	35
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	6.8	48	1	1	1	6	12	15	15
6-12 YRS	22	7.5	89	1	2	3	11	17	27	42
13-19 YRS	36	6.5	104	1	2	3	7	13	19	60
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	85	<1	<1	7	14	14	14	14
1-5 YRS	12	4.9	12	1	1	4	7	10	11	11
6-12 YRS	43	9.5	72	2	2	6	12	24	28	38
13-19 YRS	190	7.5	55	1	2	6	9	14	16	50
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	14.9	318	1	1	5	17	46	53	53
6-12 YRS	22	14.0	469	1	1	6	13	43	73	87
13-19 YRS	93	16.1	267	2	3	10	21	32	57	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	5.2	37	<1	<1	3	6	12	16	35
B. *Operated*	63	6.7	92	1	1	3	9	15	19	58
2. MULTIPLE DX										
A. *Not Operated*	247	7.7	56	1	2	6	10	15	23	46
B. *Operated*	122	15.6	301	2	2	10	21	33	58	80
1. SINGLE DX	272	5.5	50	<1	<1	3	7	13	17	38
2. MULTIPLE DX	369	10.3	150	1	2	7	12	22	31	60
A. NOT OPERATED	456	6.5	49	<1	1	4	8	14	19	38
B. OPERATED	185	12.6	247	1	2	8	15	27	52	81
TOTAL 0-27 DYS										
1-11 MOS	4	5.0	38	<1	<1	2	9	14	14	14
1-5 YRS	61	4.1	62	<1	<1	<1	4	11	16	50
6-12 YRS	132	8.8	134	1	2	5	10	18	29	67
13-19 YRS	444	6.7	113	1	2	5	10	19	25	58
GRAND TOTAL	641	8.3	113	<1	1	5	10	17	25	58

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	8.2	6	5	5	8	11	11	11	11
1-5 YRS	148	5.7	30	1	2	4	6	11	16	34
6-12 YRS	166	6.1	28	2	2	4	8	11	15	31
13-19 YRS	126	7.0	28	2	2	5	10	14	19	23
B. Operated										
0-27 DYS										
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	25	6.9	75	<1	1	4	9	13	28	39
6-12 YRS	24	4.8	20	<1	1	3	7	10	15	19
13-19 YRS	51	10.3	166	1	1	5	12	36	45	52
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	12	7.3	25	<1	1	7	10	16	17	17
1-5 YRS	78	7.8	79	1	2	5	8	18	24	49
6-12 YRS	117	7.6	63	1	2	5	9	16	22	50
13-19 YRS	96	8.3	52	2	3	6	11	17	24	39
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	10.1	101	<1	1	6	15	27	28	28
6-12 YRS	20	10.4	41	2	3	10	15	20	22	23
13-19 YRS	49	10.6	143	2	2	6	13	24	37	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	447	6.2	29	2	2	4	7	12	17	27
B. Operated	102	8.1	110	1	1	4	10	17	38	49
2. MULTIPLE DX										
A. Not Operated	304	7.9	62	1	2	5	9	17	21	47
B. Operated	84	10.4	109	2	2	7	14	23	28	56
1. SINGLE DX	549	6.6	44	1	2	4	8	13	19	37
2. MULTIPLE DX	388	8.4	73	1	2	6	11	18	25	48
A. NOT OPERATED	751	6.9	43	1	2	5	8	14	20	35
B. OPERATED	186	9.2	111	1	2	5	12	22	35	50
TOTAL 0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	20	7.6	19	1	2	7	11	14	16	17
1-5 YRS	266	6.7	53	1	2	4	7	15	22	39
6-12 YRS	327	6.8	42	1	2	5	8	14	19	33
13-19 YRS	322	8.4	76	2	2	5	11	18	24	46
GRAND TOTAL	**937**	**7.3**	**57**	**1**	**2**	**5**	**9**	**15**	**21**	**40**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	6	5.8	24	1	1	5	8	13	14	14
6-12 YRS	6	3.5	2	2	2	3	5	5	5	5
13-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
B. Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	4	5.8	47	2	2	3	9	16	16	16
1-5 YRS	4	8.3	60	2	2	7	14	18	18	18
6-12 YRS	6	2.5	1	2	2	2	3	4	4	4
13-19 YRS	67	3.3	12	1	1	2	3	8	9	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	6	7.8	32	1	1	7	11	16	17	17
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS										
13-19 YRS	9	4.9	21	<1	<1	3	9	12	12	12
B. Operated										
0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS	7	11.6	39	5	5	9	15	21	23	23
1-5 YRS										
6-12 YRS	9	10.4	147	2	3	8	9	29	42	42
13-19 YRS	45	6.0	95	1	1	3	7	12	16	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.9	11	<1	1	3	5	8	12	14
B. Operated	82	3.8	17	1	1	2	3	9	13	22
2. MULTIPLE DX										
A. Not Operated	17	6.1	23	<1	<1	4	9	12	15	17
B. Operated	63	7.5	98	1	2	4	9	15	21	61
1. SINGLE DX	99	3.8	16	1	1	2	4	8	13	21
2. MULTIPLE DX	80	7.2	82	1	1	4	9	14	19	57
A. NOT OPERATED	34	5.0	18	<1	1	4	8	12	14	17
B. OPERATED	145	5.4	55	1	1	3	6	11	17	43
TOTAL 0-27 DYS	4	10.8	73	3	3	10	18	20	20	20
1-11 MOS	17	8.9	39	1	2	8	14	17	21	23
1-5 YRS	12	6.8	30	1	1	5	10	15	18	18
6-12 YRS	21	6.2	74	2	2	4	6	10	24	42
13-19 YRS	125	4.4	43	1	1	2	4	9	12	34
GRAND TOTAL	**179**	**5.3**	**48**	**1**	**1**	**3**	**7**	**12**	**16**	**37**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	33	9.3	28	1	3	10	13	15	18	23
1-5 YRS	162	8.2	43	1	2	6	11	19	22	29
6-12 YRS	128	7.3	37	2	2	5	10	17	20	25
13-19 YRS	126	6.5	21	2	2	5	8	12	16	23
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	34	14.3	60	5	7	14	15	23	30	43
1-5 YRS	92	14.1	48	3	5	14	19	23	27	31
6-12 YRS	68	14.3	101	2	5	11	20	30	35	40
13-19 YRS	110	7.0	43	1	1	5	10	18	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.5	1	8	8	8	9	9	9	9
1-11 MOS	49	13.9	55	5	5	13	17	27	28	31
1-5 YRS	117	9.6	54	2	2	7	14	21	23	33
6-12 YRS	99	9.3	59	2	2	6	13	21	24	36
13-19 YRS	135	7.9	40	2	2	5	11	15	21	27
B. *Operated*										
0-27 DYS	5	16.6	82	7	7	14	23	30	30	30
1-11 MOS	61	17.0	63	6	8	15	22	28	31	42
1-5 YRS	104	15.2	64	3	6	14	21	26	28	40
6-12 YRS	54	17.4	113	2	5	16	24	30	37	51
13-19 YRS	122	12.3	150	1	2	8	16	29	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	7.6	35	2	2	6	10	16	21	27
B. *Operated*	305	11.6	71	1	2	10	16	23	29	38
2. MULTIPLE DX										
A. *Not Operated*	402	9.5	53	2	2	7	14	20	24	31
B. *Operated*	346	14.8	105	2	3	14	21	28	32	51
1. SINGLE DX	754	9.2	53	2	2	7	13	20	23	31
2. MULTIPLE DX	748	12.0	84	2	3	10	16	24	29	42
A. NOT OPERATED	851	8.5	44	2	2	6	12	18	22	29
B. OPERATED	651	13.3	91	2	3	12	19	27	31	43
TOTAL 0-27 DYS	8	14.4	61	7	7	12	18	27	30	30
1-11 MOS	177	14.2	60	4	5	13	17	26	29	40
1-5 YRS	475	11.2	60	2	2	10	16	22	26	31
6-12 YRS	349	10.8	81	2	2	8	15	23	29	40
13-19 YRS	493	8.4	68	1	2	6	11	18	24	42
GRAND TOTAL	**1502**	**10.6**	**70**	**2**	**2**	**8**	**15**	**22**	**27**	**38**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	15	3.3	4	1	1	3	5	6	7	7
13-19 YRS	52	2.6	4	<1	<1	2	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.0	5	1	1	2	4	7	7	7
1-5 YRS	7	4.9	5	1	1	6	7	7	7	7
6-12 YRS	126	2.6	8	<1	1	2	3	4	5	14
13-19 YRS	3134	2.5	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.8	89	<1	<1	4	14	21	21	21
6-12 YRS	10	2.1	1	<1	<1	2	3	4	4	4
13-19 YRS	87	1.6	3	<1	<1	1	1	3	4	12
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	7	3.0	1	2	2	3	4	5	5	5
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	73	2.6	3	<1	1	2	3	4	5	10
13-19 YRS	2135	2.8	4	1	1	2	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.7	4	<1	<1	2	4	5	7	9
B. *Operated*	3273	2.5	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	101	1.9	7	<1	<1	1	2	3	5	17
B. *Operated*	2220	2.8	4	1	1	2	4	5	6	10
1. SINGLE DX	3342	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	2321	2.8	4	<1	1	2	4	5	6	10
A. NOT OPERATED	170	2.2	6	<1	<1	1	3	5	6	13
B. OPERATED	5493	2.7	4	<1	1	2	3	5	6	9
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	13	3.0	3	1	1	2	4	5	7	7
1-5 YRS	16	4.7	25	<1	<1	3	6	8	17	21
6-12 YRS	224	2.6	6	<1	1	2	3	4	6	10
13-19 YRS	5408	2.6	3	<1	1	2	3	5	6	9
GRAND TOTAL	**5663**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.2	8	1	1	3	4	7	11	11
1-5 YRS	216	3.5	6	1	1	3	5	6	8	13
6-12 YRS	241	3.8	3	1	1	3	5	7	9	16
13-19 YRS	179	3.6	10	<1	<1	2	5	8	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS	11	2.3	1	<1	<1	2	3	4	4	4
1-5 YRS	72	2.4	2	<1	1	2	3	4	5	9
6-12 YRS	273	3.1	8	<1	1	2	4	6	8	16
13-19 YRS	3994	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	4.8	20	<1	<1	3	7	11	15	15
1-5 YRS	162	3.2	7	<1	1	3	4	6	9	13
6-12 YRS	242	5.0	25	1	1	4	6	11	14	24
13-19 YRS	251	4.1	35	<1	1	3	5	9	11	19
B. *Operated*										
0-27 DYS										
1-11 MOS	11	3.4	3	1	1	3	5	6	7	7
1-5 YRS	188	4.8	19	1	2	4	5	8	11	25
6-12 YRS	320	5.5	37	1	1	4	6	10	16	32
13-19 YRS	1631	4.0	18	1	1	3	5	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	647	3.6	8	1	1	3	5	7	9	14
B. *Operated*	4350	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	665	4.2	25	<1	1	3	5	9	12	19
B. *Operated*	2150	4.3	21	1	1	3	5	7	11	30
1. SINGLE DX	4997	3.2	5	1	1	3	4	5	7	11
2. MULTIPLE DX	2815	4.2	22	1	1	3	5	8	11	27
A. NOT OPERATED	1312	3.9	17	<1	1	3	5	8	11	17
B. OPERATED	6500	3.5	10	1	1	3	4	6	7	16
TOTAL 0-27 DYS										
1-11 MOS	43	3.4	8	<1	1	2	4	7	9	15
1-5 YRS	638	3.7	10	1	1	3	5	7	9	15
6-12 YRS	1076	4.4	22	1	1	3	5	8	12	26
13-19 YRS	6055	3.4	10	1	1	3	4	6	7	14
GRAND TOTAL	**7812**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS										
13-19 YRS	9	9.4	55	1	1	7	13	21	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	10.2	47	3	3	8	14	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	11.0	214	2	2	6	14	37	37	37
13-19 YRS	4	15.0	58	7	7	14	20	25	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.4	49	1	2	7	12	19	24	25
B. *Operated*	6	8.8	49	2	2	7	12	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	9	12.8	133	2	3	7	18	32	37	37
B. *Operated*	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	17	8.5	46	1	2	7	12	20	24	25
2. MULTIPLE DX	10	11.7	130	2	2	7	16	31	37	37
A. NOT OPERATED	20	10.4	87	1	2	7	14	25	31	37
B. OPERATED	7	7.9	47	2	2	7	11	19	21	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	7	8.4	162	2	2	4	6	31	37	37
13-19 YRS	18	10.9	52	1	2	8	15	24	25	25
GRAND TOTAL	**27**	**9.7**	**76**	**2**	**2**	**7**	**13**	**24**	**27**	**37**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	6.3	9	3	3	7	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	15	6.3	14	1	1	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	7.0	13	3	3	9	55	99+	99+	99+
1-5 YRS	3	3.7	6	1	1	4	5	6	6	6
6-12 YRS	6	4.5	3	2	2	4	5	7	7	7
13-19 YRS	6	5.3	17	<1	<1	5	9	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS										
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	12	8.0	22	3	3	7	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.2	8	2	2	5	7	9	9	9
B. *Operated*	16	6.3	13	1	1	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	19	5.3	10	<1	1	5	9	10	55	99+
B. *Operated*	15	9.0	29	3	3	8	12	17	20	21
1. SINGLE DX	21	6.0	12	1	1	7	8	11	11	11
2. MULTIPLE DX	34	6.9	21	1	2	7	10	15	20	99+
A. NOT OPERATED	24	5.3	9	1	2	5	8	10	33	99+
B. OPERATED	31	7.6	22	1	2	8	10	13	17	21
TOTAL 0-27 DYS	1	10.0	-	10	10	10	10	10	10	10
1-11 MOS	6	7.3	8	3	3	8	10	82	99+	99+
1-5 YRS	3	3.7	6	1	1	4	5	6	6	6
6-12 YRS	9	6.3	34	2	2	5	7	15	21	21
13-19 YRS	36	6.7	17	1	1	7	9	11	14	17
GRAND TOTAL	**55**	**6.6**	**17**	**1**	**2**	**7**	**9**	**11**	**16**	**95**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	12	5.7	13	1	2	5	8	11	13	13
6-12 YRS	9	3.1	9	1	1	2	4	8	10	10
13-19 YRS	148	7.5	44	1	2	7	10	12	15	49
B. *Operated*										
0-27 DYS	3	8.3	37	3	3	7	13	15	15	15
1-11 MOS	14	10.9	114	1	2	8	12	26	38	42
1-5 YRS	3	4.0	9	<1	<1	4	6	7	7	7
6-12 YRS	14	11.5	60	3	4	10	21	23	24	25
13-19 YRS	538	6.3	22	1	2	5	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.7	20	4	4	9	12	13	13	13
1-5 YRS	5	10.6	75	6	6	7	12	26	26	26
6-12 YRS	1	45.0		45	45	45	45	45	45	45
13-19 YRS	66	7.5	17	1	1	7	11	14	15	16
B. *Operated*										
0-27 DYS	2	10.0	18	7	7	10	13	13	13	13
1-11 MOS	6	12.8	86	1	1	13	20	24	25	25
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	5	8.2	23	1	1	8	12	13	13	13
13-19 YRS	122	8.1	52	1	2	6	10	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	7.1	40	1	1	6	10	12	15	43
B. *Operated*	572	6.5	26	1	2	5	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	75	8.2	39	1	2	7	11	14	16	40
B. *Operated*	137	8.3	52	1	2	6	11	18	23	40
1. SINGLE DX	744	6.7	30	1	2	6	9	12	16	25
2. MULTIPLE DX	212	8.3	47	1	2	7	11	16	20	41
A. NOT OPERATED	247	7.4	40	1	1	7	10	13	15	45
B. OPERATED	709	6.9	32	1	2	6	9	14	19	26
TOTAL 0-27 DYS	6	8.3	22	3	3	7	13	15	15	15
1-11 MOS	25	10.4	90	1	1	8	13	24	29	42
1-5 YRS	22	6.3	29	1	1	6	7	11	18	26
6-12 YRS	29	9.5	94	1	1	7	11	22	26	45
13-19 YRS	874	6.9	30	1	2	6	9	13	17	25
GRAND TOTAL	**956**	**7.0**	**34**	**1**	**2**	**6**	**9**	**13**	**18**	**26**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	8	4.4	7	1	1	4	6	8	8	8
6-12 YRS	8	3.9	5	1	1	4	6	7	7	7
13-19 YRS	36	5.3	20	1	2	4	7	10	15	23
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	7.5	5	6	6	7	9	9	9	9
1-5 YRS										
6-12 YRS	6	4.0	10	1	1	3	6	9	9	9
13-19 YRS	34	6.7	30	1	1	6	9	14	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0	3	3	3	3	5	6	6	6
6-12 YRS	4	10.8	53	4	4	10	17	18	18	18
13-19 YRS	12	6.8	18	3	3	5	9	13	16	17
B. *Operated*										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	3	14.7	342	3	3	5	28	36	36	36
1-5 YRS	3	10.0	127	3	3	4	18	23	23	23
6-12 YRS	3	5.7	12	2	2	6	8	9	9	9
13-19 YRS	13	7.5	24	2	2	8	11	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	4.9	15	1	1	4	6	8	12	23
B. *Operated*	43	6.3	26	1	1	5	9	13	18	23
2. MULTIPLE DX										
A. *Not Operated*	19	7.2	25	3	3	5	9	17	18	18
B. *Operated*	23	9.3	74	2	2	6	12	23	28	36
1. SINGLE DX	97	5.5	20	1	1	5	7	10	15	23
2. MULTIPLE DX	42	8.3	52	2	3	5	11	17	23	36
A. NOT OPERATED	73	5.5	18	1	2	4	7	10	17	22
B. OPERATED	66	7.3	44	1	2	5	9	16	23	34
TOTAL 0-27 DYS	2	13.5	221	3	3	13	24	24	24	24
1-11 MOS	7	9.6	140	3	3	5	8	31	36	36
1-5 YRS	14	5.5	30	1	1	4	6	10	20	23
6-12 YRS	21	5.5	21	1	1	5	6	12	17	18
13-19 YRS	95	6.3	24	1	2	5	8	13	17	23
GRAND TOTAL	**139**	**6.4**	**31**	**1**	**2**	**5**	**8**	**13**	**18**	**25**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	4	5.5	20	2	2	4	8	12	12	12
13-19 YRS	24	7.5	77	1	2	4	11	14	25	43
B. *Operated*										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	13	5.0	18	1	1	4	7	10	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.5	61	<1	<1	6	12	12	12	12
1-5 YRS	3	5.0	9	2	2	5	7	8	8	8
6-12 YRS	4	5.5	18	1	1	5	8	11	11	11
13-19 YRS	44	6.1	23	1	2	5	7	11	15	28
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	16	7.2	51	1	1	6	9	12	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.8	66	1	1	4	11	13	17	43
B. *Operated*	15	7.0	67	1	1	5	8	16	29	33
2. MULTIPLE DX										
A. *Not Operated*	53	6.0	22	1	1	5	8	11	15	28
B. *Operated*	17	7.4	48	1	1	7	10	12	24	30
1. SINGLE DX	45	6.9	65	1	1	4	8	14	21	43
2. MULTIPLE DX	70	6.3	28	1	1	5	8	12	15	30
A. NOT OPERATED	83	6.3	37	1	1	5	8	12	15	38
B. OPERATED	32	7.2	55	1	1	5	9	13	29	33
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	11.8	166	<1	<1	11	17	33	33	33
1-5 YRS	4	5.5	7	2	2	6	7	8	8	8
6-12 YRS	8	5.5	16	1	1	4	8	12	12	12
13-19 YRS	97	6.5	40	1	1	5	8	12	16	37
GRAND TOTAL	**115**	**6.5**	**42**	**1**	**1**	**5**	**8**	**12**	**16**	**36**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	3	9.0	3	8	8	8	10	11	11	11
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	17	6.1	15	2	2	4	10	12	13	14
B. Operated										
0-27 DYS										
1-11 MOS	2	4.0	0	2	2	4	6	6	6	6
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	17	4.6	35	1	1	2	4	11	20	25
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	19	7.2	14	2	2	7	10	13	15	15
B. Operated										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	2	9.0	50	4	4	9	14	14	14	14
13-19 YRS	8	11.0	70	1	2	9	19	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	6.5	14	2	2	6	10	12	13	14
B. Operated	22	4.5	27	1	1	3	5	8	17	25
2. MULTIPLE DX										
A. Not Operated	20	7.2	13	2	2	7	9	12	14	15
B. Operated	11	10.5	55	1	3	9	16	22	23	23
1. SINGLE DX	43	5.5	21	1	2	4	7	11	13	25
2. MULTIPLE DX	31	8.3	29	2	3	7	10	16	21	23
A. NOT OPERATED	41	6.8	13	2	2	7	10	12	14	15
B. OPERATED	33	6.5	43	1	2	4	8	18	23	25
TOTAL 0-27 DYS										
1-11 MOS	6	7.3	9	2	2	8	9	11	11	11
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	5	6.4	19	3	3	5	8	14	14	14
13-19 YRS	61	6.7	30	1	2	5	10	14	19	25
GRAND TOTAL	74	6.7	26	2	2	5	9	14	17	25

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	9	2.6	5	<1	<1	1	6	6	7	7
1-5 YRS	47	2.1	2	<1	<1	1	3	4	5	6
6-12 YRS	93	3.4	9	<1	1	2	4	9	10	14
13-19 YRS	382	4.8	14	1	1	4	6	9	12	20
B. Operated										
0-27 DYS	1	33.0		33	33	33	33	33	33	33
1-11 MOS	6	2.8	1	2	2	3	3	4	4	4
1-5 YRS	8	3.3	5	<1	<1	3	5	7	7	7
6-12 YRS	27	4.0	8	1	1	3	5	9	10	12
13-19 YRS	228	4.0	15	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	16.7	94	6	6	19	23	25	25	25
1-11 MOS	13	4.4	13	<1	1	4	5	10	13	14
1-5 YRS	35	3.7	22	<1	1	2	4	8	12	26
6-12 YRS	75	3.8	9	1	1	3	4	7	11	15
13-19 YRS	366	4.8	18	<1	1	4	6	10	12	25
B. Operated										
0-27 DYS										
1-11 MOS	7	4.6	29	1	1	2	5	14	16	16
1-5 YRS	9	6.0	12	2	2	5	9	11	11	11
6-12 YRS	16	7.2	39	1	2	5	9	19	20	20
13-19 YRS	171	5.7	32	1	1	4	7	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	531	4.3	13	1	1	3	5	9	11	19
B. Operated	270	4.1	17	1	1	3	5	9	11	17
2. MULTIPLE DX										
A. Not Operated	492	4.6	18	<1	1	4	6	10	12	25
B. Operated	203	5.8	31	1	1	4	6	11	16	29
1. SINGLE DX	801	4.2	14	1	1	3	5	9	11	18
2. MULTIPLE DX	695	5.0	22	1	1	4	5	10	13	26
A. NOT OPERATED	1023	4.4	15	1	1	3	6	9	11	20
B. OPERATED	473	4.8	24	1	1	3	6	10	13	27
TOTAL 0-27 DYS	4	20.8	130	6	6	22	29	33	33	33
1-11 MOS	35	3.7	12	<1	1	3	4	7	13	16
1-5 YRS	99	3.1	12	<1	1	2	4	7	9	20
6-12 YRS	211	3.9	12	1	1	3	5	9	11	17
13-19 YRS	1147	4.8	18	1	1	4	6	10	12	23
GRAND TOTAL	1496	4.6	18	1	1	3	6	9	12	23

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	2.5	2	1	1	2	3	5	6	6
1-5 YRS	370	3.3	7	1	1	3	4	6	8	12
6-12 YRS	242	4.3	11	1	2	4	5	7	9	18
13-19 YRS	121	4.0	7	1	1	3	5	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	8	5.5	93	<1	<1	2	4	22	29	29
1-5 YRS	124	1.8	3	<1	<1	1	2	3	6	9
6-12 YRS	166	2.9	9	<1	<1	2	3	6	8	18
13-19 YRS	875	2.5	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.7	11	<1	<1	1	3	9	10	10
1-5 YRS	118	3.5	7	1	1	3	4	7	10	13
6-12 YRS	98	5.2	28	1	2	4	6	9	15	31
13-19 YRS	94	4.8	13	<1	1	4	6	9	12	18
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	3.9	11	<1	<1	2	7	9	9	9
1-5 YRS	24	4.8	17	<1	<1	4	6	10	16	17
6-12 YRS	52	4.1	17	<1	1	2	5	11	13	18
13-19 YRS	370	3.3	14	1	1	2	3	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	3.7	9	1	1	3	5	7	9	13
B. *Operated*	1173	2.5	5	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	318	4.4	16	1	1	3	5	8	12	21
B. *Operated*	454	3.5	15	<1	1	2	4	7	10	20
1. SINGLE DX	1917	3.0	7	<1	1	2	4	6	7	12
2. MULTIPLE DX	772	3.9	15	1	1	3	4	8	10	21
A. NOT OPERATED	1062	3.9	11	1	1	3	5	7	9	16
B. OPERATED	1627	2.8	8	<1	1	2	3	5	7	14
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	33	3.5	27	<1	<1	2	3	8	10	29
1-5 YRS	636	3.1	7	<1	1	2	4	6	8	13
6-12 YRS	558	4.0	15	<1	1	3	5	8	10	21
13-19 YRS	1460	3.0	8	<1	1	2	3	5	8	13
GRAND TOTAL	**2689**	**3.2**	**9**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	10	1.8		<1	<1	2	2	3	3	3
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	7	2.0		1	1	2	2	3	3	3
6-12 YRS	96	3.2	4	1	1	3	4	5	6	12
13-19 YRS	973	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	23	1.6	2	<1	<1	1	1	3	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	6	4.7	8	2	2	4	5	9	10	10
1-5 YRS	14	4.1	23	<1	1	3	5	9	17	19
6-12 YRS	79	3.6	4	1	2	3	4	6	7	10
13-19 YRS	863	3.6	4	1	2	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.7		<1	<1	2	2	3	3	3
B. *Operated*	1081	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	24	1.5	2	<1	<1	1	1	3	6	7
B. *Operated*	962	3.7	4	1	2	3	4	6	7	10
1. SINGLE DX	1093	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX	986	3.6	4	1	2	3	4	6	7	10
A. NOT OPERATED	36	1.6	2	<1	<1	1	2	2	4	7
B. OPERATED	2043	3.4	3	1	2	3	4	5	6	9
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	4.0	5	2	2	3	4	7	10	10
1-5 YRS	21	3.4	16	<1	1	2	3	7	13	19
6-12 YRS	178	3.3	4	1	1	3	4	5	7	10
13-19 YRS	1869	3.4	3	1	1	3	4	5	6	9
GRAND TOTAL	**2079**	**3.4**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7		<1	<1	2	2	2	2	2
6-12 YRS	8	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	6	1.2		<1	<1	1	1	2	2	2
B. Operated										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	14	1.3		<1	<1	1	1	2	3	3
1-5 YRS	243	1.7	1	<1	<1	2	2	3	3	4
6-12 YRS	464	1.7	1	<1	<1	2	2	3	3	5
13-19 YRS	923	1.7	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	8	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	19	1.2		<1	<1	1	1	2	3	3
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	23	1.9	1	<1	<1	2	2	3	3	3
6-12 YRS	44	2.0	1	<1	1	2	2	3	4	7
13-19 YRS	137	2.2	2	<1	<1	2	3	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.4		<1	<1	1	2	2	3	3
B. Operated	1646	1.7	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	35	1.1		<1	<1	1	1	1	2	3
B. Operated	204	2.1	2	<1	<1	2	3	3	4	7
1. SINGLE DX	1663	1.7	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX	239	1.9	2	<1	<1	2	2	3	4	7
A. NOT OPERATED	52	1.2		<1	<1	1	1	2	2	3
B. OPERATED	1850	1.7	1	<1	<1	2	2	3	3	5
TOTAL 0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	15	1.3		<1	<1	1	1	2	3	3
1-5 YRS	276	1.7	1	<1	<1	2	2	3	3	4
6-12 YRS	524	1.7	1	<1	<1	2	2	3	3	5
13-19 YRS	1085	1.7	1	<1	<1	2	2	3	3	5
GRAND TOTAL	**1902**	**1.7**	**1**	**<1**	**<1**	**2**	**2**	**3**	**3**	**5**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	15.0	182	6	6	9	23	35	35	35
1-11 MOS	25	15.2	44	4	6	15	21	24	26	28
1-5 YRS	102	12.5	87	1	2	10	20	26	29	36
6-12 YRS	112	13.2	82	2	4	12	18	26	29	40
13-19 YRS	91	14.3	111	1	3	11	21	29	31	50
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	15	17.6	64	6	8	17	23	31	32	32
1-5 YRS	73	18.3	149	2	4	15	26	37	42	51
6-12 YRS	129	17.6	157	3	4	15	24	38	42	50
13-19 YRS	194	14.9	165	2	3	11	21	29	44	54
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	19.3	25	14	14	20	23	24	24	24
1-11 MOS	24	20.0	119	7	8	20	27	31	40	51
1-5 YRS	80	16.7	101	3	4	14	22	30	37	42
6-12 YRS	113	15.9	127	2	4	13	22	30	42	48
13-19 YRS	90	14.9	135	1	2	12	24	31	41	79
B. Operated										
0-27 DYS	2	24.5	25	21	21	24	28	28	28	28
1-11 MOS	28	24.6	177	6	7	24	30	45	48	51
1-5 YRS	60	23.4	254	3	5	21	34	45	48	75
6-12 YRS	141	22.6	163	4	7	21	31	42	45	61
13-19 YRS	182	19.6	208	3	4	16	29	42	48	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	381	13.4	89	1	3	11	19	27	30	41
B. Operated	412	16.4	157	2	3	14	23	34	42	53
2. MULTIPLE DX										
A. Not Operated	310	16.2	121	2	3	14	23	30	40	50
B. Operated	413	21.6	198	3	5	20	30	43	47	78
1. SINGLE DX	793	15.0	126	2	3	13	21	29	38	51
2. MULTIPLE DX	723	19.3	172	3	4	17	28	40	45	61
A. NOT OPERATED	691	14.7	105	2	3	13	21	28	33	46
B. OPERATED	825	19.0	184	3	4	16	28	41	45	60
TOTAL 0-27 DYS	10	17.2	101	5	5	17	24	31	35	35
1-11 MOS	92	19.7	118	6	8	19	26	31	44	51
1-5 YRS	315	17.0	150	2	3	14	24	34	42	50
6-12 YRS	535	17.3	143	3	4	15	24	35	42	51
13-19 YRS	564	16.3	169	2	3	13	24	33	44	62
GRAND TOTAL	**1516**	**17.0**	**153**	**2**	**3**	**14**	**24**	**34**	**43**	**54**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.8	1	1	1	2	2	3	3	3
1-11 MOS	5	5.0	27	1	1	3	6	14	14	14
1-5 YRS	129	5.7	17	1	1	5	7	12	14	18
6-12 YRS	212	6.2	37	1	1	4	9	14	19	26
13-19 YRS	188	3.2	8	1	1	2	4	7	9	15
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	9.8	88	2	2	7	10	26	28	28
1-5 YRS	160	3.9	15	<1	1	3	5	9	12	20
6-12 YRS	958	5.5	27	1	1	4	7	11	16	24
13-19 YRS	2452	4.1	15	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.0	61	1	1	2	12	15	15	15
1-11 MOS	6	6.8	48	1	1	4	11	18	19	19
1-5 YRS	54	7.5	53	<1	1	6	9	16	25	36
6-12 YRS	124	7.9	87	<1	1	4	11	19	28	44
13-19 YRS	199	5.2	42	<1	1	3	6	12	17	40
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	3	4	4	4	6	7	7	7
1-5 YRS	59	5.6	40	1	1	4	6	10	22	31
6-12 YRS	317	6.8	60	1	1	4	8	14	20	46
13-19 YRS	964	4.9	41	1	1	3	5	10	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	5.0	23	1	1	3	7	11	14	23
B. *Operated*	3577	4.4	18	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	386	6.4	59	<1	1	4	7	16	22	42
B. *Operated*	1343	5.4	46	1	1	3	6	11	16	40
1. SINGLE DX	4116	4.5	19	1	1	3	5	9	13	22
2. MULTIPLE DX	1729	5.6	49	1	1	3	6	12	18	42
A. NOT OPERATED	925	5.6	39	1	1	3	7	13	18	32
B. OPERATED	4920	4.7	26	1	1	3	5	9	13	25
TOTAL 0-27 DYS	9	3.4	20	1	1	2	3	11	15	15
1-11 MOS	20	7.0	46	1	1	4	9	16	23	28
1-5 YRS	402	5.2	25	1	1	4	7	11	14	28
6-12 YRS	1611	6.0	40	1	1	4	7	13	18	32
13-19 YRS	3893	4.3	23	1	1	3	5	8	12	25
GRAND TOTAL	**5845**	**4.8**	**28**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	6	2.2	1	1	1	2	3	4	4	4
6-12 YRS	10	3.4	24	<1	<1	1	4	11	17	17
13-19 YRS	8	6.1	59	2	2	2	10	19	20	20
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	2.5	2	<1	1	2	4	4	4	4
1-5 YRS	91	3.5	4	1	2	3	4	6	8	10
6-12 YRS	269	4.6	25	1	2	4	5	7	9	29
13-19 YRS	471	4.0	16	<1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	33	3.4	39	<1	<1	1	2	6	20	30
6-12 YRS	24	4.8	45	<1	<1	1	5	14	24	25
13-19 YRS	29	4.4	31	<1	<1	3	5	11	15	27
B. *Operated*										
0-27 DYS	3	4.3	4	2	2	5	6	6	6	6
1-11 MOS	9	5.0	17	2	2	4	6	12	15	15
1-5 YRS	170	4.0	8	1	2	3	5	7	10	15
6-12 YRS	401	5.1	38	1	2	4	6	9	12	31
13-19 YRS	493	6.1	62	1	2	4	6	10	15	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.8	29	<1	<1	2	3	15	18	20
B. *Operated*	847	4.1	18	<1	1	3	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	88	4.1	37	<1	<1	1	4	11	22	29
B. *Operated*	1076	5.4	44	1	2	4	6	9	13	35
1. SINGLE DX	873	4.1	18	<1	1	3	5	7	8	17
2. MULTIPLE DX	1164	5.3	44	1	1	4	6	9	14	34
A. NOT OPERATED	114	4.0	35	<1	<1	2	4	12	19	28
B. OPERATED	1923	4.8	33	1	2	4	5	8	11	28
TOTAL 0-27 DYS	4	3.8	4	2	2	4	5	6	6	6
1-11 MOS	28	3.1	8	<1	<1	2	4	5	8	15
1-5 YRS	300	3.7	10	1	1	3	4	6	9	15
6-12 YRS	704	4.9	33	1	2	4	5	8	11	29
13-19 YRS	1001	5.0	40	1	1	4	6	9	12	30
GRAND TOTAL	**2037**	**4.8**	**33**	**1**	**1**	**4**	**5**	**8**	**11**	**28**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	8	4.4	7	1	1	4	6	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	8	3.3	2	2	2	3	4	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	7.2	27	3	3	5	11	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.1	6	1	1	4	6	8	9	9
B. *Operated*	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	11	3.4	3	1	1	3	4	6	6	6
B. *Operated*	5	7.2	27	3	3	5	11	15	15	15
1. SINGLE DX	14	3.7	5	1	1	3	5	7	9	9
2. MULTIPLE DX	16	4.6	12	1	2	4	5	10	13	15
A. NOT OPERATED	22	3.7	4	1	1	3	5	7	8	9
B. OPERATED	8	5.4	22	1	1	3	7	13	15	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	4	3.5	4	2	2	3	5	6	6	6
13-19 YRS	24	4.3	10	1	2	3	5	9	11	15
GRAND TOTAL	**30**	**4.2**	**9**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.6	13	1	1	1	3	9	9	9
1-11 MOS	15	3.2	14	1	1	2	3	8	13	15
1-5 YRS	82	2.2	4	<1	<1	1	3	5	8	10
6-12 YRS	260	2.8	7	1	1	2	4	6	9	14
13-19 YRS	432	3.5	12	1	1	2	5	9	11	15
B. *Operated*										
0-27 DYS	3	7.3	17	4	4	6	10	12	12	12
1-11 MOS	13	2.6	5	<1	<1	2	3	7	7	7
1-5 YRS	189	2.8	5	<1	1	2	3	6	8	13
6-12 YRS	439	5.7	45	1	1	3	9	12	16	36
13-19 YRS	1613	4.9	23	<1	1	3	8	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.0	37	<1	<1	2	9	12	12	12
1-11 MOS	22	3.9	10	1	1	3	7	9	11	12
1-5 YRS	100	3.0	11	<1	<1	2	4	7	10	17
6-12 YRS	224	3.7	14	<1	1	3	5	8	9	18
13-19 YRS	447	4.6	19	1	1	3	6	10	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS	26	2.8	4	<1	1	2	4	6	7	9
1-5 YRS	278	4.4	25	1	1	3	5	8	13	27
6-12 YRS	465	6.6	69	1	1	4	7	15	22	43
13-19 YRS	1432	5.4	54	1	1	3	6	12	16	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	794	3.1	10	<1	1	2	4	7	10	14
B. *Operated*	2257	4.9	26	<1	1	3	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	796	4.1	17	<1	1	3	5	9	12	19
B. *Operated*	2201	5.5	53	1	1	3	6	12	17	40
1. SINGLE DX	3051	4.4	22	<1	1	2	6	11	13	19
2. MULTIPLE DX	2997	5.1	44	1	1	3	5	11	16	34
A. NOT OPERATED	1590	3.6	13	<1	1	2	5	8	11	17
B. OPERATED	4458	5.2	40	1	1	3	7	12	15	31
TOTAL 0-27 DYS	11	4.5	20	<1	<1	2	8	12	12	12
1-11 MOS	76	3.2	8	1	1	2	4	7	9	14
1-5 YRS	649	3.4	15	<1	1	2	4	7	10	18
6-12 YRS	1388	5.1	43	1	1	3	6	11	15	36
13-19 YRS	3924	4.9	33	1	1	3	7	11	15	26
GRAND TOTAL	**6048**	**4.8**	**33**	**1**	**1**	**3**	**6**	**11**	**14**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	7	5.0	9	2	2	4	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	3.8	5	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	4	3.0	3	1	1	3	4	5	5	5
13-19 YRS	24	6.0	14	2	3	5	8	11	14	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.2	8	2	2	3	7	8	9	9
B. *Operated*	6	3.5	4	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	29	5.6	13	2	2	4	7	10	12	18
B. *Operated*	5	3.2	2	2	2	3	4	5	5	5
1. SINGLE DX	16	3.9	6	2	2	3	6	8	9	9
2. MULTIPLE DX	34	5.2	12	2	2	4	7	9	12	18
A. NOT OPERATED	39	5.2	12	2	2	4	7	9	12	18
B. OPERATED	11	3.4	3	2	2	3	5	6	7	7
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	9	2.8	2	1	1	2	4	5	5	5
13-19 YRS	38	5.4	11	2	2	4	7	9	12	18
GRAND TOTAL	**50**	**4.8**	**10**	**2**	**2**	**4**	**7**	**9**	**11**	**18**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	4.4	16	1	1	3	7	10	13	16
1-11 MOS	59	2.9	7	<1	1	2	4	7	9	13
1-5 YRS	89	2.3	6	<1	<1	1	3	5	6	14
6-12 YRS	25	2.9	13	<1	1	2	3	4	11	18
13-19 YRS	25	2.6	3	1	1	2	4	5	6	7
B. *Operated*										
0-27 DYS	54	7.8	24	2	2	7	11	15	18	19
1-11 MOS	157	7.1	28	2	3	6	8	11	17	32
1-5 YRS	74	6.9	34	2	2	6	8	12	25	82
6-12 YRS	54	6.6	27	2	2	6	8	11	15	32
13-19 YRS	37	7.4	33	2	2	7	9	15	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	9.7	139	1	2	6	11	23	38	53
1-11 MOS	177	4.4	26	1	1	3	5	9	13	22
1-5 YRS	211	4.8	67	<1	1	2	5	9	15	67
6-12 YRS	99	4.8	40	1	1	3	6	11	14	37
13-19 YRS	64	5.3	22	1	2	4	6	13	16	23
B. *Operated*										
0-27 DYS	38	18.8	223	4	4	15	25	37	45	78
1-11 MOS	162	12.2	162	2	3	9	14	26	41	90
1-5 YRS	205	9.0	129	2	2	5	10	21	41	99+
6-12 YRS	169	9.5	121	1	2	5	11	22	32	58
13-19 YRS	89	12.1	180	2	2	8	15	33	49	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.8	8	<1	<1	2	4	6	8	17
B. *Operated*	376	7.1	29	2	2	6	9	13	18	31
2. MULTIPLE DX										
A. *Not Operated*	573	4.9	48	<1	1	3	6	10	15	43
B. *Operated*	663	10.9	152	2	2	7	13	25	40	77
1. SINGLE DX	596	5.5	25	1	1	4	7	11	15	29
2. MULTIPLE DX	1236	8.1	113	1	1	4	9	19	29	64
A. NOT OPERATED	793	4.3	38	<1	1	3	5	9	14	28
B. OPERATED	1039	9.5	111	2	2	7	11	21	32	66
TOTAL 0-27 DYS	136	10.6	123	1	2	7	14	22	32	56
1-11 MOS	555	7.3	76	1	1	5	9	15	21	46
1-5 YRS	579	6.2	81	<1	1	4	7	13	23	80
6-12 YRS	347	7.2	81	1	1	4	8	17	23	52
13-19 YRS	215	8.2	99	1	2	5	9	19	31	58
GRAND TOTAL	**1832**	**7.3**	**86**	**1**	**1**	**4**	**8**	**16**	**24**	**58**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	1.9	1	<1	<1	1	3	3	3	3
1-11 MOS	179	1.4	7	<1	<1	1	1	1	2	12
1-5 YRS	204	1.2		<1	<1	1	1	2	2	5
6-12 YRS	14	1.9	3	<1	<1	1	3	4	6	7
13-19 YRS	10	1.4		<1	<1	1	2	3	3	3
B. Operated										
0-27 DYS	24	5.4	213	<1	<1	2	3	5	31	73
1-11 MOS	257	2.3	4	<1	1	2	3	4	6	15
1-5 YRS	760	2.0	2	<1	<1	2	2	3	5	7
6-12 YRS	691	2.0	2	<1	1	2	2	3	4	8
13-19 YRS	401	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	2.4	4	<1	<1	2	3	6	7	7
1-11 MOS	83	1.9	4	<1	<1	1	2	4	6	12
1-5 YRS	84	1.9	6	<1	<1	1	2	4	5	16
6-12 YRS	19	1.5	2	<1	<1	1	1	4	5	5
13-19 YRS	12	2.5	3	<1	<1	2	4	5	5	5
B. Operated										
0-27 DYS	10	8.1	83	1	1	5	15	22	28	28
1-11 MOS	125	3.5	25	<1	1	2	4	6	10	33
1-5 YRS	271	2.3	3	<1	1	2	2	4	5	10
6-12 YRS	194	2.5	3	<1	1	2	3	5	6	9
13-19 YRS	128	3.1	6	1	1	2	3	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	414	1.3	3	<1	<1	1	1	2	2	7
B. Operated	2133	2.2	5	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	207	1.9	5	<1	<1	1	2	4	5	13
B. Operated	728	2.8	9	<1	1	2	3	5	7	14
1. SINGLE DX	2547	2.0	5	<1	<1	2	2	3	5	8
2. MULTIPLE DX	935	2.6	8	<1	<1	2	3	5	7	14
A. NOT OPERATED	621	1.5	4	<1	<1	1	1	2	4	10
B. OPERATED	2861	2.3	6	<1	1	2	2	4	5	11
TOTAL 0-27 DYS	50	4.9	121	<1	<1	2	4	10	17	73
1-11 MOS	644	2.2	10	<1	<1	1	2	4	6	15
1-5 YRS	1319	1.9	2	<1	<1	2	2	3	5	8
6-12 YRS	918	2.1	2	<1	1	2	2	3	5	8
13-19 YRS	551	2.5	4	<1	1	2	3	4	6	11
GRAND TOTAL	**3482**	**2.2**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	36	4.3	13	<1	1	3	6	8	14	15
1-11 MOS	65	3.2	11	<1	1	2	4	8	10	17
1-5 YRS	69	3.3	12	<1	<1	2	5	7	9	18
6-12 YRS	17	2.1	4	<1	<1	1	2	6	7	7
13-19 YRS	27	2.8	9	<1	1	2	3	5	8	16
B. Operated										
0-27 DYS	43	8.0	45	2	2	6	11	18	22	33
1-11 MOS	549	5.4	24	1	1	4	8	11	15	22
1-5 YRS	1573	4.7	20	1	1	3	7	9	11	17
6-12 YRS	579	4.4	15	1	1	2	7	9	11	18
13-19 YRS	362	4.7	18	1	1	2	7	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	117	6.1	50	<1	1	4	7	13	22	42
1-11 MOS	443	5.1	40	<1	1	3	6	11	17	32
1-5 YRS	357	3.6	40	<1	<1	2	4	7	11	31
6-12 YRS	109	3.6	38	<1	<1	2	3	7	9	35
13-19 YRS	113	4.7	37	<1	1	3	5	9	17	37
B. Operated										
0-27 DYS	182	12.6	196	1	2	8	16	28	47	98
1-11 MOS	1506	9.0	119	1	1	7	12	20	31	76
1-5 YRS	1994	6.5	60	1	1	3	9	13	19	42
6-12 YRS	724	5.9	52	1	1	2	9	12	17	40
13-19 YRS	470	6.0	55	1	1	3	8	12	16	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	3.3	11	<1	1	2	4	7	10	17
B. Operated	3106	4.8	20	1	1	3	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	1139	4.6	41	<1	1	3	5	9	15	32
B. Operated	4876	7.4	84	1	1	4	10	16	23	54
1. SINGLE DX	3320	4.7	20	1	1	2	7	10	12	19
2. MULTIPLE DX	6015	6.8	77	1	1	3	9	15	22	49
A. NOT OPERATED	1353	4.4	37	<1	1	3	5	9	14	31
B. OPERATED	7982	6.4	61	1	1	4	9	13	18	42
TOTAL 0-27 DYS	378	9.2	127	1	1	6	11	21	31	67
1-11 MOS	2563	7.4	86	1	1	4	10	17	23	58
1-5 YRS	3993	5.5	43	1	1	3	8	11	15	32
6-12 YRS	1429	5.1	36	1	1	2	8	11	13	27
13-19 YRS	972	5.3	38	1	1	3	8	11	14	29
GRAND TOTAL	**9335**	**6.1**	**58**	**1**	**1**	**3**	**8**	**13**	**18**	**41**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	3.5	4	1	1	4	5	5	5	5
1-11 MOS	8	2.1	2	△1	△1	2	3	4	5	5
1-5 YRS	10	1.7	2	△1	△1	1	2	4	5	5
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS	32	5.0	16	1	1	5	7	8	8	21
1-11 MOS	754	4.3	5	2	2	4	6	7	8	10
1-5 YRS	701	3.9	3	2	2	4	5	6	7	10
6-12 YRS	181	3.0	2	1	2	3	4	5	6	9
13-19 YRS	164	3.3	5	1	2	3	4	5	7	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15	3.6	10	1	1	3	5	9	11	12
1-11 MOS	51	3.7	24	△1	△1	1	5	11	16	23
1-5 YRS	92	1.5	4	△1	△1	1	1	2	4	13
6-12 YRS	13	1.2		△1	△1	1	1	2	2	2
13-19 YRS	6	1.0		△1	△1	1	1	1	1	1
B. Operated										
0-27 DYS	11	7.1	108	1	1	2	8	23	35	36
1-11 MOS	425	4.6	6	2	2	4	6	7	8	13
1-5 YRS	672	4.3	14	2	2	4	5	7	8	13
6-12 YRS	193	3.3	5	1	2	3	4	5	6	12
13-19 YRS	230	3.2	2	1	2	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.2	2	<1	<1	1	3	5	5	5
B. Operated	1832	3.9	5	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	177	2.3	11	<1	<1	1	2	5	9	18
B. Operated	1531	4.1	10	2	2	4	5	7	8	13
1. SINGLE DX	1854	3.9	5	1	2	3	5	7	8	10
2. MULTIPLE DX	1708	3.9	10	1	1	3	5	7	8	14
A. NOT OPERATED	199	2.3	10	<1	<1	1	2	5	8	18
B. OPERATED	3363	4.0	7	2	2	3	5	7	8	12
TOTAL 0-27 DYS	62	4.9	30	1	1	3	7	8	13	34
1-11 MOS	1238	4.4	6	1	2	4	6	7	8	13
1-5 YRS	1475	3.9	9	1	2	3	5	6	7	11
6-12 YRS	387	3.1	4	1	1	3	4	5	6	10
13-19 YRS	400	3.2	3	1	2	3	4	5	6	10
GRAND TOTAL	**3362**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	26	2.4	1	1	1	2	3	4	5	5
1-11 MOS	53	2.5	2	△1	1	2	3	4	5	6
1-5 YRS	16	2.3	2	△1	1	2	3	3	6	7
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS	533	3.7	3	2	2	3	4	6	7	9
1-11 MOS	1127	3.6	3	2	2	3	4	5	6	10
1-5 YRS	122	4.5	5	2	2	4	5	7	9	14
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	4.1	4	1	2	4	5	6	8	8
1-11 MOS	45	3.5	5	△1	1	3	4	7	9	10
1-5 YRS	11	3.5	6	1	1	3	6	8	8	8
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS	130	5.0	8	2	2	4	6	9	10	17
1-11 MOS	304	4.8	8	2	2	4	6	8	10	16
1-5 YRS	27	6.1	9	2	3	6	8	10	13	14
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	2.5	2	1	1	2	3	4	5	7
B. Operated	1782	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	67	3.6	5	1	1	3	5	7	8	10
B. Operated	461	4.9	8	2	2	4	6	8	10	16
1. SINGLE DX	1877	3.6	3	2	2	3	4	6	7	10
2. MULTIPLE DX	528	4.8	8	2	2	4	6	8	10	16
A. NOT OPERATED	162	2.9	3	1	1	2	4	5	7	9
B. OPERATED	2243	3.9	5	2	2	4	5	6	7	12
TOTAL 0-27 DYS	700	3.9	4	2	2	4	5	6	8	10
1-11 MOS	1529	3.8	5	2	2	3	4	6	7	12
1-5 YRS	176	4.5	6	1	2	4	5	7	10	14
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2405**	**3.9**	**5**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	4.5	37	<1	1	2	4	13	22	23
1-11 MOS	136	3.2	13	<1	1	2	4	6	10	22
1-5 YRS	147	2.2	7	<1	<1	1	2	4	6	14
6-12 YRS	33	2.7	5	<1	<1	2	3	5	8	9
13-19 YRS	19	2.5	2	1	1	3	3	5	5	5
B. *Operated*										
0-27 DYS	62	9.8	143	1	2	7	12	19	24	77
1-11 MOS	339	7.3	38	1	1	6	10	16	19	26
1-5 YRS	393	4.7	40	<1	<1	3	7	11	12	24
6-12 YRS	204	4.7	27	<1	1	3	6	8	11	29
13-19 YRS	221	3.7	14	1	1	2	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	36	3.9	27	1	1	2	3	7	11	31
1-11 MOS	210	5.9	46	1	1	4	7	12	17	38
1-5 YRS	203	5.0	27	<1	1	3	7	11	16	25
6-12 YRS	50	4.7	10	<1	1	4	8	9	9	13
13-19 YRS	37	4.2	13	1	1	3	5	11	13	14
B. *Operated*										
0-27 DYS	91	14.4	144	2	3	11	20	29	39	85
1-11 MOS	333	12.2	157	1	2	9	16	30	44	99+
1-5 YRS	426	9.1	123	1	1	6	10	19	29	64
6-12 YRS	203	6.0	32	1	1	5	8	12	15	39
13-19 YRS	223	4.8	21	1	1	3	6	9	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	2.8	11	<1	<1	2	3	6	9	21
B. *Operated*	1219	5.5	40	<1	1	3	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	536	5.2	32	<1	1	3	7	11	15	29
B. *Operated*	1276	9.1	110	1	2	6	11	20	31	79
1. SINGLE DX	1577	4.9	35	<1	<1	3	6	11	15	26
2. MULTIPLE DX	1812	7.9	90	1	1	5	10	18	27	64
A. NOT OPERATED	894	4.2	25	<1	<1	2	5	9	13	23
B. OPERATED	2495	7.3	79	1	1	5	9	16	24	57
TOTAL 0-27 DYS	212	10.2	129	1	1	6	14	23	31	71
1-11 MOS	1018	8.1	85	1	1	5	10	18	26	66
1-5 YRS	1169	6.0	70	<1	<1	3	8	13	19	45
6-12 YRS	490	5.1	27	<1	1	4	7	10	13	30
13-19 YRS	500	4.2	17	1	1	3	5	8	12	20
GRAND TOTAL	**3389**	**6.5**	**67**	**<1**	**1**	**4**	**8**	**14**	**21**	**47**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	16	1.5		<1	<1	1	2	2	2	2
6-12 YRS	13	1.4	1	<1	<1	1	1	3	4	4
13-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	33	1.7	1	<1	<1	2	2	3	3	5
1-5 YRS	1253	2.1	1	<1	<1	2	3	3	4	7
6-12 YRS	1105	2.3	2	<1	1	2	3	4	5	7
13-19 YRS	351	2.7	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.0		<1	<1	1	1	1	1	1
1-5 YRS	96	1.2	1	<1	<1	1	1	2	3	5
6-12 YRS	38	1.2		<1	<1	1	1	2	3	4
13-19 YRS	9	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-27 DYS	6	3.2	15	1	1	2	2	10	11	11
1-11 MOS	69	2.0	5	<1	<1	2	2	3	3	16
1-5 YRS	1234	2.2	2	<1	<1	2	3	4	5	7
6-12 YRS	870	2.6	2	<1	1	2	3	4	6	9
13-19 YRS	261	3.0	3	1	1	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.5	1	<1	<1	1	2	2	3	4
B. *Operated*	2742	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	148	1.2	1	<1	<1	1	1	2	3	5
B. *Operated*	2440	2.4	2	<1	1	2	3	4	5	8
1. SINGLE DX	2777	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	2588	2.4	2	<1	<1	2	3	4	5	8
A. NOT OPERATED	183	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	5182	2.3	2	<1	1	2	3	4	5	7
TOTAL 0-27 DYS	7	2.9	13	<1	<1	2	2	9	11	11
1-11 MOS	107	1.9	3	<1	<1	2	2	3	3	11
1-5 YRS	2599	2.1	2	<1	<1	2	3	4	4	7
6-12 YRS	2026	2.4	2	<1	1	2	3	4	5	8
13-19 YRS	626	2.8	3	1	1	3	3	5	6	9
GRAND TOTAL	**5365**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	11	2.2	3	<1	<1	2	3	5	6	6
1-11 MOS	16	2.4	3	1	1	2	3	4	7	8
1-5 YRS	40	3.1	27	<1	<1	1	3	5	14	27
6-12 YRS	20	1.9	1	<1	<1	2	2	3	3	4
13-19 YRS	25	2.5	4	<1	<1	2	3	5	7	10
B. Operated										
0-27 DYS	38	6.6	26	2	2	5	7	16	19	20
1-11 MOS	157	5.2	25	<1	<1	3	8	9	15	27
1-5 YRS	1514	4.9	14	<1	1	4	8	10	12	15
6-12 YRS	457	4.9	15	<1	1	4	8	10	13	16
13-19 YRS	424	4.5	13	<1	1	3	6	9	12	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	4.8	7	2	2	4	7	9	9	9
1-11 MOS	43	4.7	20	<1	<1	3	6	10	12	24
1-5 YRS	115	2.7	18	<1	<1	1	2	7	11	26
6-12 YRS	25	2.2	2	<1	<1	2	3	4	5	5
13-19 YRS	43	4.1	27	<1	1	3	4	8	17	25
B. Operated										
0-27 DYS	26	10.3	66	2	2	7	16	21	29	30
1-11 MOS	183	7.5	57	1	1	6	10	15	19	56
1-5 YRS	984	6.0	28	<1	1	5	8	13	16	23
6-12 YRS	393	5.5	48	<1	1	4	9	11	15	26
13-19 YRS	390	5.9	34	1	1	4	8	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	2.6	11	<1	<1	2	3	4	6	23
B. Operated	2590	4.9	19	<1	1	4	7	10	12	16
2. MULTIPLE DX										
A. Not Operated	234	3.4	18	<1	<1	2	4	8	11	25
B. Operated	1976	6.1	37	<1	1	5	8	13	16	27
1. SINGLE DX	2702	4.8	15	<1	1	4	7	10	12	17
2. MULTIPLE DX	2210	5.8	35	<1	1	4	8	13	16	27
A. NOT OPERATED	346	3.1	16	<1	<1	2	3	7	10	25
B. OPERATED	4566	5.4	24	<1	1	4	8	11	14	22
TOTAL 0-27 DYS	83	7.0	40	1	2	5	8	17	20	30
1-11 MOS	399	6.1	40	<1	1	4	8	13	16	32
1-5 YRS	2653	5.2	20	<1	1	4	8	11	13	20
6-12 YRS	895	5.0	29	<1	1	3	8	11	13	18
13-19 YRS	882	5.0	23	<1	1	4	6	10	14	25
GRAND TOTAL	**4912**	**5.3**	**24**	**<1**	**1**	**4**	**8**	**11**	**14**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	21	4.0	39	<1	<1	1	3	14	21	24
1-5 YRS	16	1.7	3	<1	<1	1	2	3	6	7
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	3	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-27 DYS										
1-11 MOS	556	3.0	3	1	1	3	4	5	5	14
1-5 YRS	558	3.4	3	1	2	3	4	5	7	10
6-12 YRS	271	3.8	3	2	2	4	4	6	7	10
13-19 YRS	173	4.1	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	48	1.6	9	<1	<1	1	1	2	3	21
1-5 YRS	71	1.7	16	<1	<1	1	1	2	4	28
6-12 YRS	13	1.5	4	<1	<1	1	1	3	7	8
13-19 YRS	5	1.4		1	1	1	2	2	2	2
B. Operated										
0-27 DYS										
1-11 MOS	146	3.7	5	1	2	3	4	6	8	12
1-5 YRS	272	3.6	5	1	1	3	4	6	8	12
6-12 YRS	214	4.4	24	1	2	3	5	6	9	22
13-19 YRS	305	4.7	10	2	2	4	6	8	9	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	3.0	21	<1	<1	1	3	6	13	24
B. Operated	1558	3.4	3	1	2	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	138	1.7	12	<1	<1	1	1	2	5	23
B. Operated	937	4.1	11	1	2	3	5	7	9	16
1. SINGLE DX	1602	3.4	4	1	1	3	4	5	7	11
2. MULTIPLE DX	1075	3.8	12	<1	1	3	5	7	8	17
A. NOT OPERATED	182	2.0	14	<1	<1	1	1	3	6	23
B. OPERATED	2495	3.7	6	1	2	3	4	6	8	13
TOTAL 0-27 DYS	3	5.3	10	3	3	4	8	9	9	9
1-11 MOS	771	3.1	5	<1	1	3	4	5	6	15
1-5 YRS	917	3.3	5	1	1	3	4	6	7	11
6-12 YRS	500	4.0	12	1	2	3	5	6	8	16
13-19 YRS	486	4.4	8	2	2	4	5	7	9	15
GRAND TOTAL	**2677**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	4.2	13	1	1	2	6	10	12	14
1-11 MOS	285	2.8	11	<1	<1	2	3	6	11	16
1-5 YRS	252	2.3	7	<1	<1	1	2	4	7	16
6-12 YRS	82	4.1	24	1	1	3	4	9	12	29
13-19 YRS	94	3.7	14	1	1	2	5	8	9	21
B. *Operated*										
0-27 DYS	30	5.4	20	1	1	4	7	10	15	22
1-11 MOS	860	5.8	29	1	1	4	8	12	17	26
1-5 YRS	1674	3.9	22	<1	1	2	5	7	11	24
6-12 YRS	1238	4.1	24	1	1	3	5	7	9	18
13-19 YRS	1616	4.1	15	1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	64	8.2	106	1	1	4	9	17	33	50
1-11 MOS	343	5.9	85	<1	1	3	7	14	20	55
1-5 YRS	374	3.7	24	<1	<1	2	4	8	12	22
6-12 YRS	154	3.4	17	<1	1	2	4	7	11	25
13-19 YRS	167	4.3	18	<1	<1	3	6	9	14	21
B. *Operated*										
0-27 DYS	23	12.7	137	2	3	9	17	25	37	55
1-11 MOS	377	8.7	88	1	1	5	12	22	28	90
1-5 YRS	865	5.8	54	1	1	4	6	12	19	36
6-12 YRS	631	6.6	65	1	2	4	7	13	20	42
13-19 YRS	826	5.7	41	1	2	4	7	11	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	739	2.9	12	<1	<1	2	3	7	10	16
B. *Operated*	5418	4.3	22	1	1	3	5	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	1102	4.7	48	<1	1	3	5	10	15	36
B. *Operated*	2722	6.4	59	1	1	4	7	14	21	40
1. SINGLE DX	6157	4.1	21	1	1	3	5	8	11	22
2. MULTIPLE DX	3824	5.9	57	1	1	4	7	13	20	39
A. NOT OPERATED	1841	4.0	34	<1	<1	2	4	9	13	26
B. OPERATED	8140	5.0	35	1	1	3	6	10	15	30
TOTAL 0-27 DYS	143	7.6	82	1	1	5	9	15	25	51
1-11 MOS	1865	5.9	52	<1	1	4	8	14	20	38
1-5 YRS	3165	4.3	31	<1	1	2	5	9	13	29
6-12 YRS	2105	4.8	37	1	1	3	6	9	12	32
13-19 YRS	2703	4.6	24	1	1	3	5	9	12	25
GRAND TOTAL	**9981**	**4.8**	**35**	**1**	**1**	**3**	**6**	**10**	**14**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6839	3.1	12	1	1	2	3	5	8	21
1-11 MOS	651	4.2	26	1	1	3	5	9	13	25
1-5 YRS	650	5.4	40	1	1	3	6	12	19	32
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	131	4.3	23	1	2	3	5	8	14	48
1-11 MOS	62	6.5	57	<1	1	3	10	15	24	34
1-5 YRS	31	7.6	85	1	1	4	9	21	28	41
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3394	8.0	112	1	2	4	9	21	29	55
1-11 MOS	1075	9.5	142	1	1	5	11	24	36	70
1-5 YRS	743	12.4	194	2	2	7	16	30	41	78
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	333	19.8	465	2	3	12	30	71	98	99+
1-11 MOS	175	17.3	394	1	1	10	27	56	93	99+
1-5 YRS	105	21.9	555	1	2	15	44	95	99+	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8140	3.4	16	1	1	2	3	6	10	23
B. *Operated*	224	5.4	42	1	1	3	6	12	22	38
2. MULTIPLE DX										
A. *Not Operated*	5212	9.0	132	1	2	5	10	23	32	63
B. *Operated*	613	19.5	461	1	2	12	30	71	99+	99+
1. SINGLE DX	8364	3.4	17	1	1	2	3	6	10	23
2. MULTIPLE DX	5825	10.1	177	1	2	5	12	26	40	90
A. NOT OPERATED	13352	5.6	69	1	1	3	5	13	22	44
B. OPERATED	837	15.7	388	1	2	9	22	58	91	99+
TOTAL 0-27 DYS	10697	5.2	70	1	1	3	4	11	21	49
1-11 MOS	1963	8.3	137	1	1	4	9	22	34	75
1-5 YRS	1529	10.0	172	1	2	5	12	25	40	92
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**14189**	**6.2**	**93**	**1**	**1**	**3**	**6**	**15**	**25**	**60**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	113	4.4	23	1	1	3	5	9	11	27
1-11 MOS	861	3.2	7	1	1	2	4	6	8	14
1-5 YRS	3050	2.6	4	1	1	2	3	5	6	11
6-12 YRS	1420	2.8	6	1	1	2	3	5	6	11
13-19 YRS	1459	3.2	7	1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	10	3.1	5	1	1	2	5	7	8	8
1-5 YRS	25	3.9	17	<1	1	3	4	7	11	21
6-12 YRS	16	3.0	5	1	1	3	4	5	8	10
13-19 YRS	36	4.3	8	2	2	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	56	6.3	25	1	2	5	7	13	18	22
1-11 MOS	1431	3.9	16	1	1	3	5	7	10	19
1-5 YRS	5715	3.1	7	1	1	3	4	6	7	13
6-12 YRS	1178	3.7	14	1	1	3	4	7	10	19
13-19 YRS	1165	4.7	28	1	1	3	5	9	13	28
B. *Operated*										
0-27 DYS	2	26.5	925	5	5	26	48	48	48	48
1-11 MOS	41	10.0	123	1	2	7	12	26	50	99+
1-5 YRS	137	6.6	69	1	1	4	8	14	23	39
6-12 YRS	39	9.1	137	1	1	5	9	28	40	50
13-19 YRS	68	8.1	67	1	2	6	9	17	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6903	2.9	6	1	1	2	4	5	7	12
B. *Operated*	88	3.9	10	1	1	3	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	9545	3.5	12	1	1	3	4	6	9	17
B. *Operated*	287	7.9	91	1	2	5	9	18	28	54
1. SINGLE DX	6991	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	9832	3.7	15	1	1	3	4	7	9	19
A. NOT OPERATED	16448	3.2	10	1	1	2	4	6	8	15
B. OPERATED	375	7.0	75	1	2	4	8	15	25	52
TOTAL 0-27 DYS	172	5.3	35	1	1	4	6	11	14	39
1-11 MOS	2343	3.8	16	1	1	3	4	7	10	19
1-5 YRS	8927	3.0	7	1	1	2	4	5	7	13
6-12 YRS	2653	3.3	12	1	1	2	4	6	8	16
13-19 YRS	2728	4.0	18	1	1	3	5	7	10	22
GRAND TOTAL	**16823**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	238	3.2	4	1	1	3	4	5	6	9
1-11 MOS	765	2.9	3	1	1	3	4	5	6	9
1-5 YRS	789	2.7	3	1	1	2	3	5	6	8
6-12 YRS	321	3.4	5	1	1	3	4	6	7	11
13-19 YRS	212	3.6	5	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	5	3.4	3	<1	<1	3	4	6	6	6
1-11 MOS	11	4.1	15	<1	1	4	4	9	14	15
1-5 YRS	16	5.6	29	<1	<1	4	7	11	18	21
6-12 YRS	12	5.6	19	2	2	4	7	12	16	17
13-19 YRS	10	8.6	32	<1	1	8	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	216	3.7	5	1	2	3	4	6	8	12
1-11 MOS	1137	3.2	5	1	1	3	4	5	6	11
1-5 YRS	1618	3.4	13	1	1	3	4	6	7	14
6-12 YRS	655	3.6	8	1	1	3	4	6	8	12
13-19 YRS	435	4.3	18	1	2	3	5	7	10	20
B. *Operated*										
0-27 DYS	10	3.6	1	2	2	4	5	5	5	5
1-11 MOS	30	6.3	71	1	1	3	7	15	25	41
1-5 YRS	50	7.7	65	1	1	6	9	13	27	41
6-12 YRS	48	7.4	36	2	2	6	9	12	18	35
13-19 YRS	40	12.2	171	1	2	7	18	30	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2325	3.0	4	1	1	3	4	5	6	10
B. *Operated*	54	5.6	23	<1	1	4	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*	4061	3.5	10	1	1	3	4	6	8	13
B. *Operated*	178	8.2	83	1	2	5	9	19	28	62
1. SINGLE DX	2379	3.1	4	1	1	3	4	5	6	11
2. MULTIPLE DX	4239	3.7	14	1	1	3	4	6	8	17
A. NOT OPERATED	6386	3.3	8	1	1	3	4	6	7	12
B. OPERATED	232	7.6	70	1	2	5	9	17	25	46
TOTAL 0-27 DYS	469	3.4	4	1	1	3	4	5	7	11
1-11 MOS	1943	3.1	6	1	1	3	4	5	6	11
1-5 YRS	2473	3.3	11	1	1	3	4	6	7	13
6-12 YRS	1036	3.8	9	1	1	3	5	7	9	14
13-19 YRS	697	4.6	27	1	2	3	5	8	11	28
GRAND TOTAL	**6618**	**3.5**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	43	2.2	3	<1	1	2	3	4	6	8
6-12 YRS	279	2.5	3	1	1	2	3	4	5	10
13-19 YRS	603	3.0	5	1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	10	2.4	1	1	1	2	3	4	4	4
13-19 YRS	35	3.7	7	1	1	2	6	9	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	52	3.0	15	1	1	2	3	5	8	27
6-12 YRS	335	3.0	4	1	1	3	4	5	6	8
13-19 YRS	705	3.7	9	1	1	3	4	6	8	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	16	<1	<1	1	6	8	8	8
6-12 YRS	13	3.0	2	2	2	3	4	5	6	6
13-19 YRS	40	5.3	25	1	1	4	6	11	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	926	2.8	4	1	1	2	3	5	7	12
B. *Operated*	46	3.5	6	1	1	3	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	1093	3.4	8	1	1	3	4	6	8	16
B. *Operated*	56	4.7	20	1	1	3	6	10	12	26
1. SINGLE DX	972	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX	1149	3.5	8	1	1	3	4	6	8	17
A. NOT OPERATED	2019	3.2	6	1	1	3	4	6	7	13
B. OPERATED	102	4.1	14	1	1	3	5	8	10	22
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	99	2.7	9	<1	1	2	3	5	7	19
6-12 YRS	637	2.8	3	1	1	2	3	5	6	9
13-19 YRS	1383	3.4	8	1	1	3	4	6	8	15
GRAND TOTAL	**2121**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	33	1.7	1	<1	<1	1	2	3	3	4
6-12 YRS	34	2.4	3	<1	<1	2	3	5	6	6
13-19 YRS	58	2.9	4	<1	1	2	4	6	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	40	1.5	7	<1	<1	<1	1	1	2	18
6-12 YRS	47	2.0	3	<1	<1	1	2	5	6	9
13-19 YRS	41	2.7	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	5	5.4	44	1	1	2	8	17	17	17
1-5 YRS	79	2.6	6	1	1	2	3	5	7	13
6-12 YRS	72	2.6	3	1	1	2	3	5	6	10
13-19 YRS	67	3.1	5	<1	1	3	4	6	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	21	2.4	3	1	1	2	3	5	6	7
6-12 YRS	31	3.1	5	<1	1	2	5	6	7	9
13-19 YRS	33	3.9	11	1	1	3	6	9	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	128	2.1	5	<1	<1	1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	224	2.9	6	<1	1	2	4	6	8	12
B. *Operated*	86	3.3	7	1	1	2	4	7	8	13
1. SINGLE DX	257	2.3	4	<1	<1	1	3	5	6	8
2. MULTIPLE DX	310	3.0	6	1	1	2	4	6	8	13
A. NOT OPERATED	353	2.7	5	<1	1	2	3	5	7	11
B. OPERATED	214	2.6	6	<1	<1	2	3	6	7	13
TOTAL 0-27 DYS	3	6.3	20	2	2	6	10	11	11	11
1-11 MOS	8	4.6	29	1	1	2	6	14	17	17
1-5 YRS	173	2.1	5	<1	<1	1	2	4	6	13
6-12 YRS	184	2.5	3	<1	<1	2	3	5	6	9
13-19 YRS	199	3.1	5	<1	1	2	4	6	8	12
GRAND TOTAL	**567**	**2.7**	**5**	**<1**	**<1**	**2**	**3**	**6**	**7**	**12**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.4	7	1	1	3	5	7	7	7
1-11 MOS	9	3.8	11	1	1	2	5	10	10	10
1-5 YRS	47	3.4	4	1	1	3	5	7	7	8
6-12 YRS	53	3.2	4	1	1	2	5	7	7	8
13-19 YRS	57	3.2	4	<1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	10	2.9	17	<1	<1	1	1	10	13	13
1-5 YRS	151	1.7	1	<1	<1	1	2	3	3	7
6-12 YRS	219	2.1	3	<1	<1	2	2	4	5	12
13-19 YRS	351	2.3	3	<1	<1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	13.8	188	3	3	8	22	36	38	38
1-11 MOS	33	3.9	30	<1	1	3	4	8	11	31
1-5 YRS	85	4.2	13	<1	1	4	5	7	9	23
6-12 YRS	64	4.0	9	1	1	3	6	9	10	13
13-19 YRS	108	3.7	12	1	1	3	5	7	9	22
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	15.3	342	<1	1	11	22	38	63	67
1-5 YRS	52	5.1	56	<1	1	3	7	11	12	50
6-12 YRS	70	3.3	9	<1	<1	2	4	7	9	17
13-19 YRS	110	4.3	19	<1	1	3	5	11	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	3.3	9	1	1	3	5	7	8	10
B. *Operated*	731	2.1	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	296	4.1	18	<1	1	3	5	8	10	28
B. *Operated*	245	4.7	44	<1	1	3	5	11	14	29
1. SINGLE DX	902	2.4	3	<1	<1	2	3	5	7	11
2. MULTIPLE DX	541	4.4	30	<1	1	3	5	9	12	28
A. NOT OPERATED	467	3.8	14	1	1	3	5	7	9	21
B. OPERATED	976	2.8	15	<1	<1	2	3	5	9	15
TOTAL 0-27 DYS	12	8.7	117	1	1	5	8	27	36	38
1-11 MOS	64	5.9	100	<1	<1	3	6	13	24	62
1-5 YRS	335	3.1	15	<1	<1	2	4	7	8	13
6-12 YRS	406	2.8	6	<1	<1	2	3	6	8	12
13-19 YRS	626	3.0	8	<1	1	2	3	6	8	14
GRAND TOTAL	**1443**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**6**	**9**	**15**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	181	2	2	11	21	21	21	21
1-5 YRS	17	4.3	36	<1	<1	2	4	10	20	25
6-12 YRS	9	4.2	13	<1	<1	2	8	10	10	10
13-19 YRS	31	6.3	86	<1	<1	3	8	12	13	52
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	15.0	98	8	8	15	22	22	22	22
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	3.3	16	1	1	1	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.5	85	4	4	10	17	17	17	17
1-5 YRS	18	14.7	253	<1	2	8	19	43	52	56
6-12 YRS	17	5.5	37	1	1	4	7	12	21	25
13-19 YRS	34	8.0	65	1	2	5	12	21	24	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.3	15	1	1	2	5	9	9	9
B. *Operated*	59	5.6	62	<1	<1	3	7	12	17	50
2. MULTIPLE DX										
A. *Not Operated*	7	7.1	51	1	1	6	8	19	22	22
B. *Operated*	71	9.2	114	1	1	5	12	22	34	54
1. SINGLE DX	63	5.4	59	<1	<1	3	7	11	16	48
2. MULTIPLE DX	78	9.0	108	1	1	5	11	22	30	53
A. NOT OPERATED	11	5.7	39	1	1	4	8	14	21	22
B. OPERATED	130	7.5	93	<1	1	4	10	18	25	53
TOTAL 0-27 DYS										
1-11 MOS	7	10.9	79	2	2	8	20	22	22	22
1-5 YRS	37	9.2	164	<1	1	4	10	24	42	56
6-12 YRS	27	5.1	28	<1	1	3	8	10	15	25
13-19 YRS	70	7.0	71	<1	1	4	10	15	22	48
GRAND TOTAL	**141**	**7.4**	**88**	**<1**	**1**	**4**	**9**	**18**	**24**	**52**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	7	2.1	1	1	1	2	3	4	4	4
1-5 YRS	9	1.9	2	1	1	1	3	4	4	4
6-12 YRS	66	2.6	4	<1	1	2	3	5	6	11
13-19 YRS	214	2.9	8	<1	1	2	3	5	6	7
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS										
6-12 YRS	6	3.0	9	1	1	2	3	8	9	9
13-19 YRS	11	2.7	6	<1	<1	2	3	6	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	4.0	5	1	1	4	5	6	6	6
1-11 MOS	19	3.9	9	1	1	3	4	8	11	13
1-5 YRS	19	3.2	5	1	1	3	5	7	8	8
6-12 YRS	84	3.1	4	1	1	3	4	6	7	9
13-19 YRS	355	3.3	5	1	1	3	4	6	7	10
B. Operated										
0-27 DYS										
1-11 MOS	6	6.5	22	2	2	5	10	14	14	14
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	21	3.1	6	1	1	2	4	6	9	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	299	2.8	7	<1	1	2	3	5	6	8
B. Operated	21	2.8	6	<1	1	2	3	6	9	10
2. MULTIPLE DX										
A. Not Operated	481	3.3	5	1	1	3	4	6	7	10
B. Operated	30	3.9	11	1	1	2	5	9	11	14
1. SINGLE DX	320	2.8	7	<1	1	2	3	5	6	9
2. MULTIPLE DX	511	3.4	5	1	1	3	4	6	8	11
A. NOT OPERATED	780	3.1	6	1	1	3	4	6	7	10
B. OPERATED	51	3.4	9	1	1	2	4	9	10	14
TOTAL 0-27 DYS	8	2.8	4	1	1	2	4	6	6	6
1-11 MOS	35	3.9	10	1	1	3	4	9	12	14
1-5 YRS	29	3.0	6	1	1	2	4	7	8	9
6-12 YRS	158	2.9	4	1	1	2	4	6	7	10
13-19 YRS	601	3.2	6	1	1	3	4	6	7	10
GRAND TOTAL	**831**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**10**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	225	4.0	14	1	1	3	5	8	10	21
1-11 MOS	1037	3.3	7	1	1	2	4	7	8	13
1-5 YRS	324	2.8	6	1	1	2	3	5	7	14
6-12 YRS	69	2.0	1	1	1	2	2	4	4	7
13-19 YRS	72	2.5	3	<1	1	2	3	5	6	9
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	32	4.2	16	1	1	3	5	9	10	21
1-5 YRS	31	2.0	2	<1	<1	2	2	3	6	8
6-12 YRS	27	3.1	6	1	1	2	4	5	9	12
13-19 YRS	34	3.7	10	1	1	3	5	6	9	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	144	4.6	14	1	1	4	6	9	11	19
1-11 MOS	1056	4.6	18	1	1	3	6	9	13	21
1-5 YRS	511	3.7	21	1	1	3	4	7	10	20
6-12 YRS	155	3.6	17	1	1	3	4	6	8	20
13-19 YRS	189	3.8	18	<1	1	3	4	7	11	26
B. Operated										
0-27 DYS	7	4.7	15	<1	<1	3	7	11	12	12
1-11 MOS	69	10.8	162	1	1	6	14	25	33	97
1-5 YRS	77	4.8	23	<1	1	3	6	10	20	79
6-12 YRS	35	5.7	110	1	1	2	5	12	36	48
13-19 YRS	41	7.6	108	<1	1	4	9	15	23	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1727	3.2	7	1	1	2	4	6	8	14
B. Operated	125	3.3	9	1	1	2	4	6	9	18
2. MULTIPLE DX										
A. Not Operated	2055	4.2	19	1	1	3	5	8	12	21
B. Operated	229	7.2	98	1	1	4	9	18	25	89
1. SINGLE DX	1852	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX	2284	4.5	28	1	1	3	5	9	13	25
A. NOT OPERATED	3782	3.8	14	1	1	3	5	7	10	18
B. OPERATED	354	5.8	70	1	1	3	7	14	21	59
TOTAL 0-27 DYS	377	4.2	14	1	1	3	6	8	11	20
1-11 MOS	2194	4.1	19	1	1	3	5	8	11	21
1-5 YRS	943	3.4	16	1	1	2	4	7	9	20
6-12 YRS	286	3.5	25	1	1	2	4	6	8	34
13-19 YRS	336	4.0	27	<1	1	3	4	8	12	32
GRAND TOTAL	**4136**	**3.9**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	61	2.0	1	<1	1	2	3	4	4	7
6-12 YRS	77	2.1	2	1	1	2	3	4	5	6
13-19 YRS	161	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	94	1.9	2	<1	<1	1	2	3	6	9
6-12 YRS	195	1.7	2	<1	<1	1	2	3	4	9
13-19 YRS	101	2.7	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	7	3.1	3	1	1	3	5	6	6	6
1-5 YRS	68	2.6	3	1	1	2	3	5	6	10
6-12 YRS	92	3.1	5	<1	1	3	4	7	8	62
13-19 YRS	148	3.3	5	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	5	6.4	14	1	1	7	9	11	11	11
1-5 YRS	151	2.3	7	<1	<1	1	2	5	7	14
6-12 YRS	240	2.7	16	<1	<1	2	3	5	8	24
13-19 YRS	123	4.8	23	<1	1	3	6	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	2.1	2	1	1	2	3	4	5	7
B. *Operated*	390	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	317	3.1	5	1	1	3	4	6	8	11
B. *Operated*	520	3.2	16	<1	<1	2	3	7	11	22
1. SINGLE DX	694	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX	837	3.1	12	<1	1	2	4	7	10	19
A. NOT OPERATED	621	2.6	3	1	1	2	3	5	6	10
B. OPERATED	910	2.7	11	<1	<1	2	3	6	8	18
TOTAL 0-27 DYS	5	5.8	23	1	1	4	9	13	13	13
1-11 MOS	15	3.9	9	1	1	3	6	8	10	11
1-5 YRS	374	2.2	4	<1	<1	2	2	4	6	11
6-12 YRS	604	2.4	8	<1	<1	2	3	5	7	13
13-19 YRS	533	3.2	9	<1	1	2	4	7	9	16
GRAND TOTAL	**1531**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	32	2.7	3	<1	1	2	4	6	6	6
1-11 MOS	143	2.4	3	<1	1	2	3	4	6	8
1-5 YRS	515	1.8	1	<1	1	1	2	3	4	6
6-12 YRS	2752	2.2	2	<1	1	2	3	4	5	8
13-19 YRS	4594	2.4	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	25	3.5	3	1	1	3	4	6	7	7
6-12 YRS	212	3.5	4	1	2	3	4	5	7	12
13-19 YRS	743	3.8	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	3.0	8	<1	1	2	4	6	10	13
1-11 MOS	121	2.9	3	1	1	3	4	5	6	8
1-5 YRS	382	2.5	3	1	1	2	3	5	6	9
6-12 YRS	1674	2.7	4	1	1	2	3	5	6	10
13-19 YRS	3282	3.0	5	1	1	2	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.3	16	2	2	2	7	9	9	9
1-5 YRS	31	3.8	3	1	2	4	5	6	6	9
6-12 YRS	169	4.7	8	1	2	4	6	9	11	14
13-19 YRS	594	4.6	9	1	1	4	6	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8036	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	981	3.7	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	5478	2.9	5	1	1	2	4	5	7	11
B. *Operated*	797	4.6	9	1	2	4	6	9	11	15
1. SINGLE DX	9017	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	6275	3.1	5	1	1	3	4	6	8	11
A. NOT OPERATED	13514	2.5	4	1	1	2	3	5	6	9
B. OPERATED	1778	4.1	7	1	2	4	5	7	9	14
TOTAL 0-27 DYS	51	2.8	5	<1	1	2	4	6	6	13
1-11 MOS	268	2.7	3	1	1	2	4	5	6	8
1-5 YRS	953	2.2	2	<1	1	2	3	4	5	7
6-12 YRS	4807	2.5	3	1	1	2	3	5	6	9
13-19 YRS	9213	2.9	5	1	1	2	4	5	7	11
GRAND TOTAL	**15292**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**10**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	67	2.1	1	<1	1	2	3	4	5	5
1-11 MOS	198	2.7	4	1	1	2	3	5	6	12
1-5 YRS	227	2.7	4	<1	1	2	4	5	7	10
6-12 YRS	235	3.3	10	1	1	2	4	7	9	14
13-19 YRS	154	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	10	4.4	11	1	1	3	6	10	12	12
1-5 YRS	19	3.7	10	<1	1	3	5	9	11	12
6-12 YRS	32	4.2	9	1	1	3	5	9	11	11
13-19 YRS	23	3.5	7	<1	1	2	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	82	3.8	10	1	1	3	5	7	10	19
1-11 MOS	442	3.4	6	1	1	3	4	6	8	13
1-5 YRS	719	2.9	6	1	1	2	4	5	6	11
6-12 YRS	494	3.3	6	1	1	3	4	7	8	13
13-19 YRS	397	3.4	12	1	1	2	4	7	10	15
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	24	8.5	48	1	2	6	11	21	24	28
1-5 YRS	55	6.4	32	1	1	5	8	13	18	29
6-12 YRS	44	5.6	34	1	1	4	7	14	19	27
13-19 YRS	74	7.4	100	1	1	5	9	14	18	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	881	2.8	6	1	1	2	4	5	7	11
B. *Operated*	84	3.9	9	1	1	3	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	2134	3.2	7	1	1	2	4	6	8	13
B. *Operated*	198	6.8	60	1	1	5	8	14	19	29
1. SINGLE DX	965	2.9	6	1	1	2	4	6	7	12
2. MULTIPLE DX	2332	3.5	13	1	1	3	4	7	9	17
A. NOT OPERATED	3015	3.1	7	1	1	2	4	6	8	12
B. OPERATED	282	6.0	46	1	1	4	8	12	17	28
TOTAL 0-27 DYS	150	3.0	7	1	1	2	4	6	7	12
1-11 MOS	674	3.4	8	1	1	3	4	6	8	15
1-5 YRS	1020	3.1	8	1	1	2	4	6	7	14
6-12 YRS	805	3.5	9	1	1	3	4	7	9	14
13-19 YRS	648	3.7	21	1	1	3	4	8	10	16
GRAND TOTAL	**3297**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**15**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	603	3.2	10	1	1	3	4	5	6	15
1-11 MOS	1501	4.6	20	1	1	3	6	8	12	20
1-5 YRS	1252	3.5	17	1	1	3	4	7	10	19
6-12 YRS	829	2.6	6	1	1	2	3	5	6	13
13-19 YRS	1432	3.3	18	1	1	2	4	5	7	18
B. *Operated*										
0-27 DYS	19	2.5	1	1	1	2	3	4	5	5
1-11 MOS	54	7.2	91	<1	1	3	8	21	31	44
1-5 YRS	138	2.9	10	<1	<1	2	3	7	9	16
6-12 YRS	113	2.5	5	<1	<1	2	3	5	8	11
13-19 YRS	191	2.6	5	<1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	499	5.0	25	1	2	4	6	10	14	23
1-11 MOS	2267	6.4	42	1	2	5	8	13	18	35
1-5 YRS	1800	4.7	27	1	1	3	5	9	13	25
6-12 YRS	993	3.4	15	1	1	3	4	6	8	13
13-19 YRS	1836	3.8	18	1	1	3	4	7	9	22
B. *Operated*										
0-27 DYS	20	8.4	63	2	2	5	10	20	29	31
1-11 MOS	159	14.9	244	2	2	9	19	38	52	78
1-5 YRS	173	7.9	100	1	2	4	9	21	28	93
6-12 YRS	94	6.3	149	1	1	3	6	14	18	79
13-19 YRS	208	5.7	69	1	1	3	6	11	21	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5617	3.6	16	1	1	3	4	7	9	18
B. *Operated*	515	3.2	17	<1	1	2	3	6	9	23
2. MULTIPLE DX										
A. *Not Operated*	7395	4.8	29	1	1	3	6	9	13	28
B. *Operated*	654	8.7	143	1	1	5	10	23	36	73
1. SINGLE DX	6132	3.5	16	1	1	3	4	7	9	19
2. MULTIPLE DX	8049	5.2	39	1	1	3	6	10	15	35
A. NOT OPERATED	13012	4.3	24	1	1	3	5	8	12	24
B. OPERATED	1169	6.3	95	<1	1	3	7	14	25	60
TOTAL 0-27 DYS	1141	4.1	18	1	1	3	5	8	11	21
1-11 MOS	3981	6.1	47	1	2	4	7	12	17	37
1-5 YRS	3363	4.3	27	1	1	3	5	9	13	25
6-12 YRS	2029	3.2	18	1	1	2	4	6	7	14
13-19 YRS	3667	3.6	20	1	1	3	4	6	9	22
GRAND TOTAL	**14181**	**4.5**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**28**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	59	2.4	2	.	1	2	3	4	6	7
1-11 MOS	610	1.8	2	1	1	1	2	3	4	7
1-5 YRS	547	2.0	2	1	1	2	2	4	5	10
6-12 YRS	206	2.4	3	1	1	2	3	5	6	8
13-19 YRS	105	4.0	12	1	1	3	5	8	11	18
B. *Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	36	3.9	9	1	1	3	5	8	9	16
1-5 YRS	95	5.3	10	2	2	5	7	9	11	19
6-12 YRS	102	5.0	7	1	2	5	7	8	10	12
13-19 YRS	49	6.3	15	2	2	6	8	11	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	3.4	5	1	1	3	5	7	8	8
1-11 MOS	359	3.3	13	1	1	2	4	7	11	18
1-5 YRS	410	3.2	20	1	1	2	3	6	8	25
6-12 YRS	260	4.0	20	1	1	3	5	8	13	24
13-19 YRS	184	6.5	74	1	1	4	7	14	21	49
B. *Operated*										
0-27 DYS										
1-11 MOS	22	8.4	56	1	1	7	11	22	24	25
1-5 YRS	100	7.5	61	1	1	5	9	17	22	43
6-12 YRS	116	9.3	88	1	2	6	11	25	35	99+
13-19 YRS	168	13.9	240	1	2	9	19	44	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1527	2.1	3	1	1	2	3	4	5	10
B. *Operated*	285	5.2	10	1	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1231	3.9	27	1	1	2	4	8	12	27
B. *Operated*	406	10.7	149	1	2	7	13	27	45	99+
1. SINGLE DX	1812	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX	1637	5.6	66	1	1	3	6	13	21	57
A. NOT OPERATED	2758	2.9	15	1	1	2	3	6	8	19
B. OPERATED	691	8.4	99	1	2	6	9	20	32	99+
TOTAL 0-27 DYS	80	2.6	3	1	1	2	3	5	6	8
1-11 MOS	1027	2.5	8	1	1	2	3	5	7	15
1-5 YRS	1152	3.2	17	1	1	2	3	6	9	22
6-12 YRS	684	4.6	29	1	1	3	6	9	13	35
13-19 YRS	506	8.4	126	1	1	5	10	20	38	99+
GRAND TOTAL	**3449**	**4.0**	**36**	**1**	**1**	**2**	**4**	**8**	**13**	**38**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	83	1.6	1	<1	1	1	2	3	4	6
1-5 YRS	280	1.9	2	1	1	1	2	3	5	9
6-12 YRS	179	2.6	5	<1	1	2	3	5	6	12
13-19 YRS	141	3.6	8	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.8	1	4	4	5	5	6	6	6
1-5 YRS	12	6.5	34	1	2	4	9	14	21	22
6-12 YRS	26	5.9	25	1	2	4	7	11	15	25
13-19 YRS	49	7.3	158	1	1	5	8	12	17	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	67	3.1	10	1	1	2	4	8	11	15
1-5 YRS	200	3.0	9	1	1	2	3	6	8	19
6-12 YRS	204	4.6	25	1	1	3	5	9	13	32
13-19 YRS	263	6.5	69	1	2	4	8	13	20	36
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.3	5	2	2	6	7	7	7	7
1-5 YRS	33	15.3	319	1	1	10	20	39	65	72
6-12 YRS	74	10.1	113	2	2	7	12	28	37	90
13-19 YRS	172	17.9	368	2	3	11	22	45	73	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	687	2.4	4	1	1	2	3	5	6	10
B. *Operated*	92	6.7	95	1	2	5	8	11	17	96
2. MULTIPLE DX										
A. *Not Operated*	735	4.7	37	1	1	3	5	10	14	29
B. *Operated*	285	15.4	301	2	2	9	19	39	61	99
1. SINGLE DX	779	2.9	17	1	1	2	4	6	8	15
2. MULTIPLE DX	1018	7.7	133	1	1	4	8	18	29	75
A. NOT OPERATED	1422	3.6	23	1	1	2	4	7	10	22
B. OPERATED	375	13.2	264	1	2	8	15	34	53	99
TOTAL 0-27 DYS	5	1.8	1	1	1	2	2	3	3	3
1-11 MOS	159	2.4	6	1	1	1	3	5	7	13
1-5 YRS	525	3.3	35	1	1	2	3	6	10	23
6-12 YRS	483	4.8	37	1	1	3	5	10	15	35
13-19 YRS	625	9.0	175	1	1	5	9	20	36	90
GRAND TOTAL	**1797**	**5.6**	**88**	**1**	**1**	**3**	**6**	**12**	**20**	**62**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	17	1.8	1	<1	<1	2	2	2	4	5
6-12 YRS	45	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	115	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	101	1.8	1	<1	<1	1	2	3	5	6
6-12 YRS	614	1.8	2	<1	<1	1	2	3	4	8
13-19 YRS	2399	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	25	2.2	5	<1	1	1	2	5	8	10
6-12 YRS	101	2.6	6	<1	1	2	3	5	6	16
13-19 YRS	267	2.2	3	<1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	3.7	5	1	1	4	6	7	7	7
1-5 YRS	104	3.9	27	<1	1	2	5	7	11	35
6-12 YRS	459	3.3	11	<1	1	2	4	6	8	20
13-19 YRS	2153	4.0	22	1	1	3	5	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	1.8	2	<1	<1	1	2	3	5	8
B. *Operated*	3114	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	395	2.3	4	<1	1	2	3	5	6	10
B. *Operated*	2724	3.9	20	1	1	3	4	7	10	23
1. SINGLE DX	3292	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX	3119	3.7	18	1	1	3	4	7	10	22
A. NOT OPERATED	573	2.2	3	<1	<1	2	2	4	6	9
B. OPERATED	5838	2.9	11	<1	1	2	3	5	8	16
TOTAL 0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	9	3.4	5	1	1	4	5	7	7	7
1-5 YRS	247	2.7	14	<1	<1	2	3	6	7	16
6-12 YRS	1219	2.4	6	<1	<1	2	3	5	6	13
13-19 YRS	4934	2.9	12	<1	1	2	3	6	8	16
GRAND TOTAL	**6411**	**2.8**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.8	31	3	3	4	10	15	15	15
1-5 YRS	19	4.2	10	1	1	2	7	9	10	11
6-12 YRS	132	3.6	13	1	1	3	4	7	9	20
13-19 YRS	685	4.8	20	1	1	4	6	9	12	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	10.0	36	5	5	9	15	17	17	17
6-12 YRS	8	8.1	38	1	1	6	14	16	17	17
13-19 YRS	113	11.5	89	2	3	9	14	20	27	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	12.4	99	4	5	9	15	30	34	34
1-5 YRS	12	4.8	30	<1	1	3	6	11	20	21
6-12 YRS	80	4.4	10	1	1	4	6	9	9	16
13-19 YRS	592	5.7	33	1	2	4	7	11	14	28
B. *Operated*										
0-27 DYS										
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	3	17.3	214	4	4	15	28	33	33	33
6-12 YRS	14	12.0	132	1	1	8	17	25	40	44
13-19 YRS	298	15.3	221	2	3	11	21	34	52	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	4.6	19	1	1	4	6	9	11	21
B. *Operated*	125	11.3	84	2	3	9	14	20	27	54
2. MULTIPLE DX										
A. *Not Operated*	693	5.6	31	1	1	4	7	11	14	28
B. *Operated*	316	15.2	216	2	3	11	21	33	49	91
1. SINGLE DX	965	5.5	33	1	1	4	6	11	15	28
2. MULTIPLE DX	1009	8.6	109	1	2	5	10	20	28	68
A. NOT OPERATED	1533	5.1	25	1	1	4	6	9	13	27
B. OPERATED	441	14.1	182	2	3	10	18	29	45	80
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	13	11.7	91	3	4	9	16	28	33	34
1-5 YRS	38	6.0	43	1	1	4	7	14	19	33
6-12 YRS	234	4.5	24	1	1	3	6	9	13	25
13-19 YRS	1688	7.4	80	1	2	5	8	15	23	55
GRAND TOTAL	**1974**	**7.1**	**74**	**1**	**1**	**5**	**8**	**15**	**22**	**51**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	6	3.3	4	1	1	3	5	6	6	6
13-19 YRS	20	7.6	67	1	2	6	8	14	28	38
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	13.0	32	9	9	13	17	17	17	17
13-19 YRS	25	23.1	346	3	6	17	30	57	86	99+
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	3.3	4	1	1	4	5	5	5	5
13-19 YRS	17	8.7	212	1	1	3	5	28	48	57
B. Operated										
0-27 DYS										
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	1	78.0		78	78	89	99+	99+	99+	99+
6-12 YRS	3	39.7	592	18	18	35	58	66	66	66
13-19 YRS	56	32.4	374	7	10	35	55	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	6.7	53	1	1	5	8	11	21	38
B. Operated	27	22.4	328	3	7	17	28	55	84	99+
2. MULTIPLE DX										
A. Not Operated	22	8.3	176	1	1	4	5	25	41	57
B. Operated	61	33.3	401	8	11	35	62	99+	99+	99+
1. SINGLE DX	54	14.6	249	1	2	10	18	38	56	99
2. MULTIPLE DX	83	26.7	462	1	3	28	45	99+	99+	99+
A. NOT OPERATED	49	7.4	107	1	1	4	7	18	31	57
B. OPERATED	88	30.0	400	6	9	28	49	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	2	22.0		22	22	22	22	22	22	22
1-5 YRS	3	30.7	1696	3	3	44	89	99+	99+	99+
6-12 YRS	14	12.5	324	1	1	5	17	38	60	66
13-19 YRS	118	22.8	400	2	3	20	40	73	99+	99+
GRAND TOTAL	**137**	**21.9**	**411**	**1**	**3**	**18**	**37**	**73**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	5	1.6		<1	<1	2	2	2	2	2
1-5 YRS	4	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	14	1.8	1	1	1	1	2	4	4	4
13-19 YRS	76	2.1	1	1	1	2	3	3	5	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	13	5.6	16	2	2	4	8	13	14	14
1-5 YRS	17	4.6	7	2	2	4	6	9	10	11
6-12 YRS	39	3.3	6	1	1	2	4	7	9	11
13-19 YRS	218	3.8	8	1	1	3	5	7	10	14
B. Operated										
0-27 DYS										
1-11 MOS	2	8.0	8	6	6	8	10	10	10	10
1-5 YRS	5	2.8	3	1	1	2	4	5	5	5
6-12 YRS	22	6.5	13	1	2	6	10	11	12	12
13-19 YRS	105	7.6	36	2	2	6	9	17	20	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	2.0	1	<1	1	2	3	4	4	6
B. Operated	4	3.8	5	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	288	3.9	8	1	1	3	5	7	10	14
B. Operated	134	7.2	31	2	2	6	9	13	19	31
1. SINGLE DX	103	2.1	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	422	4.9	18	1	1	4	6	10	12	21
A. NOT OPERATED	387	3.4	7	1	1	3	4	6	9	13
B. OPERATED	138	7.1	31	2	2	6	9	12	19	31
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	20	4.9	15	<1	1	3	7	11	13	14
1-5 YRS	26	3.9	6	1	2	4	5	7	9	11
6-12 YRS	78	3.9	10	1	1	3	6	10	11	12
13-19 YRS	400	4.5	18	1	1	3	6	9	11	21
GRAND TOTAL	**525**	**4.4**	**16**	**1**	**1**	**3**	**6**	**9**	**11**	**20**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	27	3.0	4	1	1	2	3	7	8	9
6-12 YRS	66	5.1	17	1	1	4	6	11	15	18
13-19 YRS	282	6.0	31	1	2	4	7	12	16	31
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	5	10.6	169	2	2	3	18	32	32	32
13-19 YRS	30	16.1	279	2	2	6	25	44	54	57
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	28.0	242	17	17	28	39	39	39	39
1-11 MOS	5	23.4	429	4	4	22	33	57	57	57
1-5 YRS	54	6.9	41	1	2	5	8	15	20	35
6-12 YRS	90	7.1	54	1	2	5	8	15	21	40
13-19 YRS	401	9.1	70	2	2	7	11	17	25	45
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	11.0	74	3	4	8	15	26	30	31
6-12 YRS	28	11.6	81	1	4	10	13	20	38	40
13-19 YRS	210	20.1	269	3	5	14	28	44	50	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	5.6	27	1	2	4	7	11	15	30
B. *Operated*	37	14.7	255	2	2	6	23	41	51	57
2. MULTIPLE DX										
A. *Not Operated*	552	8.8	71	2	2	6	11	17	25	45
B. *Operated*	252	18.7	247	3	5	12	26	42	49	80
1. SINGLE DX	413	6.4	54	1	2	4	7	13	20	42
2. MULTIPLE DX	804	11.9	147	2	3	8	14	27	40	58
A. NOT OPERATED	928	7.5	56	1	2	5	9	15	21	43
B. OPERATED	289	18.2	249	2	4	12	26	42	49	79
TOTAL 0-27 DYS	2	28.0	242	17	17	28	39	39	39	39
1-11 MOS	7	17.6	385	3	3	9	24	51	57	57
1-5 YRS	96	6.4	41	1	2	4	7	15	20	33
6-12 YRS	189	7.2	51	1	2	5	9	15	19	39
13-19 YRS	923	10.9	139	2	2	7	13	26	39	56
GRAND TOTAL	**1217**	**10.0**	**122**	**2**	**2**	**6**	**12**	**23**	**36**	**53**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7	1	2	2	2	4	4	4	4
1-11 MOS	33	2.0	3	<1	<1	1	3	4	5	8
1-5 YRS	232	2.9	16	<1	<1	1	3	8	13	21
6-12 YRS	276	3.3	25	<1	1	1	3	10	16	22
13-19 YRS	128	3.2	25	<1	<1	2	3	5	14	26
B. *Operated*										
0-27 DYS										
1-11 MOS	14	2.4	2	1	1	2	4	4	5	5
1-5 YRS	1061	3.9	22	1	1	2	4	11	15	21
6-12 YRS	1873	3.9	26	1	1	2	4	11	17	24
13-19 YRS	943	3.8	24	1	1	2	4	7	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	34	5.8	17	1	1	5	9	12	13	17
1-5 YRS	81	4.0	20	<1	1	2	5	9	13	24
6-12 YRS	80	4.5	35	1	1	3	4	12	23	24
13-19 YRS	98	5.7	112	<1	1	3	5	12	20	62
B. *Operated*										
0-27 DYS										
1-11 MOS	8	4.6	13	1	1	3	8	9	10	10
1-5 YRS	223	5.6	32	1	1	3	7	14	19	25
6-12 YRS	520	6.5	61	1	1	3	8	18	21	34
13-19 YRS	405	7.1	88	1	1	4	8	16	23	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	3.1	21	<1	1	1	3	8	14	22
B. *Operated*	3891	3.9	24	1	1	2	4	10	16	24
2. MULTIPLE DX										
A. *Not Operated*	295	4.9	54	1	1	3	5	10	17	42
B. *Operated*	1156	6.5	65	1	1	4	8	16	21	35
1. SINGLE DX	4563	3.8	24	1	1	2	4	9	15	24
2. MULTIPLE DX	1451	6.2	63	1	1	3	7	15	21	35
A. NOT OPERATED	967	3.7	32	<1	1	2	4	9	15	24
B. OPERATED	5047	4.5	35	1	1	2	4	12	17	27
TOTAL 0-27 DYS	5	3.2	3	2	2	2	4	6	6	6
1-11 MOS	89	3.8	12	<1	1	3	5	9	10	15
1-5 YRS	1597	4.0	23	1	1	2	4	11	15	22
6-12 YRS	2749	4.4	34	1	1	2	4	13	18	26
13-19 YRS	1574	4.7	48	1	1	3	5	10	17	33
GRAND TOTAL	**6014**	**4.4**	**34**	**1**	**1**	**2**	**4**	**11**	**17**	**27**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	1.3	1	<1	<1	1	2	3	3	3
1-5 YRS	73	1.4	1	<1	<1	1	1	2	3	5
6-12 YRS	192	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	110	1.9	1	<1	<1	1	2	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	9	2.3	11	<1	<1	1	2	7	11	11
1-5 YRS	1070	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	4504	1.6	2	<1	1	1	2	3	4	6
13-19 YRS	2323	2.3	5	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	5.6	36	<1	<1	3	7	16	19	19
1-5 YRS	53	3.1	19	<1	1	2	3	6	8	24
6-12 YRS	94	2.6	12	1	1	2	2	4	8	22
13-19 YRS	139	2.7	12	<1	<1	2	3	5	8	15
B. *Operated*										
0-27 DYS	4	5.5	20	1	1	5	9	11	11	11
1-11 MOS	4	10.0	51	6	6	8	15	20	20	20
1-5 YRS	116	3.4	18	<1	1	2	3	7	14	21
6-12 YRS	723	2.9	15	1	1	2	3	6	9	22
13-19 YRS	875	5.2	39	1	1	3	6	11	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	7906	1.8	3	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	295	2.8	14	<1	1	2	3	6	8	22
B. *Operated*	1722	4.1	29	1	1	2	5	9	15	28
1. SINGLE DX	8290	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX	2017	3.9	27	1	1	2	4	9	14	27
A. NOT OPERATED	679	2.2	7	<1	<1	1	2	4	6	14
B. OPERATED	9628	2.2	8	<1	1	1	2	4	6	15
TOTAL 0-27 DYS	4	5.5	20	1	1	5	9	11	11	11
1-11 MOS	31	4.0	26	<1	<1	2	5	11	19	20
1-5 YRS	1312	1.6	4	<1	<1	1	2	3	4	10
6-12 YRS	5513	1.8	4	<1	1	1	2	3	4	9
13-19 YRS	3447	3.0	15	<1	1	2	3	6	9	21
GRAND TOTAL	**10307**	**2.2**	**8**	**<1**	**1**	**1**	**2**	**4**	**6**	**15**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0								
1-5 YRS	14	2.9	4	<1	2	2	2	2	2	2
6-12 YRS	29	1.9	3	<1	<1	1	2	2	2	2
13-19 YRS	77	1.9	7	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	100	1.9	2	<1	<1	1	2	2	2	2
6-12 YRS	470	1.6	2	<1	<1	1	2	2	2	2
13-19 YRS	1684	1.8	2	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	3.0	12	<1	1	2	4	6	12	14
6-12 YRS	43	2.7	8	<1	<1	2	3	7	9	14
13-19 YRS	83	2.5	5	<1	<1	1	3	5	8	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.2	3	1	1	1	3	5	5	5
1-5 YRS	68	2.1	2	1	1	2	3	4	5	7
6-12 YRS	143	2.8	9	1	1	2	3	6	8	16
13-19 YRS	661	3.5	23	<1	1	2	4	7	9	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.0	3	<1	<1	1	2	4	6	8
B. *Operated*	2259	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	140	2.6	7	<1	<1	2	3	6	9	14
B. *Operated*	878	3.3	19	<1	1	2	4	6	9	28
1. SINGLE DX	2380	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1018	3.2	18	<1	1	2	4	6	9	22
A. NOT OPERATED	261	2.3	5	<1	<1	1	3	5	7	10
B. OPERATED	3137	2.2	7	<1	<1	1	2	4	6	12
TOTAL 0-27 DYS	3	2.7	8	1	1	1	5	6	6	6
1-11 MOS	9	2.0	2	1	1	2	2	4	5	5
1-5 YRS	196	2.1	3	<1	<1	1	2	4	6	8
6-12 YRS	685	1.9	4	<1	<1	1	2	3	5	11
13-19 YRS	2505	2.3	8	<1	<1	2	2	4	6	13
GRAND TOTAL	**3398**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	15	8.1	57	1	1	6	12	19	26	28
1-5 YRS	60	15.9	94	2	3	17	22	27	31	45
6-12 YRS	52	18.7	188	2	2	20	28	36	39	51
13-19 YRS	46	10.7	258	1	1	4	10	42	49	64
B. *Operated*										
0-27 DYS	2	22.0		22	22	22	22	22	22	22
1-11 MOS	13	14.2	69	1	3	13	22	25	27	28
1-5 YRS	57	12.2	106	1	2	10	21	27	29	41
6-12 YRS	167	11.8	110	3	4	9	14	25	39	49
13-19 YRS	190	10.0	90	2	3	7	11	21	26	50
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	8.4	63	1	2	6	11	20	28	28
1-5 YRS	29	17.4	125	1	2	18	23	32	37	45
6-12 YRS	30	23.1	227	1	3	26	31	40	47	62
13-19 YRS	27	15.4	310	1	1	7	36	44	46	48
B. *Operated*										
0-27 DYS	3	14.3	14	10	10	16	17	17	17	17
1-11 MOS	17	14.8	53	4	6	14	17	23	31	35
1-5 YRS	43	18.1	170	3	4	16	26	36	44	56
6-12 YRS	74	18.3	366	4	4	11	24	42	62	93
13-19 YRS	174	18.3	258	4	5	13	24	38	54	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	14.6	173	1	2	11	23	32	39	52
B. *Operated*	429	11.2	100	2	3	8	14	24	29	48
2. MULTIPLE DX										
A. *Not Operated*	96	17.7	217	1	2	14	28	40	45	56
B. *Operated*	311	18.1	257	4	5	13	23	38	51	88
1. SINGLE DX	603	12.2	123	2	2	8	17	27	36	50
2. MULTIPLE DX	407	18.0	247	3	4	13	25	40	47	78
A. NOT OPERATED	270	15.7	190	1	2	13	25	36	43	52
B. OPERATED	740	14.1	177	2	4	10	17	29	42	66
TOTAL 0-27 DYS	6	14.7	65	<1	1	16	22	22	22	22
1-11 MOS	55	11.7	66	1	2	11	16	24	28	35
1-5 YRS	189	15.5	123	2	2	15	23	29	34	47
6-12 YRS	323	15.5	206	2	4	10	22	36	44	66
13-19 YRS	437	13.7	202	1	3	9	16	31	45	66
GRAND TOTAL	**1010**	**14.5**	**181**	**2**	**3**	**10**	**20**	**31**	**42**	**64**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	7.3	21	1	1	7	10	14	14	14
1-11 MOS	150	8.7	50	1	1	7	14	18	22	27
1-5 YRS	781	14.6	96	1	1	16	21	26	30	38
6-12 YRS	480	23.7	151	2	4	23	30	40	44	57
13-19 YRS	177	26.3	415	1	2	26	41	53	62	86
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	46	7.8	71	<1	1	5	12	18	27	37
1-5 YRS	473	12.0	103	1	1	9	20	25	29	36
6-12 YRS	504	19.2	222	2	2	20	29	39	46	61
13-19 YRS	736	12.7	146	2	2	9	16	28	41	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	13.4	77	2	2	17	19	24	24	24
1-11 MOS	87	11.1	72	1	2	9	17	21	24	37
1-5 YRS	306	16.5	121	1	2	18	24	30	33	41
6-12 YRS	252	24.0	210	2	3	24	32	41	52	69
13-19 YRS	126	25.9	453	2	2	25	42	54	75	99+
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	11.6	64	1	2	11	19	21	24	26
1-5 YRS	226	16.5	124	2	3	17	24	29	38	52
6-12 YRS	385	25.5	251	3	4	25	33	46	55	73
13-19 YRS	990	22.7	313	3	5	17	32	50	60	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1594	18.1	175	1	2	18	25	34	43	61
B. *Operated*	1760	14.2	165	1	2	11	22	32	39	55
2. MULTIPLE DX										
A. *Not Operated*	776	19.8	222	1	2	19	28	38	48	76
B. *Operated*	1621	22.4	278	3	4	19	31	47	56	86
1. SINGLE DX	3354	16.0	173	1	2	14	23	33	41	56
2. MULTIPLE DX	2397	21.5	261	2	3	19	29	44	54	83
A. NOT OPERATED	2370	18.6	191	1	2	19	26	36	44	63
B. OPERATED	3381	18.1	235	2	2	15	26	39	50	69
TOTAL 0-27 DYS	13	8.9	51	1	2	7	15	19	23	24
1-11 MOS	302	9.4	62	1	1	7	15	20	23	34
1-5 YRS	1786	14.5	108	1	1	15	22	27	31	43
6-12 YRS	1621	22.8	212	2	3	23	31	41	49	63
13-19 YRS	2029	19.6	298	2	3	14	28	47	55	85
GRAND TOTAL	**5751**	**18.3**	**217**	**1**	**2**	**17**	**26**	**38**	**48**	**67**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	12	1.9	2	1	1	2	2	4	6	6
1-5 YRS	196	2.0	6	<1	1	1	2	3	4	15
6-12 YRS	475	2.5	4	1	1	2	3	5	6	10
13-19 YRS	488	2.9	5	1	1	2	4	5	7	11
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	3.6	16	<1	<1	2	4	11	12	12
1-5 YRS	298	2.5	8	<1	1	2	3	5	8	17
6-12 YRS	1041	3.3	7	1	1	3	4	6	9	14
13-19 YRS	1687	4.5	23	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	11	4.5	12	<1	1	3	8	10	11	11
1-5 YRS	80	2.8	6	1	1	2	4	5	7	14
6-12 YRS	119	5.0	24	1	1	3	6	9	15	27
13-19 YRS	219	4.7	21	1	1	3	6	9	12	26
B. Operated										
0-27 DYS										
1-11 MOS	5	4.6	3	2	2	5	6	7	7	7
1-5 YRS	94	6.4	63	1	1	3	8	17	18	46
6-12 YRS	341	7.6	101	1	1	4	9	17	25	48
13-19 YRS	1047	10.5	132	2	2	7	12	23	33	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1172	2.6	5	1	1	2	3	5	6	10
B. Operated	3034	3.9	17	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. Not Operated	429	4.4	19	1	1	3	5	9	11	25
B. Operated	1487	9.5	122	1	2	6	11	21	31	64
1. SINGLE DX	4206	3.5	14	1	1	3	4	7	9	16
2. MULTIPLE DX	1916	8.4	104	1	2	5	10	18	27	53
A. NOT OPERATED	1601	3.1	9	1	1	2	4	6	8	17
B. OPERATED	4521	5.8	58	1	1	4	6	12	17	44
TOTAL 0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	35	3.4	9	<1	1	2	5	9	11	12
1-5 YRS	668	2.9	17	1	1	2	3	6	9	21
6-12 YRS	1976	3.9	27	1	1	3	4	8	11	25
13-19 YRS	3441	6.1	62	1	1	4	7	12	18	46
GRAND TOTAL	**6122**	**5.1**	**47**	**1**	**1**	**3**	**6**	**10**	**15**	**37**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	60	2.3	9	<1	<1	2	3	4	6	21
6-12 YRS	199	2.6	6	<1	1	2	3	5	8	13
13-19 YRS	314	2.6	5	<1	<1	2	4	5	7	11
B. Operated										
0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	4	2.5	1	2	2	2	3	4	4	4
1-5 YRS	74	2.6	4	<1	1	2	3	5	8	9
6-12 YRS	727	3.0	7	1	1	2	4	5	7	12
13-19 YRS	2698	3.6	8	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	6	10.8	88	1	1	7	22	23	23	23
1-5 YRS	16	2.7	3	<1	1	2	3	6	7	7
6-12 YRS	81	4.2	29	1	1	3	5	7	11	34
13-19 YRS	219	3.4	8	<1	1	3	5	7	10	14
B. Operated										
0-27 DYS										
1-11 MOS	5	16.8	352	1	1	9	24	49	49	49
1-5 YRS	57	5.8	34	1	1	4	7	16	18	26
6-12 YRS	246	6.1	60	1	1	4	7	12	22	39
13-19 YRS	1508	5.5	36	1	2	4	6	10	13	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	577	2.6	5	<1	1	2	3	5	7	11
B. Operated	3506	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	322	3.7	16	<1	1	3	5	7	10	22
B. Operated	1816	5.6	40	1	2	4	6	11	15	37
1. SINGLE DX	4083	3.3	7	1	1	3	4	6	8	14
2. MULTIPLE DX	2138	5.3	37	1	1	4	6	10	14	35
A. NOT OPERATED	899	3.0	9	<1	1	2	4	6	8	15
B. OPERATED	5322	4.2	20	1	1	3	5	8	11	22
TOTAL 0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	19	8.8	142	1	1	4	9	23	37	49
1-5 YRS	207	3.4	16	<1	1	2	4	8	12	20
6-12 YRS	1253	3.6	20	1	1	3	4	7	9	26
13-19 YRS	4739	4.1	17	1	1	3	5	7	10	18
GRAND TOTAL	**6221**	**4.0**	**18**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	15	2.7	16	<1	<1	1	3	3	14	17
6-12 YRS	26	1.3		<1	<1	1	2	2	3	3
13-19 YRS	90	2.1	9	<1	<1	1	2	4	4	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	20	1.9	1	<1	<1	2	2	3	4	4
13-19 YRS	162	2.7	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	5	7.0	91	2	2	3	8	24	24	24
1-5 YRS	39	3.2	9	1	1	2	4	7	9	16
6-12 YRS	73	2.5	3	1	1	2	3	5	6	8
13-19 YRS	274	2.9	10	<1	1	2	3	6	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	3.6	8	<1	<1	3	5	8	9	9
6-12 YRS	23	4.6	36	1	1	2	5	13	19	26
13-19 YRS	143	5.3	41	1	1	3	6	10	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	2.0	8	<1	<1	1	2	3	4	19
B. *Operated*	183	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	393	2.9	9	<1	1	2	3	6	8	17
B. *Operated*	175	5.1	39	1	1	3	6	10	18	37
1. SINGLE DX	315	2.4	5	<1	1	2	3	4	5	9
2. MULTIPLE DX	568	3.6	19	1	1	2	4	7	10	26
A. NOT OPERATED	525	2.7	9	<1	1	2	3	5	8	17
B. OPERATED	358	3.8	22	1	1	3	4	7	10	28
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	7	6.1	65	1	1	3	6	21	24	24
1-5 YRS	63	3.1	10	<1	1	2	4	6	9	17
6-12 YRS	142	2.6	8	<1	1	2	3	5	7	16
13-19 YRS	669	3.3	16	<1	1	2	4	6	9	21
GRAND TOTAL	**883**	**3.2**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	19	1.7	1	1	1	1	2	4	4	4
1-5 YRS	18	2.2	2	1	1	2	3	4	5	6
6-12 YRS	9	3.8	5	1	1	4	5	7	8	8
13-19 YRS	11	3.4	7	1	1	2	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.5	6	1	1	3	5	7	7	7
6-12 YRS	7	4.3	6	1	1	6	6	7	7	7
13-19 YRS	5	9.0	49	2	2	6	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	3.9	9	1	1	3	6	8	9	9
1-5 YRS	14	7.3	77	1	1	3	7	23	27	28
6-12 YRS	17	5.3	75	1	1	3	4	9	28	38
13-19 YRS	8	4.6	15	<1	<1	3	7	11	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	5	30.8	1501	<1	<1	9	55	94	94	94
6-12 YRS	10	21.7	261	2	2	21	38	40	41	41
13-19 YRS	26	27.3	695	3	4	23	35	84	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.5	4	1	1	2	3	5	7	8
B. *Operated*	16	5.6	23	1	1	5	7	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	47	5.5	53	1	1	3	6	11	24	38
B. *Operated*	43	25.3	645	1	3	19	37	79	95	99+
1. SINGLE DX	73	3.2	9	1	1	2	4	7	8	17
2. MULTIPLE DX	90	15.0	431	1	1	6	23	40	77	99
A. NOT OPERATED	104	3.9	28	1	1	2	4	7	10	33
B. OPERATED	59	19.9	552	1	2	9	29	55	89	99+
TOTAL 0-27 DYS										
1-11 MOS	29	2.4	4	1	1	2	3	5	7	9
1-5 YRS	41	7.5	259	1	1	3	6	19	34	94
6-12 YRS	43	8.6	140	1	1	4	7	35	39	41
13-19 YRS	50	16.6	492	1	1	7	24	55	85	99+
GRAND TOTAL	**163**	**9.7**	**275**	**1**	**1**	**4**	**8**	**29**	**41**	**97**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	4	1.8	2	<1	<1	1	2	4	4	4
13-19 YRS	22	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	11	1.7	1	<1	<1	1	3	3	3	3
13-19 YRS	450	2.7	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	38	2.5	4	<1	<1	2	3	6	6	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	6	2.7	2	1	1	3	3	5	5	5
13-19 YRS	93	3.2	4	1	1	3	4	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.4	1	<1	<1	1	1	2	4	4
B. *Operated*	468	2.6	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	42	2.4	4	<1	<1	2	3	5	6	9
B. *Operated*	104	3.1	4	<1	1	3	4	6	7	9
1. SINGLE DX	496	2.6	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	146	2.9	4	<1	1	3	4	6	7	9
A. NOT OPERATED	70	2.0	3	<1	<1	1	2	4	6	8
B. OPERATED	572	2.7	2	1	1	3	3	5	6	8
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	1.8	1	1	1	2	2	4	4	4
1-5 YRS	8	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	24	1.9	1	<1	<1	1	3	3	4	5
13-19 YRS	603	2.7	3	<1	1	3	3	5	6	8
GRAND TOTAL	**642**	**2.6**	**2**	**<1**	**1**	**2**	**3**	**5**	**6**	**8**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.3	5	1	1	1	3	6	7	7
13-19 YRS	67	2.1	2	<1	<1	2	2	4	5	6
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	2.0		2	2	51	99+	99+	99+	99+
1-5 YRS	4	5.5	12	2	2	5	8	10	10	10
6-12 YRS	118	3.0	3	<1	1	3	4	5	6	8
13-19 YRS	2958	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.7	4	<1	<1	2	4	6	6	6
13-19 YRS	74	2.1	6	<1	<1	1	3	4	7	16
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.4	2	1	1	2	4	4	4	4
1-5 YRS	2	12.0	242	1	1	12	23	23	23	23
6-12 YRS	50	3.5	9	1	1	3	4	7	9	18
13-19 YRS	1915	3.2	9	<1	1	2	4	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.1	2	<1	<1	2	2	4	5	7
B. *Operated*	3082	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	80	2.2	6	<1	<1	1	3	4	6	15
B. *Operated*	1977	3.2	10	<1	1	2	4	6	7	13
1. SINGLE DX	3157	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	2057	3.2	9	<1	1	2	4	6	7	13
A. NOT OPERATED	155	2.1	4	<1	<1	1	3	4	6	9
B. OPERATED	5059	2.9	6	<1	1	2	4	5	6	11
TOTAL 0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	10	2.4	1	1	1	2	4	43	95	99+
1-5 YRS	6	7.7	57	1	1	5	10	22	23	23
6-12 YRS	182	3.1	5	<1	1	3	4	5	7	10
13-19 YRS	5014	2.9	6	<1	1	2	4	5	6	10
GRAND TOTAL	**5214**	**2.9**	**6**	**<1**	**1**	**2**	**4**	**5**	**6**	**11**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.6	2	<1	<1	1	2	4	4	4
1-5 YRS	24	3.1	18	<1	<1	2	4	6	11	21
6-12 YRS	48	3.3	21	<1	1	2	3	7	12	27
13-19 YRS	69	4.3	21	<1	1	3	6	11	13	22
B. *Operated*										
0-27 DYS										
1-11 MOS	6	16.7	496	<1	<1	8	22	55	59	59
1-5 YRS	73	3.1	10	<1	<1	2	4	7	11	14
6-12 YRS	251	2.5	8	<1	1	1	3	5	8	14
13-19 YRS	479	3.2	16	<1	1	2	4	6	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	4.6	20	<1	<1	3	5	12	14	14
1-5 YRS	21	3.2	5	1	1	3	4	7	8	9
6-12 YRS	37	5.1	30	<1	1	3	6	11	20	22
13-19 YRS	61	5.4	62	1	1	3	6	10	20	51
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	41	5.5	28	1	1	5	6	11	19	24
6-12 YRS	115	4.3	24	1	1	2	5	10	13	26
13-19 YRS	314	7.5	71	1	1	5	10	17	21	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.7	20	<1	<1	2	4	9	12	22
B. *Operated*	809	3.1	17	<1	1	2	3	6	10	21
2. MULTIPLE DX										
A. *Not Operated*	128	4.9	40	1	1	3	6	10	19	30
B. *Operated*	473	6.5	57	1	1	4	8	16	20	37
1. SINGLE DX	955	3.2	18	<1	1	2	4	7	11	21
2. MULTIPLE DX	601	6.2	54	1	1	4	8	15	20	37
A. NOT OPERATED	274	4.3	30	<1	1	3	5	10	14	23
B. OPERATED	1282	4.4	35	1	1	2	5	10	15	27
TOTAL 0-27 DYS										
1-11 MOS	23	6.8	158	<1	<1	3	4	16	35	59
1-5 YRS	159	3.7	16	<1	<1	2	5	8	11	22
6-12 YRS	451	3.3	16	1	1	2	4	7	11	21
13-19 YRS	923	4.9	42	1	1	3	6	11	17	30
GRAND TOTAL	**1556**	**4.3**	**34**	**<1**	**1**	**2**	**5**	**10**	**15**	**26**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	3.8	9	<1	1	3	6	7	10	11
6-12 YRS	35	2.5	3	<1	1	2	3	4	6	9
13-19 YRS	147	2.2	2	<1	<1	2	3	5	5	8
B. *Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	72	2.9	5	<1	1	2	4	5	5	14
13-19 YRS	1538	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	10	3.5	5	1	1	3	5	7	7	7
6-12 YRS	29	3.6	9	1	1	3	5	7	11	11
13-19 YRS	95	3.0	12	<1	<1	2	4	6	9	21
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	40	3.6	6	1	1	3	5	6	8	12
13-19 YRS	1458	4.2	8	1	1	4	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*	1613	3.1	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	136	3.2	11	<1	1	2	4	7	9	14
B. *Operated*	1501	4.2	8	1	1	4	5	7	9	15
1. SINGLE DX	1810	3.1	4	<1	1	3	4	6	7	9
2. MULTIPLE DX	1637	4.1	8	1	1	4	5	7	9	14
A. NOT OPERATED	333	2.7	6	<1	<1	2	3	5	7	11
B. OPERATED	3114	3.7	6	1	1	3	5	6	8	12
TOTAL 0-27 DYS	3	4.0	4	2	2	4	5	5	6	6
1-11 MOS	4	3.8	10	1	1	3	6	3	8	8
1-5 YRS	26	3.6	7	<1	1	3	5	7	8	11
6-12 YRS	176	3.1	5	<1	1	3	4	5	7	12
13-19 YRS	3238	3.6	6	<1	1	3	5	6	8	12
GRAND TOTAL	**3447**	**3.6**	**6**	**<1**	**1**	**3**	**5**	**6**	**8**	**12**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS										
6-12 YRS	27	3.3	7	<1	1	3	4	8	9	10
13-19 YRS	368	4.8	10	1	1	4	7	8	11	14
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	6.9	33	1	2	5	9	13	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	6	7.5	27	1	1	6	12	15	15	15
1-5 YRS	4	11.8	115	2	2	9	18	27	27	27
6-12 YRS	24	4.7	17	1	1	4	5	10	15	18
13-19 YRS	343	5.6	14	1	2	5	7	11	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.5	3	2	2	5	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	23	8.3	72	<1	1	6	11	20	28	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	4.7	10	1	1	4	7	8	11	14
B. *Operated*	27	6.9	31	1	2	6	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	380	5.6	16	1	2	5	7	11	13	19
B. *Operated*	27	7.7	63	<1	1	6	9	19	26	34
1. SINGLE DX	425	4.8	12	1	1	4	7	9	11	16
2. MULTIPLE DX	407	5.7	19	1	2	5	7	11	14	20
A. NOT OPERATED	778	5.1	13	1	1	4	7	10	12	18
B. OPERATED	54	7.3	47	1	1	6	9	16	24	34
TOTAL 0-27 DYS	5	3.6	7	1	1	3	5	8	8	8
1-11 MOS	12	6.0	15	1	2	5	7	13	15	15
1-5 YRS	4	11.8	115	2	2	9	18	27	27	27
6-12 YRS	51	3.9	12	1	1	3	5	9	10	18
13-19 YRS	760	5.3	15	1	1	4	7	10	12	20
GRAND TOTAL	**832**	**5.3**	**15**	**1**	**1**	**4**	**7**	**10**	**12**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	46	1.6	1	<1	<1	1	2	2	3	4
6-12 YRS	158	2.0	3	<1	1	1	2	4	5	11
13-19 YRS	597	3.3	9	<1	1	2	4	7	9	14
B *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.7	96	1	1	1	14	18	18	18
13-19 YRS	37	4.5	12	1	2	3	5	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	6	1	1	4	5	6	6	6
1-11 MOS	9	5.4	4	3	3	5	6	9	9	9
1-5 YRS	24	3.3	7	1	1	3	5	6	8	11
6-12 YRS	113	3.4	5	<1	1	3	5	7	7	10
13-19 YRS	1004	4.2	10	1	1	4	5	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	4.1	10	1	1	3	6	9	10	10
13-19 YRS	59	5.5	23	1	1	4	8	14	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	805	3.0	8	<1	1	2	4	6	8	14
B. *Operated*	40	4.7	16	1	1	3	5	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1153	4.1	10	1	1	4	5	8	9	14
B. *Operated*	66	5.4	22	1	1	4	8	13	16	19
1. SINGLE DX	845	3.0	9	<1	1	2	4	6	9	14
2. MULTIPLE DX	1219	4.2	11	1	1	4	5	8	10	16
A. NOT OPERATED	1958	3.6	10	<1	1	3	5	7	9	14
B. OPERATED	106	5.1	19	1	1	3	7	12	16	19
TOTAL 0-27 DYS	4	7.8	71	1	1	5	13	20	20	20
1-11 MOS	12	4.8	4	2	3	5	5	8	9	9
1-5 YRS	70	2.2	3	<1	1	2	2	4	6	10
6-12 YRS	281	2.6	6	<1	1	2	3	6	7	12
13-19 YRS	1697	3.9	11	1	1	3	5	8	10	15
GRAND TOTAL	**2064**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	33	2.2	2	<1	<1	2	3	4	4	5
6-12 YRS	67	2.4	4	<1	<1	2	3	5	6	10
13-19 YRS	240	2.3	4	<1	<1	2	3	5	6	10
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	18	1.6		<1	<1	2	2	2	3	3
6-12 YRS	61	2.8	8	<1	1	2	3	5	7	19
13-19 YRS	673	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	4	5.0	23	2	2	3	8	12	12	12
1-5 YRS	17	2.9	5	<1	1	3	4	5	8	10
6-12 YRS	45	3.2	10	<1	<1	2	4	7	9	16
13-19 YRS	180	3.1	9	<1	1	2	4	6	8	15
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	5	2.8	9	<1	<1	2	4	8	8	8
6-12 YRS	25	3.5	15	1	1	2	3	11	34	99+
13-19 YRS	257	3.2	5	1	1	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	340	2.3	4	<1	<1	2	3	5	6	10
B. Operated	755	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	246	3.2	9	<1	1	2	4	6	9	16
B. Operated	288	3.2	6	1	1	3	4	6	8	15
1. SINGLE DX	1095	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	534	3.2	7	<1	1	2	4	6	8	16
A. NOT OPERATED	586	2.7	6	<1	<1	2	3	5	7	13
B. OPERATED	1043	2.6	3	1	1	2	3	4	6	10
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	6	4.3	15	2	2	3	4	11	12	12
1-5 YRS	73	2.3	3	<1	<1	2	3	4	5	10
6-12 YRS	198	2.8	8	<1	<1	2	3	6	8	19
13-19 YRS	1350	2.6	4	<1	1	2	3	5	6	11
GRAND TOTAL	**1629**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	160	1.4	1	<1	1	1	2	2	3	6
1-5 YRS	1772	1.3		<1	1	1	1	2	2	4
6-12 YRS	3292	1.4	1	1	1	1	2	2	3	4
13-19 YRS	3185	1.6	1	<1	1	1	2	3	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	2.9	16	<1	<1	2	3	9	14	14
6-12 YRS	13	1.3		1	1	1	2	2	3	3
13-19 YRS	19	3.1	25	<1	<1	1	2	8	17	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	144	2.3	4	1	1	2	3	5	6	8
1-5 YRS	1266	1.9	4	1	1	1	2	3	5	9
6-12 YRS	2668	2.0	5	1	1	1	2	3	5	9
13-19 YRS	4956	2.4	6	<1	1	2	3	5	6	10
B. Operated										
0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	137	2.5	5	1	1	1	3	6	8	11
6-12 YRS	409	3.2	24	1	1	2	3	6	8	31
13-19 YRS	1485	3.9	41	<1	1	2	4	7	12	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8411	1.5	1	<1	1	1	2	2	3	5
B. Operated	42	2.5	15	<1	<1	1	2	3	13	21
2. MULTIPLE DX										
A. Not Operated	9035	2.2	5	1	1	2	2	4	5	10
B. Operated	2035	3.7	35	1	1	2	4	7	11	34
1. SINGLE DX	8453	1.5	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	11070	2.5	11	1	1	2	3	5	6	14
A. NOT OPERATED	17446	1.8	3	<1	1	1	2	3	4	8
B. OPERATED	2077	3.6	35	1	1	2	4	7	11	34
TOTAL 0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	308	1.8	2	<1	1	1	2	4	5	7
1-5 YRS	3185	1.6	2	<1	1	1	2	3	4	8
6-12 YRS	6382	1.8	4	1	1	1	2	3	4	8
13-19 YRS	9645	2.4	10	<1	1	2	3	4	6	13
GRAND TOTAL	**19523**	**2.0**	**7**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	1.8	1	<1	<1	2	2	3	4	4
1-11 MOS	250	1.6	2	<1	1	1	2	3	4	7
1-5 YRS	1031	1.5	1	<1	<1	1	2	2	4	7
6-12 YRS	1101	1.6	3	<1	1	1	2	3	4	8
13-19 YRS	942	2.3	12	<1	1	1	2	4	7	19
B. *Operated*										
0-27 DYS										
1-11 MOS	11	13.4	117	3	3	12	17	33	35	35
1-5 YRS	45	8.2	112	1	1	5	10	16	26	63
6-12 YRS	46	4.8	16	1	1	4	7	9	11	23
13-19 YRS	71	10.4	155	1	2	7	10	25	47	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.3	12	1	1	3	8	9	9	9
1-11 MOS	236	3.1	20	<1	1	2	3	6	10	27
1-5 YRS	919	2.6	18	1	1	1	3	5	8	20
6-12 YRS	1162	2.7	26	1	1	1	2	5	7	29
13-19 YRS	1527	3.7	44	<1	1	2	3	7	13	31
B. *Operated*										
0-27 DYS										
1-11 MOS	34	17.2	213	1	2	13	24	46	52	99+
1-5 YRS	157	10.0	241	1	1	4	11	28	58	98
6-12 YRS	206	14.7	365	1	1	5	25	50	71	99+
13-19 YRS	604	14.6	396	1	1	7	21	58	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3334	1.8	5	<1	1	1	2	3	4	11
B. *Operated*	173	8.5	109	1	1	6	10	19	30	97
2. MULTIPLE DX										
A. *Not Operated*	3850	3.1	31	<1	1	2	3	6	10	29
B. *Operated*	1001	14.0	361	1	1	6	21	50	77	99+
1. SINGLE DX	3507	2.1	12	<1	1	1	2	4	6	17
2. MULTIPLE DX	4851	5.3	119	1	1	2	4	13	27	81
A. NOT OPERATED	7184	2.5	20	<1	1	1	2	4	7	21
B. OPERATED	1174	13.2	328	1	1	6	18	46	75	99+
TOTAL 0-27 DYS	16	2.8	6	<1	<1	2	3	8	9	9
1-11 MOS	531	3.5	41	<1	1	1	3	7	15	38
1-5 YRS	2152	2.7	33	<1	1	1	2	5	8	27
6-12 YRS	2515	3.2	55	1	1	1	2	5	10	49
13-19 YRS	3144	5.5	126	<1	1	2	5	13	27	89
GRAND TOTAL	**8358**	**4.0**	**77**	**<1**	**1**	**1**	**3**	**8**	**17**	**64**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	2.7	4	1	1	2	3	6	7	7
6-12 YRS	11	1.8	1	1	1	1	3	3	3	3
13-19 YRS	88	3.3	9	1	1	2	4	7	10	16
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	5	5.0	4	3	3	5	6	8	8	8
6-12 YRS	6	6.5	6	3	3	6	8	10	10	10
13-19 YRS	117	5.6	12	2	2	5	7	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	31	3.7	19	1	1	3	4	5	7	26
6-12 YRS	32	3.6	6	1	1	3	4	8	9	10
13-19 YRS	179	4.0	8	1	1	3	5	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	13.6	219	1	2	7	20	38	46	46
6-12 YRS	38	8.8	43	4	4	7	10	16	26	33
13-19 YRS	351	9.6	112	2	3	7	11	18	29	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.0	8	1	1	2	4	6	8	15
B. *Operated*	129	5.6	12	2	2	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	245	3.9	9	1	1	3	5	8	9	15
B. *Operated*	398	9.7	108	2	3	7	11	18	29	78
1. SINGLE DX	239	4.4	11	1	1	4	6	9	12	17
2. MULTIPLE DX	643	7.4	78	1	2	5	9	15	21	57
A. NOT OPERATED	355	3.6	9	1	1	3	4	7	9	15
B. OPERATED	527	8.7	87	2	3	6	10	17	23	67
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	2.2	2	1	1	2	3	4	4	4
1-5 YRS	54	5.3	59	1	1	3	5	8	24	45
6-12 YRS	87	5.9	29	1	1	5	8	10	13	32
13-19 YRS	735	6.8	66	1	2	5	8	13	18	53
GRAND TOTAL	**882**	**6.6**	**62**	**1**	**2**	**5**	**8**	**13**	**18**	**44**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	71	2.9	6	<1	1	2	4	6	7	11
6-12 YRS	329	3.9	13	1	1	3	5	9	10	19
13-19 YRS	536	3.5	7	<1	1	3	5	7	9	12
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	12.0	63	6	6	9	18	21	21	21
1-5 YRS	47	7.8	63	1	1	6	8	14	24	45
6-12 YRS	113	6.6	15	1	2	6	8	11	13	24
13-19 YRS	276	6.7	15	2	3	6	8	10	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	5.8	25	2	2	4	9	14	14	14
1-5 YRS	94	4.7	26	1	1	3	6	9	18	25
6-12 YRS	295	3.7	12	1	1	2	4	9	10	16
13-19 YRS	620	3.9	12	1	1	3	5	8	10	16
B. *Operated*										
0-27 DYS	2	22.0	50	17	17	22	27	27	27	27
1-11 MOS	4	8.5	15	4	4	8	11	13	13	13
1-5 YRS	95	11.1	72	2	3	8	14	24	29	37
6-12 YRS	249	10.4	70	3	4	8	11	21	29	42
13-19 YRS	877	12.1	135	3	5	9	13	24	34	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	939	3.6	9	<1	1	3	5	8	10	13
B. *Operated*	440	6.9	20	2	3	6	8	11	13	26
2. MULTIPLE DX										
A. *Not Operated*	1015	4.0	13	1	1	3	5	8	10	19
B. *Operated*	1227	11.7	117	3	4	8	13	23	33	61
1. SINGLE DX	1379	4.6	15	1	1	4	6	9	11	19
2. MULTIPLE DX	2242	8.2	85	1	1	6	10	16	25	48
A. NOT OPERATED	1954	3.8	11	1	1	3	5	8	10	17
B. OPERATED	1667	10.4	96	2	4	8	11	19	29	53
TOTAL 0-27 DYS	4	13.3	120	3	3	11	22	27	27	27
1-11 MOS	15	6.8	34	<1	1	6	10	14	19	21
1-5 YRS	307	6.8	51	1	1	5	8	17	23	35
6-12 YRS	986	5.8	35	1	1	4	8	11	16	31
13-19 YRS	2309	7.3	73	1	1	6	9	13	20	48
GRAND TOTAL	**3621**	**6.8**	**61**	**1**	**1**	**5**	**8**	**13**	**19**	**41**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	24	2.6	4	<1	1	2	4	5	6	8
6-12 YRS	19	3.6	8	<1	1	3	5	7	10	11
13-19 YRS	27	3.1	5	<1	1	3	4	7	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	10	2.3	4	1	1	1	4	5	6	6
1-5 YRS	287	2.4	5	<1	1	1	3	5	6	13
6-12 YRS	271	3.1	6	1	1	2	4	6	8	11
13-19 YRS	237	2.8	5	<1	1	2	4	5	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	19	3.1	4	<1	<1	3	5	6	7	7
6-12 YRS	28	3.1	3	1	1	3	4	6	7	7
13-19 YRS	63	3.0	5	<1	1	2	5	6	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	9	3.9	11	1	1	2	6	9	10	10
1-5 YRS	225	3.0	6	<1	1	2	4	6	8	11
6-12 YRS	233	3.7	9	1	1	3	5	7	8	17
13-19 YRS	291	4.5	16	1	1	3	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.0	5	<1	1	2	4	6	8	11
B. *Operated*	805	2.7	6	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	111	3.1	5	<1	1	2	5	6	7	9
B. *Operated*	758	3.8	11	1	1	3	5	7	9	17
1. SINGLE DX	877	2.8	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	869	3.7	10	1	1	3	5	7	9	17
A. NOT OPERATED	183	3.1	5	<1	1	2	4	6	8	9
B. OPERATED	1563	3.2	9	<1	1	2	4	6	8	14
TOTAL 0-27 DYS										
1-11 MOS	22	3.0	7	1	1	2	5	7	9	10
1-5 YRS	555	2.7	6	<1	1	2	4	6	7	11
6-12 YRS	551	3.3	7	1	1	3	5	7	8	12
13-19 YRS	618	3.6	11	<1	1	3	5	7	9	16
GRAND TOTAL	**1746**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	15	1.9	2	1	1	2	2	3	6	7
1-5 YRS	121	2.3	6	<1	<1	1	3	4	6	15
6-12 YRS	88	2.0	2	<1	<1	1	3	4	5	7
13-19 YRS	125	2.2	3	<1	<1	2	3	4	5	8
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	28	1.5	1	<1	<1	1	1	4	4	5
1-5 YRS	732	1.5	1	<1	<1	1	2	3	4	6
6-12 YRS	316	1.9	3	<1	<1	1	2	3	4	8
13-19 YRS	358	2.4	6	<1	<1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	21	2.8	4	<1	<1	2	4	5	7	8
1-5 YRS	198	2.7	5	<1	1	2	3	6	7	12
6-12 YRS	157	2.9	13	1	1	2	3	5	8	23
13-19 YRS	437	2.5	12	<1	<1	2	3	5	7	10
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	22	2.4	6	<1	<1	1	2	6	8	9
1-5 YRS	515	2.7	9	<1	1	2	3	5	8	15
6-12 YRS	486	2.7	11	<1	1	2	3	5	7	15
13-19 YRS	1300	3.5	31	<1	1	2	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.2	3	<1	<1	2	3	4	5	8
B. *Operated*	1436	1.8	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	815	2.6	10	<1	1	2	3	5	7	12
B. *Operated*	2325	3.1	22	<1	1	2	4	6	9	17
1. SINGLE DX	1787	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	3140	3.0	19	<1	1	2	3	6	8	16
A. NOT OPERATED	1166	2.5	8	<1	<1	2	3	5	7	12
B. OPERATED	3761	2.6	15	<1	<1	2	3	5	7	15
TOTAL 0-27 DYS	8	2.8	5	1	1	2	5	6	6	6
1-11 MOS	86	2.1	3	<1	<1	1	2	5	6	9
1-5 YRS	1566	2.1	5	<1	<1	1	2	4	6	11
6-12 YRS	1047	2.4	8	<1	1	2	3	5	6	14
13-19 YRS	2220	3.0	22	<1	1	2	3	6	8	16
GRAND TOTAL	**4927**	**2.6**	**14**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	48	2.0	2	<1	1	1	3	4	5	7
6-12 YRS	98	2.2	3	<1	1	2	3	3	5	12
13-19 YRS	326	2.1	3	<1	<1	2	2	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	104	1.8	6	<1	<1	1	2	3	5	16
6-12 YRS	200	2.3	6	<1	1	2	3	5	6	14
13-19 YRS	363	3.6	14	<1	1	2	5	7	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	3.3	4	1	1	4	5	5	5	5
1-5 YRS	46	3.4	22	<1	1	2	4	5	9	31
6-12 YRS	49	2.6	4	1	1	2	3	6	8	9
13-19 YRS	232	3.2	10	<1	1	2	4	6	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	3	16.0	259	1	1	14	28	33	33	33
1-5 YRS	67	6.4	130	1	1	3	6	11	22	62
6-12 YRS	141	4.9	34	1	1	3	6	11	14	33
13-19 YRS	514	7.6	109	1	1	5	8	14	22	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	2.1	3	<1	1	2	2	4	5	9
B. *Operated*	669	2.9	11	<1	1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	332	3.1	10	<1	1	2	4	6	9	14
B. *Operated*	725	7.0	98	1	1	5	8	13	20	59
1. SINGLE DX	1146	2.6	7	<1	1	2	3	5	7	12
2. MULTIPLE DX	1057	5.8	74	1	1	3	7	11	16	50
A. NOT OPERATED	809	2.5	6	<1	1	2	3	5	7	12
B. OPERATED	1394	5.0	60	1	1	3	6	10	15	45
TOTAL 0-27 DYS	4	2.8	1	2	2	3	3	4	4	4
1-11 MOS	11	5.7	97	<1	<1	1	5	22	32	33
1-5 YRS	265	3.3	42	<1	1	2	3	6	9	45
6-12 YRS	488	3.1	15	<1	1	2	3	6	10	20
13-19 YRS	1435	4.6	50	<1	1	3	5	9	13	38
GRAND TOTAL	**2203**	**4.1**	**42**	**<1**	**1**	**2**	**5**	**8**	**12**	**32**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.4	4	1	1	2	3	6	6	6
1-5 YRS	63	2.1	2	<1	<1	2	3	4	5	9
6-12 YRS	109	2.4	2	<1	1	2	3	4	6	8
13-19 YRS	295	2.9	6	<1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	25	1.9	7	<1	<1	1	2	2	6	14
1-5 YRS	534	1.8	3	<1	<1	1	2	3	5	9
6-12 YRS	777	2.0	3	<1	1	2	2	4	5	9
13-19 YRS	2006	2.2	5	<1	1	2	3	4	5	11
2. MULTIPLE D...										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.5	1	3	3	3	4	5	5	5
1-5 YRS	44	3.4	9	<1	1	3	4	6	12	15
6-12 YRS	87	3.6	7	1	1	3	5	7	9	13
13-19 YRS	331	3.9	25	<1	1	3	4	7	10	32
B. *Operated*										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	13	2.1	4	<1	<1	1	2	5	7	7
1-5 YRS	305	2.5	7	1	1	2	3	5	7	15
6-12 YRS	523	2.8	8	1	1	2	3	5	7	17
13-19 YRS	1746	3.5	30	<1	1	2	4	7	10	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	2.6	4	<1	1	2	3	5	6	9
B. *Operated*	3344	2.1	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	467	3.8	20	1	1	3	4	7	10	28
B. *Operated*	2590	3.2	23	1	1	2	3	6	9	24
1. SINGLE DX	3817	2.2	5	<1	1	2	2	4	5	10
2. MULTIPLE DX	3057	3.3	22	1	1	2	4	6	9	25
A. NOT OPERATED	940	3.2	13	<1	1	2	4	6	8	18
B. OPERATED	5934	2.6	13	<1	1	2	3	5	7	16
TOTAL 0-27 DYS	7	2.4	1	<1	<1	3	3	4	4	4
1-11 MOS	47	2.1	5	<1	1	1	2	5	6	14
1-5 YRS	946	2.1	5	<1	<1	1	2	4	6	13
6-12 YRS	1496	2.4	5	<1	1	2	3	5	6	11
13-19 YRS	4378	2.9	17	<1	1	2	3	5	8	19
GRAND TOTAL	**6874**	**2.7**	**13**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	69	3.1	18	<1	<1	2	3	5	9	29
6-12 YRS	206	2.9	5	<1	<1	2	4	6	8	10
13-19 YRS	371	3.0	7	<1	1	2	4	6	7	10
B. *Operated*										
0-27 DYS	2	7.0	72	1	1	7	13	13	13	13
1-11 MOS	11	4.1	9	1	1	3	7	9	9	9
1-5 YRS	308	3.5	25	<1	<1	2	4	7	11	30
6-12 YRS	797	3.7	23	<1	1	2	4	7	11	26
13-19 YRS	1031	3.9	22	1	1	3	5	7	11	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.8	10	2	2	7	8	9	9	9
1-5 YRS	56	4.3	22	1	1	3	5	8	10	27
6-12 YRS	143	4.5	15	1	2	3	5	8	10	22
13-19 YRS	202	4.1	14	1	1	3	5	8	9	15
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	121	6.8	59	1	1	4	9	15	23	40
6-12 YRS	335	7.1	81	1	1	4	8	15	29	54
13-19 YRS	629	6.9	73	1	1	4	7	16	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	3.0	8	<1	<1	2	4	6	8	10
B. *Operated*	2149	3.8	23	<1	1	2	4	7	11	26
2. MULTIPLE DX										
A. *Not Operated*	406	4.3	15	1	1	3	5	8	9	22
B. *Operated*	1089	7.0	74	1	1	4	8	16	27	48
1. SINGLE DX	2802	3.6	19	<1	1	2	4	7	10	24
2. MULTIPLE DX	1495	6.2	59	1	1	4	7	13	21	44
A. NOT OPERATED	1059	3.5	11	<1	1	3	4	7	8	14
B. OPERATED	3238	4.9	42	1	1	3	5	10	16	38
TOTAL 0-27 DYS	3	7.3	36	1	1	8	12	13	13	13
1-11 MOS	26	3.6	8	<1	1	3	4	8	9	9
1-5 YRS	554	4.3	33	<1	1	2	5	9	14	31
6-12 YRS	1481	4.4	35	<1	1	3	5	9	13	34
13-19 YRS	2233	4.6	35	1	1	3	5	9	14	35
GRAND TOTAL	**4297**	**4.5**	**35**	**<1**	**1**	**3**	**5**	**9**	**14**	**34**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.3	16	<1	<1	1	6	8	8	8
1-5 YRS	7	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.7	2	<1	<1	1	3	4	4	4
13-19 YRS	7	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	20	3.0	14	1	1	2	3	8	13	14
13-19 YRS	47	3.6	28	<1	1	2	4	8	11	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	1.3	1	<1	<1	1	2	3	3	3
6-12 YRS	7	4.6	55	1	1	1	4	18	21	21
13-19 YRS	13	2.9	6	<1	<1	2	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	4.5	62	<1	<1	2	3	14	27	29
6-12 YRS	27	4.7	24	1	1	3	6	14	31	99+
13-19 YRS	151	9.9	135	1	1	5	13	28	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.6	2	<1	<1	1	1	3	5	8
B. *Operated*	70	3.3	22	1	1	2	3	7	13	30
2. MULTIPLE DX										
A. *Not Operated*	30	2.8	15	<1	<1	1	2	6	8	21
B. *Operated*	190	8.8	119	1	1	5	11	26	32	66
1. SINGLE DX	94	2.9	18	<1	1	1	3	6	10	26
2. MULTIPLE DX	220	8.0	109	1	1	4	9	23	31	60
A. NOT OPERATED	54	2.2	10	<1	<1	1	2	5	8	20
B. OPERATED	260	7.3	98	1	1	3	8	20	30	53
TOTAL 0-27 DYS										
1-11 MOS	4	2.8	12	<1	<1	1	5	8	8	8
1-5 YRS	31	2.5	26	<1	<1	1	2	3	7	29
6-12 YRS	61	3.8	22	1	1	2	5	11	18	91
13-19 YRS	218	7.8	109	1	1	4	9	22	31	45
GRAND TOTAL	**314**	**6.4**	**87**	**1**	**1**	**3**	**7**	**18**	**30**	**46**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	15	3.5	7	<1	1	3	4	8	9	10
6-12 YRS	16	2.9	4	<1	1	2	3	7	8	8
13-19 YRS	40	3.6	7	<1	1	3	5	7	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.4	11	<1	<1	3	5	9	9	9
1-5 YRS	93	4.0	21	<1	1	2	4	10	17	21
6-12 YRS	171	3.3	9	1	1	2	4	7	9	17
13-19 YRS	400	3.2	9	<1	1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.5	4	1	1	3	5	6	6	6
1-5 YRS	29	3.4	22	<1	<1	2	4	10	24	99+
6-12 YRS	36	6.9	98	1	1	3	9	17	28	50
13-19 YRS	79	7.0	115	<1	1	4	8	24	34	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.0	39	2	2	5	12	14	14	14
1-5 YRS	40	4.9	28	<1	1	2	7	10	19	22
6-12 YRS	90	4.8	24	1	1	3	6	11	14	25
13-19 YRS	393	5.3	79	1	1	3	5	9	15	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.3	6	<1	1	3	4	7	10	11
B. *Operated*	669	3.3	11	<1	1	2	4	7	9	20
2. MULTIPLE DX										
A. *Not Operated*	148	6.2	91	<1	1	3	7	17	30	99+
B. *Operated*	526	5.2	66	1	1	3	5	10	15	51
1. SINGLE DX	741	3.3	11	<1	1	2	4	7	9	19
2. MULTIPLE DX	674	5.4	71	1	1	3	5	11	19	74
A. NOT OPERATED	220	5.3	65	<1	1	3	5	11	25	99+
B. OPERATED	1195	4.1	36	1	1	3	4	8	11	26
TOTAL 0-27 DYS										
1-11 MOS	13	4.1	14	<1	<1	3	5	10	13	14
1-5 YRS	177	4.0	22	<1	1	2	4	10	18	23
6-12 YRS	313	4.1	24	1	1	2	4	9	13	24
13-19 YRS	912	4.4	50	1	1	3	5	8	12	44
GRAND TOTAL	**1415**	**4.3**	**40**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.5	7	<1	<1	3	5	7	7	7
1-5 YRS	134	3.8	4	1	1	4	5	6	7	12
6-12 YRS	422	3.9	4	1	2	4	5	6	8	11
13-19 YRS	464	4.0	6	1	2	4	5	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	4.8	11	<1	<1	4	8	9	9	9
6-12 YRS	19	5.9	9	2	3	5	7	10	13	14
13-19 YRS	22	6.0	16	<1	1	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	12	2.9	4	1	1	2	4	6	7	7
1-5 YRS	75	3.9	7	1	1	3	6	8	8	13
6-12 YRS	236	4.1	9	1	1	4	5	7	9	16
13-19 YRS	320	3.8	6	1	1	3	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.8	18	1	1	5	8	12	13	13
6-12 YRS	36	5.7	21	1	2	4	9	12	16	18
13-19 YRS	60	4.6	12	<1	1	4	6	10	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1024	3.9	5	1	2	4	5	6	7	12
B. *Operated*	49	5.8	12	1	1	5	8	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	644	3.9	7	1	1	3	5	7	8	15
B. *Operated*	102	5.0	15	1	1	4	7	11	13	18
1. SINGLE DX	1073	4.0	5	1	2	4	5	6	8	13
2. MULTIPLE DX	746	4.1	9	1	1	3	5	7	9	15
A. NOT OPERATED	1668	3.9	6	1	1	4	5	6	8	14
B. OPERATED	151	5.3	14	1	1	4	8	11	13	18
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	16	3.1	4	<1	1	2	4	7	7	7
1-5 YRS	223	3.9	6	1	1	4	5	7	8	13
6-12 YRS	713	4.1	7	1	2	4	5	7	9	14
13-19 YRS	866	4.0	7	1	1	4	5	7	8	14
GRAND TOTAL	**1819**	**4.0**	**7**	**1**	**1**	**4**	**5**	**7**	**8**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	1.6	1	<1	<1	1	2	3	4	4
1-11 MOS	127	1.8	2	<1	1	1	2	3	6	8
1-5 YRS	522	1.7	2	<1	<1	1	2	3	4	10
6-12 YRS	695	1.8	2	<1	<1	1	2	3	4	8
13-19 YRS	1358	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	70	3.1	34	<1	<1	1	2	6	13	36
6-12 YRS	122	3.5	19	<1	<1	2	3	7	13	24
13-19 YRS	212	3.1	10	<1	1	2	4	6	7	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	2.7	5	<1	<1	2	5	6	6	6
1-11 MOS	184	3.0	10	1	1	2	4	6	8	19
1-5 YRS	748	2.3	6	<1	1	2	3	5	6	10
6-12 YRS	959	2.2	3	1	1	2	2	4	6	9
13-19 YRS	2281	2.4	4	<1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.8	1	3	3	3	5	5	5	5
1-5 YRS	82	3.8	16	<1	1	3	5	8	11	24
6-12 YRS	142	3.8	14	1	1	3	5	8	10	22
13-19 YRS	412	4.2	37	<1	1	3	5	8	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2711	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	409	3.2	17	<1	1	2	3	6	10	24
2. MULTIPLE DX										
A. *Not Operated*	4178	2.4	5	<1	1	2	3	5	6	10
B. *Operated*	641	4.1	29	1	1	3	5	8	12	27
1. SINGLE DX	3120	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	4819	2.6	8	<1	1	2	3	5	7	13
A. NOT OPERATED	6889	2.1	4	<1	1	2	2	4	6	10
B. OPERATED	1050	3.7	24	<1	1	2	4	7	11	27
TOTAL 0-27 DYS	17	2.1	2	<1	<1	1	3	5	6	6
1-11 MOS	319	2.5	7	1	1	2	3	5	7	15
1-5 YRS	1422	2.2	7	<1	1	1	2	4	6	11
6-12 YRS	1918	2.2	5	<1	1	2	2	4	6	12
13-19 YRS	4263	2.4	8	<1	<1	2	3	5	6	12
GRAND TOTAL	**7939**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	79	2.0	2	1	1	2	2	4	4	10
6-12 YRS	39	2.3	6	<1	<1	1	2	4	9	12
13-19 YRS	51	3.4	15	<1	<1	2	4	7	10	23
B. Operated										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	28	5.4	43	<1	1	3	7	14	21	29
6-12 YRS	18	5.4	59	1	1	2	8	16	25	30
13-19 YRS	59	6.1	51	1	1	4	7	15	21	39
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	42	3.1	27	1	1	2	3	5	8	34
6-12 YRS	25	3.0	4	1	1	2	5	6	7	8
13-19 YRS	47	2.9	6	<1	1	2	4	7	8	10
B. Operated										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	32	6.4	88	<1	<1	2	7	17	20	48
6-12 YRS	30	6.1	62	<1	<1	3	7	16	17	39
13-19 YRS	112	7.0	86	1	1	3	9	16	20	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	2.4	7	<1	1	2	3	5	6	12
B. Operated	108	5.7	49	1	1	3	7	14	21	34
2. MULTIPLE DX										
A. Not Operated	116	3.0	13	1	1	2	3	6	8	18
B. Operated	175	6.7	81	<1	1	3	9	17	20	49
1. SINGLE DX	280	3.7	25	<1	1	2	4	9	12	29
2. MULTIPLE DX	291	5.2	57	1	1	3	5	12	17	46
A. NOT OPERATED	288	2.6	9	1	1	2	3	5	8	12
B. OPERATED	283	6.3	69	1	1	3	8	16	20	46
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.9	1	<1	<1	2	3	3	3	3
1-5 YRS	181	3.5	32	1	1	2	3	7	13	32
6-12 YRS	112	3.9	31	<1	1	2	4	9	15	33
13-19 YRS	269	5.4	54	1	1	3	6	12	18	43
GRAND TOTAL	**571**	**4.5**	**42**	**1**	**1**	**2**	**5**	**10**	**17**	**40**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	15	1.8	2	<1	<1	1	2	3	6	7
13-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
B. Operated										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	17	1.2		<1	<1	1	1	2	3	3
6-12 YRS	17	1.6	1	<1	<1	1	2	4	4	4
13-19 YRS	7	1.9	2	1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.7	3	<1	<1	1	1	5	5	5
6-12 YRS	4	1.8		<1	<1	2	2	2	2	2
13-19 YRS	6	2.8	1	1	1	3	4	4	4	4
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.3	3	<1	<1	1	4	5	5	5
6-12 YRS	7	2.7	9	<1	<1	1	5	8	8	8
13-19 YRS	12	3.3	4	1	1	3	4	6	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	1.4	1	<1	<1	1	1	2	3	7
B. Operated	42	1.5	1	<1	<1	1	1	3	4	5
2. MULTIPLE DX										
A. Not Operated	16	2.1	2	<1	<1	2	3	4	5	5
B. Operated	26	2.8	5	<1	<1	2	4	6	8	8
1. SINGLE DX	76	1.4	1	<1	<1	1	1	3	4	6
2. MULTIPLE DX	42	2.6	4	<1	<1	2	4	5	7	8
A. NOT OPERATED	50	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	68	2.0	3	<1	<1	1	3	5	5	8
TOTAL 0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	44	1.4	1	<1	<1	1	1	3	4	5
6-12 YRS	43	1.9	3	<1	<1	1	2	4	6	8
13-19 YRS	29	2.6	3	<1	1	2	4	5	5	8
GRAND TOTAL	**118**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	67	1.8	2	1	1	1	2	3	4	10
1-11 MOS	278	1.6	2	<1	<1	1	2	3	4	8
1-5 YRS	1154	1.2	1	<1	<1	1	1	2	2	4
6-12 YRS	437	1.3	1	<1	<1	1	1	2	3	6
13-19 YRS	239	1.5	1	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	57	1.6	1	<1	1	1	2	3	3	5
1-5 YRS	449	1.7	2	<1	1	1	2	3	4	7
6-12 YRS	90	3.1	11	<1	1	2	4	6	8	20
13-19 YRS	66	2.7	6	<1	1	1	4	7	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	25	3.2	8	<1	1	2	4	8	9	10
1-11 MOS	142	3.1	10	<1	1	2	3	6	9	17
1-5 YRS	236	2.1	3	<1	<1	1	2	4	6	10
6-12 YRS	75	2.2	5	<1	<1	1	3	4	7	12
13-19 YRS	60	3.5	23	<1	<1	2	3	7	10	31
B. *Operated*										
0-27 DYS	2	11.0	128	3	3	11	19	19	19	19
1-11 MOS	29	3.6	14	1	1	2	4	8	10	19
1-5 YRS	154	4.6	45	<1	1	3	5	9	12	35
6-12 YRS	38	2.6	8	<1	<1	2	3	6	8	15
13-19 YRS	41	5.7	39	1	1	4	7	14	22	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2175	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	663	2.0	4	<1	1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	538	2.6	8	<1	1	2	3	5	7	14
B *Operated*	264	4.4	36	<1	1	3	5	9	15	30
1. SINGLE DX	2838	1.5	2	<1	<1	1	2	2	4	7
2. MULTIPLE DX	802	3.2	18	<1	1	2	3	7	9	22
A. NOT OPERATED	2713	1.6	3	<1	<1	1	2	3	4	8
B. OPERATED	927	2.7	14	<1	1	1	3	6	8	19
TOTAL 0-27 DYS	95	2.3	7	1	1	1	3	4	8	15
1-11 MOS	506	2.1	5	<1	<1	1	2	4	6	13
1-5 YRS	1993	1.7	6	<1	<1	1	2	3	4	9
6-12 YRS	640	1.7	3	<1	<1	1	2	4	5	9
13-19 YRS	406	2.4	11	<1	<1	1	2	5	7	20
GRAND TOTAL	**3640**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	7.7	65	1	1	7	9	20	28	29
1-5 YRS	73	8.5	61	1	1	6	12	21	25	35
6-12 YRS	21	6.2	36	1	1	5	8	13	19	26
13-19 YRS	34	6.2	26	1	1	5	10	12	18	21
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	13	12.8	150	1	1	8	21	32	32	32
1-5 YRS	101	11.4	134	1	1	7	17	28	32	57
6-12 YRS	99	10.8	114	1	2	7	12	30	37	46
13-19 YRS	114	10.9	98	1	2	7	14	28	33	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	26	11.2	96	2	3	8	15	20	38	39
1-5 YRS	120	7.7	46	1	1	6	11	17	20	30
6-12 YRS	46	7.5	40	1	1	6	10	17	22	29
13-19 YRS	62	6.8	24	1	2	6	10	13	17	21
B. *Operated*										
0-27 DYS	1	96.0		96	96	96	96	96	96	96
1-11 MOS	44	23.1	296	3	5	19	32	45	51	89
1-5 YRS	210	20.6	192	3	5	19	30	40	53	99+
6-12 YRS	145	19.5	312	2	3	14	27	46	68	99+
13-19 YRS	171	20.3	322	2	4	15	28	48	61	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	7.5	49	1	1	6	10	18	23	30
B. *Operated*	328	11.1	115	1	2	7	14	29	33	49
2. MULTIPLE DX										
A. *Not Operated*	254	7.8	45	1	1	6	11	17	20	38
B. *Operated*	571	20.6	278	2	4	17	30	46	59	99+
1. SINGLE DX	468	10.0	98	1	2	7	13	25	31	44
2. MULTIPLE DX	825	16.6	241	2	2	12	23	40	53	99+
A. NOT OPERATED	394	7.7	47	1	1	6	10	17	21	34
B. OPERATED	899	17.1	239	2	3	13	25	39	51	97
TOTAL 0-27 DYS	2	55.0	3362	14	14	55	96	96	96	96
1-11 MOS	95	16.5	228	1	2	12	23	38	44	75
1-5 YRS	504	13.9	160	1	2	10	21	32	40	71
6-12 YRS	311	14.1	217	1	2	9	19	35	46	96
13-19 YRS	381	14.0	214	1	2	9	18	35	48	79
GRAND TOTAL	**1293**	**14.2**	**199**	**1**	**2**	**10**	**20**	**33**	**45**	**89**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	164	4.0	14	1	1	3	5	8	12	19
1-5 YRS	687	4.8	25	1	1	3	6	10	15	24
6-12 YRS	216	5.0	23	1	1	4	6	9	13	29
13-19 YRS	280	4.1	17	1	1	3	6	9	11	21
B. *Operated*										
0-27 DYS										
1-11 MOS	24	4.1	7	<1	1	3	6	8	9	9
1-5 YRS	146	8.4	79	1	1	6	10	18	26	48
6-12 YRS	62	9.2	108	1	1	6	11	22	26	64
13-19 YRS	76	7.1	37	1	1	6	10	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.5	11	2	2	3	7	10	10	10
1-11 MOS	342	5.8	29	1	1	4	8	12	16	27
1-5 YRS	1452	6.2	31	1	1	4	8	13	17	27
6-12 YRS	373	5.7	33	1	1	4	8	12	15	27
13-19 YRS	570	5.0	23	1	1	3	7	11	14	23
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	72	12.9	133	1	2	9	20	28	39	51
1-5 YRS	295	12.3	137	1	2	9	17	28	37	56
6-12 YRS	116	15.2	233	1	2	10	20	34	44	71
13-19 YRS	151	11.5	125	1	2	8	14	28	37	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1348	4.6	22	1	1	3	6	10	13	23
B. *Operated*	308	7.9	70	1	1	6	10	17	23	43
2. MULTIPLE DX										
A. *Not Operated*	2743	5.8	29	1	1	4	8	12	16	27
B. *Operated*	635	12.7	152	1	2	9	17	29	39	58
1. SINGLE DX	1656	5.2	32	1	1	3	7	11	15	27
2. MULTIPLE DX	3378	7.1	60	1	1	5	9	15	22	40
A. NOT OPERATED	4091	5.4	27	1	1	4	7	12	15	26
B. OPERATED	943	11.1	130	1	2	8	15	26	35	56
TOTAL 0-27 DYS	8	5.0	14	2	2	3	8	11	11	11
1-11 MOS	602	6.1	43	1	1	4	8	14	18	32
1-5 YRS	2580	6.6	49	1	1	4	9	14	19	35
6-12 YRS	767	7.2	79	1	1	4	9	15	23	44
13-19 YRS	1077	5.8	42	1	1	4	8	12	18	36
GRAND TOTAL	**5034**	**6.5**	**51**	**1**	**1**	**4**	**8**	**14**	**20**	**37**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	7	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	28	2.4	11	<1	<1	1	3	3	6	18
13-19 YRS	85	2.6	5	<1	<1	2	3	5	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	19	2.3	3	<1	1	2	3	4	6	8
6-12 YRS	55	2.1	2	1	1	2	2	4	5	8
13-19 YRS	185	2.5	6	<1	1	2	3	4	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	20.3	804	2	2	6	41	53	53	53
1-5 YRS	8	7.9	168	<1	<1	2	8	30	39	39
6-12 YRS	28	4.3	53	1	1	3	5	6	11	40
13-19 YRS	103	5.0	114	<1	1	2	5	10	12	75
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	32	2.6	5	1	1	2	3	7	8	9
6-12 YRS	78	2.1	2	1	1	2	3	4	5	7
13-19 YRS	232	4.8	148	1	1	2	3	7	15	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.5	6	<1	<1	2	3	5	6	15
B. *Operated*	259	2.4	5	<1	1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	143	5.4	117	1	1	2	5	10	13	67
B. *Operated*	344	4.0	102	1	1	2	3	6	10	76
1. SINGLE DX	381	2.4	5	<1	1	2	3	4	6	13
2. MULTIPLE DX	487	4.4	107	1	1	2	4	7	12	73
A. NOT OPERATED	265	4.0	68	<1	1	2	4	7	11	51
B. OPERATED	603	3.3	61	1	1	2	3	5	8	59
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	10.4	357	<1	<1	4	6	44	53	53
1-5 YRS	66	3.0	25	<1	1	2	3	7	8	34
6-12 YRS	189	2.5	11	1	1	2	3	4	6	14
13-19 YRS	605	3.9	80	<1	1	2	3	6	10	70
GRAND TOTAL	**868**	**3.6**	**63**	**<1**	**1**	**2**	**3**	**6**	**9**	**52**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	21	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	208	2.0	3	<1	<1	1	2	4	5	9
6-12 YRS	367	2.2	4	<1	<1	2	3	4	5	10
13-19 YRS	587	2.1	3	<1	<1	1	3	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	<1	<1	3	4	4	4	4
1-5 YRS	32	3.6	13	<1	<1	2	5	9	11	16
6-12 YRS	72	4.3	21	1	1	2	5	10	16	22
13-19 YRS	180	3.9	20	<1	1	2	4	10	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	22	4.9	59	1	1	2	3	16	26	31
1-5 YRS	188	2.8	5	1	1	2	4	5	7	9
6-12 YRS	315	2.6	4	1	1	2	3	5	6	9
13-19 YRS	645	3.0	21	<1	1	2	3	5	8	15
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0	98	1	1	8	15	15	15	15
1-5 YRS	49	5.8	29	1	1	4	7	12	19	26
6-12 YRS	78	8.6	120	1	1	4	11	27	37	47
13-19 YRS	297	8.8	115	1	1	5	11	22	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1186	2.1	3	<1	<1	1	2	4	5	9
B. *Operated*	287	3.9	19	<1	1	2	5	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1170	2.9	14	<1	1	2	3	5	7	14
B. *Operated*	426	8.4	106	1	1	5	10	21	34	53
1. SINGLE DX	1473	2.4	7	<1	<1	2	3	5	7	15
2. MULTIPLE DX	1596	4.4	45	1	1	2	4	9	15	40
A. NOT OPERATED	2356	2.5	9	<1	1	2	3	5	6	11
B. OPERATED	713	6.6	76	1	1	3	8	16	26	50
TOTAL 0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	48	3.4	33	<1	1	2	3	5	16	31
1-5 YRS	477	2.8	8	<1	1	2	3	5	8	16
6-12 YRS	832	3.1	20	<1	1	2	3	6	9	26
13-19 YRS	1709	3.8	36	<1	1	2	4	8	12	34
GRAND TOTAL	**3069**	**3.5**	**28**	**<1**	**1**	**2**	**4**	**7**	**11**	**30**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.0	2	<1	<1	2	3	4	6	6
1-11 MOS	143	1.4	1	<1	<1	1	2	2	3	6
1-5 YRS	2993	1.4	1	<1	<1	1	1	2	3	5
6-12 YRS	384	2.3	16	<1	1	2	2	4	5	10
13-19 YRS	2832	2.1	4	<1	<1	1	2	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	15	1.8	2	<1	<1	1	3	3	5	5
6-12 YRS	6	2.8	3	1	1	2	5	5	5	5
13-19 YRS	13	2.1	3	<1	<1	2	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	3.6	12	<1	<1	2	6	9	10	10
1-11 MOS	122	3.1	7	<1	1	2	4	6	8	14
1-5 YRS	1100	2.1	4	<1	1	1	2	4	6	10
6-12 YRS	457	3.6	31	1	1	2	4	7	9	35
13-19 YRS	5324	4.2	46	<1	1	2	4	8	15	40
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.3	11	3	3	4	7	10	10	10
1-5 YRS	14	4.7	23	<1	1	3	7	11	16	18
6-12 YRS	7	5.9	15	<1	1	5	10	11	11	11
13-19 YRS	97	6.7	108	1	1	3	6	16	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6364	1.7	3	<1	<1	1	2	3	4	8
B. *Operated*	37	2.1	2	<1	<1	1	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	7014	3.8	38	<1	1	2	4	7	12	34
B. *Operated*	122	6.3	89	<1	1	3	6	15	26	49
1. SINGLE DX	6401	1.7	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	7136	3.9	39	<1	1	2	4	7	12	35
A. NOT OPERATED	13378	2.8	23	<1	1	2	3	5	8	25
B. OPERATED	159	5.3	72	<1	1	3	6	12	19	40
TOTAL 0-27 DYS	23	2.8	7	<1	<1	2	3	7	9	10
1-11 MOS	272	2.2	5	<1	1	1	3	5	6	12
1-5 YRS	4122	1.6	2	<1	<1	1	2	3	4	7
6-12 YRS	854	3.0	24	1	1	2	3	5	8	29
13-19 YRS	8266	3.5	33	<1	1	2	4	6	11	32
GRAND TOTAL	**13537**	**2.9**	**23**	**<1**	**1**	**2**	**3**	**5**	**8**	**26**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.0	4	1	1	2	5	6	6	6
1-11 MOS	155	1.5	2	<1	<1	1	2	2	3	9
1-5 YRS	1929	1.9	4	<1	1	1	2	4	6	10
6-12 YRS	385	1.7	2	<1	<1	1	2	3	4	9
13-19 YRS	614	1.7	3	<1	<1	1	2	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	3.2	12	<1	<1	1	4	9	11	12
6-12 YRS	9	2.6	3	<1	<1	2	4	5	5	5
13-19 YRS	20	4.1	19	1	1	2	4	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.6	6	1	1	2	3	7	7	7
1-11 MOS	78	2.5	5	1	1	2	3	6	7	11
1-5 YRS	869	3.0	15	1	1	2	3	6	8	15
6-12 YRS	159	3.0	11	<1	1	2	4	6	9	13
13-19 YRS	520	3.4	40	<1	1	2	3	7	11	35
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	25	6.2	51	<1	1	3	7	16	22	31
6-12 YRS	13	6.8	44	<1	1	6	8	14	24	26
13-19 YRS	22	5.8	61	<1	1	2	6	19	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3091	1.8	3	<1	1	1	2	4	5	9
B. *Operated*	44	3.4	13	<1	1	2	4	9	13	16
2. MULTIPLE DX										
A. *Not Operated*	1631	3.1	22	<1	1	2	3	6	9	21
B. *Operated*	62	6.2	50	<1	1	3	8	17	22	31
1. SINGLE DX	3135	1.8	4	<1	1	1	2	4	6	10
2. MULTIPLE DX	1693	3.2	23	<1	1	2	3	7	9	23
A. NOT OPERATED	4722	2.3	10	<1	1	1	2	5	6	12
B. OPERATED	106	5.0	36	<1	1	3	7	13	19	30
TOTAL 0-27 DYS	14	2.8	4	1	1	2	5	6	7	7
1-11 MOS	235	1.9	3	<1	1	1	2	3	6	10
1-5 YRS	2337	2.3	8	<1	1	1	2	5	7	12
6-12 YRS	566	2.2	6	<1	1	1	2	4	7	11
13-19 YRS	1176	2.6	21	<1	<1	1	2	5	7	22
GRAND TOTAL	**4828**	**2.3**	**11**	**<1**	**1**	**1**	**2**	**5**	**7**	**14**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	2.6	4	<1	<1	2	3	6	7	7
1-11 MOS	147	2.3	4	<1	1	1	3	4	7	10
1-5 YRS	652	2.0	5	<1	1	1	2	4	5	11
6-12 YRS	373	2.4	3	<1	1	2	3	5	6	9
13-19 YRS	483	2.2	5	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	7	19.0	733	<1	<1	3	40	62	65	65
6-12 YRS	6	2.5	8	<1	<1	1	2	7	8	8
13-19 YRS	9	7.8	55	1	1	4	13	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	21	4.1	7	<1	1	4	7	7	8	9
1-11 MOS	233	4.2	18	1	1	3	6	8	12	20
1-5 YRS	620	3.9	19	1	1	2	5	8	11	26
6-12 YRS	363	3.1	10	1	1	2	3	6	8	16
13-19 YRS	563	3.3	15	<1	1	2	4	6	9	21
B. *Operated*										
0-27 DYS										
1-11 MOS	9	7.2	37	2	2	4	10	18	18	18
1-5 YRS	50	16.2	627	1	1	6	16	68	95	99+
6-12 YRS	23	7.3	70	1	1	4	10	21	57	99+
13-19 YRS	39	11.0	190	1	2	7	13	21	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1674	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	23	10.0	265	<1	1	3	11	27	56	65
2. MULTIPLE DX										
A. *Not Operated*	1800	3.6	16	1	1	2	4	7	10	20
B. *Operated*	121	12.2	345	1	1	6	13	34	72	99+
1. SINGLE DX	1697	2.3	9	<1	1	2	3	4	6	12
2. MULTIPLE DX	1921	4.1	41	1	1	2	4	8	12	30
A. NOT OPERATED	3474	2.9	11	<1	1	2	3	6	8	17
B. OPERATED	144	11.8	331	1	1	5	13	33	67	99+
TOTAL 0-27 DYS	40	3.4	6	<1	1	3	6	7	7	9
1-11 MOS	390	3.6	15	1	1	2	4	8	11	18
1-5 YRS	1329	3.5	46	<1	1	2	4	7	10	32
6-12 YRS	765	2.9	9	1	1	2	3	6	8	16
13-19 YRS	1094	3.1	19	<1	1	2	3	6	9	21
GRAND TOTAL	**3618**	**3.3**	**26**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	40	3.9	21	<1	1	3	4	7	14	24
1-5 YRS	83	2.8	8	<1	1	2	3	5	8	17
6-12 YRS	61	4.4	12	<1	1	3	6	8	11	19
13-19 YRS	104	4.5	17	<1	1	3	5	10	13	22
B. *Operated*										
0-27 DYS	6	18.3	391	5	5	10	21	53	57	57
1-11 MOS	183	7.3	56	1	2	5	8	18	23	40
1-5 YRS	405	6.0	46	<1	1	4	7	11	19	44
6-12 YRS	404	4.7	18	<1	1	3	6	9	13	23
13-19 YRS	473	4.7	22	1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.0	13	3	3	5	8	11	11	11
1-11 MOS	72	5.2	44	1	1	3	6	8	19	36
1-5 YRS	152	4.4	18	<1	1	3	6	11	13	18
6-12 YRS	126	5.9	54	<1	1	4	7	14	19	38
13-19 YRS	155	5.9	33	1	1	4	8	13	18	24
B. *Operated*										
0-27 DYS	12	14.0	142	2	3	9	23	29	38	39
1-11 MOS	383	11.2	160	1	2	6	14	27	42	58
1-5 YRS	635	8.7	118	1	1	5	10	20	31	68
6-12 YRS	595	8.3	109	1	2	5	9	19	28	70
13-19 YRS	730	8.4	93	1	2	5	10	19	25	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	3.9	15	<1	1	3	4	8	12	20
B. *Operated*	1471	5.4	34	<1	1	4	6	11	16	33
2. MULTIPLE DX										
A. *Not Operated*	509	5.3	35	1	1	4	7	12	16	34
B. *Operated*	2355	9.0	116	1	2	5	10	20	31	59
1. SINGLE DX	1760	5.2	32	<1	1	4	6	10	15	32
2. MULTIPLE DX	2864	8.3	104	1	1	5	10	19	28	57
A. NOT OPERATED	798	4.8	28	<1	1	3	6	11	15	25
B. OPERATED	3826	7.6	88	1	1	5	9	17	25	54
TOTAL 0-27 DYS	23	13.2	186	2	3	7	21	28	45	57
1-11 MOS	678	9.1	118	1	2	5	10	22	34	54
1-5 YRS	1275	7.0	80	1	1	4	8	15	23	54
6-12 YRS	1186	6.6	70	1	1	4	8	14	21	47
13-19 YRS	1462	6.7	62	1	1	4	8	14	20	44
GRAND TOTAL	**4624**	**7.1**	**78**	**1**	**1**	**4**	**8**	**16**	**23**	**51**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.5	2	<1	<1	1	1	4	4	4
1-11 MOS	6	2.3	5	1	1	1	5	81	99+	99+
1-5 YRS	177	1.5	1	<1	<1	1	2	3	3	5
6-12 YRS	311	1.5	1	<1	1	1	2	3	3	5
13-19 YRS	344	1.8	2	<1	1	1	2	3	5	8
B. *Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	171	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	276	1.9	2	<1	1	1	2	3	4	8
13-19 YRS	351	2.1	4	<1	1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.3	7	<1	<1	2	5	7	8	8
1-11 MOS	9	2.6	5	<1	<1	1	4	6	7	7
1-5 YRS	49	2.1	3	<1	1	1	3	4	6	8
6-12 YRS	54	2.0	2	1	1	2	2	3	5	7
13-19 YRS	73	3.2	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.7	7	1	1	2	3	7	8	8
1-5 YRS	28	3.3	21	<1	1	1	2	8	12	23
6-12 YRS	53	2.0	2	<1	1	1	3	4	5	6
13-19 YRS	69	5.7	73	<1	1	3	6	13	18	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	804	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	192	2.5	4	1	1	2	3	5	7	9
B. *Operated*	157	3.8	39	<1	1	2	4	8	13	36
1. SINGLE DX	1648	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	349	3.1	20	1	1	2	4	6	8	23
A. NOT OPERATED	1036	1.8	2	<1	1	1	2	3	5	8
B. OPERATED	961	2.2	9	<1	1	1	2	4	6	13
TOTAL 0-27 DYS	16	2.2	4	<1	<1	1	3	5	7	8
1-11 MOS	25	2.4	4	<1	1	1	4	7	26	99+
1-5 YRS	425	1.7	3	<1	<1	1	2	3	4	9
6-12 YRS	694	1.7	2	<1	1	1	2	3	4	7
13-19 YRS	837	2.4	10	<1	1	1	3	5	7	14
GRAND TOTAL	**1997**	**2.0**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

Length of Stay Tables
Operation Groups

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	3.6	6	1	1	3	6	7	8	8
1-11 MOS	31	4.5	7	2	2	4	6	7	10	13
1-5 YRS	56	3.7	4	1	1	3	5	6	7	10
6-12 YRS	108	5.4	12	1	2	5	7	9	12	19
13-19 YRS	185	5.4	14	1	2	5	7	10	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS	8	5.3	23	1	1	4	9	13	13	13
1-5 YRS	51	6.8	40	1	1	5	8	16	20	29
6-12 YRS	102	7.9	40	1	2	6	9	16	20	36
13-19 YRS	145	6.6	60	2	2	6	11	16	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.2	3	<1	1	3	5	5	7	7
1-11 MOS	30	4.8	29	1	1	3	5	9	12	29
1-5 YRS	65	5.5	15	1	1	4	7	10	12	20
6-12 YRS	69	6.1	18	2	2	5	7	13	14	21
13-19 YRS	132	6.6	21	2	2	5	8	13	17	21
B. *Operated*										
0-27 DYS	4	13.5	132	4	4	10	21	30	30	30
1-11 MOS	16	10.8	153	1	1	6	15	19	41	51
1-5 YRS	42	10.9	100	1	2	7	17	24	34	43
6-12 YRS	60	10.8	95	2	3	8	12	24	32	55
13-19 YRS	136	12.4	154	2	3	8	16	24	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	5.0	12	1	2	4	6	9	11	19
B. *Operated*	306	8.0	49	1	2	6	10	16	22	35
2. MULTIPLE DX										
A. *Not Operated*	310	5.9	19	1	2	5	7	12	15	21
B. *Operated*	258	11.7	130	2	2	8	14	24	34	58
1. SINGLE DX	695	6.3	30	1	2	5	8	12	16	30
2. MULTIPLE DX	568	8.6	77	2	2	6	10	18	24	46
A. NOT OPERATED	699	5.4	15	1	2	4	7	10	13	20
B. OPERATED	564	9.7	89	1	2	7	12	20	29	50
TOTAL 0-27 DYS	27	4.9	32	1	1	3	6	8	15	30
1-11 MOS	85	5.8	47	1	1	4	7	12	16	43
1-5 YRS	214	6.6	40	1	1	4	7	15	20	34
6-12 YRS	339	7.2	40	2	2	6	9	13	18	33
13-19 YRS	598	8.0	65	2	2	6	9	16	23	43
GRAND TOTAL	**1263**	**7.3**	**53**	**1**	**2**	**5**	**9**	**15**	**20**	**39**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	16	2.5	4	<1	<1	2	3	6	7	7
1-5 YRS	43	2.1	3	<1	<1	1	3	4	5	10
6-12 YRS	40	2.4	4	<1	1	2	2	6	8	9
13-19 YRS	89	4.4	60	1	1	2	5	8	13	50
B. *Operated*										
0-27 DYS	3	4.0	12	2	2	2	7	8	8	8
1-11 MOS	17	9.0	64	1	1	7	10	23	26	28
1-5 YRS	43	3.4	16	<1	<1	2	3	9	14	19
6-12 YRS	60	3.7	10	<1	1	2	4	9	11	13
13-19 YRS	152	4.2	17	<1	1	3	5	10	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	33	3.5	10	1	1	2	5	8	10	13
1-5 YRS	108	3.1	12	1	1	2	3	6	10	19
6-12 YRS	74	3.2	8	1	1	2	4	7	9	13
13-19 YRS	134	4.3	32	<1	1	2	5	11	13	31
B. *Operated*										
0-27 DYS	6	5.5	7	1	1	5	8	8	8	8
1-11 MOS	54	9.6	134	<1	1	2	14	22	63	99+
1-5 YRS	105	5.3	34	<1	1	3	7	14	21	62
6-12 YRS	72	7.6	68	1	1	5	9	17	23	44
13-19 YRS	159	8.4	121	1	1	4	11	22	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.3	31	<1	1	2	3	6	9	26
B. *Operated*	295	4.2	19	<1	1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	350	3.6	19	<1	1	2	4	8	12	25
B. *Operated*	396	7.6	90	<1	1	4	10	18	27	73
1. SINGLE DX	484	3.8	24	<1	1	2	4	8	12	23
2. MULTIPLE DX	746	5.7	60	<1	1	3	7	14	21	45
A. NOT OPERATED	539	3.5	23	<1	1	2	4	7	11	25
B. OPERATED	691	6.1	63	<1	1	3	8	14	22	46
TOTAL 0-27 DYS	11	4.5	8	1	1	4	7	8	8	8
1-11 MOS	120	6.9	81	<1	1	5	9	17	25	99+
1-5 YRS	319	3.8	20	<1	1	2	4	9	14	24
6-12 YRS	246	4.5	29	1	1	2	5	10	13	31
13-19 YRS	534	5.5	62	<1	1	3	6	12	20	41
GRAND TOTAL	**1230**	**5.0**	**47**	**<1**	**1**	**3**	**6**	**12**	**16**	**35**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	21	2.0	2	1	1	2	3	4	5	5
1-5 YRS	51	2.6	3	<1	1	2	3	5	7	7
6-12 YRS	39	2.9	2	<1	1	3	4	5	6	6
13-19 YRS	23	2.7	3	<1	1	2	3	5	7	7
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	4	5.5	10	3	3	4	7	10	10	10
6-12 YRS										
13-19 YRS	6	6.8	108	2	2	3	4	26	28	28
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	10.5	5	9	9	10	12	12	12	12
1-11 MOS	29	4.5	64	1	1	3	6	7	15	44
1-5 YRS	69	2.7	5	1	1	2	3	5	6	14
6-12 YRS	22	4.1	11	<1	1	3	6	8	11	15
13-19 YRS	20	3.4	4	1	1	3	5	6	7	7
B. Operated										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	6	9.5	171	2	2	3	12	33	35	35
6-12 YRS	7	5.3	4	3	3	5	6	8	9	9
13-19 YRS	15	14.6	427	1	1	4	14	47	64	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	2.6	2	1	1	2	3	5	6	7
B. Operated	11	6.0	58	2	2	3	5	17	27	28
2. MULTIPLE DX										
A. Not Operated	142	3.5	18	1	1	2	4	6	8	18
B. Operated	29	11.2	261	1	2	4	12	37	48	70
1. SINGLE DX	145	2.9	7	1	1	2	3	5	6	11
2. MULTIPLE DX	171	4.8	67	1	1	3	4	8	13	46
A. NOT OPERATED	276	3.1	11	1	1	2	4	6	7	14
B. OPERATED	40	9.8	208	1	2	4	10	31	42	70
TOTAL 0-27 DYS	3	8.0	21	3	3	9	11	12	12	12
1-11 MOS	51	3.7	40	1	1	2	4	6	12	44
1-5 YRS	130	3.1	13	1	1	2	4	5	7	19
6-12 YRS	68	3.6	6	1	1	3	5	6	7	14
13-19 YRS	64	6.1	129	1	1	3	4	11	31	67
GRAND TOTAL	**316**	**3.9**	**48**	**1**	**1**	**3**	**4**	**7**	**10**	**40**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	4	1.3		<1	<1	1	1	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	96	2.0	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	3	1.0		<1	<1	1	1	1	1	1
B. Operated										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	58	2.4	3	<1	<1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	104	2.0	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated	5	1.4		<1	<1	1	2	2	2	2
B. Operated	67	2.3	3	<1	<1	2	3	5	6	7
1. SINGLE DX	105	2.0	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX	72	2.3	3	<1	<1	2	3	5	6	7
A. NOT OPERATED	6	1.3		<1	<1	1	2	2	2	2
B. OPERATED	171	2.1	2	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS	6	2.2	1	1	1	2	3	3	3	3
1-11 MOS	8	1.6		<1	1	1	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	158	2.1	2	<1	<1	2	3	4	5	7
GRAND TOTAL	**177**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	7.0		7	7	7	7	7	7	7
1000-1499	2	22.0	288	10	10	22	34	34	34	34
1500-1749	10	15.1	45	7	7	14	17	26	27	27
1750-2499	7414	3.3	5	1	2	3	4	5	7	12
2500+	474448	2.9	2	1	1	3	3	5	5	7
B. *Operated*										
1-999 G										
1000-1499	2	42.5	61	37	37	42	48	48	48	48
1500-1749	2	55.5	1	55	55	55	56	56	56	56
1750-2499	13	7.5	23	2	3	7	11	14	16	16
2500+	183	3.5	4	2	2	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	156	59.9	698	9	17	71	87	99+	99+	99+
1000-1499	985	42.2	269	19	23	40	53	65	73	94
1500-1749	1404	25.3	105	11	13	24	31	38	44	56
1750-2499	22128	7.4	41	2	2	5	9	16	20	31
2500+	249925	3.8	4	2	2	3	5	6	7	11
B. *Operated*										
1-999 G	300	72.3	451	35	52	89	99+	99+	99+	99+
1000-1499	881	51.7	349	23	30	53	68	91	99+	99+
1500-1749	609	34.6	218	16	20	32	41	55	67	95
1750-2499	2206	17.8	165	3	5	15	23	34	43	86
2500+	5521	8.1	77	2	2	6	9	15	22	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481875	2.9	2	1	1	3	3	5	5	7
B. *Operated*	200	4.7	47	2	2	3	4	7	12	51
2. MULTIPLE DX										
A. *Not Operated*	274598	4.4	19	2	2	3	5	7	9	23
B. *Operated*	9517	18.1	417	2	3	10	26	56	80	99+
1. SINGLE DX	482075	2.9	2	1	1	3	3	5	5	7
2. MULTIPLE DX	284115	4.8	39	2	2	4	5	7	11	36
A. NOT OPERATED	756473	3.5	9	1	2	3	4	5	6	13
B. OPERATED	9717	17.8	413	2	3	9	25	55	79	99+
TOTAL 1-999 G	457	68.0	576	20	41	84	99+	99+	99+	99+
1000-1499	1870	46.7	330	20	25	46	60	78	94	99+
1500-1749	2025	28.1	158	12	15	26	34	44	52	78
1750-2499	31761	7.2	53	2	2	5	9	16	21	36
2500+	730077	3.3	4	1	2	3	4	5	6	9
GRAND TOTAL	**766190**	**3.6**	**16**	**1**	**2**	**3**	**4**	**5**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	13.0	32	9	9	13	17	17	17	17
1000-1499	1	40.0		40	40	40	40	40	40	40
1500-1749	7	18.3	66	9	9	20	24	29	30	30
1750-2499	1005	4.8	7	2	2	4	6	7	10	15
2500+	4164	4.4	3	2	2	4	5	6	7	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	4	5.8	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	24	61.2	706	13	20	68	81	95	98	99+
1000-1499	243	41.1	246	19	24	39	49	64	74	85
1500-1749	368	24.5	101	12	14	23	30	37	41	58
1750-2499	3560	9.3	43	3	3	7	13	18	22	31
2500+	3187	5.2	7	2	3	5	6	8	9	15
B. *Operated*										
1-999 G	41	70.3	305	45	56	90	99+	99+	99+	99+
1000-1499	220	55.4	302	31	35	57	69	92	99+	99+
1500-1749	161	34.8	209	14	18	34	43	53	67	99
1750-2499	375	18.8	127	4	6	18	24	33	41	58
2500+	92	9.6	51	3	4	7	11	18	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5179	4.5	5	2	2	4	5	7	8	12
B. *Operated*	4	6.8	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	7382	9.5	99	3	3	6	11	20	29	51
B. *Operated*	889	32.2	515	5	7	28	52	76	99+	99+
1. SINGLE DX	5183	4.5	5	2	2	4	5	7	8	12
2. MULTIPLE DX	8271	12.0	193	3	3	6	14	29	45	84
A. NOT OPERATED	12561	7.4	67	2	3	5	7	15	22	46
B. OPERATED	893	32.1	516	5	7	28	52	76	99+	99+
TOTAL 1-999 G	67	65.3	536	20	35	83	99+	99+	99+	99+
1000-1499	464	47.9	323	22	28	47	62	76	93	99+
1500-1749	536	27.5	156	12	14	25	34	43	50	81
1750-2499	4940	9.1	53	2	3	6	12	19	23	35
2500+	7447	4.8	6	2	3	5	6	7	8	13
GRAND TOTAL	**13454**	**9.1**	**134**	**2**	**3**	**5**	**8**	**20**	**33**	**73**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	34.0		34	34	34	34	34	34	34
1750-2499	79	3.0	3	1	1	3	3	5	6	10
2500+	1195	2.4	1	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	60.3	134	47	47	67	84	99+	99+	99+
1000-1499	24	35.7	335	13	13	31	43	55	67	95
1500-1749	21	26.8	150	10	13	25	30	44	56	60
1750-2499	213	8.2	52	1	2	6	11	17	22	32
2500+	645	4.1	17	1	2	3	5	7	9	28
B. *Operated*										
1-999 G	4	46.0	1785	10	10	97	99+	99+	99+	99+
1000-1499	13	53.5	374	22	23	56	68	93	98	99+
1500-1749	6	45.0	590	26	26	37	53	86	90	90
1750-2499	24	16.0	91	2	7	13	22	28	35	41
2500+	51	6.9	39	1	1	5	10	16	20	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1275	2.5	2	1	1	2	3	4	5	7
B. *Operated*	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	906	6.6	83	1	2	4	6	14	26	52
B. *Operated*	98	19.2	485	1	2	12	27	68	96	99+
1. SINGLE DX	1278	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1004	7.9	136	1	2	4	7	19	31	79
A. NOT OPERATED	2181	4.2	40	1	1	3	4	7	12	37
B. OPERATED	101	18.8	478	1	2	11	27	67	95	99+
TOTAL 1-999 G	7	52.1	996	10	11	81	99+	99+	99+	99+
1000-1499	37	41.9	413	13	17	42	55	71	94	99+
1500-1749	28	30.9	279	11	15	27	35	53	63	90
1750-2499	316	7.5	54	1	2	5	10	17	23	34
2500+	1894	3.1	9	1	1	3	3	5	7	14
GRAND TOTAL	**2282**	**4.9**	**68**	**1**	**1**	**3**	**4**	**8**	**17**	**53**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.7	17	<1	<1	1	2	10	12	12
6-12 YRS	18	2.6	5	1	1	2	2	7	8	8
13-19 YRS	28	3.5	34	<1	<1	2	4	6	9	32
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	112	2.0	5	<1	<1	1	2	3	4	15
6-12 YRS	375	2.2	3	<1	<1	2	3	4	5	9
13-19 YRS	1930	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.8	1	<1	<1	1	3	3	3	3
6-12 YRS	10	5.5	54	<1	<1	2	10	17	23	23
13-19 YRS	25	1.6	3	<1	<1	1	1	2	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	8	3.6	17	<1	<1	2	5	11	12	12
1-5 YRS	106	2.1	2	<1	<1	2	3	3	4	9
6-12 YRS	233	3.2	12	1	1	2	3	6	8	16
13-19 YRS	559	3.7	24	1	1	3	4	6	8	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.1	21	<1	<1	2	3	6	8	31
B. *Operated*	2421	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	40	2.6	17	<1	<1	1	2	6	11	23
B. *Operated*	906	3.4	19	<1	1	3	4	6	8	20
1. SINGLE DX	2474	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	946	3.4	19	<1	1	3	4	6	8	22
A. NOT OPERATED	93	2.9	19	<1	<1	1	3	6	10	28
B. OPERATED	3327	2.6	7	<1	<1	2	3	4	6	12
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	11	3.0	13	<1	<1	2	2	10	12	12
1-5 YRS	230	2.1	4	<1	<1	2	3	3	4	13
6-12 YRS	636	2.7	7	<1	<1	2	3	5	6	13
13-19 YRS	2542	2.7	8	<1	1	2	3	5	6	10
GRAND TOTAL	**3420**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	22	2.5	33	1	1	1	2	2	13	28
13-19 YRS	6	2.2	4	<1	<1	1	2	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	25	<1	<1	4	8	8	8	8
6-12 YRS	3	11.7	154	4	4	5	21	26	26	26
13-19 YRS	8	4.4	6	2	2	4	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	30	2.4	24	<1	<1	1	2	2	6	28
B. *Operated*	13	6.1	41	<1	1	5	6	12	23	26
1. SINGLE DX										
2. MULTIPLE DX	43	3.5	31	<1	1	2	3	7	15	28
A. NOT OPERATED	30	2.4	24	<1	<1	1	2	2	6	28
B. OPERATED	13	6.1	41	<1	1	5	6	12	23	26
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	3	3.7	14	<1	<1	2	6	8	8	8
6-12 YRS	25	3.6	50	1	1	1	2	5	26	28
13-19 YRS	14	3.4	6	<1	<1	3	5	7	8	9
GRAND TOTAL	**43**	**3.5**	**31**	**<1**	**1**	**2**	**3**	**7**	**15**	**28**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	327	3.5	35	<1	<1	2	4	7	10	22
1-11 MOS	513	2.4	6	<1	<1	1	3	5	7	15
1-5 YRS	993	2.1	8	<1	<1	1	2	4	6	15
6-12 YRS	686	2.6	10	<1	<1	1	3	5	8	18
13-19 YRS	1881	2.2	17	<1	<1	1	2	4	6	14
B. *Operated*										
0-27 DYS	8	3.0	6	<1	<1	2	4	7	8	8
1-11 MOS	101	5.4	17	<1	<1	5	9	11	12	17
1-5 YRS	424	2.9	11	<1	<1	2	3	7	10	17
6-12 YRS	365	2.5	6	<1	<1	2	3	5	8	12
13-19 YRS	1066	2.8	8	<1	<1	2	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	263	5.7	45	1	1	3	7	14	20	30
1-11 MOS	530	3.5	31	<1	<1	2	4	7	10	25
1-5 YRS	1842	2.9	15	<1	<1	2	3	5	8	25
6-12 YRS	1896	3.2	22	<1	<1	2	4	5	9	24
13-19 YRS	2935	3.5	43	<1	1	2	4	6	10	40
B. *Operated*										
0-27 DYS	6	8.8	43	3	3	6	13	19	20	20
1-11 MOS	232	6.3	47	1	1	4	8	13	19	35
1-5 YRS	822	4.1	61	<1	1	2	3	9	13	47
6-12 YRS	605	4.2	61	<1	<1	2	3	9	14	38
13-19 YRS	1000	4.9	75	<1	<1	2	5	11	19	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4400	2.4	14	<1	<1	1	3	4	7	16
B. *Operated*	1964	2.9	9	<1	<1	2	3	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	7466	3.3	30	<1	<1	2	4	6	9	30
B. *Operated*	2665	4.6	65	<1	<1	2	5	10	16	54
1. SINGLE DX	6364	2.5	13	<1	<1	1	3	5	8	16
2. MULTIPLE DX	10131	3.7	40	<1	<1	2	4	7	12	36
A. NOT OPERATED	11866	3.0	25	<1	<1	2	3	5	8	25
B. OPERATED	4629	3.9	42	<1	<1	2	4	9	12	37
TOTAL 0-27 DYS	604	4.5	40	<1	1	3	5	10	16	30
1-11 MOS	1376	3.7	25	<1	<1	2	4	8	12	24
1-5 YRS	4081	2.9	23	<1	<1	2	3	6	9	25
6-12 YRS	3552	3.2	25	<1	<1	2	3	6	9	25
13-19 YRS	6882	3.3	36	<1	<1	2	3	6	9	35
GRAND TOTAL	**16495**	**3.2**	**30**	**<1**	**<1**	**2**	**3**	**6**	**10**	**29**

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8880	3.7	10	1	2	3	4	6	8	15
1-11 MOS	25334	3.8	14	<1	1	3	5	8	10	19
1-5 YRS	84957	2.8	13	<1	<1	2	3	6	8	19
6-12 YRS	97052	3.0	16	<1	1	2	3	6	8	22
13-19 YRS	243474	3.2	14	1	1	2	4	5	7	16
2. MULTIPLE DX										
0-27 DYS	28295	11.8	257	2	2	5	13	34	55	99+
1-11 MOS	31541	6.2	56	1	1	4	7	12	18	44
1-5 YRS	85638	4.0	32	<1	1	2	4	8	12	29
6-12 YRS	68022	4.4	46	<1	1	2	5	9	14	38
13-19 YRS	162622	5.3	54	1	1	3	6	10	15	43
TOT. SINGLE DX	459697	3.1	14	<1	1	2	4	6	8	18
" MULTIPLE DX	376118	5.4	67	1	1	3	6	11	18	49
TOTAL 0-27 DYS	37175	9.9	210	1	2	5	9	27	47	98
1-11 MOS	56875	5.1	39	<1	1	3	6	10	15	34
1-5 YRS	170595	3.4	23	<1	<1	2	4	7	10	24
6-12 YRS	165074	3.6	29	<1	1	2	4	7	11	29
13-19 YRS	406096	4.1	31	1	1	3	4	7	10	30
GRAND TOTAL	**835815**	**4.2**	**39**	**<1**	**1**	**3**	**4**	**8**	**12**	**35**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	13.3	65	4	4	18	18	18	18	18
1-11 MOS	63	7.2	98	1	1	4	10	15	17	60
1-5 YRS	116	10.3	83	1	1	8	12	19	27	51
6-12 YRS	118	9.6	55	1	1	6	12	17	21	42
13-19 YRS	141	11.5	87	2	3	10	14	18	28	54
2. MULTIPLE DX										
0-27 DYS	10	18.6	300	2	7	14	25	78	98	99+
1-11 MOS	105	15.0	165	1	1	12	22	30	60	66
1-5 YRS	173	16.1	241	1	1	12	22	36	64	99+
6-12 YRS	163	16.2	243	1	1	12	22	39	59	97
13-19 YRS	223	20.1	362	3	5	14	26	49	84	99+
TOT. SINGLE DX	441	10.1	80	1	2	9	12	18	24	52
" MULTIPLE DX	674	17.3	274	2	3	12	23	41	64	99+
TOTAL 0-27 DYS	13	17.4	242	2	6	15	21	68	93	99+
1-11 MOS	168	12.1	154	1	1	8	17	26	38	67
1-5 YRS	289	13.8	188	1	1	10	18	29	50	99+
6-12 YRS	281	13.4	176	1	1	10	17	29	46	79
13-19 YRS	364	16.8	273	2	4	11	20	40	63	99+
GRAND TOTAL	1119	14.4	210	2	2	10	18	33	50	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	6.2	7	2	2	6	8	9	9	9
1-11 MOS	110	6.5	16	2	3	5	8	11	13	24
1-5 YRS	66	9.4	70	3	3	7	10	17	32	45
6-12 YRS	88	7.9	26	3	3	7	10	12	15	33
13-19 YRS	86	11.3	179	3	4	8	12	19	29	86
2. MULTIPLE DX										
0-27 DYS	6	32.3	1015	11	11	20	37	88	94	94
1-11 MOS	65	11.4	61	4	4	8	17	24	26	91
1-5 YRS	98	16.1	224	3	5	10	24	41	49	99+
6-12 YRS	91	20.9	514	3	4	12	25	73	85	99+
13-19 YRS	150	22.5	425	5	6	16	32	76	99+	99+
TOT. SINGLE DX	356	8.5	71	3	3	7	10	15	20	46
" MULTIPLE DX	408	18.9	363	4	5	12	25	52	93	99+
TOTAL 0-27 DYS	12	19.3	652	2	3	10	20	54	88	94
1-11 MOS	175	8.3	38	3	4	6	10	19	22	38
1-5 YRS	162	13.4	172	3	3	9	16	31	65	99+
6-12 YRS	179	14.3	314	3	4	9	15	31	73	99
13-19 YRS	236	18.4	363	4	5	11	25	63	99	99+
GRAND TOTAL	764	14.1	253	3	4	9	16	36	67	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	4.6	2	3	3	4	5	7	8	8
1-11 MOS	264	5.1	4	2	3	4	5	6	8	11
1-5 YRS	162	5.9	24	2	2	5	7	10	13	28
6-12 YRS	122	5.6	14	2	2	5	7	9	11	24
13-19 YRS	99	5.5	6	2	2	5	7	9	10	14
2. MULTIPLE DX										
0-27 DYS	17	15.5	501	3	3	8	11	53	82	92
1-11 MOS	72	9.1	92	3	4	6	10	15	19	55
1-5 YRS	98	9.1	140	3	3	6	9	16	24	74
6-12 YRS	99	8.9	62	3	3	7	10	22	32	99+
13-19 YRS	111	15.4	441	2	3	8	15	49	88	99+
TOT. SINGLE DX	656	5.5	12	2	3	5	7	9	10	16
" MULTIPLE DX	397	11.1	221	2	3	7	10	22	48	99
TOTAL 0-27 DYS	26	11.7	401	3	3	6	9	14	69	92
1-11 MOS	336	6.0	26	2	3	5	7	9	11	23
1-5 YRS	260	7.1	70	2	3	5	8	11	16	49
6-12 YRS	221	7.1	38	2	3	6	8	13	22	55
13-19 YRS	210	10.7	260	2	3	6	9	19	57	99
GRAND TOTAL	1053	7.6	98	2	3	5	8	12	19	75

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	34	6.6	14	1	3	6	8	11	14	20
1-11 MOS	213	7.3	35	2	3	6	9	11	16	60
1-5 YRS	82	8.6	105	2	3	5	9	15	41	99+
6-12 YRS	82	6.0	21	2	3	5	7	11	16	28
13-19 YRS	32	7.7	42	2	3	6	9	13	18	36
2. MULTIPLE DX										
0-27 DYS	118	38.4	752	6	8	37	67	93	99+	99+
1-11 MOS	233	14.7	221	3	3	9	17	36	47	69
1-5 YRS	151	10.5	137	3	4	7	12	23	32	68
6-12 YRS	100	13.1	197	3	4	8	15	29	41	99+
13-19 YRS	71	13.1	184	3	4	9	16	30	66	99+
TOT. SINGLE DX	453	7.3	47	2	3	6	8	13	20	43
" MULTIPLE DX	673	17.5	382	3	4	10	22	55	74	99+
TOTAL 0-27 DYS	152	31.3	764	4	5	20	62	89	99+	99+
1-11 MOS	446	11.2	148	2	3	7	12	25	38	67
1-5 YRS	243	9.7	126	2	3	7	11	23	40	99+
6-12 YRS	182	9.9	130	3	3	6	10	23	38	96
13-19 YRS	103	11.5	146	3	3	8	13	26	65	99+
GRAND TOTAL	1126	13.4	272	3	3	7	14	37	63	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	11.9	40	3	4	11	17	21	21	21
1-11 MOS	169	7.3	54	2	2	5	8	15	24	37
1-5 YRS	305	6.3	39	2	2	4	8	11	18	38
6-12 YRS	228	5.9	27	2	2	4	7	12	17	30
13-19 YRS	160	8.3	89	2	2	6	10	14	23	49
2. MULTIPLE DX										
0-27 DYS	34	28.0	600	4	5	21	53	97	99+	99+
1-11 MOS	343	12.6	202	2	2	7	15	36	47	65
1-5 YRS	495	9.6	138	1	2	6	11	22	38	93
6-12 YRS	368	9.9	131	2	2	6	12	23	35	84
13-19 YRS	260	14.8	260	2	3	9	20	40	74	99+
TOT. SINGLE DX	882	6.8	49	2	2	5	8	13	20	38
" MULTIPLE DX	1500	11.7	193	2	2	7	14	31	48	99+
TOTAL 0-27 DYS	44	24.3	516	4	5	18	52	90	99+	99+
1-11 MOS	512	10.8	160	2	2	6	12	27	41	61
1-5 YRS	800	8.4	103	2	2	5	9	19	30	65
6-12 YRS	606	8.3	95	2	2	5	9	19	30	63
13-19 YRS	420	12.3	205	2	3	8	14	32	51	99+
GRAND TOTAL	**2382**	**9.9**	**145**	**2**	**2**	**6**	**11**	**24**	**38**	**90**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	8.0	73	3	3	4	11	23	23	23
1-5 YRS	9	10.7	18	6	6	11	13	17	19	19
6-12 YRS	13	8.6	7	4	5	9	11	12	12	12
13-19 YRS	51	9.5	23	4	5	9	11	16	20	25
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	6.8	7	3	3	8	9	9	9	9
1-5 YRS	26	13.1	123	3	4	11	16	24	32	58
6-12 YRS	33	11.2	53	3	5	9	14	19	27	37
13-19 YRS	81	26.7	475	5	6	18	37	65	70	85
TOT. SINGLE DX	79	9.4	22	3	4	9	11	16	20	24
" MULTIPLE DX	145	20.1	355	4	5	11	26	48	67	78
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	10	7.4	36	3	3	6	9	16	23	23
1-5 YRS	35	12.5	96	3	4	11	15	20	26	58
6-12 YRS	46	10.5	41	4	5	9	12	18	22	37
13-19 YRS	132	20.1	370	4	5	11	26	49	68	79
GRAND TOTAL	**224**	**16.3**	**264**	**4**	**5**	**10**	**18**	**36**	**59**	**76**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	13	10.1	34	2	2	11	14	19	19	19
1-11 MOS	32	8.6	53	1	2	7	10	19	23	33
1-5 YRS	38	11.0	49	3	4	10	15	21	28	29
6-12 YRS	51	10.9	79	2	2	9	13	21	35	39
13-19 YRS	90	12.6	142	2	3	9	15	26	41	64
2. MULTIPLE DX										
0-27 DYS	83	20.7	191	5	7	17	25	41	48	94
1-11 MOS	60	12.5	78	2	3	11	17	27	29	38
1-5 YRS	78	15.6	242	<1	2	10	18	41	54	64
6-12 YRS	69	12.9	105	<1	<1	11	20	29	32	39
13-19 YRS	103	18.1	222	1	3	15	30	45	59	99+
TOT. SINGLE DX	224	11.2	94	2	3	9	14	23	30	50
" MULTIPLE DX	393	16.4	185	<1	3	12	24	38	47	99+
TOTAL 0-27 DYS	96	19.3	183	4	6	15	24	40	48	92
1-11 MOS	92	11.1	72	2	2	9	16	24	28	37
1-5 YRS	116	14.1	183	1	2	10	17	33	46	61
6-12 YRS	120	12.0	95	<1	1	10	17	28	32	39
13-19 YRS	193	15.5	192	1	3	11	22	41	50	99+
GRAND TOTAL	**617**	**14.5**	**158**	**1**	**3**	**11**	**19**	**33**	**44**	**72**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	22	3.8	10	<1	1	3	5	9	12	13
6-12 YRS	40	2.7	6	<1	1	2	3	5	8	14
13-19 YRS	135	2.9	6	<1	1	2	3	7	9	12
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	4	13.0	292	2	2	6	24	38	38	38
1-5 YRS	24	5.4	103	<1	1	2	4	11	24	51
6-12 YRS	34	5.5	19	<1	1	5	7	12	15	17
13-19 YRS	89	5.2	49	<1	1	3	5	12	19	41
TOT. SINGLE DX	199	3.0	7	<1	1	2	3	7	9	13
" MULTIPLE DX	152	5.5	57	<1	1	3	6	12	18	50
TOTAL 0-27 DYS	2	7.0	72	1	1	7	13	13	13	13
1-11 MOS	5	11.6	229	2	2	6	17	38	38	38
1-5 YRS	46	4.6	59	<1	1	2	4	10	12	51
6-12 YRS	74	4.0	14	<1	1	2	5	9	14	17
13-19 YRS	224	3.8	24	<1	1	2	4	8	12	25
GRAND TOTAL	**351**	**4.1**	**30**	**<1**	**1**	**2**	**4**	**9**	**13**	**26**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	2.7	6	<1	<1	2	3	7	8	8
1-5 YRS	28	2.1	2	<1	<1	2	3	4	5	8
6-12 YRS	93	2.4	6	<1	1	2	3	4	6	16
13-19 YRS	426	2.2	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	10	3.8	14	1	1	2	3	10	13	13
1-5 YRS	72	2.5	4	1	1	2	3	5	8	10
6-12 YRS	150	4.0	99	1	1	2	3	5	10	70
13-19 YRS	451	3.3	25	1	1	2	3	6	10	36
TOT. SINGLE DX	555	2.2	3	<1	1	2	3	4	5	9
" MULTIPLE DX	685	3.4	39	1	1	2	3	6	10	38
TOTAL 0-27 DYS	3	3.7	9	1	1	3	6	7	7	7
1-11 MOS	17	3.4	11	<1	1	2	3	8	11	13
1-5 YRS	100	2.4	4	<1	1	2	3	5	7	10
6-12 YRS	243	3.4	65	<1	1	2	3	5	10	41
13-19 YRS	877	2.8	14	<1	1	2	3	5	7	20
GRAND TOTAL	1240	2.9	23	<1	1	2	3	5	7	19

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	23	5.8	11	2	3	5	7	8	12	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	13	3	3	5	8	8	8	8
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	8	6.4	8	3	3	5	9	11	11	11
TOT. SINGLE DX	25	5.6	12	1	2	5	6	8	11	19
" MULTIPLE DX	11	6.2	8	3	3	6	8	10	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.3	6	3	3	5	7	8	8	8
6-12 YRS	2	4.0	18	<1	<1	3	7	7	7	7
13-19 YRS	31	6.0	11	2	3	5	7	9	11	19
GRAND TOTAL	36	5.8	10	2	3	5	7	9	11	19

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	3.5	3	2	2	3	5	6	6	6
13-19 YRS	14	4.8	6	1	2	5	7	8	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	5	16.4	208	4	4	15	25	39	39	39
13-19 YRS	19	5.7	58	1	1	3	7	13	25	33
TOT. SINGLE DX	19	4.3	6	<1	1	4	6	8	9	9
" MULTIPLE DX	25	8.2	99	1	1	4	11	20	34	39
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.5	85	<1	<1	7	14	14	14	14
6-12 YRS	9	10.7	152	2	2	4	16	31	39	39
13-19 YRS	33	5.3	36	1	1	4	7	9	14	33
GRAND TOTAL	44	6.5	62	1	1	4	7	15	24	39

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.7	4	3	3	4	6	7	7	7
1-5 YRS	16	2.6	7	<1	1	2	3	5	10	12
6-12 YRS	42	3.9	13	1	2	3	4	5	7	25
13-19 YRS	327	4.1	5	2	2	4	5	6	6	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	5	4.0	1	3	3	4	5	5	5	5
6-12 YRS	16	7.4	44	1	2	6	10	15	23	27
13-19 YRS	162	5.6	16	2	3	4	6	11	14	29
TOT. SINGLE DX	388	4.0	7	1	2	4	4	6	6	16
" MULTIPLE DX	185	5.8	19	2	3	4	6	11	14	28
TOTAL 0-27 DYS										
1-11 MOS	5	5.4	6	3	3	4	7	9	9	9
1-5 YRS	21	2.9	6	<1	1	2	4	5	8	12
6-12 YRS	58	4.9	24	1	2	4	4	10	14	27
13-19 YRS	489	4.6	10	2	3	4	5	7	10	24
GRAND TOTAL	**573**	**4.6**	**11**	**2**	**2**	**4**	**5**	**7**	**11**	**25**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	10	3.4	20	1	1	2	3	10	16	16
1-5 YRS	387	2.0	4	<1	1	2	2	3	4	7
6-12 YRS	248	2.4	2	1	1	2	3	4	5	10
13-19 YRS	212	2.8	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	39	4.1	35	<1	1	2	4	10	19	29
6-12 YRS	35	4.0	13	1	1	3	4	8	15	17
13-19 YRS	65	5.4	32	1	1	4	6	10	15	33
TOT. SINGLE DX	859	2.4	4	1	1	2	3	4	5	9
" MULTIPLE DX	142	4.6	28	1	1	3	5	10	16	29
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	13	3.2	17	1	1	2	3	8	14	16
1-5 YRS	426	2.2	7	<1	1	2	2	3	4	13
6-12 YRS	283	2.6	4	1	1	2	3	4	5	13
13-19 YRS	277	3.4	12	1	1	3	4	5	8	23
GRAND TOTAL	**1001**	**2.7**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**16**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	3	7.3	8	4	4	9	9	9	9	9
1-5 YRS	18	8.2	16	3	4	7	10	12	17	20
6-12 YRS	11	4.8	12	1	2	4	6	10	14	14
13-19 YRS	50	8.5	22	3	3	8	10	15	18	26
2. MULTIPLE DX										
0-27 DYS	3	7.0	1	6	6	7	8	8	8	8
1-11 MOS	10	14.6	129	5	5	10	17	34	41	41
1-5 YRS	18	23.8	611	4	5	10	41	61	76	83
6-12 YRS	14	12.2	73	<1	2	9	18	27	28	28
13-19 YRS	33	15.1	275	5	6	10	14	30	48	90
TOT. SINGLE DX	83	8.0	21	2	3	7	10	13	18	24
" MULTIPLE DX	78	16.2	298	4	5	9	16	40	52	88
TOTAL 0-27 DYS	4	9.3	21	6	6	7	12	16	16	16
1-11 MOS	13	12.9	108	4	5	9	15	30	39	41
1-5 YRS	36	16.0	368	4	4	8	13	50	61	83
6-12 YRS	25	9.0	59	1	2	7	11	23	27	28
13-19 YRS	83	11.1	132	3	4	9	12	18	27	77
GRAND TOTAL	**161**	**12.0**	**171**	**3**	**4**	**8**	**12**	**23**	**40**	**81**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	51	1.2		<1	<1	1	1	2	2	2
1-5 YRS	266	1.3		<1	<1	1	1	2	2	5
6-12 YRS	135	1.3		<1	<1	1	1	2	2	3
13-19 YRS	108	1.7	1	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	45	2.1	8	<1	<1	1	2	4	8	17
6-12 YRS	29	2.1	4	<1	<1	1	2	6	7	8
13-19 YRS	39	2.6	3	<1	1	2	3	6	8	99+
TOT. SINGLE DX	561	1.3	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	119	2.2	5	<1	<1	1	2	5	8	42
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	56	1.2		<1	<1	1	1	2	2	2
1-5 YRS	311	1.4	2	<1	<1	1	1	2	2	8
6-12 YRS	164	1.4	1	<1	<1	1	1	2	3	7
13-19 YRS	147	1.9	2	<1	<1	1	2	3	5	11
GRAND TOTAL	**680**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	30	1.8	1	<1	<1	1	2	3	4	6
1-5 YRS	497	1.7		<1	<1	2	2	3	3	6
6-12 YRS	272	1.9	1	<1	<1	2	2	3	3	8
13-19 YRS	245	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	8	16.5	1030	2	2	3	11	72	95	95
1-11 MOS	18	2.4	4	<1	<1	2	3	4	8	10
1-5 YRS	220	2.7	16	<1	1	2	3	5	6	20
6-12 YRS	183	2.7	7	1	1	2	3	5	8	16
13-19 YRS	508	3.5	25	<1	1	2	4	7	10	36
TOT. SINGLE DX	1044	1.8	1	<1	<1	2	2	3	3	7
" MULTIPLE DX	937	3.3	29	<1	1	2	3	6	9	27
TOTAL 0-27 DYS	8	16.5	1030	2	2	3	11	72	95	95
1-11 MOS	48	2.0	3	<1	<1	2	2	4	4	10
1-5 YRS	717	2.0	6	<1	<1	2	2	3	5	8
6-12 YRS	455	2.2	4	<1	1	2	2	4	5	11
13-19 YRS	753	3.0	18	<1	1	2	3	6	9	26
GRAND TOTAL	**1981**	**2.5**	**15**	**<1**	**<1**	**2**	**3**	**4**	**6**	**16**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	14	2.9	10	<1	<1	1	5	9	10	10
1-5 YRS	87	1.7	2	<1	<1	1	2	3	3	10
6-12 YRS	57	1.7	1	<1	<1	1	2	2	4	9
13-19 YRS	50	2.1	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	4	4.3	7	2	2	3	6	8	8	8
1-11 MOS	3	3.0	7	1	1	2	5	6	6	6
1-5 YRS	42	2.1	3	1	1	2	2	3	5	13
6-12 YRS	25	2.4	2	<1	1	2	3	5	6	6
13-19 YRS	47	3.2	35	<1	1	2	3	4	7	42
TOT. SINGLE DX	210	1.9	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	121	2.7	16	1	1	2	3	4	6	21
TOTAL 0-27 DYS	6	4.3	7	2	2	3	7	8	8	8
1-11 MOS	17	2.9	9	<1	<1	1	5	8	10	10
1-5 YRS	129	1.9	3	<1	<1	1	2	3	4	11
6-12 YRS	82	1.9	2	<1	1	2	2	3	5	8
13-19 YRS	97	2.6	18	<1	1	2	3	3	6	26
GRAND TOTAL	**331**	**2.2**	**8**	**<1**	**1**	**2**	**2**	**4**	**6**	**10**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	22	2.0	5	<1	<1	1	2	4	8	11
6-12 YRS	32	1.6	3	<1	<1	1	2	2	3	11
13-19 YRS	22	1.9	3	<1	<1	1	2	4	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	8.5	111	1	1	4	15	24	24	24
1-5 YRS	14	1.2		<1	<1	1	1	2	2	2
6-12 YRS	20	5.2	72	<1	<1	2	5	12	27	38
13-19 YRS	21	3.6	5	<1	1	3	5	7	8	9
TOT. SINGLE DX	76	1.8	4	<1	<1	1	2	3	7	11
" MULTIPLE DX	59	3.9	35	<1	1	2	5	8	13	37
TOTAL 0-27 DYS										
1-11 MOS	4	8.5	111	1	1	4	15	24	24	24
1-5 YRS	36	1.7	3	<1	<1	1	2	2	5	11
6-12 YRS	52	3.0	32	<1	<1	1	2	5	11	38
13-19 YRS	43	2.7	5	<1	<1	2	3	7	8	9
GRAND TOTAL	**135**	**2.7**	**19**	**<1**	**<1**	**1**	**2**	**6**	**9**	**26**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	5.4	3	3	3	6	7	8	8	8
1-5 YRS	13	4.2	4	2	2	4	5	7	8	8
6-12 YRS	14	4.4	8	2	2	4	5	7	12	13
13-19 YRS	43	3.6	4	1	2	3	4	6	7	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	14	6.9	57	1	2	4	6	17	26	29
1-5 YRS	28	5.1	10	2	2	4	6	9	12	17
6-12 YRS	24	6.7	55	2	2	4	6	13	27	35
13-19 YRS	27	5.2	9	2	2	5	6	10	12	15
TOT. SINGLE DX	78	4.0	5	2	2	3	5	7	8	13
" MULTIPLE DX	93	5.8	28	2	2	4	6	11	16	32
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	21	6.4	39	2	2	4	6	14	22	29
1-5 YRS	41	4.8	8	2	2	4	6	8	10	17
6-12 YRS	38	5.8	39	2	2	4	6	11	19	35
13-19 YRS	70	4.2	7	2	2	4	5	7	10	15
GRAND TOTAL	**171**	**5.0**	**18**	**2**	**2**	**4**	**5**	**8**	**13**	**28**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	4.4	22	1	1	2	6	13	15	15
1-5 YRS	104	2.9	5	<1	1	2	4	6	7	12
6-12 YRS	123	3.4	7	<1	1	3	5	6	9	14
13-19 YRS	101	3.2	5	<1	1	3	4	6	7	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	4.4	12	1	1	4	6	10	10	10
1-5 YRS	79	3.9	7	<1	1	3	5	8	10	11
6-12 YRS	90	4.2	7	1	2	4	5	7	8	17
13-19 YRS	96	5.8	38	1	2	4	6	10	18	36
TOT. SINGLE DX	337	3.2	7	<1	1	2	4	6	8	13
" MULTIPLE DX	270	4.7	19	1	1	4	5	8	11	25
TOTAL 0-27 DYS										
1-11 MOS	14	4.4	18	1	1	3	5	10	14	15
1-5 YRS	183	3.4	6	<1	1	3	5	7	9	11
6-12 YRS	213	3.7	8	<1	1	3	5	7	8	16
13-19 YRS	197	4.5	23	1	1	3	5	7	11	28
GRAND TOTAL	**607**	**3.9**	**13**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	11.2	550	<1	<1	2	6	49	73	73
1-11 MOS	73	2.4	5	<1	1	2	2	4	7	15
1-5 YRS	39	2.0	1	1	1	2	2	3	4	6
6-12 YRS	25	2.3	1	1	1	2	3	4	5	5
13-19 YRS	28	4.1	13	1	1	3	5	7	12	19
2. MULTIPLE DX										
0-27 DYS	3	13.0	28	7	7	15	16	17	17	17
1-11 MOS	35	4.1	34	1	1	2	4	6	14	33
1-5 YRS	28	2.6	3	1	1	2	3	5	7	8
6-12 YRS	16	3.2	6	1	1	3	4	5	9	11
13-19 YRS	39	4.1	43	1	1	2	4	7	14	40
TOT. SINGLE DX	174	3.0	35	1	1	2	3	5	7	19
" MULTIPLE DX	121	3.9	28	1	1	2	4	7	13	35
TOTAL 0-27 DYS	12	11.7	406	<1	1	3	14	34	67	73
1-11 MOS	108	3.0	15	1	1	2	3	6	8	24
1-5 YRS	67	2.3	2	1	1	2	3	3	6	8
6-12 YRS	41	2.6	3	1	1	2	3	5	5	11
13-19 YRS	67	4.1	30	1	1	2	4	7	12	36
GRAND TOTAL	**295**	**3.4**	**32**	**1**	**1**	**2**	**3**	**6**	**10**	**27**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	2.4	2	<1	<1	2	3	5	5	5
1-5 YRS	38	3.3	9	1	1	2	4	7	10	16
6-12 YRS	48	4.6	7	1	1	5	7	9	9	11
13-19 YRS	59	4.7	10	1	2	4	5	10	13	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	4.0	7	<1	<1	3	6	8	8	8
1-5 YRS	33	4.3	9	1	1	3	5	10	11	13
6-12 YRS	44	5.0	12	1	1	4	7	10	12	17
13-19 YRS	61	5.5	17	1	2	4	7	11	13	22
TOT. SINGLE DX	154	4.2	9	1	1	4	5	8	10	14
" MULTIPLE DX	146	5.0	14	1	1	4	7	10	12	17
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	3.2	5	<1	<1	2	5	7	8	8
1-5 YRS	71	3.8	10	1	1	3	5	9	10	15
6-12 YRS	92	4.8	10	1	1	4	7	9	11	15
13-19 YRS	120	5.1	14	1	2	4	6	11	13	17
GRAND TOTAL	**300**	**4.6**	**12**	**1**	**1**	**4**	**6**	**10**	**11**	**15**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	1.8	1	1	1	1	2	4	4	4
1-11 MOS	23	2.2	1	1	1	2	3	4	5	5
1-5 YRS	30	2.8	4	<1	1	2	3	5	6	11
6-12 YRS	33	2.3	2	<1	1	2	3	4	7	8
13-19 YRS	17	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	3	11.3	14	7	7	13	14	14	14	14
1-11 MOS	20	2.7	5	<1	1	2	3	6	7	8
1-5 YRS	22	3.5	16	1	1	2	3	9	14	18
6-12 YRS	18	3.1	5	<1	1	2	4	7	8	8
13-19 YRS	23	5.3	72	<1	1	2	5	14	29	37
TOT. SINGLE DX	108	2.4	3	1	1	2	3	4	5	9
" MULTIPLE DX	86	4.0	28	1	1	2	4	8	13	32
TOTAL 0-27 DYS	8	5.4	29	1	1	3	10	14	14	14
1-11 MOS	43	2.4	3	1	1	2	3	5	6	8
1-5 YRS	52	3.1	9	1	1	2	3	6	10	18
6-12 YRS	51	2.6	4	<1	1	2	3	6	8	8
13-19 YRS	40	4.0	44	<1	1	2	4	6	17	37
GRAND TOTAL	194	3.1	14	1	1	2	3	5	8	21

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	2.0	1	<1	<1	2	2	4	4	4
1-11 MOS	79	2.3	1	<1	1	2	3	3	4	9
1-5 YRS	103	2.3	2	1	1	2	3	4	5	8
6-12 YRS	120	2.2	1	<1	1	2	2	3	4	9
13-19 YRS	108	2.1	1	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	6	4.8	9	1	1	5	7	9	9	9
1-11 MOS	31	2.5	1	1	1	2	4	4	5	5
1-5 YRS	67	2.4	3	<1	1	2	2	5	5	13
6-12 YRS	67	3.0	5	<1	<1	2	3	6	9	12
13-19 YRS	71	3.1	7	1	1	2	4	5	7	18
TOT. SINGLE DX	417	2.2	2	1	1	2	2	3	4	8
" MULTIPLE DX	242	2.8	6	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	17	3.0	6	<1	<1	2	4	7	8	9
1-11 MOS	106	2.4	2	1	1	2	3	4	4	8
1-5 YRS	170	2.4	3	1	1	2	2	4	5	9
6-12 YRS	187	2.5	3	<1	1	2	3	4	6	11
13-19 YRS	179	2.5	4	1	1	2	2	4	6	12
GRAND TOTAL	659	2.5	3	1	1	2	3	4	5	10

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	4.0	22	1	1	2	3	11	11	11
6-12 YRS	13	2.1	1	<1	<1	2	3	4	4	4
13-19 YRS	4	2.0		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	3.5	5	2	2	3	5	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS	3	1.7		1	1	2	2	2	2	2
TOT. SINGLE DX	23	2.4	5	<1	1	2	3	4	7	11
" MULTIPLE DX	11	3.0	4	1	1	2	3	7	7	7
TOTAL 0-27 DYS										
1-11 MOS	6	3.0	4	1	1	2	3	7	7	7
1-5 YRS	5	3.6	17	1	1	2	4	11	11	11
6-12 YRS	16	2.4	3	<1	1	2	3	4	6	7
13-19 YRS	7	1.9		1	1	2	2	3	3	3
GRAND TOTAL	34	2.6	4	1	1	2	3	4	7	11

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	16	3.2	4	<1	1	3	4	6	7	8
6-12 YRS	69	5.4	19	2	2	4	7	9	10	31
13-19 YRS	157	4.8	15	2	2	4	6	9	10	17
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	16	6.6	46	2	2	4	6	19	23	25
1-5 YRS	19	4.3	3	2	2	4	6	7	7	7
6-12 YRS	52	4.7	7	2	2	4	6	9	9	14
13-19 YRS	118	5.4	30	2	2	4	6	9	13	29
TOT. SINGLE DX	246	4.8	16	1	2	4	6	9	10	18
" MULTIPLE DX	206	5.2	23	2	2	4	6	9	13	22
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	20	5.6	40	1	1	3	6	16	22	25
1-5 YRS	35	3.8	4	1	2	4	6	7	7	8
6-12 YRS	121	5.1	14	1	2	4	6	9	10	20
13-19 YRS	275	5.0	22	2	2	4	6	9	12	18
GRAND TOTAL	452	5.0	19	1	2	4	6	9	11	20

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	18	2.4						4	5	5
1-5 YRS	26	2.7	1			2	3	6	8	11
6-12 YRS	25	3.4	2			3	4	7	8	12
13-19 YRS	30	3.3	4			3	5	6	7	9
2. MULTIPLE DX										
0-27 DYS	4	49.5	2760	4	4	49	95	95	95	95
1-11 MOS	17	4.2	40			2	6	22	77	99+
1-5 YRS	15	2.7	3			2	4	4	6	7
6-12 YRS	50	4.0	16			3	6	8	12	21
13-19 YRS	43	5.3	24			4	6	8	15	29
TOT. SINGLE DX	97	3.0	5	1	1	2	4	6	7	13
" MULTIPLE DX	129	5.7	147	1	1	3	5	8	21	96
TOTAL 0-27 DYS	4	49.5	2760	4	4	49	95	95	95	95
1-11 MOS	35	3.3	21			2	4	5	22	99+
1-5 YRS	39	2.7	2			2	4	4	7	14
6-12 YRS	75	3.8	13			3	5	7	12	20
13-19 YRS	73	4.5	17	1	1	3	5	7	9	17
GRAND TOTAL	226	4.6	88	1	1	3	4	7	12	95

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	1.3								
1-11 MOS	376	1.4	1			1	2	3	4	6
1-5 YRS	3028	1.5				1	2	3	4	6
6-12 YRS	1587	1.5				1	2	3	4	6
13-19 YRS	804	1.7				1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	69	1.5				1	2	3	4	6
1-5 YRS	778	1.5				1	2	3	4	6
6-12 YRS	418	1.6				1	2	3	4	6
13-19 YRS	233	2.0	24			1	2	3	5	24
TOT. SINGLE DX	5801	1.5	1	1	1	1	2	3	4	6
" MULTIPLE DX	1499	1.6	4	1	1	1	2	3	4	6
TOTAL 0-27 DYS	6	1.3								
1-11 MOS	445	1.4	1			1	2	3	4	6
1-5 YRS	3807	1.5	1			1	2	3	4	6
6-12 YRS	2005	1.6	1			1	2	3	4	6
13-19 YRS	1037	1.8	6			1	2	3	5	24
GRAND TOTAL	7300	1.6	1	<1	<1	2	2	3	3	3

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.0						6	6	6
1-5 YRS	11	2.0				2	3	6	6	6
6-12 YRS	8	2.0				2	3	6	6	6
13-19 YRS	6	2.0				2	3	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.8				1	2	4	4	4
6-12 YRS	6	1.8				1	2	4	4	4
13-19 YRS	8	1.8				1	2	4	4	4
TOT. SINGLE DX	28	1.8	1			1	2	4	6	6
" MULTIPLE DX	12	1.9				1	2	4	4	4
TOTAL 0-27 DYS										
1-11 MOS	5	2.0	1			2	3	6	6	6
1-5 YRS	16	2.0				2	3	6	6	6
6-12 YRS	14	1.9				1	2	4	4	4
13-19 YRS	12	1.9	1			1	2	4	4	4
GRAND TOTAL	40	1.7	1	<1	<1	1	2	3	4	4

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS		4.0								
1-11 MOS	35	3.9	4	4	4	4	4	4	4	4
1-5 YRS	68	3.9	8			4	5	6	7	9
6-12 YRS	54	3.4	6			3	4	5	6	9
13-19 YRS	57	3.0	6			2	3	5	10	15
2. MULTIPLE DX										
0-27 DYS	2	4.5	25							
1-11 MOS	28	3.8	6			4	5	6	6	6
1-5 YRS	34	4.9	9			4	5	6	9	9
6-12 YRS	37	4.3	7			3	5	6	6	28
13-19 YRS	30	5.4	30			3	5	6	15	32
TOT. SINGLE DX	449	3.0	8	1	1	2	3	6	9	14
" MULTIPLE DX	303	4.9	26	1	1	3	6	10	16	27
TOTAL 0-27 DYS	2	4.3	12							
1-11 MOS	63	3.4	5	4	4	4	4	5	6	6
1-5 YRS	102	3.3	7			3	4	5	6	9
6-12 YRS	91	3.6	6			3	4	5	6	9
13-19 YRS	87	4.1	20			3	4	5	10	15
GRAND TOTAL	751	3.8	16	<1	1	2	4	8	11	21

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	3.4	1	2	2	3	4	5	5	5
1-11 MOS	35	1.6	1	<1	<1	1	2	3	7	99+
1-5 YRS	377	1.9	2	<1	<1	2	2	3	4	7
6-12 YRS	527	1.9	1	<1	<1	2	2	3	4	7
13-19 YRS	296	2.2	3	<1	<1	2	2	4	7	11
2. MULTIPLE DX										
0-27 DYS	301	3.8	4	1	2	3	5	6	8	12
1-11 MOS	16	3.3	7	<1	<1	2	6	7	8	9
1-5 YRS	155	2.8	8	<1	<1	2	3	6	10	15
6-12 YRS	204	3.0	34	<1	1	2	3	5	7	16
13-19 YRS	266	4.2	39	1	1	2	4	8	11	35
TOT. SINGLE DX	1245	2.0	2	<1	<1	2	2	3	5	8
" MULTIPLE DX	942	3.5	22	<1	1	2	4	6	8	25
TOTAL 0-27 DYS	311	3.7	4	1	2	3	5	6	7	12
1-11 MOS	51	2.1	4	<1	<1	1	2	6	8	98
1-5 YRS	532	2.2	4	<1	<1	2	2	4	6	11
6-12 YRS	731	2.2	11	<1	<1	2	2	4	5	8
13-19 YRS	562	3.1	21	<1	1	2	3	6	8	30
GRAND TOTAL	**2187**	**2.7**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.4		1	1	1	2	2	2	2
6-12 YRS	71	2.0		1	1	2	2	3	3	5
13-19 YRS	124	2.1		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	10	2.0	1	1	1	2	2	4	5	5
6-12 YRS	45	2.1		1	1	2	2	3	3	6
13-19 YRS	76	2.5	1	1	1	2	3	4	5	8
TOT. SINGLE DX	203	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	133	2.3	1	1	1	2	3	4	4	7
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	17	1.8	1	1	1	2	2	2	4	5
6-12 YRS	116	2.0	1	1	1	2	2	3	3	5
13-19 YRS	200	2.2	1	1	1	2	3	3	4	6
GRAND TOTAL	**336**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	229	1.6		<1	<1	2	2	2	3	3
6-12 YRS	1178	1.8		<1	1	2	2	2	3	4
13-19 YRS	918	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	161	1.8	1	<1	<1	2	2	3	3	8
6-12 YRS	947	1.9		1	1	2	2	3	3	5
13-19 YRS	791	2.0	1	1	1	2	2	3	3	5
TOT. SINGLE DX	2329	1.8	1	<1	1	2	2	2	3	4
" MULTIPLE DX	1900	2.0	1	1	1	2	2	3	3	5
TOTAL 0-27 DYS										
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	390	1.7	1	<1	<1	2	2	2	3	4
6-12 YRS	2125	1.8	1	<1	1	2	2	3	3	4
13-19 YRS	1709	2.0	1	1	1	2	2	3	3	5
GRAND TOTAL	**4229**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	14	5.1	18	<1	<1	3	10	12	12	12
1-11 MOS	1084	1.2	1	<1	<1	<1	1	1	3	6
1-5 YRS	7180	1.1	1	<1	<1	<1	1	1	1	2
6-12 YRS	2920	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	464	1.3		<1	<1	1	1	2	2	5
2. MULTIPLE DX										
0-27 DYS	22	7.5	72	1	2	5	6	19	27	38
1-11 MOS	642	4.4	31	<1	<1	3	6	10	14	25
1-5 YRS	5344	1.7	3	<1	<1	1	2	2	4	10
6-12 YRS	2492	1.5	2	<1	<1	1	2	2	2	7
13-19 YRS	305	2.4	30	<1	<1	1	2	3	6	27
TOT. SINGLE DX	11662	1.1	1	<1	<1	<1	1	1	2	3
" MULTIPLE DX	8805	1.9	7	<1	<1	1	2	3	5	13
TOTAL 0-27 DYS	36	6.6	52	<1	1	4	7	16	19	38
1-11 MOS	1726	2.4	15	<1	<1	1	2	6	9	18
1-5 YRS	12524	1.3	2	<1	<1	<1	1	2	2	7
6-12 YRS	5412	1.3	1	<1	<1	1	1	2	2	5
13-19 YRS	769	1.7	13	<1	<1	1	2	2	3	13
GRAND TOTAL	**20467**	**1.4**	**4**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**9**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	4.3	34	<1	<1	2	4	15	16	16
1-5 YRS	107	3.1	17	1	1	2	3	5	9	25
6-12 YRS	278	2.4	2	1	1	2	3	3	4	12
13-19 YRS	274	2.4	2	1	1	2	3	3	4	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	8.8	31	3	3	8	13	16	16	16
1-5 YRS	122	3.9	17	1	1	2	4	9	15	22
6-12 YRS	471	2.6	8	1	1	2	3	4	5	13
13-19 YRS	514	2.6	5	1	1	2	3	4	5	9
TOT. SINGLE DX	666	2.5	5	1	1	2	3	4	5	14
" MULTIPLE DX	1111	2.8	8	1	1	2	3	4	7	15
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	6.1	35	<1	<1	3	10	16	16	16
1-5 YRS	229	3.5	18	1	1	2	3	7	12	22
6-12 YRS	749	2.5	6	1	1	2	3	4	5	13
13-19 YRS	788	2.5	4	1	1	2	3	4	5	10
GRAND TOTAL	**1777**	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**15**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.7		<1	<1	1	2	3	3	3
1-5 YRS	194	1.5	2	<1	<1	1	1	2	3	10
6-12 YRS	295	1.6	1	<1	<1	1	2	2	3	7
13-19 YRS	223	2.0	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	4	2.8	5	<1	<1	2	4	6	6	6
1-5 YRS	161	2.5	12	<1	<1	1	2	6	8	19
6-12 YRS	283	2.1	9	<1	<1	1	2	3	4	20
13-19 YRS	198	2.4	9	<1	1	2	2	3	5	21
TOT. SINGLE DX	718	1.7	2	<1	<1	1	2	3	3	8
" MULTIPLE DX	648	2.3	10	<1	<1	2	2	4	6	19
TOTAL 0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	10	2.1	3	<1	<1	2	3	5	6	6
1-5 YRS	355	2.0	7	<1	<1	1	2	4	6	17
6-12 YRS	578	1.8	5	<1	<1	1	2	3	3	13
13-19 YRS	421	2.2	5	<1	1	2	2	3	4	12
GRAND TOTAL	**1366**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**3**	**4**	**13**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	32	1.8		<1	1	2	2	3	4	4
13-19 YRS	789	2.4		1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	4	3.0	2	2	2	3	4	5	5	5
1-5 YRS	5	2.2		2	2	2	3	3	3	3
6-12 YRS	108	1.9	1	<1	<1	2	2	4	4	6
13-19 YRS	1512	2.5	1	1	1	2	3	4	4	6
TOT. SINGLE DX	827	2.3	1	1	1	2	3	4	4	5
" MULTIPLE DX	1632	2.4	2	1	1	2	3	4	4	6
TOTAL 0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	7	2.7	2	1	1	2	4	5	5	5
1-5 YRS	7	2.3	1	1	1	2	3	4	4	4
6-12 YRS	140	1.9	1	<1	<1	2	2	3	4	5
13-19 YRS	2301	2.4	2	1	1	2	3	4	4	6
GRAND TOTAL	**2459**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	11	3.4	4	1	1	3	5	7	7	7
1-5 YRS	97	2.2	2	<1	1	2	3	4	6	8
6-12 YRS	186	2.4	3	<1	1	2	3	4	5	8
13-19 YRS	2277	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS	18	3.6	1	2	3	3	4	5	6	6
1-11 MOS	14	4.2	31	<1	1	2	6	9	19	22
1-5 YRS	127	2.6	3	1	1	2	3	5	6	9
6-12 YRS	288	2.5	2	1	1	2	3	4	6	9
13-19 YRS	3631	2.4	3	1	1	2	3	4	4	7
TOT. SINGLE DX	2574	2.2	1	1	1	2	3	3	4	6
" MULTIPLE DX	4078	2.5	3	1	1	2	3	4	5	7
TOTAL 0-27 DYS	21	3.3	1	1	2	3	4	5	6	6
1-11 MOS	25	3.8	19	<1	1	2	6	7	11	22
1-5 YRS	224	2.4	3	<1	1	2	3	5	6	8
6-12 YRS	474	2.4	3	1	1	2	3	4	5	8
13-19 YRS	5908	2.3	2	1	1	2	3	4	4	7
GRAND TOTAL	**6652**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	14	2.3	4	<1	<1	1	2	6	8	8
1-5 YRS	69	2.0	1	<1	<1	2	2	3	5	7
6-12 YRS	115	2.0	2	<1	<1	2	2	4	5	8
13-19 YRS	184	2.4	2	<1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	3	4.7	2	3	3	5	6	6	6	6
1-11 MOS	9	4.2	12	1	1	3	6	10	11	11
1-5 YRS	35	4.1	13	<1	1	3	5	6	12	19
6-12 YRS	121	2.8	6	<1	<1	2	3	5	9	13
13-19 YRS	344	3.0	29	1	1	2	3	4	7	14
TOT. SINGLE DX	382	2.2	2	<1	<1	2	2	4	5	9
" MULTIPLE DX	512	3.0	22	<1	1	2	3	5	8	15
TOTAL 0-27 DYS	3	4.7	2	3	3	5	6	6	6	6
1-11 MOS	23	3.0	8	<1	<1	2	4	8	9	11
1-5 YRS	104	2.7	7	<1	<1	2	3	5	6	16
6-12 YRS	236	2.4	4	<1	<1	2	3	4	7	10
13-19 YRS	528	2.8	20	1	1	2	3	5	6	14
GRAND TOTAL	**894**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	100	1.4	3	<1	<1	1	1	2	2	11
6-12 YRS	477	1.5	1	<1	<1	1	2	2	4	6
13-19 YRS	1427	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	21	4.2	7	1	2	4	5	6	10	14
1-11 MOS	4	3.3	10	1	1	2	5	8	8	8
1-5 YRS	61	3.3	14	<1	1	2	4	8	10	22
6-12 YRS	208	2.7	8	<1	1	2	3	6	7	17
13-19 YRS	908	3.3	21	1	1	2	4	6	8	19
TOT. SINGLE DX	2007	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	1202	3.2	18	<1	1	2	4	6	8	19
TOTAL 0-27 DYS	21	4.2	7	1	2	4	5	6	10	14
1-11 MOS	7	3.7	6	1	1	3	5	8	8	8
1-5 YRS	161	2.1	8	<1	<1	1	2	4	7	18
6-12 YRS	685	1.9	4	<1	<1	1	2	4	5	9
13-19 YRS	2335	2.3	10	<1	<1	2	3	4	6	12
GRAND TOTAL	**3209**	**2.2**	**8**	**<1**	**<1**	**2**	**2**	**4**	**6**	**12**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.6	2	<1	<1	2	4	5	5	5
6-12 YRS	38	3.9	50	1	1	2	3	5	10	45
13-19 YRS	138	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	31	2.7	5	1	1	2	3	5	7	13
13-19 YRS	155	3.9	23	1	1	3	4	6	14	28
TOT. SINGLE DX	185	2.7	12	1	1	2	3	4	5	12
" MULTIPLE DX	188	3.7	21	1	1	2	4	6	13	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	11	2.4	2	<1	<1	2	4	5	5	5
6-12 YRS	69	3.3	30	1	1	2	3	5	8	39
13-19 YRS	293	3.2	14	1	1	2	3	5	8	25
GRAND TOTAL	**373**	**3.2**	**17**	**1**	**1**	**2**	**3**	**5**	**8**	**26**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	34	2.7	15	<1	<1	1	3	5	6	23
6-12 YRS	126	2.3	5	<1	<1	2	2	4	8	13
13-19 YRS	175	3.3	10	<1	1	2	4	8	10	16
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	10	3.6	6	<1	<1	3	6	7	8	8
1-5 YRS	65	2.9	8	<1	<1	2	4	7	9	16
6-12 YRS	171	4.7	37	<1	1	2	5	11	17	31
13-19 YRS	283	5.7	63	1	1	3	6	13	18	36
TOT. SINGLE DX	337	2.8	9	<1	<1	2	3	7	9	15
" MULTIPLE DX	530	5.0	48	<1	1	2	6	11	17	33
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	12	3.8	7	<1	<1	3	6	8	8	8
1-5 YRS	99	2.8	11	<1	<1	1	3	7	9	20
6-12 YRS	297	3.7	25	<1	<1	2	4	9	12	30
13-19 YRS	458	4.7	44	1	1	2	6	11	15	33
GRAND TOTAL	**867**	**4.1**	**34**	**<1**	**<1**	**2**	**5**	**9**	**13**	**31**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.0	7	<1	<1	2	5	6	6	6
1-11 MOS	3	6.3	70	1	1	2	12	16	16	16
1-5 YRS	197	1.5	4	<1	<1	1	1	2	2	8
6-12 YRS	315	1.5		<1	<1	1	2	2	2	4
13-19 YRS	4414	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	30	7.2	82	2	2	4	6	18	23	46
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	344	2.6	27	<1	<1	1	2	5	7	26
6-12 YRS	384	2.7	22	<1	<1	2	2	4	7	37
13-19 YRS	1783	2.6	32	<1	1	2	2	3	5	34
TOT. SINGLE DX	4932	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	2544	2.7	31	<1	<1	2	2	4	6	35
TOTAL 0-27 DYS	33	6.8	76	2	2	4	6	18	22	46
1-11 MOS	6	4.2	34	1	1	2	3	15	16	16
1-5 YRS	541	2.2	20	<1	<1	1	2	4	5	20
6-12 YRS	699	2.1	13	<1	<1	1	2	3	5	19
13-19 YRS	6197	1.8	10	<1	<1	2	2	2	3	8
GRAND TOTAL	**7476**	**1.9**	**11**	**<1**	**<1**	**2**	**2**	**2**	**3**	**11**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	611	1.1		<1	<1	1	1	1	2	2
6-12 YRS	53	1.5	1	<1	<1	1	2	3	4	7
13-19 YRS	64	1.6		<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	445	1.4	1	<1	<1	1	1	2	3	7
6-12 YRS	146	2.4	46	<1	<1	1	2	2	5	99+
13-19 YRS	140	2.7	35	<1	<1	2	2	5	7	61
TOT. SINGLE DX	731	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	735	1.9	17	<1	<1	1	2	2	4	26
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	1.2		<1	<1	1	1	2	2	2
1-5 YRS	1056	1.2	1	<1	<1	1	1	2	2	4
6-12 YRS	199	2.2	34	<1	<1	1	2	2	4	82
13-19 YRS	204	2.4	25	<1	<1	1	2	4	6	49
GRAND TOTAL	**1466**	**1.5**	**9**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	2.8	8	<1	<1	1	3	8	10	10
1-5 YRS	61	1.4		<1	<1	1	1	2	3	5
6-12 YRS	80	2.2	1	<1	<1	2	3	4	5	8
13-19 YRS	91	2.5	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	17	3.4	3	2	2	3	4	7	8	8
1-11 MOS	2	10.0	72	4	4	10	16	16	16	16
1-5 YRS	79	2.9	79	<1	<1	1	2	4	8	60
6-12 YRS	140	3.3	62	<1	<1	2	3	5	11	89
13-19 YRS	215	3.1	19	<1	1	2	3	5	8	17
TOT. SINGLE DX	242	2.1	2	<1	<1	2	3	4	5	9
" MULTIPLE DX	453	3.2	43	<1	<1	2	3	5	9	26
TOTAL 0-27 DYS	18	3.4	3	2	2	3	4	6	8	8
1-11 MOS	11	4.1	23	<1	<1	3	4	12	16	16
1-5 YRS	140	2.2	46	<1	<1	1	2	3	5	20
6-12 YRS	220	2.9	41	<1	<1	2	3	4	7	44
13-19 YRS	306	2.9	15	<1	<1	2	3	5	8	15
GRAND TOTAL	**695**	**2.8**	**29**	**<1**	**<1**	**2**	**3**	**4**	**7**	**17**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	15	2.8	2	<1	1	3	4	4	6	6
1-5 YRS	48	2.6	4	<1	1	2	3	6	8	9
6-12 YRS	118	2.7	5	<1	1	2	3	5	7	12
13-19 YRS	228	2.8	2	1	1	2	3	4	5	11
2. MULTIPLE DX										
0-27 DYS	3	9.3	56	5	5	5	15	18	18	18
1-11 MOS	6	4.0	8	1	1	3	6	9	9	9
1-5 YRS	29	4.4	18	1	1	3	6	10	14	20
6-12 YRS	44	3.8	15	1	1	3	4	7	9	25
13-19 YRS	82	4.7	44	1	2	3	4	8	11	46
TOT. SINGLE DX	410	2.7	3	1	1	2	3	5	6	11
" MULTIPLE DX	164	4.5	31	1	1	3	5	8	11	26
TOTAL 0-27 DYS	4	7.3	55	1	1	5	12	18	18	18
1-11 MOS	21	3.1	4	<1	1	3	4	6	7	9
1-5 YRS	77	3.3	10	1	1	2	4	7	9	18
6-12 YRS	162	3.0	8	1	1	2	4	6	8	15
13-19 YRS	310	3.3	14	1	1	3	4	5	7	12
GRAND TOTAL	**574**	**3.2**	**12**	**1**	**1**	**3**	**4**	**5**	**8**	**15**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	162	4.0	4	1	2	4	5	7	7	10
1-5 YRS	686	3.6	3	1	1	3	5	6	7	9
6-12 YRS	138	3.4	2	1	1	3	4	6	6	9
13-19 YRS	71	3.5	5	2	2	3	4	5	7	16
2. MULTIPLE DX										
0-27 DYS	6	11.5	23	6	6	11	13	19	20	20
1-11 MOS	169	4.2	3	2	2	4	5	7	7	12
1-5 YRS	582	4.4	15	2	2	4	5	7	8	14
6-12 YRS	152	3.8	3	1	2	3	5	6	7	11
13-19 YRS	64	3.5	2	2	2	3	4	6	7	10
TOT. SINGLE DX	1057	3.6	4	1	1	3	5	6	7	10
" MULTIPLE DX	973	4.3	11	2	2	4	5	7	8	13
TOTAL 0-27 DYS	6	11.5	24	6	6	11	13	19	20	20
1-11 MOS	331	4.1	4	1	2	4	5	7	7	12
1-5 YRS	1268	4.0	9	1	2	4	5	6	7	11
6-12 YRS	290	3.6	3	1	2	3	4	6	7	10
13-19 YRS	135	3.5	4	2	2	3	4	6	7	14
GRAND TOTAL	**2030**	**3.9**	**7**	**1**	**2**	**4**	**5**	**6**	**7**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	39	4.7	13	<1	1	3	7	8	8	21
1-11 MOS	638	4.3	5	1	2	4	6	8	8	11
1-5 YRS	623	2.2	3	<1	<1	1	3	5	7	9
6-12 YRS	396	2.2	2	<1	<1	2	3	4	5	9
13-19 YRS	341	2.8	6	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
0-27 DYS	101	5.9	73	1	2	4	6	10	16	55
1-11 MOS	290	5.0	11	1	2	5	7	8	12	22
1-5 YRS	370	3.3	11	1	1	2	4	6	8	19
6-12 YRS	329	3.0	20	<1	1	2	3	6	7	20
13-19 YRS	560	3.5	37	<1	1	2	4	6	9	17
TOT. SINGLE DX	2037	3.0	6	<1	<1	2	4	7	8	11
" MULTIPLE DX	1650	3.8	27	1	1	3	5	7	9	21
TOTAL 0-27 DYS	140	5.6	57	1	1	4	6	9	15	50
1-11 MOS	928	4.5	8	1	2	4	6	8	8	16
1-5 YRS	993	2.6	7	<1	<1	2	3	6	7	11
6-12 YRS	725	2.5	11	<1	<1	2	3	4	6	11
13-19 YRS	901	3.3	26	<1	1	2	4	6	8	15
GRAND TOTAL	**3687**	**3.3**	**15**	**<1**	**1**	**2**	**4**	**7**	**8**	**15**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	5	1.8		1	1	2	2	2	2	2
1-5 YRS	1222	1.5		<1	1	1	2	2	2	4
6-12 YRS	4892	1.6		<1	1	2	2	2	2	3
13-19 YRS	14619	1.8		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.7	6	1	1	2	3	7	9	9
1-5 YRS	899	1.7	1	<1	1	2	2	2	3	6
6-12 YRS	1472	1.7		<1	1	2	2	2	3	5
13-19 YRS	2885	2.1	8	1	1	2	2	3	4	8
TOT. SINGLE DX	20741	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	5266	1.9	5	1	1	2	2	3	4	7
TOTAL 0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	14	2.4	4	1	1	2	2	4	8	9
1-5 YRS	2121	1.6	1	<1	1	1	2	2	3	5
6-12 YRS	6364	1.6	1	<1	1	2	2	2	2	4
13-19 YRS	17504	1.8	2	1	1	2	2	3	3	5
GRAND TOTAL	**26007**	**1.8**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	2.2		1	1	2	3	3	3	3
1-11 MOS	20	1.2		<1	<1	1	1	2	2	2
1-5 YRS	11449	1.6		<1	1	1	2	2	2	3
6-12 YRS	18250	1.6		<1	1	2	2	2	2	3
13-19 YRS	4712	1.8		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	8	1.4		1	1	1	2	2	2	2
1-11 MOS	30	4.0	24	1	1	2	3	10	13	25
1-5 YRS	12767	1.7	1	<1	1	2	2	2	3	5
6-12 YRS	11269	1.7		<1	1	2	2	2	3	5
13-19 YRS	1913	2.0	3	1	1	2	2	3	4	7
TOT. SINGLE DX	34437	1.6		<1	1	2	2	2	2	3
" MULTIPLE DX	25987	1.7	2	<1	1	2	2	2	3	5
TOTAL 0-27 DYS	14	1.7	1	1	1	2	2	3	3	3
1-11 MOS	50	2.9	16	<1	1	2	2	6	11	25
1-5 YRS	24216	1.6	1	<1	1	2	2	2	2	4
6-12 YRS	29519	1.6	1	<1	1	2	2	2	2	4
13-19 YRS	6625	1.8	1	1	1	2	2	3	3	5
GRAND TOTAL	**60424**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	25	1.8	6	<1	<1	1	2	2	5	14
1-5 YRS	1224	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1236	1.3		<1	<1	1	2	2	2	2
13-19 YRS	197	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	73	2.8	10	<1	1	1	2	8	10	15
1-5 YRS	4441	1.4	1	<1	<1	1	2	2	2	4
6-12 YRS	2405	1.4		<1	<1	1	2	2	2	3
13-19 YRS	245	1.8	5	<1	<1	2	2	2	3	7
TOT. SINGLE DX	2682	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	7165	1.4	1	<1	<1	1	2	2	2	4
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	98	2.5	10	<1	1	1	2	2	10	15
1-5 YRS	5665	1.4	1	<1	<1	1	2	2	2	3
6-12 YRS	3641	1.4		<1	<1	1	2	2	2	3
13-19 YRS	442	1.6	3	<1	<1	1	2	2	3	4
GRAND TOTAL	**9847**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	6.2	30	1	1	4	10	15	15	15
1-11 MOS	50	2.0	2	<1	<1	2	2	3	9	9
1-5 YRS	308	2.1	4	<1	<1	1	2	4	7	10
6-12 YRS	509	2.1	2	<1	1	2	2	4	5	9
13-19 YRS	922	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	4	9.0	40	3	3	8	14	17	17	17
1-11 MOS	22	10.8	419	<1	1	2	10	33	68	84
1-5 YRS	129	3.3	7	1	1	2	5	7	9	12
6-12 YRS	136	3.2	11	<1	1	2	4	6	9	16
13-19 YRS	259	3.5	5	1	1	3	4	7	9	12
TOT. SINGLE DX	1794	2.3	4	<1	1	2	3	4	6	9
" MULTIPLE DX	550	3.7	26	1	1	3	4	7	10	14
TOTAL 0-27 DYS	9	7.4	33	1	2	5	12	16	17	17
1-11 MOS	72	4.7	142	<1	<1	2	3	9	12	78
1-5 YRS	437	2.5	5	<1	<1	2	3	6	7	12
6-12 YRS	645	2.3	5	<1	1	2	3	4	6	11
13-19 YRS	1181	2.7	4	1	1	2	3	5	6	11
GRAND TOTAL	**2344**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	23	3.1	1	△1	△1	3	4	5	6	6
1-11 MOS	21	1.9	2	△1	△1	2	2	4	6	7
1-5 YRS	107	1.3		△1	△1	1	2	2	4	4
6-12 YRS	35	4.3	224	△1	△1	2	4	4	9	90
13-19 YRS	51	2.7	4	△1	△1	2	4	6	8	8
2. MULTIPLE DX										
0-27 DYS	325	3.8	3	1	1	2	3	6	7	12
1-11 MOS	12	7.5	36	1	2	3	5	19	19	19
1-5 YRS	48	3.3	7	1	1	2	3	7	10	11
6-12 YRS	31	3.8	8	△1	△1	2	3	6	10	14
13-19 YRS	32	3.6	8	1	1	2	3	7	10	11
TOT. SINGLE DX	237	2.3	35	△1	△1	1	2	4	5	8
" MULTIPLE DX	448	3.7	6	1	1	2	3	6	8	14
TOTAL 0-27 DYS	348	3.7	4	1	2	3	3	6	7	12
1-11 MOS	33	3.9	22	△1	△1	2	3	9	17	19
1-5 YRS	155	1.9	3	△1	△1	1	2	4	6	10
6-12 YRS	66	3.6	121	△1	△1	2	3	5	8	78
13-19 YRS	83	3.0	6	△1	△1	2	3	7	8	11
GRAND TOTAL	685	3.2	17	△1	△1	2	3	6	7	12

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	16	2.9	9	△1	△1	2	3	8	11	12
1-5 YRS	184	1.8	1	△1	△1	2	2	3	4	8
6-12 YRS	164	1.6	1	△1	△1	2	2	2	3	7
13-19 YRS	155	1.7	1	△1	△1	2	2	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	20	9.3	52	1	1	8	15	19	23	25
1-5 YRS	43	2.3	5	△1	△1	2	2	4	7	13
6-12 YRS	71	1.8	1	△1	△1	2	2	3	4	10
13-19 YRS	61	2.4	12	△1	△1	2	2	3	5	26
TOT. SINGLE DX	519	1.7	2	△1	1	2	2	2	3	8
" MULTIPLE DX	195	2.9	16	△1	1	2	2	6	11	23
TOTAL 0-27 DYS										
1-11 MOS	36	6.4	43	△1	1	3	10	17	20	25
1-5 YRS	227	1.9	2	△1	△1	2	2	3	4	9
6-12 YRS	235	1.7	1	△1	△1	2	2	3	3	8
13-19 YRS	216	1.9	4	△1	△1	2	2	2	3	9
GRAND TOTAL	714	2.1	6	△1	1	2	2	3	4	14

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	6.3	41	1	1	4	11	15	15	15
1-5 YRS	15	3.3	5	△1	△1	2	4	5	5	5
6-12 YRS	10	3.7	6	△1	△1	2	4	7	9	9
13-19 YRS	9	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	17.5	327	△1	1	14	32	41	42	42
1-5 YRS	27	4.4	38	△1	△1	2	5	8	18	31
6-12 YRS	12	2.8	3	△1	△1	2	3	4	6	6
13-19 YRS	15	7.1	95	△1	1	3	10	20	32	36
TOT. SINGLE DX	38	2.6	7	△1	1	2	3	5	8	15
" MULTIPLE DX	60	6.1	85	△1	1	2	6	18	31	41
TOTAL 0-27 DYS										
1-11 MOS	10	13.0	229	△1	1	5	26	37	42	42
1-5 YRS	42	3.6	26	△1	△1	2	4	6	11	31
6-12 YRS	22	3.0	6	△1	△1	2	4	6	7	9
13-19 YRS	24	5.0	66	△1	1	2	4	14	25	36
GRAND TOTAL	98	4.7	57	△1	1	2	4	11	24	30

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
TOT. SINGLE DX										
" MULTIPLE DX	2	7.0	32	3	3	7	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	2	7.0	32	3	3	7	11	11	11	11

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	1	74.0		74	74	74	74	74	74	74
1-11 MOS	4	38.0	392	18	19	55	99+	99+	99+	99+
1-5 YRS	4	10.3	21	5	5	13	36	99+	99+	99+
6-12 YRS										
13-19 YRS	5	35.6	296	12	14	37	60	96	99+	99+
TOT. SINGLE DX	4	8.3	78	1	1	6	15	20	20	20
" MULTIPLE DX	14	31.8	484	6	10	39	93	99+	99+	99+
TOTAL 0-27 DYS	2	47.0	1458	20	20	47	74	74	74	74
1-11 MOS	4	38.0	392	18	19	55	99+	99+	99+	99+
1-5 YRS	5	8.6	29	2	2	10	15	91	99+	99+
6-12 YRS	1	10.0		10	10	55	99+	99+	99+	99+
13-19 YRS	6	29.8	437	1	3	36	55	92	99+	99+
GRAND TOTAL	**18**	**26.6**	**485**	**2**	**4**	**31**	**70**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	9.6	10	7	7	8	12	14	14	14
1-11 MOS	19	7.5	38	1	1	5	14	16	17	17
1-5 YRS	95	6.1	67	1	1	4	6	11	21	49
6-12 YRS	24	7.0	187	<1	1	3	7	11	31	69
13-19 YRS	24	6.8	41	<1	1	8	9	16	47	99+
2. MULTIPLE DX										
0-27 DYS	21	27.6	551	4	8	41	99+	99+	99+	99+
1-11 MOS	51	25.5	441	1	2	20	43	72	96	99+
1-5 YRS	151	10.3	176	1	1	6	14	28	43	99+
6-12 YRS	48	17.4	486	<1	1	6	33	59	68	99
13-19 YRS	94	25.8	491	1	2	22	40	67	89	99+
TOT. SINGLE DX	167	6.6	75	1	1	4	8	15	21	68
" MULTIPLE DX	365	18.3	405	1	1	12	32	67	99+	99+
TOTAL 0-27 DYS	26	24.2	495	5	7	29	99+	99+	99+	99+
1-11 MOS	70	20.6	395	1	2	15	34	61	79	99+
1-5 YRS	246	8.7	138	1	1	5	9	22	34	99+
6-12 YRS	72	13.9	407	<1	1	5	15	48	67	96
13-19 YRS	118	21.9	458	1	2	16	35	64	88	99+
GRAND TOTAL	**532**	**14.7**	**331**	**1**	**1**	**8**	**22**	**53**	**85**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	5.5	26	<1	<1	4	9	13	14	14
1-5 YRS	26	3.5	12	1	1	2	4	7	11	17
6-12 YRS	20	5.0	12	<1	1	4	7	11	12	13
13-19 YRS	35	6.3	19	<1	1	5	9	12	15	17
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	51	99+	99+	99+	99+
1-11 MOS	13	13.4	153	2	3	9	18	34	43	45
1-5 YRS	22	9.0	121	1	2	6	9	20	40	45
6-12 YRS	17	5.6	13	1	2	4	8	11	13	14
13-19 YRS	65	9.3	104	1	2	7	13	17	25	65
TOT. SINGLE DX	87	5.1	17	<1	1	4	7	11	14	17
" MULTIPLE DX	118	9.1	101	1	2	7	11	17	32	80
TOTAL 0-27 DYS	1	3.0		3	3	51	99+	99+	99+	99+
1-11 MOS	19	10.9	124	<1	1	8	13	27	39	45
1-5 YRS	48	6.1	68	1	1	3	7	11	19	45
6-12 YRS	37	5.3	13	1	1	4	8	11	12	14
13-19 YRS	100	8.2	76	1	2	6	11	15	18	51
GRAND TOTAL	**205**	**7.4**	**69**	**1**	**1**	**5**	**9**	**14**	**18**	**57**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	43.0		43	43	43	43	43	43	43
TOT. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	4	11.5	441	1	1	1	22	43	43	43
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS										
13-19 YRS	1	43.0		43	43	43	43	43	43	43
GRAND TOTAL	**6**	**8.2**	**291**	**<1**	**<1**	**1**	**2**	**39**	**43**	**43**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	12.4	47	5	6	12	19	48	93	99+
1-5 YRS	13	6.8	36	1	1	5	8	18	20	21
6-12 YRS	4	6.5		6	6	6	7	7	7	7
13-19 YRS	70	9.8	45	2	3	8	12	16	25	35
2. MULTIPLE DX										
0-27 DYS	2	30.0	288	18	18	42	85	99+	99+	99+
1-11 MOS	17	19.4	506	2	3	12	29	80	96	99+
1-5 YRS	32	18.7	365	3	4	13	22	43	59	90
6-12 YRS	51	14.8	148	4	5	11	19	34	48	54
13-19 YRS	128	14.8	138	5	6	12	16	27	36	64
TOT. SINGLE DX	99	9.5	44	2	3	8	12	19	26	68
" MULTIPLE DX	230	15.8	200	4	5	12	18	35	49	94
TOTAL 0-27 DYS	3	21.0	387	3	3	30	71	99+	99+	99+
1-11 MOS	28	16.6	330	3	4	12	23	73	99+	99+
1-5 YRS	45	15.3	297	2	3	9	18	41	50	90
6-12 YRS	55	14.2	142	4	5	10	19	33	46	54
13-19 YRS	198	13.0	111	3	5	10	15	25	34	55
GRAND TOTAL	329	13.9	161	3	4	11	16	29	41	94

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS	3	7.0	9	4	4	7	9	10	10	10
1-5 YRS	7	8.7	20	5	5	7	10	16	18	18
6-12 YRS	5	7.6	1	6	6	8	8	9	9	9
13-19 YRS	12	10.5	25	6	7	8	12	20	22	22
2. MULTIPLE DX										
0-27 DYS	6	31.8	1191	1	2	13	75	77	77	77
1-11 MOS	6	11.5	50	6	6	8	19	22	22	22
1-5 YRS	8	17.0	187	8	8	12	18	41	49	49
6-12 YRS	6	23.7	1096	6	6	10	15	83	91	91
13-19 YRS	22	18.0	198	7	8	11	28	42	79	99+
TOT. SINGLE DX	29	9.3	22	4	5	8	10	19	20	22
" MULTIPLE DX	48	19.5	397	6	7	11	22	60	78	99+
TOTAL 0-27 DYS	8	26.9	954	1	2	13	47	76	77	77
1-11 MOS	9	10.0	39	4	5	7	12	21	22	22
1-5 YRS	15	13.1	121	5	6	10	14	22	42	49
6-12 YRS	11	16.4	619	6	6	9	10	45	87	91
13-19 YRS	34	15.4	148	7	7	11	19	31	59	99+
GRAND TOTAL	77	15.6	278	5	6	10	18	31	72	97

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	2.6	5	1	1	2	3	7	8	8
1-11 MOS	145	4.6	23	1	1	3	6	11	15	21
1-5 YRS	463	2.9	22	<1	1	2	3	5	9	25
6-12 YRS	110	4.5	44	<1	1	2	4	10	14	40
13-19 YRS	122	4.6	17	1	1	3	7	10	13	20
2. MULTIPLE DX										
0-27 DYS	29	13.7	321	1	2	7	16	41	57	77
1-11 MOS	217	9.2	81	1	2	7	13	20	25	99+
1-5 YRS	408	7.2	87	1	1	4	9	16	23	60
6-12 YRS	122	9.3	98	1	1	6	11	22	32	48
13-19 YRS	224	10.9	137	1	2	7	14	22	42	76
TOT. SINGLE DX	848	3.6	25	<1	1	2	4	8	13	25
" MULTIPLE DX	1000	8.9	108	1	1	6	12	20	28	68
TOTAL 0-27 DYS	37	11.3	272	1	1	6	11	26	54	77
1-11 MOS	362	7.3	63	1	1	5	10	17	21	80
1-5 YRS	871	4.9	58	<1	1	2	6	12	17	37
6-12 YRS	232	7.0	79	1	1	4	9	16	24	48
13-19 YRS	346	8.7	104	1	1	6	11	19	32	58
GRAND TOTAL	1848	6.5	77	1	1	3	8	15	21	54

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	15	3.6	16	1	1	2	5	7	14	16
6-12 YRS	4	8.3	15	5	5	8	11	13	13	13
13-19 YRS	57	5.2	8	1	2	5	7	10	10	14
2. MULTIPLE DX										
0-27 DYS	40	10.9	176	2	3	6	14	37	78	99+
1-11 MOS	2	21.5	13	19	19	21	24	24	24	24
1-5 YRS	14	12.1	146	1	1	10	14	37	38	38
6-12 YRS	9	9.4	101	2	3	6	9	26	35	35
13-19 YRS	44	8.3	52	3	3	7	9	15	23	36
TOT. SINGLE DX	79	4.9	11	1	1	5	6	10	11	15
" MULTIPLE DX	109	10.1	114	2	3	7	12	26	37	99+
TOTAL 0-27 DYS	40	10.9	177	2	3	6	14	37	78	99+
1-11 MOS	5	9.8	119	1	1	4	20	24	24	24
1-5 YRS	29	7.7	95	1	1	4	11	17	37	38
6-12 YRS	13	9.1	72	2	4	6	11	18	32	35
13-19 YRS	101	6.6	29	2	3	5	8	11	15	36
GRAND TOTAL	188	7.9	77	1	2	5	9	16	31	85

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	12.2	195	3	3	7	15	37	37	37
1-11 MOS	4	7.5	19	4	4	6	10	14	14	14
1-5 YRS	17	8.1	56	<1	1	5	12	21	24	25
6-12 YRS	36	8.8	72	1	1	7	11	16	26	44
13-19 YRS	523	6.0	21	2	2	5	7	10	13	26
2. MULTIPLE DX										
0-27 DYS	326	22.9	525	4	5	13	33	65	80	99+
1-11 MOS	35	14.1	68	1	4	15	19	24	31	35
1-5 YRS	78	14.0	210	1	2	10	17	30	48	79
6-12 YRS	102	10.7	53	3	3	9	14	22	26	33
13-19 YRS	503	9.3	68	2	3	7	11	17	27	49
TOT. SINGLE DX	585	6.3	27	2	2	5	8	11	15	29
" MULTIPLE DX	1044	14.2	256	3	3	9	16	33	55	93
TOTAL 0-27 DYS	331	22.7	522	3	5	13	33	64	80	99+
1-11 MOS	39	13.4	67	1	4	13	18	24	31	35
1-5 YRS	95	13.0	187	1	2	9	15	26	42	74
6-12 YRS	138	10.2	59	2	3	8	13	21	26	38
13-19 YRS	1026	7.6	47	2	3	6	9	14	19	44
GRAND TOTAL	**1629**	**11.4**	**188**	**2**	**3**	**7**	**12**	**24**	**44**	**85**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	23	4.7	10	<1	1	4	6	10	11	11
1-5 YRS	217	5.4	9	<1	1	6	7	8	9	17
6-12 YRS	177	5.8	9	1	2	6	7	8	9	20
13-19 YRS	255	7.2	17	1	2	7	8	12	16	24
2. MULTIPLE DX										
0-27 DYS	5	20.6	1106	3	3	7	26	80	80	80
1-11 MOS	10	18.2	385	1	3	14	19	48	69	69
1-5 YRS	71	10.3	67	2	4	7	14	23	27	40
6-12 YRS	54	11.4	158	3	4	7	12	24	34	76
13-19 YRS	162	10.8	101	1	2	8	13	21	34	46
TOT. SINGLE DX	673	6.1	13	1	2	6	7	9	12	23
" MULTIPLE DX	302	11.2	128	1	3	8	13	23	34	69
TOTAL 0-27 DYS	6	17.3	949	<1	<1	6	8	73	80	80
1-11 MOS	33	8.8	155	<1	1	5	9	19	26	69
1-5 YRS	288	6.6	28	1	1	6	7	10	16	30
6-12 YRS	231	7.1	49	1	2	6	7	11	16	36
13-19 YRS	417	8.6	53	1	2	7	10	16	21	41
GRAND TOTAL	**975**	**7.7**	**54**	**1**	**2**	**6**	**8**	**14**	**19**	**41**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	10.3	36	2	2	11	13	19	20	20
1-11 MOS	125	10.8	20	6	7	10	12	17	20	26
1-5 YRS	451	8.7	13	5	6	8	10	12	15	24
6-12 YRS	167	8.7	10	5	6	8	10	12	14	22
13-19 YRS	86	9.5	16	6	6	9	11	13	17	26
2. MULTIPLE DX										
0-27 DYS	30	16.8	180	4	7	13	21	42	60	99+
1-11 MOS	408	15.3	145	7	8	12	17	29	44	99+
1-5 YRS	639	12.2	78	6	6	10	13	20	29	52
6-12 YRS	217	12.0	60	6	7	10	13	20	24	41
13-19 YRS	151	13.7	92	7	7	10	14	24	35	62
TOT. SINGLE DX	838	9.1	15	5	6	8	10	13	17	24
" MULTIPLE DX	1445	13.3	100	6	7	10	14	23	35	74
TOTAL 0-27 DYS	39	15.3	153	2	5	12	19	37	55	99+
1-11 MOS	533	14.2	119	7	7	11	16	24	38	99
1-5 YRS	1090	10.7	55	6	6	9	11	17	23	44
6-12 YRS	384	10.6	41	6	6	9	12	17	22	39
13-19 YRS	237	12.2	69	6	7	10	13	21	30	57
GRAND TOTAL	**2283**	**11.7**	**73**	**6**	**6**	**9**	**13**	**19**	**27**	**59**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	8.5	61	3	3	8	14	14	14	14
13-19 YRS	2	12.5	41	8	8	12	17	17	17	17
2. MULTIPLE DX										
0-27 DYS	3	10.3	44	3	3	12	15	16	16	16
1-11 MOS	10	13.0	14	7	8	12	14	19	19	19
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	2	9.5	1	9	9	9	10	10	10	10
13-19 YRS	3	19.7	69	13	13	17	26	29	29	29
TOT. SINGLE DX	7	10.9	23	3	4	10	15	17	17	17
" MULTIPLE DX	19	13.5	30	5	8	13	17	19	25	29
TOTAL 0-27 DYS	4	11.5	35	3	3	13	15	16	16	16
1-11 MOS	11	12.6	14	7	8	12	14	19	19	19
1-5 YRS	2	13.5	25	10	10	13	17	17	17	17
6-12 YRS	4	9.0	21	3	3	9	12	14	14	14
13-19 YRS	5	16.8	60	8	8	17	20	29	29	29
GRAND TOTAL	**26**	**12.8**	**29**	**3**	**7**	**12**	**16**	**19**	**21**	**29**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	19	4.2	9	1	1	3	6	10	11	11
1-11 MOS	304	2.5	10	1	1	2	2	4	9	18
1-5 YRS	912	1.8	2	<1	1	2	2	2	3	7
6-12 YRS	391	1.9	2	<1	1	2	2	2	3	6
13-19 YRS	282	2.4	15	1	1	2	2	3	3	13
2. MULTIPLE DX										
0-27 DYS	125	9.3	138	1	1	6	10	23	37	82
1-11 MOS	921	3.8	26	1	1	2	3	9	14	27
1-5 YRS	1451	2.2	7	1	1	2	2	3	6	15
6-12 YRS	570	2.1	4	1	1	2	2	3	4	15
13-19 YRS	467	3.0	22	1	1	2	2	5	10	27
TOT. SINGLE DX	1908	2.0	6	<1	1	2	2	2	3	11
" MULTIPLE DX	3534	3.0	20	1	1	2	2	6	10	25
TOTAL 0-27 DYS	144	8.6	124	1	1	5	10	19	33	77
1-11 MOS	1225	3.5	23	1	1	2	3	8	13	25
1-5 YRS	2363	2.1	5	1	1	2	2	2	4	12
6-12 YRS	961	2.0	4	<1	1	2	2	2	3	11
13-19 YRS	749	2.8	20	1	1	2	2	3	8	25
GRAND TOTAL	**5442**	**2.6**	**15**	**1**	**1**	**2**	**2**	**4**	**8**	**20**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	5.9	15	1	1	5	10	11	11	11
1-5 YRS	16	7.9	69	1	1	5	9	18	28	32
6-12 YRS	17	6.1	11	1	2	5	8	11	13	14
13-19 YRS	24	3.6	3	1	2	3	5	6	7	8
2. MULTIPLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	15	10.1	75	1	3	7	12	27	29	30
1-5 YRS	32	8.4	41	2	2	7	11	16	18	33
6-12 YRS	49	6.4	20	2	2	5	9	11	17	21
13-19 YRS	40	6.1	14	2	3	5	7	9	15	20
TOT. SINGLE DX	68	5.6	24	1	2	4	7	11	14	30
" MULTIPLE DX	138	7.2	30	2	2	6	9	14	19	30
TOTAL 0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	26	8.3	53	1	2	6	11	18	28	30
1-5 YRS	48	8.3	49	1	2	7	11	17	20	33
6-12 YRS	66	6.3	18	2	2	5	9	12	15	21
13-19 YRS	64	5.2	11	1	2	4	6	8	10	20
GRAND TOTAL	**206**	**6.7**	**29**	**2**	**2**	**5**	**8**	**12**	**18**	**31**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	8.3	6	6	6	8	10	11	11	11
1-11 MOS	11	7.9	33	2	3	7	8	16	23	24
1-5 YRS	33	6.8	8	2	3	7	8	11	13	14
6-12 YRS	23	8.8	18	3	5	8	10	16	18	21
13-19 YRS	33	8.1	31	1	1	7	10	17	20	21
2. MULTIPLE DX										
0-27 DYS	9	15.9	136	<1	3	14	27	68	99+	99+
1-11 MOS	40	14.6	202	2	3	9	16	37	43	73
1-5 YRS	51	8.3	25	<1	2	8	11	14	15	29
6-12 YRS	39	9.4	96	1	2	7	11	22	27	53
13-19 YRS	67	11.7	153	2	3	9	12	21	28	78
TOT. SINGLE DX	103	7.8	20	2	2	7	9	14	17	23
" MULTIPLE DX	206	11.2	123	1	2	8	13	23	36	77
TOTAL 0-27 DYS	12	14.0	112	1	5	11	25	50	90	99+
1-11 MOS	51	13.1	173	2	3	8	15	30	41	73
1-5 YRS	84	7.7	19	1	2	7	9	13	15	25
6-12 YRS	62	9.2	67	1	2	7	10	18	22	50
13-19 YRS	100	10.5	115	1	2	8	12	20	23	69
GRAND TOTAL	**309**	**10.1**	**91**	**1**	**2**	**8**	**12**	**18**	**26**	**63**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	113	3.6	5	1	2	3	4	5	6	16
1-11 MOS	210	4.7	52	1	1	2	5	10	13	42
1-5 YRS	497	3.2	31	<1	1	2	3	7	9	24
6-12 YRS	190	2.3	4	<1	1	2	2	5	7	11
13-19 YRS	147	3.4	11	<1	1	2	4	8	12	15
2. MULTIPLE DX										
0-27 DYS	947	5.6	78	2	2	3	5	8	16	66
1-11 MOS	236	9.6	141	1	1	7	12	21	40	99+
1-5 YRS	489	6.1	64	<1	1	4	7	13	19	36
6-12 YRS	175	7.4	118	1	1	4	9	17	21	61
13-19 YRS	235	7.9	46	1	2	6	11	18	21	34
TOT. SINGLE DX	1157	3.4	26	<1	1	2	4	7	10	23
" MULTIPLE DX	2082	6.6	84	1	2	4	7	14	20	61
TOTAL 0-27 DYS	1060	5.4	71	2	2	3	5	7	13	61
1-11 MOS	446	7.3	105	1	1	4	9	17	27	67
1-5 YRS	986	4.6	50	<1	1	2	6	10	15	30
6-12 YRS	365	4.7	65	<1	1	2	5	11	16	32
13-19 YRS	382	6.1	38	1	1	4	9	14	19	29
GRAND TOTAL	**3239**	**5.4**	**66**	**1**	**1**	**3**	**6**	**11**	**17**	**54**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS										
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	87	3.4	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	20	3.2	2	<1	1	3	5	5	6	6
TOT. SINGLE DX	96	3.4	3	1	2	3	4	6	7	11
" MULTIPLE DX	23	3.6	5	<1	1	3	5	7	9	9
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	5	3.6	11	1	1	3	5	9	9	9
13-19 YRS	107	3.4	3	1	2	3	4	5	7	10
GRAND TOTAL	**119**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	13.3	33	8	8	12	17	21	21	21
1-11 MOS	24	8.0	18	2	4	9	12	16	16	17
1-5 YRS	33	8.8	29	4	5	8	9	12	14	36
6-12 YRS	14	7.5	11	2	3	8	11	11	13	13
13-19 YRS	31	10.8	195	2	3	7	10	28	49	60
2. MULTIPLE DX										
0-27 DYS	21	22.1	379	5	6	15	28	57	62	67
1-11 MOS	83	13.3	136	6	6	9	14	32	39	95
1-5 YRS	101	10.9	29	5	6	9	13	19	23	28
6-12 YRS	54	12.9	154	3	3	9	17	42	85	99+
13-19 YRS	87	13.6	117	3	4	10	19	31	35	84
TOT. SINGLE DX	106	9.5	73	3	3	8	10	14	18	54
" MULTIPLE DX	346	13.1	123	4	5	9	15	28	41	99+
TOTAL 0-27 DYS	25	20.7	331	5	7	14	22	57	60	67
1-11 MOS	107	12.3	113	5	6	9	13	24	34	91
1-5 YRS	134	10.4	30	5	6	9	12	18	23	31
6-12 YRS	68	11.8	129	3	3	8	14	41	57	99+
13-19 YRS	118	12.9	138	2	3	9	15	31	42	72
GRAND TOTAL	**452**	**12.3**	**113**	**3**	**4**	**9**	**14**	**26**	**39**	**98**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	15.0	2	14	14	15	16	16	16	16
1-5 YRS	5	13.0	32	5	5	13	16	21	21	21
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	4	8.8		8	8	9	9	9	9	9
" MULTIPLE DX	8	12.0	39	<1	1	13	15	19	21	21
TOTAL 0-27 DYS										
1-11 MOS	3	12.7	17	8	8	14	15	16	16	16
1-5 YRS	8	11.5	23	5	6	11	13	19	21	21
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**12**	**10.9**	**28**	**<1**	**3**	**11**	**14**	**17**	**20**	**21**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	41	1.6	6	<1	<1	<1	<1	<1	6	15
13-19 YRS	18	4.7	8	1	1	4	5	9	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	7	4.9	31	1	1	2	10	14	14	14
1-5 YRS	4	3.5	9	<1	<1	3	6	7	7	7
6-12 YRS	36	5.7	29	<1	1	4	7	14	20	21
13-19 YRS	212	6.5	45	1	2	5	8	13	16	39
TOT. SINGLE DX	59	2.6	9	<1	<1	<1	4	7	10	15
" MULTIPLE DX	259	6.3	43	1	1	4	8	13	16	37
TOTAL 0-27 DYS										
1-11 MOS	7	4.9	32	1	1	2	10	14	14	14
1-5 YRS	4	3.5	9	<1	<1	3	6	7	7	7
6-12 YRS	77	3.5	21	<1	<1	<1	4	9	15	21
13-19 YRS	230	6.4	43	1	2	5	8	12	15	38
GRAND TOTAL	**318**	**5.6**	**38**	**<1**	**<1**	**4**	**7**	**12**	**15**	**36**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	81	7.8	103	1	2	4	10	14	39	86
1-11 MOS	206	7.8	20	3	3	7	10	14	15	26
1-5 YRS	460	6.2	14	1	2	6	8	11	13	19
6-12 YRS	173	6.1	31	1	1	5	7	10	15	36
13-19 YRS	253	5.5	41	1	1	4	7	11	16	33
2. MULTIPLE DX										
0-27 DYS	6214	21.3	442	2	4	14	32	61	82	99+
1-11 MOS	556	13.3	152	3	4	10	16	26	42	96
1-5 YRS	667	10.9	146	2	3	7	12	22	38	78
6-12 YRS	242	9.1	110	1	1	7	10	17	25	61
13-19 YRS	617	10.7	186	1	1	7	12	26	40	77
TOT. SINGLE DX	1173	6.4	31	1	2	5	8	11	15	28
" MULTIPLE DX	8296	18.8	390	2	3	11	27	54	75	99+
TOTAL 0-27 DYS	6295	21.2	441	2	4	13	31	60	82	99+
1-11 MOS	762	11.9	123	3	4	9	14	23	34	77
1-5 YRS	1127	9.0	98	2	3	6	10	16	26	61
6-12 YRS	415	7.8	79	1	1	6	9	14	21	47
13-19 YRS	870	9.2	150	1	1	5	10	20	35	74
GRAND TOTAL	**9469**	**17.3**	**362**	**2**	**3**	**10**	**23**	**50**	**72**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	5.3	20	1	1	3	9	12	13	13
1-11 MOS	66	5.2	16	<1	1	4	7	12	13	14
1-5 YRS	432	3.0	12	<1	<1	2	3	7	9	16
6-12 YRS	492	2.9	7	<1	<1	2	3	7	8	14
13-19 YRS	670	3.4	14	<1	1	2	4	7	10	18
2. MULTIPLE DX										
0-27 DYS	4	25.5	640	7	7	16	42	62	62	62
1-11 MOS	62	7.7	38	1	2	6	10	14	20	33
1-5 YRS	199	5.3	24	1	1	4	8	11	12	26
6-12 YRS	226	4.8	29	<1	1	3	6	10	13	31
13-19 YRS	360	6.7	68	1	1	4	8	16	21	36
TOT. SINGLE DX	1668	3.2	12	<1	<1	2	4	7	10	16
" MULTIPLE DX	851	6.0	50	1	1	4	8	12	17	33
TOTAL 0-27 DYS	12	12.0	287	1	2	7	12	35	58	62
1-11 MOS	128	6.4	29	1	1	5	9	12	14	31
1-5 YRS	631	3.8	18	<1	<1	2	5	8	11	17
6-12 YRS	718	3.5	15	<1	<1	2	4	8	10	17
13-19 YRS	1030	4.5	36	<1	1	2	5	10	15	27
GRAND TOTAL	**2519**	**4.2**	**27**	**<1**	**1**	**2**	**5**	**9**	**12**	**23**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	13.7	158	2	2	12	23	27	27	27
1-5 YRS	11	6.4	79	<1	1	3	7	18	31	32
6-12 YRS	9	3.4	12	1	1	2	4	10	10	10
13-19 YRS	31	4.2	13	<1	1	3	6	9	11	17
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	6.7	36	<1	<1	5	7	17	20	20
6-12 YRS	5	5.8	50	1	1	2	9	18	18	18
13-19 YRS	30	10.2	88	<1	2	10	13	17	21	51
TOT. SINGLE DX	54	5.0	36	<1	1	3	6	10	16	32
" MULTIPLE DX	45	8.9	73	<1	1	7	11	18	20	51
TOTAL 0-27 DYS										
1-11 MOS	3	13.7	158	2	2	12	23	27	27	27
1-5 YRS	21	6.5	56	<1	1	4	7	16	25	32
6-12 YRS	14	4.3	24	1	1	2	6	11	16	18
13-19 YRS	61	7.1	58	<1	1	5	10	15	18	48
GRAND TOTAL	**99**	**6.8**	**56**	**<1**	**1**	**4**	**10**	**15**	**19**	**42**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.0	32	9	9	13	17	17	17	17
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3	11.3	94	3	3	9	19	22	22	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	21.3	494	8	8	9	37	47	47	47
6-12 YRS	1	57.0		57	57	57	57	57	57	57
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	6	10.2	65	<1	<1	9	17	21	22	22
" MULTIPLE DX	5	24.6	645	2	2	9	49	57	57	57
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	18.0	276	8	8	9	24	47	47	47
6-12 YRS	2	29.0	1568	<1	<1	28	57	57	57	57
13-19 YRS	4	9.0	85	2	2	6	15	22	22	22
GRAND TOTAL	**11**	**16.7**	**347**	**<1**	**1**	**9**	**21**	**51**	**56**	**57**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	27.0	441	3	3	36	40	42	42	42
6-12 YRS	1	3.0		5	5	5	5	5	5	5
13-19 YRS	2	20.5	545	4	4	20	37	37	37	37
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	46.5	375	5	24	56	67	99+	99+	99+
6-12 YRS	6	38.0	49	32	32	38	48	90	99+	99+
13-19 YRS	12	47.6	300	30	33	43	50	70	93	97
TOT. SINGLE DX	6	21.2	358	3	3	20	37	41	42	42
" MULTIPLE DX	28	45.1	271	29	32	44	57	98	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	13	42.0	429	2	3	44	62	99+	99+	99+
6-12 YRS	7	33.3	197	5	13	37	45	85	99+	99+
13-19 YRS	14	43.7	393	9	26	42	49	62	89	97
GRAND TOTAL	34	40.9	362	3	10	42	55	92	99+	99+

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	46	5.1	14	1	1	4	7	10	14	16
1-5 YRS	418	5.5	32	1	1	4	7	12	17	26
6-12 YRS	333	6.1	30	1	2	5	7	12	15	25
13-19 YRS	514	6.5	23	2	2	6	8	11	14	27
2. MULTIPLE DX										
0-27 DYS	17	11.6	121	1	2	9	13	26	38	44
1-11 MOS	79	9.8	79	2	2	7	12	22	31	44
1-5 YRS	433	8.6	101	1	1	5	11	19	30	61
6-12 YRS	438	8.9	84	1	1	6	10	19	29	52
13-19 YRS	879	11.8	137	2	4	8	13	26	37	65
TOT. SINGLE DX	1313	6.1	28	1	1	5	7	11	15	26
" MULTIPLE DX	1846	10.3	116	1	2	7	11	22	33	58
TOTAL 0-27 DYS	19	10.9	112	1	2	8	13	25	36	44
1-11 MOS	125	8.1	60	1	1	6	10	16	24	42
1-5 YRS	851	7.1	70	1	1	5	9	15	23	46
6-12 YRS	771	7.7	63	1	1	6	9	15	21	44
13-19 YRS	1393	9.8	102	2	3	7	10	19	31	55
GRAND TOTAL	3159	8.5	84	1	2	6	10	17	26	51

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	9.0	311	1	2	3	6	29	59	62
1-11 MOS	45	12.3	163	2	2	6	14	30	50	99+
1-5 YRS	85	9.7	94	1	2	6	14	24	32	41
6-12 YRS	59	13.1	207	1	2	8	23	35	43	64
13-19 YRS	73	10.2	84	1	2	7	14	24	32	38
2. MULTIPLE DX										
0-27 DYS	271	17.2	406	3	3	10	21	55	84	99+
1-11 MOS	102	25.8	410	3	4	25	49	85	99+	99+
1-5 YRS	162	15.5	307	1	2	9	20	43	61	99+
6-12 YRS	92	22.7	621	2	3	12	34	59	85	99
13-19 YRS	172	18.8	345	2	3	12	25	45	61	88
TOT. SINGLE DX	273	11.0	139	1	2	7	14	27	37	65
" MULTIPLE DX	619	18.8	395	2	3	11	28	56	75	99+
TOTAL 0-27 DYS	282	16.9	405	3	3	9	20	55	83	99+
1-11 MOS	147	21.7	378	2	3	16	39	69	99+	99+
1-5 YRS	247	13.6	247	1	2	8	17	35	53	99
6-12 YRS	151	18.9	419	1	2	11	28	43	69	97
13-19 YRS	245	16.2	282	2	2	10	21	40	53	76
GRAND TOTAL	1092	16.9	342	2	2	10	24	46	68	99+

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	46.0		46	46	46	46	46	46	46
1-11 MOS	43	5.2	38	<1	1	3	6	12	18	34
1-5 YRS	106	3.2	24	<1	<1	2	3	6	14	29
6-12 YRS	65	3.2	10	<1	<1	2	4	7	9	18
13-19 YRS	85	3.7	11	<1	<1	2	6	8	9	17
2. MULTIPLE DX										
0-27 DYS	7	36.1	787	6	7	32	56	78	83	83
1-11 MOS	62	8.9	137	1	1	4	12	25	37	96
1-5 YRS	155	6.2	105	<1	<1	2	8	16	20	39
6-12 YRS	80	4.4	23	<1	1	2	6	10	16	23
13-19 YRS	139	6.0	113	1	2	5	9	15	26	51
TOT. SINGLE DX	300	3.8	26	<1	<1	2	4	8	13	29
" MULTIPLE DX	443	7.3	122	<1	1	4	9	16	26	72
TOTAL 0-27 DYS	8	37.4	695	6	7	38	53	76	83	83
1-11 MOS	105	7.4	100	1	1	4	10	16	32	84
1-5 YRS	261	5.0	75	<1	<1	2	6	14	18	39
6-12 YRS	145	3.9	18	<1	<1	2	5	9	12	19
13-19 YRS	224	6.4	79	<1	1	4	8	13	17	46
GRAND TOTAL	743	5.9	86	<1	1	3	7	14	19	46

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	575	3.8	3	2	2	3	5	6	7	9
1-11 MOS	1304	3.5	3	2	2	3	4	5	6	10
1-5 YRS	142	4.4	4	2	2	4	5	7	9	14
6-12 YRS	15	4.9	3	1	2	5	6	7	8	8
13-19 YRS	6	5.2		4	4	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	151	6.4	64	2	2	4	6	10	14	57
1-11 MOS	367	5.0	10	2	2	4	6	9	12	17
1-5 YRS	32	6.6	12	2	3	6	8	12	14	15
6-12 YRS	4	14.0	200	5	5	8	22	35	35	35
13-19 YRS	5	23.6	420	9	9	13	35	58	58	58
TOT. SINGLE DX	2042	3.7	3	2	2	3	4	6	7	10
" MULTIPLE DX	559	5.7	33	2	2	4	6	10	13	34
TOTAL 0-27 DYS	726	4.3	17	2	2	4	5	7	8	16
1-11 MOS	1671	3.9	5	2	2	3	4	6	7	13
1-5 YRS	174	4.8	7	2	2	4	6	8	10	14
6-12 YRS	19	6.8	51	1	2	5	7	9	24	35
13-19 YRS	11	13.5	261	4	4	6	12	39	56	58
GRAND TOTAL	**2601**	**4.1**	**10**	**2**	**2**	**4**	**5**	**6**	**8**	**15**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	10.1	99	2	3	8	11	26	35	35
1-5 YRS	9	9.8	120	1	1	7	10	29	36	36
6-12 YRS	4	3.8	3	2	2	3	5	6	6	6
13-19 YRS	7	19.3	164	7	7	12	30	37	39	39
2. MULTIPLE DX										
0-27 DYS	12	43.2	716	9	16	47	97	99+	99+	99+
1-11 MOS	45	22.8	286	4	8	21	39	90	99+	99+
1-5 YRS	77	17.9	230	3	5	13	28	45	61	99+
6-12 YRS	41	19.0	246	4	6	14	29	41	62	99+
13-19 YRS	49	23.2	589	4	4	15	49	95	99+	99+
TOT. SINGLE DX	30	11.1	122	2	2	7	12	33	36	39
" MULTIPLE DX	224	21.6	373	4	5	16	35	73	99+	99+
TOTAL 0-27 DYS	13	40.1	781	4	8	42	95	99+	99+	99+
1-11 MOS	54	20.7	276	4	5	17	35	71	99+	99+
1-5 YRS	86	17.0	223	2	4	12	25	42	60	99+
6-12 YRS	45	17.6	244	3	4	13	26	38	56	99+
13-19 YRS	56	22.7	534	4	5	15	39	93	99+	99+
GRAND TOTAL	**254**	**20.3**	**355**	**4**	**4**	**15**	**32**	**65**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	14.7		14	14	15	15	15	15	15
1-5 YRS	6	3.5	4	<1	<1	3	4	7	7	7
6-12 YRS	16	4.8	8	2	2	4	7	9	10	11
13-19 YRS	65	5.4	14	<1	2	4	7	12	13	17
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	11	14.5	691	1	1	7	12	48	88	92
1-5 YRS	16	5.6	35	<1	1	4	7	12	21	25
6-12 YRS	25	5.8	12	1	1	6	9	10	12	14
13-19 YRS	148	7.2	70	1	2	5	8	12	20	42
TOT. SINGLE DX	91	5.4	15	<1	2	4	7	12	14	17
" MULTIPLE DX	200	7.3	95	1	2	5	8	12	19	61
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	14	14.5	532	1	1	9	15	25	77	92
1-5 YRS	22	5.0	28	<1	1	4	6	9	17	25
6-12 YRS	41	5.4	11	1	2	5	8	10	11	14
13-19 YRS	213	6.6	54	1	2	5	8	12	16	35
GRAND TOTAL	**291**	**6.7**	**70**	**1**	**2**	**5**	**8**	**12**	**15**	**37**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	8	9.5	7	3	5	10	11	12	12	12
2. MULTIPLE DX										
0-27 DYS	1	83.0		83	83	83	83	83	83	83
1-11 MOS	3	17.7	124	5	5	22	25	26	26	26
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	14.5	85	8	8	14	21	21	21	21
13-19 YRS	17	11.9	15	6	6	13	14	15	20	22
TOT. SINGLE DX	11	8.5	12	3	3	10	11	12	12	12
" MULTIPLE DX	24	15.7	235	6	6	13	15	23	43	83
TOTAL 0-27 DYS	2	43.5	3121	4	4	43	83	83	83	83
1-11 MOS	4	14.0	137	3	3	13	24	26	26	26
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	3	13.3	46	8	8	11	18	21	21	21
13-19 YRS	25	11.2	14	5	6	11	13	15	17	22
GRAND TOTAL	35	13.5	174	3	5	11	14	22	25	83

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	9.2	6	5	6	8	12	13	13	13
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	4	13.3	147	<1	<1	11	21	30	30	30
6-12 YRS										
13-19 YRS	9	16.0	48	7	7	16	20	26	29	29
TOT. SINGLE DX	15	9.2	7	5	6	8	12	13	13	13
" MULTIPLE DX	14	14.6	69	1	6	13	19	29	30	30
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	4	13.3	148	<1	<1	11	21	30	30	30
6-12 YRS										
13-19 YRS	24	11.8	32	6	7	11	13	19	24	29
GRAND TOTAL	29	11.8	43	5	6	11	13	21	29	30

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	5.8	32	2	2	4	6	8	21	26
1-11 MOS	67	7.7	79	2	2	5	8	14	28	49
1-5 YRS	45	8.4	87	1	2	6	10	20	29	51
6-12 YRS	16	10.6	51	2	4	8	13	23	26	27
13-19 YRS	98	7.7	14	4	5	7	8	10	13	27
2. MULTIPLE DX										
0-27 DYS	21	29.8	594	3	6	26	64	99+	99+	99+
1-11 MOS	137	19.4	297	4	5	14	27	41	71	99+
1-5 YRS	190	18.1	318	3	6	12	22	43	67	99+
6-12 YRS	82	15.5	124	5	5	12	21	33	41	49
13-19 YRS	143	13.2	171	5	6	9	14	24	38	95
TOT. SINGLE DX	242	7.9	50	2	2	6	8	12	23	44
" MULTIPLE DX	573	17.3	269	5	6	11	22	38	65	99+
TOTAL 0-27 DYS	37	19.4	489	2	3	10	29	79	99+	99+
1-11 MOS	204	15.6	256	2	3	10	22	36	57	99+
1-5 YRS	235	16.3	288	2	4	10	20	37	63	99+
6-12 YRS	98	14.7	115	5	5	11	19	29	40	49
13-19 YRS	241	10.9	115	5	5	8	11	21	27	87
GRAND TOTAL	815	14.5	222	3	4	9	18	33	50	99+

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	6.3	8	3	3	6	8	11	11	11
1-11 MOS	48	6.8	36	1	1	5	9	14	21	29
1-5 YRS	165	3.4	10	1	1	2	4	8	9	15
6-12 YRS	155	4.8	20	1	1	4	6	9	11	21
13-19 YRS	328	5.5	16	1	2	5	7	9	14	18
2. MULTIPLE DX										
0-27 DYS	16	20.5	266	5	6	16	28	60	87	99+
1-11 MOS	75	11.5	130	3	3	9	14	18	45	91
1-5 YRS	152	6.8	50	1	2	5	8	12	18	39
6-12 YRS	160	6.7	28	1	2	5	8	14	19	30
13-19 YRS	421	7.4	29	2	3	6	9	14	17	29
TOT. SINGLE DX	702	5.0	18	1	1	4	7	9	12	21
" MULTIPLE DX	824	7.8	51	1	2	6	9	15	19	48
TOTAL 0-27 DYS	22	16.6	234	4	5	11	20	53	75	99+
1-11 MOS	123	9.7	98	2	3	7	12	18	28	74
1-5 YRS	317	5.0	32	1	1	3	6	10	13	29
6-12 YRS	315	5.7	25	1	1	5	8	11	17	27
13-19 YRS	749	6.6	25	1	2	5	8	12	15	28
GRAND TOTAL	**1526**	**6.5**	**38**	**1**	**1**	**5**	**8**	**12**	**17**	**34**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	10.5	18	5	6	9	15	16	16	16
1-11 MOS	11	8.8	19	4	5	8	11	15	20	20
1-5 YRS	19	9.3	22	3	4	8	12	17	20	20
6-12 YRS	22	9.8	13	6	6	9	12	14	17	21
13-19 YRS	43	10.6	44	5	6	9	12	15	23	44
2. MULTIPLE DX										
0-27 DYS	44	36.0	396	9	14	46	70	99+	99+	99+
1-11 MOS	31	19.9	569	5	6	11	19	48	94	97
1-5 YRS	50	13.1	142	5	6	9	15	21	42	71
6-12 YRS	42	13.7	248	5	6	8	12	25	51	85
13-19 YRS	126	14.8	169	6	7	11	16	25	37	77
TOT. SINGLE DX	103	10.0	28	5	6	9	12	15	20	34
" MULTIPLE DX	293	18.1	309	6	6	11	22	57	95	99+
TOTAL 0-27 DYS	52	32.1	424	8	9	41	68	99+	99+	99+
1-11 MOS	42	17.0	446	4	5	10	17	32	79	97
1-5 YRS	69	12.0	112	5	5	9	13	20	31	66
6-12 YRS	64	12.3	170	6	6	9	12	19	39	82
13-19 YRS	169	13.7	140	6	7	10	14	24	34	68
GRAND TOTAL	**396**	**16.0**	**248**	**5**	**6**	**10**	**18**	**45**	**68**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	25	7.9	13	4	4	7	9	11	15	21
1-5 YRS	13	8.8	7	5	5	9	10	12	14	14
6-12 YRS	13	16.4	148	5	6	11	21	34	45	48
13-19 YRS	91	12.8	66	7	7	10	14	22	32	48
2. MULTIPLE DX										
0-27 DYS	31	43.3	572	10	15	44	70	99+	99+	99+
1-11 MOS	59	14.1	171	5	6	11	15	24	29	93
1-5 YRS	32	13.1	65	5	6	10	19	27	33	99+
6-12 YRS	37	17.4	149	6	6	12	26	38	47	99+
13-19 YRS	171	16.4	104	7	7	12	22	31	37	53
TOT. SINGLE DX	143	11.9	64	5	6	10	13	20	30	48
" MULTIPLE DX	330	18.3	225	6	7	12	25	40	58	99+
TOTAL 0-27 DYS	32	42.1	597	7	12	43	69	99+	99+	99+
1-11 MOS	84	12.3	132	5	5	10	14	21	26	79
1-5 YRS	45	11.8	52	5	5	9	14	25	32	99+
6-12 YRS	50	17.1	146	6	6	12	26	37	47	99+
13-19 YRS	262	15.2	94	7	7	11	19	30	36	51
GRAND TOTAL	**473**	**16.4**	**185**	**6**	**6**	**11**	**21**	**35**	**48**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	9.0	36	5	5	6	12	18	18	18
1-11 MOS	9	8.1	16	5	5	7	9	15	17	17
1-5 YRS	15	8.2	10	3	4	8	11	12	14	14
6-12 YRS	11	6.5	14	2	2	6	10	12	14	14
13-19 YRS	14	8.1	20	3	4	7	12	15	17	17
2. MULTIPLE DX										
0-27 DYS	20	31.1	763	5	6	21	46	75	92	97
1-11 MOS	7	8.3	17	5	5	6	9	16	17	17
1-5 YRS	11	13.5	146	3	4	9	17	32	44	45
6-12 YRS	8	22.4	244	6	8	17	29	49	53	53
13-19 YRS	25	13.7	135	3	4	9	18	25	41	54
TOT. SINGLE DX	53	7.9	16	3	4	7	10	14	16	18
" MULTIPLE DX	71	19.0	369	4	5	12	21	48	61	95
TOTAL 0-27 DYS	24	27.4	706	5	5	16	36	65	91	97
1-11 MOS	16	8.2	16	5	5	7	9	16	17	17
1-5 YRS	26	10.5	72	3	4	9	11	18	28	45
6-12 YRS	19	13.2	168	2	3	10	15	31	47	53
13-19 YRS	39	11.7	99	3	4	8	15	21	32	54
GRAND TOTAL	**124**	**14.2**	**248**	**3**	**4**	**9**	**16**	**30**	**52**	**90**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	8.7	24	1	2	8	11	16	17	17
1-11 MOS	224	6.0	17	2	3	5	7	11	12	24
1-5 YRS	140	6.7	15	2	3	6	8	12	15	19
6-12 YRS	41	6.9	7	3	4	6	8	11	12	13
13-19 YRS	108	9.0	14	4	6	8	11	13	16	24
2. MULTIPLE DX										
0-27 DYS	52	22.4	299	5	10	17	30	48	99	99+
1-11 MOS	240	10.6	121	3	4	8	12	23	51	99+
1-5 YRS	196	10.4	70	4	4	8	12	19	24	50
6-12 YRS	82	10.1	42	4	4	8	12	19	23	36
13-19 YRS	195	12.1	90	4	5	9	14	22	30	58
TOT. SINGLE DX	520	6.9	17	2	3	6	9	11	14	23
" MULTIPLE DX	765	11.7	113	4	4	9	13	23	36	99+
TOTAL 0-27 DYS	59	20.8	286	5	7	16	27	47	99	99+
1-11 MOS	464	8.4	77	2	3	6	10	15	25	99+
1-5 YRS	336	8.9	51	3	4	7	10	15	21	44
6-12 YRS	123	9.0	33	4	4	8	11	16	21	32
13-19 YRS	303	11.0	66	4	5	9	12	18	24	51
GRAND TOTAL	**1285**	**9.8**	**79**	**3**	**4**	**8**	**11**	**18**	**26**	**75**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	26.7	760	3	4	19	23	75	81	81
1-11 MOS	19	12.8	36	5	6	10	18	21	23	25
1-5 YRS	13	10.3	26	4	6	10	11	14	24	26
6-12 YRS	4	6.0	2	5	5	6	7	8	8	8
13-19 YRS	4	11.5	21	7	7	11	15	16	16	16
2. MULTIPLE DX										
0-27 DYS	29	29.6	660	6	7	22	50	95	99+	99+
1-11 MOS	23	19.3	269	5	6	15	29	52	75	99+
1-5 YRS	24	15.7	142	6	6	12	21	41	58	99+
6-12 YRS	12	13.1	65	7	7	10	16	26	31	32
13-19 YRS	32	18.1	211	6	7	14	21	34	45	77
TOT. SINGLE DX	46	13.2	139	4	5	10	16	22	25	81
" MULTIPLE DX	120	20.1	326	6	6	15	28	51	87	99+
TOTAL 0-27 DYS	35	29.1	657	5	7	21	47	91	99+	99+
1-11 MOS	42	16.3	171	5	6	14	19	41	56	99+
1-5 YRS	37	13.8	107	6	6	10	15	37	43	99+
6-12 YRS	16	11.3	58	5	5	8	11	24	30	32
13-19 YRS	36	17.4	194	6	7	14	19	32	44	77
GRAND TOTAL	**166**	**18.2**	**283**	**5**	**6**	**13**	**22**	**43**	**81**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	3.9	2	2	2	4	4	6	7	7
1-11 MOS	25	4.0	6	1	2	4	4	7	9	14
1-5 YRS	1035	5.3	11	2	2	4	7	10	12	16
6-12 YRS	9456	4.1	5	2	2	3	5	7	9	13
13-19 YRS	14597	4.0	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
0-27 DYS	4	10.5	77	3	3	10	18	20	20	20
1-11 MOS	12	8.3	61	2	3	5	11	20	27	28
1-5 YRS	487	8.0	34	2	3	7	10	15	19	28
6-12 YRS	2516	6.4	23	2	3	5	8	12	15	25
13-19 YRS	4067	6.0	19	2	3	5	7	11	14	25
TOT. SINGLE DX	25120	4.1	5	2	2	3	5	7	8	12
" MULTIPLE DX	7086	6.3	22	2	3	5	7	11	15	25
TOTAL 0-27 DYS	11	6.3	36	2	2	4	6	18	20	20
1-11 MOS	37	5.4	27	2	2	4	5	13	16	28
1-5 YRS	1522	6.2	20	2	2	5	8	11	14	23
6-12 YRS	11972	4.5	10	2	2	4	5	8	10	17
13-19 YRS	18664	4.4	9	2	2	4	5	7	9	16
GRAND TOTAL	**32206**	**4.6**	**10**	**2**	**2**	**4**	**5**	**8**	**10**	**17**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	6.1	9	1	2	6	8	10	11	11
6-12 YRS	81	4.5	7	2	2	4	5	7	9	17
13-19 YRS	159	4.0	3	2	2	4	5	6	8	9
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	18.8	879	3	3	8	15	69	91	91
6-12 YRS	37	6.6	27	2	2	5	8	13	17	27
13-19 YRS	116	5.9	18	2	3	5	7	9	16	24
TOT. SINGLE DX	256	4.3	5	2	2	4	5	7	9	11
" MULTIPLE DX	163	6.8	65	2	3	5	8	12	17	27
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	24	10.3	310	2	3	7	10	14	39	91
6-12 YRS	118	5.1	15	2	2	4	6	9	13	21
13-19 YRS	275	4.8	10	2	2	4	6	8	9	20
GRAND TOTAL	**419**	**5.2**	**30**	**2**	**2**	**4**	**6**	**9**	**11**	**21**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	9.4	24	3	3	10	13	15	15	15
6-12 YRS	41	7.6	14	2	3	7	9	13	14	17
13-19 YRS	33	7.5	23	2	3	7	10	16	18	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.5	113	2	2	9	17	17	17	17
6-12 YRS	21	10.3	31	3	4	9	12	19	22	25
13-19 YRS	14	8.4	26	3	3	6	13	16	18	19
TOT. SINGLE DX	79	7.6	18	2	3	7	10	14	16	19
" MULTIPLE DX	37	9.6	31	3	3	8	13	18	19	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	7	9.4	35	2	2	10	14	17	17	17
6-12 YRS	62	8.5	21	2	3	8	11	14	18	24
13-19 YRS	47	7.8	24	2	3	7	11	16	18	20
GRAND TOTAL	**116**	**8.3**	**23**	**2**	**3**	**7**	**12**	**15**	**18**	**22**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	14	6.5	24	1	1	5	11	15	15	15
1-11 MOS	35	4.6	46	<1	1	3	4	8	13	40
1-5 YRS	121	2.4	4	<1	<1	2	3	5	7	11
6-12 YRS	101	2.9	6	<1	<1	2	4	6	9	13
13-19 YRS	166	3.8	7	<1	1	3	5	8	9	13
2. MULTIPLE DX										
0-27 DYS	22	10.9	113	2	2	8	12	26	39	43
1-11 MOS	37	7.6	102	<1	1	4	9	13	30	53
1-5 YRS	89	7.3	119	1	1	4	8	15	22	71
6-12 YRS	77	6.1	35	1	2	4	7	14	20	31
13-19 YRS	106	8.7	113	2	2	5	10	17	35	56
TOT. SINGLE DX	437	3.4	11	<1	<1	2	4	7	9	14
" MULTIPLE DX	331	7.7	96	1	2	5	9	16	23	53
TOTAL 0-27 DYS	36	9.2	82	1	2	6	12	16	32	43
1-11 MOS	72	6.1	76	<1	1	3	7	12	17	50
1-5 YRS	210	4.4	59	<1	<1	2	5	10	12	37
6-12 YRS	178	4.3	21	<1	1	3	5	9	13	23
13-19 YRS	272	5.7	54	1	1	4	6	10	15	49
GRAND TOTAL	**768**	**5.2**	**52**	**<1**	**1**	**3**	**6**	**11**	**15**	**40**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	33	2.8	3	<1	1	2	4	5	7	8
1-5 YRS	18	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	28	3.3	26	<1	1	2	3	5	13	27
13-19 YRS	116	4.1	11	1	2	3	5	9	12	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	23	7.3	114	1	1	3	7	23	35	45
1-5 YRS	14	4.6	29	<1	1	2	7	10	18	21
6-12 YRS	3	5.7	16	2	2	5	9	10	10	10
13-19 YRS	79	6.0	120	1	1	4	5	9	30	96
TOT. SINGLE DX	197	3.6	12	1	1	3	4	6	10	19
" MULTIPLE DX	119	6.1	105	1	1	4	6	10	30	92
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	56	4.7	53	<1	1	3	5	8	18	44
1-5 YRS	32	3.2	15	<1	<1	2	3	7	8	21
6-12 YRS	31	3.5	25	<1	1	2	4	7	11	27
13-19 YRS	195	4.9	56	1	2	3	5	9	13	63
GRAND TOTAL	**316**	**4.5**	**48**	**1**	**1**	**3**	**5**	**8**	**12**	**37**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	48	9.9	16	4	6	9	11	14	19	25
1-5 YRS	40	12.2	188	3	6	10	12	16	18	94
6-12 YRS	10	14.5	106	1	1	14	20	29	35	35
13-19 YRS	9	15.9	48	9	9	16	17	27	32	32
2. MULTIPLE DX										
0-27 DYS	8	28.4	128	12	14	27	38	43	44	44
1-11 MOS	47	12.0	62	5	6	10	13	18	33	46
1-5 YRS	74	13.8	78	6	7	11	15	20	29	59
6-12 YRS	13	24.7	362	7	7	15	46	52	58	59
13-19 YRS	23	20.7	184	7	8	16	25	45	52	56
TOT. SINGLE DX	107	11.7	93	4	6	10	12	18	21	60
" MULTIPLE DX	165	15.8	133	6	7	12	18	33	45	59
TOTAL 0-27 DYS	8	28.4	128	12	14	27	38	43	44	44
1-11 MOS	95	10.9	40	5	6	10	12	17	21	41
1-5 YRS	114	13.2	117	5	7	11	15	19	26	75
6-12 YRS	23	20.3	268	2	6	15	28	48	53	59
13-19 YRS	32	19.3	148	8	9	16	23	38	49	56
GRAND TOTAL	**272**	**14.2**	**121**	**5**	**7**	**11**	**16**	**25**	**36**	**58**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	33	3.3	6	<1	1	3	4	6	7	13
1-5 YRS	115	2.9	6	<1	1	2	4	7	9	13
6-12 YRS	176	3.6	8	<1	<1	3	5	8	9	12
13-19 YRS	557	4.5	12	<1	1	4	6	8	11	16
2. MULTIPLE DX										
0-27 DYS	3	21.0	675	6	6	6	40	51	51	51
1-11 MOS	49	6.9	34	1	1	5	11	16	20	21
1-5 YRS	128	6.6	75	1	1	4	7	18	20	47
6-12 YRS	231	5.9	60	1	2	4	7	10	15	51
13-19 YRS	1040	5.9	45	1	2	4	7	10	13	32
TOT. SINGLE DX	883	4.1	11	<1	1	3	5	8	10	15
" MULTIPLE DX	1451	6.0	51	1	2	4	7	11	15	35
TOTAL 0-27 DYS	5	15.0	413	2	2	6	20	51	51	51
1-11 MOS	82	5.5	26	<1	1	4	7	13	16	21
1-5 YRS	243	4.9	46	<1	1	3	6	10	18	36
6-12 YRS	407	4.9	29	1	1	3	6	9	11	26
13-19 YRS	1597	5.4	34	1	2	4	6	9	12	28
GRAND TOTAL	**2334**	**5.3**	**37**	**1**	**1**	**4**	**6**	**10**	**12**	**30**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	74	1.5		<1	<1	1	2	2	4	5
1-5 YRS	21	1.8	1	<1	<1	2	2	3	4	4
6-12 YRS	7	4.0	8	<1	<1	3	7	8	8	8
13-19 YRS	70	3.0	3	1	1	3	4	5	5	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	10	4.7	106	<1	<1	1	2	18	34	34
1-5 YRS	11	3.9	17	1	1	2	5	11	14	14
6-12 YRS	4	2.0		1	1	2	3	3	3	3
13-19 YRS	46	5.6	64	1	2	4	5	9	19	47
TOT. SINGLE DX	172	2.3	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	71	5.0	59	<1	1	3	5	9	15	44
TOTAL 0-27 DYS										
1-11 MOS	84	1.9	13	<1	<1	1	2	3	4	24
1-5 YRS	32	2.5	7	<1	1	2	3	5	9	14
6-12 YRS	11	3.3	6	<1	<1	2	5	7	8	8
13-19 YRS	116	4.0	29	1	1	3	4	6	8	38
GRAND TOTAL	**243**	**3.1**	**21**	**<1**	**<1**	**2**	**3**	**5**	**7**	**34**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	2.1	3	<1	<1	2	2	5	6	6
1-5 YRS	13	2.2	5	<1	<1	1	2	6	8	9
6-12 YRS	16	2.0	1	<1	<1	2	3	3	5	6
13-19 YRS	125	2.9	2	<1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	5	3.6	4	1	1	4	5	6	6	6
1-11 MOS	4	1.8	2	<1	<1	1	3	4	4	4
1-5 YRS	15	2.1	1	<1	<1	2	3	3	4	4
6-12 YRS	7	7.4	129	1	1	4	5	27	33	33
13-19 YRS	74	3.9	4	1	1	3	5	7	8	11
TOT. SINGLE DX	161	2.7	3	<1	<1	2	3	5	6	9
" MULTIPLE DX	105	3.8	13	<1	1	3	4	6	8	21
TOTAL 0-27 DYS	5	3.6	4	1	1	4	5	6	6	6
1-11 MOS	11	2.0	3	<1	<1	1	2	5	6	6
1-5 YRS	28	2.1	3	<1	<1	2	3	4	5	9
6-12 YRS	23	3.7	43	<1	<1	2	3	5	15	33
13-19 YRS	199	3.2	4	<1	1	3	4	6	7	11
GRAND TOTAL	**266**	**3.1**	**7**	**<1**	**1**	**3**	**4**	**5**	**7**	**11**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.0	3	1	1	2	5	5	5	5
6-12 YRS										
13-19 YRS	72	4.0	5	1	2	3	5	7	8	13
2. MULTIPLE DX										
0-27 DYS	4	6.0	6	4	4	6	8	9	9	9
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	6	4.2	8	<1	<1	3	6	9	9	9
6-12 YRS	5	7.4	44	2	2	4	14	16	16	16
13-19 YRS	175	4.7	5	2	2	4	5	7	10	15
TOT. SINGLE DX	77	4.0	5	1	2	3	5	7	8	13
" MULTIPLE DX	192	4.8	7	2	2	4	6	8	10	16
TOTAL 0-27 DYS	4	6.0	6	4	4	6	8	9	9	9
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	11	3.6	6	<1	1	3	5	7	9	9
6-12 YRS	5	7.4	44	2	2	4	14	16	16	16
13-19 YRS	247	4.5	6	2	2	4	5	7	9	14
GRAND TOTAL	**269**	**4.5**	**6**	**2**	**2**	**4**	**5**	**7**	**10**	**15**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	3.3	8	<1	<1	2	5	8	10	10
1-11 MOS	55	3.0	8	<1	<1	2	4	6	8	18
1-5 YRS	54	4.5	35	<1	1	3	5	11	12	40
6-12 YRS	31	3.9	5	1	1	3	5	8	9	10
13-19 YRS	124	3.4	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
0-27 DYS	34	11.2	309	2	2	6	9	20	56	86
1-11 MOS	59	6.1	34	1	1	5	7	15	21	93
1-5 YRS	57	6.5	51	<1	1	4	9	14	19	43
6-12 YRS	20	6.2	44	<1	1	4	8	13	21	29
13-19 YRS	90	5.0	14	1	2	4	6	11	14	16
TOT. SINGLE DX	276	3.6	13	<1	1	3	4	7	10	17
" MULTIPLE DX	260	6.5	70	1	1	4	8	14	18	63
TOTAL 0-27 DYS	46	9.2	241	<1	1	5	8	19	30	88
1-11 MOS	114	4.6	24	<1	1	3	6	10	18	56
1-5 YRS	111	5.5	44	<1	1	3	7	11	15	42
6-12 YRS	51	4.8	22	1	1	3	7	10	13	29
13-19 YRS	214	4.1	11	1	1	3	5	8	12	16
GRAND TOTAL	536	5.0	43	1	1	3	6	10	14	34

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	4	10.3	19	6	6	10	14	14	14	14
6-12 YRS	3	7.7	6	5	5	8	9	10	10	10
13-19 YRS	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	34.0		34	34	34	34	34	34	34
1-5 YRS	7	29.7	394	6	6	32	37	59	64	64
6-12 YRS	5	14.3	164	4	4	8	32	87	99+	99+
13-19 YRS	14	10.9	41	4	5	9	13	19	27	29
TOT. SINGLE DX	10	8.0	13	3	4	7	10	14	14	14
" MULTIPLE DX	29	16.7	210	4	5	10	29	36	64	99+
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	20.0	392	6	6	20	34	34	34	34
1-5 YRS	11	22.6	339	6	6	14	35	48	63	64
6-12 YRS	9	12.1	115	4	4	8	27	67	99+	99+
13-19 YRS	16	10.1	40	3	4	9	12	18	26	29
GRAND TOTAL	39	14.5	173	4	4	9	22	35	50	99+

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	7.3	97	2	2	3	12	22	22	22
1-11 MOS	52	5.6	23	1	1	4	8	14	16	19
1-5 YRS	53	4.4	34	1	1	2	4	11	18	28
6-12 YRS	32	5.0	26	1	1	3	7	12	13	26
13-19 YRS	100	5.5	32	1	1	3	7	12	20	27
2. MULTIPLE DX										
0-27 DYS	11	40.5	919	6	6	32	81	92	99	99+
1-11 MOS	72	12.8	206	2	2	6	14	32	45	68
1-5 YRS	81	10.0	89	1	2	7	12	24	29	45
6-12 YRS	28	8.8	69	1	1	7	12	18	27	40
13-19 YRS	218	12.4	188	2	2	8	14	26	49	82
TOT. SINGLE DX	241	5.2	31	1	1	3	7	13	18	26
" MULTIPLE DX	460	12.1	190	1	2	8	14	28	43	83
TOTAL 0-27 DYS	15	31.7	910	2	2	24	64	88	97	99+
1-11 MOS	124	9.8	142	1	1	6	12	21	33	65
1-5 YRS	134	7.8	75	1	1	4	11	20	28	44
6-12 YRS	110	7.7	60	1	1	6	11	16	25	40
13-19 YRS	318	10.2	150	1	2	7	12	21	32	65
GRAND TOTAL	701	9.7	146	1	1	6	12	21	32	72

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	7.2	8	4	4	7	9	11	11	11
1-11 MOS	17	8.9	26	4	5	7	10	18	22	23
1-5 YRS	10	7.6	7	5	5	7	9	12	12	12
6-12 YRS	34	7.4	10	3	4	6	10	12	13	15
13-19 YRS	1146	6.5	6	4	4	6	7	10	11	16
2. MULTIPLE DX										
0-27 DYS	6	9.7	88	<1	<1	7	9	26	26	26
1-11 MOS	33	11.2	48	5	5	9	16	23	32	99+
1-5 YRS	23	15.9	237	5	5	11	18	28	46	78
6-12 YRS	27	10.2	47	4	4	8	12	19	27	34
13-19 YRS	835	9.0	24	4	5	8	11	14	18	24
TOT. SINGLE DX	1212	6.5	7	4	4	5	8	10	12	16
" MULTIPLE DX	934	9.3	33	4	5	8	11	15	19	29
TOTAL 0-27 DYS	11	8.5	49	<1	2	7	9	18	27	26
1-11 MOS	50	10.4	42	5	5	8	13	21	27	99
1-5 YRS	33	13.4	180	5	5	9	13	28	28	78
6-12 YRS	71	8.8	31	4	4	8	11	14	20	33
13-19 YRS	1981	7.5	16	4	4	6	9	12	14	22
GRAND TOTAL	2146	7.7	20	4	4	7	9	12	15	24

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	30	12.9	31	6	6	13	16	20	23	28
1-5 YRS	9	9.4	51	1	1	9	12	20	25	25
6-12 YRS	4	4.5	33	<1	<1	2	8	13	13	13
13-19 YRS	14	9.3	89	1	2	5	15	20	32	36
2. MULTIPLE DX										
0-27 DYS	3	38.0	79	28	28	41	44	45	45	45
1-11 MOS	22	23.3	157	6	8	22	31	40	47	52
1-5 YRS	13	19.5	200	1	3	18	23	54	90	99+
6-12 YRS	7	8.7	42	2	2	9	11	19	21	21
13-19 YRS	15	9.4	46	<1	1	11	15	18	21	22
TOT. SINGLE DX	57	10.9	52	1	2	10	15	19	24	35
" MULTIPLE DX	60	18.0	175	1	3	16	24	42	47	95
TOTAL 0-27 DYS	3	38.0	79	28	28	41	44	45	45	45
1-11 MOS	52	17.3	109	6	7	15	22	33	38	52
1-5 YRS	22	15.4	160	1	2	13	22	47	67	99+
6-12 YRS	11	7.2	40	<1	1	6	11	16	21	21
13-19 YRS	29	9.3	65	1	1	6	15	18	23	36
GRAND TOTAL	**117**	**14.5**	**127**	**1**	**2**	**12**	**19**	**30**	**42**	**67**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS										
1-5 YRS	7	6.7	43	<1	<1	5	13	16	16	16
6-12 YRS	5	3.8	7	2	2	2	6	8	8	8
13-19 YRS	30	9.6	114	1	2	6	14	22	28	51
2. MULTIPLE DX										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	4	4.3	34	1	1	2	7	13	13	13
1-5 YRS	10	15.2	217	1	1	9	29	37	42	42
6-12 YRS	13	11.1	64	2	2	9	12	26	28	29
13-19 YRS	65	14.8	284	2	2	12	16	27	58	89
TOT. SINGLE DX	43	8.7	95	1	1	5	13	20	27	51
" MULTIPLE DX	93	14.1	238	2	2	11	16	30	41	83
TOTAL 0-27 DYS	2	27.5	41	23	23	27	32	32	32	32
1-11 MOS	4	4.3	34	1	1	2	7	13	13	13
1-5 YRS	17	11.7	157	<1	1	6	17	31	38	42
6-12 YRS	18	9.1	58	2	2	8	10	22	27	29
13-19 YRS	95	13.2	235	2	2	11	15	26	48	82
GRAND TOTAL	**136**	**12.4**	**198**	**1**	**2**	**9**	**15**	**27**	**37**	**73**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	15	3.5	7	1	1	3	5	7	10	11
1-11 MOS	62	3.9	8	<1	1	3	6	8	10	14
1-5 YRS	178	2.9	4	<1	1	2	4	6	7	11
6-12 YRS	266	3.7	36	1	1	3	4	6	8	20
13-19 YRS	702	4.7	23	1	1	4	6	8	11	24
2. MULTIPLE DX										
0-27 DYS	19	8.3	52	3	3	6	11	12	25	35
1-11 MOS	89	8.9	146	1	2	5	8	19	32	70
1-5 YRS	176	5.1	41	1	1	3	6	10	14	32
6-12 YRS	243	5.0	25	1	1	3	6	9	14	34
13-19 YRS	830	5.8	34	2	2	4	6	10	15	36
TOT. SINGLE DX	1223	4.2	23	1	1	3	5	7	9	22
" MULTIPLE DX	1357	5.8	42	1	2	4	6	10	15	38
TOTAL 0-27 DYS	34	6.2	38	1	1	5	7	12	12	35
1-11 MOS	151	6.9	95	1	1	4	7	12	24	61
1-5 YRS	354	4.0	24	<1	1	3	5	8	11	25
6-12 YRS	509	4.3	32	1	1	3	5	8	10	28
13-19 YRS	1532	5.3	30	1	2	4	6	9	13	29
GRAND TOTAL	**2580**	**5.0**	**34**	**1**	**1**	**4**	**6**	**9**	**12**	**30**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	74	2.0	1	<1	1	2	2	4	5	6
1-11 MOS	1700	1.7	1	<1	<1	1	2	2	3	6
1-5 YRS	3346	1.5		<1	<1	1	2	2	3	4
6-12 YRS	2011	1.8		<1	<1	2	2	3	3	5
13-19 YRS	3343	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	96	16.2	773	1	1	4	39	98	99+	99+
1-11 MOS	1240	2.7	17	<1	<1	2	3	5	9	18
1-5 YRS	2612	1.9	2	<1	<1	2	2	3	4	9
6-12 YRS	1036	2.0	1	<1	<1	2	2	3	4	7
13-19 YRS	1003	3.3	17	1	1	3	4	5	6	12
TOT. SINGLE DX	10474	2.0	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	5987	2.5	23	<1	<1	2	3	4	6	16
TOTAL 0-27 DYS	170	10.0	486	1	1	2	6	80	99+	99+
1-11 MOS	2940	2.1	8	<1	<1	2	2	3	5	13
1-5 YRS	5958	1.7	1	<1	<1	1	2	2	3	6
6-12 YRS	3047	1.9	1	<1	<1	2	2	3	4	6
13-19 YRS	4346	2.8	5	1	1	3	3	4	5	7
GRAND TOTAL	**16461**	**2.2**	**9**	**<1**	**<1**	**2**	**2**	**4**	**4**	**9**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	48	1.9	2	<1	<1	1	2	3	4	12
1-11 MOS	1234	1.6	3	<1	<1	1	2	2	3	4
1-5 YRS	1181	1.4		<1	<1	1	2	2	2	4
6-12 YRS	320	1.7		<1	<1	1	2	3	3	4
13-19 YRS	186	2.9	1	1	1	3	4	5	5	6
2. MULTIPLE DX										
0-27 DYS	77	29.3	1126	1	1	35	90	99+	99+	99+
1-11 MOS	1108	2.7	19	<1	<1	2	2	4	8	26
1-5 YRS	847	2.0	16	<1	<1	1	2	3	4	12
6-12 YRS	161	2.1	3	<1	<1	2	2	3	5	13
13-19 YRS	67	3.3	2	1	1	3	5	6	6	7
TOT. SINGLE DX	2969	1.6	2	<1	<1	1	2	3	3	5
" MULTIPLE DX	2260	3.3	78	<1	<1	2	2	4	9	93
TOTAL 0-27 DYS	125	18.7	871	<1	1	3	62	99+	99+	99+
1-11 MOS	2342	2.1	11	<1	<1	1	2	3	4	16
1-5 YRS	2028	1.7	7	<1	<1	1	2	2	3	7
6-12 YRS	481	1.8	2	<1	<1	2	2	3	3	6
13-19 YRS	253	3.0	2	1	1	3	4	5	5	6
GRAND TOTAL	**5229**	**2.4**	**33**	**<1**	**<1**	**1**	**2**	**3**	**4**	**39**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	12	1.8		<1	1	2	2	3	3	3
6-12 YRS	21	2.0		<1	<1	2	3	3	4	4
13-19 YRS	40	3.0	1	1	1	3	4	4	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	5	7.0	51	<1	<1	6	10	19	19	19
6-12 YRS	10	1.9	1	<1	<1	2	2	4	5	5
13-19 YRS	8	3.4	1	2	2	3	4	5	5	5
TOT. SINGLE DX	75	2.5	2	<1	1	2	3	4	4	7
" MULTIPLE DX	25	3.4	13	<1	1	2	4	6	10	19
TOTAL 0-27 DYS										
1-11 MOS	4	2.5	2	1	1	2	3	4	4	4
1-5 YRS	17	3.4	19	<1	<1	2	3	7	15	19
6-12 YRS	31	1.9	1	<1	<1	2	3	3	4	5
13-19 YRS	48	3.0	2	1	2	3	4	4	5	8
GRAND TOTAL	**100**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**13**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	211	2.0	2	<1	<1	2	2	3	4	10
1-5 YRS	1115	1.9	2	<1	<1	2	2	3	3	5
6-12 YRS	453	1.9		<1	<1	2	2	3	4	5
13-19 YRS	228	2.6	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	28	18.5	420	4	5	9	19	47	70	84
1-11 MOS	93	3.4	13	<1	1	2	4	6	9	21
1-5 YRS	270	2.8	14	<1	<1	2	3	5	7	14
6-12 YRS	104	2.5	5	<1	1	2	3	4	5	14
13-19 YRS	62	3.5	5	1	2	3	4	6	7	15
TOT. SINGLE DX	2009	2.0	2	<1	<1	2	2	3	4	6
" MULTIPLE DX	557	3.7	43	<1	1	2	3	6	9	39
TOTAL 0-27 DYS	30	17.4	409	3	4	9	17	47	69	84
1-11 MOS	304	2.4	6	<1	<1	2	3	4	6	16
1-5 YRS	1385	2.1	5	<1	<1	2	2	3	4	8
6-12 YRS	557	2.0	2	<1	<1	2	2	3	4	6
13-19 YRS	290	2.8	3	1	1	2	3	5	6	8
GRAND TOTAL	**2566**	**2.4**	**11**	**<1**	**<1**	**2**	**2**	**4**	**5**	**12**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	23	3.6	5	1	1	3	4	7	9	11
1-5 YRS	106	2.1	2	<1	<1	2	2	4	6	9
6-12 YRS	100	2.0	1	<1	<1	2	2	3	4	7
13-19 YRS	197	2.8	7	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	2	16.0	338	3	3	16	29	29	29	29
1-11 MOS	24	6.1	20	1	2	5	8	11	16	19
1-5 YRS	53	3.7	24	<1	1	2	4	8	16	97
6-12 YRS	34	3.7	8	<1	1	3	5	8	10	13
13-19 YRS	61	4.7	7	1	1	4	7	9	10	13
TOT. SINGLE DX	427	2.5	5	<1	<1	2	3	4	6	9
" MULTIPLE DX	174	4.5	19	<1	1	3	6	9	12	30
TOTAL 0-27 DYS	3	12.0	217	3	3	4	23	29	29	29
1-11 MOS	47	4.9	15	1	2	3	7	10	12	19
1-5 YRS	159	2.6	10	<1	<1	2	3	6	8	29
6-12 YRS	134	2.4	4	<1	<1	2	3	4	6	10
13-19 YRS	258	3.2	8	1	1	3	4	6	8	11
GRAND TOTAL	**601**	**3.1**	**10**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	23	5.4	8	<1	1	5	7	9	11	11
1-5 YRS	22	3.7	10	<1	<1	2	5	10	11	11
6-12 YRS	9	3.3	5	<1	<1	3	5	7	7	7
13-19 YRS	19	5.3	12	1	2	5	7	10	13	15
2. MULTIPLE DX										
0-27 DYS	15	22.5	450	7	7	14	23	62	67	69
1-11 MOS	19	9.7	40	2	3	9	11	21	23	24
1-5 YRS	27	10.3	355	<1	<1	5	11	21	38	98
6-12 YRS	15	9.3	103	<1	<1	7	13	19	34	39
13-19 YRS	31	12.6	118	2	4	9	15	22	35	55
TOT. SINGLE DX	76	4.6	10	<1	1	4	6	9	11	14
" MULTIPLE DX	107	12.4	219	<1	1	9	14	23	41	81
TOTAL 0-27 DYS	18	19.3	425	3	4	10	23	60	66	69
1-11 MOS	42	7.3	27	1	2	6	9	12	21	24
1-5 YRS	49	7.3	208	<1	<1	3	8	14	22	98
6-12 YRS	24	7.1	74	<1	<1	4	8	18	25	39
13-19 YRS	50	9.8	90	2	2	7	11	21	23	55
GRAND TOTAL	**183**	**9.2**	**147**	**<1**	**1**	**6**	**10**	**20**	**24**	**67**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	6.8	17	3	3	5	10	13	13	13
1-11 MOS	54	4.4	15	1	1	3	6	10	14	15
1-5 YRS	279	4.2	46	<1	<1	2	4	8	12	46
6-12 YRS	193	4.3	19	<1	1	3	6	10	12	25
13-19 YRS	264	4.6	14	1	1	3	6	10	12	18
2. MULTIPLE DX										
0-27 DYS	25	12.2	204	1	2	7	15	42	50	50
1-11 MOS	50	9.3	171	<1	1	6	11	22	32	80
1-5 YRS	143	6.4	74	1	1	4	8	14	18	54
6-12 YRS	135	5.1	27	<1	1	3	7	11	14	49
13-19 YRS	262	8.5	130	1	2	5	9	17	25	69
TOT. SINGLE DX	795	4.4	27	<1	1	3	5	10	13	24
" MULTIPLE DX	615	7.5	104	1	1	4	8	15	23	60
TOTAL 0-27 DYS	30	11.3	175	1	2	7	13	31	50	50
1-11 MOS	104	6.8	96	<1	1	4	8	14	20	57
1-5 YRS	422	4.9	57	<1	1	3	5	11	15	49
6-12 YRS	328	4.6	23	<1	1	3	6	10	12	25
13-19 YRS	526	6.5	76	1	1	4	8	13	18	45
GRAND TOTAL	**1410**	**5.7**	**63**	**<1**	**1**	**3**	**7**	**12**	**16**	**45**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	24	6.4	26	1	2	5	6	15	19	22
1-5 YRS	101	6.2	22	1	2	5	7	11	14	29
6-12 YRS	166	6.6	22	2	2	5	9	13	16	25
13-19 YRS	565	5.8	14	2	3	5	7	10	12	19
2. MULTIPLE DX										
0-27 DYS	21	29.3	701	6	8	20	65	99+	99+	99+
1-11 MOS	27	11.3	153	3	5	7	14	29	67	99+
1-5 YRS	111	9.5	69	2	3	7	12	20	26	71
6-12 YRS	171	10.6	88	3	3	8	13	23	29	49
13-19 YRS	723	9.0	78	3	3	6	9	16	26	55
TOT. SINGLE DX	856	6.0	17	2	2	5	7	11	14	25
" MULTIPLE DX	1053	9.7	101	3	3	7	11	20	30	65
TOTAL 0-27 DYS	21	29.3	701	6	8	21	68	99+	99+	99+
1-11 MOS	51	9.0	98	2	3	6	9	21	29	99
1-5 YRS	212	7.9	50	1	2	6	10	15	22	50
6-12 YRS	337	8.6	60	2	3	6	11	16	25	39
13-19 YRS	1288	7.6	53	2	3	6	8	13	19	42
GRAND TOTAL	**1909**	**8.1**	**67**	**2**	**3**	**6**	**9**	**15**	**23**	**55**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	6	1.3		1	1	1	2	2	2	2
1-5 YRS	5	3.8	2	2	2	4	5	6	6	6
6-12 YRS	34	3.4	16	<1	1	3	4	6	8	24
13-19 YRS	1365	3.2	7	<1	1	2	4	7	8	12
2. MULTIPLE DX										
0-27 DYS	3	2.7	4	<1	<1	2	4	5	5	5
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	22	4.0	8	1	2	3	5	8	11	12
13-19 YRS	1269	4.0	11	1	1	3	5	8	11	15
TOT. SINGLE DX	1411	3.2	8	<1	1	2	4	7	8	12
" MULTIPLE DX	1297	4.0	12	1	1	3	5	8	11	15
TOTAL 0-27 DYS	4	2.3	4	<1	<1	1	3	5	5	5
1-11 MOS	7	3.3	27	1	1	1	2	12	15	15
1-5 YRS	7	4.6	7	2	2	4	6	9	10	10
6-12 YRS	56	3.7	13	<1	1	3	5	6	10	23
13-19 YRS	2634	3.6	10	<1	1	3	5	8	10	14
GRAND TOTAL	**2708**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**8**	**10**	**14**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	7.1	11	2	3	7	10	11	12	12
1-11 MOS	36	7.7	19	1	4	7	10	13	14	25
1-5 YRS	43	8.9	66	1	2	7	10	15	25	47
6-12 YRS	85	7.0	29	1	2	7	8	10	14	34
13-19 YRS	251	6.5	13	1	2	6	8	11	13	19
2. MULTIPLE DX										
0-27 DYS	42	26.9	254	7	12	25	41	61	99+	99+
1-11 MOS	66	13.1	129	4	5	9	17	25	36	94
1-5 YRS	85	12.4	128	3	4	9	15	25	37	94
6-12 YRS	114	10.2	112	2	3	7	11	17	25	64
13-19 YRS	409	7.8	47	2	2	6	10	14	18	31
TOT. SINGLE DX	423	7.0	23	1	2	6	9	11	14	24
" MULTIPLE DX	716	10.3	107	2	3	8	12	20	31	81
TOTAL 0-27 DYS	50	23.7	268	4	6	20	35	57	97	99+
1-11 MOS	102	11.2	97	3	5	8	13	21	27	82
1-5 YRS	128	11.2	110	2	3	8	12	23	35	86
6-12 YRS	199	8.8	79	1	2	7	9	15	22	59
13-19 YRS	660	7.3	35	1	2	6	9	12	16	25
GRAND TOTAL	1139	9.1	78	2	2	7	10	17	24	61

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	9.1	230	3	3	5	6	22	52	57
1-11 MOS	23	6.5	9	2	3	6	9	12	13	13
1-5 YRS	55	10.1	17	5	6	9	12	15	20	23
6-12 YRS	31	7.7	8	4	4	7	9	11	12	17
13-19 YRS	48	8.9	15	5	5	8	10	15	16	23
2. MULTIPLE DX										
0-27 DYS	19	12.3	27	5	6	12	16	20	22	22
1-11 MOS	34	8.6	43	2	4	6	11	23	26	99+
1-5 YRS	90	12.9	157	4	5	9	14	27	41	75
6-12 YRS	73	10.8	100	3	4	8	12	22	27	63
13-19 YRS	153	10.7	52	4	5	9	12	17	22	47
TOT. SINGLE DX	169	8.8	29	3	4	8	10	14	16	23
" MULTIPLE DX	369	11.1	86	4	5	9	12	21	27	52
TOTAL 0-27 DYS	31	11.1	103	3	3	8	15	20	22	57
1-11 MOS	57	7.7	30	2	3	6	9	16	24	94
1-5 YRS	145	11.8	106	5	5	9	13	21	28	55
6-12 YRS	104	9.9	74	4	4	8	11	18	26	51
13-19 YRS	201	10.3	44	4	5	9	11	16	21	46
GRAND TOTAL	538	10.4	69	4	5	8	12	18	24	49

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	13	8.2	37	2	3	6	11	19	21	21
1-11 MOS	45	8.8	29	3	4	8	11	17	18	28
1-5 YRS	127	6.2	25	2	2	5	8	12	15	24
6-12 YRS	227	6.4	26	2	2	5	9	13	16	23
13-19 YRS	367	6.9	37	1	2	5	10	14	19	31
2. MULTIPLE DX										
0-27 DYS	19	13.9	248	2	4	9	20	48	86	99+
1-11 MOS	65	10.4	63	2	3	9	12	18	23	44
1-5 YRS	157	11.6	74	2	4	9	15	26	30	49
6-12 YRS	235	10.8	110	2	2	8	14	25	32	47
13-19 YRS	440	12.1	127	2	2	9	16	26	35	59
TOT. SINGLE DX	779	6.8	32	2	2	5	9	14	18	29
" MULTIPLE DX	916	11.6	112	2	2	9	15	25	32	58
TOTAL 0-27 DYS	32	11.6	167	2	3	8	16	22	65	99+
1-11 MOS	110	9.8	50	3	3	8	12	17	21	42
1-5 YRS	284	9.1	60	2	2	7	11	19	28	44
6-12 YRS	462	8.7	74	2	2	7	11	19	25	42
13-19 YRS	807	9.7	93	2	2	7	13	21	28	48
GRAND TOTAL	1695	9.4	81	2	2	7	12	20	28	47

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	8	7.4	6	4	4	7	8	11	12	12
6-12 YRS	17	5.5	10	1	1	5	8	9	12	13
13-19 YRS	69	7.7	11	2	4	7	10	11	12	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	11	7.0	29	<1	<1	8	11	15	17	17
6-12 YRS	13	10.9	113	1	3	7	13	23	38	42
13-19 YRS	68	8.6	33	1	2	8	12	16	20	26
TOT. SINGLE DX	96	7.2	11	1	3	7	10	11	12	17
" MULTIPLE DX	94	8.7	43	1	2	8	11	17	20	35
TOTAL 0-27 DYS										
1-11 MOS	4	4.0	10	1	1	3	6	8	8	8
1-5 YRS	19	7.2	19	<1	1	7	9	13	15	17
6-12 YRS	30	7.9	60	1	1	6	9	15	18	42
13-19 YRS	137	8.1	22	2	2	8	11	14	17	25
GRAND TOTAL	**190**	**7.9**	**28**	**1**	**2**	**7**	**10**	**13**	**17**	**26**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	17	7.6	5	4	4	8	9	11	12	13
1-5 YRS	326	7.3	10	3	4	7	9	11	13	17
6-12 YRS	307	7.5	7	4	4	7	9	11	12	16
13-19 YRS	68	9.0	12	4	5	9	10	13	16	21
2. MULTIPLE DX										
0-27 DYS	4	23.0	84	12	12	24	30	32	32	32
1-11 MOS	63	11.3	49	4	5	9	15	22	27	31
1-5 YRS	347	8.8	19	4	4	8	10	13	17	25
6-12 YRS	258	9.4	24	4	5	8	11	15	20	24
13-19 YRS	127	12.9	60	5	7	10	15	25	29	61
TOT. SINGLE DX	720	7.5	10	3	4	7	9	11	13	17
" MULTIPLE DX	799	9.9	33	4	5	9	11	16	22	30
TOTAL 0-27 DYS	6	16.5	153	2	2	15	29	32	32	32
1-11 MOS	80	10.5	42	4	4	8	13	20	26	31
1-5 YRS	673	8.1	16	3	4	8	10	12	14	24
6-12 YRS	565	8.4	16	4	4	8	10	12	15	23
13-19 YRS	195	11.5	47	5	6	10	13	21	28	49
GRAND TOTAL	**1519**	**8.8**	**23**	**4**	**4**	**8**	**10**	**13**	**18**	**28**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.7	10	1	1	6	7	7	7	7
1-11 MOS	2	10.0	72	4	4	10	16	16	16	16
1-5 YRS	47	5.6	25	<1	<1	4	9	13	14	20
6-12 YRS	41	5.1	23	<1	1	3	7	11	17	21
13-19 YRS	205	4.5	6	1	2	4	6	8	9	11
2. MULTIPLE DX										
0-27 DYS	4	8.5	33	4	4	6	12	17	17	17
1-11 MOS	13	8.9	37	1	1	9	13	17	18	18
1-5 YRS	65	9.5	47	<1	1	9	13	19	21	31
6-12 YRS	56	8.3	37	<1	1	7	11	18	20	27
13-19 YRS	103	7.8	40	1	2	6	11	18	21	28
TOT. SINGLE DX	298	4.8	12	1	1	4	6	9	12	18
" MULTIPLE DX	241	8.4	41	1	1	7	12	18	20	27
TOTAL 0-27 DYS	7	6.9	24	1	2	6	7	15	17	17
1-11 MOS	15	9.1	38	1	1	9	14	17	18	18
1-5 YRS	112	7.9	42	<1	1	7	12	17	21	28
6-12 YRS	97	6.9	34	<1	1	5	9	17	19	24
13-19 YRS	308	5.6	20	1	2	4	7	10	15	23
GRAND TOTAL	**539**	**6.4**	**28**	**1**	**1**	**5**	**9**	**14**	**18**	**24**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.8	2	1	1	3	4	4	4	4
1-11 MOS	44	4.0	31	<1	<1	2	5	9	12	34
1-5 YRS	725	1.9	3	<1	<1	1	2	4	6	9
6-12 YRS	956	2.0	4	<1	<1	1	2	4	6	12
13-19 YRS	888	3.0	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	13	17.1	135	2	4	13	30	32	33	33
1-11 MOS	88	6.7	64	<1	<1	4	9	15	20	46
1-5 YRS	1067	2.5	7	<1	<1	1	3	6	8	14
6-12 YRS	1223	2.9	14	<1	<1	2	3	6	8	17
13-19 YRS	1304	4.9	36	1	1	3	6	10	12	32
TOT. SINGLE DX	2617	2.3	6	<1	<1	1	3	5	7	12
" MULTIPLE DX	3695	3.6	24	<1	<1	2	4	8	11	24
TOTAL 0-27 DYS	17	13.7	141	1	2	8	28	32	33	33
1-11 MOS	132	5.8	55	<1	<1	3	8	12	19	38
1-5 YRS	1792	2.3	6	<1	<1	1	2	5	7	12
6-12 YRS	2179	2.5	10	<1	<1	1	3	5	7	14
13-19 YRS	2192	4.1	25	<1	1	3	5	8	11	22
GRAND TOTAL	**6312**	**3.1**	**17**	**<1**	**<1**	**2**	**4**	**7**	**9**	**17**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	3.2	4	1	1	2	5	6	8	8
6-12 YRS	10	3.1	6	2	2	2	3	7	10	10
13-19 YRS	18	1.8		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	5	8.0	17	3	3	10	11	12	12	12
1-5 YRS	17	3.4	6	<1	1	2	4	8	9	9
6-12 YRS	10	4.1	9	1	1	3	6	9	9	9
13-19 YRS	45	4.2	12	<1	1	3	5	9	11	16
TOT. SINGLE DX	39	2.5	4	1	1	2	3	5	7	10
" MULTIPLE DX	79	4.2	12	1	1	3	6	9	11	16
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	5	8.0	18	3	3	10	11	12	12	12
1-5 YRS	28	3.3	6	1	1	2	4	7	9	9
6-12 YRS	20	3.6	8	1	1	3	4	9	10	10
13-19 YRS	63	3.5	10	1	1	3	4	7	10	16
GRAND TOTAL	**118**	**3.6**	**9**	**1**	**1**	**3**	**4**	**9**	**10**	**16**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	37	4.8	15	1	2	3	7	9	14	20
1-11 MOS	51	4.9	26	1	1	3	6	10	18	28
1-5 YRS	87	5.1	14	1	1	4	7	11	13	18
6-12 YRS	57	6.3	18	1	1	5	9	12	16	19
13-19 YRS	69	5.5	15	1	1	5	8	10	12	18
2. MULTIPLE DX										
0-27 DYS	205	9.3	80	3	3	7	10	19	27	56
1-11 MOS	95	6.2	21	2	2	5	8	13	15	25
1-5 YRS	176	8.5	82	2	2	6	11	16	21	78
6-12 YRS	152	8.7	52	1	1	8	11	16	20	39
13-19 YRS	185	11.6	180	1	2	8	14	25	36	83
TOT. SINGLE DX	301	5.4	13	1	1	4	7	11	14	19
" MULTIPLE DX	813	9.2	94	2	2	7	11	19	26	65
TOTAL 0-27 DYS	242	8.6	73	2	3	6	10	17	26	50
1-11 MOS	146	5.7	24	1	2	4	7	12	15	26
1-5 YRS	263	7.3	62	1	2	5	9	14	19	45
6-12 YRS	209	8.0	44	1	1	7	10	16	18	36
13-19 YRS	254	10.0	142	1	2	6	11	22	31	81
GRAND TOTAL	**1114**	**8.1**	**76**	**1**	**2**	**6**	**10**	**16**	**23**	**51**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	1.1		<1	<1	<1	1	2	2	2
1-5 YRS	367	1.2		<1	<1	1	1	2	2	4
6-12 YRS	260	1.4	1	<1	<1	1	2	2	3	6
13-19 YRS	36	1.9	2	<1	<1	1	2	3	7	8
2. MULTIPLE DX										
0-27 DYS	11	5.8	47	2	2	4	5	15	25	26
1-11 MOS	5	3.4	23	<1	<1	1	4	12	12	12
1-5 YRS	228	2.0	3	<1	<1	1	2	4	6	11
6-12 YRS	233	2.0	2	<1	<1	2	2	4	5	10
13-19 YRS	55	2.9	7	<1	1	2	3	7	8	13
TOT. SINGLE DX	671	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	532	2.2	5	<1	<1	2	2	4	6	12
TOTAL 0-27 DYS	11	5.8	47	2	2	4	5	15	25	26
1-11 MOS	13	2.0	9	<1	<1	1	1	4	11	12
1-5 YRS	595	1.5	2	<1	<1	1	2	2	3	9
6-12 YRS	493	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	91	2.5	6	<1	<1	2	2	6	8	13
GRAND TOTAL	**1203**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.7	2	5	5	7	8	8	8	8
1-11 MOS	20	4.1	13	<1	<1	3	7	9	10	18
1-5 YRS	1207	5.3	13	1	1	5	8	10	12	15
6-12 YRS	334	5.5	15	<1	1	5	8	11	13	16
13-19 YRS	182	5.5	21	1	1	4	8	12	15	21
2. MULTIPLE DX										
0-27 DYS	9	16.8	180	2	2	14	30	35	38	38
1-11 MOS	46	5.5	19	<1	1	5	8	10	12	21
1-5 YRS	632	6.5	28	1	1	5	9	13	15	21
6-12 YRS	256	5.6	25	1	1	4	8	12	16	24
13-19 YRS	127	7.2	59	1	1	5	9	15	22	41
TOT. SINGLE DX	1796	5.3	14	<1	1	5	8	10	12	16
" MULTIPLE DX	1070	6.4	33	1	1	5	9	13	16	25
TOTAL 0-27 DYS	12	14.3	152	2	3	8	24	33	37	38
1-11 MOS	116	4.7	16	<1	<1	3	7	9	10	20
1-5 YRS	1839	5.7	19	1	1	5	8	11	13	18
6-12 YRS	590	5.5	20	<1	1	4	8	12	14	19
13-19 YRS	309	6.2	37	1	1	4	8	13	17	28
GRAND TOTAL	**2866**	**5.7**	**22**	**<1**	**1**	**5**	**8**	**11**	**14**	**20**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	5.7	31	1	1	4	7	15	16	16
1-5 YRS	263	1.7	6	<1	<1	1	2	2	4	9
6-12 YRS	269	1.6	1	<1	<1	1	2	3	5	8
13-19 YRS	161	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	4	2.0		<1	<1	2	3	3	3	3
1-11 MOS	21	3.4	10	<1	<1	2	5	9	10	11
1-5 YRS	528	1.8	2	<1	<1	1	2	3	5	8
6-12 YRS	509	2.4	20	<1	<1	1	2	5	6	11
13-19 YRS	328	4.1	42	<1	1	2	4	8	10	45
TOT. SINGLE DX	700	1.8	4	<1	<1	1	2	3	5	9
" MULTIPLE DX	1390	2.6	19	<1	<1	1	3	5	7	15
TOTAL 0-27 DYS	5	2.4	1	<1	<1	2	3	4	4	4
1-11 MOS	27	3.9	15	<1	<1	2	6	10	12	16
1-5 YRS	791	1.7	4	<1	<1	1	2	3	5	8
6-12 YRS	778	2.1	14	<1	<1	1	2	4	6	10
13-19 YRS	489	3.4	30	<1	1	2	4	6	8	38
GRAND TOTAL	2090	2.3	14	<1	<1	1	2	5	6	12

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	3.0	12	<1	<1	1	5	7	7	7
1-5 YRS	155	1.9	1	<1	<1	1	2	3	4	8
6-12 YRS	126	2.0	2	<1	<1	1	2	4	5	7
13-19 YRS	139	3.0	4	<1	1	2	4	5	6	13
2. MULTIPLE DX										
0-27 DYS	5	6.6	20	2	2	8	10	12	12	12
1-11 MOS	7	5.1	28	<1	<1	3	8	14	15	15
1-5 YRS	162	2.2	5	<1	<1	2	2	4	6	10
6-12 YRS	187	2.6	13	<1	<1	2	3	4	6	23
13-19 YRS	160	4.0	55	1	1	2	4	6	8	58
TOT. SINGLE DX	423	2.3	3	<1	<1	2	3	4	6	9
" MULTIPLE DX	521	3.0	25	<1	<1	2	3	5	7	25
TOTAL 0-27 DYS	5	6.6	20	2	2	8	10	12	12	12
1-11 MOS	10	4.5	23	<1	<1	2	7	12	15	15
1-5 YRS	317	2.0	3	<1	<1	2	2	4	5	9
6-12 YRS	313	2.4	9	<1	<1	2	3	4	6	9
13-19 YRS	299	3.5	32	1	1	2	4	6	7	25
GRAND TOTAL	944	2.7	15	<1	<1	2	3	5	6	15

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	4	5.8	20	2	2	4	9	12	12	12
TOT. SINGLE DX	4	6.0	10	2	2	6	8	9	9	9
" MULTIPLE DX	7	7.1	13	2	2	9	9	11	12	12
TOTAL 0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	2	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	6	5.7	17	2	2	4	9	12	12	12
GRAND TOTAL	11	6.7	11	2	2	8	9	10	12	12

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.3	56	<1	<1	8	14	16	16	16
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	2	8.0	18	5	5	8	11	11	11	11
13-19 YRS	9	11.0	92	1	3	8	11	26	35	35
TOT. SINGLE DX	7	5.9	26	<1	<1	4	8	14	16	16
" MULTIPLE DX	12	9.9	74	1	3	8	11	20	33	35
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	3	8.3	56	<1	<1	8	14	16	16	16
6-12 YRS	5	5.0	13	2	2	4	6	11	11	11
13-19 YRS	10	10.6	84	1	3	8	11	24	35	35
GRAND TOTAL	19	8.4	58	<1	1	7	11	15	26	35

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	4.2	46	<1	<1	1	4	16	21	21
6-12 YRS	7	6.9	63	2	2	4	8	21	24	24
13-19 YRS	12	4.9	13	1	1	4	8	10	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.7	2	<1	<1	3	4	4	4	4
1-5 YRS	12	2.7	15	<1	<1	2	5	11	12	12
6-12 YRS	11	2.3	2	<1	<1	2	3	5	6	6
13-19 YRS	13	8.8	100	<1	1	5	12	19	34	38
TOT. SINGLE DX	28	5.2	34	<1	<1	3	8	11	21	24
" MULTIPLE DX	39	4.9	45	<1	<1	2	6	12	13	38
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	2	<1	<1	3	4	4	4	4
1-5 YRS	21	3.9	27	<1	<1	1	5	11	16	21
6-12 YRS	18	4.1	29	<1	<1	2	4	8	18	24
13-19 YRS	25	7.0	60	<1	1	5	10	12	20	38
GRAND TOTAL	**67**	**5.8**	**40**	**<1**	**<1**	**2**	**7**	**12**	**15**	**36**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	5	6.6	7	4	4	6	8	11	11	11
6-12 YRS	6	7.3	55	2	2	5	7	20	22	22
13-19 YRS	3	7.0	28	<1	<1	9	10	11	11	11
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	5	18.0	410	7	7	8	23	54	54	54
6-12 YRS	3	18.7	82	12	12	15	25	29	29	29
13-19 YRS	9	12.9	53	2	4	10	17	24	25	25
TOT. SINGLE DX	15	6.9	26	<1	2	6	9	11	19	22
" MULTIPLE DX	20	14.2	135	3	5	11	15	27	41	54
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	3	5.3	1	4	4	6	6	6	6	6
1-5 YRS	10	12.3	222	4	4	7	11	33	54	54
6-12 YRS	9	11.1	87	2	2	7	17	26	29	29
13-19 YRS	12	11.4	51	<1	1	10	14	24	25	25
GRAND TOTAL	**35**	**11.1**	**99**	**2**	**3**	**8**	**13**	**23**	**28**	**54**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	3	6.3	1	5	5	7	7	7	7	7
1-5 YRS	7	5.9	24	<1	<1	5	9	13	14	14
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	9	9.4	42	2	3	8	14	20	21	21
1-11 MOS	14	8.6	23	4	5	7	9	15	21	23
1-5 YRS	7	10.0	27	1	2	10	14	16	16	16
6-12 YRS	10	15.7	761	4	4	7	8	53	94	94
13-19 YRS	7	10.1	109	<1	1	6	16	28	30	30
TOT. SINGLE DX	15	5.6	12	<1	<1	5	7	9	13	14
" MULTIPLE DX	47	10.7	188	2	3	7	11	18	24	94
TOTAL 0-27 DYS	11	8.8	36	2	3	6	12	19	21	21
1-11 MOS	17	8.2	20	4	5	7	9	13	20	23
1-5 YRS	14	7.9	29	<1	<1	9	12	15	16	16
6-12 YRS	11	14.7	696	4	4	7	8	45	90	94
13-19 YRS	9	8.7	91	<1	1	4	12	25	30	30
GRAND TOTAL	**62**	**9.5**	**149**	**1**	**3**	**7**	**10**	**17**	**22**	**86**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	7	5.6	9	2	2	5	7	10	11	11
1-11 MOS	1	31.0		31	31	31	31	31	31	31
1-5 YRS										
6-12 YRS	2	6.5	13	4	4	6	9	9	9	9
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	7	3.9	15	<1	<1	2	7	10	10	10
" **MULTIPLE DX**	11	7.6	69	1	2	5	9	19	30	31
TOTAL 0-27 DYS	10	4.5	9	2	2	3	6	9	11	11
1-11 MOS	2	20.5	221	10	10	20	31	31	31	31
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	6.5	13	4	4	6	9	9	9	9
13-19 YRS	3	3.7	21	1	1	1	7	9	9	9
GRAND TOTAL	**18**	**6.2**	**50**	**<1**	**1**	**4**	**9**	**11**	**23**	**31**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS	6	4.2	19	<1	<1	3	3	12	13	13
2. MULTIPLE DX										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	3.5	1	2	2	3	4	5	5	5
TOT. SINGLE DX	11	3.5	10	<1	1	3	3	7	13	13
" **MULTIPLE DX**	9	5.0	17	1	1	4	7	12	12	12
TOTAL 0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	4	2.5		2	2	2	3	3	3	3
1-5 YRS	3	5.7	30	2	2	3	10	12	12	12
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	10	3.9	11	<1	1	3	4	9	13	13
GRAND TOTAL	**20**	**4.2**	**13**	**<1**	**1**	**3**	**4**	**12**	**13**	**13**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.0	8	2	2	3	6	8	8	8
1-11 MOS	30	2.1	8	<1	<1	1	2	3	5	17
1-5 YRS	120	1.7		<1	<1	1	2	3	4	5
6-12 YRS	96	2.5	8	<1	1	2	3	4	5	18
13-19 YRS	209	2.9	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
0-27 DYS	5	7.0	16	4	4	6	8	14	14	14
1-11 MOS	37	2.9	10	<1	<1	2	3	6	11	16
1-5 YRS	110	2.2	7	<1	<1	1	2	3	6	18
6-12 YRS	57	2.2	1	<1	1	2	3	4	5	5
13-19 YRS	105	4.5	81	1	1	3	5	8	11	37
TOT. SINGLE DX	459	2.4	5	<1	1	2	3	5	6	12
" **MULTIPLE DX**	314	3.1	16	<1	1	2	3	6	9	19
TOTAL 0-27 DYS	9	5.7	14	2	2	5	7	12	14	14
1-11 MOS	67	2.6	10	<1	<1	2	3	5	8	17
1-5 YRS	230	1.9	4	<1	<1	1	2	3	4	14
6-12 YRS	153	2.4	6	<1	1	2	3	4	5	8
13-19 YRS	314	3.4	14	1	1	3	4	6	8	17
GRAND TOTAL	**773**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**16**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	15	1.6		<1	1	2	2	2	3	3
1-5 YRS	155	1.9	3	<1	<1	2	2	3	4	7
6-12 YRS	136	2.3	2	1	1	2	3	4	5	9
13-19 YRS	383	3.1	5	1	1	3	4	5	7	13
2. MULTIPLE DX										
0-27 DYS	32	5.1	17	2	2	4	5	12	15	19
1-11 MOS	15	1.9	1	<1	<1	2	3	4	4	4
1-5 YRS	140	2.2	3	<1	<1	2	3	4	4	13
6-12 YRS	149	2.6	3	1	1	2	3	4	5	9
13-19 YRS	331	4.1	40	1	1	3	4	7	10	25
TOT. SINGLE DX	690	2.7	5	1	1	2	3	5	6	12
" **MULTIPLE DX**	667	3.4	23	1	1	3	4	5	8	18
TOTAL 0-27 DYS	33	5.5	21	2	2	4	5	15	17	19
1-11 MOS	30	1.8	1	<1	<1	2	2	3	4	4
1-5 YRS	295	2.1	4	<1	<1	2	2	3	4	10
6-12 YRS	285	2.5	3	1	1	2	3	4	5	9
13-19 YRS	714	3.6	22	1	1	3	4	6	8	18
GRAND TOTAL	**1357**	**3.0**	**14**	**1**	**1**	**2**	**3**	**5**	**7**	**16**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	36	1.6		<1	<1	1	2	3	3	5
1-5 YRS	1173	2.1	1	<1	<1	2	3	3	4	7
6-12 YRS	1236	2.2	1	<1	1	2	3	4	4	6
13-19 YRS	985	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	11	6.7	127	1	1	3	7	58	94	99+
1-11 MOS	69	2.1	5	<1	<1	2	2	3	4	17
1-5 YRS	1093	2.2	1	<1	<1	2	3	4	5	7
6-12 YRS	814	2.6	2	<1	1	2	3	5	6	9
13-19 YRS	308	2.8	2	1	1	3	4	5	6	9
TOT. SINGLE DX	3430	2.1	2	<1	1	2	3	4	4	7
" MULTIPLE DX	2295	2.5	3	<1	1	2	3	4	6	9
TOTAL 0-27 DYS	11	6.7	127	1	1	3	7	58	94	99+
1-11 MOS	105	2.0	4	<1	<1	2	2	3	4	12
1-5 YRS	2266	2.1	2	<1	<1	2	3	4	4	7
6-12 YRS	2050	2.4	2	<1	1	2	3	4	5	8
13-19 YRS	1293	2.3	2	1	1	2	3	4	5	8
GRAND TOTAL	**5725**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	1.4		1	1	1	2	2	2	2
1-5 YRS	80	1.8	1	<1	<1	1	2	3	4	7
6-12 YRS	303	1.8	1	<1	1	1	2	3	4	7
13-19 YRS	266	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	9	10.0	222	1	1	5	8	35	48	48
1-11 MOS	6	1.8		1	1	2	2	3	3	3
1-5 YRS	39	2.7	6	<1	<1	2	3	7	9	12
6-12 YRS	126	2.0	5	<1	1	2	2	3	4	12
13-19 YRS	102	3.6	10	1	1	3	4	8	12	16
TOT. SINGLE DX	657	2.0	2	<1	1	2	3	4	4	7
" MULTIPLE DX	282	3.0	16	<1	1	2	3	5	9	17
TOTAL 0-27 DYS	10	9.4	201	1	1	5	5	32	48	48
1-11 MOS	13	1.6		1	1	2	2	3	3	3
1-5 YRS	119	2.1	3	<1	<1	1	2	4	6	11
6-12 YRS	429	1.9	3	<1	1	1	2	3	4	7
13-19 YRS	368	2.7	5	1	1	2	3	4	6	13
GRAND TOTAL	**939**	**2.3**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.0	90	1	1	2	7	23	23	23
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	2.7	1	<1	<1	3	3	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS										
13-19 YRS	8	2.0	3	<1	<1	1	3	5	5	5
TOT. SINGLE DX	12	3.9	37	<1	1	2	3	10	21	23
" MULTIPLE DX	10	2.1	3	<1	<1	1	4	5	5	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.0	64	1	1	2	4	19	23	23
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	14	2.3	2	<1	<1	2	3	5	5	5
GRAND TOTAL	**22**	**3.1**	**22**	**<1**	**<1**	**2**	**3**	**5**	**12**	**23**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	118	1.6	1	<1	<1	1	2	2	3	6
1-5 YRS	460	1.7	1	<1	<1	1	2	3	3	5
6-12 YRS	318	1.9		<1	1	2	2	3	4	5
13-19 YRS	844	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	5	18.8	1254	<1	<1	5	82	98	99+	99+
1-11 MOS	134	2.0	1	<1	<1	2	3	3	4	8
1-5 YRS	476	1.9	1	<1	<1	2	2	3	4	7
6-12 YRS	241	2.3	4	<1	1	2	3	4	5	10
13-19 YRS	330	3.1	8	1	1	3	3	5	6	13
TOT. SINGLE DX	1741	2.1	2	<1	1	2	3	3	4	7
" MULTIPLE DX	1186	2.4	10	<1	<1	2	3	4	5	10
TOTAL 0-27 DYS	6	15.8	1056	<1	<1	3	63	96	99+	99+
1-11 MOS	252	1.8	1	<1	<1	2	2	3	4	8
1-5 YRS	936	1.8	2	<1	<1	2	2	3	3	6
6-12 YRS	559	2.1	3	<1	1	2	2	3	4	9
13-19 YRS	1174	2.6	4	1	1	2	3	4	5	10
GRAND TOTAL	**2927**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	217	2.2	18	<1	<1	1	2	2	4	29
1-5 YRS	799	1.4		<1	<1	1	2	2	2	3
6-12 YRS	426	1.5		<1	<1	1	2	2	2	3
13-19 YRS	327	1.7		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	117	7.9	122	<1	<1	3	10	23	34	47
1-5 YRS	324	1.9	1	<1	<1	2	2	3	4	8
6-12 YRS	161	1.9	1	<1	<1	2	2	3	4	9
13-19 YRS	132	2.7	6	<1	1	2	3	5	7	15
TOT. SINGLE DX	3226	1.6	3	<1	<1	1	2	2	3	6
" MULTIPLE DX	1062	4.1	56	<1	<1	2	3	8	17	42
TOTAL 0-27 DYS										
1-11 MOS	482	3.7	56	<1	<1	1	2	9	20	42
1-5 YRS	2107	2.3	20	<1	<1	1	2	3	6	23
6-12 YRS	968	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	731	2.0	2	<1	<1	2	2	3	4	8
GRAND TOTAL	**4288**	**2.2**	**17**	**<1**	**<1**	**1**	**2**	**3**	**5**	**23**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	26	3.2	1	1	2	3	3	5	6	6
1-11 MOS	15	1.4		<1	<1	1	2	2	3	3
1-5 YRS	174	3.5	8	<1	<1	3	5	8	9	13
6-12 YRS	69	3.1	6	<1	<1	2	5	7	9	9
13-19 YRS	85	3.6	8	<1	1	3	5	8	11	14
2. MULTIPLE DX										
0-27 DYS	74	3.8	6	1	2	3	4	5	7	18
1-11 MOS	14	3.5	17	<1	<1	2	4	10	14	15
1-5 YRS	127	3.5	9	<1	<1	2	4	7	9	17
6-12 YRS	43	4.1	14	<1	1	2	6	11	12	14
13-19 YRS	46	6.8	76	<1	1	3	8	18	28	43
TOT. SINGLE DX	369	3.3	7	<1	<1	2	5	7	9	13
" MULTIPLE DX	304	4.1	21	<1	1	3	5	8	12	25
TOTAL 0-27 DYS	100	3.6	5	1	2	3	4	5	6	16
1-11 MOS	29	2.4	9	<1	<1	1	2	5	10	15
1-5 YRS	301	3.5	9	<1	<1	2	5	8	9	14
6-12 YRS	112	3.5	10	<1	<1	2	5	8	9	13
13-19 YRS	131	4.7	35	<1	1	3	5	10	14	32
GRAND TOTAL	**673**	**3.7**	**14**	**<1**	**<1**	**3**	**5**	**8**	**10**	**17**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	29	4.8	1	3	3	5	6	6	7	8
13-19 YRS	974	5.1	4	2	3	5	6	8	9	12
2. MULTIPLE DX										
0-27 DYS	3	9.0	9	6	6	9	11	12	12	12
1-11 MOS	1	31.0		31	31	31	31	31	31	31
1-5 YRS	5	4.8		4	4	5	5	6	6	6
6-12 YRS	30	5.6	3	2	3	6	7	7	9	10
13-19 YRS	1037	6.1	8	3	3	6	7	9	11	17
TOT. SINGLE DX	1008	5.1	4	2	3	5	6	8	8	12
" MULTIPLE DX	1076	6.1	9	3	3	6	7	9	11	18
TOTAL 0-27 DYS	5	7.0	14	2	2	6	10	12	12	12
1-11 MOS	3	12.0	271	2	2	3	24	31	31	31
1-5 YRS	6	4.5	1	3	3	4	5	6	6	6
6-12 YRS	59	5.2	3	3	3	5	6	7	8	10
13-19 YRS	2011	5.6	7	3	3	5	7	8	10	15
GRAND TOTAL	**2084**	**5.6**	**7**	**3**	**3**	**5**	**6**	**8**	**10**	**15**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	9	4.3	6	1	1	4	5	8	10	10
6-12 YRS	43	6.9	12	3	4	6	8	11	15	18
13-19 YRS	463	5.7	5	3	4	5	6	8	9	13
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	6	6.0	13	1	1	6	7	12	12	12
1-5 YRS	10	5.5	11	2	2	5	7	11	14	14
6-12 YRS	47	6.4	20	3	3	5	8	13	14	27
13-19 YRS	646	6.8	9	4	4	6	8	10	12	18
TOT. SINGLE DX	518	5.8	6	3	4	5	6	8	9	14
" MULTIPLE DX	710	6.7	10	3	4	6	8	10	13	18
TOTAL 0-27 DYS	3	8.7	41	4	4	6	13	16	16	16
1-11 MOS	7	5.9	11	1	2	5	7	11	12	12
1-5 YRS	19	4.9	9	1	2	4	6	9	12	14
6-12 YRS	90	6.6	16	3	3	6	8	12	13	23
13-19 YRS	1109	6.3	8	3	4	6	7	9	11	17
GRAND TOTAL	**1228**	**6.3**	**9**	**3**	**4**	**6**	**7**	**9**	**11**	**17**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	7.5	25	4	4	7	11	11	11	11
13-19 YRS	14	5.6	4	3	3	5	8	8	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	7.5	5	6	6	7	9	9	9	9
13-19 YRS	24	6.7	7	4	4	6	8	10	13	15
TOT. SINGLE DX	17	5.6	6	3	3	5	8	9	10	11
" MULTIPLE DX	26	6.8	7	4	4	6	8	10	13	15
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	7.5	10	4	4	7	10	11	11	11
13-19 YRS	38	6.3	7	3	4	6	8	10	11	15
GRAND TOTAL	**43**	**6.3**	**7**	**3**	**4**	**6**	**8**	**10**	**11**	**15**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	5.3	15	1	2	4	7	12	13	13
13-19 YRS	209	3.0	4	<1	1	2	4	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	5	6.0	16	2	2	4	9	12	12	12
13-19 YRS	274	4.8	7	1	1	5	6	8	10	14
TOT. SINGLE DX	220	3.1	5	<1	1	2	4	6	7	12
" MULTIPLE DX	280	4.8	8	1	1	4	6	9	10	14
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	16	5.5	15	1	2	4	7	12	13	13
13-19 YRS	483	4.0	7	1	1	3	5	7	9	13
GRAND TOTAL	**500**	**4.1**	**8**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	52	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	42	2.0	6	<1	<1	1	2	4	5	16
TOT. SINGLE DX	52	1.5	1	<1	<1	1	2	3	3	3
" MULTIPLE DX	43	2.0	6	<1	<1	1	2	4	5	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	94	1.7	3	<1	<1	1	2	3	4	12
GRAND TOTAL	**95**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**11**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	71	3.0	4	<1	<1	3	4	5	6	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	131	3.8	4	1	2	3	4	7	8	14
TOT. SINGLE DX	72	3.0	4	<1	<1	3	4	5	6	11
" MULTIPLE DX	134	3.8	5	1	2	3	4	7	8	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.5		3	3	3	4	4	4	4
13-19 YRS	202	3.5	5	<1	1	3	4	6	8	12
GRAND TOTAL	206	3.5	5	<1	1	3	4	6	8	12

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS										
6-12 YRS	7	5.6	6	2	2	5	8	9	9	9
13-19 YRS	396	5.0	2	3	3	5	6	7	8	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	5.7	2	4	4	6	7	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	7	5.4	3	3	3	5	6	8	9	9
13-19 YRS	494	5.6	6	3	3	5	6	9	10	14
TOT. SINGLE DX	406	5.0	3	3	3	5	6	7	8	10
" MULTIPLE DX	505	5.6	6	3	3	5	6	9	10	14
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	4.4	5	<1	<1	4	6	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	14	5.5	5	2	3	5	7	9	9	9
13-19 YRS	890	5.3	5	3	3	5	6	8	9	13
GRAND TOTAL	911	5.3	5	3	3	5	6	8	9	13

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	101	2.2	1	<1	1	2	3	3	4	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	87	2.7	27	<1	1	2	3	3	4	34
TOT. SINGLE DX	104	2.2	1	<1	1	2	3	3	4	7
" MULTIPLE DX	88	2.7	27	<1	1	2	3	3	4	34
TOTAL 0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	188	2.4	13	<1	1	2	3	3	4	8
GRAND TOTAL	192	2.4	13	<1	1	2	3	3	4	8

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	3.3	15	<1	<1	1	5	9	9	9
13-19 YRS	85	1.7		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	2.3	3	<1	<1	2	4	5	5	5
13-19 YRS	93	3.1	11	<1	<1	2	3	7	10	66
TOT. SINGLE DX	91	1.7	1	<1	<1	2	2	3	3	7
" MULTIPLE DX	102	3.0	11	<1	<1	2	3	6	9	59
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	10	2.7	7	<1	<1	2	4	7	9	9
13-19 YRS	178	2.4	7	<1	<1	2	3	4	7	21
GRAND TOTAL	193	2.4	6	<1	<1	2	3	4	7	21

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	117	3.2	2	1	1	3	4	6	6	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	58	4.5	9	1	1	4	6	8	12	17
TOT. SINGLE DX	117	3.2	3	1	1	3	4	6	6	8
" MULTIPLE DX	58	4.5	10	1	1	4	6	8	12	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	175	3.6	5	1	1	3	4	6	7	13
GRAND TOTAL	175	3.6	5	1	1	3	4	6	7	13

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	4.0	8	<1	1	3	6	7	10	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS		2.0								
1-5 YRS		10.5	5							
6-12 YRS		8.7	74							
13-19 YRS	48	4.1	7			4	6	8	9	10
TOT. SINGLE DX	43	4.0	9	<1	1	3	6	7	10	13
" MULTIPLE DX	54	4.6	12	<1	1	4	6	9	10	16
TOTAL 0-27 DYS										
1-11 MOS		2.0								
1-5 YRS		10.5	5							
6-12 YRS		8.7	74							
13-19 YRS	91	4.0	8	<1	1	3	6	8	9	12
GRAND TOTAL	97	4.3	10	<1	1	4	6	9	10	16

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS		5.7								
1-11 MOS		6.4								
1-5 YRS		6.0								
6-12 YRS		5.8								
13-19 YRS	25	9.4	53							
2. MULTIPLE DX										
0-27 DYS		7.4								
1-11 MOS		9.4								
1-5 YRS		6.7								
6-12 YRS		7.1								
13-19 YRS	147	8.4	21							
TOT. SINGLE DX	38	6.3	39							
" MULTIPLE DX	194	8.3	20							
TOTAL 0-27 DYS		6.8								
1-11 MOS		8.7								
1-5 YRS		6.6								
6-12 YRS		6.8								
13-19 YRS	172	8.5								
GRAND TOTAL	232	8.3	23							

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	7	5.0	4	2	2	5	6	8	9	9
2. MULTIPLE DX										
0-27 DYS		5.0								
1-11 MOS		6.1								
1-5 YRS		4.5								
6-12 YRS		7.7								
13-19 YRS	28	6.0	8							
TOT. SINGLE DX	8	5.1	4	2	3	5	6	8	9	9
" MULTIPLE DX	41	6.0	7	3	4	5	7	10	14	99+
TOTAL 0-27 DYS		5.0								
1-11 MOS		6.1								
1-5 YRS		4.5								
6-12 YRS		7.7								
13-19 YRS	35	5.8	6							

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	8.0	7	5	5	9	10	10	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS										
TOT. SINGLE DX	3	8.0	7	5	5	9	10	10	10	10
" MULTIPLE DX	1	17.0		17	17	17	17	17	17	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	3	8.0	7	5	5	9	10	10	10	10
GRAND TOTAL	**4**	**10.3**	**25**	**5**	**5**	**9**	**13**	**17**	**17**	**17**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	655	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	146	4.2	75	<1	<1	2	4	8	10	68
TOT. SINGLE DX	656	1.2	1	<1	<1	<1	1	2	2	4
" MULTIPLE DX	146	4.2	75	<1	<1	2	4	8	10	68
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	801	1.7	16	<1	<1	<1	1	3	4	11
GRAND TOTAL	**802**	**1.7**	**15**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**11**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	3	5.3	56	<1	<1	1	11	14	14	14
6-12 YRS	18	1.9	1	<1	<1	2	2	4	5	5
13-19 YRS	6845	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	13	3.7	11	<1	<1	2	5	10	10	10
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	23	3.0	2	<1	1	3	4	5	6	7
13-19 YRS	2975	3.0	7	<1	1	2	4	6	8	13
TOT. SINGLE DX	6873	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	3014	3.0	8	<1	1	2	4	6	8	13
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	18	3.3	9	<1	<1	2	4	9	10	10
1-5 YRS	6	4.2	26	<1	<1	2	5	13	14	14
6-12 YRS	41	2.5	3	<1	1	2	4	5	6	7
13-19 YRS	9820	2.1	4	<1	<1	1	2	4	5	10
GRAND TOTAL	**9887**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	2643	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1025	1.7	14	<1	<1	<1	<1	2	5	13
TOT. SINGLE DX	2656	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	1025	1.7	14	<1	<1	<1	<1	2	5	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	3668	1.3	4	<1	<1	<1	1	1	2	7
GRAND TOTAL	**3681**	**1.3**	**4**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**7**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	3	2.7	8	1	1	1	5	6	6	6
13-19 YRS	1010	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	201	2.3	11	<1	<1	2	3	5	6	8
TOT. SINGLE DX	1014	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	202	2.3	12	<1	<1	2	3	5	6	8
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	2.3	6	1	1	1	4	6	6	6
13-19 YRS	1211	1.6	3	<1	<1	1	2	3	4	7
GRAND TOTAL	1216	1.6	3	<1	<1	1	2	3	4	7

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	4.8	4	1	2	5	6	8	8	8
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	5.5	2	3	3	5	6	7	8	9
TOT. SINGLE DX	8	4.8	5	1	2	5	6	8	8	8
" MULTIPLE DX	22	5.4	2	3	4	5	6	7	8	9
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	29	5.3	3	3	3	5	6	7	8	9
GRAND TOTAL	30	5.2	3	3	3	5	6	7	8	9

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	96	3.3	6	<1	1	2	5	6	8	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	4	5.8	23	2	2	5	9	12	12	12
13-19 YRS	60	4.3	7	1	1	4	6	8	9	13
TOT. SINGLE DX	101	3.2	6	<1	1	2	5	6	8	13
" MULTIPLE DX	69	4.2	8	1	1	4	6	8	9	13
TOTAL 0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	6	2.5	4	<1	<1	2	4	6	6	6
6-12 YRS	6	4.5	18	1	1	3	7	11	12	12
13-19 YRS	156	3.7	7	<1	1	3	5	7	8	13
GRAND TOTAL	170	3.6	7	<1	1	3	5	7	8	13

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	7.7	6	5	5	7	8	12	14	14
1-5 YRS	2	11.0	50	6	6	11	16	16	16	16
6-12 YRS										
13-19 YRS	7	5.0	5	1	2	5	7	8	8	8
TOT. SINGLE DX	5	3.6	2	2	2	3	4	6	6	6
" MULTIPLE DX	19	7.1	11	2	4	7	8	12	15	16
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	7.7	7	5	5	7	8	12	14	14
1-5 YRS	3	8.0	52	2	2	6	13	16	16	16
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	10	4.5	4	1	2	4	5	7	8	8
GRAND TOTAL	24	6.3	11	2	3	6	8	9	15	16

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	5.0	9	2	2	5	7	8	8	8
1-5 YRS	14	2.4	8	<1	<1	1	2	6	10	11
6-12 YRS	34	2.1	4	1	1	1	2	6	6	10
13-19 YRS	137	2.7	8	<1	<1	1	3	7	9	16
2. MULTIPLE DX										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	3	10.3	30	5	5	10	14	16	16	16
1-5 YRS	17	6.1	19	1	1	6	8	11	15	17
6-12 YRS	28	4.0	11	1	1	3	5	8	11	15
13-19 YRS	98	5.7	37	1	1	3	8	13	20	30
TOT. SINGLE DX	189	2.6	8	<1	1	1	3	6	8	15
" MULTIPLE DX	148	5.5	30	1	1	3	8	12	17	24
TOTAL 0-27 DYS	3	4.7	14	2	2	3	7	9	9	9
1-11 MOS	6	7.7	24	2	2	7	10	15	16	16
1-5 YRS	31	4.4	17	<1	1	2	7	11	11	17
6-12 YRS	62	3.0	8	1	1	2	4	6	9	15
13-19 YRS	235	3.9	23	<1	1	2	5	10	13	22
GRAND TOTAL	**337**	**3.9**	**20**	**<1**	**1**	**2**	**5**	**10**	**13**	**21**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	3.2	11	<1	<1	2	4	9	9	9
1-5 YRS	16	1.9	3	<1	<1	1	2	5	6	7
6-12 YRS	20	3.1	10	1	1	2	3	9	11	12
13-19 YRS	409	2.7	5	<1	<1	2	3	6	7	12
2. MULTIPLE DX										
0-27 DYS	32	5.8	107	1	2	3	4	6	35	51
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	11	2.5	8	<1	<1	2	2	6	11	11
6-12 YRS	32	4.4	40	1	1	2	5	10	13	35
13-19 YRS	329	4.8	36	<1	1	3	6	9	12	25
TOT. SINGLE DX	451	2.7	9	<1	<1	2	3	6	8	12
" MULTIPLE DX	406	4.8	42	<1	1	3	6	9	12	36
TOTAL 0-27 DYS	33	5.7	104	1	2	3	4	6	33	51
1-11 MOS	7	4.4	22	<1	<1	2	7	12	13	13
1-5 YRS	27	2.1	5	<1	<1	1	2	5	8	11
6-12 YRS	52	3.9	29	1	1	2	4	10	12	35
13-19 YRS	738	3.6	21	<1	<1	2	4	8	10	17
GRAND TOTAL	**857**	**3.7**	**24**	**<1**	**<1**	**2**	**4**	**8**	**10**	**19**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	4.3	18	2	2	3	3	12	13	13
1-11 MOS	10	1.6		<1	<1	1	2	3	3	3
1-5 YRS	41	2.6	4	<1	<1	2	4	6	7	10
6-12 YRS	37	2.6	3	1	1	2	3	4	6	10
13-19 YRS	465	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	5	5.0	5	3	3	4	7	8	8	8
1-11 MOS	7	3.9	2	1	1	4	5	6	6	6
1-5 YRS	49	2.4	3	<1	<1	2	3	5	7	7
6-12 YRS	22	4.7	19	1	1	4	5	10	16	19
13-19 YRS	214	3.6	8	1	1	3	4	7	9	17
TOT. SINGLE DX	559	2.3	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	297	3.5	9	1	1	3	4	7	9	17
TOTAL 0-27 DYS	11	4.6	11	2	2	3	6	10	13	13
1-11 MOS	17	2.5	3	<1	<1	2	4	5	6	6
1-5 YRS	90	2.5	4	<1	<1	2	3	5	7	9
6-12 YRS	59	3.4	10	1	1	2	4	6	10	19
13-19 YRS	679	2.7	5	<1	1	2	3	5	6	12
GRAND TOTAL	**856**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	1.9		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	2.3	1	1	1	2	3	4	4	4
TOT. SINGLE DX	11	2.0	1	<1	<1	2	3	3	3	3
" MULTIPLE DX	6	2.2	1	1	1	2	3	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	14	2.0	1	<1	1	2	2	3	4	4
GRAND TOTAL	**17**	**2.1**	**1**	**<1**	**1**	**2**	**3**	**3**	**4**	**4**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	48	1.4		<1	<1	1	2	3	3	5
6-12 YRS	68	1.4		<1	<1	1	2	2	4	5
13-19 YRS	50	3.3	12	1	1	3	4	5	6	26
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	7.5	13	5	5	7	10	10	10	10
1-5 YRS	20	2.6	5	<1	<1	2	4	6	7	8
6-12 YRS	31	2.4	4	1	1	1	4	5	6	10
13-19 YRS	32	4.3	29	1	1	3	4	10	21	24
TOT. SINGLE DX	168	2.0	5	<1	<1	1	2	4	4	7
" MULTIPLE DX	86	3.2	15	<1	1	2	4	7	10	23
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	4.5	16	<1	<1	3	7	10	10	10
1-5 YRS	68	1.8	2	<1	<1	1	2	3	5	8
6-12 YRS	99	1.7	2	<1	1	1	2	4	5	8
13-19 YRS	82	3.6	19	1	1	3	4	6	10	25
GRAND TOTAL	**254**	**2.4**	**9**	**<1**	**<1**	**1**	**3**	**5**	**6**	**22**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	2.5	9	<1	<1	<1	4	7	7	7
1-5 YRS	12	2.3	7	<1	<1	1	2	6	9	10
6-12 YRS	13	1.7		<1	<1	1	2	3	4	4
13-19 YRS	8	4.0	6	1	1	3	6	8	8	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	12	1.9	1	<1	<1	1	3	4	5	5
6-12 YRS	7	2.7	5	1	1	2	4	6	7	7
13-19 YRS	16	8.4	511	<1	<1	3	4	6	67	93
TOT. SINGLE DX	37	2.5	5	<1	<1	1	3	7	8	10
" MULTIPLE DX	37	4.9	224	<1	<1	2	4	5	7	93
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	2.6	7	<1	<1	<1	4	7	7	7
1-5 YRS	24	2.1	4	<1	<1	1	3	5	7	10
6-12 YRS	20	2.1	2	<1	<1	2	3	4	6	7
13-19 YRS	24	6.9	340	<1	1	3	4	8	34	93
GRAND TOTAL	**74**	**3.7**	**115**	**<1**	**<1**	**2**	**3**	**5**	**8**	**73**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.2		2	2	3	4	4	4	4
13-19 YRS	7608	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	37	1	1	2	9	12	12	12
13-19 YRS	5981	3.4	4	2	2	3	4	5	6	10
TOT. SINGLE DX	7613	2.9	2	1	2	3	3	4	4	6
" MULTIPLE DX	5984	3.4	4	2	2	3	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	3.9	12	1	1	3	4	10	12	12
13-19 YRS	13589	3.1	3	2	2	3	4	4	5	8
GRAND TOTAL	**13597**	**3.1**	**3**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	106	2.8	1	1	1	3	3	4	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	222	3.1	11	1	1	3	3	5	6	14
TOT. SINGLE DX	106	2.8	1	1	1	3	3	4	5	5
" MULTIPLE DX	222	3.1	11	1	1	3	3	5	6	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	328	3.0	8	1	1	3	3	4	5	14
GRAND TOTAL	**328**	**3.0**	**8**	**1**	**1**	**3**	**3**	**4**	**5**	**14**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1308	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1691	3.4	3	2	2	3	4	5	6	9
TOT. SINGLE DX	1309	2.9	1	1	2	3	3	4	4	6
" MULTIPLE DX	1691	3.4	4	2	2	3	4	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2999	3.2	3	1	2	3	4	4	5	8
GRAND TOTAL	**3000**	**3.2**	**3**	**1**	**2**	**3**	**4**	**4**	**5**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	2.4	1	1	1	2	3	4	5	5
13-19 YRS	46453	2.7	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.4		3	3	3	4	5	5	5
13-19 YRS	13082	3.2	5	1	2	3	4	5	6	11
TOT. SINGLE DX	46474	2.7	1	1	1	3	3	4	4	6
" MULTIPLE DX	13089	3.2	5	1	2	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	28	2.6	1	1	1	3	3	4	5	5
13-19 YRS	59535	2.8	2	1	2	3	3	4	5	7
GRAND TOTAL	**59563**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	5062	5.3	2	3	4	5	6	7	8	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	7.3	3	5	5	7	9	10	10	10
13-19 YRS	11422	6.1	10	4	4	5	7	8	11	18
TOT. SINGLE DX	5063	5.3	3	3	4	5	6	7	8	11
" MULTIPLE DX	11429	6.1	11	4	4	5	7	8	11	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	7.3	3	5	5	7	8	10	10	10
13-19 YRS	16484	5.9	8	3	4	5	6	8	10	16
GRAND TOTAL	**16492**	**5.9**	**8**	**3**	**4**	**5**	**6**	**8**	**10**	**16**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	388	5.2	2	3	4	5	6	7	8	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	553	6.5	15	3	4	6	7	10	11	24
TOT. SINGLE DX	388	5.2	2	3	4	5	6	7	8	11
" MULTIPLE DX	553	6.5	15	3	4	6	7	10	11	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	941	6.0	10	3	4	5	6	9	10	16
GRAND TOTAL	**941**	**6.0**	**10**	**3**	**4**	**5**	**6**	**9**	**10**	**16**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	4.7	2	2	3	4	6	7	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	5.7	12	2	3	4	7	12	13	13
TOT. SINGLE DX	19	4.7	2	2	3	4	6	7	8	8
" MULTIPLE DX	12	5.7	12	2	3	4	7	12	13	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	5.1	6	2	3	4	6	8	11	13
GRAND TOTAL	31	5.1	6	2	3	4	6	8	11	13

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	1.8	1	1	1	2	2	4	5	5
13-19 YRS	2501	1.5		1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	1	1	1	2	2	4	4	4
13-19 YRS	396	2.1	1	1	1	2	2	3	4	7
TOT. SINGLE DX	2513	1.6	1	1	1	1	2	2	3	4
" MULTIPLE DX	401	2.1	1	1	1	2	2	3	4	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	17	1.9	1	1	1	2	2	4	5	5
13-19 YRS	2897	1.6	1	1	1	1	2	2	3	5
GRAND TOTAL	2914	1.6	1	1	1	1	2	2	3	5

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	201	4.2	21	<1	<1	3	5	8	13	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	170	5.3	30	1	1	4	6	10	16	32
TOT. SINGLE DX	201	4.2	22	<1	<1	3	5	8	13	20
" MULTIPLE DX	170	5.3	30	1	1	4	6	10	16	32
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	371	4.7	26	<1	1	3	6	9	15	32
GRAND TOTAL	371	4.7	26	<1	1	3	6	9	15	32

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		—	—	—	1	1	1	1
13-19 YRS	3948	2.3	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	1	—	2	3	4	4	4	6
13-19 YRS	1696	3.1	6	<1	1	3	4	5	6	12
TOT. SINGLE DX	3950	2.3	2	<1	<1	2	3	4	4	7
" MULTIPLE DX	1699	3.1	6	<1	1	3	4	5	6	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	1	—	—	2	3	4	4	4
13-19 YRS	5644	2.5	3	<1	<1	2	3	4	5	8
GRAND TOTAL	5649	2.5	3	<1	<1	2	3	4	5	8

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.8		1	1	3	3	4	4	4
13-19 YRS	6339	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	8.0	151	2	2	3	10	30	30	30
13-19 YRS	5681	3.0	3	1	2	3	3	4	5	9
TOT. SINGLE DX	6347	2.6	2	1	1	3	3	4	4	5
" MULTIPLE DX	5686	3.0	3	1	2	3	3	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	4.8	58	1	2	3	3	9	26	30
13-19 YRS	12020	2.8	2	1	2	3	3	4	5	7
GRAND TOTAL	**12033**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	4.1	17	<1	<1	2	5	11	14	16
6-12 YRS	30	3.2	9	<1	<1	2	3	7	8	15
13-19 YRS	93	3.4	5	1	1	3	4	6	9	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	10.1	325	1	1	2	10	42	53	53
6-12 YRS	19	2.6	3	<1	<1	2	3	5	7	9
13-19 YRS	79	3.7	3	1	2	3	4	6	8	11
TOT. SINGLE DX	144	3.5	8	<1	1	3	4	7	10	15
" MULTIPLE DX	106	4.0	28	1	1	3	4	6	9	32
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	29	5.8	101	<1	<1	2	5	14	18	53
6-12 YRS	49	3.0	7	<1	<1	2	3	7	8	15
13-19 YRS	172	3.5	4	1	1	3	4	6	8	11
GRAND TOTAL	**250**	**3.7**	**16**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	5	6.2	12	3	3	5	8	12	12	12
1-5 YRS	13	5.2	4	3	3	5	6	9	11	11
6-12 YRS	37	5.4	14	2	2	4	6	12	12	18
13-19 YRS	1307	3.6	1	2	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	6.6	15	2	2	5	8	13	14	14
1-5 YRS	23	11.6	91	1	2	8	18	28	31	32
6-12 YRS	32	6.5	26	2	2	5	6	13	17	23
13-19 YRS	1153	4.1	7	2	3	4	4	6	7	11
TOT. SINGLE DX	1363	3.7	2	2	2	4	4	5	6	9
" MULTIPLE DX	1216	4.3	11	2	3	4	5	6	8	16
TOTAL 0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	12	6.4	13	2	3	5	8	13	14	14
1-5 YRS	36	9.3	69	2	3	6	10	25	29	32
6-12 YRS	69	5.9	20	2	2	4	8	12	14	22
13-19 YRS	2460	3.9	5	2	2	4	4	5	6	9
GRAND TOTAL	**2579**	**4.0**	**7**	**2**	**2**	**4**	**4**	**6**	**7**	**12**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	34	2.2	2	<1	<1	2	2	4	6	6
6-12 YRS	120	2.4	2	1	1	2	3	4	6	10
13-19 YRS	438	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	4.7	10	1	1	6	7	7	7	7
1-5 YRS	43	5.9	90	1	1	3	6	10	20	57
6-12 YRS	164	3.7	32	1	1	3	4	6	8	29
13-19 YRS	570	5.0	46	1	1	3	5	9	13	34
TOT. SINGLE DX	592	2.6	3	1	1	2	3	5	6	10
" MULTIPLE DX	780	4.8	46	1	1	3	5	8	12	34
TOTAL 0-27 DYS										
1-11 MOS	3	4.7	10	1	1	6	7	7	7	7
1-5 YRS	77	4.2	54	<1	1	2	4	7	10	50
6-12 YRS	284	3.2	20	1	1	2	3	6	7	11
13-19 YRS	1008	4.0	29	1	1	3	4	7	10	31
GRAND TOTAL	**1372**	**3.8**	**29**	**1**	**1**	**3**	**4**	**7**	**10**	**32**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	3.3	13	<1	<1	2	3	8	13	14
6-12 YRS	39	2.6	4	<1	1	2	3	5	8	9
13-19 YRS	443	3.1	4	1	1	3	4	5	6	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	19	6.7	64	1	1	6	7	10	26	38
6-12 YRS	117	6.3	55	1	1	4	7	13	21	41
13-19 YRS	744	6.3	55	1	2	4	7	13	19	39
TOT. SINGLE DX	494	3.0	5	1	1	3	4	5	7	13
" MULTIPLE DX	882	6.3	56	1	2	4	7	13	19	40
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	31	5.4	47	1	1	3	7	9	14	38
6-12 YRS	156	5.4	45	1	1	4	6	9	17	40
13-19 YRS	1187	5.1	39	1	2	3	6	10	15	30
GRAND TOTAL	1376	5.1	40	1	1	3	6	10	15	34

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	2.3		2	2	2	3	3	3	3
1-5 YRS	4	3.3	15	<1	<1	1	5	9	9	9
6-12 YRS	24	4.1	6	1	2	4	5	7	10	12
13-19 YRS	49	4.0	10	1	1	3	5	8	12	15
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	8.3	126	2	2	4	7	29	31	31
1-5 YRS	7	7.6	32	2	2	6	12	16	17	17
6-12 YRS	13	3.2	1	1	2	3	4	4	5	5
13-19 YRS	58	4.9	14	1	1	4	6	8	10	24
TOT. SINGLE DX	85	3.8	9	1	1	3	5	7	12	14
" MULTIPLE DX	85	5.1	22	1	2	4	6	8	14	29
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	14	4.9	59	2	2	2	4	9	26	31
1-5 YRS	11	6.0	28	<1	1	4	8	15	17	17
6-12 YRS	37	3.8	5	1	2	3	4	6	8	12
13-19 YRS	107	4.5	13	1	1	4	6	8	12	19
GRAND TOTAL	170	4.5	16	1	1	3	6	8	12	23

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	6.8	26	2	3	5	9	14	20	20
1-5 YRS	279	5.9	39	2	2	4	6	11	19	36
6-12 YRS	560	6.7	53	1	2	4	7	14	21	42
13-19 YRS	846	5.1	32	1	1	4	6	9	15	28
2. MULTIPLE DX										
0-27 DYS	2	11.5	181	2	2	11	21	21	21	21
1-11 MOS	17	15.8	134	<1	2	14	25	26	37	43
1-5 YRS	228	7.7	100	2	3	5	7	15	30	50
6-12 YRS	461	8.4	111	2	2	5	9	17	27	62
13-19 YRS	600	7.2	69	1	2	5	8	15	22	45
TOT. SINGLE DX	1696	5.8	41	1	2	4	6	11	18	36
" MULTIPLE DX	1308	7.8	91	2	2	5	8	16	26	48
TOTAL 0-27 DYS	2	11.5	181	2	2	11	21	21	21	21
1-11 MOS	28	12.3	109	1	2	9	21	26	28	43
1-5 YRS	507	6.7	67	2	2	4	6	13	21	46
6-12 YRS	1021	7.5	80	1	2	5	8	15	23	45
13-19 YRS	1446	5.9	48	1	1	4	7	12	18	39
GRAND TOTAL	3004	6.7	64	1	2	4	7	13	21	44

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	5	3.2	1	2	2	3	4	5	5	5
6-12 YRS	63	3.5	2	2	2	3	4	5	6	8
13-19 YRS	798	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	7	3.6	1	2	2	4	5	5	5	5
1-5 YRS	6	4.3	4	2	2	4	5	8	8	8
6-12 YRS	75	3.8	3	1	2	3	5	7	7	10
13-19 YRS	885	3.7	3	1	2	3	5	6	7	10
TOT. SINGLE DX	869	3.3	2	1	2	3	4	5	6	8
" MULTIPLE DX	973	3.8	4	1	2	3	5	6	7	10
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	3.3	2	2	2	3	4	5	5	5
1-5 YRS	11	3.8	3	2	2	3	5	6	8	8
6-12 YRS	138	3.7	3	1	2	3	4	6	7	10
13-19 YRS	1683	3.5	3	1	2	3	4	5	6	9
GRAND TOTAL	1842	3.6	3	1	2	3	4	5	6	9

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.8	4	<1	<1	2	4	6	6	6
1-11 MOS	24	6.1	56	1	1	3	7	14	26	32
1-5 YRS	265	5.9	62	1	1	3	6	14	23	42
6-12 YRS	1198	4.0	26	1	1	3	4	7	10	32
13-19 YRS	3531	3.5	16	1	1	3	4	6	9	22
2. MULTIPLE DX										
0-27 DYS	7	18.3	702	3	3	5	25	65	74	74
1-11 MOS	19	14.3	198	1	2	11	22	40	43	44
1-5 YRS	133	8.3	95	1	1	4	10	22	29	44
6-12 YRS	420	9.0	127	1	2	4	10	25	33	53
13-19 YRS	1687	7.1	121	1	1	3	6	17	31	62
TOT. SINGLE DX	5023	3.8	22	1	1	3	4	6	10	27
" MULTIPLE DX	2266	7.6	124	1	1	3	7	20	32	58
TOTAL 0-27 DYS	12	11.8	448	<1	1	4	6	44	70	74
1-11 MOS	43	9.7	133	1	2	4	14	26	39	44
1-5 YRS	398	6.7	75	1	1	3	7	18	25	42
6-12 YRS	1618	5.3	57	1	1	3	5	10	22	41
13-19 YRS	5218	4.7	53	1	1	3	4	8	16	44
GRAND TOTAL	**7289**	**5.0**	**57**	**1**	**1**	**3**	**4**	**9**	**18**	**44**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	24	4.8	25	1	2	3	5	11	17	24
1-5 YRS	105	9.7	85	1	1	5	17	23	28	34
6-12 YRS	624	8.0	88	1	2	5	8	18	27	48
13-19 YRS	1121	5.5	38	1	2	4	6	10	15	37
2. MULTIPLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.5	8	1	1	3	4	8	9	9
1-5 YRS	76	9.8	90	2	2	5	15	23	26	44
6-12 YRS	315	9.8	155	2	2	5	10	25	39	69
13-19 YRS	538	8.8	127	2	2	5	9	20	31	62
TOT. SINGLE DX	1874	6.5	59	1	2	4	7	14	21	39
" MULTIPLE DX	937	9.2	133	2	2	5	10	23	33	64
TOTAL 0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	30	4.5	22	1	2	3	5	10	14	24
1-5 YRS	181	9.8	87	1	2	5	16	23	28	41
6-12 YRS	939	8.6	111	1	2	5	9	21	31	58
13-19 YRS	1659	6.6	70	1	2	4	7	13	21	47
GRAND TOTAL	**2811**	**7.4**	**85**	**1**	**2**	**4**	**8**	**17**	**26**	**48**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	13	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	178	2.8	16	<1	<1	2	3	5	15	21
6-12 YRS	493	3.6	40	<1	<1	2	3	5	12	37
13-19 YRS	2254	2.8	12	<1	<1	2	3	4	6	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	16	3.6	12	<1	<1	2	7	8	11	12
1-5 YRS	159	3.0	17	<1	<1	2	3	5	8	27
6-12 YRS	372	4.8	50	1	1	3	4	8	18	39
13-19 YRS	855	4.7	50	1	1	3	5	8	12	47
TOT. SINGLE DX	2939	2.9	17	<1	<1	2	3	4	6	22
" MULTIPLE DX	1402	4.5	47	<1	1	3	4	8	13	43
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	5	6
1-11 MOS	29	2.7	8	<1	<1	1	3	8	9	12
1-5 YRS	337	2.9	17	<1	<1	2	3	5	13	22
6-12 YRS	865	4.1	45	<1	<1	2	4	7	14	38
13-19 YRS	3109	3.3	24	<1	1	2	3	5	7	26
GRAND TOTAL	**4341**	**3.4**	**27**	**<1**	**1**	**2**	**3**	**6**	**8**	**29**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	11.0	129	3	3	6	19	24	24	24
1-5 YRS	67	16.4	128	2	3	18	25	30	33	53
6-12 YRS	148	19.8	180	3	4	20	29	40	43	46
13-19 YRS	174	12.8	139	2	3	9	15	31	39	56
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	30	21.2	82	2	5	23	27	32	34	35
6-12 YRS	85	26.9	251	4	6	25	34	50	58	74
13-19 YRS	192	21.6	251	5	7	16	29	46	59	72
TOT. SINGLE DX	392	16.0	162	2	3	12	24	35	41	52
" MULTIPLE DX	309	23.0	238	5	7	20	30	45	56	72
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	4	12.5	95	3	3	11	20	24	24	24
1-5 YRS	97	17.9	119	2	3	20	26	30	33	47
6-12 YRS	233	22.4	217	3	4	22	32	41	45	64
13-19 YRS	366	17.4	217	3	4	13	22	40	50	68
GRAND TOTAL	**701**	**19.1**	**207**	**3**	**4**	**16**	**27**	**39**	**46**	**66**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	22.0		22	22	22	22	22	22	22
1-11 MOS	8	15.4	58	5	7	13	20	27	28	28
1-5 YRS	20	11.0	69	2	3	7	17	25	27	28
6-12 YRS	145	9.8	105	2	3	7	11	19	29	59
13-19 YRS	408	10.4	41	3	4	9	13	19	23	30
2. MULTIPLE DX										
0-27 DYS	3	16.0	21	11	11	17	19	20	20	20
1-11 MOS	12	15.0	17	11	11	14	16	23	24	24
1-5 YRS	27	18.2	185	3	4	16	23	41	46	53
6-12 YRS	81	14.5	140	4	5	10	16	29	44	54
13-19 YRS	589	18.8	178	5	7	15	23	37	48	77
TOT. SINGLE DX	583	10.4	59	3	4	9	13	19	24	48
" MULTIPLE DX	712	18.2	173	5	6	14	22	36	48	69
TOTAL 0-27 DYS	5	18.4	21	11	11	20	22	22	22	22
1-11 MOS	20	15.2	32	8	11	14	17	24	26	28
1-5 YRS	47	15.1	147	2	4	12	20	33	42	53
6-12 YRS	226	11.5	123	3	3	8	13	25	38	57
13-19 YRS	997	15.4	139	4	5	12	19	29	41	66
GRAND TOTAL	**1295**	**14.7**	**137**	**3**	**4**	**12**	**18**	**28**	**40**	**64**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	50	7.0	46	<1	1	4	12	17	22	23
1-5 YRS	374	9.7	87	1	1	5	18	23	26	34
6-12 YRS	272	14.6	188	1	2	9	24	33	44	53
13-19 YRS	239	11.0	170	1	2	6	13	30	44	55
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	22	11.9	72	2	3	9	19	22	28	30
1-5 YRS	139	12.4	96	1	2	11	19	26	32	49
6-12 YRS	156	20.4	301	2	3	18	30	44	55	72
13-19 YRS	175	23.1	363	3	4	18	33	54	67	99+
TOT. SINGLE DX	936	11.3	141	1	1	6	18	27	35	53
" MULTIPLE DX	492	18.7	275	2	3	15	27	44	55	85
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	72	8.5	59	1	1	6	14	20	22	29
1-5 YRS	513	10.4	91	1	1	7	18	24	27	38
6-12 YRS	428	16.7	236	2	2	11	26	38	49	63
13-19 YRS	414	16.1	287	1	2	9	24	45	54	81
GRAND TOTAL	**1428**	**13.9**	**199**	**1**	**2**	**8**	**21**	**32**	**44**	**64**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.2	19	1	1	1	4	11	11	11
1-5 YRS	234	5.6	38	1	1	2	8	15	18	27
6-12 YRS	549	5.1	50	1	1	2	5	15	20	30
13-19 YRS	634	3.4	26	<1	1	2	4	6	10	28
2. MULTIPLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	45	7.8	71	1	1	4	12	20	25	36
6-12 YRS	151	9.2	92	1	1	5	15	21	24	49
13-19 YRS	258	9.0	194	1	1	4	9	20	39	84
TOT. SINGLE DX	1422	4.4	38	<1	1	2	4	12	17	28
" MULTIPLE DX	457	8.9	147	1	1	4	10	21	30	63
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	6	3.7	17	1	1	2	6	10	11	11
1-5 YRS	279	6.0	44	1	1	3	10	15	19	28
6-12 YRS	700	6.0	62	1	1	2	7	18	21	34
13-19 YRS	892	5.0	81	<1	1	2	5	10	17	50
GRAND TOTAL	**1879**	**5.5**	**68**	**1**	**1**	**2**	**6**	**15**	**20**	**42**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	4.3	16	1	1	2	6	11	12	12
1-5 YRS	404	2.6	3	1	1	2	3	5	7	10
6-12 YRS	1443	2.9	6	1	1	2	4	5	7	12
13-19 YRS	4513	3.5	11	1	1	3	4	6	8	16
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	10.4	231	1	1	5	11	36	49	49
1-5 YRS	144	5.3	59	1	1	3	6	9	18	46
6-12 YRS	490	5.4	56	1	1	3	6	10	16	37
13-19 YRS	2211	7.3	89	1	2	4	8	15	25	55
TOT. SINGLE DX	6369	3.3	10	1	1	3	4	6	8	15
" MULTIPLE DX	2855	6.9	83	1	1	4	7	14	24	52
TOTAL 0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	17	7.5	133	1	1	4	9	15	37	49
1-5 YRS	548	3.3	20	1	1	2	4	6	8	21
6-12 YRS	1933	3.6	20	1	1	3	4	6	9	23
13-19 YRS	6724	4.8	40	1	1	3	5	9	13	38
GRAND TOTAL	**9224**	**4.4**	**35**	**1**	**1**	**3**	**5**	**8**	**12**	**33**

713: Other reduction of fracture without internal fixation, except maxillo-facial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	29	3.5	38	<1	<1	2	3	5	12	34
1-5 YRS	1930	2.1	8	<1	1	1	2	4	6	18
6-12 YRS	6477	2.1	6	<1	1	1	2	4	5	16
13-19 YRS	4024	2.6	11	<1	1	2	3	5	7	15
2. MULTIPLE DX										
0-27 DYS	9	6.1	63	2	2	4	5	19	27	27
1-11 MOS	14	6.5	38	1	1	4	10	18	20	20
1-5 YRS	348	4.9	51	1	1	2	5	13	18	31
6-12 YRS	1318	4.4	46	1	1	2	4	10	17	37
13-19 YRS	1718	6.2	79	1	1	3	7	14	22	49
TOT. SINGLE DX	12463	2.3	9	<1	1	1	2	4	6	17
" MULTIPLE DX	3407	5.4	64	1	1	3	6	12	20	44
TOTAL 0-27 DYS	12	4.9	51	1	1	3	5	12	25	27
1-11 MOS	43	4.5	40	<1	1	2	4	10	19	34
1-5 YRS	2278	2.6	16	<1	1	1	2	5	9	21
6-12 YRS	7795	2.5	14	<1	1	1	2	4	7	21
13-19 YRS	5742	3.7	34	1	1	2	4	7	12	32
GRAND TOTAL	**15870**	**2.9**	**22**	**<1**	**1**	**2**	**3**	**6**	**9**	**24**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	5.0	33	1	1	2	9	14	15	15
1-11 MOS	130	10.0	70	1	1	9	14	19	24	38
1-5 YRS	138	6.4	63	<1	<1	3	9	17	22	37
6-12 YRS	233	2.5	7	<1	1	1	3	6	9	14
13-19 YRS	431	2.7	12	<1	1	1	3	5	9	20
2. MULTIPLE DX										
0-27 DYS	31	4.3	10	2	2	3	5	7	8	19
1-11 MOS	27	10.9	56	<1	2	11	14	21	25	30
1-5 YRS	35	11.1	175	<1	1	6	19	24	39	60
6-12 YRS	82	7.7	262	1	1	2	5	23	39	91
13-19 YRS	254	7.3	96	1	1	4	9	19	23	52
TOT. SINGLE DX	938	4.2	34	<1	1	2	4	12	16	28
" MULTIPLE DX	429	7.7	127	1	1	3	9	20	26	56
TOTAL 0-27 DYS	37	4.4	13	1	2	3	5	8	13	19
1-11 MOS	157	10.1	68	1	1	9	14	19	24	33
1-5 YRS	173	7.3	89	<1	<1	3	10	20	25	44
6-12 YRS	315	3.9	79	<1	1	2	3	7	13	46
13-19 YRS	685	4.4	48	<1	1	2	4	11	18	29
GRAND TOTAL	**1367**	**5.3**	**66**	**<1**	**1**	**2**	**6**	**14**	**20**	**36**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	40	7.9	56	2	2	5	10	19	24	33
1-5 YRS	79	6.2	35	1	2	4	7	13	19	32
6-12 YRS	93	2.8	15	1	1	2	3	6	9	25
13-19 YRS	427	3.1	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	31	13.8	151	2	3	7	23	31	38	44
1-5 YRS	46	9.4	81	2	2	6	11	25	28	39
6-12 YRS	54	5.1	14	1	1	4	7	11	14	17
13-19 YRS	129	5.5	51	1	1	3	6	10	16	43
TOT. SINGLE DX	639	3.7	15	1	1	3	4	6	10	22
" MULTIPLE DX	261	7.2	72	1	1	4	7	19	26	42
TOTAL 0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	71	10.5	105	2	2	5	19	25	33	43
1-5 YRS	125	7.4	55	1	2	5	8	19	25	35
6-12 YRS	147	3.6	16	1	1	2	4	8	12	22
13-19 YRS	556	3.6	16	1	1	3	4	6	9	19
GRAND TOTAL	**900**	**4.7**	**34**	**1**	**1**	**3**	**5**	**9**	**16**	**33**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	153	5.4	37	1	2	3	5	14	18	28
1-5 YRS	300	6.3	46	1	1	4	7	16	21	32
6-12 YRS	353	4.5	31	<1	1	3	5	9	15	30
13-19 YRS	2039	2.9	7	1	1	2	3	5	6	16
2. MULTIPLE DX										
0-27 DYS	8	16.9	129	1	2	21	29	72	99+	99+
1-11 MOS	97	10.8	88	2	3	7	15	26	29	43
1-5 YRS	211	8.9	59	2	2	5	14	21	24	30
6-12 YRS	227	8.8	106	1	1	4	11	26	33	42
13-19 YRS	1179	4.3	46	1	1	3	4	7	13	40
TOT. SINGLE DX	2847	3.6	18	1	1	2	4	6	11	24
" MULTIPLE DX	1722	5.9	65	1	1	3	5	15	23	41
TOTAL 0-27 DYS	10	14.3	130	1	2	14	28	58	96	99+
1-11 MOS	250	7.5	64	1	2	4	11	19	27	33
1-5 YRS	511	7.4	53	1	2	4	10	19	23	31
6-12 YRS	580	6.2	65	<1	1	3	6	16	26	39
13-19 YRS	3218	3.4	23	1	1	2	4	5	8	25
GRAND TOTAL	**4569**	**4.5**	**37**	**1**	**1**	**3**	**4**	**9**	**16**	**32**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	9	13.4	149	5	5	9	15	35	42	42
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	17	10.5	60	4	4	5	20	22	23	23
13-19 YRS	366	7.7	24	2	3	6	10	14	20	27
2. MULTIPLE DX										
0-27 DYS	2	18.5	61	13	13	18	24	24	24	24
1-11 MOS	7	11.9	45	3	3	10	19	20	20	20
1-5 YRS	4	5.8	13	3	3	4	8	11	11	11
6-12 YRS	7	14.9	46	8	8	13	21	25	25	25
13-19 YRS	116	12.5	131	3	4	9	15	28	37	57
TOT. SINGLE DX	396	7.9	29	3	3	6	10	14	21	30
" MULTIPLE DX	136	12.5	119	3	4	9	15	26	35	54
TOTAL 0-27 DYS	4	10.8	100	3	3	8	18	24	24	24
1-11 MOS	16	12.8	98	4	5	10	17	24	37	42
1-5 YRS	6	5.0	9	3	3	4	5	10	11	11
6-12 YRS	24	11.8	58	4	4	10	20	23	24	25
13-19 YRS	482	8.9	54	3	3	7	11	17	23	48
GRAND TOTAL	**532**	**9.1**	**56**	**3**	**3**	**7**	**11**	**18**	**23**	**44**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	3	2.7	1	2	2	3	52	99+	99+	99+
1-5 YRS	4	5.8	1	4	4	6	7	7	7	7
6-12 YRS	79	2.8	2	<1	1	2	4	5	6	8
13-19 YRS	2610	2.5	2	<1	1	2	3	5	5	8
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	2.3	1	1	1	2	3	4	4	4
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	36	2.6	2	1	1	2	3	4	6	9
13-19 YRS	1962	2.9	7	<1	1	2	4	5	6	12
TOT. SINGLE DX	2696	2.5	2	<1	1	2	3	5	5	8
" MULTIPLE DX	2012	2.9	7	1	1	2	4	5	6	11
TOTAL 0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	13	2.4	1	1	1	2	4	14	81	99+
1-5 YRS	7	4.1	5	1	1	4	6	7	7	7
6-12 YRS	115	2.7	3	<1	1	2	3	5	6	9
13-19 YRS	4572	2.7	4	<1	1	2	3	5	6	9
GRAND TOTAL	**4710**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	20	7.9	87	<1	1	3	12	25	30	31
1-5 YRS	85	5.3	86	<1	1	2	5	12	20	58
6-12 YRS	453	3.0	19	<1	<1	2	3	5	8	23
13-19 YRS	4294	2.3	5	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	4	7.0	12	4	4	6	9	12	12	12
1-11 MOS	16	8.9	51	<1	1	6	15	20	21	21
1-5 YRS	40	10.0	115	1	1	4	15	26	33	43
6-12 YRS	170	5.9	65	1	1	3	6	18	26	32
13-19 YRS	2262	3.0	18	<1	1	2	3	5	7	20
TOT. SINGLE DX	4853	2.4	8	<1	<1	2	3	4	5	13
" MULTIPLE DX	2492	3.4	25	<1	1	2	3	6	10	27
TOTAL 0-27 DYS	5	6.0	15	2	2	5	8	12	12	12
1-11 MOS	36	8.4	70	<1	1	4	14	21	27	31
1-5 YRS	125	6.8	100	<1	1	3	8	19	26	51
6-12 YRS	623	3.8	30	<1	<1	2	3	7	14	29
13-19 YRS	6556	2.5	10	<1	1	2	3	4	6	14
GRAND TOTAL	**7345**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**6**	**19**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS										
1-5 YRS	17	12.7	99	5	5	10	15	17	37	48
6-12 YRS	170	11.5	37	5	7	10	12	17	24	39
13-19 YRS	596	11.5	30	6	7	10	13	17	19	32
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	8.0	18	5	5	8	11	11	11	11
1-5 YRS	41	10.6	47	4	4	9	12	18	21	43
6-12 YRS	163	14.9	96	5	7	12	18	26	37	52
13-19 YRS	442	17.1	170	6	8	13	21	33	49	99+
TOT. SINGLE DX	784	11.5	33	6	7	10	13	17	20	38
" MULTIPLE DX	648	16.1	146	6	7	12	19	32	44	99
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	2	8.0	18	5	5	8	11	11	11	11
1-5 YRS	58	11.2	62	4	5	10	13	17	21	48
6-12 YRS	333	13.2	69	5	7	11	15	23	32	45
13-19 YRS	1038	13.9	97	6	7	11	15	24	33	78
GRAND TOTAL	**1432**	**13.6**	**90**	**6**	**7**	**11**	**15**	**23**	**32**	**66**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2							
1-5 YRS	24	3.1	3			3	4	6	6	6
6-12 YRS	81	4.0	3			4	5	7	8	16
13-19 YRS	356	4.1	8	1	2	3	5	8	9	15
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	3.3	2			3	4	5	5	5
1-5 YRS	26	4.7	12			4	5	9	16	19
6-12 YRS	136	4.7	9			4	5	7	10	19
13-19 YRS	305	6.2	43	1	2	5	7	11	17	39
TOT. SINGLE DX	463	4.0	8	1	1	3	5	7	9	15
" MULTIPLE DX	471	5.7	32	1	2	4	6	10	14	27
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	2.8	2	1	1	3	4	5	5	5
1-5 YRS	50	3.9	8	1	2	3	4	7	9	15
6-12 YRS	217	4.5	9	1	2	4	5	7	9	18
13-19 YRS	661	5.1	26	1	2	4	6	9	12	26
GRAND TOTAL	934	4.9	21	1	2	4	6	8	11	21

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	15.0	18	12	12	15	18	18	18	18
6-12 YRS										
13-19 YRS	13	14.2	59	5	8	12	15	29	31	32
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	19.2	103	9	9	15	26	35	35	35
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	34.0	648	16	16	34	52	52	52	52
13-19 YRS	22	16.0	40	8	9	15	21	23	28	33
TOT. SINGLE DX	15	14.3	52	5	9	12	15	28	31	32
" MULTIPLE DX	30	17.2	96	7	8	15	22	28	35	52
TOTAL 0-27 DYS										
1-11 MOS	5	19.2	103	9	9	15	26	35	35	35
1-5 YRS	3	10.3	74	1	1	12	16	18	18	18
6-12 YRS	2	34.0	648	16	16	34	52	52	52	52
13-19 YRS	35	15.3	47	7	9	14	18	24	31	33
GRAND TOTAL	45	16.2	82	6	9	14	19	28	33	52

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	11	15.6	76	6	9	14	21	28	32	32
6-12 YRS	11	6.3	10	3	5	6	8	11	13	13
13-19 YRS	32	10.7	63	2	3	9	12	21	31	34
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	11.9	63	4	4	10	18	21	21	21
1-5 YRS	10	15.7	92	2	4	15	23	29	30	30
6-12 YRS	10	8.1	78	2	2	6	7	22	32	32
13-19 YRS	18	16.4	211	3	6	13	15	35	54	64
TOT. SINGLE DX	55	10.8	61	2	3	9	13	21	31	34
" MULTIPLE DX	43	13.7	139	2	3	12	16	29	34	64
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	11.6	47	4	4	10	18	21	21	21
1-5 YRS	22	15.7	80	2	5	15	23	29	30	30
6-12 YRS	21	7.1	42	2	3	6	7	22	32	32
13-19 YRS	50	12.7	121	3	5	10	14	26	34	64
GRAND TOTAL	98	12.1	96	2	3	10	15	28	32	51

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	10.0	72	4	4	10	16	16	16	16
1-11 MOS	3	10.3	54	2	2	13	15	16	16	16
1-5 YRS	5	2.6	1	2	2	2	3	4	4	4
6-12 YRS	87	3.8	3	2	2	4	5	6	7	9
13-19 YRS	1983	4.2	7	2	3	4	5	7	8	11
2. MULTIPLE DX										
0-27 DYS	2	13.0	98	6	6	13	20	20	20	20
1-11 MOS	5	4.4	4	2	2	4	5	8	8	8
1-5 YRS	12	7.0	8	2	3	7	8	9	9	9
6-12 YRS	59	5.3	42	2	2	4	5	9	12	42
13-19 YRS	1790	5.0	13	2	2	4	6	8	9	19
TOT. SINGLE DX	2080	4.2	7	2	2	4	5	7	8	11
" MULTIPLE DX	1858	5.0	15	2	2	4	6	8	10	19
TOTAL 0-27 DYS	4	11.5	60	4	4	11	18	20	20	20
1-11 MOS	8	6.6	27	2	2	4	10	15	16	16
1-5 YRS	17	3.9	6	2	2	3	5	8	9	9
6-12 YRS	146	4.4	19	2	2	4	5	9	9	20
13-19 YRS	3773	4.6	11	2	2	4	5	7	8	14
GRAND TOTAL	3938	4.6	11	1	2	4	5	7	8	15

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	16	3.5	2	1	1	4	4	6	6	6
1-5 YRS	46	2.8	5	<1	1	2	4	5	6	15
6-12 YRS	114	2.9	4	<1	1	2	4	5	6	13
13-19 YRS	2327	3.1	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	7	6.0	53	<1	<1	2	11	18	19	19
1-5 YRS	25	4.5	18	<1	1	3	5	11	14	19
6-12 YRS	58	3.7	21	1	1	2	4	7	9	32
13-19 YRS	622	3.7	9	1	2	3	4	6	8	16
TOT. SINGLE DX	2503	3.1	2	1	1	3	4	5	5	8
" MULTIPLE DX	713	3.8	12	1	1	3	4	6	9	17
TOTAL 0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	23	4.3	18	<1	1	3	4	8	16	19
1-5 YRS	71	3.4	11	<1	1	2	4	7	11	18
6-12 YRS	172	3.2	10	1	1	2	4	5	7	14
13-19 YRS	2949	3.2	4	1	2	3	4	5	6	10
GRAND TOTAL	**3216**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	126	4.7	28	<1	1	3	5	13	16	26
1-5 YRS	348	3.1	16	<1	<1	2	3	6	9	27
6-12 YRS	309	3.6	15	<1	1	3	4	7	9	23
13-19 YRS	547	3.4	12	<1	1	2	4	6	9	20
2. MULTIPLE DX										
0-27 DYS	4	18.3	147	3	3	21	28	28	28	28
1-11 MOS	44	5.0	67	1	2	4	11	22	25	32
1-5 YRS	360	5.3	33	1	2	4	5	11	15	34
6-12 YRS	401	6.2	42	1	2	4	7	13	18	37
13-19 YRS	404	7.0	76	1	1	4	8	15	24	41
TOT. SINGLE DX	1331	3.5	16	<1	1	2	4	7	10	23
" MULTIPLE DX	1213	6.3	53	1	2	4	7	14	21	39
TOTAL 0-27 DYS	5	14.8	170	1	1	14	28	28	28	28
1-11 MOS	170	5.5	40	<1	1	3	5	15	21	28
1-5 YRS	708	4.3	26	<1	1	3	5	8	13	28
6-12 YRS	710	5.1	32	1	1	3	6	10	15	30
13-19 YRS	951	4.9	43	<1	1	3	5	10	15	34
GRAND TOTAL	**2544**	**4.8**	**36**	**<1**	**1**	**3**	**5**	**10**	**15**	**30**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	2.8	3	<1	<1	2	4	6	6	6
1-11 MOS	55	2.7	10	<1	<1	1	3	7	11	13
1-5 YRS	392	1.9	3	<1	<1	2	2	3	3	11
6-12 YRS	617	2.0	2	<1	<1	2	2	3	4	9
13-19 YRS	1133	2.0	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	6	24.3	895	3	3	9	67	94	99+	99+
1-11 MOS	22	11.1	406	1	2	4	13	22	61	93
1-5 YRS	97	4.4	32	<1	1	2	5	10	22	27
6-12 YRS	101	4.5	41	<1	1	2	5	10	14	37
13-19 YRS	224	4.2	37	<1	1	2	4	10	17	42
TOT. SINGLE DX	2203	2.0	3	<1	<1	2	2	3	4	10
" MULTIPLE DX	450	4.9	71	<1	1	2	4	10	20	54
TOTAL 0-27 DYS	12	13.6	535	<1	1	4	20	78	96	99+
1-11 MOS	77	5.1	134	<1	<1	2	4	12	13	79
1-5 YRS	489	2.4	10	<1	<1	2	2	3	6	22
6-12 YRS	718	2.3	8	<1	<1	2	2	4	6	14
13-19 YRS	1357	2.4	10	<1	<1	2	2	4	6	18
GRAND TOTAL	**2653**	**2.5**	**16**	**<1**	**<1**	**2**	**2**	**4**	**6**	**19**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	39	2.3	10	<1	<1	1	2	4	8	19
6-12 YRS	20	2.1	1	<1	<1	2	2	4	5	5
13-19 YRS	56	2.4	2	<1	<1	2	3	4	6	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	3.0	7	1	1	2	4	6	10	11
6-12 YRS	15	3.1	13	1	1	2	3	3	13	16
13-19 YRS	36	3.9	18	1	1	3	4	7	9	26
TOT. SINGLE DX	120	2.3	4	<1	<1	2	2	4	6	12
" MULTIPLE DX	66	3.5	15	1	1	2	4	7	9	24
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	53	2.5	9	<1	<1	2	2	5	9	19
6-12 YRS	35	2.5	7	<1	1	2	3	4	5	16
13-19 YRS	92	3.0	9	<1	1	2	3	6	7	19
GRAND TOTAL	**186**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	19	1.8		<1	<1	2	2	3	3	3
1-5 YRS	240	1.9	1	<1	1	2	2	3	4	6
6-12 YRS	328	2.0	1	<1	1	2	2	3	4	7
13-19 YRS	994	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	2.9	5	<1	<1	2	4	7	8	8
1-5 YRS	136	2.4	3	1	1	2	3	4	7	10
6-12 YRS	263	2.3	3	1	1	2	3	4	5	10
13-19 YRS	764	2.5	5	<1	1	2	3	4	6	11
TOT. SINGLE DX	1582	1.9	1	<1	1	2	2	3	4	6
" MULTIPLE DX	1172	2.4	5	<1	1	2	3	4	6	11
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	28	2.1	2	<1	<1	2	2	4	5	8
1-5 YRS	376	2.1	2	<1	1	2	2	4	4	9
6-12 YRS	591	2.1	3	<1	1	2	2	4	5	8
13-19 YRS	1758	2.2	3	<1	1	2	3	4	5	9
GRAND TOTAL	**2754**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	9	3.3	6	<1	<1	2	5	8	8	8
1-5 YRS	87	2.0	2	<1	1	1	3	4	5	9
6-12 YRS	204	2.4	2	<1	1	2	3	4	5	9
13-19 YRS	547	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	5	12.4	278	1	1	5	20	41	41	41
1-11 MOS	7	3.6	5	1	1	4	4	7	8	8
1-5 YRS	66	4.6	69	1	1	2	4	10	23	51
6-12 YRS	125	3.9	15	1	1	3	4	9	14	19
13-19 YRS	355	4.4	27	1	1	3	5	9	14	29
TOT. SINGLE DX	849	2.5	3	<1	1	2	3	4	6	9
" MULTIPLE DX	558	4.3	32	1	1	3	4	9	14	29
TOTAL 0-27 DYS	7	9.6	209	1	1	3	11	35	41	41
1-11 MOS	16	3.4	6	<1	1	3	4	8	8	8
1-5 YRS	153	3.1	33	<1	1	2	3	5	9	26
6-12 YRS	329	3.0	8	1	1	2	3	5	8	15
13-19 YRS	902	3.3	13	1	1	2	4	6	9	19
GRAND TOTAL	**1407**	**3.2**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	396	3.1	7	1	1	3	4	4	6	15
1-5 YRS	515	3.1	3	1	1	3	4	5	6	10
6-12 YRS	382	3.3	6	1	2	3	4	5	7	15
13-19 YRS	632	3.4	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	3	10.0	63	4	4	7	16	19	19	19
1-11 MOS	115	3.3	3	1	1	3	4	5	7	11
1-5 YRS	552	3.4	9	1	1	3	4	6	8	12
6-12 YRS	595	4.3	30	1	2	3	5	6	9	37
13-19 YRS	547	5.2	50	1	1	4	5	8	12	43
TOT. SINGLE DX	1926	3.3	5	1	1	3	4	5	7	12
" MULTIPLE DX	1812	4.3	29	1	1	3	5	7	9	32
TOTAL 0-27 DYS	4	8.0	58	2	2	5	13	19	19	19
1-11 MOS	511	3.2	6	1	1	3	4	5	6	15
1-5 YRS	1067	3.3	7	1	1	3	4	5	7	11
6-12 YRS	977	3.9	21	1	2	3	4	6	8	26
13-19 YRS	1179	4.2	27	1	1	3	5	7	9	25
GRAND TOTAL	**3738**	**3.7**	**17**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	18	1.4		<1	<1	1	2	2	3	3
1-5 YRS	62	2.1	10	<1	<1	1	2	3	6	23
6-12 YRS	67	2.1	6	<1	1	1	2	4	5	17
13-19 YRS	146	2.0	3	<1	1	1	2	3	6	10
2. MULTIPLE DX										
0-27 DYS	18	4.6	27	2	2	3	4	7	18	25
1-11 MOS	4	3.8	5	2	2	3	5	7	7	7
1-5 YRS	37	4.8	175	<1	1	2	4	7	10	82
6-12 YRS	24	3.7	13	1	1	2	4	10	12	15
13-19 YRS	100	4.8	45	1	1	2	4	10	18	41
TOT. SINGLE DX	294	2.0	5	<1	1	1	2	3	6	10
" MULTIPLE DX	183	4.6	64	1	1	2	4	9	16	42
TOTAL 0-27 DYS	19	4.5	26	2	2	3	4	7	17	25
1-11 MOS	22	1.9	2	<1	<1	1	2	3	5	7
1-5 YRS	99	3.1	73	<1	<1	1	2	5	7	54
6-12 YRS	91	2.5	9	1	1	2	3	5	10	17
13-19 YRS	246	3.1	22	<1	1	2	3	6	10	21
GRAND TOTAL	**477**	**3.0**	**29**	**<1**	**1**	**2**	**3**	**6**	**9**	**23**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.3		<1	<1	1	2	2	2	2
6-12 YRS	3	4.0	12	2	2	2	7	8	8	8
13-19 YRS	10	6.1	35	<1	<1	4	7	16	18	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	3	1	1	1	3	4	4	4
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	11	8.3	25	<1	1	10	11	14	18	18
TOT. SINGLE DX	19	4.3	24	<1	<1	2	6	12	17	18
" MULTIPLE DX	15	7.1	25	<1	1	7	10	12	16	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	9	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	4	5.3	14	2	2	5	8	9	9	9
13-19 YRS	21	7.2	30	<1	1	7	10	16	18	18
GRAND TOTAL	**34**	**5.5**	**26**	**<1**	**1**	**4**	**9**	**12**	**17**	**18**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	2.2	4	<1	<1	2	3	5	8	8
1-5 YRS	36	2.7	6	1	1	2	3	6	9	11
6-12 YRS	24	3.3	5	1	1	2	5	7	9	10
13-19 YRS	61	4.5	35	1	1	3	5	7	12	42
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	17.3	891	<1	<1	3	33	62	62	62
1-5 YRS	16	7.3	158	1	1	3	6	25	42	48
6-12 YRS	22	8.6	107	1	2	5	8	28	34	39
13-19 YRS	59	9.3	135	1	2	5	10	19	39	62
TOT. SINGLE DX	133	3.6	20	1	1	3	4	6	10	20
" MULTIPLE DX	102	9.1	154	1	1	5	10	26	41	63
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	5.9	227	<1	<1	2	3	8	46	62
1-5 YRS	52	4.1	55	1	1	2	3	8	11	48
6-12 YRS	46	5.8	60	1	1	3	5	12	28	39
13-19 YRS	120	6.9	90	1	1	4	7	13	22	51
GRAND TOTAL	**235**	**6.0**	**85**	**1**	**1**	**3**	**6**	**12**	**24**	**50**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	20.7	394	5	5	14	36	43	43	43
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	15.5	63	9	9	13	20	27	27	27
6-12 YRS	4	24.8	518	5	5	22	44	50	50	50
13-19 YRS	18	16.5	180	3	5	11	24	36	44	48
TOT. SINGLE DX	4	16.0	350	2	2	9	28	43	43	43
" MULTIPLE DX	26	17.6	202	4	5	12	27	38	48	50
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	4	15.5	63	9	9	13	20	27	27	27
6-12 YRS	5	20.2	492	2	2	6	41	50	50	50
13-19 YRS	21	17.1	195	4	5	12	26	39	45	48
GRAND TOTAL	**30**	**17.4**	**211**	**3**	**4**	**12**	**27**	**40**	**48**	**50**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	12	12.8	142	4	4	9	16	27	44	47
13-19 YRS	16	8.5	22	3	3	7	11	16	18	19
2. MULTIPLE DX										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	2	10.5	181	1	1	10	20	20	20	20
1-5 YRS	8	13.0	108	4	4	10	16	30	36	36
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	19	17.6	202	4	5	16	21	49	78	99+
TOT. SINGLE DX	31	10.2	76	3	3	7	14	19	21	47
" MULTIPLE DX	31	15.9	159	4	4	14	20	39	55	99+
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	3	14.0	127	1	1	20	21	21	21	21
1-5 YRS	10	11.0	102	2	3	8	15	26	36	36
6-12 YRS	13	12.9	131	4	5	10	16	25	43	47
13-19 YRS	35	13.4	138	3	4	10	19	36	52	99+
GRAND TOTAL	**62**	**13.0**	**123**	**3**	**4**	**10**	**18**	**24**	**44**	**94**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	7.4	74	3	3	5	6	21	30	30
6-12 YRS	5	7.8	31	1	1	9	12	14	14	14
13-19 YRS	14	12.6	85	3	4	9	22	26	29	30
2. MULTIPLE DX										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	6	10.0	55	2	2	8	13	22	23	23
6-12 YRS	10	15.6	342	4	5	7	10	50	53	53
13-19 YRS	7	15.9	297	6	6	10	15	47	54	54
TOT. SINGLE DX	29	9.9	73	3	3	6	12	26	30	30
" MULTIPLE DX	26	13.5	222	3	3	7	13	45	53	54
TOTAL 0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	15	8.5	64	2	3	5	9	23	28	30
6-12 YRS	15	13.0	244	1	3	7	11	48	52	53
13-19 YRS	21	13.7	147	4	4	10	18	28	41	54
GRAND TOTAL	**55**	**11.6**	**144**	**3**	**3**	**7**	**13**	**26**	**44**	**54**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.3		<1	<1	1	2	2	2	2
1-5 YRS	34	2.1	2	<1	1	2	2	4	6	7
6-12 YRS	25	4.0	8	1	1	3	6	8	10	13
13-19 YRS	36	6.2	49	1	1	4	7	12	14	42
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	19.0	392	5	5	19	33	33	33	33
1-5 YRS	12	4.3	17	1	1	3	5	11	14	15
6-12 YRS	8	5.8	13	1	1	5	9	11	11	11
13-19 YRS	24	8.8	67	1	2	7	11	32	50	99+
TOT. SINGLE DX	101	4.0	24	1	1	2	5	8	12	28
" MULTIPLE DX	46	7.5	59	1	1	5	10	15	33	99+
TOTAL 0-27 DYS										
1-11 MOS	8	5.8	123	<1	<1	2	4	25	33	33
1-5 YRS	46	2.6	7	<1	1	2	3	5	7	15
6-12 YRS	33	4.4	10	1	1	4	6	9	11	13
13-19 YRS	60	7.2	57	1	1	5	9	14	32	94
GRAND TOTAL	**147**	**5.1**	**37**	**1**	**1**	**4**	**6**	**11**	**14**	**43**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	18	2.3	3	<1	1	2	3	4	7	9
6-12 YRS	35	2.3	2	<1	<1	2	3	4	6	9
13-19 YRS	64	2.5	4	<1	<1	2	3	4	5	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	18.0	679	1	1	5	37	48	48	48
1-5 YRS	10	2.7	2	1	1	2	4	5	5	5
6-12 YRS	17	3.3	11	1	1	2	3	10	12	12
13-19 YRS	37	6.2	132	1	1	2	4	11	40	52
TOT. SINGLE DX	118	2.4	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	67	5.5	106	1	1	2	4	11	34	51
TOTAL 0-27 DYS										
1-11 MOS	4	14.0	517	1	1	3	26	48	48	48
1-5 YRS	28	2.5	3	<1	1	2	3	4	5	9
6-12 YRS	52	2.7	6	<1	1	2	3	5	9	12
13-19 YRS	101	3.9	54	<1	<1	2	4	5	9	48
GRAND TOTAL	**185**	**3.5**	**43**	**<1**	**1**	**2**	**3**	**5**	**9**	**47**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS										
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	13.8	221	3	3	8	24	35	35	35
TOT. SINGLE DX	3	10.3	102	4	4	5	18	22	22	22
" MULTIPLE DX	6	12.3	149	3	3	9	15	33	35	35
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	18.5	25	15	15	18	22	22	22	22
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	10.7	155	3	3	5	13	33	35	35
GRAND TOTAL	**9**	**11.7**	**120**	**3**	**3**	**5**	**17**	**30**	**35**	**35**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	3.0	8	<1	<1	2	5	7	7	7
1-11 MOS	13	2.2	3	<1	<1	1	2	5	7	7
1-5 YRS	11	1.6		1	1	2	2	3	3	3
6-12 YRS	57	1.9		<1	<1	2	2	3	4	5
13-19 YRS	1305	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	7	4.0	9	2	2	3	5	9	10	10
1-5 YRS	5	2.4	2	<1	<1	2	4	4	4	4
6-12 YRS	10	2.8	9	<1	<1	2	2	7	11	11
13-19 YRS	277	3.2	24	<1	1	2	3	6	9	24
TOT. SINGLE DX	1390	1.9	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	301	3.2	23	<1	1	2	3	6	9	21
TOTAL 0-27 DYS	6	3.0	5	<1	<1	3	3	7	7	7
1-11 MOS	20	2.8	6	<1	<1	2	3	6	8	10
1-5 YRS	16	1.9	1	<1	1	2	2	4	4	4
6-12 YRS	67	2.0	2	<1	<1	2	2	3	4	10
13-19 YRS	1582	2.1	6	<1	<1	2	2	3	4	9
GRAND TOTAL	1691	2.1	5	<1	<1	2	2	3	4	9

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	16	2.2		1	1	2	3	3	3	3
13-19 YRS	216	2.4	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	3.5	1	2	2	3	4	5	5	5
13-19 YRS	29	5.7	87	2	2	3	4	10	33	44
TOT. SINGLE DX	232	2.4	1	<1	1	2	3	4	5	6
" MULTIPLE DX	34	5.4	75	2	2	3	4	9	28	44
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	20	2.5	1	1	1	2	3	4	4	5
13-19 YRS	245	2.8	12	<1	1	2	3	4	6	12
GRAND TOTAL	266	2.8	12	<1	1	2	3	4	6	11

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	3	5.0	7	2	2	6	7	7	7	7
13-19 YRS	11	3.9	7	1	1	3	6	8	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	7.3	3	4	4	8	9	9	9	9
1-5 YRS	3	8.7	74	1	1	7	15	18	18	18
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	6.0	8	4	4	6	8	8	8	8
TOT. SINGLE DX	15	4.3	7	1	1	4	7	7	9	9
" MULTIPLE DX	12	7.0	19	1	2	7	8	12	17	18
TOTAL 0-27 DYS										
1-11 MOS	7	7.3	3	4	5	7	9	9	9	9
1-5 YRS	3	8.7	74	1	1	7	15	18	18	18
6-12 YRS	4	4.3	7	2	2	4	6	7	7	7
13-19 YRS	13	4.2	8	1	1	4	7	8	9	9
GRAND TOTAL	27	5.5	14	1	1	6	7	9	11	18

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	4.7		4	4	5	5	6	6	6
1-11 MOS	8	4.3	11	2	2	3	5	10	12	12
1-5 YRS	4	3.3	10	1	1	2	5	8	8	8
6-12 YRS	38	2.3	2	<1	1	2	3	4	5	6
13-19 YRS	1065	2.9	2	1	1	3	4	5	5	8
2. MULTIPLE DX										
0-27 DYS	9	6.8	12	3	3	6	8	13	13	13
1-11 MOS	6	3.3	2	1	1	3	4	6	6	6
1-5 YRS	5	2.8	5	<1	<1	2	3	7	7	7
6-12 YRS	20	5.0	58	<1	1	3	4	8	23	36
13-19 YRS	356	3.6	19	1	2	3	4	6	7	11
TOT. SINGLE DX	1121	2.9	2	1	1	3	4	5	5	8
" MULTIPLE DX	396	3.7	21	1	1	3	4	6	8	12
TOTAL 0-27 DYS	15	5.9	9	3	3	5	7	12	13	13
1-11 MOS	14	3.9	7	1	2	3	4	7	11	12
1-5 YRS	9	3.0	7	<1	<1	2	4	8	8	8
6-12 YRS	58	3.2	22	<1	1	2	3	5	6	34
13-19 YRS	1421	3.1	7	1	1	3	4	5	6	8
GRAND TOTAL	**1517**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	19	3.3	5	<1	<1	3	5	7	8	9
1-5 YRS	17	2.2	2	<1	<1	2	3	4	6	7
6-12 YRS	23	3.1	1	<1	1	3	4	5	5	5
13-19 YRS	2945	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	3.3	6	1	1	3	5	6	6	6
1-5 YRS	6	4.8	30	2	2	3	4	15	16	16
6-12 YRS	7	11.6	360	1	1	5	10	45	54	54
13-19 YRS	350	4.6	28	1	2	4	5	7	9	18
TOT. SINGLE DX	3002	3.5	5	1	2	3	4	6	7	11
" MULTIPLE DX	366	4.7	35	1	2	4	5	7	10	18
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	18	3.3	5	<1	<1	3	5	7	8	9
1-5 YRS	23	2.9	10	<1	<1	2	3	5	10	16
6-12 YRS	30	5.1	89	1	1	3	5	5	11	54
13-19 YRS	3295	3.6	8	1	2	3	4	6	7	12
GRAND TOTAL	**3368**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	21	4.3	6	<1	1	4	6	8	9	11
1-11 MOS	291	2.4	5	<1	<1	2	2	4	8	14
1-5 YRS	1139	2.2	6	<1	<1	1	2	4	7	13
6-12 YRS	1112	2.3	8	<1	<1	2	2	4	6	15
13-19 YRS	1525	2.6	10	<1	<1	2	3	5	7	16
2. MULTIPLE DX										
0-27 DYS	190	4.5	13	2	2	3	5	8	13	20
1-11 MOS	107	6.2	92	<1	1	4	7	13	16	61
1-5 YRS	349	4.2	33	<1	1	2	5	9	15	31
6-12 YRS	405	4.2	62	<1	<1	2	4	9	15	54
13-19 YRS	831	7.8	172	<1	1	3	7	20	41	72
TOT. SINGLE DX	4088	2.4	9	<1	<1	2	2	4	7	14
" MULTIPLE DX	1882	6.0	105	<1	1	3	5	13	22	61
TOTAL 0-27 DYS	211	4.5	13	1	2	3	5	8	12	19
1-11 MOS	398	3.4	32	<1	<1	2	3	7	11	23
1-5 YRS	1488	2.7	13	<1	<1	2	3	5	9	17
6-12 YRS	1517	2.8	24	<1	<1	2	3	6	9	20
13-19 YRS	2356	4.5	74	<1	<1	2	4	9	15	49
GRAND TOTAL	**5970**	**3.5**	**42**	**<1**	**<1**	**2**	**3**	**7**	**11**	**38**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	25	4.8	9	2	2	4	6	7	13	14
1-11 MOS	208	5.0	25	1	1	4	7	10	13	31
1-5 YRS	1550	3.6	22	<1	<1	2	4	8	11	24
6-12 YRS	1659	4.0	27	<1	1	2	5	8	12	32
13-19 YRS	2504	4.1	26	<1	1	3	5	8	13	27
2. MULTIPLE DX										
0-27 DYS	184	7.1	60	2	2	5	6	16	25	83
1-11 MOS	278	8.4	108	1	1	6	10	16	26	48
1-5 YRS	1537	6.7	80	1	1	4	8	16	25	49
6-12 YRS	1766	6.1	83	1	1	3	7	14	25	51
13-19 YRS	4753	5.8	82	1	1	3	6	12	22	50
TOT. SINGLE DX	5946	4.0	26	<1	1	2	5	8	12	27
" MULTIPLE DX	8518	6.1	83	1	1	3	7	14	24	50
TOTAL 0-27 DYS	209	6.8	54	2	2	5	6	15	23	71
1-11 MOS	486	7.0	76	1	1	5	8	13	19	41
1-5 YRS	3087	5.2	54	<1	1	3	6	12	19	39
6-12 YRS	3425	5.1	58	<1	1	3	5	11	18	40
13-19 YRS	7257	5.2	64	<1	1	3	6	11	18	45
GRAND TOTAL	**14464**	**5.3**	**61**	**<1**	**1**	**3**	**6**	**11**	**18**	**42**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	13.5	1	13	13	13	14	14	14	14
1-11 MOS	20	6.3	74	△	△	3	8	16	27	37
1-5 YRS	225	7.5	113	△	△	3	8	22	29	49
6-12 YRS	277	6.5	53	1	1	4	8	14	22	38
13-19 YRS	423	6.0	48	1	1	4	8	14	19	33
2. MULTIPLE DX										
0-27 DYS	5	43.0	1249	11	11	24	70	95	95	95
1-11 MOS	44	19.0	213	2	2	11	26	41	48	58
1-5 YRS	221	15.5	187	2	2	11	26	38	41	62
6-12 YRS	233	15.8	246	2	2	10	21	40	46	72
13-19 YRS	345	12.4	172	1	1	8	17	28	41	71
TOT. SINGLE DX	947	6.5	66	1	1	4	8	15	24	40
" MULTIPLE DX	838	14.7	211	1	2	10	20	34	46	70
TOTAL 0-27 DYS	7	34.6	1040	11	11	22	52	89	95	95
1-11 MOS	64	15.0	204	1	1	11	22	39	43	58
1-5 YRS	446	11.5	166	1	1	6	18	31	37	59
6-12 YRS	500	10.6	161	1	1	6	13	27	40	61
13-19 YRS	768	8.9	114	1	1	5	12	21	30	57
GRAND TOTAL	1785	10.4	150	1	1	6	14	27	37	59

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.2		△	△	1	1	2	2	2
1-5 YRS	76	2.9	16	△	1	1	2	6	11	24
6-12 YRS	88	3.1	11	△	1	2	4	7	9	20
13-19 YRS	140	3.9	27	△	1	2	4	8	14	30
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	9.0	43	△	3	8	14	16	16	16
1-5 YRS	37	4.8	35	△	1	2	7	12	26	99+
6-12 YRS	65	5.4	42	1	1	2	6	16	21	23
13-19 YRS	136	9.2	173	1	1	4	10	21	37	66
TOT. SINGLE DX	309	3.4	20	△	1	2	4	8	11	26
" MULTIPLE DX	242	7.5	118	1	1	3	8	19	30	65
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	4.1	29	△	△	2	5	14	16	16
1-5 YRS	113	3.5	23	△	1	2	4	9	13	54
6-12 YRS	153	4.1	26	△	1	2	4	8	16	26
13-19 YRS	276	6.5	106	△	1	3	6	15	26	61
GRAND TOTAL	551	5.2	67	△	1	2	5	12	21	47

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	97	2.2	3	△	△	1	2	3	5	11
1-5 YRS	411	2.4	6	△	△	1	2	4	5	12
6-12 YRS	354	2.8	17	△	△	1	2	5	9	18
13-19 YRS	733	2.1	3	△	△	1	2	3	5	11
2. MULTIPLE DX										
0-27 DYS	14	5.2	34	2	2	3	5	9	21	25
1-11 MOS	45	2.9	8	1	1	2	3	5	11	14
1-5 YRS	248	3.9	31	1	1	2	4	8	11	36
6-12 YRS	220	4.2	51	1	1	2	4	9	14	55
13-19 YRS	457	4.5	40	1	1	2	5	9	16	51
TOT. SINGLE DX	1595	2.4	7	△	△	1	2	4	6	12
" MULTIPLE DX	984	4.2	39	△	1	2	4	9	13	46
TOTAL 0-27 DYS	14	5.2	34	2	2	3	5	9	21	25
1-11 MOS	142	2.6	5	1	1	2	3	4	6	14
1-5 YRS	659	3.0	16	△	△	1	2	5	9	26
6-12 YRS	574	3.3	31	△	△	1	2	5	11	35
13-19 YRS	1190	3.1	19	△	△	1	2	4	9	27
GRAND TOTAL	2579	3.1	20	<1	<1	2	3	6	9	25

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	13	4.1	12	1	1	2	7	9	10	10
1-5 YRS	24	3.3	4	1	1	3	4	7	8	9
6-12 YRS	34	3.4	8	1	1	2	4	7	10	14
13-19 YRS	32	4.2	15	1	1	3	5	8	12	21
2. MULTIPLE DX										
0-27 DYS	39	22.1	329	3	4	17	32	52	57	67
1-11 MOS	16	14.6	356	1	2	6	16	53	58	60
1-5 YRS	75	4.4	10	1	2	4	6	8	9	20
6-12 YRS	41	6.2	104	1	2	3	6	11	18	65
13-19 YRS	74	4.8	8	2	2	4	6	8	10	17
TOT. SINGLE DX	105	3.8	10	1	1	3	4	8	10	17
" MULTIPLE DX	245	8.3	138	1	2	5	7	18	35	60
TOTAL 0-27 DYS	41	21.3	326	3	4	17	31	52	56	67
1-11 MOS	29	9.9	225	1	1	5	9	28	55	60
1-5 YRS	99	4.1	9	1	1	3	5	8	9	17
6-12 YRS	75	4.9	62	1	1	3	5	9	13	54
13-19 YRS	106	4.6	10	1	2	4	6	8	10	19
GRAND TOTAL	**350**	**6.9**	**104**	**1**	**2**	**4**	**7**	**13**	**25**	**60**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	14.5	180	2	2	11	24	33	33	33
1-11 MOS	34	4.0	11	1	1	3	5	9	11	15
1-5 YRS	76	3.3	17	1	1	2	3	7	9	28
6-12 YRS	128	3.9	18	1	1	2	4	7	12	26
13-19 YRS	663	4.2	19	1	1	2	5	9	12	21
2. MULTIPLE DX										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	38	4.8	16	1	2	3	6	10	14	18
1-5 YRS	71	4.7	66	1	1	2	4	9	14	56
6-12 YRS	109	4.1	14	1	1	3	5	10	13	18
13-19 YRS	437	6.3	49	1	1	4	8	14	20	33
TOT. SINGLE DX	905	4.1	20	1	1	2	5	9	12	22
" MULTIPLE DX	656	5.7	44	1	1	3	7	13	17	32
TOTAL 0-27 DYS	5	15.0	137	2	2	15	21	33	33	33
1-11 MOS	72	4.4	14	1	1	3	6	9	13	17
1-5 YRS	147	4.0	41	1	1	2	4	8	13	33
6-12 YRS	237	4.0	17	1	1	3	4	9	13	22
13-19 YRS	1100	5.0	32	1	1	3	6	11	15	29
GRAND TOTAL	**1561**	**4.8**	**31**	**1**	**1**	**3**	**6**	**11**	**15**	**28**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	14	2.2	1	1	1	2	2	3	5	5
1-5 YRS	42	3.7	12	1	1	2	4	7	10	21
6-12 YRS	78	3.7	18	1	1	2	4	8	11	27
13-19 YRS	196	4.1	13	1	1	3	5	8	12	18
2. MULTIPLE DX										
0-27 DYS	4	14.5	43	7	7	14	42	99+	99+	99+
1-11 MOS	11	12.6	173	2	2	5	17	36	40	40
1-5 YRS	49	6.5	38	1	2	5	9	12	16	32
6-12 YRS	65	6.0	48	1	2	3	8	14	19	42
13-19 YRS	194	6.9	52	2	2	5	8	14	23	35
TOT. SINGLE DX	332	3.9	14	1	1	2	5	8	11	19
" MULTIPLE DX	323	7.0	55	1	2	4	8	15	23	41
TOTAL 0-27 DYS	6	11.2	55	2	3	14	21	85	99+	99+
1-11 MOS	25	6.8	101	1	2	2	5	17	35	40
1-5 YRS	91	5.2	28	1	1	3	6	12	15	30
6-12 YRS	143	4.7	33	1	1	3	6	10	15	31
13-19 YRS	390	5.5	35	1	2	3	7	11	17	33
GRAND TOTAL	**655**	**5.4**	**36**	**1**	**2**	**3**	**7**	**12**	**17**	**34**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	2	10.0	162	1	1	10	19	19	19	19
6-12 YRS	5	2.4	1	1	1	2	3	4	4	4
13-19 YRS	5	2.8	1	2	2	2	3	5	5	5
TOT. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
" MULTIPLE DX	16	3.3	19	1	1	2	3	5	15	19
TOTAL 0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	4	6.3	73	1	1	2	11	19	19	19
6-12 YRS	5	2.4	1	1	1	2	3	4	4	4
13-19 YRS	5	2.8	2	2	2	2	3	5	5	5
GRAND TOTAL	**18**	**3.2**	**17**	**1**	**1**	**2**	**3**	**5**	**13**	**19**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.0	39	1	1	4	11	13	13	13
1-11 MOS	18	3.1	9	1	1	2	3	9	10	10
1-5 YRS	50	3.5	14	1	1	2	3	9	11	19
6-12 YRS	67	3.7	22	<1	1	2	4	9	11	31
13-19 YRS	455	4.6	35	1	1	3	6	10	13	18
2. MULTIPLE DX										
0-27 DYS	11	17.6	551	2	2	8	18	61	71	72
1-11 MOS	41	5.6	35	1	2	3	7	11	22	26
1-5 YRS	69	4.6	39	1	1	2	3	13	19	30
6-12 YRS	85	7.0	112	1	2	3	9	18	29	87
13-19 YRS	405	6.7	42	1	1	4	9	15	18	35
TOT. SINGLE DX	593	4.3	31	1	1	2	5	10	13	19
" MULTIPLE DX	611	6.6	62	1	1	3	9	15	20	43
TOTAL 0-27 DYS	14	15.1	455	1	2	6	15	56	68	72
1-11 MOS	59	4.8	28	1	1	2	6	10	16	26
1-5 YRS	119	4.2	29	1	1	2	3	11	18	26
6-12 YRS	152	5.6	75	1	1	2	5	14	22	63
13-19 YRS	860	5.5	40	1	1	3	8	12	16	28
GRAND TOTAL	**1204**	**5.5**	**48**	**1**	**1**	**3**	**7**	**12**	**17**	**34**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1689	3.7	6	1	2	3	4	6	8	14
1-11 MOS	4415	4.0	12	1	1	3	5	8	10	18
1-5 YRS	9079	3.3	9	1	1	3	4	6	8	15
6-12 YRS	9894	3.3	11	1	1	2	4	6	8	17
13-19 YRS	19959	3.9	21	1	1	3	5	7	9	23
2. MULTIPLE DX										
0-27 DYS	5477	10.0	176	2	2	5	10	26	40	73
1-11 MOS	7415	5.7	32	1	2	4	7	11	15	29
1-5 YRS	12409	4.5	20	1	1	3	5	8	11	22
6-12 YRS	11029	4.4	27	1	1	3	5	8	11	27
13-19 YRS	24152	5.1	42	1	1	4	6	9	14	36
TOT. SINGLE DX	45046	3.7	16	1	1	3	4	7	9	19
" MULTIPLE DX	60482	5.4	48	1	1	4	6	10	15	39
TOTAL 0-27 DYS	7166	8.5	143	2	2	4	8	21	34	67
1-11 MOS	11830	5.0	25	1	1	4	6	10	13	24
1-5 YRS	21488	4.0	16	1	1	3	5	7	10	20
6-12 YRS	20923	3.9	20	1	1	3	5	7	10	22
13-19 YRS	44121	4.6	33	1	1	3	5	8	12	31
GRAND TOTAL	**105528**	**4.6**	**35**	**1**	**1**	**3**	**5**	**8**	**12**	**32**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	889	3.4	6	1	1	3	4	5	6	11
1-11 MOS	2610	4.4	10	1	2	4	5	8	10	18
1-5 YRS	6354	4.6	31	1	1	3	5	9	18	28
6-12 YRS	3849	6.6	83	1	1	3	6	20	28	44
13-19 YRS	4085	9.3	193	1	1	4	9	28	43	70
2. MULTIPLE DX										
0-27 DYS	3263	7.8	139	1	2	4	7	17	31	72
1-11 MOS	3407	5.4	23	2	2	4	6	10	13	24
1-5 YRS	6298	4.9	26	1	2	3	5	9	14	27
6-12 YRS	3004	7.6	102	1	2	4	7	20	30	51
13-19 YRS	4631	10.6	201	1	2	5	11	31	45	79
TOT. SINGLE DX	17787	6.0	80	1	1	3	5	13	24	49
" MULTIPLE DX	20603	7.1	99	1	2	4	7	15	27	58
TOTAL 0-27 DYS	4152	6.8	114	1	2	4	6	13	26	65
1-11 MOS	6017	5.0	18	1	2	4	6	9	12	22
1-5 YRS	12652	4.8	29	1	1	3	5	9	16	27
6-12 YRS	6853	7.0	92	1	1	4	6	20	29	47
13-19 YRS	8716	10.0	198	1	1	5	10	29	44	75
GRAND TOTAL	**38390**	**6.6**	**90**	**1**	**1**	**4**	**6**	**14**	**25**	**54**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4720	3.4	4	1	2	3	4	6	7	11
1-11 MOS	4911	3.9	7	1	1	3	5	7	9	14
1-5 YRS	8535	3.4	6	1	1	3	4	6	7	12
6-12 YRS	4879	3.9	23	1	1	3	5	7	9	25
13-19 YRS	6502	4.5	41	1	1	3	5	8	12	38
2. MULTIPLE DX										
0-27 DYS	8405	7.4	93	2	2	5	7	15	25	60
1-11 MOS	9008	5.0	16	1	2	4	6	9	11	21
1-5 YRS	14341	4.1	14	1	2	3	5	7	9	16
6-12 YRS	6390	4.9	44	1	1	3	5	8	12	41
13-19 YRS	9158	6.4	96	1	1	4	6	13	25	61
TOT. SINGLE DX	29547	3.8	17	1	1	3	4	6	8	19
" MULTIPLE DX	47302	5.4	50	1	2	4	6	9	14	42
TOTAL 0-27 DYS	13125	6.0	65	1	2	4	6	11	19	49
1-11 MOS	13919	4.6	14	1	2	4	6	8	10	19
1-5 YRS	22876	3.8	12	1	1	3	5	7	8	15
6-12 YRS	11269	4.5	36	1	1	3	5	8	10	34
13-19 YRS	15660	5.6	75	1	1	3	5	10	19	53
GRAND TOTAL	76849	4.8	38	1	1	3	5	8	12	35

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Fai re, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
22	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
368	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
88	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
267	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
96	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
306	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
590	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
660	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
582	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
589	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin